

Carbon Tetrachloride (CASRN: 56-23-5) Bibliography: Supplemental File for the TSCA Scope Document

TABLE OF CONTENTS

Peer Reviewed Literature Search Results	2
Fate Literature Search Results.....	2
On Topic	2
Off Topic	6
Engineering Literature Search Results	131
On Topic	131
Off Topic	135
Exposure Literature Search Results.....	262
On Topic	262
Off Topic	268
Environmental Hazard Literature Search Results.....	393
On Topic	393
Off Topic	411
Human Health Hazard Literature Search Results	744
On Topic	744
Off Topic	851
OPPT Risk Assessment, Problem Formulation or Scope Document	979
On Topic	979
Gray Literature Search Results	982

This document provides the bibliographic citations that were identified and screened from the initial literature search and the initial categorization of whether citations are *on topic* or *off topic*. *On topic* references are those that may contain data and/or information relevant to the risk evaluation. *Off topic* references are those that do not appear to contain data or information relevant to the risk evaluation.

Because systematic review is an iterative process, EPA/OPPT expects that some references may move from the *on topic* to the *off topic* category and vice versa. Additional *on topic* references not initially identified in the initial search may also be identified as the systematic review process proceeds. Moreover, targeted supplemental searches may be conducted to address specific needs for the analysis phase (e.g., to locate specific data needed for modeling).

Some of the references supporting the “Scope of the Risk Evaluation for Carbon Tetrachloride” may not be reflected in the “OPPT Risk Assessment, Problem Formulation or Scope Document” section of this bibliography document. Thus, please refer to the bibliography included in the final scope document for the full list of references.

PEER REVIEWED LITERATURE SEARCH RESULTS

The peer reviewed literature search results include studies cited in the [2010 final IRIS Toxicological Review for carbon tetrachloride](#) and results from the comprehensive searches of bibliographic databases. The combined results were reviewed and determined to either be *on topic* or *off topic* with respect to the data needs of the five topic areas presented below. The full literature search strategy is presented in *the Strategy for Conducting Literature Searches for Carbon Tetrachloride: Supplemental File for the TSCA Scope Document*.

Citations are presented in the format returned from database searches. In some instances citations may be incomplete (e.g., publication year or journal information may be missing). Efforts to complete citation information are underway. Because each reference was considered for each topic area during screening, a citation may be listed as *on topic* or *off topic* in more than one topic area.

Fate Literature Search Results

On Topic

- Adachi, A; Kobayashi, T. (1993). SIMPLE METHOD OF REMOVING CHLOROFORM AND CARBON-TETRACHLORIDE FROM LABORATORY WASTE-WATER. *JTTHE*. 39: 63-67.
- Alapi, T; Dombi, A. (2007). Direct VUV photolysis of chlorinated methanes and their mixtures in an oxygen stream using an ozone producing low-pressure mercury vapour lamp. *Chemosphere*. 67: 693-701. <http://dx.doi.org/10.1016/j.chemosphere.2006.10.066>.
- Anderson, TA; Beauchamp, JJ; Walton, BT. (1991). FATE OF VOLATILE AND SEMIVOLATILE ORGANIC-CHEMICALS IN SOILS - ABIOTIC VERSUS BIOTIC LOSSES. *J Environ Qual*. 20: 420-424.
- Backhus, DA; Picardal, FW; Johnson, S; Knowles, T; Collins, R; Radue, A; Kim, S. (1997). Soil- and surfactant-enhanced reductive dechlorination of carbon tetrachloride in the presence of *Shewanella putrefaciens* 200. *J Contam Hydrol*. 28: 337-361.
- Bhatt, P; Kumar, MS; Mudliar, S; Chakrabarti, T. (2007). Biodegradation of Chlorinated Compounds—A Review. *Crit Rev Environ Sci Tech*. 37: 165-198. <http://dx.doi.org/10.1080/10643380600776130>.
- Bianchimosquera, GC; Mackay, DM. (1992). COMPARISON OF STAINLESS-STEEL VS PTFE MINIWELLS FOR MONITORING HALOGENATED ORGANIC SOLUTE TRANSPORT. *Ground Water Monitoring and Remediation*. 12: 126-131.
- Bjerre, A. (1981). Mathematical modeling in the hazard assessment of substances forming toxic decomposition products: The example of carbon tetrachloride. *Ann Occup Hyg*. 24: 175-184.
- Broholm, K; Feenstra, S. (1995). Laboratory measurements of the aqueous solubility of mixtures of chlorinated solvents. *Environ Toxicol Chem*. 14: 9-15.
- Brown, KW; Thomas, JC; Whitney, F. (1997). Fate of volatile organic compounds and pesticides in composted municipal solid waste. *Compost Science and Utilization*. 5: 6-14.
- Brown, RHA; Cape, JN; Farmer, JG. (1998). Partitioning of chlorinated solvents between pine needles and air. *Chemosphere*. 36: 1799-1810.

Fate Literature Search Results

On Topic

- Brusseu, ML; Rohay, V; Truex, MJ. (2010). ANALYSIS OF SOIL VAPOR EXTRACTION DATA TO EVALUATE MASS-TRANSFER CONSTRAINTS AND ESTIMATE SOURCE-ZONE MASS FLUX. *Ground Water Monitoring and Remediation*. 30: 57-64. <http://dx.doi.org/10.1111/j1745-6592.2010.001286.x>.
- Cabbar, HC. (1999). Effects of humidity and soil organic matter on the sorption of chlorinated methanes in synthetic humic-clay complexes. *J Hazard Mater*. 68: 217-226.
- Cabbar, HC; Bostanci, A. (2001). Moisture effect on the transport of organic vapors in sand. *J Hazard Mater*. 82: 313-322.
- Cabbar, HC; Varol, N; McCoy, BJ. (1998). Sorption and diffusion of chlorinated methanes in moist clay. *AIChE J*. 44: 1351-1355.
- Carroll, KC; Oostrom, M; Truex, MJ; Rohay, VJ; Brusseau, ML. (2012). Assessing performance and closure for soil vapor extraction: integrating vapor discharge and impact to groundwater quality. *J Contam Hydrol*. 128: 71-82. <http://dx.doi.org/10.1016/j.jconhyd.2011.10.003>.
- Cervini-Silva, J; Larson, RA; Wu, J; Stucki, JW. (2001). Transformation of chlorinated aliphatic compounds by ferruginous smectite. *Environ Sci Technol*. 35: 805-809.
- Chen, F, ei; Freedman, DL; Falta, RW; Murdoch, LC. (2012). Henry's law constants of chlorinated solvents at elevated temperatures. *Chemosphere*. 86: 156-165. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.004>.
- Chiou, CT; Kile, DE. (1994). EFFECTS OF POLAR AND NONPOLAR GROUPS ON THE STABILITY OF ORGANIC-COMPOUNDS IN SOIL ORGANIC-MATTER. *Environ Sci Technol*. 28: 1139-1144.
- Choi, K; Lee, W. (2009). Reductive dechlorination of carbon tetrachloride in acidic soil manipulated with iron(II) and bisulfide ion. *J Hazard Mater*. 172: 623-630. <http://dx.doi.org/10.1016/j.jhazmat.2009.07.041>.
- Devlin, JF; Muller, D. (1999). Field and laboratory studies of carbon tetrachloride transformation in a sandy aquifer under sulfate reducing conditions. *Environ Sci Technol*. 33: 1021-1027.
- Dewulf, J; Van Langenhove, M; Everaert, M; Vanthournout, H. (1998). Volatile organic compounds in the Scheldt estuary along the trajectory Antwerp-Vlissingen: Concentration profiles, modelling and estimation of emissions into the atmosphere. *Water Res*. 32: 2941-2950. [http://dx.doi.org/10.1016/S0043-1354\(98\)00058-X](http://dx.doi.org/10.1016/S0043-1354(98)00058-X).
- Duffy, CC; Mccallister, DL; Renken, RR. (1997). Carbon tetrachloride retention by modern and buried soil horizons. *J Environ Qual*. 26: 1123-1127.
- Dybas, MJ; Hyndman, DW; Heine, R; Tiedje, J; Linning, K; Wiggert, D; Voice, T; Zhao, X; Dybas, L; Criddle, CS. (2002). Development, operation, and long-term performance of a full-scale biocurtain utilizing bioaugmentation. *Environ Sci Technol*. 36: 3635-3644.
- Fisher, J; Mahle, D; Bankston, L; Greene, R; Gearhart, J. (1997). Lactational transfer of volatile chemicals in breast milk. *Am Ind Hyg Assoc J*. 58: 425-431. <http://dx.doi.org/10.1080/15428119791012667>.
- Happell, JD; Mendoza, Y; Goodwin, K. (2014). A reassessment of the soil sink for atmospheric carbon tetrachloride based upon static flux chamber measurements. *J Atmos Chem*. 71: 113-123. <http://dx.doi.org/10.1007/s10874-014-9285-x>.
- Happell, JD; Wallace, DWR. (1998). Removal of atmospheric CCl₄ under bulk aerobic conditions in groundwater and soils. *Environ Sci Technol*. 32: 1244-1252.
- Harmon, TC; Semprini, L; Roberts, PV. (1992). SIMULATING SOLUTE TRANSPORT USING LABORATORY-BASED SORPTION PARAMETERS. *J Environ Eng*. 118: 666-689.
- He, YT; Wilson, JT; Su, C; Wilkin, RT. (2015). Review of Abiotic Degradation of Chlorinated Solvents by Reactive Iron Minerals in Aquifers. *Ground Water Monitoring and Remediation*. 35: 57-75. <http://dx.doi.org/10.1111/gwmr.12111>.
- Higgo, JJW; Nielsen, PH; Bannon, MP; Harrison, I; Christensen, TH. (1996). Effect of geochemical conditions on fate of organic compounds in groundwater. *Environ Geol*. 27: 335-346.
- Hoekstra, EJ; Duyzer, JH; de Leer, EWB; Brinkman, UAT. (2001). Chloroform - concentration gradients in soil air and atmospheric air, and emission fluxes from soil. *Atmos Environ*. 35: 61-70.
- Hsu, SH; Huang, CS; Chung, TW; Gao, S. (2014). Adsorption of chlorinated volatile organic compounds using activated carbon made from *Jatropha curcas* seeds. *Taiwan Institute of Chemical Engineers Journal*. 45: 2526-2530. <http://dx.doi.org/10.1016/j.jtice.2014.05.028>.
- Jacob, DJ; Crawford, JH; Kleb, MM; Connors, VS; Bendura, RJ; Raper, JL; Sachse, GW; Gille, JC; Emmons, L; Heald, CL. (2003). The Transport and Chemical Evolution over the Pacific (TRACE-P) aircraft mission: design, execution, and first results. *J Geophys Res*. 108: 9000. <http://dx.doi.org/10.1029/2002JD003276>.
- Jeffers, PM; Brenner, C; Wolfe, NL. (1996). Hydrolysis of carbon tetrachloride. *Environ Toxicol Chem*. 15: 1064-1065.
- Jin, G; Englande, AJ; Qiu, YL. (2003). An integrated treatability protocol for biotreatment/bioremediation of toxic pollutants generated by chemical industries. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 38: 597-607. <http://dx.doi.org/10.1081/ESE-120016923>.
- Jurkiewicz, A; Maciel, GE. (1995). SOLID-STATE ¹³C NMR STUDIES OF THE INTERACTION OF ACETONE CARBON TETRACHLORIDE AND TRICHLOROETHYLENE WITH SOIL COMPONENTS. *Sci Total Environ*. 164: 195-202.
- Kan, E; Koh, CI, I; Lee, K; Kang, J. (2015). Decomposition of aqueous chlorinated contaminants by UV irradiation with H₂O₂. 9: 429-435. <http://dx.doi.org/10.1007/s11783-014-0677-6>.
- Kaown, D; Koh, DC; Solomon, DK, ip; Yoon, YY; Yang, J; Lee, KK, un. (2014). Delineation of recharge patterns and contaminant transport using H-3-He-3 in a shallow aquifer contaminated by chlorinated solvents in South Korea. *Hydrogeology Journal*. 22: 1041-1054. <http://dx.doi.org/10.1007/s10040-014-1123-3>.
- Kaown, D; Shouakar-Stash, O; Yang, J; Hyun, Y; Lee, KK. (2014). Identification of multiple sources of groundwater contamination by dual isotopes. *Ground Water*. 52: 875-885. <http://dx.doi.org/10.1111/gwat.12130>.
- Kile, DE; Chiou, CT; Zhou, HD; Li, H; Xu, OY. (1995). PARTITION OF NONPOLAR ORGANIC POLLUTANTS FROM WATER TO SOIL AND SEDIMENT ORGANIC MATTERS. *Environ Sci Technol*. 29: 1401-1406.

Fate Literature Search Results

On Topic

- Kile, DE; Wershaw, RL; Chiou, CT. (1999). Correlation of soil and sediment organic matter polarity to aqueous sorption of nonionic compounds. *Environ Sci Technol.* 33: 2053-2056.
- Kim, K, iH; Shon, ZH, o; Nguyen, HT; Jeon, E, uic. (2011). A review of major chlorofluorocarbons and their halocarbon alternatives in the air. *Atmos Environ.* 45: 1369-1382. <http://dx.doi.org/10.1016/j.atmosenv.2010.12.029>.
- Kindler, TP; Chameides, WL; Wine, PH; Cunnold, DM; Aleya, FN; Franklin, JA. (1995). THE FATE OF ATMOSPHERIC PHOSGENE AND THE STRATOSPHERIC CHLORINE LOADINGS OF ITS PARENT COMPOUNDS - CCL4, C2CL4, C2HCL3, CH3CCl3, AND CHCL3. *J Geophys Res Atmos.* 100: 1235-1251.
- Koenig, J; Lee, M; Manefield, M. (2015). Aliphatic organochlorine degradation in subsurface environments. *Reviews in Environmental Science and Biotechnology.* 14: 49-71. <http://dx.doi.org/10.1007/s11157-014-9345-3>.
- Koenig, JC; Lee, MJ; Manefield, M. (2012). Successful microcosm demonstration of a strategy for biodegradation of a mixture of carbon tetrachloride and perchloroethene harnessing sulfate reducing and dehalorespiring bacteria. *J Hazard Mater.* 219-220: 169-175. <http://dx.doi.org/10.1016/j.jhazmat.2012.03.076>.
- Laube, JC; Keil, A; Boenisch, H; Engel, A; Rockmann, T; Volk, CM; Sturges, WT. (2013). Observation-based assessment of stratospheric fractional release, lifetimes, and ozone depletion potentials of ten important source gases. *Atmos Chem Phys.* 13: 2779-2791. <http://dx.doi.org/10.5194/acp-13-2779-2013>.
- Lee, BS; Chiou, CB. (2007). The use of CFC-12, CFC-11 and CH3CCl3 to trace terrestrial airborne pollutant transport by land-sea breezes. *Atmos Environ.* 41: 3360-3372. <http://dx.doi.org/10.1016/j.atmosenv.2006.12.025>.
- Lo, IMC. (1996). The role of organic attenuation in saturated clay barrier system. *Water Sci Technol.* 33: 145-151.
- Ma, X; Burken, JG. (2002). VOCs fate and partitioning in vegetation: use of tree cores in groundwater analysis. *Environ Sci Technol.* 36: 4663-4668. <http://dx.doi.org/10.1021/es025795j>.
- Mackay, DM; Bianchimosquera, G; Kopania, AA; Kianjah, H; Thorbjarnarson, KW. (1994). A FORCED-GRADIENT EXPERIMENT ON SOLUTE TRANSPORT IN THE BORDEN AQUIFER .1. EXPERIMENTAL METHODS AND MOMENT ANALYSES OF RESULTS. *Water Resour Res.* 30: 369-383.
- Moon, SD, oo; Choi, D, aeW. (2009). Monte Carlo simulation on the adsorption properties of carbon tetrachloride, neopentane, and cyclohexane in MCM-41. *Korean J Chem Eng.* 26: 1098-1105. <http://dx.doi.org/10.2478/s11814-009-0183-x>.
- Nielsen, PH; Bjarnadottir, H; Winter, PL; Christensen, TH. (1995). IN-SITU AND LABORATORY STUDIES ON THE FATE OF SPECIFIC ORGANIC-COMPOUNDS IN AN ANAEROBIC LANDFILL LEACHATE PLUME .2. FATE OF AROMATIC AND CHLORINATED ALIPHATIC-COMPOUNDS. *J Contam Hydrol.* 20: 51-66.
- Nielsen, PH; Holm, PE; Christensen, TH. (1992). A field method for determination of groundwater and groundwater sediment associated potentials for degradation of xenobiotic organic compounds. *Chemosphere.* 25: 449-462.
- Nijenhuis, I; Schmidt, M; Pellegatti, E; Paramatti, E; Richnow, HH; Gargini, A. (2013). A stable isotope approach for source apportionment of chlorinated ethene plumes at a complex multi-contamination events urban site. *J Contam Hydrol.* 153: 92-105. <http://dx.doi.org/10.1016/j.jconhyd.2013.06.004>.
- Nobre, MM; Nobre, RC. (2004). Soil vapor extraction of chlorinated solvents at an industrial site in Brazil. *J Hazard Mater.* 110: 119-127. <http://dx.doi.org/10.1016/j.jhazmat.2004.02.045>.
- Noweir, MH; Pfitzer, EA. (1973). CHEMICAL-ANALYSIS OF DECOMPOSITION PRODUCTS FROM CARBON-TETRACHLORIDE IN AIR. *Am Ind Hyg Assoc J.* 33: 669-677.
- Noweir, MH; Pfitzer, EA; Hatch, TF. (1973). Thermal decomposition of carbon tetrachloride vapors at its industrial threshold limit concentration. *Am Ind Hyg Assoc J.* 34: 25-37.
- Nzengung, VA; Wolfe, L, eeN; Rennels, DE; Mccutcheon, SC; Wang, C. (1999). Use of Aquatic Plants and Algae for Decontamination of Waters Polluted with Chlorinated Alkanes. *Int J Phytoremediation.* 1: 203-226. <http://dx.doi.org/10.1080/15226519908500016>.
- Ohura, T; Amagai, T; Fusaya, M. (2006). Regional assessment of ambient volatile organic compounds in an industrial harbor area, Shizuoka, Japan. *Atmos Environ.* 40: 238-248. <http://dx.doi.org/10.1016/j.atmosenv.2005.09.064>.
- Oostrom, M; Hofstee, C; Lenhard, RJ; Wietsma, TW. (2003). Flow behavior and residual saturation formation of liquid carbon tetrachloride in unsaturated heterogeneous porous media. *J Contam Hydrol.* 64: 93-112. [http://dx.doi.org/10.1016/S0169-7722\(02\)00107-9](http://dx.doi.org/10.1016/S0169-7722(02)00107-9).
- Oostrom, M; Rockhold, ML; Thorne, PD; Truex, MJ; Last, GV; Rohay, VJ. (2007). Carbon tetrachloride flow and transport in the subsurface of the 216-Z-9 trench at the Hanford Site. *Vadose Zone Journal.* 6: 971-984. <http://dx.doi.org/10.2136/vzj2006.0166>.
- Oostrom, M; Truex, MJ; Tartakovsky, GD; Wietsma, T, omW. (2010). Three-Dimensional Simulation of Volatile Organic Compound Mass Flux from the Vadose Zone to Groundwater. *Ground Water Monitoring and Remediation.* 30: 45-56. <http://dx.doi.org/10.1111/j1745-6592.2010.001285.x>.
- Parkin, GF. (1999). Anaerobic biotransformation of chlorinated aliphatic hydrocarbons: Ugly duckling to beautiful swan. *Water Environ Res.* 71: 1158-1164.
- Peng, DL; Dural, NH. (1998). Multicomponent adsorption of chloroform, carbon tetrachloride, and 1,1,1-trichloroethane on soils. *Journal of Chemical and Engineering Data.* 43: 283-288.
- Phanikumar, MS; Hyndman, DW; Zhao, XD; Dybas, MJ. (2005). A three-dimensional model of microbial transport and biodegradation at the Schoolcraft, Michigan, site. *Water Resour Res.* 41. <http://dx.doi.org/10.1029/2004WR003376>.
- Prengle, HW; Symons, JM; Belhateche, D. (1996). H2O2/VisUV process for photo-oxidation of waterborne hazardous substances - C-1-C-6 chlorinated hydrocarbons. *Waste Manag.* 16: 327-333.
- Ptacek, CJ; Gillham, RW. (1992). Laboratory and field measurements of non-equilibrium transport in the Borden aquifer, Ontario, Canada. *J Contam Hydrol.* 10: 119-158. [http://dx.doi.org/10.1016/0169-7722\(92\)90026-B](http://dx.doi.org/10.1016/0169-7722(92)90026-B).

Fate Literature Search Results

On Topic

- Puigserver, D; Nieto, JM; Grifoll, M; Vila, J; Cortes, A; Viladevall, M; Parker, BL; Carmona, JM. (2016). Temporal hydrochemical and microbial variations in microcosm experiments from sites contaminated with chloromethanes under biostimulation with lactic acid. *Bioremediat J.* 20: 54-70. <http://dx.doi.org/10.1080/10889868.2015.1124061>.
- Rhew, RC; Miller, BR; Weiss, RF. (2008). Chloroform, carbon tetrachloride and methyl chloroform fluxes in southern California ecosystems. *Atmos Environ.* 42: 7135-7140. <http://dx.doi.org/10.1016/j.atmosenv.2008.05.038>.
- Ribeiro, AR; Nunes, OC; Pereira, MF; Silva, AM. (2015). An overview on the advanced oxidation processes applied for the treatment of water pollutants defined in the recently launched Directive 2013/39/EU [Review]. *Environ Int.* 75: 33-51. <http://dx.doi.org/10.1016/j.envint.2014.10.027>.
- Riley, RG; Szecsody, JE; Sklarew, DS; Mitroshkov, AV; Gent, PM; Brown, CF; Thompson, CJ. (2010). Desorption behavior of carbon tetrachloride and chloroform in contaminated low organic carbon aquifer sediments. *Chemosphere.* 79: 807-813. <http://dx.doi.org/10.1016/j.chemosphere.2010.03.005>.
- Rogers, HR; Crathorne, B; Watts, CD. (1992). Sources and fate of organic contaminants in the Mersey estuary: Volatile organohalogen compounds. *Mar Pollut Bull.* 24: 82-91.
- Roose, P; Dewulf, J; Brinkman, UAT; Van Langenhove, H. (2001). Measurement of volatile organic compounds in sediments of the Scheldt Estuary and the Southern North Sea. *Water Res.* 35: 1478-1488. [http://dx.doi.org/10.1016/S0043-1354\(00\)00410-3](http://dx.doi.org/10.1016/S0043-1354(00)00410-3).
- Roy, R; Pratihary, A; Narvenkar, G; Mochemadkar, S; Gauns, M; Naqvi, SWA. (2011). The relationship between volatile halocarbons and phytoplankton pigments during a *Trichodesmium* bloom in the coastal eastern Arabian Sea. *Estuar Coast Shelf Sci.* 95: 110-118. <http://dx.doi.org/10.1016/j.ecss.2011.08.025>.
- Rugge, K; Bjerg, PL; Pedersen, JK; Mosbaek, H; Christensen, TH. (1999). An anaerobic field injection experiment in a landfill leachate plume, Grindsted, Denmark 1. Experimental setup, tracer movement, and fate of aromatic and chlorinated compounds. *Water Resour Res.* 35: 1231-1246.
- Rutherford, DW; Chiou, CT. (1992). Effect of water saturation in soil organic matter on the partition of organic compounds. *Environ Sci Technol.* 26: 965-970.
- Rutherford, DW; Chiou, CT; Kile, DE. (1992). INFLUENCE OF SOIL ORGANIC-MATTER COMPOSITION ON THE PARTITION OF ORGANIC-COMPOUNDS. *Environ Sci Technol.* 26: 336-340.
- Saisho, K; Hasegawa, Y; Saeki, M; Toyoda, M; Saito, Y. (1994). Bioaccumulation of volatile chlorinated hydrocarbons in blue mussel, *Mytilus edulis* and killifish, *Oryzias latipes* (pp. 274-278). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/94/32432). Saisho, K; Hasegawa, Y; Saeki, M; Toyoda, M; Saito, Y.
- Scheutz, C; Mosbaek, H; Kjeldsen, P. (2004). Attenuation of methane and volatile organic compounds in landfill soil covers. *J Environ Qual.* 33: 61-71.
- Semprini, L; Hopkins, GD; Mccarty, PL; Roberts, PV. (1992). In situ transformation of carbon tetrachloride and other halogenated compounds resulting from biostimulation under anoxic conditions. *Environ Sci Technol.* 26: 2454-2461. <http://dx.doi.org/10.1021/es00036a018>.
- Shao, H; Butler, EC. (2009). Influence of soil minerals on the rates and products of abiotic transformation of carbon tetrachloride in anaerobic soils and sediments. *Environ Sci Technol.* 43: 1896-1901. <http://dx.doi.org/10.1021/es8026727>.
- Shao, H; Butler, EC. (2009). The Relative Importance of Abiotic and Biotic Transformation of Carbon Tetrachloride in Anaerobic Soils and Sediments. *Soil Sediment Contam.* 18: 455-469. <http://dx.doi.org/10.1080/15320380902962346>.
- Shim, WG; Lee, JW; Moon, H. (2003). Adsorption of carbon tetrachloride and chloroform on activated carbon at (300.15, 310.15, 320.15, and 330.15) K. *Journal of Chemical and Engineering Data.* 48: 286-290. <http://dx.doi.org/10.1021/je020109h>.
- Shimoda, S; Prengle H W, J. R.; Symons, JM. (1998). H₂O₂isUV photo-oxidation process for treatment of waterborne hazardous substances- reaction mechanism, rate model, and data for tubular flow and flow stirred tank reactors. *Waste Manag.* 17: 507-515.
- Sponza, DT. (2002). Simultaneous granulation, biomass retainment and carbon tetrachloride (CT) removal in an upflow anaerobic sludge blanket (UASB) reactor. *Process Biochemistry.* 37: 1091-1101.
- Sponza, DT. (2005). Biotransformation of carbon tetrachloride and anaerobic granulation in a upflow anaerobic sludge blanket reactor. *J Environ Eng.* 131: 425-433. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:3\(425\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:3(425)).
- Thibaud, C; Erkey, C; Akgerman, A. (1992). Investigation of adsorption equilibria of volatile organics on soil by frontal analysis chromatography. *Environ Sci Technol.* 26: 1159-1164.
- Tognotti, L; Flytzani-Stephanopoulos, M; Sarofim, AF; Kopsinis, H; Stoukides, M. (1991). STUDY OF ADSORPTION DESORPTION OF CONTAMINANTS ON SINGLE SOIL PARTICLES USING THE ELECTRODYNAMIC THERMOGRAVIMETRIC ANALYZER. *Environ Sci Technol.* 25: 104-109.
- Wang, X; Dossett, MP; Gordon, MP; Strand, SE. (2004). Fate of carbon tetrachloride during phytoremediation with poplar under controlled field conditions. *Environ Sci Technol.* 38: 5744-5749. <http://dx.doi.org/10.1021/es0499187>.
- Wen-ying, X; Ting-yao, G. (2007). Dechlorination of carbon tetrachloride by the catalyzed Fe-Cu process. *J Environ Sci.* 19: 792-799.
- Wittmann, C; Suominen, KP; Salkinoja-Salonen, MS. (2000). Evaluation of ecological disturbance and intrinsic bioremediation potential of pulp mill-contaminated lake sediment using key enzymes as probes. *Environ Pollut.* 107: 255-261.
- Yang, B; Yang, GP; Lu, XL; Li, L; He, Z. (2015). Distributions and sources of volatile chlorocarbons and bromocarbons in the Yellow Sea and East China Sea. *Mar Pollut Bull.* 95: 491-502. <http://dx.doi.org/10.1016/j.marpolbul.2015.03.009>.
- Yasyerli, N; Harbili, U. (2009). Dynamic Analysis of Sorption of Volatile Organic Compounds in Water. *Chemical Engineering Communications.* 196: 68-79. <http://dx.doi.org/10.1080/00986440802301479>.
- Zhao, X; Wallace, RB; Hyndman, DW; Dybas, MJ; Voice, TC. (2005). Heterogeneity of chlorinated hydrocarbon sorption properties in a sandy aquifer. *J Contam Hydrol.* 78: 327-342. <http://dx.doi.org/10.1016/j.jconhyd.2005.06.002>.

Fate Literature Search Results

On Topic

Zhao, XD; Szafranski, MJ; Maraqa, MA; Voice, TC. (1999). Sorption and bioavailability of carbon tetrachloride in a low organic content sandy soil. *Environ Toxicol Chem.* 18: 1755-1762.

Fate Literature Search Results

Off Topic

- Abbas, R; Fisher, JW. (1997). A physiologically based pharmacokinetic model for trichloroethylene and its metabolites, chloral hydrate, trichloroacetate, dichloroacetate, trichloroethanol, and trichloroethanol glucuronide in B6C3F1 mice. *Toxicol Appl Pharmacol.* 147: 15-30. <http://dx.doi.org/10.1006/taap.1997.8190>.
- Abbassi, R; Chamkhia, N; Sakly, M. (2010). Chloroform-induced oxidative stress in rat liver: Implication of metallothionein. *Toxicol Ind Health.* 26: 487-496. <http://dx.doi.org/10.1177/0748233710373088>.
- Abbott, RJ; Chudek, JA; Hunter, G; Squires, L. (1996). Skin layer effects on the diffusion of carbon tetrachloride into injection moulded polypropylene studied by H-1 NMR microimaging. *Journal of Mater Sci Lett.* 15: 1108-1110.
- Abdel Moneim, AE. (2014). Prevention of carbon tetrachloride (CCl₄)-induced toxicity in testes of rats treated with *Physalis peruviana* L. fruit. *Toxicol Ind Health.* 32: 1064-1073. <http://dx.doi.org/10.1177/0748233714545502>.
- Abdel-Bakky, MS; Helal, GK; El-Sayed, EM; Saad, AS. (2015). Carbon tetrachloride-induced liver injury in mice is tissue factor dependent. *Environ Toxicol Pharmacol.* 39: 1199-1205. <http://dx.doi.org/10.1016/j.etap.2015.02.012>.
- Abdelbassit, MSA; Alhooshani, KR; Saleh, TA. (2016). Silica nanoparticles loaded on activated carbon for simultaneous removal of dichloromethane, trichloromethane, and carbon tetrachloride. *Adv Powder Tech.* 27: 1719-1729. <http://dx.doi.org/10.1016/j.apt.2016.06.003>.
- Abdel-Hamid, NM; Abdel-Ghany, MI; Nazmy, MH; Amgad, SW. (2013). Can methanolic extract of *Nigella sativa* seed affect glyco-regulatory enzymes in experimental hepatocellular carcinoma? *Environ Health Prev Med.* 18: 49-56. <http://dx.doi.org/10.1007/s12199-012-0292-8>.
- Abdelkader, VK; Domingo-Garcia, M; Gutierrez-Valero, MD; Lopez-Garzn, R; Melguizo, M; Garcia-Gallarin, C; Lopez-Garzon, FJ; Perez-Mendoza, MJ. (2014). Sidewall Chlorination of Carbon Nanotubes by Iodine Trichloride. *J Phys Chem C.* 118: 2641-2649. <http://dx.doi.org/10.1021/jp411935g>.
- Abdelkader, VK; Domingo-Garcia, M; Melguizo, M; Lopez-Garzon, R; Javier Lopez-Garzon, F; Perez-Mendoza, M. (2015). Covalent bromination of multi-walled carbon nanotubes by iodine bromide and cold plasma treatments. *Carbon.* 93: 276-285. <http://dx.doi.org/10.1016/j.carbon.2015.05.070>.
- Abdelkader, VK; Scelfo, S; Garcia-Gallarin, C; Luz Godino-Salido, M; Domingo-Garcia, M; Javier Lopez-Garzon, F; Perez-Mendoza, M. (2013). Carbon Tetrachloride Cold Plasma for Extensive Chlorination of Carbon Nanotubes. *J Phys Chem C.* 117: 16677-16685. <http://dx.doi.org/10.1021/jp404390h>.
- Abdelmonem, HA; Abbas, MM; Mahmoud, AH. (2016). COMBINED EFFECTS OF RIBAVIRIN AND DIAZINON ON HEPATIC, PANCREATIC AND KIDNEY BIOMARKERS IN FEMALE ALBINO RATS. *The J A P S.* 26: 1101-1110.
- Abdel-Salam, OM; Sleem, AA; Morsy, FA. (2007). Effects of biphenyldimethyl-dicarboxylate administration alone or combined with silymarin in the CCL₄ model of liver fibrosis in rats. *ScientificWorldJournal.* 7: 1242-1255. <http://dx.doi.org/10.1100/tsw.2007.193>.
- Abdel-Tawwab, M; Mousa, MAA; Ahmad, MH; Sakr, SFM. (2007). The use of calcium pre-exposure as a protective agent against environmental copper toxicity for juvenile Nile tilapia, *Oreochromis niloticus* (L.). *Aquaculture.* 264: 236-246. <http://dx.doi.org/10.1016/j.aquaculture.2006.12.020>.
- Abdel-Tawwab, M; Mousa, MAA; Mohammed, MA. (2010). Use of Live Baker's Yeast, *Saccharomyces cerevisiae*, in Practical Diet to Enhance the Growth Performance of Galilee Tilapia, *Sarotherodon galilaeus* (L.), and Its Resistance to Environmental Copper Toxicity. *J World Aquacult Soc.* 41: 214-223.
- Abdel-Tawwab, M; Wafeek, M. (2010). Response of Nile Tilapia, *Oreochromis niloticus* (L.) to Environmental Cadmium Toxicity During Organic Selenium Supplementation. *J World Aquacult Soc.* 41: 106-114.
- Abdul-Wahab, SA. (2010). Level of environmental awareness towards depletion of the ozone layer among distributors and consumers in the solvent sector: a case study from Oman. *Clim Change.* 103: 503-517. <http://dx.doi.org/10.1007/s10584-009.9777.x>.
- Abel, ML; Chehimi, MM; Brown, AM; Leadley, S. R.; Watts, JF. (1995). ADSORPTION-ISOTHERMS OF PMMA ON A CONDUCTING POLYMER BY TOF-SIMS. *J Mater Chem.* 5: 845-848.
- Abernathy, CR; Mackenzie, JD; Donovan, SM. (1997). Growth of group III nitrides by metalorganic molecular beam epitaxy. *J Cryst Growth.* 178: 74-86.
- Abernathy, CR; Pearton, SJ; Ren, F; Hobson, WS; Wisk, PW. (1994). COMPARISON OF INTRINSIC AND EXTRINSIC CARBON DOPING SOURCES FOR GAAS AND ALGAAS GROWN BY METALORGANIC MOLECULAR-BEAM EPITAXY. *Journal of Vacuum Science and Technology A.* 12: 1186-1190.
- Abrahamsson, K; Ekdahl, A. (1996). Volatile halogenated compounds and chlorophenols in the Skagerrak. *Journal of Sea Research.* 35: 73-79.
- Abu Bakar, WAW; Ali, R; Othman, MY. (2010). Photocatalytic Degradation and Reaction Pathway Studies of Chlorinated Hydrocarbons in Gaseous Phase. *Scientia Iranica.* 17: 1-14.
- Abushady, ASI; Amer, SA; Hegazi, MF. (1991). MECHANISM OF ACETIC-ACID TRANSFER FROM AQUEOUS SODIUM-CHLORIDE SOLUTIONS TO SOME ORGANIC-SOLVENTS. *J Chem Tech Biotechnol.* 52: 177-185.

Fate Literature Search Results

Off Topic

- Abuzaid, NS; Al-Malack, MH; Nakhla, GF; Essa, MH; Al-Tawabini, BS. (2000). Effects of dissolved oxygen and surfactant treatment on the sorptive capacity of a local soil for phenol. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 35: 263-280.
- Acevedo, IL; Pedrosa, GC; Katz, M. (1996). Excess molar enthalpies for butylamine plus 1,4-dioxane plus carbon tetrachloride at 298.15 K. *Journal of Chemical and Engineering Data.* 41: 391-393.
- ACGIH. (2001). Documentation of threshold limit values and biological exposure indices for chemical substances in the workroom air. 7th edition. Supplement. Cincinnati, OH.
- Acha, V; Meurens, M; Naveau, H; Agathos, SN. (1999). Detoxification of a mixture of aliphatic chlorinated hydrocarbons in a fixed-bed bioreactor: Continuous on-line monitoring via an attenuated total reflection-Fourier transform infrared sensor. *Water Sci Technol.* 40: 41-47. [http://dx.doi.org/10.1016/S0273-1223\(99\)00607-1](http://dx.doi.org/10.1016/S0273-1223(99)00607-1).
- Achari, J; BHATTACH.MM. (1971). FLASH POINTS OF MIXTURES OF ACETONE WITH WATER, KEROSENE AND CARBON TETRACHLORIDE. 9: 117-&.
- Acuna-Askar, K; Englande, AJ; Hu, C; Jin, G. (2000). Methyl tertiary-butyl ether (MTBE) biodegradation in batch and continuous upflow fixed biofilm reactors. *Water Sci Technol.* 42: 153-161.
- Adachi, A; Ikeda, C; Takagi, S; Fukao, N; Yoshie, E; Okano, T. (2001). Efficiency of rice bran for removal of organochlorine compounds and benzene from industrial wastewater. *J Agric Food Chem.* 49: 1309-1314.
- Adachi, A; Kobayashi, T. (1992). REMOVAL EFFICIENCY OF CHLOROFORM AND CARBON-TETRACHLORIDE FROM CHEMICAL WASTE-WATER BY A TREATMENT-PLANT USING COAGULATION PRECIPITATION PROCESS. *JTHE.* 38: P19-P19.
- Adamson, AJ; Holloway, JH; Hope, EG; Taylor, R. (1997). Halogen and interhalogen reactions with [60]fullerene: Preparation and characterization of C60Cl24 and C60Cl18F14. *Fullerene Sci Technol.* 5: 629-642.
- Adamson, DT; Parkin, GF. (1999). Biotransformation of mixtures of chlorinated aliphatic hydrocarbons by an acetate-grown methanogenic enrichment culture. *Water Res.* 33: 1482-1494.
- Adamson, DT; Parkin, GF. (2000). Impact of mixtures of chlorinated aliphatic hydrocarbons on a high-rate, tetrahaloethene-dechlorinating enrichment culture. *Environ Sci Technol.* 34: 1959-1965.
- Adebusoye, SA; Ilori, MO; Picardal, FW; Amund, OO. (2008). Metabolism of chlorinated biphenyls: Use of 3,3'- and 3,5-dichlorobiphenyl as sole sources of carbon by natural species of *Ralstonia* and *Pseudomonas*. *Chemosphere.* 70: 656-663. <http://dx.doi.org/10.1016/j.chemosphere.2007.06.079>.
- Adelman, R; Saul, RL; BN, A. (1988). Oxidative damage to DNA: Relation to species metabolic rate and life span. *Proc Natl Acad Sci USA.* 85: 2706-2708.
- Ademuyiwa, O; Onitilo, O; Dosumu, O; Ayannuga, O; Bakare, A; Akinlatun, W; Ogunyemi, EO. (2002). Zinc in CCl4 toxicity. *Biomed Environ Sci.* 15: 187-195.
- Adeniran, B; Mokaya, R. (2015). Low temperature synthesized carbon nanotube superstructures with superior CO2 and hydrogen storage capacity. 3: 5148-5161. <http://dx.doi.org/10.1039/c4ta06539e>.
- Adeyuyi, YG. (2001). Sonochemistry: Environmental science and engineering applications. *Ind Eng Chem Res.* 40: 4681-4715. <http://dx.doi.org/10.1021/ie010096l>.
- Afanasiev, P. (2015). New approach to the preparation of highly dispersed transition metals sulfides and nitrides. *Catalysis Today.* 250: 134-144. <http://dx.doi.org/10.1016/j.cattod.2014.03.046>.
- Afifi, SH; Macmillan, J. R. (1992). ULTRASTRUCTURAL-CHANGES ASSOCIATED WITH CARBON-TETRACHLORIDE HEPATOTOXICITY IN CHANNEL CATFISH, *ICTALURUS-PUNCTATUS RAFINESQUE*. *J Fish Dis.* 15: 119-129.
- Agarwal, D; Singh, M. (2004). Densities and viscosities of binary liquid mixtures of trichloroethylene and tetrachloroethylene with some polar and nonpolar solvents. *Journal of Chemical and Engineering Data.* 49: 1218-1224. <http://dx.doi.org/10.1021/je034203p>.
- Ageev, YP; Matushkina, NN; Strusovskaya, NL. (1992). PERVERAPORATION THROUGH STRUCTURALLY UNSTABLE POLYMERIC MEMBRANES. *J Memb Sci.* 67: 167-175.
- Ahmad, A; Gu, X; Li, L, i; Lv, S; Xu, Y; Guo, X. (2015). Efficient degradation of trichloroethylene in water using persulfate activated by reduced graphene oxide-iron nanocomposite. *Environ Sci Pollut Res Int.* 22: 17876-17885. <http://dx.doi.org/10.1007/s11356-015-5034-1>.
- Ahmad, B; Khan, MR; Shah, NA. (2015). Amelioration of carbon tetrachloride-induced pulmonary toxicity with *Oxalis corniculata*. *Toxicol Ind Health.* 31: 1243-1251. <http://dx.doi.org/10.1177/0748233713487245>.
- Ahmad, M; Simon, MA; Sherrin, A; Tuccillo, ME; Ullman, JL; Teel, AL; Watts, RJ. (2011). Treatment of polychlorinated biphenyls in two surface soils using catalyzed H₂O₂ propagations. *Chemosphere.* 84: 855-862. <http://dx.doi.org/10.1016/j.chemosphere.2011.06.021>.
- Ahmad, M; Teel, A; Watts, RJ. (2010). Persulfate activation by subsurface minerals. *J Contam Hydrol.* 115: 34-45. <http://dx.doi.org/10.1016/j.jconhyd.2010.04.002>.
- Ahmad, SM; Shah, FA; Bhat, FA; Bhat, JIA; Balkhi, MH. (2011). Thermal adaptability and disease association in common carp (*Cyprinus carpio communis*) acclimated to different (four) temperatures. *J Therm Biol.* 36: 492-497. <http://dx.doi.org/10.1016/j.jtherbio.2011.08.007>.
- Ahmed, S; Moffat, JB. (1995). AN INVERSE CORRELATION OF THE ENHANCEMENT EFFECT OF TETRACHLOROMETHANE AS A FEEDSTREAM ADDITIVE IN THE OXIDATIVE COUPLING OF METHANE ON SILICA-SUPPORTED ALKALINE-EARTH AND ALKALI-ALKALINE EARTH CATALYSTS WITH THE POLARIZING ABILITY OF THE ALKALINE-EARTH CATIONS. *Chem Eng Tech.* 18: 132-138.
- Ahmedchekkat, F; Medjram, MS; Chiha, M; Al-Bsoul, AMA, li. (2011). Sonophotocatalytic degradation of Rhodamine B using a novel reactor geometry: Effect of operating conditions. *Chem Eng J.* 178: 244-251. <http://dx.doi.org/10.1016/j.cej.2011.10.061>.
- Ahuja, DK; Gavalas, VG; Bachas, LG; Bhattacharyya, D. (2004). Aqueous-phase dechlorination of toxic chloroethylenes by vitamin B-12 cobalt center: Conventional and polypyrrole film-based electrochemical studies. *Ind Eng Chem Res.* 43: 1049-1055. <http://dx.doi.org/10.1021/ie030484i>.
- Airoldi, C; Santos, M. (1994). SYNTHESIS, CHARACTERIZATION, CHEMISORPTION AND THERMODYNAMIC DATA OF UREA IMMOBILIZED ON SILICA. *J Mater Chem.* 4: 1479-1485.

Fate Literature Search Results

Off Topic

- Ajo-Franklin, JB; Geller, J, iIT; Harris, JM. (2006). A survey of the geophysical properties of chlorinated DNAPLs. *Journal of Applied Geophysics*. 59: 177-189. <http://dx.doi.org/10.1016/j.jappgeo.2005.10.002>.
- Akimoto, T; Nitta, T; Katayama, T. (1984). NITROGEN SOLUBILITY AND VAPOR-PRESSURE OF BINARY MIXED-SOLVENTS CONTAINING BENZENE, CARBON-TETRACHLORIDE, CYCLOHEXANE AND 1-HEXANE. *J Chem Eng Jpn*. 17: 637-641.
- Aksoy, L; Sozbilir, NB. (2012). Effects of *Matricaria chamomilla* L. on lipid peroxidation, antioxidant enzyme systems, and key liver enzymes in CCl₄-treated rats. *Toxicol Environ Chem*. 94: 1780-1788. <http://dx.doi.org/10.1080/02772248.2012.729837>.
- Aktas, C; Kanter, M; Erboga, M; Mete, R; Oran, M. (2014). Melatonin attenuates oxidative stress, liver damage and hepatocyte apoptosis after bile-duct ligation in rats. *Toxicol Ind Health*. 30: 835-844. <http://dx.doi.org/10.1177/0748233712464811>.
- Aktas, Z; Karacan, F; Olcay, A. (1998). Centrifugal float-sink separation of fine Turkish coals in dense media. *Fuel Process Tech*. 55: 235-250.
- Akulonichev, VV; Gorbunov, VA; Pivinskii, EG. (1997). Generation of picosecond pulses with the wavelength 1.54 μ m by two-stage compression in stimulated scattering of nanosecond Nd³⁺:YAG laser pulses. *Quantum Electronics*. 27: 351-355.
- Al Othman, ZA; Yilmaz, E; Habila, M; Soylak, M. (2013). Development of a dispersive liquid-liquid microextraction combined with flame atomic absorption spectrometry using a microinjection system for the enrichment, separation, and determination of nickel in water samples. *Desalination and Water Treatment*. 51: 6770-6776. <http://dx.doi.org/10.1080/19443994.2013.792447>.
- Al-Abed; Fang, Y. (2007). Use of Granular Graphite for Electrolytic Dechlorination of Trichloroethylene. *Environ Eng Sci*. 24: 842-851. <http://dx.doi.org/10.1089/ees.2005.0096>.
- Alaimo, MH; Kumosinski, TF. (1997). Investigation of hydrophobic interactions in colloidal and biological systems by molecular dynamics simulations and NMR spectroscopy. *Langmuir*. 13: 2007-2018.
- Alapi, T; Van Craeynest, K; Van Langenhoeve, H; Dewulf, J; Dombi, A. (2007). Direct VUV photolysis of chlorinated methanes and their mixtures in a nitrogen stream. *Chemosphere*. 66: 139-144. <http://dx.doi.org/10.1016/j.chemosphere.2006.04.090>.
- Al-Assaf, AH. (2014). EFFICACY OF COROSOLIC ACID ON MITOCHONDRIAL ENZYMES AND DNA DAMAGE AGAINST CCL4-INDUCED HEPATOTOXIC RATS. *The J A P S*. 24: 1366-1373.
- Alberici, RM; Jardim, WE. (1997). Photocatalytic destruction of VOCs in the gas-phase using titanium dioxide. *Appl Catal B-Environ*. 14: 55-68.
- Alcaniz-Monge, J; Carmen Roman-Martinez, M, a. (2012). Fundamentals of vapors adsorption onto activated carbon fibers assessed by the comparative analysis of N₂ and CO₂ adsorption. *Separation and Purification Technology*. 85: 83-89. <http://dx.doi.org/10.1016/j.seppur.2011.09.051>.
- Aldossari, AA; Shannahan, JH; Podila, R; Brown, JM. (2015). Scavenger receptor B1 facilitates macrophage uptake of silver nanoparticles and cellular activation. *J Nanopart Res*. 17. <http://dx.doi.org/10.1007/s11051-015-3116-0>.
- Aleksandrovskii, SV; Sizyakov, VM; Ratner, AK; Lee, DW. (2001). Production of titanium carbide, nitride and carbonitride by metallothermic reduction of halogenides. *Journal of Materials Processing & Manufacturing Science*. 9: 303-309.
- Alessi, P; Alessandrini, A; Orlandini, M. (1984). ACTIVITY COEFFICIENTS AT INFINITE DILUTION IN SOLVENTS WITH TWO FUNCTIONAL GROUPS. *Chemical Engineering Communications*. 27: 59-67.
- Alexeeff, GV; Kilgore, WW. (1983). Learning impairment in mice following acute exposure to dichloromethane and carbon tetrachloride. *J Toxicol Environ Health*. 11: 569-581. <http://dx.doi.org/10.1080/15287398309530368>.
- Algandaby, MM; Al-Sawahli, MM; Ahmed, OAA; Fahmy, UA; Abdallah, HM; Hattori, M; Ashour, OM; Abdel-Naim, AB. (2016). Curcumin-Zein Nanospheres Improve Liver Targeting and Antifibrotic Activity of Curcumin in Carbon Tetrachloride-Induced Mice Liver Fibrosis. *Journal of Biomedical Nanotechnology*. 12: 1746-1757. <http://dx.doi.org/10.1166/jbn.2016.2270>.
- Al-Hemiri, A; Mahmoud, HE. (2010). Removal of Zinc Ions from Water Using Emulsion Liquid Membrane. *Int J Chem React Eng*. 8.
- Ali, M; Ghosh, SK. (2015). Liquid-liquid interface-mediated Au-ZnO composite membrane using 'thiol-ene' click chemistry. 2. <http://dx.doi.org/10.1088/2053-1591/2/7/075010>.
- Aliotta, F; Ponterio, RC; Saija, F. (2008). On the origin of excess thermodynamic quantities in liquid mixtures. *Oil & Gas Science & Technology*. 63: 353-361. <http://dx.doi.org/10.2516/ogst.2008013>.
- Allen, NDC; Bernath, PF; Boone, CD; Chipperfield, MP; Fu, D; Manney, GL; Oram, DE; Toon, GC; Weisenstein, DK. (2009). Global carbon tetrachloride distributions obtained from the Atmospheric Chemistry Experiment (ACE). *Atmos Chem Phys*. 9: 7449-7459.
- Almeida, RM; Du, XM; Barbier, D; Orignac, X. (1999). Er³⁺-doped multicomponent silicate glass planar waveguides prepared by sol-gel processing. *Journal of Sol-Gel Science and Technology*. 14: 209-216.
- Alm-Eldeen, AA; Mona, MH; Shati, AA; El-Mekkawy, HI. (2015). Synergistic effect of black tea and curcumin in improving the hepatotoxicity induced by aflatoxin B1 in rats. *Toxicol Ind Health*. 31: 1269-1280. <http://dx.doi.org/10.1177/0748233713491807>.
- Almomani, FA; Ormeci, B. (2016). Performance Of *Chlorella Vulgaris*, *Neochloris Oleoabundans*, and mixed indigenous microalgae for treatment of primary effluent, secondary effluent and centrate. *Ecol Eng*. 95: 280-289. <http://dx.doi.org/10.1016/j.ecoleng.2016.06.038>.
- Almqvist, CB; Biswas, P. (2001). The photo-oxidation of cyclohexane on titanium dioxide: an investigation of competitive adsorption and its effects on product formation and selectivity. *Appl Catal A-Gen*. 214: 259-271.
- Alp, E; Karacay, E; Cabbar, HC. (2013). LOW TEMPERATURE PRODUCTION OF BORON CARBIDE AND ITS CHARACTERIZATION. *Gazi Universitesi Muhendislik Mimarlik Fakultesi Dergisi*. 28: 293-302.
- Alpaydin, S; Yilmaz, M; Ersoz, M. (2004). Kinetic study of Hg(II) transport through a bulk liquid membrane containing ester derivative of bis-calix[4]arene. *Separation Science and Technology*. 39: 2189-2206. <http://dx.doi.org/10.1081/SS-120039310>.
- Alpoguz, HK; Kaya, A; Deligoz, H. (2006). Liquid membrane transport of Hg(II) by an azocalix[4]arene derivative. *Separation Science and Technology*. 41: 1155-1167. <http://dx.doi.org/10.1080/01496390600634731>.
- Alpoguz, HK; Memon, S; Ersoz, M; Yilmaz, M. (2002). Transport of metals through a liquid membrane containing calix[4]arene derivatives as carrier. *Separation Science and Technology*. 37: 2201-2213.

Fate Literature Search Results

Off Topic

- Alpoguz, HK; Memon, S; Ersoz, M; Yilmaz, M. (2004). Transport kinetics of Hg²⁺ through bulk liquid membrane using calix[4]arene ketone derivative as carrier. *Separation Science and Technology*. 39: 799-810. <http://dx.doi.org/10.1081/SS-120028447>.
- Alsaleem, SS; Zahid, WM; Alnashef, IM; Hadj-Kali, MK. (2015). Solubility of Halogenated Hydrocarbons in Hydrophobic Ionic Liquids: Experimental Study and COSMO-RS Prediction. *Journal of Chemical and Engineering Data*. 60: 2926-2936. <http://dx.doi.org/10.1021/acs.jced.5b00310>.
- Altshuller, AP. (1976). AVERAGE TROPOSPHERIC CONCENTRATION OF CARBON-TETRACHLORIDE BASED ON INDUSTRIAL PRODUCTION, USAGE, AND EMISSIONS. *Environ Sci Technol*. 10: 596-598.
- Alvarado, JS; Rose, C; Lafreniere, L. (2010). Degradation of carbon tetrachloride in the presence of zero-valent iron. *J Environ Monit*. 12: 1524-1530. <http://dx.doi.org/10.1039/c0em00039f>.
- Alvarez, LH; Jimenez-Bermudez, L; Hernandez-Montoya, V; Cervantes, FJ. (2012). Enhanced Dechlorination of Carbon Tetrachloride by Immobilized Fulvic Acids on Alumina Particles. *Water Air Soil Pollut*. 223: 1911-1920. <http://dx.doi.org/10.1007/s11270-011-0994-3>.
- Alvarez, M; Lo Monaco, C; Tanhua, T; Yool, A; Oschlies, A; Bullister, JL; Goyet, C; Metzl, N; Touratier, F; Mcdonagh, E; Bryden, HL. (2009). Estimating the storage of anthropogenic carbon in the subtropical Indian Ocean: a comparison of five different approaches. *Biogeosciences*. 6: 681-703. <http://dx.doi.org/10.5194/bg-6-681-2009>.
- Aly, HA; Mansour, AM; Hassan, MH; Abd-Ellah, MF. (2014). Lipoic acid attenuates Aroclor 1260-induced hepatotoxicity in adult rats. *Environ Toxicol*. 31: 913-922. <http://dx.doi.org/10.1002/tox.22101>.
- Alzawqari, MH; Al-Baddany, AA; Al-Baadani, HH; Alhidary, IA; Khan, RU; Aqil, GM; Abdurab, A. (2016). Effect of feeding dried sweet orange (*Citrus sinensis*) peel and lemon grass (*Cymbopogon citratus*) leaves on growth performance, carcass traits, serum metabolites and antioxidant status in broiler during the finisher phase. *Environ Sci Pollut Res Int*. 23: 17077-17082. <http://dx.doi.org/10.1007/s11356-016-6879-7>.
- Amagai, T; Olansandan; Matsushita, H; Ono, M; Nakai, S; Tamura, K; Maeda, K. (1999). A survey of indoor pollution by volatile organohalogen compounds in Katsushika, Tokyo, Japan. *Indoor Built Environ*. 8: 255-268.
- Amali, S; Rolston, DE. (1993). THEORETICAL INVESTIGATION OF MULTICOMPONENT VOLATILE ORGANIC VAPOR DIFFUSION - STEADY-STATE FLUXES. *J Environ Qual*. 22: 825-831.
- Amaral, OC; Otero, R; Grimalt, JO; Albaiges, J. (1996). Volatile and semi-volatile organochlorine compounds in tap and riverine waters in the area of influence of a chlorinated organic solvent factory. *Water Res*. 30: 1876-1884.
- AMARPAL; Kumar, A. (1994). EFFECT OF PREMEDICATION AND HEPATIC INSUFFICIENCY ON PLASMA THIOPENTAL CLEARANCE IN BOVINE. *Indian J Anim Sci*. 64: 28-30.
- Ambrozek, B. (2004). Experimental and theoretical studies of cyclic thermal swing adsorption process for the removal and recovery of volatile organic compounds from waste air streams. *Inzynieria Chemiczna i Procesowa*. 25: 555-561.
- Amer, MS; Todd, TK; Busbee, JD. (2011). Effect of linear alcohol molecular size on the self-assembly of fullerene whiskers. *Mater Chem Phys*. 130: 90-94. <http://dx.doi.org/10.1016/j.matchemphys.2011.05.070>.
- Amet, Y; Berthou, F; Fournier, G; Dreano, Y; Bardou, L; Cledes, J; Menez, JF. (1997). Cytochrome P450 4A and 2E1 expression in human kidney microsomes. *Biochem Pharmacol*. 53: 765-771. [http://dx.doi.org/10.1016/S0006-2952\(96\)00821-0](http://dx.doi.org/10.1016/S0006-2952(96)00821-0).
- Aminabhavi, TM; Aralaguppi, MI; Harogoppad, SB; Balundgi, RH. (1993). DENSITIES, VISCOSITIES, REFRACTIVE-INDEXES, AND SPEEDS OF SOUND FOR METHYL ACETOACETATE PLUS ALIPHATIC-ALCOHOLS (C1-C8). *Journal of Chemical and Engineering Data*. 38: 31-39.
- Aminabhavi, TM; Banerjee, K. (1998). Density, viscosity, refractive index, and speed of sound in binary mixtures of dimethyl carbonate with methanol, chloroform, carbon tetrachloride, cyclohexane, and dichloromethane in the temperature interval (298.15-308.15) K. *Journal of Chemical and Engineering Data*. 43: 1096-1101.
- Amir, A; Lee, W. (2011). Enhanced reductive dechlorination of tetrachloroethene by nano-sized zero valent iron with vitamin B-12. *Chem Eng J*. 170: 492-497. <http://dx.doi.org/10.1016/j.cej.2011.01.048>.
- Amir, A; Lee, W. (2012). Enhanced reductive dechlorination of tetrachloroethene during reduction of cobalamin (III) by nano-mackinawite. *J Hazard Mater*. 235: 359-366. <http://dx.doi.org/10.1016/j.jhazmat.2012.08.017>.
- Amonette, JE; Workman, DJ; Kennedy, DW; Fruchter, JS; Gorby, YA. (2000). Dechlorination of carbon tetrachloride by Fe(II) associated with goethite. *Environ Sci Technol*. 34: 4606-4613. <http://dx.doi.org/10.1021/es9913582>.
- An, E; Park, H; Lee, A, eRiCho. (2016). Inhibition of fibrotic contraction by C-phycocyanin through modulation of connective tissue growth factor and alpha-smooth muscle actin expression. 13: 388-395. <http://dx.doi.org/10.1007/s13770-015-0104-5>.
- An, X; Zhou, L; Yao, B, o; Xu, L, in; Ma, L, in. (2012). Analysis on source features of halogenated gases at Shangdianzi regional atmospheric background station. *Atmos Environ*. 57: 91-100. <http://dx.doi.org/10.1016/j.atmosenv.2012.04.042>.
- Anand, C; Priya, SV; Lawrence, G; Mane, GP; Dhawale, DS; Prasad, KS; Balasubramanian, VV; Wahab, MA; Vinu, A. (2013). Transesterification of ethylacetoacetate catalysed by metal free mesoporous carbon nitride. *Catalysis Today*. 204: 164-169. <http://dx.doi.org/10.1016/j.cattod.2012.07.025>.
- Anand, KV; Anandhi, R; Pakkiyaraj, M; Geraldine, P. (2011). Protective effect of chrysin on carbon tetrachloride (CCl₄)-induced tissue injury in male Wistar rats. *Toxicol Ind Health*. 27: 923-933. <http://dx.doi.org/10.1177/0748233711399324>.
- Anand, SS; Mehendale, HM. (2004). Liver regeneration: a critical toxicodynamic response in predictive toxicology. *Environ Toxicol Pharmacol*. 18: 149-160. <http://dx.doi.org/10.1016/j.etap.2004.02.011>.
- Anand, SS; Murthy, SN; Mumtaz, MM; Mehendale, HM. (2004). Dose-dependent liver tissue repair in chloroform plus thioacetamide acute hepatotoxicity. *Environ Toxicol Pharmacol*. 18: 143-148. <http://dx.doi.org/10.1016/j.etap.2004.02.010>.
- Anandan, S; Ikuma, Y; Kakinuma, K; Niwa, K. (2008). SYNTHESIS AND CHARACTERIZATION OF A HIGHLY CRYSTALLINE NOVEL MESOPOROUS C- AND N-CODOPED TiO₂ NANOPHOTOCATALYST. *NANO*. 3: 367-372.

Fate Literature Search Results

Off Topic

- Andersen, ME; Clewell, HJ, III; Gargas, ML; Smith, FA; Reitz, RH. (1987). Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol.* 87: 185-205. [http://dx.doi.org/10.1016/0041-008X\(87\)90281-X](http://dx.doi.org/10.1016/0041-008X(87)90281-X).
- Andersen, ME; Dennison, JE. (2004). Mechanistic approaches for mixture risk assessments-present capabilities with simple mixtures and future directions. *Environ Toxicol Pharmacol.* 16: 1-11. <http://dx.doi.org/10.1016/j.etap.2003.10.004>.
- Anderson, MW; Reynolds, SH; You, M; Maronpot, RM. (1992). Role of proto-oncogene activation in carcinogenesis [Review]. *Environ Health Perspect.* 98: 13-24.
- Ando, S; Tanahashi, N; Mihara, N; Fujita, T; Watanabe, C; Matsuda, H. (2007). Effect of CaO and Na₂CO₃ on TCE decomposition and dry sorption of Cl compounds derived from TCE. *Kagaku Kogaku Ronbunshu.* 33: 261-266.
- Andre, HM; Noti, MI. (1993). EXTRACTING SAND MICROARTHROPODS - A CARBON-TETRACHLORIDE FLOTATION METHOD. *European Journal of Soil Biology.* 29: 91-96.
- Andrews, EJ; Novak, PJ. (2001). Influence of ferrous iron and pH on carbon tetrachloride degradation by *Methanosarcina thermophila*. *Water Res.* 35: 2307-2313.
- Aneja, R; Upadhyaya, G; Prakash, S; Dass, SK; Chandra, R. (2005). Ameliorating effect of phytoestrogens on CCl₄-induced oxidative stress in the livers of male Wistar rats. *Artificial Cells, Blood Substitutes, and Biotechnology.* 33: 201-213. <http://dx.doi.org/10.1081/BIO-200055908>.
- Angehrn, D; Galli, R; Zeyer, J. (1998). Physicochemical characterization of residual mineral oil contaminants in bioremediated soil. *Environ Toxicol Chem.* 17: 2168-2175.
- Anipsitakis, GP; Dionysiou, DD; Gonzalez, MA. (2006). Cobalt-mediated activation of peroxymonosulfate and sulfate radical attack on phenolic compounds. implications of chloride ions. *Environ Sci Technol.* 40: 1000-1007. <http://dx.doi.org/10.1021/es050634b>.
- Ansari, GA; Moslen, MT; Reynolds, ES. (1982). Evidence for in vivo covalent binding of CCl₃ derived from CCl₄ to cholesterol of rat liver. *Biochem Pharmacol.* 31: 3509-3510.
- Anthony, A; Desiraju, GR; Jetti, RKR; Kuduva, SS; Madhavi, NNL; Nangia, A; Thaimattam, R; Thalladi, VR. (1998). Crystal engineering: Some further strategies. *Materials Research Bulletin*1-18.
- Antonio Gonzalez, J; Garcia de la Fuente, I; Carlos Cobos, J; Riesco, N. (2012). Thermodynamics of Mixtures Containing Oxaalkanes. 7. Random Mixing in Ether + CCl₄ Systems. *Ind Eng Chem Res.* 51: 5108-5116. <http://dx.doi.org/10.1021/ie300094e>.
- Antony, J; Qiang, Y; Baer, DR; Wang, CM. (2006). Synthesis and characterization of stable iron-iron oxide core-shell nanoclusters for environmental applications. *J Nanosci Nanotechnol.* 6: 568-572. <http://dx.doi.org/10.1166/jnn.2006.074>.
- Antony, J; Sharma, A; Pendyala, S; Meyer, D; Nutting, J; Baer, DR; Wang, CM; Mccready, D; Engelhard, M; Qiang, Y. (2005). Iron-iron oxide core shell nanoparticles for contaminant underground water treatment. *Geochim Cosmo Acta.* 69: A518-A518.
- Anuradha, S; Raj, KJA; Elangovan, T; Viswanathan, B. (2014). Adsorption of VOC on steam activated carbon derived from coconut shell charcoal. *Indian J Chem Tech.* 21: 345-349.
- Anzai, H; Itoh, T; Kinoshita, N; Honda, K; Tokumoto, M; Uchida, T. (1994). THE EFFECT OF GUEST MOLECULES ON THE CRYSTAL-GROWTH OF THE ORGANIC SUPERCONDUCTOR KAPPA-(BEDT-TTF)₂CU(NCS)₂. *J Cryst Growth.* 141: 119-123.
- Apblett, AW; Kiran, BP; Oden, K. (2003). Reductive dechlorination of chloromethanes using tungsten and molybdenum hydrogen bronzes or sodium hypophosphite. *ACS Symp Ser Am Chem Soc.* 837: 154-164.
- Arakawa, S; Itoh, M; Kasukawa, A. (2000). Highly selective growth of AlGaInAs assisted by CBr₄ during MOCVD growth. *J Cryst Growth.* 221: 183-188.
- Araki, A; Kamigaito, N; Sasaki, T; Matsushima, T. (2004). Mutagenicity of carbon tetrachloride and chloroform in *Salmonella typhimurium* TA98, TA100, TA1535, and TA1537, and *Escherichia coli* WP2uvrA/pKM101 and WP2/pKM101, using a gas exposure method. *Environ Mol Mutagen.* 43: 128-133. <http://dx.doi.org/10.1002/em.20005>.
- Aralaguppi, MI; Aminabhavi, TM; Balundgi, RH. (1992). Excess molar volume, excess isentropic compressibility and excess molar refraction of binary mixtures of methyl acetoacetate with benzene, toluene, m-xylene, mesitylene and anisole. *Fluid Phase Equilibria.* 71: 99-112. [http://dx.doi.org/10.1016/0378-3812\(92\)85007-u](http://dx.doi.org/10.1016/0378-3812(92)85007-u).
- Aramendia, MA; Borau, V; Jimenez, C; Marinas, JM; Romero, FJ. (1999). N-alkylation of aniline with methanol over magnesium phosphates. *Appl Catal A-Gen.* 183: 73-80.
- Aranovich, GL; Donohue, MD. (1995). ADSORPTION-ISOTHERMS FOR MICROPOROUS ADSORBENTS. *Carbon.* 33: 1369-1375.
- Aranzabal, A; Romero-Saez, M; Elizundia, U; Ramon Gonzalez-Velasco, J; Antonio Gonzalez-Marcos, J. (2016). The effect of deactivation of H-zeolites on product selectivity in the oxidation of chlorinated VOCs (trichloroethylene). *J Chem Tech Biotechnol.* 91: 318-326. <http://dx.doi.org/10.1002/jctb.4585>.
- Arato, A; Cardenas, E; Shaji, S; O'Brien, JJ; Liu, J; Alan Castillo, G; Das Roy, TK; Krishnan, B. (2009). Sb₂S₃:C/CdS p-n junction by laser irradiation. *Thin Solid Films.* 517: 2493-2496. <http://dx.doi.org/10.1016/j.tsf.2008.11.025>.
- Arena, U; Di Gregorio, F. (2013). Element partitioning in combustion- and gasification-based waste-to-energy units. *Waste Manag.* 33: 1142-1150. <http://dx.doi.org/10.1016/j.wasman.2013.01.035>.
- Ariga, K; Kikuchi, J; Naito, M; Koyama, E; Yamada, N. (2000). Modulated supramolecular assemblies composed of tripeptide derivatives: Formation of micrometer-scale rods, nanometer-size needles, and regular patterns with molecular-level flatness from the same compound. *Langmuir.* 16: 4929-4939.
- Armengol, E; Corma, A; Garcia, H; Primo, J. (1997). Acid zeolites as catalysts in organic reactions. tert-Butylation of anthracene, naphthalene and thianthrene. *Appl Catal A-Gen.* 149: 411-423.
- Armitage, R; Yang, Q; Feick, H; Weber, ER. (2004). Evaluation of CCl₄ and CS₂ as carbon doping sources in MBE growth of GaN. *J Cryst Growth.* 263: 132-142. <http://dx.doi.org/10.1016/j.jcrysgro.2003.11.091>.

Fate Literature Search Results

Off Topic

- Arnold, WA; Ball, WP; Roberts, AL. (1999). Polychlorinated ethane reaction with zero-valent zinc: pathways and rate control. *J Contam Hydrol.* 40: 183-200.
- Artal, M; Embid, JM; Otin, S; Velasco, I. (1999). Isothermal vapor-liquid equilibria of bromochloromethane or 1-bromo-2-chloroethane plus tetrachloromethane or benzene. Experimental measurements and analysis in terms of group contributions. *Fluid Phase Equilibria.* 154: 223-239.
- Aruna, P; Natarajan, S; Suryanarayana, CV. (1991). THE INTERNAL-PRESSURE AT THE MISCIBILITY POINT IN SOME TERNARY-SYSTEMS. 29: 537-540.
- Asada, H; Seiyama, H; Takechi, M. (1997). Displacement transition in CH₄/cyclohexane adsorbed on graphite. *AST.* 15: 271-276.
- Asadi, M; Niad, M. (2003). NMR studies of equilibrium quotient of the benzonitrile with xylene isomers and ethylbenzene. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition).* 22: 1-7.
- Asadullah, M; Rahman, MA; Motin, MA; Sultan, MB. (2006). Preparation and adsorption studies of high specific surface area activated carbons obtained from the chemical activation of jute stick. *AST.* 24: 761-770.
- Ashokkumar, M; Grieser, F. (1999). Ultrasound assisted chemical processes. 15: 41-83.
- Asprion, N; Hasse, H; Maurer, G. (1998). Limiting activity coefficients in alcohol-containing organic solutions from headspace gas chromatography. *Journal of Chemical and Engineering Data.* 43: 74-80.
- Asprion, N; Hasse, H; Maurer, G. (2003). Thermodynamic and IR spectroscopic studies of solutions with simultaneous association and solvation. *Fluid Phase Equilibria.* 208: 23-51.
- Assael, MJ; Dymond, JH; Papadaki, M; Patterson, PM. (1992). CORRELATION AND PREDICTION OF DENSE FLUID TRANSPORT-COEFFICIENTS .2. SIMPLE MOLECULAR FLUIDS. *Fluid Phase Equilibria.* 75: 245-255.
- Assafanid, N; Hayes, KF; Vogel, TM. (1994). REDUCTIVE DECHLORINATION OF CARBON-TETRACHLORIDE BY COBALAMIN(II) IN THE PRESENCE OF DITHIOTHREITOL - MECHANISTIC STUDY, EFFECT OF REDOX POTENTIAL AND PH. *Environ Sci Technol.* 28: 246-252.
- Assaf-Anid, N; Lin, KY. (2002). Carbon tetrachloride reduction by Fe²⁺, S²⁻, and FeS with vitamin B-12 as organic amendment. *J Environ Eng.* 128: 94-99.
- Assmuth, T; Kalevi, K. (1992). Concentrations and toxicological significance of trace organic compounds in municipal solid waste landfill gas. *Chemosphere.* 24: 1207-1216.
- Astel, A; Astel, K; Biziuk, M; Namiesnik, J. (2006). Clasification of drinking water samples using the Chernoff's Faces visualization approach. *Pol J Environ Stud.* 15: 691-697.
- Atanassova, M; Dukov, IL. (2004). Synergistic solvent extraction and separation of trivalent lanthanide metals with mixtures of 4-benzoyl-3-methyl-1-phenyl-2-pyrazolin-5-one and aliquat 336. *Separation and Purification Technology.* 40: 171-176. <http://dx.doi.org/10.1016/j.seppur.2004.02.007>.
- Atawodi, SE; Iliemene, DU, ju; Onyike, E. (2014). In vivo Antioxidant Effect of Methanolic Extract of Afzelia africana Seed on Carbon Tetrachloride-induced Acute and Chronic Oxidative Injury in Rats. *International Journal of Agriculture and Biology.* 16: 597-602.
- Atawodi, SE; Liman, ML; Onyike, EO. (2013). Antioxidant Effects of Tamarindus indica following Acute and Chronic Carbon Tetrachloride Induced Liver Injury. *International Journal of Agriculture and Biology.* 15: 410-418.
- Atawodi, SE; Yakubu, OE; Umar, IA. (2013). Antioxidant and Hepatoprotective Effects of Parinari curatellifolia Root. *International Journal of Agriculture and Biology.* 15: 523-528.
- Atdaev, BS; Blonskyy, IV; Zubrilin, MG; Tkachenko, OM; Dmitruk, IM; Tinkov, VO; Urubkov, IV; Kotko, AV. (2008). The Photostimulated Fabrication of Nanoparticles of Gold by Means of the XeCl Excimer Laser. *Metallofizika i Noveishie Tekhnologii.* 30: 1479-1491.
- Athankar, KK; Wasewar, KL; Varma, MN; Shende, DZ; Uslu, H. (2015). Extractive Separation of Benzylformic Acid with Phosphoric Acid Tributyl Ester in CCl₄, Decanol, Kerosene, Toluene, and Xylene at 298 K. *Journal of Chemical and Engineering Data.* 60: 1014-1022. <http://dx.doi.org/10.1021/je500943m>.
- Atkins, P. (1998). *Physical chemistry Diffusion controlled reactions* (6 ed.). New York: Freeman.
- Atkinson, R. (1989). Kinetics and mechanisms of the gas-phase reactions of the hydroxyl radical with organic compounds. *J Phys Chem Ref Data.* 1: 1-246.
- Attari, SG; Bahrami, A; Shahna, FG; Heidari, M. (2014). Solid-phase microextraction fiber development for sampling and analysis of volatile organohalogen compounds in air. 12: 123. <http://dx.doi.org/10.1186/s40201-014-0123-5>.
- Attolini, G; Rossi, F; Fabbri, F; Bosi, M; Watts, BE; Salviati, G. (2009). A new growth method for the synthesis of 3C-SiC nanowires. *Mater Lett.* 63: 2581-2583. <http://dx.doi.org/10.1016/j.matlet.2009.09.012>.
- Au, CT; He, H; Lai, SY; Ng, CF. (1997). The oxidative coupling of methane over BaCO₃/LaOCl catalysts. *Appl Catal A-Gen.* 159: 133-145.
- Augusto, EB; Oliveira, HP. (2001). Kinetics of chlorination and microstructural changes of xenotime by carbon tetrachloride. *Metallurgical and Materials Transactions B - Process Metallurgy and Materials Processing Science.* 32: 785-791.
- Aulenta, F; Maio, VD; Ferri, T; Majone, M. (2010). The humic acid analogue antraquinone-2,6-disulfonate (AQDS) serves as an electron shuttle in the electricity-driven microbial dechlorination of trichloroethene to cis-dichloroethene. *Bioresour Technol.* 101: 9728-9733. <http://dx.doi.org/10.1016/j.biortech.2010.07.090>.
- Aust, SD. (1995). Mechanisms of degradation by white rot fungi [Review]. *Environ Health Perspect.* 103 Suppl 5: 59-61.
- Austin, J. (2003). Day-of-week patterns in toxic air contaminants in southern California. *Journal of the Air and Waste Management Association.* 53: 889-896.
- Avallone, LM; Prather, MJ. (1997). Tracer-tracer correlations: Three-dimensional model simulations and comparisons to observations. *J Geophys Res Atmos.* 102: 19233-19246.
- Avraam, T; Moumouzias, G; Ritzoulis, G. (1998). A study on excess volumes and dielectric properties in the gamma-butyrolactone plus p-xylene system at various temperatures. *Journal of Chemical and Engineering Data.* 43: 51-54.

Fate Literature Search Results

Off Topic

- Awasthi, RB; Naidu, S. R.; Ganguli, NC. (1979). DETERMINATION OF HEATS OF ADSORPTION OF CYCLOHEXANE AND CARBON-TETRACHLORIDE BY GAS-CHROMATOGRAPHY. 17: 387-389.
- Ayala-Luis, KB; Cooper, NG; Koch, CB; Hansen, HC. (2012). Efficient dechlorination of carbon tetrachloride by hydrophobic green rust intercalated with dodecanoate anions. *Environ Sci Technol*. 46: 3390-3397. <http://dx.doi.org/10.1021/es204368u>.
- Ayala-Luis, KB; Koch, CB; Hansen, HCB. (2010). Intercalation of linear C9-C16 carboxylates in layered Fe-II-Fe-III-hydroxides (green rust) via ion exchange. *Appl Clay Sci*. 48: 334-341. <http://dx.doi.org/10.1016/j.clay.2010.01.003>.
- Ayraud, V; Aquilina, L; Labasque, T; Pauwels, H; Molenat, J; Pierson-Wickmann, AC; Durand, V; Bour, O; Tarits, C; Le Corre, P; Fourre, E; Merot, P; Davy, P. (2008). Compartmentalization of physical and chemical properties in hard-rock aquifers deduced from chemical and groundwater age analyses. *Appl Geochem*. 23: 2686-2707. <http://dx.doi.org/10.1016/j.apgeochem.2008.06.001>.
- Ayyildiz, O; Anderson, PR; Peters, RW. (2005). Laboratory batch experiments of the combined effects of ultrasound and air stripping in removing CCl4 and 1,1,1-TCA from water. *J Hazard Mater*. 120: 149-156. <http://dx.doi.org/10.1016/j.jhazmat.2004.12.026>.
- Azeem, AK; Mathew, M; Nair, CDC. (2010). Hepatoprotective effect of Averrhoa carambola fruit extract on carbon tetrachloride induced hepatotoxicity in mice. *Asian Pacific Journal of Tropical Medicine*. 3: 610-613.
- Azizian, MF; Semprini, L. (2016). Simultaneous anaerobic transformation of tetrachloroethene and carbon tetrachloride in a continuous flow column. *J Contam Hydrol*. 190: 58-68. <http://dx.doi.org/10.1016/j.jconhyd.2016.04.002>.
- Azizian, S; Haydarpour, A. (2003). Solubility of benzophenone in binary alkane plus carbon tetrachloride solvent mixtures. *Journal of Chemical and Engineering Data*. 48: 1476-1478. <http://dx.doi.org/10.1021/jc0340497>.
- Baati, T; Bourasset, F; Gharbi, N; Njim, L; Abderrabba, M; Kerkeni, A; Szwarc, H; Moussa, F. (2012). The prolongation of the lifespan of rats by repeated oral administration of [60]fullerene. *Biomaterials*. 33: 4936-4946. <http://dx.doi.org/10.1016/j.biomaterials.2012.03.036>.
- Baba, M; Dordain, L; Coxam, JY; Grolier, JPE. (1992). CALORIMETRIC MEASUREMENTS OF HEAT-CAPACITIES AND HEATS OF MIXING IN THE RANGE 300-570 K AND UP TO 30 MPA. 30: 553-558.
- Babaa, MR; Dupont-Pavlovsky, N; Mcrae, E; Masenelli-Varlot, K. (2004). Physical adsorption of carbon tetrachloride on as-produced and on mechanically opened single walled carbon nanotubes. *Carbon*. 42: 1549-1554. <http://dx.doi.org/10.1016/j.carbon.2004.02.004>.
- Baciocchi, R. (2013). Principles, Developments and Design Criteria of In Situ Chemical Oxidation. *Water Air Soil Pollut*. 224. <http://dx.doi.org/10.1007/s11270-013-1717-8>.
- Badger, DA; Kuester, RK; Sauer, JM; Sipes, IG. (1997). Gadolinium chloride reduces cytochrome P450: Relevance to chemical-induced hepatotoxicity. *Toxicology*. 121: 143-153.
- Badger, DA; Sauer, JM; Hoglen, NC; Jolley, CS; Sipes, IG. (1996). The role of inflammatory cells and cytochrome P450 in the potentiation of CCl4-induced liver injury by a single dose of retinol. *Toxicol Appl Pharmacol*. 141: 507-519. <http://dx.doi.org/10.1006/taap.1996.0316>.
- Badjic, JD; Kostic, NM. (2001). Behavior of organic compounds confined in monoliths of sol-gel silica glass. Effects of guest-host hydrogen bonding on uptake, release, and isomerization of the guest compounds. *J Mater Chem*. 11: 408-418.
- Bae, E; Choi, W. (2003). Highly enhanced photoreductive degradation of perchlorinated compounds on dye-sensitized metal/TiO2 under visible light. *Environ Sci Technol*. 37: 147-152. <http://dx.doi.org/10.1021/es025617q>.
- Bae, JS; Do, DD. (2002). Study on diffusion and flow of benzene, n-hexane and CCl4 in activated carbon by a differential permeation method. *Chem Eng Sci*. 57: 3013-3024.
- Bae, JW; Jang, E, unJoo; Lee, BI, n; Lee, J, aeS; Lee, KH, ee. (2007). Effects of tin on product distribution and catalyst stability in hydrodechlorination of CCl4 over Pt-Sn/gamma-Al2O3. *Ind Eng Chem Res*. 46: 1721-1730. <http://dx.doi.org/10.1021/ie061334l>.
- Bae, JW; Kim, IG; Lee, JS; Lee, KH; Jang, EJ. (2003). Hydrodechlorination of CCl4 over Pt/Al2O3: effects of platinum particle size on product distribution. *Appl Catal A-Gen*. 240: 129-142.
- Bae, JW; Lee, JS; Lee, KH. (2007). Disposal of CCl4 by disproportionation reaction with CH4. *Ind Eng Chem Res*. 46: 7057-7065. <http://dx.doi.org/10.1021/ie070630a>.
- Bae, JW; Lee, JS; Lee, KH. (2008). Hydrodechlorination of CCl4 over Pt/gamma-Al2O3 prepared from different Pt precursors. *Appl Catal A-Gen*. 334: 156-167. <http://dx.doi.org/10.1016/j.apcata.2007.10.001>.
- Bae, JW; Park, ED; Lee, JS; Lee, KH; Kim, YG; Yeon, SH; Sung, BH. (2001). Hydrodechlorination of CCl4 over Pt/gamma-Al2O3 - Effects of reaction pressure and diluent gases on distribution of products and catalyst stability. *Appl Catal A-Gen*. 217: 79-89.
- Bae, S; Kim, D; Lee, W. (2013). Degradation of diclofenac by pyrite catalyzed Fenton oxidation. *Appl Catal B-Environ*. 134: 93-102. <http://dx.doi.org/10.1016/j.apcatb.2012.12.031>.
- Bae, S; Lee, W. (2012). Enhanced reductive degradation of carbon tetrachloride by biogenic vivianite and Fe(II). *Geochim Cosmo Acta*. 85: 170-186. <http://dx.doi.org/10.1016/j.gca.2012.02.023>.
- Bae, S; Lee, W. (2013). Biotransformation of lepidocrocite in the presence of quinones and flavins. *Geochim Cosmo Acta*. 114: 144-155. <http://dx.doi.org/10.1016/j.gca.2013.03.041>.
- Bae, S; Lee, W. (2014). Influence of riboflavin on nanoscale zero-valent iron reactivity during the degradation of carbon tetrachloride. *Environ Sci Technol*. 48: 2368-2376. <http://dx.doi.org/10.1021/es4056565>.
- Bae, S; Lee, Y; Kwon, MJ; Lee, W. (2014). Riboflavin-mediated RDX transformation in the presence of Shewanella putrefaciens CN32 and lepidocrocite. *J Hazard Mater*. 274: 24-31. <http://dx.doi.org/10.1016/j.jhazmat.2014.04.002>.
- Bae, W; Rittmann, BE. (1995). ACCELERATING THE RATE OF COMETABOLIC DEGRADATIONS REQUIRING AN INTRACELLULAR ELECTRON SOURCE-MODEL AND BIOFILM APPLICATION. *Water Sci Technol*. 31: 29-39.
- Bae, Y; Kim, D; Cho, H; Singhal, N; Park, J. (2012). Transformation impacts of dissolved and solid phase Fe(II) on trichloroethylene (TCE) reduction in an iron-reducing bacteria (IRB) mixed column system: A mathematical model. *Water Res*. 46: 6391-6398. <http://dx.doi.org/10.1016/j.watres.2012.09.019>.

Fate Literature Search Results

Off Topic

- Baek, W; Lee, JY. (2011). Source apportionment of trichloroethylene in groundwater of the industrial complex in Wonju, Korea: a 15-year dispute and perspective. *Water Environ J.* 25: 336-344. <http://dx.doi.org/10.1111/j.1747-6593.2010.00226.x>.
- Bagal, MV; Gogate, PR. (2012). Sonochemical degradation of alachlor in the presence of process intensifying additives. *Separation and Purification Technology.* 90: 92-100. <http://dx.doi.org/10.1016/j.seppur.2012.02.019>.
- Bagal, MV; Gogate, PR. (2013). Comparison of Efficacy of Different Configurations of Ultrasonic Reactors for Degradation of 2,4-Dinitrophenol Using Hybrid Treatment Schemes. *Ind Eng Chem Res.* 52: 8386-8391. <http://dx.doi.org/10.1021/ie400441t>.
- Bagchi, D; Moser, J; Stohs, SJ. (1994). QUANTITATIVE-DETERMINATION OF URINARY LIPID METABOLITES BY HIGH-PRESSURE LIQUID-CHROMATOGRAPHY AS INDICATORS OF MENADIONE-INDUCED IN-VIVO LIPID-PEROXIDATION. *Arch Environ Contam Toxicol.* 26: 387-391.
- Bagley, DM; Lalonde, M; Kaseros, V; Stasiuk, KE; Sleep, BE. (2000). Acclimation of anaerobic systems to biodegrade tetrachloroethene in the presence of carbon tetrachloride and chloroform. *Water Res.* 34: 171-178.
- Bagley, DM; Sutherland, IG; Sleep, BE. (2004). Non-enzymatic degradation of chlorofluorocarbon 113 using cyanocobalamin under anaerobic conditions. *J Environ Eng Sci.* 3: 295-299.
- Bagrov, IV; Belousova, IM; Danilov, OB; Ermakov, AV; Grenishin, AS; Kiselev, VM; Kislyakov, IM; Murav'eva, TD; Sosnov, EN; Videnichev, DA. (2008). Singlet oxygen generation processes in solutions of fullerenes in carbon tetrachloride. Fullerenes, Nanotubes, and Carbon Nanostructures. 16: 675-681. <http://dx.doi.org/10.1080/15363830802316983>.
- Bai, S; Shen, X; Zhu, G; Xu, Z; Liu, Y. (2011). Reversible phase transfer of graphene oxide and its use in the synthesis of graphene-based hybrid materials. *Carbon.* 49: 4563-4570. <http://dx.doi.org/10.1016/j.carbon.2011.06.072>.
- Bai, X; Ye, ZF; Qu, YZ; Li, YF; Wang, ZY. (2009). Immobilization of nanoscale Fe⁰ in and on PVA microspheres for nitrobenzene reduction. *J Hazard Mater.* 172: 1357-1364. <http://dx.doi.org/10.1016/j.jhazmat.2009.08.004>.
- Bai, YJ; Bian, J; Wang, CG; Zhu, B; Qi, YX; Wang, YX; Liu, YX; Geng, GL. (2005). One step convenient synthesis of crystalline beta-Si₃N₄. *J Mater Chem.* 15: 4832-4837. <http://dx.doi.org/10.1039/b510699k>.
- Bai, YJ; Lu, B; Liu, ZG; Li, L; Cui, DL; Xu, XG; Wang, QL. (2003). Solvothermal preparation of graphite-like C₃N₄ nanocrystals. *J Cryst Growth.* 247: 505-508.
- Baig, JA; Kazi, TG; Elci, L; Afridi, HI; Khan, MI; Naseer, HM. (2013). Ultratrace Determination of Cr(VI) and Pb(II) by Microsample Injection System Flame Atomic Spectroscopy in Drinking Water and Treated and Untreated Industrial Effluents. 2013: 629495. <http://dx.doi.org/10.1155/2013/629495>.
- Baillet, C; Fadli, A; J-P, S. (1996). Experimental study on the thermal oxidation of 1,3-hexachlorobutadiene at 500 - 1100 degrees C. *Chemosphere.* 32: 1261-1273.
- Baker, MV; Watling, JD. (1997). Functionalization of alkylsiloxane monolayers via free-radical bromination. *Langmuir.* 13: 2027-2032.
- Baklanov, MR; Mogilnikov, KP; Polovinkin, VG; Dultsev, FN. (2000). Determination of pore size distribution in thin films by ellipsometric porosimetry. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures.* 18: 1385-1391.
- Bakshi, MS; Kaur, G. (1997). Thermodynamic behavior of mixtures .4. Mixtures of methanol with pyridine and N,N-dimethylformamide at 25 degrees C. *Journal of Chemical and Engineering Data.* 42: 298-300.
- Balbis, E; Patriarca, S; Furfaro, AL; Millanta, S; Sukkar, SG; Marinari, UM; Pronzato, MA; Cottalasso, D; Traverso, N. (2009). Whey proteins influence hepatic glutathione after CCl₄ intoxication. *Toxicol Ind Health.* 25: 325-328. <http://dx.doi.org/10.1177/0748233709104870>.
- Baldwin, DG. (1985). CHEMICAL-EXPOSURE FROM CCL₄ PLASMA ALUMINUM ETCHERS. *J Electrochem Soc.* 132: C357-C357.
- Balogh, IS; Rusnakova, L; Skrlikova, J; Kocurova, L; Toeroek, M; Andruch, V. (2012). A spectrophotometric method for manganese determination in water samples based on ion pair formation and dispersive liquid-liquid microextraction. *Int J Environ Anal Chem.* 92: 1059-1071. <http://dx.doi.org/10.1080/03067319.2010.537750>.
- Balsiger, C; Holliger, C; Höhener, P. (2005). Reductive dechlorination of chlorofluorocarbons and hydrochlorofluorocarbons in sewage sludge and aquifer sediment microcosms. *Chemosphere.* 61: 361-373. <http://dx.doi.org/10.1016/j.chemosphere.2005.02.087>.
- Baluja, S; Gajera, R; Bhatt, M; Bhalodia, R; Vekariya, N. (2010). Solubility of Ofloxacin in 1,2-Dichloromethane, Chloroform, Carbon Tetrachloride, and Water from (293.15 to 313.15) K. *Journal of Chemical and Engineering Data.* 55: 956-958. <http://dx.doi.org/10.1021/je900540d>.
- Bandyopadhyay, A; De Sarkar, M; Bhowmick, AK. (2005). Epoxidised natural rubber/silica hybrid nanocomposites by sol-gel technique: Effect of reactants on the structure and the properties. *Journal of Materials Science.* 40: 53-62.
- Bandyopadhyay, AK; Dilawar, N; Vijayakumar, A; Varandani, D; Singh, D. (1998). A low cost laser-Raman spectrometer. *Bulletin of Materials Science.* 21: 433-438.
- Banerjee, BS; Khode, AV; Patil, AP; Mohod, AV; Gogate, PR. (2014). Sonochemical decolorization of wastewaters containing Rhodamine 6G using ultrasonic bath at an operating capacity of 2L. *Desalination and Water Treatment.* 52: 1378-1387. <http://dx.doi.org/10.1080/19443994.2013.786656>.
- Banerjee, D; Chattopadhyay, KK. (2014). Enhanced field emission properties of PECVD synthesized chlorine doped diamond like carbon thin films. *Surf Coating Tech.* 253: 1-7. <http://dx.doi.org/10.1016/j.surfcoat.2014.04.054>.
- Bansode, RR; Losso, JN; Marshall, WE; Rao, RM; Portier, RJ. (2003). Adsorption of volatile organic compounds by pecan shell- and almond shell-based granular activated carbons. *Bioresour Technol.* 90: 175-184. [http://dx.doi.org/10.1016/S0960-8524\(03\)00117-2](http://dx.doi.org/10.1016/S0960-8524(03)00117-2).
- Baokun, H; Yanjie, T; Zuowei, L; Shuquin, G; Zhaokai, L. (2007). Temperature measurement from the intensity ratio of the Raman-scattering lines in carbon tetrachloride constituting the liquid core of an optical fiber. *Instrum Exp Tech.* 50: 282-285. <http://dx.doi.org/10.1134/S0020441207020200>.
- Baran, J. R.; Pope, GA; Wade, WH; Weerasooriya, V; Yapa, A. (1994). MICROEMULSION FORMATION WITH CHLORINATED HYDROCARBONS OF DIFFERING POLARITY. *Environ Sci Technol.* 28: 1361-1366.

Fate Literature Search Results

Off Topic

- Baran, J; Postolache, M; Postolache, M. (2006). Channeled spectra simulation of an anisotropic poly-(phenylmethacrylic) ester of cetyloxybenzoic acid in tetrachloromethane. *J Optoelect Adv Mater.* 8: 1529-1532.
- Baran, JR; Pope, GA; Wade, WH; Weerasooriya, V. (1996). Water/chlorocarbon Winsor I double left right arrow III double left right arrow II microemulsion phase behavior with alkyl glucamide surfactants. *Environ Sci Technol.* 30: 2143-2147.
- Barber, ED; Donish, WH; Mueller, KR. (1981). A procedure for the quantitative measurement of the mutagenicity of volatile liquids in the Ames salmonella/microsome assay. *Mutat Res Genet Toxicol.* 90: 31-48. [http://dx.doi.org/10.1016/0165-1218\(81\)90048-3](http://dx.doi.org/10.1016/0165-1218(81)90048-3).
- Barber, TA; Bienkowski, PR; Cochran, HD. (1990). SOLUBILITY OF SOLID CCL4 IN SUPERCRITICAL CF4 USING DIRECTLY COUPLED SUPERCRITICAL FLUID EXTRACTION MASS-SPECTROMETRY. *Separation Science and Technology.* 25: 2033-2043.
- Barber, TA; Cochran, HD; Bienkowski, PR. (1991). SOLUBILITY OF SOLID CCl4 IN SUPERCRITICAL CF4. *Journal of Chemical and Engineering Data.* 36: 99-102.
- Barbosa, R, ui; Lapa, N; Dias, D; Mendes, B. (2013). Concretes containing biomass ashes: Mechanical, chemical, and ecotoxic performances. *Construction and Building Materials.* 48: 457-463. <http://dx.doi.org/10.1016/j.conbuildmat.2013.07.031>.
- Barhorst, JB; Kubiak, R. (2009). Formation of chlorinated disinfection by-products in viticulture. *Environ Sci Pollut Res Int.* 16: 582-589. <http://dx.doi.org/10.1007/s11356-009-0186-5>.
- Barkauskas, J; Stankeviciene, I; Selskis, A. (2010). A novel purification method of carbon nanotubes by high-temperature treatment with tetrachloromethane. *Separation and Purification Technology.* 71: 331-336. <http://dx.doi.org/10.1016/j.seppur.2009.12.019>.
- Barnett, BR; Evans, AL; Roberts, CC; Fritsch, JM. (2011). Batch reactor kinetic studies on the reductive dechlorination of chlorinated ethylenes by tetrakis-(4-sulfonatophenyl)porphyrin cobalt. *Chemosphere.* 82: 592-596. <http://dx.doi.org/10.1016/j.chemosphere.2010.11.015>.
- Baron, J; Bulewicz, EM; Zukowski, W; Kandefer, S; Pilawska, M. (2002). Combustion of hydrocarbon fuels in a bubbling fluidized bed. *Combust Flame.* 128: 410-421.
- Barrabes, N; Cornado, D; Foettinger, K; Dafinov, A; Llorca, J; Medina, F; Rupprechter, G. (2009). Hydrodechlorination of trichloroethylene on noble metal promoted Cu-hydrotralcite-derived catalysts. *J Catal.* 263: 239-246. <http://dx.doi.org/10.1016/j.jcat.2009.02.015>.
- Barranco, FT; Dawson, HE; Christener, JM; Honeyman, BD. (1997). Influence of aqueous pH and ionic strength on the wettability of quartz in the presence of dense non-aqueous-phase liquids. *Environ Sci Technol.* 31: 676-681.
- Barros, L; Braun, JP; Galtier, P; Toutain, PL. (1996). Validation of an automated technique for the measurement of glutathione S-transferase in plasma of sheep. *Small Ruminant Research.* 21: 37-43.
- Barros, LF; Stutzin, A; Calixto, A; Catalán, M; Castro, J; Hetz, C; Hermosilla, T. (2001). Nonselective cation channels as effectors of free radical-induced rat liver cell necrosis. *Hepatology.* 33: 114-122. <http://dx.doi.org/10.1053/jhep.2001.20530>.
- Barroso-Bujans, F; Cervený, S; Alegria, A; Colmenero, J. (2010). Sorption and desorption behavior of water and organic solvents from graphite oxide. *Carbon.* 48: 3277-3286. <http://dx.doi.org/10.1016/j.carbon.2010.05.023>.
- Barroso-Bujans, F; Cervený, S; Verdejo, R; Del Val, JJ; Alberdi, JM; Alegría, A; Colmenero, J. (2010). Permanent adsorption of organic solvents in graphite oxide and its effect on the thermal exfoliation. *Carbon.* 48: 1079-1087. <http://dx.doi.org/10.1016/j.carbon.2009.11.029>.
- Barry, KH; Zhang, Y; Lan, Q; Zahm, SH; Holford, TR; Leaderer, B; Boyle, P; Hosgood, HD; Chanock, S; Yeager, M; Rothman, N; Zheng, T. (2011). Genetic variation in metabolic genes, occupational solvent exposure, and risk of non-hodgkin lymphoma. *Am J Epidemiol.* 173: 404-413. <http://dx.doi.org/10.1093/aje/kwq360>.
- Bartneck, M; Heffels, KH; Bovi, M; Groll, J; Zwadlo-Klarwasser, G. (2013). The role of substrate morphology for the cytokine release profile of immature human primary macrophages. *Mater Sci Eng C.* 33: 5109-5114. <http://dx.doi.org/10.1016/j.msec.2013.08.028>.
- Bartosiewicz, MJ; Jenkins, D; Penn, S; Emery, J; Buckpitt, A. (2001). Unique gene expression patterns in liver and kidney associated with exposure to chemical toxicants. *J Pharmacol Exp Ther.* 297: 895-905.
- Bartsch, RA; Jeon, EG; Walkowiak, W; Apostoluk, W. (1999). Effect of solvent in competitive alkali metal cation transport across bulk liquid membranes by a lipophilic lariat ether carboxylic acid carrier. *J Memb Sci.* 159: 123-131.
- Baruah, MK; Kotoky, P; Baruah, J; Bora, GC. (2005). Extent of lead in high sulphur Assam coals. *Fuel Process Tech.* 86: 731-734. <http://dx.doi.org/10.1016/j.fuproc.2004.05.015>.
- Barwick, VJ; Ellison, SLR; Rafferty, MJQ; Farrant, TJ. (1998). Evaluation of carbon disulfide as an alternative to carbon tetrachloride for the determination of hydrocarbon oils in water by infra-red spectrophotometry. *Int J Environ Anal Chem.* 72: 235-246.
- Basu, D; Asolekar, SR. (2012). Performance of UASB reactor in the biotreatment of 1,1,2-Trichloroethane. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 47: 267-273. <http://dx.doi.org/10.1080/10934529.2012.640902>.
- Bauder, MB; Palace, VP; Hodson, PV. (2005). Is oxidative stress the mechanism of blue sac disease in retene-exposed trout larvae? *Environ Toxicol Chem.* 24: 694-702.
- Bayer, E; Maurer, A; Deyle, CJ; Kutubuddin, M. (1995). RECOVERY OF ACTIVATED CARBONS FROM WASTES VIA LOW-TEMPERATURE CONVERSION .2. ANALYSIS AND EVALUATION OF APPLICABILITY. *Fresen Environ Bull.* 4: 539-544.
- Bchetnia, A; Rebey, A; Boufaden, T; El Jani, B. (1999). Thermodynamic analysis of growth rate reduction by VCl4 during metalorganic vapor-phase epitaxy of GaAs. *J Cryst Growth.* 207: 15-19.
- Beard, A; Naikwadi, KP; Karasek, FW. (1993). FORMATION OF POLYCHLORINATED DIBENZOFURANS BY CHLORINATION AND DE-NOVO REACTIONS WITH FECL3 IN PETROLEUM REFINING PROCESSES. *Environ Sci Technol.* 27: 1505-1511.
- Bechtold, MM; Gee, DL; Bruenner, U; Tappel, AL. (1982). Carbon tetrachloride-mediated expiration of pentane and chloroform by the intact rat: the effects of pretreatment with diethyl maleate, SKF-525A and phenobarbital. *Toxicol Lett.* 11: 165-171.
- Becker, JG; Freedman, DL. (1994). USE OF CYANOCOBALAMIN TO ENHANCE ANAEROBIC BIODEGRADATION OF CHLOROFORM. *Environ Sci Technol.* 28: 1942-1949. <http://dx.doi.org/10.1021/es00060a027>.

Fate Literature Search Results

Off Topic

- Bedia, J; Gomez-Sainero, LM; Grau, JM; Busto, M; Martin-Martinez, M; Rodriguez, JJ. (2012). Hydrodechlorination of dichloromethane with mono- and bimetallic Pd-Pt on sulfated and tungstated zirconia catalysts. *J Catal.* 294: 207-215. <http://dx.doi.org/10.1016/j.jcat.2012.07.023>.
- Begarney, MJ; Warddrip, ML; Kappers, MJ; Hicks, RF. (1998). Kinetics of carbon tetrachloride decomposition during the metalorganic vapor-phase epitaxy of gallium arsenide and indium arsenide. *J Cryst Growth.* 193: 305-315.
- Behnam, YT; Maclean, N. (1990). EFFECTS OF 5-AZACYTIDINE AND 5-AZA-2-DEOXYCYTIDINE ON ALPHA-FETOPROTEIN LEVELS IN MICE. *Comp Biochem Physiol C Comp Pharmacol Toxicol.* 97: 357-361.
- Beigzadeh, R; Rahimi, M; Shabaniyan, SR. (2012). Developing a feed forward neural network multilayer model for prediction of binary diffusion coefficient in liquids. *Fluid Phase Equilibria.* 331: 48-57. <http://dx.doi.org/10.1016/j.fluid.2012.06.025>.
- Beji, L; El Jani, B; Gibart, P. (2001). High quality p(+)-n(+)-GaAs tunnel junction diode grown by atmospheric pressure metalorganic vapour phase epitaxy. 183: 273-279.
- Belkadi, A; Hadj-Kali, MK; Llovel, F; Gerbaud, V; Vega, LF. (2010). Soft-SAFT modeling of vapor-liquid equilibria of nitriles and their mixtures. *Fluid Phase Equilibria.* 289: 191-200. <http://dx.doi.org/10.1016/j.fluid.2009.12.012>.
- Bell, AN; Mehendale, HM. (1985). The effect of dietary exposure to a mirex plus chlordecone combination on CCl₄ hepatotoxicity. *Fundam Appl Toxicol.* 5: 679-867.
- Bell, AN; Mehendale, HM. (1987). Comparative changes in hepatic DNA, RNA, protein, lipid, and glycogen induced by a subtoxic dose of CCl₄ in chlordecone, mirex, and phenobarbital pretreated rats. *Toxicol Lett.* 35: 191-200.
- Below, AA; Bouchbruevich, VV. (1991). THE NATURE OF ANOMALOUS DIELECTRIC-DISPERSION IN CCL₄ AT ULTRA-LOW FREQUENCIES. 36: 1589-1592.
- Beltran-Garcia, MJ; Estarron-Espinosa, M; Ogura, T. (1997). Volatile compounds secreted by the oyster mushroom (*Pleurotus ostreatus*) and their antibacterial activities. *J Agric Food Chem.* 45: 4049-4052.
- Belyakov, AV; Pershikov, SA; Sukhozhak, AN. (1996). Chemisorption and catalytic lowering of the sintering temperature of ceramics. *Glass Ceram.* 53: 175-177.
- Ben Amara, C, h; Gharbi, N; Zarrouk, H. (1994). Elaboration and Characterization of Hybrid Organic-Inorganic Gels Obtained by Reaction of 1,4-Butanediol on Tetramethoxysilane. *Journal of Sol-Gel Science and Technology.* 2: 193-197.
- Benigni, R; Andreoli, C; Conti, L; Tafani, P; Cotta-Ramusino, M; Carere, A; Crebelli, R. (1993). Quantitative structure-activity relationship models correctly predict the toxic and aneuploidizing properties of six halogenated methanes in *Aspergillus nidulans*. *Mutagenesis.* 8: 301-305.
- Benjamin, I. (2008). Solute orientational dynamics at the water/carbon tetrachloride interface. *J Phys Chem C.* 112: 8969-8975. <http://dx.doi.org/10.1021/jp801109w>.
- Benjamin, RJ; Balakrishnan, AR. (1997). Nucleation site density in pool boiling of binary mixtures: Effect of surface micro-roughness and surface and liquid physical properties. *Can J Chem Eng.* 75: 1080-1089.
- Benjamin, RJ; Balakrishnan, AR. (1997). Nucleation site density in pool boiling of saturated pure liquids: Effect of surface microroughness and surface and liquid physical properties. *Exp Therm Fluid Sci.* 15: 32-42.
- Benson, JM; Springer, DL. (1999). Improved risk estimates for carbon tetrachloride. Final report. (DE-FC04-96AL76406). Albuquerque, New Mexico: U.S. Department of Energy.
- Bentz, KC; Walley, SE; Savin, DA. (2016). Solvent effects on modulus of poly(propylene oxide)-based organogels as measured by cavitation rheology. *Soft Matter.* 12: 4991-5001. <http://dx.doi.org/10.1039/c6sm00431h>.
- Berge, ND; Ramsburg, CA. (2010). Iron-mediated trichloroethene reduction within nonaqueous phase liquid. *J Contam Hydrol.* 118: 105-116. <http://dx.doi.org/10.1016/j.jconhyd.2010.07.006>.
- Bergman, K. (1979). Whole-body autoradiography and allied tracer techniques in distribution and elimination studies of some organic solvents: benzene, toluene, xylene, styrene, methylene chloride, chloroform, carbon tetrachloride and trichloroethylene. *Scand J Work Environ Health.* 5 Suppl 1: 1-263.
- Bergman, K. (1983). Application and results of whole-body autoradiography in distribution studies of organic solvents [Review]. *Crit Rev Toxicol.* 12: 59-118. <http://dx.doi.org/10.3109/10408448309029318>.
- Bergman, K; Müller, L; Teigen, SW. (1996). The genotoxicity and carcinogenicity of paracetamol: A regulatory (re)view [Review]. *Mutat Res.* 349: 263-288.
- Bergues, B; Lekki, J; Budkowski, A; Cyganik, P; Lekka, M; Bernasik, A; Rysz, J; Postawa, Z. (2001). Phase decomposition in polymer blend films cast on homogeneous substrates modified by self-assembled monolayers. *Vacuum.* 63: 297-305.
- Berman, E; House, DE; Allis, JW; Simmons, JE. (1992). Hepatotoxic interactions of ethanol with allyl alcohol or carbon tetrachloride in rats. *J Toxicol Environ Health.* 37: 161-176. <http://dx.doi.org/10.1080/15287399209531663>.
- Berman, E; Schlicht, M; Moser, VC; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: I. Systemic toxicity. *J Toxicol Environ Health.* 45: 127-143. <http://dx.doi.org/10.1080/15287399509531986>.
- Bernacki, SE. (1982). LOW-PRESSURE ANISOTROPIC-PLASMA ETCHING OF DOPED POLYSILICON IN CCL₄. *J Electrochem Soc.* 129: C105-C105.
- Bernacki, SE; Kosicki, BB. (1983). CONTROLLED FILM FORMATION DURING CCL₄ PLASMA-ETCHING. *J Electrochem Soc.* 130: C82-C82.
- Bernacki, SE; Kosicki, BB. (1984). CONTROLLED FILM FORMATION DURING CCL₄ PLASMA-ETCHING. *J Electrochem Soc.* 131: 1926-1931.
- Bernazzani, L; Mollica, V; Tine, MR. (2002). Partial molar volumes of organic compounds in C₈ solvents at 298.15 K. *Fluid Phase Equilibria.* 203: 15-29.
- Berquier, JM; Arribart, H. (1998). Attenuated total reflection Fourier transform infrared spectroscopy study of poly(methyl methacrylate) adsorption on a silica thin film: Polymer/surface interactions. *Langmuir.* 14: 3716-3719.

Fate Literature Search Results

Off Topic

- Bertone, D; Campi, R; Morello, G. (1998). Etching of InP-based MQW laser structure in a MOCVD reactor by chlorinated compounds. *J Cryst Growth*. 195: 624-629.
- Beshkov, G; Dimitrov, DB; Georgiev, S; Juan-Cheng, D; Petrov, P; Velchev, N; Krastev, V. (1999). XPS spectra of thin CN_x films prepared by chemical vapor deposition. *Diam Relat Mater*. 8: 591-594.
- Beshkov, G; Vassilev, GP; Elizalde, MR; Gomez-Acebo, T. (2003). Hardness of C, CN_x, and AlN thin films after rapid thermal annealing. *Mater Chem Phys*. 82: 452-457. [http://dx.doi.org/10.1016/S0254-0584\(03\)00280-3](http://dx.doi.org/10.1016/S0254-0584(03)00280-3).
- Bessolov, VN; Lebedev, MV; Binh, NM; Friedrich, M; Zahn, DRT. (1998). Sulphide passivation of GaAs: the role of the sulphur chemical activity. *Semiconductor Science and Technology*. 13: 611-614.
- Betterton, EA; Arnold, RG; Kuhler, RJ; Santo, GA. (1995). Reductive dehalogenation of bromoform in aqueous solution. *Environ Health Perspect*. 103 Suppl 5: 89-91.
- Betterton, EA; Hollan, N; Arnold, RG; Gogosha, S; Mckim, K; Liu, ZJ. (2000). Acetone-photosensitized reduction of carbon tetrachloride by 2-propanol in aqueous solution. *Environ Sci Technol*. 34: 1229-1233.
- Bhadauria, M; Nirala, SK. (2009). Reversal of acetaminophen induced subchronic hepatorenal injury by propolis extract in rats. *Environ Toxicol Pharmacol*. 27: 17-25. <http://dx.doi.org/10.1016/j.etap.2008.07.003>.
- Bhandari, S; Chandra, S. (1994). SYNTHESIS, CHARACTERIZATION AND EVALUATION OF CHLORINATED SOYBEAN OIL ALKYDS. *Indian J Chem Tech*. 1: 45-52.
- Bhasin, P; Singla, N; Dhawan, DK. (2014). Protective Role of Zinc During Aluminum-Induced Hepatotoxicity. *Environ Toxicol*. 29: 320-327.
- Bhat, NV; Upadhyay, DJ. (2003). Adhesion enhancement and characterization of plasma polymerized 1,2-dichloroethane on polypropylene surface. *Plasma Chemistry and Plasma Processing*. 23: 389-411.
- Bhat, S; Jacobs, JM; Hatfield, K; Prenger, J. (2006). Relationships between stream water chemistry and military land use in forested watersheds in Fort Benning, Georgia. *Ecol Indic*. 6: 458-466. <http://dx.doi.org/10.1016/j.ecolind.2005.06.005>.
- Bhatnagar, A; Cheung, HM. (1994). Sonochemical destruction of chlorinated c1 and c2 volatile organic compounds in dilute aqueous solution. *Environ Sci Technol*. 28: 1481-1486. <http://dx.doi.org/10.1021/es00057a016>.
- Bhattacharya, S; Saha, BK. (2013). Polymorphism through Desolvation of the Solvates of a van der Waals Host. *Cryst Growth Des*. 13: 606-613. <http://dx.doi.org/10.1021/cg301269d>.
- Bhattacharya, SK; Madura, RL; Dobbs, RA; Angara, RV; Tabak, H. (1996). Fate of selected RCRA compounds in a pilot-scale activated sludge system. *Water Environ Res*. 68: 260-269.
- Bhattacharyya, S; Ahmmed, SM; Saha, BP; Mukherjee, PK. (2014). Soya phospholipid complex of mangiferin enhances its hepatoprotectivity by improving its bioavailability and pharmacokinetics. *J Sci Food Agric*. 94: 1380-1388. <http://dx.doi.org/10.1002/jsfa.6422>.
- Bhesaniya, K; Baluja, S. (2014). Measurement, Correlation, and Thermodynamics Parameters of Biological Active Pyrimidine Derivatives in Organic Solvents at Different Temperatures. *Journal of Chemical and Engineering Data*. 59: 3380-3388. <http://dx.doi.org/10.1021/je5003626>.
- Bhuvaneshwari, R; Chidambaranathan, N; Jegatheesan, K. (2014). HEPATOPROTECTIVE EFFECT OF EMBILICA OFFICINALIS AND ITS SILVER NANOPARTICLES AGAINST CCl₄ INDUCED HEPATOTOXICITY IN WISTAR ALBINO RATS. *Digest Journal of Nanomaterials and Biostructures*. 9: 223-235.
- Bi, E; Liu, Y; He, J; Wang, Z; Liu, F, ei. (2012). Screening of Emerging Volatile Organic Contaminants in Shallow Groundwater in East China. *Ground Water Monitoring and Remediation*. 32: 53-58. <http://dx.doi.org/10.1111/j.1745-6592.2011.01362.x>.
- Bian, SW, ei; Ma, Z; Song, W, eiGuo. (2009). Preparation and Characterization of Carbon Nitride Nanotubes and Their Applications as Catalyst Supporter. *J Phys Chem C*. 113: 8668-8672. <http://dx.doi.org/10.1021/jp810630k>.
- Bianchimosquera, GC; Mackay, DM. (1994). AN EVALUATION OF THE REPRODUCIBILITY OF FORCED-GRADIENT SOLUTE TRANSPORT TESTS. *Ground Water*. 32: 937-948.
- Bie, ST; Du, LX; Zhang, LM; Lu, FP. (2005). Bioconversion of methyl-testosterone in a biphasic system. *Process Biochemistry*. 40: 3309-3313. <http://dx.doi.org/10.1016/j.procbio.2005.03.019>.
- Bigg, T; Judd, SJ. (2000). Zero-valent iron for water treatment. *Environ Technol*. 21: 661-670.
- Bingül, İ; Başaran-Küçükgergin, C; Aydın, AF; Çoban, J; Doğan-Ekici, İ; Doğru-Abbasoğlu, S; Uysal, M. (2016). Betaine treatment decreased oxidative stress, inflammation, and stellate cell activation in rats with alcoholic liver fibrosis. *Environ Toxicol Pharmacol*. 45: 170-178. <http://dx.doi.org/10.1016/j.etap.2016.05.033>.
- Bishop, SG; Adesida, I; Coleman, JJ; Detemple, TA; Feng, M; Hess, K; Holonyak, N; Kang, SM; Stillman, GE; Verdeyen, JT. (1993). THE ENGINEERING RESEARCH-CENTER FOR COMPOUND SEMICONDUCTOR MICROELECTRONICS. *Institute of Electrical and Electronics Engineers Proceedings*. 81: 132-154.
- Biswas, G; Sarkar, S; Acharya, K. (2011). HEPATOPROTECTIVE ACTIVITY OF THE ETHANOLIC EXTRACT OF ASTRAEUS HYGROMETRICUS (PERS.) MORG. *Digest Journal of Nanomaterials and Biostructures*. 6: 637-641.
- Biziuk, M; Czerwinski, J; Kozłowski, E. (1993). IDENTIFICATION AND DETERMINATION OF ORGANOHALOGEN COMPOUNDS IN SWIMMING POOL WATER. *Int J Environ Anal Chem*. 50: 109-115.
- Bjola, BS; Siddiqi, MA; Fornefeld-Schwarz, U; Svejda, P. (2002). Molar excess volumes and molar excess enthalpies of binary liquid mixtures of norbornadiene plus benzene, plus cyclohexane, plus decane, and plus carbon tetrachloride. *Journal of Chemical and Engineering Data*. 47: 250-253. <http://dx.doi.org/10.1021/je010243m>.
- Bjola, BS; Siddiqi, MA; Svejda, P. (2001). Excess enthalpies of binary liquid mixtures of gamma-butyrolactone plus benzene, plus toluene, plus ethylbenzene, and plus carbon tetrachloride, and excess volume of the gamma-butyrolactone plus carbon tetrachloride liquid mixture. *Journal of Chemical and Engineering Data*. 46: 1167-1171. <http://dx.doi.org/10.1021/je010091v>.

Fate Literature Search Results

Off Topic

- Bjorgen, M; Olsbye, U; Kolboe, S. (2003). Coke precursor formation and zeolite deactivation: mechanistic insights from hexamethylbenzene conversion. *J Catal.* 215: 30-44. [http://dx.doi.org/10.1016/S0021-9517\(02\)00050-7](http://dx.doi.org/10.1016/S0021-9517(02)00050-7).
- Blair, A; Hartge, P; Stewart, PA; Mcadams, M; Lubin, J. (1998). Mortality and cancer incidence of aircraft maintenance workers exposed to trichloroethylene and other organic solvents and chemicals: Extended follow-up. *Occup Environ Med.* 55: 161-171. <http://dx.doi.org/10.1136/oem.55.3.161>.
- Blair, A; Stewart, PA; Tolbert, PE; Grauman, D; Moran, FX; Vaught, J; Rayner, J. (1990). Cancer and other causes of death among a cohort of dry cleaners. *Br J Ind Med.* 47: 162-168. <http://dx.doi.org/10.1136/oem.47.3.162>.
- Blake, MA; Sweeney, AT. (2009). Pheochromocytoma. Retrieved from <http://emedicine.medscape.com/article/124059-overview>
- Blanchard, JL; Roberts, JT. (1994). INTERACTION OF CCL4 WITH THE SURFACE OF AMORPHOUS ICE. *Langmuir.* 10: 3303-3310.
- Blanco, ST; Embid, JM; Otin, S. (1993). EXCESS-ENTHALPIES OF DIBROMOALKANE PLUS TETRACHLOROMETHANE MIXTURES - MEASUREMENT AND ANALYSIS IN TERMS OF GROUP CONTRIBUTIONS (DISQUAC). *Fluid Phase Equilibria.* 91: 281-290.
- Bligh, MW; Waite, TD. (2011). Formation, reactivity, and aging of ferric oxide particles formed from Fe(II) and Fe(III) sources: Implications for iron bioavailability in the marine environment. *Geochim Cosmo Acta.* 75: 7741-7758. <http://dx.doi.org/10.1016/j.gca.2011.10.013>.
- Bliznyuk, VN; Lipatov, YS; Ozdemir, N; Todosijchuk, TT; Chornaya, VN; Singamaneni, S. (2007). Atomic force and ultrasonic force microscopy investigation of adsorbed layers formed by two incompatible polymers: polystyrene and poly(butyl methacrylate). *Langmuir.* 23: 12973-12983. <http://dx.doi.org/10.1021/la701644n>.
- Blunt, TJ; Kotvis, PV; Tysoe, WT. (1998). Surface chemistry of chlorinated hydrocarbon lubricant additives - Part II: Modeling the tribological interface. *Tribology Transactions.* 41: 129-139.
- Bo, W; Yong, C; JianHua, Y; MingJiang, N. (2010). Experimental study on CCl4/CH4/O-2/N-2 oxidation. *Science China Technological Sciences.* 53: 1016-1022. <http://dx.doi.org/10.1007/s11431-010-0002-y>.
- Bo, Z, h; Yan, JH; Li, XD; Chi, Y; Cen, KF; Cheron, BG. (2007). Effects of oxygen and water vapor on volatile organic compounds decomposition using gliding arc gas discharge. *Plasma Chemistry and Plasma Processing.* 27: 546-558. <http://dx.doi.org/10.1007/s11090-007-9081-3>.
- Bogen, KT. (2008). An adjustment factor for mode-of-action uncertainty with dual-mode carcinogens: the case of naphthalene-induced nasal tumors in rats. *Risk Anal.* 28: 1033-1051. <http://dx.doi.org/10.1111/j.1539-6924.2008.01066.x>.
- Bokare, AD; Chikate, RC; Rode, CV; Paknikar, KM. (2007). Effect of surface chemistry of Fe-Ni nanoparticles on mechanistic pathways of azo dye degradation. *Environ Sci Technol.* 41: 7437-7443. <http://dx.doi.org/10.1021/es071107q>.
- Bolha, L; Bencina, D; Cizelj, I; Oven, I; Slavec, B; Rojs, OZ; Narat, M. (2013). Effect of Mycoplasma synoviae and lentogenic Newcastle disease virus coinfection on cytokine and chemokine gene expression in chicken embryos. *Poult Sci.* 92: 3134-3143. <http://dx.doi.org/10.3382/ps.2013-03332>.
- Boll, M; Weber, LW; Becker, E; Stampfl, A. (2001). Pathogenesis of carbon tetrachloride-induced hepatocyte injury bioactivation of CCl4 by cytochrome P450 and effects on lipid homeostasis. *Z Naturforsch C Biosci.* 56: 111-121.
- Bonacci, JC; Myers, AL; Nongbri, G; Eagleton, LC. (1976). EVAPORATION AND CONDENSATION COEFFICIENT OF WATER, ICE AND CARBON-TETRACHLORIDE. *Chem Eng Sci.* 31: 609-617.
- Bonarowska, M; Kaszukur, Z; Kepinski, L; Karpinski, Z. (2010). Hydrodechlorination of tetrachloromethane on alumina- and silica-supported platinum catalysts. *Appl Catal B-Environ.* 99: 248-256. <http://dx.doi.org/10.1016/j.apcatb.2010.06.027>.
- Bonarowska, M; Kaszukur, Z; Lomot, D; Rawski, M; Karpinski, Z. (2015). Effect of gold on catalytic behavior of palladium catalysts in hydrodechlorination of tetrachloromethane. *Appl Catal B-Environ.* 162: 45-56. <http://dx.doi.org/10.1016/j.apcatb.2014.06.007>.
- Bonarowska, M; Machynskyy, O; Lomot, D; Kemnitz, E; Karpinski, Z. (2014). Supported palladium-copper catalysts: Preparation and catalytic behavior in hydrogen-related reactions. *Catalysis Today.* 235: 144-151. <http://dx.doi.org/10.1016/j.cattod.2014.01.029>.
- Bond, GC; Francisco, RC; Short, EL. (2007). Kinetics of hydrolysis of carbon tetrachloride by acidic solids. *Appl Catal A-Gen.* 329: 46-57. <http://dx.doi.org/10.1016/j.apcata.2007.06.025>.
- Bond, GG; Flores, GH; Shellenberger, RJ; Cartmill, JB; Fishbeck, WA; Cook, RR. (1986). Nested case-control study of lung cancer among chemical workers. *Am J Epidemiol.* 124: 53-66.
- Bonin, PML; Jedral, W; Odziemkowski, MS; Gillham, RW. (2000). Electrochemical and Raman spectroscopic studies of the influence of chlorinated solvents on the corrosion behaviour of iron in borate buffer and in simulated groundwater. *Corrosion Sci.* 42: 1921-1939.
- Bonin, PML; Odziemkowski, MS; Gillham, RW. (1998). Influence of chlorinated solvents on polarization and corrosion behaviour of iron in borate buffer. *Corrosion Sci.* 40: 1391-1409.
- Bontha, JR; Kaplan, DI. (1999). Immobilization or recovery of chlorinated hydrocarbons from contaminated groundwater using clathrate hydrates: A proof-of-concept. *Environ Sci Technol.* 33: 1051-1055.
- Boone, L; Meyer, D; Cusick, P; Ennulat, D; Bolliger, AP; Everds, N; Meador, V; Elliott, G; Honor, D; Bounous, D; Jordan, H. (2005). Selection and interpretation of clinical pathology indicators of hepatic injury in preclinical studies [Review]. *Vet Clin Pathol.* 34: 182-188. <http://dx.doi.org/10.1111/j.1939-165X.2005.tb00041.x>.
- Boopathy, R. (2002). Anaerobic biotransformation of carbon tetrachloride under various electron acceptor conditions. *Bioresour Technol.* 84: 69-73.
- Bootharaju, MS; Deepesh, GK; Udayabhaskararao, T; Pradeep, T. (2013). Atomically precise silver clusters for efficient chlorocarbon degradation. 1: 611-620. <http://dx.doi.org/10.1039/c2ta00254j>.
- Boparai, HK; Shea, PJ; Comfort, SD; Snow, DD. (2006). Dechlorinating chloroacetanilide herbicides by dithionite-treated aquifer sediment and surface soil. *Environ Sci Technol.* 40: 3043-3049. <http://dx.doi.org/10.1021/es051915m>.
- Borch, T; Ambus, P; Laturnus, F; Svensmark, B; Grøn, C. (2003). Biodegradation of chlorinated solvents in a water unsaturated topsoil. *Chemosphere.* 51: 143-152. [http://dx.doi.org/10.1016/S0045-6535\(02\)00851-2](http://dx.doi.org/10.1016/S0045-6535(02)00851-2).

Fate Literature Search Results

Off Topic

- Borch, T; Kretzschmar, R; Kappler, A; Cappellen, PV; Ginder-Vogel, M; Voegelin, A; Campbell, K. (2009). Biogeochemical Redox Processes and their Impact on Contaminant Dynamics [Review]. *Environ Sci Technol.* 44: 15-23. <http://dx.doi.org/10.1021/es9026248>.
- Borek, V; Morra, MJ. (1998). Cyclic voltammetry of aquocobalamin on clay-modified electrodes. *Environ Sci Technol.* 32: 2149-2153.
- Bormashenko, E; Chaniel, G; Grynyov, R. (2013). Towards understanding hydrophobic recovery of plasma treated polymers: Storing in high polarity liquids suppresses hydrophobic recovery. *Appl Surf Sci.* 273: 549-553. <http://dx.doi.org/10.1016/j.apsusc.2013.02.078>.
- Boronina, T; Klabunde, KJ; Sergeev, G. (1995). DESTRUCTION OF ORGANOHALIDES IN WATER USING METAL PARTICLES - CARBON TETRACHLORIDE/WATER REACTIONS WITH MAGNESIUM, TIN, AND ZINC. *Environ Sci Technol.* 29: 1511-1517.
- Boronina, T; Klabunde, KJ; Sergeev, G. (1996). Destruction of organohalides in water using metal particles: Carbon tetrachloride water reactions with magnesium, tin, and zinc - Rebuttal. *Environ Sci Technol.* 30: 3645-3645.
- Boronina, TN; Lagadic, I; Sergeev, GB; Klabunde, KJ. (1998). Activated and nonactivated forms of zinc powder: Reactivity toward chlorocarbons in water and AFM studies of surface morphologies. *Environ Sci Technol.* 32: 2614-2622.
- Borsa, AG; Herring, AM; Mckinnon, JT; McCormick, RL; Ko, GH. (2001). Coke and byproduct formation during 1,2-dichloroethane pyrolysis in a laboratory tubular reactor. *Ind Eng Chem Res.* 40: 2428-2436.
- Bosse, D; Bart, HJ. (2005). Measurement of diffusion coefficients in thermodynamically nonideal systems. *Journal of Chemical and Engineering Data.* 50: 1525-1528. <http://dx.doi.org/10.1021/je0497303>.
- Botsoglou, NA; Taitzoglou, IA; Botsoglou, E; Lavrentiadou, SN; Kokoli, AN; Roubies, N. (2008). Effect of long-term dietary administration of oregano on the alleviation of carbon tetrachloride-induced oxidative stress in rats. *J Agric Food Chem.* 56: 6287-6293. <http://dx.doi.org/10.1021/jf8003652>.
- Botsoglou, NA; Taitzoglou, IA; Botsoglou, E; Zervos, I; Kokoli, A; Christaki, E; Nikolaidis, E. (2009). Effect of long-term dietary administration of oregano and rosemary on the antioxidant status of rat serum, liver, kidney and heart after carbon tetrachloride-induced oxidative stress. *J Sci Food Agric.* 89: 1397-1406. <http://dx.doi.org/10.1002/jsfa.3601>.
- Boukherroub, R; Wayner, DDM; Sproule, GI; Lockwood, DJ; Canham, LT. (2001). Stability enhancement of partially-oxidized porous silicon nanostructures modified with ethyl undecylenate. *Nano Lett.* 1: 713-717. <http://dx.doi.org/10.1021/nl010061a>.
- Boutelet-Bochan, H; Huang, Y; Juchau, MR. (1997). Expression of CYP2E1 during embryogenesis and fetogenesis in human cephalic tissues: Implications for the fetal alcohol syndrome. *Biochem Biophys Res Commun.* 238: 443-447. <http://dx.doi.org/10.1006/bbrc.1997.7296>.
- Bove, FJ; Fulcomer, MC; Klotz, JB; Esmart, J; Dufficy, EM; JE, S. (1992). Population-based surveillance and etiologic research of adverse reproductive outcomes and toxic wastes. Report on phase IV-B: Public drinking water contamination and birth weight, fetal deaths, and birth defects. A case-control study. Trenton, New Jersey: New Jersey Department of Health.
- Bove, FJ; Fulcomer, MC; Klotz, JB; Esmart, J; Dufficy, EM; Savrin, JE. (1992). Population-based surveillance and etiological research of adverse reproductive outcomes and toxic wastes. Report on phase IV-A: Public drinking water contamination and birth weight, fetal deaths, and birth defects. A cross-sectional study. Trenton, New Jersey: New Jersey Department of Health.
- Bove, FJ; Fulcomer, MC; Klotz, JB; Esmart, J; Dufficy, EM; Savrin, JE. (1995). Public drinking water contamination and birth outcomes. *Am J Epidemiol.* 141: 850-862.
- Bower, DH. (1982). PLANAR PLASMA-ETCHING OF POLYSILICON USING CCL4 AND NF3. *J Electrochem Soc.* 129: 795-799.
- Boyes, WK; Bushnell, PJ; Crofton, KM; Evans, M; Simmons, JE. (2000). Neurotoxic and pharmacokinetic responses to trichloroethylene as a function of exposure scenario [Review]. *Environ Health Perspect.* 108: 317-322.
- Bozhkov, O; Tzvetkova, C; Russeva, E. (2006). Distribution and determination of Pb, Cd, Bi and Cu in the sea brine system: Solution-colloidal particles-biota. *Ann Chim.* 96: 435-442.
- Brahmachary, RL; Ghosh, M. (2002). Vaginal pheromone and other compounds in mung-bean aroma. *Journal of Sci Ind Res.* 61: 625-629.
- Brambilla, G; Carlo, P; Finollo, R; Bignone, FA; Ledda, A; Cajelli, E. (1983). Viscometric detection of liver DNA fragmentation in rats treated with minimal doses of chemical carcinogens. *Cancer Res.* 43: 202-209.
- Brams, A; Buchet, JP; Crutzen-Fayt, MC; De Meester, C; Lauwerys, R; Leonard, A. (1987). A comparative study, with 40 chemicals, of the efficiency of the Salmonella assay and the SOS chromotest (kit procedure). *Toxicol Lett.* 38: 123-133.
- Branca, C; Magazu, V; Mangione, A; Migliardo, F; Romeo, G. (2004). Photon correlation spectroscopy and small angle neutron scattering studies on fullerene in solution. *Diam Relat Mater.* 13: 1333-1336. <http://dx.doi.org/10.1016/j.diamond.2003.11.049>.
- Branton, PJ; Reynolds, PA; Studer, A; Sing, KSW; White, JW. (1999). Adsorption of carbon tetrachloride by 3.4 nm pore diameter siliceous MCM-41: Isotherms and neutron diffraction. *Adsorption.* 5: 91-96.
- Braus-Stromeyer, SA; Cook, AM; Leisinger, T. (1993). Biotransformation of chloromethane to methanethiol. *Environ Sci Technol.* 27: 1577-1579.
- Brautbar, N; Williams, J. (2002). Industrial solvents and liver toxicity: Risk assessment, risk factors and mechanisms [Review]. *Int J Hyg Environ Health.* 205: 479-491. <http://dx.doi.org/10.1078/1438-4639-00175>.
- Bravo, E; D'Amore, E; Ciaffoni, F; Mammola, CL. (2012). Evaluation of the spontaneous reversibility of carbon tetrachloride-induced liver cirrhosis in rabbits. *Lab Anim.* 46: 122-128. <http://dx.doi.org/10.1258/la.2012.011035>.
- Bravo-Linares, CM; Mudge, SM; Loyola-Sepulveda, RH. (2007). Occurrence of volatile organic compounds (VOCs) in Liverpool Bay, Irish Sea. *Mar Pollut Bull.* 54: 1742-1753. <http://dx.doi.org/10.1016/j.marpolbul.2007.07.013>.
- Breiland, WG; Coltrin, ME; Creighton, JR; Hou, HQ; Moffat, HK; Tsao, JY. (1999). Organometallic vapor phase epitaxy (OMVPE). *Mater Sci Eng R.* 24: 241-274.
- Breitbarth, FW; Tiller, HJ; Reinhardt, R. (1985). PLASMA-CHEMICAL REACTIONS IN WEAKLY DECOMPOSED CCL4. *Plasma Chemistry and Plasma Processing.* 5: 293-316.
- Brender, JD; Shinde, MU; Zhan, FB; Gong, X; Langlois, PH. (2014). Maternal residential proximity to chlorinated solvent emissions and birth defects in offspring: a case-control study. *Environ Health.* 13: 96. <http://dx.doi.org/10.1186/1476-069X-13-96>.

Fate Literature Search Results

Off Topic

- Brennan, BJ; Keirstead, AE; Liddell, PA; Vail, SA; Moore, TA; Moore, AL; Gust, D. (2009). 1-(3'-Amino)propylsilatrane derivatives as covalent surface linkers to nanoparticulate metal oxide films for use in photoelectrochemical cells. *Nanotechnology*. 20: 505203. <http://dx.doi.org/10.1088/0957-4484/20/50/505203>.
- Brewer, GD. (2009). Science and Decisions Advancing Risk Assessment. *Science*. 325: 1075-1076. <http://dx.doi.org/10.1126/science.1175150>.
- Briggs, DN; Bong, G; Leong, E; Oei, K; Lestari, G; Bell, AT. (2010). Effects of support composition and pretreatment on the activity and selectivity of carbon-supported PdCuClx catalysts for the synthesis of diethyl carbonate. *J Catal*. 276: 215-228. <http://dx.doi.org/10.1016/j.jcat.2010.08.004>.
- Brocchi, EA; Moura, FJ. (2008). Chlorination methods applied to recover refractory metals from tin slags. *Miner Eng*. 21: 150-156. <http://dx.doi.org/10.1016/j.mineng.2007.08.011>.
- Brockel, U; Loffler, F. (1991). EFFECT OF THE WATER-CONTENT OF ORGANIC FLUIDS ON THE AGGLOMERATION OF GLASS PARTICLES. *Powder Technology*. 66: 53-58.
- Brocos, P; Pineiro, A; Bravo, R; Amigo, A; Roux, AH; Roux-Desgranges, G. (2002). Thermodynamics of mixtures involving some linear or cyclic ketones and cyclic ethers. 1. Systems containing tetrahydrofuran. *Journal of Chemical and Engineering Data*. 47: 351-358. <http://dx.doi.org/10.1021/jc010258k>.
- Bromberg, L, ev; Pomerantz, N; Schreuder-Gibson, H; Hatton, TA. (2014). Degradation of Chemical Threats by Brominated Polymer Networks. *Ind Eng Chem Res*. 53: 18761-18774. <http://dx.doi.org/10.1021/ie501055g>.
- Brown, AT; Volk, CM; Schoeberl, MR; Boone, CD; Bernath, PF. (2013). Stratospheric lifetimes of CFC-12, CCl4, CH4, CH3Cl and N2O from measurements made by the Atmospheric Chemistry Experiment-Fourier Transform Spectrometer (ACE-FTS). *Atmos Chem Phys*. 13: 6921-6950. <http://dx.doi.org/10.5194/acp-13-6921-2013>.
- Brown, PD; Morra, MJ. (1991). ION CHROMATOGRAPHIC DETERMINATION OF SCN- IN SOILS. *J Agric Food Chem*. 39: 1226-1228.
- Brown, PD; Morra, MJ; Mccaffrey, JP; Auld, DL; Williams, L. (1991). ALLELOCHEMICALS PRODUCED DURING GLUCOSINOLATE DEGRADATION IN SOIL. *J Chem Ecol*. 17: 2021-2034.
- Brown, RHA; Cape, JN; Farmer, JG. (1999). Chlorinated hydrocarbons in Scots pine needles in northern Britain. *Chemosphere*. 38: 795-806.
- Brown, RP; Delp, MD; Lindstedt, SL; Rhomberg, LR; Beliles, RP. (1997). Physiological parameter values for physiologically based pharmacokinetic models [Review]. *Toxicol Ind Health*. 13: 407-484. <http://dx.doi.org/10.1177/074823379701300401>.
- Bruce, I, anE; Mehta, L; Porter, MJ; Stein, BK; Tyman, JHP. (2009). Anionic Surfactants Synthesised from Replenishable Phenolic Lipids. *Journal of Surfactants and Detergents*. 12: 337-344. <http://dx.doi.org/10.1007/s11743-009-1116-8>.
- Brunke, EG; Labuschagne, C; Scheel, HE. (2001). Trace gas variations at Cape Point, South Africa, during May 1997 following a regional biomass burning episode. *Atmos Environ*. 35: 777-786.
- Brunt, EM; Tiniakos, DG. (2002). Pathology of steatohepatitis [Review]. *Best Pract Res Clin Gastroenterol*. 16: 691-707. <http://dx.doi.org/10.1053/bega.2002.0326>.
- Brusseau, ML; Schnaar, G; Johnson, GR; Russo, AE. (2012). Nonideal transport of contaminants in heterogeneous porous media: 10. Impact of co-solutes on sorption by porous media with low organic-carbon contents. *Chemosphere*. 89: 1302-1306. <http://dx.doi.org/10.1016/j.chemosphere.2012.05.027>.
- Brusseau, ML; Srivastava, R. (1997). Nonideal transport of reactive solutes in heterogeneous porous media - 2. Quantitative analysis of the Borden natural-gradient field experiment. *J Contam Hydrol*. 28: 115-155.
- Bryndzia, LT. (1996). Destruction of organohalides in water using metal particles: Carbon tetrachloride water reactions with magnesium, tin, and zinc - Comment. *Environ Sci Technol*. 30: 3642-3644.
- Brzezinski, MR; Boutelet-Bochan, H; Person, RE; Fantel, AG; Juchau, MR. (1999). Catalytic activity and quantitation of cytochrome P-450 2E1 in prenatal human brain. *J Pharmacol Exp Ther*. 289: 1648-1653.
- Buchan, NI; Kuech, TF; Scilla, G; Cardone, F. (1991). CARBON INCORPORATION IN METALORGANIC VAPOR-PHASE EPITAXY GROWN GaAs USING CHYX4-Y, TMG AND ASH3. *J Cryst Growth*. 110: 405-414.
- Buchholz, A; Laskov, C; Haderlein, SB. (2011). Effects of Zwitterionic buffers on sorption of ferrous iron at goethite and its oxidation by CCl4. *Environ Sci Technol*. 45: 3355-3360. <http://dx.doi.org/10.1021/es103172c>.
- Buchholz, BA; Nunez, L; Vandegriff, GF. (1996). Effect of alpha-radiolysis on TRUEx-NPH solvent. *Separation Science and Technology*. 31: 2231-2243.
- Buckley, TJ; Liddle, J; Ashley, DL; Paschal, DC; Burse, VW; Needham, LL; Akland, G. (1997). Environmental and biomarker measurements in nine homes in the lower Rio Grande Valley: multimedia results for pesticides, metals, PAHs, and VOCs. *Environ Int*. 23: 705-732.
- Budarin, VL; Clark, JH; Mikhailovsky, SV; Gorlova, AA; Boldyreva, NA; Yatsimirsky, VK. (2000). The hydrophobisation of activated carbon surfaces by organic functional groups. *AST*. 18: 55-64.
- Bulaev, PV; Marmalyuk, AA; Padalitsa, AA; Nikitin, DB; Zalevsky, ID; Kapitonov, VA; Nikolaev, DN; Pikhtin, NA; Lyutetskiy, AV; Tarasov, IS. (2003). Comparison of carbon and zinc p-clad doped LP MOCVD grown InGaAs/AlGaAs low divergence high-power laser heterostructures. *J Cryst Growth*. 248: 114-118.
- Bull, RJ; Sasser, LB; Lei, XC. (2004). Interactions in the tumor-promoting activity of carbon tetrachloride, trichloroacetate, and dichloroacetate in the liver of male B6C3F1 mice. *Toxicology*. 199: 169-183. <http://dx.doi.org/10.1016/j.tox.2004.02.018>.
- Bulusheva, LG; Arkhipov, VE; Fedorovskaya, EO; Zhang, S, u; Kurennya, AG; Kanygin, MA; Asanov, IP; Tsygankova, AR; Chen, X; Song, H; Okotrub, AV. (2016). Fabrication of free-standing aligned multiwalled carbon nanotube array for Li-ion batteries. *J Power Sources*. 311: 42-48. <http://dx.doi.org/10.1016/j.jpowsour.2016.02.036>.
- Burch, R; Chalker, S; Hibble, SJ. (1993). THE ROLE OF CHLORINE IN THE PARTIAL OXIDATION OF METHANE TO ETHENE ON MGO CATALYSTS. *Appl Catal A-Gen*. 96: 289-303.

Fate Literature Search Results

Off Topic

- Burch, R; Chalker, S; Loader, P; Iariss, H; Tetenyi, P; Ragaini, V; Joyner, RW; Lunsford, JH; Bordes, E; Moffat, JB. (1993). THE MECHANISM OF ALKANE OXIDATIVE DEHYDROGENATION ON CHLORIDE AND OXYCHLORIDE CATALYSTS. *Stud Surf Sci Catal.* 75: 1079-1092.
- Burg, P; Selves, JL; Colin, JP. (1997). Crude oils: Modelling from chromatographic data - A new tool for classification. *Fuel.* 76: 85-91.
- Burgos, WD; Royer, RA; Fang, YL; Yeh, GT; Fisher, AS; Jeon, BH; Dempsey, BA. (2002). Theoretical and experimental considerations related to reaction-based modeling: A case study using iron(III) oxide bioreduction. *Geomicrobiology Journal.* 19: 253-287.
- Burke, AS; Redeker, K; Kurten, RC; James, LP; Hinson, JA. (2007). Mechanisms of chloroform-induced hepatotoxicity: oxidative stress and mitochondrial permeability transition in freshly isolated mouse hepatocytes. *J Toxicol Environ Health A.* 70: 1936-1945. <http://dx.doi.org/10.1080/15287390701551399>.
- Burke, DA; Wedd, DJ; HERRIOTT, D; Bayliss, MK; Spalding, DJM; Wilcox, P. (1994). Evaluation of pyrazole and ethanol induced S9 fraction in bacterial mutagenicity testing. *Mutagenesis.* 9: 23-29.
- Burkhart, KK; Hall, AH; Gerace, R; Rumack, BH. (1991). HYPERBARIC-OXYGEN TREATMENT FOR CARBON-TETRACHLORIDE POISONING. *Drug Saf.* 6: 332-338.
- Burns, SA; Valint, PL, Jr; Gardella, JA, Jr. (2009). Determination of Critical Micelle Concentration of Aerosol-OT Using Time-of-Flight Secondary Ion Mass Spectrometry Fragmentation Ion Patterns. *Langmuir.* 25: 11244-11249. <http://dx.doi.org/10.1021/la902343r>.
- Burris, DR; Delcomyn, CA; Deng, B; Buck, LE; Hatfield, K. (1998). Kinetics of tetrachloroethylene-reductive dechlorination catalyzed by vitamin B12. *Environ Toxicol Chem.* 17: 1681-1688.
- Burris, DR; Delcomyn, CA; Smith, MH; Roberts, AL. (1996). Reductive dechlorination of tetrachloroethylene and trichloroethylene catalyzed by vitamin B12 in homogeneous and heterogeneous systems. *Environ Sci Technol.* 30: 3047-3052.
- Burton, RH; Smolinsky, G. (1982). CCL4 AND CL-2 PLASMA-ETCHING OF III-V-SEMICONDUCTORS AND THE ROLE OF ADDED O-2. *J Electrochem Soc.* 129: 1599-1604.
- Buschmann, J; Angst, W; Schwarzenbach, RP. (1999). Iron porphyrin and cysteine mediated reduction of ten polyhalogenated methanes in homogeneous aqueous solution: Product analyses and mechanistic considerations. *Environ Sci Technol.* 33: 1015-1020.
- Bussan, AL; Strathmann, TJ. (2007). Influence of organic ligands on the reduction of polyhalogenated alkanes by Iron(II). *Environ Sci Technol.* 41: 6740-6747. <http://dx.doi.org/10.1021/es071108i>.
- Buszewski, B; Ligor, T. (2001). Application of different extraction methods for the quality control of water. *Water Air Soil Pollut.* 129: 155-165.
- Butler, EC; Chen, L; Darlington, R. (2013). Transformation of Trichloroethylene to Predominantly Non-Regulated Products under Stimulated Sulfate Reducing Conditions. *Ground Water Monitoring and Remediation.* 33: 52-60. <http://dx.doi.org/10.1111/gwmr.12015>.
- Butler, EC; Hayes, KF. (1998). Effects of solution composition and pH on the reductive dechlorination of hexachloroethane by iron sulfide. *Environ Sci Technol.* 32: 1276-1284.
- Butler, EC; Hayes, KF. (2000). Kinetics of the transformation of halogenated aliphatic compounds by iron sulfide. *Environ Sci Technol.* 34: 422-429.
- Butler, EC; Hayes, KF. (2001). Factors influencing rates and products in the transformation of trichloroethylene by iron sulfide and iron metal. *Environ Sci Technol.* 35: 3884-3891. <http://dx.doi.org/10.1021/es010620f>.
- Butler, JH; Yvon-Lewis, SA; Lobert, JM; King, DB; Montzka, SA; Bullister, JL; Koropalov, V; Elkins, JW; Hall, BD; Hu, L, ei; Liu, Y. (2016). A comprehensive estimate for loss of atmospheric carbon tetrachloride (CCl4) to the ocean. *Atmos Chem Phys.* 16: 10899-10910. <http://dx.doi.org/10.5194/acp-16-10899-2016>.
- Butterworth, BE; Smith-Oliver, T; Earle, L; Loury, DJ; White, RD; Doolittle, DJ; Working, PK; Cattley, RC; Jirtle, R; Michalopoulos, G; Strom, S. (1989). Use of primary cultures of human hepatocytes in toxicology studies. *Cancer Res.* 49: 1075-1084.
- Buttinelli, D; Lavecchia, R; Pochetti, F; Geveci, A; Guresin, N; Topkaya, Y. (1992). LEACHING BY FERRIC SULFATE OF RAW AND CONCENTRATED COPPER-ZINC COMPLEX SULFIDE ORES. *Int J Miner Process.* 36: 245-257.
- Cabirol, N; Perrier, J; Jacob, F; Fouillet, B; Chambon, P. (1996). Role of methanogenic and sulfate-reducing bacteria in the reductive dechlorination of tetrachloroethylene in mixed culture. *Bull Environ Contam Toxicol.* 56: 817-824.
- Cabrera, MI; Alfano, OM; Cassano, AE. (1991). NONISOTHERMAL PHOTOCHLORINATION OF METHYL-CHLORIDE IN THE LIQUID-PHASE. *AIChE J.* 37: 1471-1484.
- Cai, S; Dudhia, A, nu. (2013). Analysis of new species retrieved from MIPAS. *Annals of Geophysics.* 56. <http://dx.doi.org/10.4401/ag-6340>.
- Cai, TX; Qu, JP; Wong, SQ; Song, ZY; Min, H. (1993). CHLORINATED ALUMINA AND ITS CATALYTIC BEHAVIOR IN SELECTIVE POLYMERIZATION OF ISOBUTENE. *Appl Catal A-Gen.* 97: 113-122.
- Cakmak, G; Togan, I; Severcan, F. (2006). 17Beta-estradiol induced compositional, structural and functional changes in rainbow trout liver, revealed by FT-IR spectroscopy: a comparative study with nonylphenol. *Aquat Toxicol.* 77: 53-63. <http://dx.doi.org/10.1016/j.aquatox.2005.10.015>.
- Calabrese, EJ; Leonard, DA; Baldwin, LA. (1994). TISSUE-REPAIR - A CRITICAL DETERMINANT IN CCL4 HEPATOTOXICITY. *Ecotoxicol Environ Saf.* 27: 105-106.
- Caldwell, JC; Keshava, N; Evans, MV. (2008). Difficulty of mode of action determination for trichloroethylene: An example of complex interactions of metabolites and other chemical exposures [Review]. *Environ Mol Mutagen.* 49: 142-154. <http://dx.doi.org/10.1002/em.20350>.
- Calza, P; Minero, C; Pelizzetti, E. (1997). Photocatalytically assisted hydrolysis of chlorinated methanes under anaerobic conditions. *Environ Sci Technol.* 31: 2198-2203.
- Camaioni, DM; Ginovska, B; Dupuis, M. (2009). Modeling the Reaction of Fe Atoms with CCl4. *J Phys Chem C.* 113: 1830-1836. <http://dx.doi.org/10.1021/jp807604f>.
- Campbell, I; Saricilar, S; Hoare, IC; Bhargava, SK. (1992). EFFECT OF SULFUR ON THE OXIDATIVE COUPLING OF METHANE OVER A LANTHANA CATALYST. *Appl Catal A-Gen.* 82: 13-30.

Fate Literature Search Results

Off Topic

- Campos-Pineda, M; Acuna-Askar, K; Martinez-Guel, JA; Mas-Trevino, M; Tijerina-Menchaca, R; Maria Martinez, L, uz; Videa, M; Parra-Saldivar, R. (2012). Time and cost efficient biodegradation of diesel in a continuous-upflow packed bed biofilm reactor and effect of surfactant GAELE. *J Chem Tech Biotechnol.* 87: 1131-1140. <http://dx.doi.org/10.1002/jctb.3736>.
- Cantillana, T; Sundstrom, M; Bergman, A. (2009). Synthesis of 2-(4-chlorophenyl)-2-(4-chloro-3-thiophenol)-1,1-dichloroethene (3-SH-DDE) via Newman-Kwart rearrangement - A precursor for synthesis of radiolabeled and unlabeled alkylsulfonyl-DDEs. *Chemosphere.* 76: 805-810. <http://dx.doi.org/10.1016/j.chemosphere.2009.04.042>.
- Cantor, KP; Stewart, PA; Brinton, LA; Dosemeci, M. (1995). Occupational exposures and female breast cancer mortality in the United States. *J Occup Environ Med.* 37: 336-348. <http://dx.doi.org/10.1097/00043764-199503000-00011>.
- Cao, DP; Shen, ZG; Chen, JF; Zhang, XR. (2004). Experiment, molecular simulation and density functional theory for investigation of fluid confined in MCM-41. Microporous and Mesoporous Materials. 67: 159-166. <http://dx.doi.org/10.1016/j.micromeso.2003.11.001>.
- Cao, DP; Wang, WC; Shen, ZG; Chen, JF. (2002). Determination of pore size distribution and adsorption of methane and CCl₄ on activated carbon by molecular simulation. *Carbon.* 40: 2359-2365.
- Cao, F; Liu, TX; Wu, CY; Li, FB; Li, XM; Yu, HY; Tong, H; Chen, MJ. (2012). Enhanced biotransformation of DDTs by an iron- and humic-reducing bacteria *Aeromonas hydrophila* HS01 upon addition of goethite and anthraquinone-2,6-disulphonic disodium salt (AQDS). *J Agric Food Chem.* 60: 11238-11244. <http://dx.doi.org/10.1021/jf303610w>.
- Cao, J; Chen, J, in; Zhang, K; Shen, Q, i; Zhang, Y. (2006). A novel Fe catalyst FeCl₂ center dot 4H(2)O/hexamethylphosphoric triamide for the ATRP of MMA. *Appl Catal A-Gen.* 311: 76-78. <http://dx.doi.org/10.1016/j.apcata.2006.06.005>.
- Cao, L; Ding, W; Du, J; Jia, R; Liu, Y; Zhao, C; Shen, Y; Yin, G. (2015). Effects of curcumin on antioxidative activities and cytokine production in Jian carp (*Cyprinus carpio* var. Jian) with CCl₄-induced liver damage. *Fish Shellfish Immunol.* 43: 150-157. <http://dx.doi.org/10.1016/j.fsi.2014.12.025>.
- Cao, L; Du, J; Ding, W; Jia, R, ui; Liu, Y; Xu, P, ao; Teraoka, H; Yin, G. (2016). Hepatoprotective and antioxidant effects of dietary *Angelica sinensis* extract against carbon tetrachloride-induced hepatic injury in Jian Carp (*Cyprinus carpio* var. Jian). *Aquaculture Research.* 47: 1852-1863. <http://dx.doi.org/10.1111/are.12643>.
- Cao, X; Lattao, C; Schmidt-Rohr, K; Mao, J; Pignatello, JJ. (2016). Investigation of sorbate-induced plasticization of Pahokee peat by solid-state NMR spectroscopy. *Journal of Soils and Sediments.* 16: 1841-1848. <http://dx.doi.org/10.1007/s11368-016-1378-5>.
- Capan, I; Ilhan, B. (2015). Gas sensing properties of mixed stearic acid/phthalocyanine LB thin films investigated using QCM and SPR. *J Optoelect Adv Mater.* 17: 456-461.
- Cappelletti, D; Candori, P; Pirani, F; Belpassi, L; Tarantelli, F. (2011). Nature and Stability of Weak Halogen Bonds in the Gas Phase: Molecular Beam Scattering Experiments and Ab Initio Charge Displacement Calculations. *Cryst Growth Des.* 11: 4279-4283. <http://dx.doi.org/10.1021/cg200890h>.
- Cardenas, E; Arato, A; Perez-Tijerina, E; Das Roy, TK; Castillo, GA; Krishnan, B. (2009). Carbon-doped Sb₂S₃ thin films: Structural, optical and electrical properties. *Solar Energy Materials and Solar Cells.* 93: 33-36. <http://dx.doi.org/10.1016/j.solmat.2008.02.026>.
- Cardillo, P; Girellii, A. (1984). ANALYSIS OF THE THERMAL-STABILITY OF DIMETHYLFORMAMIDE-CARBON TETRACHLORIDE MIXTURES. *Ann Chim.* 74: 129-133.
- Carlson, NR; Papanastasiou, DK; Fleming, EL; Jackman, CH; Newman, PA; Burkholder, JB. (2010). UV absorption cross sections of nitrous oxide (N₂O) and carbon tetrachloride (CCl₄) between 210 and 350 K and the atmospheric implications. *Atmos Chem Phys.* 10: 6137-6149. <http://dx.doi.org/10.5194/acp-10-6137-2010>.
- Carlson, DL; Mcguire, MM; Roberts, AL; Fairbrother, DH. (2003). Influence of surface composition on the kinetics of alachlor reduction by iron pyrite. *Environ Sci Technol.* 37: 2394-2399. <http://dx.doi.org/10.1021/es0262028>.
- Carlson, GP. (1989). Effect of ethanol, carbon tetrachloride, and methyl ethyl ketone on butanol oxidase activity in rat lung and liver. *J Toxicol Environ Health.* 27: 255-261.
- Carnes, CL; Kapoor, PN; Klabunde, KJ; Bonevich, J. (2002). Synthesis, characterization, and adsorption studies of nanocrystalline aluminum oxide and a bimetallic nanocrystalline aluminum oxide/magnesium oxide. *Chem Mater.* 14: 2922-2929. <http://dx.doi.org/10.1021/cm011590i>.
- Carnes, CL; Klabunde, KJ. (2000). Synthesis, isolation, and chemical reactivity studies of nanocrystalline zinc oxide. *Langmuir.* 16: 3764-3772.
- Carnes, CL; Stipp, J; Klabunde, KJ. (2002). Synthesis, characterization, and adsorption studies of nanocrystalline copper oxide and nickel oxide. *Langmuir.* 18: 1352-1359. <http://dx.doi.org/10.1021/la010701p>.
- Carpenter, SP; Lasker, JM; Raucy, JL. (1996). Expression, induction, and catalytic activity of the ethanol-inducible cytochrome P450 (CYP2E1) in human fetal liver and hepatocytes. *Mol Pharmacol.* 49: 260-268.
- Carta, R; Loddo, L. (2002). Effect of microwave radiation on the acetate-catalyzed hydrolysis of phenyl acetate at 25 degrees C. *Ind Eng Chem Res.* 41: 5912-5917. <http://dx.doi.org/10.1021/ie020304p>.
- Carvalho, PJ; Ferreira, A, naR; Oliveira, MB; Besnard, M; Cabaco, MI; Coutinho, JAP. (2011). High Pressure Phase Behavior of Carbon Dioxide in Carbon Disulfide and Carbon Tetrachloride. *Journal of Chemical and Engineering Data.* 56: 2786-2792. <http://dx.doi.org/10.1021/jc101225a>.
- Casella, G; George, E. (1992). Explaining the Gibbs sampler. *Am Stat.* 46: 167-174. <http://dx.doi.org/10.2307/2685208>.
- Casillas, E; Myers, M; Ames, WE. (1983). RELATIONSHIP OF SERUM CHEMISTRY VALUES TO LIVER AND KIDNEY HISTOPATHOLOGY IN ENGLISH SOLE (PAROPHRYS-VETULUS) AFTER ACUTE EXPOSURE TO CARBON-TETRACHLORIDE. *Aquat Toxicol.* 3: 61-78.
- Castaldi, MJ; Senkan, SM. (1996). Chemical structures of fuel-rich flames of trans-C₂H₂Cl₂/CH₄/Ar/O₂ mixtures. *Combust Flame.* 104: 41-50.
- Castelbaum, D; Olson, MR; Sale, TC; Shackelford, CD. (2011). Laboratory Apparatus and Procedures for Preparing Test Specimens of Slurry Mixed Soils. *Geotechnical Testing Journal.* 34: 18-26.

Fate Literature Search Results

Off Topic

- Castellanos, A, IyJ; Toro-Mendoza, J; Urbina-Villalba, G; Garcia-Sucre, M. (2007). Use of the Law of Corresponding States for the evaluation of surface properties of pure compounds and binary systems. *Fluid Phase Equilibria*. 262: 87-96. <http://dx.doi.org/10.1016/j.fluid.2007.08.012>.
- Castro, CE; Helvenston, MC; Belsler, NO. (1994). BIODEHALOGENATION, REDUCTIVE DEHALOGENATION BY METHANOBACTERIUM-THERMOAUTOTROPHICUM - COMPARISON WITH NICKEL(I)OCTAETHYLISOBACTERIOCHLORIN ANION - AN F-430 MODEL. *Environ Toxicol Chem*. 13: 429-433.
- Castro, GD; Simpson, JT; Castro, JA. (1994). Interaction of trichloromethyl free radicals with thymine in a model system: a mass spectrometric study. *Chem Biol Interact*. 90: 13-22.
- Castro, MP; de Moraes, FR; Fujimoto, RY; da Cruz, C; de Andrade Belo, MA; de Moraes, J. R. (2014). Acute Toxicity by Water Containing Hexavalent or Trivalent Chromium in Native Brazilian Fish, *Piaractus mesopotamicus*: Anatomopathological Alterations and Mortality. *Bull Environ Contam Toxicol*. 92: 213-219. <http://dx.doi.org/10.1007/s00128-013-1174-5>.
- Cataldo, F. (2000). On the action of ultraviolet light on C-70 fullerene. *Fullerene Sci Technol*. 8: 39-45.
- Cataldo, F. (2002). Polymeric fullerene oxide (fullerene ozopolymers) produced by prolonged ozonation of C-60 and C-70 fullerenes. *Carbon*. 40: 1457-1467.
- Cataldo, F. (2005). Soot and other products formation from the submerged carbon arc in halogenated solvents. *Fullerenes, Nanotubes, and Carbon Nanostructures*. 13: 239-257. <http://dx.doi.org/10.1081/FST-20056248>.
- Cataldo, F; Gobbino, M; Ragni, P. (2007). Radiation-induced trichloromethylation of C-60 fullerene in carbon tetrachloride. *Fullerenes, Nanotubes, and Carbon Nanostructures*. 15: 379-393. <http://dx.doi.org/10.1080/15363830701512716>.
- Cataldo, F; Heymann, D. (1999). Effects of intense ultrasound treatment of C-60 solutions. *Fullerene Sci Technol*. 7: 725-732.
- Cataldo, F; Ragni, P; Pentimalli, M. (2000). Effects of gamma radiation on C-60 fullerene in CCl₄ solution. *Fullerene Sci Technol*. 8: 623-631.
- Cataldo, F; Ursini, O; Ragni, P. (2013). Fullerene C-60 Trichloromethylation Through CCl₄ Plasmalysis or Sonolysis. *Plasma Chemistry and Plasma Processing*. 33: 355-365. <http://dx.doi.org/10.1007/s11090-012-9417-5>.
- Cebovic, T; Spasic, S; Popovic, M; Borota, J; Leposavic, G. (2006). The European mistletoe (*Viscum album* L.) grown on plums extract inhibits CCL₄-induced liver damage in rats. *Fresen Environ Bull*. 15: 393-400.
- Celik, A; Yildiz, N; Calimli, A. (1999). Sorption characteristics of organic compounds on three hexadecyltrimethylammonium-smectites having different cation exchange capacities. 15: 349-362.
- Celik, A; Yildiz, N; Calimli, A. (2000). Adsorption of some organic compounds by hexadecyltrimethylammonium-bentonite. 16: 301-309.
- Centeno, TA; Fernandez, JA; Stoeckli, F. (2008). Correlation between heats of immersion and limiting capacitances in porous carbons. *Carbon*. 46: 1025-1030. <http://dx.doi.org/10.1016/j.carbon.2008.03.005>.
- Cervantes, FJ; Duong-Dac, T; Roest, K; Akkermans, ADL; Lettinga, G; Field, JA. (2003). Enrichment and immobilization of quinone-respiring bacteria in anaerobic granular sludge. *Water Sci Technol*. 48: 9-16.
- Cervantes, FJ; Garcia-Espinosa, A; Moreno-Reynosa, MA; Rangel-Mendez, JR. (2010). Immobilized redox mediators on anion exchange resins and their role on the reductive decolorization of azo dyes. *Environ Sci Technol*. 44: 1747-1753. <http://dx.doi.org/10.1021/es9027919>.
- Cervantes, FJ; Gonzalez-Estrella, J; Márquez, A; Alvarez, LH; Arriaga, S. (2011). Immobilized humic substances on an anion exchange resin and their role on the redox biotransformation of contaminants. *Bioresour Technol*. 102: 2097-2100. <http://dx.doi.org/10.1016/j.biortech.2010.08.021>.
- Cervini-Silva, J. (2003). Linear free-energy relationship analysis of the fate of chlorinated 1-and 2-carbon compounds by redox-manipulated smectite clay minerals. *Environ Toxicol Chem*. 22: 2298-2305.
- Cervini-Silva, J; Kostka, JE; Larson, RA; Stucki, JW; Wu, J. (2003). Dehydrochlorination of 1,1,1-trichloroethane and pentachloroethane by microbially reduced ferruginous smectite. *Environ Toxicol Chem*. 22: 1046-1050.
- Chahboun, A; Baidus, NV; Demina, PB; Zvonkov, BN; Gomes, MJM; Cavaco, A; Sobole, NA; Carmo, MC; Vasilevskiy, MI. (2006). Influence of matrix defects on the photoluminescence of InAs self-assembled quantum dots. 203: 1348-1352. <http://dx.doi.org/10.1002/pssa.200566160>.
- Chan, CCH; Mundle, SOC; Eckert, T; Liang, X; Tang, S; Lacrampe-Couloume, G; Edwards, EA; Lollar, BS. (2012). Large Carbon Isotope Fractionation during Biodegradation of Chloroform by *Dehalobacter* Cultures. *Environ Sci Technol*. 46: 10154-10160. <http://dx.doi.org/10.1021/es3010317>.
- Chan, CY; Tang, JH; Li, YS; Chan, LY. (2006). Mixing ratios and sources of halocarbons in urban, semi-urban and rural sites of the Pearl River Delta, South China. *Atmos Environ*. 40: 7331-7345. <http://dx.doi.org/10.1016/j.atmosenv.2006.06.041>.
- Chan, WH; Sun, WZ; Ueng, TH. (2005). Induction of rat hepatic cytochrome P-450 by ketamine and its toxicological implications. *J Toxicol Environ Health A*. 68: 1581-1597. <http://dx.doi.org/10.1080/15287390590967522>.
- Chan, YC; Chang, SC; Liu, SY; Yang, HL; Hseu, YC; Liao, JW. (2010). Beneficial effects of yam on carbon tetrachloride-induced hepatic fibrosis in rats. *J Sci Food Agric*. 90: 161-167. <http://dx.doi.org/10.1002/jsfa.3801>.
- Chang, CC; Lai, CH; Wang, CH; Liu, Y; Shao, M; Zhang, Y; Wang, JL. (2008). Variability of ozone depleting substances as an indication of emissions in the Pearl River Delta, China. *Atmos Environ*. 42: 6973-6981. <http://dx.doi.org/10.1016/j.atmosenv.2008.04.051>.
- Chang, CC; Lo, GG; Tsai, CH; Wang, JL. (2001). Concentration variability of halocarbons over an electronics industrial park and its implication in compliance with the Montreal protocol. *Environ Sci Technol*. 35: 3273-3279. <http://dx.doi.org/10.1021/es001894q>.
- Chang, YC; Kikuchi, S; Kawachi, N; Sato, T; Takamizawa, K. (2008). Complete dechlorination of tetrachloroethylene by use of an anaerobic *Clostridium bifermentans* DPH-1 and zero-valent iron. *Environ Technol*. 29: 381-391. <http://dx.doi.org/10.1080/09593330801984050>.
- Chang, YH; Wang, LS; Chiu, HT; Lee, CY. (2003). SiCl₃CCl₃ as a novel precursor for chemical vapor deposition of amorphous carbon films. *Carbon*. 41: 1169-1174. [http://dx.doi.org/10.1016/S0008-6223\(03\)00022-8](http://dx.doi.org/10.1016/S0008-6223(03)00022-8).

Fate Literature Search Results

Off Topic

- Changchaivong, S; Khaodhiar, S. (2009). Adsorption of naphthalene and phenanthrene on dodecylpyridinium-modified bentonite. *Appl Clay Sci.* 43: 317-321. <http://dx.doi.org/10.1016/j.clay.2008.09.012>.
- Chao, KP; Ong, SK; Protopapas, A. (1998). Water-to-air mass transfer of VOCs: Laboratory-scale air sparging system. *J Environ Eng.* 124: 1054-1060.
- Charbonneau, M; Oleskevich, S; Brodeur, J; Plaa, GL. (1986). Acetone potentiation of rat liver injury induced by trichloroethylene-carbon tetrachloride mixtures. *Toxicol Sci.* 6: 654-661.
- Chatterjee, S; Greene, HL. (1993). EFFECTS OF CATALYST COMPOSITION ON DUAL SITE ZEOLITE CATALYSTS USED IN CHLORINATED-HYDROCARBON OXIDATION. *Appl Catal A-Gen.* 98: 139-158.
- Chatterjee, S; Greene, HL; Park, YJ. (1992). DEACTIVATION OF METAL EXCHANGED ZEOLITE CATALYSTS DURING EXPOSURE TO CHLORINATED HYDROCARBONS UNDER OXIDIZING CONDITIONS. *Catalysis Today.* 11: 569-596.
- Chaturvedi, A; Mishra, VN; Dwivedi, R; Srivastava, SK. (1999). Response of oxygen plasma-treated thick film tin oxide sensor array for LPG, CCl₄, CO and C₃H₇OH. *Microelectronics Journal.* 30: 259-264.
- Chaturvedi, A; Mishra, VN; Dwivedi, R; Srivastava, SK. (2000). Selectivity and sensitivity studies on plasma treated thick film tin oxide gas sensors. *Microelectronics Journal.* 31: 283-290.
- Chaudhuri, P; Ghosh, AK; Panja, SS. (2014). Absorbance spectrometric study of electron donor acceptor complexes of lcoal derived asphaltene with [60]- and [70] fullerenes. *Fuel.* 126: 69-76. <http://dx.doi.org/10.1016/j.fuel.2014.02.044>.
- Chaudhury, S; Mehendale, HM. (1991). Amplification of CCl₄ toxicity by chlordecone: Destruction of rat hepatic microsomal cytochrome P-450 subpopulation. *J Toxicol Environ Health.* 32: 277-294. <http://dx.doi.org/10.1080/15287399109531482>.
- Chaves-Pozo, E; Liarte-Lastra, S; Fernandez-Alacid, L; Cabas, I; Garcia-Alcazar, A; Meseguer, J; Mulero, V; Garcia-Ayala, A. (2008). Cytokine and cell adhesion molecule expression pattern in the gilthead seabream (*Sparus aurata* L.) testis. *Cybiuim.* 32: 122-123.
- Che, H; Lee, W. (2011). Selective redox degradation of chlorinated aliphatic compounds by Fenton reaction in pyrite suspension. *Chemosphere.* 82: 1103-1108. <http://dx.doi.org/10.1016/j.chemosphere.2010.12.002>.
- Chen, BS; Bai, CS; Cook, R; Wright, J; Wang, C. (1996). Gold/cobalt oxide catalysts for oxidative destruction of dichloromethane. *Catalysis Today.* 30: 15-20.
- Chen, CH; Dural, NH. (2002). Chloroform adsorption on soils. *Journal of Chemical and Engineering Data.* 47: 1110-1115. <http://dx.doi.org/10.1021/je010313p>.
- Chen, CT; Graham, JL; Dellinger, B. (1995). PHOTOTHERMAL DESTRUCTION OF THE VAPOR OF ORGANIC COMPOUNDS. *Waste Manag.* 15: 159-170.
- Chen, CY; Wooster, GA; Bowser, PR. (2004). Comparative blood chemistry and histopathology of tilapia infected with *Vibrio vulnificus* or *Streptococcus iniae* or exposed to carbon tetrachloride, gentamicin, or copper sulfate. *Aquaculture.* 239: 421-443. <http://dx.doi.org/10.1016/j.aquaculture.2004.05.033>.
- Chen, FY; Pehkonen, SO; Ray, MB. (2002). Kinetics and mechanisms of UV-photodegradation of chlorinated organics in the gas phase. *Water Res.* 36: 4203-4214.
- Chen, FY; Yang, Q; Pehkonen, SO; Ray, MB. (2004). Modeling of gas-phase photodegradation of chloroform and carbon tetrachloride. *J Air Waste Manag Assoc.* 54: 1281-1292.
- Chen, GS; Sun, IW; Sienerth, KD; Edwards, AG; Mamantov, G. (1993). REMOVAL OF OXIDE IMPURITIES FROM ALKALI HALOALUMINATE MELTS USING CARBON-TETRACHLORIDE. *J Electrochem Soc.* 140: 1523-1526.
- Chen, H; Yang, R; Zhu, K; Zhou, W; Jiang, M. (2002). Attenuating toluene mobility in loess soil modified with anion-cation surfactants. *J Hazard Mater.* 94: 191-201.
- Chen, HJ; Kang, SP; Lee, IJ; Lin, YL. (2014). Glycyrrhetic Acid Suppressed NF- κ B Activation in TNF- α -Induced Hepatocytes. *J Agric Food Chem.* 62: 618-625. <http://dx.doi.org/10.1021/jf405352g>.
- Chen, HM; Schelly, ZA. (1995). LASER-INDUCED TRANSIENT ELECTRIC BIREFRINGENCE AND LIGHT-SCATTERING IN AEROSOL-OT/CCL₄ REVERSE MICELLES. *Langmuir.* 11: 758-763.
- Chen, J; Lang, Z; Xu, Q, un; Hu, B, o; Fu, J; Chen, Z; Zhang, J. (2013). Facile Preparation of Monodisperse Carbon Spheres: Template-Free Construction and Their Hydrogen Storage Properties. 1: 1063-1068. <http://dx.doi.org/10.1021/sc400124b>.
- Chen, L; Du, R, an; Zhang, J, in; Yi, T, ao. (2015). Density controlled oil uptake and beyond: from carbon nanotubes to graphene nanoribbon aerogels. 3: 20547-20553. <http://dx.doi.org/10.1039/c5ta04370k>.
- Chen, LH; Huang, CC; Lien, HL. (2008). Bimetallic iron-aluminum particles for dechlorination of carbon tetrachloride. *Chemosphere.* 73: 692-697. <http://dx.doi.org/10.1016/j.chemosphere.2008.07.005>.
- Chen, LH; Lee, YL. (2000). Adsorption behavior of surfactants and mass transfer in single-drop extraction. *AIChE J.* 46: 160-168.
- Chen, M; Liu, C; Li, X; Huang, W; Li, F. (2014). Iron Reduction Coupled to Reductive Dechlorination in Red Soil: A Review. *Soil Sci.* 179: 457-467. <http://dx.doi.org/10.1097/SS.0000000000000095>.
- Chen, M; Pan, L; Huang, Z; Cao, J; Zheng, Y; Zhan, H. (2007). A novel route to US nanocrystals with strong electrogenerated chemiluminescence. *Mater Chem Phys.* 101: 317-321. <http://dx.doi.org/10.1016/j.matchemphys.2006.06.003>.
- Chen, M; Tong, H; Liu, C; Chen, D; Li, F; Qiao, J. (2016). A humic substance analogue AQDS stimulates *Geobacter* sp. abundance and enhances pentachlorophenol transformation in a paddy soil. *Chemosphere.* 160: 141-148. <http://dx.doi.org/10.1016/j.chemosphere.2016.06.061>.
- Chen, ML; Lim, CS; Oh, W, onC. (2007). Preparation with different mixing ratios of anatase to activated carbon and their photocatalytic performance. *Journal of Ceramic Processing Research.* 8: 119-124.
- Chen, Q; Qian, Y; Zhang, Y. (1996). Deagglomeration and crystallisation of amorphous titania by CCl₄-thermal treatment. *Mater Sci Tech.* 12: 211-212.

Fate Literature Search Results

Off Topic

- Chen, S; Fan, D; Tratnyek, PG. (2014). Novel Contaminant Transformation Pathways by Abiotic Reductants. *Environ Sci Technol Lett.* 1: 432-436. <http://dx.doi.org/10.1021/ez500268e>.
- Chen, SW; Francis, BM; Dziuk, PJ. (1993). Effect of concentration of mixed-function oxidase on concentration of estrogen, rate of egg lay, eggshell thickness, and plasma calcium in laying hens. *J Anim Sci.* 71: 2700-2707.
- Chen, WH; Yang, WB; Yuan, CS; Yang, JC; Zhao, QL. (2014). Fates of chlorinated volatile organic compounds in aerobic biological treatment processes: the effects of aeration and sludge addition. *Chemosphere.* 103: 92-98. <http://dx.doi.org/10.1016/j.chemosphere.2013.11.039>.
- Chen, X; Hu, R; Feng, H; Chen, L; Luedemann, HD. (2012). Intradiffusion, Density, and Viscosity Studies in Binary Liquid Systems of Acetylacetone plus Alkanols at 303.15 K. *Journal of Chemical and Engineering Data.* 57: 2401-2408. <http://dx.doi.org/10.1021/je3000553>.
- Chen, X; Lian, Z; Zhong, H; Chen, L. (2015). Intradiffusion, density and viscosity studies in binary liquid systems of acetylacetone plus DMF/DMSO/benzene at 303.15 K and 333.15 K. *Chinese Journal of Chemical Engineering.* 23: 1679-1684. <http://dx.doi.org/10.1016/j.cjche.2015.07.027>.
- Chen, Y; Jin, Z; Pan, Z. (2012). In situ Raman spectroscopic study of hydrolysis of carbon tetrachloride in hot compressed water in a fused silica capillary reactor. *Journal of Supercritical Fluids.* 72: 22-27. <http://dx.doi.org/10.1016/j.supflu.2012.07.019>.
- Chen, Y; Wen, Y; Tang, Z; Li, L; Cai, Y; Zhou, Q. (2014). Removal processes of disinfection byproducts in subsurface-flow constructed wetlands treating secondary effluent. *Water Res.* 51: 163-171. <http://dx.doi.org/10.1016/j.watres.2013.12.027>.
- Chen, Y, i; Wen, Y, ue; Zhou, J; Zhou, Q, i; Vymazal, J, an; Kuschik, P. (2015). Transformation of Chloroform in Model Treatment Wetlands: From Mass Balance to Microbial Analysis. *Environ Sci Technol.* 49: 6198-6205. <http://dx.doi.org/10.1021/es506357e>.
- Chen, Y; Zhang, H; Ye, H; Ma, J. (2011). A simple and novel route to synthesize nano-vanadium carbide using magnesium powders, vanadium pentoxide and different carbon source. *International Journal of Refractory Metals and Hard Materials.* 29: 528-531. <http://dx.doi.org/10.1016/j.ijrmhm.2011.03.004>.
- Chen, YW; Joly, HA; Belzile, N. (1997). Determination of elemental sulfur in environmental samples by gas chromatography mass spectrometry. *Chem Geol.* 137: 195-200.
- Cheng, H, ui; Wang, Y; Dai, H; Han, J, unBo; Li, X. (2015). Nonlinear Optical Properties of PbS Colloidal Quantum Dots Fabricated via Solvothermal Method. *J Phys Chem C.* 119: 3288-3292. <http://dx.doi.org/10.1021/jp510214x>.
- Cheng, HW; Rustenholtz, A; Porter, RA; Ye, XR; Wai, CM. (2004). Partition coefficients and equilibrium constants of crown ethers between water and organic solvents determined by proton nuclear magnetic resonance. *Journal of Chemical and Engineering Data.* 49: 594-598. <http://dx.doi.org/10.1021/je034195c>.
- Cheng, J; Zhou, Y; Zuo, M; Dai, L; Guo, X. (2010). Application of dispersive liquid-liquid microextraction and reversed phase-high performance liquid chromatography for the determination of two fungicides in environmental water samples. *Int J Environ Anal Chem.* 90: 845-855. <http://dx.doi.org/10.1080/03067310903180468>.
- Cheng, R; Glater, J; Neethling, JB; Stenstrom, MK. (1991). THE EFFECTS OF SMALL HALOCARBONS ON RO MEMBRANE PERFORMANCE. *Desalination.* 85: 33-44.
- Cheng, W; He, J; Chen, M; Li, D; Li, H, ui; Chen, L, ei; Cao, Y, e; Wang, J; Huang, Y. (2016). Preparation, Functional Characterization and Hemostatic Mechanism Discussion for Oxidized Microcrystalline Cellulose and Its Composites. *Fibers and Polymers.* 17: 1277-1286. <http://dx.doi.org/10.1007/s12221-016-6279-0>.
- Cheng, W; He, J; Wu, Y; Song, C; Xie, S; Huang, Y; Fu, B, o. (2013). Preparation and characterization of oxidized regenerated cellulose film for hemostasis and the effect of blood on its surface. *Cellulose.* 20: 2547-2558. <http://dx.doi.org/10.1007/s10570-013-0005-5>.
- Cherginets, VL; Rebrova, TP; Ponomarenko, TV; Kisil, EP; Filippovich, LI. (2011). Oxoacidic Properties of Melts of the CsCl-LiCl-YCl₃ System and Features of Their Purification from Oxide Ion Traces. *Journal of Chemical and Engineering Data.* 56: 3897-3901. <http://dx.doi.org/10.1021/je200603c>.
- Cheung, STC; Fung, AKM; Lam, MHW. (1998). Visible photosensitization of TiO₂ - Photodegradation of CCl₄ in aqueous medium. *Chemosphere.* 36: 2461-2473.
- Chiang, HL; Lin, KH. (2014). Exhaust constituent emission factors of printed circuit board pyrolysis processes and its exhaust control. *J Hazard Mater.* 264: 545-551. <http://dx.doi.org/10.1016/j.jhazmat.2013.10.049>.
- Chiang, HL; Lin, WH; Lai, JS; Wang, WC. (2010). Inhalation risk assessment of exposure to the selected volatile organic compounds (VOCs) emitted from the facilities of a steel plant. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 45: 1397-1405. <http://dx.doi.org/10.1080/10934529.2010.500932>.
- Chiang, HL; Lo, CC; Ma, SY. (2010). Characteristics of exhaust gas, liquid products, and residues of printed circuit boards using the pyrolysis process. *Environ Sci Pollut Res Int.* 17: 624-633. <http://dx.doi.org/10.1007/s11356-009-0245->
- Chiang, PC; Chang, P; You, JH. (1992). INNOVATIVE TECHNOLOGY FOR CONTROLLING VOC EMISSIONS. *J Hazard Mater.* 31: 19-28.
- Chiang, PC; Hung, CH; Mar, JC; Chang, EE. (1998). Henry's constants and mass transfer coefficients of halogenated organic pollutants in an air stripping packed column. *Water Sci Technol.* 38: 287-294.
- Chiang, Y, uC; Lee, CC; Lee, HC. (2007). Characterization of microstructure and surface properties of heat-treated PAN-and rayon-based activated carbon fibers. *Journal of Porous Materials.* 14: 227-237. <http://dx.doi.org/10.1007/s10934-006-9028-8>.
- Chiang, Y, uC; Lee, CY; Lee, HC. (2007). Surface chemistry of polyacrylonitrile- and rayon-based activated carbon fibers after post-heat treatment. *Mater Chem Phys.* 101: 199-210. <http://dx.doi.org/10.1016/j.matchemphys.2006.03.007>.
- Chib, S; Greenberg, E. (1995). Understanding the Metropolis-Hastings algorithm. *Am Stat.* 49: 327-335.
- Chien, CH; Sheng, P, eiSun; Wang, CH, si; Huang, C, hiHao; Lin, HK, ai; Lee, C, hiY; Chiu, HT. (2008). Synthesis of carbon hollow spheres and particles from CCl₄ and Mo. *Mater Lett.* 62: 1176-1178. <http://dx.doi.org/10.1016/j.matlet.2007.08.027>.
- Chien, Y, iChi. (2012). DESTRUCTION OF CCl₄ BY COPPER CARBONATE. *Fresen Environ Bull.* 21: 1290-1295.

Fate Literature Search Results

Off Topic

- Chien, YC. (2012). Investigation of carbon tetrachloride destruction by copper acetate. *J Environ Qual.* 41: 449-453. <http://dx.doi.org/10.2134/jeq2011.0336>.
- Chien, YC; Wang, HP; Liu, SH; Hsiung, TL; Tai, HS; Peng, CY. (2008). Photocatalytic decomposition of CCl₄ on Zr-MCM-41. *J Hazard Mater.* 151: 461-464. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.027>.
- Chien, YC; Wang, HP; Yang, YW. (2001). Mineralization of CCl₄ with copper oxide. *Environ Sci Technol.* 35: 3259-3262. <http://dx.doi.org/10.1021/es001454z>.
- Chilakapati, A; Yabusaki, S; Szecsody, J; Macevoy, W. (2000). Groundwater flow, multicomponent transport and biogeochemistry: development and application of a coupled process model. *J Contam Hydrol.* 43: 303-325.
- Chipperfield, MP; Liang, Q; Rigby, M; Hossaini, R; Montzka, SA; Dhomse, S; Feng, W; Prinn, RG; Weiss, R, ayF; Harth, CM; Salameh, PK; Muhle, J; O'Doherty, S; Young, D; Simmonds, PG; Krummel, PB; Fraser, PJ; Steele, LP; Happell, JD; Rhew, RC; Butler, J; Yvon-Lewis, SA; Hall, B; Nance, D; Moore, F; Miller, B, enR; Elkins, J; Harrison, JJ; Boone, CD; Atlas, EL; Mahieu, E. (2016). Model sensitivity studies of the decrease in atmospheric carbon tetrachloride. *Atmos Chem Phys.* 16: 15741-15754. <http://dx.doi.org/10.5194/acp-16-15741-2016>.
- Chitra, M; Nithyanandhi, K. (2007). Radical scavenging activity of *Trianthema triquetra* in male albino rats intoxicated with CCl₄. *J Environ Biol.* 28: 283-285.
- Chiu, PC; Reinhard, M. (1995). Metallocoenzyme-Mediated Reductive Transformation of Carbon Tetrachloride in Titanium(III) Citrate Aqueous Solution. *Environ Sci Technol.* 29: 595-603. <http://dx.doi.org/10.1021/es00003a006>.
- Chiu, PC; Reinhard, M. (1996). Transformation of Carbon Tetrachloride by Reduced Vitamin B 12 in Aqueous Cysteine Solution. *Environ Sci Technol.* 30: 1882-1889. <http://dx.doi.org/10.1021/es950477o>.
- Cho, BO; Ryu, HW; Jin, CH; Choi, DS; Kang, SY; Kim, DS; Byun, MW; Jeong, IY. (2011). Blackberry extract attenuates oxidative stress through up-regulation of Nrf2-dependent antioxidant enzymes in carbon tetrachloride-treated rats. *J Agric Food Chem.* 59: 11442-11448. <http://dx.doi.org/10.1021/jf2021804>.
- Cho, D; Chang, HN. (1998). Separation of oil contaminants by surfactant-aided foam fractionation. *Korean J Chem Eng.* 15: 445-448.
- Cho, HH; Park, JW. (2005). Effect of coexisting compounds on the sorption and reduction of trichloroethylene with iron. *Environ Toxicol Chem.* 24: 11-16.
- Cho, S; Sugano, M. (1975). EFFECTS OF ANTIOXIDANTS ON LIVER AND PLASMA-LIPIDS OF RATS TREATED WITH CCL₄ - (HEPATOTOXICITY AND LIPID-METABOLISM .8.). *Agr Chem Soc Japan.* 49: 29-34.
- Cho, S; Sugano, M; Wada, M. (1970). HEPATOTOXICITY AND LIPID METABOLISM .2. INCORPORATION OF LONG CHAIN FATTY ACIDS INTO HEPATIC LIPID FRACTIONS OF CCL₄ POISONED RATS IN-VIVO AND IN-VITRO. *Agric Biol Chem.* 34: A10-&.
- Cho, S; Sugano, M; Wada, M. (1972). INCORPORATION OF LABELED FATTY-ACIDS INTO HEPATIC LIPID COMPONENTS IN CARBON-TETRACHLORIDE POISONED RATS (HEPATOTOXICITY AND LIPID-METABOLISM .5. *Agr Chem Soc Japan.* 46: 421-&.
- Cho, S; Sugano, M; Wada, M. (1975). EFFECTS OF CCL₄ ON INCORPORATION OF (ME-C-14) CHOLINE, (2-C-14) ETHANOLAMINE OR (ME-H-3) METHIONINE INTO RAT-LIVER PHOSPHOLIPIDS INVITRO - (HEPATOTOXICITY AND LIPID-METABOLISM .7.). *Agr Chem Soc Japan.* 49: 23-27.
- Cho, S; Wada, M; Sugano, M. (1972). EFFECT OF CARBON-TETRACHLORIDE ON INCORPORATION OF INORGANIC P-32 INTO RAT-LIVER PHOSPHOLIPIDS .6. (HEPATOTOXICITY AND LIPID-METABOLISM. *Agr Chem Soc Japan.* 46: 429-&.
- Cho, YM; Choi, WY; Lee, CH; Hyeon, T; Lee, HI. (2001). Visible light-induced degradation of carbon tetrachloride on dye-sensitized TiO₂. *Environ Sci Technol.* 35: 966-970. <http://dx.doi.org/10.1021/es001245e>.
- Cho, YM; Kyung, H; Choi, W. (2004). Visible light activity of TiO₂ for the photoreduction of CCl₄ and Cr(VI) in the presence of nonionic surfactant (Brij). *Appl Catal B-Environ.* 52: 23-32. <http://dx.doi.org/10.1016/j.apcatb.2004.03.013>.
- Choi, BS; Oh, JS; Lee, SW; Kim, H; Yi, JH. (2001). Simulation of the effects of CCl₄ on the ethylene dichloride pyrolysis process. *Ind Eng Chem Res.* 40: 4040-4049.
- Choi, HC; Choi, SH; Lee, JS; Lee, KH; Kim, YG. (1997). Effects of Pt precursors on hydrodechlorination of carbon tetrachloride over Pt/Al₂O₃. *J Catal.* 166: 284-293.
- Choi, HC; Choi, SH; Yang, OB; Lee, JS; Lee, KH; Kim, YG. (1996). Hydrodechlorination of carbon tetrachloride over Pt/MgO. *J Catal.* 161: 790-797.
- Choi, J; Batchelor, B; Chung, J. (2010). Reductive Dechlorination of Tetrachloroethylene by Green Rusts Modified with Copper. *Water Air Soil Pollut.* 212: 407-417. <http://dx.doi.org/10.1007/s11270-010-0354-8>.
- Choi, J; Choi, K; Lee, W. (2009). Effects of transition metal and sulfide on the reductive dechlorination of carbon tetrachloride and 1,1,1-trichloroethane by FeS. *J Hazard Mater.* 162: 1151-1158. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.007>.
- Choi, J; Choi, SJ; Kim, Y. (2008). Hydrodechlorination of 2,4,6-trichlorophenol for a permeable reactive barrier using zero-valent iron and catalyzed iron. *Korean J Chem Eng.* 25: 493-500.
- Choi, J; Choi, W; Mhin, BJ. (2004). Solvent-specific photolytic behavior of octachlorodibenzo-p-dioxin. *Environ Sci Technol.* 38: 2082-2088. <http://dx.doi.org/10.1021/es034916s>.
- Choi, J; Lee, W. (2008). Enhanced degradation of tetrachloroethylene by green rusts with platinum. *Environ Sci Technol.* 42: 3356-3362. <http://dx.doi.org/10.1021/es702661d>.
- Choi, JH; Jin, SW; Choi, CY; Kim, HG; Lee, GH; Kim, YA; Chung, YC; Jeong, HG. (2017). Capsaicin Inhibits Dimethylnitrosamine-Induced Hepatic Fibrosis by Inhibiting the TGF-β1/Smad Pathway via Peroxisome Proliferator-Activated Receptor Gamma Activation. *J Agric Food Chem.* 65: 317-326. <http://dx.doi.org/10.1021/acs.jafc.6b04805>.
- Choi, JH; Kim, YH. (2009). Reduction of 2,4,6-trichlorophenol with zero-valent zinc and catalyzed zinc. *J Hazard Mater.* 166: 984-991. <http://dx.doi.org/10.1016/j.jhazmat.2008.12.00>.
- Choi, K; Lee, W. (2012). Enhanced degradation of trichloroethylene in nano-scale zero-valent iron Fenton system with Cu(II). *J Hazard Mater.* 211: 146-153. <http://dx.doi.org/10.1016/j.jhazmat.2011.10.056>.

Fate Literature Search Results

Off Topic

- Choi, M; Do, LT; Chung, YH; Yoo, H; Yu, R. (2015). Antioxidative Activity of Platinum Nanocolloid and Its Protective Effect Against Chemical-Induced Hepatic Cellular Damage. *J Nanosci Nanotechnol.* 15: 5571-5576. <http://dx.doi.org/10.1166/jnn.2015.10468>.
- Choi, WS; Il Kim, H; Kwak, SS; Chung, HY; Chung, HY; Yamamoto, K; Oguchi, T; Tozuka, Y; Yonemochi, E; Terada, K. (2004). Amorphous ultrafine particle preparation for improvement of bioavailability of insoluble drugs: grinding characteristics of fine grinding mills. *Int J Miner Process.* 74: S165-S172. <http://dx.doi.org/10.1016/j.minpro.2004.07.025>.
- Choi, WY; Hoffmann, MR. (1995). PHOTOREDUCTIVE MECHANISM OF CCL4 DEGRADATION ON TiO2 PARTICLES AND EFFECTS OF ELECTRON-DONORS. *Environ Sci Technol.* 29: 1646-1654. <http://dx.doi.org/10.1021/es00006a031>.
- Choi, WY; Hoffmann, MR. (1997). Novel photocatalytic mechanisms for CHCl₃, CHBr₃, and CCl₃CO₂- degradation and the fate of photogenerated trihalomethyl radicals on TiO₂. *Environ Sci Technol.* 31: 89-95.
- Chou, TC; Yeh, HJ. (1992). HETEROGENIZED HOMOGENEOUS CATALYST .5. THE THEORY OF SOLVENT EFFECT AND THE EFFECT OF SOLVENT ON ADSORPTION AND DIFFUSIVITY. *Ind Eng Chem Res.* 31: 130-137.
- Chou, TC; Yeh, HJ. (1992). HETEROGENIZED HOMOGENEOUS CATALYST .6. EFFECT OF SOLVENT ON INITIATION, PROPAGATION TERMINATION, DECOMPOSITION, AND AN OVERALL HETEROGENEOUS FREE-RADICAL REACTION SYSTEM. *Ind Eng Chem Res.* 31: 804-818.
- Choucair, M; Hill, MR; Stride, JA. (2015). A low temperature reduction of CCl₄ to solid and hollow carbon nanospheres using metallic sodium. *Mater Chem Phys.* 154: 38-43. <http://dx.doi.org/10.1016/j.matchemphys.2015.01.042>.
- Choudhary, RB; Pande, PP. (2000). Alternative solvent system for iodine value determination. *Indian J Chem Tech.* 7: 165-167.
- Choudhary, VR; Jha, R. (2007). GaCl_x- or GaAlCl_x-grafted Si-MCM-41: Highly active and moisture insensitive/stable catalyst for the acylation and benzylation of benzene, naphthalene and substituted benzenes. *Appl Catal A-Gen.* 333: 42-48. <http://dx.doi.org/10.1016/j.apcata.2007.09.001>.
- Choudhary, VR; Mantri, K. (2002). AlCl₃-grafted Si-MCM-41: Influence of thermal treatment conditions on surface properties and incorporation of Al in the structure of MCM-41. *J Catal.* 205: 221-225. <http://dx.doi.org/10.1006/jcat.2001.3435>.
- Choudhuri, JR, oy; Chandra, A. (2014). Structure and Dynamics of the Liquid-Liquid Interface of an Aqueous NaCl Solution with Liquid Carbon Tetrachloride from First-Principles Simulations. *J Phys Chem C.* 118: 23083-23091. <http://dx.doi.org/10.1021/jp506193n>.
- Choudhary, VR; Mantri, K. (2002). AlCl₃-grafted Si-MCM-41 prepared by reacting anhydrous AlCl₃ with terminal Si-OH groups: an active solid catalyst for benzylation and acylation reactions. *Microporous and Mesoporous Materials.* 56: 317-320.
- Chow, TP; Fanelli, GM. (1984). REACTIVE ION ETCHING OF SILICON AND SILICIDES IN SF₆, NF₃/CCL₄, OR HCL MIXTURES. *J Electrochem Soc.* 131: C312-C312.
- Chow, TP; Fanelli, GM. (1985). REACTIVE ION ETCHING OF SILICON AND SILICIDES IN SF₆ OR NF₃/CCL₄ OR HCL MIXTURES. *J Electrochem Soc.* 132: 1969-1973.
- Chow, TP; Maciel, PA; Fanelli, GM. (1987). REACTIVE ION ETCHING OF SILICON IN CCL₄ AND HCL PLASMAS. *J Electrochem Soc.* 134: 1281-1286.
- Christ, SA; Read, EJ; Stober, JA; Smith, MK. (1996). Developmental effects of trichloroacetonitrile administered in corn oil to pregnant Long-Evans rats. *J Toxicol Environ Health.* 47: 233-247.
- Chu, C; Liu, R. (2011). Chloralkanes as chlorinating agents: An efficient approach to acyl chlorides and destruction of chlorinated hydrocarbons. *Appl Catal B-Environ.* 101: 343-347. <http://dx.doi.org/10.1016/j.apcatb.2010.10.002>.
- Chu, W; Li, X; Bond, T; Gao, N; Bin, X; Wang, Q; Ding, S. (2016). Copper increases reductive dehalogenation of haloacetamides by zero-valent iron in drinking water: Reduction efficiency and integrated toxicity risk. *Water Res.* 107: 141-150. <http://dx.doi.org/10.1016/j.watres.2016.10.047>.
- Chu, Y; Zhang, Q; Zhang, W; Zhang, G; Zhu, S. (2014). Highly sensitive dimethyl ether gas sensor utilizing cataluminescence on nanosized MgO/In₂O₃. *Meas Sci Technol.* 25. <http://dx.doi.org/10.1088/0957-0233/25/8/085105>.
- Chu, Z; Yan, Y, an; Chen, Z, hi; Guo, J; Yang, Y; Li, C; Zhang, Y. (2015). A Comprehensive Method for Precise Determination of Re, Os, Ir, Ru, Pt, Pd Concentrations and Os Isotopic Compositions in Geological Samples. *Geostandards and Geoanalytical Research.* 39: 151-169. <http://dx.doi.org/10.1111/j.1751-908X.2014.00283.x>.
- Chun, CL; Baer, DR; Matson, DW; Amonette, JE; Penn, RL. (2010). Characterization and reactivity of iron nanoparticles prepared with added Cu, Pd, and Ni. *Environ Sci Technol.* 44: 5079-5085. <http://dx.doi.org/10.1021/es903278e>.
- Chun, CL; Hozalski, RM; Arnold, WA. (2005). Degradation of Drinking Water Disinfection Byproducts by Synthetic Goethite and Magnetite. *Environ Sci Technol.* 39: 8525-8532. <http://dx.doi.org/10.1021/es051044g>.
- Chun, YN. (2003). Computational fluid dynamics (CFD) analysis and experimental study for toxic hazardous waste destruction in the cavity incinerator. *Korean J Chem Eng.* 20: 670-678.
- Chun, YN; Jung, OJ; Kim, SW; Song, HO. (2003). Numerical and experimental studies of CCl₄ destruction in a dump incinerator. *Environ Technol.* 24: 131-142.
- Chun, YN; Lee, KJ; Song, HO. (2002). A numerical simulation of hazardous waste destruction in a three-dimensional dump incinerator. *Korean J Chem Eng.* 19: 20-27.
- Chun, YN; Shin, DY. (2004). Hazardous waste destruction and nitric oxide reduction with externally forced oscillation. *Korean J Chem Eng.* 21: 811-815.
- Chung, CW; Morandi, MT; Stock, TH; Afshar, M. (1999). Evaluation of a Passive Sampler for Volatile Organic Compounds at ppb Concentrations, Varying Temperatures, and Humidities with 24-h Exposures. 1. Description and Characterization of Exposure Chamber System. *Environ Sci Technol.* 33: 3661-3665. <http://dx.doi.org/10.1021/es990607j>.
- Chung, CW; Morandi, MT; Stock, TH; Afshar, M. (1999). Evaluation of a passive sampler for volatile organic compounds at ppb concentrations, varying temperatures, and humidities with 24-h exposures. 2. Sampler performance. *Environ Sci Technol.* 33: 3666-3671.
- Chung, FL; Nath, RG; Ocando, J; Nishikawa, A; Zhang, L. (2000). Deoxyguanosine adducts of t-4-hydroxy-2-nonal are endogenous DNA lesions in rodents and humans: detection and potential sources. *Cancer Res.* 60: 1507-1511.

Fate Literature Search Results

Off Topic

- Chung, KT; Gadupudi, GS. (2011). Possible roles of excess tryptophan metabolites in cancer [Review]. *Environ Mol Mutagen.* 52: 81-104. <http://dx.doi.org/10.1002/em.20588>.
- Chung, Y; Shin, D; Park, S; Lim, Y; Choi, Y; Cho, S; Yang, J; Hwang, M; Park, Y; Lee, H. (1997). Risk assessment and management of drinking water pollutants in Korea. *Water Sci Technol.* 36: 309-323. [http://dx.doi.org/10.1016/S0273-1223\(97\)00734-8](http://dx.doi.org/10.1016/S0273-1223(97)00734-8).
- Cibulka, I. (2014). Partial Molar Volumes and Partial Molar Isentropic Compressions of 15-Crown-5 and 18-Crown-6 Ethers at Infinite Dilution in Water at Temperatures $T = (278 \text{ to } 343) \text{ K}$ and Atmospheric Pressure. *Journal of Chemical and Engineering Data.* 59: 2075-2086. <http://dx.doi.org/10.1021/je500265v>.
- Cibulka, I; Takagi, T; Ruzicka, K. (2001). P-rho-T data of liquids: Summarization and evaluation. 7. Selected halogenated hydrocarbons. *Journal of Chemical and Engineering Data.* 46: 2-28. <http://dx.doi.org/10.1021/je0002383>.
- Cicek, B; Senkan, SM. (1993). CHEMICAL STRUCTURES OF FUEL-RICH, PREMIXED, LAMINAR FLAMES OF $C_6H_5Cl/CH_4/O_2/AR$ MIXTURES. *Combust Sci Tech.* 91: 53-72.
- Cimenoglu, MA. (2001). Dynamic nuclear polarization in suspensions of asphaltene obtained from MC-30 liquid asphalt. *Fuel.* 80: 2041-2047.
- Ciotti, C; Baciocchi, R; Tuhkanen, T. (2009). Influence of the operating conditions on highly oxidative radicals generation in Fenton's systems. *J Hazard Mater.* 161: 402-408. <http://dx.doi.org/10.1016/j.jhazmat.2008.03.137>.
- Clark, CJ; Rao, PS; Annable, MD. (2003). Degradation of perchloroethylene in cosolvent solutions by zero-valent iron. *J Hazard Mater.* 96: 65-78.
- Clarke, LH; Noble, M; Oloffs, PC; Szeto, SY. (1973). INHALATION CHAMBER FOR ADMINISTERING VOLATILE COMPOUNDS TO ANIMALS - PERFORMANCE USING CARBON-TETRACHLORIDE. *Can J Zool.* 51: 387-392.
- Clary, D; Mills, G. (2011). Photochemical Generation of Nanometer-Sized Cu Particles in Octane. *J Phys Chem C.* 115: 14656-14663. <http://dx.doi.org/10.1021/jp20401361>.
- Clegg, GT; Tehrani, MA. (1973). LIQUID-PHASE DIFFUSION-COEFFICIENTS FOR DISSOLVED GASES - SYSTEMS CHLORINE CARBON TETRACHLORIDE AND HYDROGEN CHLORIDE-ETHYLENE GLYCOL. *Journal of Chemical and Engineering Data.* 18: 59-60.
- Clet, G; Goupil, JM; Szabo, G; Cornet, D. (2000). Chlorinated alumina as an alkylation catalyst: influence of acidity moderators. *Appl Catal A-Gen.* 202: 37-47.
- Clewell, HJ, III; Gentry, PR; Gearhart, JM. (1997). Investigation of the potential impact of benchmark dose and pharmacokinetic modeling in noncancer risk assessment. *J Toxicol Environ Health.* 52: 475-515. <http://dx.doi.org/10.1080/00984109708984077>.
- Clifton, BJ; Cosgrove, T; Warne, MR. (1999). Calculation of Silberberg's polymer segmental adsorption energy by a free space molecular modeling technique. *Langmuir.* 15: 8659-8667.
- Climont, MJ; Corma, A; Garcia, H; Iborra, S; Primo, J. (1995). ACID ZEOLITES AS CATALYSTS IN ORGANIC-REACTIONS - CONDENSATION OF ACETOPHENONE WITH BENZENE-DERIVATIVES. *Appl Catal A-Gen.* 130: 5-12.
- Clough, SA; Iacono, MJ. (1995). LINE-BY-LINE CALCULATION OF ATMOSPHERIC FLUXES AND COOLING RATES .2. APPLICATION TO CARBON-DIOXIDE, OZONE, METHANE, NITROUS-OXIDE AND THE HALOCARBONS. *J Geophys Res Atmos.* 100: 16519-16535.
- Cobb, GD; Bouwer, EJ. (1991). Effects of electron acceptors on halogenated organic compound biotransformations in a biofilm column. *Environ Sci Technol.* 25: 1068-1074. <http://dx.doi.org/10.1021/es00018a008>.
- Cocero, MJ; Garcia, I; Gonzalez, JA; Cobos, JC. (1991). THERMODYNAMICS OF BINARY-MIXTURES CONTAINING ORGANIC CARBONATES .6. ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA FOR DIMETHYL CARBONATE + NORMAL ALKANES. *Fluid Phase Equilibria.* 68: 151-161.
- Cocero, MJ; Mato, F; Garcia, I; Cobos, JC. (1989). THERMODYNAMICS OF BINARY-MIXTURES CONTAINING ORGANIC CARBONATES .3. ISOTHERMAL VAPOR LIQUID EQUILIBRIA FOR DIETHYL CARBONATE + CYCLOHEXANE, + BENZENE, OR + TETRACHLOROMETHANE. *Journal of Chemical and Engineering Data.* 34: 443-445.
- Cocero, MJ; Mato, F; Garcia, I; Cobos, JC; Kehiaian, HV. (1989). THERMODYNAMICS OF BINARY-MIXTURES CONTAINING ORGANIC CARBONATES .2. ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA FOR DIMETHYL CARBONATE + CYCLOHEXANE, + BENZENE, OR + TETRACHLOROMETHANE. *Journal of Chemical and Engineering Data.* 34: 73-76.
- Coelhan, M. (2003). Synthesis of several single C-10, C-11, and C-12 chloroalkanes. *Fresen Environ Bull.* 12: 442-449.
- Coffey, CC; Lebouf, RF; Calvert, CA; Slaven, JE. (2011). Validation of an evacuated canister method for measuring part-per-billion levels of chemical warfare agent simulants. *Journal of the Air and Waste Management Association.* 61: 826-833. <http://dx.doi.org/10.3155/1047-3289.61.8.826>.
- Cohen, HJ. (1993). Determining the service lives of organic-vapor respirator cartridges for nitroglycerin under workplace conditions. *Am Ind Hyg Assoc J.* 54: 432-439. <http://dx.doi.org/10.1080/15298669391354928>.
- Cohen, HJ; Briggs, DE; Garrison, RP. (1991). Development of a Field Method for Evaluating the Service Lives of Organic Vapor Cartridges Part III: Results of Laboratory Testing Using Binary Organic Vapor Mixtures. *Am Ind Hyg Assoc J.* 52: 34-43.
- Cohen, HJ; Garrison, RP. (1989). DEVELOPMENT OF A FIELD METHOD FOR EVALUATING THE SERVICE LIFE OF ORGANIC VAPOR CARTRIDGES - RESULTS OF LABORATORY TESTING USING CARBON-TETRACHLORIDE. *Am Ind Hyg Assoc J.* 50: 486-495.
- Cohen, HJ; Levine, SP; Garrison, RP. (1991). Development of a Field Method for Determining the Service Lives of Respirator Cartridges Part IV: Results of Field Validation Trials. *Am Ind Hyg Assoc J.* 52: 263-270.
- Cohen, HJ; Zellers, ET; Garrison, RP. (1990). DEVELOPMENT OF A FIELD METHOD FOR EVALUATING THE SERVICE LIVES OF ORGANIC VAPOR CARTRIDGES - RESULTS OF LABORATORY TESTING USING CARBON-TETRACHLORIDE .2. HUMIDITY EFFECTS. *Am Ind Hyg Assoc J.* 51: 575-580.
- Collins, R; Picardal, F. (1999). Enhanced anaerobic transformations of carbon tetrachloride by soil organic matter. *Environ Toxicol Chem.* 18: 2703-2710.
- Colman lerner, JE; Sanchez, EY; Sambeth, J; Porta, A. (2012). Characterization and health risk assessment of VOCs in occupational environments in Buenos Aires, Argentina. *Atmos Environ.* 55: 440-447. <http://dx.doi.org/10.1016/j.atmosenv.2012.03.041>.

Fate Literature Search Results

Off Topic

- Coltharp, MT. (2005). On numerical classification of solution adsorption isotherms. *Langmuir*. 21: 3475-3479. <http://dx.doi.org/10.1021/la047539l>.
- Conboy, JC; Messmer, MC; Richmond, GL. (1998). Effect of alkyl chain length on the conformation and order of simple ionic surfactants adsorbed at the D2O/CCl4 interface as studied by sum-frequency vibrational spectroscopy. *Langmuir*. 14: 6722-6727.
- Cong, W; Li, YG; Lu, JF. (1996). Calculation of activity coefficients for systems containing tributyl phosphate, diluents and water by the perturbation theory. *Fluid Phase Equilibria*. 124: 55-65.
- Connell, D; Markwell, R. (1992). MECHANISM AND PREDICTION OF NONSPECIFIC TOXICITY TO FISH USING BIOCONCENTRATION CHARACTERISTICS. *Ecotoxicol Environ Saf*. 24: 247-265.
- Conrad, H. (2000). Influence of an electric or magnetic field on the liquid-solid transformation in materials and on the microstructure of the solid. *Mater Sci Eng A*. 287: 205-212.
- Constantinescu, T; Rusanescu, G; Radulescu, S; Marinescu, F; Mutihac, L; Budrugaec, S; Puricel, E; Stancioiu, C. (1991). METHOD OF WOOD TAR PROCESSING .1. OBTAINING OF MALTOL AND CICLOTEN COMPOUNDS. *Rev Chim*. 42: 44-52.
- Corapcioglu, MY; Hossain, MA. (1991). ESTIMATING BIOTRANSFORMATION RATE CONSTANTS FOR SEQUENTIAL REDUCTIVE DEHALOGENATION REACTIONS. *J Environ Eng*. 117: 631-639.
- Corat, EJ; Debarros, RCM; Travaaioldi, VJ; Ferreira, NG; Leite, NF; Iha, K. (1997). The activation energy for diamond growth from CCl4/H-2 mixtures in a hot-filament reactor. *Diam Relat Mater*. 6: 1172-1181.
- Corbin, JF; Teel, AL; Allen-King, RM; Watts, RJ. (2007). Reactive oxygen species responsible for the enhanced desorption of dodecane in modified Fenton's systems. *Water Environ Res*. 79: 37-42. <http://dx.doi.org/10.2175/106143006X136793>.
- Cornet, D; Goupil, JM; Szabo, G; Poirier, JL; Clet, G. (1996). Alkylation of isobutane by ethylene catalyzed by chlorided alumina: Influence of experimental conditions. *Appl Catal A-Gen*. 141: 193-205.
- Coromina, HM; Adeniran, B; Mokaya, R; Walsh, DA. (2016). Bridging the performance gap between electric double-layer capacitors and batteries with high-energy/high-power carbon nanotube-based electrodes. 4: 14586-14594. <http://dx.doi.org/10.1039/c6ta05686e>.
- Corrao, G; Torchio, P; Zambon, A; D'Amicis, A; Lepore, AR; Di Orto, F; Provincial GROUP FOR THE STUDY OF CHRONIC LIVER, D. (1998). Alcohol consumption and micronutrient intake as risk factors for liver cirrhosis: A case-control study. *Ann Epidemiol*. 8: 154-159.
- Correa, P. (1996). Morphology and natural history of cancer precursors. In D Schottenfield; JF Fraumeni (Eds.), (pp. 45-64). New York: Oxford University Press.
- Cottalasso, D; Barisione, G; Fontana, L; Domenicotti, C; Pronzato, MA; Nanni, G. (1994). IMPAIRMENT OF LIPOGLYCOPROTEIN METABOLISM IN RAT-LIVER CELLS INDUCED BY 1,2-DICHLOROETHANE. *Occup Environ Med*. 51: 281-285.
- Cottalasso, D; Bellocchio, A; Domenicotti, C; Dapino, D; Pronzato, MA; Nanni, G. (1998). 1,1,2,2-tetrachloroethane-induced early decrease of dolichol levels in rat liver microsomes and Golgi apparatus. *J Toxicol Environ Health A*. 54: 133-144.
- Crebelli, R; Andreoli, C; Carere, A; Conti, G; Conti, L; Cotta Ramusino, M; Benigni, R. (1992). The induction of mitotic chromosome malsegregation in *Aspergillus nidulans*. Quantitative structure activity relationship (OSAR) analysis with chlorinated aliphatic hydrocarbons. *Mutat Res-Fundam Mol Mech Mutagen*. 266: 117-134. [http://dx.doi.org/10.1016/0027-5107\(92\)90179-6](http://dx.doi.org/10.1016/0027-5107(92)90179-6).
- Crebelli, R; Carere, A; Leopardi, P. (1999). Evaluation of 10 aliphatic halogenated hydrocarbons in the mouse bone marrow micronucleus test. *Mutagenesis*. 14: 207-215. <http://dx.doi.org/10.1093/mutage/14.2.207>.
- Criddle, CS; Mccarty, PL. (1991). ELECTROLYTIC MODEL SYSTEM FOR REDUCTIVE DEHALOGENATION IN AQUEOUS ENVIRONMENTS. *Environ Sci Technol*. 25: 973-978.
- Crump, KS; Hoel, DG; Langley, CH; Peto, R. (1976). Fundamental carcinogenic processes and their implications for low dose risk assessment. *Cancer Res*. 36: 2973-2979.
- Cruz-Zavala, AS; Pat-Espadas, AM; Rangel-Mendez, JR; Chazaro-Ruiz, LF; Ascacio-Valdes, JA; Aguilar, CN; Cervantes, FJ. (2016). Immobilization of metal-humic acid complexes in anaerobic granular sludge for their application as solid-phase redox mediators in the biotransformation of iopromide in UASB reactors. *Bioresour Technol*. 207: 39-45. <http://dx.doi.org/10.1016/j.biortech.2016.01.125>.
- Cui, J, ieHu; Li, CG; Du, X, iuH. (2011). Reactive Extraction of o-Aminophenol with Tri-n-butyl Phosphate in Different Solvents. *Journal of Chemical and Engineering Data*. 56: 3149-3156. <http://dx.doi.org/10.1021/je200219m>.
- Cui, L; An, L; Gong, W; Jiang, H. (2007). A novel process for preparation of ultra-clean micronized coal by high pressure water jet comminution technique. *Fuel*. 86: 750-757. <http://dx.doi.org/10.1016/j.fuel.2006.09.002>.
- Cui, Y; Ye, Q; Wang, H; Li, Y; Yao, W; Qian, H. (2014). Hepatoprotective potential of Aloe vera polysaccharides against chronic alcohol-induced hepatotoxicity in mice. *J Sci Food Agric*. 94: 1764-1771. <http://dx.doi.org/10.1002/jsfa.6489>.
- Cummings, BS; Lash, LH. (2000). Metabolism and toxicity of trichloroethylene and S-(1,2-dichlorovinyl)-L-cysteine in freshly isolated human proximal tubular cells. *Toxicol Sci*. 53: 458-466. <http://dx.doi.org/10.1093/toxsci/53.2.458>.
- Cummings, BS; Lasker, JM; Lash, LH. (2000). Expression of glutathione-dependent enzymes and cytochrome P450s in freshly isolated and primary cultures of proximal tubular cells from human kidney. *J Pharmacol Exp Ther*. 293: 677-685.
- Cummings, BS; Parker, JC; Lash, LH. (2000). Role of cytochrome P450 and glutathione S-transferase alpha in the metabolism and cytotoxicity of trichloroethylene in rat kidney. *Biochem Pharmacol*. 59: 531-543. [http://dx.doi.org/10.1016/S0006-2952\(99\)00374-3](http://dx.doi.org/10.1016/S0006-2952(99)00374-3).
- Cummings, BS; Parker, JC; Lash, LH. (2001). Cytochrome p450-dependent metabolism of trichloroethylene in rat kidney. *Toxicol Sci*. 60: 11-19. <http://dx.doi.org/10.1093/toxsci/60.1.11>.
- Cummings, BS; Zangar, RC; Novak, RF; Lash, LH. (1999). Cellular distribution of cytochromes P-450 in the rat kidney. *Drug Metab Dispos*. 27: 542-548.
- Cundy, VA; Lester, TW; Sterling, AM; Montestruc, AN; Morse, JS; Leger, CB; Acharya, S. (1989). ROTARY KILN INCINERATION .4. AN IN-DEPTH STUDY - KILN EXIT, TRANSITION AND AFTERBURNER SAMPLING DURING LIQUID CCL4 PROCESSING. *JAPCA*. 39: 1073-1085.

Fate Literature Search Results

Off Topic

- Cundy, VA; Morse, JS; Lester, TW; Senser, DW. (1987). AN INVESTIGATION OF A NEAR - STOICHIOMETRIC CH₄/CCL₄/AIR PREMIXED FLAT FLAME. *Chemosphere*. 16: 989-1001.
- Cunningham, AB; Sharp, RR; Caccavo, F, Jr; Gerlach, R. (2007). Effects of starvation on bacterial transport through porous media. *Advances in Water Resources*. 30: 1583-1592. <http://dx.doi.org/10.1016/j.advwatres.2006.05.018>.
- Cunningham, BT; Baker, JE; Stillman, GE. (1990). CARBON-TETRACHLORIDE DOPED ALXGA₁-XAS GROWN BY METALORGANIC CHEMICAL VAPOR-DEPOSITION. *Journal of Electronic Materials*. 19: 331-335.
- Cunnold, DM; Weiss, RF; Prinn, RG; Hartley, D; Simmonds, PG; Fraser, PJ; Miller, B; Alyea, FN; Porter, L. (1997). GAGE/AGAGE measurements indicating reductions in global emissions of CCl₃F and CCl₂F₂ in 1992-1994. *J Geophys Res Atmos*. 102: 1259-1269.
- Curtis, BJ; Brunner, HJ. (1978). END-POINT DETERMINATION OF ALUMINUM CCL₄ PLASMA ETCHING BY OPTICAL EMISSION-SPECTROSCOPY. *J Electrochem Soc*. 125: 829-830.
- Curtis, GP; Reinhard, M. (1994). Reductive dehalogenation of hexachloroethane, carbon tetrachloride, and bromoform by anthrahydroquinone disulfonate and humic acid. *Environ Sci Technol*. 28: 2393-2401.
- Cutting, RS; Mury, CA; Thornton, G; Vaughan, DJ. (2006). Molecular scale investigations of the reactivity of magnetite with formic acid, pyridine, and carbon tetrachloride. *Geochim Cosmo Acta*. 70: 3593-3612. <http://dx.doi.org/10.1016/j.gca.2006.04.034>.
- Cwiertny, DM; Bransfield, SJ; Livi, KJ; Fairbrother, DH; Robertst, AL. (2006). Exploring the influence of granular iron additives on 1,1,1-trichloroethane reduction. *Environ Sci Technol*. 40: 6837-6843. <http://dx.doi.org/10.1021/es060921v>.
- Cwiertny, DM; Handler, RM; Schaefer, MV; Grassian, VH; Scherer, MM. (2008). Interpreting nanoscale size-effects in aggregated Fe-oxide suspensions: reaction of Fe(II) with goethite. *Geochim Cosmo Acta*. 72: 1365-1380. <http://dx.doi.org/10.1016/j.gca.2007.12.018>.
- Cwiertny, DM; Roberts, AL. (2005). On the nonlinear relationship between k(obs) and reductant mass loading in iron batch systems. *Environ Sci Technol*. 39: 8948-8957. <http://dx.doi.org/10.1021/es050472j>.
- Cyriac, J; Pradeep, T. (2007). Probing difference in diffusivity of chloromethanes through water ice in the temperature range of 110-150 K. *J Phys Chem C*. 111: 8557-8565. <http://dx.doi.org/10.1021/jp068435h>.
- Cyriac, J; Pradeep, T. (2008). Interaction of carboxylic acids and water ice probed by argon ion induced chemical sputtering. *J Phys Chem C*. 112: 1604-1611. <http://dx.doi.org/10.1021/jp0756505>.
- da Silva Augusto, LG; Lieber, S. R.; Ruiz, MA; de Souza, CA. (1997). Micronucleus monitoring to assess human occupational exposure to organochlorides. *Environ Mol Mutagen*. 29: 46-52. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1997\)29:1<46::AID-EM6>3.0.CO;2-B](http://dx.doi.org/10.1002/(SICI)1098-2280(1997)29:1<46::AID-EM6>3.0.CO;2-B).
- da Silva, G; Bozzelli, JW. (2007). Theoretical study of the oxidation catalyst N-hydroxyphthalimide (NHPI): Thermochemical properties, internal rotor potential, and gas- and liquid-phase bond dissociation energies. *J Phys Chem C*. 111: 5760-5765. <http://dx.doi.org/10.1021/jp068727i>.
- Da Silva, MLB; Johnson, RL; Alvarez, PJJ. (2007). Microbial characterization of groundwater undergoing treatment with a permeable reactive iron barrier. *Environ Eng Sci*. 24: 1122-1127. <http://dx.doi.org/10.1089/ees.2007.0016>.
- da Silva, MLP; Demarquette, NR; Tan, IH. (2003). Use of HMDS/hexane double layers for obtaining low cost selective membrane. *Cellulose*. 10: 171-178.
- Daft, JL. (1991). Fumigants and related chemicals in foods: review of residue findings, contamination sources, and analytical methods [Review]. *Sci Total Environ*. 100 Spec No: 501-518.
- Dagade, D; Pawar, R; Patil, K. (2004). Viscosity behavior of 18-crown-6 in aqueous and carbon tetrachloride solutions at different temperatures and at ambient pressure. *Journal of Chemical and Engineering Data*. 49: 341-346. <http://dx.doi.org/10.1021/jc034188o>.
- Dagostino, R; Capezuto, P; Cramarossa, F; Fracassi, F. (1989). PLASMA-ASSISTED ETCHING OF ALUMINUM IN CCL₄-CL₂ MIXTURES. *Plasma Chemistry and Plasma Processing*. 9: 513-525.
- Dai, HX; Ng, CF; Au, CT. (2001). SrCl₂-Promoted REO_x (RE = Ce, Pr, Tb) catalysts for the selective oxidation of ethane: A study on performance and defect structures for ethene formation. *J Catal*. 199: 177-192. <http://dx.doi.org/10.1006/jcat.2001.3161>.
- Dalu, A; Rao, PS; Mehendale, HM. (1998). Colchicine antimitosis abolishes resiliency of postnatally developing rats to chlordecone-amplified carbon tetrachloride hepatotoxicity and lethality. *Environ Health Perspect*. 106: 597-606.
- Daly, KA; Liu, S; Agrawal, V; Brown, BN; Johnson, SA; Medberry, CJ; Badylak, SF. (2012). Damage associated molecular patterns within xenogenic biologic scaffolds and their effects on host remodeling. *Biomaterials*. 33: 91-101. <http://dx.doi.org/10.1016/j.biomaterials.2011.09.040>.
- Dani, C; Bonatto, D; Salvador, M; Pereira, MD; Henriques, JA; Eleutherio, E. (2008). Antioxidant protection of resveratrol and catechin in *Saccharomyces cerevisiae*. *J Agric Food Chem*. 56: 4268-4272. <http://dx.doi.org/10.1021/jf800752s>.
- Daniel, C; Longo, S; Fasano, G; Vitillo, JG; Guerra, G. (2011). Nanoporous Crystalline Phases of Poly(2,6-Dimethyl-1,4-phenylene)oxide. *Chem Mater*. 23: 3195-3200. <http://dx.doi.org/10.1021/cm200546r>.
- Daniel, C; Vitillo, JG; Fasano, G; Guerra, G. (2011). Aerogels and Polymorphism of Isotactic Poly(4-methyl-pentene-1). *ACS Applied Materials & Interfaces*. 3: 969-977. <http://dx.doi.org/10.1021/am200107w>.
- Daniel, JS; Solomon, S; Albritton, DL. (1995). On the evaluation of halocarbon radiative forcing and global warming potentials. *J Geophys Res*. 100: 1271-1285. <http://dx.doi.org/10.1029/94JD02516>.
- Danielsen, KM; Gland, JL; Hayes, KF. (2005). Influence of amine buffers on carbon tetrachloride reductive dechlorination by the iron oxide magnetite. *Environ Sci Technol*. 39: 756-763. <http://dx.doi.org/10.1021/es049635e>.
- Danielsen, KM; Hayes, KF. (2004). pH dependence of carbon tetrachloride reductive dechlorination by magnetite. *Environ Sci Technol*. 38: 4745-4752. <http://dx.doi.org/10.1021/es0496874>.
- Danish, M; Gu, X; Lu, S; Zhang, X; Fu, X; Xue, Y; Miao, Z; Ahmad, A; Naqvi, M; Qureshi, AS. (2016). The Effect of Chelating Agents on Enhancement of 1,1,1-Trichloroethane and Trichloroethylene Degradation by Z-nZVI-Catalyzed Percarbonate Process. *Water Air Soil Pollut*. 227. <http://dx.doi.org/10.1007/s11270-016-3005-x>.

Fate Literature Search Results

Off Topic

- Darby, JA. (2008). A kinetic model of fumigant sorption by grain using batch experimental data. *Pest Manag Sci.* 64: 519-526. <http://dx.doi.org/10.1002/ps.1534>.
- Darlington, R; Lehmicke, L; Andrachek, RG; Freedman, DL. (2013). Anaerobic abiotic transformations of cis-1,2-dichloroethene in fractured sandstone. *Chemosphere.* 90: 2226-2232. <http://dx.doi.org/10.1016/j.chemosphere.2012.09.084>.
- Dartnell, NJ; Flowers, MC; Greef, R; Zhu, J; Blackburn, A. (1995). REACTIVE ION ETCHING OF SILICON-CARBIDE (SiC_{1-X}). *Vacuum.* 46: 349-355.
- Das, JK; Dash, SK; Chakravorty, V; Swain, BB. (1994). DIELECTRIC STUDIES ON BINARY-MIXTURES OF METHYL ISOBUTYL KETONE (MIBK) IN NONPOLAR-SOLVENTS. *Indian J Chem Tech.* 1: 230-232.
- Das, S; Banthia, AK; Adhikari, B. (2006). Removal of chlorinated volatile organic contaminants from water by pervaporation using a novel polyurethane urea-poly (methyl methacrylate) interpenetrating network membrane. *Chem Eng Sci.* 61: 6454-6467. <http://dx.doi.org/10.1016/j.ces.2006.06.014>.
- Dasireddy, VDB, C; Singh, S; Friedrich, HB. (2012). Oxidative dehydrogenation of n-octane using vanadium pentoxide-supported hydroxyapatite catalysts. *Appl Catal A-Gen.* 421: 58-69. <http://dx.doi.org/10.1016/j.apcata.2012.01.034>.
- Datskou, I; North, K. (1996). Risks due to groundwater contamination at a plutonium processing facility. *Water Air Soil Pollut.* 90: 1-2.
- Daubert, TE; Danner, RP. (1995). Physical and thermodynamic properties of pure chemicals: Data compilation. Washington DC: Taylor and Francis.
- David, A; Frantik, E; Holusa, R; Novakova, O. (1981). Role of time and concentration on carbon tetrachloride toxicity in rats. *Int Arch Occup Environ Health.* 48: 49-60. <http://dx.doi.org/10.1007/BF00405931>.
- Davidson, BR; Hart, L; Newman, RC; Joyce, TB; Bullough, TJ; Button, CC. (1996). Carbon delta-doping GaAs superlattices. *Journal of Materials Science: Materials in Electronics.* 7: 355-360.
- Davis, A; Fennemore, GG; Peck, C; Walker, CR; McIlwraith, J; Thomas, S. (2003). Degradation of carbon tetrachloride in a reducing groundwater environment: implications for natural attenuation. *Appl Geochem.* 18: 503-525.
- Davis, JW; Madsen, SS. (1991). THE BIODEGRADATION OF METHYLENE-CHLORIDE IN SOILS. *Environ Toxicol Chem.* 10: 463-474.
- Davis, M. (1992). Dichloroacetic acid and trichloroacetic acid increase chloroform toxicity. *J Toxicol Environ Health.* 37: 139-148. <http://dx.doi.org/10.1080/15287399209531661>.
- Davydov, V; Sheppard, N; Osawa, E. (2002). An Infrared Spectroscopic Study of the Hydrogenation and Dehydrogenation of the Complexes of Aromatic Compounds and of Fullerene C with Silica-Supported Platinum. *J Catal.* 211: 42-52. <http://dx.doi.org/10.1006/jcat.2002.3694>.
- Davydova, El; Ladugin, MA; Marmalyuk, AA; Padalitsa, AA; Petrovskii, AV; Sukharev, AV; Uspenskii, MB; Shishkin, VA. (2009). High-power single-mode laser diodes based on carbon-doped quantum-well InGaAs/AlGaAs heterostructures. *Quantum Electronics.* 39: 18-20. <http://dx.doi.org/10.1070/QE2009v039n01ABEH013933>.
- Dawes, VJ; Waldock, MJ. (1994). Measurement of Volatile Organic Compounds at UK National Monitoring Plan Stations. *Mar Pollut Bull.* 28: 291-298.
- Dawson, HE; Mcalary, T. (2009). A compilation of statistics for VOCs from post-1990 indoor air concentration studies in North American residences unaffected by subsurface vapor intrusion. *Ground Water Monitoring and Remediation.* 29: 60-69. <http://dx.doi.org/10.1111/j.1745-6592.2008.01215.x>.
- de Blas, M; Navazo, M; Alonso, L; Durana, N; Gomez, MC; Iza, J. (2012). Simultaneous indoor and outdoor on-line hourly monitoring of atmospheric volatile organic compounds in an urban building. The role of inside and outside sources. *Sci Total Environ.* 426: 327-335. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.003>.
- de Blas, M; Navazo, M; Alonso, L; Durana, N; Iza, J, on. (2013). Trichloroethylene, tetrachloroethylene and carbon tetrachloride in an urban atmosphere: mixing ratios and temporal patterns. *Int J Environ Anal Chem.* 93: 228-244. <http://dx.doi.org/10.1080/03067319.2011.629346>.
- de Blas, M; Uria-Tellaetxe, I; Carmen Gomez, M; Navazo, M; Alonso, L; Antonio Garcia, J; Durana, N; Iza, J, on; Derley Ramon, J. (2016). Atmospheric carbon tetrachloride in rural background and industry surrounded urban areas in Northern Iberian Peninsula: Mixing ratios, trends, and potential sources. *Sci Total Environ.* 562: 26-34. <http://dx.doi.org/10.1016/j.scitotenv.2016.03.177>.
- de Cominges, BE; Pineiro, MM; Mascato, E; Iglesias, TP; Legido, JL. (2000). Temperature dependence of the thermophysical properties of binary mixtures of n-hexane+1-butanol. *High Temperatures - High Pressures.* 32: 653-661.
- De Flora, S; Znacchi, P; Camoirano, A; Bennicelli, C; Badolati, GS. (1984). Genotoxic activity and potency of 135 compounds in the Ames reversion test and in a bacterial DNA-repair test [Review]. *Mutat Res.* 133: 161-198. [http://dx.doi.org/10.1016/0165-1110\(84\)90016-2](http://dx.doi.org/10.1016/0165-1110(84)90016-2).
- De, G; Kundu, D; Karmakar, B; Ganguli, D. (1993). FTIR STUDIES OF GEL TO GLASS CONVERSION IN TEOS FUMED SILICA-DERIVED GELS. *Journal of Non-Crystalline Solids.* 155: 253-258.
- De, G; Kundu, D; Karmakar, B; Ganguli, D. (1993). HYDROXYL-FREE CLEAR SILICA GLASS BY SOL-GEL PROCESSING. *Mater Lett.* 16: 231-235.
- De Pascali, G; Melisi, D; Valentini, M; Valentini, A; Nitti, MA; Nasi, R; Casamassima, G; Ambrico, PF; Cardone, A. (2014). Spray deposited carbon nanotubes for organic vapor sensors. *Microelectronics Journal.* 45: 1691-1694. <http://dx.doi.org/10.1016/j.mejo.2014.09.007>.
- de Pedro, ZM; Gomez-Sainero, LM; Gonzalez-Serrano, E; Rodriguez, JJ. (2006). Gas-phase hydrodechlorination of dichloromethane at low concentrations with palladium/carbon catalysts. *Ind Eng Chem Res.* 45: 7760-7766. <http://dx.doi.org/10.1021/ie060621m>.
- de Richter, RK; Ming, T; Caillol, S; Liu, W, ei. (2016). Fighting global warming by GHG removal: Destroying CFCs and HCFCs in solar-wind power plant hybrids producing renewable energy with no-intermittency. *Int J Greenhouse Gas Control.* 49: 449-472. <http://dx.doi.org/10.1016/j.ijggc.2016.02.027>.
- de Rivas, B; Lopez-Fonseca, R; Gutierrez-Ortiz, MA; Gutierrez-Ortiz, JI. (2011). Impact of induced chlorine-poisoning on the catalytic behaviour of Ce_{0.5}Zr_{0.5}O₂ and Ce_{0.15}Zr_{0.85}O₂ in the gas-phase oxidation of chlorinated VOCs. *Appl Catal B-Environ.* 104: 373-381. <http://dx.doi.org/10.1016/j.apcatb.2011.03.003>.

Fate Literature Search Results

Off Topic

- de Souza, AGF; Bentes, AMP; Rodrigues, ACC; Borges, LEP; Monteiro, JLF. (2005). Hydrodechlorination of carbon tetrachloride over PtNaX zeolite: Deactivation studies. *Catalysis Today*. 107-08: 493-499. <http://dx.doi.org/10.1016/j.cattod.2005.07.062>.
- De Stefanis, A; Perez, G; Tomlinson, AAG. (2006). PLS versus zeolites as sorbents and catalysts - Part 9. An unexpected reaction of Al-PILC sorbed CCl₄ with benzene. *Catalysis Today*. 114: 314-318. <http://dx.doi.org/10.1016/j.cattod.2006.02.023>.
- de Vera, MP; Pocsidio, GN. (1998). Potential protective effect of calcium carbonate as liming agent against copper toxicity in the African tilapia *Oreochromis mossambicus*. *Sci Total Environ*. 214: 193-202. [http://dx.doi.org/10.1016/S0048-9697\(98\)00065-5](http://dx.doi.org/10.1016/S0048-9697(98)00065-5).
- Debarre, D; Aliouchouche, A; Boulmer, J; Bourguignon, B; Budin, JP. (1996). The role of gas-phase in the laser etching of Cu by CCl₄. *Appl Surf Sci*. 96-8: 453-456.
- Debarros, RCM; Corat, EJ; Travaaiboldi, VJ; Ferreira, NG; Leite, NF; Iha, K. (1997). Mass spectrometry and diamond growth from CCl₄/H₂ gas mixtures. *Diam Relat Mater*. 6: 490-493.
- Decker, S; Lagadic, I; Klabunde, KJ; Moscovici, J; Michalowicz, A. (1998). EXAFS observation of the Sr and Fe site structural environment in SrO and Fe₂O₃-coated SrO nanoparticles used as carbon tetrachloride destructive adsorbents. *Chem Mater*. 10: 674-678.
- Decker, SP; Klabunde, JS; Khaleel, A; Klabunde, KJ. (2002). Catalyzed destructive adsorption of environmental toxins with nanocrystalline metal oxides. Fluoro-, chloro-, bromocarbons, sulfur, and organophosphorus compounds. *Environ Sci Technol*. 36: 762-768. <http://dx.doi.org/10.1021/es010733z>.
- Dedrick, RL; Bischoff, KB. (1980). Species similarities in pharmacokinetics. *FASEB J*. 39: 54-59.
- Deer, HM; Mcjilton, CE; Harein, PK. (1987). Respiratory Exposure of Grain Inspection Workers to Carbon Tetrachloride Fumigant. *Am Ind Hyg Assoc J*. 48: 586-593.
- Defelice, TP. (1999). Chemical composition of fresh snowfalls at Palmer Station, Antarctica. *Atmos Environ*. 33: 155-161.
- Dehoff, KJ; Oostrom, M; Zhang, C; Grate, JW. (2012). Evaluation of Two-Phase Relative Permeability and Capillary Pressure Relations for Unstable Displacements in a Pore Network. *Vadose Zone Journal*. 11. <http://dx.doi.org/10.2136/vzj2012.0024>.
- Dei, L; Lonostro, P; Capuzzi, G; Baglioni, P. (1998). Langmuir films of p-tert-butylcalix[8]arene. Conformations at the water-air interface and complexation of fullerene C-60. *Langmuir*. 14: 4143-4147.
- Deipser, A; Stegmann, R. (1997). Biological degradation of VCCs and CFCs under simulated anaerobic landfill conditions in laboratory test digesters. *Environ Sci Pollut Res Int*. 4: 209-216. <http://dx.doi.org/10.1007/BF02986348>.
- Deitsch, JJ; Smith, JA; Arnold, MB; Bolus, J. (1998). Sorption and desorption rates of carbon tetrachloride and 1,2-dichlorobenzene to three organobentonites and a natural peat soil. *Environ Sci Technol*. 32: 3169-3177.
- Delafuente, IG; Gonzalez, JA; Cobos, JC; Casanova, C. (1992). EXCESS MOLAR VOLUMES FOR DIMETHYL CARBONATE PLUS HEPTANE, DECANE, 2,2,4-TRIMETHYLPENTANE, CYCLOHEXANE, BENZENE, TOLUENE, OR TETRACHLOROMETHANE. *Journal of Chemical and Engineering Data*. 37: 535-537.
- Delannoy, L; Giraudon, JM; Granger, P; Leclercq, L; Leclercq, G. (2002). Hydrodechlorination of CCl₄ over group VI transition metal carbides. *Appl Catal B-Environ*. 37: 161-173.
- Delitala, C; Marongiu, B; Porcedda, S. (1998). Steric and inductive effects in binary mixtures of alkanones with benzene or tetrachloromethane. Comparison with DISQUAC predictions. *Fluid Phase Equilibria*. 142: 1-14.
- Delogu, F; Arca, E; Mulas, G. (2008). Growth of Ag nanometre-sized particles in solution: molecular dynamics simulations. *Nanotechnology*. 19: 295703. <http://dx.doi.org/10.1088/0957-4484/19/29/295703>.
- Delorey, DC; Cronn, DR; Farmer, JC. (1988). TROPOSPHERIC LATITUDINAL DISTRIBUTIONS OF CF₂CL₂, CFCL₃, N₂O, CH₃CCl₃ AND CCL₄ OVER THE REMOTE PACIFIC-OCEAN. *Atmos Environ*. 22: 1481-1494.
- Delp, MD; Manning, RO; Bruckner, JV; Armstrong, RB. (1991). Distribution of cardiac output during diurnal changes of activity in rats. *Am J Physiol*. 261: H1487-H1493.
- Delpech, MC; Oliveira, CMF. (2005). Viscometric study of poly(methyl methacrylate-g-propylene oxide) and respective homopolymers. *Polym Test*. 24: 381-386. <http://dx.doi.org/10.1016/j.polymertesting.2004.09.012>.
- Delyon, TJ; Buchan, NI; Kirchner, PD; Woodall, JM; Mcinturff, DT; Scilla, GJ; Cardone, F. (1991). USE OF CCL₄ AND CHCl₃ IN GAS SOURCE MOLECULAR-BEAM EPITAXY FOR CARBON DOPING OF GAAS AND GAXIN1-XP. *J Cryst Growth*. 111: 564-569.
- Delyon, TJ; Woodall, JM; Kash, JA; Mcinturff, DT; Bates, RJS; Kirchner, PD; Cardone, F. (1992). MINORITY-CARRIER LIFETIME AND PHOTOLUMINESCENT RESPONSE OF HEAVILY CARBON-DOPED GAAS GROWN WITH GAS SOURCE MOLECULAR-BEAM EPITAXY USING HALOMETHANE DOPING SOURCES. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures*. 10: 846-849.
- Demarini, DM; Williams, RW; Perry, E; Lemieux, PM; Linak, WP. (1992). BIOASSAY-DIRECTED CHEMICAL-ANALYSIS OF ORGANIC EXTRACTS OF EMISSIONS FROM A LABORATORY-SCALE INCINERATOR - COMBUSTION OF SURROGATE COMPOUNDS. *Combust Sci Tech*. 85: 437-453.
- Demeestere, K; Dewulf, J; Ohno, T; Salgado, PH; Van Langenhove, H. (2005). Visible light mediated photocatalytic degradation of gaseous trichloroethylene and dimethyl sulfide on modified titanium dioxide. *Appl Catal B-Environ*. 61: 140-149. <http://dx.doi.org/10.1016/j.apcatb.2005.04.017>.
- Dement'ev, AS; Diomin, I; Murauskas, E; Slavinskis, N. (2011). Compression of pulses during their amplification in the field of a focused counterpropagating pump pulse of the same frequency and width in media with electrostriction nonlinearity. *Quantum Electronics*. 41: 153-159. <http://dx.doi.org/10.1070/QE2011v041n02ABEH014496>.
- Demirel, Y; Sandler, SI. (2002). Effects of concentration and temperature on the coupled heat and mass transport in liquid mixtures. *Int J Heat Mass Tran*. 45: 75-86.
- Denelzen, MGJ; Swart, RJ; Rotmans, J. (1992). STRENGTHENING THE MONTREAL PROTOCOL - DOES IT COOL DOWN THE GREENHOUSE. *Sci Total Environ*. 113: 229-250.

Fate Literature Search Results

Off Topic

- Deng, D; Pan, X; Yu, L; Cui, Y; Jiang, Y; Qi, J; Li, WX; Fu, Q; Ma, X; Xue, Q; Sun, G; Bao, X. (2011). Toward N-Doped Graphene via Solvothermal Synthesis. *Chem Mater*. 23: 1188-1193. <http://dx.doi.org/10.1021/cm102666r>.
- Deng, J; Yang, Y; He, Y; Ouyang, G; Huang, Z. (2006). Densities and surface tensions of trimethylbenzene + dimethyl carbonate or + diethyl carbonate at 298.15 k and 313.15 k. *Journal of Chemical and Engineering Data*. 51: 1464. <http://dx.doi.org/10.1021/je060137q>.
- Deng, JF; Shih, TS; Wang, JD; Chung, SM. (1987). AN OUTBREAK OF CARBON-TETRACHLORIDE POISONING RELATED TO THE USE OF THE AIR-CONDITIONING SYSTEM IN A PRINTING FACTORY. *Scand J Work Environ Health*. 13: 186-186.
- Deng, JF; Wang, JD; Shih, TS; Lan, FL. (1987). Outbreak of carbon tetrachloride poisoning in a color printing factory related to the use of isopropyl alcohol and an air conditioning system in Taiwan. *Am J Ind Med*. 12: 11-19.
- Deng, JH; Yang, YY; Wang, PZ; Ouyang, GF; Huang, ZQ. (2006). Excess molar volumes and surface tensions of trimethylbenzene plus ethylene glycol ester at 298.15 K and 313.15 K. *Journal of Chemical and Engineering Data*. 51: 725-729. <http://dx.doi.org/10.1021/je050484k>.
- Deng, QF; Liu, L, ei; Lin, X, iuz; Du, G; Liu, Y; Yuan, ZY. (2012). Synthesis and CO₂ capture properties of mesoporous carbon nitride materials. *Chem Eng J*. 203: 63-70. <http://dx.doi.org/10.1016/j.cej.2012.06.124>.
- Denkbas, EB; Kaitian, X; Tuncel, A; Piskin, E. (1995). RIFAMPICIN-CARRYING POLY(D,L-LACTIDE) MICROSPHERES - LOADING AND RELEASE. *J Biomater Sci Polym Ed*. 6: 815-825.
- Denli, M; Okan, F; Uluocak, AN. (2004). Effect of dietary supplementation of herb essential oils on the growth performance, carcass and intestinal characteristics of quail (*Coturnix coturnix japonica*). *South African Journal of Animal Science*. 34: 174-179.
- Dentel, SK; Jamrah, AI; Sparks, DL. (1998). Sorption and cosorption of 1,2,4-trichlorobenzene and tannic acid by organo-clays. *Water Res*. 32: 3689-3697.
- Derakhshesh, M; Abedi, J; Hassanzadeh, H. (2010). Mechanism of methanol decomposition by non-thermal plasma. *Journal of Electrostatics*. 68: 424-428. <http://dx.doi.org/10.1016/j.elstat.2010.06.004>.
- Derecskei, B; Derecskei-Kovacs, A; Schelly, ZA. (1999). Atomic-level molecular modeling of AOT reverse micelles. 1. The AOT molecule in water and carbon tetrachloride. *Langmuir*. 15: 1981-1992.
- Dernini, S; Polcaro, AM; Ricci, PF; Marongiu, B. (1989). THERMODYNAMIC PROPERTIES OF BINARY-MIXTURES CONTAINING CYCLOALKANONES .3. EXCESS VOLUMES OF CYCLOALKANONES + CYCLOHEXANE, +BENZENE, AND + TETRACHLOROMETHANE. *Journal of Chemical and Engineering Data*. 34: 165-167.
- Derwent, RG; Simmonds, PG; O'Doherty, S; Ryall, DB. (1998). The impact of the Montreal Protocol on halocarbon concentrations in northern hemisphere baseline and European air masses at Mace Head, Ireland over a ten year period from 1987-1996. *Atmos Environ*. 32: 3689-3702. [http://dx.doi.org/10.1016/S1352-2310\(98\)00092-2](http://dx.doi.org/10.1016/S1352-2310(98)00092-2).
- Desaiah, D; Pentyala, SN; Trotman, CH; Vig, PJ; Sekhon, BS. (1991). Combined effects of carbon tetrachloride and chlordecone on calmodulin activity in gerbil brain. *J Toxicol Environ Health*. 34: 219-228. <http://dx.doi.org/10.1080/15287399109531561>.
- Devi, P; Lozovoy, VV; Dantus, M. (2011). Measurement of group velocity dispersion of solvents using 2-cycle femtosecond pulses: Experiment and theory. 1: 032166. <http://dx.doi.org/10.1063/1.3646462>.
- Devlin, JF; Allin, KO. (2005). Major anion effects on the kinetics and reactivity of granular iron in glass-encased magnet batch reactor experiments. *Environ Sci Technol*. 39: 1868-1874. <http://dx.doi.org/10.1021/es040413q>.
- Devlin, JF; Katic, D; Barker, JF. (2004). In situ sequenced bioremediation of mixed contaminants in groundwater. *J Contam Hydrol*. 69: 233-261. [http://dx.doi.org/10.1016/S0169-7722\(03\)00156-6](http://dx.doi.org/10.1016/S0169-7722(03)00156-6).
- Devlin, JF; McMaster, M; Barker, JF. (2002). Hydrogeologic assessment of in situ natural attenuation in a controlled field experiment. *Water Resour Res*. 38: 1002-1002. <http://dx.doi.org/10.1029/2000WR000148>.
- Dewulf, J; Van Langenhove, H. (1997). Chlorinated C1- and C2-hydrocarbons and monocyclic aromatic hydrocarbons in marine waters: An overview on fate processes, sampling, analysis and measurements. *Water Res*. 31: 1825-1838. [http://dx.doi.org/10.1016/S0043-1354\(97\)00017-1](http://dx.doi.org/10.1016/S0043-1354(97)00017-1).
- Dey, P; Basu, S. (2011). Synergistic Extraction of Copper from Nitrate Solutions Using beta-Hydroxy-Naphthaldoxime and Organophosphorus Compounds into Carbon-Tetrachloride. *Metallurgical and Materials Transactions B - Process Metallurgy and Materials Processing Science*. 42: 1136-1143. <http://dx.doi.org/10.1007/s11663-011-9552-z>.
- Dharmalingam, K; Ramachandran, K; Sivagurunathan, P; Kalamse, GM. (2007). Molecular associations in alcohol-methyl methacrylate mixtures. *Journal of Chemical and Engineering Data*. 52: 265-269. <http://dx.doi.org/10.1021/je060379q>.
- Díaz Gómez, MI; Fanelli, SL; Delgado de Layño, AM; Bietto, FM; Castro, JA; Castro, GD. (2008). Deleterious effects induced by oxidative stress in liver nuclei from rats receiving an alcohol-containing liquid diet. *Toxicol Ind Health*. 24: 625-634. <http://dx.doi.org/10.1177/0748233708101207>.
- Díaz Gómez, MI; Fanelli, SL; Delgado de Layño, AM; Castro, JA; Castro, GD. (2006). Liver nuclear and microsomal CYP2E1-mediated metabolism of xenobiotics in rats chronically drinking an alcohol-containing liquid diet. *Toxicol Ind Health*. 22: 367-374. <http://dx.doi.org/10.1177/0748233706070982>.
- Dickson, JM; Childs, RF; Mccarry, BE; Gagnon, DR. (1998). Development of a coating technique for the internal structure of polypropylene microfiltration membranes. *J Memb Sci*. 148: 25-36.
- Din, KS; Hwang, RY. (1991). OPTIMIZATION OF SURFACE CONDITION DURING REACTIVE ION ETCHING OF GAAS AND ALXGA1-XAS. *Mater Sci Eng B*. 9: 57-60.
- Dinda, S; Patwardhan, AV; Panda, SR; Pradhan, NC. (2008). Kinetics of reactive absorption of carbon dioxide with solutions of aniline in carbon tetrachloride and chloroform. *Chem Eng J*. 136: 349-357. <http://dx.doi.org/10.1016/j.cej.2007.04.037>.
- Ding, D; Benson, DA. (2015). Simulating biodegradation under mixing-limited conditions using Michaelis-Menten (Monod) kinetic expressions in a particle tracking model. *Advances in Water Resources*. 76: 109-119.

Fate Literature Search Results

Off Topic

- Dixit, S; Hering, JG. (2006). Sorption of Fe(II) and As(III) on goethite in single- and dual-sorbate systems. *Chem Geol.* 228: 6-15. <http://dx.doi.org/10.1016/j.chemgeo.2005.11.15>.
- Djouani, F; Chehimi, MM; Benzarti, K. (2013). Interactions of fully formulated epoxy with model cement hydrates. *J Adhes Sci Tech.* 27: 469-489. <http://dx.doi.org/10.1080/01694243.2012.687548>.
- Dmitruk, LN; Batygov, SK, h; Moiseeva, LV; Petrova, OB; Brekhovskikh, MN; Fedorov, VA. (2007). Preparation and properties of heavy-metal halide glasses. *Inorg Mater.* 43: 793-796. <http://dx.doi.org/10.1134/S0020168507070217>.
- Do, DD; Do, HD. (2002). Effects of adsorbate-adsorbate interaction in the description of adsorption isotherm of hydrocarbons in micro-mesoporous carbonaceous materials. *Appl Surf Sci.* 196: 13-29.
- Do, DD; Do, HD. (2004). Adsorption of ethylene on graphitized thermal carbon black and in slit pores: a computer simulation study. *Langmuir.* 20: 7103-7116. <http://dx.doi.org/10.1021/la0495682>.
- Do, S, iH; Batchelor, B. (2012). Reductive dechlorination of chlorinated hydrocarbons as non-aqueous phase liquid (NAPL): Preliminary investigation on effects of cement doses. *Sci Total Environ.* 430: 82-87. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.070>.
- Do, S, iH; Kwon, YJ, ae; Bang, S, uJin; Kong, SH, o. (2013). Persulfate reactivity enhanced by Fe₂O₃-MnO and CaO-Fe₂O₃-MnO composite: Identification of composite and degradation of CCl₄ at various levels of pH. *Chem Eng J.* 221: 72-80. <http://dx.doi.org/10.1016/j.cej.2013.01.097>.
- Dobrzakov, YG; Balashova, IM; Maurer, G. (2001). The limiting activity coefficient of phenol in water and some organic solvents from differential ebulliometry. *Fluid Phase Equilibria.* 181: 59-70.
- Dodin, EI; Grigoreva, LA; Kharlamov, IP; Filatova, LV. (1977). IMPROVEMENT OF PHOTOSTABILITY OF SOLUTIONS OF COPPER DIETHYLDITHIOCARBAMINATE IN CARBON-TETRACHLORIDE. *Industrial Laboratory.* 43: 1043-1044.
- Dodson, RE; Houseman, EA; Levy, JI; Spengler, JD; Shine, JP; Bennett, DH. (2007). Measured and modeled personal exposures to and risks from volatile organic compounds. *Environ Sci Technol.* 41: 8498-8505. <http://dx.doi.org/10.1021/es071127s>.
- Doherty, RE. (2000). A history of the production and use of carbon tetrachloride, tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane in the United States: Part 1—historical background; carbon tetrachloride and tetrachloroethylene. *Environ Forensics.* 1: 69-81. <http://dx.doi.org/10.1006/enfo.2000.0010>.
- Doherty, RE. (2000). A history of the production and use of carbon tetrachloride, tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane in the United States: Part 2 - Trichloroethylene and 1,1,1-trichloroethane. *Environ Forensics.* 1: 83-93. <http://dx.doi.org/10.1006/enfo.2000.0011>.
- Doherty, RE. (2012). The Manufacture, Use, and Supply of Chlorinated Solvents in the United States During World War II. *Environ Forensics.* 13: 7-26. <http://dx.doi.org/10.1080/15275922.2011.643341>.
- Doi, K; Kurabe, S; Shimazu, N; Inagaki, M. (1991). SYSTEMIC HISTOPATHOLOGY OF RATS WITH CCL₄-INDUCED HEPATIC CIRRHOSIS. *Lab Anim.* 25: 21-25.
- Dolfing, J, an; Van Eekert, M; Seech, A; Vogan, J; Mueller, J, im. (2007). In situ chemical reduction (ISCR) technologies: Significance of low eh reactions. *Soil Sediment Contam.* 17: 63-74. <http://dx.doi.org/10.1080/15320380701741438>.
- Domanska, U; Gonzalez, JA. (1996). Solid-liquid equilibria for systems containing long-chain 1-alkanols .1. Experimental data for 1-dodecanol, 1-tetradecanol, 1-hexadecanol, 1-octadecanol or 1-icosanol-benzene or -toluene mixtures. Characterization in terms of DISQUAC. *Fluid Phase Equilibria.* 119: 131-151.
- Domanska, U; Gonzalez, JA. (1996). Solid-liquid equilibria for systems containing long-chain 1-alkanols .2. Experimental data for 1-dodecanol, 1-tetradecanol, 1-hexadecanol, 1-octadecanol or 1-eicosanol plus CCl₄ or plus cyclohexane mixtures. Characterization in terms of DISQUAC. *Fluid Phase Equilibria.* 123: 167-187.
- Domanska, U; Klofutar, C; Paljk, S. (1994). SOLUBILITY OF CHOLESTEROL IN SELECTED ORGANIC-SOLVENTS. *Fluid Phase Equilibria.* 97: 191-200.
- Domanska, U; Sporzynski, A; Moollan, WC; Letcher, TM. (1996). Vapor-liquid equilibria of binary mixtures containing sulfolane. *Journal of Chemical and Engineering Data.* 41: 624-628.
- Domanska, U; Szurgocinska, M; Gonzalez, JA. (2002). Thermodynamics of binary mixtures containing organic carbonates. 12. SLE and LLE measurements for systems of dimethyl carbonate with long n-alkanes. Comparison with DISQUAC and modified UNIFAC predictions. *Ind Eng Chem Res.* 41: 3253-3259. <http://dx.doi.org/10.1021/ie010662c>.
- Dominguez, CM; Parchao, J; Rodriguez, S; Lorenzo, D; Romero, A; Santos, A. (2016). Kinetics of Lindane Dechlorination by Zerovalent Iron Microparticles: Effect of Different Salts and Stability Study. *Ind Eng Chem Res.* 55: 12776-12785. <http://dx.doi.org/10.1021/acs.iecr.6b03434>.
- Doolittle, DJ; Muller, G; Scribner, HE. (1987). Relationship between hepatotoxicity and induction of replicative DNA synthesis following single or multiple doses of carbon tetrachloride. *J Toxicol Environ Health.* 22: 63-78. <http://dx.doi.org/10.1080/15287398709531051>.
- Doong, R; Wu, S. (1995). SUBSTRATE EFFECTS ON THE ENHANCED BIOTRANSFORMATION OF POLYCHLORINATED HYDROCARBONS UNDER ANAEROBIC CONDITION. *Chemosphere.* 30: 1499-1511.
- Doong, RA; Chang, SM. (2000). Relationship between electron donor and microorganism on the dechlorination of carbon tetrachloride by an anaerobic enrichment culture. *Chemosphere.* 40: 1427-1433.
- Doong, RA; Chen, KT; Tsai, HC. (2003). Reductive dechlorination of carbon tetrachloride and tetrachloroethylene by zerovalent silicon-iron reductants. *Environ Sci Technol.* 37: 2575-2581. <http://dx.doi.org/10.1021/es020978r>.
- Doong, RA; Chiang, HC. (2005). Transformation of carbon tetrachloride by thiol reductants in the presence of quinone compounds. *Environ Sci Technol.* 39: 7460-7468. <http://dx.doi.org/10.1021/es047956k>.
- Doong, RA; Hsieh, TC; Huang, CP. (2010). Photoassisted reduction of metal ions and organic dye by titanium dioxide nanoparticles in aqueous solution under anoxic conditions. *Sci Total Environ.* 408: 3334-3341. <http://dx.doi.org/10.1016/j.scitotenv.2010.03.032>.

Fate Literature Search Results

Off Topic

- Doong, RA; Lai, YJ. (2005). Dechlorination of tetrachloroethylene by palladized iron in the presence of humic acid. *Water Res.* 39: 2309-2318. <http://dx.doi.org/10.1016/j.watres.2005.04.036>.
- Doong, RA; Lai, YL. (2006). Effect of metal ions and humic acid on the dechlorination of tetrachloroethylene by zerovalent iron. *Chemosphere.* 64: 371-378. <http://dx.doi.org/10.1016/j.chemosphere.2005.12.038>.
- Doong, RA; Lee, CC; Chen, KT; Wu, SF. (2004). Coupled reduction of chlorinated hydrocarbons and heavy metals by zerovalent silicon. *Water Sci Technol.* 50: 89-96.
- Doong, RA; Lee, CC; Lien, CM. (2014). Enhanced dechlorination of carbon tetrachloride by *Geobacter sulfurreducens* in the presence of naturally occurring quinones and ferrihydrite. *Chemosphere.* 97: 54-63. <http://dx.doi.org/10.1016/j.chemosphere.2013.11.004>.
- Doong, RA; Wu, SC. (1992). THE EFFECT OF OXIDATION-REDUCTION POTENTIAL ON THE BIOTRANSFORMATIONS OF CHLORINATED HYDROCARBONS. *Water Sci Technol.* 26: 159-168.
- Doong, RA; Wu, SC. (1992). REDUCTIVE DECHLORINATION OF CHLORINATED HYDROCARBONS IN AQUEOUS-SOLUTIONS CONTAINING FERROUS AND SULFIDE IONS. *Chemosphere.* 24: 1063-1075.
- Doong, RA; Wu, SC. (1995). ENHANCED BIODEGRADATION OF CARBON-TETRACHLORIDE BY THE SUPPLEMENT OF SUBSTRATE AND MINERAL IONS UNDER ANAEROBIC CONDITION. *Water Environ Res.* 67: 276-281.
- Doong, RA; Wu, SC. (1996). Effect of substrate concentration on the biotransformation of carbon tetrachloride and 1,1,1-trichloroethane under anaerobic condition. *Water Res.* 30: 577-586.
- Doong, RA; Wu, SC; Chen, TF. (1996). Anaerobic biotransformation of polychlorinated methane and ethene under various redox conditions. *Chemosphere.* 32: 377-390.
- Doong, RA; Wu, SC; Chen, TF. (1998). Modeling transport and fate of chlorinated hydrocarbons governed by biotic transformation in porous media. *Water Res.* 32: 39-46. [http://dx.doi.org/10.1016/S0043-1354\(97\)00192-9](http://dx.doi.org/10.1016/S0043-1354(97)00192-9).
- Doskey, PV; Aldstadt, JH; Kuo, JM; Costanza, MS. (1996). Evaluation of an in situ, on-line purging system for the cone penetrometer. *J Air Waste Manag Assoc.* 46: 1081-1085.
- Downarowicz, D; Nastaj, J. (2003). Selected problems in removal of chlorinated solvent vapors, particularly carbon tetrachloride, from off-gases. *Przemysł Chemiczny.* 82: 1440-1445.
- DR, L; ed. (2000). CRC handbook of chemistry and physics. 81st Edition. Boca Raton, FL. 3-207.
- Drakon, AV; Eremin, AV; Korobeinichev, OP; Shvartsberg, VM; Shmakov, AG. (2016). Promoting effect of halogen- and phosphorus-containing flame retardants on the autoignition of a methane-oxygen mixture. *Combustion, Explosion, and Shock Waves.* 52: 375-385. <http://dx.doi.org/10.1134/S0010508216040018>.
- Dries, J; Bastiaens, L; Springael, D; Agathos, SN; Diels, L. (2004). Competition for sorption and degradation of chlorinated ethenes in batch zero-valent iron systems. *Environ Sci Technol.* 38: 2879-2884. <http://dx.doi.org/10.1021/es034933h>.
- Dror, I; Baram, D; Berkowitz, B. (2005). Use of nanosized catalysts for transformation of chloro-organic pollutants. *Environ Sci Technol.* 39: 1283-1290. <http://dx.doi.org/10.1021/es0490222>.
- Dror, I; Schlautman, MA. (2003). Role of metalloporphyrin core metals in the mediated reductive dechlorination of tetrachloroethylene. *Environ Toxicol Chem.* 22: 525-533. [http://dx.doi.org/10.1897/1551-5028\(2003\)022<0525:ROMCMI>2.0.CO;2](http://dx.doi.org/10.1897/1551-5028(2003)022<0525:ROMCMI>2.0.CO;2).
- Dror, I; Schlautman, MA. (2004). Cosolvent effect on the catalytic reductive dechlorination of PCE. *Chemosphere.* 57: 1505-1514. <http://dx.doi.org/10.1016/j.chemosphere.2004.08.078>.
- Dror, I; Schlautman, MA. (2004). Metalloporphyrin solubility: A trigger for catalyzing reductive dechlorination of tetrachloroethylene. *Environ Toxicol Chem.* 23: 252-257.
- Drozdz, AV; Klimov, VG; Moiseeva, IV. (1998). Extraction-spectrophotometric determination of anionic surface-active substances (SAS) using rhodamine 6G. *Industrial Laboratory.* 64: 294-296.
- Du, J; Bao, J; Tong, M, an; Yuan, S. (2013). Dechlorination of Pentachlorophenol by Palladium/Iron Nanoparticles Immobilized in a Membrane Synthesized by Sequential and Simultaneous Reduction of Trivalent Iron and Divalent Palladium Ions. *Environ Eng Sci.* 30: 350-356. <http://dx.doi.org/10.1089/ees.2011.0318>.
- Du, Z; Mo, J; Zhang, Y. (2014). Risk assessment of population inhalation exposure to volatile organic compounds and carbonyls in urban China. *Environ Int.* 73: 33-45. <http://dx.doi.org/10.1016/j.envint.2014.06.014>.
- Dubinina, MM; Polyakov, NS; Kataeva, LI. (1991). BASIC PROPERTIES OF EQUATIONS FOR PHYSICAL VAPOR ADSORPTION IN MICROPORES OF CARBON ADSORBENTS ASSUMING A NORMAL MICROPORE DISTRIBUTION. *Carbon.* 29: 481-488.
- Dubois-Clochard, MC; Durand, JP; Delfort, B; Gateau, P; Barre, L; Blanchard, I; Chevalier, Y; Gallo, R. (2001). Adsorption of polyisobutenylsuccinimide derivatives at a solid-hydrocarbon interface. *Langmuir.* 17: 5901-5910. <http://dx.doi.org/10.1021/la010076o>.
- Ducarme, X; Andre, HM; Lebrun, P. (1998). Extracting endogenous microarthropods: A new flotation method using 1,2-dibromoethane. *European Journal of Soil Biology.* 34: 143-150.
- Duce, C; Tine, MR; Lepori, L; Matteoli, E. (2002). VLE and LLE of perfluoroalkane plus alkane mixtures. *Fluid Phase Equilibria.* 199: 197-212.
- Ducourty, B; Szabo, G; Dath, JP; Gilson, JP; Goupil, JM; Cornet, D. (2004). Pt/Al₂O₃-Cl catalysts derived from ethylaluminum dichloride activity and stability in hydroisomerization of C-6 alkanes. *Appl Catal A-Gen.* 269: 203-214. <http://dx.doi.org/10.1016/j.apcata.2004.04.019>.
- Dumanoglu, Y; Kara, M; Altioek, H; Odabasi, M; Elbir, T; Bayram, A. (2014). Spatial and seasonal variation and source apportionment of volatile organic compounds (VOCs) in a heavily industrialized region. *Atmos Environ.* 98: 168-178. <http://dx.doi.org/10.1016/j.atmosenv.2014.08.048>.
- Dumitrascu, I; Dumitrascu, L; Dorohoi, DO. (2012). MAIN REFRACTIVE INDICES OF NEMATIC LIQUID CRYSTALS DETERMINED BY INTERFEROMETRIC METHOD IN CONOSCOPIC ILLUMINATION. *Digest Journal of Nanomaterials and Biostructures.* 7: 23-32.

Fate Literature Search Results

Off Topic

- Dunse, BL; Steele, LP; Wilson, SR; Fraser, PJ; Krummel, PB. (2005). Trace gas emissions from Melbourne, Australia, based on AGAGE observations at Cape Grim, Tasmania, 1995-2000. *Atmos Environ*. 39: 6334-6344. <http://dx.doi.org/10.1016/j.atmosenv.2005.07.014>.
- Dural, NH; Chen, CH; Puri, RK. (1997). Adsorption equilibrium of carbon tetrachloride on dry soils. *Chemical Engineering Communications*. 162: 75-92.
- Durov, VA; Tereshin, OG. (2003). Mixtures of halogenated hydrocarbons-organic solvent: molecular interactions, structure and physicochemical properties. *Fluid Phase Equilibria*. 210: 91-104. [http://dx.doi.org/10.1016/S0378-3812\(03\)00164-X](http://dx.doi.org/10.1016/S0378-3812(03)00164-X).
- Dybas, MJ; Barcelona, M; Bezborodnikov, S; Davies, S; Forney, L; Heuer, H; Kawka, O; Mayotte, T; Sepulveda-Torres, L; Smalla, K; Sneathen, M; Tiedje, J; Voice, T; Wiggert, DC; Witt, ME; Criddle, CS. (1998). Pilot-scale evaluation of bioaugmentation for in-situ remediation of a carbon tetrachloride contaminated aquifer. *Environ Sci Technol*. 32: 3598-3611.
- Dyrkacz, GR; Ruscic, L; Marshall, CL; Reagan, W. (1996). Separation and characterization of FCC catalysts using density gradient separation. *Energy Fuels*. 10: 849-854.
- Easteal, AJ. (1996). Tracer diffusion of water in organic liquids. *Journal of Chemical and Engineering Data*. 41: 741-744.
- Easteal, AJ; Woolf, LA. (1986). VOLUME RATIO MEASUREMENTS FOR TETRACHLOROMETHANE UNDER PRESSURE AT 308, 318, AND 338 K. *Journal of Chemical and Engineering Data*. 31: 265-266.
- Eastmond, DA. (2008). Evaluating genotoxicity data to identify a mode of action and its application in estimating cancer risk at low doses: A case study involving carbon tetrachloride [Review]. *Environ Mol Mutagen*. 49: 132-141. <http://dx.doi.org/10.1002/em.20368>.
- Ebrahimipour, G; Gilavand, F; Karkhane, M; Kavyanifard, AA; Teymouri, M; Marzban, A. (2014). Bioemulsification activity assessment of an indigenous strain of halotolerant *Planococcus* and partial characterization of produced biosurfactants. *Int J Environ Sci Tech*. 11: 1379-1386. <http://dx.doi.org/10.1007/s13762-014-0548-5>.
- Ebralidze, II; Hanif, M; Arjumand, R; Azmi, AA; Dixon, D; Cann, NM; Crudden, CM; Horton, JH. (2012). Solvent Induced Adhesion Interactions between Dichlorotriazine Films. *J Phys Chem C*. 116: 4217-4223. <http://dx.doi.org/10.1021/jp211503x>.
- Eccleston, ME; Slater, NKH; Tighe, BJ. (1999). Synthetic routes to responsive polymers; co-polycondensation of tri-functional amino acids with diacylchlorides. *React Funct Polym*. 42: 147-161.
- Ecenarro, O; Madariaga, JA; Navarro, J; Santamaria, CM; Carrion, JA; Saviron, JM. (1991). DIRECTION OF SEPARATION AND DEPENDENCE OF FEED CONCENTRATION IN LIQUID THERMOGRAVITATIONAL COLUMNS. *Separation Science and Technology*. 26: 1065-1076.
- Echevarria, A; Leiza, JR; de la Cal, JC; Asua, JM. (1998). Molecular-weight distribution control in emulsion polymerization. *AIChE J*. 44: 1667-1679.
- Echeverria, JC; Estella, J; Barberia, V; Musgo, J; Garrido, JJ. (2010). Synthesis and characterization of ultramicroporous silica xerogels. *Journal of Non-Crystalline Solids*. 356: 378-382. <http://dx.doi.org/10.1016/j.jnoncrysol.2009.11.044>.
- Edgren, M; Revesz, L. (1987). Compartmentalized depletion of glutathione in cells treated with buthionine sulphoximine. 60.
- Efremov, VA; Potolokov, VN; Nikolashin, SV; Fedorov, VA. (2002). Chemical equilibria in hydrolysis of germanium tetrachloride and arsenic trichloride. *Inorg Mater*. 38: 847-853.
- Eikeland, E; Spackman, MA; Iversen, B, oB. (2016). Quantifying Host-Guest Interaction Energies in Clathrates of Dianin's Compound. *Cryst Growth Des*. 16: 6858-6866. <http://dx.doi.org/10.1021/acs.cgd.6b00986>.
- Eisenhofer, G; Bornstein, SR; Brouwers, FM; Cheung, NK; Dahia, PL; de Krijger, RR; Giordano, TJ; Greene, LA; Goldstein, DS; Lehnert, H; Manger, WM; Maris, JM; Neumann, HP; Pacak, K; Shulkin, BL; Smith, DI; Tischler, AS; Young, WF, Jr. (2004). Malignant pheochromocytoma: Current status and initiatives for future progress [Review]. *Endocr Relat Cancer*. 11: 423-436.
- El Naggar, E; Chalupová, M; Pražanová, G; Parák, T; Švajdlenka, E; Žemlička, M; Suchý, P. (2015). Hepatoprotective and proapoptotic effect of *Ecballium elaterium* on CCl₄-induced hepatotoxicity in rats. *Asian Pacific Journal of Tropical Medicine*. 8: 526-531. <http://dx.doi.org/10.1016/j.apjtm.2015.06.012>.
- Elakkad, TM. (1981). ADSORPTION OF CARBON-TETRACHLORIDE ON PURE AND POLYMER-CONTAINING TI-IV HYDROXIDE GELS. 14: 295-299.
- El-Awady, MM; El-Awady, NI. (2003). Non-toxic preservatives for wooden objects in sea water. I. Styrene monomer polymerised using gamma irradiation. *Plastics, Rubber and Composites*. 32: 334-339. <http://dx.doi.org/10.1179/145620130225504081>.
- El-Gazayerly, ON; Makhlof, AI; Soelm, AM; Mohmoud, MA. (2014). Antioxidant and hepatoprotective effects of silymarin phytosomes compared to milk thistle extract in CCl₄ induced hepatotoxicity in rats. *J Microencapsul*. 31: 23-30. <http://dx.doi.org/10.3109/02652048.2013.805836>.
- El-Hefnawy, M; Tanaka, R. (2005). Density and relative permittivity for 1-alkanols plus dodecane at 298.15 K. *Journal of Chemical and Engineering Data*. 50: 1651-1656. <http://dx.doi.org/10.1021/jc050116g>.
- Elia, MC; Storer, RD; Mckelvey, TW; Kraynak, AR; Barnum, JE; Harmon, LS; Deluca, JG; Nichols, WW. (1994). Rapid DNA degradation in primary rat hepatocytes treated with diverse cytotoxic chemicals: Analysis by pulsed field gel electrophoresis and implications for alkaline elution assays. *Environ Mol Mutagen*. 24: 181-191.
- Elias, P; Hascik, S; Martaus, J; Kostic, I; Soltys, J; Hotovy, I. (2006). CCl₄-based RIE pattern transfer into facets of mesas formed by wet etching in InP(100). *Electrochemical and Solid-State Letters*. 9: G27-G30. <http://dx.doi.org/10.1149/1.2139978>.
- Elkashef, H. (1997). Laser dual-wavelength interferometric measurement of the structure and refractive parameters of carbon tetrachloride. *Optical Materials*. 8: 175-183.
- Ellerd, MG; Massmann, JW; Schwaegler, DP; Rohay, VJ. (1999). Enhancements for passive vapor extraction: The Hanford study. *Ground Water*. 37: 427-437.
- Elliott, DC; Phelps, MR; Sealock, LJ; Baker, EG. (1994). CHEMICAL-PROCESSING IN HIGH-PRESSURE AQUEOUS ENVIRONMENTS .4. CONTINUOUS-FLOW REACTOR PROCESS-DEVELOPMENT EXPERIMENTS FOR ORGANICS DESTRUCTION. *Ind Eng Chem Res*. 33: 566-574.
- Elliott, DC; Sealock, LJ; Baker, EG. (1994). CHEMICAL-PROCESSING IN HIGH-PRESSURE AQUEOUS ENVIRONMENTS .3. BATCH REACTOR PROCESS-DEVELOPMENT EXPERIMENTS FOR ORGANICS DESTRUCTION. *Ind Eng Chem Res*. 33: 558-565.

Fate Literature Search Results

Off Topic

- Ellison, EH; Thomas, JK. (2001). Photoinduced reaction of arene singlets with carbon tetrachloride in zeolite Y. *Microporous and Mesoporous Materials*. 49: 15-24.
- Elloy, FC; Teel, A, myL; Watts, RJ. (2014). Activation of Persulfate by Surfactants under Acidic and Basic Conditions. *Ground Water Monitoring and Remediation*. 34: 51-59. <http://dx.doi.org/10.1111/gwmmr.12076>.
- El-Sayed, A; Jager, J; Bonner, BM; Redmann, T; Kaleta, EF. (2005). The seeds of *Nigella sativa* as a feed additive to male layer-type chicks: lack of hepato- and nephrotoxicity and failure of immunomodulation following vaccinations with paramyxovirus types 2 and 3 and only minor efficacy on spontaneous *Eimeria tenella* coccidiosis. *Archiv fuer Geflugelkunde / European Poultry Science*. 69: 27-34.
- Elsner, M; Haderlein, SB; Kellerhals, T; Luzi, S; Zwank, L; Angst, W; Schwarzenbach, RP. (2004). Mechanisms and products of surface-mediated reductive dehalogenation of carbon tetrachloride by Fe(II) on goethite. *Environ Sci Technol*. 38: 2058-2066. <http://dx.doi.org/10.1021/es034741m>.
- Elsner, M; Schwarzenbach, RP; Haderlein, SB. (2004). Reactivity of Fe(II)-bearing minerals toward reductive transformation of organic contaminants. *Environ Sci Technol*. 38: 799-807.
- Elyutin, AV; Vorob'eva, MV. (2002). Thermodynamics and kinetics of carbon deposition from mixtures of hydrogen and carbon tetrachloride. *Inorg Mater*. 38: 468-470.
- Embld, JM; Berro, C; Otin, S; Kehiaian, HV. (1990). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA, EXCESS-ENTHALPIES, AND EXCESS VOLUMES OF 1-CHLOROBUTANE + TETRACHLOROMETHANE, 1,2-DICHLOROETHANE + TETRACHLOROMETHANE, AND 1,2-DICHLOROETHANE + 1-CHLOROBUTANE MIXTURES. *Journal of Chemical and Engineering Data*. 35: 266-271.
- Embld, JM; Grolier, JPE; Kehiaian, HV. (1991). PROXIMITY EFFECTS IN BINARY-MIXTURES CONTAINING 1-CHLOROALKANES, 1,1-DICHLOROALKANES, OR 1,1,1-TRICHLOROALKANES, OR TETRACHLOROMETHANE. *Fluid Phase Equilibria*. 69: 67-79.
- EMEA. (2006). Draft guidelines on detection of early signals of drug-induced hepatotoxicity in non-clinical studies. London, United Kingdom: Committee for Medicinal Products for Human Use.
- Engstrom, A; Mouzon, J; Cordoba, JM; Tegman, R; Antti, ML. (2012). Synthesis of a TiCN-SiC polyhedron and elongated crystals nanopowder at low nitrogen concentration. *Mater Lett*. 81: 148-150. <http://dx.doi.org/10.1016/j.matlet.2012.04.071>.
- EPA, US. (1986). Guidelines for mutagenicity risk assessment. *Federal Register* 51(185):34006-34012 (pp. 34006-34012). U.S. EPA. <http://www.epa.gov/iris/backgr-d.htm>.
- EPA, US. (1994). Interim policy for particle size and limit concentration issues in inhalation toxicity studies. *Federal Register* 59(206):53799. U.S. EPA. <http://www.epa.gov/iris/backgr-d.htm>.
- EPA, US. (2005). Guidelines for carcinogen risk assessment. *Risk Assessment Forum, Washington, DC; EPA/630/P-03/001B*. U.S. EPA. <http://www.epa.gov/iris/backgr-d.htm>.
- Epolito, WJ; Yang, H; Bottomley, LA; Pavlostathis, SG. (2008). Kinetics of zero-valent iron reductive transformation of the anthraquinone dye Reactive Blue 4. *J Hazard Mater*. 160: 594-600. <http://dx.doi.org/10.1016/j.jhazmat.2008.03.033>.
- Erbs, M; Hansen, HCB; Olsen, CE. (1999). Reductive dechlorination of carbon tetrachloride using iron(II) iron(III) hydroxide sulfate (green rust). *Environ Sci Technol*. 33: 307-311.
- Erra, L; Tedesco, C; Immediata, I; Gregoli, L; Gaeta, C; Merlini, M; Meneghini, C; Brunelli, M; Fitch, AN; Neri, P. (2012). Inclusion properties of volatile organic compounds in a calixarene-based organic zeolite. *Langmuir*. 28: 8511-8517. <http://dx.doi.org/10.1021/la3009656>.
- Ersenkul, DA; Ziylan, A, su; Ince, NH; Acar, HY; Demirer, M; Copty, NK. (2011). Impact of dilution on the transport of poly(acrylic acid) supported magnetite nanoparticles in porous media. *J Contam Hydrol*. 126: 248-257. <http://dx.doi.org/10.1016/j.jconhyd.2011.09.005>.
- Erzmann, MW; Popel, HJ. (1991). BIODEGRADATION OF TETRACHLOROMETHANE UNDER ANAEROBIC CONDITIONS. *Acta Hydrochim Hydrobiol*. 19: 249-255.
- Escobar, G; Patino, P; Acevedo, S; Escobar, O; Ranaudo, MA; Pereira, JC. (2001). Interfacial properties of the products of ozonolysis of Hamaca crude oil. *Petroleum Science and Technology*. 19: 107-118.
- Escudero, LB; Wuilloud, RG; Olsina, RA. (2013). Sensitive determination of thallium species in drinking and natural water by ionic liquid-assisted ion-pairing liquid-liquid microextraction and inductively coupled plasma mass spectrometry. *J Hazard Mater*. 244-245: 380-386. <http://dx.doi.org/10.1016/j.jhazmat.2012.11.057>.
- Esterbauer, H; Schaur, RJ; Zollner, H. (1991). Chemistry and biochemistry of 4-hydroxynonenal, malonaldehyde and related aldehydes [Review]. *Free Radic Biol Med*. 11: 81-128. [http://dx.doi.org/10.1016/0891-5849\(91\)90192-6](http://dx.doi.org/10.1016/0891-5849(91)90192-6).
- Estrada-Baltazar, A; Gerardo Bravo-Sanchez, M; Arturo Iglesias-Silva, G; Javier Alvarado, JF; Omar Castrejon-Gonzalez, E; Ramos-Estrada, M. (2015). Densities and viscosities of binary mixtures of n- decane+1-pentanol,+1-hexanol,+1-heptanol at temperatures from 293.15 to 363.15 K and atmospheric pressure. *Chinese Journal of Chemical Engineering*. 23: 559-571. <http://dx.doi.org/10.1016/j.cjche.2013.10.001>.
- Estrada-Baltazar, A; Iglesias-Silva, GA; Caballero-Ceron, C. (2013). Volumetric and Transport Properties of Binary Mixtures of n-Octane plus Ethanol,+1-Propanol,+1-Butanol, and+1-Pentanol from (293.15 to 323.15) K at Atmospheric Pressure. *Journal of Chemical and Engineering Data*. 58: 3351-3363. <http://dx.doi.org/10.1021/je4004806>.
- Everts, S. (2016). US carbon tetrachloride emissions exceed expectations. *Chem Eng News*. 94: 11-11.
- Exarchos, NC; Tasioulamargari, M; Demetropoulos, IN. (1995). VISCOSITIES AND DENSITIES OF DILUTE-SOLUTIONS OF GLYCEROL TRIOLEATE PLUS OCTANE, PLUS P-XYLENE, PLUS TOLUENE, AND PLUS CHLOROFORM. *Journal of Chemical and Engineering Data*. 40: 567-571.
- Fabian, P; Borchers, R. (2001). Growth of halocarbon abundances in the stratosphere between 1977 and 1999. *Adv Space Res*. 28: 961-964.
- Fabian, P; Borchers, R; Leifer, R; Subbaraya, BH; Lal, S; Boy, M. (1996). Global Stratospheric Distribution of Halocarbons. *Atmos Environ*. 30: 1787.
- Fabian, P; Borchers, R; Schmidt, U. (1996). Proposed reference models for CO₂ and halogenated hydrocarbons. *Adv Space Res*. 18: 145-153.

Fate Literature Search Results

Off Topic

- Fahmy, SR; Abdel-Ghaffar, F; Bakry, FA; Sayed, DA. (2014). Ecotoxicological effect of sublethal exposure to zinc oxide nanoparticles on freshwater snail *Biomphalaria alexandrina*. *Arch Environ Contam Toxicol*. 67: 192-202. <http://dx.doi.org/10.1007/s00244-014-0020-z>.
- Falk, F; Meinschien, J; Mollekoopf, G; Schuster, K; Stafast, H. (1997). CNx thin films prepared by laser chemical vapor deposition. *Mater Sci Eng B*. 46: 89-91.
- Falk, F; Meinschien, J; Schuster, K; Stafast, H. (1998). Properties and preparation conditions of carbon nitride thin films deposited by laser CVD. *Carbon*. 36: 765-769.
- Fan, D; Bradley, MJ; Hinkle, AW; Johnson, RL; Tratnyek, PG. (2016). Chemical Reactivity Probes for Assessing Abiotic Natural Attenuation by Reducing Iron Minerals. *Environ Sci Technol*. 50: 1868-1876. <http://dx.doi.org/10.1021/acs.est.5b05800>.
- Fan, FQ; Maldarelli, C; Couzis, A. (2003). Fabrication of surfaces with nanoislands of chemical functionality by the phase separation of self-assembling monolayers on silicon. *Langmuir*. 19: 3254-3265. <http://dx.doi.org/10.1021/la026453u>.
- Fan, G; Tang, JJ; Bhadauria, M; Nirala, SK; Dai, F; Zhou, B; Li, Y; Liu, ZL. (2009). Resveratrol ameliorates carbon tetrachloride-induced acute liver injury in mice. *Environ Toxicol Pharmacol*. 28: 350-356. <http://dx.doi.org/10.1016/j.etap.2009.05.013>.
- Fan, X; Zhang, F; Zhang, G; Li, G. (2007). Kinetics and mechanism study on the preparation of 4,4'-diaminostilbene-2,2'-disulfonic acid by reduction of 4,4'-dinitrostilbene-2,2'-disulfonic acid with zero-valent iron. *Dyes and Pigments*. 75: 373-377. <http://dx.doi.org/10.1016/j.dyepig.2006.06.014>.
- Fan, XJ; Zhu, JH; Song, HF; Wu, BCH. (2011). The Identification and Quantitation of Organochlorine in Naphtha by Gas Chromatography with ECD. *Petroleum Science and Technology*. 29: 867-872. <http://dx.doi.org/10.1080/10916460903436788>.
- Fanelli, SL; Castro, GD; Galelli, ME; Castro, JA. (1998). Liver nuclear activation of carbon tetrachloride or bromotrichloromethane to trichloromethyl and trichloromethylperoxyl free radicals. Their reactions with lipids and proteins. *Biomed Environ Sci*. 11: 101-114.
- Fang, G; Dionysiou, DD; Al-Abed, S. R.; Zhou, D. (2013). Superoxide radical driving the activation of persulfate by magnetite nanoparticles: Implications for the degradation of PCBs. *Appl Catal B-Environ*. 129: 325-332. <http://dx.doi.org/10.1016/j.apcatb.2012.09.042>.
- Fang, G; Gao, J; Dionysiou, DD; Liu, C, un; Zhou, D. (2013). Activation of Persulfate by Quinones: Free Radical Reactions and Implication for the Degradation of PCBs. *Environ Sci Technol*. 47: 4605-4611. <http://dx.doi.org/10.1021/es400262n>.
- Fang, GD; Zhou, DM; Dionysiou, DD. (2013). Superoxide mediated production of hydroxyl radicals by magnetite nanoparticles: demonstration in the degradation of 2-chlorobiphenyl. *J Hazard Mater*. 250-251: 68-75. <http://dx.doi.org/10.1016/j.jhazmat.2013.01.054>.
- Fang, JH; Hu, FT. (2002). Ring-opening copolymerization of phthalic anhydride with cyclohexene oxide catalyzed by Fe-Al-alpha,alpha'-dipyridine catalyst. *Chinese journal of catalysis*. 23: 88-90.
- Fang, JH; Yang, KF; Hu, FT. (2005). Copolymerization of maleic anhydride and norbornene catalyzed by Fe(acac)(3)-Al(i-Bu)(3)-CCl4. *Chinese journal of catalysis*. 26: 1113-1116.
- Fang, WJ; Yu, QS; Zong, HX; Lin, RS. (1998). Calorimetric determination of the vapor heat capacity of petroleum cuts. *Fuel*. 77: 895-899.
- Farah, K; Raouf, MWA; Tadros, N; Kandil, AT. (1999). Mixed complexes in the system Eu3+-8-quinolinol-phenanthroline. *Separation Science and Technology*. 34: 793-804.
- Farges, JC; Keller, JF; Carrouel, F; Durand, SH; Romeas, A; Bleicher, F; Lebecque, S; Staquet, MJ. (2009). Odontoblasts in the dental pulp immune response [Review]. *J Exp Zool B Mol Dev Evol*. 312B: 425-436. <http://dx.doi.org/10.1002/jez.b.21259>.
- Fariss, MW; Bryson, KF; Hylton, EE; Lippman, HR; Stubin, CH; ZhaoX-G. (1993). Protection against carbon tetrachloride-induced hepatotoxicity by pretreating rats with the hemisuccinate esters of tocopherol and cholesterol. *Environ Health Perspect*. 101: 528-536.
- Farkova, J; Wichterle, I; Kehiaian, HV. (1995). EVALUATION OF THE CARBOXYLATE CHLORINE INTERACTION PARAMETERS USING THE DISQUAC GROUP-CONTRIBUTION MODEL. *Fluid Phase Equilibria*. 112: 23-32.
- Faroon, O; Derosa, CT; Smith, L; Mehlman, MA; Riddle, J; Hales, Y; Brattin, WJ. (1994). ATSDR EVALUATION OF HEALTH-EFFECTS OF CHEMICALS .1. CARBON-TETRACHLORIDE - HEALTH-EFFECTS, TOXICOKINETICS, HUMAN EXPOSURE AND ENVIRONMENTAL FATE. *Toxicol Ind Health*. 10: 1-123.
- Faroon, O; Kueberuwa, S; Smith, L; Derosa, C. (1995). ATSDR evaluation of health effects of chemicals .2. Mirex and chlordecone: Health effects, toxicokinetics, human exposure, and environmental fate [Review]. *Toxicol Ind Health*. 11: 1-203.
- Farr, SL; Cai, J; Savitz, DA; Sandler, DP; Hoppin, JA; Cooper, GS. (2006). Pesticide exposure and timing of menopause: the Agricultural Health Study. *Am J Epidemiol*. 163: 731-742. <http://dx.doi.org/10.1093/aje/kwj099>.
- Farrell, J; Kason, M; Melitas, N; Li, T. (2000). Investigation of the long-term performance of zero-valent iron for reductive dechlorination of trichloroethylene. *Environ Sci Technol*. 34: 514-521.
- Farrokhnia, A; Sakakini, B; Waugh, KC. (1998). Kinetic and mechanistic study of the reaction of CCl4 with prefluorinated chromia to form CCl3F and CCl2F2. *J Catal*. 174: 219-230.
- FDA. (2009). Unknown. <http://www.fda.gov/cder/livertox/preclinical.pdf>.
- Feixiong, C; Mingrui, Z; Lu, F; Baozeng, R. (2014). Measurement and Correlation for Solubility of Diosgenin in Some Mixed Solvents. *Chinese Journal of Chemical Engineering*. 22: 170-176. [http://dx.doi.org/10.1016/S1004-9541\(14\)60023-9](http://dx.doi.org/10.1016/S1004-9541(14)60023-9).
- Feng, HP; Lin, JY, u; Cheng, MY; Wang, YY, un; Wan, C, hiC. (2008). Behavior of copper removal by CMP and its correlation to deposit structure and impurity content. *J Electrochem Soc*. 155: H21-H25. <http://dx.doi.org/10.1149/1.2801394>.
- Feng, J; Lim, TT. (2005). Pathways and kinetics of carbon tetrachloride and chloroform reductions by nano-scale Fe and Fe/Ni particles: comparison with commercial micro-scale Fe and Zn. *Chemosphere*. 59: 1267-1277. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.038>.
- Feng, J; Lim, TT. (2007). Iron-mediated reduction rates and pathways of halogenated methanes with nanoscale Pd/Fe: analysis of linear free energy relationship. *Chemosphere*. 66: 1765-1774. <http://dx.doi.org/10.1016/j.chemosphere.2006.06.068>.

Fate Literature Search Results

Off Topic

- Feng, J; Zhu, BW; Lim, TT. (2008). Reduction of chlorinated methanes with nano-scale Fe particles: effects of amphiphiles on the dechlorination reaction and two-parameter regression for kinetic prediction. *Chemosphere*. 73: 1817-1823. <http://dx.doi.org/10.1016/j.chemosphere.2008.08.014>.
- Feo, JC; Aller, AJ. (2011). Spectrometric Identification of Solvent Extractable Organic Additives in Polyester-based Textile Fibers. *Fibers and Polymers*. 12: 594-601. <http://dx.doi.org/10.1007/s12221-011-0594-2>.
- Ferguson, JF; Pietari, JMH. (2000). Anaerobic transformations and bioremediation of chlorinated solvents. *Environ Pollut*. 107: 209-215.
- Fernandez-Sanchez, JM; Sawvel, EJ; Alvarez, PJ. (2004). Effect of FeO quantity on the efficiency of integrated microbial-FeO treatment processes. *Chemosphere*. 54: 823-829. <http://dx.doi.org/10.1016/j.chemosphere.2003.08.037>.
- Feron, O; Langlais, F; Naslain, R. (1999). In-situ analysis of gas phase decomposition and kinetic study during carbon deposition from mixtures of carbon tetrachloride and methane. *Carbon*. 37: 1355-1361.
- Ferreira, NG; Corat, EJ; Trava-Airoldi, VJ; Leite, NF. (2000). OES study of the plasma during CVD diamond growth using CCl₄/H₂/O₂ mixtures. *Diam Relat Mater*. 9: 368-372.
- Ferrieri, AP; Thorpe, MR; Ferrieri, RA. (2006). Stimulating natural defenses in poplar clones (OP-367) increases plant metabolism of carbon tetrachloride. *Int J Phytoremediation*. 8: 233-243. <http://dx.doi.org/10.1080/15226510600846780>.
- Field, JA. (2001). Recalcitrance as a catalyst for new developments. *Water Sci Technol*. 44: 33-40.
- Filatova, EA; Hausmann, D; Elliott, SD. (2017). Investigating routes toward atomic layer deposition of silicon carbide: Ab initio screening of potential silicon and carbon precursors. *Journal of Vacuum Science and Technology A*. 35. <http://dx.doi.org/10.1116/1.4964890>.
- Fine, RA. (1995). TRACERS, TIME SCALES, AND THE THERMOHALINE CIRCULATION - THE LOWER-LIMB IN THE NORTH-ATLANTIC OCEAN. *Rev Geophys*. 33: 1353-1365.
- Finley, MJ; Clark, KA; Alferiev, IS; Levy, RJ; Stachelek, SJ. (2013). Intracellular signaling mechanisms associated with CD47 modified surfaces. *Biomaterials*. 34: 8640-8649. <http://dx.doi.org/10.1016/j.biomaterials.2013.07.088>.
- Fisher, J; Lumpkin, M; Boyd, J; Mahle, D; Bruckner, JV; El-Masri, HA. (2004). PBPK modeling of the metabolic interactions of carbon tetrachloride and tetrachloroethylene in B6C3F1 mice. *Environ Toxicol Pharmacol*. 16: 93-105. <http://dx.doi.org/10.1016/j.etap.2003.10.006>.
- Fitzgerald, WF. (1995). IS MERCURY INCREASING IN THE ATMOSPHERE - THE NEED FOR AN ATMOSPHERIC MERCURY NETWORK (AMNET). *Water Air Soil Pollut*. 80: 245-254.
- Fleming, EL; Jackman, CH; Stolarski, RS; Douglass, AR. (2011). A model study of the impact of source gas changes on the stratosphere for 1850-2100. *Atmos Chem Phys*. 11: 8515-8541. <http://dx.doi.org/10.5194/acp-11-8515-2011>.
- Foddis, ML; Ackerer, P; Montisci, A; Uras, G. (2015). ANN-based approach for the estimation of aquifer pollutant source behaviour. *Water Science and Technology: Water Supply*. 15: 1285-1294. <http://dx.doi.org/10.2166/ws.2015.087>.
- Foglein, KA; Szabo, PT; Dombi, A; Szepvolgyi, J. (2003). Comparative study of the decomposition of CCl₄ in cold and thermal plasma. *Plasma Chemistry and Plasma Processing*. 23: 651-664.
- Föglein, KA; Szépvölgyi, J; Dombi, A. (2003). Decomposition of halogenated methanes in oxygen-free gas mixtures by the use of a silent electric discharge. *Chemosphere*. 50: 9-13.
- Fok, TY. (1980). PLASMA-ETCHING OF ALUMINUM FILMS USING CCL₄. *J Electrochem Soc*. 127: C90-C90.
- Foley, AE; Atkinson, TC; Zhao, Y. (2012). Chlorofluorocarbons as tracers of landfill leachate in surface and groundwater. *Quarterly Journal of Engineering Geology and Hydrogeology*. 45: 61-70. <http://dx.doi.org/10.1144/1470-9236/10-044>.
- Folmar, LC; Bonomelli, S; Moody, T; Gibson, J. (1993). THE EFFECT OF SHORT-TERM EXPOSURE TO 3 CHEMICALS ON THE BLOOD-CHEMISTRY OF THE PINFISH (LAGODON-RHOMBOIDES). *Arch Environ Contam Toxicol*. 24: 83-86.
- Fontaine, L; Derouet, D; Chairatanathavorn, S; Brosse, JC. (1993). FIXATION OF CHELATING MOLECULES ON POLYPHOSPHONATES THROUGH CHEMICAL MODIFICATION .1. SYNTHESIS AND CHARACTERIZATION. 19: 47-54.
- Forczek, ST; Laturus, F; Dolezalova, J; Holik, J; Wimmer, Z. (2015). Emission of climate relevant volatile organochlorines by plants occurring in temperate forests. *Plant Soil Environ*. 61: 103-108. <http://dx.doi.org/10.17221/900/2014-PSE>.
- Fouad, FM; Mamer, OA; Shahidi, F. (1996). Acute-phase response in rat to carbon tetrachloride-azathioprine induced cirrhosis and partial hepatectomy of cirrhotic liver. *J Toxicol Environ Health*. 47: 601-615.
- Foulon, F; Green, M. (1993). THROUGH-WAFER VIA FABRICATION IN GALLIUM-ARSENIDE BY EXCIMER-LASER PROJECTION PATTERNED ETCHING. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures*. 11: 1854-1858.
- Fourmentin, S; Outirite, M; Blach, P; Landy, D; Ponchel, A; Monflier, E; Surpateanu, G. (2007). Solubilisation of chlorinated solvents by cyclodextrin derivatives: A study by static headspace gas chromatography and molecular modelling. *J Hazard Mater*. 141: 92-97. <http://dx.doi.org/10.1016/j.jhazmat.2006.06.090>.
- Fraga, CG; Zamora, R; Tappel, AL. (1989). Damage to protein synthesis concurrent with lipid peroxidation in rat liver slices: effect of halogenated compounds, peroxides, and vitamin E1. *Arch Biochem Biophys*. 270: 84-91.
- Francesconi, R; Comelli, F. (1985). ISOBARIC VAPOR-LIQUID-EQUILIBRIUM IN MIXTURES OF META-XYLENES AND PARA-XYLENES WITH CARBON-TETRACHLORIDE. *Can J Chem Eng*. 63: 306-309.
- Frank, H; Frank, W; Neves, HJC. (1991). AIRBORNE C-1-HALOCARBONS AND C2-HALOCARBONS AT 4 REPRESENTATIVE SITES IN EUROPE. *Atmos Environ* (1967). 25: 257-261.
- Frank, W; Neves, HJC; Frank, H. (1991). Levels of airborne halocarbons at urban and mountain forest sites in Germany and at the Atlantic coast. *Chemosphere*. 23: 609-626.
- Frank, WE. (1997). Approaches for patterning of aluminum. *Microelectron Eng*. 33: 85-100.
- Fraser, P. (1997). Chemistry of stratospheric ozone and ozone depletion. *Aust Meteorol Mag*. 46: 185-193.

Fate Literature Search Results

Off Topic

- Fraser, P; Cunnold, D; Alyea, F; Weiss, R; Prinn, R; Simmonds, P; Miller, B; Langenfelds, R. (1996). Lifetime and emission estimates of 1,1,2-trichlorotrifluoroethane (CFC-113) from daily global background observations June 1982 June 1994. *J Geophys Res Atmos.* 101: 12585-12599.
- Fraser, PJ; Dunse, BL; Manning, AJ; Walsh, S; Wang, RHJ; Krummel, PB; Steele, LP; Porter, LW; Allison, C; O'Doherty, S; Simmonds, PG; Muehle, J; Weiss, R, ayF; Prinn, RG. (2014). Australian carbon tetrachloride emissions in a global context. *Environ Chem.* 11: 77-88. <http://dx.doi.org/10.1071/EN13171>.
- Freda, M; Onori, G; Paciaroni, A; Santucci, A. (2002). Influence of hydration on dynamical properties of reverse micelles. *Journal of Non-Crystalline Solids.* 307: 874-877.
- Fredrickson, JK; Brockman, FJ; Bjornstad, BN; Long, PE; Li, SW; Mckinley, JP; Wright, JV; Conca, JL; Kieft, TL; Balkwill, DL. (1993). MICROBIOLOGICAL CHARACTERISTICS OF PRISTINE AND CONTAMINATED DEEP VADOSE SEDIMENTS FROM AN ARID REGION. *Geomicrobiology Journal.* 11: 95-107.
- Freiria-Gandara, MJ; Lorenzo-Ferreira, RA; Alvarez-Devesa, A; Bermejo, F. (1992). Occurrence of halogenated hydrocarbons in the water supply of different cities of Galicia (Spain). *Environ Technol.* 13: 437-447.
- Friedel, JK; Molter, K; Fischer, WR. (1994). COMPARISON AND IMPROVEMENT OF METHODS FOR DETERMINING SOIL DEHYDROGENASE-ACTIVITY BY USING TRIPHENYLTETRAZOLIUM CHLORIDE AND IODONITROTETRAZOLIUM CHLORIDE. *Biol Fertil Soils.* 18: 291-296.
- Frierdich, AJ; Catalano, JG. (2012). Fe(II)-mediated reduction and repartitioning of structurally incorporated Cu, Co, and Mn in iron oxides. *Environ Sci Technol.* 46: 11070-11077. <http://dx.doi.org/10.1021/es302236v>.
- Frische, M; Garofalo, K; Hansteen, TH; Borchers, R. (2006). Fluxes and origin of halogenated organic trace gases from Momotombo volcano (Nicaragua). *G-cubed.* 7. <http://dx.doi.org/10.1029/2005GC001162>.
- Fu, H; Yan, C; Wei, X; Deng, W, ei; Wang, L. (2013). Study on Chlorination of Maleic Anhydride Grafted Polypropylene. *Polymers and Polymer Composites.* 21: 123-128.
- Fu, X; Gu, X; Lu, S; Miao, Z; Xu, M; Zhang, X; Qiu, Z; Sui, Q. (2015). Benzene depletion by Fe²⁺-catalyzed sodium percarbonate in aqueous solution. *Chem Eng J.* 267: 25-33. <http://dx.doi.org/10.1016/j.cej.2014.12.104>.
- Fu, X; Gu, X; Lu, S; Sharma, VK; Brusseau, ML; Xue, Y; Danish, M; Fu, GY; Qiu, Z; Sui, Q. (2017). Benzene oxidation by Fe(III)-activated percarbonate: matrix-constituent effects and degradation pathways. *Chem Eng J.* 309: 22-29. <http://dx.doi.org/10.1016/j.cej.2016.006>.
- Fu, X; Wang, Y, ao; Xiong, L, ei; Wei, F, ei. (2009). Enhancement of the low temperature chlorination of ilmenite with CCl₄ by adding Cl₂. *J Alloy Comp.* 486: 365-370. <http://dx.doi.org/10.1016/j.jallcom.2009.06.149>.
- Fujita, T; Hari, T; Kojima, Y; Matsuda, H; Huang, LW. (2005). Influence of O₂ concentration on non-thermal plasma decomposition of halide gases containing Cl and F. *Kagaku Kogaku Ronbunshu.* 31: 226-230.
- Fujiwara, I; Haraya, K; Nakane, T; Kunugita, E. (2002). Synthesis of chemical reaction systems in environmentally friendly processes by use of information on known chemical reactions. *Kagaku Kogaku Ronbunshu.* 28: 255-261.
- Fujiwara, K; Watarai, H. (2003). Total internal reflection resonance Raman microspectroscopy for the liquid/liquid interface. Ion-association adsorption of cationic Mn(III) porphine. *Langmuir.* 19: 2658-2664. <http://dx.doi.org/10.1021/la026119y>.
- Fukami, N; Yosida, M; Lee, BD; Taku, K; Hosomi, M. (2001). Photocatalytic degradation of gaseous perchloroethylene: products and pathway. *Chemosphere.* 42: 345-350.
- Fung, AKM; Chiu, BKW; Lam, MHW. (2003). Surface modification of TiO₂ by a ruthenium(II) polypyridyl complex via silyl-linkage for the sensitized photocatalytic degradation of carbon tetrachloride by visible irradiation. *Water Res.* 37: 1939-1947. [http://dx.doi.org/10.1016/S0043-1354\(02\)00567-5](http://dx.doi.org/10.1016/S0043-1354(02)00567-5).
- Furlong, O; Gao, F; Kotvis, P; Tysoe, WT. (2007). Understanding the tribological chemistry of chlorine-, sulfur- and phosphorus-containing additives. *Tribology International.* 40: 699-708. <http://dx.doi.org/10.1016/j.triboint.2006.05.011>.
- Furman, O; Laine, DF; Blumenfeld, A; Teel, A, myL; Shimizu, K; Cheng, IF; Watts, RJ. (2009). Enhanced Reactivity of Superoxide in Water-Solid Matrices. *Environ Sci Technol.* 43: 1528-1533. <http://dx.doi.org/10.1021/es802505s>.
- Furman, OS; Teel, A; Ahmad, M; Merker, MC; Watts, RJ. (2011). Effect of Basicity on Persulfate Reactivity. *J Environ Eng.* 137: 241-247. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000323](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000323).
- Furuse, M; Kanno, S; Takano, T; Matsumura, Y. (2001). Cyclohexane as an alternative vapor of carbon tetrachloride for the assessment of gas removing capacities of gas masks. *Ind Health.* 39: 1-7. <http://dx.doi.org/10.2486/indhealth.39.1>.
- Furzer, IA; Ho, GE. (1970). VAPOUR-LIQUID EQUILIBRIUM FOR SYSTEM CARBON TETRACHLORIDE-BENZENE. 15: 80-&.
- Gaikwad, V; Kennedy, E; Mackie, J; Holdsworth, C; Molloy, S; Kundu, S; Stockenhuber, M; Dlugogorski, B. (2014). Reaction of carbon tetrachloride with methane in a non-equilibrium plasma at atmospheric pressure, and characterisation of the polymer thus formed. *J Hazard Mater.* 280: 38-45. <http://dx.doi.org/10.1016/j.jhazmat.2014.07.049>.
- Gallego, E; Perales, JF; Roca, FJ; Guardino, X. (2014). Surface emission determination of volatile organic compounds (VOC) from a closed industrial waste landfill using a self-designed static flux chamber. *Sci Total Environ.* 470-471: 587-599. <http://dx.doi.org/10.1016/j.scitotenv.2013.09.105>.
- Gallegos, P; Lutz, J; Markwiese, J; Ryti, R; Mirenda, R. (2007). Wildlife ecological screening levels for inhalation of volatile organic chemicals. *Environ Toxicol Chem.* 26: 1299-1303. <http://dx.doi.org/10.1897/06-233R.1>.
- Galli, A; Schiestl, RH. (1995). Salmonella test positive and negative carcinogens show different test effects on intrachromosomal recombination in G2 cell cycle arrested yeast cells. *Carcinogenesis.* 16: 659-663.
- Galli, A; Schiestl, RH. (1996). Effects of salmonella assay negative and positive carcinogens on intrachromosomal recombination in G1-arrested yeast cells. *Mutat Res.* 370: 209-221.

Fate Literature Search Results

Off Topic

- Galli, A; Schiestl, RH. (1998). Effect of salmonella assay negative and positive carcinogens on intrachromosomal recombination in S-phase arrested yeast cells. *Mutat Res.* 419: 53-68.
- Galloway, SM. (2000). Cytotoxicity and chromosome aberrations in vitro: Experience in industry and the case for an upper limit on toxicity in the aberration assay. *Environ Mol Mutagen.* 35: 191-201. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(2000\)35:3<191::AID-EM6>3.0.CO;2-4](http://dx.doi.org/10.1002/(SICI)1098-2280(2000)35:3<191::AID-EM6>3.0.CO;2-4).
- Gander, JW; Parkin, GF; Scherer, MM. (2002). Kinetics of 1,1,1-trichloroethane transformation by iron sulfide and a methanogenic consortium. *Environ Sci Technol.* 36: 4540-4546. <http://dx.doi.org/10.1021/es025623j>.
- Gandhi, S; Oh, BT; Schnoor, JL; Alvarez, PJ. (2002). Degradation of TCE, Cr(VI), sulfate, and nitrate mixtures by granular iron in flow-through columns under different microbial conditions. *Water Res.* 36: 1973-1982.
- Ganguly, S; Gaonkar, RH; Sinha, S; Gupta, A; Chattopadhyay, D; Chattopadhyay, S; Sachdeva, SS; Ganguly, S; Debnath, MC. (2016). Fabrication of surfactant-free quercetin-loaded PLGA nanoparticles: evaluation of hepatoprotective efficacy by nuclear scintigraphy. *J Nanopart Res.* 18. <http://dx.doi.org/10.1007/s11051-016-3504-0>.
- Ganie, SA; Zargar, BA; Masood, A; Zargar, MA. (2013). Hepatoprotective and antioxidant activity of rhizome of *Podophyllum hexandrum* against carbon tetra chloride induced hepatotoxicity in rats. *Biomed Environ Sci.* 26: 209-221. <http://dx.doi.org/10.3967/0895-3988.2013.03.008>.
- Gantzer, CJ; Wackett, LP. (1991). Reductive dechlorination catalyzed by bacterial transition-metal coenzymes. *Environ Sci Technol.* 25: 715-722.
- Gao, B; Liu, Q; Jiang, L. (2008). Studies on performing chloromethylation reaction for polystyrene by micellar catalysis in aqueous surfactant solutions. *Chemical Engineering and Processing: Process Intensification.* 47: 852-858. <http://dx.doi.org/10.1016/j.cep.2007.01.035>.
- Gao, F; Furlong, O; Kotvis, PV; Tysoe, WT. (2005). Tribological properties of films formed by the reaction of carbon tetrachloride with iron. *Tribology Letters.* 20: 171-176. <http://dx.doi.org/10.1007/s11249-005-8313-z>.
- Gao, F; Kotvis, PV; Tysoe, WT. (2003). The frictional properties of thin inorganic halide films on iron measured in ultrahigh vacuum. *Tribology Letters.* 15: 327-332.
- Gao, F; Kotvis, PV; Tysoe, WT. (2004). The surface and tribological chemistry of chlorine- and sulfur-containing lubricant additives. *Tribology International.* 37: 87-92. [http://dx.doi.org/10.1016/S0301-679X\(03\)00040-9](http://dx.doi.org/10.1016/S0301-679X(03)00040-9).
- Gao, F; Xie, SY; Ma, ZJ; Feng, YQ; Huang, RB; Zheng, LS. (2004). The graphite arc-discharge in the presence of CCl₄: Chlorinated carbon clusters in relation with fullerenes formation. *Carbon.* 42: 1959-1963. <http://dx.doi.org/10.1016/j.carbon.2004.03.028>.
- Gao, K; Ma, D; Cheng, Y; Tian, X; Lu, Y; Du, X; Tang, H; Chen, J. (2015). Three New Dimers and Two Monomers of Phenolic Amides from the Fruits of *Lycium barbarum* and Their Antioxidant Activities. *J Agric Food Chem.* <http://dx.doi.org/10.1021/jf5049222>.
- Gao, P; Thorntonmann, J. R.; Pegram, RA. (1996). Protective effects of glutathione on bromodichloromethane in vivo toxicity and in vitro macromolecular binding in Fischer 344 rats. *J Toxicol Environ Health.* 49: 145-159.
- Gao, X; Yang, F; Lan, Y; Mao, JD; Duan, X. (2011). Rapid degradation of carbon tetrachloride by commercial micro-scale zinc powder assisted by citric acid. *Environ Chem Lett.* 9: 431-438. <http://dx.doi.org/10.1007/s10311-010-0298-7>.
- Gao, Y; Alecu, IM; Hsieh, PC; Mcleod, A; Mcleod, C; Jones, M; Marshall, P. (2007). Kinetics and thermochemistry of the addition of atomic chlorine to acetylene. *Proc Combust Inst.* 31: 193-200. <http://dx.doi.org/10.1016/j.proci.2006.07.103>.
- Garberg, P; Akerblom, EL; Bolcsfoldi, G. (1988). Evaluation of a genotoxicity test measuring DNA-strand breaks in mouse lymphoma cells by alkaline unwinding and hydroxyapatite elution. *Mutat Res.* 203: 155-176. [http://dx.doi.org/10.1016/0165-1161\(88\)90101-X](http://dx.doi.org/10.1016/0165-1161(88)90101-X).
- Garcia, B; Herrera, C; Leal, JM. (1991). SHEAR VISCOSITIES OF BINARY-LIQUID MIXTURES - 2-PYRROLIDONE WITH 1-ALKANOLS. *Journal of Chemical and Engineering Data.* 36: 269-274.
- Garcia, E; Hurley, S; Nelson, DO; Hertz, A; Reynolds, P. (2015). Hazardous air pollutants and breast cancer risk in California teachers: a cohort study. *Environ Health.* 14: 14. <http://dx.doi.org/10.1186/1476-069X-14-14>.
- Garcia, I; Tercjak, A; Gutierrez, J; Rueda, L; Mondragon, I. (2008). Nanostructuring via solvent vapor exposure of poly(2-vinyl pyridine-b-methyl methacrylate) nanocomposites using modified magnetic nanoparticles. *J Phys Chem C.* 112: 14343-14347. <http://dx.doi.org/10.1021/jp802345q>.
- Garcialisbona, N; Vicente, IG; Embid, JM; Velasco, I; Otin, S; Kehiaian, HV. (1989). THERMODYNAMICS OF MIXTURES CONTAINING BROMOALKANES .2. EXCESS-ENTHALPIES OF MIXTURES OF 1-BROMOALKANE WITH CYCLOHEXANE, WITH BENZENE, OR WITH TETRACHLOROMETHANE MEASUREMENT AND ANALYSIS IN TERMS OF GROUP CONTRIBUTIONS (DISQUAC). *Fluid Phase Equilibria.* 45: 191-203.
- Garetto, TF; Vignatti, CI; Borgna, A; Monzon, A. (2009). Deactivation and regeneration of Pt/Al₂O₃ catalysts during the hydrodechlorination of carbon tetrachloride. *Appl Catal B-Environ.* 87: 211-219. <http://dx.doi.org/10.1016/j.apcatb.2008.09.005>.
- Garrett, RH; Grisham, CM. (1999). *Biochemistry: 2nd edition.* New York, NY: Saunders College Publishing.
- Garriga, R; Perez, P; Gracia, M. (2004). Total vapour pressure and excess Gibbs energy for binary mixtures of 1,1,2,2-tetrachlorethane or tetrachloroethene with cyclohexane at nine temperatures. *Fluid Phase Equilibria.* 216: 285-292. <http://dx.doi.org/10.1016/j.fluid.2003.11.007>.
- Garriga, R; Perez, P; Gracia, M. (2005). Total vapour pressure and excess Gibbs energy for binary mixtures of 1,1,2,2-tetrachlorethane or tetrachloroethene with benzene at nine temperatures. *Fluid Phase Equilibria.* 227: 79-86. <http://dx.doi.org/10.1016/j.fluid.2004.02.021>.
- Garriga, R; Perez, P; Gracia, M. (2005). Total vapour pressure and excess Gibbs energy for binary mixtures of 1,1,2,2-tetrachloroethane or tetrachloroethene with tetrachloromethane at nine temperatures. *Fluid Phase Equilibria.* 227: 71-78. <http://dx.doi.org/10.1016/j.fluid.2004.10.025>.

Fate Literature Search Results

Off Topic

- Gasnier, C; Benachour, N; Clair, E; Travert, C; Langlois, F; Laurant, C; Decroix-Laporte, C; Séralini, GE. (2010). Dig1 protects against cell death provoked by glyphosate-based herbicides in human liver cell lines. *J Occup Med Toxicol*. 5: 29. <http://dx.doi.org/10.1186/1745-6673-5-29>.
- Gasnier, C; Laurant, C; Decroix-Laporte, C; Mesnage, R; Clair, E; Travert, C; Séralini, GE. (2011). Defined plant extracts can protect human cells against combined xenobiotic effects. *J Occup Med Toxicol*. 6: 3. <http://dx.doi.org/10.1186/1745-6673-6-3>.
- Gaspar, DJ; Lea, AS; Engelhard, MH; Baer, DR; Miehr, R; Tratnyek, PG. (2002). Evidence for localization of reaction upon reduction of carbon tetrachloride by granular iron. *Langmuir*. 18: 7688-7693. <http://dx.doi.org/10.1021/la025798+>.
- Gatehouse, D; Haworth, S; Cebula, T; Gocke, E; Kier, L; Matsushima, T; Melcion, C; Nohmi, T; Ohta, T; Venitt, S. (1994). Recommendations for the performance of bacterial mutation assays [Review]. *Mutat Res*. 312: 217-233.
- Gaur, A; Park, J; Maken, S; Song, H; Park, J. (2010). Landfill gas (LFG) processing via adsorption and alkanolamine absorption. *Fuel Process Tech*. 91: 635-640. <http://dx.doi.org/10.1016/j.fuproc.2010.01.010>.
- Gaynes, BI; III, WJ. (1989). Carbon tetrachloride and the sorbitol pathway in the diabetic mouse. *Comp Biochem Physiol B Biochem Mol Biol*. 94: 213-217.
- Gazzani, G; Papetti, A; Daglia, M; Berte, F; Gregotti, C. (1998). Protective activity of water soluble components of some common diet vegetables on rat liver microsome and the effect of thermal treatment. *J Agric Food Chem*. 46: 4123-4127.
- Geana, D; Wenzel, H. (1999). Solid-liquid-gas equilibrium by cubic equations of state and association. *Journal of Supercritical Fluids*. 15: 97-108.
- Gearhart, JM; Mahle, DA; Greene, RJ; Seckel, CS; Flemming, CD; Fisher, JW; III, CH. (1993). Variability of physiologically based pharmacokinetic (PBPK) model parameters and their effects on PBPK model predictions in a risk assessment for perchloroethylene (PCE). *Toxicol Lett*. 68: 131-144. [http://dx.doi.org/10.1016/0378-4274\(93\)90126-1](http://dx.doi.org/10.1016/0378-4274(93)90126-1).
- Gee, GW; Oostrom, M; Freshley, MD; Rockhold, ML; Zachara, JM. (2007). Hanford site vadose zone studies: An overview. *Vadose Zone Journal*. 6: 899-905. <http://dx.doi.org/10.2136/vzj2006.0179>.
- Gee, RC; Chin, TP; Tu, CW; Asbeck, PM; Lin, CL; Kirchner, PD; Woodall, JM. (1992). INP/INGAAS HETEROJUNCTION BIPOLAR-TRANSISTORS GROWN BY GAS-SOURCE MOLECULAR-BEAM EPITAXY WITH CARBON-DOPED BASE. *IEEE Electron Device Letters*. 13: 247-249.
- Gee, RC; Lin, CL; Farley, CW; Seabury, CW; Higgins, JA; Kirchner, PD; Woodall, JM; Asbeck, PM. (1993). INP/INGAAS DOUBLE-HETEROJUNCTION BIPOLAR-TRANSISTORS INCORPORATING CARBON-DOPED BASES AND SUPERLATTICE GRADED BASE-COLLECTOR JUNCTIONS. *Electronics Letters*. 29: 850-851.
- Geelen, LMJ; Huijbregts, MAJ; Den Hollander, H; Ragas, AMJ; van Jaarsveld, HA; de Zwart, D. (2009). Confronting environmental pressure, environmental quality and human health impact indicators of priority air emissions. *Atmos Environ*. 43: 1613-1621. <http://dx.doi.org/10.1016/j.atmosenv.2008.12.002>.
- Geetha, S; Jayamurthy, P; Pal, K; Pandey, S; Kumar, R; Sawhney, RC. (2008). Hepatoprotective effects of sea buckthorn (*Hippophae rhamnoides* L.) against carbon tetrachloride induced liver injury in rats. *J Sci Food Agric*. 88: 1592-1597. <http://dx.doi.org/10.1002/jsfa.3255>.
- Gehring, P; Eschweiler, H. (1999). Ozone/electron beam process for water treatment: Design, limitations and economic considerations. *Ozone: Science and Engineering*. 21: 523-538.
- Gemma, Sbraccia; Testai. (2000). Comparative characterization of CHCl₃ metabolism and toxicokinetics in rodent strains differently susceptible to chloroform-induced carcinogenicity. *Environ Toxicol Pharmacol*. 8: 103-110.
- George, J; Sastry, NV. (2004). Densities, excess molar volumes at T = (298.15 to 313.15) K, speeds of sound, excess isentropic compressibilities, relative permittivities, and deviations in molar polarizations at T = (298.15 and 308.15) K for methyl methacrylate+2-butoxyethanol or dibutyl ether plus benzene, toluene, or p-xylene. *Journal of Chemical and Engineering Data*. 49: 1116-1126. <http://dx.doi.org/10.1021/jc034022n>.
- Gereben, O; Pusztai, L. (2015). Understanding the structure of molecular liquids via combinations of molecular dynamics simulations and Reverse Monte Carlo modeling: Handling information deficiency. *Journal of Non-Crystalline Solids*. 407: 213-219. <http://dx.doi.org/10.1016/j.jnoncrysol.2014.08.047>.
- Gerlach, R; Cunningham, AB; Caccavo, F. (2000). Dissimilatory iron-reducing bacteria can influence the reduction of carbon tetrachloride by iron metal. *Environ Sci Technol*. 34: 2461-2464. <http://dx.doi.org/10.1021/es991200h>.
- Gershuni, S; Itzhak, N; Rabani, J. (1999). Free-radical chain reactions involving hydrogen and bromine atom transfer induced by TiO₂-mediated photocatalysis. *Langmuir*. 15: 1141-1146.
- Gervasini, A; Pirola, C; Ragaini, V. (2002). Destruction of carbon tetrachloride in the presence of hydrogen-supplying compounds with ionisation and catalytic oxidation. *Appl Catal B-Environ*. 38: 17-28.
- Gervasini, A; Pirola, C; Zilio, S; Ragaini, V. (2004). Destruction of carbon tetrachloride in the presence of hydrogen-supplying compounds with ionisation and catalytic oxidation - Part 2. Methane as hydrogen font. *Appl Catal B-Environ*. 47: 257-267. <http://dx.doi.org/10.1016/j.apcatb.2003.09.008>.
- Ghaffari, H; Ghassam, BJ; Prakash, HS. (2012). Hepatoprotective and cytoprotective properties of *Hyptis suaveolens* against oxidative stress-induced damage by CCl₄ and H₂O₂. *Asian Pacific Journal of Tropical Medicine*. 5: 868-874. [http://dx.doi.org/10.1016/S1995-7645\(12\)60162-X](http://dx.doi.org/10.1016/S1995-7645(12)60162-X).
- Gharbi, N; Pressac, M; Hadhouel, M; Szwarc, H; Wilson, SR; Moussa, F. (2005). 60fullerene is a powerful antioxidant in vivo with no acute or subacute toxicity. *Nano Lett*. 5: 2578-2585. <http://dx.doi.org/10.1021/nl051866b>.
- Ghaziaskar, HS; Daneshfar, A; Rezayat, M. (2005). The co-solubility of 2-ethylhexanoic acid and some liquid alcohols in supercritical carbon dioxide. *Fluid Phase Equilibria*. 238: 106-111. <http://dx.doi.org/10.1016/j.fluid.2005.09.023>.
- Ghosh, AK; Bagchi, S. (2008). Fluorimetric study of electron donor - Acceptor complex formation of asphaltene with o- and p-chloranil. *Energy Fuels*. 22: 1845-1850. <http://dx.doi.org/10.1021/ef800003q>.

Fate Literature Search Results

Off Topic

- Ghosh, AK; Chaudhuri, P; Panja, SS. (2016). Steady state fluorescence spectroscopic studies on the aggregation of coal derived asphaltene at lower concentration. *Fuel*. 185: 164-170. <http://dx.doi.org/10.1016/j.fuel.2016.07.109>.
- Ghosh, AK; Srivastava, SK; Bagchi, S. (2007). Study of self-aggregation of coal derived asphaltene in organic solvents: A fluorescence approach. *Fuel*. 86: 2528-2534. <http://dx.doi.org/10.1016/j.fuel.2007.02.027>.
- Giannakas, A; Spanos, CG; Kourkoumelis, N; Vaimakis, T; Ladavos, A. (2009). Structure and Thermal Stability of Polystyrene/Layered Silicate Nanocomposites. *Composite Interfaces*. 16: 237-247. <http://dx.doi.org/10.1163/156855409X402894>.
- Gianni, P; Lepori, L; Matteoli, E. (2010). Excess Gibbs energies and volumes of the ternary system chloroform plus tetrahydrofuran plus cyclohexane at 298.15 K. *Fluid Phase Equilibria*. 297: 52-61. <http://dx.doi.org/10.1016/j.fluid.2010.06.007>.
- Giannotti, A; Lepori, L; Matteoli, E; Marongiu, B. (1991). EXCESS GIBBS ENERGIES OF LIQUID BINARY-MIXTURES .6. A HYDROCARBON OR TETRACHLOROMETHANE + AN ALDEHYDE OR A KETONE. *Fluid Phase Equilibria*. 65: 275-290.
- Giaya, A; Thompson, RW; Denkwicz, R. (2000). Liquid and vapor phase adsorption of chlorinated volatile organic compounds on hydrophobic molecular sieves. *Microporous and Mesoporous Materials*. 40: 205-218.
- Gil, B; Mierzynska, K; Szczerbinska, M; Datka, J. (2007). Basic sites in zeolites followed by IR studies of NO+. *Appl Catal A-Gen*. 319: 64-71. <http://dx.doi.org/10.1016/j.apcata.2006.11.010>.
- Gilbert, B; Banfield, JF. (2005). Molecular-scale processes involving nanoparticulate minerals in biogeochemical systems. *Rev Mineral Geochem*. 59: 109-155. <http://dx.doi.org/10.2138/rmg.2005.59.6>.
- Gilks, WR; Richardson, S; Spiegelhalter, DJ. (1995). Markov chain Monte Carlo in practice. Boca Raton, FL: Chapman & Hall/CRC Press. <http://www.crcpress.com/product/isbn/9780412055515>.
- Ginsberg, G; Hattis, D; Sonawane, B; Russ, A; Banati, P; Kozlak, M; Smolenski, S; Goble, R. (2002). Evaluation of child/adult pharmacokinetic differences from a database derived from the therapeutic drug literature. *Toxicol Sci*. 66: 185-200.
- Giraudet, S; Zhu, Z; Yao, X; Lu, G. (2010). Ordered Mesoporous Carbons Enriched with Nitrogen: Application to Hydrogen Storage. *J Phys Chem C*. 114: 8639-8645. <http://dx.doi.org/10.1021/jp101119r>.
- Giuffrida, S; Condorelli, GG; Costanzo, LL; Ventimiglia, G; Lo Nigro, R; Favazza, M; Votrico, E; Bongiorno, C; Fragala, IL. (2007). Nickel nanostructured materials from liquid phase photodeposition. *J Nanopart Res*. 9: 611-619. <http://dx.doi.org/10.1007/s11051-006-9089-2>.
- Glatthor, N; Von Clarmann, T; Fischer, H; Funke, B; Grabowski, U; Höpfner, M; Kellmann, S; Linden, A; Milz, M; Steck, T; Stiller, GP. (2007). Global peroxyacetyl nitrate (PAN) retrieval in the upper troposphere from limb emission spectra of the Michelson Interferometer for Passive Atmospheric Sounding (MIPAS). *Atmos Chem Phys Discuss*. 7: 1391-1420.
- Glavas, S; Moschonas, N. (2002). First measurements of carbon tetrachloride and tetrachloroethene in the atmosphere of Athens, Greece. *Sci Total Environ*. 290: 231-237.
- Glod, G; Angst, W; Holliger, C; Schwarzenbach, RP. (1997). Corrinoid-mediated reduction of tetrachloroethene, trichloroethene, and trichlorofluoroethene in homogeneous aqueous solution: Reaction kinetics and reaction mechanisms. *Environ Sci Technol*. 31: 253-260.
- Glod, G; Brodmann, U; Angst, W; Holliger, C; Schwarzenbach, RP. (1997). Cobalamin-mediated reduction of cis- and trans-dichloroethene, 1,1-dichloroethene, and vinyl chloride in homogeneous aqueous solution: Reaction kinetics and mechanistic considerations. *Environ Sci Technol*. 31: 3154-3160.
- Gnanadesigan, M; Ravikumar, S; Inbaneson, SJ. (2011). Hepatoprotective and antioxidant properties of marine halophyte *Luminetzer racemosa* bark extract in CCL(4) induced hepatotoxicity. *Asian Pacific Journal of Tropical Medicine*. 4: 462-465. [http://dx.doi.org/10.1016/S1995-7645\(11\)60126-0](http://dx.doi.org/10.1016/S1995-7645(11)60126-0).
- Gobba, F; Ghittori, S; Imbriani, M; Maestri, L; Capodaglio, E; Cavalleri, A. (1997). The urinary excretion of solvents and gases for the biological monitoring of occupational exposure: a review [Review]. *Sci Total Environ*. 199: 3-12.
- Gogate, PR; Katekhaye, SN. (2012). A comparison of the degree of intensification due to the use of additives in ultrasonic horn and ultrasonic bath. *Chemical Engineering and Processing: Process Intensification*. 61: 23-29. <http://dx.doi.org/10.1016/j.cep.2012.06.016>.
- Goharshadi, EK; Nazari, F. (2001). Computation of internal pressure of liquids using a statistical mechanical equation of state. *Fluid Phase Equilibria*. 187: 425-431.
- Gold, LS; Stewart, PA; Milliken, K; Purdue, M; Severson, R; Seixas, N; Blair, A; Hartge, P; Davis, S; De Roos, AJ. (2010). The relationship between multiple myeloma and occupational exposure to six chlorinated solvents. *Occup Environ Med*. 68: 391-399. <http://dx.doi.org/10.1136/oem.2009.054809>.
- Golubina, EV; Lokteva, ES; Lunin, VV; Turakulova, AO; Simagina, VI; Stoyanova, IV. (2003). Modification of the supported hydrodechlorination palladium catalysts surface during of carbon tetrachloride. *Appl Catal A-Gen*. 241: 123-132.
- Golzar, M; Saghavani, SF; Moghaddam, MA. (2014). Experimental Study and Numerical Solution of Poly Acrylic Acid Supported Magnetite Nanoparticles Transport in a One-Dimensional Porous Media. *Advances in Materials Science and Engineering*. <http://dx.doi.org/10.1155/2014/864068>.
- Gomathi, A; Hoseini, SJ; Rao, CNR. (2009). Functionalization and solubilization of inorganic nanostructures and carbon nanotubes by employing organosilicon and organotin reagents. *J Mater Chem*. 19: 988-995. <http://dx.doi.org/10.1039/b813570c>.
- Gomez-Sainero, LM; Cortes, A; Seoane, XL; Arcoya, A. (2000). Hydrodechlorination of carbon tetrachloride to chloroform in the liquid phase with metal-supported catalysts. Effect of the catalyst components. *Ind Eng Chem Res*. 39: 2849-2854. <http://dx.doi.org/10.1021/ie990892f>.
- Gomez-Sainero, LM; Seoane, XL; Arcoya, A. (2004). Hydrodechlorination of Carbon Tetrachloride in the Liquid Phase on a Pd/Carbon Catalyst: Kinetic and Mechanistic Studies. *Appl Catal B-Environ*. 53: 101. <http://dx.doi.org/10.1016/j.apcatb.2004.05.007>.
- Gomez-Sainero, LM; Seoane, XL; Fierro, JLG; Arcoya, A. (2002). Liquid-phase hydrodechlorination of CCl4 to CHCl3 on Pd/carbon catalysts: Nature and role of Pd active species. *J Catal*. 209: 279-288. <http://dx.doi.org/10.1006/jcat.2002.3655>.

Fate Literature Search Results

Off Topic

- Gomez-Sainero, LM; Seoane, XL; Tijero, E; Arcoya, A. (2002). Hydrodechlorination of carbon tetrachloride to chloroform in the liquid phase with a Pd/carbon catalyst. Study of the mass transfer steps. *Chem Eng Sci.* 57: 3565-3574.
- Goncalves, AS; Macedo, EA. (1993). INFINITE-DILUTION ACTIVITY-COEFFICIENTS BY COMPARATIVE EBULLIOMETRY - 5 SYSTEMS CONTAINING ETHYL FORMATE. *Fluid Phase Equilibria.* 85: 171-179.
- Goncharov, OY. (2001). Thermodynamics of the chemical vapor deposition of carbides in the system TaBr₅-CCl₄-Cd. *Inorg Mater.* 37: 237-242.
- Gong, F, ei; Luo, L; Yao, Y; Dai, D; Lu, W; Chen, W. (2016). Drastic rate acceleration driven by synergistic effects: Key role of persistent free radicals coupled with ascorbic acid in decomposition of organic contaminants by ferric citrate. *Chem Eng J.* 304: 440-447. <http://dx.doi.org/10.1016/j.cej.2016.06.111>.
- Gong, YN; Mo, JJ; Yu, HS; Wang, L; Xia, GQ. (1999). Characterization of carbon-doped GaAs grown by metalorganic vapor-phase epitaxy. *J Cryst Growth.* 206: 271-278.
- Gong, YN; Mo, JJ; Yu, HS; Wang, L; Xia, GQ. (2000). Quantitative study of carbon doping of GaAs grown by metalorganic vapor-phase epitaxy. *J Cryst Growth.* 209: 43-49.
- Gonulsen, R; Yildiz, N; Calimli, A. (2003). Adsorption of organic compounds on to bentonites modified with single or dual quaternary ammonium cations. *AST.* 21: 135-148.
- Gonzalez, CA; Ardila, AN; de Correa, CM; Martinez, MA; Fuentes-Zurita, G. (2007). Pd/TiO₂ washcoated cordierite minimonoliths for hydrodechlorination of light organochlorinated compounds. *Ind Eng Chem Res.* 46: 7961-7969. <http://dx.doi.org/10.1021/ie070713r>.
- Gonzalez, CA; Bartoszek, M; Martin, A; Montes de Correa, C. (2009). Hydrodechlorination of Light Organochlorinated Compounds and Their Mixtures over Pd/TiO₂-Washcoated Minimoliths. *Ind Eng Chem Res.* 48: 2826-2835. <http://dx.doi.org/10.1021/ie8013742>.
- Gonzalez, CA; Montes de Correa, C. (2010). Catalytic Hydrodechlorination of Tetrachloroethylene over Pd/TiO₂ Minimoliths. *Ind Eng Chem Res.* 49: 490-497. <http://dx.doi.org/10.1021/ie901027y>.
- Gonzalez, JA; de la Fuente, IG; Cobos, JC. (1999). Proximity effects and cyclization in oxaalkanes plus CCl₄ mixtures DISQUAC characterization of the Cl-O interactions. Comparison with Dortmund UNIFAC results. *Fluid Phase Equilibria.* 154: 11-31.
- Gonzalez, JA; Delafuente, IG; Cobos, JC. (1997). Thermodynamics of mixtures containing linear monocarboxylic acids .2. Binary systems showing cross-association between components: DISQUAC characterization of linear monocarboxylic acid plus 1-alkanol, or plus linear monocarboxylic acid mixtures. *Fluid Phase Equilibria.* 135: 1-21.
- Gonzalez, JA; Delafuente, IG; Cobos, JC; Casanova, C. (1994). THERMODYNAMICS OF MIXTURES CONTAINING LINEAR MONOCARBOXYLIC ACIDS .1. DISQUAC PREDICTIONS ON MOLAR EXCESS GIBBS ENERGIES, MOLAR EXCESS-ENTHALPIES AND SOLID-LIQUID EQUILIBRIA FOR MIXTURES OF LINEAR MONOCARBOXYLIC ACIDS WITH ORGANIC-SOLVENTS. *Fluid Phase Equilibria.* 99: 19-33.
- Gonzalez, MC; Le Roux, GC; Rosso, JA; Braun, AM. (2007). Mineralization of CCl₄ by the UVC-photolysis of hydrogen peroxide in the presence of methanol. *Chemosphere.* 69: 1238-1244. <http://dx.doi.org/10.1016/j.chemosphere.2007.05.076>.
- Gonzalezmartin, ML; Bruque, JM; Gonzalezcaballero, F; Pereacarpio, R; Janczuk, B. (1996). The mechanism of adsorption of sodium dodecylsulfonate on fluorite and its surface free energy. *Appl Surf Sci.* 103: 395-402.
- Gopal, AV; Rao, KSR; Prasad, PSS; Rao, PK. (1998). Effect of method of preparation on the dismutation activity of CCl₂F₂ over Cr₂O₃-MgO-Al₂O₃ catalysts. *Stud Surf Sci Catal.* 113: 405-417.
- Gopalakrishnan, G; Negri, MC; Minsker, BS; Werth, CJ. (2007). Monitoring subsurface contamination using tree branches. *Ground Water Monitoring and Remediation.* 27: 65-74.
- Goral, M; Oracz, P; Warycha, S. (1988). VAPOR LIQUID EQUILIBRIA .4. THE TERNARY-SYSTEM CARBON-TETRACHLORIDE METHANOL CHLOROFORM AT 293.15-K. *Fluid Phase Equilibria.* 44: 77-93.
- Goral, M; Oracz, P; Warycha, S. (1990). VAPOR-LIQUID-EQUILIBRIA .5. THE TERNARY-SYSTEM CARBON-TETRACHLORIDE METHANOL CHLOROFORM AT 303.15-K. *Fluid Phase Equilibria.* 55: 337-354.
- Goral, M; Zawadzki, S. (1993). VAPOR-LIQUID-EQUILIBRIA IN NONPOLAR MIXTURES .2. CARBON-TETRACHLORIDE WITH ALKYL BENZENES AND N-ALKANES AT 313.15-K. *Fluid Phase Equilibria.* 90: 355-364.
- Goralski, P. (2000). Volumetric manifestation of van der Waals interactions between cholesterol and organic solvents of linear structure. *Fluid Phase Equilibria.* 167: 207-221.
- Gorecki, T; Pawliszyn, J. (1997). Field-portable solid-phase microextraction fast GC system for trace analysis. *Field Analytical Chemistry and Technology.* 1: 277-284.
- Gorski, CA; Nurmi, JT; Tratnyek, PG; Hofstetter, TB; Scherer, MM. (2010). Redox behavior of magnetite: implications for contaminant reduction. *Environ Sci Technol.* 44: 55-60. <http://dx.doi.org/10.1021/es9016848>.
- Gorski, CA; Scherer, MM. (2009). Influence of Magnetite Stoichiometry on Fe-II Uptake and Nitrobenzene Reduction. *Environ Sci Technol.* 43: 3675-3680. <http://dx.doi.org/10.1021/es803613a>.
- Gorski, CA; Scherer, MM. (2009). A new conceptual model for interpreting the redox behavior of magnetite in anoxic environments. *Geochim Cosmo Acta.* 73: A456-A456.
- Gorski, CA; Scherer, MM. (2010). Determination of nanoparticulate magnetite stoichiometry by Mossbauer spectroscopy, acidic dissolution, and powder X-ray diffraction: A critical review. *Am Mineral.* 95: 1017-1026. <http://dx.doi.org/10.2138/am.2010.3435>.
- Gorzka, Z; Paryjczak, T; Zarczynski, A; Kazmierczak, M; Michniewicz, M. (2003). Dioxins in thermo-catalyzed oxidates of selected organochlorine compounds. *Przemysł Chemiczny.* 82: 1020-1022.
- Gorzka, Z; Zarczynski, A; Paryjczak, T; Kazmierczak, M; Zaborowski, M. (2009). Total Catalytic Oxidation of Volatile Chloroorganics Occurring in Liquid Industrial Wastes from Organics Synthesis. *Rocznik Ochrona Srodowiska.* 11: 439-448.
- Gorzka, Z; Zarczynski, A; Zaborowski, M; Paryjczak, T; Kazmierczak, M. (2011). Oxidation of Chloroorganic Compounds in Liquid Industrial Wastes with the Palladium Catalyst Application. *Rocznik Ochrona Srodowiska.* 13: 557-569.

Fate Literature Search Results

Off Topic

- Gosselin, RE; Hodge, HC; Smith, RP; Gleason, MN. (1976). Acute poisoning Clinical toxicology of commercial products (4 ed.). Baltimore, MD: Williams & Wilkins.
- Gostlow, B; Robinson, AD; Harris, NRP; O'Brien, LM; Oram, DE; Mills, GP; Newton, HM; Yong, SE; Pyle, JA. (2010). mu Dirac: an autonomous instrument for halocarbon measurements. *Atmos Meas Tech.* 3: 507-521. <http://dx.doi.org/10.5194/amt-3-507-2010>.
- Gottpagar, J; Lyuksyutov, S; Cohn, R; Grulke, E; Bhattacharyya, D. (1999). Reductive dehalogenation of trichloroethylene with zero-valent iron: Surface profiling microscopy and rate enhancement studies. *Langmuir.* 15: 8412-8420.
- Gouthamchandra, K; Mahmood, R; Manjunatha, H. (2010). Free radical scavenging, antioxidant enzymes and wound healing activities of leaves extracts from *Clerodendrum infortunatum* L. *Environ Toxicol Pharmacol.* 30: 11-18. <http://dx.doi.org/10.1016/j.etap.2010.03.005>.
- Grabowski, K; Patrykiewicz, A; Sokolowski, S. (1997). Monte-Carlo simulation of mixed multilayer adsorption. *Thin Solid Films.* 304: 344-352.
- Grabowski, K; Patrykiewicz, A; Sokolowski, S. (1999). Monte Carlo simulation of mixed multilayer adsorption - II: layering transitions and wetting phenomena in non-ideal mixtures. *Thin Solid Films.* 352: 259-268.
- Grabowski, K; Patrykiewicz, A; Sokolowski, S. (2000). Monte Carlo simulation of mixed multilayer adsorption: layering transitions and wetting phenomena in non-ideal mixtures. *Thin Solid Films.* 379: 297-307.
- Gragson, DE; Manes, JP; Smythe, JE; Baker, SM. (2003). PS-PEO diblock copolymer at the cyclohexane/SiO₂ interface: Effect of micelles on adsorption kinetics and coverage. *Langmuir.* 19: 5031-5035. <http://dx.doi.org/10.1021/la026903i>.
- Gragson, DE; Richmond, GL. (1997). Comparisons of the structure of water at neat oil/water and air/water interfaces as determined by vibrational sum frequency generation. *Langmuir.* 13: 4804-4806.
- Granberg, RA; Rasmuson, AC. (1999). Solubility of paracetamol in pure solvents. *Journal of Chemical and Engineering Data.* 44: 1391-1395.
- Granier, M; Lanneau, GF; Moineau, J; Girard, P; Ramonda, M. (2003). Improved strain relief of self-assembled monolayers from organohydrochlorosilanes grafted onto oxidized (1,0,0) silicon wafers. *Langmuir.* 19: 2691-2695. <http://dx.doi.org/10.1021/la020694k>.
- Grasl-Kraupp, B; Ruttkay-Nedecky, B; Koudelka, H; Bukowska, K; Bursch, W; Schulte-Hermann, R. (1995). In situ detection of fragmented DNA (TUNEL assay) fails to discriminate among apoptosis, necrosis, and autolytic cell death: A cautionary note. *Hepatology.* 21: 1465-1468.
- Grassian, VH. (2008). When Size Really Matters: Size-Dependent Properties and Surface Chemistry of Metal and Metal Oxide Nanoparticles in Gas and Liquid Phase Environments. *J Phys Chem C.* 112: 18303-18313. <http://dx.doi.org/10.1021/jp806073t>.
- Grate, JW; Abraham, MH; Du, CM; McGill, RA; Shuely, WJ. (1995). EXAMINATION OF VAPOR SORPTION BY FULLERENE, FULLERENE-COATED SURFACE-ACOUSTIC-WAVE SENSORS, GRAPHITE, AND LOW-POLARITY POLYMERS USING LINEAR SOLVATION ENERGY RELATIONSHIPS. *Langmuir.* 11: 2125-2130.
- Gray, DF; Pasco, NF; Williamson, AG. (1988). LIQUID-VAPOR EQUILIBRIA IN MIXTURES OF CARBON-TETRACHLORIDE AND CHLOROFORM WITH DIMETHYL SULFIDE AND DIETHYL SULFIDE. *Journal of Chemical and Engineering Data.* 33: 335-337.
- Graziosi, F; Arduini, J; Bonasoni, P; Furlani, F; Giostra, U; Manning, AJ; McCulloch, A; O'Doherty, S; Simmonds, PG; Reimann, S; Vollmer, MK; Maione, M. (2016). Emissions of carbon tetrachloride from Europe. *Atmos Chem Phys.* 16: 12849-12859. <http://dx.doi.org/10.5194/acp-16-12849-2016>.
- Greco, R; Iavarone, M; Fiedlerova, A; Borsig, E. (2002). Optical properties of polyethylene/styrene-co-methacrylate copolymers IPN-like networks: Effect of different methacrylate styrene co monomers on properties. *Journal of Materials Science.* 37: 3389-3395.
- Gregory, KB; Larese-Casanova, P; Parkin, GF; Scherer, MM. (2004). Abiotic transformation of hexahydro-1,3,5-trinitro-1,3,5-triazine by ferric bound to magnetite. *Environ Sci Technol.* 38: 1408-1414. <http://dx.doi.org/10.1021/es034588w>.
- Gregory, KB; Mason, MG; Picken, HD; Weathers, LJ; Parkin, GF. (2000). Bioaugmentation of Fe(0) for the remediation of chlorinated aliphatic hydrocarbons. *Environ Eng Sci.* 17: 169-181.
- Gresserov, BN; Sobolev, NA; Shek, EI. (1990). EFFECT OF THE PARTIAL PRESSURES OF CHLORINE-CONTAINING COMPONENTS ON THE KINETICS OF OXIDATION OF SILICON IN A CARBON-TETRACHLORIDE + OXYGEN MIXTURE. *Inorg Mater.* 26: 1344-1346.
- Grisdanurak, N; Chiarakorn, S; Wittayakun, J. (2003). Utilization of mesoporous molecular sieves synthesized from natural source rice husk silica to chlorinated volatile organic compounds (CVOCs) adsorption. *Korean J Chem Eng.* 20: 950-955.
- Grosjean, E; Rasmussen, RA; Grosjean, D. (1999). Toxic air contaminants in Porto Alegre, Brazil. *Environ Sci Technol.* 33: 1970-1978.
- Group, FW. (2000). Nonclinical assessment of potential hepatotoxicity in man (a concept paper meant to provide a framework for discussion at a February 12&13 Workshop. FDA Working Group.
- Grzybek, T; Motak, M; Papp, H. (2004). The structure of prospective denox catalysts based on carbon-montmorillonite nanocomposites. *Catalysis Today.* 90: 69-76. <http://dx.doi.org/10.1016/j.cattod.2004.04.010>.
- Gu, B; Phelps, TJ; Liang, L; Dickey, MJ; Roh, Y; Kinsall, BL; Palumbo, AV; Jacobs, GK. (1999). Biogeochemical dynamics in zero-valent iron columns: Implications for permeable reactive barriers. *Environ Sci Technol.* 33: 2170-2177.
- Gu, BH; Watson, DB; Wu, LY; Phillips, DH; White, DC; Zhou, JZ. (2002). Microbiological characteristics in a zero-valent iron reactive barrier. *Environ Monit Assess.* 77: 293-309. <http://dx.doi.org/10.1023/A:1016092808563>.
- Gu, FY; Hou, YJ. (2000). Salt effects on the isobaric vapor-liquid equilibrium for four binary systems. *Journal of Chemical and Engineering Data.* 45: 467-470.
- Gu, X; Lu, S; Fu, X; Qiu, Z; Sui, Q; Guo, X. (2017). Carbon dioxide radical anion-based UV/S₂O₈²⁻/HCOOH reductive process for carbon tetrachloride degradation in aqueous solution. *Separation and Purification Technology.* 172: 211-216. <http://dx.doi.org/10.1016/j.seppur.2016.08.019>.
- Gu, X; Lu, S; Qiu, Z; Su, Q; Banks, CJ; Imai, T; Lin, K; Luo, Q. (2013). Photodegradation performance of 1,1,1-trichloroethane in aqueous solution: In the presence and absence of persulfate. *Chem Eng J.* 215: 29-35. <http://dx.doi.org/10.1016/j.cej.2012.09.132>.

Fate Literature Search Results

Off Topic

- Gu, X; Lu, S; Qiu, Z; Sui, Q; Miao, Z; Lin, K; Liu, Y; Luo, Q. (2012). Comparison of Photodegradation Performance of 1,1,1-Trichloroethane in Aqueous Solution with the Addition of H₂O₂ or S₂O₈²⁻ Oxidants. *Ind Eng Chem Res.* 51: 7196-7204. <http://dx.doi.org/10.1021/ie202769d>.
- Gu, YL; Chen, LY; Qian, YT; Zhang, WQ; Ma, JH. (2005). Synthesis of nanocrystalline boron carbide via a solvothermal reduction of CCl₄ in the presence of amorphous boron powder. *Journal of the American Ceramic Society.* 88: 225-227. <http://dx.doi.org/10.1111/j.1551-2916.2004.00023.x>.
- Guadagnino, E; Dediana, GC; Scalet, BM; Scandellari, ML. (1992). DETERMINATION OF SELENIUM IN GLASS BY GRAPHITE-FURNACE ATOMIC-ABSORPTION SPECTROSCOPY AFTER EXTRACTION WITH DITHIZONE - A COMPARISON WITH X-RAY-FLUORESCENCE AND VAPOR GENERATION ATOMIC-ABSORPTION SPECTROSCOPY. *Glass Technology.* 33: 209-213.
- Guastadisegni, C; Balduzzi, M; Mancuso, MT; Di Consiglio, E. (1999). Liver mitochondria alterations in chloroform-treated Sprague-Dawley rats. *J Toxicol Environ Health A.* 57: 415-429.
- Gubskii, I, ul; Kurskii, MD; Zadorina, OV; Fedorov, AN; Briuzgina, TS; Iurzhenko, NN. (1990). [Calcium transport in endoplasmic reticulum of the rat liver during lipid peroxidation]. *Biokhimiya.* 55: 12-22.
- Gudi, G; Krähmer, A; Krüger, H; Hennig, L; Schulz, H. (2014). Discrimination of fennel chemotypes applying IR and Raman spectroscopy: discovery of a new γ -asarone chemotype. *J Agric Food Chem.* 62: 3537-3547. <http://dx.doi.org/10.1021/jf405752x>.
- Guevara, AP; Amor, E; Russell, G. (1996). Antimutagens from *Plumeria acuminata*. *Mutat Res Environ Mutagen Relat Subj.* 361: 67-72.
- Guha, A; Pal, R. (2007). Prediction of vapour-liquid equilibrium of some binary liquid systems by Generalized London Potential method. *Indian J Chem Tech.* 14: 178-182.
- Guhagarkar, SA; Shah, D; Patel, MD; Sathaye, SS; Devarajan, PV. (2015). Polyethylene Sebacate-Silymarin Nanoparticles with Enhanced Hepatoprotective Activity. *J Nanosci Nanotechnol.* 15: 4090-4093. <http://dx.doi.org/10.1166/jnn.2015.9518>.
- Guimbretiere, G; Bouchet, A; Rodriguez, V; Couzi, M; Talaga, D; Buffeteau, T; Canioni, L. (2008). Structural and Dynamical Insights from Vibrational Multipolar Analyses of Isotropic Media: Application to Molecular Liquid CCl₄ and Silica Glass SiO₂. *J Phys Chem C.* 112: 17906-17915. <http://dx.doi.org/10.1021/jp806395k>.
- Guleria, SP; Dutta, RK. (2011). Unconfined Compressive Strength of Fly Ash-Lime-Gypsum Composite Mixed with Treated Tire Chips. *Journal of Materials in Civil Engineering.* 23: 1255-1263. [http://dx.doi.org/10.1061/\(ASCE\)MT.1943-5533.0000292](http://dx.doi.org/10.1061/(ASCE)MT.1943-5533.0000292).
- Guleria, SP; Dutta, RK. (2012). Behaviour of fly ash-lime-gypsum composite mixed with treated tire chips. *Geomechanics and Engineering.* 4: 151-171.
- Gunaseelan, K; Umlong, IM; Mukhim, T; Ismail, K. (2003). Electrical conductance behavior of oil-in-water microemulsions stabilized by sodium dodecyl sulfate and 1-butanol. *Langmuir.* 19: 7276-7281. <http://dx.doi.org/10.1021/la034899k>.
- Gun'ko, VM; Borysenko, MV; Pissis, P; Spanoudaki, A; Shinyashiki, N; Sulim, IY; Kulik, TV; Palyanytsya, BB. (2007). Polydimethylsiloxane at the interfaces of fumed silica and zirconia/fumed silica. *Appl Surf Sci.* 253: 7143-7156. <http://dx.doi.org/10.1016/j.apsusc.2007.02.185>.
- Gun'ko, VM; Turov, VV; Leboda, R; Skubiszewska-Zieba, J; Charmas, B. (2013). Confined space effects driving to heterogenization of solutions at the interfaces. *Adsorption.* 19: 305-321. <http://dx.doi.org/10.1007/s10450-012-9453-8>.
- Gun'ko, VM; Turov, VV; Skubiszewska-Zieba, J; Leboda, R; Tsapko, MD; Palijczuk, D. (2003). Structural characteristics of a carbon adsorbent and influence of organic solvents on interfacial water. *Appl Surf Sci.* 214: 178-189. [http://dx.doi.org/10.1016/S0169-4332\(03\)00345-3](http://dx.doi.org/10.1016/S0169-4332(03)00345-3).
- Gun'ko, VM; Turov, VV; Whitby, RLD; Prykhod'ko, GP; Turov, AV; Mikhalovsky, SV. (2013). Interactions of single and multi-layer graphene oxides with water, methane, organic solvents and HCl studied by H-1 NMR. *Carbon.* 57: 191-201. <http://dx.doi.org/10.1016/j.carbon.2013.01.063>.
- Guo, CJ; Dekee, D. (1991). EFFECT OF MOLECULAR-SIZE AND FREE-VOLUME ON DIFFUSION IN LIQUIDS. *Chem Eng Sci.* 46: 2133-2141.
- Guo, CJ; Dekee, D; Harrison, B. (1992). EFFECT OF MOLECULAR-STRUCTURE ON DIFFUSION OF ORGANIC-SOLVENTS IN RUBBERS. *Chem Eng Sci.* 47: 1525-1532.
- Guo, W; Fung, BM. (1991). THE EFFECT OF SOLUTES ON THE ORIENTATIONAL ORDERING OF LIQUID-CRYSTALLINE SOLVENTS. *Liquid Crystals.* 9: 117-126.
- Guo, W; Shi, Y; Wang, H; Yang, H; Zhang, G. (2010). Sonochemical decomposition of levofloxacin in aqueous solution. *Water Environ Res.* 82: 696-700. <http://dx.doi.org/10.2175/106143010X12609736966801>.
- Guo, Y; Cheng, C; Wang, J; Wang, Z; Jin, X; Li, K; Kang, P; Gao, J. (2011). Detection of reactive oxygen species (ROS) generated by TiO₂(R), TiO₂(R/A) and TiO₂(A) under ultrasonic and solar light irradiation and application in degradation of organic dyes. *J Hazard Mater.* 192: 786-793. <http://dx.doi.org/10.1016/j.jhazmat.2011.05.084>.
- Guo, YH; Wang, YH; Hu, CW; Wang, YH; Wang, EB; Zhou, YC; Feng, SH. (2000). Microporous polyoxometalates POMs/SiO₂: Synthesis and photocatalytic degradation of aqueous organochlorine pesticides. *Chem Mater.* 12: 3501-3508. <http://dx.doi.org/10.1021/cm000074+>.
- Guo, ZB; Feng, R; Li, JH; Zheng, Z; Zheng, YF. (2008). Degradation of 2,4-dinitrophenol by combining sonolysis and different additives. *J Hazard Mater.* 158: 164-169. <http://dx.doi.org/10.1016/j.jhazmat.2008.01.056>.
- Gupta, AK; Karar, K; Srivastava, A. (2007). Chemical mass balance source apportionment of PM₁₀ and TSP in residential and industrial sites of an urban region of Kolkata, India. *J Hazard Mater.* 142: 279-287. <http://dx.doi.org/10.1016/j.jhazmat.2006.08.013>.
- Gupta, R; Wanchoo, RK; Bansal, A. (2010). Interfacial Tension of Some Newtonian and non-Newtonian Fluids by the Drop-Weight Method. *Chemical and Biochemical Engineering Quarterly.* 24: 295-300.
- Gupta, RK; Hussain, T; Panigrahi, G; Das, A; Singh, GN; Sweetey, K; Faiyazuddin, M; Rao, CV. (2011). Hepatoprotective effect of *Solanum xanthocarpum* fruit extract against CCl₄ induced acute liver toxicity in experimental animals. *Asian Pacific Journal of Tropical Medicine.* 4: 964-968. [http://dx.doi.org/10.1016/S1995-7645\(11\)60227-7](http://dx.doi.org/10.1016/S1995-7645(11)60227-7).

Fate Literature Search Results

Off Topic

- Gupta, RS; Singh, D. (2007). Hepatomodulatory role of *Enicostemma littorale* Blume against oxidative stress induced liver injury in rats. *African Journal of Agricultural Research*. 2: 131-138.
- Gupta, SS; Sanyal, B. (1979). CORROSION OF STEEL BY CHLORINATED SOLVENTS AND ITS INHIBITION .1. FACTORS AFFECTING THE DECOMPOSITION OF CCL4 AND ITS ACTION ON MILD-STEEL. 14: 155-159.
- Gurtler, KR; Kleineremanns, K. (1994). PHOTOOXIDATION OF EXHAUST POLLUTANTS .2. PHOTOOXIDATION OF CHLOROMETHANES - DEGRADATION EFFICIENCIES, QUANTUM YIELDS AND PRODUCTS. *Chemosphere*. 28: 1289-1298.
- Gururaja, MP; Joshi, AB; Joshi, H; Sathyanarayana, D; Subrahmanyam, EV; Chandrashekhar, KS. (2009). Attenuation of carbon tetrachloride-induced hepatotoxicity by cow urine distillate in rats. *Biomed Environ Sci*. 22: 345-347. [http://dx.doi.org/10.1016/S0895-3988\(09\)60066-0](http://dx.doi.org/10.1016/S0895-3988(09)60066-0).
- Gutierrez-Ortiz, JI; de Rivas, B; Lopez-Fonseca, R; Gonzalez-Velasco, JR. (2005). Effect of the presence of n-hexane on the catalytic combustion of chlororganics over *cena-zirconia* mixed oxides. *Catalysis Today*. 107-08: 933-941. <http://dx.doi.org/10.1016/j.cattod.2005.07.045>.
- Ha, YL; Chakraborty, AK. (1994). CHARACTERIZATION OF CROWN-ETHERS AS MACROCYCLIC ELEMENTS FOR ROTAXANE PREPARATION - A MONTE-CARLO SIMULATION. *Chem Eng Sci*. 49: 2859-2866.
- Haas, JR; Shock, EL. (1999). Halocarbons in the environment: Estimates of thermodynamic properties for aqueous chloroethylene species and their stabilities in natural settings. *Geochim Cosmo Acta*. 63: 3429-3441.
- Häbich, A; Qiao, GG; Ducker, W. (2010). Enantioselective adsorption of surfactants monitored by ATR-FTIR. *Langmuir*. 26: 13944-13953. <http://dx.doi.org/10.1021/la101641r>.
- Hachiya, N; Motohashi, Y. (2000). Examination of lacZ mutant induction in the liver and testis of Muta(TM)Mouse following injection of halogenated aliphatic hydrocarbons classified as human carcinogens. *Ind Health*. 38: 213-220. <http://dx.doi.org/10.2486/indhealth.38.213>.
- Hadidi, K; Cohn, DR; Vitale, S; Bromberg, L. (1999). Economic study of the tunable electron beam plasma reactor for volatile organic compound treatment. *J Air Waste Manag Assoc*. 49: 225-228.
- Haehner, BD; Gorski, JC; Vandenbranden, M; Wrighton, SA; Janardan, SK; Watkins, PB; Hall, SD. (1996). Bimodal distribution of renal cytochrome P450 3A activity in humans. *Mol Pharmacol*. 50: 52-59.
- Hafeman, DG; Hoekstra, WG. (1977). Protection against carbon tetrachloride-induced lipid peroxidation in the rat by dietary vitamin E, selenium and methionine as measured by ethane evolution. *J Nutr*. 107: 656-665.
- Haggerty, R; Gorelick, SM. (1994). DESIGN OF MULTIPLE CONTAMINANT REMEDIATION - SENSITIVITY TO RATE-LIMITED MASS-TRANSFER. *Water Resour Res*. 30: 435-446.
- Hagmar, L; Bonassi, S; Strömberg, U; Brøgger, A; Knudsen, LE; Norppa, H; Reuterwall, C. (1988). Chromosomal aberrations in lymphocytes predict human cancer: a report from the European Study Group on Cytogenetic Biomarkers and Health (ESCH). *Cancer Res*. 58: 4117-4121.
- Hagmar, L; Strömberg, U; Bonassi, S; Hansteen, IL; Knudsen, LE; Lindholm, C; Norppa, H. (2004). Impact of types of lymphocyte chromosomal aberrations on human cancer risk: Results from Nordic and Italian cohorts. *Cancer Res*. 64: 2258-2263. <http://dx.doi.org/10.1158/0008-5472.CAN-03-3360>.
- Haider, N; Husain, D. (1993). KINETIC-STUDIES OF THE REACTIONS OF GROUND-STATE ATOMIC CARBON, C(2P(2))((3)P(J)), WITH HALOGENATED METHANES INVESTIGATED BY TIME-RESOLVED ATOMIC RESONANCE-ABSORPTION SPECTROSCOPY IN THE VACUUM ULTRA-VIOLET. *Combust Flame*. 93: 327-335.
- Hakkola, J; Raunio, H; Purkunen, R; Pelkonen, O; Saarikoski, S; Cresteil, T; Pasanen, M. (1996). Detection of cytochrome P450 gene expression in human placenta in first trimester of pregnancy. *Biochem Pharmacol*. 52: 379-383. [http://dx.doi.org/10.1016/0006-2952\(96\)00216-X](http://dx.doi.org/10.1016/0006-2952(96)00216-X).
- Halasz, J; Imre, B; Hannus, I. (2004). IR spectroscopic investigation of hydrodechlorination on Pt-containing zeolites. *Appl Catal A-Gen*. 271: 47-53. <http://dx.doi.org/10.1016/j.apcata.2004.02.045>.
- Hall, BD; Engel, A; Muehle, J; Elkins, JW; Artuso, F; Atlas, E; Aydin, M; Blake, D; Brunke, EG; Chiavarini, S; Fraser, PJ; Happell, J; Krummel, PB; Levin, I; Loewenstein, M; Maione, M; Montzka, SA; O'Doherty, S; Reimann, S; Rhoderick, G; Saltzman, ES; Scheel, HE; Steele, LP; Vollmer, MK; Weiss, RF; Worthly, D; Yokouchi, Y. (2014). Results from the International Halocarbons in Air Comparison Experiment (IHALACE). *Atmos Meas Tech*. 7: 469-490. <http://dx.doi.org/10.5194/amt-7-469-2014>.
- Hall, CR; Holmes, RJ. (1993). THE PREPARATION AND PROPERTIES OF SOME CHLORINATED ACTIVATED CARBONS .2. FURTHER OBSERVATIONS. *Carbon*. 31: 881-886.
- Hall, TM; Haine, TWN; Waugh, DW. (2002). Inferring the concentration of anthropogenic carbon in the ocean from tracers. *Global Biogeochem Cycles*. 16. <http://dx.doi.org/10.1029/2001GB001835>.
- Halliwell, B; Gutteridge, J. (1999). *Free Radicals in Biology and Medicine*. New York: Oxford University Press.
- Hamlin, GP; Kholkute, SD; Dukelow, WR. (1993). Toxicology of maternally ingested carbon tetrachloride (CCl₄) on embryonal and fetal development and in vitro fertilization in mice. *Zool Sci*. 10: 111-116.
- Han, J; Gao, C; Yang, S; Wang, J; Tan, D. (2014). Betanin attenuates carbon tetrachloride (CCl₄)-induced liver injury in common carp (*Cyprinus carpio* L.). *Fish Physiol Biochem*. 40: 865-874. <http://dx.doi.org/10.1007/s10695-013-9892-5>.
- Han, JC; Song, JI; Park, SW; Woo, D. (2002). Growth of ultrahigh carbon-doped InGaAs and its application to InP/InGaAs(C) HBTs. *I E E E Transactions on Electron Devices*. 49: 1-6.
- Han, Y; Chen, ZL; Shen, JM; Wang, JH; Li, WW; Li, J; Wang, BY; Tong, LN. (2017). The role of Cu(II) in the reduction of N-nitrosodimethylamine with iron and zinc. *Chemosphere*. 167: 171-177. <http://dx.doi.org/10.1016/j.chemosphere.2016.09.118>.
- Han, Y; Hyun, S; Jeong, HY; Hayes, K. (2012). Kinetic study of cis-dichloroethylene (cis-DCE) and vinyl chloride (VC) dechlorination using green rusts formed under varying conditions. *Water Res*. 46: 6339-6350. <http://dx.doi.org/10.1016/j.watres.2012.08.041>.

Fate Literature Search Results

Off Topic

- Han, Y; Li, W; Zhang, M; Tao, K. (2008). Catalytic dechlorination of monochlorobenzene with a new type of nanoscale Ni(B)/Fe(B) bimetallic catalytic reductant. *Chemosphere*. 72: 53-58. <http://dx.doi.org/10.1016/j.chemosphere.2008.02.00>.
- Han, Y; Yan, W. (2016). Reductive Dechlorination of Trichloroethene by Zero-valent Iron Nanoparticles: Reactivity Enhancement through Sulfidation Treatment. *Environ Sci Technol*. 50: 12992-13001. <http://dx.doi.org/10.1021/acs.est.6b03997>.
- Hanabusa, K; Watanabe, Y; Kimura, M; Koyama, T; Shirai, H. (1996). Two component type of organogel-forming agent working by intermolecular hydrogen bonding. *Sen'i Gakkaishi*. 52: 129-136.
- Hanna, K; Kone, T; Ruby, C. (2010). Fenton-like oxidation and mineralization of phenol using synthetic Fe(II)-Fe(III) green rusts. *Environ Sci Pollut Res Int*. 17: 124-134. <http://dx.doi.org/10.1007/s11356-009-0148-y>.
- Hannus, I. (1999). Adsorption and transformation of halogenated hydrocarbons over zeolites. *Appl Catal A-Gen*. 189: 263-276.
- Hannus, I; Halasz, J. (2006). Hydrodechlorination over zeolite supported catalysts - Clarification of reaction mechanism. *J Jpn Petrol Inst*. 49: 105-113.
- Hannus, I; Konya, Z; Nagy, JB; Lentz, P; Kiricsi, I. (1998). Solid state MAS NMR investigation of Y-type zeolites reacted with chlorofluorocarbons. *Appl Catal B-Environ*. 17: 157-166.
- Hanoch, RJ; Shao, H; Butler, EC. (2006). Transformation of carbon tetrachloride by bisulfide treated goethite, hematite, magnetite, and kaolinite. *Chemosphere*. 63: 323-334. <http://dx.doi.org/10.1016/j.chemosphere.2005.07.016>.
- Hansch, C; Leo, A; Hoekman, D. (1995). Exploring QSAR: Hydrophobic, electronic, and steric constants. In C Hansch; A Leo; DH Hoekman (Eds.), *ACS Professional Reference Book*. Washington, DC: American Chemical Society.
- Hansen, M. (1989). *Pathophysiology: Foundations of Disease and Clinical Intervention Disorders of somatic and motor autonomic function*. Philadelphia: W.B. Saunders Company.
- Hansen, MF; Cavenee, WK. (1987). Genetics of cancer predisposition [Review]. *Cancer Res*. 47: 5518-5527.
- Hanson, AW; Stockman, SA; Stillman, GE. (1992). INP/INO.53GA0.47AS HETEROJUNCTION BIPOlar-TRANSISTORS WITH A CARBON-DOPED BASE GROWN BY MOCVD. *IEEE Electron Device Letters*. 13: 504-506.
- Hansson, EB; Odziemkowski, MS; Gillham, RW. (2008). Influence of Na₂S on the degradation kinetics of CCl₄ in the presence of very pure iron. *J Contam Hydrol*. 98: 128-134. <http://dx.doi.org/10.1016/j.jconhyd.2008.02.00>.
- Hantal, G; Terleczyk, P; Horvai, G; Nyulaszi, L; Jedlovsky, P, al. (2009). Molecular Level Properties of the Water-Dichloromethane Liquid/Liquid Interface, as Seen from Molecular Dynamics Simulation and Identification of Truly Interfacial Molecules Analysis. *J Phys Chem C*. 113: 19263-19276. <http://dx.doi.org/10.1021/jp906290b>.
- Hao, X; Ling, Q; Hong, F. (2014). Effects of dietary selenium on the pathological changes and oxidative stress in loach (*Paramisgurnus dabryanus*). *Fish Physiol Biochem*. 40: 1313-1323. <http://dx.doi.org/10.1007/s10695-014-9926-7>.
- Hard, GC; Seely, JC. (2005). Recommendations for the interpretation of renal tubule proliferative lesions occurring in rat kidneys with advanced chronic progressive nephropathy (CPN). *Toxicol Pathol*. 33: 641-649. <http://dx.doi.org/10.1080/01926230500299716>.
- Hardtdegen, H; Raafat, T; Hollfelder, M; Ungermanns, C. (1995). A NEW METHOD FOR CONTROLLED CARBON DOPING IN LP-MOVPE OF GAAS USING TMAS AND MIXTURES OF TMGA/TEGA. *J Cryst Growth*. 156: 333-336.
- Hardtdegen, H; Ungermanns, C; Wirtz, K; Guggi, D; Herion, J; Siekmann, H; Luth, H. (1994). HEAVY CARBON DOPING IN LOW-PRESSURE METALORGANIC VAPOR-PHASE EPITAXY OF GAAS USING TRIMETHYLARSENIC - A COMPARISON BETWEEN THE CARRIER GASES N-2 AND H-2. *J Cryst Growth*. 145: 440-446.
- Harendra, S; Vipulanandan, C. (2010). Kinetics and Reductive Degradation of Surfactant-Solublized CCl₄ in Water Using Bimetallic Particles. *Ind Eng Chem Res*. 49: 8812-8820. <http://dx.doi.org/10.1021/ie1001372>.
- Hari, T; Nakajo, K; Huang, LW; Kojima, Y; Ozawa, S; Matsuda, H. (2002). Influence of the coexistence gas and in-situ solid absorbent on the decomposition of covalent chlorides and fluorides by non-thermal plasma. *Kagaku Kogaku Ronbunshu*. 28: 522-527.
- Harle, V; Rose, B; Robein, D; Gao, Y; Landsbeck, E; Scholz, F. (1992). CHLORINE ASSISTED SELECTIVE AREA EPITAXY IN AP-MOVPE OF INP - INFLUENCE OF CCL₄ ON GROWTH AND ON ZN AND SI INCORPORATION. *J Cryst Growth*. 124: 260-264.
- Harris, CC. (1991). Chemical and physical carcinogenesis: advances and perspectives for the 1990s [Review]. *Cancer Res*. 51: 5023s-5044s.
- Hart, RN; Setlow, RB. (1974). Correlation between deoxyribonucleic acid excision-repair and lifespan in a number of mammalian species. *Proc Natl Acad Sci USA*. 71: 2169-2173.
- Hasegawa, K; Fusumae, H; Miyahara, S; Shinohara, M; Matsuyama, M; Watanabe, K. (1994). ACCELERATION OF THE UV-STIMULATED HT OXIDATION BY CCL₄. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi*. 29: 281-299.
- Haselmann, KF; Ketola, RA; Laternus, F; Lauritsen, FR; Gron, C. (2000). Occurrence and formation of chloroform at Danish forest sites. *Atmos Environ*. 34: 187-193.
- Haselmann, KF; Laternus, F; Gron, C. (2002). Formation of chloroform in soil. A year-round study at a Danish spruce forest site. *Water Air Soil Pollut*. 139: 35-41.
- Haselmann, KF; Laternus F; Svensmark, B; Gron, C. (2000). Formation of chloroform in spruce forest soil - results from laboratory incubation studies. *Chemosphere*. 41: 1769-1774.
- Hashsham, SA; Scholze, R; Freedman, DL. (1995). COBALAMIN-ENHANCED ANAEROBIC BIOTRANSFORMATION OF CARBON-TETRACHLORIDE. *Environ Sci Technol*. 29: 2856-2863. <http://dx.doi.org/10.1021/es00011a023>.
- Hassan, MH; Edfawy, M; Mansour, A; Hamed, AA. (2012). Antioxidant and antiapoptotic effects of capsaicin against carbon tetrachloride-induced hepatotoxicity in rats. *Toxicol Ind Health*. 28: 428-438. <http://dx.doi.org/10.1177/0748233711413801>.
- Hatch, S. R.; Polizzotti, RS; Dougal, S; Rabinowitz, P. (1993). IN-SITU SURFACE VIBRATIONAL SPECTROSCOPY OF THE VAPOR SOLID AND LIQUID-SOLID INTERFACES OF ACETONITRILE ON ZRO₂. *Journal of Vacuum Science and Technology A*. 11: 2232-2238.

Fate Literature Search Results

Off Topic

- Hattis, D; Chu, M; Rahmioglu, N; Goble, R; Verma, P; Hartman, K; Kozlak, M. (2009). A preliminary operational classification system for nonmutagenic modes of action for carcinogenesis [Review]. *Crit Rev Toxicol.* 39: 97-138. <http://dx.doi.org/10.1080/10408440802307467>.
- Havlik, T; Kammel, R. (1995). LEACHING OF CHALCOPYRITE WITH ACIDIFIED FERRIC-CHLORIDE AND CARBON-TETRACHLORIDE ADDITION. *Miner Eng.* 8: 1125-1134.
- Hayashi, H; Kanie, K; Shinoda, K; Muramatsu, A; Suzuki, S; Sasaki, H. (2009). pH-dependence of selenate removal from liquid phase by reductive Fe(II)-Fe(III) hydroxysulfate compound, green rust. *Chemosphere.* 76: 638-643. <http://dx.doi.org/10.1016/j.chemosphere.2009.04.037>.
- He, DS; Ma, M; Zhao, ZH. (2000). Transport of cadmium ions through a liquid membrane containing amine extractants as carriers. *J Memb Sci.* 169: 53-59.
- He, H; Wu, D; Zhao, L; Luo, C; Dai, C; Zhang, Y. (2016). Sequestration of chelated copper by structural Fe(II): Reductive decomplexation and transformation of Cu(II)-EDTA. *J Hazard Mater.* 309: 116-125. <http://dx.doi.org/10.1016/j.jhazmat.2016.02.009>.
- He, J; Wang, F; Wu, Y; Huang, Y; Zhang, H. (2011). Preparation of the water-soluble chitosan-coated oxidized regenerated cellulose gauze. *Cellulose.* 18: 1651-1659. <http://dx.doi.org/10.1007/s10570-011-9582-3>.
- He, J; Wu, Y, aD; Wang, F; Cheng, W; Huang, Y, uD; Fu, B, o. (2014). Hemostatic, Antibacterial and Degradable Performance of the Water-soluble Chitosan-coated Oxidized Regenerated Cellulose Gauze. *Fibers and Polymers.* 15: 504-509. <http://dx.doi.org/10.1007/s12221-014-0504-5>.
- He, JH; Ela, WP; Betterton, EA; Arnold, RG; Saez, AE. (2004). Reductive dehalogenation of aqueous-phase chlorinated hydrocarbons in an electrochemical reactor. *Ind Eng Chem Res.* 43: 7965-7974. <http://dx.doi.org/10.1021/ie049568x>.
- He, JH; Saez, AE; Ela, WP; Betterton, EA; Arnold, RG. (2004). Destruction of aqueous-phase carbon tetrachloride in an electrochemical reactor with a porous cathode. *Ind Eng Chem Res.* 43: 913-923. <http://dx.doi.org/10.1021/ie030591c>.
- He, M; Guo, Y; Zhong, Q, iu; Zhang, Y. (2010). A new correlation on predicting self- and mutual-diffusion coefficient of Lennard-Jones chain fluid. *Fluid Phase Equilibria.* 291: 166-173. <http://dx.doi.org/10.1016/j.fluid.2009.12.014>.
- He, YM; Jiang, RF; Yang, YY; Huang, ZQ; Ouyang, GF. (2007). Excess molar volumes and surface tensions of 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene with 1,1-diethoxyethane and 2,2-dimethoxypropane at (298.15, 308.15, and 313.15) K. *Journal of Chemical and Engineering Data.* 52: 884-888. <http://dx.doi.org/10.1021/je060490w>.
- He, YT; Wilson, JT; Wilkin, RT. (2008). Transformation of reactive iron minerals in a permeable reactive barrier (biowall) used to treat TCE in groundwater. *Environ Sci Technol.* 42: 6690-6696. <http://dx.doi.org/10.1021/es8010354>.
- He, YT; Wilson, JT; Wilkin, RT. (2010). Impact of iron sulfide transformation on trichloroethylene degradation. *Geochim Cosmo Acta.* 74: 2025-2039. <http://dx.doi.org/10.1016/j.gca.2010.01.013>.
- He, Z; Yang, GP; Lu, XL. (2013). Distributions and sea-to-air fluxes of volatile halocarbons in the East China Sea in early winter. *Chemosphere.* 90: 747-757. <http://dx.doi.org/10.1016/j.chemosphere.2012.09.067>.
- Hebert, A; Forestier, D; Lenes, D; Benanou, D; Jacob, S; Arfi, C; Lambomez, L; Levi, Y. (2010). Innovative method for prioritizing emerging disinfection by-products (DBPs) in drinking water on the basis of their potential impact on public health. *Water Res.* 44: 3147-3165. <http://dx.doi.org/10.1016/j.watres.2010.02.004>.
- Heck, JE; Park, AS; Qiu, J; Cockburn, M; Ritz, B. (2013). An exploratory study of ambient air toxics exposure in pregnancy and the risk of neuroblastoma in offspring. *Environ Res.* 127: 1-6. <http://dx.doi.org/10.1016/j.envres.2013.09.002>.
- Heeba, GH; Mahmoud, ME. (2014). Therapeutic potential of morin against liver fibrosis in rats: Modulation of oxidative stress, cytokine production and nuclear factor kappa B. *Environ Toxicol Pharmacol.* 37: 662-671. <http://dx.doi.org/10.1016/j.etap.2014.01.026>.
- Heilmaier, HE; Greim, H; Summer, KH. (1989). Metallothionein Induction in Mice by CCl4: Hepatic Zn-Status and Distribution of Administered Cd. *Toxicol Environ Chem.* 23: 73-78.
- Heineman, EF; Cocco, P; Gomez, MR; Dosemeci, M; Stewart, PA; Hayes, RB; Zahm, SH; Thomas, TL; Blair, A. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons and risk of astrocytic brain cancer. *Am J Ind Med.* 26: 155-169. <http://dx.doi.org/10.1002/ajim.4700260203>.
- Heinichen, H; Heyl, A; Rutsch, O; Weichmann, J. (2001). Modeling of the complex chemical kinetics of the thermal decomposition of tetrachloromethane in methane. *Chem Eng Sci.* 56: 1381-1386.
- Helland, BR; Alvarez, PJJ; Schnoor, JL. (1995). REDUCTIVE DECHLORINATION OF CARBON-TETRACHLORIDE WITH ELEMENTAL IRON. *J Hazard Mater.* 41: 205-216.
- Hellmér, L; Bolcsfoldi, G. (1992). An evaluation of the E. coli K-12 uvrB/recA DNA repair host-mediated assay: I. In vitro sensitivity of the bacteria to 61 compounds. *Mutat Res.* 272: 145-160. [http://dx.doi.org/10.1016/0165-1161\(92\)90043-L](http://dx.doi.org/10.1016/0165-1161(92)90043-L).
- Helmig, D; Apel, E; Blake, D; Ganzeveld, L; Lefer, BL; Meinardi, S; Swanson, AL. (2009). Release and uptake of volatile inorganic and organic gases through the snowpack at Niwot Ridge, Colorado. *Biogeochemistry.* 95: 167-183. <http://dx.doi.org/10.1007/s10533-009-9326-8>.
- Helot, M; Chevolleau, T; Vallier, L; Joubert, O; Blanquet, E; Pisch, A; Mangiagalli, P; Lill, T. (2006). Plasma etching of HfO₂ at elevated temperatures in chlorine-based chemistry. *Journal of Vacuum Science and Technology A.* 24: 30-40. <http://dx.doi.org/10.1116/1.2134707>.
- Henderson, AD; Demond, AH. (2007). Long-term performance of zero-valent iron permeable reactive barriers: A critical review. *Environ Eng Sci.* 24: 401-423. <http://dx.doi.org/10.1089/ees.2006.0071>.
- Henglein, A. (1998). Colloidal silver nanoparticles: Photochemical preparation and interaction with O₂, CCl₄, and some metal ions. *Chem Mater.* 10: 444-450. <http://dx.doi.org/10.1021/cm970613j>.
- Heo, J, eeln; Kim, JH; Lee, JM, in; Kho, YJ; Lim, SS; Park, J, aeB; Kim, J; Kim, SC; Lee, J, aeY. (2016). FOXO3a Activation by oxyresveratrol of *Morus bombycis koidzumi* extract mediates antioxidant activity. *Animal Cells and Systems.* 20: 39-47. <http://dx.doi.org/10.1080/19768354.2016.1143030>.

Fate Literature Search Results

Off Topic

- Heric, EL; Yeh, KN. (1970). NAPHTHALENE SOLUBILITY IN CYCLOHEXANE, CARBON TETRACHLORIDE, AND MIXED SOLVENTS THEREOF BETWEEN 10 DEGREES AND 70 DEGREES C. *Journal of Chemical and Engineering Data*. 15: 13-&.
- Hermon, H; Roth, M; Nissenbaum, J; Schieber, M; Shamir, J. (1991). STOICHIOMETRY AND ELECTRICAL CHARGE TRANSPORT IN HGI2 CRYSTALS. *J Cryst Growth*. 109: 376-384.
- Hernandez, MA; Gonzalez, A, na; Rojas, F; Asomoza, M; Solis, S; Portillo, R. (2007). Adsorption of chlorinated compounds (chlorobenzene, chloroform, and carbon tetrachloride) on microporous SiO₂, Ag-doped SiO₂ and natural and dealuminated clinoptilolites. *Ind Eng Chem Res*. 46: 3373-3381. <http://dx.doi.org/10.1021/ie061041s>.
- Hernandez, MA; Gonzalez, A; Corona, L; Hernandez, F; Rojas, F; Asomoza, M; Solis, S; Portillo, R; Salgado, MA. (2009). Chlorobenzene, chloroform, and carbon tetrachloride adsorption on undoped and metal-doped sol-gel substrates (SiO₂), Ag/SiO₂), Cu/SiO₂) and Fe/SiO₂). *J Hazard Mater*. 162: 254-263. <http://dx.doi.org/10.1016/j.jhazmat.2008.05.05>.
- Hernandez, R; Zappi, M; Kuo, CH. (2004). Chloride effect on TNT degradation by zerovalent iron or zinc during water treatment. *Environ Sci Technol*. 38: 5157-5163. <http://dx.doi.org/10.1021/es049815o>.
- Hernandez-Maldonado, AJ; Stamatis, SD; Yang, RT; He, AZ; Cannella, W. (2004). New sorbents for desulfurization of diesel fuels via pi complexation: Layered beds and regeneration. *Ind Eng Chem Res*. 43: 769-776.
- Herrick, DE; Holder, GD; Shah, YT. (1988). ACCELERATION OF CHLORINATION OF ALUMINA USING SUPERCRITICAL CCL₄. *AIChE J*. 34: 669-671.
- Heylen, I; Vansant, EF. (1997). The difference in adsorption capacity between Fe-PILCs and modified Fe-BuA- and Fe-Zr-PILCs. 10: 41-50.
- Heymann, D; Cataldo, F; Fokkens, R; Nibbering, NMM; Vis, RD. (1999). Loss of chlorine from C-60 and C-70 chlorides. *Fullerene Sci Technol*. 7: 159-180.
- Hfaiedh, M; Brahmi, D; Zourgui, L. (2016). Hepatoprotective effect of Taraxacum officinale leaf extract on sodium dichromate-induced liver injury in rats. *Environ Toxicol*. 31: 339-349. <http://dx.doi.org/10.1002/tox.22048>.
- Higami, Y; Tsuchiya, T; To, K; Chiba, T; Yamaza, H; Shiokawa, D; Tanuma, S; Shimokawa, I. (2004). Expression of DNase gamma during Fas-independent apoptotic DNA fragmentation in rodent hepatocytes. *Cell Tissue Res*. 316: 403-407. <http://dx.doi.org/10.1007/s00441-004-0890-x>.
- Hill, GD; Pace, V; Persohn, E; Bresser, C; Haseman, JK; Tischler, AS; Nyska, A. (2003). A comparative immunohistochemical study of spontaneous and chemically induced pheochromocytomas in B6C3F1 mice. *Endocr Pathol*. 14: 81-91.
- Himmelheber, DW; Taillefert, M; Pennell, KD; Hughes, JB. (2008). Spatial and temporal evolution of biogeochemical processes following in situ capping of contaminated sediments. *Environ Sci Technol*. 42: 4113-4120. <http://dx.doi.org/10.1021/es702626x>.
- Hinsby, K; Hojberg, AL; Engesgaard, P; Jensen, KH; Larsen, F; Plummer, LN; Busenberg, E. (2007). Transport and degradation of chlorofluorocarbons (CFCs) in the pyritic Rabis Creek aquifer, Denmark. *Water Resour Res*. 43. <http://dx.doi.org/10.1029/2006WR005854>.
- Hirai, H; Shiraishi, Y. (2007). Regioselective carboxylation of aromatic compounds using cyclodextrin as mediator. *React Funct Polym*. 67: 1115-1128. <http://dx.doi.org/10.1016/j.reactfunctpolym.2007.07.013>.
- Hirata, K; Mikami, O; Saitoh, T. (1984). DIRECT TRANSFER OF RESIST GRATING PATTERNS ONTO INP BY REACTIVE-ION ETCHING USING CCL₄/O₂. 2: 45-48.
- Hirota, K; Hakoda, T; Taguchi, M; Takigami, M; Kim, H; Kojima, T. (2003). Application of electron beam for the reduction of PCDD/F emission from municipal solid waste incinerators. *Environ Sci Technol*. 37: 3164-3170. <http://dx.doi.org/10.1021/es021076t>.
- Hirota, K; Sakai, H; Washio, M; Kojima, T. (2004). Application of electron beams for the treatment of VOC streams. *Ind Eng Chem Res*. 43: 1185-1191. <http://dx.doi.org/10.1021/ie0340746>.
- Hirst, SM; Karakoti, A; Singh, S; Self, W; Tyler, R; Seal, S; Reilly, CM. (2013). Bio-distribution and in vivo antioxidant effects of cerium oxide nanoparticles in mice. *Environ Toxicol*. 28: 107-118. <http://dx.doi.org/10.1002/tox.20704>.
- Hlaiebi, M; Tbeur, N; Benjar, A; Kamal, O; Lebrun, L. (2011). Carbohydrate-resorcinarene complexes involved in the facilitated transport of alditols across a supported liquid membrane. *J Memb Sci*. 377: 231-240. <http://dx.doi.org/10.1016/j.memsci.2011.04.055>.
- Hobson, WS; Pearton, SJ; Abernathy, CR; Ren, F; Lothian, J. R. (1993). SELECTIVE REGROWTH OF INP AND GAAS BY ORGANOMETALLIC VAPOR-PHASE EPITAXY AND METALORGANIC MOLECULAR-BEAM EPITAXY AROUND DRY-ETCHED FEATURES. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures*. 11: 536-541.
- Hobson, WS; Pearton, SJ; Lopata, JL. (1993). SELECTIVE REGROWTH OF III-V EPITAXIAL LAYERS BY LOW-PRESSURE ORGANOMETALLIC VAPOR-PHASE EPITAXY USING CCL₄. *Journal of Vacuum Science and Technology A*. 11: 1006-1010.
- Hobson, WS; Pearton, SJ; Ren, F; Cheng, Y; Kozuch, DM; Stavola, M; Geva, M. (1993). CARBON-DOPED GAAS AND ALGAAS GROWN BY OMVPE - DOPING PROPERTIES, OXYGEN INCORPORATION, AND HYDROGEN PASSIVATION. *Mater Sci Eng B*. 20: 266-270.
- Hobson, WS; Zheng, JF; Stavola, M; Pearton, SJ. (1994). CARBON-DOPED GAAS GROWN BY ORGANOMETALLIC VAPOR-PHASE EPITAXY USING TRIS-DIMETHYLAMINOARSENIC AND CCL₄. *J Cryst Growth*. 143: 124-128.
- Hoch, M. (1997). Thermodynamics of binary and larger organic-organic and organic-water systems. *CALPHAD*. 21: 359-379.
- Hoff, JT; Wania, F; Mackay, D; Gillham, R. (1995). Sorption of nonpolar organic vapors by ice and snow. *Environ Sci Technol*. 29: 1982-1989. <http://dx.doi.org/10.1021/es00008a016>.
- Hofstetter, TB; Schwarzenbach, RP; Haderlein, SB. (2003). Reactivity of Fe(II) species associated with clay minerals. *Environ Sci Technol*. 37: 519-528. <http://dx.doi.org/10.1021/es025955r>.
- Hoggard, PE; Maldotti, A. (2010). Catalysis of the photodecomposition of carbon tetrachloride in ethanol by an Amberlite anion exchange resin. *J Catal*. 275: 243-249. <http://dx.doi.org/10.1016/j.jcat.2010.08.003>.
- Hogue, C. (2014). OZONE DEPLETION Emissions of carbon tetrachloride continue despite global prohibition. *Chem Eng News*. 92: 11-11.
- Hohener, P; Werner, D; Balsiger, C; Pasteris, G. (2003). Worldwide occurrence and fate of chlorofluorocarbons in groundwater. *Crit Rev Environ Sci Tech*. 33: 1-29.

Fate Literature Search Results

Off Topic

- Holder, JW. (2012). Physical and physicochemical factors effecting transport of chlorohydrocarbon gases from lung alveolar air to blood as measured by the causation of narcosis. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev.* 30: 42-80. <http://dx.doi.org/10.1080/10590501.2012.653888>.
- Holgado, MED; Deschaefer, CR; Arancibia, EL; Katz, M. (1994). EXCESS MOLAR VOLUMES AND VISCOSITIES OF BINARY-MIXTURES OF BIS(2-METHOXYL)ETHER (DIGLYME) WITH CHLOROALKANES AT 298.15-K. *Fluid Phase Equilibria.* 95: 299-312.
- Holly, EA; Aston, DA; Ahm, DK; Smith, AH. (1996). Intraocular Melanoma Linked to Occupations and Chemical Exposures. *Epidemiology.* 7: 55-61. <http://dx.doi.org/10.1097/00001648-199601000-00010>.
- Holt, BD; Heraty, LJ; Sturchio, NC. (2001). Extraction of chlorinated aliphatic hydrocarbons from groundwater at micromolar concentrations for isotopic analysis of chlorine. *Environ Pollut.* 113: 263-269.
- Holte, LK; Kuran, BA; Richmond, GL; Johnson, KE. (2014). Computational Modeling of Lauric Acid at the Organic-Water Interface. *J Phys Chem C.* 118: 10024-10032. <http://dx.doi.org/10.1021/jp411985c>.
- Hong, FCN; Hsieh, JC; Wu, JJ; Liang, GT; Hwang, JH. (1993). LOW-TEMPERATURE DEPOSITION OF DIAMOND USING CHLOROMETHANE IN A HOT-FILAMENT CHEMICAL-VAPOR-DEPOSITION REACTOR. *Diam Relat Mater.* 2: 365-372.
- Hong, IH; Ji, H; Hwa, SY; Jeong, WI; Jeong, DH; Do, SH; Kim, JM; Ki, MR; Park, JK; Goo, MJ; Hwang, OK; Hong, KS; Han, JY; Chung, HY; Jeong, KS. (2011). The protective effect of ENA Actimineral resource A on CCl₄-induced liver injury in rats. *Mar Biotechnol.* 13: 462-473. <http://dx.doi.org/10.1007/s10126-010-9317-8>.
- Hong, KS; Pavlidis, D. (1996). Growth and characterization of heavily carbon doped InGaAs lattice matched to InP by LP-MOCVD using liquid CCl₄. *Journal of Electronic Materials.* 25: 449-455.
- Hong, SC; Kim, HJ; Lee, YR; Noh, SK; Lyoo, WS. (2006). Polymerization of vinyl acetate catalyzed by a Cu(I) complex having a phosphorous ligand. *J Ind Eng Chem.* 12: 60-68.
- Honma, T. (1990). Effects of trichloroethylene, 1,1,1-trichloroethane and carbon tetrachloride on plasma lipoproteins of rats. *Ind Health.* 28: 159-174.
- Honma, T; Suda, M. (1997). Changes in plasma lipoproteins as toxicity markers for carbon tetrachloride, chloroform, and dichloromethane. *Ind Health.* 35: 519-531.
- Hooker, PD; Klabunde, KJ. (1994). DESTRUCTIVE ADSORPTION OF CARBON-TETRACHLORIDE ON IRON(III) OXIDE. *Environ Sci Technol.* 28: 1243-1247.
- Hooser, SB; Rosengren, RJ; Hill, DA; Mobley, SA; Sipes, IG. (1994). Vitamin A modulation of xenobiotic-induced hepatotoxicity in rodents. *Environ Health Perspect.* 102 Suppl 9: 39-43.
- Horikoshi, R; Mochida, T; Kurihara, M; Mikuriya, M. (2005). Supramolecular isomerism in self-assembled complexes from 4,4'-dipyridyl disulfide and M(hfac)₂: Coordination polymers (M = Mn) and metallamacrocycles (M = Co, Ni). *Cryst Growth Des.* 5: 243-249. <http://dx.doi.org/10.1021/cg0499109>.
- Horvath, AL. (1982). Halogenated hydrocarbons: Solubility-miscibility with water. New York, NY: Marcel Dekker, Inc.
- Hory, MA; Herino, R; Ligeon, M; Muller, F; Gaspard, F; Mihalcescu, I; Vial, JC. (1995). FOURIER-TRANSFORM IR MONITORING OF POROUS SILICON PASSIVATION DURING POSTTREATMENTS SUCH AS ANODIC-OXIDATION AND CONTACT WITH ORGANIC-SOLVENTS. *Thin Solid Films.* 255: 200-203.
- Hosokawa, T; Datta, S; Sheth, AR; Brooks, NR; Young, VG; Grant, DJW. (2004). Isostructurality among five solvates of phenylbutazone. *Cryst Growth Des.* 4: 1195-1201. <http://dx.doi.org/10.1021/cg049923m>.
- Hou, CY; Lin, JH; Lin, SJ; Kuo, WC; Lin, HT. (2016). Down-regulation of CD53 expression in *Epinephelus coioides* under LPS, poly (I:C), and cytokine stimulation. *Fish Shellfish Immunol.* 51: 143-152. <http://dx.doi.org/10.1016/j.fsi.2015.11.032>.
- Hou, M; Wan, H; Liu, T; Fan, Y; Liu, X; Wang, X. (2008). The effect of different divalent cations on the reduction of hexavalent chromium by zerovalent iron. *Appl Catal B-Environ.* 84: 170-175. <http://dx.doi.org/10.1016/j.apcatb.2008.03.016>.
- Hou, N; Chai, J; Zhang, JQ; Song, J; Zhang, Y, an; Lu, J. (2016). Application of epsilon-beta fishlike phase diagrams on the microemulsion solubilizations of dense nonaqueous phase liquids. *Fluid Phase Equilibria.* 412: 211-217. <http://dx.doi.org/10.1016/j.fluid.2015.12.024>.
- Howe, RF. (2004). Zeolite catalysts for dehalogenation processes. *Appl Catal A-Gen.* 271: 3-11. <http://dx.doi.org/10.1016/j.apcata.2004.05.031>.
- Howells, SC; Black, G; Schlie, LA. (1994). O₂(A(1)DELTA(G) PRODUCTION AND OXYGEN DIFFUSION IN C60 FILMS. *Synthetic Metals.* 62: 1-7.
- Howsawkung, J; Teel, AL; Hess, TF; Crawford, RL; Watts, RJ. (2010). Simultaneous abiotic reduction-biotic oxidation in a microbial-MnO₂-catalyzed Fenton-like system. *Sci Total Environ.* 409: 439-445. <http://dx.doi.org/10.1016/j.scitotenv.2010.10.009>.
- Hozalski, RM; Zhang, L; Arnold, WA. (2001). Reduction of haloacetic acids by Fe⁰: Implications for treatment and fate. *Environ Sci Technol.* 35: 2258-2263. <http://dx.doi.org/10.1021/es001785b>.
- Hsiao, CY; Lee, CL; Ollis, DF. (1983). HETEROGENEOUS PHOTOCATALYSIS - DEGRADATION OF DILUTE-SOLUTIONS OF DICHLOROMETHANE (CH₂CL₂), CHLOROFORM (CHCL₃), AND CARBON-TETRACHLORIDE (CCL₄) WITH ILLUMINATED TiO₂ PHOTOCATALYST. *J Catal.* 82: 418-423.
- Hsiao, G; Shen, MY; Lin, KH; Lan, MH; Wu, LY; Chou, DS; Lin, CH; Su, CH; Sheu, JR. (2003). Antioxidative and hepatoprotective effects of *Androea camphorata* extract. *J Agric Food Chem.* 51: 3302-3308. <http://dx.doi.org/10.1021/jf021159t>.
- Hsieh, CT, e; Chen, W, eiYu. (2007). Gaseous adsorption of carbon tetrachloride onto carbon nanofiber arrays prepared by template-assisted synthesis. *Diam Relat Mater.* 16: 1945-1949. <http://dx.doi.org/10.1016/j.diamond.2007.08.021>.
- Hsieh, CW; Ko, WC; Ho, WJ; Chang, CK; Chen, GJ; Tsai, JC. (2016). Antioxidant and hepatoprotective effects of *Ajuga nipponensis* extract by ultrasonic-assisted extraction. *Asian Pacific Journal of Tropical Medicine.* 9: 420-425. <http://dx.doi.org/10.1016/j.apjtm.2016.03.029>.
- Hsieh, S; Horng, J. (2006). Deposition of Fe-Ni nanoparticles on Al₂O₃ for dechlorination of chloroform and trichloroethylene. *Appl Surf Sci.* 253: 1660-1665. <http://dx.doi.org/10.1016/j.apsusc.2006.03.001>.

Fate Literature Search Results

Off Topic

- Hsouna, AB; Mongi, S; Culioli, G; Blache, Y; Ghilissi, Z; Chaabane, R; El Feki, A; Jaoua, S; Trigui, M. (2016). Protective effects of ethyl acetate fraction of *Lawsonia inermis* fruits extract against carbon tetrachloride-induced oxidative damage in rat liver. *Toxicol Ind Health*. 32: 694-706. <http://dx.doi.org/10.1177/0748233713502839>.
- Hsu, CK; Lin, WH; Yang, HW. (2013). Influence of preheating on antioxidant activity of the water extract from black soybean and color and sensory properties of black soybean decoction. *J Sci Food Agric*. 93: 3883-3890. <http://dx.doi.org/10.1002/jsfa.6373>.
- Hsu, YJ; Hou, CY; Lin, SJ; Kuo, WC; Lin, HT; Lin, JH. (2013). The biofunction of orange-spotted grouper (*Epinephelus coioides*) CC chemokine ligand 4 (CCL4) in innate and adaptive immunity. *Fish Shellfish Immunol*. 35: 1891-1898. <http://dx.doi.org/10.1016/j.fsi.2013.09.020>.
- Hu, J; Wang, H; Gao, Q; Guo, H. (2010). Porous carbons prepared by using metal-organic framework as the precursor for supercapacitors. *Carbon*. 48: 3599-3606. <http://dx.doi.org/10.1016/j.carbon.2010.06.008>.
- Hu, S; Li, F; Fan, Z. (2013). A convenient N₂-CCl₄ mixture plasma treatment to improve TiO₂ photocatalytic oxidation of aromatic air contaminants under both UV and visible light. *Appl Surf Sci*. 286: 228-234. <http://dx.doi.org/10.1016/j.apsusc.2013.09.052>.
- Hu, S; Li, F; Fan, Z; Gui, J. (2014). The effect of H₂-CCl₄ mixture plasma treatment on TiO₂ photocatalytic oxidation of aromatic air contaminants under both UV and visible light. *Chem Eng J*. 236: 285-292. <http://dx.doi.org/10.1016/j.cej.2013.09.098>.
- Hu, YZ. (1988). SCRUBBING CHARACTERISTICS OF CCL₄ AND C₂F₆ WITH A TITANIUM SUBLIMATION TRAP. *Journal of Vacuum Science and Technology A*. 6: 1255-1258.
- Hu, Z; Metiu, H. (2012). Halogen Adsorption on CeO₂: The Role of Lewis Acid-Base Pairing. *J Phys Chem C*. 116: 6664-6671. <http://dx.doi.org/10.1021/jp211693v>.
- Hua, I; Hoffmann, MR. (1996). Kinetics and mechanism of the sonolytic degradation of CCl₄: Intermediates and byproducts. *Environ Sci Technol*. 30: 864-871.
- Huang, B; Lei, C; Wei, C; Zeng, G. (2014). Chlorinated volatile organic compounds (Cl-VOCs) in environment - sources, potential human health impacts, and current remediation technologies [Review]. *Environ Int*. 71: 118-138. <http://dx.doi.org/10.1016/j.envint.2014.06.013>.
- Huang, CC; Lien, HL. (2010). Trimetallic Pd/Fe/Al particles for catalytic dechlorination of chlorinated organic contaminants. *Water Sci Technol*. 62: 202-208. <http://dx.doi.org/10.2166/wst.2010.303>.
- Huang, CC; Lo, SL; Lien, HL. (2012). Zero-valent copper nanoparticles for effective dechlorination of dichloromethane using sodium borohydride as a reductant. *Chem Eng J*. 203: 95-100. <http://dx.doi.org/10.1016/j.cej.2012.07.002>.
- Huang, CC; Lo, SL; Lien, HL. (2013). Synergistic effect of zero-valent copper nanoparticles on dichloromethane degradation by vitamin B-12 under reducing condition. *Chem Eng J*. 219: 311-318. <http://dx.doi.org/10.1016/j.cej.2013.01.016>.
- Huang, CC; Lo, SL; Lien, HL. (2015). Vitamin B-12-mediated hydrodechlorination of dichloromethane by bimetallic Cu/Al particles. *Chem Eng J*. 273: 413-420. <http://dx.doi.org/10.1016/j.cej.2015.03.064>.
- Huang, CC; Lo, SL; Tsai, SM, u; Lien, HL. (2011). Catalytic hydrodechlorination of 1,2-dichloroethane using copper nanoparticles under reduction conditions of sodium borohydride. *J Environ Monit*. 13: 2406-2412. <http://dx.doi.org/10.1039/c1em10370a>.
- Huang, CH, ao; Chang, Y, uHsu; Lin, HK, ai; Peng, CW, ei; Chung, W, enS; Lee, C, hiY; Chiu, HT. (2007). Phase segregation assisted morphology sculpting: Growth of graphite and silicon crystals via vapor-solid reactions. *J Phys Chem C*. 111: 4138-4145. <http://dx.doi.org/10.1021/jp0666961>.
- Huang, L; Fujita, T; Zhang, X; Matsuda, H. (2006). Influences of H₂ and O₂ and in situ Ca(OH)₂ absorption on nonthermal plasma decomposition of trichloroethylene in N₂. *Chem Eng J*. 124: 81-87. <http://dx.doi.org/10.1016/j.cej.2006.07.008>.
- Huang, LW; Nakajyo, K; Hari, T; Ozawa, S; Matsuda, H. (2001). Decomposition of carbon tetrachloride by a pulsed corona reactor incorporated with in situ absorption. *Ind Eng Chem Res*. 40: 5481-5486.
- Huang, LZ; Hansen, HC; Bjerrum, MJ. (2016). Electrochemical reduction of nitroaromatic compounds by single sheet iron oxide coated electrodes. *J Hazard Mater*. 306: 175-183. <http://dx.doi.org/10.1016/j.jhazmat.2015.12.009>.
- Huang, LZ; Hansen, HC; Daasbjerg, K. (2017). Graphene oxide-mediated rapid dechlorination of carbon tetrachloride by green rust. *J Hazard Mater*. 323: 690-697. <http://dx.doi.org/10.1016/j.jhazmat.2016.10.038>.
- Huang, MX; Peng, XM; Gu, L; Chen, GH. (2011). Pre-existing liver cirrhosis reduced the toxic effect of diethylene glycol in a rat model due to the impaired hepatic alcohol dehydrogenase. *Toxicol Ind Health*. 27: 742-753. <http://dx.doi.org/10.1177/0748233710397417>.
- Huang, P; Xu, NP; Shi, J; Lin, YS. (1996). Characterization of asymmetric ceramic membranes by modified permoporometry. *J Memb Sci*. 116: 301-305.
- Huang, PH; Su, CL; Wang, CH. (2005). Porosity characteristics of rayon base activated carbon filament produced by a new heat treatment process. 37: 70-76.
- Huang, Q; Meng, Z; Zhou, R. (2012). The effect of synergy between Cr₂O₃-CeO₂ and USY zeolite on the catalytic performance and durability of chromium and cerium modified USY catalysts for decomposition of chlorinated volatile organic compounds. *Appl Catal B-Environ*. 115-116: 179-189. <http://dx.doi.org/10.1016/j.apcatb.2011.12.028>.
- Huang, R; Zheng, D; Yang, B; Wang, B, o. (2012). Preparation and simultaneous sorption of CTMAB-HTCC bentonite towards phenol and Cd(II). *Desalination and Water Treatment*. 44: 276-283. <http://dx.doi.org/10.5004/dwt.2012.3116>.
- Huang, RB; Okuno, H; Takasu, M; Shiozaki, Y; Inoue, K. (1996). Comparison of effects of xenobiotics on extrahepatic and hepatic microsomal drug-metabolizing enzymes in mice. *Environ Toxicol Pharmacol*. 1: 123-130.
- Huang, Z; Li, X, in; Yip, BD; Rubalcava, JM; Bardeen, CJ; Tang, ML. (2015). Nanocrystal Size and Quantum Yield in the Upconversion of Green to Violet Light with CdSe and Anthracene Derivatives. *Chem Mater*. 27: 7503-7507. <http://dx.doi.org/10.1021/acs.chemmater.5b03731>.
- Hugi-Cleary, D; Stoeckli, F. (2000). On the use of standard DRK isotherms in Dubinin's t/F method. *Carbon*. 38: 1309-1313.
- Hung, CH; Marinas, BJ. (1997). Role of chlorine and oxygen in the photocatalytic degradation of trichloroethylene vapor on TiO₂ films. *Environ Sci Technol*. 31: 562-568.

Fate Literature Search Results

Off Topic

- Hung, CH; Marinas, BJ. (1997). Role of water in the photocatalytic degradation of trichloroethylene vapor on TiO₂ films. *Environ Sci Technol.* 31: 1440-1445.
- Hung, HM; Hoffmann, MR. (1998). Kinetics and mechanism of the enhanced reductive degradation of CCl₄ by elemental iron in the presence of ultrasound. *Environ Sci Technol.* 32: 3011-3016.
- Hung, HM; Ling, FH; Hoffmann, MR. (2000). Kinetics and mechanism of the enhanced reductive degradation of nitrobenzene by elemental iron in the presence of ultrasound. *Environ Sci Technol.* 34: 1758-1763.
- Hung, WC; Fu, SH; Tseng, JJ; Chu, H; Ko, TH. (2007). Study on photocatalytic degradation of gaseous dichloromethane using pure and iron ion-doped TiO₂ prepared by the sol-gel method. *Chemosphere.* 66: 2142-2151. <http://dx.doi.org/10.1016/j.chemosphere.2006.09.037>.
- Hunger, J; Buchner, R; Kandil, ME; May, EF; Marsh, KN; Hefter, G. (2010). Relative Permittivity of Dimethylsulfoxide and N,N-Dimethylformamide at Temperatures from (278 to 328) K and Pressures from (0.1 to 5) MPa. *Journal of Chemical and Engineering Data.* 55: 2055-2065. <http://dx.doi.org/10.1021/jc9010773>.
- Hurst, DF. (2004). Emissions of ozone-depleting substances in Russia during 2001. *J Geophys Res.* 109: D14303. <http://dx.doi.org/10.1029/2004JD004633>.
- Hurst, DF; Bakwin, PS; Elkins, JW. (1998). Recent trends in the variability of halogenated trace gases over the United States. *J Geophys Res Atmos.* 103: 25299-25306.
- Hurst, DF; Bakwin, PS; Myers, RC; Elkins, JW. (1997). Behavior of trace gas mixing ratios on a very tall tower in North Carolina. *J Geophys Res Atmos.* 102: 8825-8835.
- Hurst, DF; Lin, JC; Romashkin, PA; Daube, BC; Gerbig, C; Matross, DM; Wofsy, SC; Hall, BD; Elkins, JW. (2006). Continuing global significance of emissions of Montreal Protocol-restricted halocarbons in the United States and Canada. *J Geophys Res Atmos.* 111: [np]. <http://dx.doi.org/10.1029/2005JD006785>.
- Hussain, T; Siddiqui, HH; Fareed, S; Vijayakumar, M; Rao, CV. (2012). Evaluation of chemopreventive effect of *Fumaria indica* against N-nitrosodiethylamine and CCl₄-induced hepatocellular carcinoma in Wistar rats. *Asian Pacific Journal of Tropical Medicine.* 5: 623-629. [http://dx.doi.org/10.1016/S1995-7645\(12\)60128-X](http://dx.doi.org/10.1016/S1995-7645(12)60128-X).
- Huston, PL; Pignatello, JJ. (1996). Reduction of perchloroalkanes by ferrioxalate-generated carboxylate radical preceding mineralization by the photo-fenton reaction. *Environ Sci Technol.* 30: 3457-3463.
- Hwang, d; Kim, YI; Cho, KH; Poudel, BK; Choi, JY; Kim, DW; Shin, YJ; Bae, ON; Yousaf, AM; Yong, CS; Kim, JO; Choi, HG. (2014). A novel solid dispersion system for natural product-loaded medicine: silymarin-loaded solid dispersion with enhanced oral bioavailability and hepatoprotective activity. *J Microencapsul.* 31: 619-626. <http://dx.doi.org/10.3109/02652048.2014.911375>.
- Hwang, I; Batchelor, B. (2002). Reductive dechlorination of chlorinated methanes in cement slurries containing Fe(II). *Chemosphere.* 48: 1019-1027.
- Hwang, S; Lee, MC; Choi, W. (2003). Highly enhanced photocatalytic oxidation of CO on titania deposited with Pt nanoparticles: kinetics and mechanism. *Appl Catal B-Environ.* 46: 49-63. [http://dx.doi.org/10.1016/S0926-3373\(03\)00162-0](http://dx.doi.org/10.1016/S0926-3373(03)00162-0).
- Hwang, WY; Miller, DL; Chen, YK; Humphrey, DA. (1994). CARBON DOPING OF INGAAS IN SOLID-SOURCE MOLECULAR-BEAM EPITAXY USING CARBON TETRABROMIDE. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures.* 12: 1193-1196.
- Hwang, YH; Yun, HI. (2011). Effects of acute hepatic and renal failure on pharmacokinetics of flunixin meglumine in rats. *Exp Anim.* 60: 187-191.
- Hyland, R; Gescher, A; Thummel, K; Schiller, C; Jheeta, P; Mynett, K; Smith, AW; Mráz, J. (1992). Metabolic oxidation and toxification of N-methylformamide catalyzed by the cytochrome P450 isoenzyme CYP2E1. *Mol Pharmacol.* 41: 259-266.
- Hyndman, DW; Dybas, MJ; Forney, L; Heine, R; Mayotte, T; Phanikumar, MS; Tatara, G; Tiedje, J; Voice, T; Wallace, R; Wiggert, D; Zhao, X; Criddle, CS. (2000). Hydraulic characterization and design of a full-scale biocurtain. *Ground Water.* 38: 462-474.
- Iijima, S; Nakamura, M; Yokoi, A; Kubota, M; Huang, L; Matsuda, H. (2011). Decomposition of dichloromethane and in situ alkali absorption of resulting halogenated products by a packed-bed non-thermal plasma reactor. *Journal of Material Cycles and Waste Management.* 13: 206-212. <http://dx.doi.org/10.1007/s10163-011-0022-0>.
- Iiyama, T; Aragaki, R; ei; Urushibara, T; Ozeki, S. (2006). Direct determination of the intermolecular structure of the adsorbed phase using in situ X-ray diffraction and reverse Monte Carlo methods. *AST.* 24: 815-821.
- Iiyama, T; Kobayashi, Y; Matsumoto, A; Nakahigashi, Y; Ozeki, S. (2005). Structural study of CHCl₃ molecular assemblies in micropores using X-ray techniques. *Adsorption.* 11: 169-172.
- Ikatsu, H; Okino, T; Nakajima, T. (1991). Ethanol and food deprivation induced enhancement of hepatotoxicity in rats given carbon tetrachloride at low concentration. *Br J Ind Med.* 48: 636-642.
- Ikatsu, H; Shinoda, S; Nakajima, T. (1998). CYP2E1 level in rat liver injured by the interaction between carbon tetrachloride and chloroform. *J Occup Health.* 40: 223-229. <http://dx.doi.org/10.1539/joh.40.223>.
- Iki, Y; KINOSHIT.M; Imoto, M. (1971). VINYL POLYMERIZATION .256. EFFECTS OF SOME METAL SALTS ON POLYMERIZATION OF METHYL METHACRYLATE INITIATED BY SYSTEM OF CELLULOSE-WATER-CARBON TETRACHLORIDE. 74: 295-&.
- ILSI. (1994). Physiological parameter values for PBPK models. Washington, DC: U.S. Environmental Protection Agency.
- Im, JK; Yoon, J; Her, N; Han, J; Zoh, KD, uk; Yoon, Y. (2015). Sonocatalytic-TiO₂ nanotube, Fenton, and CCl₄ reactions for enhanced oxidation, and their applications to acetaminophen and naproxen degradation. *Separation and Purification Technology.* 141: 1-9. <http://dx.doi.org/10.1016/j.seppur.2014.11.021>.
- Imre, B; Hannus, I; Konya, Z; Nagy, JB; Kiricsi, I. (2004). Hydrodechlorination of carbon tetrachloride on Pt-containing zeolites. *Stud Surf Sci Catal.* 154: 2536-2542.
- Inagaki, M; Watanabe, G. (1998). Stability of MoCl₅-GICs in various solutions. *Synthetic Metals.* 94: 235-238.
- Inci, I; Aydin, A. (2003). Extinction of hydroxycarboxylic acids with MIBK/toluene solutions of amines. *Journal of Sci Ind Res.* 62: 926-930.

Fate Literature Search Results

Off Topic

- Indarto, A; Choi, J, aeW; Lee, H; Song, HK. (2008). Decomposition of greenhouse gases by plasma. *Environ Chem Lett.* 6: 215-222. <http://dx.doi.org/10.1007/s10311-008-0160-3>.
- Indarto, A; Choi, JW; Lee, H; Song, HK. (2006). Decomposition of CCl₄ and CHCl₃ on gliding arc plasma. *J Environ Sci.* 18: 83-89.
- Indarto, A; Yang, D, aeR; Choi, J, aeW; Lee, H; Song, HK. (2007). CCl₄ decomposition by gliding arc plasma: Role of C-2 compounds on products distribution. *Chemical Engineering Communications.* 194: 1111-1125. <http://dx.doi.org/10.1080/00986440701293363>.
- Inderjit; Dakshini, KMM. (1996). Allelopathic potential of *Pluchea lanceolata*: Comparative studies of cultivated fields. *Weed Sci.* 44: 393-396.
- Ingawale, DK; Mandlik, SK; Naik, SR. (2014). Models of hepatotoxicity and the underlying cellular, biochemical and immunological mechanism(s): A critical discussion [Review]. *Environ Toxicol Pharmacol.* 37: 118-133. <http://dx.doi.org/10.1016/j.etap.2013.08.015>.
- Insogna, S; Frison, S; Marconi, E; Bacaloni, A. (2014). Trends of volatile chlorinated hydrocarbons and trihalomethanes in Antarctica. *Int J Environ Anal Chem.* 94: 1343-1359. <http://dx.doi.org/10.1080/03067319.2014.974587>.
- Ionel, L; Cristescu, CP; Jipa, F; Enculescu, M; Radoiu, M; Dabu, R; Zamfirescu, M; Ulmeanu, M. (2010). Nano and micro-morphology modifications of Si (100) substrate induced by femtosecond laser pulse irradiations in air, water, CCl₄ and C₂Cl₃F₃. *Optoelectronics and Advanced Materials Rapid Communications.* 4: 1920-1924.
- Iraji, A; Afzali, D; Mostafavi, A. (2013). Separation for trace amounts of gold (III) ion using ion-pair dispersive liquid-liquid microextraction prior to flame atomic absorption spectrometry determination. *Int J Environ Anal Chem.* 93: 315-324. <http://dx.doi.org/10.1080/03067319.2011.609937>.
- Ishikawa, A; Senda, R; Suzuki, K; Dale, CW; Meisel, T. (2014). Re-evaluating digestion methods for highly siderophile element and Os-187 isotope analysis: Evidence from geological reference materials. *Chem Geol.* 384: 27-46. <http://dx.doi.org/10.1016/j.chemgeo.2014.06.013>.
- Ishikawa, T; Cai, WY; Kandori, K. (1993). ADSORPTION OF MOLECULES ONTO MICROPOROUS HEMATITE. *Langmuir.* 9: 1125-1128.
- Ishiyama, T; Sato, Y; Morita, A. (2012). Interfacial Structures and Vibrational Spectra at Liquid/Liquid Boundaries: Molecular Dynamics Study of Water/Carbon Tetrachloride and Water/1,2-Dichloroethane Interfaces. *J Phys Chem C.* 116: 21439-21446. <http://dx.doi.org/10.1021/jp3073365>.
- Islam, AW; Zavvadi, A; Kabad, VN. (2012). ANALYSIS OF PARTITION COEFFICIENTS OF TERNARY LIQUID-LIQUID EQUILIBRIUM SYSTEMS AND FINDING CONSISTENCY USING UNIQUAC MODEL. *Inzynieria Chemiczna i Procesowa.* 33: 243-253. <http://dx.doi.org/10.2478/v10176-012-0022-1>.
- Isse, AA; Huang, B; Durante, C; Gennaro, A. (2012). Electrocatalytic dechlorination of volatile organic compounds at a copper cathode. Part I: Polychloromethanes. *Appl Catal B-Environ.* 126: 347-354. <http://dx.doi.org/10.1016/j.apcatb.2012.07.004>.
- Itaya, Y; Saito, Y; Hatano, S; Kobayashi, N; Kobayashi, J; Mori, S. (2004). Thermal radiation characteristics of coal char/ash particles dispersed in a gasification furnace. *J Chem Eng Jpn.* 37: 1367-1372.
- Ito, A; Tazaki, K; Fujii, M. (1992). TEMPERATURE EFFECT ON THE CONCENTRATION OF VAPORS OF ORGANIC-SOLVENTS IN NITROGEN BY USE OF SILICONE-RUBBER HOLLOW-FIBER MEMBRANES. *Kagaku Kogaku Ronbunshu.* 18: 259-262.
- Ito, T; Meyer, GJ. (2007). Heme-Mediated Reduction of Organohalide Pollutants at Nanocrystalline TiO₂ Thin-Film Interfaces. *Environ Eng Sci.* 24: 31-44.
- Itoh, K; Horii, N; Matsumoto, O. (1998). Effect of chlorine species on diamond deposition from plasma jets with chlorobenzenes as carbon sources. *J Electrochem Soc.* 145: 2895-2900.
- Itoh, N; Kutsuna, S; Ibusuki, T. (1994). A PRODUCT STUDY OF THE OH RADICAL-INITIATED OXIDATION OF PERCHLOROETHYLENE AND TRICHLOROETHYLENE. *Chemosphere.* 28: 2029-2040. [http://dx.doi.org/10.1016/0045-6535\(94\)90153-8](http://dx.doi.org/10.1016/0045-6535(94)90153-8).
- Jacobo-Azuara, A; Leyva-Ramos, R; Padilla-Ortega, E; Aragon-Pina, A; Guerrero-Coronado, RM; Mendoza-Barron, J. (2006). Removal of toxic pollutants from aqueous solutions by adsorption onto an organobentonite. *AST.* 24: 687-699.
- Jadon, NS; Kumar, A. (1993). PARANEPHRIC BLOCKADE IN HEPATITIS IN BUFFALOS - HEMATOLOGICAL AND BIOCHEMICAL EFFECTS. *Indian J Anim Sci.* 63: 1031-1035.
- Jaeschke, H; Gores, GJ; Cederbaum, AI; Hinson, JA; Pessayre, D; Lemasters, JJ. (2002). Mechanisms in hepatotoxicity [Review]. *Toxicol Sci.* 65: 166-176.
- Jafarpour, B; Imhoff, PT; Chiu, PC. (2005). Quantification and modelling of 2,4-dinitrotoluene reduction with high-purity and cast iron. *J Contam Hydrol.* 76: 87-107. <http://dx.doi.org/10.1016/j.jconhyd.2004.08.00>.
- Jagielski, J; Scudamore, KA; Heuser, SG. (1978). RESIDUES OF CARBON-TETRACHLORIDE AND 1,2-DIBROMOETHANE IN CEREALS AND PROCESSED FOODS AFTER LIQUID FUMIGANT GRAIN TREATMENT FOR PEST-CONTROL. *Pestic Sci.* 9: 117-126.
- Jain, DVS; Wadi, RK; Saini, SB. (1981). ISOTHERMAL LIQUID-VAPOR EQUILIBRIA FOR ACETYLACETONE+, AND ACRYLONITRILE+ CARBON-TETRACHLORIDE AND ACRYLONITRILE+ TETRACHLOROETHYLENE AT 303.15 AND 323.15 K. 19: 167-170.
- Jain, NK; Singhai, AK. (2011). Protective effects of *Phyllanthus acidus* (L.) Skeels leaf extracts on acetaminophen and thioacetamide induced hepatic injuries in Wistar rats. *Asian Pacific Journal of Tropical Medicine.* 4: 470-474. [http://dx.doi.org/10.1016/S1995-7645\(11\)60128-4](http://dx.doi.org/10.1016/S1995-7645(11)60128-4).
- Jain, PM; Smith, JS; Valsaraj, KT. (1999). Reusable adsorbents for dilute solution separation 3. Sorption dynamics of phenanthrene on surfactant-modified alumina. *Separation and Purification Technology.* 17: 21-30.
- Jajvandian, R; Dashtizad, M; Anvari, M. (2006). Comparative study of chicken hepatocyte resistance against toxicity induced with toxic doses of carbon tetrachloride and acetaminophen in rat. *Canadian Journal of Animal Science.* 86: 584-584.
- Jakob, A; Joh, R; Rose, C; Gmehling, J. (1995). SOLID-LIQUID EQUILIBRIA IN BINARY-MIXTURES OF ORGANIC-COMPOUNDS. *Fluid Phase Equilibria.* 113: 117-126.
- James, CA; Xin, G; Doty, SL; Muiznieks, I; Newman, L; Strand, SE. (2009). A mass balance study of the phytoremediation of perchloroethylene-contaminated groundwater. *Environ Pollut.* 157: 2564-2569. <http://dx.doi.org/10.1016/j.envpol.2009.02.033>.

Fate Literature Search Results

Off Topic

- James, CA; Xin, G; Doty, SL; Strand, SE. (2008). Degradation of low molecular weight volatile organic compounds by plants genetically modified with mammalian cytochrome P450 2E1. *Environ Sci Technol.* 42: 289-293. <http://dx.doi.org/10.1021/es071197z>.
- Jarvis, NV. (1991). THERMODYNAMIC MODELING OF SOLVENT-EXTRACTION SYSTEMS - SUCCESSES AND PROBLEMS. *Separation Science and Technology.* 26: 1403-1417.
- Jasienko-Halat, M. (2006). The effect of oxidation of flame coal on the microporous structure of carbon dioxide-activated chars. *Przemysł Chemiczny.* 85: 423-426.
- Jasienko-Halat, M; Kedzior, K. (2005). Comparison of molecular sieve properties in microporous chars from low-rank bituminous coal activated by steam and carbon dioxide. *Carbon.* 43: 944-953. <http://dx.doi.org/10.1016/j.carbon.2004.11.024>.
- Jasinski, M; Dors, M; Mizeraczyk, J; Lubanski, M; Zakrzewski, Z. (2001). Application of microwave torch plasma for hydrocarbons removal. *High Temperature Material Processes.* 5: 359-362.
- Jeen, SW; Lazar, S; Gui, L; Gillham, RW. (2014). Degradation of chlorofluorocarbons using granular iron and bimetallic irons. *J Contam Hydrol.* 158: 55-64. <http://dx.doi.org/10.1016/j.jconhyd.2014.01.002>.
- Jegga, AG; Inga, A; Menendez, D; Aronow, BJ; Resnick, MA. (2008). Functional evolution of the p53 regulatory network through its target response elements. *Proc Natl Acad Sci USA.* 105: 944-949. <http://dx.doi.org/10.1073/pnas.0704694105>.
- Jena, PK; Brocchi, EA; Garcia, RI. (1997). Kinetics of chlorination of niobium pentoxide by carbon tetrachloride. *Metallurgical and Materials Transactions B - Process Metallurgy and Materials Processing Science.* 28: 39-45.
- Jena, PK; Brocchi, EA; Gonzalez, J. (2005). Kinetics of low-temperature chlorination of vanadium pentoxide by carbon tetrachloride vapor. *Metallurgical and Materials Transactions B - Process Metallurgy and Materials Processing Science.* 36: 195-199.
- Jena, PK; Brocchi, EA; Lima, MPA, C. (2001). Studies on the kinetics of carbon tetrachloride chlorination of tantalum pentoxide. *Metallurgical and Materials Transactions B - Process Metallurgy and Materials Processing Science.* 32: 801-810.
- Jena, PK; Brocchi, EA; Vilella, TF. (1995). Studies on kinetics of low-temperature chlorination of ZrO₂ by gaseous carbon tetrachloride. *Metallurgical and Materials Transactions B - Process Metallurgy and Materials Processing Science.* 26: 235-240.
- Jena, PK; Gameiro, DH; Brocchi, EA. (1991). KINETICS OF CHLORINATION OF BRIQUETTED ANATASE BY CARBON-TETRACHLORIDE. *Institute of Materials, Minerals and Mining Transactions Section C: Mineral Processing & Extractiv.* 100: C65-C67.
- Jentzsch, TL; Chun, CL, an; Gabor, RS; Penn, RL, ee. (2007). Influence of aluminum substitution on the reactivity of magnetite nanoparticles. *J Phys Chem C.* 111: 10247-10253. <http://dx.doi.org/10.1021/jp072295+>.
- Jeon, M; Kwon, HJ; Kim, YH; Han, K, il; Nam, KW, oo; Baik, Y; Lee, S; Kim, W, anJ; Han, M, anD. (2013). Administration of rhIL-2 upregulates HGF in the cirrhotic liver of partial hepatectomized rats. *Animal Cells and Systems.* 17: 179-185. <http://dx.doi.org/10.1080/19768354.2013.801365>.
- Jeong, HY; Anantharaman, K; Han, Y; Hayes, K. (2011). Abiotic Reductive Dechlorination of cis-Dichloroethylene by Fe Species Formed during Iron- or Sulfate-Reduction. *Environ Sci Technol.* 45: 5186-5194. <http://dx.doi.org/10.1021/es104387w>.
- Jeong, HY; Anantharaman, K; Hyun, SP; Son, M; Hayes, K. (2013). pH impact on reductive dechlorination of cis-dichloroethylene by Fe precipitates: An X-ray absorption spectroscopy study. *Water Res.* 47: 6639-6649. <http://dx.doi.org/10.1016/j.watres.2013.08.035>.
- Jeong, HY; Hayes, KF. (2003). Impact of transition metals on reductive dechlorination rate of hexachloroethane by mackinawite. *Environ Sci Technol.* 37: 4650-4655. <http://dx.doi.org/10.1021/es0340533>.
- Jeong, HY; Hayes, KF. (2007). Reductive dechlorination of tetrachloroethylene and trichloroethylene by mackinawite (FeS) in the presence of metals: reaction rates. *Environ Sci Technol.* 41: 6390-6396. <http://dx.doi.org/10.1021/es0706394>.
- Jeong, HY; Kim, H; Hayes, KF. (2007). Reductive dechlorination pathways of tetrachloroethylene and trichloroethylene and subsequent transformation of their dechlorination products by mackinawite (FeS) in the presence of metals. *Environ Sci Technol.* 41: 7736-7743. <http://dx.doi.org/10.1021/es0708518>.
- Jewell, JM; Sachon, M; Aggarwal, ID. (1992). H₂O AND HF EVOLUTION FROM ZBLAN GLASSES. *Mater Lett.* 14: 352-354.
- Jho, E, unHea; Jung, J, aeW; Nam, K. (2013). Different fate of Pb and Cu at varied peroxide concentrations during the modified Fenton reaction in soil and its effect on the degradation of 2,4-dinitrotoluene. *J Chem Tech Biotechnol.* 88: 1481-1487. <http://dx.doi.org/10.1002/jctb.3991>.
- Jho, E; Singhal, N; Turner, S. (2012). Tetrachloroethylene and hexachloroethane degradation in Fe(III) and Fe(III)-citrate catalyzed Fenton systems. *J Chem Tech Biotechnol.* 87: 1179-1186. <http://dx.doi.org/10.1002/jctb.3746>.
- Jho, EH; Singhal, N; Turner, S. (2008). Degradation of hexachloroethane by Fenton's reagents. *Water Sci Technol.* 58: 2211-2214. <http://dx.doi.org/10.2166/wst.2008.576>.
- Jho, EH; Singhal, N; Turner, S. (2010). Fenton degradation of tetrachloroethene and hexachloroethane in Fe(II) catalyzed systems. *J Hazard Mater.* 184: 234-240. <http://dx.doi.org/10.1016/j.jhazmat.2010.08.027>.
- Ji, R; Zhang, N; You, N; Li, Q; Liu, W; Jiang, N; Liu, J; Zhang, H; Wang, D; Tao, K; Dou, K. (2012). The differentiation of MSCs into functional hepatocyte-like cells in a liver biomatrix scaffold and their transplantation into liver-fibrotic mice. *Biomaterials.* 33: 8995-9008. <http://dx.doi.org/10.1016/j.biomaterials.2012.08.058>.
- Ji, X, in; Li, Y, i; Zheng, J; Liu, Q. (2011). Solvent effects of ethyl methacrylate characterized by FTIR. *Mater Chem Phys.* 130: 1151-1155. <http://dx.doi.org/10.1016/j.matchemphys.2011.08.046>.
- Jia, C; Batterman, S; Godwin, C. (2008). VOCs in industrial, urban and suburban neighborhoods, Part 1: Indoor and outdoor concentrations, variation, and risk drivers. *Atmos Environ.* 42: 2083-2100. <http://dx.doi.org/10.1016/j.atmosenv.2007.11.055>.
- Jia, C; Batterman, S; Godwin, C; Charles, S; Chin, JY. (2010). Sources and migration of volatile organic compounds in mixed-use buildings. *Indoor Air.* 20: 357-369. <http://dx.doi.org/10.1111/j.1600-0668.2010.00643.x>.

Fate Literature Search Results

Off Topic

- Jia, R; Cao, L; Xu, P; Jeney, G; Yin, G. (2012). In vitro and in vivo hepatoprotective and antioxidant effects of Astragalus polysaccharides against carbon tetrachloride-induced hepatocyte damage in common carp (*Cyprinus carpio*). *Fish Physiol Biochem.* 38: 871-881. <http://dx.doi.org/10.1007/s10695-011-9575-z>.
- Jia, R; Cao, LP; Du, JL; Wang, JH; Liu, YJ; Jeney, G; Xu, P; Yin, GJ. (2014). Effects of carbon tetrachloride on oxidative stress, inflammatory response and hepatocyte apoptosis in common carp (*Cyprinus carpio*). *Aquat Toxicol.* 152: 11-19. <http://dx.doi.org/10.1016/j.aquatox.2014.02.014>.
- Jia, R, ui; Du, J, inL; Cao, L, iP; Liu, YJ; Xu, P, ao; Yin, G, uoJun. (2015). Hepatoprotective and antioxidant effects of phyllanthin against carbon tetrachloride-induced liver injury in *Cyprinus carpio*. *Aquaculture International.* 23: 883-893. <http://dx.doi.org/10.1007/s10499-014-9847-6>.
- Jia, XD; Han, C; Chen, JS. (2002). Effects of tea on preneoplastic lesions and cell cycle regulators in rat liver. *Cancer Epidemiol Biomarkers Prev.* 11: 1663-1667.
- Jiang, H; Yu, X; Nie, R; Lu, X; Zhou, D, an; Xia, Q. (2016). Selective hydrogenation of aromatic carboxylic acids over basic N-doped mesoporous carbon supported palladium catalysts. *Appl Catal A-Gen.* 520: 73-81. <http://dx.doi.org/10.1016/j.apcata.2016.04.009>.
- Jiang, X; Guo, H; Shen, T; Tang, X; Yang, Y; Ling, W. (2015). Cyanidin-3-O- β -glucoside Purified from Black Rice Protects Mice against Hepatic Fibrosis Induced by Carbon Tetrachloride via Inhibiting Hepatic Stellate Cell Activation. *J Agric Food Chem.* 63: 6221-6230. <http://dx.doi.org/10.1021/acs.jafc.5b02181>.
- Jiang, Y; Decker, S; Mohs, C; Klabunde, KJ. (1998). Catalytic solid state reactions on the surface of nanoscale metal oxide particles. *J Catal.* 180: 24-35.
- Jiao, Y; Qiu, C; Huang, L; Wu, K; Ma, H; Chen, S; Ma, L; Wu, D. (2009). Reductive dechlorination of carbon tetrachloride by zero-valent iron and related iron corrosion. *Appl Catal B-Environ.* 91: 434-440. <http://dx.doi.org/10.1016/j.apcatb.2009.06.012>.
- Jiménez-Arellanes, MA; Gutiérrez-Rebolledo, GA; Meckes-Fischer, M; León-Díaz, R. (2016). Medical plant extracts and natural compounds with a hepatoprotective effect against damage caused by antitubercular drugs: A review [Review]. *Asian Pacific Journal of Tropical Medicine.* 9: 1141-1149. <http://dx.doi.org/10.1016/j.apjtm.2016.10.010>.
- Jin, G; Englande, AJ. (1996). Redox potential as a controlling factor in enhancing carbon tetrachloride biodegradation. *Water Sci Technol.* 34: 59-66.
- Jin, G; Englande, AJ. (1997). Biodegradation kinetics of carbon tetrachloride by *Pseudomonas cepacia* under varying oxidation-reduction potential conditions. *Water Environ Res.* 69: 1094-1099.
- Jin, G; Englande, AJ. (1997). Effects of electron donor, dissolved oxygen, and oxidation-reduction potential biodegradation of carbon tetrachloride by *Escherichia coli* K-12. *Water Environ Res.* 69: 1100-1105.
- Jin, G; Englande, AJ. (1998). Carbon tetrachloride biodegradation in a fixed-biofilm reactor and its kinetic study. *Water Sci Technol.* 38: 155-162.
- Jin, T; Stephenson, D. (2006). Optimising the process conditions in ultra-precision grinding to achieve surface finish of optical quality. *Key Eng Mater.* 304-305: 8-13.
- Jin, X; Wang, F; Gu, C; Yang, X; Kengara, FO; Bian, Y; Song, Y; Jiang, X. (2015). The interactive biotic and abiotic processes of DDT transformation under dissimilatory iron-reducing conditions. *Chemosphere.* 138: 18-24. <http://dx.doi.org/10.1016/j.chemosphere.2015.05.020>.
- Jing, C; Sato, T; Imaishi, N. (1997). Rayleigh-Marangoni thermal instability in two-liquid layer systems. *Microgravity Science and Technology.* 10: 21-28.
- Jiun-Horng, T; Kuo-Hsiung, L; Chih-Yu, C; Nina, L; Sen-Yi, M; Hung-Lung, C. (2008). Volatile organic compound constituents from an integrated iron and steel facility. *J Hazard Mater.* 157: 569-578. <http://dx.doi.org/10.1016/j.jhazmat.2008.01.022>.
- Jo, YH; Do, SH; Kong, SH. (2014). Persulfate activation by iron oxide-immobilized MnO₂ composite: identification of iron oxide and the optimum pH for degradations. *Chemosphere.* 95: 550-555. <http://dx.doi.org/10.1016/j.chemosphere.2013.10.010>.
- John, K; Naidu, SV. (2007). Chemical resistance of sisal/glass reinforced unsaturated polyester hybrid composites. *Journal of Reinforced Plastics and Composites.* 26: 373-376. <http://dx.doi.org/10.1177/0731684406072524>.
- Johnson, J; Parker, W; Kennedy, K. (2000). Enhanced scrubbing of chlorinated compounds from air streams. *Environmental Progress.* 19: 157-166.
- Johnson, TL; Fish, W; Gorby, YA; Tratnyek, PG. (1998). Degradation of carbon tetrachloride by iron metal: Complexation effects on the oxide surface. *J Contam Hydrol.* 29: 379-398.
- Johnson, TL; Scherer, MM; Tratnyek, PG. (1996). Kinetics of halogenated organic compound degradation by iron metal. *Environ Sci Technol.* 30: 2634-2640.
- Jolliet, O; Hauschild, M. (2005). Modeling the influence of intermittent rain events on long-term fate and transport of organic air pollutants. *Environ Sci Technol.* 39: 4513-4522.
- Jonas, LA; Sansone, EB. (1981). DESORPTION-KINETICS OF CARBON-TETRACHLORIDE FROM ACTIVATED CARBON. *Environ Sci Technol.* 15: 1367-1369.
- Jonas, LA; Svirbely, WJ. (1972). KINETICS OF ADSORPTION OF CARBON-TETRACHLORIDE AND CHLOROFORM FROM AIR MIXTURES BY ACTIVATED CARBON. *J Catal.* 24: 446-&.
- Jorge, M; Jedlovsky, P, al; Cordeiro, MND, S. (2010). A Critical Assessment of Methods for the Intrinsic Analysis of Liquid Interfaces. 1. Surface Site Distributions. *J Phys Chem C.* 114: 11169-11179. <http://dx.doi.org/10.1021/jp101035r>.
- Joshi, SS; Aminabhavi, TM; Balundgi, RH. (1991). EXCESS PROPERTIES OF BINARY-LIQUID MIXTURES OF NITROBENZENE WITH ALIPHATIC LIQUIDS IN THE TEMPERATURE-RANGE 298.15-313.15 K. 29: 541-544.
- Joun, W, onTak; Lee, SS, un; Koh, YE, un; Lee, KK, un. (2016). Impact of Water Table Fluctuations on the Concentration of Borehole Gas from NAPL Sources in the Vadose Zone. *Vadose Zone Journal.* 15. <http://dx.doi.org/10.2136/vzj2015.09.0124>.

Fate Literature Search Results

Off Topic

- Jovari, P; Meszaros, G; Pusztai, L; Svab, E. (2002). Neutron-diffraction studies of some simple molecular systems: Si₂Cl₆, CBr₃D and CD₃I. *Applied Physics A: Materials Science and Processing*. 74: S1354-S1356. <http://dx.doi.org/10.1007/s003390101234>.
- Jovic-Jovicic, N; Milutinovic-Nikolic, A; Bankovic, P; Mojovic, Z; Zunic, M; Grzetic, I; Jovanovic, D. (2010). Organo-inorganic bentonite for simultaneous adsorption of Acid Orange 10 and lead ions. *Appl Clay Sci*. In Press, Corrected Proof: 452-456. <http://dx.doi.org/10.1016/j.clay.2009.11.005>.
- Ju, XM; Hecht, M; Galhotra, RA; Ela, WP; Betterton, EA; Arnold, RG; Saez, AE. (2006). Destruction of gas-phase trichloroethylene in a modified fuel cell. *Environ Sci Technol*. 40: 612-617. <http://dx.doi.org/10.1021/es0514895>.
- Jung, B; Batchelor, B. (2008). Analysis of dechlorination kinetics of chlorinated aliphatic hydrocarbons by Fe(II) in cement slurries. *J Hazard Mater*. 152: 62-70. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.061>.
- Jung, BM; Batchelor, B; Park, JY; Abdel-Wahab, A. (2014). Linear Free Energy Relationship Analysis of Chlorinated Hydrocarbons in Cement Slurries. *International Journal of Environmental Research*. 8: 819-830.
- Jung, J; Na, K, yuH; Lee, M, inJae; Moon, J; Kim, GI, I; Jang, J, aJ; Hwang, SG, yu; Kim, G, iJin. (2013). Efficacy of chorionic plate-derived mesenchymal stem cells isolated from placenta in CCl₄-injured rat liver depends on transplantation routes. 10: 10-17. <http://dx.doi.org/10.1007/s13770-013-0364-x>.
- Jung, JG; Do, SH; Kwon, YJ; Kong, SH. (2014). Degradation of multi-DNAPLs by a UV/persulphate/ethanol system with the additional injection of a base solution. *Environ Technol*. 36: 1-6. <http://dx.doi.org/10.1080/09593330.2014.974678>.
- Jung, SH; Lee, YS, il; Lim, SS; Kim, YS; Lee, S; Shin, K, ukH. (2009). Hepatoprotective and Antioxidant Capacities of *Paecilomyces japonica* and *Cordyceps sinensis* in Rats with CCl₄-Induced Hepatic Injury. *Kor J of Hort Sci Tech*. 27: 668-672.
- Jung, W; Fujita, M. (1991). Optimal conditions of purge trap/on-column cryofocusing method with capillary gas chromatography for determination of volatile halogenated hydrocarbons in aqueous samples. *Eisei Kagaku*. 37: 395-400.
- Jung, WT; Fujita, M; Sohn, D. (1992). Levels of volatile halogenated hydrocarbons in Tokyo rain and their seasonal time-series changes (pp. 490-497). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/93/16067). Jung, WT; Fujita, M; Sohn, D.
- Junker, KH; Hess, G; Ekerdt, JG; White, JM. (1998). Thermal and electron-driven chemistry of CCl₄ on clean and hydrogen precovered Si(100). *Journal of Vacuum Science and Technology A*. 16: 2995-3005.
- Junker, KH; White, JM. (1998). Thermal and electron driven chemistry of CCl₄ on oxidized Si(100). *Journal of Vacuum Science and Technology A*. 16: 3328-3334.
- Justicia-Leon, SD; Higgins, S; Mack, EE; Griffiths, DR; Tang, S; Edwards, EA; Löffler, FE. (2014). Bioaugmentation with distinct *Dehalobacter* strains achieves chloroform detoxification in microcosms. *Environ Sci Technol*. 48: 1851-1858. <http://dx.doi.org/10.1021/es403582f>.
- K, G; A, B. (1992). Poly(ADP-ribose) polymerase activity in mononuclear leukocytes of 13 mammalian species correlates with species-specific life span. *Proc Natl Acad Sci USA*. 89: 11759-11763.
- Kabeya, DT; Mokhtari, M; Perrin, C; Sergent, M; Grushko, Y; Kokovina, L; Rozhniakova, N. (1994). STUDY OF THE HALOGENATION OF EUBA2CU3O6. 4: 2069-2078.
- Kachina, A; Puzenat, E; Ould-Chikh, S; Geantet, C; Delichere, P; Afanasiev, P. (2012). A New Approach to the Preparation of Nitrogen-Doped Titania Visible Light Photocatalyst. *Chem Mater*. 24: 636-642. <http://dx.doi.org/10.1021/cm203848f>.
- Kadioglu, YY; Bayrakceken, S; Colak, S. (1996). Dissolution kinetics of natural FeS₂ in carbon tetrachloride and water-carbon tetrachloride media saturated by chlorine. *Int J Miner Process*. 47: 219-229.
- Kadioglu, YY; Karaca, S; Bayrakceken, S; Gulaboglu, MS. (1998). The removal of organic sulfur from two Turkish lignites by chlorinolysis. *Turkish Journal of Chemistry*. 22: 129-136.
- Kadry, AM; Skowronski, GA; Abdel-Rahman, MS. (1995). Evaluation of the use of uncertainty factors in deriving RfDs for some chlorinated compounds. *J Toxicol Environ Health*. 45: 83-95. <http://dx.doi.org/10.1080/15287399509531982>.
- Kaiser, KL; Mckinnon, MB; Stendahl, DH; Pett, WB. (1995). Response threshold levels of selected organic compounds for rainbow trout (*Oncorhynchus mykiss*). *Environ Toxicol Chem*. 14: 2107-2113.
- Kalender, M; Akosman, C. (2015). Dry Sorbent Injection (DSI) System for the Abatement of VOCs from Gas Streams. *Water Air Soil Pollut*. 226. <http://dx.doi.org/10.1007/s11270-015-2341-6>.
- Kalinin, YG; Korel'skii, AV; Kravchenko, EV; Shashkov, AY. (2004). Laser facility using nonlinear optical effects and its application for probing high-temperature pulsed plasmas. *Quantum Electronics*. 34: 399-401. <http://dx.doi.org/10.1070/QE2004v034n05ABEH002697>.
- Kalra, KC; Singh, KC; Spah, DC. (1994). EXCESS MOLAR GIBBS FREE-ENERGIES AND ISENTROPIC COMPRESSIBILITIES OF 1,2-DIBROMOETHANE PLUS CYCLOHEXANE OR TETRACHLOROMETHANE. *Journal of Chemical and Engineering Data*. 39: 372-374.
- Kaltchev, M; Celichowski, G; Lara, J; Tysoe, WT. (2000). A molecular-beam study of the tribological chemistry of carbon tetrachloride on oxygen-covered iron. *Tribology Letters*. 9: 161-165.
- Kaltchev, M; Kotvis, PV; Blunt, TJ; Lara, J; Tysoe, WT. (2001). A molecular beam study of the tribological chemistry of dialkyl disulfides. *Tribology Letters*. 10: 45-50.
- Kalyanaraman, B; Mason, RP; Perezreyes, E; Chignell, CF; Wolf, CR; Philpot, RM. (1979). CHARACTERIZATION OF THE FREE-RADICAL FORMED IN AEROBIC MICROSOMAL INCUBATIONS CONTAINING CARBON-TETRACHLORIDE AND NADPH. *Environ Health Perspect*. 33: 340-340.
- Kalz, G. (1986). DETERMINATION AND EVALUATION OF SPECIFIC VOLUMES OF SOL PHASES FROM CHLORINATED POLYETHYLENE TETRACHLOROMETHANE SOLUTIONS OF VARIOUS CONCENTRATIONS. 33: 290-293.
- Kameda, T; Inazu, K; Asano, K; Murota, M; Takenaka, N; Sadanaga, Y; Hisamatsu, Y; Bandow, H. (2013). Prediction of rate constants for the gas phase reactions of triphenylene with OH and NO₃ radicals using a relative rate method in CCl₄ liquid phase-system. *Chemosphere*. 90: 766-771. <http://dx.doi.org/10.1016/j.chemosphere.2012.09.071>.
- Kamegawa, K; Yoshida, H. (1997). Preparation and characterization of swelling porous carbon beads. *Carbon*. 35: 631-639.

Fate Literature Search Results

Off Topic

- Kamoto, M; TAKAHASHI, F; Suzuki, S. (1971). STUDIES OF IMIDAZOLE CHARGE-TRANSFER COMPLEXES .2. ELECTROCHEMICAL STUDIES ON ELECTRON DONOR ACCEPTOR COMPLEXES OF IMIDAZOLE-CARBON TETRACHLORIDE SYSTEM. 92: 460-8.
- Kanade, BV; Vakharia, MN; Pandya, MV; Patel, BM; Patel, AT; Oswal, SL. (1992). SURFACE TENSIONS OF BINARY-LIQUID MIXTURES AND THEIR CORRELATION WITH PRIGOGINE-FLORY-PATTERSON THEORY. 30: 308-312.
- Kandil, AT; El-Medani, SM. (1998). Lanthanides extraction by 8-quinolinol and by a mixture of quinolinol and trioctylphosphine oxide. Separation Science and Technology. 33: 437-447.
- Kandori, K; Ishikawa, T. (1991). SELECTIVE ADSORPTION OF WATER ON AMORPHOUS FERRIC-OXIDE HYDROXIDE. Langmuir. 7: 2213-2218.
- Kandori, K; Toshioka, M; Nakashima, H; Ishikawa, T. (1993). PORE STRUCTURE OF UNIFORM SPHERICAL COBALT PHOSPHATE PARTICLES. Langmuir. 9: 1031-1035.
- Kaneko, K. (1998). Nanospace geometry-sensitive molecular assembly. 5: 267-273.
- Kaneko, K; Hanzawa, Y; Iiyama, T; Kanda, T; Suzuki, T. (1999). Cluster-mediated water adsorption on carbon nanopores. Adsorption. 5: 7-13.
- Kaneko, K; Khoerunnisa, F; Minami, D; Futamura, R; Watanabe, A; Hanzawa, Y; Suzuki, T. (2013). Noticeable Reverse Shift in the Melting Temperatures of Benzene and Carbon Tetrachloride Confined within the Micropores and Mesopores of Hydrophobic Carbons. AST. 31: 145-151.
- Kang, JW, on; Diky, V; Frenkel, M. (2015). New modified UNIFAC parameters using critically evaluated phase equilibrium data. Fluid Phase Equilibria. 388: 128-141. <http://dx.doi.org/10.1016/j.fluid.2014.12.042>.
- Kang, K; Kim, J; Jin, Y; Ajmera, PK. (2015). Low temperature carbon nanotube and hexagonal diamond deposition with photo-enhanced chemical vapor deposition. Microsystem Technologies. 21: 1225-1231. <http://dx.doi.org/10.1007/s00542-014-2163-2>.
- Kang, M. (2007). Effect of a disturbed light-dark cycle on CCl₄-induced toxicity test using F344/N rats. J Am Assoc Lab Anim Sci. 46: 140-140.
- Kang, MC; Kang, SM; Ahn, G; Kim, KN; Kang, N; Samarakoon, KW; Oh, MC; Lee, JS; Jeon, YJ. (2013). Protective effect of a marine polyphenol, dieckol against carbon tetrachloride-induced acute liver damage in mouse. Environ Toxicol Pharmacol. 35: 517-523. <http://dx.doi.org/10.1016/j.etap.2013.02.013>.
- Kang, WH; Hwang, I; Park, JY. (2006). Dechlorination of trichloroethylene by a steel converter slag amended with Fe(II). Chemosphere. 62: 285-293. <http://dx.doi.org/10.1016/j.chemosphere.2005.05.011>.
- Kapoor, IPS; Singh, B; Singh, G. (2011). ESSENTIAL OIL AND OLEORESINS OF CARDAMOM (AMOMUM SUBULATUM ROXB.) AS NATURAL FOOD PRESERVATIVES FOR SWEET ORANGE (CITRUS SINENSIS) JUICE. Journal of Food Process Engineering. 34: 1101-1113. <http://dx.doi.org/10.1111/j.1745-4530.2009.00525.x>.
- Kappler, A; Haderlein, SB. (2003). Natural organic matter as reductant for chlorinated aliphatic pollutants. Environ Sci Technol. 37: 2714-2719. <http://dx.doi.org/10.1021/es0201808>.
- Karaca, S; Kadioglu, Y; Bayrakceken, S; Gulaboglu, MS. (1999). Chlorination of two Turkish lignites in water and water-carbon tetrachloride media. Turkish Journal of Chemistry. 23: 231-241.
- Karaca, S; Kadioglu, YY; Bayrakceken, S; Gulaboglu, MS. (1997). Chlorination kinetics of pyrite mineral in two Turkish lignites. Fuel Process Tech. 50: 225-234.
- Karadas, C. (2014). A New Dispersive Liquid-Liquid Microextraction Method for Preconcentration of Copper from Waters and Cereal Flours and Determination by Flame Atomic Absorption Spectrometry. Water Air Soil Pollut. 225. <http://dx.doi.org/10.1007/s11270-014-2150-3>.
- Karakus, E; Karadeniz, A; Simsek, N; Can, I; Kara, A; Yildirim, S; Kalkan, Y; Kisa, F. (2011). Protective effect of Panax ginseng against serum biochemical changes and apoptosis in liver of rats treated with carbon tetrachloride (CCl₄). J Hazard Mater. 195: 208-213. <http://dx.doi.org/10.1016/j.jhazmat.2011.08.027>.
- Karbiwnyk, CM; Mills, CS; Helmig, D; Birks, JW. (2003). Use of chlorofluorocarbons as internal standards for the measurement of atmospheric non-methane volatile organic compounds sampled onto solid adsorbent cartridges. Environ Sci Technol. 37: 1002-1007. <http://dx.doi.org/10.1021/es025910q>.
- Karelin, AV; Shirokov, RV. (1998). Kinetics of the active medium of a nuclear-pumped laser based on transitions in the cadmium atom. Quantum Electronics. 28: 893-897.
- Karelin, AV; Simakova, OV. (1997). Kinetics of the active medium of a nuclear-pumped laser based on IR transitions in the chlorine atom. Quantum Electronics. 27: 963-967.
- Karger, AG. (1973). Pharmacology and the future of man: proceedings of the 5th international congress on pharmacology Factors that affect the covalent binding and toxicity of drugs. Basel, Switzerland: Gillette.
- Kariper, IA. (2016). CuI Film Produced by Chemical Extraction Method in Different Media. Mater Res. 19: 991-998. <http://dx.doi.org/10.1590/1980-5373-MR-2016-0067>.
- Karpinski, Z; Bonarowska, M; Juszczak, W. (2014). Hydrodechlorination of tetrachloromethane over silica-supported palladium-gold alloys. Polish Journal of Chemical Technology. 16: 101-105. <http://dx.doi.org/10.2478/pjct-2014-0077>.
- Karthikeyan, M; Deepa, K. (2010). Hepatoprotective effect of Premna corymbosa (Burm. f.) Rottl. & Willd. leaves extract on CCl₄ induced hepatic damage in Wistar albino rats. Asian Pacific Journal of Tropical Medicine. 3: 17-20.
- Karthikeyan, R; Somasundaram, ST; Manivasagam, T; Balasubramanian, T; Anantharaman, P. (2010). Hepatoprotective activity of brown alga Padina boergeseni against CCl₄ induced oxidative damage in Wistar rats. Asian Pacific Journal of Tropical Medicine. 3: 696-701. [http://dx.doi.org/10.1016/S1995-7645\(10\)60168-X](http://dx.doi.org/10.1016/S1995-7645(10)60168-X).
- Karunakaran, C; Karuthapandian, S. (2006). Solar photooxidation of diphenylamine. Solar Energy Materials and Solar Cells. 90: 1928-1935. <http://dx.doi.org/10.1016/j.solmat.2005.12.003>.
- Kaseros, VB; Sleep, BE; Bagley, DM. (2000). Column studies of biodegradation of mixtures of tetrachloroethene and carbon tetrachloride. Water Res. 34: 4161-4168.

Fate Literature Search Results

Off Topic

- Kashirskaya, OA; Lotkhov, VA; Dil'man, VV. (2010). Difference in the rates of evaporation and condensation in the presence of an inert gas. *Theoretical Foundations of Chemical Engineering*. 44: 665-671. <http://dx.doi.org/10.1134/S0040579510050052>.
- Kasischke, ES; Amiro, BD; Barger, NN; French, NHF; Goetz, SJ; Grosse, G; Harmon, ME; Hicke, JA; Liu, S; Masek, JG. (2013). Impacts of disturbance on the terrestrial carbon budget of North America. *Jour Geo Res: Biog*. 118: 303-316. <http://dx.doi.org/10.1002/jgrg.20027>.
- Kaslusky, SF; Udell, KS. (2002). A theoretical model of air and steam co-injection to prevent the downward migration of DNAPLs during steam-enhanced extraction. *J Contam Hydrol*. 55: 213-232.
- Kasprzak, W; Nadolny, Z. (2012). Choice of optical active liquid in order to use in electric field measurement method based on electro-optic Kerr effect. 88: 248-250.
- Kassem, M; Senkan, SM. (1991). CHEMICAL STRUCTURES OF FUEL-RICH, PREMIXED, LAMINAR FLAMES OF 1,2-C₂H₄CL₂ AND CH₄. *Combust Flame*. 83: 365-374.
- Katami, T; Nisikawa, H; Yasuhara, A. (1992). Emission of chlorinated compounds by combustion of waste dry-cleaning materials. *Chemosphere*. 24: 343-349.
- Kataoka, T; Sakoda, A; Yoshimoto, M; Nakagawa, S; Toyota, T; Nishiyama, Y; Yamato, K; Ishimori, Y; Kawabe, A; Hanamoto, K; Taguchi, T; Yamaoka, K. (2011). Studies on possibility for alleviation of lifestyle diseases by low-dose irradiation or radon inhalation. *Radiat Prot Dosimetry*. 146: 360-363. <http://dx.doi.org/10.1093/rpd/ncr189>.
- Katekhayeh, SN; Gogate, PR. (2011). Intensification of cavitation activity in sonochemical reactors using different additives: Efficacy assessment using a model reaction. *Chemical Engineering and Processing: Process Intensification*. 50: 95-103. <http://dx.doi.org/10.1016/j.cep.2010.12.002>.
- Kato, M; Yamaguchi, M; Yoshikawa, H. (1990). VAPOR-LIQUID-EQUILIBRIA AT 100-KPA FOR PROPIONIC-ACID + CARBON-TETRACHLORIDE OR 2-BUTANONE. *Journal of Chemical and Engineering Data*. 35: 85-87.
- Katoh, T; Haratake, J; Nakano, S; Kikuchi, M; Yoshikawa, M; Arashidani, K. (1998). Dose-dependent effects of dichloropropanol on liver histology and lipid peroxidation in rats. *Ind Health*. 36: 318-323.
- Kauppinen, T; Pukkala, E; Saalo, A; Sasco, AJ. (2003). Exposure to chemical carcinogens and risk of cancer among Finnish laboratory workers. *Am J Ind Med*. 44: 343-350. <http://dx.doi.org/10.1002/ajim.10278>.
- Kaur, R; Pal, B. (2015). Physicochemical and catalytic properties of Au nanorods micro-assembled in solvents of varying dipole moment and refractive index. *Materials Research Bulletin*. 62: 11-18. <http://dx.doi.org/10.1016/j.materresbull.2014.11.012>.
- Kaushik, A; Kaushik, J. (2010). Solvent Absorption Characteristics of Epoxy-Colloidal Silica Nanocomposites. *Journal of Reinforced Plastics and Composites*. 29: 2821-2833. <http://dx.doi.org/10.1177/0731684409360995>.
- Kawaguchi, M; Yagi, S; Enomoto, H. (2004). Chemical preparation and characterization of nitrogen-rich carbon nitride powders. *Carbon*. 42: 345-350. <http://dx.doi.org/10.1016/j.carbon.2003.11.004>.
- Kawata, K; Fujieda, Y. (1993). Volatile chlorinated hydrocarbons in ambient air at Niigata area (pp. 474-479). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/94/09149). Kawata, K; Fujieda, Y.
- Kechavarz, R; Guigue, JP; Tachoire, H; Kenz, A; Sbai, K. (1998). Thermodynamic properties of binary mixtures of tetrachloromethane+n-alcohol by application of the dispersive quasichemical model. *Fluid Phase Equilibria*. 143: 41-63.
- Kedenburg, S; Vieweg, M; Gissibl, T; Giessen, H. (2012). Linear refractive index and absorption measurements of nonlinear optical liquids in the visible and near-infrared spectral region. 2: 1588-1611.
- Kehiaian, HV; Gonzalez, JA; Garcia, I; Cobos, JC; Casanova, C; Cocero, MJ. (1991). STERIC AND INDUCTIVE EFFECTS IN BINARY-MIXTURES OF ORGANIC CARBONATES WITH AROMATIC-HYDROCARBONS OR TETRACHLOROMETHANE. *Fluid Phase Equilibria*. 69: 81-89.
- Keiper, D; Westphalen, R; Landgren, G. (1999). Comparison of carbon doping of InGaAs and GaAs by CBr₄ using hydrogen or nitrogen as carrier gas in LP-MOVPE. *J Cryst Growth*. 197: 25-30.
- Kempinski, M; Sliwinska-Bartkowiak, M; Kempinski, W. (2007). Molecules in the porous system of activated carbon fibers - Spin population control. *Reviews on Advanced Materials Science*. 14: 163-166.
- Kennedy, A; Reznik, A; Tadesse, S; Nunes, J. (2009). Time dependence of component temperatures in microwave heated immiscible liquid mixture. *J Microw Power Electromagn Energy*. 43: 52-62.
- Kenneke, JF; Weber, EJ. (2003). Reductive dehalogenation of halomethanes in iron- and sulfate-reducing sediments. 1. Reactivity pattern analysis. *Environ Sci Technol*. 37: 713-720. <http://dx.doi.org/10.1021/es0205941>.
- Kerckaert, GA; Isfort, RJ; Carr, GJ; Aardema, MJ; Leboeuf, RA. (1996). A comprehensive protocol for conducting the Syrian hamster embryo cell transformation assay at pH 6.70. *Mutat Res*. 356: 65-84.
- Kern, B; Strelnikov, D; Weis, P; Böttcher, A; Kappes, MM. (2014). IR, NIR, and UV Absorption Spectroscopy of C₆₀(2+) and C₆₀(3+) in Neon Matrixes. *Journal of Physical Chemistry Letters*. 5: 457-460. <http://dx.doi.org/10.1021/jz402630z>.
- Keum, YS; Li, QX. (2004). Reduction of nitroaromatic pesticides with zero-valent iron. *Chemosphere*. 54: 255-263. <http://dx.doi.org/10.1016/j.chemosphere.2003.08.003>.
- Kevekordes, S; Porzig, J; Gebel, T; Dunkelberg, H. (1998). Combined effects in mutagenicity of halogenated aliphatic hydrocarbons and polycyclic aromatic hydrocarbons in salmonella TA98 and TA100. *Zentralblatt fuer Hygiene und Umweltmedizin*. 200: 5-6.
- Khachatryan, L; Dellinger, B. (2003). Formation of chlorinated hydrocarbons from the reaction of chlorine atoms and activated carbon. *Chemosphere*. 52: 709-716. [http://dx.doi.org/10.1016/S0045-6535\(03\)00232-7](http://dx.doi.org/10.1016/S0045-6535(03)00232-7).
- Khaleel, A. (2006). Catalytic activity of mesoporous alumina for the hydrolysis and dechlorination of carbon tetrachloride. *Microporous and Mesoporous Materials*. 91: 53-58. <http://dx.doi.org/10.1016/j.micromeso.2005.11.011>.
- Khaleel, A; Dellinger, B. (2002). FTIR investigation of adsorption and chemical decomposition of CCl₄ by high surface-area aluminum oxide. *Environ Sci Technol*. 36: 1620-1624. <http://dx.doi.org/10.1021/es010650i>.

Fate Literature Search Results

Off Topic

- Khalil, AM. (1983). THERMAL-TREATMENT OF SILICA AEROSIL-200 - APPLICATIONS OF THE CRITERIA FOR CORRECT ANALYSIS TO BENZENE AND CARBON-TETRACHLORIDE ADSORPTION. 18: 39-49.
- Khan, MAH; Mead, MI; White, IR; Golledge, B; Nickless, G; Knights, A; Martin, D; Rivett, AC; Greally, BR; Shallcross, DE. (2009). Year-long measurements of C-1-C-3 halocarbons at an urban site and their relationship with meteorological parameters. *Atmos Sci Lett*. 10: 75-86. <http://dx.doi.org/10.1002/asl.213>.
- Khan, RA; Khan, MR; Sahreen, S; Ahmed, M; Shah, NA. (2015). Carbon tetrachloride-induced lipid peroxidation and hyperglycemia in rat: a novel study. *Toxicol Ind Health*. 31: 546-553. <http://dx.doi.org/10.1177/0748233713475503>.
- Khan, RA; Khan, MR; Shah, NA; Sahreen, S; Siddiq, P. (2015). Modulation of carbon tetrachloride-induced nephrotoxicity in rats by n-hexane extract of *Sonchus asper*. *Toxicol Ind Health*. 31: 955-959. <http://dx.doi.org/10.1177/0748233713485885>.
- Khanna, RN; Das, M; Anand, M. (2002). Influence of phenobarbital and carbon tetrachloride on the modulation of tissue retention profile of hexachlorocyclohexane in rats. *Biomed Environ Sci*. 15: 119-129.
- Khasbiullin, II; Belov, GP; Kharlampidi, K, HE; Vil'ns, AI. (2011). Ethylene oligomerization on the chromium ethylhexanoate-triethylaluminum-2,5-dimethylpyrrol catalytic system in the presence of carbon tetrachloride. *Petroleum Chemistry*. 51: 442-447. <http://dx.doi.org/10.1134/S0965544111060090>.
- Khatri, VN; Dutta, RK; Venkataraman, G; Shrivastava, R. (2016). Shear Strength Behaviour of Clay Reinforced with Treated Coir Fibres. 60: 135-143. <http://dx.doi.org/10.3311/PPci.7917>.
- Khenifi, A; Zohra, B; Kahina, B; Houari, H; Zoubir, D. (2009). Removal of 2,4-DCP from wastewater by CTAB/bentonite using one-step and two-step methods: A comparative study. *Chem Eng J*. 146: 345-354. <http://dx.doi.org/10.1016/j.cej.2008.06.028>.
- Khindaria, A; Grover, TA; Aust, SD. (1995). Reductive dehalogenation of aliphatic halocarbons by lignin peroxidase of *Phanerochaete chrysosporium*. *Environ Sci Technol*. 29: 719-725.
- Khodadadian, M; Taghizadeh, M; Hamidzadeh, M. (2011). Effects of various barium precursors and promoters on catalytic activity of Ba-Ti perovskite catalysts for oxidative coupling of methane. *Fuel Process Tech*. 92: 1164-1168. <http://dx.doi.org/10.1016/j.fuproc.2010.11.032>.
- Khusnutdinov, RI; Bayguzina, AR; Gallyamova, LI; Dzhemilev, UM. (2012). A novel method for synthesis of benzyl alkyl ethers using vanadium-based metal complex catalysts. *Petroleum Chemistry*. 52: 261-266. <http://dx.doi.org/10.1134/S0965544112040044>.
- Khusnutdinov, RI; Schadneva, NA; Oshnyakova, TM; Dzhemilev, UM. (2009). Addition of CCl₄ to olefins catalyzed by chromium and ruthenium complexes: The influence of water as a nucleophilic additive. *Petroleum Chemistry*. 49: 331-338. <http://dx.doi.org/10.1134/S0965544109040136>.
- Khusnutdinov, RI; Shchadneva, NA; Baiguzina, AR; Lavrent'eva, YY; Burangulova, RY; Atnabaeva, AM; Dzhemilev, UM. (2004). Addition of carbon tetrachloride to unsaturated compounds catalyzed by manganese, vanadium, and molybdenum complexes. *Petroleum Chemistry*. 44: 350-362.
- Khusnutdinov, RI; Shchadneva, NA; Baiguzina, AR; Mukminov, RR; Mayakova, Y, uYu; Smirnov, AA; Dzhemilev, UM. (2008). Synthesis of 2-thiophenecarboxylic and 2,5-thiophenedicarboxylic acid esters via the reaction of thiophenes with the CCl₄-ROH reagent in the presence of vanadium, iron, and molybdenum catalysts. *Petroleum Chemistry*. 48: 471-478. <http://dx.doi.org/10.1134/S0965544108060121>.
- Khusnutdinov, RI; Shchadneva, NA; Oshnyakova, TM; Dzhemilev, UM. (2011). Telomerization of Z,Z-cyclooctadiene with halomethanes catalyzed by chromium, copper, and molybdenum compounds in the presence of water. *Petroleum Chemistry*. 51: 435-441. <http://dx.doi.org/10.1134/S0965544111060107>.
- Kibbler, AE; Kurtz, S. R.; Olson, JM. (1991). CARBON DOPING AND ETCHING OF MOCVD-GROWN GAAS, INP, AND RELATED TERNARIES USING CCL₄. *J Cryst Growth*. 109: 258-263.
- Kilinc, N; Sennik, E; Ozturk, ZZ. (2011). Fabrication of TiO₂ nanotubes by anodization of Ti thin films for VOC sensing. *Thin Solid Films*. 520: 953-958. <http://dx.doi.org/10.1016/j.tsf.2011.04.183>.
- Kim, BS; Choi, YY. (2005). Kinetics of the chlorination reaction of tantalum pentoxide with carbon tetrachloride gas. *Mater Trans*. 46: 2102-2106.
- Kim, BW; May, GS. (1994). AN OPTIMAL NEURAL-NETWORK PROCESS MODEL FOR PLASMA-ETCHING. *IEEE Trans Semicond Manuf*. 7: 12-21.
- Kim, CZ, oo; Kim, H; Song, KM, an; Jun, DH; Kang, H, oK; Park, W; Ko, CG, i. (2010). Enhanced efficiency in GaInP/GaAs tandem solar cells using carbon doped GaAs in tunnel junction. *Microelectron Eng*. 87: 677-681. <http://dx.doi.org/10.1016/j.mee.2009.09.014>.
- Kim, DH; Kwack, S; Yoon, K; Choi, J; Lee, BM, u. (2015). 4-HYDROXYNONENAL: A SUPERIOR OXIDATIVE BIOMARKER COMPARED TO MALONDIALDEHYDE AND CARBONYL CONTENT INDUCED BY CARBON TETRACHLORIDE IN RATS. *J Toxicol Environ Health A*. 78: 1051-1062. <http://dx.doi.org/10.1080/15287394.2015.1067505>.
- Kim, E; Murugesan, K; Kim, J; Tratnyek, PG; Chang, YS. (2013). Remediation of Trichloroethylene by FeS-Coated Iron Nanoparticles in Simulated and Real Groundwater: Effects of Water Chemistry. *Ind Eng Chem Res*. 52: 9343-9350. <http://dx.doi.org/10.1021/ie400165a>.
- Kim, EJ; Kim, JH; Chang, YS; Turcio-Ortega, D; Tratnyek, PG. (2014). Effects of metal ions on the reactivity and corrosion electrochemistry of Fe/FeS nanoparticles. *Environ Sci Technol*. 48: 4002-4011. <http://dx.doi.org/10.1021/es405622d>.
- Kim, EK; Kim, TG; Son, CS; Kim, SI; Park, YK; Kim, Y; Min, SK; Choi, IH. (1998). One-step selective growth of GaAs on V-groove patterned GaAs substrates using CBr₄ and CCl₄. *Institute of Physics Conference Series*. 156: 151-154.
- Kim, EK; Lee, MS; Kim, SI; Park, YJ; Min, SK; Lee, JY. (1997). InGaAs layer effect on the growth of AlGaAs/GaAs quantum wires on V-grooved GaAs substrates. *Appl Surf Sci*. 117: 690-694.
- Kim, HH; Kobara, H; Ogata, A; Futamura, S. (2005). Comparative assessment of different nonthermal plasma reactors on energy efficiency and aerosol formation from the decomposition of gas-phase benzene. *I E E E Transactions on Industry Applications*. 41: 206-214. <http://dx.doi.org/10.1109/TIA.2004.840988>.

Fate Literature Search Results

Off Topic

- Kim, HJ; Leitch, M; Naknakorn, B; Tilton, RD; Lowry, GV. (2017). Effect of emplaced nZVI mass and groundwater velocity on PCE dechlorination and hydrogen evolution in water-saturated sand. *J Hazard Mater.* 322: 136-144. <http://dx.doi.org/10.1016/j.jhazmat.2016.04.037>.
- Kim, HS; Ahn, JY; Kim, C; Lee, S; Hwang, I. (2014). Effect of anions and humic acid on the performance of nanoscale zero-valent iron particles coated with polyacrylic acid. *Chemosphere.* 113: 93-100. <http://dx.doi.org/10.1016/j.chemosphere.2014.04.047>.
- Kim, HS; Kang, WH; Kim, M; Park, JY; Hwang, I. (2008). Comparison of hematite/Fe(II) systems with cement/Fe(II) systems in reductively dechlorinating trichloroethylene. *Chemosphere.* 73: 813-819. <http://dx.doi.org/10.1016/j.chemosphere.2008.04.092>.
- Kim, J; Park, C; Park, J; Chu, K; Choi, H. (2013). Vertical Crystallization of C-60 Nanowires by Solvent Vapor Annealing Process. *ACS Nano.* 7: 9122-9128. <http://dx.doi.org/10.1021/nn403729g>.
- Kim, MS; Kim, Y; Kim, SI; Hwang, SM; Kang, JM; Park, YK; Min, SK. (1995). Enhancement of side wall growth rate during MOVPE growth on patterned substrates with CCl₄. *Mater Sci Eng B.* 35: 214-218.
- Kim, NH; Choi, BG; Choi, JS. (1996). Solvent activity coefficients at infinite dilution in polystyrene-hydrocarbon systems from inverse gas chromatography. *Korean J Chem Eng.* 13: 129-135.
- Kim, S; Park, T; Lee, W. (2015). Enhanced reductive dechlorination of tetrachloroethene by nano-sized mackinawite with cyanocobalamin in a highly alkaline condition. *J Environ Manage.* 151: 378-385. <http://dx.doi.org/10.1016/j.jenvman.2015.01.004>.
- Kim, S; Picardal, FW. (1999). Enhanced anaerobic biotransformation of carbon tetrachloride in the presence of reduced iron oxides. *Environ Toxicol Chem.* 18: 2142-2150.
- Kim, SI; Kim, MS; Kim, Y; Hwang, SM; Min, BD; Son, CS; Kim, EK; Min, SK. (1997). Lateral growth rate control of GaAs on patterned substrates by CCl₄ and CBr₄ during MOCVD. *J Cryst Growth.* 170: 665-668.
- Kim, SI; Kim, Y; Kim, MS; Kim, CK; Min, SK; Lee, C. (1994). CARBON DOPING CHARACTERISTICS OF GAAS AND AL_{0.3}GA_{0.7}AS GROWN BY ATMOSPHERIC-PRESSURE METALORGANIC CHEMICAL-VAPOR-DEPOSITION USING CCl₄. *J Cryst Growth.* 141: 324-330.
- Kim, SI; Son, CS; Chung, SW; Park, YK; Kim, EE; Min, SK. (1997). Temperature-dependent Hall analysis of carbon-doped GaAs. *Thin Solid Films.* 310: 63-66.
- Kim, SW; Park, HS; Kim, HJ. (2003). 100 kW steam plasma process for treatment of PCBs (polychlorinated biphenyls) waste. *Vacuum.* 70: 59-66. [http://dx.doi.org/10.1016/S0042-207X\(02\)00761-3](http://dx.doi.org/10.1016/S0042-207X(02)00761-3).
- Kim, TY; Kim, SJ; Cho, SY. (2004). Effect of relative humidity on the adsorption characteristics of carbon tetrachloride in a fixed bed. *J Ind Eng Chem.* 10: 188-195.
- Kim, W; Tachikawa, T; Majima, T; Choi, W. (2009). Photocatalysis of Dye-Sensitized TiO₂ Nanoparticles with Thin Overcoat of Al₂O₃: Enhanced Activity for H₂ Production and Dechlorination of CCl₄. *J Phys Chem C.* 113: 10603-10609. <http://dx.doi.org/10.1021/jp9008114>.
- Kim, Y; Park, YK; Kim, MS; Kang, JM; Kim, SI; Hwang, SM; Min, SK. (1995). FACET EVOLUTION OF CCl₄-DOPED AL_{0.5}GA_{0.5}AS/GAAS MULTILAYERS DURING METALORGANIC CHEMICAL-VAPOR-DEPOSITION ON PATTERNED GAAS SUBSTRATES. *J Cryst Growth.* 156: 169-176.
- Kim, YH; Carraway, ER. (2002). Reductive dechlorination of PCE and TCE by vitamin B-12 and ZVMs. *Environ Technol.* 23: 1135-1145.
- Kim, YH; Carraway, ER. (2003). Dechlorination of chlorinated phenols by zero valent zinc. *Environ Technol.* 24: 1455-1463. <http://dx.doi.org/10.1080/09593330309385690>.
- Kim, YH; Carraway, ER. (2003). Reductive dechlorination of TCE by zero valent bimetals. *Environ Technol.* 24: 69-75.
- Kim, YH; Shin, WS; Ko, SO. (2004). Reductive dechlorination of chlorinated biphenyls by palladized zero-valent metals. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 39: 1177-1188. <http://dx.doi.org/10.1081/ESE-120030302>.
- King, RCY; Roussel, F. (2005). Morphological and electrical characteristics of polyaniline nanofibers. *Synthetic Metals.* 153: 337-340. <http://dx.doi.org/10.1016/j.synthmet.2005.07.268>.
- King-Herbert, A; Thayer, K. (2006). NTP workshop: Animal models for the NTP rodent cancer bioassay: Stocks and strains - Should we switch? *Toxicol Pathol.* 34: 802-805. <http://dx.doi.org/10.1080/01926230600935938>.
- Kinoshita, K; Yamada, K; Matsutera, H. (1991). REACTIVE ION ETCHING OF FE-SI-AL ALLOY FOR THIN-FILM HEAD. *I E E E Transactions on Magnetics.* 27: 4888-4890.
- Kinoshita, T; Akita, S; Nii, S; Kawaizumi, F; Takahashi, K. (2005). Application of hydrofluoroethers as diluent to solvent extraction of zinc(II) using phosphorus acid extractants. *J Chem Eng Jpn.* 38: 94-99.
- Kinser, S; Sneed, R; Roth, R; Ganey, P. (2004). Neutrophils contribute to endotoxin enhancement of allyl alcohol hepatotoxicity. *J Toxicol Environ Health A.* 67: 911-928. <http://dx.doi.org/10.1080/15287390490443704>.
- Kircsi, I; Nagy, JB. (2004). Surface intermediates generated in the decomposition of C1 chlorofluorocarbons over oxides and zeolites of acid-base and redox character. *Appl Catal A-Gen.* 271: 27-38. <http://dx.doi.org/10.1016/j.apcata.2004.02.043>.
- Kirk, R; Othmer, D. *Kirk-Othmer Encyclopedia of Chemical Technology.*
- Kirtland, BC; Aelion, CM; Stone, PA; Hunkeler, D. (2003). Isotopic and geochemical assessment of in situ biodegradation of chlorinated hydrocarbons. *Environ Sci Technol.* 37: 4205-4212. <http://dx.doi.org/10.1021/es034046e>.
- Kishore, MA; Gupta, JP. (1997). Organic solvents as carrier of carbendazim in sunflower seeds. *Seed Science and Technology.* 25: 391-397.
- Kiss, LDB; Sawin, HH. (1992). POWER MODULATION STUDY OF CHEMICAL-KINETICS IN RF DISCHARGES. *Plasma Chemistry and Plasma Processing.* 12: 495-522.
- Kitawaki, S; Nagai, T; Sato, N. (2013). Chlorination of uranium oxides with CCl₄ using a mechanochemical method. *J Nucl Mater.* 439: 212-216. <http://dx.doi.org/10.1016/j.jnucmat.2013.03.017>.
- Kizim, NF; Golubina, EN; Tarasov, VV. (2016). Microprocesses of liquid extraction. *Theoretical Foundations of Chemical Engineering.* 50: 632-637. <http://dx.doi.org/10.1134/S0040579516040126>.
- Klaassen, CD; Liu, J. (1998). Induction of Metallothionein as an Adaptive Mechanism Affecting the Magnitude and Progression of Toxicological Injury [Review]. *Environ Health Perspect.* 106: 297-300.

Fate Literature Search Results

Off Topic

- Klausen, J; Vikesland, PJ; Kohn, T; Burris, DR; Ball, WP; Roberts, AL. (2003). Longevity of granular iron in groundwater treatment processes: Solution composition effects on reduction of organohalides and nitroaromatic compounds. *Environ Sci Technol.* 37: 1208-1218. <http://dx.doi.org/10.1021/es025965s>.
- Kleeberg, H; Klein, D; Luck, WAP. (1987). CHANGES OF THE SOLUBILITY OF WATER IN CCL4 BY POLYETHYLENE DERIVATIVES. *Chem Ing Tech.* 59: 409-411.
- Klein, AR; Silvester, E; Hogan, CF. (2014). Mediated electron transfer between Fe(II) adsorbed onto hydrous ferric oxide and a working electrode. *Environ Sci Technol.* 48: 10835-10842. <http://dx.doi.org/10.1021/es501561d>.
- Klejn, D; Luliński, P; Maciejewska, D. (2015). Desorption of 3,3'-diindolylmethane from imprinted particles: An impact of cross-linker structure on binding capacity and selectivity. *Mater Sci Eng C.* 56: 233-240. <http://dx.doi.org/10.1016/j.msec.2015.06.016>.
- Klick, S. (1992). SEASONAL-VARIATIONS OF BIOGENIC AND ANTHROPOGENIC HALOCARBONS IN SEAWATER FROM A COASTAL SITE. *Limnol Oceanogr.* 37: 1579-1585.
- Klupinski, TP; Chin, YP; Traina, SJ. (2004). Abiotic degradation of pentachloronitrobenzene by Fe(II): Reactions on goethite and iron oxide nanoparticles. *Environ Sci Technol.* 38: 4353-4360. <http://dx.doi.org/10.1021/es035434j>.
- Knobel, LL; Mann, LJ. (1993). SAMPLING FOR PURGEABLE ORGANIC-COMPOUNDS USING POSITIVE-DISPLACEMENT PISTON AND CENTRIFUGAL SUBMERSIBLE PUMPS - A COMPARATIVE-STUDY. *Ground Water Monitoring and Remediation.* 13: 142-148.
- Knox, RC; Canter, LW. (1996). Prioritization of ground water contaminants and sources. *Water Air Soil Pollut.* 88: 205-226. <http://dx.doi.org/10.1007/BF00294102>.
- Knudsen, J; Bjerre, A. (1985). A METHOD OF HAZARD ASSESSMENT OF A GASEOUS SUBSTANCE WITH RESPECT TO FORMATION OF TOXIC PHOTODECOMPOSITION PRODUCTS - APPLICATION TO CCL4, CCL3F AND CCL2F2. *Chemosphere.* 14: 249-255.
- Ko, JH; Lee, SJ; Lim, KT. (2006). Rhus verniciflua Stokes glycoprotein (36kDa) has protective activity on carbon tetrachloride-induced liver injury in mice. *Environ Toxicol Pharmacol.* 22: 8-14. <http://dx.doi.org/10.1016/j.etap.2005.10.005>.
- Ko, S; Batchelor, B. (2007). Identification of active agents for tetrachloroethylene degradation in Portland cement slurry containing ferrous iron. *Environ Sci Technol.* 41: 5824-5832. <http://dx.doi.org/10.1021/es070361f>.
- Ko, SO; Lee, DH; Kim, YH. (2007). Kinetic studies of reductive dechlorination of chlorophenols with Ni/Fe bimetallic particles. *Environ Technol.* 28: 583-593. <http://dx.doi.org/10.1080/09593332808618818>.
- Kober, R; Schlicker, O; Ebert, M; Dahmke, A. (2002). Degradation of chlorinated ethylenes by Fe-0: inhibition processes and mineral precipitation. *Environ Geol.* 41: 644-652. <http://dx.doi.org/10.1007/s00254-001-0443-5>.
- Koch, I; Weil, R; Wolbold, R; Brockmöller, J; Hustert, E; Burk, O; Nuessler, A; Neuhaus, P; Eichelbaum, M; Zanger, U; Wojnowski, L. (2002). Interindividual variability and tissue-specificity in the expression of cytochrome P450 3A mRNA. *Drug Metab Dispos.* 30: 1108-1114.
- Koch, M; Cohn, DR; Patrick, RM; Schuetze, MP; Bromberg, L; Reilly, D; Hadidi, K; Thomas, P; Falkos, P. (1995). ELECTRON-BEAM ATMOSPHERIC-PRESSURE COLD-PLASMA DECOMPOSITION OF CARBON-TETRACHLORIDE AND TRICHLOROETHYLENE. *Environ Sci Technol.* 29: 2946-2952.
- Koenig, JC; Boparai, HK; Lee, MJ; O'Carroll, DM; Barnes, RJ; Manfield, MJ. (2015). Particles and enzymes: Combining nanoscale zero valent iron and organochlorine respiring bacteria for the detoxification of chloroethane mixtures. *J Hazard Mater.* 308: 106-112. <http://dx.doi.org/10.1016/j.jhazmat.2015.12.036>.
- Kohn, T; Arnold, WA; Roberts, AL. (2006). Reactivity of substituted benzotrichlorides toward granular iron, Cr(II), and an iron(II) porphyrin: A correlation analysis. *Environ Sci Technol.* 40: 4253-4260. <http://dx.doi.org/10.1021/es051737x>.
- Kohn, T; Kane, SR; Fairbrother, DH; Roberts, AL. (2003). Investigation of the inhibitory effect of silica on the degradation of 1,1,1-trichloroethane by granular iron. *Environ Sci Technol.* 37: 5806-5812. <http://dx.doi.org/10.1021/es034495e>.
- Kohn, T; Livi, KJT; Roberts, AL; Vikesland, PJ. (2005). Longevity of granular iron in groundwater treatment processes: Corrosion product development. *Environ Sci Technol.* 39: 2867-2879. <http://dx.doi.org/10.1021/es048851k>.
- Koide, N; Hikosaka, T; Honda, Y; Yamaguchi, M; Sawaki, N. (2005). Incorporation of carbon on a (111) facet of GaN by MOVPE. *J Cryst Growth.* 284: 341-346. <http://dx.doi.org/10.1016/j.jcrysgro.2005.07.021>.
- Kolker, AM; Kozlov, AV; Gruzdev, MS; Sharnin, VA. (2011). C-60 Fullerene Crystallosoolvates with Tetralin, CCl4 and 1,2-dihlorobenzene: Determination of Composition by DSC and FT-IR Measurements. *Fullerenes, Nanotubes, and Carbon Nanostructures.* 19: 435-444. <http://dx.doi.org/10.1080/1536383X.2010.481063>.
- Kollonitsch, Z; Moller, K; Schimper, HJ; Giesen, C; Heuken, M; Willig, F; Hannappel, T. (2004). In situ monitored MOVPE growth of undoped and p-doped GaSb(100). *J Cryst Growth.* 261: 289-293. <http://dx.doi.org/10.1016/j.jcrysgro.2003.11.019>.
- Kolosov, VN. (2004). Effect of carbon on the structure and superconducting properties of Nb3Sn coatings produced by electrocodeposition. *Inorg Mater.* 40: 1287-1294.
- Kondratyuk, P; Yates, JT. (2005). Design and construction of a semiautomatic temperature programmed desorption apparatus for ultrahigh vacuum. *Journal of Vacuum Science and Technology A.* 23: 215-217. <http://dx.doi.org/10.1116/1.1818133>.
- Kone, T; Hanna, K; Abdelmoula, M; Ruby, C; Carteret, C. (2009). Reductive transformation and mineralization of an azo dye by hydroxysulphate green rust preceding oxidation using H(2)O(2) at neutral pH. *Chemosphere.* 75: 212-219. <http://dx.doi.org/10.1016/j.chemosphere.2008.12.002>.
- Konovalov, AB; Volegov, PL; Kochegarova, LP; Dmitrakov, YL. (1998). Determination of weight ratios of the components of a mixture of organic liquids using a computer tomograph. *Russian Journal of Nondestructive Testing.* 34: 129-134.
- Konovalov, AB; Volegov, PL; Kochegarova, LP; Dmitrakov, YL. (1999). Determination of the component mass fractions of a mixture of organic liquids by the method of multispectral computerized tomography. *Industrial Laboratory.* 65: 497-500.
- Konttinen, JT; Zevenhoven, CAP; Hupa, MM. (1997). Hot gas desulfurization with zinc titanate sorbents in a fluidized bed .1. Determination of sorbent particle conversion rate model parameters. *Ind Eng Chem Res.* 36: 2332-2339.

Fate Literature Search Results

Off Topic

- Konttinen, JT; Zevenhoven, CAP; Hupa, MM. (1997). Hot gas desulfurization with zinc titanate sorbents in a fluidized bed .2. Reactor model. *Ind Eng Chem Res.* 36: 2340-2345.
- Konttinen, JT; Zevenhoven, CAP; Hupa, MM. (1997). Modeling of sulfided zinc titanate regeneration in a fluidized-bed reactor .2. Scale-up of the solid conversion model. *Ind Eng Chem Res.* 36: 5439-5446.
- Konyashin, IY. (1996). Thin TiCx films chemically vapour deposited onto cemented carbides from the TiCl₄-CCl₄-H₂ mixture. *Thin Solid Films.* 278: 37-44.
- Koper, O; Lagadic, I; Klabunde, KJ. (1997). Destructive adsorption of chlorinated hydrocarbons on ultrafine (nanoscale) particles of calcium oxide .2. *Chem Mater.* 9: 838-848.
- Koper, O; Li, YX; Klabunde, KJ. (1993). DESTRUCTIVE ADSORPTION OF CHLORINATED HYDROCARBONS ON ULTRAFINE (NANOSCALE) PARTICLES OF CALCIUM-OXIDE. *Chem Mater.* 5: 500-505.
- Koper, OB; Wovchko, EA; Glass, JA; Yates, JT; Klabunde, KJ. (1995). DECOMPOSITION OF CCl₄ ON CAO. *Langmuir.* 11: 2054-2059.
- Koporec, KP; Kim, HK; Mackenzie, WF; Bruckner, JV. (1995). Effect of oral dosing vehicles on the subchronic hepatotoxicity of carbon tetrachloride in the rat. *J Toxicol Environ Health.* 44: 13-27. <http://dx.doi.org/10.1080/15287399509531940>.
- Kopylev, L; Chen, C; White, P. (2007). Towards quantitative uncertainty assessment for cancer risks: Central estimates and probability distributions of risk in dose-response modeling [Review]. *Regul Toxicol Pharmacol.* 49: 203-207. <http://dx.doi.org/10.1016/j.yrtph.2007.08.002>.
- Korsrud, GO; Grice, HC; McLaughlan, JM. (1972). Sensitivity of several serum enzymes in detecting carbon tetrachloride-induced liver damage in rats. *Toxicol Appl Pharmacol.* 22: 474-483.
- Kostopoulou, MN; Golfinopoulos, SK; Nikolaou, AD; Xilourgidis, NK; Lekkas, TD. (2000). Volatile organic compounds in the surface waters of northern Greece. *Chemosphere.* 40: 527-532.
- Kotaka, H; Hayashi, S; Saito, H. (1992). PREPARATION OF SIC POWDER BY WURTZ-FITTING REACTION. 100: 332-336.
- Kotaki, T; Amada, Y; Harada, K; Uyama, H; Matsumoto, O. (1993). DIAMOND DEPOSITION FROM AN AR-CCL₄-H₂ PLASMA-JET AT 13.3 KPA. *Diam Relat Mater.* 2: 342-346.
- Kotula, I; Marciniak, B. (2001). Solubilities of naphthalene and acenaphthene in chloro derivative solvents. *Journal of Chemical and Engineering Data.* 46: 783-787.
- Kotvis, PV; Huezo, L; Millman, WS; Tysoe, WT. (1991). THE SURFACE DECOMPOSITION AND EXTREME-PRESSURE TRIBOLOGICAL PROPERTIES OF HIGHLY CHLORINATED METHANES AND ETHANES ON FERROUS SURFACE. *Wear.* 147: 401-419.
- Kotvis, PV; Huezo, LA; Tysoe, WT. (1993). SURFACE-CHEMISTRY OF METHYLENE-CHLORIDE ON IRON - A MODEL FOR CHLORINATED-HYDROCARBON LUBRICANT ADDITIVES. *Langmuir.* 9: 467-474.
- Kotvis, PV; Lara, J; Surerus, K; Tysoe, WT. (1996). The nature of the lubricating films formed by carbon tetrachloride under conditions of extreme pressure. *Wear.* 201: 10-14.
- Kovacs, T; Turanyi, T; Foglein, K; Szepvolgyi, J. (2005). Kinetic modeling of the decomposition of carbon tetrachloride in thermal plasma. *Plasma Chemistry and Plasma Processing.* 25: 109-119. <http://dx.doi.org/10.1007/s11090-004-8837-2>.
- Kovacs, T; Turanyi, T; Foglein, K; Szepvolgyi, J. (2006). Modelling of carbon tetrachloride decomposition in oxidative RF thermal plasma. *Plasma Chemistry and Plasma Processing.* 26: 293-318. <http://dx.doi.org/10.1007/s11090-006-9003-9>.
- Kovacs, T; Turanyi, T; Szepvolgyi, J. (2010). CCl₄ Decomposition in RF Thermal Plasma in Inert and Oxidative Environments. *Plasma Chemistry and Plasma Processing.* 30: 281-286. <http://dx.doi.org/10.1007/s11090-010-9219-6>.
- Kovalchuk, VI; D'Itri, JL. (2004). Catalytic chemistry of chloro- and chlorofluorocarbon dehalogenation: from macroscopic observations to molecular level understanding. *Appl Catal A-Gen.* 271: 13-25. <http://dx.doi.org/10.1016/j.apcata.2004.02.042>.
- Kowalczyk, P; Terzyk, AP; Gauden, PA; Rychlicki, G. (2002). Numerical analysis of the Horvath-Kawazoe equation - The adsorption of nitrogen, argon, benzene, carbon tetrachloride and sulphur hexafluoride. *AST.* 20: 295-305.
- Krabbes, G; Hoanh, DV; Hai, NV; Oppermann, H; Velichkow, S; Peshev, P. (1987). CHEMICAL VAPOR TRANSPORT OF STOICHIOMETRIC AND NONSTOICHIOMETRIC RUTILE USING TECL₄, SECL₄ OR CCL₄. *J Cryst Growth.* 82: 477-486.
- Krasnov, A; Afanasyev, S; Oikari, A. (2007). Hepatic responses of gene expression in juvenile brown trout (*Salmo trutta lacustris*) exposed to three model contaminants applied singly and in combination. *Environ Toxicol Chem.* 26: 100-109.
- Krasnov, A; Koskinen, H; Rexroad, C; Afanasyev, S; Mölsä, H; Oikari, A. (2005). Transcriptome responses to carbon tetrachloride and pyrene in the kidney and liver of juvenile rainbow trout (*Oncorhynchus mykiss*). *Aquat Toxicol.* 74: 70-81. <http://dx.doi.org/10.1016/j.aquatox.2005.04.009>.
- Krawczyk, K; Jodzis, S; Lamenta, A; Kostka, K; Schmidt-Szalowski, K. (2010). Study on decomposition of tetrachloromethane as a model substance in environment of spark discharge plasma. *Przemysł Chemiczny.* 89: 1101-1106.
- Krawczyk, K; Ulejczyk, B. (2003). Decomposition of chloromethanes in gliding discharges. *Plasma Chemistry and Plasma Processing.* 23: 265-281.
- Krawczyk, K; Ulejczyk, B. (2004). Influence of water vapor on CCl₄ and CHCl₃ conversion in gliding discharge. *Plasma Chemistry and Plasma Processing.* 24: 155-167.
- Krawczyk, K; Ulejczyk, B; Song, HK; Lamenta, A; Paluch, B; Schmidt-Szalowski, K. (2009). Plasma-catalytic Reactor for Decomposition of Chlorinated Hydrocarbons. *Plasma Chemistry and Plasma Processing.* 29: 27-41. <http://dx.doi.org/10.1007/s11090-008-9159-6>.
- Krewski, D; Withey, JR; Ku, LF; Andersen, ME. (1994). Applications of physiologic pharmacokinetic modeling in carcinogenic risk assessment [Review]. *Environ Health Perspect.* 102: 37-50.
- Kriegmanking, MR; Reinhard, M. (1992). TRANSFORMATION OF CARBON-TETRACHLORIDE IN THE PRESENCE OF SULFIDE, BIOTITE, AND VERMICULITE. *Environ Sci Technol.* 26: 2198-2206.
- Kriegman-King, MR; Reinhard, M. (1994). Transformation of carbon tetrachloride by pyrite in aqueous solution. *Environ Sci Technol.* 28: 692-700.

Fate Literature Search Results

Off Topic

- Krishna, HVR; Priya, SP; Rai, SK; Rajulu, AV. (2005). Tensile, impact, and chemical resistance properties of granite powder-epoxy composites. *Journal of Reinforced Plastics and Composites*. 24: 451-455. <http://dx.doi.org/10.1177/0731684405043549>.
- Krishnaiah, K. (1976). STUDIES ON INFLUENCE OF TEMPERATURE ON EFFICACY OF ETHYLENE DICHLORIDE AND CARBON-TETRACHLORIDE MIXTURE IN CONTROLLING TRIBOLIUM-CASTANEUM-HERBST AND TROGODERMA-GRANARIUM EVERTS. *Bull Grain Technol*. 14: 42-44.
- Krishnan, PSG; Vora, RH; Veeramani, S. (2002). Thermal degradation kinetics of 6FDA/durene diamine/ppDA copolyimides. *Plastics, Rubber and Composites*. 31: 289-294. <http://dx.doi.org/10.1179/146580102225003146>.
- Krithika, R; Jyothilakshmi, V; Verma, RJ. (2016). Phyllanthin inhibits CCl4-mediated oxidative stress and hepatic fibrosis by down-regulating TNF- α /NF- κ B, and pro-fibrotic factor TGF- β 1 mediating inflammatory signaling. *Toxicol Ind Health*. 32: 953-960. <http://dx.doi.org/10.1177/0748233714532996>.
- Kroeze, C; Reijnders, L. (1992). Halocarbons and global warming. *Sci Total Environ*. 111: 1-24. [http://dx.doi.org/10.1016/0048-9697\(92\)90042-Q](http://dx.doi.org/10.1016/0048-9697(92)90042-Q).
- Krokan, H; Grafstrom, RC; Sundqvist, K; Esterbauer, H; Harris, CC. (1985). Cytotoxicity, thiol depletion and inhibition of O6-methylguanine-DNA methyltransferase by various aldehydes in cultured human bronchial fibroblasts. *Carcinogenesis*. 6: 1755-1759.
- Kromann, A; Ludvigsen, L; H-J, A; Christensen, TH; Ejlerstson, J; Svensson, BH. (1998). Degradability of chlorinated aliphatic compounds in methanogenic leachates sampled at eight landfills. *Waste Manag Res*. 16: 54-62.
- Kruus, P; Beutel, L; Aranda, R; Penchuk, J; Otson, R. (1998). Formation of complex organochlorine species in water due to cavitation. *Chemosphere*. 36: 1811-1824.
- Krysztalkiewicz, A; Rager, B; Maik, M. (1996). Silica recovery from waste obtained in hydrofluoric acid and aluminum fluoride production from fluosilicic acid. *J Hazard Mater*. 48: 31-49.
- Ku, CH; Wu, JJ. (2004). Effects of CCl4 concentration on nanocrystalline diamond film deposition in a hot-filament chemical vapor deposition reactor. *Carbon*. 42: 2201-2205. <http://dx.doi.org/10.1016/j.carbon.2004.04.032>.
- Kuang, Q; Xie, SY; Jiang, ZY; Zhang, XH; Xie, ZX; Huang, RB; Zheng, LS. (2004). Low temperature solvothermal synthesis of crumpled carbon nanosheets. *Carbon*. 42: 1737-1741. <http://dx.doi.org/10.1016/j.carbon.2004.03.008>.
- Kubaczka, A; Bandrowski, J. (1990). ON NONITERATIVE METHODS OF THE CALCULATION OF MASS-TRANSPORT IN MULTICOMPONENT MIXTURES OF REAL FLUIDS. *Inzynieria Chemiczna i Procesowa*. 11: 537-551.
- Kubaczka, A; Bandrowski, J. (1991). MASS-TRANSPORT IN MULTICOMPONENT MIXTURES OF REAL FLUIDS .2. ALGORITHMS OF THE METHODS AND THEIR VERIFICATION. *Inzynieria Chemiczna i Procesowa*. 12: 81-112.
- Kubota, J; Ma, Z; Zaera, F. (2003). In situ characterization of adsorbates in solid-liquid interfaces by reflection-absorption infrared spectroscopy. *Langmuir*. 19: 3371-3376. <http://dx.doi.org/10.1021/la027031n>.
- Kucherov, AV; Hubbard, CP; Shelef, M. (1995). Rearrangement of cationic sites in CuH-ZSM-5 and reactivity loss upon high-temperature calcination and steam aging. *J Catal*. 157: 603-610.
- Kucherov, AV; Kucherova, TN; Slinkin, AA. (1998). Modification of zeolites by multi-charged cations by the use of in-situ formed "active gas-phase species". *Microporous and Mesoporous Materials*. 26: 1-10.
- Kucherov, AV; Lakeev, SG; Shelef, M. (1998). In situ ESR study of RhZSM-5 interaction with different compounds. *Microporous and Mesoporous Materials*. 20: 355-362.
- Kuenen, FJA; Venema, H; van Gestel, CAM; Verhoef, HA. (2009). Extracting soil microarthropods with olive oil: A novel mechanical extraction method for mesofauna from sandy soils. *European Journal of Soil Biology*. 45: 496-500. <http://dx.doi.org/10.1016/j.ejsobi.2009.07.001>.
- Kuhler, RJ; Santo, GA; Caudill, TR; Betterton, EA; Arnold, RG. (1993). Photoreductive dehalogenation of bromoform with titanium dioxide-cobalt macrocycle hybrid catalysts. *Environ Sci Technol*. 27: 2104-2111.
- Kuhn, M; Bachmann, P. (1990). DEMANDS FOR TURBOMOLECULAR PUMPS IN THE ALUMINUM ETCHING PROCESS. *Vacuum*. 41: 2028-2031.
- Kuijpers, LJM. (1993). COPENHAGEN-1992 - A REVISION OR A LANDMARK - DEVELOPMENT IN INTERNATIONAL AGREEMENTS AND REGULATIONS. *International Journal of Refrigeration*. 16: 210-220.
- Kuila, A; Maity, N; Layek, RK; Nandi, AK. (2014). On the pH sensitive optoelectronic properties of amphiphilic reduced graphene oxide via grafting of poly(dimethylaminoethyl methacrylate): a signature of p- and n-type doping. 2: 16039-16050. <http://dx.doi.org/10.1039/c4ta03408b>.
- Kujawska, M; Ignatowicz, E; Murias, M; Ewertowska, M; Mikołajczyk, K; Jodynis-Liebert, J. (2009). Protective effect of red beetroot against carbon tetrachloride- and N-nitrosodiethylamine-induced oxidative stress in rats. *J Agric Food Chem*. 57: 2570-2575. <http://dx.doi.org/10.1021/jf803315d>.
- Kukic-Markovic, J; Dobric, S; Jacevic, V; Topic, A; Petrovic, S; Marin, P. (2011). INFLUENCE OF SELECTED STACHYS EXTRACTS ON CARBON TETRACHLORIDE-INDUCED LIVER DAMAGE IN RATS. *Digest Journal of Nanomaterials and Biostructures*. 6: 1035-1041.
- Kukkadapu, RK; Boyd, SA. (1995). TETRAMETHYLPHOSPHONIUM-SMECTITE AND TETRAMETHYLAMMONIUM-SMECTITE AS ADSORBENTS OF AROMATIC AND CHLORINATED HYDROCARBONS - EFFECT OF WATER ON ADSORPTION EFFICIENCY. *Clays and Clay Minerals*. 43: 318-323.
- Kulkarni, SB; Kittur, AA; Kulkarni, SS; Kariduraganavar, MY. (2006). Investigations on sorption, diffusion and permeation of chloro-alkanes and -alkenes through fluoroelastomeric membranes. *Desalination*. 196: 43-54. <http://dx.doi.org/10.1016/j.desal.2005.11.019>.
- Kumar, A; Viden, I. (2007). Parameter optimization for the measurement of VOCs by canister system. *Pol J Environ Stud*. 16: 841-846.
- Kumar, BVS; Byrappa, K; Rai, KML; Anand, S; Rao, RV. (2002). The role of AlPO4-11 in the synthesis of bisphenol-A and cinnamic acid. *Indian J Chem Tech*. 9: 543-544.
- Kumar, FJ; Jayaraman, D; Subramanian, C; Ramasamy, P. (1991). CURVATURE DEPENDENCE OF SURFACE FREE-ENERGY AND NUCLEATION KINETICS OF CCL4 AND C2H2CL4 VAPORS. *Journal of Mater Sci Lett*. 10: 608-610.

Fate Literature Search Results

Off Topic

- Kumar, MK; Mitra, T; Ghosh, P. (2006). Adsorption of ionic surfactants at liquid-liquid interfaces in the presence of salt: Application in binary coalescence of drops. *Ind Eng Chem Res.* 45: 7135-7143. <http://dx.doi.org/10.1021/ie0604066>.
- Kumar, P; Karmakar, S; Bohidar, HB. (2008). Anomalous self-aggregation of carbon nanoparticles in polar, nonpolar, and binary solvents. *J Phys Chem C.* 112: 15113-15121. <http://dx.doi.org/10.1021/jp803693u>.
- Kumaran, MK. (2001). Molar volume and speed of sound in the neighborhood of the liquid-liquid critical point of (tetrachloromethane plus tetradecafluoromethylcyclohexane). *Fluid Phase Equilibria.* 182: 313-324.
- Kumari, P; Radhakrishnan, CK; Unnikrishnan, GP; Varghese, S; Sujith, A. (2010). Natural Rubber/Acrylonitrile Butadiene Rubber Blend Membranes: Vapor Permeation Properties. *Chem Eng Tech.* 33: 97-102. <http://dx.doi.org/10.1002/ceat.200900268>.
- Kuo, MH; David, A; Kamelamela, N; White, M; Shultz, MJ. (2007). Nitric acid - Water interaction probed via isolation in carbon tetrachloride. *J Phys Chem C.* 111: 8827-8831. <http://dx.doi.org/10.1021/jp067131s>.
- Kuo, SL; Hines, AL; Dural, NH. (1991). CORRELATION OF METHYL-CHLORIDE, METHYLENE-CHLORIDE, CHLOROFORM, AND CARBON-TETRACHLORIDE ADSORPTION DATA ON SILICA-GEL. *Separation Science and Technology.* 26: 1077-1091.
- Kuokkanen, T; Autio, P. (1989). CHLORINATION OF P CYMENE BY CHLORINE IN CARBON TETRACHLORIDE MODEL COMPOUNDS FOR ENVIRONMENTAL ANALYSES. *Chemosphere.* 18: 9-10.
- Kuokkanen, T; Vahaoja, P; Valimaki, I; Lauhanen, R. (2004). Suitability of the respirometric BOD Oxitop method for determining the biodegradability of oils in ground water using forestry hydraulic oils as model compounds. *Int J Environ Anal Chem.* 84: 677-689. <http://dx.doi.org/10.1080/03067310410001688435>.
- Kuramochi, H; Kawamoto, K. (2006). Modification of UNIFAC parameter table Revision 5 for representation of aqueous solubility and 1-octanol/water partition coefficient for POPs. *Chemosphere.* 63: 698-706. <http://dx.doi.org/10.1016/j.chemosphere.2005.07.070>.
- Kurata, O; Kitanchaoren, N; Fujiwara, A; Nakayasu, C; Wada, S; Hatai, K. (2010). Activity of Granulocytes and Chemokines in the Leukocyte-encapsulation Response of Japanese Flounder *Paralichthys olivaceus*. *Gyobyo Kenkyu.* 45: 121-129.
- Kuribayashi, T; Seita, T; Honjo, T; Yamazaki, S; Momotani, E; Yamamoto, S. (2012). Impairment of $\alpha(2)$ -macroglobulin synthesis in experimental hepatopathic rats treated with turpentine oil. *Exp Anim.* 61: 125-130.
- Kurtz, AJ; Lloyd, RS. (2003). 1,N2-deoxyguanosine adducts of acrolein, crotonaldehyde, and trans-4-hydroxynonenal cross-link to peptides via Schiff base linkage. *J Biol Chem.* 278: 5970-5906.
- Kurzrock, T; Weuster-Botz, D. (2011). New reactive extraction systems for separation of bio-succinic acid. *Bioprocess Biosyst Eng.* 34: 779-787. <http://dx.doi.org/10.1007/s00449-011-0526-y>.
- Kushnerova, TV; Fomenko, SE; Kushnerova, NF; Sprygin, VG; Lesnikova, LN; Khotimchenko, Y, uS; Kondratieva, EV. (2010). Antioxidant and membrane-protective properties of an extract from the brown alga *Laminaria japonica*. *Russian Journal of Marine Biology.* 36: 384-389. <http://dx.doi.org/10.1134/S1063074010050093>.
- Kutsuna, S; Ebihara, Y; Nakamura, K; Ibusuki, T. (1993). Heterogeneous photochemical reactions between volatile chlorinated hydrocarbons (trichloroethene and tetrachloroethene) and titanium dioxide (pp. 599-604). (ISSN 0960-1686; BIOSIS/93/18832). Kutsuna, S; Ebihara, Y; Nakamura, K; Ibusuki, T.
- Kuznetsov, GD; Novikova, EM; Zhuravlev, AV. (1988). RATE OF PLASMA-ETCHING OF GALLIUM-ARSENIDE IN A MEDIUM BASED ON CCL4 AND C2F3CL3. *Inorg Mater.* 24: 601-605.
- Kuznetsova, TF. (2002). Mesoporous structure of hydrous tin(IV) oxide coprecipitated with aluminum cations. *Inorg Mater.* 38: 1015-1019.
- Kuznetsova, TF; Burdovitsyna, LI. (1997). Sorption and structural properties of the sequentially precipitated nickel-chromium hydroxides. *Appl Catal A-Gen.* 152: 1-6.
- Kuznetsova, TF; Eremenko, SI; Lemeshonok, GS. (1998). A method to control the ion-sorption properties of porous alumina. *Inorg Mater.* 34: 462-465.
- Kuznetsova, TF; Eremenko, SI; Lemeshonok, GS. (2000). Adsorption properties of tin silicophosphate. *Inorg Mater.* 36: 932-934.
- Kuzuya, T; Hirai, S; Sokolov, VV. (2013). Recovery of valuable metals from a spent nickel-metal hydride battery: Selective chlorination roasting of an anodic active material with CCl4 gas. *Separation and Purification Technology.* 118: 823-827. <http://dx.doi.org/10.1016/j.seppur.2013.08.008>.
- Kwon, J; Weisel, CP; Morandi, MT; Stock, TH. (2016). Source proximity and meteorological effects on residential outdoor VOCs in urban areas: Results from the Houston and Los Angeles RIOPA studies. *Sci Total Environ.* 573: 954-964. <http://dx.doi.org/10.1016/j.scitotenv.2016.08.186>.
- Kwon, K; Shim, H; Bae, W; Oh, J; Bae, J. (2016). Simultaneous biodegradation of carbon tetrachloride and trichloroethylene in a coupled anaerobic/aerobic biobarrier. *J Hazard Mater.* 313: 60-67. <http://dx.doi.org/10.1016/j.jhazmat.2016.03.057>.
- Kwon, M, anJae; Finneran, KT. (2009). Hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX) Reduction Is Concurrently Mediated by Direct Electron Transfer from Hydroquinones and Resulting Biogenic Fe(II) Formed During Electron Shuttle-Amended Biodegradation. *Environ Eng Sci.* 26: 961-971. <http://dx.doi.org/10.1089/ees.2008.0251>.
- Kytokivi, A; Lakomaa, EL; Root, A. (1996). Controlled formation of ZrO2 in the reaction of ZrCl4 vapor with porous silica and gamma-alumina surfaces. *Langmuir.* 12: 4395-4403.
- Kyung, D; Amir, A; Choi, K; Lee, W. (2015). Reductive Transformation of Tetrachloroethene Catalyzed by Sulfide-Cobalamin in Nano-Mackinawite Suspension. *Ind Eng Chem Res.* 54: 1439-1446. <http://dx.doi.org/10.1021/ie503605n>.
- Laborde-Boutet, C; Joly, G; Nicolaos, A; Thomas, M; Magnoux, P. (2006). Selectivity of thiophene/toluene competitive adsorptions onto zeolites. Influence of the alkali metal cation in FAU(Y). *Ind Eng Chem Res.* 45: 8111-8116. <http://dx.doi.org/10.1021/ie060430j>.
- Ladics, GS; Smith, C; Elliott, GS; Slone, TW; Loveless, SE. (1998). Further evaluation of the incorporation of an immunotoxicological functional assay for assessing humoral immunity for hazard identification purposes in rats in a standard toxicology study. *Toxicology.* 126: 137-152.

Fate Literature Search Results

Off Topic

- Laffineur, F; Couturier, N; Delhalle, J; Mekhalif, Z. (2003). Effect of the solvent on the formation of n-dodecanethiol films on a polycrystalline Ag90Ni10 substrate. *Appl Surf Sci.* 212: 452-457. [http://dx.doi.org/10.1016/S0169-4332\(03\)00141-7](http://dx.doi.org/10.1016/S0169-4332(03)00141-7).
- Lagiewiczzyk, M; Czech, Z. (2010). Oxidation of hexafluoropropylene to hexafluoropropylene oxide using oxygen. *Polish Journal of Chemical Technology.* 12: 1-3. <http://dx.doi.org/10.2478/v10026-010-009-y>.
- Lago, RM; Green, MLH; Tsang, SC; Odlyha, M. (1996). Catalytic decomposition of chlorinated organics in air by copper chloride based catalysts. *Appl Catal B-Environ.* 8: 107-121.
- Lai, B, o. (2012). Comments on the paper "Bioaugmentation and functional partitioning in a zero valent iron-anaerobic reactor for sulfate-containing wastewater treatment" published by JX Zhang, YB Zhang, X. Quan, YW Liu, XL An, S. Chen, HM Zhao in *Chem. Eng. J.* 174 (2011) 159-165. *Chem Eng J.* 209: 677-679. <http://dx.doi.org/10.1016/j.cej.2012.08.072>.
- Lai, B, o. (2013). Comments on the paper "A preliminary study of anaerobic treatment coupled with micro-electrolysis for anthraquinone dye wastewater". *Desalination.* 314: 159-160.
- Lai, B, o; Zhang, Y; Chen, Z; Yang, P; Zhou, Y; Wang, J. (2014). Removal of p-nitrophenol (PNP) in aqueous solution by the micron-scale iron-copper (Fe/Cu) bimetallic particles. *Appl Catal B-Environ.* 144: 816-830. <http://dx.doi.org/10.1016/j.apcatb.2013.08.020>.
- Laimer, J; Misslinger, G; Stori, H. (2003). Diamond deposition with chlorinated methanes: investigation of the plasma chemistry. *Surf Coating Tech.* 174: 938-942. [http://dx.doi.org/10.1016/S0257-8972\(03\)00450-X](http://dx.doi.org/10.1016/S0257-8972(03)00450-X).
- Lakhi, KS; Cha, WS, oo; Joseph, S; Wood, BJ; Aldeyab, SS; Lawrence, G; Choy, J, inHo; Vinu, A. (2015). Cage type mesoporous carbon nitride with large mesopores for CO2 capture. *Catalysis Today.* 243: 209-217. <http://dx.doi.org/10.1016/j.cattod.2014.08.036>.
- Lal, AAS, am; Murthy, PB; Pillai, KS. (2007). Screening of hepatoprotective effect of a herbal mixture against CCl4 induced hepatotoxicity in Swiss albino mice. *J Environ Biol.* 28: 201-207.
- Lambert, IB; Singer, TM; Boucher, SE; Douglas, GR. (2005). Detailed review of transgenic rodent mutation assays [Review]. *Mutat Res.* 590: 1-280. <http://dx.doi.org/10.1016/j.mrrev.2005.04.002>.
- Lan, Y; Butler, EC. (2016). Iron-Sulfide-Associated Products Formed during Reductive Dechlorination of Carbon Tetrachloride. *Environ Sci Technol.* 50: 5489-5497. <http://dx.doi.org/10.1021/acs.est.5b06154>.
- Lan, Y; Elwood Madden, AS; Butler, EC. (2016). Transformation of mackinawite to greigite by trichloroethylene and tetrachloroethylene. *Environ Sci Process Impacts.* 18: 1266-1273. <http://dx.doi.org/10.1039/c6em00461j>.
- Lang, XY; Han, LP. (2009). Thermal Stability of Nanocrystals Confined in Nanoporous Media. *J Phys Chem C.* 113: 16036-16041. <http://dx.doi.org/10.1021/jp904844s>.
- Lara, J; Kotvis, PV; Tysoe, WT. (1997). The surface chemistry of chlorinated hydrocarbon extreme-pressure lubricant additives. *Tribology Letters.* 3: 303-309.
- Lara, J; Molero, H; Ramirezcuesta, A; Tysoe, WT. (1996). Structure and growth kinetics of films formed by the thermal decomposition of CCl4 on iron surfaces. *Langmuir.* 12: 2488-2494.
- Lara, J; Tysoe, WT. (1999). The surface and tribological chemistry of carbon tetrachloride on iron. *Tribology Letters.* 6: 195-198.
- Lara-Romero, J; Maya-Yescas, R; Rico-Cerda, JL; Rivera-Rojas, JL; Castillo, FC; Kaltchev, M; Tysoe, WT. (2006). Surface chemistry of tribochemical reactions explored in ultrahigh vacuum conditions. *Thin Solid Films.* 496: 463-468. <http://dx.doi.org/10.1016/j.tsf.2005.09.108>.
- Lardizábal, MN; Rodríguez, RE; Nocito, AL; Daniele, SM; Palatnik, JF; Veggi, LM. (2014). Alteration of the microRNA-122 regulatory network in rat models of hepatotoxicity. *Environ Toxicol Pharmacol.* 37: 354-364. <http://dx.doi.org/10.1016/j.etap.2013.12.008>.
- Larese-Casanova, P; Scherer, MM. (2007). Fe(II) sorption on hematite: New insights based on spectroscopic measurements. *Environ Sci Technol.* 41: 471-477. <http://dx.doi.org/10.1021/es0617035>.
- Larson, BJ; Gillmor, SD; Braun, JM; Cruz-Barba, LE; Savage, DE; Denes, FS; Lagally, MG. (2013). Long-term reduction in poly(dimethylsiloxane) surface hydrophobicity via cold-plasma treatments. *Langmuir.* 29: 12990-12996. <http://dx.doi.org/10.1021/la403077q>.
- Lasa, J; Sliwka, I. (2003). Long-term measurements of the concentrations of halocarbons in an urban area of Krakow, Poland. *Appl Energy.* 75: 155-163. [http://dx.doi.org/10.1016/S0306-2619\(03\)00028-X](http://dx.doi.org/10.1016/S0306-2619(03)00028-X).
- Laternus, F; Matucha, M. (2008). Chloride - a precursor in the formation of volatile organochlorines by forest plants? *J Environ Radioact.* 99: 119-125. <http://dx.doi.org/10.1016/j.jenvrad.2007.07.008>.
- Lavanchy, A; Stockli, M; Wirz, C; Stoekli, F. (1996). Binary adsorption of vapours in active carbons described by the Dubinin equation. *AST.* 13: 537-545.
- Lavanchy, A; Stoekli, F. (1997). Dynamic adsorption of vapour mixtures in active carbon beds described by the Myers-Prausnitz and Dubinin theories. *Carbon.* 35: 1573-1579.
- Lavecchia, R; Piga, L; Pochetti, F; Chacon, L. (1993). PRODUCTION OF TITANIUM CHLORIDE BY CHLORINATION OF ILMENITE WITH CARBON-TETRACHLORIDE. *Institute of Materials, Minerals and Mining Transactions Section C: Mineral Processing & Extractiv.* 102: C174-C178.
- Lavra, V; Bazel, Y; Badida, M; Andruch, V. (2015). Liquid-liquid microextraction and spectrophotometric determination of anionic surfactants using Astra Phloxine FF. *Int J Environ Anal Chem.* 95: 217-224. <http://dx.doi.org/10.1080/03067319.2014.1002488>.
- Laxmi, PNV; Saritha, P; Rambabu, N; Himabindu, V; Anjaneyulu, Y. (2010). Sonochemical degradation of 2chloro-5methyl phenol assisted by TiO2 and H2O2. *J Hazard Mater.* 174: 151-155. <http://dx.doi.org/10.1016/j.jhazmat.2009.09.029>.
- Le Coq, D; Bytchkov, A; Honkimaeki, V; Beuneu, B; Bychkov, E. (2008). Neutron and X-ray diffraction studies of TeCl4 and TeBr4 liquids. *Journal of Non-Crystalline Solids.* 354: 259-262. <http://dx.doi.org/10.1016/j.jnoncrysol.2007.07.099>.
- Lebedev, AV; Lysenko, SN. (2011). Magnetic fluids stabilized by polypropylene glycol. *Journal of Magnetism and Magnetic Materials.* 323: 1198-1202. <http://dx.doi.org/10.1016/j.jmmm.2010.11.005>.
- Leboda, R; Charmas, B; Chodorowski, S; Skubiszewska-Zieba, J; Gun'ko, VM. (2006). Improved carbon-mineral adsorbents derived from cross-linking carbon-bearing residues in spent palygorskite. *Microporous and Mesoporous Materials.* 87: 207-216. <http://dx.doi.org/10.1016/j.micromeso.2005.08.005>.

Fate Literature Search Results

Off Topic

- Leboeuf, RA; Kerckaert, GA; Aardema, MJ; Gibson, DP; Brauninger, R; Isfort, RJ. (1996). The pH 6.7 Syrian hamster embryo cell transformation assay for assessing the carcinogenic potential of chemicals [Review]. *Mutat Res.* 356: 85-127. [http://dx.doi.org/10.1016/0027-5107\(95\)00199-9](http://dx.doi.org/10.1016/0027-5107(95)00199-9).
- Ledakowicz, S; Miller, JS. (1993). KINETICS OF TETRACHLOROETHENE PHOTOCHEMICAL DECHLORINATION. *Chem Eng Sci.* 48: 2443-2451.
- Ledda-Columbano, GM; Coni, P; Simbula, G; Zedda, I; Columbano, A. (1993). Compensatory regeneration, mitogen-induced liver growth, and multistage chemical carcinogenesis [Review]. *Environ Health Perspect.* 101: 163-168.
- Lee, B, umHan; Lee, SK. (2009). Effect of lattice topology on the adsorption of benzyl alcohol on kaolinite surfaces: Quantum chemical calculations of geometry optimization, binding energy, and NMR chemical shielding. *Am Mineral.* 94: 1392-1404. <http://dx.doi.org/10.2138/am.2009.3198>.
- Lee, BD; Apel, WA; Miller, AR. (1999). Removal of low concentrations of carbon tetrachloride in compost-based biofilters operated under methanogenic conditions. *J Air Waste Manag Assoc.* 49: 1068-1074.
- Lee, BS, un; Chiou, CB. (2008). The relationship of meteorological and anthropogenic factors to time series measurements of CFC-11, CFC-12, and CH₃CCl₃ concentrations in the urban atmosphere. *Atmos Environ.* 42: 7706-7717. <http://dx.doi.org/10.1016/j.atmosenv.2008.05.042>.
- Lee, BS, un; Chiou, CB; Lin, CY, i. (2014). Analysis of diurnal variability of atmospheric halocarbons and CFC replacements to imply emission strength and sources at an urban site of Lukang in central Taiwan. *Atmos Environ.* 99: 112-123. <http://dx.doi.org/10.1016/j.atmosenv.2014.09.063>.
- Lee, C; Doong, R, an. (2010). Concentration effect of copper loading on the reductive dechlorination of tetrachloroethylene by zerovalent silicon. *Water Sci Technol.* 62: 28-35. <http://dx.doi.org/10.2166/wst.2010.236>.
- Lee, C; Doong, R, an. (2011). Enhanced Dechlorination of Tetrachloroethylene by Zerovalent Silicon in the Presence of Polyethylene Glycol under Anoxic Conditions. *Environ Sci Technol.* 45: 2301-2307. <http://dx.doi.org/10.1021/es1030273>.
- Lee, CC; Doong, RA. (2008). Dechlorination of tetrachloroethylene in aqueous solutions using metal-modified zerovalent silicon. *Environ Sci Technol.* 42: 4752-4757. <http://dx.doi.org/10.1021/es071545x>.
- Lee, CW; Yen, FL; Huang, HW; Wu, TH; Ko, HH; Tzeng, WS; Lin, CC. (2012). Resveratrol nanoparticle system improves dissolution properties and enhances the hepatoprotective effect of resveratrol through antioxidant and anti-inflammatory pathways. *J Agric Food Chem.* 60: 4662-4671. <http://dx.doi.org/10.1021/jf2050137>.
- Lee, CY. (1998). Carbonization of titanium and molybdenum by hexachloroethane. *Journal of Materials Synthesis and Processing.* 6: 49-53.
- Lee, DW; Alexandrovskii, S; Kim, BK. (2004). Mg-thermal reduction of TiCl₄+C_xCl₄ solution for producing ultrafine titanium carbide. *Mater Chem Phys.* 88: 23-26. <http://dx.doi.org/10.1016/j.matchemphys.2004.02.005>.
- Lee, DW; Alexandrovskii, SV; Kim, BK. (2004). Novel synthesis of substoichiometric ultrafine titanium carbide. *Mater Lett.* 58: 1471-1474. <http://dx.doi.org/10.1016/j.matlet.2003.10.011>.
- Lee, DW; Alexandrovskii, SV; Tolochko, OV; Kim, D; Kim, BK. (2005). Synthesis and kinetics for nanocrystalline titanium carbide upon metallothermic reduction of liquid chlorides. *Glass Physics and Chemistry.* 31: 549-553.
- Lee, DW; Kim, BK. (2003). Synthesis of nano-structured titanium carbide by Mg-thermal reduction. *Scripta Mater.* 48: 1513-1518. [http://dx.doi.org/10.1016/S1359-6462\(03\)00130-1](http://dx.doi.org/10.1016/S1359-6462(03)00130-1).
- Lee, G; Rho, S; Jahng, D. (2004). Design considerations for groundwater remediation using reduced metals. *Korean J Chem Eng.* 21: 621-628.
- Lee, IC; Kim, SH; Baek, HS; Moon, C; Kim, SH; Kim, YB; Yun, WK; Kim, HC; Kim, JC. (2015). Protective effects of diallyl disulfide on carbon tetrachloride-induced hepatotoxicity through activation of Nrf2. *Environ Toxicol.* 30: 538-548. <http://dx.doi.org/10.1002/tox.21930>.
- Lee, JW; Shim, WG; Yang, MS; Moon, H. (2004). Adsorption isotherms of polar and nonpolar organic compounds on MCM-48 at (303.15, 313.15, and 323.15) K. *Journal of Chemical and Engineering Data.* 49: 502-509.
- Lee, JY; Hozalski, RM; Arnold, WA. (2007). Effects of dissolved oxygen and iron aging on the reduction of trichloronitromethane, trichloroacetone, and trichloropropanone. *Chemosphere.* 66: 2127-2135. <http://dx.doi.org/10.1016/j.chemosphere.2006.09.041>.
- Lee, JY; Yeo, YK; Moon, HM; Park, DS. (2000). Modeling and simulation of sulfur hexafluoride (SF₆) purification process. *Korean J Chem Eng.* 17: 252-256.
- Lee, KY; Lee, JY; Khinast, J; Stencil, JR; Lavid, M. (2004). Photochemical remediation of tetrachloroethylene: Reactor design, construction, and preliminary results. *J Environ Eng.* 130: 100-103. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:1\(100\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:1(100)).
- Lee, MJ; Chiu, JY; Hwang, SM; Lin, HM. (1999). Viscosity calculations with the Eyring-Patel-Teja model for liquid mixtures. *Ind Eng Chem Res.* 38: 2867-2876.
- Lee, MJ; Lin, TK; Hwang, SM. (1998). Viscosity calculations with the aid of an equation of state. *Journal of the Chinese Institute of Chemical Engineers.* 29: 73-83.
- Lee, SM; Lee, SB; Park, CH; Choi, J. (2006). Expression of heat shock protein and hemoglobin genes in *Chironomus tentans* (Diptera, chironomidae) larvae exposed to various environmental pollutants: A potential biomarker of freshwater monitoring. *Chemosphere.* 65: 1074-1081. <http://dx.doi.org/10.1016/j.chemosphere.2006.02.042>.
- Lee, T; Lim, H; Lee, Y; Park, JW. (2003). Use of waste iron metal for removal of Cr(VI) from water. *Chemosphere.* 53: 479-485. [http://dx.doi.org/10.1016/S0045-6535\(03\)00548-4](http://dx.doi.org/10.1016/S0045-6535(03)00548-4).
- Lee, W; Batchelor, B. (2002). Abiotic reductive dechlorination of chlorinated ethylenes by iron-bearing soil minerals. 1. Pyrite and magnetite. *Environ Sci Technol.* 36: 5147-5154. <http://dx.doi.org/10.1021/es025836b>.
- Lee, W; Batchelor, B. (2002). Abiotic, reductive dechlorination of chlorinated ethylenes by iron-bearing soil minerals. 2. Green rust. *Environ Sci Technol.* 36: 5348-5354. <http://dx.doi.org/10.1021/es0258374>.
- Lee, W; Batchelor, B. (2003). Reductive capacity of natural reductants. *Environ Sci Technol.* 37: 535-541. <http://dx.doi.org/10.1021/es025830m>.

Fate Literature Search Results

Off Topic

- Lee, W; Batchelor, B. (2004). Abiotic reductive dechlorination of chlorinated ethylenes by iron-bearing phyllosilicates. *Chemosphere*. 56: 999-1009. <http://dx.doi.org/10.1016/j.chemosphere.2004.05.015>.
- Lee, W; Batchelor, B. (2004). Abiotic reductive dechlorination of chlorinated ethylenes by soil. *Chemosphere*. 55: 705-713. <http://dx.doi.org/10.1016/j.chemosphere.2003.11.033>.
- Lee, WH; Park, JS; Sok, JH; Reucroft, P. (2005). Effects of pore structure and surface state on the adsorption properties of nano-porous carbon materials in low and high relative pressures. *Appl Surf Sci*. 246: 77-81. <http://dx.doi.org/10.1016/j.apsusc.2004.10.038>.
- Lee, WH; Reucroft, PJ. (1999). Vapor adsorption on coal- and wood-based chemically activated carbons - (II) - adsorption of organic vapors. *Carbon*. 37: 15-20.
- Lee, WJ; Chen, CY; Lin, WC; Wang, YT; Chin, CJ. (1996). Phosgene formation from the decomposition of 1,1-C₂H₂Cl₂ contained gas in an RF plasma reactor. *J Hazard Mater*. 48: 51-67.
- Lee, WJ; Cicek, B; Senkan, SM. (1993). Chemical structures of fuel-rich and fuel-lean flames of chloroform/methane mixtures. *Environ Sci Technol*. 27: 949-960. <http://dx.doi.org/10.1021/es00042a019>.
- Lee, Y; Bae, S; Lee, W. (2012). Degradation of carbon tetrachloride in modified Fenton reaction. *Korean J Chem Eng*. 29: 769-774. <http://dx.doi.org/10.1007/s11814-011-0261-8>.
- Lee, YL. (2003). Surfactants effects on mass transfer during drop-formation and drop falling stages. *AIChE J*. 49: 1859-1869.
- Lee, YL; Lin, SY. (2004). Influence of acid treatment on the surface activity and mass transfer inhibition of a splittable surfactant. *J Chem Tech Biotechnol*. 79: 678-685. <http://dx.doi.org/10.1002/jctb.1019>.
- Lefebvre, Y; Lacelle, S; Jolicoeur, C. (1992). SURFACE FRACTAL DIMENSIONS OF SOME INDUSTRIAL MINERALS FROM GAS-PHASE ADSORPTION-ISOTHERMS. *J Mater Res*. 7: 1888-1891.
- Legawiec-Jarzyna, M; Srebrowata, A; Juszykna, W; Karpinski, Z. (2004). Hydrodechlorination over Pd-Pt/Al(2)O(3) catalysts - A comparative study of chlorine removal from dichlorodifluoromethane, carbon tetrachloride and 1,2-dichloroethane. *Appl Catal A-Gen*. 271: 61-68. <http://dx.doi.org/10.1016/j.apcata.2004.01.036>.
- Lei, QF; Lin, RS; Ni, DY; Hou, YC. (1997). Thermal conductivities of some organic solvents and their binary mixtures. *Journal of Chemical and Engineering Data*. 42: 971-974.
- Lei, YJ; Ren, F; Mei, YZ; Gao, C; Zhu, LG; Lu, AX. (2014). Judd-Ofelt analysis and improvement in thermal stability and optical properties of Er³⁺-doped TeO₂-ZnO-Na₂O-B₂O₃-GeO₂ glasses. *Mater Res Innovat*. 18: 259-266. <http://dx.doi.org/10.1179/1433075X11Y.0000000059>.
- Leighton, DT, Jr; Calo, JM. (1981). Distribution coefficients of chlorinated hydrocarbons in dilute air-water systems for groundwater contamination applications. *Journal of Chemical and Engineering Data*. 26: 382-585. <http://dx.doi.org/10.1021/jc00026a010>.
- Leisinger, T; Braus-Stromeyer, SA. (1995). Bacterial growth with chlorinated methanes [Review]. *Environ Health Perspect*. 103 Suppl 5: 33-36.
- Leith, IR; HIGHTOWE JW; Harkins, CG. (1970). STRESS CORROSION CRACKING OF TITANIUM - SOME SURFACE CHEMICAL REACTIONS IN METHANOL AND CARBON TETRACHLORIDE. *Corrosion*. 26: 377-&.
- Lekha, PC; Balaji, M; Subramanian, S; Padiyan, DP. (2010). Sensing properties of polyoxomolybdate doped polyaniline nanomaterials for oxidising and reducing volatile organic compounds. *Curr Appl Phys*. 10: 457-467. <http://dx.doi.org/10.1016/j.cap.2009.07.005>.
- Lekmine, G; Bastow, TP; Johnston, CD; Davis, GB. (2014). Dissolution of multi-component LNAPL gasolines: the effects of weathering and composition. *J Contam Hydrol*. 160: 1-11. <http://dx.doi.org/10.1016/j.jconhyd.2014.02.003>.
- Lemieux, PM; Ryan, JV. (1998). Enhanced formation of chlorinated PICs by the addition of bromine. *Combust Sci Tech*. 134: 367-387.
- Lemieux, PM; Ryan, JV; Bass, C; Barat, R. (1996). Emissions of trace products of incomplete combustion from a pilot-scale incinerator secondary combustion chamber. *J Air Waste Manag Assoc*. 46: 309-316.
- Lendvay, JM; Sauck, WA; McCormick, ML; Barcelona, MJ; Kampbell, DH; Wilson, JT; Adriaens, P. (1998). Geophysical characterization, redox zonation, and contaminant distribution at a groundwater surface water interface. *Water Resour Res*. 34: 3545-3559.
- Leng, JF; Nies, LF. (1999). The relationship between anaerobic reductive dechlorination and biomethylation of mercury (Reprinted from *Advances in Environmental Research*, vol 3, pg 389-402, 2000). *Adv Environ Res*. 3: U1-402.
- Lepori, L; Matteoli, E. (1997). Excess Gibbs energies of the ternary system ethanol plus tetrahydrofuran plus cyclohexane at 298.15 K. *Fluid Phase Equilibria*. 134: 113-131.
- Lepori, L; Matteoli, E; Conti, G; Gianni, P. (1998). Excess Gibbs energies of the ternary system ethanol plus N,N-dimethylformamide plus cyclohexane at 298.15 K. *Fluid Phase Equilibria*. 153: 293-315.
- Lepori, L; Matteoli, E; Gianni, P; Righetti, MC. (2015). Thermodynamic study of heptane plus amine mixtures. V. Excess and solvation Gibbs energies. *Fluid Phase Equilibria*. 387: 198-208. <http://dx.doi.org/10.1016/j.fluid.2014.12.017>.
- Lepori, L; Matteoli, E; Spanedda, A; Duce, C; Tine, MR. (2002). Volume changes on mixing perfluoroalkanes with alkanes or ethers at 298.15 K. *Fluid Phase Equilibria*. 201: 119-134.
- Lepori, L; Matteoli, E; Tine, MR. (1990). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA OF TETRACHLOROMETHANE + LINEAR ETHER OR ACETAL MIXTURES AT 298.15-K. *Journal of Chemical and Engineering Data*. 35: 179-182.
- Lepori, L; Matteoli, E; Tine, MR. (1991). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA OF MIXTURES CONTAINING ORGANIC-COMPOUNDS .7. EXCESS GIBBS ENERGIES OF CHLOROALKANE + OXAALKANE MIXTURES AT 298.15-K. *Journal of Chemical and Engineering Data*. 36: 406-409.
- Lepori, L; Matteoli, E; Tine, MR. (1993). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA OF MIXTURES OF ORGANIC-COMPOUNDS .8. EXCESS GIBBS ENERGIES OF TETRACHLOROMETHANE PLUS CYCLIC OXAALKANE MIXTURES AT 298.15-K. *Fluid Phase Equilibria*. 87: 177-188.
- Leroux, M; Beaumont, B; Grandjean, N; Lorenzini, P; Haffouz, S; Vennegues, P; Massies, J; Gibart, P. (1997). Luminescence and reflectivity studies of undoped, n- and p-doped GaN on (0001) sapphire. *Mater Sci Eng B*. 50: 97-104.
- Lesage, S; Brown, S; Millar, K. (1996). Vitamin B-12-catalyzed dechlorination of perchloroethylene present as residual DNAPL. *Ground Water Monitoring and Remediation*. 16: 76-85.

Fate Literature Search Results

Off Topic

- Lesage, S; Brown, S; Millar, K. (1998). A different mechanism for the reductive dechlorination of chlorinated ethenes: Kinetic and spectroscopic evidence. *Environ Sci Technol.* 32: 2264-2272.
- Lesage, S; Brown, S; Millar, K; Steer, H. (2003). Simulation of a ground water recirculation well with a dual-column laboratory setup. *Ground Water Monitoring and Remediation.* 23: 102-110.
- Leskiv, M; Bernardes, CES; Minas da Piedade, ME. (2009). A calorimetric system based on the LKB 10700-1 flow microcalorimeter. *Meas Sci Technol.* 20. <http://dx.doi.org/10.1088/0957-0233/20/7/075107>.
- Leung, CW; Tsui, WL; Shin, FG. (1998). A dielectric binary mixture formula with an interaction term. *Journal of Materials Science.* 33: 5163-5167.
- Lewis, RJ, Sr. (2007). *Hawley's condensed chemical dictionary* (15th ed.). Hoboken, NJ: John Wiley & Sons. <http://dx.doi.org/10.1002/9780470114735>.
- Lewis, S; Lynch, A; Bachas, L; Hampson, S; Ormsbee, L; Bhattacharyya, D. (2009). Chelate-Modified Fenton Reaction for the Degradation of Trichloroethylene in Aqueous and Two-Phase Systems. *Environ Eng Sci.* 26: 849-859. <http://dx.doi.org/10.1089/ees.2008.0277>.
- Lewis, TA; Morra, MJ; Brown, PD. (1996). Comparative product analysis of carbon tetrachloride dehalogenation catalyzed by cobalt corrins in the presence of thiol or titanium (III) reducing agents. *Environ Sci Technol.* 30: 292-300.
- Lewis, TA; Morra, MJ; Habdas, J; Czuchajowski, L; Brown, PD. (1995). Reductive dechlorination of carbon tetrachloride mediated by cationic water-soluble metalloporphyrins. *J Environ Qual.* 24: 56-61.
- Lewis, TA; Paszczynski, A; Gordon-Wylie, SW; Jeedigunta, S; Lee, CH; Crawford, RL. (2001). Carbon tetrachloride dechlorination by the bacterial transition metal chelator pyridine-2,6-bis(thiocarboxylic acid). *Environ Sci Technol.* 35: 552-559. <http://dx.doi.org/10.1021/es001419s>.
- Lezal, D; Pedlikova, J; Gurovic, J; Vogt, R. (1996). The preparation of chalcogenide glasses in chlorine reactive atmosphere. *Ceramics - Silikaty.* 40: 55-59.
- Li, B, o; Metiu, H. (2012). Does Halogen Adsorption Activate the Oxygen Atom on an Oxide Surface? I. A Study of Br-2 and HBr Adsorption on La2O3 and La2O3 Doped with Mg or Zr. *J Phys Chem C.* 116: 4137-4148. <http://dx.doi.org/10.1021/jp209857s>.
- Li, C; Du, Z; Zou, W, ei; Li, H; Zhang, C. (2015). Fabrication of copper coated polymer foam and their application for hexavalent chromium removal. *React Funct Polym.* 88: 24-30. <http://dx.doi.org/10.1016/j.reactfunctpolym.2015.02.001>.
- Li, C; Hu, G; Zhong, W; He, W; Du, W; Qian, F. (2013). Coke Deposition Influence Based on a Run Length Simulation of a 1,2-Dichloroethane Cracker. *Ind Eng Chem Res.* 52: 17501-17516. <http://dx.doi.org/10.1021/ie401265f>.
- Li, C, min; Li, L; Bai, J, yan; Wu, J, ie; Huang, S; Wang, G, enlin. (2013). Correlation between heat shock protein 32 and chronic heat-induced liver injury in developing mice. *J Therm Biol.* 38: 513-519. <http://dx.doi.org/10.1016/j.jtherbio.2013.08.006>.
- Li, C; Xu, M; Sun, X; Han, S; Wu, X; Liu, Y, ouN; Huang, J; Deng, S. (2013). Chemical modification of Amberlite XAD-4 by carbonyl groups for phenol adsorption from wastewater. *Chem Eng J.* 229: 20-26. <http://dx.doi.org/10.1016/j.cej.2013.05.090>.
- Li, C; Yang, XG; Yang, BJ; Qian, YT. (2006). A chemical co-reduction route to synthesize nanocrystalline vanadium carbide. *Journal of the American Ceramic Society.* 89: 320-322. <http://dx.doi.org/10.1111/j.1551-2916.2005.00655.x>.
- Li, CT; Lee, WJ; Chen, CY; Wang, YT. (1996). CH2Cl2 decomposition by using a radio-frequency plasma system. *J Chem Tech Biotechnol.* 66: 382-388.
- Li, CT; Yang, RB; Shih, ML; Chen, CY; Hsieh, LT. (2003). Decomposition of 1,2-dichloroethane in an RF plasma environment. *J Chem Tech Biotechnol.* 78: 817-823. <http://dx.doi.org/10.1002/jctb.868>.
- Li, CT; Yang, RB; Shih, ML; Tsai, PJ; Hsieh, LT; Chen, CY. (2003). Reaction mechanism of 1,2-dichloroethane/O-2/Ar in the cold plasma environment. *Chem Eng J.* 92: 177-184.
- Li, DA; Yakushiji, D; Kanazawa, S; Ohkubo, T; Nomoto, Y. (2002). Decomposition of toluene by streamer corona discharge with catalyst. *Journal of Electrostatics.* 55: 311-319.
- Li, F; Lin, Y; Wang, X; Geng, Y; Wang, D. (2009). Preparative isolation and purification of capsaicinoids from *Capsicum frutescens* using high-speed counter-current chromatography. *Separation and Purification Technology.* 64: 304-308. <http://dx.doi.org/10.1016/j.seppur.2008.10.005>.
- Li, F; Wang, X; Liu, C; Li, Y; Zeng, F; Liu, L. (2008). Reductive transformation of pentachlorophenol on the interface of subtropical soil colloids and water. *Geoderma.* 148: 70-78. <http://dx.doi.org/10.1016/j.geoderma.2008.09.003>.
- Li, FB; Li, XM; Zhou, SG; Zhuang, L; Cao, F; Huang, DY; Xu, W; Liu, TX; Feng, CH. (2010). Enhanced reductive dechlorination of DDT in an anaerobic system of dissimilatory iron-reducing bacteria and iron oxide. *Environ Pollut.* 158: 1733-1740. <http://dx.doi.org/10.1016/j.envpol.2009.11.020>.
- Li, G; Jagadish, C. (1997). Recent progress in delta-doping of III-V semiconductors grown by metal organic vapour phase epitaxy. *Solid-State Electronics.* 41: 1207-1225.
- Li, H; Betterton, EA; Arnold, RG; Ela, WP; Barbaris, B; Grachane, C. (2005). Convenient new chemical actinometer based on aqueous acetone, 2-propanol, and carbon tetrachloride. *Environ Sci Technol.* 39: 2262-2266. <http://dx.doi.org/10.1021/es050046y>.
- Li, H; Fan, C; Vosgueritchian, M; Tee, BCK; Chen, H. (2014). Solution-grown aligned C-60 single-crystals for field-effect transistors. 2: 3617-3624. <http://dx.doi.org/10.1039/c3tc32431a>.
- Li, HX; Reinhardt, F; Birch, L; Bradford, G. (2004). High-efficient carbon-doped InGaAs/AlGaAs/GaAs quantum well lasers. *J Cryst Growth.* 263: 181-184. <http://dx.doi.org/10.1016/j.jcrysgro.2003.12.012>.
- Li, HX; Reinhardt, F; Macomber, S. (2003). Carbon auto-doped AlGaAs/GaAs quantum well lasers. *J Cryst Growth.* 256: 52-55. [http://dx.doi.org/10.1016/S0022-0248\(03\)01357-5](http://dx.doi.org/10.1016/S0022-0248(03)01357-5).
- Li, J, ie; Jiang, XY; Xu, J, iF; Zhong, L, iF; Wang, XC, e; Wang, G, uiQin; Zhao, P, eiPei. (2014). Determination of Platinum-Group Elements and Re-Os Isotopes using ID-ICP-MS and N-TIMS from a Single Digestion after Two-Stage Column Separation. *Geostandards and Geoanalytical Research.* 38: 37-50. <http://dx.doi.org/10.1111/j.1751-908X.2013.00242.x>.

Fate Literature Search Results

Off Topic

- Li, J; Kuech, TF. (1997). Evolution of surface structure during carbon doping in the metal-organic vapor-phase epitaxial growth of GaAs. *J Cryst Growth*. 181: 171-180.
- Li, J; Kuech, TF. (1997). Surface morphology of carbon-doped GaAs grown by MOVPE. *J Cryst Growth*. 170: 292-296.
- Li, J, ie; Liang, X; Joo, J, iB; Lee, I; Yin, Y; Zaera, F. (2013). Mass Transport across the Porous Oxide Shells of Core-Shell and Yolk-Shell Nanostructures in Liquid Phase. *J Phys Chem C*. 117: 20043-20053. <http://dx.doi.org/10.1021/jp406991y>.
- Li, JC; Han, Y; Sun, Y; Jian, XH; Ba, DC. (2011). Study of the jet flow field of vacuum spray process. *Thin Solid Films*. 520: 891-895. <http://dx.doi.org/10.1016/j.tsf.2011.04.170>.
- Li, L; Fan, MH; Brown, RC; Van Leeuwen, JH; Wang, JJ; Wang, WH; Song, YH; Zhang, PY. (2006). Synthesis, properties, and environmental applications of nanoscale iron-based materials: A review. *Crit Rev Environ Sci Tech*. 36: 405-431. <http://dx.doi.org/10.1080/10643380600620387>.
- Li, L; Qi, H; Gan, S; Han, BK; Hicks, RF. (1998). Site-specific chemistry of carbon tetrachloride decomposition on GaAs(001). *Applied Physics A: Materials Science and Processing*. 66: S501-S505.
- Li, N; Li, T, ao; Lei, X; Fu, B, o; Liao, W; Qiu, J. (2014). Preparation and Characterization of Porous PDMS Beads for Oil and Organic Solvent Sorption. *Polymer Engineering and Science*. 54: 2965-2969. <http://dx.doi.org/10.1002/pen.23860>.
- Li, NY; Dong, HK; Tu, CW; Geva, M. (1995). P-TYPE GAAS DOPED BY DIODOMETHANE (C₂H₂) IN MOLECULAR-BEAM EPITAXY, METALORGANIC MOLECULAR-BEAM EPITAXY, AND CHEMICAL BEAM EPITAXY. *J Cryst Growth*. 150: 246-250.
- Li, Q; Yang, J; Feng, D, an; Wu, Z; Wu, Q; Park, SS, oo; Ha, CS, ik; Zhao, D. (2010). Facile synthesis of porous carbon nitride spheres with hierarchical three-dimensional mesostructures for CO₂ capture. *Nano Research*. 3: 632-642. <http://dx.doi.org/10.1007/s12274-010-0023-7>.
- Li, T; Farrell, J. (2000). Reductive dechlorination of trichloroethene and carbon tetrachloride using iron and palladized-iron cathodes. *Environ Sci Technol*. 34: 173-179.
- Li, T; Farrell, J. (2001). Electrochemical investigation of the rate-limiting mechanisms for trichloroethylene and carbon tetrachloride reduction at iron surfaces. *Environ Sci Technol*. 35: 3560-3565.
- Li, TD; Zhou, W; Yi, J; Zhang, W; Lin, YR; Li, SF. (2011). [Simultaneous determination of seven chemicals of halogenated alkanes and aromatic hydrocarbons in the air of workplace by gas chromatography]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi*. 29: 146-147.
- Li, W; Willey, RJ. (1997). Stability of hydroxyl and methoxy surface groups on silica aerogels. *Journal of Non-Crystalline Solids*. 212: 243-249.
- Li, W, ei; Xie, X, inan; Tang, CZ; Li, Y, an; Li, L, u; Wang, Y, ali; Fan, D, i; Wei, X. (2016). The Distribution of Bio-Oil Components with the Effects of Sub/Supercritical Ethanol and Free Radicals during Cellulose Liquefaction. *BioResources*. 11: 9771-9788. <http://dx.doi.org/10.15376/biores.11.4.9771-9788>.
- Li, X; Pan, X; Zhou, Y; Bao, X. (2013). Modulation of the textures and chemical nature of C-SiC as the support of Pd for liquid phase hydrogenation. *Carbon*. 57: 34-41. <http://dx.doi.org/10.1016/j.carbon.2013.01.013>.
- Li, Y; Bachas, LG; Bhattacharyya, D. (2007). Selected chloro-organic detoxifications by polychelate (Poly(acrylic acid)) and citrate-based Fenton reaction at neutral pH environment. *Ind Eng Chem Res*. 46: 7984-7992. <http://dx.doi.org/10.1021/ie070393b>.
- Li, Y; Chen, Z; Li, X; Zeng, H. (2011). A new surface modification method to improve the dispersity of nano-silica in organic solvents. *Journal of Sol-Gel Science and Technology*. 58: 290-295. <http://dx.doi.org/10.1007/s10971-010-2389-0>.
- Li, Y; Dai, K, un; Zhao, J; Li, N; Zheng, G; Liu, C; Chen, J; Shen, C. (2015). Liquid-Sensing Behaviors of Carbon Black/Polypropylene and Carbon Nanotubes/Polypropylene Composites: A Comparative Study. *Polymer Composites*. 36: 205-213. <http://dx.doi.org/10.1002/pc.22931>.
- Li, Y, u; Wang, T; Jian, Y. (2010). A SENSITIVE METHOD FOR THE DETERMINATION OF BROMINATED DIPHENYL ETHER (BDE-209) IN WATER BASED ON DISPERSIVE LIQUID-LIQUID MICROEXTRACTION AND ORTHOGONAL TEST. *Fresen Environ Bull*. 19: 516-521.
- Li, Y; Zhang, Z; Fei, Y; Chen, H; Qian, Y; Dun, Y, u. (2016). Investigation of quality and pollution characteristics of groundwater in the Hutuo River Alluvial Plain, North China Plain. *Environ Earth Sci*. 75. <http://dx.doi.org/10.1007/s12665-016-5366-2>.
- Li, YG; He, Z; Tang, HS; Liu, LY; Xu, L; Wang, WC. (2004). The study of preparing "low-water" content quartz glass by sol-gel method. 33: 100-102.
- Li, YG; Liu, LY; He, ZA; Tang, HS; Xiao, SM; Xu, L; Wang, WC. (2004). Improvement of fluorescence lifetime from Er-doped sol-gel silica glass by dehydration in CCl₄. *Journal of Sol-Gel Science and Technology*. 30: 29-33.
- Li, YX; Wang, YD; Dai, YY. (2004). Effect of diluents on the extraction of oxalic acid by trialkylphosphine oxide. *Chinese Journal of Chemical Engineering*. 12: 143-148.
- Li, YY; Chen, Y, anJun; Liu, ZH, ua. (2014). A uniform correlation for predicting pool boiling heat transfer on plane surface with surface characteristics effect. *Int J Heat Mass Tran*. 77: 809-817. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2014.05.060>.
- Li, YZ; Fan, YN; Luo, GF. (2004). Investigation into the liquid selective hydrogenation of long chain alkadienes on molybdenum carbide and metallic molybdenum and/or boride mixture prepared by a thermosynthesis method at moderate temperature. *Ind Eng Chem Res*. 43: 1334-1339. <http://dx.doi.org/10.1021/ie034193l>.
- Li, Z; Potapenko, DV; Rim, KT; Flytzani-Stephanopoulos, M; Flynn, GW; Osgood, RM; Wen, XD; Batista, ER. (2015). Reactions of Deuterated Methanol (CD₃OD) on Fe₃O₄(111). *J Phys Chem C*. 119: 1113-1120. <http://dx.doi.org/10.1021/jp510821g>.
- Li, Z; Yu, G; Song, J; Wang, Q; Liu, M; Yang, Y. (2013). Study on the determination of heavy metals in water samples with ultrasound-assisted dispersive liquid-liquid microextraction prior to FAAS. *Water Sci Technol*. 67: 247-253. <http://dx.doi.org/10.2166/wst.2012.524>.
- Li, ZH; Cui, HH. (2002). Proceeding of experiments about liquid flow through microtubes. *International Journal of Nonlinear Sciences and Numerical Simulation*. 3: 577-580.
- Li, ZH; Li, H; Zhang, YM; Xue, MZ; Zhou, L; Liu, YG. (2005). A hybrid supported nickel catalyst for the controlled radical polymerization of methyl methacrylate. *Appl Catal A-Gen*. 292: 61-67. <http://dx.doi.org/10.1016/j.apcata.2005.05.030>.
- Li, ZY; Qin, W; Dai, YY. (2002). Equilibrium of extraction of p-aminobenzenesulfonic acid by Aliquat 336. *Chinese Journal of Chemical Engineering*. 10: 411-415.

Fate Literature Search Results

Off Topic

- Li, ZY; Qin, W; Dai, YY. (2002). Liquid-liquid equilibria of acetic, propionic, butyric, and valeric acids with trioethylamine as extractant. *Journal of Chemical and Engineering Data*. 47: 843-848. <http://dx.doi.org/10.1021/jc015526t>.
- Li, ZY; Qin, W; Dai, YY. (2003). Liquid-liquid equilibria of aqueous acetic acid derivatives with trioethylamine and select organic diluents. *Journal of Chemical and Engineering Data*. 48: 1113-1119. <http://dx.doi.org/10.1021/jc025628z>.
- Liang, C; Lee, PH. (2012). Granular activated carbon/pyrite composites for environmental application: synthesis and characterization. *J Hazard Mater*. 231-232: 120-126. <http://dx.doi.org/10.1016/j.jhazmat.2012.06.048>.
- Liang, C; Lei, JH. (2015). Identification of Active Radical Species in Alkaline Persulfate Oxidation. *Water Environ Res*. 87: 656-659. <http://dx.doi.org/10.2175/106143015X14338845154986>.
- Liang, J; Song, C; Deng, J. (2014). Optically active microspheres constructed by helical substituted polyacetylene and used for adsorption of organic compounds in aqueous systems. 6: 19041-19049. <http://dx.doi.org/10.1021/am504943x>.
- Liang, LY; Korte, N; Gu, BH; Puls, R; Reeter, C. (2000). Geochemical and microbial reactions affecting the long-term performance of in situ 'iron barriers'. *Adv Environ Res*. 4: 273-286.
- Liang, X; Butler, EC. (2010). Effects of natural organic matter model compounds on the transformation of carbon tetrachloride by chloride green rust. *Water Res*. 44: 2125-2132. <http://dx.doi.org/10.1016/j.watres.2009.12.026>.
- Liang, X; Philp, RP; Butler, EC. (2009). Kinetic and isotope analyses of tetrachloroethylene and trichloroethylene degradation by model Fe(II)-bearing minerals. *Chemosphere*. 75: 63-69. <http://dx.doi.org/10.1016/j.chemosphere.2008.11.042>.
- Liang, XR, ui; Si, CX, ia; Chen, F, eiYan; Su, W, eiKe; Yu, XN, a. (2009). Solubility of Tiamulin Hydrogen Fumarate in Acetone, Acetonitrile, Ethyl Acetate, Ethyl Formate, and Butyl Acetate from (288.2 to 318.2) K. *Journal of Chemical and Engineering Data*. 54: 1126-1128. <http://dx.doi.org/10.1021/jc800838w>.
- Liao, Y; Ma, T; Cui, Y; Qi, Z. (2014). Spatial distribution characteristics of volatile halogenated hydrocarbons in unsaturated zone of Xiaodian sewage irrigation area, Taiyuan, China. *Ecotoxicology*. 23: 1951-1957. <http://dx.doi.org/10.1007/s10646-014-1323-6>.
- Lieber, CS. (2004). Alcoholic fatty liver: its pathogenesis and mechanism of progression to inflammation and fibrosis [Review]. *Alcohol*. 34: 9-19. <http://dx.doi.org/10.1016/j.alcohol.2004.07.008>.
- Lieberman, MW; Lykissa, ED; Barrios, R; Ou, CN; Kala, G; Kala, SV. (1999). Cyclosiloxanes produce fatal liver and lung damage in mice. *Environ Health Perspect*. 107: 161-165.
- Liekhus, KJ; Zlochower, IA; Cashdollar, KL; Djordjevic, SM; Loehr, CA. (2000). Flammability of gas mixtures containing volatile organic compounds and hydrogen. *J Loss Prev Process Indust*. 13: 377-384.
- Lien, HL. (2005). Transformation of chlorinated methanes by zero-valent aluminum coupled with Pd/Al₂O₃. *Environ Technol*. 26: 663-672.
- Lien, HL; Jhuo, YS; Chen, LH. (2007). Effect of heavy metals on dechlorination of carbon tetrachloride by iron nanoparticles. *Environ Eng Sci*. 24: 21-30. <http://dx.doi.org/10.1089/ees.2007.24.21>.
- Lien, HL; Zhang, W, eiX. (2007). Nanoscale Pd/Fe bimetallic particles: Catalytic effects of palladium on hydrodechlorination. *Appl Catal B-Environ*. 77: 110-116. <http://dx.doi.org/10.1016/j.apcatb.2007.07.014>.
- Lien, HL; Zhang, WX. (1999). Transformation of chlorinated methanes by nanoscale iron particles. *J Environ Eng*. 125: 1042-1047.
- Lien, HL; Zhang, WX. (2002). Enhanced dehalogenation of halogenated methanes by bimetallic Cu/Al. *Chemosphere*. 49: 371-378.
- Lifka, J; Ondruschka, B; Hofmann, J. (2002). The use of ultrasound for the degradation of organic compounds in water: Aquasonolysis - A review. *Chem Ing Tech*. 74: 403-413.
- Lim, DH, ee; Lastoskie, CM; Soon, A; Becker, U, do. (2009). Density Functional Theory Studies of Chloroethene Adsorption on Zerovalent Iron. *Environ Sci Technol*. 43: 1192-1198. <http://dx.doi.org/10.1021/es802523a>.
- Lim, SR; Lam, CW; Schoenung, JM. (2010). Quantity-based and toxicity-based evaluation of the U.S. Toxics Release Inventory. *J Hazard Mater*. 178: 49-56. <http://dx.doi.org/10.1016/j.jhazmat.2010.01.041>.
- Lima, GD; Sleep, BE. (2007). The spatial distribution of eubacteria and archaea in sand-clay columns degrading carbon tetrachloride and methanol. *J Contam Hydrol*. 94: 34-48. <http://dx.doi.org/10.1016/j.jconhyd.2007.05.001>.
- Lima, GD; Sleep, BE. (2010). The Impact of Carbon Tetrachloride on an Anaerobic Methanol-Degrading Microbial Community. *Water Air Soil Pollut*. 212: 357-368. <http://dx.doi.org/10.1007/s11270-010-0350-z>.
- Limao-Vieira, P; Lobo, RFM. (1999). Low energy electron beam for time-of-flight ionization measurements. *Vacuum*. 52: 19-22.
- Lin, CF; Hsieh, HM, in; Lee, LS, un. (2007). Estimations of the viscosities of binary mixtures with different equations of state and mixing rules. *Journal of the Chinese Institute of Chemical Engineers*. 38: 1-19. <http://dx.doi.org/10.1016/j.jcice.2006.10.001>.
- Lin, CJ; Liou, YH; Lo, SL. (2009). Supported Pd/Sn bimetallic nanoparticles for reductive dechlorination of aqueous trichloroethylene. *Chemosphere*. 74: 314-319. <http://dx.doi.org/10.1016/j.chemosphere.2008.08.046>.
- Lin, CJ; Lo, SL; Liou, YH. (2004). Dechlorination of trichloroethylene in aqueous solution by noble metal-modified iron. *J Hazard Mater*. 116: 219-228. <http://dx.doi.org/10.1016/j.jhazmat.2004.09.005>.
- Lin, CJ; Lo, SL; Liou, YH. (2005). Degradation of aqueous carbon tetrachloride by nanoscale zerovalent copper on a cation resin. *Chemosphere*. 59: 1299-1307. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.064>.
- Lin, H; Zhang, X; Shen, Y; Zheng, Y; Guo, Y; Zhu, Y; Diao, X; Wang, T; Chen, S; Chen, X. (2017). Model-dependent and model-independent approaches for evaluating hepatic fibrosis in rat liver using shearwave dispersion ultrasound vibrometry. 39: 66-72. <http://dx.doi.org/10.1016/j.medengphy.2016.10.007>.
- Lin, K; Ding, J; Wang, H; Huang, X; Gan, J. (2012). Goethite-mediated transformation of bisphenol A. *Chemosphere*. 89: 789-795. <http://dx.doi.org/10.1016/j.chemosphere.2012.04.053>.
- Lin, L, i; Quezada, BR; Stair, PC. (2010). Adsorption, Desorption, and Reaction of Methyl Radicals on Surface Terminations of alpha-Fe₂O₃. *J Phys Chem C*. 114: 17105-17111. <http://dx.doi.org/10.1021/jp1039018>.

Fate Literature Search Results

Off Topic

- Lin, S; Buehler, MJ. (2013). Mechanics and molecular filtration performance of graphyne nanoweb membranes for selective water purification. *Nanoscale*. 5: 11801-11807. <http://dx.doi.org/10.1039/c3nr03241h>.
- Lin, SH; Juang, RS. (2009). Adsorption of phenol and its derivatives from water using synthetic resins and low-cost natural adsorbents: a review [Review]. *J Environ Manage*. 90: 1336-1349. <http://dx.doi.org/10.1016/j.jenvman.2008.09.003>.
- Lin, YP; Valentine, RL. (2008). Release of Pb(II) from monochloramine-mediated reduction of lead oxide (PbO₂). *Environ Sci Technol*. 42: 9137-9143. <http://dx.doi.org/10.1021/es801037n>.
- Lin, YS; Chen, MT; Lin, YF; Yang, SJ; Lin, JL. (2006). Investigation of chemical decomposition of CCl₄ on TiO₂ near room temperature. *Appl Surf Sci*. 252: 5892-5899. <http://dx.doi.org/10.1016/j.apsusc.2005.08.021>.
- Lin, YT; Liang, C. (2013). Carbon tetrachloride degradation by alkaline ascorbic acid solution. *Environ Sci Technol*. 47: 3299-3307. <http://dx.doi.org/10.1021/es304441e>.
- Lin, YT; Liang, C. (2015). Reductive dechlorination of carbon tetrachloride using buffered alkaline ascorbic acid. *Chemosphere*. 136: 27-31. <http://dx.doi.org/10.1016/j.chemosphere.2015.04.007>.
- Lindner, A; Velling, P; Prost, W; Wiersch, A; Kuphal, E; Burchard, A; Magerle, R; Deicher, M; Tegude, FJ. (1997). The role of hydrogen in low-temperature MOVPE growth and carbon doping of In_{0.53}Ga_{0.47}As for InP-based HBT. *J Cryst Growth*. 170: 287-291.
- Lindstedt, SL; Calder, WA. (1981). Body size, physiological time, and longevity of homeothermic animals. *Q Rev Biol*. 56: 1-16.
- Linehan, K; Doyle, H. (2014). Size controlled synthesis of carbon quantum dots using hydride reducing agents. 2: 6025-6031. <http://dx.doi.org/10.1039/c4tc00826j>.
- Liou, YH; Lo, SL; Lin, CJ. (2007). Size effect in reactivity of copper nanoparticles to carbon tetrachloride degradation. *Water Res*. 41: 1705-1712. <http://dx.doi.org/10.1016/j.watres.2007.01.014>.
- Lioy, PJ; Fan, Z; Zhang, J; Georgopoulos, P; Wang, SW; Ohman-Strickland, P; Wu, X; Zhu, X; Harrington, J; Tang, X; Meng, Q; Jung, KH; Kwon, J; Hernandez, M; Bonnano, L; Held, J; Neal, J; Committee, HHR. (2011). Personal and ambient exposures to air toxics in Camden, New Jersey. *Res Rep Health Eff Inst* 3-127; discussion 129-151.
- Lipczynskakochany, E; Harms, S; Milburn, R; Sprah, G; Nadarajah, N. (1994). DEGRADATION OF CARBON-TETRACHLORIDE IN THE PRESENCE OF IRON AND SULFUR-CONTAINING-COMPOUNDS. *Chemosphere*. 29: 1477-1489.
- Lipscomb, JC; Garrett, CM; Snawder, JE. (1997). Cytochrome P450-dependent metabolism of trichloroethylene: Interindividual differences in humans. *Toxicol Appl Pharmacol*. 142: 311-318. <http://dx.doi.org/10.1006/taap.1996.8040>.
- Lisochkin, Y, aA; Poznyak, VI. (2007). Ignition of vapor-air mixtures of ammonia and haloids of saturated hydrocarbons with nitrogen trifluoride and fluorine. *Combustion, Explosion, and Shock Waves*. 43: 139-142.
- Lissi, EA; Engel, D. (1992). INCORPORATION OF N-ALKANOLS IN REVERSE MICELLES IN THE AOT N-HEPTANE WATER-SYSTEM. *Langmuir*. 8: 452-455.
- Litvin, AP; Parfenov, PS; Ushakova, EV; Fedorov, AV; Artemyev, MV; Prudnikau, AV; Golubkov, VV; Baranov, AV. (2013). PbS Quantum Dots in a Porous Matrix: Optical Characterization. *J Phys Chem C*. 117: 12318-12324. <http://dx.doi.org/10.1021/jp402287b>.
- Liu, C; Xu, X; Fan, J. (2015). Accelerated anaerobic dechlorination of DDT in slurry with Hydragric Acrisols using citric acid and anthraquinone-2,6-disulfonate (AQDS). *J Environ Sci*. 38: 87-94. <http://dx.doi.org/10.1016/j.jes.2015.05.005>.
- Liu, CC; Liau, SF; Tseng, DH. (2006). Effects of the electrode arrangements on reductive dechlorination of trichloroethylene in an electro-enhanced iron wall. *Environ Technol*. 27: 683-693.
- Liu, CC; Tseng, DH; Wang, CY. (2006). Effects of ferrous ions on the reductive dechlorination of trichloroethylene by zero-valent iron. *J Hazard Mater*. 136: 706-713. <http://dx.doi.org/10.1016/j.jhazmat.2005.12.045>.
- Liu, F, ei; Kim, JG, u; Lee, CW, ee; Im, J, iSun. (2014). A mesoporous WO₃-X/graphene composite as a high-performance Li-ion battery anode. *Appl Surf Sci*. 316: 604-609. <http://dx.doi.org/10.1016/j.apsusc.2014.07.189>.
- Liu, H, u; Huang, W; Yang, X; Dai, K, un; Zheng, G; Liu, C; Shen, C; Yan, X; Guo, J; Guo, Z. (2016). Organic vapor sensing behaviors of conductive thermoplastic polyurethane-graphene nanocomposites. 4: 4459-4469. <http://dx.doi.org/10.1039/c6tc00987e>.
- Liu, HQ; Wang, WC; Chang, CH. (1991). MODEL WITH TEMPERATURE-INDEPENDENT PARAMETERS FOR THE VISCOSITIES OF LIQUID-MIXTURES. *Ind Eng Chem Res*. 30: 1617-1624.
- Liu, HY; Yamamoto, H; Wei, JJ; Waldeck, DH. (2003). Control of the electron transfer rate between cytochrome c and gold electrodes by the manipulation of the electrode's hydrogen bonding character. *Langmuir*. 19: 2378-2387. <http://dx.doi.org/10.1021/la026378n>.
- Liu, J; Kershaw, WC; Klaassen, CD. (1992). Protective effects of zinc on cultured rat primary hepatocytes to metals with low affinity for metallothionein. *J Toxicol Environ Health*. 35: 51-62.
- Liu, J; Wilding, WV; Rowley, RL. (2011). A Local-Composition Model for the Prediction of Mixture Dielectric Constants. *Journal of Chemical and Engineering Data*. 56: 2430-2437. <http://dx.doi.org/10.1021/je200007x>.
- Liu, JJY; Bai, CL; Williamson, AM; Qu, SX; Hamdan, H; Stacey, NH. (1996). Individual serum bile acids in apprentice spray painters in association with solvent exposure. *Int Arch Occup Environ Health*. 69: 21-26.
- Liu, L, in; Ma, D; Zheng, H; Li, X; Cheng, M; Bao, X. (2008). Synthesis and characterization of microporous carbon nitride. *Microporous and Mesoporous Materials*. 110: 216-222. <http://dx.doi.org/10.1016/j.micromeso.2007.06.012>.
- Liu, Q; Tian, G; Yan, H; Geng, X; Cao, Q; Wang, H; Ng, TB. (2014). Characterization of polysaccharides with antioxidant and hepatoprotective activities from the wild edible mushroom *Russula vinosa* Lindblad. *J Agric Food Chem*. 62: 8858-8866. <http://dx.doi.org/10.1021/jf502632c>.
- Liu, S, en; Tian, J; Wang, L, ei; Luo, Y; Zhai, J; Sun, X. (2011). Preparation of photoluminescent carbon nitride dots from CCl₄ and 1,2-ethylenediamine: a heat-treatment-based strategy. *J Mater Chem*. 21: 11726-11729. <http://dx.doi.org/10.1039/c1jm12149a>.
- Liu, T; Li, X; Waite, TD. (2014). Depassivation of aged Fe⁰ by divalent cations: correlation between contaminant degradation and surface complexation constants. *Environ Sci Technol*. 48: 14564-14571. <http://dx.doi.org/10.1021/es503777a>.

Fate Literature Search Results

Off Topic

- Liu, Y; Cao, L; Du, J; Jia, R; Wang, J; Xu, P; Yin, G. (2015). Protective effects of Lycium barbarum polysaccharides against carbon tetrachloride-induced hepatotoxicity in precision-cut liver slices in vitro and in vivo in common carp (*Cyprinus carpio* L.). *Comp Biochem Physiol C Toxicol Pharmacol.* 169: 65-72. <http://dx.doi.org/10.1016/j.cbpc.2014.12.005>.
- Liu, Y; Liu, Q; Ye, G; Khan, A; Liu, J; Gan, F; Zhang, X; Kumbhar, S; Huang, K. (2015). Protective effects of Selenium-enriched probiotics on carbon tetrachloride-induced liver fibrosis in rats. *J Agric Food Chem.* 63: 242-249. <http://dx.doi.org/10.1021/jf5039184>.
- Liu, Y; Liu, XX; Hou, RL; Xue, JZ; Lia, SB; Shen, SK. (1999). The accelerating effect of NH₄Cl on gas phase reaction of oxidative coupling of methane at elevated pressures. *Appl Catal A-Gen.* 179: L1-L4.
- Liu, Y; Lowry, GV. (2006). Effect of particle age (Fe-o content) and solution pH on NZVI reactivity: H₂ evolution and TCE dechlorination. *Environ Sci Technol.* 40: 6085-6090. <http://dx.doi.org/10.1021/es060685o>.
- Liu, Y; Phenrat, T; Lowry, GV. (2007). Effect of TCE concentration and dissolved groundwater solutes on NZVI-Promoted TCE dechlorination and H₂ evolution. *Environ Sci Technol.* 41: 7881-7887.
- Liu, Y, i; Shang, Y, ue; Shan, G. (2014). Infinite Dilution Diffusion Coefficients of Chlorinated Methane in Poly(ethylene terephthalate) by Inverse Gas Chromatography. *Ind Eng Chem Res.* 53: 19533-19539. <http://dx.doi.org/10.1021/ie503009d>.
- Liu, YF; Wan, XL; Ying, SK. (2000). Synthesis of styrene and tetrahydrofuran block copolymers by in situ transformation. *Progress in Natural Science.* 10: 117-123.
- Liu, YJ; Luo, TL; Yao, XD; Mao, ZB; Liu, GJ. (2010). Experimental Measurement and Correlation of the Solubilities of 2,4-Dichloro-5-methoxypyrimidine in Ethyl Ethanoate, Methanol, Ethanol, Acetone, Tetrachloromethane, and Heptane at Temperatures between (295 and 320) K. *Journal of Chemical and Engineering Data.* 55: 1402-1404. <http://dx.doi.org/10.1021/je9005689>.
- Liu, YQ; Majetich, SA; Tilton, RD; Sholl, DS; Lowry, GV. (2005). TCE dechlorination rates, pathways, and efficiency of nanoscale iron particles with different properties. *Environ Sci Technol.* 39: 1338-1345. <http://dx.doi.org/10.1021/es049195r>.
- Liu, Z; Arnold, RG; Betterton, EA; Festa, KD. (1999). Electrolytic reduction of CCl₄-effects of cathode material and potential on kinetics, selectivity, and product stoichiometry. *Environ Eng Sci.* 16: 1-13.
- Liu, ZJ; Arnold, RG; Betterton, EA; Smotkin, E. (2001). Reductive dehalogenation of gas-phase chlorinated solvents using a modified fuel cell. *Environ Sci Technol.* 35: 4320-4326. <http://dx.doi.org/10.1021/es001772y>.
- L-N, L; Grbic-Galic, D. (1993). Biotransformation of chlorinated aliphatic solvents in the presence of aromatic compounds under methanogenic conditions. *Environ Toxicol Chem.* 12: 1377-1393.
- Lo, IMC; Lee, SCH; Mak, RKM. (1998). Sorption of nonpolar and polar organics on dicycldimethylammonium-bentonite. *Waste Manag Res.* 16: 129-138.
- Lo, TC; Huang, HC. (1993). REACTIVE ION ETCHING OF A-SIC-H FILMS USING CCL₄ AND O₂ GAS-MIXTURE. *Journal of Vacuum Science and Technology A.* 11: 286-290.
- Lodewyckx, P; Blacher, S; Leonard, A. (2006). Use of x-ray microtomography to visualise dynamic adsorption of organic vapour and water vapour on activated carbon. *Adsorption.* 12: 19-26. <http://dx.doi.org/10.1007/s10450-006-0135-2>.
- Lofftfield, E; Shiels, MS; Graubard, BI; Katki, HA; Chaturvedi, AK; Trabert, B; Pinto, LA; Kemp, TJ; Shebl, FM; Mayne, ST; Wentzensen, N; Purdue, MP; Hildesheim, A; Sinha, R; Freedman, ND. (2015). Associations of Coffee Drinking with Systemic Immune and Inflammatory Markers. *Cancer Epidemiol Biomarkers Prev.* 24: 1052-1060. <http://dx.doi.org/10.1158/1055-9965.EPI-15-0038-T>.
- Logsdon, PB; Basu, RS. (1993). RECOVERY AND RECYCLE OF HCFCs BY ACTIVATED CARBON ADSORPTION. *J IES.* 36: 33-36.
- Logue, BA; Westall, JC. (2003). Kinetics of reduction of nitrobenzene and carbon tetrachloride at an iron-oxide coated gold electrode. *Environ Sci Technol.* 37: 2356-2362. <http://dx.doi.org/10.1021/es026472q>.
- Logue, JM; Huff-Hartz, KE; Lambe, AT; Donahue, NM; Robinson, AL. (2009). High time-resolved measurements of organic air toxics in different source regimes. *Atmos Environ.* 43: 6205-6217. <http://dx.doi.org/10.1016/j.atmosenv.2009.08.041>.
- Logue, JM; Small, MJ; Robinson, AL. (2011). Evaluating the national air toxics assessment (NATA): Comparison of predicted and measured air toxics concentrations, risks, and sources in Pittsburgh, Pennsylvania. *Atmos Environ.* 45: 476-484. <http://dx.doi.org/10.1016/j.atmosenv.2010.09.053>.
- Logue, JM; Small, MJ; Stern, D; Maranche, J; Robinson, AL. (2010). Spatial variation in ambient air toxics concentrations and health risks between industrial-influenced, urban, and rural sites. *Journal of the Air and Waste Management Association.* 60: 271-286. <http://dx.doi.org/10.3155/1047-3289.60.3.271>.
- Lohmann, J; Job, R; Gmehling, J. (1997). Estimation of enthalpies of fusion, melting temperatures, enthalpies of transition, and transition temperatures of pure compounds from experimental binary solid-liquid equilibrium data of eutectic systems. *Journal of Chemical and Engineering Data.* 42: 1176-1180.
- Lohmann, J; Joh, R; Gmehling, J. (1997). Solid-liquid equilibria of viscous binary mixtures with alcohols. *Journal of Chemical and Engineering Data.* 42: 1170-1175.
- Lohmann, J; Ropke, T; Gmehling, J. (1998). Solid-liquid equilibria of several binary systems with organic compounds. *Journal of Chemical and Engineering Data.* 43: 856-860.
- Lokteva, ES; Lazhko, AE; Golubina, EV; Timofeev, VV; Naumkin, AV; Yagodovskaya, TV; Gaidamaka, SN; Lunin, VV. (2011). Regeneration of Pd/TiO₂ catalyst deactivated in reductive CCl₄ transformations by the treatment with supercritical CO₂, ozone in supercritical CO₂ or oxygen plasma. *Journal of Supercritical Fluids.* 58: 263-271. <http://dx.doi.org/10.1016/j.supflu.2011.05.018>.
- Long, JL; Stensel, HD; Ferguson, JF; Strand, SE; Ongerth, JE. (1993). ANAEROBIC AND AEROBIC TREATMENT OF CHLORINATED ALIPHATIC-COMPOUNDS. *J Environ Eng.* 119: 300-320.
- Lookman, R; Bastiaens, L; Borremans, B; Maesen, M; Gemoets, J; Diels, L. (2004). Batch-test study on the dechlorination of 1,1,1-trichloroethane in contaminated aquifer material by zero-valent iron. *J Contam Hydrol.* 74: 133-144. <http://dx.doi.org/10.1016/j.jconhyd.2004.02.007>.

Fate Literature Search Results

Off Topic

- Lopez, E; Ordonez, S; Diez, F. (2006). Deactivation of a Pd/Al₂O₃ catalyst used in hydrodechlorination reactions: Influence of the nature of organochlorinated compound and hydrogen chloride. *Appl Catal B-Environ.* 62: 57-65. <http://dx.doi.org/10.1016/j.apcatb.2005.06.014>.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Ayastui, JL; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2003). Gas-phase catalytic combustion of chlorinated VOC binary mixtures. *Appl Catal B-Environ.* 45: 13-21. [http://dx.doi.org/10.1016/S0926-3373\(03\)00106-1](http://dx.doi.org/10.1016/S0926-3373(03)00106-1).
- Lorah, MM; Voytek, MA. (2004). Degradation of 1,1,2,2-tetrachloroethane and accumulation of vinyl chloride in wetland sediment microcosms and in situ porewater: biogeochemical controls and associations with microbial communities. *J Contam Hydrol.* 70: 117-145. <http://dx.doi.org/10.1016/j.jconhyd.2003.08.01>.
- Loraine, GA. (1993). SHORT-WAVELENGTH ULTRAVIOLET PHOTOLYSIS OF AQUEOUS CARBON-TETRACHLORIDE. *Hazardous Waste and Hazardous Materials.* 10: 185-194.
- Lou, JC; Chang, YS. (1997). Thermal oxidation of chloroform. *Combust Flame.* 109: 188-197.
- Lou, JC; Chou, ZH. (1996). An experimental and numerical study of the thermal oxidation of carbon tetrachloride. *Hazardous Waste and Hazardous Materials.* 13: 399-407.
- Lou, JC; Lee, SS. (1997). Destruction of trichloromethane with catalytic oxidation. *Appl Catal B-Environ.* 12: 111-123.
- Lourdudoss, S; Messmer, ER; Kjobon, O; Landgren, G. (1995). TEMPORALLY RESOLVED REGROWTH OF INP. *J Cryst Growth.* 152: 105-114.
- Lova, P; Bastianini, C; Giusto, P; Patrini, M; Rizzo, P; Guerra, G; Iodice, M; Soci, C; Comoretto, D. (2016). Label-Free Vapor Selectivity in Poly(p-Phenylene Oxide) Photonic Crystal Sensors. 8: 31941-31950. <http://dx.doi.org/10.1021/acsami.6b10809>.
- Lovley, DR; Woodward, JC. (1992). CONSUMPTION OF FREONS CFC-11 AND CFC-12 BY ANAEROBIC SEDIMENTS AND SOILS. *Environ Sci Technol.* 26: 925-929.
- Lowry, GV; Reinhard, M. (1999). Hydrodehalogenation of 1- to 3-carbon halogenated organic compounds in water using a palladium catalyst and hydrogen gas. *Environ Sci Technol.* 33: 1905-1910. <http://dx.doi.org/10.1021/es980963m>.
- Loyke, HF. (1985). BLOOD LEAD CONCENTRATE AND BLOOD-PRESSURE AFTER CCL₄ TREATMENT. *Bull Environ Contam Toxicol.* 34: 730-735.
- Lu, B; Xu, Y; Xu, L; Cong, X; Yin, L; Li, H, ua; Peng, J. (2012). Mechanism investigation of dioscin against CCL₄-induced acute liver damage in mice. *Environ Toxicol Pharmacol.* 34: 127-135. <http://dx.doi.org/10.1016/j.etap.2012.03.010>.
- Lu, J; Xie, Y; Xu, F; Zhu, LY. (2002). Study of the dissolution behavior of selenium and tellurium in different solvents - a novel route to Se, Te tubular bulk single crystals. *J Mater Chem.* 12: 2755-2761. <http://dx.doi.org/10.1039/b204092a>.
- Lu, M; Li, X; Chen, B, o; Li, M; Xin, H; Song, L. (2014). Catalytic Dechlorination of Carbon Tetrachloride in Liquid Phase with Methanol as H-Donor Over Ag/C Catalyst. *J Nanosci Nanotechnol.* 14: 7315-7318. <http://dx.doi.org/10.1166/jnn.2014.8970>.
- Lu, SY; Du, Y; Yan, JH; Li, XD; Ni, MJ; Cen, KF. (2012). Dioxins and their fingerprint in size-classified fly ash fractions from municipal solid waste incinerators in China--mechanical grate and fluidized bed units. *Journal of the Air and Waste Management Association.* 62: 717-724. <http://dx.doi.org/10.1080/10962247.2012.669740>.
- Lu, Y; Wei, XY; Cao, JP; Li, P; Liu, FJ; Zhao, YP; Fan, X; Zhao, W; Rong, LC; Wei, YB; Wang, SZ; Zhou, J; Zong, ZM. (2012). Characterization of a bio-oil from pyrolysis of rice husk by detailed compositional analysis and structural investigation of lignin. *Bioresour Technol.* 116: 114-119. <http://dx.doi.org/10.1016/j.biortech.2012.04.006>.
- Lu, Y; Wei, XY; Liu, FJ; Zong, ZM; Rong, LC; Zhao, YP; Fan, X; Wang, SZ; Yue, XM; Mukasa, R; Qing, Y; Zhao, W; Wu, L. (2014). Evaluation of an Upgraded Bio-oil from the Pyrolysis of Rice Husk by Acidic Resin-catalyzed Esterification. *Energ Source Part A.* 36: 575-581. <http://dx.doi.org/10.1080/15567036.2011.604377>.
- Luan, F; Xie, L; Sheng, J; Li, J; Zhou, Q; Zhai, G. (2012). Reduction of nitrobenzene by steel convert slag with Fe(II) system: the role of calcium in steel slag. *J Hazard Mater.* 217-218: 416-421. <http://dx.doi.org/10.1016/j.jhazmat.2012.03.047>.
- Lue, X; Wu, J; Lin, T; Wan, D; Huang, F; Xie, X; Jiang, M. (2011). Low-temperature rapid synthesis of high-quality pristine or boron-doped graphene via Wurtz-type reductive coupling reaction. *J Mater Chem.* 21: 10685-10689. <http://dx.doi.org/10.1039/c1jm11184a>.
- Lugo, L; Garcia, J; Comunas, MJP; Fernandez, J. (2003). Phase equilibria and pVT predictions for alkyl carbonate plus n-alkane systems using equations of state. *Fluid Phase Equilibria.* 212: 111-128. [http://dx.doi.org/10.1016/S0378-3812\(03\)00274-7](http://dx.doi.org/10.1016/S0378-3812(03)00274-7).
- Lugo, L; Luna, V; Garcia, J; Lopez, ER; Comunas, MJP; Fernandez, J. (2004). Prediction of the pressure dependence on the thermodynamic properties of dialkyl carbonate plus alkane mixtures using Nitta-Chao model. *Fluid Phase Equilibria.* 217: 165-173. <http://dx.doi.org/10.1016/j.fluid.2002.12.001>.
- Luk, K, aF; Ko, K, amM; Ng, K, aM. (2008). Separation and purification of schisandrin B from *Fructus schisandrae*. *Ind Eng Chem Res.* 47: 4193-4201. <http://dx.doi.org/10.1021/ie071317b>.
- Lum, KH; Stevens, GW; Kentish, SE. (2012). The modelling of water and hydrochloric acid extraction by tri-n-butyl phosphate. *Chem Eng Sci.* 84: 21-30. <http://dx.doi.org/10.1016/j.ces.2012.07.036>.
- Luna-Moreno, D; Vázquez-Martínez, O; Báez-Ruiz, A; Ramírez, J; Díaz-Muñoz, M. (2007). Food restricted schedules promote differential lipoperoxidative activity in rat hepatic subcellular fractions. *Comp Biochem Physiol A Mol Integr Physiol.* 146: 632-643. <http://dx.doi.org/10.1016/j.cbpa.2006.02.039>.
- Luo, C; Chen, Z, he; Wu, D; Ma, L. (2014). Electrochemical reductive degradation of chlorobenzene using galvanically replaced Pd/Fe nanoscale particles. *Chem Eng J.* 241: 376-383. <http://dx.doi.org/10.1016/j.cej.2013.10.072>.
- Luo, J; Farrell, J. (2013). Understanding pH effects on trichloroethylene and perchloroethylene adsorption to iron in permeable reactive barriers for groundwater remediation. *Int J Environ Sci Tech.* 10: 77-84. <http://dx.doi.org/10.1007/s13762-012-0082-2>.
- Lussier, MG; Shull, JC; Miller, DJ. (1994). ACTIVATED CARBON FROM CHERRY STONES. *Carbon.* 32: 1493-1498.
- Luzinova, Y; Dobbs, GT; Sassen, R; Mizaikoff, B. (2009). Quantification of adamantane in organic media via infrared attenuated total reflection spectroscopy. *Organic Geochemistry.* 40: 1143-1150. <http://dx.doi.org/10.1016/j.orggeochem.2009.07.015>.

Fate Literature Search Results

Off Topic

- Lyngé, E; Anttila, A; Hemminki, K. (1997). Organic solvents and cancer [Review]. *Cancer Causes Control*. 8: 406-419. <http://dx.doi.org/10.1023/A:1018461406120>.
- Lysychnenko, G; Weber, R; Kovach, V; Gertsyuk, M; Watson, A; Krasnova, I. (2015). Threats to water resources from hexachlorobenzene waste at Kalush City (Ukraine)--a review of the risks and the remediation options. *Environ Sci Pollut Res Int*. 22: 14391-14404. <http://dx.doi.org/10.1007/s11356-015-5184-1>.
- Ma, HZ; O'Loughlin, EJ; Burriss, DR. (2001). Factors affecting humic-nickel complex mediated seduction of trichloroethene in homogeneous aqueous solution. *Environ Sci Technol*. 35: 717-724. <http://dx.doi.org/10.1021/es001314p>.
- Ma, J; Chen, H; Liu, D; Ji, N; Zong, G. (2013). Synthesis of polyacrylonitrile using AGET-ATRP in emulsion. *Mater Sci Eng C*. 33: 570-574. <http://dx.doi.org/10.1016/j.msec.2012.08.051>.
- Ma, J; Ding, J, ie; Zhang, L, i; Liu, C. (2014). Ursolic acid protects mouse liver against CCl4-induced oxidative stress and inflammation by the MAPK/NF-kappa B pathway. *Environ Toxicol Pharmacol*. 37: 975-983. <http://dx.doi.org/10.1016/j.etap.2014.03.011>.
- Ma, XD; Zheng, MH; Liu, WB; Qian, Y; Zhao, XR; Zhang, B. (2005). Synergic effect of calcium oxide and iron(III) oxide on the dechlorination of hexachlorobenzene. *Chemosphere*. 60: 796-801. <http://dx.doi.org/10.1016/j.chemosphere.2005.04.021>.
- Ma, Z; Kubota, J; Zaera, F. (2003). The influence of dissolved gases on the adsorption of cinchonidine from solution onto Pt surfaces: an in situ infrared study. *J Catal*. 219: 404-416. [http://dx.doi.org/10.1016/S0021-9517\(03\)00232-X](http://dx.doi.org/10.1016/S0021-9517(03)00232-X).
- Maa, JS; Oneill, JJ. (1983). REACTIVE ION ETCHING OF AL AND AL-SI FILMS WITH CCL4, N2, AND BCL3 MIXTURES. *Journal of Vacuum Science and Technology A*. 1: 636-637.
- Machocki, A; Denis, A. (2003). Evaluation of the possibilities of improving the selectivity and yield of ethylene in oxidative coupling of methane by the use of chloromethanes. *Przemysł Chemiczny*. 82: 624-626.
- Machocki, A; Jezior, R. (2008). Oxidative coupling of methane over a sodium-calcium oxide catalyst modified with chloride ions. *Chem Eng J*. 137: 643-652. <http://dx.doi.org/10.1016/j.cej.2007.05.038>.
- Macphail, RC; Berman, E; Elder, JA; Kavlock, RJ; Moser, VC; Narotsky, MG; Schlicht, M. (1995). A multidisciplinary approach to toxicological screening: IV Comparison of results. *J Toxicol Environ Health*. 45: 211-220. <http://dx.doi.org/10.1080/15287399509531989>.
- Madhu, P; Reddy, KP; Reddy, PS. (2015). Melatonin reduces oxidative stress and restores mitochondrial function in the liver of rats exposed to chemotherapeutics. *Journal of Experimental Zoology Part A: Ecological Genetics and Physiology (Online Edition)*. 323: 301-308. <http://dx.doi.org/10.1002/jez.1917>.
- Madhumitha, G; Saral, AM; Senthilkumar, B; Sivaraj, A. (2010). Hepatoprotective potential of petroleum ether leaf extract of *Crossandra infundibuliformis* on CCl4 induced liver toxicity in albino mice. *Asian Pacific Journal of Tropical Medicine*. 3: 788-790. [http://dx.doi.org/10.1016/S1995-7645\(10\)60188-5](http://dx.doi.org/10.1016/S1995-7645(10)60188-5).
- Madle, S; Dean, SW; Andrae, U; Brambilla, G; Burlinson, B; Doolittle, DJ; Furihata, C; Hertner, T; Mcqueen, CA; Mori, H. (1994). Recommendations for the performance of UDS tests in vitro and in vivo [Review]. *Mutat Res*. 312: 263-285. [http://dx.doi.org/10.1016/0165-1161\(94\)00013-1](http://dx.doi.org/10.1016/0165-1161(94)00013-1).
- Magazu, V; Migliardo, F; Vadala, M. (2005). Small-Angle Neutron Scattering and Photon Correlation Spectroscopy investigation on Buckminsterfullerene solutions. Fullerenes, Nanotubes, and Carbon Nanostructures. 13: 203-214. <http://dx.doi.org/10.1081/FST-200056181>.
- Maggiore, R; Toscano, G; Crisafulli, C; Spina, S; Giannetto, A. (1982). ACTIVE-SITES IN THE NORMAL-HEXANE ISOMERIZATION OVER PT/GAMMA-AL2O3 CATALYST CHLORINATED WITH CCL4. *Ann Chim*. 72: 597-609.
- Mahapatra, US; Roy, GS; Maharana, L. (2004). Dipole moment studies of H-bonded complexes of phenols and substituted phenols with benzaldehyde in tetrachloromethane. *Indian J Chem Tech*. 11: 811-815.
- Maheshwari, RC; Suri, SK; Tewari, US. (1979). EXCESS VOLUMES OF MIXING OF BINARY-MIXTURES OF ARSENIC TRIBROMIDE WITH BENZENE, CYCLOHEXANE, AND CARBON-TETRACHLORIDE AT 303.15, 308.15, AND 313.15-K. *Journal of Chemical and Engineering Data*. 24: 237-239.
- Mahmoud, KZ; Hijazi, AA. (2007). Effect of vitamin A and/or E on plasma enzymatic antioxidant systems and total antioxidant capacity of broiler chickens challenged with carbon tetrachloride. *J Anim Physiol Anim Nutr (Berl)*. 91: 333-340. <http://dx.doi.org/10.1111/j.1439-0396.2006.00659.x>.
- Maione, M; Giostra, U; Arduini, J; Furlani, F; Graziosi, F; Lo Vullo, E; Bonasoni, P. (2013). Ten years of continuous observations of stratospheric ozone depleting gases at Monte Cimone (Italy)--comments on the effectiveness of the Montreal Protocol from a regional perspective. *Sci Total Environ*. 445-446: 155-164. <http://dx.doi.org/10.1016/j.scitotenv.2012.12.056>.
- Maithreepala, RA; Doong, RA. (2004). Enhanced remediation of carbon tetrachloride by Fe(II)-Fe(III) systems in the presence of copper ions. *Water Sci Technol*. 50: 161-168.
- Maithreepala, RA; Doong, RA. (2004). Reductive dechlorination of carbon tetrachloride in aqueous solutions containing ferrous and copper ions. *Environ Sci Technol*. 38: 6676-6684. <http://dx.doi.org/10.1021/es0493906>.
- Maithreepala, RA; Doong, RA. (2004). Synergistic effect of copper ion on the reductive dechlorination of carbon tetrachloride by surface-bound Fe(II) associated with goethite. *Environ Sci Technol*. 38: 260-268. <http://dx.doi.org/10.1021/es034228k>.
- Maithreepala, RA; Doong, RA. (2005). Enhanced dechlorination of chlorinated methanes and ethenes by chloride green rust in the presence of copper(II). *Environ Sci Technol*. 39: 4082-4090. <http://dx.doi.org/10.1021/es048428b>.
- Maithreepala, RA; Doong, RA. (2008). Effect of biogenic iron species and copper ions on the reduction of carbon tetrachloride under iron-reducing conditions. *Chemosphere*. 70: 1405-1413. <http://dx.doi.org/10.1016/j.chemosphere.2007.09.021>.
- Maithreepala, RA; Doong, RA. (2009). Transformation of carbon tetrachloride by biogenic iron species in the presence of *Geobacter sulfurreducens* and electron shuttles. *J Hazard Mater*. 164: 337-344. <http://dx.doi.org/10.1016/j.jhazmat.2008.08.007>.

Fate Literature Search Results

Off Topic

- Maiti, K; Mukherjee, K; Murugan, V; Saha, BP; Mukherjee, PK. (2010). Enhancing bioavailability and hepatoprotective activity of andrographolide from *Andrographis paniculata*, a well-known medicinal food, through its herbosome. *J Sci Food Agric.* 90: 43-51. <http://dx.doi.org/10.1002/jsfa.3777>.
- Majdan, M; Tarasiuk, B; Gladysz-Plaska, A; Pikus, S. (2007). Adsorption of organic pollutants on organo-clays. *Przemysł Chemiczny.* 86: 126-131.
- Mak, FT; Zele, SR; Cooper, WJ; Kurucz, CN; Waite, TD; Nickelsen, MG. (1997). Kinetic modeling of carbon tetrachloride, chloroform and methylene chloride removal from aqueous solution using the electron beam process. *Water Res.* 31: 219-228. [http://dx.doi.org/10.1016/S0043-1354\(96\)00264-3](http://dx.doi.org/10.1016/S0043-1354(96)00264-3).
- Maken, S; Deshwal, BR; Chadha, R; Anu; Singh, KC; Kim, H; Park, JW. (2005). Topological and thermodynamic investigations of molecular interactions in binary mixtures: Molar excess volumes and molar excess enthalpies. *Fluid Phase Equilibria.* 235: 42-49. <http://dx.doi.org/10.1016/j.fluid.2005.06.011>.
- Makni, M; Chtourou, Y; Barkallah, M; Fetoui, H. (2012). Protective effect of vanillin against carbon tetrachloride (CCl₄)-induced oxidative brain injury in rats. *Toxicol Ind Health.* 28: 655-662. <http://dx.doi.org/10.1177/0748233711420472>.
- Makni, M; Chtourou, Y; Fetoui, H; Garoui, e; Barkallah, M; Marouani, C; Kallel, C; Zeghal, N. (2012). Erythrocyte oxidative damage in rat treated with CCl₄: protective role of vanillin. *Toxicol Ind Health.* 28: 908-916. <http://dx.doi.org/10.1177/0748233711427055>.
- Malik, MA; Malik, SA. (1999). Pulsed corona discharges and their applications in toxic VOCs abatement. *Chinese Journal of Chemical Engineering.* 7: 351-362.
- Malinowski, A; Lomot, D; Karpinski, Z. (1998). Hydrodechlorination of CH₂Cl₂ over Pd/gamma-Al₂O₃. Correlation with the hydrodechlorination of CCl₂F₂ (CFC-12). *Appl Catal B-Environ.* 19: L79-L86.
- Mallia, VA; Seo, HI, n; Weiss, RG. (2013). Influence of Anions and Alkyl Chain Lengths of N-Alkyl-n-(R)-12-Hydroxyoctadecyl Ammonium Salts on Their Hydrogels and Organogels. *Langmuir.* 29: 6476-6484. <http://dx.doi.org/10.1021/la400748q>.
- Malysheva, A; Kurenkov, E; Ryabinin, V; Grobovoy, S. (2005). Influence of human fetal liver extract on hepatocyte nuclearity in CCl₄-induced liver cirrhosis. *Int J Artif Organs.* 28: 931-931.
- Mamantov, G; Chen, GS; Xiao, HM; Yang, YH; Hondrogiannis, E. (1995). ELECTROCHEMICAL AND SPECTROSCOPIC STUDIES OF TUNGSTEN-SPECIES IN THE ALCL₃-NACL_{SAT} MELT. *J Electrochem Soc.* 142: 1758-1765.
- Mamontov, EV; Ivlev, DA. (2000). A hyperboloid mass spectrometer with a monopolar ion trap. *Instrum Exp Tech.* 43: 635-639.
- Manchanda, VK; Mohapatra, PK. (1994). 1-PHENYL-3-METHYL-4-BENZOYL-PYRAZOLONE-5 - A PROMISING EXTRACTANT FOR PLUTONIUM. *Separation Science and Technology.* 29: 1073-1086.
- Mane, GP; Dhawale, DS; Anand, C; Ariga, K; Ji, Q; Wahab, MA; Mori, T; Vinu, A. (2013). Selective sensing performance of mesoporous carbon nitride with a highly ordered porous structure prepared from 3-amino-1,2,4-triazine. 1: 2913-2920. <http://dx.doi.org/10.1039/c2ta01215d>.
- Mangipudy, RS; Chanda, S; Mehendale, HM. (1995). TISSUE-REPAIR RESPONSE AS A FUNCTION OF DOSE IN THIOACETAMIDE HEPATOTOXICITY. *Environ Health Perspect.* 103: 260-267.
- Mangipudy, RS; Rao, PS; Mehendale, HM. (1996). Effect of an antimetabolic agent colchicine on thioacetamide hepatotoxicity. *Environ Health Perspect.* 104: 744-749.
- Manibusan, MK; Odin, M; Eastmond, DA. (2007). Postulated carbon tetrachloride mode of action: a review. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev.* 25: 185-209.
- Manju, M; Akbarsha, MA; Oommen, OV. (2012). In vivo protective effect of dietary curcumin in fish *Anabas testudineus* (Bloch). *Fish Physiol Biochem.* 38: 309-318. <http://dx.doi.org/10.1007/s10695-011-9508-x>.
- Manju, M; Sherin, TG; Rajeesha, KN; Sreejith, P; Rajasekharan, KN; Oommen, OV. (2008). Curcumin and its derivatives prevent hepatocyte lipid peroxidation in *Anabas testudineus*. *J Fish Biol.* 73: 1701-1713. <http://dx.doi.org/10.1111/j.1095-8649.2008.02044.x>.
- Manno, M; Rezzadore, M; Grossi, M; Sbrana, C. (1996). Potentiation of occupational carbon tetrachloride toxicity by ethanol abuse. *Hum Exp Toxicol.* 15: 294-300. <http://dx.doi.org/10.1177/096032719601500404>.
- Mansdorf, SZ; Henry, N; Anderson, D; Strong, M; Rossi, D. (1997). The permeation of substituted chlorosilanes through selected protective clothing. *Am Ind Hyg Assoc J.* 58: 110-115.
- Mansouri, AI; Afzali, D; Ganjavi, F. (2014). Dispersive liquid-liquid microextraction of trace amounts of molybdenum prior to electro-thermal atomic absorption spectrometry determination. *Int J Environ Anal Chem.* 94: 247-254. <http://dx.doi.org/10.1080/03067319.2013.814124>.
- Manuel, J; Ahn, J, ouH; Kim, D, ulSun; Ahn, H, yoJun; Kim, K, iWon; Kim, J, aeK; Jacobsson, P, er. (2012). Synthesis and Electrochemical Properties of Polyaniline Nanofibers by Interfacial Polymerization. *J Nanosci Nanotechnol.* 12: 3534-3537. <http://dx.doi.org/10.1166/jnn.2012.5556>.
- Mao, E; Majerfeld, A. (1997). Growth of heavily C-doped GaAs/AlGaAs MQW structures by MOVPE for 2-3 mu m normal incidence photodetectors. *J Cryst Growth.* 170: 428-432.
- Mao, Z, hiBo; Luo, TL; Cui, T, ieB; Wang, Y, u; Liu, G, uoJi. (2010). Solubilities of 3-Pentadecylphenol in Ethanol, 1-Butanol, Toluene, Acetone, Tetrachloromethane, and Ethyl Acetate. *Journal of Chemical and Engineering Data.* 55: 543-546. <http://dx.doi.org/10.1021/je900346t>.
- Marchetti, A; Martignani, A; Tassi, L. (1998). Density and excess molar volumes of binary mixtures of 1,2-dichloroethane plus 2-chloroethanol from -10 to 80 degrees C. *Ann Chim.* 88: 495-507.
- Maron, DM; Ames, BN. (1983). Revised methods for salmonella mutagenicity test. *Mutat Res Environ Mutagen Relat Subj.* 113: 173-215. [http://dx.doi.org/10.1016/0165-1161\(83\)90010-9](http://dx.doi.org/10.1016/0165-1161(83)90010-9).
- Marongiu, B; Monaci, R; Porcedda, S. (1993). EXCESS GIBBS ENERGIES AND EXCESS-ENTHALPIES OF LIQUID BINARY-MIXTURES CONTAINING NITROALKANES. *Fluid Phase Equilibria.* 84: 281-296.

Fate Literature Search Results

Off Topic

- Marongiu, B; Piras, A; Porcedda, S; Tuveri, E. (2007). Excess enthalpies of chloroalkylbenzene plus alkylbenzene mixtures. *Journal of Chemical and Engineering Data*. 52: 1941-1945. <http://dx.doi.org/10.1021/je7002447>.
- Marongiu, B; Porcedda, S; Lepori, L; Matteoli, E. (1995). THE EFFECT OF THE MOLECULAR SHAPE ON THE ENTHALPIC BEHAVIOR OF LIQUID-MIXTURES - CYCLIC HYDROCARBONS IN HEPTANE AND TETRACHLOROMETHANE. *Fluid Phase Equilibria*. 108: 167-183.
- Marongiu, B; Porcedda, S; Marrocu, M; Falconieri, D; Piras, A. (2010). Calorimetric Study of Nitrile Group-Solvent Interactions and Comparison with Dispersive Quasi-Chemical (DISQUAC) Predictions. *Journal of Chemical and Engineering Data*. 55: 5406-5412. <http://dx.doi.org/10.1021/je100489z>.
- Marongiu, B; Porcedda, S; Pittau, B; Kehiaian, HV. (1994). THERMODYNAMICS OF BINARY-MIXTURES CONTAINING LINEAR OR CYCLIC ALKENES .2. MIXTURES WITH BENZENE OR TETRACHLOROMETHANE. *Fluid Phase Equilibria*. 99: 185-198.
- Marongiu, B; Pusceddu, E; Porcedda, S; Lepori, L; Matteoli, E. (2006). Thermodynamic study of 1,1,2,2-tetrachloroethane plus hydrocarbon mixtures I. Excess and solvation enthalpies. *Fluid Phase Equilibria*. 250: 105-115. <http://dx.doi.org/10.1016/j.fluid.2006.10.013>.
- Marsh, KN. (2015). Relative Permittivity and Apparent Dipole Moments of Nitromethane, Nitroethane, 1-Nitropropane, and 2-Nitropropane in Several Nonpolar Solvents. *Journal of Chemical and Engineering Data*. 60: 3523-3531. <http://dx.doi.org/10.1021/acs.jced.5b00369>.
- Martí, V; Jubany, I; Pérez, C; Rubio, X; De Pablo, J; Giménez, J. (2014). Human health risk assessment of a landfill based on volatile organic compounds emission, immission and soil gas concentration measurements. *Appl Geochem*. 49: 218-224. <http://dx.doi.org/10.1016/j.apgeochem.2014.06.018>.
- Martin, C; Dutertre-Catella, H; Radionoff, M; Debray, M; Benstaali, C; Rat, P; Thevenin, M; Touitou, Y; Warnet, JM. (2003). Effect of age and photoperiodic conditions on metabolism and oxidative stress related markers at different circadian stages in rat liver and kidney. *Life Sci*. 73: 327-335.
- Martin, P; Mendez, A. (1997). Mechanisms of gasoline deposit formation in engine induction systems. Characterization of product reaction between benzothiophene oxides and benzothiophenes. *Petroleum Science and Technology*. 15: 1-18.
- Martin, P; Mendez, A. (1997). Mechanisms of gasoline deposit formation in engine induction systems. Characterization of product reaction between benzothiophene oxides with olefins and aromatic compounds. *Petroleum Science and Technology*. 15: 409-427.
- Martin, P; Mendez, A. (1998). Mechanisms of gasoline deposit formation in engine induction systems. Characterization of product reaction between benzothiophene oxides and basic nitrogen and naphthenic compounds. *Petroleum Science and Technology*. 16: 611-626.
- Martin, TM; Gupta, RB; Roberts, CB. (2000). Measurements and modeling of cloud point behavior for poly(propylene glycol) in ethane and in ethane plus cosolvent mixtures at high pressure. *Ind Eng Chem Res*. 39: 185-194.
- Martinerie, P; Nourtier-Mazauric, E; Barnola, JM; Sturges, WT; Worton, DR; Atlas, E; Gohar, LK; Shine, KP; Brasseur, GP. (2009). Long-lived halocarbon trends and budgets from atmospheric chemistry modelling constrained with measurements in polar firm. *Atmos Chem Phys*. 9: 3911-3934.
- Martínez, A; Urios, A; Blanco, M. (2000). Mutagenicity of 80 chemicals in Escherichia coli tester strains IC203, deficient in OxyR, and its oxyR(+) parent WP2 uvrA/pKM101: detection of 31 oxidative mutagens. *Mutat Res*. 467: 41-53. [http://dx.doi.org/10.1016/S1383-5718\(00\)00020-6](http://dx.doi.org/10.1016/S1383-5718(00)00020-6).
- Martinez, E; Llobet, I; Lacorte, S; Viana, P; Barcelo, D. (2002). Patterns and levels of halogenated volatile compounds in Portuguese surface waters. *J Environ Monit*. 4: 253-257. <http://dx.doi.org/10.1039/b109623k>.
- Martins, J; Soares, ML; Saker, ML; Olivates, L; Vasconcelos, VM. (2007). Phototactic behavior in Daphnia magna Straus as an indicator of toxicants in the aquatic environment. *Ecotoxicol Environ Saf*. 67: 417-422. <http://dx.doi.org/10.1016/j.ecoenv.2006.11.00>.
- Martins, JC; Saker, ML; Teles, LF; Vasconcelos, VM. (2007). Oxygen consumption by Daphnia magna Straus as a marker of chemical stress in the aquatic environment. *Environ Toxicol Chem*. 26: 1987-1991. <http://dx.doi.org/10.1897/07-051R>.
- Martucci, A; Brusatin, G; Guglielmi, M; Strohhofer, C; Fick, J; Pelli, S; Righini, GC. (1998). Fabrication and characterization of sol-gel GeO₂-SiO₂ erbium-doped planar waveguides. *Journal of Sol-Gel Science and Technology*. 13: 535-539.
- Martyanov, IN; Klabunde, KJ. (2004). Decomposition of CCl₃F over vanadium oxides and [MgVxOy]MgO shell/core-like particles. *J Catal*. 224: 340-346. <http://dx.doi.org/10.1016/j.jcat.2004.02.026>.
- Matejec, V; Hayer, M; Pospisilova, M; Kasik, I. (1997). Preparation of optical cores of silica optical fibers by the sol-gel method. *Journal of Sol-Gel Science and Technology*. 8: 889-893.
- Matheson, LJ; Tratnyek, PG. (1994). Reductive dehalogenation of chlorinated methanes by iron metal. *Environ Sci Technol*. 28: 2045-2053.
- Mathew, A; Ravi, J; Madhusoodanan, KN; Nair, KPR; Rasheed, TMA. (2004). Thermal diffusivity measurements of semiconducting amorphous GexSe100-x thin films by photothermal deflection technique. *Appl Surf Sci*. 227: 410-415. <http://dx.doi.org/10.1016/j.apsusc.2003.12.020>.
- Mato, FA; Berro, C; Peneloux, A. (1991). EXCESS GIBBS ENERGIES AND EXCESS VOLUMES OF METHYL TERT-BUTYL ETHER (MTBE) + DICHLOROMETHANE, + CHLOROFORM, OR + TETRACHLOROMETHANE. *Journal of Chemical and Engineering Data*. 36: 259-262.
- Matouq, M; Koda, S; Maricela, T; Omar, A; Tagawa, T. (2009). Solvent Extraction of Bitumen from Jordan Oil Shale Assisted by Low Frequency Ultrasound. *J Jpn Petrol Inst*. 52: 265-269.
- Matsuda, S; Kokado, H; Inoue, E. (1971). PHOTOCURRENT IN SYSTEM OF CCL₄ AND HYDROGEN DONOR VIA PHOTOLYSIS OF CCL₄. 92: 47-&.
- Matsuo, T; Miyake, K. (1995). SIMPLE METHOD FOR FE⁺ ION PRODUCTION IN A MICROWAVE ION-SOURCE. *Journal of Vacuum Science and Technology A*. 13: 2138-2141.
- Matsuura, H; Tsukihashi, F. (2006). Chlorination kinetics of ZnO with Ar-Cl-2-O-2 gas and the effect of oxychloride formation. *Metallurgical and Materials Transactions B - Process Metallurgy and Materials Processing Science*. 37: 413-420.
- Matteoli, E; Lepori, L. (1988). ISOTHERMAL LIQUID VAPOR EQUILIBRIA OF MIXTURES CONTAINING ORGANIC-COMPOUNDS .2. EXCESS GIBBS FREE-ENERGIES OF A HYDROCARBON OR TETRACHLOROMETHANE + A CYCLIC KETONE AT 298.15 K. *Journal of Chemical and Engineering Data*. 33: 247-250.

Fate Literature Search Results

Off Topic

- Matteoli, E; Lepori, L. (2000). Determination of the excess enthalpy of binary mixtures from the measurements of the heat of solution of the components: application to the perfluorohexane plus hexane mixture. *Fluid Phase Equilibria*. 174: 115-131.
- Matteoli, E; Lepori, L; Spanedda, A. (2003). Thermodynamic study of heptane plus amine mixtures - I. Excess and solvation enthalpies at 298.15 K. *Fluid Phase Equilibria*. 212: 41-52. [http://dx.doi.org/10.1016/S0378-3812\(03\)00260-7](http://dx.doi.org/10.1016/S0378-3812(03)00260-7).
- Matubayasi, N; Matsumoto, R; Motomura, K. (1990). PHASE-EQUILIBRIA IN A MIXED ADSORBED FILM OF OCTADECANOL AND CHOLESTEROL AT CARBON-TETRACHLORIDE WATER INTERFACE. *Langmuir*. 6: 822-825.
- Matubayasi, N; Matsunaga, R; Motomura, K. (1989). INTERACTION OF CHOLESTEROL AND OCTADECANOL IN A MIXED ADSORBED FILM AT CARBON-TETRACHLORIDE WATER INTERFACE - CRITICISM ABOUT THE CONDENSING EFFECT OF CHOLESTEROL. *Langmuir*. 5: 1048-1051.
- Maurya, P; Mohan, L; Sharma, P; Srivastava, CN. (2008). Larval susceptibility of *Aloe barbadensis* and *Cannabis sativa* against *Culex quinquefasciatus*, the filariasis vector. *J Environ Biol*. 29: 941-943.
- Mavani, SI; Mehta, NM; Parsania, PH. (2007). Synthesis and physico-chemical study of polyester polyol of epoxy resin of 1,1'-bis (3-methyl-4-hydroxy phenyl) cyclohexane and ricinoleic acid and its polyurethanes with polyethylene glycol. *Journal of Sci Ind Res*. 66: 377-384.
- Mavlyutov, AA; Mis'kevich, AI; Zhao, XL. (2001). Estimation of the lasing threshold for excimer media under nuclear pumping. *Instrum Exp Tech*. 44: 387-391.
- Mayotte, TJ; Dybas, MJ; Criddle, CS. (1996). Bench-scale evaluation of bioaugmentation to remediate carbon tetrachloride-contaminated aquifer materials. *Ground Water*. 34: 358-367.
- Mccann, J; Choi, E; Yamasaki, E; Ames, BN. (1975). Detection of carcinogens as mutagens in the Salmonella/microsome test: Assay of 300 chemicals. *Proc Natl Acad Sci USA*. 72: 5135-5139. <http://dx.doi.org/10.1073/pnas.72.12.5135>.
- Mccarthy, MC; Hafner, HR; Montzka, SA. (2006). Background concentrations of 18 air toxics for North America. *J Air Waste Manag Assoc*. 56: 3-11.
- Mccarthy, MC; O'Brien, TE; Charrier, JG; Hafner, HR. (2009). Characterization of the chronic risk and hazard of hazardous air pollutants in the United States using ambient monitoring data. *Environ Health Perspect*. 117: 790-796. <http://dx.doi.org/10.1289/ehp.11861>.
- Mccarty, PL. (2000). Novel biological removal of hazardous chemicals at trace levels. *Water Sci Technol*. 42: 49-60.
- Mccormick, ML; Adriaens, P. (2004). Carbon tetrachloride transformation on the surface of nanoscale biogenic magnetite particles. *Environ Sci Technol*. 38: 1045-1053. <http://dx.doi.org/10.1021/es030487m>.
- Mccormick, ML; Bouwer, EJ; Adriaens, P. (2002). Carbon tetrachloride transformation in a model iron-reducing culture: relative kinetics of biotic and abiotic reactions. *Environ Sci Technol*. 36: 403-410. <http://dx.doi.org/10.1021/es010923+>.
- Mcduffie, HH; Pahwa, P; Mclaughlin, J. R.; Spinelli, JJ; Fincham, S; Dosman, JA; Robson, D; Skinnider, LF; Choi, NW. (2001). Non-Hodgkin's lymphoma and specific pesticide exposures in men: Cross-Canada study of pesticides and health. *Cancer Epidemiol Biomarkers Prev*. 10: 1155-1163.
- Mcfearin, CL; Beaman, DK; Moore, FG; Richmond, GL. (2009). From Franklin to Today: Toward a Molecular Level Understanding of Bonding and Adsorption at the Oil-Water Interface. *J Phys Chem C*. 113: 1171-1188. <http://dx.doi.org/10.1021/jp808212m>.
- Mcfearin, CL; Richmond, GL. (2009). The Role of Interfacial Molecular Structure in the Adsorption of Ions at the Liquid-Liquid Interface. *J Phys Chem C*. 113: 21162-21168. <http://dx.doi.org/10.1021/jp906616c>.
- Mckenna, EA. (1998). Hormesis: considerations and implications for human health risk assessment. *Int J Environ Pollut*. 9: 90-107.
- Mclean, AJ; Le Couteur, DG. (2004). Aging biology and geriatric clinical pharmacology [Review]. *Pharmacol Rev*. 56: 163-184. <http://dx.doi.org/10.1124/pr.56.2.4>.
- Mcnab, WW; Ruiz, R. (1998). Palladium-catalyzed reductive dehalogenation of dissolved chlorinated aliphatics using electrolytically-generated hydrogen. *Chemosphere*. 37: 925-936.
- Medvedev, OO; Shapiro, AA. (2004). Modeling diffusion coefficients in binary mixtures. *Fluid Phase Equilibria*. 225: 13-22. <http://dx.doi.org/10.1016/j.fluid.2004.06.060>.
- Medvedev, OO; Shapiro, AA. (2005). Modeling diffusion coefficients in binary mixtures of polar and non-polar compounds. *Fluid Phase Equilibria*. 236: 111-124. <http://dx.doi.org/10.1016/j.fluid.2005.04.023>.
- Mehendale, HM. (1991). Commentary: role of hepatocellular regeneration and hepatolobular healing in the final outcome of liver injury. A two-stage model of toxicity [Review]. *Biochem Pharmacol*. 42: 1155-1162. [http://dx.doi.org/10.1016/0006-2952\(91\)90249-5](http://dx.doi.org/10.1016/0006-2952(91)90249-5).
- Mehendale, HM. (1992). Biochemical Mechanisms of Biphasic Dose-Response Relationships Role of Hormesis. In *Ej Calabrese (Ed.)*, (pp. 59-94): Lewis Publishers, Inc.
- Mehendale, HM. (1994). Amplified interactive toxicity of chemicals at nontoxic levels: mechanistic considerations and implications to public health. *Environ Health Perspect*. 102: 139-149.
- Mekhalif, Z; Laffineur, F; Couturier, N; Delhalle, J. (2003). Elaboration of self-assembled monolayers of n-alkanethiols on nickel polycrystalline substrates: time, concentration, and solvent effects. *Langmuir*. 19: 637-645. <http://dx.doi.org/10.1021/la020332c>.
- Melnikov, SP; Porkhaev, VV. (1995). LASING ON IR ATOMIC CHLORINE TRANSITIONS UNDER PUMPING OF GAS-MIXTURES BY URANIUM FISSION FRAGMENTS. *Kvantovaya Elektronika (Moscow)*. 22: 891-894.
- Memon, FN; Memon, S; Minhas, FT. (2016). Calix[4]arene-mediated uphill transport of methyl red through bulk liquid membrane: kinetics of operational variables. *Desalination and Water Treatment*. 57: 8358-8371. <http://dx.doi.org/10.1080/19443994.2015.1021842>.
- Menegazzi, M; Carcereri-De Prati, A; Suzuki, H; Shinozuka, H; Pibiri, M; Piga, R; Columbano, A; Ledda-Columbano, GM. (1997). Liver cell proliferation induced by nafenopin and cyproterone acetate is not associated with increases in activation of transcription factors NF-kappaB and AP-1 or with expression of tumor necrosis factor alpha. *Hepatology*. 25: 585-592. <http://dx.doi.org/10.1002/hep.510250316>.

Fate Literature Search Results

Off Topic

- Mentzen, BF. (1992). STRUCTURAL CORRELATIONS BETWEEN THE FRAMEWORK SYMMETRY OF HIGHLY SILICEOUS MFI ZEOLITIC MATERIALS (SILICALITE, ZSM-5 FOR SI/AL-GREATER-THAN-75) AND THE LOCATION OR THE GEOMETRY OF SORBED MOLECULES. *Materials Research Bulletin*. 27: 831-838.
- Merkureva, RV; Aulika, BV; Shaternikova, IS; Konstantinova, IN; Dolinskaya, SI; Bushinskaya, LI; Nekrasova, GI; Koganova, ZI. (1980). THE INFLUENCE OF TETRACHLOROMETHANE ON SUBCELLULAR STRUCTURES OF RAT HEPATOCYTE LYSOSOMAL AND CYTOPLASMIC ENZYMES OF THE LIVER, LUNGS AND BLOOD-SERUM OF RATS DURING CONTINUOUS AND INTERMITTENT ACTION OF TETRACHLOROMETHANE. *J Hyg Epidemiol Microbiol Immunol*. 24: 121-132.
- Merkureva, RV; Bonashevskaya, TI; Shaternikova, IS; Belyayeva, NN; Bushinskaya, LI; Bulochnikova, EK; Nekrasova, GI. (1979). COMPARATIVE BIOCHEMICAL AND MORPHOLOGICAL INVESTIGATION OF THE LIVER OF EXPERIMENTAL-ANIMALS IN THE PROCESS OF HEPATOTROPIC EFFECT OF ATMOSPHERIC-POLLUTION (ON THE MODEL OF CARBON-TETRACHLORIDE). *J Hyg Epidemiol Microbiol Immunol*. 23: 368-&.
- Merouani, S; Hamdaoui, O; Saoudi, F; Chiha, M. (2010). Sonochemical degradation of Rhodamine B in aqueous phase: Effects of additives. *Chem Eng J*. 158: 550-557. <http://dx.doi.org/10.1016/j.cej.2010.01.048>.
- Meyer, EF; Feil, J. (1994). THERMODYNAMICS OF ADSORPTION OF C(CH₃)₄-NCLN (N=0-4) ON STERLING FT GRAPHITE AT ZERO COVERAGE USING GAS-SOLID CHROMATOGRAPHY. *Langmuir*. 10: 2399-2402.
- Meyer, EF; Mulvihill, G; Feil, J. (1993). PHYSICAL ADSORPTION OF NEOPENTANE ON STERLING FT GRAPHITE. *Langmuir*. 9: 3239-3244.
- Meyer, RJ; Reeves, CT; Safarik, DJ; Allen, DT; Mullins, CB. (2001). Comparison of phosgene formation from adsorption of carbon tetrachloride on oxygen modified Ir(111) and oxygen modified Ir(110). *Journal of Vacuum Science and Technology A*. 19: 1524-1530.
- Meyers, CY. (1975). CCL₄-KOH AS REAGENT - NEW POSSIBILITY FOR INDUSTRIAL ORGANIC SYNTHESIS - REACTIONS OF SULFONES. 28: 249-249.
- Miao, Z; Gu, X; Lu, S; Brusseau, ML; Yan, N; Qiu, Z; Sui, Q. (2015). Enhancement effects of reducing agents on the degradation of tetrachloroethene in the Fe(II)/Fe(III) catalyzed percarbonate system. *J Hazard Mater*. 300: 530-537. <http://dx.doi.org/10.1016/j.jhazmat.2015.07.047>.
- Miao, Z; Gu, X; Lu, S; Brusseau, ML; Zhang, X; Fu, X; Danish, M; Qiu, Z; Sui, Q. (2015). Enhancement effects of chelating agents on the degradation of tetrachloroethene in Fe(III) catalyzed percarbonate system. *Chem Eng J*. 281: 286-294. <http://dx.doi.org/10.1016/j.cej.2015.06.076>.
- Miao, Z; Gu, X; Lu, S; Dionysiou, DD; Al-Abed, SR; Zang, X; Wu, X; Qiu, Z; Sui, Q; Danish, M. (2015). Mechanism of PCE oxidation by percarbonate in a chelated Fe(II)-based catalyzed system. *Chem Eng J*. 275: 53-62. <http://dx.doi.org/10.1016/j.cej.2015.04.014>.
- Miao, Z; Gu, X; Lu, S; Zang, X; Wu, X; Xu, M; Ndong, LB; Qiu, Z; Sui, Q; Fu, GY. (2015). Perchloroethylene (PCE) oxidation by percarbonate in Fe(2+)-catalyzed aqueous solution: PCE performance and its removal mechanism. *Chemosphere*. 119: 1120-1125. <http://dx.doi.org/10.1016/j.chemosphere.2014.09.065>.
- Michael, JV; Kumaran, SS. (1998). Thermal decomposition studies of halogenated organic compounds. *Combust Sci Tech*. 134: 31-44.
- Michalski, A; Metlitz, MN; Whitman, IL. (1995). A FIELD-STUDY OF ENHANCED RECOVERY OF DNAPL POOLED BELOW THE WATER-TABLE. *Ground Water Monitoring and Remediation*. 15: 90-100.
- Michorczyk, B; Ogonowski, J, an; Michorczyk, P. (2015). Oxidative coupling of methane in the presence of various gaseous additives. *Przemysl Chemiczny*. 94: 572-576.
- Miehr, R; Tratnyek, PG; Bandstra, JZ; Scherer, MM; Alowitz, MJ; Bylaska, EJ. (2004). Diversity of contaminant reduction reactions by zerovalent iron: Role of the reductate. *Environ Sci Technol*. 38: 139-147. <http://dx.doi.org/10.1021/es034237h>.
- Mielczarski, JA; Atenas, GM; Mielczarski, E. (2005). Role of iron surface oxidation layers in decomposition of azo-dye water pollutants in weak acidic solutions. *Appl Catal B-Environ*. 56: 289-303. <http://dx.doi.org/10.1016/j.apcatb.2004.09.017>.
- Mihailovic, V; Mistic, D; Matic, S; Mihailovic, M; Stanic, S; Vrvic, MM; Katanic, J; Mladenovic, M; Stankovic, N; Boroja, T; Stankovic, MS. (2015). Comparative phytochemical analysis of *Gentiana cruciata* L. roots and aerial parts, and their biological activities. *Ind Crop Prod*. 73: 49-62. <http://dx.doi.org/10.1016/j.indcrop.2015.04.013>.
- Mijajlova-Nacheva, P; Canul-Chuil, A. (2006). Anaerobic biodegradation of chlorinated aliphatic compounds using packed bed reactors. *Water Sci Technol*. 54: 193-200. <http://dx.doi.org/10.2166/wst.2006.878>.
- Milchert, E; Goc, W; Pelech, R. (2000). Adsorption of CCl₄ from aqueous solution on activated carbons. *AST*. 18: 823-837.
- Milczewska, K; Voelkel, A. (2003). The magnitude of polymer-filler interactions as evaluated by inverse gas chromatography. *Przemysl Chemiczny*. 82: 924-926.
- Millano, EF. (1999). Storage, disposal, remediation, and closure. *Water Environ Res*. 71: 885-916.
- Millar, GJ; Lewis, AR; Bowmaker, GA; Cooney, RP. (1993). RAMAN-SPECTROSCOPIC STUDY OF THE FORMATION OF POLYACETYLENE WITHIN ZEOLITE CHANNELS. *J Mater Chem*. 3: 867-872.
- Miller, GP. (1995). THE STRUCTURE OF A STOICHIOMETRIC CCL₄-CH₄-AIR FLAT FLAME. *Combust Flame*. 101: 101-112.
- Miller, JW; Angui, KTP. (1991). INDIRECT DETERMINATION OF BROMIDE AT TRACE LEVELS IN SOIL EXTRACTS. *Soil Sci Soc Am J*. 55: 384-388.
- Minami, W; Kim, H, eeJ. (2006). Decomposition of halocarbons using TiO₂ photocatalyst. *Kagaku Kogaku Ronbunshu*. 32: 310-313.
- Mink, G; Bertoti, I; Pap, IS; Mohai, M; Szekely, T; Duc, TM. (1987). ON THE ROLE OF POTASSIUM ADDITIVES IN THE CHLORINATION OF TiO₂ BY CCL₄ AND COCL₂. *Vacuum*. 37: 133-135.
- Miranda, B; Diaz, E; Ordenez, S; Vega, A; Diez, FV. (2006). Performance of alumina-supported noble metal catalysts for the combustion of trichloroethene at dry and wet conditions. *Appl Catal B-Environ*. 64: 262-271. <http://dx.doi.org/10.1016/j.apcatb.2005.12.008>.
- Mirsalis, JC. (1987). In vivo measurement of unscheduled DNA synthesis and S-phase synthesis as an indicator of hepatocarcinogenesis in rodents. *Cell Biol Toxicol*. 3: 165-173.
- Mirsalis, JC; Monforte, JA; Winegar, RA. (1994). Transgenic animal models for measuring mutations in vivo [Review]. *Crit Rev Toxicol*. 24: 255-280. <http://dx.doi.org/10.3109/10408449409021608>.

Fate Literature Search Results

Off Topic

- Mirzaei Aliabadi, M; Naderi, G; Shahtaheri, SJ; Forushani, AR; Mohammadfam, I; Jahangiri, M. (2014). Transport properties of carboxylated nitrile butadiene rubber (XNBR)-nanoclay composites; a promising material for protective gloves in occupational exposures. 12: 51. <http://dx.doi.org/10.1186/2052-336X-12-51>.
- Misawa, M. (1992). ORIENTATIONAL CORRELATION IN MOLECULAR LIQUIDS ESTIMATED FROM EXPERIMENTAL STRUCTURE FACTORS. *Journal of Non-Crystalline Solids*. 150: 58-64.
- Mishima, K; Watanabe, H; Kaneko, S; Ogihara, T. (2003). Membrane disordering induced by chloroform and carbon tetrachloride. *Colloids Surf B Biointerfaces*. 28: 307-312.
- Mishra, D; Deepa, S; Sharma, U. (1999). Carrier-mediated transport of some main group metal ions across various organic liquid membranes. *Separation Science and Technology*. 34: 3113-3124.
- Mishra, D; Liao, Z; Farrell, J. (2008). Understanding Reductive Dechlorination of Trichloroethene on Boron-Doped Diamond Film Electrodes. *Environ Sci Technol*. 42: 9344-9349. <http://dx.doi.org/10.1021/es801815z>.
- Mishra, D; Sharma, U. (1996). Influence of halocarbon solvents on carrier mediated cation transport through bulk liquid membranes. *Indian J Chem Tech*. 3: 245-249.
- Mishra, KP; Gogate, PR. (2010). Intensification of degradation of Rhodamine B using hydrodynamic cavitation in the presence of additives. *Separation and Purification Technology*. 75: 385-391. <http://dx.doi.org/10.1016/j.seppur.2010.09.008>.
- Mishra, KP; Gogate, PR. (2011). Intensification of degradation of aqueous solutions of rhodamine B using sonochemical reactors at operating capacity of 7 L. *J Environ Manage*. 92: 1972-1977. <http://dx.doi.org/10.1016/j.jenvman.2011.03.046>.
- Mishra, KP; Gogate, PR. (2012). Ultrasonic Degradation of p-Nitrophenol in the Presence of Additives at Pilot Scale Capacity. *Ind Eng Chem Res*. 51: 1166-1172. <http://dx.doi.org/10.1021/ie2023806>.
- Mis'kevich, AI; Guo, J; Dyuzhov, Y, uA. (2013). Spontaneous and induced emission of XeCl* excimer molecules under pumping of Xe-CCl₄ and Ar-Xe-CCl₄ gas mixtures with a low CCl₄ content by fast electrons and uranium fission fragments. *Quantum Electronics*. 43: 1003-1008. <http://dx.doi.org/10.1070/QE2013v043n11ABEH015134>.
- Mis'kevich, AI; Jinbo, G. (2013). Luminescence characteristics of Xe₂Cl excimer molecules under pumping the dense Xe-CCl₄ gas mixtures with a pulsed electron beam. *Quantum Electronics*. 43: 489-495. <http://dx.doi.org/10.1070/QE2013v043n05ABEH015022>.
- Mistry, S; Dutt, KR; Jena, J. (2013). Protective effect of *Sida cordata* leaf extract against CCl₄ induced acute liver toxicity in rats. *Asian Pacific Journal of Tropical Medicine*. 6: 280-284. [http://dx.doi.org/10.1016/S1995-7645\(13\)60057-7](http://dx.doi.org/10.1016/S1995-7645(13)60057-7).
- Mitchell, SM; Ahmad, M; Teel, A, mYL; Watts, RJ. (2014). Degradation of Perfluorooctanoic Acid by Reactive Species Generated through Catalyzed H₂O₂ Propagation Reactions. *Environ Sci Technol Lett*. 1: 117-121. <http://dx.doi.org/10.1021/ez4000862>.
- Mitropoulos, AC; Stefanopoulos, KL; Kanellopoulos, NK. (1998). Coal studies by small angle X-ray scattering. *Microporous and Mesoporous Materials*. 24: 29-39.
- Miyata, T; Minami, T; Shimokawa, K; Kakumu, T; Ishii, M. (1997). New materials consisting of multicomponent oxides for thin-film gas sensors. *J Electrochem Soc*. 144: 2432-2436.
- Moffat, JB; Sugiyama, S; Hayashi, H. (1997). The effects of the introduction of tetrachloromethane into the feedstream for the partial oxidation and oxidative coupling of methane. *Catalysis Today*. 37: 15-23.
- Moggridge, GD. (2012). Prediction of the mutual diffusivity in binary liquid mixtures containing one dimerising species, from the tracer diffusion coefficients. *Chem Eng Sci*. 76: 199-205. <http://dx.doi.org/10.1016/j.ces.2012.04.014>.
- Moggridge, GD. (2012). Prediction of the mutual diffusivity in binary non-ideal liquid mixtures from the tracer diffusion coefficients. *Chem Eng Sci*. 71: 226-238. <http://dx.doi.org/10.1016/j.ces.2011.12.016>.
- Mohamed, MR; Emam, MA; Hassan, NS; Mogadem, AI. (2014). Umbelliferone and daphnetin ameliorate carbon tetrachloride-induced hepatotoxicity in rats via nuclear factor erythroid 2-related factor 2-mediated heme oxygenase-1 expression. *Environ Toxicol Pharmacol*. 38: 531-541. <http://dx.doi.org/10.1016/j.etap.2014.08.004>.
- Mohamed-Zine, MB; Hamouche, A; Krim, L. (2013). The study of potable water treatment process in Algeria (boudouaou station) -by the application of life cycle assessment (LCA). 11: 37. <http://dx.doi.org/10.1186/2052-336X-11-37>.
- Mohammed, RR; Ibrahim, IAR; Taha, AH; Mckay, G. (2013). Waste lubricating oil treatment by extraction and adsorption. *Chem Eng J*. 220: 343-351. <http://dx.doi.org/10.1016/j.cej.2012.12.076>.
- Mohanty, B; Verma, AK; Claesson, P; Bohidar, HB. (2007). Physical and anti-microbial characteristics of carbon nanoparticles prepared from lamp soot. *Nanotechnology*. 18. <http://dx.doi.org/10.1088/0957-4484/18/44/445102>.
- Mohapatra, D; Chaudhury, GR, oy; Park, KH, o. (2008). Recovery of boron from wastewater using 2,2,4-trimethyl-1,3-pentanediol in carbon tetrachloride. *Indian J Chem Tech*. 15: 483-487.
- Mohapatra, D; Chaudhury, GR; Park, KH. (2008). Solvent extraction approach to recover boron from wastewater generated by the LCD manufacturing industry: Part 1. *Minerals and Metallurgical Processing*. 25: 175-180.
- Mohapatra, D; Park, KH. (2008). Solvent extraction of Al(III) from sulfate solutions using bis (2,4,4-trimethylpentyl) phosphinic acid - mechanism and complexation. *Minerals and Metallurgical Processing*. 25: 73-78.
- Mohseni, M. (2005). Gas phase trichloroethylene (TCE) photooxidation and byproduct formation: Photolysis vs. titania/silica based photocatalysis. *Chemosphere*. 59: 335-342. <http://dx.doi.org/10.1016/j.chemosphere.2004.10.054>.
- Mojovic, Z; Jovic-Jovicic, N; Bankovic, P; Zunic, M; Abu Rabi-Stankovic, A; Milutinovic-Nikolic, A; Jovanovic, D. (2011). Electrooxidation of phenol on different organo bentonite-based electrodes. *Appl Clay Sci*. 53: 331-335. <http://dx.doi.org/10.1016/j.clay.2010.12.008>.
- Molina, CB; Calvo, L; Gilarranz, MA; Casas, JA; Rodriguez, JJ. (2009). Hydrodechlorination of 4-chlorophenol in aqueous phase with Pt-Al pillared clays using formic acid as hydrogen source. *Appl Clay Sci*. 45: 206-212. <http://dx.doi.org/10.1016/j.clay.2009.06.006>.
- Molina, MD; Rowland, FS. (1974). Predicted present stratospheric abundances of chlorine species from photodissociation of carbon tetrachloride. *Geophys Res Lett*. 1: 309-312.

Fate Literature Search Results

Off Topic

- Molina, PG; Silber, JJ; Correa, NM; Sereno, L. (2007). Electrochemistry in AOT reverse micelles. A powerful technique to characterize organized media. *J Phys Chem C*. 111: 4269-4276. <http://dx.doi.org/10.1021/jp067145y>.
- Molina-Sabio, M; Nakagawa, Y; Rodriguez-Reinoso, F. (2008). Possible errors in microporosity in chemically activated carbon deduced from immersion calorimetry. *Carbon*. 46: 329-334. <http://dx.doi.org/10.1016/j.carbon.2007.11.046>.
- Molnar, M; Szekely, E; Simandi, B; Keszei, S; Lovasz, J; Fogassy, E. (2006). Enantio separation of ibuprofen by supercritical fluid extraction. *Journal of Supercritical Fluids*. 37: 384-389. <http://dx.doi.org/10.1016/j.supflu.2005.10.009>.
- Monahan, MJ; Teel, AL; Watts, RJ. (2005). Displacement of five metals sorbed on kaolinite during treatment with modified Fenton's reagent. *Water Res*. 39: 2955-2963. <http://dx.doi.org/10.1016/j.watres.2005.04.064>.
- Monajjemi, M; Azan, MJ; Mollaamin, F. (2013). Density Functional Theory Study on B30N20 Nanocage in Structural Properties and Thermochemical Outlook. *Fullerenes, Nanotubes, and Carbon Nanostructures*. 21: 503-515. <http://dx.doi.org/10.1080/1536383X.2011.629762>.
- Mondal, A; Maity, TK; Pal, D; Sannigrahi, S; Singh, J. (2011). Isolation and in vivo hepatoprotective activity of *Melothria heterophylla* (Lour.) Cogn. against chemically induced liver injuries in rats. *Asian Pacific Journal of Tropical Medicine*. 4: 619-623. [http://dx.doi.org/10.1016/S1995-7645\(11\)60159-4](http://dx.doi.org/10.1016/S1995-7645(11)60159-4).
- Mondal, P; Bhowmick, S; Jullok, N; Ye, W; Van Renterghem, W; Van Den Berghe, S; Van Der Bruggen, B. (2014). Behavior of As(V) with ZVI-H₂O System and the Reduction to As(0). *J Phys Chem C*. 118: 21614-21621. <http://dx.doi.org/10.1021/jp505174k>.
- Montes-Moran, MA; Martinez-Alonso, A; Tascon, JMD. (2002). Adsorption of polar probe molecules on plasma-oxidised high-strength carbon fibres. *Fuel Process Tech*. 77: 359-364.
- Moody, DE; Lory, DN; Hammock, BD; Ruebner, BH; Cullen, JM; Hillman, JH; Hillman, DW; Rao, MS; London, WT; Hann, HWL; Millman, I; Griffin, MJ. (1992). SERUM EPOXIDE HYDROLASE (PRENEOPLASTIC ANTIGEN) IN HUMAN AND EXPERIMENTAL LIVER-INJURY. *Cancer Epidemiol Biomarkers Prev*. 1: 395-403.
- Moore, AM; De Leon, CH; Young, TM. (2003). Rate and extent of aqueous perchlorate removal by iron surfaces. *Environ Sci Technol*. 37: 3189-3198. <http://dx.doi.org/10.1021/es026007t>.
- Moore, FL; Elkins, JW; Ray, EA; Dutton, GS; Dunn, RE; Fahey, DW; McLaughlin, RJ; Thompson, TL; Romashkin, PA; Hurst, DF; Wamsley, PR. (2003). Balloonborne in situ gas chromatograph for measurements in the troposphere and stratosphere. *J Geophys Res Atmos*. 108. <http://dx.doi.org/10.1029/2001JD000891>.
- Moore, K; Forsberg, B; Baer, DR; Arnold, WA; Penns, R. (2011). Zero-Valent Iron: Impact of Anions Present during Synthesis on Subsequent Nanoparticle Reactivity. *J Environ Eng*. 137: 889-896. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000407](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000407).
- Moradi, SE. (2013). Naphthalene Removal From Water by Novel Mesoporous Carbon Nitride Adsorbent. *Chemical and Biochemical Engineering Quarterly*. 27: 365-372.
- Moradi, SE. (2014). Highly-ordered Metal-modified Mesoporous Carbon Nitride: As a Novel Hydrogen Adsorbent. *Chemical and Biochemical Engineering Quarterly*. 28: 267-272.
- Moradi, SE; Baniamerian, MJ. (2011). THE EFFECT OF MESOPOROUS CARBON MODIFICATION BY NITROGEN ON ITS ENRICHMENT EFFICIENCY OF CHROMATE ION: COMPARISON BETWEEN N-DOPED MESOPOROUS CARBON AND AMINO GRAFTED MESOPOROUS CARBON. *Chemical Industry and Chemical Engineering Quarterly*. 17: 505-515. <http://dx.doi.org/10.2298/CICEQ110701036M>.
- Moravek, A; Foken, T; Trebs, I. (2014). Application of a GC-ECD for measurements of biosphere-atmosphere exchange fluxes of peroxyacetyl nitrate using the relaxed eddy accumulation and gradient method. *Atmos Meas Tech*. 7: 2097-2119. <http://dx.doi.org/10.5194/amt-7-2097-2014>.
- Morgan, A; Black, A; Belcher, DR. (1970). The excretion in breath of some aliphatic halogenated hydrocarbons following administration by inhalation. *Ann Occup Hyg*. 13: 219-233. <http://dx.doi.org/10.1093/annhyg/13.4.219>.
- Mori, T; Hirose, K; Kikuchi, T; Kubo, J; Morikawa, Y. (2002). Formation of higher hydrocarbons from chloromethanes via hydrodechlorination over Pd/SiO₂ catalyst. *J Jpn Petrol Inst*. 45: 256-259.
- Mori, T; Kubo, J; Morikawa, Y. (2004). Hydrodechlorination of 1,1,1-trichloroethane over silica-supported palladium catalyst. *Appl Catal A-Gen*. 271: 69-76. <http://dx.doi.org/10.1016/j.apcata.2004.02.047>.
- Morikawa, A; Ebitani, K; Hirano, Y. (1996). Kinetic mechanism of reactions of carbon tetrachloride with TT-niobium oxide and niobium phosphate. *Catalysis Today*. 28: 91-97.
- Morita, T; Asano, N; Awogi, T; Sasaki, YF; Sato, S; Shimada, H; Sutou, S; Suzuki, T; Wakata, A; Sofuni, T; Hayashi, M. (1997). Evaluation of the rodent micronucleus assay in the screening of IARC carcinogens (groups 1, 2A and 2B) the summary report of the 6th collaborative study by CSGMT/JEMS MMS. *Mutat Res*. 389: 3-122. [http://dx.doi.org/10.1016/S1383-5718\(96\)00070-8](http://dx.doi.org/10.1016/S1383-5718(96)00070-8).
- Morley, AA; Turner, DR. (1999). The contribution of exogenous and endogenous mutagens to in vivo mutations [Review]. *Mutat Res*. 428: 11-15.
- Morra, MJ; Borek, V; Koolpe, J. (2000). Transformation of chlorinated hydrocarbons using aquacobalamin or coenzyme F-430 in combination with zero-valent iron. *J Environ Qual*. 29: 706-715.
- Morris, AJ; Meyer, GJ. (2008). TiO₂ Surface Functionalization to Control the Density of States. *J Phys Chem C*. 112: 18224-18231. <http://dx.doi.org/10.1021/jp801338y>.
- Morse, JS; Cundy, VA; Lester, TW. (1989). CHEMICAL-SPECIES, TEMPERATURE, AND NET REACTION-RATE PROFILES OF LAMINAR CARBON-TETRACHLORIDE METHANE AIR FLAMES. *Combust Sci Tech*. 66: 59-73.
- Moser, VC; Cheek, BM; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: III. Neurobehavioral toxicity. *J Toxicol Environ Health A*. 45: 173-210. <http://dx.doi.org/10.1080/15287399509531988>.
- Motojima, S; Ogawa, Y; Gakei, S; Iwanaga, H. (1995). PREPARATION OF SIC AND Si₃N₄ WHISKERS USING BEAN-CURD REFUSE AS THE Si SOURCE. *Mater Sci Eng B*. 30: 13-17.

Fate Literature Search Results

Off Topic

- Motoki, K; Tanikawa, M; Akiyama, H; Toida, T; Toyoda, H; Koshishi, I; Imanari, T. (1992). CHANGES OF GLYCOSAMINOGLYCAN SPECIES IN CARBON TETRACHLORIDE-INTOXICATED RAT ORGANS. *JTTHE*. 38: 63-68.
- Moumouzias, G; Ritzoulis, G. (1999). Relative permittivities and refractive indices of gamma-butyrolactone with o-xylene and m-xylene. *Journal of Chemical and Engineering Data*. 44: 1273-1278.
- Mousavi, S; Esmaeilpour, K; Keshavarz, MH. (2014). Preparation and characterization of nano N,N'-bis(1,2,4-triazol-3-yl)-4,4'-diamino-2,2',3,3',5,5',6,6'-octanitroazo-benzene explosive. *Indian Journal of Engineering and Materials Sciences*. 21: 585-588.
- Moyer, ES; Smith, SJ; Wood, GO. (2001). Carbon tetrachloride replacement compounds for organic vapor air-purifying respirator cartridge and activated carbon testing--a review [Review]. *AIHAJ*. 62: 494-507.
- Mtolera, MSP; Collen, J; Pedersen, M; Ekdahl, A; Abrahamsson, K; Semesi, AK. (1996). Stress-induced production of volatile halogenated organic compounds in *Eucheuma denticulatum* (Rhodophyta) caused by elevated pH and high light intensities. *European Journal of Phycology*. 31: 89-95.
- Mucka, V; Cuba, V; Pospisil, M; Silber, R. (2004). Radiation dechlorination of some chlorinated hydrocarbons particularly of carbon tetrachloride in presence of HCO₃⁻ or NO₃⁻ ions. *Appl Catal A-Gen*. 271: 195-201. <http://dx.doi.org/10.1016/j.apcata.2004.02.058>.
- Muftikian, R; Fernando, Q; Korte, N. (1995). A Method For The Rapid Dechlorination Of Low Molecular Weight Chlorinated Hydrocarbons In Water. *Water Res*. 29: 2434-2439.
- Mullaugh, KM; Hamilton, JM; Avery, GB; Felix, JD; Mead, RN; Willey, JD; Kieber, RJ. (2015). Temporal and spatial variability of trace volatile organic compounds in rainwater. *Chemosphere*. 134: 203-209. <http://dx.doi.org/10.1016/j.chemosphere.2015.04.027>.
- Müller, L; Kikuchi, Y; Probst, G; Schechtman, L; Shimada, H; Sofuni, T; Tweats, D. (1999). ICH-harmonised guidances on genotoxicity testing of pharmaceuticals: evolution, reasoning and impact [Review]. *Mutat Res*. 436: 195-225.
- Muller, L; Sofuni, T. (2000). Appropriate levels of cytotoxicity for genotoxicity tests using mammalian cells in vitro. *Environ Mol Mutagen*. 35: 202-205.
- Mumtaz, MM; Durkin, P; Diamond, GL; Hertzberg, R. (1996). Exercises in the use of weight-of-evidence approach for chemical-mixture interactions. *J Clean Technol, Environ Toxicol, Occup Med*. 5: 339-345.
- Mumtaz, MM; Ray, M; Crowell, SR; Keys, D; Fisher, J; Ruiz, P. (2012). Translational research to develop a human PBPK models tool kit-volatile organic compounds (VOCs). *J Toxicol Environ Health A*. 75: 6-24. <http://dx.doi.org/10.1080/15287394.2012.625546>.
- Mun, CH; He, J; Ng, WJ. (2008). Pentachlorophenol dechlorination by an acidogenic sludge. *Water Res*. 42: 3789-3798. <http://dx.doi.org/10.1016/j.watres.2008.07.01>.
- Mun, CH; Ng, WJ; He, J. (2008). Evaluation of Biodegradation Potential of Carbon Tetrachloride and Chlorophenols under Acidogenic Condition. *J Environ Eng*. 134: 177-183. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2008\)134:3\(177\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2008)134:3(177)).
- Murai, R; Sekine, T; Iguchi, M. (1971). STUDIES OF SOLVENT EXTRACTION SYSTEMS OF COBALT IN ANALYTICAL CHEMISTRY .2. FORMATION AND DISTRIBUTION EQUILIBRIA OF COBALT(II) COMPLEXES WITH VARIOUS BETA-DIKETONES IN CARBON TETRACHLORIDE-AQUEOUS SODIUM PERCHLORATE SYSTEMS. 92: 967-&.
- Muraviev, D; Warshawsky, A. (1994). AQUA-IMPREGNATED RESINS - HYDROGEN-DEUTERIUM EXCHANGE ON TRIMETHYLAMINE BORANE IN AN ION-EXCHANGE COLUMN. 22: 55-63.
- Muraviev, D; Warshawsky, A. (2001). Aqua-impregnated resins as new dual-function deuterating agent. *Separation Science and Technology*. 36: 2087-2119.
- Muriel, P; Alba, N; Pérez-Alvarez, VM; Shibayama, M; Tsutsumi, VK. (2001). Kupffer cells inhibition prevents hepatic lipid peroxidation and damage induced by carbon tetrachloride. *Comp Biochem Physiol C Toxicol Pharmacol*. 130: 219-226.
- Muromachi, S; Nakajima, T; Ohmura, R, yo; Mori, YH. (2011). Phase equilibrium for clathrate hydrates formed from an ozone plus oxygen gas mixture coexisting with carbon tetrachloride or 1,1-dichloro-1-fluoroethane. *Fluid Phase Equilibria*. 305: 145-151. <http://dx.doi.org/10.1016/j.fluid.2011.03.020>.
- Murphy, BL. (2016). Vapor degreasing with chlorinated solvents. *Environ Forensics*. 17: 282-293. <http://dx.doi.org/10.1080/15275922.2016.1230907>.
- Murthy, KNC; Jayaprakasha, GK; Singh, RP. (2002). Studies on antioxidant activity of pomegranate (*Punica granatum*) peel extract using in vivo models. *J Agric Food Chem*. 50: 4791-4795. <http://dx.doi.org/10.1021/jf0255735>.
- Murthy, KNC; Singh, RP; Jayaprakasha, GK. (2002). Antioxidant activities of grape (*Vitis vinifera*) pomace extracts. *J Agric Food Chem*. 50: 5909-5914. <http://dx.doi.org/10.1021/jf0257042>.
- Murugan, V; Mukherjee, K; Maiti, K; Mukherjee, PK. (2009). Enhanced oral bioavailability and antioxidant profile of ellagic acid by phospholipids. *J Agric Food Chem*. 57: 4559-4565. <http://dx.doi.org/10.1021/jf8037105>.
- Musumeci, D; Hunter, CA; McCabe, JF. (2010). Solvent Effects on Acridine Polymorphism. *Cryst Growth Des*. 10: 1661-1664. <http://dx.doi.org/10.1021/cg901225b>.
- Muthukrishnan, A; Boyarskiy, V; Sangaranarayanan, MV; Boyarskaya, I. (2012). Mechanism and Regioselectivity of the Electrochemical Reduction in Polychlorobiphenyls (PCBs): Kinetic Analysis for the Successive Reduction of Chlorines from Dichlorobiphenyls. *J Phys Chem C*. 116: 655-664. <http://dx.doi.org/10.1021/jp2066474>.
- Muthuraman, G; Moon, IS. (2016). Sustainable Generation of a Homogeneous Ni(I) Catalyst in the Cathodic Compartment of a Divided Flow Electrolytic Cell for the Degradation of Gaseous Carbon Tetrachloride by Electroscrubbing. 4: 1364-1372. <http://dx.doi.org/10.1021/acssuschemeng.5b01383>.
- Muthuraman, G; Teng, T; Tan, SH. (2012). Liquid-liquid extraction of Cibacron Red FN-R by TBAB as an extractant. *Desalination*. 284: 135-141. <http://dx.doi.org/10.1016/j.desal.2011.08.047>.
- Myszkowski, J; Milchert, E. (2003). Recovery of organochlorine derivatives from waste waters in the stripper-adsorber system. *Przemysł Chemiczny*. 82: 1048-1050.

Fate Literature Search Results

Off Topic

- Myszkowski, J; Pelech, R; Wroblewska, A; Milchert, E. (2006). Formation of environmentally friendly processes by utilization of wastes and by-products. *Przemysł Chemiczny*. 85: 638-640.
- Naeeni, MH; Yamini, Y; Rezaee, M. (2011). Combination of supercritical fluid extraction with dispersive liquid-liquid microextraction for extraction of organophosphorus pesticides from soil and marine sediment samples. *Journal of Supercritical Fluids*. 57: 219-226. <http://dx.doi.org/10.1016/j.supflu.2011.03.005>.
- Nagano, K. (2004). Email dated March 9, 2004. Subject: Carbon tetrachloride 2-year chronic bioassay. From Kasuke Nagano, JBRC, to Mary Manibusan, U.S. EPA. Nagano, K.
- Nagano, K. (2004). Letter dated March 8, 2004 from Kasuke Nagano, JBRC, to Mary Manibusan, U.S. EPA [Personal Communication].
- Nagano, K. (2004). Letter dated March 9, 2004 from Kasuke Nagano, JBRC, to Mary Manibusan, U.S. EPA [Personal Communication].
- Nagano, K. (2005). Email dated October 15, 2005. Subject: Carbon tetrachloride 1998 inhalation study [Personal Communication].
- Nagano, K. (2007). Email dated April 5, 2007. Subject: Historical control data. From Kasuke [Personal Communication].
- Nagano, K; Umeda, Y; Saito, M; Nishizawa, T; Ikawa, N; Arito, H; Yamamoto, S; Fukushima, S. (2007). Thirteen-week inhalation toxicity of carbon tetrachloride in rats and mice. *J Occup Health*. 49: 249-259.
- Nagashima, H. (2015). Rubratoxin-B-induced secretion of chemokine ligands of cysteine-cysteine motif chemokine receptor 5 (CCR5) and its dependence on heat shock protein 90 in HL60 cells. *Environ Toxicol Pharmacol*. 40: 997-1000. <http://dx.doi.org/10.1016/j.etap.2015.10.012>.
- Nagashima, H; Nakagawa, H. (2014). Differences in the Toxicities of Trichothecene Mycotoxins, Deoxynivalenol and Nivalenol, in Cultured Cells. *JARQ*. 48: 393-397.
- Nagata, I. (1970). VAPOR-LIQUID EQUILIBRIUM DATA FOR TERNARY SYSTEM - METHYL ACETATE-CARBON TETRACHLORIDE-BENZENE. *Journal of Chemical and Engineering Data*. 15: 213-&.
- Nagata, I; Fukushima, Y. (1991). CORRELATION OF VAPOR-LIQUID-EQUILIBRIA FOR TAUTOMERIC MIXTURES OF ACETYLACETONE WITH NONASSOCIATED COMPONENTS. *Fluid Phase Equilibria*. 68: 1-12.
- Nagata, I; Gotoh, K; Tamura, K. (1996). Association model of fluids. Phase equilibria and excess enthalpies in acid mixtures. *Fluid Phase Equilibria*. 124: 31-54.
- Nagy, AG; Hess, DW. (1982). CHEMICAL-PROPERTIES OF POLYMER-FILMS FORMED DURING THE ETCHING OF ALUMINUM IN CCL4 PLASMAS. *J Electrochem Soc*. 129: 2530-2533.
- Naka, D; Dongwook, K; Carbonaro, RF; Strathmann, TJ. (2008). ABIOTIC REDUCTION OF NITROAROMATIC CONTAMINANTS BY IRON(II) COMPLEXES WITH ORGANOTHIOL LIGANDS. *Environ Toxicol Chem*. 27: 1257-1266.
- Nakaguma, H; Tajima, K; Sato, I; Konishi, T. (1992). SIMULTANEOUS DETERMINATION OF 11 VOLATILE CHLORINATED HYDROCARBONS IN SOIL. *JTTHE*. 38: 240-246.
- Nakahama, T; Takahashi, S; Urakubo, G; Nagamatsu, K. (1988). DISTRIBUTION OF CARBON TETRACHLORIDE IN RAT LIVER AND ITS URINARY METABOLITES. *Eisei Kagaku*. 34: 313-318.
- Nakahama, T; Urakubo, G. (1988). SPECIES-DIFFERENCE BETWEEN MICE AND RATS IN EXPIRATORY-DIFFERENT EXCRETION OF CARBON-TETRACHLORIDE AND ITS METABOLITES. *JTTHE*. 34: 279-281.
- Nakajima, T. (1997). Cytochrome P450 isoforms and the metabolism of volatile hydrocarbons of low relative molecular mass. *J Occup Health*. 39: 83-91. <http://dx.doi.org/10.1539/joh.39.83>.
- Nakajima, T; Wang, RS; Ito, Y; Aoyama, T; Kamijima, M. (2005). A review of hazardous chemical toxicity studies utilizing genetically-modified animals - Their applications for risk assessment [Review]. *Ind Health*. 43: 615-622. <http://dx.doi.org/10.2486/indhealth.43.615>.
- Nakamura, T; Tanaka, R; Higo, Y; Taira, K; Takeda, T. (1998). Lipid peroxide levels in tissues of live fish. *Fish Sci*. 64: 617-620.
- Nan, X; Maeng, O; Shin, H; An, H; Yeom, Y; Lee, H; Paik, S. (2008). Microarray study of genes differentially modulated in response to nitric oxide in macrophages. *Animal Cells and Systems*. 12: 15-21. <http://dx.doi.org/10.1080/19768354.2008.9647149>.
- Napierska, D; Barsiene, J; Mulkiewicz, E; Podolska, M; Rybakovas, A. (2009). Biomarker responses in flounder *Platichthys flesus* from the Polish coastal area of the Baltic Sea and applications in biomonitoring. *Ecotoxicology*. 18: 846-859. <http://dx.doi.org/10.1007/s10646-009-0328-z>.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1993). Treatment of VOCs in high strength wastes using anaerobic expanded-bed GAC reactor. *Water Res*. 27: 181-194.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1995). Anaerobic treatment of volatile and semivolatile organic compounds in municipal wastewater. *Water Environ Res*. 67: 46-56.
- Narisawa, M; Hasegawa, T; Okamura, K; Itoh, M; Apple, T; Moraes, KV; Interrante, LV. (2002). Synthesis of silicon carbide films from partially oxidized polyvinylsilane by carbon tetrachloride solution casting. *J Mater Res*. 17: 214-223.
- Narotsky, MG; Best, DS; Rogers, EH; McDonald, A; Sey, YM; Simmons, JE. (2008). Integrated disinfection by-products mixtures research: assessment of developmental toxicity in Sprague-Dawley rats exposed to concentrates of water disinfected by chlorination and ozonation/postchlorination. *J Toxicol Environ Health A*. 71: 1216-1221. <http://dx.doi.org/10.1080/15287390802182623>.
- Narotsky, MG; Hamby, BT; Best, DS; Kavlock, RJ. (1995). Carbon tetrachloride (CCl4)-induced pregnancy loss in F-344 rats: luteinizing hormone (LH) levels and rescue by human chorionic gonadotropin (hCG). *Biol Reprod*. 52: 172.
- Narotsky, MG; Kavlock, RJ. (1995). A multidisciplinary approach to toxicological screening: II. Developmental toxicity. *J Toxicol Environ Health*. 45: 145-171. <http://dx.doi.org/10.1080/15287399509531987>.
- Nasri, R; Sibli, A; Jorat, L; Noyel, G. (1996). Magneto dielectric behavior of the magnetic fluid manganese ferrite in carbon tetrachloride. *Journal of Magnetism and Magnetic Materials*. 161: 309-315.

Fate Literature Search Results

Off Topic

- Nassar, R; Bernath, PF; Boone, CD; Clerbaux, C; Coheur, PF; Dufour, G; Froidevaux, L; Mahieu, E; McConnell, JC; Mcleod, SD; Murtagh, DP; Rinsland, CP; Semeniuk, K; Skelton, R; Walker, KA; Zander, R. (2006). A global inventory of stratospheric chlorine in 2004. *J Geophys Res Atmos.* 111. <http://dx.doi.org/10.1029/2006JD007073>.
- Nastaj, J; Ambrozek, B; Witkiewicz, K; Rudnicka, J. (2016). Adsorption Isotherms of Propan-2-ol, Methylbenzene, and Tetrachloromethane on Selected Activated Carbons. *Journal of Chemical and Engineering Data.* 61: 3559-3569. <http://dx.doi.org/10.1021/acs.jced.6b00488>.
- Nasterlack, M; Triebig, G; Stelzer, O. (1994). Hepatotoxic effects of solvent exposure around permissible limits and alcohol consumption in printers over a 4-year period. *Int Arch Occup Environ Health.* 66: 161-165. <http://dx.doi.org/10.1007/BF00380774>.
- Natarajan, SK; Basivireddy, J; Ramachandran, A; Thomas, S; Ramamoorthy, P; Pulimood, AB; Jacob, M; Balasubramanian, KA. (2006). Renal damage in experimentally-induced cirrhosis in rats: role of oxygen free radicals. *Hepatology.* 43: 1248-1256. <http://dx.doi.org/10.1002/hep.21179>.
- Nath, J. (1995). ULTRASONIC VELOCITIES, RELATIVE PERMITTIVITIES AND REFRACTIVE-INDEXES FOR BINARY-LIQUID MIXTURES OF TRICHLOROETHENE WITH PYRIDINE AND QUINOLINE. *Fluid Phase Equilibria.* 109: 39-51.
- Nath, J. (2000). Speeds of sound and isentropic compressibilities of (n-heptanol plus n-pentane, or n-hexane, or n-heptane, or n-octane) at T=303.15 K, and of (n-heptanol+2,2,4-trimethylpentane) at T=293.15 and 303.15 K. *Fluid Phase Equilibria.* 175: 63-73.
- Nath, J. (2002). Speeds of sound in and isentropic compressibilities of (n-octanol plus n-hexane, or n-heptane, or n-octane) at T=298.15 K. *Fluid Phase Equilibria.* 203: 261-268.
- Nath, J; Pandey, JG. (1997). Binary mixtures of butanol plus pentane, plus hexane, plus heptane, plus octane, plus 2,2,4-trimethylpentane, and plus carbon tetrachloride .1. Excess molar volumes at 288.15 K and 298.15 K and refractive indexes at 298.15 K. *Journal of Chemical and Engineering Data.* 42: 128-131.
- Navia, P; Troncoso, J; Romani, L. (2010). Isobaric Thermal Expansivity for Nonpolar Compounds. *Journal of Chemical and Engineering Data.* 55: 2173-2179. <http://dx.doi.org/10.1021/je900757k>.
- Nayak, MS; Dwivedi, R; Srivastava, SK. (1994). RATIO METHOD FOR SINGLE-COMPONENT GAS-ANALYSIS USING DOPED TIN OXIDE THICK-FILM SENSORS. 40: 93-95.
- Nayak, MS; Dwivedi, R; Srivastava, SK. (1994). SENSITIVITY AND RESPONSE-TIMES OF DOPED TIN OXIDE INTEGRATED GAS SENSORS. *Microelectronics Journal.* 25: 17-25.
- Naylor, DL. (1992). DEVELOPMENT OF SUSPENSIONS OF ROD-SHAPED BETA-FEOOH PARTICLES IN INFRARED TRANSMITTING SOLVENTS FOR USE AS ARTIFICIAL KERR MEDIA. *J Mater Res.* 7: 2288-2293.
- NCI. (1977). Bioassay of 1,1,1-trichloroethane for possible carcinogenicity. (3). Bethesda, MD.
- Ndong, LBB, i; Gu, X; Lu, S; Ibondou, MP; Qiu, Z; Sui, Q; Mbadinga, SM; Mu, B. (2015). Role of reactive oxygen species in the dechlorination of trichloroethene and 1,1,1-trichloroethane in aqueous phase in UV/TiO₂ systems. *Chem Eng Sci.* 123: 367-375. <http://dx.doi.org/10.1016/j.ces.2014.11.034>.
- Neau, E; Escandell, J; Nicolas, C. (2010). Modeling of Highly Nonideal Systems: 1. A Generalized Version of the NRTL Equation for the Description of Low-Pressure Equilibria. *Ind Eng Chem Res.* 49: 7580-7588. <http://dx.doi.org/10.1021/ie100121c>.
- Nedelec, JM; Grolier, JPE; Baba, M. (2006). Thermoporosimetry: A powerful tool to study the cross-linking in gels networks. *Journal of Sol-Gel Science and Technology.* 40: 191-200. <http://dx.doi.org/10.1007/s10971-006-9115-y>.
- Neely, BJ; Wagner, J, an; Robinson, RL, Jr; Gasem, KAM. (2008). Mutual solubility measurements of hydrocarbon-water systems containing benzene, toluene, and 3-methylpentane. *Journal of Chemical and Engineering Data.* 53: 165-174. <http://dx.doi.org/10.1021/je700449z>.
- Neely, WB. (1977). MATERIAL BALANCE ANALYSIS OF TRICHLOROFLUOROMETHANE AND CARBON-TETRACHLORIDE IN ATMOSPHERE. *Sci Total Environ.* 8: 267-274.
- Neghab, M; Qu, S; Bai, CL; Caples, J; Stacey, NH. (1997). Raised concentration of serum bile acids following occupational exposure to halogenated solvents, 1,1,2-trichloro-1,2,2-trifluoroethane and trichloroethylene. *Int Arch Occup Environ Health.* 70: 187-194. <http://dx.doi.org/10.1007/s004200050205>.
- Neghab, M; Stacey, N. (1997). Toluene-induced elevation of serum bile acids: Relationship to bile acid transport. *J Toxicol Environ Health.* 52: 249-268. <http://dx.doi.org/10.1080/00984109708984063>.
- Neisius, NM; Lutz, M; Rentsch, D; Hemberger, P; Gaan, S. (2014). Synthesis of DOPO-Based Phosphonamidates and their Thermal Properties. *Ind Eng Chem Res.* 53: 2889-2896. <http://dx.doi.org/10.1021/ie403677k>.
- Nelkenbaum, E; Dror, I; Berkowitz, B. (2009). Reductive dechlorination of atrazine catalyzed by metalloporphyrins. *Chemosphere.* 75: 48-55. <http://dx.doi.org/10.1016/j.chemosphere.2008.11.074>.
- Nellis, SR; Yoon, H; Werth, CJ; Oostrom, M; Valocchi, AJ. (2009). Surface and Interfacial Properties of Nonaqueous-Phase Liquid Mixtures Released to the Subsurface at the Hanford Site. *Vadose Zone Journal.* 8: 343-351. <http://dx.doi.org/10.2136/vzj2008.0104>.
- Neta, G; Stewart, PA; Rajaraman, P; Hein, MJ; Waters, MA; Purdue, MP; Samanic, C; Coble, JB; Linet, MS; Inskip, PD. (2012). Occupational exposure to chlorinated solvents and risks of glioma and meningioma in adults. *Occup Environ Med.* 69: 793-801. <http://dx.doi.org/10.1136/oemed-2012-100742>.
- Neumann, A; Hofstetter, TB; Skarpeli-Liati, M; Schwarzenbach, RP. (2009). Reduction of polychlorinated ethanes and carbon tetrachloride by structural Fe(II) in smectites. *Environ Sci Technol.* 43: 4082-4089. <http://dx.doi.org/10.1021/es9001967>.
- Neves, IB; Chabut, M; Perruchot, C; Chehimi, MM; Benzarti, K. (2004). Interfacial interactions of structural adhesive components with cement pastes - Studies by inverse gas chromatography (IGC). *Appl Surf Sci.* 238: 523-529. <http://dx.doi.org/10.1016/j.apsusc.2004.05.245>.
- Nevin, KG; Vijayammal, PL. (2005). Effect of Aerva lanata against hepatotoxicity of carbon tetrachloride in rats. *Environ Toxicol Pharmacol.* 20: 471-477. <http://dx.doi.org/10.1016/j.etap.2005.05.010>.

Fate Literature Search Results

Off Topic

- Newman, LA; Doty, SL; Gery, KL; Heilman, PE; Muiznieks, I; Shang, TQ; Siemieniec, ST; Strand, SE; Wang, XP; Wilson, AM; Gordon, MP. (1998). Phytoremediation of organic contaminants: A review of phytoremediation research at the University of Washington. *Journal of Soil Contamination*. 7: 531-542.
- Nicholas, JE; Spiers, AI. (1985). KINETICS AND MECHANISM IN THE DECOMPOSITION OF CCL₄ IN A RADIO-FREQUENCY PULSE DISCHARGE. *Plasma Chemistry and Plasma Processing*. 5: 263-273.
- Nicoll, G; Francisco, JS. (1998). Carbon atom-initiated degradation of carbon tetrachloride in the presence of molecular oxygen: A product and mechanistic study. *Environ Sci Technol*. 32: 3200-3206.
- Nicoll, G; Francisco, JS. (1999). Heterogeneous degradation of carbon tetrachloride: Breaking the carbon-chlorine bond with activated carbon surfaces. *Environ Sci Technol*. 33: 4102-4106.
- Nie, X; Liu, J; Yue, D; Zeng, X; Nie, Y. (2013). Dechlorination of hexachlorobenzene using lead-iron bimetallic particles. *Chemosphere*. 90: 2403-2407. <http://dx.doi.org/10.1016/j.chemosphere.2012.10.068>.
- Niederberger, M; Ginès, P; Martin, PY; St John, J; Woytaszek, P; Xu, L; Tsai, P; Nemenoff, RA; Schrier, RW. (1998). Increased renal and vascular cytosolic phospholipase A2 activity in rats with cirrhosis and ascites. *Hepatology*. 27: 42-47. <http://dx.doi.org/10.1002/hep.510270108>.
- Niedernhofer, L; Daniels, JS; Rouzer, CA; Greene, RE; Marnett, LJ. (2003). Malondialdehyde, a product of lipid peroxidation, is mutagenic in human cells. *J Biol Chem*. 278: 31426-31433. <http://dx.doi.org/10.1074/jbc.M212549200>.
- Niemet, MR; Semprini, L. (2005). Column studies of anaerobic carbon tetrachloride biotransformation with Hanford Aquifer material. *Ground Water Monitoring and Remediation*. 25: 82-92.
- Nieuwenhuizen, MS; Groeneveld, FR. (2000). Formation of phosgene during welding activities in an atmosphere containing chlorinated hydrocarbons. *AIHAJ*. 61: 539-543.
- Nightingale, PD; Malin, G; Liss, PS. (1995). PRODUCTION OF CHLOROFORM AND OTHER LOW-MOLECULAR-WEIGHT HALOCARBONS BY SOME SPECIES OF MACROALGAE. *Limnol Oceanogr*. 40: 680-689.
- Nikiforov, VG; Shmelev, AG; Safiullin, GM; Lobkov, VS. (2012). Femtosecond laser control of induced anisotropy in a liquid: selective spectroscopy of intramolecular vibrations of carbon tetrachloride. *Quantum Electronics*. 42: 332-336. <http://dx.doi.org/10.1070/QE2012v042n04ABEH014796>.
- Nikolic, A; Vastag, D; Rozsatarjani, M; Petrovic, S. (1994). INFINITE DILUTION ACTIVITY-COEFFICIENTS OF ORGANIC SOLUTES IN N,N-DIETHYLDODECANAMIDE. *Journal of Chemical and Engineering Data*. 39: 618-620.
- Nikolic, NC; Stankovic, MZ. (2003). Solanidine hydrolytic extraction and separation from the potato (*Solanum tuberosum* L.) vines by using solid-liquid-liquid systems. *J Agric Food Chem*. 51: 1845-1849. <http://dx.doi.org/10.1021/jf020426s>.
- Nilsson, UL; Colmsjo, AL. (1990). Formation of chlorinated polycyclic aromatic hydrocarbons in different chlorination reactions. *Chemosphere*. 21: 939-952.
- Nishida, R; Sato, T; Kuwahara, Y; Fukami, H; Ishii, S. (1976). FEMALE SEX PHEROMONE OF THE GERMAN COCKROACH, *Blattella germanica* (L.) (ORTHOPTERA: BLATTELLIDAE), RESPONSIBLE FOR MALE WING-RAISING II. 29-HYDROXY-3, 11-DIMETHYL-2-NONACOSANONE. *J Chem Ecol*. 2: 449-455.
- Nishiumi, H; Kura, S; Yokoyama, T. (1991). EXTENDED BWR EQUATION OF STATE FOR FLUOROCARBONS, CHLOROFORM AND CARBON-TETRACHLORIDE. *Fluid Phase Equilibria*. 69: 141-153.
- Nitha, A; Prabha, SP; Ansil, PN; Latha, MS. (2016). Methanolic extract of *Woodfordia fruticosa* Kurz flowers ameliorates carbon tetrachloride-induced chronic hepatic fibrosis in rats. *Toxicol Ind Health*. 32: 1224-1236. <http://dx.doi.org/10.1177/0748233714552120>.
- Niu, J; Bao, Y; Li, Y; Chai, Z. (2013). Electrochemical mineralization of pentachlorophenol (PCP) by Ti/SnO₂-Sb electrodes. *Chemosphere*. 92: 1571-1577. <http://dx.doi.org/10.1016/j.chemosphere.2013.04.035>.
- Niu, X; Sun, L; Wang, Y; Wu, H; Xu, X. (2010). NF₃ decomposition over some metal oxides in the absence of water. *Journal of Natural Gas Chemistry*. 19: 463-467. [http://dx.doi.org/10.1016/S1003-9953\(09\)60107-9](http://dx.doi.org/10.1016/S1003-9953(09)60107-9).
- Niwa, M; Ohta, Y; Nagasaka, Y. (2009). Mass Diffusion Coefficients of Cellulose Acetate Butyrate in Methyl Ethyl Ketone Solutions at Temperatures between (293 and 323) K and Mass Fractions from 0.05 to 0.60 Using the Soret Forced Rayleigh Scattering Method. *Journal of Chemical and Engineering Data*. 54: 2708-2714. <http://dx.doi.org/10.1021/je900242e>.
- Nkinamubanzi, P; Charlet, G; Delmas, G. (1985). EXCESS-ENTHALPIES, EXCESS HEAT-CAPACITIES AND EXCESS VOLUMES OF TETRAALKOXY-SILANES WITH CYCLOHEXANE AND CARBON-TETRACHLORIDE. *Fluid Phase Equilibria*. 20: 57-73.
- Nkundimana, E; Noubactep, C; Uwamariya, V. (2015). METALLIC IRON FOR WATER TREATMENT AND ENVIRONMENTAL REMEDIATION: A HANDOUT TO YOUNG RESEARCHERS. *Fresen Environ Bull*. 24: 4842-4846.
- Noel, S; Sharma, S; Rath, SK. (2008). Simultaneous application of t-test and fold change criteria to identify acetaminophen and carbon tetrachloride affected genes in mice liver. *Environ Toxicol Pharmacol*. 26: 150-161. <http://dx.doi.org/10.1016/j.etap.2008.03.002>.
- Nolan, M. (1993). THE MONTREAL PROTOCOL - FOLLOWING THE REVIEW BY THE PARTIES IN COPENHAGEN, NOVEMBER 1992, AND SUBSEQUENT REGULATIONS. *Cell Polym*. 12: 143-151.
- Nomura, T. (1992). SMALL-ANGLE X-RAY SCATTERINGS OF WOOD AND BAMBOO .1. THE RELATIONSHIPS BETWEEN THE ULTRASTRUCTURES OF WOOD AND BAMBOO AND SMALL-ANGLE X-RAY-SCATTERING. 38: 533-542.
- Nordell, N; Borglind, J; Landgren, G. (1992). INFLUENCE OF MOVPE GROWTH-CONDITIONS AND CCL₄ ADDITION ON INP CRYSTAL SHAPES. *J Cryst Growth*. 125: 597-611.
- Noro, JJ; Sekine, T. (1993). SEPARATION FACTOR OF LANTHANOIDS BY SOLVENT-EXTRACTION OF THEIR TERNARY COMPLEXES. *J Alloy Comp*. 192: 132-134.
- Norpoth, K; Reisch, A; Heinecke, A. (1980). Biostatistics of Ames-test data. In K Norpoth; RC Garner (Eds.), (pp. 312-322). New York, NY: Springer-Verlag. http://dx.doi.org/10.1007/978-3-642-67202-6_24.

Fate Literature Search Results

Off Topic

- Nota, G; Naviglio, D; Romano, R; Sabia, V; Musso, SS; Improta, C. (1999). Determination of the wax ester content in olive oils. Improvement in the method proposed by EEC Regulation 183/93. *J Agric Food Chem.* 47: 202-205.
- Noubactep, C. (2008). Comments on "Sorption of triazoles to soil and iron minerals" by Y. Jia et al. [*Chemosphere* 67 (2007) 250-258]. *Chemosphere.* 71: 802-806. <http://dx.doi.org/10.1016/j.chemosphere.2007.11.056>.
- Noubactep, C. (2009). Characterizing the effects of shaking intensity on the kinetics of metallic iron dissolution in EDTA. *J Hazard Mater.* 170: 1149-1155. <http://dx.doi.org/10.1016/j.jhazmat.2009.05.085>.
- Noubactep, C. (2010). Elemental metals for environmental remediation: Learning from cementation process. *J Hazard Mater.* 181: 1170-1174. <http://dx.doi.org/10.1016/j.jhazmat.2010.05.085>.
- Noubactep, C. (2011). Aqueous contaminant removal by metallic iron: Is the paradigm shifting? *Water SA.* 37: 419-425.
- Noubactep, C. (2013). Metallic iron for environmental remediation: the long walk to evidence. *Corrosion Reviews.* 31: 51-59. <http://dx.doi.org/10.1515/corrrev-2013-0018>.
- Noubactep, C. (2013). Metallic iron for water treatment: A critical review. *CLEAN - Soil, Air, Water.* 41: 702-710. <http://dx.doi.org/10.1002/clen.201200502>.
- Noubactep, C. (2014). Flaws in the design of Fe(0)-based filtration systems? *Chemosphere.* 117: 104-107. <http://dx.doi.org/10.1016/j.chemosphere.2014.06.014>.
- Noubactep, C. (2016). Predicting the Hydraulic Conductivity of Metallic Iron Filters: Modeling Gone Astray. *Water.* 8. <http://dx.doi.org/10.3390/w8040162>.
- Noubactep, C; Meinrath, G; Merkel, BJ. (2005). Investigating the mechanism of uranium removal by zerovalent iron. *Environ Chem.* 2: 235-242. <http://dx.doi.org/10.1071/EN05003>.
- Novak, PJ; Daniels, L; Parkin, GF. (1998). Enhanced dechlorination of carbon tetrachloride and chloroform in the presence of elemental iron and *Methanosarcina barkeri*, *Methanosarcina thermophila*, or *Methanosarcina concillii*. *Environ Sci Technol.* 32: 1438-1443.
- Novak, PJ; Daniels, L; Parkin, GF. (1998). Rapid dechlorination of carbon tetrachloride and chloroform by extracellular agents in cultures of *Methanosarcina thermophila*. *Environ Sci Technol.* 32: 3132-3136.
- Novakova, V; Musil, J; Buckiova, D; Taborsky, O; Sollova, H; Vyborny, P. (1981). Effect of tetrachloromethane and other chlorinated hydrocarbons on the hepatic metabolism in the isolated perfused rat liver. *Cent Eur J Public Health.* 25: 369-383.
- Novotny, JL; Negrelli, DE; VANDENDR.T. (1973). TOTAL BAND ABSORPTION MODELS FOR ABSORBING-EMITTING LIQUIDS - CCL4. *Mech Eng (Am Soc Mech Eng).* 95: 62-62.
- Novotny, JL; Negrelli, DE; VANDENDR.T. (1974). TOTAL BAND ABSORPTION MODELS FOR ABSORBING-EMITTING LIQUIDS - CCL4. *Journal of Heat Transfer.* 96: 27-31.
- Noweir, MH; Pfitzer, EA; Hatch, TF. (1973). The pulmonary response of rats exposed to the decomposition products of carbon tetrachloride vapors at its industrial threshold limit concentration. *Am Ind Hyg Assoc J.* 34: 73-77.
- Noziere, P; Michaeldoreau, B. (1994). EFFECT OF EXTRACTION METHOD ON ACTIVITIES OF POLYSACCHARIDE-DEPOLYMERASE ENZYMES IN THE MICROBIAL-POPULATION FROM THE SOLID-PHASE IN THE RUMEN. *Reprod Nutr Dev.* 34: 281-288.
- NRC. (1983). Risk Assessment in the Federal Government: Managing the Process. Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/366>.
- NRC. (1994). Science and judgment in risk assessment (pp. 672). Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/2125>.
- NTP. (1976). Report on the Carcinogenesis Bioassay of Chloroform (CAS No. 67-66-3). *Natl Cancer Inst Carcinog Tech Rep Ser.* 1976: 1-60.
- NTP. (2007). National toxicology database search application.
- Nunes, LM; Zhu, YG; Stigter, TY; Monteiro, JP; Teixeira, MR. (2011). Environmental impacts on soil and groundwater at airports: origin, contaminants of concern and environmental risks [Review]. *J Environ Monit.* 13: 3026-3039. <http://dx.doi.org/10.1039/c1em10458f>.
- Nunez Garcia, A; Boparai, HK; O'Carroll, DM. (2016). Enhanced Dechlorination of 1,2-Dichloroethane by Coupled Nano Iron-Dithionite Treatment. *Environ Sci Technol.* 50: 5243-5251. <http://dx.doi.org/10.1021/acs.est.6b00734>.
- Numomura, W. (1991). RAT C-REACTIVE PROTEIN IN CHEMICALLY-INDUCED INFLAMMATION - CHANGES IN SERUM CONCENTRATION AND TISSUE DISTRIBUTION. *Zool Sci.* 8: 277-286.
- Nuns, N; Beaurain, A; Dinh, MTN; Vandenbroucke, A; De Geyter, N; Morent, R; Leys, C; Giraudon, JM; Lamonier, JF. (2014). A combined ToF-SIMS and XPS study for the elucidation of the role of water in the performances of a Post-Plasma Process using LaMnO₃+delta as catalyst in the total oxidation of trichloroethylene. *Appl Surf Sci.* 320: 154-160. <http://dx.doi.org/10.1016/j.apsusc.2014.09.047>.
- Nur, H; Ikeda, S; Ohtani, B. (2001). Phase-boundary catalysis of alkene epoxidation with aqueous hydrogen peroxide using amphiphilic zeolite particles loaded with titanium oxide. *J Catal.* 204: 402-408. <http://dx.doi.org/10.1006/jcat.2001.3386>.
- Nurmi, JT; Bandstra, JZ; Tratnyek, PG. (2004). Packed powder electrodes for characterizing the reactivity of granular iron in borate solutions. *J Electrochem Soc.* 151: B347-B353. <http://dx.doi.org/10.1149/1.1738135>.
- Nurmi, JT; Tratnyek, PG. (2002). Electrochemical properties of natural organic matter (NOM), fractions of NOM, and model biogeochemical electron shuttles. *Environ Sci Technol.* 36: 617-624. <http://dx.doi.org/10.1021/es0110731>.
- Nurmi, JT; Tratnyek, PG. (2008). Electrochemical studies of packed iron powder electrodes: Effects of common constituents of natural waters on corrosion potential. *Corrosion Sci.* 50: 144-154. <http://dx.doi.org/10.1016/j.corsci.2007.06.016>.
- Nurmi, JT; Tratnyek, PG; Sarathy, V; Baer, DR; Amonette, JE; Pecher, K; Wang, C; Linehan, JC; Matson, DW; Penn, RL; Driessen, MD. (2005). Characterization and properties of metallic iron nanoparticles: spectroscopy, electrochemistry, and kinetics. *Environ Sci Technol.* 39: 1221-1230. <http://dx.doi.org/10.1021/es049190u>.
- Nurrochmad, A; Margono, SA; Sardjiman, SA; Hakim, AR; Ernawati, AR; Kurniawati, E; Fatmawati, E. (2013). Hepatoprotective and antioxidant activity of pentagamavunon-0 against carbon tetrachloride-induced hepatic injury in rats. *Asian Pacific Journal of Tropical Medicine.* 6: 438-442. [http://dx.doi.org/10.1016/S1995-7645\(13\)60070-X](http://dx.doi.org/10.1016/S1995-7645(13)60070-X).

Fate Literature Search Results

Off Topic

- Nurullina, NM; Batyrshin, NN; Kharlampidi, K, hE. (2014). Effect of the solvent nature on the magnesium 2-ethylhexanoate-catalyzed decomposition of cumene hydroperoxide. *Petroleum Chemistry*. 54: 65-68. <http://dx.doi.org/10.1134/S0965544114010095>.
- Nyberg, T; Heszler, P; Carlsson, JO. (1997). Diamond deposition from halogenated methane precursors on Si and SiC substrates. *Diam Relat Mater*. 6: 85-88.
- Nye, PH; Gerstl, Z; Galin, T. (1994). PREDICTION OF SORPTION BY SOILS OF VOLATILE HYDROCARBON MIXTURES. *J Environ Qual*. 23: 1031-1037.
- Nzengung, VA; Castillo, RM; Gates, WP; Mills, GL. (2001). Abiotic transformation of perchloroethylene in homogeneous dithionite solution and in suspensions of dithionite-treated clay minerals. *Environ Sci Technol*. 35: 2244-2251. <http://dx.doi.org/10.1021/es001578b>.
- Obare, SO; Ito, T; Balfour, MH; Meyer, GJ. (2003). Ferrous hemin oxidation by organic halides at nanocrystalline TiO₂ interfaces. *Nano Lett*. 3: 1151-1153. <http://dx.doi.org/10.1021/nl034353i>.
- Obare, SO; Ito, T; Meyer, GJ. (2005). Controlling reduction potentials of semiconductor-supported molecular catalysts for environment remediation of organohalide pollutants. *Environ Sci Technol*. 39: 6266-6272. <http://dx.doi.org/10.1021/es048058r>.
- Oda, T; Yamashita, R; Tanaka, K; Takahashi, T; Masuda, S. (1996). Analysis of low-temperature surface discharge plasma products from gaseous organic compounds. *I E E E Transactions on Industry Applications*. 32: 1044-1050.
- Odabasi, M. (2008). Halogenated volatile organic compounds from the use of chlorine-bleach-containing household products. *Environ Sci Technol*. 42: 1445-1451. <http://dx.doi.org/10.1021/es702355u>.
- Odabasi, M; Elbir, T; Dumanoglu, Y; Sofuoglu, SC. (2014). Halogenated volatile organic compounds in chlorine-bleach-containing household products and implications for their use. *Atmos Environ*. 92: 376-383. <http://dx.doi.org/10.1016/j.atmosenv.2014.04.049>.
- O'doherty, S. (2004). Rapid growth of hydrofluorocarbon 134a and hydrochlorofluorocarbons 141b, 142b, and 22 from Advanced Global Atmospheric Gases Experiment (AGAGE) observations at Cape Grim, Tasmania, and Mace Head, Ireland. *J Geophys Res*. 109: D06310. <http://dx.doi.org/10.1029/2003JD004277>.
- Odonnell, AG; He, ZL; Syers, JK. (1992). A BIPHASIC EXTRACTION PROCEDURE FOR THE SIMULTANEOUS REMOVAL OF ELEMENTAL SULFUR AND SULFATE FROM SOILS. *J Sci Food Agric*. 59: 395-400.
- Odziemkowski, MS; Gui, L; Gillham, RW. (2000). Reduction of N-nitrosodimethylamine with granular iron and nickel-enhanced iron. 2. Mechanistic studies. *Environ Sci Technol*. 34: 3495-3500.
- Oettingen, WF; Powell, CC; Sharpless, NE; Alford, WC; Pecora, LJ. (1950). Comparative studies of the toxicity and pharmacodynamic action of chlorinated methanes with special reference to their physical and chemical characteristics. *Arch Int Pharmacodyn Ther*. 81: 17-34.
- Ogata, A; Einaga, H; Kabashima, H; Futamura, S; Kushiya, S; Kim, HH. (2003). Effective combination of nonthermal plasma and catalysts for decomposition of benzene in air. *Appl Catal B-Environ*. 46: 87-95. [http://dx.doi.org/10.1016/S0926-3373\(03\)00180-2](http://dx.doi.org/10.1016/S0926-3373(03)00180-2).
- Ogata, A; Ito, D; Mizuno, K; Kushiya, S; Gal, A; Yamamoto, T. (2002). Effect of coexisting components on aromatic decomposition in a packed-bed plasma reactor. *Appl Catal A-Gen*. 236: 9-15.
- Ogata, A; Ito, D; Mizuno, K; Kushiya, S; Yamamoto, T. (2001). Removal of dilute benzene using a zeolite-hybrid plasma reactor. *I E E E Transactions on Industry Applications*. 37: 959-964.
- Ogata, A; Miyamae, K; Mizuno, K; Kushiya, S; Tezuka, M. (2002). Decomposition of benzene in air in a plasma reactor: Effect of reactor type and operating conditions. *Plasma Chemistry and Plasma Processing*. 22: 537-552.
- Ogata, A; Shintani, N; Yamanouchi, K; Mizuno, K; Kushiya, S; Yamamoto, T. (2000). Effect of water vapor on benzene decomposition using a nonthermal-discharge plasma reactor. *Plasma Chemistry and Plasma Processing*. 20: 453-467.
- Ogata, A; Yamanouchi, K; Mizuno, K; Kushiya, S; Yamamoto, T. (1999). Decomposition of benzene using alumina-hybrid and catalyst-hybrid plasma reactors. *I E E E Transactions on Industry Applications*. 35: 1289-1295.
- Ogata, A; Yamanouchi, K; Mizuno, K; Kushiya, S; Yamamoto, T. (1999). Oxidation of dilute benzene in an alumina hybrid plasma reactor at atmospheric pressure. *Plasma Chemistry and Plasma Processing*. 19: 383-394.
- Ogeturk, M; Kus, I; Pekmez, H; Yekeler, H; Sahin, S; Sarsilmaz, M. (2008). Inhibition of carbon tetrachloride-mediated apoptosis and oxidative stress by melatonin in experimental liver fibrosis. *Toxicol Ind Health*. 24: 201-208. <http://dx.doi.org/10.1177/0748233708093725>.
- Ogura, K; Kobayashi, W; Migita, CT; Kaku, K. (1992). Complete photodecomposition of CFC-113, trichloromethane and carbon tetrachloride and scavenging of generated reactive species. *Environ Technol*. 13: 81-88.
- Oh, BT; Just, CL; Alvarez, PJJ. (2001). Hexahydro-1,3,5-trinitro-1,3,5-triazine mineralization by zerovalent iron and mixed anaerobic cultures. *Environ Sci Technol*. 35: 4341-4346.
- Oh, SY; Cha, DK; Chiu, PC. (2002). Graphite-mediated reduction of 2,4-dinitrotoluene with elemental iron. *Environ Sci Technol*. 36: 2178-2184. <http://dx.doi.org/10.1021/es011474g>.
- Oh, SY; Cha, DK; Kim, BJ; Chiu, PC. (2004). Reduction of nitroglycerin with elemental iron: pathway, kinetics, and mechanisms. *Environ Sci Technol*. 38: 3723-3730.
- Ohashi, A; Watarai, H. (2002). Azo-imine resonance in palladium(II)-pyridylazo complex adsorbed at liquid-liquid interfaces studied by centrifugal liquid membrane-resonance Raman microprobe spectroscopy. *Langmuir*. 18: 10292-10297. <http://dx.doi.org/10.1021/la020536t>.
- Ohba, M; Takigawa, T; Ogawa, H; Murakami, S; Nomura, H. (1997). Thermodynamic properties of rigid polycyclic molecules (2) Partial molar volumes of polycyclic aromatics compared with the RISM integral equation theory. *Fluid Phase Equilibria*. 136: 289-297.
- Ohno, H; Aoyama, T. (1991). Simultaneous determination of volatile chlorinated hydrocarbons by dual detection using a semi-wide bore capillary column. *J Health Sci*. 37: 387-394.
- Ohno, T; Moffat, JB. (1993). OXIDATIVE COUPLING OF METHANE ON LITHIUM CALCIUM-PHOSPHATE CATALYSTS. *Appl Catal A-Gen*. 93: 141-161.
- Ohsaka, T; Shinozaki, K; Tsuruta, K; Hirano, K. (2008). Photo-electrochemical degradation of some chlorinated organic compounds on n-TiO₂ electrode. *Chemosphere*. 73: 1279-1283. <http://dx.doi.org/10.1016/j.chemosphere.2008.07.016>.

Fate Literature Search Results

Off Topic

- Ohta, S; Lai, EW; Taniguchi, S; Tischler, AS; Alesci, S; Pacak, K. (2006). Animal models of pheochromocytoma including NIH initial experience. *Ann N Y Acad Sci.* 1073: 300-305. <http://dx.doi.org/10.1196/annals.1353.034>.
- Ohura, T; Amagai, T; Senga, Y; Fusaya, M. (2006). Organic air pollutants inside and outside residences in Shimizu, Japan: Levels, sources and risks. *Sci Total Environ.* 366: 485-499. <http://dx.doi.org/10.1016/j.scitotenv.2005.10.005>.
- Oikari, A; Jimenez, B. (1992). Effects of hepatotoxicants on the induction of microsomal monooxygenase activity in sunfish liver by beta-naphthoflavone and benzo[a]pyrene. *Ecotoxicol Environ Saf.* 23: 89-102.
- Ojajärvi, A; Partanen, T; Ahlbom, A; Boffetta, P; Hakulinen, T; Jourenkova, N; Kauppinen, T; Kogevinas, M; Vainio, H; Weiderpass, E; Wesseling, C. (2001). Risk of pancreatic cancer in workers exposed to chlorinated hydrocarbon solvents and related compounds: A meta-analysis. *Am J Epidemiol.* 153: 841-850. <http://dx.doi.org/10.1093/aje/153.9.841>.
- Okamoto, T. (2000). Suppression of cytochrome P450 gene expression in the livers of mice with concanavalin A-induced hepatitis. *Eur J Pharmacol.* 394: 157-161. [http://dx.doi.org/10.1016/S0014-2999\(00\)00134-5](http://dx.doi.org/10.1016/S0014-2999(00)00134-5).
- O'Keefe, WK; Liu, Y, in; Sasges, MR; Wong, MS; Fu, H, an; Takata, T; Domen, K. (2014). Photocatalytic Hydrodechlorination of Trace Carbon Tetrachloride (CCl₄) in Aqueous Medium. *Ind Eng Chem Res.* 53: 9600-9607. <http://dx.doi.org/10.1021/ie500344v>.
- Okitsu, K; Kawasaki, K; Nanzai, B; Takenaka, N; Bandow, H. (2008). Effect of carbon tetrachloride on sonochemical decomposition of methyl orange in water. *Chemosphere.* 71: 36-42. <http://dx.doi.org/10.1016/j.chemosphere.2007.10.056>.
- Okochi, H; Sato, E; Matsubayashi, Y; Igawa, M. (2008). Effect of atmospheric humic-like substances on the enhanced dissolution of volatile organic compounds into dew water. *Atmos Res.* 87: 213-223. <http://dx.doi.org/10.1016/j.aunosres.2007.11.003>.
- Okunev, AG; Aristov, YI. (1999). Why an apparent surface dimension of silica gels may be abnormally high. *Langmuir.* 15: 5068-5072.
- Olaniran, AO; Babalola, GO; Okoh, AI. (2001). Aerobic dehalogenation potentials of four bacterial species isolated from soil and sewage sludge. *Chemosphere.* 45: 45-50.
- Olivas, Y; Dolfig, J; Smith, GB. (2002). The influence of redox potential on the degradation of halogenated methanes. *Environ Toxicol Chem.* 21: 493-499.
- Ollolqui-Sariego, JL; Molina, VM; Gonzalez-Arjona, D; Roldan, E; Dominguez, M. (2008). Electrosynthesis of trichloroacetic acid by electrochemical carboxylation of carbon tetrachloride. *J Electrochem Soc.* 155: E157-E161. <http://dx.doi.org/10.1149/1.2971028>.
- Ollolqui-Sariego, JL; Molina, VM; Gonzalez-Arjona, D; Roldan, E; Dominguez, M. (2010). An Efficient Electrochemical Carboxylation of Polychloromethanes at Zinc Cathode in Acetonitrile. *J Electrochem Soc.* 157: E64-E68. <http://dx.doi.org/10.1149/1.3299365>.
- O'Loughlin, EJ; Burriss, DR. (2004). Reduction of halogenated ethanes by green rust. *Environ Toxicol Chem.* 23: 41-48. <http://dx.doi.org/10.1897/03-45>.
- O'Loughlin, EJ; Burriss, DR; Delcomyn, CA. (1999). Reductive dechlorination of trichloroethene mediated by humic-metal complexes. *Environ Sci Technol.* 33: 1145-1147.
- O'Loughlin, EJ; Kelly, SD; Kemner, KM; Csencsits, R; Cook, RE. (2003). Reduction of Ag-I, Au-III, Cu-II, and Hg-II by Fe-II/Fe-III hydroxysulfate green rust. *Chemosphere.* 53: 437-446. [http://dx.doi.org/10.1016/S0045-6535\(03\)00545-9](http://dx.doi.org/10.1016/S0045-6535(03)00545-9).
- O'Loughlin, EJ; Kemner, KM; Burriss, DR. (2003). Effects of Ag(I), Au(III), and Cu(II) on the reductive dechlorination of carbon tetrachloride by green rust. *Environ Sci Technol.* 37: 2905-2912. <http://dx.doi.org/10.1021/es030304w>.
- O'Loughlin, EJ; Larese-Casanova, P; Scherer, M; Cook, R. (2007). Green rust formation from the bioreduction of gamma-FeOOH (lepidocrocite): Comparison of several *Shewanella* species. *Geomicrobiology Journal.* 24: 211-230. <http://dx.doi.org/10.1080/01490450701459333>.
- Olsen, A, re; Key, RM; van Heuven, S; Lauvset, S, ivK; Velo, A; Lin, X; Schirnack, C; Kozyr, A; Tanhua, T; Hoppema, M; Jutterstrom, S; Steinfeldt, R; Jeansson, E; Ishii, M; Perez, F, izF; Suzuki, T. (2016). The Global Ocean Data Analysis Project version 2 (GLODAPv2) - an internally consistent data product for the world ocean. *Earth System Science Data.* 8: 297-323. <http://dx.doi.org/10.5194/essd-8-297-2016>.
- Olsson, KA; Jeansson, E; Tanhua, T; Gascard, JC. (2005). The East Greenland Current studied with CFCs and released sulphur hexafluoride. *J Mar Syst.* 55: 77-95. <http://dx.doi.org/10.1016/j.jmarsys.2004.07.019>.
- Onfelt, A. (1987). Spindle disturbances in mammalian cells: III: Toxicity, c-mitosis and aneuploidy with 22 different compounds: Specific and unspecific mechanisms. *Mutat Res Environ Mutagen Relat Subj.* 182: 135-154. [http://dx.doi.org/10.1016/0165-1161\(87\)90067-7](http://dx.doi.org/10.1016/0165-1161(87)90067-7).
- Ono, K; Oomori, T; Tuda, M; Namba, K. (1992). MEASUREMENTS OF THE CL ATOM CONCENTRATION IN RADIOFREQUENCY AND MICROWAVE PLASMAS BY 2-PHOTON LASER-INDUCED FLUORESCENCE - RELATION TO THE ETCHING OF SI. *Journal of Vacuum Science and Technology A.* 10: 1071-1079.
- Onosaka, S; Yoshida, M; Min, KS; Fujita, Y; Tanaka, K. (1991). STUDIES ON THE MECHANISMS OF METALLOTHIONEIN INDUCTION .1. INVOLVEMENT OF LIPIDS. *JTHE.* 37: 185-190.
- Oostrom, M; Dane, JH; Wietsma, TW. (2005). Removal of carbon tetrachloride from a layered porous medium by means of soil vapor extraction enhanced by desiccation and water table reduction. *Vadose Zone Journal.* 4: 1170-1182. <http://dx.doi.org/10.2136/vzj2004.0173>.
- Oostrom, M; Lenhard, RJ. (2003). Carbon Tetrachloride Flow Behavior in Unsaturated Hanford Caliche Material: An Investigation of Residual Nonaqueous Phase Liquids. *Vadose Zone Journal.* 2: 25-33.
- Orbay, O; Gao, S; Barbaris, B; Rupp, E; Sáez, AE; Arnold, RG; Betterton, EA. (2008). Catalytic Dechlorination of Gas-phase Perchloroethylene under Mixed Redox Conditions. *Appl Catal B-Environ.* 79: 43-52. <http://dx.doi.org/10.1016/j.apcatb.2007.09.034>.
- Ordóñez, S; Sastre, H; Diez, FV. (2000). Hydrodechlorination of aliphatic organochlorinated compounds over commercial hydrogenation catalysts. *Appl Catal B-Environ.* 25: 49-58.
- Ortega, J; Espiau, F. (2003). A new correlation method for vapor-liquid equilibria and excess enthalpies for nonideal solutions using a genetic algorithm. Application to ethanol plus an n-alkane mixtures. *Ind Eng Chem Res.* 42: 4978-4992. <http://dx.doi.org/10.1021/ie030327j>.
- Orzechowska, GE; Poziomek, EJ; Hodge, VF; Engelmann, WH. (1995). USE OF SONOCHEMISTRY IN MONITORING CHLORINATED HYDROCARBONS IN WATER. *Environ Sci Technol.* 29: 1373-1379. <http://dx.doi.org/10.1021/es00005a033>.

Fate Literature Search Results

Off Topic

- Osadebe, PO; Okoye, FB; Uzor, PF; Nnamani, NR; Adiele, IE; Obiano, NC. (2012). Phytochemical analysis, hepatoprotective and antioxidant activity of *Alchornea cordifolia* methanol leaf extract on carbon tetrachloride-induced hepatic damage in rats. *Asian Pacific Journal of Tropical Medicine*. 5: 289-293. [http://dx.doi.org/10.1016/S1995-7645\(12\)60041-8](http://dx.doi.org/10.1016/S1995-7645(12)60041-8).
- Osorio, P; Urbina-Villalba, G. (2011). Influence of Drop Deformability on the Stability of Decane-in-Water Emulsions. *Journal of Surfactants and Detergents*. 14: 281-300. <http://dx.doi.org/10.1007/s11743-010-1238-z>.
- Oswal, SL; Oswal, P; Dave, JP. (1994). V(E) OF MIXTURES CONTAINING ALKYL ACETATE, OR ETHYL ALKANOATE, OR ETHYL BROMOALKANOATE WITH N-HEXANE. *Fluid Phase Equilibria*. 98: 225-234.
- Oswal, SL; Patel, BM; Patel, AM; Ghael, NY. (2003). Densities, speeds of sound, isentropic compressibilities, and refractive indices of binary mixtures of methyl methacrylate with hydrocarbons, haloalkanes and alkyl amines. *Fluid Phase Equilibria*. 206: 313-329. [http://dx.doi.org/10.1016/S0378-3812\(03\)00031-1](http://dx.doi.org/10.1016/S0378-3812(03)00031-1).
- Oswal, SL; Patel, IN. (1998). Excess molar volumes of binary mixtures of alkyl acetates with hexane, tetrachloromethane, and trichloromethane. *Fluid Phase Equilibria*. 149: 249-259.
- Ott, JB; Goates, JR. (1996). Summary of melting and transition temperatures of pure substances and congruent and incongruent melting temperatures of molecular addition compounds. *Journal of Chemical and Engineering Data*. 41: 669-677.
- Ottu, OJ; Atawodi, SE; Onyike, E. (2013). Antioxidant, hepatoprotective and hypolipidemic effects of methanolic root extract of *Cassia singueana* in rats following acute and chronic carbon tetrachloride intoxication. *Asian Pacific Journal of Tropical Medicine*. 6: 609-615. [http://dx.doi.org/10.1016/S1995-7645\(13\)60105-4](http://dx.doi.org/10.1016/S1995-7645(13)60105-4).
- Ou-Yang, CF; Chang, CC; Chen, SP, o; Chew, C; Lee, B; Chang, CY; Montzka, SA; Dutton, GS; Butler, JH; Elkins, JW; Wang, J. (2015). Changes in the levels and variability of halocarbons and the compliance with the Montreal Protocol from an urban view. *Chemosphere*. 138: 438-446. <http://dx.doi.org/10.1016/j.chemosphere.2015.06.070>.
- Oyanedel-Craver, VA; Smith, JA. (2006). Effect of quaternary ammonium cation loading and pH on heavy metal sorption to Ca bentonite and two organobentonites. *J Hazard Mater*. 137: 1102-1114. <http://dx.doi.org/10.1016/j.jhazmat.2006.03.051>.
- Ozaki, T; Murase, K; Machida, K; Adachi, G. (1996). Extraction of rare earths and thorium from monazite by chlorination with carbon tetrachloride. *Institute of Materials, Minerals and Mining Transactions Section C: Mineral Processing & Extractiv*. 105: C141-C145.
- Ozdemir, C; Sen, N; Kalipci, E. (2012). Reaction kinetics and removal of COD with treatment of TCE with the synthetic wastewater in UASB reactors. *Energy Education Science & Technology, Part A: Energy Science and Research*. 28: 689-698.
- Ozretic, B; Krajinovicozretic, M. (1993). PLASMA SORBITOL DEHYDROGENASE, GLUTAMATE-DEHYDROGENASE, AND ALKALINE-PHOSPHATASE AS POTENTIAL INDICATORS OF LIVER INTOXICATION IN GRAY MULLET (*MUGIL-AURATUS* RISSO). *Bull Environ Contam Toxicol*. 50: 586-592.
- Ozturk, B; Yilmaz, D. (2006). Absorptive removal of volatile organic compounds from flue gas streams. *Process Saf Environ Protect*. 84: 391-398. <http://dx.doi.org/10.1205/psep05003>.
- Ozturk, M; Akdogan, M; Keskin, I; Kisioglu, AN; Oztas, S; Yildiz, K. (2012). Effect of *Silybum marianum* on acute hepatic damage caused by carbon tetrachloride in rats. *Biomedical Research*. 23: 268-274.
- Pachauri, M; Upadhyay, SK. (2003). Kinetics of Ru-III catalysed polymerization of methylmethacrylate by aliphatic amines in presence of carbontetrachloride. *Indian J Chem Tech*. 10: 402-407.
- Paderewski, M. (1994). A SIMPLIFIED MODEL OF DESORPTION FROM FIXED-BED HEATED DIRECTLY BY ELECTRIC-CURRENT. *Inzynieria Chemiczna i Procesowa*. 15: 147-158.
- Page, DA; Carlson, GP. (1993). EFFECT OF PYRIDINE ON THE HEPATIC AND PULMONARY METABOLISM OF 2-BUTANOL IN RAT AND RABBIT. *J Toxicol Environ Health*. 38: 369-379. <http://dx.doi.org/10.1080/15287399309531725>.
- Pajak, J; Galewski, Z; Rospenk, M; Sobczyk, L. (2001). Liquid crystalline properties of and intramolecular hydrogen bonding in 4-methyl-2'-hydroxy-4'-alkoxyazobenzenes. *Liquid Crystals*. 28: 1003-1008.
- Pal, A; Bandyopadhyay, M. (1997). Fluorometric determination of trichloroacetic acid and its application in water sample analysis. *Indian J Chem Tech*. 4: 253-255.
- Pal, A; Kumar, A. (1998). Excess molar volumes and viscosities of binary mixtures of 2-(2-butoxyethoxy)ethanol with chloroalkanes at 298.15K. *Fluid Phase Equilibria*. 143: 241-251.
- Pal, A; Singh, W. (1997). Excess molar volumes and viscosities of binary mixtures of 2-butoxyethanol (butyl cellosolve) with chloroalkanes at 298.15 K. *Fluid Phase Equilibria*. 129: 211-221.
- Pal, A; Singh, W. (1997). Speeds of sound and viscosities in aqueous poly(ethylene glycol) solutions at 303.15 and 308.15 K. *Journal of Chemical and Engineering Data*. 42: 234-237.
- Pal, R; Kundu, D. (2009). Sol-gel synthesis of porous and dense silica microspheres. *Journal of Non-Crystalline Solids*. 355: 76-78. <http://dx.doi.org/10.1016/j.jnoncrysol.2008.03.052>.
- Palczewska-Tulinska, M; Oracz, P. (2005). Selected physicochemical properties of hexamethylcyclotrisiloxane, octamethylcyclotetrasiloxane, and decamethylcyclopentasiloxane. *Journal of Chemical and Engineering Data*. 50: 1711-1719. <http://dx.doi.org/10.1021/jc050173+>.
- Palinko, I. (1995). EFFECTS OF SURFACE MODIFIERS ON THE LIQUID-PHASE HYDROGENATION OF ALKENES OVER SILICA-SUPPORTED PLATINUM, PALLADIUM AND RHODIUM CATALYSTS .1. QUINOLINE AND CARBON-TETRACHLORIDE. *Appl Catal A-Gen*. 126: 39-49.
- Palmer, PI. (2003). Eastern Asian emissions of anthropogenic halocarbons deduced from aircraft concentration data. *J Geophys Res*. 108: 4753. <http://dx.doi.org/10.1029/2003JD003591>.
- Palmer, PT; Remigi, C; Karr, D. (2000). Evaluation of two different direct-sampling ion-trap mass-spectrometry methods for monitoring halocarbon compounds in air. *Field Analytical Chemistry and Technology*. 4: 14-30.

Fate Literature Search Results

Off Topic

- Pan, C; Ke, Q; Ouyang, G; Zhen, X; Yang, Y; Huang, Z. (2004). Excess Molar Volumes and Surface Tensions of Trimethylbenzene with Tetrahydrofuran Tetrachloromethane and Dimethyl Sulfoxide at 298.15 K. *Journal of Chemical and Engineering Data*. 49: 1839. <http://dx.doi.org/10.1021/je0497294>.
- Pan, Y; Liu, Q; Liu, FF; Qian, GR; Xu, ZP. (2011). Regional assessment of ambient volatile organic compounds from biopharmaceutical R&D complex. *Sci Total Environ*. 409: 4289-4296. <http://dx.doi.org/10.1016/j.scitotenv.2011.07.014>.
- Pandey, JD; Shukla, AK; Gupta, S; Pandey, S. (1995). ULTRASONIC VELOCITY AND REFRACTIVE-INDEX OF MULTICOMPONENT SYSTEMS. *Fluid Phase Equilibria*. 103: 285-299.
- Pang, L, inLin; Bi, JQ; Bai, Y, uJun; Zhu, H, uil; Qi, YX, in; Wang, CG, uo; Han, F, uD; Li, SJ, ie. (2008). Synthesis of carbon spheres via a low-temperature metathesis reaction. *J Phys Chem C*. 112: 12134-12137. <http://dx.doi.org/10.1021/jp801935m>.
- Panja, S; Mohapatra, PK; Tripathi, SC; Gandhi, PM; Janardan, P. (2012). Role of organic diluents on Am(III) extraction and transport behaviour using N,N,N',N'-tetraoctyl-3-oxapentanediamide as the extractant. *J Memb Sci*. 403: 71-77. <http://dx.doi.org/10.1016/j.memsci.2012.02.022>.
- Papa, J; Calderon, JB; Marchese, J; Rivarola, JB. (1977). KINETICS OF REACTION BETWEEN TUNGSTEN TRIOXIDE AND CARBON-TETRACHLORIDE. *AIChE J*. 23: 938-940.
- Papetti, A; Daglia, M; Aceti, C; Quaglia, M; Gregotti, C; Gazzani, G. (2006). Isolation of an in vitro and ex vivo antiradical melanoidin from roasted barley. *J Agric Food Chem*. 54: 1209-1216. <http://dx.doi.org/10.1021/jf058133x>.
- Papirer, E; Lacroix, R; Donnet, JB; Nanse, G; Fioux, P. (1994). XPS STUDY OF THE HALOGENATION OF CARBON-BLACK .1. BROMINATION. *Carbon*. 32: 1341-1358.
- Papirer, E; Lacroix, R; Donnet, JB; Nanse, G; Fioux, P. (1995). XPS STUDY OF THE HALOGENATION OF CARBON-BLACK .2. CHLORINATION. *Carbon*. 33: 63-72.
- Parat, B; Pardo, LC; Barrio, M; Tamarit, JL; Negrier, P; Salud, J; Lopez, DO; Mondieig, D. (2005). Polymorphism of CBrCl₃. *Chem Mater*. 17: 3359-3365. <http://dx.doi.org/10.1021/cm050372c>.
- Pardo, LC; Henao, A; Vispa, A. (2015). Characterizing ordering in liquids: An information theoretic approach. *Journal of Non-Crystalline Solids*. 407: 220-227. <http://dx.doi.org/10.1016/j.jnoncrysol.2014.07.032>.
- Parida, KM; Pattnayak, PK. (1998). SO₄²⁻/ZrO₂: An efficient catalyst for nitration of chlorobenzene to chloronitrobenzene. *Stud Surf Sci Catal*. 113: 247-250.
- Park, DH; Lee, MS; Kim, HJ; Kim, HS; Lee, YL; Kwon, MS; Jang, JJ; Lee, MJ. (2004). Chronic hepatotoxicity of carbon tetrachloride in hsp-70 knock out mice. *Exp Anim*. 53: 27-30.
- Park, J; Shaw, BR. (1994). IMPROVED PERFORMANCE OF UNMODIFIED AND COBALT PHTHALOCYANINE-MODIFIED CARBON-KEL-F COMPOSITE ELECTRODES. *J Electrochem Soc*. 141: 323-330.
- Park, JS; Her, N; Oh, J; Yoon, Y. (2011). Sonocatalytic degradation of bisphenol A and 17 alpha-ethinyl estradiol in the presence of stainless steel wire mesh catalyst in aqueous solution. *Separation and Purification Technology*. 78: 228-236. <http://dx.doi.org/10.1016/j.seppur.2011.02.007>.
- Park, JS; Her, N; Yoon, Y. (2011). Ultrasonic degradation of bisphenol A, 17 beta-estradiol, and 17 alpha-ethinyl estradiol in aqueous solution. *Desalination and Water Treatment*. 30: 300-309. <http://dx.doi.org/10.5004/dwt.2011.2178>.
- Park, JW; Jaffe, PR. (1993). PARTITIONING OF 3 NONIONIC ORGANIC-COMPOUNDS BETWEEN ADSORBED SURFACTANTS, MICELLES, AND WATER. *Environ Sci Technol*. 27: 2559-2565.
- Park, JW; Jaffe, PR. (1994). REMOVAL OF NONIONIC ORGANIC POLLUTANTS FROM WATER BY SORPTION TO ORGANO-OXIDES. *ACS Symp Ser Am Chem Soc*. 554: 171-183.
- Park, JW; Jaffe, PR. (1995). PHENANTHRENE REMOVAL FROM SOIL SLURRIES WITH SURFACTANT-TREATED OXIDES. *J Environ Eng*. 121: 430-437.
- Park, KH, o; Mohapatra, D; Kim, HI, n; Guo, X. (2007). Dissolution behavior of a complex Cu-Ni-Co-Fe matte in CuCl₂-NaCl-HCl leaching medium. *Separation and Purification Technology*. 56: 303-310. <http://dx.doi.org/10.1016/j.seppur.2007.02.013>.
- Park, KH, o; Mohapatra, D; Nam, C. (2007). Two stage leaching of activated spent HDS catalyst and solvent extraction of aluminium using organo-phosphinic extractant, Cyanex 272. *J Hazard Mater*. 148: 287-295. <http://dx.doi.org/10.1016/j.jhazmat.2007.02.034>.
- Park, KH, o; Mohapatra, D; Reddy, BR. (2006). A study on the acidified ferric chloride leaching of a complex (Cu-Ni-Co-Fe) matte. *Separation and Purification Technology*. 51: 332-337. <http://dx.doi.org/10.1016/j.seppur.2006.02.013>.
- Park, SS; Kim, SO; Yun, ST; Chae, GT; Yu, SY; Kim, S; Kim, Y. (2005). Effects of land use on the spatial distribution of trace metals and volatile organic compounds in urban groundwater, Seoul, Korea. *Environ Geol*. 48: 1116-1131. <http://dx.doi.org/10.1007/s00254-005-0053-8>.
- Parkinson, GS; Dohnalek, Z; Smith, RS; Kay, BD. (2009). Reactivity of C₂Cl₆ and C₂Cl₄ Multilayers with Fe-0 Atoms over FeO(111). *J Phys Chem C*. 113: 10233-10241. <http://dx.doi.org/10.1021/jp901040f>.
- Parkinson, GS; Dohnalek, Z; Smith, RS; Kay, BD. (2009). Reactivity of Fe-0 Atoms, Clusters, and Nanoparticles with CCl₄ Multilayers on FeO(111). *J Phys Chem C*. 113: 1818-1829. <http://dx.doi.org/10.1021/jp8076062>.
- Parkinson, GS; Dohnalek, Z; Smith, RS; Kay, BD. (2010). Reactivity of Fe-0 Atoms with Mixed CCl₄ and D₂O Films over FeO(111). *J Phys Chem C*. 114: 17136-17141. <http://dx.doi.org/10.1021/jp103896k>.
- Parmar, M; Shah, P; Thakkar, V; Al-Rejaie, S; Gandhi, T. (2013). HEPATOPROTECTIVE POTENTIAL OF METHANOLIC EXTRACT OF VETIVERIA ZIZANIODES ROOTS AGAINST CARBON TETRACHLORIDE-INDUCED ACUTE LIVER DAMAGE IN RATS. *Digest Journal of Nanomaterials and Biostructures*. 8: 835-844.
- Parola, M; Leonarduzzi, G; Biasi, F; Albano, E; Biocca, ME; Poli, G; Dianzani, MU. (1992). Vitamin E dietary supplementation protects against carbon tetrachloride-induced chronic liver damage and cirrhosis. *Hepatology*. 16: 1014-1021.
- Parrett, JW, Jr; Sumner, JP; Devore, TC. (1999). Reaction between chlorocarbon vapors and sodium carbonate. *Environ Sci Technol*. 33: 1691-1696.

Fate Literature Search Results

Off Topic

- Parsa, JB; Yazdi, M. (2008). Excess enthalpies and thermal conductivity coefficients for binary mixtures of carbon tetrachloride and four alkanes (C-5 to C-8) at a temperature of 2918.15 K. *Journal of Chemical and Engineering Data*. 53: 995-997. <http://dx.doi.org/10.1021/jc7007395>.
- Parshetti, GK; Doong, R, an. (2010). Dechlorination and photodegradation of trichloroethylene by Fe/TiO₂ nanocomposites in the presence of nickel ions under anoxic conditions. *Appl Catal B-Environ*. 100: 116-123. <http://dx.doi.org/10.1016/j.apcatb.2010.07.020>.
- Parshetti, GK; Doong, R, an. (2012). Dechlorination of chlorinated hydrocarbons by bimetallic Ni/Fe immobilized on polyethylene glycol-grafted microfiltration membranes under anoxic conditions. *Chemosphere*. 86: 392-399. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.028>.
- Parshetti, GK; Doong, RA. (2009). Dechlorination of trichloroethylene by Ni/Fe nanoparticles immobilized in PEG/PVDF and PEG/nylon 66 membranes. *Water Res*. 43: 3086-3094. <http://dx.doi.org/10.1016/j.watres.2009.04.037>.
- Parsons, JD; Kruaval, GB. (1994). MORPHOLOGICAL STRUCTURE OF SILICON-CARBIDE, CHEMICALLY VAPOR-DEPOSITED ON TITANIUM CARBIDE, USING ETHYLENE, CARBON-TETRACHLORIDE, AND SILICON TETRACHLORIDE. *J Electrochem Soc*. 141: 771-777.
- Partay, LB; Jedlovsky, P, al; Horvai, G. (2009). Structure of the Liquid-Vapor Interface of Water-Acetonitrile Mixtures As Seen from Molecular Dynamics Simulations and Identification of Truly Interfacial Molecules Analysis. *J Phys Chem C*. 113: 18173-18183. <http://dx.doi.org/10.1021/jp901832r>.
- Parvulescu, AN; Gagea, BC; Alifanti, M; Parvulescu, V; Parvulescu, VI; Nae, S; Razus, A; Poncelet, G; Grange, P. (2001). Silica-embedded tert-butyl dimethylsilyltrifluoromethanesulfonate catalysts as new solid acid catalysts. *J Catal*. 202: 319-323. <http://dx.doi.org/10.1006/jcat.2001.3282>.
- Parvulescu, V; Parvulescu, VI; Grange, P. (2000). Preparation, characterization and catalytic properties of Co-Nb₂O₅-SiO₂ catalysts. *Catalysis Today*. 57: 193-199.
- Patel, A; Vaghasiya, A; Gajera, R; Baluja, S. (2010). Solubility of 5-Amino Salicylic Acid in Different Solvents at Various Temperatures. *Journal of Chemical and Engineering Data*. 55: 1453-1455. <http://dx.doi.org/10.1021/jc900646u>.
- Pathare, S; Bhethanabotla, VR; Campbell, SW. (2004). Total vapor pressure measurements for 2-ethoxyethanol with carbon tetrachloride, chloroform, and dichloromethane at 303.15 K. *Journal of Chemical and Engineering Data*. 49: 510-513.
- Patil, PN; Gogate, PR. (2012). Degradation of methyl parathion using hydrodynamic cavitation: Effect of operating parameters and intensification using additives. *Separation and Purification Technology*. 95: 172-179. <http://dx.doi.org/10.1016/j.seppur.2012.04.019>.
- Patki, KC; von Moltke, LL; Harmatz, JS; Hesse, LM; Court, MH; Greenblatt, DJ. (2004). Effect of age on in vitro triazolam biotransformation in male human liver microsomes. *J Pharmacol Exp Ther*. 308: 874-879. <http://dx.doi.org/10.1124/jpet.103.059311>.
- Patrizi, B; Cumis, MS; Viciani, S; D'Amato, F; Foggi, P. (2014). Characteristic vibrational frequencies of toxic polychlorinated dibenzo-dioxins and -furans. *J Hazard Mater*. 274: 98-105. <http://dx.doi.org/10.1016/j.jhazmat.2014.04.004>.
- Paulo, CS; Lino, MM; Matos, AA; Ferreira, LS. (2013). Differential internalization of amphotericin B--conjugated nanoparticles in human cells and the expression of heat shock protein 70. *Biomaterials*. 34: 5281-5293. <http://dx.doi.org/10.1016/j.biomaterials.2013.03.048>.
- Payne, E; Smith, JF; Cope, BC; McGowan, LT. (1991). STUDIES ON THE ROLE OF LIVER CYTOCHROME-P-450 AND ESTRADIOL METABOLISM IN THE EFFECTS OF NUTRITION AND PHENOBARBITAL ON OVULATION RATE IN THE EWE. *Reprod Fertil Dev*. 3: 725-736.
- Pearson, CR; Hozalski, RM; Arnold, WA. (2005). Degradation of Chloropicrin in the Presence of Zero-Valent Iron. *Environ Toxicol Chem*. 24: 3037.
- Pearson, SJ; Hobson, WS; Ren, F; Abernathy, CR; Constantine, C. (1994). DRY-ETCHED MESAS FOR BURIED HETEROSTRUCTURE INGAASP/INP LASERS USING ELECTRON-CYCLOTRON-RESONANCE CL₂/CH₄/H₂/AR DISCHARGES. *Journal of Materials Science: Materials in Electronics*. 5: 185-190.
- Pecher, K; Haderlein, SB; Schwarzenbach, RP. (2002). Reduction of polyhalogenated methanes by surface-bound Fe(II) in aqueous suspensions of iron oxides. *Environ Sci Technol*. 36: 1734-1741. <http://dx.doi.org/10.1021/es011191o>.
- Pedersen, JE; Keiding, S. R. (1992). THZ TIME-DOMAIN SPECTROSCOPY OF NONPOLAR LIQUIDS. I E E E *Journal of Quantum Electronics*. 28: 2518-2522.
- Pedersen-Bjergaard, J; Andersen, MK; Christiansen, DH; Nerlov, C. (2002). Genetic pathways in therapy-related myelodysplasia and acute myeloid leukemia. *Blood*. 99: 1909-1912.
- Pei, Y; Wang, Q; Gong, X; Lei, F; Shen, B. (2015). Distribution of cyclohexanol and cyclohexanone between water and cyclohexane. *Fluid Phase Equilibria*. 394: 129-139. <http://dx.doi.org/10.1016/j.fluid.2015.02.029>.
- Pekel, N; Guven, O. (2002). Solvent, temperature and concentration effects on the adsorption of poly(n-butyl methacrylate) on alumina from solutions. *Turkish Journal of Chemistry*. 26: 221-227.
- Pelech, R; Bembnowska, A; Milchert, E. (2003). Adsorption of hydrocarbon chloro-derivatives onto DTO commercial activated carbon from multi-component aqueous solutions. *AST*. 21: 707-720.
- Pelech, R; Lewandowski, G; Milchert, E. (2006). Recovering organochlorine compounds from industrial wastewaters. *Przemysł Chemiczny*. 85: 641-643.
- Pelech, R; Milchert, E; Wróbel, R. (2006). Adsorption dynamics of chlorinated hydrocarbons from multi-component aqueous solution onto activated carbon. *J Hazard Mater*. 137: 1479-1487. <http://dx.doi.org/10.1016/j.jhazmat.2006.04.023>.
- Peles-Lemli, B; Acs, P; Kollar, L; Kunsagi-Mate, S. (2008). Permittivity-dependent carrier behavior of aniline derivatives toward common low-permittivity solvents in the solubilization of carbon nanotubes. Fullerenes, Nanotubes, and Carbon Nanostructures. 16: 247-257. <http://dx.doi.org/10.1080/15363830802171669>.
- Peng, CY; Hsiao, SL; Lan, CH; Huang, YL. (2013). Application of passive sampling on assessment of concentration distribution and health risk of volatile organic compounds at a high-tech science park. *Environ Monit Assess*. 185: 181-196. <http://dx.doi.org/10.1007/s10661-012-2542-z>.

Fate Literature Search Results

Off Topic

- Peng, H; Cheng, SY; Fan, ZQ. (2005). Synthesis and characterization of PBMA-b-PSt-b-PBMA triblock copolymers by atom transfer radical emulsion polymerization. *Polymer Engineering and Science*. 45: 1508-1514. <http://dx.doi.org/10.1002/pen.20430>.
- Peng, J; Zhang, W; Liu, Y, an; Jiang, Y; Ni, L; Qiu, J. (2017). Superior Adsorption Performance of Mesoporous Carbon Nitride for Methylene Blue and the Effect of Investigation of Different Modifications on Adsorption Capacity. *Water Air Soil Pollut*. 228. <http://dx.doi.org/10.1007/s11270-016-3189-0>.
- Peng, X; Matthews, A; Xue, S. (2010). Plasma-based processes and thin film equipment for nano-scale device fabrication. *Journal of Materials Science*. 46: 1-37. <http://dx.doi.org/10.1007/s10853-010-4974-6>.
- Peng, XF; Tien, Y; Lee, DJ. (2001). Bubble nucleation in microchannels: statistical mechanics approach. *Int J Heat Mass Tran*. 44: 2957-2964.
- Perera, VPS; Senevirathna, MKI; Pitigala, PKD, DP; Tennakone, K. (2005). Doping CuSCN films for enhancement of conductivity: Application in dye-sensitized solid-state solar cells. *Solar Energy Materials and Solar Cells*. 86: 443-450. <http://dx.doi.org/10.1016/j.solmat.2004.11.003>.
- Peretyazhko, T; Zachara, JM; Heald, SM; Jeon, BH; Kukkadapu, RK; Liu, C; Moore, D; Resch, CT. (2008). Heterogeneous reduction of Tc(VII) by Fe(II) at the solid-water interface. *Geochim Cosmo Acta*. 72: 1521-1539. <http://dx.doi.org/10.1016/j.gca.2008.01.004>.
- Perez, G; Caponecchi, G; Keheyen, Y; Lilla, E. (1993). Gas phase naphthalene chlorination. *Chemosphere*. 26: 2139-2146.
- Perez, P; Valero, J; Garcia, M. (1994). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIUM OF 1,2-DIBROMOETHANE PLUS TETRACHLOROMETHANE AT TEMPERATURES BETWEEN 283.15 AND 323.15-K. *Journal of Chemical and Engineering Data*. 39: 789-792.
- Pérez-hernández, N; Fort, D; Pérez, C; Martín, JD. (2011). Water-Induced Molecular Self-Assembly of Hollow Tubular Crystals. *Cryst Growth Des*. 11: 1054-1061. <http://dx.doi.org/10.1021/cg101227u>.
- Peringer, E; Tejuja, C; Salzinger, M; Lemonidou, AA; Lercher, JA. (2008). On the synthesis of LaCl₃ catalysts for oxidative chlorination of methane. *Appl Catal A-Gen*. 350: 178-185. <http://dx.doi.org/10.1016/j.apcata.2008.08.009>.
- Perlinger, JA; Angst, W; Schwarzenbach, RP. (1996). Kinetics of the reduction of hexachloroethane by juglone in solutions containing hydrogen. *Environ Sci Technol*. 30: 3408-3417.
- Perlinger, JA; Buschmann, J; Angst, W; Schwarzenbach, RP. (1998). Iron porphyrin and mercaptojuglone mediated reduction of polyhalogenated methanes and ethanes in homogenous aqueous solution. *Environ Sci Technol*. 32: 2431-2437.
- Perrin, A; Celzard, A; Albinia, A; Jasienko-Halat, M; Mareche, JF; Furdin, G. (2005). NaOH activation of anthracites: effect of hydroxide content on pore textures and methane storage ability. *Microporous and Mesoporous Materials*. 81: 31-40. <http://dx.doi.org/10.1016/j.micromeso.2005.01.015>.
- Perrin, A; Celzard, A; Albinia, A; Kaczmarczyk, J; Mareche, JF; Furdin, G. (2004). NaOH activation of anthracites: effect of temperature on pore textures and methane storage ability. *Carbon*. 42: 2855-2866. <http://dx.doi.org/10.1016/j.carbon.2004.06.030>.
- Persoff, P; Apps, J; Moridis, G; Whang, JM. (1999). Effect of dilution and contaminants on sand grouted with colloidal silica. *Journal of Geotechnical and Geoenvironmental Engineering*. 125: 461-469.
- Pesyan, NN; Khalafy, J; Khani-Meinagh, H. (2009). 2,2'-Binaphthylene phosphorochloridite (BINOL-PCI) as a bulky and efficient reagent for the conversion of primary and secondary alcohols into iodides, and tertiary alcohols stereo- and/or regioselectively into olefin(s). *Turkish Journal of Chemistry*. 33: 527-543. <http://dx.doi.org/10.3906/kim-0804-19>.
- Peter, CP; Burek, JD; van Zwieten, MJ. (1986). Spontaneous nephropathies in rats. *Toxicol Pathol*. 14: 91-100.
- Petersen, JN; Bereded-Samuel, Y. (1998). The effect of oxygen exposure on the methanogenic activity of an anaerobic bacterial consortium. *Environmental Progress*. 17: 104-110.
- Petrelli, G; Siepi, G; Milligi, L; Vineis, P. (1993). Solvents in pesticides. *Scand J Work Environ Health*. 19: 63-65.
- Petrick, K; Mclachlan, MS. (1996). Rapid synthesis of some lower brominated C-13-labelled dibenzo-p-dioxins and dibenzofurans and mixed brominated/chlorinated dibenzo-p-dioxins. *Int J Environ Anal Chem*. 62: 21-33.
- Petrier, C; Francony, A. (1997). Incidence of wave-frequency on the reaction rates during ultrasonic wastewater treatment. *Water Sci Technol*. 35: 175-180.
- Petrov, JG; Ralston, J; Schneemilch, M; Hayes, RA. (2003). Dynamics of partial wetting and dewetting of an amorphous fluoropolymer by pure liquids. *Langmuir*. 19: 2795-2801. <http://dx.doi.org/10.1021/la026692h>.
- Petrovic, R; Tanaskovic, N; Djokic, V; Radovanovic, Z; Jankovic-Castvan, I; Stamenkovic, I; Janackovic, D, j. (2012). Influence of the gelation and calcination temperatures on physical parameters and photocatalytic activity of mesoporous titania powders synthesized by the nonhydrolytic sol-gel process. *Powder Technology*. 219: 239-243. <http://dx.doi.org/10.1016/j.powtec.2011.12.049>.
- Petrushenko, KB; Petrushenko, IK; Petrova, OV; Sobenina, LN; Trofimov, BA. (2017). Novel environment-sensitive 8-CF₃-BODIPY dye with 4-(dimethylamino)phenylgroup at the 3-position: Synthesis and optical properties. *Dyes and Pigments*. 136: 488-495. <http://dx.doi.org/10.1016/j.dyepig.2016.09.009>.
- Pfeifer, KF; Weber, LJ. (1979). EFFECT OF CARBON-TETRACHLORIDE ON THE TOTAL PLASMA-PROTEIN CONCENTRATION OF RAINBOW-TROUT, SALMO-GAIRDNERI. *Comp Biochem Physiol C Comp Pharmacol Toxicol*. 64: 37-42.
- Pfeifer, KF; Weber, LJ; Larson, RE. (1980). CARBON TETRACHLORIDE-INDUCED HEPATOTOXIC RESPONSE IN RAINBOW-TROUT, SALMO-GAIRDNERI, AS INFLUENCED BY 2 COMMERCIAL FISH DIETS. *Comp Biochem Physiol C Comp Pharmacol Toxicol*. 67: 91-96.
- Pfleging, W; Vorckel, A; Duddek, H; Wesner, DA; Kreutz, EW. (1997). Excimer-laser patterning of copper in LDE (laser dry etching). *Appl Surf Sci*. 109: 194-200.
- Pfleging, W; Wesner, DA; Kreutz, EW. (1996). CCl₄-assisted CF₄ etching of silicon in a microwave-assisted LDE (laser dry etching)-process. *Appl Surf Sci*. 96-8: 496-500.
- Phanikumar, MS; Hyndman, DW. (2003). Interactions between sorption and biodegradation: Exploring bioavailability and pulsed nutrient injection efficiency. *Water Resour Res*. 39. <http://dx.doi.org/10.1029/2002WR001761>.

Fate Literature Search Results

Off Topic

- Phanikumar, MS; Hyndman, DW; Criddle, CS. (2002). Biocurtain design using reactive transport models. *Ground Water Monitoring and Remediation*. 22: 113-123.
- Phanikumar, MS; Hyndman, DW; Wiggert, DC; Dybas, MJ; Witt, ME; Criddle, CS. (2002). Simulation of microbial transport and carbon tetrachloride biodegradation in intermittently-fed aquifer columns. *Water Resour Res*. 38. <http://dx.doi.org/10.1029/2001WR000289>.
- Phillips, DH; Farmer, PB; Beland, FA; Nath, RG; Poirier, MC; Reddy, MV; Turteltaub, KW. (2000). Methods of DNA adduct determination and their application to testing compounds for genotoxicity. *Environ Mol Mutagen*. 35: 222-233.
- Philpot, RM; Nastainczyk, W; Mason, RP; Wolf, CR. (1979). REDUCTIVE METABOLISM OF CARBON-TETRACHLORIDE IN RECONSTITUTED MONO-OXYGENASE SYSTEMS. *Environ Health Perspect*. 33: 325-325.
- Phousongphouang, PT; Arey, J. (2003). Sources of the atmospheric contaminants, 2-nitrobenzanthrone and 3-nitrobenzanthrone. *Atmos Environ*. 37: 3189-3199. [http://dx.doi.org/10.1016/S1352-2310\(03\)00344-3](http://dx.doi.org/10.1016/S1352-2310(03)00344-3).
- Pickart, L. (2008). The human tri-peptide GHK and tissue remodeling. *J Biomater Sci Polym Ed*. 19: 969-988.
- Pickering, E; Lackey, WJ; Crain, S. (2000). CVD of Ti₃SiC₂. *Chemical Vapor Deposition*. 6: 289-295.
- Picos, S; Amarandei, G; Diaconu, I; Dorohoi, D. (2005). The birefringence of thin films of some nematic liquid crystals. *J Optoelect Adv Mater*. 7: 787-793.
- Piekarczyk, W. (1981). THERMODYNAMIC ANALYSIS OF THE Y3FE5O12-CCL4 SYSTEM AND GROWTH OF YIG SINGLE-CRYSTALS BY CHEMICAL VAPOR TRANSPORT WITH CCL4 AS A TRANSPORTING AGENT. *J Cryst Growth*. 55: 543-548.
- Pinakov, DV; Alferova, NI; Chekhova, GN. (2012). Synthesis and IR spectroscopic characterization of fluorinated graphite intercalation compounds with chlorinated derivatives of methane and ethane. *Inorg Mater*. 48: 1153-1157. <http://dx.doi.org/10.1134/S002016851211009X>.
- Pinto, E; Melo, A; Ferreira, IM. (2014). Sensitive quantitation of polyamines in plant foods by ultrasound-assisted benzylation and dispersive liquid-liquid microextraction with the aid of experimental designs. *J Agric Food Chem*. 62: 4276-4284. <http://dx.doi.org/10.1021/jf500959g>.
- Piotrowska, A; Kaminska, E; Piotrowski, TT; Guziewicz, M; Golaszewska, K; Papis, E; Wrobel, J; Perchuc, L. (2000). Application of CCl₂F₂- and CCl₄-based plasmas for RIE of GaSb and related materials. *Vacuum*. 56: 57-61.
- Piotrowski, TT; Piotrowska, A; Kaminska, E; Piskorski, M; Papis, E; Golaszewska, K; Katcki, J; Ratajczak, J; Adamczewska, J; Wawro, A; Piotrowski, J; Orman, Z; Pawluczuk, J; Nowak, Z. (2001). Design and fabrication of GaSb/InGaAsSb/AlGaAsSb mid-infrared photodetectors. *Opto-Electronics Review*. 9: 188-194.
- Pirard, SL; Pirard, JP; Heyen, G; Schoebrechts, JP; Heinrichs, B. (2011). Experimental procedure and statistical data treatment for the kinetic study of selective hydrodechlorination of 1,2-dichloroethane into ethylene over a Pd-Ag sol-gel catalyst. *Chem Eng J*. 173: 801-812. <http://dx.doi.org/10.1016/j.cej.2011.07.002>.
- Pirinçioğlu, M; Kızıl, G; Kızıl, M; Kanay, Z; Ketani, A. (2014). The protective role of pomegranate juice against carbon tetrachloride-induced oxidative stress in rats. *Toxicol Ind Health*. 30: 910-918. <http://dx.doi.org/10.1177/0748233712464809>.
- Pironon, J; Barres, O. (1992). INFLUENCE OF BRINE-HYDROCARBON INTERACTIONS ON FT-IR MICROSCOPIC ANALYSES OF INTRACRYSTALLINE LIQUID INCLUSIONS. *Geochim Cosmo Acta*. 56: 169-174.
- Pisareva, SI; Russkikh, IV. (2012). Effect of the solvent nature on the formation of intra- and intermolecularly hydrogen-bonded associates in crude oil solutions. *Petroleum Chemistry*. 52: 166-170. <http://dx.doi.org/10.1134/S0965544112030097>.
- Pithawala, K; Bahadur, A. (2002). Reverse mixed micelles as media for hosting enzymes. *Tenside Surfactants Detergents*. 39: 100-103.
- Pitkaaho, S; Matejova, L; Jiratova, K; Ojala, S; Keiski, RL. (2012). Oxidation of perchloroethylene-Activity and selectivity of Pt, Pd, Rh, and V₂O₅ catalysts supported on Al₂O₃, Al₂O₃-TiO₂ and Al₂O₃-CeO₂. Part 2. *Appl Catal B-Environ*. 126: 215-224. <http://dx.doi.org/10.1016/j.apcatb.2012.07.025>.
- Pittman, CU; Jiang, W; Yue, ZR; Gardner, S; Wang, L; Toghiani, H; Leon, CAL, Y. (1999). Surface properties of electrochemically oxidized carbon fibers. *Carbon*. 37: 1797-1807.
- Plaa, GL; Traiger, GJ. (1972). Mechanism of potentiation of CCl₄-induced hepatotoxicity. In TA Loomis (Ed.), (pp. 100-113). Basel, Switzerland: Larger.
- Plahuta, JM; Teel, A, myL; Ahmad, M; Beutel, MW; Rentz, JA; Watts, RJ. (2011). Oxidized Starch Solutions for Environmentally Friendly Aircraft Deicers. *Water Environ Res*. 83: 826-833. <http://dx.doi.org/10.2175/106143011X12928814445050>.
- Plank, CA; Christopher, PM. (1976). VAPOR-LIQUID-EQUILIBRIA OF METHYL BORATE CARBON TETRACHLORIDE AND METHYL BORATE BENZENE SYSTEMS. *Journal of Chemical and Engineering Data*. 21: 211-212.
- Plummer, LN; Busenberg, E; Eberts, SM; Bexfield, LM; Brown, CJ; Fahlquist, LS; Katz, BG; Landon, MK. (2008). Low-Level Detections of Halogenated Volatile Organic Compounds in Groundwater: Use in Vulnerability Assessments. *Journal of Hydrologic Engineering*. 13: 1049-1068. [http://dx.doi.org/10.1061/\(ASCE\)1084-0699\(2008\)13:11\(1049\)](http://dx.doi.org/10.1061/(ASCE)1084-0699(2008)13:11(1049)).
- Podlesnyuk, VV; Hradil, J; Kralova, E. (1999). Sorption of organic vapours by macroporous and hypercrosslinked polymeric adsorbents. *React Funct Polym*. 42: 181-191.
- Pokorska, Z; Pisarzewska, E; Andrysiak, A; Krueger, A; Wesek, W. (1987). PROCESS OF TETRACHLOROMETHANE AND TETRACHLOROETHYLENE SOLVENTS PRODUCTION. *Przemysł Chemiczny*. 66: 88-91.
- Politzer, P; Murray, JS; Brinck, T; Lane, P. (1995). ANALYTICAL REPRESENTATION AND PREDICTION OF MACROSCOPIC PROPERTIES - A GENERAL INTERACTION PROPERTIES FUNCTION. *ACS Symp Ser Am Chem Soc*. 586: 109-118.
- Polkowska, Z. (2004). Determination of volatile organohalogen compounds in urban precipitation in Tricity area (Gdańsk, Gdynia, Sopot). *Chemosphere*. 57: 1265-1274. <http://dx.doi.org/10.1016/j.chemosphere.2004.08.044>.
- Polyakov, AM; Starannikova, LE; Yampolskii, YP. (2004). Amorphous Teflons AF as organophilic pervaporation materials Separation of mixtures of chloromethanes. *J Memb Sci*. 238: 21-32. <http://dx.doi.org/10.1016/j.memsci.2004.03.018>.

Fate Literature Search Results

Off Topic

- Ponangi, RP; Pintauro, PN. (1996). Separation of volatile organic compounds from dry and humidified nitrogen using polyurethane membranes. *Ind Eng Chem Res.* 35: 2756-2765.
- Pooranaperundevi, M; Sumiyabanu, MS; Viswanathan, P; Sundarapandiyam, R; Anuradha, CV. (2010). Insulin resistance induced by high-fructose diet potentiates carbon tetrachloride hepatotoxicity. *Toxicol Ind Health.* 26: 89-104. <http://dx.doi.org/10.1177/0748233709359273>.
- Popa, A; Iliescu, S; Iliu, G; Dehelean, G. (2002). Organic synthesis by phosphorus groups supported polymers. *Rev Chim.* 53: 232-238.
- Popa, N; Marinescu, D; Kriza, A. (1991). DIPHAZE SYSTEM ULTRASONOLYSIS - CO CHLORIDE (II)-WATER-CARBON TETRACHLORIDE-2, 9 DIMETHYL, 10-PHENANTHROLYN. *Rev Chim.* 42: 514-516.
- Popov, C; Bulir, J; Ivanov, B; Delplancke-Ogletree, MP; Kulisch, W. (1999). Inductively coupled plasma and laser-induced chemical vapour deposition of thin carbon nitride films. *Surf Coating Tech.* 116: 261-268.
- Popov, C; Jelinek, M; Ivanov, B; Tomov, RI; Kulisch, W. (1999). Laser approaches for deposition of carbon nitride films - chemical vapour deposition and ablation. *Diam Relat Mater.* 8: 577-581.
- Popovic, M; Kaurinovic, B; Jakovjevic, V; Raskovic, A. (2008). Effect of dandelion flower extracts on some biochemical parameters of oxidative stress in rats treated with ccl(4). *Fresen Environ Bull.* 17: 74-78.
- Popp, W. (1996). [New data on syncarcinogenesis in tumors of exogenous origin] [Review]. *Zentralblatt fuer Hygiene und Umweltmedizin.* 198: 407-428.
- Porkhaev, VV. (1998). New near-IR lasing line due to a transition in the chlorine atom. *Quantum Electronics.* 28: 898-900.
- Porro, ME; Arellano, PR; Cuddihy, JA. (1997). Improved cleaning of heat exchangers. *International Sugar Journal.* 99: 413-&.
- Powers, J; Picard, K; Nyska, A; Tischler, A. (2008). Adrenergic differentiation and Ret expression in rat pheochromocytomas. *Endocr Pathol.* 19: 9-16. <http://dx.doi.org/10.1007/s12022-008-9019-1>.
- Poyer, JL; Floyd, RA; Mccay, PB; Janzen, EG; Davis, ER. (1978). Spin-trapping of the trichloromethyl radical produced during enzymic NADPH oxidation in the presence of carbon tetrachloride or bromotrichloromethane. *Biochim Biophys Acta.* 539: 402-409.
- Poyer, JL; Mccay, PB; Lai, EK; Janzen, EG; Davis, ER. (1980). Confirmation of assignment of the trichloromethyl radical spin adduct detected by spin trapping during ¹³C-carbon tetrachloride metabolism in vitro and in vivo. *Biochem Biophys Res Commun.* 94: 1154-1160.
- Prakash; Gupta, SK. (2000). Effect of carbon source on PCE dehalogenation. *J Environ Eng.* 126: 622-628.
- Prasad, R. (1992). ADSORPTION OF CCL4 - A CONVENIENT METHOD FOR CHARACTERIZATION OF ADSORBENTS AND CATALYSTS. 30: 369-374.
- Prasad, R; Shankar, V. (1987). EXPERIMENTAL TERT-CURVE FOR ADSORPTION OF CARBON-TETRACHLORIDE ON PLANE SURFACES AT 0-DEGREES-C. 25: 243-244.
- Prasad, TEV; Naidu, BRP; Madhukiran, D; Prasad, DHL. (2001). Boiling temperature measurements on the binary mixtures of cyclohexane with some alcohols and chlorohydrocarbons. *Journal of Chemical and Engineering Data.* 46: 414-416.
- Prati, L; Rossi, M. (1999). Reductive catalytic dehalogenation of light chlorocarbons. *Appl Catal B-Environ.* 23: 135-142.
- Pratt, GC; Bock, D; Stock, TH; Morandi, M; Adgate, JL; Ramachandran, G; Mongin, SJ; Sexton, K. (2005). A field comparison of volatile organic compound measurements using passive organic vapor monitors and stainless steel canisters. *Environ Sci Technol.* 39: 3261-3268. <http://dx.doi.org/10.1021/es0497328>.
- Pratt, GC; Palmer, K; Wu, CY; Oliaei, F; Hollerbach, C; Fenske, MJ. (2000). An assessment of air toxics in Minnesota. *Environ Health Perspect.* 108: 815-825.
- Preis, S; Kallas, J. (2004). Gas-phase degradation of CCl₄, CHCl₃ and CH₂Cl₂ over metallic Fe. *Environ Chem Lett.* 2: 9-13. <http://dx.doi.org/10.1007/s10311-004-0067-6>.
- Prieto, G; Prieto, O; Gay, CR; Mizuno, K; Yamamoto, T. (1999). Destruction of industrial gaseous contaminants containing chlorinated VOCs using plasma technology. *Lat Am Appl Res.* 29: 27-30.
- Prinn, RG; Weiss, RF; Fraser, PJ; Simmonds, PG; Cunnold, DM; Alyea, FN; O'Doherty, S; Salameh, P; Miller, BR; Huang, J; Wang, RHJ; Hartley, DE; Harth, C; Steele, LP; Sturrock, G; Midgley, PM; Mcculloch, A. (2000). A history of chemically and radiatively important gases in air deduced from ALE/GAGE/AGAGE. *J Geophys Res Atmos.* 105: 17751-17792.
- Puccia, V; Limbozzi, F; Avena, M. (2015). Arsenic in Porewaters of the Unsaturated Zone of an Argentinean Watershed: Adsorption and Competition with Carbonate as Important Processes that Regulate its Concentration. *Aquatic Geochemistry.* 21: 513-534. <http://dx.doi.org/10.1007/s10498-015-9271-1>.
- Pudasainee, D; Kim, JH; Lee, SH; Park, JM; Jang, HN; Song, GJ; Seo, YC. (2010). Hazardous air pollutants emission from coal and oil-fired power plants. *Asia-Pacific Journal of Chemical Engineering.* 5: 299-303. <http://dx.doi.org/10.1002/apj.268>.
- Puigserver, D; Carmona, JM; Cortés, A; Viladevall, M; Nieto, JM; Grifoll, M; Vila, J; Parker, BL. (2013). Subsoil heterogeneities controlling porewater contaminant mass and microbial diversity at a site with a complex pollution history. *J Contam Hydrol.* 144: 1-19. <http://dx.doi.org/10.1016/j.jconhyd.2012.10.009>.
- Puri, BR; Gandhi, DL; Mahajan, OP. (1977). ADSORPTION OF BROMINE BY CARBONS FROM SOLUTION IN CARBON-TETRACHLORIDE. *Carbon.* 15: 173-176.
- Putz, ARH; Losh, DE; Speitel, GE. (2005). Removal of nonbiodegradable chemicals from mixtures during granular activated carbon bioregeneration. *J Environ Eng.* 131: 196-205. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:2\(196\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:2(196)).
- Puviani, L; Cavallari, G; Bonaiuto, E; Cannistrà, M; Zullo, A; Pariali, M; Pisano, A; Atzeni, F; Nardo, B. (2014). Portal blood arterialization with an extracorporeal device to treat toxic acute hepatic failure in a swine model. *Int J Artif Organs.* 37: 847-853. <http://dx.doi.org/10.5301/ijao.5000367>.
- Qafoku, NP; Zhong, L; Thompson, CJ; Liu, C; Arey, BW; Mitroshkov, A; Riley, RG. (2009). Physical control on CCl₄ and CHCl₃ desorption from artificially contaminated and aged sediments with supercritical carbon dioxide. *Chemosphere.* 74: 494-500. <http://dx.doi.org/10.1016/j.chemosphere.2008.10.033>.

Fate Literature Search Results

Off Topic

- Qiao, SZ; Bhatia, SK; Nicholson, D. (2004). Study of hexane adsorption in nanoporous MCM-41 silica. *Langmuir*. 20: 389-395. <http://dx.doi.org/10.1021/la0353430>.
- Qin, W; Li, ZY; Dai, YY. (2003). Extraction of monocarboxylic acids with trioctylamine: Equilibria and correlation of apparent reactive equilibrium constant. *Ind Eng Chem Res*. 42: 6196-6204. <http://dx.doi.org/10.1021/ie021049b>.
- Qin, ZH. (1996). The study on UV-degradation dynamics of 2,3,7,8-tetrachlorodibenzo-p-dioxin and its analogues. *Chemosphere*. 33: 91-97.
- Qingliang, Z; Bing, G; David, S; John, C. (2011). Micro/nano Indentation and Single Grit Diamond Grinding Mechanism on Ultra Pure Fused Silica. *Chinese Journal of Mechanical Engineering*. 24: 963-970. <http://dx.doi.org/10.3901/CJME.2011.06.963>.
- Qiu, Y; Gao, L. (2004). P-type carbon nitride synthesized by a gas-solid reaction. *Journal of the American Ceramic Society*. 87: 1598-1601.
- Quirós-Alcalá, L; Wilson, S; Witherspoon, N; Murray, R; Perodin, J; Trousdale, K; Raspanti, G; Sapkota, A. (2015). Volatile organic compounds and particulate matter in child care facilities in the District of Columbia: Results from a pilot study. *Environ Res*. 146: 116-124. <http://dx.doi.org/10.1016/j.envres.2015.12.005>.
- Qujeq, D; Abassi, R; Faeizi, F; Parsian, H; Faraji, AS; Taheri, H; Tatar, M; Elmi, MM; Halalkhor, S. (2013). Effect of granulocyte colony-stimulating factor administration on tissue regeneration due to carbon tetrachloride-induced liver damage in experimental model. *Toxicol Ind Health*. 29: 498-503. <http://dx.doi.org/10.1177/0748233712440136>.
- Qusti, SY; Mahmoud, NME, IS. (2007). Effect of *Nigella sativa* L. oil on roridin E toxin administration on liver of male mice. *Journal of Applied Animal Research*. 31: 161-164.
- Rabergh, CMI; Lipsky, MM. (1997). Toxicity of chloroform and carbon tetrachloride in primary cultures of rainbow trout hepatocytes. *Aquat Toxicol*. 37: 169-182.
- Rabie, SM; Nazeha, SE. (2001). Comparison between the induced changes in the intensities of mid and near infrared absorption bands of poly(vinyl alcohol) due to temperature and solvents. *Int J Infrared Millimeter Waves*. 22: 941-960.
- Racicot, JG; Gaudet, M; Leray, C. (1975). BLOOD AND LIVER-ENZYMES IN RAINBOW-TROUT (*SALMO-GAIRDNERI* RICH) WITH EMPHASIS ON THEIR DIAGNOSTIC USE - STUDY OF CCL4 TOXICITY AND A CASE OF AEROMONAS INFECTION. *J Fish Biol*. 7: 825-&.
- Rae, D; Thompson, W. (1979). EXPERIMENTS ON PREVENTION AND SUPPRESSION OF COAL-DUST EXPLOSIONS BY BROMOCHLORODIFLUOROMETHANE AND ON PREVENTION BY CARBON-TETRACHLORIDE. *Combust Flame*. 35: 131-138.
- Raghunathan, S; Lakshmanan, CM; Laddha, GS. (1978). ISOBARIC VAPOR-LIQUID-EQUILIBRIUM DATA FOR SYSTEM BENZENE-CARBON TETRACHLORIDE-CYCLOHEXANE AT ATMOSPHERIC-PRESSURE. 16: 297-300.
- Rai, GP; Cullinan, HT. (1973). DIFFUSION-COEFFICIENTS OF QUATERNARY LIQUID SYSTEM ACETONE-BENZENE-CARBON TETRACHLORIDE-HEXANE AT 25DEGREESC. *Journal of Chemical and Engineering Data*. 18: 213-214.
- Raja, SS; Kubendran, TR. (2004). Viscosities and densities of binary mixtures of 1,4-dioxane, carbon tetrachloride, and butanol at 303.15 K, 308.15 K, and 313.15 K. *Journal of Chemical and Engineering Data*. 49: 421-425.
- Rajamani, R; Srinivasan, D. (1977). VAPOR-LIQUID-EQUILIBRIUM DATA FOR SYSTEMS ISOPROPANOL-WATER AND CYCLOHEXANE-CARBON TETRACHLORIDE IN PRESENCE OF SALTS. 15: 91-93.
- Rajan, R; Kumar, R; Gandhi, KS. (1998). Modeling of sonochemical decomposition of CCl₄ in aqueous solutions. *Environ Sci Technol*. 32: 1128-1133.
- Rajan, R; Kumar, R; Gandhi, KS. (1998). Modelling of sonochemical oxidation of the water-KI-CCl₄ system. *Chem Eng Sci*. 53: 255-271.
- Rajbhandari, R; Shrestha, LK; Pokharel, BP; Pradhananga, RR. (2013). Development of nanoporous structure in carbons by chemical activation with zinc chloride. *J Nanosci Nanotechnol*. 13: 2613-2623. <http://dx.doi.org/10.1166/jnn.2013.7373>.
- Rajesh, P; Laverne, JA; Pimblott, SM. (2007). High dose radiolysis of aqueous solutions of chloromethanes: Importance in the storage of radioactive organic wastes. *J Nucl Mater*. 361: 10-17. <http://dx.doi.org/10.1016/j.jnucmat.2006.10.014>.
- Rajesh, J; Murthy, KN; Kumar, MK; Madhusudhan, B; Ravishankar, GA. (2006). Antioxidant potentials of flaxseed by in vivo model. *J Agric Food Chem*. 54: 3794-3799. <http://dx.doi.org/10.1021/jf053048a>.
- Rajulu, AV; Baksh, SA; Reddy, GR; Chary, KN. (1998). Chemical resistance and tensile properties of short bamboo fiber reinforced epoxy composites. *Journal of Reinforced Plastics and Composites*. 17: 1507-1511.
- Rajulu, AV; Devi, LG; Rao, GB; Reddy, RL. (2003). Chemical resistance and tensile properties of epoxy/unsaturated polyester blend coated bamboo fibers. *Journal of Reinforced Plastics and Composites*. 22: 1029-1034. <http://dx.doi.org/10.1177/073168403024571>.
- Rajulu, AV; Rao, GB; Reddy, RL. (2000). Chemical resistance and tensile properties of epoxy/polymethyl methacrylate blend coated bamboo fibres. *Indian Journal of Fibre & Textile Research*. 25: 295-297.
- Rakshit, S; Matocha, CJ; Coyne, MS; Sarkar, D. (2016). Nitrite reduction by Fe(II) associated with kaolinite. *Int J Environ Sci Tech*. 13: 1329-1334. <http://dx.doi.org/10.1007/s13762-016-0971-x>.
- Ram, LC; Tripathi, PSM; Jha, SK; Sharma, KP; Singh, G; Mishra, SP. (1997). gamma-irradiation of coal and lignite: effect on extractability. *Fuel Process Tech*. 53: 1-14.
- Ramachandran, B; Greene, HL; Chatterjee, S. (1996). Decomposition characteristics and reaction mechanisms of methylene chloride and carbon tetrachloride using metal-loaded zeolite catalysts. *Appl Catal B-Environ*. 8: 157-182.
- Ramamurthy, AS; Eglal, MM. (2014). Degradation of TCE by TEOS Coated nZVI in the Presence of Cu(II) for Groundwater Remediation. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2014/606534>.
- Ramsey, JC; Andersen, ME. (1984). A physiologically based description of the inhalation pharmacokinetics of styrene in rats and humans. *Toxicol Appl Pharmacol*. 73: 159-175. [http://dx.doi.org/10.1016/0041-008X\(84\)90064-4](http://dx.doi.org/10.1016/0041-008X(84)90064-4).
- Ranade, RM; Ang, SS; Brown, WD. (1993). REACTIVE ION ETCHING OF THIN GOLD-FILMS. *J Electrochem Soc*. 140: 3676-3678.
- Ranadive, DK; Losee, DL. (1980). PLASMA-ETCHING OF ALUMINUM USING CCL₄. *J Electrochem Soc*. 127: C90-C90.
- Rao, A; Rangwalla, H; Varshney, V; Dhinojwala, A. (2004). Structure of poly(methyl methacrylate) chains adsorbed on sapphire probed using infrared-visible sum frequency generation spectroscopy. *Langmuir*. 20: 7183-7188. <http://dx.doi.org/10.1021/la049413u>.

Fate Literature Search Results

Off Topic

- Rao, BG; Rao, YV; Rao, TM. (2013). Hepatoprotective and antioxidant capacity of Melochia corchorifolia extracts. *Asian Pacific Journal of Tropical Medicine*. 6: 537-543. [http://dx.doi.org/10.1016/S1995-7645\(13\)60092-9](http://dx.doi.org/10.1016/S1995-7645(13)60092-9).
- Rao, KPC; Reddy, KS; Ramakrishna, M. (1988). EXCESS VOLUMES AND EXCESS-ENTHALPIES OF CYCLOHEXANONE WITH ALKANES, BENZENE, TOLUENE AND TETRACHLOROMETHANE AT 298.15-K. *Fluid Phase Equilibria*. 41: 303-316.
- Rao, PG; Vijayaraghavan, R; Raghavan, KV; Sai, PST. (2009). Kinetics and modeling of charge transfer polymerization of methyl methacrylate. *Asia-Pacific Journal of Chemical Engineering*. 4: 495-507. <http://dx.doi.org/10.1002/apj.261>.
- Rao, PS; Dalu, A; Kulkarni, SG; Mehendale, HM. (1996). Stimulated tissue repair prevents lethality in isopropanol-induced potentiation of carbon tetrachloride hepatotoxicity. *Toxicol Appl Pharmacol*. 140: 235-244. <http://dx.doi.org/10.1006/taap.1996.0218>.
- Rao, SP; Krishna, R. (1993). FILM MODEL FOR MASS-TRANSFER IN NONIDEAL MULTICOMPONENT FLUID MIXTURES. 52: 19-29.
- Rao, TN; Fujishima, A. (2000). Recent advances in electrochemistry of diamond. *Diam Relat Mater*. 9: 384-389.
- Rao, YF; Chu, W. (2010). Linuron decomposition in aqueous semiconductor suspension under visible light irradiation with and without H₂O₂. *Chem Eng J*. 158: 181-187. <http://dx.doi.org/10.1016/j.cej.2009.12.038>.
- Rasheed, A; Hines, RN; Mccarver-May, DG. (1997). Variation in induction of human placental CYP2E1: possible role in susceptibility to fetal alcohol syndrome? *Toxicol Appl Pharmacol*. 144: 396-400. <http://dx.doi.org/10.1006/taap.1997.8152>.
- Rashid, T. (2008). Petroleum Hydrocarbons Extraction Efficiency of Carbon Tetrachloride and Trichlorotrifluoroethane: A Comparative Study. *Petroleum Science and Technology*. 26: 2078-2087. <http://dx.doi.org/10.1080/10916460701429043>.
- Rastegarzadeh, S; Pourreza, N; Larki, A. (2015). Determination of trace silver in water, wastewater and ore samples using dispersive liquid-liquid microextraction coupled with flame atomic absorption spectrometry. *J Ind Eng Chem*. 24: 297-301. <http://dx.doi.org/10.1016/j.jiec.2014.09.045>.
- Ratasuk, N; Nanny, MA. (2007). Characterization and quantification of reversible redox sites in humic substances. *Environ Sci Technol*. 41: 7844-7850.
- Rathore, HS; Kumar, M; Ishratullah, K. (2006). Metal ion chromatography on sodium diethyldithiocarbamate. *Indian J Chem Tech*. 13: 84-87.
- Ratti, M; Canonica, S; Mcneill, K; Erickson, PR; Bolotin, J; Hofstetter, TB. (2015). Isotope fractionation associated with the direct photolysis of 4-chloroaniline. *Environ Sci Technol*. 49: 4263-4273. <http://dx.doi.org/10.1021/es505784a>.
- Raucy, JL; Kraner, JC; Lasker, JM. (1993). Bioactivation of halogenated hydrocarbons by cytochrome P450E1 [Review]. *Crit Rev Toxicol*. 23: 1-20. <http://dx.doi.org/10.3109/10408449309104072>.
- Raut, SS; Kamble, SP; Kulkarni, PS. (2016). Efficacy of zero-valent copper (Cu(0)) nanoparticles and reducing agents for dechlorination of mono chloroaromatics. *Chemosphere*. 159: 359-366. <http://dx.doi.org/10.1016/j.chemosphere.2016.06.031>.
- Rawal, DS; Agarwal, VR; Sharma, HS; Sehgal, BK; Gulati, R; Vyas, HP. (2003). Anisotropic etching of GaAs using CCl₂F₂/CCl₄ gases to fabricate 200 μm deep via holes for grounding MMICs. *J Electrochem Soc*. 150: G395-G399. <http://dx.doi.org/10.1149/1.1577546>.
- Ray, SD; Mehendale, HM. (1990). Potentiation of CCl₄ and CHCl₃ hepatotoxicity and lethality by various alcohols. *Fundam Appl Toxicol*. 15: 429-440.
- Raymond, P; Plaa, GL. (1995). Ketone potentiation of haloalkane-induced hepato- and nephrotoxicity I Dose-response relationships. *J Toxicol Environ Health A*. 45: 465-480. <http://dx.doi.org/10.1080/15287399509532009>.
- Raymond, P; Plaa, GL. (1995). Ketone Potentiation of Haloalkane-Induced Hepatoand Nephrotoxicity. II. Implication of Monooxygenases. *J Toxicol Environ Health*. 46: 317-328. <http://dx.doi.org/10.1080/15287399509532038>.
- Raymond, P; Plaa, GL. (1995). KETONE POTENTIATION OF HALOALKANE-INDUCED HEPATOTOXICITY AND NEPHROTOXICITY .1. DOSE-RESPONSE RELATIONSHIPS. *J Toxicol Environ Health*. 45: 465-480.
- Raymond, P; Plaa, GL. (1996). Ketone potentiation of haloalkane-induced hepatotoxicity: CCl₄ and ketone treatment on hepatic membrane integrity. *J Toxicol Environ Health*. 49: 285-300.
- Raymond, P; Plaa, GL. (1997). Effect of dosing vehicle on the hepatotoxicity of CCl₄ and hepatotoxicity of CHCl₃ in rats. *J Toxicol Environ Health*. 51: 463-476. <http://dx.doi.org/10.1080/00984109708984037>.
- Read, HW; Fu, X; Clark, LA; Anderson, MA; Jarosch, T. (1996). Field trials of a TiO₂ pellet-based photocatalytic reactor for off-gas treatment at a soil vapor extraction well. *Journal of Soil Contamination*. 5: 187-202.
- Rebey, A; Bchetnia, A; El Jani, B. (1998). Etching of GaAs by CCl₄ and VCl₄ in a metalorganic vapor-phase epitaxy reactor. *J Cryst Growth*. 194: 286-291.
- Rebey, A; Beji, L; El Jani, B; Gibart, P. (1998). Optical monitoring of the growth rate reduction by CCl₄ during metalorganic vapour-phase epitaxy deposition of carbon doped GaAs. *J Cryst Growth*. 191: 734-739.
- Rebey, A; Boufaden, T; El Jani, B. (1999). In situ optical monitoring of the decomposition of GaN thin films. *J Cryst Growth*. 203: 12-17.
- Rebey, A; El Jani, B; Leycuras, A; Laugt, S; Gibart, P. (1999). In situ optical monitoring of metalorganic vapor phase epitaxy growth of C-doped GaAs. *Applied Physics A: Materials Science and Processing*. 68: 349-352.
- Rebey, A; Fathallah, W; El Jani, B. (2006). In depth study of the compensation in annealed heavily carbon doped GaAs. *Microelectronics Journal*. 37: 158-166. <http://dx.doi.org/10.1016/j.mejo.2005.02.127>.
- Rebey, A; Habchi, MM; Bchetnia, A; El Jani, B. (2004). In situ reflectance monitoring of the growth and etching of AlAs/GaAs structures in MOVPE. *J Cryst Growth*. 261: 450-457. <http://dx.doi.org/10.1016/j.jcrysgro.2003.09.042>.
- Rebodos, RL; Vikesland, PJ. (2010). Effects of oxidation on the magnetization of nanoparticulate magnetite. *Langmuir*. 26: 16745-16753. <http://dx.doi.org/10.1021/la102461z>.
- Reddy, EVS; Rajulu, AV; Reddy, KH; Reddy, GR. (2010). Chemical Resistance and Tensile Properties of Glass and Bamboo Fibers Reinforced Polyester Hybrid Composites. *Journal of Reinforced Plastics and Composites*. 29: 2119-2123. <http://dx.doi.org/10.1177/0731684409349520>.

Fate Literature Search Results

Off Topic

- Reed, EW; Thiessen, KM; Hoffman, FO; Apostoaei, AI. (2003). Comparison of doses and risks obtained from dose reconstructions for historical operations of federal facilities that supported the development, production, or testing of nuclear weapons. *Health Phys.* 84: 687-697.
- Regenhardt, SA; Meyer, CI; Trasarti, AF; Monzon, A; Garetto, TF. (2012). Catalytic oxidation of carbon tetrachloride on metal exchanged Y-zeolite. *Chem Eng J.* 198: 18-26. <http://dx.doi.org/10.1016/j.cej.2012.05.055>.
- Rei, M; Souza, JP; Schaeffer, L. (2001). Debinding properties' study of a 316-L stainless steel feedstock. *Key Eng Mater.* 189-1: 616-622.
- Reilly, JT; Thomas, A; Gibson, AR; Luebehusen, C, hiY; Donohue, MD. (2013). Analysis of the Self-Association of Aliphatic Alcohols Using Fourier Transform Infrared (FT-IR) Spectroscopy. *Ind Eng Chem Res.* 52: 14456-14462. <http://dx.doi.org/10.1021/ie302174r>.
- Reinke, LA; Lai, EK; Mccay, PB. (1988). Ethanol feeding stimulates trichloromethyl radical formation from carbon tetrachloride in liver. *Xenobiotica.* 18: 1311-1318. <http://dx.doi.org/10.3109/00498258809042255>.
- Reis, RA; Nobrega, R; Oliveira, JV; Tavares, FW. (2005). Self- and mutual diffusion coefficient equation for pure fluids, liquid mixtures and polymeric solutions. *Chem Eng Sci.* 60: 4581-4592. <http://dx.doi.org/10.1016/j.ces.2005.03.018>.
- Reitz, RH; Gargas, ML; Mendrala, AL; Schumann, AM. (1996). In vivo and in vitro studies of perchloroethylene metabolism for physiologically based pharmacokinetic modeling in rats, mice, and humans. *Toxicol Appl Pharmacol.* 136: 289-306. <http://dx.doi.org/10.1006/taap.1996.0036>.
- Rev, E; Lelkes, Z; Varga, V; Steger, C; Fonyo, Z. (2003). Separation of a minimum-boiling azeotrope in a batch extractive rectifier with an intermediate-boiling entrainer. *Ind Eng Chem Res.* 42: 162-174. <http://dx.doi.org/10.1021/ie020080a>.
- Rezvanianzadeh, MR; Yamini, Y; Khanchi, AR; Ashtari, P; Ghannadi-Maragheh, M. (2000). Highly selective and efficient membrane transport of molybdenum using di(2-ethylhexyl) phosphoric acid as carrier. *Separation Science and Technology.* 35: 1939-1949.
- Rhee, E; Speece, RE. (2000). Probing of maximal biodegradation rates of methylene chloride, carbon tetrachloride, and 1,1,1-trichloroethane in methanogenic processes. *Environ Technol.* 21: 147-156.
- Rheims, J; Koser, J; Wriedt, T. (1997). Refractive-index measurements in the near-IR using an Abbe refractometer. *Meas Sci Technol.* 8: 601-605.
- Rhlalou, T; Ferhat, M; Frouji, MA; Langevin, D; Metayer, M; Verchere, JF. (2000). Facilitated transport of sugars by a resorcinarene through a supported liquid membrane. *J Memb Sci.* 168: 63-73.
- Rhodes, WJ. (1991). STRATOSPHERIC OZONE PROTECTION - AN EPA ENGINEERING PERSPECTIVE. *J Air Waste Manag Assoc.* 41: 1579-1584.
- Ribera, D; Narbonne, JF; Michel, X; Livingstone, DR; Ohara, S. (1991). RESPONSES OF ANTIOXIDANTS AND LIPID-PEROXIDATION IN MUSSELS TO OXIDATIVE DAMAGE EXPOSURE. *Comp Biochem Physiol C Comp Pharmacol Toxicol.* 100: 177-181.
- Ricker, JA. (2008). A Practical Method to Evaluate Ground Water Contaminant Plume Stability. *Ground Water Monitoring and Remediation.* 28: 85-94. <http://dx.doi.org/10.1111/j.1745-6592.2008.00215.x>.
- Rikans, LE; Hornbrook, KR. (1997). Age-related susceptibility to hepatotoxicants. *Environ Toxicol Pharmacol.* 4: 339-344.
- Rimbach, G; Hohler, D; Fischer, A; Roy, S; Virgili, F; Pallauf, J; Packer, L. (1999). Methods to assess free radicals and oxidative stress in biological systems. *Arch Tierernaehr.* 52: 203-222.
- Ristoiu, I; Haydee, KM; Ristoiu, T. (2010). CHLORINATED SOLVENTS DETECTION IN SOIL AND RIVER WATER IN THE AREA ALONG THE PAPER FACTORY IN DEJ TOWN, ROMANIA. *J Environ Prot Ecol.* 11: 1229-1238.
- Rivero-Huguet, M; Marshall, WD. (2009). Reduction of hexavalent chromium mediated by micron- and nano-scale zero-valent metallic particles. *J Environ Monit.* 11: 1072-1079. <http://dx.doi.org/10.1039/b819279k>.
- Roberts, AL; Sanborn, PN; Gschwend, PM. (1992). NUCLEOPHILIC-SUBSTITUTION REACTIONS OF DIHALOMETHANES WITH HYDROGEN-SULFIDE SPECIES. *Environ Sci Technol.* 26: 2263-2274.
- Roberts, AL; Totten, LA; Arnold, WA; Burris, DR; Campbell, TJ. (1996). REDUCTIVE ELIMINATION OF CHLORINATED ETHYLENES BY ZERO-VALENT METALS. *Environ Sci Technol.* 30: 2654-2659.
- Roberts, PV. (1982). DESORPTION-KINETICS OF CARBON-TETRACHLORIDE FROM ACTIVATED CARBON - COMMENT. *Environ Sci Technol.* 16: 773-773.
- Robertson, EJ; Beaman, DK; Richmond, GL. (2013). Designated drivers: the differing roles of divalent metal ions in surfactant adsorption at the oil-water interface. *Langmuir.* 29: 15511-15520. <http://dx.doi.org/10.1021/la403665n>.
- Robertson, EJ; Carpenter, AP; Olson, CM; Ciszewski, RK; Richmond, GL. (2014). Metal Ion Induced Adsorption and Ordering of Charged Macromolecules at the Aqueous/Hydrophobic Liquid Interface. *J Phys Chem C.* 118: 15260-15273. <http://dx.doi.org/10.1021/jp503051w>.
- Robertson, EJ; Richmond, GL. (2013). Chunks of charge: effects at play in the assembly of macromolecules at fluid surfaces. *Langmuir.* 29: 10980-10989. <http://dx.doi.org/10.1021/la4021096>.
- Rodriguez-Chueca, J; Mediano, A; Pueyo, N; Garcia-Suescun, I; Mosteo, R; Ormad, MP. (2016). Degradation of chloroform by Fenton-like treatment induced by electromagnetic fields: A case of study. *Chem Eng Sci.* 156: 89-96. <http://dx.doi.org/10.1016/j.ces.2016.09.016>.
- Rodriguez-Donis, I; Gerbaud, V; Joulia, X. (2012). Thermodynamic Insights on the Feasibility of Homogeneous Batch Extractive Distillation. 4. Azeotropic Mixtures with Intermediate Boiling Entrainer. *Ind Eng Chem Res.* 51: 6489-6501. <http://dx.doi.org/10.1021/ie2019432>.
- Rodriguez-Estupinan, P; Gomez, F; Giraldo, L; Carlos Moreno-Pirajan, J. (2015). Immersion enthalpies in different liquids of activated carbons modified by surface chemistry. 5: 233-240. <http://dx.doi.org/10.1166/mex.2015.1235>.
- Rodriguez-Garrido, B; Arbestain, MC; Monterroso, MC; Macias, F. (2004). Reductive dechlorination of alpha-, beta-, delta-, and gamma-hexachlorocyclohexane isomers by hydrocobalamin in the presence of either dithiothreitol or titanium(III) citrate as reducing agents. *Environ Sci Technol.* 38: 5046-5052. <http://dx.doi.org/10.1021/es030153x>.
- Roesler, JF; Yetter, RA; Dryer, FL. (1996). Inhibition and oxidation characteristics of chloromethanes in reacting CO/H₂O/O₂ mixtures. *Combust Sci Tech.* 120: 11-37.
- Rogojanu, A; Postolache, M; Dorohoi, DO. (2010). Liquid Crystalline Phase of Polymeric Esters of Alkoxybenzoic Acid in Tetrachloromethane. *Materiale Plastice.* 47: 282-285.

Fate Literature Search Results

Off Topic

- Roh, Y; Cho, KS; Lee, S. (2001). Electrochemical remediation of trichloroethene-contaminated groundwater using palladized iron oxides. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 36: 923-933.
- Rohatgi, A; Raichoudhury, P; Fonash, SJ; Lester, P; Singh, R; Caplan, PJ; Poindexter, EH. (1986). CHARACTERIZATION AND CONTROL OF SILICON SURFACE MODIFICATION PRODUCED BY CCL₄ REACTIVE ION ETCHING. *J Electrochem Soc.* 133: 408-416.
- Roldán-Arjona, T; Pueyo, C. (1993). Mutagenic and lethal effects of halogenated methanes in the Ara test of *Salmonella typhimurium*: Quantitative relationship with chemical reactivity. *Mutagenesis.* 8: 127-131. <http://dx.doi.org/10.1093/mutage/8.2.127>.
- Romashkin, PA; Hurst, DF; Elkins, JW; Dutton, GS; Fahey, DW; Dunn, RE; Moore, FL; Myers, RC; Hall, BD. (2001). In situ measurements of long-lived trace gases in the lower stratosphere by gas chromatography. *J Atmos Ocean Tech.* 18: 1195-1204.
- Romashkin, PA; Hurst, DF; Elkins, JW; Dutton, GS; Wamsley, PR. (1999). Effect of the tropospheric trend on the stratospheric tracer-tracer correlations: Methyl chloroform. *J Geophys Res Atmos.* 104: 26643-26652.
- Rong, S; Sun, Y. (2014). Wetted-wall corona discharge induced degradation of sulfadiazine antibiotics in aqueous solution. *J Chem Tech Biotechnol.* 89: 1351-1359. <http://dx.doi.org/10.1002/jctb.4211>.
- Ronottrioli, C; Kherrat, R; Jaffrezicrenault, N. (1995). SOLUBILITY INTERACTIONS BETWEEN ORGANIC VAPORS AND SPECIFIC POLYMERIC CLADDINGS FOR OPTICAL-FIBER SENSOR. *Sensor Mater.* 7: 383-393.
- Rood, AS; MCGAVRAN, PD; AANENSON, JW; TILL, JE. (2001). Stochastic estimates of exposure and cancer risk from carbon tetrachloride released to the air from the rocky flats plant. *Risk Anal.* 21: 675-695.
- Rosa, MJ; Depinho, MN. (1997). Membrane surface characterisation by contact angle measurements using the immersed method. *J Memb Sci.* 131: 167-180.
- Rosca, P; Dragomir, R; Ionescu, C. (2003). Deactivation of zeolite catalysts by coke deposition. *Rev Chim.* 54: 707-710.
- Rose, ML; Bradford, BU; Germolec, DR; Lin, M; Tsukamoto, H; Thurman, RG. (2001). Gadolinium chloride-induced hepatocyte proliferation is prevented by antibodies to tumor necrosis factor α . *Toxicol Appl Pharmacol.* 170: 39-45. <http://dx.doi.org/10.1006/taap.2000.9077>.
- Rosenberg, C; Nylund, L; Aalto, T; Kontsas, H; Norppa, H; Jappinen, P; Vainio, H. (1991). VOLATILE ORGANOHALOGEN COMPOUNDS FROM THE BLEACHING OF PULP OCCURRENCE AND GENOTOXIC POTENTIAL IN THE WORK ENVIRONMENT (pp. 10-14). (ISSN 0045-6535; EISSN 1879-1298; BIOSIS/92/10857). Committee for Compounds Toxic to Reproduction.
- Rosengren, RJ; Sauer, JM; Hooser, SB; Sipes, IG. (1995). The interactions between retinol and five different hepatotoxicants in the Swiss Webster mouse. *Fundam Appl Toxicol.* 25: 281-292.
- Rosocha, LA; Secker, DA; Smith, JD. (1994). KINETIC MODELING OF TRICHLOROETHYLENE AND CARBON-TETRACHLORIDE REMOVAL FROM WATER BY ELECTRON-BEAM IRRADIATION. *ACS Symp Ser Am Chem Soc.* 554: 184-196.
- Rossberg, M. (2002). Chlorinated hydrocarbons. In W Gerhartz; YS Yamamoto; FT Campbell (Eds.), (5th ed., pp. 370-371). New York, NY: VCH Publishers.
- Rossi, AM; Zaccaro, L; Filippo Rosselli, F; Quattrone, C. (1988). Clastogenic effects induced in mice and rats by 1,4-bis[2-(3,5-dichloropyridyloxy)]-benzene, a phenobarbital-like enzyme inducer and liver tumour promoter. *Carcinogenesis.* 9: 1147-1151.
- Rostovshchikova, TN; Smirnov, VV; Kozhevin, VM; Yavsin, DA; Zabelin, MA; Yassievich, IN; Gurevich, SA. (2005). New size effect in the catalysis by interacting copper nanoparticles. *Appl Catal A-Gen.* 296: 70-79. <http://dx.doi.org/10.1016/j.apcata.2005.08.032>.
- Roth, HC; Schwaminger, S; Garcia, PF; Ritscher, J; Berensmeier, S. (2016). Oleate coating of iron oxide nanoparticles in aqueous systems: the role of temperature and surfactant concentration. *J Nanopart Res.* 18. <http://dx.doi.org/10.1007/s11051-016-3405-2>.
- Rotmans, J; Den elzen, MGJ. (1992). A model-based approach to the calculation of global warming potentials (GWP). *Int J Climatol.* 12: 865-874. <http://dx.doi.org/10.1002/joc.3370120809>.
- Roush, CJ; Lastoskie, CM; Worden, RM. (2006). Denitrification and chemotaxis of *Pseudomonas stutzeri* KC in porous media. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 41: 967-983. <http://dx.doi.org/10.1080/10934520600689258>.
- Rout, BK; Mishra, NC; Chakravorty, V. (1994). VISCOSITY AND DENSITY OF BINARY-LIQUID MIXTURES OF TRI-N-BUTYL PHOSPHATE PLUS BENZENE, PLUS CARBON-TETRACHLORIDE, PLUS ISOBUTYL METHYL KETONE AND PLUS ACETYLACETONE AT 25-DEGREES-C, 30-DEGREES-C, 35-DEGREES-C, 40-DEGREES-C AND 45-DEGREES-C. *Indian J Chem Tech.* 1: 347-350.
- Roy, MN; Roy, PK; Sah, RS; Pradhan, P; Sinha, B. (2009). Ion Pair and Triple Ion Formation by Some Tetraalkylammonium Iodides in Binary Mixtures of Carbon Tetrachloride plus Nitrobenzene. *Journal of Chemical and Engineering Data.* 54: 2429-2435. <http://dx.doi.org/10.1021/jc800885h>.
- Roy, R. (2010). Short-term variability in halocarbons in relation to phytoplankton pigments in coastal waters of the central eastern Arabian Sea. *Estuar Coast Shelf Sci.* 88: 311-321. <http://dx.doi.org/10.1016/j.ecss.2010.04.011>.
- Royer, RA; Burgos, WD; Fisher, AS; Unz, RF; Dempsey, BA. (2002). Enhancement of biological reduction of hematite by electron shuttling and Fe(II) complexation. *Environ Sci Technol.* 36: 1939-1946. <http://dx.doi.org/10.1021/es011139s>.
- Ruan, X; Gu, X; Lu, S; Qiu, Z; Sui, Q. (2014). Trichloroethylene degradation by persulphate with magnetite as a heterogeneous activator in aqueous solution. *Environ Technol.* 36: 1-9. <http://dx.doi.org/10.1080/09593330.2014.991353>.
- Rubio, SJ; Quintero, MC; Rodero, A. (2011). Application of microwave air plasma in the destruction of trichloroethylene and carbon tetrachloride at atmospheric pressure. *J Hazard Mater.* 186: 820-826. <http://dx.doi.org/10.1016/j.jhazmat.2010.11.069>.
- Rubio, SJ; Quintero, MC; Rodero, A; Rodriguez, JM. (2007). Assessment of a new carbon tetrachloride destruction system based on a microwave plasma torch operating at atmospheric pressure. *J Hazard Mater.* 148: 419-427. <http://dx.doi.org/10.1016/j.jhazmat.2007.02.056>.
- Rubio, SJ; Rodero, A; Quintero, MC. (2008). Application of a microwave helium plasma torch operating at atmospheric pressure to destroy trichloroethylene. *Plasma Chemistry and Plasma Processing.* 28: 415-428. <http://dx.doi.org/10.1007/s11090-008-9133-3>.
- Ruckenstein, E; Shulgin, I. (2001). Cubic equation of state and local composition mixing rules: Correlations and predictions. Application to the solubility solids in supercritical solvents. *Ind Eng Chem Res.* 40: 2544-2549.

Fate Literature Search Results

Off Topic

- Ruder, AM; Yiin, JH; Waters, MA; Carreon, T; Hein, MJ; Butler, MA; Calvert, GM; Davis-King, KE; Schulte, PA; Mandel, JS; Morton, RF; Reding, DJ; Rosenman, KD; Stewart, PA; Grp, BCCS. (2013). The Upper Midwest Health Study: gliomas and occupational exposure to chlorinated solvents. *Occup Environ Med.* 70: 73-80. <http://dx.doi.org/10.1136/oemed-2011-100588>.
- Rudolph, J; Khedim, A; Koppmann, R; Bonsang, B. (1995). FIELD-STUDY OF THE EMISSIONS OF METHYL-CHLORIDE AND OTHER HALOCARBONS FROM BIOMASS BURNING IN WESTERN AFRICA. *J Atmos Chem.* 22: 67-80.
- Ruiz, MD; Rivarola, JB; Quiroga, OD. (1994). KINETIC-STUDY OF THE REACTION BETWEEN MOLYBDENUM TRIOXIDE AND GASEOUS CARBON-TETRACHLORIDE. *Can J Chem Eng.* 72: 289-295.
- Rupp, S; Metzger, JW. (2005). Brominated-chlorinated diphenyl ethers formed by thermolysis of polybrominated diphenyl ethers at low temperatures. *Chemosphere.* 60: 1644-1651. <http://dx.doi.org/10.1016/j.chemosphere.2005.02.038>.
- Rupp, VL; Hickman, JC. (1995). REPLACING 1,1,1-TRICHLOROETHANE WITH OTHER CHLORINATED SOLVENTS. *Plat Surf Finish.* 82: 34-38.
- Rury, AS; Ferry, C; Hunt, JR; Lee, M; Mondal, D; O'Connell, SMO; Phan, ENH; Peng, Z; Pokhilko, P; Sylvinson, D; Zhou, Y; Mak, C, hiH. (2016). Solvent Thermodynamic Driving Force Controls Stacking Interactions between Polyaromatics. *J Phys Chem C.* 120: 23858-23869. <http://dx.doi.org/10.1021/acs.jpcc.6b08292>.
- Rusonik, I; Zidky, T; Cohen, H; Meyerstein, D. (2005). Reactions of alkyl radicals with metal powders immersed in aqueous solutions. *Glass Physics and Chemistry.* 31: 115-118.
- Russell, JJ; Seetula, JA; Gutman, D; Danis, F; Caralp, F; Lightfoot, PD; Lesclaux, R; Melius, CF; Senkan, SM. (1990). KINETICS AND THERMOCHEMISTRY OF THE EQUILIBRIUM CCL_3+O_2 REVERSIBLE CCL_3O_2 . 94: 3277-3283.
- Russkikh, IV; Gossen, LP; Boyankova, OS. (2005). Characterization of asphaltite solutions by IR spectroscopy. *Petroleum Chemistry.* 45: 312-315.
- Rutkowski, P; Mullens, S; Yperman, J; Gryglewicz, G. (2002). AP-TPR investigation of the effect of pyrite removal on the sulfur characterization of different rank coals. *Fuel Process Tech.* 76: 121-138.
- Rychlicki, G; Terzyk, AP. (1998). Thermodynamic verification of the theory of volume filling of micropores for adsorption on activated carbons. *AST.* 16: 641-653.
- Rysz, M; Connor, MK; Kamath, R; Newell, CJ. (2010). Origin and Propagation of an Incorrect Chemical Degradation Pathway in the Literature: cis-1,2-Dichloroethylene as a Daughter Product of 1,1,1-Trichloroethane. *Environ Forensics.* 11: 50-59. <http://dx.doi.org/10.1080/15275920903526486>.
- Ryu, A; Jeong, SW, oo; Jang, A, rn; Choi, H. (2011). Reduction of highly concentrated nitrate using nanoscale zero-valent iron: Effects of aggregation and catalyst on reactivity. *Appl Catal B-Environ.* 105: 128-135. <http://dx.doi.org/10.1016/j.apcatb.2011.04.002>.
- Ryumtsev, EI; Evlampieva, NP; Lezov, AV; Ponomarenko, SA; Boiko, NI; Shibaev, VP. (1998). Kerr effect in solutions of carbosilane dendrimers with terminal mesogenic groups. *Liquid Crystals.* 25: 475-479.
- Sachleben, RA; Moyer, BA; Case, FI; Garmon, SA. (1993). ALKYLATED LARIAT ETHERS AS SOLVENT-EXTRACTION REAGENTS - SURVEYING THE EXTRACTION OF ALKALI-METALS BY BIS-T-OCTYLBENZO-14-CROWN-4-ACETIC ACID BY USE OF POTENTIOMETRIC 2-PHASE TITRATION. *Separation Science and Technology.* 28: 1-23.
- Sack, TM; Steele, DH; Hammerstrom, K; Remmers, J. (1992). A survey of household products for volatile organic compounds. *Atmos Environ.* 26: 1063-1070. [http://dx.doi.org/10.1016/0960-1686\(92\)90038-M](http://dx.doi.org/10.1016/0960-1686(92)90038-M).
- Saeaw, N; Thepanondh, S. (2015). Source apportionment analysis of airborne VOCs using positive matrix factorization in industrial and urban areas in Thailand. *Atmos Pollut Res.* 6: 644-650. <http://dx.doi.org/10.5094/APR.2015.073>.
- Saez, V; Esclapez, MD; Frias-Ferrer, A; Bonete, P; Gonzalez-Garcia, J. (2008). Electrochemical Reduction of Perchloroethylene in Aqueous Media: Influence of the Electrode Material. *Journal of New Materials for Electrochemical Systems.* 11: 287-295.
- Saez, V; Tudela, I; Deseada Esclapez, M; Bonete, P; Louisnard, O; Gonzalez-Garcia, J. (2011). Sonochemical degradation of perchloroethylene in water: Enhancement of the process by the absence of background electrolyte. *Chem Eng J.* 168: 649-655. <http://dx.doi.org/10.1016/j.cej.2011.01.052>.
- Safarali, R; Yaftian, MR; Zamani, A. (2016). Cooperative effect of 2-(dibutylcarbamoyl)benzoic acid and 2-thenoyltrifluoroacetone for the synergistic extraction of lanthanide ions. *Separation Science and Technology.* 51: 1351-1361. <http://dx.doi.org/10.1080/01496395.2016.1165252>.
- Safarik, DJ; Meyer, RJ; Mullins, CB. (2001). Interaction of chlorodifluoromethane with ultrathin solid water films. *Journal of Vacuum Science and Technology A.* 19: 1537-1542.
- Safer, AM; Hanafy, NA; Bharali, DJ; Cui, H; Mousa, SA. (2015). Effect of Green Tea Extract Encapsulated Into Chitosan Nanoparticles on Hepatic Fibrosis Collagen Fibers Assessed by Atomic Force Microscopy in Rat Hepatic Fibrosis Model. *J Nanosci Nanotechnol.* 15: 6452-6459. <http://dx.doi.org/10.1166/jnn.2015.10608>.
- Safer, AM; Sen, A; Hanafy, NA; Mousa, SA. (2015). Quantification of the Healing Effect in Hepatic Fibrosis Induced by Chitosan Nano-Encapsulated Green Tea in Rat Model. *J Nanosci Nanotechnol.* 15: 9918-9924. <http://dx.doi.org/10.1166/jnn.2015.11400>.
- Safi, A; Nicolas, C; Neau, E; Chevalier, JL. (2008). Diffusion coefficients of organic compounds at infinite dilution in mixtures involving associating compounds. Experimental determination and modeling by group contribution methods. *Journal of Chemical and Engineering Data.* 53: 444-448. <http://dx.doi.org/10.1021/jc700539w>.
- Safta, M; Csunderlik, C. (1994). 2-ALKYL(ARYL)-2-IMIDAZOLINES PHOSPHORYLATION WITH DI-ALKYL-PHOSPHITES BY ATHERTON-TODD REACTION AND INTERPHASE TRANSFER CATALYSIS. *Rev Chim.* 45: 14-16.
- Sagert, NH; Lau, DWP. (1986). LIMITING ACTIVITY-COEFFICIENTS FOR BUTYL ALCOHOLS IN WATER, NORMAL-OCTANE, AND CARBON-TETRACHLORIDE. *Journal of Chemical and Engineering Data.* 31: 475-478.
- Saha, R; Dey, SK; Biswas, S; Jana, AD; Kumar, S. (2013). Transformation of a Mother Crystal to a Daughter Crystal through Amorphous Phase: De-assembly of Coordination Helices upon Heating and Re-assembly through Aqueation. *Cryst Growth Des.* 13: 2135-2142. <http://dx.doi.org/10.1021/cg400224a>.

Fate Literature Search Results

Off Topic

- Sahay, BN; Verma, SK; Sinha, KP. (1983). INFLUENCE OF SOME GLYCOLYTIC AND TCA METABOLITES ON LIPID-METABOLISM IN RATS POISONED WITH CARBON-TETRACHLORIDE, THIOACETAMIDE AND ETHIONINE. *Indian J Anim Sci.* 53: 457-459.
- Sakaguchi, H; Hamaguchi, A. (1975). PHYSIOLOGICAL CHANGES IN SERUM AND HEPATOPANCREAS OF YELLOW TAIL INJECTED WITH CARBON-TETRACHLORIDE. *Nippon Suisan Gakkaishi.* 41: 283-290.
- Sakai, K; Norback, D; Mi, Y; Shibata, E; Kamijima, M; Yamada, T; Takeuchi, Y. (2004). A comparison of indoor air pollutants in Japan and Sweden: formaldehyde, nitrogen dioxide, and chlorinated volatile organic compounds. *Environ Res.* 94: 75-85. [http://dx.doi.org/10.1016/S0013-9351\(03\)00140-3](http://dx.doi.org/10.1016/S0013-9351(03)00140-3).
- Sakata, T; Watanabe, A; Hobara, N; Nagashima, H. (1987). Chronic Liver Injury in Rats by Carbon Tetrachloride Inhalation. *Bull Environ Contam Toxicol.* 38: 959-961.
- Saleh, TA; Alhooshani, KR; Abdelbassit, MSA. (2015). Evaluation of AC/ZnO composite for sorption of dichloromethane, trichloromethane and carbon tetrachloride: kinetics and isotherms. *Taiwan Institute of Chemical Engineers Journal.* 55: 159-169. <http://dx.doi.org/10.1016/j.jtice.2015.04.004>.
- Salgin, U; Yildiz, N; Calimli, A. (2004). Desorption of salicylic acid from modified bentonite by using supercritical fluids in packed bed column. *Separation Science and Technology.* 39: 2677-2694. <http://dx.doi.org/10.1081/SS-200028462>.
- Salmenkivi, K; Heikkilä, P; Haglund, C; Arola, J. (2004). Malignancy in pheochromocytomas. *APMIS.* 112: 551-559.
- Salovsky, P; Shopova, V; Dancheva, V. (1998). Antioxidant defense mechanisms in the lung toxicity of tri-n-butyl phosphate. *Am J Ind Med.* 33: 11-15.
- Samal, S; Mohapatra, NK; Acharya, S; Dey, RK. (1999). Chelating resins VII: studies on chelating resins of formaldehyde and furfuraldehyde-condensed phenolic Schiff base derived from 4,4'-diaminodiphenylsulphone and o-hydroxyacetophenone. *React Funct Polym.* 42: 37-52.
- Samdani, AR; Mandal, S; Pangarkar, VG. (2003). Role of and criterion for sorption selectivity in pervaporative removal of trace organics from aqueous solutions. *Separation Science and Technology.* 38: 1069-1092. <http://dx.doi.org/10.1081/SS-120018124>.
- Samojlik, I; Lakić, N; Mimica-Dukić, N; Daković-Svajcer, K; Bozin, B. (2010). Antioxidant and hepatoprotective potential of essential oils of coriander (*Coriandrum sativum* L.) and caraway (*Carum carvi* L.) (Apiaceae). *J Agric Food Chem.* 58: 8848-8853. <http://dx.doi.org/10.1021/jf101645n>.
- Samsonova, TI; Roschina, OA; Meglitskii, VA; Koz'yakova, OK. (2007). Possible replacement of carbon tetrachloride with other solvents in determination of the oiling agent content in chemical fibres. *Fibre Chemistry.* 39: 340-343. <http://dx.doi.org/10.1007/s10692-007-0075-y>.
- Sanchez, V; Clifton, M. (1978). MUTUAL DIFFUSION-COEFFICIENTS IN BINARY-MIXTURES OF CARBON-TETRACHLORIDE AND ALCOHOLS AT 20-DEGREES-C. *Journal of Chemical and Engineering Data.* 23: 209-212.
- Sandalls, FJ; Hatton, DB. (1977). MEASUREMENTS OF ATMOSPHERIC CONCENTRATIONS OF TRICHLOROFLUOROMETHANE, DICHLORODIFLUOROMETHANE AND CARBON-TETRACHLORIDE BY AIRCRAFT SAMPLING OVER BRITISH-ISLES. *Atmos Environ.* 11: 321-327.
- Sanderson, JT; Commandeur, JN; Van Wezel, A; Vermeulen, NP. (1999). Bioassays for the detection of chemicals that can form bioactivation-dependent reactive free radicals. *Environ Toxicol Chem.* 18: 1236-1243.
- Sandy, MS; Di Monte, D; Smith, MT. (1988). Relationships between intracellular vitamin E, lipid peroxidation, and chemical toxicity in hepatocytes. *Toxicol Appl Pharmacol.* 93: 288-297.
- Sano, M; Hu, ML; Tappel, AL. (1992). POTENTIATION OF NON-HALOCARBON OXIDANTS ON HALOCARBON-INDUCED OXIDATIVE DAMAGE TO RAT RED-BLOOD-CELLS. *J Agric Food Chem.* 40: 2192-2197.
- Sano, M; Kawabata, H; Tomita, I; Yoshioka, H; Hu, ML. (1994). Potentiation of oxidative damage to rat red blood cells by the concurrent presence of t-butyl hydroperoxide and bromotrichloromethane. *J Toxicol Environ Health.* 43: 339-350. <http://dx.doi.org/10.1080/15287399409531925>.
- Sanson, EB; Jonas, LA. (1982). DESORPTION-KINETICS OF CARBON-TETRACHLORIDE FROM ACTIVATED CARBON - REPLY. *Environ Sci Technol.* 16: 773-773.
- Sansone, EB; Jonas, LA. (1982). DESORPTION-KINETICS OF CARBON-TETRACHLORIDE FROM ACTIVATED CARBON - COMMENT. *Environ Sci Technol.* 16: 772-773.
- Santharam, S; Davis, LC; Erickson, LE. (2014). Biodegradation of Carbon Tetrachloride in Simulated Groundwater Flow Channels. *Environ Prog Sustain Energy.* 33: 444-453. <http://dx.doi.org/10.1002/ep.11808>.
- Santiago Sánchez, N; Tejada Alarcón, S; Tortajada Santonja, R; Llorca-Pórcel, J. (2014). New device for time-averaged measurement of volatile organic compounds (VOCs). *Sci Total Environ.* 485-486: 720-725. <http://dx.doi.org/10.1016/j.scitotenv.2013.12.019>.
- Sanzgiri, UY; Bruckner, JV. (1997). Effect of Emulphor, an emulsifier, on the pharmacokinetic and hepatotoxicity of oral carbon tetrachloride in the rat. *Fundam Appl Toxicol.* 36: 54-61. <http://dx.doi.org/10.1006/faat.1997.2290>.
- Sarada, BV; Rao, TN; Tryk, DA; Fujishima, A. (1999). Electroanalytical applications of conductive diamond electrodes. *New Diamond and Frontier Carbon Technology.* 9: 365-377.
- Sarathy, V; Tratnyek, PG; Nurmi, JT; Baer, DR; Chun, C; Penn, R; Reardon, EJ. (2008). Aging of iron nanoparticles in aqueous solution: Effects on structure and reactivity. *J Phys Chem C.* 112: 2286-2293. <http://dx.doi.org/10.1021/jp0777418>.
- Sareena, C; Ramesan, MT; Purushothaman, E. (2013). Transport Studies of Peanut Shell Powder Reinforced Natural Rubber Composites in Chlorinated Solvents. *Fibers and Polymers.* 14: 1674-1687. <http://dx.doi.org/10.1007/s12221-013-1674-2>.
- Saricicek, E; Tarakcioglu, M; Saricicek, V; Gulsen, MT; Karakok, M; Baltaci, Y; Taysi, S. (2014). Effect of *Nigella sativa* on experimental liver fibrosis. *Biomedical Research.* 25: 32-38.

Fate Literature Search Results

Off Topic

- Sarkouhi, M; Yamini, Y; Reza, M; Zanjani, K; Afsharnaderi, A. (2007). Liquid-phase microextraction and gas-chromatographic determination of selenium(IV) in aqueous samples. *Int J Environ Anal Chem.* 87: 603-614. <http://dx.doi.org/10.1080/03067310701273119>.
- Sasloglou, SA; Petrou, JK; Kanellopoulos, NK; Androustopoulos, GP. (2000). Realistic random sphere pack model for the prediction of sorption isotherms. *Microporous and Mesoporous Materials.* 39: 477-483.
- Sasloglou, SA; Petrou, JK; Kanellopoulos, NK; Androustopoulos, GP. (2001). Realistic random sphere pack model for the prediction of relative permeability curves. *Microporous and Mesoporous Materials.* 47: 97-103.
- Sastry, NV; George, A; Jain, NJ; Bahadur, P. (1999). Densities, relative permittivities, excess volumes, and excess molar polarizations for alkyl ester (methyl propanoate, methyl butanoate, ethyl propanoate, and ethyl butanoate) plus hydrocarbons (n-heptane, benzene, chlorobenzene, and 1,1,2,2-tetrachloroethane) at 308.15 K and 318.15 K. *Journal of Chemical and Engineering Data.* 44: 456-464.
- Sastry, NV; Jain, NJ; George, A; Bahadur, P. (1999). Viscosities, speeds of sound and excess isentropic compressibilities of binary mixtures of alkyl alkanoate-hydrocarbons at 308.15 K and 318.15 K. *Fluid Phase Equilibria.* 163: 275-289.
- Sastry, NV; Patel, MC; Patel, SR. (1999). Ultrasonic behaviour of methyl methacrylate plus hydrocarbon mixtures at 298.15 and 308.15 K. *Fluid Phase Equilibria.* 155: 261-276.
- Satapanajaru, T; Comfort, SD; Shea, PJ. (2003). Enhancing metolachlor destruction rates with aluminum and iron salts during zerovalent iron treatment. *J Environ Qual.* 32: 1726-1734.
- Satapanajaru, T; Shea, PJ; Comfort, SD; Roh, Y. (2003). Green rust and iron oxide formation influences metolachlor dechlorination during zerovalent iron treatment. *Environ Sci Technol.* 37: 5219-5227. <http://dx.doi.org/10.1021/es0303485>.
- Sato, A. (1991). The effect of environmental factors on the pharmacokinetic behaviour of organic solvent vapours [Review]. *Ann Occup Hyg.* 35: 525-541.
- Sato, A; Nakajima, T. (1987). Pharmacokinetics of organic solvent vapors in relation to their toxicity [Review]. *Scand J Work Environ Health.* 13: 81-93.
- Sato, M. (1992). BIOLOGICAL ANTIOXIDANT DEFENSE SYSTEM AND METALLOTHIONEIN. *JTHE.* 38: 228-239.
- Sato, M; Nakamura, H. (1982). THE EFFECTS OF MIXING N-2 IN CCL4 ON ALUMINUM REACTIVE ION ETCHING. *J Electrochem Soc.* 129: 2522-2527.
- Sawada, S; Yamanaka, T; Yamatsu, K; Furihata, C; Matsushima, T. (1991). Chromosome aberrations, micronuclei and sister-chromatid exchanges (SCEs) in rat liver induced in vivo by hepatocarcinogens including heterocyclic amines. *Mutat Res.* 251: 59-69.
- Sawant, SY; Somani, RS; Bajaj, HC. (2010). A solvothermal-reduction method for the production of horn shaped multi-wall carbon nanotubes. *Carbon.* 48: 668-672. <http://dx.doi.org/10.1016/j.carbon.2009.10.008>.
- Sawant, SY; Somani, RS; Newalkar, BL; Choudary, NV; Bajaj, HC. (2009). Synthesis of submicron size hollow carbon spheres by a chemical reduction - solvothermal method using carbon tetrachloride as carbon source. *Mater Lett.* 63: 2339-2342. <http://dx.doi.org/10.1016/j.matlet.2009.07.066>.
- Sawant, SY; Somani, RS; Sharma, SS; Bajaj, HC. (2014). Greenhouse Gas Adsorptivity of Horn-Shaped Carbon Nanotubes over Nitrogen: Equilibrium Study. *Separation Science and Technology.* 49: 1227-1234. <http://dx.doi.org/10.1080/01496395.2013.873050>.
- Sayato, Y; Nakamuro, K; Usui, S. (1987). CONTRIBUTION OF METABOLITES TO CARBON TETRACHLORIDE-INDUCED HEPATOTOXICITY IN RAT-LIVER MICROSOMES INVITRO. *JTHE.* 33: 394-404.
- Schafer, B; Lacmann, R. (1995). MODELING OF THERMODYNAMIC PROPERTIES OF ASSOCIATED SOLUTIONS WITH EQUILIBRIUM-CONSTANTS DEFINED ON ACTIVITIES. *Fluid Phase Equilibria.* 112: 101-123.
- Schanke, CA; Wackett, LP. (1992). Environmental Reductive Elimination Reactions of Polychlorinated Ethanes Mimicked by Transition-Metal Coenzymes. *Environ Sci Technol.* 26: 830-833.
- Schenk, L. (2010). Comparison of Data Used for Setting Occupational Exposure Limits. *Int J Occup Environ Health.* 16: 249-262.
- Scherer, MM; Richter, S; Valentine, RL; Alvarez, PJJ. (2000). Chemistry and microbiology of permeable reactive barriers for in situ groundwater clean up. *Crit Rev Environ Sci Tech.* 30: 363-411.
- Scherer, MM; Westall, JC; Tratnyek, PG. (2002). Discussion on "Electrochemical and Raman spectroscopic studies of the influence of chlorinated solvents on the corrosion behaviour of iron in borate buffer and in simulated groundwater" [*Corrosion Science* 42 (2000) 1921-1939]. *Corrosion Sci.* 44: 1151-1157.
- Scherer, MM; Westall, JC; Ziomekmoroz, M; Tratnyek, PG. (1997). Kinetics of carbon tetrachloride reduction at an oxide-free iron electrode. *Environ Sci Technol.* 31: 2385-2391.
- Scheutz, C; Dote, Y; Fredenslund, AM; Mosbaek, H; Kjeldsen, P. (2007). Attenuation of Fluorocarbons released from foam insulation in landfills. *Environ Sci Technol.* 41: 7714-7722. <http://dx.doi.org/10.1021/es0707409>.
- Scheutz, C; Durant, ND; Hansen, MH; Bjerg, PL. (2011). Natural and enhanced anaerobic degradation of 1,1,1-trichloroethane and its degradation products in the subsurface--a critical review [Review]. *Water Res.* 45: 2701-2723. <http://dx.doi.org/10.1016/j.watres.2011.02.027>.
- Scheutz, C; Kjeldsen, P. (2005). Biodegradation of trace gases in simulated landfill soil cover systems. *J Air Waste Manag Assoc.* 55: 878-885.
- Scheutz, C; Pedersen, GB; Costa, G; Kjeldsen, P. (2009). Biodegradation of Methane and Halocarbons in Simulated Landfill Biocover Systems Containing Compost Materials. *J Environ Qual.* 38: 1363-1371. <http://dx.doi.org/10.2134/jeq2008.0170>.
- Scheutz, C; Winther, K; Kjeldsen, P. (2000). Removal of halogenated organic compounds in landfill gas by top covers containing zero-valent iron. *Environ Sci Technol.* 34: 2557-2563.
- Schiestl, RH; Gietz, RD; Mehta, RD; Hastings, PJ. (1989). Carcinogens induce intrachromosomal recombination in yeast. *Carcinogenesis.* 10: 1445-1455.

Fate Literature Search Results

Off Topic

- Schiffmacher, EN; Becker, JG; Lorah, MM; Voytek, MA. (2016). The effects of co-contaminants and native wetland sediments on the activity and dominant transformation mechanisms of a 1,1,2,2-tetrachloroethane (TeCA)-degrading enrichment culture. *Chemosphere*. 147: 239-247. <http://dx.doi.org/10.1016/j.chemosphere.2015.12.033>.
- Schindler, LE; Plank, CA; Christopher, PM; Laukhuf, WLS. (1977). VAPOR-LIQUID-EQUILIBRIA OF TERNARY-SYSTEM METHYL BORATE METHYL-ALCOHOL CARBON TETRACHLORIDE. *Journal of Chemical and Engineering Data*. 22: 294-296.
- Schlenk, D; Ronis, MJ; Miranda, C; Buhler, DR. (1995). EFFECTS OF 2-METHYLISOBORNEOL (MIB), AND ETHANOL ON THE EXPRESSION AND ACTIVITY OF CYTOCHROME P450S FROM THE CHANNEL CATFISH. *J Fish Biol*. 46: 282-291.
- Schlueter, M; Hentzel, T; Suarez, C; Koch, M; Lorenz, WG; Boehm, L; Duering, RA; Koinig, KA; Bunge, M. (2014). Synthesis of novel palladium(0) nanocatalysts by microorganisms from heavy-metal-influenced high-alpine sites for dehalogenation of polychlorinated dioxins. *Chemosphere*. 117: 462-470. <http://dx.doi.org/10.1016/j.chemosphere.2014.07.030>.
- Schmidt, JT; Ahmad, M; Teel, AL; Watts, RJ. (2011). Hydrogen peroxide stabilization in one-dimensional flow columns. *J Contam Hydrol*. 126: 1-7. <http://dx.doi.org/10.1016/j.jconhyd.2011.05.008>.
- Schmidt-Szalowski, K; Krawczyk, K; Sentek, J, an; Ulejczyk, B; Gorska, A; Mlotek, M. (2011). Hybrid plasma-catalytic systems for converting substances of high stability, greenhouse gases and VOC. *Chem Eng Res Des*. 89: 2643-2651. <http://dx.doi.org/10.1016/j.cherd.2011.06.018>.
- Schoeffner, DJ; Warren, DA; Muralidara, S; Bruckner, JV; Simmons, JE. (1999). Organ weights and fat volume in rats as a function of strain and age. *J Toxicol Environ Health A*. 56: 449-462. <http://dx.doi.org/10.1080/009841099157917>.
- Schoenfeld, W; Antonell, MJ; Abernathy, CR. (1998). Doping of InSb and InAs using CBr₄ during growth by gas source molecular beam epitaxy. *J Cryst Growth*. 188: 50-55.
- Scholten, D; Trebicka, J; Liedtke, C; Weiskirchen, R. (2015). The carbon tetrachloride model in mice. *Lab Anim*. 49: 4-11. <http://dx.doi.org/10.1177/0023677215571192>.
- Schwandner, FM; Seward, TM; Gize, AP; Hall, PA; Dietrich, VJ. (2004). Diffuse emission of organic trace gases from the flank and crater of a quiescent active volcano (Vulcano, Aeolian Islands, Italy). *J Geophys Res Atmos*. 109. <http://dx.doi.org/10.1029/2003JD003890>.
- Scialdone, O; Galia, A; Guarisco, C; La Mantia, S. (2012). Abatement of 1,1,2,2-tetrachloroethane in water by reduction at silver cathode and oxidation at boron doped diamond anode in micro reactors. *Chem Eng J*. 189-190: 229-236. <http://dx.doi.org/10.1016/j.cej.2012.02.062>.
- Scibior, A; Zaporowska, H. (2007). Effects of vanadium(V) and/or chromium(III) on L-ascorbic acid and glutathione as well as iron, zinc, and copper levels in rat liver and kidney. *J Toxicol Environ Health A*. 70: 696-704. <http://dx.doi.org/10.1080/15287390601187906>.
- Seawright, AA; Wilkie, IW; Costigan, P; Hrdlicka, J; Steele, DP. (1980). The effect of an equimolar mixture of carbon tetrachloride and carbon disulphide on the liver of the rat. *Biochem Pharmacol*. 29: 1007-1014.
- Sedov, IA; Solomonov, BN. (2009). A method to determine the Gibbs energy of specific interactions in solutions. Hydrogen bonding of proton donating solvents in basic solvents. *Fluid Phase Equilibria*. 276: 108-115. <http://dx.doi.org/10.1016/j.fluid.2008.10.015>.
- Sega, M; Fabian, B; Horvai, G; Jedlovsky, P, al. (2016). How Is the Surface Tension of Various Liquids Distributed along the Interface Normal? *J Phys Chem C*. 120: 27468-27477. <http://dx.doi.org/10.1021/acs.jpcc.6b09880>.
- Seidler, A; Raum, E; Arabin, B; Hellenbrand, W; Walter, U; Schwartz, FW. (1999). Maternal occupational exposure to chemical substances and the risk of infants small-for-gestational-age. *Am J Ind Med*. 36: 213-222. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<213::AID-AJIM30>3.0.CO;2-A](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<213::AID-AJIM30>3.0.CO;2-A).
- Seki, T; Morimura, S; Tabata, S; Tang, Y; Shigematsu, T; Kida, K. (2008). Antioxidant activity of vinegar produced from distilled residues of the Japanese liquor shochu. *J Agric Food Chem*. 56: 3785-3790. <http://dx.doi.org/10.1021/jf073040w>.
- Selden, J. R.; Dolbeare, F; Miller, JE; Clair, JH; Mcgettigan, K; Dijohn, JA; Dysart, GA; Deluca, JG. (1994). Validation of a flow cytometric in vitro DNA repair (UDS) assay in rat hepatocytes. *Mutat Res*. 315: 147-167.
- Selmanoğlu, G; Karacaoğlu, E; Kiliç, A; Koçkaya, EA; Akay, MT. (2012). Toxicity of food contaminant furan on liver and kidney of growing male rats. *Environ Toxicol*. 27: 613-622. <http://dx.doi.org/10.1002/tox.20673>.
- Semadeni, M; P-C, C; Reinhard, M. (1998). Reductive transformation of trichloroethene by cobalamin: Reactivities of the intermediates acetylene, chloroacetylene, and the DCE isomers. *Environ Sci Technol*. 32: 1207-1213.
- Semencha, AV; Pozdnyakov, OF; Pozdnyakov, AO; Blinov, LN. (2008). Investigation of the structure of carbon-nitrogen compounds. *Glass Physics and Chemistry*. 34: 103-109. <http://dx.doi.org/10.1134/S108765960801015X>.
- Semprini, L. (1995). In situ bioremediation of chlorinated solvents [Review]. *Environ Health Perspect*. 103: 101-105.
- Sen, B; Osterman, GB; Salawitch, RJ; Toon, GC; Margitan, JJ; Blavier, JF; Chang, AY; May, RD; Webster, CR; Stimpfle, RM; Bonne, GP; Voss, PB; Perkins, KK; Anderson, JG; Cohen, RC; Elkins, JW; Dutton, GS; Hurst, DF; Romashkin, PA; Atlas, EL; Schauffler, SM; Loewenstein, M. (1999). The budget and partitioning of stratospheric chlorine during the 1997 Arctic summer. *J Geophys Res Atmos*. 104: 26653-26665.
- Seo, HS; Mccray, JE. (2002). Interfacial tension of chlorinated aliphatic DNAPL mixtures as a function of organic phase composition. *Environ Sci Technol*. 36: 1292-1298. <http://dx.doi.org/10.1021/es010931q>.
- Seo, YW; Lee, H. (2001). A new hydrate-based recovery process for removing chlorinated hydrocarbons from aqueous solutions. *Environ Sci Technol*. 35: 3386-3390.
- Serrano-Trespacios, PI; Ryan, L; Spengler, JD. (2004). Ambient, indoor and personal exposure relationships of volatile organic compounds in Mexico City metropolitan area. *J Expo Anal Environ Epidemiol*. 1: S118-S132. <http://dx.doi.org/10.1038/sj.jea.7500366>.
- Servagent, S; Dubot, P; Vilar, MR. (1994). ADSORPTION-KINETICS STUDIES OF CHLOROSILANES ON SILICON. 184-189.
- Sexton, K; Adgate, JL; Church, TR; Ashley, DL; Needham, LL; Ramachandran, G; Fredrickson, AL; Ryan, AD. (2005). Children's exposure to volatile organic compounds as determined by longitudinal measurements in blood. *Environ Health Perspect*. 113: 342-349. <http://dx.doi.org/10.1289/ehp.7412>.

Fate Literature Search Results

Off Topic

- Sexton, K; Adgate, JL; Ramachandran, G; Pratt, GC; Mongin, SJ; Stock, TH; Morandi, MT. (2004). Comparison of personal, indoor, and outdoor exposures to hazardous air pollutants in three urban communities. *Environ Sci Technol.* 38: 423-430.
- Shah, AS; Khan, RA; Ahmed, M; Muhammad, N. (2016). Hepatoprotective role of *Nicotiana glauca* Linn. against carbon tetrachloride-induced injuries. *Toxicol Ind Health.* 32: 292-298. <http://dx.doi.org/10.1177/0748233713498448>.
- Shah, J; Vakharia, MN; Pandya, MV; Talele, GD; Pathak, KG; Palsanawala, PP; Oswal, SL. (1988). THE ROLE OF HYDROGEN-BONDING IN THE VISCOSITY OF BINARY-LIQUID MIXTURES OF ANILINE WITH BENZENE, CARBON-TETRACHLORIDE, TOLUENE, CHLOROBENZENE, BROMOBENZENE, NITROBENZENE, PYRIDINE, PARA-DIOXANE AND METHANOL AT 25-DEGREES-C, 35-DEGREES-C AND 45-DEGREES-C. 26: 383-388.
- Shalmashi, A; Eliassi, A, li. (2008). Solubility of salicylic acid in water, ethanol, carbon tetrachloride, ethyl acetate, and xylene. *Journal of Chemical and Engineering Data.* 53: 199-200. <http://dx.doi.org/10.1021/jc7004962>.
- Shalmashi, A; Golmohammad, F. (2010). SOLUBILITY OF CAFFEINE IN WATER, ETHYL ACETATE, ETHANOL, CARBON TETRACHLORIDE, METHANOL, CHLOROFORM, DICHLOROMETHANE, AND ACETONE BETWEEN 298 AND 323 K. *Lat Am Appl Res.* 40: 283-285.
- Shamay, ES; Richmond, GL. (2010). Ionic Disruption of the Liquid-Liquid Interface. *J Phys Chem C.* 114: 12590-12597. <http://dx.doi.org/10.1021/jp1023668>.
- Shamberger, RJ; Andreone, TL; Willis, CE. (1974). Antioxidants and cancer IV Initiating activity of malonaldehyde as a carcinogen. *J Natl Cancer Inst.* 53: 1771-1773.
- Shamsipur, M; Davarkhah, R; Yamini, Y; Hassani, R; Khanchi, A, liR. (2009). Selective Facilitated Transport of Uranium(VI) Across a Bulk Liquid Membrane Containing Benzoyltrifluoroacetone as Extractant-Carrier. *Separation Science and Technology.* 44: 2645-2660. <http://dx.doi.org/10.1080/01496390903012247>.
- Shan, H; Kurtz, HD; Freedman, DL. (2010). Evaluation of strategies for anaerobic bioremediation of high concentrations of halomethanes. *Water Res.* 44: 1317-1328. <http://dx.doi.org/10.1016/j.watres.2009.10.035>.
- Shan, XC; Qin, W; Dai, YY. (2005). Relative basicity of trioctylamine to carboxylic acid in selected organic diluents. *Chinese Journal of Chemical Engineering.* 13: 747-750.
- Shan, XC; Qin, W; Dai, YY. (2006). Dependence of extraction equilibrium of monocarboxylic acid from aqueous solutions on the relative basicity of extractant. *Chem Eng Sci.* 61: 2574-2581. <http://dx.doi.org/10.1016/j.ces.2005.11.026>.
- Shankar, K; Vaidya, VS; Apte, UM; Manautou, JE; Ronis, MJ; Bucci, TJ; Mehendale, HM. (2003). Type 1 diabetic mice are protected from acetaminophen hepatotoxicity. *Toxicol Sci.* 73: 220-234. <http://dx.doi.org/10.1093/toxsci/kfg059>.
- Shao, H; Butler, EC. (2007). The influence of iron and sulfur mineral fractions on carbon tetrachloride transformation in model anaerobic soils and sediments. *Chemosphere.* 68: 1807-1813. <http://dx.doi.org/10.1016/j.chemosphere.2007.04.048>.
- Shao, L, ei; Samseth, J, on; Hagg, M, ayB. (2006). Gas permeabilities of poly(4-methyl-2-pentyne) membranes surface modified with carbon tetrachloride plasma. *Desalination.* 200: 1-3. <http://dx.doi.org/10.1016/j.desal.2006.03.127>.
- Shao, L, ei; Samseth, J, on; Hagg, M, ayB. (2008). Crosslinking and stabilization of high fractional free volume polymers for gas separation. *Int J Greenhouse Gas Control.* 2: 492-501. <http://dx.doi.org/10.1016/j.ijggc.2008.04.005>.
- Shao, M; Huang, D; Gu, D; Lu, S; Chang, C; Wang, J. (2011). Estimate of anthropogenic halocarbon emission based on measured ratio relative to CO in the Pearl River Delta region, China. *Atmos Chem Phys.* 11: 5011-5025. <http://dx.doi.org/10.5194/acp-11-5011-2011>.
- Shapiro, SD; Busenberg, E; Focazio, MJ; Plummer, LN. (2004). Historical trends in occurrence and atmospheric inputs of halogenated volatile organic compounds in untreated ground water used as a source of drinking water. *Sci Total Environ.* 321: 201-217. <http://dx.doi.org/10.1016/j.scitotenv.2003.09.007>.
- Sharghi, H; Forghaniha, A. (1995). Efficient synthesis of a range of 1-hydroxy-2-(1-alkyloxymethyl)-9,10-anthraquinone derivatives. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition).* 14: 16-22.
- Shariati, A; Lameris, GH; Peters, C, orJ. (2015). Experimental Determination of CCl₄ Hydrate Phase Equilibria up to High Pressures. *Journal of Chemical and Engineering Data.* 60: 398-402. <http://dx.doi.org/10.1021/jc5006505>.
- Sharma, A; Gogate, PR; Mahulkar, A; Pandit, AB. (2008). Modeling of hydrodynamic cavitation reactors based on orifice plates considering hydrodynamics and chemical reactions occurring in bubble. *Chem Eng J.* 143: 201-209. <http://dx.doi.org/10.1016/j.cej.2008.04.005>.
- Sharma, A; Saxena, A; Singh, B. (2009). In-situ degradation of sulphur mustard using (1R)-(-)-(camphorylsulphonyl) oxaziridine impregnated adsorbents. *J Hazard Mater.* 172: 650-653. <http://dx.doi.org/10.1016/j.jhazmat.2009.07.046>.
- Sharma, MC; Pathak, NN. (1991). BIOCHEMICAL-CHANGES IN EXPERIMENTALLY INDUCED HEPATOPATHY IN GOATS FED DIFFERENT LEVELS OF DIETARY-PROTEIN AND EFFECT OF HERBAL THERAPY. *Indian J Anim Sci.* 61: 1269-1275.
- Sharma, P; Mohan, L; Srivastava, CN. (2006). Phytoextract-induced developmental deformities in malaria vector. *Bioresour Technol.* 97: 1599-1604. <http://dx.doi.org/10.1016/j.biortech.2005.07.024>.
- Sharma, S; Rana, SV. (2013). Melatonin improves liver function in benzene-treated rats. *Arh Hig Rada Toksikol.* 64: 33-41. <http://dx.doi.org/10.2478/10004-1254-64-2013-2248>.
- Shaw, MC. (2003). The size effect in metal cutting. *Sadhana.* 28: 875-896.
- Shchapin, IY, u; Makhnach, OV; Klochikhin, VL; Osokin, Y, uG; Nekhaev, AI. (2008). Chemical behavior of 5-vinyl-2-norbornene, 5-ethylidene-2-norbornene, and related compounds as a key to understanding specifics of radiation-chemical processes: 3. The structure of 5-vinyl-2-norbornene and 2-vinylnorbornane radical cations. *Petroleum Chemistry.* 48: 71-82. <http://dx.doi.org/10.1134/S0965544108010143>.
- Shchapin, IY, u; Makhnach, OV; Klochikhin, VL; Osokin, Y, uG; Nekhaev, AI. (2010). Chemical behavior of 5-vinyl-2-norbornene, 5-ethylidene-2-norbornene, and related compounds as a key to understanding the specifics of radiation-chemical processes: 5. Energy-controlled positive-charge transfer processes. *Petroleum Chemistry.* 50: 476-483. <http://dx.doi.org/10.1134/S0965544110060125>.

Fate Literature Search Results

Off Topic

- Shcherban, ND; Filonenko, SM; Yaremov, PS; Skoryk, M; Ilyin, VG; Aho, A; Murzin, DY, u. (2016). Synthesis, structure and adsorption properties of nonstoichiometric carbon nitride in comparison with nitrogen-containing carbons. *J Ind Eng Chem.* 34: 292-299. <http://dx.doi.org/10.1016/j.fiec.2015.11.023>.
- Shehata, SA. (2005). Nitrate detoxification of drinking water by ascorbic acid in growing rabbits. *World Rabbit Science.* 13: 93-106.
- Shekaari, H; Bezaatpour, A; Soltanpour, A. (2010). Partial Molar Volumes of N,N'-1,2-Ethyl-bis(salicyladimine) Schiff Base (Salen) in Organic Solvents at T = (283.15 to 318.15) K. *Journal of Chemical and Engineering Data.* 55: 5927-5931. <http://dx.doi.org/10.1021/je100369a>.
- Shemer, H; Narkis, N. (2005). Effect of various reaction parameters on THMs aqueous sonolysis. *Chemosphere.* 59: 1317-1321. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.045>.
- Shen, JM, in; Xu, L, in; Liu, Y, uGe; Lu, CL; Hou, W, enHua; Zhu, J, unJie. (2008). Wet chemistry self-seeded surface-deposition process toward amorphous carbon nanotubes and their electrochemical application. *Chem Mater.* 20: 3034-3041. <http://dx.doi.org/10.1021/cm702966x>.
- Shen, XY; Lu, YY; Zhu, LZ; Lu, SY. (2004). Sorption of BTEX mixtures to organobentonites. *J Environ Sci.* 16: 222-225.
- Shen, YH. (2001). Preparations of organobentonite using nonionic surfactants. *Chemosphere.* 44: 989-995.
- Shen, YH. (2002). Removal of dissolved organic matter from water by adsorption-flocculation using organobentonite. *Environ Technol.* 23: 553-560.
- Shen, YH. (2002). Removal of phenol from water by adsorption-flocculation using organobentonite. *Water Res.* 36: 1107-1114.
- Shen, YH. (2002). Sorption of benzene and naphthol to organobentonites intercalated with short chain cationic surfactants. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 37: 43-54.
- Shen, YS; Ku, Y. (1999). Treatment of gas-phase volatile organic compounds (VOCs) by the UV/O-3 process. *Chemosphere.* 38: 1855-1866.
- Sheng, G; Xu, S; Boyd, SA. (1996). Cosorption of organic contaminants from water by hexadecyltrimethylammonium-exchanged clays. *Water Res.* 30: 1483-1489.
- Shetty, MK; Limmer, MA; Waltermire, K; Morrison, GC; Burken, JG. (2014). In planta passive sampling devices for assessing subsurface chlorinated solvents. *Chemosphere.* 104: 149-154. <http://dx.doi.org/10.1016/j.chemosphere.2013.10.084>.
- Sheu, F; Chien, PJ; Hsieh, KY; Chin, KL; Huang, WT; Tsao, CY; Chen, YF; Cheng, HC; Chang, HH. (2009). Purification, cloning, and functional characterization of a novel immunomodulatory protein from *Antrodia camphorata* (bitter mushroom) that exhibits TLR2-dependent NF- κ B activation and M1 polarization within murine macrophages. *J Agric Food Chem.* 57: 4130-4141. <http://dx.doi.org/10.1021/jf900469a>.
- Shields, PA; Farrah, S. R.; Shah, DO. (1991). THE CORRELATION OF HYDROPHILE LIPOPHILE BALANCE OF FILTERS WITH VIRUS DESORPTION. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 26: 711-719.
- Shigematsu, K; Sugawara, A; Takahashi, Y. (2012). Pressure-Induced Growth of Carbon Tetrachloride Solid II in Solid Ib. *Cryst Growth Des.* 12: 3402-3406. <http://dx.doi.org/10.1021/cg201320t>.
- Shikata, T; Sakai, Y; Watanabe, J. (2014). Nitrobenzene anti-parallel dimer formation in non-polar solvents. 4. <http://dx.doi.org/10.1063/1.4884393>.
- Shilimkar, TN; Anuse, MA. (2002). Rapid extraction of lead(II) from succinate media with n-octylaniline in toluene. *Separation and Purification Technology.* 26: 185-193.
- Shimoda, H; Tanaka, J; Kikuchi, M; Fukuda, T; Ito, H; Hatano, T; Yoshida, T. (2008). Walnut polyphenols prevent liver damage induced by carbon tetrachloride and d-galactosamine: hepatoprotective hydrolyzable tannins in the kernel pellicles of walnut. *J Agric Food Chem.* 56: 4444-4449. <http://dx.doi.org/10.1021/jf8002174>.
- Shimotori, T; Cussler, EL; Arnold, WA. (2006). High-density polyethylene membrane containing Fe-O as a contaminant barrier. *J Environ Eng.* 132: 803-809. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:7\(803\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:7(803)).
- Shimotori, T; Nuxoll, EE; Cussler, EL; Arnold, WA. (2004). A polymer membrane containing Fe-O as a contaminant barrier. *Environ Sci Technol.* 38: 2264-2270. <http://dx.doi.org/10.1021/es034601c>.
- Shin, HC; Park, JW; Park, K; Song, HC. (2002). Removal characteristics of trace compounds of landfill gas by activated carbon adsorption. *Environ Pollut.* 119: 227-236.
- Shin, HS; Lim, HH. (2017). Identification and determination of disinfection byproducts in chlorine-containing household cleansing products. *Chemosphere.* 174: 157-164. <http://dx.doi.org/10.1016/j.chemosphere.2017.01.090>.
- Shin, K; Rafailovich, MH; Sokolov, J; Gersappe, D; Kim, MW; Satija, SK; Nguyen, D; Xu, D; Yang, NL; Eisenberg, A. (2001). Structures of thin ionomer films in solvent mixtures. *Langmuir.* 17: 6675-6682.
- Shirai, M; Suzuki, N; Nishiyama, Y; Torii, K; Arai, M. (1999). Size-selective hydrogenation of NBR polymers catalyzed by pore-size controlled smectites loaded with palladium. *Appl Catal A-Gen.* 177: 219-225.
- Shiraishi, Y; Tomita, H; Fujiki, K; Hirai, H. (1998). One-step synthesis of 4,4'-biphenyldicarboxylic acid from biphenyl using cyclodextrin as catalyst. *React Funct Polym.* 36: 99-102.
- Shirakura, K; Kwon, SM, o; Masuda, H; Obi, S; Ito, R, ie; Shizuno, T; Kurihara, Y; Mine, T; Asahara, T. (2009). Establishment of Two Liver Fibrosis Models to Examine Endothelial Progenitor Cell Kinetics. 6: 1128-1133.
- Shirono, K; Morimatsu, T; Takemura, F. (2008). Gas Solubilities (CO₂, O₂, Ar, N₂, H₂, and He) in liquid chlorinated methanes. *Journal of Chemical and Engineering Data.* 53: 1867-1871. <http://dx.doi.org/10.1021/je800200j>.
- Shnyra, A; Bocharov, A; Bochkova, N; Spirov, V. (1991). BIOARTIFICIAL LIVER USING HEPATOCYTES ON BIOSILON MICROCARRIERS - TREATMENT OF CHEMICALLY-INDUCED ACUTE HEPATIC-FAILURE IN RATS. *Artif Organs.* 15: 189-197.
- Shrout, JD; Larese-Casanova, P; Scherer, MM; Alvarez, PJ. (2005). Sustained and complete hexahydro-1,3,5-trinitro-1,3,5-triazine(RDX)degradation in zero-valent iron simulated barriers under different microbial conditions. *Environ Technol.* 26: 1115-1126.

Fate Literature Search Results

Off Topic

- Shuaibov, AK; Minya, AI; Hrytsak, RV; Gomoki, ZT. (2015). Characteristics of a nanosecond-barrier-discharge-pumped multiwave UV-VUV lamp on a mixture of argon, krypton and vapours of freon. *Quantum Electronics*. 45: 185-188. <http://dx.doi.org/10.1070/QE2015v045n02ABEH015461>.
- Shukla, RK; Kumar, A; Singh, N; Tiwari, U, maK. (2009). VISCOUS BEHAVIOUR OF QUATERNARY FLUID SOLUTIONS AT 298.15 K. *Can J Chem Eng*. 87: 649-655. <http://dx.doi.org/10.1002/cjce.20202>.
- Shulman, SA; Groff, JH; Schlecht, PC; Xue, DX. (1996). Performance of laboratories analyzing organic solvents in the proficiency analytical testing program. *Am Ind Hyg Assoc J*. 57: 295-303.
- Shurupov, SV. (2000). Some factors that govern particulate carbon formation during pyrolysis of hydrocarbons. *Proc Combust Inst*. 28: 2507-2514.
- Shurupov, SV; Tesner, PA. (1999). Soot formation in isothermal pyrolysis of carbon tetrachloride and its mixture with methane. *Combustion, Explosion, and Shock Waves*. 35: 386-392.
- Sicilianojones, J; Murphy, MR. (1991). SPECIFIC-GRAVITY OF VARIOUS FEEDSTUFFS AS AFFECTED BY PARTICLE-SIZE AND INVITRO FERMENTATION. *J Dairy Sci*. 74: 896-901.
- Siddiqui, MN. (2003). Infrared study of hydrogen bond types in asphaltenes. *Petroleum Science and Technology*. 21: 1601-1615. <http://dx.doi.org/10.1081/LFT-120023241>.
- Siedlecka, EM; Mrozik, W; Kaczyński, Z; Stepnowski, P. (2008). Degradation of 1-butyl-3-methylimidazolium chloride ionic liquid in a Fenton-like system. *J Hazard Mater*. 154: 893-900. <http://dx.doi.org/10.1016/j.jhazmat.2007.10.104>.
- Silenko, PM; Shlapak, AN; Afanas'ev, VP. (2006). Chemical vapor deposition of pyrolytic carbon on SiC fibers. *Inorg Mater*. 42: 246-249. <http://dx.doi.org/10.1134/S002016850603006X>.
- Silva, LIB; Rocha-Santos, TAP; Duarte, AC. (2008). Sensing of volatile organic compounds in indoor atmosphere and confined areas of industrial environments. *Global NEST J*. 10: 217-225.
- Silvester, E; Charlet, L; Tournassat, C; Gehin, A; Grenèche, JM; Liger, E. (2005). Redox potential measurements and Mossbauer spectrometry of Fe-II adsorbed onto Fe-III (oxyhydr)oxides. *Geochim Cosmo Acta*. 69: 4801-4815. <http://dx.doi.org/10.1016/j.gca.2005.06.013>.
- Simmon, VF; Kauhanen, K; Tardiff, RG. (1977). Mutagenic activity of chemicals identified in drinking water. In *Second International Conference on Environmental Mutagens*, Edinburgh, Scotland July 11-15, 1977. New York, NY: Elsevier/North Holland Press.
- Simmon, VF; Tardiff, RG. (1978). Water Chlorination: Environmental Impact and Health Effects The mutagenic activity of halogenated compounds found in chlorinated drinking water. Ann Arbor, MI: Lewis Publishers Inc.
- Simmonds, PG; Cunnold, DM; Alyea, FN; Cardelino, CA; Crawford, AJ; Prinn, RG; Fraser, PJ; Rasmussen, RA; Rosen, RD. (1988). CARBON-TETRACHLORIDE LIFETIMES AND EMISSIONS DETERMINED FROM DAILY GLOBAL MEASUREMENTS DURING 1978-1985. *J Atmos Chem*. 7: 35-58.
- Simmonds, PG; Cunnold, DM; Weiss, RF; Miller, BR; Prinn, RG; Fraser, PJ; Mcculloch, A; Alyea, FN; O'Doherty, S. (1998). Global trends and emission estimates of CCl₄ from in situ background observations from July 1978 to June 1996 (vol 103, pg 16017, 1998). *J Geophys Res Atmos*. 103: 31331-31331.
- Simmonds, PG; Cunnold, DM; Weiss, RF; Prinn, RG; Fraser, PJ; Mcculloch, A; Alyea, FN; O'Doherty, S. (1998). Global trends and emission estimates of CCl₄ from in situ background observations from July 1978 to June 1996. *J Geophys Res Atmos*. 103: 16017-16027.
- Simmonds, PG; Derwent, RG; Mcculloch, A; Odoherly, S; Gaudry, A. (1996). Long-term trends in concentrations of halocarbons and radiatively active trace gases in Atlantic and European air masses monitored at Mace Head, Ireland from 1987-1994. *Atmos Environ*. 30: 4041-4063.
- Simmons, JE; Mcdonald, A; Seely, JC; Sey, YM. (1995). Potentiation of carbon tetrachloride hepatotoxicity by inhaled methanol: time course of injury and recovery. *J Toxicol Environ Health*. 46: 203-216. <http://dx.doi.org/10.1080/15287399509532029>.
- Simmons, JE; Yang, RS; Svendsgaard, DJ; Thompson, MB; Seely, JC; Mcdonald, A. (1994). Toxicology studies of a chemical mixture of 25 groundwater contaminants: Hepatic and renal assessment, response to carbon tetrachloride challenge, and influence of treatment-induced water restriction. *J Toxicol Environ Health*. 43: 305-325. <http://dx.doi.org/10.1080/15287399409531923>.
- Simoiu, L; Baniceru, M; Trandafir, I. (1998). Excess properties in the binary systems containing carbon tetrachloride. *Rev Chim*. 49: 16-18.
- Simoiu, L; Trandafir, I; Pleniceanu, M; Baniceru, M. (1997). Excess properties of binary systems formed by carbon tetrachloride with isopropanol and n-butanol. *Fluid Phase Equilibria*. 136: 307-314.
- Simpson, EJ; Abukhadra, RK; Koros, WJ; Schechter, RS. (1993). SORPTION EQUILIBRIUM ISOTHERMS FOR VOLATILE ORGANICS IN AQUEOUS-SOLUTION - COMPARISON OF HEADSPACE GAS-CHROMATOGRAPHY AND ONLINE UV STIRRED CELL RESULTS. *Ind Eng Chem Res*. 32: 2269-2276.
- Sina, JF; Bean, CL; Dysart, GR; Taylor, VI; Bradley, MO. (1983). Evaluation of the alkaline elution/rat hepatocyte assay as a predictor of carcinogenic/mutagenic potential. *Mutat Res Environ Mutagen Relat Subj*. 113: 357-391. [http://dx.doi.org/10.1016/0165-1161\(83\)90228-5](http://dx.doi.org/10.1016/0165-1161(83)90228-5).
- Singh, H; Mehta, P; Vig, AP. (1997). Removal of glucosinolates from rapeseed meal using bowl-shaped tetrameric molecules in apolar solvent. *J Agric Food Chem*. 45: 4522-4524.
- Singh, LSS; Tiwary, KP; Purohit, RK; Zaidi, ZH; Husain, M. (2005). ECR plasma etching of GaAs in CCl₂F₂/Ar/O-2 discharge and IR studies of the etched surface. *Curr Appl Phys*. 5: 351-355. <http://dx.doi.org/10.1016/j.cap.2004.04.002>.
- Singh, N; Kamath, V; Narasimhamurthy, K; Rajini, PS. (2008). Protective effect of potato peel extract against carbon tetrachloride-induced liver injury in rats. *Environ Toxicol Pharmacol*. 26: 241-246. <http://dx.doi.org/10.1016/j.etap.2008.05.006>.
- Singh, N; Khullar, N; Kakkar, V; Kaur, IP. (2016). Hepatoprotective effects of sesamol loaded solid lipid nanoparticles in carbon tetrachloride induced sub-chronic hepatotoxicity in rats. *Environ Toxicol*. 31: 520-532. <http://dx.doi.org/10.1002/tox.22064>.

Fate Literature Search Results

Off Topic

- Singh, P; Kaushik, A; Kirandeep. (2006). Mechanical and transport properties of colloidal silica-unsaturated polyester composites. *Journal of Reinforced Plastics and Composites*. 25: 119-140. <http://dx.doi.org/10.1177/0731684405055460>.
- Singhal, KG; Gupta, GD. (2012). Hepatoprotective and antioxidant activity of methanolic extract of flowers of *Nerium oleander* against CCl₄-induced liver injury in rats. *Asian Pacific Journal of Tropical Medicine*. 5: 677-685. [http://dx.doi.org/10.1016/S1995-7645\(12\)60106-0](http://dx.doi.org/10.1016/S1995-7645(12)60106-0).
- Sinha, S; Murthy, PSN; Rao, CVN; Ramaprasad, G; Sitaramaiah, S; Kumar, DG; Savant, SK. (1999). Simple method for enrichment of azadirachtin from neem seeds. *Journal of Sci Ind Res*. 58: 990-994.
- Sinquin, G; Petit, C; Libs, S; Hindermann, JP; Kiennemann, A. (2000). Catalytic destruction of chlorinated C-1 volatile organic compounds (CVOCs) reactivity, oxidation and hydrolysis mechanisms. *Appl Catal B-Environ*. 27: 105-115.
- Sivapullaiah, PV; Lakshmikantha, H. (2005). Chemical compatibility of lime stabilized Indian red earth as liner material. *Soil Sediment Contam*. 14: 515-526. <http://dx.doi.org/10.1080/15320380500263717>.
- Skeen, RS; Amos, KM; Petersen, JN. (1994). INFLUENCE OF NITRATE CONCENTRATION ON CARBON-TETRACHLORIDE TRANSFORMATION BY A DENITRIFYING MICROBIAL CONSORTIUM. *Water Res*. 28: 2433-2438.
- Skupinski, W; Malesa, M. (2002). Nitration of toluene with 65% nitric acid over MoO₃/SiO₂ as catalyst. *Przemysł Chemiczny*. 81: 519-521.
- Slater, GF; Lollar, BS; King, RA; O'Hannesin, S. (2002). Isotopic fractionation during reductive dechlorination of trichloroethene by zero-valent iron: influence of surface treatment. *Chemosphere*. 49: 587-596.
- Slater, TF. (1981). Free radicals as reactive intermediates in tissue injury. *Adv Exp Med Biol*. 136: 575-589.
- Sleep, BE; Brown, AJ; Lollar, BS. (2005). Long-term tetrachlorethene degradation sustained by endogenous cell decay. *J Environ Eng Sci*. 4: 11-17. <http://dx.doi.org/10.1139/S04-038>.
- Slemr, F; Ebinghaus, R; Simmonds, PG; Jennings, SG. (2006). European emissions of mercury derived from long-term observations at Mace Head, on the western Irish coast. *Atmos Environ*. 40: 6966-6974. <http://dx.doi.org/10.1016/j.atmosenv.2006.06.013>.
- Sliwinska-Bartkowiak, M; Gras, J; Sikorski, R; Radhakrishnan, R; Gelb, L; Gubbins, KE. (1999). Phase transitions in pores: Experimental and simulation studies of melting and freezing. *Langmuir*. 15: 6060-6069.
- Sliwinska-Bartkowiak, M; Hung, FR; Santiso, EE; Coasne, B; Grazyana, D; Siperstein, FR; Gubbins, K. (2005). Effect of confinement on freezing of CCl₄ in cylindrical pores. *Adsorption*. 11: 391-396.
- Sliwinska-Bartkowiak, M; Jazdzewska, M; Trafas, M; Kaczmarek-Klinowska, M; Gubbins, KE. (2015). Melting of Eutectic Mixtures in Silica and Carbon Nanopores. *Journal of Chemical and Engineering Data*. 60: 3093-3100. <http://dx.doi.org/10.1021/acs.jced.5b00131>.
- Sliwka, I; Lasa, J, an; Bielewski, J; Grombik, I; Limanowka, D; Rosiek, J. (2010). Long-Term Measurements of CFCs and SF₆ Concentrations in Air. *Pol J Environ Stud*. 19: 811-815.
- Smentkowski, VS; Cheng, CC; Yates, JT. (1990). THE INTERACTION OF CARBON-TETRACHLORIDE WITH FE(110) - A SYSTEM OF TRIBOLOGICAL IMPORTANCE. *Langmuir*. 6: 147-158.
- Smirnov, MB; Frolov, YB. (1989). USE OF H-1-NMR SPECTROSCOPY TO STUDY PETROLEUM ALKYL CARBAZOLES - POLYMETHYL CARBAZOLES IN A CCL₄+CDCL₃ MIXTURE. *Petroleum Chemistry*. 29: 220-229.
- Smith, A; Gelfand, A. (1992). Bayesian statistics without tears: A sampling-resampling perspective. *Am Stat*. 46: 84-89.
- Smith, BA; Teel, A, myL; Watts, RJ. (2009). Destruction of Trichloroethylene and Perchloroethylene DNAPLs by Catalyzed H₂O₂ Propagations. *J Environ Eng*. 135: 535-543. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2009\)135:7\(535\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2009)135:7(535)).
- Smith, BA; Teel, AL; Watts, RJ. (2004). Identification of the reactive oxygen species responsible for carbon tetrachloride degradation in modified Fenton's systems. *Environ Sci Technol*. 38: 5465-5469. <http://dx.doi.org/10.1021/es0352754>.
- Smith, BA; Teel, AL; Watts, RJ. (2006). Mechanism for the destruction of carbon tetrachloride and chloroform DNAPLs by modified Fenton's reagent. *J Contam Hydrol*. 85: 229-246. <http://dx.doi.org/10.1016/j.jconhyd.2006.02.002>.
- Smith, BA; Teel, AL; Watts, RJ. (2015). Destruction of 1,1,1-trichloroethane and 1,2-dichloroethane DNAPLs by catalyzed H₂O₂ propagations (CHP). *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 50: 846-854. <http://dx.doi.org/10.1080/10934529.2015.1019806>.
- Smith, BW; Fonseca, C; Zavyalova, L; Alam, Z; Bourou, A. (1997). Plasma reactive ion etching of 193 nm attenuated phase shift mask materials. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures*. 15: 2259-2262.
- Smith, ED; Mathews, DM. (1977). USE OF AN ANNULAR TEFLON SPINNING-BAND DISTILLATION COLUMN TO DETERMINE PRACTICAL LIQUID-VAPOR-EQUILIBRIUM DATA FOR CLOSE-BOILING SYSTEMS .1. CARBON TETRACHLORIDE-BENZENE SYSTEM. *Ind Eng Chem Fundam*. 16: 232-234.
- Smith, GV; Notheisz, F; Zsigmond, AG; Bartok, M. (1993). MODIFICATION OF PD AND PT BY THIOPHENE AND CARBON-TETRACHLORIDE DURING HYDROGENATION AND ISOMERIZATION OF (+)-APOPINENE. *Stud Surf Sci Catal*. 75: 2463-2466.
- Smith, JA; Bartelt-Hunt, SL; Burns, SE. (2003). Sorption and permeability of gasoline hydrocarbons in organobentonite porous media. *J Hazard Mater*. 96: 91-97.
- Smith, JA; Galan, A. (1995). Sorption of nonionic organic contaminants to single and dual organic cation bentonites from water. *Environ Sci Technol*. 29: 685-692.
- Smith, JA; Jaffe, PR. (1991). COMPARISON OF TETRACHLOROMETHANE SORPTION TO AN ALKYLAMMONIUM CLAY AND AN ALKYLDIAMMONIUM CLAY. *Environ Sci Technol*. 25: 2054-2058.
- Smith, JA; Jaffe, PR. (1994). Adsorptive selectivity of organic-cation-modified bentonite for nonionic organic contaminants. *Water Air Soil Pollut*. 72: 1-4.
- Smith, JA; Jaffe, PR. (1994). BENZENE TRANSPORT THROUGH LANDFILL LINERS CONTAINING ORGANOPHILIC BENTONITE. *J Environ Eng*. 120: 1559-1577.
- Smith, JA; Jaffe, PR; Chiou, CT. (1990). EFFECT OF 10 QUATERNARY AMMONIUM CATIONS ON TETRACHLOROMETHANE SORPTION TO CLAY FROM WATER. *Environ Sci Technol*. 24: 1167-1172.

Fate Literature Search Results

Off Topic

- Smith, K; Liu, SF; El-Hiti, GA. (2005). Regioselective mononitration of simple aromatic compounds under mild conditions in ionic liquids. *Ind Eng Chem Res.* 44: 8611-8615. <http://dx.doi.org/10.1021/ie050047z>.
- Smith, RL; Acosta, GM; Arai, K. (1998). Prediction and correlation of triglyceride-solvent solid-liquid equilibria with activity coefficient models. *Fluid Phase Equilibria.* 145: 53-68.
- Smolen, JM; Weber, EJ; Tratnyek, PG. (1999). Molecular probe techniques for the identification of reductants in sediments: Evidence for reduction of 2-chloroacetophenone by hydride transfer. *Environ Sci Technol.* 33: 440-445.
- Snawder, JE; Lipscomb, JC. (2000). Interindividual variance of cytochrome P450 forms in human hepatic microsomes: correlation of individual forms with xenobiotic metabolism and implications in risk assessment. *Regul Toxicol Pharmacol.* 32: 200-209. <http://dx.doi.org/10.1006/rtph.2000.1424>.
- Soga, I; Granick, S. (1998). Flow-induced deformation and desorption of adsorbed polymers. *Langmuir.* 14: 4266-4271.
- Sokolnicki, J; Urbanski, B; Legendziewicz, J. (2000). Investigation of Er, Er : Yb and Er : Tm systems in silica sol-gels. *J Alloy Comp.* 300: 450-455.
- Soldatov, DV; Enright, GD; Ratcliffe, CI; Henegouwen, AT; Ripmeester, JA. (2001). Inclusion potential, polymorphism, and molecular isomerism of metal dibenzoylmethanates coordinated with 2-methylpyridine. *Chem Mater.* 13: 4322-4334. <http://dx.doi.org/10.1021/cm010210q>.
- Soliman, AM; Abu-El-Zahab, HS; Alswiai, GA. (2013). Efficacy evaluation of the protein isolated from *Peganum harmala* seeds as an antioxidant in liver of rats. *Asian Pacific Journal of Tropical Medicine.* 6: 285-295. [http://dx.doi.org/10.1016/S1995-7645\(13\)60058-9](http://dx.doi.org/10.1016/S1995-7645(13)60058-9).
- Solomon, E; Borrow, J; Goddard, AD. (1991). Chromosome aberrations and cancer [Review]. *Science.* 254: 1153-1160.
- Solomon, S; Mills, M; Heidt, LE; Pollock, WH; Tuck, AF. (1992). On the evaluation of ozone depletion potentials. *J Geophys Res.* 97: 825. <http://dx.doi.org/10.1029/91JD02613>.
- Soloviev, V; Hassan, ANE; Akatov, V; Lezhnev, E; Ghaffar, TYA; Ghaffar, YA. (2003). A novel bioartificial liver containing small tissue fragments: Efficiency in the treatment of acute hepatic failure induced by carbon tetrachloride in rats. *Int J Artif Organs.* 26: 735-742.
- Sommerer, TJ; Kushner, MJ. (1992). MONTE-CARLO-FLUID MODEL OF CHLORINE ATOM PRODUCTION IN CL₂, HCL, AND CCL₄ RADIOFREQUENCY DISCHARGES FOR PLASMA-ETCHING. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures.* 10: 2179-2187.
- Son, CS; Kim, SI; Kim, Y; Lee, MS; Kim, MS; Min, SK; Choi, IH. (1996). Properties of carbon-doped InGaAs grown by atmospheric pressure metalorganic chemical vapor deposition using CCl₄. *J Cryst Growth.* 165: 222-226.
- Son, HS; Zoh, KD, uk. (2012). Effects of Methanol and Carbon Tetrachloride on Sonolysis of 1,4-Dioxane in Relation to Temperature. *Ind Eng Chem Res.* 51: 8939-8944. <http://dx.doi.org/10.1021/ie201766h>.
- Son, Y; Lim, M; Khim, J; Kim, L, eeH; Ashokkumar, M. (2012). Comparison of calorimetric energy and cavitation energy for the removal of bisphenol-A: The effects of frequency and liquid height. *Chem Eng J.* 183: 39-45. <http://dx.doi.org/10.1016/j.cej.2011.12.016>.
- Song, H; Carraway, ER. (2006). Reduction of chlorinated methanes by nano-sized zero-valent iron. Kinetics, pathways, and effect of reaction conditions. *Environ Eng Sci.* 23: 272-284.
- Song, M; Luo, C; Li, F; Jiang, L; Wang, Y; Zhang, D; Zhang, G. (2015). Anaerobic degradation of polychlorinated biphenyls (PCBs) and polychlorinated biphenyls ethers (PBDEs), and microbial community dynamics of electronic waste-contaminated soil. *Sci Total Environ.* 502: 426-433. <http://dx.doi.org/10.1016/j.scitotenv.2014.09.045>.
- Song, TY; Yen, GC. (2003). Protective effects of fermented filtrate from *Antrodia camphorata* in submerged culture against CCl₄-induced hepatic toxicity in rats. *J Agric Food Chem.* 51: 1571-1577. <http://dx.doi.org/10.1021/jf0209701>.
- Soni, MG; Mehendale, HM. (1998). Role of tissue repair in toxicologic interactions among hepatotoxic organics [Review]. *Environ Health Perspect.* 106 Suppl 6: 1307-1317.
- Sonich, C; Kraemer, DF; Lucas, JB. (1980). AN EPIDEMIOLOGIC-STUDY OF ACUTE EFFECTS OF A LOW-LEVEL EXPOSURE TO CARBON-TETRACHLORIDE (CCL₄). *Am J Epidemiol.* 112: 445-445.
- Sonmez, E; Turkez, H; Aydin, E; Ozgeris, FB; Oztetik, E; Kerli, S; Cacciatore, I; Di Stefano, A. (2015). Hepatic effects of yttrium oxide nanoflowers: in vitro risk evaluation. *Toxicol Environ Chem.* 97: 599-608. <http://dx.doi.org/10.1080/02772248.2015.1050025>.
- Sorel, D; Lesage, S; Brown, S; Millar, K. (2001). Vitamin B-12 and reduced titanium for remediation of residual chlorinated solvents: Field experiment. *Ground Water Monitoring and Remediation.* 21: 140-148.
- Soriano, MJ; Velasco, I; Otin, S; Kehiaian, HV. (1989). THERMODYNAMICS OF MIXTURES CONTAINING IODOALKANES .2. EXCESS-ENTHALPIES OF MIXTURES OF 1-IODOALKANE + CYCLOHEXANE, + BENZENE, OR + TETRACHLOROMETHANE - MEASUREMENT AND ANALYSIS IN TERMS OF GROUP CONTRIBUTIONS (DISQUAC). *Fluid Phase Equilibria.* 45: 205-216.
- Sorsa, M; Wilbourn, J; Vainio, H. (1992). Human cytogenetic damage as a predictor of cancer risk [Review]. In H Vainio; P Magee; DB McGregor; AJ McMichael (Eds.), *IARC Sci Publ* (pp. 543-554). Lyon, France: International Agency for Research on Cancer.
- Sosa, A; Underhill, D. (1984). SUBSTITUTES FOR CARBON-TETRACHLORIDE IN THE STANDARD ASTM TEST METHOD FOR ACTIVITY OF ACTIVATED CARBON. *J Air Pollut Control Assoc.* 34: 1215-1217.
- Soule, NM; Burns, SE. (2001). Effects of organic cation structure on behavior of organobentonites. *Journal of Geotechnical and Geoenvironmental Engineering.* 127: 363-370.
- Sowers, SL; Gubbins, KE. (1995). Optimizing removal of trace components from nitrogen/X mixtures using adsorption: Theory and simulation. *Langmuir.* 11: 4758-4764.
- Soylak, M; Unsal, YE. (2012). Dispersive liquid-liquid microextraction of cadmium(II) for preconcentration prior to flame atomic absorption spectrometric detection in water. *Toxicol Environ Chem.* 94: 1480. <http://dx.doi.org/10.1080/02772248.2012.717625>.
- Spanedda, A; Lepori, L; Matteoli, E. (1991). VOLUMES OF MIXING OF ETHERS WITH TETRACHLOROMETHANE AT 298.15-K. *Fluid Phase Equilibria.* 69: 209-222.

Fate Literature Search Results

Off Topic

- Spassova, MA; Miller, DJ; Eastmond, DA; Nikolova, NS; Vulimiri, SV; Caldwell, J; Chen, C; White, PD. (2013). Dose-response analysis of bromate-induced DNA damage and mutagenicity is consistent with low-dose linear, nonthreshold processes. *Environ Mol Mutagen*. 54: 19-35. <http://dx.doi.org/10.1002/em.21737>.
- Spencer, JE; Shu, BY. (1982). EMISSION-SPECTROSCOPY OF CCL4 AND BCL3 PLASMAS DURING ALUMINUM ETCHING. *J Electrochem Soc*. 129: C325-C325.
- Spiegelhalter, D; Thomas, A; Best, N; Lunn, D. (2003). WinBugs version 1.4 user manual. Cambridge, UK: MRC Biostatistics Unit. <http://www.mrc-bsu.cam.ac.uk/bugs/winbugs/manual14.pdf>.
- Spirtas, R; Stewart, PA; Lee, JS; Marano, DE; Forbes, CD; Grauman, DJ; Pettigrew, HM; Blair, A; Hoover, RN; Cohen, JL. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: I. Epidemiological results. *Br J Ind Med*. 48: 515-530. <http://dx.doi.org/10.1136/oem.48.5.515>.
- Spitsyn, BV; Davidson, JL; Gradoboev, MN; Galushko, TB; Serebryakova, NV; Karpukhina, TA; Kulakova, II; Melnik, NN. (2006). Inroad to modification of detonation nanodiamond. *Diam Relat Mater*. 15: 296-299. <http://dx.doi.org/10.1016/j.diamond.2005.07.033>.
- Sponza, DT; Oztekin, R. (2011). Removals of some hydrophobic poly aromatic hydrocarbons (PAHs) and *Daphnia magna* acute toxicity in a petrochemical industry wastewater with ultrasound in Izmir-Turkey. *Separation and Purification Technology*. 77: 301-311. <http://dx.doi.org/10.1016/j.seppur.2010.12.021>.
- Sprunger, LM; Achi, SS; Acree, WE, Jr; Abraham, MH; Leo, AJ; Hoekman, D. (2009). Correlation and prediction of solute transfer to chloroalkanes from both water and the gas phase. *Fluid Phase Equilibria*. 281: 144-162. <http://dx.doi.org/10.1016/j.fluid.2009.04.012>.
- Sprygin, VG; Kushnerova, NF; Fomenko, SE; Sizova, LA; Momot, TV. (2013). The hepatoprotective properties of an extract from the brown alga *Saccharina japonica*. *Russian Journal of Marine Biology*. 39: 65-69. <http://dx.doi.org/10.1134/S1063074013010100>.
- Srebowata, A; Juszczak, W; Kaszkur, Z; Sobczak, JW; Kepinski, L; Karpinski, Z. (2007). Hydrodechlorination of 1,2-dichloroethane and dichlorodifluoromethane over Ni/C catalysts: The effect of catalyst carbiding. *Appl Catal A-Gen*. 319: 181-192. <http://dx.doi.org/10.1016/j.apcata.2006.12.004>.
- Sreedharan, V; Puvvadi, S. (2013). Compressibility behaviour of bentonite and organically modified bentonite slurry. *Geotechnique*. 63: 876-879. <http://dx.doi.org/10.1680/geot.SIP13.P.008>.
- Sridharan, A; Prakash, K. (2000). Classification procedures for expansive soils. *Institution of Civil Engineers Proceedings Geotechnical Engineering*. 143: 235-240.
- Srinivasan, U; Houston, MR; Howe, RT; Maboudian, R. (1998). Alkyltrichlorosilane-based self-assembled monolayer films for stiction reduction in silicon micromachines. *I E E E Journal of Microelectromechanical Systems*. 7: 252-260.
- Srinivasu, P; Vinu, A; Hishita, S; Sasaki, T; Ariga, K; Mori, T. (2008). Preparation and characterization of novel microporous carbon nitride with very high surface area via nanocasting technique. *Microporous and Mesoporous Materials*. 108: 340-344. <http://dx.doi.org/10.1016/j.micromeso.2007.03.048>.
- Srivastava, AK; Shah, D; Mahato, TH; Singh, B; Saxena, A; Verma, AK; Shrivastava, S; Roy, A; Yadav, SS; Shrivastava, AR. (2012). Breakthrough behaviour of NBC canister against carbon tetrachloride: a simulant for chemical warfare agents. 13: 109-114. <http://dx.doi.org/10.5714/CL.2012.13.2.109>.
- Srivastava, AK; Shah, D; Saxena, A; Mahato, TH; Singh, B; Verma, AK; Shrivastava, S; Roy, A; Shrivastava, AR; Gutch, PK. (2012). Vapour breakthrough behaviour of carbon tetrachloride - a simulant for chemical warfare agent on ASZMT carbon. *Journal of Sci Ind Res*. 71: 748-756.
- Stacey, NH; Klaassen, CD. (1981). Inhibition of lipid peroxidation without prevention of cellular injury in isolated rat hepatocytes. *Toxicol Appl Pharmacol*. 58: 8-18.
- Stakebake, JL; Goad, HA. (1974). ADSORPTION OF CARBON-TETRACHLORIDE ON URANIUM-DIOXIDE. *J Catal*. 32: 272-278.
- Staker, GR; Dunlop, PJ. (1973). USE OF A NEW CELL TO MEASURE DIFFUSION-COEFFICIENTS FOR SYSTEMS BENZENE-CARBON TETRACHLORIDE AND SUCROSE-WATER AT 25 DEGREES C. *Journal of Chemical and Engineering Data*. 18: 61-63.
- Stankovic, MZ; Nikolic, NC; Palic, R; Cacic, MD; Veljkovic, VB. (1994). ISOLATION OF SOLANIDINE FROM HAULM AND TUBER SPROUTS OF POTATO (*SOLANUM-TUBEROSUM* L). *Potato Research*. 37: 271-278.
- Stanley, LA. (1995). Molecular aspects of chemical carcinogenesis: the roles of oncogenes and tumour suppressor genes [Review]. *Toxicology*. 96: 173-194.
- Stapleton, MG; Sparks, DL; Dentel, SK. (1994). SORPTION OF PENTACHLOROPHENOL TO HDTMA-CLAY AS A FUNCTION OF IONIC-STRENGTH AND PH. *Environ Sci Technol*. 28: 2330-2335.
- Starke, R; Kock, B; Roth, P; Eremin, A; Gurentsov, E; Shumova, V; Ziborov, V. (2003). Shock wave induced carbon particle formation from CCL4 and C3O2 observed by laser extinction and by laser-induced incandescence (LII). *Combust Flame*. 135: 77-85. [http://dx.doi.org/10.1016/S0010-2180\(03\)00148-2](http://dx.doi.org/10.1016/S0010-2180(03)00148-2).
- Statham, TM; Mason, LR; Mumford, KA; Stevens, GW. (2015). The specific reactive surface area of granular zero-valent iron in metal contaminant removal: Column experiments and modelling. *Water Res*. 77: 24-34. <http://dx.doi.org/10.1016/j.watres.2015.03.007>.
- Stemig, AM; Do, TA; Yuwono, VM; Arnold, WA; Penn, RL, ee. (2014). Goethite nanoparticle aggregation: effects of buffers, metal ions, and 4-chloronitrobenzene reduction. 1: 478-487. <http://dx.doi.org/10.1039/c3en00063j>.
- Stephenson, DJ; Hedge, J; Corbett, J. (2002). Surface finishing of Ni-Cr-B-Si composite coatings by precision grinding. *International Journal of Machine Tools and Manufacture*. 42: 357-363.
- Stephenson, DJ; Veselovac, D; Manley, S; Corbett, J. (2001). Ultra-precision grinding of hard steels. *Precision Engineering*. 25: 336-345.
- Stewart, A; Witts, LJ. (1993). Chronic carbon tetrachloride intoxication. 1944. *Br J Ind Med*. 50: 7-16.
- Stewart, BW. (1981). Generation and persistence of carcinogen-induced repair intermediates in rat liver DNA in vivo. *Cancer Res*. 41: 3228-3243.

Fate Literature Search Results

Off Topic

- Stewart, PA; Lee, JS; Marano, DE; Spirtas, R; Forbes, CD; Blair, A. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: II. Exposures and their assessment. *Br J Ind Med.* 48: 531-537.
- Stewart, RD; Dodd, HC; Erley, DS; Holder, BB. (1965). Diagnosis of solvent poisoning. *JAMA.* 193: 1097-1100.
- Stewart, RD; Gay, HH; Erley, DS; Hake, CL; Peterson, JE. (1961). Human exposure to carbon tetrachloride vapor: Relationship of expired air concentration to exposure and toxicity. *J Occup Environ Med.* 3: 586-590.
- Stockman, SA; Hanson, AW; Colomb, CM; Fresina, MT; Baker, JE; Stillman, GE. (1994). A COMPARISON OF TMGA AND TEGA FOR LOW-TEMPERATURE METALORGANIC CHEMICAL-VAPOR-DEPOSITION GROWTH OF CCL4-DOPED INGAAS. *Journal of Electronic Materials.* 23: 791-799.
- Stockman, SA; Hanson, AW; Lichtenhal, SM; Fresina, MT; Hofler, GE; Hsieh, KC; Stillman, GE. (1992). PASSIVATION OF CARBON ACCEPTORS DURING GROWTH OF CARBON-DOPED GAAS, INGAAS, AND HBTS BY MOCVD. *Journal of Electronic Materials.* 21: 1111-1118.
- Stoeckli, F; Couderc, G; Sobota, R; Lavanchy, A. (2002). The Myers-Prausnitz-Dubinin theory and non-ideal adsorption in microporous solids. *AST.* 20: 189-197.
- Stone, M; Orme, C; Peterson, E; Benson, M; Kaszuba, J; Mroz, E; Haga, M. (2005). Gas permeation testing results from the mixed waste focus area improved hydrogen getter program. *Separation Science and Technology.* 40: 419-431. <http://dx.doi.org/10.1081/SS-200042486>.
- Strathmann, TJ; Stone, AT. (2002). Reduction of oxamyl and related pesticides by Fe-II: Influence of organic ligands and natural organic matter. *Environ Sci Technol.* 36: 5172-5183. <http://dx.doi.org/10.1021/es0205939>.
- Stromberg, JR; Wnuk, JD; Pinlac, RA; Meyer, GJ. (2006). Multielectron transfer at heme-functionalized nanocrystalline TiO₂: reductive dechlorination of DDT and CCl₄ forms stable carbene compounds. *Nano Lett.* 6: 1284-1286. <http://dx.doi.org/10.1021/nl060646a>.
- Struijs, J; van Dijk, A; Slaper, H; van Wijnen, HJ; Velders, GJ; Chaplin, G; Huijbregts, MA. (2010). Spatial- and time-explicit human damage modeling of ozone depleting substances in life cycle impact assessment. *Environ Sci Technol.* 44: 204-209. <http://dx.doi.org/10.1021/es9017865>.
- Sturrock, GA; Etheridge, DM; Trudinger, CM; Fraser, PJ; Smith, AM. (2002). Atmospheric histories of halocarbons from analysis of Antarctic firn air: Major Montreal Protocol species. *J Geophys Res Atmos.* 107. <http://dx.doi.org/10.1029/2002JD002548>.
- Su, C; Xia, X; Shi, Q; Song, X; Fu, J; Xiao, C; Chen, H; Lu, B; Sun, Z; Wu, S; Yang, S; Li, X; Ye, X; Song, E; Song, Y. (2015). Neohesperidin Dihydrochalcone versus CCl₄-Induced Hepatic Injury through Different Mechanisms: The Implication of Free Radical Scavenging and Nrf2 Activation. *J Agric Food Chem.* 63: 5468-5475. <http://dx.doi.org/10.1021/acs.jafc.5b01750>.
- Su, CI; Huang, Y, aoX; Wong, JW, ei; Lu, CH; Wang, CM. (2012). PAN-based Carbon Nanofiber Absorbents Prepared Using Electrospinning. *Fibers and Polymers.* 13: 436-442. <http://dx.doi.org/10.1007/s12221-012-0436-x>.
- Su, CI; Peng, CC; Lee, CY. (2011). Performance of viscose rayon based activated carbon fabric modified by sputtering silver and continuous plasma treatment. *Text Res J.* 81: 730-737. <http://dx.doi.org/10.1177/0040517510388546>.
- Su, FC; Mukherjee, B; Batterman, S. (2013). Determinants of personal, indoor and outdoor VOC concentrations: An analysis of the RIOPA data. *Environ Res.* 126: 192-203. <http://dx.doi.org/10.1016/j.envres.2013.08.005>.
- Su, YF; Hsu, CY; Shih, YH. (2012). Effects of various ions on the dechlorination kinetics of hexachlorobenzene by nanoscale zero-valent iron. *Chemosphere.* 88: 1346-1352. <http://dx.doi.org/10.1016/j.chemosphere.2012.05.036>.
- Subach, DJ; Kong, CL. (1973). Thermodynamics of solutions. Excess volumes of benzene, carbon tetrachloride, and mesitylene mixtures. *Journal of Chemical and Engineering Data.* 18: 403-405. <http://dx.doi.org/10.1021/jc60059a033>.
- Subhani, MS; Bhatti, NK; Mohammad, M; Khan, AY. (2000). Spectroscopic studies of charge-transfer complexes of 2,3-dichloro-5,6-dicyano-p-benzo-quinone. *Turkish Journal of Chemistry.* 24: 223-230.
- Suda, I; Oki, T; Masuda, M; Kobayashi, M; Nishiba, Y; Furuta, S. (2003). Physiological functionality of purple-fleshed sweet potatoes containing anthocyanins and their utilization in foods. *JARQ.* 37: 167-173.
- Sugimoto, M; Murakawa, T; Hirano, T; Ohashi, H. (1993). NOVEL REGENERATION METHOD OF PT/KL ZEOLITE CATALYST FOR LIGHT NAPHTHA REFORMING. *Appl Catal A-Gen.* 95: 257-268.
- Sugiyama, S; Abe, K; Minami, T; Hayashi, H; Moffat, JB. (1998). A comparative study of the oxidation of methane and ethane on calcium hydroxyapatites with incorporated lead in the presence and absence of tetrachloromethane. *Appl Catal A-Gen.* 169: 77-86.
- Sugiyama, S; Fujii, Y; Abe, K; Hayashi, H; Moffat, JB. (1999). Facile formation of the partial oxidation and oxidative-coupling products from the oxidation of methane on barium hydroxyapatites with tetrachloromethane. *Energy Fuels.* 13: 637-640.
- Sugiyama, S; Hashimoto, T; Morishita, Y; Shigemoto, N; Hayashi, H. (2004). Effects of calcium cations incorporated into magnesium vanadates on the redox behaviors and the catalytic activities for the oxidative dehydrogenation of propane. *Appl Catal A-Gen.* 270: 253-260. <http://dx.doi.org/10.1016/j.apcata.2004.05.018>.
- Sugiyama, S; Hirata, Y; Osaka, T; Moriga, T; Nakagawa, K; Sotowa, K, enL. (2007). V-51 MAS NMR and XAFS evidences for redox of magnesium Pyro- and Ortho-vanadates on the oxidative dehydrogenation of propane. *Ceramic Society of Japan Journal.* 115: 667-671.
- Sugiyama, S; Iguchi, Y; Nishioka, H; Minami, T; Moriga, T; Hayashi, H; Moffatt, JB. (1998). Effects of the thermal stability and the fine structure changes of strontium hydroxyapatites ion-exchanged with lead on methane oxidation in the presence and absence of tetrachloromethane. *J Catal.* 176: 25-34.
- Sugiyama, S; Iguchi, Y; Nishioka, H; Miyamoto, T; Hayashi, H; Moffat, JB. (1997). Effects of incorporated lead and chlorine on the oxidation of ethane on strontium hydroxyapatites. *J Mater Chem.* 7: 2483-2487.
- Sugiyama, S; Iizuka, Y; Nitta, E; Hayashi, H; Moffat, JB. (1998). Enhancement of the catalytic activities in the oxidative dehydrogenation of propane on cerium oxide in the presence of tetrachloromethane. 41: 413-416.
- Sugiyama, S; Iizuka, Y; Nitta, E; Hayashi, H; Moffat, JB. (2000). Role of tetrachloromethane as a gas-phase additive in the oxidative dehydrogenation of propane over cerium oxide. *J Catal.* 189: 233-237.

Fate Literature Search Results

Off Topic

- Sugiyama, S; Matsumoto, H; Hayashi, H; Moffat, JB. (1999). Decomposition of tetrachloromethane on calcium hydroxyapatite under methane oxidation conditions. *Appl Catal B-Environ.* 20: 57-66.
- Sugiyama, S; Minami, T; Hayashi, H; Tanaka, M; Shigemoto, N; Moffat, JB. (1996). Partial oxidation of methane to carbon oxides and hydrogen on hydroxyapatite: Enhanced selectivity to carbon monoxide with tetrachloromethane. *Energy Fuels.* 10: 828-830.
- Sugiyama, S; Minami, T; Higaki, T; Hayashi, H; Moffat, JB. (1997). High selective conversion of methane to carbon monoxide and the effects of chlorine additives in the gas and solid phases on the oxidation of methane on strontium hydroxyapatites. *Ind Eng Chem Res.* 36: 328-334.
- Sugiyama, S; Minami, T; Moriga, T; Hayashi, H; Koto, K; Tanaka, M; Moffat, JB. (1996). Surface and bulk properties, catalytic activities and selectivities in methane oxidation on near-stoichiometric calcium hydroxyapatites. *J Mater Chem.* 6: 459-464.
- Sugiyama, S; Mitsuoka, H; Shono, T; Moriga, T; Hayashi, H. (2003). Effects of redox of Cu-species in copper-strontium Hydroxyapatites on the oxidative dehydrogenation of propane. *J Chem Eng Jpn.* 36: 210-215.
- Sugiyama, S; Moffat, JB. (1994). OXIDATIVE COUPLING OF METHANE ON SALTS OF MAGNESIUM DOPED BY ALKALI CARBONATES. *Energy Fuels.* 8: 463-469.
- Sugiyama, S; Nitta, E; Hayashi, H; Moffat, JB. (2000). The oxidation of propane on nonstoichiometric calcium hydroxyapatites in the presence and absence of tetrachloromethane. *Appl Catal A-Gen.* 198: 171-178.
- Sugiyama, S; Satomi, K; Hayashi, H; Shigemoto, N; Miyaura, K; Moffat, JB. (1993). OXIDATIVE COUPLING OF METHANE OVER ALKALI SULFATES IN THE PRESENCE AND ABSENCE OF TETRACHLOROMETHANE. *Appl Catal A-Gen.* 103: 55-67.
- Sugiyama, S; Satomi, K; Hayashi, H; Tanaka, M; Moffat, JB. (1995). OXIDATIVE DEHYDROGENATION OF ETHANE IN THE PRESENCE AND ABSENCE OF TETRACHLOROMETHANE OVER MAGNESIUM-SULFATE. *J Chem Eng Jpn.* 28: 204-209.
- Sugiyama, S; Shono, T; Makino, D; Moriga, T; Hayashi, H. (2003). Enhancement of the catalytic activities in propane oxidation and H-D exchangeability of hydroxyl groups by the incorporation with cobalt into strontium hydroxyapatite. *J Catal.* 214: 8-14. [http://dx.doi.org/10.1016/S0021-9517\(02\)00101-X](http://dx.doi.org/10.1016/S0021-9517(02)00101-X).
- Sugiyama, S; Shono, T; Nitta, E; Hayashi, H. (2001). Effects of gas- and solid-phase additives on oxidative dehydrogenation of propane on strontium and barium hydroxyapatites. *Appl Catal A-Gen.* 211: 123-130.
- Suh, JH; Shenvi, SV; Dixon, BM; Liu, H; Jaiswal, AK; Liu, RM; Hagen, TM. (2004). Decline in transcriptional activity of Nrf2 causes age-related loss of glutathione synthesis, which is reversible with lipoic acid. *Proc Natl Acad Sci USA.* 101: 3381-3386. <http://dx.doi.org/10.1073/pnas.0400282101>.
- Sui, J; Liu, X. (2013). Preparation and characterization of a dual-layer carbon film on 6H-SiC wafer using carbide-derived carbon process with subsequent chemical vapor deposition. *Surf Coating Tech.* 235: 469-474. <http://dx.doi.org/10.1016/j.surfcoat.2013.08.005>.
- Sui, J; Lu, J. (2011). The formation of a dual-layer carbon film on silicon carbide using a combination of carbide-derived carbon process and chemical vapor deposition in a CCl₄ - containing atmosphere. *Carbon.* 49: 732-736. <http://dx.doi.org/10.1016/j.carbon.2010.10.026>.
- Sullivan, GJ; Swed, MK; Grant, RW. (1995). MOLECULAR-BEAM EPITAXIAL-GROWTH OF CARBON-DOPED GAAS WITH ELEMENTAL GALLIUM AND ARSENIC SOURCES AND A CCl₄ GAS-SOURCE. *Journal of Electronic Materials.* 24: 1-4.
- Sun, G; Li, YW; Hu, QK; Wu, QH; Yu, DL. (2009). Non-stoichiometric boron carbide synthesized in moderate temperature conditions. *Materials Science.* 27: 1033-1039.
- Sun, G; Liu, Z; Zhou, Z; He, J; Yu, D; Tian, Y. (2006). Solvothermal synthesis of hexagonal B-C-N compound at low temperature conditions. *Diam Relat Mater.* 15: 1659-1662. <http://dx.doi.org/10.1016/j.diamond.2006.02.001>.
- Sun, GR; He, JB; Pittman, CU. (2000). Destruction of halogenated hydrocarbons with solvated electrons in the presence of water. *Chemosphere.* 41: 907-916. [http://dx.doi.org/10.1016/S0045-6535\(99\)00428-2](http://dx.doi.org/10.1016/S0045-6535(99)00428-2).
- Sun, M, in; Wu, NN; Zhai, L, inF; Ru, XR, ui. (2015). Manipulate an air-cathode fuel cell toward recovering highly active heterogeneous electro-Fenton catalyst from the Fe(III) in acid mine drainage. *Miner Eng.* 84: 1-7. <http://dx.doi.org/10.1016/j.mineng.2015.09.015>.
- Sun, SB; Jaffe, PR. (1996). Sorption of phenanthrene from water onto alumina coated with dianionic surfactants. *Environ Sci Technol.* 30: 2906-2913.
- Sunil, C; Irudayaraj, SS; Duraipandiyan, V; Al-Dhabi, NA; Agastian, P; Ignacimuthu, S. (2014). Antioxidant and free radical scavenging effects of beta-amyrin isolated from *S. cochinchinensis* Moore. leaves. *Ind Crop Prod.* 61: 510-516. <http://dx.doi.org/10.1016/j.indcrop.2014.07.005>.
- Sunny; Kumar, R; Mishra, VN; Das, RR. (2014). A Dynamic Response, Transformed Cluster Analysis and Radial Basis Function Neural Network Based Gases/Odors Identification Approach Using a Thick Film Gas Sensor Array. *Journal of Computational and Theoretical Nanoscience.* 11: 1199-1204. <http://dx.doi.org/10.1166/jctn.2014.3483>.
- Sunny; Mishra, VN; Dwivedi, R; Das, RR. (2013). Classification of Gases/Odors Using Dynamic Responses of Thick Film Gas Sensor Array. *IEEE Sens J.* 13: 4924-4930. <http://dx.doi.org/10.1109/JSEN.2013.2278459>.
- SUNY. (2015). Degradation of TAIC by water falling film dielectric barrier discharge - Influence of radical scavengers. *J Hazard Mater.* 287: 317-324. <http://dx.doi.org/10.1016/j.jhazmat.2015.02.003>.
- Surdo, EM; Cussler, EL; Arnold, WA. (2009). Sorptive and Reactive Scavenger-Containing Sandwich Membranes as Contaminant Barriers. *J Environ Eng.* 135: 69-76. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2009\)135:2\(69\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2009)135:2(69)).
- Suri, RPS; Crittenden, JC; Hand, DW. (1999). Removal and destruction of organic compounds in water using adsorption, steam regeneration, and photocatalytic oxidation processes. *J Environ Eng.* 125: 897-905.
- Suriyakalaa, U; Antony, JJ; Suganya, S; Siva, D; Sukirtha, R; Kamalakkannan, S; Pichiah, PB; Achiraman, S. (2013). Hepatocurative activity of biosynthesized silver nanoparticles fabricated using *Andrographis paniculata*. *Colloids Surf B Biointerfaces.* 102: 189-194. <http://dx.doi.org/10.1016/j.colsurfb.2012.06.039>.

Fate Literature Search Results

Off Topic

- Suzuki, T; Fukuoka, H; Ushikoshi, S; Sato, R; Morita, H; Takizawa, T. (2015). Protective effect of aqueous extracts from *Rhizopus oryzae* on liver injury induced by carbon tetrachloride in rats. 86: 532-540. <http://dx.doi.org/10.1111/asj.12328>.
- Suzuki, T; Hirose, G; Oishi, S. (2004). Contact angle of water droplet on apatite single crystals. *Materials Research Bulletin*. 39: 103-108. <http://dx.doi.org/10.1016/j.materresbull.2003.09.013>.
- Suzuki, T; Iiyama, T; Gubbins, KE; Kaneko, K. (1999). Quasi-symmetry structure of CCl₄ molecular assemblies in a graphitic nanopore: A grand canonical Monte Carlo simulation. *Langmuir*. 15: 5870-5875.
- Suzuki, T; Kaneko, K; Gubbins, KE. (1997). Pore width-sensitive filling mechanism for CCl₄ in a graphitic micropore by computer simulation. *Langmuir*. 13: 2545-2549.
- Suzuki, T; Oishi, S. (2001). Slit width dependent cooling effect for N₂ molecules adsorbed on graphitic nanospace: a grand canonical Monte Carlo simulation. *Synthetic Metals*. 125: 265-266.
- Suzuki, Y; Asano, M; Sato, K; Asami, M; Sakamoto, A; Tsutsumi, M; Kido, Y. (2011). Wheat gluten hydrolysate alters the progress of hepatic pathology induced by prolonged carbon tetrachloride administration in rat. *Biomedical Research*. 22.
- Svensson, T; Sanden, P, er; Bastviken, D; Oberg, G. (2007). Chlorine transport in a small catchment in southeast Sweden during two years. *Biogeochemistry*. 82: 181-199. <http://dx.doi.org/10.1007/s10533-006-9062-2>.
- Swanson, DB; Macdiarmid, AG; Epstein, AJ. (1991). IMPEDANCE PROFILING - A CONVENIENT TECHNIQUE FOR DETERMINING THE REDOX OR PROTONIC ACID DOPING CHARACTERISTICS OF CONDUCTING POLYMERS. *Synthetic Metals*. 43: 2987-2990.
- Swarnkar, A; Keshav, A; Soni, AB. (2016). Recovery of Methacrylic Acid from the Aqueous Phase Using Trioctylmethylammonium Chloride (TOMAC) in Different Diluents. *Journal of Chemical and Engineering Data*. 61: 1412-1420. <http://dx.doi.org/10.1021/acs.jced.5b00553>.
- Sweet, ND; Burroughs, GE; Ewers, L; Talaska, G. (2004). A field method for near real-time analysis of perchloroethylene in end-exhaled breath. *J Occup Environ Hyg*. 1: 515-520. <http://dx.doi.org/10.1080/15459620490472921>.
- Swiergiel, J; Jadzyn, J, an. (2016). Structure of hydrogen bonded supramolecular self-assemblies controlled by the structure of monomers: 1,1- and 1,3-diethylureas. *React Funct Polym*. 105: 129-133. <http://dx.doi.org/10.1016/j.reactfunctpolym.2016.06.002>.
- Swindle, AL; Cozzarelli, IM; Elwood Madden, AS. (2015). Using chromate to investigate the impact of natural organics on the surface reactivity of nanoparticulate magnetite. *Environ Sci Technol*. 49: 2156-2162. <http://dx.doi.org/10.1021/es504831d>.
- Swindle, AL; Madden, AS; Cozzarelli, IM; Benamara, M. (2014). Size-dependent reactivity of magnetite nanoparticles: a field-laboratory comparison. *Environ Sci Technol*. 48: 11413-11420. <http://dx.doi.org/10.1021/es500172p>.
- Szczewski, M. (1994). EXPLOSIVE PROPERTIES OF THE COMPOSITIONS CCL₄+AL+ZNO. *Propellants, Explosives, Pyrotechnics*. 19: 87-89.
- Sykes, RM; Kirsch, EJ. (1972). ACCUMULATION OF METHANOGENIC SUBSTRATES IN CCL₄ INHIBITED ANAEROBIC SEWAGE SLUDGE DIGESTER CULTURES. *Water Res*. 6: 41-&.
- Sylvestre, M; Bertrand, JL; Viel, G. (1997). easibility study for the potential use of biocatalytic systems to destroy chlorofluorocarbons (CFCs). *Crit Rev Environ Sci Tech*. 27: 87-111.
- Szalai, I; Ratkovics, F. (1990). A STUDY OF KETO-ENOL-TAUTOMERISM IN METHYL-ETHYL-KETONE + CARBON-TETRACHLORIDE MIXTURES, USING LINEAR AND NONLINEAR DIELECTRIC METHODS. *Hungarian Journal of Industrial Chemistry*. 18: 81-90.
- Szczepaniak, B; Goralski, J; Grams, J; Paryjczak, T. (2006). Studies on the activity of Pd/TiO₂ catalysts in the hydrodechlorination of CCl₄. *Przemysł Chemiczny*. 85: 764-766.
- Szecsody, JE; Fruchter, JS; Williams, MD; Vermeul, VR; Sklarew, D. (2004). In situ chemical reduction of aquifer sediments: Enhancement of reactive iron phases and TCE dechlorination. *Environ Sci Technol*. 38: 4656-4663. <http://dx.doi.org/10.1021/es034756k>.
- Szende, B; Kovacs, L; Moldvay, J; Timar, F; Simon, K; Lapis, K. (1992). Carrageenan Inhibits the Regression of Carbon Tetrachloride-Induced Collagen Accumulation in the Liver of Rats (pp. *Environmental Science and Engineering*). (ISSN 1077-1204; NIOSH/00206061). Szende, B; Kovacs, L; Moldvay, J; Timar, F; Simon, K; Lapis, K.
- Szollosi, G; Bartok, M. (1998). Vapour-phase heterogeneous catalytic transfer hydrogenation of alkyl methyl ketones on MgO: Prevention of the deactivation of MgO in the presence of carbon tetrachloride. *Appl Catal A-Gen*. 169: 263-269.
- Taguchi, T; Awata, S; Nishioka, M; Arakawa, Y; Shiraiishi, N; Ryu, S; Kumazawa, H; Takano, Y; Nakayama, K; Yagyu, K; Kawamura, M; Sato, A. (1995). Elevation of Cystathionine gamma-Lyase Activity in the Serum of Rats Treated with a Single Dose of Carbon Tetrachloride. *Ind Health*. 33: 199-205.
- Taha, I; Steuernagel, L; Ziegmann, G. (2006). Chemical modification of date palm mesh fibres for reinforcement of polymeric materials. Part 1: Examination of different cleaning methods. *Polymers and Polymer Composites*. 14: 767-778.
- Tai, YL; Dempsey, BA. (2009). Nitrite reduction with hydrous ferric oxide and Fe(II): stoichiometry, rate, and mechanism. *Water Res*. 43: 546-552. <http://dx.doi.org/10.1016/j.watres.2008.10.055>.
- Tajima, M; Niwa, M; Fujii, Y; Koinuma, Y; Aizawa, R; Kushiyama, S; Kobayashi, S; Mizuno, K; Ohuchi, H. (1996). Decomposition of chlorofluorocarbons in the presence of water over zeolite catalyst. *Appl Catal B-Environ*. 9: 167-177.
- Takagi, T; Sawada, K; Urakawa, H; Ueda, M; Cibulka, I. (2004). Speeds of sound in dense liquid and vapor pressures for 1,1-difluoroethane. *Journal of Chemical and Engineering Data*. 49: 1652-1656. <http://dx.doi.org/10.1021/jc049925a>.
- Takano, K; Tanasawa, I; Nishio, S. (1996). Enhancement of evaporation of a liquid droplet using EHD effect: Criteria for instability of gas-liquid interface under electric field. *Journal of Enhanced Heat Transfer*. 3: 73-81.
- Takebayashi, Y; Yajima, H; Hasegawa, Y. (2007). Extraction of Europium(III) with beta-diketones and the stability constants of the aqueous complexes. 14: 121-131.
- Takeda, K; Fujino, Y; Tsuge, Y; Matsuyama, H. (2003). A model of phase inversion using structural instability in liquid-liquid dispersion. *Kagaku Kogaku Ronbunshu*. 29: 351-356.
- Takeda, K; Nakashima, K; Tsuge, Y; Matsuyama, H. (2001). A theoretical model of phase inversion of liquid-liquid dispersion systems. *Kagaku Kogaku Ronbunshu*. 27: 352-358.

Fate Literature Search Results

Off Topic

- Takeuchi, T; Tanahashi, T. (1997). Comparison of chlorocarbons as an additive during MOVPE for flat burying growth of InP. *J Cryst Growth*. 174: 611-615.
- Takigawa, T; Ogawa, H; Tamura, K; Murakami, S. (1997). Excess enthalpies of binary mixtures {x dioxane isomer plus (1-x) non-polar liquid} at 298.15 K. *Fluid Phase Equilibria*. 136: 257-267.
- Takita, Y; Wakamatsu, H; Tokumaru, M; Nishiguchi, H; Ito, M; Ishihara, T. (2000). Decomposition of chlorofluorocarbons over metal phosphate catalysts III. Reaction path of CCl₂F₂ decomposition over AlPO₄. *Appl Catal A-Gen*. 194: 55-61.
- Takubo, T; Sato, D; Inao, Y; Nishiguchi, H; Nagaoka, K; Takita, Y. (2009). Mechanism of Promotion Effects of Ce added to AlPO₄ Effective for CFC Decomposition. *Kagaku Kogaku Ronbunshu*. 35: 623-632.
- Talapaneni, SN; Anandan, S; Mane, GP; Dhawale, DS; Varghese, S; Mano, A; Mori, T; Vinu, A. (2012). Facile synthesis and basic catalytic application of 3D mesoporous carbon nitride with a controllable bimodal distribution. *J Mater Chem*. 22: 9831-9840. <http://dx.doi.org/10.1039/c2jm30229b>.
- Talik, P; Zabkowskawaclawek, M; Waclawek, W. (1992). SENSING PROPERTIES OF THE CB-PCV COMPOSITES FOR CHLORINATED-HYDROCARBON VAPORS. *Journal of Materials Science*. 27: 6807-6810.
- Talu, MF; Gül, M; Alpaslan, N; Yiğitcan, B. (2013). Calculation of melatonin and resveratrol effects on steatosis hepatis using soft computing methods. *Comput Methods Programs Biomed*. 111: 498-506. <http://dx.doi.org/10.1016/j.cmpb.2013.04.020>.
- Tam, BN; Neumann, CM. (2004). A human health assessment of hazardous air pollutants in Portland, OR. *J Environ Manage*. 73: 131-145. <http://dx.doi.org/10.1016/j.jenvman.2004.06.012>.
- Tamai, T; Inazu, K; Aika, KI. (2006). Dichlorodifluoromethane decomposition to CO₂ with simultaneous halogen fixation by calcium oxide based materials. *Environ Sci Technol*. 40: 823-829. <http://dx.doi.org/10.1021/es050139f>.
- Tamara, ML; Butler, EC. (2004). Effects of iron purity and groundwater characteristics on rates and products in the degradation of carbon tetrachloride by iron metal. *Environ Sci Technol*. 38: 1866-1876. <http://dx.doi.org/10.1021/es0305508>.
- Tamir, A; Dragoescu, C; Apelblat, A; Wisniak, J. (1983). HEATS OF VAPORIZATION AND VAPOR LIQUID EQUILIBRIA IN ASSOCIATED SOLUTIONS CONTAINING FORMIC-ACID, ACETIC-ACID, PROPIONIC-ACID AND CARBON-TETRACHLORIDE. *Fluid Phase Equilibria*. 10: 9-42.
- Tan, K; Li, CX, i; Lu, YZ; Wang, Z. (2009). Unified Production of Chlorinated Isotactic Polypropylene and Chlorinated Paraffin Via a Solvent Free Chlorination Process. *Polymer Engineering and Science*. 49: 1587-1593. <http://dx.doi.org/10.1002/pen.21379>.
- Tan, Y; Clewell, H; Campbell, J; Andersen, M. (2011). Evaluating Pharmacokinetic and Pharmacodynamic Interactions with Computational Models in Supporting Cumulative Risk Assessment [Review]. *Int J Environ Res Public Health*. 8: 1613-1630. <http://dx.doi.org/10.3390/ijerph8051613>.
- Tan, YM; Liao, KH; Clewell HJ, I. (2007). Reverse dosimetry: interpreting trihalomethanes biomonitoring data using physiologically based pharmacokinetic modeling. *J Expo Sci Environ Epidemiol*. 17: 591-603. <http://dx.doi.org/10.1038/sj.jes.750054>.
- Tan, YM; Liao, KH; Conolly, RB; Blount, BC; Mason, AM; Clewell, HJ. (2006). Use of a physiologically based pharmacokinetic model to identify exposures consistent with human biomonitoring data for chloroform. *J Toxicol Environ Health A*. 69: 1727-1756. <http://dx.doi.org/10.1080/15287390600631367>.
- Tanabe, T; Kozawa, Y; Suto, K; Nishizawa, J; Oyama, Y. (2005). Observing the stimulated Raman gain spectra of solutions using an infrared pump pulse with narrow linewidth and a low-noise CW probe laser. *Int J Infrared Millimeter Waves*. 26: 881-892. <http://dx.doi.org/10.1007/s10762-005-5660-7>.
- Tanaka, E. (1998). In vivo age-related changes in hepatic drug-oxidizing capacity in humans [Review]. *Clin Pharmacol Ther*. 23: 247-255.
- Tanaka, R; Higo, Y; Murata, H; Nakamura, T. (1999). Accumulation of hydroxy lipids in live fish with oxidative stress. *Fish Sci*. 65: 796-797.
- Tanaka, S; Kato, S; Hattori, S; Kojima, S; Ikeda, M; Kitamura, K. (1994). PERFORMANCE COMPARISON OF METALORGANIC VAPOR-PHASE EPITAXY-GROWN C-DOPED GAAS/ALGAAS HETEROJUNCTION BIPOLAR-TRANSISTOR WAFERS BETWEEN ASH3 AND TRIMETHYLARSENIC FOR THE BASE LAYER GROWTH. *J Cryst Growth*. 145: 947-952.
- Tanaka, S; Tanaka, M; Kimura, K; Nozaki, Y; Seki, Y. (1996). Breakthrough time of a respirator cartridge for carbon tetrachloride vapor flow of workers' respiratory patterns. *Ind Health*. 34: 227-236.
- Tanaka, T; Takahashi, K; Iwamoto, N; Agawa, Y; Sawada, Y; Yoshimura, Y; Zaima, N; Moriyama, T; Kawamura, Y. (2012). Hepatoprotective action of dietary bluefin tuna skin proteins on CCl₄-intoxicated mice. *Fish Sci*. 78: 911-921. <http://dx.doi.org/10.1007/s12562-012-0499-z>.
- Tandoi, V; Distefano, TD; Bowser, PA; Gossett, JM; Zinder, SH. (1994). Reductive dehalogenation of chlorinated ethenes and halogenated ethanes by a high-rate anaerobic enrichment culture. *Environ Sci Technol*. 28: 973-979.
- Tandon, A; Cohen, RM. (1998). Highly p-type carbon-doped InGaAs grown by atmospheric pressure organometallic vapor-phase epitaxy. *J Cryst Growth*. 192: 47-55.
- Tang, D; Hu, S; Dai, F; Yi, R; Gordin, ML; Chen, S; Song, J; Wang, D. (2016). Self-Templated Synthesis of Mesoporous Carbon from Carbon Tetrachloride Precursor for Supercapacitor Electrodes. 8: 6779-6783. <http://dx.doi.org/10.1021/acsami.5b12164>.
- Tang, K-T; Chiu, S-W; Chang, M-F; Hsieh, C-C; Shyu, J-M. (2011). A low-power electronic nose signal-processing chip for a portable artificial olfaction system. *IEEE Transactions on Biomedical Circuits and Systems*. 5: 380-390. <http://dx.doi.org/10.1109/TBCAS.2011.2116786>.
- Tang, S, iYe; Liu, D, aZ; Wang, JJ, i; Wang, H, uiY. (2006). Densities and viscosities for binary mixtures of chlorinated polypropylene with toluene, tetrahydrofuran, chloroform, carbon tetrachloride, and 2-butanone at (298.15, 308.15, and 318.15) K. *Journal of Chemical and Engineering Data*. 51: 2255-2259. <http://dx.doi.org/10.1021/je0603372>.
- Tang, S; Wang, XM; Mao, YQ; Zhao, Y; Yang, HW; Xie, YF. (2015). Effect of dissolved oxygen concentration on iron efficiency: Removal of three chloroacetic acids. *Water Res*. 73: 342-352. <http://dx.doi.org/10.1016/j.watres.2015.01.027>.
- Tanhua, T; Liu, M. (2015). Upwelling velocity and ventilation in the Mauritanian upwelling system estimated by CFC-12 and SF₆ observations. *J Mar Syst*. 151: 57-70. <http://dx.doi.org/10.1016/j.jmarsys.2015.07.002>.
- Taniguchi, T. (1993). WOOD PLASTIC COMPOSITE .1. THEORETICAL MAXIMUM MONOMER LOADING AND LIMITING STRENGTH. 39: 1285-1290.

Fate Literature Search Results

Off Topic

- Tanilmis, T; Atalay, S; Alpay, HE; Atalay, FS. (2002). Catalytic combustion of carbon tetrachloride. *J Hazard Mater.* 90: 157-167.
- Tanwar, KS; Petitto, SC; Ghose, SK; Eng, PJ; Trainor, TP. (2008). Structural study of Fe(II) adsorption on hematite(1(1)over-bar02). *Geochim Cosmo Acta.* 72: 3311-3325. <http://dx.doi.org/10.1016/j.gca.2008.04.020>.
- Tao, L; Li, F. (2012). Electrochemical evidence of Fe(II)/Cu(II) interaction on titanium oxide for 2-nitrophenol reductive transformation. *Appl Clay Sci.* 64: 84-89. <http://dx.doi.org/10.1016/j.clay.2011.05.020>.
- Tao, T; Maciel, GE. (1998). ¹³C NMR study of co-contamination of clays with carbon tetrachloride and benzene. *Environ Sci Technol.* 32: 350-357.
- Tarkhanova, I; Zelikman, V; Gantman, M. (2014). The complexes of copper with grafted ionic liquids in the environmentally important processes. *Appl Catal A-Gen.* 470: 81-88. <http://dx.doi.org/10.1016/j.apcata.2013.10.041>.
- Tarkhanova, IG; Konovalov, VP. (2014). Heterogeneous catalysts based on immobilized copper complexes in the oxidation of mercaptans. *Petroleum Chemistry.* 54: 218-224. <http://dx.doi.org/10.1134/S096554411402011X>.
- Tas, DO; Pavlostathis, SG. (2007). The influence of iron reduction on the reductive biotransformation of pentachloronitrobenzene. *European Journal of Soil Biology.* 43: 264-275. <http://dx.doi.org/10.1016/j.ejsobi.2007.03.003>.
- Tas, DO; Pavlostathis, SG. (2014). Occurrence, Toxicity, and Biotransformation of Pentachloronitrobenzene and Chloroanilines. *Crit Rev Environ Sci Tech.* 44: 473-518. <http://dx.doi.org/10.1080/10643389.2012.728809>.
- Taschin, A; Cucini, R; Ziparo, C; Bartolini, P; Torre, R. (2007). Transient grating experiments on CCl₄-filled porous glasses. *Philos Mag.* 87: 715-722. <http://dx.doi.org/10.1080/14786430600910756>.
- Tavakoli, J; Chiang, HM; Bozzelli, JW. (1994). THERMAL-REACTIONS OF METHYLENE-CHLORIDE IN METHANE ARGON MIXTURES. *Combust Sci Tech.* 101: 135-152.
- Tawarah, KM; Abushamleh, HM. (1991). A SPECTROPHOTOMETRIC STUDY OF THE ACID-BASE EQUILIBRIA OF ORTHO-METHYL RED IN AQUEOUS-SOLUTIONS. *Dyes and Pigments.* 17: 203-215.
- Tawarah, KM; Abushamleh, HM. (1991). A SPECTROPHOTOMETRIC STUDY OF THE TAUTOMERIC AND ACID-BASE EQUILIBRIA OF METHYL-ORANGE AND METHYL YELLOW IN AQUEOUS ACIDIC SOLUTIONS. *Dyes and Pigments.* 16: 241-251.
- Taylor, PG; Tran, AM; Charlton, AK; Daniels, CR; Acree, WE. (2003). Solubility in binary solvent mixtures: Anthracene dissolved in alcohol plus carbon tetrachloride mixtures at 298.2 K. *Journal of Chemical and Engineering Data.* 48: 1603-1605. <http://dx.doi.org/10.1021/je0301904>.
- Taylor, PH; Mallipeddi, R; Yamada, T. (2005). LP/LIF study of the formation and consumption of mercury (I) chloride: kinetics of mercury chlorination. *Chemosphere.* 61: 685-692. <http://dx.doi.org/10.1016/j.chemosphere.2005.03.089>.
- Taylor, PH; Tirey, DA; Dellinger, B. (1996). A detailed kinetic model of the high-temperature pyrolysis of tetrachloroethene. *Combust Flame.* 104: 260-271.
- Taylor, PH; Tirey, DA; Dellinger, B. (1996). The high-temperature pyrolysis of 1,3-hexachlorobutadiene. *Combust Flame.* 106: 1-10. [http://dx.doi.org/10.1016/0010-2180\(95\)00248-0](http://dx.doi.org/10.1016/0010-2180(95)00248-0).
- Taylor, PH; Tirey, DA; Dellinger, B. (1996). The high-temperature pyrolysis of hexachloropropene: Kinetic analysis of pathways to formation of perchloro-arylbenzenes. *Combust Flame.* 105: 486-498.
- Taylor, SJ; Beaumont, B; Herberholz, R. (1993). CARBON DOPING OF GAXIN1-XAS BY ATMOSPHERIC-PRESSURE ORGANOMETALLIC VAPOR-PHASE EPITAXY. *J Cryst Growth.* 132: 61-70.
- Tee, YH; Grulke, E; Bhattacharyya, D. (2005). Role of Ni/Fe nanoparticle composition on the degradation of trichloroethylene from water. *Ind Eng Chem Res.* 44: 7062-7070. <http://dx.doi.org/10.1021/ie050086a>.
- Teel, A; Ahmad, M; Watts, RJ. (2011). Persulfate activation by naturally occurring trace minerals. *J Hazard Mater.* 196: 153-159. <http://dx.doi.org/10.1016/j.jhazmat.2011.09.011>.
- Teel, AL; Vaughan, RE; Watts, RJ. (2008). Cadmium Release from Four Sorbents during Treatment of Contaminated Soils by Catalyzed H₂O₂ sub(2) Propagations (Modified Fenton's Reagent). *J Environ Eng.* 134: 331-337. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2008\)134:5\(331\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2008)134:5(331)).
- Teel, AL; Watts, RJ. (2002). Degradation of carbon tetrachloride by modified Fenton's reagent. *J Hazard Mater.* 94: 179-189.
- Teitz, NW. (1976). *Fundamentals of clinical chemistry.* Philadelphia, Pennsylvania: W.B. Saunders Company.
- Tejasree, C, h; Kiran, G; Rajyalakshmi, G; Reddy, ARN. (2013). Hepatoprotective activity of 1-(4-(Dimethylamino)Benzylidene)-5-(2-Oxindolin-3-ylidene) Thiocarbohydrazone in rats. *Toxicol Environ Chem.* 95: 1589-1594. <http://dx.doi.org/10.1080/02772248.2014.887257>.
- Tekobo, S; Richter, AG; Dergunov, SA; Pingali, S; Urban, VS; Yan, B; Pinkhassik, E. (2011). Synthesis, characterization, and controlled aggregation of biotemplated polystyrene nanodisks. *J Nanopart Res.* 13: 6427-6437. <http://dx.doi.org/10.1007/s11051-011-0395-y>.
- Tel, H; Eral, M; Altas, Y. (1998). Investigation of production conditions of ThO₂-UO₃ microspheres via the sol-gel process for pellet type fuels. *J Nucl Mater.* 256: 18-24.
- Temples, TJ; Waddell, MG; Domoracki, WJ; Eyer, J. (2001). Noninvasive determination of the location and distribution of DNAPL using advanced seismic reflection techniques. *Ground Water.* 39: 465-474.
- Tenney, CM; Lastoskie, CM. (2007). Pulsed pumping process optimization using a potential flow model. *J Contam Hydrol.* 93: 111-121. <http://dx.doi.org/10.1016/j.jconhyd.2007.01.016>.
- Tenney, CM; Lastoskie, CM; Dybas, MJ. (2004). A reactor model for pulsed pumping groundwater remediation. *Water Res.* 38: 3869-3880. <http://dx.doi.org/10.1016/j.watres.2004.06.029>.
- Teodorescu, M. (2005). Atom transfer radical polymerization I. Fundamentals. *Materiale Plastice.* 42: 168-172.
- Terdale, S; Dagade, D; Patil, K. (2009). Activity Coefficient Studies in Ternary Aqueous Solutions at 298.15 K: H₂O + alpha-Cyclodextrin plus Potassium Acetate and H₂O+18-Crown-6+Hydroquinone Systems. *Journal of Chemical and Engineering Data.* 54: 294-300. <http://dx.doi.org/10.1021/je800307g>.

Fate Literature Search Results

Off Topic

- Terzyk, AP; Rychlicki, G. (1999). Calorimetric investigations of molecular interactions in the adsorbate/microporous activated carbon system. Towards the mechanism of adsorption in micropores? *AST*. 17: 323-373.
- Tezuka, Y; Yoshino, M; Imai, K. (1991). ENVIRONMENTAL RESPONSES ON THE SURFACE OF POLYURETHANE-BASED GRAFT-COPOLYMERS HAVING UNIFORM SIZE POLYETHER AND POLYAMINE SEGMENTS. *Langmuir*. 7: 2860-2865.
- Thaus, DM; Stark, TJ; Griffis, DP; Russell, PE. (1996). Development of focused ion-beam machining techniques for Permalloy structures. 14: 3928-3932.
- Thibaudon, M; Galan, C; Lanzoni, C; Monnier, S. (2015). Validation of a new adhesive coating solution: comparative study of carbon tetrachloride and diethyl ether. *Aerobiologia*. 31: 57-62. <http://dx.doi.org/10.1007/s10453-014-9346-2>.
- Thijsse, TR; Roemer, MGM; van Oss, RF. (1999). Trends in large-scale VOC concentrations in the Southern Netherlands between 1991 and 1997. *Atmos Environ*. 33: 3803-3812. [http://dx.doi.org/10.1016/S1352-2310\(98\)00421-X](http://dx.doi.org/10.1016/S1352-2310(98)00421-X).
- Thol, M; Rutkai, G; Koester, A; Dubberke, FH; Windmann, T; Span, R; Vrabec, J. (2016). Thermodynamic Properties of Octamethylcyclotetrasiloxane. *Journal of Chemical and Engineering Data*. 61: 2580-2595. <http://dx.doi.org/10.1021/acs.jced.6b00261>.
- Thomas, DJ; Southworth, P; Flowers, MC; Greef, R. (1990). AN INVESTIGATION OF THE ROUGHENING OF SILICON(100) SURFACES IN CL₂/CCL₄ REACTIVE ION ETCHING PLASMAS BY INSITU ELLIPSOMETRY AND QUADRUPOLE MASS-SPECTROMETRY - THE ROLE OF CCL₄. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures*. 8: 516-522.
- Thomas, JK. (2008). Compaction of porous silica - A photophysical study. *Microporous and Mesoporous Materials*. 115: 399-404. <http://dx.doi.org/10.1016/j.micromeso.2008.02.013>.
- Thomas, P; Wofford, HW. (1993). EFFECTS OF CADMIUM AND AROCLOR-1254 ON LIPID-PEROXIDATION, GLUTATHIONE-PEROXIDASE ACTIVITY, AND SELECTED ANTIOXIDANTS IN ATLANTIC CROAKER TISSUES. *Aquat Toxicol*. 27: 159-178. [http://dx.doi.org/10.1016/0166-445X\(93\)90052-3](http://dx.doi.org/10.1016/0166-445X(93)90052-3).
- Thomas, RS; Bigelow, PL; Keefe, TJ; Yang, RS. (1996). Variability in biological exposure indices using physiologically based pharmacokinetic modeling and Monte Carlo simulation. *Am Ind Hyg Assoc J*. 57: 23-32. <http://dx.doi.org/10.1080/15428119691015188>.
- Thompson, RS; De Rooij, C; Garny, V; Lecloux, A; van Wijk, D; Ineos Chlor, UK. (2004). Carbon tetrachloride marine risk assessment with special reference to the OSPARCOM region: North Sea [Review]. *Environ Monit Assess*. 97: 23-38.
- Thomson, J; Webb, G; Winfield, J; Boniface, D; Shortman, C; Winterton, N. (1993). AMBIENT-TEMPERATURE CATALYTIC FLUORINATION OF C-1 CHLOROHYDROCARBONS TO C-3 CHLOROHYDROCARBONS AND RELATED-COMPOUNDS USING OXIDE-SUPPORTED ORGANIC LAYER CATALYSTS. *Appl Catal A-Gen*. 97: 67-76.
- Thote, A; Gupta, RB. (2004). Hydrogen-bonding between a dichroic dye and a liquid crystal-forming molecule, for application to LCDs. *Fluid Phase Equilibria*. 220: 47-55. <http://dx.doi.org/10.1016/j.fluid.2004.01.035>.
- Thote, AJ; Gupta, RB. (2003). Hydrogen-bonding effects in liquid crystals for application to LCDs. *Ind Eng Chem Res*. 42: 1129-1136. <http://dx.doi.org/10.1021/ie020513+>.
- Thrall, KD; Ucelick, ME; Gies, RA; Benson, JM. (2000). Comparative metabolism of carbon tetrachloride in rats, mice, and hamsters using gas uptake and PBPK modeling. *J Toxicol Environ Health A*. 60: 531-548.
- Thybaud, V; Dean, S; Nohmi, T; de Boer, J; Douglas, GR; Glickman, BW; Gorelick, NJ; Heddle, JA; Heflich, RH; Lambert, I; Martus, HJ; Mirsalis, JC; Suzuki, T; Yajima, N. (2003). In vivo transgenic mutation assays. *Mutat Res*. 540: 141-151.
- Tian, L; Cai, Q; Wei, H. (1998). Alterations of antioxidant enzymes and oxidative damage to macromolecules in different organs of rats during aging. *Free Radic Biol Med*. 29: 1477-1484.
- Tian, L; Shi, X; Yu, L; Zhu, J; Ma, R; Yang, X. (2012). Chemical composition and hepatoprotective effects of polyphenol-rich extract from *Houttuynia cordata* tea. *J Agric Food Chem*. 60: 4641-4648. <http://dx.doi.org/10.1021/jf3008376>.
- Tian, Y; Umemura, J; Takenaka, T; Kunitake, T. (1988). ULTRAVIOLET VISIBLE ABSORPTION AND RESONANCE RAMAN-SPECTRA OF AZOBENZENE-CONTAINING AMPHIPHILE MONOLAYERS ADSORBED AT THE ACIDIC AQUEOUS-SOLUTION CARBON-TETRACHLORIDE INTERFACE. *Langmuir*. 4: 1064-1066.
- Till, JE; Rood, AS; Voillequé, PG; MCGAVRAN, PD; MEYER, KR; GROGAN, HA; SINCLAIR, WK; AANENSON, JW; MEYER, HR; MOHLER, HJ; ROPE, SK; CASE, MJ. (2002). Risks to the public from historical releases of radionuclides and chemicals at the Rocky Flats Environmental Technology Site. *J Expo Anal Environ Epidemiol*. 12: 355-372. <http://dx.doi.org/10.1038/sj.jea.7500237>.
- Timoshenko, VA; Shabatina, TI; Belyaev, AA; Morosov, YN; Sergeev, GB. (2005). The ESR study of chemical interactions in triple solid silver-carbon tetrachloride-mesogenic cyanobiphenyl co-condensate system. *Appl Surf Sci*. 246: 420-424. <http://dx.doi.org/10.1016/j.apsusc.2004.11.046>.
- Tischler, AS; Sheldon, W; Gray, R. (1996). Immunohistochemical and morphological characterization of spontaneously occurring pheochromocytomas in the aging mouse. *Vet Pathol*. 33: 512-520. <http://dx.doi.org/10.1177/030098589603300505>.
- Tobiszewski, M; Namieśnik, J. (2012). Abiotic degradation of chlorinated ethanes and ethenes in water [Review]. *Environ Sci Pollut Res Int*. 19: 1994-2006. <http://dx.doi.org/10.1007/s11356-012-0764-9>.
- Tobler, NB; Hofstetter, TB; Schwarzenbach, RP. (2007). Assessing iron-mediated oxidation of toluene and reduction of nitroaromatic contaminants in anoxic environments using compound-specific isotope analysis. *Environ Sci Technol*. 41: 7773-7780.
- Tokay, H; Ilyinsky, A; Yapar, S; Helvacı, S; Peker, S. (1995). SOLVENT EFFECT ON THE THERMAL PERFORMANCE OF CHOLESTERIC LIQUID-CRYSTALS. *Turkish Journal of Chemistry*. 19: 161-169.
- Tokumitsu, E; Shirahama, M; Nagao, K; Nozaki, S; Konagai, M; Takahashi, K. (1993). CARBON DOPING IN MOLECULAR-BEAM EPITAXIAL (MBE) GROWTH OF GaAs USING NEOPENTANE AS A NOVEL CARBON SOURCE. *J Cryst Growth*. 127: 711-715.
- Tokunaga, K; Hess, DW. (1979). PLASMA-ETCHING OF ALUMINUM FILMS IN CARBON-TETRACHLORIDE. *J Electrochem Soc*. 126: C373-C373.
- Tokunaga, K; Hess, DW. (1980). ALUMINUM ETCHING IN CARBON-TETRACHLORIDE PLASMAS. *J Electrochem Soc*. 127: 928-932.

Fate Literature Search Results

Off Topic

- Tokunaga, K; Redeker, FC; Danner, DA; Hess, DW. (1981). COMPARISON OF ALUMINUM ETCH RATES IN CARBON-TETRACHLORIDE AND BORON-TRICHLORIDE PLASMAS. *J Electrochem Soc.* 128: 851-855.
- Tombolan, F; Renault, D; Brault, D; Guffroy, M; Perin, F; Thybaud, V. (1999). Effect of mitogenic or regenerative cell proliferation on lacZ mutant frequency in the liver of MutaTMMice treated with 5, 9-dimethylbenzo[c,g]carbazole. *Carcinogenesis.* 20: 1357-1362. <http://dx.doi.org/10.1093/carcin/20.7.1357>.
- Tomenson, JA; Baron, CE; O'Sullivan, JJ; Edwards, JC; Stonard, MC; Walker, RJ; Fearnley, DM. (1995). Hepatic function in workers occupationally exposed to carbon tetrachloride. *Occup Environ Med.* 52: 508-514.
- Tong, M; Yuan, S; Long, H; Zheng, M; Wang, L; Chen, J. (2011). Reduction of nitrobenzene in groundwater by iron nanoparticles immobilized in PEG/nylon membrane. *J Contam Hydrol.* 122: 16-25. <http://dx.doi.org/10.1016/j.jconhyd.2010.10.003>.
- Toon, GC; Blavier, JF; Sen, B; Margitan, JJ; Webster, CR; May, RD; Fahey, D; Gao, R; Del Negro, L; Proffitt, M; Elkins, J; Romashkin, PA; Hurst, DF; Oltmans, S; Atlas, E; Schauffler, S; Flocke, F; Bui, TP; Stimpfle, RM; Bonne, GP; Voss, PB; Cohen, RC. (1999). Comparison of MkIV balloon and ER-2 aircraft measurements of atmospheric trace gases. *J Geophys Res Atmos.* 104: 26779-26790.
- Tope, B; Zhu, Y; Lercher, JA. (2007). Oxidative dehydrogenation of ethane over Dy₂O₃/MgO supported LiCl containing eutectic chloride catalysts. *Catalysis Today.* 123: 113-121. <http://dx.doi.org/10.1016/j.cattod.2007.02.020>.
- Toraason, M; Heinroth-Hoffmann, I; Richards, D; Woolery, M; Hoffmann, P. (1994). H₂O₂-induced oxidative injury in rat cardiac myocytes is not potentiated by 1,1,1-trichloroethane, carbon tetrachloride, or halothane. *J Toxicol Environ Health.* 41: 489-507.
- Torrealba, D; Parra, D; Seras-Franzoso, J; Vallejos-Vidal, E; Yero, D; Gibert, I; Villaverde, A; Garcia-Fruitós, E; Roher, N. (2016). Nanostructured recombinant cytokines: A highly stable alternative to short-lived prophylactics. *Biomaterials.* 107: 102-114. <http://dx.doi.org/10.1016/j.biomaterials.2016.08.043>.
- Torres, RB; Francesconi, AZ; Volpe, PLO. (2002). Excess molar volumes of binary mixtures of acetonitrile and chloroalkanes at 298.15 K and atmospheric pressure with application of the ERAS-Model. *Fluid Phase Equilibria.* 200: 1-10.
- Torrisi, RL; Vasquez, P; Viscuso, O; Magro, C; Iacona, F; Puglisi, O. (1991). SURFACE CHARACTERIZATION OF THE AL/SI-TI/W METALLIZATION AFTER CHLORINATED PLASMA TREATMENTS. *J Electrochem Soc.* 138: 1171-1174.
- Toshev, A; Peshev, P. (1988). PREPARATION OF SNO₂ SINGLE-CRYSTALS BY CHEMICAL-TRANSPORT USING CL₂ AND CCL₄ AS TRANSPORTING AGENTS. *Materials Research Bulletin.* 23: 1045-1051.
- Totten, LA; Jans, U; Roberts, AL. (2001). Alkyl bromides as mechanistic probes of reductive dehalogenation: reactions of vicinal dibromide stereoisomers with zerovalent metals. *Environ Sci Technol.* 35: 2268-2274.
- Touati, F; Gharbi, N; Zarrouk, H. (1997). Synthesis of new hybrid organic-inorganic alumina gels by the sol-gel method. *Journal of Sol-Gel Science and Technology.* 8: 595-598.
- Touati, S; Meniai, AH. (2012). Solvent extraction of Cu(II) from sulphuric acid by means of sodium diethyldithiocarbamate and characterization of the formed complex. *Theoretical Foundations of Chemical Engineering.* 46: 719-726. <http://dx.doi.org/10.1134/S0040579512060231>.
- Trandafir, I; Tudose, RZ. (2004). Design and control of chemical reactors in recycle systems. *Rev Chim.* 55: 580-584.
- Trandafir, I, on; Tudose, RZ. (2007). Study of extraction columns with cylindrical rotor-flooding. *Rev Chim.* 58: 1091-1095.
- Tranham, H; Durnford, D. (1999). Stochastic aggregation model (SAM) for DNAPL-water displacement in porous media. *J Contam Hydrol.* 36: 377-400.
- Tratnyek, PG; Scherer, MM; Deng, BL; Hu, SD. (2001). Effects of natural organic matter, anthropogenic surfactants, and model quinones on the reduction of contaminants by zero-valent iron. *Water Res.* 35: 4435-4443.
- Travis, CC. (1990). Tissue dosimetry for reactive metabolites. *Risk Anal.* 10: 317-321. <http://dx.doi.org/10.1111/j.1539-6924.1990.tb01052.x>.
- Travlos, GS; Mirris, RW; Elwell, MR; Duke, A; Rosenblum, S; Thompson, MB. (1996). Frequency and relationships of clinical chemistry and liver and kidney histopathology findings in 13-week toxicity studies in rats. *Toxicology.* 107: 17-29.
- Treger, YA; Zhanavskina, LN; Kartashov, LM; Balashov, LN; Reynish, LM; Khalilov, VR; Emelyanov, VI; Kharitonov, VI; Mishakov, SG; Levanovitch, VS. (1989). START AND MASTERING OF CARBON, TETRACHLORIDE INDUSTRIAL-PRODUCTION BY CHLORINE - CONTAINING HYDROCARBONS DESTRUCTION CHLORINATION. 643-649.
- Trens, P; Denoyel, R. (1996). Adsorption of (gamma-aminopropyl)triethoxysilane and related molecules at the silica/heptane interface. *Langmuir.* 12: 2781-2784.
- Tribble, DL; Aw, TY; Jones, DP. (1987). The pathophysiological significance of lipid peroxidation in oxidative cell injury [Review]. *Hepatology.* 7: 377-386.
- Triebig, G; Blume, J. (1992). ORGANIC-SOLVENTS AT THE WORKPLACE AND NEPHROTOXICITY - CURRENT KNOWLEDGE AND FUTURE PROSPECT. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 27: 190-&.
- Tripp, CP; Combes, JR. (1998). Chemical modification of metal oxide surfaces in supercritical CO₂: The interaction of supercritical CO₂ with the adsorbed water layer and the surface hydroxyl groups of a silica surface. *Langmuir.* 14: 7350-7352.
- Tripp, CP; Hair, ML. (1992). AN INFRARED STUDY OF THE REACTION OF OCTADECYLTRICHLOROSILANE WITH SILICA. *Langmuir.* 8: 1120-1126.
- Tripp, CP; Hair, ML. (1993). MEASUREMENT OF POLYMER ADSORPTION ON COLLOIDAL SILICA BY IN-SITU TRANSMISSION FOURIER-TURN OVER INFRARED-SPECTROSCOPY. *Langmuir.* 9: 3523-3529.
- Tripp, CP; Hair, ML. (1994). CONTROLLED FLOCCULATION-DEFLOCCULATION BEHAVIOR OF ADSORBED BLOCK-COPOLYMERS IN COLLOIDAL DISPERSIONS BY MODIFYING SEGMENT SURFACE INTERACTIONS - THE USE OF SMALL DISPLACER MOLECULES TO SELECTIVELY CLEAVE INTERPARTICLE BONDS. *Langmuir.* 10: 4031-4038.
- Tripp, CP; Hair, ML. (1995). DIRECT OBSERVATION OF THE SURFACE BONDS BETWEEN SELF-ASSEMBLED MONOLAYERS OF OCTADECYLTRICHLOROSILANE AND SILICA SURFACES - A LOW-FREQUENCY IR STUDY AT THE SOLID-LIQUID INTERFACE. *Langmuir.* 11: 1215-1219.

Fate Literature Search Results

Off Topic

- Trudinger, CM; Etheridge, DM; Rayner, PJ; Enting, IG; Sturrock, GA; Langenfelds, RL. (2002). Reconstructing atmospheric histories from measurements of air composition in firn. *J Geophys Res Atmos.* 107. <http://dx.doi.org/10.1029/2002JD002545>.
- Truex, M; Powell, T; Lynch, K. (2007). In situ dechlorination of TCE during aquifer heating. *Ground Water Monitoring and Remediation.* 27: 96-105.
- Truex, MJ; Oostrom, M; Brusseau, ML. (2009). Estimating Persistent Mass Flux of Volatile Contaminants from the Vadose Zone to Ground Water. *Ground Water Monitoring and Remediation.* 29: 63-72. <http://dx.doi.org/10.1111/j.1745-6592.2009.01236.x>.
- Tsai, TT; Kao, CM; Wang, JY. (2011). Remediation of TCE-contaminated groundwater using acid/BOF slag enhanced chemical oxidation. *Chemosphere.* 83: 687-692. <http://dx.doi.org/10.1016/j.chemosphere.2011.02.023>.
- Tsang, WT; Kapre, R; Sciortino, PF. (1994). IN-SITU DRY-ETCHING OF INP USING PHOSPHORUS TRICHLORIDE AND REGROWTH INSIDE A CHEMICAL BEAM EPITAXIAL-GROWTH CHAMBER. *J Cryst Growth.* 136: 42-49.
- Tsuchida, T; Kubo, J, un; Yoshioka, T; Sakuma, S; Takeguchi, T; Ueda, W. (2009). Influence of Preparation Factors on Ca/P Ratio and Surface Basicity of Hydroxyapatite Catalyst. *J Jpn Petrol Inst.* 52: 51-59.
- Tsuda, H; Matsumoto, K; Ogino, H; Ito, M; Hirono, I; Nagao, M; Sato, K; Cabral, R; Bartsch, H. (1993). Demonstration of initiation potential of carcinogens by induction of preneoplastic glutathione S-transferase P-form-positive liver cell foci: possible in vivo assay system for environmental carcinogens. *Jpn J Cancer Res.* 84: 230-236.
- Tsuru, T; Hino, T; Yoshioka, T; Asaeda, M. (2001). Permporometry characterization of microporous ceramic membranes. *J Memb Sci.* 186: 257-265.
- Tsutsumi, H; Fukuzawa, S; Ishikawa, M; Morita, M; Matsuda, Y. (1995). PREPARATION OF POLYANILINE-POLY(P-STYRENESULFONIC ACID) COMPOSITE BY THE POST-POLYMERIZATION METHOD. *Synthetic Metals.* 72: 231-235.
- Tsuyumoto, I; Iida, Y; Hori, H. (2011). Gas Sensor for Volatile Organochlorine Compounds Using Percolation Conduction of Organic Montmorillonite-Carbon Composites. *International Journal of Applied Ceramic Technology.* 8: 1408-1413. <http://dx.doi.org/10.1111/j.1744-7402.2011.02615.x>.
- Tu, CW; Dong, HK; Li, NY. (1996). Growth, etching, doping and effects of Ar⁺ laser irradiation in chemical beam epitaxy of GaAs with novel precursors. *J Cryst Growth.* 163: 187-194.
- Tudose, RZ; Apreotesei, G. (2001). Mass transfer coefficients in liquid-liquid extraction. *Chemical Engineering and Processing: Process Intensification.* 40: 477-485.
- Turcio-Ortega, D; Fan, D; Tratnyek, PG; Kim, E; Chang, YS. (2012). Reactivity of Fe/FeS Nanoparticles: Electrolyte Composition Effects on Corrosion Electrochemistry. *Environ Sci Technol.* 46: 12484-12492. <http://dx.doi.org/10.1021/es303422w>.
- Türk, G; Çeribaşı, S; Sönmez, M; Çiftçi, M; Yüce, A; Güvenç, M; Kaya, ŞÖ; Çay, M; Aksakal, M. (2016). Ameliorating effect of pomegranate juice consumption on carbon tetrachloride-induced sperm damages, lipid peroxidation, and testicular apoptosis. *Toxicol Ind Health.* 32: 126-137. <http://dx.doi.org/10.1177/0748233713499600>.
- Türkez, H; Aydın, E. (2016). In vitro assessment of cytogenetic and oxidative effects of α -pinene. *Toxicol Ind Health.* 32: 168-176. <http://dx.doi.org/10.1177/0748233713498456>.
- Türkez, H; Aydın, E. (2016). Investigation of cytotoxic, genotoxic and oxidative properties of carvacrol in human blood cells. *Toxicol Ind Health.* 32: 625-633. <http://dx.doi.org/10.1177/0748233713506771>.
- Turkez, H; Geyikoglu, F; Yousef, MI. (2016). Ameliorative effects of docosahexaenoic acid on the toxicity induced by 2,3,7,8-tetrachlorodibenzo-p-dioxin in cultured rat hepatocytes. *Toxicol Ind Health.* 32: 1074-1085. <http://dx.doi.org/10.1177/0748233714547382>.
- Tyczkowski, J. (2003). Plasma surface modification of polymer materials. *Przemysł Chemiczny.* 82: 1262-1264.
- Tyczkowski, J; Krawczyk, I; Wozniak, B. (2003). Modification of styrene-butadiene rubber surfaces by plasma chlorination. *Surf Coating Tech.* 174: 849-853. [http://dx.doi.org/10.1016/S0257-8972\(03\)00419-5](http://dx.doi.org/10.1016/S0257-8972(03)00419-5).
- Tysoe, WT; Surerus, K; Lara, J; Blunt, TJ; Kotvis, PV. (1995). The surface chemistry of chloroform as an extreme-pressure lubricant additive at high concentrations. *Tribology Letters.* 1: 39-46.
- U.S. EPA. (1986). Guidelines for the health risk assessment of chemical mixtures. *Fed Reg.* 51: 34014-34025.
- U.S. EPA. (1988). Recommendations for and documentation of biological values for use in risk assessment (pp. 1-395). (EPA/600/6-87/008). Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=34855>.
- U.S. EPA. (1988). Reference physiological parameters in pharmacokinetic modeling [EPA Report]. (EPA/600/6-88/004). Washington, DC: U.S. Environmental Protection Agency. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB88196019>.
- U.S. EPA. (1991). Guidelines for developmental toxicity risk assessment (pp. 1-71). (EPA/600/FR-91/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=23162>.
- U.S. EPA. (1994). Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry [EPA Report] (pp. 1-409). (EPA/600/8-90/066F). Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office. <https://cfpub.epa.gov/ncea/risk/recordisplay.cfm?deid=71993&CFID=51174829&CFTOKEN=25006317>.
- U.S. EPA. (1995). The use of the benchmark dose approach in health risk assessment. (EPA/630/R-94/007). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30004WBL.txt>.
- U.S. EPA. (1996). Guidelines for reproductive toxicity risk assessment. *Fed Reg.* 61: 56274-56322.
- U.S. EPA. (1996). Symposium on natural attenuation of chlorinated organics in groundwater [EPA Report]. (AD-A319 114/5). Washington, DC.
- U.S. EPA. (1998). Guidelines for neurotoxicity risk assessment. *Fed Reg.* 63: 26926-26954.

Fate Literature Search Results

Off Topic

- U.S. EPA. (2000). Benchmark dose technical guidance document [external review draft] [EPA Report] (pp. 1-96). (EPA/630/R-00/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. https://ofmpub.epa.gov/eims/eimscomm.getfile?p_download_id=4727.
- U.S. EPA. (2000). Science Policy Council handbook: Peer review [EPA Report]. (EPA 100-B-00-001). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB2005109156>.
- U.S. EPA. (2000). Science policy council handbook: Risk characterization (pp. 1-189). (EPA/100/B-00/002). Washington, D.C.: U.S. Environmental Protection Agency, Science Policy Council. <https://www.epa.gov/risk/risk-characterization-handbook>.
- U.S. EPA. (2000). Toxicological review of vinyl chloride [EPA Report]. (EPA/635R-00/004). Washington, DC. <http://www.epa.gov/iris/toxreviews/1001tr.pdf>.
- U.S. EPA. (2001). Toxicological review of chloroform [EPA Report]. (EPA/635/R-01/001). Washington, DC. <http://www.epa.gov/iris>.
- U.S. EPA. (2002). A review of the reference dose and reference concentration processes (pp. 1-192). (EPA/630/P-02/002F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/osa/review-reference-dose-and-reference-concentration-processes>.
- U.S. EPA. (2005). Supplemental guidance for assessing susceptibility from early-life exposure to carcinogens (pp. 1-125). (EPA/630/R-03/003F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. https://www3.epa.gov/airtoxics/childrens_supplement_final.pdf.
- U.S. EPA. (2006). Approaches for the application of physiologically based pharmacokinetic (PBPK) models and supporting data in risk assessment (Final Report) [EPA Report] (pp. 1-123). (EPA/600/R-05/043F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=157668>.
- U.S. EPA. (2006). A framework for assessing health risk of environmental exposures to children (pp. 1-145). (EPA/600/R-05/093F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=158363>.
- U.S. EPA. (2006). U.S. Environmental Protection Agency peer review handbook 3rd edition (3 ed.). (EPA/100/B-06/002). Washington, DC: U.S. Environmental Protection Agency, Science Policy Council. https://www.epa.gov/sites/production/files/2015-09/documents/peer_review_handbook_2006_3rd_edition.pdf.
- U.S. EPA. (2007). Benchmark dose software (BMDS) version 1.4.1. Retrieved from <http://www.epa.gov/ncea/bmds.htm>
- U.S. EPA. (2007). Protection of stratospheric ozone: extension of global laboratory and analytical use exemption for essential class I ozone-depleting substances. 72: 52332-52337.
- Uchida, K; Bhunia, S; Sugiyama, N; Furiya, M; Katoh, M; Katoh, S; Nozaki, S; Morisaki, H. (2003). Heavy carbon doping of GaAs by MOVPE using a new dopant source CBrCl₃ and characterization of the epilayers. *J Cryst Growth*. 248: 124-129.
- Uchimiya, M; Stone, AT. (2009). Reversible redox chemistry of quinones: impact on biogeochemical cycles [Review]. *Chemosphere*. 77: 451-458. <http://dx.doi.org/10.1016/j.chemosphere.2009.07.025>.
- Uddin, MN; Salam, MA; Hossain, MA. (2013). Spectrophotometric measurement of Cu(DDTC)₂ for the simultaneous determination of zinc and copper. *Chemosphere*. 90: 366-373. <http://dx.doi.org/10.1016/j.chemosphere.2012.07.029>.
- Ueda, M; Kim, HB; Ichimura, K. (1994). PHOTOCONTROL OF DISPERSIBILITY OF COLLOIDAL SILICA. *Mater Lett*. 20: 245-249.
- Ueda, M; Kim, HB; Ichimura, K. (1994). PHOTOCONTROLLED AGGREGATION OF COLLOIDAL SILICA. *J Mater Chem*. 4: 883-889.
- Ueda, M; Kudo, K; Ichimura, K. (1995). PHOTOCROMIC BEHAVIOR OF A SPIROBENZOPYRAN CHEMISORBED ON A COLLOIDAL SILICA SURFACE. *J Mater Chem*. 5: 1007-1011.
- Ujang, Z; Husain, WH; Seng, MC; Rashid, AHA. (2003). The kinetic resolution of 2-(4-chlorophenoxy) propionic acid using *Candida rugosa* lipase. *Process Biochemistry*. 38: 1483-1488. [http://dx.doi.org/10.1016/S0032-9592\(03\)00039-6](http://dx.doi.org/10.1016/S0032-9592(03)00039-6).
- Ukai, H; Inui, S; Takada, S; Dendo, J; Ogawa, J; Isobe, K; Ashida, T; Tamura, M; Tabuki, K; Ikeda, M. (1997). Types of organic solvents used in small- to medium-scale industries in Japan; a nationwide field survey. *Int Arch Occup Environ Health*. 70: 385-392.
- Ukegawa, K; Matsumura, A; Yazu, K; Kodera, Y; Kondo, T. (1991). AN ATTEMPT TO SEPARATE NITROGEN-COMPOUNDS. *Fuel Process Tech*. 28: 301-306.
- Ukrainczyk, L; Chibwe, M; Pinnavaia, TJ; Boyd, SA. (1995). REDUCTIVE DECHLORINATION OF CARBON-TETRACHLORIDE IN WATER CATALYZED BY MINERAL SUPPORTED BIOMIMETIC COBALT MACROCYCLES. *Environ Sci Technol*. 29: 439-445.
- Ulmeanu, M; Petkov, P; Hirshy, H; Brousseau, E. (2014). Formation of ordered arrays of Si and GaAs nanostructures by single-shot laser irradiation in near-field at the solid/liquid interface. 1. <http://dx.doi.org/10.1088/2053-1591/1/1/015030>.
- Ulmeanu, M; Petkov, P; Ursescu, D; Maraloiu, VA; Jipa, F; Brousseau, E; Ashfold, MNR. (2015). Pattern formation on silicon by laser-initiated liquid-assisted colloidal lithography. *Nanotechnology*. 26: 455303. <http://dx.doi.org/10.1088/0957-4484/26/45/455303>.
- Uludag-Demirer, S; Bowers, AR. (2003). Effects of surface oxidation and oxygen on the removal of trichloroethylene from the gas phase using elemental iron. *Water Air Soil Pollut*. 142: 229-242.
- Ungar, G; Tomic, V; Xie, F; Zeng, XB. (2009). Structure of Liquid Crystalline Aerosol-OT and Its Alkylammonium Salts. *Langmuir*. 25: 11067-11072. <http://dx.doi.org/10.1021/la901385n>.
- Unnikrishnan, S; Hegde, DS. (2006). An analysis of cleaner production and its impact on health hazards in the workplace. *Environ Int*. 32: 87-94. <http://dx.doi.org/10.1016/j.envint.2005.05.023>.
- Uno, S; Kurihara, K; Ochi, K; Kojima, K. (2007). Determination and correlation of vapor-liquid equilibrium for binary systems consisting of close-boiling components. *Fluid Phase Equilibria*. 257: 139-146. <http://dx.doi.org/10.1016/j.fluid.2007.01.042>.

Fate Literature Search Results

Off Topic

- Urashima, K; Chang, JS. (2000). Removal of volatile organic compounds from air streams and industrial flue gases by non-thermal plasma technology. *IEEE Transactions on Dielectrics and Electrical Insulation*. 7: 602-614.
- Urhahn, T; Ballschmiter, K. (1998). Chemistry of the biosynthesis of halogenated methanes: C1-organohalogens as pre-industrial chemical stressors in the environment? *Chemosphere*. 37: 1017-1032.
- Oryvaeva, IV; Delone, GV. (1995). An improved method of mouse liver micronucleus analysis: an application to age-related genetic alteration and polyploidy study. *Mutat Res*. 334: 71-80.
- Uslu, H. (2007). Liquid plus liquid equilibria of the (water plus tartaric acid plus Alamine 336 plus organic solvents) at 298.15 K. *Fluid Phase Equilibria*. 253: 12-18. <http://dx.doi.org/10.1016/j.fluid.2006.12.019>.
- Uslu, H. (2011). Investigation of acrylic acid extractability from aqueous solution using tridodecyl amine extractant. *Desalination and Water Treatment*. 28: 189-195. <http://dx.doi.org/10.5004/dwt.2011.2246>.
- Uslu, H; Datta, D; Bamufleh, HS. (2014). Extraction Equilibria of Gibberellic Acid by Tridodecylamine Dissolved in Alcohols. *Journal of Chemical and Engineering Data*. 59: 3882-3887. <http://dx.doi.org/10.1021/je500773w>.
- Uzomah, TC; Ugbolue, SCO. (1999). Strength properties of solvent vapour-treated pre-tensioned polypropylene films part I - Halohydrocarbon solvents. *Journal of Materials Science*. 34: 1839-1845.
- Van Goethem, F; Ghahroudi, MA; Castelain, P; Kirsch-Volders, M. (1993). Frequency and DNA content of micronuclei in rat parenchymal liver cells during experimental hepatocarcinogenesis. *Carcinogenesis*. 14: 2397-2406.
- Van Goor, A; Slawinska, A; Schmidt, CJ; Lamont, SJ. (2016). Distinct functional responses to stressors of bone marrow derived dendritic cells from diverse inbred chicken lines. *Dev Comp Immunol*. 63: 96-110. <http://dx.doi.org/10.1016/j.dci.2016.05.016>.
- Van Kuijk, FJ; Holte, LL; Dratz, EA. (1990). 4-Hydroxyhexenal: a lipid peroxidation product derived from oxidized docosahexaenoic acid. *Biochim Biophys Acta*. 1043: 116-118.
- Van Nooten, T; Springael, D; Bastiaens, L. (2008). Positive impact of microorganisms on the performance of laboratory-scale permeable reactive iron barriers. *Environ Sci Technol*. 42: 1680-1686. <http://dx.doi.org/10.1021/es071760d>.
- Vanko, G; Lalinsky, T; Hascik, S; Ryger, I; Mozolova, Z; Skriniarova, J; Tomaska, M; Kostic, I; Vincze, A. (2009). Impact of SF6 plasma treatment on performance of AlGaIn/GaN HEMT. *Vacuum*. 84: 235-237. <http://dx.doi.org/10.1016/j.vacuum.2009.04.032>.
- Vanstee, EW; Boorman, GA; Moorman, MP; Sloane, RA. (1982). TIME-VARYING CONCENTRATION PROFILE AS A DETERMINANT OF THE INHALATION TOXICITY OF CARBON-TETRACHLORIDE. *J Toxicol Environ Health*. 10: 785-795.
- Vanstone, N; Elsner, M; Lacrampe-Couloume, G; Mabury, S; Lollar, BS. (2008). Potential for identifying abiotic chloroalkane degradation mechanisms using carbon isotopic fractionation. *Environ Sci Technol*. 42: 126-132. <http://dx.doi.org/10.1021/es0711819>.
- Varshney, S; Singh, M. (2006). Densities, viscosities, and excess molar volumes of ternary liquid mixtures of bromobenzene+1,4-dioxane + (benzene or plus toluene or plus carbon tetrachloride) and some associated binary liquid mixtures. *Journal of Chemical and Engineering Data*. 51: 1136-1140. <http://dx.doi.org/10.1021/je0600303>.
- Vassilevski, KV; Sizov, VE; Babanin, AI; Melnik, YV; Zubrilov, AS. (1996). Dry etching of gallium nitride using CCl2F2, CCl4 and their mixtures with N-2 and air. *Institute of Physics Conference Series*. 142: 1027-1030.
- Vazquez-Morillas, A; Vaca-Mier, M; Alvarez, PJ. (2006). Biological activation of hydrous ferric oxide for reduction of hexavalent chromium in the presence of different anions. *European Journal of Soil Biology*. 42: 99-106. <http://dx.doi.org/10.1016/j.ejsobi.2005.11.005>.
- Veeraraghavan, R; Mohapatra, PK; Manchanda, VK. (1999). Extraction of americium from nitric acid medium using 3-phenyl-4-benzoyl-5-isoxazolone and tri-n-octylphosphine oxide. *Separation Science and Technology*. 34: 123-137.
- Velazquez, JC; Leekumjorn, S; Nguyen, QX; Fang, Y, uLun; Heck, KN; Hopkins, GD; Reinhard, M; Wong, MS. (2013). Chloroform Hydrodechlorination Behavior of Alumina-supported Pd and PdAu Catalysts. *AIChE J*. 59: 4474-4482. <http://dx.doi.org/10.1002/aic.14250>.
- Velling, P. (2000). A comparative study of GaAs- and InP-based HBT growth by means of LP-MOVPE using conventional and non gaseous sources. *Progress in Crystal Growth and Characterization of Materials*. 41: 85-131.
- Verma, SK; Rastogi, S; Arora, I; Javed, K; Akhtar, M; Samim, M. (2016). Nanoparticle Based Delivery of Quercetin for the Treatment of Carbon Tetrachloride Mediated Liver Cirrhosis in Rats. *Journal of Biomedical Nanotechnology*. 12: 274-285. <http://dx.doi.org/10.1166/jbn.2016.2153>.
- Verma, SK; Rastogi, S; Javed, K; Akhtar, M; Arora, I; Samim, M. (2013). Nanothymoquinone, a novel hepatotargeted delivery system for treating CCl4 mediated hepatotoxicity in rats. 1: 2956-2966. <http://dx.doi.org/10.1039/c3tb20379d>.
- Veselov'ska, KI; Veselov'skiy, VL; Diyuk, VE; Gaidai, SV; Ishchenko, OV. (2015). Modification of the activated carbon surface by gaseous-phase chlorination with carbon tetrachloride. *Journal of Superhard Materials*. 37: 189-193. <http://dx.doi.org/10.3103/S1063457615030065>.
- Victor, IE; Ugorji, UO; Adeyinka, A. (2014). Efficacy of Hibiscus sabdariffa and Telfairia occidentalis in the attenuation of CCl4-mediated oxidative stress. *Asian Pacific Journal of Tropical Medicine*. 7S1: S321-S326. [http://dx.doi.org/10.1016/S1995-7645\(14\)60253-4](http://dx.doi.org/10.1016/S1995-7645(14)60253-4).
- Vieira, I; Sonnier, M; Cresteil, T. (1996). Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem*. 238: 476-483. <http://dx.doi.org/10.1111/j.1432-1033.1996.0476z.x>.
- Vikesland, PJ; Heathcock, AM; Rebodos, RL; Makus, KE. (2007). Particle size and aggregation effects on magnetite reactivity toward carbon tetrachloride. *Environ Sci Technol*. 41: 5277-5283. <http://dx.doi.org/10.1021/es062082i>.
- Vikesland, PJ; Klausen, J; Zimmermann, H; Roberts, AL; Ball, WP. (2003). Longevity of granular iron in groundwater treatment processes: changes in solute transport properties over time. *J Contam Hydrol*. 64: 3-33. [http://dx.doi.org/10.1016/S0169-7722\(02\)00150-X](http://dx.doi.org/10.1016/S0169-7722(02)00150-X).
- Vikesland, PJ; Rebodos, RL; Bottero, JY; Rose, J; Masion, A. (2016). Aggregation and sedimentation of magnetite nanoparticle clusters. 3: 567-577. <http://dx.doi.org/10.1039/c5en00155b>.

Fate Literature Search Results

Off Topic

- Villar-Rodil, S; Martinez-Alonso, A; Pajares, JA; Tascon, JMD; Jasienko-Halat, M; Broniek, E; Kaczmarczyk, J; Jankowska, A; Albinia, A; Siemieniowska, T. (2003). Following changes in the porous texture of Nomex-derived activated carbon fibres with the molecular probe technique. *Microporous and Mesoporous Materials*. 64: 11-19. [http://dx.doi.org/10.1016/S1387-1811\(03\)00496-7](http://dx.doi.org/10.1016/S1387-1811(03)00496-7).
- Vincent, D; Jorat, L; Monin, J; Noyel, G. (1994). IMPROVEMENT OF THE TRANSMISSION REFLECTION METHOD FOR DIELECTRIC AND MAGNETIC MEASUREMENTS ON LIQUIDS BETWEEN 0.1 AND 20 GHZ. *Meas Sci Technol*. 5: 990-995.
- Vindedahl, AM; Arnold, WA; Penn, RL, ee. (2015). Impact of Pahokee Peat humic acid and buffer identity on goethite aggregation and reactivity. 2: 509-517. <http://dx.doi.org/10.1039/c5en00141b>.
- Vindedahl, AM; Stemig, MS; Arnold, WA; Penn, RL. (2016). Character of Humic Substances as a Predictor for Goethite Nanoparticle Reactivity and Aggregation. *Environ Sci Technol*. 50: 1200-1208. <http://dx.doi.org/10.1021/acs.est.5b04136>.
- Vinu, A. (2008). Two-dimensional hexagonally-ordered mesoporous carbon nitrides with tunable pore diameter, surface area and nitrogen content. *Adv Funct Mater*. 18: 816-827. <http://dx.doi.org/10.1002/adfm.200700783>.
- Vinu, A; Ariga, K; Mori, T; Nakanishi, T; Hishita, S; Golberg, D; Bando, Y. (2005). Preparation and characterization of well-ordered hexagonal mesoporous carbon nitride. *Adv Mater Deerfield*. 17: 1648+. <http://dx.doi.org/10.1002/adma.200401643>.
- Vinu, A; Srinivasu, P; Sawant, DP; Mori, T; Ariga, K; Chang, JS, an; Jhung, SH, wa; Balasubramanian, VV; Hwang, YK, yu. (2007). Three-dimensional cage type mesoporous CN-Based hybrid material with very high surface area and pore volume. *Chem Mater*. 19: 4367-4372. <http://dx.doi.org/10.1021/cm070657k>.
- Visan, S; Ciobotaru, V; Coara, G; Florescu, M. (2003). Considerations regarding the compatibility of some rubber structures with leather wastes. *Materiale Plastice*. 40: 136-140.
- Visan, S; Ciobotaru, V; Ionescu, F; Angelescu, A. (2008). Physico-chemical characterization of some microstructured polymeric materials. *Materiale Plastice*. 45: 80-86.
- Vitale, SA; Hadidi, K; Cohn, DR; Falkos, P. (1996). Electron beam generated plasma decomposition of 1,1,1-trichloroethane. *Plasma Chemistry and Plasma Processing*. 16: 651-668.
- Vitale, SA; Hadidi, K; Cohn, DR; Falkos, P. (1997). The effect of a carbon-carbon double bond on electron beam-generated plasma decomposition of trichloroethylene and 1,1,1-trichloroethane. *Plasma Chemistry and Plasma Processing*. 17: 59-78.
- Vizcaya, D; Christensen, KY; Lavoue, J; Siemiatycki, J. (2013). Risk of lung cancer associated with six types of chlorinated solvents: results from two case-control studies in Montreal, Canada. *Occup Environ Med*. 70: 81-85. <http://dx.doi.org/10.1136/oemed-2012-101155>.
- Vn, S; Esclapez Vicente, MD; Bonete, P; González-García, J. (2009). Electrochemical degradation of perchloroethylene in aqueous media: An approach to different strategies. *Water Res*. 43: 8. <http://dx.doi.org/10.1016/j.watres.2009.02.019>.
- Vodyanitskii, Y, uN. (2014). Effect of reduced iron on the degradation of chlorinated hydrocarbons in contaminated soil and ground water: A review of publications. *Eurasian Soil Science*. 47: 119-133. <http://dx.doi.org/10.1134/S1064229314020136>.
- Vodyanitskii, Y, uN; Mineev, VG. (2015). Degradation of nitrates with the participation of Fe(II) and Fe(0) in groundwater: A review. *Eurasian Soil Science*. 48: 139-147. <http://dx.doi.org/10.1134/S1064229315020131>.
- Volk, CM; Elkins, JW; Fahey, DW; Dutton, GS; Gilligan, JM; Loewenstein, M; Podolske, JR; Chan, KR; Gunson, MR. (1997). Evaluation of source gas lifetimes from stratospheric observations. *J Geophys Res Atmos*. 102: 25543-25564.
- Volodko, VG; Zvonkov, BN; Znysheva, LN; Portnov, VN. (1993). EFFECT OF CARBON-TETRACHLORIDE ON THE SELECTIVE GROWTH OF GALLIUM-ARSENIDE LAYERS IN THE MOC HYDRIDE PROCESS. *Inorg Mater*. 29: 469-471.
- Vonclarmann, T; Linden, A; Oelhaf, H; Fischer, H; Friedlvalon, F; Piesch, C; Seefeldner, M. (1995). DETERMINATION OF THE STRATOSPHERIC ORGANIC CHLORINE BUDGET IN THE SPRING ARCTIC VORTEX FROM MIPAS-B LIMB EMISSION-SPECTRA AND AIR SAMPLING EXPERIMENTS. *J Geophys Res Atmos*. 100: 13979-13997.
- Vothanh, D. (1995). INFLUENCE OF FLUID CHEMISTRY ON SHEAR-WAVE ATTENUATION AND VELOCITY IN SEDIMENTARY-ROCKS. *Geophysical Journal International*. 121: 737-749.
- Voyatzis, R; Moffat, JB. (1994). SIMULTANEOUS, SEQUENTIAL, AND REVERSE SEQUENTIAL TECHNIQUES FOR THE PREPARATION OF BINARY SILICA-SUPPORTED SODIUM/STRONTIUM CATALYSTS AND THE EFFECT OF CARBON-TETRACHLORIDE ON THE OXIDATIVE COUPLING OF METHANE. *Energy Fuels*. 8: 1106-1114.
- Voyatzis, R; Moffat, JB. (1995). COIMPREGNATED, SEQUENTIAL, AND REVERSE SEQUENTIAL LI/SR/SIO2 CATALYSTS FOR THE OXIDATIVE COUPLING OF METHANE IN THE ABSENCE AND PRESENCE OF TETRACHLOROMETHANE - ACTIVE, SELECTIVE, AND STABLE CATALYSTS. *Energy Fuels*. 9: 240-247.
- Wagner, J; Chen, H; Brownawell, BJ; Westall, JC. (1994). Use of Cationic Surfactants to Modify Soil Surfaces to Promote Sorption and Retard Migration of Hydrophobic Organic Compounds (pp. 231-237). (ISSN 0013-936X; EISSN 1520-5851; NTIS/02988462_2). Wagner, J; Chen, H; Brownawell, BJ; Westall, JC.
- Wagner, VO; Blevins, RD. (1993). CHEMICALLY-INDUCED HISTONE MODIFICATION AS A PREDICTOR OF CARCINOGENICITY. *Arch Environ Contam Toxicol*. 25: 260-266.
- Wahren, M; Kranke, P; Moder, M; Rummel, S; Winkler, E. (1999). Hydrogen isotope effects in electrochemical reductions of organic chloro compounds. *Isotopes Environ Health Stud*. 35: 167-182.
- Wakabayashi, T; Williams, JA; Hutchings, IM. (1993). THE ACTION OF GASEOUS LUBRICANTS IN THE ORTHOGONAL MACHINING OF AN ALUMINIUM-ALLOY BY TITANIUM NITRIDE COATED TOOLS. *Surf Coating Tech*. 57: 183-189.
- Walker, DS; Moore, FG; Richmond, GL. (2007). Vibrational sum frequency spectroscopy and molecular dynamics simulation of the carbon tetrachloride-water and 1,2-dichloroethane-water interfaces. *J Phys Chem C*. 111: 6103-6112. <http://dx.doi.org/10.1021/jp068700z>.
- Walker, DS; Richmond, GL. (2008). Interfacial depth profiling of the orientation and bonding of water molecules across liquid-liquid interfaces. *J Phys Chem C*. 112: 201-209. <http://dx.doi.org/10.1021/jp075469w>.

Fate Literature Search Results

Off Topic

- Walker, RA; Conboy, JC; Richmond, GL. (1997). Molecular structure and ordering of phospholipids at a liquid-liquid interface. *Langmuir*. 13: 3070-3073.
- Wallace, LA. (1991). Personal exposure to 25 volatile organic compounds EPA's 1987 team study in Los Angeles California. *Toxicol Ind Health*. 7: 203-208.
- Wallace, MC; Hamesch, K; Lunova, M; Kim, Y; Weiskirchen, R; Strnad, P; Friedman, SL. (2015). Standard operating procedures in experimental liver research: thioacetamide model in mice and rats. *Lab Anim*. 49: 21-29. <http://dx.doi.org/10.1177/0023677215573040>.
- Walter, J; Nishioka, M; Hara, S. (2001). Ultrathin platinum nanoparticles encapsulated in a graphite lattice-prepared by a sonochemical approach. *Chem Mater*. 13: 1828-1833.
- Walton, BT; Hendricks, MS; Anderson, TA; Griest, WH; Merriweather, R; Beauchamp, JJ; Francis, CW. (1992). Soil sorption of volatile and semivolatile organic compounds in a mixture. *J Environ Qual*. 21: 552-558.
- Wan, C; Chen, YH; Wei, R. (1999). Dechlorination of chloromethanes on iron and palladium-iron bimetallic surface in aqueous systems. *Environ Toxicol Chem*. 18: 1091-1096.
- Wang, A, iK; Shan, A, iQin; Qin, Y; Yang, X, iuJ. (2010). EFFECTS OF CARBON TETRACHLORIDE ON SOIL RESPIRATION, SOIL MICROBE AMOUNTS, WHEAT GERMINATION AND SEEDLING'S CHLOROPHYLL CONTENT. *Fresen Environ Bull*. 19: 653-657.
- Wang, C; Shao, M, in; Huang, D; Lu, S; Zeng, L; Hu, M, in; Zhang, Q. (2014). Estimating halocarbon emissions using measured ratio relative to tracers in China. *Atmos Environ*. 89: 816-826. <http://dx.doi.org/10.1016/j.atmosenv.2014.03.025>.
- Wang, C; Wang, Y; Yin, Q; Xu, Z; Bao, Y; Hou, B; Liu, W, ei; Hao, H. (2015). Solubilities of 3-Chlorophthalic Anhydride and 4-Chlorophthalic Anhydride in Different Pure Solvents. *Journal of Chemical and Engineering Data*. 60: 3053-3061. <http://dx.doi.org/10.1021/acs.jced.5b00526>.
- Wang, CY; Zhang, WY; Qian, YT. (2002). Preparation of nanocrystalline ceria in CCl₄. *Mater Sci Eng B*. 94: 170-175.
- Wang, F; Dai, H; Deng, J; Bai, G; Ji, K; Liu, Y. (2012). Manganese oxides with rod-, wire-, tube-, and flower-like morphologies: highly effective catalysts for the removal of toluene. *Environ Sci Technol*. 46: 4034-4041. <http://dx.doi.org/10.1021/es204038j>.
- Wang, F, uY; Zhu, ZH, ua; Rudolph, V. (2008). Molecular transport in nanopores with broad pore-size distribution. *AIChE J*. 54: 2009-2023. <http://dx.doi.org/10.1002/aic.11520>.
- Wang, H; Chen, H, ao; Xu, Z; Wang, S; Li, B; Li, Y, i. (2012). Control the Morphologies and the Pore Architectures of Mesoporous Silicas through a Dual-Templating Approach. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2012/371289>.
- Wang, H; Gao, Q; Hu, J. (2010). Preparation of porous doped carbons and the high performance in electrochemical capacitors. *Microporous and Mesoporous Materials*. 131: 89-96. <http://dx.doi.org/10.1016/j.micromeso.2009.12.007>.
- Wang, H; Wang, LL; Sun, X; Zhu, JH; Liu, WB; Jiang, DS; Zhu, JJ; Zhao, DG; Liu, ZS; Wang, YT; Zhang, SM; Yang, H. (2009). Suppression of indium droplet formation by adding CCl₄ during metalorganic chemical vapor deposition growth of InN films. *Semiconductor Science and Technology*. 24. <http://dx.doi.org/10.1088/0268-1242/24/7/075004>.
- Wang, HX; Liu, F; Ng, TB. (2001). Examination of pineal indoles and 6-methoxy-2-benzoxazolinone for antioxidant and antimicrobial effects. *Comp Biochem Physiol C Toxicol Pharmacol*. 130: 379-388.
- Wang, J; Blowers, P; Farrell, J. (2004). Understanding reduction of carbon tetrachloride at nickel surfaces. *Environ Sci Technol*. 38: 1576-1581. <http://dx.doi.org/10.1021/es034877k>.
- Wang, J; Farrell, J. (2003). Investigating the role of atomic hydrogen on chloroethene reactions with iron using tafel analysis and electrochemical impedance spectroscopy. *Environ Sci Technol*. 37: 3891-3896. <http://dx.doi.org/10.1021/es0254605>.
- Wang, J; Fu, Z; Liu, G; Guo, N; Lu, H; Zhan, Y. (2013). Mediators-assisted reductive biotransformation of tetrabromobisphenol-A by *Shewanella* sp. XB. *Bioresour Technol*. 142: 192-197. <http://dx.doi.org/10.1016/j.biortech.2013.04.062>.
- Wang, J; Li, R; Guo, Y; Qin, P; Sun, S. (2006). Removal of methyl chloroform in a coastal salt marsh of eastern China. *Chemosphere*. 65: 1371-1380. <http://dx.doi.org/10.1016/j.chemosphere.2006.04.019>.
- Wang, J; Qin, P; Sun, S. (2007). The flux of chloroform and tetrachloromethane along an elevational gradient of a coastal salt marsh, East China. *Environ Pollut*. 148: 10-20. <http://dx.doi.org/10.1016/j.envpol.2006.11.016>.
- Wang, JJ; Lambers, ES; Pearton, SJ; Ostling, M; Zetterling, CM; Grow, JM; Ren, F; Shul, RJ. (1998). ICP etching of SiC. *Solid-State Electronics*. 42: 2283-2288.
- Wang, JL; Chang, CJ; Lin, YH. (1998). Concentration distributions of anthropogenic halocarbons over a metropolitan area. *Chemosphere*. 36: 2391-2400.
- Wang, JL; Chew, C; Chen, SW; Kuo, SR. (2000). Concentration variability of anthropogenic halocarbons and applications as internal reference in volatile organic compound measurements. *Environ Sci Technol*. 34: 2243-2248.
- Wang, JL; Lin, WC; Chen, TY. (2000). Using atmospheric CCl₄ as an internal reference in gas standard preparation. *Atmos Environ*. 34: 4393-4398.
- Wang, JL; Zhao, DS; Li, KX. (2012). Extractive Desulfurization of Gasoline Using Ionic Liquid Based on CuCl. *Petroleum Science and Technology*. 30: 2417-2423. <http://dx.doi.org/10.1080/10916466.2010.518194>.
- Wang, L, ei; Liu, P; Chen, T. (2016). Glow Discharge Plasma Induced Dechlorination and Decomposition of Dichloromethane in an Aqueous Solution. *Plasma Chemistry and Plasma Processing*. 36: 615-626. <http://dx.doi.org/10.1007/s11090-015-9658-1>.
- Wang, L, i; Wu, J; Guo, Y, an; Gong, C; Song, Y. (2015). Topographic characterization of the self-assembled nanostructures of chitosan on mica surface by atomic force microscopy. *Appl Surf Sci*. 353: 757-763. <http://dx.doi.org/10.1016/j.apsusc.2015.06.193>.
- Wang, L; Wu, J; Wang, L, e; Guo, C; Xu, Y, ao. (2014). High-yield synthesis of uniform B, N-rich BN-C-x nanoplates in mild temperatures. *J Nanopart Res*. 16. <http://dx.doi.org/10.1007/s11051-014-2511-2>.
- Wang, LH; Tsai, BJ. (2000). The sintering and crystallization of colloidal silica gel. *Mater Lett*. 43: 309-314.
- Wang, ML; Liu, BL; Lin, SJ. (2007). Synthesis of an active quaternary phosphonium salt and its application to the Wittig reaction: Kinetic study. *Journal of the Chinese Institute of Chemical Engineers*. 38: 451-459. <http://dx.doi.org/10.1016/j.jcice.2007.08.005>.

Fate Literature Search Results

Off Topic

- Wang, ML; Ou, CC; Jwo, JJ. (1998). Effect of the distribution of pyridine 1-oxide on its catalyzed two-phase reaction of benzoyl chloride and carboxylate ion. *Chemical Engineering Communications*. 165: 151-165.
- Wang, P; Zhao, W. (2008). Assessment of ambient volatile organic compounds (VOCs) near major roads in urban Nanjing, China. *Atmos Res*. 89: 289-297. <http://dx.doi.org/10.1016/j.atmosres.2008.03.013>.
- Wang, PF; Li, WN; Peng, B; Lu, M. (2012). Effect of dehydration techniques on the fluorescence spectral features and OH absorption of heavy metals containing fluoride tellurite glasses. *Journal of Non-Crystalline Solids*. 358: 788-793. <http://dx.doi.org/10.1016/j.jnoncrysol.2011.12.029>.
- Wang, R; Nakajima, T; Honma, T. (1999). Different change patterns of the isozymes of cytochrome P450 and glutathione S-transferases in chemically induced liver damage in rat. *Ind Health*. 37: 440-448.
- Wang, R; Zhang, Y; Lan, Q; Holford, TR; Leaderer, B; Zahm, SH; Boyle, P; Dosemeci, M; Rothman, N; Zhu, Y; Qin, Q; Zheng, T. (2009). Occupational exposure to solvents and risk of non-Hodgkin lymphoma in Connecticut women. *Am J Epidemiol*. 169: 176-185. <http://dx.doi.org/10.1093/aje/kwn300>.
- Wang, S; Li, QS; Li, YL. (2006). Solubility of D-p-hydroxyphenylglycine in water, methanol, ethanol, carbon tetrachloride, toluene, and N,N-dimethylformamide between 278 K and 323 K. *Journal of Chemical and Engineering Data*. 51: 2201-2202. <http://dx.doi.org/10.1021/jc060300h>.
- Wang, SB; Murata, K; Hayakawa, T; Hamakawa, S; Suzuki, K. (2000). Oxidative dehydrogenation of ethane over alkali metal chloride modified silica catalysts. *Energy Fuels*. 14: 899-903.
- Wang, SH; Kao, MY; Wu, SC; Lo, DY; Wu, JY; Chang, JC; Chiou, RY. (2011). Oral administration of *Trapa taiwanensis* Nakai fruit skin extracts conferring hepatoprotection from CCl₄-caused injury. *J Agric Food Chem*. 59: 3686-3692. <http://dx.doi.org/10.1021/jf1048386>.
- Wang, W; Lu, XH; Qin, XJ; Zhang, XH; Xu, YQ. (2008). Solubility of pyoluteorin in water, dichloromethane, chloroform, and carbon tetrachloride from (278.2 to 333.2) K. *Journal of Chemical and Engineering Data*. 53: 2241-2243. <http://dx.doi.org/10.1021/jc800369k>.
- Wang, W; Xiong, S; Chen, L; Xi, B; Zhou, H; Zhang, Z. (2006). Formation of flexible Ag/C coaxial nanocables through a novel solution process. *Cryst Growth Des*. 6: 2422-2426. <http://dx.doi.org/10.1021/cg060068b>.
- Wang, X; Chen, C; Chang, Y; Liu, H. (2009). Dechlorination of chlorinated methanes by Pd/Fe bimetallic nanoparticles. *J Hazard Mater*. 161: 815-823. <http://dx.doi.org/10.1016/j.jhazmat.2008.04.027>.
- Wang, X; Chen, C; Liu, H; Ma, J, un. (2008). Characterization and Evaluation of Catalytic Dechlorination Activity of Pd/Fe Bimetallic Nanoparticles. *Ind Eng Chem Res*. 47: 8645-8651. <http://dx.doi.org/10.1021/ie701762d>.
- Wang, X; Gong, G; Yang, W; Li, Y; Jiang, M; Li, L. (2013). Antifibrotic activity of galangin, a novel function evaluated in animal liver fibrosis model. *Environ Toxicol Pharmacol*. 36: 288-295. <http://dx.doi.org/10.1016/j.etap.2013.04.004>.
- Wang, X, iKui; Wei, Y, ueC; Wang, C; Guo, W, eiLin; Wang, J, inG; Jiang, J, ieX. (2011). Ultrasonic degradation of reactive brilliant red K-2BP in water with CCl₄ enhancement: Performance optimization and degradation mechanism. *Separation and Purification Technology*. 81: 69-76. <http://dx.doi.org/10.1016/j.seppur.2011.07.003>.
- Wang, Y, u; Jia, A, iPin; Luo, MF, ei; Lu, J, iQ. (2015). Highly active spinel type CoCr₂O₄ catalysts for dichloromethane oxidation. *Appl Catal B-Environ*. 165: 477-486. <http://dx.doi.org/10.1016/j.apcatb.2014.10.044>.
- Wang, Y; Wu, C; Wang, X; Zhou, S. (2009). The role of humic substances in the anaerobic reductive dechlorination of 2,4-dichlorophenoxyacetic acid by *Comamonas koreensis* strain CY01. *J Hazard Mater*. 164: 941-947. <http://dx.doi.org/10.1016/j.jhazmat.2008.08.097>.
- Wang, YF; Lee, WJ; Chen, CY; Wu, YPG; Chang-Chien, GP. (2000). Reaction mechanisms in both a CCl₂F₂/O₂/Ar and a CCl₂F₂/H₂/Ar RF plasma environment. *Plasma Chemistry and Plasma Processing*. 20: 469-494.
- Wang, YK; Tao, L; Chen, MJ; Li, FB. (2012). Effects of the FeII/CuII interaction on copper aging enhancement and pentachlorophenol reductive transformation in paddy soil. *J Agric Food Chem*. 60: 630-638. <http://dx.doi.org/10.1021/jf2040093>.
- Wang, ZC; Yang, S; Huang, JJ; Chen, SL; Li, QQ; Li, Y. (2014). Effect of Rougan Huaqian granules combined with human mesenchymal stem cell transplantation on liver fibrosis in cirrhosis rats. *Asian Pacific Journal of Tropical Medicine*. 7: 576-581. [http://dx.doi.org/10.1016/S1995-7645\(14\)60097-3](http://dx.doi.org/10.1016/S1995-7645(14)60097-3).
- Wangenheim, J; Bolcsfoldi, G. (1988). Mouse lymphoma L5178Y thymidine kinase locus assay of 50 compounds. *Mutagenesis*. 3: 193-205. <http://dx.doi.org/10.1093/mutage/3.3.193>.
- Warddrip, ML; Kappers, MJ; Li, L; Qi, H; Han, BK; Gan, S; Hicks, RF. (1997). Mechanism of doping gallium arsenide with carbon tetrachloride during organometallic vapor-phase epitaxy. *Journal of Electronic Materials*. 26: 1189-1193.
- Warren, KD; Arnold, RG; Bishop, TL; Lindholm, LC; Betterton, EA. (1995). KINETICS AND MECHANISM OF REDUCTIVE DEHALOGENATION OF CARBON TETRACHLORIDE USING ZERO-VALENCE METALS. *J Hazard Mater*. 41: 2-3.
- Warrington, JS; Poku, JW; von Moltke, LL; Shader, RI; Harmatz, JS; Greenblatt, DJ. (2000). Effects of age on in vitro midazolam biotransformation in male CD-1 mouse liver microsomes. *J Pharmacol Exp Ther*. 292: 1024-1031.
- Warrington, JS; Von Moltke, LL; Greenblatt, DJ. (2004). Age-related differences in CYP3A expression and activity in the rat liver, intestine and kidney. *J Pharmacol Exp Ther*. 309: 720-729. <http://dx.doi.org/10.1124/jpet.103.061077>.
- Watanabe, K; Hatakeyama, M; Ichiki, K; Satake, T; Kato, T; Nagai, K. (2001). Large-hole anode-type fast atom beam (LA-FAB) source and its application to high-aspect-ratio GaAs etching. *Appl Surf Sci*. 169: 603-606.
- Watanabe, K; Nakazawa, H; Matsui, Y. (2009). Allophane films formed at the liquid/liquid interface. *Appl Clay Sci*. 46: 330-332. <http://dx.doi.org/10.1016/j.clay.2009.08.027>.
- Watanabe, N; Nittono, T; Ito, H. (1994). PRECISE CONTROL OF LATTICE STRAIN IN CARBON-DOPED GAAS BY INDIUM CO-DOPING FOR RELIABLE ALGAAS/GAAS HETEROJUNCTION BIPOLAR-TRANSISTORS. *J Cryst Growth*. 145: 929-934.
- Watanabe, Y; Nakagawa, M; Miyakoshi, Y. (1997). Enhancement of lipid peroxidation in the liver of mice exposed to magnetic fields. *Ind Health*. 35: 285-290.

Fate Literature Search Results

Off Topic

- Watkins, SP; Pitts, OJ; Dale, C; Xu, XG; Dvorak, MW; Matine, N; Bolognesi, CR. (2000). Heavily carbon-doped GaAsSb grown on InP for HBT applications. *J Cryst Growth*. 221: 59-65.
- Watkins, SP; Wiersma, RD; Wang, CX; Pitts, OJ; Bolognesi, CR. (2003). Structural effects of carbon in GaSb grown by metalorganic vapor phase epitaxy. *J Cryst Growth*. 248: 274-278.
- Watson, AJ; Liddicoat, MI. (1985). RECENT HISTORY OF ATMOSPHERIC TRACE GAS CONCENTRATIONS DEDUCED FROM MEASUREMENTS IN THE DEEP-SEA - APPLICATION TO SULFUR HEXA-FLUORIDE AND CARBON-TETRACHLORIDE. *Atmos Environ*. 19: 1477-1484.
- Watts, RJ; Finn, DD; Cutler, LM; Schmidt, JT; Teel, AL. (2007). Enhanced stability of hydrogen peroxide in the presence of subsurface solids. *J Contam Hydrol*. 91: 312-326. <http://dx.doi.org/10.1016/j.jconhyd.2006.11.004>.
- Watts, RJ; Howsawkung, J; Teel, AL. (2005). Destruction of a carbon tetrachloride dense nonaqueous phase liquid by modified Fenton's reagent. *J Environ Eng*. 131: 1114-1119. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:7\(1114\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:7(1114)).
- Watts, RJ; Sarasa, J; Loge, FJ; Teel, AL. (2005). Oxidative and reductive pathways in manganese-catalyzed Fenton's reactions. *J Environ Eng*. 131: 158-164. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:1\(158\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:1(158)).
- Wauthier, V; Verbeeck, RK; Calderon, PB. (2004). Age-related changes in the protein and mRNA levels of CYP2E1 and CYP3A isoforms as well as in their hepatic activities in Wistar rats. What role for oxidative stress? *Arch Toxicol*. 78: 131-138. <http://dx.doi.org/10.1007/s00204-003-0526-z>.
- Weathers, LJ; Parkin, GF; Alvarez, PJ. (1997). Utilization of cathodic hydrogen as electron donor for chloroform cometabolism by a mixed, methanogenic culture. *Environ Sci Technol*. 31: 880-885.
- Webster, HF; Wightman, JP. (1991). EFFECTS OF OXYGEN AND AMMONIA PLASMA TREATMENT ON POLYPHENYLENE SULFIDE THIN-FILMS AND THEIR INTERACTION WITH EPOXY ADHESIVE. *J Adhes Sci Tech*. 5: 93-106.
- Wee, ATS; Huan, CHA; Tan, KL; Tan, RSK. (1994). AN INVESTIGATION OF THE AR+ ION-ENHANCED REACTION OF CCL4 ON SI(100) BY SECONDARY-ION MASS-SPECTROSCOPY. *Journal of Materials Science*. 29: 4037-4042.
- Weeks, LD; Zhu, L, inL; Pellon, M; Haines, DR; Arumainayagam, CR. (2007). Low-energy electron-induced oligomerization of condensed carbon tetrachloride. *J Phys Chem C*. 111: 4815-4822. <http://dx.doi.org/10.1021/jp068562d>.
- Wei, Y, uT; Wu, SC; Chou, CM; Che, CH; Tsai, SM, u; Lien, HL. (2010). Influence of nanoscale zero-valent iron on geochemical properties of groundwater and vinyl chloride degradation: A field case study. *Water Res*. 44: 131-140. <http://dx.doi.org/10.1016/j.watres.2009.09.012>.
- Wei, Y, uT; Wu, SC; Yang, S; Che, CH; Lien, HL; Huang, D, eH. (2012). Biodegradable surfactant stabilized nanoscale zero-valent iron for in situ treatment of vinyl chloride and 1,2-dichloroethane. *J Hazard Mater*. 211: 373-380. <http://dx.doi.org/10.1016/j.jhazmat.2011.11.018>.
- Wei, YF; Dang, LP; Zhang, XY; Cui, WM; Wei, HY. (2012). Solid-Liquid Phase Equilibrium and Solubility of Dibenzo[b,d]furan and 9H-Fluoren-9-one in Organic Solvents. *Journal of Chemical and Engineering Data*. 57: 1279-1287. <http://dx.doi.org/10.1021/je201282d>.
- Wei, YX; Li, ZE; Hu, YF; Xu, ZH. (2003). Inhibition of mouse liver lipid peroxidation by high molecular weight phlorotannins from *Sargassum kjellmanianum*. *J Appl Phycol*. 15: 507-511.
- Weigel, K; Riese, M; Hoffmann, L; Hoefler, S; Kalicinsky, C; Knieling, P; Olschewski, F; Preusse, P; Spang, R; Stroh, F; Volk, CM. (2010). CRISTA-NF measurements during the AMMA-SCOUT-O3 aircraft campaign. *Atmos Meas Tech*. 3: 1437-1455. <http://dx.doi.org/10.5194/amt-3-1437-2010>.
- Wei-hua, Z; Xie, Q; Zhuo-yong, Z. (2007). Catalytic reductive dechlorination of p-chlorophenol in water using Ni/Fe nanoscale particles. *J Environ Sci*. 19: 362-366. [http://dx.doi.org/10.1016/S1001-0742\(07\)60060-6](http://dx.doi.org/10.1016/S1001-0742(07)60060-6).
- Weirong, J; Lempe, DA. (2006). Calculation of viscosities of liquid mixtures using Eyring's theory in combination with cubic equations of state. *Chinese Journal of Chemical Engineering*. 14: 770-779.
- Weisenstein, DK; Ko, MKW; Sze, ND. (1992). THE CHLORINE BUDGET OF THE PRESENT-DAY ATMOSPHERE - A MODELING STUDY. *J Geophys Res Atmos*. 97: 2547-2559.
- Weiss, A. (1996). Sources of airborne CCl4: Critical remarks (pp. 112-114). (ISSN 0944-1344; EISSN 1614-7499; BIOSIS/96/31124). Weiss, A.
- Weissflog, L; Elansky, N; Putz, E; Krueger, G; Lange, CA; Lisitzina, L; Pfennigsdorff, A. (2004). Trichloroacetic acid in the vegetation of polluted and remote areas of both hemispheres - Part II: Salt lakes as novel sources of natural chlorohydrocarbons. *Atmos Environ*. 38: 4197-4204. <http://dx.doi.org/10.1016/j.atmosenv.2004.04.032>.
- Welhouse, GJ; Bleam, WF. (1992). NMR SPECTROSCOPIC INVESTIGATION OF HYDROGEN-BONDING IN ATRAZINE. *Environ Sci Technol*. 26: 959-964.
- Welhouse, GJ; Bleam, WF. (1993). ATRAZINE HYDROGEN-BONDING POTENTIALS. *Environ Sci Technol*. 27: 494-500.
- Welhouse, GJ; Bleam, WF. (1993). COOPERATIVE HYDROGEN-BONDING OF ATRAZINE. *Environ Sci Technol*. 27: 500-505.
- Wen, Y; Zhao, J; Nirala, SK; Bhadauria, M. (2012). Aluminum-Induced Toxicity and Its Response to Combined Treatment of HEDTA and Propolis in Rats. *Pol J Environ Stud*. 21: 1437-1443.
- Weng, WL. (1999). Viscosities and densities for binary mixtures of anisole with 1-butanol, 1-pentanol, 1-hexanol, 1-heptanol, and 1-octanol. *Journal of Chemical and Engineering Data*. 44: 63-66.
- Wenger, AK; Farouk, B; Wittle, JK. (1999). Analysis of material recovery in plasma arc melting of solid wastes: A computational study. *J Air Waste Manag Assoc*. 49: 279-288.
- Wenying, X; Ping, L; Jinhong, F. (2008). Reduction of nitrobenzene by the catalyzed Fe/Cu process. *J Environ Sci*. 20: 915-921.
- West, GB; Woodruff, WH; Brown, JH. (2002). Allometric scaling of metabolic rate from molecules and mitochondria to cells and mammals. *Proc Natl Acad Sci USA*. 99: 2473-2478. <http://dx.doi.org/10.1073/pnas.012579799>.
- Weston, A; Murthy, M. (1996). Synthesis of fullerenes: An effort to optimize process parameters. *Carbon*. 34: 1267-1274.
- White, MA; Perry, RT. (1994). MELTING BEHAVIOR IN BINARY COMPOUNDS - INCLUSION-COMPOUNDS AS EXAMPLES OF CONGRUENT VS INCONGRUENT MELTING. *Chem Mater*. 6: 603-610.

Fate Literature Search Results

Off Topic

- White, MD; Oostrom, M; Lenhard, RJ. (2004). A practical model for mobile, residual, and entrapped NAPL in water-wet porous media. *Ground Water*. 42: 734-746.
- White, MD; Oostrom, M; Rockhold, ML; Rosing, M. (2008). Scalable modeling of carbon tetrachloride migration at the hanford site using the STOMP simulator. *Vadose Zone Journal*. 7: 654-666. <http://dx.doi.org/10.2136/vzj2007.0070>.
- Whittaker, SG; Zimmermann, FK; Dicus, B; Piegorsch, WW; Fogel, S; Resnick, MA. (1989). Detection of induced mitotic chromosome loss in *Saccharomyces cerevisiae*--an interlaboratory study. *Mutat Res*. 224: 31-76.
- Wiersma, R; Stotz, JAH; Pitts, OJ; Wang, CX; Thewalt, MLW; Watkins, SP. (2001). P-type carbon doping of GaSb. *Journal of Electronic Materials*. 30: 1429-1432.
- Wilcosky, TC; Checkoway, H; Marshall, EG; Tyroler, HA. (1984). Cancer mortality and solvent exposures in the rubber industry. *Am Ind Hyg Assoc J*. 45: 809-811. <http://dx.doi.org/10.1080/15298668491400683>.
- Wilde, K. (1982). DESORPTION-KINETICS OF CARBON-TETRACHLORIDE FROM ACTIVATED CARBON - COMMENT. *Environ Sci Technol*. 16: 731-732.
- Will Castro, LSE, P; Gomes Castro, AJ; Nascimento Santos, M, daS; Pinheiro, T, deS; Florentin, K, deQ; Alves, LG; Soriano, EM; Araujo, RM; Leite, EL. (2016). Effect of galactofucan sulfate of a brown seaweed on induced hepatotoxicity in rats, sodium pentobarbital-induced sleep, and anti-inflammatory activity. *J Appl Phycol*. 28: 2005-2017. <http://dx.doi.org/10.1007/s10811-015-0698-y>.
- Will, O; Mahler, HC; Arrigo, AP; Epe, B. (1999). Influence of glutathione levels and heat shock on the steady state levels of oxidative DNA base modifications in mammalian cells. *Carcinogenesis*. 20: 333-337.
- Williams, AGB; Scherer, MM. (2004). Spectroscopic evidence for Fe(II)-Fe(III) electron transfer at the iron oxide-water interface. *Environ Sci Technol*. 38: 4782-4790. <http://dx.doi.org/10.1021/es049373g>.
- Williams, BA; Chou, CJ. (2007). Characterizing vertical contaminant distribution in a thick unconfined aquifer, Hanford site, Washington, USA. *Environ Geol*. 53: 879-890. <http://dx.doi.org/10.1007/s00254-007-0700-3>.
- Williams, PRD; Benton, L; Sheehan, PJ. (2004). The risk of MTBE relative to other VOCs in public drinking water in California. *Risk Anal*. 24: 621-634. <http://dx.doi.org/10.1111/j.0272-4332.2004.00463.x>.
- Wills, PJ; Asha, VV. (2012). *Lygodium flexuosum* extract down regulates the expression of proinflammatory cytokines in CCl4-induced hepatotoxicity. *Asian Pacific Journal of Tropical Medicine*. 5: 421-426. [http://dx.doi.org/10.1016/S1995-7645\(12\)60072-8](http://dx.doi.org/10.1016/S1995-7645(12)60072-8).
- Wilson, JG. (1954). Influence of the offspring of altered physiologic states during pregnancy in the rat. *Ann N Y Acad Sci*. 57: 517-525.
- Wilson, SC; Burnett, V; Waterhouse, KS; Jones, KC. (1994). Volatile organic compounds in digested United Kingdom sewage sludges. *Environ Sci Technol*. 28: 259-266. <http://dx.doi.org/10.1021/es00051a012>.
- Wiltowski, TS; Howerton, RD; Lalvani, SB; Zamansky, V. (2001). Photocatalytic oxidation of trichloroethylene and carbon tetrachloride using titanium dioxide filter as a catalyst. *Energy Sources*. 23: 845-852.
- Winchell, LJ; Novak, PJ. (2008). Enhancing polychlorinated biphenyl dechlorination in fresh water sediment with biostimulation and bioaugmentation. *Chemosphere*. 71: 176-182. <http://dx.doi.org/10.1016/j.chemosphere.2007.10.021>.
- Winkelmann, K; Calhoun, RL; Mills, G. (2012). Effects of Periodic Illumination and Aqueous/Organic Interfacial Surface Area on Chain Propagation of CCl3F Reduction. *J Phys Chem C*. 116: 2829-2837. <http://dx.doi.org/10.1021/jp205543a>.
- Wisniak, J. (1983). ENTHALPY CONCENTRATION DATA FOR THE SYSTEMS CARBON TETRACHLORIDE-XYLENE. 21: 105-108.
- Wisniak, J; Tamir, A. (1975). VAPOR-LIQUID-EQUILIBRIA IN SYSTEM CARBON TETRACHLORIDE ACETIC ACID. *Journal of Chemical and Engineering Data*. 20: 168-170.
- Witt, ME; Dybas, MJ; Wiggert, DC; Criddle, CS. (1999). Use of bioaugmentation for continuous removal of carbon tetrachloride in model aquifer columns. *Environ Eng Sci*. 16: 475-485.
- Witt, ME; Dybas, MJ; Worden, RM; Criddle, CS. (1999). Motility-enhanced bioremediation of carbon tetrachloride-contaminated aquifer sediments. *Environ Sci Technol*. 33: 2958-2964.
- Wolf, CR; Mansuy, D; Nastainczyk, W; Deutschmann, G; Ullrich, V. (1977). The reduction of polyhalogenated methanes by liver microsomal cytochrome P450. *Mol Pharmacol*. 13: 698-705.
- Wolff, HA; Rolke, D; Rave-Fränk, M; Schirmer, M; Eicheler, W; Doerfler, A; Hille, A; Hess, CF; Matthias, C; Rödel, RM; Christiansen, H. (2011). Analysis of chemokine and chemokine receptor expression in squamous cell carcinoma of the head and neck (SCCHN) cell lines. *Radiat Environ Biophys*. 50: 145-154. <http://dx.doi.org/10.1007/s00411-010-0341-x>.
- Won, YS, oo. (2007). Thermal stability and reaction mechanism of chloromethanes in excess hydrogen atmosphere. *J Ind Eng Chem*. 13: 400-405.
- Won, YS, oo. (2012). Comparison for thermal decomposition and product distribution of chloroform under each argon and hydrogen reaction atmosphere. *Korean J Chem Eng*. 29: 1745-1751. <http://dx.doi.org/10.1007/s11814-012-0086-0>.
- Won, YS; Bozzelli, JW. (1992). CHLOROFORM PYROLYSIS - EXPERIMENT AND DETAILED REACTION MODEL. *Combust Sci Tech*. 85: 345-373.
- Wong, CK; Ooi, VEC; Ang, PO. (2000). Protective effects of seaweeds against liver injury caused by carbon tetrachloride in rats. *Chemosphere*. 41: 173-176.
- Wong, CK; Ooi, VEC; Ang, PO. (2004). Hepatoprotective effect of seaweeds' methanol extract against carbon tetrachloride-induced poisoning in rats. *Hydrobiologia*. 512: 267-270.
- Wong, CK; Ooi, VEC; Wong, CK. (2003). Protective effects of N-acetylcysteine against carbon tetrachloride- and trichloroethylene-induced poisoning in rats. *Environ Toxicol Pharmacol*. 14: 109-116. [http://dx.doi.org/10.1016/S1382-6689\(03\)00045-0](http://dx.doi.org/10.1016/S1382-6689(03)00045-0).
- Wood, GO; Moyer, ES. (1991). A Review and Comparison of Adsorption Isotherm Equations Used to Correlate and Predict Organic Vapor Cartridge Capacities. *Am Ind Hyg Assoc J*. 52: 235-242.
- Workman, DJ; Woods, SL; Gorby, YA; Fredrickson, JK; Truex, MJ. (1997). Microbial reduction of vitamin B-12 by *Shewanella* alga strain BrY with subsequent transformation of carbon tetrachloride. *Environ Sci Technol*. 31: 2292-2297.

Fate Literature Search Results

Off Topic

- Wright, H; Ramkrishna, D. (1994). FACTORS AFFECTING COALESCENCE FREQUENCY OF DROPLETS IN A STIRRED LIQUID-LIQUID DISPERSION. *AIChE J.* 40: 767-776.
- Wu, B; Li, Y; Li, X; Zhu, J. (2015). Distribution and Identification of Chlorides in Distillates from YS Crude Oil. *Energy Fuels.* 29: 1391-1396. <http://dx.doi.org/10.1021/ef502450w>.
- Wu, CD; Liu, XH; Fan, JC; Wang, LS. (2001). Ultrasonic destruction of chloroform and carbon tetrachloride in aqueous solution. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 36: 947-955.
- Wu, D; Shao, B; Feng, Y; Ma, L. (2015). Effects of Cu²⁺, Ag⁺, and Pd²⁺ on the reductive debromination of 2,5-dibromoaniline by the ferrous hydroxy complex. *Environ Technol.* 36: 901-908. <http://dx.doi.org/10.1080/09593330.2014.966766>.
- Wu, D; Wang, Z; Wang, HW, u; Fan, J; Ma, L, uM. (2009). EFFECT OF Cu ON THE REDUCTIVE DECHLORINATION OF CHLORINATED HYDROCARBONS IN WATER BY SCRAP-IRON. *Fresen Environ Bull.* 18: 423-428.
- Wu, G; Gao, F; Kaltchev, M; Gutow, J; Mowlem, JK; Schramm, WC; Kotvis, PV; Tysoe, WT. (2002). An investigation of the tribological properties of thin KCl films on iron in ultrahigh vacuum: modeling the extreme-pressure lubricating interface. *Wear.* 252: 595-606.
- Wu, HM; Mcbride, TJ; Isanhart, JP; Cox, SB; Hooper, MJ. (2009). Responses of glutamate cysteine ligase and glutathione to oxidants in deer mice (*Peromyscus maniculatus*). *Ecotoxicol Environ Saf.* 72: 1572-1578. <http://dx.doi.org/10.1016/j.ecoenv.2009.02.008>.
- Wu, J; Yin, W; Gu, J; Li, P; Wang, X; Yang, B, o. (2013). A biotic Fe-0-H₂O system for nitrobenzene removal from groundwater. *Chem Eng J.* 226: 14-21. <http://dx.doi.org/10.1016/j.cej.2013.04.021>.
- Wu, JF; Ma, L; Zhao, HY; Wang, ZJ. (2002). The separation of chloromethane mixtures and the recovery of dichloromethane, chloroform and carbon tetrachloride by activated carbon fibre. *AST.* 20: 169-177.
- Wu, JJ; Ku, CH; Wong, TC; Wu, CT; Chen, KH; Chen, LC. (2005). Growth of nanocrystalline diamond films in CCl₄/H₂ ambient. *Thin Solid Films.* 473: 24-30. <http://dx.doi.org/10.1016/j.tsf.2004.06.152>.
- Wu, JM; Huang, HS; Livengood, CD. (1992). ULTRASONIC DESTRUCTION OF CHLORINATED COMPOUNDS IN AQUEOUS-SOLUTION. *Environmental Progress.* 11: 195-201.
- Wu, L; Shamsuzzoha, M; Ritchie, SMC. (2005). Preparation of cellulose acetate supported zero-valent iron nanoparticles for the dechlorination of trichloroethylene in water. *J Nanopart Res.* 7: 469-476. <http://dx.doi.org/10.1007/s11051-005-4271-5>.
- Wu, S; Shen, X; Ji, Z; Zhu, G; Zhou, H, u; Zang, H; Yu, T; Chen, C; Song, C; Feng, L; Zhao, M, i; Chen, K. (2017). Morphological syntheses and photocatalytic properties of well-defined sub-100 nm Ag/AgCl nanocrystals by a facile solution approach. *J Alloy Comp.* 693: 132-140. <http://dx.doi.org/10.1016/j.jallcom.2016.09.162>.
- Wu, X; Gu, X; Lu, S; Qiu, Z; Sui, Q; Zang, X; Miao, Z; Xu, M; Danish, M. (2016). Accelerated degradation of tetrachloroethylene by Fe(II) activated persulfate process with hydroxylamine for enhancing Fe(II) regeneration. *J Chem Tech Biotechnol.* 91: 1280-1289. <http://dx.doi.org/10.1002/jctb.4718>.
- Wu, X; Gu, X; Lu, S; Xu, M; Zang, X; Miao, Z; Qiu, Z; Sui, Q. (2014). Degradation of trichloroethylene in aqueous solution by persulfate activated with citric acid chelated ferrous ion. *Chem Eng J.* 255: 585-592. <http://dx.doi.org/10.1016/j.cej.2014.06.085>.
- Wu, X; Letuchy, YA; Eyman, DP. (1996). Catalytic hydrodechlorination of CCl₄ over silica-supported PdCl₂-containing molten salt catalysts: The promotional effects of CoCl₂ and CuCl₂. *J Catal.* 161: 164-177.
- Wu, X; Lu, S; Qiu, Z; Sui, Q; Lin, K; Du, X; Luo, Q. (2014). The reductive degradation of 1,1,1-trichloroethane by Fe(0) in a soil slurry system. *Environ Sci Pollut Res Int.* 21: 1401-1410. <http://dx.doi.org/10.1007/s11356-013-2029-7>.
- Wu, Y, aD; He, J; Huang, Y, uD; Tang, F, ei; Wang, F. (2012). Investigation on Degradation and Stability of Oxidized Regenerated Cellulose. *Fibers and Polymers.* 13: 582-586. <http://dx.doi.org/10.1007/s12221-012-0582-1>.
- Wu, Y, aD; He, J; Huang, Y, uD; Wang, F; Tang, F, ei. (2012). Oxidation of Regenerated Cellulose with Nitrogen Dioxide/Carbon Tetrachloride. *Fibers and Polymers.* 13: 576-581. <http://dx.doi.org/10.1007/s12221-012-0576-z>.
- Wu, Y; Liu, Y; Ding, XM; Obbard, EG; Wang, XZ; Ding, HJ; Hou, XY; Li, XB. (2004). Passivation of GaAs field-effect transistors in diluted S₂Cl₂ solution. *Appl Surf Sci.* 228: 5-9. <http://dx.doi.org/10.1016/j.apsusc.2004.01.037>.
- Wu, Y; Ma, C. (2011). Remediation technology of groundwater contaminated by perchloroethylene. *Int J Environ Pollut.* 45: 176-185.
- Wu, Y; Wang, SC; Jin, MR; Yang, XY. (2001). Poly(acrylate-co-acrylic acid)/polysulfone composite membranes for pervaporation of volatile organic compounds from water. *Separation Science and Technology.* 36: 3529-3540.
- Wu, YP; Won, YS. (2000). Pyrolysis of chloromethanes. *Combust Flame.* 122: 312-326.
- Wu, YPG; Lin, YF. (2004). The oxidation of trichloroethene with methane: Experiment and kinetic modeling. *Combust Flame.* 137: 376-402. <http://dx.doi.org/10.1016/j.combustflame.2004.03.002>.
- Wu, Z, hiLin; Ondruschka, B; Braeutigam, P. (2007). Degradation of chlorocarbons driven by hydrodynamic cavitation. *Chem Eng Tech.* 30: 642-648. <http://dx.doi.org/10.1002/ceat.200600288>.
- Wu, ZL; Gao, X; Luo, ZY; Ni, MJ; Cen, KF. (2004). Decomposition characteristics of toluene by a corona radical shower system. *J Environ Sci.* 16: 543-547.
- Wyrebowska, J; Jerzykowski, T. (1980). SOME PROPERTIES OF AMINOPROPANOL DEHYDROGENASE IN RAT SERUM STUDIED IN NORMAL CONDITIONS AND IN ACUTE CARBON-TETRACHLORIDE POISONING. *J Toxicol Environ Health.* 6: 613-620.
- Xia, D; Liu, B; Xin, W; Liu, T; Sun, J; Liu, N; Qin, S; Du, Z. (2016). Protective effects of C-phycoerythrin on alcohol-induced subacute liver injury in mice. *J Appl Phycol.* 28: 765-772. <http://dx.doi.org/10.1007/s10811-015-0677-3>.
- Xiang, BS; Kevan, L. (1995). EFFECTS OF CHLOROMETHANES ON THE PHOTOIONIZATION OF METHYLPHENOTHIAZINE IN SILICA-GELS AT ROOM-TEMPERATURE. *Langmuir.* 11: 860-863.
- Xiao, JB, o; Yang, CS; Ren, F, enL; Jiang, X, inYu; Xu, M. (2007). Rapid determination of ciprofloxacin lactate in drugs by the Rayleigh light scattering technique. *Meas Sci Technol.* 18: 859-866. <http://dx.doi.org/10.1088/0957-0233/18/3/039>.

Fate Literature Search Results

Off Topic

- Xiao, X; Jiang, J; Zhang, L. (2013). Selective oxidation of benzyl alcohol into benzaldehyde over semiconductors under visible light: The case of Bi(12)O(17)Cl(2) nanobelts. *Appl Catal B-Environ.* 142-143 (Nov 2013): 487-493. <http://dx.doi.org/10.1016/j.apcatb.2013.05.047>.
- Xiao, X; Prinn, RG; Fraser, PJ; Weiss, RF; Simmonds, PG; O'Doherty, S; Miller, BR; Salameh, PK; Harth, CM; Krummel, PB; Golombek, A; Porter, LW; Butler, JH; Elkins, JW; Dutton, GS; Hall, BD; Steele, LP; Wang, RHJ; Cunnold, DM. (2010). Atmospheric three-dimensional inverse modeling of regional industrial emissions and global oceanic uptake of carbon tetrachloride. *Atmos Chem Phys.* 10: 10421-10434. <http://dx.doi.org/10.5194/acp-10-10421-2010>.
- Xie, L; Shang, C. (2006). Effects of copper and palladium on the reduction of bromate by Fe(0). *Chemosphere.* 64: 919-930. <http://dx.doi.org/10.1016/j.chemosphere.2006.01.042>.
- Xie, MX; Yang, XJ; Wang, QC; Zhi, JF. (1995). STUDIES ON ORGANOMETALLIC COMPOUNDS BY FT-IR. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxicol.* 30: 1569-1576.
- Xie, SM; Wan, PY; Feitz, AJ; Guan, J; Yang, XB; Liu, XG. (2004). Dechlorination of chlorinated aliphatic compounds by micro-scale Al-Zn-Mg/Fe powders as advanced zero-valent iron. *Chinese Journal of Chemical Engineering.* 12: 716-718.
- Xie, Y; Cwiertny, DM. (2013). Chlorinated Solvent Transformation by Palladized Zerovalent Iron: Mechanistic Insights from Reductant Loading Studies and Solvent Kinetic Isotope Effects. *Environ Sci Technol.* 47: 7940-7948. <http://dx.doi.org/10.1021/es401481a>.
- Xie, Y; Dong, H; Zeng, G; Tang, L; Jiang, Z; Zhang, C; Deng, J; Zhang, L; Zhang, Y. (2017). The interactions between nanoscale zero-valent iron and microbes in the subsurface environment: A review [Review]. *J Hazard Mater.* 321: 390-407. <http://dx.doi.org/10.1016/j.jhazmat.2016.09.028>.
- Xieqi, M; Cicek, B; Senkan, SM. (1993). CHEMICAL STRUCTURES OF FUEL-RICH AND FUEL-LEAN FLAMES OF CCL4/CH4 MIXTURES. *Combust Flame.* 94: 131-145.
- Xing, C; Guan, J; Li, Y; Li, J. (2014). Effect of a room-temperature ionic liquid on the structure and properties of electrospun poly(vinylidene fluoride) nanofibers. *6: 4447-4457.* <http://dx.doi.org/10.1021/am500061v>.
- Xing, P, fei; Guo, J; Zhuang, Y, anxin; Li, F; Tu, G, anF. (2013). Rapid recovery of polycrystalline silicon from kerf loss slurry using double-layer organic solvent sedimentation method. *International Journal of Minerals, Metallurgy, and Materials.* 20: 947-952. <http://dx.doi.org/10.1007/s12613-013-0819-z>.
- Xing, S; Zhao, G; Yuan, Y. (2008). Preparation of polyaniline-polypyrrole composite sub-micro fibers via interfacial polymerization. *Polymer Composites.* 29: 22-26. <http://dx.doi.org/10.1002/pc.20344>.
- Xingyuan, N; Yang, L; Zhihua, Z; Jun, S; Bin, Z; Guangming, W. (2010). Surface Modification and Adsorption Properties of SiO2 Nanoporous Aerogels. *39: 22-25.*
- Xu, C; Liu, R; Chen, L; Tang, J. (2016). Enhanced dechlorination of 2,4-dichlorophenol by recoverable Ni/Fe-Fe3O4 nanocomposites. *J Environ Sci.* 48: 92-101. <http://dx.doi.org/10.1016/j.jes.2015.10.033>.
- Xu, H, ui; Zhang, B, in; Yang, Z; Yao, G; Zhao, H. (2014). Solubility of Dichloronitrobenzene in Eight Organic Solvents from T = (278.15 to 303.15) K: Measurement and Thermodynamic Modeling. *Journal of Chemical and Engineering Data.* 59: 1281-1287. <http://dx.doi.org/10.1021/je401044h>.
- Xu, J; Dozier, A; Bhattacharyya, D. (2005). Synthesis of nanoscale bimetallic particles in polyelectrolyte membrane matrix for reductive transformation of halogenated organic compounds. *J Nanopart Res.* 7: 449-467. <http://dx.doi.org/10.1007/s11051-005-4273-3>.
- Xu, J; Szyszkowicz, M; Jovic, B; Cakmak, S; Austin, CC; Zhu, J. (2016). Estimation of indoor and outdoor ratios of selected volatile organic compounds in Canada. *Atmos Environ.* 141: 523-531. <http://dx.doi.org/10.1016/j.atmosenv.2016.07.031>.
- Xu, J, ie; Wu, F, ei; Wu, H, aiTao; Xue, B; Li, YX, in; Cao, Y. (2014). Three-dimensional ordered mesoporous carbon nitride with large mesopores: Synthesis and application towards base catalysis. *Microporous and Mesoporous Materials.* 198: 223-229. <http://dx.doi.org/10.1016/j.micromeso.2014.07.042>.
- Xu, JY; Su, YY; Cheng, J, inS; Li, S, huXia; Liu, R; Li, W, enXin; Xu, G, uoT; Li, QN. (2010). Protective effects of fullerene on carbon tetrachloride-induced acute hepatotoxicity and nephrotoxicity in rats. *Carbon.* 48: 1388-1396. <http://dx.doi.org/10.1016/j.carbon.2009.12.029>.
- Xu, M; Gu, X; Lu, S; Miao, Z; Zang, X; Wu, X; Qiu, Z; Sui, Q. (2016). Degradation of carbon tetrachloride in thermally activated persulfate system in the presence of formic acid. *10: 438-446.* <http://dx.doi.org/10.1007/s11783-015-0798-6>.
- Xu, M; Gu, X; Lu, S; Qiu, Z; Sui, Q. (2014). Role of Reactive Oxygen Species for 1,1,1-Trichloroethane Degradation in a Thermally Activated Persulfate System. *Ind Eng Chem Res.* 53: 1056-1063. <http://dx.doi.org/10.1021/ie403689d>.
- Xu, M; Gu, X; Lu, S; Qiu, Z; Sui, Q; Miao, Z; Zang, X; Wu, X. (2015). Degradation of carbon tetrachloride in aqueous solution in the thermally activated persulfate system. *J Hazard Mater.* 286: 7-14. <http://dx.doi.org/10.1016/j.jhazmat.2014.12.031>.
- Xu, N; Lu, XP; Wang, YR. (2006). Study on ultrasonic degradation of pentachlorophenol solution. *Chemical and Biochemical Engineering Quarterly.* 20: 343-347.
- Xu, NP; Yao, JM; Wang, YR; Shi, J; Lu, BCY. (1991). VAPOR-LIQUID-EQUILIBRIA OF 5 BINARY-SYSTEMS CONTAINING R-22. *Fluid Phase Equilibria.* 69: 261-270.
- Xu, S; Roy, S; Ben, T; Pei, C; Qiu, S. (2015). Enhanced recognition of a nitrogen containing organic compound by adjusting the acidity of the porous organic frameworks base (JUC-Z2). *3: 2628-2633.* <http://dx.doi.org/10.1039/c4ta05640j>.
- Xu, T, jun; Cheng, Y, zhi; Shi, G, e; Wang, R, ixin. (2011). Molecular cloning, characterization, and expression analysis of a disease-resistance related CC chemokine gene in miuiy croaker (Miichthys miuiy). *Aquaculture.* 318: 25-32. <http://dx.doi.org/10.1016/j.aquaculture.2011.04.034>.
- Xu, X; Zhu, T. (2002). Solvent extraction of alkaline earth metals with alkylphosphorus acids. *Chinese Journal of Chemical Engineering.* 10: 25-32.
- Xu, Y; He, Y; Feng, X; Liang, L; Xu, J; Brookes, PC; Wu, J. (2014). Enhanced abiotic and biotic contributions to dechlorination of pentachlorophenol during Fe(III) reduction by an iron-reducing bacterium *Clostridium beijerinckii* Z. *Sci Total Environ.* 473-474: 215-223. <http://dx.doi.org/10.1016/j.scitotenv.2013.12.022>.

Fate Literature Search Results

Off Topic

- Xuan, XL; Li, XZ; Wang, C; Liu, H. (2010). Effects of key reaction parameters on the reductive dechlorination of chloroform with Pd/FeO bimetal in aqueous solution. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 45: 464-470. <http://dx.doi.org/10.1080/10934520903538608>.
- Xue, JL; Liu, GM, in; Zhao, DF; Li, J, inCZi; Su, X, uD. (2013). Inhibition effects of pentachlorophenol (PCP) on anaerobic digestion system. *Desalination and Water Treatment.* 51: 5892-5897. <http://dx.doi.org/10.1080/19443994.2013.803704>.
- Xue, L; Wang, T; Simpson, IJ; Ding, A; Gao, J; Blake, DR; Wang, X; Wang, W; Lei, H; Jin, D. (2011). Vertical distributions of non-methane hydrocarbons and halocarbons in the lower troposphere over northeast China. *Atmos Environ.* 45: 6501-6509. <http://dx.doi.org/10.1016/j.atmosenv.2011.08.072>.
- Yaftian, MR; Zamani, AA; Parinejad, M; Shams, E. (2005). Ion-pair extraction of cadmium complex anions from hydrochloric acid media using oxonium ion-dicyclohexyl-18-crown-6 complex. *Separation and Purification Technology.* 42: 175-180. <http://dx.doi.org/10.1016/j.seppur.2004.07.011>.
- Yaftian, MR; Zamani, AA; Rostamnia, S. (2006). Thorium(IV) ion-selective transport through a bulk liquid membrane containing 2-thenoyltrifluoroacetone as extractant-carrier. *Separation and Purification Technology.* 49: 71-75. <http://dx.doi.org/10.1016/j.seppur.2005.08.009>.
- Yahiaoui, A; Gonzalez, JA; Aitkaci, A; Jose, J; Kehiaian, HV. (1994). ISOTHERMAL VAPOR LIQUID EQUILIBRIA FOR THE 2-BUTANONE PLUS BENZENE PLUS N-OCTANE SYSTEM. *Fluid Phase Equilibria.* 98: 179-187.
- Yakupov, MZ; Shishlov, NM; Shereshovets, VV; Imashev, UB. (2001). Radical formation in liquid phase oxidation of organic sulfides and disulfides with chlorine dioxide. *Petroleum Chemistry.* 41: 48-49.
- Yamada, E; Wakabayashi, K; Koshi, M. (2008). Experimental and numerical analyses of carbon tetrachloride under laser-driven shock compression. *Science and Technology of Energetic Materials.* 69: 71-75.
- Yamada, M; Honda, N; Takasugi, R; Sekine, T. (1999). Rate of solvent extraction of chromium(III) in aqueous solutions with 2-thenoyltrifluoroacetone into chloroform. 6: 41-50.
- Yamada, N; Imai, T; Koyama, E. (2001). Lyotropic aggregate of tripeptide derivatives within organic solvents: Relationship between interpeptide hydrogen bonding and packing arrangements of components. *Langmuir.* 17: 961-963.
- Yamagishi, S; Takahashi, Y. (1991). FURTHER STUDY ON SINTERING BEHAVIOR OF SOL-GEL THO₂ MICROSPHERES. *J Nucl Mater.* 182: 195-202.
- Yamamoto, T; Mizuno, K; Tamori, I; Ogata, A; Nifuku, M; Michalska, M; Prieto, G. (1996). Catalysis-assisted plasma technology for carbon tetrachloride destruction. *I E E E Transactions on Industry Applications.* 32: 100-105.
- Yamamoto, Y; Tagawa, S. (2001). Radiolytic and thermal dechlorination of organic chlorides adsorbed on molecular sieve 13X. *Environ Sci Technol.* 35: 2122-2127.
- Yamamura, S; Watanabe, M; Kanzaki, M; Soda, S; Ike, M. (2008). Removal of arsenic from contaminated soils by microbial reduction of arsenate and quinone. *Environ Sci Technol.* 42: 6154-6159. <http://dx.doi.org/10.1021/es703146f>.
- Yamasaki, T; Oki, N; Okuno, T. (1992). CYCLE OF HALOCARBONS IN THE AIR-WATER PHASE (pp. 25-28). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/93/11338). Yamasaki, T; Oki, N; Okuno, T.
- Yamazaki, K; Ohyama, H; Kurata, K; Wakabayashi, T. (1993). EFFECTS OF DIETARY VITAMIN-E ON CLINICAL COURSE AND PLASMA GLUTAMIC OXALOACETIC TRANSAMINASE AND GLUTAMIC PYRUVIC TRANSAMINASE ACTIVITIES IN HEREDITARY HEPATITIS OF LEC RATS. *Lab Anim Sci.* 43: 61-67.
- Yamini, Y; Chaloosi, M; Ebrahimzadeh, H. (2002). Highly selective and efficient transport of bismuth in bulk liquid membranes containing Cyanex 301. *Separation and Purification Technology.* 28: 43-51.
- Yampolskii, Y; Ovsepian, R. (1991). PERMEATION OF CHLOROMETHANES IN COPOLYMERS OF CHLOROPRENE WITH METHYL-METHACRYLATE AND METHACRYLIC-ACID. *J Memb Sci.* 55: 239-255.
- Yan, C; Wei, Q; Liu, Y, u. (2015). Separation and Analysis of Organic Compounds in Water Soluble Fraction of Bio-Oil. *Journal of Computational and Theoretical Nanoscience.* 12: 2964-2968. <http://dx.doi.org/10.1166/jctn.2015.4207>.
- Yan, J; Luo, X; Wang, W; Chen, F; Toussaint, R; Schmittbuhl, J; Vasseur, G, uy; Zhang, L. (2012). Testing oil saturation distribution in migration paths using MRI. *Journal of Petroleum Science and Engineering.* 86-87: 237-245. <http://dx.doi.org/10.1016/j.petrol.2012.03.027>.
- Yan, J; Şimşir, B; Farmer, AT; Bi, M; Yang, Y; Campagna, SR; Löffler, FE. (2016). The corrinoid cofactor of reductive dehalogenases affects dechlorination rates and extents in organohalide-respiring *Dehalococcoides mccartyi*. *ISME J.* 10: 1092-1101. <http://dx.doi.org/10.1038/ismej.2015.197>.
- Yan, NQ; Zhao, YF; Dan, W; Jia, JP; Wang, WB; Yao, SD. (2004). Degradation of dodecanethiol in dodecane by gamma-irradiation and improvement by sensitization. *Fuel Process Tech.* 85: 1393-1402. <http://dx.doi.org/10.1016/j.fuproc.2004.09.001>.
- Yan, Y; Peng, L; Cheng, N; Bai, H; Mu, L. (2015). Health risk assessment of toxic VOCs species for the coal fire well drillers. *Environ Sci Pollut Res Int.* 22: 15132-15144. <http://dx.doi.org/10.1007/s11356-015-4729-7>.
- Yan, YE; Schwartz, FW. (1999). Oxidative degradation and kinetics of chlorinated ethylenes by potassium permanganate. *J Contam Hydrol.* 37: 3-4.
- Yang, CH; Ting, WJ; Shen, CY; Hsu, HH; Lin, YM; Kuo, CH; Tsai, FJ; Tsai, CH; Tsai, Y; Huang, CY. (2016). Anti-apoptotic effect of San Huang Shel Shin Tang cyclodextrin complex (SHSSTc) on CCl₄-induced hepatotoxicity in rats. *Environ Toxicol.* 31: 663-670. <http://dx.doi.org/10.1002/tox.22078>.
- Yang, F; Liu, R; Tan, Z; Wen, X; Zheng, C; Lv, Y. (2010). Sensitive determination of mercury by a miniaturized spectrophotometer after in situ single-drop microextraction. *J Hazard Mater.* 183: 549-553. <http://dx.doi.org/10.1016/j.jhazmat.2010.07.059>.
- Yang, GF; Zhang, QY; Zhao, SY; Deng, ZD; Yang, ZM; Jiang, ZH. (2006). Dehydration of Er³⁺-doped phosphate glasses using reactive agent bubble flow method. *Journal of Non-Crystalline Solids.* 352: 827-831. <http://dx.doi.org/10.1016/j.jnoncrysol.2006.01.020>.
- Yang, GF; Zhao, SY; Deng, ZD; Sun, JS; Jiang, ZH. (2005). Removal of OH groups in Er³⁺-doped phosphate glasses by reaction atmosphere process. *Wuji Cailiao Xuebao.* 20: 1083-1088.

Fate Literature Search Results

Off Topic

- Yang, H, eeC; Cho, YJ; Eun, H, eeC; Kim, EH, o. (2007). Destruction of chlorinated organic solvents in a two-stage molten salt oxidation reactor system. *Chem Eng Sci.* 62: 5137-5143. <http://dx.doi.org/10.1016/j.ces.2007.01.055>.
- Yang, HC; Cho, YJ; Eun, HC; Kim, EH. (2008). Destruction of chlorobenzene and carbon tetrachloride in a two-stage molten salt oxidation reactor system. *Chemosphere.* 73: S311-S315. <http://dx.doi.org/10.1016/j.chemosphere.2008.03.045>.
- Yang, J, aeHa; Jun, SC; Kwon, HP, yo; Lee, KK, un. (2014). Tracing of residual multiple DNAPL sources in the subsurface using Rn-222 as a natural tracer at an industrial complex in Wonju, Korea. *Environ Earth Sci.* 71: 407-417. <http://dx.doi.org/10.1007/s12665-013-2448-2>.
- Yang, J; Wang, K; Zhao, Q; Huang, L; Yuan, CS; Chen, WH; Yang, WB. (2014). Underestimated public health risks caused by overestimated VOC removal in wastewater treatment processes. *Environ Sci Process Impacts.* 16: 271-279. <http://dx.doi.org/10.1039/c3em00487b>.
- Yang, LW; Wright, PD; Brusenback, PR; Ko, SK; Kaleta, A. (1991). MILLIMETER-WAVE PERFORMANCE OF CARBON-DOPED-BASE ALGAAS/GAAS HBTs. *Electronics Letters.* 27: 1145-1147.
- Yang, Q; Scott, D; Chung, T; Stillman, GE. (2000). Optimization of emitter cap growth conditions for InGaP/GaAs HBTs with high current gain by LP-MOCVD. *Journal of Electronic Materials.* 29: 75-79.
- Yang, QY; Zhong, CL. (2005). Atomistic molecular dynamics simulation of liquid carbon tetrachloride confined in pillared pore materials. *Chem Eng Sci.* 60: 767-775. <http://dx.doi.org/10.1016/j.ces.2004.09.002>.
- Yang, RS; El-Masri, HA; Thomas, RS; Dobrev, ID; Dennison, JE; Bae, DS; Campaign, JA; Liao, KH; Reisfeld, B; Andersen, ME; Mumtaz, M. (2004). Chemical mixture toxicology: from descriptive to mechanistic, and going on to in silico toxicology. *Environ Toxicol Pharmacol.* 18: 65-81. <http://dx.doi.org/10.1016/j.etap.2004.01.015>.
- Yang, RSH. (1998). Some critical issues and concerns related to research advances on the toxicology of chemical mixtures. *Environ Health Perspect.* 106: 1059-1063. <http://dx.doi.org/10.2307/3434152>.
- Yang, WH; Cenkowski, S. (1993). DIFFUSION OF SUGAR IN MICROWAVE DENATURED SUGAR-BEET TISSUES. *Trans ASAE.* 36: 1185-1188.
- Yang, X; Li, Y, an; Lu, A; Yan, Y; Wang, C; Wong, P, oK. (2011). Photocatalytic reduction of carbon tetrachloride by natural sphalerite under visible light irradiation. *Solar Energy Materials and Solar Cells.* 95: 1915-1921. <http://dx.doi.org/10.1016/j.solmat.2011.02.020>.
- Yang, Z; Du, M; Jiang, J. (2016). Reducing capacities and redox potentials of humic substances extracted from sewage sludge. *Chemosphere.* 144: 902-908. <http://dx.doi.org/10.1016/j.chemosphere.2015.09.037>.
- Yao, M; Wang, L, in; Hu, X, in; Hu, G; Luo, M; Fan, M. (2015). Synthesis of nitrogen-doped carbon with three-dimensional mesostructures for CO₂ capture. *Journal of Materials Science.* 50: 1221-1227. <http://dx.doi.org/10.1007/s10853-014-8678-1>.
- Yassaa, N; Ciccioli, P; Brancaleoni, E; Frattoni, M; Meklati, BY. (2011). Ambient measurements of selected VOCs in populated and remote sites of the Sahara desert. *Atmos Res.* 100: 141-146. <http://dx.doi.org/10.1016/j.atmosres.2011.01.001>.
- Yasutake, A; Adachi, T; Suda, I; Hirayama, K. (1993). EFFECT OF FE-OVERLOAD ON THE BIOTRANSFORMATION OF METHYLMERCURY IN RAT. *JTTHE.* 39: 106-113.
- Ye, JC; Chiu, PC. (2006). Transport of atomic hydrogen through graphite and its reaction with azoaromatic compounds. *Environ Sci Technol.* 40: 3959-3964. <http://dx.doi.org/10.1021/es060038x>.
- Yeh, CK; Hsu, CY; Chiu, CH; Huang, KL. (2008). Reaction efficiencies and rate constants for the goethite-catalyzed Fenton-like reaction of NAPL-form aromatic hydrocarbons and chloroethylenes. *J Hazard Mater.* 151: 562-569. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.014>.
- Yeh, CL; Chen, BR; Tseng, LY; Jao, P; Su, TH; Li, PC. (2015). Shear-wave elasticity imaging of a liver fibrosis mouse model using high-frequency ultrasound. *IEEE Trans Ultrason Ferroelectr Freq Control.* 62: 1295-1307. <http://dx.doi.org/10.1109/TUFFC.2014.006953>.
- Yeh, YH; Hsieh, YL; Lee, YT. (2013). Effects of yam peel extract against carbon tetrachloride-induced hepatotoxicity in rats. *J Agric Food Chem.* 61: 7387-7396. <http://dx.doi.org/10.1021/jf401864y>.
- Yildiz, O. (2007). Characterization of nanocrystalline (Th_{1-x}Ce_x)O-y powders synthesized by co-precipitation process. *J Nucl Mater.* 366: 266-271. <http://dx.doi.org/10.1016/j.jnucmat.2007.01.267>.
- Yilmaz-Ozden, T; Can, A; Karatug, A; Pala-Kara, Z; Okyar, A; Bolkent, S. (2016). Carbon tetrachloride-induced kidney damage and protective effect of *Amaranthus lividus* L. in rats. *Toxicol Ind Health.* 32: 1143-1152. <http://dx.doi.org/10.1177/0748233714555390>.
- Yin, C; Huang, Q; Liu, B; Wang, X; Xie, Y; He, L; Zhang, M; Yang, X, in. (2007). Synthesis and TEM observation of fluffy hollow carbon spheres by FeCl₃ catalyzed solvent-thermal reaction. *Mater Lett.* 61: 4015-4018. <http://dx.doi.org/10.1016/j.matlet.2007.01.008>.
- Yin, G; Cao, L; Xu, P; Jeney, G; Nakao, M; Lu, C. (2011). Hepatoprotective and antioxidant effects of *Glycyrrhiza glabra* extract against carbon tetrachloride (CCl₄)-induced hepatocyte damage in common carp (*Cyprinus carpio*). *Fish Physiol Biochem.* 37: 209-216. <http://dx.doi.org/10.1007/s10695-010-9436-1>.
- Yin, W; Wu, J; Huang, W; Wei, C. (2015). Enhanced nitrobenzene removal and column longevity by coupled abiotic and biotic processes in zero-valent iron column. *Chem Eng J.* 259: 417-423. <http://dx.doi.org/10.1016/j.cej.2014.08.040>.
- Yokouchi, Y. (2005). Estimates of ratios of anthropogenic halocarbon emissions from Japan based on aircraft monitoring over Sagami Bay, Japan. *J Geophys Res.* 110: D06301. <http://dx.doi.org/10.1029/2004JD005320>.
- Yokoyama, C; Ebina, T; Takahashi, S. (1993). MELTING TEMPERATURES OF SEVERAL POLYCYCLIC AND HETEROPOLYCYCLIC AROMATIC-COMPOUNDS UNDER HIGH-PRESSURES. *Fluid Phase Equilibria.* 84: 207-223.
- Yoon, H; Oostrom, M; Wietsma, TW; Werth, CJ; Valocchi, AJ. (2009). Numerical and experimental investigation of DNAPL removal mechanisms in a layered porous medium by means of soil vapor extraction. *J Contam Hydrol.* 109: 1-13. <http://dx.doi.org/10.1016/j.jconhyd.2009.07.001>.
- Yoon, H; Valocchi, AJ; Werth, CJ. (2007). Effect of soil moisture dynamics on dense nonaqueous phase liquid (DNAPL) spill zone architecture in heterogeneous porous media. *J Contam Hydrol.* 90: 159-183. <http://dx.doi.org/10.1016/j.jconhyd.2006.09.007>.
- Yoon, M; Madden, MC; Barton, HA. (2007). Extrahepatic metabolism by CYP2E1 in PBPK modeling of lipophilic volatile organic chemicals: Impacts on metabolic parameter estimation and prediction of dose metrics. *J Toxicol Environ Health A.* 70: 1527-1541. <http://dx.doi.org/10.1080/15287390701384684>.

Fate Literature Search Results

Off Topic

- Yoshida, K. (1993). Preliminary Exposure Assessment of Volatile Chlorinated Hydrocarbons in Japan. *Chemosphere*. 27: 621-630. [http://dx.doi.org/10.1016/0045-6535\(93\)90097-O](http://dx.doi.org/10.1016/0045-6535(93)90097-O).
- Yoshida, T; Andoh, K; Fukuhara, M. (1999). Estimation of absorption of trihalomethanes and carbon tetrachloride in low-level exposure by inhalation pharmacokinetic analysis in rats. *Arch Environ Contam Toxicol*. 36: 347-354.
- Yoshioka, H; Fukaya, S; Onosaka, S; Nonogaki, T; Nagatsu, A. (2016). Kampo formula "Hochu-ekki-to" suppressed carbon tetrachloride-induced hepatotoxicity in mice. *Environ Health Prev Med*. 21: 579-584. <http://dx.doi.org/10.1007/s12199-016-0571-x>.
- Yoshioka, H; Tanaka, M; Fujii, H; Nonogaki, T. (2016). Sasa veitchii extract suppresses carbon tetrachloride-induced hepato- and nephrotoxicity in mice. *Environ Health Prev Med*. 21: 554-562. <http://dx.doi.org/10.1007/s12199-016-0581-8>.
- You, X; Koda, K; Yamada, T; Uraki, Y. (2015). Preparation of electrode for electric double layer capacitor from electrospun lignin fibers. *Holzforschung*. 69: 1097-1106. <http://dx.doi.org/10.1515/hf-2014-0262>.
- Young, RA; Mehendale, HM. (1989). Carbon tetrachloride metabolism in partially hepatectomized and sham-operated rats pre-exposed to chlordecone (kepone). *J Biochem Mol Toxicol*. 4: 211-219.
- Young, TH; Tang, HS; Chao, YC; Lee, HS; Hsiang, CH; Pao, LH; Hu, OY. (2008). Quantitative rat liver function test by galactose single point method. *Lab Anim*. 42: 495-504. <http://dx.doi.org/10.1258/la.2007.06040e>.
- Yu, JL; Li, JH; Chengz, RG; Ma, YM; Wang, XJ; Liu, JC. (2014). Effect of matrine on transforming growth factor β 1 and hepatocyte growth factor in rat liver fibrosis model. *Asian Pacific Journal of Tropical Medicine*. 7: 390-393. [http://dx.doi.org/10.1016/S1995-7645\(14\)60062-6](http://dx.doi.org/10.1016/S1995-7645(14)60062-6).
- Yu, M; Teel, AL; Watts, RJ. (2016). Activation of Peroxymonosulfate by Subsurface Minerals. *J Contam Hydrol*. 191: 33-43. <http://dx.doi.org/10.1016/j.jconhyd.2016.05.001>.
- Yu, S; Lee, P; Hwang, SI, I. (2015). Groundwater contamination with volatile organic compounds in urban and industrial areas: analysis of co-occurrence and land use effects. *Environ Earth Sci*. 74: 3661-3677. <http://dx.doi.org/10.1007/s12665-015-4551-z>.
- Yu, WG; Qian, J; Lu, YH. (2011). Hepatoprotective effects of 2',4'-dihydroxy-6'-methoxy-3',5'-dimethylchalcone on CCl₄-induced acute liver injury in mice. *J Agric Food Chem*. 59: 12821-12829. <http://dx.doi.org/10.1021/jf2042032>.
- Yu, X; Ghasemzadeh, R; Padilla, I; Irizarry, C; Kaeli, D; Alshawabkeh, A. (2014). Spatiotemporal changes of CVOC concentrations in karst aquifers: Analysis of three decades of data from Puerto Rico. *Sci Total Environ*. 511C: 1-10. <http://dx.doi.org/10.1016/j.scitotenv.2014.12.031>.
- Yu, ZT; Smith, GB. (1997). Chloroform dechlorination by a wastewater methanogenic consortium and cell extracts of *Methanosarcina barkeri*. *Water Res*. 31: 1879-1886.
- Yuen, ST; Gogo, AR; Luk, IS; Cho, CH; Ho, JC; TT, L. (1995). The effect of nicotine and its interaction with carbon tetrachloride in the rat liver. *Pharmacol Toxicol*. 77: 225-230.
- Yunis, JJ. (1983). The chromosomal basis of human neoplasia. *Science*. 221: 227-236.
- Yurtseven, H; Dildar, Y. (2011). Calculation of thermodynamic quantities for carbon tetrachloride (CCl₄) close to the III-IV phase transition. *Korean J Chem Eng*. 28: 252-255. <http://dx.doi.org/10.1007/s11814-010-0320-6>.
- Yusufoglu, HS. (2014). Analgesic, antipyretic, anti-inflammatory, hepatoprotective and nephritic effects of the aerial parts of *Pulicaria arabica* (Family: Compositae) on rats. *Asian Pacific Journal of Tropical Medicine*. 7S1: S583-S590. [http://dx.doi.org/10.1016/S1995-7645\(14\)60293-5](http://dx.doi.org/10.1016/S1995-7645(14)60293-5).
- Yuzawa, H; Aoki, M; Itoh, H; Yoshida, H. (2011). Adsorption and Photoadsorption States of Benzene Derivatives on Titanium Oxide Studied by NMR. *Journal of Physical Chemistry Letters*. 2: 1868-1873. <http://dx.doi.org/10.1021/jz200621w>.
- Zachara, JM; Heald, SM; Jeon, BH, un; Kukkadapu, RK; Liu, C; Mckinley, JP; Dohnalkova, AC; Moore, DA. (2007). Reduction of pertechnetate [Tc(VII)] by aqueous Fe(II) and the nature of solid phase redox products. *Geochim Cosmo Acta*. 71: 2137-2157. <http://dx.doi.org/10.1016/j.gca.2006.10.025>.
- Zafra, A; del Olmo, M; Suárez, B; Hontoria, E; Navalón, A; Vilchez, JL. (2003). Gas chromatographic-mass spectrometric method for the determination of bisphenol A and its chlorinated derivatives in urban wastewater. *Water Res*. 37: 735-742.
- Zaleski, RT; Pavkov, KL; Keller, LH. (2007). Methyl ethyl ketone safety characterization for infants and children: Assessment in the USEPA Voluntary Children's Chemical Evaluation program. *Hum Ecol Risk Assess*. 13: 747-772. <http://dx.doi.org/10.1080/10807030701456585>.
- Zander, AK; Chen, JS; Semmens, MJ. (1992). REMOVAL OF HEXACHLOROCYCLOHEXANE ISOMERS FROM WATER BY MEMBRANE EXTRACTION INTO OIL. *Water Res*. 26: 129-137.
- Zander, R; Gunson, MR; Farmer, CB; Rinsland, CP; Irion, FW; Mahieu, E. (1992). THE 1985 CHLORINE AND FLUORINE INVENTORIES IN THE STRATOSPHERE BASED ON ATMOS OBSERVATIONS AT 30-DEGREES NORTH LATITUDE. *J Atmos Chem*. 15: 171-186.
- Zanozina, II; Babintseva, MV; Polishchuk, NV; Zanozin, IY; Cherentaeva, VV; Diskina, DE. (2003). Determination of chlorine in crude oils and light cuts. *Chemistry and Technology of Fuels and Oils*. 39: 95-97.
- Zararsiz, I; Sarsilmaz, M; Tas, U; Kus, I; Meydan, S; Ozan, E. (2007). Protective effect of melatonin against formaldehyde-induced kidney damage in rats. *Toxicol Ind Health*. 23: 573-579. <http://dx.doi.org/10.1177/0748233708089022>.
- Zarczynski, A; Gorzka, Z; Kazmierczak, M. (2005). Oxidation of tetrachloromethane (TCM) run over/in the presence of monolithic catalysts. *Przemysł Chemiczny*. 84: 943-945.
- Zarczynski, A; Gorzka, Z; Paryczak, T; Kazmierczak, M. (2006). Utilization of organic tetrachloroderivatives over monolithic catalysts. *Przemysł Chemiczny*. 85: 1095-1098.
- Zarczynski, A; Kazmierczak, M; Gorzka, Z; Misiak, M. (2003). Destruction of organo-chlorine, -sulfur and -nitrogen compounds by thermocatalytic oxidation. *Przemysł Chemiczny*. 82: 1075-1077.
- Zarczynski, A; Stopczyk, A; Zaborowski, M; Gorzka, Z; Kazmierczak, M. (2010). Removal of Chloroorganic Compounds from Industrial Effluents Using Various Methods: Advantages of Thermocatalytic Oxidation. 32: 49-54.

Fate Literature Search Results

Off Topic

- Zarczynski, A; Zaborowski, M; Gorzka, Z; Kazmierczak, M. (2013). UTILIZATION OF ENDS FROM PVC PRODUCTION WITH APPLICATION OF Fe-Cr CATALYST - DIOXINS HAZARD. 20: 109-116. <http://dx.doi.org/10.2478/eces-2013-0008>.
- Zazzera, L; Tirrell, M; Evans, JF. (1993). IN-SITU STUDY OF POLY(METHYL METHACRYLATE) ADSORPTION FROM SOLUTION ONTO CHEMICALLY-MODIFIED SI(100) SURFACES BY INTERNAL-REFLECTION INFRARED-SPECTROSCOPY. *Journal of Vacuum Science and Technology A*. 11: 2239-2243.
- Zeiger, E; Anderson, B; Haworth, S; Lawlor, T; Mortelmans, K. (1988). Salmonella mutagenicity tests: IV: Results from the testing of 300 chemicals. *Environ Mol Mutagen*. 11: 1-158. <http://dx.doi.org/10.1002/em.2850110602>.
- Zeise, L; Wilson, R; Crouch, EA. (1987). Dose-response relationships for carcinogens: A review [Review]. *Environ Health Perspect*. 73: 259-306.
- Zelinschi, BC; Dascalu, CF. (2012). The Influence of Electric Field on Special Anisotropic Plates Realized by Poly-(pheny-methacrylic)-ester of Cetyloxybenzoic-acid (PPMAECOBA) in Tetrachloromethane (TCM). *Rev Chim*. 63: 516-519.
- Zergioti, I; Hatziapostolou, A; Hontzopoulos, E; Zervaki, A; Haidemenopoulos, GN. (1995). Pyrolytic laser-based chemical vapour deposition of TiC coatings. *Thin Solid Films*. 271: 96-100.
- Zergioti, I; Zervaki, A; Hatziapostolou, A; Haidemenopoulos, G; Hontzopoulos, E. (1995). Deposition of refractory coatings by LCVD. *Optical and Quantum Electronics*. 27: 1377-1383.
- Zhai, JW; Shen, B; Yao, X; Zhang, LY. (2002). Preparation and spectral properties of Nd2O3-doped silica-based glasses prepared by the sol-gel process. *Ceramics International*. 28: 737-740.
- Zhang, C; Zhang, D; Li, Z; Akatsuka, T; Yang, S; Suzuki, D; Katayama, A. (2014). Insoluble Fe-humic acid complex as a solid-phase electron mediator for microbial reductive dechlorination. *Environ Sci Technol*. 48: 6318-6325. <http://dx.doi.org/10.1021/es501056n>.
- Zhang, D; Ren, Z; Su, X; Liu, C; Tarasov, VV. (2014). The mechanism of interphase mass transfer reaction and precipitation process of HDEHP-TBP-Cu-CCl4/H2C2O4-H2O system. *Separation and Purification Technology*. 137: 116-126. <http://dx.doi.org/10.1016/j.seppur.2014.09.026>.
- Zhang, G; Hua, I. (2000). Ultrasonic degradation of trichloroacetone nitrile, chloropicrin and bromobenzene: design factors and matrix effects. *Adv Environ Res*. 4: 219-224. [http://dx.doi.org/10.1016/S1093-0191\(00\)00021-6](http://dx.doi.org/10.1016/S1093-0191(00)00021-6).
- Zhang, G, en; Mu, Y; Liu, J; Zhang, C; Zhang, Y; Zhang, Y; Zhang, H. (2014). Seasonal and diurnal variations of atmospheric peroxyacetyl nitrate, peroxypropionyl nitrate, and carbon tetrachloride in Beijing. *J Environ Sci*. 26: 65-74. [http://dx.doi.org/10.1016/S1001-0742\(13\)60382-4](http://dx.doi.org/10.1016/S1001-0742(13)60382-4).
- Zhang, H; Fu, Q; Yao, Y; Zhang, Z; Ma, T; Tan, D; Bao, X. (2008). Size-dependent surface reactions of Ag nanoparticles supported on highly oriented pyrolytic graphite. *Langmuir*. 24: 10874-10878. <http://dx.doi.org/10.1021/la801348n>.
- Zhang, H; Weber, EJ. (2009). Elucidating the Role of Electron Shuttles in Reductive Transformations in Anaerobic Sediments. *Environ Sci Technol*. 43: 1042-1048. <http://dx.doi.org/10.1021/es8017072>.
- Zhang, H; Weber, EJ. (2013). Identifying indicators of reactivity for chemical reductants in sediments. *Environ Sci Technol*. 47: 6959-6968. <http://dx.doi.org/10.1021/es302662r>.
- Zhang, HL. (2003). Viscosity and density for binary mixtures of carbon tetrachloride plus chloroform, carbon tetrachloride plus dichloromethane, and chloroform plus dichloromethane and one ternary mixture of chloroform+1 : 1 (carbon tetrachloride plus dichloromethane) at 303.15 K. *Journal of Chemical and Engineering Data*. 48: 52-55. <http://dx.doi.org/10.1021/je020067x>.
- Zhang, HL; Han, SJ. (1997). Viscometric and volumetric studies on binary mixtures of 1,2-dichloroethane and chlorinated methanes or their binary equimolar mixtures at 303.15 K. *Fluid Phase Equilibria*. 140: 233-244.
- Zhang, J; Chen, L; Wei, X; Xu, M; Huang, C; Wang, W; Wang, H. (2014). Characterization of a novel CC chemokine CCL4 in immune response induced by nitrite and its expression differences among three populations of *Megalobrama amblycephala*. *Fish Shellfish Immunol*. 38: 88-95. <http://dx.doi.org/10.1016/j.fsi.2014.02.012>.
- Zhang, J, un; Yao, H; Li, C; Du, X; Bai, X; Li, J; Liu, J. (2014). Solubilities and Thermodynamic Study of Carbon Tetrachloride in Imidazolium Ionic Liquids at Different Temperatures. *Journal of Chemical and Engineering Data*. 59: 672-677. <http://dx.doi.org/10.1021/je4006008>.
- Zhang, L; Yang, W; Zhang, L; Li, X. (2015). Highly chlorinated unintentionally produced persistent organic pollutants generated during the methanol-based production of chlorinated methanes: A case study in China. *Chemosphere*. 133: 1-5. <http://dx.doi.org/10.1016/j.chemosphere.2015.02.044>.
- Zhang, L; Yu, F, ei; Chang, Z; Guo, Y; Li, D. (2012). Extraction Equilibria of Picolinic Acid with Trialkylamine/n-Octanol. *Journal of Chemical and Engineering Data*. 57: 577-581. <http://dx.doi.org/10.1021/je201314m>.
- Zhang, M, an; He, F; Zhao, D. (2015). Catalytic activity of noble metal nanoparticles toward hydrodechlorination: influence of catalyst electronic structure and nature of adsorption. 9: 888-896. <http://dx.doi.org/10.1007/s11783-015-0774-1>.
- Zhang, M; Zhang, H; Li, H; Lai, F; Li, X; Tang, Y; Min, T; Wu, H. (2016). Antioxidant Mechanism of Betaine without Free Radical Scavenging Ability. *J Agric Food Chem*. <http://dx.doi.org/10.1021/acs.jafc.6b03592>.
- Zhang, N; Luo, J; Blowers, P; Farrell, J. (2008). Understanding trichloroethylene chemisorption to iron surfaces using density functional theory. *Environ Sci Technol*. 42: 2015-2020. <http://dx.doi.org/10.1021/es0717663>.
- Zhang, NL; Blowers, P; Farrell, J. (2005). Ab initio study of carbon-chlorine bond cleavage in carbon tetrachloride. *Environ Sci Technol*. 39: 612-617. <http://dx.doi.org/10.1021/es049480a>.
- Zhang, P; Chi, M; Sharma, S; McFarland, E. (2010). Silica encapsulated heterostructure catalyst of Pt nanoclusters on hematite nanocubes: synthesis and reactivity. *J Mater Chem*. 20: 2013-2017. <http://dx.doi.org/10.1039/b918208j>.
- Zhang, R; Zhao, Y; Sun, Y; Lu, X; Yang, X. (2013). Isolation, characterization, and hepatoprotective effects of the raffinose family oligosaccharides from *Rehmannia glutinosa* Libosch. *J Agric Food Chem*. 61: 7786-7793. <http://dx.doi.org/10.1021/jf4018492>.
- Zhang, RZ; Qiu, H; Wang, N; Long, FL; Mao, DW. (2015). Effect of *Rheum palmatum* L. on NF- κ B signaling pathway of mice with acute liver failure. *Asian Pacific Journal of Tropical Medicine*. 8: 841-847. <http://dx.doi.org/10.1016/j.apjtm.2015.09.011>.

Fate Literature Search Results

Off Topic

- Zhang, S; Liu, P; Chen, L; Wang, Y; Wang, Z; Zhang, B. (2015). The effects of spheroid formation of adipose-derived stem cells in a microgravity bioreactor on stemness properties and therapeutic potential. *Biomaterials*. 41: 15-25. <http://dx.doi.org/10.1016/j.biomaterials.2014.11.019>.
- Zhang, T; Huang, J; Zhang, W; Yu, Y; Deng, S; Wang, B; Yu, G. (2013). Coupling the dechlorination of aqueous 4-CP with the mechanochemical destruction of solid PCNB using Fe-Ni-SiO₂. *J Hazard Mater*. 250-251: 175-180. <http://dx.doi.org/10.1016/j.jhazmat.2013.01.072>.
- Zhang, W, ei; Li, L, i; Li, B; Lin, K; Lu, S; Fu, R; Zhu, J; Cui, X. (2013). Mechanism and Pathway of Tetrachloroethylene Dechlorination by Zero-Valent Iron with Cu or Cu/C. *J Environ Eng*. 139: 803-809. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000693](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000693).
- Zhang, W; Liu, F; Gan, W; Zhang, M; Yu, H, ui; Di, X, in; Wang, Y; Wang, C. (2016). Stimulus-Responsive Smart Foam with Dual Wettability for Transfer and Controllable Release of Carbon Tetrachloride. 3. <http://dx.doi.org/10.1002/admi.201600100>.
- Zhang, W; Quan, X; Wang, J; Zhang, Z; Chen, S. (2006). Rapid and complete dechlorination of PCP in aqueous solution using Ni-Fe nanoparticles under assistance of ultrasound. *Chemosphere*. 65: 58-64. <http://dx.doi.org/10.1016/j.chemosphere.2006.02.060>.
- Zhang, W; Yin, L; Tao, X; Xu, L; Zheng, L; Han, X; Xu, Y; Wang, C; Peng, J. (2016). Dioscin alleviates dimethylnitrosamine-induced acute liver injury through regulating apoptosis, oxidative stress and inflammation. *Environ Toxicol Pharmacol*. 45: 193-201. <http://dx.doi.org/10.1016/j.etap.2016.06.002>.
- Zhang, X; Deng, B; Guo, J; Wang, Y; Lan, Y. (2011). Ligand-assisted degradation of carbon tetrachloride by microscale zero-valent iron. *J Environ Manage*. 92: 1328-1333. <http://dx.doi.org/10.1016/j.jenvman.2010.12.020>.
- Zhang, X; Zhang, Q; Peng, Q; Zhou, J; Liao, L; Sun, X; Zhang, L; Gong, T. (2014). Hepatitis B virus preS1-derived lipopeptide functionalized liposomes for targeting of hepatic cells. *Biomaterials*. 35: 6130-6141. <http://dx.doi.org/10.1016/j.biomaterials.2014.04.037>.
- Zhang, Y; Chen, XM; Sun, DL. (2014). Effects of coencapsulation of hepatocytes with adipose-derived stem cells in the treatment of rats with acute-on-chronic liver failure. *Int J Artif Organs*. 37: 133-141. <http://dx.doi.org/10.5301/ijao.5000284>.
- Zhang, Y; Crittenden, JC; Hand, DW; Perram, DL. (1996). Destruction of organic compounds in water using supported photocatalysts. *J Sol Energy Eng*. 118: 123-129.
- Zhang, Y; Jia, Y; Yang, M; Yang, P; Tian, Y; Xiao, A; Wen, A. (2012). The impaired disposition of probe drugs is due to both liver and kidney dysfunctions in CCl₄-model rats. *Environ Toxicol Pharmacol*. 33: 453-458. <http://dx.doi.org/10.1016/j.etap.2012.01.002>.
- Zhang, Y; Li, C; Wang, X; Guo, H; Feng, Y; Chen, J. (2012). Rush-hour aromatic and chlorinated hydrocarbons in selected subway stations of Shanghai, China. *J Environ Sci*. 24: 131-141. [http://dx.doi.org/10.1016/s1001-0742\(11\)60736-5](http://dx.doi.org/10.1016/s1001-0742(11)60736-5).
- Zhang, Y; Yang, B; Han, Y; Jiang, C; Wu, D; Fan, J; Ma, L. (2016). Novel iron metal matrix composite reinforced by quartz sand for the effective dechlorination of aqueous 2-chlorophenol. *Chemosphere*. 146: 308-314. <http://dx.doi.org/10.1016/j.chemosphere.2015.12.047>.
- Zhang, Y; Zhang, K, e; Dai, C; Zhou, X; Si, H. (2014). An enhanced Fenton reaction catalyzed by natural heterogeneous pyrite for nitrobenzene degradation in an aqueous solution. *Chem Eng J*. 244: 438-445. <http://dx.doi.org/10.1016/j.cej.2014.01.088>.
- Zhang, YL; Guo, H; Wang, XM; Simpson, IJ; Barletta, B; Blake, DR; Meinardi, S; Rowland, FS; Cheng, HR; Saunders, SM; Lam, SHM. (2010). Emission patterns and spatiotemporal variations of halocarbons in the Pearl River Delta region, southern China. *J Geophys Res Atmos*. 115. <http://dx.doi.org/10.1029/2009JD013726>.
- Zhang, Z; Cissoko, N; Wo, J; Xu, X. (2009). Factors influencing the dechlorination of 2,4-dichlorophenol by Ni-Fe nanoparticles in the presence of humic acid. *J Hazard Mater*. 165: 78-86. <http://dx.doi.org/10.1016/j.jhazmat.2008.09.08>.
- Zhang, Z; Pu, Y; Pan, Q; Xu, X; Yan, X. (2016). Influences of keratinocyte growth factor - mesenchymal stem cells on chronic liver injury in rats. 44: 1810-1817. <http://dx.doi.org/10.3109/21691401.2015.1105237>.
- Zhang, Z; Wang, C; Zha, Y; Hu, W; Gao, Z; Zang, Y; Chen, J; Zhang, J; Dong, L. (2015). Corona-directed nucleic acid delivery into hepatic stellate cells for liver fibrosis therapy. *ACS Nano*. 9: 2405-2419. <http://dx.doi.org/10.1021/nn505166x>.
- Zhang, Z; Wo, JJ; Cissoko, N; Xu, X, inhua. (2008). Kinetics of 2,4-dichlorophenol dechlorination by Pd-Fe bimetallic nanoparticles in the presence of humic acid. *Journal of Zhejiang University- Science A*. 9: 118-124. <http://dx.doi.org/10.1631/jzus.A071313>.
- Zhang, ZC; Beard, BC. (1998). Genesis of durable catalyst for selective hydrodechlorination of CCl₄ to CHCl₃. *Appl Catal A-Gen*. 174: 33-39.
- Zhang, ZF; Oostrom, M; Ward, AL. (2007). Saturation-dependent hydraulic conductivity anisotropy for multifluid systems in porous media. *Vadose Zone Journal*. 6: 925-934. <http://dx.doi.org/10.2136/vzj2006.0141>.
- Zhang, ZZ; Sparks, DL; Scrivner, NC. (1993). SORPTION AND DESORPTION OF QUATERNARY AMINE CATIONS ON CLAYS. *Environ Sci Technol*. 27: 1625-1631.
- Zhao, L; Wang, Y; Liu, J; Wang, K; Guo, X; Ji, B; Wu, W; Zhou, F. (2016). Protective Effects of Genistein and Puerarin against Chronic Alcohol-Induced Liver Injury in Mice via Antioxidant, Anti-inflammatory, and Anti-apoptotic Mechanisms. *J Agric Food Chem*. 64: 7291-7297. <http://dx.doi.org/10.1021/acs.jafc.6b02907>.
- Zhao, Q; Liang, Y; Stephenson, D; Corbett, J. (2007). Surface and subsurface integrity in diamond grinding of optical glasses on Tetraform 'C'. *International Journal of Machine Tools and Manufacture*. 47: 2091-2097. <http://dx.doi.org/10.1016/j.ijmachtools.2007.05.005>.
- Zhao, QL; Stephenson, D; Corbett, J; Hedge, J; Wang, JH; Liang, YC. (2004). Single grit diamond grinding of Spectrosil 2000 glass on Tetraform 'C'. *Key Eng Mater*. 257-258: 107-112.
- Zhao, S; Zhang, J; Wang, Y. (2013). Electro-casting of proton exchange membranes from a heterogeneous solution. *J Power Sources*. 242: 23-27. <http://dx.doi.org/10.1016/j.jpowsour.2013.05.024>.
- Zhao, T; Boldog, I; Spasojevic, V; Rotaru, A; Garcia, Y; Janiak, C. (2016). Solvent-triggered relaxative spin state switching of [Fe(HB(pz)(3))(2)] in a closed nano-confinement of NH₂-MIL-101(Al). 4. <http://dx.doi.org/10.1039/c6tc01297c>.
- Zhao, X; Xue, CH; Li, ZJ; Cai, YP; Liu, HY; Qi, HT. (2004). Antioxidant and hepatoprotective activities of low molecular weight sulfated polysaccharide from *Laminaria japonica*. *J Appl Phycol*. 16: 111-115.
- Zhao, XP; Turco, RP. (1997). Photodissociation parameterization for stratospheric photochemical modeling. *J Geophys Res Atmos*. 102: 9447-9459.

Fate Literature Search Results

Off Topic

- Zhao, XS; Ma, Q; Lu, GQM. (1998). VOC removal: Comparison of MCM-41 with hydrophobic zeolites and activated carbon. *Energy Fuels*. 12: 1051-1054.
- Zheng, CZ; Wang, J, unL; Li, X, ia; Liu, B, oKai; Wu, Q, i; Lin, XF, u. (2011). Regioselective synthesis of amphiphilic metoprolol-saccharide conjugates by enzymatic strategy in organic media. *Process Biochemistry*. 46: 123-127. <http://dx.doi.org/10.1016/j.procbio.2010.07.028>.
- Zheng, G; Suzuki, K; Miyata, Y; Shimizu, H. (2012). Osmium concentrations and Os-187/Os-188 ratios of three sediment reference materials. *Geochemical Journal*. 46: 143-149.
- Zheng, LX; Yang, H; Xu, DP; Wang, XJ; Li, XF; Li, JB; Wang, YT; Duan, LH; Hu, XW. (1998). Low-temperature growth of cubic GaN by metalorganic chemical-vapor deposition. *Thin Solid Films*. 326: 251-255.
- Zheng, MH; Bao, ZC; Xu, ZB; Wang, K. (1996). Mechanism of photodegradation of polychlorinated dibenzo-p-dioxins in carbon tetrachloride. *Chemosphere*. 32: 603-607.
- Zheng, QS; Sun, XL; Xu, B; Li, G; Song, M. (2005). Mechanisms of apigenin-7-glucoside as a hepatoprotective agent. *Biomed Environ Sci*. 18: 65-70.
- Zheng, T; Zhan, J; He, J; Day, C; Lu, Y; Mcpherson, GL; Piringer, G; John, VT. (2008). Reactivity characteristics of nanoscale zerovalent iron-silica composites for trichloroethylene remediation. *Environ Sci Technol*. 42: 4494-4499. <http://dx.doi.org/10.1021/es702214x>.
- Zheng, W; Yates, SR; Papiernik, SK; Guo, M; Gan, J. (2006). Dechlorination of chloropicrin and 1,3-dichloropropene by hydrogen sulfide species: redox and nucleophilic substitution reactions. *J Agric Food Chem*. 54: 2280-2287. <http://dx.doi.org/10.1021/jf0527100>.
- Zhirnov, E; Stepanov, S; Wang, WN; Shreter, YG; Takhin, DV; Bochkareva, NI. (2004). Influence of cathode material and SiCl₄ gas on inductively coupled plasma etching of AlGaIn layers with Cl-2/Ar plasma. *Journal of Vacuum Science and Technology A*. 22: 2336-2341. <http://dx.doi.org/10.1116/1.1798711>.
- Zhnag, SM; Li, SP; Yan, YH; Chen, XM. (1999). A new polymer-bonded beta-cyclodextrin catalyst for selective synthesis of 4-hydroxybenzoic acid. *Journal of Wuhan University of Technology--Materials Science Edition*. 14: 35-39.
- Zhong, L; Yang, J. (2012). Reduction of Cr(VI) by malic acid in aqueous Fe-rich soil suspensions. *Chemosphere*. 86: 973-978. <http://dx.doi.org/10.1016/j.chemosphere.2011.11.025>.
- Zhou, B; Venart, JES; Hinata, S. (1992). FIBER OPTIC SENSOR FOR LIQUID-MIXTURE COMPOSITION. *Fluid Phase Equilibria*. 79: 175-185.
- Zhou, J; You, Y; Bai, Z; Hu, Y; Zhang, J; Zhang, N. (2011). Health risk assessment of personal inhalation exposure to volatile organic compounds in Tianjin, China. *Sci Total Environ*. 409: 452-459. <http://dx.doi.org/10.1016/j.scitotenv.2010.10.022>.
- Zhou, L; Zong, ZM; Tang, SR; Zong, Y; Xie, RL; Ding, MJ; Zhao, W; Zhu, XF; Xia, ZL; Wu, L; Wei, XY. (2010). FTIR and Mass Spectral Analyses of an Upgraded Bio-oil. *Energ Source Part A*. 32: 370-375. <http://dx.doi.org/10.1080/15567030802467340>.
- Zhou, Q, in; He, H; Frost, R, ayL; Xi, Y. (2008). Changes in the surfaces on DDOAB organoclays adsorbed with paranitrophenol-An XRD, TEM and TG study. *Materials Research Bulletin*. 43: 3318-3326. <http://dx.doi.org/10.1016/j.materresbull.2008.02.015>.
- Zhou, Q; Lan, W; Du, A; Wang, Y; Yang, J; Wu, Y; Yang, K; Wang, X. (2008). Lanthania promoted MgO: Simultaneous highly efficient catalytic degradation and dehydrochlorination of polypropylene/polyvinyl chloride. *Appl Catal B-Environ*. 80: 141-146. <http://dx.doi.org/10.1016/j.apcatb.2007.11.018>.
- Zhou, Q; Zhao, N; Xie, G. (2011). Determination of lead in environmental waters with dispersive liquid-liquid microextraction prior to atomic fluorescence spectrometry. *J Hazard Mater*. 189: 48-53. <http://dx.doi.org/10.1016/j.jhazmat.2011.01.123>.
- Zhou, S; Shao, Y; Gao, N; Zhu, S; Ma, Y; Deng, J. (2014). Chlorination and chloramination of tetracycline antibiotics: disinfection by-products formation and influential factors. *Ecotoxicol Environ Saf*. 107: 30-35. <http://dx.doi.org/10.1016/j.ecoenv.2014.05.008>.
- Zhu, L; Bozzelli, JW; Lay, TH. (1998). Comparison of AM1 and PM3 in MOPAC6 with literature for the thermodynamic parameters of C-1 and C-2 chlorocarbons. *Ind Eng Chem Res*. 37: 3497-3507.
- Zhu, L; Ren, X; Yu, S. (1998). Use of cetyltrimethylammonium bromide-bentonite to remove organic contaminants of varying polar character from water. *Environ Sci Technol*. 32: 3374-3378.
- Zhu, L; Tian, S; Shi, Y; Smith, BJ; Mcalister, JJ; Baptista Neto, JA; Silva, MAM. (2005). ADSORPTION OF VOLATILE ORGANIC COMPOUNDS ONTO POROUS CLAY HETEROSTRUCTURES BASED ON SPENT ORGANOBENTONITES. *Clays and Clay Minerals*. 53: 123-136. <http://dx.doi.org/10.1346/CCMN.2005.0530202>.
- Zhu, L; Xiao, P; Qian, Y. (2012). Fabrication of carbons dendritic hierarchical structure via easy copper substrate-induced solvothermal process at low temperature. *Micro and Nano Letters*. 7: 265-267. <http://dx.doi.org/10.1049/mnl.2012.0118>.
- Zhu, LZ; Chen, BL. (2000). Sorption behavior of p-nitrophenol on the interface between anion-cation organobentonite and water. *Environ Sci Technol*. 34: 2997-3002.
- Zhu, LZ; Li, YM; Zhang, JY. (1997). Sorption of organobentonites to some organic pollutants in water. *Environ Sci Technol*. 31: 1407-1410.
- Zhu, LZ; Su, YH. (2002). Benzene vapor sorption by organobentonites from ambient air. *Clays and Clay Minerals*. 50: 421-427.
- Zhu, Q; D'Agostino, C; Ainte, M; Mantle, MD; Gladden, LF; Ortona, O; Paduano, L; Ciccarelli, D; Moggridge, GD. (2016). Prediction of mutual diffusion coefficients in binary liquid systems with one self-associating component from viscosity data and intra-diffusion coefficients at infinite dilution. *Chem Eng Sci*. 147: 118-127. <http://dx.doi.org/10.1016/j.ces.2016.03.020>.
- Zhu, Q; Moggridge, GD; D'Agostino, C. (2015). A local composition model for the prediction of mutual diffusion coefficients in binary liquid mixtures from tracer diffusion coefficients. *Chem Eng Sci*. 132: 250-258. <http://dx.doi.org/10.1016/j.ces.2015.04.021>.
- Zhu, T; Wan, YD; Li, J; He, XW; Xu, DY; Shu, XQ; Liang, WJ; Jin, YQ. (2011). Volatile organic compounds decomposition using nonthermal plasma coupled with a combination of catalysts. *Int J Environ Sci Tech*. 8: 621-630.
- Zhu, T, ao; Xu, D; He, X; Shu, X; Li, J; Liang, W; Jin, Y; Wan, Y; Wu, Q; Hu, Y. (2010). DECOMPOSITION OF BENZENE IN DRY AIR BY SUPER-IMPOSED BARRIER DISCHARGE NONTHERMAL PLASMA-PHOTOCATALYTIC SYSTEM. *Fresen Environ Bull*. 19: 1275-1282.

Fate Literature Search Results

Off Topic

- Zhu, W; Wang, R; Huang, T; Wu, F. (2014). The characteristics and two-step reaction model of p-nitroacetophenone biodegradation mediated by *Shewanella decolorationis* S12 and electron shuttle in the presence/absence of goethite. *Environ Technol.* 35: 3116-3123. <http://dx.doi.org/10.1080/09593330.2014.931471>.
- Zhu, X; Fan, Z; Wu, X; Meng, QY; Wang, SW; Tang, X; Ohman-Strickland, P; Georgopoulos, P; Zhang, J; Bonanno, L; Held, J; LiyP. (2008). Spatial variation of volatile organic compounds in a "Hot Spot" in New Jersey. *Atmos Environ.* 42: 7329-7338. <http://dx.doi.org/10.1016/j.atmosenv.2008.07.039>.
- Zhu, YH; Jiang, JG. (2008). Toxicity of carbon tetrachloride to *Dunaliella salina*, an environmentally tolerant alga. *J Toxicol Environ Health A.* 71: 474-477. <http://dx.doi.org/10.1080/15287390801907533>.
- Zhu, YL; Zheng, GD; Gao, D; Chen, TB; Wu, FK; Niu, MJ; Zou, KH. (2016). Odor composition analysis and odor indicator selection during sewage sludge composting. 66: 930-940. <http://dx.doi.org/10.1080/10962247.2016.1188865>.
- Zhukov, VI; Val'kovich, GV; Skorik, IN; Petrov, Y, uM; Belov, GP. (2007). Ethylene oligomerization in the presence of ZrO(OCOR)(2)-Al(C₂H₅)(2)Cl-modifier catalytic system. *Petroleum Chemistry.* 47: 49-54. <http://dx.doi.org/10.1134/S0965544107010069>.
- Zielkiewicz, J; Oracz, P; Warycha, S. (1990). TOTAL VAPOR-PRESSURE MEASUREMENTS AND EXCESS GIBBS ENERGIES FOR THE BINARY-SYSTEMS METHANOL + ETHANOL, ETHANOL + 2-PROPANOL, BENZENE + CYCLOHEXANE, BENZENE + CARBON-TETRACHLORIDE AND BENZENE + ETHANOL AT 303.15-K AND 313.15-K. *Fluid Phase Equilibria.* 58: 191-209.
- Zitomer, DH; Speece, RE. (1995). METHANETHIOL IN NONACCLIMATED SEWAGE-SLUDGE AFTER ADDITION OF CHLOROFORM AND OTHER TOXICANTS. *Environ Sci Technol.* 29: 762-768. <http://dx.doi.org/10.1021/es00003a025>.
- Zoccolillo, L; Abete, C; Amendola, L; Ruocco, R; Sbrilli, A; Termine, M. (2004). Halocarbons in aqueous matrices from the Rennick Glacier and the Ross Sea (Antarctica). *Int J Environ Anal Chem.* 84: 513-522. <http://dx.doi.org/10.1080/03067310310001637676>.
- Zoccolillo, L; Amendola, L; Cafaro, C; Insogna, S. (2007). Volatile chlorinated hydrocarbons in Antarctic superficial snow sampled during Italian ITASE expeditions. *Chemosphere.* 67: 1897-1903. <http://dx.doi.org/10.1016/j.chemosphere.2006.12.050>.
- Zoccolillo, L; Amendola, L; Insogna, S. (2009). Comparison of atmosphere/aquatic environment concentration ratio of volatile chlorinated hydrocarbons between temperate regions and Antarctica. *Chemosphere.* 76: 1525-1532. <http://dx.doi.org/10.1016/j.chemosphere.2009.05.044>.
- Zoccolillo, L; Amendola, L; Tarallo, GA. (1996). Halocarbons in Antarctic surface waters and snow. *Int J Environ Anal Chem.* 63: 91-98.
- Zoccolillo, L; Rellori, M. (1994). HALOCARBONS IN ANTARCTIC SURFACE WATERS. *Int J Environ Anal Chem.* 55: 27-32.
- Zolk, M; Eisert, F; Pippert, J; Herrwerth, S; Eck, W; Buck, M; Grunze, M. (2000). Solvation of oligo(ethylene glycol)-terminated self-assembled monolayers studied by vibrational sum frequency spectroscopy. *Langmuir.* 16: 5849-5852. <http://dx.doi.org/10.1021/la0003239>.
- Zöllig, H; Remmele, A; Fritzsche, C; Morgenroth, E; Udert, KM. (2015). Formation of Chlorination Byproducts and Their Emission Pathways in Chlorine Mediated Electro-Oxidation of Urine on Active and Nonactive Type Anodes. *Environ Sci Technol.* 49: 11062-11069. <http://dx.doi.org/10.1021/acs.est.5b01675>.
- Zou, C; Wu, D; Li, M; Zeng, Q; Xu, F, ei; Huang, Z; Fu, R. (2010). Template-free fabrication of hierarchical porous carbon by constructing carbonyl crosslinking bridges between polystyrene chains. *J Mater Chem.* 20: 731-735. <http://dx.doi.org/10.1039/b917960g>.
- Zou, SW; Stensel, HD; Ferguson, JF. (2000). Carbon tetrachloride degradation: Effect of microbial growth substrate and vitamin B(12) content. *Environ Sci Technol.* 34: 1751-1757.
- Zuo, GM; Cheng, ZX; Chen, H; Li, GW; Miao, T. (2006). Study on photocatalytic degradation of several volatile organic compounds. *J Hazard Mater.* 128: 158-163. <http://dx.doi.org/10.1016/j.jhazmat.2005.07.056>.
- Zuo, YJ; Xi, HL; Zhang, JH; Li, ZJ; Zhou, F. (2001). Foundation of kinetics model for TiO₂-photocatalyzed degradation of organic compounds in suspending system. *Chinese journal of catalysis.* 22: 198-202.
- Zwank, L; Elsner, M; Aeberhard, A; Schwarzenbach, RP; Haderlein, SB. (2005). Carbon isotope fractionation in the reductive dehalogenation of carbon tetrachloride at iron (hydr)oxide and iron sulfide minerals. *Environ Sci Technol.* 39: 5634-5641. <http://dx.doi.org/10.1021/es0487776>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Altshuller, AP. (1976). AVERAGE TROPOSPHERIC CONCENTRATION OF CARBON-TETRACHLORIDE BASED ON INDUSTRIAL PRODUCTION, USAGE, AND EMISSIONS. *Environ Sci Technol.* 10: 596-598.
- Assmuth, T; Kalevi, K. (1992). Concentrations and toxicological significance of trace organic compounds in municipal solid waste landfill gas. *Chemosphere.* 24: 1207-1216.
- Barhorst, JB; Kubiak, R. (2009). Formation of chlorinated disinfection by-products in viticulture. *Environ Sci Pollut Res Int.* 16: 582-589. <http://dx.doi.org/10.1007/s11356-009-0186-5>.
- Barry, KH; Zhang, Y; Lan, Q; Zahm, SH; Holford, TR; Leaderer, B; Boyle, P; Hosgood, HD; Chanock, S; Yeager, M; Rothman, N; Zheng, T. (2011). Genetic variation in metabolic genes, occupational solvent exposure, and risk of non-hodgkin lymphoma. *Am J Epidemiol.* 173: 404-413. <http://dx.doi.org/10.1093/aje/kwq360>.
- Cantor, KP; Stewart, PA; Brinton, LA; Dosemeci, M. (1995). Occupational exposures and female breast cancer mortality in the United States. *J Occup Environ Med.* 37: 336-348. <http://dx.doi.org/10.1097/00043764-199503000-00011>.
- Chiang, HL; Lin, KH. (2014). Exhaust constituent emission factors of printed circuit board pyrolysis processes and its exhaust control. *J Hazard Mater.* 264: 545-551. <http://dx.doi.org/10.1016/j.jhazmat.2013.10.049>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Chiang, HL; Lin, WH; Lai, JS; Wang, WC. (2010). Inhalation risk assessment of exposure to the selected volatile organic compounds (VOCs) emitted from the facilities of a steel plant. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 45: 1397-1405. <http://dx.doi.org/10.1080/10934529.2010.500932>.
- Chiang, HL; Lo, CC; Ma, SY. (2010). Characteristics of exhaust gas, liquid products, and residues of printed circuit boards using the pyrolysis process. *Environ Sci Pollut Res Int.* 17: 624-633. <http://dx.doi.org/10.1007/s11356-009-0245->.
- Colman lerner, JE; Sanchez, EY; Sambeth, J; Porta, A. (2012). Characterization and health risk assessment of VOCs in occupational environments in Buenos Aires, Argentina. *Atmos Environ.* 55: 440-447. <http://dx.doi.org/10.1016/j.atmosenv.2012.03.041>.
- da Silva Augusto, LG; Lieber, S. R.; Ruiz, MA; de Souza, CA. (1997). Micronucleus monitoring to assess human occupational exposure to organochlorides. *Environ Mol Mutagen.* 29: 46-52. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1997\)29:1<46::AID-EM6>3.0.CO;2-B](http://dx.doi.org/10.1002/(SICI)1098-2280(1997)29:1<46::AID-EM6>3.0.CO;2-B).
- Deer, HM; Mcjilton, CE; Harein, PK. (1987). Respiratory Exposure of Grain Inspection Workers to Carbon Tetrachloride Fumigant. *Am Ind Hyg Assoc J.* 48: 586-593.
- Deng, JF; Shih, TS; Wang, JD; Chung, SM. (1987). AN OUTBREAK OF CARBON-TETRACHLORIDE POISONING RELATED TO THE USE OF THE AIR-CONDITIONING SYSTEM IN A PRINTING FACTORY. *Scand J Work Environ Health.* 13: 186-186.
- Deng, JF; Wang, JD; Shih, TS; Lan, FL. (1987). Outbreak of carbon tetrachloride poisoning in a color printing factory related to the use of isopropyl alcohol and an air conditioning system in Taiwan. *Am J Ind Med.* 12: 11-19.
- Dunse, BL; Steele, LP; Wilson, SR; Fraser, PJ; Krummel, PB. (2005). Trace gas emissions from Melbourne, Australia, based on AGAGE observations at Cape Grim, Tasmania, 1995-2000. *Atmos Environ.* 39: 6334-6344. <http://dx.doi.org/10.1016/j.atmosenv.2005.07.014>.
- Everts, S. (2016). US carbon tetrachloride emissions exceed expectations. *Chem Eng News.* 94: 11-11.
- Forczek, ST; Laturus, F; Dolezalova, J; Holik, J; Wimmer, Z. (2015). Emission of climate relevant volatile organochlorines by plants occurring in temperate forests. *Plant Soil Environ.* 61: 103-108. <http://dx.doi.org/10.17221/900/2014-PSE>.
- Fraser, PJ; Dunse, BL; Manning, AJ; Walsh, S; Wang, RHJ; Krummel, PB; Steele, LP; Porter, LW; Allison, C; O'Doherty, S; Simmonds, PG; Muehle, J; Weiss, R, ayF; Prinn, RG. (2014). Australian carbon tetrachloride emissions in a global context. *Environ Chem.* 11: 77-88. <http://dx.doi.org/10.1071/EN13171>.
- Gallego, E; Perales, JF; Roca, FJ; Guardino, X. (2014). Surface emission determination of volatile organic compounds (VOC) from a closed industrial waste landfill using a self-designed static flux chamber. *Sci Total Environ.* 470-471: 587-599. <http://dx.doi.org/10.1016/j.scitotenv.2013.09.105>.
- Geelen, LMJ; Huijbregts, MAJ; Den Hollander, H; Ragas, AMJ; van Jaarsveld, HA; de Zwart, D. (2009). Confronting environmental pressure, environmental quality and human health impact indicators of priority air emissions. *Atmos Environ.* 43: 1613-1621. <http://dx.doi.org/10.1016/j.atmosenv.2008.12.002>.
- Gobba, F; Ghittori, S; Imbriani, M; Maestri, L; Capodaglio, E; Cavalleri, A. (1997). The urinary excretion of solvents and gases for the biological monitoring of occupational exposure: a review [Review]. *Sci Total Environ.* 199: 3-12.
- Gold, LS; Stewart, PA; Milliken, K; Purdue, M; Severson, R; Seixas, N; Blair, A; Hartge, P; Davis, S; De Roos, AJ. (2010). The relationship between multiple myeloma and occupational exposure to six chlorinated solvents. *Occup Environ Med.* 68: 391-399. <http://dx.doi.org/10.1136/oem.2009.054809>.
- Gorzka, Z; Zarczynski, A; Paryjczak, T; Kazmierczak, M; Zaborowski, M. (2009). Total Catalytic Oxidation of Volatile Chloroorganics Occurring in Liquid Industrial Wastes from Organics Synthesis. *Rocznik Ochrona Srodowiska.* 11: 439-448.
- Graziosi, F; Arduini, J; Bonasoni, P; Furlani, F; Giostra, U; Manning, AJ; Mcculloch, A; O'Doherty, S; Simmonds, PG; Reimann, S; Vollmer, MK; Maione, M. (2016). Emissions of carbon tetrachloride from Europe. *Atmos Chem Phys.* 16: 12849-12859. <http://dx.doi.org/10.5194/acp-16-12849-2016>.
- Grosjean, E; Rasmussen, RA; Grosjean, D. (1999). Toxic air contaminants in Porto Alegre, Brazil. *Environ Sci Technol.* 33: 1970-1978.
- Heineman, EF; Cocco, P; Gomez, MR; Dosemeci, M; Stewart, PA; Hayes, RB; Zahm, SH; Thomas, TL; Blair, A. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons and risk of astrocytic brain cancer. *Am J Ind Med.* 26: 155-169. <http://dx.doi.org/10.1002/ajim.4700260203>.
- Hogue, C. (2014). OZONE DEPLETION Emissions of carbon tetrachloride continue despite global prohibition. *Chem Eng News.* 92: 11-11.
- Hua, I; Hoffmann, MR. (1996). Kinetics and mechanism of the sonolytic degradation of CCl4: Intermediates and byproducts. *Environ Sci Technol.* 30: 864-871.
- Huang, B; Lei, C; Wei, C; Zeng, G. (2014). Chlorinated volatile organic compounds (Cl-VOCs) in environment - sources, potential human health impacts, and current remediation technologies [Review]. *Environ Int.* 71: 118-138. <http://dx.doi.org/10.1016/j.envint.2014.06.013>.
- Hurst, DF. (2004). Emissions of ozone-depleting substances in Russia during 2001. *J Geophys Res.* 109: D14303. <http://dx.doi.org/10.1029/2004JD004633>.
- Hurst, DF; Bakwin, PS; Elkins, JW. (1998). Recent trends in the variability of halogenated trace gases over the United States. *J Geophys Res Atmos.* 103: 25299-25306.
- Hurst, DF; Bakwin, PS; Myers, RC; Elkins, JW. (1997). Behavior of trace gas mixing ratios on a very tall tower in North Carolina. *J Geophys Res Atmos.* 102: 8825-8835.
- Hurst, DF; Lin, JC; Romashkin, PA; Daube, BC; Gerbig, C; Matross, DM; Wofsy, SC; Hall, BD; Elkins, JW. (2006). Continuing global significance of emissions of Montreal Protocol-restricted halocarbons in the United States and Canada. *J Geophys Res Atmos.* 111: [np]. <http://dx.doi.org/10.1029/2005JD006785>.
- Jacob, DJ; Crawford, JH; Kleb, MM; Connors, VS; Bendura, RJ; Raper, JL; Sachse, GW; Gille, JC; Emmons, L; Heald, CL. (2003). The Transport and Chemical Evolution over the Pacific (TRACE-P) aircraft mission: design, execution, and first results. *J Geophys Res.* 108: 9000. <http://dx.doi.org/10.1029/2002JD003276>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Jiun-Horng, T; Kuo-Hsiung, L; Chih-Yu, C; Nina, L; Sen-Yi, M; Hung-Lung, C. (2008). Volatile organic compound constituents from an integrated iron and steel facility. *J Hazard Mater.* 157: 569-578. <http://dx.doi.org/10.1016/j.jhazmat.2008.01.022>.
- Jung, BM; Batchelor, B; Park, JY; Abdel-Wahab, A. (2014). Linear Free Energy Relationship Analysis of Chlorinated Hydrocarbons in Cement Slurries. *International Journal of Environmental Research.* 8: 819-830.
- Kaown, D; Shouakar-Stash, O; Yang, J; Hyun, Y; Lee, KK. (2014). Identification of multiple sources of groundwater contamination by dual isotopes. *Ground Water.* 52: 875-885. <http://dx.doi.org/10.1111/gwat.12130>.
- Katami, T; Nisikawa, H; Yasuhara, A. (1992). Emission of chlorinated compounds by combustion of waste dry-cleaning materials. *Chemosphere.* 24: 343-349.
- Kato, M; Yamaguchi, M; Yoshikawa, H. (1990). VAPOR-LIQUID-EQUILIBRIA AT 100-KPA FOR PROPIONIC-ACID + CARBON-TETRACHLORIDE OR 2-BUTANONE. *Journal of Chemical and Engineering Data.* 35: 85-87.
- Kauppinen, T; Pukkala, E; Saalo, A; Sasco, AJ. (2003). Exposure to chemical carcinogens and risk of cancer among Finnish laboratory workers. *Am J Ind Med.* 44: 343-350. <http://dx.doi.org/10.1002/ajim.10278>.
- Kawata, K; Fujieda, Y. (1993). Volatile chlorinated hydrocarbons in ambient air at Niigata area (pp. 474-479). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/94/09149). Kawata, K; Fujieda, Y.
- Khan, MAH; Mead, MI; White, IR; Golledge, B; Nickless, G; Knights, A; Martin, D; Rivett, AC; Greally, BR; Shallcross, DE. (2009). Year-long measurements of C-1-C-3 halocarbons at an urban site and their relationship with meteorological parameters. *Atmos Sci Lett.* 10: 75-86. <http://dx.doi.org/10.1002/asl.213>.
- Kim, K, iH; Shon, ZH, o; Nguyen, HT; Jeon, E, uIc. (2011). A review of major chlorofluorocarbons and their halocarbon alternatives in the air. *Atmos Environ.* 45: 1369-1382. <http://dx.doi.org/10.1016/j.atmosenv.2010.12.029>.
- Knox, RC; Canter, LW. (1996). Prioritization of ground water contaminants and sources. *Water Air Soil Pollut.* 88: 205-226. <http://dx.doi.org/10.1007/BF00294102>.
- Kriegmanking, MR; Reinhard, M. (1992). TRANSFORMATION OF CARBON-TETRACHLORIDE IN THE PRESENCE OF SULFIDE, BIOTITE, AND VERMICULITE. *Environ Sci Technol.* 26: 2198-2206.
- Kroeze, C; Reijnders, L. (1992). Halocarbons and global warming. *Sci Total Environ.* 111: 1-24. [http://dx.doi.org/10.1016/0048-9697\(92\)90042-Q](http://dx.doi.org/10.1016/0048-9697(92)90042-Q).
- Kwon, J; Weisel, CP; Morandi, MT; Stock, TH. (2016). Source proximity and meteorological effects on residential outdoor VOCs in urban areas: Results from the Houston and Los Angeles RIOPA studies. *Sci Total Environ.* 573: 954-964. <http://dx.doi.org/10.1016/j.scitotenv.2016.08.186>.
- Lee, BS, un; Chiou, CB. (2008). The relationship of meteorological and anthropogenic factors to time series measurements of CFC-11, CFC-12, and CH3CCl3 concentrations in the urban atmosphere. *Atmos Environ.* 42: 7706-7717. <http://dx.doi.org/10.1016/j.atmosenv.2008.05.042>.
- Lee, BS, un; Chiou, CB; Lin, CY, i. (2014). Analysis of diurnal variability of atmospheric halocarbons and CFC replacements to imply emission strength and sources at an urban site of Lukang in central Taiwan. *Atmos Environ.* 99: 112-123. <http://dx.doi.org/10.1016/j.atmosenv.2014.09.063>.
- Lemieux, PM; Ryan, JV; Bass, C; Barat, R. (1996). Emissions of trace products of incomplete combustion from a pilot-scale incinerator secondary combustion chamber. *J Air Waste Manag Assoc.* 46: 309-316.
- Li, TD; Zhou, W; Yi, J; Zhang, W; Lin, YR; Li, SF. (2011). [Simultaneous determination of seven chemicals of halogenated alkanes and aromatic hydrocarbons in the air of workplace by gas chromatography]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 29: 146-147.
- Lim, SR; Lam, CW; Schoenung, JM. (2010). Quantity-based and toxicity-based evaluation of the U.S. Toxics Release Inventory. *J Hazard Mater.* 178: 49-56. <http://dx.doi.org/10.1016/j.jhazmat.2010.01.041>.
- Lioy, PJ; Fan, Z; Zhang, J; Georgopoulos, P; Wang, SW; Ohman-Strickland, P; Wu, X; Zhu, X; Harrington, J; Tang, X; Meng, Q; Jung, KH; Kwon, J; Hernandez, M; Bonnano, L; Held, J; Neal, J; Committee, HHR. (2011). Personal and ambient exposures to air toxics in Camden, New Jersey. *Res Rep Health Eff Inst*3-127; discussion 129-151.
- Liu, JJY; Bai, CL; Williamson, AM; Qu, SX; Hamdan, H; Stacey, NH. (1996). Individual serum bile acids in apprentice spray painters in association with solvent exposure. *Int Arch Occup Environ Health.* 69: 21-26.
- Logue, JM; Huff-Hartz, KE; Lambe, AT; Donahue, NM; Robinson, AL. (2009). High time-resolved measurements of organic air toxics in different source regimes. *Atmos Environ.* 43: 6205-6217. <http://dx.doi.org/10.1016/j.atmosenv.2009.08.041>.
- Lynge, E; Anttila, A; Hemminki, K. (1997). Organic solvents and cancer [Review]. *Cancer Causes Control.* 8: 406-419. <http://dx.doi.org/10.1023/A:1018461406120>.
- Lysychenko, G; Weber, R; Kovach, V; Gertsruk, M; Watson, A; Krasnova, I. (2015). Threats to water resources from hexachlorobenzene waste at Kalush City (Ukraine)--a review of the risks and the remediation options. *Environ Sci Pollut Res Int.* 22: 14391-14404. <http://dx.doi.org/10.1007/s11356-015-5184-1>.
- Martí, V; Jubany, I; Pérez, C; Rubio, X; De Pablo, J; Giménez, J. (2014). Human health risk assessment of a landfill based on volatile organic compounds emission, immission and soil gas concentration measurements. *Appl Geochem.* 49: 218-224. <http://dx.doi.org/10.1016/j.apgeochem.2014.06.018>.
- Mohamed-Zine, MB; Hamouche, A; Krim, L. (2013). The study of potable water treatment process in Algeria (boudouaou station) -by the application of life cycle assessment (LCA). 11: 37. <http://dx.doi.org/10.1186/2052-336X-11-37>.
- Murphy, BL. (2016). Vapor degreasing with chlorinated solvents. *Environ Forensics.* 17: 282-293. <http://dx.doi.org/10.1080/15275922.2016.1230907>.
- Nasterlack, M; Triebig, G; Stelzer, O. (1994). Hepatotoxic effects of solvent exposure around permissible limits and alcohol consumption in printers over a 4-year period. *Int Arch Occup Environ Health.* 66: 161-165. <http://dx.doi.org/10.1007/BF00380774>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Nellis, SR; Yoon, H; Werth, CJ; Oostrom, M; Valocchi, AJ. (2009). Surface and Interfacial Properties of Nonaqueous-Phase Liquid Mixtures Released to the Subsurface at the Hanford Site. *Vadose Zone Journal*. 8: 343-351. <http://dx.doi.org/10.2136/vzj2008.0104>.
- Neta, G; Stewart, PA; Rajaraman, P; Hein, MJ; Waters, MA; Purdue, MP; Samanic, C; Coble, JB; Linet, MS; Inskip, PD. (2012). Occupational exposure to chlorinated solvents and risks of glioma and meningioma in adults. *Occup Environ Med*. 69: 793-801. <http://dx.doi.org/10.1136/oemed-2012-100742>.
- Nielsen, PH; Bjarnadottir, H; Winter, PL; Christensen, TH. (1995). IN-SITU AND LABORATORY STUDIES ON THE FATE OF SPECIFIC ORGANIC-COMPOUNDS IN AN ANAEROBIC LANDFILL LEACHATE PLUME .2. FATE OF AROMATIC AND CHLORINATED ALIPHATIC-COMPOUNDS. *J Contam Hydrol*. 20: 51-66.
- Nijenhuis, I; Schmidt, M; Pellegatti, E; Paramatti, E; Richnow, HH; Gargini, A. (2013). A stable isotope approach for source apportionment of chlorinated ethene plumes at a complex multi-contamination events urban site. *J Contam Hydrol*. 153: 92-105. <http://dx.doi.org/10.1016/j.jconhyd.2013.06.004>.
- Nunes, LM; Zhu, YG; Stigter, TY; Monteiro, JP; Teixeira, MR. (2011). Environmental impacts on soil and groundwater at airports: origin, contaminants of concern and environmental risks [Review]. *J Environ Monit*. 13: 3026-3039. <http://dx.doi.org/10.1039/c1em10458f>.
- Ohura, T; Amagai, T; Fusaya, M. (2006). Regional assessment of ambient volatile organic compounds in an industrial harbor area, Shizuoka, Japan. *Atmos Environ*. 40: 238-248. <http://dx.doi.org/10.1016/j.atmosenv.2005.09.064>.
- Ojajärvi, A; Partanen, T; Ahlbom, A; Boffetta, P; Hakulinen, T; Jourenkova, N; Kauppinen, T; Kogevinas, M; Vainio, H; Weiderpass, E; Wesseling, C. (2001). Risk of pancreatic cancer in workers exposed to chlorinated hydrocarbon solvents and related compounds: A meta-analysis. *Am J Epidemiol*. 153: 841-850. <http://dx.doi.org/10.1093/aje/153.9.841>.
- Palmer, PI. (2003). Eastern Asian emissions of anthropogenic halocarbons deduced from aircraft concentration data. *J Geophys Res*. 108: 4753. <http://dx.doi.org/10.1029/2003JD003591>.
- Pan, Y; Liu, Q; Liu, FF; Qian, GR; Xu, ZP. (2011). Regional assessment of ambient volatile organic compounds from biopharmaceutical R&D complex. *Sci Total Environ*. 409: 4289-4296. <http://dx.doi.org/10.1016/j.scitotenv.2011.07.014>.
- Park, SS; Kim, SO; Yun, ST; Chae, GT; Yu, SY; Kim, S; Kim, Y. (2005). Effects of land use on the spatial distribution of trace metals and volatile organic compounds in urban groundwater, Seoul, Korea. *Environ Geol*. 48: 1116-1131. <http://dx.doi.org/10.1007/s00254-005-0053-8>.
- Pratt, GC; Palmer, K; Wu, CY; Oliaei, F; Hollerbach, C; Fenske, MJ. (2000). An assessment of air toxics in Minnesota. *Environ Health Perspect*. 108: 815-825.
- Pudasainee, D; Kim, JH; Lee, SH; Park, JM; Jang, HN; Song, GJ; Seo, YC. (2010). Hazardous air pollutants emission from coal and oil-fired power plants. *Asia-Pacific Journal of Chemical Engineering*. 5: 299-303. <http://dx.doi.org/10.1002/apj.268>.
- Reed, EW; Thiessen, KM; Hoffman, FO; Apostoaei, AI. (2003). Comparison of doses and risks obtained from dose reconstructions for historical operations of federal facilities that supported the development, production, or testing of nuclear weapons. *Health Phys*. 84: 687-697.
- Rood, AS; MCGAVRAN, PD; AANENSON, JW; TILL, JE. (2001). Stochastic estimates of exposure and cancer risk from carbon tetrachloride released to the air from the rocky flats plant. *Risk Anal*. 21: 675-695.
- Ruder, AM; Yiin, JH; Waters, MA; Carreone, T; Hein, MJ; Butler, MA; Calvert, GM; Davis-King, KE; Schulte, PA; Mandel, JS; Morton, RF; Reding, DJ; Rosenman, KD; Stewart, PA; Grp, BCCS. (2013). The Upper Midwest Health Study: gliomas and occupational exposure to chlorinated solvents. *Occup Environ Med*. 70: 73-80. <http://dx.doi.org/10.1136/oemed-2011-100588>.
- Rudolph, J; Khedim, A; Koppmann, R; Bonsang, B. (1995). FIELD-STUDY OF THE EMISSIONS OF METHYL-CHLORIDE AND OTHER HALOCARBONS FROM BIOMASS BURNING IN WESTERN AFRICA. *J Atmos Chem*. 22: 67-80.
- Rugge, K; Bjerg, PL; Pedersen, JK; Mosbaek, H; Christensen, TH. (1999). An anaerobic field injection experiment in a landfill leachate plume, Grindsted, Denmark 1. Experimental setup, tracer movement, and fate of aromatic and chlorinated compounds. *Water Resour Res*. 35: 1231-1246.
- Saeaw, N; Thepanondh, S. (2015). Source apportionment analysis of airborne VOCs using positive matrix factorization in industrial and urban areas in Thailand. *Atmos Pollut Res*. 6: 644-650. <http://dx.doi.org/10.5094/APR.2015.073>.
- Sakai, K; Norback, D; Mi, Y; Shibata, E; Kamijima, M; Yamada, T; Takeuchi, Y. (2004). A comparison of indoor air pollutants in Japan and Sweden: formaldehyde, nitrogen dioxide, and chlorinated volatile organic compounds. *Environ Res*. 94: 75-85. [http://dx.doi.org/10.1016/S0013-9351\(03\)00140-3](http://dx.doi.org/10.1016/S0013-9351(03)00140-3).
- Schenk, L. (2010). Comparison of Data Used for Setting Occupational Exposure Limits. *Int J Occup Environ Health*. 16: 249-262.
- Seidler, A; Raum, E; Arabin, B; Hellenbrand, W; Walter, U; Schwartz, FW. (1999). Maternal occupational exposure to chemical substances and the risk of infants small-for-gestational-age. *Am J Ind Med*. 36: 213-222. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<213::AID-AJIM30>3.0.CO;2-A](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<213::AID-AJIM30>3.0.CO;2-A).
- Shao, M; Huang, D; Gu, D; Lu, S; Chang, C; Wang, J. (2011). Estimate of anthropogenic halocarbon emission based on measured ratio relative to CO in the Pearl River Delta region, China. *Atmos Chem Phys*. 11: 5011-5025. <http://dx.doi.org/10.5194/acp-11-5011-2011>.
- Simmonds, PG; Cunnold, DM; Alyea, FN; Cardelino, CA; Crawford, AJ; Prinn, RG; Fraser, PJ; Rasmussen, RA; Rosen, RD. (1988). CARBON-TETRACHLORIDE LIFETIMES AND EMISSIONS DETERMINED FROM DAILY GLOBAL MEASUREMENTS DURING 1978-1985. *J Atmos Chem*. 7: 35-58.
- Simmonds, PG; Cunnold, DM; Weiss, RF; Miller, BR; Prinn, RG; Fraser, PJ; Mcculloch, A; Alyea, FN; O'Doherty, S. (1998). Global trends and emission estimates of CCl4 from in situ background observations from July 1978 to June 1996 (vol 103, pg 16017, 1998). *J Geophys Res Atmos*. 103: 31331-31331.
- Simmonds, PG; Cunnold, DM; Weiss, RF; Prinn, RG; Fraser, PJ; Mcculloch, A; Alyea, FN; O'Doherty, S. (1998). Global trends and emission estimates of CCl4 from in situ background observations from July 1978 to June 1996. *J Geophys Res Atmos*. 103: 16017-16027.
- Stewart, A; Witts, LJ. (1993). Chronic carbon tetrachloride intoxication. 1944. *Br J Ind Med*. 50: 7-16.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Stewart, PA; Lee, JS; Marano, DE; Spirtas, R; Forbes, CD; Blair, A. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: II. Exposures and their assessment. *Br J Ind Med*. 48: 531-537.
- Struijs, J; van Dijk, A; Slaper, H; van Wijnen, HJ; Velders, GJ; Chaplin, G; Huijbregts, MA. (2010). Spatial- and time-explicit human damage modeling of ozone depleting substances in life cycle impact assessment. *Environ Sci Technol*. 44: 204-209. <http://dx.doi.org/10.1021/es9017865>.
- Tomenson, JA; Baron, CE; O'Sullivan, JJ; Edwards, JC; Stonard, MC; Walker, RJ; Fearnley, DM. (1995). Hepatic function in workers occupationally exposed to carbon tetrachloride. *Occup Environ Med*. 52: 508-514.
- Vizcaya, D; Christensen, KY; Lavoue, J; Siemiatycki, J. (2013). Risk of lung cancer associated with six types of chlorinated solvents: results from two case-control studies in Montreal, Canada. *Occup Environ Med*. 70: 81-85. <http://dx.doi.org/10.1136/oemed-2012-101155>.
- Wang, C; Shao, M, in; Huang, D; Lu, S; Zeng, L; Hu, M, in; Zhang, Q. (2014). Estimating halocarbon emissions using measured ratio relative to tracers in China. *Atmos Environ*. 89: 816-826. <http://dx.doi.org/10.1016/j.atmosenv.2014.03.025>.
- Wang, R; Zhang, Y; Lan, Q; Holford, TR; Leaderer, B; Zahm, SH; Boyle, P; Dosemeci, M; Rothman, N; Zhu, Y; Qin, Q; Zheng, T. (2009). Occupational exposure to solvents and risk of non-Hodgkin lymphoma in Connecticut women. *Am J Epidemiol*. 169: 176-185. <http://dx.doi.org/10.1093/aje/kwn300>.
- Xiao, X; Prinn, RG; Fraser, PJ; Weiss, RF; Simmonds, PG; O'Doherty, S; Miller, BR; Salameh, PK; Harth, CM; Krummel, PB; Golombek, A; Porter, LW; Butler, JH; Elkins, JW; Dutton, GS; Hall, BD; Steele, LP; Wang, RHJ; Cunnold, DM. (2010). Atmospheric three-dimensional inverse modeling of regional industrial emissions and global oceanic uptake of carbon tetrachloride. *Atmos Chem Phys*. 10: 10421-10434. <http://dx.doi.org/10.5194/acp-10-10421-2010>.
- Yan, Y; Peng, L; Cheng, N; Bai, H; Mu, L. (2015). Health risk assessment of toxic VOCs species for the coal fire well drillers. *Environ Sci Pollut Res Int*. 22: 15132-15144. <http://dx.doi.org/10.1007/s11356-015-4729-7>.
- Yassaa, N; Ciccio, P; Brancaloni, E; Frattoni, M; Meklati, BY. (2011). Ambient measurements of selected VOCs in populated and remote sites of the Sahara desert. *Atmos Res*. 100: 141-146. <http://dx.doi.org/10.1016/j.atmosres.2011.01.001>.
- Yokouchi, Y. (2005). Estimates of ratios of anthropogenic halocarbon emissions from Japan based on aircraft monitoring over Sagami Bay, Japan. *J Geophys Res*. 110: D06301. <http://dx.doi.org/10.1029/2004JD005320>.
- Zhang, Y; Li, C; Wang, X; Guo, H; Feng, Y; Chen, J. (2012). Rush-hour aromatic and chlorinated hydrocarbons in selected subway stations of Shanghai, China. *J Environ Sci*. 24: 131-141. [http://dx.doi.org/10.1016/s1001-0742\(11\)60736-5](http://dx.doi.org/10.1016/s1001-0742(11)60736-5).
- Zhang, YL; Guo, H; Wang, XM; Simpson, IJ; Barletta, B; Blake, DR; Meinardi, S; Rowland, FS; Cheng, HR; Saunders, SM; Lam, SHM. (2010). Emission patterns and spatiotemporal variations of halocarbons in the Pearl River Delta region, southern China. *J Geophys Res Atmos*. 115. <http://dx.doi.org/10.1029/2009JD013726>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Abbas, R; Fisher, JW. (1997). A physiologically based pharmacokinetic model for trichloroethylene and its metabolites, chloral hydrate, trichloroacetate, dichloroacetate, trichloroethanol, and trichloroethanol glucuronide in B6C3F1 mice. *Toxicol Appl Pharmacol*. 147: 15-30. <http://dx.doi.org/10.1006/taap.1997.8190>.
- Abbassi, R; Chamkhia, N; Sakly, M. (2010). Chloroform-induced oxidative stress in rat liver: Implication of metallothionein. *Toxicol Ind Health*. 26: 487-496. <http://dx.doi.org/10.1177/0748233710373088>.
- Abbott, RJ; Chudek, JA; Hunter, G; Squires, L. (1996). Skin layer effects on the diffusion of carbon tetrachloride into injection moulded polypropylene studied by H-1 NMR microimaging. *Journal of Mater Sci Lett*. 15: 1108-1110.
- Abdel Moneim, AE. (2014). Prevention of carbon tetrachloride (CCl₄)-induced toxicity in testes of rats treated with *Physalis peruviana* L. fruit. *Toxicol Ind Health*. 32: 1064-1073. <http://dx.doi.org/10.1177/0748233714545502>.
- Abdel-Bakky, MS; Helal, GK; El-Sayed, EM; Saad, AS. (2015). Carbon tetrachloride-induced liver injury in mice is tissue factor dependent. *Environ Toxicol Pharmacol*. 39: 1199-1205. <http://dx.doi.org/10.1016/j.etap.2015.02.012>.
- Abdelbassit, MSA; Alhooshani, KR; Saleh, TA. (2016). Silica nanoparticles loaded on activated carbon for simultaneous removal of dichloromethane, trichloromethane, and carbon tetrachloride. *Adv Powder Tech*. 27: 1719-1729. <http://dx.doi.org/10.1016/j.appt.2016.06.003>.
- Abdel-Hamid, NM; Abdel-Ghany, MI; Nazmy, MH; Amgad, SW. (2013). Can methanolic extract of *Nigella sativa* seed affect glyco-regulatory enzymes in experimental hepatocellular carcinoma? *Environ Health Prev Med*. 18: 49-56. <http://dx.doi.org/10.1007/s12199-012-0292-8>.
- Abdelkader, VK; Domingo-Garcia, M; Gutierrez-Valero, MD; Lopez-Garzon, R; Melguizo, M; Garcia-Gallarín, C; Lopez-Garzon, FJ; Perez-Mendoza, MJ. (2014). Sidewall Chlorination of Carbon Nanotubes by Iodine Trichloride. *J Phys Chem C*. 118: 2641-2649. <http://dx.doi.org/10.1021/jp411935g>.
- Abdelkader, VK; Domingo-Garcia, M; Melguizo, M; Lopez-Garzon, R; Javier Lopez-Garzon, F; Perez-Mendoza, M. (2015). Covalent bromination of multi-walled carbon nanotubes by iodine bromide and cold plasma treatments. *Carbon*. 93: 276-285. <http://dx.doi.org/10.1016/j.carbon.2015.05.070>.
- Abdelkader, VK; Scelfo, S; Garcia-Gallarín, C; Luz Godino-Salido, M; Domingo-Garcia, M; Javier Lopez-Garzon, F; Perez-Mendoza, M. (2013). Carbon Tetrachloride Cold Plasma for Extensive Chlorination of Carbon Nanotubes. *J Phys Chem C*. 117: 16677-16685. <http://dx.doi.org/10.1021/jp404390h>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Abdelmonem, HA; Abbas, MM; Mahmoud, AH. (2016). COMBINED EFFECTS OF RIBAVIRIN AND DIAZINON ON HEPATIC, PANCREATIC AND KIDNEY BIOMARKERS IN FEMALE ALBINO RATS. *The J A P S*. 26: 1101-1110.
- Abdel-Salam, OM; Sleem, AA; Morsy, FA. (2007). Effects of biphenyldimethyl-dicarboxylate administration alone or combined with silymarin in the CCL4 model of liver fibrosis in rats. *ScientificWorldJournal*. 7: 1242-1255. <http://dx.doi.org/10.1100/tsw.2007.193>.
- Abdel-Tawwab, M; Mousa, MAA; Ahmad, MH; Sakr, SFM. (2007). The use of calcium pre-exposure as a protective agent against environmental copper toxicity for juvenile Nile tilapia, *Oreochromis niloticus* (L.). *Aquaculture*. 264: 236-246. <http://dx.doi.org/10.1016/j.aquaculture.2006.12.020>.
- Abdel-Tawwab, M; Mousa, MAA; Mohammed, MA. (2010). Use of Live Baker's Yeast, *Saccharomyces cerevisiae*, in Practical Diet to Enhance the Growth Performance of Galilee Tilapia, *Sarotherodon galilaeus* (L.), and Its Resistance to Environmental Copper Toxicity. *J World Aquacult Soc*. 41: 214-223.
- Abdel-Tawwab, M; Wafeek, M. (2010). Response of Nile Tilapia, *Oreochromis niloticus* (L.) to Environmental Cadmium Toxicity During Organic Selenium Supplementation. *J World Aquacult Soc*. 41: 106-114.
- Abdul-Wahab, SA. (2010). Level of environmental awareness towards depletion of the ozone layer among distributors and consumers in the solvent sector: a case study from Oman. *Clim Change*. 103: 503-517. <http://dx.doi.org/10.1007/s10584.009.9777.x>.
- Abel, ML; Chehimi, MM; Brown, AM; Leadley, S. R.; Watts, JF. (1995). ADSORPTION-ISOTHERMS OF PMMA ON A CONDUCTING POLYMER BY TOF-SIMS. *J Mater Chem*. 5: 845-848.
- Abernathy, CR; Mackenzie, JD; Donovan, SM. (1997). Growth of group III nitrides by metalorganic molecular beam epitaxy. *J Cryst Growth*. 178: 74-86.
- Abernathy, CR; Pearton, SJ; Ren, F; Hobson, WS; Wisk, PW. (1994). COMPARISON OF INTRINSIC AND EXTRINSIC CARBON DOPING SOURCES FOR GAAS AND ALGAAS GROWN BY METALORGANIC MOLECULAR-BEAM EPITAXY. *Journal of Vacuum Science and Technology A*. 12: 1186-1190.
- Abrahamsson, K; Ekdahl, A. (1996). Volatile halogenated compounds and chlorophenols in the Skagerrak. *Journal of Sea Research*. 35: 73-79.
- Abu Bakar, WAW; Ali, R; Othman, MY. (2010). Photocatalytic Degradation and Reaction Pathway Studies of Chlorinated Hydrocarbons in Gaseous Phase. *Scientia Iranica*. 17: 1-14.
- Abushady, ASI; Amer, SA; Hegazi, MF. (1991). MECHANISM OF ACETIC-ACID TRANSFER FROM AQUEOUS SODIUM-CHLORIDE SOLUTIONS TO SOME ORGANIC-SOLVENTS. *J Chem Tech Biotechnol*. 52: 177-185.
- Abuzaid, NS; Al-Malack, MH; Nakhla, GF; Essa, MH; Al-Tawabini, BS. (2000). Effects of dissolved oxygen and surfactant treatment on the sorptive capacity of a local soil for phenol. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 35: 263-280.
- Acevedo, IL; Pedrosa, GC; Katz, M. (1996). Excess molar enthalpies for butylamine plus 1,4-dioxane plus carbon tetrachloride at 298.15 K. *Journal of Chemical and Engineering Data*. 41: 391-393.
- ACGIH. (2001). Documentation of threshold limit values and biological exposure indices for chemical substances in the workroom air. 7th edition. Supplement. Cincinnati, OH.
- Acha, V; Meurens, M; Naveau, H; Agathos, SN. (1999). Detoxification of a mixture of aliphatic chlorinated hydrocarbons in a fixed-bed bioreactor: Continuous on-line monitoring via an attenuated total reflection-Fourier transform infrared sensor. *Water Sci Technol*. 40: 41-47. [http://dx.doi.org/10.1016/S0273-1223\(99\)00607-1](http://dx.doi.org/10.1016/S0273-1223(99)00607-1).
- Achari, J; BHATTACH.MM. (1971). FLASH POINTS OF MIXTURES OF ACETONE WITH WATER, KEROSENE AND CARBON TETRACHLORIDE. 9: 117-&.
- Acuna-Askar, K; Englande, AJ; Hu, C; Jin, G. (2000). Methyl tertiary-butyl ether (MTBE) biodegradation in batch and continuous upflow fixed biofilm reactors. *Water Sci Technol*. 42: 153-161.
- Adachi, A; Ikeda, C; Takagi, S; Fukao, N; Yoshie, E; Okano, T. (2001). Efficiency of rice bran for removal of organochlorine compounds and benzene from industrial wastewater. *J Agric Food Chem*. 49: 1309-1314.
- Adachi, A; Kobayashi, T. (1992). REMOVAL EFFICIENCY OF CHLOROFORM AND CARBON-TETRACHLORIDE FROM CHEMICAL WASTE-WATER BY A TREATMENT-PLANT USING COAGULATION PRECIPITATION PROCESS. *JTTHE*. 38: P19-P19.
- Adachi, A; Kobayashi, T. (1993). SIMPLE METHOD OF REMOVING CHLOROFORM AND CARBON-TETRACHLORIDE FROM LABORATORY WASTE-WATER. *JTTHE*. 39: 63-67.
- Adamson, AJ; Holloway, JH; Hope, EG; Taylor, R. (1997). Halogen and interhalogen reactions with [60]fullerene: Preparation and characterization of C60Cl24 and C60Cl18F14. *Fullerene Sci Technol*. 5: 629-642.
- Adamson, DT; Parkin, GF. (1999). Biotransformation of mixtures of chlorinated aliphatic hydrocarbons by an acetate-grown methanogenic enrichment culture. *Water Res*. 33: 1482-1494.
- Adamson, DT; Parkin, GF. (2000). Impact of mixtures of chlorinated aliphatic hydrocarbons on a high-rate, tetrahaloroethene-dechlorinating enrichment culture. *Environ Sci Technol*. 34: 1959-1965.
- Adebusoye, SA; Ilori, MO; Picardal, FW; Amund, OO. (2008). Metabolism of chlorinated biphenyls: Use of 3,3'- and 3,5-dichlorobiphenyl as sole sources of carbon by natural species of *Ralstonia* and *Pseudomonas*. *Chemosphere*. 70: 656-663. <http://dx.doi.org/10.1016/j.chemosphere.2007.06.079>.
- Adelman, R; Saul, RL; BN, A. (1988). Oxidative damage to DNA: Relation to species metabolic rate and life span. *Proc Natl Acad Sci USA*. 85: 2706-2708.
- Ademuyiwa, O; Onitilo, O; Dosumu, O; Ayannuga, O; Bakare, A; Akinlatun, W; Ogunyemi, EO. (2002). Zinc in CCl4 toxicity. *Biomed Environ Sci*. 15: 187-195.
- Adeniran, B; Mokaya, R. (2015). Low temperature synthesized carbon nanotube superstructures with superior CO2 and hydrogen storage capacity. 3: 5148-5161. <http://dx.doi.org/10.1039/c4ta06539e>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Adeuwuyi, YG. (2001). Sonochemistry: Environmental science and engineering applications. *Ind Eng Chem Res.* 40: 4681-4715. <http://dx.doi.org/10.1021/ie010096l>.
- Afanasiev, P. (2015). New approach to the preparation of highly dispersed transition metals sulfides and nitrides. *Catalysis Today.* 250: 134-144. <http://dx.doi.org/10.1016/j.cattod.2014.03.046>.
- Afifi, SH; Macmillan, J. R. (1992). ULTRASTRUCTURAL-CHANGES ASSOCIATED WITH CARBON-TETRACHLORIDE HEPATOTOXICITY IN CHANNEL CATFISH, *ICTALURUS-PUNCTATUS RAFINESQUE*. *J Fish Dis.* 15: 119-129.
- Agarwal, D; Singh, M. (2004). Densities and viscosities of binary liquid mixtures of trichloroethylene and tetrachloroethylene with some polar and nonpolar solvents. *Journal of Chemical and Engineering Data.* 49: 1218-1224. <http://dx.doi.org/10.1021/je034203p>.
- Ageev, YP; Matushkina, NN; Strusovskaya, NL. (1992). PERVAPORATION THROUGH STRUCTURALLY UNSTABLE POLYMERIC MEMBRANES. *J Memb Sci.* 67: 167-175.
- Ahmad, A; Gu, X; Li, L, i; Lv, S; Xu, Y; Guo, X. (2015). Efficient degradation of trichloroethylene in water using persulfate activated by reduced graphene oxide-iron nanocomposite. *Environ Sci Pollut Res Int.* 22: 17876-17885. <http://dx.doi.org/10.1007/s11356-015-5034-1>.
- Ahmad, B; Khan, MR; Shah, NA. (2015). Amelioration of carbon tetrachloride-induced pulmonary toxicity with *Oxalis corniculata*. *Toxicol Ind Health.* 31: 1243-1251. <http://dx.doi.org/10.1177/0748233713487245>.
- Ahmad, M; Simon, MA; Sherrin, A; Tuccillo, ME; Ullman, JL; Teel, AL; Watts, RJ. (2011). Treatment of polychlorinated biphenyls in two surface soils using catalyzed H₂O₂ propagations. *Chemosphere.* 84: 855-862. <http://dx.doi.org/10.1016/j.chemosphere.2011.06.021>.
- Ahmad, M; Teel, A; Watts, RJ. (2010). Persulfate activation by subsurface minerals. *J Contam Hydrol.* 115: 34-45. <http://dx.doi.org/10.1016/j.jconhyd.2010.04.002>.
- Ahmad, SM; Shah, FA; Bhat, FA; Bhat, JIA; Balkhi, MH. (2011). Thermal adaptability and disease association in common carp (*Cyprinus carpio communis*) acclimated to different (four) temperatures. *J Therm Biol.* 36: 492-497. <http://dx.doi.org/10.1016/j.jtherbio.2011.08.007>.
- Ahmed, S; Moffat, JB. (1995). AN INVERSE CORRELATION OF THE ENHANCEMENT EFFECT OF TETRACHLOROMETHANE AS A FEEDSTREAM ADDITIVE IN THE OXIDATIVE COUPLING OF METHANE ON SILICA-SUPPORTED ALKALINE-EARTH AND ALKALI-ALKALINE EARTH CATALYSTS WITH THE POLARIZING ABILITY OF THE ALKALINE-EARTH CATIONS. *Chem Eng Tech.* 18: 132-138.
- Ahmedchekkat, F; Medjram, MS; Chiha, M; Al-Bsoul, AMA, li. (2011). Sonophotocatalytic degradation of Rhodamine B using a novel reactor geometry: Effect of operating conditions. *Chem Eng J.* 178: 244-251. <http://dx.doi.org/10.1016/j.cej.2011.10.061>.
- Ahuja, DK; Gavalas, VG; Bachas, LG; Bhattacharyya, D. (2004). Aqueous-phase dechlorination of toxic chloroethylenes by vitamin B-12 cobalt center: Conventional and polypyrrole film-based electrochemical studies. *Ind Eng Chem Res.* 43: 1049-1055. <http://dx.doi.org/10.1021/ie030484i>.
- Airoldi, C; Santos, M. (1994). SYNTHESIS, CHARACTERIZATION, CHEMISORPTION AND THERMODYNAMIC DATA OF UREA IMMOBILIZED ON SILICA. *J Mater Chem.* 4: 1479-1485.
- Ajo-Franklin, JB; Geller, J, iIT; Harris, JM. (2006). A survey of the geophysical properties of chlorinated DNAPLs. *Journal of Applied Geophysics.* 59: 177-189. <http://dx.doi.org/10.1016/j.jappgeo.2005.10.002>.
- Akimoto, T; Nitta, T; Katayama, T. (1984). NITROGEN SOLUBILITY AND VAPOR-PRESSURE OF BINARY MIXED-SOLVENTS CONTAINING BENZENE, CARBON-TETRACHLORIDE, CYCLOHEXANE AND 1-HEXANE. *J Chem Eng Jpn.* 17: 637-641.
- Aksoy, L; Sozbulir, NB. (2012). Effects of *Matricaria chamomilla* L. on lipid peroxidation, antioxidant enzyme systems, and key liver enzymes in CCl₄-treated rats. *Toxicol Environ Chem.* 94: 1780-1788. <http://dx.doi.org/10.1080/02772248.2012.729837>.
- Aktas, C; Kanter, M; Erboga, M; Mete, R; Oran, M. (2014). Melatonin attenuates oxidative stress, liver damage and hepatocyte apoptosis after bile-duct ligation in rats. *Toxicol Ind Health.* 30: 835-844. <http://dx.doi.org/10.1177/0748233712464811>.
- Aktas, Z; Karacan, F; Olcay, A. (1998). Centrifugal float-sink separation of fine Turkish coals in dense media. *Fuel Process Tech.* 55: 235-250.
- Akulinichev, VV; Gorbunov, VA; Pivinskii, EG. (1997). Generation of picosecond pulses with the wavelength 1.54 μ m by two-stage compression in stimulated scattering of nanosecond Nd³⁺:YAG laser pulses. *Quantum Electronics.* 27: 351-355.
- Al Othman, ZA; Yilmaz, E; Habila, M; Soylak, M. (2013). Development of a dispersive liquid-liquid microextraction combined with flame atomic absorption spectrometry using a microinjection system for the enrichment, separation, and determination of nickel in water samples. *Desalination and Water Treatment.* 51: 6770-6776. <http://dx.doi.org/10.1080/19443994.2013.792447>.
- Al-Abed; Fang, Y. (2007). Use of Granular Graphite for Electrolytic Dechlorination of Trichloroethylene. *Environ Eng Sci.* 24: 842-851. <http://dx.doi.org/10.1089/ees.2005.0096>.
- Alaimo, MH; Kumosinski, TF. (1997). Investigation of hydrophobic interactions in colloidal and biological systems by molecular dynamics simulations and NMR spectroscopy. *Langmuir.* 13: 2007-2018.
- Alapi, T; Dombi, A. (2007). Direct VUV photolysis of chlorinated methanes and their mixtures in an oxygen stream using an ozone producing low-pressure mercury vapour lamp. *Chemosphere.* 67: 693-701. <http://dx.doi.org/10.1016/j.chemosphere.2006.10.066>.
- Alapi, T; Van Craeynest, K; Van Langenhoeve, H; Dewulf, J; Dombi, A. (2007). Direct VUV photolysis of chlorinated methanes and their mixtures in a nitrogen stream. *Chemosphere.* 66: 139-144. <http://dx.doi.org/10.1016/j.chemosphere.2006.04.090>.
- Al-Assaf, AH. (2014). EFFICACY OF COROSOLIC ACID ON MITOCHONDRIAL ENZYMES AND DNA DAMAGE AGAINST CCL₄-INDUCED HEPATOTOXIC RATS. *The J A P S.* 24: 1366-1373.
- Alberici, RM; Jardim, WE. (1997). Photocatalytic destruction of VOCs in the gas-phase using titanium dioxide. *Appl Catal B-Environ.* 14: 55-68.
- Alcaniz-Monge, J; Carmen Roman-Martinez, M, a. (2012). Fundamentals of vapors adsorption onto activated carbon fibers assessed by the comparative analysis of N₂ and CO₂ adsorption. *Separation and Purification Technology.* 85: 83-89. <http://dx.doi.org/10.1016/j.seppur.2011.09.051>.
- Aldossari, AA; Shannahan, JH; Podila, R; Brown, JM. (2015). Scavenger receptor B1 facilitates macrophage uptake of silver nanoparticles and cellular activation. *J Nanopart Res.* 17. <http://dx.doi.org/10.1007/s11051-015-3116-0>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Aleksandrovskii, SV; Sizyakov, VM; Ratner, AK; Lee, DW. (2001). Production of titanium carbide, nitride and carbonitride by metallothermic reduction of halogenides. *Journal of Materials Processing & Manufacturing Science*. 9: 303-309.
- Alessi, P; Alessandrini, A; Orlandini, M. (1984). ACTIVITY COEFFICIENTS AT INFINITE DILUTION IN SOLVENTS WITH TWO FUNCTIONAL GROUPS. *Chemical Engineering Communications*. 27: 59-67.
- Alexeeff, GV; Kilgore, WW. (1983). Learning impairment in mice following acute exposure to dichloromethane and carbon tetrachloride. *J Toxicol Environ Health*. 11: 569-581. <http://dx.doi.org/10.1080/15287398309530368>.
- Algangdaby, MM; Al-Sawahli, MM; Ahmed, OAA; Fahmy, UA; Abdallah, HM; Hattori, M; Ashour, OM; Abdel-Naim, AB. (2016). Curcumin-Zein Nanospheres Improve Liver Targeting and Antifibrotic Activity of Curcumin in Carbon Tetrachloride-Induced Mice Liver Fibrosis. *Journal of Biomedical Nanotechnology*. 12: 1746-1757. <http://dx.doi.org/10.1166/jbn.2016.2270>.
- Al-Hemiri, A; Mahmoud, HE. (2010). Removal of Zinc Ions from Water Using Emulsion Liquid Membrane. *Int J Chem React Eng*. 8.
- Ali, M; Ghosh, SK. (2015). Liquid-liquid interface-mediated Au-ZnO composite membrane using 'thiol-ene' click chemistry. 2. <http://dx.doi.org/10.1088/2053-1591/2/7/075010>.
- Aliotta, F; Ponterio, RC; Saija, F. (2008). On the origin of excess thermodynamic quantities in liquid mixtures. *Oil & Gas Science & Technology*. 63: 353-361. <http://dx.doi.org/10.2516/ogst:2008013>.
- Allen, NDC; Bernath, PF; Boone, CD; Chipperfield, MP; Fu, D; Manney, GL; Oram, DE; Toon, GC; Weisenstein, DK. (2009). Global carbon tetrachloride distributions obtained from the Atmospheric Chemistry Experiment (ACE). *Atmos Chem Phys*. 9: 7449-7459.
- Almeida, RM; Du, XM; Barbier, D; Orignac, X. (1999). Er³⁺-doped multicomponent silicate glass planar waveguides prepared by sol-gel processing. *Journal of Sol-Gel Science and Technology*. 14: 209-216.
- Alm-Eldeen, AA; Mona, MH; Shati, AA; El-Mekawy, HI. (2015). Synergistic effect of black tea and curcumin in improving the hepatotoxicity induced by aflatoxin B1 in rats. *Toxicol Ind Health*. 31: 1269-1280. <http://dx.doi.org/10.1177/0748233713491807>.
- Almomani, FA; Ormeci, B. (2016). Performance Of *Chlorella Vulgaris*, *Neochloris Oleoabundans*, and mixed indigenous microalgae for treatment of primary effluent, secondary effluent and centrate. *Ecol Eng*. 95: 280-289. <http://dx.doi.org/10.1016/j.ecoleng.2016.06.038>.
- Almquist, CB; Biswas, P. (2001). The photo-oxidation of cyclohexane on titanium dioxide: an investigation of competitive adsorption and its effects on product formation and selectivity. *Appl Catal A-Gen*. 214: 259-271.
- Alp, E; Karacay, E; Cabbar, HC. (2013). LOW TEMPERATURE PRODUCTION OF BORON CARBIDE AND ITS CHARACTERIZATION. *Gazi Universitesi Muhendislik Mimarlik Fakultesi Dergisi*. 28: 293-302.
- Alpaydin, S; Yilmaz, M; Ersoz, M. (2004). Kinetic study of Hg(II) transport through a bulk liquid membrane containing ester derivative of bis-calix[4]arene. *Separation Science and Technology*. 39: 2189-2206. <http://dx.doi.org/10.1081/SS-120039310>.
- Alpoguz, HK; Kaya, A; Deligoz, H. (2006). Liquid membrane transport of Hg(II) by an azocalix[4]arene derivative. *Separation Science and Technology*. 41: 1155-1167. <http://dx.doi.org/10.1080/01496390600634731>.
- Alpoguz, HK; Memon, S; Ersoz, M; Yilmaz, M. (2002). Transport of metals through a liquid membrane containing calix[4]arene derivatives as carrier. *Separation Science and Technology*. 37: 2201-2213.
- Alpoguz, HK; Memon, S; Ersoz, M; Yilmaz, M. (2004). Transport kinetics of Hg²⁺ through bulk liquid membrane using calix[4]arene ketone derivative as carrier. *Separation Science and Technology*. 39: 799-810. <http://dx.doi.org/10.1081/SS-120028447>.
- Alsaleem, SS; Zahid, WM; Alnashif, IM; Hadj-Kali, MK. (2015). Solubility of Halogenated Hydrocarbons in Hydrophobic Ionic Liquids: Experimental Study and COSMO-RS Prediction. *Journal of Chemical and Engineering Data*. 60: 2926-2936. <http://dx.doi.org/10.1021/acs.jced.5b00310>.
- Alvarado, JS; Rose, C; Lafreniere, L. (2010). Degradation of carbon tetrachloride in the presence of zero-valent iron. *J Environ Monit*. 12: 1524-1530. <http://dx.doi.org/10.1039/c0em00039f>.
- Alvarez, LH; Jimenez-Bermudez, L; Hernandez-Montoya, V; Cervantes, FJ. (2012). Enhanced Dechlorination of Carbon Tetrachloride by Immobilized Fulvic Acids on Alumina Particles. *Water Air Soil Pollut*. 223: 1911-1920. <http://dx.doi.org/10.1007/s11270-011-0994-3>.
- Alvarez, M; Lo Monaco, C; Tanhua, T; Yool, A; Oschlies, A; Bullister, JL; Goyet, C; Metzl, N; Touratier, F; Mcdonagh, E; Bryden, HL. (2009). Estimating the storage of anthropogenic carbon in the subtropical Indian Ocean: a comparison of five different approaches. *Biogeosciences*. 6: 681-703. <http://dx.doi.org/10.5194/bg-6-681-2009>.
- Aly, HA; Mansour, AM; Hassan, MH; Abd-Allah, MF. (2014). Lipoic acid attenuates Aroclor 1260-induced hepatotoxicity in adult rats. *Environ Toxicol*. 31: 913-922. <http://dx.doi.org/10.1002/tox.22101>.
- Alzawqari, MH; Al-Baddany, AA; Al-Baadani, HH; Alhidary, IA; Khan, RU; Aqil, GM; Abdurab, A. (2016). Effect of feeding dried sweet orange (*Citrus sinensis*) peel and lemon grass (*Cymbopogon citratus*) leaves on growth performance, carcass traits, serum metabolites and antioxidant status in broiler during the finisher phase. *Environ Sci Pollut Res Int*. 23: 17077-17082. <http://dx.doi.org/10.1007/s11356-016-6879-7>.
- Amagai, T; Olansandan; Matsushita, H; Ono, M; Nakai, S; Tamura, K; Maeda, K. (1999). A survey of indoor pollution by volatile organohalogen compounds in Katsushika, Tokyo, Japan. *Indoor Built Environ*. 8: 255-268.
- Amali, S; Rolston, DE. (1993). THEORETICAL INVESTIGATION OF MULTICOMPONENT VOLATILE ORGANIC VAPOR DIFFUSION - STEADY-STATE FLUXES. *J Environ Qual*. 22: 825-831.
- Amaral, OC; Otero, R; Grimalt, JO; Albaiges, J. (1996). Volatile and semi-volatile organochlorine compounds in tap and riverine waters in the area of influence of a chlorinated organic solvent factory. *Water Res*. 30: 1876-1884.
- AMARPAL; Kumar, A. (1994). EFFECT OF PREMEDICATION AND HEPATIC INSUFFICIENCY ON PLASMA THIOPENAL CLEARANCE IN BOVINE. *Indian J Anim Sci*. 64: 28-30.
- Ambrozek, B. (2004). Experimental and theoretical studies of cyclic thermal swing adsorption process for the removal and recovery of volatile organic compounds from waste air streams. *Inzynieria Chemiczna i Procesowa*. 25: 555-561.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Amer, MS; Todd, TK; Busbee, JD. (2011). Effect of linear alcohol molecular size on the self-assembly of fullerene whiskers. *Mater Chem Phys*. 130: 90-94. <http://dx.doi.org/10.1016/j.matchemphys.2011.05.070>.
- Amet, Y; Berthou, F; Fournier, G; Dreano, Y; Bardou, L; Cledes, J; Menez, JF. (1997). Cytochrome P450 4A and 2E1 expression in human kidney microsomes. *Biochem Pharmacol*. 53: 765-771. [http://dx.doi.org/10.1016/S0006-2952\(96\)00821-0](http://dx.doi.org/10.1016/S0006-2952(96)00821-0).
- Aminabhavi, TM; Aralaguppi, MI; Harogoppad, SB; Balundgi, RH. (1993). DENSITIES, VISCOSITIES, REFRACTIVE-INDEXES, AND SPEEDS OF SOUND FOR METHYL ACETOACETATE PLUS ALIPHATIC-ALCOHOLS (C1-C8). *Journal of Chemical and Engineering Data*. 38: 31-39.
- Aminabhavi, TM; Banerjee, K. (1998). Density, viscosity, refractive index, and speed of sound in binary mixtures of dimethyl carbonate with methanol, chloroform, carbon tetrachloride, cyclohexane, and dichloromethane in the temperature interval (298.15-308.15) K. *Journal of Chemical and Engineering Data*. 43: 1096-1101.
- Amir, A; Lee, W. (2011). Enhanced reductive dechlorination of tetrachloroethene by nano-sized zero valent iron with vitamin B-12. *Chem Eng J*. 170: 492-497. <http://dx.doi.org/10.1016/j.cej.2011.01.048>.
- Amir, A; Lee, W. (2012). Enhanced reductive dechlorination of tetrachloroethene during reduction of cobalamin (III) by nano-mackinawite. *J Hazard Mater*. 235: 359-366. <http://dx.doi.org/10.1016/j.jhazmat.2012.08.017>.
- Amonette, JE; Workman, DJ; Kennedy, DW; Fruchter, JS; Gorby, YA. (2000). Dechlorination of carbon tetrachloride by Fe(II) associated with goethite. *Environ Sci Technol*. 34: 4606-4613. <http://dx.doi.org/10.1021/es9913582>.
- An, E; Park, H; Lee, A, eRiCho. (2016). Inhibition of fibrotic contraction by C-phycocyanin through modulation of connective tissue growth factor and alpha-smooth muscle actin expression. 13: 388-395. <http://dx.doi.org/10.1007/s13770-015-0104-5>.
- An, X; Zhou, L; Yao, B, o; Xu, L, in; Ma, L, in. (2012). Analysis on source features of halogenated gases at Shangdianzi regional atmospheric background station. *Atmos Environ*. 57: 91-100. <http://dx.doi.org/10.1016/j.atmosenv.2012.04.042>.
- Anand, C; Priya, SV; Lawrence, G; Mane, GP; Dhawale, DS; Prasad, KS; Balasubramanian, VV; Wahab, MA; Vinu, A. (2013). Transesterification of ethylacetate catalysed by metal free mesoporous carbon nitride. *Catalysis Today*. 204: 164-169. <http://dx.doi.org/10.1016/j.cattod.2012.07.025>.
- Anand, KV; Anandhi, R; Pakkiyaraj, M; Geraldine, P. (2011). Protective effect of chrysin on carbon tetrachloride (CCl4)-induced tissue injury in male Wistar rats. *Toxicol Ind Health*. 27: 923-933. <http://dx.doi.org/10.1177/0748233711399324>.
- Anand, SS; Mehendale, HM. (2004). Liver regeneration: a critical toxicodynamic response in predictive toxicology. *Environ Toxicol Pharmacol*. 18: 149-160. <http://dx.doi.org/10.1016/j.etap.2004.02.011>.
- Anand, SS; Murthy, SN; Mumtaz, MM; Mehendale, HM. (2004). Dose-dependent liver tissue repair in chloroform plus thioacetamide acute hepatotoxicity. *Environ Toxicol Pharmacol*. 18: 143-148. <http://dx.doi.org/10.1016/j.etap.2004.02.010>.
- Anandan, S; Ikuma, Y; Kakinuma, K; Niwa, K. (2008). SYNTHESIS AND CHARACTERIZATION OF A HIGHLY CRYSTALLINE NOVEL MESOPOROUS C- AND N-CODOPED TiO2 NANOPHOTOCATALYST. *NANO*. 3: 367-372.
- Andersen, ME; Clewell, HJ, III; Gargas, ML; Smith, FA; Reitz, RH. (1987). Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol*. 87: 185-205. [http://dx.doi.org/10.1016/0041-008X\(87\)90281-X](http://dx.doi.org/10.1016/0041-008X(87)90281-X).
- Andersen, ME; Dennison, JE. (2004). Mechanistic approaches for mixture risk assessments-present capabilities with simple mixtures and future directions. *Environ Toxicol Pharmacol*. 16: 1-11. <http://dx.doi.org/10.1016/j.etap.2003.10.004>.
- Anderson, MW; Reynolds, SH; You, M; Maronpot, RM. (1992). Role of proto-oncogene activation in carcinogenesis [Review]. *Environ Health Perspect*. 98: 13-24.
- Anderson, TA; Beauchamp, JJ; Walton, BT. (1991). FATE OF VOLATILE AND SEMIVOLATILE ORGANIC-CHEMICALS IN SOILS - ABIOTIC VERSUS BIOTIC LOSSES. *J Environ Qual*. 20: 420-424.
- Ando, S; Tanahashi, N; Mihara, N; Fujita, T; Watanabe, C; Matsuda, H. (2007). Effect of CaO and Na2CO3 on TCE decomposition and dry sorption of Cl compounds derived from TCE. *Kagaku Kogaku Ronbunshu*. 33: 261-266.
- Andre, HM; Noti, MI. (1993). EXTRACTING SAND MICROARTHROPODS - A CARBON-TETRACHLORIDE FLOTATION METHOD. *European Journal of Soil Biology*. 29: 91-96.
- Andrews, EJ; Novak, PJ. (2001). Influence of ferrous iron and pH on carbon tetrachloride degradation by *Methanosarcina thermophila*. *Water Res*. 35: 2307-2313.
- Aneja, R; Upadhyaya, G; Prakash, S; Dass, SK; Chandra, R. (2005). Ameliorating effect of phytoestrogens on CCl4-induced oxidative stress in the livers of male Wistar rats. *Artificial Cells, Blood Substitutes, and Biotechnology*. 33: 201-213. <http://dx.doi.org/10.1081/BIO-200055908>.
- Angehrn, D; Galli, R; Zeyer, J. (1998). Physicochemical characterization of residual mineral oil contaminants in bioremediated soil. *Environ Toxicol Chem*. 17: 2168-2175.
- Anipsitakis, GP; Dionysiou, DD; Gonzalez, MA. (2006). Cobalt-mediated activation of peroxymonosulfate and sulfate radical attack on phenolic compounds. implications of chloride ions. *Environ Sci Technol*. 40: 1000-1007. <http://dx.doi.org/10.1021/es050634b>.
- Ansari, GA; Moslen, MT; Reynolds, ES. (1982). Evidence for in vivo covalent binding of CCl3 derived from CCl4 to cholesterol of rat liver. *Biochem Pharmacol*. 31: 3509-3510.
- Anthony, A; Desiraju, GR; Jetti, RKR; Kuduva, SS; Madhavi, NNL; Nangia, A; Thaimattam, R; Thalladi, VR. (1998). Crystal engineering: Some further strategies. *Materials Research Bulletin*1-18.
- Antonio Gonzalez, J; Garcia de la Fuente, I; Carlos Cobos, J; Riesco, N. (2012). Thermodynamics of Mixtures Containing Oxaalkanes. 7. Random Mixing in Ether + CCl4 Systems. *Ind Eng Chem Res*. 51: 5108-5116. <http://dx.doi.org/10.1021/ie300094e>.
- Antony, J; Qiang, Y; Baer, DR; Wang, CM. (2006). Synthesis and characterization of stable iron-iron oxide core-shell nanoclusters for environmental applications. *J Nanosci Nanotechnol*. 6: 568-572. <http://dx.doi.org/10.1166/jnn.2006.074>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Antony, J; Sharma, A; Pendyala, S; Meyer, D; Nutting, J; Baer, DR; Wang, CM; Mccready, D; Engelhard, M; Qiang, Y. (2005). Iron-iron oxide core shell nanoparticles for contaminant underground water treatment. *Geochim Cosmo Acta*. 69: A518-A518.
- Anuradha, S; Raj, KJA; Elangovan, T; Viswanathan, B. (2014). Adsorption of VOC on steam activated carbon derived from coconut shell charcoal. *Indian J Chem Tech*. 21: 345-349.
- Anzai, H; Itoh, T; Kinoshita, N; Honda, K; Tokumoto, M; Uchida, T. (1994). THE EFFECT OF GUEST MOLECULES ON THE CRYSTAL-GROWTH OF THE ORGANIC SUPERCONDUCTOR KAPPA-(BEDT-TTF)₂CU(NCS)₂. *J Cryst Growth*. 141: 119-123.
- Apblett, AW; Kiran, BP; Oden, K. (2003). Reductive dechlorination of chloromethanes using tungsten and molybdenum hydrogen bronzes or sodium hypophosphite. *ACS Symp Ser Am Chem Soc*. 837: 154-164.
- Arakawa, S; Itoh, M; Kasukawa, A. (2000). Highly selective growth of AlGaInAs assisted by CBr₄ during MOCVD growth. *J Cryst Growth*. 221: 183-188.
- Araki, A; Kamigaitao, N; Sasaki, T; Matsushima, T. (2004). Mutagenicity of carbon tetrachloride and chloroform in Salmonella typhimurium TA98, TA100, TA1535, and TA1537, and Escherichia coli WP2uvrA/pKM101 and WP2/pKM101, using a gas exposure method. *Environ Mol Mutagen*. 43: 128-133. <http://dx.doi.org/10.1002/em.20005>.
- Aralaguppi, MI; Aminabhavi, TM; Balundgi, RH. (1992). Excess molar volume, excess isentropic compressibility and excess molar refraction of binary mixtures of methyl acetoacetate with benzene, toluene, m-xylene, mesitylene and anisole. *Fluid Phase Equilibria*. 71: 99-112. [http://dx.doi.org/10.1016/0378-3812\(92\)85007-u](http://dx.doi.org/10.1016/0378-3812(92)85007-u).
- Aramendia, MA; Borau, V; Jimenez, C; Marinas, JM; Romero, FJ. (1999). N-alkylation of aniline with methanol over magnesium phosphates. *Appl Catal A-Gen*. 183: 73-80.
- Aranovich, GL; Donohue, MD. (1995). ADSORPTION-ISOTHERMS FOR MICROPOROUS ADSORBENTS. *Carbon*. 33: 1369-1375.
- Aranzabal, A; Romero-Saez, M; Elizundia, U; Ramon Gonzalez-Velasco, J; Antonio Gonzalez-Marcos, J. (2016). The effect of deactivation of H-zeolites on product selectivity in the oxidation of chlorinated VOCs (trichloroethylene). *J Chem Tech Biotechnol*. 91: 318-326. <http://dx.doi.org/10.1002/jctb.4585>.
- Arato, A; Cardenas, E; Shaji, S; O'Brien, JJ; Liu, J; Alan Castillo, G; Das Roy, TK; Krishnan, B. (2009). Sb₂S₃:C/CdS p-n junction by laser irradiation. *Thin Solid Films*. 517: 2493-2496. <http://dx.doi.org/10.1016/j.tsf.2008.11.025>.
- Arena, U; Di Gregorio, F. (2013). Element partitioning in combustion- and gasification-based waste-to-energy units. *Waste Manag*. 33: 1142-1150. <http://dx.doi.org/10.1016/j.wasman.2013.01.035>.
- Ariga, K; Kikuchi, J; Naito, M; Koyama, E; Yamada, N. (2000). Modulated supramolecular assemblies composed of tripeptide derivatives: Formation of micrometer-scale rods, nanometer-size needles, and regular patterns with molecular-level flatness from the same compound. *Langmuir*. 16: 4929-4939.
- Armengol, E; Corma, A; Garcia, H; Primo, J. (1997). Acid zeolites as catalysts in organic reactions. tert-Butylation of anthracene, naphthalene and thianthrene. *Appl Catal A-Gen*. 149: 411-423.
- Armitage, R; Yang, Q; Feick, H; Weber, ER. (2004). Evaluation of CCl₄ and CS₂ as carbon doping sources in MBE growth of GaN. *J Cryst Growth*. 263: 132-142. <http://dx.doi.org/10.1016/j.jcrysgro.2003.11.091>.
- Arnold, WA; Ball, WP; Roberts, AL. (1999). Polychlorinated ethane reaction with zero-valent zinc: pathways and rate control. *J Contam Hydrol*. 40: 183-200.
- Artal, M; Embid, JM; Otin, S; Velasco, I. (1999). Isothermal vapor-liquid equilibria of bromochloromethane or 1-bromo-2-chloroethane plus tetrachloromethane or benzene. Experimental measurements and analysis in terms of group contributions. *Fluid Phase Equilibria*. 154: 223-239.
- Aruna, P; Natarajan, S; Suryanarayana, CV. (1991). THE INTERNAL-PRESSURE AT THE MISCIBILITY POINT IN SOME TERNARY-SYSTEMS. 29: 537-540.
- Asada, H; Seiyama, H; Takechi, M. (1997). Displacement transition in CH₄/cyclohexane adsorbed on graphite. *AST*. 15: 271-276.
- Asadi, M; Niad, M. (2003). NMR studies of equilibrium quotient of the benzonitrile with xylene isomers and ethylbenzene. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)*. 22: 1-7.
- Asadullah, M; Rahman, MA; Motin, MA; Sultan, MB. (2006). Preparation and adsorption studies of high specific surface area activated carbons obtained from the chemical activation of jute stick. *AST*. 24: 761-770.
- Ashokkumar, M; Grieser, F. (1999). Ultrasound assisted chemical processes. 15: 41-83.
- Asprion, N; Hasse, H; Maurer, G. (1998). Limiting activity coefficients in alcohol-containing organic solutions from headspace gas chromatography. *Journal of Chemical and Engineering Data*. 43: 74-80.
- Asprion, N; Hasse, H; Maurer, G. (2003). Thermodynamic and IR spectroscopic studies of solutions with simultaneous association and solvation. *Fluid Phase Equilibria*. 208: 23-51.
- Assael, MJ; Dymond, JH; Papadaki, M; Patterson, PM. (1992). CORRELATION AND PREDICTION OF DENSE FLUID TRANSPORT-COEFFICIENTS .2. SIMPLE MOLECULAR FLUIDS. *Fluid Phase Equilibria*. 75: 245-255.
- Assafanid, N; Hayes, KF; Vogel, TM. (1994). REDUCTIVE DECHLORINATION OF CARBON-TETRACHLORIDE BY COBALAMIN(II) IN THE PRESENCE OF DITHIOTHREITOL - MECHANISTIC STUDY, EFFECT OF REDOX POTENTIAL AND PH. *Environ Sci Technol*. 28: 246-252.
- Assaf-Anid, N; Lin, KY. (2002). Carbon tetrachloride reduction by Fe²⁺, S₂⁻, and FeS with vitamin B-12 as organic amendment. *J Environ Eng*. 128: 94-99.
- Astel, A; Astel, K; Biziuk, M; Namiesnik, J. (2006). Clasification of drinking water samples using the Chernoff's Faces visualization approach. *Pol J Environ Stud*. 15: 691-697.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Atanassova, M; Dukov, IL. (2004). Synergistic solvent extraction and separation of trivalent lanthanide metals with mixtures of 4-benzoyl-3-methyl-1-phenyl-2-pyrazolin-5-one and aliquat 336. *Separation and Purification Technology*. 40: 171-176. <http://dx.doi.org/10.1016/j.seppur.2004.02.007>.
- Atawodi, SE; Iliemene, DU, ju; Onyike, E. (2014). In vivo Antioxidant Effect of Methanolic Extract of *Azela africana* Seed on Carbon Tetrachloride-induced Acute and Chronic Oxidative Injury in Rats. *International Journal of Agriculture and Biology*. 16: 597-602.
- Atawodi, SE; Liman, ML; Onyike, EO. (2013). Antioxidant Effects of *Tamarindus indica* following Acute and Chronic Carbon Tetrachloride Induced Liver Injury. *International Journal of Agriculture and Biology*. 15: 410-418.
- Atawodi, SE; Yakubu, OE; Umar, IA. (2013). Antioxidant and Hepatoprotective Effects of *Parinari curatellifolia* Root. *International Journal of Agriculture and Biology*. 15: 523-528.
- Atdaev, BS; Blonsky, IV; Zubrilin, MG; Tkachenko, OM; Dmitruk, IM; Tinkov, VO; Urubkov, IV; Kotko, AV. (2008). The Photostimulated Fabrication of Nanoparticles of Gold by Means of the XeCl Excimer Laser. *Metallofizika i Noveishie Tekhnologii*. 30: 1479-1491.
- Athankar, KK; Wasewar, KL; Varma, MN; Shende, DZ; Uslu, H. (2015). Extractive Separation of Benzylformic Acid with Phosphoric Acid Tributyl Ester in CCl₄, Decanol, Kerosene, Toluene, and Xylene at 298 K. *Journal of Chemical and Engineering Data*. 60: 1014-1022. <http://dx.doi.org/10.1021/je500943m>.
- Atkins, P. (1998). *Physical chemistry Diffusion controlled reactions* (6 ed.). New York: Freeman.
- Atkinson, R. (1989). Kinetics and mechanisms of the gas-phase reactions of the hydroxyl radical with organic compounds. *J Phys Chem Ref Data*. 1: 1-246.
- Attari, SG; Bahrami, A; Shahna, FG; Heidari, M. (2014). Solid-phase microextraction fiber development for sampling and analysis of volatile organohalogen compounds in air. 12: 123. <http://dx.doi.org/10.1186/s40201-014-0123-5>.
- Attolini, G; Rossi, F; Fabbri, F; Bosi, M; Watts, BE; Salviati, G. (2009). A new growth method for the synthesis of 3C-SiC nanowires. *Mater Lett*. 63: 2581-2583. <http://dx.doi.org/10.1016/j.matlet.2009.09.012>.
- Au, CT; He, H; Lai, SY; Ng, CF. (1997). The oxidative coupling of methane over BaCO₃/LaOCl catalysts. *Appl Catal A-Gen*. 159: 133-145.
- Augusto, EB; Oliveira, HP. (2001). Kinetics of chlorination and microstructural changes of xenotime by carbon tetrachloride. *Metallurgical and Materials Transactions B - Process Metallurgy and Materials Processing Science*. 32: 785-791.
- Aulenta, F; Maio, VD; Ferri, T; Majone, M. (2010). The humic acid analogue antraquinone-2,6-disulfonate (AQDS) serves as an electron shuttle in the electricity-driven microbial dechlorination of trichloroethene to cis-dichloroethene. *Bioresour Technol*. 101: 9728-9733. <http://dx.doi.org/10.1016/j.biortech.2010.07.090>.
- Aust, SD. (1995). Mechanisms of degradation by white rot fungi [Review]. *Environ Health Perspect*. 103 Suppl 5: 59-61.
- Austin, J. (2003). Day-of-week patterns in toxic air contaminants in southern California. *Journal of the Air and Waste Management Association*. 53: 889-896.
- Avallone, LM; Prather, MJ. (1997). Tracer-tracer correlations: Three-dimensional model simulations and comparisons to observations. *J Geophys Res Atmos*. 102: 19233-19246.
- Avraam, T; Moumouzias, G; Ritzoulis, G. (1998). A study on excess volumes and dielectric properties in the gamma-butyrolactone plus p-xylene system at various temperatures. *Journal of Chemical and Engineering Data*. 43: 51-54.
- Awasthi, RB; Naidu, S. R.; Ganguli, NC. (1979). DETERMINATION OF HEATS OF ADSORPTION OF CYCLOHEXANE AND CARBON-TETRACHLORIDE BY GAS-CHROMATOGRAPHY. 17: 387-389.
- Ayala-Luis, KB; Cooper, NG; Koch, CB; Hansen, HC. (2012). Efficient dechlorination of carbon tetrachloride by hydrophobic green rust intercalated with dodecanoate anions. *Environ Sci Technol*. 46: 3390-3397. <http://dx.doi.org/10.1021/es204368u>.
- Ayala-Luis, KB; Koch, CB; Hansen, HCB. (2010). Intercalation of linear C9-C16 carboxylates in layered Fe-II-Fe-III-hydroxides (green rust) via ion exchange. *Appl Clay Sci*. 48: 334-341. <http://dx.doi.org/10.1016/j.clay.2010.01.003>.
- Ayraud, V; Aquilina, L; Labasque, T; Pauwels, H; Molenat, J; Pierson-Wickmann, AC; Durand, V; Bour, O; Tarits, C; Le Corre, P; Fourre, E; Merot, P; Davy, P. (2008). Compartmentalization of physical and chemical properties in hard-rock aquifers deduced from chemical and groundwater age analyses. *Appl Geochem*. 23: 2686-2707. <http://dx.doi.org/10.1016/j.apgeochem.2008.06.001>.
- Ayyildiz, O; Anderson, PR; Peters, RW. (2005). Laboratory batch experiments of the combined effects of ultrasound and air stripping in removing CCl₄ and 1,1,1-TCA from water. *J Hazard Mater*. 120: 149-156. <http://dx.doi.org/10.1016/j.jhazmat.2004.12.026>.
- Azeem, AK; Mathew, M; Nair, CDC. (2010). Hepatoprotective effect of *Averrhoa carambola* fruit extract on carbon tetrachloride induced hepatotoxicity in mice. *Asian Pacific Journal of Tropical Medicine*. 3: 610-613.
- Azizian, MF; Semprini, L. (2016). Simultaneous anaerobic transformation of tetrachloroethene and carbon tetrachloride in a continuous flow column. *J Contam Hydrol*. 190: 58-68. <http://dx.doi.org/10.1016/j.jconhyd.2016.04.002>.
- Azizian, S; Haydarpour, A. (2003). Solubility of benzophenone in binary alkane plus carbon tetrachloride solvent mixtures. *Journal of Chemical and Engineering Data*. 48: 1476-1478. <http://dx.doi.org/10.1021/je0340497>.
- Baati, T; Bourasset, F; Gharbi, N; Njim, L; Abderrabba, M; Kerkeni, A; Szwarc, H; Moussa, F. (2012). The prolongation of the lifespan of rats by repeated oral administration of [60]fullerene. *Biomaterials*. 33: 4936-4946. <http://dx.doi.org/10.1016/j.biomaterials.2012.03.036>.
- Baba, M; Dordain, L; Coxam, JY; Grolier, JPE. (1992). CALORIMETRIC MEASUREMENTS OF HEAT-CAPACITIES AND HEATS OF MIXING IN THE RANGE 300-570 K AND UP TO 30 MPA. 30: 553-558.
- Babaa, MR; Dupont-Pavlovsky, N; Mcrae, E; Masenelli-Varlot, K. (2004). Physical adsorption of carbon tetrachloride on as-produced and on mechanically opened single walled carbon nanotubes. *Carbon*. 42: 1549-1554. <http://dx.doi.org/10.1016/j.carbon.2004.02.004>.
- Bacocchi, R. (2013). Principles, Developments and Design Criteria of In Situ Chemical Oxidation. *Water Air Soil Pollut*. 224. <http://dx.doi.org/10.1007/s11270-013-1717-8>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Backhus, DA; Picardal, FW; Johnson, S; Knowles, T; Collins, R; Radue, A; Kim, S. (1997). Soil- and surfactant-enhanced reductive dechlorination of carbon tetrachloride in the presence of *Shewanella putrefaciens* 200. *J Contam Hydrol.* 28: 337-361.
- Badger, DA; Kuester, RK; Sauer, JM; Sipes, IG. (1997). Gadolinium chloride reduces cytochrome P450: Relevance to chemical-induced hepatotoxicity. *Toxicology.* 121: 143-153.
- Badger, DA; Sauer, JM; Hoglen, NC; Jolley, CS; Sipes, IG. (1996). The role of inflammatory cells and cytochrome P450 in the potentiation of CCl₄-induced liver injury by a single dose of retinol. *Toxicol Appl Pharmacol.* 141: 507-519. <http://dx.doi.org/10.1006/taap.1996.0316>.
- Badjic, JD; Kostic, NM. (2001). Behavior of organic compounds confined in monoliths of sol-gel silica glass. Effects of guest-host hydrogen bonding on uptake, release, and isomerization of the guest compounds. *J Mater Chem.* 11: 408-418.
- Bae, E; Choi, W. (2003). Highly enhanced photoreductive degradation of perchlorinated compounds on dye-sensitized metal/TiO₂ under visible light. *Environ Sci Technol.* 37: 147-152. <http://dx.doi.org/10.1021/es025617q>.
- Bae, JS; Do, DD. (2002). Study on diffusion and flow of benzene, n-hexane and CCl₄ in activated carbon by a differential permeation method. *Chem Eng Sci.* 57: 3013-3024.
- Bae, JW; Jang, E, unJoo; Lee, BI, n; Lee, J, aeS; Lee, KH, ee. (2007). Effects of tin on product distribution and catalyst stability in hydrodechlorination of CCl₄ over Pt-Sn/gamma-Al₂O₃. *Ind Eng Chem Res.* 46: 1721-1730. <http://dx.doi.org/10.1021/ie061334l>.
- Bae, JW; Kim, IG; Lee, JS; Lee, KH; Jang, EJ. (2003). Hydrodechlorination of CCl₄ over Pt/Al₂O₃: effects of platinum particle size on product distribution. *Appl Catal A-Gen.* 240: 129-142.
- Bae, JW; Lee, JS; Lee, KH. (2007). Disposal of CCl₄ by disproportionation reaction with CH₄. *Ind Eng Chem Res.* 46: 7057-7065. <http://dx.doi.org/10.1021/ie070630a>.
- Bae, JW; Lee, JS; Lee, KH. (2008). Hydrodechlorination of CCl₄ over Pt/gamma-Al₂O₃ prepared from different Pt precursors. *Appl Catal A-Gen.* 334: 156-167. <http://dx.doi.org/10.1016/j.apcata.2007.10.001>.
- Bae, JW; Park, ED; Lee, JS; Lee, KH; Kim, YG; Yeon, SH; Sung, BH. (2001). Hydrodechlorination of CCl₄ over Pt/gamma-Al₂O₃ - Effects of reaction pressure and diluent gases on distribution of products and catalyst stability. *Appl Catal A-Gen.* 217: 79-89.
- Bae, S; Kim, D; Lee, W. (2013). Degradation of diclofenac by pyrite catalyzed Fenton oxidation. *Appl Catal B-Environ.* 134: 93-102. <http://dx.doi.org/10.1016/j.apcatb.2012.12.031>.
- Bae, S; Lee, W. (2012). Enhanced reductive degradation of carbon tetrachloride by biogenic vivianite and Fe(II). *Geochim Cosmo Acta.* 85: 170-186. <http://dx.doi.org/10.1016/j.gca.2012.02.023>.
- Bae, S; Lee, W. (2013). Biotransformation of lepidocrocite in the presence of quinones and flavins. *Geochim Cosmo Acta.* 114: 144-155. <http://dx.doi.org/10.1016/j.gca.2013.03.041>.
- Bae, S; Lee, W. (2014). Influence of riboflavin on nanoscale zero-valent iron reactivity during the degradation of carbon tetrachloride. *Environ Sci Technol.* 48: 2368-2376. <http://dx.doi.org/10.1021/es4056565>.
- Bae, S; Lee, Y; Kwon, MJ; Lee, W. (2014). Riboflavin-mediated RDX transformation in the presence of *Shewanella putrefaciens* CN32 and lepidocrocite. *J Hazard Mater.* 274: 24-31. <http://dx.doi.org/10.1016/j.jhazmat.2014.04.002>.
- Bae, W; Rittmann, BE. (1995). ACCELERATING THE RATE OF COMETABOLIC DEGRADATIONS REQUIRING AN INTRACELLULAR ELECTRON SOURCE-MODEL AND BIOFILM APPLICATION. *Water Sci Technol.* 31: 29-39.
- Bae, Y; Kim, D; Cho, H; Singhal, N; Park, J. (2012). Transformation impacts of dissolved and solid phase Fe(II) on trichloroethylene (TCE) reduction in an iron-reducing bacteria (IRB) mixed column system: A mathematical model. *Water Res.* 46: 6391-6398. <http://dx.doi.org/10.1016/j.watres.2012.09.019>.
- Baek, W; Lee, JY. (2011). Source apportionment of trichloroethylene in groundwater of the industrial complex in Wonju, Korea: a 15-year dispute and perspective. *Water Environ J.* 25: 336-344. <http://dx.doi.org/10.1111/j.1747-6593.2010.00226.x>.
- Bagal, MV; Gogate, PR. (2012). Sonochemical degradation of alachlor in the presence of process intensifying additives. *Separation and Purification Technology.* 90: 92-100. <http://dx.doi.org/10.1016/j.seppur.2012.02.019>.
- Bagal, MV; Gogate, PR. (2013). Comparison of Efficacy of Different Configurations of Ultrasonic Reactors for Degradation of 2,4-Dinitrophenol Using Hybrid Treatment Schemes. *Ind Eng Chem Res.* 52: 8386-8391. <http://dx.doi.org/10.1021/ie400441t>.
- Bagchi, D; Moser, J; Stohs, SJ. (1994). QUANTITATIVE-DETERMINATION OF URINARY LIPID METABOLITES BY HIGH-PRESSURE LIQUID-CHROMATOGRAPHY AS INDICATORS OF MENADIONE-INDUCED IN-VIVO LIPID-PEROXIDATION. *Arch Environ Contam Toxicol.* 26: 387-391.
- Bagley, DM; Lalonde, M; Kaseros, V; Stasiuk, KE; Sleep, BE. (2000). Acclimation of anaerobic systems to biodegrade tetrachloroethene in the presence of carbon tetrachloride and chloroform. *Water Res.* 34: 171-178.
- Bagley, DM; Sutherland, IG; Sleep, BE. (2004). Non-enzymatic degradation of chlorofluorocarbon 113 using cyanocobalamin under anaerobic conditions. *J Environ Eng Sci.* 3: 295-299.
- Bagrov, IV; Belousova, IM; Danilov, OB; Ermakov, AV; Grenishin, AS; Kiselev, VM; Kislyakov, IM; Murav'eva, TD; Sosnov, EN; Videnichev, DA. (2008). Singlet oxygen generation processes in solutions of fullerenes in carbon tetrachloride. Fullerenes, Nanotubes, and Carbon Nanostructures. 16: 675-681. <http://dx.doi.org/10.1080/15363830802316983>.
- Bai, S; Shen, X; Zhu, G; Xu, Z; Liu, Y. (2011). Reversible phase transfer of graphene oxide and its use in the synthesis of graphene-based hybrid materials. *Carbon.* 49: 4563-4570. <http://dx.doi.org/10.1016/j.carbon.2011.06.072>.
- Bai, X; Ye, ZF; Qu, YZ; Li, YF; Wang, ZY. (2009). Immobilization of nanoscale Fe⁰ in and on PVA microspheres for nitrobenzene reduction. *J Hazard Mater.* 172: 1357-1364. <http://dx.doi.org/10.1016/j.jhazmat.2009.08.004>.
- Bai, YJ; Bian, J; Wang, CG; Zhu, B; Qi, YX; Wang, YX; Liu, YX; Geng, GL. (2005). One step convenient synthesis of crystalline beta-Si₃N₄. *J Mater Chem.* 15: 4832-4837. <http://dx.doi.org/10.1039/b510699k>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Bai, YJ; Lu, B; Liu, ZG; Li, L; Cui, DL; Xu, XG; Wang, QL. (2003). Solvothermal preparation of graphite-like C₃N₄ nanocrystals. *J Cryst Growth*. 247: 505-508.
- Baig, JA; Kazi, TG; Elci, L; Afridi, HI; Khan, MI; Naseer, HM. (2013). Ultratrace Determination of Cr(VI) and Pb(II) by Microsample Injection System Flame Atomic Spectroscopy in Drinking Water and Treated and Untreated Industrial Effluents. 2013: 629495. <http://dx.doi.org/10.1155/2013/629495>.
- Baillet, C; Fadli, A; J-P, S. (1996). Experimental study on the thermal oxidation of 1,3-hexachlorobutadiene at 500 - 1100 degrees C. *Chemosphere*. 32: 1261-1273.
- Baker, MV; Watling, JD. (1997). Functionalization of alkylsiloxane monolayers via free-radical bromination. *Langmuir*. 13: 2027-2032.
- Baklanov, MR; Mogilnikov, KP; Polovinkin, VG; Dultsev, FN. (2000). Determination of pore size distribution in thin films by ellipsometric porosimetry. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures*. 18: 1385-1391.
- Bakshi, MS; Kaur, G. (1997). Thermodynamic behavior of mixtures .4. Mixtures of methanol with pyridine and N,N-dimethylformamide at 25 degrees C. *Journal of Chemical and Engineering Data*. 42: 298-300.
- Balbis, E; Patriarca, S; Furfaro, AL; Millanta, S; Sukkar, SG; Marinari, UM; Pronzato, MA; Cottalasso, D; Traverso, N. (2009). Whey proteins influence hepatic glutathione after CCl₄ intoxication. *Toxicol Ind Health*. 25: 325-328. <http://dx.doi.org/10.1177/0748233709104870>.
- Baldwin, DG. (1985). CHEMICAL-EXPOSURE FROM CCL₄ PLASMA ALUMINUM ETCHERS. *J Electrochem Soc*. 132: C357-C357.
- Balogh, IS; Rusnakova, L; Skrlikova, J; Kocurova, L; Toeroek, M; Andruch, V. (2012). A spectrophotometric method for manganese determination in water samples based on ion pair formation and dispersive liquid-liquid microextraction. *Int J Environ Anal Chem*. 92: 1059-1071. <http://dx.doi.org/10.1080/03067319.2010.537750>.
- Balsiger, C; Holliger, C; Höhener, P. (2005). Reductive dechlorination of chlorofluorocarbons and hydrochlorofluorocarbons in sewage sludge and aquifer sediment microcosms. *Chemosphere*. 61: 361-373. <http://dx.doi.org/10.1016/j.chemosphere.2005.02.087>.
- Baluja, S; Gajera, R; Bhatt, M; Bhalodia, R; Vekariya, N. (2010). Solubility of Ofloxacin in 1,2-Dichloromethane, Chloroform, Carbon Tetrachloride, and Water from (293.15 to 313.15) K. *Journal of Chemical and Engineering Data*. 55: 956-958. <http://dx.doi.org/10.1021/je900540d>.
- Bandyopadhyay, A; De Sarkar, M; Bhowmick, AK. (2005). Epoxidised natural rubber/silica hybrid nanocomposites by sol-gel technique: Effect of reactants on the structure and the properties. *Journal of Materials Science*. 40: 53-62.
- Bandyopadhyay, AK; Dilawar, N; Vijayakumar, A; Varandani, D; Singh, D. (1998). A low cost laser-Raman spectrometer. *Bulletin of Materials Science*. 21: 433-438.
- Banerjee, BS; Khode, AV; Patil, AP; Mohod, AV; Gogate, PR. (2014). Sonochemical decolorization of wastewaters containing Rhodamine 6G using ultrasonic bath at an operating capacity of 2L. *Desalination and Water Treatment*. 52: 1378-1387. <http://dx.doi.org/10.1080/19443994.2013.786656>.
- Banerjee, D; Chattopadhyay, KK. (2014). Enhanced field emission properties of PECVD synthesized chlorine doped diamond like carbon thin films. *Surf Coating Tech*. 253: 1-7. <http://dx.doi.org/10.1016/j.surfcoat.2014.04.054>.
- Bansode, RR; Losso, JN; Marshall, WE; Rao, RM; Portier, RJ. (2003). Adsorption of volatile organic compounds by pecan shell- and almond shell-based granular activated carbons. *Bioresour Technol*. 90: 175-184. [http://dx.doi.org/10.1016/S0960-8524\(03\)00117-2](http://dx.doi.org/10.1016/S0960-8524(03)00117-2).
- Baokun, H; Yanjie, T; Zuowei, L; Shuqin, G; Zhaokai, L. (2007). Temperature measurement from the intensity ratio of the Raman-scattering lines in carbon tetrachloride constituting the liquid core of an optical fiber. *Instrum Exp Tech*. 50: 282-285. <http://dx.doi.org/10.1134/S0020441207020200>.
- Baran, J. R.; Pope, GA; Wade, WH; Weerasooriya, V; Yapa, A. (1994). MICROEMULSION FORMATION WITH CHLORINATED HYDROCARBONS OF DIFFERING POLARITY. *Environ Sci Technol*. 28: 1361-1366.
- Baran, J; Postolache, M; Postolache, M. (2006). Channeled spectra simulation of an anisotropic poly-(phenylmethacrylic) ester of cetyloxybenzoic acid in tetrachloromethane. *J Optoelect Adv Mater*. 8: 1529-1532.
- Baran, JR; Pope, GA; Wade, WH; Weerasooriya, V. (1996). Water/chlorocarbon Winsor I double left right arrow III double left right arrow II microemulsion phase behavior with alkyl glucamide surfactants. *Environ Sci Technol*. 30: 2143-2147.
- Barber, ED; Donish, WH; Mueller, KR. (1981). A procedure for the quantitative measurement of the mutagenicity of volatile liquids in the Ames salmonella/microsome assay. *Mutat Res Genet Toxicol*. 90: 31-48. [http://dx.doi.org/10.1016/0165-1218\(81\)90048-3](http://dx.doi.org/10.1016/0165-1218(81)90048-3).
- Barber, TA; Bienkowski, PR; Cochran, HD. (1990). SOLUBILITY OF SOLID CCL₄ IN SUPERCRITICAL CF₄ USING DIRECTLY COUPLED SUPERCRITICAL FLUID EXTRACTION MASS-SPECTROMETRY. *Separation Science and Technology*. 25: 2033-2043.
- Barber, TA; Cochran, HD; Bienkowski, PR. (1991). SOLUBILITY OF SOLID CCl₄ IN SUPERCRITICAL CF₄. *Journal of Chemical and Engineering Data*. 36: 99-102.
- Barbosa, R, ui; Lapa, N; Dias, D; Mendes, B. (2013). Concretes containing biomass ashes: Mechanical, chemical, and ecotoxic performances. *Construction and Building Materials*. 48: 457-463. <http://dx.doi.org/10.1016/j.conbuildmat.2013.07.031>.
- Barkauskas, J; Stankeviciene, I; Selskis, A. (2010). A novel purification method of carbon nanotubes by high-temperature treatment with tetrachloromethane. *Separation and Purification Technology*. 71: 331-336. <http://dx.doi.org/10.1016/j.seppur.2009.12.019>.
- Barnett, BR; Evans, AL; Roberts, CC; Fritsch, JM. (2011). Batch reactor kinetic studies on the reductive dechlorination of chlorinated ethylenes by tetrakis-(4-sulfonatophenyl)porphyrin cobalt. *Chemosphere*. 82: 592-596. <http://dx.doi.org/10.1016/j.chemosphere.2010.11.015>.
- Baron, J; Bulewicz, EM; Zukowski, W; Kandefer, S; Pilawska, M. (2002). Combustion of hydrocarbon fuels in a bubbling fluidized bed. *Combust Flame*. 128: 410-421.
- Barrabes, N; Cornado, D; Foettinger, K; Dafinov, A; Llorca, J; Medina, F; Rupprechter, G. (2009). Hydrodechlorination of trichloroethylene on noble metal promoted Cu-hydrotralcite-derived catalysts. *J Catal*. 263: 239-246. <http://dx.doi.org/10.1016/j.jcat.2009.02.015>.
- Barranco, FT; Dawson, HE; Christener, JM; Honeyman, BD. (1997). Influence of aqueous pH and ionic strength on the wettability of quartz in the presence of dense non-aqueous-phase liquids. *Environ Sci Technol*. 31: 676-681.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Barros, L; Braun, JP; Galtier, P; Toutain, PL. (1996). Validation of an automated technique for the measurement of glutathione S-transferase in plasma of sheep. *Small Ruminant Research*. 21: 37-43.
- Barros, LF; Stutzin, A; Calixto, A; Catalán, M; Castro, J; Hetz, C; Hermosilla, T. (2001). Nonselective cation channels as effectors of free radical-induced rat liver cell necrosis. *Hepatology*. 33: 114-122. <http://dx.doi.org/10.1053/jhep.2001.20530>.
- Barroso-Bujans, F; Cervený, S; Alegria, A; Colmenero, J. (2010). Sorption and desorption behavior of water and organic solvents from graphite oxide. *Carbon*. 48: 3277-3286. <http://dx.doi.org/10.1016/j.carbon.2010.05.023>.
- Barroso-Bujans, F; Cervený, S; Verdejo, R; Del Val, JJ; Alberdi, JM; Alegria, A; Colmenero, J. (2010). Permanent adsorption of organic solvents in graphite oxide and its effect on the thermal exfoliation. *Carbon*. 48: 1079-1087. <http://dx.doi.org/10.1016/j.carbon.2009.11.029>.
- Bartneck, M; Heffels, KH; Bovi, M; Groll, J; Zwadlo-Klarwasser, G. (2013). The role of substrate morphology for the cytokine release profile of immature human primary macrophages. *Mater Sci Eng C*. 33: 5109-5114. <http://dx.doi.org/10.1016/j.msec.2013.08.028>.
- Bartosiewicz, MJ; Jenkins, D; Penn, S; Emery, J; Buckpitt, A. (2001). Unique gene expression patterns in liver and kidney associated with exposure to chemical toxicants. *J Pharmacol Exp Ther*. 297: 895-905.
- Bartsch, RA; Jeon, EG; Walkowiak, W; Apostoluk, W. (1999). Effect of solvent in competitive alkali metal cation transport across bulk liquid membranes by a lipophilic lariat ether carboxylic acid carrier. *J Memb Sci*. 159: 123-131.
- Baruah, MK; Kotoky, P; Baruah, J; Bora, GC. (2005). Extent of lead in high sulphur Assam coals. *Fuel Process Tech*. 86: 731-734. <http://dx.doi.org/10.1016/j.fuproc.2004.05.015>.
- Barwick, VJ; Ellison, SLR; Rafferty, MJQ; Farrant, TJ. (1998). Evaluation of carbon disulfide as an alternative to carbon tetrachloride for the determination of hydrocarbon oils in water by infra-red spectrophotometry. *Int J Environ Anal Chem*. 72: 235-246.
- Basu, D; Asolekar, SR. (2012). Performance of UASB reactor in the biotreatment of 1,1,2-Trichloroethane. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 47: 267-273. <http://dx.doi.org/10.1080/10934529.2012.640902>.
- Bauder, MB; Palace, VP; Hodson, PV. (2005). Is oxidative stress the mechanism of blue sac disease in retene-exposed trout larvae? *Environ Toxicol Chem*. 24: 694-702.
- Bayer, E; Maurer, A; Deyle, CJ; Kutubuddin, M. (1995). RECOVERY OF ACTIVATED CARBONS FROM WASTES VIA LOW-TEMPERATURE CONVERSION .2. ANALYSIS AND EVALUATION OF APPLICABILITY. *Fresen Environ Bull*. 4: 539-544.
- Bchetnia, A; Rebey, A; Boufaden, T; El Jani, B. (1999). Thermodynamic analysis of growth rate reduction by VCl₄ during metalorganic vapor-phase epitaxy of GaAs. *J Cryst Growth*. 207: 15-19.
- Beard, A; Naikwadi, KP; Karasek, FW. (1993). FORMATION OF POLYCHLORINATED DIBENZOFURANS BY CHLORINATION AND DE-NOVO REACTIONS WITH FECL₃ IN PETROLEUM REFINING PROCESSES. *Environ Sci Technol*. 27: 1505-1511.
- Bechtold, MM; Gee, DL; Bruenner, U; Tappel, AL. (1982). Carbon tetrachloride-mediated expiration of pentane and chloroform by the intact rat: the effects of pretreatment with diethyl maleate, SKF-525A and phenobarbital. *Toxicol Lett*. 11: 165-171.
- Becker, JG; Freedman, DL. (1994). USE OF CYANOCOBALAMIN TO ENHANCE ANAEROBIC BIODEGRADATION OF CHLOROFORM. *Environ Sci Technol*. 28: 1942-1949. <http://dx.doi.org/10.1021/es00060a027>.
- Bedia, J; Gomez-Sainero, LM; Grau, JM; Busto, M; Martin-Martinez, M; Rodriguez, JJ. (2012). Hydrodechlorination of dichloromethane with mono- and bimetallic Pd-Pt on sulfated and tungstated zirconia catalysts. *J Catal*. 294: 207-215. <http://dx.doi.org/10.1016/j.jcat.2012.07.023>.
- Begarney, MJ; Warddrip, ML; Kappers, MJ; Hicks, RF. (1998). Kinetics of carbon tetrachloride decomposition during the metalorganic vapor-phase epitaxy of gallium arsenide and indium arsenide. *J Cryst Growth*. 193: 305-315.
- Behnam, YT; Maclean, N. (1990). EFFECTS OF 5-AZACYTIDINE AND 5-AZA-2-DEOXYCYTIDINE ON ALPHA-FETOPROTEIN LEVELS IN MICE. *Comp Biochem Physiol C Comp Pharmacol Toxicol*. 97: 357-361.
- Beigzadeh, R; Rahimi, M; Shabaniyan, SR. (2012). Developing a feed forward neural network multilayer model for prediction of binary diffusion coefficient in liquids. *Fluid Phase Equilibria*. 331: 48-57. <http://dx.doi.org/10.1016/j.fluid.2012.06.025>.
- Beji, L; El Jani, B; Gibart, P. (2001). High quality p(+)-n(+)-GaAs tunnel junction diode grown by atmospheric pressure metalorganic vapour phase epitaxy. 183: 273-279.
- Belkadi, A; Hadj-Kali, MK; Llovel, F; Gerbaud, V; Vega, LF. (2010). Soft-SAFT modeling of vapor-liquid equilibria of nitriles and their mixtures. *Fluid Phase Equilibria*. 289: 191-200. <http://dx.doi.org/10.1016/j.fluid.2009.12.012>.
- Bell, AN; Mehendale, HM. (1985). The effect of dietary exposure to a mirex plus chlordecone combination on CCl₄ hepatotoxicity. *Fundam Appl Toxicol*. 5: 679-867.
- Bell, AN; Mehendale, HM. (1987). Comparative changes in hepatic DNA, RNA, protein, lipid, and glycogen induced by a subtoxic dose of CCl₄ in chlordecone, mirex, and phenobarbital pretreated rats. *Toxicol Lett*. 35: 191-200.
- Below, AA; Bouchbruevich, VV. (1991). THE NATURE OF ANOMALOUS DIELECTRIC-DISPERSION IN CCl₄ AT ULTRA-LOW FREQUENCIES. 36: 1589-1592.
- Beltran-Garcia, MJ; Estarron-Espinosa, M; Ogura, T. (1997). Volatile compounds secreted by the oyster mushroom (*Pleurotus ostreatus*) and their antibacterial activities. *J Agric Food Chem*. 45: 4049-4052.
- Belyakov, AV; Pershikov, SA; Sukhozhak, AN. (1996). Chemisorption and catalytic lowering of the sintering temperature of ceramics. *Glass Ceram*. 53: 175-177.
- Ben Amara, C, h; Gharbi, N; Zarrouk, H. (1994). Elaboration and Characterization of Hybrid Organic-Inorganic Gels Obtained by Reaction of 1,4-Butanediol on Tetramethoxysilane. *Journal of Sol-Gel Science and Technology*. 2: 193-197.
- Benigni, R; Andreoli, C; Conti, L; Tafani, P; Cotta-Ramusino, M; Carere, A; Crebelli, R. (1993). Quantitative structure-activity relationship models correctly predict the toxic and aneuploidizing properties of six halogenated methanes in *Aspergillus nidulans*. *Mutagenesis*. 8: 301-305.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Benjamin, I. (2008). Solute orientational dynamics at the water/carbon tetrachloride interface. *J Phys Chem C*. 112: 8969-8975. <http://dx.doi.org/10.1021/jp801109w>.
- Benjamin, RJ; Balakrishnan, AR. (1997). Nucleation site density in pool boiling of binary mixtures: Effect of surface micro-roughness and surface and liquid physical properties. *Can J Chem Eng*. 75: 1080-1089.
- Benjamin, RJ; Balakrishnan, AR. (1997). Nucleation site density in pool boiling of saturated pure liquids: Effect of surface microroughness and surface and liquid physical properties. *Exp Therm Fluid Sci*. 15: 32-42.
- Benson, JM; Springer, DL. (1999). Improved risk estimates for carbon tetrachloride. Final report. (DE-FC04-96AL76406). Albuquerque, New Mexico: U.S. Department of Energy.
- Bentz, KC; Walley, SE; Savin, DA. (2016). Solvent effects on modulus of poly(propylene oxide)-based organogels as measured by cavitation rheology. *Soft Matter*. 12: 4991-5001. <http://dx.doi.org/10.1039/c6sm00431h>.
- Berge, ND; Ramsburg, CA. (2010). Iron-mediated trichloroethene reduction within nonaqueous phase liquid. *J Contam Hydrol*. 118: 105-116. <http://dx.doi.org/10.1016/j.jconhyd.2010.07.006>.
- Bergman, K. (1979). Whole-body autoradiography and allied tracer techniques in distribution and elimination studies of some organic solvents: benzene, toluene, xylene, styrene, methylene chloride, chloroform, carbon tetrachloride and trichloroethylene. *Scand J Work Environ Health*. 5 Suppl 1: 1-263.
- Bergman, K. (1983). Application and results of whole-body autoradiography in distribution studies of organic solvents [Review]. *Crit Rev Toxicol*. 12: 59-118. <http://dx.doi.org/10.3109/10408448309029318>.
- Bergman, K; Müller, L; Teigen, SW. (1996). The genotoxicity and carcinogenicity of paracetamol: A regulatory (re)view [Review]. *Mutat Res*. 349: 263-288.
- Bergues, B; Lekki, J; Budkowski, A; Cyganik, P; Lekka, M; Bernasik, A; Rysz, J; Postawa, Z. (2001). Phase decomposition in polymer blend films cast on homogeneous substrates modified by self-assembled monolayers. *Vacuum*. 63: 297-305.
- Berman, E; House, DE; Allis, JW; Simmons, JE. (1992). Hepatotoxic interactions of ethanol with allyl alcohol or carbon tetrachloride in rats. *J Toxicol Environ Health*. 37: 161-176. <http://dx.doi.org/10.1080/15287399209531663>.
- Berman, E; Schlicht, M; Moser, VC; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: I. Systemic toxicity. *J Toxicol Environ Health*. 45: 127-143. <http://dx.doi.org/10.1080/15287399509531986>.
- Bernacki, SE. (1982). LOW-PRESSURE ANISOTROPIC-PLASMA ETCHING OF DOPED POLYSILICON IN CCL4. *J Electrochem Soc*. 129: C105-C105.
- Bernacki, SE; Kosicki, BB. (1983). CONTROLLED FILM FORMATION DURING CCL4 PLASMA-ETCHING. *J Electrochem Soc*. 130: C82-C82.
- Bernacki, SE; Kosicki, BB. (1984). CONTROLLED FILM FORMATION DURING CCL4 PLASMA-ETCHING. *J Electrochem Soc*. 131: 1926-1931.
- Bernazzani, L; Mollica, V; Tine, MR. (2002). Partial molar volumes of organic compounds in C8 solvents at 298.15 K. *Fluid Phase Equilibria*. 203: 15-29.
- Berquier, JM; Arribart, H. (1998). Attenuated total reflection Fourier transform infrared spectroscopy study of poly(methyl methacrylate) adsorption on a silica thin film: Polymer/surface interactions. *Langmuir*. 14: 3716-3719.
- Bertone, D; Campi, R; Morello, G. (1998). Etching of InP-based MQW laser structure in a MOCVD reactor by chlorinated compounds. *J Cryst Growth*. 195: 624-629.
- Beshkov, G; Dimitrov, DB; Georgiev, S; Juan-Cheng, D; Petrov, P; Velchev, N; Krastev, V. (1999). XPS spectra of thin CN_x films prepared by chemical vapor deposition. *Diam Relat Mater*. 8: 591-594.
- Beshkov, G; Vassilev, GP; Elizalde, MR; Gomez-Acebo, T. (2003). Hardness of C, CN_x, and AlN thin films after rapid thermal annealing. *Mater Chem Phys*. 82: 452-457. [http://dx.doi.org/10.1016/S0254-0584\(03\)00280-3](http://dx.doi.org/10.1016/S0254-0584(03)00280-3).
- Bessolov, VN; Lebedev, MV; Binh, NM; Friedrich, M; Zahn, DRT. (1998). Sulphide passivation of GaAs: the role of the sulphur chemical activity. *Semiconductor Science and Technology*. 13: 611-614.
- Betterton, EA; Arnold, RG; Kuhler, RJ; Santo, GA. (1995). Reductive dehalogenation of bromoform in aqueous solution. *Environ Health Perspect*. 103 Suppl 5: 89-91.
- Betterton, EA; Hollan, N; Arnold, RG; Gogosha, S; Mckim, K; Liu, ZJ. (2000). Acetone-photosensitized reduction of carbon tetrachloride by 2-propanol in aqueous solution. *Environ Sci Technol*. 34: 1229-1233.
- Bhadauria, M; Nirala, SK. (2009). Reversal of acetaminophen induced subchronic hepatorenal injury by propolis extract in rats. *Environ Toxicol Pharmacol*. 27: 17-25. <http://dx.doi.org/10.1016/j.etap.2008.07.003>.
- Bhandari, S; Chandra, S. (1994). SYNTHESIS, CHARACTERIZATION AND EVALUATION OF CHLORINATED SOYBEAN OIL ALKYDS. *Indian J Chem Tech*. 1: 45-52.
- Bhasin, P; Singla, N; Dhawan, DK. (2014). Protective Role of Zinc During Aluminum-Induced Hepatotoxicity. *Environ Toxicol*. 29: 320-327.
- Bhat, NV; Upadhyay, DJ. (2003). Adhesion enhancement and characterization of plasma polymerized 1,2-dichloroethane on polypropylene surface. *Plasma Chemistry and Plasma Processing*. 23: 389-411.
- Bhat, S; Jacobs, JM; Hatfield, K; Prenger, J. (2006). Relationships between stream water chemistry and military land use in forested watersheds in Fort Benning, Georgia. *Ecol Indic*. 6: 458-466. <http://dx.doi.org/10.1016/j.ecolind.2005.06.005>.
- Bhatnagar, A; Cheung, HM. (1994). Sonochemical destruction of chlorinated c1 and c2 volatile organic compounds in dilute aqueous solution. *Environ Sci Technol*. 28: 1481-1486. <http://dx.doi.org/10.1021/es00057a016>.
- Bhatt, P; Kumar, MS; Mudliar, S; Chakrabarti, T. (2007). Biodegradation of Chlorinated Compounds—A Review. *Crit Rev Environ Sci Tech*. 37: 165-198. <http://dx.doi.org/10.1080/10643380600776130>.
- Bhattacharya, S; Saha, BK. (2013). Polymorphism through Desolvation of the Solvates of a van der Waals Host. *Cryst Growth Des*. 13: 606-613. <http://dx.doi.org/10.1021/cg301269d>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Bhattacharya, SK; Madura, RL; Dobbs, RA; Angara, RV; Tabak, H. (1996). Fate of selected RCRA compounds in a pilot-scale activated sludge system. *Water Environ Res.* 68: 260-269.
- Bhattacharyya, S; Ahmmed, SM; Saha, BP; Mukherjee, PK. (2014). Soya phospholipid complex of mangiferin enhances its hepatoprotectivity by improving its bioavailability and pharmacokinetics. *J Sci Food Agric.* 94: 1380-1388. <http://dx.doi.org/10.1002/jsfa.6422>.
- Bhesaniya, K; Baluja, S. (2014). Measurement, Correlation, and Thermodynamics Parameters of Biological Active Pyrimidine Derivatives in Organic Solvents at Different Temperatures. *Journal of Chemical and Engineering Data.* 59: 3380-3388. <http://dx.doi.org/10.1021/je5003626>.
- Bhuvanewari, R; Chidambaranathan, N; Jegatheesan, K. (2014). HEPATOPROTECTIVE EFFECT OF EMBILICA OFFICINALIS AND ITS SILVER NANOPARTICLES AGAINST CCl4 INDUCED HEPATOTOXICITY IN WISTAR ALBINO RATS. *Digest Journal of Nanomaterials and Biostructures.* 9: 223-235.
- Bi, E; Liu, Y; He, J; Wang, Z; Liu, F, ei. (2012). Screening of Emerging Volatile Organic Contaminants in Shallow Groundwater in East China. *Ground Water Monitoring and Remediation.* 32: 53-58. <http://dx.doi.org/10.1111/j.1745-6592.2011.01362.x>.
- Bian, SW, ei; Ma, Z; Song, W, eiGuo. (2009). Preparation and Characterization of Carbon Nitride Nanotubes and Their Applications as Catalyst Supporter. *J Phys Chem C.* 113: 8668-8672. <http://dx.doi.org/10.1021/jp810630k>.
- Bianchimosquera, GC; Mackay, DM. (1992). COMPARISON OF STAINLESS-STEEL VS PTFE MINIWELLS FOR MONITORING HALOGENATED ORGANIC SOLUTE TRANSPORT. *Ground Water Monitoring and Remediation.* 12: 126-131.
- Bianchimosquera, GC; Mackay, DM. (1994). AN EVALUATION OF THE REPRODUCIBILITY OF FORCED-GRADIENT SOLUTE TRANSPORT TESTS. *Ground Water.* 32: 937-948.
- Bie, ST; Du, LX; Zhang, LM; Lu, FP. (2005). Bioconversion of methyl-testosterone in a biphasic system. *Process Biochemistry.* 40: 3309-3313. <http://dx.doi.org/10.1016/j.procbio.2005.03.019>.
- Bigg, T; Judd, SJ. (2000). Zero-valent iron for water treatment. *Environ Technol.* 21: 661-670.
- Bingül, İ; Başaran-Küçükgergin, C; Aydın, AF; Çoban, J; Doğan-Ekici, İ; Dođru-Abbasođlu, S; Uysal, M. (2016). Betaine treatment decreased oxidative stress, inflammation, and stellate cell activation in rats with alcoholic liver fibrosis. *Environ Toxicol Pharmacol.* 45: 170-178. <http://dx.doi.org/10.1016/j.etap.2016.05.033>.
- Bishop, SG; Adesida, I; Coleman, JJ; Detemple, TA; Feng, M; Hess, K; Holonyak, N; Kang, SM; Stillman, GE; Verdeyen, JT. (1993). THE ENGINEERING RESEARCH-CENTER FOR COMPOUND SEMICONDUCTOR MICROELECTRONICS. *Institute of Electrical and Electronics Engineers Proceedings.* 81: 132-154.
- Biswas, G; Sarkar, S; Acharya, K. (2011). HEPATOPROTECTIVE ACTIVITY OF THE ETHANOLIC EXTRACT OF ASTRAEUS HYGROMETRICUS (PERS.) MORG. *Digest Journal of Nanomaterials and Biostructures.* 6: 637-641.
- Biziuk, M; Czerwinski, J; Kozłowski, E. (1993). IDENTIFICATION AND DETERMINATION OF ORGANOHALOGEN COMPOUNDS IN SWIMMING POOL WATER. *Int J Environ Anal Chem.* 50: 109-115.
- Bjerre, A. (1981). Mathematical modeling in the hazard assessment of substances forming toxic decomposition products: The example of carbon tetrachloride. *Ann Occup Hyg.* 24: 175-184.
- Bjola, BS; Siddiqi, MA; Fornefeld-Schwarz, U; Svejda, P. (2002). Molar excess volumes and molar excess enthalpies of binary liquid mixtures of norbornadiene plus benzene, plus cyclohexane, plus decane, and plus carbon tetrachloride. *Journal of Chemical and Engineering Data.* 47: 250-253. <http://dx.doi.org/10.1021/je010243m>.
- Bjola, BS; Siddiqi, MA; Svejda, P. (2001). Excess enthalpies of binary liquid mixtures of gamma-butyrolactone plus benzene, plus toluene, plus ethylbenzene, and plus carbon tetrachloride, and excess volume of the gamma-butyrolactone plus carbon tetrachloride liquid mixture. *Journal of Chemical and Engineering Data.* 46: 1167-1171. <http://dx.doi.org/10.1021/je010091v>.
- Bjorgen, M; Olsbye, U; Kolboe, S. (2003). Coke precursor formation and zeolite deactivation: mechanistic insights from hexamethylbenzene conversion. *J Catal.* 215: 30-44. [http://dx.doi.org/10.1016/S0021-9517\(02\)00050-7](http://dx.doi.org/10.1016/S0021-9517(02)00050-7).
- Blair, A; Hartge, P; Stewart, PA; Mcadams, M; Lubin, J. (1998). Mortality and cancer incidence of aircraft maintenance workers exposed to trichloroethylene and other organic solvents and chemicals: Extended follow-up. *Occup Environ Med.* 55: 161-171. <http://dx.doi.org/10.1136/oem.55.3.161>.
- Blair, A; Stewart, PA; Tolbert, PE; Grauman, D; Moran, FX; Vaught, J; Rayner, J. (1990). Cancer and other causes of death among a cohort of dry cleaners. *Br J Ind Med.* 47: 162-168. <http://dx.doi.org/10.1136/oem.47.3.162>.
- Blake, MA; Sweeney, AT. (2009). Pheochromocytoma. Retrieved from <http://emedicine.medscape.com/article/124059-overview>
- Blanchard, JL; Roberts, JT. (1994). INTERACTION OF CCl4 WITH THE SURFACE OF AMORPHOUS ICE. *Langmuir.* 10: 3303-3310.
- Blanco, ST; Embid, JM; Otin, S. (1993). EXCESS-ENTHALPIES OF DIBROMOALKANE PLUS TETRACHLOROMETHANE MIXTURES - MEASUREMENT AND ANALYSIS IN TERMS OF GROUP CONTRIBUTIONS (DISQUAC). *Fluid Phase Equilibria.* 91: 281-290.
- Bligh, MW; Waite, TD. (2011). Formation, reactivity, and aging of ferric oxide particles formed from Fe(II) and Fe(III) sources: Implications for iron bioavailability in the marine environment. *Geochim Cosmo Acta.* 75: 7741-7758. <http://dx.doi.org/10.1016/j.gca.2011.10.013>.
- Bliznyuk, VN; Lipatov, YS; Ozdemir, N; Todosijchuk, TT; Chornaya, VN; Singamaneni, S. (2007). Atomic force and ultrasonic force microscopy investigation of adsorbed layers formed by two incompatible polymers: polystyrene and poly(butyl methacrylate). *Langmuir.* 23: 12973-12983. <http://dx.doi.org/10.1021/la701644n>.
- Blunt, TJ; Kotvis, PV; Tysoe, WT. (1998). Surface chemistry of chlorinated hydrocarbon lubricant additives - Part II: Modeling the tribological interface. *Tribology Transactions.* 41: 129-139.
- Bo, W; Yong, C; JianHua, Y; Mingjiang, N. (2010). Experimental study on CCl4/CH4/O-2/N-2 oxidation. *Science China Technological Sciences.* 53: 1016-1022. <http://dx.doi.org/10.1007/s11431-010-0002-y>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Bo, Z, h; Yan, JH; Li, XD; Chi, Y; Cen, KF; Cheron, BG. (2007). Effects of oxygen and water vapor on volatile organic compounds decomposition using gliding arc gas discharge. *Plasma Chemistry and Plasma Processing*. 27: 546-558. <http://dx.doi.org/10.1007/s11090-007-9081-3>.
- Bogen, KT. (2008). An adjustment factor for mode-of-action uncertainty with dual-mode carcinogens: the case of naphthalene-induced nasal tumors in rats. *Risk Anal*. 28: 1033-1051. <http://dx.doi.org/10.1111/j.1539-6924.2008.01066.x>.
- Bokare, AD; Chikate, RC; Rode, CV; Paknikar, KM. (2007). Effect of surface chemistry of Fe-Ni nanoparticles on mechanistic pathways of azo dye degradation. *Environ Sci Technol*. 41: 7437-7443. <http://dx.doi.org/10.1021/es071107q>.
- Bolha, L; Bencina, D; Cizelj, I; Oven, I; Slavec, B; Rojs, OZ; Narat, M. (2013). Effect of Mycoplasma synoviae and lentogenic Newcastle disease virus coinfection on cytokine and chemokine gene expression in chicken embryos. *Poult Sci*. 92: 3134-3143. <http://dx.doi.org/10.3382/ps.2013-03332>.
- Boll, M; Weber, LW; Becker, E; Stampfl, A. (2001). Pathogenesis of carbon tetrachloride-induced hepatocyte injury bioactivation of CCl₄ by cytochrome P450 and effects on lipid homeostasis. *Z Naturforsch C Biosci*. 56: 111-121.
- Bonacci, JC; Myers, AL; Nongbri, G; Eagleton, LC. (1976). EVAPORATION AND CONDENSATION COEFFICIENT OF WATER, ICE AND CARBON-TETRACHLORIDE. *Chem Eng Sci*. 31: 609-617.
- Bonarowska, M; Kaszkur, Z; Kepinski, L; Karpinski, Z. (2010). Hydrodechlorination of tetrachloromethane on alumina- and silica-supported platinum catalysts. *Appl Catal B-Environ*. 99: 248-256. <http://dx.doi.org/10.1016/j.apcatb.2010.06.027>.
- Bonarowska, M; Kaszkur, Z; Lomot, D; Rawski, M; Karpinski, Z. (2015). Effect of gold on catalytic behavior of palladium catalysts in hydrodechlorination of tetrachloromethane. *Appl Catal B-Environ*. 162: 45-56. <http://dx.doi.org/10.1016/j.apcatb.2014.06.007>.
- Bonarowska, M; Machynskyy, O; Lomot, D; Kemnitz, E; Karpinski, Z. (2014). Supported palladium-copper catalysts: Preparation and catalytic behavior in hydrogen-related reactions. *Catalysis Today*. 235: 144-151. <http://dx.doi.org/10.1016/j.cattod.2014.01.029>.
- Bond, GC; Francisco, RC; Short, EL. (2007). Kinetics of hydrolysis of carbon tetrachloride by acidic solids. *Appl Catal A-Gen*. 329: 46-57. <http://dx.doi.org/10.1016/j.apcata.2007.06.025>.
- Bond, GG; Flores, GH; Shellenberger, RJ; Cartmill, JB; Fishbeck, WA; Cook, RR. (1986). Nested case-control study of lung cancer among chemical workers. *Am J Epidemiol*. 124: 53-66.
- Bonin, PML; Jedral, W; Odziemkowski, MS; Gillham, RW. (2000). Electrochemical and Raman spectroscopic studies of the influence of chlorinated solvents on the corrosion behaviour of iron in borate buffer and in simulated groundwater. *Corrosion Sci*. 42: 1921-1939.
- Bonin, PML; Odziemkowski, MS; Gillham, RW. (1998). Influence of chlorinated solvents on polarization and corrosion behaviour of iron in borate buffer. *Corrosion Sci*. 40: 1391-1409.
- Bontha, JR; Kaplan, DI. (1999). Immobilization or recovery of chlorinated hydrocarbons from contaminated groundwater using clathrate hydrates: A proof-of-concept. *Environ Sci Technol*. 33: 1051-1055.
- Boone, L; Meyer, D; Cusick, P; Ennulat, D; Bolliger, AP; Everds, N; Meador, V; Elliott, G; Honor, D; Bounous, D; Jordan, H. (2005). Selection and interpretation of clinical pathology indicators of hepatic injury in preclinical studies [Review]. *Vet Clin Pathol*. 34: 182-188. <http://dx.doi.org/10.1111/j.1939-165X.2005.tb00041.x>.
- Boopathy, R. (2002). Anaerobic biotransformation of carbon tetrachloride under various electron acceptor conditions. *Bioresour Technol*. 84: 69-73.
- Bootharaju, MS; Deepesh, GK; Udayabhaskararao, T; Pradeep, T. (2013). Atomically precise silver clusters for efficient chlorocarbon degradation. 1: 611-620. <http://dx.doi.org/10.1039/c2ta00254j>.
- Boparai, HK; Shea, PJ; Comfort, SD; Snow, DD. (2006). Dechlorinating chloroacetanilide herbicides by dithionite-treated aquifer sediment and surface soil. *Environ Sci Technol*. 40: 3043-3049. <http://dx.doi.org/10.1021/es051915m>.
- Borch, T; Ambus, P; Laturnus, F; Svensmark, B; Grøn, C. (2003). Biodegradation of chlorinated solvents in a water unsaturated topsoil. *Chemosphere*. 51: 143-152. [http://dx.doi.org/10.1016/S0045-6535\(02\)00851-2](http://dx.doi.org/10.1016/S0045-6535(02)00851-2).
- Borch, T; Kretzschmar, R; Kappler, A; Cappellen, PV; Ginder-Vogel, M; Voegelin, A; Campbell, K. (2009). Biogeochemical Redox Processes and their Impact on Contaminant Dynamics [Review]. *Environ Sci Technol*. 44: 15-23. <http://dx.doi.org/10.1021/es9026248>.
- Borek, V; Morra, MJ. (1998). Cyclic voltammetry of aquocobalamin on clay-modified electrodes. *Environ Sci Technol*. 32: 2149-2153.
- Bormashenko, E; Chaniel, G; Grynyov, R. (2013). Towards understanding hydrophobic recovery of plasma treated polymers: Storing in high polarity liquids suppresses hydrophobic recovery. *Appl Surf Sci*. 273: 549-553. <http://dx.doi.org/10.1016/j.apsusc.2013.02.078>.
- Boronina, T; Klabunde, KJ; Sergeev, G. (1995). DESTRUCTION OF ORGANOHALIDES IN WATER USING METAL PARTICLES - CARBON TETRACHLORIDE/WATER REACTIONS WITH MAGNESIUM, TIN, AND ZINC. *Environ Sci Technol*. 29: 1511-1517.
- Boronina, T; Klabunde, KJ; Sergeev, G. (1996). Destruction of organohalides in water using metal particles: Carbon tetrachloride water reactions with magnesium, tin, and zinc - Rebuttal. *Environ Sci Technol*. 30: 3645-3645.
- Boronina, TN; Lagadic, I; Sergeev, GB; Klabunde, KJ. (1998). Activated and nonactivated forms of zinc powder: Reactivity toward chlorocarbons in water and AFM studies of surface morphologies. *Environ Sci Technol*. 32: 2614-2622.
- Borsa, AG; Herring, AM; Mckinnon, JT; McCormick, RL; Ko, GH. (2001). Coke and byproduct formation during 1,2-dichloroethane pyrolysis in a laboratory tubular reactor. *Ind Eng Chem Res*. 40: 2428-2436.
- Bosse, D; Bart, HJ. (2005). Measurement of diffusion coefficients in thermodynamically nonideal systems. *Journal of Chemical and Engineering Data*. 50: 1525-1528. <http://dx.doi.org/10.1021/je0497303>.
- Botsoglou, NA; Taitzoglou, IA; Botsoglou, E; Lavrentiadou, SN; Kokoli, AN; Roubies, N. (2008). Effect of long-term dietary administration of oregano on the alleviation of carbon tetrachloride-induced oxidative stress in rats. *J Agric Food Chem*. 56: 6287-6293. <http://dx.doi.org/10.1021/jf8003652>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Botsoglou, NA; Taitzoglou, IA; Botsoglou, E; Zervos, I; Kokoli, A; Christaki, E; Nikolaidis, E. (2009). Effect of long-term dietary administration of oregano and rosemary on the antioxidant status of rat serum, liver, kidney and heart after carbon tetrachloride-induced oxidative stress. *J Sci Food Agric.* 89: 1397-1406. <http://dx.doi.org/10.1002/jsfa.3601>.
- Boukherroub, R; Wayner, DDM; Sproule, GI; Lockwood, DJ; Canham, LT. (2001). Stability enhancement of partially-oxidized porous silicon nanostructures modified with ethyl undecylenate. *Nano Lett.* 1: 713-717. <http://dx.doi.org/10.1021/nl010061a>.
- Boutelet-Bochan, H; Huang, Y; Juchau, MR. (1997). Expression of CYP2E1 during embryogenesis and fetogenesis in human cephalic tissues: Implications for the fetal alcohol syndrome. *Biochem Biophys Res Commun.* 238: 443-447. <http://dx.doi.org/10.1006/bbrc.1997.7296>.
- Bove, FJ; Fulcomer, MC; Klotz, JB; Esmart, J; Dufficy, EM; JE, S. (1992). Population-based surveillance and etiologic research of adverse reproductive outcomes and toxic wastes. Report on phase IV-B: Public drinking water contamination and birth weight, fetal deaths, and birth defects. A case-control study. Trenton, New Jersey: New Jersey Department of Health.
- Bove, FJ; Fulcomer, MC; Klotz, JB; Esmart, J; Dufficy, EM; Savrin, JE. (1992). Population-based surveillance and etiological research of adverse reproductive outcomes and toxic wastes. Report on phase IV-A: Public drinking water contamination and birth weight, fetal deaths, and birth defects. A cross-sectional study. Trenton, New Jersey: New Jersey Department of Health.
- Bove, FJ; Fulcomer, MC; Klotz, JB; Esmart, J; Dufficy, EM; Savrin, JE. (1995). Public drinking water contamination and birth outcomes. *Am J Epidemiol.* 141: 850-862.
- Bower, DH. (1982). PLANAR PLASMA-ETCHING OF POLYSILICON USING CCL4 AND NF3. *J Electrochem Soc.* 129: 795-799.
- Boyes, WK; Bushnell, PJ; Crofton, KM; Evans, M; Simmons, JE. (2000). Neurotoxic and pharmacokinetic responses to trichloroethylene as a function of exposure scenario [Review]. *Environ Health Perspect.* 108: 317-322.
- Bozhkov, O; Tzvetkova, C; Russeva, E. (2006). Distribution and determination of Pb, Cd, Bi and Cu in the sea brine system: Solution-colloidal particles-biota. *Ann Chim.* 96: 435-442.
- Brahmachary, RL; Ghosh, M. (2002). Vaginal pheromone and other compounds in mung-bean aroma. *Journal of Sci Ind Res.* 61: 625-629.
- Brambilla, G; Carlo, P; Finollo, R; Bignone, FA; Ledda, A; Cajelli, E. (1983). Viscometric detection of liver DNA fragmentation in rats treated with minimal doses of chemical carcinogens. *Cancer Res.* 43: 202-209.
- Brams, A; Buchet, JP; Crutzen-Fayt, MC; De Meester, C; Lauwerys, R; Leonard, A. (1987). A comparative study, with 40 chemicals, of the efficiency of the Salmonella assay and the SOS chromotest (kit procedure). *Toxicol Lett.* 38: 123-133.
- Branca, C; Magazu, V; Mangione, A; Migliardo, F; Romeo, G. (2004). Photon correlation spectroscopy and small angle neutron scattering studies on fullerene in solution. *Diam Relat Mater.* 13: 1333-1336. <http://dx.doi.org/10.1016/j.diamond.2003.11.049>.
- Branton, PJ; Reynolds, PA; Studer, A; Sing, KSW; White, JW. (1999). Adsorption of carbon tetrachloride by 3.4 nm pore diameter siliceous MCM-41: Isotherms and neutron diffraction. *Adsorption.* 5: 91-96.
- Braus-Stromeyer, SA; Cook, AM; Leisinger, T. (1993). Biotransformation of chloromethane to methanethiol. *Environ Sci Technol.* 27: 1577-1579.
- Brautbar, N; Williams, J. (2002). Industrial solvents and liver toxicity: Risk assessment, risk factors and mechanisms [Review]. *Int J Hyg Environ Health.* 205: 479-491. <http://dx.doi.org/10.1078/1438-4639-00175>.
- Bravo, E; D'Amore, E; Ciaffoni, F; Mammola, CL. (2012). Evaluation of the spontaneous reversibility of carbon tetrachloride-induced liver cirrhosis in rabbits. *Lab Anim.* 46: 122-128. <http://dx.doi.org/10.1258/la.2012.011035>.
- Bravo-Linares, CM; Mudge, SM; Loyola-Sepulveda, RH. (2007). Occurrence of volatile organic compounds (VOCs) in Liverpool Bay, Irish Sea. *Mar Pollut Bull.* 54: 1742-1753. <http://dx.doi.org/10.1016/j.marpolbul.2007.07.013>.
- Breiland, WG; Coltrin, ME; Creighton, JR; Hou, HQ; Moffat, HK; Tsao, JY. (1999). Organometallic vapor phase epitaxy (OMVPE). *Mater Sci Eng R.* 24: 241-274.
- Breitbarth, FW; Tiller, HJ; Reinhardt, R. (1985). PLASMA-CHEMICAL REACTIONS IN WEAKLY DECOMPOSED CCL4. *Plasma Chemistry and Plasma Processing.* 5: 293-316.
- Brender, JD; Shinde, MU; Zhan, FB; Gong, X; Langlois, PH. (2014). Maternal residential proximity to chlorinated solvent emissions and birth defects in offspring: a case-control study. *Environ Health.* 13: 96. <http://dx.doi.org/10.1186/1476-069X-13-96>.
- Brennan, BJ; Keirstead, AE; Liddell, PA; Vail, SA; Moore, TA; Moore, AL; Gust, D. (2009). 1-(3'-Amino)propylsilatrane derivatives as covalent surface linkers to nanoparticulate metal oxide films for use in photoelectrochemical cells. *Nanotechnology.* 20: 505203. <http://dx.doi.org/10.1088/0957-4484/20/50/505203>.
- Brewer, GD. (2009). Science and Decisions Advancing Risk Assessment. *Science.* 325: 1075-1076. <http://dx.doi.org/10.1126/science.1175150>.
- Briggs, DN; Bong, G; Leong, E; Oei, K; Lestari, G; Bell, AT. (2010). Effects of support composition and pretreatment on the activity and selectivity of carbon-supported PdCuClx catalysts for the synthesis of diethyl carbonate. *J Catal.* 276: 215-228. <http://dx.doi.org/10.1016/j.jcat.2010.08.004>.
- Brocchi, EA; Moura, FJ. (2008). Chlorination methods applied to recover refractory metals from tin slags. *Miner Eng.* 21: 150-156. <http://dx.doi.org/10.1016/j.mineng.2007.08.011>.
- Brockel, U; Loffler, F. (1991). EFFECT OF THE WATER-CONTENT OF ORGANIC FLUIDS ON THE AGGLOMERATION OF GLASS PARTICLES. *Powder Technology.* 66: 53-58.
- Brocos, P; Pineiro, A; Bravo, R; Amigo, A; Roux, AH; Roux-Desgranges, G. (2002). Thermodynamics of mixtures involving some linear or cyclic ketones and cyclic ethers. 1. Systems containing tetrahydrofuran. *Journal of Chemical and Engineering Data.* 47: 351-358. <http://dx.doi.org/10.1021/je010258k>.
- Broholm, K; Feenstra, S. (1995). Laboratory measurements of the aqueous solubility of mixtures of chlorinated solvents. *Environ Toxicol Chem.* 14: 9-15.
- Bromberg, L, ev; Pomerantz, N; Schreuder-Gibson, H; Hatton, TA. (2014). Degradation of Chemical Threats by Brominated Polymer Networks. *Ind Eng Chem Res.* 53: 18761-18774. <http://dx.doi.org/10.1021/ie501055g>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Brown, AT; Volk, CM; Schoeberl, MR; Boone, CD; Bernath, PF. (2013). Stratospheric lifetimes of CFC-12, CCl₄, CH₄, CH₃Cl and N₂O from measurements made by the Atmospheric Chemistry Experiment-Fourier Transform Spectrometer (ACE-FTS). *Atmos Chem Phys*. 13: 6921-6950. <http://dx.doi.org/10.5194/acp-13-6921-2013>.
- Brown, KW; Thomas, JC; Whitney, F. (1997). Fate of volatile organic compounds and pesticides in composted municipal solid waste. *Compost Science and Utilization*. 5: 6-14.
- Brown, PD; Morra, MJ. (1991). ION CHROMATOGRAPHIC DETERMINATION OF SCN⁻ IN SOILS. *J Agric Food Chem*. 39: 1226-1228.
- Brown, PD; Morra, MJ; McCaffrey, JP; Auld, DL; Williams, L. (1991). ALLELOCHEMICALS PRODUCED DURING GLUCOSINOLATE DEGRADATION IN SOIL. *J Chem Ecol*. 17: 2021-2034.
- Brown, RHA; Cape, JN; Farmer, JG. (1998). Partitioning of chlorinated solvents between pine needles and air. *Chemosphere*. 36: 1799-1810.
- Brown, RHA; Cape, JN; Farmer, JG. (1999). Chlorinated hydrocarbons in Scots pine needles in northern Britain. *Chemosphere*. 38: 795-806.
- Brown, RP; Delp, MD; Lindstedt, SL; Rhomberg, LR; Beliles, RP. (1997). Physiological parameter values for physiologically based pharmacokinetic models [Review]. *Toxicol Ind Health*. 13: 407-484. <http://dx.doi.org/10.1177/074823379701300401>.
- Bruce, I, anE; Mehta, L; Porter, MJ; Stein, BK; Tyman, JHP. (2009). Anionic Surfactants Synthesised from Replenishable Phenolic Lipids. *Journal of Surfactants and Detergents*. 12: 337-344. <http://dx.doi.org/10.1007/s11743-009-1116-8>.
- Brunke, EG; Labuschagne, C; Scheel, HE. (2001). Trace gas variations at Cape Point, South Africa, during May 1997 following a regional biomass burning episode. *Atmos Environ*. 35: 777-786.
- Brunt, EM; Tiniakos, DG. (2002). Pathology of steatohepatitis [Review]. *Best Pract Res Clin Gastroenterol*. 16: 691-707. <http://dx.doi.org/10.1053/bega.2002.0326>.
- Brusseau, ML; Rohay, V; Truex, MJ. (2010). ANALYSIS OF SOIL VAPOR EXTRACTION DATA TO EVALUATE MASS-TRANSFER CONSTRAINTS AND ESTIMATE SOURCE-ZONE MASS FLUX. *Ground Water Monitoring and Remediation*. 30: 57-64. <http://dx.doi.org/10.1111/j1745-6592.2010.001286.x>.
- Brusseau, ML; Schnaar, G; Johnson, GR; Russo, AE. (2012). Nonideal transport of contaminants in heterogeneous porous media: 10. Impact of co-solutes on sorption by porous media with low organic-carbon contents. *Chemosphere*. 89: 1302-1306. <http://dx.doi.org/10.1016/j.chemosphere.2012.05.027>.
- Brusseau, ML; Srivastava, R. (1997). Nonideal transport of reactive solutes in heterogeneous porous media - 2. Quantitative analysis of the Borden natural-gradient field experiment. *J Contam Hydrol*. 28: 115-155.
- Bryndzia, LT. (1996). Destruction of organohalides in water using metal particles: Carbon tetrachloride water reactions with magnesium, tin, and zinc - Comment. *Environ Sci Technol*. 30: 3642-3644.
- Brzezinski, MR; Boutelet-Bochan, H; Person, RE; Fantel, AG; Juchau, MR. (1999). Catalytic activity and quantitation of cytochrome P-450 2E1 in prenatal human brain. *J Pharmacol Exp Ther*. 289: 1648-1653.
- Buchan, NI; Kuech, TF; Scilla, G; Cardone, F. (1991). CARBON INCORPORATION IN METALORGANIC VAPOR-PHASE EPITAXY GROWN GaAs USING CHYX4-Y, TMG AND ASH3. *J Cryst Growth*. 110: 405-414.
- Buchholz, A; Laskov, C; Haderlein, SB. (2011). Effects of Zwitterionic buffers on sorption of ferrous iron at goethite and its oxidation by CCl₄. *Environ Sci Technol*. 45: 3355-3360. <http://dx.doi.org/10.1021/es103172c>.
- Buchholz, BA; Nunez, L; Vandegriff, GF. (1996). Effect of alpha-radiolysis on TRUOX-NPH solvent. *Separation Science and Technology*. 31: 2231-2243.
- Buckley, TJ; Liddle, J; Ashley, DL; Paschal, DC; Burse, VW; Needham, LL; Akland, G. (1997). Environmental and biomarker measurements in nine homes in the lower Rio Grande Valley: multimedia results for pesticides, metals, PAHs, and VOCs. *Environ Int*. 23: 705-732.
- Budarin, VL; Clark, JH; Mikhailovsky, SV; Gorlova, AA; Boldyreva, NA; Yatsimirsky, VK. (2000). The hydrophobisation of activated carbon surfaces by organic functional groups. *AST*. 18: 55-64.
- Bulaev, PV; Marmalyuk, AA; Padalitsa, AA; Nikitin, DB; Zalevsky, ID; Kapitonov, VA; Nikolaev, DN; Pikhtin, NA; Lyutetskiy, AV; Tarasov, IS. (2003). Comparison of carbon and zinc p-clad doped LP MOCVD grown InGaAs/AlGaAs low divergence high-power laser heterostructures. *J Cryst Growth*. 248: 114-118.
- Bull, RJ; Sasser, LB; Lei, XC. (2004). Interactions in the tumor-promoting activity of carbon tetrachloride, trichloroacetate, and dichloroacetate in the liver of male B6C3F1 mice. *Toxicology*. 199: 169-183. <http://dx.doi.org/10.1016/j.tox.2004.02.018>.
- Bulusheva, LG; Arkhipov, VE; Fedorovskaya, EO; Zhang, S, u; Kurennya, AG; Kanygin, MA; Asanov, IP; Tsygankova, AR; Chen, X; Song, H; Okotrub, AV. (2016). Fabrication of free-standing aligned multiwalled carbon nanotube array for Li-ion batteries. *J Power Sources*. 311: 42-48. <http://dx.doi.org/10.1016/j.jpowsour.2016.02.036>.
- Burch, R; Chalker, S; Hibble, SJ. (1993). THE ROLE OF CHLORINE IN THE PARTIAL OXIDATION OF METHANE TO ETHENE ON MGO CATALYSTS. *Appl Catal A-Gen*. 96: 289-303.
- Burch, R; Chalker, S; Loader, P; Iariss, H; Tetenyi, P; Ragaini, V; Joyner, RW; Lunsford, JH; Bordes, E; Moffat, JB. (1993). THE MECHANISM OF ALKANE OXIDATIVE DEHYDROGENATION ON CHLORIDE AND OXYCHLORIDE CATALYSTS. *Stud Surf Sci Catal*. 75: 1079-1092.
- Burg, P; Selves, JL; Colin, JP. (1997). Crude oils: Modelling from chromatographic data - A new tool for classification. *Fuel*. 76: 85-91.
- Burgos, WD; Royer, RA; Fang, YL; Yeh, GT; Fisher, AS; Jeon, BH; Dempsey, BA. (2002). Theoretical and experimental considerations related to reaction-based modeling: A case study using iron(III) oxide bioreduction. *Geomicrobiology Journal*. 19: 253-287.
- Burke, AS; Redeker, K; Kurten, RC; James, LP; Hinson, JA. (2007). Mechanisms of chloroform-induced hepatotoxicity: oxidative stress and mitochondrial permeability transition in freshly isolated mouse hepatocytes. *J Toxicol Environ Health A*. 70: 1936-1945. <http://dx.doi.org/10.1080/15287390701551399>.
- Burke, DA; Wedd, DJ; Herriott, D; Bayliss, MK; Spalding, DJM; Wilcox, P. (1994). Evaluation of pyrazole and ethanol induced S9 fraction in bacterial mutagenicity testing. *Mutagenesis*. 9: 23-29.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Burkhardt, KK; Hall, AH; Gerace, R; Rumack, BH. (1991). HYPERBARIC-OXYGEN TREATMENT FOR CARBON-TETRACHLORIDE POISONING. *Drug Saf.* 6: 332-338.
- Burns, SA; Valint, PL, Jr; Gardella, JA, Jr. (2009). Determination of Critical Micelle Concentration of Aerosol-OT Using Time-of-Flight Secondary Ion Mass Spectrometry Fragmentation Ion Patterns. *Langmuir.* 25: 11244-11249. <http://dx.doi.org/10.1021/la902343r>.
- Burris, DR; Delcomyn, CA; Deng, B; Buck, LE; Hatfield, K. (1998). Kinetics of tetrachloroethylene-reductive dechlorination catalyzed by vitamin B12. *Environ Toxicol Chem.* 17: 1681-1688.
- Burris, DR; Delcomyn, CA; Smith, MH; Roberts, AL. (1996). Reductive dechlorination of tetrachloroethylene and trichloroethylene catalyzed by vitamin B12 in homogeneous and heterogeneous systems. *Environ Sci Technol.* 30: 3047-3052.
- Burton, RH; Smolinsky, G. (1982). CCL4 AND CL-2 PLASMA-ETCHING OF III-V-SEMICONDUCTORS AND THE ROLE OF ADDED O-2. *J Electrochem Soc.* 129: 1599-1604.
- Buschmann, J; Angst, W; Schwarzenbach, RP. (1999). Iron porphyrin and cysteine mediated reduction of ten polyhalogenated methanes in homogeneous aqueous solution: Product analyses and mechanistic considerations. *Environ Sci Technol.* 33: 1015-1020.
- Bussan, AL; Strathmann, TJ. (2007). Influence of organic ligands on the reduction of polyhalogenated alkanes by Iron(II). *Environ Sci Technol.* 41: 6740-6747. <http://dx.doi.org/10.1021/es071108i>.
- Buszewski, B; Ligor, T. (2001). Application of different extraction methods for the quality control of water. *Water Air Soil Pollut.* 129: 155-165.
- Butler, EC; Chen, L; Darlington, R. (2013). Transformation of Trichloroethylene to Predominantly Non-Regulated Products under Stimulated Sulfate Reducing Conditions. *Ground Water Monitoring and Remediation.* 33: 52-60. <http://dx.doi.org/10.1111/gwrm.12015>.
- Butler, EC; Hayes, KF. (1998). Effects of solution composition and pH on the reductive dechlorination of hexachloroethane by iron sulfide. *Environ Sci Technol.* 32: 1276-1284.
- Butler, EC; Hayes, KF. (2000). Kinetics of the transformation of halogenated aliphatic compounds by iron sulfide. *Environ Sci Technol.* 34: 422-429.
- Butler, EC; Hayes, KF. (2001). Factors influencing rates and products in the transformation of trichloroethylene by iron sulfide and iron metal. *Environ Sci Technol.* 35: 3884-3891. <http://dx.doi.org/10.1021/es010620f>.
- Butler, JH; Yvon-Lewis, SA; Lobert, JM; King, DB; Montzka, SA; Bullister, JL; Koropalov, V; Elkins, JW; Hall, BD; Hu, L, ei; Liu, Y. (2016). A comprehensive estimate for loss of atmospheric carbon tetrachloride (CCl4) to the ocean. *Atmos Chem Phys.* 16: 10899-10910. <http://dx.doi.org/10.5194/acp-16-10899-2016>.
- Butterworth, BE; Smith-Oliver, T; Earle, L; Loury, DJ; White, RD; Doolittle, DJ; Working, PK; Cattley, RC; Jirtle, R; Michalopoulos, G; Strom, S. (1989). Use of primary cultures of human hepatocytes in toxicology studies. *Cancer Res.* 49: 1075-1084.
- Buttinelli, D; Lavecchia, R; Pochetti, F; Geveci, A; Guresin, N; Topkaya, Y. (1992). LEACHING BY FERRIC SULFATE OF RAW AND CONCENTRATED COPPER-ZINC COMPLEX SULFIDE ORES. *Int J Miner Process.* 36: 245-257.
- Cabbar, HC. (1999). Effects of humidity and soil organic matter on the sorption of chlorinated methanes in synthetic humic-clay complexes. *J Hazard Mater.* 68: 217-226.
- Cabbar, HC; Bostanci, A. (2001). Moisture effect on the transport of organic vapors in sand. *J Hazard Mater.* 82: 313-322.
- Cabbar, HC; Varol, N; Mccoy, BJ. (1998). Sorption and diffusion of chlorinated methanes in moist clay. *AIChE J.* 44: 1351-1355.
- Cabirol, N; Perrier, J; Jacob, F; Fouillet, B; Chambon, P. (1996). Role of methanogenic and sulfate-reducing bacteria in the reductive dechlorination of tetrachloroethylene in mixed culture. *Bull Environ Contam Toxicol.* 56: 817-824.
- Cabrera, MI; Alfano, OM; Cassano, AE. (1991). NONISOTHERMAL PHOTOCHEMICAL DECHLORINATION OF METHYL-CHLORIDE IN THE LIQUID-PHASE. *AIChE J.* 37: 1471-1484.
- Cai, S; Dudhia, A, nu. (2013). Analysis of new species retrieved from MIPAS. *Annals of Geophysics.* 56. <http://dx.doi.org/10.4401/ag-6340>.
- Cai, TX; Qu, JP; Wong, SQ; Song, ZY; Min, H. (1993). CHLORINATED ALUMINA AND ITS CATALYTIC BEHAVIOR IN SELECTIVE POLYMERIZATION OF ISOBUTENE. *Appl Catal A-Gen.* 97: 113-122.
- Cakmak, G; Togan, I; Severcan, F. (2006). 17Beta-estradiol induced compositional, structural and functional changes in rainbow trout liver, revealed by FT-IR spectroscopy: a comparative study with nonylphenol. *Aquat Toxicol.* 77: 53-63. <http://dx.doi.org/10.1016/j.aquatox.2005.10.015>.
- Calabrese, EJ; Leonard, DA; Baldwin, LA. (1994). TISSUE-REPAIR - A CRITICAL DETERMINANT IN CCL4 HEPATOTOXICITY. *Ecotoxicol Environ Saf.* 27: 105-106.
- Caldwell, JC; Keshava, N; Evans, MV. (2008). Difficulty of mode of action determination for trichloroethylene: An example of complex interactions of metabolites and other chemical exposures [Review]. *Environ Mol Mutagen.* 49: 142-154. <http://dx.doi.org/10.1002/em.20350>.
- Calza, P; Minero, C; Pelizzetti, E. (1997). Photocatalytically assisted hydrolysis of chlorinated methanes under anaerobic conditions. *Environ Sci Technol.* 31: 2198-2203.
- Camaioni, DM; Ginovska, B; Dupuis, M. (2009). Modeling the Reaction of Fe Atoms with CCl4. *J Phys Chem C.* 113: 1830-1836. <http://dx.doi.org/10.1021/jp807604f>.
- Campbell, I; Saricilar, S; Hoare, IC; Bhargava, SK. (1992). EFFECT OF SULFUR ON THE OXIDATIVE COUPLING OF METHANE OVER A LANTHANA CATALYST. *Appl Catal A-Gen.* 82: 13-30.
- Campos-Pineda, M; Acuna-Askar, K; Martinez-Guel, JA; Mas-Trevino, M; Tijerina-Menchaca, R; Maria Martinez, L, uz; Videa, M; Parra-Saldivar, R. (2012). Time and cost efficient biodegradation of diesel in a continuous-upflow packed bed biofilm reactor and effect of surfactant GAELE. *J Chem Tech Biotechnol.* 87: 1131-1140. <http://dx.doi.org/10.1002/jctb.3736>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Cantillana, T; Sundstrom, M; Bergman, A. (2009). Synthesis of 2-(4-chlorophenyl)-2-(4-chloro-3-thiophenyl)-1,1-dichloroethene (3-SH-DDE) via Newman-Kwart rearrangement - A precursor for synthesis of radiolabeled and unlabeled alkylsulfonyl-DDEs. *Chemosphere*. 76: 805-810. <http://dx.doi.org/10.1016/j.chemosphere.2009.04.042>.
- Cao, DP; Shen, ZG; Chen, JF; Zhang, XR. (2004). Experiment, molecular simulation and density functional theory for investigation of fluid confined in MCM-41. *Microporous and Mesoporous Materials*. 67: 159-166. <http://dx.doi.org/10.1016/j.micromeso.2003.11.001>.
- Cao, DP; Wang, WC; Shen, ZG; Chen, JF. (2002). Determination of pore size distribution and adsorption of methane and CCl₄ on activated carbon by molecular simulation. *Carbon*. 40: 2359-2365.
- Cao, F; Liu, TX; Wu, CY; Li, FB; Li, XM; Yu, HY; Tong, H; Chen, MJ. (2012). Enhanced biotransformation of DDTs by an iron- and humic-reducing bacteria *Aeromonas hydrophila* HS01 upon addition of goethite and anthraquinone-2,6-disulphonic disodium salt (AQDS). *J Agric Food Chem*. 60: 11238-11244. <http://dx.doi.org/10.1021/jf303610w>.
- Cao, J; Chen, J, in; Zhang, K; Shen, Q, i; Zhang, Y. (2006). A novel Fe catalyst FeCl₂ center dot 4H₂O/hexamethylphosphoric triamide for the ATRP of MMA. *Appl Catal A-Gen*. 311: 76-78. <http://dx.doi.org/10.1016/j.apcata.2006.06.005>.
- Cao, L; Ding, W; Du, J; Jia, R; Liu, Y; Zhao, C; Shen, Y; Yin, G. (2015). Effects of curcumin on antioxidative activities and cytokine production in Jian carp (*Cyprinus carpio* var. Jian) with CCl₄-induced liver damage. *Fish Shellfish Immunol*. 43: 150-157. <http://dx.doi.org/10.1016/j.fsi.2014.12.025>.
- Cao, L; Du, J; Ding, W; Jia, R, ui; Liu, Y; Xu, P, ao; Teraoka, H; Yin, G. (2016). Hepatoprotective and antioxidant effects of dietary *Angelica sinensis* extract against carbon tetrachloride-induced hepatic injury in Jian Carp (*Cyprinus carpio* var. Jian). *Aquaculture Research*. 47: 1852-1863. <http://dx.doi.org/10.1111/are.12643>.
- Cao, X; Lattao, C; Schmidt-Rohr, K; Mao, J; Pignatello, JJ. (2016). Investigation of sorbate-induced plasticization of Pahokee peat by solid-state NMR spectroscopy. *Journal of Soils and Sediments*. 16: 1841-1848. <http://dx.doi.org/10.1007/s11368-016-1378-5>.
- Capan, I; Ilhan, B. (2015). Gas sensing properties of mixed stearic acid/phthalocyanine LB thin films investigated using QCM and SPR. *J Optoelect Adv Mater*. 17: 456-461.
- Cappelletti, D; Candori, P; Pirani, F; Belpassi, L; Tarantelli, F. (2011). Nature and Stability of Weak Halogen Bonds in the Gas Phase: Molecular Beam Scattering Experiments and Ab Initio Charge Displacement Calculations. *Cryst Growth Des*. 11: 4279-4283. <http://dx.doi.org/10.1021/cg200890h>.
- Cardenas, E; Arato, A; Perez-Tijerina, E; Das Roy, TK; Castillo, GA; Krishnan, B. (2009). Carbon-doped Sb₂S₃ thin films: Structural, optical and electrical properties. *Solar Energy Materials and Solar Cells*. 93: 33-36. <http://dx.doi.org/10.1016/j.solmat.2008.02.026>.
- Cardillo, P; Girelli, A. (1984). ANALYSIS OF THE THERMAL-STABILITY OF DIMETHYLFORMAMIDE-CARBON TETRACHLORIDE MIXTURES. *Ann Chim*. 74: 129-133.
- Carlson, NR; Papanastasiou, DK; Fleming, EL; Jackman, CH; Newman, PA; Burkholder, JB. (2010). UV absorption cross sections of nitrous oxide (N₂O) and carbon tetrachloride (CCl₄) between 210 and 350 K and the atmospheric implications. *Atmos Chem Phys*. 10: 6137-6149. <http://dx.doi.org/10.5194/acp-10-6137-2010>.
- Carlson, DL; McGuire, MM; Roberts, AL; Fairbrother, DH. (2003). Influence of surface composition on the kinetics of alachlor reduction by iron pyrite. *Environ Sci Technol*. 37: 2394-2399. <http://dx.doi.org/10.1021/es0262028>.
- Carlson, GP. (1989). Effect of ethanol, carbon tetrachloride, and methyl ethyl ketone on butanol oxidase activity in rat lung and liver. *J Toxicol Environ Health*. 27: 255-261.
- Carnes, CL; Kapoor, PN; Klabunde, KJ; Bonevich, J. (2002). Synthesis, characterization, and adsorption studies of nanocrystalline aluminum oxide and a bimetallic nanocrystalline aluminum oxide/magnesium oxide. *Chem Mater*. 14: 2922-2929. <http://dx.doi.org/10.1021/cm011590i>.
- Carnes, CL; Klabunde, KJ. (2000). Synthesis, isolation, and chemical reactivity studies of nanocrystalline zinc oxide. *Langmuir*. 16: 3764-3772.
- Carnes, CL; Stipp, J; Klabunde, KJ. (2002). Synthesis, characterization, and adsorption studies of nanocrystalline copper oxide and nickel oxide. *Langmuir*. 18: 1352-1359. <http://dx.doi.org/10.1021/la010701p>.
- Carpenter, SP; Lasker, JM; Raucy, JL. (1996). Expression, induction, and catalytic activity of the ethanol-inducible cytochrome P450 (CYP2E1) in human fetal liver and hepatocytes. *Mol Pharmacol*. 49: 260-268.
- Carroll, KC; Oostrom, M; Truex, MJ; Rohay, VJ; Brusseau, ML. (2012). Assessing performance and closure for soil vapor extraction: integrating vapor discharge and impact to groundwater quality. *J Contam Hydrol*. 128: 71-82. <http://dx.doi.org/10.1016/j.jconhyd.2011.10.003>.
- Carta, R; Loddo, L. (2002). Effect of microwave radiation on the acetate-catalyzed hydrolysis of phenyl acetate at 25 degrees C. *Ind Eng Chem Res*. 41: 5912-5917. <http://dx.doi.org/10.1021/ie020304p>.
- Carvalho, PJ; Ferreira, A, naR; Oliveira, MB; Besnard, M; Cabaco, MI; Coutinho, JAP. (2011). High Pressure Phase Behavior of Carbon Dioxide in Carbon Disulfide and Carbon Tetrachloride. *Journal of Chemical and Engineering Data*. 56: 2786-2792. <http://dx.doi.org/10.1021/je101225a>.
- Casella, G; George, E. (1992). Explaining the Gibbs sampler. *Am Stat*. 46: 167-174. <http://dx.doi.org/10.2307/2685208>.
- Casillas, E; Myers, M; Ames, WE. (1983). RELATIONSHIP OF SERUM CHEMISTRY VALUES TO LIVER AND KIDNEY HISTOPATHOLOGY IN ENGLISH SOLE (*PAROPHRYS-VETULUS*) AFTER ACUTE EXPOSURE TO CARBON-TETRACHLORIDE. *Aquat Toxicol*. 3: 61-78.
- Castaldi, MJ; Senkan, SM. (1996). Chemical structures of fuel-rich flames of trans-C₂H₂Cl₂/CH₄/Ar/O₂ mixtures. *Combust Flame*. 104: 41-50.
- Castelbaum, D; Olson, MR; Sale, TC; Shackelford, CD. (2011). Laboratory Apparatus and Procedures for Preparing Test Specimens of Slurry Mixed Soils. *Geotechnical Testing Journal*. 34: 18-26.
- Castellanos, A, lyJ; Toro-Mendoza, J; Urbina-Villalba, G; Garcia-Sucre, M. (2007). Use of the Law of Corresponding States for the evaluation of surface properties of pure compounds and binary systems. *Fluid Phase Equilibria*. 262: 87-96. <http://dx.doi.org/10.1016/j.fluid.2007.08.012>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Castro, CE; Helvenston, MC; Belser, NO. (1994). BIODEHALOGENATION, REDUCTIVE DEHALOGENATION BY METHANOBACTERIUM-THERMOAUTOTROPHICUM - COMPARISON WITH NICKEL(I)OCTAETHYLISOBACTERIOCHLORIN ANION - AN F-430 MODEL. *Environ Toxicol Chem.* 13: 429-433.
- Castro, GD; Simpson, JT; Castro, JA. (1994). Interaction of trichloromethyl free radicals with thymine in a model system: a mass spectrometric study. *Chem Biol Interact.* 90: 13-22.
- Castro, MP; de Moraes, FR; Fujimoto, RY; da Cruz, C; de Andrade Belo, MA; de Moraes, J. R. (2014). Acute Toxicity by Water Containing Hexavalent or Trivalent Chromium in Native Brazilian Fish, *Piaractus mesopotamicus*: Anatomopathological Alterations and Mortality. *Bull Environ Contam Toxicol.* 92: 213-219. <http://dx.doi.org/10.1007/s00128-013-1174-5>.
- Cataldo, F. (2000). On the action of ultraviolet light on C-70 fullerene. *Fullerene Sci Technol.* 8: 39-45.
- Cataldo, F. (2002). Polymeric fullerene oxide (fullerene ozopolymers) produced by prolonged ozonation of C-60 and C-70 fullerenes. *Carbon.* 40: 1457-1467.
- Cataldo, F. (2005). Soot and other products formation from the submerged carbon arc in halogenated solvents. *Fullerenes, Nanotubes, and Carbon Nanostructures.* 13: 239-257. <http://dx.doi.org/10.1081/FST-20056248>.
- Cataldo, F; Gobbino, M; Ragni, P. (2007). Radiation-induced trichloromethylation of C-60 fullerene in carbon tetrachloride. *Fullerenes, Nanotubes, and Carbon Nanostructures.* 15: 379-393. <http://dx.doi.org/10.1080/15363830701512716>.
- Cataldo, F; Heymann, D. (1999). Effects of intense ultrasound treatment of C-60 solutions. *Fullerene Sci Technol.* 7: 725-732.
- Cataldo, F; Ragni, P; Pentimalli, M. (2000). Effects of gamma radiation on C-60 fullerene in CCl₄ solution. *Fullerene Sci Technol.* 8: 623-631.
- Cataldo, F; Ursini, O; Ragni, P. (2013). Fullerene C-60 Trichloromethylation Through CCl₄ Plasmalysis or Sonolysis. *Plasma Chemistry and Plasma Processing.* 33: 355-365. <http://dx.doi.org/10.1007/s11090-012-9417-5>.
- Cebovic, T; Spasic, S; Popovic, M; Borota, J; Leposavic, G. (2006). The European mistletoe (*Viscum album* L.) grown on plums extract inhibits CCl₄-induced liver damage in rats. *Fresen Environ Bull.* 15: 393-400.
- Celik, A; Yildiz, N; Calimli, A. (1999). Sorption characteristics of organic compounds on three hexadecyltrimethylammonium-smectites having different cation exchange capacities. 15: 349-362.
- Celik, A; Yildiz, N; Calimli, A. (2000). Adsorption of some organic compounds by hexadecyltrimethylammonium-bentonite. 16: 301-309.
- Centeno, TA; Fernandez, JA; Stoeckli, F. (2008). Correlation between heats of immersion and limiting capacitances in porous carbons. *Carbon.* 46: 1025-1030. <http://dx.doi.org/10.1016/j.carbon.2008.03.005>.
- Cervantes, FJ; Duong-Dac, T; Roest, K; Akkermans, ADL; Lettinga, G; Field, JA. (2003). Enrichment and immobilization of quinone-respiring bacteria in anaerobic granular sludge. *Water Sci Technol.* 48: 9-16.
- Cervantes, FJ; Garcia-Espinosa, A; Moreno-Reynosa, MA; Rangel-Mendez, JR. (2010). Immobilized redox mediators on anion exchange resins and their role on the reductive decolorization of azo dyes. *Environ Sci Technol.* 44: 1747-1753. <http://dx.doi.org/10.1021/es9027919>.
- Cervantes, FJ; Gonzalez-Estrella, J; Márquez, A; Alvarez, LH; Arriaga, S. (2011). Immobilized humic substances on an anion exchange resin and their role on the redox biotransformation of contaminants. *Bioresour Technol.* 102: 2097-2100. <http://dx.doi.org/10.1016/j.biortech.2010.08.021>.
- Cervini-Silva, J. (2003). Linear free-energy relationship analysis of the fate of chlorinated 1-and 2-carbon compounds by redox-manipulated smectite clay minerals. *Environ Toxicol Chem.* 22: 2298-2305.
- Cervini-Silva, J; Kostka, JE; Larson, RA; Stucki, JW; Wu, J. (2003). Dehydrochlorination of 1,1,1-trichloroethane and pentachloroethane by microbially reduced ferruginous smectite. *Environ Toxicol Chem.* 22: 1046-1050.
- Cervini-Silva, J; Larson, RA; Wu, J; Stucki, JW. (2001). Transformation of chlorinated aliphatic compounds by ferruginous smectite. *Environ Sci Technol.* 35: 805-809.
- Chahboun, A; Baidus, NV; Demina, PB; Zvonkov, BN; Gomes, MJM; Cavaco, A; Sobole, NA; Carmo, MC; Vasilevskiy, MI. (2006). Influence of matrix defects on the photoluminescence of InAs self-assembled quantum dots. 203: 1348-1352. <http://dx.doi.org/10.1002/pssa.200566160>.
- Chan, CCH; Mundle, SOC; Eckert, T; Liang, X; Tang, S; Lacrampe-Couloume, G; Edwards, EA; Lollar, BS. (2012). Large Carbon Isotope Fractionation during Biodegradation of Chloroform by Dehalobacter Cultures. *Environ Sci Technol.* 46: 10154-10160. <http://dx.doi.org/10.1021/es3010317>.
- Chan, CY; Tang, JH; Li, YS; Chan, LY. (2006). Mixing ratios and sources of halocarbons in urban, semi-urban and rural sites of the Pearl River Delta, South China. *Atmos Environ.* 40: 7331-7345. <http://dx.doi.org/10.1016/j.atmosenv.2006.06.041>.
- Chan, WH; Sun, WZ; Ueng, TH. (2005). Induction of rat hepatic cytochrome P-450 by ketamine and its toxicological implications. *J Toxicol Environ Health A.* 68: 1581-1597. <http://dx.doi.org/10.1080/15287390590967522>.
- Chan, YC; Chang, SC; Liu, SY; Yang, HL; Hseu, YC; Liao, JW. (2010). Beneficial effects of yam on carbon tetrachloride-induced hepatic fibrosis in rats. *J Sci Food Agric.* 90: 161-167. <http://dx.doi.org/10.1002/jsfa.3801>.
- Chang, CC; Lai, CH; Wang, CH; Liu, Y; Shao, M; Zhang, Y; Wang, JL. (2008). Variability of ozone depleting substances as an indication of emissions in the Pearl River Delta, China. *Atmos Environ.* 42: 6973-6981. <http://dx.doi.org/10.1016/j.atmosenv.2008.04.051>.
- Chang, CC; Lo, GG; Tsai, CH; Wang, JL. (2001). Concentration variability of halocarbons over an electronics industrial park and its implication in compliance with the Montreal protocol. *Environ Sci Technol.* 35: 3273-3279. <http://dx.doi.org/10.1021/es001894q>.
- Chang, YC; Kikuchi, S; Kawachi, N; Sato, T; Takamizawa, K. (2008). Complete dechlorination of tetrachloroethylene by use of an anaerobic *Clostridium bifermentans* DPH-1 and zero-valent iron. *Environ Technol.* 29: 381-391. <http://dx.doi.org/10.1080/09593330801984050>.
- Chang, YH; Wang, LS; Chiu, HT; Lee, CY. (2003). SiCl₃CCl₃ as a novel precursor for chemical vapor deposition of amorphous carbon films. *Carbon.* 41: 1169-1174. [http://dx.doi.org/10.1016/S0008-6223\(03\)00022-8](http://dx.doi.org/10.1016/S0008-6223(03)00022-8).

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Changchaivong, S; Khaodhiar, S. (2009). Adsorption of naphthalene and phenanthrene on dodecylpyridinium-modified bentonite. *Appl Clay Sci.* 43: 317-321. <http://dx.doi.org/10.1016/j.clay.2008.09.012>.
- Chao, KP; Ong, SK; Protopapas, A. (1998). Water-to-air mass transfer of VOCs: Laboratory-scale air sparging system. *J Environ Eng.* 124: 1054-1060.
- Charbonneau, M; Oleskevich, S; Brodeur, J; Plaa, GL. (1986). Acetone potentiation of rat liver injury induced by trichloroethylene-carbon tetrachloride mixtures. *Toxicol Sci.* 6: 654-661.
- Chatterjee, S; Greene, HL. (1993). EFFECTS OF CATALYST COMPOSITION ON DUAL SITE ZEOLITE CATALYSTS USED IN CHLORINATED-HYDROCARBON OXIDATION. *Appl Catal A-Gen.* 98: 139-158.
- Chatterjee, S; Greene, HL; Park, YJ. (1992). DEACTIVATION OF METAL EXCHANGED ZEOLITE CATALYSTS DURING EXPOSURE TO CHLORINATED HYDROCARBONS UNDER OXIDIZING CONDITIONS. *Catalysis Today.* 11: 569-596.
- Chaturvedi, A; Mishra, VN; Dwivedi, R; Srivastava, SK. (1999). Response of oxygen plasma-treated thick film tin oxide sensor array for LPG, CCl₄, CO and C₃H₇OH. *Microelectronics Journal.* 30: 259-264.
- Chaturvedi, A; Mishra, VN; Dwivedi, R; Srivastava, SK. (2000). Selectivity and sensitivity studies on plasma treated thick film tin oxide gas sensors. *Microelectronics Journal.* 31: 283-290.
- Chaudhuri, P; Ghosh, AK; Panja, SS. (2014). Absorbance spectrometric study of electron donor acceptor complexes of lcoal derived asphaltene with [60]- and [70] fullerenes. *Fuel.* 126: 69-76. <http://dx.doi.org/10.1016/j.fuel.2014.02.044>.
- Chaudhury, S; Mehendale, HM. (1991). Amplification of CCl₄ toxicity by chlordecone: Destruction of rat hepatic microsomal cytochrome P-450 subpopulation. *J Toxicol Environ Health.* 32: 277-294. <http://dx.doi.org/10.1080/15287399109531482>.
- Chaves-Pozo, E; Liarte-Lastra, S; Fernandez-Alacid, L; Cabas, I; Garcia-Alcazar, A; Meseguer, J; Mulero, V; Garcia-Ayala, A. (2008). Cytokine and cell adhesion molecule expression pattern in the gilthead seabream (*Sparus aurata* L.) testis. *Cybiurn.* 32: 122-123.
- Che, H; Lee, W. (2011). Selective redox degradation of chlorinated aliphatic compounds by Fenton reaction in pyrite suspension. *Chemosphere.* 82: 1103-1108. <http://dx.doi.org/10.1016/j.chemosphere.2010.12.002>.
- Chen, BS; Bai, CS; Cook, R; Wright, J; Wang, C. (1996). Gold/cobalt oxide catalysts for oxidative destruction of dichloromethane. *Catalysis Today.* 30: 15-20.
- Chen, CH; Dural, NH. (2002). Chloroform adsorption on soils. *Journal of Chemical and Engineering Data.* 47: 1110-1115. <http://dx.doi.org/10.1021/je010313p>.
- Chen, CT; Graham, JL; Dellinger, B. (1995). PHOTOTHERMAL DESTRUCTION OF THE VAPOR OF ORGANIC COMPOUNDS. *Waste Manag.* 15: 159-170.
- Chen, CY; Wooster, GA; Bowser, PR. (2004). Comparative blood chemistry and histopathology of tilapia infected with *Vibrio vulnificus* or *Streptococcus iniae* or exposed to carbon tetrachloride, gentamicin, or copper sulfate. *Aquaculture.* 239: 421-443. <http://dx.doi.org/10.1016/j.aquaculture.2004.05.033>.
- Chen, F, ei; Freedman, DL; Falta, RW; Murdoch, LC. (2012). Henry's law constants of chlorinated solvents at elevated temperatures. *Chemosphere.* 86: 156-165. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.004>.
- Chen, FY; Pehkonen, SO; Ray, MB. (2002). Kinetics and mechanisms of UV-photodegradation of chlorinated organics in the gas phase. *Water Res.* 36: 4203-4214.
- Chen, FY; Yang, Q; Pehkonen, SO; Ray, MB. (2004). Modeling of gas-phase photodegradation of chloroform and carbon tetrachloride. *J Air Waste Manag Assoc.* 54: 1281-1292.
- Chen, GS; Sun, IW; Sienerth, KD; Edwards, AG; Mamantov, G. (1993). REMOVAL OF OXIDE IMPURITIES FROM ALKALI HALOALUMINATE MELTS USING CARBON-TETRACHLORIDE. *J Electrochem Soc.* 140: 1523-1526.
- Chen, H; Yang, R; Zhu, K; Zhou, W; Jiang, M. (2002). Attenuating toluene mobility in loess soil modified with anion-cation surfactants. *J Hazard Mater.* 94: 191-201.
- Chen, HJ; Kang, SP; Lee, IJ; Lin, YL. (2014). Glycyrrhetic Acid Suppressed NF- κ B Activation in TNF- α -Induced Hepatocytes. *J Agric Food Chem.* 62: 618-625. <http://dx.doi.org/10.1021/jf405352g>.
- Chen, HM; Schelly, ZA. (1995). LASER-INDUCED TRANSIENT ELECTRIC BIREFRINGENCE AND LIGHT-SCATTERING IN AEROSOL-OT/CCL₄ REVERSE MICELLES. *Langmuir.* 11: 758-763.
- Chen, J; Lang, Z; Xu, Q, un; Hu, B, o; Fu, J; Chen, Z; Zhang, J. (2013). Facile Preparation of Monodisperse Carbon Spheres: Template-Free Construction and Their Hydrogen Storage Properties. 1: 1063-1068. <http://dx.doi.org/10.1021/sc400124b>.
- Chen, L; Du, R, an; Zhang, J, in; Yi, T, ao. (2015). Density controlled oil uptake and beyond: from carbon nanotubes to graphene nanoribbon aerogels. 3: 20547-20553. <http://dx.doi.org/10.1039/c5ta04370k>.
- Chen, LH; Huang, CC; Lien, HL. (2008). Bimetallic iron-aluminum particles for dechlorination of carbon tetrachloride. *Chemosphere.* 73: 692-697. <http://dx.doi.org/10.1016/j.chemosphere.2008.07.005>.
- Chen, LH; Lee, YL. (2000). Adsorption behavior of surfactants and mass transfer in single-drop extraction. *AIChE J.* 46: 160-168.
- Chen, M; Liu, C; Li, X; Huang, W; Li, F. (2014). Iron Reduction Coupled to Reductive Dechlorination in Red Soil: A Review. *Soil Sci.* 179: 457-467. <http://dx.doi.org/10.1097/SS.0000000000000095>.
- Chen, M; Pan, L; Huang, Z; Cao, J; Zheng, Y; Zhan, H. (2007). A novel route to US nanocrystals with strong electrogenerated chemiluminescence. *Mater Chem Phys.* 101: 317-321. <http://dx.doi.org/10.1016/j.matchemphys.2006.06.003>.
- Chen, M; Tong, H; Liu, C; Chen, D; Li, F; Qiao, J. (2016). A humic substance analogue AQDS stimulates *Geobacter* sp. abundance and enhances pentachlorophenol transformation in a paddy soil. *Chemosphere.* 160: 141-148. <http://dx.doi.org/10.1016/j.chemosphere.2016.06.061>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Chen, ML; Lim, CS; Oh, W, onC. (2007). Preparation with different mixing ratios of anatase to activated carbon and their photocatalytic performance. *Journal of Ceramic Processing Research*. 8: 119-124.
- Chen, Q; Qian, Y; Zhang, Y. (1996). Deagglomeration and crystallisation of amorphous titania by CCl₄-thermal treatment. *Mater Sci Tech*. 12: 211-212.
- Chen, S; Fan, D; Tratnyek, PG. (2014). Novel Contaminant Transformation Pathways by Abiotic Reductants. *Environ Sci Technol Lett*. 1: 432-436. <http://dx.doi.org/10.1021/ez500268e>.
- Chen, SW; Francis, BM; Dziuk, PJ. (1993). Effect of concentration of mixed-function oxidase on concentration of estrogen, rate of egg lay, eggshell thickness, and plasma calcium in laying hens. *J Anim Sci*. 71: 2700-2707.
- Chen, WH; Yang, WB; Yuan, CS; Yang, JC; Zhao, QL. (2014). Fates of chlorinated volatile organic compounds in aerobic biological treatment processes: the effects of aeration and sludge addition. *Chemosphere*. 103: 92-98. <http://dx.doi.org/10.1016/j.chemosphere.2013.11.039>.
- Chen, X; Hu, R; Feng, H; Chen, L; Luedemann, HD. (2012). Intradiffusion, Density, and Viscosity Studies in Binary Liquid Systems of Acetylacetone plus Alkanols at 303.15 K. *Journal of Chemical and Engineering Data*. 57: 2401-2408. <http://dx.doi.org/10.1021/je3000553>.
- Chen, X; Lian, Z; Zhong, H; Chen, L. (2015). Intradiffusion, density and viscosity studies in binary liquid systems of acetylacetone plus DMF/DMSO/benzene at 303.15 K and 333.15 K. *Chinese Journal of Chemical Engineering*. 23: 1679-1684. <http://dx.doi.org/10.1016/j.cjche.2015.07.027>.
- Chen, Y; Jin, Z; Pan, Z. (2012). In situ Raman spectroscopic study of hydrolysis of carbon tetrachloride in hot compressed water in a fused silica capillary reactor. *Journal of Supercritical Fluids*. 72: 22-27. <http://dx.doi.org/10.1016/j.supflu.2012.07.019>.
- Chen, Y; Wen, Y; Tang, Z; Li, L; Cai, Y; Zhou, Q. (2014). Removal processes of disinfection byproducts in subsurface-flow constructed wetlands treating secondary effluent. *Water Res*. 51: 163-171. <http://dx.doi.org/10.1016/j.watres.2013.12.027>.
- Chen, Y, i; Wen, Y, ue; Zhou, J; Zhou, Q, i; Vymazal, J, an; Kuschik, P. (2015). Transformation of Chloroform in Model Treatment Wetlands: From Mass Balance to Microbial Analysis. *Environ Sci Technol*. 49: 6198-6205. <http://dx.doi.org/10.1021/es506357e>.
- Chen, Y; Zhang, H; Ye, H; Ma, J. (2011). A simple and novel route to synthesize nano-vanadium carbide using magnesium powders, vanadium pentoxide and different carbon source. *International Journal of Refractory Metals and Hard Materials*. 29: 528-531. <http://dx.doi.org/10.1016/j.ijrmhm.2011.03.004>.
- Chen, YW; Joly, HA; Belzile, N. (1997). Determination of elemental sulfur in environmental samples by gas chromatography mass spectrometry. *Chem Geol*. 137: 195-200.
- Cheng, H, ui; Wang, Y; Dai, H; Han, J, unBo; Li, X. (2015). Nonlinear Optical Properties of PbS Colloidal Quantum Dots Fabricated via Solvothermal Method. *J Phys Chem C*. 119: 3288-3292. <http://dx.doi.org/10.1021/jp510214x>.
- Cheng, HW; Rustenholtz, A; Porter, RA; Ye, XR; Wai, CM. (2004). Partition coefficients and equilibrium constants of crown ethers between water and organic solvents determined by proton nuclear magnetic resonance. *Journal of Chemical and Engineering Data*. 49: 594-598. <http://dx.doi.org/10.1021/je034195c>.
- Cheng, J; Zhou, Y; Zuo, M; Dai, L; Guo, X. (2010). Application of dispersive liquid-liquid microextraction and reversed phase-high performance liquid chromatography for the determination of two fungicides in environmental water samples. *Int J Environ Anal Chem*. 90: 845-855. <http://dx.doi.org/10.1080/03067310903180468>.
- Cheng, R; Glater, J; Neethling, JB; Stenstrom, MK. (1991). THE EFFECTS OF SMALL HALOCARBONS ON RO MEMBRANE PERFORMANCE. *Desalination*. 85: 33-44.
- Cheng, W; He, J; Chen, M; Li, D; Li, H, ui; Chen, L, ei; Cao, Y, e; Wang, J; Huang, Y. (2016). Preparation, Functional Characterization and Hemostatic Mechanism Discussion for Oxidized Microcrystalline Cellulose and Its Composites. *Fibers and Polymers*. 17: 1277-1286. <http://dx.doi.org/10.1007/s12221-016-6279-0>.
- Cheng, W; He, J; Wu, Y; Song, C; Xie, S; Huang, Y; Fu, B, o. (2013). Preparation and characterization of oxidized regenerated cellulose film for hemostasis and the effect of blood on its surface. *Cellulose*. 20: 2547-2558. <http://dx.doi.org/10.1007/s10570-013-0005-5>.
- Cherginets, VL; Rebrova, TP; Ponomarenko, TV; Kisil, EP; Filippovich, LI. (2011). Oxoacidic Properties of Melts of the CsCl-LiCl-YCl₃ System and Features of Their Purification from Oxide Ion Traces. *Journal of Chemical and Engineering Data*. 56: 3897-3901. <http://dx.doi.org/10.1021/je200603c>.
- Cheung, STC; Fung, AKM; Lam, MHW. (1998). Visible photosensitization of TiO₂ - Photodegradation of CCl₄ in aqueous medium. *Chemosphere*. 36: 2461-2473.
- Chiang, PC; Chang, P; You, JH. (1992). INNOVATIVE TECHNOLOGY FOR CONTROLLING VOC EMISSIONS. *J Hazard Mater*. 31: 19-28.
- Chiang, PC; Hung, CH; Mar, JC; Chang, EE. (1998). Henry's constants and mass transfer coefficients of halogenated organic pollutants in an air stripping packed column. *Water Sci Technol*. 38: 287-294.
- Chiang, Y, uC; Lee, CC; Lee, HC. (2007). Characterization of microstructure and surface properties of heat-treated PAN-and rayon-based activated carbon fibers. *Journal of Porous Materials*. 14: 227-237. <http://dx.doi.org/10.1007/s10934-006-9028-8>.
- Chiang, Y, uC; Lee, CY; Lee, HC. (2007). Surface chemistry of polyacrylonitrile- and rayon-based activated carbon fibers after post-heat treatment. *Mater Chem Phys*. 101: 199-210. <http://dx.doi.org/10.1016/j.matchemphys.2006.03.007>.
- Chib, S; Greenberg, E. (1995). Understanding the Metropolis-Hastings algorithm. *Am Stat*. 49: 327-335.
- Chien, CH; Sheng, P, eiSun; Wang, CH, si; Huang, C, hiHao; Lin, HK, ai; Lee, C, hiY; Chiu, HT. (2008). Synthesis of carbon hollow spheres and particles from CCl₄ and Mo. *Mater Lett*. 62: 1176-1178. <http://dx.doi.org/10.1016/j.matlet.2007.08.027>.
- Chien, Y, iChi. (2012). DESTRUCTION OF CCl₄ BY COPPER CARBONATE. *Fresen Environ Bull*. 21: 1290-1295.
- Chien, YC. (2012). Investigation of carbon tetrachloride destruction by copper acetate. *J Environ Qual*. 41: 449-453. <http://dx.doi.org/10.2134/jeq2011.0336>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Chien, YC; Wang, HP; Liu, SH; Hsiung, TL; Tai, HS; Peng, CY. (2008). Photocatalytic decomposition of CCl₄ on Zr-MCM-41. *J Hazard Mater.* 151: 461-464. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.027>.
- Chien, YC; Wang, HP; Yang, YW. (2001). Mineralization of CCl₄ with copper oxide. *Environ Sci Technol.* 35: 3259-3262. <http://dx.doi.org/10.1021/es001454z>.
- Chilakapati, A; Yabusaki, S; Szecsody, J; Macevoy, W. (2000). Groundwater flow, multicomponent transport and biogeochemistry: development and application of a coupled process model. *J Contam Hydrol.* 43: 303-325.
- Chiou, CT; Kile, DE. (1994). EFFECTS OF POLAR AND NONPOLAR GROUPS ON THE STABILITY OF ORGANIC-COMPOUNDS IN SOIL ORGANIC-MATTER. *Environ Sci Technol.* 28: 1139-1144.
- Chipperfield, MP; Liang, Q; Rigby, M; Hossaini, R; Montzka, SA; Dhomse, S; Feng, W; Prinn, RG; Weiss, R, ayF; Harth, CM; Salameh, PK; Muhle, J; O'Doherty, S; Young, D; Simmonds, PG; Krummel, PB; Fraser, PJ; Steele, LP; Happell, JD; Rhew, RC; Butler, J; Yvon-Lewis, SA; Hall, B; Nance, D; Moore, F; Miller, B, enR; Elkins, J; Harrison, JJ; Boone, CD; Atlas, EL; Mahieu, E. (2016). Model sensitivity studies of the decrease in atmospheric carbon tetrachloride. *Atmos Chem Phys.* 16: 15741-15754. <http://dx.doi.org/10.5194/acp-16-15741-2016>.
- Chitra, M; Nithyanandhi, K. (2007). Radical scavenging activity of *Trianthema triquetra* in male albino rats intoxicated with CCl₄. *J Environ Biol.* 28: 283-285.
- Chiu, PC; Reinhard, M. (1995). Metallocoenzyme-Mediated Reductive Transformation of Carbon Tetrachloride in Titanium(III) Citrate Aqueous Solution. *Environ Sci Technol.* 29: 595-603. <http://dx.doi.org/10.1021/es00003a006>.
- Chiu, PC; Reinhard, M. (1996). Transformation of Carbon Tetrachloride by Reduced Vitamin B 12 in Aqueous Cysteine Solution. *Environ Sci Technol.* 30: 1882-1889. <http://dx.doi.org/10.1021/es950477o>.
- Cho, BO; Ryu, HW; Jin, CH; Choi, DS; Kang, SY; Kim, DS; Byun, MW; Jeong, IY. (2011). Blackberry extract attenuates oxidative stress through up-regulation of Nrf2-dependent antioxidant enzymes in carbon tetrachloride-treated rats. *J Agric Food Chem.* 59: 11442-11448. <http://dx.doi.org/10.1021/jf2021804>.
- Cho, D; Chang, HN. (1998). Separation of oil contaminants by surfactant-aided foam fractionation. *Korean J Chem Eng.* 15: 445-448.
- Cho, HH; Park, JW. (2005). Effect of coexisting compounds on the sorption and reduction of trichloroethylene with iron. *Environ Toxicol Chem.* 24: 11-16.
- Cho, S; Sugano, M. (1975). EFFECTS OF ANTIOXIDANTS ON LIVER AND PLASMA-LIPIDS OF RATS TREATED WITH CCL₄ - (HEPATOTOXICITY AND LIPID-METABOLISM .8.). *Agr Chem Soc Japan.* 49: 29-34.
- Cho, S; Sugano, M; Wada, M. (1970). HEPATOTOXICITY AND LIPID METABOLISM .2. INCORPORATION OF LONG CHAIN FATTY ACIDS INTO HEPATIC LIPID FRACTIONS OF CCL₄ POISONED RATS IN-VIVO AND IN-VITRO. *Agric Biol Chem.* 34: A10-&.
- Cho, S; Sugano, M; Wada, M. (1972). INCORPORATION OF LABELED FATTY-ACIDS INTO HEPATIC LIPID COMPONENTS IN CARBON-TETRACHLORIDE POISONED RATS (HEPATOTOXICITY AND LIPID-METABOLISM .5. *Agr Chem Soc Japan.* 46: 421-&.
- Cho, S; Sugano, M; Wada, M. (1975). EFFECTS OF CCL₄ ON INCORPORATION OF (ME-C-14) CHOLINE, (2-C-14) ETHANOLAMINE OR (ME-H-3) METHIONINE INTO RAT-LIVER PHOSPHOLIPIDS INVITRO - (HEPATOTOXICITY AND LIPID-METABOLISM .7.). *Agr Chem Soc Japan.* 49: 23-27.
- Cho, S; Wada, M; Sugano, M. (1972). EFFECT OF CARBON-TETRACHLORIDE ON INCORPORATION OF INORGANIC P-32 INTO RAT-LIVER PHOSPHOLIPIDS .6. (HEPATOTOXICITY AND LIPID-METABOLISM. *Agr Chem Soc Japan.* 46: 429-&.
- Cho, YM; Choi, WY; Lee, CH; Hyeon, T; Lee, HI. (2001). Visible light-induced degradation of carbon tetrachloride on dye-sensitized TiO₂. *Environ Sci Technol.* 35: 966-970. <http://dx.doi.org/10.1021/es001245e>.
- Cho, YM; Kyung, H; Choi, W. (2004). Visible light activity of TiO₂ for the photoreduction of CCl₄ and Cr(VI) in the presence of nonionic surfactant (Brij). *Appl Catal B-Environ.* 52: 23-32. <http://dx.doi.org/10.1016/j.apcatb.2004.03.013>.
- Choi, BS; Oh, JS; Lee, SW; Kim, H; Yi, JH. (2001). Simulation of the effects of CCl₄ on the ethylene dichloride pyrolysis process. *Ind Eng Chem Res.* 40: 4040-4049.
- Choi, HC; Choi, SH; Lee, JS; Lee, KH; Kim, YG. (1997). Effects of Pt precursors on hydrodechlorination of carbon tetrachloride over Pt/Al₂O₃. *J Catal.* 166: 284-293.
- Choi, HC; Choi, SH; Yang, OB; Lee, JS; Lee, KH; Kim, YG. (1996). Hydrodechlorination of carbon tetrachloride over Pt/MgO. *J Catal.* 161: 790-797.
- Choi, J; Batchelor, B; Chung, J. (2010). Reductive Dechlorination of Tetrachloroethylene by Green Rusts Modified with Copper. *Water Air Soil Pollut.* 212: 407-417. <http://dx.doi.org/10.1007/s11270-010-0354-8>.
- Choi, J; Choi, K; Lee, W. (2009). Effects of transition metal and sulfide on the reductive dechlorination of carbon tetrachloride and 1,1,1-trichloroethane by FeS. *J Hazard Mater.* 162: 1151-1158. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.007>.
- Choi, J; Choi, SJ; Kim, Y. (2008). Hydrodechlorination of 2,4,6-trichlorophenol for a permeable reactive barrier using zero-valent iron and catalyzed iron. *Korean J Chem Eng.* 25: 493-500.
- Choi, J; Choi, W; Mhin, BJ. (2004). Solvent-specific photolytic behavior of octachlorodibenzo-p-dioxin. *Environ Sci Technol.* 38: 2082-2088. <http://dx.doi.org/10.1021/es034916s>.
- Choi, J; Lee, W. (2008). Enhanced degradation of tetrachloroethylene by green rusts with platinum. *Environ Sci Technol.* 42: 3356-3362. <http://dx.doi.org/10.1021/es702661d>.
- Choi, JH; Jin, SW; Choi, CY; Kim, HG; Lee, GH; Kim, YA; Chung, YC; Jeong, HG. (2017). Capsaicin Inhibits Dimethylnitrosamine-Induced Hepatic Fibrosis by Inhibiting the TGF- β 1/Smad Pathway via Peroxisome Proliferator-Activated Receptor Gamma Activation. *J Agric Food Chem.* 65: 317-326. <http://dx.doi.org/10.1021/acs.jafc.6b04805>.
- Choi, JH; Kim, YH. (2009). Reduction of 2,4,6-trichlorophenol with zero-valent zinc and catalyzed zinc. *J Hazard Mater.* 166: 984-991. <http://dx.doi.org/10.1016/j.jhazmat.2008.12.00>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Choi, K; Lee, W. (2009). Reductive dechlorination of carbon tetrachloride in acidic soil manipulated with iron(II) and bisulfide ion. *J Hazard Mater.* 172: 623-630. <http://dx.doi.org/10.1016/j.jhazmat.2009.07.041>.
- Choi, K; Lee, W. (2012). Enhanced degradation of trichloroethylene in nano-scale zero-valent iron Fenton system with Cu(II). *J Hazard Mater.* 211: 146-153. <http://dx.doi.org/10.1016/j.jhazmat.2011.10.056>.
- Choi, M; Do, LT; Chung, YH; Yoo, H; Yu, R. (2015). Antioxidative Activity of Platinum Nanocolloid and Its Protective Effect Against Chemical-Induced Hepatic Cellular Damage. *J Nanosci Nanotechnol.* 15: 5571-5576. <http://dx.doi.org/10.1166/jnn.2015.10468>.
- Choi, WS; Il Kim, H; Kwak, SS; Chung, HY; Chung, HY; Yamamoto, K; Oguchi, T; Tozuka, Y; Yonemochi, E; Terada, K. (2004). Amorphous ultrafine particle preparation for improvement of bioavailability of insoluble drugs: grinding characteristics of fine grinding mills. *Int J Miner Process.* 74: S165-S172. <http://dx.doi.org/10.1016/j.minpro.2004.07.025>.
- Choi, WY; Hoffmann, MR. (1995). PHOTOREDUCTIVE MECHANISM OF CCL4 DEGRADATION ON TiO2 PARTICLES AND EFFECTS OF ELECTRON-DONORS. *Environ Sci Technol.* 29: 1646-1654. <http://dx.doi.org/10.1021/es00006a031>.
- Choi, WY; Hoffmann, MR. (1997). Novel photocatalytic mechanisms for CHCl3, CHBr3, and CCl3CO2- degradation and the fate of photogenerated trihalomethyl radicals on TiO2. *Environ Sci Technol.* 31: 89-95.
- Chou, TC; Yeh, HJ. (1992). HETEROGENIZED HOMOGENEOUS CATALYST .5. THE THEORY OF SOLVENT EFFECT AND THE EFFECT OF SOLVENT ON ADSORPTION AND DIFFUSIVITY. *Ind Eng Chem Res.* 31: 130-137.
- Chou, TC; Yeh, HJ. (1992). HETEROGENIZED HOMOGENEOUS CATALYST .6. EFFECT OF SOLVENT ON INITIATION, PROPAGATION TERMINATION, DECOMPOSITION, AND AN OVERALL HETEROGENEOUS FREE-RADICAL REACTION SYSTEM. *Ind Eng Chem Res.* 31: 804-818.
- Choucair, M; Hill, MR; Stride, JA. (2015). A low temperature reduction of CCl4 to solid and hollow carbon nanospheres using metallic sodium. *Mater Chem Phys.* 154: 38-43. <http://dx.doi.org/10.1016/j.matchemphys.2015.01.042>.
- Choudhary, RB; Pande, PP. (2000). Alternative solvent system for iodine value determination. *Indian J Chem Tech.* 7: 165-167.
- Choudhary, VR; Jha, R. (2007). GaClx- or GaAlClx-grafted Si-MCM-41: Highly active and moisture insensitive/stable catalyst for the acylation and benzylation of benzene, naphthalene and substituted benzenes. *Appl Catal A-Gen.* 333: 42-48. <http://dx.doi.org/10.1016/j.apcata.2007.09.001>.
- Choudhary, VR; Mantri, K. (2002). AlCl3-grafted Si-MCM-41: Influence of thermal treatment conditions on surface properties and incorporation of Al in the structure of MCM-41. *J Catal.* 205: 221-225. <http://dx.doi.org/10.1006/jcat.2001.3435>.
- Choudhuri, JR, oy; Chandra, A. (2014). Structure and Dynamics of the Liquid-Liquid Interface of an Aqueous NaCl Solution with Liquid Carbon Tetrachloride from First-Principles Simulations. *J Phys Chem C.* 118: 23083-23091. <http://dx.doi.org/10.1021/jp506193n>.
- Chouldhary, VR; Mantri, K. (2002). AlClx-grafted Si-MCM-41 prepared by reacting anhydrous AlCl3 with terminal Si-OH groups: an active solid catalyst for benzylation and acylation reactions. *Microporous and Mesoporous Materials.* 56: 317-320.
- Chow, TP; Fanelli, GM. (1984). REACTIVE ION ETCHING OF SILICON AND SILICIDES IN SF6, NF3/CCL4, OR HCL MIXTURES. *J Electrochem Soc.* 131: C312-C312.
- Chow, TP; Fanelli, GM. (1985). REACTIVE ION ETCHING OF SILICON AND SILICIDES IN SF6 OR NF3/CCL4 OR HCL MIXTURES. *J Electrochem Soc.* 132: 1969-1973.
- Chow, TP; Maciel, PA; Fanelli, GM. (1987). REACTIVE ION ETCHING OF SILICON IN CCL4 AND HCL PLASMAS. *J Electrochem Soc.* 134: 1281-1286.
- Christ, SA; Read, EJ; Stober, JA; Smith, MK. (1996). Developmental effects of trichloroacetonitrile administered in corn oil to pregnant Long-Evans rats. *J Toxicol Environ Health.* 47: 233-247.
- Chu, C; Liu, R. (2011). Chloralkanes as chlorinating agents: An efficient approach to acyl chlorides and destruction of chlorinated hydrocarbons. *Appl Catal B-Environ.* 101: 343-347. <http://dx.doi.org/10.1016/j.apcatb.2010.10.002>.
- Chu, W; Li, X; Bond, T; Gao, N; Bin, X; Wang, Q; Ding, S. (2016). Copper increases reductive dehalogenation of haloacetamides by zero-valent iron in drinking water: Reduction efficiency and integrated toxicity risk. *Water Res.* 107: 141-150. <http://dx.doi.org/10.1016/j.watres.2016.10.047>.
- Chu, Y; Zhang, Q; Zhang, W; Zhang, G; Zhu, S. (2014). Highly sensitive dimethyl ether gas sensor utilizing cataluminescence on nanosized MgO/In2O3. *Meas Sci Technol.* 25. <http://dx.doi.org/10.1088/0957-0233/25/8/085105>.
- Chu, Z; Yan, Y, an; Chen, Z, hi; Guo, J; Yang, Y; Li, C; Zhang, Y. (2015). A Comprehensive Method for Precise Determination of Re, Os, Ir, Ru, Pt, Pd Concentrations and Os Isotopic Compositions in Geological Samples. *Geostandards and Geoanalytical Research.* 39: 151-169. <http://dx.doi.org/10.1111/j.1751-908X.2014.00283.x>.
- Chun, CL; Baer, DR; Matson, DW; Amonette, JE; Penn, RL. (2010). Characterization and reactivity of iron nanoparticles prepared with added Cu, Pd, and Ni. *Environ Sci Technol.* 44: 5079-5085. <http://dx.doi.org/10.1021/es903278e>.
- Chun, CL; Hozalski, RM; Arnold, WA. (2005). Degradation of Drinking Water Disinfection Byproducts by Synthetic Goethite and Magnetite. *Environ Sci Technol.* 39: 8525-8532. <http://dx.doi.org/10.1021/es051044g>.
- Chun, YN. (2003). Computational fluid dynamics (CFD) analysis and experimental study for toxic hazardous waste destruction in the cavity incinerator. *Korean J Chem Eng.* 20: 670-678.
- Chun, YN; Jung, OJ; Kim, SW; Song, HO. (2003). Numerical and experimental studies of CCl4 destruction in a dump incinerator. *Environ Technol.* 24: 131-142.
- Chun, YN; Lee, KJ; Song, HO. (2002). A numerical simulation of hazardous waste destruction in a three-dimensional dump incinerator. *Korean J Chem Eng.* 19: 20-27.
- Chun, YN; Shin, DY. (2004). Hazardous waste destruction and nitric oxide reduction with externally forced oscillation. *Korean J Chem Eng.* 21: 811-815.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Chung, CW; Morandi, MT; Stock, TH; Afshar, M. (1999). Evaluation of a Passive Sampler for Volatile Organic Compounds at ppb Concentrations, Varying Temperatures, and Humidities with 24-h Exposures. 1. Description and Characterization of Exposure Chamber System. *Environ Sci Technol.* 33: 3661-3665. <http://dx.doi.org/10.1021/es990607j>.
- Chung, CW; Morandi, MT; Stock, TH; Afshar, M. (1999). Evaluation of a passive sampler for volatile organic compounds at ppb concentrations, varying temperatures, and humidities with 24-h exposures. 2. Sampler performance. *Environ Sci Technol.* 33: 3666-3671.
- Chung, FL; Nath, RG; Ocando, J; Nishikawa, A; Zhang, L. (2000). Deoxyguanosine adducts of t-4-hydroxy-2-nonal are endogenous DNA lesions in rodents and humans: detection and potential sources. *Cancer Res.* 60: 1507-1511.
- Chung, KT; Gadupudi, GS. (2011). Possible roles of excess tryptophan metabolites in cancer [Review]. *Environ Mol Mutagen.* 52: 81-104. <http://dx.doi.org/10.1002/em.20588>.
- Chung, Y; Shin, D; Park, S; Lim, Y; Choi, Y; Cho, S; Yang, J; Hwang, M; Park, Y; Lee, H. (1997). Risk assessment and management of drinking water pollutants in Korea. *Water Sci Technol.* 36: 309-323. [http://dx.doi.org/10.1016/S0273-1223\(97\)00734-8](http://dx.doi.org/10.1016/S0273-1223(97)00734-8).
- Cibulka, I. (2014). Partial Molar Volumes and Partial Molar Isentropic Compressions of 15-Crown-5 and 18-Crown-6 Ethers at Infinite Dilution in Water at Temperatures $T = (278 \text{ to } 343) \text{ K}$ and Atmospheric Pressure. *Journal of Chemical and Engineering Data.* 59: 2075-2086. <http://dx.doi.org/10.1021/je500265v>.
- Cibulka, I; Takagi, T; Ruzicka, K. (2001). P-rho-T data of liquids: Summarization and evaluation. 7. Selected halogenated hydrocarbons. *Journal of Chemical and Engineering Data.* 46: 2-28. <http://dx.doi.org/10.1021/je0002383>.
- Cicek, B; Senkan, SM. (1993). CHEMICAL STRUCTURES OF FUEL-RICH, PREMIXED, LAMINAR FLAMES OF C₆H₅CL/CH₄/O-2/AR MIXTURES. *Combust Sci Tech.* 91: 53-72.
- Cimenoglu, MA. (2001). Dynamic nuclear polarization in suspensions of asphaltene obtained from MC-30 liquid asphalt. *Fuel.* 80: 2041-2047.
- Ciotti, C; Baciocchi, R; Tuhkanen, T. (2009). Influence of the operating conditions on highly oxidative radicals generation in Fenton's systems. *J Hazard Mater.* 161: 402-408. <http://dx.doi.org/10.1016/j.jhazmat.2008.03.137>.
- Clark, CJ; Rao, PS; Annable, MD. (2003). Degradation of perchloroethylene in cosolvent solutions by zero-valent iron. *J Hazard Mater.* 96: 65-78.
- Clarke, LH; Noble, M; Oloffs, PC; Szeto, SY. (1973). INHALATION CHAMBER FOR ADMINISTERING VOLATILE COMPOUNDS TO ANIMALS - PERFORMANCE USING CARBON-TETRACHLORIDE. *Can J Zool.* 51: 387-392.
- Clary, D; Mills, G. (2011). Photochemical Generation of Nanometer-Sized Cu Particles in Octane. *J Phys Chem C.* 115: 14656-14663. <http://dx.doi.org/10.1021/jp20401361>.
- Clegg, GT; Tehrani, MA. (1973). LIQUID-PHASE DIFFUSION-COEFFICIENTS FOR DISSOLVED GASES - SYSTEMS CHLORINE CARBON TETRACHLORIDE AND HYDROGEN CHLORIDE-ETHYLENE GLYCOL. *Journal of Chemical and Engineering Data.* 18: 59-60.
- Clet, G; Goupil, JM; Szabo, G; Cornet, D. (2000). Chlorinated alumina as an alkylation catalyst: influence of acidity moderators. *Appl Catal A-Gen.* 202: 37-47.
- Clewell, HJ, III; Gentry, PR; Gearhart, JM. (1997). Investigation of the potential impact of benchmark dose and pharmacokinetic modeling in noncancer risk assessment. *J Toxicol Environ Health.* 52: 475-515. <http://dx.doi.org/10.1080/00984109708984077>.
- Clifton, BJ; Cosgrove, T; Warne, MR. (1999). Calculation of Silberberg's polymer segmental adsorption energy by a free space molecular modeling technique. *Langmuir.* 15: 8659-8667.
- Climent, MJ; Corma, A; Garcia, H; Iborra, S; Primo, J. (1995). ACID ZEOLITES AS CATALYSTS IN ORGANIC-REACTIONS - CONDENSATION OF ACETOPHENONE WITH BENZENE-DERIVATIVES. *Appl Catal A-Gen.* 130: 5-12.
- Clough, SA; Iacono, MJ. (1995). LINE-BY-LINE CALCULATION OF ATMOSPHERIC FLUXES AND COOLING RATES .2. APPLICATION TO CARBON-DIOXIDE, OZONE, METHANE, NITROUS-OXIDE AND THE HALOCARBONS. *J Geophys Res Atmos.* 100: 16519-16535.
- Cobb, GD; Bouwer, EJ. (1991). Effects of electron acceptors on halogenated organic compound biotransformations in a biofilm column. *Environ Sci Technol.* 25: 1068-1074. <http://dx.doi.org/10.1021/es00018a008>.
- Cocero, MJ; Garcia, I; Gonzalez, JA; Cobos, JC. (1991). THERMODYNAMICS OF BINARY-MIXTURES CONTAINING ORGANIC CARBONATES .6. ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA FOR DIMETHYL CARBONATE + NORMAL ALKANES. *Fluid Phase Equilibria.* 68: 151-161.
- Cocero, MJ; Mato, F; Garcia, I; Cobos, JC. (1989). THERMODYNAMICS OF BINARY-MIXTURES CONTAINING ORGANIC CARBONATES .3. ISOTHERMAL VAPOR LIQUID EQUILIBRIA FOR DIETHYL CARBONATE + CYCLOHEXANE, + BENZENE, OR + TETRACHLOROMETHANE. *Journal of Chemical and Engineering Data.* 34: 443-445.
- Cocero, MJ; Mato, F; Garcia, I; Cobos, JC; Kehiaian, HV. (1989). THERMODYNAMICS OF BINARY-MIXTURES CONTAINING ORGANIC CARBONATES .2. ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA FOR DIMETHYL CARBONATE + CYCLOHEXANE, + BENZENE, OR + TETRACHLOROMETHANE. *Journal of Chemical and Engineering Data.* 34: 73-76.
- Coelhan, M. (2003). Synthesis of several single C-10, C-11, and C-12 chloroalkanes. *Fresen Environ Bull.* 12: 442-449.
- Coffey, CC; Lebouf, RF; Calvert, CA; Slaven, JE. (2011). Validation of an evacuated canister method for measuring part-per-billion levels of chemical warfare agent simulants. *Journal of the Air and Waste Management Association.* 61: 826-833. <http://dx.doi.org/10.3155/1047-3289.61.8.826>.
- Cohen, HJ. (1993). Determining the service lives of organic-vapor respirator cartridges for nitroglycerin under workplace conditions. *Am Ind Hyg Assoc J.* 54: 432-439. <http://dx.doi.org/10.1080/15298669391354928>.
- Cohen, HJ; Briggs, DE; Garrison, RP. (1991). Development of a Field Method for Evaluating the Service Lives of Organic Vapor Cartridges Part III: Results of Laboratory Testing Using Binary Organic Vapor Mixtures. *Am Ind Hyg Assoc J.* 52: 34-43.
- Cohen, HJ; Garrison, RP. (1989). DEVELOPMENT OF A FIELD METHOD FOR EVALUATING THE SERVICE LIFE OF ORGANIC VAPOR CARTRIDGES - RESULTS OF LABORATORY TESTING USING CARBON-TETRACHLORIDE. *Am Ind Hyg Assoc J.* 50: 486-495.
- Cohen, HJ; Levine, SP; Garrison, RP. (1991). Development of a Field Method for Determining the Service Lives of Respirator Cartridges Part IV: Results of Field Validation Trials. *Am Ind Hyg Assoc J.* 52: 263-270.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Cohen, HJ; Zellers, ET; Garrison, RP. (1990). DEVELOPMENT OF A FIELD METHOD FOR EVALUATING THE SERVICE LIVES OF ORGANIC VAPOR CARTRIDGES - RESULTS OF LABORATORY TESTING USING CARBON-TETRACHLORIDE .2. HUMIDITY EFFECTS. *Am Ind Hyg Assoc J.* 51: 575-580.
- Collins, R; Picardal, F. (1999). Enhanced anaerobic transformations of carbon tetrachloride by soil organic matter. *Environ Toxicol Chem.* 18: 2703-2710.
- Coltharp, MT. (2005). On numerical classification of solution adsorption isotherms. *Langmuir.* 21: 3475-3479. <http://dx.doi.org/10.1021/la047539l>.
- Conboy, JC; Messmer, MC; Richmond, GL. (1998). Effect of alkyl chain length on the conformation and order of simple ionic surfactants adsorbed at the D2O/CCl4 interface as studied by sum-frequency vibrational spectroscopy. *Langmuir.* 14: 6722-6727.
- Cong, W; Li, YG; Lu, JF. (1996). Calculation of activity coefficients for systems containing tributyl phosphate, diluents and water by the perturbation theory. *Fluid Phase Equilibria.* 124: 55-65.
- Connell, D; Markwell, R. (1992). MECHANISM AND PREDICTION OF NONSPECIFIC TOXICITY TO FISH USING BIOCONCENTRATION CHARACTERISTICS. *Ecotoxicol Environ Saf.* 24: 247-265.
- Conrad, H. (2000). Influence of an electric or magnetic field on the liquid-solid transformation in materials and on the microstructure of the solid. *Mater Sci Eng A.* 287: 205-212.
- Constantinescu, T; Rusanescu, G; Radulescu, S; Marinescu, F; Mutihac, L; Budrugaec, S; Puricel, E; Stancioiu, C. (1991). METHOD OF WOOD TAR PROCESSING .1. OBTAINING OF MALTOL AND CICLOTEN COMPOUNDS. *Rev Chim.* 42: 44-52.
- Corapcioglu, MY; Hossain, MA. (1991). ESTIMATING BIOTRANSFORMATION RATE CONSTANTS FOR SEQUENTIAL REDUCTIVE DEHALOGENATION REACTIONS. *J Environ Eng.* 117: 631-639.
- Corat, EJ; Debarros, RCM; Travaairoidi, VJ; Ferreira, NG; Leite, NF; Iha, K. (1997). The activation energy for diamond growth from CCl4/H-2 mixtures in a hot-filament reactor. *Diam Relat Mater.* 6: 1172-1181.
- Corbin, JF; Teel, AL; Allen-King, RM; Watts, RJ. (2007). Reactive oxygen species responsible for the enhanced desorption of dodecane in modified Fenton's systems. *Water Environ Res.* 79: 37-42. <http://dx.doi.org/10.2175/106143006X136793>.
- Cornet, D; Goupil, JM; Szabo, G; Poirier, JL; Clet, G. (1996). Alkylation of isobutane by ethylene catalyzed by chlorided alumina: Influence of experimental conditions. *Appl Catal A-Gen.* 141: 193-205.
- Coromina, HM; Adeniran, B; Mokaya, R; Walsh, DA. (2016). Bridging the performance gap between electric double-layer capacitors and batteries with high-energy/high-power carbon nanotube-based electrodes. 4: 14586-14594. <http://dx.doi.org/10.1039/c6ta05686e>.
- Corrao, G; Torchio, P; Zambon, A; D'Amicis, A; Lepore, AR; Di Orio, F; Provincial GROUP FOR THE STUDY OF CHRONIC LIVER, D. (1998). Alcohol consumption and micronutrient intake as risk factors for liver cirrhosis: A case-control study. *Ann Epidemiol.* 8: 154-159.
- Correa, P. (1996). Morphology and natural history of cancer precursors. In D Schottenfield; JF Fraumeni (Eds.), (pp. 45-64). New York: Oxford University Press.
- Cottalasso, D; Barisione, G; Fontana, L; Domenicotti, C; Pronzato, MA; Nanni, G. (1994). IMPAIRMENT OF LIPOGLYCOPROTEIN METABOLISM IN RAT-LIVER CELLS INDUCED BY 1,2-DICHLOROETHANE. *Occup Environ Med.* 51: 281-285.
- Cottalasso, D; Bellocchio, A; Domenicotti, C; Dapino, D; Pronzato, MA; Nanni, G. (1998). 1,1,2,2-tetrachloroethane-induced early decrease of dolichol levels in rat liver microsomes and Golgi apparatus. *J Toxicol Environ Health A.* 54: 133-144.
- Crebelli, R; Andreoli, C; Carere, A; Conti, G; Conti, L; Cotta Ramusino, M; Benigni, R. (1992). The induction of mitotic chromosome malsegregation in *Aspergillus nidulans*. Quantitative structure activity relationship (QSAR) analysis with chlorinated aliphatic hydrocarbons. *Mutat Res-Fundam Mol Mech Mutagen.* 266: 117-134. [http://dx.doi.org/10.1016/0027-5107\(92\)90179-6](http://dx.doi.org/10.1016/0027-5107(92)90179-6).
- Crebelli, R; Carere, A; Leopardi, P. (1999). Evaluation of 10 aliphatic halogenated hydrocarbons in the mouse bone marrow micronucleus test. *Mutagenesis.* 14: 207-215. <http://dx.doi.org/10.1093/mutage/14.2.207>.
- Criddle, CS; Mccarty, PL. (1991). ELECTROLYTIC MODEL SYSTEM FOR REDUCTIVE DEHALOGENATION IN AQUEOUS ENVIRONMENTS. *Environ Sci Technol.* 25: 973-978.
- Crump, KS; Hoel, DG; Langley, CH; Peto, R. (1976). Fundamental carcinogenic processes and their implications for low dose risk assessment. *Cancer Res.* 36: 2973-2979.
- Cruz-Zavala, AS; Pat-Espadas, AM; Rangel-Mendez, JR; Chazaro-Ruiz, LF; Ascacio-Valdes, JA; Aguilar, CN; Cervantes, FJ. (2016). Immobilization of metal-humic acid complexes in anaerobic granular sludge for their application as solid-phase redox mediators in the biotransformation of iopromide in UASB reactors. *Bioresour Technol.* 207: 39-45. <http://dx.doi.org/10.1016/j.biortech.2016.01.125>.
- Cui, J, ieHu; Li, CG; Du, X, iuH. (2011). Reactive Extraction of o-Aminophenol with Tri-n-butyl Phosphate in Different Solvents. *Journal of Chemical and Engineering Data.* 56: 3149-3156. <http://dx.doi.org/10.1021/je200219m>.
- Cui, L; An, L; Gong, W; Jiang, H. (2007). A novel process for preparation of ultra-clean micronized coal by high pressure water jet comminution technique. *Fuel.* 86: 750-757. <http://dx.doi.org/10.1016/j.fuel.2006.09.002>.
- Cui, Y; Ye, Q; Wang, H; Li, Y; Yao, W; Qian, H. (2014). Hepatoprotective potential of Aloe vera polysaccharides against chronic alcohol-induced hepatotoxicity in mice. *J Sci Food Agric.* 94: 1764-1771. <http://dx.doi.org/10.1002/jsfa.6489>.
- Cummings, BS; Lash, LH. (2000). Metabolism and toxicity of trichloroethylene and S-(1,2-dichlorovinyl)-L-cysteine in freshly isolated human proximal tubular cells. *Toxicol Sci.* 53: 458-466. <http://dx.doi.org/10.1093/toxsci/53.2.458>.
- Cummings, BS; Lasker, JM; Lash, LH. (2000). Expression of glutathione-dependent enzymes and cytochrome P450s in freshly isolated and primary cultures of proximal tubular cells from human kidney. *J Pharmacol Exp Ther.* 293: 677-685.
- Cummings, BS; Parker, JC; Lash, LH. (2000). Role of cytochrome P450 and glutathione S-transferase alpha in the metabolism and cytotoxicity of trichloroethylene in rat kidney. *Biochem Pharmacol.* 59: 531-543. [http://dx.doi.org/10.1016/S0006-2952\(99\)00374-3](http://dx.doi.org/10.1016/S0006-2952(99)00374-3).

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Cummings, BS; Parker, JC; Lash, LH. (2001). Cytochrome p450-dependent metabolism of trichloroethylene in rat kidney. *Toxicol Sci.* 60: 11-19. <http://dx.doi.org/10.1093/toxsci/60.1.11>.
- Cummings, BS; Zangar, RC; Novak, RF; Lash, LH. (1999). Cellular distribution of cytochromes P-450 in the rat kidney. *Drug Metab Dispos.* 27: 542-548.
- Cundy, VA; Lester, TW; Sterling, AM; Montestruc, AN; Morse, JS; Leger, CB; Acharya, S. (1989). ROTARY KILN INCINERATION .4. AN IN-DEPTH STUDY - KILN EXIT, TRANSITION AND AFTERBURNER SAMPLING DURING LIQUID CCL4 PROCESSING. *JAPCA.* 39: 1073-1085.
- Cundy, VA; Morse, JS; Lester, TW; Senser, DW. (1987). AN INVESTIGATION OF A NEAR - STOICHIOMETRIC CH4/CCL4/AIR PREMIXED FLAT FLAME. *Chemosphere.* 16: 989-1001.
- Cunningham, AB; Sharp, RR; Caccavo, F, Jr; Gerlach, R. (2007). Effects of starvation on bacterial transport through porous media. *Advances in Water Resources.* 30: 1583-1592. <http://dx.doi.org/10.1016/j.advwatres.2006.05.018>.
- Cunningham, BT; Baker, JE; Stillman, GE. (1990). CARBON-TETRACHLORIDE DOPED ALXGA1-XAS GROWN BY METALORGANIC CHEMICAL VAPOR-DEPOSITION. *Journal of Electronic Materials.* 19: 331-335.
- Cunnold, DM; Weiss, RF; Prinn, RG; Hartley, D; Simmonds, PG; Fraser, PJ; Miller, B; Aleya, FN; Porter, L. (1997). GAGE/AGAGE measurements indicating reductions in global emissions of CCl3F and CCl2F2 in 1992-1994. *J Geophys Res Atmos.* 102: 1259-1269.
- Curtis, BJ; Brunner, HJ. (1978). END-POINT DETERMINATION OF ALUMINUM CCL4 PLASMA ETCHING BY OPTICAL EMISSION-SPECTROSCOPY. *J Electrochem Soc.* 125: 829-830.
- Curtis, GP; Reinhard, M. (1994). Reductive dehalogenation of hexachloroethane, carbon tetrachloride, and bromoform by anthrahydroquinone disulfonate and humic acid. *Environ Sci Technol.* 28: 2393-2401.
- Cutting, RS; Mury, CA; Thornton, G; Vaughan, DJ. (2006). Molecular scale investigations of the reactivity of magnetite with formic acid, pyridine, and carbon tetrachloride. *Geochim Cosmo Acta.* 70: 3593-3612. <http://dx.doi.org/10.1016/j.gca.2006.04.034>.
- Cwiertny, DM; Bransfield, SJ; Livi, KJ; Fairbrother, DH; Robertst, AL. (2006). Exploring the influence of granular iron additives on 1,1,1-trichloroethane reduction. *Environ Sci Technol.* 40: 6837-6843. <http://dx.doi.org/10.1021/es060921v>.
- Cwiertny, DM; Handler, RM; Schaefer, MV; Grassian, VH; Scherer, MM. (2008). Interpreting nanoscale size-effects in aggregated Fe-oxide suspensions: reaction of Fe(II) with goethite. *Geochim Cosmo Acta.* 72: 1365-1380. <http://dx.doi.org/10.1016/j.gca.2007.12.018>.
- Cwiertny, DM; Roberts, AL. (2005). On the nonlinear relationship between k(obs) and reductant mass loading in iron batch systems. *Environ Sci Technol.* 39: 8948-8957. <http://dx.doi.org/10.1021/es050472j>.
- Cyriac, J; Pradeep, T. (2007). Probing difference in diffusivity of chloromethanes through water ice in the temperature range of 110-150 K. *J Phys Chem C.* 111: 8557-8565. <http://dx.doi.org/10.1021/jp068435h>.
- Cyriac, J; Pradeep, T. (2008). Interaction of carboxylic acids and water ice probed by argon ion induced chemical sputtering. *J Phys Chem C.* 112: 1604-1611. <http://dx.doi.org/10.1021/jp0756505>.
- da Silva, G; Bozzelli, JW. (2007). Theoretical study of the oxidation catalyst N-hydroxyphthalimide (NHPI): Thermochemical properties, internal rotor potential, and gas- and liquid-phase bond dissociation energies. *J Phys Chem C.* 111: 5760-5765. <http://dx.doi.org/10.1021/jp068727i>.
- Da Silva, MLB; Johnson, RL; Alvarez, PJJ. (2007). Microbial characterization of groundwater undergoing treatment with a permeable reactive iron barrier. *Environ Eng Sci.* 24: 1122-1127. <http://dx.doi.org/10.1089/ees.2007.0016>.
- da Silva, MLP; Demarquette, NR; Tan, IH. (2003). Use of HMDS/hexane double layers for obtaining low cost selective membrane. *Cellulose.* 10: 171-178.
- Daft, JL. (1991). Fumigants and related chemicals in foods: review of residue findings, contamination sources, and analytical methods [Review]. *Sci Total Environ.* 100 Spec No: 501-518.
- Dagade, D; Pawar, R; Patil, K. (2004). Viscosity behavior of 18-crown-6 in aqueous and carbon tetrachloride solutions at different temperatures and at ambient pressure. *Journal of Chemical and Engineering Data.* 49: 341-346. <http://dx.doi.org/10.1021/jc034188o>.
- Dagostino, R; Capezzuto, P; Cramarossa, F; Fracassi, F. (1989). PLASMA-ASSISTED ETCHING OF ALUMINUM IN CCL4-CL2 MIXTURES. *Plasma Chemistry and Plasma Processing.* 9: 513-525.
- Dai, HX; Ng, CF; Au, CT. (2001). SrCl2-Promoted REOx (RE = Ce, Pr, Tb) catalysts for the selective oxidation of ethane: A study on performance and defect structures for ethene formation. *J Catal.* 199: 177-192. <http://dx.doi.org/10.1006/jcat.2001.3161>.
- Dalu, A; Rao, PS; Mehendale, HM. (1998). Colchicine antimetabolite abolishes resiliency of postnatally developing rats to chlordecone-amplified carbon tetrachloride hepatotoxicity and lethality. *Environ Health Perspect.* 106: 597-606.
- Daly, KA; Liu, S; Agrawal, V; Brown, BN; Johnson, SA; Medberry, CJ; Badylak, SF. (2012). Damage associated molecular patterns within xenogeneic biologic scaffolds and their effects on host remodeling. *Biomaterials.* 33: 91-101. <http://dx.doi.org/10.1016/j.biomaterials.2011.09.040>.
- Dani, C; Bonatto, D; Salvador, M; Pereira, MD; Henriques, JA; Eleutherio, E. (2008). Antioxidant protection of resveratrol and catechin in *Saccharomyces cerevisiae*. *J Agric Food Chem.* 56: 4268-4272. <http://dx.doi.org/10.1021/jf800752s>.
- Daniel, C; Longo, S; Fasano, G; Vitillo, JG; Guerra, G. (2011). Nanoporous Crystalline Phases of Poly(2,6-Dimethyl-1,4-phenylene)oxide. *Chem Mater.* 23: 3195-3200. <http://dx.doi.org/10.1021/cm200546r>.
- Daniel, C; Vitillo, JG; Fasano, G; Guerra, G. (2011). Aerogels and Polymorphism of Isotactic Poly(4-methyl-pentene-1). *ACS Applied Materials & Interfaces.* 3: 969-977. <http://dx.doi.org/10.1021/am200107w>.
- Daniel, JS; Solomon, S; Albritton, DL. (1995). On the evaluation of halocarbon radiative forcing and global warming potentials. *J Geophys Res.* 100: 1271-1285. <http://dx.doi.org/10.1029/94JD02516>.
- Danielsen, KM; Gland, JL; Hayes, KF. (2005). Influence of amine buffers on carbon tetrachloride reductive dechlorination by the iron oxide magnetite. *Environ Sci Technol.* 39: 756-763. <http://dx.doi.org/10.1021/es049635e>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Danielsen, KM; Hayes, KF. (2004). pH dependence of carbon tetrachloride reductive dechlorination by magnetite. *Environ Sci Technol.* 38: 4745-4752. <http://dx.doi.org/10.1021/es0496874>.
- Danish, M; Gu, X; Lu, S; Zhang, X; Fu, X; Xue, Y; Miao, Z; Ahmad, A; Naqvi, M; Qureshi, AS. (2016). The Effect of Chelating Agents on Enhancement of 1,1,1-Trichloroethane and Trichloroethylene Degradation by Z-nZVI-Catalyzed Percarbonate Process. *Water Air Soil Pollut.* 227. <http://dx.doi.org/10.1007/s11270-016-3005-x>.
- Darby, JA. (2008). A kinetic model of fumigant sorption by grain using batch experimental data. *Pest Manag Sci.* 64: 519-526. <http://dx.doi.org/10.1002/ps.1534>.
- Darlington, R; Lehmicke, L; Andrachek, RG; Freedman, DL. (2013). Anaerobic abiotic transformations of cis-1,2-dichloroethene in fractured sandstone. *Chemosphere.* 90: 2226-2232. <http://dx.doi.org/10.1016/j.chemosphere.2012.09.084>.
- Dartnell, NJ; Flowers, MC; Greef, R; Zhu, J; Blackburn, A. (1995). REACTIVE ION ETCHING OF SILICON-CARBIDE (SiC1-X). *Vacuum.* 46: 349-355.
- Das, JK; Dash, SK; Chakravorty, V; Swain, BB. (1994). DIELECTRIC STUDIES ON BINARY-MIXTURES OF METHYL ISOBUTYL KETONE (MIBK) IN NONPOLAR-SOLVENTS. *Indian J Chem Tech.* 1: 230-232.
- Das, S; Banthia, AK; Adhikari, B. (2006). Removal of chlorinated volatile organic contaminants from water by pervaporation using a novel polyurethane urea-poly (methyl methacrylate) interpenetrating network membrane. *Chem Eng Sci.* 61: 6454-6467. <http://dx.doi.org/10.1016/j.ces.2006.06.014>.
- Dasireddy, VDB, C; Singh, S; Friedrich, HB. (2012). Oxidative dehydrogenation of n-octane using vanadium pentoxide-supported hydroxyapatite catalysts. *Appl Catal A-Gen.* 421: 58-69. <http://dx.doi.org/10.1016/j.apcata.2012.01.034>.
- Datskou, I; North, K. (1996). Risks due to groundwater contamination at a plutonium processing facility. *Water Air Soil Pollut.* 90: 1-2.
- Daubert, TE; Danner, RP. (1995). Physical and thermodynamic properties of pure chemicals: Data compilation. Washington DC: Taylor and Francis.
- David, A; Frantik, E; Holusa, R; Novakova, O. (1981). Role of time and concentration on carbon tetrachloride toxicity in rats. *Int Arch Occup Environ Health.* 48: 49-60. <http://dx.doi.org/10.1007/BF00405931>.
- Davidson, BR; Hart, L; Newman, RC; Joyce, TB; Bullough, TJ; Button, CC. (1996). Carbon delta-doping GaAs superlattices. *Journal of Materials Science: Materials in Electronics.* 7: 355-360.
- Davis, A; Fennemore, GG; Peck, C; Walker, CR; McIlwraith, J; Thomas, S. (2003). Degradation of carbon tetrachloride in a reducing groundwater environment: implications for natural attenuation. *Appl Geochem.* 18: 503-525.
- Davis, JW; Madsen, SS. (1991). THE BIODEGRADATION OF METHYLENE-CHLORIDE IN SOILS. *Environ Toxicol Chem.* 10: 463-474.
- Davis, M. (1992). Dichloroacetic acid and trichloroacetic acid increase chloroform toxicity. *J Toxicol Environ Health.* 37: 139-148. <http://dx.doi.org/10.1080/15287399209531661>.
- Davydov, V; Sheppard, N; Osawa, E. (2002). An Infrared Spectroscopic Study of the Hydrogenation and Dehydrogenation of the Complexes of Aromatic Compounds and of Fullerene C with Silica-Supported Platinum. *J Catal.* 211: 42-52. <http://dx.doi.org/10.1006/jcat.2002.3694>.
- Davydova, EI; Ladugin, MA; Marmalyuk, AA; Padalitsa, AA; Petrovskii, AV; Sukharev, AV; Uspenskii, MB; Shishkin, VA. (2009). High-power single-mode laser diodes based on carbon-doped quantum-well InGaAs/AlGaAs heterostructures. *Quantum Electronics.* 39: 18-20. <http://dx.doi.org/10.1070/QE2009v039n01ABEH013933>.
- Dawes, VJ; Waldock, MJ. (1994). Measurement of Volatile Organic Compounds at UK National Monitoring Plan Stations. *Mar Pollut Bull.* 28: 291-298.
- Dawson, HE; Mcalary, T. (2009). A compilation of statistics for VOCs from post-1990 indoor air concentration studies in North American residences unaffected by subsurface vapor intrusion. *Ground Water Monitoring and Remediation.* 29: 60-69. <http://dx.doi.org/10.1111/j.1745-6592.2008.01215.x>.
- de Blas, M; Navazo, M; Alonso, L; Durana, N; Gomez, MC; Iza, J. (2012). Simultaneous indoor and outdoor on-line hourly monitoring of atmospheric volatile organic compounds in an urban building. The role of inside and outside sources. *Sci Total Environ.* 426: 327-335. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.003>.
- de Blas, M; Navazo, M; Alonso, L; Durana, N; Iza, J, on. (2013). Trichloroethylene, tetrachloroethylene and carbon tetrachloride in an urban atmosphere: mixing ratios and temporal patterns. *Int J Environ Anal Chem.* 93: 228-244. <http://dx.doi.org/10.1080/03067319.2011.629346>.
- de Blas, M; Uria-Tellaetxe, I; Carmen Gomez, M; Navazo, M; Alonso, L; Antonio Garcia, J; Durana, N; Iza, J, on; Derley Ramon, J. (2016). Atmospheric carbon tetrachloride in rural background and industry surrounded urban areas in Northern Iberian Peninsula: Mixing ratios, trends, and potential sources. *Sci Total Environ.* 562: 26-34. <http://dx.doi.org/10.1016/j.scitotenv.2016.03.177>.
- de Cominges, BE; Pineiro, MM; Mascato, E; Iglesias, TP; Legido, JL. (2000). Temperature dependence of the thermophysical properties of binary mixtures of n-hexane+1-butanol. *High Temperatures - High Pressures.* 32: 653-661.
- De Flora, S; Zanacchi, P; Camoirano, A; Bennicelli, C; Badolati, GS. (1984). Genotoxic activity and potency of 135 compounds in the Ames reversion test and in a bacterial DNA-repair test [Review]. *Mutat Res.* 133: 161-198. [http://dx.doi.org/10.1016/0165-1110\(84\)90016-2](http://dx.doi.org/10.1016/0165-1110(84)90016-2).
- De, G; Kundu, D; Karmakar, B; Ganguli, D. (1993). FTIR STUDIES OF GEL TO GLASS CONVERSION IN TEOS FUMED SILICA-DERIVED GELS. *Journal of Non-Crystalline Solids.* 155: 253-258.
- De, G; Kundu, D; Karmakar, B; Ganguli, D. (1993). HYDROXYL-FREE CLEAR SILICA GLASS BY SOL-GEL PROCESSING. *Mater Lett.* 16: 231-235.
- De Pascali, G; Melisi, D; Valentini, M; Valentini, A; Nitti, MA; Nasi, R; Casamassima, G; Ambrico, PF; Cardone, A. (2014). Spray deposited carbon nanotubes for organic vapor sensors. *Microelectronics Journal.* 45: 1691-1694. <http://dx.doi.org/10.1016/j.mejo.2014.09.007>.
- de Pedro, ZM; Gomez-Sainero, LM; Gonzalez-Serrano, E; Rodriguez, JJ. (2006). Gas-phase hydrodechlorination of dichloromethane at low concentrations with palladium/carbon catalysts. *Ind Eng Chem Res.* 45: 7760-7766. <http://dx.doi.org/10.1021/ie060621m>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- de Richter, RK; Ming, T; Caillol, S; Liu, W, ei. (2016). Fighting global warming by GHG removal: Destroying CFCs and HCFCs in solar-wind power plant hybrids producing renewable energy with no-intermittency. *Int J Greenhouse Gas Control*. 49: 449-472. <http://dx.doi.org/10.1016/j.ijggc.2016.02.027>.
- de Rivas, B; Lopez-Fonseca, R; Gutierrez-Ortiz, MA; Gutierrez-Ortiz, JI. (2011). Impact of induced chlorine-poisoning on the catalytic behaviour of Ce_{0.5}Zr_{0.5}O₂ and Ce_{0.15}Zr_{0.85}O₂ in the gas-phase oxidation of chlorinated VOCs. *Appl Catal B-Environ*. 104: 373-381. <http://dx.doi.org/10.1016/j.apcatb.2011.03.003>.
- de Souza, AGF; Bentes, AMP; Rodrigues, ACC; Borges, LEP; Monteiro, JLF. (2005). Hydrodechlorination of carbon tetrachloride over PtNaX zeolite: Deactivation studies. *Catalysis Today*. 107-08: 493-499. <http://dx.doi.org/10.1016/j.cattod.2005.07.062>.
- De Stefanis, A; Perez, G; Tomlinson, AAG. (2006). PLS versus zeolites as sorbents and catalysts - Part 9. An unexpected reaction of Al-PILC sorbed CCl₄ with benzene. *Catalysis Today*. 114: 314-318. <http://dx.doi.org/10.1016/j.cattod.2006.02.023>.
- de Vera, MP; Pocsidio, GN. (1998). Potential protective effect of calcium carbonate as liming agent against copper toxicity in the African tilapia *Oreochromis mossambicus*. *Sci Total Environ*. 214: 193-202. [http://dx.doi.org/10.1016/S0048-9697\(98\)00065-5](http://dx.doi.org/10.1016/S0048-9697(98)00065-5).
- Debarre, D; Aliouchouche, A; Boulmer, J; Bourguignon, B; Budin, JP. (1996). The role of gas-phase in the laser etching of Cu by CCl₄. *Appl Surf Sci*. 96-8: 453-456.
- Debarros, RCM; Corat, EJ; Travaairoldi, VJ; Ferreira, NG; Leite, NF; Iha, K. (1997). Mass spectrometry and diamond growth from CCl₄/H-2 gas mixtures. *Diam Relat Mater*. 6: 490-493.
- Decker, S; Lagadic, I; Klabunde, KJ; Moscovici, J; Michalowicz, A. (1998). EXAFS observation of the Sr and Fe site structural environment in SrO and Fe₂O₃-coated SrO nanoparticles used as carbon tetrachloride destructive adsorbents. *Chem Mater*. 10: 674-678.
- Decker, SP; Klabunde, JS; Khaleel, A; Klabunde, KJ. (2002). Catalyzed destructive adsorption of environmental toxins with nanocrystalline metal oxides. Fluoro-, chloro-, bromocarbons, sulfur, and organophosphorus compounds. *Environ Sci Technol*. 36: 762-768. <http://dx.doi.org/10.1021/es010733z>.
- Dedrick, RL; Bischoff, KB. (1980). Species similarities in pharmacokinetics. *FASEB J*. 39: 54-59.
- Defelice, TP. (1999). Chemical composition of fresh snowfalls at Palmer Station, Antarctica. *Atmos Environ*. 33: 155-161.
- Dehoff, KJ; Oostrom, M; Zhang, C; Grate, JW. (2012). Evaluation of Two-Phase Relative Permeability and Capillary Pressure Relations for Unstable Displacements in a Pore Network. *Vadose Zone Journal*. 11. <http://dx.doi.org/10.2136/vzj2012.0024>.
- Dei, L; Lonostro, P; Capuzzi, G; Baglioni, P. (1998). Langmuir films of p-tert-butylcalix[8]arene. Conformations at the water-air interface and complexation of fullerene C-60. *Langmuir*. 14: 4143-4147.
- Deipser, A; Stegmann, R. (1997). Biological degradation of VCCs and CFCs under simulated anaerobic landfill conditions in laboratory test digesters. *Environ Sci Pollut Res Int*. 4: 209-216. <http://dx.doi.org/10.1007/BF02986348>.
- Deitsch, JJ; Smith, JA; Arnold, MB; Bolus, J. (1998). Sorption and desorption rates of carbon tetrachloride and 1,2-dichlorobenzene to three organobentonites and a natural peat soil. *Environ Sci Technol*. 32: 3169-3177.
- Delafuente, IG; Gonzalez, JA; Cobos, JC; Casanova, C. (1992). EXCESS MOLAR VOLUMES FOR DIMETHYL CARBONATE PLUS HEPTANE, DECANE, 2,2,4-TRIMETHYLPENTANE, CYCLOHEXANE, BENZENE, TOLUENE, OR TETRACHLOROMETHANE. *Journal of Chemical and Engineering Data*. 37: 535-537.
- Delannoy, L; Giraudon, JM; Granger, P; Leclercq, L; Leclercq, G. (2002). Hydrodechlorination of CCl₄ over group VI transition metal carbides. *Appl Catal B-Environ*. 37: 161-173.
- Delitala, C; Marongiu, B; Porcedda, S. (1998). Steric and inductive effects in binary mixtures of alkanones with benzene or tetrachloromethane. Comparison with DISQUAC predictions. *Fluid Phase Equilibria*. 142: 1-14.
- Delogu, F; Arca, E; Mulas, G. (2008). Growth of Ag nanometre-sized particles in solution: molecular dynamics simulations. *Nanotechnology*. 19: 295703. <http://dx.doi.org/10.1088/0957-4484/19/29/295703>.
- Delorey, DC; Cronn, DR; Farmer, JC. (1988). TROPOSPHERIC LATITUDINAL DISTRIBUTIONS OF CF₂CL₂, CF₃CL, N₂O, CH₃CCl₃ AND CCl₄ OVER THE REMOTE PACIFIC-OCEAN. *Atmos Environ*. 22: 1481-1494.
- Delp, MD; Manning, RO; Bruckner, JV; Armstrong, RB. (1991). Distribution of cardiac output during diurnal changes of activity in rats. *Am J Physiol*. 261: H1487-H1493.
- Delpech, MC; Oliveira, CMF. (2005). Viscometric study of poly(methyl methacrylate-g-propylene oxide) and respective homopolymers. *Polym Test*. 24: 381-386. <http://dx.doi.org/10.1016/j.polymertesting.2004.09.012>.
- Delyon, TJ; Buchan, NI; Kirchner, PD; Woodall, JM; Mcinturff, DT; Scilla, GJ; Cardone, F. (1991). USE OF CCl₄ AND CHCl₃ IN GAS SOURCE MOLECULAR-BEAM EPITAXY FOR CARBON DOPING OF GAAS AND GAXIN1-XP. *J Cryst Growth*. 111: 564-569.
- Delyon, TJ; Woodall, JM; Kash, JA; Mcinturff, DT; Bates, RJS; Kirchner, PD; Cardone, F. (1992). MINORITY-CARRIER LIFETIME AND PHOTOLUMINESCENT RESPONSE OF HEAVILY CARBON-DOPED GAAS GROWN WITH GAS SOURCE MOLECULAR-BEAM EPITAXY USING HALOMETHANE DOPING SOURCES. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures*. 10: 846-849.
- Demarini, DM; Williams, RW; Perry, E; Lemieux, PM; Linak, WP. (1992). BIOASSAY-DIRECTED CHEMICAL-ANALYSIS OF ORGANIC EXTRACTS OF EMISSIONS FROM A LABORATORY-SCALE INCINERATOR - COMBUSTION OF SURROGATE COMPOUNDS. *Combust Sci Tech*. 85: 437-453.
- Demeestere, K; Dewulf, J; Ohno, T; Salgado, PH; Van Langenhove, H. (2005). Visible light mediated photocatalytic degradation of gaseous trichloroethylene and dimethyl sulfide on modified titanium dioxide. *Appl Catal B-Environ*. 61: 140-149. <http://dx.doi.org/10.1016/j.apcatb.2005.04.017>.
- Dement'ev, AS; Diomin, I; Murauskas, E; Slavinskis, N. (2011). Compression of pulses during their amplification in the field of a focused counterpropagating pump pulse of the same frequency and width in media with electrostriction nonlinearity. *Quantum Electronics*. 41: 153-159. <http://dx.doi.org/10.1070/QE2011v041n02ABEH014496>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Demirel, Y; Sandler, SI. (2002). Effects of concentration and temperature on the coupled heat and mass transport in liquid mixtures. *Int J Heat Mass Tran.* 45: 75-86.
- Denelzen, MGJ; Swart, RJ; Rotmans, J. (1992). STRENGTHENING THE MONTREAL PROTOCOL - DOES IT COOL DOWN THE GREENHOUSE. *Sci Total Environ.* 113: 229-250.
- Deng, D; Pan, X; Yu, L; Cui, Y; Jiang, Y; Qi, J; Li, WX; Fu, Q; Ma, X; Xue, Q; Sun, G; Bao, X. (2011). Toward N-Doped Graphene via Solvothermal Synthesis. *Chem Mater.* 23: 1188-1193. <http://dx.doi.org/10.1021/cm102666r>.
- Deng, J; Yang, Y; He, Y; Ouyang, G; Huang, Z. (2006). Densities and surface tensions of trimethylbenzene + dimethyl carbonate or + diethyl carbonate at 298.15 K and 313.15 K. *Journal of Chemical and Engineering Data.* 51: 1464. <http://dx.doi.org/10.1021/je060137q>.
- Deng, JH; Yang, YY; Wang, PZ; Ouyang, GF; Huang, ZQ. (2006). Excess molar volumes and surface tensions of trimethylbenzene plus ethylene glycol ester at 298.15 K and 313.15 K. *Journal of Chemical and Engineering Data.* 51: 725-729. <http://dx.doi.org/10.1021/je050484k>.
- Deng, QF; Liu, L, ei; Lin, X, iuz; Du, G; Liu, Y; Yuan, ZY. (2012). Synthesis and CO₂ capture properties of mesoporous carbon nitride materials. *Chem Eng J.* 203: 63-70. <http://dx.doi.org/10.1016/j.cej.2012.06.124>.
- Denkbass, EB; Kaitian, X; Tuncel, A; Piskin, E. (1995). RIFAMPICIN-CARRYING POLY(D,L-LACTIDE) MICROSPHERES - LOADING AND RELEASE. *J Biomater Sci Polym Ed.* 6: 815-825.
- Denli, M; Okan, F; Uluocak, AN. (2004). Effect of dietary supplementation of herb essential oils on the growth performance, carcass and intestinal characteristics of quail (*Coturnix coturnix japonica*). *South African Journal of Animal Science.* 34: 174-179.
- Dentel, SK; Jamrah, AI; Sparks, DL. (1998). Sorption and cosorption of 1,2,4-trichlorobenzene and tannic acid by organo-clays. *Water Res.* 32: 3689-3697.
- Derakhshesh, M; Abedi, J; Hassanzadeh, H. (2010). Mechanism of methanol decomposition by non-thermal plasma. *Journal of Electrostatics.* 68: 424-428. <http://dx.doi.org/10.1016/j.elstat.2010.06.004>.
- Derecskei, B; Derecskei-Kovacs, A; Schelly, ZA. (1999). Atomic-level molecular modeling of AOT reverse micelles. 1. The AOT molecule in water and carbon tetrachloride. *Langmuir.* 15: 1981-1992.
- Dernini, S; Polcaro, AM; Ricci, PF; Marongiu, B. (1989). THERMODYNAMIC PROPERTIES OF BINARY-MIXTURES CONTAINING CYCLOALKANONES .3. EXCESS VOLUMES OF CYCLOALKANONES + CYCLOHEXANE, +BENZENE, AND + TETRACHLOROMETHANE. *Journal of Chemical and Engineering Data.* 34: 165-167.
- Derwent, RG; Simmonds, PG; O'Doherty, S; Ryall, DB. (1998). The impact of the Montreal Protocol on halocarbon concentrations in northern hemisphere baseline and European air masses at Mace Head, Ireland over a ten year period from 1987-1996. *Atmos Environ.* 32: 3689-3702. [http://dx.doi.org/10.1016/S1352-2310\(98\)00092-2](http://dx.doi.org/10.1016/S1352-2310(98)00092-2).
- Desaiah, D; Pentylala, SN; Trotman, CH; Vig, PJ; Sekhon, BS. (1991). Combined effects of carbon tetrachloride and chlordecone on calmodulin activity in gerbil brain. *J Toxicol Environ Health.* 34: 219-228. <http://dx.doi.org/10.1080/15287399109531561>.
- Devi, P; Lozovoy, VV; Dantus, M. (2011). Measurement of group velocity dispersion of solvents using 2-cycle femtosecond pulses: Experiment and theory. 1: 032166. <http://dx.doi.org/10.1063/1.3646462>.
- Devlin, JF; Allin, KO. (2005). Major anion effects on the kinetics and reactivity of granular iron in glass-encased magnet batch reactor experiments. *Environ Sci Technol.* 39: 1868-1874. <http://dx.doi.org/10.1021/es040413q>.
- Devlin, JF; Katic, D; Barker, JF. (2004). In situ sequenced bioremediation of mixed contaminants in groundwater. *J Contam Hydrol.* 69: 233-261. [http://dx.doi.org/10.1016/S0169-7722\(03\)00156-6](http://dx.doi.org/10.1016/S0169-7722(03)00156-6).
- Devlin, JF; McMaster, M; Barker, JF. (2002). Hydrogeologic assessment of in situ natural attenuation in a controlled field experiment. *Water Resour Res.* 38: 1002-1002. <http://dx.doi.org/10.1029/2000WR000148>.
- Devlin, JF; Muller, D. (1999). Field and laboratory studies of carbon tetrachloride transformation in a sandy aquifer under sulfate reducing conditions. *Environ Sci Technol.* 33: 1021-1027.
- Dewulf, J; Van Langenhove, H. (1997). Chlorinated C1- and C2-hydrocarbons and monocyclic aromatic hydrocarbons in marine waters: An overview on fate processes, sampling, analysis and measurements. *Water Res.* 31: 1825-1838. [http://dx.doi.org/10.1016/S0043-1354\(97\)00017-1](http://dx.doi.org/10.1016/S0043-1354(97)00017-1).
- Dewulf, J; Van Langenhove, M; Everaert, M; Vanthournout, H. (1998). Volatile organic compounds in the Scheldt estuary along the trajectory Antwerp-Vlissingen: Concentration profiles, modelling and estimation of emissions into the atmosphere. *Water Res.* 32: 2941-2950. [http://dx.doi.org/10.1016/S0043-1354\(98\)00058-X](http://dx.doi.org/10.1016/S0043-1354(98)00058-X).
- Dey, P; Basu, S. (2011). Synergistic Extraction of Copper from Nitrate Solutions Using beta-Hydroxy-Naphthaldoxime and Organophosphorus Compounds into Carbon-Tetrachloride. *Metallurgical and Materials Transactions B - Process Metallurgy and Materials Processing Science.* 42: 1136-1143. <http://dx.doi.org/10.1007/s11663-011-9552-z>.
- Dharmalingam, K; Ramachandran, K; Sivagurunathan, P; Kalamse, GM. (2007). Molecular associations in alcohol-methyl methacrylate mixtures. *Journal of Chemical and Engineering Data.* 52: 265-269. <http://dx.doi.org/10.1021/je060379q>.
- Díaz Gómez, MI; Fanelli, SL; Delgado de Layño, AM; Bietto, FM; Castro, JA; Castro, GD. (2008). Deleterious effects induced by oxidative stress in liver nuclei from rats receiving an alcohol-containing liquid diet. *Toxicol Ind Health.* 24: 625-634. <http://dx.doi.org/10.1177/0748233708101207>.
- Díaz Gómez, MI; Fanelli, SL; Delgado de Layño, AM; Castro, JA; Castro, GD. (2006). Liver nuclear and microsomal CYP2E1-mediated metabolism of xenobiotics in rats chronically drinking an alcohol-containing liquid diet. *Toxicol Ind Health.* 22: 367-374. <http://dx.doi.org/10.1177/0748233706070982>.
- Dickson, JM; Childs, RF; Mccarry, BE; Gagnon, DR. (1998). Development of a coating technique for the internal structure of polypropylene microfiltration membranes. *J Memb Sci.* 148: 25-36.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Din, KS; Hwang, RY. (1991). OPTIMIZATION OF SURFACE CONDITION DURING REACTIVE ION ETCHING OF GAAS AND ALXGA1-XAS. *Mater Sci Eng B*. 9: 57-60.
- Dinda, S; Patwardhan, AV; Panda, SR; Pradhan, NC. (2008). Kinetics of reactive absorption of carbon dioxide with solutions of aniline in carbon tetrachloride and chloroform. *Chem Eng J*. 136: 349-357. <http://dx.doi.org/10.1016/j.cej.2007.04.037>.
- Ding, D; Benson, DA. (2015). Simulating biodegradation under mixing-limited conditions using Michaelis-Menten (Monod) kinetic expressions in a particle tracking model. *Advances in Water Resources*. 76: 109-119.
- Dixit, S; Hering, JG. (2006). Sorption of Fe(II) and As(III) on goethite in single- and dual-sorbate systems. *Chem Geol*. 228: 6-15. <http://dx.doi.org/10.1016/j.chemgeo.2005.11.15>.
- Djouani, F; Chehimi, MM; Benzarti, K. (2013). Interactions of fully formulated epoxy with model cement hydrates. *J Adhes Sci Tech*. 27: 469-489. <http://dx.doi.org/10.1080/01694243.2012.687548>.
- Dmitruk, LN; Batygov, SK, h; Moiseeva, LV; Petrova, OB; Brekhovskikh, MN; Fedorov, VA. (2007). Preparation and properties of heavy-metal halide glasses. *Inorg Mater*. 43: 793-796. <http://dx.doi.org/10.1134/S0020168507070217>.
- Do, DD; Do, HD. (2002). Effects of adsorbate-adsorbate interaction in the description of adsorption isotherm of hydrocarbons in micro-mesoporous carbonaceous materials. *Appl Surf Sci*. 196: 13-29.
- Do, DD; Do, HD. (2004). Adsorption of ethylene on graphitized thermal carbon black and in slit pores: a computer simulation study. *Langmuir*. 20: 7103-7116. <http://dx.doi.org/10.1021/la0495682>.
- Do, S, iH; Batchelor, B. (2012). Reductive dechlorination of chlorinated hydrocarbons as non-aqueous phase liquid (NAPL): Preliminary investigation on effects of cement doses. *Sci Total Environ*. 430: 82-87. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.070>.
- Do, S, iH; Kwon, YJ, ae; Bang, S, uJin; Kong, SH, o. (2013). Persulfate reactivity enhanced by Fe₂O₃-MnO and CaO-Fe₂O₃-MnO composite: Identification of composite and degradation of CCl₄ at various levels of pH. *Chem Eng J*. 221: 72-80. <http://dx.doi.org/10.1016/j.cej.2013.01.097>.
- Dobrzakov, YG; Balashova, IM; Maurer, G. (2001). The limiting activity coefficient of phenol in water and some organic solvents from differential ebulliometry. *Fluid Phase Equilibria*. 181: 59-70.
- Dodin, EI; Grigoreva, LA; Kharlamov, IP; Filatova, LV. (1977). IMPROVEMENT OF PHOTOSTABILITY OF SOLUTIONS OF COPPER DIETHYLDITHIOCARBAMINATE IN CARBON-TETRACHLORIDE. *Industrial Laboratory*. 43: 1043-1044.
- Dodson, RE; Houseman, EA; Levy, JI; Spengler, JD; Shine, JP; Bennett, DH. (2007). Measured and modeled personal exposures to and risks from volatile organic compounds. *Environ Sci Technol*. 41: 8498-8505. <http://dx.doi.org/10.1021/es071127s>.
- Doherty, RE. (2000). A history of the production and use of carbon tetrachloride, tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane in the United States: Part 1—historical background; carbon tetrachloride and tetrachloroethylene. *Environ Forensics*. 1: 69-81. <http://dx.doi.org/10.1006/enfo.2000.0010>.
- Doherty, RE. (2000). A history of the production and use of carbon tetrachloride, tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane in the United States: Part 2 - Trichloroethylene and 1,1,1-trichloroethane. *Environ Forensics*. 1: 83-93. <http://dx.doi.org/10.1006/enfo.2000.0011>.
- Doherty, RE. (2012). The Manufacture, Use, and Supply of Chlorinated Solvents in the United States During World War II. *Environ Forensics*. 13: 7-26. <http://dx.doi.org/10.1080/15275922.2011.643341>.
- Doi, K; Kurabe, S; Shimazu, N; Inagaki, M. (1991). SYSTEMIC HISTOPATHOLOGY OF RATS WITH CCL₄-INDUCED HEPATIC CIRRHOSIS. *Lab Anim*. 25: 21-25.
- Dolfing, J, an; Van Eekert, M; Seech, A; Vogan, J; Mueller, J, im. (2007). In situ chemical reduction (ISCR) technologies: Significance of low eh reactions. *Soil Sediment Contam*. 17: 63-74. <http://dx.doi.org/10.1080/15320380701741438>.
- Domanska, U; Gonzalez, JA. (1996). Solid-liquid equilibria for systems containing long-chain 1-alkanols .1. Experimental data for 1-dodecanol, 1-tetradecanol, 1-hexadecanol, 1-octadecanol or 1-icosanol-benzene or -toluene mixtures. Characterization in terms of DISQUAC. *Fluid Phase Equilibria*. 119: 131-151.
- Domanska, U; Gonzalez, JA. (1996). Solid-liquid equilibria for systems containing long-chain 1-alkanols .2. Experimental data for 1-dodecanol, 1-tetradecanol, 1-hexadecanol, 1-octadecanol or 1-eicosanol plus CCl₄ or plus cyclohexane mixtures. Characterization in terms of DISQUAC. *Fluid Phase Equilibria*. 123: 167-187.
- Domanska, U; Klofutar, C; Paljk, S. (1994). SOLUBILITY OF CHOLESTEROL IN SELECTED ORGANIC-SOLVENTS. *Fluid Phase Equilibria*. 97: 191-200.
- Domanska, U; Sporzynski, A; Moollan, WC; Letcher, TM. (1996). Vapor-liquid equilibria of binary mixtures containing sulfolane. *Journal of Chemical and Engineering Data*. 41: 624-628.
- Domanska, U; Szurgocinska, M; Gonzalez, JA. (2002). Thermodynamics of binary mixtures containing organic carbonates. 12. SLE and LLE measurements for systems of dimethyl carbonate with long n-alkanes. Comparison with DISQUAC and modified UNIFAC predictions. *Ind Eng Chem Res*. 41: 3253-3259. <http://dx.doi.org/10.1021/ie010662c>.
- Dominguez, CM; Parchao, J; Rodriguez, S; Lorenzo, D; Romero, A; Santos, A. (2016). Kinetics of Lindane Dechlorination by Zerovalent Iron Microparticles: Effect of Different Salts and Stability Study. *Ind Eng Chem Res*. 55: 12776-12785. <http://dx.doi.org/10.1021/acs.iecr.6b03434>.
- Doolittle, DJ; Muller, G; Scribner, HE. (1987). Relationship between hepatotoxicity and induction of replicative DNA synthesis following single or multiple doses of carbon tetrachloride. *J Toxicol Environ Health*. 22: 63-78. <http://dx.doi.org/10.1080/15287398709531051>.
- Doong, R; Wu, S. (1995). SUBSTRATE EFFECTS ON THE ENHANCED BIOTRANSFORMATION OF POLYCHLORINATED HYDROCARBONS UNDER ANAEROBIC CONDITION. *Chemosphere*. 30: 1499-1511.
- Doong, RA; Chang, SM. (2000). Relationship between electron donor and microorganism on the dechlorination of carbon tetrachloride by an anaerobic enrichment culture. *Chemosphere*. 40: 1427-1433.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Doong, RA; Chen, KT; Tsai, HC. (2003). Reductive dechlorination of carbon tetrachloride and tetrachloroethylene by zerovalent silicon-iron reductants. *Environ Sci Technol.* 37: 2575-2581. <http://dx.doi.org/10.1021/es020978r>.
- Doong, RA; Chiang, HC. (2005). Transformation of carbon tetrachloride by thiol reductants in the presence of quinone compounds. *Environ Sci Technol.* 39: 7460-7468. <http://dx.doi.org/10.1021/es047956k>.
- Doong, RA; Hsieh, TC; Huang, CP. (2010). Photoassisted reduction of metal ions and organic dye by titanium dioxide nanoparticles in aqueous solution under anoxic conditions. *Sci Total Environ.* 408: 3334-3341. <http://dx.doi.org/10.1016/j.scitotenv.2010.03.032>.
- Doong, RA; Lai, YJ. (2005). Dechlorination of tetrachloroethylene by palladized iron in the presence of humic acid. *Water Res.* 39: 2309-2318. <http://dx.doi.org/10.1016/j.watres.2005.04.036>.
- Doong, RA; Lai, YL. (2006). Effect of metal ions and humic acid on the dechlorination of tetrachloroethylene by zerovalent iron. *Chemosphere.* 64: 371-378. <http://dx.doi.org/10.1016/j.chemosphere.2005.12.038>.
- Doong, RA; Lee, CC; Chen, KT; Wu, SF. (2004). Coupled reduction of chlorinated hydrocarbons and heavy metals by zerovalent silicon. *Water Sci Technol.* 50: 89-96.
- Doong, RA; Lee, CC; Lien, CM. (2014). Enhanced dechlorination of carbon tetrachloride by *Geobacter sulfurreducens* in the presence of naturally occurring quinones and ferrihydrite. *Chemosphere.* 97: 54-63. <http://dx.doi.org/10.1016/j.chemosphere.2013.11.004>.
- Doong, RA; Wu, SC. (1992). THE EFFECT OF OXIDATION-REDUCTION POTENTIAL ON THE BIOTRANSFORMATIONS OF CHLORINATED HYDROCARBONS. *Water Sci Technol.* 26: 159-168.
- Doong, RA; Wu, SC. (1992). REDUCTIVE DECHLORINATION OF CHLORINATED HYDROCARBONS IN AQUEOUS-SOLUTIONS CONTAINING FERROUS AND SULFIDE IONS. *Chemosphere.* 24: 1063-1075.
- Doong, RA; Wu, SC. (1995). ENHANCED BIODEGRADATION OF CARBON-TETRACHLORIDE BY THE SUPPLEMENT OF SUBSTRATE AND MINERAL IONS UNDER ANAEROBIC CONDITION. *Water Environ Res.* 67: 276-281.
- Doong, RA; Wu, SC. (1996). Effect of substrate concentration on the biotransformation of carbon tetrachloride and 1,1,1-trichloroethane under anaerobic condition. *Water Res.* 30: 577-586.
- Doong, RA; Wu, SC; Chen, TF. (1996). Anaerobic biotransformation of polychlorinated methane and ethene under various redox conditions. *Chemosphere.* 32: 377-390.
- Doong, RA; Wu, SC; Chen, TF. (1998). Modeling transport and fate of chlorinated hydrocarbons governed by biotic transformation in porous media. *Water Res.* 32: 39-46. [http://dx.doi.org/10.1016/S0043-1354\(97\)00192-9](http://dx.doi.org/10.1016/S0043-1354(97)00192-9).
- Doskey, PV; Aldstadt, JH; Kuo, JM; Costanza, MS. (1996). Evaluation of an in situ, on-line purging system for the cone penetrometer. *J Air Waste Manag Assoc.* 46: 1081-1085.
- Downarowicz, D; Nastaj, J. (2003). Selected problems in removal of chlorinated solvent vapors, particularly carbon tetrachloride, from off-gases. *Przemysł Chemiczny.* 82: 1440-1445.
- DR, L; ed. (2000). *CRC handbook of chemistry and physics.* 81st Edition. Boca Raton, FL. 3-207.
- Drakon, AV; Eremin, AV; Korobeinichev, OP; Shvartsberg, VM; Shmakov, AG. (2016). Promoting effect of halogen- and phosphorus-containing flame retardants on the autoignition of a methane-oxygen mixture. *Combustion, Explosion, and Shock Waves.* 52: 375-385. <http://dx.doi.org/10.1134/S0010508216040018>.
- Dries, J; Bastiaens, L; Springael, D; Agathos, SN; Diels, L. (2004). Competition for sorption and degradation of chlorinated ethenes in batch zero-valent iron systems. *Environ Sci Technol.* 38: 2879-2884. <http://dx.doi.org/10.1021/es034933h>.
- Dror, I; Baram, D; Berkowitz, B. (2005). Use of nanosized catalysts for transformation of chloro-organic pollutants. *Environ Sci Technol.* 39: 1283-1290. <http://dx.doi.org/10.1021/es0490222>.
- Dror, I; Schlautman, MA. (2003). Role of metalloporphyrin core metals in the mediated reductive dechlorination of tetrachloroethylene. *Environ Toxicol Chem.* 22: 525-533. [http://dx.doi.org/10.1897/1551-5028\(2003\)022<0525:ROMCMI>2.0.CO;2](http://dx.doi.org/10.1897/1551-5028(2003)022<0525:ROMCMI>2.0.CO;2).
- Dror, I; Schlautman, MA. (2004). Cosolvent effect on the catalytic reductive dechlorination of PCE. *Chemosphere.* 57: 1505-1514. <http://dx.doi.org/10.1016/j.chemosphere.2004.08.078>.
- Dror, I; Schlautman, MA. (2004). Metalloporphyrin solubility: A trigger for catalyzing reductive dechlorination of tetrachloroethylene. *Environ Toxicol Chem.* 23: 252-257.
- Drozd, AV; Klimov, VG; Moiseeva, IV. (1998). Extraction-spectrophotometric determination of anionic surface-active substances (SAS) using rhodamine 6G. *Industrial Laboratory.* 64: 294-296.
- Du, J; Bao, J; Tong, M, an; Yuan, S. (2013). Dechlorination of Pentachlorophenol by Palladium/Iron Nanoparticles Immobilized in a Membrane Synthesized by Sequential and Simultaneous Reduction of Trivalent Iron and Divalent Palladium Ions. *Environ Eng Sci.* 30: 350-356. <http://dx.doi.org/10.1089/ees.2011.0318>.
- Du, Z; Mo, J; Zhang, Y. (2014). Risk assessment of population inhalation exposure to volatile organic compounds and carbonyls in urban China. *Environ Int.* 73: 33-45. <http://dx.doi.org/10.1016/j.envint.2014.06.014>.
- Dubinina, MM; Polyakov, NS; Kataeva, LI. (1991). BASIC PROPERTIES OF EQUATIONS FOR PHYSICAL VAPOR ADSORPTION IN MICROPORES OF CARBON ADSORBENTS ASSUMING A NORMAL MICROPORE DISTRIBUTION. *Carbon.* 29: 481-488.
- Dubois-Clochard, MC; Durand, JP; Delfort, B; Gateau, P; Barre, L; Blanchard, I; Chevalier, Y; Gallo, R. (2001). Adsorption of polyisobutenylsuccinimide derivatives at a solid-hydrocarbon interface. *Langmuir.* 17: 5901-5910. <http://dx.doi.org/10.1021/la010076o>.
- Ducarme, X; Andre, HM; Lebrun, P. (1998). Extracting endogenous microarthropods: A new flotation method using 1,2-dibromoethane. *European Journal of Soil Biology.* 34: 143-150.
- Duce, C; Tine, MR; Lepori, L; Matteoli, E. (2002). VLE and LLE of perfluoroalkane plus alkane mixtures. *Fluid Phase Equilibria.* 199: 197-212.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ducourty, B; Szabo, G; Dath, JP; Gilson, JP; Goupil, JM; Cornet, D. (2004). Pt/Al₂O₃-Cl catalysts derived from ethylaluminumdichloride activity and stability in hydroisomerization of C-6 alkanes. *Appl Catal A-Gen.* 269: 203-214. <http://dx.doi.org/10.1016/j.apcata.2004.04.019>.
- Duffy, CC; Mccallister, DL; Renken, RR. (1997). Carbon tetrachloride retention by modern and buried soil horizons. *J Environ Qual.* 26: 1123-1127.
- Dumanoglu, Y; Kara, M; Altiok, H; Odabasi, M; Elbir, T; Bayram, A. (2014). Spatial and seasonal variation and source apportionment of volatile organic compounds (VOCs) in a heavily industrialized region. *Atmos Environ.* 98: 168-178. <http://dx.doi.org/10.1016/j.atmosenv.2014.08.048>.
- Dumitrascu, I; Dumitrascu, L; Dorohoi, DO. (2012). MAIN REFRACTIVE INDICES OF NEMATIC LIQUID CRYSTALS DETERMINED BY INTERFEROMETRIC METHOD IN CONOSCOPIC ILLUMINATION. *Digest Journal of Nanomaterials and Biostructures.* 7: 23-32.
- Dural, NH; Chen, CH; Puri, RK. (1997). Adsorption equilibrium of carbon tetrachloride on dry soils. *Chemical Engineering Communications.* 162: 75-92.
- Durov, VA; Tereshin, OG. (2003). Mixtures of halogenated hydrocarbons-organic solvent: molecular interactions, structure and physicochemical properties. *Fluid Phase Equilibria.* 210: 91-104. [http://dx.doi.org/10.1016/S0378-3812\(03\)00164-X](http://dx.doi.org/10.1016/S0378-3812(03)00164-X).
- Dybas, MJ; Barcelona, M; Bezborodnikov, S; Davies, S; Forney, L; Heuer, H; Kawka, O; Mayotte, T; Sepulveda-Torres, L; Smalla, K; Sneathen, M; Tiedje, J; Voice, T; Wiggert, DC; Witt, ME; Criddle, CS. (1998). Pilot-scale evaluation of bioaugmentation for in-situ remediation of a carbon tetrachloride contaminated aquifer. *Environ Sci Technol.* 32: 3598-3611.
- Dybas, MJ; Hyndman, DW; Heine, R; Tiedje, J; Linning, K; Wiggert, D; Voice, T; Zhao, X; Dybas, L; Criddle, CS. (2002). Development, operation, and long-term performance of a full-scale biocurtain utilizing bioaugmentation. *Environ Sci Technol.* 36: 3635-3644.
- Dyrkacz, GR; Ruscic, L; Marshall, CL; Reagan, W. (1996). Separation and characterization of FCC catalysts using density gradient separation. *Energy Fuels.* 10: 849-854.
- Easteal, AJ. (1996). Tracer diffusion of water in organic liquids. *Journal of Chemical and Engineering Data.* 41: 741-744.
- Easteal, AJ; Woolf, LA. (1986). VOLUME RATIO MEASUREMENTS FOR TETRACHLOROMETHANE UNDER PRESSURE AT 308, 318, AND 338 K. *Journal of Chemical and Engineering Data.* 31: 265-266.
- Eastmond, DA. (2008). Evaluating genotoxicity data to identify a mode of action and its application in estimating cancer risk at low doses: A case study involving carbon tetrachloride [Review]. *Environ Mol Mutagen.* 49: 132-141. <http://dx.doi.org/10.1002/em.20368>.
- Ebrahimipour, G; Gilavand, F; Karkhane, M; Kavayanifard, AA; Teymouri, M; Marzban, A. (2014). Bioemulsification activity assessment of an indigenous strain of halotolerant *Planococcus* and partial characterization of produced biosurfactants. *Int J Environ Sci Tech.* 11: 1379-1386. <http://dx.doi.org/10.1007/s13762-014-0548-5>.
- Ebralidze, II; Hanif, M; Arjumand, R; Azmi, AA; Dixon, D; Cann, NM; Crudden, CM; Horton, JH. (2012). Solvent Induced Adhesion Interactions between Dichlorotriazine Films. *J Phys Chem C.* 116: 4217-4223. <http://dx.doi.org/10.1021/jp211503x>.
- Eccleston, ME; Slater, NKH; Tighe, BJ. (1999). Synthetic routes to responsive polymers; co-polycondensation of tri-functional amino acids with diacylchlorides. *React Funct Polym.* 42: 147-161.
- Ecenarro, O; Madariaga, JA; Navarro, J; Santamaria, CM; Carrion, JA; Saviron, JM. (1991). DIRECTION OF SEPARATION AND DEPENDENCE OF FEED CONCENTRATION IN LIQUID THERMOGRAVITATIONAL COLUMNS. *Separation Science and Technology.* 26: 1065-1076.
- Echevarria, A; Leiza, JR; de la Cal, JC; Asua, JM. (1998). Molecular-weight distribution control in emulsion polymerization. *AIChE J.* 44: 1667-1679.
- Echeverria, JC; Estella, J; Barberia, V; Musgo, J; Garrido, JJ. (2010). Synthesis and characterization of ultramicroporous silica xerogels. *Journal of Non-Crystalline Solids.* 356: 378-382. <http://dx.doi.org/10.1016/j.jnoncrysol.2009.11.044>.
- Edgren, M; Revesz, L. (1987). Compartmentalized depletion of glutathione in cells treated with buthionine sulphoximine. 60.
- Efremov, VA; Potolokov, VN; Nikolashin, SV; Fedorov, VA. (2002). Chemical equilibria in hydrolysis of germanium tetrachloride and arsenic trichloride. *Inorg Mater.* 38: 847-853.
- Eikeland, E; Spackman, MA; Iversen, B, oB. (2016). Quantifying Host-Guest Interaction Energies in Clathrates of Dianin's Compound. *Cryst Growth Des.* 16: 6858-6866. <http://dx.doi.org/10.1021/acs.cgd.6b00986>.
- Eisenhofer, G; Bornstein, SR; Brouwers, FM; Cheung, NK; Dahia, PL; de Krijger, RR; Giordano, TJ; Greene, LA; Goldstein, DS; Lehnert, H; Manger, WM; Maris, JM; Neumann, HP; Pacak, K; Shulkin, BL; Smith, DI; Tischler, AS; Young, WF, Jr. (2004). Malignant pheochromocytoma: Current status and initiatives for future progress [Review]. *Endocr Relat Cancer.* 11: 423-436.
- El Naggari, E; Chalupová, M; Pražanová, G; Parák, T; Švajdlenka, E; Žemlička, M; Suchý, P. (2015). Hepatoprotective and proapoptotic effect of *Ecballium elaterium* on CCl₄-induced hepatotoxicity in rats. *Asian Pacific Journal of Tropical Medicine.* 8: 526-531. <http://dx.doi.org/10.1016/j.apjtm.2015.06.012>.
- Elakkad, TM. (1981). ADSORPTION OF CARBON-TETRACHLORIDE ON PURE AND POLYMER-CONTAINING TI-IV HYDROXIDE GELS. 14: 295-299.
- El-Awady, MM; El-Awady, NI. (2003). Non-toxic preservatives for wooden objects in sea water. I. Styrene monomer polymerised using gamma irradiation. *Plastics, Rubber and Composites.* 32: 334-339. <http://dx.doi.org/10.1179/145620130225504081>.
- El-Gazayerly, ON; Makhlof, AI; Soelm, AM; Mohmoud, MA. (2014). Antioxidant and hepatoprotective effects of silymarin phytosomes compared to milk thistle extract in CCl₄ induced hepatotoxicity in rats. *J Microencapsul.* 31: 23-30. <http://dx.doi.org/10.3109/02652048.2013.805836>.
- El-Hefnawy, M; Tanaka, R. (2005). Density and relative permittivity for 1-alkanols plus dodecane at 298.15 K. *Journal of Chemical and Engineering Data.* 50: 1651-1656. <http://dx.doi.org/10.1021/je050116g>.
- Elia, MC; Storer, RD; Mckelvey, TW; Kraynak, AR; Barnum, JE; Harmon, LS; Deluca, JG; Nichols, WW. (1994). Rapid DNA degradation in primary rat hepatocytes treated with diverse cytotoxic chemicals: Analysis by pulsed field gel electrophoresis and implications for alkaline elution assays. *Environ Mol Mutagen.* 24: 181-191.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Elias, P; Hascik, S; Martaus, J; Kostic, I; Soltys, J; Hotovy, I. (2006). CCl₄-based RIE pattern transfer into facets of mesas formed by wet etching in InP(100). *Electrochemical and Solid-State Letters*. 9: G27-G30. <http://dx.doi.org/10.1149/1.2139978>.
- Elkashaf, H. (1997). Laser dual-wavelength interferometric measurement of the structure and refractive parameters of carbon tetrachloride. *Optical Materials*. 8: 175-183.
- Ellerd, MG; Massmann, JW; Schwaegler, DP; Rohay, VJ. (1999). Enhancements for passive vapor extraction: The Hanford study. *Ground Water*. 37: 427-437.
- Elliott, DC; Phelps, MR; Sealock, LJ; Baker, EG. (1994). CHEMICAL-PROCESSING IN HIGH-PRESSURE AQUEOUS ENVIRONMENTS .4. CONTINUOUS-FLOW REACTOR PROCESS-DEVELOPMENT EXPERIMENTS FOR ORGANICS DESTRUCTION. *Ind Eng Chem Res*. 33: 566-574.
- Elliott, DC; Sealock, LJ; Baker, EG. (1994). CHEMICAL-PROCESSING IN HIGH-PRESSURE AQUEOUS ENVIRONMENTS .3. BATCH REACTOR PROCESS-DEVELOPMENT EXPERIMENTS FOR ORGANICS DESTRUCTION. *Ind Eng Chem Res*. 33: 558-565.
- Ellison, EH; Thomas, JK. (2001). Photoinduced reaction of arene singlets with carbon tetrachloride in zeolite Y. *Microporous and Mesoporous Materials*. 49: 15-24.
- Elloy, FC; Teel, A, myL; Watts, RJ. (2014). Activation of Persulfate by Surfactants under Acidic and Basic Conditions. *Ground Water Monitoring and Remediation*. 34: 51-59. <http://dx.doi.org/10.1111/gwmmr.12076>.
- El-Sayed, A; Jager, J; Bonner, BM; Redmann, T; Kaleta, EF. (2005). The seeds of *Nigella sativa* as a feed additive to male layer-type chicks: lack of hepato- and nephrotoxicity and failure of immunomodulation following vaccinations with paramyxovirus types 2 and 3 and only minor efficacy on spontaneous *Eimeria tenella* coccidiosis. *Archiv fuer Geflugelkunde / European Poultry Science*. 69: 27-34.
- Elsner, M; Haderlein, SB; Kellerhals, T; Luzi, S; Zwank, L; Angst, W; Schwarzenbach, RP. (2004). Mechanisms and products of surface-mediated reductive dehalogenation of carbon tetrachloride by Fe(II) on goethite. *Environ Sci Technol*. 38: 2058-2066. <http://dx.doi.org/10.1021/es034741m>.
- Elsner, M; Schwarzenbach, RP; Haderlein, SB. (2004). Reactivity of Fe(II)-bearing minerals toward reductive transformation of organic contaminants. *Environ Sci Technol*. 38: 799-807.
- Elyutin, AV; Vorob'eva, MV. (2002). Thermodynamics and kinetics of carbon deposition from mixtures of hydrogen and carbon tetrachloride. *Inorg Mater*. 38: 468-470.
- Embld, JM; Berro, C; Otin, S; Kehiaian, HV. (1990). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA, EXCESS-ENTHALPIES, AND EXCESS VOLUMES OF 1-CHLOROBUTANE + TETRACHLOROMETHANE, 1,2-DICHLOROETHANE + TETRACHLOROMETHANE, AND 1,2-DICHLOROETHANE + 1-CHLOROBUTANE MIXTURES. *Journal of Chemical and Engineering Data*. 35: 266-271.
- Embld, JM; Grolrier, JPE; Kehiaian, HV. (1991). PROXIMITY EFFECTS IN BINARY-MIXTURES CONTAINING 1-CHLOROALKANES, 1,1-DICHLOROALKANES, OR 1,1,1-TRICHLOROALKANES, OR TETRACHLOROMETHANE. *Fluid Phase Equilibria*. 69: 67-79.
- EMEA. (2006). Draft guidelines on detection of early signals of drug-induced hepatotoxicity in non-clinical studies. London, United Kingdom: Committee for Medicinal Products for Human Use.
- Engstrom, A; Mouzon, J; Cordoba, JM; Tegman, R; Antti, ML. (2012). Synthesis of a TiCN-SiC polyhedron and elongated crystals nanopowder at low nitrogen concentration. *Mater Lett*. 81: 148-150. <http://dx.doi.org/10.1016/j.matlet.2012.04.071>.
- EPA, US. (1986). Guidelines for mutagenicity risk assessment. *Federal Register* 51(185):34006-34012 (pp. 34006-34012). U.S. EPA. <http://www.epa.gov/iris/backgr-d.htm>.
- EPA, US. (1994). Interim policy for particle size and limit concentration issues in inhalation toxicity studies. *Federal Register* 59(206):53799. U.S. EPA. <http://www.epa.gov/iris/backgr-d.htm>.
- EPA, US. (2005). Guidelines for carcinogen risk assessment. *Risk Assessment Forum*, Washington, DC; EPA/630/P-03/001B. U.S. EPA. <http://www.epa.gov/iris/backgr-d.htm>.
- Epolito, WJ; Yang, H; Bottomley, LA; Pavlostathis, SG. (2008). Kinetics of zero-valent iron reductive transformation of the anthraquinone dye Reactive Blue 4. *J Hazard Mater*. 160: 594-600. <http://dx.doi.org/10.1016/j.jhazmat.2008.03.033>.
- Erbs, M; Hansen, HCB; Olsen, CE. (1999). Reductive dechlorination of carbon tetrachloride using iron(II) iron(III) hydroxide sulfate (green rust). *Environ Sci Technol*. 33: 307-311.
- Erra, L; Tedesco, C; Immediata, I; Gregoli, L; Gaeta, C; Merlini, M; Meneghini, C; Brunelli, M; Fitch, AN; Neri, P. (2012). Inclusion properties of volatile organic compounds in a calixarene-based organic zeolite. *Langmuir*. 28: 8511-8517. <http://dx.doi.org/10.1021/la3009656>.
- Ersenkal, DA; Ziylan, A, su; Ince, NH; Acar, HY; Demirel, M; Coptu, NK. (2011). Impact of dilution on the transport of poly(acrylic acid) supported magnetite nanoparticles in porous media. *J Contam Hydrol*. 126: 248-257. <http://dx.doi.org/10.1016/j.jconhyd.2011.09.005>.
- Erzmann, MW; Popel, HJ. (1991). BIODEGRADATION OF TETRACHLOROMETHANE UNDER ANAEROBIC CONDITIONS. *Acta Hydrochim Hydrobiol*. 19: 249-255.
- Escobar, G; Patino, P; Acevedo, S; Escobar, O; Ranaudo, MA; Pereira, JC. (2001). Interfacial properties of the products of ozonolysis of Hamaca crude oil. *Petroleum Science and Technology*. 19: 107-118.
- Escudero, LB; Wuilloud, RG; Olsina, RA. (2013). Sensitive determination of thallium species in drinking and natural water by ionic liquid-assisted ion-pairing liquid-liquid microextraction and inductively coupled plasma mass spectrometry. *J Hazard Mater*. 244-245: 380-386. <http://dx.doi.org/10.1016/j.jhazmat.2012.11.057>.
- Esterbauer, H; Schaur, RJ; Zollner, H. (1991). Chemistry and biochemistry of 4-hydroxynonenal, malonaldehyde and related aldehydes [Review]. *Free Radic Biol Med*. 11: 81-128. [http://dx.doi.org/10.1016/0891-5849\(91\)90192-6](http://dx.doi.org/10.1016/0891-5849(91)90192-6).
- Estrada-Baltazar, A; Gerardo Bravo-Sanchez, M; Arturo Iglesias-Silva, G; Javier Alvarado, JF; Omar Castrejon-Gonzalez, E; Ramos-Estrada, M. (2015). Densities and viscosities of binary mixtures of n- decane+1=pentanol,+1-hexanol,+1-heptanol at temperatures from 293.15 to 363.15 K and atmospheric pressure. *Chinese Journal of Chemical Engineering*. 23: 559-571. <http://dx.doi.org/10.1016/j.cjche.2013.10.001>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Estrada-Baltazar, A; Iglesias-Silva, GA; Caballero-Ceron, C. (2013). Volumetric and Transport Properties of Binary Mixtures of n-Octane plus Ethanol,+1-Propanol,+1-Butanol, and+1-Pentanol from (293.15 to 323.15) K at Atmospheric Pressure. *Journal of Chemical and Engineering Data*. 58: 3351-3363. <http://dx.doi.org/10.1021/je4004806>.
- Exarchos, NC; Tasioulamargari, M; Demetropoulos, IN. (1995). VISCOSITIES AND DENSITIES OF DILUTE-SOLUTIONS OF GLYCEROL TRIOLEATE PLUS OCTANE, PLUS P-XYLENE, PLUS TOLUENE, AND PLUS CHLOROFORM. *Journal of Chemical and Engineering Data*. 40: 567-571.
- Fabian, P; Borchers, R. (2001). Growth of halocarbon abundances in the stratosphere between 1977 and 1999. *Adv Space Res*. 28: 961-964.
- Fabian, P; Borchers, R; Leifer, R; Subbaraya, BH; Lal, S; Boy, M. (1996). Global Stratospheric Distribution of Halocarbons. *Atmos Environ*. 30: 1787.
- Fabian, P; Borchers, R; Schmidt, U. (1996). Proposed reference models for CO₂ and halogenated hydrocarbons. *Adv Space Res*. 18: 145-153.
- Fahmy, SR; Abdel-Ghaffar, F; Bakry, FA; Sayed, DA. (2014). Ecotoxicological effect of sublethal exposure to zinc oxide nanoparticles on freshwater snail *Biomphalaria alexandrina*. *Arch Environ Contam Toxicol*. 67: 192-202. <http://dx.doi.org/10.1007/s00244-014-0020-z>.
- Falk, F; Meinschien, J; Mollekopf, G; Schuster, K; Stafast, H. (1997). CNx thin films prepared by laser chemical vapor deposition. *Mater Sci Eng B*. 46: 89-91.
- Falk, F; Meinschien, J; Schuster, K; Stafast, H. (1998). Properties and preparation conditions of carbon nitride thin films deposited by laser CVD. *Carbon*. 36: 765-769.
- Fan, D; Bradley, MJ; Hinkle, AW; Johnson, RL; Tratnyek, PG. (2016). Chemical Reactivity Probes for Assessing Abiotic Natural Attenuation by Reducing Iron Minerals. *Environ Sci Technol*. 50: 1868-1876. <http://dx.doi.org/10.1021/acs.est.5b05800>.
- Fan, FQ; Maldarelli, C; Couzis, A. (2003). Fabrication of surfaces with nanoislands of chemical functionality by the phase separation of self-assembling monolayers on silicon. *Langmuir*. 19: 3254-3265. <http://dx.doi.org/10.1021/la026453u>.
- Fan, G; Tang, JJ; Bhadauria, M; Nirala, SK; Dai, F; Zhou, B; Li, Y; Liu, ZL. (2009). Resveratrol ameliorates carbon tetrachloride-induced acute liver injury in mice. *Environ Toxicol Pharmacol*. 28: 350-356. <http://dx.doi.org/10.1016/j.etap.2009.05.013>.
- Fan, X; Zhang, F; Zhang, G; Li, G. (2007). Kinetics and mechanism study on the preparation of 4,4'-diaminostilbene-2,2'-disulfonic acid by reduction of 4,4'-dinitrostilbene-2,2'-disulfonic acid with zero-valent iron. *Dyes and Pigments*. 75: 373-377. <http://dx.doi.org/10.1016/j.dyepig.2006.06.014>.
- Fan, XJ; Zhu, JH; Song, HF; Wu, BCH. (2011). The Identification and Quantitation of Organochlorine in Naphtha by Gas Chromatography with ECD. *Petroleum Science and Technology*. 29: 867-872. <http://dx.doi.org/10.1080/10916460903436788>.
- Fanelli, SL; Castro, GD; Galelli, ME; Castro, JA. (1998). Liver nuclear activation of carbon tetrachloride or bromotrichloromethane to trichloromethyl and trichloromethylperoxyl free radicals. Their reactions with lipids and proteins. *Biomed Environ Sci*. 11: 101-114.
- Fang, G; Dionysiou, DD; Al-Abed, S. R.; Zhou, D. (2013). Superoxide radical driving the activation of persulfate by magnetite nanoparticles: Implications for the degradation of PCBs. *Appl Catal B-Environ*. 129: 325-332. <http://dx.doi.org/10.1016/j.apcatb.2012.09.042>.
- Fang, G; Gao, J; Dionysiou, DD; Liu, C, un; Zhou, D. (2013). Activation of Persulfate by Quinones: Free Radical Reactions and Implication for the Degradation of PCBs. *Environ Sci Technol*. 47: 4605-4611. <http://dx.doi.org/10.1021/es400262n>.
- Fang, GD; Zhou, DM; Dionysiou, DD. (2013). Superoxide mediated production of hydroxyl radicals by magnetite nanoparticles: demonstration in the degradation of 2-chlorobiphenyl. *J Hazard Mater*. 250-251: 68-75. <http://dx.doi.org/10.1016/j.jhazmat.2013.01.054>.
- Fang, JH; Hu, FT. (2002). Ring-opening copolymerization of phthalic anhydride with cyclohexene oxide catalyzed by Fe-Al-alpha,alpha'-dipyridine catalyst. *Chinese journal of catalysis*. 23: 88-90.
- Fang, JH; Yang, KF; Hu, FT. (2005). Copolymerization of maleic anhydride and norbornene catalyzed by Fe(acac)(3)-Al(i-Bu)(3)-CCl4. *Chinese journal of catalysis*. 26: 1113-1116.
- Fang, WJ; Yu, QS; Zong, HX; Lin, RS. (1998). Calorimetric determination of the vapor heat capacity of petroleum cuts. *Fuel*. 77: 895-899.
- Farah, K; Raouf, MWA; Tadros, N; Kandil, AT. (1999). Mixed complexes in the system Eu³⁺-8-quinolinol-phenanthroline. *Separation Science and Technology*. 34: 793-804.
- Farges, JC; Keller, JF; Carrouel, F; Durand, SH; Romeas, A; Bleicher, F; Lebecque, S; Staquet, MJ. (2009). Odontoblasts in the dental pulp immune response [Review]. *J Exp Zool B Mol Dev Evol*. 312B: 425-436. <http://dx.doi.org/10.1002/jez.b.21259>.
- Fariss, MW; Bryson, KF; Hylton, EE; Lippman, HR; Stubin, CH; ZhaoX-G. (1993). Protection against carbon tetrachloride-induced hepatotoxicity by pretreating rats with the hemisuccinate esters of tocopherol and cholesterol. *Environ Health Perspect*. 101: 528-536.
- Farkova, J; Wichterle, I; Kehiaian, HV. (1995). EVALUATION OF THE CARBOXYLATE CHLORINE INTERACTION PARAMETERS USING THE DISQUAC GROUP-CONTRIBUTION MODEL. *Fluid Phase Equilibria*. 112: 23-32.
- Faroon, O; Derosa, CT; Smith, L; Mehlman, MA; Riddle, J; Hales, Y; Brattin, WJ. (1994). ATSDR EVALUATION OF HEALTH-EFFECTS OF CHEMICALS .1. CARBON-TETRACHLORIDE - HEALTH-EFFECTS, TOXICOKINETICS, HUMAN EXPOSURE AND ENVIRONMENTAL FATE. *Toxicol Ind Health*. 10: 1-123.
- Faroon, O; Kueberuwa, S; Smith, L; Derosa, C. (1995). ATSDR evaluation of health effects of chemicals .2. Mirex and chlordecone: Health effects, toxicokinetics, human exposure, and environmental fate [Review]. *Toxicol Ind Health*. 11: 1-203.
- Farr, SL; Cai, J; Savitz, DA; Sandler, DP; Hoppin, JA; Cooper, GS. (2006). Pesticide exposure and timing of menopause: the Agricultural Health Study. *Am J Epidemiol*. 163: 731-742. <http://dx.doi.org/10.1093/aje/kwj099>.
- Farrell, J; Kason, M; Melitas, N; Li, T. (2000). Investigation of the long-term performance of zero-valent iron for reductive dechlorination of trichloroethylene. *Environ Sci Technol*. 34: 514-521.
- Farrokhnia, A; Sakakini, B; Waugh, KC. (1998). Kinetic and mechanistic study of the reaction of CCl₄ with prefluorinated chromia to form CCl₃F and CCl₂F₂. *J Catal*. 174: 219-230.
- FDA. (2009). Unknown. <http://www.fda.gov/cder/livertox/preclinical.pdf>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Feixiong, C; Mingrui, Z; Lu, F; Baozeng, R. (2014). Measurement and Correlation for Solubility of Diosgenin in Some Mixed Solvents. *Chinese Journal of Chemical Engineering*. 22: 170-176. [http://dx.doi.org/10.1016/S1004-9541\(14\)60023-9](http://dx.doi.org/10.1016/S1004-9541(14)60023-9).
- Feng, HP; Lin, JY, u; Cheng, MY; Wang, YY, un; Wan, C, hiC. (2008). Behavior of copper removal by CMP and its correlation to deposit structure and impurity content. *J Electrochem Soc*. 155: H21-H25. <http://dx.doi.org/10.1149/1.2801394>.
- Feng, J; Lim, TT. (2005). Pathways and kinetics of carbon tetrachloride and chloroform reductions by nano-scale Fe and Fe/Ni particles: comparison with commercial micro-scale Fe and Zn. *Chemosphere*. 59: 1267-1277. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.038>.
- Feng, J; Lim, TT. (2007). Iron-mediated reduction rates and pathways of halogenated methanes with nanoscale Pd/Fe: analysis of linear free energy relationship. *Chemosphere*. 66: 1765-1774. <http://dx.doi.org/10.1016/j.chemosphere.2006.06.068>.
- Feng, J; Zhu, BW; Lim, TT. (2008). Reduction of chlorinated methanes with nano-scale Fe particles: effects of amphiphiles on the dechlorination reaction and two-parameter regression for kinetic prediction. *Chemosphere*. 73: 1817-1823. <http://dx.doi.org/10.1016/j.chemosphere.2008.08.014>.
- Feo, JC; Aller, AJ. (2011). Spectrometric Identification of Solvent Extractable Organic Additives in Polyester-based Textile Fibers. *Fibers and Polymers*. 12: 594-601. <http://dx.doi.org/10.1007/s12221-011-0594-2>.
- Ferguson, JF; Pietari, JMH. (2000). Anaerobic transformations and bioremediation of chlorinated solvents. *Environ Pollut*. 107: 209-215.
- Fernandez-Sanchez, JM; Sawvel, EJ; Alvarez, PJ. (2004). Effect of FeO quantity on the efficiency of integrated microbial-FeO treatment processes. *Chemosphere*. 54: 823-829. <http://dx.doi.org/10.1016/j.chemosphere.2003.08.037>.
- Feron, O; Langlais, F; Naslain, R. (1999). In-situ analysis of gas phase decomposition and kinetic study during carbon deposition from mixtures of carbon tetrachloride and methane. *Carbon*. 37: 1355-1361.
- Ferreira, NG; Corat, EJ; Trava-Airoldi, VJ; Leite, NF. (2000). OES study of the plasma during CVD diamond growth using CCl₄/H₂/O₂ mixtures. *Diam Relat Mater*. 9: 368-372.
- Ferrieri, AP; Thorpe, MR; Ferrieri, RA. (2006). Stimulating natural defenses in poplar clones (OP-367) increases plant metabolism of carbon tetrachloride. *Int J Phytoremediation*. 8: 233-243. <http://dx.doi.org/10.1080/15226510600846780>.
- Field, JA. (2001). Recalcitrance as a catalyst for new developments. *Water Sci Technol*. 44: 33-40.
- Filatova, EA; Hausmann, D; Elliott, SD. (2017). Investigating routes toward atomic layer deposition of silicon carbide: Ab initio screening of potential silicon and carbon precursors. *Journal of Vacuum Science and Technology A*. 35. <http://dx.doi.org/10.1116/1.4964890>.
- Fine, RA. (1995). TRACERS, TIME SCALES, AND THE THERMOHALINE CIRCULATION - THE LOWER-LIMB IN THE NORTH-ATLANTIC OCEAN. *Rev Geophys*. 33: 1353-1365.
- Finley, MJ; Clark, KA; Alferiev, IS; Levy, RJ; Stachelek, SJ. (2013). Intracellular signaling mechanisms associated with CD47 modified surfaces. *Biomaterials*. 34: 8640-8649. <http://dx.doi.org/10.1016/j.biomaterials.2013.07.088>.
- Fisher, J; Lumpkin, M; Boyd, J; Mahle, D; Bruckner, JV; El-Masri, HA. (2004). PBPK modeling of the metabolic interactions of carbon tetrachloride and tetrachloroethylene in B6C3F1 mice. *Environ Toxicol Pharmacol*. 16: 93-105. <http://dx.doi.org/10.1016/j.etap.2003.10.006>.
- Fisher, J; Mahle, D; Bankston, L; Greene, R; Gearhart, J. (1997). Lactational transfer of volatile chemicals in breast milk. *Am Ind Hyg Assoc J*. 58: 425-431. <http://dx.doi.org/10.1080/15428119791012667>.
- Fitzgerald, WF. (1995). IS MERCURY INCREASING IN THE ATMOSPHERE - THE NEED FOR AN ATMOSPHERIC MERCURY NETWORK (AMNET). *Water Air Soil Pollut*. 80: 245-254.
- Fleming, EL; Jackman, CH; Stolarski, RS; Douglass, AR. (2011). A model study of the impact of source gas changes on the stratosphere for 1850-2100. *Atmos Chem Phys*. 11: 8515-8541. <http://dx.doi.org/10.5194/acp-11-8515-2011>.
- Foddis, ML; Ackerer, P; Montisci, A; Uras, G. (2015). ANN-based approach for the estimation of aquifer pollutant source behaviour. *Water Science and Technology: Water Supply*. 15: 1285-1294. <http://dx.doi.org/10.2166/ws.2015.087>.
- Foglein, KA; Szabo, PT; Dombi, A; Szepevolgyi, J. (2003). Comparative study of the decomposition of CCl₄ in cold and thermal plasma. *Plasma Chemistry and Plasma Processing*. 23: 651-664.
- Föglein, KA; Szépevolgyi, J; Dombi, A. (2003). Decomposition of halogenated methanes in oxygen-free gas mixtures by the use of a silent electric discharge. *Chemosphere*. 50: 9-13.
- Fok, TY. (1980). PLASMA-ETCHING OF ALUMINUM FILMS USING CCL₄. *J Electrochem Soc*. 127: C90-C90.
- Foley, AE; Atkinson, TC; Zhao, Y. (2012). Chlorofluorocarbons as tracers of landfill leachate in surface and groundwater. *Quarterly Journal of Engineering Geology and Hydrogeology*. 45: 61-70. <http://dx.doi.org/10.1144/1470-9236/10-044>.
- Folmar, LC; Bonomelli, S; Moody, T; Gibson, J. (1993). THE EFFECT OF SHORT-TERM EXPOSURE TO 3 CHEMICALS ON THE BLOOD-CHEMISTRY OF THE PINFISH (LAGODON-RHOMBOIDES). *Arch Environ Contam Toxicol*. 24: 83-86.
- Fontaine, L; Derouet, D; Chairatanathavorn, S; Brosse, JC. (1993). FIXATION OF CHELATING MOLECULES ON POLYPHOSPHONATES THROUGH CHEMICAL MODIFICATION .1. SYNTHESIS AND CHARACTERIZATION. 19: 47-54.
- Fouad, FM; Mamer, OA; Shahidi, F. (1996). Acute-phase response in rat to carbon tetrachloride-azathioprine induced cirrhosis and partial hepatectomy of cirrhotic liver. *J Toxicol Environ Health*. 47: 601-615.
- Foulon, F; Green, M. (1993). THROUGH-WAFER VIA FABRICATION IN GALLIUM-ARSENIDE BY EXCIMER-LASER PROJECTION PATTERNED ETCHING. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures*. 11: 1854-1858.
- Fourmentin, S; Outirite, M; Blach, P; Landy, D; Ponchel, A; Monflier, E; Surpateanu, G. (2007). Solubilisation of chlorinated solvents by cyclodextrin derivatives: A study by static headspace gas chromatography and molecular modelling. *J Hazard Mater*. 141: 92-97. <http://dx.doi.org/10.1016/j.jhazmat.2006.06.090>.
- Fraga, CG; Zamora, R; Tappel, AL. (1989). Damage to protein synthesis concurrent with lipid peroxidation in rat liver slices: effect of halogenated compounds, peroxides, and vitamin E1. *Arch Biochem Biophys*. 270: 84-91.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Francesconi, R; Comelli, F. (1985). ISOBARIC VAPOR-LIQUID-EQUILIBRIUM IN MIXTURES OF META-XYLENES AND PARA-XYLENES WITH CARBON-TETRACHLORIDE. *Can J Chem Eng.* 63: 306-309.
- Frank, H; Frank, W; Neves, HJC. (1991). AIRBORNE C-1-HALOCARBONS AND C2-HALOCARBONS AT 4 REPRESENTATIVE SITES IN EUROPE. *Atmos Environ* (1967). 25: 257-261.
- Frank, W; Neves, HJC; Frank, H. (1991). Levels of airborne halocarbons at urban and mountain forest sites in Germany and at the Atlantic coast. *Chemosphere.* 23: 609-626.
- Frank, WE. (1997). Approaches for patterning of aluminum. *Microelectron Eng.* 33: 85-100.
- Fraser, P. (1997). Chemistry of stratospheric ozone and ozone depletion. *Aust Meteorol Mag.* 46: 185-193.
- Fraser, P; Cunnold, D; Alyea, F; Weiss, R; Prinn, R; Simmonds, P; Miller, B; Langenfelds, R. (1996). Lifetime and emission estimates of 1,1,2-trichlorotrifluoroethane (CFC-113) from daily global background observations June 1982 June 1994. *J Geophys Res Atmos.* 101: 12585-12599.
- Freda, M; Onori, G; Paciaroni, A; Santucci, A. (2002). Influence of hydration on dynamical properties of reverse micelles. *Journal of Non-Crystalline Solids.* 307: 874-877.
- Fredrickson, JK; Brockman, FJ; Bjornstad, BN; Long, PE; Li, SW; Mckinley, JP; Wright, JV; Conca, JL; Kieft, TL; Balkwill, DL. (1993). MICROBIOLOGICAL CHARACTERISTICS OF PRISTINE AND CONTAMINATED DEEP VADOSE SEDIMENTS FROM AN ARID REGION. *Geomicrobiology Journal.* 11: 95-107.
- Freiria-Gandara, MJ; Lorenzo-Ferreira, RA; Alvarez-Devesa, A; Bermejo, F. (1992). Occurrence of halogenated hydrocarbons in the water supply of different cities of Galicia (Spain). *Environ Technol.* 13: 437-447.
- Friedel, JK; Molter, K; Fischer, WR. (1994). COMPARISON AND IMPROVEMENT OF METHODS FOR DETERMINING SOIL DEHYDROGENASE-ACTIVITY BY USING TRIPHENYLTETRAZOLIUM CHLORIDE AND IODONITROTETRAZOLIUM CHLORIDE. *Biol Fertil Soils.* 18: 291-296.
- Friedrich, AJ; Catalano, JG. (2012). Fe(II)-mediated reduction and repartitioning of structurally incorporated Cu, Co, and Mn in iron oxides. *Environ Sci Technol.* 46: 11070-11077. <http://dx.doi.org/10.1021/es302236v>.
- Frische, M; Garofalo, K; Hansteen, TH; Borchers, R. (2006). Fluxes and origin of halogenated organic trace gases from Momotombo volcano (Nicaragua). *G-cubed.* 7. <http://dx.doi.org/10.1029/2005GC001162>.
- Fu, H; Yan, C; Wei, X; Deng, W, ei; Wang, L. (2013). Study on Chlorination of Maleic Anhydride Grafted Polypropylene. *Polymers and Polymer Composites.* 21: 123-128.
- Fu, X; Gu, X; Lu, S; Miao, Z; Xu, M; Zhang, X; Qiu, Z; Sui, Q. (2015). Benzene depletion by Fe²⁺-catalyzed sodium percarbonate in aqueous solution. *Chem Eng J.* 267: 25-33. <http://dx.doi.org/10.1016/j.cej.2014.12.104>.
- Fu, X; Gu, X; Lu, S; Sharma, VK; Brusseau, ML; Xue, Y; Danish, M; Fu, GY; Qiu, Z; Sui, Q. (2017). Benzene oxidation by Fe(III)-activated percarbonate: matrix-constituent effects and degradation pathways. *Chem Eng J.* 309: 22-29. <http://dx.doi.org/10.1016/j.cej.2016.006>.
- Fu, X; Wang, Y, ao; Xiong, L, ei; Wei, F, ei. (2009). Enhancement of the low temperature chlorination of ilmenite with CCl₄ by adding Cl₂. *J Alloy Comp.* 486: 365-370. <http://dx.doi.org/10.1016/j.jallcom.2009.06.149>.
- Fujita, T; Hari, T; Kojima, Y; Matsuda, H; Huang, LW. (2005). Influence of O-2 concentration on non-thermal plasma decomposition of halide gases containing Cl and F. *Kagaku Kogaku Ronbunshu.* 31: 226-230.
- Fujiwara, I; Haraya, K; Nakane, T; Kunugita, E. (2002). Synthesis of chemical reaction systems in environmentally friendly processes by use of information on known chemical reactions. *Kagaku Kogaku Ronbunshu.* 28: 255-261.
- Fujiwara, K; Watarai, H. (2003). Total internal reflection resonance Raman microspectroscopy for the liquid/liquid interface. Ion-association adsorption of cationic Mn(III) porphine. *Langmuir.* 19: 2658-2664. <http://dx.doi.org/10.1021/la026119y>.
- Fukami, N; Yosida, M; Lee, BD; Taku, K; Hosomi, M. (2001). Photocatalytic degradation of gaseous perchloroethylene: products and pathway. *Chemosphere.* 42: 345-350.
- Fung, AKM; Chiu, BKW; Lam, MHW. (2003). Surface modification of TiO₂ by a ruthenium(II) polypyridyl complex via silyl-linkage for the sensitized photocatalytic degradation of carbon tetrachloride by visible irradiation. *Water Res.* 37: 1939-1947. [http://dx.doi.org/10.1016/S0043-1354\(02\)00567-5](http://dx.doi.org/10.1016/S0043-1354(02)00567-5).
- Furlong, O; Gao, F; Kotvis, P; Tysoe, WT. (2007). Understanding the tribological chemistry of chlorine-, sulfur- and phosphorus-containing additives. *Tribology International.* 40: 699-708. <http://dx.doi.org/10.1016/j.triboint.2006.05.011>.
- Furman, O; Laine, DF; Blumenfeld, A; Teel, A, myL; Shimizu, K; Cheng, IF; Watts, RJ. (2009). Enhanced Reactivity of Superoxide in Water-Solid Matrices. *Environ Sci Technol.* 43: 1528-1533. <http://dx.doi.org/10.1021/es802505s>.
- Furman, OS; Teel, A; Ahmad, M; Merker, MC; Watts, RJ. (2011). Effect of Basicity on Persulfate Reactivity. *J Environ Eng.* 137: 241-247. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000323](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000323).
- Furuse, M; Kanno, S; Takano, T; Matsumura, Y. (2001). Cyclohexane as an alternative vapor of carbon tetrachloride for the assessment of gas removing capacities of gas masks. *Ind Health.* 39: 1-7. <http://dx.doi.org/10.2486/indhealth.39.1>.
- Furzer, IA; Ho, GE. (1970). VAPOUR-LIQUID EQUILIBRIUM FOR SYSTEM CARBON TETRACHLORIDE-BENZENE. 15: 80-&.
- Gaikwad, V; Kennedy, E; Mackie, J; Holdsworth, C; Molloy, S; Kundu, S; Stockenhuber, M; Dlugogorski, B. (2014). Reaction of carbon tetrachloride with methane in a non-equilibrium plasma at atmospheric pressure, and characterisation of the polymer thus formed. *J Hazard Mater.* 280: 38-45. <http://dx.doi.org/10.1016/j.jhazmat.2014.07.049>.
- Gallegos, P; Lutz, J; Markwiese, J; Rytli, R; Mirenda, R. (2007). Wildlife ecological screening levels for inhalation of volatile organic chemicals. *Environ Toxicol Chem.* 26: 1299-1303. <http://dx.doi.org/10.1897/06-233R.1>.
- Galli, A; Schiestl, RH. (1995). Salmonella test positive and negative carcinogens show different effects on intrachromosomal recombination in G2 cell cycle arrested yeast cells. *Carcinogenesis.* 16: 659-663.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Galli, A; Schiestl, RH. (1996). Effects of salmonella assay negative and positive carcinogens on intrachromosomal recombination in G1-arrested yeast cells. *Mutat Res.* 370: 209-221.
- Galli, A; Schiestl, RH. (1998). Effect of salmonella assay negative and positive carcinogens on intrachromosomal recombination in S-phase arrested yeast cells. *Mutat Res.* 419: 53-68.
- Galloway, SM. (2000). Cytotoxicity and chromosome aberrations in vitro: Experience in industry and the case for an upper limit on toxicity in the aberration assay. *Environ Mol Mutagen.* 35: 191-201. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(2000\)35:3<191::AID-EM6>3.0.CO;2-4](http://dx.doi.org/10.1002/(SICI)1098-2280(2000)35:3<191::AID-EM6>3.0.CO;2-4).
- Gander, JW; Parkin, GF; Scherer, MM. (2002). Kinetics of 1,1,1-trichloroethane transformation by iron sulfide and a methanogenic consortium. *Environ Sci Technol.* 36: 4540-4546. <http://dx.doi.org/10.1021/es025623j>.
- Gandhi, S; Oh, BT; Schnoor, JL; Alvarez, PJ. (2002). Degradation of TCE, Cr(VI), sulfate, and nitrate mixtures by granular iron in flow-through columns under different microbial conditions. *Water Res.* 36: 1973-1982.
- Ganguly, S; Gaonkar, RH; Sinha, S; Gupta, A; Chattopadhyay, D; Chattopadhyay, S; Sachdeva, SS; Ganguly, S; Debnath, MC. (2016). Fabrication of surfactant-free quercetin-loaded PLGA nanoparticles: evaluation of hepatoprotective efficacy by nuclear scintigraphy. *J Nanopart Res.* 18. <http://dx.doi.org/10.1007/s11051-016-3504-0>.
- Ganie, SA; Zargar, BA; Masood, A; Zargar, MA. (2013). Hepatoprotective and antioxidant activity of rhizome of *Podophyllum hexandrum* against carbon tetra chloride induced hepatotoxicity in rats. *Biomed Environ Sci.* 26: 209-221. <http://dx.doi.org/10.3967/0895-3988.2013.03.008>.
- Gantzer, CJ; Wackett, LP. (1991). Reductive dechlorination catalyzed by bacterial transition-metal coenzymes. *Environ Sci Technol.* 25: 715-722.
- Gao, B; Liu, Q; Jiang, L. (2008). Studies on performing chloromethylation reaction for polystyrene by micellar catalysis in aqueous surfactant solutions. *Chemical Engineering and Processing: Process Intensification.* 47: 852-858. <http://dx.doi.org/10.1016/j.cep.2007.01.035>.
- Gao, F; Furlong, O; Kotvis, PV; Tysoe, WT. (2005). Tribological properties of films formed by the reaction of carbon tetrachloride with iron. *Tribology Letters.* 20: 171-176. <http://dx.doi.org/10.1007/s11249-005-8313-z>.
- Gao, F; Kotvis, PV; Tysoe, WT. (2003). The frictional properties of thin inorganic halide films on iron measured in ultrahigh vacuum. *Tribology Letters.* 15: 327-332.
- Gao, F; Kotvis, PV; Tysoe, WT. (2004). The surface and tribological chemistry of chlorine- and sulfur-containing lubricant additives. *Tribology International.* 37: 87-92. [http://dx.doi.org/10.1016/S0301-679X\(03\)00040-9](http://dx.doi.org/10.1016/S0301-679X(03)00040-9).
- Gao, F; Xie, SY; Ma, ZJ; Feng, YQ; Huang, RB; Zheng, LS. (2004). The graphite arc-discharge in the presence of CCl₄: Chlorinated carbon clusters in relation with fullerenes formation. *Carbon.* 42: 1959-1963. <http://dx.doi.org/10.1016/j.carbon.2004.03.028>.
- Gao, K; Ma, D; Cheng, Y; Tian, X; Lu, Y; Du, X; Tang, H; Chen, J. (2015). Three New Dimers and Two Monomers of Phenolic Amides from the Fruits of *Lycium barbarum* and Their Antioxidant Activities. *J Agric Food Chem.* <http://dx.doi.org/10.1021/jf5049222>.
- Gao, P; Thorntonmanning, J. R.; Pegram, RA. (1996). Protective effects of glutathione on bromodichloromethane in vivo toxicity and in vitro macromolecular binding in Fischer 344 rats. *J Toxicol Environ Health.* 49: 145-159.
- Gao, X; Yang, F; Lan, Y; Mao, JD; Duan, X. (2011). Rapid degradation of carbon tetrachloride by commercial micro-scale zinc powder assisted by citric acid. *Environ Chem Lett.* 9: 431-438. <http://dx.doi.org/10.1007/s10311-010-0298-7>.
- Gao, Y; Alecu, IM; Hsieh, PC; McLeod, A; McLeod, C; Jones, M; Marshall, P. (2007). Kinetics and thermochemistry of the addition of atomic chlorine to acetylene. *Proc Combust Inst.* 31: 193-200. <http://dx.doi.org/10.1016/j.proci.2006.07.103>.
- Garberg, P; Akerblom, EL; Bolcsfoldi, G. (1988). Evaluation of a genotoxicity test measuring DNA-strand breaks in mouse lymphoma cells by alkaline unwinding and hydroxyapatite elution. *Mutat Res.* 203: 155-176. [http://dx.doi.org/10.1016/0165-1161\(88\)90101-X](http://dx.doi.org/10.1016/0165-1161(88)90101-X).
- Garcia, B; Herrera, C; Leal, JM. (1991). SHEAR VISCOSITIES OF BINARY-LIQUID MIXTURES - 2-PYRROLIDONE WITH 1-ALKANOLS. *Journal of Chemical and Engineering Data.* 36: 269-274.
- Garcia, E; Hurley, S; Nelson, DO; Hertz, A; Reynolds, P. (2015). Hazardous air pollutants and breast cancer risk in California teachers: a cohort study. *Environ Health.* 14: 14. <http://dx.doi.org/10.1186/1476-069X-14-14>.
- Garcia, I; Tercjak, A; Gutierrez, J; Rueda, L; Mondragon, I. (2008). Nanostructuring via solvent vapor exposure of poly(2-vinyl pyridine-b-methyl methacrylate) nanocomposites using modified magnetic nanoparticles. *J Phys Chem C.* 112: 14343-14347. <http://dx.doi.org/10.1021/jp802345q>.
- Garcialisbona, N; Vicente, IG; Embid, JM; Velasco, I; Otin, S; Kehiaian, HV. (1989). THERMODYNAMICS OF MIXTURES CONTAINING BROMOALKANES .2. EXCESS-ENTHALPIES OF MIXTURES OF 1-BROMOALKANE WITH CYCLOHEXANE, WITH BENZENE, OR WITH TETRACHLOROMETHANE MEASUREMENT AND ANALYSIS IN TERMS OF GROUP CONTRIBUTIONS (DISQUAC). *Fluid Phase Equilibria.* 45: 191-203.
- Garetto, TF; Vignatti, CI; Borgna, A; Monzon, A. (2009). Deactivation and regeneration of Pt/Al₂O₃ catalysts during the hydrodechlorination of carbon tetrachloride. *Appl Catal B-Environ.* 87: 211-219. <http://dx.doi.org/10.1016/j.apcatb.2008.09.005>.
- Garrett, RH; Grisham, CM. (1999). *Biochemistry: 2nd edition.* New York, NY: Saunders College Publishing.
- Garriga, R; Perez, P; Gracia, M. (2004). Total vapour pressure and excess Gibbs energy for binary mixtures of 1,1,2,2-tetrachlorethane or tetrachloroethene with cyclohexane at nine temperatures. *Fluid Phase Equilibria.* 216: 285-292. <http://dx.doi.org/10.1016/j.fluid.2003.11.007>.
- Garriga, R; Perez, P; Gracia, M. (2005). Total vapour pressure and excess Gibbs energy for binary mixtures of 1,1,2,2-tetrachlorethane or tetrachloroethene with benzene at nine temperatures. *Fluid Phase Equilibria.* 227: 79-86. <http://dx.doi.org/10.1016/j.fluid.2004.02.021>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Garriga, R; Perez, P; Gracia, M. (2005). Total vapour pressure and excess Gibbs energy for binary mixtures of 1,1,2,2-tetrachloroethane or tetrachloroethene with tetrachloromethane at nine temperatures. *Fluid Phase Equilibria*. 227: 71-78. <http://dx.doi.org/10.1016/j.fluid.2004.10.025>.
- Gasnier, C; Benachour, N; Clair, E; Travert, C; Langlois, F; Laurant, C; Decroix-Laporte, C; Séralini, GE. (2010). Dig1 protects against cell death provoked by glyphosate-based herbicides in human liver cell lines. *J Occup Med Toxicol*. 5: 29. <http://dx.doi.org/10.1186/1745-6673-5-29>.
- Gasnier, C; Laurant, C; Decroix-Laporte, C; Mesnage, R; Clair, E; Travert, C; Séralini, GE. (2011). Defined plant extracts can protect human cells against combined xenobiotic effects. *J Occup Med Toxicol*. 6: 3. <http://dx.doi.org/10.1186/1745-6673-6-3>.
- Gaspar, DJ; Lea, AS; Engelhard, MH; Baer, DR; Miehr, R; Tratnyek, PG. (2002). Evidence for localization of reaction upon reduction of carbon tetrachloride by granular iron. *Langmuir*. 18: 7688-7693. <http://dx.doi.org/10.1021/la025798+>.
- Gatehouse, D; Haworth, S; Cebula, T; Gocke, E; Kier, L; Matsushima, T; Melcion, C; Nohmi, T; Ohta, T; Venitt, S. (1994). Recommendations for the performance of bacterial mutation assays [Review]. *Mutat Res*. 312: 217-233.
- Gaur, A; Park, J; Maken, S; Song, H; Park, J. (2010). Landfill gas (LFG) processing via adsorption and alkanolamine absorption. *Fuel Process Tech*. 91: 635-640. <http://dx.doi.org/10.1016/j.fuproc.2010.01.010>.
- Gaynes, BI; III, WJ. (1989). Carbon tetrachloride and the sorbitol pathway in the diabetic mouse. *Comp Biochem Physiol B Biochem Mol Biol*. 94: 213-217.
- Gazzani, G; Papetti, A; Daglia, M; Berte, F; Gregotti, C. (1998). Protective activity of water soluble components of some common diet vegetables on rat liver microsome and the effect of thermal treatment. *J Agric Food Chem*. 46: 4123-4127.
- Geana, D; Wenzel, H. (1999). Solid-liquid-gas equilibrium by cubic equations of state and association. *Journal of Supercritical Fluids*. 15: 97-108.
- Gearhart, JM; Mahle, DA; Greene, RJ; Seckel, CS; Flemming, CD; Fisher, JW; III, CH. (1993). Variability of physiologically based pharmacokinetic (PBPK) model parameters and their effects on PBPK model predictions in a risk assessment for perchloroethylene (PCE). *Toxicol Lett*. 68: 131-144. [http://dx.doi.org/10.1016/0378-4274\(93\)90126-l](http://dx.doi.org/10.1016/0378-4274(93)90126-l).
- Gee, GW; Oostrom, M; Freshley, MD; Rockhold, ML; Zachara, JM. (2007). Hanford site vadose zone studies: An overview. *Vadose Zone Journal*. 6: 899-905. <http://dx.doi.org/10.2136/vzj2006.0179>.
- Gee, RC; Chin, TP; Tu, CW; Asbeck, PM; Lin, CL; Kirchner, PD; Woodall, JM. (1992). INP/INGAAS HETEROJUNCTION BIPOLAR-TRANSISTORS GROWN BY GAS-SOURCE MOLECULAR-BEAM EPITAXY WITH CARBON-DOPED BASE. *IEEE Electron Device Letters*. 13: 247-249.
- Gee, RC; Lin, CL; Farley, CW; Seabury, CW; Higgins, JA; Kirchner, PD; Woodall, JM; Asbeck, PM. (1993). INP/INGAAS DOUBLE-HETEROJUNCTION BIPOLAR-TRANSISTORS INCORPORATING CARBON-DOPED BASES AND SUPERLATTICE GRADED BASE-COLLECTOR JUNCTIONS. *Electronics Letters*. 29: 850-851.
- Geetha, S; Jayamurthy, P; Pal, K; Pandey, S; Kumar, R; Sawhney, RC. (2008). Hepatoprotective effects of sea buckthorn (*Hippophae rhamnoides* L.) against carbon tetrachloride induced liver injury in rats. *J Sci Food Agric*. 88: 1592-1597. <http://dx.doi.org/10.1002/jsfa.3255>.
- Gehring, P; Eschweiler, H. (1999). Ozone/electron beam process for water treatment: Design, limitations and economic considerations. *Ozone: Science and Engineering*. 21: 523-538.
- Gemma, S; Sbraccia; Testai. (2000). Comparative characterization of CHCl₃ metabolism and toxicokinetics in rodent strains differently susceptible to chloroform-induced carcinogenicity. *Environ Toxicol Pharmacol*. 8: 103-110.
- George, J; Sastry, NV. (2004). Densities, excess molar volumes at T = (298.15 to 313.15) K, speeds of sound, excess isentropic compressibilities, relative permittivities, and deviations in molar polarizations at T = (298.15 and 308.15) K for methyl methacrylate+2-butoxyethanol or dibutyl ether plus benzene, toluene, or p-xylene. *Journal of Chemical and Engineering Data*. 49: 1116-1126. <http://dx.doi.org/10.1021/je034022n>.
- Gereben, O; Puztai, L. (2015). Understanding the structure of molecular liquids via combinations of molecular dynamics simulations and Reverse Monte Carlo modeling: Handling information deficiency. *Journal of Non-Crystalline Solids*. 407: 213-219. <http://dx.doi.org/10.1016/j.jnoncrysol.2014.08.047>.
- Gerlach, R; Cunningham, AB; Caccavo, F. (2000). Dissimilatory iron-reducing bacteria can influence the reduction of carbon tetrachloride by iron metal. *Environ Sci Technol*. 34: 2461-2464. <http://dx.doi.org/10.1021/es991200h>.
- Gershuni, S; Itzhak, N; Rabani, J. (1999). Free-radical chain reactions involving hydrogen and bromine atom transfer induced by TiO₂-mediated photocatalysis. *Langmuir*. 15: 1141-1146.
- Gervasini, A; Pirola, C; Ragaini, V. (2002). Destruction of carbon tetrachloride in the presence of hydrogen-supplying compounds with ionisation and catalytic oxidation. *Appl Catal B-Environ*. 38: 17-28.
- Gervasini, A; Pirola, C; Zilio, S; Ragaini, V. (2004). Destruction of carbon tetrachloride in the presence of hydrogen-supplying compounds with ionisation and catalytic oxidation - Part 2. Methane as hydrogen font. *Appl Catal B-Environ*. 47: 257-267. <http://dx.doi.org/10.1016/j.apcatb.2003.09.008>.
- Ghaffari, H; Ghassam, BJ; Prakash, HS. (2012). Hepatoprotective and cytoprotective properties of *Hyptis suaveolens* against oxidative stress-induced damage by CCl₄ and H₂O₂. *Asian Pacific Journal of Tropical Medicine*. 5: 868-874. [http://dx.doi.org/10.1016/S1995-7645\(12\)60162-X](http://dx.doi.org/10.1016/S1995-7645(12)60162-X).
- Gharbi, N; Pressac, M; Hadchouel, M; Szwarc, H; Wilson, SR; Moussa, F. (2005). 60fullerene is a powerful antioxidant in vivo with no acute or subacute toxicity. *Nano Lett*. 5: 2578-2585. <http://dx.doi.org/10.1021/nl051866b>.
- Ghaziaskar, HS; Daneshfar, A; Rezayat, M. (2005). The co-solubility of 2-ethylhexanoic acid and some liquid alcohols in supercritical carbon dioxide. *Fluid Phase Equilibria*. 238: 106-111. <http://dx.doi.org/10.1016/j.fluid.2005.09.023>.
- Ghosh, AK; Bagchi, S. (2008). Fluorimetric study of electron donor - Acceptor complex formation of asphaltene with o- and p-chloranil. *Energy Fuels*. 22: 1845-1850. <http://dx.doi.org/10.1021/ef800003q>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ghosh, AK; Chaudhuri, P; Panja, SS. (2016). Steady state fluorescence spectroscopic studies on the aggregation of coal derived asphaltene at lower concentration. *Fuel*. 185: 164-170. <http://dx.doi.org/10.1016/j.fuel.2016.07.109>.
- Ghosh, AK; Srivastava, SK; Bagchi, S. (2007). Study of self-aggregation of coal derived asphaltene in organic solvents: A fluorescence approach. *Fuel*. 86: 2528-2534. <http://dx.doi.org/10.1016/j.fuel.2007.02.027>.
- Giannakas, A; Spanos, CG; Kourkoumelis, N; Vaimakis, T; Ladavos, A. (2009). Structure and Thermal Stability of Polystyrene/Layered Silicate Nanocomposites. *Composite Interfaces*. 16: 237-247. <http://dx.doi.org/10.1163/156855409X402894>.
- Gianni, P; Lepori, L; Matteoli, E. (2010). Excess Gibbs energies and volumes of the ternary system chloroform plus tetrahydrofuran plus cyclohexane at 298.15 K. *Fluid Phase Equilibria*. 297: 52-61. <http://dx.doi.org/10.1016/j.fluid.2010.06.007>.
- Giannotti, A; Lepori, L; Matteoli, E; Marongiu, B. (1991). EXCESS GIBBS ENERGIES OF LIQUID BINARY-MIXTURES .6. A HYDROCARBON OR TETRACHLOROMETHANE + AN ALDEHYDE OR A KETONE. *Fluid Phase Equilibria*. 65: 275-290.
- Giaya, A; Thompson, RW; Denkwicz, R. (2000). Liquid and vapor phase adsorption of chlorinated volatile organic compounds on hydrophobic molecular sieves. *Microporous and Mesoporous Materials*. 40: 205-218.
- Gil, B; Mierzynska, K; Szczerbinska, M; Datka, J. (2007). Basic sites in zeolites followed by IR studies of NO+. *Appl Catal A-Gen*. 319: 64-71. <http://dx.doi.org/10.1016/j.apcata.2006.11.010>.
- Gilbert, B; Banfield, JF. (2005). Molecular-scale processes involving nanoparticulate minerals in biogeochemical systems. *Rev Mineral Geochem*. 59: 109-155. <http://dx.doi.org/10.2138/rmg.2005.59.6>.
- Gilks, WR; Richardson, S; Spiegelhalter, DJ. (1995). Markov chain Monte Carlo in practice. Boca Raton, FL: Chapman & Hall/CRC Press. <http://www.crcpress.com/product/isbn/9780412055515>.
- Ginsberg, G; Hattis, D; Sonawane, B; Russ, A; Banati, P; Kozlak, M; Smolenski, S; Goble, R. (2002). Evaluation of child/adult pharmacokinetic differences from a database derived from the therapeutic drug literature. *Toxicol Sci*. 66: 185-200.
- Giraudet, S; Zhu, Z; Yao, X; Lu, G. (2010). Ordered Mesoporous Carbons Enriched with Nitrogen: Application to Hydrogen Storage. *J Phys Chem C*. 114: 8639-8645. <http://dx.doi.org/10.1021/jp101119r>.
- Giuffrida, S; Condorelli, GG; Costanzo, LL; Ventimiglia, G; Lo Nigro, R; Favazza, M; Votrico, E; Bongiorno, C; Fragala, IL. (2007). Nickel nanostructured materials from liquid phase photodeposition. *J Nanopart Res*. 9: 611-619. <http://dx.doi.org/10.1007/s11051-006-9089-2>.
- Glatthor, N; Von Clarmann, T; Fischer, H; Funke, B; Grabowski, U; Höpfner, M; Kellmann, S; Linden, A; Milz, M; Steck, T; Stiller, GP. (2007). Global peroxyacetyl nitrate (PAN) retrieval in the upper troposphere from limb emission spectra of the Michelson Interferometer for Passive Atmospheric Sounding (MIPAS). *Atmos Chem Phys Discuss*. 7: 1391-1420.
- Glavas, S; Moschonas, N. (2002). First measurements of carbon tetrachloride and tetrachloroethene in the atmosphere of Athens, Greece. *Sci Total Environ*. 290: 231-237.
- Glod, G; Angst, W; Holliger, C; Schwarzenbach, RP. (1997). Corrinoid-mediated reduction of tetrachloroethene, trichloroethene, and trichlorofluoroethene in homogeneous aqueous solution: Reaction kinetics and reaction mechanisms. *Environ Sci Technol*. 31: 253-260.
- Glod, G; Brodmann, U; Angst, W; Holliger, C; Schwarzenbach, RP. (1997). Cobalamin-mediated reduction of cis- and trans-dichloroethene, 1,1-dichloroethene, and vinyl chloride in homogeneous aqueous solution: Reaction kinetics and mechanistic considerations. *Environ Sci Technol*. 31: 3154-3160.
- Gnanadesigan, M; Ravikumar, S; Inbaneson, SJ. (2011). Hepatoprotective and antioxidant properties of marine halophyte *Lumnitzera racemosa* bark extract in CCL(4) induced hepatotoxicity. *Asian Pacific Journal of Tropical Medicine*. 4: 462-465. [http://dx.doi.org/10.1016/S1995-7645\(11\)60126-0](http://dx.doi.org/10.1016/S1995-7645(11)60126-0).
- Gogate, PR; Katekhaye, SN. (2012). A comparison of the degree of intensification due to the use of additives in ultrasonic horn and ultrasonic bath. *Chemical Engineering and Processing: Process Intensification*. 61: 23-29. <http://dx.doi.org/10.1016/j.cep.2012.06.016>.
- Goharshadi, EK; Nazari, F. (2001). Computation of internal pressure of liquids using a statistical mechanical equation of state. *Fluid Phase Equilibria*. 187: 425-431.
- Golubina, EV; Lokteva, ES; Lunin, VV; Turakulova, AO; Simagina, VI; Stoyanova, IV. (2003). Modification of the supported hydrodechlorination palladium catalysts surface during of carbon tetrachloride. *Appl Catal A-Gen*. 241: 123-132.
- Golzar, M; Saghraiani, SF; Moghaddam, MA. (2014). Experimental Study and Numerical Solution of Poly Acrylic Acid Supported Magnetite Nanoparticles Transport in a One-Dimensional Porous Media. *Advances in Materials Science and Engineering*. <http://dx.doi.org/10.1155/2014/864068>.
- Gomathi, A; Hoseini, SJ; Rao, CNR. (2009). Functionalization and solubilization of inorganic nanostructures and carbon nanotubes by employing organosilicon and organotin reagents. *J Mater Chem*. 19: 988-995. <http://dx.doi.org/10.1039/b813570c>.
- Gomez-Sainero, LM; Cortes, A; Seoane, XL; Arcoya, A. (2000). Hydrodechlorination of carbon tetrachloride to chloroform in the liquid phase with metal-supported catalysts. Effect of the catalyst components. *Ind Eng Chem Res*. 39: 2849-2854. <http://dx.doi.org/10.1021/ie990892f>.
- Gomez-Sainero, LM; Seoane, XL; Arcoya, A. (2004). Hydrodechlorination of Carbon Tetrachloride in the Liquid Phase on a Pd/Carbon Catalyst: Kinetic and Mechanistic Studies. *Appl Catal B-Environ*. 53: 101. <http://dx.doi.org/10.1016/j.apcatb.2004.05.007>.
- Gomez-Sainero, LM; Seoane, XL; Fierro, JLG; Arcoya, A. (2002). Liquid-phase hydrodechlorination of CCl4 to CHCl3 on Pd/carbon catalysts: Nature and role of Pd active species. *J Catal*. 209: 279-288. <http://dx.doi.org/10.1006/jcat.2002.3655>.
- Gomez-Sainero, LM; Seoane, XL; Tijero, E; Arcoya, A. (2002). Hydrodechlorination of carbon tetrachloride to chloroform in the liquid phase with a Pd/carbon catalyst. Study of the mass transfer steps. *Chem Eng Sci*. 57: 3565-3574.
- Goncalves, AS; Macedo, EA. (1993). INFINITE-DILUTION ACTIVITY-COEFFICIENTS BY COMPARATIVE EBULLIOMETRY - 5 SYSTEMS CONTAINING ETHYL FORMATE. *Fluid Phase Equilibria*. 85: 171-179.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Goncharov, OY. (2001). Thermodynamics of the chemical vapor deposition of carbides in the system TaBr₅-CCl₄-Cd. *Inorg Mater.* 37: 237-242.
- Gong, F, ei; Luo, L; Yao, Y; Dai, D; Lu, W; Chen, W. (2016). Drastic rate acceleration driven by synergistic effects: Key role of persistent free radicals coupled with ascorbic acid in decomposition of organic contaminants by ferric citrate. *Chem Eng J.* 304: 440-447. <http://dx.doi.org/10.1016/j.cej.2016.06.111>.
- Gong, YN; Mo, JJ; Yu, HS; Wang, L; Xia, GQ. (1999). Characterization of carbon-doped GaAs grown by metalorganic vapor-phase epitaxy. *J Cryst Growth.* 206: 271-278.
- Gong, YN; Mo, JJ; Yu, HS; Wang, L; Xia, GQ. (2000). Quantitative study of carbon doping of GaAs grown by metalorganic vapor-phase epitaxy. *J Cryst Growth.* 209: 43-49.
- Gonulsen, R; Yildiz, N; Calimli, A. (2003). Adsorption of organic compounds on to bentonites modified with single or dual quaternary ammonium cations. *AST.* 21: 135-148.
- Gonzalez, CA; Ardila, AN; de Correa, CM; Martinez, MA; Fuentes-Zurita, G. (2007). Pd/TiO₂ washcoated cordierite minimonoliths for hydrodechlorination of light organochlorinated compounds. *Ind Eng Chem Res.* 46: 7961-7969. <http://dx.doi.org/10.1021/ie070713r>.
- Gonzalez, CA; Bartoszek, M; Martin, A; Montes de Correa, C. (2009). Hydrodechlorination of Light Organochlorinated Compounds and Their Mixtures over Pd/TiO₂-Washcoated Minimoliths. *Ind Eng Chem Res.* 48: 2826-2835. <http://dx.doi.org/10.1021/ie8013742>.
- Gonzalez, CA; Montes de Correa, C. (2010). Catalytic Hydrodechlorination of Tetrachloroethylene over Pd/TiO₂ Minimoliths. *Ind Eng Chem Res.* 49: 490-497. <http://dx.doi.org/10.1021/ie901027y>.
- Gonzalez, JA; de la Fuente, IG; Cobos, JC. (1999). Proximity effects and cyclization in oxaalkanes plus CCl₄ mixtures DISQUAC characterization of the Cl-O interactions. Comparison with Dortmund UNIFAC results. *Fluid Phase Equilibria.* 154: 11-31.
- Gonzalez, JA; Delafuente, IG; Cobos, JC. (1997). Thermodynamics of mixtures containing linear monocarboxylic acids .2. Binary systems showing cross-association between components: DISQUAC characterization of linear monocarboxylic acid plus 1-alkanol, or plus linear monocarboxylic acid mixtures. *Fluid Phase Equilibria.* 135: 1-21.
- Gonzalez, JA; Delafuente, IG; Cobos, JC; Casanova, C. (1994). THERMODYNAMICS OF MIXTURES CONTAINING LINEAR MONOCARBOXYLIC ACIDS .1. DISQUAC PREDICTIONS ON MOLAR EXCESS GIBBS ENERGIES, MOLAR EXCESS-ENTHALPIES AND SOLID-LIQUID EQUILIBRIA FOR MIXTURES OF LINEAR MONOCARBOXYLIC ACIDS WITH ORGANIC-SOLVENTS. *Fluid Phase Equilibria.* 99: 19-33.
- Gonzalez, MC; Le Roux, GC; Rosso, JA; Braun, AM. (2007). Mineralization of CCl₄ by the UVC-photolysis of hydrogen peroxide in the presence of methanol. *Chemosphere.* 69: 1238-1244. <http://dx.doi.org/10.1016/j.chemosphere.2007.05.076>.
- Gonzalezmartin, ML; Bruque, JM; Gonzalezcaballero, F; Pereacarpio, R; Janczuk, B. (1996). The mechanism of adsorption of sodium dodecylsulfonate on fluorite and its surface free energy. *Appl Surf Sci.* 103: 395-402.
- Gopal, AV; Rao, KSR; Prasad, PSS; Rao, PK. (1998). Effect of method of preparation on the dismutation activity of CCl₂F₂ over Cr₂O₃-MgO-Al₂O₃ catalysts. *Stud Surf Sci Catal.* 113: 405-417.
- Gopalakrishnan, G; Negri, MC; Minsker, BS; Werth, CJ. (2007). Monitoring subsurface contamination using tree branches. *Ground Water Monitoring and Remediation.* 27: 65-74.
- Goral, M; Oracz, P; Warycha, S. (1988). VAPOR LIQUID EQUILIBRIA .4. THE TERNARY-SYSTEM CARBON-TETRACHLORIDE METHANOL CHLOROFORM AT 293.15-K. *Fluid Phase Equilibria.* 44: 77-93.
- Goral, M; Oracz, P; Warycha, S. (1990). VAPOR-LIQUID-EQUILIBRIA .5. THE TERNARY-SYSTEM CARBON-TETRACHLORIDE METHANOL CHLOROFORM AT 303.15-K. *Fluid Phase Equilibria.* 55: 337-354.
- Goral, M; Zawadzki, S. (1993). VAPOR-LIQUID-EQUILIBRIA IN NONPOLAR MIXTURES .2. CARBON-TETRACHLORIDE WITH ALKYL BENZENES AND N-ALKANES AT 313.15-K. *Fluid Phase Equilibria.* 90: 355-364.
- Goralski, P. (2000). Volumetric manifestation of van der Waals interactions between cholesterol and organic solvents of linear structure. *Fluid Phase Equilibria.* 167: 207-221.
- Gorecki, T; Pawliszyn, J. (1997). Field-portable solid-phase microextraction fast GC system for trace analysis. *Field Analytical Chemistry and Technology.* 1: 277-284.
- Gorski, CA; Nurmi, JT; Tratnyek, PG; Hofstetter, TB; Scherer, MM. (2010). Redox behavior of magnetite: implications for contaminant reduction. *Environ Sci Technol.* 44: 55-60. <http://dx.doi.org/10.1021/es9016848>.
- Gorski, CA; Scherer, MM. (2009). Influence of Magnetite Stoichiometry on Fe-II Uptake and Nitrobenzene Reduction. *Environ Sci Technol.* 43: 3675-3680. <http://dx.doi.org/10.1021/es803613a>.
- Gorski, CA; Scherer, MM. (2009). A new conceptual model for interpreting the redox behavior of magnetite in anoxic environments. *Geochim Cosmo Acta.* 73: A456-A456.
- Gorski, CA; Scherer, MM. (2010). Determination of nanoparticulate magnetite stoichiometry by Mossbauer spectroscopy, acidic dissolution, and powder X-ray diffraction: A critical review. *Am Mineral.* 95: 1017-1026. <http://dx.doi.org/10.2138/am.2010.3435>.
- Gorzka, Z; Paryjczak, T; Zarczynski, A; Kazmierczak, M; Michniewicz, M. (2003). Dioxins in thermo-catalyzed oxidates of selected organochlorine compounds. *Przemysł Chemiczny.* 82: 1020-1022.
- Gorzka, Z; Zarczynski, A; Zaborowski, M; Paryjczak, T; Kazmierczak, M. (2011). Oxidation of Chloroorganic Compounds in Liquid Industrial Wastes with the Palladium Catalyst Application. *Rocznik Ochrona Srodowiska.* 13: 557-569.
- Gosselin, RE; Hodge, HC; Smith, RP; Gleason, MN. (1976). *Acute poisoning Clinical toxicology of commercial products* (4 ed.). Baltimore, MD: Williams & Wilkins.
- Gostlow, B; Robinson, AD; Harris, NRP; O'Brien, LM; Oram, DE; Mills, GP; Newton, HM; Yong, SE; Pyle, JA. (2010). mu Dirac: an autonomous instrument for halocarbon measurements. *Atmos Meas Tech.* 3: 507-521. <http://dx.doi.org/10.5194/amt-3-507-2010>.
- Gotpagar, J; Lyuksyutov, S; Cohn, R; Grulke, E; Bhattacharyya, D. (1999). Reductive dehalogenation of trichloroethylene with zero-valent iron: Surface profiling microscopy and rate enhancement studies. *Langmuir.* 15: 8412-8420.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Gouthamchandra, K; Mahmood, R; Manjunatha, H. (2010). Free radical scavenging, antioxidant enzymes and wound healing activities of leaves extracts from *Clerodendrum infortunatum* L. *Environ Toxicol Pharmacol*. 30: 11-18. <http://dx.doi.org/10.1016/j.etap.2010.03.005>.
- Grabowski, K; Patrykiewicz, A; Sokolowski, S. (1997). Monte-Carlo simulation of mixed multilayer adsorption. *Thin Solid Films*. 304: 344-352.
- Grabowski, K; Patrykiewicz, A; Sokolowski, S. (1999). Monte Carlo simulation of mixed multilayer adsorption - II: layering transitions and wetting phenomena in non-ideal mixtures. *Thin Solid Films*. 352: 259-268.
- Grabowski, K; Patrykiewicz, A; Sokolowski, S. (2000). Monte Carlo simulation of mixed multilayer adsorption: layering transitions and wetting phenomena in non-ideal mixtures. *Thin Solid Films*. 379: 297-307.
- Gragson, DE; Manes, JP; Smythe, JE; Baker, SM. (2003). PS-PEO diblock copolymer at the cyclohexane/SiO₂ interface: Effect of micelles on adsorption kinetics and coverage. *Langmuir*. 19: 5031-5035. <http://dx.doi.org/10.1021/la026903i>.
- Gragson, DE; Richmond, GL. (1997). Comparisons of the structure of water at neat oil/water and air/water interfaces as determined by vibrational sum frequency generation. *Langmuir*. 13: 4804-4806.
- Granberg, RA; Rasmuson, AC. (1999). Solubility of paracetamol in pure solvents. *Journal of Chemical and Engineering Data*. 44: 1391-1395.
- Granier, M; Lanneau, GF; Moineau, J; Girard, P; Ramonda, M. (2003). Improved strain relief of self-assembled monolayers from organohydrochlorosilanes grafted onto oxidized (1,0,0) silicon wafers. *Langmuir*. 19: 2691-2695. <http://dx.doi.org/10.1021/la020694k>.
- Grasl-Kraupp, B; Ruttikay-Nedecky, B; Koudelka, H; Bukowska, K; Bursch, W; Schulte-Hermann, R. (1995). In situ detection of fragmented DNA (TUNEL assay) fails to discriminate among apoptosis, necrosis, and autolytic cell death: A cautionary note. *Hepatology*. 21: 1465-1468.
- Grassian, VH. (2008). When Size Really Matters: Size-Dependent Properties and Surface Chemistry of Metal and Metal Oxide Nanoparticles in Gas and Liquid Phase Environments. *J Phys Chem C*. 112: 18303-18313. <http://dx.doi.org/10.1021/jp806073t>.
- Grate, JW; Abraham, MH; Du, CM; McGill, RA; Shuely, WJ. (1995). EXAMINATION OF VAPOR SORPTION BY FULLERENE, FULLERENE-COATED SURFACE-ACOUSTIC-WAVE SENSORS, GRAPHITE, AND LOW-POLARITY POLYMERS USING LINEAR SOLVATION ENERGY RELATIONSHIPS. *Langmuir*. 11: 2125-2130.
- Gray, DF; Pasco, NF; Williamson, AG. (1988). LIQUID-VAPOR EQUILIBRIA IN MIXTURES OF CARBON-TETRACHLORIDE AND CHLOROFORM WITH DIMETHYL SULFIDE AND DIETHYL SULFIDE. *Journal of Chemical and Engineering Data*. 33: 335-337.
- Greco, R; Iavarone, M; Fiedlerova, A; Borsig, E. (2002). Optical properties of polyethylene/styrene-co-methacrylate copolymers IPN-like networks: Effect of different methacrylate styrene co monomers on properties. *Journal of Materials Science*. 37: 3389-3395.
- Gregory, KB; Larese-Casanova, P; Parkin, GF; Scherer, MM. (2004). Abiotic transformation of hexahydro-1,3,5-trinitro-1,3,5-triazine by ferric bound to magnetite. *Environ Sci Technol*. 38: 1408-1414. <http://dx.doi.org/10.1021/es034588w>.
- Gregory, KB; Mason, MG; Picken, HD; Weathers, LJ; Parkin, GF. (2000). Bioaugmentation of Fe(0) for the remediation of chlorinated aliphatic hydrocarbons. *Environ Eng Sci*. 17: 169-181.
- Gresserov, BN; Sobolev, NA; Shek, EI. (1990). EFFECT OF THE PARTIAL PRESSURES OF CHLORINE-CONTAINING COMPONENTS ON THE KINETICS OF OXIDATION OF SILICON IN A CARBON-TETRACHLORIDE + OXYGEN MIXTURE. *Inorg Mater*. 26: 1344-1346.
- Grisdanurak, N; Chiarakorn, S; Wittayakun, J. (2003). Utilization of mesoporous molecular sieves synthesized from natural source rice husk silica to chlorinated volatile organic compounds (CVOs) adsorption. *Korean J Chem Eng*. 20: 950-955.
- Group, FW. (2000). Nonclinical assessment of potential hepatotoxicity in man (a concept paper meant to provide a framework for discussion at a February 12&13 Workshop. FDA Working Group.
- Grzybek, T; Motak, M; Papp, H. (2004). The structure of prospective denox catalysts based on carbon-montmorillonite nanocomposites. *Catalysis Today*. 90: 69-76. <http://dx.doi.org/10.1016/j.cattod.2004.04.010>.
- Gu, B; Phelps, TJ; Liang, L; Dickey, MJ; Roh, Y; Kinsall, BL; Palumbo, AV; Jacobs, GK. (1999). Biogeochemical dynamics in zero-valent iron columns: Implications for permeable reactive barriers. *Environ Sci Technol*. 33: 2170-2177.
- Gu, BH; Watson, DB; Wu, LY; Phillips, DH; White, DC; Zhou, JZ. (2002). Microbiological characteristics in a zero-valent iron reactive barrier. *Environ Monit Assess*. 77: 293-309. <http://dx.doi.org/10.1023/A:1016092808563>.
- Gu, FY; Hou, YJ. (2000). Salt effects on the isobaric vapor-liquid equilibrium for four binary systems. *Journal of Chemical and Engineering Data*. 45: 467-470.
- Gu, X; Lu, S; Fu, X; Qiu, Z; Sui, Q; Guo, X. (2017). Carbon dioxide radical anion-based UV/S₂O₈²⁻/HCOOH reductive process for carbon tetrachloride degradation in aqueous solution. *Separation and Purification Technology*. 172: 211-216. <http://dx.doi.org/10.1016/j.seppur.2016.08.019>.
- Gu, X; Lu, S; Qiu, Z; Su, Q; Banks, CJ; Imai, T; Lin, K; Luo, Q. (2013). Photodegradation performance of 1,1,1-trichloroethane in aqueous solution: In the presence and absence of persulfate. *Chem Eng J*. 215: 29-35. <http://dx.doi.org/10.1016/j.cej.2012.09.132>.
- Gu, X; Lu, S; Qiu, Z; Sui, Q; Miao, Z; Lin, K; Liu, Y; Luo, Q. (2012). Comparison of Photodegradation Performance of 1,1,1-Trichloroethane in Aqueous Solution with the Addition of H₂O₂ or S₂O₈²⁻ Oxidants. *Ind Eng Chem Res*. 51: 7196-7204. <http://dx.doi.org/10.1021/ie202769d>.
- Gu, YL; Chen, LY; Qian, YT; Zhang, WQ; Ma, JH. (2005). Synthesis of nanocrystalline boron carbide via a solvothermal reduction of CCl₄ in the presence of amorphous boron powder. *Journal of the American Ceramic Society*. 88: 225-227. <http://dx.doi.org/10.1111/j.1551-2916.2004.00023.x>.
- Guadagnino, E; Dedian, GC; Scalet, BM; Scandellari, ML. (1992). DETERMINATION OF SELENIUM IN GLASS BY GRAPHITE-FURNACE ATOMIC-ABSORPTION SPECTROSCOPY AFTER EXTRACTION WITH DITHIZONE - A COMPARISON WITH X-RAY-FLUORESCENCE AND VAPOR GENERATION ATOMIC-ABSORPTION SPECTROSCOPY. *Glass Technology*. 33: 209-213.
- Guastadisegni, C; Balduzzi, M; Mancuso, MT; Di Consiglio, E. (1999). Liver mitochondria alterations in chloroform-treated Sprague-Dawley rats. *J Toxicol Environ Health A*. 57: 415-429.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Gubskii, I, ul; Kurskiĭ, MD; Zadorina, OV; Fedorov, AN; Briuzgina, TS; Iurzhenko, NN. (1990). [Calcium transport in endoplasmic reticulum of the rat liver during lipid peroxidation]. *Biokhimiya*. 55: 12-22.
- Gudi, G; Krähmer, A; Krüger, H; Hennig, L; Schulz, H. (2014). Discrimination of fennel chemotypes applying IR and Raman spectroscopy: discovery of a new γ -asarone chemotype. *J Agric Food Chem*. 62: 3537-3547. <http://dx.doi.org/10.1021/jf405752x>.
- Guevara, AP; Amor, E; Russell, G. (1996). Antimutagens from *Plumeria acuminata*. *Mutat Res Environ Mutagen Relat Subj*. 361: 67-72.
- Guha, A; Pal, R. (2007). Prediction of vapour-liquid equilibrium of some binary liquid systems by Generalized London Potential method. *Indian J Chem Tech*. 14: 178-182.
- Guhagarkar, SA; Shah, D; Patel, MD; Sathaye, SS; Devarajan, PV. (2015). Polyethylene Sebacate-Silymarin Nanoparticles with Enhanced Hepatoprotective Activity. *J Nanosci Nanotechnol*. 15: 4090-4093. <http://dx.doi.org/10.1166/jnn.2015.9518>.
- Guimbretiere, G; Bouchet, A; Rodriguez, V; Couzi, M; Talaga, D; Buffeteau, T; Canioni, L. (2008). Structural and Dynamical Insights from Vibrational Multipolar Analyses of Isotropic Media: Application to Molecular Liquid CCl₄ and Silica Glass SiO₂. *J Phys Chem C*. 112: 17906-17915. <http://dx.doi.org/10.1021/jp806395k>.
- Guleria, SP; Dutta, RK. (2011). Unconfined Compressive Strength of Fly Ash-Lime-Gypsum Composite Mixed with Treated Tire Chips. *Journal of Materials in Civil Engineering*. 23: 1255-1263. [http://dx.doi.org/10.1061/\(ASCE\)MT.1943-5533.0000292](http://dx.doi.org/10.1061/(ASCE)MT.1943-5533.0000292).
- Guleria, SP; Dutta, RK. (2012). Behaviour of fly ash-lime-gypsum composite mixed with treated tire chips. *Geomechanics and Engineering*. 4: 151-171.
- Gunaseelan, K; Umlong, IM; Mukhim, T; Ismail, K. (2003). Electrical conductance behavior of oil-in-water microemulsions stabilized by sodium dodecyl sulfate and 1-butanol. *Langmuir*. 19: 7276-7281. <http://dx.doi.org/10.1021/la034899k>.
- Gun'ko, VM; Borysenko, MV; Pissis, P; Spanoudaki, A; Shinyashiki, N; Sulim, IY; Kulik, TV; Palyanytsya, BB. (2007). Polydimethylsiloxane at the interfaces of fumed silica and zirconia/fumed silica. *Appl Surf Sci*. 253: 7143-7156. <http://dx.doi.org/10.1016/j.apsusc.2007.02.185>.
- Gun'ko, VM; Turov, VV; Leboda, R; Skubiszewska-Zieba, J; Charmas, B. (2013). Confined space effects driving to heterogenization of solutions at the interfaces. *Adsorption*. 19: 305-321. <http://dx.doi.org/10.1007/s10450-012-9453-8>.
- Gun'ko, VM; Turov, VV; Skubiszewska-Zieba, J; Leboda, R; Tsapko, MD; Palijczuk, D. (2003). Structural characteristics of a carbon adsorbent and influence of organic solvents on interfacial water. *Appl Surf Sci*. 214: 178-189. [http://dx.doi.org/10.1016/S0169-4332\(03\)00345-3](http://dx.doi.org/10.1016/S0169-4332(03)00345-3).
- Gun'ko, VM; Turov, VV; Whitby, RLD; Prykhod'ko, GP; Turov, AV; Mikhailovsky, SV. (2013). Interactions of single and multi-layer graphene oxides with water, methane, organic solvents and HCl studied by H-1 NMR. *Carbon*. 57: 191-201. <http://dx.doi.org/10.1016/j.carbon.2013.01.063>.
- Guo, CJ; Dekee, D. (1991). EFFECT OF MOLECULAR-SIZE AND FREE-VOLUME ON DIFFUSION IN LIQUIDS. *Chem Eng Sci*. 46: 2133-2141.
- Guo, CJ; Dekee, D; Harrison, B. (1992). EFFECT OF MOLECULAR-STRUCTURE ON DIFFUSION OF ORGANIC-SOLVENTS IN RUBBERS. *Chem Eng Sci*. 47: 1525-1532.
- Guo, W; Fung, BM. (1991). THE EFFECT OF SOLUTES ON THE ORIENTATIONAL ORDERING OF LIQUID-CRYSTALLINE SOLVENTS. *Liquid Crystals*. 9: 117-126.
- Guo, W; Shi, Y; Wang, H; Yang, H; Zhang, G. (2010). Sonochemical decomposition of levofloxacin in aqueous solution. *Water Environ Res*. 82: 696-700. <http://dx.doi.org/10.2175/106143010X12609736966801>.
- Guo, Y; Cheng, C; Wang, J; Wang, Z; Jin, X; Li, K; Kang, P; Gao, J. (2011). Detection of reactive oxygen species (ROS) generated by TiO₂(R), TiO₂(R/A) and TiO₂(A) under ultrasonic and solar light irradiation and application in degradation of organic dyes. *J Hazard Mater*. 192: 786-793. <http://dx.doi.org/10.1016/j.jhazmat.2011.05.084>.
- Guo, YH; Wang, YH; Hu, CW; Wang, YH; Wang, EB; Zhou, YC; Feng, SH. (2000). Microporous polyoxometalates POMs/SiO₂: Synthesis and photocatalytic degradation of aqueous organochlorine pesticides. *Chem Mater*. 12: 3501-3508. <http://dx.doi.org/10.1021/cm000074+>.
- Guo, ZB; Feng, R; Li, JH; Zheng, Z; Zheng, YF. (2008). Degradation of 2,4-dinitrophenol by combining sonolysis and different additives. *J Hazard Mater*. 158: 164-169. <http://dx.doi.org/10.1016/j.jhazmat.2008.01.056>.
- Gupta, AK; Karar, K; Srivastava, A. (2007). Chemical mass balance source apportionment of PM₁₀ and TSP in residential and industrial sites of an urban region of Kolkata, India. *J Hazard Mater*. 142: 279-287. <http://dx.doi.org/10.1016/j.jhazmat.2006.08.013>.
- Gupta, R; Wanchoo, RK; Bansal, A. (2010). Interfacial Tension of Some Newtonian and non-Newtonian Fluids by the Drop-Weight Method. *Chemical and Biochemical Engineering Quarterly*. 24: 295-300.
- Gupta, RK; Hussain, T; Panigrahi, G; Das, A; Singh, GN; Sweetey, K; Faiyazuddin, M; Rao, CV. (2011). Hepatoprotective effect of *Solanum xanthocarpum* fruit extract against CCl₄ induced acute liver toxicity in experimental animals. *Asian Pacific Journal of Tropical Medicine*. 4: 964-968. [http://dx.doi.org/10.1016/S1995-7645\(11\)60227-7](http://dx.doi.org/10.1016/S1995-7645(11)60227-7).
- Gupta, RS; Singh, D. (2007). Hepatomodulatory role of *Enicostemma littorale* Blume against oxidative stress induced liver injury in rats. *African Journal of Agricultural Research*. 2: 131-138.
- Gupta, SS; Sanyal, B. (1979). CORROSION OF STEEL BY CHLORINATED SOLVENTS AND ITS INHIBITION .1. FACTORS AFFECTING THE DECOMPOSITION OF CCl₄ AND ITS ACTION ON MILD-STEEL. 14: 155-159.
- Gurtler, KR; Kleinermaans, K. (1994). PHOTOOXIDATION OF EXHAUST POLLUTANTS .2. PHOTOOXIDATION OF CHLOROMETHANES - DEGRADATION EFFICIENCIES, QUANTUM YIELDS AND PRODUCTS. *Chemosphere*. 28: 1289-1298.
- Gururaja, MP; Joshi, AB; Joshi, H; Sathyanarayana, D; Subrahmanyam, EV; Chandrashekhar, KS. (2009). Attenuation of carbon tetrachloride-induced hepatotoxicity by cow urine distillate in rats. *Biomed Environ Sci*. 22: 345-347. [http://dx.doi.org/10.1016/S0895-3988\(09\)60066-0](http://dx.doi.org/10.1016/S0895-3988(09)60066-0).
- Gutierrez-Ortiz, JI; de Rivas, B; Lopez-Fonseca, R; Gonzalez-Velasco, JR. (2005). Effect of the presence of n-hexane on the catalytic combustion of chlororganics over *cena-zirconia* mixed oxides. *Catalysis Today*. 107-08: 933-941. <http://dx.doi.org/10.1016/j.cattod.2005.07.045>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ha, YL; Chakraborty, AK. (1994). CHARACTERIZATION OF CROWN-ETHERS AS MACROCYCLIC ELEMENTS FOR ROTAXANE PREPARATION - A MONTE-CARLO SIMULATION. *Chem Eng Sci.* 49: 2859-2866.
- Haas, JR; Shock, EL. (1999). Halocarbons in the environment: Estimates of thermodynamic properties for aqueous chloroethylene species and their stabilities in natural settings. *Geochim Cosmo Acta.* 63: 3429-3441.
- Häbich, A; Qiao, GG; Ducker, W. (2010). Enantioselective adsorption of surfactants monitored by ATR-FTIR. *Langmuir.* 26: 13944-13953. <http://dx.doi.org/10.1021/la101641r>.
- Hachiya, N; Motohashi, Y. (2000). Examination of lacZ mutant induction in the liver and testis of Muta(TM)Mouse following injection of halogenated aliphatic hydrocarbons classified as human carcinogens. *Ind Health.* 38: 213-220. <http://dx.doi.org/10.2486/indhealth.38.213>.
- Hadidi, K; Cohn, DR; Vitale, S; Bromberg, L. (1999). Economic study of the tunable electron beam plasma reactor for volatile organic compound treatment. *J Air Waste Manag Assoc.* 49: 225-228.
- Haehner, BD; Gorski, JC; Vandenbranden, M; Wrighton, SA; Janardan, SK; Watkins, PB; Hall, SD. (1996). Bimodal distribution of renal cytochrome P450 3A activity in humans. *Mol Pharmacol.* 50: 52-59.
- Hafeman, DG; Hoekstra, WG. (1977). Protection against carbon tetrachloride-induced lipid peroxidation in the rat by dietary vitamin E, selenium and methionine as measured by ethane evolution. *J Nutr.* 107: 656-665.
- Haggerty, R; Gorelick, SM. (1994). DESIGN OF MULTIPLE CONTAMINANT REMEDIATION - SENSITIVITY TO RATE-LIMITED MASS-TRANSFER. *Water Resour Res.* 30: 435-446.
- Hagmar, L; Bonassi, S; Strömberg, U; Brøgger, A; Knudsen, LE; Norppa, H; Reuterwall, C. (1988). Chromosomal aberrations in lymphocytes predict human cancer: a report from the European Study Group on Cytogenetic Biomarkers and Health (ESCH). *Cancer Res.* 58: 4117-4121.
- Hagmar, L; Strömberg, U; Bonassi, S; Hansteen, IL; Knudsen, LE; Lindholm, C; Norppa, H. (2004). Impact of types of lymphocyte chromosomal aberrations on human cancer risk: Results from Nordic and Italian cohorts. *Cancer Res.* 64: 2258-2263. <http://dx.doi.org/10.1158/0008-5472.CAN-03-3360>.
- Haider, N; Husain, D. (1993). KINETIC-STUDIES OF THE REACTIONS OF GROUND-STATE ATOMIC CARBON, C(2P(2)((3)P(J))), WITH HALOGENATED METHANES INVESTIGATED BY TIME-RESOLVED ATOMIC RESONANCE-ABSORPTION SPECTROSCOPY IN THE VACUUM ULTRA-VIOLET. *Combust Flame.* 93: 327-335.
- Hakkola, J; Raunio, H; Purkunen, R; Pelkonen, O; Saarikoski, S; Cresteil, T; Pasanen, M. (1996). Detection of cytochrome P450 gene expression in human placenta in first trimester of pregnancy. *Biochem Pharmacol.* 52: 379-383. [http://dx.doi.org/10.1016/0006-2952\(96\)00216-X](http://dx.doi.org/10.1016/0006-2952(96)00216-X).
- Halasz, J; Imre, B; Hannus, I. (2004). IR spectroscopic investigation of hydrodechlorination on Pt-containing zeolites. *Appl Catal A-Gen.* 271: 47-53. <http://dx.doi.org/10.1016/j.apcata.2004.02.045>.
- Hall, BD; Engel, A; Muehle, J; Elkins, JW; Artuso, F; Atlas, E; Aydin, M; Blake, D; Brunke, EG; Chiavarini, S; Fraser, PJ; Happell, J; Krummel, PB; Levin, I; Loewenstein, M; Maione, M; Montzka, SA; O'Doherty, S; Reimann, S; Rhoderick, G; Saltzman, ES; Scheel, HE; Steele, LP; Vollmer, MK; Weiss, RF; Worthy, D; Yokouchi, Y. (2014). Results from the International Halocarbons in Air Comparison Experiment (IHALACE). *Atmos Meas Tech.* 7: 469-490. <http://dx.doi.org/10.5194/amt-7-469-2014>.
- Hall, CR; Holmes, RJ. (1993). THE PREPARATION AND PROPERTIES OF SOME CHLORINATED ACTIVATED CARBONS .2. FURTHER OBSERVATIONS. *Carbon.* 31: 881-886.
- Hall, TM; Haine, TWN; Waugh, DW. (2002). Inferring the concentration of anthropogenic carbon in the ocean from tracers. *Global Biogeochem Cycles.* 16. <http://dx.doi.org/10.1029/2001GB001835>.
- Halliwell, B; Gutteridge, J. (1999). *Free Radicals in Biology and Medicine.* New York: Oxford University Press.
- Hamlin, GP; Kholkute, SD; Dukelow, WR. (1993). Toxicology of maternally ingested carbon tetrachloride (CCl₄) on embryonal and fetal development and in vitro fertilization in mice. *Zool Sci.* 10: 111-116.
- Han, J; Gao, C; Yang, S; Wang, J; Tan, D. (2014). Betanin attenuates carbon tetrachloride (CCl₄)-induced liver injury in common carp (*Cyprinus carpio* L.). *Fish Physiol Biochem.* 40: 865-874. <http://dx.doi.org/10.1007/s10695-013-9892-5>.
- Han, JC; Song, JI; Park, SW; Woo, D. (2002). Growth of ultrahigh carbon-doped InGaAs and its application to InP/InGaAs(C) HBTs. *I E E E Transactions on Electron Devices.* 49: 1-6.
- Han, Y; Chen, ZL; Shen, JM; Wang, JH; Li, WW; Li, J; Wang, BY; Tong, LN. (2017). The role of Cu(II) in the reduction of N-nitrosodimethylamine with iron and zinc. *Chemosphere.* 167: 171-177. <http://dx.doi.org/10.1016/j.chemosphere.2016.09.118>.
- Han, Y; Hyun, S; Jeong, HY; Hayes, K. (2012). Kinetic study of cis-dichloroethylene (cis-DCE) and vinyl chloride (VC) dechlorination using green rusts formed under varying conditions. *Water Res.* 46: 6339-6350. <http://dx.doi.org/10.1016/j.watres.2012.08.041>.
- Han, Y; Li, W; Zhang, M; Tao, K. (2008). Catalytic dechlorination of monochlorobenzene with a new type of nanoscale Ni(B)/Fe(B) bimetallic catalytic reductant. *Chemosphere.* 72: 53-58. <http://dx.doi.org/10.1016/j.chemosphere.2008.02.00>.
- Han, Y; Yan, W. (2016). Reductive Dechlorination of Trichloroethene by Zero-valent Iron Nanoparticles: Reactivity Enhancement through Sulfidation Treatment. *Environ Sci Technol.* 50: 12992-13001. <http://dx.doi.org/10.1021/acs.est.6b03997>.
- Hanabusa, K; Watanabe, Y; Kimura, M; Koyama, T; Shirai, H. (1996). Two component type of organogel-forming agent working by intermolecular hydrogen bonding. *Sen'i Gakkaishi.* 52: 129-136.
- Hanna, K; Kone, T; Ruby, C. (2010). Fenton-like oxidation and mineralization of phenol using synthetic Fe(II)-Fe(III) green rusts. *Environ Sci Pollut Res Int.* 17: 124-134. <http://dx.doi.org/10.1007/s11356-009-0148-y>.
- Hannus, I. (1999). Adsorption and transformation of halogenated hydrocarbons over zeolites. *Appl Catal A-Gen.* 189: 263-276.
- Hannus, I; Halasz, J. (2006). Hydrodechlorination over zeolite supported catalysts - Clarification of reaction mechanism. *J Jpn Petrol Inst.* 49: 105-113.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Hannus, I; Konya, Z; Nagy, JB; Lentz, P; Kiricsi, I. (1998). Solid state MAS NMR investigation of Y-type zeolites reacted with chlorofluorocarbons. *Appl Catal B-Environ.* 17: 157-166.
- Hanoch, RJ; Shao, H; Butler, EC. (2006). Transformation of carbon tetrachloride by bisulfide treated goethite, hematite, magnetite, and kaolinite. *Chemosphere.* 63: 323-334. <http://dx.doi.org/10.1016/j.chemosphere.2005.07.016>.
- Hansch, C; Leo, A; Hoekman, D. (1995). Exploring QSAR: Hydrophobic, electronic, and steric constants. In C Hansch; A Leo; DH Hoekman (Eds.), *ACS Professional Reference Book*. Washington, DC: American Chemical Society.
- Hansen, M. (1989). *Pathophysiology: Foundations of Disease and Clinical Intervention Disorders of somatic and motor autonomic function*. Philadelphia: W.B. Saunders Company.
- Hansen, MF; Cavenee, WK. (1987). Genetics of cancer predisposition [Review]. *Cancer Res.* 47: 5518-5527.
- Hanson, AW; Stockman, SA; Stillman, GE. (1992). INP/INO.53GA0.47AS HETEROJUNCTION BIPOLAR-TRANSISTORS WITH A CARBON-DOPED BASE GROWN BY MOCVD. *I E E E Electron Device Letters.* 13: 504-506.
- Hansson, EB; Odziemkowski, MS; Gillham, RW. (2008). Influence of Na₂S on the degradation kinetics of CCl₄ in the presence of very pure iron. *J Contam Hydrol.* 98: 128-134. <http://dx.doi.org/10.1016/j.jconhyd.2008.02.00>.
- Hantal, G; Terleczyk, P; Horvai, G; Nyulaszi, L; Jedlovsky, P, al. (2009). Molecular Level Properties of the Water-Dichloromethane Liquid/Liquid Interface, as Seen from Molecular Dynamics Simulation and Identification of Truly Interfacial Molecules Analysis. *J Phys Chem C.* 113: 19263-19276. <http://dx.doi.org/10.1021/jp906290b>.
- Hao, X; Ling, Q; Hong, F. (2014). Effects of dietary selenium on the pathological changes and oxidative stress in loach (*Paramisgurnus dabryanus*). *Fish Physiol Biochem.* 40: 1313-1323. <http://dx.doi.org/10.1007/s10695-014-9926-7>.
- Happell, JD; Mendoza, Y; Goodwin, K. (2014). A reassessment of the soil sink for atmospheric carbon tetrachloride based upon static flux chamber measurements. *J Atmos Chem.* 71: 113-123. <http://dx.doi.org/10.1007/s10874-014-9285-x>.
- Happell, JD; Wallace, DWR. (1998). Removal of atmospheric CCl₄ under bulk aerobic conditions in groundwater and soils. *Environ Sci Technol.* 32: 1244-1252.
- Hard, GC; Seely, JC. (2005). Recommendations for the interpretation of renal tubule proliferative lesions occurring in rat kidneys with advanced chronic progressive nephropathy (CPN). *Toxicol Pathol.* 33: 641-649. <http://dx.doi.org/10.1080/01926230500299716>.
- Hardtdegen, H; Raafat, T; Hollfelder, M; Ungermans, C. (1995). A NEW METHOD FOR CONTROLLED CARBON DOPING IN LP-MOVPE OF GAAS USING TMAS AND MIXTURES OF TMGA/TEGA. *J Cryst Growth.* 156: 333-336.
- Hardtdegen, H; Ungermans, C; Wirtz, K; Guggi, D; Herion, J; Siekmann, H; Luth, H. (1994). HEAVY CARBON DOPING IN LOW-PRESSURE METALORGANIC VAPOR-PHASE EPITAXY OF GAAS USING TRIMETHYLARSENIC - A COMPARISON BETWEEN THE CARRIER GASES N-2 AND H-2. *J Cryst Growth.* 145: 440-446.
- Harendra, S; Vipulanandan, C. (2010). Kinetics and Reductive Degradation of Surfactant-Solublized CCl₄ in Water Using Bimetallic Particles. *Ind Eng Chem Res.* 49: 8812-8820. <http://dx.doi.org/10.1021/ie1001372>.
- Hari, T; Nakajo, K; Huang, LW; Kojima, Y; Ozawa, S; Matsuda, H. (2002). Influence of the coexistence gas and in-situ solid absorbent on the decomposition of covalent chlorides and fluorides by non-thermal plasma. *Kagaku Kogaku Ronbunshu.* 28: 522-527.
- Harle, V; Rose, B; Robein, D; Gao, Y; Landsbeck, E; Scholz, F. (1992). CHLORINE ASSISTED SELECTIVE AREA EPITAXY IN AP-MOVPE OF INP - INFLUENCE OF CCL4 ON GROWTH AND ON ZN AND SI INCORPORATION. *J Cryst Growth.* 124: 260-264.
- Harmon, TC; Semprini, L; Roberts, PV. (1992). SIMULATING SOLUTE TRANSPORT USING LABORATORY-BASED SORPTION PARAMETERS. *J Environ Eng.* 118: 666-689.
- Harris, CC. (1991). Chemical and physical carcinogenesis: advances and perspectives for the 1990s [Review]. *Cancer Res.* 51: 5023s-5044s.
- Hart, RN; Setlow, RB. (1974). Correlation between deoxyribonucleic acid excision-repair and lifespan in a number of mammalian species. *Proc Natl Acad Sci USA.* 71: 2169-2173.
- Hasegawa, K; Fusumae, H; Miyahara, S; Shinohara, M; Matsuyama, M; Watanabe, K. (1994). ACCELERATION OF THE UV-STIMULATED HT OXIDATION BY CCL4. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxicol.* 29: 281-299.
- Haselmann, KF; Ketola, RA; Laternus, F; Lauritsen, FR; Gron, C. (2000). Occurrence and formation of chloroform at Danish forest sites. *Atmos Environ.* 34: 187-193.
- Haselmann, KF; Laternus, F; Gron, C. (2002). Formation of chloroform in soil. A year-round study at a Danish spruce forest site. *Water Air Soil Pollut.* 139: 35-41.
- Haselmann, KF; Laternus F; Svensmark, B; Gron, C. (2000). Formation of chloroform in spruce forest soil - results from laboratory incubation studies. *Chemosphere.* 41: 1769-1774.
- Hashsham, SA; Scholze, R; Freedman, DL. (1995). COBALAMIN-ENHANCED ANAEROBIC BIOTRANSFORMATION OF CARBON-TETRACHLORIDE. *Environ Sci Technol.* 29: 2856-2863. <http://dx.doi.org/10.1021/es00011a023>.
- Hassan, MH; Edfawy, M; Mansour, A; Hamed, AA. (2012). Antioxidant and antiapoptotic effects of capsaicin against carbon tetrachloride-induced hepatotoxicity in rats. *Toxicol Ind Health.* 28: 428-438. <http://dx.doi.org/10.1177/0748233711413801>.
- Hatch, S. R.; Polizzotti, RS; Dougal, S; Rabinowitz, P. (1993). IN-SITU SURFACE VIBRATIONAL SPECTROSCOPY OF THE VAPOR SOLID AND LIQUID-SOLID INTERFACES OF ACETONITRILE ON ZRO₂. *Journal of Vacuum Science and Technology A.* 11: 2232-2238.
- Hattis, D; Chu, M; Rahmioglu, N; Goble, R; Verma, P; Hartman, K; Kozlak, M. (2009). A preliminary operational classification system for nonmutagenic modes of action for carcinogenesis [Review]. *Crit Rev Toxicol.* 39: 97-138. <http://dx.doi.org/10.1080/10408440802307467>.
- Havlik, T; Kammel, R. (1995). LEACHING OF CHALCOPYRITE WITH ACIDIFIED FERRIC-CHLORIDE AND CARBON-TETRACHLORIDE ADDITION. *Miner Eng.* 8: 1125-1134.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Hayashi, H; Kanie, K; Shinoda, K; Muramatsu, A; Suzuki, S; Sasaki, H. (2009). pH-dependence of selenate removal from liquid phase by reductive Fe(II)-Fe(III) hydroxysulfate compound, green rust. *Chemosphere*. 76: 638-643. <http://dx.doi.org/10.1016/j.chemosphere.2009.04.037>.
- He, DS; Ma, M; Zhao, ZH. (2000). Transport of cadmium ions through a liquid membrane containing amine extractants as carriers. *J Memb Sci*. 169: 53-59.
- He, H; Wu, D; Zhao, L; Luo, C; Dai, C; Zhang, Y. (2016). Sequestration of chelated copper by structural Fe(II): Reductive decomplexation and transformation of Cu(II)-EDTA. *J Hazard Mater*. 309: 116-125. <http://dx.doi.org/10.1016/j.jhazmat.2016.02.009>.
- He, J; Wang, F; Wu, Y; Huang, Y; Zhang, H. (2011). Preparation of the water-soluble chitosan-coated oxidized regenerated cellulose gauze. *Cellulose*. 18: 1651-1659. <http://dx.doi.org/10.1007/s10570-011-9582-3>.
- He, J; Wu, Y, aD; Wang, F; Cheng, W; Huang, Y, uD; Fu, B, o. (2014). Hemostatic, Antibacterial and Degradable Performance of the Water-soluble Chitosan-coated Oxidized Regenerated Cellulose Gauze. *Fibers and Polymers*. 15: 504-509. <http://dx.doi.org/10.1007/s12221-014-0504-5>.
- He, JH; Ela, WP; Betterton, EA; Arnold, RG; Saez, AE. (2004). Reductive dehalogenation of aqueous-phase chlorinated hydrocarbons in an electrochemical reactor. *Ind Eng Chem Res*. 43: 7965-7974. <http://dx.doi.org/10.1021/ie049568x>.
- He, JH; Saez, AE; Ela, WP; Betterton, EA; Arnold, RG. (2004). Destruction of aqueous-phase carbon tetrachloride in an electrochemical reactor with a porous cathode. *Ind Eng Chem Res*. 43: 913-923. <http://dx.doi.org/10.1021/ie030591c>.
- He, M; Guo, Y; Zhong, Q, iu; Zhang, Y. (2010). A new correlation on predicting self- and mutual-diffusion coefficient of Lennard-Jones chain fluid. *Fluid Phase Equilibria*. 291: 166-173. <http://dx.doi.org/10.1016/j.fluid.2009.12.014>.
- He, YM; Jiang, RF; Yang, YY; Huang, ZQ; Ouyang, GF. (2007). Excess molar volumes and surface tensions of 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene with 1,1-diethoxyethane and 2,2-dimethoxypropane at (298.15, 308.15, and 313.15) K. *Journal of Chemical and Engineering Data*. 52: 884-888. <http://dx.doi.org/10.1021/je060490w>.
- He, YT; Wilson, JT; Su, C; Wilkin, RT. (2015). Review of Abiotic Degradation of Chlorinated Solvents by Reactive Iron Minerals in Aquifers. *Ground Water Monitoring and Remediation*. 35: 57-75. <http://dx.doi.org/10.1111/gwmr.12111>.
- He, YT; Wilson, JT; Wilkin, RT. (2008). Transformation of reactive iron minerals in a permeable reactive barrier (biowall) used to treat TCE in groundwater. *Environ Sci Technol*. 42: 6690-6696. <http://dx.doi.org/10.1021/es8010354>.
- He, YT; Wilson, JT; Wilkin, RT. (2010). Impact of iron sulfide transformation on trichloroethylene degradation. *Geochim Cosmo Acta*. 74: 2025-2039. <http://dx.doi.org/10.1016/j.gca.2010.01.013>.
- He, Z; Yang, GP; Lu, XL. (2013). Distributions and sea-to-air fluxes of volatile halocarbons in the East China Sea in early winter. *Chemosphere*. 90: 747-757. <http://dx.doi.org/10.1016/j.chemosphere.2012.09.067>.
- Hebert, A; Forestier, D; Lenes, D; Benanou, D; Jacob, S; Arfi, C; Lambomez, L; Levi, Y. (2010). Innovative method for prioritizing emerging disinfection by-products (DBPs) in drinking water on the basis of their potential impact on public health. *Water Res*. 44: 3147-3165. <http://dx.doi.org/10.1016/j.watres.2010.02.004>.
- Heck, JE; Park, AS; Qiu, J; Cockburn, M; Ritz, B. (2013). An exploratory study of ambient air toxics exposure in pregnancy and the risk of neuroblastoma in offspring. *Environ Res*. 127: 1-6. <http://dx.doi.org/10.1016/j.envres.2013.09.002>.
- Heeba, GH; Mahmoud, ME. (2014). Therapeutic potential of morin against liver fibrosis in rats: Modulation of oxidative stress, cytokine production and nuclear factor kappa B. *Environ Toxicol Pharmacol*. 37: 662-671. <http://dx.doi.org/10.1016/j.etap.2014.01.026>.
- Heilmaier, HE; Greim, H; Summer, KH. (1989). Metallothionein Induction in Mice by CCl4: Hepatic Zn-Status and Distribution of Administered Cd. *Toxicol Environ Chem*. 23: 73-78.
- Heinichen, H; Heyl, A; Rutsch, O; Weichmann, J. (2001). Modeling of the complex chemical kinetics of the thermal decomposition of tetrachloromethane in methane. *Chem Eng Sci*. 56: 1381-1386.
- Helland, BR; Alvarez, PJJ; Schnoor, JL. (1995). REDUCTIVE DECHLORINATION OF CARBON-TETRACHLORIDE WITH ELEMENTAL IRON. *J Hazard Mater*. 41: 205-216.
- Hellmér, L; Bolcsfoldi, G. (1992). An evaluation of the E. coli K-12 uvrB/recA DNA repair host-mediated assay: I. In vitro sensitivity of the bacteria to 61 compounds. *Mutat Res*. 272: 145-160. [http://dx.doi.org/10.1016/0165-1161\(92\)90043-L](http://dx.doi.org/10.1016/0165-1161(92)90043-L).
- Helmig, D; Apel, E; Blake, D; Ganzeveld, L; Lefer, BL; Meinardi, S; Swanson, AL. (2009). Release and uptake of volatile inorganic and organic gases through the snowpack at Niwot Ridge, Colorado. *Biogeochemistry*. 95: 167-183. <http://dx.doi.org/10.1007/s10533-009-9326-8>.
- Helot, M; Chevolleau, T; Vallier, L; Joubert, O; Blanquet, E; Pisch, A; Mangiagalli, P; Lill, T. (2006). Plasma etching of HfO₂ at elevated temperatures in chlorine-based chemistry. *Journal of Vacuum Science and Technology A*. 24: 30-40. <http://dx.doi.org/10.1116/1.2134707>.
- Henderson, AD; Demond, AH. (2007). Long-term performance of zero-valent iron permeable reactive barriers: A critical review. *Environ Eng Sci*. 24: 401-423. <http://dx.doi.org/10.1089/ees.2006.0071>.
- Henglein, A. (1998). Colloidal silver nanoparticles: Photochemical preparation and interaction with O₂, CCl₄, and some metal ions. *Chem Mater*. 10: 444-450. <http://dx.doi.org/10.1021/cm970613j>.
- Heo, J, eeln; Kim, JH; Lee, JM, in; Kho, YJ; Lim, SS; Park, J, aeB; Kim, J; Kim, SC; Lee, J, aeY. (2016). FOXO3a Activation by oxyresveratrol of *Morus bombycis koidzumi* extract mediates antioxidant activity. *Animal Cells and Systems*. 20: 39-47. <http://dx.doi.org/10.1080/19768354.2016.1143030>.
- Heric, EL; Yeh, KN. (1970). NAPHTHALENE SOLUBILITY IN CYCLOHEXANE, CARBON TETRACHLORIDE, AND MIXED SOLVENTS THEREOF BETWEEN 10 DEGREES AND 70 DEGREES C. *Journal of Chemical and Engineering Data*. 15: 13-&.
- Hermon, H; Roth, M; Nissenbaum, J; Schieber, M; Shamir, J. (1991). STOICHIOMETRY AND ELECTRICAL CHARGE TRANSPORT IN HGI₂ CRYSTALS. *J Cryst Growth*. 109: 376-384.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Hernandez, MA; Gonzalez, A, nal; Rojas, F; Asomoza, M; Solis, S; Portillo, R. (2007). Adsorption of chlorinated compounds (chlorobenzene, chloroform, and carbon tetrachloride) on microporous SiO₂, Ag-doped SiO₂ and natural and dealuminated clinoptilolites. *Ind Eng Chem Res.* 46: 3373-3381. <http://dx.doi.org/10.1021/ie061041s>.
- Hernandez, MA; Gonzalez, AI; Corona, L; Hernandez, F; Rojas, F; Asomoza, M; Solis, S; Portillo, R; Salgado, MA. (2009). Chlorobenzene, chloroform, and carbon tetrachloride adsorption on undoped and metal-doped sol-gel substrates (SiO₂), Ag/SiO₂), Cu/SiO₂) and Fe/SiO₂)). *J Hazard Mater.* 162: 254-263. <http://dx.doi.org/10.1016/j.jhazmat.2008.05.05>.
- Hernandez, R; Zappi, M; Kuo, CH. (2004). Chloride effect on TNT degradation by zerovalent iron or zinc during water treatment. *Environ Sci Technol.* 38: 5157-5163. <http://dx.doi.org/10.1021/es049815o>.
- Hernandez-Maldonado, AJ; Stamatis, SD; Yang, RT; He, AZ; Cannella, W. (2004). New sorbents for desulfurization of diesel fuels via pi complexation: Layered beds and regeneration. *Ind Eng Chem Res.* 43: 769-776.
- Herrick, DE; Holder, GD; Shah, YT. (1988). ACCELERATION OF CHLORINATION OF ALUMINA USING SUPERCRITICAL CCL₄. *AIChE J.* 34: 669-671.
- Heylen, I; Vansant, EF. (1997). The difference in adsorption capacity between Fe-PILCs and modified Fe-BuA- and Fe-Zr-PILCs. *10: 41-50*.
- Heymann, D; Cataldo, F; Fokkens, R; Nibbering, NMM; Vis, RD. (1999). Loss of chlorine from C-60 and C-70 chlorides. *Fullerene Sci Technol.* 7: 159-180.
- Hfaiedh, M; Brahmi, D; Zourgui, L. (2016). Hepatoprotective effect of Taraxacum officinale leaf extract on sodium dichromate-induced liver injury in rats. *Environ Toxicol.* 31: 339-349. <http://dx.doi.org/10.1002/tox.22048>.
- Higami, Y; Tsuchiya, T; To, K; Chiba, T; Yamaza, H; Shiokawa, D; Tanuma, S; Shimokawa, I. (2004). Expression of DNase gamma during Fas-independent apoptotic DNA fragmentation in rodent hepatocytes. *Cell Tissue Res.* 316: 403-407. <http://dx.doi.org/10.1007/s00441-004-0890-x>.
- Higgo, JJW; Nielsen, PH; Bannon, MP; Harrison, I; Christensen, TH. (1996). Effect of geochemical conditions on fate of organic compounds in groundwater. *Environ Geol.* 27: 335-346.
- Hill, GD; Pace, V; Persohn, E; Bresser, C; Haseman, JK; Tischler, AS; Nyska, A. (2003). A comparative immunohistochemical study of spontaneous and chemically induced pheochromocytomas in B6C3F1 mice. *Endocr Pathol.* 14: 81-91.
- Himmelheber, DW; Taillefert, M; Pennell, KD; Hughes, JB. (2008). Spatial and temporal evolution of biogeochemical processes following in situ capping of contaminated sediments. *Environ Sci Technol.* 42: 4113-4120. <http://dx.doi.org/10.1021/es702626x>.
- Hinsby, K; Hojberg, AL; Engesgaard, P; Jensen, KH; Larsen, F; Plummer, LN; Busenberg, E. (2007). Transport and degradation of chlorofluorocarbons (CFCs) in the pyritic Rabis Creek aquifer, Denmark. *Water Resour Res.* 43. <http://dx.doi.org/10.1029/2006WR005854>.
- Hirai, H; Shiraiishi, Y. (2007). Regioselective carboxylation of aromatic compounds using cyclodextrin as mediator. *React Funct Polym.* 67: 1115-1128. <http://dx.doi.org/10.1016/j.reactfunctpolym.2007.07.013>.
- Hirata, K; Mikami, O; Saitoh, T. (1984). DIRECT TRANSFER OF RESIST GRATING PATTERNS ONTO INP BY REACTIVE-ION ETCHING USING CCL₄/O₂. 2: 45-48.
- Hirota, K; Hakoda, T; Taguchi, M; Takigami, M; Kim, H; Kojima, T. (2003). Application of electron beam for the reduction of PCDD/F emission from municipal solid waste incinerators. *Environ Sci Technol.* 37: 3164-3170. <http://dx.doi.org/10.1021/es021076t>.
- Hirota, K; Sakai, H; Washio, M; Kojima, T. (2004). Application of electron beams for the treatment of VOC streams. *Ind Eng Chem Res.* 43: 1185-1191. <http://dx.doi.org/10.1021/ie0340746>.
- Hirst, SM; Karakoti, A; Singh, S; Self, W; Tyler, R; Seal, S; Reilly, CM. (2013). Bio-distribution and in vivo antioxidant effects of cerium oxide nanoparticles in mice. *Environ Toxicol.* 28: 107-118. <http://dx.doi.org/10.1002/tox.20704>.
- Hlaiebi, M; Tbeur, N; Benjjar, A; Kamal, O; Lebrun, L. (2011). Carbohydrate-resorcinarene complexes involved in the facilitated transport of alditols across a supported liquid membrane. *J Memb Sci.* 377: 231-240. <http://dx.doi.org/10.1016/j.memsci.2011.04.055>.
- Hobson, WS; Pearton, SJ; Abernathy, CR; Ren, F; Lothian, J. R. (1993). SELECTIVE REGROWTH OF INP AND GAAS BY ORGANOMETALLIC VAPOR-PHASE EPITAXY AND METALORGANIC MOLECULAR-BEAM EPITAXY AROUND DRY-ETCHED FEATURES. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures.* 11: 536-541.
- Hobson, WS; Pearton, SJ; Lopata, JL. (1993). SELECTIVE REGROWTH OF III-V EPITAXIAL LAYERS BY LOW-PRESSURE ORGANOMETALLIC VAPOR-PHASE EPITAXY USING CCL₄. *Journal of Vacuum Science and Technology A.* 11: 1006-1010.
- Hobson, WS; Pearton, SJ; Ren, F; Cheng, Y; Kozuch, DM; Stavola, M; Geva, M. (1993). CARBON-DOPED GAAS AND ALGAAS GROWN BY OMPVE - DOPING PROPERTIES, OXYGEN INCORPORATION, AND HYDROGEN PASSIVATION. *Mater Sci Eng B.* 20: 266-270.
- Hobson, WS; Zheng, JF; Stavola, M; Pearton, SJ. (1994). CARBON-DOPED GAAS GROWN BY ORGANOMETALLIC VAPOR-PHASE EPITAXY USING TRIS-DIMETHYLAMINOARSENIC AND CCL₄. *J Cryst Growth.* 143: 124-128.
- Hoch, M. (1997). Thermodynamics of binary and larger organic-organic and organic-water systems. *CALPHAD.* 21: 359-379.
- Hoekstra, EJ; Duyzer, JH; de Leer, EWB; Brinkman, UAT. (2001). Chloroform - concentration gradients in soil air and atmospheric air, and emission fluxes from soil. *Atmos Environ.* 35: 61-70.
- Hoff, JT; Wania, F; Mackay, D; Gillham, R. (1995). Sorption of nonpolar organic vapors by ice and snow. *Environ Sci Technol.* 29: 1982-1989. <http://dx.doi.org/10.1021/es00008a016>.
- Hofstetter, TB; Schwarzenbach, RP; Haderlein, SB. (2003). Reactivity of Fe(II) species associated with clay minerals. *Environ Sci Technol.* 37: 519-528. <http://dx.doi.org/10.1021/es025955r>.
- Hoggard, PE; Maldotti, A. (2010). Catalysis of the photodecomposition of carbon tetrachloride in ethanol by an Amberlite anion exchange resin. *J Catal.* 275: 243-249. <http://dx.doi.org/10.1016/j.jcat.2010.08.003>.
- Hohener, P; Werner, D; Balsiger, C; Pasteris, G. (2003). Worldwide occurrence and fate of chlorofluorocarbons in groundwater. *Crit Rev Environ Sci Tech.* 33: 1-29.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Holder, JW. (2012). Physical and physicochemical factors effecting transport of chlorohydrocarbon gases from lung alveolar air to blood as measured by the causation of narcosis. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev.* 30: 42-80. <http://dx.doi.org/10.1080/10590501.2012.653888>.
- Holgado, MED; Deschaefer, CR; Arancibia, EL; Katz, M. (1994). EXCESS MOLAR VOLUMES AND VISCOSITIES OF BINARY-MIXTURES OF BIS(2-METHOXYL)ETHER (DIGLYME) WITH CHLOROALKANES AT 298.15-K. *Fluid Phase Equilibria.* 95: 299-312.
- Holly, EA; Aston, DA; Ahm, DK; Smith, AH. (1996). Intraocular Melanoma Linked to Occupations and Chemical Exposures. *Epidemiology.* 7: 55-61. <http://dx.doi.org/10.1097/00001648-199601000-00010>.
- Holt, BD; Heraty, LJ; Sturchio, NC. (2001). Extraction of chlorinated aliphatic hydrocarbons from groundwater at micromolar concentrations for isotopic analysis of chlorine. *Environ Pollut.* 113: 263-269.
- Holte, LK; Kuran, BA; Richmond, GL; Johnson, KE. (2014). Computational Modeling of Lauric Acid at the Organic-Water Interface. *J Phys Chem C.* 118: 10024-10032. <http://dx.doi.org/10.1021/jp411985c>.
- Hong, FCN; Hsieh, JC; Wu, JJ; Liang, GT; Hwang, JH. (1993). LOW-TEMPERATURE DEPOSITION OF DIAMOND USING CHLOROMETHANE IN A HOT-FILAMENT CHEMICAL-VAPOR-DEPOSITION REACTOR. *Diam Relat Mater.* 2: 365-372.
- Hong, IH; Ji, H; Hwa, SY; Jeong, WI; Jeong, DH; Do, SH; Kim, JM; Ki, MR; Park, JK; Goo, MJ; Hwang, OK; Hong, KS; Han, JY; Chung, HY; Jeong, KS. (2011). The protective effect of ENA Actimineral resource A on CCl₄-induced liver injury in rats. *Mar Biotechnol.* 13: 462-473. <http://dx.doi.org/10.1007/s10126-010-9317-8>.
- Hong, KS; Pavlidis, D. (1996). Growth and characterization of heavily carbon doped InGaAs lattice matched to InP by LP-MOCVD using liquid CCl₄. *Journal of Electronic Materials.* 25: 449-455.
- Hong, SC; Kim, HJ; Lee, YR; Noh, SK; Lyoo, WS. (2006). Polymerization of vinyl acetate catalyzed by a Cu(I) complex having a phosphorous ligand. *J Ind Eng Chem.* 12: 60-68.
- Honma, T. (1990). Effects of trichloroethylene, 1,1,1-trichloroethane and carbon tetrachloride on plasma lipoproteins of rats. *Ind Health.* 28: 159-174.
- Honma, T; Suda, M. (1997). Changes in plasma lipoproteins as toxicity markers for carbon tetrachloride, chloroform, and dichloromethane. *Ind Health.* 35: 519-531.
- Hooker, PD; Klabunde, KJ. (1994). DESTRUCTIVE ADSORPTION OF CARBON-TETRACHLORIDE ON IRON(III) OXIDE. *Environ Sci Technol.* 28: 1243-1247.
- Hooser, SB; Rosengren, RJ; Hill, DA; Mobley, SA; Sipes, IG. (1994). Vitamin A modulation of xenobiotic-induced hepatotoxicity in rodents. *Environ Health Perspect.* 102 Suppl 9: 39-43.
- Horikoshi, R; Mochida, T; Kurihara, M; Mikuriya, M. (2005). Supramolecular isomerism in self-assembled complexes from 4,4'-dipyridyl disulfide and M(hfac)₂: Coordination polymers (M = Mn) and metallamacrocycles (M = Co, Ni). *Cryst Growth Des.* 5: 243-249. <http://dx.doi.org/10.1021/cg0499109>.
- Horvath, AL. (1982). Halogenated hydrocarbons: Solubility-miscibility with water. New York, NY: Marcel Dekker, Inc.
- Hory, MA; Herino, R; Ligeon, M; Muller, F; Gaspard, F; Mihalescu, I; Vial, JC. (1995). FOURIER-TRANSFORM IR MONITORING OF POROUS SILICON PASSIVATION DURING POSTTREATMENTS SUCH AS ANODIC-OXIDATION AND CONTACT WITH ORGANIC-SOLVENTS. *Thin Solid Films.* 255: 200-203.
- Hosokawa, T; Datta, S; Sheth, AR; Brooks, NR; Young, VG; Grant, DJW. (2004). Isostructurality among five solvates of phenylbutazone. *Cryst Growth Des.* 4: 1195-1201. <http://dx.doi.org/10.1021/cg049923m>.
- Hou, CY; Lin, JH; Lin, SJ; Kuo, WC; Lin, HT. (2016). Down-regulation of CD53 expression in *Epinephelus coioides* under LPS, poly (I:C), and cytokine stimulation. *Fish Shellfish Immunol.* 51: 143-152. <http://dx.doi.org/10.1016/j.fsi.2015.11.032>.
- Hou, M; Wan, H; Liu, T; Fan, Y; Liu, X; Wang, X. (2008). The effect of different divalent cations on the reduction of hexavalent chromium by zerovalent iron. *Appl Catal B-Environ.* 84: 170-175. <http://dx.doi.org/10.1016/j.apcatb.2008.03.016>.
- Hou, N; Chai, J; Zhang, JQ; Song, J; Zhang, Y, an; Lu, J. (2016). Application of epsilon-beta fishlike phase diagrams on the microemulsion solubilizations of dense nonaqueous phase liquids. *Fluid Phase Equilibria.* 412: 211-217. <http://dx.doi.org/10.1016/j.fluid.2015.12.024>.
- Howe, RF. (2004). Zeolite catalysts for dehalogenation processes. *Appl Catal A-Gen.* 271: 3-11. <http://dx.doi.org/10.1016/j.apcata.2004.05.031>.
- Howells, SC; Black, G; Schlie, LA. (1994). O₂(A(1)DELTA(G) PRODUCTION AND OXYGEN DIFFUSION IN C60 FILMS. *Synthetic Metals.* 62: 1-7.
- Howsawkung, J; Teel, AL; Hess, TF; Crawford, RL; Watts, RJ. (2010). Simultaneous abiotic reduction-biotic oxidation in a microbial-MnO₂-catalyzed Fenton-like system. *Sci Total Environ.* 409: 439-445. <http://dx.doi.org/10.1016/j.scitotenv.2010.10.009>.
- Hozalski, RM; Zhang, L; Arnold, WA. (2001). Reduction of haloacetic acids by Fe⁰: Implications for treatment and fate. *Environ Sci Technol.* 35: 2258-2263. <http://dx.doi.org/10.1021/es001785b>.
- Hsiao, CY; Lee, CL; Ollis, DF. (1983). HETEROGENEOUS PHOTOCATALYSIS - DEGRADATION OF DILUTE-SOLUTIONS OF DICHLOROMETHANE (CH₂CL₂), CHLOROFORM (CHCL₃), AND CARBON-TETRACHLORIDE (CCL₄) WITH ILLUMINATED TiO₂ PHOTOCATALYST. *J Catal.* 82: 418-423.
- Hsiao, G; Shen, MY; Lin, KH; Lan, MH; Wu, LY; Chou, DS; Lin, CH; Su, CH; Sheu, JR. (2003). Antioxidative and hepatoprotective effects of *Androea camphorata* extract. *J Agric Food Chem.* 51: 3302-3308. <http://dx.doi.org/10.1021/jf021159t>.
- Hsieh, CT, e; Chen, W, eiYu. (2007). Gaseous adsorption of carbon tetrachloride onto carbon nanofiber arrays prepared by template-assisted synthesis. *Diam Relat Mater.* 16: 1945-1949. <http://dx.doi.org/10.1016/j.diamond.2007.08.021>.
- Hsieh, CW; Ko, WC; Ho, WJ; Chang, CK; Chen, GJ; Tsai, JC. (2016). Antioxidant and hepatoprotective effects of *Ajuga nipponensis* extract by ultrasonic-assisted extraction. *Asian Pacific Journal of Tropical Medicine.* 9: 420-425. <http://dx.doi.org/10.1016/j.apjtm.2016.03.029>.
- Hsieh, S; Horng, J. (2006). Deposition of Fe-Ni nanoparticles on Al₂O₃ for dechlorination of chloroform and trichloroethylene. *Appl Surf Sci.* 253: 1660-1665. <http://dx.doi.org/10.1016/j.apsusc.2006.03.001>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Hsouna, AB; Mongi, S; Culioli, G; Blache, Y; Ghilissi, Z; Chaabane, R; El Feki, A; Jaoua, S; Trigui, M. (2016). Protective effects of ethyl acetate fraction of *Lawsonia inermis* fruits extract against carbon tetrachloride-induced oxidative damage in rat liver. *Toxicol Ind Health*. 32: 694-706. <http://dx.doi.org/10.1177/0748233713502839>.
- Hsu, CK; Lin, WH; Yang, HW. (2013). Influence of preheating on antioxidant activity of the water extract from black soybean and color and sensory properties of black soybean decoction. *J Sci Food Agric*. 93: 3883-3890. <http://dx.doi.org/10.1002/jsfa.6373>.
- Hsu, SH; Huang, CS; Chung, TW; Gao, S. (2014). Adsorption of chlorinated volatile organic compounds using activated carbon made from *Jatropha curcas* seeds. *Taiwan Institute of Chemical Engineers Journal*. 45: 2526-2530. <http://dx.doi.org/10.1016/j.jtice.2014.05.028>.
- Hsu, YJ; Hou, CY; Lin, SJ; Kuo, WC; Lin, HT; Lin, JH. (2013). The biofunction of orange-spotted grouper (*Epinephelus coioides*) CC chemokine ligand 4 (CCL4) in innate and adaptive immunity. *Fish Shellfish Immunol*. 35: 1891-1898. <http://dx.doi.org/10.1016/j.fsi.2013.09.020>.
- Hu, J; Wang, H; Gao, Q; Guo, H. (2010). Porous carbons prepared by using metal-organic framework as the precursor for supercapacitors. *Carbon*. 48: 3599-3606. <http://dx.doi.org/10.1016/j.carbon.2010.06.008>.
- Hu, S; Li, F; Fan, Z. (2013). A convenient N₂-CCl₄ mixture plasma treatment to improve TiO₂ photocatalytic oxidation of aromatic air contaminants under both UV and visible light. *Appl Surf Sci*. 286: 228-234. <http://dx.doi.org/10.1016/j.apsusc.2013.09.052>.
- Hu, S; Li, F; Fan, Z; Gui, J. (2014). The effect of H₂-CCl₄ mixture plasma treatment on TiO₂ photocatalytic oxidation of aromatic air contaminants under both UV and visible light. *Chem Eng J*. 236: 285-292. <http://dx.doi.org/10.1016/j.cej.2013.09.098>.
- Hu, YZ. (1988). SCRUBBING CHARACTERISTICS OF CCL₄ AND C₂F₆ WITH A TITANIUM SUBLIMATION TRAP. *Journal of Vacuum Science and Technology A*. 6: 1255-1258.
- Hu, Z; Metiu, H. (2012). Halogen Adsorption on CeO₂: The Role of Lewis Acid-Base Pairing. *J Phys Chem C*. 116: 6664-6671. <http://dx.doi.org/10.1021/jp211693v>.
- Huang, CC; Lien, HL. (2010). Trimetallic Pd/Fe/Al particles for catalytic dechlorination of chlorinated organic contaminants. *Water Sci Technol*. 62: 202-208. <http://dx.doi.org/10.2166/wst.2010.303>.
- Huang, CC; Lo, SL; Lien, HL. (2012). Zero-valent copper nanoparticles for effective dechlorination of dichloromethane using sodium borohydride as a reductant. *Chem Eng J*. 203: 95-100. <http://dx.doi.org/10.1016/j.cej.2012.07.002>.
- Huang, CC; Lo, SL; Lien, HL. (2013). Synergistic effect of zero-valent copper nanoparticles on dichloromethane degradation by vitamin B-12 under reducing condition. *Chem Eng J*. 219: 311-318. <http://dx.doi.org/10.1016/j.cej.2013.01.016>.
- Huang, CC; Lo, SL; Lien, HL. (2015). Vitamin B-12-mediated hydrodechlorination of dichloromethane by bimetallic Cu/Al particles. *Chem Eng J*. 273: 413-420. <http://dx.doi.org/10.1016/j.cej.2015.03.064>.
- Huang, CC; Lo, SL; Tsai, SM, u; Lien, HL. (2011). Catalytic hydrodechlorination of 1,2-dichloroethane using copper nanoparticles under reduction conditions of sodium borohydride. *J Environ Monit*. 13: 2406-2412. <http://dx.doi.org/10.1039/c1em10370a>.
- Huang, CH, ao; Chang, Y, uHsu; Lin, HK, ai; Peng, CW, ei; Chung, W, enS; Lee, C, hiY; Chiu, HT. (2007). Phase segregation assisted morphology sculpting: Growth of graphite and silicon crystals via vapor-solid reactions. *J Phys Chem C*. 111: 4138-4145. <http://dx.doi.org/10.1021/jp0666961>.
- Huang, L; Fujita, T; Zhang, X; Matsuda, H. (2006). Influences of H₂ and O₂ and in situ Ca(OH)₂ absorption on nonthermal plasma decomposition of trichloroethylene in N₂. *Chem Eng J*. 124: 81-87. <http://dx.doi.org/10.1016/j.cej.2006.07.008>.
- Huang, LW; Nakajyo, K; Hari, T; Ozawa, S; Matsuda, H. (2001). Decomposition of carbon tetrachloride by a pulsed corona reactor incorporated with in situ absorption. *Ind Eng Chem Res*. 40: 5481-5486.
- Huang, LZ; Hansen, HC; Bjerrum, MJ. (2016). Electrochemical reduction of nitroaromatic compounds by single sheet iron oxide coated electrodes. *J Hazard Mater*. 306: 175-183. <http://dx.doi.org/10.1016/j.jhazmat.2015.12.009>.
- Huang, LZ; Hansen, HC; Daasbjerg, K. (2017). Graphene oxide-mediated rapid dechlorination of carbon tetrachloride by green rust. *J Hazard Mater*. 323: 690-697. <http://dx.doi.org/10.1016/j.jhazmat.2016.10.038>.
- Huang, MX; Peng, XM; Gu, L; Chen, GH. (2011). Pre-existing liver cirrhosis reduced the toxic effect of diethylene glycol in a rat model due to the impaired hepatic alcohol dehydrogenase. *Toxicol Ind Health*. 27: 742-753. <http://dx.doi.org/10.1177/0748233710397417>.
- Huang, P; Xu, NP; Shi, J; Lin, YS. (1996). Characterization of asymmetric ceramic membranes by modified permporometry. *J Memb Sci*. 116: 301-305.
- Huang, PH; Su, CL; Wang, CH. (2005). Porosity characteristics of rayon base activated carbon filament produced by a new heat treatment process. 37: 70-76.
- Huang, Q; Meng, Z; Zhou, R. (2012). The effect of synergy between Cr₂O₃-CeO₂ and USY zeolite on the catalytic performance and durability of chromium and cerium modified USY catalysts for decomposition of chlorinated volatile organic compounds. *Appl Catal B-Environ*. 115-116: 179-189. <http://dx.doi.org/10.1016/j.apcatb.2011.12.028>.
- Huang, R; Zheng, D; Yang, B; Wang, B, o. (2012). Preparation and simultaneous sorption of CTMAB-HTCC bentonite towards phenol and Cd(II). *Desalination and Water Treatment*. 44: 276-283. <http://dx.doi.org/10.5004/dwt.2012.3116>.
- Huang, RB; Okuno, H; Takasu, M; Shiozaki, Y; Inoue, K. (1996). Comparison of effects of xenobiotics on extrahepatic and hepatic microsomal drug-metabolizing enzymes in mice. *Environ Toxicol Pharmacol*. 1: 123-130.
- Huang, Z; Li, X, in; Yip, BD; Rubalcava, JM; Bardeen, CJ; Tang, ML. (2015). Nanocrystal Size and Quantum Yield in the Upconversion of Green to Violet Light with CdSe and Anthracene Derivatives. *Chem Mater*. 27: 7503-7507. <http://dx.doi.org/10.1021/acs.chemmater.5b03731>.
- Hugi-Cleary, D; Stoeckli, F. (2000). On the use of standard DRK isotherms in Dubinin's t/F method. *Carbon*. 38: 1309-1313.
- Hung, CH; Marinas, BJ. (1997). Role of chlorine and oxygen in the photocatalytic degradation of trichloroethylene vapor on TiO₂ films. *Environ Sci Technol*. 31: 562-568.
- Hung, CH; Marinas, BJ. (1997). Role of water in the photocatalytic degradation of trichloroethylene vapor on TiO₂ films. *Environ Sci Technol*. 31: 1440-1445.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Hung, HM; Hoffmann, MR. (1998). Kinetics and mechanism of the enhanced reductive degradation of CCl₄ by elemental iron in the presence of ultrasound. *Environ Sci Technol.* 32: 3011-3016.
- Hung, HM; Ling, FH; Hoffmann, MR. (2000). Kinetics and mechanism of the enhanced reductive degradation of nitrobenzene by elemental iron in the presence of ultrasound. *Environ Sci Technol.* 34: 1758-1763.
- Hung, WC; Fu, SH; Tseng, JJ; Chu, H; Ko, TH. (2007). Study on photocatalytic degradation of gaseous dichloromethane using pure and iron ion-doped TiO₂ prepared by the sol-gel method. *Chemosphere.* 66: 2142-2151. <http://dx.doi.org/10.1016/j.chemosphere.2006.09.037>.
- Hunger, J; Buchner, R; Kandil, ME; May, EF; Marsh, KN; Hefter, G. (2010). Relative Permittivity of Dimethylsulfoxide and N,N-Dimethylformamide at Temperatures from (278 to 328) K and Pressures from (0.1 to 5) MPa. *Journal of Chemical and Engineering Data.* 55: 2055-2065. <http://dx.doi.org/10.1021/jc9010773>.
- Hussain, T; Siddiqui, HH; Fareed, S; Vijayakumar, M; Rao, CV. (2012). Evaluation of chemopreventive effect of *Fumaria indica* against N-nitrosodiethylamine and CCl₄-induced hepatocellular carcinoma in Wistar rats. *Asian Pacific Journal of Tropical Medicine.* 5: 623-629. [http://dx.doi.org/10.1016/S1995-7645\(12\)60128-X](http://dx.doi.org/10.1016/S1995-7645(12)60128-X).
- Huston, PL; Pignatello, JJ. (1996). Reduction of perchloroalkanes by ferrioxalate-generated carboxylate radical preceding mineralization by the photo-fenton reaction. *Environ Sci Technol.* 30: 3457-3463.
- Hwang, d; Kim, YI; Cho, KH; Poudel, BK; Choi, JY; Kim, DW; Shin, YJ; Bae, ON; Yousaf, AM; Yong, CS; Kim, JO; Choi, HG. (2014). A novel solid dispersion system for natural product-loaded medicine: silymarin-loaded solid dispersion with enhanced oral bioavailability and hepatoprotective activity. *J Microencapsul.* 31: 619-626. <http://dx.doi.org/10.3109/02652048.2014.911375>.
- Hwang, I; Batchelor, B. (2002). Reductive dechlorination of chlorinated methanes in cement slurries containing Fe(II). *Chemosphere.* 48: 1019-1027.
- Hwang, S; Lee, MC; Choi, W. (2003). Highly enhanced photocatalytic oxidation of CO on titania deposited with Pt nanoparticles: kinetics and mechanism. *Appl Catal B-Environ.* 46: 49-63. [http://dx.doi.org/10.1016/S0926-3373\(03\)00162-0](http://dx.doi.org/10.1016/S0926-3373(03)00162-0).
- Hwang, WY; Miller, DL; Chen, YK; Humphrey, DA. (1994). CARBON DOPING OF INGAAS IN SOLID-SOURCE MOLECULAR-BEAM EPITAXY USING CARBON TETRABROMIDE. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures.* 12: 1193-1196.
- Hwang, YH; Yun, HI. (2011). Effects of acute hepatic and renal failure on pharmacokinetics of flunixin meglumine in rats. *Exp Anim.* 60: 187-191.
- Hyland, R; Gescher, A; Thummel, K; Schiller, C; Jheeta, P; Mynett, K; Smith, AW; Mráz, J. (1992). Metabolic oxidation and toxification of N-methylformamide catalyzed by the cytochrome P450 isoenzyme CYP2E1. *Mol Pharmacol.* 41: 259-266.
- Hyndman, DW; Dybas, MJ; Forney, L; Heine, R; Mayotte, T; Phanikumar, MS; Tatara, G; Tiedje, J; Voice, T; Wallace, R; Wiggert, D; Zhao, X; Criddle, CS. (2000). Hydraulic characterization and design of a full-scale biocurtain. *Ground Water.* 38: 462-474.
- Iijima, S; Nakamura, M; Yokoi, A; Kubota, M; Huang, L; Matsuda, H. (2011). Decomposition of dichloromethane and in situ alkali absorption of resulting halogenated products by a packed-bed non-thermal plasma reactor. *Journal of Material Cycles and Waste Management.* 13: 206-212. <http://dx.doi.org/10.1007/s10163-011-0022-0>.
- Iiyama, T; Aragaki, R; ei; Urushibara, T; Ozeki, S. (2006). Direct determination of the intermolecular structure of the adsorbed phase using in situ X-ray diffraction and reverse Monte Carlo methods. *AST.* 24: 815-821.
- Iiyama, T; Kobayashi, Y; Matsumoto, A; Nakahigashi, Y; Ozeki, S. (2005). Structural study of CHCl₃ molecular assemblies in micropores using X-ray techniques. *Adsorption.* 11: 169-172.
- Ikatsu, H; Okino, T; Nakajima, T. (1991). Ethanol and food deprivation induced enhancement of hepatotoxicity in rats given carbon tetrachloride at low concentration. *Br J Ind Med.* 48: 636-642.
- Ikatsu, H; Shinoda, S; Nakajima, T. (1998). CYP2E1 level in rat liver injured by the interaction between carbon tetrachloride and chloroform. *J Occup Health.* 40: 223-229. <http://dx.doi.org/10.1539/joh.40.223>.
- Iki, Y; KINOSHIT.M; Imoto, M. (1971). VINYL POLYMERIZATION .256. EFFECTS OF SOME METAL SALTS ON POLYMERIZATION OF METHYL METHACRYLATE INITIATED BY SYSTEM OF CELLULOSE-WATER-CARBON TETRACHLORIDE. 74: 295-&.
- ILSI. (1994). Physiological parameter values for PBPK models. Washington, DC: U.S. Environmental Protection Agency.
- Im, JK; Yoon, J; Her, N; Han, J; Zoh, KD, uk; Yoon, Y. (2015). Sonocatalytic-TiO₂ nanotube, Fenton, and CCl₄ reactions for enhanced oxidation, and their applications to acetaminophen and naproxen degradation. *Separation and Purification Technology.* 141: 1-9. <http://dx.doi.org/10.1016/j.seppur.2014.11.021>.
- Imre, B; Hannus, I; Konya, Z; Nagy, JB; Kiricsi, I. (2004). Hydrodechlorination of carbon tetrachloride on Pt-containing zeolites. *Stud Surf Sci Catal.* 154: 2536-2542.
- Inagaki, M; Watanabe, G. (1998). Stability of MoCl₅-GICs in various solutions. *Synthetic Metals.* 94: 235-238.
- Inci, I; Aydin, A. (2003). Extinction of hydroxycarboxylic acids with MIBK/toluene solutions of amines. *Journal of Sci Ind Res.* 62: 926-930.
- Indarto, A; Choi, J, aeW; Lee, H; Song, HK. (2008). Decomposition of greenhouse gases by plasma. *Environ Chem Lett.* 6: 215-222. <http://dx.doi.org/10.1007/s10311-008-0160-3>.
- Indarto, A; Choi, JW; Lee, H; Song, HK. (2006). Decomposition of CCl₄ and CHCl₃ on gliding arc plasma. *J Environ Sci.* 18: 83-89.
- Indarto, A; Yang, D, aeR; Choi, J, aeW; Lee, H; Song, HK. (2007). CCl₄ decomposition by gliding arc plasma: Role of C-2 compounds on products distribution. *Chemical Engineering Communications.* 194: 1111-1125. <http://dx.doi.org/10.1080/00986440701293363>.
- Inderjit; Dakshini, KMM. (1996). Allelopathic potential of *Pluchea lanceolata*: Comparative studies of cultivated fields. *Weed Sci.* 44: 393-396.
- Ingawale, DK; Mandlik, SK; Naik, SR. (2014). Models of hepatotoxicity and the underlying cellular, biochemical and immunological mechanism(s): A critical discussion [Review]. *Environ Toxicol Pharmacol.* 37: 118-133. <http://dx.doi.org/10.1016/j.etap.2013.08.015>.
- Insogna, S; Frison, S; Marconi, E; Bacaloni, A. (2014). Trends of volatile chlorinated hydrocarbons and trihalomethanes in Antarctica. *Int J Environ Anal Chem.* 94: 1343-1359. <http://dx.doi.org/10.1080/03067319.2014.974587>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ionel, L; Cristescu, CP; Jipa, F; Enculescu, M; Radoiu, M; Dabu, R; Zamfirescu, M; Ulmeanu, M. (2010). Nano and micro-morphology modifications of Si (100) substrate induced by femtosecond laser pulse irradiations in air, water, CCl₄ and C₂Cl₃F₃. *Optoelectronics and Advanced Materials Rapid Communications*. 4: 1920-1924.
- Iraji, A; Afzali, D; Mostafavi, A. (2013). Separation for trace amounts of gold (III) ion using ion-pair dispersive liquid-liquid microextraction prior to flame atomic absorption spectrometry determination. *Int J Environ Anal Chem*. 93: 315-324. <http://dx.doi.org/10.1080/03067319.2011.609937>.
- Ishikawa, A; Senda, R; Suzuki, K; Dale, CW; Meisel, T. (2014). Re-evaluating digestion methods for highly siderophile element and Os-187 isotope analysis: Evidence from geological reference materials. *Chem Geol*. 384: 27-46. <http://dx.doi.org/10.1016/j.chemgeo.2014.06.013>.
- Ishikawa, T; Cai, WY; Kandori, K. (1993). ADSORPTION OF MOLECULES ONTO MICROPOROUS HEMATITE. *Langmuir*. 9: 1125-1128.
- Ishiyama, T; Sato, Y; Morita, A. (2012). Interfacial Structures and Vibrational Spectra at Liquid/Liquid Boundaries: Molecular Dynamics Study of Water/Carbon Tetrachloride and Water/1,2-Dichloroethane Interfaces. *J Phys Chem C*. 116: 21439-21446. <http://dx.doi.org/10.1021/jp3073365>.
- Islam, AW; Zavvadi, A; Kabad, VN. (2012). ANALYSIS OF PARTITION COEFFICIENTS OF TERNARY LIQUID-LIQUID EQUILIBRIUM SYSTEMS AND FINDING CONSISTENCY USING UNIQUAC MODEL. *Inzynieria Chemiczna i Procesowa*. 33: 243-253. <http://dx.doi.org/10.2478/v10176-012-0022-1>.
- Isse, AA; Huang, B; Durante, C; Gennaro, A. (2012). Electrocatalytic dechlorination of volatile organic compounds at a copper cathode. Part I: Polychloromethanes. *Appl Catal B-Environ*. 126: 347-354. <http://dx.doi.org/10.1016/j.apcatb.2012.07.004>.
- Itaya, Y; Saito, Y; Hatano, S; Kobayashi, N; Kobayashi, J; Mori, S. (2004). Thermal radiation characteristics of coal char/ash particles dispersed in a gasification furnace. *J Chem Eng Jpn*. 37: 1367-1372.
- Ito, A; Tazaki, K; Fujii, M. (1992). TEMPERATURE EFFECT ON THE CONCENTRATION OF VAPORS OF ORGANIC-SOLVENTS IN NITROGEN BY USE OF SILICONE-RUBBER HOLLOW-FIBER MEMBRANES. *Kagaku Kogaku Ronbunshu*. 18: 259-262.
- Ito, T; Meyer, GJ. (2007). Heme-Mediated Reduction of Organohalide Pollutants at Nanocrystalline TiO₂ Thin-Film Interfaces. *Environ Eng Sci*. 24: 31-44.
- Itoh, K; Horii, N; Matsumoto, O. (1998). Effect of chlorine species on diamond deposition from plasma jets with chlorobenzenes as carbon sources. *J Electrochem Soc*. 145: 2895-2900.
- Itoh, N; Kutsuna, S; Ibusuki, T. (1994). A PRODUCT STUDY OF THE OH RADICAL-INITIATED OXIDATION OF PERCHLOROETHYLENE AND TRICHLOROETHYLENE. *Chemosphere*. 28: 2029-2040. [http://dx.doi.org/10.1016/0045-6535\(94\)90153-8](http://dx.doi.org/10.1016/0045-6535(94)90153-8).
- Jacobo-Azuara, A; Leyva-Ramos, R; Padilla-Ortega, E; Aragon-Pina, A; Guerrero-Coronado, RM; Mendoza-Barron, J. (2006). Removal of toxic pollutants from aqueous solutions by adsorption onto an organobentonite. *AST*. 24: 687-699.
- Jadon, NS; Kumar, A. (1993). PARANEPHRIC BLOCKADE IN HEPATITIS IN BUFFALOS - HEMATOLOGICAL AND BIOCHEMICAL EFFECTS. *Indian J Anim Sci*. 63: 1031-1035.
- Jaeschke, H; Gores, GJ; Cederbaum, AI; Hinson, JA; Pessayre, D; Lemasters, JJ. (2002). Mechanisms in hepatotoxicity [Review]. *Toxicol Sci*. 65: 166-176.
- Jafarpour, B; Imhoff, PT; Chiu, PC. (2005). Quantification and modelling of 2,4-dinitrotoluene reduction with high-purity and cast iron. *J Contam Hydrol*. 76: 87-107. <http://dx.doi.org/10.1016/j.jconhyd.2004.08.00>.
- Jagielski, J; Scudamore, KA; Heuser, SG. (1978). RESIDUES OF CARBON-TETRACHLORIDE AND 1,2-DIBROMOETHANE IN CEREALS AND PROCESSED FOODS AFTER LIQUID FUMIGANT GRAIN TREATMENT FOR PEST-CONTROL. *Pestic Sci*. 9: 117-126.
- Jain, DVS; Wadi, RK; Saini, SB. (1981). ISOTHERMAL LIQUID-VAPOR EQUILIBRIA FOR ACETYLACETONE+, AND ACRYLONITRILE+ CARBON-TETRACHLORIDE AND ACRYLONITRILE+ TETRACHLOROETHYLENE AT 303.15 AND 323.15 K. 19: 167-170.
- Jain, NK; Singhai, AK. (2011). Protective effects of *Phyllanthus acidus* (L.) Skeels leaf extracts on acetaminophen and thioacetamide induced hepatic injuries in Wistar rats. *Asian Pacific Journal of Tropical Medicine*. 4: 470-474. [http://dx.doi.org/10.1016/S1995-7645\(11\)60128-4](http://dx.doi.org/10.1016/S1995-7645(11)60128-4).
- Jain, PM; Smith, JS; Valsaraj, KT. (1999). Reusable adsorbents for dilute solution separation 3. Sorption dynamics of phenanthrene on surfactant-modified alumina. *Separation and Purification Technology*. 17: 21-30.
- Jajvandian, R; Dashtizad, M; Anvari, M. (2006). Comparative study of chicken hepatocyte resistance against toxicity induced with toxic doses of carbon tetrachloride and acetaminophen in rat. *Canadian Journal of Animal Science*. 86: 584-584.
- Jakob, A; Joh, R; Rose, C; Gmehling, J. (1995). SOLID-LIQUID EQUILIBRIA IN BINARY-MIXTURES OF ORGANIC-COMPOUNDS. *Fluid Phase Equilibria*. 113: 117-126.
- James, CA; Xin, G; Doty, SL; Muiznieks, I; Newman, L; Strand, SE. (2009). A mass balance study of the phytoremediation of perchloroethylene-contaminated groundwater. *Environ Pollut*. 157: 2564-2569. <http://dx.doi.org/10.1016/j.envpol.2009.02.033>.
- James, CA; Xin, G; Doty, SL; Strand, SE. (2008). Degradation of low molecular weight volatile organic compounds by plants genetically modified with mammalian cytochrome P450 2E1. *Environ Sci Technol*. 42: 289-293. <http://dx.doi.org/10.1021/es071197z>.
- Jarvis, NV. (1991). THERMODYNAMIC MODELING OF SOLVENT-EXTRACTION SYSTEMS - SUCCESSES AND PROBLEMS. *Separation Science and Technology*. 26: 1403-1417.
- Jasienko-Halat, M. (2006). The effect of oxidation of flame coal on the microporous structure of carbon dioxide-activated chars. *Przemysł Chemiczny*. 85: 423-426.
- Jasienko-Halat, M; Kedzior, K. (2005). Comparison of molecular sieve properties in microporous chars from low-rank bituminous coal activated by steam and carbon dioxide. *Carbon*. 43: 944-953. <http://dx.doi.org/10.1016/j.carbon.2004.11.024>.
- Jasinski, M; Dors, M; Mizeraczyk, J; Lubanski, M; Zakrzewski, Z. (2001). Application of microwave torch plasma for hydrocarbons removal. *High Temperature Material Processes*. 5: 359-362.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Jeen, SW; Lazar, S; Gui, L; Gillham, RW. (2014). Degradation of chlorofluorocarbons using granular iron and bimetallic irons. *J Contam Hydrol.* 158: 55-64. <http://dx.doi.org/10.1016/j.jconhyd.2014.01.002>.
- Jeffers, PM; Brenner, C; Wolfe, NL. (1996). Hydrolysis of carbon tetrachloride. *Environ Toxicol Chem.* 15: 1064-1065.
- Jegga, AG; Inga, A; Menendez, D; Aronow, BJ; Resnick, MA. (2008). Functional evolution of the p53 regulatory network through its target response elements. *Proc Natl Acad Sci USA.* 105: 944-949. <http://dx.doi.org/10.1073/pnas.0704694105>.
- Jena, PK; Brocchi, EA; Garcia, RI. (1997). Kinetics of chlorination of niobium pentoxide by carbon tetrachloride. *Metallurgical and Materials Transactions B - Process Metallurgy and Materials Processing Science.* 28: 39-45.
- Jena, PK; Brocchi, EA; Gonzalez, J. (2005). Kinetics of low-temperature chlorination of vanadium pentoxide by carbon tetrachloride vapor. *Metallurgical and Materials Transactions B - Process Metallurgy and Materials Processing Science.* 36: 195-199.
- Jena, PK; Brocchi, EA; Lima, MPA, C. (2001). Studies on the kinetics of carbon tetrachloride chlorination of tantalum pentoxide. *Metallurgical and Materials Transactions B - Process Metallurgy and Materials Processing Science.* 32: 801-810.
- Jena, PK; Brocchi, EA; Vilella, TF. (1995). Studies on kinetics of low-temperature chlorination of ZrO₂ by gaseous carbon tetrachloride. *Metallurgical and Materials Transactions B - Process Metallurgy and Materials Processing Science.* 26: 235-240.
- Jena, PK; Gameiro, DH; Brocchi, EA. (1991). KINETICS OF CHLORINATION OF BRIQUETTED ANATASE BY CARBON-TETRACHLORIDE. *Institute of Materials, Minerals and Mining Transactions Section C: Mineral Processing & Extractiv.* 100: C65-C67.
- Jentzsch, TL; Chun, CL, an; Gabor, RS; Penn, RL, ee. (2007). Influence of aluminum substitution on the reactivity of magnetite nanoparticles. *J Phys Chem C.* 111: 10247-10253. <http://dx.doi.org/10.1021/jp072295+>.
- Jeon, M; Kwon, HJ; Kim, YH; Han, K, il; Nam, KW, oo; Baik, Y; Lee, S; Kim, W, anJ; Han, M, anD. (2013). Administration of rHL-2 upregulates HGF in the cirrhotic liver of partial hepatectomized rats. *Animal Cells and Systems.* 17: 179-185. <http://dx.doi.org/10.1080/19768354.2013.801365>.
- Jeong, HY; Anantharaman, K; Han, Y; Hayes, K. (2011). Abiotic Reductive Dechlorination of cis-Dichloroethylene by Fe Species Formed during Iron- or Sulfate-Reduction. *Environ Sci Technol.* 45: 5186-5194. <http://dx.doi.org/10.1021/es104387w>.
- Jeong, HY; Anantharaman, K; Hyun, SP; Son, M; Hayes, K. (2013). pH impact on reductive dechlorination of cis-dichloroethylene by Fe precipitates: An X-ray absorption spectroscopy study. *Water Res.* 47: 6639-6649. <http://dx.doi.org/10.1016/j.watres.2013.08.035>.
- Jeong, HY; Hayes, KF. (2003). Impact of transition metals on reductive dechlorination rate of hexachloroethane by mackinawite. *Environ Sci Technol.* 37: 4650-4655. <http://dx.doi.org/10.1021/es0340533>.
- Jeong, HY; Hayes, KF. (2007). Reductive dechlorination of tetrachloroethylene and trichloroethylene by mackinawite (FeS) in the presence of metals: reaction rates. *Environ Sci Technol.* 41: 6390-6396. <http://dx.doi.org/10.1021/es0706394>.
- Jeong, HY; Kim, H; Hayes, KF. (2007). Reductive dechlorination pathways of tetrachloroethylene and trichloroethylene and subsequent transformation of their dechlorination products by mackinawite (FeS) in the presence of metals. *Environ Sci Technol.* 41: 7736-7743. <http://dx.doi.org/10.1021/es0708518>.
- Jewell, JM; Sachon, M; Aggarwal, ID. (1992). H₂O AND HF EVOLUTION FROM ZBLAN GLASSES. *Mater Lett.* 14: 352-354.
- Jho, E, unHea; Jung, J, aeW; Nam, K. (2013). Different fate of Pb and Cu at varied peroxide concentrations during the modified Fenton reaction in soil and its effect on the degradation of 2,4-dinitrotoluene. *J Chem Tech Biotechnol.* 88: 1481-1487. <http://dx.doi.org/10.1002/jctb.3991>.
- Jho, E; Singhal, N; Turner, S. (2012). Tetrachloroethylene and hexachloroethane degradation in Fe(III) and Fe(III)-citrate catalyzed Fenton systems. *J Chem Tech Biotechnol.* 87: 1179-1186. <http://dx.doi.org/10.1002/jctb.3746>.
- Jho, EH; Singhal, N; Turner, S. (2008). Degradation of hexachloroethane by Fenton's reagents. *Water Sci Technol.* 58: 2211-2214. <http://dx.doi.org/10.2166/wst.2008.576>.
- Jho, EH; Singhal, N; Turner, S. (2010). Fenton degradation of tetrachloroethene and hexachloroethane in Fe(II) catalyzed systems. *J Hazard Mater.* 184: 234-240. <http://dx.doi.org/10.1016/j.jhazmat.2010.08.027>.
- Ji, R; Zhang, N; You, N; Li, Q; Liu, W; Jiang, N; Liu, J; Zhang, H; Wang, D; Tao, K; Dou, K. (2012). The differentiation of MSCs into functional hepatocyte-like cells in a liver biomatrix scaffold and their transplantation into liver-fibrotic mice. *Biomaterials.* 33: 8995-9008. <http://dx.doi.org/10.1016/j.biomaterials.2012.08.058>.
- Ji, X, in; Li, Y, i; Zheng, J; Liu, Q. (2011). Solvent effects of ethyl methacrylate characterized by FTIR. *Mater Chem Phys.* 130: 1151-1155. <http://dx.doi.org/10.1016/j.matchemphys.2011.08.046>.
- Jia, C; Batterman, S; Godwin, C. (2008). VOCs in industrial, urban and suburban neighborhoods, Part 1: Indoor and outdoor concentrations, variation, and risk drivers. *Atmos Environ.* 42: 2083-2100. <http://dx.doi.org/10.1016/j.atmosenv.2007.11.055>.
- Jia, C; Batterman, S; Godwin, C; Charles, S; Chin, JY. (2010). Sources and migration of volatile organic compounds in mixed-use buildings. *Indoor Air.* 20: 357-369. <http://dx.doi.org/10.1111/j.1600-0668.2010.00643.x>.
- Jia, R; Cao, L; Xu, P; Jeney, G; Yin, G. (2012). In vitro and in vivo hepatoprotective and antioxidant effects of Astragalus polysaccharides against carbon tetrachloride-induced hepatocyte damage in common carp (*Cyprinus carpio*). *Fish Physiol Biochem.* 38: 871-881. <http://dx.doi.org/10.1007/s10695-011-9575-z>.
- Jia, R; Cao, LP; Du, JL; Wang, JH; Liu, YJ; Jeney, G; Xu, P; Yin, GJ. (2014). Effects of carbon tetrachloride on oxidative stress, inflammatory response and hepatocyte apoptosis in common carp (*Cyprinus carpio*). *Aquat Toxicol.* 152: 11-19. <http://dx.doi.org/10.1016/j.aquatox.2014.02.014>.
- Jia, R, ui; Du, J, inL; Cao, L, iP; Liu, YJ; Xu, P, ao; Yin, G, uoJun. (2015). Hepatoprotective and antioxidant effects of phyllanthin against carbon tetrachloride-induced liver injury in *Cyprinus carpio*. *Aquaculture International.* 23: 883-893. <http://dx.doi.org/10.1007/s10499-014-9847-6>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Jia, XD; Han, C; Chen, JS. (2002). Effects of tea on preneoplastic lesions and cell cycle regulators in rat liver. *Cancer Epidemiol Biomarkers Prev.* 11: 1663-1667.
- Jiang, H; Yu, X; Nie, R; Lu, X; Zhou, D, an; Xia, Q. (2016). Selective hydrogenation of aromatic carboxylic acids over basic N-doped mesoporous carbon supported palladium catalysts. *Appl Catal A-Gen.* 520: 73-81. <http://dx.doi.org/10.1016/j.apcata.2016.04.009>.
- Jiang, X; Guo, H; Shen, T; Tang, X; Yang, Y; Ling, W. (2015). Cyanidin-3-O- β -glucoside Purified from Black Rice Protects Mice against Hepatic Fibrosis Induced by Carbon Tetrachloride via Inhibiting Hepatic Stellate Cell Activation. *J Agric Food Chem.* 63: 6221-6230. <http://dx.doi.org/10.1021/acs.jafc.5b02181>.
- Jiang, Y; Decker, S; Mohs, C; Klabunde, KJ. (1998). Catalytic solid state reactions on the surface of nanoscale metal oxide particles. *J Catal.* 180: 24-35.
- Jiao, Y; Qiu, C; Huang, L; Wu, K; Ma, H; Chen, S; Ma, L; Wu, D. (2009). Reductive dechlorination of carbon tetrachloride by zero-valent iron and related iron corrosion. *Appl Catal B-Environ.* 91: 434-440. <http://dx.doi.org/10.1016/j.apcatb.2009.06.012>.
- Jiménez-Arellanes, MA; Gutiérrez-Rebolledo, GA; Meckes-Fischer, M; León-Díaz, R. (2016). Medical plant extracts and natural compounds with a hepatoprotective effect against damage caused by antitubercular drugs: A review [Review]. *Asian Pacific Journal of Tropical Medicine.* 9: 1141-1149. <http://dx.doi.org/10.1016/j.apjtm.2016.10.010>.
- Jin, G; Englande, AJ. (1996). Redox potential as a controlling factor in enhancing carbon tetrachloride biodegradation. *Water Sci Technol.* 34: 59-66.
- Jin, G; Englande, AJ. (1997). Biodegradation kinetics of carbon tetrachloride by *Pseudomonas cepacia* under varying oxidation-reduction potential conditions. *Water Environ Res.* 69: 1094-1099.
- Jin, G; Englande, AJ. (1997). Effects of electron donor, dissolved oxygen, and oxidation-reduction potential biodegradation of carbon tetrachloride by *Escherichia coli* K-12. *Water Environ Res.* 69: 1100-1105.
- Jin, G; Englande, AJ. (1998). Carbon tetrachloride biodegradation in a fixed-biofilm reactor and its kinetic study. *Water Sci Technol.* 38: 155-162.
- Jin, G; Englande, AJ; Qiu, YL. (2003). An integrated treatability protocol for biotreatment/bioremediation of toxic pollutants generated by chemical industries. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 38: 597-607. <http://dx.doi.org/10.1081/ESE-120016923>.
- Jin, T; Stephenson, D. (2006). Optimising the process conditions in ultra-precision grinding to achieve surface finish of optical quality. *Key Eng Mater.* 304-305: 8-13.
- Jin, X; Wang, F; Gu, C; Yang, X; Kengara, FO; Bian, Y; Song, Y; Jiang, X. (2015). The interactive biotic and abiotic processes of DDT transformation under dissimilatory iron-reducing conditions. *Chemosphere.* 138: 18-24. <http://dx.doi.org/10.1016/j.chemosphere.2015.05.020>.
- Jing, C; Sato, T; Imaishi, N. (1997). Rayleigh-Marangoni thermal instability in two-liquid layer systems. *Microgravity Science and Technology.* 10: 21-28.
- Jo, YH; Do, SH; Kong, SH. (2014). Persulfate activation by iron oxide-immobilized MnO₂ composite: identification of iron oxide and the optimum pH for degradations. *Chemosphere.* 95: 550-555. <http://dx.doi.org/10.1016/j.chemosphere.2013.10.010>.
- John, K; Naidu, SV. (2007). Chemical resistance of sisal/glass reinforced unsaturated polyester hybrid composites. *Journal of Reinforced Plastics and Composites.* 26: 373-376. <http://dx.doi.org/10.1177/0731684406072524>.
- Johnson, J; Parker, W; Kennedy, K. (2000). Enhanced scrubbing of chlorinated compounds from air streams. *Environmental Progress.* 19: 157-166.
- Johnson, TL; Fish, W; Gorby, YA; Tratnyek, PG. (1998). Degradation of carbon tetrachloride by iron metal: Complexation effects on the oxide surface. *J Contam Hydrol.* 29: 379-398.
- Johnson, TL; Scherer, MM; Tratnyek, PG. (1996). Kinetics of halogenated organic compound degradation by iron metal. *Environ Sci Technol.* 30: 2634-2640.
- Jolliet, O; Hauschild, M. (2005). Modeling the influence of intermittent rain events on long-term fate and transport of organic air pollutants. *Environ Sci Technol.* 39: 4513-4522.
- Jonas, LA; Sansone, EB. (1981). DESORPTION-KINETICS OF CARBON-TETRACHLORIDE FROM ACTIVATED CARBON. *Environ Sci Technol.* 15: 1367-1369.
- Jonas, LA; Svirbely, WJ. (1972). KINETICS OF ADSORPTION OF CARBON-TETRACHLORIDE AND CHLOROFORM FROM AIR MIXTURES BY ACTIVATED CARBON. *J Catal.* 24: 446-&.
- Jorge, M; Jedlovsky, P, al; Cordeiro, MND, S. (2010). A Critical Assessment of Methods for the Intrinsic Analysis of Liquid Interfaces. 1. Surface Site Distributions. *J Phys Chem C.* 114: 11169-11179. <http://dx.doi.org/10.1021/jp101035r>.
- Joshi, SS; Aminabhavi, TM; Balundgi, RH. (1991). EXCESS PROPERTIES OF BINARY-LIQUID MIXTURES OF NITROBENZENE WITH ALIPHATIC LIQUIDS IN THE TEMPERATURE-RANGE 298.15-313.15 K. 29: 541-544.
- Joun, W, onTak; Lee, SS, un; Koh, YE, un; Lee, KK, un. (2016). Impact of Water Table Fluctuations on the Concentration of Borehole Gas from NAPL Sources in the Vadose Zone. *Vadose Zone Journal.* 15. <http://dx.doi.org/10.2136/vzj2015.09.0124>.
- Jovari, P; Meszaros, G; Pusztai, L; Svab, E. (2002). Neutron-diffraction studies of some simple molecular systems: Si₂Cl₆, CBr₃D and CD₃I. *Applied Physics A: Materials Science and Processing.* 74: S1354-S1356. <http://dx.doi.org/10.1007/s003390101234>.
- Jovic-Jovicic, N; Milutinovic-Nikolic, A; Bankovic, P; Mojovic, Z; Zunic, M; Grzetic, I; Jovanovic, D. (2010). Organo-inorganic bentonite for simultaneous adsorption of Acid Orange 10 and lead ions. *Appl Clay Sci.* In Press, Corrected Proof: 452-456. <http://dx.doi.org/10.1016/j.clay.2009.11.005>.
- Ju, XM; Hecht, M; Galhotra, RA; Ela, WP; Betterton, EA; Arnold, RG; Saez, AE. (2006). Destruction of gas-phase trichloroethylene in a modified fuel cell. *Environ Sci Technol.* 40: 612-617. <http://dx.doi.org/10.1021/es0514895>.
- Jung, B; Batchelor, B. (2008). Analysis of dechlorination kinetics of chlorinated aliphatic hydrocarbons by Fe(II) in cement slurries. *J Hazard Mater.* 152: 62-70. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.061>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Jung, J; Na, K, yuH; Lee, M, inJae; Moon, J; Kim, GI, I; Jang, J, aJ; Hwang, SG, yu; Kim, G, IJin. (2013). Efficacy of chorionic plate-derived mesenchymal stem cells isolated from placenta in CCl₄-injured rat liver depends on transplantation routes. 10: 10-17. <http://dx.doi.org/10.1007/s13770-013-0364-x>.
- Jung, JG; Do, SH; Kwon, YJ; Kong, SH. (2014). Degradation of multi-DNAPLs by a UV/persulphate/ethanol system with the additional injection of a base solution. *Environ Technol.* 36: 1-6. <http://dx.doi.org/10.1080/09593330.2014.974678>.
- Jung, SH; Lee, YS, il; Lim, SS; Kim, YS; Lee, S; Shin, K, ukH. (2009). Hepatoprotective and Antioxidant Capacities of *Paecilomyces japonica* and *Cordyceps sinensis* in Rats with CCl₄-Induced Hepatic Injury. *Kor J of Hort Sci Tech.* 27: 668-672.
- Jung, W; Fujita, M. (1991). Optimal conditions of purge trap/on-column cryofocusing method with capillary gas chromatography for determination of volatile halogenated hydrocarbons in aqueous samples. *Eisei Kagaku.* 37: 395-400.
- Jung, WT; Fujita, M; Sohn, D. (1992). Levels of volatile halogenated hydrocarbons in Tokyo rain and their seasonal time-series changes (pp. 490-497). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/93/16067). Jung, WT; Fujita, M; Sohn, D.
- Junker, KH; Hess, G; Ekerdt, JG; White, JM. (1998). Thermal and electron-driven chemistry of CCl₄ on clean and hydrogen precovered Si(100). *Journal of Vacuum Science and Technology A.* 16: 2995-3005.
- Junker, KH; White, JM. (1998). Thermal and electron driven chemistry of CCl₄ on oxidized Si(100). *Journal of Vacuum Science and Technology A.* 16: 3328-3334.
- Jurkiewicz, A; Maciel, GE. (1995). SOLID-STATE ¹³C NMR STUDIES OF THE INTERACTION OF ACETONE CARBON TETRACHLORIDE AND TRICHLOROETHYLENE WITH SOIL COMPONENTS. *Sci Total Environ.* 164: 195-202.
- Justicia-Leon, SD; Higgins, S; Mack, EE; Griffiths, DR; Tang, S; Edwards, EA; Löffler, FE. (2014). Bioaugmentation with distinct *Dehalobacter* strains achieves chloroform detoxification in microcosms. *Environ Sci Technol.* 48: 1851-1858. <http://dx.doi.org/10.1021/es403582f>.
- K, G; A, B. (1992). Poly(ADP-ribose) polymerase activity in mononuclear leukocytes of 13 mammalian species correlates with species-specific life span. *Proc Natl Acad Sci USA.* 89: 11759-11763.
- Kabeya, DT; Mokhtari, M; Perrin, C; Sergent, M; Grushko, Y; Kokovina, L; Rozhniakova, N. (1994). STUDY OF THE HALOGENATION OF EUBA2CU3O6. 4: 2069-2078.
- Kachina, A; Puzenat, E; Ould-Chikh, S; Geantet, C; Delichere, P; Afanasiev, P. (2012). A New Approach to the Preparation of Nitrogen-Doped Titania Visible Light Photocatalyst. *Chem Mater.* 24: 636-642. <http://dx.doi.org/10.1021/cm203848f>.
- Kadioglu, YY; Bayrakceken, S; Colak, S. (1996). Dissolution kinetics of natural FeS₂ in carbon tetrachloride and water-carbon tetrachloride media saturated by chlorine. *Int J Miner Process.* 47: 219-229.
- Kadioglu, YY; Karaca, S; Bayrakceken, S; Gulaboglu, MS. (1998). The removal of organic sulfur from two Turkish lignites by chlorinolysis. *Turkish Journal of Chemistry.* 22: 129-136.
- Kadry, AM; Skowronski, GA; Abdel-Rahman, MS. (1995). Evaluation of the use of uncertainty factors in deriving RfDs for some chlorinated compounds. *J Toxicol Environ Health.* 45: 83-95. <http://dx.doi.org/10.1080/15287399509531982>.
- Kaiser, KL; Mckinnon, MB; Stendahl, DH; Pett, WB. (1995). Response threshold levels of selected organic compounds for rainbow trout (*Oncorhynchus mykiss*). *Environ Toxicol Chem.* 14: 2107-2113.
- Kalender, M; Akosman, C. (2015). Dry Sorbent Injection (DSI) System for the Abatement of VOCs from Gas Streams. *Water Air Soil Pollut.* 226. <http://dx.doi.org/10.1007/s11270-015-2341-6>.
- Kalinin, YG; Korel'skii, AV; Kravchenko, EV; Shashkov, AY. (2004). Laser facility using nonlinear optical effects and its application for probing high-temperature pulsed plasmas. *Quantum Electronics.* 34: 399-401. <http://dx.doi.org/10.1070/QE2004v034n05ABEH002697>.
- Kalra, KC; Singh, KC; Spah, DC. (1994). EXCESS MOLAR GIBBS FREE-ENERGIES AND ISENTROPIC COMPRESSIBILITIES OF 1,2-DIBROMOETHANE PLUS CYCLOHEXANE OR TETRACHLOROMETHANE. *Journal of Chemical and Engineering Data.* 39: 372-374.
- Kaltchev, M; Celichowski, G; Lara, J; Tysoe, WT. (2000). A molecular-beam study of the tribological chemistry of carbon tetrachloride on oxygen-covered iron. *Tribology Letters.* 9: 161-165.
- Kaltchev, M; Kotvis, PV; Blunt, TJ; Lara, J; Tysoe, WT. (2001). A molecular beam study of the tribological chemistry of dialkyl disulfides. *Tribology Letters.* 10: 45-50.
- Kalyanaraman, B; Mason, RP; Perezreyes, E; Chignell, CF; Wolf, CR; Philpot, RM. (1979). CHARACTERIZATION OF THE FREE-RADICAL FORMED IN AEROBIC MICROSOMAL INCUBATIONS CONTAINING CARBON-TETRACHLORIDE AND NADPH. *Environ Health Perspect.* 33: 340-340.
- Kalz, G. (1986). DETERMINATION AND EVALUATION OF SPECIFIC VOLUMES OF SOL PHASES FROM CHLORINATED POLYETHYLENE TETRACHLOROMETHANE SOLUTIONS OF VARIOUS CONCENTRATIONS. 33: 290-293.
- Kameda, T; Inazu, K; Asano, K; Murota, M; Takenaka, N; Sadanaga, Y; Hisamatsu, Y; Bandow, H. (2013). Prediction of rate constants for the gas phase reactions of triphenylene with OH and NO₃ radicals using a relative rate method in CCl₄ liquid phase-system. *Chemosphere.* 90: 766-771. <http://dx.doi.org/10.1016/j.chemosphere.2012.09.071>.
- Kamegawa, K; Yoshida, H. (1997). Preparation and characterization of swelling porous carbon beads. *Carbon.* 35: 631-639.
- Kamoto, M; TAKAHASHI, F; Suzuki, S. (1971). STUDIES OF IMIDAZOLE CHARGE-TRANSFER COMPLEXES .2. ELECTROCHEMICAL STUDIES ON ELECTRON DONOR ACCEPTOR COMPLEXES OF IMIDAZOLE-CARBON TETRACHLORIDE SYSTEM. 92: 460-8.
- Kan, E; Koh, CI, I; Lee, K; Kang, J. (2015). Decomposition of aqueous chlorinated contaminants by UV irradiation with H₂O₂. 9: 429-435. <http://dx.doi.org/10.1007/s11783-014-0677-6>.
- Kanade, BV; Vakharia, MN; Pandya, MV; Patel, BM; Patel, AT; Oswal, SL. (1992). SURFACE TENSIONS OF BINARY-LIQUID MIXTURES AND THEIR CORRELATION WITH PRIGOGINE-FLORY-PATTERSON THEORY. 30: 308-312.
- Kandil, AT; El-Medani, SM. (1998). Lanthanides extraction by 8-quinolinol and by a mixture of quinolinol and trioctylphosphine oxide. *Separation Science and Technology.* 33: 437-447.
- Kandori, K; Ishikawa, T. (1991). SELECTIVE ADSORPTION OF WATER ON AMORPHOUS FERRIC-OXIDE HYDROXIDE. *Langmuir.* 7: 2213-2218.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Kandori, K; Toshioka, M; Nakashima, H; Ishikawa, T. (1993). PORE STRUCTURE OF UNIFORM SPHERICAL COBALT PHOSPHATE PARTICLES. *Langmuir*. 9: 1031-1035.
- Kaneko, K. (1998). Nanospace geometry-sensitive molecular assembly. 5: 267-273.
- Kaneko, K; Hanzawa, Y; Iiyama, T; Kanda, T; Suzuki, T. (1999). Cluster-mediated water adsorption on carbon nanopores. *Adsorption*. 5: 7-13.
- Kaneko, K; Khoerunnisa, F; Minami, D; Futamura, R; Watanabe, A; Hanzawa, Y; Suzuki, T. (2013). Noticeable Reverse Shift in the Melting Temperatures of Benzene and Carbon Tetrachloride Confined within the Micropores and Mesopores of Hydrophobic Carbons. *AST*. 31: 145-151.
- Kang, JW, on; Diky, V; Frenkel, M. (2015). New modified UNIFAC parameters using critically evaluated phase equilibrium data. *Fluid Phase Equilibria*. 388: 128-141. <http://dx.doi.org/10.1016/j.fluid.2014.12.042>.
- Kang, K; Kim, J; Jin, Y; Ajmera, PK. (2015). Low temperature carbon nanotube and hexagonal diamond deposition with photo-enhanced chemical vapor deposition. *Microsystem Technologies*. 21: 1225-1231. <http://dx.doi.org/10.1007/s00542-014-2163-2>.
- Kang, M. (2007). Effect of a disturbed light-dark cycle on CCl₄-induced toxicity test using F344/N rats. *J Am Assoc Lab Anim Sci*. 46: 140-140.
- Kang, MC; Kang, SM; Ahn, G; Kim, KN; Kang, N; Samarakoon, KW; Oh, MC; Lee, JS; Jeon, YJ. (2013). Protective effect of a marine polyphenol, dieckol against carbon tetrachloride-induced acute liver damage in mouse. *Environ Toxicol Pharmacol*. 35: 517-523. <http://dx.doi.org/10.1016/j.etap.2013.02.013>.
- Kang, WH; Hwang, I; Park, JY. (2006). Dechlorination of trichloroethylene by a steel converter slag amended with Fe(II). *Chemosphere*. 62: 285-293. <http://dx.doi.org/10.1016/j.chemosphere.2005.05.011>.
- Kaown, D; Koh, DC; Solomon, DK, ip; Yoon, YY; Yang, J; Lee, KK, un. (2014). Delineation of recharge patterns and contaminant transport using H-3-He-3 in a shallow aquifer contaminated by chlorinated solvents in South Korea. *Hydrogeology Journal*. 22: 1041-1054. <http://dx.doi.org/10.1007/s10040-014-1123-3>.
- Kapoor, IPS; Singh, B; Singh, G. (2011). ESSENTIAL OIL AND OLEORESINS OF CARDAMOM (AMOMUM SUBULATUM ROXB.) AS NATURAL FOOD PRESERVATIVES FOR SWEET ORANGE (CITRUS SINENSIS) JUICE. *Journal of Food Process Engineering*. 34: 1101-1113. <http://dx.doi.org/10.1111/j.1745-4530.2009.00525.x>.
- Kappler, A; Haderlein, SB. (2003). Natural organic matter as reductant for chlorinated aliphatic pollutants. *Environ Sci Technol*. 37: 2714-2719. <http://dx.doi.org/10.1021/es0201808>.
- Karaca, S; Kadioglu, Y; Bayrakceken, S; Gulaboglu, MS. (1999). Chlorination of two Turkish lignites in water and water-carbon tetrachloride media. *Turkish Journal of Chemistry*. 23: 231-241.
- Karaca, S; Kadioglu, YY; Bayrakceken, S; Gulaboglu, MS. (1997). Chlorination kinetics of pyrite mineral in two Turkish lignites. *Fuel Process Tech*. 50: 225-234.
- Karadas, C. (2014). A New Dispersive Liquid-Liquid Microextraction Method for Preconcentration of Copper from Waters and Cereal Flours and Determination by Flame Atomic Absorption Spectrometry. *Water Air Soil Pollut*. 225. <http://dx.doi.org/10.1007/s11270-014-2150-3>.
- Karakus, E; Karadeniz, A; Simsek, N; Can, I; Kara, A; Yildirim, S; Kalkan, Y; Kisa, F. (2011). Protective effect of Panax ginseng against serum biochemical changes and apoptosis in liver of rats treated with carbon tetrachloride (CCl₄). *J Hazard Mater*. 195: 208-213. <http://dx.doi.org/10.1016/j.jhazmat.2011.08.027>.
- Karbiwnyk, CM; Mills, CS; Helmig, D; Birks, JW. (2003). Use of chlorofluorocarbons as internal standards for the measurement of atmospheric non-methane volatile organic compounds sampled onto solid adsorbent cartridges. *Environ Sci Technol*. 37: 1002-1007. <http://dx.doi.org/10.1021/es025910q>.
- Karelin, AV; Shirokov, RV. (1998). Kinetics of the active medium of a nuclear-pumped laser based on transitions in the cadmium atom. *Quantum Electronics*. 28: 893-897.
- Karelin, AV; Simakova, OV. (1997). Kinetics of the active medium of a nuclear-pumped laser based on IR transitions in the chlorine atom. *Quantum Electronics*. 27: 963-967.
- Karger, AG. (1973). *Pharmacology and the future of man: proceedings of the 5th international congress on pharmacology Factors that affect the covalent binding and toxicity of drugs*. Basel, Switzerland: Gillette.
- Kariper, IA. (2016). *Cul Film Produced by Chemical Extraction Method in Different Media*. *Mater Res*. 19: 991-998. <http://dx.doi.org/10.1590/1980-5373-MR-2016-0067>.
- Karpinski, Z; Bonarowska, M; Juszczak, W. (2014). Hydrodechlorination of tetrachloromethane over silica-supported palladium-gold alloys. *Polish Journal of Chemical Technology*. 16: 101-105. <http://dx.doi.org/10.2478/pjct-2014-0077>.
- Karthikeyan, M; Deepa, K. (2010). Hepatoprotective effect of Premna corymbosa (Burm. f.) Rottl. & Willd. leaves extract on CCl₄ induced hepatic damage in Wistar albino rats. *Asian Pacific Journal of Tropical Medicine*. 3: 17-20.
- Karthikeyan, R; Somasundaram, ST; Manivasagam, T; Balasubramanian, T; Anantharaman, P. (2010). Hepatoprotective activity of brown alga Padina boergesenii against CCl₄ induced oxidative damage in Wistar rats. *Asian Pacific Journal of Tropical Medicine*. 3: 696-701. [http://dx.doi.org/10.1016/S1995-7645\(10\)60168-X](http://dx.doi.org/10.1016/S1995-7645(10)60168-X).
- Karunakaran, C; Karuthapandian, S. (2006). Solar photooxidation of diphenylamine. *Solar Energy Materials and Solar Cells*. 90: 1928-1935. <http://dx.doi.org/10.1016/j.solmat.2005.12.003>.
- Kaseros, VB; Sleep, BE; Bagley, DM. (2000). Column studies of biodegradation of mixtures of tetrachloroethene and carbon tetrachloride. *Water Res*. 34: 4161-4168.
- Kashirskaya, OA; Lotkhov, VA; Dil'man, VV. (2010). Difference in the rates of evaporation and condensation in the presence of an inert gas. *Theoretical Foundations of Chemical Engineering*. 44: 665-671. <http://dx.doi.org/10.1134/S0040579510050052>.
- Kasischke, ES; Amiro, BD; Barger, NN; French, NHF; Goetz, SJ; Grosse, G; Harmon, ME; Hicke, JA; Liu, S; Masek, JG. (2013). Impacts of disturbance on the terrestrial carbon budget of North America. *Jour Geo Res: Biog*. 118: 303-316. <http://dx.doi.org/10.1002/jgrg.20027>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Kaslusky, SF; Udell, KS. (2002). A theoretical model of air and steam co-injection to prevent the downward migration of DNAPLs during steam-enhanced extraction. *J Contam Hydrol.* 55: 213-232.
- Kasprzak, W; Nadolny, Z. (2012). Choice of optical active liquid in order to use in electric field measurement method based on electro-optic Kerr effect. 88: 248-250.
- Kassem, M; Senkan, SM. (1991). CHEMICAL STRUCTURES OF FUEL-RICH, PREMIXED, LAMINAR FLAMES OF 1,2-C₂H₄CL₂ AND CH₄. *Combust Flame.* 83: 365-374.
- Kataoka, T; Sakoda, A; Yoshimoto, M; Nakagawa, S; Toyota, T; Nishiyama, Y; Yamato, K; Ishimori, Y; Kawabe, A; Hanamoto, K; Taguchi, T; Yamaoka, K. (2011). Studies on possibility for alleviation of lifestyle diseases by low-dose irradiation or radon inhalation. *Radiat Prot Dosimetry.* 146: 360-363. <http://dx.doi.org/10.1093/rpd/ncr189>.
- Katekhayeh, SN; Gogate, PR. (2011). Intensification of cavitation activity in sonochemical reactors using different additives: Efficacy assessment using a model reaction. *Chemical Engineering and Processing: Process Intensification.* 50: 95-103. <http://dx.doi.org/10.1016/j.cep.2010.12.002>.
- Katoh, T; Haratake, J; Nakano, S; Kikuchi, M; Yoshikawa, M; Arashidani, K. (1998). Dose-dependent effects of dichloropropanol on liver histology and lipid peroxidation in rats. *Ind Health.* 36: 318-323.
- Kaur, R; Pal, B. (2015). Physicochemical and catalytic properties of Au nanorods micro-assembled in solvents of varying dipole moment and refractive index. *Materials Research Bulletin.* 62: 11-18. <http://dx.doi.org/10.1016/j.materresbull.2014.11.012>.
- Kaushik, A; Kaushik, J. (2010). Solvent Absorption Characteristics of Epoxy-Colloidal Silica Nanocomposites. *Journal of Reinforced Plastics and Composites.* 29: 2821-2833. <http://dx.doi.org/10.1177/0731684409360995>.
- Kawaguchi, M; Yagi, S; Enomoto, H. (2004). Chemical preparation and characterization of nitrogen-rich carbon nitride powders. *Carbon.* 42: 345-350. <http://dx.doi.org/10.1016/j.carbon.2003.11.004>.
- Kechavarz, R; Guigue, JP; Tachoire, H; Kenz, A; Sbai, K. (1998). Thermodynamic properties of binary mixtures of tetrachloromethane+n-alcohol by application of the dispersive quasichemical model. *Fluid Phase Equilibria.* 143: 41-63.
- Kedenburg, S; Vieweg, M; Gissibl, T; Giessen, H. (2012). Linear refractive index and absorption measurements of nonlinear optical liquids in the visible and near-infrared spectral region. 2: 1588-1611.
- Kehiaian, HV; Gonzalez, JA; Garcia, I; Cobos, JC; Casanova, C; Cocero, MJ. (1991). STERIC AND INDUCTIVE EFFECTS IN BINARY-MIXTURES OF ORGANIC CARBONATES WITH AROMATIC-HYDROCARBONS OR TETRACHLOROMETHANE. *Fluid Phase Equilibria.* 69: 81-89.
- Keiper, D; Westphalen, R; Landgren, G. (1999). Comparison of carbon doping of InGaAs and GaAs by CBr₄ using hydrogen or nitrogen as carrier gas in LP-MOVPE. *J Cryst Growth.* 197: 25-30.
- Kempinski, M; Sliwiska-Bartkowiak, M; Kempinski, W. (2007). Molecules in the porous system of activated carbon fibers - Spin population control. *Reviews on Advanced Materials Science.* 14: 163-166.
- Kennedy, A; Reznik, A; Tadesse, S; Nunes, J. (2009). Time dependence of component temperatures in microwave heated immiscible liquid mixture. *J Microw Power Electromagn Energy.* 43: 52-62.
- Kenneke, JF; Weber, EJ. (2003). Reductive dehalogenation of halomethanes in iron- and sulfate-reducing sediments. 1. Reactivity pattern analysis. *Environ Sci Technol.* 37: 713-720. <http://dx.doi.org/10.1021/es0205941>.
- Kerckaert, GA; Isfort, RJ; Carr, GJ; Aardema, MJ; Leboeuf, RA. (1996). A comprehensive protocol for conducting the Syrian hamster embryo cell transformation assay at pH 6.70. *Mutat Res.* 356: 65-84.
- Kern, B; Strelnikov, D; Weis, P; Böttcher, A; Kappes, MM. (2014). IR, NIR, and UV Absorption Spectroscopy of C₆₀(2+) and C₆₀(3+) in Neon Matrixes. *Journal of Physical Chemistry Letters.* 5: 457-460. <http://dx.doi.org/10.1021/jz402630z>.
- Keum, YS; Li, QX. (2004). Reduction of nitroaromatic pesticides with zero-valent iron. *Chemosphere.* 54: 255-263. <http://dx.doi.org/10.1016/j.chemosphere.2003.08.003>.
- Kevekordes, S; Porzig, J; Gebel, T; Dunkelberg, H. (1998). Combined effects in mutagenicity of halogenated aliphatic hydrocarbons and polycyclic aromatic hydrocarbons in salmonella TA98 and TA100. *Zentralblatt fuer Hygiene und Umweltmedizin.* 200: 5-6.
- Khachatryan, L; Dellinger, B. (2003). Formation of chlorinated hydrocarbons from the reaction of chlorine atoms and activated carbon. *Chemosphere.* 52: 709-716. [http://dx.doi.org/10.1016/S0045-6535\(03\)00232-7](http://dx.doi.org/10.1016/S0045-6535(03)00232-7).
- Khaleel, A. (2006). Catalytic activity of mesoporous alumina for the hydrolysis and dechlorination of carbon tetrachloride. *Microporous and Mesoporous Materials.* 91: 53-58. <http://dx.doi.org/10.1016/j.micromeso.2005.11.011>.
- Khaleel, A; Dellinger, B. (2002). FTIR investigation of adsorption and chemical decomposition of CCl₄ by high surface-area aluminum oxide. *Environ Sci Technol.* 36: 1620-1624. <http://dx.doi.org/10.1021/es010650i>.
- Khalil, AM. (1983). THERMAL-TREATMENT OF SILICA AEROSIL-200 - APPLICATIONS OF THE CRITERIA FOR CORRECT ANALYSIS TO BENZENE AND CARBON-TETRACHLORIDE ADSORPTION. 18: 39-49.
- Khan, RA; Khan, MR; Sahreen, S; Ahmed, M; Shah, NA. (2015). Carbon tetrachloride-induced lipid peroxidation and hyperglycemia in rat: a novel study. *Toxicol Ind Health.* 31: 546-553. <http://dx.doi.org/10.1177/0748233713475503>.
- Khan, RA; Khan, MR; Shah, NA; Sahreen, S; Siddiq, P. (2015). Modulation of carbon tetrachloride-induced nephrotoxicity in rats by n-hexane extract of *Sonchus asper*. *Toxicol Ind Health.* 31: 955-959. <http://dx.doi.org/10.1177/0748233713485885>.
- Khanna, RN; Das, M; Anand, M. (2002). Influence of phenobarbital and carbon tetrachloride on the modulation of tissue retention profile of hexachlorocyclohexane in rats. *Biomed Environ Sci.* 15: 119-129.
- Khasbiullin, II; Belov, GP; Kharlampidi, K, hE; Vil'ms, AI. (2011). Ethylene oligomerization on the chromium ethylhexanoate-triethylaluminum-2,5-dimethylpyrrol catalytic system in the presence of carbon tetrachloride. *Petroleum Chemistry.* 51: 442-447. <http://dx.doi.org/10.1134/S0965544111060090>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Khatri, VN; Dutta, RK; Venkataraman, G; Shrivastava, R. (2016). Shear Strength Behaviour of Clay Reinforced with Treated Coir Fibres. 60: 135-143. <http://dx.doi.org/10.3311/PPci.7917>.
- Khenifi, A; Zohra, B; Kahina, B; Houari, H; Zoubir, D. (2009). Removal of 2,4-DCP from wastewater by CTAB/bentonite using one-step and two-step methods: A comparative study. *Chem Eng J*. 146: 345-354. <http://dx.doi.org/10.1016/j.cej.2008.06.028>.
- Khindaria, A; Grover, TA; Aust, SD. (1995). Reductive dehalogenation of aliphatic halocarbons by lignin peroxidase of *Phanerochaete chrysosporium*. *Environ Sci Technol*. 29: 719-725.
- Khodadadian, M; Taghizadeh, M; Hamidzadeh, M. (2011). Effects of various barium precursors and promoters on catalytic activity of Ba-Ti perovskite catalysts for oxidative coupling of methane. *Fuel Process Tech*. 92: 1164-1168. <http://dx.doi.org/10.1016/j.fuproc.2010.11.032>.
- Khusnutdinov, RI; Bayguzina, AR; Gallyamova, LI; Dzhemilev, UM. (2012). A novel method for synthesis of benzyl alkyl ethers using vanadium-based metal complex catalysts. *Petroleum Chemistry*. 52: 261-266. <http://dx.doi.org/10.1134/S0965544112040044>.
- Khusnutdinov, RI; Schadneva, NA; Oshnyakova, TM; Dzhemilev, UM. (2009). Addition of CCl₄ to olefins catalyzed by chromium and ruthenium complexes: The influence of water as a nucleophilic additive. *Petroleum Chemistry*. 49: 331-338. <http://dx.doi.org/10.1134/S0965544109040136>.
- Khusnutdinov, RI; Shchadneva, NA; Baiguzina, AR; Lavrent'eva, YY; Burangulova, RY; Atnabaeva, AM; Dzhemilev, UM. (2004). Addition of carbon tetrachloride to unsaturated compounds catalyzed by manganese, vanadium, and molybdenum complexes. *Petroleum Chemistry*. 44: 350-362.
- Khusnutdinov, RI; Shchadneva, NA; Baiguzina, AR; Mukminov, RR; Mayakova, Y, uYu; Smirnov, AA; Dzhemilev, UM. (2008). Synthesis of 2-thiophenecarboxylic and 2,5-thiophenedicarboxylic acid esters via the reaction of thiophenes with the CCl₄-ROH reagent in the presence of vanadium, iron, and molybdenum catalysts. *Petroleum Chemistry*. 48: 471-478. <http://dx.doi.org/10.1134/S0965544108060121>.
- Khusnutdinov, RI; Shchadneva, NA; Oshnyakova, TM; Dzhemilev, UM. (2011). Telomerization of Z,Z-cyclooctadiene with halomethanes catalyzed by chromium, copper, and molybdenum compounds in the presence of water. *Petroleum Chemistry*. 51: 435-441. <http://dx.doi.org/10.1134/S0965544111060107>.
- Kibbler, AE; Kurtz, S. R.; Olson, JM. (1991). CARBON DOPING AND ETCHING OF MOCVD-GROWN GAAS, INP, AND RELATED TERNARIES USING CCL₄. *J Cryst Growth*. 109: 258-263.
- Kile, DE; Chiou, CT; Zhou, HD; Li, H; Xu, OY. (1995). PARTITION OF NONPOLAR ORGANIC POLLUTANTS FROM WATER TO SOIL AND SEDIMENT ORGANIC MATTERS. *Environ Sci Technol*. 29: 1401-1406.
- Kile, DE; Wershaw, RL; Chiou, CT. (1999). Correlation of soil and sediment organic matter polarity to aqueous sorption of nonionic compounds. *Environ Sci Technol*. 33: 2053-2056.
- Kilinc, N; Sennik, E; Ozturk, ZZ. (2011). Fabrication of TiO₂ nanotubes by anodization of Ti thin films for VOC sensing. *Thin Solid Films*. 520: 953-958. <http://dx.doi.org/10.1016/j.tsf.2011.04.183>.
- Kim, BS; Choi, YY. (2005). Kinetics of the chlorination reaction of tantalum pentoxide with carbon tetrachloride gas. *Mater Trans*. 46: 2102-2106.
- Kim, BW; May, GS. (1994). AN OPTIMAL NEURAL-NETWORK PROCESS MODEL FOR PLASMA-ETCHING. *IEEE Trans Semicond Manuf*. 7: 12-21.
- Kim, CZ, oo; Kim, H; Song, KM, an; Jun, DH; Kang, H, oK; Park, W; Ko, CG, i. (2010). Enhanced efficiency in GaInP/GaAs tandem solar cells using carbon doped GaAs in tunnel junction. *Microelectron Eng*. 87: 677-681. <http://dx.doi.org/10.1016/j.mee.2009.09.014>.
- Kim, DH; Kwack, S; Yoon, K; Choi, J; Lee, BM, u. (2015). 4-HYDROXYNONENAL: A SUPERIOR OXIDATIVE BIOMARKER COMPARED TO MALONDIALDEHYDE AND CARBONYL CONTENT INDUCED BY CARBON TETRACHLORIDE IN RATS. *J Toxicol Environ Health A*. 78: 1051-1062. <http://dx.doi.org/10.1080/15287394.2015.1067505>.
- Kim, E; Murugesan, K; Kim, J; Tratnyek, PG; Chang, YS. (2013). Remediation of Trichloroethylene by FeS-Coated Iron Nanoparticles in Simulated and Real Groundwater: Effects of Water Chemistry. *Ind Eng Chem Res*. 52: 9343-9350. <http://dx.doi.org/10.1021/ie400165a>.
- Kim, EJ; Kim, JH; Chang, YS; Turcio-Ortega, D; Tratnyek, PG. (2014). Effects of metal ions on the reactivity and corrosion electrochemistry of Fe/FeS nanoparticles. *Environ Sci Technol*. 48: 4002-4011. <http://dx.doi.org/10.1021/es405622d>.
- Kim, EK; Kim, TG; Son, CS; Kim, SI; Park, YK; Kim, Y; Min, SK; Choi, IH. (1998). One-step selective growth of GaAs on V-groove patterned GaAs substrates using CBr₄ and CCl₄. *Institute of Physics Conference Series*. 156: 151-154.
- Kim, EK; Lee, MS; Kim, SI; Park, YJ; Min, SK; Lee, JY. (1997). InGaAs layer effect on the growth of AlGaAs/GaAs quantum wires on V-grooved GaAs substrates. *Appl Surf Sci*. 117: 690-694.
- Kim, HH; Kobara, H; Ogata, A; Futamura, S. (2005). Comparative assessment of different nonthermal plasma reactors on energy efficiency and aerosol formation from the decomposition of gas-phase benzene. *I E E E Transactions on Industry Applications*. 41: 206-214. <http://dx.doi.org/10.1109/TIA.2004.840988>.
- Kim, HJ; Leitch, M; Naknakorn, B; Tilton, RD; Lowry, GV. (2017). Effect of emplaced nZVI mass and groundwater velocity on PCE dechlorination and hydrogen evolution in water-saturated sand. *J Hazard Mater*. 322: 136-144. <http://dx.doi.org/10.1016/j.jhazmat.2016.04.037>.
- Kim, HS; Ahn, JY; Kim, C; Lee, S; Hwang, I. (2014). Effect of anions and humic acid on the performance of nanoscale zero-valent iron particles coated with polyacrylic acid. *Chemosphere*. 113: 93-100. <http://dx.doi.org/10.1016/j.chemosphere.2014.04.047>.
- Kim, HS; Kang, WH; Kim, M; Park, JY; Hwang, I. (2008). Comparison of hematite/Fe(II) systems with cement/Fe(II) systems in reductively dechlorinating trichloroethylene. *Chemosphere*. 73: 813-819. <http://dx.doi.org/10.1016/j.chemosphere.2008.04.092>.
- Kim, J; Park, C; Park, J; Chu, K; Choi, H. (2013). Vertical Crystallization of C-60 Nanowires by Solvent Vapor Annealing Process. *ACS Nano*. 7: 9122-9128. <http://dx.doi.org/10.1021/nn403729g>.
- Kim, MS; Kim, Y; Kim, SI; Hwang, SM; Kang, JM; Park, YK; Min, SK. (1995). Enhancement of side wall growth rate during MOVPE growth on patterned substrates with CCl₄. *Mater Sci Eng B*. 35: 214-218.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Kim, NH; Choi, BG; Choi, JS. (1996). Solvent activity coefficients at infinite dilution in polystyrene-hydrocarbon systems from inverse gas chromatography. *Korean J Chem Eng.* 13: 129-135.
- Kim, S; Park, T; Lee, W. (2015). Enhanced reductive dechlorination of tetrachloroethene by nano-sized mackinawite with cyanocobalamin in a highly alkaline condition. *J Environ Manage.* 151: 378-385. <http://dx.doi.org/10.1016/j.jenvman.2015.01.004>.
- Kim, S; Picardal, FW. (1999). Enhanced anaerobic biotransformation of carbon tetrachloride in the presence of reduced iron oxides. *Environ Toxicol Chem.* 18: 2142-2150.
- Kim, Si; Kim, MS; Kim, Y; Hwang, SM; Min, BD; Son, CS; Kim, EK; Min, SK. (1997). Lateral growth rate control of GaAs on patterned substrates by CCl₄ and CBr₄ during MOCVD. *J Cryst Growth.* 170: 665-668.
- Kim, Si; Kim, Y; Kim, MS; Kim, CK; Min, SK; Lee, C. (1994). CARBON DOPING CHARACTERISTICS OF GAAS AND AL_{0.3}GA_{0.7}AS GROWN BY ATMOSPHERIC-PRESSURE METALORGANIC CHEMICAL-VAPOR-DEPOSITION USING CCL₄. *J Cryst Growth.* 141: 324-330.
- Kim, Si; Son, CS; Chung, SW; Park, YK; Kim, EE; Min, SK. (1997). Temperature-dependent Hall analysis of carbon-doped GaAs. *Thin Solid Films.* 310: 63-66.
- Kim, SW; Park, HS; Kim, HJ. (2003). 100 kW steam plasma process for treatment of PCBs (polychlorinated biphenyls) waste. *Vacuum.* 70: 59-66. [http://dx.doi.org/10.1016/S0042-207X\(02\)00761-3](http://dx.doi.org/10.1016/S0042-207X(02)00761-3).
- Kim, TY; Kim, SJ; Cho, SY. (2004). Effect of relative humidity on the adsorption characteristics of carbon tetrachloride in a fixed bed. *J Ind Eng Chem.* 10: 188-195.
- Kim, W; Tachikawa, T; Majima, T; Choi, W. (2009). Photocatalysis of Dye-Sensitized TiO₂ Nanoparticles with Thin Overcoat of Al₂O₃: Enhanced Activity for H₂ Production and Dechlorination of CCl₄. *J Phys Chem C.* 113: 10603-10609. <http://dx.doi.org/10.1021/jp9008114>.
- Kim, Y; Park, YK; Kim, MS; Kang, JM; Kim, Si; Hwang, SM; Min, SK. (1995). FACET EVOLUTION OF CCL₄-DOPED AL_{0.5}GA_{0.5}AS/GAAS MULTILAYERS DURING METALORGANIC CHEMICAL-VAPOR-DEPOSITION ON PATTERNED GAAS SUBSTRATES. *J Cryst Growth.* 156: 169-176.
- Kim, YH; Carraway, ER. (2002). Reductive dechlorination of PCE and TCE by vitamin B-12 and ZVMs. *Environ Technol.* 23: 1135-1145.
- Kim, YH; Carraway, ER. (2003). Dechlorination of chlorinated phenols by zero valent zinc. *Environ Technol.* 24: 1455-1463. <http://dx.doi.org/10.1080/09593330309385690>.
- Kim, YH; Carraway, ER. (2003). Reductive dechlorination of TCE by zero valent bimetals. *Environ Technol.* 24: 69-75.
- Kim, YH; Shin, WS; Ko, SO. (2004). Reductive dechlorination of chlorinated biphenyls by palladized zero-valent metals. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 39: 1177-1188. <http://dx.doi.org/10.1081/ESE-120030302>.
- Kindler, TP; Chameides, WL; Wine, PH; Cunnold, DM; Alyea, FN; Franklin, JA. (1995). THE FATE OF ATMOSPHERIC PHOSGENE AND THE STRATOSPHERIC CHLORINE LOADINGS OF ITS PARENT COMPOUNDS - CCL₄, C₂CL₄, C₂HCL₃, CH₃CCl₃, AND CHCL₃. *J Geophys Res Atmos.* 100: 1235-1251.
- King, RCY; Roussel, F. (2005). Morphological and electrical characteristics of polyaniline nanofibers. *Synthetic Metals.* 153: 337-340. <http://dx.doi.org/10.1016/j.synthmet.2005.07.268>.
- King-Herbert, A; Thayer, K. (2006). NTP workshop: Animal models for the NTP rodent cancer bioassay: Stocks and strains - Should we switch? *Toxicol Pathol.* 34: 802-805. <http://dx.doi.org/10.1080/01926230600935938>.
- Kinoshita, K; Yamada, K; Matsutera, H. (1991). REACTIVE ION ETCHING OF FE-SI-AL ALLOY FOR THIN-FILM HEAD. *I E E E Transactions on Magnetics.* 27: 4888-4890.
- Kinoshita, T; Akita, S; Nii, S; Kawaizumi, F; Takahashi, K. (2005). Application of hydrofluoroethers as diluent to solvent extraction of zinc(II) using phosphorus acid extractants. *J Chem Eng Jpn.* 38: 94-99.
- Kinser, S; Sneed, R; Roth, R; Ganey, P. (2004). Neutrophils contribute to endotoxin enhancement of allyl alcohol hepatotoxicity. *J Toxicol Environ Health A.* 67: 911-928. <http://dx.doi.org/10.1080/15287390490443704>.
- Kircsi, I; Nagy, JB. (2004). Surface intermediates generated in the decomposition of C₁ chlorofluorocarbons over oxides and zeolites of acid-base and redox character. *Appl Catal A-Gen.* 271: 27-38. <http://dx.doi.org/10.1016/j.apcata.2004.02.043>.
- Kirk, R; Othmer, D. *Kirk-Othmer Encyclopedia of Chemical Technology.*
- Kirtland, BC; Aelion, CM; Stone, PA; Hunkeler, D. (2003). Isotopic and geochemical assessment of in situ biodegradation of chlorinated hydrocarbons. *Environ Sci Technol.* 37: 4205-4212. <http://dx.doi.org/10.1021/es034046e>.
- Kishore, MA; Gupta, JP. (1997). Organic solvents as carrier of carbendazim in sunflower seeds. *Seed Science and Technology.* 25: 391-397.
- Kiss, LDB; Sawin, HH. (1992). POWER MODULATION STUDY OF CHEMICAL-KINETICS IN RF DISCHARGES. *Plasma Chemistry and Plasma Processing.* 12: 495-522.
- Kitawaki, S; Nagai, T; Sato, N. (2013). Chlorination of uranium oxides with CCl₄ using a mechanochemical method. *J Nucl Mater.* 439: 212-216. <http://dx.doi.org/10.1016/j.jnucmat.2013.03.017>.
- Kizim, NF; Golubina, EN; Tarasov, VV. (2016). Microprocesses of liquid extraction. *Theoretical Foundations of Chemical Engineering.* 50: 632-637. <http://dx.doi.org/10.1134/S0040579516040126>.
- Klaassen, CD; Liu, J. (1998). Induction of Metallothionein as an Adaptive Mechanism Affecting the Magnitude and Progression of Toxicological Injury [Review]. *Environ Health Perspect.* 106: 297-300.
- Klausen, J; Vikesland, PJ; Kohn, T; Burris, DR; Ball, WP; Roberts, AL. (2003). Longevity of granular iron in groundwater treatment processes: Solution composition effects on reduction of organohalides and nitroaromatic compounds. *Environ Sci Technol.* 37: 1208-1218. <http://dx.doi.org/10.1021/es025965s>.
- Kleeberg, H; Klein, D; Luck, WAP. (1987). CHANGES OF THE SOLUBILITY OF WATER IN CCL₄ BY POLYETHYLENE DERIVATIVES. *Chem Ing Tech.* 59: 409-411.
- Klein, AR; Silvester, E; Hogan, CF. (2014). Mediated electron transfer between Fe(II) adsorbed onto hydrous ferric oxide and a working electrode. *Environ Sci Technol.* 48: 10835-10842. <http://dx.doi.org/10.1021/es501561d>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Klejn, D; Luliński, P; Maciejewska, D. (2015). Desorption of 3,3'-diindolylmethane from imprinted particles: An impact of cross-linker structure on binding capacity and selectivity. *Mater Sci Eng C*. 56: 233-240. <http://dx.doi.org/10.1016/j.msec.2015.06.016>.
- Klick, S. (1992). SEASONAL-VARIATIONS OF BIOGENIC AND ANTHROPOGENIC HALOCARBONS IN SEAWATER FROM A COASTAL SITE. *Limnol Oceanogr*. 37: 1579-1585.
- Klupinski, TP; Chin, YP; Traina, SJ. (2004). Abiotic degradation of pentachloronitrobenzene by Fe(II): Reactions on goethite and iron oxide nanoparticles. *Environ Sci Technol*. 38: 4353-4360. <http://dx.doi.org/10.1021/es035434j>.
- Knobel, LL; Mann, LJ. (1993). SAMPLING FOR PURGEABLE ORGANIC-COMPOUNDS USING POSITIVE-DISPLACEMENT PISTON AND CENTRIFUGAL SUBMERSIBLE PUMPS - A COMPARATIVE-STUDY. *Ground Water Monitoring and Remediation*. 13: 142-148.
- Knudsen, J; Bjerre, A. (1985). A METHOD OF HAZARD ASSESSMENT OF A GASEOUS SUBSTANCE WITH RESPECT TO FORMATION OF TOXIC PHOTODECOMPOSITION PRODUCTS - APPLICATION TO CCL4, CCL3F AND CCL2F2. *Chemosphere*. 14: 249-255.
- Ko, JH; Lee, SJ; Lim, KT. (2006). Rhus verniciflua Stokes glycoprotein (36kDa) has protective activity on carbon tetrachloride-induced liver injury in mice. *Environ Toxicol Pharmacol*. 22: 8-14. <http://dx.doi.org/10.1016/j.etap.2005.10.005>.
- Ko, S; Batchelor, B. (2007). Identification of active agents for tetrachloroethylene degradation in Portland cement slurry containing ferrous iron. *Environ Sci Technol*. 41: 5824-5832. <http://dx.doi.org/10.1021/es070361f>.
- Ko, SO; Lee, DH; Kim, YH. (2007). Kinetic studies of reductive dechlorination of chlorophenols with Ni/Fe bimetallic particles. *Environ Technol*. 28: 583-593. <http://dx.doi.org/10.1080/09593332808618818>.
- Kober, R; Schlicker, O; Ebert, M; Dahmke, A. (2002). Degradation of chlorinated ethylenes by Fe-0: inhibition processes and mineral precipitation. *Environ Geol*. 41: 644-652. <http://dx.doi.org/10.1007/s00254-001-0443-5>.
- Koch, I; Weil, R; Wolbold, R; Brockmöller, J; Hustert, E; Burk, O; Nuessler, A; Neuhaus, P; Eichelbaum, M; Zanger, U; Wojnowski, L. (2002). Interindividual variability and tissue-specificity in the expression of cytochrome P450 3A mRNA. *Drug Metab Dispos*. 30: 1108-1114.
- Koch, M; Cohn, DR; Patrick, RM; Schuetze, MP; Bromberg, L; Reilly, D; Hadidi, K; Thomas, P; Falkos, P. (1995). ELECTRON-BEAM ATMOSPHERIC-PRESSURE COLD-PLASMA DECOMPOSITION OF CARBON-TETRACHLORIDE AND TRICHLOROETHYLENE. *Environ Sci Technol*. 29: 2946-2952.
- Koenig, J; Lee, M; Manefield, M. (2015). Aliphatic organochlorine degradation in subsurface environments. *Reviews in Environmental Science and Biotechnology*. 14: 49-71. <http://dx.doi.org/10.1007/s11157-014-9345-3>.
- Koenig, JC; Boparai, HK; Lee, MJ; O'Carroll, DM; Barnes, RJ; Manefield, MJ. (2015). Particles and enzymes: Combining nanoscale zero valent iron and organochlorine respiring bacteria for the detoxification of chloroethane mixtures. *J Hazard Mater*. 308: 106-112. <http://dx.doi.org/10.1016/j.jhazmat.2015.12.036>.
- Koenig, JC; Lee, MJ; Manefield, M. (2012). Successful microcosm demonstration of a strategy for biodegradation of a mixture of carbon tetrachloride and perchloroethene harnessing sulfate reducing and dehalorespiring bacteria. *J Hazard Mater*. 219-220: 169-175. <http://dx.doi.org/10.1016/j.jhazmat.2012.03.076>.
- Kohn, T; Arnold, WA; Roberts, AL. (2006). Reactivity of substituted benzotrichlorides toward granular iron, Cr(II), and an iron(II) porphyrin: A correlation analysis. *Environ Sci Technol*. 40: 4253-4260. <http://dx.doi.org/10.1021/es051737x>.
- Kohn, T; Kane, SR; Fairbrother, DH; Roberts, AL. (2003). Investigation of the inhibitory effect of silica on the degradation of 1,1,1-trichloroethane by granular iron. *Environ Sci Technol*. 37: 5806-5812. <http://dx.doi.org/10.1021/es034495e>.
- Kohn, T; Livi, KJT; Roberts, AL; Vikesland, PJ. (2005). Longevity of granular iron in groundwater treatment processes: Corrosion product development. *Environ Sci Technol*. 39: 2867-2879. <http://dx.doi.org/10.1021/es048851k>.
- Koide, N; Hikosaka, T; Honda, Y; Yamaguchi, M; Sawaki, N. (2005). Incorporation of carbon on a (110) facet of GaN by MOVPE. *J Cryst Growth*. 284: 341-346. <http://dx.doi.org/10.1016/j.jcrysgro.2005.07.021>.
- Kolker, AM; Kozlov, AV; Gruzdev, MS; Sharnin, VA. (2011). C-60 Fullerene Crystallosolvates with Tetralin, CCl4 and 1,2-dihlorobenzene: Determination of Composition by DSC and FT-IR Measurements. *Fullerenes, Nanotubes, and Carbon Nanostructures*. 19: 435-444. <http://dx.doi.org/10.1080/1536383X.2010.481063>.
- Kollonitsch, Z; Moller, K; Schimper, HJ; Giesen, C; Heuken, M; Willig, F; Hannappel, T. (2004). In situ monitored MOVPE growth of undoped and p-doped GaSb(100). *J Cryst Growth*. 261: 289-293. <http://dx.doi.org/10.1016/j.jcrysgro.2003.11.019>.
- Kolosov, VN. (2004). Effect of carbon on the structure and superconducting properties of Nb3Sn coatings produced by electrocodeposition. *Inorg Mater*. 40: 1287-1294.
- Kondratyuk, P; Yates, JT. (2005). Design and construction of a semiautomatic temperature programmed desorption apparatus for ultrahigh vacuum. *Journal of Vacuum Science and Technology A*. 23: 215-217. <http://dx.doi.org/10.1116/1.1818133>.
- Kone, T; Hanna, K; Abdelmoula, M; Ruby, C; Carteret, C. (2009). Reductive transformation and mineralization of an azo dye by hydroxysulphate green rust preceding oxidation using H2O2 at neutral pH. *Chemosphere*. 75: 212-219. <http://dx.doi.org/10.1016/j.chemosphere.2008.12.002>.
- Konovalov, AB; Volegov, PL; Kochegarova, LP; Dmitrakov, YL. (1998). Determination of weight ratios of the components of a mixture of organic liquids using a computer tomograph. *Russian Journal of Nondestructive Testing*. 34: 129-134.
- Konovalov, AB; Volegov, PL; Kochegarova, LP; Dmitrakov, YL. (1999). Determination of the component mass fractions of a mixture of organic liquids by the method of multispectral computerized tomography. *Industrial Laboratory*. 65: 497-500.
- Konttinen, JT; Zevenhoven, CAP; Hupa, MM. (1997). Hot gas desulfurization with zinc titanate sorbents in a fluidized bed .1. Determination of sorbent particle conversion rate model parameters. *Ind Eng Chem Res*. 36: 2332-2339.
- Konttinen, JT; Zevenhoven, CAP; Hupa, MM. (1997). Hot gas desulfurization with zinc titanate sorbents in a fluidized bed .2. Reactor model. *Ind Eng Chem Res*. 36: 2340-2345.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Konttinen, JT; Zevenhoven, CAP; Hupa, MM. (1997). Modeling of sulfided zinc titanate regeneration in a fluidized-bed reactor .2. Scale-up of the solid conversion model. *Ind Eng Chem Res.* 36: 5439-5446.
- Konyashin, IY. (1996). Thin TiCx films chemically vapour deposited onto cemented carbides from the TiCl₄-CCl₄-H₂ mixture. *Thin Solid Films.* 278: 37-44.
- Koper, O; Lagadic, I; Klabunde, KJ. (1997). Destructive adsorption of chlorinated hydrocarbons on ultrafine (nanoscale) particles of calcium oxide .2. *Chem Mater.* 9: 838-848.
- Koper, O; Li, YX; Klabunde, KJ. (1993). DESTRUCTIVE ADSORPTION OF CHLORINATED HYDROCARBONS ON ULTRAFINE (NANOSCALE) PARTICLES OF CALCIUM-OXIDE. *Chem Mater.* 5: 500-505.
- Koper, OB; Wovchko, EA; Glass, JA; Yates, JT; Klabunde, KJ. (1995). DECOMPOSITION OF CCl₄ ON CAO. *Langmuir.* 11: 2054-2059.
- Koporec, KP; Kim, HK; Mackenzie, WF; Bruckner, JV. (1995). Effect of oral dosing vehicles on the subchronic hepatotoxicity of carbon tetrachloride in the rat. *J Toxicol Environ Health.* 44: 13-27. <http://dx.doi.org/10.1080/15287399509531940>.
- Kopylev, L; Chen, C; White, P. (2007). Towards quantitative uncertainty assessment for cancer risks: Central estimates and probability distributions of risk in dose-response modeling [Review]. *Regul Toxicol Pharmacol.* 49: 203-207. <http://dx.doi.org/10.1016/j.yrtph.2007.08.002>.
- Korsrud, GO; Grice, HC; Mclaughlan, JM. (1972). Sensitivity of several serum enzymes in detecting carbon tetrachloride-induced liver damage in rats. *Toxicol Appl Pharmacol.* 22: 474-483.
- Kostopoulou, MN; Golfopoulos, SK; Nikolaou, AD; Xilourgidis, NK; Lekkas, TD. (2000). Volatile organic compounds in the surface waters of northern Greece. *Chemosphere.* 40: 527-532.
- Kotaka, H; Hayashi, S; Saito, H. (1992). PREPARATION OF SIC POWDER BY WURTZ-FITTIG REACTION. 100: 332-336.
- Kotaki, T; Amada, Y; Harada, K; Uyama, H; Matsumoto, O. (1993). DIAMOND DEPOSITION FROM AN AR-CCL₄-H₂ PLASMA-JET AT 13.3 KPA. *Diam Relat Mater.* 2: 342-346.
- Kotula, I; Marciniak, B. (2001). Solubilities of naphthalene and acenaphthene in chloro derivative solvents. *Journal of Chemical and Engineering Data.* 46: 783-787.
- Kotvis, PV; Huezo, L; Millman, WS; Tysoe, WT. (1991). THE SURFACE DECOMPOSITION AND EXTREME-PRESSURE TRIBOLOGICAL PROPERTIES OF HIGHLY CHLORINATED METHANES AND ETHANES ON FERROUS SURFACE. *Wear.* 147: 401-419.
- Kotvis, PV; Huezo, LA; Tysoe, WT. (1993). SURFACE-CHEMISTRY OF METHYLENE-CHLORIDE ON IRON - A MODEL FOR CHLORINATED-HYDROCARBON LUBRICANT ADDITIVES. *Langmuir.* 9: 467-474.
- Kotvis, PV; Lara, J; Surerus, K; Tysoe, WT. (1996). The nature of the lubricating films formed by carbon tetrachloride under conditions of extreme pressure. *Wear.* 201: 10-14.
- Kovacs, T; Turanyi, T; Foglein, K; Szepevolgyi, J. (2005). Kinetic modeling of the decomposition of carbon tetrachloride in thermal plasma. *Plasma Chemistry and Plasma Processing.* 25: 109-119. <http://dx.doi.org/10.1007/s11090-004-8837-2>.
- Kovacs, T; Turanyi, T; Foglein, K; Szepevolgyi, J. (2006). Modelling of carbon tetrachloride decomposition in oxidative RF thermal plasma. *Plasma Chemistry and Plasma Processing.* 26: 293-318. <http://dx.doi.org/10.1007/s11090-006-9003-9>.
- Kovacs, T; Turanyi, T; Szepevolgyi, J. (2010). CCl₄ Decomposition in RF Thermal Plasma in Inert and Oxidative Environments. *Plasma Chemistry and Plasma Processing.* 30: 281-286. <http://dx.doi.org/10.1007/s11090-010-9219-6>.
- Kovalchuk, VI; D'Itri, JL. (2004). Catalytic chemistry of chloro- and chlorofluorocarbon dehalogenation: from macroscopic observations to molecular level understanding. *Appl Catal A-Gen.* 271: 13-25. <http://dx.doi.org/10.1016/j.apcata.2004.02.042>.
- Kowalczyk, P; Terzyk, AP; Gauden, PA; Rychlicki, G. (2002). Numerical analysis of the Horvath-Kawazoe equation - The adsorption of nitrogen, argon, benzene, carbon tetrachloride and sulphur hexafluoride. *AST.* 20: 295-305.
- Krabbes, G; Hoanh, DV; Hai, NV; Oppermann, H; Velichkow, S; Peshev, P. (1987). CHEMICAL VAPOR TRANSPORT OF STOICHIOMETRIC AND NONSTOICHIOMETRIC RUTILE USING TECL₄, SECL₄ OR CCL₄. *J Cryst Growth.* 82: 477-486.
- Krasnov, A; Afanasyev, S; Oikari, A. (2007). Hepatic responses of gene expression in juvenile brown trout (*Salmo trutta lacustris*) exposed to three model contaminants applied singly and in combination. *Environ Toxicol Chem.* 26: 100-109.
- Krasnov, A; Koskinen, H; Rexroad, C; Afanasyev, S; Mölsä, H; Oikari, A. (2005). Transcriptome responses to carbon tetrachloride and pyrene in the kidney and liver of juvenile rainbow trout (*Oncorhynchus mykiss*). *Aquat Toxicol.* 74: 70-81. <http://dx.doi.org/10.1016/j.aquatox.2005.04.009>.
- Krawczyk, K; Jodzis, S; Lamenta, A; Kostka, K; Schmidt-Szalowski, K. (2010). Study on decomposition of tetrachloromethane as a model substance in environment of spark discharge plasma. *Przemysł Chemiczny.* 89: 1101-1106.
- Krawczyk, K; Ulejczyk, B. (2003). Decomposition of chloromethanes in gliding discharges. *Plasma Chemistry and Plasma Processing.* 23: 265-281.
- Krawczyk, K; Ulejczyk, B. (2004). Influence of water vapor on CCl₄ and CHCl₃ conversion in gliding discharge. *Plasma Chemistry and Plasma Processing.* 24: 155-167.
- Krawczyk, K; Ulejczyk, B; Song, HK; Lamenta, A; Paluch, B; Schmidt-Szalowski, K. (2009). Plasma-catalytic Reactor for Decomposition of Chlorinated Hydrocarbons. *Plasma Chemistry and Plasma Processing.* 29: 27-41. <http://dx.doi.org/10.1007/s11090-008-9159-6>.
- Krewski, D; Withey, JR; Ku, LF; Andersen, ME. (1994). Applications of physiologic pharmacokinetic modeling in carcinogenic risk assessment [Review]. *Environ Health Perspect.* 102: 37-50.
- Kriegman-King, MR; Reinhard, M. (1994). Transformation of carbon tetrachloride by pyrite in aqueous solution. *Environ Sci Technol.* 28: 692-700.
- Krishna, HVR; Priya, SP; Rai, SK; Rajulu, AV. (2005). Tensile, impact, and chemical resistance properties of granite powder-epoxy composites. *Journal of Reinforced Plastics and Composites.* 24: 451-455. <http://dx.doi.org/10.1177/0731684405043549>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Krishnaiah, K. (1976). STUDIES ON INFLUENCE OF TEMPERATURE ON EFFICACY OF ETHYLENE DICHLORIDE AND CARBON-TETRACHLORIDE MIXTURE IN CONTROLLING TRIBOLIUM-CASTANEUM-HERBST AND TROGODERMA-GRANARIUM EVERTS. *Bull Grain Technol.* 14: 42-44.
- Krishnan, PSG; Vora, RH; Veeramani, S. (2002). Thermal degradation kinetics of 6FDA/durene diamine/pPDA copolyimides. *Plastics, Rubber and Composites.* 31: 289-294. <http://dx.doi.org/10.1179/146580102225003146>.
- Krithika, R; Jyothilakshmi, V; Verma, RJ. (2016). Phyllanthin inhibits CCl₄-mediated oxidative stress and hepatic fibrosis by down-regulating TNF- α /NF- κ B, and pro-fibrotic factor TGF- β 1 mediating inflammatory signaling. *Toxicol Ind Health.* 32: 953-960. <http://dx.doi.org/10.1177/0748233714532996>.
- Krokan, H; Grafstrom, RC; Sundqvist, K; Esterbauer, H; Harris, CC. (1985). Cytotoxicity, thiol depletion and inhibition of O₆-methylguanine-DNA methyltransferase by various aldehydes in cultured human bronchial fibroblasts. *Carcinogenesis.* 6: 1755-1759.
- Kromann, A; Ludvigsen, L; H-J, A; Christensen, TH; Ejlerthsson, J; Svensson, BH. (1998). Degradability of chlorinated aliphatic compounds in methanogenic leachates sampled at eight landfills. *Waste Manag Res.* 16: 54-62.
- Kruus, P; Beutel, L; Aranda, R; Penchuk, J; Otson, R. (1998). Formation of complex organochlorine species in water due to cavitation. *Chemosphere.* 36: 1811-1824.
- Krysztafkiewicz, A; Rager, B; Maik, M. (1996). Silica recovery from waste obtained in hydrofluoric acid and aluminum fluoride production from fluosilicic acid. *J Hazard Mater.* 48: 31-49.
- Ku, CH; Wu, JJ. (2004). Effects of CCl₄ concentration on nanocrystalline diamond film deposition in a hot-filament chemical vapor deposition reactor. *Carbon.* 42: 2201-2205. <http://dx.doi.org/10.1016/j.carbon.2004.04.032>.
- Kuang, Q; Xie, SY; Jiang, ZY; Zhang, XH; Xie, ZX; Huang, RB; Zheng, LS. (2004). Low temperature solvothermal synthesis of crumpled carbon nanosheets. *Carbon.* 42: 1737-1741. <http://dx.doi.org/10.1016/j.carbon.2004.03.008>.
- Kubaczka, A; Bandrowski, J. (1990). ON NONITERATIVE METHODS OF THE CALCULATION OF MASS-TRANSPORT IN MULTICOMPONENT MIXTURES OF REAL FLUIDS. *Inzynieria Chemiczna i Procesowa.* 11: 537-551.
- Kubaczka, A; Bandrowski, J. (1991). MASS-TRANSPORT IN MULTICOMPONENT MIXTURES OF REAL FLUIDS .2. ALGORITHMS OF THE METHODS AND THEIR VERIFICATION. *Inzynieria Chemiczna i Procesowa.* 12: 81-112.
- Kubota, J; Ma, Z; Zaera, F. (2003). In situ characterization of adsorbates in solid-liquid interfaces by reflection-absorption infrared spectroscopy. *Langmuir.* 19: 3371-3376. <http://dx.doi.org/10.1021/la027031n>.
- Kucherov, AV; Hubbard, CP; Shelef, M. (1995). Rearrangement of cationic sites in CuH-ZSM-5 and reactivity loss upon high-temperature calcination and steam aging. *J Catal.* 157: 603-610.
- Kucherov, AV; Kucherova, TN; Slinkin, AA. (1998). Modification of zeolites by multi-charged cations by the use of in-situ formed "active gas-phase species". *Microporous and Mesoporous Materials.* 26: 1-10.
- Kucherov, AV; Lakeev, SG; Shelef, M. (1998). In situ ESR study of RhZSM-5 interaction with different compounds. *Microporous and Mesoporous Materials.* 20: 355-362.
- Kuenen, FJA; Venema, H; van Gestel, CAM; Verhoef, HA. (2009). Extracting soil microarthropods with olive oil: A novel mechanical extraction method for mesofauna from sandy soils. *European Journal of Soil Biology.* 45: 496-500. <http://dx.doi.org/10.1016/j.ejsobi.2009.07.001>.
- Kuhler, RJ; Santo, GA; Caudill, TR; Betterton, EA; Arnold, RG. (1993). Photoreductive dehalogenation of bromoform with titanium dioxide-cobalt macrocycle hybrid catalysts. *Environ Sci Technol.* 27: 2104-2111.
- Kuhn, M; Bachmann, P. (1990). DEMANDS FOR TURBOMOLECULAR PUMPS IN THE ALUMINUM ETCHING PROCESS. *Vacuum.* 41: 2028-2031.
- Kuijpers, LJM. (1993). COPENHAGEN-1992 - A REVISION OR A LANDMARK - DEVELOPMENT IN INTERNATIONAL AGREEMENTS AND REGULATIONS. *International Journal of Refrigeration.* 16: 210-220.
- Kuila, A; Maity, N; Layek, RK; Nandi, AK. (2014). On the pH sensitive optoelectronic properties of amphiphilic reduced graphene oxide via grafting of poly(dimethylaminoethyl methacrylate): a signature of p- and n-type doping. 2: 16039-16050. <http://dx.doi.org/10.1039/c4ta03408b>.
- Kujawska, M; Ignatowicz, E; Murias, M; Ewertowska, M; Mikołajczyk, K; Jodynis-Liebert, J. (2009). Protective effect of red beetroot against carbon tetrachloride- and N-nitrosodiethylamine-induced oxidative stress in rats. *J Agric Food Chem.* 57: 2570-2575. <http://dx.doi.org/10.1021/jf803315d>.
- Kukic-Markovic, J; Dobric, S; Jacevic, V; Topic, A; Petrovic, S; Marin, P. (2011). INFLUENCE OF SELECTED STACHYS EXTRACTS ON CARBON TETRACHLORIDE-INDUCED LIVER DAMAGE IN RATS. *Digest Journal of Nanomaterials and Biostructures.* 6: 1035-1041.
- Kukkadapu, RK; Boyd, SA. (1995). TETRAMETHYLPHOSPHONIUM-SMECTITE AND TETRAMETHYLAMMONIUM-SMECTITE AS ADSORBENTS OF AROMATIC AND CHLORINATED HYDROCARBONS - EFFECT OF WATER ON ADSORPTION EFFICIENCY. *Clays and Clay Minerals.* 43: 318-323.
- Kulkarni, SB; Kittur, AA; Kulkarni, SS; Kariduraganavar, MY. (2006). Investigations on sorption, diffusion and permeation of chloro-alkanes and -alkenes through fluoroelastomeric membranes. *Desalination.* 196: 43-54. <http://dx.doi.org/10.1016/j.desal.2005.11.019>.
- Kumar, A; Viden, I. (2007). Parameter optimization for the measurement of VOCs by canister system. *Pol J Environ Stud.* 16: 841-846.
- Kumar, BVS; Byrappa, K; Rai, KML; Anand, S; Rao, RV. (2002). The role of AlPO₄-11 in the synthesis of bisphenol-A and cinnamic acid. *Indian J Chem Tech.* 9: 543-544.
- Kumar, FJ; Jayaraman, D; Subramanian, C; Ramasamy, P. (1991). CURVATURE DEPENDENCE OF SURFACE FREE-ENERGY AND NUCLEATION KINETICS OF CCl₄ AND C₂H₂Cl₄ VAPORS. *Journal of Mater Sci Lett.* 10: 608-610.
- Kumar, MK; Mitra, T; Ghosh, P. (2006). Adsorption of ionic surfactants at liquid-liquid interfaces in the presence of salt: Application in binary coalescence of drops. *Ind Eng Chem Res.* 45: 7135-7143. <http://dx.doi.org/10.1021/ie0604066>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Kumar, P; Karmakar, S; Bohidar, HB. (2008). Anomalous self-aggregation of carbon nanoparticles in polar, nonpolar, and binary solvents. *J Phys Chem C*. 112: 15113-15121. <http://dx.doi.org/10.1021/jp803693u>.
- Kumaran, MK. (2001). Molar volume and speed of sound in the neighborhood of the liquid-liquid critical point of (tetrachloromethane plus tetradecafluoromethylcyclohexane). *Fluid Phase Equilibria*. 182: 313-324.
- Kumari, P; Radhakrishnan, CK; Unnikrishnan, GP; Varghese, S; Sujith, A. (2010). Natural Rubber/Acrylonitrile Butadiene Rubber Blend Membranes: Vapor Permeation Properties. *Chem Eng Tech*. 33: 97-102. <http://dx.doi.org/10.1002/ceat.200900268>.
- Kuo, MH; David, A; Kamelamela, N; White, M; Shultz, MJ. (2007). Nitric acid - Water interaction probed via isolation in carbon tetrachloride. *J Phys Chem C*. 111: 8827-8831. <http://dx.doi.org/10.1021/jp067131s>.
- Kuo, SL; Hines, AL; Dural, NH. (1991). CORRELATION OF METHYL-CHLORIDE, METHYLENE-CHLORIDE, CHLOROFORM, AND CARBON-TETRACHLORIDE ADSORPTION DATA ON SILICA-GEL. *Separation Science and Technology*. 26: 1077-1091.
- Kuokkanen, T; Autio, P. (1989). CHLORINATION OF P CYMENE BY CHLORINE IN CARBON TETRACHLORIDE MODEL COMPOUNDS FOR ENVIRONMENTAL ANALYSES. *Chemosphere*. 18: 9-10.
- Kuokkanen, T; Vahaoja, P; Valimaki, I; Lauhanen, R. (2004). Suitability of the respirometric BOD Oxitop method for determining the biodegradability of oils in ground water using forestry hydraulic oils as model compounds. *Int J Environ Anal Chem*. 84: 677-689. <http://dx.doi.org/10.1080/03067310410001688435>.
- Kuramochi, H; Kawamoto, K. (2006). Modification of UNIFAC parameter table Revision 5 for representation of aqueous solubility and 1-octanol/water partition coefficient for POPs. *Chemosphere*. 63: 698-706. <http://dx.doi.org/10.1016/j.chemosphere.2005.07.070>.
- Kurata, O; Kitancharoen, N; Fujiwara, A; Nakayasu, C; Wada, S; Hatai, K. (2010). Activity of Granulocytes and Chemokines in the Leukocyte-encapsulation Response of Japanese Flounder *Paralichthys olivaceus*. *Gyobyo Kenkyu*. 45: 121-129.
- Kuribayashi, T; Seita, T; Honjo, T; Yamazaki, S; Momotani, E; Yamamoto, S. (2012). Impairment of $\alpha(2)$ -macroglobulin synthesis in experimental hepatopathic rats treated with turpentine oil. *Exp Anim*. 61: 125-130.
- Kurtz, AJ; Lloyd, RS. (2003). 1,N2-deoxyguanosine adducts of acrolein, crotonaldehyde, and trans-4-hydroxynonenal cross-link to peptides via Schiff base linkage. *J Biol Chem*. 278: 5970-5906.
- Kurzrock, T; Weuster-Botz, D. (2011). New reactive extraction systems for separation of bio-succinic acid. *Bioprocess Biosyst Eng*. 34: 779-787. <http://dx.doi.org/10.1007/s00449-011-0526-y>.
- Kushnerova, TV; Fomenko, SE; Kushnerova, NF; Sprygina, VG; Lesnikova, LN; Khotimchenko, Y, uS; Kondratieva, EV. (2010). Antioxidant and membrane-protective properties of an extract from the brown alga *Laminaria japonica*. *Russian Journal of Marine Biology*. 36: 384-389. <http://dx.doi.org/10.1134/S1063074010050093>.
- Kutsuna, S; Ebihara, Y; Nakamura, K; Ibusuki, T. (1993). Heterogeneous photochemical reactions between volatile chlorinated hydrocarbons (trichloroethene and tetrachloroethene) and titanium dioxide (pp. 599-604). (ISSN 0960-1686; BIOSIS/93/18832). Kutsuna, S; Ebihara, Y; Nakamura, K; Ibusuki, T.
- Kuznetsov, GD; Novikova, EM; Zhuravlev, AV. (1988). RATE OF PLASMA-ETCHING OF GALLIUM-ARSENIDE IN A MEDIUM BASED ON CCL4 AND C2F3CL3. *Inorg Mater*. 24: 601-605.
- Kuznetsova, TF. (2002). Mesoporous structure of hydrous tin(IV) oxide coprecipitated with aluminum cations. *Inorg Mater*. 38: 1015-1019.
- Kuznetsova, TF; Burdovitsyna, LI. (1997). Sorption and structural properties of the sequentially precipitated nickel-chromium hydroxides. *Appl Catal A-Gen*. 152: 1-6.
- Kuznetsova, TF; Eremenko, SI; Lemeshonok, GS. (1998). A method to control the ion-sorption properties of porous alumina. *Inorg Mater*. 34: 462-465.
- Kuznetsova, TF; Eremenko, SI; Lemeshonok, GS. (2000). Adsorption properties of tin silicophosphate. *Inorg Mater*. 36: 932-934.
- Kuzuya, T; Hirai, S; Sokolov, VV. (2013). Recovery of valuable metals from a spent nickel-metal hydride battery: Selective chlorination roasting of an anodic active material with CCl4 gas. *Separation and Purification Technology*. 118: 823-827. <http://dx.doi.org/10.1016/j.seppur.2013.08.008>.
- Kwon, K; Shim, H; Bae, W; Oh, J; Bae, J. (2016). Simultaneous biodegradation of carbon tetrachloride and trichloroethylene in a coupled anaerobic/aerobic biobarrier. *J Hazard Mater*. 313: 60-67. <http://dx.doi.org/10.1016/j.jhazmat.2016.03.057>.
- Kwon, M, anJae; Finneran, KT. (2009). Hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX) Reduction Is Concurrently Mediated by Direct Electron Transfer from Hydroquinones and Resulting Biogenic Fe(II) Formed During Electron Shuttle-Amended Biodegradation. *Environ Eng Sci*. 26: 961-971. <http://dx.doi.org/10.1089/ees.2008.0251>.
- Kytokivi, A; Lakomaa, EL; Root, A. (1996). Controlled formation of ZrO2 in the reaction of ZrCl4 vapor with porous silica and gamma-alumina surfaces. *Langmuir*. 12: 4395-4403.
- Kyung, D; Amir, A; Choi, K; Lee, W. (2015). Reductive Transformation of Tetrachloroethene Catalyzed by Sulfide-Cobalamin in Nano-Mackinawite Suspension. *Ind Eng Chem Res*. 54: 1439-1446. <http://dx.doi.org/10.1021/ie503605n>.
- Laborde-Boutet, C; Joly, G; Nicolaos, A; Thomas, M; Magnoux, P. (2006). Selectivity of thiophene/toluene competitive adsorptions onto zeolites. Influence of the alkali metal cation in FAU(Y). *Ind Eng Chem Res*. 45: 8111-8116. <http://dx.doi.org/10.1021/ie060430j>.
- Ladics, GS; Smith, C; Elliott, GS; Slone, TW; Loveless, SE. (1998). Further evaluation of the incorporation of an immunotoxicological functional assay for assessing humoral immunity for hazard identification purposes in rats in a standard toxicology study. *Toxicology*. 126: 137-152.
- Laffineur, F; Couturier, N; Delhalle, J; Mekhalif, Z. (2003). Effect of the solvent on the formation of n-dodecanethiol films on a polycrystalline Ag90Ni10 substrate. *Appl Surf Sci*. 212: 452-457. [http://dx.doi.org/10.1016/S0169-4332\(03\)00141-7](http://dx.doi.org/10.1016/S0169-4332(03)00141-7).
- Lagiewiczzyk, M; Czech, Z. (2010). Oxidation of hexafluoropropylene to hexafluoropropylene oxide using oxygen. *Polish Journal of Chemical Technology*. 12: 1-3. <http://dx.doi.org/10.2478/v10026-010-009-y>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Lago, RM; Green, MLH; Tsang, SC; Odlyha, M. (1996). Catalytic decomposition of chlorinated organics in air by copper chloride based catalysts. *Appl Catal B-Environ.* 8: 107-121.
- Lai, B, o. (2012). Comments on the paper "Bioaugmentation and functional partitioning in a zero valent iron-anaerobic reactor for sulfate-containing wastewater treatment" published by JX Zhang, YB Zhang, X. Quan, YW Liu, XL An, S. Chen, HM Zhao in *Chem. Eng. J.* 174 (2011) 159-165. *Chem Eng J.* 209: 677-679. <http://dx.doi.org/10.1016/j.cej.2012.08.072>.
- Lai, B, o. (2013). Comments on the paper "A preliminary study of anaerobic treatment coupled with micro-electrolysis for anthraquinone dye wastewater". *Desalination.* 314: 159-160.
- Lai, B, o; Zhang, Y; Chen, Z; Yang, P; Zhou, Y; Wang, J. (2014). Removal of p-nitrophenol (PNP) in aqueous solution by the micron-scale iron-copper (Fe/Cu) bimetallic particles. *Appl Catal B-Environ.* 144: 816-830. <http://dx.doi.org/10.1016/j.apcatb.2013.08.020>.
- Laimer, J; Misslinger, G; Stori, H. (2003). Diamond deposition with chlorinated methanes: investigation of the plasma chemistry. *Surf Coating Tech.* 174: 938-942. [http://dx.doi.org/10.1016/S0257-8972\(03\)00450-X](http://dx.doi.org/10.1016/S0257-8972(03)00450-X).
- Lakhi, KS; Cha, WS, oo; Joseph, S; Wood, BJ; Aldeyab, SS; Lawrence, G; Choy, J, inHo; Vinu, A. (2015). Cage type mesoporous carbon nitride with large mesopores for CO2 capture. *Catalysis Today.* 243: 209-217. <http://dx.doi.org/10.1016/j.cattod.2014.08.036>.
- Lal, AAS, am; Murthy, PB; Pillai, KS. (2007). Screening of hepatoprotective effect of a herbal mixture against CCl4 induced hepatotoxicity in Swiss albino mice. *J Environ Biol.* 28: 201-207.
- Lambert, IB; Singer, TM; Boucher, SE; Douglas, GR. (2005). Detailed review of transgenic rodent mutation assays [Review]. *Mutat Res.* 590: 1-280. <http://dx.doi.org/10.1016/j.mrrev.2005.04.002>.
- Lan, Y; Butler, EC. (2016). Iron-Sulfide-Associated Products Formed during Reductive Dechlorination of Carbon Tetrachloride. *Environ Sci Technol.* 50: 5489-5497. <http://dx.doi.org/10.1021/acs.est.5b06154>.
- Lan, Y; Elwood Madden, AS; Butler, EC. (2016). Transformation of mackinawite to greigite by trichloroethylene and tetrachloroethylene. *Environ Sci Process Impacts.* 18: 1266-1273. <http://dx.doi.org/10.1039/c6em00461j>.
- Lang, XY; Han, LP. (2009). Thermal Stability of Nanocrystals Confined in Nanoporous Media. *J Phys Chem C.* 113: 16036-16041. <http://dx.doi.org/10.1021/jp904844s>.
- Lara, J; Kotvis, PV; Tysoe, WT. (1997). The surface chemistry of chlorinated hydrocarbon extreme-pressure lubricant additives. *Tribology Letters.* 3: 303-309.
- Lara, J; Molero, H; Ramirezcuesta, A; Tysoe, WT. (1996). Structure and growth kinetics of films formed by the thermal decomposition of CCl4 on iron surfaces. *Langmuir.* 12: 2488-2494.
- Lara, J; Tysoe, WT. (1999). The surface and tribological chemistry of carbon tetrachloride on iron. *Tribology Letters.* 6: 195-198.
- Lara-Romero, J; Maya-Yescas, R; Rico-Cerda, JL; Rivera-Rojas, JL; Castillo, FC; Kaltchev, M; Tysoe, WT. (2006). Surface chemistry of tribochemical reactions explored in ultrahigh vacuum conditions. *Thin Solid Films.* 496: 463-468. <http://dx.doi.org/10.1016/j.tsf.2005.09.108>.
- Lardizábal, MN; Rodríguez, RE; Nocito, AL; Daniele, SM; Palatnik, JF; Veggi, LM. (2014). Alteration of the microRNA-122 regulatory network in rat models of hepatotoxicity. *Environ Toxicol Pharmacol.* 37: 354-364. <http://dx.doi.org/10.1016/j.etap.2013.12.008>.
- Larese-Casanova, P; Scherer, MM. (2007). Fe(II) sorption on hematite: New insights based on spectroscopic measurements. *Environ Sci Technol.* 41: 471-477. <http://dx.doi.org/10.1021/es0617035>.
- Larson, BJ; Gillmor, SD; Braun, JM; Cruz-Barba, LE; Savage, DE; Denes, FS; Lagally, MG. (2013). Long-term reduction in poly(dimethylsiloxane) surface hydrophobicity via cold-plasma treatments. *Langmuir.* 29: 12990-12996. <http://dx.doi.org/10.1021/la403077q>.
- Lasa, J; Sliwka, I. (2003). Long-term measurements of the concentrations of halocarbons in an urban area of Krakow, Poland. *Appl Energ.* 75: 155-163. [http://dx.doi.org/10.1016/S0306-2619\(03\)00028-X](http://dx.doi.org/10.1016/S0306-2619(03)00028-X).
- Laternus, F; Matucha, M. (2008). Chloride - a precursor in the formation of volatile organochlorines by forest plants? *J Environ Radioact.* 99: 119-125. <http://dx.doi.org/10.1016/j.jenvrad.2007.07.008>.
- Laube, JC; Keil, A; Boenisch, H; Engel, A; Rockmann, T; Volk, CM; Sturges, WT. (2013). Observation-based assessment of stratospheric fractional release, lifetimes, and ozone depletion potentials of ten important source gases. *Atmos Chem Phys.* 13: 2779-2791. <http://dx.doi.org/10.5194/acp-13-2779-2013>.
- Lavanchy, A; Stockli, M; Wirz, C; Stoekli, F. (1996). Binary adsorption of vapours in active carbons described by the Dubinin equation. *AST.* 13: 537-545.
- Lavanchy, A; Stoekli, F. (1997). Dynamic adsorption of vapour mixtures in active carbon beds described by the Myers-Prausnitz and Dubinin theories. *Carbon.* 35: 1573-1579.
- Lavecchia, R; Piga, L; Pochetti, F; Chacon, L. (1993). PRODUCTION OF TITANIUM CHLORIDE BY CHLORINATION OF ILMENITE WITH CARBON-TETRACHLORIDE. *Institute of Materials, Minerals and Mining Transactions Section C: Mineral Processing & Extractiv.* 102: C174-C178.
- Lavra, V; Bazel, Y; Badida, M; Andruch, V. (2015). Liquid-liquid microextraction and spectrophotometric determination of anionic surfactants using Astra Phloxine FF. *Int J Environ Anal Chem.* 95: 217-224. <http://dx.doi.org/10.1080/03067319.2014.1002488>.
- Laxmi, PN; Saritha, P; Rambabu, N; Himabindu, V; Anjaneyulu, Y. (2010). Sonochemical degradation of 2chloro-5methyl phenol assisted by TiO2 and H2O2. *J Hazard Mater.* 174: 151-155. <http://dx.doi.org/10.1016/j.jhazmat.2009.09.029>.
- Le Coq, D; Bytchkov, A; Honkimaeki, V; Beuneu, B; Bychkov, E. (2008). Neutron and X-ray diffraction studies of TeCl4 and TeBr4 liquids. *Journal of Non-Crystalline Solids.* 354: 259-262. <http://dx.doi.org/10.1016/j.jnoncrysol.2007.07.099>.
- Lebedev, AV; Lysenko, SN. (2011). Magnetic fluids stabilized by polypropylene glycol. *Journal of Magnetism and Magnetic Materials.* 323: 1198-1202. <http://dx.doi.org/10.1016/j.jmmm.2010.11.005>.
- Leboda, R; Charnas, B; Chodorowski, S; Skubiszewska-Zieba, J; Gun'ko, VM. (2006). Improved carbon-mineral adsorbents derived from cross-linking carbon-bearing residues in spent palygorskite. *Microporous and Mesoporous Materials.* 87: 207-216. <http://dx.doi.org/10.1016/j.micromeso.2005.08.005>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Leboeuf, RA; Kerckaert, GA; Aardema, MJ; Gibson, DP; Brauning, R; Isfort, RJ. (1996). The pH 6.7 Syrian hamster embryo cell transformation assay for assessing the carcinogenic potential of chemicals [Review]. *Mutat Res.* 356: 85-127. [http://dx.doi.org/10.1016/0027-5107\(95\)00199-9](http://dx.doi.org/10.1016/0027-5107(95)00199-9).
- Ledakowicz, S; Miller, JS. (1993). KINETICS OF TETRACHLOROETHENE PHOTOCHEMICAL OXIDATION. *Chem Eng Sci.* 48: 2443-2451.
- Ledda-Columbano, GM; Coni, P; Simbula, G; Zedda, I; Columbano, A. (1993). Compensatory regeneration, mitogen-induced liver growth, and multistage chemical carcinogenesis [Review]. *Environ Health Perspect.* 101: 163-168.
- Lee, B, umHan; Lee, SK. (2009). Effect of lattice topology on the adsorption of benzyl alcohol on kaolinite surfaces: Quantum chemical calculations of geometry optimization, binding energy, and NMR chemical shielding. *Am Mineral.* 94: 1392-1404. <http://dx.doi.org/10.2138/am.2009.3198>.
- Lee, BD; Apel, WA; Miller, AR. (1999). Removal of low concentrations of carbon tetrachloride in compost-based biofilters operated under methanogenic conditions. *J Air Waste Manag Assoc.* 49: 1068-1074.
- Lee, BS; Chiou, CB. (2007). The use of CFC-12, CFC-11 and CH₃CCl₃ to trace terrestrial airborne pollutant transport by land-sea breezes. *Atmos Environ.* 41: 3360-3372. <http://dx.doi.org/10.1016/j.atmosenv.2006.12.025>.
- Lee, C; Doong, R, an. (2010). Concentration effect of copper loading on the reductive dechlorination of tetrachloroethylene by zerovalent silicon. *Water Sci Technol.* 62: 28-35. <http://dx.doi.org/10.2166/wst.2010.236>.
- Lee, C; Doong, R, an. (2011). Enhanced Dechlorination of Tetrachloroethylene by Zerovalent Silicon in the Presence of Polyethylene Glycol under Anoxic Conditions. *Environ Sci Technol.* 45: 2301-2307. <http://dx.doi.org/10.1021/es1030273>.
- Lee, CC; Doong, RA. (2008). Dechlorination of tetrachloroethylene in aqueous solutions using metal-modified zerovalent silicon. *Environ Sci Technol.* 42: 4752-4757. <http://dx.doi.org/10.1021/es071545x>.
- Lee, CW; Yen, FL; Huang, HW; Wu, TH; Ko, HH; Tzeng, WS; Lin, CC. (2012). Resveratrol nanoparticle system improves dissolution properties and enhances the hepatoprotective effect of resveratrol through antioxidant and anti-inflammatory pathways. *J Agric Food Chem.* 60: 4662-4671. <http://dx.doi.org/10.1021/jf2050137>.
- Lee, CY. (1998). Carbonization of titanium and molybdenum by hexachloroethane. *Journal of Materials Synthesis and Processing.* 6: 49-53.
- Lee, DW; Alexandrovskii, S; Kim, BK. (2004). Mg-thermal reduction of TiCl₄+C_xCl₄ solution for producing ultrafine titanium carbide. *Mater Chem Phys.* 88: 23-26. <http://dx.doi.org/10.1016/j.matchemphys.2004.02.005>.
- Lee, DW; Alexandrovskii, SV; Kim, BK. (2004). Novel synthesis of substoichiometric ultrafine titanium carbide. *Mater Lett.* 58: 1471-1474. <http://dx.doi.org/10.1016/j.matlet.2003.10.011>.
- Lee, DW; Alexandrovskii, SV; Tolochko, OV; Kim, D; Kim, BK. (2005). Synthesis and kinetics for nanocrystalline titanium carbide upon metallothermic reduction of liquid chlorides. *Glass Physics and Chemistry.* 31: 549-553.
- Lee, DW; Kim, BK. (2003). Synthesis of nano-structured titanium carbide by Mg-thermal reduction. *Scripta Mater.* 48: 1513-1518. [http://dx.doi.org/10.1016/S1359-6462\(03\)00130-1](http://dx.doi.org/10.1016/S1359-6462(03)00130-1).
- Lee, G; Rho, S; Jahng, D. (2004). Design considerations for groundwater remediation using reduced metals. *Korean J Chem Eng.* 21: 621-628.
- Lee, IC; Kim, SH; Baek, HS; Moon, C; Kim, SH; Kim, YB; Yun, WK; Kim, HC; Kim, JC. (2015). Protective effects of diallyl disulfide on carbon tetrachloride-induced hepatotoxicity through activation of Nrf2. *Environ Toxicol.* 30: 538-548. <http://dx.doi.org/10.1002/tox.21930>.
- Lee, JW; Shim, WG; Yang, MS; Moon, H. (2004). Adsorption isotherms of polar and nonpolar organic compounds on MCM-48 at (303.15, 313.15, and 323.15) K. *Journal of Chemical and Engineering Data.* 49: 502-509.
- Lee, JY; Hozalski, RM; Arnold, WA. (2007). Effects of dissolved oxygen and iron aging on the reduction of trichloronitromethane, trichloroacetoneitrile, and trichloropropanone. *Chemosphere.* 66: 2127-2135. <http://dx.doi.org/10.1016/j.chemosphere.2006.09.041>.
- Lee, JY; Yeo, YK; Moon, HM; Park, DS. (2000). Modeling and simulation of sulfur hexafluoride (SF₆) purification process. *Korean J Chem Eng.* 17: 252-256.
- Lee, KY; Lee, JY; Khinast, J; Stencel, JR; Lavid, M. (2004). Photochemical remediation of tetrachloroethylene: Reactor design, construction, and preliminary results. *J Environ Eng.* 130: 100-103. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:1\(100\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:1(100)).
- Lee, MJ; Chiu, JY; Hwang, SM; Lin, HM. (1999). Viscosity calculations with the Eyring-Patel-Teja model for liquid mixtures. *Ind Eng Chem Res.* 38: 2867-2876.
- Lee, MJ; Lin, TK; Hwang, SM. (1998). Viscosity calculations with the aid of an equation of state. *Journal of the Chinese Institute of Chemical Engineers.* 29: 73-83.
- Lee, SM; Lee, SB; Park, CH; Choi, J. (2006). Expression of heat shock protein and hemoglobin genes in *Chironomus tentans* (Diptera, chironomidae) larvae exposed to various environmental pollutants: A potential biomarker of freshwater monitoring. *Chemosphere.* 65: 1074-1081. <http://dx.doi.org/10.1016/j.chemosphere.2006.02.042>.
- Lee, T; Lim, H; Lee, Y; Park, JW. (2003). Use of waste iron metal for removal of Cr(VI) from water. *Chemosphere.* 53: 479-485. [http://dx.doi.org/10.1016/S0045-6535\(03\)00548-4](http://dx.doi.org/10.1016/S0045-6535(03)00548-4).
- Lee, W; Batchelor, B. (2002). Abiotic reductive dechlorination of chlorinated ethylenes by iron-bearing soil minerals. 1. Pyrite and magnetite. *Environ Sci Technol.* 36: 5147-5154. <http://dx.doi.org/10.1021/es025836b>.
- Lee, W; Batchelor, B. (2002). Abiotic, reductive dechlorination of chlorinated ethylenes by iron-bearing soil minerals. 2. Green rust. *Environ Sci Technol.* 36: 5348-5354. <http://dx.doi.org/10.1021/es0258374>.
- Lee, W; Batchelor, B. (2003). Reductive capacity of natural reductants. *Environ Sci Technol.* 37: 535-541. <http://dx.doi.org/10.1021/es025830m>.
- Lee, W; Batchelor, B. (2004). Abiotic reductive dechlorination of chlorinated ethylenes by iron-bearing phyllosilicates. *Chemosphere.* 56: 999-1009. <http://dx.doi.org/10.1016/j.chemosphere.2004.05.015>.
- Lee, W; Batchelor, B. (2004). Abiotic reductive dechlorination of chlorinated ethylenes by soil. *Chemosphere.* 55: 705-713. <http://dx.doi.org/10.1016/j.chemosphere.2003.11.033>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Lee, WH; Park, JS; Sok, JH; Reucroft, P. (2005). Effects of pore structure and surface state on the adsorption properties of nano-porous carbon materials in low and high relative pressures. *Appl Surf Sci.* 246: 77-81. <http://dx.doi.org/10.1016/j.apsusc.2004.10.038>.
- Lee, WH; Reucroft, PJ. (1999). Vapor adsorption on coal- and wood-based chemically activated carbons - (II) - adsorption of organic vapors. *Carbon.* 37: 15-20.
- Lee, WJ; Chen, CY; Lin, WC; Wang, YT; Chin, CJ. (1996). Phosgene formation from the decomposition of 1,1-C₂H₂Cl₂ contained gas in an RF plasma reactor. *J Hazard Mater.* 48: 51-67.
- Lee, WJ; Cicek, B; Senkan, SM. (1993). Chemical structures of fuel-rich and fuel-lean flames of chloroform/methane mixtures. *Environ Sci Technol.* 27: 949-960. <http://dx.doi.org/10.1021/es00042a019>.
- Lee, Y; Bae, S; Lee, W. (2012). Degradation of carbon tetrachloride in modified Fenton reaction. *Korean J Chem Eng.* 29: 769-774. <http://dx.doi.org/10.1007/s11814-011-0261-8>.
- Lee, YL. (2003). Surfactants effects on mass transfer during drop-formation and drop falling stages. *AIChE J.* 49: 1859-1869.
- Lee, YL; Lin, SY. (2004). Influence of acid treatment on the surface activity and mass transfer inhibition of a splittable surfactant. *J Chem Tech Biotechnol.* 79: 678-685. <http://dx.doi.org/10.1002/jctb.1019>.
- Lefebvre, Y; Lacelle, S; Jolicoeur, C. (1992). SURFACE FRACTAL DIMENSIONS OF SOME INDUSTRIAL MINERALS FROM GAS-PHASE ADSORPTION-ISOTHERMS. *J Mater Res.* 7: 1888-1891.
- Legawiec-Jarzyna, M; Srebowata, A; Juszykna, W; Karpinski, Z. (2004). Hydrodechlorination over Pd-Pt/Al₂O₃ catalysts - A comparative study of chlorine removal from dichlorodifluoromethane, carbon tetrachloride and 1,2-dichloroethane. *Appl Catal A-Gen.* 271: 61-68. <http://dx.doi.org/10.1016/j.apcata.2004.01.036>.
- Lei, QF; Lin, RS; Ni, DY; Hou, YC. (1997). Thermal conductivities of some organic solvents and their binary mixtures. *Journal of Chemical and Engineering Data.* 42: 971-974.
- Lei, YJ; Ren, F; Mei, YZ; Gao, C; Zhu, LG; Lu, AX. (2014). Judd-Ofelt analysis and improvement in thermal stability and optical properties of Er³⁺-doped TeO₂-ZnO-Na₂O-B₂O₃-GeO₂ glasses. *Mater Res Innovat.* 18: 259-266. <http://dx.doi.org/10.1179/1433075X11Y.0000000059>.
- Leighton, DT, Jr; Calo, JM. (1981). Distribution coefficients of chlorinated hydrocarbons in dilute air-water systems for groundwater contamination applications. *Journal of Chemical and Engineering Data.* 26: 382-585. <http://dx.doi.org/10.1021/je00026a010>.
- Leisinger, T; Braus-Stromeyer, SA. (1995). Bacterial growth with chlorinated methanes [Review]. *Environ Health Perspect.* 103 Suppl 5: 33-36.
- Leith, IR; HIGHTOWE, JW; Harkins, CG. (1970). STRESS CORROSION CRACKING OF TITANIUM - SOME SURFACE CHEMICAL REACTIONS IN METHANOL AND CARBON TETRACHLORIDE. *Corrosion.* 26: 377-&.
- Lekha, PC; Balaji, M; Subramanian, S; Padiyan, DP. (2010). Sensing properties of polyoxomolybdate doped polyaniline nanomaterials for oxidising and reducing volatile organic compounds. *Curr Appl Phys.* 10: 457-467. <http://dx.doi.org/10.1016/j.cap.2009.07.005>.
- Lekmine, G; Bastow, TP; Johnston, CD; Davis, GB. (2014). Dissolution of multi-component LNAPL gasolines: the effects of weathering and composition. *J Contam Hydrol.* 160: 1-11. <http://dx.doi.org/10.1016/j.jconhyd.2014.02.003>.
- Lemieux, PM; Ryan, JV. (1998). Enhanced formation of chlorinated PICs by the addition of bromine. *Combust Sci Tech.* 134: 367-387.
- Lendvay, JM; Sauck, WA; McCormick, ML; Barcelona, MJ; Kampbell, DH; Wilson, JT; Adriaens, P. (1998). Geophysical characterization, redox zonation, and contaminant distribution at a groundwater surface water interface. *Water Resour Res.* 34: 3545-3559.
- Leng, JF; Nies, LF. (1999). The relationship between anaerobic reductive dechlorination and biomethylation of mercury (Reprinted from *Advances in Environmental Research*, vol 3, pg 389-402, 2000). *Adv Environ Res.* 3: U1-402.
- Lepori, L; Matteoli, E. (1997). Excess Gibbs energies of the ternary system ethanol plus tetrahydrofuran plus cyclohexane at 298.15 K. *Fluid Phase Equilibria.* 134: 113-131.
- Lepori, L; Matteoli, E; Conti, G; Gianni, P. (1998). Excess Gibbs energies of the ternary system ethanol plus N,N-dimethylformamide plus cyclohexane at 298.15 K. *Fluid Phase Equilibria.* 153: 293-315.
- Lepori, L; Matteoli, E; Gianni, P; Righetti, MC. (2015). Thermodynamic study of heptane plus amine mixtures. V. Excess and solvation Gibbs energies. *Fluid Phase Equilibria.* 387: 198-208. <http://dx.doi.org/10.1016/j.fluid.2014.12.017>.
- Lepori, L; Matteoli, E; Spanedda, A; Duce, C; Tine, MR. (2002). Volume changes on mixing perfluoroalkanes with alkanes or ethers at 298.15 K. *Fluid Phase Equilibria.* 201: 119-134.
- Lepori, L; Matteoli, E; Tine, MR. (1990). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA OF TETRACHLOROMETHANE + LINEAR ETHER OR ACETAL MIXTURES AT 298.15-K. *Journal of Chemical and Engineering Data.* 35: 179-182.
- Lepori, L; Matteoli, E; Tine, MR. (1991). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA OF MIXTURES CONTAINING ORGANIC-COMPOUNDS .7. EXCESS GIBBS ENERGIES OF CHLOROALKANE + OXAALKANE MIXTURES AT 298.15-K. *Journal of Chemical and Engineering Data.* 36: 406-409.
- Lepori, L; Matteoli, E; Tine, MR. (1993). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA OF MIXTURES OF ORGANIC-COMPOUNDS .8. EXCESS GIBBS ENERGIES OF TETRACHLOROMETHANE PLUS CYCLIC OXAALKANE MIXTURES AT 298.15-K. *Fluid Phase Equilibria.* 87: 177-188.
- Leroux, M; Beaumont, B; Grandjean, N; Lorenzini, P; Haffouz, S; Venegues, P; Massies, J; Gibart, P. (1997). Luminescence and reflectivity studies of undoped, n- and p-doped GaN on (0001) sapphire. *Mater Sci Eng B.* 50: 97-104.
- Lesage, S; Brown, S; Millar, K. (1996). Vitamin B-12-catalyzed dechlorination of perchloroethylene present as residual DNAPL. *Ground Water Monitoring and Remediation.* 16: 76-85.
- Lesage, S; Brown, S; Millar, K. (1998). A different mechanism for the reductive dechlorination of chlorinated ethenes: Kinetic and spectroscopic evidence. *Environ Sci Technol.* 32: 2264-2272.
- Lesage, S; Brown, S; Millar, K; Steer, H. (2003). Simulation of a ground water recirculation well with a dual-column laboratory setup. *Ground Water Monitoring and Remediation.* 23: 102-110.
- Leskiv, M; Bernardes, CES; Minas da Piedade, ME. (2009). A calorimetric system based on the LKB 10700-1 flow microcalorimeter. *Meas Sci Technol.* 20. <http://dx.doi.org/10.1088/0957-0233/20/7/075107>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Leung, CW; Tsui, WL; Shin, FG. (1998). A dielectric binary mixture formula with an interaction term. *Journal of Materials Science*. 33: 5163-5167.
- Lewis, RJ, Sr. (2007). *Hawley's condensed chemical dictionary* (15th ed.). Hoboken, NJ: John Wiley & Sons.
<http://dx.doi.org/10.1002/9780470114735>.
- Lewis, S; Lynch, A; Bachas, L; Hampson, S; Ormsbee, L; Bhattacharyya, D. (2009). Chelate-Modified Fenton Reaction for the Degradation of Trichloroethylene in Aqueous and Two-Phase Systems. *Environ Eng Sci*. 26: 849-859. <http://dx.doi.org/10.1089/ees.2008.0277>.
- Lewis, TA; Morra, MJ; Brown, PD. (1996). Comparative product analysis of carbon tetrachloride dehalogenation catalyzed by cobalt corrins in the presence of thiol or titanium (III) reducing agents. *Environ Sci Technol*. 30: 292-300.
- Lewis, TA; Morra, MJ; Habdas, J; Czuchajowski, L; Brown, PD. (1995). Reductive dechlorination of carbon tetrachloride mediated by cationic water-soluble metalloporphyrins. *J Environ Qual*. 24: 56-61.
- Lewis, TA; Paszczynski, A; Gordon-Wylie, SW; Jeedigunta, S; Lee, CH; Crawford, RL. (2001). Carbon tetrachloride dechlorination by the bacterial transition metal chelator pyridine-2,6-bis(thiocarboxylic acid). *Environ Sci Technol*. 35: 552-559. <http://dx.doi.org/10.1021/es001419s>.
- Lezal, D; Pedlikova, J; Gurovic, J; Vogt, R. (1996). The preparation of chalcogenide glasses in chlorine reactive atmosphere. *Ceramics - Silikaty*. 40: 55-59.
- Li, B, o; Metiu, H. (2012). Does Halogen Adsorption Activate the Oxygen Atom on an Oxide Surface? I. A Study of Br-2 and HBr Adsorption on La2O3 and La2O3 Doped with Mg or Zr. *J Phys Chem C*. 116: 4137-4148. <http://dx.doi.org/10.1021/jp209857s>.
- Li, C; Du, Z; Zou, W, ei; Li, H; Zhang, C. (2015). Fabrication of copper coated polymer foam and their application for hexavalent chromium removal. *React Funct Polym*. 88: 24-30. <http://dx.doi.org/10.1016/j.reactfunctpolym.2015.02.001>.
- Li, C; Hu, G; Zhong, W; He, W; Du, W; Qian, F. (2013). Coke Deposition Influence Based on a Run Length Simulation of a 1,2-Dichloroethane Cracker. *Ind Eng Chem Res*. 52: 17501-17516. <http://dx.doi.org/10.1021/ie401265f>.
- Li, C, min; Li, L; Bai, J, yan; Wu, J, ie; Huang, S; Wang, G, enlin. (2013). Correlation between heat shock protein 32 and chronic heat-induced liver injury in developing mice. *J Therm Biol*. 38: 513-519. <http://dx.doi.org/10.1016/j.jtherbio.2013.08.006>.
- Li, C; Xu, M; Sun, X; Han, S; Wu, X; Liu, Y, ouN; Huang, J; Deng, S. (2013). Chemical modification of Amberlite XAD-4 by carbonyl groups for phenol adsorption from wastewater. *Chem Eng J*. 229: 20-26. <http://dx.doi.org/10.1016/j.cej.2013.05.090>.
- Li, C; Yang, XG; Yang, BJ; Qian, YT. (2006). A chemical co-reduction route to synthesize nanocrystalline vanadium carbide. *Journal of the American Ceramic Society*. 89: 320-322. <http://dx.doi.org/10.1111/j.1551-2916.2005.00655.x>.
- Li, CT; Lee, WJ; Chen, CY; Wang, YT. (1996). CH2Cl2 decomposition by using a radio-frequency plasma system. *J Chem Tech Biotechnol*. 66: 382-388.
- Li, CT; Yang, RB; Shih, ML; Chen, CY; Hsieh, LT. (2003). Decomposition of 1,2-dichloroethane in an RF plasma environment. *J Chem Tech Biotechnol*. 78: 817-823. <http://dx.doi.org/10.1002/jctb.868>.
- Li, CT; Yang, RB; Shih, ML; Tsai, PJ; Hsieh, LT; Chen, CY. (2003). Reaction mechanism of 1,2-dichloroethane/O-2/Ar in the cold plasma environment. *Chem Eng J*. 92: 177-184.
- Li, DA; Yakushiji, D; Kanazawa, S; Ohkubo, T; Nomoto, Y. (2002). Decomposition of toluene by streamer corona discharge with catalyst. *Journal of Electrostatics*. 55: 311-319.
- Li, F; Lin, Y; Wang, X; Geng, Y; Wang, D. (2009). Preparative isolation and purification of capsaicinoids from *Capsicum frutescens* using high-speed counter-current chromatography. *Separation and Purification Technology*. 64: 304-308.
<http://dx.doi.org/10.1016/j.seppur.2008.10.005>.
- Li, F; Wang, X; Liu, C; Li, Y; Zeng, F; Liu, L. (2008). Reductive transformation of pentachlorophenol on the interface of subtropical soil colloids and water. *Geoderma*. 148: 70-78. <http://dx.doi.org/10.1016/j.geoderma.2008.09.003>.
- Li, FB; Li, XM; Zhou, SG; Zhuang, L; Cao, F; Huang, DY; Xu, W; Liu, TX; Feng, CH. (2010). Enhanced reductive dechlorination of DDT in an anaerobic system of dissimilatory iron-reducing bacteria and iron oxide. *Environ Pollut*. 158: 1733-1740.
<http://dx.doi.org/10.1016/j.envpol.2009.11.020>.
- Li, G; Jagadish, C. (1997). Recent progress in delta-doping of III-V semiconductors grown by metal organic vapour phase epitaxy. *Solid-State Electronics*. 41: 1207-1225.
- Li, H; Betterton, EA; Arnold, RG; Ela, WP; Barbaris, B; Grachane, C. (2005). Convenient new chemical actinometer based on aqueous acetone, 2-propanol, and carbon tetrachloride. *Environ Sci Technol*. 39: 2262-2266. <http://dx.doi.org/10.1021/es050046y>.
- Li, H; Fan, C; Vosgueritchian, M; Tee, BCK; Chen, H. (2014). Solution-grown aligned C-60 single-crystals for field-effect transistors. 2: 3617-3624.
<http://dx.doi.org/10.1039/c3tc32431a>.
- Li, HX; Reinhardt, F; Birch, L; Bradford, G. (2004). High-efficient carbon-doped InGaAs/AlGaAs/GaAs quantum well lasers. *J Cryst Growth*. 263: 181-184. <http://dx.doi.org/10.1016/j.jcrysgro.2003.12.012>.
- Li, HX; Reinhardt, F; Macomber, S. (2003). Carbon auto-doped AlGaAs/GaAs quantum well lasers. *J Cryst Growth*. 256: 52-55.
[http://dx.doi.org/10.1016/S0022-0248\(03\)01357-5](http://dx.doi.org/10.1016/S0022-0248(03)01357-5).
- Li, J, ie; Jiang, XY; Xu, J, iF; Zhong, L, iF; Wang, XC, e; Wang, G, uiQin; Zhao, P, eiPei. (2014). Determination of Platinum-Group Elements and Re-Os Isotopes using ID-ICP-MS and N-TIMS from a Single Digestion after Two-Stage Column Separation. *Geostandards and Geoanalytical Research*. 38: 37-50. <http://dx.doi.org/10.1111/j.1751-908X.2013.00242.x>.
- Li, J; Kuech, TF. (1997). Evolution of surface structure during carbon doping in the metal-organic vapor-phase epitaxial growth of GaAs. *J Cryst Growth*. 181: 171-180.
- Li, J; Kuech, TF. (1997). Surface morphology of carbon-doped GaAs grown by MOVPE. *J Cryst Growth*. 170: 292-296.
- Li, J, ie; Liang, X; Joo, J, iB; Lee, I; Yin, Y; Zaera, F. (2013). Mass Transport across the Porous Oxide Shells of Core-Shell and Yolk-Shell Nanostructures in Liquid Phase. *J Phys Chem C*. 117: 20043-20053. <http://dx.doi.org/10.1021/jp406991y>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Li, JC; Han, Y; Sun, Y; Jian, XH; Ba, DC. (2011). Study of the jet flow field of vacuum spray process. *Thin Solid Films*. 520: 891-895. <http://dx.doi.org/10.1016/j.tsf.2011.04.170>.
- Li, L; Fan, MH; Brown, RC; Van Leeuwen, JH; Wang, JJ; Wang, WH; Song, YH; Zhang, PY. (2006). Synthesis, properties, and environmental applications of nanoscale iron-based materials: A review. *Crit Rev Environ Sci Tech*. 36: 405-431. <http://dx.doi.org/10.1080/10643380600620387>.
- Li, L; Qi, H; Gan, S; Han, BK; Hicks, RF. (1998). Site-specific chemistry of carbon tetrachloride decomposition on GaAs(001). *Applied Physics A: Materials Science and Processing*. 66: S501-S505.
- Li, N; Li, T, ao; Lei, X; Fu, B, o; Liao, W; Qiu, J. (2014). Preparation and Characterization of Porous PDMS Beads for Oil and Organic Solvent Sorption. *Polymer Engineering and Science*. 54: 2965-2969. <http://dx.doi.org/10.1002/pen.23860>.
- Li, NY; Dong, HK; Tu, CW; Geva, M. (1995). P-TYPE GAAS DOPED BY DIODOMETHANE (CI2H2) IN MOLECULAR-BEAM EPITAXY, METALORGANIC MOLECULAR-BEAM EPITAXY, AND CHEMICAL BEAM EPITAXY. *J Cryst Growth*. 150: 246-250.
- Li, Q; Yang, J; Feng, D, an; Wu, Z; Wu, Q; Park, SS, oo; Ha, CS, ik; Zhao, D. (2010). Facile synthesis of porous carbon nitride spheres with hierarchical three-dimensional mesostructures for CO2 capture. *Nano Research*. 3: 632-642. <http://dx.doi.org/10.1007/s12274-010-0023-7>.
- Li, T; Farrell, J. (2000). Reductive dechlorination of trichloroethene and carbon tetrachloride using iron and palladized-iron cathodes. *Environ Sci Technol*. 34: 173-179.
- Li, T; Farrell, J. (2001). Electrochemical investigation of the rate-limiting mechanisms for trichloroethylene and carbon tetrachloride reduction at iron surfaces. *Environ Sci Technol*. 35: 3560-3565.
- Li, W; Willey, RJ. (1997). Stability of hydroxyl and methoxy surface groups on silica aerogels. *Journal of Non-Crystalline Solids*. 212: 243-249.
- Li, W, ei; Xie, X, inan; Tang, CZ; Li, Y, an; Li, L, u; Wang, Y, ali; Fan, D, i; Wei, X. (2016). The Distribution of Bio-Oil Components with the Effects of Sub/Supercritical Ethanol and Free Radicals during Cellulose Liquefaction. *BioResources*. 11: 9771-9788. <http://dx.doi.org/10.15376/biores.11.4.9771-9788>.
- Li, X; Pan, X; Zhou, Y; Bao, X. (2013). Modulation of the textures and chemical nature of C-SiC as the support of Pd for liquid phase hydrogenation. *Carbon*. 57: 34-41. <http://dx.doi.org/10.1016/j.carbon.2013.01.013>.
- Li, Y; Bachas, LG; Bhattacharyya, D. (2007). Selected chloro-organic detoxifications by polychelate (Poly(acrylic acid)) and citrate-based Fenton reaction at neutral pH environment. *Ind Eng Chem Res*. 46: 7984-7992. <http://dx.doi.org/10.1021/ie070393b>.
- Li, Y; Chen, Z; Li, X; Zeng, H. (2011). A new surface modification method to improve the dispersity of nano-silica in organic solvents. *Journal of Sol-Gel Science and Technology*. 58: 290-295. <http://dx.doi.org/10.1007/s10971-010-2389-0>.
- Li, Y; Dai, K, un; Zhao, J; Li, N; Zheng, G; Liu, C; Chen, J; Shen, C. (2015). Liquid-Sensing Behaviors of Carbon Black/Polypropylene and Carbon Nanotubes/Polypropylene Composites: A Comparative Study. *Polymer Composites*. 36: 205-213. <http://dx.doi.org/10.1002/pc.22931>.
- Li, Y, u; Wang, T; Jian, Y. (2010). A SENSITIVE METHOD FOR THE DETERMINATION OF BROMINATED DIPHENYL ETHER (BDE-209) IN WATER BASED ON DISPERSIVE LIQUID-LIQUID MICROEXTRACTION AND ORTHOGONAL TEST. *Fresen Environ Bull*. 19: 516-521.
- Li, Y; Zhang, Z; Fei, Y; Chen, H; Qian, Y; Dun, Y, u. (2016). Investigation of quality and pollution characteristics of groundwater in the Hutuo River Alluvial Plain, North China Plain. *Environ Earth Sci*. 75. <http://dx.doi.org/10.1007/s12665-016-5366-2>.
- Li, YG; He, Z; Tang, HS; Liu, LY; Xu, L; Wang, WC. (2004). The study of preparing "low-water" content quartz glass by sol-gel method. 33: 100-102.
- Li, YG; Liu, LY; He, ZA; Tang, HS; Xiao, SM; Xu, L; Wang, WC. (2004). Improvement of fluorescence lifetime from Er-doped sol-gel silica glass by dehydration in CCl4. *Journal of Sol-Gel Science and Technology*. 30: 29-33.
- Li, YX; Wang, YD; Dai, YY. (2004). Effect of diluents on the extraction of oxalic acid by trialkylphosphine oxide. *Chinese Journal of Chemical Engineering*. 12: 143-148.
- Li, YY; Chen, Y, anJun; Liu, ZH, ua. (2014). A uniform correlation for predicting pool boiling heat transfer on plane surface with surface characteristics effect. *Int J Heat Mass Tran*. 77: 809-817. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2014.05.060>.
- Li, YZ; Fan, YN; Luo, GF. (2004). Investigation into the liquid selective hydrogenation of long chain alkadienes on molybdenum carbide and metallic molybdenum and/or boride mixture prepared by a thermosynthesis method at moderate temperature. *Ind Eng Chem Res*. 43: 1334-1339. <http://dx.doi.org/10.1021/ie034193l>.
- Li, Z; Potapenko, DV; Rim, KT; Flytzani-Stephanopoulos, M; Flynn, GW; Osgood, RM; Wen, XD; Batista, ER. (2015). Reactions of Deuterated Methanol (CD3OD) on Fe3O4(111). *J Phys Chem C*. 119: 1113-1120. <http://dx.doi.org/10.1021/jp510821g>.
- Li, Z; Yu, G; Song, J; Wang, Q; Liu, M; Yang, Y. (2013). Study on the determination of heavy metals in water samples with ultrasound-assisted dispersive liquid-liquid microextraction prior to FAAS. *Water Sci Technol*. 67: 247-253. <http://dx.doi.org/10.2166/wst.2012.524>.
- Li, ZH; Cui, HH. (2002). Proceeding of experiments about liquid flow through microtubes. *International Journal of Nonlinear Sciences and Numerical Simulation*. 3: 577-580.
- Li, ZH; Li, H; Zhang, YM; Xue, MZ; Zhou, L; Liu, YG. (2005). A hybrid supported nickel catalyst for the controlled radical polymerization of methyl methacrylate. *Appl Catal A-Gen*. 292: 61-67. <http://dx.doi.org/10.1016/j.apcata.2005.05.030>.
- Li, ZY; Qin, W; Dai, YY. (2002). Equilibrium of extraction of p-aminobenzenesulfonic acid by Aliquat 336. *Chinese Journal of Chemical Engineering*. 10: 411-415.
- Li, ZY; Qin, W; Dai, YY. (2002). Liquid-liquid equilibria of acetic, propionic, butyric, and valeric acids with trioethylamine as extractant. *Journal of Chemical and Engineering Data*. 47: 843-848. <http://dx.doi.org/10.1021/je015526t>.
- Li, ZY; Qin, W; Dai, YY. (2003). Liquid-liquid equilibria of aqueous acetic acid derivatives with trioethylamine and select organic diluents. *Journal of Chemical and Engineering Data*. 48: 1113-1119. <http://dx.doi.org/10.1021/je025628z>.
- Liang, C; Lee, PH. (2012). Granular activated carbon/pyrite composites for environmental application: synthesis and characterization. *J Hazard Mater*. 231-232: 120-126. <http://dx.doi.org/10.1016/j.jhazmat.2012.06.048>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Liang, C; Lei, JH. (2015). Identification of Active Radical Species in Alkaline Persulfate Oxidation. *Water Environ Res.* 87: 656-659. <http://dx.doi.org/10.2175/106143015X14338845154986>.
- Liang, J; Song, C; Deng, J. (2014). Optically active microspheres constructed by helical substituted polyacetylene and used for adsorption of organic compounds in aqueous systems. 6: 19041-19049. <http://dx.doi.org/10.1021/am504943x>.
- Liang, LY; Korte, N; Gu, BH; Puls, R; Reeter, C. (2000). Geochemical and microbial reactions affecting the long-term performance of in situ 'iron barriers'. *Adv Environ Res.* 4: 273-286.
- Liang, X; Butler, EC. (2010). Effects of natural organic matter model compounds on the transformation of carbon tetrachloride by chloride green rust. *Water Res.* 44: 2125-2132. <http://dx.doi.org/10.1016/j.watres.2009.12.026>.
- Liang, X; Philp, RP; Butler, EC. (2009). Kinetic and isotope analyses of tetrachloroethylene and trichloroethylene degradation by model Fe(II)-bearing minerals. *Chemosphere.* 75: 63-69. <http://dx.doi.org/10.1016/j.chemosphere.2008.11.042>.
- Liang, XR, ui; Si, CX, ia; Chen, F, eiYan; Su, W, eiKe; Yu, XN, a. (2009). Solubility of Tiamulin Hydrogen Fumarate in Acetone, Acetonitrile, Ethyl Acetate, Ethyl Formate, and Butyl Acetate from (288.2 to 318.2) K. *Journal of Chemical and Engineering Data.* 54: 1126-1128. <http://dx.doi.org/10.1021/je800838w>.
- Liao, Y; Ma, T; Cui, Y; Qi, Z. (2014). Spatial distribution characteristics of volatile halogenated hydrocarbons in unsaturated zone of Xiaodian sewage irrigation area, Taiyuan, China. *Ecotoxicology.* 23: 1951-1957. <http://dx.doi.org/10.1007/s10646-014-1323-6>.
- Lieber, CS. (2004). Alcoholic fatty liver: its pathogenesis and mechanism of progression to inflammation and fibrosis [Review]. *Alcohol.* 34: 9-19. <http://dx.doi.org/10.1016/j.alcohol.2004.07.008>.
- Lieberman, MW; Lykissa, ED; Barrios, R; Ou, CN; Kala, G; Kala, SV. (1999). Cyclosiloxanes produce fatal liver and lung damage in mice. *Environ Health Perspect.* 107: 161-165.
- Liekhus, KJ; Zlochower, IA; Cashdollar, KL; Djordjevic, SM; Loehr, CA. (2000). Flammability of gas mixtures containing volatile organic compounds and hydrogen. *J Loss Prev Process Indust.* 13: 377-384.
- Lien, HL. (2005). Transformation of chlorinated methanes by zero-valent aluminum coupled with Pd/Al₂O₃. *Environ Technol.* 26: 663-672.
- Lien, HL; Jhuo, YS; Chen, LH. (2007). Effect of heavy metals on dechlorination of carbon tetrachloride by iron nanoparticles. *Environ Eng Sci.* 24: 21-30. <http://dx.doi.org/10.1089/ees.2007.24.21>.
- Lien, HL; Zhang, W, eiX. (2007). Nanoscale Pd/Fe bimetallic particles: Catalytic effects of palladium on hydrodechlorination. *Appl Catal B-Environ.* 77: 110-116. <http://dx.doi.org/10.1016/j.apcatb.2007.07.014>.
- Lien, HL; Zhang, WX. (1999). Transformation of chlorinated methanes by nanoscale iron particles. *J Environ Eng.* 125: 1042-1047.
- Lien, HL; Zhang, WX. (2002). Enhanced dehalogenation of halogenated methanes by bimetallic Cu/Al. *Chemosphere.* 49: 371-378.
- Lifka, J; Ondruschka, B; Hofmann, J. (2002). The use of ultrasound for the degradation of organic compounds in water: Aquasonolysis - A review. *Chem Ing Tech.* 74: 403-413.
- Lim, DH, ee; Lastoskie, CM; Soon, A; Becker, U, do. (2009). Density Functional Theory Studies of Chloroethene Adsorption on Zerovalent Iron. *Environ Sci Technol.* 43: 1192-1198. <http://dx.doi.org/10.1021/es802523a>.
- Lima, GD; Sleep, BE. (2007). The spatial distribution of eubacteria and archaea in sand-clay columns degrading carbon tetrachloride and methanol. *J Contam Hydrol.* 94: 34-48. <http://dx.doi.org/10.1016/j.jconhyd.2007.05.001>.
- Lima, GD; Sleep, BE. (2010). The Impact of Carbon Tetrachloride on an Anaerobic Methanol-Degrading Microbial Community. *Water Air Soil Pollut.* 212: 357-368. <http://dx.doi.org/10.1007/s11270-010-0350-z>.
- Limao-Vieira, P; Lobo, RFM. (1999). Low energy electron beam for time-of-flight ionization measurements. *Vacuum.* 52: 19-22.
- Lin, CF; Hsieh, HM, in; Lee, LS, un. (2007). Estimations of the viscosities of binary mixtures with different equations of state and mixing rules. *Journal of the Chinese Institute of Chemical Engineers.* 38: 1-19. <http://dx.doi.org/10.1016/j.jcice.2006.10.001>.
- Lin, CJ; Liou, YH; Lo, SL. (2009). Supported Pd/Sn bimetallic nanoparticles for reductive dechlorination of aqueous trichloroethylene. *Chemosphere.* 74: 314-319. <http://dx.doi.org/10.1016/j.chemosphere.2008.08.046>.
- Lin, CJ; Lo, SL; Liou, YH. (2004). Dechlorination of trichloroethylene in aqueous solution by noble metal-modified iron. *J Hazard Mater.* 116: 219-228. <http://dx.doi.org/10.1016/j.jhazmat.2004.09.005>.
- Lin, CJ; Lo, SL; Liou, YH. (2005). Degradation of aqueous carbon tetrachloride by nanoscale zerovalent copper on a cation resin. *Chemosphere.* 59: 1299-1307. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.064>.
- Lin, H; Zhang, X; Shen, Y; Zheng, Y; Guo, Y; Zhu, Y; Diao, X; Wang, T; Chen, S; Chen, X. (2017). Model-dependent and model-independent approaches for evaluating hepatic fibrosis in rat liver using shearwave dispersion ultrasound vibrometry. 39: 66-72. <http://dx.doi.org/10.1016/j.medengphy.2016.10.007>.
- Lin, K; Ding, J; Wang, H; Huang, X; Gan, J. (2012). Goethite-mediated transformation of bisphenol A. *Chemosphere.* 89: 789-795. <http://dx.doi.org/10.1016/j.chemosphere.2012.04.053>.
- Lin, L, i; Quezada, BR; Stair, PC. (2010). Adsorption, Desorption, and Reaction of Methyl Radicals on Surface Terminations of alpha-Fe₂O₃. *J Phys Chem C.* 114: 17105-17111. <http://dx.doi.org/10.1021/jp1039018>.
- Lin, S; Buehler, MJ. (2013). Mechanics and molecular filtration performance of graphyne nanoweb membranes for selective water purification. *Nanoscale.* 5: 11801-11807. <http://dx.doi.org/10.1039/c3nr03241h>.
- Lin, SH; Juang, RS. (2009). Adsorption of phenol and its derivatives from water using synthetic resins and low-cost natural adsorbents: a review [Review]. *J Environ Manage.* 90: 1336-1349. <http://dx.doi.org/10.1016/j.jenvman.2008.09.003>.
- Lin, YP; Valentine, RL. (2008). Release of Pb(II) from monochloramine-mediated reduction of lead oxide (PbO₂). *Environ Sci Technol.* 42: 9137-9143. <http://dx.doi.org/10.1021/es801037n>.
- Lin, YS; Chen, MT; Lin, YF; Yang, SJ; Lin, JL. (2006). Investigation of chemical decomposition of CCl₄ on TiO₂ near room temperature. *Appl Surf Sci.* 252: 5892-5899. <http://dx.doi.org/10.1016/j.apsusc.2005.08.021>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Lin, YT; Liang, C. (2013). Carbon tetrachloride degradation by alkaline ascorbic acid solution. *Environ Sci Technol.* 47: 3299-3307. <http://dx.doi.org/10.1021/es304441e>.
- Lin, YT; Liang, C. (2015). Reductive dechlorination of carbon tetrachloride using buffered alkaline ascorbic acid. *Chemosphere.* 136: 27-31. <http://dx.doi.org/10.1016/j.chemosphere.2015.04.007>.
- Lindner, A; Velling, P; Prost, W; Wiersch, A; Kuphal, E; Burchard, A; Magerle, R; Deicher, M; Tegude, FJ. (1997). The role of hydrogen in low-temperature MOVPE growth and carbon doping of In_{0.53}Ga_{0.47}As for InP-based HBT. *J Cryst Growth.* 170: 287-291.
- Lindstedt, SL; Calder, WA. (1981). Body size, physiological time, and longevity of homeothermic animals. *Q Rev Biol.* 56: 1-16.
- Linehan, K; Doyle, H. (2014). Size controlled synthesis of carbon quantum dots using hydride reducing agents. 2: 6025-6031. <http://dx.doi.org/10.1039/c4tc00826j>.
- Liou, YH; Lo, SL; Lin, CJ. (2007). Size effect in reactivity of copper nanoparticles to carbon tetrachloride degradation. *Water Res.* 41: 1705-1712. <http://dx.doi.org/10.1016/j.watres.2007.01.014>.
- Lipczynskakochany, E; Harms, S; Milburn, R; Sprah, G; Nadarajah, N. (1994). DEGRADATION OF CARBON-TETRACHLORIDE IN THE PRESENCE OF IRON AND SULFUR-CONTAINING-COMPOUNDS. *Chemosphere.* 29: 1477-1489.
- Lipscomb, JC; Garrett, CM; Snawder, JE. (1997). Cytochrome P450-dependent metabolism of trichloroethylene: Interindividual differences in humans. *Toxicol Appl Pharmacol.* 142: 311-318. <http://dx.doi.org/10.1006/taap.1996.8040>.
- Lisochkin, Y, aA; Poznyak, VI. (2007). Ignition of vapor-air mixtures of ammonia and haloids of saturated hydrocarbons with nitrogen trifluoride and fluorine. *Combustion, Explosion, and Shock Waves.* 43: 139-142.
- Lissi, EA; Engel, D. (1992). INCORPORATION OF N-ALKANOLS IN REVERSE MICELLES IN THE AOT N-HEPTANE WATER-SYSTEM. *Langmuir.* 8: 452-455.
- Litvin, AP; Parfenov, PS; Ushakova, EV; Fedorov, AV; Artemyev, MV; Prudnikau, AV; Golubkov, VV; Baranov, AV. (2013). PbS Quantum Dots in a Porous Matrix: Optical Characterization. *J Phys Chem C.* 117: 12318-12324. <http://dx.doi.org/10.1021/jp402287b>.
- Liu, C; Xu, X; Fan, J. (2015). Accelerated anaerobic dechlorination of DDT in slurry with Hydragic Acrisols using citric acid and anthraquinone-2,6-disulfonate (AQDS). *J Environ Sci.* 38: 87-94. <http://dx.doi.org/10.1016/j.jes.2015.05.005>.
- Liu, CC; Liau, SF; Tseng, DH. (2006). Effects of the electrode arrangements on reductive dechlorination of trichloroethylene in an electro-enhanced iron wall. *Environ Technol.* 27: 683-693.
- Liu, CC; Tseng, DH; Wang, CY. (2006). Effects of ferrous ions on the reductive dechlorination of trichloroethylene by zero-valent iron. *J Hazard Mater.* 136: 706-713. <http://dx.doi.org/10.1016/j.jhazmat.2005.12.045>.
- Liu, F, ei; Kim, JG, u; Lee, CW, ee; Im, J, iSun. (2014). A mesoporous WO₃-X/graphene composite as a high-performance Li-ion battery anode. *Appl Surf Sci.* 316: 604-609. <http://dx.doi.org/10.1016/j.apsusc.2014.07.189>.
- Liu, H, u; Huang, W; Yang, X; Dai, K, un; Zheng, G; Liu, C; Shen, C; Yan, X; Guo, J; Guo, Z. (2016). Organic vapor sensing behaviors of conductive thermoplastic polyurethane-graphene nanocomposites. 4: 4459-4469. <http://dx.doi.org/10.1039/c6tc00987e>.
- Liu, HQ; Wang, WC; Chang, CH. (1991). MODEL WITH TEMPERATURE-INDEPENDENT PARAMETERS FOR THE VISCOSITIES OF LIQUID-MIXTURES. *Ind Eng Chem Res.* 30: 1617-1624.
- Liu, HY; Yamamoto, H; Wei, JJ; Waldeck, DH. (2003). Control of the electron transfer rate between cytochrome c and gold electrodes by the manipulation of the electrode's hydrogen bonding character. *Langmuir.* 19: 2378-2387. <http://dx.doi.org/10.1021/la026378n>.
- Liu, J; Kershaw, WC; Klaassen, CD. (1992). Protective effects of zinc on cultured rat primary hepatocytes to metals with low affinity for metallothionein. *J Toxicol Environ Health.* 35: 51-62.
- Liu, J; Wilding, WV; Rowley, RL. (2011). A Local-Composition Model for the Prediction of Mixture Dielectric Constants. *Journal of Chemical and Engineering Data.* 56: 2430-2437. <http://dx.doi.org/10.1021/je200007x>.
- Liu, L, in; Ma, D; Zheng, H; Li, X; Cheng, M; Bao, X. (2008). Synthesis and characterization of microporous carbon nitride. *Microporous and Mesoporous Materials.* 110: 216-222. <http://dx.doi.org/10.1016/j.micromeso.2007.06.012>.
- Liu, Q; Tian, G; Yan, H; Geng, X; Cao, Q; Wang, H; Ng, TB. (2014). Characterization of polysaccharides with antioxidant and hepatoprotective activities from the wild edible mushroom *Russula vinosa* Lindblad. *J Agric Food Chem.* 62: 8858-8866. <http://dx.doi.org/10.1021/jf502632c>.
- Liu, S, en; Tian, J; Wang, L, ei; Luo, Y; Zhai, J; Sun, X. (2011). Preparation of photoluminescent carbon nitride dots from CCl₄ and 1,2-ethylenediamine: a heat-treatment-based strategy. *J Mater Chem.* 21: 11726-11729. <http://dx.doi.org/10.1039/c1jm12149a>.
- Liu, T; Li, X; Waite, TD. (2014). Depassivation of aged Fe⁰ by divalent cations: correlation between contaminant degradation and surface complexation constants. *Environ Sci Technol.* 48: 14564-14571. <http://dx.doi.org/10.1021/es503777a>.
- Liu, Y; Cao, L; Du, J; Jia, R; Wang, J; Xu, P; Yin, G. (2015). Protective effects of *Lycium barbarum* polysaccharides against carbon tetrachloride-induced hepatotoxicity in precision-cut liver slices in vitro and in vivo in common carp (*Cyprinus carpio* L.). *Comp Biochem Physiol C Toxicol Pharmacol.* 169: 65-72. <http://dx.doi.org/10.1016/j.cbpc.2014.12.005>.
- Liu, Y; Liu, Q; Ye, G; Khan, A; Liu, J; Gan, F; Zhang, X; Kumbhar, S; Huang, K. (2015). Protective effects of Selenium-enriched probiotics on carbon tetrachloride-induced liver fibrosis in rats. *J Agric Food Chem.* 63: 242-249. <http://dx.doi.org/10.1021/jf5039184>.
- Liu, Y; Liu, XX; Hou, RL; Xue, JZ; Lia, SB; Shen, SK. (1999). The accelerating effect of NH₄Cl on gas phase reaction of oxidative coupling of methane at elevated pressures. *Appl Catal A-Gen.* 179: L1-L4.
- Liu, Y; Lowry, GV. (2006). Effect of particle age (Fe-o content) and solution pH on NZVI reactivity: H₂ evolution and TCE dechlorination. *Environ Sci Technol.* 40: 6085-6090. <http://dx.doi.org/10.1021/es060685o>.
- Liu, Y; Phenrat, T; Lowry, GV. (2007). Effect of TCE concentration and dissolved groundwater solutes on NZVI-Promoted TCE dechlorination and H₂ evolution. *Environ Sci Technol.* 41: 7881-7887.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Liu, Y, i; Shang, Y, ue; Shan, G. (2014). Infinite Dilution Diffusion Coefficients of Chlorinated Methane in Poly(ethylene terephthalate) by Inverse Gas Chromatography. *Ind Eng Chem Res.* 53: 19533-19539. <http://dx.doi.org/10.1021/ie503009d>.
- Liu, YF; Wan, XL; Ying, SK. (2000). Synthesis of styrene and tetrahydrofuran block copolymers by in situ transformation. *Progress in Natural Science.* 10: 117-123.
- Liu, YJ; Luo, TL; Yao, XD; Mao, ZB; Liu, GJ. (2010). Experimental Measurement and Correlation of the Solubilities of 2,4-Dichloro-5-methoxypyrimidine in Ethyl Ethanoate, Methanol, Ethanol, Acetone, Tetrachloromethane, and Heptane at Temperatures between (295 and 320) K. *Journal of Chemical and Engineering Data.* 55: 1402-1404. <http://dx.doi.org/10.1021/je9005689>.
- Liu, YQ; Majetich, SA; Tilton, RD; Sholl, DS; Lowry, GV. (2005). TCE dechlorination rates, pathways, and efficiency of nanoscale iron particles with different properties. *Environ Sci Technol.* 39: 1338-1345. <http://dx.doi.org/10.1021/es049195r>.
- Liu, Z; Arnold, RG; Betterton, EA; Festa, KD. (1999). Electrolytic reduction of CCl₄-effects of cathode material and potential on kinetics, selectivity, and product stoichiometry. *Environ Eng Sci.* 16: 1-13.
- Liu, ZJ; Arnold, RG; Betterton, EA; Smotkin, E. (2001). Reductive dehalogenation of gas-phase chlorinated solvents using a modified fuel cell. *Environ Sci Technol.* 35: 4320-4326. <http://dx.doi.org/10.1021/es001772y>.
- L-N, L; Grbic-Galic, D. (1993). Biotransformation of chlorinated aliphatic solvents in the presence of aromatic compounds under methanogenic conditions. *Environ Toxicol Chem.* 12: 1377-1393.
- Lo, IMC. (1996). The role of organic attenuation in saturated clay barrier system. *Water Sci Technol.* 33: 145-151.
- Lo, IMC; Lee, SCH; Mak, RKM. (1998). Sorption of nonpolar and polar organics on dicytildimethylammonium-bentonite. *Waste Manag Res.* 16: 129-138.
- Lo, TC; Huang, HC. (1993). REACTIVE ION ETCHING OF A-SIC-H FILMS USING CCL₄ AND O₂ GAS-MIXTURE. *Journal of Vacuum Science and Technology A.* 11: 286-290.
- Lodewyckx, P; Blacher, S; Leonard, A. (2006). Use of x-ray microtomography to visualise dynamic adsorption of organic vapour and water vapour on activated carbon. *Adsorption.* 12: 19-26. <http://dx.doi.org/10.1007/s10450-006-0135-2>.
- Lofftfield, E; Shiels, MS; Graubard, BI; Katki, HA; Chaturvedi, AK; Trabert, B; Pinto, LA; Kemp, TJ; Shebl, FM; Mayne, ST; Wentzensen, N; Purdue, MP; Hildesheim, A; Sinha, R; Freedman, ND. (2015). Associations of Coffee Drinking with Systemic Immune and Inflammatory Markers. *Cancer Epidemiol Biomarkers Prev.* 24: 1052-1060. <http://dx.doi.org/10.1158/1055-9965.EPI-15-0038-T>.
- Logsdon, PB; Basu, RS. (1993). RECOVERY AND RECYCLE OF HCFCs BY ACTIVATED CARBON ADSORPTION. *J IES.* 36: 33-36.
- Logue, BA; Westall, JC. (2003). Kinetics of reduction of nitrobenzene and carbon tetrachloride at an iron-oxide coated gold electrode. *Environ Sci Technol.* 37: 2356-2362. <http://dx.doi.org/10.1021/es026472q>.
- Logue, JM; Small, MJ; Robinson, AL. (2011). Evaluating the national air toxics assessment (NATA): Comparison of predicted and measured air toxics concentrations, risks, and sources in Pittsburgh, Pennsylvania. *Atmos Environ.* 45: 476-484. <http://dx.doi.org/10.1016/j.atmosenv.2010.09.053>.
- Logue, JM; Small, MJ; Stern, D; Maranche, J; Robinson, AL. (2010). Spatial variation in ambient air toxics concentrations and health risks between industrial-influenced, urban, and rural sites. *Journal of the Air and Waste Management Association.* 60: 271-286. <http://dx.doi.org/10.3155/1047-3289.60.3.271>.
- Lohmann, J; Job, R; Gmehling, J. (1997). Estimation of enthalpies of fusion, melting temperatures, enthalpies of transition, and transition temperatures of pure compounds from experimental binary solid-liquid equilibrium data of eutectic systems. *Journal of Chemical and Engineering Data.* 42: 1176-1180.
- Lohmann, J; Joh, R; Gmehling, J. (1997). Solid-liquid equilibria of viscous binary mixtures with alcohols. *Journal of Chemical and Engineering Data.* 42: 1170-1175.
- Lohmann, J; Ropke, T; Gmehling, J. (1998). Solid-liquid equilibria of several binary systems with organic compounds. *Journal of Chemical and Engineering Data.* 43: 856-860.
- Lokteva, ES; Lazhko, AE; Golubina, EV; Timofeev, VV; Naumkin, AV; Yagodovskaya, TV; Gaidamaka, SN; Lunin, VV. (2011). Regeneration of Pd/TiO₂ catalyst deactivated in reductive CCl₄ transformations by the treatment with supercritical CO₂, ozone in supercritical CO₂ or oxygen plasma. *Journal of Supercritical Fluids.* 58: 263-271. <http://dx.doi.org/10.1016/j.supflu.2011.05.018>.
- Long, JL; Stensel, HD; Ferguson, JF; Strand, SE; Ongerth, JE. (1993). ANAEROBIC AND AEROBIC TREATMENT OF CHLORINATED ALIPHATIC-COMPOUNDS. *J Environ Eng.* 119: 300-320.
- Lookman, R; Bastiaens, L; Borremans, B; Maesen, M; Gemoets, J; Diels, L. (2004). Batch-test study on the dechlorination of 1,1,1-trichloroethane in contaminated aquifer material by zero-valent iron. *J Contam Hydrol.* 74: 133-144. <http://dx.doi.org/10.1016/j.jconhyd.2004.02.007>.
- Lopez, E; Ordonez, S; Diez, F. (2006). Deactivation of a Pd/Al₂O₃ catalyst used in hydrodechlorination reactions: Influence of the nature of organochlorinated compound and hydrogen chloride. *Appl Catal B-Environ.* 62: 57-65. <http://dx.doi.org/10.1016/j.apcatb.2005.06.014>.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Ayastui, JL; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2003). Gas-phase catalytic combustion of chlorinated VOC binary mixtures. *Appl Catal B-Environ.* 45: 13-21. [http://dx.doi.org/10.1016/S0926-3373\(03\)00106-1](http://dx.doi.org/10.1016/S0926-3373(03)00106-1).
- Lorah, MM; Voytek, MA. (2004). Degradation of 1,1,2,2-tetrachloroethane and accumulation of vinyl chloride in wetland sediment microcosms and in situ porewater: biogeochemical controls and associations with microbial communities. *J Contam Hydrol.* 70: 117-145. <http://dx.doi.org/10.1016/j.jconhyd.2003.08.01>.
- Loraine, GA. (1993). SHORT-WAVELENGTH ULTRAVIOLET PHOTOLYSIS OF AQUEOUS CARBON-TETRACHLORIDE. *Hazardous Waste and Hazardous Materials.* 10: 185-194.
- Lou, JC; Chang, YS. (1997). Thermal oxidation of chloroform. *Combust Flame.* 109: 188-197.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Lou, JC; Chou, ZH. (1996). An experimental and numerical study of the thermal oxidation of carbon tetrachloride. *Hazardous Waste and Hazardous Materials*. 13: 399-407.
- Lou, JC; Lee, SS. (1997). Destruction of trichloromethane with catalytic oxidation. *Appl Catal B-Environ*. 12: 111-123.
- Lourdudoss, S; Messmer, ER; Kjobon, O; Landgren, G. (1995). TEMPORALLY RESOLVED REGROWTH OF INP. *J Cryst Growth*. 152: 105-114.
- Lova, P; Bastianini, C; Giusto, P; Patrini, M; Rizzo, P; Guerra, G; Iodice, M; Soci, C; Comoretto, D. (2016). Label-Free Vapor Selectivity in Poly(p-Phenylene Oxide) Photonic Crystal Sensors. 8: 31941-31950. <http://dx.doi.org/10.1021/acsami.6b10809>.
- Lovley, DR; Woodward, JC. (1992). CONSUMPTION OF FREONS CFC-11 AND CFC-12 BY ANAEROBIC SEDIMENTS AND SOILS. *Environ Sci Technol*. 26: 925-929.
- Lowry, GV; Reinhard, M. (1999). Hydrodehalogenation of 1- to 3-carbon halogenated organic compounds in water using a palladium catalyst and hydrogen gas. *Environ Sci Technol*. 33: 1905-1910. <http://dx.doi.org/10.1021/es980963m>.
- Loyke, HF. (1985). BLOOD LEAD CONCENTRATE AND BLOOD-PRESSURE AFTER CCL4 TREATMENT. *Bull Environ Contam Toxicol*. 34: 730-735.
- Lu, B; Xu, Y; Xu, L; Cong, X; Yin, L; Li, H, ua; Peng, J. (2012). Mechanism investigation of dioscin against CCl4-induced acute liver damage in mice. *Environ Toxicol Pharmacol*. 34: 127-135. <http://dx.doi.org/10.1016/j.etap.2012.03.010>.
- Lu, J; Xie, Y; Xu, F; Zhu, LY. (2002). Study of the dissolution behavior of selenium and tellurium in different solvents - a novel route to Se, Te tubular bulk single crystals. *J Mater Chem*. 12: 2755-2761. <http://dx.doi.org/10.1039/b204092a>.
- Lu, M; Li, X; Chen, B, o; Li, M; Xin, H; Song, L. (2014). Catalytic Dechlorination of Carbon Tetrachloride in Liquid Phase with Methanol as H-Donor Over Ag/C Catalyst. *J Nanosci Nanotechnol*. 14: 7315-7318. <http://dx.doi.org/10.1166/jnn.2014.8970>.
- Lu, SY; Du, Y; Yan, JH; Li, XD; Ni, MJ; Cen, KF. (2012). Dioxins and their fingerprint in size-classified fly ash fractions from municipal solid waste incinerators in China--mechanical grate and fluidized bed units. *Journal of the Air and Waste Management Association*. 62: 717-724. <http://dx.doi.org/10.1080/10962247.2012.669740>.
- Lu, Y; Wei, XY; Cao, JP; Li, P; Liu, FJ; Zhao, YP; Fan, X; Zhao, W; Rong, LC; Wei, YB; Wang, SZ; Zhou, J; Zong, ZM. (2012). Characterization of a bio-oil from pyrolysis of rice husk by detailed compositional analysis and structural investigation of lignin. *Bioresour Technol*. 116: 114-119. <http://dx.doi.org/10.1016/j.biortech.2012.04.006>.
- Lu, Y; Wei, XY; Liu, FJ; Zong, ZM; Rong, LC; Zhao, YP; Fan, X; Wang, SZ; Yue, XM; Mukasa, R; Qing, Y; Zhao, W; Wu, L. (2014). Evaluation of an Upgraded Bio-oil from the Pyrolysis of Rice Husk by Acidic Resin-catalyzed Esterification. *Energ Source Part A*. 36: 575-581. <http://dx.doi.org/10.1080/15567036.2011.604377>.
- Luan, F; Xie, L; Sheng, J; Li, J; Zhou, Q; Zhai, G. (2012). Reduction of nitrobenzene by steel convert slag with Fe(II) system: the role of calcium in steel slag. *J Hazard Mater*. 217-218: 416-421. <http://dx.doi.org/10.1016/j.jhazmat.2012.03.047>.
- Lue, X; Wu, J; Lin, T; Wan, D; Huang, F; Xie, X; Jiang, M. (2011). Low-temperature rapid synthesis of high-quality pristine or boron-doped graphene via Wurtz-type reductive coupling reaction. *J Mater Chem*. 21: 10685-10689. <http://dx.doi.org/10.1039/c1jm11184a>.
- Lugo, L; Garcia, J; Comunas, MJP; Fernandez, J. (2003). Phase equilibria and pVT predictions for alkyl carbonate plus n-alkane systems using equations of state. *Fluid Phase Equilibria*. 212: 111-128. [http://dx.doi.org/10.1016/S0378-3812\(03\)00274-7](http://dx.doi.org/10.1016/S0378-3812(03)00274-7).
- Lugo, L; Luna, V; Garcia, J; Lopez, ER; Comunas, MJP; Fernandez, J. (2004). Prediction of the pressure dependence on the thermodynamic properties of dialkyl carbonate plus alkane mixtures using Nitta-Chao model. *Fluid Phase Equilibria*. 217: 165-173. <http://dx.doi.org/10.1016/j.fluid.2002.12.001>.
- Luk, K, aF; Ko, K, amM; Ng, K, aM. (2008). Separation and purification of schisandrin B from *Fructus schisandrae*. *Ind Eng Chem Res*. 47: 4193-4201. <http://dx.doi.org/10.1021/ie071317b>.
- Lum, KH; Stevens, GW; Kentish, SE. (2012). The modelling of water and hydrochloric acid extraction by tri-n-butyl phosphate. *Chem Eng Sci*. 84: 21-30. <http://dx.doi.org/10.1016/j.ces.2012.07.036>.
- Luna-Moreno, D; Vázquez-Martínez, O; Báez-Ruiz, A; Ramírez, J; Díaz-Muñoz, M. (2007). Food restricted schedules promote differential lipoperoxidative activity in rat hepatic subcellular fractions. *Comp Biochem Physiol A Mol Integr Physiol*. 146: 632-643. <http://dx.doi.org/10.1016/j.cbpa.2006.02.039>.
- Luo, C; Chen, Z, he; Wu, D; Ma, L. (2014). Electrochemical reductive degradation of chlorobenzene using galvanically replaced Pd/Fe nanoscale particles. *Chem Eng J*. 241: 376-383. <http://dx.doi.org/10.1016/j.cej.2013.10.072>.
- Luo, J; Farrell, J. (2013). Understanding pH effects on trichloroethylene and perchloroethylene adsorption to iron in permeable reactive barriers for groundwater remediation. *Int J Environ Sci Tech*. 10: 77-84. <http://dx.doi.org/10.1007/s13762-012-0082-2>.
- Lussier, MG; Shull, JC; Miller, DJ. (1994). ACTIVATED CARBON FROM CHERRY STONES. *Carbon*. 32: 1493-1498.
- Luzinova, Y; Dobbs, GT; Sassen, R; Mizaikoff, B. (2009). Quantification of adamantane in organic media via infrared attenuated total reflection spectroscopy. *Organic Geochemistry*. 40: 1143-1150. <http://dx.doi.org/10.1016/j.orggeochem.2009.07.015>.
- Ma, HZ; O'Loughlin, EJ; Burris, DR. (2001). Factors affecting humic-nickel complex mediated seduction of trichloroethene in homogeneous aqueous solution. *Environ Sci Technol*. 35: 717-724. <http://dx.doi.org/10.1021/es001314p>.
- Ma, J; Chen, H; Liu, D; Ji, N; Zong, G. (2013). Synthesis of polyacrylonitrile using AGET-ATRP in emulsion. *Mater Sci Eng C*. 33: 570-574. <http://dx.doi.org/10.1016/j.msec.2012.08.051>.
- Ma, J; Ding, J, ie; Zhang, L, i; Liu, C. (2014). Ursolic acid protects mouse liver against CCl4-induced oxidative stress and inflammation by the MAPK/NF-kappa B pathway. *Environ Toxicol Pharmacol*. 37: 975-983. <http://dx.doi.org/10.1016/j.etap.2014.03.011>.
- Ma, X; Burken, JG. (2002). VOCs fate and partitioning in vegetation: use of tree cores in groundwater analysis. *Environ Sci Technol*. 36: 4663-4668. <http://dx.doi.org/10.1021/es025795j>.
- Ma, XD; Zheng, MH; Liu, WB; Qian, Y; Zhao, XR; Zhang, B. (2005). Synergic effect of calcium oxide and iron(III) oxide on the dechlorination of hexachlorobenzene. *Chemosphere*. 60: 796-801. <http://dx.doi.org/10.1016/j.chemosphere.2005.04.021>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ma, Z; Kubota, J; Zaera, F. (2003). The influence of dissolved gases on the adsorption of cinchonidine from solution onto Pt surfaces: an in situ infrared study. *J Catal.* 219: 404-416. [http://dx.doi.org/10.1016/S0021-9517\(03\)00232-X](http://dx.doi.org/10.1016/S0021-9517(03)00232-X).
- Maa, JS; Oneill, JJ. (1983). REACTIVE ION ETCHING OF AL AND AL-SI FILMS WITH CCL₄, N₂, AND BCL₃ MIXTURES. *Journal of Vacuum Science and Technology A.* 1: 636-637.
- Machocki, A; Denis, A. (2003). Evaluation of the possibilities of improving the selectivity and yield of ethylene in oxidative coupling of methane by the use of chloromethanes. *Przemysł Chemiczny.* 82: 624-626.
- Machocki, A; Jezior, R. (2008). Oxidative coupling of methane over a sodium-calcium oxide catalyst modified with chloride ions. *Chem Eng J.* 137: 643-652. <http://dx.doi.org/10.1016/j.cej.2007.05.038>.
- Mackay, DM; Bianchimosquera, G; Kopania, AA; Kianjah, H; Thorbjarnarson, KW. (1994). A FORCED-GRADIENT EXPERIMENT ON SOLUTE TRANSPORT IN THE BORDEN AQUIFER .1. EXPERIMENTAL METHODS AND MOMENT ANALYSES OF RESULTS. *Water Resour Res.* 30: 369-383.
- Macphail, RC; Berman, E; Elder, JA; Kavlock, RJ; Moser, VC; Narotsky, MG; Schlicht, M. (1995). A multidisciplinary approach to toxicological screening: IV Comparison of results. *J Toxicol Environ Health.* 45: 211-220. <http://dx.doi.org/10.1080/15287399509531989>.
- Madhu, P; Reddy, KP; Reddy, PS. (2015). Melatonin reduces oxidative stress and restores mitochondrial function in the liver of rats exposed to chemotherapeutics. *Journal of Experimental Zoology Part A: Ecological Genetics and Physiology (Online Edition).* 323: 301-308. <http://dx.doi.org/10.1002/jez.1917>.
- Madhumitha, G; Saral, AM; Senthilkumar, B; Sivaraaj, A. (2010). Hepatoprotective potential of petroleum ether leaf extract of *Crossandra infundibuliformis* on CCl₄ induced liver toxicity in albino mice. *Asian Pacific Journal of Tropical Medicine.* 3: 788-790. [http://dx.doi.org/10.1016/S1995-7645\(10\)60188-5](http://dx.doi.org/10.1016/S1995-7645(10)60188-5).
- Madle, S; Dean, SW; Andrae, U; Brambilla, G; Burlinson, B; Doolittle, DJ; Furihata, C; Hertner, T; Mcqueen, CA; Mori, H. (1994). Recommendations for the performance of UDS tests in vitro and in vivo [Review]. *Mutat Res.* 312: 263-285. [http://dx.doi.org/10.1016/0165-1161\(94\)00013-1](http://dx.doi.org/10.1016/0165-1161(94)00013-1).
- Magazu, V; Migliardo, F; Vadala, M. (2005). Small-Angle Neutron Scattering and Photon Correlation Spectroscopy investigation on Buckminsterfullerene solutions. Fullerenes, Nanotubes, and Carbon Nanostructures. 13: 203-214. <http://dx.doi.org/10.1081/FST-200056181>.
- Maggiore, R; Toscano, G; Crisafulli, C; Spina, S; Giannetto, A. (1982). ACTIVE-SITES IN THE NORMAL-HEXANE ISOMERIZATION OVER PT/GAMMA-AL₂O₃ CATALYST CHLORINATED WITH CCL₄. *Ann Chim.* 72: 597-609.
- Mahapatra, US; Roy, GS; Maharana, L. (2004). Dipole moment studies of H-bonded complexes of phenols and substituted phenols with benzaldehyde in tetrachloromethane. *Indian J Chem Tech.* 11: 811-815.
- Maheshwari, RC; Suri, SK; Tewari, US. (1979). EXCESS VOLUMES OF MIXING OF BINARY-MIXTURES OF ARSENIC TRIBROMIDE WITH BENZENE, CYCLOHEXANE, AND CARBON-TETRACHLORIDE AT 303.15, 308.15, AND 313.15-K. *Journal of Chemical and Engineering Data.* 24: 237-239.
- Mahmoud, KZ; Hijazi, AA. (2007). Effect of vitamin A and/or E on plasma enzymatic antioxidant systems and total antioxidant capacity of broiler chickens challenged with carbon tetrachloride. *J Anim Physiol Anim Nutr (Berl).* 91: 333-340. <http://dx.doi.org/10.1111/j.1439-0396.2006.00659.x>.
- Maione, M; Giostra, U; Arduini, J; Furlani, F; Graziosi, F; Lo Vullo, E; Bonasoni, P. (2013). Ten years of continuous observations of stratospheric ozone depleting gases at Monte Cimone (Italy)--comments on the effectiveness of the Montreal Protocol from a regional perspective. *Sci Total Environ.* 445-446: 155-164. <http://dx.doi.org/10.1016/j.scitotenv.2012.12.056>.
- Maithreepala, RA; Doong, RA. (2004). Enhanced remediation of carbon tetrachloride by Fe(II)-Fe(III) systems in the presence of copper ions. *Water Sci Technol.* 50: 161-168.
- Maithreepala, RA; Doong, RA. (2004). Reductive dechlorination of carbon tetrachloride in aqueous solutions containing ferrous and copper ions. *Environ Sci Technol.* 38: 6676-6684. <http://dx.doi.org/10.1021/es0493906>.
- Maithreepala, RA; Doong, RA. (2004). Synergistic effect of copper ion on the reductive dechlorination of carbon tetrachloride by surface-bound Fe(II) associated with goethite. *Environ Sci Technol.* 38: 260-268. <http://dx.doi.org/10.1021/es034228k>.
- Maithreepala, RA; Doong, RA. (2005). Enhanced dechlorination of chlorinated methanes and ethenes by chloride green rust in the presence of copper(II). *Environ Sci Technol.* 39: 4082-4090. <http://dx.doi.org/10.1021/es048428b>.
- Maithreepala, RA; Doong, RA. (2008). Effect of biogenic iron species and copper ions on the reduction of carbon tetrachloride under iron-reducing conditions. *Chemosphere.* 70: 1405-1413. <http://dx.doi.org/10.1016/j.chemosphere.2007.09.021>.
- Maithreepala, RA; Doong, RA. (2009). Transformation of carbon tetrachloride by biogenic iron species in the presence of *Geobacter sulfurreducens* and electron shuttles. *J Hazard Mater.* 164: 337-344. <http://dx.doi.org/10.1016/j.jhazmat.2008.08.007>.
- Maiti, K; Mukherjee, K; Murugan, V; Saha, BP; Mukherjee, PK. (2010). Enhancing bioavailability and hepatoprotective activity of andrographolide from *Andrographis paniculata*, a well-known medicinal food, through its herbosome. *J Sci Food Agric.* 90: 43-51. <http://dx.doi.org/10.1002/jsfa.3777>.
- Majdan, M; Tarasiuk, B; Gladysz-Plaska, A; Pikus, S. (2007). Adsorption of organic pollutants on organo-clays. *Przemysł Chemiczny.* 86: 126-131.
- Mak, FT; Zele, SR; Cooper, WJ; Kurucz, CN; Waite, TD; Nickelsen, MG. (1997). Kinetic modeling of carbon tetrachloride, chloroform and methylene chloride removal from aqueous solution using the electron beam process. *Water Res.* 31: 219-228. [http://dx.doi.org/10.1016/S0043-1354\(96\)00264-3](http://dx.doi.org/10.1016/S0043-1354(96)00264-3).
- Maken, S; Deshwal, BR; Chadha, R; Anu; Singh, KC; Kim, H; Park, JW. (2005). Topological and thermodynamic investigations of molecular interactions in binary mixtures: Molar excess volumes and molar excess enthalpies. *Fluid Phase Equilibria.* 235: 42-49. <http://dx.doi.org/10.1016/j.fluid.2005.06.011>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Makni, M; Chtourou, Y; Barkallah, M; Fetoui, H. (2012). Protective effect of vanillin against carbon tetrachloride (CCl₄)-induced oxidative brain injury in rats. *Toxicol Ind Health*. 28: 655-662. <http://dx.doi.org/10.1177/0748233711420472>.
- Makni, M; Chtourou, Y; Fetoui, H; Garoui, e; Barkallah, M; Marouani, C; Kallel, C; Zeghal, N. (2012). Erythrocyte oxidative damage in rat treated with CCl₄: protective role of vanillin. *Toxicol Ind Health*. 28: 908-916. <http://dx.doi.org/10.1177/0748233711427055>.
- Malik, MA; Malik, SA. (1999). Pulsed corona discharges and their applications in toxic VOCs abatement. *Chinese Journal of Chemical Engineering*. 7: 351-362.
- Malinowski, A; Lomot, D; Karpinski, Z. (1998). Hydrodechlorination of CH₂Cl₂ over Pd/gamma-Al₂O₃. Correlation with the hydrodechlorination of CCl₂F₂ (CFC-12). *Appl Catal B-Environ*. 19: L79-L86.
- Mallia, VA; Seo, HI, n; Weiss, RG. (2013). Influence of Anions and Alkyl Chain Lengths of N-Alkyl-n-(R)-12-Hydroxyoctadecyl Ammonium Salts on Their Hydrogels and Organogels. *Langmuir*. 29: 6476-6484. <http://dx.doi.org/10.1021/la400748q>.
- Malysheva, A; Kurenkov, E; Ryabinin, V; Grobovoy, S. (2005). Influence of human fetal liver extract on hepatocyte nuclearity in CCl₄-induced liver cirrhosis. *Int J Artif Organs*. 28: 931-931.
- Mamantov, G; Chen, GS; Xiao, HM; Yang, YH; Hondrogiannis, E. (1995). ELECTROCHEMICAL AND SPECTROSCOPIC STUDIES OF TUNGSTEN-SPECIES IN THE ALCL₃-NACL_{SAT} MELT. *J Electrochem Soc*. 142: 1758-1765.
- Mamontov, EV; Ivlev, DA. (2000). A hyperboloid mass spectrometer with a monopolar ion trap. *Instrum Exp Tech*. 43: 635-639.
- Manchanda, VK; Mohapatra, PK. (1994). 1-PHENYL-3-METHYL-4-BENZOYL-PYRAZOLONE-5 - A PROMISING EXTRACTANT FOR PLUTONIUM. *Separation Science and Technology*. 29: 1073-1086.
- Mane, GP; Dhawale, DS; Anand, C; Ariga, K; Ji, Q; Wahab, MA; Mori, T; Vinu, A. (2013). Selective sensing performance of mesoporous carbon nitride with a highly ordered porous structure prepared from 3-amino-1,2,4-triazine. 1: 2913-2920. <http://dx.doi.org/10.1039/c2ta01215d>.
- Mangipudy, RS; Chanda, S; Mehendale, HM. (1995). TISSUE-REPAIR RESPONSE AS A FUNCTION OF DOSE IN THIOACETAMIDE HEPATOTOXICITY. *Environ Health Perspect*. 103: 260-267.
- Mangipudy, RS; Rao, PS; Mehendale, HM. (1996). Effect of an antimetabolic agent colchicine on thioacetamide hepatotoxicity. *Environ Health Perspect*. 104: 744-749.
- Manibusan, MK; Odin, M; Eastmond, DA. (2007). Postulated carbon tetrachloride mode of action: a review. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev*. 25: 185-209.
- Manju, M; Akbarsha, MA; Oommen, OV. (2012). In vivo protective effect of dietary curcumin in fish *Anabas testudineus* (Bloch). *Fish Physiol Biochem*. 38: 309-318. <http://dx.doi.org/10.1007/s10695-011-9508-x>.
- Manju, M; Sherin, TG; Rajeesha, KN; Sreejith, P; Rajasekharan, KN; Oommen, OV. (2008). Curcumin and its derivatives prevent hepatocyte lipid peroxidation in *Anabas testudineus*. *J Fish Biol*. 73: 1701-1713. <http://dx.doi.org/10.1111/j.1095-8649.2008.02044.x>.
- Manno, M; Rezzadore, M; Grossi, M; Sbrana, C. (1996). Potentiation of occupational carbon tetrachloride toxicity by ethanol abuse. *Hum Exp Toxicol*. 15: 294-300. <http://dx.doi.org/10.1177/096032719601500404>.
- Mansdorf, SZ; Henry, N; Anderson, D; Strong, M; Rossi, D. (1997). The permeation of substituted chlorosilanes through selected protective clothing. *Am Ind Hyg Assoc J*. 58: 110-115.
- Mansouri, AI; Afzali, D; Ganjavi, F. (2014). Dispersive liquid-liquid microextraction of trace amounts of molybdenum prior to electro-thermal atomic absorption spectrometry determination. *Int J Environ Anal Chem*. 94: 247-254. <http://dx.doi.org/10.1080/03067319.2013.814124>.
- Manuel, J; Ahn, J, ouH; Kim, D, uSun; Ahn, H, yoJun; Kim, K, iWon; Kim, J, aeK; Jacobsson, P, er. (2012). Synthesis and Electrochemical Properties of Polyaniline Nanofibers by Interfacial Polymerization. *J Nanosci Nanotechnol*. 12: 3534-3537. <http://dx.doi.org/10.1166/jnn.2012.5556>.
- Mao, E; Majerfeld, A. (1997). Growth of heavily C-doped GaAs/AlGaAs MQW structures by MOVPE for 2-3 mu m normal incidence photodetectors. *J Cryst Growth*. 170: 428-432.
- Mao, Z, hiBo; Luo, TL; Cui, T, ieB; Wang, Y, u; Liu, G, uoJi. (2010). Solubilities of 3-Pentadecylphenol in Ethanol, 1-Butanol, Toluene, Acetone, Tetrachloromethane, and Ethyl Acetate. *Journal of Chemical and Engineering Data*. 55: 543-546. <http://dx.doi.org/10.1021/je900346t>.
- Marchetti, A; Martignani, A; Tassi, L. (1998). Density and excess molar volumes of binary mixtures of 1,2-dichloroethane plus 2-chloroethanol from -10 to 80 degrees C. *Ann Chim*. 88: 495-507.
- Maron, DM; Ames, BN. (1983). Revised methods for salmonella mutagenicity test. *Mutat Res Environ Mutagen Relat Subj*. 113: 173-215. [http://dx.doi.org/10.1016/0165-1161\(83\)90010-9](http://dx.doi.org/10.1016/0165-1161(83)90010-9).
- Marongiu, B; Monaci, R; Porcedda, S. (1993). EXCESS GIBBS ENERGIES AND EXCESS-ENTHALPIES OF LIQUID BINARY-MIXTURES CONTAINING NITROALKANES. *Fluid Phase Equilibria*. 84: 281-296.
- Marongiu, B; Piras, A; Porcedda, S; Tuveri, E. (2007). Excess enthalpies of chloroalkylbenzene plus alkylbenzene mixtures. *Journal of Chemical and Engineering Data*. 52: 1941-1945. <http://dx.doi.org/10.1021/je7002447>.
- Marongiu, B; Porcedda, S; Lepori, L; Matteoli, E. (1995). THE EFFECT OF THE MOLECULAR SHAPE ON THE ENTHALPIC BEHAVIOR OF LIQUID-MIXTURES - CYCLIC HYDROCARBONS IN HEPTANE AND TETRACHLOROMETHANE. *Fluid Phase Equilibria*. 108: 167-183.
- Marongiu, B; Porcedda, S; Marrocu, M; Falconieri, D; Piras, A. (2010). Calorimetric Study of Nitrile Group-Solvent Interactions and Comparison with Dispersive Quasi-Chemical (DISQUAC) Predictions. *Journal of Chemical and Engineering Data*. 55: 5406-5412. <http://dx.doi.org/10.1021/je100489z>.
- Marongiu, B; Porcedda, S; Pittau, B; Kehiaian, HV. (1994). THERMODYNAMICS OF BINARY-MIXTURES CONTAINING LINEAR OR CYCLIC ALKENES .2. MIXTURES WITH BENZENE OR TETRACHLOROMETHANE. *Fluid Phase Equilibria*. 99: 185-198.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Marongiu, B; Pusceddu, E; Porcedda, S; Lepori, L; Matteoli, E. (2006). Thermodynamic study of 1,1,2,2-tetrachloroethane plus hydrocarbon mixtures I. Excess and solvation enthalpies. *Fluid Phase Equilibria*. 250: 105-115. <http://dx.doi.org/10.1016/j.fluid.2006.10.013>.
- Marsh, KN. (2015). Relative Permittivity and Apparent Dipole Moments of Nitromethane, Nitroethane, 1-Nitropropane, and 2-Nitropropane in Several Nonpolar Solvents. *Journal of Chemical and Engineering Data*. 60: 3523-3531. <http://dx.doi.org/10.1021/acs.jced.5b00369>.
- Martin, C; Dutertre-Catella, H; Radionoff, M; Debray, M; Benstaali, C; Rat, P; Thevenin, M; Touitou, Y; Warnet, JM. (2003). Effect of age and photoperiodic conditions on metabolism and oxidative stress related markers at different circadian stages in rat liver and kidney. *Life Sci*. 73: 327-335.
- Martin, P; Mendez, A. (1997). Mechanisms of gasoline deposit formation in engine induction systems. Characterization of product reaction between benzothiophene oxides and benzothiophenes. *Petroleum Science and Technology*. 15: 1-18.
- Martin, P; Mendez, A. (1997). Mechanisms of gasoline deposit formation in engine induction systems. Characterization of product reaction between benzothiophene oxides with olefins and aromatic compounds. *Petroleum Science and Technology*. 15: 409-427.
- Martin, P; Mendez, A. (1998). Mechanisms of gasoline deposit formation in engine induction systems. Characterization of product reaction between benzothiophene oxides and basic nitrogen and naphthenic compounds. *Petroleum Science and Technology*. 16: 611-626.
- Martin, TM; Gupta, RB; Roberts, CB. (2000). Measurements and modeling of cloud point behavior for poly(propylene glycol) in ethane and in ethane plus cosolvent mixtures at high pressure. *Ind Eng Chem Res*. 39: 185-194.
- Martinerie, P; Nourtier-Mazauric, E; Barnola, JM; Sturges, WT; Worton, DR; Atlas, E; Gohar, LK; Shine, KP; Brasseur, GP. (2009). Long-lived halocarbon trends and budgets from atmospheric chemistry modelling constrained with measurements in polar firn. *Atmos Chem Phys*. 9: 3911-3934.
- Martínez, A; Urios, A; Blanco, M. (2000). Mutagenicity of 80 chemicals in *Escherichia coli* tester strains IC203, deficient in OxyR, and its oxyR(+) parent WP2 uvrA/pKM101: detection of 31 oxidative mutagens. *Mutat Res*. 467: 41-53. [http://dx.doi.org/10.1016/S1383-5718\(00\)00020-6](http://dx.doi.org/10.1016/S1383-5718(00)00020-6).
- Martinez, E; Llobet, I; Lacorte, S; Viana, P; Barcelo, D. (2002). Patterns and levels of halogenated volatile compounds in Portuguese surface waters. *J Environ Monit*. 4: 253-257. <http://dx.doi.org/10.1039/b109623k>.
- Martins, J; Soares, ML; Saker, ML; Oliveteles, L; Vasconcelos, VM. (2007). Phototactic behavior in *Daphnia magna* Straus as an indicator of toxicants in the aquatic environment. *Ecotoxicol Environ Saf*. 67: 417-422. <http://dx.doi.org/10.1016/j.ecoenv.2006.11.00>.
- Martins, JC; Saker, ML; Teles, LF; Vasconcelos, VM. (2007). Oxygen consumption by *Daphnia magna* Straus as a marker of chemical stress in the aquatic environment. *Environ Toxicol Chem*. 26: 1987-1991. <http://dx.doi.org/10.1897/07-051R>.
- Martucci, A; Brusatin, G; Guglielmi, M; Strohhofer, C; Fick, J; Pelli, S; Righini, GC. (1998). Fabrication and characterization of sol-gel GeO₂-SiO₂ erbium-doped planar waveguides. *Journal of Sol-Gel Science and Technology*. 13: 535-539.
- Martyanov, IN; Klabunde, KJ. (2004). Decomposition of CCl₃F over vanadium oxides and [MgVxOy]MgO shell/core-like particles. *J Catal*. 224: 340-346. <http://dx.doi.org/10.1016/j.jcat.2004.02.026>.
- Matejec, V; Hayer, M; Pospisilova, M; Kasik, I. (1997). Preparation of optical cores of silica optical fibers by the sol-gel method. *Journal of Sol-Gel Science and Technology*. 8: 889-893.
- Matheson, LJ; Tratnyek, PG. (1994). Reductive dehalogenation of chlorinated methanes by iron metal. *Environ Sci Technol*. 28: 2045-2053.
- Mathew, A; Ravi, J; Madhusoodanan, KN; Nair, KPR; Rasheed, TMA. (2004). Thermal diffusivity measurements of semiconducting amorphous GeSe_{100-x} thin films by photothermal deflection technique. *Appl Surf Sci*. 227: 410-415. <http://dx.doi.org/10.1016/j.apsusc.2003.12.020>.
- Mato, FA; Berro, C; Peneloux, A. (1991). EXCESS GIBBS ENERGIES AND EXCESS VOLUMES OF METHYL TERT-BUTYL ETHER (MTBE) + DICHLOROMETHANE, + CHLOROFORM, OR + TETRACHLOROMETHANE. *Journal of Chemical and Engineering Data*. 36: 259-262.
- Matouq, M; Koda, S; Maricela, T; Omar, A; Tagawa, T. (2009). Solvent Extraction of Bitumen from Jordan Oil Shale Assisted by Low Frequency Ultrasound. *J Jpn Petrol Inst*. 52: 265-269.
- Matsuda, S; Kokado, H; Inoue, E. (1971). PHOTOCURRENT IN SYSTEM OF CCL₄ AND HYDROGEN DONOR VIA PHOTOLYSIS OF CCL₄. 92: 47-&.
- Matsuo, T; Miyake, K. (1995). SIMPLE METHOD FOR FE⁺ ION PRODUCTION IN A MICROWAVE ION-SOURCE. *Journal of Vacuum Science and Technology A*. 13: 2138-2141.
- Matsuura, H; Tsukihashi, F. (2006). Chlorination kinetics of ZnO with Ar-Cl-2-O-2 gas and the effect of oxychloride formation. *Metallurgical and Materials Transactions B - Process Metallurgy and Materials Processing Science*. 37: 413-420.
- Matteoli, E; Lepori, L. (1988). ISOTHERMAL LIQUID VAPOR EQUILIBRIA OF MIXTURES CONTAINING ORGANIC-COMPOUNDS .2. EXCESS GIBBS FREE-ENERGIES OF A HYDROCARBON OR TETRACHLOROMETHANE + A CYCLIC KETONE AT 298.15 K. *Journal of Chemical and Engineering Data*. 33: 247-250.
- Matteoli, E; Lepori, L. (2000). Determination of the excess enthalpy of binary mixtures from the measurements of the heat of solution of the components: application to the perfluorohexane plus hexane mixture. *Fluid Phase Equilibria*. 174: 115-131.
- Matteoli, E; Lepori, L; Spanedda, A. (2003). Thermodynamic study of heptane plus amine mixtures - I. Excess and solvation enthalpies at 298.15 K. *Fluid Phase Equilibria*. 212: 41-52. [http://dx.doi.org/10.1016/S0378-3812\(03\)00260-7](http://dx.doi.org/10.1016/S0378-3812(03)00260-7).
- Matubayasi, N; Matsumoto, R; Motomura, K. (1990). PHASE-EQUILIBRIA IN A MIXED ADSORBED FILM OF OCTADECANOL AND CHOLESTEROL AT CARBON-TETRACHLORIDE WATER INTERFACE. *Langmuir*. 6: 822-825.
- Matubayasi, N; Matsunaga, R; Motomura, K. (1989). INTERACTION OF CHOLESTEROL AND OCTADECANOL IN A MIXED ADSORBED FILM AT CARBON-TETRACHLORIDE WATER INTERFACE - CRITICISM ABOUT THE CONDENSING EFFECT OF CHOLESTEROL. *Langmuir*. 5: 1048-1051.
- Maurya, P; Mohan, L; Sharma, P; Srivastava, CN. (2008). Larval susceptibility of *Aloe barbadensis* and *Cannabis sativa* against *Culex quinquefasciatus*, the filariasis vector. *J Environ Biol*. 29: 941-943.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Mavani, SI; Mehta, NM; Parsania, PH. (2007). Synthesis and physico-chemical study of polyester polyol of epoxy resin of 1,1'-bis (3-methyl-4-hydroxy phenyl) cyclohexane and ricinoleic acid and its polyurethanes with polyethylene glycol. *Journal of Sci Ind Res.* 66: 377-384.
- Mavlyutov, AA; Mis'kevich, AI; Zhao, XL. (2001). Estimation of the lasing threshold for excimer media under nuclear pumping. *Instrum Exp Tech.* 44: 387-391.
- Mayotte, TJ; Dybas, MJ; Criddle, CS. (1996). Bench-scale evaluation of bioaugmentation to remediate carbon tetrachloride-contaminated aquifer materials. *Ground Water.* 34: 358-367.
- Mccann, J; Choi, E; Yamasaki, E; Ames, BN. (1975). Detection of carcinogens as mutagens in the Salmonella/microsome test: Assay of 300 chemicals. *Proc Natl Acad Sci USA.* 72: 5135-5139. <http://dx.doi.org/10.1073/pnas.72.12.5135>.
- Mccarthy, MC; Hafner, HR; Montzka, SA. (2006). Background concentrations of 18 air toxics for North America. *J Air Waste Manag Assoc.* 56: 3-11.
- Mccarthy, MC; O'Brien, TE; Charrier, JG; Hafner, HR. (2009). Characterization of the chronic risk and hazard of hazardous air pollutants in the United States using ambient monitoring data. *Environ Health Perspect.* 117: 790-796. <http://dx.doi.org/10.1289/ehp.11861>.
- Mccarty, PL. (2000). Novel biological removal of hazardous chemicals at trace levels. *Water Sci Technol.* 42: 49-60.
- Mccormick, ML; Adriaens, P. (2004). Carbon tetrachloride transformation on the surface of nanoscale biogenic magnetite particles. *Environ Sci Technol.* 38: 1045-1053. <http://dx.doi.org/10.1021/es030487m>.
- Mccormick, ML; Bouwer, EJ; Adriaens, P. (2002). Carbon tetrachloride transformation in a model iron-reducing culture: relative kinetics of biotic and abiotic reactions. *Environ Sci Technol.* 36: 403-410. <http://dx.doi.org/10.1021/es010923+>.
- Mcduffie, HH; Pahwa, P; Mclaughlin, J. R.; Spinelli, JJ; Fincham, S; Dosman, JA; Robson, D; Skinnider, LF; Choi, NW. (2001). Non-Hodgkin's lymphoma and specific pesticide exposures in men: Cross-Canada study of pesticides and health. *Cancer Epidemiol Biomarkers Prev.* 10: 1155-1163.
- Mcfearin, CL; Beaman, DK; Moore, FG; Richmond, GL. (2009). From Franklin to Today: Toward a Molecular Level Understanding of Bonding and Adsorption at the Oil-Water Interface. *J Phys Chem C.* 113: 1171-1188. <http://dx.doi.org/10.1021/jp808212m>.
- Mcfearin, CL; Richmond, GL. (2009). The Role of Interfacial Molecular Structure in the Adsorption of Ions at the Liquid-Liquid Interface. *J Phys Chem C.* 113: 21162-21168. <http://dx.doi.org/10.1021/jp906616c>.
- Mckenna, EA. (1998). Hormesis: considerations and implications for human health risk assessment. *Int J Environ Pollut.* 9: 90-107.
- Mclean, AJ; Le Couteur, DG. (2004). Aging biology and geriatric clinical pharmacology [Review]. *Pharmacol Rev.* 56: 163-184. <http://dx.doi.org/10.1124/pr.56.2.4>.
- Mcnab, WW; Ruiz, R. (1998). Palladium-catalyzed reductive dehalogenation of dissolved chlorinated aliphatics using electrolytically-generated hydrogen. *Chemosphere.* 37: 925-936.
- Medvedev, OO; Shapiro, AA. (2004). Modeling diffusion coefficients in binary mixtures. *Fluid Phase Equilibria.* 225: 13-22. <http://dx.doi.org/10.1016/j.fluid.2004.06.060>.
- Medvedev, OO; Shapiro, AA. (2005). Modeling diffusion coefficients in binary mixtures of polar and non-polar compounds. *Fluid Phase Equilibria.* 236: 111-124. <http://dx.doi.org/10.1016/j.fluid.2005.04.023>.
- Mehendale, HM. (1991). Commentary: role of hepatocellular regeneration and hepatolobular healing in the final outcome of liver injury. A two-stage model of toxicity [Review]. *Biochem Pharmacol.* 42: 1155-1162. [http://dx.doi.org/10.1016/0006-2952\(91\)90249-5](http://dx.doi.org/10.1016/0006-2952(91)90249-5).
- Mehendale, HM. (1992). Biochemical Mechanisms of Biphasic Dose-Response Relationships Role of Hormesis. In *Ej Calabrese (Ed.)*, (pp. 59-94): Lewis Publishers, Inc.
- Mehendale, HM. (1994). Amplified interactive toxicity of chemicals at nontoxic levels: mechanistic considerations and implications to public health. *Environ Health Perspect.* 102: 139-149.
- Mekhalif, Z; Laffineur, F; Couturier, N; Delhalle, J. (2003). Elaboration of self-assembled monolayers of n-alkanethiols on nickel polycrystalline substrates: time, concentration, and solvent effects. *Langmuir.* 19: 637-645. <http://dx.doi.org/10.1021/la020332c>.
- Melnikov, SP; Porkhaev, VV. (1995). LASING ON IR ATOMIC CHLORINE TRANSITIONS UNDER PUMPING OF GAS-MIXTURES BY URANIUM FISSION FRAGMENTS. *Kvantovaya Elektronika (Moscow).* 22: 891-894.
- Memon, FN; Memon, S; Minhas, FT. (2016). Calix[4]arene-mediated uphill transport of methyl red through bulk liquid membrane: kinetics of operational variables. *Desalination and Water Treatment.* 57: 8358-8371. <http://dx.doi.org/10.1080/19443994.2015.1021842>.
- Menegazzi, M; Carcereri-De Prati, A; Suzuki, H; Shinozuka, H; Pibiri, M; Piga, R; Columbano, A; Ledda-Columbano, GM. (1997). Liver cell proliferation induced by nafenopin and cyproterone acetate is not associated with increases in activation of transcription factors NF-kappaB and AP-1 or with expression of tumor necrosis factor alpha. *Hepatology.* 25: 585-592. <http://dx.doi.org/10.1002/hep.510250316>.
- Mentzen, BF. (1992). STRUCTURAL CORRELATIONS BETWEEN THE FRAMEWORK SYMMETRY OF HIGHLY SILICEOUS MFI ZEOLITIC MATERIALS (SILICALITE, ZSM-5 FOR SI/AL-GREATER-THAN-75) AND THE LOCATION OR THE GEOMETRY OF SORBED MOLECULES. *Materials Research Bulletin.* 27: 831-838.
- Merkureva, RV; Aulika, BV; Shaternikova, IS; Konstantinova, IN; Dolinskaya, SI; Bushinskaya, LI; Nekrasova, GI; Koganova, ZI. (1980). THE INFLUENCE OF TETRACHLOROMETHANE ON SUBCELLULAR STRUCTURES OF RAT HEPATOCYTE LYSOSOMAL AND CYTOPLASMIC ENZYMES OF THE LIVER, LUNGS AND BLOOD-SERUM OF RATS DURING CONTINUOUS AND INTERMITTENT ACTION OF TETRACHLOROMETHANE. *J Hyg Epidemiol Microbiol Immunol.* 24: 121-132.
- Merkureva, RV; Bonashevskaya, TI; Shaternikova, IS; Belyayeva, NN; Bushinskaya, LI; Bulochnikova, EK; Nekrasova, GI. (1979). COMPARATIVE BIOCHEMICAL AND MORPHOLOGICAL INVESTIGATION OF THE LIVER OF EXPERIMENTAL-ANIMALS IN THE PROCESS OF HEPATOTROPIC EFFECT OF ATMOSPHERIC-POLLUTION (ON THE MODEL OF CARBON-TETRACHLORIDE). *J Hyg Epidemiol Microbiol Immunol.* 23: 368-&.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Merouani, S; Hamdaoui, O; Saoudi, F; Chiha, M. (2010). Sonochemical degradation of Rhodamine B in aqueous phase: Effects of additives. *Chem Eng J.* 158: 550-557. <http://dx.doi.org/10.1016/j.cej.2010.01.048>.
- Meyer, EF; Feil, J. (1994). THERMODYNAMICS OF ADSORPTION OF C(CH₃)₄-NCLN (N=0-4) ON STERLING FT GRAPHITE AT ZERO COVERAGE USING GAS-SOLID CHROMATOGRAPHY. *Langmuir.* 10: 2399-2402.
- Meyer, EF; Mulvihill, G; Feil, J. (1993). PHYSICAL ADSORPTION OF NEOPENTANE ON STERLING FT GRAPHITE. *Langmuir.* 9: 3239-3244.
- Meyer, RJ; Reeves, CT; Safarik, DJ; Allen, DT; Mullins, CB. (2001). Comparison of phosgene formation from adsorption of carbon tetrachloride on oxygen modified Ir(111) and oxygen modified Ir(110). *Journal of Vacuum Science and Technology A.* 19: 1524-1530.
- Meyers, CY. (1975). CCL₄-KOH AS REAGENT - NEW POSSIBILITY FOR INDUSTRIAL ORGANIC SYNTHESIS - REACTIONS OF SULFONES. 28: 249-249.
- Miao, Z; Gu, X; Lu, S; Brusseau, ML; Yan, N; Qiu, Z; Sui, Q. (2015). Enhancement effects of reducing agents on the degradation of tetrachloroethene in the Fe(II)/Fe(III) catalyzed percarbonate system. *J Hazard Mater.* 300: 530-537. <http://dx.doi.org/10.1016/j.jhazmat.2015.07.047>.
- Miao, Z; Gu, X; Lu, S; Brusseau, ML; Zhang, X; Fu, X; Danish, M; Qiu, Z; Sui, Q. (2015). Enhancement effects of chelating agents on the degradation of tetrachloroethene in Fe(III) catalyzed percarbonate system. *Chem Eng J.* 281: 286-294. <http://dx.doi.org/10.1016/j.cej.2015.06.076>.
- Miao, Z; Gu, X; Lu, S; Dionysiou, DD; Al-Abed, SR; Zang, X; Wu, X; Qiu, Z; Sui, Q; Danish, M. (2015). Mechanism of PCE oxidation by percarbonate in a chelated Fe(II)-based catalyzed system. *Chem Eng J.* 275: 53-62. <http://dx.doi.org/10.1016/j.cej.2015.04.014>.
- Miao, Z; Gu, X; Lu, S; Zang, X; Wu, X; Xu, M; Ndong, LB; Qiu, Z; Sui, Q; Fu, GY. (2015). Perchloroethylene (PCE) oxidation by percarbonate in Fe(2+)-catalyzed aqueous solution: PCE performance and its removal mechanism. *Chemosphere.* 119: 1120-1125. <http://dx.doi.org/10.1016/j.chemosphere.2014.09.065>.
- Michael, JV; Kumaran, SS. (1998). Thermal decomposition studies of halogenated organic compounds. *Combust Sci Tech.* 134: 31-44.
- Michalski, A; Metlitz, MN; Whitman, IL. (1995). A FIELD-STUDY OF ENHANCED RECOVERY OF DNAPL POOLED BELOW THE WATER-TABLE. *Ground Water Monitoring and Remediation.* 15: 90-100.
- Michorczyk, B; Ogonowski, J, an; Michorczyk, P. (2015). Oxidative coupling of methane in the presence of various gaseous additives. *Przemysł Chemiczny.* 94: 572-576.
- Miehr, R; Tratnyek, PG; Bandstra, JZ; Scherer, MM; Alowitz, MJ; Bylaska, EJ. (2004). Diversity of contaminant reduction reactions by zerovalent iron: Role of the reductate. *Environ Sci Technol.* 38: 139-147. <http://dx.doi.org/10.1021/es034237h>.
- Mielczarski, JA; Atenas, GM; Mielczarski, E. (2005). Role of iron surface oxidation layers in decomposition of azo-dye water pollutants in weak acidic solutions. *Appl Catal B-Environ.* 56: 289-303. <http://dx.doi.org/10.1016/j.apcatb.2004.09.017>.
- Mihailovic, V; Mistic, D; Matic, S; Mihailovic, M; Stanic, S; Vrvic, MM; Katanic, J; Mladenovic, M; Stankovic, N; Boroja, T; Stankovic, MS. (2015). Comparative phytochemical analysis of *Gentiana cruciata* L. roots and aerial parts, and their biological activities. *Ind Crop Prod.* 73: 49-62. <http://dx.doi.org/10.1016/j.indcrop.2015.04.013>.
- Mijajlova-Nacheva, P; Canul-Chuil, A. (2006). Anaerobic biodegradation of chlorinated aliphatic compounds using packed bed reactors. *Water Sci Technol.* 54: 193-200. <http://dx.doi.org/10.2166/wst.2006.878>.
- Milchert, E; Goc, W; Pelech, R. (2000). Adsorption of CCl₄ from aqueous solution on activated carbons. *AST.* 18: 823-837.
- Milczewska, K; Voelkel, A. (2003). The magnitude of polymer-filler interactions as evaluated by inverse gas chromatography. *Przemysł Chemiczny.* 82: 924-926.
- Millano, EF. (1999). Storage, disposal, remediation, and closure. *Water Environ Res.* 71: 885-916.
- Millar, GJ; Lewis, AR; Bowmaker, GA; Cooney, RP. (1993). RAMAN-SPECTROSCOPIC STUDY OF THE FORMATION OF POLYACETYLENE WITHIN ZEOLITE CHANNELS. *J Mater Chem.* 3: 867-872.
- Miller, GP. (1995). THE STRUCTURE OF A STOICHIOMETRIC CCL₄-CH₄-AIR FLAT FLAME. *Combust Flame.* 101: 101-112.
- Miller, JW; Angui, KTP. (1991). INDIRECT DETERMINATION OF BROMIDE AT TRACE LEVELS IN SOIL EXTRACTS. *Soil Sci Soc Am J.* 55: 384-388.
- Minami, W; Kim, H, eeJ. (2006). Decomposition of halocarbons using TiO₂ photocatalyst. *Kagaku Kogaku Ronbunshu.* 32: 310-313.
- Mink, G; Bertoti, I; Pap, IS; Mohai, M; Szekely, T; Duc, TM. (1987). ON THE ROLE OF POTASSIUM ADDITIVES IN THE CHLORINATION OF TiO₂ BY CCL₄ AND COCL₂. *Vacuum.* 37: 133-135.
- Miranda, B; Diaz, E; Ordonez, S; Vega, A; Diez, FV. (2006). Performance of alumina-supported noble metal catalysts for the combustion of trichloroethene at dry and wet conditions. *Appl Catal B-Environ.* 64: 262-271. <http://dx.doi.org/10.1016/j.apcatb.2005.12.008>.
- Mirsalis, JC. (1987). In vivo measurement of unscheduled DNA synthesis and S-phase synthesis as an indicator of hepatocarcinogenesis in rodents. *Cell Biol Toxicol.* 3: 165-173.
- Mirsalis, JC; Monforte, JA; Winegar, RA. (1994). Transgenic animal models for measuring mutations in vivo [Review]. *Crit Rev Toxicol.* 24: 255-280. <http://dx.doi.org/10.3109/10408449409021608>.
- Mirzaei Aliabadi, M; Naderi, G; Shahtaheri, SJ; Forushani, AR; Mohammadfam, I; Jahangiri, M. (2014). Transport properties of carboxylated nitrile butadiene rubber (XNBR)-nanoclay composites; a promising material for protective gloves in occupational exposures. 12: 51. <http://dx.doi.org/10.1186/2052-336X-12-51>.
- Misawa, M. (1992). ORIENTATIONAL CORRELATION IN MOLECULAR LIQUIDS ESTIMATED FROM EXPERIMENTAL STRUCTURE FACTORS. *Journal of Non-Crystalline Solids.* 150: 58-64.
- Mishima, K; Watanabe, H; Kaneko, S; Ogihara, T. (2003). Membrane disordering induced by chloroform and carbon tetrachloride. *Colloids Surf B Biointerfaces.* 28: 307-312.
- Mishra, D; Deepa, S; Sharma, U. (1999). Carrier-mediated transport of some main group metal loris across various organic liquid membranes. *Separation Science and Technology.* 34: 3113-3124.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Mishra, D; Liao, Z; Farrell, J. (2008). Understanding Reductive Dechlorination of Trichloroethene on Boron-Doped Diamond Film Electrodes. *Environ Sci Technol.* 42: 9344-9349. <http://dx.doi.org/10.1021/es801815z>.
- Mishra, D; Sharma, U. (1996). Influence of halocarbon solvents on carrier mediated cation transport through bulk liquid membranes. *Indian J Chem Tech.* 3: 245-249.
- Mishra, KP; Gogate, PR. (2010). Intensification of degradation of Rhodamine B using hydrodynamic cavitation in the presence of additives. *Separation and Purification Technology.* 75: 385-391. <http://dx.doi.org/10.1016/j.seppur.2010.09.008>.
- Mishra, KP; Gogate, PR. (2011). Intensification of degradation of aqueous solutions of rhodamine B using sonochemical reactors at operating capacity of 7 L. *J Environ Manage.* 92: 1972-1977. <http://dx.doi.org/10.1016/j.jenvman.2011.03.046>.
- Mishra, KP; Gogate, PR. (2012). Ultrasonic Degradation of p-Nitrophenol in the Presence of Additives at Pilot Scale Capacity. *Ind Eng Chem Res.* 51: 1166-1172. <http://dx.doi.org/10.1021/ie2023806>.
- Mis'kevich, AI; Guo, J; Dyuzhov, Y, uA. (2013). Spontaneous and induced emission of XeCl* excimer molecules under pumping of Xe-CCl₄ and Ar-Xe-CCl₄ gas mixtures with a low CCl₄ content by fast electrons and uranium fission fragments. *Quantum Electronics.* 43: 1003-1008. <http://dx.doi.org/10.1070/QE2013v043n11ABEH015134>.
- Mis'kevich, AI; Jinbo, G. (2013). Luminescence characteristics of Xe₂Cl excimer molecules under pumping the dense Xe-CCl₄ gas mixtures with a pulsed electron beam. *Quantum Electronics.* 43: 489-495. <http://dx.doi.org/10.1070/QE2013v043n05ABEH015022>.
- Mistry, S; Dutt, KR; Jena, J. (2013). Protective effect of *Sida cordata* leaf extract against CCl₄ induced acute liver toxicity in rats. *Asian Pacific Journal of Tropical Medicine.* 6: 280-284. [http://dx.doi.org/10.1016/S1995-7645\(13\)60057-7](http://dx.doi.org/10.1016/S1995-7645(13)60057-7).
- Mitchell, SM; Ahmad, M; Teel, A, mYL; Watts, RJ. (2014). Degradation of Perfluorooctanoic Acid by Reactive Species Generated through Catalyzed H₂O₂ Propagation Reactions. *Environ Sci Technol Lett.* 1: 117-121. <http://dx.doi.org/10.1021/ez4000862>.
- Mitropoulos, AC; Stefanopoulos, KL; Kanellopoulos, NK. (1998). Coal studies by small angle X-ray scattering. *Microporous and Mesoporous Materials.* 24: 29-39.
- Miyata, T; Minami, T; Shimokawa, K; Kakumu, T; Ishii, M. (1997). New materials consisting of multicomponent oxides for thin-film gas sensors. *J Electrochem Soc.* 144: 2432-2436.
- Moffat, JB; Sugiyama, S; Hayashi, H. (1997). The effects of the introduction of tetrachloromethane into the feedstream for the partial oxidation and oxidative coupling of methane. *Catalysis Today.* 37: 15-23.
- Moggridge, GD. (2012). Prediction of the mutual diffusivity in binary liquid mixtures containing one dimerising species, from the tracer diffusion coefficients. *Chem Eng Sci.* 76: 199-205. <http://dx.doi.org/10.1016/j.ces.2012.04.014>.
- Moggridge, GD. (2012). Prediction of the mutual diffusivity in binary non-ideal liquid mixtures from the tracer diffusion coefficients. *Chem Eng Sci.* 71: 226-238. <http://dx.doi.org/10.1016/j.ces.2011.12.016>.
- Mohamed, MR; Emam, MA; Hassan, NS; Mogadem, AI. (2014). Umbelliferone and daphnetin ameliorate carbon tetrachloride-induced hepatotoxicity in rats via nuclear factor erythroid 2-related factor 2-mediated heme oxygenase-1 expression. *Environ Toxicol Pharmacol.* 38: 531-541. <http://dx.doi.org/10.1016/j.etap.2014.08.004>.
- Mohammed, RR; Ibrahim, IAR; Taha, AH; McKay, G. (2013). Waste lubricating oil treatment by extraction and adsorption. *Chem Eng J.* 220: 343-351. <http://dx.doi.org/10.1016/j.cej.2012.12.076>.
- Mohanty, B; Verma, AK; Claesson, P; Bohidar, HB. (2007). Physical and anti-microbial characteristics of carbon nanoparticles prepared from lamp soot. *Nanotechnology.* 18. <http://dx.doi.org/10.1088/0957-4484/18/44/445102>.
- Mohapatra, D; Chaudhury, GR, oy; Park, KH, o. (2008). Recovery of boron from wastewater using 2,2,4-trimethyl-1,3-pentanediol in carbon tetrachloride. *Indian J Chem Tech.* 15: 483-487.
- Mohapatra, D; Chaudhury, GR; Park, KH. (2008). Solvent extraction approach to recover boron from wastewater generated by the LCD manufacturing industry: Part 1. *Minerals and Metallurgical Processing.* 25: 175-180.
- Mohapatra, D; Park, KH. (2008). Solvent extraction of Al(III) from sulfate solutions using bis (2,4,4-trimethylpentyl) phosphinic acid - mechanism and complexation. *Minerals and Metallurgical Processing.* 25: 73-78.
- Mohseni, M. (2005). Gas phase trichloroethylene (TCE) photooxidation and byproduct formation: Photolysis vs. titania/silica based photocatalysis. *Chemosphere.* 59: 335-342. <http://dx.doi.org/10.1016/j.chemosphere.2004.10.054>.
- Mojovic, Z; Jovic-Jovicic, N; Bankovic, P; Zunic, M; Abu Rabi-Stankovic, A; Milutinovic-Nikolic, A; Jovanovic, D. (2011). Electrooxidation of phenol on different organo bentonite-based electrodes. *Appl Clay Sci.* 53: 331-335. <http://dx.doi.org/10.1016/j.clay.2010.12.008>.
- Molina, CB; Calvo, L; Gilarranz, MA; Casas, JA; Rodriguez, JJ. (2009). Hydrodechlorination of 4-chlorophenol in aqueous phase with Pt-Al pillared clays using formic acid as hydrogen source. *Appl Clay Sci.* 45: 206-212. <http://dx.doi.org/10.1016/j.clay.2009.06.006>.
- Molina, MD; Rowland, FS. (1974). Predicted present stratospheric abundances of chlorine species from photodissociation of carbon tetrachloride. *Geophys Res Lett.* 1: 309-312.
- Molina, PG; Silber, JJ; Correa, NM; Sereno, L. (2007). Electrochemistry in AOT reverse micelles. A powerful technique to characterize organized media. *J Phys Chem C.* 111: 4269-4276. <http://dx.doi.org/10.1021/jp067145y>.
- Molina-Sabio, M; Nakagawa, Y; Rodriguez-Reinoso, F. (2008). Possible errors in microporosity in chemically activated carbon deduced from immersion calorimetry. *Carbon.* 46: 329-334. <http://dx.doi.org/10.1016/j.carbon.2007.11.046>.
- Molnar, M; Szekely, E; Simandi, B; Keszei, S; Lovasz, J; Fogassy, E. (2006). Enantio separation of ibuprofen by supercritical fluid extraction. *Journal of Supercritical Fluids.* 37: 384-389. <http://dx.doi.org/10.1016/j.supflu.2005.10.009>.
- Monahan, MJ; Teel, AL; Watts, RJ. (2005). Displacement of five metals sorbed on kaolinite during treatment with modified Fenton's reagent. *Water Res.* 39: 2955-2963. <http://dx.doi.org/10.1016/j.watres.2005.04.064>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Monajjemi, M; Azan, MJ; Mollaamin, F. (2013). Density Functional Theory Study on B30N20 Nanocage in Structural Properties and Thermochemical Outlook. Fullerenes, Nanotubes, and Carbon Nanostructures. 21: 503-515. <http://dx.doi.org/10.1080/1536383X.2011.629762>.
- Mondal, A; Maity, TK; Pal, D; Sannigrahi, S; Singh, J. (2011). Isolation and in vivo hepatoprotective activity of Melothria heterophylla (Lour.) Cogn. against chemically induced liver injuries in rats. Asian Pacific Journal of Tropical Medicine. 4: 619-623. [http://dx.doi.org/10.1016/S1995-7645\(11\)60159-4](http://dx.doi.org/10.1016/S1995-7645(11)60159-4).
- Mondal, P; Bhowmick, S; Jullok, N; Ye, W; Van Renterghem, W; Van Den Berghe, S; Van Der Bruggen, B. (2014). Behavior of As(V) with ZVI-H₂O System and the Reduction to As(0). J Phys Chem C. 118: 21614-21621. <http://dx.doi.org/10.1021/jp505174k>.
- Montes-Moran, MA; Martinez-Alonso, A; Tascon, JMD. (2002). Adsorption of polar probe molecules on plasma-oxidised high-strength carbon fibres. Fuel Process Tech. 77: 359-364.
- Moody, DE; Loury, DN; Hammock, BD; Ruebner, BH; Cullen, JM; Hillman, JH; Hillman, DW; Rao, MS; London, WT; Hann, HWL; Millman, I; Griffin, MJ. (1992). SERUM EPOXIDE HYDROLASE (PRENEOPLASTIC ANTIGEN) IN HUMAN AND EXPERIMENTAL LIVER-INJURY. Cancer Epidemiol Biomarkers Prev. 1: 395-403.
- Moon, SD, oo; Choi, D, aeW. (2009). Monte Carlo simulation on the adsorption properties of carbon tetrachloride, neopentane, and cyclohexane in MCM-41. Korean J Chem Eng. 26: 1098-1105. <http://dx.doi.org/10.2478/s11814-009-0183-x>.
- Moore, AM; De Leon, CH; Young, TM. (2003). Rate and extent of aqueous perchlorate removal by iron surfaces. Environ Sci Technol. 37: 3189-3198. <http://dx.doi.org/10.1021/es026007t>.
- Moore, FL; Elkins, JW; Ray, EA; Dutton, GS; Dunn, RE; Fahey, DW; Mclaughlin, RJ; Thompson, TL; Romashkin, PA; Hurst, DF; Wamsley, PR. (2003). Balloonborne in situ gas chromatograph for measurements in the troposphere and stratosphere. J Geophys Res Atmos. 108. <http://dx.doi.org/10.1029/2001JD000891>.
- Moore, K; Forsberg, B; Baer, DR; Arnold, WA; Penns, R. (2011). Zero-Valent Iron: Impact of Anions Present during Synthesis on Subsequent Nanoparticle Reactivity. J Environ Eng. 137: 889-896. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000407](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000407).
- Moradi, SE. (2013). Naphthalene Removal From Water by Novel Mesoporous Carbon Nitride Adsorbent. Chemical and Biochemical Engineering Quarterly. 27: 365-372.
- Moradi, SE. (2014). Highly-ordered Metal-modified Mesoporous Carbon Nitride: As a Novel Hydrogen Adsorbent. Chemical and Biochemical Engineering Quarterly. 28: 267-272.
- Moradi, SE; Baniamerian, MJ. (2011). THE EFFECT OF MESOPOROUS CARBON MODIFICATION BY NITROGEN ON ITS ENRICHMENT EFFICIENCY OF CHROMATE ION: COMPARISON BETWEEN N-DOPED MESOPOROUS CARBON AND AMINO GRAFTED MESOPOROUS CARBON. Chemical Industry and Chemical Engineering Quarterly. 17: 505-515. <http://dx.doi.org/10.2298/CICEQ110701036M>.
- Moravek, A; Foken, T; Trebs, I. (2014). Application of a GC-ECD for measurements of biosphere-atmosphere exchange fluxes of peroxyacetyl nitrate using the relaxed eddy accumulation and gradient method. Atmos Meas Tech. 7: 2097-2119. <http://dx.doi.org/10.5194/amt-7-2097-2014>.
- Morgan, A; Black, A; Belcher, DR. (1970). The excretion in breath of some aliphatic halogenated hydrocarbons following administration by inhalation. Ann Occup Hyg. 13: 219-233. <http://dx.doi.org/10.1093/annhyg/13.4.219>.
- Mori, T; Hirose, K; Kikuchi, T; Kubo, J; Morikawa, Y. (2002). Formation of higher hydrocarbons from chloromethanes via hydrodechlorination over Pd/SiO₂ catalyst. J Jpn Petrol Inst. 45: 256-259.
- Mori, T; Kubo, J; Morikawa, Y. (2004). Hydrodechlorination of 1,1,1-trichloroethane over silica-supported palladium catalyst. Appl Catal A-Gen. 271: 69-76. <http://dx.doi.org/10.1016/j.apcata.2004.02.047>.
- Morikawa, A; Ebitani, K; Hirano, Y. (1996). Kinetic mechanism of reactions of carbon tetrachloride with TT-niobium oxide and niobium phosphate. Catalysis Today. 28: 91-97.
- Morita, T; Asano, N; Awogi, T; Sasaki, YF; Sato, S; Shimada, H; Sutou, S; Suzuki, T; Wakata, A; Sofuni, T; Hayashi, M. (1997). Evaluation of the rodent micronucleus assay in the screening of IARC carcinogens (groups 1, 2A and 2B) the summary report of the 6th collaborative study by CSGMT/JEMS MMS. Mutat Res. 389: 3-122. [http://dx.doi.org/10.1016/S1383-5718\(96\)00070-8](http://dx.doi.org/10.1016/S1383-5718(96)00070-8).
- Morley, AA; Turner, DR. (1999). The contribution of exogenous and endogenous mutagens to in vivo mutations [Review]. Mutat Res. 428: 11-15.
- Morra, MJ; Borek, V; Koolpe, J. (2000). Transformation of chlorinated hydrocarbons using aquocobalamin or coenzyme F-430 in combination with zero-valent iron. J Environ Qual. 29: 706-715.
- Morris, AJ; Meyer, GJ. (2008). TiO₂ Surface Functionalization to Control the Density of States. J Phys Chem C. 112: 18224-18231. <http://dx.doi.org/10.1021/jp801338y>.
- Morse, JS; Cundy, VA; Lester, TW. (1989). CHEMICAL-SPECIES, TEMPERATURE, AND NET REACTION-RATE PROFILES OF LAMINAR CARBON-TETRACHLORIDE METHANE AIR FLAMES. Combust Sci Tech. 66: 59-73.
- Moser, VC; Cheek, BM; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: III. Neurobehavioral toxicity. J Toxicol Environ Health A. 45: 173-210. <http://dx.doi.org/10.1080/15287399509531988>.
- Motojima, S; Ogawa, Y; Gakei, S; Iwanaga, H. (1995). PREPARATION OF SIC AND Si₃N₄ WHISKERS USING BEAN-CURD REFUSE AS THE Si SOURCE. Mater Sci Eng B. 30: 13-17.
- Motoki, K; Tanikawa, M; Akiyama, H; Toida, T; Toyoda, H; Koshishi, I; Imanari, T. (1992). CHANGES OF GLYCOSAMINOGLYCAN SPECIES IN CARBON TETRACHLORIDE-INTOXICATED RAT ORGANS. JTHE. 38: 63-68.
- Moumouzias, G; Ritzoulis, G. (1999). Relative permittivities and refractive indices of gamma-butyrolactone with o-xylene and m-xylene. Journal of Chemical and Engineering Data. 44: 1273-1278.
- Mousavi, S; Esmaeilpour, K; Keshavarz, MH. (2014). Preparation and characterization of nano N,N'-bis(1,2,4-triazol-3-yl)-4,4'-diamino-2,2',3,3',5,5',6,6'-octanitroazo-benzene explosive. Indian Journal of Engineering and Materials Sciences. 21: 585-588.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Moyer, ES; Smith, SJ; Wood, GO. (2001). Carbon tetrachloride replacement compounds for organic vapor air-purifying respirator cartridge and activated carbon testing--a review [Review]. *AIHAJ*. 62: 494-507.
- Mtolera, MSP; Collen, J; Pedersen, M; Ekdahl, A; Abrahamsson, K; Semesi, AK. (1996). Stress-induced production of volatile halogenated organic compounds in *Eucheuma denticulatum* (Rhodophyta) caused by elevated pH and high light intensities. *European Journal of Phycology*. 31: 89-95.
- Mucka, V; Cuba, V; Pospisil, M; Silber, R. (2004). Radiation dechlorination of some chlorinated hydrocarbons particularly of carbon tetrachloride in presence of HCO₃⁻ or NO₃⁻ ions. *Appl Catal A-Gen*. 271: 195-201. <http://dx.doi.org/10.1016/j.apcata.2004.02.058>.
- Muftikian, R; Fernando, Q; Korte, N. (1995). A Method For The Rapid Dechlorination Of Low Molecular Weight Chlorinated Hydrocarbons In Water. *Water Res*. 29: 2434-2439.
- Mullaugh, KM; Hamilton, JM; Avery, GB; Felix, JD; Mead, RN; Willey, JD; Kieber, RJ. (2015). Temporal and spatial variability of trace volatile organic compounds in rainwater. *Chemosphere*. 134: 203-209. <http://dx.doi.org/10.1016/j.chemosphere.2015.04.027>.
- Müller, L; Kikuchi, Y; Probst, G; Schechtman, L; Shimada, H; Sofuni, T; Tweats, D. (1999). ICH-harmonised guidances on genotoxicity testing of pharmaceuticals: evolution, reasoning and impact [Review]. *Mutat Res*. 436: 195-225.
- Muller, L; Sofuni, T. (2000). Appropriate levels of cytotoxicity for genotoxicity tests using mammalian cells in vitro. *Environ Mol Mutagen*. 35: 202-205.
- Mumtaz, MM; Durkin, P; Diamond, GL; Hertzberg, R. (1996). Exercises in the use of weight-of-evidence approach for chemical-mixture interactions. *J Clean Technol, Environ Toxicol, Occup Med*. 5: 339-345.
- Mumtaz, MM; Ray, M; Crowell, SR; Keys, D; Fisher, J; Ruiz, P. (2012). Translational research to develop a human PBPK models tool kit-volatile organic compounds (VOCs). *J Toxicol Environ Health A*. 75: 6-24. <http://dx.doi.org/10.1080/15287394.2012.625546>.
- Mun, CH; He, J; Ng, WJ. (2008). Pentachlorophenol dechlorination by an acidogenic sludge. *Water Res*. 42: 3789-3798. <http://dx.doi.org/10.1016/j.watres.2008.07.01>.
- Mun, CH; Ng, WJ; He, J. (2008). Evaluation of Biodegradation Potential of Carbon Tetrachloride and Chlorophenols under Acidogenic Condition. *J Environ Eng*. 134: 177-183. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2008\)134:3\(177\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2008)134:3(177)).
- Murai, R; Sekine, T; Iguchi, M. (1971). STUDIES OF SOLVENT EXTRACTION SYSTEMS OF COBALT IN ANALYTICAL CHEMISTRY .2. FORMATION AND DISTRIBUTION EQUILIBRIA OF COBALT(II) COMPLEXES WITH VARIOUS BETA-DIKETONES IN CARBON TETRACHLORIDE-AQUEOUS SODIUM PERCHLORATE SYSTEMS. 92: 967-&.
- Muraviev, D; Warshawsky, A. (1994). AQUA-IMPREGNATED RESINS - HYDROGEN-DEUTERIUM EXCHANGE ON TRIMETHYLAMINE BORANE IN AN ION-EXCHANGE COLUMN. 22: 55-63.
- Muraviev, D; Warshawsky, A. (2001). Aqua-impregnated resins as new dual-function deuterating agent. *Separation Science and Technology*. 36: 2087-2119.
- Muriel, P; Alba, N; Pérez-Alvarez, VM; Shibayama, M; Tsutsumi, VK. (2001). Kupffer cells inhibition prevents hepatic lipid peroxidation and damage induced by carbon tetrachloride. *Comp Biochem Physiol C Toxicol Pharmacol*. 130: 219-226.
- Muromachi, S; Nakajima, T; Ohmura, R, yo; Mori, YH. (2011). Phase equilibrium for clathrate hydrates formed from an ozone plus oxygen gas mixture coexisting with carbon tetrachloride or 1,1-dichloro-1-fluoroethane. *Fluid Phase Equilibria*. 305: 145-151. <http://dx.doi.org/10.1016/j.fluid.2011.03.020>.
- Murthy, KNC; Jayaprakasha, GK; Singh, RP. (2002). Studies on antioxidant activity of pomegranate (*Punica granatum*) peel extract using in vivo models. *J Agric Food Chem*. 50: 4791-4795. <http://dx.doi.org/10.1021/jf0255735>.
- Murthy, KNC; Singh, RP; Jayaprakasha, GK. (2002). Antioxidant activities of grape (*Vitis vinifera*) pomace extracts. *J Agric Food Chem*. 50: 5909-5914. <http://dx.doi.org/10.1021/jf0257042>.
- Murugan, V; Mukherjee, K; Maiti, K; Mukherjee, PK. (2009). Enhanced oral bioavailability and antioxidant profile of ellagic acid by phospholipids. *J Agric Food Chem*. 57: 4559-4565. <http://dx.doi.org/10.1021/jf8037105>.
- Musumeci, D; Hunter, CA; McCabe, JF. (2010). Solvent Effects on Acridine Polymorphism. *Cryst Growth Des*. 10: 1661-1664. <http://dx.doi.org/10.1021/cg901225b>.
- Muthukrishnan, A; Boyarskiy, V; Sangaranarayanan, MV; Boyarskaya, I. (2012). Mechanism and Regioselectivity of the Electrochemical Reduction in Polychlorobiphenyls (PCBs): Kinetic Analysis for the Successive Reduction of Chlorines from Dichlorobiphenyls. *J Phys Chem C*. 116: 655-664. <http://dx.doi.org/10.1021/jp2066474>.
- Muthuraman, G; Moon, IS. (2016). Sustainable Generation of a Homogeneous Ni(I) Catalyst in the Cathodic Compartment of a Divided Flow Electrolytic Cell for the Degradation of Gaseous Carbon Tetrachloride by Electroscrubbing. 4: 1364-1372. <http://dx.doi.org/10.1021/acssuschemeng.5b01383>.
- Muthuraman, G; Teng, T; Tan, SH. (2012). Liquid-liquid extraction of Cibacron Red FN-R by TBAB as an extractant. *Desalination*. 284: 135-141. <http://dx.doi.org/10.1016/j.desal.2011.08.047>.
- Myszkowski, J; Milchert, E. (2003). Recovery of organochlorine derivatives from waste waters in the stripper-adsorber system. *Przemysł Chemiczny*. 82: 1048-1050.
- Myszkowski, J; Pelech, R; Wroblewska, A; Milchert, E. (2006). Formation of environmentally friendly processes by utilization of wastes and by-products. *Przemysł Chemiczny*. 85: 638-640.
- Naeeni, MH; Yamini, Y; Rezaee, M. (2011). Combination of supercritical fluid extraction with dispersive liquid-liquid microextraction for extraction of organophosphorus pesticides from soil and marine sediment samples. *Journal of Supercritical Fluids*. 57: 219-226. <http://dx.doi.org/10.1016/j.supflu.2011.03.005>.
- Nagano, K. (2004). Email dated March 9, 2004. Subject: Carbon tetrachloride 2-year chronic bioassay. From Kasuke Nagano, JBRC, to Mary Manibusan, U.S. EPA. Nagano, K.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Nagano, K. (2004). Letter dated March 8, 2004 from Kasuke Nagano, JBRC, to Mary Manibusan, U.S. EPA [Personal Communication].
- Nagano, K. (2004). Letter dated March 9, 2004 from Kasuke Nagano, JBRC, to Mary Manibusan, U.S. EPA [Personal Communication].
- Nagano, K. (2005). Email dated October 15, 2005. Subject: Carbon tetrachloride 1998 inhalation study [Personal Communication].
- Nagano, K. (2007). Email dated April 5, 2007. Subject: Historical control data. From Kasuke [Personal Communication].
- Nagano, K; Umeda, Y; Saito, M; Nishizawa, T; Ikawa, N; Arito, H; Yamamoto, S; Fukushima, S. (2007). Thirteen-week inhalation toxicity of carbon tetrachloride in rats and mice. *J Occup Health.* 49: 249-259.
- Nagashima, H. (2015). Rubratoxin-B-induced secretion of chemokine ligands of cysteine-cysteine motif chemokine receptor 5 (CCR5) and its dependence on heat shock protein 90 in HL60 cells. *Environ Toxicol Pharmacol.* 40: 997-1000. <http://dx.doi.org/10.1016/j.etap.2015.10.012>.
- Nagashima, H; Nakagawa, H. (2014). Differences in the Toxicities of Trichothecene Mycotoxins, Deoxynivalenol and Nivalenol, in Cultured Cells. *JARQ.* 48: 393-397.
- Nagata, I. (1970). VAPOR-LIQUID EQUILIBRIUM DATA FOR TERNARY SYSTEM - METHYL ACETATE-CARBON TETRACHLORIDE-BENZENE. *Journal of Chemical and Engineering Data.* 15: 213-&.
- Nagata, I; Fukushima, Y. (1991). CORRELATION OF VAPOR-LIQUID-EQUILIBRIA FOR TAUTOMERIC MIXTURES OF ACETYLACETONE WITH NONASSOCIATED COMPONENTS. *Fluid Phase Equilibria.* 68: 1-12.
- Nagata, I; Gotoh, K; Tamura, K. (1996). Association model of fluids. Phase equilibria and excess enthalpies in acid mixtures. *Fluid Phase Equilibria.* 124: 31-54.
- Nagy, AG; Hess, DW. (1982). CHEMICAL-PROPERTIES OF POLYMER-FILMS FORMED DURING THE ETCHING OF ALUMINUM IN CCL4 PLASMAS. *J Electrochem Soc.* 129: 2530-2533.
- Naka, D; Dongwook, K; Carbonaro, RF; Strathmann, TJ. (2008). ABIOTIC REDUCTION OF NITROAROMATIC CONTAMINANTS BY IRON(II) COMPLEXES WITH ORGANOTHIOL LIGANDS. *Environ Toxicol Chem.* 27: 1257-1266.
- Nakaguma, H; Tajima, K; Sato, I; Konishi, T. (1992). SIMULTANEOUS DETERMINATION OF 11 VOLATILE CHLORINATED HYDROCARBONS IN SOIL. *JTTHE.* 38: 240-246.
- Nakahama, T; Takahashi, S; Urakubo, G; Nagamatsu, K. (1988). DISTRIBUTION OF CARBON TETRACHLORIDE IN RAT LIVER AND ITS URINARY METABOLITES. *Eisei Kagaku.* 34: 313-318.
- Nakahama, T; Urakubo, G. (1988). SPECIES-DIFFERENCE BETWEEN MICE AND RATS IN EXPIRATORY EXCRETION OF CARBON-TETRACHLORIDE AND ITS METABOLITES. *JTTHE.* 34: 279-281.
- Nakajima, T. (1997). Cytochrome P450 isoforms and the metabolism of volatile hydrocarbons of low relative molecular mass. *J Occup Health.* 39: 83-91. <http://dx.doi.org/10.1539/joh.39.83>.
- Nakajima, T; Wang, RS; Ito, Y; Aoyama, T; Kamijima, M. (2005). A review of hazardous chemical toxicity studies utilizing genetically-modified animals - Their applications for risk assessment [Review]. *Ind Health.* 43: 615-622. <http://dx.doi.org/10.2486/indhealth.43.615>.
- Nakamura, T; Tanaka, R; Higo, Y; Taira, K; Takeda, T. (1998). Lipid peroxide levels in tissues of live fish. *Fish Sci.* 64: 617-620.
- Nan, X; Maeng, O; Shin, H; An, H; Yeom, Y; Lee, H; Paik, S. (2008). Microarray study of genes differentially modulated in response to nitric oxide in macrophages. *Animal Cells and Systems.* 12: 15-21. <http://dx.doi.org/10.1080/19768354.2008.9647149>.
- Napierska, D; Barsiene, J; Mulkiewicz, E, wa; Podolska, M; Rybakovas, A. (2009). Biomarker responses in flounder *Platichthys flesus* from the Polish coastal area of the Baltic Sea and applications in biomonitoring. *Ecotoxicology.* 18: 846-859. <http://dx.doi.org/10.1007/s10646-009-0328-z>.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1993). Treatment of VOCs in high strength wastes using anaerobic expanded-bed GAC reactor. *Water Res.* 27: 181-194.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1995). Anaerobic treatment of volatile and semivolatile organic compounds in municipal wastewater. *Water Environ Res.* 67: 46-56.
- Narisawa, M; Hasegawa, T; Okamura, K; Itoh, M; Apple, T; Moraes, KV; Interrante, LV. (2002). Synthesis of silicon carbide films from partially oxidized polyvinylsilane by carbon tetrachloride solution casting. *J Mater Res.* 17: 214-223.
- Narotsky, MG; Best, DS; Rogers, EH; Mcdonald, A; Sey, YM; Simmons, JE. (2008). Integrated disinfection by-products mixtures research: assessment of developmental toxicity in Sprague-Dawley rats exposed to concentrates of water disinfected by chlorination and ozonation/postchlorination. *J Toxicol Environ Health A.* 71: 1216-1221. <http://dx.doi.org/10.1080/15287390802182623>.
- Narotsky, MG; Hamby, BT; Best, DS; Kavlock, RJ. (1995). Carbon tetrachloride (CCl4)-induced pregnancy loss in F-344 rats: luteinizing hormone (LH) levels and rescue by human chorionic gonadotropin (hCG). *Biol Reprod.* 52: 172.
- Narotsky, MG; Kavlock, RJ. (1995). A multidisciplinary approach to toxicological screening: II. Developmental toxicity. *J Toxicol Environ Health.* 45: 145-171. <http://dx.doi.org/10.1080/15287399509531987>.
- Nasri, R; Siblini, A; Jorat, L; Noyel, G. (1996). Magneto dielectric behavior of the magnetic fluid manganese ferrite in carbon tetrachloride. *Journal of Magnetism and Magnetic Materials.* 161: 309-315.
- Nassar, R; Bernath, PF; Boone, CD; Clerbaux, C; Coheur, PF; Dufour, G; Froidevaux, L; Mahieu, E; McConnell, JC; Mcleod, SD; Murtagh, DP; Rinsland, CP; Semeniuk, K; Skelton, R; Walker, KA; Zander, R. (2006). A global inventory of stratospheric chlorine in 2004. *J Geophys Res Atmos.* 111. <http://dx.doi.org/10.1029/2006JD007073>.
- Nastaj, J; Ambrozek, B; Witkiewicz, K; Rudnicka, J. (2016). Adsorption Isotherms of Propan-2-ol, Methylbenzene, and Tetrachloromethane on Selected Activated Carbons. *Journal of Chemical and Engineering Data.* 61: 3559-3569. <http://dx.doi.org/10.1021/acs.jced.6b00488>.
- Natarajan, SK; Basivireddy, J; Ramachandran, A; Thomas, S; Ramamoorthy, P; Pulimood, AB; Jacob, M; Balasubramanian, KA. (2006). Renal damage in experimentally-induced cirrhosis in rats: role of oxygen free radicals. *Hepatology.* 43: 1248-1256. <http://dx.doi.org/10.1002/hep.21179>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Nath, J. (1995). ULTRASONIC VELOCITIES, RELATIVE PERMITTIVITIES AND REFRACTIVE-INDEXES FOR BINARY-LIQUID MIXTURES OF TRICHLOROETHENE WITH PYRIDINE AND QUINOLINE. *Fluid Phase Equilibria*. 109: 39-51.
- Nath, J. (2000). Speeds of sound and isentropic compressibilities of (n-heptanol plus n-pentane, or n-hexane, or n-heptane, or n-octane) at T=303.15 K, and of (n-heptanol+2,2,4-trimethylpentane) at T=293.15 and 303.15 K. *Fluid Phase Equilibria*. 175: 63-73.
- Nath, J. (2002). Speeds of sound in and isentropic compressibilities of (n-octanol plus n-hexane, or n-heptane, or n-octane) at T=298.15 K. *Fluid Phase Equilibria*. 203: 261-268.
- Nath, J; Pandey, JG. (1997). Binary mixtures of butanol plus pentane, plus hexane, plus heptane, plus octane, plus 2,2,4-trimethylpentane, and plus carbon tetrachloride .1. Excess molar volumes at 288.15 K and 298.15 K and refractive indexes at 298.15 K. *Journal of Chemical and Engineering Data*. 42: 128-131.
- Navia, P; Troncoso, J; Romani, L. (2010). Isobaric Thermal Expansivity for Nonpolar Compounds. *Journal of Chemical and Engineering Data*. 55: 2173-2179. <http://dx.doi.org/10.1021/je900757k>.
- Nayak, MS; Dwivedi, R; Srivastava, SK. (1994). RATIO METHOD FOR SINGLE-COMPONENT GAS-ANALYSIS USING DOPED TIN OXIDE THICK-FILM SENSORS. 40: 93-95.
- Nayak, MS; Dwivedi, R; Srivastava, SK. (1994). SENSITIVITY AND RESPONSE-TIMES OF DOPED TIN OXIDE INTEGRATED GAS SENSORS. *Microelectronics Journal*. 25: 17-25.
- Naylor, DL. (1992). DEVELOPMENT OF SUSPENSIONS OF ROD-SHAPED BETA-FEOOH PARTICLES IN INFRARED TRANSMITTING SOLVENTS FOR USE AS ARTIFICIAL KERR MEDIA. *J Mater Res*. 7: 2288-2293.
- NCI. (1977). Bioassay of 1,1,1-trichloroethane for possible carcinogenicity. (3). Bethesda, MD.
- Ndong, LBB, i; Gu, X; Lu, S; Ibondou, MP; Qiu, Z; Sui, Q; Mbadinga, SM; Mu, B. (2015). Role of reactive oxygen species in the dechlorination of trichloroethene and 1.1.1-trichloroethane in aqueous phase in UV/TiO₂ systems. *Chem Eng Sci*. 123: 367-375. <http://dx.doi.org/10.1016/j.ces.2014.11.034>.
- Neau, E; Escandell, J; Nicolas, C. (2010). Modeling of Highly Nonideal Systems: 1. A Generalized Version of the NRTL Equation for the Description of Low-Pressure Equilibria. *Ind Eng Chem Res*. 49: 7580-7588. <http://dx.doi.org/10.1021/ie100121c>.
- Nedelec, JM; Grolier, JPE; Baba, M. (2006). Thermoporosimetry: A powerful tool to study the cross-linking in gels networks. *Journal of Sol-Gel Science and Technology*. 40: 191-200. <http://dx.doi.org/10.1007/s10971-006-9115-y>.
- Neely, BJ; Wagner, J, an; Robinson, RL, Jr; Gasem, KAM. (2008). Mutual solubility measurements of hydrocarbon-water systems containing benzene, toluene, and 3-methylpentane. *Journal of Chemical and Engineering Data*. 53: 165-174. <http://dx.doi.org/10.1021/je700449z>.
- Neely, WB. (1977). MATERIAL BALANCE ANALYSIS OF TRICHLOROFLUOROMETHANE AND CARBON-TETRACHLORIDE IN ATMOSPHERE. *Sci Total Environ*. 8: 267-274.
- Neghab, M; Qu, S; Bai, CL; Caples, J; Stacey, NH. (1997). Raised concentration of serum bile acids following occupational exposure to halogenated solvents, 1,1,2-trichloro-1,2,2-trifluoroethane and trichloroethylene. *Int Arch Occup Environ Health*. 70: 187-194. <http://dx.doi.org/10.1007/s004200050205>.
- Neghab, M; Stacey, N. (1997). Toluene-induced elevation of serum bile acids: Relationship to bile acid transport. *J Toxicol Environ Health*. 52: 249-268. <http://dx.doi.org/10.1080/00984109708984063>.
- Neisius, NM; Lutz, M; Rentsch, D; Hemberger, P; Gaan, S. (2014). Synthesis of DOPO-Based Phosphonamidates and their Thermal Properties. *Ind Eng Chem Res*. 53: 2889-2896. <http://dx.doi.org/10.1021/ie403677k>.
- Nelkenbaum, E; Dror, I; Berkowitz, B. (2009). Reductive dechlorination of atrazine catalyzed by metalloporphyrins. *Chemosphere*. 75: 48-55. <http://dx.doi.org/10.1016/j.chemosphere.2008.11.074>.
- Neumann, A; Hofstetter, TB; Skarpeli-Liati, M; Schwarzenbach, RP. (2009). Reduction of polychlorinated ethanes and carbon tetrachloride by structural Fe(II) in smectites. *Environ Sci Technol*. 43: 4082-4089. <http://dx.doi.org/10.1021/es9001967>.
- Neves, IB; Chabut, M; Perruchot, C; Chehimi, MM; Benzarti, K. (2004). Interfacial interactions of structural adhesive components with cement pastes - Studies by inverse gas chromatography (IGC). *Appl Surf Sci*. 238: 523-529. <http://dx.doi.org/10.1016/j.apsusc.2004.05.245>.
- Nevin, KG; Vijayammal, PL. (2005). Effect of Aerva lanata against hepatotoxicity of carbon tetrachloride in rats. *Environ Toxicol Pharmacol*. 20: 471-477. <http://dx.doi.org/10.1016/j.etap.2005.05.010>.
- Newman, LA; Doty, SL; Gery, KL; Heilman, PE; Muiznieks, I; Shang, TQ; Siemieniec, ST; Strand, SE; Wang, XP; Wilson, AM; Gordon, MP. (1998). Phytoremediation of organic contaminants: A review of phytoremediation research at the University of Washington. *Journal of Soil Contamination*. 7: 531-542.
- Nicholas, JE; Spiers, AI. (1985). KINETICS AND MECHANISM IN THE DECOMPOSITION OF CCL₄ IN A RADIO-FREQUENCY PULSE DISCHARGE. *Plasma Chemistry and Plasma Processing*. 5: 263-273.
- Nicoll, G; Francisco, JS. (1998). Carbon atom-initiated degradation of carbon tetrachloride in the presence of molecular oxygen: A product and mechanistic study. *Environ Sci Technol*. 32: 3200-3206.
- Nicoll, G; Francisco, JS. (1999). Heterogeneous degradation of carbon tetrachloride: Breaking the carbon-chlorine bond with activated carbon surfaces. *Environ Sci Technol*. 33: 4102-4106.
- Nie, X; Liu, J; Yue, D; Zeng, X; Nie, Y. (2013). Dechlorination of hexachlorobenzene using lead-iron bimetallic particles. *Chemosphere*. 90: 2403-2407. <http://dx.doi.org/10.1016/j.chemosphere.2012.10.068>.
- Niederberger, M; Ginès, P; Martin, PY; St John, J; Woytaszek, P; Xu, L; Tsai, P; Nemenoff, RA; Schrier, RW. (1998). Increased renal and vascular cytosolic phospholipase A₂ activity in rats with cirrhosis and ascites. *Hepatology*. 27: 42-47. <http://dx.doi.org/10.1002/hep.510270108>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Niedernhofer, LJ; Daniels, JS; Rouzer, CA; Greene, RE; Marnett, LJ. (2003). Malondialdehyde, a product of lipid peroxidation, is mutagenic in human cells. *J Biol Chem.* 278: 31426-31433. <http://dx.doi.org/10.1074/jbc.M212549200>.
- Nielsen, PH; Holm, PE; Christensen, TH. (1992). A field method for determination of groundwater and groundwater sediment associated potentials for degradation of xenobiotic organic compounds. *Chemosphere.* 25: 449-462.
- Niemet, MR; Semprini, L. (2005). Column studies of anaerobic carbon tetrachloride biotransformation with Hanford Aquifer material. *Ground Water Monitoring and Remediation.* 25: 82-92.
- Nieuwenhuizen, MS; Groeneveld, FR. (2000). Formation of phosgene during welding activities in an atmosphere containing chlorinated hydrocarbons. *AIHAJ.* 61: 539-543.
- Nightingale, PD; Malin, G; Liss, PS. (1995). PRODUCTION OF CHLOROFORM AND OTHER LOW-MOLECULAR-WEIGHT HALOCARBONS BY SOME SPECIES OF MACROALGAE. *Limnol Oceanogr.* 40: 680-689.
- Nikiforov, VG; Shmelev, AG; Safiullin, GM; Lobkov, VS. (2012). Femtosecond laser control of induced anisotropy in a liquid: selective spectroscopy of intramolecular vibrations of carbon tetrachloride. *Quantum Electronics.* 42: 332-336. <http://dx.doi.org/10.1070/QE2012v042n04ABEH014796>.
- Nikolic, A; Vastag, D; Rozsatarjani, M; Petrovic, S. (1994). INFINITE DILUTION ACTIVITY-COEFFICIENTS OF ORGANIC SOLUTES IN N,N-DIETHYLDOECANAMIDE. *Journal of Chemical and Engineering Data.* 39: 618-620.
- Nikolic, NC; Stankovic, MZ. (2003). Solanidine hydrolytic extraction and separation from the potato (*Solanum tuberosum* L.) vines by using solid-liquid-liquid systems. *J Agric Food Chem.* 51: 1845-1849. <http://dx.doi.org/10.1021/jf020426s>.
- Nilsson, UL; Colmsjo, AL. (1990). Formation of chlorinated polycyclic aromatic hydrocarbons in different chlorination reactions. *Chemosphere.* 21: 939-952.
- Nishida, R; Sato, T; Kuwahara, Y; Fukami, H; Ishii, S. (1976). FEMALE SEX PHEROMONE OF THE GERMAN COCKROACH, *Blattella germanica* (L.) (ORTHOPTERA: BLATTELLIDAE), RESPONSIBLE FOR MALE WING-RAISING II. 29-HYDROXY-3, 11-DIMETHYL-2-NONACOSANONE. *J Chem Ecol.* 2: 449-455.
- Nishiumi, H; Kura, S; Yokoyama, T. (1991). EXTENDED BWR EQUATION OF STATE FOR FLUOROCARBONS, CHLOROFORM AND CARBON-TETRACHLORIDE. *Fluid Phase Equilibria.* 69: 141-153.
- Nitha, A; Prabha, SP; Ansil, PN; Latha, MS. (2016). Methanolic extract of *Woodfordia fruticosa* Kurz flowers ameliorates carbon tetrachloride-induced chronic hepatic fibrosis in rats. *Toxicol Ind Health.* 32: 1224-1236. <http://dx.doi.org/10.1177/0748233714552120>.
- Niu, J; Bao, Y; Li, Y; Chai, Z. (2013). Electrochemical mineralization of pentachlorophenol (PCP) by Ti/SnO₂-Sb electrodes. *Chemosphere.* 92: 1571-1577. <http://dx.doi.org/10.1016/j.chemosphere.2013.04.035>.
- Niu, X; Sun, L; Wang, Y; Wu, H; Xu, X. (2010). NF₃ decomposition over some metal oxides in the absence of water. *Journal of Natural Gas Chemistry.* 19: 463-467. [http://dx.doi.org/10.1016/S1003-9953\(09\)60107-9](http://dx.doi.org/10.1016/S1003-9953(09)60107-9).
- Niwa, M; Ohta, Y; Nagasaka, Y. (2009). Mass Diffusion Coefficients of Cellulose Acetate Butyrate in Methyl Ethyl Ketone Solutions at Temperatures between (293 and 323) K and Mass Fractions from 0.05 to 0.60 Using the Soret Forced Rayleigh Scattering Method. *Journal of Chemical and Engineering Data.* 54: 2708-2714. <http://dx.doi.org/10.1021/jc900242e>.
- Nkinamubanzi, P; Charlet, G; Delmas, G. (1985). EXCESS-ENTHALPIES, EXCESS HEAT-CAPACITIES AND EXCESS VOLUMES OF TETRAALKOXY-SILANES WITH CYCLOHEXANE AND CARBON-TETRACHLORIDE. *Fluid Phase Equilibria.* 20: 57-73.
- Nkundimana, E; Noubactep, C; Uwamariya, V. (2015). METALLIC IRON FOR WATER TREATMENT AND ENVIRONMENTAL REMEDIATION: A HANDOUT TO YOUNG RESEARCHERS. *Fresen Environ Bull.* 24: 4842-4846.
- Nobre, MM; Nobre, RC. (2004). Soil vapor extraction of chlorinated solvents at an industrial site in Brazil. *J Hazard Mater.* 110: 119-127. <http://dx.doi.org/10.1016/j.jhazmat.2004.02.045>.
- Noel, S; Sharma, S; Rath, SK. (2008). Simultaneous application of t-test and fold change criteria to identify acetaminophen and carbon tetrachloride affected genes in mice liver. *Environ Toxicol Pharmacol.* 26: 150-161. <http://dx.doi.org/10.1016/j.etap.2008.03.002>.
- Nolan, M. (1993). THE MONTREAL PROTOCOL - FOLLOWING THE REVIEW BY THE PARTIES IN COPENHAGEN, NOVEMBER 1992, AND SUBSEQUENT REGULATIONS. *Cell Polym.* 12: 143-151.
- Nomura, T. (1992). SMALL-ANGLE X-RAY SCATTERINGS OF WOOD AND BAMBOO .1. THE RELATIONSHIPS BETWEEN THE ULTRASTRUCTURES OF WOOD AND BAMBOO AND SMALL-ANGLE X-RAY-SCATTERING. 38: 533-542.
- Nordell, N; Borglind, J; Landgren, G. (1992). INFLUENCE OF MOVPE GROWTH-CONDITIONS AND CCL₄ ADDITION ON INP CRYSTAL SHAPES. *J Cryst Growth.* 125: 597-611.
- Noro, JJ; Sekine, T. (1993). SEPARATION FACTOR OF LANTHANOIDS BY SOLVENT-EXTRACTION OF THEIR TERNARY COMPLEXES. *J Alloy Comp.* 192: 132-134.
- Norpoth, K; Reisch, A; Heinecke, A. (1980). Biostatistics of Ames-test data. In K Norpoth; RC Garner (Eds.), (pp. 312-322). New York, NY: Springer-Verlag. http://dx.doi.org/10.1007/978-3-642-67202-6_24.
- Nota, G; Naviglio, D; Romano, R; Sabia, V; Musso, SS; Improta, C. (1999). Determination of the wax ester content in olive oils. Improvement in the method proposed by EEC Regulation 183/93. *J Agric Food Chem.* 47: 202-205.
- Noubactep, C. (2008). Comments on "Sorption of triazoles to soil and iron minerals" by Y. Jia et al. [*Chemosphere* 67 (2007) 250-258]. *Chemosphere.* 71: 802-806. <http://dx.doi.org/10.1016/j.chemosphere.2007.11.056>.
- Noubactep, C. (2009). Characterizing the effects of shaking intensity on the kinetics of metallic iron dissolution in EDTA. *J Hazard Mater.* 170: 1149-1155. <http://dx.doi.org/10.1016/j.jhazmat.2009.05.085>.
- Noubactep, C. (2010). Elemental metals for environmental remediation: Learning from cementation process. *J Hazard Mater.* 181: 1170-1174. <http://dx.doi.org/10.1016/j.jhazmat.2010.05.085>.
- Noubactep, C. (2011). Aqueous contaminant removal by metallic iron: Is the paradigm shifting? *Water SA.* 37: 419-425.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Noubactep, C. (2013). Metallic iron for environmental remediation: the long walk to evidence. *Corrosion Reviews*. 31: 51-59. <http://dx.doi.org/10.1515/corrrev-2013-0018>.
- Noubactep, C. (2013). Metallic iron for water treatment: A critical review. *CLEAN - Soil, Air, Water*. 41: 702-710. <http://dx.doi.org/10.1002/clen.201200502>.
- Noubactep, C. (2014). Flaws in the design of Fe(0)-based filtration systems? *Chemosphere*. 117: 104-107. <http://dx.doi.org/10.1016/j.chemosphere.2014.06.014>.
- Noubactep, C. (2016). Predicting the Hydraulic Conductivity of Metallic Iron Filters: Modeling Gone Astray. *Water*. 8. <http://dx.doi.org/10.3390/w8040162>.
- Noubactep, C; Meinrath, G; Merkel, BJ. (2005). Investigating the mechanism of uranium removal by zerovalent iron. *Environ Chem*. 2: 235-242. <http://dx.doi.org/10.1071/EN05003>.
- Novak, PJ; Daniels, L; Parkin, GF. (1998). Enhanced dechlorination of carbon tetrachloride and chloroform in the presence of elemental iron and *Methanosarcina barkeri*, *Methanosarcina thermophila*, or *Methanosaeta concillii*. *Environ Sci Technol*. 32: 1438-1443.
- Novak, PJ; Daniels, L; Parkin, GF. (1998). Rapid dechlorination of carbon tetrachloride and chloroform by extracellular agents in cultures of *Methanosarcina thermophila*. *Environ Sci Technol*. 32: 3132-3136.
- Novakova, V; Musil, J; Buckiova, D; Taborsky, O; Sollova, H; Vyborny, P. (1981). Effect of tetrachloromethane and other chlorinated hydrocarbons on the hepatic metabolism in the isolated perfused rat liver. *Cent Eur J Public Health*. 25: 369-383.
- Novotny, JL; Negrelli, DE; VANDENDR.T. (1973). TOTAL BAND ABSORPTION MODELS FOR ABSORBING-EMITTING LIQUIDS - CCL4. *Mech Eng (Am Soc Mech Eng)*. 95: 62-62.
- Novotny, JL; Negrelli, DE; VANDENDR.T. (1974). TOTAL BAND ABSORPTION MODELS FOR ABSORBING-EMITTING LIQUIDS - CCL4. *Journal of Heat Transfer*. 96: 27-31.
- Noweir, MH; Pfitzer, EA. (1973). CHEMICAL-ANALYSIS OF DECOMPOSITION PRODUCTS FROM CARBON-TETRACHLORIDE IN AIR. *Am Ind Hyg Assoc J*. 33: 669-677.
- Noweir, MH; Pfitzer, EA; Hatch, TF. (1973). The pulmonary response of rats exposed to the decomposition products of carbon tetrachloride vapors at its industrial threshold limit concentration. *Am Ind Hyg Assoc J*. 34: 73-77.
- Noweir, MH; Pfitzer, EA; Hatch, TF. (1973). Thermal decomposition of carbon tetrachloride vapors at its industrial threshold limit concentration. *Am Ind Hyg Assoc J*. 34: 25-37.
- Noziere, P; Michaletdoreau, B. (1994). EFFECT OF EXTRACTION METHOD ON ACTIVITIES OF POLYSACCHARIDE-DEPOLYMERASE ENZYMES IN THE MICROBIAL-POPULATION FROM THE SOLID-PHASE IN THE RUMEN. *Reprod Nutr Dev*. 34: 281-288.
- NRC. (1983). *Risk Assessment in the Federal Government: Managing the Process*. Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/366>.
- NRC. (1994). *Science and judgment in risk assessment* (pp. 672). Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/2125>.
- NTP. (1976). Report on the Carcinogenesis Bioassay of Chloroform (CAS No. 67-66-3). *Natl Cancer Inst Carcinog Tech Rep Ser*. 1976: 1-60.
- NTP. (2007). National toxicology database search application.
- Nunez Garcia, A; Boparai, HK; O'Carroll, DM. (2016). Enhanced Dechlorination of 1,2-Dichloroethane by Coupled Nano Iron-Dithionite Treatment. *Environ Sci Technol*. 50: 5243-5251. <http://dx.doi.org/10.1021/acs.est.6b00734>.
- Nunomura, W. (1991). RAT C-REACTIVE PROTEIN IN CHEMICALLY-INDUCED INFLAMMATION - CHANGES IN SERUM CONCENTRATION AND TISSUE DISTRIBUTION. *Zool Sci*. 8: 277-286.
- Nuns, N; Beaurain, A; Dinh, MTN; Vandenbroucke, A; De Geyter, N; Morent, R; Leys, C; Giraudon, JM; Lamonier, JF. (2014). A combined ToF-SIMS and XPS study for the elucidation of the role of water in the performances of a Post-Plasma Process using LaMnO₃+delta as catalyst in the total oxidation of trichloroethylene. *Appl Surf Sci*. 320: 154-160. <http://dx.doi.org/10.1016/j.apsusc.2014.09.047>.
- Nur, H; Ikeda, S; Ohtani, B. (2001). Phase-boundary catalysis of alkene epoxidation with aqueous hydrogen peroxide using amphiphilic zeolite particles loaded with titanium oxide. *J Catal*. 204: 402-408. <http://dx.doi.org/10.1006/jcat.2001.3386>.
- Nurmi, JT; Bandstra, JZ; Tratnyek, PG. (2004). Packed powder electrodes for characterizing the reactivity of granular iron in borate solutions. *J Electrochem Soc*. 151: B347-B353. <http://dx.doi.org/10.1149/1.1738135>.
- Nurmi, JT; Tratnyek, PG. (2002). Electrochemical properties of natural organic matter (NOM), fractions of NOM, and model biogeochemical electron shuttles. *Environ Sci Technol*. 36: 617-624. <http://dx.doi.org/10.1021/es0110731>.
- Nurmi, JT; Tratnyek, PG. (2008). Electrochemical studies of packed iron powder electrodes: Effects of common constituents of natural waters on corrosion potential. *Corrosion Sci*. 50: 144-154. <http://dx.doi.org/10.1016/j.corsci.2007.06.016>.
- Nurmi, JT; Tratnyek, PG; Sarathy, V; Baer, DR; Amonette, JE; Pecher, K; Wang, C; Linehan, JC; Matson, DW; Penn, RL; Driessen, MD. (2005). Characterization and properties of metallic iron nanoparticles: spectroscopy, electrochemistry, and kinetics. *Environ Sci Technol*. 39: 1221-1230. <http://dx.doi.org/10.1021/es049190u>.
- Nurrochmad, A; Margono, SA; Sardjiman, SA; Hakim, AR; Ernowati, AR; Kurniawati, E; Fatmawati, E. (2013). Hepatoprotective and antioxidant activity of pentagamavunon-0 against carbon tetrachloride-induced hepatic injury in rats. *Asian Pacific Journal of Tropical Medicine*. 6: 438-442. [http://dx.doi.org/10.1016/S1995-7645\(13\)60070-X](http://dx.doi.org/10.1016/S1995-7645(13)60070-X).
- Nurullina, NM; Batyrshin, NN; Kharlampidi, K, hE. (2014). Effect of the solvent nature on the magnesium 2-ethylhexanoate-catalyzed decomposition of cumene hydroperoxide. *Petroleum Chemistry*. 54: 65-68. <http://dx.doi.org/10.1134/S0965544114010095>.
- Nyberg, T; Heszler, P; Carlsson, JO. (1997). Diamond deposition from halogenated methane precursors on Si and SiC substrates. *Diam Relat Mater*. 6: 85-88.
- Nye, PH; Gerstl, Z; Galin, T. (1994). PREDICTION OF SORPTION BY SOILS OF VOLATILE HYDROCARBON MIXTURES. *J Environ Qual*. 23: 1031-1037.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Nzengung, VA; Castillo, RM; Gates, WP; Mills, GL. (2001). Abiotic transformation of perchloroethylene in homogeneous dithionite solution and in suspensions of dithionite-treated clay minerals. *Environ Sci Technol.* 35: 2244-2251. <http://dx.doi.org/10.1021/es001578b>.
- Nzengung, VA; Wolfe, L, eeN; Rennels, DE; Mccutcheon, SC; Wang, C. (1999). Use of Aquatic Plants and Algae for Decontamination of Waters Polluted with Chlorinated Alkanes. *Int J Phytoremediation.* 1: 203-226. <http://dx.doi.org/10.1080/15226519908500016>.
- Obare, SO; Ito, T; Balfour, MH; Meyer, GJ. (2003). Ferrous hemin oxidation by organic halides at nanocrystalline TiO₂ interfaces. *Nano Lett.* 3: 1151-1153. <http://dx.doi.org/10.1021/nl034353i>.
- Obare, SO; Ito, T; Meyer, GJ. (2005). Controlling reduction potentials of semiconductor-supported molecular catalysts for environment remediation of organohalide pollutants. *Environ Sci Technol.* 39: 6266-6272. <http://dx.doi.org/10.1021/es048058r>.
- Oda, T; Yamashita, R; Tanaka, K; Takahashi, T; Masuda, S. (1996). Analysis of low-temperature surface discharge plasma products from gaseous organic compounds. *I E E Transactions on Industry Applications.* 32: 1044-1050.
- Odabasi, M. (2008). Halogenated volatile organic compounds from the use of chlorine-bleach-containing household products. *Environ Sci Technol.* 42: 1445-1451. <http://dx.doi.org/10.1021/es702355u>.
- Odabasi, M; Elbir, T; Dumanoglu, Y; Sofuoglu, SC. (2014). Halogenated volatile organic compounds in chlorine-bleach-containing household products and implications for their use. *Atmos Environ.* 92: 376-383. <http://dx.doi.org/10.1016/j.atmosenv.2014.04.049>.
- O'doherty, S. (2004). Rapid growth of hydrofluorocarbon 134a and hydrochlorofluorocarbons 141b, 142b, and 22 from Advanced Global Atmospheric Gases Experiment (AGAGE) observations at Cape Grim, Tasmania, and Mace Head, Ireland. *J Geophys Res.* 109: D06310. <http://dx.doi.org/10.1029/2003JD004277>.
- Odonnell, AG; He, ZL; Syers, JK. (1992). A BIPHASIC EXTRACTION PROCEDURE FOR THE SIMULTANEOUS REMOVAL OF ELEMENTAL SULFUR AND SULFATE FROM SOILS. *J Sci Food Agric.* 59: 395-400.
- Odziemkowski, MS; Gui, L; Gillham, RW. (2000). Reduction of N-nitrosodimethylamine with granular iron and nickel-enhanced iron. 2. Mechanistic studies. *Environ Sci Technol.* 34: 3495-3500.
- Oettingen, WF; Powell, CC; Sharpless, NE; Alford, WC; Pecora, LJ. (1950). Comparative studies of the toxicity and pharmacodynamic action of chlorinated methanes with special reference to their physical and chemical characteristics. *Arch Int Pharmacodyn Ther.* 81: 17-34.
- Ogata, A; Einaga, H; Kabashima, H; Futamura, S; Kushiya, S; Kim, HH. (2003). Effective combination of nonthermal plasma and catalysts for decomposition of benzene in air. *Appl Catal B-Environ.* 46: 87-95. [http://dx.doi.org/10.1016/S0926-3373\(03\)00180-2](http://dx.doi.org/10.1016/S0926-3373(03)00180-2).
- Ogata, A; Ito, D; Mizuno, K; Kushiya, S; Gal, A; Yamamoto, T. (2002). Effect of coexisting components on aromatic decomposition in a packed-bed plasma reactor. *Appl Catal A-Gen.* 236: 9-15.
- Ogata, A; Ito, D; Mizuno, K; Kushiya, S; Yamamoto, T. (2001). Removal of dilute benzene using a zeolite-hybrid plasma reactor. *I E E Transactions on Industry Applications.* 37: 959-964.
- Ogata, A; Miyamae, K; Mizuno, K; Kushiya, S; Tezuka, M. (2002). Decomposition of benzene in air in a plasma reactor: Effect of reactor type and operating conditions. *Plasma Chemistry and Plasma Processing.* 22: 537-552.
- Ogata, A; Shintani, N; Yamanouchi, K; Mizuno, K; Kushiya, S; Yamamoto, T. (2000). Effect of water vapor on benzene decomposition using a nonthermal-discharge plasma reactor. *Plasma Chemistry and Plasma Processing.* 20: 453-467.
- Ogata, A; Yamanouchi, K; Mizuno, K; Kushiya, S; Yamamoto, T. (1999). Decomposition of benzene using alumina-hybrid and catalyst-hybrid plasma reactors. *I E E Transactions on Industry Applications.* 35: 1289-1295.
- Ogata, A; Yamanouchi, K; Mizuno, K; Kushiya, S; Yamamoto, T. (1999). Oxidation of dilute benzene in an alumina hybrid plasma reactor at atmospheric pressure. *Plasma Chemistry and Plasma Processing.* 19: 383-394.
- Ogeturk, M; Kus, I; Pekmez, H; Yekeler, H; Sahin, S; Sarsilmaz, M. (2008). Inhibition of carbon tetrachloride-mediated apoptosis and oxidative stress by melatonin in experimental liver fibrosis. *Toxicol Ind Health.* 24: 201-208. <http://dx.doi.org/10.1177/0748233708093725>.
- Ogura, K; Kobayashi, W; Migita, CT; Kaku, K. (1992). Complete photodecomposition of CFC-113, trichloromethane and carbon tetrachloride and scavenging of generated reactive species. *Environ Technol.* 13: 81-88.
- Oh, BT; Just, CL; Alvarez, PJJ. (2001). Hexahydro-1,3,5-trinitro-1,3,5-triazine mineralization by zerovalent iron and mixed anaerobic cultures. *Environ Sci Technol.* 35: 4341-4346.
- Oh, SY; Cha, DK; Chiu, PC. (2002). Graphite-mediated reduction of 2,4-dinitrotoluene with elemental iron. *Environ Sci Technol.* 36: 2178-2184. <http://dx.doi.org/10.1021/es011474g>.
- Oh, SY; Cha, DK; Kim, BJ; Chiu, PC. (2004). Reduction of nitroglycerin with elemental iron: pathway, kinetics, and mechanisms. *Environ Sci Technol.* 38: 3723-3730.
- Ohashi, A; Watarai, H. (2002). Azo-imine resonance in palladium(II)-pyridylazo complex adsorbed at liquid-liquid interfaces studied by centrifugal liquid membrane-resonance Raman microprobe spectroscopy. *Langmuir.* 18: 10292-10297. <http://dx.doi.org/10.1021/la020536t>.
- Ohba, M; Takigawa, T; Ogawa, H; Murakami, S; Nomura, H. (1997). Thermodynamic properties of rigid polycyclic molecules (2) Partial molar volumes of polycyclic aromatics compared with the RISM integral equation theory. *Fluid Phase Equilibria.* 136: 289-297.
- Ohno, H; Aoyama, T. (1991). Simultaneous determination of volatile chlorinated hydrocarbons by dual detection using a semi-wide bore capillary column. *J Health Sci.* 37: 387-394.
- Ohno, T; Moffat, JB. (1993). OXIDATIVE COUPLING OF METHANE ON LITHIUM CALCIUM-PHOSPHATE CATALYSTS. *Appl Catal A-Gen.* 93: 141-161.
- Ohsaka, T; Shinozaki, K; Tsuruta, K; Hirano, K. (2008). Photo-electrochemical degradation of some chlorinated organic compounds on n-TiO₂ electrode. *Chemosphere.* 73: 1279-1283. <http://dx.doi.org/10.1016/j.chemosphere.2008.07.016>.
- Ohta, S; Lai, EW; Taniguchi, S; Tischler, AS; Alesci, S; Pacak, K. (2006). Animal models of pheochromocytoma including NIH initial experience. *Ann N Y Acad Sci.* 1073: 300-305. <http://dx.doi.org/10.1196/annals.1353.034>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ohura, T; Amagai, T; Senga, Y; Fusaya, M. (2006). Organic air pollutants inside and outside residences in Shimizu, Japan: Levels, sources and risks. *Sci Total Environ.* 366: 485-499. <http://dx.doi.org/10.1016/j.scitotenv.2005.10.005>.
- Oikari, A; Jimenez, B. (1992). Effects of hepatotoxicants on the induction of microsomal monooxygenase activity in sunfish liver by beta-naphthoflavone and benzo[a]pyrene. *Ecotoxicol Environ Saf.* 23: 89-102.
- Okamoto, T. (2000). Suppression of cytochrome P450 gene expression in the livers of mice with concanavalin A-induced hepatitis. *Eur J Pharmacol.* 394: 157-161. [http://dx.doi.org/10.1016/S0014-2999\(00\)00134-5](http://dx.doi.org/10.1016/S0014-2999(00)00134-5).
- O'Keefe, WK; Liu, Y, in; Sages, MR; Wong, MS; Fu, H, an; Takata, T; Domen, K. (2014). Photocatalytic Hydrodechlorination of Trace Carbon Tetrachloride (CCl₄) in Aqueous Medium. *Ind Eng Chem Res.* 53: 9600-9607. <http://dx.doi.org/10.1021/ie500344v>.
- Okitsu, K; Kawasaki, K; Nanzai, B; Takenaka, N; Bandow, H. (2008). Effect of carbon tetrachloride on sonochemical decomposition of methyl orange in water. *Chemosphere.* 71: 36-42. <http://dx.doi.org/10.1016/j.chemosphere.2007.10.056>.
- Okochi, H; Sato, E; Matsubayashi, Y; Igawa, M. (2008). Effect of atmospheric humic-like substances on the enhanced dissolution of volatile organic compounds into dew water. *Atmos Res.* 87: 213-223. <http://dx.doi.org/10.1016/j.aunosres.2007.11.003>.
- Okunev, AG; Aristov, YI. (1999). Why an apparent surface dimension of silica gels may be abnormally high. *Langmuir.* 15: 5068-5072.
- Olaniran, AO; Babalola, GO; Okoh, AI. (2001). Aerobic dehalogenation potentials of four bacterial species isolated from soil and sewage sludge. *Chemosphere.* 45: 45-50.
- Olivas, Y; Dolfling, J; Smith, GB. (2002). The influence of redox potential on the degradation of halogenated methanes. *Environ Toxicol Chem.* 21: 493-499.
- Olloqui-Sariego, JL; Molina, VM; Gonzalez-Arjona, D; Roldan, E; Dominguez, M. (2008). Electrosynthesis of trichloroacetic acid by electrochemical carboxylation of carbon tetrachloride. *J Electrochem Soc.* 155: E157-E161. <http://dx.doi.org/10.1149/1.2971028>.
- Olloqui-Sariego, JL; Molina, VM; Gonzalez-Arjona, D; Roldan, E; Dominguez, M. (2010). An Efficient Electrochemical Carboxylation of Polychloromethanes at Zinc Cathode in Acetonitrile. *J Electrochem Soc.* 157: E64-E68. <http://dx.doi.org/10.1149/1.3299365>.
- O'Loughlin, EJ; Burris, DR. (2004). Reduction of halogenated ethanes by green rust. *Environ Toxicol Chem.* 23: 41-48. <http://dx.doi.org/10.1897/03-45>.
- O'Loughlin, EJ; Burris, DR; Delcomyn, CA. (1999). Reductive dechlorination of trichloroethene mediated by humic-metal complexes. *Environ Sci Technol.* 33: 1145-1147.
- O'Loughlin, EJ; Kelly, SD; Kemner, KM; Csencsits, R; Cook, RE. (2003). Reduction of Ag-I, Au-III, Cu-II, and Hg-II by Fe-II/Fe-III hydroxysulfate green rust. *Chemosphere.* 53: 437-446. [http://dx.doi.org/10.1016/S0045-6535\(03\)00545-9](http://dx.doi.org/10.1016/S0045-6535(03)00545-9).
- O'Loughlin, EJ; Kemner, KM; Burris, DR. (2003). Effects of Ag(I), Au(III), and Cu(II) on the reductive dechlorination of carbon tetrachloride by green rust. *Environ Sci Technol.* 37: 2905-2912. <http://dx.doi.org/10.1021/es030304w>.
- O'Loughlin, EJ; Larese-Casanova, P; Scherer, M; Cook, R. (2007). Green rust formation from the bioreduction of gamma-FeOOH (lepidocrocite): Comparison of several *Shewanella* species. *Geomicrobiology Journal.* 24: 211-230. <http://dx.doi.org/10.1080/01490450701459333>.
- Olsen, A, re; Key, RM; van Heuven, S; Lauvset, S, ivK; Velo, A; Lin, X; Schirnack, C; Kozyr, A; Tanhua, T; Hoppema, M; Jutterstrom, S; Steinfeldt, R; Jeansson, E; Ishii, M; Perez, F, izF; Suzuki, T. (2016). The Global Ocean Data Analysis Project version 2 (GLODAPv2) - an internally consistent data product for the world ocean. *Earth System Science Data.* 8: 297-323. <http://dx.doi.org/10.5194/essd-8-297-2016>.
- Olsson, KA; Jeansson, E; Tanhua, T; Gascard, JC. (2005). The East Greenland Current studied with CFCs and released sulphur hexafluoride. *J Mar Syst.* 55: 77-95. <http://dx.doi.org/10.1016/j.jmarsys.2004.07.019>.
- Onfelt, A. (1987). Spindle disturbances in mammalian cells: III: Toxicity, c-mitosis and aneuploidy with 22 different compounds: Specific and unspecific mechanisms. *Mutat Res Environ Mutagen Relat Subj.* 182: 135-154. [http://dx.doi.org/10.1016/0165-1161\(87\)90067-7](http://dx.doi.org/10.1016/0165-1161(87)90067-7).
- Ono, K; Oomori, T; Tuda, M; Namba, K. (1992). MEASUREMENTS OF THE CL ATOM CONCENTRATION IN RADIOFREQUENCY AND MICROWAVE PLASMAS BY 2-PHOTON LASER-INDUCED FLUORESCENCE - RELATION TO THE ETCHING OF SI. *Journal of Vacuum Science and Technology A.* 10: 1071-1079.
- Onosaka, S; Yoshida, M; Min, KS; Fujita, Y; Tanaka, K. (1991). STUDIES ON THE MECHANISMS OF METALLOTHIONEIN INDUCTION .1. INVOLVEMENT OF LIPIDS. *JTHE.* 37: 185-190.
- Oostrom, M; Dane, JH; Wietsma, TW. (2005). Removal of carbon tetrachloride from a layered porous medium by means of soil vapor extraction enhanced by desiccation and water table reduction. *Vadose Zone Journal.* 4: 1170-1182. <http://dx.doi.org/10.2136/vzj2004.0173>.
- Oostrom, M; Hofstee, C; Lenhard, RJ; Wietsma, TW. (2003). Flow behavior and residual saturation formation of liquid carbon tetrachloride in unsaturated heterogeneous porous media. *J Contam Hydrol.* 64: 93-112. [http://dx.doi.org/10.1016/S0169-7722\(02\)00107-9](http://dx.doi.org/10.1016/S0169-7722(02)00107-9).
- Oostrom, M; Lenhard, RJ. (2003). Carbon Tetrachloride Flow Behavior in Unsaturated Hanford Caliche Material: An Investigation of Residual Nonaqueous Phase Liquids. *Vadose Zone Journal.* 2: 25-33.
- Oostrom, M; Rockhold, ML; Thorne, PD; Truex, MJ; Last, GV; Rohay, VJ. (2007). Carbon tetrachloride flow and transport in the subsurface of the 216-Z-9 trench at the Hanford Site. *Vadose Zone Journal.* 6: 971-984. <http://dx.doi.org/10.2136/vzj2006.0166>.
- Oostrom, M; Truex, MJ; Tartakovsky, GD; Wietsma, T, omW. (2010). Three-Dimensional Simulation of Volatile Organic Compound Mass Flux from the Vadose Zone to Groundwater. *Ground Water Monitoring and Remediation.* 30: 45-56. <http://dx.doi.org/10.1111/j1745-6592.2010.001285.x>.
- Orbay, O; Gao, S; Barbaris, B; Rupp, E; Sáez, AE; Arnold, RG; Betterton, EA. (2008). Catalytic Dechlorination of Gas-phase Perchloroethylene under Mixed Redox Conditions. *Appl Catal B-Environ.* 79: 43-52. <http://dx.doi.org/10.1016/j.apcatb.2007.09.034>.
- Ordonez, S; Sastre, H; Diez, FV. (2000). Hydrodechlorination of aliphatic organochlorinated compounds over commercial hydrogenation catalysts. *Appl Catal B-Environ.* 25: 49-58.
- Ortega, J; Espiau, F. (2003). A new correlation method for vapor-liquid equilibria and excess enthalpies for nonideal solutions using a genetic algorithm. Application to ethanol plus an n-alkane mixtures. *Ind Eng Chem Res.* 42: 4978-4992. <http://dx.doi.org/10.1021/ie030327j>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Orzechowska, GE; Poziomek, EJ; Hodge, VF; Engelmann, WH. (1995). USE OF SONOCHEMISTRY IN MONITORING CHLORINATED HYDROCARBONS IN WATER. *Environ Sci Technol*. 29: 1373-1379. <http://dx.doi.org/10.1021/es00005a033>.
- Osadebe, PO; Okoye, FB; Uzor, PF; Nnamani, NR; Adiele, IE; Obiano, NC. (2012). Phytochemical analysis, hepatoprotective and antioxidant activity of *Alchornea cordifolia* methanol leaf extract on carbon tetrachloride-induced hepatic damage in rats. *Asian Pacific Journal of Tropical Medicine*. 5: 289-293. [http://dx.doi.org/10.1016/S1995-7645\(12\)60041-8](http://dx.doi.org/10.1016/S1995-7645(12)60041-8).
- Osorio, P; Urbina-Villalba, G. (2011). Influence of Drop Deformability on the Stability of Decane-in-Water Emulsions. *Journal of Surfactants and Detergents*. 14: 281-300. <http://dx.doi.org/10.1007/s11743-010-1238-z>.
- Oswal, SL; Oswal, P; Dave, JP. (1994). V(E) OF MIXTURES CONTAINING ALKYL ACETATE, OR ETHYL ALKANOATE, OR ETHYL BROMOALKANOATE WITH N-HEXANE. *Fluid Phase Equilibria*. 98: 225-234.
- Oswal, SL; Patel, BM; Patel, AM; Ghael, NY. (2003). Densities, speeds of sound, isentropic compressibilities, and refractive indices of binary mixtures of methyl methacrylate with hydrocarbons, haloalkanes and alkyl amines. *Fluid Phase Equilibria*. 206: 313-329. [http://dx.doi.org/10.1016/S0378-3812\(03\)00031-1](http://dx.doi.org/10.1016/S0378-3812(03)00031-1).
- Oswal, SL; Patel, IN. (1998). Excess molar volumes of binary mixtures of alkyl acetates with hexane, tetrachloromethane, and trichloromethane. *Fluid Phase Equilibria*. 149: 249-259.
- Ott, JB; Goates, JR. (1996). Summary of melting and transition temperatures of pure substances and congruent and incongruent melting temperatures of molecular addition compounds. *Journal of Chemical and Engineering Data*. 41: 669-677.
- Ottu, OJ; Atawodi, SE; Onyike, E. (2013). Antioxidant, hepatoprotective and hypolipidemic effects of methanolic root extract of *Cassia singueana* in rats following acute and chronic carbon tetrachloride intoxication. *Asian Pacific Journal of Tropical Medicine*. 6: 609-615. [http://dx.doi.org/10.1016/S1995-7645\(13\)60105-4](http://dx.doi.org/10.1016/S1995-7645(13)60105-4).
- Ou-Yang, CF; Chang, CC; Chen, SP, o; Chew, C; Lee, B; Chang, CY; Montzka, SA; Dutton, GS; Butler, JH; Elkins, JW; Wang, J. (2015). Changes in the levels and variability of halocarbons and the compliance with the Montreal Protocol from an urban view. *Chemosphere*. 138: 438-446. <http://dx.doi.org/10.1016/j.chemosphere.2015.06.070>.
- Oyanedel-Craver, VA; Smith, JA. (2006). Effect of quaternary ammonium cation loading and pH on heavy metal sorption to Ca bentonite and two organobentonites. *J Hazard Mater*. 137: 1102-1114. <http://dx.doi.org/10.1016/j.jhazmat.2006.03.051>.
- Ozaki, T; Murase, K; Machida, K; Adachi, G. (1996). Extraction of rare earths and thorium from monazite by chlorination with carbon tetrachloride. *Institute of Materials, Minerals and Mining Transactions Section C: Mineral Processing & Extractiv*. 105: C141-C145.
- Ozdemir, C; Sen, N; Kalipci, E. (2012). Reaction kinetics and removal of COD with treatment of TCE with the synthetic wastewater in UASB reactors. *Energy Education Science & Technology, Part A: Energy Science and Research*. 28: 689-698.
- Ozretic, B; Krajnovicozretic, M. (1993). PLASMA SORBITOL DEHYDROGENASE, GLUTAMATE-DEHYDROGENASE, AND ALKALINE-PHOSPHATASE AS POTENTIAL INDICATORS OF LIVER INTOXICATION IN GRAY MULLET (*MUGIL-AURATUS* RISSO). *Bull Environ Contam Toxicol*. 50: 586-592.
- Ozturk, B; Yilmaz, D. (2006). Absorptive removal of volatile organic compounds from flue gas streams. *Process Saf Environ Protect*. 84: 391-398. <http://dx.doi.org/10.1205/psep05003>.
- Ozturk, M; Akdogan, M; Keskin, I; Kisioglu, AN; Oztas, S; Yildiz, K. (2012). Effect of *Silybum marianum* on acute hepatic damage caused by carbon tetrachloride in rats. *Biomedical Research*. 23: 268-274.
- Pachauri, M; Upadhyay, SK. (2003). Kinetics of Ru-III catalysed polymerization of methylmethacrylate by aliphatic amines in presence of carbontetrachloride. *Indian J Chem Tech*. 10: 402-407.
- Paderewski, M. (1994). A SIMPLIFIED MODEL OF DESORPTION FROM FIXED-BED HEATED DIRECTLY BY ELECTRIC-CURRENT. *Inzynieria Chemiczna i Procesowa*. 15: 147-158.
- Page, DA; Carlson, GP. (1993). EFFECT OF PYRIDINE ON THE HEPATIC AND PULMONARY METABOLISM OF 2-BUTANOL IN RAT AND RABBIT. *J Toxicol Environ Health*. 38: 369-379. <http://dx.doi.org/10.1080/15287399309531725>.
- Pajak, J; Galewski, Z; Rospenk, M; Sobczyk, L. (2001). Liquid crystalline properties of and intramolecular hydrogen bonding in 4-methyl-2'-hydroxy-4'-alkoxyazobenzenes. *Liquid Crystals*. 28: 1003-1008.
- Pal, A; Bandyopadhyay, M. (1997). Fluorometric determination of trichloroacetic acid and its application in water sample analysis. *Indian J Chem Tech*. 4: 253-255.
- Pal, A; Kumar, A. (1998). Excess molar volumes and viscosities of binary mixtures of 2-(2-butoxyethoxy)ethanol with chloroalkanes at 298.15K. *Fluid Phase Equilibria*. 143: 241-251.
- Pal, A; Singh, W. (1997). Excess molar volumes and viscosities of binary mixtures of 2-butoxyethanol (butyl cellosolve) with chloroalkanes at 298.15 K. *Fluid Phase Equilibria*. 129: 211-221.
- Pal, A; Singh, W. (1997). Speeds of sound and viscosities in aqueous poly(ethylene glycol) solutions at 303.15 and 308.15 K. *Journal of Chemical and Engineering Data*. 42: 234-237.
- Pal, R; Kundu, D. (2009). Sol-gel synthesis of porous and dense silica microspheres. *Journal of Non-Crystalline Solids*. 355: 76-78. <http://dx.doi.org/10.1016/j.jnoncrysol.2008.03.052>.
- Palczewska-Tulinska, M; Oracz, P. (2005). Selected physicochemical properties of hexamethylcyclotrisiloxane, octamethylcyclotetrasiloxane, and decamethylcyclopentasiloxane. *Journal of Chemical and Engineering Data*. 50: 1711-1719. <http://dx.doi.org/10.1021/jc050173+>.
- Palinko, I. (1995). EFFECTS OF SURFACE MODIFIERS ON THE LIQUID-PHASE HYDROGENATION OF ALKENES OVER SILICA-SUPPORTED PLATINUM, PALLADIUM AND RHODIUM CATALYSTS .1. QUINOLINE AND CARBON-TETRACHLORIDE. *Appl Catal A-Gen*. 126: 39-49.
- Palmer, PT; Remigi, C; Karr, D. (2000). Evaluation of two different direct-sampling ion-trap mass-spectrometry methods for monitoring halocarbon compounds in air. *Field Analytical Chemistry and Technology*. 4: 14-30.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Pan, C; Ke, Q; Ouyang, G; Zhen, X; Yang, Y; Huang, Z. (2004). Excess Molar Volumes and Surface Tensions of Trimethylbenzene with Tetrahydrofuran Tetrachloromethane and Dimethyl Sulfoxide at 298.15 K. *Journal of Chemical and Engineering Data*. 49: 1839. <http://dx.doi.org/10.1021/je0497294>.
- Pandey, JD; Shukla, AK; Gupta, S; Pandey, S. (1995). ULTRASONIC VELOCITY AND REFRACTIVE-INDEX OF MULTICOMPONENT SYSTEMS. *Fluid Phase Equilibria*. 103: 285-299.
- Pang, L, inLin; Bi, JQ; Bai, Y, uJun; Zhu, H, uil; Qi, YX, in; Wang, CG, uo; Han, F, uD; Li, SJ, ie. (2008). Synthesis of carbon spheres via a low-temperature metathesis reaction. *J Phys Chem C*. 112: 12134-12137. <http://dx.doi.org/10.1021/jp801935m>.
- Panja, S; Mohapatra, PK; Tripathi, SC; Gandhi, PM; Janardan, P. (2012). Role of organic diluents on Am(III) extraction and transport behaviour using N,N,N',N'-tetraoctyl-3-oxapentanediamide as the extractant. *J Memb Sci*. 403: 71-77. <http://dx.doi.org/10.1016/j.memsci.2012.02.022>.
- Papa, J; Calderon, JB; Marchese, J; Rivarola, JB. (1977). KINETICS OF REACTION BETWEEN TUNGSTEN TRIOXIDE AND CARBON-TETRACHLORIDE. *AIChE J*. 23: 938-940.
- Papetti, A; Daglia, M; Aceti, C; Quaglia, M; Gregotti, C; Gazzani, G. (2006). Isolation of an in vitro and ex vivo antiradical melanoidin from roasted barley. *J Agric Food Chem*. 54: 1209-1216. <http://dx.doi.org/10.1021/jf058133x>.
- Papirer, E; Lacroix, R; Donnet, JB; Nanse, G; Fioux, P. (1994). XPS STUDY OF THE HALOGENATION OF CARBON-BLACK .1. BROMINATION. *Carbon*. 32: 1341-1358.
- Papirer, E; Lacroix, R; Donnet, JB; Nanse, G; Fioux, P. (1995). XPS STUDY OF THE HALOGENATION OF CARBON-BLACK .2. CHLORINATION. *Carbon*. 33: 63-72.
- Parat, B; Pardo, LC; Barrio, M; Tamarit, JL; Negrier, P; Salud, J; Lopez, DO; Mondieig, D. (2005). Polymorphism of CBrCl₃. *Chem Mater*. 17: 3359-3365. <http://dx.doi.org/10.1021/cm050372c>.
- Pardo, LC; Henao, A; Vispa, A. (2015). Characterizing ordering in liquids: An information theoretic approach. *Journal of Non-Crystalline Solids*. 407: 220-227. <http://dx.doi.org/10.1016/j.jnoncrysol.2014.07.032>.
- Parida, KM; Pattnayak, PK. (1998). SO₄²⁻/ZrO₂: An efficient catalyst for nitration of chlorobenzene to chloronitrobenzene. *Stud Surf Sci Catal*. 113: 247-250.
- Park, DH; Lee, MS; Kim, HJ; Kim, HS; Lee, YL; Kwon, MS; Jang, JJ; Lee, MJ. (2004). Chronic hepatotoxicity of carbon tetrachloride in hsp-70 knock out mice. *Exp Anim*. 53: 27-30.
- Park, J; Shaw, BR. (1994). IMPROVED PERFORMANCE OF UNMODIFIED AND COBALT PHTHALOCYANINE-MODIFIED CARBON-KEL-F COMPOSITE ELECTRODES. *J Electrochem Soc*. 141: 323-330.
- Park, JS; Her, N; Oh, J; Yoon, Y. (2011). Sonocatalytic degradation of bisphenol A and 17 alpha-ethinyl estradiol in the presence of stainless steel wire mesh catalyst in aqueous solution. *Separation and Purification Technology*. 78: 228-236. <http://dx.doi.org/10.1016/j.seppur.2011.02.007>.
- Park, JS; Her, N; Yoon, Y. (2011). Ultrasonic degradation of bisphenol A, 17 beta-estradiol, and 17 alpha-ethinyl estradiol in aqueous solution. *Desalination and Water Treatment*. 30: 300-309. <http://dx.doi.org/10.5004/dwt.2011.2178>.
- Park, JW; Jaffe, PR. (1993). PARTITIONING OF 3 NONIONIC ORGANIC-COMPOUNDS BETWEEN ADSORBED SURFACTANTS, MICELLES, AND WATER. *Environ Sci Technol*. 27: 2559-2565.
- Park, JW; Jaffe, PR. (1994). REMOVAL OF NONIONIC ORGANIC POLLUTANTS FROM WATER BY SORPTION TO ORGANO-OXIDES. *ACS Symp Ser Am Chem Soc*. 554: 171-183.
- Park, JW; Jaffe, PR. (1995). PHENANTHRENE REMOVAL FROM SOIL SLURRIES WITH SURFACTANT-TREATED OXIDES. *J Environ Eng*. 121: 430-437.
- Park, KH, o; Mohapatra, D; Kim, HI, n; Guo, X. (2007). Dissolution behavior of a complex Cu-Ni-Co-Fe matte in CuCl₂-NaCl-HCl leaching medium. *Separation and Purification Technology*. 56: 303-310. <http://dx.doi.org/10.1016/j.seppur.2007.02.013>.
- Park, KH, o; Mohapatra, D; Nam, C. (2007). Two stage leaching of activated spent HDS catalyst and solvent extraction of aluminium using organo-phosphinic extractant, Cyanex 272. *J Hazard Mater*. 148: 287-295. <http://dx.doi.org/10.1016/j.jhazmat.2007.02.034>.
- Park, KH, o; Mohapatra, D; Reddy, BR. (2006). A study on the acidified ferric chloride leaching of a complex (Cu-Ni-Co-Fe) matte. *Separation and Purification Technology*. 51: 332-337. <http://dx.doi.org/10.1016/j.seppur.2006.02.013>.
- Parkin, GF. (1999). Anaerobic biotransformation of chlorinated aliphatic hydrocarbons: Ugly duckling to beautiful swan. *Water Environ Res*. 71: 1158-1164.
- Parkinson, GS; Dohnalek, Z; Smith, RS; Kay, BD. (2009). Reactivity of C₂Cl₆ and C₂Cl₄ Multilayers with Fe-0 Atoms over FeO(111). *J Phys Chem C*. 113: 10233-10241. <http://dx.doi.org/10.1021/jp901040f>.
- Parkinson, GS; Dohnalek, Z; Smith, RS; Kay, BD. (2009). Reactivity of Fe-0 Atoms, Clusters, and Nanoparticles with CCl₄ Multilayers on FeO(111). *J Phys Chem C*. 113: 1818-1829. <http://dx.doi.org/10.1021/jp8076062>.
- Parkinson, GS; Dohnalek, Z; Smith, RS; Kay, BD. (2010). Reactivity of Fe-0 Atoms with Mixed CCl₄ and D₂O Films over FeO(111). *J Phys Chem C*. 114: 17136-17141. <http://dx.doi.org/10.1021/jp103896k>.
- Parmar, M; Shah, P; Thakkar, V; Al-Rejaie, S; Gandhi, T. (2013). HEPATOPROTECTIVE POTENTIAL OF METHANOLIC EXTRACT OF VETIVERIA ZIZANIOIDES ROOTS AGAINST CARBON TETRACHLORIDE-INDUCED ACUTE LIVER DAMAGE IN RATS. *Digest Journal of Nanomaterials and Biostructures*. 8: 835-844.
- Parola, M; Leonarduzzi, G; Biasi, F; Albano, E; Biocca, ME; Poli, G; Dianzani, MU. (1992). Vitamin E dietary supplementation protects against carbon tetrachloride-induced chronic liver damage and cirrhosis. *Hepatology*. 16: 1014-1021.
- Parrett, JW, Jr; Sumner, JP; Devore, TC. (1999). Reaction between chlorocarbon vapors and sodium carbonate. *Environ Sci Technol*. 33: 1691-1696.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Parsa, JB; Yazdi, M. (2008). Excess enthalpies and thermal conductivity coefficients for binary mixtures of carbon tetrachloride and four alkanes (C-5 to C-8) at a temperature of 2918.15 K. *Journal of Chemical and Engineering Data*. 53: 995-997. <http://dx.doi.org/10.1021/je7007395>.
- Parshetti, GK; Doong, R, an. (2010). Dechlorination and photodegradation of trichloroethylene by Fe/TiO₂ nanocomposites in the presence of nickel ions under anoxic conditions. *Appl Catal B-Environ*. 100: 116-123. <http://dx.doi.org/10.1016/j.apcatb.2010.07.020>.
- Parshetti, GK; Doong, R, an. (2012). Dechlorination of chlorinated hydrocarbons by bimetallic Ni/Fe immobilized on polyethylene glycol-grafted microfiltration membranes under anoxic conditions. *Chemosphere*. 86: 392-399. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.028>.
- Parshetti, GK; Doong, RA. (2009). Dechlorination of trichloroethylene by Ni/Fe nanoparticles immobilized in PEG/PVDF and PEG/nylon 66 membranes. *Water Res*. 43: 3086-3094. <http://dx.doi.org/10.1016/j.watres.2009.04.037>.
- Parsons, JD; Kruaval, GB. (1994). MORPHOLOGICAL STRUCTURE OF SILICON-CARBIDE, CHEMICALLY VAPOR-DEPOSITED ON TITANIUM CARBIDE, USING ETHYLENE, CARBON-TETRACHLORIDE, AND SILICON TETRACHLORIDE. *J Electrochem Soc*. 141: 771-777.
- Partay, LB; Jedlovsky, P, al; Horvai, G. (2009). Structure of the Liquid-Vapor Interface of Water-Acetonitrile Mixtures As Seen from Molecular Dynamics Simulations and Identification of Truly Interfacial Molecules Analysis. *J Phys Chem C*. 113: 18173-18183. <http://dx.doi.org/10.1021/jp901832r>.
- Parvulescu, AN; Gagea, BC; Alifanti, M; Parvulescu, V; Parvulescu, VI; Nae, S; Razus, A; Poncelet, G; Grange, P. (2001). Silica-embedded tert-butyltrimethylsilyltrifluoromethanesulfonate catalysts as new solid acid catalysts. *J Catal*. 202: 319-323. <http://dx.doi.org/10.1006/jcat.2001.3282>.
- Parvulescu, V; Parvulescu, VI; Grange, P. (2000). Preparation, characterization and catalytic properties of Co-Nb₂O₅-SiO₂ catalysts. *Catalysis Today*. 57: 193-199.
- Patel, A; Vaghasiya, A; Gajera, R; Baluja, S. (2010). Solubility of 5-Amino Salicylic Acid in Different Solvents at Various Temperatures. *Journal of Chemical and Engineering Data*. 55: 1453-1455. <http://dx.doi.org/10.1021/je900646u>.
- Pathare, S; Bhethanabotla, VR; Campbell, SW. (2004). Total vapor pressure measurements for 2-ethoxyethanol with carbon tetrachloride, chloroform, and dichloromethane at 303.15 K. *Journal of Chemical and Engineering Data*. 49: 510-513.
- Patil, PN; Gogate, PR. (2012). Degradation of methyl parathion using hydrodynamic cavitation: Effect of operating parameters and intensification using additives. *Separation and Purification Technology*. 95: 172-179. <http://dx.doi.org/10.1016/j.seppur.2012.04.019>.
- Patki, KC; von Moltke, LL; Harmatz, JS; Hesse, LM; Court, MH; Greenblatt, DJ. (2004). Effect of age on in vitro triazolam biotransformation in male human liver microsomes. *J Pharmacol Exp Ther*. 308: 874-879. <http://dx.doi.org/10.1124/jpet.103.059311>.
- Patrizi, B; Cumis, MS; Viciani, S; D'Amato, F; Foggi, P. (2014). Characteristic vibrational frequencies of toxic polychlorinated dibenzo-dioxins and -furans. *J Hazard Mater*. 274: 98-105. <http://dx.doi.org/10.1016/j.jhazmat.2014.04.004>.
- Paulo, CS; Lino, MM; Matos, AA; Ferreira, LS. (2013). Differential internalization of amphotericin B--conjugated nanoparticles in human cells and the expression of heat shock protein 70. *Biomaterials*. 34: 5281-5293. <http://dx.doi.org/10.1016/j.biomaterials.2013.03.048>.
- Payne, E; Smith, JF; Cope, BC; McGowan, LT. (1991). STUDIES ON THE ROLE OF LIVER CYTOCHROME-P-450 AND ESTRADIOL METABOLISM IN THE EFFECTS OF NUTRITION AND PHENOBARBITAL ON OVULATION RATE IN THE EWE. *Reprod Fertil Dev*. 3: 725-736.
- Pearson, CR; Hozalski, RM; Arnold, WA. (2005). Degradation of Chloropicrin in the Presence of Zero-Valent Iron. *Environ Toxicol Chem*. 24: 3037.
- Pearson, SJ; Hobson, WS; Ren, F; Abernathy, CR; Constantine, C. (1994). DRY-ETCHED MESAS FOR BURIED HETEROSTRUCTURE INGAASP/INP LASERS USING ELECTRON-CYCLOTRON-RESONANCE CL₂/CH₄/H₂/AR DISCHARGES. *Journal of Materials Science: Materials in Electronics*. 5: 185-190.
- Pecher, K; Haderlein, SB; Schwarzenbach, RP. (2002). Reduction of polyhalogenated methanes by surface-bound Fe(II) in aqueous suspensions of iron oxides. *Environ Sci Technol*. 36: 1734-1741. <http://dx.doi.org/10.1021/es011191o>.
- Pedersen, JE; Keiding, S. R. (1992). THZ TIME-DOMAIN SPECTROSCOPY OF NONPOLAR LIQUIDS. I E E E *Journal of Quantum Electronics*. 28: 2518-2522.
- Pedersen-Bjergaard, J; Andersen, MK; Christiansen, DH; Nerlov, C. (2002). Genetic pathways in therapy-related myelodysplasia and acute myeloid leukemia. *Blood*. 99: 1909-1912.
- Pei, Y; Wang, Q; Gong, X; Lei, F; Shen, B. (2015). Distribution of cyclohexanol and cyclohexanone between water and cyclohexane. *Fluid Phase Equilibria*. 394: 129-139. <http://dx.doi.org/10.1016/j.fluid.2015.02.029>.
- Pekel, N; Guven, O. (2002). Solvent, temperature and concentration effects on the adsorption of poly(n-butyl methacrylate) on alumina from solutions. *Turkish Journal of Chemistry*. 26: 221-227.
- Pelech, R; Bemnowska, A; Milchert, E. (2003). Adsorption of hydrocarbon chloro-derivatives onto DTO commercial activated carbon from multi-component aqueous solutions. *AST*. 21: 707-720.
- Pelech, R; Lewandowski, G; Milchert, E. (2006). Recovering organochlorine compounds from industrial wastewaters. *Przemysł Chemiczny*. 85: 641-643.
- Pelech, R; Milchert, E; Wróbel, R. (2006). Adsorption dynamics of chlorinated hydrocarbons from multi-component aqueous solution onto activated carbon. *J Hazard Mater*. 137: 1479-1487. <http://dx.doi.org/10.1016/j.jhazmat.2006.04.023>.
- Peles-Lemli, B; Acs, P; Kollar, L; Kunsagi-Mate, S. (2008). Permittivity-dependent carrier behavior of aniline derivatives toward common low-permittivity solvents in the solubilization of carbon nanotubes. Fullerenes, Nanotubes, and Carbon Nanostructures. 16: 247-257. <http://dx.doi.org/10.1080/15363830802171669>.
- Peng, CY; Hsiao, SL; Lan, CH; Huang, YL. (2013). Application of passive sampling on assessment of concentration distribution and health risk of volatile organic compounds at a high-tech science park. *Environ Monit Assess*. 185: 181-196. <http://dx.doi.org/10.1007/s10661-012-2542-z>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Peng, DL; Dural, NH. (1998). Multicomponent adsorption of chloroform, carbon tetrachloride, and 1,1,1-trichloroethane on soils. *Journal of Chemical and Engineering Data*. 43: 283-288.
- Peng, H; Cheng, SY; Fan, ZQ. (2005). Synthesis and characterization of PBMA-b-PST-b-PBMA triblock copolymers by atom transfer radical emulsion polymerization. *Polymer Engineering and Science*. 45: 1508-1514. <http://dx.doi.org/10.1002/pen.20430>.
- Peng, J; Zhang, W; Liu, Y, an; Jiang, Y; Ni, L; Qiu, J. (2017). Superior Adsorption Performance of Mesoporous Carbon Nitride for Methylene Blue and the Effect of Investigation of Different Modifications on Adsorption Capacity. *Water Air Soil Pollut*. 228. <http://dx.doi.org/10.1007/s11270-016-3189-0>.
- Peng, X; Matthews, A; Xue, S. (2010). Plasma-based processes and thin film equipment for nano-scale device fabrication. *Journal of Materials Science*. 46: 1-37. <http://dx.doi.org/10.1007/s10853-010-4974-6>.
- Peng, XF; Tien, Y; Lee, DJ. (2001). Bubble nucleation in microchannels: statistical mechanics approach. *Int J Heat Mass Tran*. 44: 2957-2964.
- Perera, VPS; Senevirathna, MKI; Pitigala, PKD, DP; Tennakone, K. (2005). Doping CuSCN films for enhancement of conductivity: Application in dye-sensitized solid-state solar cells. *Solar Energy Materials and Solar Cells*. 86: 443-450. <http://dx.doi.org/10.1016/j.solmat.2004.11.003>.
- Peretyazhko, T; Zachara, JM; Heald, SM; Jeon, BH; Kukkadapu, RK; Liu, C; Moore, D; Resch, CT. (2008). Heterogeneous reduction of Tc(VII) by Fe(II) at the solid-water interface. *Geochim Cosmo Acta*. 72: 1521-1539. <http://dx.doi.org/10.1016/j.gca.2008.01.004>.
- Perez, G; Caponecchi, G; Keheyen, Y; Lilla, E. (1993). Gas phase naphthalene chlorination. *Chemosphere*. 26: 2139-2146.
- Perez, P; Valero, J; Garcia, M. (1994). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIUM OF 1,2-DIBROMOETHANE PLUS TETRACHLOROMETHANE AT TEMPERATURES BETWEEN 283.15 AND 323.15-K. *Journal of Chemical and Engineering Data*. 39: 789-792.
- Pérez-hernández, N; Fort, D; Pérez, C; Martín, JD. (2011). Water-Induced Molecular Self-Assembly of Hollow Tubular Crystals. *Cryst Growth Des*. 11: 1054-1061. <http://dx.doi.org/10.1021/cg101227u>.
- Peringer, E; Tejuja, C; Salzinger, M; Lemonidou, AA; Lercher, JA. (2008). On the synthesis of LaCl₃ catalysts for oxidative chlorination of methane. *Appl Catal A-Gen*. 350: 178-185. <http://dx.doi.org/10.1016/j.apcata.2008.08.009>.
- Perlinger, JA; Angst, W; Schwarzenbach, RP. (1996). Kinetics of the reduction of hexachloroethane by juglone in solutions containing hydrogen. *Environ Sci Technol*. 30: 3408-3417.
- Perlinger, JA; Buschmann, J; Angst, W; Schwarzenbach, RP. (1998). Iron porphyrin and mercaptojuglone mediated reduction of polyhalogenated methanes and ethanes in homogenous aqueous solution. *Environ Sci Technol*. 32: 2431-2437.
- Perrin, A; Celzard, A; Albinia, A; Jasienko-Halat, M; Mareche, JF; Furdin, G. (2005). NaOH activation of anthracites: effect of hydroxide content on pore textures and methane storage ability. *Microporous and Mesoporous Materials*. 81: 31-40. <http://dx.doi.org/10.1016/j.micromeso.2005.01.015>.
- Perrin, A; Celzard, A; Albinia, A; Kaczmarczyk, J; Mareche, JF; Furdin, G. (2004). NaOH activation of anthracites: effect of temperature on pore textures and methane storage ability. *Carbon*. 42: 2855-2866. <http://dx.doi.org/10.1016/j.carbon.2004.06.030>.
- Persoff, P; Apps, J; Moridis, G; Whang, JM. (1999). Effect of dilution and contaminants on sand grouted with colloidal silica. *Journal of Geotechnical and Geoenvironmental Engineering*. 125: 461-469.
- Pesyan, NN; Khalafy, J; Khani-Meinagh, H. (2009). 2,2'-Binaphthylene phosphorochloridite (BINOL-PCI) as a bulky and efficient reagent for the conversion of primary and secondary alcohols into iodides, and tertiary alcohols stereo- and/or regioselectively into olefin(s). *Turkish Journal of Chemistry*. 33: 527-543. <http://dx.doi.org/10.3906/kim-0804-19>.
- Peter, CP; Burek, JD; van Zwieten, MJ. (1986). Spontaneous nephropathies in rats. *Toxicol Pathol*. 14: 91-100.
- Petersen, JN; Bereded-Samuel, Y. (1998). The effect of oxygen exposure on the methanogenic activity of an anaerobic bacterial consortium. *Environmental Progress*. 17: 104-110.
- Petrelli, G; Siepi, G; Milligi, L; Vineis, P. (1993). Solvents in pesticides. *Scand J Work Environ Health*. 19: 63-65.
- Petrick, K; McLachlan, MS. (1996). Rapid synthesis of some lower brominated C-13-labelled dibenzo-p-dioxins and dibenzofurans and mixed brominated/chlorinated dibenzo-p-dioxins. *Int J Environ Anal Chem*. 62: 21-33.
- Petrier, C; Francony, A. (1997). Incidence of wave-frequency on the reaction rates during ultrasonic wastewater treatment. *Water Sci Technol*. 35: 175-180.
- Petrov, JG; Ralston, J; Schneemilch, M; Hayes, RA. (2003). Dynamics of partial wetting and dewetting of an amorphous fluoropolymer by pure liquids. *Langmuir*. 19: 2795-2801. <http://dx.doi.org/10.1021/la026692h>.
- Petrovic, R; Tanaskovic, N; Djokic, V; Radovanovic, Z; Jankovic-Castvan, I; Stamenkovic, I; Janackovic, D, j. (2012). Influence of the gelation and calcination temperatures on physical parameters and photocatalytic activity of mesoporous titania powders synthesized by the nonhydrolytic sol-gel process. *Powder Technology*. 219: 239-243. <http://dx.doi.org/10.1016/j.powtec.2011.12.049>.
- Petrushenko, KB; Petrushenko, IK; Petrova, OV; Sobenina, LN; Trofimov, BA. (2017). Novel environment-sensitive 8-CF₃-BODIPY dye with 4-(dimethylamino)phenylgroup at the 3-position: Synthesis and optical properties. *Dyes and Pigments*. 136: 488-495. <http://dx.doi.org/10.1016/j.dyepig.2016.09.009>.
- Pfeifer, KF; Weber, LJ. (1979). EFFECT OF CARBON-TETRACHLORIDE ON THE TOTAL PLASMA-PROTEIN CONCENTRATION OF RAINBOW-TROUT, SALMO-GAIRDNERI. *Comp Biochem Physiol C Comp Pharmacol Toxicol*. 64: 37-42.
- Pfeifer, KF; Weber, LJ; Larson, RE. (1980). CARBON TETRACHLORIDE-INDUCED HEPATOTOXIC RESPONSE IN RAINBOW-TROUT, SALMO-GAIRDNERI, AS INFLUENCED BY 2 COMMERCIAL FISH DIETS. *Comp Biochem Physiol C Comp Pharmacol Toxicol*. 67: 91-96.
- Pfleging, W; Vorckel, A; Duddek, H; Wesner, DA; Kreutz, EW. (1997). Excimer-laser patterning of copper in LDE (laser dry etching). *Appl Surf Sci*. 109: 194-200.
- Pfleging, W; Wesner, DA; Kreutz, EW. (1996). CCl₄-assisted CF₄ etching of silicon in a microwave-assisted LDE (laser dry etching)-process. *Appl Surf Sci*. 96-8: 496-500.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Phanikumar, MS; Hyndman, DW. (2003). Interactions between sorption and biodegradation: Exploring bioavailability and pulsed nutrient injection efficiency. *Water Resour Res.* 39. <http://dx.doi.org/10.1029/2002WR001761>.
- Phanikumar, MS; Hyndman, DW; Criddle, CS. (2002). Biocurtain design using reactive transport models. *Ground Water Monitoring and Remediation.* 22: 113-123.
- Phanikumar, MS; Hyndman, DW; Wiggert, DC; Dybas, MJ; Witt, ME; Criddle, CS. (2002). Simulation of microbial transport and carbon tetrachloride biodegradation in intermittently-fed aquifer columns. *Water Resour Res.* 38. <http://dx.doi.org/10.1029/2001WR000289>.
- Phanikumar, MS; Hyndman, DW; Zhao, XD; Dybas, MJ. (2005). A three-dimensional model of microbial transport and biodegradation at the Schoolcraft, Michigan, site. *Water Resour Res.* 41. <http://dx.doi.org/10.1029/2004WR003376>.
- Phillips, DH; Farmer, PB; Beland, FA; Nath, RG; Poirier, MC; Reddy, MV; Turteltaub, KW. (2000). Methods of DNA adduct determination and their application to testing compounds for genotoxicity. *Environ Mol Mutagen.* 35: 222-233.
- Philpot, RM; Nastainczyk, W; Mason, RP; Wolf, CR. (1979). REDUCTIVE METABOLISM OF CARBON-TETRACHLORIDE IN RECONSTITUTED MONO-OXYGENASE SYSTEMS. *Environ Health Perspect.* 33: 325-325.
- Phousongphouang, PT; Arey, J. (2003). Sources of the atmospheric contaminants, 2-nitrobenzanthrone and 3-nitrobenzanthrone. *Atmos Environ.* 37: 3189-3199. [http://dx.doi.org/10.1016/S1352-2310\(03\)00344-3](http://dx.doi.org/10.1016/S1352-2310(03)00344-3).
- Pickart, L. (2008). The human tri-peptide GHK and tissue remodeling. *J Biomater Sci Polym Ed.* 19: 969-988.
- Pickering, E; Lackey, WJ; Crain, S. (2000). CVD of Ti₃SiC₂. *Chemical Vapor Deposition.* 6: 289-295.
- Picos, S; Amarandei, G; Diaconu, I; Dorohoi, D. (2005). The birefringence of thin films of some nematic liquid crystals. *J Optoelect Adv Mater.* 7: 787-793.
- Piekarczyk, W. (1981). THERMODYNAMIC ANALYSIS OF THE Y3FE5O12-CCL4 SYSTEM AND GROWTH OF YIG SINGLE-CRYSTALS BY CHEMICAL VAPOR TRANSPORT WITH CCL4 AS A TRANSPORTING AGENT. *J Cryst Growth.* 55: 543-548.
- Pinakov, DV; Alferova, NI; Chekhova, GN. (2012). Synthesis and IR spectroscopic characterization of fluorinated graphite intercalation compounds with chlorinated derivatives of methane and ethane. *Inorg Mater.* 48: 1153-1157. <http://dx.doi.org/10.1134/S002016851211009X>.
- Pinto, E; Melo, A; Ferreira, IM. (2014). Sensitive quantitation of polyamines in plant foods by ultrasound-assisted benzylation and dispersive liquid-liquid microextraction with the aid of experimental designs. *J Agric Food Chem.* 62: 4276-4284. <http://dx.doi.org/10.1021/jf500959g>.
- Piotrowska, A; Kaminska, E; Piotrowski, TT; Guzewicz, M; Golaszewska, K; Papis, E; Wrobel, J; Perchuc, L. (2000). Application of CCl₂F₂- and CCl₄-based plasmas for RIE of GaSb and related materials. *Vacuum.* 56: 57-61.
- Piotrowski, TT; Piotrowska, A; Kaminska, E; Piskorski, M; Papis, E; Golaszewska, K; Katcki, J; Ratajczak, J; Adamczewska, J; Wawro, A; Piotrowski, J; Orman, Z; Pawluczyk, J; Nowak, Z. (2001). Design and fabrication of GaSb/InGaAsSb/AlGaAsSb mid-infrared photodetectors. *Opto-Electronics Review.* 9: 188-194.
- Pirard, SL; Pirard, JP; Heyen, G; Schoebrechts, JP; Heinrichs, B. (2011). Experimental procedure and statistical data treatment for the kinetic study of selective hydrodechlorination of 1,2-dichloroethane into ethylene over a Pd-Ag sol-gel catalyst. *Chem Eng J.* 173: 801-812. <http://dx.doi.org/10.1016/j.cej.2011.07.002>.
- Pirinçioğlu, M; Kizil, G; Kizil, M; Kanay, Z; Ketani, A. (2014). The protective role of pomegranate juice against carbon tetrachloride-induced oxidative stress in rats. *Toxicol Ind Health.* 30: 910-918. <http://dx.doi.org/10.1177/0748233712464809>.
- Pironon, J; Barres, O. (1992). INFLUENCE OF BRINE-HYDROCARBON INTERACTIONS ON FT-IR MICROSCOPIC ANALYSES OF INTRACRYSTALLINE LIQUID INCLUSIONS. *Geochim Cosmo Acta.* 56: 169-174.
- Pisareva, SI; Russkikh, IV. (2012). Effect of the solvent nature on the formation of intra- and intermolecularly hydrogen-bonded associates in crude oil solutions. *Petroleum Chemistry.* 52: 166-170. <http://dx.doi.org/10.1134/S0965544112030097>.
- Pithawala, K; Bahadur, A. (2002). Reverse mixed micelles as media for hosting enzymes. *Tenside Surfactants Detergents.* 39: 100-103.
- Pitkaaho, S; Matejova, L; Jiratova, K; Ojala, S; Keiski, RL. (2012). Oxidation of perchloroethylene-Activity and selectivity of Pt, Pd, Rh, and V₂O₅ catalysts supported on Al₂O₃, Al₂O₃-TiO₂ and Al₂O₃-CeO₂. Part 2. *Appl Catal B-Environ.* 126: 215-224. <http://dx.doi.org/10.1016/j.apcatb.2012.07.025>.
- Pittman, CU; Jiang, W; Yue, ZR; Gardner, S; Wang, L; Toghiani, H; Leon, CAL, Y. (1999). Surface properties of electrochemically oxidized carbon fibers. *Carbon.* 37: 1797-1807.
- Plaa, GL; Traiger, GJ. (1972). Mechanism of potentiation of CCl₄-induced hepatotoxicity. In TA Loomis (Ed.), (pp. 100-113). Basel, Switzerland: Larger.
- Plahuta, JM; Teel, A, myL; Ahmad, M; Beutel, MW; Rentz, JA; Watts, RJ. (2011). Oxidized Starch Solutions for Environmentally Friendly Aircraft Deicers. *Water Environ Res.* 83: 826-833. <http://dx.doi.org/10.2175/106143011X12928814445050>.
- Plank, CA; Christopher, PM. (1976). VAPOR-LIQUID-EQUILIBRIA OF METHYL BORATE CARBON TETRACHLORIDE AND METHYL BORATE BENZENE SYSTEMS. *Journal of Chemical and Engineering Data.* 21: 211-212.
- Plummer, LN; Busenberg, E; Eberts, SM; Bexfield, LM; Brown, CJ; Fahlquist, LS; Katz, BG; Landon, MK. (2008). Low-Level Detections of Halogenated Volatile Organic Compounds in Groundwater: Use in Vulnerability Assessments. *Journal of Hydrologic Engineering.* 13: 1049-1068. [http://dx.doi.org/10.1061/\(ASCE\)1084-0699\(2008\)13:11\(1049\)](http://dx.doi.org/10.1061/(ASCE)1084-0699(2008)13:11(1049)).
- Podlesnyuk, VV; Hradil, J; Kralova, E. (1999). Sorption of organic vapours by macroporous and hypercrosslinked polymeric adsorbents. *React Funct Polym.* 42: 181-191.
- Pokorska, Z; Piszczewska, E; Andrysiak, A; Krueger, A; Wesek, W. (1987). PROCESS OF TETRACHLOROMETHANE AND TETRACHLOROETHYLENE SOLVENTS PRODUCTION. *Przemysl Chemiczny.* 66: 88-91.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Politzer, P; Murray, JS; Brinck, T; Lane, P. (1995). ANALYTICAL REPRESENTATION AND PREDICTION OF MACROSCOPIC PROPERTIES - A GENERAL INTERACTION PROPERTIES FUNCTION. ACS Symp Ser Am Chem Soc. 586: 109-118.
- Polkowska, Z. (2004). Determination of volatile organohalogen compounds in urban precipitation in Tricity area (Gdańsk, Gdynia, Sopot). Chemosphere. 57: 1265-1274. <http://dx.doi.org/10.1016/j.chemosphere.2004.08.044>.
- Polyakov, AM; Starannikova, LE; Yampolskii, YP. (2004). Amorphous Teflons AF as organophilic pervaporation materials Separation of mixtures of chloromethanes. J Memb Sci. 238: 21-32. <http://dx.doi.org/10.1016/j.memsci.2004.03.018>.
- Ponangi, RP; Pintauro, PN. (1996). Separation of volatile organic compounds from dry and humidified nitrogen using polyurethane membranes. Ind Eng Chem Res. 35: 2756-2765.
- Pooranaperundevi, M; Sumiyabanu, MS; Viswanathan, P; Sundarapandiyam, R; Anuradha, CV. (2010). Insulin resistance induced by high-fructose diet potentiates carbon tetrachloride hepatotoxicity. Toxicol Ind Health. 26: 89-104. <http://dx.doi.org/10.1177/0748233709359273>.
- Popa, A; Iliescu, S; Ilia, G; Dehelean, G. (2002). Organic synthesis by phosphorus groups supported polymers. Rev Chim. 53: 232-238.
- Popa, N; Marinescu, D; Kriza, A. (1991). DIPHAZE SYSTEM ULTRASONOLYSIS - CO CHLORIDE (II)-WATER-CARBON TETRACHLORIDE-2, 9 DIMETHYL, 10-PHENANTHROLYN. Rev Chim. 42: 514-516.
- Popov, C; Bulir, J; Ivanov, B; Delplancke-Ogletree, MP; Kulisch, W. (1999). Inductively coupled plasma and laser-induced chemical vapour deposition of thin carbon nitride films. Surf Coating Tech. 116: 261-268.
- Popov, C; Jelinek, M; Ivanov, B; Tomov, RI; Kulisch, W. (1999). Laser approaches for deposition of carbon nitride films - chemical vapour deposition and ablation. Diam Relat Mater. 8: 577-581.
- Popovic, M; Kaurinovic, B; Jakovjevic, V; Raskovic, A. (2008). Effect of dandelion flower extracts on some biochemical parameters of oxidative stress in rats treated with ccl(4). Fresen Environ Bull. 17: 74-78.
- Popp, W. (1996). [New data on syncarcinogenesis in tumors of exogenous origin] [Review]. Zentralblatt fuer Hygiene und Umweltmedizin. 198: 407-428.
- Porkhaev, VV. (1998). New near-IR lasing line due to a transition in the chlorine atom. Quantum Electronics. 28: 898-900.
- Porro, ME; Arellano, PR; Cuddihy, JA. (1997). Improved cleaning of heat exchangers. International Sugar Journal. 99: 413-&.
- Powers, J; Picard, K; Nyska, A; Tischler, A. (2008). Adrenergic differentiation and Ret expression in rat pheochromocytomas. Endocr Pathol. 19: 9-16. <http://dx.doi.org/10.1007/s12022-008-9019-1>.
- Poyer, JL; Floyd, RA; Mccay, PB; Janzen, EG; Davis, ER. (1978). Spin-trapping of the trichloromethyl radical produced during enzymic NADPH oxidation in the presence of carbon tetrachloride or bromotrchloromethane. Biochim Biophys Acta. 539: 402-409.
- Poyer, JL; Mccay, PB; Lai, EK; Janzen, EG; Davis, ER. (1980). Confirmation of assignment of the trichloromethyl radical spin adduct detected by spin trapping during 13C-carbon tetrachloride metabolism in vitro and in vivo. Biochem Biophys Res Commun. 94: 1154-1160.
- Prakash; Gupta, SK. (2000). Effect of carbon source on PCE dehalogenation. J Environ Eng. 126: 622-628.
- Prasad, R. (1992). ADSORPTION OF CCL4 - A CONVENIENT METHOD FOR CHARACTERIZATION OF ADSORBENTS AND CATALYSTS. 30: 369-374.
- Prasad, R; Shankar, V. (1987). EXPERIMENTAL TERT-CURVE FOR ADSORPTION OF CARBON-TETRACHLORIDE ON PLANE SURFACES AT 0-DEGREES-C. 25: 243-244.
- Prasad, TEV; Naidu, BRP; Madhukiran, D; Prasad, DHL. (2001). Boiling temperature measurements on the binary mixtures of cyclohexane with some alcohols and chlorohydrocarbons. Journal of Chemical and Engineering Data. 46: 414-416.
- Prati, L; Rossi, M. (1999). Reductive catalytic dehalogenation of light chlorocarbons. Appl Catal B-Environ. 23: 135-142.
- Pratt, GC; Bock, D; Stock, TH; Morandi, M; Adgate, JL; Ramachandran, G; Mongin, SJ; Sexton, K. (2005). A field comparison of volatile organic compound measurements using passive organic vapor monitors and stainless steel canisters. Environ Sci Technol. 39: 3261-3268. <http://dx.doi.org/10.1021/es0497328>.
- Preis, S; Kallas, J. (2004). Gas-phase degradation of CCl4, CHCl3 and CH2Cl2 over metallic Fe. Environ Chem Lett. 2: 9-13. <http://dx.doi.org/10.1007/s10311-004-0067-6>.
- Prengle, HW; Symons, JM; Belhateche, D. (1996). H2O2/VisUV process for photo-oxidation of waterborne hazardous substances - C-1-C-6 chlorinated hydrocarbons. Waste Manag. 16: 327-333.
- Prieto, G; Prieto, O; Gay, CR; Mizuno, K; Yamamoto, T. (1999). Destruction of industrial gaseous contaminants containing chlorinated VOCs using plasma technology. Lat Am Appl Res. 29: 27-30.
- Prinn, RG; Weiss, RF; Fraser, PJ; Simmonds, PG; Cunnold, DM; Alyea, FN; O'Doherty, S; Salameh, P; Miller, BR; Huang, J; Wang, RHJ; Hartley, DE; Harth, C; Steele, LP; Sturrock, G; Midgley, PM; Mcculloch, A. (2000). A history of chemically and radiatively important gases in air deduced from ALE/GAGE/AGAGE. J Geophys Res Atmos. 105: 17751-17792.
- Ptacek, CJ; Gillham, RW. (1992). Laboratory and field measurements of non-equilibrium transport in the Borden aquifer, Ontario, Canada. J Contam Hydrol. 10: 119-158. [http://dx.doi.org/10.1016/0169-7722\(92\)90026-B](http://dx.doi.org/10.1016/0169-7722(92)90026-B).
- Puccia, V; Limbozzi, F; Avena, M. (2015). Arsenic in Porewaters of the Unsaturated Zone of an Argentinean Watershed: Adsorption and Competition with Carbonate as Important Processes that Regulate its Concentration. Aquatic Geochemistry. 21: 513-534. <http://dx.doi.org/10.1007/s10498-015-9271-1>.
- Puigserver, D; Carmona, JM; Cortés, A; Viladevall, M; Nieto, JM; Grifoll, M; Vila, J; Parker, BL. (2013). Subsoil heterogeneities controlling porewater contaminant mass and microbial diversity at a site with a complex pollution history. J Contam Hydrol. 144: 1-19. <http://dx.doi.org/10.1016/j.jconhyd.2012.10.009>.
- Puigserver, D; Nieto, JM; Grifoll, M; Vila, J; Cortes, A; Viladevall, M; Parker, BL; Carmona, JM. (2016). Temporal hydrochemical and microbial variations in microcosm experiments from sites contaminated with chloromethanes under biostimulation with lactic acid. Bioremediat J. 20: 54-70. <http://dx.doi.org/10.1080/10889868.2015.1124061>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Puri, BR; Gandhi, DL; Mahajan, OP. (1977). ADSORPTION OF BROMINE BY CARBONS FROM SOLUTION IN CARBON-TETRACHLORIDE. *Carbon*. 15: 173-176.
- Putz, ARH; Losh, DE; Speitel, GE. (2005). Removal of nonbiodegradable chemicals from mixtures during granular activated carbon bioregeneration. *J Environ Eng*. 131: 196-205. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:2\(196\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:2(196)).
- Puviani, L; Cavallari, G; Bonaiuto, E; Cannistrà, M; Zullo, A; Pariali, M; Pisano, A; Atzeni, F; Nardo, B. (2014). Portal blood arterialization with an extracorporeal device to treat toxic acute hepatic failure in a swine model. *Int J Artif Organs*. 37: 847-853. <http://dx.doi.org/10.5301/ijao.5000367>.
- Qafoku, NP; Zhong, L; Thompson, CJ; Liu, C; Arey, BW; Mitroshkov, A; Riley, RG. (2009). Physical control on CCl₄ and CHCl₃ desorption from artificially contaminated and aged sediments with supercritical carbon dioxide. *Chemosphere*. 74: 494-500. <http://dx.doi.org/10.1016/j.chemosphere.2008.10.033>.
- Qiao, SZ; Bhatia, SK; Nicholson, D. (2004). Study of hexane adsorption in nanoporous MCM-41 silica. *Langmuir*. 20: 389-395. <http://dx.doi.org/10.1021/la0353430>.
- Qin, W; Li, ZY; Dai, YY. (2003). Extraction of monocarboxylic acids with trioctylamine: Equilibria and correlation of apparent reactive equilibrium constant. *Ind Eng Chem Res*. 42: 6196-6204. <http://dx.doi.org/10.1021/ie021049b>.
- Qin, ZH. (1996). The study on UV-degradation dynamics of 2,3,7,8-tetrachlorodibenzo-p-dioxin and its analogues. *Chemosphere*. 33: 91-97.
- Qingliang, Z; Bing, G; David, S; John, C. (2011). Micro/nano Indentation and Single Grit Diamond Grinding Mechanism on Ultra Pure Fused Silica. *Chinese Journal of Mechanical Engineering*. 24: 963-970. <http://dx.doi.org/10.3901/CJME.2011.06.963>.
- Qiu, Y; Gao, L. (2004). P-type carbon nitride synthesized by a gas-solid reaction. *Journal of the American Ceramic Society*. 87: 1598-1601.
- Quirós-Alcalá, L; Wilson, S; Witherspoon, N; Murray, R; Perodin, J; Trousdale, K; Raspanti, G; Sapkota, A. (2015). Volatile organic compounds and particulate matter in child care facilities in the District of Columbia: Results from a pilot study. *Environ Res*. 146: 116-124. <http://dx.doi.org/10.1016/j.envres.2015.12.005>.
- Qujeq, D; Abassi, R; Faeizi, F; Parsian, H; Faraji, AS; Taheri, H; Tatar, M; Elmi, MM; Halalkhor, S. (2013). Effect of granulocyte colony-stimulating factor administration on tissue regeneration due to carbon tetrachloride-induced liver damage in experimental model. *Toxicol Ind Health*. 29: 498-503. <http://dx.doi.org/10.1177/0748233712440136>.
- Qusti, SY; Mahmoud, NME, IS. (2007). Effect of Nigella sativa L. oil on roridin E toxin administration on liver of male mice. *Journal of Applied Animal Research*. 31: 161-164.
- Rabergh, CMI; Lipsky, MM. (1997). Toxicity of chloroform and carbon tetrachloride in primary cultures of rainbow trout hepatocytes. *Aquat Toxicol*. 37: 169-182.
- Rabie, SM; Nazeha, SE. (2001). Comparison between the induced changes in the intensities of mid and near infrared absorption bands of poly[vinyl alcohol] due to temperature and solvents. *Int J Infrared Millimeter Waves*. 22: 941-960.
- Racicot, JG; Gaudet, M; Leray, C. (1975). BLOOD AND LIVER-ENZYMES IN RAINBOW-TROUT (SALMO-GAIRDNERI RICH) WITH EMPHASIS ON THEIR DIAGNOSTIC USE - STUDY OF CCL₄ TOXICITY AND A CASE OF AEROMONAS INFECTION. *J Fish Biol*. 7: 825-&.
- Rae, D; Thompson, W. (1979). EXPERIMENTS ON PREVENTION AND SUPPRESSION OF COAL-DUST EXPLOSIONS BY BROMOCHLORODIFLUOROMETHANE AND ON PREVENTION BY CARBON-TETRACHLORIDE. *Combust Flame*. 35: 131-138.
- Raghuathan, S; Lakshmanan, CM; Laddha, GS. (1978). ISOBARIC VAPOR-LIQUID-EQUILIBRIUM DATA FOR SYSTEM BENZENE-CARBON TETRACHLORIDE-CYCLOHEXANE AT ATMOSPHERIC-PRESSURE. 16: 297-300.
- Rai, GP; Cullinan, HT. (1973). DIFFUSION-COEFFICIENTS OF QUATERNARY LIQUID SYSTEM ACETONE-BENZENE-CARBON TETRACHLORIDE-N-HEXANE AT 25DEGREESC. *Journal of Chemical and Engineering Data*. 18: 213-214.
- Raja, SS; Kubendran, TR. (2004). Viscosities and densities of binary mixtures of 1,4-dioxane, carbon tetrachloride, and butanol at 303.15 K, 308.15 K, and 313.15 K. *Journal of Chemical and Engineering Data*. 49: 421-425.
- Rajamani, R; Srinivasan, D. (1977). VAPOR-LIQUID-EQUILIBRIUM DATA FOR SYSTEMS ISOPROPANOL-WATER AND CYCLOHEXANE-CARBON TETRACHLORIDE IN PRESENCE OF SALTS. 15: 91-93.
- Rajan, R; Kumar, R; Gandhi, KS. (1998). Modeling of sonochemical decomposition of CCl₄ in aqueous solutions. *Environ Sci Technol*. 32: 1128-1133.
- Rajan, R; Kumar, R; Gandhi, KS. (1998). Modelling of sonochemical oxidation of the water-KI-CCl₄ system. *Chem Eng Sci*. 53: 255-271.
- Rajbhandari, R; Shrestha, LK; Pokharel, BP; Pradhananga, RR. (2013). Development of nanoporous structure in carbons by chemical activation with zinc chloride. *J Nanosci Nanotechnol*. 13: 2613-2623. <http://dx.doi.org/10.1166/jnn.2013.7373>.
- Rajesh, P; Laverne, JA; Pimblott, SM. (2007). High dose radiolysis of aqueous solutions of chloromethanes: Importance in the storage of radioactive organic wastes. *J Nucl Mater*. 361: 10-17. <http://dx.doi.org/10.1016/j.jnucmat.2006.10.014>.
- Rajesh, J; Murthy, KN; Kumar, MK; Madhusudhan, B; Ravishankar, GA. (2006). Antioxidant potentials of flaxseed by in vivo model. *J Agric Food Chem*. 54: 3794-3799. <http://dx.doi.org/10.1021/jf053048a>.
- Rajulu, AV; Baksh, SA; Reddy, GR; Chary, KN. (1998). Chemical resistance and tensile properties of short bamboo fiber reinforced epoxy composites. *Journal of Reinforced Plastics and Composites*. 17: 1507-1511.
- Rajulu, AV; Devi, LG; Rao, GB; Reddy, RL. (2003). Chemical resistance and tensile properties of epoxy/unsaturated polyester blend coated bamboo fibers. *Journal of Reinforced Plastics and Composites*. 22: 1029-1034. <http://dx.doi.org/10.1177/073168403024571>.
- Rajulu, AV; Rao, GB; Reddy, RL. (2000). Chemical resistance and tensile properties of epoxy/polymethyl methacrylate blend coated bamboo fibres. *Indian Journal of Fibre & Textile Research*. 25: 295-297.
- Rakshit, S; Matocha, CJ; Coyne, MS; Sarkar, D. (2016). Nitrite reduction by Fe(II) associated with kaolinite. *Int J Environ Sci Tech*. 13: 1329-1334. <http://dx.doi.org/10.1007/s13762-016-0971-x>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ram, LC; Tripathi, PSM; Jha, SK; Sharma, KP; Singh, G; Mishra, SP. (1997). gamma-irradiation of coal and lignite: effect on extractability. *Fuel Process Tech.* 53: 1-14.
- Ramachandran, B; Greene, HL; Chatterjee, S. (1996). Decomposition characteristics and reaction mechanisms of methylene chloride and carbon tetrachloride using metal-loaded zeolite catalysts. *Appl Catal B-Environ.* 8: 157-182.
- Ramamurthy, AS; Eglal, MM. (2014). Degradation of TCE by TEOS Coated nZVI in the Presence of Cu(II) for Groundwater Remediation. *Journal of Nanomaterials.* <http://dx.doi.org/10.1155/2014/606534>.
- Ramsey, JC; Andersen, ME. (1984). A physiologically based description of the inhalation pharmacokinetics of styrene in rats and humans. *Toxicol Appl Pharmacol.* 73: 159-175. [http://dx.doi.org/10.1016/0041-008X\(84\)90064-4](http://dx.doi.org/10.1016/0041-008X(84)90064-4).
- Ranade, RM; Ang, SS; Brown, WD. (1993). REACTIVE ION ETCHING OF THIN GOLD-FILMS. *J Electrochem Soc.* 140: 3676-3678.
- Ranadive, DK; Losee, DL. (1980). PLASMA-ETCHING OF ALUMINUM USING CCL4. *J Electrochem Soc.* 127: C90-C90.
- Rao, A; Rangwalla, H; Varshney, V; Dhinojwala, A. (2004). Structure of poly(methyl methacrylate) chains adsorbed on sapphire probed using infrared-visible sum frequency generation spectroscopy. *Langmuir.* 20: 7183-7188. <http://dx.doi.org/10.1021/la049413u>.
- Rao, BG; Rao, YV; Rao, TM. (2013). Hepatoprotective and antioxidant capacity of Melochia corchorifolia extracts. *Asian Pacific Journal of Tropical Medicine.* 6: 537-543. [http://dx.doi.org/10.1016/S1995-7645\(13\)60092-9](http://dx.doi.org/10.1016/S1995-7645(13)60092-9).
- Rao, KPC; Reddy, KS; Ramakrishna, M. (1988). EXCESS VOLUMES AND EXCESS-ENTHALPIES OF CYCLOHEXANONE WITH ALKANES, BENZENE, TOLUENE AND TETRACHLOROMETHANE AT 298.15-K. *Fluid Phase Equilibria.* 41: 303-316.
- Rao, PG; Vijayaraghavan, R; Raghavan, KV; Sai, PST. (2009). Kinetics and modeling of charge transfer polymerization of methyl methacrylate. *Asia-Pacific Journal of Chemical Engineering.* 4: 495-507. <http://dx.doi.org/10.1002/apj.261>.
- Rao, PS; Dalu, A; Kulkarni, SG; Mehendale, HM. (1996). Stimulated tissue repair prevents lethality in isopropanol-induced potentiation of carbon tetrachloride hepatotoxicity. *Toxicol Appl Pharmacol.* 140: 235-244. <http://dx.doi.org/10.1006/taap.1996.0218>.
- Rao, SP; Krishna, R. (1993). FILM MODEL FOR MASS-TRANSFER IN NONIDEAL MULTICOMPONENT FLUID MIXTURES. 52: 19-29.
- Rao, TN; Fujishima, A. (2000). Recent advances in electrochemistry of diamond. *Diam Relat Mater.* 9: 384-389.
- Rao, YF; Chu, W. (2010). Linuron decomposition in aqueous semiconductor suspension under visible light irradiation with and without H2O2. *Chem Eng J.* 158: 181-187. <http://dx.doi.org/10.1016/j.cej.2009.12.038>.
- Rasheed, A; Hines, RN; Mccarver-May, DG. (1997). Variation in induction of human placental CYP2E1: possible role in susceptibility to fetal alcohol syndrome? *Toxicol Appl Pharmacol.* 144: 396-400. <http://dx.doi.org/10.1006/taap.1997.8152>.
- Rashid, T. (2008). Petroleum Hydrocarbons Extraction Efficiency of Carbon Tetrachloride and Trichlorotrifluoroethane: A Comparative Study. *Petroleum Science and Technology.* 26: 2078-2087. <http://dx.doi.org/10.1080/10916460701429043>.
- Rastegarzadeh, S; Pourreza, N; Larki, A. (2015). Determination of trace silver in water, wastewater and ore samples using dispersive liquid-liquid microextraction coupled with flame atomic absorption spectrometry. *J Ind Eng Chem.* 24: 297-301. <http://dx.doi.org/10.1016/j.jiec.2014.09.045>.
- Ratasuk, N; Nanny, MA. (2007). Characterization and quantification of reversible redox sites in humic substances. *Environ Sci Technol.* 41: 7844-7850.
- Rathore, HS; Kumar, M; Ishratullah, K. (2006). Metal ion chromatography on sodium diethyldithiocarbamate. *Indian J Chem Tech.* 13: 84-87.
- Ratti, M; Canonica, S; Mcneill, K; Erickson, PR; Bolotin, J; Hofstetter, TB. (2015). Isotope fractionation associated with the direct photolysis of 4-chloroaniline. *Environ Sci Technol.* 49: 4263-4273. <http://dx.doi.org/10.1021/es505784a>.
- Raucy, JL; Kraner, JC; Lasker, JM. (1993). Bioactivation of halogenated hydrocarbons by cytochrome P4502E1 [Review]. *Crit Rev Toxicol.* 23: 1-20. <http://dx.doi.org/10.3109/10408449309104072>.
- Raut, SS; Kamble, SP; Kulkarni, PS. (2016). Efficacy of zero-valent copper (Cu(0)) nanoparticles and reducing agents for dechlorination of mono chloroaromatics. *Chemosphere.* 159: 359-366. <http://dx.doi.org/10.1016/j.chemosphere.2016.06.031>.
- Rawal, DS; Agarwal, VR; Sharma, HS; Sehgal, BK; Gulati, R; Vyas, HP. (2003). Anisotropic etching of GaAs using CCl2F2/CCl4 gases to fabricate 200 mu m deep via holes for grounding MMICs. *J Electrochem Soc.* 150: G395-G399. <http://dx.doi.org/10.1149/1.1577546>.
- Ray, SD; Mehendale, HM. (1990). Potentiation of CCl4 and CHCl3 hepatotoxicity and lethality by various alcohols. *Fundam Appl Toxicol.* 15: 429-440.
- Raymond, P; Plaa, GL. (1995). Ketone potentiation of haloalkane-induced hepato- and nephrotoxicity I Dose-response relationships. *J Toxicol Environ Health A.* 45: 465-480. <http://dx.doi.org/10.1080/15287399509532009>.
- Raymond, P; Plaa, GL. (1995). Ketone Potentiation of Haloalkane-Induced Hepatoand Nephrotoxicity. II. Implication of Monooxygenases. *J Toxicol Environ Health.* 46: 317-328. <http://dx.doi.org/10.1080/15287399509532038>.
- Raymond, P; Plaa, GL. (1995). KETONE POTENTIATION OF HALOALKANE-INDUCED HEPATOTOXICITY AND NEPHROTOXICITY .1. DOSE-RESPONSE RELATIONSHIPS. *J Toxicol Environ Health.* 45: 465-480.
- Raymond, P; Plaa, GL. (1996). Ketone potentiation of haloalkane-induced hepatotoxicity: CCl4 and ketone treatment on hepatic membrane integrity. *J Toxicol Environ Health.* 49: 285-300.
- Raymond, P; Plaa, GL. (1997). Effect of dosing vehicle on the hepatotoxicity of CCl4 and hepatotoxicity of CHCl3 in rats. *J Toxicol Environ Health.* 51: 463-476. <http://dx.doi.org/10.1080/00984109708984037>.
- Read, HW; Fu, X; Clark, LA; Anderson, MA; Jarosch, T. (1996). Field trials of a TiO2 pellet-based photocatalytic reactor for off-gas treatment at a soil vapor extraction well. *Journal of Soil Contamination.* 5: 187-202.
- Rebey, A; Bchetnia, A; El Jani, B. (1998). Etching of GaAs by CCl4 and VCl4 in a metalorganic vapor-phase epitaxy reactor. *J Cryst Growth.* 194: 286-291.
- Rebey, A; Beji, L; El Jani, B; Gibart, P. (1998). Optical monitoring of the growth rate reduction by CCl4 during metalorganic vapour-phase epitaxy deposition of carbon doped GaAs. *J Cryst Growth.* 191: 734-739.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Rebey, A; Boufaden, T; El Jani, B. (1999). In situ optical monitoring of the decomposition of GaN thin films. *J Cryst Growth*. 203: 12-17.
- Rebey, A; El Jani, B; Leycuras, A; Laugt, S; Gibart, P. (1999). In situ optical monitoring of metalorganic vapor phase epitaxy growth of C-doped GaAs. *Applied Physics A: Materials Science and Processing*. 68: 349-352.
- Rebey, A; Fathallah, W; El Jani, B. (2006). In depth study of the compensation in annealed heavily carbon doped GaAs. *Microelectronics Journal*. 37: 158-166. <http://dx.doi.org/10.1016/j.mejo.2005.02.127>.
- Rebey, A; Habchi, MM; Bchetnia, A; El Jani, B. (2004). In situ reflectance monitoring of the growth and etching of AlAs/GaAs structures in MOVPE. *J Cryst Growth*. 261: 450-457. <http://dx.doi.org/10.1016/j.jcrysgro.2003.09.042>.
- Rebodos, RL; Vikesland, PJ. (2010). Effects of oxidation on the magnetization of nanoparticulate magnetite. *Langmuir*. 26: 16745-16753. <http://dx.doi.org/10.1021/la102461z>.
- Reddy, EVS; Rajulu, AV; Reddy, KH; Reddy, GR. (2010). Chemical Resistance and Tensile Properties of Glass and Bamboo Fibers Reinforced Polyester Hybrid Composites. *Journal of Reinforced Plastics and Composites*. 29: 2119-2123. <http://dx.doi.org/10.1177/0731684409349520>.
- Regenhardt, SA; Meyer, CI; Trasarti, AF; Monzon, A; Garetto, TF. (2012). Catalytic oxidation of carbon tetrachloride on metal exchanged Y-zeolite. *Chem Eng J*. 198: 18-26. <http://dx.doi.org/10.1016/j.cej.2012.05.055>.
- Rei, M; Souza, JP; Schaeffer, L. (2001). Debinding properties' study of a 316-L stainless steel feedstock. *Key Eng Mater*. 189-1: 616-622.
- Reilly, JT; Thomas, A; Gibson, AR; Luebehusen, C, hiY; Donohue, MD. (2013). Analysis of the Self-Association of Aliphatic Alcohols Using Fourier Transform Infrared (FT-IR) Spectroscopy. *Ind Eng Chem Res*. 52: 14456-14462. <http://dx.doi.org/10.1021/ie302174r>.
- Reinke, LA; Lai, EK; Mccay, PB. (1988). Ethanol feeding stimulates trichloromethyl radical formation from carbon tetrachloride in liver. *Xenobiotica*. 18: 1311-1318. <http://dx.doi.org/10.3109/00498258809042255>.
- Reis, RA; Nobrega, R; Oliveira, JV; Tavares, FW. (2005). Self- and mutual diffusion coefficient equation for pure fluids, liquid mixtures and polymeric solutions. *Chem Eng Sci*. 60: 4581-4592. <http://dx.doi.org/10.1016/j.ces.2005.03.018>.
- Reitz, RH; Gargas, ML; Mendrala, AL; Schumann, AM. (1996). In vivo and in vitro studies of perchloroethylene metabolism for physiologically based pharmacokinetic modeling in rats, mice, and humans. *Toxicol Appl Pharmacol*. 136: 289-306. <http://dx.doi.org/10.1006/taap.1996.0036>.
- Rev, E; Lelkes, Z; Varga, V; Steger, C; Fonyo, Z. (2003). Separation of a minimum-boiling azeotrope in a batch extractive rectifier with an intermediate-boiling entrainer. *Ind Eng Chem Res*. 42: 162-174. <http://dx.doi.org/10.1021/ie020080a>.
- Rezvanianzadeh, MR; Yamini, Y; Khanchi, AR; Ashtari, P; Ghannadi-Maragheh, M. (2000). Highly selective and efficient membrane transport of molybdenum using di(2-ethylhexyl) phosphoric acid as carrier. *Separation Science and Technology*. 35: 1939-1949.
- Rhee, E; Speece, RE. (2000). Probing of maximal biodegradation rates of methylene chloride, carbon tetrachloride, and 1,1,1-trichloroethane in methanogenic processes. *Environ Technol*. 21: 147-156.
- Rheims, J; Koser, J; Wriedt, T. (1997). Refractive-index measurements in the near-IR using an Abbe refractometer. *Meas Sci Technol*. 8: 601-605.
- Rhew, RC; Miller, BR; Weiss, RF. (2008). Chloroform, carbon tetrachloride and methyl chloroform fluxes in southern California ecosystems. *Atmos Environ*. 42: 7135-7140. <http://dx.doi.org/10.1016/j.atmosenv.2008.05.038>.
- Rhlalou, T; Ferhat, M; Frouji, MA; Langevin, D; Metayer, M; Verchere, JF. (2000). Facilitated transport of sugars by a resorcinarene through a supported liquid membrane. *J Memb Sci*. 168: 63-73.
- Rhodes, WJ. (1991). STRATOSPHERIC OZONE PROTECTION - AN EPA ENGINEERING PERSPECTIVE. *J Air Waste Manag Assoc*. 41: 1579-1584.
- Ribeiro, AR; Nunes, OC; Pereira, MF; Silva, AM. (2015). An overview on the advanced oxidation processes applied for the treatment of water pollutants defined in the recently launched Directive 2013/39/EU [Review]. *Environ Int*. 75: 33-51. <http://dx.doi.org/10.1016/j.envint.2014.10.027>.
- Ribera, D; Narbonne, JF; Michel, X; Livingstone, DR; Ohara, S. (1991). RESPONSES OF ANTIOXIDANTS AND LIPID-PEROXIDATION IN MUSSELS TO OXIDATIVE DAMAGE EXPOSURE. *Comp Biochem Physiol C Comp Pharmacol Toxicol*. 100: 177-181.
- Ricker, JA. (2008). A Practical Method to Evaluate Ground Water Contaminant Plume Stability. *Ground Water Monitoring and Remediation*. 28: 85-94. <http://dx.doi.org/10.1111/j.1745-6592.2008.00215.x>.
- Rikans, LE; Hornbrook, KR. (1997). Age-related susceptibility to hepatotoxicants. *Environ Toxicol Pharmacol*. 4: 339-344.
- Riley, RG; Szecsody, JE; Sklarew, DS; Mitroshkov, AV; Gent, PM; Brown, CF; Thompson, CJ. (2010). Desorption behavior of carbon tetrachloride and chloroform in contaminated low organic carbon aquifer sediments. *Chemosphere*. 79: 807-813. <http://dx.doi.org/10.1016/j.chemosphere.2010.03.005>.
- Rimbach, G; Hohler, D; Fischer, A; Roy, S; Virgili, F; Pallauf, J; Packer, L. (1999). Methods to assess free radicals and oxidative stress in biological systems. *Arch Tierernaehr*. 52: 203-222.
- Ristoiu, I; Haydee, KM; Ristoiu, T. (2010). CHLORINATED SOLVENTS DETECTION IN SOIL AND RIVER WATER IN THE AREA ALONG THE PAPER FACTORY IN DEJ TOWN, ROMANIA. *J Environ Prot Ecol*. 11: 1229-1238.
- Rivero-Huguet, M; Marshall, WD. (2009). Reduction of hexavalent chromium mediated by micron- and nano-scale zero-valent metallic particles. *J Environ Monit*. 11: 1072-1079. <http://dx.doi.org/10.1039/b819279k>.
- Roberts, AL; Sanborn, PN; Gschwend, PM. (1992). NUCLEOPHILIC-SUBSTITUTION REACTIONS OF DIHALOMETHANES WITH HYDROGEN-SULFIDE SPECIES. *Environ Sci Technol*. 26: 2263-2274.
- Roberts, AL; Totten, LA; Arnold, WA; Burris, DR; Campbell, TJ. (1996). REDUCTIVE ELIMINATION OF CHLORINATED ETHYLENES BY ZERO-VALENT METALS. *Environ Sci Technol*. 30: 2654-2659.
- Roberts, PV. (1982). DESORPTION-KINETICS OF CARBON-TETRACHLORIDE FROM ACTIVATED CARBON - COMMENT. *Environ Sci Technol*. 16: 773-773.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Robertson, EJ; Beaman, DK; Richmond, GL. (2013). Designated drivers: the differing roles of divalent metal ions in surfactant adsorption at the oil-water interface. *Langmuir*. 29: 15511-15520. <http://dx.doi.org/10.1021/la403665n>.
- Robertson, EJ; Carpenter, AP; Olson, CM; Ciszewski, RK; Richmond, GL. (2014). Metal Ion Induced Adsorption and Ordering of Charged Macromolecules at the Aqueous/Hydrophobic Liquid Interface. *J Phys Chem C*. 118: 15260-15273. <http://dx.doi.org/10.1021/jp503051w>.
- Robertson, EJ; Richmond, GL. (2013). Chunks of charge: effects at play in the assembly of macromolecules at fluid surfaces. *Langmuir*. 29: 10980-10989. <http://dx.doi.org/10.1021/la4021096>.
- Rodriguez-Chueca, J; Mediano, A; Pueyo, N; Garcia-Suescun, I; Mosteo, R; Ormad, MP. (2016). Degradation of chloroform by Fenton-like treatment induced by electromagnetic fields: A case of study. *Chem Eng Sci*. 156: 89-96. <http://dx.doi.org/10.1016/j.ces.2016.09.016>.
- Rodriguez-Donis, I; Gerbaud, V; Joulia, X. (2012). Thermodynamic Insights on the Feasibility of Homogeneous Batch Extractive Distillation. 4. Azeotropic Mixtures with Intermediate Boiling Entrainer. *Ind Eng Chem Res*. 51: 6489-6501. <http://dx.doi.org/10.1021/ie2019432>.
- Rodriguez-Estupinan, P; Gomez, F; Giraldo, L; Carlos Moreno-Pirajan, J. (2015). Immersion enthalpies in different liquids of activated carbons modified by surface chemistry. 5: 233-240. <http://dx.doi.org/10.1166/mex.2015.1235>.
- Rodriguez-Garrido, B; Arbustain, MC; Monterroso, MC; Macias, F. (2004). Reductive dechlorination of alpha-, beta-, delta-, and gamma-hexachlorocyclohexane isomers by hydrocobalamin in the presence of either dithiothreitol or titanium(III) citrate as reducing agents. *Environ Sci Technol*. 38: 5046-5052. <http://dx.doi.org/10.1021/es030153x>.
- Roesler, JF; Yetter, RA; Dryer, FL. (1996). Inhibition and oxidation characteristics of chloromethanes in reacting CO/H₂O/O₂ mixtures. *Combust Sci Tech*. 120: 11-37.
- Rogers, HR; Crathorne, B; Watts, CD. (1992). Sources and fate of organic contaminants in the Mersey estuary: Volatile organohalogen compounds. *Mar Pollut Bull*. 24: 82-91.
- Rogojanu, A; Postolache, M; Dorohoi, DO. (2010). Liquid Crystalline Phase of Polymeric Esters of Alkoxybenzoic Acid in Tetrachloromethane. *Materiale Plastice*. 47: 282-285.
- Roh, Y; Cho, KS; Lee, S. (2001). Electrochemical remediation of trichloroethene-contaminated groundwater using palladized iron oxides. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 36: 923-933.
- Rohatgi, A; Raichoudhury, P; Fonash, SJ; Lester, P; Singh, R; Caplan, PJ; Poindexter, EH. (1986). CHARACTERIZATION AND CONTROL OF SILICON SURFACE MODIFICATION PRODUCED BY CCL₄ REACTIVE ION ETCHING. *J Electrochem Soc*. 133: 408-416.
- Roldán-Arjona, T; Pueyo, C. (1993). Mutagenic and lethal effects of halogenated methanes in the Ara test of *Salmonella typhimurium*: Quantitative relationship with chemical reactivity. *Mutagenesis*. 8: 127-131. <http://dx.doi.org/10.1093/mutage/8.2.127>.
- Romashkin, PA; Hurst, DF; Elkins, JW; Dutton, GS; Fahey, DW; Dunn, RE; Moore, FL; Myers, RC; Hall, BD. (2001). In situ measurements of long-lived trace gases in the lower stratosphere by gas chromatography. *J Atmos Ocean Tech*. 18: 1195-1204.
- Romashkin, PA; Hurst, DF; Elkins, JW; Dutton, GS; Wamsley, PR. (1999). Effect of the tropospheric trend on the stratospheric tracer-tracer correlations: Methyl chloroform. *J Geophys Res Atmos*. 104: 26643-26652.
- Rong, S; Sun, Y. (2014). Wetted-wall corona discharge induced degradation of sulfadiazine antibiotics in aqueous solution. *J Chem Tech Biotechnol*. 89: 1351-1359. <http://dx.doi.org/10.1002/jctb.4211>.
- Ronotrioli, C; Kherrat, R; Jaffrezicrenault, N. (1995). SOLUBILITY INTERACTIONS BETWEEN ORGANIC VAPORS AND SPECIFIC POLYMERIC CLADDINGS FOR OPTICAL-FIBER SENSOR. *Sensor Mater*. 7: 383-393.
- Roose, P; Dewulf, J; Brinkman, UAT; Van Langenhove, H. (2001). Measurement of volatile organic compounds in sediments of the Scheldt Estuary and the Southern North Sea. *Water Res*. 35: 1478-1488. [http://dx.doi.org/10.1016/S0043-1354\(00\)00410-3](http://dx.doi.org/10.1016/S0043-1354(00)00410-3).
- Rosa, MJ; Depinho, MN. (1997). Membrane surface characterisation by contact angle measurements using the immersed method. *J Memb Sci*. 131: 167-180.
- Rosca, P; Dragomir, R; Ionescu, C. (2003). Deactivation of zeolite catalysts by coke deposition. *Rev Chim*. 54: 707-710.
- Rose, ML; Bradford, BU; Germolec, DR; Lin, M; Tsukamoto, H; Thurman, RG. (2001). Gadolinium chloride-induced hepatocyte proliferation is prevented by antibodies to tumor necrosis factor α . *Toxicol Appl Pharmacol*. 170: 39-45. <http://dx.doi.org/10.1006/taap.2000.9077>.
- Rosenberg, C; Nylund, L; Aalto, T; Kontsas, H; Norppa, H; Jappinen, P; Vainio, H. (1991). VOLATILE ORGANOHALOGEN COMPOUNDS FROM THE BLEACHING OF PULP OCCURRENCE AND GENOTOXIC POTENTIAL IN THE WORK ENVIRONMENT (pp. 10-14). (ISSN 0045-6535; EISSN 1879-1298; BIOSIS/92/10857). Committee for Compounds Toxic to Reproduction.
- Rosengren, RJ; Sauer, JM; Hooser, SB; Sipes, IG. (1995). The interactions between retinol and five different hepatotoxicants in the Swiss Webster mouse. *Fundam Appl Toxicol*. 25: 281-292.
- Rosocha, LA; Secker, DA; Smith, JD. (1994). KINETIC MODELING OF TRICHLOROETHYLENE AND CARBON-TETRACHLORIDE REMOVAL FROM WATER BY ELECTRON-BEAM IRRADIATION. *ACS Symp Ser Am Chem Soc*. 554: 184-196.
- Rossberg, M. (2002). Chlorinated hydrocarbons. In W Gerhartz; YS Yamamoto; FT Campbell (Eds.), (5th ed., pp. 370-371). New York, NY: VCH Publishers.
- Rossi, AM; Zaccaro, L; Filippo Rosselli, F; Quattrone, C. (1988). Clastogenic effects induced in mice and rats by 1,4-bis[2-(3,5-dichloropyridyloxy)]-benzene, a phenobarbital-like enzyme inducer and liver tumour promoter. *Carcinogenesis*. 9: 1147-1151.
- Rostovshchikova, TN; Smirnov, VV; Kozhevin, VM; Yavsin, DA; Zabelin, MA; Yassievich, IN; Gurevich, SA. (2005). New size effect in the catalysis by interacting copper nanoparticles. *Appl Catal A-Gen*. 296: 70-79. <http://dx.doi.org/10.1016/j.apcata.2005.08.032>.
- Roth, HC; Schwaminger, S; Garcia, PF; Ritscher, J; Berensmeier, S. (2016). Oleate coating of iron oxide nanoparticles in aqueous systems: the role of temperature and surfactant concentration. *J Nanopart Res*. 18. <http://dx.doi.org/10.1007/s11051-016-3405-2>.
- Rotmans, J; Den elzen, MGJ. (1992). A model-based approach to the calculation of global warming potentials (GWP). *Int J Climatol*. 12: 865-874. <http://dx.doi.org/10.1002/joc.3370120809>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Roush, CJ; Lastoskie, CM; Worden, RM. (2006). Denitrification and chemotaxis of *Pseudomonas stutzeri* KC in porous media. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 41: 967-983. <http://dx.doi.org/10.1080/10934520600689258>.
- Rout, BK; Mishra, NC; Chakravorty, V. (1994). VISCOSITY AND DENSITY OF BINARY-LIQUID MIXTURES OF TRI-N-BUTYL PHOSPHATE PLUS BENZENE, PLUS CARBON-TETRACHLORIDE, PLUS ISOBUTYL METHYL KETONE AND PLUS ACETYLACETONE AT 25-DEGREES-C, 30-DEGREES-C, 35-DEGREES-C, 40-DEGREES-C AND 45-DEGREES-C. *Indian J Chem Tech.* 1: 347-350.
- Roy, MN; Roy, PK; Sah, RS; Pradhan, P; Sinha, B. (2009). Ion Pair and Triple Ion Formation by Some Tetraalkylammonium Iodides in Binary Mixtures of Carbon Tetrachloride plus Nitrobenzene. *Journal of Chemical and Engineering Data.* 54: 2429-2435. <http://dx.doi.org/10.1021/je800885h>.
- Roy, R. (2010). Short-term variability in halocarbons in relation to phytoplankton pigments in coastal waters of the central eastern Arabian Sea. *Estuar Coast Shelf Sci.* 88: 311-321. <http://dx.doi.org/10.1016/j.ecss.2010.04.011>.
- Roy, R; Pratihary, A; Narvenkar, G; Mochemadkar, S; Gauns, M; Naqvi, SWA. (2011). The relationship between volatile halocarbons and phytoplankton pigments during a *Trichodesmium* bloom in the coastal eastern Arabian Sea. *Estuar Coast Shelf Sci.* 95: 110-118. <http://dx.doi.org/10.1016/j.ecss.2011.08.025>.
- Royer, RA; Burgos, WD; Fisher, AS; Unz, RF; Dempsey, BA. (2002). Enhancement of biological reduction of hematite by electron shuttling and Fe(II) complexation. *Environ Sci Technol.* 36: 1939-1946. <http://dx.doi.org/10.1021/es011139s>.
- Ruan, X; Gu, X; Lu, S; Qiu, Z; Sui, Q. (2014). Trichloroethylene degradation by persulphate with magnetite as a heterogeneous activator in aqueous solution. *Environ Technol.* 36: 1-9. <http://dx.doi.org/10.1080/09593330.2014.991353>.
- Rubio, SJ; Quintero, MC; Rodero, A. (2011). Application of microwave air plasma in the destruction of trichloroethylene and carbon tetrachloride at atmospheric pressure. *J Hazard Mater.* 186: 820-826. <http://dx.doi.org/10.1016/j.jhazmat.2010.11.069>.
- Rubio, SJ; Quintero, MC; Rodero, A; Rodriguez, JM. (2007). Assessment of a new carbon tetrachloride destruction system based on a microwave plasma torch operating at atmospheric pressure. *J Hazard Mater.* 148: 419-427. <http://dx.doi.org/10.1016/j.jhazmat.2007.02.056>.
- Rubio, SJ; Rodero, A; Quintero, MC. (2008). Application of a microwave helium plasma torch operating at atmospheric pressure to destroy trichloroethylene. *Plasma Chemistry and Plasma Processing.* 28: 415-428. <http://dx.doi.org/10.1007/s11090-008-9133-3>.
- Ruckenstein, E; Shulgin, I. (2001). Cubic equation of state and local composition mixing rules: Correlations and predictions. Application to the solubility solids in supercritical solvents. *Ind Eng Chem Res.* 40: 2544-2549.
- Ruiz, MD; Rivarola, JB; Quiroga, OD. (1994). KINETIC-STUDY OF THE REACTION BETWEEN MOLYBDENUM TRIOXIDE AND GASEOUS CARBON-TETRACHLORIDE. *Can J Chem Eng.* 72: 289-295.
- Rupp, S; Metzger, JW. (2005). Brominated-chlorinated diphenyl ethers formed by thermolysis of polybrominated diphenyl ethers at low temperatures. *Chemosphere.* 60: 1644-1651. <http://dx.doi.org/10.1016/j.chemosphere.2005.02.038>.
- Rupp, VL; Hickman, JC. (1995). REPLACING 1,1,1-TRICHLOROETHANE WITH OTHER CHLORINATED SOLVENTS. *Plat Surf Finish.* 82: 34-38.
- Rury, AS; Ferry, C; Hunt, JR; Lee, M; Mondal, D; O'Connell, SMO; Phan, ENH; Peng, Z; Pokhilko, P; Sylvinson, D; Zhou, Y; Mak, C, hiH. (2016). Solvent Thermodynamic Driving Force Controls Stacking Interactions between Polyaromatics. *J Phys Chem C.* 120: 23858-23869. <http://dx.doi.org/10.1021/acs.jpcc.6b08292>.
- Rusonik, I; Zidky, T; Cohen, H; Meyerstein, D. (2005). Reactions of alkyl radicals with metal powders immersed in aqueous solutions. *Glass Physics and Chemistry.* 31: 115-118.
- Russell, JJ; Seetula, JA; Gutman, D; Danis, F; Caralp, F; Lightfoot, PD; Lesclaux, R; Melius, CF; Senkan, SM. (1990). KINETICS AND THERMOCHEMISTRY OF THE EQUILIBRIUM CCL3+O-2 REVERSIBLE CCL3O2. 94: 3277-3283.
- Russkikh, IV; Gossen, LP; Boyankova, OS. (2005). Characterization of asphaltite solutions by IR spectroscopy. *Petroleum Chemistry.* 45: 312-315.
- Rutherford, DW; Chiou, CT. (1992). Effect of water saturation in soil organic matter on the partition of organic compounds. *Environ Sci Technol.* 26: 965-970.
- Rutherford, DW; Chiou, CT; Kile, DE. (1992). INFLUENCE OF SOIL ORGANIC-MATTER COMPOSITION ON THE PARTITION OF ORGANIC-COMPOUNDS. *Environ Sci Technol.* 26: 336-340.
- Rutkowski, P; Mullens, S; Yperman, J; Gryglewicz, G. (2002). AP-TPR investigation of the effect of pyrite removal on the sulfur characterization of different rank coals. *Fuel Process Tech.* 76: 121-138.
- Rychlicki, G; Terzyk, AP. (1998). Thermodynamic verification of the theory of volume filling of micropores for adsorption on activated carbons. *AST.* 16: 641-653.
- Rysz, M; Connor, MK; Kamath, R; Newell, CJ. (2010). Origin and Propagation of an Incorrect Chemical Degradation Pathway in the Literature: cis-1,2-Dichloroethylene as a Daughter Product of 1,1,1-Trichloroethane. *Environ Forensics.* 11: 50-59. <http://dx.doi.org/10.1080/15275920903526486>.
- Ryu, A; Jeong, SW, oo; Jang, A, rn; Choi, H. (2011). Reduction of highly concentrated nitrate using nanoscale zero-valent iron: Effects of aggregation and catalyst on reactivity. *Appl Catal B-Environ.* 105: 128-135. <http://dx.doi.org/10.1016/j.apcatb.2011.04.002>.
- Ryumtsev, EI; Evlampieva, NP; Lezov, AV; Ponomarenko, SA; Boiko, NI; Shibaev, VP. (1998). Kerr effect in solutions of carbosilane dendrimers with terminal mesogenic groups. *Liquid Crystals.* 25: 475-479.
- Sachleben, RA; Moyer, BA; Case, FI; Garmon, SA. (1993). ALKYLATED LARIAT ETHERS AS SOLVENT-EXTRACTION REAGENTS - SURVEYING THE EXTRACTION OF ALKALI-METALS BY BIS-T-OCTYLBENZO-14-CROWN-4-ACETIC ACID BY USE OF POTENTIOMETRIC 2-PHASE TITRATION. *Separation Science and Technology.* 28: 1-23.
- Sack, TM; Steele, DH; Hammerstrom, K; Remmers, J. (1992). A survey of household products for volatile organic compounds. *Atmos Environ.* 26: 1063-1070. [http://dx.doi.org/10.1016/0960-1686\(92\)90038-M](http://dx.doi.org/10.1016/0960-1686(92)90038-M).
- Saez, V; Esclapez, MD; Frias-Ferrer, A; Bonete, P; Gonzalez-Garcia, J. (2008). Electrochemical Reduction of Perchloroethylene in Aqueous Media: Influence of the Electrode Material. *Journal of New Materials for Electrochemical Systems.* 11: 287-295.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Saez, V; Tudela, I; Deseada Esclapez, M; Bonete, P; Louisnard, O; Gonzalez-Garcia, J. (2011). Sonoelectrochemical degradation of perchloroethylene in water: Enhancement of the process by the absence of background electrolyte. *Chem Eng J.* 168: 649-655. <http://dx.doi.org/10.1016/j.cej.2011.01.052>.
- Safarali, R; Yaftian, MR; Zamani, A. (2016). Cooperative effect of 2-(dibutylcarbomyl)benzoic acid and 2-thenoyltrifluoroacetone for the synergistic extraction of lanthanide ions. *Separation Science and Technology.* 51: 1351-1361. <http://dx.doi.org/10.1080/01496395.2016.1165252>.
- Safarik, DJ; Meyer, RJ; Mullins, CB. (2001). Interaction of chlorodifluoromethane with ultrathin solid water films. *Journal of Vacuum Science and Technology A.* 19: 1537-1542.
- Safer, AM; Hanafy, NA; Bharali, DJ; Cui, H; Mousa, SA. (2015). Effect of Green Tea Extract Encapsulated Into Chitosan Nanoparticles on Hepatic Fibrosis Collagen Fibers Assessed by Atomic Force Microscopy in Rat Hepatic Fibrosis Model. *J Nanosci Nanotechnol.* 15: 6452-6459. <http://dx.doi.org/10.1166/jnn.2015.10608>.
- Safer, AM; Sen, A; Hanafy, NA; Mousa, SA. (2015). Quantification of the Healing Effect in Hepatic Fibrosis Induced by Chitosan Nano-Encapsulated Green Tea in Rat Model. *J Nanosci Nanotechnol.* 15: 9918-9924. <http://dx.doi.org/10.1166/jnn.2015.11400>.
- Safi, A; Nicolas, C; Neau, E; Chevalier, JL. (2008). Diffusion coefficients of organic compounds at infinite dilution in mixtures involving associating compounds. Experimental determination and modeling by group contribution methods. *Journal of Chemical and Engineering Data.* 53: 444-448. <http://dx.doi.org/10.1021/je700539w>.
- Safta, M; Csunderlik, C. (1994). 2-ALKYL(ARYL)-2-IMIDAZOLINES PHOSPHORYLATION WITH DI-ALKYL-PHOSPHITES BY ATHERTON-TODD REACTION AND INTERPHASE TRANSFER CATALYSIS. *Rev Chim.* 45: 14-16.
- Sagert, NH; Lau, DWP. (1986). LIMITING ACTIVITY-COEFFICIENTS FOR BUTYL ALCOHOLS IN WATER, NORMAL-OCTANE, AND CARBON-TETRACHLORIDE. *Journal of Chemical and Engineering Data.* 31: 475-478.
- Saha, R; Dey, SK; Biswas, S; Jana, AD; Kumar, S. (2013). Transformation of a Mother Crystal to a Daughter Crystal through Amorphous Phase: De-assembly of Coordination Helices upon Heating and Re-assembly through Aqueation. *Cryst Growth Des.* 13: 2135-2142. <http://dx.doi.org/10.1021/cg400224a>.
- Sahay, BN; Verma, SK; Sinha, KP. (1983). INFLUENCE OF SOME GLYCOLYTIC AND TCA METABOLITES ON LIPID-METABOLISM IN RATS POISONED WITH CARBON-TETRACHLORIDE, THIOACETAMIDE AND ETHIONINE. *Indian J Anim Sci.* 53: 457-459.
- Saisho, K; Hasegawa, Y; Saeki, M; Toyoda, M; Saito, Y. (1994). Bioaccumulation of volatile chlorinated hydrocarbons in blue mussel, *Mytilus edulis* and killifish, *Oryzias latipes* (pp. 274-278). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/94/32432). Saisho, K; Hasegawa, Y; Saeki, M; Toyoda, M; Saito, Y.
- Sakaguchi, H; Hamaguchi, A. (1975). PHYSIOLOGICAL CHANGES IN SERUM AND HEPATOPANCREAS OF YELLOW TAIL INJECTED WITH CARBON-TETRACHLORIDE. *Nippon Suisan Gakkaishi.* 41: 283-290.
- Sakata, T; Watanabe, A; Hobara, N; Nagashima, H. (1987). Chronic Liver Injury in Rats by Carbon Tetrachloride Inhalation. *Bull Environ Contam Toxicol.* 38: 959-961.
- Saleh, TA; Alhooshani, KR; Abdelbassit, MSA. (2015). Evaluation of AC/ZnO composite for sorption of dichloromethane, trichloromethane and carbon tetrachloride: kinetics and isotherms. *Taiwan Institute of Chemical Engineers Journal.* 55: 159-169. <http://dx.doi.org/10.1016/j.jtice.2015.04.004>.
- Salgin, U; Yildiz, N; Calimli, A. (2004). Desorption of salicylic acid from modified bentonite by using supercritical fluids in packed bed column. *Separation Science and Technology.* 39: 2677-2694. <http://dx.doi.org/10.1081/SS-200028462>.
- Salmenkivi, K; Heikkilä, P; Haglund, C; Arola, J. (2004). Malignancy in pheochromocytomas. *APMIS.* 112: 551-559.
- Salovsky, P; Shopova, V; Dancheva, V. (1998). Antioxidant defense mechanisms in the lung toxicity of tri-n-butyl phosphate. *Am J Ind Med.* 33: 11-15.
- Samal, S; Mohapatra, NK; Acharya, S; Dey, RK. (1999). Chelating resins VII: studies on chelating resins of formaldehyde and furfuraldehyde-condensed phenolic Schiff base derived from 4,4'-diaminodiphenylsulphone and o-hydroxyacetophenone. *React Funct Polym.* 42: 37-52.
- Samdani, AR; Mandal, S; Pangarkar, VG. (2003). Role of and criterion for sorption selectivity in pervaporative removal of trace organics from aqueous solutions. *Separation Science and Technology.* 38: 1069-1092. <http://dx.doi.org/10.1081/SS-120018124>.
- Samojlik, I; Lakić, N; Mimica-Dukić, N; Daković-Svajcer, K; Bozin, B. (2010). Antioxidant and hepatoprotective potential of essential oils of coriander (*Coriandrum sativum* L.) and caraway (*Carum carvi* L.) (Apiaceae). *J Agric Food Chem.* 58: 8848-8853. <http://dx.doi.org/10.1021/jf101645n>.
- Samsonova, TI; Roschina, OA; Meglitskii, VA; Koz'yakova, OK. (2007). Possible replacement of carbon tetrachloride with other solvents in determination of the oiling agent content in chemical fibres. *Fibre Chemistry.* 39: 340-343. <http://dx.doi.org/10.1007/s10692-007-0075-y>.
- Sanchez, V; Clifton, M. (1978). MUTUAL DIFFUSION-COEFFICIENTS IN BINARY-MIXTURES OF CARBON-TETRACHLORIDE AND ALCOHOLS AT 20-DEGREES-C. *Journal of Chemical and Engineering Data.* 23: 209-212.
- Sandalls, FJ; Hatton, DB. (1977). MEASUREMENTS OF ATMOSPHERIC CONCENTRATIONS OF TRICHLOROFLUOROMETHANE, DICHLORODIFLUOROMETHANE AND CARBON-TETRACHLORIDE BY AIRCRAFT SAMPLING OVER BRITISH-ISLES. *Atmos Environ.* 11: 321-327.
- Sanderson, JT; Commandeur, JN; Van Wezel, A; Vermeulen, NP. (1999). Bioassays for the detection of chemicals that can form bioactivation-dependent reactive free radicals. *Environ Toxicol Chem.* 18: 1236-1243.
- Sandy, MS; Di Monte, D; Smith, MT. (1988). Relationships between intracellular vitamin E, lipid peroxidation, and chemical toxicity in hepatocytes. *Toxicol Appl Pharmacol.* 93: 288-297.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Sano, M; Hu, ML; Tappel, AL. (1992). POTENTIATION OF NON-HALOCARBON OXIDANTS ON HALOCARBON-INDUCED OXIDATIVE DAMAGE TO RAT RED-BLOOD-CELLS. *J Agric Food Chem.* 40: 2192-2197.
- Sano, M; Kawabata, H; Tomita, I; Yoshioka, H; Hu, ML. (1994). Potentiation of oxidative damage to rat red blood cells by the concurrent presence of t-butyl hydroperoxide and bromotrichloromethane. *J Toxicol Environ Health.* 43: 339-350. <http://dx.doi.org/10.1080/15287399409531925>.
- Sanson, EB; Jonas, LA. (1982). DESORPTION-KINETICS OF CARBON-TETRACHLORIDE FROM ACTIVATED CARBON - REPLY. *Environ Sci Technol.* 16: 773-773.
- Sansone, EB; Jonas, LA. (1982). DESORPTION-KINETICS OF CARBON-TETRACHLORIDE FROM ACTIVATED CARBON - COMMENT. *Environ Sci Technol.* 16: 772-773.
- Santharam, S; Davis, LC; Erickson, LE. (2014). Biodegradation of Carbon Tetrachloride in Simulated Groundwater Flow Channels. *Environ Prog Sustain Energy.* 33: 444-453. <http://dx.doi.org/10.1002/ep.11808>.
- Santiago Sánchez, N; Tejada Alarcón, S; Tortajada Santonja, R; Llorca-Pórcel, J. (2014). New device for time-averaged measurement of volatile organic compounds (VOCs). *Sci Total Environ.* 485-486: 720-725. <http://dx.doi.org/10.1016/j.scitotenv.2013.12.019>.
- Sanzgiri, UY; Bruckner, JV. (1997). Effect of Emulphor, an emulsifier, on the pharmacokinetic and hepatotoxicity of oral carbon tetrachloride in the rat. *Fundam Appl Toxicol.* 36: 54-61. <http://dx.doi.org/10.1006/faat.1997.2290>.
- Sarada, BV; Rao, TN; Tryk, DA; Fujishima, A. (1999). Electroanalytical applications of conductive diamond electrodes. *New Diamond and Frontier Carbon Technology.* 9: 365-377.
- Sarathy, V; Tratnyek, PG; Nurmi, JT; Baer, DR; Amonette, JE; Chun, C; Penn, R; Reardon, EJ. (2008). Aging of iron nanoparticles in aqueous solution: Effects on structure and reactivity. *J Phys Chem C.* 112: 2286-2293. <http://dx.doi.org/10.1021/jp0777418>.
- Sareena, C; Ramesan, MT; Purushothaman, E. (2013). Transport Studies of Peanut Shell Powder Reinforced Natural Rubber Composites in Chlorinated Solvents. *Fibers and Polymers.* 14: 1674-1687. <http://dx.doi.org/10.1007/s12221-013-1674-2>.
- Saricicek, E; Tarakcioglu, M; Saricicek, V; Gulsen, MT; Karakok, M; Baltaci, Y; Taysi, S. (2014). Effect of Nigella sativa on experimental liver fibrosis. *Biomedical Research.* 25: 32-38.
- Sarkouhi, M; Yamini, Y; Reza, M; Zanjani, K; Afsharnaderi, A. (2007). Liquid-phase microextraction and gas-chromatographic determination of selenium(IV) in aqueous samples. *Int J Environ Anal Chem.* 87: 603-614. <http://dx.doi.org/10.1080/03067310701273119>.
- Sasloglou, SA; Petrou, JK; Kanellopoulos, NK; Androusoyopoulos, GP. (2000). Realistic random sphere pack model for the prediction of sorption isotherms. *Microporous and Mesoporous Materials.* 39: 477-483.
- Sasloglou, SA; Petrou, JK; Kanellopoulos, NK; Androusoyopoulos, GP. (2001). Realistic random sphere pack model for the prediction of relative permeability curves. *Microporous and Mesoporous Materials.* 47: 97-103.
- Sastry, NV; George, A; Jain, NJ; Bahadur, P. (1999). Densities, relative permittivities, excess volumes, and excess molar polarizations for alkyl ester (methyl propanoate, methyl butanoate, ethyl propanoate, and ethyl butanoate) plus hydrocarbons (n-heptane, benzene, chlorobenzene, and 1,1,2,2-tetrachloroethane) at 308.15 K and 318.15 K. *Journal of Chemical and Engineering Data.* 44: 456-464.
- Sastry, NV; Jain, NJ; George, A; Bahadur, P. (1999). Viscosities, speeds of sound and excess isentropic compressibilities of binary mixtures of alkyl alkanoate-hydrocarbons at 308.15 K and 318.15 K. *Fluid Phase Equilibria.* 163: 275-289.
- Sastry, NV; Patel, MC; Patel, SR. (1999). Ultrasonic behaviour of methyl methacrylate plus hydrocarbon mixtures at 298.15 and 308.15 K. *Fluid Phase Equilibria.* 155: 261-276.
- Satapanajaru, T; Comfort, SD; Shea, PJ. (2003). Enhancing metolachlor destruction rates with aluminum and iron salts during zerovalent iron treatment. *J Environ Qual.* 32: 1726-1734.
- Satapanajaru, T; Shea, PJ; Comfort, SD; Roh, Y. (2003). Green rust and iron oxide formation influences metolachlor dechlorination during zerovalent iron treatment. *Environ Sci Technol.* 37: 5219-5227. <http://dx.doi.org/10.1021/es0303485>.
- Sato, A. (1991). The effect of environmental factors on the pharmacokinetic behaviour of organic solvent vapours [Review]. *Ann Occup Hyg.* 35: 525-541.
- Sato, A; Nakajima, T. (1987). Pharmacokinetics of organic solvent vapors in relation to their toxicity [Review]. *Scand J Work Environ Health.* 13: 81-93.
- Sato, M. (1992). BIOLOGICAL ANTIOXIDANT DEFENSE SYSTEM AND METALLOTHIONEIN. *JTTHE.* 38: 228-239.
- Sato, M; Nakamura, H. (1982). THE EFFECTS OF MIXING N-2 IN CCL4 ON ALUMINUM REACTIVE ION ETCHING. *J Electrochem Soc.* 129: 2522-2527.
- Sawada, S; Yamanaka, T; Yamatsu, K; Furihata, C; Matsushima, T. (1991). Chromosome aberrations, micronuclei and sister-chromatid exchanges (SCEs) in rat liver induced in vivo by hepatocarcinogens including heterocyclic amines. *Mutat Res.* 251: 59-69.
- Sawant, SY; Somani, RS; Bajaj, HC. (2010). A solvothermal-reduction method for the production of horn shaped multi-wall carbon nanotubes. *Carbon.* 48: 668-672. <http://dx.doi.org/10.1016/j.carbon.2009.10.008>.
- Sawant, SY; Somani, RS; Newalkar, BL; Choudary, NV; Bajaj, HC. (2009). Synthesis of submicron size hollow carbon spheres by a chemical reduction - solvothermal method using carbon tetrachloride as carbon source. *Mater Lett.* 63: 2339-2342. <http://dx.doi.org/10.1016/j.matlet.2009.07.066>.
- Sawant, SY; Somani, RS; Sharma, SS; Bajaj, HC. (2014). Greenhouse Gas Adsorptivity of Horn-Shaped Carbon Nanotubes over Nitrogen: Equilibrium Study. *Separation Science and Technology.* 49: 1227-1234. <http://dx.doi.org/10.1080/01496395.2013.873050>.
- Sayato, Y; Nakamuro, K; Usui, S. (1987). CONTRIBUTION OF METABOLITES TO CARBON TETRACHLORIDE-INDUCED HEPATOTOXICITY IN RAT-LIVER MICROSOMES INVITRO. *JTTHE.* 33: 394-404.
- Schafer, B; Lacmann, R. (1995). MODELING OF THERMODYNAMIC PROPERTIES OF ASSOCIATED SOLUTIONS WITH EQUILIBRIUM-CONSTANTS DEFINED ON ACTIVITIES. *Fluid Phase Equilibria.* 112: 101-123.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Schanke, CA; Wackett, LP. (1992). Environmental Reductive Elimination Reactions of Polychlorinated Ethanes Mimicked by Transition-Metal Coenzymes. *Environ Sci Technol.* 26: 830-833.
- Scherer, MM; Richter, S; Valentine, RL; Alvarez, PJJ. (2000). Chemistry and microbiology of permeable reactive barriers for in situ groundwater clean up. *Crit Rev Environ Sci Tech.* 30: 363-411.
- Scherer, MM; Westall, JC; Tratnyek, PG. (2002). Discussion on "Electrochemical and Raman spectroscopic studies of the influence of chlorinated solvents on the corrosion behaviour of iron in borate buffer and in simulated groundwater" [*Corrosion Science* 42 (2000) 1921-1939]. *Corrosion Sci.* 44: 1151-1157.
- Scherer, MM; Westall, JC; Ziomekmoroz, M; Tratnyek, PG. (1997). Kinetics of carbon tetrachloride reduction at an oxide-free iron electrode. *Environ Sci Technol.* 31: 2385-2391.
- Scheutz, C; Dote, Y; Fredenslund, AM; Mosbaek, H; Kjeldsen, P. (2007). Attenuation of Fluorocarbons released from foam insulation in landfills. *Environ Sci Technol.* 41: 7714-7722. <http://dx.doi.org/10.1021/es0707409>.
- Scheutz, C; Durant, ND; Hansen, MH; Bjerg, PL. (2011). Natural and enhanced anaerobic degradation of 1,1,1-trichloroethane and its degradation products in the subsurface--a critical review [Review]. *Water Res.* 45: 2701-2723. <http://dx.doi.org/10.1016/j.watres.2011.02.027>.
- Scheutz, C; Kjeldsen, P. (2005). Biodegradation of trace gases in simulated landfill soil cover systems. *J Air Waste Manag Assoc.* 55: 878-885.
- Scheutz, C; Mosbaek, H; Kjeldsen, P. (2004). Attenuation of methane and volatile organic compounds in landfill soil covers. *J Environ Qual.* 33: 61-71.
- Scheutz, C; Pedersen, GB; Costa, G; Kjeldsen, P. (2009). Biodegradation of Methane and Halocarbons in Simulated Landfill Biocover Systems Containing Compost Materials. *J Environ Qual.* 38: 1363-1371. <http://dx.doi.org/10.2134/jeq2008.0170>.
- Scheutz, C; Winther, K; Kjeldsen, P. (2000). Removal of halogenated organic compounds in landfill gas by top covers containing zero-valent iron. *Environ Sci Technol.* 34: 2557-2563.
- Schiestl, RH; Gietz, RD; Mehta, RD; Hastings, PJ. (1989). Carcinogens induce intrachromosomal recombination in yeast. *Carcinogenesis.* 10: 1445-1455.
- Schiffmacher, EN; Becker, JG; Lorah, MM; Voytek, MA. (2016). The effects of co-contaminants and native wetland sediments on the activity and dominant transformation mechanisms of a 1,1,2,2-tetrachloroethane (TeCA)-degrading enrichment culture. *Chemosphere.* 147: 239-247. <http://dx.doi.org/10.1016/j.chemosphere.2015.12.033>.
- Schindler, LE; Plank, CA; Christopher, PM; Laukhuf, WLS. (1977). VAPOR-LIQUID-EQUILIBRIA OF TERNARY-SYSTEM METHYL BORATE METHYL-ALCOHOL CARBON TETRACHLORIDE. *Journal of Chemical and Engineering Data.* 22: 294-296.
- Schlenk, D; Ronis, MJ; Miranda, C; Buhler, DR. (1995). EFFECTS OF 2-METHYLISOBORNEOL (MIB), AND ETHANOL ON THE EXPRESSION AND ACTIVITY OF CYTOCHROME P450S FROM THE CHANNEL CATFISH. *J Fish Biol.* 46: 282-291.
- Schlueter, M; Hentzel, T; Suarez, C; Koch, M; Lorenz, WG; Boehm, L; Duering, RA; Koinig, KA; Bunge, M. (2014). Synthesis of novel palladium(0) nanocatalysts by microorganisms from heavy-metal-influenced high-alpine sites for dehalogenation of polychlorinated dioxins. *Chemosphere.* 117: 462-470. <http://dx.doi.org/10.1016/j.chemosphere.2014.07.030>.
- Schmidt, JT; Ahmad, M; Teel, AL; Watts, RJ. (2011). Hydrogen peroxide stabilization in one-dimensional flow columns. *J Contam Hydrol.* 126: 1-7. <http://dx.doi.org/10.1016/j.jconhyd.2011.05.008>.
- Schmidt-Szalowski, K; Krawczyk, K; Sentek, J, an; Ulejczyk, B; Gorska, A; Mlotek, M. (2011). Hybrid plasma-catalytic systems for converting substances of high stability, greenhouse gases and VOC. *Chem Eng Res Des.* 89: 2643-2651. <http://dx.doi.org/10.1016/j.cherd.2011.06.018>.
- Schoeffner, DJ; Warren, DA; Muralidara, S; Bruckner, JV; Simmons, JE. (1999). Organ weights and fat volume in rats as a function of strain and age. *J Toxicol Environ Health A.* 56: 449-462. <http://dx.doi.org/10.1080/009841099157917>.
- Schoenfeld, W; Antonell, MJ; Abernathy, CR. (1998). Doping of InSb and InAs using CBr4 during growth by gas source molecular beam epitaxy. *J Cryst Growth.* 188: 50-55.
- Scholten, D; Trebicka, J; Liedtke, C; Weiskirchen, R. (2015). The carbon tetrachloride model in mice. *Lab Anim.* 49: 4-11. <http://dx.doi.org/10.1177/0023677215571192>.
- Schwandner, FM; Seward, TM; Gize, AP; Hall, PA; Dietrich, VJ. (2004). Diffuse emission of organic trace gases from the flank and crater of a quiescent active volcano (Vulcano, Aeolian Islands, Italy). *J Geophys Res Atmos.* 109. <http://dx.doi.org/10.1029/2003JD003890>.
- Scialdone, O; Galia, A; Guarisco, C; La Mantia, S. (2012). Abatement of 1,1,2,2-tetrachloroethane in water by reduction at silver cathode and oxidation at boron doped diamond anode in micro reactors. *Chem Eng J.* 189-190: 229-236. <http://dx.doi.org/10.1016/j.cej.2012.02.062>.
- Scibior, A; Zaporowska, H. (2007). Effects of vanadium(V) and/or chromium(III) on L-ascorbic acid and glutathione as well as iron, zinc, and copper levels in rat liver and kidney. *J Toxicol Environ Health A.* 70: 696-704. <http://dx.doi.org/10.1080/15287390601187906>.
- Seawright, AA; Wilkie, IW; Costigan, P; Hrdlicka, J; Steele, DP. (1980). The effect of an equimolar mixture of carbon tetrachloride and carbon disulphide on the liver of the rat. *Biochem Pharmacol.* 29: 1007-1014.
- Sedov, IA; Solomonov, BN. (2009). A method to determine the Gibbs energy of specific interactions in solutions. Hydrogen bonding of proton donating solutes in basic solvents. *Fluid Phase Equilibria.* 276: 108-115. <http://dx.doi.org/10.1016/j.fluid.2008.10.015>.
- Sega, M; Fabian, B; Horvai, G; Jedlovsky, P, al. (2016). How Is the Surface Tension of Various Liquids Distributed along the Interface Normal? *J Phys Chem C.* 120: 27468-27477. <http://dx.doi.org/10.1021/acs.jpcc.6b09880>.
- Seki, T; Morimura, S; Tabata, S; Tang, Y; Shigematsu, T; Kida, K. (2008). Antioxidant activity of vinegar produced from distilled residues of the Japanese liquor shochu. *J Agric Food Chem.* 56: 3785-3790. <http://dx.doi.org/10.1021/jf073040w>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Selden, J. R.; Dolbeare, F; Miller, JE; Clair, JH; Mcgettigan, K; Dijohn, JA; Dysart, GA; Deluca, JG. (1994). Validation of a flow cytometric in vitro DNA repair (UDS) assay in rat hepatocytes. *Mutat Res.* 315: 147-167.
- Selmanoğlu, G; Karacaoğlu, E; Kiliç, A; Koçkaya, EA; Akay, MT. (2012). Toxicity of food contaminant furan on liver and kidney of growing male rats. *Environ Toxicol.* 27: 613-622. <http://dx.doi.org/10.1002/tox.20673>.
- Semadeni, M; P-C, C; Reinhard, M. (1998). Reductive transformation of trichloroethene by cobalamin: Reactivities of the intermediates acetylene, chloroacetylene, and the DCE isomers. *Environ Sci Technol.* 32: 1207-1213.
- Semencha, AV; Pozdnyakov, OF; Pozdnyakov, AO; Blinov, LN. (2008). Investigation of the structure of carbon-nitrogen compounds. *Glass Physics and Chemistry.* 34: 103-109. <http://dx.doi.org/10.1134/S108765960801015X>.
- Semprini, L. (1995). In situ bioremediation of chlorinated solvents [Review]. *Environ Health Perspect.* 103: 101-105.
- Semprini, L; Hopkins, GD; Mccarty, PL; Roberts, PV. (1992). In situ transformation of carbon tetrachloride and other halogenated compounds resulting from biostimulation under anoxic conditions. *Environ Sci Technol.* 26: 2454-2461. <http://dx.doi.org/10.1021/es00036a018>.
- Sen, B; Osterman, GB; Salawitch, RJ; Toon, GC; Margitan, JJ; Blavier, JF; Chang, AY; May, RD; Webster, CR; Stimpfle, RM; Bonne, GP; Voss, PB; Perkins, KK; Anderson, JG; Cohen, RC; Elkins, JW; Dutton, GS; Hurst, DF; Romashkin, PA; Atlas, EL; Schaufli, SM; Loewenstein, M. (1999). The budget and partitioning of stratospheric chlorine during the 1997 Arctic summer. *J Geophys Res Atmos.* 104: 26653-26665.
- Seo, HS; Mccray, JE. (2002). Interfacial tension of chlorinated aliphatic DNAPL mixtures as a function of organic phase composition. *Environ Sci Technol.* 36: 1292-1298. <http://dx.doi.org/10.1021/es010931q>.
- Seo, YW; Lee, H. (2001). A new hydrate-based recovery process for removing chlorinated hydrocarbons from aqueous solutions. *Environ Sci Technol.* 35: 3386-3390.
- Serrano-Trespalacios, PI; Ryan, L; Spengler, JD. (2004). Ambient, indoor and personal exposure relationships of volatile organic compounds in Mexico City metropolitan area. *J Expo Anal Environ Epidemiol.* 1: S118-S132. <http://dx.doi.org/10.1038/sj.jea.7500366>.
- Servagent, S; Dubot, P; Vilar, MR. (1994). ADSORPTION-KINETICS STUDIES OF CHLOROSILANES ON SILICON. 184-189.
- Sexton, K; Adgate, JL; Church, TR; Ashley, DL; Needham, LL; Ramachandran, G; Fredrickson, AL; Ryan, AD. (2005). Children's exposure to volatile organic compounds as determined by longitudinal measurements in blood. *Environ Health Perspect.* 113: 342-349. <http://dx.doi.org/10.1289/ehp.7412>.
- Sexton, K; Adgate, JL; Ramachandran, G; Pratt, GC; Mongin, SJ; Stock, TH; Morandi, MT. (2004). Comparison of personal, indoor, and outdoor exposures to hazardous air pollutants in three urban communities. *Environ Sci Technol.* 38: 423-430.
- Shah, AS; Khan, RA; Ahmed, M; Muhammad, N. (2016). Hepatoprotective role of *Nicotiana glauca* Linn. against carbon tetrachloride-induced injuries. *Toxicol Ind Health.* 32: 292-298. <http://dx.doi.org/10.1177/0748233713498448>.
- Shah, J; Vakharia, MN; Pandya, MV; Talele, GD; Pathak, KG; Palsanawala, PP; Oswal, SL. (1988). THE ROLE OF HYDROGEN-BONDING IN THE VISCOSITY OF BINARY-LIQUID MIXTURES OF ANILINE WITH BENZENE, CARBON-TETRACHLORIDE, TOLUENE, CHLOROBENZENE, BROMOBENZENE, NITROBENZENE, PYRIDINE, PARA-DIOXANE AND METHANOL AT 25-DEGREES-C, 35-DEGREES-C AND 45-DEGREES-C. 26: 383-388.
- Shalmashi, A; Eliassi, A, li. (2008). Solubility of salicylic acid in water, ethanol, carbon tetrachloride, ethyl acetate, and xylene. *Journal of Chemical and Engineering Data.* 53: 199-200. <http://dx.doi.org/10.1021/jc7004962>.
- Shalmashi, A; Golmohammad, F. (2010). SOLUBILITY OF CAFFEINE IN WATER, ETHYL ACETATE, ETHANOL, CARBON TETRACHLORIDE, METHANOL, CHLOROFORM, DICHLOROMETHANE, AND ACETONE BETWEEN 298 AND 323 K. *Lat Am Appl Res.* 40: 283-285.
- Shamay, ES; Richmond, GL. (2010). Ionic Disruption of the Liquid-Liquid Interface. *J Phys Chem C.* 114: 12590-12597. <http://dx.doi.org/10.1021/jp1023668>.
- Shamberger, RJ; Andreone, TL; Willis, CE. (1974). Antioxidants and cancer IV Initiating activity of malonaldehyde as a carcinogen. *J Natl Cancer Inst.* 53: 1771-1773.
- Shamsipur, M; Davarkhah, R; Yamini, Y; Hassani, R; Khanchi, A, liR. (2009). Selective Facilitated Transport of Uranium(VI) Across a Bulk Liquid Membrane Containing Benzoyltrifluoroacetone as Extractant-Carrier. *Separation Science and Technology.* 44: 2645-2660. <http://dx.doi.org/10.1080/01496390903012247>.
- Shan, H; Kurtz, HD; Freedman, DL. (2010). Evaluation of strategies for anaerobic bioremediation of high concentrations of halomethanes. *Water Res.* 44: 1317-1328. <http://dx.doi.org/10.1016/j.watres.2009.10.035>.
- Shan, XC; Qin, W; Dai, YY. (2005). Relative basicity of trioctylamine to carboxylic acid in selected organic diluents. *Chinese Journal of Chemical Engineering.* 13: 747-750.
- Shan, XC; Qin, W; Dai, YY. (2006). Dependence of extraction equilibrium of monocarboxylic acid from aqueous solutions on the relative basicity of extractant. *Chem Eng Sci.* 61: 2574-2581. <http://dx.doi.org/10.1016/j.ces.2005.11.026>.
- Shankar, K; Vaidya, VS; Apte, UM; Manautou, JE; Ronis, MJ; Bucci, TJ; Mehendale, HM. (2003). Type 1 diabetic mice are protected from acetaminophen hepatotoxicity. *Toxicol Sci.* 73: 220-234. <http://dx.doi.org/10.1093/toxsci/kfg059>.
- Shao, H; Butler, EC. (2007). The influence of iron and sulfur mineral fractions on carbon tetrachloride transformation in model anaerobic soils and sediments. *Chemosphere.* 68: 1807-1813. <http://dx.doi.org/10.1016/j.chemosphere.2007.04.048>.
- Shao, H; Butler, EC. (2009). Influence of soil minerals on the rates and products of abiotic transformation of carbon tetrachloride in anaerobic soils and sediments. *Environ Sci Technol.* 43: 1896-1901. <http://dx.doi.org/10.1021/es8026727>.
- Shao, H; Butler, EC. (2009). The Relative Importance of Abiotic and Biotic Transformation of Carbon Tetrachloride in Anaerobic Soils and Sediments. *Soil Sediment Contam.* 18: 455-469. <http://dx.doi.org/10.1080/15320380902962346>.
- Shao, L, ei; Samseth, J, on; Hagg, M, ayB. (2006). Gas permeabilities of poly(4-methyl-2-pentyne) membranes surface modified with carbon tetrachloride plasma. *Desalination.* 200: 1-3. <http://dx.doi.org/10.1016/j.desal.2006.03.127>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Shao, L, ei; Samseth, J, on; Hagg, M, ayB. (2008). Crosslinking and stabilization of high fractional free volume polymers for gas separation. *Int J Greenhouse Gas Control*. 2: 492-501. <http://dx.doi.org/10.1016/j.ijggc.2008.04.005>.
- Shapiro, SD; Busenberg, E; Focazio, MJ; Plummer, LN. (2004). Historical trends in occurrence and atmospheric inputs of halogenated volatile organic compounds in untreated ground water used as a source of drinking water. *Sci Total Environ*. 321: 201-217. <http://dx.doi.org/10.1016/j.scitotenv.2003.09.007>.
- Sharghi, H; Forghaniha, A. (1995). Efficient synthesis of a range of 1-hydroxy-2-(1-alkyloxymethyl)-9,10-anthraquinone derivatives. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)*. 14: 16-22.
- Shariati, A; Lameris, GH; Peters, C, orJ. (2015). Experimental Determination of CCl₄ Hydrate Phase Equilibria up to High Pressures. *Journal of Chemical and Engineering Data*. 60: 398-402. <http://dx.doi.org/10.1021/je5006505>.
- Sharma, A; Gogate, PR; Mahulkar, A; Pandit, AB. (2008). Modeling of hydrodynamic cavitation reactors based on orifice plates considering hydrodynamics and chemical reactions occurring in bubble. *Chem Eng J*. 143: 201-209. <http://dx.doi.org/10.1016/j.cej.2008.04.005>.
- Sharma, A; Saxena, A; Singh, B. (2009). In-situ degradation of sulphur mustard using (1R)-(-)-(camphorylsulphonyl) oxaziridine impregnated adsorbents. *J Hazard Mater*. 172: 650-653. <http://dx.doi.org/10.1016/j.jhazmat.2009.07.046>.
- Sharma, MC; Pathak, NN. (1991). BIOCHEMICAL-CHANGES IN EXPERIMENTALLY INDUCED HEPATOPATHY IN GOATS FED DIFFERENT LEVELS OF DIETARY-PROTEIN AND EFFECT OF HERBAL THERAPY. *Indian J Anim Sci*. 61: 1269-1275.
- Sharma, P; Mohan, L; Srivastava, CN. (2006). Phytoextract-induced developmental deformities in malaria vector. *Bioresour Technol*. 97: 1599-1604. <http://dx.doi.org/10.1016/j.biortech.2005.07.024>.
- Sharma, S; Rana, SV. (2013). Melatonin improves liver function in benzene-treated rats. *Arh Hig Rada Toksikol*. 64: 33-41. <http://dx.doi.org/10.2478/10004-1254-64-2013-2248>.
- Shaw, MC. (2003). The size effect in metal cutting. *Sadhana*. 28: 875-896.
- Shchapin, IY, u; Makhnach, OV; Klochikhin, VL; Osokin, Y, uG; Nekhaev, AI. (2008). Chemical behavior of 5-vinyl-2-norbornene, 5-ethylidene-2-norbornene, and related compounds as a key to understanding specifics of radiation-chemical processes: 3. The structure of 5-vinyl-2-norbornene and 2-vinylnorbornane radical cations. *Petroleum Chemistry*. 48: 71-82. <http://dx.doi.org/10.1134/S0965544108010143>.
- Shchapin, IY, u; Makhnach, OV; Klochikhin, VL; Osokin, Y, uG; Nekhaev, AI. (2010). Chemical behavior of 5-vinyl-2-norbornene, 5-ethylidene-2-norbornene, and related compounds as a key to understanding the specifics of radiation-chemical processes: 5. Energy-controlled positive-charge transfer processes. *Petroleum Chemistry*. 50: 476-483. <http://dx.doi.org/10.1134/S0965544110060125>.
- Shcherban, ND; Filonenko, SM; Yaremov, PS; Skoryk, M; Ilyin, VG; Aho, A; Murzin, DY, u. (2016). Synthesis, structure and adsorption properties of nonstoichiometric carbon nitride in comparison with nitrogen-containing carbons. *J Ind Eng Chem*. 34: 292-299. <http://dx.doi.org/10.1016/j.fiec.2015.11.023>.
- Shehata, SA. (2005). Nitrate detoxification of drinking water by ascorbic acid in growing rabbits. *World Rabbit Science*. 13: 93-106.
- Shekaari, H; Bezaatpour, A; Soltanpour, A. (2010). Partial Molar Volumes of N,N '-1,2-Ethyl-bis(salicyladimine) Schiff Base (Salen) in Organic Solvents at T = (283.15 to 318.15) K. *Journal of Chemical and Engineering Data*. 55: 5927-5931. <http://dx.doi.org/10.1021/je100369a>.
- Shemer, H; Narkis, N. (2005). Effect of various reaction parameters on THMs aqueous sonolysis. *Chemosphere*. 59: 1317-1321. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.045>.
- Shen, JM, in; Xu, L, in; Liu, Y, uGe; Lu, CL; Hou, W, enHua; Zhu, J, unJie. (2008). Wet chemistry self-seeded surface-deposition process toward amorphous carbon nanotubes and their electrochemical application. *Chem Mater*. 20: 3034-3041. <http://dx.doi.org/10.1021/cm702966x>.
- Shen, XY; Lu, YY; Zhu, LZ; Lu, SY. (2004). Sorption of BTEX mixtures to organobentonites. *J Environ Sci*. 16: 222-225.
- Shen, YH. (2001). Preparations of organobentonite using nonionic surfactants. *Chemosphere*. 44: 989-995.
- Shen, YH. (2002). Removal of dissolved organic matter from water by adsorption-flocculation using organobentonite. *Environ Technol*. 23: 553-560.
- Shen, YH. (2002). Removal of phenol from water by adsorption-flocculation using organobentonite. *Water Res*. 36: 1107-1114.
- Shen, YH. (2002). Sorption of benzene and naphthol to organobentonites intercalated with short chain cationic surfactants. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 37: 43-54.
- Shen, YS; Ku, Y. (1999). Treatment of gas-phase volatile organic compounds (VOCs) by the UV/O-3 process. *Chemosphere*. 38: 1855-1866.
- Sheng, G; Xu, S; Boyd, SA. (1996). Cosorption of organic contaminants from water by hexadecyltrimethylammonium-exchanged clays. *Water Res*. 30: 1483-1489.
- Shetty, MK; Limmer, MA; Waltermire, K; Morrison, GC; Burken, JG. (2014). In planta passive sampling devices for assessing subsurface chlorinated solvents. *Chemosphere*. 104: 149-154. <http://dx.doi.org/10.1016/j.chemosphere.2013.10.084>.
- Sheu, F; Chien, PJ; Hsieh, KY; Chin, KL; Huang, WT; Tsao, CY; Chen, YF; Cheng, HC; Chang, HH. (2009). Purification, cloning, and functional characterization of a novel immunomodulatory protein from *Antrodia camphorata* (bitter mushroom) that exhibits TLR2-dependent NF- κ B activation and M1 polarization within murine macrophages. *J Agric Food Chem*. 57: 4130-4141. <http://dx.doi.org/10.1021/jf900469a>.
- Shields, PA; Farrah, S. R.; Shah, DO. (1991). THE CORRELATION OF HYDROPHILE LIPOPHILE BALANCE OF FILTERS WITH VIRUS DESORPTION. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi*. 26: 711-719.
- Shigematsu, K; Sugawara, A; Takahashi, Y. (2012). Pressure-Induced Growth of Carbon Tetrachloride Solid II in Solid Ib. *Cryst Growth Des*. 12: 3402-3406. <http://dx.doi.org/10.1021/cg201320t>.
- Shikata, T; Sakai, Y; Watanabe, J. (2014). Nitrobenzene anti-parallel dimer formation in non-polar solvents. 4. <http://dx.doi.org/10.1063/1.4884393>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Shilimkar, TN; Anuse, MA. (2002). Rapid extraction of lead(II) from succinate media with n-octylaniline in toluene. *Separation and Purification Technology*. 26: 185-193.
- Shim, WG; Lee, JW; Moon, H. (2003). Adsorption of carbon tetrachloride and chloroform on activated carbon at (300.15, 310.15, 320.15, and 330.15) K. *Journal of Chemical and Engineering Data*. 48: 286-290. <http://dx.doi.org/10.1021/je020109h>.
- Shimoda, H; Tanaka, J; Kikuchi, M; Fukuda, T; Ito, H; Hatano, T; Yoshida, T. (2008). Walnut polyphenols prevent liver damage induced by carbon tetrachloride and d-galactosamine: hepatoprotective hydrolyzable tannins in the kernel pellicles of walnut. *J Agric Food Chem*. 56: 4444-4449. <http://dx.doi.org/10.1021/jf8002174>.
- Shimoda, S; Prengle H W, J. R.; Symons, JM. (1998). H₂O₂isUV photo-oxidation process for treatment of waterborne hazardous substances-reaction mechanism, rate model, and data for tubular flow and flow stirred tank reactors. *Waste Manag*. 17: 507-515.
- Shimotori, T; Cussler, EL; Arnold, WA. (2006). High-density polyethylene membrane containing Fe-0 as a contaminant barrier. *J Environ Eng*. 132: 803-809. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:7\(803\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:7(803)).
- Shimotori, T; Nuxoll, EE; Cussler, EL; Arnold, WA. (2004). A polymer membrane containing Fe-0 as a contaminant barrier. *Environ Sci Technol*. 38: 2264-2270. <http://dx.doi.org/10.1021/es034601c>.
- Shin, HC; Park, JW; Park, K; Song, HC. (2002). Removal characteristics of trace compounds of landfill gas by activated carbon adsorption. *Environ Pollut*. 119: 227-236.
- Shin, HS; Lim, HH. (2017). Identification and determination of disinfection byproducts in chlorine-containing household cleansing products. *Chemosphere*. 174: 157-164. <http://dx.doi.org/10.1016/j.chemosphere.2017.01.090>.
- Shin, K; Rafailovich, MH; Sokolov, J; Gersappe, D; Kim, MW; Satija, SK; Nguyen, D; Xu, D; Yang, NL; Eisenberg, A. (2001). Structures of thin ionomer films in solvent mixtures. *Langmuir*. 17: 6675-6682.
- Shirai, M; Suzuki, N; Nishiyama, Y; Torii, K; Arai, M. (1999). Size-selective hydrogenation of NBR polymers catalyzed by pore-size controlled smectites loaded with palladium. *Appl Catal A-Gen*. 177: 219-225.
- Shiraishi, Y; Tomita, H; Fujiki, K; Hirai, H. (1998). One-step synthesis of 4,4'-biphenyldicarboxylic acid from biphenyl using cyclodextrin as catalyst. *React Funct Polym*. 36: 99-102.
- Shirakura, K; Kwon, SM, o; Masuda, H; Obi, S; Ito, R, ie; Shizuno, T; Kurihara, Y; Mine, T; Asahara, T. (2009). Establishment of Two Liver Fibrosis Models to Examine Endothelial Progenitor Cell Kinetics. 6: 1128-1133.
- Shirono, K; Morimatsu, T; Takemura, F. (2008). Gas Solubilities (CO₂, O₂, Ar, N₂, H₂, and He) in liquid chlorinated methanes. *Journal of Chemical and Engineering Data*. 53: 1867-1871. <http://dx.doi.org/10.1021/je800200j>.
- Shnyra, A; Bocharov, A; Bochkova, N; Spirov, V. (1991). BIOARTIFICIAL LIVER USING HEPATOCYTES ON BIOSILON MICROCARRIERS - TREATMENT OF CHEMICALLY-INDUCED ACUTE HEPATIC-FAILURE IN RATS. *Artif Organs*. 15: 189-197.
- Shrout, JD; Larese-Casanova, P; Scherer, MM; Alvarez, PJ. (2005). Sustained and complete hexahydro-1,3,5-trinitro-1,3,5-triazine(RDX)degradation in zero-valent iron simulated barriers under different microbial conditions. *Environ Technol*. 26: 1115-1126.
- Shuaibov, AK; Minya, AI; Hrytsak, RV; Gomoki, ZT. (2015). Characteristics of a nanosecond-barrier-discharge-pumped multiwave UV-VUV lamp on a mixture of argon, krypton and vapours of freon. *Quantum Electronics*. 45: 185-188. <http://dx.doi.org/10.1070/QE2015v045n02ABEH015461>.
- Shukla, RK; Kumar, A; Singh, N; Tiwari, U, maK. (2009). VISCOUS BEHAVIOUR OF QUATERNARY FLUID SOLUTIONS AT 298.15 K. *Can J Chem Eng*. 87: 649-655. <http://dx.doi.org/10.1002/cjce.20202>.
- Shulman, SA; Groff, JH; Schlecht, PC; Xue, DX. (1996). Performance of laboratories analyzing organic solvents in the proficiency analytical testing program. *Am Ind Hyg Assoc J*. 57: 295-303.
- Shurupov, SV. (2000). Some factors that govern particulate carbon formation during pyrolysis of hydrocarbons. *Proc Combust Inst*. 28: 2507-2514.
- Shurupov, SV; Tesner, PA. (1999). Soot formation in isothermal pyrolysis of carbon tetrachloride and its mixture with methane. *Combustion, Explosion, and Shock Waves*. 35: 386-392.
- Sicilianojones, J; Murphy, MR. (1991). SPECIFIC-GRAVITY OF VARIOUS FEEDSTUFFS AS AFFECTED BY PARTICLE-SIZE AND INVITRO FERMENTATION. *J Dairy Sci*. 74: 896-901.
- Siddiqui, MN. (2003). Infrared study of hydrogen bond types in asphaltenes. *Petroleum Science and Technology*. 21: 1601-1615. <http://dx.doi.org/10.1081/LFT-120023241>.
- Siedlecka, EM; Mrozik, W; Kaczyński, Z; Stepnowski, P. (2008). Degradation of 1-butyl-3-methylimidazolium chloride ionic liquid in a Fenton-like system. *J Hazard Mater*. 154: 893-900. <http://dx.doi.org/10.1016/j.jhazmat.2007.10.104>.
- Silenko, PM; Shlapak, AN; Afanas'ev, VP. (2006). Chemical vapor deposition of pyrolytic carbon on SiC fibers. *Inorg Mater*. 42: 246-249. <http://dx.doi.org/10.1134/S002016850603006X>.
- Silva, LIB; Rocha-Santos, TAP; Duarte, AC. (2008). Sensing of volatile organic compounds in indoor atmosphere and confined areas of industrial environments. *Global NEST J*. 10: 217-225.
- Silvester, E; Charlet, L; Tournassat, C; Gehin, A; Greneche, JM; Liger, E. (2005). Redox potential measurements and Mossbauer spectrometry of Fe-II adsorbed onto Fe-III (oxyhydr)oxides. *Geochim Cosmo Acta*. 69: 4801-4815. <http://dx.doi.org/10.1016/j.gca.2005.06.013>.
- Simmon, VF; Kauhanen, K; Tardiff, RG. (1977). Mutagenic activity of chemicals identified in drinking water. In *Second International Conference on Environmental Mutagens*, Edinburgh, Scotland July 11-15, 1977. New York, NY: Elsevier/North Holland Press.
- Simmon, VF; Tardiff, RG. (1978). Water Chlorination: Environmental Impact and Health Effects The mutagenic activity of halogenated compounds found in chlorinated drinking water. Ann Arbor, MI: Lewis Publishers Inc.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Simmonds, PG; Derwent, RG; Mcculloch, A; Odoherty, S; Gaudry, A. (1996). Long-term trends in concentrations of halocarbons and radiatively active trace gases in Atlantic and European air masses monitored at Mace Head, Ireland from 1987-1994. *Atmos Environ.* 30: 4041-4063.
- Simmons, JE; Mcdonald, A; Seely, JC; Sey, YM. (1995). Potentiation of carbon tetrachloride hepatotoxicity by inhaled methanol: time course of injury and recovery. *J Toxicol Environ Health.* 46: 203-216. <http://dx.doi.org/10.1080/15287399509532029>.
- Simmons, JE; Yang, RS; Svendsgaard, DJ; Thompson, MB; Seely, JC; Mcdonald, A. (1994). Toxicology studies of a chemical mixture of 25 groundwater contaminants: Hepatic and renal assessment, response to carbon tetrachloride challenge, and influence of treatment-induced water restriction. *J Toxicol Environ Health.* 43: 305-325. <http://dx.doi.org/10.1080/15287399409531923>.
- Simoiu, L; Baniceru, M; Trandafir, I. (1998). Excess properties in the binary systems containing carbon tetrachloride. *Rev Chim.* 49: 16-18.
- Simoiu, L; Trandafir, I; Pleniceanu, M; Baniceru, M. (1997). Excess properties of binary systems formed by carbon tetrachloride with isopropanol and n-butanol. *Fluid Phase Equilibria.* 136: 307-314.
- Simpson, EJ; Abukhadra, RK; Koros, WJ; Schechter, RS. (1993). SORPTION EQUILIBRIUM ISOTHERMS FOR VOLATILE ORGANICS IN AQUEOUS-SOLUTION - COMPARISON OF HEADSPACE GAS-CHROMATOGRAPHY AND ONLINE UV STIRRED CELL RESULTS. *Ind Eng Chem Res.* 32: 2269-2276.
- Sina, JF; Bean, CL; Dysart, GR; Taylor, VI; Bradley, MO. (1983). Evaluation of the alkaline elution/rat hepatocyte assay as a predictor of carcinogenic/mutagenic potential. *Mutat Res Environ Mutagen Relat Subj.* 113: 357-391. [http://dx.doi.org/10.1016/0165-1161\(83\)90228-5](http://dx.doi.org/10.1016/0165-1161(83)90228-5).
- Singh, H; Mehta, P; Vig, AP. (1997). Removal of glucosinolates from rapeseed meal using bowl-shaped tetrameric molecules in apolar solvent. *J Agric Food Chem.* 45: 4522-4524.
- Singh, LSS; Tiwary, KP; Purohit, RK; Zaidi, ZH; Husain, M. (2005). ECR plasma etching of GaAs in CCl₂F₂/Ar/O-2 discharge and IR studies of the etched surface. *Curr Appl Phys.* 5: 351-355. <http://dx.doi.org/10.1016/j.cap.2004.04.002>.
- Singh, N; Kamath, V; Narasimhamurthy, K; Rajini, PS. (2008). Protective effect of potato peel extract against carbon tetrachloride-induced liver injury in rats. *Environ Toxicol Pharmacol.* 26: 241-246. <http://dx.doi.org/10.1016/j.etap.2008.05.006>.
- Singh, N; Khullar, N; Kakkar, V; Kaur, IP. (2016). Hepatoprotective effects of sesamol loaded solid lipid nanoparticles in carbon tetrachloride induced sub-chronic hepatotoxicity in rats. *Environ Toxicol.* 31: 520-532. <http://dx.doi.org/10.1002/tox.22064>.
- Singh, P; Kaushik, A; Kirandeep. (2006). Mechanical and transport properties of colloidal silica-unsaturated polyester composites. *Journal of Reinforced Plastics and Composites.* 25: 119-140. <http://dx.doi.org/10.1177/0731684405055460>.
- Singhal, KG; Gupta, GD. (2012). Hepatoprotective and antioxidant activity of methanolic extract of flowers of Nerium oleander against CCl₄-induced liver injury in rats. *Asian Pacific Journal of Tropical Medicine.* 5: 677-685. [http://dx.doi.org/10.1016/S1995-7645\(12\)60106-0](http://dx.doi.org/10.1016/S1995-7645(12)60106-0).
- Sinha, S; Murthy, PSN; Rao, CVN; Ramaprasad, G; Sitaramaiah, S; Kumar, DG; Savant, SK. (1999). Simple method for enrichment of azadirachtin from neem seeds. *Journal of Sci Ind Res.* 58: 990-994.
- Sinquin, G; Petit, C; Libs, S; Hindermann, JP; Kiennemann, A. (2000). Catalytic destruction of chlorinated C-1 volatile organic compounds (CVOCs) reactivity, oxidation and hydrolysis mechanisms. *Appl Catal B-Environ.* 27: 105-115.
- Sivapullaiah, PV; Lakshmi Kantha, H. (2005). Chemical compatibility of lime stabilized Indian red earth as liner material. *Soil Sediment Contam.* 14: 515-526. <http://dx.doi.org/10.1080/15320380500263717>.
- Skeen, RS; Amos, KM; Petersen, JN. (1994). INFLUENCE OF NITRATE CONCENTRATION ON CARBON-TETRACHLORIDE TRANSFORMATION BY A DENITRIFYING MICROBIAL CONSORTIUM. *Water Res.* 28: 2433-2438.
- Skupinski, W; Malesa, M. (2002). Nitration of toluene with 65% nitric acid over MoO₃/SiO₂ as catalyst. *Przemysł Chemiczny.* 81: 519-521.
- Slater, GF; Lollar, BS; King, RA; O'Hannesin, S. (2002). Isotopic fractionation during reductive dechlorination of trichloroethene by zero-valent iron: influence of surface treatment. *Chemosphere.* 49: 587-596.
- Slater, TF. (1981). Free radicals as reactive intermediates in tissue injury. *Adv Exp Med Biol.* 136: 575-589.
- Sleep, BE; Brown, AJ; Lollar, BS. (2005). Long-term tetrachlorethene degradation sustained by endogenous cell decay. *J Environ Eng Sci.* 4: 11-17. <http://dx.doi.org/10.1139/S04-038>.
- Slemr, F; Ebinghaus, R; Simmonds, PG; Jennings, SG. (2006). European emissions of mercury derived from long-term observations at Mace Head, on the western Irish coast. *Atmos Environ.* 40: 6966-6974. <http://dx.doi.org/10.1016/j.atmosenv.2006.06.013>.
- Sliwiska-Bartkowiak, M; Gras, J; Sikorski, R; Radhakrishnan, R; Gelb, L; Gubbins, KE. (1999). Phase transitions in pores: Experimental and simulation studies of melting and freezing. *Langmuir.* 15: 6060-6069.
- Sliwiska-Bartkowiak, M; Hung, FR; Santiso, EE; Coasne, B; Grazyana, D; Siperstein, FR; Gubbins, K. (2005). Effect of confinement on freezing of CCl₄ in cylindrical pores. *Adsorption.* 11: 391-396.
- Sliwiska-Bartkowiak, M; Jazdzewska, M; Trafas, M; Kaczmarek-Klinowska, M; Gubbins, KE. (2015). Melting of Eutectic Mixtures in Silica and Carbon Nanopores. *Journal of Chemical and Engineering Data.* 60: 3093-3100. <http://dx.doi.org/10.1021/acs.jced.5b00131>.
- Sliwka, I; Lasa, J, an; Bielewski, J; Grombik, I; Limanowka, D; Rosiek, J. (2010). Long-Term Measurements of CFCs and SF₆ Concentrations in Air. *Pol J Environ Stud.* 19: 811-815.
- Smentkowski, VS; Cheng, CC; Yates, JT. (1990). THE INTERACTION OF CARBON-TETRACHLORIDE WITH FE(110) - A SYSTEM OF TRIBOLOGICAL IMPORTANCE. *Langmuir.* 6: 147-158.
- Smirnov, MB; Frolov, YB. (1989). USE OF H-1-NMR SPECTROSCOPY TO STUDY PETROLEUM ALKYL CARBAZOLES - POLYMETHYL CARBAZOLES IN A CCL₄+CDCL₃ MIXTURE. *Petroleum Chemistry.* 29: 220-229.
- Smith, A; Gelfand, A. (1992). Bayesian statistics without tears: A sampling-resampling perspective. *Am Stat.* 46: 84-89.
- Smith, BA; Teel, A, myL; Watts, RJ. (2009). Destruction of Trichloroethylene and Perchloroethylene DNAPLs by Catalyzed H₂O₂ Propagations. *J Environ Eng.* 135: 535-543. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2009\)135:7\(535\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2009)135:7(535)).

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Smith, BA; Teel, AL; Watts, RJ. (2004). Identification of the reactive oxygen species responsible for carbon tetrachloride degradation in modified Fenton's systems. *Environ Sci Technol.* 38: 5465-5469. <http://dx.doi.org/10.1021/es0352754>.
- Smith, BA; Teel, AL; Watts, RJ. (2006). Mechanism for the destruction of carbon tetrachloride and chloroform DNAPLs by modified Fenton's reagent. *J Contam Hydrol.* 85: 229-246. <http://dx.doi.org/10.1016/j.jconhyd.2006.02.002>.
- Smith, BA; Teel, AL; Watts, RJ. (2015). Destruction of 1,1,1-trichloroethane and 1,2-dichloroethane DNAPLs by catalyzed H₂O₂ propagations (CHP). *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 50: 846-854. <http://dx.doi.org/10.1080/10934529.2015.1019806>.
- Smith, BW; Fonseca, C; Zavyalova, L; Alam, Z; Bourov, A. (1997). Plasma reactive ion etching of 193 nm attenuated phase shift mask materials. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures.* 15: 2259-2262.
- Smith, ED; Mathews, DM. (1977). USE OF AN ANNULAR TEFLON SPINNING-BAND DISTILLATION COLUMN TO DETERMINE PRACTICAL LIQUID-VAPOR-EQUILIBRIUM DATA FOR CLOSE-BOILING SYSTEMS .1. CARBON TETRACHLORIDE-BENZENE SYSTEM. *Ind Eng Chem Fundam.* 16: 232-234.
- Smith, GV; Notheisz, F; Zsigmond, AG; Bartok, M. (1993). MODIFICATION OF PD AND PT BY THIOPHENE AND CARBON-TETRACHLORIDE DURING HYDROGENATION AND ISOMERIZATION OF (+)-APOPINENE. *Stud Surf Sci Catal.* 75: 2463-2466.
- Smith, JA; Bartelt-Hunt, SL; Burns, SE. (2003). Sorption and permeability of gasoline hydrocarbons in organobentonite porous media. *J Hazard Mater.* 96: 91-97.
- Smith, JA; Galan, A. (1995). Sorption of nonionic organic contaminants to single and dual organic cation bentonites from water. *Environ Sci Technol.* 29: 685-692.
- Smith, JA; Jaffe, PR. (1991). COMPARISON OF TETRACHLOROMETHANE SORPTION TO AN ALKYLAMMONIUM CLAY AND AN ALKYLDIAMMONIUM CLAY. *Environ Sci Technol.* 25: 2054-2058.
- Smith, JA; Jaffe, PR. (1994). Adsorptive selectivity of organic-cation-modified bentonite for nonionic organic contaminants. *Water Air Soil Pollut.* 72: 1-4.
- Smith, JA; Jaffe, PR. (1994). BENZENE TRANSPORT THROUGH LANDFILL LINERS CONTAINING ORGANOPHILIC BENTONITE. *J Environ Eng.* 120: 1559-1577.
- Smith, JA; Jaffe, PR; Chiou, CT. (1990). EFFECT OF 10 QUATERNARY AMMONIUM CATIONS ON TETRACHLOROMETHANE SORPTION TO CLAY FROM WATER. *Environ Sci Technol.* 24: 1167-1172.
- Smith, K; Liu, SF; El-Hiti, GA. (2005). Regioselective mononitration of simple aromatic compounds under mild conditions in ionic liquids. *Ind Eng Chem Res.* 44: 8611-8615. <http://dx.doi.org/10.1021/ie050047z>.
- Smith, RL; Acosta, GM; Arai, K. (1998). Prediction and correlation of triglyceride-solvent solid-liquid equilibria with activity coefficient models. *Fluid Phase Equilibria.* 145: 53-68.
- Smolen, JM; Weber, EJ; Tratnyek, PG. (1999). Molecular probe techniques for the identification of reductants in sediments: Evidence for reduction of 2-chloroacetophenone by hydride transfer. *Environ Sci Technol.* 33: 440-445.
- Snawder, JE; Lipscomb, JC. (2000). Interindividual variance of cytochrome P450 forms in human hepatic microsomes: correlation of individual forms with xenobiotic metabolism and implications in risk assessment. *Regul Toxicol Pharmacol.* 32: 200-209. <http://dx.doi.org/10.1006/rtph.2000.1424>.
- Soga, I; Granick, S. (1998). Flow-induced deformation and desorption of adsorbed polymers. *Langmuir.* 14: 4266-4271.
- Sokolnicki, J; Urbanski, B; Legendziewicz, J. (2000). Investigation of Er₂O₃: Yb and Er₂O₃: Tm systems in silica sol-gels. *J Alloy Comp.* 300: 450-455.
- Soldatov, DV; Enright, GD; Ratcliffe, CI; Henegouwen, AT; Ripmeester, JA. (2001). Inclusion potential, polymorphism, and molecular isomerism of metal dibenzoylmethanates coordinated with 2-methylpyridine. *Chem Mater.* 13: 4322-4334. <http://dx.doi.org/10.1021/cm010210q>.
- Soliman, AM; Abu-El-Zahab, HS; Alswiai, GA. (2013). Efficacy evaluation of the protein isolated from Peganum harmala seeds as an antioxidant in liver of rats. *Asian Pacific Journal of Tropical Medicine.* 6: 285-295. [http://dx.doi.org/10.1016/S1995-7645\(13\)60058-9](http://dx.doi.org/10.1016/S1995-7645(13)60058-9).
- Solomon, E; Borrow, J; Goddard, AD. (1991). Chromosome aberrations and cancer [Review]. *Science.* 254: 1153-1160.
- Solomon, S; Mills, M; Heidt, LE; Pollock, WH; Tuck, AF. (1992). On the evaluation of ozone depletion potentials. *J Geophys Res.* 97: 825. <http://dx.doi.org/10.1029/91JD02613>.
- Soloviev, V; Hassan, ANE; Akatov, V; Lezhnev, E; Ghaffar, TYA; Ghaffar, YA. (2003). A novel bioartificial liver containing small tissue fragments: Efficiency in the treatment of acute hepatic failure induced by carbon tetrachloride in rats. *Int J Artif Organs.* 26: 735-742.
- Sommerer, TJ; Kushner, MJ. (1992). MONTE-CARLO-FLUID MODEL OF CHLORINE ATOM PRODUCTION IN CL₂, HCL, AND CCL₄ RADIOFREQUENCY DISCHARGES FOR PLASMA-ETCHING. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures.* 10: 2179-2187.
- Son, CS; Kim, SI; Kim, Y; Lee, MS; Kim, MS; Min, SK; Choi, IH. (1996). Properties of carbon-doped InGaAs grown by atmospheric pressure metalorganic chemical vapor deposition using CCl₄. *J Cryst Growth.* 165: 222-226.
- Son, HS; Zoh, KD, uk. (2012). Effects of Methanol and Carbon Tetrachloride on Sonolysis of 1,4-Dioxane in Relation to Temperature. *Ind Eng Chem Res.* 51: 8939-8944. <http://dx.doi.org/10.1021/ie201766h>.
- Son, Y; Lim, M; Khim, J; Kim, L, eeH; Ashokkumar, M. (2012). Comparison of calorimetric energy and cavitation energy for the removal of bisphenol-A: The effects of frequency and liquid height. *Chem Eng J.* 183: 39-45. <http://dx.doi.org/10.1016/j.cej.2011.12.016>.
- Song, H; Carraway, ER. (2006). Reduction of chlorinated methanes by nano-sized zero-valent iron. Kinetics, pathways, and effect of reaction conditions. *Environ Eng Sci.* 23: 272-284.
- Song, M; Luo, C; Li, F; Jiang, L; Wang, Y; Zhang, D; Zhang, G. (2015). Anaerobic degradation of polychlorinated biphenyls (PCBs) and polychlorinated biphenyls ethers (PBDEs), and microbial community dynamics of electronic waste-contaminated soil. *Sci Total Environ.* 502: 426-433. <http://dx.doi.org/10.1016/j.scitotenv.2014.09.045>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Song, TY; Yen, GC. (2003). Protective effects of fermented filtrate from *Antrodia camphorata* in submerged culture against CCl₄-induced hepatic toxicity in rats. *J Agric Food Chem.* 51: 1571-1577. <http://dx.doi.org/10.1021/jf0209701>.
- Soni, MG; Mehendale, HM. (1998). Role of tissue repair in toxicologic interactions among hepatotoxic organics [Review]. *Environ Health Perspect.* 106 Suppl 6: 1307-1317.
- Sonich, C; Kraemer, DF; Lucas, JB. (1980). AN EPIDEMIOLOGIC-STUDY OF ACUTE EFFECTS OF A LOW-LEVEL EXPOSURE TO CARBON-TETRACHLORIDE (CCL₄). *Am J Epidemiol.* 112: 445-445.
- Sonmez, E; Turkez, H; Aydin, E; Ozgeris, FB; Oztetik, E; Kerli, S; Cacciatore, I; Di Stefano, A. (2015). Hepatic effects of yttrium oxide nanoflowers: in vitro risk evaluation. *Toxicol Environ Chem.* 97: 599-608. <http://dx.doi.org/10.1080/02772248.2015.1050025>.
- Sorel, D; Lesage, S; Brown, S; Millar, K. (2001). Vitamin B-12 and reduced titanium for remediation of residual chlorinated solvents: Field experiment. *Ground Water Monitoring and Remediation.* 21: 140-148.
- Soriano, MJ; Velasco, I; Otin, S; Kehiaian, HV. (1989). THERMODYNAMICS OF MIXTURES CONTAINING IODOALKANES .2. EXCESS-ENTHALPIES OF MIXTURES OF 1-IODOALKANE + CYCLOHEXANE, + BENZENE, OR + TETRACHLOROMETHANE - MEASUREMENT AND ANALYSIS IN TERMS OF GROUP CONTRIBUTIONS (DISQUAC). *Fluid Phase Equilibria.* 45: 205-216.
- Sorsa, M; Wilbourn, J; Vainio, H. (1992). Human cytogenetic damage as a predictor of cancer risk [Review]. In H Vainio; P Magee; DB McGregor; AJ McMichael (Eds.), *IARC Sci Publ* (pp. 543-554). Lyon, France: International Agency for Research on Cancer.
- Sosa, A; Underhill, D. (1984). SUBSTITUTES FOR CARBON-TETRACHLORIDE IN THE STANDARD ASTM TEST METHOD FOR ACTIVITY OF ACTIVATED CARBON. *J Air Pollut Control Assoc.* 34: 1215-1217.
- Soule, NM; Burns, SE. (2001). Effects of organic cation structure on behavior of organobentonites. *Journal of Geotechnical and Geoenvironmental Engineering.* 127: 363-370.
- Sowers, SL; Gubbins, KE. (1995). Optimizing removal of trace components from nitrogen/X mixtures using adsorption: Theory and simulation. *Langmuir.* 11: 4758-4764.
- Soylak, M; Unsal, YE. (2012). Dispersive liquid-liquid microextraction of cadmium(II) for preconcentration prior to flame atomic absorption spectrometric detection in water. *Toxicol Environ Chem.* 94: 1480. <http://dx.doi.org/10.1080/02772248.2012.717625>.
- Spanedda, A; Lepori, L; Matteoli, E. (1991). VOLUMES OF MIXING OF ETHERS WITH TETRACHLOROMETHANE AT 298.15-K. *Fluid Phase Equilibria.* 69: 209-222.
- Spassova, MA; Miller, DJ; Eastmond, DA; Nikolova, NS; Vulimiri, SV; Caldwell, J; Chen, C; White, PD. (2013). Dose-response analysis of bromate-induced DNA damage and mutagenicity is consistent with low-dose linear, nonthreshold processes. *Environ Mol Mutagen.* 54: 19-35. <http://dx.doi.org/10.1002/em.21737>.
- Spencer, JE; Shu, BY. (1982). EMISSION-SPECTROSCOPY OF CCL₄ AND BCL₃ PLASMAS DURING ALUMINUM ETCHING. *J Electrochem Soc.* 129: C325-C325.
- Spiegelhalter, D; Thomas, A; Best, N; Lunn, D. (2003). WinBugs version 1.4 user manual. Cambridge, UK: MRC Biostatistics Unit. <http://www.mrc-bsu.cam.ac.uk/bugs/winbugs/manual14.pdf>.
- Spirtas, R; Stewart, PA; Lee, JS; Marano, DE; Forbes, CD; Grauman, DJ; Pettigrew, HM; Blair, A; Hoover, RN; Cohen, JL. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: I. Epidemiological results. *Br J Ind Med.* 48: 515-530. <http://dx.doi.org/10.1136/oem.48.8.515>.
- Spitsyn, BV; Davidson, JL; Gradoboev, MN; Galushko, TB; Serebryakova, NV; Karpukhina, TA; Kulakova, II; Melnik, NN. (2006). Inroad to modification of detonation nanodiamond. *Diam Relat Mater.* 15: 296-299. <http://dx.doi.org/10.1016/j.diamond.2005.07.033>.
- Sponza, DT. (2002). Simultaneous granulation, biomass retainment and carbon tetrachloride (CT) removal in an upflow anaerobic sludge blanket (UASB) reactor. *Process Biochemistry.* 37: 1091-1101.
- Sponza, DT. (2005). Biotransformation of carbon tetrachloride and anaerobic granulation in a upflow anaerobic sludge blanket reactor. *J Environ Eng.* 131: 425-433. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:3\(425\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:3(425)).
- Sponza, DT; Oztekin, R. (2011). Removals of some hydrophobic poly aromatic hydrocarbons (PAHs) and *Daphnia magna* acute toxicity in a petrochemical industry wastewater with ultrasound in Izmir-Turkey. *Separation and Purification Technology.* 77: 301-311. <http://dx.doi.org/10.1016/j.seppur.2010.12.021>.
- Sprunger, LM; Achi, SS; Acree, WE, Jr; Abraham, MH; Leo, AJ; Hoekman, D. (2009). Correlation and prediction of solute transfer to chloroalkanes from both water and the gas phase. *Fluid Phase Equilibria.* 281: 144-162. <http://dx.doi.org/10.1016/j.fluid.2009.04.012>.
- Sprygin, VG; Kushnerova, NF; Fomenko, SE; Sizova, LA; Momot, TV. (2013). The hepatoprotective properties of an extract from the brown alga *Saccharina japonica*. *Russian Journal of Marine Biology.* 39: 65-69. <http://dx.doi.org/10.1134/S1063074013010100>.
- Srebowata, A; Juszczak, W; Kaszukur, Z; Sobczak, JW; Kepinski, L; Karpinski, Z. (2007). Hydrodechlorination of 1,2-dichloroethane and dichlorodifluoromethane over Ni/C catalysts: The effect of catalyst carbiding. *Appl Catal A-Gen.* 319: 181-192. <http://dx.doi.org/10.1016/j.apcata.2006.12.004>.
- Sreedharan, V; Puvvadi, S. (2013). Compressibility behaviour of bentonite and organically modified bentonite slurry. *Geotechnique.* 63: 876-879. <http://dx.doi.org/10.1680/geot.SIP13.P.008>.
- Sridharan, A; Prakash, K. (2000). Classification procedures for expansive soils. *Institution of Civil Engineers Proceedings Geotechnical Engineering.* 143: 235-240.
- Srinivasan, U; Houston, MR; Howe, RT; Maboudian, R. (1998). Alkyltrichlorosilane-based self-assembled monolayer films for stiction reduction in silicon micromachines. *I E E E Journal of Microelectromechanical Systems.* 7: 252-260.
- Srinivasu, P; Vinu, A; Hishita, S; Sasaki, T; Ariga, K; Mori, T. (2008). Preparation and characterization of novel microporous carbon nitride with very high surface area via nanocasting technique. *Microporous and Mesoporous Materials.* 108: 340-344. <http://dx.doi.org/10.1016/j.micromeso.2007.03.048>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Srivastava, AK; Shah, D; Mahato, TH; Singh, B; Saxena, A; Verma, AK; Shrivastava, S; Roy, A; Yadav, SS; Shrivastava, AR. (2012). Breakthrough behaviour of NBC canister against carbon tetrachloride: a simulant for chemical warfare agents. 13: 109-114. <http://dx.doi.org/10.5714/CL.2012.13.2.109>.
- Srivastava, AK; Shah, D; Saxena, A; Mahato, TH; Singh, B; Verma, AK; Shrivastava, S; Roy, A; Shrivastava, AR; Gutch, PK. (2012). Vapour breakthrough behaviour of carbon tetrachloride - a simulant for chemical warfare agent on ASZMT carbon. Journal of Sci Ind Res. 71: 748-756.
- Stacey, NH; Klaassen, CD. (1981). Inhibition of lipid peroxidation without prevention of cellular injury in isolated rat hepatocytes. Toxicol Appl Pharmacol. 58: 8-18.
- Stakebake, JL; Goad, HA. (1974). ADSORPTION OF CARBON-TETRACHLORIDE ON URANIUM-DIOXIDE. J Catal. 32: 272-278.
- Staker, GR; Dunlop, PJ. (1973). USE OF A NEW CELL TO MEASURE DIFFUSION-COEFFICIENTS FOR SYSTEMS BENZENE-CARBON TETRACHLORIDE AND SUCROSE-WATER AT 25 DEGREES C. Journal of Chemical and Engineering Data. 18: 61-63.
- Stankovic, MZ; Nikolic, NC; Palic, R; Cakic, MD; Veljkovic, VB. (1994). ISOLATION OF SOLANIDINE FROM HAULM AND TUBER SPROUTS OF POTATO (SOLANUM-TUBEROSUM L). Potato Research. 37: 271-278.
- Stanley, LA. (1995). Molecular aspects of chemical carcinogenesis: the roles of oncogenes and tumour suppressor genes [Review]. Toxicology. 96: 173-194.
- Stapleton, MG; Sparks, DL; Dentel, SK. (1994). SORPTION OF PENTACHLOROPHENOL TO HDTMA-CLAY AS A FUNCTION OF IONIC-STRENGTH AND PH. Environ Sci Technol. 28: 2330-2335.
- Starke, R; Kock, B; Roth, P; Eremin, A; Gurentsov, E; Shumova, V; Ziborov, V. (2003). Shock wave induced carbon particle formation from CCL4 and C3O2 observed by laser extinction and by laser-induced incandescence (LII). Combust Flame. 135: 77-85. [http://dx.doi.org/10.1016/S0010-2180\(03\)00148-2](http://dx.doi.org/10.1016/S0010-2180(03)00148-2).
- Statham, TM; Mason, LR; Mumford, KA; Stevens, GW. (2015). The specific reactive surface area of granular zero-valent iron in metal contaminant removal: Column experiments and modelling. Water Res. 77: 24-34. <http://dx.doi.org/10.1016/j.watres.2015.03.007>.
- Stemig, AM; Do, TA; Yuwono, VM; Arnold, WA; Penn, RL, ee. (2014). Goethite nanoparticle aggregation: effects of buffers, metal ions, and 4-chloronitrobenzene reduction. 1: 478-487. <http://dx.doi.org/10.1039/c3en00063j>.
- Stephenson, DJ; Hedge, J; Corbett, J. (2002). Surface finishing of Ni-Cr-B-Si composite coatings by precision grinding. International Journal of Machine Tools and Manufacture. 42: 357-363.
- Stephenson, DJ; Veselovac, D; Manley, S; Corbett, J. (2001). Ultra-precision grinding of hard steels. Precision Engineering. 25: 336-345.
- Stewart, BW. (1981). Generation and persistence of carcinogen-induced repair intermediates in rat liver DNA in vivo. Cancer Res. 41: 3228-3243.
- Stewart, RD; Dodd, HC; Erley, DS; Holder, BB. (1965). Diagnosis of solvent poisoning. JAMA. 193: 1097-1100.
- Stewart, RD; Gay, HH; Erley, DS; Hake, CL; Peterson, JE. (1961). Human exposure to carbon tetrachloride vapor: Relationship of expired air concentration to exposure and toxicity. J Occup Environ Med. 3: 586-590.
- Stockman, SA; Hanson, AW; Colomb, CM; Fresina, MT; Baker, JE; Stillman, GE. (1994). A COMPARISON OF TMGA AND TEGA FOR LOW-TEMPERATURE METALORGANIC CHEMICAL-VAPOR-DEPOSITION GROWTH OF CCL4-DOPED INGAAS. Journal of Electronic Materials. 23: 791-799.
- Stockman, SA; Hanson, AW; Lichtenhal, SM; Fresina, MT; Hofler, GE; Hsieh, KC; Stillman, GE. (1992). PASSIVATION OF CARBON ACCEPTORS DURING GROWTH OF CARBON-DOPED GAAS, INGAAS, AND HBTS BY MOCVD. Journal of Electronic Materials. 21: 1111-1118.
- Stoeckli, F; Couderc, G; Sobota, R; Lavanchy, A. (2002). The Myers-Prausnitz-Dubinin theory and non-ideal adsorption in microporous solids. AST. 20: 189-197.
- Stone, M; Orme, C; Peterson, E; Benson, M; Kaszuba, J; Mroz, E; Haga, M. (2005). Gas permeation testing results from the mixed waste focus area improved hydrogen getter program. Separation Science and Technology. 40: 419-431. <http://dx.doi.org/10.1081/SS-200042486>.
- Strathmann, TJ; Stone, AT. (2002). Reduction of oxamyl and related pesticides by Fe-II: Influence of organic ligands and natural organic matter. Environ Sci Technol. 36: 5172-5183. <http://dx.doi.org/10.1021/es0205939>.
- Stromberg, JR; Wnuk, JD; Pinlac, RA; Meyer, GJ. (2006). Multielectron transfer at heme-functionalized nanocrystalline TiO2: reductive dechlorination of DDT and CCl4 forms stable carbene compounds. Nano Lett. 6: 1284-1286. <http://dx.doi.org/10.1021/nl060646a>.
- Sturrock, GA; Etheridge, DM; Trudinger, CM; Fraser, PJ; Smith, AM. (2002). Atmospheric histories of halocarbons from analysis of Antarctic firn air: Major Montreal Protocol species. J Geophys Res Atmos. 107. <http://dx.doi.org/10.1029/2002JD002548>.
- Su, C; Xia, X; Shi, Q; Song, X; Fu, J; Xiao, C; Chen, H; Lu, B; Sun, Z; Wu, S; Yang, S; Li, X; Ye, X; Song, E; Song, Y. (2015). Neohesperidin Dihydrochalcone versus CCl4-Induced Hepatic Injury through Different Mechanisms: The Implication of Free Radical Scavenging and Nrf2 Activation. J Agric Food Chem. 63: 5468-5475. <http://dx.doi.org/10.1021/acs.jafc.5b01750>.
- Su, Cl; Huang, Y, aoX; Wong, JW, ei; Lu, CH; Wang, CM. (2012). PAN-based Carbon Nanofiber Absorbents Prepared Using Electrospinning. Fibers and Polymers. 13: 436-442. <http://dx.doi.org/10.1007/s12221-012-0436-x>.
- Su, Cl; Peng, CC; Lee, CY. (2011). Performance of viscose rayon based activated carbon fabric modified by sputtering silver and continuous plasma treatment. Text Res J. 81: 730-737. <http://dx.doi.org/10.1177/0040517510388546>.
- Su, FC; Mukherjee, B; Batterman, S. (2013). Determinants of personal, indoor and outdoor VOC concentrations: An analysis of the RIOPA data. Environ Res. 126: 192-203. <http://dx.doi.org/10.1016/j.envres.2013.08.005>.
- Su, YF; Hsu, CY; Shih, YH. (2012). Effects of various ions on the dechlorination kinetics of hexachlorobenzene by nanoscale zero-valent iron. Chemosphere. 88: 1346-1352. <http://dx.doi.org/10.1016/j.chemosphere.2012.05.036>.
- Subach, DJ; Kong, CL. (1973). Thermodynamics of solutions. Excess volumes of benzene, carbon tetrachloride, and mesitylene mixtures. Journal of Chemical and Engineering Data. 18: 403-405. <http://dx.doi.org/10.1021/jc60059a033>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Subhani, MS; Bhatti, NK; Mohammad, M; Khan, AY. (2000). Spectroscopic studies of charge-transfer complexes of 2,3-dichloro-5,6-dicyano-p-benzo-quinone. *Turkish Journal of Chemistry*. 24: 223-230.
- Suda, I; Oki, T; Masuda, M; Kobayashi, M; Nishiba, Y; Furuta, S. (2003). Physiological functionality of purple-fleshed sweet potatoes containing anthocyanins and their utilization in foods. *JARQ*. 37: 167-173.
- Sugimoto, M; Murakawa, T; Hirano, T; Ohashi, H. (1993). NOVEL REGENERATION METHOD OF PT/KL ZEOLITE CATALYST FOR LIGHT NAPHTHA REFORMING. *Appl Catal A-Gen*. 95: 257-268.
- Sugiyama, S; Abe, K; Minami, T; Hayashi, H; Moffat, JB. (1998). A comparative study of the oxidation of methane and ethane on calcium hydroxyapatites with incorporated lead in the presence and absence of tetrachloromethane. *Appl Catal A-Gen*. 169: 77-86.
- Sugiyama, S; Fujii, Y; Abe, K; Hayashi, H; Moffat, JB. (1999). Facile formation of the partial oxidation and oxidative-coupling products from the oxidation of methane on barium hydroxyapatites with tetrachloromethane. *Energy Fuels*. 13: 637-640.
- Sugiyama, S; Hashimoto, T; Morishita, Y; Shigemoto, N; Hayashi, H. (2004). Effects of calcium cations incorporated into magnesium vanadates on the redox behaviors and the catalytic activities for the oxidative dehydrogenation of propane. *Appl Catal A-Gen*. 270: 253-260. <http://dx.doi.org/10.1016/j.apcata.2004.05.018>.
- Sugiyama, S; Hirata, Y; Osaka, T; Moriga, T; Nakagawa, K; Sotowa, K, enL. (2007). V-51 MAS NMR and XAFS evidences for redox of magnesium Pyro- and Ortho-vanadates on the oxidative dehydrogenation of propane. *Ceramic Society of Japan Journal*. 115: 667-671.
- Sugiyama, S; Iguchi, Y; Nishioka, H; Minami, T; Moriga, T; Hayashi, H; Moffatt, JB. (1998). Effects of the thermal stability and the fine structure changes of strontium hydroxyapatites ion-exchanged with lead on methane oxidation in the presence and absence of tetrachloromethane. *J Catal*. 176: 25-34.
- Sugiyama, S; Iguchi, Y; Nishioka, H; Miyamoto, T; Hayashi, H; Moffat, JB. (1997). Effects of incorporated lead and chlorine on the oxidation of ethane on strontium hydroxyapatites. *J Mater Chem*. 7: 2483-2487.
- Sugiyama, S; Iizuka, Y; Nitta, E; Hayashi, H; Moffat, JB. (1998). Enhancement of the catalytic activities in the oxidative dehydrogenation of propane on cerium oxide in the presence of tetrachloromethane. 41: 413-416.
- Sugiyama, S; Iizuka, Y; Nitta, E; Hayashi, H; Moffat, JB. (2000). Role of tetrachloromethane as a gas-phase additive in the oxidative dehydrogenation of propane over cerium oxide. *J Catal*. 189: 233-237.
- Sugiyama, S; Matsumoto, H; Hayashi, H; Moffat, JB. (1999). Decomposition of tetrachloromethane on calcium hydroxyapatite under methane oxidation conditions. *Appl Catal B-Environ*. 20: 57-66.
- Sugiyama, S; Minami, T; Hayashi, H; Tanaka, M; Shigemoto, N; Moffat, JB. (1996). Partial oxidation of methane to carbon oxides and hydrogen on hydroxyapatite: Enhanced selectivity to carbon monoxide with tetrachloromethane. *Energy Fuels*. 10: 828-830.
- Sugiyama, S; Minami, T; Higaki, T; Hayashi, H; Moffat, JB. (1997). High selective conversion of methane to carbon monoxide and the effects of chlorine additives in the gas and solid phases on the oxidation of methane on strontium hydroxyapatites. *Ind Eng Chem Res*. 36: 328-334.
- Sugiyama, S; Minami, T; Moriga, T; Hayashi, H; Koto, K; Tanaka, M; Moffat, JB. (1996). Surface and bulk properties, catalytic activities and selectivities in methane oxidation on near-stoichiometric calcium hydroxyapatites. *J Mater Chem*. 6: 459-464.
- Sugiyama, S; Mitsuoka, H; Shono, T; Moriga, T; Hayashi, H. (2003). Effects of redox of Cu-species in copper-strontium Hydroxyapatites on the oxidative dehydrogenation of propane. *J Chem Eng Jpn*. 36: 210-215.
- Sugiyama, S; Moffat, JB. (1994). OXIDATIVE COUPLING OF METHANE ON SALTS OF MAGNESIUM DOPED BY ALKALI CARBONATES. *Energy Fuels*. 8: 463-469.
- Sugiyama, S; Nitta, E; Hayashi, H; Moffat, JB. (2000). The oxidation of propane on nonstoichiometric calcium hydroxyapatites in the presence and absence of tetrachloromethane. *Appl Catal A-Gen*. 198: 171-178.
- Sugiyama, S; Satomi, K; Hayashi, H; Shigemoto, N; Miyaura, K; Moffat, JB. (1993). OXIDATIVE COUPLING OF METHANE OVER ALKALI SULFATES IN THE PRESENCE AND ABSENCE OF TETRACHLOROMETHANE. *Appl Catal A-Gen*. 103: 55-67.
- Sugiyama, S; Satomi, K; Hayashi, H; Tanaka, M; Moffat, JB. (1995). OXIDATIVE DEHYDROGENATION OF ETHANE IN THE PRESENCE AND ABSENCE OF TETRACHLOROMETHANE OVER MAGNESIUM-SULFATE. *J Chem Eng Jpn*. 28: 204-209.
- Sugiyama, S; Shono, T; Makino, D; Moriga, T; Hayashi, H. (2003). Enhancement of the catalytic activities in propane oxidation and H-D exchangeability of hydroxyl groups by the incorporation with cobalt into strontium hydroxyapatite. *J Catal*. 214: 8-14. [http://dx.doi.org/10.1016/S0021-9517\(02\)00101-X](http://dx.doi.org/10.1016/S0021-9517(02)00101-X).
- Sugiyama, S; Shono, T; Nitta, E; Hayashi, H. (2001). Effects of gas- and solid-phase additives on oxidative dehydrogenation of propane on strontium and barium hydroxyapatites. *Appl Catal A-Gen*. 211: 123-130.
- Suh, JH; Shenvi, SV; Dixon, BM; Liu, H; Jaiswal, AK; Liu, RM; Hagen, TM. (2004). Decline in transcriptional activity of Nrf2 causes age-related loss of glutathione synthesis, which is reversible with lipoic acid. *Proc Natl Acad Sci USA*. 101: 3381-3386. <http://dx.doi.org/10.1073/pnas.0400282101>.
- Sui, J; Liu, X. (2013). Preparation and characterization of a dual-layer carbon film on 6H-SiC wafer using carbide-derived carbon process with subsequent chemical vapor deposition. *Surf Coating Tech*. 235: 469-474. <http://dx.doi.org/10.1016/j.surfcoat.2013.08.005>.
- Sui, J; Lu, J. (2011). The formation of a dual-layer carbon film on silicon carbide using a combination of carbide-derived carbon process and chemical vapor deposition in a CCl₄ - containing atmosphere. *Carbon*. 49: 732-736. <http://dx.doi.org/10.1016/j.carbon.2010.10.026>.
- Sullivan, GJ; Szwed, MK; Grant, RW. (1995). MOLECULAR-BEAM EPITAXIAL-GROWTH OF CARBON-DOPED GaAs WITH ELEMENTAL GALLIUM AND ARSENIC SOURCES AND A CCl₄ GAS-SOURCE. *Journal of Electronic Materials*. 24: 1-4.
- Sun, G; Li, YW; Hu, QK; Wu, QH; Yu, DL. (2009). Non-stoichiometric boron carbide synthesized in moderate temperature conditions. *Materials Science*. 27: 1033-1039.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Sun, G; Liu, Z; Zhou, Z; He, J; Yu, D; Tian, Y. (2006). Solvothermal synthesis of hexagonal B-C-N compound at low temperature conditions. *Diam Relat Mater.* 15: 1659-1662. <http://dx.doi.org/10.1016/j.diamond.2006.02.001>.
- Sun, GR; He, JB; Pittman, CU. (2000). Destruction of halogenated hydrocarbons with solvated electrons in the presence of water. *Chemosphere.* 41: 907-916. [http://dx.doi.org/10.1016/S0045-6535\(99\)00428-2](http://dx.doi.org/10.1016/S0045-6535(99)00428-2).
- Sun, M, in; Wu, NN; Zhai, L, inF; Ru, XR, ui. (2015). Manipulate an air-cathode fuel cell toward recovering highly active heterogeneous electro-Fenton catalyst from the Fe(II) in acid mine drainage. *Miner Eng.* 84: 1-7. <http://dx.doi.org/10.1016/j.mineng.2015.09.015>.
- Sun, SB; Jaffe, PR. (1996). Sorption of phenanthrene from water onto alumina coated with dianionic surfactants. *Environ Sci Technol.* 30: 2906-2913.
- Sunil, C; Irudayaraj, SS; Duraipandiyan, V; Al-Dhabi, NA; Agastian, P; Ignacimuthu, S. (2014). Antioxidant and free radical scavenging effects of beta-amyrin isolated from *S. cochinchinensis* Moore. leaves. *Ind Crop Prod.* 61: 510-516. <http://dx.doi.org/10.1016/j.indcrop.2014.07.005>.
- Sunny; Kumar, R; Mishra, VN; Das, RR. (2014). A Dynamic Response, Transformed Cluster Analysis and Radial Basis Function Neural Network Based Gases/Odors Identification Approach Using a Thick Film Gas Sensor Array. *Journal of Computational and Theoretical Nanoscience.* 11: 1199-1204. <http://dx.doi.org/10.1166/jctn.2014.3483>.
- Sunny; Mishra, VN; Dwivedi, R; Das, RR. (2013). Classification of Gases/Odors Using Dynamic Responses of Thick Film Gas Sensor Array. *IEEE Sens J.* 13: 4924-4930. <http://dx.doi.org/10.1109/JSEN.2013.2278459>.
- SUNY. (2015). Degradation of TAIC by water falling film dielectric barrier discharge - Influence of radical scavengers. *J Hazard Mater.* 287: 317-324. <http://dx.doi.org/10.1016/j.jhazmat.2015.02.003>.
- Surdo, EM; Cussler, EL; Arnold, WA. (2009). Sorptive and Reactive Scavenger-Containing Sandwich Membranes as Contaminant Barriers. *J Environ Eng.* 135: 69-76. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2009\)135:2\(69\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2009)135:2(69)).
- Suri, RPS; Crittanden, JC; Hand, DW. (1999). Removal and destruction of organic compounds in water using adsorption, steam regeneration, and photocatalytic oxidation processes. *J Environ Eng.* 125: 897-905.
- Suriyakalaa, U; Antony, JJ; Suganya, S; Siva, D; Sukirtha, R; Kamalakkannan, S; Pichiah, PB; Achiraman, S. (2013). Hepatocurative activity of biosynthesized silver nanoparticles fabricated using *Andrographis paniculata*. *Colloids Surf B Biointerfaces.* 102: 189-194. <http://dx.doi.org/10.1016/j.colsurfb.2012.06.039>.
- Suzuki, T; Fukuoka, H; Ushikoshi, S; Sato, R; Morita, H; Takizawa, T. (2015). Protective effect of aqueous extracts from *Rhizopus oryzae* on liver injury induced by carbon tetrachloride in rats. 86: 532-540. <http://dx.doi.org/10.1111/asj.12328>.
- Suzuki, T; Hirose, G; Oishi, S. (2004). Contact angle of water droplet on apatite single crystals. *Materials Research Bulletin.* 39: 103-108. <http://dx.doi.org/10.1016/j.materresbull.2003.09.013>.
- Suzuki, T; Iiyama, T; Gubbins, KE; Kaneko, K. (1999). Quasi-symmetry structure of CCl₄ molecular assemblies in a graphitic nanopore: A grand canonical Monte Carlo simulation. *Langmuir.* 15: 5870-5875.
- Suzuki, T; Kaneko, K; Gubbins, KE. (1997). Pore width-sensitive filling mechanism for CCl₄ in a graphitic micropore by computer simulation. *Langmuir.* 13: 2545-2549.
- Suzuki, T; Oishi, S. (2001). Slit width dependent cooling effect for N₂ molecules adsorbed on graphitic nanospace: a grand canonical Monte Carlo simulation. *Synthetic Metals.* 125: 265-266.
- Suzuki, Y; Asano, M; Sato, K; Asami, M; Sakamoto, A; Tsutsumi, M; Kido, Y. (2011). Wheat gluten hydrolysate alters the progress of hepatic pathology induced by prolonged carbon tetrachloride administration in rat. *Biomedical Research.* 22.
- Svensson, T; Sanden, P, er; Bastviken, D; Oberg, G. (2007). Chlorine transport in a small catchment in southeast Sweden during two years. *Biogeochemistry.* 82: 181-199. <http://dx.doi.org/10.1007/s10533-006-9062-2>.
- Swanson, DB; Macdiarmid, AG; Epstein, AJ. (1991). IMPEDANCE PROFILING - A CONVENIENT TECHNIQUE FOR DETERMINING THE REDOX OR PROTONIC ACID DOPING CHARACTERISTICS OF CONDUCTING POLYMERS. *Synthetic Metals.* 43: 2987-2990.
- Swarnkar, A; Keshav, A; Soni, AB. (2016). Recovery of Methacrylic Acid from the Aqueous Phase Using Trioctylmethylammonium Chloride (TOMAC) in Different Diluents. *Journal of Chemical and Engineering Data.* 61: 1412-1420. <http://dx.doi.org/10.1021/acs.jced.5b00553>.
- Sweet, ND; Burroughs, GE; Ewers, L; Talaska, G. (2004). A field method for near real-time analysis of perchloroethylene in end-exhaled breath. *J Occup Environ Hyg.* 1: 515-520. <http://dx.doi.org/10.1080/15459620490472921>.
- Swiergiel, J; Jadzyn, J, an. (2016). Structure of hydrogen bonded supramolecular self-assemblies controlled by the structure of monomers: 1,1- and 1,3-diethylureas. *React Funct Polym.* 105: 129-133. <http://dx.doi.org/10.1016/j.reactfunctpolym.2016.06.002>.
- Swindle, AL; Cozzarelli, IM; Elwood Madden, AS. (2015). Using chromate to investigate the impact of natural organics on the surface reactivity of nanoparticulate magnetite. *Environ Sci Technol.* 49: 2156-2162. <http://dx.doi.org/10.1021/es504831d>.
- Swindle, AL; Madden, AS; Cozzarelli, IM; Benamara, M. (2014). Size-dependent reactivity of magnetite nanoparticles: a field-laboratory comparison. *Environ Sci Technol.* 48: 11413-11420. <http://dx.doi.org/10.1021/es500172p>.
- Syczewski, M. (1994). EXPLOSIVE PROPERTIES OF THE COMPOSITIONS CCL₄+AL+ZNO. *Propellants, Explosives, Pyrotechnics.* 19: 87-89.
- Sykes, RM; Kirsch, EJ. (1972). ACCUMULATION OF METHANOGENIC SUBSTRATES IN CCL₄ INHIBITED ANAEROBIC SEWAGE SLUDGE DIGESTER CULTURES. *Water Res.* 6: 41-&.
- Sylvestre, M; Bertrand, JL; Viel, G. (1997). easibility study for the potential use of biocatalytic systems to destroy chlorofluorocarbons (CFCs). *Crit Rev Environ Sci Tech.* 27: 87-111.
- Szalai, I; Ratkovics, F. (1990). A STUDY OF KETO-ENOL-TAUTOMERISM IN METHYL-ETHYL-KETONE + CARBON-TETRACHLORIDE MIXTURES, USING LINEAR AND NONLINEAR DIELECTRIC METHODS. *Hungarian Journal of Industrial Chemistry.* 18: 81-90.
- Szczepaniak, B; Goralski, J; Grams, J; Paryjczak, T. (2006). Studies on the activity of Pd/TiO₂ catalysts in the hydrodechlorination of CCl₄. *Przemysł Chemiczny.* 85: 764-766.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Szecsody, JE; Fruchter, JS; Williams, MD; Vermeul, VR; Sklarew, D. (2004). In situ chemical reduction of aquifer sediments: Enhancement of reactive iron phases and TCE dechlorination. *Environ Sci Technol.* 38: 4656-4663. <http://dx.doi.org/10.1021/es034756k>.
- Szende, B; Kovacs, L; Moldvay, J; Timar, F; Simon, K; Lapis, K. (1992). Carrageenan Inhibits the Regression of Carbon Tetrachloride-Induced Collagen Accumulation in the Liver of Rats (pp. Environmental Science and Engineering). (ISSN 1077-1204; NIOSH/00206061). Szende, B; Kovacs, L; Moldvay, J; Timar, F; Simon, K; Lapis, K.
- Szollósi, G; Bartók, M. (1998). Vapour-phase heterogeneous catalytic transfer hydrogenation of alkyl methyl ketones on MgO: Prevention of the deactivation of MgO in the presence of carbon tetrachloride. *Appl Catal A-Gen.* 169: 263-269.
- Taguchi, T; Awata, S; Nishioka, M; Arakawa, Y; Shiraiishi, N; Ryu, S; Kumazawa, H; Takano, Y; Nakayama, K; Yagyu, K; Kawamura, M; Sato, A. (1995). Elevation of Cystathionine gamma-Lyase Activity in the Serum of Rats Treated with a Single Dose of Carbon Tetrachloride. *Ind Health.* 33: 199-205.
- Taha, I; Steuernagel, L; Ziegmann, G. (2006). Chemical modification of date palm mesh fibres for reinforcement of polymeric materials. Part 1: Examination of different cleaning methods. *Polymers and Polymer Composites.* 14: 767-778.
- Tai, YL; Dempsey, BA. (2009). Nitrite reduction with hydrous ferric oxide and Fe(II): stoichiometry, rate, and mechanism. *Water Res.* 43: 546-552. <http://dx.doi.org/10.1016/j.watres.2008.10.055>.
- Tajima, M; Niwa, M; Fujii, Y; Koinuma, Y; Aizawa, R; Kushiyama, S; Kobayashi, S; Mizuno, K; Ohuchi, H. (1996). Decomposition of chlorofluorocarbons in the presence of water over zeolite catalyst. *Appl Catal B-Environ.* 9: 167-177.
- Takagi, T; Sawada, K; Urakawa, H; Ueda, M; Cibulka, I. (2004). Speeds of sound in dense liquid and vapor pressures for 1,1-difluoroethane. *Journal of Chemical and Engineering Data.* 49: 1652-1656. <http://dx.doi.org/10.1021/jc049925a>.
- Takano, K; Tanasawa, I; Nishio, S. (1996). Enhancement of evaporation of a liquid droplet using EHD effect: Criteria for instability of gas-liquid interface under electric field. *Journal of Enhanced Heat Transfer.* 3: 73-81.
- Takebayashi, Y; Yajima, H; Hasegawa, Y. (2007). Extraction of Europium(III) with beta-diketones and the stability constants of the aqueous complexes. 14: 121-131.
- Takeda, K; Fujino, Y; Tsuge, Y; Matsuyama, H. (2003). A model of phase inversion using structural instability in liquid-liquid dispersion. *Kagaku Kogaku Ronbunshu.* 29: 351-356.
- Takeda, K; Nakashima, K; Tsuge, Y; Matsuyama, H. (2001). A theoretical model of phase inversion of liquid-liquid dispersion systems. *Kagaku Kogaku Ronbunshu.* 27: 352-358.
- Takeuchi, T; Tanahashi, T. (1997). Comparison of chlorocarbons as an additive during MOVPE for flat burying growth of InP. *J Cryst Growth.* 174: 611-615.
- Takigawa, T; Ogawa, H; Tamura, K; Murakami, S. (1997). Excess enthalpies of binary mixtures {x dioxane isomer plus (1-x) non-polar liquid} at 298.15 K. *Fluid Phase Equilibria.* 136: 257-267.
- Takita, Y; Wakamatsu, H; Tokumaru, M; Nishiguchi, H; Ito, M; Ishihara, T. (2000). Decomposition of chlorofluorocarbons over metal phosphate catalysts III. Reaction path of CCl₂F₂ decomposition over AlPO₄. *Appl Catal A-Gen.* 194: 55-61.
- Takubo, T; Sato, D; Inao, Y; Nishiguchi, H; Nagaoka, K; Takita, Y. (2009). Mechanism of Promotion Effects of Ce added to AlPO₄ Effective for CFC Decomposition. *Kagaku Kogaku Ronbunshu.* 35: 623-632.
- Talapaneni, SN; Anandan, S; Mane, GP; Anand, C; Dhawale, DS; Varghese, S; Mano, A; Mori, T; Vinu, A. (2012). Facile synthesis and basic catalytic application of 3D mesoporous carbon nitride with a controllable bimodal distribution. *J Mater Chem.* 22: 9831-9840. <http://dx.doi.org/10.1039/c2jm30229b>.
- Talik, P; Zabkowskawaclawek, M; Waclawek, W. (1992). SENSING PROPERTIES OF THE CB-PCV COMPOSITES FOR CHLORINATED-HYDROCARBON VAPORS. *Journal of Materials Science.* 27: 6807-6810.
- Talu, MF; Gül, M; Alpaslan, N; Yiğitcan, B. (2013). Calculation of melatonin and resveratrol effects on steatosis hepatis using soft computing methods. *Comput Methods Programs Biomed.* 111: 498-506. <http://dx.doi.org/10.1016/j.cmpb.2013.04.020>.
- Tam, BN; Neumann, CM. (2004). A human health assessment of hazardous air pollutants in Portland, OR. *J Environ Manage.* 73: 131-145. <http://dx.doi.org/10.1016/j.jenvman.2004.06.012>.
- Tamai, T; Inazu, K; Aika, KI. (2006). Dichlorodifluoromethane decomposition to CO₂ with simultaneous halogen fixation by calcium oxide based materials. *Environ Sci Technol.* 40: 823-829. <http://dx.doi.org/10.1021/es050139f>.
- Tamara, ML; Butler, EC. (2004). Effects of iron purity and groundwater characteristics on rates and products in the degradation of carbon tetrachloride by iron metal. *Environ Sci Technol.* 38: 1866-1876. <http://dx.doi.org/10.1021/es030550f>.
- Tamir, A; Dragoescu, C; Apelblat, A; Wisniak, J. (1983). HEATS OF VAPORIZATION AND VAPOR LIQUID EQUILIBRIA IN ASSOCIATED SOLUTIONS CONTAINING FORMIC-ACID, ACETIC-ACID, PROPIONIC-ACID AND CARBON-TETRACHLORIDE. *Fluid Phase Equilibria.* 10: 9-42.
- Tan, K; Li, CX, i; Lu, YZ; Wang, Z. (2009). Unified Production of Chlorinated Isotactic Polypropylene and Chlorinated Paraffin Via a Solvent Free Chlorination Process. *Polymer Engineering and Science.* 49: 1587-1593. <http://dx.doi.org/10.1002/pen.21379>.
- Tan, Y; Clewell, H; Campbell, J; Andersen, M. (2011). Evaluating Pharmacokinetic and Pharmacodynamic Interactions with Computational Models in Supporting Cumulative Risk Assessment [Review]. *Int J Environ Res Public Health.* 8: 1613-1630. <http://dx.doi.org/10.3390/ijerph8051613>.
- Tan, YM; Liao, KH; Clewell HJ, I. (2007). Reverse dosimetry: interpreting trihalomethanes biomonitoring data using physiologically based pharmacokinetic modeling. *J Expo Sci Environ Epidemiol.* 17: 591-603. <http://dx.doi.org/10.1038/sj.jes.750054>.
- Tan, YM; Liao, KH; Conolly, RB; Blount, BC; Mason, AM; Clewell, HJ. (2006). Use of a physiologically based pharmacokinetic model to identify exposures consistent with human biomonitoring data for chloroform. *J Toxicol Environ Health A.* 69: 1727-1756. <http://dx.doi.org/10.1080/15287390600631367>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Tanabe, T; Kozawa, Y; Suto, K; Nishizawa, J; Oyama, Y. (2005). Observing the stimulated Raman gain spectra of solutions using an infrared pump pulse with narrow linewidth and a low-noise CW probe laser. *Int J Infrared Millimeter Waves*. 26: 881-892. <http://dx.doi.org/10.1007/s10762-005-5660-7>.
- Tanaka, E. (1998). In vivo age-related changes in hepatic drug-oxidizing capacity in humans [Review]. *Clin Pharmacol Ther*. 23: 247-255.
- Tanaka, R; Higo, Y; Murata, H; Nakamura, T. (1999). Accumulation of hydroxy lipids in live fish with oxidative stress. *Fish Sci*. 65: 796-797.
- Tanaka, S; Kato, S; Hattori, S; Kojima, S; Ikeda, M; Kitamura, K. (1994). PERFORMANCE COMPARISON OF METALORGANIC VAPOR-PHASE EPITAXY-GROWN C-DOPED GAAS/ALGAAS HETEROJUNCTION BIPOLAR-TRANSISTOR WAFERS BETWEEN ASH3 AND TRIMETHYLARSENIC FOR THE BASE LAYER GROWTH. *J Cryst Growth*. 145: 947-952.
- Tanaka, S; Tanaka, M; Kimura, K; Nozaki, Y; Seki, Y. (1996). Breakthrough time of a respirator cartridge for carbon tetrachloride vapor flow of workers' respiratory patterns. *Ind Health*. 34: 227-236.
- Tanaka, T; Takahashi, K; Iwamoto, N; Agawa, Y; Sawada, Y; Yoshimura, Y; Zaima, N; Moriyama, T; Kawamura, Y. (2012). Hepatoprotective action of dietary bluefin tuna skin proteins on CCl₄-intoxicated mice. *Fish Sci*. 78: 911-921. <http://dx.doi.org/10.1007/s12562-012-0499-z>.
- Tandoi, V; Distefano, TD; Bowser, PA; Gossett, JM; Zinder, SH. (1994). Reductive dehalogenation of chlorinated ethenes and halogenated ethanes by a high-rate anaerobic enrichment culture. *Environ Sci Technol*. 28: 973-979.
- Tandon, A; Cohen, RM. (1998). Highly p-type carbon-doped InGaAs grown by atmospheric pressure organometallic vapor-phase epitaxy. *J Cryst Growth*. 192: 47-55.
- Tang, D; Hu, S; Dai, F; Yi, R; Gordin, ML; Chen, S; Song, J; Wang, D. (2016). Self-Templated Synthesis of Mesoporous Carbon from Carbon Tetrachloride Precursor for Supercapacitor Electrodes. 8: 6779-6783. <http://dx.doi.org/10.1021/acsami.5b12164>.
- Tang, K-T; Chiu, S-W; Chang, M-F; Hsieh, C-C; Shyu, J-M. (2011). A low-power electronic nose signal-processing chip for a portable artificial olfaction system. *IEEE Transactions on Biomedical Circuits and Systems*. 5: 380-390. <http://dx.doi.org/10.1109/TBCAS.2011.2116786>.
- Tang, S, iYe; Liu, D, aZ; Wang, JJ, i; Wang, H, uiY. (2006). Densities and viscosities for binary mixtures of chlorinated polypropylene with toluene, tetrahydrofuran, chloroform, carbon tetrachloride, and 2-butanone at (298.15, 308.15, and 318.15) K. *Journal of Chemical and Engineering Data*. 51: 2255-2259. <http://dx.doi.org/10.1021/jc0603372>.
- Tang, S; Wang, XM; Mao, YQ; Zhao, Y; Yang, HW; Xie, YF. (2015). Effect of dissolved oxygen concentration on iron efficiency: Removal of three chloroacetic acids. *Water Res*. 73: 342-352. <http://dx.doi.org/10.1016/j.watres.2015.01.027>.
- Tanhua, T; Liu, M. (2015). Upwelling velocity and ventilation in the Mauritanian upwelling system estimated by CFC-12 and SF₆ observations. *J Mar Syst*. 151: 57-70. <http://dx.doi.org/10.1016/j.jmarsys.2015.07.002>.
- Taniguchi, T. (1993). WOOD PLASTIC COMPOSITE .1. THEORETICAL MAXIMUM MONOMER LOADING AND LIMITING STRENGTH. 39: 1285-1290.
- Tanilmis, T; Atalay, S; Alpay, HE; Atalay, FS. (2002). Catalytic combustion of carbon tetrachloride. *J Hazard Mater*. 90: 157-167.
- Tanwar, KS; Petitto, SC; Ghose, SK; Eng, PJ; Trainor, TP. (2008). Structural study of Fe(II) adsorption on hematite(1(1)over-bar02). *Geochim Cosmo Acta*. 72: 3311-3325. <http://dx.doi.org/10.1016/j.gca.2008.04.020>.
- Tao, L; Li, F. (2012). Electrochemical evidence of Fe(II)/Cu(II) interaction on titanium oxide for 2-nitrophenol reductive transformation. *Appl Clay Sci*. 64: 84-89. <http://dx.doi.org/10.1016/j.clay.2011.05.020>.
- Tao, T; Maciel, GE. (1998). ¹³C NMR study of co-contamination of clays with carbon tetrachloride and benzene. *Environ Sci Technol*. 32: 350-357.
- Tarkhanova, I; Zelikman, V; Gantman, M. (2014). The complexes of copper with grafted ionic liquids in the environmentally important processes. *Appl Catal A-Gen*. 470: 81-88. <http://dx.doi.org/10.1016/j.apcata.2013.10.041>.
- Tarkhanova, IG; Konovalov, VP. (2014). Heterogeneous catalysts based on immobilized copper complexes in the oxidation of mercaptans. *Petroleum Chemistry*. 54: 218-224. <http://dx.doi.org/10.1134/S096554411402011X>.
- Tas, DO; Pavlostathis, SG. (2007). The influence of iron reduction on the reductive biotransformation of pentachloronitrobenzene. *European Journal of Soil Biology*. 43: 264-275. <http://dx.doi.org/10.1016/j.ejsobi.2007.03.003>.
- Tas, DO; Pavlostathis, SG. (2014). Occurrence, Toxicity, and Biotransformation of Pentachloronitrobenzene and Chloroanilines. *Crit Rev Environ Sci Tech*. 44: 473-518. <http://dx.doi.org/10.1080/10643389.2012.728809>.
- Taschin, A; Cucini, R; Ziparo, C; Bartolini, P; Torre, R. (2007). Transient grating experiments on CCl₄-filled porous glasses. *Philos Mag*. 87: 715-722. <http://dx.doi.org/10.1080/14786430600910756>.
- Tavakoli, J; Chiang, HM; Bozzelli, JW. (1994). THERMAL-REACTIONS OF METHYLENE-CHLORIDE IN METHANE ARGON MIXTURES. *Combust Sci Tech*. 101: 135-152.
- Tawarah, KM; Abushamleh, HM. (1991). A SPECTROPHOTOMETRIC STUDY OF THE ACID-BASE EQUILIBRIA OF ORTHO-METHYL RED IN AQUEOUS-SOLUTIONS. *Dyes and Pigments*. 17: 203-215.
- Tawarah, KM; Abushamleh, HM. (1991). A SPECTROPHOTOMETRIC STUDY OF THE TAUTOMERIC AND ACID-BASE EQUILIBRIA OF METHYL-ORANGE AND METHYL YELLOW IN AQUEOUS ACIDIC SOLUTIONS. *Dyes and Pigments*. 16: 241-251.
- Taylor, PG; Tran, AM; Charlton, AK; Daniels, CR; Acree, WE. (2003). Solubility in binary solvent mixtures: Anthracene dissolved in alcohol plus carbon tetrachloride mixtures at 298.2 K. *Journal of Chemical and Engineering Data*. 48: 1603-1605. <http://dx.doi.org/10.1021/jc0301904>.
- Taylor, PH; Mallipeddi, R; Yamada, T. (2005). LP/LIF study of the formation and consumption of mercury (I) chloride: kinetics of mercury chlorination. *Chemosphere*. 61: 685-692. <http://dx.doi.org/10.1016/j.chemosphere.2005.03.089>.
- Taylor, PH; Tirey, DA; Dellinger, B. (1996). A detailed kinetic model of the high-temperature pyrolysis of tetrachloroethene. *Combust Flame*. 104: 260-271.
- Taylor, PH; Tirey, DA; Dellinger, B. (1996). The high-temperature pyrolysis of 1,3-hexachlorobutadiene. *Combust Flame*. 106: 1-10. [http://dx.doi.org/10.1016/0010-2180\(95\)00248-0](http://dx.doi.org/10.1016/0010-2180(95)00248-0).

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Taylor, PH; Tirey, DA; Dellinger, B. (1996). The high-temperature pyrolysis of hexachloropropene: Kinetic analysis of pathways to formation of perchloro-arylbenzenes. *Combust Flame*. 105: 486-498.
- Taylor, SJ; Beaumont, B; Herberholz, R. (1993). CARBON DOPING OF GAXIN1-XAS BY ATMOSPHERIC-PRESSURE ORGANOMETALLIC VAPOR-PHASE EPITAXY. *J Cryst Growth*. 132: 61-70.
- Tee, YH; Grulke, E; Bhattacharyya, D. (2005). Role of Ni/Fe nanoparticle composition on the degradation of trichloroethylene from water. *Ind Eng Chem Res*. 44: 7062-7070. <http://dx.doi.org/10.1021/ie050086a>.
- Teel, A; Ahmad, M; Watts, RJ. (2011). Persulfate activation by naturally occurring trace minerals. *J Hazard Mater*. 196: 153-159. <http://dx.doi.org/10.1016/j.jhazmat.2011.09.011>.
- Teel, AL; Vaughan, RE; Watts, RJ. (2008). Cadmium Release from Four Sorbents during Treatment of Contaminated Soils by Catalyzed H₂O₂ sub(2) Propagations (Modified Fenton's Reagent). *J Environ Eng*. 134: 331-337. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2008\)134:5\(331\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2008)134:5(331)).
- Teel, AL; Watts, RJ. (2002). Degradation of carbon tetrachloride by modified Fenton's reagent. *J Hazard Mater*. 94: 179-189.
- Teitz, NW. (1976). *Fundamentals of clinical chemistry*. Philadelphia, Pennsylvania: W.B. Saunders Company.
- Tejasree, C, h; Kiran, G; Rajyalakshmi, G; Reddy, ARN. (2013). Hepatoprotective activity of 1-(4-(Dimethylamino)Benzylidene)-5-(2-Oxindolin-3-ylidene) Thiocarbohydrazone in rats. *Toxicol Environ Chem*. 95: 1589-1594. <http://dx.doi.org/10.1080/02772248.2014.887257>.
- Tekobo, S; Richter, AG; Dergunov, SA; Pingali, S; Urban, VS; Yan, B; Pinkhassik, E. (2011). Synthesis, characterization, and controlled aggregation of biotemplated polystyrene nanodisks. *J Nanopart Res*. 13: 6427-6437. <http://dx.doi.org/10.1007/s11051-011-0395-y>.
- Tel, H; Eral, M; Altas, Y. (1998). Investigation of production conditions of ThO₂-UO₃ microspheres via the sol-gel process for pellet type fuels. *J Nucl Mater*. 256: 18-24.
- Temples, TJ; Waddell, MG; Domoracki, WJ; Eyer, J. (2001). Noninvasive determination of the location and distribution of DNAPL using advanced seismic reflection techniques. *Ground Water*. 39: 465-474.
- Tenney, CM; Lastoskie, CM. (2007). Pulsed pumping process optimization using a potential flow model. *J Contam Hydrol*. 93: 111-121. <http://dx.doi.org/10.1016/j.jconhyd.2007.01.016>.
- Tenney, CM; Lastoskie, CM; Dybas, MJ. (2004). A reactor model for pulsed pumping groundwater remediation. *Water Res*. 38: 3869-3880. <http://dx.doi.org/10.1016/j.watres.2004.06.029>.
- Teodorescu, M. (2005). Atom transfer radical polymerization I. Fundamentals. *Materiale Plastice*. 42: 168-172.
- Terdale, S; Dagade, D; Patil, K. (2009). Activity Coefficient Studies in Ternary Aqueous Solutions at 298.15 K: H₂O + alpha-Cyclodextrin plus Potassium Acetate and H₂O+18-Crown-6+Hydroquinone Systems. *Journal of Chemical and Engineering Data*. 54: 294-300. <http://dx.doi.org/10.1021/jc800307g>.
- Terzyk, AP; Rychlicki, G. (1999). Calorimetric investigations of molecular interactions in the adsorbate/microporous activated carbon system. Towards the mechanism of adsorption in micropores? *AST*. 17: 323-373.
- Tezuka, Y; Yoshino, M; Imai, K. (1991). ENVIRONMENTAL RESPONSES ON THE SURFACE OF POLYURETHANE-BASED GRAFT-COPOLYMERS HAVING UNIFORM SIZE POLYETHER AND POLYAMINE SEGMENTS. *Langmuir*. 7: 2860-2865.
- Thaus, DM; Stark, TJ; Griffis, DP; Russell, PE. (1996). Development of focused ion-beam machining techniques for Permalloy structures. 14: 3928-3932.
- Thibaud, C; Erkey, C; Akgerman, A. (1992). Investigation of adsorption equilibria of volatile organics on soil by frontal analysis chromatography. *Environ Sci Technol*. 26: 1159-1164.
- Thibaudon, M; Galan, C; Lanzoni, C; Monnier, S. (2015). Validation of a new adhesive coating solution: comparative study of carbon tetrachloride and diethyl ether. *Aerobiologia*. 31: 57-62. <http://dx.doi.org/10.1007/s10453-014-9346-2>.
- Thijssen, TR; Roemer, MGM; van Oss, RF. (1999). Trends in large-scale VOC concentrations in the Southern Netherlands between 1991 and 1997. *Atmos Environ*. 33: 3803-3812. [http://dx.doi.org/10.1016/S1352-2310\(98\)00421-X](http://dx.doi.org/10.1016/S1352-2310(98)00421-X).
- Thol, M; Rutkai, G; Koester, A; Dubberke, FH; Windmann, T; Span, R; Vrabec, J. (2016). Thermodynamic Properties of Octamethylcyclotetrasiloxane. *Journal of Chemical and Engineering Data*. 61: 2580-2595. <http://dx.doi.org/10.1021/acs.jced.6b00261>.
- Thomas, DJ; Southworth, P; Flowers, MC; Greef, R. (1990). AN INVESTIGATION OF THE ROUGHENING OF SILICON(100) SURFACES IN CL₂/CCL₄ REACTIVE ION ETCHING PLASMAS BY INSITU ELLIPSOMETRY AND QUADRUPOLE MASS-SPECTROMETRY - THE ROLE OF CCL₄. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures*. 8: 516-522.
- Thomas, JK. (2008). Compaction of porous silica - A photophysical study. *Microporous and Mesoporous Materials*. 115: 399-404. <http://dx.doi.org/10.1016/j.micromeso.2008.02.013>.
- Thomas, P; Wofford, HW. (1993). EFFECTS OF CADMIUM AND AROCLOR-1254 ON LIPID-PEROXIDATION, GLUTATHIONE-PEROXIDASE ACTIVITY, AND SELECTED ANTIOXIDANTS IN ATLANTIC CROAKER TISSUES. *Aquat Toxicol*. 27: 159-178. [http://dx.doi.org/10.1016/0166-445X\(93\)90052-3](http://dx.doi.org/10.1016/0166-445X(93)90052-3).
- Thomas, RS; Bigelow, PL; Keefe, TJ; Yang, RS. (1996). Variability in biological exposure indices using physiologically based pharmacokinetic modeling and Monte Carlo simulation. *Am Ind Hyg Assoc J*. 57: 23-32. <http://dx.doi.org/10.1080/15428119691015188>.
- Thompson, RS; De Rooij, C; Garny, V; Lecloux, A; van Wijk, D; Ineos Chlor, UK. (2004). Carbon tetrachloride marine risk assessment with special reference to the OSPARCOM region: North Sea [Review]. *Environ Monit Assess*. 97: 23-38.
- Thomson, J; Webb, G; Winfield, J; Boniface, D; Shortman, C; Winterton, N. (1993). AMBIENT-TEMPERATURE CATALYTIC FLUORINATION OF C-1 CHLOROHYDROCARBONS TO C-3 CHLOROHYDROCARBONS AND RELATED-COMPOUNDS USING OXIDE-SUPPORTED ORGANIC LAYER CATALYSTS. *Appl Catal A-Gen*. 97: 67-76.
- Thote, A; Gupta, RB. (2004). Hydrogen-bonding between a dichroic dye and a liquid crystal-forming molecule, for application to LCDs. *Fluid Phase Equilibria*. 220: 47-55. <http://dx.doi.org/10.1016/j.fluid.2004.01.035>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Thote, AJ; Gupta, RB. (2003). Hydrogen-bonding effects in liquid crystals for application to LCDs. *Ind Eng Chem Res.* 42: 1129-1136. <http://dx.doi.org/10.1021/ie020513+>.
- Thrall, KD; Vucelick, ME; Gies, RA; Benson, JM. (2000). Comparative metabolism of carbon tetrachloride in rats, mice, and hamsters using gas uptake and PBPK modeling. *J Toxicol Environ Health A.* 60: 531-548.
- Thybaud, V; Dean, S; Nohmi, T; de Boer, J; Douglas, GR; Glickman, BW; Gorelick, NJ; Heddle, JA; Heflich, RH; Lambert, I; Martus, HJ; Mirsalis, JC; Suzuki, T; Yajima, N. (2003). In vivo transgenic mutation assays. *Mutat Res.* 540: 141-151.
- Tian, L; Cai, Q; Wei, H. (1998). Alterations of antioxidant enzymes and oxidative damage to macromolecules in different organs of rats during aging. *Free Radic Biol Med.* 29: 1477-1484.
- Tian, L; Shi, X; Yu, L; Zhu, J; Ma, R; Yang, X. (2012). Chemical composition and hepatoprotective effects of polyphenol-rich extract from *Houttuynia cordata* tea. *J Agric Food Chem.* 60: 4641-4648. <http://dx.doi.org/10.1021/jf3008376>.
- Tian, Y; Umemura, J; Takenaka, T; Kunitake, T. (1988). ULTRAVIOLET VISIBLE ABSORPTION AND RESONANCE RAMAN-SPECTRA OF AZOBENZENE-CONTAINING AMPHIPHILE MONOLAYERS ADSORBED AT THE ACIDIC AQUEOUS-SOLUTION CARBON-TETRACHLORIDE INTERFACE. *Langmuir.* 4: 1064-1066.
- Till, JE; Rood, AS; Voillequé, PG; Mcgavran, PD; Meyer, KR; Grogan, HA; Sinclair, WK; Aanenson, JW; Meyer, HR; Mohler, HJ; Rope, SK; Case, MJ. (2002). Risks to the public from historical releases of radionuclides and chemicals at the Rocky Flats Environmental Technology Site. *J Expo Anal Environ Epidemiol.* 12: 355-372. <http://dx.doi.org/10.1038/sj.jea.7500237>.
- Timoshenko, VA; Shabatina, TI; Belyaev, AA; Morosov, YN; Sergeev, GB. (2005). The ESR study of chemical interactions in triple solid silver-carbon tetrachloride-mesogenic cyanobiphenyl co-condensate system. *Appl Surf Sci.* 246: 420-424. <http://dx.doi.org/10.1016/j.apsusc.2004.11.046>.
- Tischler, AS; Sheldon, W; Gray, R. (1996). Immunohistochemical and morphological characterization of spontaneously occurring pheochromocytomas in the aging mouse. *Vet Pathol.* 33: 512-520. <http://dx.doi.org/10.1177/030098589603300505>.
- Tobiszewski, M; Namieśnik, J. (2012). Abiotic degradation of chlorinated ethanes and ethenes in water [Review]. *Environ Sci Pollut Res Int.* 19: 1994-2006. <http://dx.doi.org/10.1007/s11356-012-0764-9>.
- Tobler, NB; Hofstetter, TB; Schwarzenbach, RP. (2007). Assessing iron-mediated oxidation of toluene and reduction of nitroaromatic contaminants in anoxic environments using compound-specific isotope analysis. *Environ Sci Technol.* 41: 7773-7780.
- Tognotti, L; Flytzani-Stephanopoulos, M; Sarofim, AF; Kopsinis, H; Stoukides, M. (1991). STUDY OF ADSORPTION DESORPTION OF CONTAMINANTS ON SINGLE SOIL PARTICLES USING THE ELECTRODYNAMIC THERMOGRAVIMETRIC ANALYZER. *Environ Sci Technol.* 25: 104-109.
- Tokay, H; Ilyinsky, A; Yapar, S; Helvacı, S; Peker, S. (1995). SOLVENT EFFECT ON THE THERMAL PERFORMANCE OF CHOLESTERIC LIQUID-CRYSTALS. *Turkish Journal of Chemistry.* 19: 161-169.
- Tokumitsu, E; Shirahama, M; Nagao, K; Nozaki, S; Konagai, M; Takahashi, K. (1993). CARBON DOPING IN MOLECULAR-BEAM EPITAXIAL (MBE) GROWTH OF GAAS USING NEOPENTANE AS A NOVEL CARBON SOURCE. *J Cryst Growth.* 127: 711-715.
- Tokunaga, K; Hess, DW. (1979). PLASMA-ETCHING OF ALUMINUM FILMS IN CARBON-TETRACHLORIDE. *J Electrochem Soc.* 126: C373-C373.
- Tokunaga, K; Hess, DW. (1980). ALUMINUM ETCHING IN CARBON-TETRACHLORIDE PLASMAS. *J Electrochem Soc.* 127: 928-932.
- Tokunaga, K; Redeker, FC; Danner, DA; Hess, DW. (1981). COMPARISON OF ALUMINUM ETCH RATES IN CARBON-TETRACHLORIDE AND BORON-TRICHLORIDE PLASMAS. *J Electrochem Soc.* 128: 851-855.
- Tombolan, F; Renault, D; Brault, D; Guffroy, M; Perin, F; Thybaud, V. (1999). Effect of mitogenic or regenerative cell proliferation on lacZ mutant frequency in the liver of MutaTMMice treated with 5, 9-dimethyldibenzo[c,g]carbazole. *Carcinogenesis.* 20: 1357-1362. <http://dx.doi.org/10.1093/carcin/20.7.1357>.
- Tong, M; Yuan, S; Long, H; Zheng, M; Wang, L; Chen, J. (2011). Reduction of nitrobenzene in groundwater by iron nanoparticles immobilized in PEG/nylon membrane. *J Contam Hydrol.* 122: 16-25. <http://dx.doi.org/10.1016/j.jconhyd.2010.10.003>.
- Toon, GC; Blavier, JF; Sen, B; Margitan, JJ; Webster, CR; May, RD; Fahey, D; Gao, R; Del Negro, L; Proffitt, M; Elkins, J; Romashkin, PA; Hurst, DF; Oltmans, S; Atlas, E; Schauffler, S; Flocke, F; Bui, TP; Stimpfle, RM; Bonne, GP; Voss, PB; Cohen, RC. (1999). Comparison of MkIV balloon and ER-2 aircraft measurements of atmospheric trace gases. *J Geophys Res Atmos.* 104: 26779-26790.
- Tope, B; Zhu, Y; Lercher, JA. (2007). Oxidative dehydrogenation of ethane over Dy₂O₃/MgO supported LiCl containing eutectic chloride catalysts. *Catalysis Today.* 123: 113-121. <http://dx.doi.org/10.1016/j.cattod.2007.02.020>.
- Toraason, M; Heinroth-Hoffmann, I; Richards, D; Woolery, M; Hoffmann, P. (1994). H₂O₂-induced oxidative injury in rat cardiac myocytes is not potentiated by 1,1,1-trichloroethane, carbon tetrachloride, or halothane. *J Toxicol Environ Health.* 41: 489-507.
- Torrealba, D; Parra, D; Seras-Franzoso, J; Vallejos-Vidal, E; Yero, D; Gibert, I; Villaverde, A; Garcia-Fruitós, E; Roher, N. (2016). Nanostructured recombinant cytokines: A highly stable alternative to short-lived prophylactics. *Biomaterials.* 107: 102-114. <http://dx.doi.org/10.1016/j.biomaterials.2016.08.043>.
- Torres, RB; Francesconi, AZ; Volpe, PLO. (2002). Excess molar volumes of binary mixtures of acetonitrile and chloroalkanes at 298.15 K and atmospheric pressure with application of the ERAS-Model. *Fluid Phase Equilibria.* 200: 1-10.
- Torrisi, RL; Vasquez, P; Viscuso, O; Magro, C; Iacona, F; Puglisi, O. (1991). SURFACE CHARACTERIZATION OF THE AL/SI-TI/W METALLIZATION AFTER CHLORINATED PLASMA TREATMENTS. *J Electrochem Soc.* 138: 1171-1174.
- Toshev, A; Peshev, P. (1988). PREPARATION OF SNO₂ SINGLE-CRYSTALS BY CHEMICAL-TRANSPORT USING CL₂ AND CCL₄ AS TRANSPORTING AGENTS. *Materials Research Bulletin.* 23: 1045-1051.
- Totten, LA; Jans, U; Roberts, AL. (2001). Alkyl bromides as mechanistic probes of reductive dehalogenation: reactions of vicinal dibromide stereoisomers with zerovalent metals. *Environ Sci Technol.* 35: 2268-2274.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Touati, F; Gharbi, N; Zarrouk, H. (1997). Synthesis of new hybrid organic-inorganic alumina gels by the sol-gel method. *Journal of Sol-Gel Science and Technology*. 8: 595-598.
- Touati, S; Meniai, AH. (2012). Solvent extraction of Cu(II) from sulphuric acid by means of sodium diethyldithiocarbamate and characterization of the formed complex. *Theoretical Foundations of Chemical Engineering*. 46: 719-726. <http://dx.doi.org/10.1134/S0040579512060231>.
- Trandafir, I; Tudose, RZ. (2004). Design and control of chemical reactors in recycle systems. *Rev Chim*. 55: 580-584.
- Trandafir, I, on; Tudose, RZ. (2007). Study of extraction columns with cylindrical rotor-flooding. *Rev Chim*. 58: 1091-1095.
- Trantham, H; Durnford, D. (1999). Stochastic aggregation model (SAM) for DNAPL-water displacement in porous media. *J Contam Hydrol*. 36: 377-400.
- Tratnyek, PG; Scherer, MM; Deng, BL; Hu, SD. (2001). Effects of natural organic matter, anthropogenic surfactants, and model quinones on the reduction of contaminants by zero-valent iron. *Water Res*. 35: 4435-4443.
- Travis, CC. (1990). Tissue dosimetry for reactive metabolites. *Risk Anal*. 10: 317-321. <http://dx.doi.org/10.1111/j.1539-6924.1990.tb01052.x>.
- Travlos, GS; Mirris, RW; Elwell, MR; Duke, A; Rosenblum, S; Thompson, MB. (1996). Frequency and relationships of clinical chemistry and liver and kidney histopathology findings in 13-week toxicity studies in rats. *Toxicology*. 107: 17-29.
- Treger, YA; Zaneskin, LN; Kartashov, LM; Balashov, LN; Reynish, LM; Khalilov, VR; Emelyanov, VI; Kharitonov, VI; Mishakov, SG; Levanovitch, VS. (1989). START AND MASTERING OF CARBON, TETRACHLORIDE INDUSTRIAL-PRODUCTION BY CHLORINE - CONTAINING HYDROCARBONS DESTRUCTION CHLORINATION. 643-649.
- Trens, P; Denoyel, R. (1996). Adsorption of (gamma-aminopropyl)triethoxysilane and related molecules at the silica/heptane interface. *Langmuir*. 12: 2781-2784.
- Tribble, DL; Aw, TY; Jones, DP. (1987). The pathophysiological significance of lipid peroxidation in oxidative cell injury [Review]. *Hepatology*. 7: 377-386.
- Triebig, G; Blume, J. (1992). ORGANIC-SOLVENTS AT THE WORKPLACE AND NEPHROTOXICITY - CURRENT KNOWLEDGE AND FUTURE PROSPECT. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin*. 27: 190-&.
- Tripp, CP; Combes, JR. (1998). Chemical modification of metal oxide surfaces in supercritical CO₂: The interaction of supercritical CO₂ with the adsorbed water layer and the surface hydroxyl groups of a silica surface. *Langmuir*. 14: 7350-7352.
- Tripp, CP; Hair, ML. (1992). AN INFRARED STUDY OF THE REACTION OF OCTADECYLTRICHLOROSILANE WITH SILICA. *Langmuir*. 8: 1120-1126.
- Tripp, CP; Hair, ML. (1993). MEASUREMENT OF POLYMER ADSORPTION ON COLLOIDAL SILICA BY IN-SITU TRANSMISSION FOURIER-TURNFORM INFRARED-SPECTROSCOPY. *Langmuir*. 9: 3523-3529.
- Tripp, CP; Hair, ML. (1994). CONTROLLED FLOCCULATION-DEFLOCCULATION BEHAVIOR OF ADSORBED BLOCK-COPOLYMERS IN COLLOIDAL DISPERSIONS BY MODIFYING SEGMENT SURFACE INTERACTIONS - THE USE OF SMALL DISPLACER MOLECULES TO SELECTIVELY CLEAVE INTERPARTICLE BONDS. *Langmuir*. 10: 4031-4038.
- Tripp, CP; Hair, ML. (1995). DIRECT OBSERVATION OF THE SURFACE BONDS BETWEEN SELF-ASSEMBLED MONOLAYERS OF OCTADECYLTRICHLOROSILANE AND SILICA SURFACES - A LOW-FREQUENCY IR STUDY AT THE SOLID-LIQUID INTERFACE. *Langmuir*. 11: 1215-1219.
- Trudinger, CM; Etheridge, DM; Rayner, PJ; Enting, IG; Sturrock, GA; Langenfelds, RL. (2002). Reconstructing atmospheric histories from measurements of air composition in firn. *J Geophys Res Atmos*. 107. <http://dx.doi.org/10.1029/2002JD002545>.
- Truex, M; Powell, T; Lynch, K. (2007). In situ dechlorination of TCE during aquifer heating. *Ground Water Monitoring and Remediation*. 27: 96-105.
- Truex, MJ; Oostrom, M; Brusseau, ML. (2009). Estimating Persistent Mass Flux of Volatile Contaminants from the Vadose Zone to Ground Water. *Ground Water Monitoring and Remediation*. 29: 63-72. <http://dx.doi.org/10.1111/j.1745-6592.2009.01236.x>.
- Tsai, TT; Kao, CM; Wang, JY. (2011). Remediation of TCE-contaminated groundwater using acid/BOF slag enhanced chemical oxidation. *Chemosphere*. 83: 687-692. <http://dx.doi.org/10.1016/j.chemosphere.2011.02.023>.
- Tsang, WT; Kapre, R; Sciortino, PF. (1994). IN-SITU DRY-ETCHING OF INP USING PHOSPHORUS TRICHLORIDE AND REGROWTH INSIDE A CHEMICAL BEAM EPITAXIAL-GROWTH CHAMBER. *J Cryst Growth*. 136: 42-49.
- Tsuchida, T; Kubo, J, un; Yoshioka, T; Sakuma, S; Takeguchi, T; Ueda, W. (2009). Influence of Preparation Factors on Ca/P Ratio and Surface Basicity of Hydroxyapatite Catalyst. *J Jpn Petrol Inst*. 52: 51-59.
- Tsuda, H; Matsumoto, K; Ogino, H; Ito, M; Hirono, I; Nagao, M; Sato, K; Cabral, R; Bartsch, H. (1993). Demonstration of initiation potential of carcinogens by induction of preneoplastic glutathione S-transferase P-form-positive liver cell foci: possible in vivo assay system for environmental carcinogens. *Jpn J Cancer Res*. 84: 230-236.
- Tsuru, T; Hino, T; Yoshioka, T; Asaeda, M. (2001). Permporometry characterization of microporous ceramic membranes. *J Memb Sci*. 186: 257-265.
- Tsutsumi, H; Fukuzawa, S; Ishikawa, M; Morita, M; Matsuda, Y. (1995). PREPARATION OF POLYANILINE-POLY(P-STYRENESULFONIC ACID) COMPOSITE BY THE POST-POLYMERIZATION METHOD. *Synthetic Metals*. 72: 231-235.
- Tsuyumoto, I; Iida, Y; Hori, H. (2011). Gas Sensor for Volatile Organochlorine Compounds Using Percolation Conduction of Organic Montmorillonite-Carbon Composites. *International Journal of Applied Ceramic Technology*. 8: 1408-1413. <http://dx.doi.org/10.1111/j.1744-7402.2011.02615.x>.
- Tu, CW; Dong, HK; Li, NY. (1996). Growth, etching, doping and effects of Ar⁺ laser irradiation in chemical beam epitaxy of GaAs with novel precursors. *J Cryst Growth*. 163: 187-194.
- Tudose, RZ; Apreotesei, G. (2001). Mass transfer coefficients in liquid-liquid extraction. *Chemical Engineering and Processing: Process Intensification*. 40: 477-485.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Turcio-Ortega, D; Fan, D; Tratnyek, PG; Kim, E; Chang, YS. (2012). Reactivity of Fe/FeS Nanoparticles: Electrolyte Composition Effects on Corrosion Electrochemistry. *Environ Sci Technol.* 46: 12484-12492. <http://dx.doi.org/10.1021/es303422w>.
- Türk, G; Çeribaşı, S; Sönmez, M; Çiftçi, M; Yüce, A; Güvenç, M; Kaya, ŞÖ; Çay, M; Aksakal, M. (2016). Ameliorating effect of pomegranate juice consumption on carbon tetrachloride-induced sperm damages, lipid peroxidation, and testicular apoptosis. *Toxicol Ind Health.* 32: 126-137. <http://dx.doi.org/10.1177/0748233713499600>.
- Türkez, H; Aydın, E. (2016). In vitro assessment of cytogenetic and oxidative effects of α -pinene. *Toxicol Ind Health.* 32: 168-176. <http://dx.doi.org/10.1177/0748233713498456>.
- Türkez, H; Aydın, E. (2016). Investigation of cytotoxic, genotoxic and oxidative properties of carvacrol in human blood cells. *Toxicol Ind Health.* 32: 625-633. <http://dx.doi.org/10.1177/0748233713506771>.
- Turkez, H; Geyikoglu, F; Yousef, M. (2016). Ameliorative effects of docosahexaenoic acid on the toxicity induced by 2,3,7,8-tetrachlorodibenzo-p-dioxin in cultured rat hepatocytes. *Toxicol Ind Health.* 32: 1074-1085. <http://dx.doi.org/10.1177/0748233714547382>.
- Tyczkowski, J. (2003). Plasma surface modification of polymer materials. *Przemysł Chemiczny.* 82: 1262-1264.
- Tyczkowski, J; Krawczyk, I; Wozniak, B. (2003). Modification of styrene-butadiene rubber surfaces by plasma chlorination. *Surf Coating Tech.* 174: 849-853. [http://dx.doi.org/10.1016/S0257-8972\(03\)00419-5](http://dx.doi.org/10.1016/S0257-8972(03)00419-5).
- Tysoe, WT; Surerus, K; Lara, J; Blunt, TJ; Kotvis, PV. (1995). The surface chemistry of chloroform as an extreme-pressure lubricant additive at high concentrations. *Tribology Letters.* 1: 39-46.
- U.S. EPA. (1986). Guidelines for the health risk assessment of chemical mixtures. *Fed Reg.* 51: 34014-34025.
- U.S. EPA. (1988). Recommendations for and documentation of biological values for use in risk assessment (pp. 1-395). (EPA/600/6-87/008). Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=34855>.
- U.S. EPA. (1988). Reference physiological parameters in pharmacokinetic modeling [EPA Report]. (EPA/600/6-88/004). Washington, DC: U.S. Environmental Protection Agency. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB88196019>.
- U.S. EPA. (1991). Guidelines for developmental toxicity risk assessment (pp. 1-71). (EPA/600/FR-91/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=23162>.
- U.S. EPA. (1994). Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry [EPA Report] (pp. 1-409). (EPA/600/8-90/066F). Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office. <https://cfpub.epa.gov/ncea/risk/recordisplay.cfm?deid=71993&CFID=51174829&CFTOKEN=25006317>.
- U.S. EPA. (1995). The use of the benchmark dose approach in health risk assessment. (EPA/630/R-94/007). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30004WBL.txt>.
- U.S. EPA. (1996). Guidelines for reproductive toxicity risk assessment. *Fed Reg.* 61: 56274-56322.
- U.S. EPA. (1996). Symposium on natural attenuation of chlorinated organics in groundwater [EPA Report]. (AD-A319 114/5). Washington, DC.
- U.S. EPA. (1998). Guidelines for neurotoxicity risk assessment. *Fed Reg.* 63: 26926-26954.
- U.S. EPA. (2000). Benchmark dose technical guidance document [external review draft] [EPA Report] (pp. 1-96). (EPA/630/R-00/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. https://ofmpub.epa.gov/eims/eimscomm.getfile?p_download_id=4727.
- U.S. EPA. (2000). Science Policy Council handbook: Peer review [EPA Report]. (EPA 100-B-00-001). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB2005109156>.
- U.S. EPA. (2000). Science policy council handbook: Risk characterization (pp. 1-189). (EPA/100/B-00/002). Washington, D.C.: U.S. Environmental Protection Agency, Science Policy Council. <https://www.epa.gov/risk/risk-characterization-handbook>.
- U.S. EPA. (2000). Toxicological review of vinyl chloride [EPA Report]. (EPA/635R-00/004). Washington, DC. <http://www.epa.gov/iris/toxreviews/1001tr.pdf>.
- U.S. EPA. (2001). Toxicological review of chloroform [EPA Report]. (EPA/635/R-01/001). Washington, DC. <http://www.epa.gov/iris>.
- U.S. EPA. (2002). A review of the reference dose and reference concentration processes (pp. 1-192). (EPA/630/P-02/002F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/osa/review-reference-dose-and-reference-concentration-processes>.
- U.S. EPA. (2005). Supplemental guidance for assessing susceptibility from early-life exposure to carcinogens (pp. 1-125). (EPA/630/R-03/003F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. https://www3.epa.gov/airtoxics/childrens_supplement_final.pdf.
- U.S. EPA. (2006). Approaches for the application of physiologically based pharmacokinetic (PBPK) models and supporting data in risk assessment (Final Report) [EPA Report] (pp. 1-123). (EPA/600/R-05/043F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=157668>.
- U.S. EPA. (2006). A framework for assessing health risk of environmental exposures to children (pp. 1-145). (EPA/600/R-05/093F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=158363>.
- U.S. EPA. (2006). U.S. Environmental Protection Agency peer review handbook 3rd edition (3 ed.). (EPA/100/B-06/002). Washington, DC: U.S. Environmental Protection Agency, Science Policy Council. https://www.epa.gov/sites/production/files/2015-09/documents/peer_review_handbook_2006_3rd_edition.pdf.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- U.S. EPA. (2007). Benchmark dose software (BMDS) version 1.4.1. Retrieved from <http://www.epa.gov/ncea/bmbs.htm>
- U.S. EPA. (2007). Protection of stratospheric ozone: extension of global laboratory and analytical use exemption for essential class I ozone-depleting substances. 72: 52332-52337.
- Uchida, K; Bhunia, S; Sugiyama, N; Furiya, M; Katoh, M; Katoh, S; Nozaki, S; Morisaki, H. (2003). Heavy carbon doping of GaAs by MOVPE using a new dopant source CBrCl₃ and characterization of the epilayers. *J Cryst Growth*. 248: 124-129.
- Uchimiya, M; Stone, AT. (2009). Reversible redox chemistry of quinones: impact on biogeochemical cycles [Review]. *Chemosphere*. 77: 451-458. <http://dx.doi.org/10.1016/j.chemosphere.2009.07.025>.
- Uddin, MN; Salam, MA; Hossain, MA. (2013). Spectrophotometric measurement of Cu(DDTC)₂ for the simultaneous determination of zinc and copper. *Chemosphere*. 90: 366-373. <http://dx.doi.org/10.1016/j.chemosphere.2012.07.029>.
- Ueda, M; Kim, HB; Ichimura, K. (1994). PHOTOCONTROL OF DISPERSIBILITY OF COLLOIDAL SILICA. *Mater Lett*. 20: 245-249.
- Ueda, M; Kim, HB; Ichimura, K. (1994). PHOTOCONTROLLED AGGREGATION OF COLLOIDAL SILICA. *J Mater Chem*. 4: 883-889.
- Ueda, M; Kudo, K; Ichimura, K. (1995). PHOTOCROMIC BEHAVIOR OF A SPIROBENZOPYRAN CHEMISORBED ON A COLLOIDAL SILICA SURFACE. *J Mater Chem*. 5: 1007-1011.
- Ujang, Z; Husain, WH; Seng, MC; Rashid, AHA. (2003). The kinetic resolution of 2-(4-chlorophenoxy) propionic acid using *Candida rugosa* lipase. *Process Biochemistry*. 38: 1483-1488. [http://dx.doi.org/10.1016/S0032-9592\(03\)00039-6](http://dx.doi.org/10.1016/S0032-9592(03)00039-6).
- Ukai, H; Inui, S; Takada, S; Dendo, J; Ogawa, J; Isobe, K; Ashida, T; Tamura, M; Tabuki, K; Ikeda, M. (1997). Types of organic solvents used in small- to medium-scale industries in Japan; a nationwide field survey. *Int Arch Occup Environ Health*. 70: 385-392.
- Ukegawa, K; Matsumura, A; Yazu, K; Kodera, Y; Kondo, T. (1991). AN ATTEMPT TO SEPARATE NITROGEN-COMPOUNDS. *Fuel Process Tech*. 28: 301-306.
- Ukrainczyk, L; Chibwe, M; Pinnavaia, TJ; Boyd, SA. (1995). REDUCTIVE DECHLORINATION OF CARBON-TETRACHLORIDE IN WATER CATALYZED BY MINERAL SUPPORTED BIOMIMETIC COBALT MACROCYCLES. *Environ Sci Technol*. 29: 439-445.
- Ulmeanu, M; Petkov, P; Hirshy, H; Brousseau, E. (2014). Formation of ordered arrays of Si and GaAs nanostructures by single-shot laser irradiation in near-field at the solid/liquid interface. 1. <http://dx.doi.org/10.1088/2053-1591/1/1/015030>.
- Ulmeanu, M; Petkov, P; Ursescu, D; Maraloiu, VA; Jipa, F; Brousseau, E; Ashfold, MNR. (2015). Pattern formation on silicon by laser-initiated liquid-assisted colloidal lithography. *Nanotechnology*. 26: 455303. <http://dx.doi.org/10.1088/0957-4484/26/45/455303>.
- Uludag-Demirer, S; Bowers, AR. (2003). Effects of surface oxidation and oxygen on the removal of trichloroethylene from the gas phase using elemental iron. *Water Air Soil Pollut*. 142: 229-242.
- Ungar, G; Tomasic, V; Xie, F; Zeng, XB. (2009). Structure of Liquid Crystalline Aerosol-OT and Its Alkylammonium Salts. *Langmuir*. 25: 11067-11072. <http://dx.doi.org/10.1021/la901385n>.
- Unnikrishnan, S; Hegde, DS. (2006). An analysis of cleaner production and its impact on health hazards in the workplace. *Environ Int*. 32: 87-94. <http://dx.doi.org/10.1016/j.envint.2005.05.023>.
- Uno, S; Kurihara, K; Ochi, K; Kojima, K. (2007). Determination and correlation of vapor-liquid equilibrium for binary systems consisting of close-boiling components. *Fluid Phase Equilibria*. 257: 139-146. <http://dx.doi.org/10.1016/j.fluid.2007.01.042>.
- Urashima, K; Chang, JS. (2000). Removal of volatile organic compounds from air streams and industrial flue gases by non-thermal plasma technology. *I E E Transactions on Dielectrics and Electrical Insulation*. 7: 602-614.
- Urhahn, T; Ballschmiter, K. (1998). Chemistry of the biosynthesis of halogenated methanes: C1-organohalogenes as pre-industrial chemical stressors in the environment? *Chemosphere*. 37: 1017-1032.
- Uryvaeva, IV; Delone, GV. (1995). An improved method of mouse liver micronucleus analysis: an application to age-related genetic alteration and polyploidy study. *Mutat Res*. 334: 71-80.
- Uslu, H. (2007). Liquid plus liquid equilibria of the (water plus tartaric acid plus Alamine 336 plus organic solvents) at 298.15 K. *Fluid Phase Equilibria*. 253: 12-18. <http://dx.doi.org/10.1016/j.fluid.2006.12.019>.
- Uslu, H. (2011). Investigation of acrylic acid extractability from aqueous solution using tridodecyl amine extractant. *Desalination and Water Treatment*. 28: 189-195. <http://dx.doi.org/10.5004/dwt.2011.2246>.
- Uslu, H; Datta, D; Bamufleh, HS. (2014). Extraction Equilibria of Gibberellic Acid by Tridodecylamine Dissolved in Alcohols. *Journal of Chemical and Engineering Data*. 59: 3882-3887. <http://dx.doi.org/10.1021/je500773w>.
- Uzomah, TC; Ugbolue, SCO. (1999). Strength properties of solvent vapour-treated pre-tensioned polypropylene films part I - Halohydrocarbon solvents. *Journal of Materials Science*. 34: 1839-1845.
- Van Goethem, F; Ghahroudi, MA; Castelain, P; Kirsch-Volders, M. (1993). Frequency and DNA content of micronuclei in rat parenchymal liver cells during experimental hepatocarcinogenesis. *Carcinogenesis*. 14: 2397-2406.
- Van Goor, A; Slawinska, A; Schmidt, CJ; Lamont, SJ. (2016). Distinct functional responses to stressors of bone marrow derived dendritic cells from diverse inbred chicken lines. *Dev Comp Immunol*. 63: 96-110. <http://dx.doi.org/10.1016/j.dci.2016.05.016>.
- Van Kuijk, FJ; Holte, LL; Dratz, EA. (1990). 4-Hydroxyhexenal: a lipid peroxidation product derived from oxidized docosahexaenoic acid. *Biochim Biophys Acta*. 1043: 116-118.
- Van Nooten, T; Springael, D; Bastiaens, L. (2008). Positive impact of microorganisms on the performance of laboratory-scale permeable reactive iron barriers. *Environ Sci Technol*. 42: 1680-1686. <http://dx.doi.org/10.1021/es071760d>.
- Vanko, G; Lalinsky, T; Hascik, S; Ryger, I; Mozolova, Z; Skriniarova, J; Tomaska, M; Kostic, I; Vincze, A. (2009). Impact of SF₆ plasma treatment on performance of AlGaIn/GaN HEMT. *Vacuum*. 84: 235-237. <http://dx.doi.org/10.1016/j.vacuum.2009.04.032>.
- Vanstee, EW; Boorman, GA; Moorman, MP; Sloane, RA. (1982). TIME-VARYING CONCENTRATION PROFILE AS A DETERMINANT OF THE INHALATION TOXICITY OF CARBON-TETRACHLORIDE. *J Toxicol Environ Health*. 10: 785-795.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Vanstone, N; Elsner, M; Lacrampe-Couloume, G; Mabury, S; Lollar, BS. (2008). Potential for identifying abiotic chloroalkane degradation mechanisms using carbon isotopic fractionation. *Environ Sci Technol.* 42: 126-132. <http://dx.doi.org/10.1021/es0711819>.
- Varshney, S; Singh, M. (2006). Densities, viscosities, and excess molar volumes of ternary liquid mixtures of bromobenzene+1,4-dioxane + (benzene or plus toluene or plus carbon tetrachloride) and some associated binary liquid mixtures. *Journal of Chemical and Engineering Data.* 51: 1136-1140. <http://dx.doi.org/10.1021/je0600303>.
- Vassilevski, KV; Sizov, VE; Babanin, AI; Melnik, YV; Zubrilov, AS. (1996). Dry etching of gallium nitride using CCl₂F₂, CCl₄ and their mixtures with N₂ and air. *Institute of Physics Conference Series.* 142: 1027-1030.
- Vazquez-Morillas, A; Vaca-Mier, M; Alvarez, PJ. (2006). Biological activation of hydrous ferric oxide for reduction of hexavalent, chromium in the presence of different anions. *European Journal of Soil Biology.* 42: 99-106. <http://dx.doi.org/10.1016/j.ejsobi.2005.11.005>.
- Veeraraghavan, R; Mohapatra, PK; Manchanda, VK. (1999). Extraction of americium from nitric acid medium using 3-phenyl-4-benzoyl-5-isoxazolone and tri-n-octylphosphine oxide. *Separation Science and Technology.* 34: 123-137.
- Velazquez, JC; Leekumjorn, S; Nguyen, QX; Fang, Y, uLun; Heck, KN; Hopkins, GD; Reinhard, M; Wong, MS. (2013). Chloroform Hydrodechlorination Behavior of Alumina-supported Pd and PdAu Catalysts. *AICHE J.* 59: 4474-4482. <http://dx.doi.org/10.1002/aic.14250>.
- Velling, P. (2000). A comparative study of GaAs- and InP-based HBT growth by means of LP-MOVPE using conventional and non gaseous sources. *Progress in Crystal Growth and Characterization of Materials.* 41: 85-131.
- Verma, SK; Rastogi, S; Arora, I; Javed, K; Akhtar, M; Samim, M. (2016). Nanoparticle Based Delivery of Quercetin for the Treatment of Carbon Tetrachloride Mediated Liver Cirrhosis in Rats. *Journal of Biomedical Nanotechnology.* 12: 274-285. <http://dx.doi.org/10.1166/jbn.2016.2153>.
- Verma, SK; Rastogi, S; Javed, K; Akhtar, M; Arora, I; Samim, M. (2013). Nanothymoquinone, a novel hepatotargeted delivery system for treating CCl₄ mediated hepatotoxicity in rats. 1: 2956-2966. <http://dx.doi.org/10.1039/c3tb20379d>.
- Veselov'ska, KI; Veselov'skiy, VL; Diyuk, VE; Gaidai, SV; Ishchenko, OV. (2015). Modification of the activated carbon surface by gaseous-phase chlorination with carbon tetrachloride. *Journal of Superhard Materials.* 37: 189-193. <http://dx.doi.org/10.3103/S1063457615030065>.
- Victor, IE; Ugorji, UO; Adeyinka, A. (2014). Efficacy of Hibiscus sabdariffa and Telfairia occidentalis in the attenuation of CCl₄-mediated oxidative stress. *Asian Pacific Journal of Tropical Medicine.* 7S1: S321-S326. [http://dx.doi.org/10.1016/S1995-7645\(14\)60253-4](http://dx.doi.org/10.1016/S1995-7645(14)60253-4).
- Vieira, I; Sonnier, M; Cresteil, T. (1996). Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem.* 238: 476-483. <http://dx.doi.org/10.1111/j.1432-1033.1996.0476z.x>.
- Vikesland, PJ; Heathcock, AM; Rebodos, RL; Makus, KE. (2007). Particle size and aggregation effects on magnetite reactivity toward carbon tetrachloride. *Environ Sci Technol.* 41: 5277-5283. <http://dx.doi.org/10.1021/es062082i>.
- Vikesland, PJ; Klausen, J; Zimmermann, H; Roberts, AL; Ball, WP. (2003). Longevity of granular iron in groundwater treatment processes: changes in solute transport properties over time. *J Contam Hydrol.* 64: 3-33. [http://dx.doi.org/10.1016/S0169-7722\(02\)00150-X](http://dx.doi.org/10.1016/S0169-7722(02)00150-X).
- Vikesland, PJ; Rebodos, RL; Bottero, JY; Rose, J; Mason, A. (2016). Aggregation and sedimentation of magnetite nanoparticle clusters. 3: 567-577. <http://dx.doi.org/10.1039/c5en00155b>.
- Villar-Rodil, S; Martinez-Alonso, A; Pajares, JA; Tascon, JMD; Jasienko-Halat, M; Broniek, E; Kaczmarczyk, J; Jankowska, A; Albinia, A; Siemieniowska, T. (2003). Following changes in the porous texture of Nomex-derived activated carbon fibres with the molecular probe technique. *Microporous and Mesoporous Materials.* 64: 11-19. [http://dx.doi.org/10.1016/S1387-1811\(03\)00496-7](http://dx.doi.org/10.1016/S1387-1811(03)00496-7).
- Vincent, D; Jorat, L; Monin, J; Noyel, G. (1994). IMPROVEMENT OF THE TRANSMISSION REFLECTION METHOD FOR DIELECTRIC AND MAGNETIC MEASUREMENTS ON LIQUIDS BETWEEN 0.1 AND 20 GHZ. *Meas Sci Technol.* 5: 990-995.
- Vindedahl, AM; Arnold, WA; Penn, RL, ee. (2015). Impact of Pahokee Peat humic acid and buffer identity on goethite aggregation and reactivity. 2: 509-517. <http://dx.doi.org/10.1039/c5en00141b>.
- Vindedahl, AM; Stemig, MS; Arnold, WA; Penn, RL. (2016). Character of Humic Substances as a Predictor for Goethite Nanoparticle Reactivity and Aggregation. *Environ Sci Technol.* 50: 1200-1208. <http://dx.doi.org/10.1021/acs.est.5b04136>.
- Vinu, A. (2008). Two-dimensional hexagonally-ordered mesoporous carbon nitrides with tunable pore diameter, surface area and nitrogen content. *Adv Funct Mater.* 18: 816-827. <http://dx.doi.org/10.1002/adfm.200700783>.
- Vinu, A; Ariga, K; Mori, T; Nakanishi, T; Hishita, S; Golberg, D; Bando, Y. (2005). Preparation and characterization of well-ordered hexagonal mesoporous carbon nitride. *Adv Mater Deerfield.* 17: 1648+. <http://dx.doi.org/10.1002/adma.200401643>.
- Vinu, A; Srinivasu, P; Sawant, DP; Mori, T; Ariga, K; Chang, JS, an; Jhung, SH, wa; Balasubramanian, VV; Hwang, YK, yu. (2007). Three-dimensional cage type mesoporous CN-Based hybrid material with very high surface area and pore volume. *Chem Mater.* 19: 4367-4372. <http://dx.doi.org/10.1021/cm070657k>.
- Visan, S; Ciobotaru, V; Coara, G; Florescu, M. (2003). Considerations regarding the compatibility of some rubber structures with leather wastes. *Materiale Plastice.* 40: 136-140.
- Visan, S; Ciobotaru, V; Ionescu, F; Angelescu, A. (2008). Physico-chemical characterization of some microstructured polymeric materials. *Materiale Plastice.* 45: 80-86.
- Vitale, SA; Hadidi, K; Cohn, DR; Falkos, P. (1996). Electron beam generated plasma decomposition of 1,1,1-trichloroethane. *Plasma Chemistry and Plasma Processing.* 16: 651-668.
- Vitale, SA; Hadidi, K; Cohn, DR; Falkos, P. (1997). The effect of a carbon-carbon double bond on electron beam-generated plasma decomposition of trichloroethylene and 1,1,1-trichloroethane. *Plasma Chemistry and Plasma Processing.* 17: 59-78.
- Vn, S; Esclapez Vicente, MD; Bonete, P; González-García, J. (2009). Electrochemical degradation of perchloroethylene in aqueous media: An approach to different strategies. *Water Res.* 43: 8. <http://dx.doi.org/10.1016/j.watres.2009.02.019>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Vodyanitskii, Y, uN. (2014). Effect of reduced iron on the degradation of chlorinated hydrocarbons in contaminated soil and ground water: A review of publications. *Eurasian Soil Science*. 47: 119-133. <http://dx.doi.org/10.1134/S1064229314020136>.
- Vodyanitskii, Y, uN; Mineev, VG. (2015). Degradation of nitrates with the participation of Fe(II) and Fe(0) in groundwater: A review. *Eurasian Soil Science*. 48: 139-147. <http://dx.doi.org/10.1134/S1064229315020131>.
- Volk, CM; Elkins, JW; Fahey, DW; Dutton, GS; Gilligan, JM; Loewenstein, M; Podolske, JR; Chan, KR; Gunson, MR. (1997). Evaluation of source gas lifetimes from stratospheric observations. *J Geophys Res Atmos*. 102: 25543-25564.
- Volodko, VG; Zvonkov, BN; Znysheva, LN; Portnov, VN. (1993). EFFECT OF CARBON-TETRACHLORIDE ON THE SELECTIVE GROWTH OF GALLIUM-ARSENIDE LAYERS IN THE MOC HYDRIDE PROCESS. *Inorg Mater*. 29: 469-471.
- Vonclarmann, T; Linden, A; Oelhaf, H; Fischer, H; Friedlvalon, F; Piesch, C; Seefeldner, M. (1995). DETERMINATION OF THE STRATOSPHERIC ORGANIC CHLORINE BUDGET IN THE SPRING ARCTIC VORTEX FROM MIPAS-B LIMB EMISSION-SPECTRA AND AIR SAMPLING EXPERIMENTS. *J Geophys Res Atmos*. 100: 13979-13997.
- Vothanh, D. (1995). INFLUENCE OF FLUID CHEMISTRY ON SHEAR-WAVE ATTENUATION AND VELOCITY IN SEDIMENTARY-ROCKS. *Geophysical Journal International*. 121: 737-749.
- Voyatzis, R; Moffat, JB. (1994). SIMULTANEOUS, SEQUENTIAL, AND REVERSE SEQUENTIAL TECHNIQUES FOR THE PREPARATION OF BINARY SILICA-SUPPORTED SODIUM/STRONTIUM CATALYSTS AND THE EFFECT OF CARBON-TETRACHLORIDE ON THE OXIDATIVE COUPLING OF METHANE. *Energy Fuels*. 8: 1106-1114.
- Voyatzis, R; Moffat, JB. (1995). COIMPREGNATED, SEQUENTIAL, AND REVERSE SEQUENTIAL LI/SR/SIO₂ CATALYSTS FOR THE OXIDATIVE COUPLING OF METHANE IN THE ABSENCE AND PRESENCE OF TETRACHLOROMETHANE - ACTIVE, SELECTIVE, AND STABLE CATALYSTS. *Energy Fuels*. 9: 240-247.
- Wagner, J; Chen, H; Brownawell, BJ; Westall, JC. (1994). Use of Cationic Surfactants to Modify Soil Surfaces to Promote Sorption and Retard Migration of Hydrophobic Organic Compounds (pp. 231-237). (ISSN 0013-936X; EISSN 1520-5851; NTIS/02988462_2). Wagner, J; Chen, H; Brownawell, BJ; Westall, JC.
- Wagner, VO; Blevins, RD. (1993). CHEMICALLY-INDUCED HISTONE MODIFICATION AS A PREDICTOR OF CARCINOGENICITY. *Arch Environ Contam Toxicol*. 25: 260-266.
- Wahren, M; Kranke, P; Moder, M; Rummel, S; Winkler, E. (1999). Hydrogen isotope effects in electrochemical reductions of organic chloro compounds. *Isotopes Environ Health Stud*. 35: 167-182.
- Wakabayashi, T; Williams, JA; Hutchings, IM. (1993). THE ACTION OF GASEOUS LUBRICANTS IN THE ORTHOGONAL MACHINING OF AN ALUMINUM-ALLOY BY TITANIUM NITRIDE COATED TOOLS. *Surf Coating Tech*. 57: 183-189.
- Walker, DS; Moore, FG; Richmond, GL. (2007). Vibrational sum frequency spectroscopy and molecular dynamics simulation of the carbon tetrachloride-water and 1,2-dichloroethane-water interfaces. *J Phys Chem C*. 111: 6103-6112. <http://dx.doi.org/10.1021/jp068700z>.
- Walker, DS; Richmond, GL. (2008). Interfacial depth profiling of the orientation and bonding of water molecules across liquid-liquid interfaces. *J Phys Chem C*. 112: 201-209. <http://dx.doi.org/10.1021/jp075469w>.
- Walker, RA; Conboy, JC; Richmond, GL. (1997). Molecular structure and ordering of phospholipids at a liquid-liquid interface. *Langmuir*. 13: 3070-3073.
- Wallace, LA. (1991). Personal exposure to 25 volatile organic compounds EPA's 1987 team study in Los Angeles California. *Toxicol Ind Health*. 7: 203-208.
- Wallace, MC; Hamesch, K; Lunova, M; Kim, Y; Weiskirchen, R; Strnad, P; Friedman, SL. (2015). Standard operating procedures in experimental liver research: thioacetamide model in mice and rats. *Lab Anim*. 49: 21-29. <http://dx.doi.org/10.1177/0023677215573040>.
- Walter, J; Nishioka, M; Hara, S. (2001). Ultrathin platinum nanoparticles encapsulated in a graphite lattice-prepared by a sonochemical approach. *Chem Mater*. 13: 1828-1833.
- Walton, BT; Hendricks, MS; Anderson, TA; Griest, WH; Merriweather, R; Beauchamp, JJ; Francis, CW. (1992). Soil sorption of volatile and semivolatile organic compounds in a mixture. *J Environ Qual*. 21: 552-558.
- Wan, C; Chen, YH; Wei, R. (1999). Dechlorination of chloromethanes on iron and palladium-iron bimetallic surface in aqueous systems. *Environ Toxicol Chem*. 18: 1091-1096.
- Wang, A, iK; Shan, A, iQin; Qin, Y; Yang, X, iuJ. (2010). EFFECTS OF CARBON TETRACHLORIDE ON SOIL RESPIRATION, SOIL MICROBE AMOUNTS, WHEAT GERMINATION AND SEEDLING'S CHLOROPHYLL CONTENT. *Fresen Environ Bull*. 19: 653-657.
- Wang, C; Wang, Y; Yin, Q; Xu, Z; Bao, Y; Hou, B; Liu, W, ei; Hao, H. (2015). Solubilities of 3-Chlorophthalic Anhydride and 4-Chlorophthalic Anhydride in Different Pure Solvents. *Journal of Chemical and Engineering Data*. 60: 3053-3061. <http://dx.doi.org/10.1021/acs.jced.5b00526>.
- Wang, CY; Zhang, WY; Qian, YT. (2002). Preparation of nanocrystalline ceria in CCl₄. *Mater Sci Eng B*. 94: 170-175.
- Wang, F; Dai, H; Deng, J; Bai, G; Ji, K; Liu, Y. (2012). Manganese oxides with rod-, wire-, tube-, and flower-like morphologies: highly effective catalysts for the removal of toluene. *Environ Sci Technol*. 46: 4034-4041. <http://dx.doi.org/10.1021/es204038j>.
- Wang, F, uY; Zhu, ZH, ua; Rudolph, V. (2008). Molecular transport in nanopores with broad pore-size distribution. *AIChE J*. 54: 2009-2023. <http://dx.doi.org/10.1002/aic.11520>.
- Wang, H; Chen, H, ao; Xu, Z; Wang, S; Li, B; Li, Y, i. (2012). Control the Morphologies and the Pore Architectures of Mesoporous Silicas through a Dual-Templating Approach. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2012/371289>.
- Wang, H; Gao, Q; Hu, J. (2010). Preparation of porous doped carbons and the high performance in electrochemical capacitors. *Microporous and Mesoporous Materials*. 131: 89-96. <http://dx.doi.org/10.1016/j.micromeso.2009.12.007>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Wang, H; Wang, LL; Sun, X; Zhu, JH; Liu, WB; Jiang, DS; Zhu, JJ; Zhao, DG; Liu, ZS; Wang, YT; Zhang, SM; Yang, H. (2009). Suppression of indium droplet formation by adding CCl₄ during metalorganic chemical vapor deposition growth of InN films. *Semiconductor Science and Technology*. 24. <http://dx.doi.org/10.1088/0268-1242/24/7/075004>.
- Wang, HX; Liu, F; Ng, TB. (2001). Examination of pineal indoles and 6-methoxy-2-benzoxazolinone for antioxidant and antimicrobial effects. *Comp Biochem Physiol C Toxicol Pharmacol*. 130: 379-388.
- Wang, J; Blowers, P; Farrell, J. (2004). Understanding reduction of carbon tetrachloride at nickel surfaces. *Environ Sci Technol*. 38: 1576-1581. <http://dx.doi.org/10.1021/es034877k>.
- Wang, J; Farrell, J. (2003). Investigating the role of atomic hydrogen on chloroethene reactions with iron using tafel analysis and electrochemical impedance spectroscopy. *Environ Sci Technol*. 37: 3891-3896. <http://dx.doi.org/10.1021/es0254605>.
- Wang, J; Fu, Z; Liu, G; Guo, N; Lu, H; Zhan, Y. (2013). Mediators-assisted reductive biotransformation of tetrabromobisphenol-A by *Shewanella* sp. XB. *Bioresour Technol*. 142: 192-197. <http://dx.doi.org/10.1016/j.biortech.2013.04.062>.
- Wang, J; Li, R; Guo, Y; Qin, P; Sun, S. (2006). Removal of methyl chloroform in a coastal salt marsh of eastern China. *Chemosphere*. 65: 1371-1380. <http://dx.doi.org/10.1016/j.chemosphere.2006.04.019>.
- Wang, J; Qin, P; Sun, S. (2007). The flux of chloroform and tetrachloromethane along an elevational gradient of a coastal salt marsh, East China. *Environ Pollut*. 148: 10-20. <http://dx.doi.org/10.1016/j.envpol.2006.11.016>.
- Wang, JJ; Lambers, ES; Pearton, SJ; Ostling, M; Zetterling, CM; Grow, JM; Ren, F; Shul, RJ. (1998). ICP etching of SiC. *Solid-State Electronics*. 42: 2283-2288.
- Wang, JL; Chang, CJ; Lin, YH. (1998). Concentration distributions of anthropogenic halocarbons over a metropolitan area. *Chemosphere*. 36: 2391-2400.
- Wang, JL; Chew, C; Chen, SW; Kuo, SR. (2000). Concentration variability of anthropogenic halocarbons and applications as internal reference in volatile organic compound measurements. *Environ Sci Technol*. 34: 2243-2248.
- Wang, JL; Lin, WC; Chen, TY. (2000). Using atmospheric CCl₄ as an internal reference in gas standard preparation. *Atmos Environ*. 34: 4393-4398.
- Wang, JL; Zhao, DS; Li, KX. (2012). Extractive Desulfurization of Gasoline Using Ionic Liquid Based on CuCl. *Petroleum Science and Technology*. 30: 2417-2423. <http://dx.doi.org/10.1080/10916466.2010.518194>.
- Wang, L, ei; Liu, P; Chen, T. (2016). Glow Discharge Plasma Induced Dechlorination and Decomposition of Dichloromethane in an Aqueous Solution. *Plasma Chemistry and Plasma Processing*. 36: 615-626. <http://dx.doi.org/10.1007/s11090-015-9658-1>.
- Wang, L, i; Wu, J; Guo, Y, an; Gong, C; Song, Y. (2015). Topographic characterization of the self-assembled nanostructures of chitosan on mica surface by atomic force microscopy. *Appl Surf Sci*. 353: 757-763. <http://dx.doi.org/10.1016/j.apsusc.2015.06.193>.
- Wang, L; Wu, J; Wang, L, e; Guo, C; Xu, Y, ao. (2014). High-yield synthesis of uniform B, N-rich BN-C-x nanoplates in mild temperatures. *J Nanopart Res*. 16. <http://dx.doi.org/10.1007/s11051-014-2511-2>.
- Wang, LH; Tsai, BJ. (2000). The sintering and crystallization of colloidal silica gel. *Mater Lett*. 43: 309-314.
- Wang, ML; Liu, BL; Lin, SJ. (2007). Synthesis of an active quaternary phosphonium salt and its application to the Wittig reaction: Kinetic study. *Journal of the Chinese Institute of Chemical Engineers*. 38: 451-459. <http://dx.doi.org/10.1016/j.jcice.2007.08.005>.
- Wang, ML; Ou, CC; Jwo, JJ. (1998). Effect of the distribution of pyridine 1-oxide on its catalyzed two-phase reaction of benzoyl chloride and carboxylate ion. *Chemical Engineering Communications*. 165: 151-165.
- Wang, P; Zhao, W. (2008). Assessment of ambient volatile organic compounds (VOCs) near major roads in urban Nanjing, China. *Atmos Res*. 89: 289-297. <http://dx.doi.org/10.1016/j.atmosres.2008.03.013>.
- Wang, PF; Li, WN; Peng, B; Lu, M. (2012). Effect of dehydration techniques on the fluorescence spectral features and OH absorption of heavy metals containing fluoride tellurite glasses. *Journal of Non-Crystalline Solids*. 358: 788-793. <http://dx.doi.org/10.1016/j.jnoncrysol.2011.12.029>.
- Wang, R; Nakajima, T; Honma, T. (1999). Different change patterns of the isozymes of cytochrome P450 and glutathione S-transferases in chemically induced liver damage in rat. *Ind Health*. 37: 440-448.
- Wang, S; Li, QS; Li, YL. (2006). Solubility of D-p-hydroxyphenylglycine in water, methanol, ethanol, carbon tetrachloride, toluene, and N,N-dimethylformamide between 278 K and 323 K. *Journal of Chemical and Engineering Data*. 51: 2201-2202. <http://dx.doi.org/10.1021/jc060300h>.
- Wang, SB; Murata, K; Hayakawa, T; Hamakawa, S; Suzuki, K. (2000). Oxidative dehydrogenation of ethane over alkali metal chloride modified silica catalysts. *Energy Fuels*. 14: 899-903.
- Wang, SH; Kao, MY; Wu, SC; Lo, DY; Wu, JY; Chang, JC; Chiou, RY. (2011). Oral administration of *Trapa taiwanensis* Nakai fruit skin extracts conferring hepatoprotection from CCl₄-caused injury. *J Agric Food Chem*. 59: 3686-3692. <http://dx.doi.org/10.1021/jf1048386>.
- Wang, W; Lu, XH; Qin, XJ; Zhang, XH; Xu, YQ. (2008). Solubility of pyoluteorin in water, dichloromethane, chloroform, and carbon tetrachloride from (278.2 to 333.2) K. *Journal of Chemical and Engineering Data*. 53: 2241-2243. <http://dx.doi.org/10.1021/jc800369k>.
- Wang, W; Xiong, S; Chen, L; Xi, B; Zhou, H; Zhang, Z. (2006). Formation of flexible Ag/C coaxial nanocables through a novel solution process. *Cryst Growth Des*. 6: 2422-2426. <http://dx.doi.org/10.1021/cg060068b>.
- Wang, X; Chen, C; Chang, Y; Liu, H. (2009). Dechlorination of chlorinated methanes by Pd/Fe bimetallic nanoparticles. *J Hazard Mater*. 161: 815-823. <http://dx.doi.org/10.1016/j.jhazmat.2008.04.027>.
- Wang, X; Chen, C; Liu, H; Ma, J, un. (2008). Characterization and Evaluation of Catalytic Dechlorination Activity of Pd/Fe Bimetallic Nanoparticles. *Ind Eng Chem Res*. 47: 8645-8651. <http://dx.doi.org/10.1021/ie701762d>.
- Wang, X; Dossett, MP; Gordon, MP; Strand, SE. (2004). Fate of carbon tetrachloride during phytoremediation with poplar under controlled field conditions. *Environ Sci Technol*. 38: 5744-5749. <http://dx.doi.org/10.1021/es0499187>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Wang, X; Gong, G; Yang, W; Li, Y; Jiang, M; Li, L. (2013). Antifibrotic activity of galangin, a novel function evaluated in animal liver fibrosis model. *Environ Toxicol Pharmacol.* 36: 288-295. <http://dx.doi.org/10.1016/j.etap.2013.04.004>.
- Wang, X, iKui, Wei, Y, ueC; Wang, C; Guo, W, eiLin; Wang, J, inG; Jiang, J, ieX. (2011). Ultrasonic degradation of reactive brilliant red K-2BP in water with CCl₄ enhancement: Performance optimization and degradation mechanism. *Separation and Purification Technology.* 81: 69-76. <http://dx.doi.org/10.1016/j.seppur.2011.07.003>.
- Wang, Y, u; Jia, A, iPin; Luo, MF, ei; Lu, J, iQ. (2015). Highly active spinel type CoCr₂O₄ catalysts for dichloromethane oxidation. *Appl Catal B-Environ.* 165: 477-486. <http://dx.doi.org/10.1016/j.apcatb.2014.10.044>.
- Wang, Y; Wu, C; Wang, X; Zhou, S. (2009). The role of humic substances in the anaerobic reductive dechlorination of 2,4-dichlorophenoxyacetic acid by *Comamonas koreensis* strain CY01. *J Hazard Mater.* 164: 941-947. <http://dx.doi.org/10.1016/j.jhazmat.2008.08.097>.
- Wang, YF; Lee, WJ; Chen, CY; Wu, YPG; Chang-Chien, GP. (2000). Reaction mechanisms in both a CCl₂F₂/O-2/Ar and a CCl₂F₂/H-2/Ar RF plasma environment. *Plasma Chemistry and Plasma Processing.* 20: 469-494.
- Wang, YK; Tao, L; Chen, MJ; Li, FB. (2012). Effects of the Fell/Cull interaction on copper aging enhancement and pentachlorophenol reductive transformation in paddy soil. *J Agric Food Chem.* 60: 630-638. <http://dx.doi.org/10.1021/jf2040093>.
- Wang, ZC; Yang, S; Huang, JJ; Chen, SL; Li, QQ; Li, Y. (2014). Effect of Rougan Huaqian granules combined with human mesenchymal stem cell transplantation on liver fibrosis in cirrhosis rats. *Asian Pacific Journal of Tropical Medicine.* 7: 576-581. [http://dx.doi.org/10.1016/S1995-7645\(14\)60097-3](http://dx.doi.org/10.1016/S1995-7645(14)60097-3).
- Wangenheim, J; Bolcsfoldi, G. (1988). Mouse lymphoma L5178Y thymidine kinase locus assay of 50 compounds. *Mutagenesis.* 3: 193-205. <http://dx.doi.org/10.1093/mutage/3.3.193>.
- Warddrip, ML; Kappers, MJ; Li, L; Qi, H; Han, BK; Gan, S; Hicks, RF. (1997). Mechanism of doping gallium arsenide with carbon tetrachloride during organometallic vapor-phase epitaxy. *Journal of Electronic Materials.* 26: 1189-1193.
- Warren, KD; Arnold, RG; Bishop, TL; Lindholm, LC; Betterton, EA. (1995). KINETICS AND MECHANISM OF REDUCTIVE DEHALOGENATION OF CARBON TETRACHLORIDE USING ZERO-VALENCE METALS. *J Hazard Mater.* 41: 2-3.
- Warrington, JS; Poku, JW; von Moltke, LL; Shader, RI; Harmatz, JS; Greenblatt, DJ. (2000). Effects of age on in vitro midazolam biotransformation in male CD-1 mouse liver microsomes. *J Pharmacol Exp Ther.* 292: 1024-1031.
- Warrington, JS; Von Moltke, LL; Greenblatt, DJ. (2004). Age-related differences in CYP3A expression and activity in the rat liver, intestine and kidney. *J Pharmacol Exp Ther.* 309: 720-729. <http://dx.doi.org/10.1124/jpet.103.061077>.
- Watanabe, K; Hatakeyama, M; Ichiki, K; Satake, T; Kato, T; Nagai, K. (2001). Large-hole anode-type fast atom beam (LA-FAB) source and its application to high-aspect-ratio GaAs etching. *Appl Surf Sci.* 169: 603-606.
- Watanabe, K; Nakazawa, H; Matsui, Y. (2009). Allophane films formed at the liquid/liquid interface. *Appl Clay Sci.* 46: 330-332. <http://dx.doi.org/10.1016/j.clay.2009.08.027>.
- Watanabe, N; Nittono, T; Ito, H. (1994). PRECISE CONTROL OF LATTICE STRAIN IN CARBON-DOPED GAAS BY INDIUM CO-DOPING FOR RELIABLE ALGAAS/GAAS HETEROJUNCTION BIPOLAR-TRANSISTORS. *J Cryst Growth.* 145: 929-934.
- Watanabe, Y; Nakagawa, M; Miyakoshi, Y. (1997). Enhancement of lipid peroxidation in the liver of mice exposed to magnetic fields. *Ind Health.* 35: 285-290.
- Watkins, SP; Pitts, OJ; Dale, C; Xu, XG; Dvorak, MW; Matine, N; Bolognesi, CR. (2000). Heavily carbon-doped GaAsSb grown on InP for HBT applications. *J Cryst Growth.* 221: 59-65.
- Watkins, SP; Wiersma, RD; Wang, CX; Pitts, OJ; Bolognesi, CR. (2003). Structural effects of carbon in GaSb grown by metalorganic vapor phase epitaxy. *J Cryst Growth.* 248: 274-278.
- Watson, AJ; Liddicoat, MI. (1985). RECENT HISTORY OF ATMOSPHERIC TRACE GAS CONCENTRATIONS DEDUCED FROM MEASUREMENTS IN THE DEEP-SEA - APPLICATION TO SULFUR HEXA-FLUORIDE AND CARBON-TETRACHLORIDE. *Atmos Environ.* 19: 1477-1484.
- Watts, RJ; Finn, DD; Cutler, LM; Schmidt, JT; Teel, AL. (2007). Enhanced stability of hydrogen peroxide in the presence of subsurface solids. *J Contam Hydrol.* 91: 312-326. <http://dx.doi.org/10.1016/j.jconhyd.2006.11.004>.
- Watts, RJ; Howsawkung, J; Teel, AL. (2005). Destruction of a carbon tetrachloride dense nonaqueous phase liquid by modified Fenton's reagent. *J Environ Eng.* 131: 1114-1119. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:7\(1114\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:7(1114)).
- Watts, RJ; Sarasa, J; Loge, FJ; Teel, AL. (2005). Oxidative and reductive pathways in manganese-catalyzed Fenton's reactions. *J Environ Eng.* 131: 158-164. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:1\(158\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:1(158)).
- Wauthier, V; Verbeeck, RK; Caulderon, PB. (2004). Age-related changes in the protein and mRNA levels of CYP2E1 and CYP3A isoforms as well as in their hepatic activities in Wistar rats. What role for oxidative stress? *Arch Toxicol.* 78: 131-138. <http://dx.doi.org/10.1007/s00204-003-0526-z>.
- Weathers, LJ; Parkin, GF; Alvarez, PJ. (1997). Utilization of cathodic hydrogen as electron donor for chloroform cometabolism by a mixed, methanogenic culture. *Environ Sci Technol.* 31: 880-885.
- Webster, HF; Wightman, JP. (1991). EFFECTS OF OXYGEN AND AMMONIA PLASMA TREATMENT ON POLYPHENYLENE SULFIDE THIN-FILMS AND THEIR INTERACTION WITH EPOXY ADHESIVE. *J Adhes Sci Tech.* 5: 93-106.
- Wee, ATS; Huan, CHA; Tan, KL; Tan, RSK. (1994). AN INVESTIGATION OF THE AR+ ION-ENHANCED REACTION OF CCL₄ ON SI(100) BY SECONDARY-ION MASS-SPECTROSCOPY. *Journal of Materials Science.* 29: 4037-4042.
- Weeks, LD; Zhu, L, inL; Pellon, M; Haines, DR; Arumainayagam, CR. (2007). Low-energy electron-induced oligomerization of condensed carbon tetrachloride. *J Phys Chem C.* 111: 4815-4822. <http://dx.doi.org/10.1021/jp068562d>.
- Wei, Y, uT; Wu, SC; Chou, CM; Che, CH; Tsai, SM, u; Lien, HL. (2010). Influence of nanoscale zero-valent iron on geochemical properties of groundwater and vinyl chloride degradation: A field case study. *Water Res.* 44: 131-140. <http://dx.doi.org/10.1016/j.watres.2009.09.012>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Wei, Y, uT; Wu, SC; Yang, S; Che, CH; Lien, HL; Huang, D, eH. (2012). Biodegradable surfactant stabilized nanoscale zero-valent iron for in situ treatment of vinyl chloride and 1,2-dichloroethane. *J Hazard Mater.* 211: 373-380. <http://dx.doi.org/10.1016/j.jhazmat.2011.11.018>.
- Wei, YF; Dang, LP; Zhang, XY; Cui, WM; Wei, HY. (2012). Solid-Liquid Phase Equilibrium and Solubility of Dibenzo[b,d]furan and 9H-Fluoren-9-one in Organic Solvents. *Journal of Chemical and Engineering Data.* 57: 1279-1287. <http://dx.doi.org/10.1021/je201282d>.
- Wei, YX; Li, ZE; Hu, YF; Xu, ZH. (2003). Inhibition of mouse liver lipid peroxidation by high molecular weight phlorotannins from *Sargassum kjellmanianum*. *J Appl Phycol.* 15: 507-511.
- Weigel, K; Riese, M; Hoffmann, L; Hoefler, S; Kalicinsky, C; Knieling, P; Olschewski, F; Preusse, P; Spang, R; Stroh, F; Volk, CM. (2010). CRISTA-NF measurements during the AMMA-SCOUT-O3 aircraft campaign. *Atmos Meas Tech.* 3: 1437-1455. <http://dx.doi.org/10.5194/amt-3-1437-2010>.
- Wei-hua, Z; Xie, Q; Zhuo-yong, Z. (2007). Catalytic reductive dechlorination of p-chlorophenol in water using Ni/Fe nanoscale particles. *J Environ Sci.* 19: 362-366. [http://dx.doi.org/10.1016/S1001-0742\(07\)60060-6](http://dx.doi.org/10.1016/S1001-0742(07)60060-6).
- Weirong, J; Lempe, DA. (2006). Calculation of viscosities of liquid mixtures using Eyring's theory in combination with cubic equations of state. *Chinese Journal of Chemical Engineering.* 14: 770-779.
- Weisenstein, DK; Ko, MKW; Sze, ND. (1992). THE CHLORINE BUDGET OF THE PRESENT-DAY ATMOSPHERE - A MODELING STUDY. *J Geophys Res Atmos.* 97: 2547-2559.
- Weiss, A. (1996). Sources of airborne CCl₄: Critical remarks (pp. 112-114). (ISSN 0944-1344; EISSN 1614-7499; BIOSIS/96/31124). Weiss, A.
- Weissflog, L; Elansky, N; Putz, E; Krueger, G; Lange, CA; Lisitzina, L; Pfennigsdorff, A. (2004). Trichloroacetic acid in the vegetation of polluted and remote areas of both hemispheres - Part II: Salt lakes as novel sources of natural chlorohydrocarbons. *Atmos Environ.* 38: 4197-4204. <http://dx.doi.org/10.1016/j.atmosenv.2004.04.032>.
- Welhouse, GJ; Bleam, WF. (1992). NMR SPECTROSCOPIC INVESTIGATION OF HYDROGEN-BONDING IN ATRAZINE. *Environ Sci Technol.* 26: 959-964.
- Welhouse, GJ; Bleam, WF. (1993). ATRAZINE HYDROGEN-BONDING POTENTIALS. *Environ Sci Technol.* 27: 494-500.
- Welhouse, GJ; Bleam, WF. (1993). COOPERATIVE HYDROGEN-BONDING OF ATRAZINE. *Environ Sci Technol.* 27: 500-505.
- Wen, Y; Zhao, J; Nirala, SK; Bhadauria, M. (2012). Aluminum-Induced Toxicity and Its Response to Combined Treatment of HEDTA and Propolis in Rats. *Pol J Environ Stud.* 21: 1437-1443.
- Weng, WL. (1999). Viscosities and densities for binary mixtures of anisole with 1-butanol, 1-pentanol, 1-hexanol, 1-heptanol, and 1-octanol. *Journal of Chemical and Engineering Data.* 44: 63-66.
- Wenger, AK; Farouk, B; Wittle, JK. (1999). Analysis of material recovery in plasma arc melting of solid wastes: A computational study. *J Air Waste Manag Assoc.* 49: 279-288.
- Wenying, X; Ping, L; Jinhong, F. (2008). Reduction of nitrobenzene by the catalyzed Fe/Cu process. *J Environ Sci.* 20: 915-921.
- Wen-ying, X; Ting-yao, G. (2007). Dechlorination of carbon tetrachloride by the catalyzed Fe-Cu process. *J Environ Sci.* 19: 792-799.
- West, GB; Woodruff, WH; Brown, JH. (2002). Allometric scaling of metabolic rate from molecules and mitochondria to cells and mammals. *Proc Natl Acad Sci USA.* 99: 2473-2478. <http://dx.doi.org/10.1073/pnas.012579799>.
- Weston, A; Murthy, M. (1996). Synthesis of fullerenes: An effort to optimize process parameters. *Carbon.* 34: 1267-1274.
- White, MA; Perry, RT. (1994). MELTING BEHAVIOR IN BINARY COMPOUNDS - INCLUSION-COMPOUNDS AS EXAMPLES OF CONGRUENT VS INCONGRUENT MELTING. *Chem Mater.* 6: 603-610.
- White, MD; Oostrom, M; Lenhard, RJ. (2004). A practical model for mobile, residual, and entrapped NAPL in water-wet porous media. *Ground Water.* 42: 734-746.
- White, MD; Oostrom, M; Rockhold, ML; Rosing, M. (2008). Scalable modeling of carbon tetrachloride migration at the hanford site using the STOMP simulator. *Vadose Zone Journal.* 7: 654-666. <http://dx.doi.org/10.2136/vzj2007.0070>.
- Whittaker, SG; Zimmermann, FK; Dicus, B; Piegorsch, WW; Fogel, S; Resnick, MA. (1989). Detection of induced mitotic chromosome loss in *Saccharomyces cerevisiae*--an interlaboratory study. *Mutat Res.* 224: 31-76.
- Wiersma, R; Stotz, JAH; Pitts, OJ; Wang, CX; Thewalt, MLW; Watkins, SP. (2001). P-type carbon doping of GaSb. *Journal of Electronic Materials.* 30: 1429-1432.
- Wilcosky, TC; Checkoway, H; Marshall, EG; Tyroler, HA. (1984). Cancer mortality and solvent exposures in the rubber industry. *Am Ind Hyg Assoc J.* 45: 809-811. <http://dx.doi.org/10.1080/15298668491400683>.
- Wilde, K. (1982). DESORPTION-KINETICS OF CARBON-TETRACHLORIDE FROM ACTIVATED CARBON - COMMENT. *Environ Sci Technol.* 16: 731-732.
- Will Castro, LSE, P; Gomes Castro, AJ; Nascimento Santos, M, daS; Pinheiro, T, deS; Florentin, K, deQ; Alves, LG; Soriano, EM; Araujo, RM; Leite, EL. (2016). Effect of galactofucan sulfate of a brown seaweed on induced hepatotoxicity in rats, sodium pentobarbital-induced sleep, and anti-inflammatory activity. *J Appl Phycol.* 28: 2005-2017. <http://dx.doi.org/10.1007/s10811-015-0698-y>.
- Will, O; Mahler, HC; Arrigo, AP; Epe, B. (1999). Influence of glutathione levels and heat shock on the steady state levels of oxidative DNA base modifications in mammalian cells. *Carcinogenesis.* 20: 333-337.
- Williams, AGB; Scherer, MM. (2004). Spectroscopic evidence for Fe(II)-Fe(III) electron transfer at the iron oxide-water interface. *Environ Sci Technol.* 38: 4782-4790. <http://dx.doi.org/10.1021/es049373g>.
- Williams, BA; Chou, CJ. (2007). Characterizing vertical contaminant distribution in a thick unconfined aquifer, Hanford site, Washington, USA. *Environ Geol.* 53: 879-890. <http://dx.doi.org/10.1007/s00254-007-0700-3>.
- Williams, PRD; Benton, L; Sheehan, PJ. (2004). The risk of MTBE relative to other VOCs in public drinking water in California. *Risk Anal.* 24: 621-634. <http://dx.doi.org/10.1111/j.0272-4332.2004.00463.x>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Wills, PJ; Asha, VV. (2012). Lygodium flexuosum extract down regulates the expression of proinflammatory cytokines in CCl₄-induced hepatotoxicity. *Asian Pacific Journal of Tropical Medicine*. 5: 421-426. [http://dx.doi.org/10.1016/S1995-7645\(12\)60072-8](http://dx.doi.org/10.1016/S1995-7645(12)60072-8).
- Wilson, JG. (1954). Influence of the offspring of altered physiologic states during pregnancy in the rat. *Ann N Y Acad Sci*. 57: 517-525.
- Wilson, SC; Burnett, V; Waterhouse, KS; Jones, KC. (1994). Volatile organic compounds in digested United Kingdom sewage sludges. *Environ Sci Technol*. 28: 259-266. <http://dx.doi.org/10.1021/es00051a012>.
- Wiltowski, TS; Howerton, RD; Lalvani, SB; Zamansky, V. (2001). Photocatalytic oxidation of trichloroethylene and carbon tetrachloride using titanium dioxide filter as a catalyst. *Energy Sources*. 23: 845-852.
- Winchell, LJ; Novak, PJ. (2008). Enhancing polychlorinated biphenyl dechlorination in fresh water sediment with biostimulation and bioaugmentation. *Chemosphere*. 71: 176-182. <http://dx.doi.org/10.1016/j.chemosphere.2007.10.021>.
- Winkelmann, K; Calhoun, RL; Mills, G. (2012). Effects of Periodic Illumination and Aqueous/Organic Interfacial Surface Area on Chain Propagation of CCl₃F Reduction. *J Phys Chem C*. 116: 2829-2837. <http://dx.doi.org/10.1021/jp205543a>.
- Wisniak, J. (1983). ENTHALPY CONCENTRATION DATA FOR THE SYSTEMS CARBON TETRACHLORIDE-XYLENE. 21: 105-108.
- Wisniak, J; Tamir, A. (1975). VAPOR-LIQUID-EQUILIBRIA IN SYSTEM CARBON TETRACHLORIDE ACETIC ACID. *Journal of Chemical and Engineering Data*. 20: 168-170.
- Witt, ME; Dybas, MJ; Wiggert, DC; Criddle, CS. (1999). Use of bioaugmentation for continuous removal of carbon tetrachloride in model aquifer columns. *Environ Eng Sci*. 16: 475-485.
- Witt, ME; Dybas, MJ; Worden, RM; Criddle, CS. (1999). Motility-enhanced bioremediation of carbon tetrachloride-contaminated aquifer sediments. *Environ Sci Technol*. 33: 2958-2964.
- Wittmann, C; Suominen, KP; Salkinoja-Salonen, MS. (2000). Evaluation of ecological disturbance and intrinsic bioremediation potential of pulp mill-contaminated lake sediment using key enzymes as probes. *Environ Pollut*. 107: 255-261.
- Wolf, CR; Mansuy, D; Nastainczyk, W; Deutschmann, G; Ullrich, V. (1977). The reduction of polyhalogenated methanes by liver microsomal cytochrome P450. *Mol Pharmacol*. 13: 698-705.
- Wolff, HA; Rolke, D; Rave-Fränk, M; Schirmer, M; Eichele, W; Doerfler, A; Hille, A; Hess, CF; Matthias, C; Rödel, RM; Christiansen, H. (2011). Analysis of chemokine and chemokine receptor expression in squamous cell carcinoma of the head and neck (SCCHN) cell lines. *Radiat Environ Biophys*. 50: 145-154. <http://dx.doi.org/10.1007/s00411-010-0341-x>.
- Won, YS, oo. (2007). Thermal stability and reaction mechanism of chloromethanes in excess hydrogen atmosphere. *J Ind Eng Chem*. 13: 400-405.
- Won, YS, oo. (2012). Comparison for thermal decomposition and product distribution of chloroform under each argon and hydrogen reaction atmosphere. *Korean J Chem Eng*. 29: 1745-1751. <http://dx.doi.org/10.1007/s11814-012-0086-0>.
- Won, YS; Bozzelli, JW. (1992). CHLOROFORM PYROLYSIS - EXPERIMENT AND DETAILED REACTION MODEL. *Combust Sci Tech*. 85: 345-373.
- Wong, CK; Ooi, VEC; Ang, PO. (2000). Protective effects of seaweeds against liver injury caused by carbon tetrachloride in rats. *Chemosphere*. 41: 173-176.
- Wong, CK; Ooi, VEC; Ang, PO. (2004). Hepatoprotective effect of seaweeds' methanol extract against carbon tetrachloride-induced poisoning in rats. *Hydrobiologia*. 512: 267-270.
- Wong, CK; Ooi, VEC; Wong, CK. (2003). Protective effects of N-acetylcysteine against carbon tetrachloride- and trichloroethylene-induced poisoning in rats. *Environ Toxicol Pharmacol*. 14: 109-116. [http://dx.doi.org/10.1016/S1382-6689\(03\)00045-0](http://dx.doi.org/10.1016/S1382-6689(03)00045-0).
- Wood, GO; Moyer, ES. (1991). A Review and Comparison of Adsorption Isotherm Equations Used to Correlate and Predict Organic Vapor Cartridge Capacities. *Am Ind Hyg Assoc J*. 52: 235-242.
- Workman, DJ; Woods, SL; Gorby, YA; Fredrickson, JK; Truex, MJ. (1997). Microbial reduction of vitamin B-12 by *Shewanella* alga strain BrY with subsequent transformation of carbon tetrachloride. *Environ Sci Technol*. 31: 2292-2297.
- Wright, H; Ramkrishna, D. (1994). FACTORS AFFECTING COALESCENCE FREQUENCY OF DROPLETS IN A STIRRED LIQUID-LIQUID DISPERSION. *AIChE J*. 40: 767-776.
- Wu, B; Li, Y; Li, X; Zhu, J. (2015). Distribution and Identification of Chlorides in Distillates from YS Crude Oil. *Energy Fuels*. 29: 1391-1396. <http://dx.doi.org/10.1021/ef502450w>.
- Wu, CD; Liu, XH; Fan, JC; Wang, LS. (2001). Ultrasonic destruction of chloroform and carbon tetrachloride in aqueous solution. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 36: 947-955.
- Wu, D; Shao, B; Feng, Y; Ma, L. (2015). Effects of Cu²⁺, Ag⁺, and Pd²⁺ on the reductive debromination of 2,5-dibromoaniline by the ferrous hydroxy complex. *Environ Technol*. 36: 901-908. <http://dx.doi.org/10.1080/09593330.2014.966766>.
- Wu, D; Wang, Z; Wang, HW, u; Fan, J; Ma, L, uM. (2009). EFFECT OF Cu ON THE REDUCTIVE DECHLORINATION OF CHLORINATED HYDROCARBONS IN WATER BY SCRAP-IRON. *Fresen Environ Bull*. 18: 423-428.
- Wu, G; Gao, F; Kaltchev, M; Gutow, J; Mowlem, JK; Schramm, WC; Kotvis, PV; Tysoe, WT. (2002). An investigation of the tribological properties of thin KCl films on iron in ultrahigh vacuum: modeling the extreme-pressure lubricating interface. *Wear*. 252: 595-606.
- Wu, HM; McBride, TJ; Isanhart, JP; Cox, SB; Hooper, MJ. (2009). Responses of glutamate cysteine ligase and glutathione to oxidants in deer mice (*Peromyscus maniculatus*). *Ecotoxicol Environ Saf*. 72: 1572-1578. <http://dx.doi.org/10.1016/j.ecoenv.2009.02.008>.
- Wu, J; Yin, W; Gu, J; Li, P; Wang, X; Yang, B, o. (2013). A biotic Fe-0-H₂O system for nitrobenzene removal from groundwater. *Chem Eng J*. 226: 14-21. <http://dx.doi.org/10.1016/j.cej.2013.04.021>.
- Wu, JF; Ma, L; Zhao, HY; Wang, ZJ. (2002). The separation of chloromethane mixtures and the recovery of dichloromethane, chloroform and carbon tetrachloride by activated carbon fibre. *AST*. 20: 169-177.
- Wu, JJ; Ku, CH; Wong, TC; Wu, CT; Chen, KH; Chen, LC. (2005). Growth of nanocrystalline diamond films in CCl₄/H₂ ambient. *Thin Solid Films*. 473: 24-30. <http://dx.doi.org/10.1016/j.tsf.2004.06.152>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Wu, JM; Huang, HS; Livengood, CD. (1992). ULTRASONIC DESTRUCTION OF CHLORINATED COMPOUNDS IN AQUEOUS-SOLUTION. *Environmental Progress*. 11: 195-201.
- Wu, L; Shamsuzzoha, M; Ritchie, SMC. (2005). Preparation of cellulose acetate supported zero-valent iron nanoparticles for the dechlorination of trichloroethylene in water. *J Nanopart Res*. 7: 469-476. <http://dx.doi.org/10.1007/s11051-005-4271-5>.
- Wu, S; Shen, X; Ji, Z; Zhu, G; Zhou, H, u; Zang, H; Yu, T; Chen, C; Song, C; Feng, L; Zhao, M, i; Chen, K. (2017). Morphological syntheses and photocatalytic properties of well-defined sub-100 nm Ag/AgCl nanocrystals by a facile solution approach. *J Alloy Comp*. 693: 132-140. <http://dx.doi.org/10.1016/j.jallcom.2016.09.162>.
- Wu, X; Gu, X; Lu, S; Qiu, Z; Sui, Q; Zang, X; Miao, Z; Xu, M; Danish, M. (2016). Accelerated degradation of tetrachloroethylene by Fe(II) activated persulfate process with hydroxylamine for enhancing Fe(II) regeneration. *J Chem Tech Biotechnol*. 91: 1280-1289. <http://dx.doi.org/10.1002/jctb.4718>.
- Wu, X; Gu, X; Lu, S; Xu, M; Zang, X; Miao, Z; Qiu, Z; Sui, Q. (2014). Degradation of trichloroethylene in aqueous solution by persulfate activated with citric acid chelated ferrous ion. *Chem Eng J*. 255: 585-592. <http://dx.doi.org/10.1016/j.cej.2014.06.085>.
- Wu, X; Letuchy, YA; Eyman, DP. (1996). Catalytic hydrodechlorination of CCl₄ over silica-supported PdCl₂-containing molten salt catalysts: The promotional effects of CoCl₂ and CuCl₂. *J Catal*. 161: 164-177.
- Wu, X; Lu, S; Qiu, Z; Sui, Q; Lin, K; Du, X; Luo, Q. (2014). The reductive degradation of 1,1,1-trichloroethane by Fe(0) in a soil slurry system. *Environ Sci Pollut Res Int*. 21: 1401-1410. <http://dx.doi.org/10.1007/s11356-013-2029-7>.
- Wu, Y, aD; He, J; Huang, Y, uD; Tang, F, ei; Wang, F. (2012). Investigation on Degradation and Stability of Oxidized Regenerated Cellulose. *Fibers and Polymers*. 13: 582-586. <http://dx.doi.org/10.1007/s12221-012-0582-1>.
- Wu, Y, aD; He, J; Huang, Y, uD; Wang, F; Tang, F, ei. (2012). Oxidation of Regenerated Cellulose with Nitrogen Dioxide/Carbon Tetrachloride. *Fibers and Polymers*. 13: 576-581. <http://dx.doi.org/10.1007/s12221-012-0576-z>.
- Wu, Y; Liu, Y; Ding, XM; Obbard, EG; Wang, XZ; Ding, HJ; Hou, XY; Li, XB. (2004). Passivation of GaAs field-effect transistors in diluted S₂Cl₂ solution. *Appl Surf Sci*. 228: 5-9. <http://dx.doi.org/10.1016/j.apsusc.2004.01.037>.
- Wu, Y; Ma, C. (2011). Remediation technology of groundwater contaminated by perchloroethylene. *Int J Environ Pollut*. 45: 176-185.
- Wu, Y; Wang, SC; Jin, MR; Yang, XY. (2001). Poly(acrylate-co-acrylic acid)/polysulfone composite membranes for pervaporation of volatile organic compounds from water. *Separation Science and Technology*. 36: 3529-3540.
- Wu, YP; Won, YS. (2000). Pyrolysis of chloromethanes. *Combust Flame*. 122: 312-326.
- Wu, YPG; Lin, YF. (2004). The oxidation of trichloroethene with methane: Experiment and kinetic modeling. *Combust Flame*. 137: 376-402. <http://dx.doi.org/10.1016/j.combustflame.2004.03.002>.
- Wu, Z, hiLin; Ondruschka, B; Braeutigam, P. (2007). Degradation of chlorocarbons driven by hydrodynamic cavitation. *Chem Eng Tech*. 30: 642-648. <http://dx.doi.org/10.1002/ceat.200600288>.
- Wu, ZL; Gao, X; Luo, ZY; Ni, MJ; Cen, KF. (2004). Decomposition characteristics of toluene by a corona radical shower system. *J Environ Sci*. 16: 543-547.
- Wyrebowska, J; Jerzykowski, T. (1980). SOME PROPERTIES OF AMINOPROPANOL DEHYDROGENASE IN RAT SERUM STUDIED IN NORMAL CONDITIONS AND IN ACUTE CARBON-TETRACHLORIDE POISONING. *J Toxicol Environ Health*. 6: 613-620.
- Xia, D; Liu, B; Xin, W; Liu, T; Sun, J; Liu, N; Qin, S; Du, Z. (2016). Protective effects of C-phycocyanin on alcohol-induced subacute liver injury in mice. *J Appl Phycol*. 28: 765-772. <http://dx.doi.org/10.1007/s10811-015-0677-3>.
- Xiang, BS; Kevan, L. (1995). EFFECTS OF CHLOROMETHANES ON THE PHOTOIONIZATION OF METHYLPHENOTHIAZINE IN SILICA-GELS AT ROOM-TEMPERATURE. *Langmuir*. 11: 860-863.
- Xiao, JB, o; Yang, CS; Ren, F, enL; Jiang, X, inYu; Xu, M. (2007). Rapid determination of ciprofloxacin lactate in drugs by the Rayleigh light scattering technique. *Meas Sci Technol*. 18: 859-866. <http://dx.doi.org/10.1088/0957-0233/18/3/039>.
- Xiao, X; Jiang, J; Zhang, L. (2013). Selective oxidation of benzyl alcohol into benzaldehyde over semiconductors under visible light: The case of Bi(12)O(17)Cl(2) nanobelts. *Appl Catal B-Environ*. 142-143 (Nov 2013): 487-493. <http://dx.doi.org/10.1016/j.apcatb.2013.05.047>.
- Xie, L; Shang, C. (2006). Effects of copper and palladium on the reduction of bromate by Fe(0). *Chemosphere*. 64: 919-930. <http://dx.doi.org/10.1016/j.chemosphere.2006.01.042>.
- Xie, MX; Yang, XJ; Wang, QC; Zhi, JF. (1995). STUDIES ON ORGANOMETALLIC COMPOUNDS BY FT-IR. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxicol*. 30: 1569-1576.
- Xie, SM; Wan, PY; Feitz, AJ; Guan, J; Yang, XB; Liu, XG. (2004). Dechlorination of chlorinated aliphatic compounds by micro-scale Al-Zn-Mg/Fe powders as advanced zero-valent iron. *Chinese Journal of Chemical Engineering*. 12: 716-718.
- Xie, Y; Cwiertny, DM. (2013). Chlorinated Solvent Transformation by Palladized Zerovalent Iron: Mechanistic Insights from Reductant Loading Studies and Solvent Kinetic Isotope Effects. *Environ Sci Technol*. 47: 7940-7948. <http://dx.doi.org/10.1021/es401481a>.
- Xie, Y; Dong, H; Zeng, G; Tang, L; Jiang, Z; Zhang, C; Deng, J; Zhang, L; Zhang, Y. (2017). The interactions between nanoscale zero-valent iron and microbes in the subsurface environment: A review [Review]. *J Hazard Mater*. 321: 390-407. <http://dx.doi.org/10.1016/j.jhazmat.2016.09.028>.
- Xieqi, M; Cicek, B; Senkan, SM. (1993). CHEMICAL STRUCTURES OF FUEL-RICH AND FUEL-LEAN FLAMES OF CCL₄/CH₄ MIXTURES. *Combust Flame*. 94: 131-145.
- Xing, C; Guan, J; Li, Y; Li, J. (2014). Effect of a room-temperature ionic liquid on the structure and properties of electrospun poly(vinylidene fluoride) nanofibers. 6: 4447-4457. <http://dx.doi.org/10.1021/am500061v>.
- Xing, P, fei; Guo, J; Zhuang, Y, anxin; Li, F; Tu, G, anF. (2013). Rapid recovery of polycrystalline silicon from kerf loss slurry using double-layer organic solvent sedimentation method. *International Journal of Minerals, Metallurgy, and Materials*. 20: 947-952. <http://dx.doi.org/10.1007/s12613-013-0819-z>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Xing, S; Zhao, G; Yuan, Y. (2008). Preparation of polyaniline-polypyrrole composite sub-micro fibers via interfacial polymerization. *Polymer Composites*. 29: 22-26. <http://dx.doi.org/10.1002/pc.20344>.
- Xingyuan, N; Yang, L; Zhihua, Z; Jun, S; Bin, Z; Guangming, W. (2010). Surface Modification and Adsorption Properties of SiO₂ Nanoporous Aerogels. 39: 22-25.
- Xu, C; Liu, R; Chen, L; Tang, J. (2016). Enhanced dechlorination of 2,4-dichlorophenol by recoverable Ni/Fe-Fe₃O₄ nanocomposites. *J Environ Sci*. 48: 92-101. <http://dx.doi.org/10.1016/j.jes.2015.10.033>.
- Xu, H, ui; Zhang, B, in; Yang, Z; Yao, G; Zhao, H. (2014). Solubility of Dichloronitrobenzene in Eight Organic Solvents from T = (278.15 to 303.15) K: Measurement and Thermodynamic Modeling. *Journal of Chemical and Engineering Data*. 59: 1281-1287. <http://dx.doi.org/10.1021/je401044h>.
- Xu, J; Dozier, A; Bhattacharyya, D. (2005). Synthesis of nanoscale bimetallic particles in polyelectrolyte membrane matrix for reductive transformation of halogenated organic compounds. *J Nanopart Res*. 7: 449-467. <http://dx.doi.org/10.1007/s11051-005-4273-3>.
- Xu, J; Szyszkowicz, M; Jovic, B; Cakmak, S; Austin, CC; Zhu, J. (2016). Estimation of indoor and outdoor ratios of selected volatile organic compounds in Canada. *Atmos Environ*. 141: 523-531. <http://dx.doi.org/10.1016/j.atmosenv.2016.07.031>.
- Xu, J, ie; Wu, F, ei; Wu, H, aiTao; Xue, B; Li, YX, in; Cao, Y. (2014). Three-dimensional ordered mesoporous carbon nitride with large mesopores: Synthesis and application towards base catalysis. *Microporous and Mesoporous Materials*. 198: 223-229. <http://dx.doi.org/10.1016/j.micromeso.2014.07.042>.
- Xu, JY; Su, YY; Cheng, J, inS; Li, S, huXia; Liu, R; Li, W, enXin; Xu, G, uoT; Li, QN. (2010). Protective effects of fullerene on carbon tetrachloride-induced acute hepatotoxicity and nephrotoxicity in rats. *Carbon*. 48: 1388-1396. <http://dx.doi.org/10.1016/j.carbon.2009.12.029>.
- Xu, M; Gu, X; Lu, S; Miao, Z; Zang, X; Wu, X; Qiu, Z; Sui, Q. (2016). Degradation of carbon tetrachloride in thermally activated persulfate system in the presence of formic acid. 10: 438-446. <http://dx.doi.org/10.1007/s11783-015-0798-6>.
- Xu, M; Gu, X; Lu, S; Qiu, Z; Sui, Q. (2014). Role of Reactive Oxygen Species for 1,1,1-Trichloroethane Degradation in a Thermally Activated Persulfate System. *Ind Eng Chem Res*. 53: 1056-1063. <http://dx.doi.org/10.1021/ie403689d>.
- Xu, M; Gu, X; Lu, S; Qiu, Z; Sui, Q; Miao, Z; Zang, X; Wu, X. (2015). Degradation of carbon tetrachloride in aqueous solution in the thermally activated persulfate system. *J Hazard Mater*. 286: 7-14. <http://dx.doi.org/10.1016/j.jhazmat.2014.12.031>.
- Xu, N; Lu, XP; Wang, YR. (2006). Study on ultrasonic degradation of pentachlorophenol solution. *Chemical and Biochemical Engineering Quarterly*. 20: 343-347.
- Xu, NP; Yao, JM; Wang, YR; Shi, J; Lu, BCY. (1991). VAPOR-LIQUID-EQUILIBRIA OF 5 BINARY-SYSTEMS CONTAINING R-22. *Fluid Phase Equilibria*. 69: 261-270.
- Xu, S; Roy, S; Ben, T; Pei, C; Qiu, S. (2015). Enhanced recognition of a nitrogen containing organic compound by adjusting the acidity of the porous organic frameworks base (JUC-Z2). 3: 2628-2633. <http://dx.doi.org/10.1039/c4ta05640j>.
- Xu, T, jun; Cheng, Y, zhi; Shi, G, e; Wang, R, ixin. (2011). Molecular cloning, characterization, and expression analysis of a disease-resistance related CC chemokine gene in miiuy croaker (*Miichthys miiuy*). *Aquaculture*. 318: 25-32. <http://dx.doi.org/10.1016/j.aquaculture.2011.04.034>.
- Xu, X; Zhu, T. (2002). Solvent extraction of alkaline earth metals with alkylphosphorus acids. *Chinese Journal of Chemical Engineering*. 10: 25-32.
- Xu, Y; He, Y; Feng, X; Liang, L; Xu, J; Brookes, PC; Wu, J. (2014). Enhanced abiotic and biotic contributions to dechlorination of pentachlorophenol during Fe(III) reduction by an iron-reducing bacterium *Clostridium beijerinckii* Z. *Sci Total Environ*. 473-474: 215-223. <http://dx.doi.org/10.1016/j.scitotenv.2013.12.022>.
- Xuan, XL; Li, XZ; Wang, C; Liu, H. (2010). Effects of key reaction parameters on the reductive dechlorination of chloroform with Pd/Fe₀ bimetal in aqueous solution. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 45: 464-470. <http://dx.doi.org/10.1080/10934520903538608>.
- Xue, JL; Liu, GM, in; Zhao, DF; Li, J, inCZi; Su, X, uD. (2013). Inhibition effects of pentachlorophenol (PCP) on anaerobic digestion system. *Desalination and Water Treatment*. 51: 5892-5897. <http://dx.doi.org/10.1080/19443994.2013.803704>.
- Xue, L; Wang, T; Simpson, IJ; Ding, A; Gao, J; Blake, DR; Wang, X; Wang, W; Lei, H; Jin, D. (2011). Vertical distributions of non-methane hydrocarbons and halocarbons in the lower troposphere over northeast China. *Atmos Environ*. 45: 6501-6509. <http://dx.doi.org/10.1016/j.atmosenv.2011.08.072>.
- Yaftian, MR; Zamani, AA; Parinejad, M; Shams, E. (2005). Ion-pair extraction of cadmium complex anions from hydrochloric acid media using oxonium ion-dicyclohexyl-18-crown-6 complex. *Separation and Purification Technology*. 42: 175-180. <http://dx.doi.org/10.1016/j.seppur.2004.07.011>.
- Yaftian, MR; Zamani, AA; Rostamnia, S. (2006). Thorium(IV) ion-selective transport through a bulk liquid membrane containing 2-thenoyltrifluoroacetone as extractant-carrier. *Separation and Purification Technology*. 49: 71-75. <http://dx.doi.org/10.1016/j.seppur.2005.08.009>.
- Yahiaoui, A; Gonzalez, JA; Aitkaci, A; Jose, J; Kehiaian, HV. (1994). ISOTHERMAL VAPOR LIQUID EQUILIBRIA FOR THE 2-BUTANONE PLUS BENZENE PLUS N-OCTANE SYSTEM. *Fluid Phase Equilibria*. 98: 179-187.
- Yakupov, MZ; Shishlov, NM; Shereshovets, VV; Imashev, UB. (2001). Radical formation in liquid phase oxidation of organic sulfides and disulfides with chlorine dioxide. *Petroleum Chemistry*. 41: 48-49.
- Yamada, E; Wakabayashi, K; Koshi, M. (2008). Experimental and numerical analyses of carbon tetrachloride under laser-driven shock compression. *Science and Technology of Energetic Materials*. 69: 71-75.
- Yamada, M; Honda, N; Takasugi, R; Sekine, T. (1999). Rate of solvent extraction of chromium(III) in aqueous solutions with 2-thenoyltrifluoroacetone into chloroform. 6: 41-50.
- Yamada, N; Imai, T; Koyama, E. (2001). Lyotropic aggregate of tripeptide derivatives within organic solvents: Relationship between interpeptide hydrogen bonding and packing arrangements of components. *Langmuir*. 17: 961-963.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Yamagishi, S; Takahashi, Y. (1991). FURTHER STUDY ON SINTERING BEHAVIOR OF SOL-GEL THO₂ MICROSPHERES. *J Nucl Mater.* 182: 195-202.
- Yamamoto, T; Mizuno, K; Tamori, I; Ogata, A; Nifuku, M; Michalska, M; Prieto, G. (1996). Catalysis-assisted plasma technology for carbon tetrachloride destruction. *I E E E Transactions on Industry Applications.* 32: 100-105.
- Yamamoto, Y; Tagawa, S. (2001). Radiolytic and thermal dechlorination of organic chlorides adsorbed on molecular sieve 13X. *Environ Sci Technol.* 35: 2122-2127.
- Yamamura, S; Watanabe, M; Kanzaki, M; Soda, S; Ike, M. (2008). Removal of arsenic from contaminated soils by microbial reduction of arsenate and quinone. *Environ Sci Technol.* 42: 6154-6159. <http://dx.doi.org/10.1021/es703146f>.
- Yamasaki, T; Oki, N; Okuno, T. (1992). CYCLE OF HALOCARBONS IN THE AIR-WATER PHASE (pp. 25-28). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/93/11338). Yamasaki, T; Oki, N; Okuno, T.
- Yamazaki, K; Ohyama, H; Kurata, K; Wakabayashi, T. (1993). EFFECTS OF DIETARY VITAMIN-E ON CLINICAL COURSE AND PLASMA GLUTAMIC OXALOACETIC TRANSAMINASE AND GLUTAMIC PYRUVIC TRANSAMINASE ACTIVITIES IN HEREDITARY HEPATITIS OF LEC RATS. *Lab Anim Sci.* 43: 61-67.
- Yamini, Y; Chaloosi, M; Ebrahimzadeh, H. (2002). Highly selective and efficient transport of bismuth in bulk liquid membranes containing Cyanex 301. *Separation and Purification Technology.* 28: 43-51.
- Yampolskii, Y; Ovsepian, R. (1991). PERMEATION OF CHLOROMETHANES IN COPOLYMERS OF CHLOROPRENE WITH METHYL-METHACRYLATE AND METHACRYLIC-ACID. *J Memb Sci.* 55: 239-255.
- Yan, C; Wei, Q; Liu, Y, u. (2015). Separation and Analysis of Organic Compounds in Water Soluble Fraction of Bio-Oil. *Journal of Computational and Theoretical Nanoscience.* 12: 2964-2968. <http://dx.doi.org/10.1166/jctn.2015.4207>.
- Yan, J; Luo, X; Wang, W; Chen, F; Toussaint, R; Schmittbuhl, J; Vasseur, G, uy; Zhang, L. (2012). Testing oil saturation distribution in migration paths using MRI. *Journal of Petroleum Science and Engineering.* 86-87: 237-245. <http://dx.doi.org/10.1016/j.petrol.2012.03.027>.
- Yan, J; Şimsir, B; Farmer, AT; Bi, M; Yang, Y; Campagna, SR; Löffler, FE. (2016). The corrinoid cofactor of reductive dehalogenases affects dechlorination rates and extents in organohalide-respiring *Dehalococcoides mccartyi*. *ISME J.* 10: 1092-1101. <http://dx.doi.org/10.1038/ismej.2015.197>.
- Yan, NQ; Zhao, YF; Dan, W; Jia, JP; Wang, WB; Yao, SD. (2004). Degradation of dodecanethiol in dodecane by gamma-irradiation and improvement by sensitization. *Fuel Process Tech.* 85: 1393-1402. <http://dx.doi.org/10.1016/j.fuproc.2004.09.001>.
- Yan, YE; Schwartz, FW. (1999). Oxidative degradation and kinetics of chlorinated ethylenes by potassium permanganate. *J Contam Hydrol.* 37: 3-4.
- Yang, B; Yang, GP; Lu, XL; Li, L; He, Z. (2015). Distributions and sources of volatile chlorocarbons and bromocarbons in the Yellow Sea and East China Sea. *Mar Pollut Bull.* 95: 491-502. <http://dx.doi.org/10.1016/j.marpolbul.2015.03.009>.
- Yang, CH; Ting, WJ; Shen, CY; Hsu, HH; Lin, YM; Kuo, CH; Tsai, FJ; Tsai, CH; Tsai, Y; Huang, CY. (2016). Anti-apoptotic effect of San Huang Shel Shin Tang cyclodextrin complex (SHSSTc) on CCl₄-induced hepatotoxicity in rats. *Environ Toxicol.* 31: 663-670. <http://dx.doi.org/10.1002/tox.22078>.
- Yang, F; Liu, R; Tan, Z; Wen, X; Zheng, C; Lv, Y. (2010). Sensitive determination of mercury by a miniaturized spectrophotometer after in situ single-drop microextraction. *J Hazard Mater.* 183: 549-553. <http://dx.doi.org/10.1016/j.jhazmat.2010.07.059>.
- Yang, GF; Zhang, QY; Zhao, SY; Deng, ZD; Yang, ZM; Jiang, ZH. (2006). Dehydration of Er³⁺-doped phosphate glasses using reactive agent bubble flow method. *Journal of Non-Crystalline Solids.* 352: 827-831. <http://dx.doi.org/10.1016/j.jnoncrysol.2006.01.020>.
- Yang, GF; Zhao, SY; Deng, ZD; Sun, JS; Jiang, ZH. (2005). Removal of OH groups in Er³⁺-doped phosphate glasses by reaction atmosphere process. *Wuji Cailiao Xuebao.* 20: 1083-1088.
- Yang, H, eeC; Cho, YJ; Eun, H, eeC; Kim, EH, o. (2007). Destruction of chlorinated organic solvents in a two-stage molten salt oxidation reactor system. *Chem Eng Sci.* 62: 5137-5143. <http://dx.doi.org/10.1016/j.ces.2007.01.055>.
- Yang, HC; Cho, YJ; Eun, HC; Kim, EH. (2008). Destruction of chlorobenzene and carbon tetrachloride in a two-stage molten salt oxidation reactor system. *Chemosphere.* 73: S311-S315. <http://dx.doi.org/10.1016/j.chemosphere.2008.03.045>.
- Yang, J, aeHa; Jun, SC; Kwon, HP, yo; Lee, KK, un. (2014). Tracing of residual multiple DNAPL sources in the subsurface using Rn-222 as a natural tracer at an industrial complex in Wonju, Korea. *Environ Earth Sci.* 71: 407-417. <http://dx.doi.org/10.1007/s12665-013-2448-2>.
- Yang, J; Wang, K; Zhao, Q; Huang, L; Yuan, CS; Chen, WH; Yang, WB. (2014). Underestimated public health risks caused by overestimated VOC removal in wastewater treatment processes. *Environ Sci Process Impacts.* 16: 271-279. <http://dx.doi.org/10.1039/c3em00487b>.
- Yang, LW; Wright, PD; Brusenback, PR; Ko, SK; Kaleta, A. (1991). MILLIMETER-WAVE PERFORMANCE OF CARBON-DOPED-BASE ALGAAS/GAAS HBTs. *Electronics Letters.* 27: 1145-1147.
- Yang, Q; Scott, D; Chung, T; Stillman, GE. (2000). Optimization of emitter cap growth conditions for InGaP/GaAs HBTs with high current gain by LP-MOCVD. *Journal of Electronic Materials.* 29: 75-79.
- Yang, QY; Zhong, CL. (2005). Atomistic molecular dynamics simulation of liquid carbon tetrachloride confined in pillared pore materials. *Chem Eng Sci.* 60: 767-775. <http://dx.doi.org/10.1016/j.ces.2004.09.002>.
- Yang, RS; El-Masri, HA; Thomas, RS; Dobrev, ID; Dennison, JE; Bae, DS; Campaign, JA; Liao, KH; Reisfeld, B; Andersen, ME; Mumtaz, M. (2004). Chemical mixture toxicology: from descriptive to mechanistic, and going on to in silico toxicology. *Environ Toxicol Pharmacol.* 18: 65-81. <http://dx.doi.org/10.1016/j.etap.2004.01.015>.
- Yang, RSH. (1998). Some critical issues and concerns related to research advances on the toxicology of chemical mixtures. *Environ Health Perspect.* 106: 1059-1063. <http://dx.doi.org/10.2307/3434152>.
- Yang, WH; Cenkowski, S. (1993). DIFFUSION OF SUGAR IN MICROWAVE DENATURED SUGAR-BEET TISSUES. *Trans ASAE.* 36: 1185-1188.
- Yang, X; Li, Y, an; Lu, A; Yan, Y; Wang, C; Wong, P, oK. (2011). Photocatalytic reduction of carbon tetrachloride by natural sphalerite under visible light irradiation. *Solar Energy Materials and Solar Cells.* 95: 1915-1921. <http://dx.doi.org/10.1016/j.solmat.2011.02.020>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Yang, Z; Du, M; Jiang, J. (2016). Reducing capacities and redox potentials of humic substances extracted from sewage sludge. *Chemosphere*. 144: 902-908. <http://dx.doi.org/10.1016/j.chemosphere.2015.09.037>.
- Yao, M; Wang, L, in; Hu, X, in; Hu, G; Luo, M; Fan, M. (2015). Synthesis of nitrogen-doped carbon with three-dimensional mesostructures for CO₂ capture. *Journal of Materials Science*. 50: 1221-1227. <http://dx.doi.org/10.1007/s10853-014-8678-1>.
- Yasutake, A; Adachi, T; Suda, I; Hirayama, K. (1993). EFFECT OF FE-OVERLOAD ON THE BIOTRANSFORMATION OF METHYLMERCURY IN RAT. *JTTHE*. 39: 106-113.
- Yasyerli, N; Harbili, U. (2009). Dynamic Analysis of Sorption of Volatile Organic Compounds in Water. *Chemical Engineering Communications*. 196: 68-79. <http://dx.doi.org/10.1080/00986440802301479>.
- Ye, JC; Chiu, PC. (2006). Transport of atomic hydrogen through graphite and its reaction with azoaromatic compounds. *Environ Sci Technol*. 40: 3959-3964. <http://dx.doi.org/10.1021/es060038x>.
- Yeh, CK; Hsu, CY; Chiu, CH; Huang, KL. (2008). Reaction efficiencies and rate constants for the goethite-catalyzed Fenton-like reaction of NAPL-form aromatic hydrocarbons and chloroethylenes. *J Hazard Mater*. 151: 562-569. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.014>.
- Yeh, CL; Chen, BR; Tseng, LY; Jao, P; Su, TH; Li, PC. (2015). Shear-wave elasticity imaging of a liver fibrosis mouse model using high-frequency ultrasound. *IEEE Trans Ultrason Ferroelectr Freq Control*. 62: 1295-1307. <http://dx.doi.org/10.1109/TUFFC.2014.006953>.
- Yeh, YH; Hsieh, YL; Lee, YT. (2013). Effects of yam peel extract against carbon tetrachloride-induced hepatotoxicity in rats. *J Agric Food Chem*. 61: 7387-7396. <http://dx.doi.org/10.1021/jf401864y>.
- Yildiz, O. (2007). Characterization of nanocrystalline (Th_{1-x}Cex)O-y powders synthesized by co-precipitation process. *J Nucl Mater*. 366: 266-271. <http://dx.doi.org/10.1016/j.jnucmat.2007.01.267>.
- Yilmaz-Ozden, T; Can, A; Karatug, A; Pala-Kara, Z; Okyar, A; Bolkent, S. (2016). Carbon tetrachloride-induced kidney damage and protective effect of *Amaranthus lividus* L. in rats. *Toxicol Ind Health*. 32: 1143-1152. <http://dx.doi.org/10.1177/0748233714555390>.
- Yin, C; Huang, Q; Liu, B; Wang, X; Xie, Y; He, L; Zhang, M; Yang, X, in. (2007). Synthesis and TEM observation of fluffy hollow carbon spheres by FeCl₃ catalyzed solvent-thermal reaction. *Mater Lett*. 61: 4015-4018. <http://dx.doi.org/10.1016/j.matlet.2007.01.008>.
- Yin, G; Cao, L; Xu, P; Jeney, G; Nakao, M; Lu, C. (2011). Hepatoprotective and antioxidant effects of Glycyrrhiza glabra extract against carbon tetrachloride (CCl₄)-induced hepatocyte damage in common carp (*Cyprinus carpio*). *Fish Physiol Biochem*. 37: 209-216. <http://dx.doi.org/10.1007/s10695-010-9436-1>.
- Yin, W; Wu, J; Huang, W; Wei, C. (2015). Enhanced nitrobenzene removal and column longevity by coupled abiotic and biotic processes in zero-valent iron column. *Chem Eng J*. 259: 417-423. <http://dx.doi.org/10.1016/j.cej.2014.08.040>.
- Yokoyama, C; Ebina, T; Takahashi, S. (1993). MELTING TEMPERATURES OF SEVERAL POLYCYCLIC AND HETEROPOLYCYCLIC AROMATIC-COMPOUNDS UNDER HIGH-PRESSURES. *Fluid Phase Equilibria*. 84: 207-223.
- Yoon, H; Oostrom, M; Wietsma, TW; Werth, CJ; Valocchi, AJ. (2009). Numerical and experimental investigation of DNAPL removal mechanisms in a layered porous medium by means of soil vapor extraction. *J Contam Hydrol*. 109: 1-13. <http://dx.doi.org/10.1016/j.jconhyd.2009.07.001>.
- Yoon, H; Valocchi, AJ; Werth, CJ. (2007). Effect of soil moisture dynamics on dense nonaqueous phase liquid (DNAPL) spill zone architecture in heterogeneous porous media. *J Contam Hydrol*. 90: 159-183. <http://dx.doi.org/10.1016/j.jconhyd.2006.09.007>.
- Yoon, M; Madden, MC; Barton, HA. (2007). Extrahepatic metabolism by CYP2E1 in PBPK modeling of lipophilic volatile organic chemicals: Impacts on metabolic parameter estimation and prediction of dose metrics. *J Toxicol Environ Health A*. 70: 1527-1541. <http://dx.doi.org/10.1080/15287390701384684>.
- Yoshida, K. (1993). Preliminary Exposure Assessment of Volatile Chlorinated Hydrocarbons in Japan. *Chemosphere*. 27: 621-630. [http://dx.doi.org/10.1016/0045-6535\(93\)90097-O](http://dx.doi.org/10.1016/0045-6535(93)90097-O).
- Yoshida, T; Andoh, K; Fukuhara, M. (1999). Estimation of absorption of trihalomethanes and carbon tetrachloride in low-level exposure by inhalation pharmacokinetic analysis in rats. *Arch Environ Contam Toxicol*. 36: 347-354.
- Yoshioka, H; Fukaya, S; Onosaka, S; Nonogaki, T; Nagatsu, A. (2016). Kampo formula "Hochu-ekki-to" suppressed carbon tetrachloride-induced hepatotoxicity in mice. *Environ Health Prev Med*. 21: 579-584. <http://dx.doi.org/10.1007/s12199-016-0571-x>.
- Yoshioka, H; Tanaka, M; Fujii, H; Nonogaki, T. (2016). Sasa veitchii extract suppresses carbon tetrachloride-induced hepato- and nephrotoxicity in mice. *Environ Health Prev Med*. 21: 554-562. <http://dx.doi.org/10.1007/s12199-016-0581-8>.
- You, X; Koda, K; Yamada, T; Uraki, Y. (2015). Preparation of electrode for electric double layer capacitor from electrospun lignin fibers. *Holzforchung*. 69: 1097-1106. <http://dx.doi.org/10.1515/hf-2014-0262>.
- Young, RA; Mehendale, HM. (1989). Carbon tetrachloride metabolism in partially hepatectomized and sham-operated rats pre-exposed to chlordecone (kepone). *J Biochem Mol Toxicol*. 4: 211-219.
- Young, TH; Tang, HS; Chao, YC; Lee, HS; Hsiung, CH; Pao, LH; Hu, OY. (2008). Quantitative rat liver function test by galactose single point method. *Lab Anim*. 42: 495-504. <http://dx.doi.org/10.1258/la.2007.06040e>.
- Yu, JL; Li, JH; Chengz, RG; Ma, YM; Wang, XJ; Liu, JC. (2014). Effect of matrine on transforming growth factor β 1 and hepatocyte growth factor in rat liver fibrosis model. *Asian Pacific Journal of Tropical Medicine*. 7: 390-393. [http://dx.doi.org/10.1016/S1995-7645\(14\)60062-6](http://dx.doi.org/10.1016/S1995-7645(14)60062-6).
- Yu, M; Teel, AL; Watts, RJ. (2016). Activation of Peroxymonosulfate by Subsurface Minerals. *J Contam Hydrol*. 191: 33-43. <http://dx.doi.org/10.1016/j.jconhyd.2016.05.001>.
- Yu, S; Lee, P; Hwang, SI, I. (2015). Groundwater contamination with volatile organic compounds in urban and industrial areas: analysis of co-occurrence and land use effects. *Environ Earth Sci*. 74: 3661-3677. <http://dx.doi.org/10.1007/s12665-015-4551-z>.
- Yu, WG; Qian, J; Lu, YH. (2011). Hepatoprotective effects of 2',4'-dihydroxy-6'-methoxy-3',5'-dimethylchalcone on CCl₄-induced acute liver injury in mice. *J Agric Food Chem*. 59: 12821-12829. <http://dx.doi.org/10.1021/jf2042032>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Yu, X; Ghasemzadeh, R; Padilla, I; Irizarry, C; Kaeli, D; Alshawabkeh, A. (2014). Spatiotemporal changes of CVOC concentrations in karst aquifers: Analysis of three decades of data from Puerto Rico. *Sci Total Environ.* 511C: 1-10. <http://dx.doi.org/10.1016/j.scitotenv.2014.12.031>.
- Yu, ZT; Smith, GB. (1997). Chloroform dechlorination by a wastewater methanogenic consortium and cell extracts of *Methanosarcina barkeri*. *Water Res.* 31: 1879-1886.
- Yuen, ST; Gogo, AR; Luk, IS; Cho, CH; Ho, JC; TT, L. (1995). The effect of nicotine and its interaction with carbon tetrachloride in the rat liver. *Pharmacol Toxicol.* 77: 225-230.
- Yunis, JJ. (1983). The chromosomal basis of human neoplasia. *Science.* 221: 227-236.
- Yurtseven, H; Dildar, Y. (2011). Calculation of thermodynamic quantities for carbon tetrachloride (CCl₄) close to the III-IV phase transition. *Korean J Chem Eng.* 28: 252-255. <http://dx.doi.org/10.1007/s11814-010-0320-6>.
- Yusufoglu, HS. (2014). Analgesic, antipyretic, anti-inflammatory, hepatoprotective and nephritic effects of the aerial parts of *Pulicaria arabica* (Family: Compositae) on rats. *Asian Pacific Journal of Tropical Medicine.* 7S1: S583-S590. [http://dx.doi.org/10.1016/S1995-7645\(14\)60293-5](http://dx.doi.org/10.1016/S1995-7645(14)60293-5).
- Yuzawa, H; Aoki, M; Itoh, H; Yoshida, H. (2011). Adsorption and Photoadsorption States of Benzene Derivatives on Titanium Oxide Studied by NMR. *Journal of Physical Chemistry Letters.* 2: 1868-1873. <http://dx.doi.org/10.1021/jz200621w>.
- Zachara, JM; Heald, SM; Jeon, BH, un; Kukkadapu, RK; Liu, C; Mckinley, JP; Dohnalkova, AC; Moore, DA. (2007). Reduction of pertechnetate [Tc(VII)] by aqueous Fe(II) and the nature of solid phase redox products. *Geochim Cosmo Acta.* 71: 2137-2157. <http://dx.doi.org/10.1016/j.gca.2006.10.025>.
- Zafra, A; del Olmo, M; Suárez, B; Hontoria, E; Navalón, A; Vilchez, JL. (2003). Gas chromatographic-mass spectrometric method for the determination of bisphenol A and its chlorinated derivatives in urban wastewater. *Water Res.* 37: 735-742.
- Zaleski, RT; Pavkov, KL; Keller, LH. (2007). Methyl ethyl ketone safety characterization for infants and children: Assessment in the USEPA Voluntary Children's Chemical Evaluation program. *Hum Ecol Risk Assess.* 13: 747-772. <http://dx.doi.org/10.1080/10807030701456585>.
- Zander, AK; Chen, JS; Semmens, MJ. (1992). REMOVAL OF HEXACHLOROCYCLOHEXANE ISOMERS FROM WATER BY MEMBRANE EXTRACTION INTO OIL. *Water Res.* 26: 129-137.
- Zander, R; Gunson, MR; Farmer, CB; Rinsland, CP; Irion, FW; Mahieu, E. (1992). THE 1985 CHLORINE AND FLUORINE INVENTORIES IN THE STRATOSPHERE BASED ON ATMOS OBSERVATIONS AT 30-DEGREES NORTH LATITUDE. *J Atmos Chem.* 15: 171-186.
- Zanozina, II; Babintseva, MV; Polishchuk, NV; Zanozin, IY; Cherentaeva, VV; Diskina, DE. (2003). Determination of chlorine in crude oils and light cuts. *Chemistry and Technology of Fuels and Oils.* 39: 95-97.
- Zararsiz, I; Sarsilmaz, M; Tas, U; Kus, I; Meydan, S; Ozan, E. (2007). Protective effect of melatonin against formaldehyde-induced kidney damage in rats. *Toxicol Ind Health.* 23: 573-579. <http://dx.doi.org/10.1177/0748233708089022>.
- Zarczynski, A; Gorzka, Z; Kazmierczak, M. (2005). Oxidation of tetrachloromethane (TCM) run over/in the presence of monolithic catalysts. *Przemysł Chemiczny.* 84: 943-945.
- Zarczynski, A; Gorzka, Z; Paryczak, T; Kazmierczak, M. (2006). Utilization of organic tetrachloroderivatives over monolithic catalysts. *Przemysł Chemiczny.* 85: 1095-1098.
- Zarczynski, A; Kazmierczak, M; Gorzka, Z; Misiak, M. (2003). Destruction of organo-chlorine, -sulfur and -nitrogen compounds by thermocatalytic oxidation. *Przemysł Chemiczny.* 82: 1075-1077.
- Zarczynski, A; Stopczyk, A; Zaborowski, M; Gorzka, Z; Kazmierczak, M. (2010). Removal of Chloroorganic Compounds from Industrial Effluents Using Various Methods: Advantages of Thermocatalytic Oxidation. 32: 49-54.
- Zarczynski, A; Zaborowski, M; Gorzka, Z; Kazmierczak, M. (2013). UTILIZATION OF ENDS FROM PVC PRODUCTION WITH APPLICATION OF Fe-Cr CATALYST - DIOXINS HAZARD. 20: 109-116. <http://dx.doi.org/10.2478/eces-2013-0008>.
- Zazzera, L; Tirrell, M; Evans, JF. (1993). IN-SITU STUDY OF POLY(METHYL METHACRYLATE) ADSORPTION FROM SOLUTION ONTO CHEMICALLY-MODIFIED Si(100) SURFACES BY INTERNAL-REFLECTION INFRARED-SPECTROSCOPY. *Journal of Vacuum Science and Technology A.* 11: 2239-2243.
- Zeiger, E; Anderson, B; Haworth, S; Lawlor, T; Mortelmans, K. (1988). Salmonella mutagenicity tests: IV: Results from the testing of 300 chemicals. *Environ Mol Mutagen.* 11: 1-158. <http://dx.doi.org/10.1002/em.2850110602>.
- Zeise, L; Wilson, R; Crouch, EA. (1987). Dose-response relationships for carcinogens: A review [Review]. *Environ Health Perspect.* 73: 259-306.
- Zelinschi, BC; Dascalu, CF. (2012). The Influence of Electric Field on Special Anisotropic Plates Realized by Poly-(pheny-methacrylic)-ester of Cetyloxybenzoic-acid (PPMAECOBA) in Tetrachloromethane (TCM). *Rev Chim.* 63: 516-519.
- Zergioti, I; Hatziapostolou, A; Hontzopoulos, E; Zervaki, A; Haidemenopoulos, GN. (1995). Pyrolytic laser-based chemical vapour deposition of TiC coatings. *Thin Solid Films.* 271: 96-100.
- Zergioti, I; Zervaki, A; Hatziapostolou, A; Haidemenopoulos, G; Hontzopoulos, E. (1995). Deposition of refractory coatings by LCVD. *Optical and Quantum Electronics.* 27: 1377-1383.
- Zhai, JW; Shen, B; Yao, X; Zhang, LY. (2002). Preparation and spectral properties of Nd₂O₃-doped silica-based glasses prepared by the sol-gel process. *Ceramics International.* 28: 737-740.
- Zhang, C; Zhang, D; Li, Z; Akatsuka, T; Yang, S; Suzuki, D; Katayama, A. (2014). Insoluble Fe-humic acid complex as a solid-phase electron mediator for microbial reductive dechlorination. *Environ Sci Technol.* 48: 6318-6325. <http://dx.doi.org/10.1021/es501056n>.
- Zhang, D; Ren, Z; Su, X; Liu, C; Tarasov, VV. (2014). The mechanism of interphase mass transfer reaction and precipitation process of HDEHP-TBP-Cu-CCl₄/H₂C₂O₄-H₂O system. *Separation and Purification Technology.* 137: 116-126. <http://dx.doi.org/10.1016/j.seppur.2014.09.026>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Zhang, G; Hua, I. (2000). Ultrasonic degradation of trichloroacetonitrile, chloropicrin and bromobenzene: design factors and matrix effects. *Adv Environ Res.* 4: 219-224. [http://dx.doi.org/10.1016/S1093-0191\(00\)00021-6](http://dx.doi.org/10.1016/S1093-0191(00)00021-6).
- Zhang, G, en; Mu, Y; Liu, J; Zhang, C; Zhang, Y; Zhang, Y; Zhang, H. (2014). Seasonal and diurnal variations of atmospheric peroxyacetyl nitrate, peroxypropionyl nitrate, and carbon tetrachloride in Beijing. *J Environ Sci.* 26: 65-74. [http://dx.doi.org/10.1016/S1001-0742\(13\)60382-4](http://dx.doi.org/10.1016/S1001-0742(13)60382-4).
- Zhang, H; Fu, Q; Yao, Y; Zhang, Z; Ma, T; Tan, D; Bao, X. (2008). Size-dependent surface reactions of Ag nanoparticles supported on highly oriented pyrolytic graphite. *Langmuir.* 24: 10874-10878. <http://dx.doi.org/10.1021/la801348n>.
- Zhang, H; Weber, EJ. (2009). Elucidating the Role of Electron Shuttles in Reductive Transformations in Anaerobic Sediments. *Environ Sci Technol.* 43: 1042-1048. <http://dx.doi.org/10.1021/es8017072>.
- Zhang, H; Weber, EJ. (2013). Identifying indicators of reactivity for chemical reductants in sediments. *Environ Sci Technol.* 47: 6959-6968. <http://dx.doi.org/10.1021/es302662r>.
- Zhang, HL. (2003). Viscosity and density for binary mixtures of carbon tetrachloride plus chloroform, carbon tetrachloride plus dichloromethane, and chloroform plus dichloromethane and one ternary mixture of chloroform+1 : 1 (carbon tetrachloride plus dichloromethane) at 303.15 K. *Journal of Chemical and Engineering Data.* 48: 52-55. <http://dx.doi.org/10.1021/je020067x>.
- Zhang, HL; Han, SJ. (1997). Viscometric and volumetric studies on binary mixtures of 1,2-dichloroethane and chlorinated methanes or their binary equimolar mixtures at 303.15 K. *Fluid Phase Equilibria.* 140: 233-244.
- Zhang, J; Chen, L; Wei, X; Xu, M; Huang, C; Wang, W; Wang, H. (2014). Characterization of a novel CC chemokine CCL4 in immune response induced by nitrite and its expression differences among three populations of *Megalobrama amblycephala*. *Fish Shellfish Immunol.* 38: 88-95. <http://dx.doi.org/10.1016/j.fsi.2014.02.012>.
- Zhang, J, un; Yao, H; Li, C; Du, X; Bai, X; Li, J; Liu, J. (2014). Solubilities and Thermodynamic Study of Carbon Tetrachloride in Imidazolium Ionic Liquids at Different Temperatures. *Journal of Chemical and Engineering Data.* 59: 672-677. <http://dx.doi.org/10.1021/je4006008>.
- Zhang, L; Yang, W; Zhang, L; Li, X. (2015). Highly chlorinated unintentionally produced persistent organic pollutants generated during the methanol-based production of chlorinated methanes: A case study in China. *Chemosphere.* 133: 1-5. <http://dx.doi.org/10.1016/j.chemosphere.2015.02.044>.
- Zhang, L; Yu, F, ei; Chang, Z; Guo, Y; Li, D. (2012). Extraction Equilibria of Picolinic Acid with Trialkylamine/n-Octanol. *Journal of Chemical and Engineering Data.* 57: 577-581. <http://dx.doi.org/10.1021/je201314m>.
- Zhang, M, an; He, F; Zhao, D. (2015). Catalytic activity of noble metal nanoparticles toward hydrodechlorination: influence of catalyst electronic structure and nature of adsorption. 9: 888-896. <http://dx.doi.org/10.1007/s11783-015-0774-1>.
- Zhang, M; Zhang, H; Li, H; Lai, F; Li, X; Tang, Y; Min, T; Wu, H. (2016). Antioxidant Mechanism of Betaine without Free Radical Scavenging Ability. *J Agric Food Chem.* <http://dx.doi.org/10.1021/acs.jafc.6b03592>.
- Zhang, N; Luo, J; Blowers, P; Farrell, J. (2008). Understanding trichloroethylene chemisorption to iron surfaces using density functional theory. *Environ Sci Technol.* 42: 2015-2020. <http://dx.doi.org/10.1021/es0717663>.
- Zhang, NL; Blowers, P; Farrell, J. (2005). Ab initio study of carbon-chlorine bond cleavage in carbon tetrachloride. *Environ Sci Technol.* 39: 612-617. <http://dx.doi.org/10.1021/es049480a>.
- Zhang, P; Chi, M; Sharma, S; Mcfarland, E. (2010). Silica encapsulated heterostructure catalyst of Pt nanoclusters on hematite nanocubes: synthesis and reactivity. *J Mater Chem.* 20: 2013-2017. <http://dx.doi.org/10.1039/b918208j>.
- Zhang, R; Zhao, Y; Sun, Y; Lu, X; Yang, X. (2013). Isolation, characterization, and hepatoprotective effects of the raffinose family oligosaccharides from *Rehmannia glutinosa* Libosch. *J Agric Food Chem.* 61: 7786-7793. <http://dx.doi.org/10.1021/jf4018492>.
- Zhang, RZ; Qiu, H; Wang, N; Long, FL; Mao, DW. (2015). Effect of *Rheum palmatum* L. on NF- κ B signaling pathway of mice with acute liver failure. *Asian Pacific Journal of Tropical Medicine.* 8: 841-847. <http://dx.doi.org/10.1016/j.apjtm.2015.09.011>.
- Zhang, S; Liu, P; Chen, L; Wang, Y; Wang, Z; Zhang, B. (2015). The effects of spheroid formation of adipose-derived stem cells in a microgravity bioreactor on stemness properties and therapeutic potential. *Biomaterials.* 41: 15-25. <http://dx.doi.org/10.1016/j.biomaterials.2014.11.019>.
- Zhang, T; Huang, J; Zhang, W; Yu, Y; Deng, S; Wang, B; Yu, G. (2013). Coupling the dechlorination of aqueous 4-CP with the mechanochemical destruction of solid PCNB using Fe-Ni-SiO₂. *J Hazard Mater.* 250-251: 175-180. <http://dx.doi.org/10.1016/j.jhazmat.2013.01.072>.
- Zhang, W, ei; Li, L, i; Li, B; Lin, K; Lu, S; Fu, R; Zhu, J; Cui, X. (2013). Mechanism and Pathway of Tetrachloroethylene Dechlorination by Zero-Valent Iron with Cu or Cu/C. *J Environ Eng.* 139: 803-809. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000693](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000693).
- Zhang, W; Liu, F; Liu, G; Gan, W; Zhang, M; Yu, H, ui; Di, X, in; Wang, Y; Wang, C. (2016). Stimulus-Responsive Smart Foam with Dual Wettability for Transfer and Controllable Release of Carbon Tetrachloride. 3. <http://dx.doi.org/10.1002/admi.201600100>.
- Zhang, W; Quan, X; Wang, J; Zhang, Z; Chen, S. (2006). Rapid and complete dechlorination of PCP in aqueous solution using Ni-Fe nanoparticles under assistance of ultrasound. *Chemosphere.* 65: 58-64. <http://dx.doi.org/10.1016/j.chemosphere.2006.02.060>.
- Zhang, W; Yin, L; Tao, X; Xu, L; Zheng, L; Han, X; Xu, Y; Wang, C; Peng, J. (2016). Dioscin alleviates dimethylnitrosamine-induced acute liver injury through regulating apoptosis, oxidative stress and inflammation. *Environ Toxicol Pharmacol.* 45: 193-201. <http://dx.doi.org/10.1016/j.etap.2016.06.002>.
- Zhang, X; Deng, B; Guo, J; Wang, Y; Lan, Y. (2011). Ligand-assisted degradation of carbon tetrachloride by microscale zero-valent iron. *J Environ Manage.* 92: 1328-1333. <http://dx.doi.org/10.1016/j.jenvman.2010.12.020>.
- Zhang, X; Zhang, Q; Peng, Q; Zhou, J; Liao, L; Sun, X; Zhang, L; Gong, T. (2014). Hepatitis B virus preS1-derived lipopeptide functionalized liposomes for targeting of hepatic cells. *Biomaterials.* 35: 6130-6141. <http://dx.doi.org/10.1016/j.biomaterials.2014.04.037>.
- Zhang, Y; Chen, XM; Sun, DL. (2014). Effects of cocapsulation of hepatocytes with adipose-derived stem cells in the treatment of rats with acute-on-chronic liver failure. *Int J Artif Organs.* 37: 133-141. <http://dx.doi.org/10.5301/ijao.5000284>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Zhang, Y; Crittenden, JC; Hand, DW; Perram, DL. (1996). Destruction of organic compounds in water using supported photocatalysts. *J Sol Energ Eng.* 118: 123-129.
- Zhang, Y; Jia, Y; Yang, M; Yang, P; Tian, Y; Xiao, A; Wen, A. (2012). The impaired disposition of probe drugs is due to both liver and kidney dysfunctions in CCl₄-model rats. *Environ Toxicol Pharmacol.* 33: 453-458. <http://dx.doi.org/10.1016/j.etap.2012.01.002>.
- Zhang, Y; Yang, B; Han, Y; Jiang, C; Wu, D; Fan, J; Ma, L. (2016). Novel iron metal matrix composite reinforced by quartz sand for the effective dechlorination of aqueous 2-chlorophenol. *Chemosphere.* 146: 308-314. <http://dx.doi.org/10.1016/j.chemosphere.2015.12.047>.
- Zhang, Y; Zhang, K, e; Dai, C; Zhou, X; Si, H. (2014). An enhanced Fenton reaction catalyzed by natural heterogeneous pyrite for nitrobenzene degradation in an aqueous solution. *Chem Eng J.* 244: 438-445. <http://dx.doi.org/10.1016/j.cej.2014.01.088>.
- Zhang, Z; Cissoko, N; Wo, J; Xu, X. (2009). Factors influencing the dechlorination of 2,4-dichlorophenol by Ni-Fe nanoparticles in the presence of humic acid. *J Hazard Mater.* 165: 78-86. <http://dx.doi.org/10.1016/j.jhazmat.2008.09.08>.
- Zhang, Z; Pu, Y; Pan, Q; Xu, X; Yan, X. (2016). Influences of keratinocyte growth factor - mesenchymal stem cells on chronic liver injury in rats. 44: 1810-1817. <http://dx.doi.org/10.3109/21691401.2015.1105237>.
- Zhang, Z; Wang, C; Zha, Y; Hu, W; Gao, Z; Zang, Y; Chen, J; Zhang, J; Dong, L. (2015). Corona-directed nucleic acid delivery into hepatic stellate cells for liver fibrosis therapy. *ACS Nano.* 9: 2405-2419. <http://dx.doi.org/10.1021/nn505166x>.
- Zhang, Z; Wo, JJ; Cissoko, N; Xu, X, inhua. (2008). Kinetics of 2,4-dichlorophenol dechlorination by Pd-Fe bimetallic nanoparticles in the presence of humic acid. *Journal of Zhejiang University- Science A.* 9: 118-124. <http://dx.doi.org/10.1631/jzus.A071313>.
- Zhang, ZC; Beard, BC. (1998). Genesis of durable catalyst for selective hydrodechlorination of CCl₄ to CHCl₃. *Appl Catal A-Gen.* 174: 33-39.
- Zhang, ZF; Oostrom, M; Ward, AL. (2007). Saturation-dependent hydraulic conductivity anisotropy for multifluid systems in porous media. *Vadose Zone Journal.* 6: 925-934. <http://dx.doi.org/10.2136/vzj2006.0141>.
- Zhang, ZZ; Sparks, DL; Scrivner, NC. (1993). SORPTION AND DESORPTION OF QUATERNARY AMINE CATIONS ON CLAYS. *Environ Sci Technol.* 27: 1625-1631.
- Zhao, L; Wang, Y; Liu, J; Wang, K; Guo, X; Ji, B; Wu, W; Zhou, F. (2016). Protective Effects of Genistein and Puerarin against Chronic Alcohol-Induced Liver Injury in Mice via Antioxidant, Anti-inflammatory, and Anti-apoptotic Mechanisms. *J Agric Food Chem.* 64: 7291-7297. <http://dx.doi.org/10.1021/acs.jafc.6b02907>.
- Zhao, Q; Liang, Y; Stephenson, D; Corbett, J. (2007). Surface and subsurface integrity in diamond grinding of optical glasses on Tetraform 'C'. *International Journal of Machine Tools and Manufacture.* 47: 2091-2097. <http://dx.doi.org/10.1016/j.ijmachtools.2007.05.005>.
- Zhao, QL; Stephenson, D; Corbett, J; Hedge, J; Wang, JH; Liang, YC. (2004). Single grit diamond grinding of Spectrosil 2000 glass on Tetraform 'C'. *Key Eng Mater.* 257-258: 107-112.
- Zhao, S; Zhang, J; Wang, Y. (2013). Electro-casting of proton exchange membranes from a heterogeneous solution. *J Power Sources.* 242: 23-27. <http://dx.doi.org/10.1016/j.jpowsour.2013.05.024>.
- Zhao, T; Boldog, I; Spasojevic, V; Rotaru, A; Garcia, Y; Janiak, C. (2016). Solvent-triggered relaxative spin state switching of [Fe(HB(pz)(3))(2)] in a closed nano-confinement of NH₂-MIL-101(Al). 4. <http://dx.doi.org/10.1039/c6tc01297c>.
- Zhao, X; Wallace, RB; Hyndman, DW; Dybas, MJ; Voice, TC. (2005). Heterogeneity of chlorinated hydrocarbon sorption properties in a sandy aquifer. *J Contam Hydrol.* 78: 327-342. <http://dx.doi.org/10.1016/j.jconhyd.2005.06.002>.
- Zhao, X; Xue, CH; Li, ZJ; Cai, YP; Liu, HY; Qi, HT. (2004). Antioxidant and hepatoprotective activities of low molecular weight sulfated polysaccharide from *Laminaria japonica*. *J Appl Phycol.* 16: 111-115.
- Zhao, XD; Szafranski, MJ; Maraqa, MA; Voice, TC. (1999). Sorption and bioavailability of carbon tetrachloride in a low organic content sandy soil. *Environ Toxicol Chem.* 18: 1755-1762.
- Zhao, XP; Turco, RP. (1997). Photodissociation parameterization for stratospheric photochemical modeling. *J Geophys Res Atmos.* 102: 9447-9459.
- Zhao, XS; Ma, Q; Lu, GQM. (1998). VOC removal: Comparison of MCM-41 with hydrophobic zeolites and activated carbon. *Energy Fuels.* 12: 1051-1054.
- Zheng, CZ; Wang, J, unL; Li, X, ia; Liu, B, oKai; Wu, Q, i; Lin, XF, u. (2011). Regioselective synthesis of amphiphilic metoprolol-saccharide conjugates by enzymatic strategy in organic media. *Process Biochemistry.* 46: 123-127. <http://dx.doi.org/10.1016/j.procbio.2010.07.028>.
- Zheng, G; Suzuki, K; Miyata, Y; Shimizu, H. (2012). Osmium concentrations and Os-187/Os-188 ratios of three sediment reference materials. *Geochemical Journal.* 46: 143-149.
- Zheng, LX; Yang, H; Xu, DP; Wang, XJ; Li, XF; Li, JB; Wang, YT; Duan, LH; Hu, XW. (1998). Low-temperature growth of cubic GaN by metalorganic chemical-vapor deposition. *Thin Solid Films.* 326: 251-255.
- Zheng, MH; Bao, ZC; Xu, ZB; Wang, K. (1996). Mechanism of photodegradation of polychlorinated dibenzo-p-dioxins in carbon tetrachloride. *Chemosphere.* 32: 603-607.
- Zheng, QS; Sun, XL; Xu, B; Li, G; Song, M. (2005). Mechanisms of apigenin-7-glucoside as a hepatoprotective agent. *Biomed Environ Sci.* 18: 65-70.
- Zheng, T; Zhan, J; He, J; Day, C; Lu, Y; Mcpherson, GL; Piringer, G; John, VT. (2008). Reactivity characteristics of nanoscale zerovalent iron-silica composites for trichloroethylene remediation. *Environ Sci Technol.* 42: 4494-4499. <http://dx.doi.org/10.1021/es702214x>.
- Zheng, W; Yates, SR; Papiernik, SK; Guo, M; Gan, J. (2006). Dechlorination of chloropicrin and 1,3-dichloropropene by hydrogen sulfide species: redox and nucleophilic substitution reactions. *J Agric Food Chem.* 54: 2280-2287. <http://dx.doi.org/10.1021/jf0527100>.
- Zhirnov, E; Stepanov, S; Wang, WN; Shreter, YG; Takhin, DV; Bochkareva, NI. (2004). Influence of cathode material and SiCl₄ gas on inductively coupled plasma etching of AlGaIn layers with Cl-2/Ar plasma. *Journal of Vacuum Science and Technology A.* 22: 2336-2341. <http://dx.doi.org/10.1116/1.1798711>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Zhnag, SM; Li, SP; Yan, YH; Chen, XM. (1999). A new polymer-bonded beta-cyclodextrin catalyst for selective synthesis of 4-hydroxybenzoic acid. *Journal of Wuhan University of Technology--Materials Science Edition*. 14: 35-39.
- Zhong, L; Yang, J. (2012). Reduction of Cr(VI) by malic acid in aqueous Fe-rich soil suspensions. *Chemosphere*. 86: 973-978. <http://dx.doi.org/10.1016/j.chemosphere.2011.11.025>.
- Zhou, B; Venart, JES; Hinata, S. (1992). FIBER OPTIC SENSOR FOR LIQUID-MIXTURE COMPOSITION. *Fluid Phase Equilibria*. 79: 175-185.
- Zhou, J; You, Y; Bai, Z; Hu, Y; Zhang, J; Zhang, N. (2011). Health risk assessment of personal inhalation exposure to volatile organic compounds in Tianjin, China. *Sci Total Environ*. 409: 452-459. <http://dx.doi.org/10.1016/j.scitotenv.2010.10.022>.
- Zhou, L; Zong, ZM; Tang, SR; Zong, Y; Xie, RL; Ding, MJ; Zhao, W; Zhu, XF; Xia, ZL; Wu, L; Wei, XY. (2010). FTIR and Mass Spectral Analyses of an Upgraded Bio-oil. *Energy Source Part A*. 32: 370-375. <http://dx.doi.org/10.1080/15567030802467340>.
- Zhou, Q, in; He, H; Frost, R, aYL; Xi, Y. (2008). Changes in the surfaces on DDOAB organoclays adsorbed with paranitrophenol-An XRD, TEM and TG study. *Materials Research Bulletin*. 43: 3318-3326. <http://dx.doi.org/10.1016/j.materresbull.2008.02.015>.
- Zhou, Q; Lan, W; Du, A; Wang, Y; Yang, J; Wu, Y; Yang, K; Wang, X. (2008). Lanthania promoted MgO: Simultaneous highly efficient catalytic degradation and dehydrochlorination of polypropylene/polyvinyl chloride. *Appl Catal B-Environ*. 80: 141-146. <http://dx.doi.org/10.1016/j.apcatb.2007.11.018>.
- Zhou, Q; Zhao, N; Xie, G. (2011). Determination of lead in environmental waters with dispersive liquid-liquid microextraction prior to atomic fluorescence spectrometry. *J Hazard Mater*. 189: 48-53. <http://dx.doi.org/10.1016/j.jhazmat.2011.01.123>.
- Zhou, S; Shao, Y; Gao, N; Zhu, S; Ma, Y; Deng, J. (2014). Chlorination and chloramination of tetracycline antibiotics: disinfection by-products formation and influential factors. *Ecotoxicol Environ Saf*. 107: 30-35. <http://dx.doi.org/10.1016/j.ecoenv.2014.05.008>.
- Zhu, L; Bozzelli, JW; Lay, TH. (1998). Comparison of AM1 and PM3 in MOPAC6 with literature for the thermodynamic parameters of C-1 and C-2 chlorocarbons. *Ind Eng Chem Res*. 37: 3497-3507.
- Zhu, L; Ren, X; Yu, S. (1998). Use of cetyltrimethylammonium bromide-bentonite to remove organic contaminants of varying polar character from water. *Environ Sci Technol*. 32: 3374-3378.
- Zhu, L; Tian, S; Shi, Y; Smith, BJ; Mcalister, JJ; Baptista Neto, JA; Silva, MAM. (2005). ADSORPTION OF VOLATILE ORGANIC COMPOUNDS ONTO POROUS CLAY HETEROSTRUCTURES BASED ON SPENT ORGANOBENTONITES. *Clays and Clay Minerals*. 53: 123-136. <http://dx.doi.org/10.1346/CCMN.2005.0530202>.
- Zhu, L; Xiao, P; Qian, Y. (2012). Fabrication of carbons dendritic hierarchical structure via easy copper substrate-induced solvothermal process at low temperature. *Micro and Nano Letters*. 7: 265-267. <http://dx.doi.org/10.1049/mnl.2012.0118>.
- Zhu, LZ; Chen, BL. (2000). Sorption behavior of p-nitrophenol on the interface between anion-cation organobentonite and water. *Environ Sci Technol*. 34: 2997-3002.
- Zhu, LZ; Li, YM; Zhang, JY. (1997). Sorption of organobentonites to some organic pollutants in water. *Environ Sci Technol*. 31: 1407-1410.
- Zhu, LZ; Su, YH. (2002). Benzene vapor sorption by organobentonites from ambient air. *Clays and Clay Minerals*. 50: 421-427.
- Zhu, Q; D'Agostino, C; Ainte, M; Mantle, MD; Gladden, LF; Ortona, O; Paduano, L; Ciccarelli, D; Moggridge, GD. (2016). Prediction of mutual diffusion coefficients in binary liquid systems with one self-associating component from viscosity data and intra-diffusion coefficients at infinite dilution. *Chem Eng Sci*. 147: 118-127. <http://dx.doi.org/10.1016/j.ces.2016.03.020>.
- Zhu, Q; Moggridge, GD; D'Agostino, C. (2015). A local composition model for the prediction of mutual diffusion coefficients in binary liquid mixtures from tracer diffusion coefficients. *Chem Eng Sci*. 132: 250-258. <http://dx.doi.org/10.1016/j.ces.2015.04.021>.
- Zhu, T; Wan, YD; Li, J; He, XW; Xu, DY; Shu, XQ; Liang, WJ; Jin, YQ. (2011). Volatile organic compounds decomposition using nonthermal plasma coupled with a combination of catalysts. *Int J Environ Sci Tech*. 8: 621-630.
- Zhu, T, ao; Xu, D; He, X; Shu, X; Li, J; Liang, W; Jin, Y; Wan, Y; Wu, Q; Hu, Y. (2010). DECOMPOSITION OF BENZENE IN DRY AIR BY SUPER-IMPOSED BARRIER DISCHARGE NONTHERMAL PLASMA-PHOTOCATALYTIC SYSTEM. *Fresen Environ Bull*. 19: 1275-1282.
- Zhu, W; Wang, R; Huang, T; Wu, F. (2014). The characteristics and two-step reaction model of p-nitroacetophenone biodegradation mediated by *Shewanella decolorationis* S12 and electron shuttle in the presence/absence of goethite. *Environ Technol*. 35: 3116-3123. <http://dx.doi.org/10.1080/09593330.2014.931471>.
- Zhu, X; Fan, Z; Wu, X; Meng, QY; Wang, SW; Tang, X; Ohman-Strickland, P; Georgopoulos, P; Zhang, J; Bonanno, L; Held, J; LiyP. (2008). Spatial variation of volatile organic compounds in a "Hot Spot" in New Jersey. *Atmos Environ*. 42: 7329-7338. <http://dx.doi.org/10.1016/j.atmosenv.2008.07.039>.
- Zhu, YH; Jiang, JG. (2008). Toxicity of carbon tetrachloride to *Dunaliella salina*, an environmentally tolerant alga. *J Toxicol Environ Health A*. 71: 474-477. <http://dx.doi.org/10.1080/15287390801907533>.
- Zhu, YL; Zheng, GD; Gao, D; Chen, TB; Wu, FK; Niu, MJ; Zou, KH. (2016). Odor composition analysis and odor indicator selection during sewage sludge composting. 66: 930-940. <http://dx.doi.org/10.1080/10962247.2016.1188865>.
- Zhukov, VI; Val'kovich, GV; Skorik, IN; Petrov, Y, uM; Belov, GP. (2007). Ethylene oligomerization in the presence of ZrO(OCOR)(2)-Al(C2H5)(2)Cl-modifier catalytic system. *Petroleum Chemistry*. 47: 49-54. <http://dx.doi.org/10.1134/S0965544107010069>.
- Zielkiewicz, J; Oracz, P; Warycha, S. (1990). TOTAL VAPOR-PRESSURE MEASUREMENTS AND EXCESS GIBBS ENERGIES FOR THE BINARY-SYSTEMS METHANOL + ETHANOL, ETHANOL + 2-PROPANOL, BENZENE + CYCLOHEXANE, BENZENE + CARBON-TETRACHLORIDE AND BENZENE + ETHANOL AT 303.15-K AND 313.15-K. *Fluid Phase Equilibria*. 58: 191-209.
- Zitomer, DH; Speece, RE. (1995). METHANETHIOL IN NONACCLIMATED SEWAGE-SLUDGE AFTER ADDITION OF CHLOROFORM AND OTHER TOXICANTS. *Environ Sci Technol*. 29: 762-768. <http://dx.doi.org/10.1021/es00003a025>.
- Zoccolillo, L; Abete, C; Amendola, L; Ruocco, R; Sbrilli, A; Termine, M. (2004). Halocarbons in aqueous matrices from the Rennick Glacier and the Ross Sea (Antarctica). *Int J Environ Anal Chem*. 84: 513-522. <http://dx.doi.org/10.1080/03067310310001637676>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Zoccolillo, L; Amendola, L; Cafaro, C; Inogna, S. (2007). Volatile chlorinated hydrocarbons in Antarctic superficial snow sampled during Italian ITASE expeditions. *Chemosphere*. 67: 1897-1903. <http://dx.doi.org/10.1016/j.chemosphere.2006.12.050>.
- Zoccolillo, L; Amendola, L; Inogna, S. (2009). Comparison of atmosphere/aquatic environment concentration ratio of volatile chlorinated hydrocarbons between temperate regions and Antarctica. *Chemosphere*. 76: 1525-1532. <http://dx.doi.org/10.1016/j.chemosphere.2009.05.044>.
- Zoccolillo, L; Amendola, L; Tarallo, GA. (1996). Halocarbons in Antarctic surface waters and snow. *Int J Environ Anal Chem*. 63: 91-98.
- Zoccolillo, L; Rellori, M. (1994). HALOCARBONS IN ANTARCTIC SURFACE WATERS. *Int J Environ Anal Chem*. 55: 27-32.
- Zolk, M; Eisert, F; Pipper, J; Herrwerth, S; Eck, W; Buck, M; Grunze, M. (2000). Solvation of oligo(ethylene glycol)-terminated self-assembled monolayers studied by vibrational sum frequency spectroscopy. *Langmuir*. 16: 5849-5852. <http://dx.doi.org/10.1021/la0003239>.
- Zöllig, H; Remmele, A; Fritzsche, C; Morgenroth, E; Udert, KM. (2015). Formation of Chlorination Byproducts and Their Emission Pathways in Chlorine Mediated Electro-Oxidation of Urine on Active and Nonactive Type Anodes. *Environ Sci Technol*. 49: 11062-11069. <http://dx.doi.org/10.1021/acs.est.5b01675>.
- Zou, C; Wu, D; Li, M; Zeng, Q; Xu, F, ei; Huang, Z; Fu, R. (2010). Template-free fabrication of hierarchical porous carbon by constructing carbonyl crosslinking bridges between polystyrene chains. *J Mater Chem*. 20: 731-735. <http://dx.doi.org/10.1039/b917960g>.
- Zou, SW; Stensel, HD; Ferguson, JF. (2000). Carbon tetrachloride degradation: Effect of microbial growth substrate and vitamin B(12) content. *Environ Sci Technol*. 34: 1751-1757.
- Zuo, GM; Cheng, ZX; Chen, H; Li, GW; Miao, T. (2006). Study on photocatalytic degradation of several volatile organic compounds. *J Hazard Mater*. 128: 158-163. <http://dx.doi.org/10.1016/j.jhazmat.2005.07.056>.
- Zuo, YJ; Xi, HL; Zhang, JH; Li, ZJ; Zhou, F. (2001). Foundation of kinetics model for TiO₂-photocatalyzed degradation of organic compounds in suspending system. *Chinese journal of catalysis*. 22: 198-202.
- Zwank, L; Elsner, M; Aeberhard, A; Schwarzenbach, RP; Haderlein, SB. (2005). Carbon isotope fractionation in the reductive dehalogenation of carbon tetrachloride at iron (hydr)oxide and iron sulfide minerals. *Environ Sci Technol*. 39: 5634-5641. <http://dx.doi.org/10.1021/es0487776>.

Exposure Literature Search Results

On Topic

- Amagai, T; Olansandan; Matsushita, H; Ono, M; Nakai, S; Tamura, K; Maeda, K. (1999). A survey of indoor pollution by volatile organohalogen compounds in Katsushika, Tokyo, Japan. *Indoor Built Environ*. 8: 255-268.
- Amaral, OC; Otero, R; Grimalt, JO; Albaiges, J. (1996). Volatile and semi-volatile organochlorine compounds in tap and riverine waters in the area of influence of a chlorinated organic solvent factory. *Water Res*. 30: 1876-1884.
- Astel, A; Astel, K; Biziuk, M; Namiesnik, J. (2006). Classification of drinking water samples using the Chernoff's Faces visualization approach. *Pol J Environ Stud*. 15: 691-697.
- Austin, J. (2003). Day-of-week patterns in toxic air contaminants in southern California. *Journal of the Air and Waste Management Association*. 53: 889-896.
- Baek, W; Lee, JY. (2011). Source apportionment of trichloroethylene in groundwater of the industrial complex in Wonju, Korea: a 15-year dispute and perspective. *Water Environ J*. 25: 336-344. <http://dx.doi.org/10.1111/j.1747-6593.2010.00226.x>.
- Bi, E; Liu, Y; He, J; Wang, Z; Liu, F, ei. (2012). Screening of Emerging Volatile Organic Contaminants in Shallow Groundwater in East China. *Ground Water Monitoring and Remediation*. 32: 53-58. <http://dx.doi.org/10.1111/j.1745-6592.2011.01362.x>.
- Bianchimosquera, GC; Mackay, DM. (1992). COMPARISON OF STAINLESS-STEEL VS PTFE MINIWELLS FOR MONITORING HALOGENATED ORGANIC SOLUTE TRANSPORT. *Ground Water Monitoring and Remediation*. 12: 126-131.
- Biziuk, M; Czerwinski, J; Kozlowski, E. (1993). IDENTIFICATION AND DETERMINATION OF ORGANOHALOGEN COMPOUNDS IN SWIMMING POOL WATER. *Int J Environ Anal Chem*. 50: 109-115.
- Bove, FJ; Fulcomer, MC; Klotz, JB; Esmart, J; Dufficy, EM; Savrin, JE. (1995). Public drinking water contamination and birth outcomes. *Am J Epidemiol*. 141: 850-862.
- Bravo-Linares, CM; Mudge, SM; Loyola-Sepulveda, RH. (2007). Occurrence of volatile organic compounds (VOCs) in Liverpool Bay, Irish Sea. *Mar Pollut Bull*. 54: 1742-1753. <http://dx.doi.org/10.1016/j.marpolbul.2007.07.013>.
- Brender, JD; Shinde, MU; Zhan, FB; Gong, X; Langlois, PH. (2014). Maternal residential proximity to chlorinated solvent emissions and birth defects in offspring: a case-control study. *Environ Health*. 13: 96. <http://dx.doi.org/10.1186/1476-069X-13-96>.
- Brown, RHA; Cape, JN; Farmer, JG. (1998). Partitioning of chlorinated solvents between pine needles and air. *Chemosphere*. 36: 1799-1810.
- Brown, RHA; Cape, JN; Farmer, JG. (1999). Chlorinated hydrocarbons in Scots pine needles in northern Britain. *Chemosphere*. 38: 795-806.
- Brusseau, ML; Rohay, V; Truex, MJ. (2010). ANALYSIS OF SOIL VAPOR EXTRACTION DATA TO EVALUATE MASS-TRANSFER CONSTRAINTS AND ESTIMATE SOURCE-ZONE MASS FLUX. *Ground Water Monitoring and Remediation*. 30: 57-64. <http://dx.doi.org/10.1111/j1745-6592.2010.001286.x>.
- Buckley, TJ; Liddle, J; Ashley, DL; Paschal, DC; Burse, VW; Needham, LL; Akland, G. (1997). Environmental and biomarker measurements in nine homes in the lower Rio Grande Valley: multimedia results for pesticides, metals, PAHs, and VOCs. *Environ Int*. 23: 705-732.
- Carroll, KC; Oostrom, M; Truex, MJ; Rohay, VJ; Brusseau, ML. (2012). Assessing performance and closure for soil vapor extraction: integrating vapor discharge and impact to groundwater quality. *J Contam Hydrol*. 128: 71-82. <http://dx.doi.org/10.1016/j.jconhyd.2011.10.003>.

Exposure Literature Search Results

On Topic

- Chang, CC; Lai, CH; Wang, CH; Liu, Y; Shao, M; Zhang, Y; Wang, JL. (2008). Variability of ozone depleting substances as an indication of emissions in the Pearl River Delta, China. *Atmos Environ.* 42: 6973-6981. <http://dx.doi.org/10.1016/j.atmosenv.2008.04.051>.
- Chang, CC; Lo, GG; Tsai, CH; Wang, JL. (2001). Concentration variability of halocarbons over an electronics industrial park and its implication in compliance with the Montreal protocol. *Environ Sci Technol.* 35: 3273-3279. <http://dx.doi.org/10.1021/es001894q>.
- Chung, Y; Shin, D; Park, S; Lim, Y; Choi, Y; Cho, S; Yang, J; Hwang, M; Park, Y; Lee, H. (1997). Risk assessment and management of drinking water pollutants in Korea. *Water Sci Technol.* 36: 309-323. [http://dx.doi.org/10.1016/S0273-1223\(97\)00734-8](http://dx.doi.org/10.1016/S0273-1223(97)00734-8).
- Dawes, VJ; Waldock, MJ. (1994). Measurement of Volatile Organic Compounds at UK National Monitoring Plan Stations. *Mar Pollut Bull.* 28: 291-298.
- Dawson, HE; Mcalary, T. (2009). A compilation of statistics for VOCs from post-1990 indoor air concentration studies in North American residences unaffected by subsurface vapor intrusion. *Ground Water Monitoring and Remediation.* 29: 60-69. <http://dx.doi.org/10.1111/j.1745-6592.2008.01215.x>.
- de Blas, M; Navazo, M; Alonso, L; Durana, N; Gomez, MC; Iza, J. (2012). Simultaneous indoor and outdoor on-line hourly monitoring of atmospheric volatile organic compounds in an urban building. The role of inside and outside sources. *Sci Total Environ.* 426: 327-335. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.003>.
- de Blas, M; Navazo, M; Alonso, L; Durana, N; Iza, J, on. (2013). Trichloroethylene, tetrachloroethylene and carbon tetrachloride in an urban atmosphere: mixing ratios and temporal patterns. *Int J Environ Anal Chem.* 93: 228-244. <http://dx.doi.org/10.1080/03067319.2011.629346>.
- de Blas, M; Uria-Tellaetxe, I; Carmen Gomez, M; Navazo, M; Alonso, L; Antonio Garcia, J; Durana, N; Iza, J, on; Derley Ramon, J. (2016). Atmospheric carbon tetrachloride in rural background and industry surrounded urban areas in Northern Iberian Peninsula: Mixing ratios, trends, and potential sources. *Sci Total Environ.* 562: 26-34. <http://dx.doi.org/10.1016/j.scitotenv.2016.03.177>.
- Delorey, DC; Cronn, DR; Farmer, JC. (1988). TROPOSPHERIC LATITUDINAL DISTRIBUTIONS OF CF₂CL₂, CF₃CL, N₂O, CH₃CCl₃ AND CCl₄ OVER THE REMOTE PACIFIC-OCEAN. *Atmos Environ.* 22: 1481-1494.
- Deng, JF; Shih, TS; Wang, JD; Chung, SM. (1987). AN OUTBREAK OF CARBON-TETRACHLORIDE POISONING RELATED TO THE USE OF THE AIR-CONDITIONING SYSTEM IN A PRINTING FACTORY. *Scand J Work Environ Health.* 13: 186-186.
- Derwent, RG; Simmonds, PG; O'Doherty, S; Ryall, DB. (1998). The impact of the Montreal Protocol on halocarbon concentrations in northern hemisphere baseline and European air masses at Mace Head, Ireland over a ten year period from 1987-1996. *Atmos Environ.* 32: 3689-3702. [http://dx.doi.org/10.1016/S1352-2310\(98\)00092-2](http://dx.doi.org/10.1016/S1352-2310(98)00092-2).
- Devlin, JF; Muller, D. (1999). Field and laboratory studies of carbon tetrachloride transformation in a sandy aquifer under sulfate reducing conditions. *Environ Sci Technol.* 33: 1021-1027.
- Dewulf, J; Van Langenhove, H. (1997). Chlorinated C₁- and C₂-hydrocarbons and monocyclic aromatic hydrocarbons in marine waters: An overview on fate processes, sampling, analysis and measurements. *Water Res.* 31: 1825-1838. [http://dx.doi.org/10.1016/S0043-1354\(97\)00017-1](http://dx.doi.org/10.1016/S0043-1354(97)00017-1).
- Dewulf, J; Van Langenhove, M; Everaert, M; Vanthournout, H. (1998). Volatile organic compounds in the Scheldt estuary along the trajectory Antwerp-Vlissingen: Concentration profiles, modelling and estimation of emissions into the atmosphere. *Water Res.* 32: 2941-2950. [http://dx.doi.org/10.1016/S0043-1354\(98\)00058-X](http://dx.doi.org/10.1016/S0043-1354(98)00058-X).
- Dodson, RE; Houseman, EA; Levy, JI; Spengler, JD; Shine, JP; Bennett, DH. (2007). Measured and modeled personal exposures to and risks from volatile organic compounds. *Environ Sci Technol.* 41: 8498-8505. <http://dx.doi.org/10.1021/es071127s>.
- Du, Z; Mo, J; Zhang, Y. (2014). Risk assessment of population inhalation exposure to volatile organic compounds and carbonyls in urban China. *Environ Int.* 73: 33-45. <http://dx.doi.org/10.1016/j.envint.2014.06.014>.
- Duffy, CC; Mccallister, DL; Renken, RR. (1997). Carbon tetrachloride retention by modern and buried soil horizons. *J Environ Qual.* 26: 1123-1127.
- Dumanoglu, Y; Kara, M; Altioek, H; Odabasi, M; Elbir, T; Bayram, A. (2014). Spatial and seasonal variation and source apportionment of volatile organic compounds (VOCs) in a heavily industrialized region. *Atmos Environ.* 98: 168-178. <http://dx.doi.org/10.1016/j.atmosenv.2014.08.048>.
- Fisher, J; Mahle, D; Bankston, L; Greene, R; Gearhart, J. (1997). Lactational transfer of volatile chemicals in breast milk. *Am Ind Hyg Assoc J.* 58: 425-431. <http://dx.doi.org/10.1080/15428119791012667>.
- Frank, H; Frank, W; Neves, HJC. (1991). AIRBORNE C₁-HALOCARBONS AND C₂-HALOCARBONS AT 4 REPRESENTATIVE SITES IN EUROPE. *Atmos Environ* (1967). 25: 257-261.
- Frank, W; Neves, HJC; Frank, H. (1991). Levels of airborne halocarbons at urban and mountain forest sites in Germany and at the Atlantic coast. *Chemosphere.* 23: 609-626.
- Freiria-Gandara, MJ; Lorenzo-Ferreira, RA; Alvarez-Devesa, A; Bermejo, F. (1992). Occurrence of halogenated hydrocarbons in the water supply of different cities of Galicia (Spain). *Environ Technol.* 13: 437-447.
- Garcia, E; Hurley, S; Nelson, DO; Hertz, A; Reynolds, P. (2015). Hazardous air pollutants and breast cancer risk in California teachers: a cohort study. *Environ Health.* 14: 14. <http://dx.doi.org/10.1186/1476-069X-14-14>.
- Geelen, LMJ; Huijbregts, MAJ; Den Hollander, H; Ragas, AMJ; van Jaarsveld, HA; de Zwart, D. (2009). Confronting environmental pressure, environmental quality and human health impact indicators of priority air emissions. *Atmos Environ.* 43: 1613-1621. <http://dx.doi.org/10.1016/j.atmosenv.2008.12.002>.
- Glavas, S; Moschonas, N. (2002). First measurements of carbon tetrachloride and tetrachloroethene in the atmosphere of Athens, Greece. *Sci Total Environ.* 290: 231-237.
- Grosjean, E; Rasmussen, RA; Grosjean, D. (1999). Toxic air contaminants in Porto Alegre, Brazil. *Environ Sci Technol.* 33: 1970-1978.

Exposure Literature Search Results

On Topic

- Hall, BD; Engel, A; Muehle, J; Elkins, JW; Artuso, F; Atlas, E; Aydin, M; Blake, D; Brunke, EG; Chiavarini, S; Fraser, PJ; Happell, J; Krummel, PB; Levin, I; Loewenstein, M; Maione, M; Montzka, SA; O'Doherty, S; Reimann, S; Rhoderick, G; Saltzman, ES; Scheel, HE; Steele, LP; Vollmer, MK; Weiss, RF; Worthy, D; Yokouchi, Y. (2014). Results from the International Halocarbons in Air Comparison Experiment (IHALACE). *Atmos Meas Tech*. 7: 469-490. <http://dx.doi.org/10.5194/amt-7-469-2014>.
- Happell, JD; Wallace, DWR. (1998). Removal of atmospheric CCl₄ under bulk aerobic conditions in groundwater and soils. *Environ Sci Technol*. 32: 1244-1252.
- Haselmann, KF; Ketola, RA; Laternus, F; Lauritsen, FR; Gron, C. (2000). Occurrence and formation of chloroform at Danish forest sites. *Atmos Environ*. 34: 187-193.
- Haselmann, KF; Laternus, F; Gron, C. (2002). Formation of chloroform in soil. A year-round study at a Danish spruce forest site. *Water Air Soil Pollut*. 139: 35-41.
- He, Z; Yang, GP; Lu, XL. (2013). Distributions and sea-to-air fluxes of volatile halocarbons in the East China Sea in early winter. *Chemosphere*. 90: 747-757. <http://dx.doi.org/10.1016/j.chemosphere.2012.09.067>.
- Heck, JE; Park, AS; Qiu, J; Cockburn, M; Ritz, B. (2013). An exploratory study of ambient air toxics exposure in pregnancy and the risk of neuroblastoma in offspring. *Environ Res*. 127: 1-6. <http://dx.doi.org/10.1016/j.envres.2013.09.002>.
- Helmig, D; Apel, E; Blake, D; Ganzeveld, L; Lefer, BL; Meinardi, S; Swanson, AL. (2009). Release and uptake of volatile inorganic and organic gases through the snowpack at Niwot Ridge, Colorado. *Biogeochemistry*. 95: 167-183. <http://dx.doi.org/10.1007/s10533-009-9326-8>.
- Huang, B; Lei, C; Wei, C; Zeng, G. (2014). Chlorinated volatile organic compounds (Cl-VOCs) in environment - sources, potential human health impacts, and current remediation technologies [Review]. *Environ Int*. 71: 118-138. <http://dx.doi.org/10.1016/j.envint.2014.06.013>.
- Insogna, S; Frison, S; Marconi, E; Bacaloni, A. (2014). Trends of volatile chlorinated hydrocarbons and trihalomethanes in Antarctica. *Int J Environ Anal Chem*. 94: 1343-1359. <http://dx.doi.org/10.1080/03067319.2014.974587>.
- Jagielski, J; Scudamore, KA; Heuser, SG. (1978). RESIDUES OF CARBON-TETRACHLORIDE AND 1,2-DIBROMOETHANE IN CEREALS AND PROCESSED FOODS AFTER LIQUID FUMIGANT GRAIN TREATMENT FOR PEST-CONTROL. *Pestic Sci*. 9: 117-126.
- Jia, C; Batterman, S; Godwin, C. (2008). VOCs in industrial, urban and suburban neighborhoods, Part 1: Indoor and outdoor concentrations, variation, and risk drivers. *Atmos Environ*. 42: 2083-2100. <http://dx.doi.org/10.1016/j.atmosenv.2007.11.055>.
- Jia, C; Batterman, S; Godwin, C; Charles, S; Chin, JY. (2010). Sources and migration of volatile organic compounds in mixed-use buildings. *Indoor Air*. 20: 357-369. <http://dx.doi.org/10.1111/j.1600-0668.2010.00643.x>.
- Kawata, K; Fujieda, Y. (1993). Volatile chlorinated hydrocarbons in ambient air at Niigata area (pp. 474-479). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/94/09149). Kawata, K; Fujieda, Y.
- Klick, S. (1992). SEASONAL-VARIATIONS OF BIOGENIC AND ANTHROPOGENIC HALOCARBONS IN SEAWATER FROM A COASTAL SITE. *Limnol Oceanogr*. 37: 1579-1585.
- Knox, RC; Canter, LW. (1996). Prioritization of ground water contaminants and sources. *Water Air Soil Pollut*. 88: 205-226. <http://dx.doi.org/10.1007/BF00294102>.
- Kostopoulou, MN; Golfinoopoulos, SK; Nikolaou, AD; Xilourgidis, NK; Lekkas, TD. (2000). Volatile organic compounds in the surface waters of northern Greece. *Chemosphere*. 40: 527-532.
- Kwon, J; Weisel, CP; Morandi, MT; Stock, TH. (2016). Source proximity and meteorological effects on residential outdoor VOCs in urban areas: Results from the Houston and Los Angeles RIOPA studies. *Sci Total Environ*. 573: 954-964. <http://dx.doi.org/10.1016/j.scitotenv.2016.08.186>.
- Lasa, J; Sliwka, I. (2003). Long-term measurements of the concentrations of halocarbons in an urban area of Krakow, Poland. *Appl Energ*. 75: 155-163. [http://dx.doi.org/10.1016/S0306-2619\(03\)00028-X](http://dx.doi.org/10.1016/S0306-2619(03)00028-X).
- Lee, BS; Chiou, CB. (2007). The use of CFC-12, CFC-11 and CH₃CCl₃ to trace terrestrial airborne pollutant transport by land-sea breezes. *Atmos Environ*. 41: 3360-3372. <http://dx.doi.org/10.1016/j.atmosenv.2006.12.025>.
- Lee, BS, un; Chiou, CB. (2008). The relationship of meteorological and anthropogenic factors to time series measurements of CFC-11, CFC-12, and CH₃CCl₃ concentrations in the urban atmosphere. *Atmos Environ*. 42: 7706-7717. <http://dx.doi.org/10.1016/j.atmosenv.2008.05.042>.
- Lee, BS, un; Chiou, CB; Lin, CY, i. (2014). Analysis of diurnal variability of atmospheric halocarbons and CFC replacements to imply emission strength and sources at an urban site of Lukang in central Taiwan. *Atmos Environ*. 99: 112-123. <http://dx.doi.org/10.1016/j.atmosenv.2014.09.063>.
- Li, Y; Zhang, Z; Fei, Y; Chen, H; Qian, Y; Dun, Y, u. (2016). Investigation of quality and pollution characteristics of groundwater in the Hutuo River Alluvial Plain, North China Plain. *Environ Earth Sci*. 75. <http://dx.doi.org/10.1007/s12665-016-5366-2>.
- Liao, Y; Ma, T; Cui, Y; Qi, Z. (2014). Spatial distribution characteristics of volatile halogenated hydrocarbons in unsaturated zone of Xiaodian sewage irrigation area, Taiyuan, China. *Ecotoxicology*. 23: 1951-1957. <http://dx.doi.org/10.1007/s10646-014-1323-6>.
- Lioy, PJ; Fan, Z; Zhang, J; Georgopoulos, P; Wang, SW; Ohman-Strickland, P; Wu, X; Zhu, X; Harrington, J; Tang, X; Meng, Q; Jung, KH; Kwon, J; Hernandez, M; Bonnano, L; Held, J; Neal, J; Committee, HHR. (2011). Personal and ambient exposures to air toxics in Camden, New Jersey. *Res Rep Health Eff Inst* 3-127; discussion 129-151.
- Logue, JM; Huff-Hartz, KE; Lambe, AT; Donahue, NM; Robinson, AL. (2009). High time-resolved measurements of organic air toxics in different source regimes. *Atmos Environ*. 43: 6205-6217. <http://dx.doi.org/10.1016/j.atmosenv.2009.08.041>.
- Logue, JM; Small, MJ; Robinson, AL. (2011). Evaluating the national air toxics assessment (NATA): Comparison of predicted and measured air toxics concentrations, risks, and sources in Pittsburgh, Pennsylvania. *Atmos Environ*. 45: 476-484. <http://dx.doi.org/10.1016/j.atmosenv.2010.09.053>.

Exposure Literature Search Results

On Topic

- Logue, JM; Small, MJ; Stern, D; Maranche, J; Robinson, AL. (2010). Spatial variation in ambient air toxics concentrations and health risks between industrial-influenced, urban, and rural sites. *Journal of the Air and Waste Management Association*. 60: 271-286. <http://dx.doi.org/10.3155/1047-3289.60.3.271>.
- Lysychnenko, G; Weber, R; Kovach, V; Gertsyuk, M; Watson, A; Krasnova, I. (2015). Threats to water resources from hexachlorobenzene waste at Kalush City (Ukraine)--a review of the risks and the remediation options. *Environ Sci Pollut Res Int*. 22: 14391-14404. <http://dx.doi.org/10.1007/s11356-015-5184-1>.
- Ma, X; Burken, JG. (2002). VOCs fate and partitioning in vegetation: use of tree cores in groundwater analysis. *Environ Sci Technol*. 36: 4663-4668. <http://dx.doi.org/10.1021/es025795j>.
- Maione, M; Giostra, U; Arduini, J; Furlani, F; Graziosi, F; Lo Vullo, E; Bonasoni, P. (2013). Ten years of continuous observations of stratospheric ozone depleting gases at Monte Cimone (Italy)--comments on the effectiveness of the Montreal Protocol from a regional perspective. *Sci Total Environ*. 445-446: 155-164. <http://dx.doi.org/10.1016/j.scitotenv.2012.12.056>.
- Martí, V; Jubany, I; Pérez, C; Rubio, X; De Pablo, J; Giménez, J. (2014). Human health risk assessment of a landfill based on volatile organic compounds emission, immission and soil gas concentration measurements. *Appl Geochem*. 49: 218-224. <http://dx.doi.org/10.1016/j.apgeochem.2014.06.018>.
- Martinerie, P; Nourtier-Mazauric, E; Barnola, JM; Sturges, WT; Worton, DR; Atlas, E; Gohar, LK; Shine, KP; Brasseur, GP. (2009). Long-lived halocarbon trends and budgets from atmospheric chemistry modelling constrained with measurements in polar firn. *Atmos Chem Phys*. 9: 3911-3934.
- Martinez, E; Llobet, I; Lacorte, S; Viana, P; Barcelo, D. (2002). Patterns and levels of halogenated volatile compounds in Portuguese surface waters. *J Environ Monit*. 4: 253-257. <http://dx.doi.org/10.1039/b109623k>.
- Mccarthy, MC; Hafner, HR; Montzka, SA. (2006). Background concentrations of 18 air toxics for North America. *J Air Waste Manag Assoc*. 56: 3-11.
- Mccarthy, MC; O'Brien, TE; Charrier, JG; Hafner, HR. (2009). Characterization of the chronic risk and hazard of hazardous air pollutants in the United States using ambient monitoring data. *Environ Health Perspect*. 117: 790-796. <http://dx.doi.org/10.1289/ehp.11861>.
- Mcduffie, HH; Pahwa, P; Mclaughlin, J. R.; Spinelli, JJ; Fincham, S; Dosman, JA; Robson, D; Skinnider, LF; Choi, NW. (2001). Non-Hodgkin's lymphoma and specific pesticide exposures in men: Cross-Canada study of pesticides and health. *Cancer Epidemiol Biomarkers Prev*. 10: 1155-1163.
- Michalski, A; Metlitz, MN; Whitman, IL. (1995). A FIELD-STUDY OF ENHANCED RECOVERY OF DNAPL POOLED BELOW THE WATER-TABLE. *Ground Water Monitoring and Remediation*. 15: 90-100.
- Moore, FL; Elkins, JW; Ray, EA; Dutton, GS; Dunn, RE; Fahey, DW; Mclaughlin, RJ; Thompson, TL; Romashkin, PA; Hurst, DF; Wamsley, PR. (2003). Balloonborne in situ gas chromatograph for measurements in the troposphere and stratosphere. *J Geophys Res Atmos*. 108. <http://dx.doi.org/10.1029/2001JD000891>.
- Mullaugh, KM; Hamilton, JM; Avery, GB; Felix, JD; Mead, RN; Willey, JD; Kieber, RJ. (2015). Temporal and spatial variability of trace volatile organic compounds in rainwater. *Chemosphere*. 134: 203-209. <http://dx.doi.org/10.1016/j.chemosphere.2015.04.027>.
- Nakaguma, H; Tajima, K; Sato, I; Konishi, T. (1992). SIMULTANEOUS DETERMINATION OF 11 VOLATILE CHLORINATED HYDROCARBONS IN SOIL. *JTTHE*. 38: 240-246.
- Nellis, SR; Yoon, H; Werth, CJ; Oostrom, M; Valocchi, AJ. (2009). Surface and Interfacial Properties of Nonaqueous-Phase Liquid Mixtures Released to the Subsurface at the Hanford Site. *Vadose Zone Journal*. 8: 343-351. <http://dx.doi.org/10.2136/vzj2008.0104>.
- Nielsen, PH; Bjarnadottir, H; Winter, PL; Christensen, TH. (1995). IN-SITU AND LABORATORY STUDIES ON THE FATE OF SPECIFIC ORGANIC-COMPOUNDS IN AN ANAEROBIC LANDFILL LEACHATE PLUME .2. FATE OF AROMATIC AND CHLORINATED ALIPHATIC-COMPOUNDS. *J Contam Hydrol*. 20: 51-66.
- Nijenhuis, I; Schmidt, M; Pellegatti, E; Paramatti, E; Richnow, HH; Gargini, A. (2013). A stable isotope approach for source apportionment of chlorinated ethene plumes at a complex multi-contamination events urban site. *J Contam Hydrol*. 153: 92-105. <http://dx.doi.org/10.1016/j.jconhyd.2013.06.004>.
- Nobre, MM; Nobre, RC. (2004). Soil vapor extraction of chlorinated solvents at an industrial site in Brazil. *J Hazard Mater*. 110: 119-127. <http://dx.doi.org/10.1016/j.jhazmat.2004.02.045>.
- Nunes, LM; Zhu, YG; Stigter, TY; Monteiro, JP; Teixeira, MR. (2011). Environmental impacts on soil and groundwater at airports: origin, contaminants of concern and environmental risks [Review]. *J Environ Monit*. 13: 3026-3039. <http://dx.doi.org/10.1039/c1em10458f>.
- Nzungu, VA; Wolfe, L, eeN; Rennels, DE; Mccutcheon, SC; Wang, C. (1999). Use of Aquatic Plants and Algae for Decontamination of Waters Polluted with Chlorinated Alkanes. *Int J Phytoremediation*. 1: 203-226. <http://dx.doi.org/10.1080/15226519908500016>.
- Odabasi, M. (2008). Halogenated volatile organic compounds from the use of chlorine-bleach-containing household products. *Environ Sci Technol*. 42: 1445-1451. <http://dx.doi.org/10.1021/es702355u>.
- Odabasi, M; Elbir, T; Dumanoglu, Y; Sofuoglu, SC. (2014). Halogenated volatile organic compounds in chlorine-bleach-containing household products and implications for their use. *Atmos Environ*. 92: 376-383. <http://dx.doi.org/10.1016/j.atmosenv.2014.04.049>.
- O'doherty, S. (2004). Rapid growth of hydrofluorocarbon 134a and hydrochlorofluorocarbons 141b, 142b, and 22 from Advanced Global Atmospheric Gases Experiment (AGAGE) observations at Cape Grim, Tasmania, and Mace Head, Ireland. *J Geophys Res*. 109: D06310. <http://dx.doi.org/10.1029/2003JD004277>.
- Ohura, T; Amagai, T; Fusaya, M. (2006). Regional assessment of ambient volatile organic compounds in an industrial harbor area, Shizuoka, Japan. *Atmos Environ*. 40: 238-248. <http://dx.doi.org/10.1016/j.atmosenv.2005.09.064>.
- Ohura, T; Amagai, T; Senga, Y; Fusaya, M. (2006). Organic air pollutants inside and outside residences in Shimizu, Japan: Levels, sources and risks. *Sci Total Environ*. 366: 485-499. <http://dx.doi.org/10.1016/j.scitotenv.2005.10.005>.

Exposure Literature Search Results

On Topic

- Oostrom, M; Rockhold, ML; Thorne, PD; Truex, MJ; Last, GV; Rohay, VJ. (2007). Carbon tetrachloride flow and transport in the subsurface of the 216-Z-9 trench at the Hanford Site. *Vadose Zone Journal*. 6: 971-984. <http://dx.doi.org/10.2136/vzj2006.0166>.
- Oostrom, M; Truex, MJ; Tartakovsky, GD; Wietsma, T, omW. (2010). Three-Dimensional Simulation of Volatile Organic Compound Mass Flux from the Vadose Zone to Groundwater. *Ground Water Monitoring and Remediation*. 30: 45-56. <http://dx.doi.org/10.1111/j1745-6592.2010.001285.x>.
- Ou-Yang, CF; Chang, CC; Chen, SP, o; Chew, C; Lee, B; Chang, CY; Montzka, SA; Dutton, GS; Butler, JH; Elkins, JW; Wang, J. (2015). Changes in the levels and variability of halocarbons and the compliance with the Montreal Protocol from an urban view. *Chemosphere*. 138: 438-446. <http://dx.doi.org/10.1016/j.chemosphere.2015.06.070>.
- Pan, Y; Liu, Q; Liu, FF; Qian, GR; Xu, ZP. (2011). Regional assessment of ambient volatile organic compounds from biopharmaceutical R&D complex. *Sci Total Environ*. 409: 4289-4296. <http://dx.doi.org/10.1016/j.scitotenv.2011.07.014>.
- Park, SS; Kim, SO; Yun, ST; Chae, GT; Yu, SY; Kim, S; Kim, Y. (2005). Effects of land use on the spatial distribution of trace metals and volatile organic compounds in urban groundwater, Seoul, Korea. *Environ Geol*. 48: 1116-1131. <http://dx.doi.org/10.1007/s00254-005-0053-8>.
- Peng, CY; Hsiao, SL; Lan, CH; Huang, YL. (2013). Application of passive sampling on assessment of concentration distribution and health risk of volatile organic compounds at a high-tech science park. *Environ Monit Assess*. 185: 181-196. <http://dx.doi.org/10.1007/s10661-012-2542-z>.
- Plummer, LN; Busenberg, E; Eberts, SM; Bexfield, LM; Brown, CJ; Fahlquist, LS; Katz, BG; Landon, MK. (2008). Low-Level Detections of Halogenated Volatile Organic Compounds in Groundwater: Use in Vulnerability Assessments. *Journal of Hydrologic Engineering*. 13: 1049-1068. [http://dx.doi.org/10.1061/\(ASCE\)1084-0699\(2008\)13:11\(1049\)](http://dx.doi.org/10.1061/(ASCE)1084-0699(2008)13:11(1049)).
- Polkowska, Z. (2004). Determination of volatile organohalogen compounds in urban precipitation in Tricity area (Gdańsk, Gdynia, Sopot). *Chemosphere*. 57: 1265-1274. <http://dx.doi.org/10.1016/j.chemosphere.2004.08.044>.
- Pratt, GC; Bock, D; Stock, TH; Morandi, M; Adgate, JL; Ramachandran, G; Mongin, SJ; Sexton, K. (2005). A field comparison of volatile organic compound measurements using passive organic vapor monitors and stainless steel canisters. *Environ Sci Technol*. 39: 3261-3268. <http://dx.doi.org/10.1021/es0497328>.
- Pratt, GC; Palmer, K; Wu, CY; Oliaei, F; Hollerbach, C; Fenske, MJ. (2000). An assessment of air toxics in Minnesota. *Environ Health Perspect*. 108: 815-825.
- Ptacek, CJ; Gillham, RW. (1992). Laboratory and field measurements of non-equilibrium transport in the Borden aquifer, Ontario, Canada. *J Contam Hydrol*. 10: 119-158. [http://dx.doi.org/10.1016/0169-7722\(92\)90026-B](http://dx.doi.org/10.1016/0169-7722(92)90026-B).
- Pudasainee, D; Kim, JH; Lee, SH; Park, JM; Jang, HN; Song, GJ; Seo, YC. (2010). Hazardous air pollutants emission from coal and oil-fired power plants. *Asia-Pacific Journal of Chemical Engineering*. 5: 299-303. <http://dx.doi.org/10.1002/apj.268>.
- Quirós-Alcalá, L; Wilson, S; Witherspoon, N; Murray, R; Perodin, J; Trousdale, K; Raspanti, G; Sapkota, A. (2015). Volatile organic compounds and particulate matter in child care facilities in the District of Columbia: Results from a pilot study. *Environ Res*. 146: 116-124. <http://dx.doi.org/10.1016/j.envres.2015.12.005>.
- Reed, EW; Thiessen, KM; Hoffman, FO; Apostoaei, AI. (2003). Comparison of doses and risks obtained from dose reconstructions for historical operations of federal facilities that supported the development, production, or testing of nuclear weapons. *Health Phys*. 84: 687-697.
- Rhew, RC; Miller, BR; Weiss, RF. (2008). Chloroform, carbon tetrachloride and methyl chloroform fluxes in southern California ecosystems. *Atmos Environ*. 42: 7135-7140. <http://dx.doi.org/10.1016/j.atmosenv.2008.05.038>.
- Ribeiro, AR; Nunes, OC; Pereira, MF; Silva, AM. (2015). An overview on the advanced oxidation processes applied for the treatment of water pollutants defined in the recently launched Directive 2013/39/EU [Review]. *Environ Int*. 75: 33-51. <http://dx.doi.org/10.1016/j.envint.2014.10.027>.
- Ristoiu, I; Haydee, KM; Ristoiu, T. (2010). CHLORINATED SOLVENTS DETECTION IN SOIL AND RIVER WATER IN THE AREA ALONG THE PAPER FACTORY IN DEJ TOWN, ROMANIA. *J Environ Prot Ecol*. 11: 1229-1238.
- Rogers, HR; Crathorne, B; Watts, CD. (1992). Sources and fate of organic contaminants in the Mersey estuary: Volatile organohalogen compounds. *Mar Pollut Bull*. 24: 82-91.
- Rood, AS; MCGAVRAN, PD; AANENSON, JW; TILL, JE. (2001). Stochastic estimates of exposure and cancer risk from carbon tetrachloride released to the air from the rocky flats plant. *Risk Anal*. 21: 675-695.
- Roose, P; Dewulf, J; Brinkman, UAT; Van Langenhove, H. (2001). Measurement of volatile organic compounds in sediments of the Scheldt Estuary and the Southern North Sea. *Water Res*. 35: 1478-1488. [http://dx.doi.org/10.1016/S0043-1354\(00\)00410-3](http://dx.doi.org/10.1016/S0043-1354(00)00410-3).
- Roy, R; Pratihary, A; Narvenkar, G; Mochemadkar, S; Gauns, M; Naqvi, SWA. (2011). The relationship between volatile halocarbons and phytoplankton pigments during a *Trichodesmium* bloom in the coastal eastern Arabian Sea. *Estuar Coast Shelf Sci*. 95: 110-118. <http://dx.doi.org/10.1016/j.ecss.2011.08.025>.
- Ruder, AM; Yiin, JH; Waters, MA; Carreon, T; Hein, MJ; Butler, MA; Calvert, GM; Davis-King, KE; Schulte, PA; Mandel, JS; Morton, RF; Reding, DJ; Rosenman, KD; Stewart, PA; Grp, BCCS. (2013). The Upper Midwest Health Study: gliomas and occupational exposure to chlorinated solvents. *Occup Environ Med*. 70: 73-80. <http://dx.doi.org/10.1136/oemed-2011-100588>.
- Rugge, K; Bjerg, PL; Pedersen, JK; Mosbaek, H; Christensen, TH. (1999). An anaerobic field injection experiment in a landfill leachate plume, Grindsted, Denmark 1. Experimental setup, tracer movement, and fate of aromatic and chlorinated compounds. *Water Resour Res*. 35: 1231-1246.
- Sack, TM; Steele, DH; Hammerstrom, K; Remmers, J. (1992). A survey of household products for volatile organic compounds. *Atmos Environ*. 26: 1063-1070. [http://dx.doi.org/10.1016/0960-1686\(92\)90038-M](http://dx.doi.org/10.1016/0960-1686(92)90038-M).
- Saeaw, N; Thepanondh, S. (2015). Source apportionment analysis of airborne VOCs using positive matrix factorization in industrial and urban areas in Thailand. *Atmos Pollut Res*. 6: 644-650. <http://dx.doi.org/10.5094/APR.2015.073>.

Exposure Literature Search Results

On Topic

- Sakai, K; Norback, D; Mi, Y; Shibata, E; Kamijima, M; Yamada, T; Takeuchi, Y. (2004). A comparison of indoor air pollutants in Japan and Sweden: formaldehyde, nitrogen dioxide, and chlorinated volatile organic compounds. *Environ Res.* 94: 75-85. [http://dx.doi.org/10.1016/S0013-9351\(03\)00140-3](http://dx.doi.org/10.1016/S0013-9351(03)00140-3).
- Sandalls, FJ; Hatton, DB. (1977). MEASUREMENTS OF ATMOSPHERIC CONCENTRATIONS OF TRICHLOROFLUOROMETHANE, DICHLORODIFLUOROMETHANE AND CARBON-TETRACHLORIDE BY AIRCRAFT SAMPLING OVER BRITISH-ISLES. *Atmos Environ.* 11: 321-327.
- Santiago Sánchez, N; Tejada Alarcón, S; Tortajada Santonja, R; Llorca-Pórcel, J. (2014). New device for time-averaged measurement of volatile organic compounds (VOCs). *Sci Total Environ.* 485-486: 720-725. <http://dx.doi.org/10.1016/j.scitotenv.2013.12.019>.
- Scheutz, C; Mosbaek, H; Kjeldsen, P. (2004). Attenuation of methane and volatile organic compounds in landfill soil covers. *J Environ Qual.* 33: 61-71.
- Schwandner, FM; Seward, TM; Gize, AP; Hall, PA; Dietrich, VJ. (2004). Diffuse emission of organic trace gases from the flank and crater of a quiescent active volcano (Vulcano, Aeolian Islands, Italy). *J Geophys Res Atmos.* 109. <http://dx.doi.org/10.1029/2003JD003890>.
- Semprini, L; Hopkins, GD; Mccarty, PL; Roberts, PV. (1992). In situ transformation of carbon tetrachloride and other halogenated compounds resulting from biostimulation under anoxic conditions. *Environ Sci Technol.* 26: 2454-2461. <http://dx.doi.org/10.1021/es00036a018>.
- Serrano-Trespalacios, PI; Ryan, L; Spengler, JD. (2004). Ambient, indoor and personal exposure relationships of volatile organic compounds in Mexico City metropolitan area. *J Expo Anal Environ Epidemiol.* 1: S118-S132. <http://dx.doi.org/10.1038/sj.jea.7500366>.
- Sexton, K; Adgate, JL; Church, TR; Ashley, DL; Needham, LL; Ramachandran, G; Fredrickson, AL; Ryan, AD. (2005). Children's exposure to volatile organic compounds as determined by longitudinal measurements in blood. *Environ Health Perspect.* 113: 342-349. <http://dx.doi.org/10.1289/ehp.7412>.
- Sexton, K; Adgate, JL; Ramachandran, G; Pratt, GC; Mongin, SJ; Stock, TH; Morandi, MT. (2004). Comparison of personal, indoor, and outdoor exposures to hazardous air pollutants in three urban communities. *Environ Sci Technol.* 38: 423-430.
- Shapiro, SD; Busenberg, E; Focazio, MJ; Plummer, LN. (2004). Historical trends in occurrence and atmospheric inputs of halogenated volatile organic compounds in untreated ground water used as a source of drinking water. *Sci Total Environ.* 321: 201-217. <http://dx.doi.org/10.1016/j.scitotenv.2003.09.007>.
- Shin, HS; Lim, HH. (2017). Identification and determination of disinfection byproducts in chlorine-containing household cleansing products. *Chemosphere.* 174: 157-164. <http://dx.doi.org/10.1016/j.chemosphere.2017.01.090>.
- Simmonds, PG; Cunnold, DM; Alyea, FN; Cardelino, CA; Crawford, AJ; Prinn, RG; Fraser, PJ; Rasmussen, RA; Rosen, RD. (1988). CARBON-TETRACHLORIDE LIFETIMES AND EMISSIONS DETERMINED FROM DAILY GLOBAL MEASUREMENTS DURING 1978-1985. *J Atmos Chem.* 7: 35-58.
- Simmonds, PG; Cunnold, DM; Weiss, RF; Miller, BR; Prinn, RG; Fraser, PJ; Mcculloch, A; Alyea, FN; O'Doherty, S. (1998). Global trends and emission estimates of CCl₄ from in situ background observations from July 1978 to June 1996 (vol 103, pg 16017, 1998). *J Geophys Res Atmos.* 103: 31331-31331.
- Simmonds, PG; Cunnold, DM; Weiss, RF; Prinn, RG; Fraser, PJ; Mcculloch, A; Alyea, FN; O'Doherty, S. (1998). Global trends and emission estimates of CCl₄ from in situ background observations from July 1978 to June 1996. *J Geophys Res Atmos.* 103: 16017-16027.
- Sonich, C; Kraemer, DF; Lucas, JB. (1980). AN EPIDEMIOLOGIC-STUDY OF ACUTE EFFECTS OF A LOW-LEVEL EXPOSURE TO CARBON-TETRACHLORIDE (CCL₄). *Am J Epidemiol.* 112: 445-445.
- Sturrock, GA; Etheridge, DM; Trudinger, CM; Fraser, PJ; Smith, AM. (2002). Atmospheric histories of halocarbons from analysis of Antarctic firn air: Major Montreal Protocol species. *J Geophys Res Atmos.* 107. <http://dx.doi.org/10.1029/2002JD002548>.
- Su, FC; Mukherjee, B; Batterman, S. (2013). Determinants of personal, indoor and outdoor VOC concentrations: An analysis of the RIOPA data. *Environ Res.* 126: 192-203. <http://dx.doi.org/10.1016/j.envres.2013.08.005>.
- Tam, BN; Neumann, CM. (2004). A human health assessment of hazardous air pollutants in Portland, OR. *J Environ Manage.* 73: 131-145. <http://dx.doi.org/10.1016/j.jenvman.2004.06.012>.
- Thompson, RS; De Rooij, C; Garny, V; Lecloux, A; van Wijk, D; Ineos Chlor, UK. (2004). Carbon tetrachloride marine risk assessment with special reference to the OSPARCOM region: North Sea [Review]. *Environ Monit Assess.* 97: 23-38.
- Till, JE; Rood, AS; Voillequé, PG; MCGAVRAN, PD; Meyer, KR; Grogan, HA; Sinclair, WK; Aanenson, JW; Meyer, HR; Mohler, HJ; Rope, SK; Case, MJ. (2002). Risks to the public from historical releases of radionuclides and chemicals at the Rocky Flats Environmental Technology Site. *J Expo Anal Environ Epidemiol.* 12: 355-372. <http://dx.doi.org/10.1038/sj.jea.7500237>.
- Volk, CM; Elkins, JW; Fahey, DW; Dutton, GS; Gilligan, JM; Loewenstein, M; Podolske, JR; Chan, KR; Gunson, MR. (1997). Evaluation of source gas lifetimes from stratospheric observations. *J Geophys Res Atmos.* 102: 25543-25564.
- Wallace, LA. (1991). Personal exposure to 25 volatile organic compounds EPA's 1987 team study in Los Angeles California. *Toxicol Ind Health.* 7: 203-208.
- Wang, JL; Chang, CJ; Lin, YH. (1998). Concentration distributions of anthropogenic halocarbons over a metropolitan area. *Chemosphere.* 36: 2391-2400.
- Wang, P; Zhao, W. (2008). Assessment of ambient volatile organic compounds (VOCs) near major roads in urban Nanjing, China. *Atmos Res.* 89: 289-297. <http://dx.doi.org/10.1016/j.atmosres.2008.03.013>.
- Weissflog, L; Elansky, N; Putz, E; Krueger, G; Lange, CA; Lisitzina, L; Pfnegnsdorff, A. (2004). Trichloroacetic acid in the vegetation of polluted and remote areas of both hemispheres - Part II: Salt lakes as novel sources of natural chlorohydrocarbons. *Atmos Environ.* 38: 4197-4204. <http://dx.doi.org/10.1016/j.atmosenv.2004.04.032>.
- Williams, BA; Chou, CJ. (2007). Characterizing vertical contaminant distribution in a thick unconfined aquifer, Hanford site, Washington, USA. *Environ Geol.* 53: 879-890. <http://dx.doi.org/10.1007/s00254-007-0700-3>.

Exposure Literature Search Results

On Topic

- Williams, PRD; Benton, L; Sheehan, PJ. (2004). The risk of MTBE relative to other VOCs in public drinking water in California. *Risk Anal.* 24: 621-634. <http://dx.doi.org/10.1111/j.0272-4332.2004.00463.x>.
- Wittmann, C; Suominen, KP; Salkinoja-Salonen, MS. (2000). Evaluation of ecological disturbance and intrinsic bioremediation potential of pulp mill-contaminated lake sediment using key enzymes as probes. *Environ Pollut.* 107: 255-261.
- Xiao, X; Prinn, RG; Fraser, PJ; Weiss, RF; Simmonds, PG; O'Doherty, S; Miller, BR; Salameh, PK; Harth, CM; Krummel, PB; Golombek, A; Porter, LW; Butler, JH; Elkins, JW; Dutton, GS; Hall, BD; Steele, LP; Wang, RHJ; Cunnold, DM. (2010). Atmospheric three-dimensional inverse modeling of regional industrial emissions and global oceanic uptake of carbon tetrachloride. *Atmos Chem Phys.* 10: 10421-10434. <http://dx.doi.org/10.5194/acp-10-10421-2010>.
- Yamasaki, T; Oki, N; Okuno, T. (1992). CYCLE OF HALOCARBONS IN THE AIR-WATER PHASE (pp. 25-28). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/93/11338). Yamasaki, T; Oki, N; Okuno, T.
- Yang, B; Yang, GP; Lu, XL; Li, L; He, Z. (2015). Distributions and sources of volatile chlorocarbons and bromocarbons in the Yellow Sea and East China Sea. *Mar Pollut Bull.* 95: 491-502. <http://dx.doi.org/10.1016/j.marpolbul.2015.03.009>.
- Yang, J, aeHa; Jun, SC; Kwon, HP, yo; Lee, KK, un. (2014). Tracing of residual multiple DNAPL sources in the subsurface using Rn-222 as a natural tracer at an industrial complex in Wonju, Korea. *Environ Earth Sci.* 71: 407-417. <http://dx.doi.org/10.1007/s12665-013-2448-2>.
- Yassaa, N; Ciccioli, P; Brancaleoni, E; Frattoni, M; Meklati, BY. (2011). Ambient measurements of selected VOCs in populated and remote sites of the Sahara desert. *Atmos Res.* 100: 141-146. <http://dx.doi.org/10.1016/j.atmosres.2011.01.001>.
- Yasyerli, N; Harbili, U. (2009). Dynamic Analysis of Sorption of Volatile Organic Compounds in Water. *Chemical Engineering Communications.* 196: 68-79. <http://dx.doi.org/10.1080/00986440802301479>.
- Yoon, H; Valocchi, AJ; Werth, CJ. (2007). Effect of soil moisture dynamics on dense nonaqueous phase liquid (DNAPL) spill zone architecture in heterogeneous porous media. *J Contam Hydrol.* 90: 159-183. <http://dx.doi.org/10.1016/j.jconhyd.2006.09.007>.
- Yoshida, K. (1993). Preliminary Exposure Assessment of Volatile Chlorinated Hydrocarbons in Japan. *Chemosphere.* 27: 621-630. [http://dx.doi.org/10.1016/0045-6535\(93\)90097-O](http://dx.doi.org/10.1016/0045-6535(93)90097-O).
- Yu, S; Lee, P; Hwang, SI, I. (2015). Groundwater contamination with volatile organic compounds in urban and industrial areas: analysis of co-occurrence and land use effects. *Environ Earth Sci.* 74: 3661-3677. <http://dx.doi.org/10.1007/s12665-015-4551-z>.
- Yu, X; Ghasemzadeh, R; Padilla, I; Irizarry, C; Kaeli, D; Alshawabkeh, A. (2014). Spatiotemporal changes of CVOC concentrations in karst aquifers: Analysis of three decades of data from Puerto Rico. *Sci Total Environ.* 511C: 1-10. <http://dx.doi.org/10.1016/j.scitotenv.2014.12.031>.
- Zhang, G, en; Mu, Y; Liu, J; Zhang, C; Zhang, Y; Zhang, Y; Zhang, H. (2014). Seasonal and diurnal variations of atmospheric peroxyacetyl nitrate, peroxypropionyl nitrate, and carbon tetrachloride in Beijing. *J Environ Sci.* 26: 65-74. [http://dx.doi.org/10.1016/S1001-0742\(13\)60382-4](http://dx.doi.org/10.1016/S1001-0742(13)60382-4).
- Zhang, Y; Li, C; Wang, X; Guo, H; Feng, Y; Chen, J. (2012). Rush-hour aromatic and chlorinated hydrocarbons in selected subway stations of Shanghai, China. *J Environ Sci.* 24: 131-141. [http://dx.doi.org/10.1016/S1001-0742\(11\)60736-5](http://dx.doi.org/10.1016/S1001-0742(11)60736-5).
- Zhang, YL; Guo, H; Wang, XM; Simpson, IJ; Barletta, B; Blake, DR; Meinardi, S; Rowland, FS; Cheng, HR; Saunders, SM; Lam, SHM. (2010). Emission patterns and spatiotemporal variations of halocarbons in the Pearl River Delta region, southern China. *J Geophys Res Atmos.* 115. <http://dx.doi.org/10.1029/2009JD013726>.
- Zhao, X; Wallace, RB; Hyndman, DW; Dybas, MJ; Voice, TC. (2005). Heterogeneity of chlorinated hydrocarbon sorption properties in a sandy aquifer. *J Contam Hydrol.* 78: 327-342. <http://dx.doi.org/10.1016/j.jconhyd.2005.06.002>.
- Zhou, J; You, Y; Bai, Z; Hu, Y; Zhang, J; Zhang, N. (2011). Health risk assessment of personal inhalation exposure to volatile organic compounds in Tianjin, China. *Sci Total Environ.* 409: 452-459. <http://dx.doi.org/10.1016/j.scitotenv.2010.10.022>.
- Zoccolillo, L; Abete, C; Amendola, L; Ruocco, R; Sbrilli, A; Termine, M. (2004). Halocarbons in aqueous matrices from the Rennick Glacier and the Ross Sea (Antarctica). *Int J Environ Anal Chem.* 84: 513-522. <http://dx.doi.org/10.1080/03067310310001637676>.
- Zoccolillo, L; Amendola, L; Cafaro, C; Insogna, S. (2007). Volatile chlorinated hydrocarbons in Antarctic superficial snow sampled during Italian ITASE expeditions. *Chemosphere.* 67: 1897-1903. <http://dx.doi.org/10.1016/j.chemosphere.2006.12.050>.
- Zoccolillo, L; Amendola, L; Tarallo, GA. (1996). Halocarbons in Antarctic surface waters and snow. *Int J Environ Anal Chem.* 63: 91-98.
- Zoccolillo, L; Rellori, M. (1994). HALOCARBONS IN ANTARCTIC SURFACE WATERS. *Int J Environ Anal Chem.* 55: 27-32.

Exposure Literature Search Results

Off Topic

- Abbas, R; Fisher, JW. (1997). A physiologically based pharmacokinetic model for trichloroethylene and its metabolites, chloral hydrate, trichloroacetate, dichloroacetate, trichloroethanol, and trichloroethanol glucuronide in B6C3F1 mice. *Toxicol Appl Pharmacol.* 147: 15-30. <http://dx.doi.org/10.1006/taap.1997.8190>.
- Abbassi, R; Chamkhia, N; Sakly, M. (2010). Chloroform-induced oxidative stress in rat liver: Implication of metallothionein. *Toxicol Ind Health.* 26: 487-496. <http://dx.doi.org/10.1177/0748233710373088>.
- Abbott, RJ; Chudek, JA; Hunter, G; Squires, L. (1996). Skin layer effects on the diffusion of carbon tetrachloride into injection moulded polypropylene studied by H-1 NMR microimaging. *Journal of Mater Sci Lett.* 15: 1108-1110.
- Abdel Moneim, AE. (2014). Prevention of carbon tetrachloride (CCl4)-induced toxicity in testes of rats treated with *Physalis peruviana* L. fruit. *Toxicol Ind Health.* 32: 1064-1073. <http://dx.doi.org/10.1177/0748233714545502>.
- Abdel-Bakky, MS; Helal, GK; El-Sayed, EM; Saad, AS. (2015). Carbon tetrachloride-induced liver injury in mice is tissue factor dependent. *Environ Toxicol Pharmacol.* 39: 1199-1205. <http://dx.doi.org/10.1016/j.etap.2015.02.012>.

Exposure Literature Search Results

Off Topic

- Abdelbassit, MSA; Alhooshani, KR; Saleh, TA. (2016). Silica nanoparticles loaded on activated carbon for simultaneous removal of dichloromethane, trichloromethane, and carbon tetrachloride. *Adv Powder Tech.* 27: 1719-1729. <http://dx.doi.org/10.1016/j.apt.2016.06.003>.
- Abdel-Hamid, NM; Abdel-Ghany, MI; Nazmy, MH; Amgad, SW. (2013). Can methanolic extract of *Nigella sativa* seed affect glyco-regulatory enzymes in experimental hepatocellular carcinoma? *Environ Health Prev Med.* 18: 49-56. <http://dx.doi.org/10.1007/s12199-012-0292-8>.
- Abdelkader, VK; Domingo-Garcia, M; Gutierrez-Valero, MD; Lopez-Garzn, R; Melguizo, M; Garcia-Gallarín, C; Lopez-Garzon, FJ; Perez-Mendoza, MJ. (2014). Sidewall Chlorination of Carbon Nanotubes by Iodine Trichloride. *J Phys Chem C.* 118: 2641-2649. <http://dx.doi.org/10.1021/jp411935g>.
- Abdelkader, VK; Domingo-Garcia, M; Melguizo, M; Lopez-Garzon, R; Javier Lopez-Garzon, F; Perez-Mendoza, M. (2015). Covalent bromination of multi-walled carbon nanotubes by iodine bromide and cold plasma treatments. *Carbon.* 93: 276-285. <http://dx.doi.org/10.1016/j.carbon.2015.05.070>.
- Abdelkader, VK; Scelfo, S; Garcia-Gallarín, C; Luz Godino-Salido, M; Domingo-Garcia, M; Javier Lopez-Garzon, F; Perez-Mendoza, M. (2013). Carbon Tetrachloride Cold Plasma for Extensive Chlorination of Carbon Nanotubes. *J Phys Chem C.* 117: 16677-16685. <http://dx.doi.org/10.1021/jp404390h>.
- Abdelmonem, HA; Abbas, MM; Mahmoud, AH. (2016). COMBINED EFFECTS OF RIBAVIRIN AND DIAZINON ON HEPATIC, PANCREATIC AND KIDNEY BIOMARKERS IN FEMALE ALBINO RATS. *The J A P S.* 26: 1101-1110.
- Abdel-Salam, OM; Sleem, AA; Morsy, FA. (2007). Effects of biphenyldimethyl-dicarboxylate administration alone or combined with silymarin in the CCL4 model of liver fibrosis in rats. *ScientificWorldJournal.* 7: 1242-1255. <http://dx.doi.org/10.1100/tsw.2007.193>.
- Abdel-Tawwab, M; Mousa, MAA; Ahmad, MH; Sakr, SFM. (2007). The use of calcium pre-exposure as a protective agent against environmental copper toxicity for juvenile Nile tilapia, *Oreochromis niloticus* (L.). *Aquaculture.* 264: 236-246. <http://dx.doi.org/10.1016/j.aquaculture.2006.12.020>.
- Abdel-Tawwab, M; Mousa, MAA; Mohammed, MA. (2010). Use of Live Baker's Yeast, *Saccharomyces cerevisiae*, in Practical Diet to Enhance the Growth Performance of Galilee Tilapia, *Sarotherodon galilaeus* (L.), and Its Resistance to Environmental Copper Toxicity. *J World Aquacult Soc.* 41: 214-223.
- Abdel-Tawwab, M; Wafeek, M. (2010). Response of Nile Tilapia, *Oreochromis niloticus* (L.) to Environmental Cadmium Toxicity During Organic Selenium Supplementation. *J World Aquacult Soc.* 41: 106-114.
- Abdul-Wahab, SA. (2010). Level of environmental awareness towards depletion of the ozone layer among distributors and consumers in the solvent sector: a case study from Oman. *Clim Change.* 103: 503-517. <http://dx.doi.org/10.1007/s10584-009-9777-x>.
- Abel, ML; Chehimi, MM; Brown, AM; Leadley, S. R.; Watts, JF. (1995). ADSORPTION-ISOTHERMS OF PMMA ON A CONDUCTING POLYMER BY TOF-SIMS. *J Mater Chem.* 5: 845-848.
- Abernathy, CR; Mackenzie, JD; Donovan, SM. (1997). Growth of group III nitrides by metalorganic molecular beam epitaxy. *J Cryst Growth.* 178: 74-86.
- Abernathy, CR; Pearton, SJ; Ren, F; Hobson, WS; Wisk, PW. (1994). COMPARISON OF INTRINSIC AND EXTRINSIC CARBON DOPING SOURCES FOR GAAS AND ALGAAS GROWN BY METALORGANIC MOLECULAR-BEAM EPITAXY. *Journal of Vacuum Science and Technology A.* 12: 1186-1190.
- Abrahamsson, K; Ekdahl, A. (1996). Volatile halogenated compounds and chlorophenols in the Skagerrak. *Journal of Sea Research.* 35: 73-79.
- Abu Bakar, WAW; Ali, R; Othman, MY. (2010). Photocatalytic Degradation and Reaction Pathway Studies of Chlorinated Hydrocarbons in Gaseous Phase. *Scientia Iranica.* 17: 1-14.
- Abushady, ASI; Amer, SA; Hegazi, MF. (1991). MECHANISM OF ACETIC-ACID TRANSFER FROM AQUEOUS SODIUM-CHLORIDE SOLUTIONS TO SOME ORGANIC-SOLVENTS. *J Chem Tech Biotechnol.* 52: 177-185.
- Abuzaid, NS; Al-Malack, MH; Nakhla, GF; Essa, MH; Al-Tawabini, BS. (2000). Effects of dissolved oxygen and surfactant treatment on the sorptive capacity of a local soil for phenol. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 35: 263-280.
- Acevedo, IL; Pedrosa, GC; Katz, M. (1996). Excess molar enthalpies for butylamine plus 1,4-dioxane plus carbon tetrachloride at 298.15 K. *Journal of Chemical and Engineering Data.* 41: 391-393.
- ACGIH. (2001). Documentation of threshold limit values and biological exposure indices for chemical substances in the workroom air. 7th edition. Supplement. Cincinnati, OH.
- Acha, V; Meurens, M; Naveau, H; Agathos, SN. (1999). Detoxification of a mixture of aliphatic chlorinated hydrocarbons in a fixed-bed bioreactor: Continuous on-line monitoring via an attenuated total reflection-Fourier transform infrared sensor. *Water Sci Technol.* 40: 41-47. [http://dx.doi.org/10.1016/S0273-1223\(99\)00607-1](http://dx.doi.org/10.1016/S0273-1223(99)00607-1).
- Achari, J; BHATTACH.MM. (1971). FLASH POINTS OF MIXTURES OF ACETONE WITH WATER, KEROSENE AND CARBON TETRACHLORIDE. 9: 117-&.
- Acuna-Askar, K; Englande, AJ; Hu, C; Jin, G. (2000). Methyl tertiary-butyl ether (MTBE) biodegradation in batch and continuous upflow fixed biofilm reactors. *Water Sci Technol.* 42: 153-161.
- Adachi, A; Ikeda, C; Takagi, S; Fukao, N; Yoshie, E; Okano, T. (2001). Efficiency of rice bran for removal of organochlorine compounds and benzene from industrial wastewater. *J Agric Food Chem.* 49: 1309-1314.
- Adachi, A; Kobayashi, T. (1992). REMOVAL EFFICIENCY OF CHLOROFORM AND CARBON-TETRACHLORIDE FROM CHEMICAL WASTE-WATER BY A TREATMENT-PLANT USING COAGULATION PRECIPITATION PROCESS. *JTHE.* 38: P19-P19.
- Adachi, A; Kobayashi, T. (1993). SIMPLE METHOD OF REMOVING CHLOROFORM AND CARBON-TETRACHLORIDE FROM LABORATORY WASTE-WATER. *JTHE.* 39: 63-67.

Exposure Literature Search Results

Off Topic

- Adamson, AJ; Holloway, JH; Hope, EG; Taylor, R. (1997). Halogen and interhalogen reactions with [60]fullerene: Preparation and characterization of C60Cl24 and C60Cl18F14. *Fullerene Sci Technol.* 5: 629-642.
- Adamson, DT; Parkin, GF. (1999). Biotransformation of mixtures of chlorinated aliphatic hydrocarbons by an acetate-grown methanogenic enrichment culture. *Water Res.* 33: 1482-1494.
- Adamson, DT; Parkin, GF. (2000). Impact of mixtures of chlorinated aliphatic hydrocarbons on a high-rate, tetrahaloroethene-dechlorinating enrichment culture. *Environ Sci Technol.* 34: 1959-1965.
- Adebusoye, SA; Ilori, MO; Picardal, FW; Amund, OO. (2008). Metabolism of chlorinated biphenyls: Use of 3,3'- and 3,5-dichlorobiphenyl as sole sources of carbon by natural species of *Ralstonia* and *Pseudomonas*. *Chemosphere.* 70: 656-663. <http://dx.doi.org/10.1016/j.chemosphere.2007.06.079>.
- Adelman, R; Saul, RL; BN, A. (1988). Oxidative damage to DNA: Relation to species metabolic rate and life span. *Proc Natl Acad Sci USA.* 85: 2706-2708.
- Ademuyiwa, O; Onitilo, O; Dosumu, O; Ayannuga, O; Bakare, A; Akinlatun, W; Ogunyemi, EO. (2002). Zinc in CCl4 toxicity. *Biomed Environ Sci.* 15: 187-195.
- Adeniran, B; Mokaya, R. (2015). Low temperature synthesized carbon nanotube superstructures with superior CO2 and hydrogen storage capacity. 3: 5148-5161. <http://dx.doi.org/10.1039/c4ta06539e>.
- Adewuyi, YG. (2001). Sonochemistry: Environmental science and engineering applications. *Ind Eng Chem Res.* 40: 4681-4715. <http://dx.doi.org/10.1021/ie010096l>.
- Afanasiev, P. (2015). New approach to the preparation of highly dispersed transition metals sulfides and nitrides. *Catalysis Today.* 250: 134-144. <http://dx.doi.org/10.1016/j.cattod.2014.03.046>.
- Afifi, SH; Macmillan, J. R. (1992). ULTRASTRUCTURAL-CHANGES ASSOCIATED WITH CARBON-TETRACHLORIDE HEPATOTOXICITY IN CHANNEL CATFISH, *ICTALURUS-PUNCTATUS RAFINESQUE*. *J Fish Dis.* 15: 119-129.
- Agarwal, D; Singh, M. (2004). Densities and viscosities of binary liquid mixtures of trichloroethylene and tetrachloroethylene with some polar and nonpolar solvents. *Journal of Chemical and Engineering Data.* 49: 1218-1224. <http://dx.doi.org/10.1021/je034203p>.
- Ageev, YP; Matushkina, NN; Strusovskaya, NL. (1992). PERVAPORATION THROUGH STRUCTURALLY UNSTABLE POLYMERIC MEMBRANES. *J Memb Sci.* 67: 167-175.
- Ahmad, A; Gu, X; Li, L, i; Lv, S; Xu, Y; Guo, X. (2015). Efficient degradation of trichloroethylene in water using persulfate activated by reduced graphene oxide-iron nanocomposite. *Environ Sci Pollut Res Int.* 22: 17876-17885. <http://dx.doi.org/10.1007/s11356-015-5034-1>.
- Ahmad, B; Khan, MR; Shah, NA. (2015). Amelioration of carbon tetrachloride-induced pulmonary toxicity with *Oxalis corniculata*. *Toxicol Ind Health.* 31: 1243-1251. <http://dx.doi.org/10.1177/0748233713487245>.
- Ahmad, M; Simon, MA; Sherrin, A; Tuccillo, ME; Ullman, JL; Teel, AL; Watts, RJ. (2011). Treatment of polychlorinated biphenyls in two surface soils using catalyzed H2O2 propagations. *Chemosphere.* 84: 855-862. <http://dx.doi.org/10.1016/j.chemosphere.2011.06.021>.
- Ahmad, M; Teel, A; Watts, RJ. (2010). Persulfate activation by subsurface minerals. *J Contam Hydrol.* 115: 34-45. <http://dx.doi.org/10.1016/j.jconhyd.2010.04.002>.
- Ahmad, SM; Shah, FA; Bhat, FA; Bhat, JIA; Balkhi, MH. (2011). Thermal adaptability and disease association in common carp (*Cyprinus carpio communis*) acclimated to different (four) temperatures. *J Therm Biol.* 36: 492-497. <http://dx.doi.org/10.1016/j.jtherbio.2011.08.007>.
- Ahmed, S; Moffat, JB. (1995). AN INVERSE CORRELATION OF THE ENHANCEMENT EFFECT OF TETRACHLOROMETHANE AS A FEEDSTREAM ADDITIVE IN THE OXIDATIVE COUPLING OF METHANE ON SILICA-SUPPORTED ALKALINE-EARTH AND ALKALI-ALKALINE EARTH CATALYSTS WITH THE POLARIZING ABILITY OF THE ALKALINE-EARTH CATIONS. *Chem Eng Tech.* 18: 132-138.
- Ahmedchekkat, F; Medjram, MS; Chiha, M; Al-Bsoul, AMA, li. (2011). Sonophotocatalytic degradation of Rhodamine B using a novel reactor geometry: Effect of operating conditions. *Chem Eng J.* 178: 244-251. <http://dx.doi.org/10.1016/j.cej.2011.10.061>.
- Ahuja, DK; Gavalas, VG; Bachas, LG; Bhattacharyya, D. (2004). Aqueous-phase dechlorination of toxic chloroethylenes by vitamin B-12 cobalt center: Conventional and polypyrrole film-based electrochemical studies. *Ind Eng Chem Res.* 43: 1049-1055. <http://dx.doi.org/10.1021/ie030484i>.
- Airoldi, C; Santos, M. (1994). SYNTHESIS, CHARACTERIZATION, CHEMISORPTION AND THERMODYNAMIC DATA OF UREA IMMOBILIZED ON SILICA. *J Mater Chem.* 4: 1479-1485.
- Ajo-Franklin, JB; Geller, J, iT; Harris, JM. (2006). A survey of the geophysical properties of chlorinated DNAPLs. *Journal of Applied Geophysics.* 59: 177-189. <http://dx.doi.org/10.1016/j.jappgeo.2005.10.002>.
- Akimoto, T; Nitta, T; Katayama, T. (1984). NITROGEN SOLUBILITY AND VAPOR-PRESSURE OF BINARY MIXED-SOLVENTS CONTAINING BENZENE, CARBON-TETRACHLORIDE, CYCLOHEXANE AND 1-HEXANE. *J Chem Eng Jpn.* 17: 637-641.
- Aksoy, L; Sozibilir, NB. (2012). Effects of *Matricaria chamomilla* L. on lipid peroxidation, antioxidant enzyme systems, and key liver enzymes in CCl4-treated rats. *Toxicol Environ Chem.* 94: 1780-1788. <http://dx.doi.org/10.1080/02772248.2012.729837>.
- Aktas, C; Kanter, M; Erboga, M; Mete, R; Oran, M. (2014). Melatonin attenuates oxidative stress, liver damage and hepatocyte apoptosis after bile-duct ligation in rats. *Toxicol Ind Health.* 30: 835-844. <http://dx.doi.org/10.1177/0748233712464811>.
- Aktas, Z; Karacan, F; Olcay, A. (1998). Centrifugal float-sink separation of fine Turkish coals in dense media. *Fuel Process Tech.* 55: 235-250.
- Akulinichev, VV; Gorbunov, VA; Pivinskii, EG. (1997). Generation of picosecond pulses with the wavelength 1.54 μ m by two-stage compression in stimulated scattering of nanosecond Nd³⁺:YAG laser pulses. *Quantum Electronics.* 27: 351-355.
- Al Othman, ZA; Yilmaz, E; Habila, M; Soylak, M. (2013). Development of a dispersive liquid-liquid microextraction combined with flame atomic absorption spectrometry using a microinjection system for the enrichment, separation, and determination of nickel in water samples. *Desalination and Water Treatment.* 51: 6770-6776. <http://dx.doi.org/10.1080/19443994.2013.792447>.

Exposure Literature Search Results

Off Topic

- Al-Abed; Fang, Y. (2007). Use of Granular Graphite for Electrolytic Dechlorination of Trichloroethylene. *Environ Eng Sci.* 24: 842-851. <http://dx.doi.org/10.1089/ees.2005.0096>.
- Alaimo, MH; Kumosinski, TF. (1997). Investigation of hydrophobic interactions in colloidal and biological systems by molecular dynamics simulations and NMR spectroscopy. *Langmuir.* 13: 2007-2018.
- Alapi, T; Dombi, A. (2007). Direct VUV photolysis of chlorinated methanes and their mixtures in an oxygen stream using an ozone producing low-pressure mercury vapour lamp. *Chemosphere.* 67: 693-701. <http://dx.doi.org/10.1016/j.chemosphere.2006.10.066>.
- Alapi, T; Van Craeynest, K; Van Langenhoeve, H; Dewulf, J; Dombi, A. (2007). Direct VUV photolysis of chlorinated methanes and their mixtures in a nitrogen stream. *Chemosphere.* 66: 139-144. <http://dx.doi.org/10.1016/j.chemosphere.2006.04.090>.
- Al-Assaf, AH. (2014). EFFICACY OF COROSOLIC ACID ON MITOCHONDRIAL ENZYMES AND DNA DAMAGE AGAINST CCL4-INDUCED HEPATOTOXIC RATS. *The J A P S.* 24: 1366-1373.
- Alberici, RM; Jardim, WE. (1997). Photocatalytic destruction of VOCs in the gas-phase using titanium dioxide. *Appl Catal B-Environ.* 14: 55-68.
- Alcaniz-Monge, J; Carmen Roman-Martinez, M, a. (2012). Fundamentals of vapors adsorption onto activated carbon fibers assessed by the comparative analysis of N-2 and CO2 adsorption. *Separation and Purification Technology.* 85: 83-89. <http://dx.doi.org/10.1016/j.seppur.2011.09.051>.
- Aldossari, AA; Shannahan, JH; Podila, R; Brown, JM. (2015). Scavenger receptor B1 facilitates macrophage uptake of silver nanoparticles and cellular activation. *J Nanopart Res.* 17. <http://dx.doi.org/10.1007/s11051-015-3116-0>.
- Aleksandrovskii, SV; Sizyakov, VM; Ratner, AK; Lee, DW. (2001). Production of titanium carbide, nitride and carbonitride by metallothermic reduction of halogenides. *Journal of Materials Processing & Manufacturing Science.* 9: 303-309.
- Alessi, P; Alessandrini, A; Orlandini, M. (1984). ACTIVITY COEFFICIENTS AT INFINITE DILUTION IN SOLVENTS WITH TWO FUNCTIONAL GROUPS. *Chemical Engineering Communications.* 27: 59-67.
- Alexeeff, GV; Kilgore, WW. (1983). Learning impairment in mice following acute exposure to dichloromethane and carbon tetrachloride. *J Toxicol Environ Health.* 11: 569-581. <http://dx.doi.org/10.1080/15287398309530368>.
- Algardaby, MM; Al-Sawahli, MM; Ahmed, OAA; Fahmy, UA; Abdallah, HM; Hattori, M; Ashour, OM; Abdel-Naim, AB. (2016). Curcumin-Zein Nanospheres Improve Liver Targeting and Antifibrotic Activity of Curcumin in Carbon Tetrachloride-Induced Mice Liver Fibrosis. *Journal of Biomedical Nanotechnology.* 12: 1746-1757. <http://dx.doi.org/10.1166/jbn.2016.2270>.
- Al-Hemiri, A; Mahmoud, HE. (2010). Removal of Zinc Ions from Water Using Emulsion Liquid Membrane. *Int J Chem React Eng.* 8.
- Ali, M; Ghosh, SK. (2015). Liquid-liquid interface-mediated Au-ZnO composite membrane using 'thiol-ene' click chemistry. 2. <http://dx.doi.org/10.1088/2053-1591/2/7/075010>.
- Aliotta, F; Ponterio, RC; Saija, F. (2008). On the origin of excess thermodynamic quantities in liquid mixtures. *Oil & Gas Science & Technology.* 63: 353-361. <http://dx.doi.org/10.2516/ogst:2008013>.
- Allen, NDC; Bernath, PF; Boone, CD; Chipperfield, MP; Fu, D; Manney, GL; Oram, DE; Toon, GC; Weisenstein, DK. (2009). Global carbon tetrachloride distributions obtained from the Atmospheric Chemistry Experiment (ACE). *Atmos Chem Phys.* 9: 7449-7459.
- Almeida, RM; Du, XM; Barbier, C; Orignac, X. (1999). Er³⁺-doped multicomponent silicate glass planar waveguides prepared by sol-gel processing. *Journal of Sol-Gel Science and Technology.* 14: 209-216.
- Alm-Eldeen, AA; Mona, MH; Shati, AA; El-Mekkawy, HI. (2015). Synergistic effect of black tea and curcumin in improving the hepatotoxicity induced by aflatoxin B1 in rats. *Toxicol Ind Health.* 31: 1269-1280. <http://dx.doi.org/10.1177/0748233713491807>.
- Almomani, FA; Ormeci, B. (2016). Performance Of *Chlorella Vulgaris*, *Neochloris Oleoabundans*, and mixed indigenous microalgae for treatment of primary effluent, secondary effluent and centrate. *Ecol Eng.* 95: 280-289. <http://dx.doi.org/10.1016/j.ecoleng.2016.06.038>.
- Almqvist, CB; Biswas, P. (2001). The photo-oxidation of cyclohexane on titanium dioxide: an investigation of competitive adsorption and its effects on product formation and selectivity. *Appl Catal A-Gen.* 214: 259-271.
- Alp, E; Karacay, E; Cabbar, HC. (2013). LOW TEMPERATURE PRODUCTION OF BORON CARBIDE AND ITS CHARACTERIZATION. *Gazi Universitesi Muhendislik Mimarlik Fakultesi Dergisi.* 28: 293-302.
- Alpaydin, S; Yilmaz, M; Ersoz, M. (2004). Kinetic study of Hg(II) transport through a bulk liquid membrane containing ester derivative of bis-calix[4]arene. *Separation Science and Technology.* 39: 2189-2206. <http://dx.doi.org/10.1081/SS-120039310>.
- Alpoguz, HK; Kaya, A; Deligoz, H. (2006). Liquid membrane transport of Hg(II) by an azocalix[4]arene derivative. *Separation Science and Technology.* 41: 1155-1167. <http://dx.doi.org/10.1080/01496390600634731>.
- Alpoguz, HK; Memon, S; Ersoz, M; Yilmaz, M. (2002). Transport of metals through a liquid membrane containing calix[4]arene derivatives as carrier. *Separation Science and Technology.* 37: 2201-2213.
- Alpoguz, HK; Memon, S; Ersoz, M; Yilmaz, M. (2004). Transport kinetics of Hg²⁺ through bulk liquid membrane using calix[4]arene ketone derivative as carrier. *Separation Science and Technology.* 39: 799-810. <http://dx.doi.org/10.1081/SS-120028447>.
- Alsaleem, SS; Zahid, WM; Alnashef, IM; Hadj-Kali, MK. (2015). Solubility of Halogenated Hydrocarbons in Hydrophobic Ionic Liquids: Experimental Study and COSMO-RS Prediction. *Journal of Chemical and Engineering Data.* 60: 2926-2936. <http://dx.doi.org/10.1021/acs.jced.5b00310>.
- Altshuller, AP. (1976). AVERAGE TROPOSPHERIC CONCENTRATION OF CARBON-TETRACHLORIDE BASED ON INDUSTRIAL PRODUCTION, USAGE, AND EMISSIONS. *Environ Sci Technol.* 10: 596-598.
- Alvarado, JS; Rose, C; Lafreniere, L. (2010). Degradation of carbon tetrachloride in the presence of zero-valent iron. *J Environ Monit.* 12: 1524-1530. <http://dx.doi.org/10.1039/c0em00039f>.
- Alvarez, LH; Jimenez-Bermudez, L; Hernandez-Montoya, V; Cervantes, FJ. (2012). Enhanced Dechlorination of Carbon Tetrachloride by Immobilized Fulvic Acids on Alumina Particles. *Water Air Soil Pollut.* 223: 1911-1920. <http://dx.doi.org/10.1007/s11270-011-0994-3>.

Exposure Literature Search Results

Off Topic

- Alvarez, M; Lo Monaco, C; Tanhua, T; Yool, A; Oschlies, A; Bullister, JL; Goyet, C; Metzl, N; Touratier, F; Mcdonagh, E; Bryden, HL. (2009). Estimating the storage of anthropogenic carbon in the subtropical Indian Ocean: a comparison of five different approaches. *Biogeosciences*. 6: 681-703. <http://dx.doi.org/10.5194/bg-6-681-2009>.
- Aly, HA; Mansour, AM; Hassan, MH; Abd-Allah, MF. (2014). Lipoic acid attenuates Aroclor 1260-induced hepatotoxicity in adult rats. *Environ Toxicol*. 31: 913-922. <http://dx.doi.org/10.1002/tox.22101>.
- Alzawqari, MH; Al-Baddany, AA; Al-Baadani, HH; Alhidary, IA; Khan, RU; Aqil, GM; Abdurab, A. (2016). Effect of feeding dried sweet orange (*Citrus sinensis*) peel and lemon grass (*Cymbopogon citratus*) leaves on growth performance, carcass traits, serum metabolites and antioxidant status in broiler during the finisher phase. *Environ Sci Pollut Res Int*. 23: 17077-17082. <http://dx.doi.org/10.1007/s11356-016-6879-7>.
- Amali, S; Rolston, DE. (1993). THEORETICAL INVESTIGATION OF MULTICOMPONENT VOLATILE ORGANIC VAPOR DIFFUSION - STEADY-STATE FLUXES. *J Environ Qual*. 22: 825-831.
- AMARPAL; Kumar, A. (1994). EFFECT OF PREMEDICATION AND HEPATIC INSUFFICIENCY ON PLASMA THIOPENTAL CLEARANCE IN BOVINE. *Indian J Anim Sci*. 64: 28-30.
- Ambrozek, B. (2004). Experimental and theoretical studies of cyclic thermal swing adsorption process for the removal and recovery of volatile organic compounds from waste air streams. *Inzynieria Chemiczna i Procesowa*. 25: 555-561.
- Amer, MS; Todd, TK; Busbee, JD. (2011). Effect of linear alcohol molecular size on the self-assembly of fullerene whiskers. *Mater Chem Phys*. 130: 90-94. <http://dx.doi.org/10.1016/j.matchemphys.2011.05.070>.
- Amet, Y; Berthou, F; Fournier, G; Dreano, Y; Bardou, L; Cledes, J; Menez, JF. (1997). Cytochrome P450 4A and 2E1 expression in human kidney microsomes. *Biochem Pharmacol*. 53: 765-771. [http://dx.doi.org/10.1016/S0006-2952\(96\)00821-0](http://dx.doi.org/10.1016/S0006-2952(96)00821-0).
- Aminabhavi, TM; Aralaguppi, MI; Harogoppad, SB; Balundgi, RH. (1993). DENSITIES, VISCOSITIES, REFRACTIVE-INDEXES, AND SPEEDS OF SOUND FOR METHYL ACETOACETATE PLUS ALIPHATIC-ALCOHOLS (C1-C8). *Journal of Chemical and Engineering Data*. 38: 31-39.
- Aminabhavi, TM; Banerjee, K. (1998). Density, viscosity, refractive index, and speed of sound in binary mixtures of dimethyl carbonate with methanol, chloroform, carbon tetrachloride, cyclohexane, and dichloromethane in the temperature interval (298.15-308.15) K. *Journal of Chemical and Engineering Data*. 43: 1096-1101.
- Amir, A; Lee, W. (2011). Enhanced reductive dechlorination of tetrachloroethene by nano-sized zero valent iron with vitamin B-12. *Chem Eng J*. 170: 492-497. <http://dx.doi.org/10.1016/j.cej.2011.01.048>.
- Amir, A; Lee, W. (2012). Enhanced reductive dechlorination of tetrachloroethene during reduction of cobalamin (III) by nano-mackinawite. *J Hazard Mater*. 235: 359-366. <http://dx.doi.org/10.1016/j.jhazmat.2012.08.017>.
- Amonette, JE; Workman, DJ; Kennedy, DW; Fruchter, JS; Gorby, YA. (2000). Dechlorination of carbon tetrachloride by Fe(II) associated with goethite. *Environ Sci Technol*. 34: 4606-4613. <http://dx.doi.org/10.1021/es9913582>.
- An, E; Park, H; Lee, A, eRiCho. (2016). Inhibition of fibrotic contraction by C-phycocyanin through modulation of connective tissue growth factor and alpha-smooth muscle actin expression. 13: 388-395. <http://dx.doi.org/10.1007/s13770-015-0104-5>.
- An, X; Zhou, L; Yao, B, o; Xu, L, in; Ma, L, in. (2012). Analysis on source features of halogenated gases at Shangdianzi regional atmospheric background station. *Atmos Environ*. 57: 91-100. <http://dx.doi.org/10.1016/j.atmosenv.2012.04.042>.
- Anand, C; Priya, SV; Lawrence, G; Mane, GP; Dhawale, DS; Prasad, KS; Balasubramanian, VV; Wahab, MA; Vinu, A. (2013). Transesterification of ethylacetate catalysed by metal free mesoporous carbon nitride. *Catalysis Today*. 204: 164-169. <http://dx.doi.org/10.1016/j.cattod.2012.07.025>.
- Anand, KV; Anandhi, R; Pakkiyaraj, M; Geraldine, P. (2011). Protective effect of chrysin on carbon tetrachloride (CCl₄)-induced tissue injury in male Wistar rats. *Toxicol Ind Health*. 27: 923-933. <http://dx.doi.org/10.1177/0748233711399324>.
- Anand, SS; Mehendale, HM. (2004). Liver regeneration: a critical toxicodynamic response in predictive toxicology. *Environ Toxicol Pharmacol*. 18: 149-160. <http://dx.doi.org/10.1016/j.etap.2004.02.011>.
- Anand, SS; Murthy, SN; Mumtaz, MM; Mehendale, HM. (2004). Dose-dependent liver tissue repair in chloroform plus thioacetamide acute hepatotoxicity. *Environ Toxicol Pharmacol*. 18: 143-148. <http://dx.doi.org/10.1016/j.etap.2004.02.010>.
- Anandan, S; Ikuma, Y; Kakinuma, K; Niwa, K. (2008). SYNTHESIS AND CHARACTERIZATION OF A HIGHLY CRYSTALLINE NOVEL MESOPOROUS C- AND N-CODOPED TiO₂ NANOPHOTOCATALYST. *NANO*. 3: 367-372.
- Andersen, ME; Clewell, HJ, III; Gargas, ML; Smith, FA; Reitz, RH. (1987). Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol*. 87: 185-205. [http://dx.doi.org/10.1016/0041-008X\(87\)90281-X](http://dx.doi.org/10.1016/0041-008X(87)90281-X).
- Andersen, ME; Dennison, JE. (2004). Mechanistic approaches for mixture risk assessments-present capabilities with simple mixtures and future directions. *Environ Toxicol Pharmacol*. 16: 1-11. <http://dx.doi.org/10.1016/j.etap.2003.10.004>.
- Anderson, MW; Reynolds, SH; You, M; Maronpot, RM. (1992). Role of proto-oncogene activation in carcinogenesis [Review]. *Environ Health Perspect*. 98: 13-24.
- Anderson, TA; Beauchamp, JJ; Walton, BT. (1991). FATE OF VOLATILE AND SEMIVOLATILE ORGANIC-CHEMICALS IN SOILS - ABIOTIC VERSUS BIOTIC LOSSES. *J Environ Qual*. 20: 420-424.
- Ando, S; Tanahashi, N; Mihara, N; Fujita, T; Watanabe, C; Matsuda, H. (2007). Effect of CaO and Na₂CO₃ on TCE decomposition and dry sorption of Cl compounds derived from TCE. *Kagaku Kogaku Ronbunshu*. 33: 261-266.
- Andre, HM; Noti, MI. (1993). EXTRACTING SAND MICROARTHROPODS - A CARBON-TETRACHLORIDE FLOTATION METHOD. *European Journal of Soil Biology*. 29: 91-96.
- Andrews, EJ; Novak, PJ. (2001). Influence of ferrous iron and pH on carbon tetrachloride degradation by *Methanosarcina thermophila*. *Water Res*. 35: 2307-2313.

Exposure Literature Search Results

Off Topic

- Aneja, R; Upadhyaya, G; Prakash, S; Dass, SK; Chandra, R. (2005). Ameliorating effect of phytoestrogens on CCl₄-induced oxidative stress in the livers of male Wistar rats. *Artificial Cells, Blood Substitutes, and Biotechnology*. 33: 201-213. <http://dx.doi.org/10.1081/BIO-200055908>.
- Angehrn, D; Galli, R; Zeyer, J. (1998). Physicochemical characterization of residual mineral oil contaminants in bioremediated soil. *Environ Toxicol Chem*. 17: 2168-2175.
- Anipsitakis, GP; Dionysiou, DD; Gonzalez, MA. (2006). Cobalt-mediated activation of peroxymonosulfate and sulfate radical attack on phenolic compounds. implications of chloride ions. *Environ Sci Technol*. 40: 1000-1007. <http://dx.doi.org/10.1021/es050634b>.
- Ansari, GA; Moslen, MT; Reynolds, ES. (1982). Evidence for in vivo covalent binding of CCl₃ derived from CCl₄ to cholesterol of rat liver. *Biochem Pharmacol*. 31: 3509-3510.
- Anthony, A; Desiraju, GR; Jetti, RKR; Kuduva, SS; Madhavi, NNL; Nangia, A; Thaimattam, R; Thalladi, VR. (1998). Crystal engineering: Some further strategies. *Materials Research Bulletin*1-18.
- Antonio Gonzalez, J; Garcia de la Fuente, I; Carlos Cobos, J; Riesco, N. (2012). Thermodynamics of Mixtures Containing Oxaalkanes. 7. Random Mixing in Ether + CCl₄ Systems. *Ind Eng Chem Res*. 51: 5108-5116. <http://dx.doi.org/10.1021/ie300094e>.
- Antony, J; Qiang, Y; Baer, DR; Wang, CM. (2006). Synthesis and characterization of stable iron-iron oxide core-shell nanoclusters for environmental applications. *J Nanosci Nanotechnol*. 6: 568-572. <http://dx.doi.org/10.1166/jnn.2006.074>.
- Antony, J; Sharma, A; Pendyala, S; Meyer, D; Nutting, J; Baer, DR; Wang, CM; Mccready, D; Engelhard, M; Qiang, Y. (2005). Iron-iron oxide core shell nanoparticles for contaminant underground water treatment. *Geochim Cosmo Acta*. 69: A518-A518.
- Anuradha, S; Raj, KJA; Elangovan, T; Viswanathan, B. (2014). Adsorption of VOC on steam activated carbon derived from coconut shell charcoal. *Indian J Chem Tech*. 21: 345-349.
- Anzai, H; Itoh, T; Kinoshita, N; Honda, K; Tokumoto, M; Uchida, T. (1994). THE EFFECT OF GUEST MOLECULES ON THE CRYSTAL-GROWTH OF THE ORGANIC SUPERCONDUCTOR KAPPA-(BEDT-TTF)2CU(NCS)2. *J Cryst Growth*. 141: 119-123.
- Apblett, AW; Kiran, BP; Oden, K. (2003). Reductive dechlorination of chloromethanes using tungsten and molybdenum hydrogen bronzes or sodium hypophosphite. *ACS Symp Ser Am Chem Soc*. 837: 154-164.
- Arakawa, S; Itoh, M; Kasukawa, A. (2000). Highly selective growth of AlGaInAs assisted by CBr₄ during MOCVD growth. *J Cryst Growth*. 221: 183-188.
- Araki, A; Kamigaitao, N; Sasaki, T; Matsushima, T. (2004). Mutagenicity of carbon tetrachloride and chloroform in Salmonella typhimurium TA98, TA100, TA1535, and TA1537, and Escherichia coli WP2uvrA/pKM101 and WP2/pKM101, using a gas exposure method. *Environ Mol Mutagen*. 43: 128-133. <http://dx.doi.org/10.1002/em.20005>.
- Aralaguppi, MI; Aminabhavi, TM; Balundgi, RH. (1992). Excess molar volume, excess isentropic compressibility and excess molar refraction of binary mixtures of methyl acetoacetate with benzene, toluene, m-xylene, mesitylene and anisole. *Fluid Phase Equilibria*. 71: 99-112. [http://dx.doi.org/10.1016/0378-3812\(92\)85007-u](http://dx.doi.org/10.1016/0378-3812(92)85007-u).
- Aramendia, MA; Borau, V; Jimenez, C; Marinas, JM; Romero, FJ. (1999). N-alkylation of aniline with methanol over magnesium phosphates. *Appl Catal A-Gen*. 183: 73-80.
- Aranovich, GL; Donohue, MD. (1995). ADSORPTION-ISOTHERMS FOR MICROPOROUS ADSORBENTS. *Carbon*. 33: 1369-1375.
- Aranzabal, A; Romero-Saez, M; Elizundia, U; Ramon Gonzalez-Velasco, J; Antonio Gonzalez-Marcos, J. (2016). The effect of deactivation of H-zeolites on product selectivity in the oxidation of chlorinated VOCs (trichloroethylene). *J Chem Tech Biotechnol*. 91: 318-326. <http://dx.doi.org/10.1002/jctb.4585>.
- Arato, A; Cardenas, E; Shaji, S; O'Brien, JJ; Liu, J; Alan Castillo, G; Das Roy, TK; Krishnan, B. (2009). Sb₂S₃:C/CdS p-n junction by laser irradiation. *Thin Solid Films*. 517: 2493-2496. <http://dx.doi.org/10.1016/j.tsf.2008.11.025>.
- Arena, U; Di Gregorio, F. (2013). Element partitioning in combustion- and gasification-based waste-to-energy units. *Waste Manag*. 33: 1142-1150. <http://dx.doi.org/10.1016/j.wasman.2013.01.035>.
- Ariga, K; Kikuchi, J; Naito, M; Koyama, E; Yamada, N. (2000). Modulated supramolecular assemblies composed of tripeptide derivatives: Formation of micrometer-scale rods, nanometer-size needles, and regular patterns with molecular-level flatness from the same compound. *Langmuir*. 16: 4929-4939.
- Armengol, E; Corma, A; Garcia, H; Primo, J. (1997). Acid zeolites as catalysts in organic reactions. tert-Butylation of anthracene, naphthalene and thianthrene. *Appl Catal A-Gen*. 149: 411-423.
- Armitage, R; Yang, Q; Feick, H; Weber, ER. (2004). Evaluation of CCl₄ and CS₂ as carbon doping sources in MBE growth of GaN. *J Cryst Growth*. 263: 132-142. <http://dx.doi.org/10.1016/j.jcrysgro.2003.11.091>.
- Arnold, WA; Ball, WP; Roberts, AL. (1999). Polychlorinated ethane reaction with zero-valent zinc: pathways and rate control. *J Contam Hydrol*. 40: 183-200.
- Artal, M; Embid, JM; Otin, S; Velasco, I. (1999). Isothermal vapor-liquid equilibria of bromochloromethane or 1-bromo-2-chloroethane plus tetrachloromethane or benzene. Experimental measurements and analysis in terms of group contributions. *Fluid Phase Equilibria*. 154: 223-239.
- Aruna, P; Natarajan, S; Suryanarayana, CV. (1991). THE INTERNAL-PRESSURE AT THE MISCIBILITY POINT IN SOME TERNARY-SYSTEMS. 29: 537-540.
- Asada, H; Seiyama, H; Takechi, M. (1997). Displacement transition in CH₄/cyclohexane adsorbed on graphite. *AST*. 15: 271-276.
- Asadi, M; Niad, M. (2003). NMR studies of equilibrium quotient of the benzonitrile with xylene isomers and ethylbenzene. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)*. 22: 1-7.
- Asadullah, M; Rahman, MA; Motin, MA; Sultan, MB. (2006). Preparation and adsorption studies of high specific surface area activated carbons obtained from the chemical activation of jute stick. *AST*. 24: 761-770.

Exposure Literature Search Results

Off Topic

- Ashokkumar, M; Grieser, F. (1999). Ultrasound assisted chemical processes. 15: 41-83.
- Asprion, N; Hasse, H; Maurer, G. (1998). Limiting activity coefficients in alcohol-containing organic solutions from headspace gas chromatography. *Journal of Chemical and Engineering Data*. 43: 74-80.
- Asprion, N; Hasse, H; Maurer, G. (2003). Thermodynamic and IR spectroscopic studies of solutions with simultaneous association and solvation. *Fluid Phase Equilibria*. 208: 23-51.
- Assael, MJ; Dymond, JH; Papadaki, M; Patterson, PM. (1992). CORRELATION AND PREDICTION OF DENSE FLUID TRANSPORT-COEFFICIENTS .2. SIMPLE MOLECULAR FLUIDS. *Fluid Phase Equilibria*. 75: 245-255.
- Assafanid, N; Hayes, KF; Vogel, TM. (1994). REDUCTIVE DECHLORINATION OF CARBON-TETRACHLORIDE BY COBALAMIN(II) IN THE PRESENCE OF DITHIOTHREITOL - MECHANISTIC STUDY, EFFECT OF REDOX POTENTIAL AND PH. *Environ Sci Technol*. 28: 246-252.
- Assaf-Anid, N; Lin, KY. (2002). Carbon tetrachloride reduction by Fe²⁺, S₂, and FeS with vitamin B-12 as organic amendment. *J Environ Eng*. 128: 94-99.
- Assmuth, T; Kalevi, K. (1992). Concentrations and toxicological significance of trace organic compounds in municipal solid waste landfill gas. *Chemosphere*. 24: 1207-1216.
- Atanassova, M; Dukov, IL. (2004). Synergistic solvent extraction and separation of trivalent lanthanide metals with mixtures of 4-benzoyl-3-methyl-1-phenyl-2-pyrazolin-5-one and aliquat 336. *Separation and Purification Technology*. 40: 171-176. <http://dx.doi.org/10.1016/j.seppur.2004.02.007>.
- Atawodi, SE; Iliemene, DU, ju; Onyike, E. (2014). In vivo Antioxidant Effect of Methanolic Extract of Afzelia africana Seed on Carbon Tetrachloride-induced Acute and Chronic Oxidative Injury in Rats. *International Journal of Agriculture and Biology*. 16: 597-602.
- Atawodi, SE; Liman, ML; Onyike, EO. (2013). Antioxidant Effects of Tamarindus indica following Acute and Chronic Carbon Tetrachloride Induced Liver Injury. *International Journal of Agriculture and Biology*. 15: 410-418.
- Atawodi, SE; Yakubu, OE; Umar, IA. (2013). Antioxidant and Hepatoprotective Effects of Parinari curatellifolia Root. *International Journal of Agriculture and Biology*. 15: 523-528.
- Atdaev, BS; Blonskyy, IV; Zubrilin, MG; Tkachenko, OM; Dmitruk, IM; Tinkov, VO; Urubkov, IV; Kotko, AV. (2008). The Photostimulated Fabrication of Nanoparticles of Gold by Means of the XeCl Excimer Laser. *Metallofizika i Noveishie Tekhnologii*. 30: 1479-1491.
- Atthakar, KK; Wasewar, KL; Varma, MN; Shende, DZ; Uslu, H. (2015). Extractive Separation of Benzylformic Acid with Phosphoric Acid Tributyl Ester in CCl₄, Decanol, Kerosene, Toluene, and Xylene at 298 K. *Journal of Chemical and Engineering Data*. 60: 1014-1022. <http://dx.doi.org/10.1021/je500943m>.
- Atkins, P. (1998). *Physical chemistry Diffusion controlled reactions* (6 ed.). New York: Freeman.
- Atkinson, R. (1989). Kinetics and mechanisms of the gas-phase reactions of the hydroxyl radical with organic compounds. *J Phys Chem Ref Data*. 1: 1-246.
- Attari, SG; Bahrami, A; Shahna, FG; Heidari, M. (2014). Solid-phase microextraction fiber development for sampling and analysis of volatile organohalogen compounds in air. 12: 123. <http://dx.doi.org/10.1186/s40201-014-0123-5>.
- Attolini, G; Rossi, F; Fabbri, F; Bosi, M; Watts, BE; Salviati, G. (2009). A new growth method for the synthesis of 3C-SiC nanowires. *Mater Lett*. 63: 2581-2583. <http://dx.doi.org/10.1016/j.matlet.2009.09.012>.
- Au, CT; He, H; Lai, SY; Ng, CF. (1997). The oxidative coupling of methane over BaCO₃/LaOCl catalysts. *Appl Catal A-Gen*. 159: 133-145.
- Augusto, EB; Oliveira, HP. (2001). Kinetics of chlorination and microstructural changes of xenotime by carbon tetrachloride. *Metallurgical and Materials Transactions B - Process Metallurgy and Materials Processing Science*. 32: 785-791.
- Aulenta, F; Maio, VD; Ferri, T; Majone, M. (2010). The humic acid analogue antraquinone-2,6-disulfonate (AQDS) serves as an electron shuttle in the electricity-driven microbial dechlorination of trichloroethene to cis-dichloroethene. *Bioresour Technol*. 101: 9728-9733. <http://dx.doi.org/10.1016/j.biortech.2010.07.090>.
- Aust, SD. (1995). Mechanisms of degradation by white rot fungi [Review]. *Environ Health Perspect*. 103 Suppl 5: 59-61.
- Avallone, LM; Prather, MJ. (1997). Tracer-tracer correlations: Three-dimensional model simulations and comparisons to observations. *J Geophys Res Atmos*. 102: 19233-19246.
- Avraam, T; Moumouzias, G; Ritzoulis, G. (1998). A study on excess volumes and dielectric properties in the gamma-butyrolactone plus p-xylene system at various temperatures. *Journal of Chemical and Engineering Data*. 43: 51-54.
- Awasthi, RB; Naidu, S. R.; Ganguli, NC. (1979). DETERMINATION OF ADSORPTION OF CYCLOHEXANE AND CARBON-TETRACHLORIDE BY GAS-CHROMATOGRAPHY. 17: 387-389.
- Ayala-Luis, KB; Cooper, NG; Koch, CB; Hansen, HC. (2012). Efficient dechlorination of carbon tetrachloride by hydrophobic green rust intercalated with dodecanoate anions. *Environ Sci Technol*. 46: 3390-3397. <http://dx.doi.org/10.1021/es204368u>.
- Ayala-Luis, KB; Koch, CB; Hansen, HCB. (2010). Intercalation of linear C9-C16 carboxylates in layered Fe-II-Fe-III-hydroxides (green rust) via ion exchange. *Appl Clay Sci*. 48: 334-341. <http://dx.doi.org/10.1016/j.clay.2010.01.003>.
- Ayraud, V; Aquilina, L; Labasque, T; Pauwels, H; Molenat, J; Pierson-Wickmann, AC; Durand, V; Bour, O; Tarits, C; Le Corre, P; Fourre, E; Merot, P; Davy, P. (2008). Compartmentalization of physical and chemical properties in hard-rock aquifers deduced from chemical and groundwater age analyses. *Appl Geochem*. 23: 2686-2707. <http://dx.doi.org/10.1016/j.apgeochem.2008.06.001>.
- Ayyildiz, O; Anderson, PR; Peters, RW. (2005). Laboratory batch experiments of the combined effects of ultrasound and air stripping in removing CCl₄ and 1,1,1-TCA from water. *J Hazard Mater*. 120: 149-156. <http://dx.doi.org/10.1016/j.jhazmat.2004.12.026>.
- Azeem, AK; Mathew, M; Nair, CDC. (2010). Hepatoprotective effect of Averrhoa carambola fruit extract on carbon tetrachloride induced hepatotoxicity in mice. *Asian Pacific Journal of Tropical Medicine*. 3: 610-613.
- Azizian, MF; Semprini, L. (2016). Simultaneous anaerobic transformation of tetrachloroethene and carbon tetrachloride in a continuous flow column. *J Contam Hydrol*. 190: 58-68. <http://dx.doi.org/10.1016/j.jconhyd.2016.04.002>.

Exposure Literature Search Results

Off Topic

- Azizian, S; Haydarpour, A. (2003). Solubility of benzophenone in binary alkane plus carbon tetrachloride solvent mixtures. *Journal of Chemical and Engineering Data*. 48: 1476-1478. <http://dx.doi.org/10.1021/je0340497>.
- Baati, T; Bourasset, F; Gharbi, N; Njim, L; Abderrabba, M; Kerkeni, A; Szwarc, H; Moussa, F. (2012). The prolongation of the lifespan of rats by repeated oral administration of [60]fullerene. *Biomaterials*. 33: 4936-4946. <http://dx.doi.org/10.1016/j.biomaterials.2012.03.036>.
- Baba, M; Dordain, L; Coxam, JY; Grolier, JPE. (1992). CALORIMETRIC MEASUREMENTS OF HEAT-CAPACITIES AND HEATS OF MIXING IN THE RANGE 300-570 K AND UP TO 30 MPA. 30: 553-558.
- Babaa, MR; Dupont-Pavlovsky, N; Mcrae, E; Masenelli-Varlot, K. (2004). Physical adsorption of carbon tetrachloride on as-produced and on mechanically opened single walled carbon nanotubes. *Carbon*. 42: 1549-1554. <http://dx.doi.org/10.1016/j.carbon.2004.02.004>.
- Baciocchi, R. (2013). Principles, Developments and Design Criteria of In Situ Chemical Oxidation. *Water Air Soil Pollut*. 224. <http://dx.doi.org/10.1007/s11270-013-1717-8>.
- Backhus, DA; Picardal, FW; Johnson, S; Knowles, T; Collins, R; Radue, A; Kim, S. (1997). Soil- and surfactant-enhanced reductive dechlorination of carbon tetrachloride in the presence of *Shewanella putrefaciens* 200. *J Contam Hydrol*. 28: 337-361.
- Badger, DA; Kuester, RK; Sauer, JM; Sipes, IG. (1997). Gadolinium chloride reduces cytochrome P450: Relevance to chemical-induced hepatotoxicity. *Toxicology*. 121: 143-153.
- Badger, DA; Sauer, JM; Hoglen, NC; Jolley, CS; Sipes, IG. (1996). The role of inflammatory cells and cytochrome P450 in the potentiation of CCl₄-induced liver injury by a single dose of retinol. *Toxicol Appl Pharmacol*. 141: 507-519. <http://dx.doi.org/10.1006/taap.1996.0316>.
- Badjic, JD; Kostic, NM. (2001). Behavior of organic compounds confined in monoliths of sol-gel silica glass. Effects of guest-host hydrogen bonding on uptake, release, and isomerization of the guest compounds. *J Mater Chem*. 11: 408-418.
- Bae, E; Choi, W. (2003). Highly enhanced photoreductive degradation of perchlorinated compounds on dye-sensitized metal/TiO₂ under visible light. *Environ Sci Technol*. 37: 147-152. <http://dx.doi.org/10.1021/es025617q>.
- Bae, JS; Do, DD. (2002). Study on diffusion and flow of benzene, n-hexane and CCl₄ in activated carbon by a differential permeation method. *Chem Eng Sci*. 57: 3013-3024.
- Bae, JW; Jang, E, unJoo; Lee, BI, n; Lee, J, aeS; Lee, KH, ee. (2007). Effects of tin on product distribution and catalyst stability in hydrodechlorination of CCl₄ over Pt-Sn/gamma-Al₂O₃. *Ind Eng Chem Res*. 46: 1721-1730. <http://dx.doi.org/10.1021/ie061334l>.
- Bae, JW; Kim, IG; Lee, JS; Lee, KH; Jang, EJ. (2003). Hydrodechlorination of CCl₄ over Pt/Al₂O₃: effects of platinum particle size on product distribution. *Appl Catal A-Gen*. 240: 129-142.
- Bae, JW; Lee, JS; Lee, KH. (2007). Disposal of CCl₄ by disproportionation reaction with CH₄. *Ind Eng Chem Res*. 46: 7057-7065. <http://dx.doi.org/10.1021/ie070630a>.
- Bae, JW; Lee, JS; Lee, KH. (2008). Hydrodechlorination of CCl₄ over Pt/gamma-Al₂O₃ prepared from different Pt precursors. *Appl Catal A-Gen*. 334: 156-167. <http://dx.doi.org/10.1016/j.apcata.2007.10.001>.
- Bae, JW; Park, ED; Lee, JS; Lee, KH; Kim, YG; Yeon, SH; Sung, BH. (2001). Hydrodechlorination of CCl₄ over Pt/gamma-Al₂O₃ - Effects of reaction pressure and diluent gases on distribution of products and catalyst stability. *Appl Catal A-Gen*. 217: 79-89.
- Bae, S; Kim, D; Lee, W. (2013). Degradation of diclofenac by pyrite catalyzed Fenton oxidation. *Appl Catal B-Environ*. 134: 93-102. <http://dx.doi.org/10.1016/j.apcatb.2012.12.031>.
- Bae, S; Lee, W. (2012). Enhanced reductive degradation of carbon tetrachloride by biogenic vivianite and Fe(II). *Geochim Cosmo Acta*. 85: 170-186. <http://dx.doi.org/10.1016/j.gca.2012.02.023>.
- Bae, S; Lee, W. (2013). Biotransformation of lepidocrocite in the presence of quinones and flavins. *Geochim Cosmo Acta*. 114: 144-155. <http://dx.doi.org/10.1016/j.gca.2013.03.041>.
- Bae, S; Lee, W. (2014). Influence of riboflavin on nanoscale zero-valent iron reactivity during the degradation of carbon tetrachloride. *Environ Sci Technol*. 48: 2368-2376. <http://dx.doi.org/10.1021/es4056565>.
- Bae, S; Lee, Y; Kwon, MJ; Lee, W. (2014). Riboflavin-mediated RDX transformation in the presence of *Shewanella putrefaciens* CN32 and lepidocrocite. *J Hazard Mater*. 274: 24-31. <http://dx.doi.org/10.1016/j.jhazmat.2014.04.002>.
- Bae, W; Rittmann, BE. (1995). ACCELERATING THE RATE OF COMETABOLIC DEGRADATIONS REQUIRING AN INTRACELLULAR ELECTRON SOURCE-MODEL AND BIOFILM APPLICATION. *Water Sci Technol*. 31: 29-39.
- Bae, Y; Kim, D; Cho, H; Singhal, N; Park, J. (2012). Transformation impacts of dissolved and solid phase Fe(II) on trichloroethylene (TCE) reduction in an iron-reducing bacteria (IRB) mixed column system: A mathematical model. *Water Res*. 46: 6391-6398. <http://dx.doi.org/10.1016/j.watres.2012.09.019>.
- Bagal, MV; Gogate, PR. (2012). Sonochemical degradation of alachlor in the presence of process intensifying additives. *Separation and Purification Technology*. 90: 92-100. <http://dx.doi.org/10.1016/j.seppur.2012.02.019>.
- Bagal, MV; Gogate, PR. (2013). Comparison of Efficacy of Different Configurations of Ultrasonic Reactors for Degradation of 2,4-Dinitrophenol Using Hybrid Treatment Schemes. *Ind Eng Chem Res*. 52: 8386-8391. <http://dx.doi.org/10.1021/ie400441t>.
- Bagchi, D; Moser, J; Stohs, SJ. (1994). QUANTITATIVE-DETERMINATION OF URINARY LIPID METABOLITES BY HIGH-PRESSURE LIQUID-CHROMATOGRAPHY AS INDICATORS OF MENADIONE-INDUCED IN-VIVO LIPID-PEROXIDATION. *Arch Environ Contam Toxicol*. 26: 387-391.
- Bagley, DM; Lalonde, M; Kaseros, V; Stasiuk, KE; Sleep, BE. (2000). Acclimation of anaerobic systems to biodegrade tetrachloroethene in the presence of carbon tetrachloride and chloroform. *Water Res*. 34: 171-178.
- Bagley, DM; Sutherland, IG; Sleep, BE. (2004). Non-enzymatic degradation of chlorofluorocarbon 113 using cyanocobalamin under anaerobic conditions. *J Environ Eng Sci*. 3: 295-299.

Exposure Literature Search Results

Off Topic

- Bagrov, IV; Belousova, IM; Danilov, OB; Ermakov, AV; Grenishin, AS; Kiselev, VM; Kislyakov, IM; Murav'eva, TD; Sosnov, EN; Videnichev, DA. (2008). Singlet oxygen generation processes in solutions of fullerenes in carbon tetrachloride. Fullerenes, Nanotubes, and Carbon Nanostructures. 16: 675-681. <http://dx.doi.org/10.1080/15363830802316983>.
- Bai, S; Shen, X; Zhu, G; Xu, Z; Liu, Y. (2011). Reversible phase transfer of graphene oxide and its use in the synthesis of graphene-based hybrid materials. Carbon. 49: 4563-4570. <http://dx.doi.org/10.1016/j.carbon.2011.06.072>.
- Bai, X; Ye, ZF; Qu, YZ; Li, YF; Wang, ZY. (2009). Immobilization of nanoscale Fe0 in and on PVA microspheres for nitrobenzene reduction. J Hazard Mater. 172: 1357-1364. <http://dx.doi.org/10.1016/j.jhazmat.2009.08.004>.
- Bai, YJ; Bian, J; Wang, CG; Zhu, B; Qi, YX; Wang, YX; Liu, YX; Geng, GL. (2005). One step convenient synthesis of crystalline beta-Si3N4. J Mater Chem. 15: 4832-4837. <http://dx.doi.org/10.1039/b510699k>.
- Bai, YJ; Lu, B; Liu, ZG; Li, L; Cui, DL; Xu, XG; Wang, QL. (2003). Solvothermal preparation of graphite-like C3N4 nanocrystals. J Cryst Growth. 247: 505-508.
- Baig, JA; Kazi, TG; Elci, L; Afridi, HI; Khan, MI; Naseer, HM. (2013). Ultratrace Determination of Cr(VI) and Pb(II) by Microsample Injection System Flame Atomic Spectroscopy in Drinking Water and Treated and Untreated Industrial Effluents. 2013: 629495. <http://dx.doi.org/10.1155/2013/629495>.
- Baillet, C; Fadli, A; J-P, S. (1996). Experimental study on the thermal oxidation of 1,3-hexachlorobutadiene at 500 - 1100 degrees C. Chemosphere. 32: 1261-1273.
- Baker, MV; Watling, JD. (1997). Functionalization of alkylsiloxane monolayers via free-radical bromination. Langmuir. 13: 2027-2032.
- Baklanov, MR; Mogilnikov, KP; Polovinkin, VG; Dultsev, FN. (2000). Determination of pore size distribution in thin films by ellipsometric porosimetry. Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures. 18: 1385-1391.
- Bakshi, MS; Kaur, G. (1997). Thermodynamic behavior of mixtures .4. Mixtures of methanol with pyridine and N,N-dimethylformamide at 25 degrees C. Journal of Chemical and Engineering Data. 42: 298-300.
- Balbis, E; Patriarca, S; Furfaro, AL; Millanta, S; Sukkar, SG; Marinari, UM; Pronzato, MA; Cottalasso, D; Traverso, N. (2009). Whey proteins influence hepatic glutathione after CCl4 intoxication. Toxicol Ind Health. 25: 325-328. <http://dx.doi.org/10.1177/0748233709104870>.
- Baldwin, DG. (1985). CHEMICAL-EXPOSURE FROM CCL4 PLASMA ALUMINUM ETCHERS. J Electrochem Soc. 132: C357-C357.
- Balogh, IS; Rusnakova, L; Skrlikova, J; Kocurova, L; Toeroek, M; Andruch, V. (2012). A spectrophotometric method for manganese determination in water samples based on ion pair formation and dispersive liquid-liquid microextraction. Int J Environ Anal Chem. 92: 1059-1071. <http://dx.doi.org/10.1080/03067319.2010.537750>.
- Balsiger, C; Holliger, C; Höhener, P. (2005). Reductive dechlorination of chlorofluorocarbons and hydrochlorofluorocarbons in sewage sludge and aquifer sediment microcosms. Chemosphere. 61: 361-373. <http://dx.doi.org/10.1016/j.chemosphere.2005.02.087>.
- Baluja, S; Gajera, R; Bhatt, M; Bhalodia, R; Vekariya, N. (2010). Solubility of Ofloxacin in 1,2-Dichloromethane, Chloroform, Carbon Tetrachloride, and Water from (293.15 to 313.15) K. Journal of Chemical and Engineering Data. 55: 956-958. <http://dx.doi.org/10.1021/je900540d>.
- Bandyopadhyay, A; De Sarkar, M; Bhowmick, AK. (2005). Epoxidised natural rubber/silica hybrid nanocomposites by sol-gel technique: Effect of reactants on the structure and the properties. Journal of Materials Science. 40: 53-62.
- Bandyopadhyay, AK; Dilawar, N; Vijayakumar, A; Varandani, D; Singh, D. (1998). A low cost laser-Raman spectrometer. Bulletin of Materials Science. 21: 433-438.
- Banerjee, BS; Khode, AV; Patil, AP; Mohod, AV; Gogate, PR. (2014). Sonochemical decolorization of wastewaters containing Rhodamine 6G using ultrasonic bath at an operating capacity of 2L. Desalination and Water Treatment. 52: 1378-1387. <http://dx.doi.org/10.1080/19443994.2013.786656>.
- Banerjee, D; Chattopadhyay, KK. (2014). Enhanced field emission properties of PECVD synthesized chlorine doped diamond like carbon thin films. Surf Coating Tech. 253: 1-7. <http://dx.doi.org/10.1016/j.surfcoat.2014.04.054>.
- Bansode, RR; Losso, JN; Marshall, WE; Rao, RM; Portier, RJ. (2003). Adsorption of volatile organic compounds by pecan shell- and almond shell-based granular activated carbons. Bioresour Technol. 90: 175-184. [http://dx.doi.org/10.1016/S0960-8524\(03\)00117-2](http://dx.doi.org/10.1016/S0960-8524(03)00117-2).
- Baokun, H; Yanjie, T; Zuwei, L; Shuquin, G; Zhaokai, L. (2007). Temperature measurement from the intensity ratio of the Raman-scattering lines in carbon tetrachloride constituting the liquid core of an optical fiber. Instrum Exp Tech. 50: 282-285. <http://dx.doi.org/10.1134/S0020441207020200>.
- Baran, J. R.; Pope, GA; Wade, WH; Weerasooriya, V; Yapa, A. (1994). MICROEMULSION FORMATION WITH CHLORINATED HYDROCARBONS OF DIFFERING POLARITY. Environ Sci Technol. 28: 1361-1366.
- Baran, J; Postolache, M; Postolache, M. (2006). Channeled spectra simulation of an anisotropic poly-(phenylmethacrylic) ester of cetyloxybenzoic acid in tetrachloromethane. J Optoelect Adv Mater. 8: 1529-1532.
- Baran, JR; Pope, GA; Wade, WH; Weerasooriya, V. (1996). Water/chlorocarbon Winsor I double left right arrow III double left right arrow II microemulsion phase behavior with alkyl glucamide surfactants. Environ Sci Technol. 30: 2143-2147.
- Barber, ED; Donish, WH; Mueller, KR. (1981). A procedure for the quantitative measurement of the mutagenicity of volatile liquids in the Ames salmonella/microsome assay. Mutat Res Genet Toxicol. 90: 31-48. [http://dx.doi.org/10.1016/0165-1218\(81\)90048-3](http://dx.doi.org/10.1016/0165-1218(81)90048-3).
- Barber, TA; Bienkowski, PR; Cochran, HD. (1990). SOLUBILITY OF SOLID CCL4 IN SUPERCRITICAL CF4 USING DIRECTLY COUPLED SUPERCRITICAL FLUID EXTRACTION MASS-SPECTROMETRY. Separation Science and Technology. 25: 2033-2043.
- Barber, TA; Cochran, HD; Bienkowski, PR. (1991). SOLUBILITY OF SOLID CCl4 IN SUPERCRITICAL CF4. Journal of Chemical and Engineering Data. 36: 99-102.
- Barbosa, R, ui; Lapa, N; Dias, D; Mendes, B. (2013). Concretes containing biomass ashes: Mechanical, chemical, and ecotoxic performances. Construction and Building Materials. 48: 457-463. <http://dx.doi.org/10.1016/j.conbuildmat.2013.07.031>.

Exposure Literature Search Results

Off Topic

- Barhorst, JB; Kubiak, R. (2009). Formation of chlorinated disinfection by-products in viticulture. *Environ Sci Pollut Res Int.* 16: 582-589. <http://dx.doi.org/10.1007/s11356-009-0186-5>.
- Barkauskas, J; Stankeviciene, I; Selskis, A. (2010). A novel purification method of carbon nanotubes by high-temperature treatment with tetrachloromethane. *Separation and Purification Technology.* 71: 331-336. <http://dx.doi.org/10.1016/j.seppur.2009.12.019>.
- Barnett, BR; Evans, AL; Roberts, CC; Fritsch, JM. (2011). Batch reactor kinetic studies on the reductive dechlorination of chlorinated ethylenes by tetrakis-(4-sulfonatophenyl)porphyrin cobalt. *Chemosphere.* 82: 592-596. <http://dx.doi.org/10.1016/j.chemosphere.2010.11.015>.
- Baron, J; Bulewicz, EM; Zukowski, W; Kandefer, S; Pilawska, M. (2002). Combustion of hydrocarbon fuels in a bubbling fluidized bed. *Combust Flame.* 128: 410-421.
- Barrabes, N; Cornado, D; Foettinger, K; Dafinov, A; Llorca, J; Medina, F; Rupprechter, G. (2009). Hydrodechlorination of trichloroethylene on noble metal promoted Cu-hydratocalcite-derived catalysts. *J Catal.* 263: 239-246. <http://dx.doi.org/10.1016/j.jcat.2009.02.015>.
- Barranco, FT; Dawson, HE; Christener, JM; Honeyman, BD. (1997). Influence of aqueous pH and ionic strength on the wettability of quartz in the presence of dense non-aqueous-phase liquids. *Environ Sci Technol.* 31: 676-681.
- Barros, L; Braun, JP; Galtier, P; Toutain, PL. (1996). Validation of an automated technique for the measurement of glutathione S-transferase in plasma of sheep. *Small Ruminant Research.* 21: 37-43.
- Barros, LF; Stutzin, A; Calixto, A; Catalán, M; Castro, J; Hetz, C; Hermosilla, T. (2001). Nonselective cation channels as effectors of free radical-induced rat liver cell necrosis. *Hepatology.* 33: 114-122. <http://dx.doi.org/10.1053/jhep.2001.20530>.
- Barroso-Bujans, F; Cervený, S; Alegria, A; Colmenero, J. (2010). Sorption and desorption behavior of water and organic solvents from graphite oxide. *Carbon.* 48: 3277-3286. <http://dx.doi.org/10.1016/j.carbon.2010.05.023>.
- Barroso-Bujans, F; Cervený, S; Verdejo, R; Del Val, JJ; Alberdi, JM; Alegria, A; Colmenero, J. (2010). Permanent adsorption of organic solvents in graphite oxide and its effect on the thermal exfoliation. *Carbon.* 48: 1079-1087. <http://dx.doi.org/10.1016/j.carbon.2009.11.029>.
- Barry, KH; Zhang, Y; Lan, Q; Zahm, SH; Holford, TR; Leaderer, B; Boyle, P; Hosgood, HD; Chanock, S; Yeager, M; Rothman, N; Zheng, T. (2011). Genetic variation in metabolic genes, occupational solvent exposure, and risk of non-hodgkin lymphoma. *Am J Epidemiol.* 173: 404-413. <http://dx.doi.org/10.1093/aje/kwq360>.
- Bartneck, M; Heffels, KH; Bovi, M; Groll, J; Zwadlo-Klarwasser, G. (2013). The role of substrate morphology for the cytokine release profile of immature human primary macrophages. *Mater Sci Eng C.* 33: 5109-5114. <http://dx.doi.org/10.1016/j.msec.2013.08.028>.
- Bartosiewicz, MJ; Jenkins, D; Penn, S; Emery, J; Buckpitt, A. (2001). Unique gene expression patterns in liver and kidney associated with exposure to chemical toxicants. *J Pharmacol Exp Ther.* 297: 895-905.
- Bartsch, RA; Jeon, EG; Walkowiak, W; Apostoluk, W. (1999). Effect of solvent in competitive alkali metal cation transport across bulk liquid membranes by a lipophilic lariat ether carboxylic acid carrier. *J Memb Sci.* 159: 123-131.
- Baruah, MK; Kotoky, P; Baruah, J; Bora, GC. (2005). Extent of lead in high sulphur Assam coals. *Fuel Process Tech.* 86: 731-734. <http://dx.doi.org/10.1016/j.fuproc.2004.05.015>.
- Barwick, VJ; Ellison, SLR; Rafferty, MJQ; Farrant, TJ. (1998). Evaluation of carbon disulfide as an alternative to carbon tetrachloride for the determination of hydrocarbon oils in water by infra-red spectrophotometry. *Int J Environ Anal Chem.* 72: 235-246.
- Basu, D; Asolekar, SR. (2012). Performance of UASB reactor in the biotreatment of 1,1,2-Trichloroethane. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 47: 267-273. <http://dx.doi.org/10.1080/10934529.2012.640902>.
- Bauder, MB; Palace, VP; Hodson, PV. (2005). Is oxidative stress the mechanism of blue sac disease in retene-exposed trout larvae? *Environ Toxicol Chem.* 24: 694-702.
- Bayer, E; Maurer, A; Deyle, CJ; Kutubuddin, M. (1995). RECOVERY OF ACTIVATED CARBONS FROM WASTES VIA LOW-TEMPERATURE CONVERSION .2. ANALYSIS AND EVALUATION OF APPLICABILITY. *Fresen Environ Bull.* 4: 539-544.
- Bchetnia, A; Rebey, A; Boufaden, T; El Jani, B. (1999). Thermodynamic analysis of growth rate reduction by VCl₄ during metalorganic vapor-phase epitaxy of GaAs. *J Cryst Growth.* 207: 15-19.
- Beard, A; Naikwadi, KP; Karasek, FW. (1993). FORMATION OF POLYCHLORINATED DIBENZOFURANS BY CHLORINATION AND DE-NOVO REACTIONS WITH FECL₃ IN PETROLEUM REFINING PROCESSES. *Environ Sci Technol.* 27: 1505-1511.
- Bechtold, MM; Gee, DL; Bruenner, U; Tappel, AL. (1982). Carbon tetrachloride-mediated expiration of pentane and chloroform by the intact rat: the effects of pretreatment with diethyl maleate, SKF-525A and phenobarbital. *Toxicol Lett.* 11: 165-171.
- Becker, JG; Freedman, DL. (1994). USE OF CYANOCOBALAMIN TO ENHANCE ANAEROBIC BIODEGRADATION OF CHLOROFORM. *Environ Sci Technol.* 28: 1942-1949. <http://dx.doi.org/10.1021/es00060a027>.
- Bedia, J; Gomez-Sainero, LM; Grau, JM; Busto, M; Martin-Martinez, M; Rodriguez, JJ. (2012). Hydrodechlorination of dichloromethane with mono- and bimetallic Pd-Pt on sulfated and tungstated zirconia catalysts. *J Catal.* 294: 207-215. <http://dx.doi.org/10.1016/j.jcat.2012.07.023>.
- Begarney, MJ; Warddrip, ML; Kappers, MJ; Hicks, RF. (1998). Kinetics of carbon tetrachloride decomposition during the metalorganic vapor-phase epitaxy of gallium arsenide and indium arsenide. *J Cryst Growth.* 193: 305-315.
- Behnam, YT; Maclean, N. (1990). EFFECTS OF 5-AZACYTIDINE AND 5-AZA-2-DEOXYCYTIDINE ON ALPHA-FETOPROTEIN LEVELS IN MICE. *Comp Biochem Physiol C Comp Pharmacol Toxicol.* 97: 357-361.
- Beigzadeh, R; Rahimi, M; Shabani, SR. (2012). Developing a feed forward neural network multilayer model for prediction of binary diffusion coefficient in liquids. *Fluid Phase Equilibria.* 331: 48-57. <http://dx.doi.org/10.1016/j.fluid.2012.06.025>.
- Beji, L; El Jani, B; Gibart, P. (2001). High quality p(+)-n(+)-GaAs tunnel junction diode grown by atmospheric pressure metalorganic vapour phase epitaxy. *183: 273-279.*
- Belkadi, A; Hadj-Kali, MK; Llovell, F; Gerbaud, V; Vega, LF. (2010). Soft-SAFT modeling of vapor-liquid equilibria of nitriles and their mixtures. *Fluid Phase Equilibria.* 289: 191-200. <http://dx.doi.org/10.1016/j.fluid.2009.12.012>.

Exposure Literature Search Results

Off Topic

- Bell, AN; Mehendale, HM. (1985). The effect of dietary exposure to a mirex plus chlordecone combination on CCl₄ hepatotoxicity. *Fundam Appl Toxicol.* 5: 679-867.
- Bell, AN; Mehendale, HM. (1987). Comparative changes in hepatic DNA, RNA, protein, lipid, and glycogen induced by a subtoxic dose of CCl₄ in chlordecone, mirex, and phenobarbital pretreated rats. *Toxicol Lett.* 35: 191-200.
- Below, AA; Bouchbruevich, VV. (1991). THE NATURE OF ANOMALOUS DIELECTRIC-DISPERSION IN CCL₄ AT ULTRA-LOW FREQUENCIES. 36: 1589-1592.
- Beltran-Garcia, MJ; Estarron-Espinosa, M; Ogura, T. (1997). Volatile compounds secreted by the oyster mushroom (*Pleurotus ostreatus*) and their antibacterial activities. *J Agric Food Chem.* 45: 4049-4052.
- Belyakov, AV; Pershikov, SA; Sukhozak, AN. (1996). Chemisorption and catalytic lowering of the sintering temperature of ceramics. *Glass Ceram.* 53: 175-177.
- Ben Amara, C, h; Gharbi, N; Zarrouk, H. (1994). Elaboration and Characterization of Hybrid Organic-Inorganic Gels Obtained by Reaction of 1,4-Butanediol on Tetramethoxysilane. *Journal of Sol-Gel Science and Technology.* 2: 193-197.
- Benigni, R; Andreoli, C; Conti, L; Tafani, P; Cotta-Ramusino, M; Carere, A; Crebelli, R. (1993). Quantitative structure-activity relationship models correctly predict the toxic and aneuploidizing properties of six halogenated methanes in *Aspergillus nidulans*. *Mutagenesis.* 8: 301-305.
- Benjamin, I. (2008). Solute orientational dynamics at the water/carbon tetrachloride interface. *J Phys Chem C.* 112: 8969-8975. <http://dx.doi.org/10.1021/jp801109w>.
- Benjamin, RJ; Balakrishnan, AR. (1997). Nucleation site density in pool boiling of binary mixtures: Effect of surface micro-roughness and surface and liquid physical properties. *Can J Chem Eng.* 75: 1080-1089.
- Benjamin, RJ; Balakrishnan, AR. (1997). Nucleation site density in pool boiling of saturated pure liquids: Effect of surface microroughness and surface and liquid physical properties. *Exp Therm Fluid Sci.* 15: 32-42.
- Benson, JM; Springer, DL. (1999). Improved risk estimates for carbon tetrachloride. Final report. (DE-FC04-96AL76406). Albuquerque, New Mexico: U.S. Department of Energy.
- Bentz, KC; Walley, SE; Savin, DA. (2016). Solvent effects on modulus of poly(propylene oxide)-based organogels as measured by cavitation rheology. *Soft Matter.* 12: 4991-5001. <http://dx.doi.org/10.1039/c6sm00431h>.
- Berge, ND; Ramsburg, CA. (2010). Iron-mediated trichloroethene reduction within nonaqueous phase liquid. *J Contam Hydrol.* 118: 105-116. <http://dx.doi.org/10.1016/j.jconhyd.2010.07.006>.
- Bergman, K. (1979). Whole-body autoradiography and allied tracer techniques in distribution and elimination studies of some organic solvents: benzene, toluene, xylene, styrene, methylene chloride, chloroform, carbon tetrachloride and trichloroethylene. *Scand J Work Environ Health.* 5 Suppl 1: 1-263.
- Bergman, K. (1983). Application and results of whole-body autoradiography in distribution studies of organic solvents [Review]. *Crit Rev Toxicol.* 12: 59-118. <http://dx.doi.org/10.3109/10408448309029318>.
- Bergman, K; Müller, L; Teigen, SW. (1996). The genotoxicity and carcinogenicity of paracetamol: A regulatory (re)view [Review]. *Mutat Res.* 349: 263-288.
- Bergues, B; Lekki, J; Budkowski, A; Cyganik, P; Lekka, M; Bernasik, A; Rysz, J; Postawa, Z. (2001). Phase decomposition in polymer blend films cast on homogeneous substrates modified by self-assembled monolayers. *Vacuum.* 63: 297-305.
- Berman, E; House, DE; Allis, JW; Simmons, JE. (1992). Hepatotoxic interactions of ethanol with allyl alcohol or carbon tetrachloride in rats. *J Toxicol Environ Health.* 37: 161-176. <http://dx.doi.org/10.1080/15287399209531663>.
- Berman, E; Schlicht, M; Moser, VC; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: I. Systemic toxicity. *J Toxicol Environ Health.* 45: 127-143. <http://dx.doi.org/10.1080/15287399509531986>.
- Bernacki, SE. (1982). LOW-PRESSURE ANISOTROPIC-PLASMA ETCHING OF DOPED POLYSILICON IN CCL₄. *J Electrochem Soc.* 129: C105-C105.
- Bernacki, SE; Kosicki, BB. (1983). CONTROLLED FILM FORMATION DURING CCL₄ PLASMA-ETCHING. *J Electrochem Soc.* 130: C82-C82.
- Bernacki, SE; Kosicki, BB. (1984). CONTROLLED FILM FORMATION DURING CCL₄ PLASMA-ETCHING. *J Electrochem Soc.* 131: 1926-1931.
- Bernazzani, L; Mollica, V; Tine, MR. (2002). Partial molar volumes of organic compounds in C₈ solvents at 298.15 K. *Fluid Phase Equilibria.* 203: 15-29.
- Berquier, JM; Arribart, H. (1998). Attenuated total reflection Fourier transform infrared spectroscopy study of poly(methyl methacrylate) adsorption on a silica thin film: Polymer/surface interactions. *Langmuir.* 14: 3716-3719.
- Bertone, D; Campi, R; Morello, G. (1998). Etching of InP-based MQW laser structure in a MOCVD reactor by chlorinated compounds. *J Cryst Growth.* 195: 624-629.
- Beshkov, G; Dimitrov, DB; Georgiev, S; Juan-Cheng, D; Petrov, P; Velchev, N; Krastev, V. (1999). XPS spectra of thin CN_x films prepared by chemical vapor deposition. *Diam Relat Mater.* 8: 591-594.
- Beshkov, G; Vassilev, GP; Elizalde, MR; Gomez-Acebo, T. (2003). Hardness of C, CN_x, and AlN thin films after rapid thermal annealing. *Mater Chem Phys.* 82: 452-457. [http://dx.doi.org/10.1016/S0254-0584\(03\)00280-3](http://dx.doi.org/10.1016/S0254-0584(03)00280-3).
- Bessolov, VN; Lebedev, MV; Binh, NM; Friedrich, M; Zahn, DRT. (1998). Sulphide passivation of GaAs: the role of the sulphur chemical activity. *Semiconductor Science and Technology.* 13: 611-614.
- Betterton, EA; Arnold, RG; Kuhler, RJ; Santo, GA. (1995). Reductive dehalogenation of bromoform in aqueous solution. *Environ Health Perspect.* 103 Suppl 5: 89-91.
- Betterton, EA; Hollan, N; Arnold, RG; Gogosha, S; Mckim, K; Liu, ZJ. (2000). Acetone-photosensitized reduction of carbon tetrachloride by 2-propanol in aqueous solution. *Environ Sci Technol.* 34: 1229-1233.

Exposure Literature Search Results

Off Topic

- Bhadauria, M; Nirala, SK. (2009). Reversal of acetaminophen induced subchronic hepatorenal injury by propolis extract in rats. *Environ Toxicol Pharmacol.* 27: 17-25. <http://dx.doi.org/10.1016/j.etap.2008.07.003>.
- Bhandari, S; Chandra, S. (1994). SYNTHESIS, CHARACTERIZATION AND EVALUATION OF CHLORINATED SOYBEAN OIL ALKYDS. *Indian J Chem Tech.* 1: 45-52.
- Bhasin, P; Singla, N; Dhawan, DK. (2014). Protective Role of Zinc During Aluminum-Induced Hepatotoxicity. *Environ Toxicol.* 29: 320-327.
- Bhat, NV; Upadhyay, DJ. (2003). Adhesion enhancement and characterization of plasma polymerized 1,2-dichloroethane on polypropylene surface. *Plasma Chemistry and Plasma Processing.* 23: 389-411.
- Bhat, S; Jacobs, JM; Hatfield, K; Prenger, J. (2006). Relationships between stream water chemistry and military land use in forested watersheds in Fort Benning, Georgia. *Ecol Indic.* 6: 458-466. <http://dx.doi.org/10.1016/j.ecolind.2005.06.005>.
- Bhatnagar, A; Cheung, HM. (1994). Sonochemical destruction of chlorinated c1 and c2 volatile organic compounds in dilute aqueous solution. *Environ Sci Technol.* 28: 1481-1486. <http://dx.doi.org/10.1021/es00057a016>.
- Bhatt, P; Kumar, MS; Mudliar, S; Chakrabarti, T. (2007). Biodegradation of Chlorinated Compounds—A Review. *Crit Rev Environ Sci Tech.* 37: 165-198. <http://dx.doi.org/10.1080/10643380600776130>.
- Bhattacharya, S; Saha, BK. (2013). Polymorphism through Desolvation of the Solvates of a van der Waals Host. *Cryst Growth Des.* 13: 606-613. <http://dx.doi.org/10.1021/cg301269d>.
- Bhattacharya, SK; Madura, RL; Dobbs, RA; Angara, RV; Tabak, H. (1996). Fate of selected RCRA compounds in a pilot-scale activated sludge system. *Water Environ Res.* 68: 260-269.
- Bhattacharyya, S; Ahmmed, SM; Saha, BP; Mukherjee, PK. (2014). Soya phospholipid complex of mangiferin enhances its hepatoprotectivity by improving its bioavailability and pharmacokinetics. *J Sci Food Agric.* 94: 1380-1388. <http://dx.doi.org/10.1002/jsfa.6422>.
- Bhesaniya, K; Baluja, S. (2014). Measurement, Correlation, and Thermodynamics Parameters of Biological Active Pyrimidine Derivatives in Organic Solvents at Different Temperatures. *Journal of Chemical and Engineering Data.* 59: 3380-3388. <http://dx.doi.org/10.1021/je5003626>.
- Bhuvanewari, R; Chidambaranathan, N; Jegatheesan, K. (2014). HEPATOPROTECTIVE EFFECT OF EMBILICA OFFICINALIS AND ITS SILVER NANOPARTICLES AGAINST CCl4 INDUCED HEPATOTOXICITY IN WISTAR ALBINO RATS. *Digest Journal of Nanomaterials and Biostructures.* 9: 223-235.
- Bian, SW, ei; Ma, Z; Song, W, eiGuo. (2009). Preparation and Characterization of Carbon Nitride Nanotubes and Their Applications as Catalyst Supporter. *J Phys Chem C.* 113: 8668-8672. <http://dx.doi.org/10.1021/jp810630k>.
- Bianchimosquera, GC; Mackay, DM. (1994). AN EVALUATION OF THE REPRODUCIBILITY OF FORCED-GRADIENT SOLUTE TRANSPORT TESTS. *Ground Water.* 32: 937-948.
- Bie, ST; Du, LX; Zhang, LM; Lu, FP. (2005). Bioconversion of methyl-testosterone in a biphasic system. *Process Biochemistry.* 40: 3309-3313. <http://dx.doi.org/10.1016/j.procbio.2005.03.019>.
- Bigg, T; Judd, SJ. (2000). Zero-valent iron for water treatment. *Environ Technol.* 21: 661-670.
- Bingül, İ; Başaran-Küçükgergin, C; Aydın, AF; Çoban, J; Doğan-Ekici, I; Doğru-Abbasoğlu, S; Uysal, M. (2016). Betaine treatment decreased oxidative stress, inflammation, and stellate cell activation in rats with alcoholic liver fibrosis. *Environ Toxicol Pharmacol.* 45: 170-178. <http://dx.doi.org/10.1016/j.etap.2016.05.033>.
- Bishop, SG; Adesida, I; Coleman, JJ; Detemple, TA; Feng, M; Hess, K; Holonyak, N; Kang, SM; Stillman, GE; Verdeyen, JT. (1993). THE ENGINEERING RESEARCH-CENTER FOR COMPOUND SEMICONDUCTOR MICROELECTRONICS. *Institute of Electrical and Electronics Engineers Proceedings.* 81: 132-154.
- Biswas, G; Sarkar, S; Acharya, K. (2011). HEPATOPROTECTIVE ACTIVITY OF THE ETHANOLIC EXTRACT OF ASTRAEUS HYGROMETRICUS (PERS.) MORG. *Digest Journal of Nanomaterials and Biostructures.* 6: 637-641.
- Bjerre, A. (1981). Mathematical modeling in the hazard assessment of substances forming toxic decomposition products: The example of carbon tetrachloride. *Ann Occup Hyg.* 24: 175-184.
- Bjola, BS; Siddiqi, MA; Fornefeld-Schwarz, U; Svejda, P. (2002). Molar excess volumes and molar excess enthalpies of binary liquid mixtures of norbornadiene plus benzene, plus cyclohexane, plus decane, and plus carbon tetrachloride. *Journal of Chemical and Engineering Data.* 47: 250-253. <http://dx.doi.org/10.1021/je010243m>.
- Bjola, BS; Siddiqi, MA; Svejda, P. (2001). Excess enthalpies of binary liquid mixtures of gamma-butyrolactone plus benzene, plus toluene, plus ethylbenzene, and plus carbon tetrachloride, and excess volume of the gamma-butyrolactone plus carbon tetrachloride liquid mixture. *Journal of Chemical and Engineering Data.* 46: 1167-1171. <http://dx.doi.org/10.1021/je010091v>.
- Bjorgen, M; Olsbye, U; Kolboe, S. (2003). Coke precursor formation and zeolite deactivation: mechanistic insights from hexamethylbenzene conversion. *J Catal.* 215: 30-44. [http://dx.doi.org/10.1016/S0021-9517\(02\)00050-7](http://dx.doi.org/10.1016/S0021-9517(02)00050-7).
- Blair, A; Hartge, P; Stewart, PA; Mcadams, M; Lubin, J. (1998). Mortality and cancer incidence of aircraft maintenance workers exposed to trichloroethylene and other organic solvents and chemicals: Extended follow-up. *Occup Environ Med.* 55: 161-171. <http://dx.doi.org/10.1136/oem.55.3.161>.
- Blair, A; Stewart, PA; Tolbert, PE; Grauman, D; Moran, FX; Vaught, J; Rayner, J. (1990). Cancer and other causes of death among a cohort of dry cleaners. *Br J Ind Med.* 47: 162-168. <http://dx.doi.org/10.1136/oem.47.3.162>.
- Blake, MA; Sweeney, AT. (2009). Pheochromocytoma. Retrieved from <http://emedicine.medscape.com/article/124059-overview>
- Blanchard, JL; Roberts, JT. (1994). INTERACTION OF CCL4 WITH THE SURFACE OF AMORPHOUS ICE. *Langmuir.* 10: 3303-3310.
- Blanco, ST; Embid, JM; Otin, S. (1993). EXCESS-ENTHALPIES OF DIBROMOALKANE PLUS TETRACHLOROMETHANE MIXTURES - MEASUREMENT AND ANALYSIS IN TERMS OF GROUP CONTRIBUTIONS (DISQUAC). *Fluid Phase Equilibria.* 91: 281-290.

Exposure Literature Search Results

Off Topic

- Bligh, MW; Waite, TD. (2011). Formation, reactivity, and aging of ferric oxide particles formed from Fe(II) and Fe(III) sources: Implications for iron bioavailability in the marine environment. *Geochim Cosmo Acta*. 75: 7741-7758. <http://dx.doi.org/10.1016/j.gca.2011.10.013>.
- Bliznyuk, VN; Lipatov, YS; Ozdemir, N; Todosijchuk, TT; Chornaya, VN; Singamaneni, S. (2007). Atomic force and ultrasonic force microscopy investigation of adsorbed layers formed by two incompatible polymers: polystyrene and poly(butyl methacrylate). *Langmuir*. 23: 12973-12983. <http://dx.doi.org/10.1021/la701644n>.
- Blunt, TJ; Kotvis, PV; Tysoe, WT. (1998). Surface chemistry of chlorinated hydrocarbon lubricant additives - Part II: Modeling the tribological interface. *Tribology Transactions*. 41: 129-139.
- Bo, W; Yong, C; JianHua, Y; Mingjiang, N. (2010). Experimental study on CCl₄/CH₄/O₂/N₂ oxidation. *Science China Technological Sciences*. 53: 1016-1022. <http://dx.doi.org/10.1007/s11431-010-0002-y>.
- Bo, Z, h; Yan, JH; Li, XD; Chi, Y; Cen, KF; Cheron, BG. (2007). Effects of oxygen and water vapor on volatile organic compounds decomposition using gliding arc gas discharge. *Plasma Chemistry and Plasma Processing*. 27: 546-558. <http://dx.doi.org/10.1007/s11090-007-9081-3>.
- Bogen, KT. (2008). An adjustment factor for mode-of-action uncertainty with dual-mode carcinogens: the case of naphthalene-induced nasal tumors in rats. *Risk Anal*. 28: 1033-1051. <http://dx.doi.org/10.1111/j.1539-6924.2008.01066.x>.
- Bokare, AD; Chikate, RC; Rode, CV; Paknikar, KM. (2007). Effect of surface chemistry of Fe-Ni nanoparticles on mechanistic pathways of azo dye degradation. *Environ Sci Technol*. 41: 7437-7443. <http://dx.doi.org/10.1021/es071107q>.
- Bolha, L; Bencina, D; Cizelj, I; Oven, I; Slavec, B; Rojs, OZ; Narat, M. (2013). Effect of Mycoplasma synoviae and lentogenic Newcastle disease virus coinfection on cytokine and chemokine gene expression in chicken embryos. *Poult Sci*. 92: 3134-3143. <http://dx.doi.org/10.3382/ps.2013-03332>.
- Boll, M; Weber, LW; Becker, E; Stampfl, A. (2001). Pathogenesis of carbon tetrachloride-induced hepatocyte injury bioactivation of CCl₄ by cytochrome P450 and effects on lipid homeostasis. *Z Naturforsch C Biosci*. 56: 111-121.
- Bonacci, JC; Myers, AL; Nongbri, G; Eagleton, LC. (1976). EVAPORATION AND CONDENSATION COEFFICIENT OF WATER, ICE AND CARBON-TETRACHLORIDE. *Chem Eng Sci*. 31: 609-617.
- Bonarowska, M; Kaszkur, Z; Kepinski, L; Karpinski, Z. (2010). Hydrodechlorination of tetrachloromethane on alumina- and silica-supported platinum catalysts. *Appl Catal B-Environ*. 99: 248-256. <http://dx.doi.org/10.1016/j.apcatb.2010.06.027>.
- Bonarowska, M; Kaszkur, Z; Lomot, D; Rawski, M; Karpinski, Z. (2015). Effect of gold on catalytic behavior of palladium catalysts in hydrodechlorination of tetrachloromethane. *Appl Catal B-Environ*. 162: 45-56. <http://dx.doi.org/10.1016/j.apcatb.2014.06.007>.
- Bonarowska, M; Machynskyy, O; Lomot, D; Kemnitz, E; Karpinski, Z. (2014). Supported palladium-copper catalysts: Preparation and catalytic behavior in hydrogen-related reactions. *Catalysis Today*. 235: 144-151. <http://dx.doi.org/10.1016/j.cattod.2014.01.029>.
- Bond, GC; Francisco, RC; Short, EL. (2007). Kinetics of hydrolysis of carbon tetrachloride by acidic solids. *Appl Catal A-Gen*. 329: 46-57. <http://dx.doi.org/10.1016/j.apcata.2007.06.025>.
- Bond, GG; Flores, GH; Shellenberger, RJ; Cartmill, JB; Fishbeck, WA; Cook, RR. (1986). Nested case-control study of lung cancer among chemical workers. *Am J Epidemiol*. 124: 53-66.
- Bonin, PML; Jedral, W; Odziemkowski, MS; Gillham, RW. (2000). Electrochemical and Raman spectroscopic studies of the influence of chlorinated solvents on the corrosion behaviour of iron in borate buffer and in simulated groundwater. *Corrosion Sci*. 42: 1921-1939.
- Bonin, PML; Odziemkowski, MS; Gillham, RW. (1998). Influence of chlorinated solvents on polarization and corrosion behaviour of iron in borate buffer. *Corrosion Sci*. 40: 1391-1409.
- Bontha, JR; Kaplan, DI. (1999). Immobilization or recovery of chlorinated hydrocarbons from contaminated groundwater using clathrate hydrates: A proof-of-concept. *Environ Sci Technol*. 33: 1051-1055.
- Boone, L; Meyer, D; Cusick, P; Ennulat, D; Bolliger, AP; Everds, N; Meador, V; Elliott, G; Honor, D; Bounous, D; Jordan, H. (2005). Selection and interpretation of clinical pathology indicators of hepatic injury in preclinical studies [Review]. *Vet Clin Pathol*. 34: 182-188. <http://dx.doi.org/10.1111/j.1939-165X.2005.tb00041.x>.
- Boopathy, R. (2002). Anaerobic biotransformation of carbon tetrachloride under various electron acceptor conditions. *Bioresour Technol*. 84: 69-73.
- Bootharaju, MS; Deepesh, GK; Udayabhaskararao, T; Pradeep, T. (2013). Atomically precise silver clusters for efficient chlorocarbon degradation. 1: 611-620. <http://dx.doi.org/10.1039/c2ta00254j>.
- Boparai, HK; Shea, PJ; Comfort, SD; Snow, DD. (2006). Dechlorinating chloroacetanilide herbicides by dithionite-treated aquifer sediment and surface soil. *Environ Sci Technol*. 40: 3043-3049. <http://dx.doi.org/10.1021/es051915m>.
- Borch, T; Ambus, P; Laturnus, F; Svensmark, B; Grøn, C. (2003). Biodegradation of chlorinated solvents in a water unsaturated topsoil. *Chemosphere*. 51: 143-152. [http://dx.doi.org/10.1016/S0045-6535\(02\)00851-2](http://dx.doi.org/10.1016/S0045-6535(02)00851-2).
- Borch, T; Kretzschmar, R; Kappler, A; Cappellen, PV; Ginder-Vogel, M; Voegelin, A; Campbell, K. (2009). Biogeochemical Redox Processes and their Impact on Contaminant Dynamics [Review]. *Environ Sci Technol*. 44: 15-23. <http://dx.doi.org/10.1021/es9026248>.
- Borek, V; Morra, MJ. (1998). Cyclic voltammetry of aquocobalamin on clay-modified electrodes. *Environ Sci Technol*. 32: 2149-2153.
- Bormashenko, E; Chaniel, G; Grynyov, R. (2013). Towards understanding hydrophobic recovery of plasma treated polymers: Storing in high polarity liquids suppresses hydrophobic recovery. *Appl Surf Sci*. 273: 549-553. <http://dx.doi.org/10.1016/j.apsusc.2013.02.078>.
- Boronina, T; Klabunde, KJ; Sergeev, G. (1995). DESTRUCTION OF ORGANOHALIDES IN WATER USING METAL PARTICLES - CARBON TETRACHLORIDE/WATER REACTIONS WITH MAGNESIUM, TIN, AND ZINC. *Environ Sci Technol*. 29: 1511-1517.
- Boronina, T; Klabunde, KJ; Sergeev, G. (1996). Destruction of organohalides in water using metal particles: Carbon tetrachloride water reactions with magnesium, tin, and zinc - Rebuttal. *Environ Sci Technol*. 30: 3645-3645.
- Boronina, TN; Lagadic, I; Sergeev, GB; Klabunde, KJ. (1998). Activated and nonactivated forms of zinc powder: Reactivity toward chlorocarbons in water and AFM studies of surface morphologies. *Environ Sci Technol*. 32: 2614-2622.

Exposure Literature Search Results

Off Topic

- Borsa, AG; Herring, AM; Mckinnon, JT; McCormick, RL; Ko, GH. (2001). Coke and byproduct formation during 1,2-dichloroethane pyrolysis in a laboratory tubular reactor. *Ind Eng Chem Res.* 40: 2428-2436.
- Bosse, D; Bart, HJ. (2005). Measurement of diffusion coefficients in thermodynamically nonideal systems. *Journal of Chemical and Engineering Data.* 50: 1525-1528. <http://dx.doi.org/10.1021/je0497303>.
- Botsoglou, NA; Taitzoglou, IA; Botsoglou, E; Lavrentiadou, SN; Kokoli, AN; Roubies, N. (2008). Effect of long-term dietary administration of oregano on the alleviation of carbon tetrachloride-induced oxidative stress in rats. *J Agric Food Chem.* 56: 6287-6293. <http://dx.doi.org/10.1021/jf8003652>.
- Botsoglou, NA; Taitzoglou, IA; Botsoglou, E; Zervos, I; Kokoli, A; Christaki, E; Nikolaidis, E. (2009). Effect of long-term dietary administration of oregano and rosemary on the antioxidant status of rat serum, liver, kidney and heart after carbon tetrachloride-induced oxidative stress. *J Sci Food Agric.* 89: 1397-1406. <http://dx.doi.org/10.1002/jsfa.3601>.
- Boukherroub, R; Wayne, DDM; Sproule, GI; Lockwood, DJ; Canham, LT. (2001). Stability enhancement of partially-oxidized porous silicon nanostructures modified with ethyl undecylenate. *Nano Lett.* 1: 713-717. <http://dx.doi.org/10.1021/nl010061a>.
- Boutelet-Bochan, H; Huang, Y; Juchau, MR. (1997). Expression of CYP2E1 during embryogenesis and fetogenesis in human cephalic tissues: Implications for the fetal alcohol syndrome. *Biochem Biophys Res Commun.* 238: 443-447. <http://dx.doi.org/10.1006/bbrc.1997.7296>.
- Bove, FJ; Fulcomer, MC; Klotz, JB; Esmart, J; Dufficy, EM; JE, S. (1992). Population-based surveillance and etiologic research of adverse reproductive outcomes and toxic wastes. Report on phase IV-B: Public drinking water contamination and birth weight, fetal deaths, and birth defects. A case-control study. Trenton, New Jersey: New Jersey Department of Health.
- Bove, FJ; Fulcomer, MC; Klotz, JB; Esmart, J; Dufficy, EM; Savrin, JE. (1992). Population-based surveillance and etiological research of adverse reproductive outcomes and toxic wastes. Report on phase IV-A: Public drinking water contamination and birth weight, fetal deaths, and birth defects. A cross-sectional study. Trenton, New Jersey: New Jersey Department of Health.
- Bower, DH. (1982). PLANAR PLASMA-ETCHING OF POLYSILICON USING CCL4 AND NF3. *J Electrochem Soc.* 129: 795-799.
- Boyes, WK; Bushnell, PJ; Crofton, KM; Evans, M; Simmons, JE. (2000). Neurotoxic and pharmacokinetic responses to trichloroethylene as a function of exposure scenario [Review]. *Environ Health Perspect.* 108: 317-322.
- Bozhkov, O; Tzvetkova, C; Russeva, E. (2006). Distribution and determination of Pb, Cd, Bi and Cu in the sea brine system: Solution-colloidal particles-biota. *Ann Chim.* 96: 435-442.
- Brahmachary, RL; Ghosh, M. (2002). Vaginal pheromone and other compounds in mung-bean aroma. *Journal of Sci Ind Res.* 61: 625-629.
- Brambilla, G; Carlo, P; Finollo, R; Bignone, FA; Ledda, A; Cajelli, E. (1983). Viscometric detection of liver DNA fragmentation in rats treated with minimal doses of chemical carcinogens. *Cancer Res.* 43: 202-209.
- Brams, A; Buchet, JP; Crutzen-Fayt, MC; De Meester, C; Lauwerys, R; Leonard, A. (1987). A comparative study, with 40 chemicals, of the efficiency of the Salmonella assay and the SOS chromotest (kit procedure). *Toxicol Lett.* 38: 123-133.
- Branca, C; Magazu, V; Mangione, A; Migliardo, F; Romeo, G. (2004). Photon correlation spectroscopy and small angle neutron scattering studies on fullerene in solution. *Diam Relat Mater.* 13: 1333-1336. <http://dx.doi.org/10.1016/j.diamond.2003.11.049>.
- Branton, PJ; Reynolds, PA; Studer, A; Sing, KSW; White, JW. (1999). Adsorption of carbon tetrachloride by 3.4 nm pore diameter siliceous MCM-41: Isotherms and neutron diffraction. *Adsorption.* 5: 91-96.
- Braus-Stromeyer, SA; Cook, AM; Leisinger, T. (1993). Biotransformation of chloromethane to methanethiol. *Environ Sci Technol.* 27: 1577-1579.
- Brautbar, N; Williams, J. (2002). Industrial solvents and liver toxicity: Risk assessment, risk factors and mechanisms [Review]. *Int J Hyg Environ Health.* 205: 479-491. <http://dx.doi.org/10.1078/1438-4639-00175>.
- Bravo, E; D'Amore, E; Ciaffoni, F; Mammola, CL. (2012). Evaluation of the spontaneous reversibility of carbon tetrachloride-induced liver cirrhosis in rabbits. *Lab Anim.* 46: 122-128. <http://dx.doi.org/10.1258/la.2012.011035>.
- Breiland, WG; Coltrin, ME; Creighton, JR; Hou, HQ; Moffat, HK; Tsao, JY. (1999). Organometallic vapor phase epitaxy (OMVPE). *Mater Sci Eng R.* 24: 241-274.
- Breitbarth, FW; Tiller, HJ; Reinhardt, R. (1985). PLASMA-CHEMICAL REACTIONS IN WEAKLY DECOMPOSED CCL4. *Plasma Chemistry and Plasma Processing.* 5: 293-316.
- Brennan, BJ; Keirstead, AE; Liddell, PA; Vail, SA; Moore, TA; Moore, AL; Gust, D. (2009). 1-(3'-Amino)propylsilatrane derivatives as covalent surface linkers to nanoparticulate metal oxide films for use in photoelectrochemical cells. *Nanotechnology.* 20: 505203. <http://dx.doi.org/10.1088/0957-4484/20/50/505203>.
- Brewer, GD. (2009). Science and Decisions Advancing Risk Assessment. *Science.* 325: 1075-1076. <http://dx.doi.org/10.1126/science.1175150>.
- Briggs, DN; Bong, G; Leong, E; Oei, K; Lestari, G; Bell, AT. (2010). Effects of support composition and pretreatment on the activity and selectivity of carbon-supported PdCuClx catalysts for the synthesis of diethyl carbonate. *J Catal.* 276: 215-228. <http://dx.doi.org/10.1016/j.jcat.2010.08.004>.
- Brocchi, EA; Moura, FJ. (2008). Chlorination methods applied to recover refractory metals from tin slags. *Miner Eng.* 21: 150-156. <http://dx.doi.org/10.1016/j.mineng.2007.08.011>.
- Brockel, U; Loffler, F. (1991). EFFECT OF THE WATER-CONTENT OF ORGANIC FLUIDS ON THE AGGLOMERATION OF GLASS PARTICLES. *Powder Technology.* 66: 53-58.
- Brocos, P; Pineiro, A; Bravo, R; Amigo, A; Roux, AH; Roux-Desgranges, G. (2002). Thermodynamics of mixtures involving some linear or cyclic ketones and cyclic ethers. 1. Systems containing tetrahydrofuran. *Journal of Chemical and Engineering Data.* 47: 351-358. <http://dx.doi.org/10.1021/je010258k>.
- Broholm, K; Feenstra, S. (1995). Laboratory measurements of the aqueous solubility of mixtures of chlorinated solvents. *Environ Toxicol Chem.* 14: 9-15.

Exposure Literature Search Results

Off Topic

- Bromberg, L, et; Pomerantz, N; Schreuder-Gibson, H; Hatton, TA. (2014). Degradation of Chemical Threats by Brominated Polymer Networks. *Ind Eng Chem Res.* 53: 18761-18774. <http://dx.doi.org/10.1021/ie501055g>.
- Brown, AT; Volk, CM; Schoeberl, MR; Boone, CD; Bernath, PF. (2013). Stratospheric lifetimes of CFC-12, CCl₄, CH₄, CH₃Cl and N₂O from measurements made by the Atmospheric Chemistry Experiment-Fourier Transform Spectrometer (ACE-FTS). *Atmos Chem Phys.* 13: 6921-6950. <http://dx.doi.org/10.5194/acp-13-6921-2013>.
- Brown, KW; Thomas, JC; Whitney, F. (1997). Fate of volatile organic compounds and pesticides in composted municipal solid waste. *Compost Science and Utilization.* 5: 6-14.
- Brown, PD; Morra, MJ. (1991). ION CHROMATOGRAPHIC DETERMINATION OF SCN⁻ IN SOILS. *J Agric Food Chem.* 39: 1226-1228.
- Brown, PD; Morra, MJ; Mccaffrey, JP; Auld, DL; Williams, L. (1991). ALLELOCHEMICALS PRODUCED DURING GLUCOSINOLATE DEGRADATION IN SOIL. *J Chem Ecol.* 17: 2021-2034.
- Brown, RP; Delp, MD; Lindstedt, SL; Rhombert, LR; Beliles, RP. (1997). Physiological parameter values for physiologically based pharmacokinetic models [Review]. *Toxicol Ind Health.* 13: 407-484. <http://dx.doi.org/10.1177/074823379701300401>.
- Bruce, I, anE; Mehta, L; Porter, MJ; Stein, BK; Tyman, JHP. (2009). Anionic Surfactants Synthesised from Replenishable Phenolic Lipids. *Journal of Surfactants and Detergents.* 12: 337-344. <http://dx.doi.org/10.1007/s11743-009-1116-8>.
- Brunke, EG; Labuschagne, C; Scheel, HE. (2001). Trace gas variations at Cape Point, South Africa, during May 1997 following a regional biomass burning episode. *Atmos Environ.* 35: 777-786.
- Brunt, EM; Tiniakos, DG. (2002). Pathology of steatohepatitis [Review]. *Best Pract Res Clin Gastroenterol.* 16: 691-707. <http://dx.doi.org/10.1053/bega.2002.0326>.
- Brusseau, ML; Schnaar, G; Johnson, GR; Russo, AE. (2012). Nonideal transport of contaminants in heterogeneous porous media: 10. Impact of co-solutes on sorption by porous media with low organic-carbon contents. *Chemosphere.* 89: 1302-1306. <http://dx.doi.org/10.1016/j.chemosphere.2012.05.027>.
- Brusseau, ML; Srivastava, R. (1997). Nonideal transport of reactive solutes in heterogeneous porous media - 2. Quantitative analysis of the Borden natural-gradient field experiment. *J Contam Hydrol.* 28: 115-155.
- Bryndzia, LT. (1996). Destruction of organohalides in water using metal particles: Carbon tetrachloride water reactions with magnesium, tin, and zinc - Comment. *Environ Sci Technol.* 30: 3642-3644.
- Brzezinski, MR; Boutelet-Bochan, H; Person, RE; Fantel, AG; Juchau, MR. (1999). Catalytic activity and quantitation of cytochrome P-450 2E1 in prenatal human brain. *J Pharmacol Exp Ther.* 289: 1648-1653.
- Buchan, NI; Kuech, TF; Scilla, G; Cardone, F. (1991). CARBON INCORPORATION IN METALORGANIC VAPOR-PHASE EPITAXY GROWN GaAs USING CHYX4-Y, TMG AND ASH3. *J Cryst Growth.* 110: 405-414.
- Buchholz, A; Laskov, C; Haderlein, SB. (2011). Effects of Zwitterionic buffers on sorption of ferrous iron at goethite and its oxidation by CCl₄. *Environ Sci Technol.* 45: 3355-3360. <http://dx.doi.org/10.1021/es103172c>.
- Buchholz, BA; Nunez, L; Vandegrift, GF. (1996). Effect of alpha-radiolysis on TRUEX-NPH solvent. *Separation Science and Technology.* 31: 2231-2243.
- Budarin, VL; Clark, JH; Mikhailovsky, SV; Gorlova, AA; Boldyreva, NA; Yatsimirsky, VK. (2000). The hydrophobisation of activated carbon surfaces by organic functional groups. *AST.* 18: 55-64.
- Bulaev, PV; Marmalyuk, AA; Padalitsa, AA; Nikitin, DB; Zalevsky, ID; Kapitonov, VA; Nikolaev, DN; Pikhtin, NA; Lyutetskiy, AV; Tarasov, IS. (2003). Comparison of carbon and zinc p-clad doped LP MOCVD grown InGaAs/AlGaAs low divergence high-power laser heterostructures. *J Cryst Growth.* 248: 114-118.
- Bull, RJ; Sasser, LB; Lei, XC. (2004). Interactions in the tumor-promoting activity of carbon tetrachloride, trichloroacetate, and dichloroacetate in the liver of male B6C3F1 mice. *Toxicology.* 199: 169-183. <http://dx.doi.org/10.1016/j.tox.2004.02.018>.
- Bulusheva, LG; Arkhipov, VE; Fedorovskaya, EO; Zhang, S, u; Kurennya, AG; Kanygin, MA; Asanov, IP; Tsygankova, AR; Chen, X; Song, H; Okotrub, AV. (2016). Fabrication of free-standing aligned multiwalled carbon nanotube array for Li-ion batteries. *J Power Sources.* 311: 42-48. <http://dx.doi.org/10.1016/j.jpowsour.2016.02.036>.
- Burch, R; Chalker, S; Hibble, SJ. (1993). THE ROLE OF CHLORINE IN THE PARTIAL OXIDATION OF METHANE TO ETHENE ON MGO CATALYSTS. *Appl Catal A-Gen.* 96: 289-303.
- Burch, R; Chalker, S; Loader, P; Iariss, H; Tetenyi, P; Ragaini, V; Joyner, RW; Lunsford, JH; Bordes, E; Moffat, JB. (1993). THE MECHANISM OF ALKANE OXIDATIVE DEHYDROGENATION ON CHLORIDE AND OXYCHLORIDE CATALYSTS. *Stud Surf Sci Catal.* 75: 1079-1092.
- Burg, P; Selves, JL; Colin, JP. (1997). Crude oils: Modelling from chromatographic data - A new tool for classification. *Fuel.* 76: 85-91.
- Burgos, WD; Royer, RA; Fang, YL; Yeh, GT; Fisher, AS; Jeon, BH; Dempsey, BA. (2002). Theoretical and experimental considerations related to reaction-based modeling: A case study using iron(III) oxide bioreduction. *Geomicrobiology Journal.* 19: 253-287.
- Burke, AS; Redeker, K; Kurten, RC; James, LP; Hinson, JA. (2007). Mechanisms of chloroform-induced hepatotoxicity: oxidative stress and mitochondrial permeability transition in freshly isolated mouse hepatocytes. *J Toxicol Environ Health A.* 70: 1936-1945. <http://dx.doi.org/10.1080/15287390701551399>.
- Burke, DA; Wedd, DJ; Herriott, D; Bayliss, MK; Spalding, DJM; Wilcox, P. (1994). Evaluation of pyrazole and ethanol induced S9 fraction in bacterial mutagenicity testing. *Mutagenesis.* 9: 23-29.
- Burkhart, KK; Hall, AH; Gerace, R; Rumack, BH. (1991). HYPERBARIC-OXYGEN TREATMENT FOR CARBON-TETRACHLORIDE POISONING. *Drug Saf.* 6: 332-338.
- Burns, SA; Valint, PL, Jr; Gardella, JA, Jr. (2009). Determination of Critical Micelle Concentration of Aerosol-OT Using Time-of-Flight Secondary Ion Mass Spectrometry Fragmentation Ion Patterns. *Langmuir.* 25: 11244-11249. <http://dx.doi.org/10.1021/la902343r>.

Exposure Literature Search Results

Off Topic

- Burris, DR; Delcomyn, CA; Deng, B; Buck, LE; Hatfield, K. (1998). Kinetics of tetrachloroethylene-reductive dechlorination catalyzed by vitamin B12. *Environ Toxicol Chem.* 17: 1681-1688.
- Burris, DR; Delcomyn, CA; Smith, MH; Roberts, AL. (1996). Reductive dechlorination of tetrachloroethylene and trichloroethylene catalyzed by vitamin B12 in homogeneous and heterogeneous systems. *Environ Sci Technol.* 30: 3047-3052.
- Burton, RH; Smolinsky, G. (1982). CCL4 AND CL-2 PLASMA-ETCHING OF III-V-SEMICONDUCTORS AND THE ROLE OF ADDED O-2. *J Electrochem Soc.* 129: 1599-1604.
- Buschmann, J; Angst, W; Schwarzenbach, RP. (1999). Iron porphyrin and cysteine mediated reduction of ten polyhalogenated methanes in homogeneous aqueous solution: Product analyses and mechanistic considerations. *Environ Sci Technol.* 33: 1015-1020.
- Bussan, AL; Strathmann, TJ. (2007). Influence of organic ligands on the reduction of polyhalogenated alkanes by Iron(II). *Environ Sci Technol.* 41: 6740-6747. <http://dx.doi.org/10.1021/es071108i>.
- Buszewski, B; Ligor, T. (2001). Application of different extraction methods for the quality control of water. *Water Air Soil Pollut.* 129: 155-165.
- Butler, EC; Chen, L; Darlington, R. (2013). Transformation of Trichloroethylene to Predominantly Non-Regulated Products under Stimulated Sulfate Reducing Conditions. *Ground Water Monitoring and Remediation.* 33: 52-60. <http://dx.doi.org/10.1111/gwmr.12015>.
- Butler, EC; Hayes, KF. (1998). Effects of solution composition and pH on the reductive dechlorination of hexachloroethane by iron sulfide. *Environ Sci Technol.* 32: 1276-1284.
- Butler, EC; Hayes, KF. (2000). Kinetics of the transformation of halogenated aliphatic compounds by iron sulfide. *Environ Sci Technol.* 34: 422-429.
- Butler, EC; Hayes, KF. (2001). Factors influencing rates and products in the transformation of trichloroethylene by iron sulfide and iron metal. *Environ Sci Technol.* 35: 3884-3891. <http://dx.doi.org/10.1021/es010620f>.
- Butler, JH; Yvon-Lewis, SA; Lobert, JM; King, DB; Montzka, SA; Bullister, JL; Koropalov, V; Elkins, JW; Hall, BD; Hu, L, ei; Liu, Y. (2016). A comprehensive estimate for loss of atmospheric carbon tetrachloride (CCl4) to the ocean. *Atmos Chem Phys.* 16: 10899-10910. <http://dx.doi.org/10.5194/acp-16-10899-2016>.
- Butterworth, BE; Smith-Oliver, T; Earle, L; Loury, DJ; White, RD; Doolittle, DJ; Working, PK; Cattley, RC; Jirtle, R; Michalopoulos, G; Strom, S. (1989). Use of primary cultures of human hepatocytes in toxicology studies. *Cancer Res.* 49: 1075-1084.
- Buttinelli, D; Lavecchia, R; Pochetti, F; Geveci, A; Guresin, N; Topkaya, Y. (1992). LEACHING BY FERRIC SULFATE OF RAW AND CONCENTRATED COPPER-ZINC COMPLEX SULFIDE ORES. *Int J Miner Process.* 36: 245-257.
- Cabbar, HC. (1999). Effects of humidity and soil organic matter on the sorption of chlorinated methanes in synthetic humic-clay complexes. *J Hazard Mater.* 68: 217-226.
- Cabbar, HC; Bostanci, A. (2001). Moisture effect on the transport of organic vapors in sand. *J Hazard Mater.* 82: 313-322.
- Cabbar, HC; Varol, N; McCoy, BJ. (1998). Sorption and diffusion of chlorinated methanes in moist clay. *AIChE J.* 44: 1351-1355.
- Cabirol, N; Perrier, J; Jacob, F; Fouillet, B; Chambon, P. (1996). Role of methanogenic and sulfate-reducing bacteria in the reductive dechlorination of tetrachloroethylene in mixed culture. *Bull Environ Contam Toxicol.* 56: 817-824.
- Cabrera, MI; Alfano, OM; Cassano, AE. (1991). NONISOTHERMAL PHOTOCHEMICAL CHLORINATION OF METHYL-CHLORIDE IN THE LIQUID-PHASE. *AIChE J.* 37: 1471-1484.
- Cai, S; Dudhia, A, nu. (2013). Analysis of new species retrieved from MIPAS. *Annals of Geophysics.* 56. <http://dx.doi.org/10.4401/ag-6340>.
- Cai, TX; Qu, JP; Wong, SQ; Song, ZY; Min, H. (1993). CHLORINATED ALUMINA AND ITS CATALYTIC BEHAVIOR IN SELECTIVE POLYMERIZATION OF ISOBUTENE. *Appl Catal A-Gen.* 97: 113-122.
- Cakmak, G; Togan, I; Severcan, F. (2006). 17Beta-estradiol induced compositional, structural and functional changes in rainbow trout liver, revealed by FT-IR spectroscopy: a comparative study with nonylphenol. *Aquat Toxicol.* 77: 53-63. <http://dx.doi.org/10.1016/j.aquatox.2005.10.015>.
- Calabrese, EJ; Leonard, DA; Baldwin, LA. (1994). TISSUE-REPAIR - A CRITICAL DETERMINANT IN CCL4 HEPATOTOXICITY. *Ecotoxicol Environ Saf.* 27: 105-106.
- Caldwell, JC; Keshava, N; Evans, MV. (2008). Difficulty of mode of action determination for trichloroethylene: An example of complex interactions of metabolites and other chemical exposures [Review]. *Environ Mol Mutagen.* 49: 142-154. <http://dx.doi.org/10.1002/em.20350>.
- Calza, P; Minero, C; Pelizzetti, E. (1997). Photocatalytically assisted hydrolysis of chlorinated methanes under anaerobic conditions. *Environ Sci Technol.* 31: 2198-2203.
- Camaioni, DM; Ginovska, B; Dupuis, M. (2009). Modeling the Reaction of Fe Atoms with CCl4. *J Phys Chem C.* 113: 1830-1836. <http://dx.doi.org/10.1021/jp807604f>.
- Campbell, I; Saricilar, S; Hoare, IC; Bhargava, SK. (1992). EFFECT OF SULFUR ON THE OXIDATIVE COUPLING OF METHANE OVER A LANTHANA CATALYST. *Appl Catal A-Gen.* 82: 13-30.
- Campos-Pineda, M; Acuna-Askar, K; Martinez-Guel, JA; Mas-Trevino, M; Tijerina-Menchaca, R; Maria Martinez, L, uz; Videa, M; Parra-Saldivar, R. (2012). Time and cost efficient biodegradation of diesel in a continuous-upflow packed bed biofilm reactor and effect of surfactant GAELE. *J Chem Tech Biotechnol.* 87: 1131-1140. <http://dx.doi.org/10.1002/jctb.3736>.
- Cantillana, T; Sundstrom, M; Bergman, A. (2009). Synthesis of 2-(4-chlorophenyl)-2-(4-chloro-3-thiophenyl)-1,1-dichloroethene (3-SH-DDE) via Newman-Kwart rearrangement - A precursor for synthesis of radiolabeled and unlabeled alkylsulfonyl-DDEs. *Chemosphere.* 76: 805-810. <http://dx.doi.org/10.1016/j.chemosphere.2009.04.042>.
- Cantor, KP; Stewart, PA; Brinton, LA; Dosemeci, M. (1995). Occupational exposures and female breast cancer mortality in the United States. *J Occup Environ Med.* 37: 336-348. <http://dx.doi.org/10.1097/00043764-199503000-00011>.

Exposure Literature Search Results

Off Topic

- Cao, DP; Shen, ZG; Chen, JF; Zhang, XR. (2004). Experiment, molecular simulation and density functional theory for investigation of fluid confined in MCM-41. *Microporous and Mesoporous Materials*. 67: 159-166. <http://dx.doi.org/10.1016/j.micromeso.2003.11.001>.
- Cao, DP; Wang, WC; Shen, ZG; Chen, JF. (2002). Determination of pore size distribution and adsorption of methane and CCl₄ on activated carbon by molecular simulation. *Carbon*. 40: 2359-2365.
- Cao, F; Liu, TX; Wu, CY; Li, FB; Li, XM; Yu, HY; Tong, H; Chen, MJ. (2012). Enhanced biotransformation of DDTs by an iron- and humic-reducing bacteria *Aeromonas hydrophila* HS01 upon addition of goethite and anthraquinone-2,6-disulphonic disodium salt (AQDS). *J Agric Food Chem*. 60: 11238-11244. <http://dx.doi.org/10.1021/jf303610w>.
- Cao, J; Chen, J, in; Zhang, K; Shen, Q, i; Zhang, Y. (2006). A novel Fe catalyst FeCl₂ center dot 4H(2)O/hexamethylphosphoric triamide for the ATRP of MMA. *Appl Catal A-Gen*. 311: 76-78. <http://dx.doi.org/10.1016/j.apcata.2006.06.005>.
- Cao, L; Ding, W; Du, J; Jia, R; Liu, Y; Zhao, C; Shen, Y; Yin, G. (2015). Effects of curcumin on antioxidative activities and cytokine production in Jian carp (*Cyprinus carpio* var. Jian) with CCl₄-induced liver damage. *Fish Shellfish Immunol*. 43: 150-157. <http://dx.doi.org/10.1016/j.fsi.2014.12.025>.
- Cao, L; Du, J; Ding, W; Jia, R, ui; Liu, Y; Xu, P, ao; Teraoka, H; Yin, G. (2016). Hepatoprotective and antioxidant effects of dietary *Angelica sinensis* extract against carbon tetrachloride-induced hepatic injury in Jian Carp (*Cyprinus carpio* var. Jian). *Aquaculture Research*. 47: 1852-1863. <http://dx.doi.org/10.1111/are.12643>.
- Cao, X; Lattao, C; Schmidt-Rohr, K; Mao, J; Pignatello, JJ. (2016). Investigation of sorbate-induced plasticization of Pahokee peat by solid-state NMR spectroscopy. *Journal of Soils and Sediments*. 16: 1841-1848. <http://dx.doi.org/10.1007/s11368-016-1378-5>.
- Capan, I; Ilhan, B. (2015). Gas sensing properties of mixed stearic acid/phthalocyanine LB thin films investigated using QCM and SPR. *J Optoelect Adv Mater*. 17: 456-461.
- Cappelletti, D; Candori, P; Pirani, F; Belpassi, L; Tarantelli, F. (2011). Nature and Stability of Weak Halogen Bonds in the Gas Phase: Molecular Beam Scattering Experiments and Ab Initio Charge Displacement Calculations. *Cryst Growth Des*. 11: 4279-4283. <http://dx.doi.org/10.1021/cg200890h>.
- Cardenas, E; Arato, A; Perez-Tijerina, E; Das Roy, TK; Castillo, GA; Krishnan, B. (2009). Carbon-doped Sb₂S₃ thin films: Structural, optical and electrical properties. *Solar Energy Materials and Solar Cells*. 93: 33-36. <http://dx.doi.org/10.1016/j.solmat.2008.02.026>.
- Cardillo, P; Girelli, A. (1984). ANALYSIS OF THE THERMAL-STABILITY OF DIMETHYLFORMAMIDE-CARBON TETRACHLORIDE MIXTURES. *Ann Chim*. 74: 129-133.
- Carlson, NR; Papanastasiou, DK; Fleming, EL; Jackman, CH; Newman, PA; Burkholder, JB. (2010). UV absorption cross sections of nitrous oxide (N₂O) and carbon tetrachloride (CCl₄) between 210 and 350 K and the atmospheric implications. *Atmos Chem Phys*. 10: 6137-6149. <http://dx.doi.org/10.5194/acp-10-6137-2010>.
- Carlson, DL; Mcguire, MM; Roberts, AL; Fairbrother, DH. (2003). Influence of surface composition on the kinetics of aalachlor reduction by iron pyrite. *Environ Sci Technol*. 37: 2394-2399. <http://dx.doi.org/10.1021/es0262028>.
- Carlson, GP. (1989). Effect of ethanol, carbon tetrachloride, and methyl ethyl ketone on butanol oxidase activity in rat lung and liver. *J Toxicol Environ Health*. 27: 255-261.
- Carnes, CL; Kapoor, PN; Klabunde, KJ; Bonevich, J. (2002). Synthesis, characterization, and adsorption studies of nanocrystalline aluminum oxide and a bimetallic nanocrystalline aluminum oxide/magnesium oxide. *Chem Mater*. 14: 2922-2929. <http://dx.doi.org/10.1021/cm011590i>.
- Carnes, CL; Klabunde, KJ. (2000). Synthesis, isolation, and chemical reactivity studies of nanocrystalline zinc oxide. *Langmuir*. 16: 3764-3772.
- Carnes, CL; Stipp, J; Klabunde, KJ. (2002). Synthesis, characterization, and adsorption studies of nanocrystalline copper oxide and nickel oxide. *Langmuir*. 18: 1352-1359. <http://dx.doi.org/10.1021/la010701p>.
- Carpenter, SP; Lasker, JM; Raucy, JL. (1996). Expression, induction, and catalytic activity of the ethanol-inducible cytochrome P450 (CYP2E1) in human fetal liver and hepatocytes. *Mol Pharmacol*. 49: 260-268.
- Carta, R; Loddo, L. (2002). Effect of microwave radiation on the acetate-catalyzed hydrolysis of phenyl acetate at 25 degrees C. *Ind Eng Chem Res*. 41: 5912-5917. <http://dx.doi.org/10.1021/ie020304p>.
- Carvalho, PJ; Ferreira, A, naR; Oliveira, MB; Besnard, M; Cabaco, MI; Coutinho, JAP. (2011). High Pressure Phase Behavior of Carbon Dioxide in Carbon Disulfide and Carbon Tetrachloride. *Journal of Chemical and Engineering Data*. 56: 2786-2792. <http://dx.doi.org/10.1021/je101225a>.
- Casella, G; George, E. (1992). Explaining the Gibbs sampler. *Am Stat*. 46: 167-174. <http://dx.doi.org/10.2307/2685208>.
- Casillas, E; Myers, M; Ames, WE. (1983). RELATIONSHIP OF SERUM CHEMISTRY VALUES TO LIVER AND KIDNEY HISTOPATHOLOGY IN ENGLISH SOLE (*PAROPHRYS-VETULUS*) AFTER ACUTE EXPOSURE TO CARBON-TETRACHLORIDE. *Aquat Toxicol*. 3: 61-78.
- Castaldi, MJ; Senkan, SM. (1996). Chemical structures of fuel-rich flames of trans-C₂H₂Cl₂/CH₄/Ar/O₂ mixtures. *Combust Flame*. 104: 41-50.
- Castelbaum, D; Olson, MR; Sale, TC; Shackelford, CD. (2011). Laboratory Apparatus and Procedures for Preparing Test Specimens of Slurry Mixed Soils. *Geotechnical Testing Journal*. 34: 18-26.
- Castellanos, A, lyJ; Toro-Mendoza, J; Urbina-Villalba, G; Garcia-Sucre, M. (2007). Use of the Law of Corresponding States for the evaluation of surface properties of pure compounds and binary systems. *Fluid Phase Equilibria*. 262: 87-96. <http://dx.doi.org/10.1016/j.fluid.2007.08.012>.
- Castro, CE; Helvenston, MC; Belser, NO. (1994). BIODEHALOGENATION, REDUCTIVE DEHALOGENATION BY METHANOBACTERIUM-THERMOAUTOTROPHICUM - COMPARISON WITH NICKEL(I)OCTAETHYLISOBACTERIOCHLORIN ANION - AN F-430 MODEL. *Environ Toxicol Chem*. 13: 429-433.
- Castro, GD; Simpson, JT; Castro, JA. (1994). Interaction of trichloromethyl free radicals with thymine in a model system: a mass spectrometric study. *Chem Biol Interact*. 90: 13-22.

Exposure Literature Search Results

Off Topic

- Castro, MP; de Moraes, FR; Fujimoto, RY; da Cruz, C; de Andrade Belo, MA; de Moraes, J. R. (2014). Acute Toxicity by Water Containing Hexavalent or Trivalent Chromium in Native Brazilian Fish, *Piaractus mesopotamicus*: Anatomopathological Alterations and Mortality. *Bull Environ Contam Toxicol*. 92: 213-219. <http://dx.doi.org/10.1007/s00128-013-1174-5>.
- Cataldo, F. (2000). On the action of ultraviolet light on C-70 fullerene. *Fullerene Sci Technol*. 8: 39-45.
- Cataldo, F. (2002). Polymeric fullerene oxide (fullerene ozopolymers) produced by prolonged ozonation of C-60 and C-70 fullerenes. *Carbon*. 40: 1457-1467.
- Cataldo, F. (2005). Soot and other products formation from the submerged carbon arc in halogenated solvents. *Fullerenes, Nanotubes, and Carbon Nanostructures*. 13: 239-257. <http://dx.doi.org/10.1081/FST-20056248>.
- Cataldo, F; Gobbino, M; Ragni, P. (2007). Radiation-induced trichloromethylation of C-60 fullerene in carbon tetrachloride. *Fullerenes, Nanotubes, and Carbon Nanostructures*. 15: 379-393. <http://dx.doi.org/10.1080/15363830701512716>.
- Cataldo, F; Heymann, D. (1999). Effects of intense ultrasound treatment of C-60 solutions. *Fullerene Sci Technol*. 7: 725-732.
- Cataldo, F; Ragni, P; Pentimalli, M. (2000). Effects of gamma radiation on C-60 fullerene in CCl₄ solution. *Fullerene Sci Technol*. 8: 623-631.
- Cataldo, F; Ursini, O; Ragni, P. (2013). Fullerene C-60 Trichloromethylation Through CCl₄ Plasmalysis or Sonolysis. *Plasma Chemistry and Plasma Processing*. 33: 355-365. <http://dx.doi.org/10.1007/s11090-012-9417-5>.
- Cebovic, T; Spasic, S; Popovic, M; Borota, J; Leposavic, G. (2006). The European mistletoe (*Viscum album* L.) grown on plums extract inhibits CCL₄-induced liver damage in rats. *Fresen Environ Bull*. 15: 393-400.
- Celik, A; Yildiz, N; Calimli, A. (1999). Sorption characteristics of organic compounds on three hexadecyltrimethylammonium-smectites having different cation exchange capacities. 15: 349-362.
- Celik, A; Yildiz, N; Calimli, A. (2000). Adsorption of some organic compounds by hexadecyltrimethylammonium-bentonite. 16: 301-309.
- Centeno, TA; Fernandez, JA; Stoeckli, F. (2008). Correlation between heats of immersion and limiting capacitances in porous carbons. *Carbon*. 46: 1025-1030. <http://dx.doi.org/10.1016/j.carbon.2008.03.005>.
- Cervantes, FJ; Duong-Dac, T; Roest, K; Akkermans, ADL; Lettinga, G; Field, JA. (2003). Enrichment and immobilization of quinone-respiring bacteria in anaerobic granular sludge. *Water Sci Technol*. 48: 9-16.
- Cervantes, FJ; Garcia-Espinosa, A; Moreno-Reynosa, MA; Rangel-Mendez, JR. (2010). Immobilized redox mediators on anion exchange resins and their role on the reductive decolorization of azo dyes. *Environ Sci Technol*. 44: 1747-1753. <http://dx.doi.org/10.1021/es9027919>.
- Cervantes, FJ; Gonzalez-Estrella, J; Márquez, A; Alvarez, LH; Arriaga, S. (2011). Immobilized humic substances on an anion exchange resin and their role on the redox biotransformation of contaminants. *Bioresour Technol*. 102: 2097-2100. <http://dx.doi.org/10.1016/j.biortech.2010.08.021>.
- Cervini-Silva, J. (2003). Linear free-energy relationship analysis of the fate of chlorinated 1-and 2-carbon compounds by redox-manipulated smectite clay minerals. *Environ Toxicol Chem*. 22: 2298-2305.
- Cervini-Silva, J; Kostka, JE; Larson, RA; Stucki, JW; Wu, J. (2003). Dehydrochlorination of 1,1,1-trichloroethane and pentachloroethane by microbially reduced ferruginous smectite. *Environ Toxicol Chem*. 22: 1046-1050.
- Cervini-Silva, J; Larson, RA; Wu, J; Stucki, JW. (2001). Transformation of chlorinated aliphatic compounds by ferruginous smectite. *Environ Sci Technol*. 35: 805-809.
- Chahboun, A; Baidus, NV; Demina, PB; Zvonkov, BN; Gomes, MJM; Cavaco, A; Sobole, NA; Carmo, MC; Vasilevskiy, MI. (2006). Influence of matrix defects on the photoluminescence of InAs self-assembled quantum dots. 203: 1348-1352. <http://dx.doi.org/10.1002/pssa.200566160>.
- Chan, CCH; Mundle, SOC; Eckert, T; Liang, X; Tang, S; Lacrampe-Couloume, G; Edwards, EA; Lollar, BS. (2012). Large Carbon Isotope Fractionation during Biodegradation of Chloroform by Dehalobacter Cultures. *Environ Sci Technol*. 46: 10154-10160. <http://dx.doi.org/10.1021/es3010317>.
- Chan, CY; Tang, JH; Li, YS; Chan, LY. (2006). Mixing ratios and sources of halocarbons in urban, semi-urban and rural sites of the Pearl River Delta, South China. *Atmos Environ*. 40: 7331-7345. <http://dx.doi.org/10.1016/j.atmosenv.2006.06.041>.
- Chan, WH; Sun, WZ; Ueng, TH. (2005). Induction of rat hepatic cytochrome P-450 by ketamine and its toxicological implications. *J Toxicol Environ Health A*. 68: 1581-1597. <http://dx.doi.org/10.1080/15287390590967522>.
- Chan, YC; Chang, SC; Liu, SY; Yang, HL; Hseu, YC; Liao, JW. (2010). Beneficial effects of yam on carbon tetrachloride-induced hepatic fibrosis in rats. *J Sci Food Agric*. 90: 161-167. <http://dx.doi.org/10.1002/jsfa.3801>.
- Chang, YC; Kikuchi, S; Kawauchi, N; Sato, T; Takamizawa, K. (2008). Complete dechlorination of tetrachloroethylene by use of an anaerobic *Clostridium bifermentans* DPH-1 and zero-valent iron. *Environ Technol*. 29: 381-391. <http://dx.doi.org/10.1080/09593330801984050>.
- Chang, YH; Wang, LS; Chiu, HT; Lee, CY. (2003). SiCl₃CCl₃ as a novel precursor for chemical vapor deposition of amorphous carbon films. *Carbon*. 41: 1169-1174. [http://dx.doi.org/10.1016/S0008-6223\(03\)00022-8](http://dx.doi.org/10.1016/S0008-6223(03)00022-8).
- Changchaivong, S; Khaodhiar, S. (2009). Adsorption of naphthalene and phenanthrene on dodecylpyridinium-modified bentonite. *Appl Clay Sci*. 43: 317-321. <http://dx.doi.org/10.1016/j.clay.2008.09.012>.
- Chao, KP; Ong, SK; Protopapas, A. (1998). Water-to-air mass transfer of VOCs: Laboratory-scale air sparging system. *J Environ Eng*. 124: 1054-1060.
- Charbonneau, M; Oleskevich, S; Brodeur, J; Plaa, GL. (1986). Acetone potentiation of rat liver injury induced by trichloroethylene-carbon tetrachloride mixtures. *Toxicol Sci*. 6: 654-661.
- Chatterjee, S; Greene, HL. (1993). EFFECTS OF CATALYST COMPOSITION ON DUAL SITE ZEOLITE CATALYSTS USED IN CHLORINATED-HYDROCARBON OXIDATION. *Appl Catal A-Gen*. 98: 139-158.
- Chatterjee, S; Greene, HL; Park, YJ. (1992). DEACTIVATION OF METAL EXCHANGED ZEOLITE CATALYSTS DURING EXPOSURE TO CHLORINATED HYDROCARBONS UNDER OXIDIZING CONDITIONS. *Catalysis Today*. 11: 569-596.

Exposure Literature Search Results

Off Topic

- Chaturvedi, A; Mishra, VN; Dwivedi, R; Srivastava, SK. (1999). Response of oxygen plasma-treated thick film tin oxide sensor array for LPG, CCl₄, CO and C₃H₇OH. *Microelectronics Journal*. 30: 259-264.
- Chaturvedi, A; Mishra, VN; Dwivedi, R; Srivastava, SK. (2000). Selectivity and sensitivity studies on plasma treated thick film tin oxide gas sensors. *Microelectronics Journal*. 31: 283-290.
- Chaudhuri, P; Ghosh, AK; Panja, SS. (2014). Absorbance spectrometric study of electron donor acceptor complexes of lcoal derived asphaltene with [60]- and [70] fullerenes. *Fuel*. 126: 69-76. <http://dx.doi.org/10.1016/j.fuel.2014.02.044>.
- Chaudhury, S; Mehendale, HM. (1991). Amplification of CCl₄ toxicity by chlordecone: Destruction of rat hepatic microsomal cytochrome P-450 subpopulation. *J Toxicol Environ Health*. 32: 277-294. <http://dx.doi.org/10.1080/15287399109531482>.
- Chaves-Pozo, E; Liarte-Lastra, S; Fernandez-Alacid, L; Cabas, I; Garcia-Alcazar, A; Meseguer, J; Mulero, V; Garcia-Ayala, A. (2008). Cytokine and cell adhesion molecule expression pattern in the gilthead seabream (*Sparus aurata* L.) testis. *Cybiurn*. 32: 122-123.
- Che, H; Lee, W. (2011). Selective redox degradation of chlorinated aliphatic compounds by Fenton reaction in pyrite suspension. *Chemosphere*. 82: 1103-1108. <http://dx.doi.org/10.1016/j.chemosphere.2010.12.002>.
- Chen, BS; Bai, CS; Cook, R; Wright, J; Wang, C. (1996). Gold/cobalt oxide catalysts for oxidative destruction of dichloromethane. *Catalysis Today*. 30: 15-20.
- Chen, CH; Dural, NH. (2002). Chloroform adsorption on soils. *Journal of Chemical and Engineering Data*. 47: 1110-1115. <http://dx.doi.org/10.1021/je010313p>.
- Chen, CT; Graham, JL; Dellinger, B. (1995). PHOTOTHERMAL DESTRUCTION OF THE VAPOR OF ORGANIC COMPOUNDS. *Waste Manag*. 15: 159-170.
- Chen, CY; Wooster, GA; Bowser, PR. (2004). Comparative blood chemistry and histopathology of tilapia infected with *Vibrio vulnificus* or *Streptococcus iniae* or exposed to carbon tetrachloride, gentamicin, or copper sulfate. *Aquaculture*. 239: 421-443. <http://dx.doi.org/10.1016/j.aquaculture.2004.05.033>.
- Chen, F, ei; Freedman, DL; Falta; Murdoch, LC. (2012). Henry's law constants of chlorinated solvents at elevated temperatures. *Chemosphere*. 86: 156-165. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.004>.
- Chen, FY; Pehkonen, SO; Ray, MB. (2002). Kinetics and mechanisms of UV-photodegradation of chlorinated organics in the gas phase. *Water Res*. 36: 4203-4214.
- Chen, FY; Yang, Q; Pehkonen, SO; Ray, MB. (2004). Modeling of gas-phase photodegradation of chloroform and carbon tetrachloride. *J Air Waste Manag Assoc*. 54: 1281-1292.
- Chen, GS; Sun, IW; Sienerth, KD; Edwards, AG; Mamantov, G. (1993). REMOVAL OF OXIDE IMPURITIES FROM ALKALI HALOALUMINATE MELTS USING CARBON-TETRACHLORIDE. *J Electrochem Soc*. 140: 1523-1526.
- Chen, H; Yang, R; Zhu, K; Zhou, W; Jiang, M. (2002). Attenuating toluene mobility in loess soil modified with anion-cation surfactants. *J Hazard Mater*. 94: 191-201.
- Chen, HJ; Kang, SP; Lee, IJ; Lin, YL. (2014). Glycyrrhetic Acid Suppressed NF- κ B Activation in TNF- α -Induced Hepatocytes. *J Agric Food Chem*. 62: 618-625. <http://dx.doi.org/10.1021/jf405352g>.
- Chen, HM; Schelly, ZA. (1995). LASER-INDUCED TRANSIENT ELECTRIC BIREFRINGENCE AND LIGHT-SCATTERING IN AEROSOL-OT/CCL₄ REVERSE MICELLES. *Langmuir*. 11: 758-763.
- Chen, J; Lang, Z; Xu, Q, un; Hu, B, o; Fu, J; Chen, Z; Zhang, J. (2013). Facile Preparation of Monodisperse Carbon Spheres: Template-Free Construction and Their Hydrogen Storage Properties. 1: 1063-1068. <http://dx.doi.org/10.1021/sc400124b>.
- Chen, L; Du, R, an; Zhang, J, in; Yi, T, ao. (2015). Density controlled oil uptake and beyond: from carbon nanotubes to graphene nanoribbon aerogels. 3: 20547-20553. <http://dx.doi.org/10.1039/c5ta04370k>.
- Chen, LH; Huang, CC; Lien, HL. (2008). Bimetallic iron-aluminum particles for dechlorination of carbon tetrachloride. *Chemosphere*. 73: 692-697. <http://dx.doi.org/10.1016/j.chemosphere.2008.07.005>.
- Chen, LH; Lee, YL. (2000). Adsorption behavior of surfactants and mass transfer in single-drop extraction. *AIChE J*. 46: 160-168.
- Chen, M; Liu, C; Li, X; Huang, W; Li, F. (2014). Iron Reduction Coupled to Reductive Dechlorination in Red Soil: A Review. *Soil Sci*. 179: 457-467. <http://dx.doi.org/10.1097/SS.0000000000000095>.
- Chen, M; Pan, L; Huang, Z; Cao, J; Zheng, Y; Zhan, H. (2007). A novel route to US nanocrystals with strong electrogenerated chemiluminescence. *Mater Chem Phys*. 101: 317-321. <http://dx.doi.org/10.1016/j.matchemphys.2006.06.003>.
- Chen, M; Tong, H; Liu, C; Chen, D; Li, F; Qiao, J. (2016). A humic substance analogue AQDS stimulates *Geobacter* sp. abundance and enhances pentachlorophenol transformation in a paddy soil. *Chemosphere*. 160: 141-148. <http://dx.doi.org/10.1016/j.chemosphere.2016.06.061>.
- Chen, ML; Lim, CS; Oh, W, onC. (2007). Preparation with different mixing ratios of anatase to activated carbon and their photocatalytic performance. *Journal of Ceramic Processing Research*. 8: 119-124.
- Chen, Q; Qian, Y; Zhang, Y. (1996). Deagglomeration and crystallisation of amorphous titania by CCl₄-thermal treatment. *Mater Sci Tech*. 12: 211-212.
- Chen, S; Fan, D; Tratnyek, PG. (2014). Novel Contaminant Transformation Pathways by Abiotic Reductants. *Environ Sci Technol Lett*. 1: 432-436. <http://dx.doi.org/10.1021/ez500268e>.
- Chen, SW; Francis, BM; Dziuk, PJ. (1993). Effect of concentration of mixed-function oxidase on concentration of estrogen, rate of egg lay, eggshell thickness, and plasma calcium in laying hens. *J Anim Sci*. 71: 2700-2707.
- Chen, WH; Yang, WB; Yuan, CS; Yang, JC; Zhao, QL. (2014). Fates of chlorinated volatile organic compounds in aerobic biological treatment processes: the effects of aeration and sludge addition. *Chemosphere*. 103: 92-98. <http://dx.doi.org/10.1016/j.chemosphere.2013.11.039>.

Exposure Literature Search Results

Off Topic

- Chen, X; Hu, R; Feng, H; Chen, L; Luedemann, HD. (2012). Intradiffusion, Density, and Viscosity Studies in Binary Liquid Systems of Acetylacetone plus Alkanols at 303.15 K. *Journal of Chemical and Engineering Data*. 57: 2401-2408. <http://dx.doi.org/10.1021/jc3000553>.
- Chen, X; Lian, Z; Zhong, H; Chen, L. (2015). Intradiffusion, density and viscosity studies in binary liquid systems of acetylacetone plus DMF/DMSO/benzene at 303.15 K and 333.15 K. *Chinese Journal of Chemical Engineering*. 23: 1679-1684. <http://dx.doi.org/10.1016/j.cjche.2015.07.027>.
- Chen, Y; Jin, Z; Pan, Z. (2012). In situ Raman spectroscopic study of hydrolysis of carbon tetrachloride in hot compressed water in a fused silica capillary reactor. *Journal of Supercritical Fluids*. 72: 22-27. <http://dx.doi.org/10.1016/j.supflu.2012.07.019>.
- Chen, Y; Wen, Y; Tang, Z; Li, L; Cai, Y; Zhou, Q. (2014). Removal processes of disinfection byproducts in subsurface-flow constructed wetlands treating secondary effluent. *Water Res*. 51: 163-171. <http://dx.doi.org/10.1016/j.watres.2013.12.027>.
- Chen, Y, i; Wen, Y, ue; Zhou, J; Zhou, Q, i; Vymazal, J, an; Kuschk, P. (2015). Transformation of Chloroform in Model Treatment Wetlands: From Mass Balance to Microbial Analysis. *Environ Sci Technol*. 49: 6198-6205. <http://dx.doi.org/10.1021/es506357e>.
- Chen, Y; Zhang, H; Ye, H; Ma, J. (2011). A simple and novel route to synthesize nano-vanadium carbide using magnesium powders, vanadium pentoxide and different carbon source. *International Journal of Refractory Metals and Hard Materials*. 29: 528-531. <http://dx.doi.org/10.1016/j.ijrmhm.2011.03.004>.
- Chen, YW; Joly, HA; Belzile, N. (1997). Determination of elemental sulfur in environmental samples by gas chromatography mass spectrometry. *Chem Geol*. 137: 195-200.
- Cheng, H, ui; Wang, Y; Dai, H; Han, J, unBo; Li, X. (2015). Nonlinear Optical Properties of PbS Colloidal Quantum Dots Fabricated via Solvothermal Method. *J Phys Chem C*. 119: 3288-3292. <http://dx.doi.org/10.1021/jp510214x>.
- Cheng, HW; Rustenholtz, A; Porter, RA; Ye, XR; Wai, CM. (2004). Partition coefficients and equilibrium constants of crown ethers between water and organic solvents determined by proton nuclear magnetic resonance. *Journal of Chemical and Engineering Data*. 49: 594-598. <http://dx.doi.org/10.1021/jc034195c>.
- Cheng, J; Zhou, Y; Zuo, M; Dai, L; Guo, X. (2010). Application of dispersive liquid-liquid microextraction and reversed phase-high performance liquid chromatography for the determination of two fungicides in environmental water samples. *Int J Environ Anal Chem*. 90: 845-855. <http://dx.doi.org/10.1080/03067310903180468>.
- Cheng, R; Glater, J; Neethling, JB; Stenstrom, MK. (1991). THE EFFECTS OF SMALL HALOCARBONS ON RO MEMBRANE PERFORMANCE. *Desalination*. 85: 33-44.
- Cheng, W; He, J; Chen, M; Li, D; Li, H, ui; Chen, L, ei; Cao, Y, e; Wang, J; Huang, Y. (2016). Preparation, Functional Characterization and Hemostatic Mechanism Discussion for Oxidized Microcrystalline Cellulose and Its Composites. *Fibers and Polymers*. 17: 1277-1286. <http://dx.doi.org/10.1007/s12221-016-6279-0>.
- Cheng, W; He, J; Wu, Y; Song, C; Xie, S; Huang, Y; Fu, B, o. (2013). Preparation and characterization of oxidized regenerated cellulose film for hemostasis and the effect of blood on its surface. *Cellulose*. 20: 2547-2558. <http://dx.doi.org/10.1007/s10570-013-0005-5>.
- Cherginets, VL; Rebrova, TP; Ponomarenko, TV; Kisil, EP; Filippovich, LI. (2011). Oxoacidic Properties of Melts of the CsCl-LiCl-YCl₃ System and Features of Their Purification from Oxide Ion Traces. *Journal of Chemical and Engineering Data*. 56: 3897-3901. <http://dx.doi.org/10.1021/jc200603c>.
- Cheung, STC; Fung, AKM; Lam, MHW. (1998). Visible photosensitization of TiO₂ - Photodegradation of CCl₄ in aqueous medium. *Chemosphere*. 36: 2461-2473.
- Chiang, HL; Lin, KH. (2014). Exhaust constituent emission factors of printed circuit board pyrolysis processes and its exhaust control. *J Hazard Mater*. 264: 545-551. <http://dx.doi.org/10.1016/j.jhazmat.2013.10.049>.
- Chiang, HL; Lin, WH; Lai, JS; Wang, WC. (2010). Inhalation risk assessment of exposure to the selected volatile organic compounds (VOCs) emitted from the facilities of a steel plant. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 45: 1397-1405. <http://dx.doi.org/10.1080/10934529.2010.500932>.
- Chiang, HL; Lo, CC; Ma, SY. (2010). Characteristics of exhaust gas, liquid products, and residues of printed circuit boards using the pyrolysis process. *Environ Sci Pollut Res Int*. 17: 624-633. <http://dx.doi.org/10.1007/s11356-009-0245->.
- Chiang, PC; Chang, P; You, JH. (1992). INNOVATIVE TECHNOLOGY FOR CONTROLLING VOC EMISSIONS. *J Hazard Mater*. 31: 19-28.
- Chiang, PC; Hung, CH; Mar, JC; Chang, EE. (1998). Henry's constants and mass transfer coefficients of halogenated organic pollutants in an air stripping packed column. *Water Sci Technol*. 38: 287-294.
- Chiang, Y, uC; Lee, CC; Lee, HC. (2007). Characterization of microstructure and surface properties of heat-treated PAN-and rayon-based activated carbon fibers. *Journal of Porous Materials*. 14: 227-237. <http://dx.doi.org/10.1007/s10934-006-9028-8>.
- Chiang, Y, uC; Lee, CY; Lee, HC. (2007). Surface chemistry of polyacrylonitrile- and rayon-based activated carbon fibers after post-heat treatment. *Mater Chem Phys*. 101: 199-210. <http://dx.doi.org/10.1016/j.matchemphys.2006.03.007>.
- Chib, S; Greenberg, E. (1995). Understanding the Metropolis-Hastings algorithm. *Am Stat*. 49: 327-335.
- Chien, CH; Sheng, P, eiSun; Wang, CH, si; Huang, C, hiHao; Lin, HK, ai; Lee, C, hiY; Chiu, HT. (2008). Synthesis of carbon hollow spheres and particles from CCl₄ and Mo. *Mater Lett*. 62: 1176-1178. <http://dx.doi.org/10.1016/j.matlet.2007.08.027>.
- Chien, Y, iChi. (2012). DESTRUCTION OF CCl₄ BY COPPER CARBONATE. *Fresen Environ Bull*. 21: 1290-1295.
- Chien, YC. (2012). Investigation of carbon tetrachloride destruction by copper acetate. *J Environ Qual*. 41: 449-453. <http://dx.doi.org/10.2134/jeq2011.0336>.
- Chien, YC; Wang, HP; Liu, SH; Hsiung, TL; Tai, HS; Peng, CY. (2008). Photocatalytic decomposition of CCl₄ on Zr-MCM-41. *J Hazard Mater*. 151: 461-464. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.027>.
- Chien, YC; Wang, HP; Yang, YW. (2001). Mineralization of CCl₄ with copper oxide. *Environ Sci Technol*. 35: 3259-3262. <http://dx.doi.org/10.1021/es001454z>.

Exposure Literature Search Results

Off Topic

- Chilakapati, A; Yabusaki, S; Szecsody, J; Macevoy, W. (2000). Groundwater flow, multicomponent transport and biogeochemistry: development and application of a coupled process model. *J Contam Hydrol.* 43: 303-325.
- Chiou, CT; Kile, DE. (1994). EFFECTS OF POLAR AND NONPOLAR GROUPS ON THE STABILITY OF ORGANIC-COMPOUNDS IN SOIL ORGANIC-MATTER. *Environ Sci Technol.* 28: 1139-1144.
- Chipperfield, MP; Liang, Q; Rigby, M; Hossaini, R; Montzka, SA; Dhomse, S; Feng, W; Prinn, RG; Weiss, R, ayF; Harth, CM; Salameh, PK; Muhle, J; O'Doherty, S; Young, D; Simmonds, PG; Krummel, PB; Fraser, PJ; Steele, LP; Happell, JD; Rhew, RC; Butler, J; Yvon-Lewis, SA; Hall, B; Nance, D; Moore, F; Miller, B, enR; Elkins, J; Harrison, JJ; Boone, CD; Atlas, EL; Mahieu, E. (2016). Model sensitivity studies of the decrease in atmospheric carbon tetrachloride. *Atmos Chem Phys.* 16: 15741-15754. <http://dx.doi.org/10.5194/acp-16-15741-2016>.
- Chitra, M; Nithyanandhi, K. (2007). Radical scavenging activity of *Trianthema triquetra* in male albino rats intoxicated with CCl₄. *J Environ Biol.* 28: 283-285.
- Chiu, PC; Reinhard, M. (1995). Metallocoenzyme-Mediated Reductive Transformation of Carbon Tetrachloride in Titanium(III) Citrate Aqueous Solution. *Environ Sci Technol.* 29: 595-603. <http://dx.doi.org/10.1021/es00003a006>.
- Chiu, PC; Reinhard, M. (1996). Transformation of Carbon Tetrachloride by Reduced Vitamin B 12 in Aqueous Cysteine Solution. *Environ Sci Technol.* 30: 1882-1889. <http://dx.doi.org/10.1021/es950477o>.
- Cho, BO; Ryu, HW; Jin, CH; Choi, DS; Kang, SY; Kim, DS; Byun, MW; Jeong, IY. (2011). Blackberry extract attenuates oxidative stress through up-regulation of Nrf2-dependent antioxidant enzymes in carbon tetrachloride-treated rats. *J Agric Food Chem.* 59: 11442-11448. <http://dx.doi.org/10.1021/jf2021804>.
- Cho, D; Chang, HN. (1998). Separation of oil contaminants by surfactant-aided foam fractionation. *Korean J Chem Eng.* 15: 445-448.
- Cho, HH; Park, JW. (2005). Effect of coexisting compounds on the sorption and reduction of trichloroethylene with iron. *Environ Toxicol Chem.* 24: 11-16.
- Cho, S; Sugano, M. (1975). EFFECTS OF ANTIOXIDANTS ON LIVER AND PLASMA-LIPIDS OF RATS TREATED WITH CCL₄ - (HEPATOTOXICITY AND LIPID-METABOLISM .8.). *Agr Chem Soc Japan.* 49: 29-34.
- Cho, S; Sugano, M; Wada, M. (1970). HEPATOTOXICITY AND LIPID METABOLISM .2. INCORPORATION OF LONG CHAIN FATTY ACIDS INTO HEPATIC LIPID FRACTIONS OF CCL₄ POISONED RATS IN-VIVO AND IN-VITRO. *Agric Biol Chem.* 34: A10-&.
- Cho, S; Sugano, M; Wada, M. (1972). INCORPORATION OF LABELED FATTY-ACIDS INTO HEPATIC LIPID COMPONENTS IN CARBON-TETRACHLORIDE POISONED RATS (HEPATOTOXICITY AND LIPID-METABOLISM .5. *Agr Chem Soc Japan.* 46: 421-&.
- Cho, S; Sugano, M; Wada, M. (1975). EFFECTS OF CCL₄ ON INCORPORATION OF (ME-C-14) CHOLINE, (2-C-14) ETHANOLAMINE OR (ME-H-3) METHIONINE INTO RAT-LIVER PHOSPHOLIPIDS INVITRO - (HEPATOTOXICITY AND LIPID-METABOLISM .7.). *Agr Chem Soc Japan.* 49: 23-27.
- Cho, S; Wada, M; Sugano, M. (1972). EFFECT OF CARBON-TETRACHLORIDE ON INCORPORATION OF INORGANIC P-32 INTO RAT-LIVER PHOSPHOLIPIDS .6. (HEPATOTOXICITY AND LIPID-METABOLISM. *Agr Chem Soc Japan.* 46: 429-&.
- Cho, YM; Choi, WY; Lee, CH; Hyeon, T; Lee, HI. (2001). Visible light-induced degradation of carbon tetrachloride on dye-sensitized TiO₂. *Environ Sci Technol.* 35: 966-970. <http://dx.doi.org/10.1021/es001245e>.
- Cho, YM; Kyung, H; Choi, W. (2004). Visible light activity of TiO₂ for the photoreduction of CCl₄ and Cr(VI) in the presence of nonionic surfactant (Brij). *Appl Catal B-Environ.* 52: 23-32. <http://dx.doi.org/10.1016/j.apcatb.2004.03.013>.
- Choi, BS; Oh, JS; Lee, SW; Kim, H; Yi, JH. (2001). Simulation of the effects of CCl₄ on the ethylene dichloride pyrolysis process. *Ind Eng Chem Res.* 40: 4040-4049.
- Choi, HC; Choi, SH; Lee, JS; Lee, KH; Kim, YG. (1997). Effects of Pt precursors on hydrodechlorination of carbon tetrachloride over Pt/Al₂O₃. *J Catal.* 166: 284-293.
- Choi, HC; Choi, SH; Yang, OB; Lee, JS; Lee, KH; Kim, YG. (1996). Hydrodechlorination of carbon tetrachloride over Pt/MgO. *J Catal.* 161: 790-797.
- Choi, J; Batchelor, B; Chung, J. (2010). Reductive Dechlorination of Tetrachloroethylene by Green Rusts Modified with Copper. *Water Air Soil Pollut.* 212: 407-417. <http://dx.doi.org/10.1007/s11270-010-0354-8>.
- Choi, J; Choi, K; Lee, W. (2009). Effects of transition metal and sulfide on the reductive dechlorination of carbon tetrachloride and 1,1,1-trichloroethane by FeS. *J Hazard Mater.* 162: 1151-1158. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.007>.
- Choi, J; Choi, SJ; Kim, Y. (2008). Hydrodechlorination of 2,4,6-trichlorophenol for a permeable reactive barrier using zero-valent iron and catalyzed iron. *Korean J Chem Eng.* 25: 493-500.
- Choi, J; Choi, W; Mhin, BJ. (2004). Solvent-specific photolytic behavior of octachlorodibenzo-p-dioxin. *Environ Sci Technol.* 38: 2082-2088. <http://dx.doi.org/10.1021/es034916s>.
- Choi, J; Lee, W. (2008). Enhanced degradation of tetrachloroethylene by green rusts with platinum. *Environ Sci Technol.* 42: 3356-3362. <http://dx.doi.org/10.1021/es702661d>.
- Choi, JH; Jin, SW; Choi, CY; Kim, HG; Lee, GH; Kim, YA; Chung, YC; Jeong, HG. (2017). Capsaicin Inhibits Dimethylnitrosamine-Induced Hepatic Fibrosis by Inhibiting the TGF-β1/Smad Pathway via Peroxisome Proliferator-Activated Receptor Gamma Activation. *J Agric Food Chem.* 65: 317-326. <http://dx.doi.org/10.1021/acs.jafc.6b04805>.
- Choi, JH; Kim, YH. (2009). Reduction of 2,4,6-trichlorophenol with zero-valent zinc and catalyzed zinc. *J Hazard Mater.* 166: 984-991. <http://dx.doi.org/10.1016/j.jhazmat.2008.12.00>.
- Choi, K; Lee, W. (2009). Reductive dechlorination of carbon tetrachloride in acidic soil manipulated with iron(II) and bisulfide ion. *J Hazard Mater.* 172: 623-630. <http://dx.doi.org/10.1016/j.jhazmat.2009.07.041>.
- Choi, K; Lee, W. (2012). Enhanced degradation of trichloroethylene in nano-scale zero-valent iron Fenton system with Cu(II). *J Hazard Mater.* 211: 146-153. <http://dx.doi.org/10.1016/j.jhazmat.2011.10.056>.

Exposure Literature Search Results

Off Topic

- Choi, M; Do, LT; Chung, YH; Yoo, H; Yu, R. (2015). Antioxidative Activity of Platinum Nanocolloid and Its Protective Effect Against Chemical-Induced Hepatic Cellular Damage. *J Nanosci Nanotechnol.* 15: 5571-5576. <http://dx.doi.org/10.1166/jnn.2015.10468>.
- Choi, WS; Il Kim, H; Kwak, SS; Chung, HY; Chung, HY; Yamamoto, K; Oguchi, T; Tozuka, Y; Yonemochi, E; Terada, K. (2004). Amorphous ultrafine particle preparation for improvement of bioavailability of insoluble drugs: grinding characteristics of fine grinding mills. *Int J Miner Process.* 74: S165-S172. <http://dx.doi.org/10.1016/j.minpro.2004.07.025>.
- Choi, WY; Hoffmann, MR. (1995). PHOTOREDUCTIVE MECHANISM OF CCL4 DEGRADATION ON TiO2 PARTICLES AND EFFECTS OF ELECTRON-DONORS. *Environ Sci Technol.* 29: 1646-1654. <http://dx.doi.org/10.1021/es00006a031>.
- Choi, WY; Hoffmann, MR. (1997). Novel photocatalytic mechanisms for CHCl₃, CHBr₃, and CCl₃CO₂- degradation and the fate of photogenerated trihalomethyl radicals on TiO₂. *Environ Sci Technol.* 31: 89-95.
- Chou, TC; Yeh, HJ. (1992). HETEROGENIZED HOMOGENEOUS CATALYST .5. THE THEORY OF SOLVENT EFFECT AND THE EFFECT OF SOLVENT ON ADSORPTION AND DIFFUSIVITY. *Ind Eng Chem Res.* 31: 130-137.
- Chou, TC; Yeh, HJ. (1992). HETEROGENIZED HOMOGENEOUS CATALYST .6. EFFECT OF SOLVENT ON INITIATION, PROPAGATION TERMINATION, DECOMPOSITION, AND AN OVERALL HETEROGENEOUS FREE-RADICAL REACTION SYSTEM. *Ind Eng Chem Res.* 31: 804-818.
- Choucair, M; Hill, MR; Stride, JA. (2015). A low temperature reduction of CCl₄ to solid and hollow carbon nanospheres using metallic sodium. *Mater Chem Phys.* 154: 38-43. <http://dx.doi.org/10.1016/j.matchemphys.2015.01.042>.
- Choudhary, RB; Pande, PP. (2000). Alternative solvent system for iodine value determination. *Indian J Chem Tech.* 7: 165-167.
- Choudhary, VR; Jha, R. (2007). GaCl_x- or GaAlCl_x-grafted Si-MCM-41: Highly active and moisture insensitive/stable catalyst for the acylation and benzylation of benzene, naphthalene and substituted benzenes. *Appl Catal A-Gen.* 333: 42-48. <http://dx.doi.org/10.1016/j.apcata.2007.09.001>.
- Choudhary, VR; Mantri, K. (2002). AlCl₃-grafted Si-MCM-41: Influence of thermal treatment conditions on surface properties and incorporation of Al in the structure of MCM-41. *J Catal.* 205: 221-225. <http://dx.doi.org/10.1006/jcat.2001.3435>.
- Choudhuri, JR, oy; Chandra, A. (2014). Structure and Dynamics of the Liquid-Liquid Interface of an Aqueous NaCl Solution with Liquid Carbon Tetrachloride from First-Principles Simulations. *J Phys Chem C.* 118: 23083-23091. <http://dx.doi.org/10.1021/jp506193n>.
- Choudhary, VR; Mantri, K. (2002). AlCl_x-grafted Si-MCM-41 prepared by reacting anhydrous AlCl₃ with terminal Si-OH groups: an active solid catalyst for benzylation and acylation reactions. *Microporous and Mesoporous Materials.* 56: 317-320.
- Chow, TP; Fanelli, GM. (1984). REACTIVE ION ETCHING OF SILICON AND SILICIDES IN SF₆, NF₃/CCL₄, OR HCL MIXTURES. *J Electrochem Soc.* 131: C312-C312.
- Chow, TP; Fanelli, GM. (1985). REACTIVE ION ETCHING OF SILICON AND SILICIDES IN SF₆ OR NF₃/CCL₄ OR HCL MIXTURES. *J Electrochem Soc.* 132: 1969-1973.
- Chow, TP; Maciel, PA; Fanelli, GM. (1987). REACTIVE ION ETCHING OF SILICON IN CCL₄ AND HCL PLASMAS. *J Electrochem Soc.* 134: 1281-1286.
- Christ, SA; Read, EJ; Stober, JA; Smith, MK. (1996). Developmental effects of trichloroacetonitrile administered in corn oil to pregnant Long-Evans rats. *J Toxicol Environ Health.* 47: 233-247.
- Chu, C; Liu, R. (2011). Chloralkanes as chlorinating agents: An efficient approach to acyl chlorides and destruction of chlorinated hydrocarbons. *Appl Catal B-Environ.* 101: 343-347. <http://dx.doi.org/10.1016/j.apcatb.2010.10.002>.
- Chu, W; Li, X; Bond, T; Gao, N; Bin, X; Wang, Q; Ding, S. (2016). Copper increases reductive dehalogenation of haloacetamides by zero-valent iron in drinking water: Reduction efficiency and integrated toxicity risk. *Water Res.* 107: 141-150. <http://dx.doi.org/10.1016/j.watres.2016.10.047>.
- Chu, Y; Zhang, Q; Zhang, W; Zhang, G; Zhu, S. (2014). Highly sensitive dimethyl ether gas sensor utilizing cataluminescence on nanosized MgO/In₂O₃. *Meas Sci Technol.* 25. <http://dx.doi.org/10.1088/0957-0233/25/8/085105>.
- Chu, Z; Yan, Y, an; Chen, Z, hi; Guo, J; Yang, Y; Li, C; Zhang, Y. (2015). A Comprehensive Method for Precise Determination of Re, Os, Ir, Ru, Pt, Pd Concentrations and Os Isotopic Compositions in Geological Samples. *Geostandards and Geoanalytical Research.* 39: 151-169. <http://dx.doi.org/10.1111/j.1751-908X.2014.00283.x>.
- Chun, CL; Baer, DR; Matson, DW; Amonette, JE; Penn, RL. (2010). Characterization and reactivity of iron nanoparticles prepared with added Cu, Pd, and Ni. *Environ Sci Technol.* 44: 5079-5085. <http://dx.doi.org/10.1021/es903278e>.
- Chun, CL; Hozalski, RM; Arnold, WA. (2005). Degradation of Drinking Water Disinfection Byproducts by Synthetic Goethite and Magnetite. *Environ Sci Technol.* 39: 8525-8532. <http://dx.doi.org/10.1021/es051044g>.
- Chun, YN. (2003). Computational fluid dynamics (CFD) analysis and experimental study for toxic hazardous waste destruction in the cavity incinerator. *Korean J Chem Eng.* 20: 670-678.
- Chun, YN; Jung, OJ; Kim, SW; Song, HO. (2003). Numerical and experimental studies of CCl₄ destruction in a dump incinerator. *Environ Technol.* 24: 131-142.
- Chun, YN; Lee, KJ; Song, HO. (2002). A numerical simulation of hazardous waste destruction in a three-dimensional dump incinerator. *Korean J Chem Eng.* 19: 20-27.
- Chun, YN; Shin, DY. (2004). Hazardous waste destruction and nitric oxide reduction with externally forced oscillation. *Korean J Chem Eng.* 21: 811-815.
- Chung, CW; Morandi, MT; Stock, TH; Afshar, M. (1999). Evaluation of a Passive Sampler for Volatile Organic Compounds at ppb Concentrations, Varying Temperatures, and Humidities with 24-h Exposures. 1. Description and Characterization of Exposure Chamber System. *Environ Sci Technol.* 33: 3661-3665. <http://dx.doi.org/10.1021/es990607j>.
- Chung, CW; Morandi, MT; Stock, TH; Afshar, M. (1999). Evaluation of a passive sampler for volatile organic compounds at ppb concentrations, varying temperatures, and humidities with 24-h exposures. 2. Sampler performance. *Environ Sci Technol.* 33: 3666-3671.

Exposure Literature Search Results

Off Topic

- Chung, FL; Nath, RG; Ocando, J; Nishikawa, A; Zhang, L. (2000). Deoxyguanosine adducts of t-4-hydroxy-2-nonal are endogenous DNA lesions in rodents and humans: detection and potential sources. *Cancer Res.* 60: 1507-1511.
- Chung, KT; Gadupudi, GS. (2011). Possible roles of excess tryptophan metabolites in cancer [Review]. *Environ Mol Mutagen.* 52: 81-104. <http://dx.doi.org/10.1002/em.20588>.
- Cibulka, I. (2014). Partial Molar Volumes and Partial Molar Isentropic Compressions of 15-Crown-5 and 18-Crown-6 Ethers at Infinite Dilution in Water at Temperatures T = (278 to 343) K and Atmospheric Pressure. *Journal of Chemical and Engineering Data.* 59: 2075-2086. <http://dx.doi.org/10.1021/je500265v>.
- Cibulka, I; Takagi, T; Ruzicka, K. (2001). P-rho-T data of liquids: Summarization and evaluation. 7. Selected halogenated hydrocarbons. *Journal of Chemical and Engineering Data.* 46: 2-28. <http://dx.doi.org/10.1021/je0002383>.
- Cicek, B; Senkan, SM. (1993). CHEMICAL STRUCTURES OF FUEL-RICH, PREMIXED, LAMINAR FLAMES OF C₆H₅CL/CH₄/O-2/AR MIXTURES. *Combust Sci Tech.* 91: 53-72.
- Cimenoglu, MA. (2001). Dynamic nuclear polarization in suspensions of asphaltene obtained from MC-30 liquid asphalt. *Fuel.* 80: 2041-2047.
- Ciotti, C; Baciocchi, R; Tuhkanen, T. (2009). Influence of the operating conditions on highly oxidative radicals generation in Fenton's systems. *J Hazard Mater.* 161: 402-408. <http://dx.doi.org/10.1016/j.jhazmat.2008.03.137>.
- Clark, CJ; Rao, PS; Annable, MD. (2003). Degradation of perchloroethylene in cosolvent solutions by zero-valent iron. *J Hazard Mater.* 96: 65-78.
- Clarke, LH; Noble, M; Oloffs, PC; Szeto, SY. (1973). INHALATION CHAMBER FOR ADMINISTERING VOLATILE COMPOUNDS TO ANIMALS - PERFORMANCE USING CARBON-TETRACHLORIDE. *Can J Zool.* 51: 387-392.
- Clary, D; Mills, G. (2011). Photochemical Generation of Nanometer-Sized Cu Particles in Octane. *J Phys Chem C.* 115: 14656-14663. <http://dx.doi.org/10.1021/jp20401361>.
- Clegg, GT; Tehrani, MA. (1973). LIQUID-PHASE DIFFUSION-COEFFICIENTS FOR DISSOLVED GASES - SYSTEMS CHLORINE CARBON TETRACHLORIDE AND HYDROGEN CHLORIDE-ETHYLENE GLYCOL. *Journal of Chemical and Engineering Data.* 18: 59-60.
- Clet, G; Goupil, JM; Szabo, G; Cornet, D. (2000). Chlorinated alumina as an alkylation catalyst: influence of acidity moderators. *Appl Catal A-Gen.* 202: 37-47.
- Clewell, HJ, III; Gentry, PR; Gearhart, JM. (1997). Investigation of the potential impact of benchmark dose and pharmacokinetic modeling in noncancer risk assessment. *J Toxicol Environ Health.* 52: 475-515. <http://dx.doi.org/10.1080/00984109708984077>.
- Clifton, BJ; Cosgrove, T; Warne, MR. (1999). Calculation of Silberberg's polymer segmental adsorption energy by a free space molecular modeling technique. *Langmuir.* 15: 8659-8667.
- Climent, MJ; Corma, A; Garcia, H; Iborra, S; Primo, J. (1995). ACID ZEOLITES AS CATALYSTS IN ORGANIC-REACTIONS - CONDENSATION OF ACETOPHENONE WITH BENZENE-DERIVATIVES. *Appl Catal A-Gen.* 130: 5-12.
- Clough, SA; Iacono, MJ. (1995). LINE-BY-LINE CALCULATION OF ATMOSPHERIC FLUXES AND COOLING RATES .2. APPLICATION TO CARBON-DIOXIDE, OZONE, METHANE, NITROUS-OXIDE AND THE HALOCARBONS. *J Geophys Res Atmos.* 100: 16519-16535.
- Cobb, GD; Bouwer, EJ. (1991). Effects of electron acceptors on halogenated organic compound biotransformations in a biofilm column. *Environ Sci Technol.* 25: 1068-1074. <http://dx.doi.org/10.1021/es00018a008>.
- Cocero, MJ; Garcia, I; Gonzalez, JA; Cobos, JC. (1991). THERMODYNAMICS OF BINARY-MIXTURES CONTAINING ORGANIC CARBONATES .6. ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA FOR DIMETHYL CARBONATE + NORMAL ALKANES. *Fluid Phase Equilibria.* 68: 151-161.
- Cocero, MJ; Mato, F; Garcia, I; Cobos, JC. (1989). THERMODYNAMICS OF BINARY-MIXTURES CONTAINING ORGANIC CARBONATES .3. ISOTHERMAL VAPOR LIQUID EQUILIBRIA FOR DIETHYL CARBONATE + CYCLOHEXANE, + BENZENE, OR + TETRACHLOROMETHANE. *Journal of Chemical and Engineering Data.* 34: 443-445.
- Cocero, MJ; Mato, F; Garcia, I; Cobos, JC; Kehiaian, HV. (1989). THERMODYNAMICS OF BINARY-MIXTURES CONTAINING ORGANIC CARBONATES .2. ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA FOR DIMETHYL CARBONATE + CYCLOHEXANE, + BENZENE, OR + TETRACHLOROMETHANE. *Journal of Chemical and Engineering Data.* 34: 73-76.
- Coelhan, M. (2003). Synthesis of several single C-10, C-11, and C-12 chloroalkanes. *Fresen Environ Bull.* 12: 442-449.
- Coffey, CC; Lebouf, RF; Calvert, CA; Slaven, JE. (2011). Validation of an evacuated canister method for measuring part-per-billion levels of chemical warfare agent simulants. *Journal of the Air and Waste Management Association.* 61: 826-833. <http://dx.doi.org/10.3155/1047-3289.61.8.826>.
- Cohen, HJ. (1993). Determining the service lives of organic-vapor respirator cartridges for nitroglycerin under workplace conditions. *Am Ind Hyg Assoc J.* 54: 432-439. <http://dx.doi.org/10.1080/15298669391354928>.
- Cohen, HJ; Briggs, DE; Garrison, RP. (1991). Development of a Field Method for Evaluating the Service Lives of Organic Vapor Cartridges Part III: Results of Laboratory Testing Using Binary Organic Vapor Mixtures. *Am Ind Hyg Assoc J.* 52: 34-43.
- Cohen, HJ; Garrison, RP. (1989). DEVELOPMENT OF A FIELD METHOD FOR EVALUATING THE SERVICE LIFE OF ORGANIC VAPOR CARTRIDGES - RESULTS OF LABORATORY TESTING USING CARBON-TETRACHLORIDE. *Am Ind Hyg Assoc J.* 50: 486-495.
- Cohen, HJ; Levine, SP; Garrison, RP. (1991). Development of a Field Method for Determining the Service Lives of Respirator Cartridges Part IV: Results of Field Validation Trials. *Am Ind Hyg Assoc J.* 52: 263-270.
- Cohen, HJ; Zellers, ET; Garrison, RP. (1990). DEVELOPMENT OF A FIELD METHOD FOR EVALUATING THE SERVICE LIVES OF ORGANIC VAPOR CARTRIDGES - RESULTS OF LABORATORY TESTING USING CARBON-TETRACHLORIDE .2. HUMIDITY EFFECTS. *Am Ind Hyg Assoc J.* 51: 575-580.
- Collins, R; Picardal, F. (1999). Enhanced anaerobic transformations of carbon tetrachloride by soil organic matter. *Environ Toxicol Chem.* 18: 2703-2710.
- Colman lerner, JE; Sanchez, EY; Sambeth, J; Porta, A. (2012). Characterization and health risk assessment of VOCs in occupational environments in Buenos Aires, Argentina. *Atmos Environ.* 55: 440-447. <http://dx.doi.org/10.1016/j.atmosenv.2012.03.041>.

Exposure Literature Search Results

Off Topic

- Coltharp, MT. (2005). On numerical classification of solution adsorption isotherms. *Langmuir*. 21: 3475-3479. <http://dx.doi.org/10.1021/la047539l>.
- Conboy, JC; Messmer, MC; Richmond, GL. (1998). Effect of alkyl chain length on the conformation and order of simple ionic surfactants adsorbed at the D2O/CCl4 interface as studied by sum-frequency vibrational spectroscopy. *Langmuir*. 14: 6722-6727.
- Cong, W; Li, YG; Lu, JF. (1996). Calculation of activity coefficients for systems containing tributyl phosphate, diluents and water by the perturbation theory. *Fluid Phase Equilibria*. 124: 55-65.
- Connell, D; Markwell, R. (1992). MECHANISM AND PREDICTION OF NONSPECIFIC TOXICITY TO FISH USING BIOCONCENTRATION CHARACTERISTICS. *Ecotoxicol Environ Saf*. 24: 247-265.
- Conrad, H. (2000). Influence of an electric or magnetic field on the liquid-solid transformation in materials and on the microstructure of the solid. *Mater Sci Eng A*. 287: 205-212.
- Constantinescu, T; Rusanescu, G; Radulescu, S; Marinescu, F; Mutihac, L; Budrugaec, S; Puricel, E; Stancioiu, C. (1991). METHOD OF WOOD TAR PROCESSING .1. OBTAINING OF MALTOL AND CICLOTEN COMPOUNDS. *Rev Chim*. 42: 44-52.
- Corapcioglu, MY; Hossain, MA. (1991). ESTIMATING BIOTRANSFORMATION RATE CONSTANTS FOR SEQUENTIAL REDUCTIVE DEHALOGENATION REACTIONS. *J Environ Eng*. 117: 631-639.
- Corat, EJ; Debarros, RCM; Travaaioldi, VJ; Ferreira, NG; Leite, NF; Iha, K. (1997). The activation energy for diamond growth from CCl4/H-2 mixtures in a hot-filament reactor. *Diam Relat Mater*. 6: 1172-1181.
- Corbin, JF; Teel, AL; Allen-King, RM; Watts, RJ. (2007). Reactive oxygen species responsible for the enhanced desorption of dodecane in modified Fenton's systems. *Water Environ Res*. 79: 37-42. <http://dx.doi.org/10.2175/106143006X136793>.
- Cornet, D; Goupil, JM; Szabo, G; Poirier, JL; Clet, G. (1996). Alkylation of isobutane by ethylene catalyzed by chlorided alumina: Influence of experimental conditions. *Appl Catal A-Gen*. 141: 193-205.
- Coromina, HM; Adeniran, B; Mokaya, R; Walsh, DA. (2016). Bridging the performance gap between electric double-layer capacitors and batteries with high-energy/high-power carbon nanotube-based electrodes. 4: 14586-14594. <http://dx.doi.org/10.1039/c6ta05686e>.
- Corrao, G; Torchio, P; Zambon, A; D'Amicis, A; Lepore, AR; Di Orio, F; Provincial GROUP FOR THE STUDY OF CHRONIC LIVER, D. (1998). Alcohol consumption and micronutrient intake as risk factors for liver cirrhosis: A case-control study. *Ann Epidemiol*. 8: 154-159.
- Correa, P. (1996). Morphology and natural history of cancer precursors. In D Schottenfield; JF Fraumeni (Eds.), (pp. 45-64). New York: Oxford University Press.
- Cottalasso, D; Barisione, G; Fontana, L; Domenicotti, C; Pronzato, MA; Nanni, G. (1994). IMPAIRMENT OF LIPOGLYCOPROTEIN METABOLISM IN RAT-LIVER CELLS INDUCED BY 1,2-DICHLOROETHANE. *Occup Environ Med*. 51: 281-285.
- Cottalasso, D; Bellocchio, A; Domenicotti, C; Dapino, D; Pronzato, MA; Nanni, G. (1998). 1,1,2,2-tetrachloroethane-induced early decrease of dolichol levels in rat liver microsomes and Golgi apparatus. *J Toxicol Environ Health A*. 54: 133-144.
- Crebelli, R; Andreoli, C; Carere, A; Conti, G; Conti, L; Cotta Ramusino, M; Benigni, R. (1992). The induction of mitotic chromosome malsegregation in *Aspergillus nidulans*. Quantitative structure activity relationship (OSAR) analysis with chlorinated aliphatic hydrocarbons. *Mutat Res-Fundam Mol Mech Mutagen*. 266: 117-134. [http://dx.doi.org/10.1016/0027-5107\(92\)90179-6](http://dx.doi.org/10.1016/0027-5107(92)90179-6).
- Crebelli, R; Carere, A; Leopardi, P. (1999). Evaluation of 10 aliphatic halogenated hydrocarbons in the mouse bone marrow micronucleus test. *Mutagenesis*. 14: 207-215. <http://dx.doi.org/10.1093/mutage/14.2.207>.
- Criddle, CS; Mccarty, PL. (1991). ELECTROLYTIC MODEL SYSTEM FOR REDUCTIVE DEHALOGENATION IN AQUEOUS ENVIRONMENTS. *Environ Sci Technol*. 25: 973-978.
- Crump, KS; Hoel, DG; Langley, CH; Peto, R. (1976). Fundamental carcinogenic processes and their implications for low dose risk assessment. *Cancer Res*. 36: 2973-2979.
- Cruz-Zavala, AS; Pat-Espadas, AM; Rangel-Mendez, JR; Chazaro-Ruiz, LF; Ascacio-Valdes, JA; Aguilar, CN; Cervantes, FJ. (2016). Immobilization of metal-humic acid complexes in anaerobic granular sludge for their application as solid-phase redox mediators in the biotransformation of iopromide in UASB reactors. *Bioresour Technol*. 207: 39-45. <http://dx.doi.org/10.1016/j.biortech.2016.01.125>.
- Cui, J, ieHu; Li, CG; Du, X, iuH. (2011). Reactive Extraction of o-Aminophenol with Tri-n-butyl Phosphate in Different Solvents. *Journal of Chemical and Engineering Data*. 56: 3149-3156. <http://dx.doi.org/10.1021/je200219m>.
- Cui, L; An, L; Gong, W; Jiang, H. (2007). A novel process for preparation of ultra-clean micronized coal by high pressure water jet comminution technique. *Fuel*. 86: 750-757. <http://dx.doi.org/10.1016/j.fuel.2006.09.002>.
- Cui, Y; Ye, Q; Wang, H; Li, Y; Yao, W; Qian, H. (2014). Hepatoprotective potential of Aloe vera polysaccharides against chronic alcohol-induced hepatotoxicity in mice. *J Sci Food Agric*. 94: 1764-1771. <http://dx.doi.org/10.1002/jsfa.6489>.
- Cummings, BS; Lash, LH. (2000). Metabolism and toxicity of trichloroethylene and S-(1,2-dichlorovinyl)-L-cysteine in freshly isolated human proximal tubular cells. *Toxicol Sci*. 53: 458-466. <http://dx.doi.org/10.1093/toxsci/53.2.458>.
- Cummings, BS; Lasker, JM; Lash, LH. (2000). Expression of glutathione-dependent enzymes and cytochrome P450s in freshly isolated and primary cultures of proximal tubular cells from human kidney. *J Pharmacol Exp Ther*. 293: 677-685.
- Cummings, BS; Parker, JC; Lash, LH. (2000). Role of cytochrome P450 and glutathione S-transferase alpha in the metabolism and cytotoxicity of trichloroethylene in rat kidney. *Biochem Pharmacol*. 59: 531-543. [http://dx.doi.org/10.1016/S0006-2952\(99\)00374-3](http://dx.doi.org/10.1016/S0006-2952(99)00374-3).
- Cummings, BS; Parker, JC; Lash, LH. (2001). Cytochrome p450-dependent metabolism of trichloroethylene in rat kidney. *Toxicol Sci*. 60: 11-19. <http://dx.doi.org/10.1093/toxsci/60.1.11>.
- Cummings, BS; Zangar, RC; Novak, RF; Lash, LH. (1999). Cellular distribution of cytochromes P-450 in the rat kidney. *Drug Metab Dispos*. 27: 542-548.
- Cundy, VA; Lester, TW; Sterling, AM; Montestruc, AN; Morse, JS; Leger, CB; Acharya, S. (1989). ROTARY KILN INCINERATION .4. AN IN-DEPTH STUDY - KILN EXIT, TRANSITION AND AFTERBURNER SAMPLING DURING LIQUID CCL4 PROCESSING. *JAPCA*. 39: 1073-1085.

Exposure Literature Search Results

Off Topic

- Cundy, VA; Morse, JS; Lester, TW; Senser, DW. (1987). AN INVESTIGATION OF A NEAR - STOICHIOMETRIC CH₄/CCL₄/AIR PREMIXED FLAT FLAME. *Chemosphere*. 16: 989-1001.
- Cunningham, AB; Sharp, RR; Caccavo, F, Jr; Gerlach, R. (2007). Effects of starvation on bacterial transport through porous media. *Advances in Water Resources*. 30: 1583-1592. <http://dx.doi.org/10.1016/j.advwatres.2006.05.018>.
- Cunningham, BT; Baker, JE; Stillman, GE. (1990). CARBON-TETRACHLORIDE DOPED ALXGA1-XAS GROWN BY METALORGANIC CHEMICAL VAPOR-DEPOSITION. *Journal of Electronic Materials*. 19: 331-335.
- Cunnold, DM; Weiss, RF; Prinn, RG; Hartley, D; Simmonds, PG; Fraser, PJ; Miller, B; Alyea, FN; Porter, L. (1997). GAGE/AGAGE measurements indicating reductions in global emissions of CCl₃F and CCl₂F₂ in 1992-1994. *J Geophys Res Atmos*. 102: 1259-1269.
- Curtis, BJ; Brunner, HJ. (1978). END-POINT DETERMINATION OF ALUMINUM CCL₄ PLASMA ETCHING BY OPTICAL EMISSION-SPECTROSCOPY. *J Electrochem Soc*. 125: 829-830.
- Curtis, GP; Reinhard, M. (1994). Reductive dehalogenation of hexachloroethane, carbon tetrachloride, and bromoform by anthrahydroquinone disulfonate and humic acid. *Environ Sci Technol*. 28: 2393-2401.
- Cutting, RS; Mury, CA; Thornton, G; Vaughan, DJ. (2006). Molecular scale investigations of the reactivity of magnetite with formic acid, pyridine, and carbon tetrachloride. *Geochim Cosmo Acta*. 70: 3593-3612. <http://dx.doi.org/10.1016/j.gca.2006.04.034>.
- Cwiertny, DM; Bransfield, SJ; Livi, KJ; Fairbrother, DH; Robertst, AL. (2006). Exploring the influence of granular iron additives on 1,1,1-trichloroethane reduction. *Environ Sci Technol*. 40: 6837-6843. <http://dx.doi.org/10.1021/es060921v>.
- Cwiertny, DM; Handler, RM; Schaefer, MV; Grassian, VH; Scherer, MM. (2008). Interpreting nanoscale size-effects in aggregated Fe-oxide suspensions: reaction of Fe(II) with goethite. *Geochim Cosmo Acta*. 72: 1365-1380. <http://dx.doi.org/10.1016/j.gca.2007.12.018>.
- Cwiertny, DM; Roberts, AL. (2005). On the nonlinear relationship between k(obs) and reductant mass loading in iron batch systems. *Environ Sci Technol*. 39: 8948-8957. <http://dx.doi.org/10.1021/es050472j>.
- Cyriac, J; Pradeep, T. (2007). Probing difference in diffusivity of chloromethanes through water ice in the temperature range of 110-150 K. *J Phys Chem C*. 111: 8557-8565. <http://dx.doi.org/10.1021/jp068435h>.
- Cyriac, J; Pradeep, T. (2008). Interaction of carboxylic acids and water ice probed by argon ion induced chemical sputtering. *J Phys Chem C*. 112: 1604-1611. <http://dx.doi.org/10.1021/jp0756505>.
- da Silva Augusto, LG; Lieber, S. R.; Ruiz, MA; de Souza, CA. (1997). Micronucleus monitoring to assess human occupational exposure to organochlorides. *Environ Mol Mutagen*. 29: 46-52. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(1997\)29:1<46::AID-EM6>3.0.CO;2-B](http://dx.doi.org/10.1002/(SICI)1098-2280(1997)29:1<46::AID-EM6>3.0.CO;2-B).
- da Silva, G; Bozzelli, JW. (2007). Theoretical study of the oxidation catalyst N-hydroxyphthalimide (NHPI): Thermochemical properties, internal rotor potential, and gas- and liquid-phase bond dissociation energies. *J Phys Chem C*. 111: 5760-5765. <http://dx.doi.org/10.1021/jp068727i>.
- Da Silva, MLB; Johnson, RL; Alvarez, PJJ. (2007). Microbial characterization of groundwater undergoing treatment with a permeable reactive iron barrier. *Environ Eng Sci*. 24: 1122-1127. <http://dx.doi.org/10.1089/ees.2007.0016>.
- da Silva, MLP; Demarquette, NR; Tan, IH. (2003). Use of HMDS/hexane double layers for obtaining low cost selective membrane. *Cellulose*. 10: 171-178.
- Daft, JL. (1991). Fumigants and related chemicals in foods: review of residue findings, contamination sources, and analytical methods [Review]. *Sci Total Environ*. 100 Spec No: 501-518.
- Dagade, D; Pawar, R; Patil, K. (2004). Viscosity behavior of 18-crown-6 in aqueous and carbon tetrachloride solutions at different temperatures and at ambient pressure. *Journal of Chemical and Engineering Data*. 49: 341-346. <http://dx.doi.org/10.1021/je034188o>.
- Dagostino, R; Capezzuto, P; Cramarossa, F; Fracassi, F. (1989). PLASMA-ASSISTED ETCHING OF ALUMINUM IN CCL₄-CL₂ MIXTURES. *Plasma Chemistry and Plasma Processing*. 9: 513-525.
- Dai, HX; Ng, CF; Au, CT. (2001). SrCl₂-Promoted REOx (RE = Ce, Pr, Tb) catalysts for the selective oxidation of ethane: A study on performance and defect structures for ethene formation. *J Catal*. 199: 177-192. <http://dx.doi.org/10.1006/jcat.2001.3161>.
- Dalu, A; Rao, PS; Mehendale, HM. (1998). Colchicine antimitosis abolishes resiliency of postnatally developing rats to chlordecone-amplified carbon tetrachloride hepatotoxicity and lethality. *Environ Health Perspect*. 106: 597-606.
- Daly, KA; Liu, S; Agrawal, V; Brown, BN; Johnson, SA; Medberry, CJ; Badylak, SF. (2012). Damage associated molecular patterns within xenogeneic biologic scaffolds and their effects on host remodeling. *Biomaterials*. 33: 91-101. <http://dx.doi.org/10.1016/j.biomaterials.2011.09.040>.
- Dani, C; Bonatto, D; Salvador, M; Pereira, MD; Henriques, JA; Eleutherio, E. (2008). Antioxidant protection of resveratrol and catechin in *Saccharomyces cerevisiae*. *J Agric Food Chem*. 56: 4268-4272. <http://dx.doi.org/10.1021/jf800752s>.
- Daniel, C; Longo, S; Fasano, G; Vitillo, JG; Guerra, G. (2011). Nanoporous Crystalline Phases of Poly(2,6-Dimethyl-1,4-phenylene)oxide. *Chem Mater*. 23: 3195-3200. <http://dx.doi.org/10.1021/cm200546r>.
- Daniel, C; Vitillo, JG; Fasano, G; Guerra, G. (2011). Aerogels and Polymorphism of Isotactic Poly(4-methyl-pentene-1). *ACS Applied Materials & Interfaces*. 3: 969-977. <http://dx.doi.org/10.1021/am200107w>.
- Daniel, JS; Solomon, S; Albritton, DL. (1995). On the evaluation of halocarbon radiative forcing and global warming potentials. *J Geophys Res*. 100: 1271-1285. <http://dx.doi.org/10.1029/94JD02516>.
- Danielsen, KM; Gland, JL; Hayes, KF. (2005). Influence of amine buffers on carbon tetrachloride reductive dechlorination by the iron oxide magnetite. *Environ Sci Technol*. 39: 756-763. <http://dx.doi.org/10.1021/es049635e>.
- Danielsen, KM; Hayes, KF. (2004). pH dependence of carbon tetrachloride reductive dechlorination by magnetite. *Environ Sci Technol*. 38: 4745-4752. <http://dx.doi.org/10.1021/es0496874>.

Exposure Literature Search Results

Off Topic

- Danish, M; Gu, X; Lu, S; Zhang, X; Fu, X; Xue, Y; Miao, Z; Ahmad, A; Naqvi, M; Qureshi, AS. (2016). The Effect of Chelating Agents on Enhancement of 1,1,1-Trichloroethane and Trichloroethylene Degradation by Z-nZVI-Catalyzed Percarbonate Process. *Water Air Soil Pollut.* 227. <http://dx.doi.org/10.1007/s11270-016-3005-x>.
- Darby, JA. (2008). A kinetic model of fumigant sorption by grain using batch experimental data. *Pest Manag Sci.* 64: 519-526. <http://dx.doi.org/10.1002/ps.1534>.
- Darlington, R; Lehmicke, L; Andrachek, RG; Freedman, DL. (2013). Anaerobic abiotic transformations of cis-1,2-dichloroethene in fractured sandstone. *Chemosphere.* 90: 2226-2232. <http://dx.doi.org/10.1016/j.chemosphere.2012.09.084>.
- Dartnell, NJ; Flowers, MC; Greef, R; Zhu, J; Blackburn, A. (1995). REACTIVE ION ETCHING OF SILICON-CARBIDE (SiC_{1-X}). *Vacuum.* 46: 349-355.
- Das, JK; Dash, SK; Chakravorty, V; Swain, BB. (1994). DIELECTRIC STUDIES ON BINARY-MIXTURES OF METHYL ISOBUTYL KETONE (MIBK) IN NONPOLAR-SOLVENTS. *Indian J Chem Tech.* 1: 230-232.
- Das, S; Banthia, AK; Adhikari, B. (2006). Removal of chlorinated volatile organic contaminants from water by pervaporation using a novel polyurethane urea-poly (methyl methacrylate) interpenetrating network membrane. *Chem Eng Sci.* 61: 6454-6467. <http://dx.doi.org/10.1016/j.ces.2006.06.014>.
- Dasireddy, VDB, C; Singh, S; Friedrich, HB. (2012). Oxidative dehydrogenation of n-octane using vanadium pentoxide-supported hydroxyapatite catalysts. *Appl Catal A-Gen.* 421: 58-69. <http://dx.doi.org/10.1016/j.apcata.2012.01.034>.
- Datskou, I; North, K. (1996). Risks due to groundwater contamination at a plutonium processing facility. *Water Air Soil Pollut.* 90: 1-2.
- Daubert, TE; Danner, RP. (1995). Physical and thermodynamic properties of pure chemicals: Data compilation. Washington DC: Taylor and Francis.
- David, A; Frantik, E; Holusa, R; Novakova, O. (1981). Role of time and concentration on carbon tetrachloride toxicity in rats. *Int Arch Occup Environ Health.* 48: 49-60. <http://dx.doi.org/10.1007/BF00405931>.
- Davidson, BR; Hart, L; Newman, RC; Joyce, TB; Bullough, TJ; Button, CC. (1996). Carbon delta-doping GaAs superlattices. *Journal of Materials Science: Materials in Electronics.* 7: 355-360.
- Davis, A; Fennimore, GG; Peck, C; Walker, CR; McIlwraith, J; Thomas, S. (2003). Degradation of carbon tetrachloride in a reducing groundwater environment: implications for natural attenuation. *Appl Geochem.* 18: 503-525.
- Davis, JW; Madsen, SS. (1991). THE BIODEGRADATION OF METHYLENE-CHLORIDE IN SOILS. *Environ Toxicol Chem.* 10: 463-474.
- Davis, M. (1992). Dichloroacetic acid and trichloroacetic acid increase chloroform toxicity. *J Toxicol Environ Health.* 37: 139-148. <http://dx.doi.org/10.1080/15287399209531661>.
- Davydov, V; Sheppard, N; Osawa, E. (2002). An Infrared Spectroscopic Study of the Hydrogenation and Dehydrogenation of the Complexes of Aromatic Compounds and of Fullerene C with Silica-Supported Platinum. *J Catal.* 211: 42-52. <http://dx.doi.org/10.1006/jcat.2002.3694>.
- Davydova, EI; Ladugin, MA; Marmalyuk, AA; Padalitsa, AA; Petrovskii, AV; Sukharev, AV; Uspenskii, MB; Shishkin, VA. (2009). High-power single-mode laser diodes based on carbon-doped quantum-well InGaAs/AlGaAs heterostructures. *Quantum Electronics.* 39: 18-20. <http://dx.doi.org/10.1070/QE2009v039n01ABEH013933>.
- de Cominges, BE; Pineiro, MM; Mascato, E; Iglesias, TP; Legido, JL. (2000). Temperature dependence of the thermophysical properties of binary mixtures of n-hexane+1-butanol. *High Temperatures - High Pressures.* 32: 653-661.
- De Flora, S; Znacchi, P; Camoirano, A; Bennicelli, C; Badolati, GS. (1984). Genotoxic activity and potency of 135 compounds in the Ames reversion test and in a bacterial DNA-repair test [Review]. *Mutat Res.* 133: 161-198. [http://dx.doi.org/10.1016/0165-1110\(84\)90016-2](http://dx.doi.org/10.1016/0165-1110(84)90016-2).
- De, G; Kundu, D; Karmakar, B; Ganguli, D. (1993). FTIR STUDIES OF GEL TO GLASS CONVERSION IN TEOS FUMED SILICA-DERIVED GELS. *Journal of Non-Crystalline Solids.* 155: 253-258.
- De, G; Kundu, D; Karmakar, B; Ganguli, D. (1993). HYDROXYL-FREE CLEAR SILICA GLASS BY SOL-GEL PROCESSING. *Mater Lett.* 16: 231-235.
- De Pascali, G; Melisi, D; Valentini, M; Valentini, A; Nitti, MA; Nasi, R; Casamassima, G; Ambrico, PF; Cardone, A. (2014). Spray deposited carbon nanotubes for organic vapor sensors. *Microelectronics Journal.* 45: 1691-1694. <http://dx.doi.org/10.1016/j.mejo.2014.09.007>.
- de Pedro, ZM; Gomez-Sainero, LM; Gonzalez-Serrano, E; Rodriguez, JJ. (2006). Gas-phase hydrodechlorination of dichloromethane at low concentrations with palladium/carbon catalysts. *Ind Eng Chem Res.* 45: 7760-7766. <http://dx.doi.org/10.1021/ie060621m>.
- de Richter, RK; Ming, T; Caillol, S; Liu, W, ei. (2016). Fighting global warming by GHG removal: Destroying CFCs and HCFCs in solar-wind power plant hybrids producing renewable energy with no-intermittency. *Int J Greenhouse Gas Control.* 49: 449-472. <http://dx.doi.org/10.1016/j.ijggc.2016.02.027>.
- de Rivas, B; Lopez-Fonseca, R; Gutierrez-Ortiz, MA; Gutierrez-Ortiz, JI. (2011). Impact of induced chlorine-poisoning on the catalytic behaviour of Ce_{0.5}Zr_{0.5}O₂ and Ce_{0.15}Zr_{0.85}O₂ in the gas-phase oxidation of chlorinated VOCs. *Appl Catal B-Environ.* 104: 373-381. <http://dx.doi.org/10.1016/j.apcatb.2011.03.003>.
- de Souza, AGF; Bentes, AMP; Rodrigues, ACC; Borges, LEP; Monteiro, JLF. (2005). Hydrodechlorination of carbon tetrachloride over PtNaX zeolite: Deactivation studies. *Catalysis Today.* 107-08: 493-499. <http://dx.doi.org/10.1016/j.cattod.2005.07.062>.
- De Stefanis, A; Perez, G; Tomlinson, AAG. (2006). PLS versus zeolites as sorbents and catalysts - Part 9. An unexpected reaction of Al-PILC sorbed CCl₄ with benzene. *Catalysis Today.* 114: 314-318. <http://dx.doi.org/10.1016/j.cattod.2006.02.023>.
- de Vera, MP; Pocsidio, GN. (1998). Potential protective effect of calcium carbonate as liming agent against copper toxicity in the African tilapia *Oreochromis mossambicus*. *Sci Total Environ.* 214: 193-202. [http://dx.doi.org/10.1016/S0048-9697\(98\)00065-5](http://dx.doi.org/10.1016/S0048-9697(98)00065-5).
- Debarre, D; Aliouchouche, A; Boulmer, J; Bourguignon, B; Budin, JP. (1996). The role of gas-phase in the laser etching of Cu by CCl₄. *Appl Surf Sci.* 96-8: 453-456.
- Debarros, RCM; Corat, EJ; Travaaieroldi, VJ; Ferreira, NG; Leite, NF; Iha, K. (1997). Mass spectrometry and diamond growth from CCl₄/H₂ gas mixtures. *Diam Relat Mater.* 6: 490-493.

Exposure Literature Search Results

Off Topic

- Decker, S; Lagadic, I; Klabunde, KJ; Moscovici, J; Michalowicz, A. (1998). EXAFS observation of the Sr and Fe site structural environment in SrO and Fe₂O₃-coated SrO nanoparticles used as carbon tetrachloride destructive adsorbents. *Chem Mater.* 10: 674-678.
- Decker, SP; Klabunde, JS; Khaleel, A; Klabunde, KJ. (2002). Catalyzed destructive adsorption of environmental toxins with nanocrystalline metal oxides. Fluoro-, chloro-, bromocarbons, sulfur, and organophosphorus compounds. *Environ Sci Technol.* 36: 762-768. <http://dx.doi.org/10.1021/es010733z>.
- Dedrick, RL; Bischoff, KB. (1980). Species similarities in pharmacokinetics. *FASEB J.* 39: 54-59.
- Deer, HM; Mcjilton, CE; Harein, PK. (1987). Respiratory Exposure of Grain Inspection Workers to Carbon Tetrachloride Fumigant. *Am Ind Hyg Assoc J.* 48: 586-593.
- Defelice, TP. (1999). Chemical composition of fresh snowfalls at Palmer Station, Antarctica. *Atmos Environ.* 33: 155-161.
- Dehoff, KJ; Oostrom, M; Zhang, C; Grate, JW. (2012). Evaluation of Two-Phase Relative Permeability and Capillary Pressure Relations for Unstable Displacements in a Pore Network. *Vadose Zone Journal.* 11. <http://dx.doi.org/10.2136/vzj2012.0024>.
- Dei, L; Lonostro, P; Capuzzi, G; Baglioni, P. (1998). Langmuir films of p-tert-butylcalix[8]arene. Conformations at the water-air interface and complexation of fullerene C-60. *Langmuir.* 14: 4143-4147.
- Deipser, A; Stegmann, R. (1997). Biological degradation of VCCs and CFCs under simulated anaerobic landfill conditions in laboratory test digesters. *Environ Sci Pollut Res Int.* 4: 209-216. <http://dx.doi.org/10.1007/BF02986348>.
- Deitsch, JJ; Smith, JA; Arnold, MB; Bolus, J. (1998). Sorption and desorption rates of carbon tetrachloride and 1,2-dichlorobenzene to three organobentonites and a natural peat soil. *Environ Sci Technol.* 32: 3169-3177.
- Delafuente, IG; Gonzalez, JA; Cobos, JC; Casanova, C. (1992). EXCESS MOLAR VOLUMES FOR DIMETHYL CARBONATE PLUS HEPTANE, DECANE, 2,2,4-TRIMETHYLPENTANE, CYCLOHEXANE, BENZENE, TOLUENE, OR TETRACHLOROMETHANE. *Journal of Chemical and Engineering Data.* 37: 535-537.
- Delannoy, L; Giraudon, JM; Granger, P; Leclercq, L; Leclercq, G. (2002). Hydrodechlorination of CCl₄ over group VI transition metal carbides. *Appl Catal B-Environ.* 37: 161-173.
- Delitala, C; Marongiu, B; Porcedda, S. (1998). Steric and inductive effects in binary mixtures of alkanones with benzene or tetrachloromethane. Comparison with DISQUAC predictions. *Fluid Phase Equilibria.* 142: 1-14.
- Delogu, F; Arca, E; Mulas, G. (2008). Growth of Ag nanometre-sized particles in solution: molecular dynamics simulations. *Nanotechnology.* 19: 295703. <http://dx.doi.org/10.1088/0957-4484/19/29/295703>.
- Delp, MD; Manning, RO; Bruckner, JV; Armstrong, RB. (1991). Distribution of cardiac output during diurnal changes of activity in rats. *Am J Physiol.* 261: H1487-H1493.
- Delpech, MC; Oliveira, CMF. (2005). Viscometric study of poly(methyl methacrylate-g-propylene oxide) and respective homopolymers. *Polym Test.* 24: 381-386. <http://dx.doi.org/10.1016/j.polymertesting.2004.09.012>.
- Delyon, TJ; Buchan, NI; Kirchner, PD; Woodall, JM; Mcinturff, DT; Scilla, GJ; Cardone, F. (1991). USE OF CCL₄ AND CHCL₃ IN GAS SOURCE MOLECULAR-BEAM EPITAXY FOR CARBON DOPING OF GAAS AND GAXIN1-XP. *J Cryst Growth.* 111: 564-569.
- Delyon, TJ; Woodall, JM; Kash, JA; Mcinturff, DT; Bates, RJS; Kirchner, PD; Cardone, F. (1992). MINORITY-CARRIER LIFETIME AND PHOTOLUMINESCENT RESPONSE OF HEAVILY CARBON-DOPED GAAS GROWN WITH GAS SOURCE MOLECULAR-BEAM EPITAXY USING HALOMETHANE DOPING SOURCES. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures.* 10: 846-849.
- Demarini, DM; Williams, RW; Perry, E; Lemieux, PM; Linak, WP. (1992). BIOASSAY-DIRECTED CHEMICAL-ANALYSIS OF ORGANIC EXTRACTS OF EMISSIONS FROM A LABORATORY-SCALE INCINERATOR - COMBUSTION OF SURROGATE COMPOUNDS. *Combust Sci Tech.* 85: 437-453.
- Demeestere, K; Dewulf, J; Ohno, T; Salgado, PH; Van Langenhove, H. (2005). Visible light mediated photocatalytic degradation of gaseous trichloroethylene and dimethyl sulfide on modified titanium dioxide. *Appl Catal B-Environ.* 61: 140-149. <http://dx.doi.org/10.1016/j.apcatb.2005.04.017>.
- Dement'ev, AS; Diomin, I; Murauskas, E; Slavinskis, N. (2011). Compression of pulses during their amplification in the field of a focused counterpropagating pump pulse of the same frequency and width in media with electrostriction nonlinearity. *Quantum Electronics.* 41: 153-159. <http://dx.doi.org/10.1070/QE2011v041n02ABEH014496>.
- Demirel, Y; Sandler, SI. (2002). Effects of concentration and temperature on the coupled heat and mass transport in liquid mixtures. *Int J Heat Mass Tran.* 45: 75-86.
- Denelzen, MGJ; Swart, RJ; Rotmans, J. (1992). STRENGTHENING THE MONTREAL PROTOCOL - DOES IT COOL DOWN THE GREENHOUSE. *Sci Total Environ.* 113: 229-250.
- Deng, D; Pan, X; Yu, L; Cui, Y; Jiang, Y; Qi, J; Li, WX; Fu, Q; Ma, X; Xue, Q; Sun, G; Bao, X. (2011). Toward N-Doped Graphene via Solvothermal Synthesis. *Chem Mater.* 23: 1188-1193. <http://dx.doi.org/10.1021/cm102666r>.
- Deng, J; Yang, Y; He, Y; Ouyang, G; Huang, Z. (2006). Densities and surface tensions of trimethylbenzene + dimethyl carbonate or + diethyl carbonate at 298.15 k and 313.15 k. *Journal of Chemical and Engineering Data.* 51: 1464. <http://dx.doi.org/10.1021/jc060137q>.
- Deng, JF; Wang, JD; Shih, TS; Lan, FL. (1987). Outbreak of carbon tetrachloride poisoning in a color printing factory related to the use of isopropyl alcohol and an air conditioning system in Taiwan. *Am J Ind Med.* 12: 11-19.
- Deng, JH; Yang, YY; Wang, PZ; Ouyang, GF; Huang, ZQ. (2006). Excess molar volumes and surface tensions of trimethylbenzene plus ethylene glycol ester at 298.15 K and 313.15 K. *Journal of Chemical and Engineering Data.* 51: 725-729. <http://dx.doi.org/10.1021/jc050484k>.
- Deng, QF; Liu, L; ei, Lin, X; iuz; Du, G; Liu, Y; Yuan, ZY. (2012). Synthesis and CO₂ capture properties of mesoporous carbon nitride materials. *Chem Eng J.* 203: 63-70. <http://dx.doi.org/10.1016/j.cej.2012.06.124>.
- Denkbass, EB; Kaitian, X; Tuncel, A; Piskin, E. (1995). RIFAMPICIN-CARRYING POLY(D,L-LACTIDE) MICROSPHERES - LOADING AND RELEASE. *J Biomater Sci Polym Ed.* 6: 815-825.

Exposure Literature Search Results

Off Topic

- Denli, M; Okan, F; Uluocak, AN. (2004). Effect of dietary supplementation of herb essential oils on the growth performance, carcass and intestinal characteristics of quail (*Coturnix coturnix japonica*). *South African Journal of Animal Science*. 34: 174-179.
- Dentel, SK; Jamrah, AI; Sparks, DL. (1998). Sorption and cosorption of 1,2,4-trichlorobenzene and tannic acid by organo-clays. *Water Res*. 32: 3689-3697.
- Derakhshesh, M; Abedi, J; Hassanzadeh, H. (2010). Mechanism of methanol decomposition by non-thermal plasma. *Journal of Electrostatics*. 68: 424-428. <http://dx.doi.org/10.1016/j.elstat.2010.06.004>.
- Derecskei, B; Derecskei-Kovacs, A; Schelly, ZA. (1999). Atomic-level molecular modeling of AOT reverse micelles. 1. The AOT molecule in water and carbon tetrachloride. *Langmuir*. 15: 1981-1992.
- Dernini, S; Polcaro, AM; Ricci, PF; Marongiu, B. (1989). THERMODYNAMIC PROPERTIES OF BINARY-MIXTURES CONTAINING CYCLOALKANONES .3. EXCESS VOLUMES OF CYCLOALKANONES + CYCLOHEXANE, +BENZENE, AND + TETRACHLOROMETHANE. *Journal of Chemical and Engineering Data*. 34: 165-167.
- Desaiah, D; Pentylala, SN; Trotman, CH; Vig, PJ; Sekhon, BS. (1991). Combined effects of carbon tetrachloride and chlordecone on calmodulin activity in gerbil brain. *J Toxicol Environ Health*. 34: 219-228. <http://dx.doi.org/10.1080/15287399109531561>.
- Devi, P; Lozovoy, VV; Dantus, M. (2011). Measurement of group velocity dispersion of solvents using 2-cycle femtosecond pulses: Experiment and theory. 1: 032166. <http://dx.doi.org/10.1063/1.3646462>.
- Devlin, JF; Allin, KO. (2005). Major anion effects on the kinetics and reactivity of granular iron in glass-encased magnet batch reactor experiments. *Environ Sci Technol*. 39: 1868-1874. <http://dx.doi.org/10.1021/es040413q>.
- Devlin, JF; Katic, D; Barker, JF. (2004). In situ sequenced bioremediation of mixed contaminants in groundwater. *J Contam Hydrol*. 69: 233-261. [http://dx.doi.org/10.1016/S0169-7722\(03\)00156-6](http://dx.doi.org/10.1016/S0169-7722(03)00156-6).
- Devlin, JF; McMaster, M; Barker, JF. (2002). Hydrogeologic assessment of in situ natural attenuation in a controlled field experiment. *Water Resour Res*. 38: 1002-1002. <http://dx.doi.org/10.1029/2000WR000148>.
- Dey, P; Basu, S. (2011). Synergistic Extraction of Copper from Nitrate Solutions Using beta-Hydroxy-Naphthaldoxime and Organophosphorus Compounds into Carbon-Tetrachloride. *Metallurgical and Materials Transactions B - Process Metallurgy and Materials Processing Science*. 42: 1136-1143. <http://dx.doi.org/10.1007/s11663-011-9552-z>.
- Dharmalingam, K; Ramachandran, K; Sivagurunathan, P; Kalamse, GM. (2007). Molecular associations in alcohol-methyl methacrylate mixtures. *Journal of Chemical and Engineering Data*. 52: 265-269. <http://dx.doi.org/10.1021/jc060379q>.
- Díaz Gómez, MI; Fanelli, SL; Delgado de Layño, AM; Bietto, FM; Castro, JA; Castro, GD. (2008). Deleterious effects induced by oxidative stress in liver nuclei from rats receiving an alcohol-containing liquid diet. *Toxicol Ind Health*. 24: 625-634. <http://dx.doi.org/10.1177/0748233708101207>.
- Díaz Gómez, MI; Fanelli, SL; Delgado de Layño, AM; Castro, JA; Castro, GD. (2006). Liver nuclear and microsomal CYP2E1-mediated metabolism of xenobiotics in rats chronically drinking an alcohol-containing liquid diet. *Toxicol Ind Health*. 22: 367-374. <http://dx.doi.org/10.1177/0748233706070982>.
- Dickson, JM; Childs, RF; Mccarry, BE; Gagnon, DR. (1998). Development of a coating technique for the internal structure of polypropylene microfiltration membranes. *J Memb Sci*. 148: 25-36.
- Din, KS; Hwang, RY. (1991). OPTIMIZATION OF SURFACE CONDITION DURING REACTIVE ION ETCHING OF GAAS AND ALXGA1-XAS. *Mater Sci Eng B*. 9: 57-60.
- Dinda, S; Patwardhan, AV; Panda, SR; Pradhan, NC. (2008). Kinetics of reactive absorption of carbon dioxide with solutions of aniline in carbon tetrachloride and chloroform. *Chem Eng J*. 136: 349-357. <http://dx.doi.org/10.1016/j.cej.2007.04.037>.
- Ding, D; Benson, DA. (2015). Simulating biodegradation under mixing-limited conditions using Michaelis-Menten (Monod) kinetic expressions in a particle tracking model. *Advances in Water Resources*. 76: 109-119.
- Dixit, S; Hering, JG. (2006). Sorption of Fe(II) and As(III) on goethite in single- and dual-sorbate systems. *Chem Geol*. 228: 6-15. <http://dx.doi.org/10.1016/j.chemgeo.2005.11.15>.
- Djouani, F; Chehimi, MM; Benzarti, K. (2013). Interactions of fully formulated epoxy with model cement hydrates. *J Adhes Sci Tech*. 27: 469-489. <http://dx.doi.org/10.1080/01694243.2012.687548>.
- Dmitruk, LN; Batygov, SK, h; Moiseeva, LV; Petrova, OB; Brekhovskikh, MN; Fedorov, VA. (2007). Preparation and properties of heavy-metal halide glasses. *Inorg Mater*. 43: 793-796. <http://dx.doi.org/10.1134/S002016850707070217>.
- Do, DD; Do, HD. (2002). Effects of adsorbate-adsorbate interaction in the description of adsorption isotherm of hydrocarbons in micro-mesoporous carbonaceous materials. *Appl Surf Sci*. 196: 13-29.
- Do, DD; Do, HD. (2004). Adsorption of ethylene on graphitized thermal carbon black and in slit pores: a computer simulation study. *Langmuir*. 20: 7103-7116. <http://dx.doi.org/10.1021/la0495682>.
- Do, S, iH; Batchelor, B. (2012). Reductive dechlorination of chlorinated hydrocarbons as non-aqueous phase liquid (NAPL): Preliminary investigation on effects of cement doses. *Sci Total Environ*. 430: 82-87. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.070>.
- Do, S, iH; Kwon, YJ, ae; Bang, S, uJin; Kong, SH, o. (2013). Persulfate reactivity enhanced by Fe₂O₃-MnO and CaO-Fe₂O₃-MnO composite: Identification of composite and degradation of CCl₄ at various levels of pH. *Chem Eng J*. 221: 72-80. <http://dx.doi.org/10.1016/j.cej.2013.01.097>.
- Dobrzakov, YG; Balashova, IM; Maurer, G. (2001). The limiting activity coefficient of phenol in water and some organic solvents from differential ebulliometry. *Fluid Phase Equilibria*. 181: 59-70.
- Dodin, EI; Grigoreva, LA; Kharlamov, IP; Filatova, LV. (1977). IMPROVEMENT OF PHOTOSTABILITY OF SOLUTIONS OF COPPER DIETHYLDITHIOCARBAMINATE IN CARBON-TETRACHLORIDE. *Industrial Laboratory*. 43: 1043-1044.

Exposure Literature Search Results

Off Topic

- Doherty, RE. (2000). A history of the production and use of carbon tetrachloride, tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane in the United States: Part 1—historical background; carbon tetrachloride and tetrachloroethylene. *Environ Forensics*. 1: 69-81. <http://dx.doi.org/10.1006/enfo.2000.0010>.
- Doherty, RE. (2000). A history of the production and use of carbon tetrachloride, tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane in the United States: Part 2 - Trichloroethylene and 1,1,1-trichloroethane. *Environ Forensics*. 1: 83-93. <http://dx.doi.org/10.1006/enfo.2000.0011>.
- Doherty, RE. (2012). The Manufacture, Use, and Supply of Chlorinated Solvents in the United States During World War II. *Environ Forensics*. 13: 7-26. <http://dx.doi.org/10.1080/15275922.2011.643341>.
- Doi, K; Kurabe, S; Shimazu, N; Inagaki, M. (1991). SYSTEMIC HISTOPATHOLOGY OF RATS WITH CCL4-INDUCED HEPATIC CIRRHOSIS. *Lab Anim*. 25: 21-25.
- Dolfing, J, an; Van Eekert, M; Seech, A; Vogan, J; Mueller, J, im. (2007). In situ chemical reduction (ISCR) technologies: Significance of low eh reactions. *Soil Sediment Contam*. 17: 63-74. <http://dx.doi.org/10.1080/15320380701741438>.
- Domanska, U; Gonzalez, JA. (1996). Solid-liquid equilibria for systems containing long-chain 1-alkanols .1. Experimental data for 1-dodecanol, 1-tetradecanol, 1-hexadecanol, 1-octadecanol or 1-icosanol-benzene or -toluene mixtures. Characterization in terms of DISQUAC. *Fluid Phase Equilibria*. 119: 131-151.
- Domanska, U; Gonzalez, JA. (1996). Solid-liquid equilibria for systems containing long-chain 1-alkanols .2. Experimental data for 1-dodecanol, 1-tetradecanol, 1-hexadecanol, 1-octadecanol or 1-eicosanol plus CCl4 or plus cyclohexane mixtures. Characterization in terms of DISQUAC. *Fluid Phase Equilibria*. 123: 167-187.
- Domanska, U; Klofutar, C; Paljk, S. (1994). SOLUBILITY OF CHOLESTEROL IN SELECTED ORGANIC-SOLVENTS. *Fluid Phase Equilibria*. 97: 191-200.
- Domanska, U; Sporzynski, A; Moollan, WC; Letcher, TM. (1996). Vapor-liquid equilibria of binary mixtures containing sulfolane. *Journal of Chemical and Engineering Data*. 41: 624-628.
- Domanska, U; Szurgocinska, M; Gonzalez, JA. (2002). Thermodynamics of binary mixtures containing organic carbonates. 12. SLE and LLE measurements for systems of dimethyl carbonate with long n-alkanes. Comparison with DISQUAC and modified UNIFAC predictions. *Ind Eng Chem Res*. 41: 3253-3259. <http://dx.doi.org/10.1021/ie010662c>.
- Dominguez, CM; Parchao, J; Rodriguez, S; Lorenzo, D; Romero, A; Santos, A. (2016). Kinetics of Lindane Dechlorination by Zerovalent Iron Microparticles: Effect of Different Salts and Stability Study. *Ind Eng Chem Res*. 55: 12776-12785. <http://dx.doi.org/10.1021/acs.iecr.6b03434>.
- Doolittle, DJ; Muller, G; Scribner, HE. (1987). Relationship between hepatotoxicity and induction of replicative DNA synthesis following single or multiple doses of carbon tetrachloride. *J Toxicol Environ Health*. 22: 63-78. <http://dx.doi.org/10.1080/15287398709531051>.
- Doong, R; Wu, S. (1995). SUBSTRATE EFFECTS ON THE ENHANCED BIOTRANSFORMATION OF POLYCHLORINATED HYDROCARBONS UNDER ANAEROBIC CONDITION. *Chemosphere*. 30: 1499-1511.
- Doong, RA; Chang, SM. (2000). Relationship between electron donor and microorganism on the dechlorination of carbon tetrachloride by an anaerobic enrichment culture. *Chemosphere*. 40: 1427-1433.
- Doong, RA; Chen, KT; Tsai, HC. (2003). Reductive dechlorination of carbon tetrachloride and tetrachloroethylene by zerovalent silicon-iron reductants. *Environ Sci Technol*. 37: 2575-2581. <http://dx.doi.org/10.1021/es020978r>.
- Doong, RA; Chiang, HC. (2005). Transformation of carbon tetrachloride by thiol reductants in the presence of quinone compounds. *Environ Sci Technol*. 39: 7460-7468. <http://dx.doi.org/10.1021/es047956k>.
- Doong, RA; Hsieh, TC; Huang, CP. (2010). Photoassisted reduction of metal ions and organic dye by titanium dioxide nanoparticles in aqueous solution under anoxic conditions. *Sci Total Environ*. 408: 3334-3341. <http://dx.doi.org/10.1016/j.scitotenv.2010.03.032>.
- Doong, RA; Lai, YJ. (2005). Dechlorination of tetrachloroethylene by palladized iron in the presence of humic acid. *Water Res*. 39: 2309-2318. <http://dx.doi.org/10.1016/j.watres.2005.04.036>.
- Doong, RA; Lai, YL. (2006). Effect of metal ions and humic acid on the dechlorination of tetrachloroethylene by zerovalent iron. *Chemosphere*. 64: 371-378. <http://dx.doi.org/10.1016/j.chemosphere.2005.12.038>.
- Doong, RA; Lee, CC; Chen, KT; Wu, SF. (2004). Coupled reduction of chlorinated hydrocarbons and heavy metals by zerovalent silicon. *Water Sci Technol*. 50: 89-96.
- Doong, RA; Lee, CC; Lien, CM. (2014). Enhanced dechlorination of carbon tetrachloride by *Geobacter sulfurreducens* in the presence of naturally occurring quinones and ferrihydrite. *Chemosphere*. 97: 54-63. <http://dx.doi.org/10.1016/j.chemosphere.2013.11.004>.
- Doong, RA; Wu, SC. (1992). THE EFFECT OF OXIDATION-REDUCTION POTENTIAL ON THE BIOTRANSFORMATIONS OF CHLORINATED HYDROCARBONS. *Water Sci Technol*. 26: 159-168.
- Doong, RA; Wu, SC. (1992). REDUCTIVE DECHLORINATION OF CHLORINATED HYDROCARBONS IN AQUEOUS-SOLUTIONS CONTAINING FERROUS AND SULFIDE IONS. *Chemosphere*. 24: 1063-1075.
- Doong, RA; Wu, SC. (1995). ENHANCED BIODEGRADATION OF CARBON-TETRACHLORIDE BY THE SUPPLEMENT OF SUBSTRATE AND MINERAL IONS UNDER ANAEROBIC CONDITION. *Water Environ Res*. 67: 276-281.
- Doong, RA; Wu, SC. (1996). Effect of substrate concentration on the biotransformation of carbon tetrachloride and 1,1,1-trichloroethane under anaerobic condition. *Water Res*. 30: 577-586.
- Doong, RA; Wu, SC; Chen, TF. (1996). Anaerobic biotransformation of polychlorinated methane and ethene under various redox conditions. *Chemosphere*. 32: 377-390.
- Doong, RA; Wu, SC; Chen, TF. (1998). Modeling transport and fate of chlorinated hydrocarbons governed by biotic transformation in porous media. *Water Res*. 32: 39-46. [http://dx.doi.org/10.1016/S0043-1354\(97\)00192-9](http://dx.doi.org/10.1016/S0043-1354(97)00192-9).

Exposure Literature Search Results

Off Topic

- Doskey, PV; Aldstadt, JH; Kuo, JM; Costanza, MS. (1996). Evaluation of an in situ, on-line purging system for the cone penetrometer. *J Air Waste Manag Assoc.* 46: 1081-1085.
- Downarowicz, D; Nastaj, J. (2003). Selected problems in removal of chlorinated solvent vapors, particularly carbon tetrachloride, from off-gases. *Przemysł Chemiczny.* 82: 1440-1445.
- DR, L; ed. (2000). *CRC handbook of chemistry and physics.* 81st Edition. Boca Raton, FL. 3-207.
- Drakon, AV; Eremin, AV; Korobeinichev, OP; Shvartsberg, VM; Shmakov, AG. (2016). Promoting effect of halogen- and phosphorus-containing flame retardants on the autoignition of a methane-oxygen mixture. *Combustion, Explosion, and Shock Waves.* 52: 375-385. <http://dx.doi.org/10.1134/S0010508216040018>.
- Dries, J; Bastiaens, L; Springael, D; Agathos, SN; Diels, L. (2004). Competition for sorption and degradation of chlorinated ethenes in batch zero-valent iron systems. *Environ Sci Technol.* 38: 2879-2884. <http://dx.doi.org/10.1021/es034933h>.
- Dror, I; Baram, D; Berkowitz, B. (2005). Use of nanosized catalysts for transformation of chloro-organic pollutants. *Environ Sci Technol.* 39: 1283-1290. <http://dx.doi.org/10.1021/es0490222>.
- Dror, I; Schlautman, MA. (2003). Role of metalloporphyrin core metals in the mediated reductive dechlorination of tetrachloroethylene. *Environ Toxicol Chem.* 22: 525-533. [http://dx.doi.org/10.1897/1551-5028\(2003\)022<0525:ROMCMI>2.0.CO;2](http://dx.doi.org/10.1897/1551-5028(2003)022<0525:ROMCMI>2.0.CO;2).
- Dror, I; Schlautman, MA. (2004). Cosolvent effect on the catalytic reductive dechlorination of PCE. *Chemosphere.* 57: 1505-1514. <http://dx.doi.org/10.1016/j.chemosphere.2004.08.078>.
- Dror, I; Schlautman, MA. (2004). Metalloporphyrin solubility: A trigger for catalyzing reductive dechlorination of tetrachloroethylene. *Environ Toxicol Chem.* 23: 252-257.
- Drozdz, AV; Klimov, VG; Moiseeva, IV. (1998). Extraction-spectrophotometric determination of anionic surface-active substances (SAS) using rhodamine 6G. *Industrial Laboratory.* 64: 294-296.
- Du, J; Bao, J; Tong, M, an; Yuan, S. (2013). Dechlorination of Pentachlorophenol by Palladium/Iron Nanoparticles Immobilized in a Membrane Synthesized by Sequential and Simultaneous Reduction of Trivalent Iron and Divalent Palladium Ions. *Environ Eng Sci.* 30: 350-356. <http://dx.doi.org/10.1089/ees.2011.0318>.
- Dubinina, MM; Polyakov, NS; Kataeva, LI. (1991). BASIC PROPERTIES OF EQUATIONS FOR PHYSICAL VAPOR ADSORPTION IN MICROPORES OF CARBON ADSORBENTS ASSUMING A NORMAL MICROPORE DISTRIBUTION. *Carbon.* 29: 481-488.
- Dubois-Clochard, MC; Durand, JP; Delfort, B; Gateau, P; Barre, L; Blanchard, I; Chevalier, Y; Gallo, R. (2001). Adsorption of polyisobutenylsuccinimide derivatives at a solid-hydrocarbon interface. *Langmuir.* 17: 5901-5910. <http://dx.doi.org/10.1021/la010076o>.
- Ducarme, X; Andre, HM; Lebrun, P. (1998). Extracting endogenous microarthropods: A new flotation method using 1,2-dibromoethane. *European Journal of Soil Biology.* 34: 143-150.
- Duce, C; Tine, MR; Lepori, L; Matteoli, E. (2002). VLE and LLE of perfluoroalkane plus alkane mixtures. *Fluid Phase Equilibria.* 199: 197-212.
- Ducourty, B; Szabo, G; Dath, JP; Gilson, JP; Goupil, JM; Cornet, D. (2004). Pt/Al₂O₃-Cl catalysts derived from ethylaluminum dichloride activity and stability in hydroisomerization of C-6 alkanes. *Appl Catal A-Gen.* 269: 203-214. <http://dx.doi.org/10.1016/j.apcata.2004.04.019>.
- Dumitrascu, I; Dumitrascu, L; Dorohoi, DO. (2012). MAIN REFRACTIVE INDICES OF NEMATIC LIQUID CRYSTALS DETERMINED BY INTERFEROMETRIC METHOD IN CONOSCOPIC ILLUMINATION. *Digest Journal of Nanomaterials and Biostructures.* 7: 23-32.
- Dunse, BL; Steele, LP; Wilson, SR; Fraser, PJ; Krummel, PB. (2005). Trace gas emissions from Melbourne, Australia, based on AGAGE observations at Cape Grim, Tasmania, 1995-2000. *Atmos Environ.* 39: 6334-6344. <http://dx.doi.org/10.1016/j.atmosenv.2005.07.014>.
- Dural, NH; Chen, CH; Puri, RK. (1997). Adsorption equilibrium of carbon tetrachloride on dry soils. *Chemical Engineering Communications.* 162: 75-92.
- Durov, VA; Tereshin, OG. (2003). Mixtures of halogenated hydrocarbons-organic solvent: molecular interactions, structure and physicochemical properties. *Fluid Phase Equilibria.* 210: 91-104. [http://dx.doi.org/10.1016/S0378-3812\(03\)00164-X](http://dx.doi.org/10.1016/S0378-3812(03)00164-X).
- Dybas, MJ; Barcelona, M; Bezborodnikov, S; Davies, S; Forney, L; Heuer, H; Kawka, O; Mayotte, T; Sepulveda-Torres, L; Smalla, K; Sneathen, M; Tiedje, J; Voice, T; Wiggert, DC; Witt, ME; Criddle, CS. (1998). Pilot-scale evaluation of bioaugmentation for in-situ remediation of a carbon tetrachloride contaminated aquifer. *Environ Sci Technol.* 32: 3598-3611.
- Dybas, MJ; Hyndman, DW; Heine, R; Tiedje, J; Linning, K; Wiggert, D; Voice, T; Zhao, X; Dybas, L; Criddle, CS. (2002). Development, operation, and long-term performance of a full-scale biocurtain utilizing bioaugmentation. *Environ Sci Technol.* 36: 3635-3644.
- Dyrkacz, GR; Ruscic, L; Marshall, CL; Reagan, W. (1996). Separation and characterization of FCC catalysts using density gradient separation. *Energy Fuels.* 10: 849-854.
- Easteal, AJ. (1996). Tracer diffusion of water in organic liquids. *Journal of Chemical and Engineering Data.* 41: 741-744.
- Easteal, AJ; Woolf, LA. (1986). VOLUME RATIO MEASUREMENTS FOR TETRACHLOROMETHANE UNDER PRESSURE AT 308, 318, AND 338 K. *Journal of Chemical and Engineering Data.* 31: 265-266.
- Eastmond, DA. (2008). Evaluating genotoxicity data to identify a mode of action and its application in estimating cancer risk at low doses: A case study involving carbon tetrachloride [Review]. *Environ Mol Mutagen.* 49: 132-141. <http://dx.doi.org/10.1002/em.20368>.
- Ebrahimpour, G; Gilavand, F; Karkhane, M; Kavayanifard, AA; Teymouri, M; Marzban, A. (2014). Bioemulsification activity assessment of an indigenous strain of halotolerant *Planococcus* and partial characterization of produced biosurfactants. *Int J Environ Sci Tech.* 11: 1379-1386. <http://dx.doi.org/10.1007/s13762-014-0548-5>.
- Ebralidze, II; Hanif, M; Arjumand, R; Azmi, AA; Dixon, D; Cann, NM; Crudden, CM; Horton, JH. (2012). Solvent Induced Adhesion Interactions between Dichlorotriazine Films. *J Phys Chem C.* 116: 4217-4223. <http://dx.doi.org/10.1021/jp211503x>.
- Eccleston, ME; Slater, NKH; Tighe, BJ. (1999). Synthetic routes to responsive polymers; co-polycondensation of tri-functional amino acids with diacylchlorides. *React Funct Polym.* 42: 147-161.

Exposure Literature Search Results

Off Topic

- Ecenarro, O; Madariaga, JA; Navarro, J; Santamaria, CM; Carrion, JA; Saviron, JM. (1991). DIRECTION OF SEPARATION AND DEPENDENCE OF FEED CONCENTRATION IN LIQUID THERMOGRAVITATIONAL COLUMNS. *Separation Science and Technology*. 26: 1065-1076.
- Echevarria, A; Leiza, JR; de la Cal, JC; Asua, JM. (1998). Molecular-weight distribution control in emulsion polymerization. *AIChE J*. 44: 1667-1679.
- Echeverria, JC; Estella, J; Barberia, V; Musgo, J; Garrido, JJ. (2010). Synthesis and characterization of ultramicroporous silica xerogels. *Journal of Non-Crystalline Solids*. 356: 378-382. <http://dx.doi.org/10.1016/j.jnoncrysol.2009.11.044>.
- Edgren, M; Revesz, L. (1987). Compartmentalized depletion of glutathione in cells treated with buthionine sulphoximine. 60.
- Efremov, VA; Potolokov, VN; Nikolashin, SV; Fedorov, VA. (2002). Chemical equilibria in hydrolysis of germanium tetrachloride and arsenic trichloride. *Inorg Mater*. 38: 847-853.
- Eikeland, E; Spackman, MA; Iversen, B, oB. (2016). Quantifying Host-Guest Interaction Energies in Clathrates of Dianin's Compound. *Cryst Growth Des*. 16: 6858-6866. <http://dx.doi.org/10.1021/acs.cgd.6b00986>.
- Eisenhofer, G; Bornstein, SR; Brouwers, FM; Cheung, NK; Dahia, PL; de Krijger, RR; Giordano, TJ; Greene, LA; Goldstein, DS; Lehnert, H; Manger, WM; Maris, JM; Neumann, HP; Pacak, K; Shulkin, BL; Smith, DI; Tischler, AS; Young, WF, Jr. (2004). Malignant pheochromocytoma: Current status and initiatives for future progress [Review]. *Endocr Relat Cancer*. 11: 423-436.
- El Naggar, E; Chalupová, M; Pražanová, G; Parák, T; Švajdlenka, E; Žemlička, M; Suchý, P. (2015). Hepatoprotective and proapoptotic effect of Ecballium elaterium on CCl₄-induced hepatotoxicity in rats. *Asian Pacific Journal of Tropical Medicine*. 8: 526-531. <http://dx.doi.org/10.1016/j.apjtm.2015.06.012>.
- Elakkad, TM. (1981). ADSORPTION OF CARBON-TETRACHLORIDE ON PURE AND POLYMER-CONTAINING TI-IV HYDROXIDE GELS. 14: 295-299.
- El-Awady, MM; El-Awady, NI. (2003). Non-toxic preservatives for wooden objects in sea water. I. Styrene monomer polymerised using gamma irradiation. *Plastics, Rubber and Composites*. 32: 334-339. <http://dx.doi.org/10.1179/145620130225504081>.
- El-Gazayerly, ON; Makhlof, AI; Soelm, AM; Mohmoud, MA. (2014). Antioxidant and hepatoprotective effects of silymarin phytosomes compared to milk thistle extract in CCl₄ induced hepatotoxicity in rats. *J Microencapsul*. 31: 23-30. <http://dx.doi.org/10.3109/02652048.2013.805836>.
- El-Hefnawy, M; Tanaka, R. (2005). Density and relative permittivity for 1-alkanols plus dodecane at 298.15 K. *Journal of Chemical and Engineering Data*. 50: 1651-1656. <http://dx.doi.org/10.1021/jc050116g>.
- Elia, MC; Storer, RD; Mckelvey, TW; Kraynak, AR; Barnum, JE; Harmon, LS; Deluca, JG; Nichols, WW. (1994). Rapid DNA degradation in primary rat hepatocytes treated with diverse cytotoxic chemicals: Analysis by pulsed field gel electrophoresis and implications for alkaline elution assays. *Environ Mol Mutagen*. 24: 181-191.
- Elias, P; Hascik, S; Martaus, J; Kostic, I; Soltys, J; Hotovy, I. (2006). CCl₄-based RIE pattern transfer into facets of mesas formed by wet etching in InP(100). *Electrochemical and Solid-State Letters*. 9: G27-G30. <http://dx.doi.org/10.1149/1.2139978>.
- Elkashef, H. (1997). Laser dual-wavelength interferometric measurement of the structure and refractive parameters of carbon tetrachloride. *Optical Materials*. 8: 175-183.
- Ellerd, MG; Massmann, JW; Schwaegler, DP; Rohay, VJ. (1999). Enhancements for passive vapor extraction: The Hanford study. *Ground Water*. 37: 427-437.
- Elliott, DC; Phelps, MR; Sealock, LJ; Baker, EG. (1994). CHEMICAL-PROCESSING IN HIGH-PRESSURE AQUEOUS ENVIRONMENTS .4. CONTINUOUS-FLOW REACTOR PROCESS-DEVELOPMENT EXPERIMENTS FOR ORGANICS DESTRUCTION. *Ind Eng Chem Res*. 33: 566-574.
- Elliott, DC; Sealock, LJ; Baker, EG. (1994). CHEMICAL-PROCESSING IN HIGH-PRESSURE AQUEOUS ENVIRONMENTS .3. BATCH REACTOR PROCESS-DEVELOPMENT EXPERIMENTS FOR ORGANICS DESTRUCTION. *Ind Eng Chem Res*. 33: 558-565.
- Ellison, EH; Thomas, JK. (2001). Photoinduced reaction of arene singlets with carbon tetrachloride in zeolite Y. *Microporous and Mesoporous Materials*. 49: 15-24.
- Elloy, FC; Teel, A, myL; Watts, RJ. (2014). Activation of Persulfate by Surfactants under Acidic and Basic Conditions. *Ground Water Monitoring and Remediation*. 34: 51-59. <http://dx.doi.org/10.1111/gwmmr.12076>.
- El-Sayed, A; Jager, J; Bonner, BM; Redmann, T; Kaleta, EF. (2005). The seeds of *Nigella sativa* as a feed additive to male layer-type chicks: lack of hepato- and nephrotoxicity and failure of immunomodulation following vaccinations with paramyxovirus types 2 and 3 and only minor efficacy on spontaneous *Eimeria tenella* coccidiosis. *Archiv fuer Geflugelkunde / European Poultry Science*. 69: 27-34.
- Elsner, M; Haderlein, SB; Kellerhals, T; Luzi, S; Zwank, L; Angst, W; Schwarzenbach, RP. (2004). Mechanisms and products of surface-mediated reductive dehalogenation of carbon tetrachloride by Fe(II) on goethite. *Environ Sci Technol*. 38: 2058-2066. <http://dx.doi.org/10.1021/es034741m>.
- Elsner, M; Schwarzenbach, RP; Haderlein, SB. (2004). Reactivity of Fe(II)-bearing minerals toward reductive transformation of organic contaminants. *Environ Sci Technol*. 38: 799-807.
- Elyutin, AV; Vorob'eva, MV. (2002). Thermodynamics and kinetics of carbon deposition from mixtures of hydrogen and carbon tetrachloride. *Inorg Mater*. 38: 468-470.
- Embld, JM; Berro, C; Otin, S; Kehiaian, HV. (1990). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA, EXCESS-ENTHALPIES, AND EXCESS VOLUMES OF 1-CHLOROBUTANE + TETRACHLOROMETHANE, 1,2-DICHLOROETHANE + TETRACHLOROMETHANE, AND 1,2-DICHLOROETHANE + 1-CHLOROBUTANE MIXTURES. *Journal of Chemical and Engineering Data*. 35: 266-271.
- Embld, JM; Grolrier, JPE; Kehiaian, HV. (1991). PROXIMITY EFFECTS IN BINARY-MIXTURES CONTAINING 1-CHLOROALKANES, 1,1-DICHLOROALKANES, OR 1,1,1-TRICHLOROALKANES, OR TETRACHLOROMETHANE. *Fluid Phase Equilibria*. 69: 67-79.
- EMEA. (2006). Draft guidelines on detection of early signals of drug-induced hepatotoxicity in non-clinical studies. London, United Kingdom: Committee for Medicinal Products for Human Use.
- Engstrom, A; Mouzon, J; Cordoba, JM; Tegman, R; Antti, ML. (2012). Synthesis of a TiCN-SiC polyhedron and elongated crystals nanopowder at low nitrogen concentration. *Mater Lett*. 81: 148-150. <http://dx.doi.org/10.1016/j.matlet.2012.04.071>.

Exposure Literature Search Results

Off Topic

- EPA, US. (1986). Guidelines for mutagenicity risk assessment. Federal Register 51(185):34006-34012 (pp. 34006-34012). U.S. EPA. <http://www.epa.gov/iris/backgr-d.htm>.
- EPA, US. (1994). Interim policy for particle size and limit concentration issues in inhalation toxicity studies. Federal Register 59(206):53799. U.S. EPA. <http://www.epa.gov/iris/backgr-d.htm>.
- EPA, US. (2005). Guidelines for carcinogen risk assessment. Risk Assessment Forum, Washington, DC; EPA/630/P-03/001B. U.S. EPA. <http://www.epa.gov/iris/backgr-d.htm>.
- Epolito, WJ; Yang, H; Bottomley, LA; Pavlostathis, SG. (2008). Kinetics of zero-valent iron reductive transformation of the anthraquinone dye Reactive Blue 4. *J Hazard Mater.* 160: 594-600. <http://dx.doi.org/10.1016/j.jhazmat.2008.03.033>.
- Erbs, M; Hansen, HCB; Olsen, CE. (1999). Reductive dechlorination of carbon tetrachloride using iron(II) iron(III) hydroxide sulfate (green rust). *Environ Sci Technol.* 33: 307-311.
- Erra, L; Tedesco, C; Immediata, I; Gregoli, L; Gaeta, C; Merlini, M; Meneghini, C; Brunelli, M; Fitch, AN; Neri, P. (2012). Inclusion properties of volatile organic compounds in a calixarene-based organic zeolite. *Langmuir.* 28: 8511-8517. <http://dx.doi.org/10.1021/la3009656>.
- Ersenkala, DA; Ziylan, A, su; Ince, NH; Acar, HY; Demirer, M; Coptay, NK. (2011). Impact of dilution on the transport of poly(acrylic acid) supported magnetite nanoparticles in porous media. *J Contam Hydrol.* 126: 248-257. <http://dx.doi.org/10.1016/j.jconhyd.2011.09.005>.
- Erzmann, MW; Popel, HJ. (1991). BIODEGRADATION OF TETRACHLOROMETHANE UNDER ANAEROBIC CONDITIONS. *Acta Hydrochim Hydrobiol.* 19: 249-255.
- Escobar, G; Patino, P; Acevedo, S; Escobar, O; Ranaudo, MA; Pereira, JC. (2001). Interfacial properties of the products of ozonolysis of Hamaca crude oil. *Petroleum Science and Technology.* 19: 107-118.
- Escudero, LB; Wuilloud, RG; Olsina, RA. (2013). Sensitive determination of thallium species in drinking and natural water by ionic liquid-assisted ion-pairing liquid-liquid microextraction and inductively coupled plasma mass spectrometry. *J Hazard Mater.* 244-245: 380-386. <http://dx.doi.org/10.1016/j.jhazmat.2012.11.057>.
- Esterbauer, H; Schaur, RJ; Zollner, H. (1991). Chemistry and biochemistry of 4-hydroxynonenal, malonaldehyde and related aldehydes [Review]. *Free Radic Biol Med.* 11: 81-128. [http://dx.doi.org/10.1016/0891-5849\(91\)90192-6](http://dx.doi.org/10.1016/0891-5849(91)90192-6).
- Estrada-Baltazar, A; Gerardo Bravo-Sanchez, M; Arturo Iglesias-Silva, G; Javier Alvarado, JF; Omar Castrejon-Gonzalez, E; Ramos-Estrada, M. (2015). Densities and viscosities of binary mixtures of n- decane+1-pentanol,+1-hexanol,+1-heptanol at temperatures from 293.15 to 363.15 K and atmospheric pressure. *Chinese Journal of Chemical Engineering.* 23: 559-571. <http://dx.doi.org/10.1016/j.cjche.2013.10.001>.
- Estrada-Baltazar, A; Iglesias-Silva, GA; Caballero-Ceron, C. (2013). Volumetric and Transport Properties of Binary Mixtures of n-Octane plus Ethanol,+1-Propanol,+1-Butanol, and+1-Pentanol from (293.15 to 323.15) K at Atmospheric Pressure. *Journal of Chemical and Engineering Data.* 58: 3351-3363. <http://dx.doi.org/10.1021/je4004806>.
- Everts, S. (2016). US carbon tetrachloride emissions exceed expectations. *Chem Eng News.* 94: 11-11.
- Exarchos, NC; Tasioulamargari, M; Demetropoulos, IN. (1995). VISCOSITIES AND DENSITIES OF DILUTE-SOLUTIONS OF GLYCEROL TRIOLEATE PLUS OCTANE, PLUS P-XYLENE, PLUS TOLUENE, AND PLUS CHLOROFORM. *Journal of Chemical and Engineering Data.* 40: 567-571.
- Fabian, P; Borchers, R. (2001). Growth of halocarbon abundances in the stratosphere between 1977 and 1999. *Adv Space Res.* 28: 961-964.
- Fabian, P; Borchers, R; Leifer, R; Subbaraya, BH; Lal, S; Boy, M. (1996). Global Stratospheric Distribution of Halocarbons. *Atmos Environ.* 30: 1787.
- Fabian, P; Borchers, R; Schmidt, U. (1996). Proposed reference models for CO₂ and halogenated hydrocarbons. *Adv Space Res.* 18: 145-153.
- Fahmy, SR; Abdel-Ghaffar, F; Bakry, FA; Sayed, DA. (2014). Ecotoxicological effect of sublethal exposure to zinc oxide nanoparticles on freshwater snail *Biomphalaria alexandrina*. *Arch Environ Contam Toxicol.* 67: 192-202. <http://dx.doi.org/10.1007/s00244-014-0020-z>.
- Falk, F; Meinschien, J; Mollekopf, G; Schuster, K; Stafast, H. (1997). CNx thin films prepared by laser chemical vapor deposition. *Mater Sci Eng B.* 46: 89-91.
- Falk, F; Meinschien, J; Schuster, K; Stafast, H. (1998). Properties and preparation conditions of carbon nitride thin films deposited by laser CVD. *Carbon.* 36: 765-769.
- Fan, D; Bradley, MJ; Hinkle, AW; Johnson, RL; Tratnyek, PG. (2016). Chemical Reactivity Probes for Assessing Abiotic Natural Attenuation by Reducing Iron Minerals. *Environ Sci Technol.* 50: 1868-1876. <http://dx.doi.org/10.1021/acs.est.5b05800>.
- Fan, FQ; Maldarelli, C; Couzis, A. (2003). Fabrication of surfaces with nanoislands of chemical functionality by the phase separation of self-assembling monolayers on silicon. *Langmuir.* 19: 3254-3265. <http://dx.doi.org/10.1021/la026453u>.
- Fan, G; Tang, JJ; Bhadauria, M; Nirala, SK; Dai, F; Zhou, B; Li, Y; Liu, ZL. (2009). Resveratrol ameliorates carbon tetrachloride-induced acute liver injury in mice. *Environ Toxicol Pharmacol.* 28: 350-356. <http://dx.doi.org/10.1016/j.etap.2009.05.013>.
- Fan, X; Zhang, F; Zhang, G; Li, G. (2007). Kinetics and mechanism study on the preparation of 4,4'-diaminostilbene-2,2'-disulfonic acid by reduction of 4,4'-dinitrostilbene-2,2'-disulfonic acid with zero-valent iron. *Dyes and Pigments.* 75: 373-377. <http://dx.doi.org/10.1016/j.dyepig.2006.06.014>.
- Fan, XJ; Zhu, JH; Song, HF; Wu, BCH. (2011). The Identification and Quantitation of Organochlorine in Naphtha by Gas Chromatography with ECD. *Petroleum Science and Technology.* 29: 867-872. <http://dx.doi.org/10.1080/10916460903436788>.
- Fanelli, SL; Castro, GD; Galelli, ME; Castro, JA. (1998). Liver nuclear activation of carbon tetrachloride or bromotrichloromethane to trichloromethyl and trichloromethylperoxyl free radicals. Their reactions with lipids and proteins. *Biomed Environ Sci.* 11: 101-114.
- Fang, G; Dionysiou, DD; Al-Abed, S. R.; Zhou, D. (2013). Superoxide radical driving the activation of persulfate by magnetite nanoparticles: Implications for the degradation of PCBs. *Appl Catal B-Environ.* 129: 325-332. <http://dx.doi.org/10.1016/j.apcatb.2012.09.042>.
- Fang, G; Gao, J; Dionysiou, DD; Liu, C, un; Zhou, D. (2013). Activation of Persulfate by Quinones: Free Radical Reactions and Implication for the Degradation of PCBs. *Environ Sci Technol.* 47: 4605-4611. <http://dx.doi.org/10.1021/es400262n>.

Exposure Literature Search Results

Off Topic

- Fang, GD; Zhou, DM; Dionysiou, DD. (2013). Superoxide mediated production of hydroxyl radicals by magnetite nanoparticles: demonstration in the degradation of 2-chlorobiphenyl. *J Hazard Mater.* 250-251: 68-75. <http://dx.doi.org/10.1016/j.jhazmat.2013.01.054>.
- Fang, JH; Hu, FT. (2002). Ring-opening copolymerization of phthalic anhydride with cyclohexene oxide catalyzed by Fe-Al-alpha,alpha'-dipyridine catalyst. *Chinese journal of catalysis.* 23: 88-90.
- Fang, JH; Yang, KF; Hu, FT. (2005). Copolymerization of maleic anhydride and norbornene catalyzed by Fe(acac)(3)-Al(i-Bu)(3)-CCl4. *Chinese journal of catalysis.* 26: 1113-1116.
- Fang, WJ; Yu, QS; Zong, HX; Lin, RS. (1998). Calorimetric determination of the vapor heat capacity of petroleum cuts. *Fuel.* 77: 895-899.
- Farah, K; Raouf, MWA; Tadros, N; Kandil, AT. (1999). Mixed complexes in the system Eu³⁺-8-quinolinol-phenanthroline. *Separation Science and Technology.* 34: 793-804.
- Farges, JC; Keller, JF; Carrouel, F; Durand, SH; Romeas, A; Bleicher, F; Lebecque, S; Staquet, MJ. (2009). Odontoblasts in the dental pulp immune response [Review]. *J Exp Zool B Mol Dev Evol.* 312B: 425-436. <http://dx.doi.org/10.1002/jez.b.21259>.
- Fariss, MW; Bryson, KF; Hylton, EE; Lippman, HR; Stubin, CH; Zhao X-G. (1993). Protection against carbon tetrachloride-induced hepatotoxicity by pretreating rats with the hemisuccinate esters of tocopherol and cholesterol. *Environ Health Perspect.* 101: 528-536.
- Farkova, J; Wichterle, I; Kehiaian, HV. (1995). EVALUATION OF THE CARBOXYLATE CHLORINE INTERACTION PARAMETERS USING THE DISQUAC GROUP-CONTRIBUTION MODEL. *Fluid Phase Equilibria.* 112: 23-32.
- Faroon, O; Derosa, CT; Smith, L; Mehlman, MA; Riddle, J; Hales, Y; Brattin, WJ. (1994). ATSDR EVALUATION OF HEALTH-EFFECTS OF CHEMICALS .1. CARBON-TETRACHLORIDE - HEALTH-EFFECTS, TOXICOKINETICS, HUMAN EXPOSURE AND ENVIRONMENTAL FATE. *Toxicol Ind Health.* 10: 1-123.
- Faroon, O; Kueberuwa, S; Smith, L; Derosa, C. (1995). ATSDR evaluation of health effects of chemicals .2. Mirex and chlordecone: Health effects, toxicokinetics, human exposure, and environmental fate [Review]. *Toxicol Ind Health.* 11: 1-203.
- Farr, SL; Cai, J; Savitz, DA; Sandler, DP; Hoppin, JA; Cooper, GS. (2006). Pesticide exposure and timing of menopause: the Agricultural Health Study. *Am J Epidemiol.* 163: 731-742. <http://dx.doi.org/10.1093/aje/kwj099>.
- Farrell, J; Kason, M; Melitas, N; Li, T. (2000). Investigation of the long-term performance of zero-valent iron for reductive dechlorination of trichloroethylene. *Environ Sci Technol.* 34: 514-521.
- Farrokhnia, A; Sakakini, B; Waugh, KC. (1998). Kinetic and mechanistic study of the reaction of CCl₄ with prefluorinated chromia to form CCl₃F and CCl₂F₂. *J Catal.* 174: 219-230.
- FDA. (2009). Unknown. <http://www.fda.gov/cder/livertox/preclinical.pdf>.
- Feixiong, C; Mingrui, Z; Lu, F; Baozeng, R. (2014). Measurement and Correlation for Solubility of Diosgenin in Some Mixed Solvents. *Chinese Journal of Chemical Engineering.* 22: 170-176. [http://dx.doi.org/10.1016/S1004-9541\(14\)60023-9](http://dx.doi.org/10.1016/S1004-9541(14)60023-9).
- Feng, HP; Lin, JY, u; Cheng, MY; Wang, YY, un; Wan, C, hiC. (2008). Behavior of copper removal by CMP and its correlation to deposit structure and impurity content. *J Electrochem Soc.* 155: H21-H25. <http://dx.doi.org/10.1149/1.2801394>.
- Feng, J; Lim, TT. (2005). Pathways and kinetics of carbon tetrachloride and chloroform reductions by nano-scale Fe and Fe/Ni particles: comparison with commercial micro-scale Fe and Zn. *Chemosphere.* 59: 1267-1277. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.038>.
- Feng, J; Lim, TT. (2007). Iron-mediated reduction rates and pathways of halogenated methanes with nanoscale Pd/Fe: analysis of linear free energy relationship. *Chemosphere.* 66: 1765-1774. <http://dx.doi.org/10.1016/j.chemosphere.2006.06.068>.
- Feng, J; Zhu, BW; Lim, TT. (2008). Reduction of chlorinated methanes with nano-scale Fe particles: effects of amphiphiles on the dechlorination reaction and two-parameter regression for kinetic prediction. *Chemosphere.* 73: 1817-1823. <http://dx.doi.org/10.1016/j.chemosphere.2008.08.014>.
- Feo, JC; Aller, AJ. (2011). Spectrometric Identification of Solvent Extractable Organic Additives in Polyester-based Textile Fibers. *Fibers and Polymers.* 12: 594-601. <http://dx.doi.org/10.1007/s12221-011-0594-2>.
- Ferguson, JF; Pietari, JMH. (2000). Anaerobic transformations and bioremediation of chlorinated solvents. *Environ Pollut.* 107: 209-215.
- Fernandez-Sanchez, JM; Sawvel, EJ; Alvarez, PJ. (2004). Effect of Fe₀ quantity on the efficiency of integrated microbial-Fe₀ treatment processes. *Chemosphere.* 54: 823-829. <http://dx.doi.org/10.1016/j.chemosphere.2003.08.037>.
- Feron, O; Langlais, F; Naslain, R. (1999). In-situ analysis of gas phase decomposition and kinetic study during carbon deposition from mixtures of carbon tetrachloride and methane. *Carbon.* 37: 1355-1361.
- Ferreira, NG; Corat, EJ; Trava-Airoldi, VJ; Leite, NF. (2000). OES study of the plasma during CVD diamond growth using CCl₄/H₂/O₂ mixtures. *Diam Relat Mater.* 9: 368-372.
- Ferrieri, AP; Thorpe, MR; Ferrieri, RA. (2006). Stimulating natural defenses in poplar clones (OP-367) increases plant metabolism of carbon tetrachloride. *Int J Phytoremediation.* 8: 233-243. <http://dx.doi.org/10.1080/15226510600846780>.
- Field, JA. (2001). Recalcitrance as a catalyst for new developments. *Water Sci Technol.* 44: 33-40.
- Filatova, EA; Hausmann, D; Elliott, SD. (2017). Investigating routes toward atomic layer deposition of silicon carbide: Ab initio screening of potential silicon and carbon precursors. *Journal of Vacuum Science and Technology A.* 35. <http://dx.doi.org/10.1116/1.4964890>.
- Fine, RA. (1995). TRACERS, TIME SCALES, AND THE THERMOHALINE CIRCULATION - THE LOWER-LIMB IN THE NORTH-ATLANTIC OCEAN. *Rev Geophys.* 33: 1353-1365.
- Finley, MJ; Clark, KA; Alferiev, IS; Levy, RJ; Stachelek, SJ. (2013). Intracellular signaling mechanisms associated with CD47 modified surfaces. *Biomaterials.* 34: 8640-8649. <http://dx.doi.org/10.1016/j.biomaterials.2013.07.088>.
- Fisher, J; Lumpkin, M; Boyd, J; Mahle, D; Bruckner, JV; El-Masri, HA. (2004). PBPK modeling of the metabolic interactions of carbon tetrachloride and tetrachloroethylene in B6C3F1 mice. *Environ Toxicol Pharmacol.* 16: 93-105. <http://dx.doi.org/10.1016/j.etap.2003.10.006>.

Exposure Literature Search Results

Off Topic

- Fitzgerald, WF. (1995). IS MERCURY INCREASING IN THE ATMOSPHERE - THE NEED FOR AN ATMOSPHERIC MERCURY NETWORK (AMNET). *Water Air Soil Pollut.* 80: 245-254.
- Fleming, EL; Jackman, CH; Stolarski, RS; Douglass, AR. (2011). A model study of the impact of source gas changes on the stratosphere for 1850-2100. *Atmos Chem Phys.* 11: 8515-8541. <http://dx.doi.org/10.5194/acp-11-8515-2011>.
- Foddis, ML; Ackerer, P; Montisci, A; Uras, G. (2015). ANN-based approach for the estimation of aquifer pollutant source behaviour. *Water Science and Technology: Water Supply.* 15: 1285-1294. <http://dx.doi.org/10.2166/ws.2015.087>.
- Foglein, KA; Szabo, PT; Dombi, A; Szepevolgyi, J. (2003). Comparative study of the decomposition of CCl₄ in cold and thermal plasma. *Plasma Chemistry and Plasma Processing.* 23: 651-664.
- Föglein, KA; Szépevolgyi, J; Dombi, A. (2003). Decomposition of halogenated methanes in oxygen-free gas mixtures by the use of a silent electric discharge. *Chemosphere.* 50: 9-13.
- Fok, TY. (1980). PLASMA-ETCHING OF ALUMINUM FILMS USING CCL₄. *J Electrochem Soc.* 127: C90-C90.
- Foley, AE; Atkinson, TC; Zhao, Y. (2012). Chlorofluorocarbons as tracers of landfill leachate in surface and groundwater. *Quarterly Journal of Engineering Geology and Hydrogeology.* 45: 61-70. <http://dx.doi.org/10.1144/1470-9236/10-044>.
- Folmar, LC; Bonomelli, S; Moody, T; Gibson, J. (1993). THE EFFECT OF SHORT-TERM EXPOSURE TO 3 CHEMICALS ON THE BLOOD-CHEMISTRY OF THE PINFISH (LAGODON-RHOMBOIDES). *Arch Environ Contam Toxicol.* 24: 83-86.
- Fontaine, L; Derouet, D; Chairatanathavorn, S; Brosse, JC. (1993). FIXATION OF CHELATING MOLECULES ON POLYPHOSPHONATES THROUGH CHEMICAL MODIFICATION .1. SYNTHESIS AND CHARACTERIZATION. 19: 47-54.
- Forczek, ST; Laturus, F; Dolezalova, J; Holik, J; Wimmer, Z. (2015). Emission of climate relevant volatile organochlorines by plants occurring in temperate forests. *Plant Soil Environ.* 61: 103-108. <http://dx.doi.org/10.17221/900/2014-PSE>.
- Fouad, FM; Mamer, OA; Shahidi, F. (1996). Acute-phase response in rat to carbon tetrachloride-azathioprine induced cirrhosis and partial hepatectomy of cirrhotic liver. *J Toxicol Environ Health.* 47: 601-615.
- Foulon, F; Green, M. (1993). THROUGH-WAFER VIA FABRICATION IN GALLIUM-ARSENIDE BY EXCIMER-LASER PROJECTION PATTERNED ETCHING. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures.* 11: 1854-1858.
- Fourmentin, S; Outirite, M; Blach, P; Landy, D; Ponchel, A; Monflier, E; Surpateanu, G. (2007). Solubilisation of chlorinated solvents by cyclodextrin derivatives: A study by static headspace gas chromatography and molecular modelling. *J Hazard Mater.* 141: 92-97. <http://dx.doi.org/10.1016/j.jhazmat.2006.06.090>.
- Fraga, CG; Zamora, R; Tappel, AL. (1989). Damage to protein synthesis concurrent with lipid peroxidation in rat liver slices: effect of halogenated compounds, peroxides, and vitamin E1. *Arch Biochem Biophys.* 270: 84-91.
- Francesconi, R; Comelli, F. (1985). ISOBARIC VAPOR-LIQUID-EQUILIBRIUM IN MIXTURES OF META-XYLENES AND PARA-XYLENES WITH CARBON-TETRACHLORIDE. *Can J Chem Eng.* 63: 306-309.
- Frank, WE. (1997). Approaches for patterning of aluminum. *Microelectron Eng.* 33: 85-100.
- Fraser, P. (1997). Chemistry of stratospheric ozone and ozone depletion. *Aust Meteorol Mag.* 46: 185-193.
- Fraser, P; Cunnold, D; Alyea, F; Weiss, R; Prinn, R; Simmonds, P; Miller, B; Langenfelds, R. (1996). Lifetime and emission estimates of 1,1,2-trichlorotrifluoroethane (CFC-113) from daily global background observations June 1982 June 1994. *J Geophys Res Atmos.* 101: 12585-12599.
- Fraser, PJ; Dunse, BL; Manning, AJ; Walsh, S; Wang, RHJ; Krummel, PB; Steele, LP; Porter, LW; Allison, C; O'Doherty, S; Simmonds, PG; Muehle, J; Weiss, R, ayF; Prinn, RG. (2014). Australian carbon tetrachloride emissions in a global context. *Environ Chem.* 11: 77-88. <http://dx.doi.org/10.1071/EN13171>.
- Freda, M; Onori, G; Paciaroni, A; Santucci, A. (2002). Influence of hydration on dynamical properties of reverse micelles. *Journal of Non-Crystalline Solids.* 307: 874-877.
- Fredrickson, JK; Brockman, FJ; Bjornstad, BN; Long, PE; Li, SW; Mckinley, JP; Wright, JV; Conca, JL; Kieft, TL; Balkwill, DL. (1993). MICROBIOLOGICAL CHARACTERISTICS OF PRISTINE AND CONTAMINATED DEEP VADOSE SEDIMENTS FROM AN ARID REGION. *Geomicrobiology Journal.* 11: 95-107.
- Friedel, JK; Molter, K; Fischer, WR. (1994). COMPARISON AND IMPROVEMENT OF METHODS FOR DETERMINING SOIL DEHYDROGENASE-ACTIVITY BY USING TRIPHENYLTETRAZOLIUM CHLORIDE AND IODONITROTETRAZOLIUM CHLORIDE. *Biol Fertil Soils.* 18: 291-296.
- Friedrich, AJ; Catalano, JG. (2012). Fe(II)-mediated reduction and repartitioning of structurally incorporated Cu, Co, and Mn in iron oxides. *Environ Sci Technol.* 46: 11070-11077. <http://dx.doi.org/10.1021/es302236v>.
- Frische, M; Garofalo, K; Hansteen, TH; Borchers, R. (2006). Fluxes and origin of halogenated organic trace gases from Momotombo volcano (Nicaragua). *G-cubed.* 7. <http://dx.doi.org/10.1029/2005GC001162>.
- Fu, H; Yan, C; Wei, X; Deng, W, ei; Wang, L. (2013). Study on Chlorination of Maleic Anhydride Grafted Polypropylene. *Polymers and Polymer Composites.* 21: 123-128.
- Fu, X; Gu, X; Lu, S; Miao, Z; Xu, M; Zhang, X; Qiu, Z; Sui, Q. (2015). Benzene depletion by Fe²⁺-catalyzed sodium percarbonate in aqueous solution. *Chem Eng J.* 267: 25-33. <http://dx.doi.org/10.1016/j.cej.2014.12.104>.
- Fu, X; Gu, X; Lu, S; Sharma, VK; Brusseau, ML; Xue, Y; Danish, M; Fu, GY; Qiu, Z; Sui, Q. (2017). Benzene oxidation by Fe(III)-activated percarbonate: matrix-constituent effects and degradation pathways. *Chem Eng J.* 309: 22-29. <http://dx.doi.org/10.1016/j.cej.2016.006>.
- Fu, X; Wang, Y, ao; Xiong, L, ei; Wei, F, ei. (2009). Enhancement of the low temperature chlorination of ilmenite with CCl₄ by adding Cl₂. *J Alloy Comp.* 486: 365-370. <http://dx.doi.org/10.1016/j.jallcom.2009.06.149>.
- Fujita, T; Hari, T; Kojima, Y; Matsuda, H; Huang, LW. (2005). Influence of O₂ concentration on non-thermal plasma decomposition of halide gases containing Cl and F. *Kagaku Kagaku Ronbunshu.* 31: 226-230.

Exposure Literature Search Results

Off Topic

- Fujiwara, I; Haraya, K; Nakane, T; Kunugita, E. (2002). Synthesis of chemical reaction systems in environmentally friendly processes by use of information on known chemical reactions. *Kagaku Kogaku Ronbunshu*. 28: 255-261.
- Fujiwara, K; Watarai, H. (2003). Total internal reflection resonance Raman microspectroscopy for the liquid/liquid interface. Ion-association adsorption of cationic Mn(III) porphine. *Langmuir*. 19: 2658-2664. <http://dx.doi.org/10.1021/la026119y>.
- Fukami, N; Yosida, M; Lee, BD; Taku, K; Hosomi, M. (2001). Photocatalytic degradation of gaseous perchloroethylene: products and pathway. *Chemosphere*. 42: 345-350.
- Fung, AKM; Chiu, BKW; Lam, MHW. (2003). Surface modification of TiO₂ by a ruthenium(II) polypyridyl complex via silyl-linkage for the sensitized photocatalytic degradation of carbon tetrachloride by visible irradiation. *Water Res*. 37: 1939-1947. [http://dx.doi.org/10.1016/S0043-1354\(02\)00567-5](http://dx.doi.org/10.1016/S0043-1354(02)00567-5).
- Furlong, O; Gao, F; Kotvis, P; Tysoe, WT. (2007). Understanding the tribological chemistry of chlorine-, sulfur- and phosphorus-containing additives. *Tribology International*. 40: 699-708. <http://dx.doi.org/10.1016/j.triboint.2006.05.011>.
- Furman, O; Laine, DF; Blumenfeld, A; Teel, A, myL; Shimizu, K; Cheng, IF; Watts, RJ. (2009). Enhanced Reactivity of Superoxide in Water-Solid Matrices. *Environ Sci Technol*. 43: 1528-1533. <http://dx.doi.org/10.1021/es802505s>.
- Furman, OS; Teel, A; Ahmad, M; Merker, MC; Watts, RJ. (2011). Effect of Basicity on Persulfate Reactivity. *J Environ Eng*. 137: 241-247. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000323](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000323).
- Furuse, M; Kanno, S; Takano, T; Matsumura, Y. (2001). Cyclohexane as an alternative vapor of carbon tetrachloride for the assessment of gas removing capacities of gas masks. *Ind Health*. 39: 1-7. <http://dx.doi.org/10.2486/indhealth.39.1>.
- Furzer, IA; Ho, GE. (1970). VAPOUR-LIQUID EQUILIBRIUM FOR SYSTEM CARBON TETRACHLORIDE-BENZENE. 15: 80-&.
- Gaikwad, V; Kennedy, E; Mackie, J; Holdsworth, C; Molloy, S; Kundu, S; Stockenhuber, M; Dlugogorski, B. (2014). Reaction of carbon tetrachloride with methane in a non-equilibrium plasma at atmospheric pressure, and characterisation of the polymer thus formed. *J Hazard Mater*. 280: 38-45. <http://dx.doi.org/10.1016/j.jhazmat.2014.07.049>.
- Gallego, E; Perales, JF; Roca, FJ; Guardino, X. (2014). Surface emission determination of volatile organic compounds (VOC) from a closed industrial waste landfill using a self-designed static flux chamber. *Sci Total Environ*. 470-471: 587-599. <http://dx.doi.org/10.1016/j.scitotenv.2013.09.105>.
- Gallegos, P; Lutz, J; Markwiese, J; Rytel, R; Mirenda, R. (2007). Wildlife ecological screening levels for inhalation of volatile organic chemicals. *Environ Toxicol Chem*. 26: 1299-1303. <http://dx.doi.org/10.1897/06-233R.1>.
- Galli, A; Schiestl, RH. (1995). Salmonella test positive and negative carcinogens show different effects on intrachromosomal recombination in G2 cell cycle arrested yeast cells. *Carcinogenesis*. 16: 659-663.
- Galli, A; Schiestl, RH. (1996). Effects of salmonella assay negative and positive carcinogens on intrachromosomal recombination in G1-arrested yeast cells. *Mutat Res*. 370: 209-221.
- Galli, A; Schiestl, RH. (1998). Effect of salmonella assay negative and positive carcinogens on intrachromosomal recombination in S-phase arrested yeast cells. *Mutat Res*. 419: 53-68.
- Galloway, SM. (2000). Cytotoxicity and chromosome aberrations in vitro: Experience in industry and the case for an upper limit on toxicity in the aberration assay. *Environ Mol Mutagen*. 35: 191-201. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(2000\)35:3<191::AID-EM6>3.0.CO;2-4](http://dx.doi.org/10.1002/(SICI)1098-2280(2000)35:3<191::AID-EM6>3.0.CO;2-4).
- Gander, JW; Parkin, GF; Scherer, MM. (2002). Kinetics of 1,1,1-trichloroethane transformation by iron sulfide and a methanogenic consortium. *Environ Sci Technol*. 36: 4540-4546. <http://dx.doi.org/10.1021/es025623j>.
- Gandhi, S; Oh, BT; Schnoor, JL; Alvarez, PJ. (2002). Degradation of TCE, Cr(VI), sulfate, and nitrate mixtures by granular iron in flow-through columns under different microbial conditions. *Water Res*. 36: 1973-1982.
- Ganguly, S; Gaonkar, RH; Sinha, S; Gupta, A; Chattopadhyay, D; Chattopadhyay, S; Sachdeva, SS; Ganguly, S; Debnath, MC. (2016). Fabrication of surfactant-free quercetin-loaded PLGA nanoparticles: evaluation of hepatoprotective efficacy by nuclear scintigraphy. *J Nanopart Res*. 18. <http://dx.doi.org/10.1007/s11051-016-3504-0>.
- Ganie, SA; Zargar, BA; Masood, A; Zargar, MA. (2013). Hepatoprotective and antioxidant activity of rhizome of *Podophyllum hexandrum* against carbon tetra chloride induced hepatotoxicity in rats. *Biomed Environ Sci*. 26: 209-221. <http://dx.doi.org/10.3967/0895-3988.2013.03.008>.
- Gantzer, CJ; Wackett, LP. (1991). Reductive dechlorination catalyzed by bacterial transition-metal coenzymes. *Environ Sci Technol*. 25: 715-722.
- Gao, B; Liu, Q; Jiang, L. (2008). Studies on performing chloromethylation reaction for polystyrene by micellar catalysis in aqueous surfactant solutions. *Chemical Engineering and Processing: Process Intensification*. 47: 852-858. <http://dx.doi.org/10.1016/j.cep.2007.01.035>.
- Gao, F; Furlong, O; Kotvis, PV; Tysoe, WT. (2005). Tribological properties of films formed by the reaction of carbon tetrachloride with iron. *Tribology Letters*. 20: 171-176. <http://dx.doi.org/10.1007/s11249-005-8313-z>.
- Gao, F; Kotvis, PV; Tysoe, WT. (2003). The frictional properties of thin inorganic halide films on iron measured in ultrahigh vacuum. *Tribology Letters*. 15: 327-332.
- Gao, F; Kotvis, PV; Tysoe, WT. (2004). The surface and tribological chemistry of chlorine- and sulfur-containing lubricant additives. *Tribology International*. 37: 87-92. [http://dx.doi.org/10.1016/S0301-679X\(03\)00040-9](http://dx.doi.org/10.1016/S0301-679X(03)00040-9).
- Gao, F; Xie, SY; Ma, ZJ; Feng, YQ; Huang, RB; Zheng, LS. (2004). The graphite arc-discharge in the presence of CCl₄: Chlorinated carbon clusters in relation with fullerenes formation. *Carbon*. 42: 1959-1963. <http://dx.doi.org/10.1016/j.carbon.2004.03.028>.
- Gao, K; Ma, D; Cheng, Y; Tian, X; Lu, Y; Du, X; Tang, H; Chen, J. (2015). Three New Dimers and Two Monomers of Phenolic Amides from the Fruits of *Lycium barbarum* and Their Antioxidant Activities. *J Agric Food Chem*. <http://dx.doi.org/10.1021/jf5049222>.
- Gao, P; Thorntonmanning, J. R.; Pegram, RA. (1996). Protective effects of glutathione on bromodichloromethane in vivo toxicity and in vitro macromolecular binding in Fischer 344 rats. *J Toxicol Environ Health*. 49: 145-159.

Exposure Literature Search Results

Off Topic

- Gao, X; Yang, F; Lan, Y; Mao, JD; Duan, X. (2011). Rapid degradation of carbon tetrachloride by commercial micro-scale zinc powder assisted by citric acid. *Environ Chem Lett.* 9: 431-438. <http://dx.doi.org/10.1007/s10311-010-0298-7>.
- Gao, Y; Alecu, IM; Hsieh, PC; Mcleod, A; Mcleod, C; Jones, M; Marshall, P. (2007). Kinetics and thermochemistry of the addition of atomic chlorine to acetylene. *Proc Combust Inst.* 31: 193-200. <http://dx.doi.org/10.1016/j.proci.2006.07.103>.
- Garberg, P; Akerblom, EL; Bolcsfoldi, G. (1988). Evaluation of a genotoxicity test measuring DNA-strand breaks in mouse lymphoma cells by alkaline unwinding and hydroxyapatite elution. *Mutat Res.* 203: 155-176. [http://dx.doi.org/10.1016/0165-1161\(88\)90101-X](http://dx.doi.org/10.1016/0165-1161(88)90101-X).
- Garcia, B; Herrera, C; Leal, JM. (1991). SHEAR VISCOSITIES OF BINARY-LIQUID MIXTURES - 2-PYRROLIDONE WITH 1-ALKANOLS. *Journal of Chemical and Engineering Data.* 36: 269-274.
- Garcia, I; Tercjak, A; Gutierrez, J; Rueda, L; Mondragon, I. (2008). Nanostructuring via solvent vapor exposure of poly(2-vinyl pyridine-b-methyl methacrylate) nanocomposites using modified magnetic nanoparticles. *J Phys Chem C.* 112: 14343-14347. <http://dx.doi.org/10.1021/jp802345q>.
- Garcialisbona, N; Vicente, IG; Embid, JM; Velasco, I; Otin, S; Kehiaian, HV. (1989). THERMODYNAMICS OF MIXTURES CONTAINING BROMOALKANES .2. EXCESS-ENTHALPIES OF MIXTURES OF 1-BROMOALKANE WITH CYCLOHEXANE, WITH BENZENE, OR WITH TETRACHLOROMETHANE MEASUREMENT AND ANALYSIS IN TERMS OF GROUP CONTRIBUTIONS (DISQUAC). *Fluid Phase Equilibria.* 45: 191-203.
- Garetto, TF; Vignatti, CI; Borgna, A; Monzon, A. (2009). Deactivation and regeneration of Pt/Al₂O₃ catalysts during the hydrodechlorination of carbon tetrachloride. *Appl Catal B-Environ.* 87: 211-219. <http://dx.doi.org/10.1016/j.apcatb.2008.09.005>.
- Garrett, RH; Grisham, CM. (1999). *Biochemistry: 2nd edition.* New York, NY: Saunders College Publishing.
- Garriga, R; Perez, P; Gracia, M. (2004). Total vapour pressure and excess Gibbs energy for binary mixtures of 1,1,2,2-tetrachlorethane or tetrachloroethene with cyclohexane at nine temperatures. *Fluid Phase Equilibria.* 216: 285-292. <http://dx.doi.org/10.1016/j.fluid.2003.11.007>.
- Garriga, R; Perez, P; Gracia, M. (2005). Total vapour pressure and excess Gibbs energy for binary mixtures of 1,1,2,2-tetrachlorethane or tetrachloroethene with benzene at nine temperatures. *Fluid Phase Equilibria.* 227: 79-86. <http://dx.doi.org/10.1016/j.fluid.2004.02.021>.
- Garriga, R; Perez, P; Gracia, M. (2005). Total vapour pressure and excess Gibbs energy for binary mixtures of 1,1,2,2-tetrachloroethane or tetrachloroethene with tetrachloromethane at nine temperatures. *Fluid Phase Equilibria.* 227: 71-78. <http://dx.doi.org/10.1016/j.fluid.2004.10.025>.
- Gasnier, C; Benachour, N; Clair, E; Travert, C; Langlois, F; Laurant, C; Decroix-Laporte, C; Séralini, GE. (2010). Dig1 protects against cell death provoked by glyphosate-based herbicides in human liver cell lines. *J Occup Med Toxicol.* 5: 29. <http://dx.doi.org/10.1186/1745-6673-5-29>.
- Gasnier, C; Laurant, C; Decroix-Laporte, C; Mesnage, R; Clair, E; Travert, C; Séralini, GE. (2011). Defined plant extracts can protect human cells against combined xenobiotic effects. *J Occup Med Toxicol.* 6: 3. <http://dx.doi.org/10.1186/1745-6673-6-3>.
- Gaspar, DJ; Lea, AS; Engelhard, MH; Baer, DR; Miehr, R; Tratnyek, PG. (2002). Evidence for localization of reaction upon reduction of carbon tetrachloride by granular iron. *Langmuir.* 18: 7688-7693. <http://dx.doi.org/10.1021/la025798+>.
- Gatehouse, D; Haworth, S; Cebula, T; Gocke, E; Kier, L; Matsushima, T; Melcion, C; Nohmi, T; Ohta, T; Venitt, S. (1994). Recommendations for the performance of bacterial mutation assays [Review]. *Mutat Res.* 312: 217-233.
- Gaur, A; Park, J; Maken, S; Song, H; Park, J. (2010). Landfill gas (LFG) processing via adsorption and alkanolamine absorption. *Fuel Process Tech.* 91: 635-640. <http://dx.doi.org/10.1016/j.fuproc.2010.01.010>.
- Gaynes, BI; III, WJ. (1989). Carbon tetrachloride and the sorbitol pathway in the diabetic mouse. *Comp Biochem Physiol B Biochem Mol Biol.* 94: 213-217.
- Gazzani, G; Papetti, A; Daglia, M; Berte, F; Gregotti, C. (1998). Protective activity of water soluble components of some common diet vegetables on rat liver microsome and the effect of thermal treatment. *J Agric Food Chem.* 46: 4123-4127.
- Geana, D; Wenzel, H. (1999). Solid-liquid-gas equilibrium by cubic equations of state and association. *Journal of Supercritical Fluids.* 15: 97-108.
- Gearhart, JM; Mahle, DA; Greene, RJ; Seckel, CS; Flemming, CD; Fisher, JW; III, CH. (1993). Variability of physiologically based pharmacokinetic (PBPK) model parameters and their effects on PBPK model predictions in a risk assessment for perchloroethylene (PCE). *Toxicol Lett.* 68: 131-144. [http://dx.doi.org/10.1016/0378-4274\(93\)90126-I](http://dx.doi.org/10.1016/0378-4274(93)90126-I).
- Gee, GW; Oostrom, M; Freshley, MD; Rockhold, ML; Zachara, JM. (2007). Hanford site vadose zone studies: An overview. *Vadose Zone Journal.* 6: 899-905. <http://dx.doi.org/10.2136/vzj2006.0179>.
- Gee, RC; Chin, TP; Tu, CW; Asbeck, PM; Lin, CL; Kirchner, PD; Woodall, JM. (1992). INP/INGAAS HETEROJUNCTION BIPOLAR-TRANSISTORS GROWN BY GAS-SOURCE MOLECULAR-BEAM EPITAXY WITH CARBON-DOPED BASE. *I E E Electron Device Letters.* 13: 247-249.
- Gee, RC; Lin, CL; Farley, CW; Seabury, CW; Higgins, JA; Kirchner, PD; Woodall, JM; Asbeck, PM. (1993). INP/INGAAS DOUBLE-HETEROJUNCTION BIPOLAR-TRANSISTORS INCORPORATING CARBON-DOPED BASES AND SUPERLATTICE GRADED BASE-COLLECTOR JUNCTIONS. *Electronics Letters.* 29: 850-851.
- Geetha, S; Jayamurthy, P; Pal, K; Pandey, S; Kumar, R; Sawhney, RC. (2008). Hepatoprotective effects of sea buckthorn (*Hippophae rhamnoides* L.) against carbon tetrachloride induced liver injury in rats. *J Sci Food Agric.* 88: 1592-1597. <http://dx.doi.org/10.1002/jsfa.3255>.
- Gehring, P; Eschweiler, H. (1999). Ozone/electron beam process for water treatment: Design, limitations and economic considerations. *Ozone: Science and Engineering.* 21: 523-538.
- Gemma, Sbraccia; Testai. (2000). Comparative characterization of CHCl₃ metabolism and toxicokinetics in rodent strains differently susceptible to chloroform-induced carcinogenicity. *Environ Toxicol Pharmacol.* 8: 103-110.

Exposure Literature Search Results

Off Topic

- George, J; Sastry, NV. (2004). Densities, excess molar volumes at T = (298.15 to 313.15) K, speeds of sound, excess isentropic compressibilities, relative permittivities, and deviations in molar polarizations at T = (298.15 and 308.15) K for methyl methacrylate+2-butoxyethanol or dibutyl ether plus benzene, toluene, or p-xylene. *Journal of Chemical and Engineering Data*. 49: 1116-1126. <http://dx.doi.org/10.1021/jc034022n>.
- Gereben, O; Pustai, L. (2015). Understanding the structure of molecular liquids via combinations of molecular dynamics simulations and Reverse Monte Carlo modeling: Handling information deficiency. *Journal of Non-Crystalline Solids*. 407: 213-219. <http://dx.doi.org/10.1016/j.jnoncrysol.2014.08.047>.
- Gerlach, R; Cunningham, AB; Caccavo, F. (2000). Dissimilatory iron-reducing bacteria can influence the reduction of carbon tetrachloride by iron metal. *Environ Sci Technol*. 34: 2461-2464. <http://dx.doi.org/10.1021/es991200h>.
- Gershuni, S; Itzhak, N; Rabani, J. (1999). Free-radical chain reactions involving hydrogen and bromine atom transfer induced by TiO₂-mediated photocatalysis. *Langmuir*. 15: 1141-1146.
- Gervasini, A; Pirola, C; Ragaini, V. (2002). Destruction of carbon tetrachloride in the presence of hydrogen-supplying compounds with ionisation and catalytic oxidation. *Appl Catal B-Environ*. 38: 17-28.
- Gervasini, A; Pirola, C; Zilio, S; Ragaini, V. (2004). Destruction of carbon tetrachloride in the presence of hydrogen-supplying compounds with ionisation and catalytic oxidation - Part 2. Methane as hydrogen font. *Appl Catal B-Environ*. 47: 257-267. <http://dx.doi.org/10.1016/j.apcatb.2003.09.008>.
- Ghaffari, H; Ghassam, BJ; Prakash, HS. (2012). Hepatoprotective and cytoprotective properties of *Hyptis suaveolens* against oxidative stress-induced damage by CCl₄ and H₂O₂. *Asian Pacific Journal of Tropical Medicine*. 5: 868-874. [http://dx.doi.org/10.1016/S1995-7645\(12\)60162-X](http://dx.doi.org/10.1016/S1995-7645(12)60162-X).
- Gharbi, N; Pressac, M; Hadchouel, M; Szwarc, H; Wilson, SR; Moussa, F. (2005). 60fullerene is a powerful antioxidant in vivo with no acute or subacute toxicity. *Nano Lett*. 5: 2578-2585. <http://dx.doi.org/10.1021/nl051866b>.
- Ghaziaskar, HS; Daneshfar, A; Rezayat, M. (2005). The co-solubility of 2-ethylhexanoic acid and some liquid alcohols in supercritical carbon dioxide. *Fluid Phase Equilibria*. 238: 106-111. <http://dx.doi.org/10.1016/j.fluid.2005.09.023>.
- Ghosh, AK; Bagchi, S. (2008). Fluorimetric study of electron donor - Acceptor complex formation of asphaltene with o- and p-chloranil. *Energy Fuels*. 22: 1845-1850. <http://dx.doi.org/10.1021/ef800003q>.
- Ghosh, AK; Chaudhuri, P; Panja, SS. (2016). Steady state fluorescence spectroscopic studies on the aggregation of coal derived asphaltene at lower concentration. *Fuel*. 185: 164-170. <http://dx.doi.org/10.1016/j.fuel.2016.07.109>.
- Ghosh, AK; Srivastava, SK; Bagchi, S. (2007). Study of self-aggregation of coal derived asphaltene in organic solvents: A fluorescence approach. *Fuel*. 86: 2528-2534. <http://dx.doi.org/10.1016/j.fuel.2007.02.027>.
- Giannakas, A; Spanos, CG; Kourkoumelis, N; Vaimakis, T; Ladavos, A. (2009). Structure and Thermal Stability of Polystyrene/Layered Silicate Nanocomposites. *Composite Interfaces*. 16: 237-247. <http://dx.doi.org/10.1163/156855409X402894>.
- Gianni, P; Lepori, L; Matteoli, E. (2010). Excess Gibbs energies and volumes of the ternary system chloroform plus tetrahydrofuran plus cyclohexane at 298.15 K. *Fluid Phase Equilibria*. 297: 52-61. <http://dx.doi.org/10.1016/j.fluid.2010.06.007>.
- Giannotti, A; Lepori, L; Matteoli, E; Marongiu, B. (1991). EXCESS GIBBS ENERGIES OF LIQUID BINARY-MIXTURES .6. A HYDROCARBON OR TETRACHLOROMETHANE + AN ALDEHYDE OR A KETONE. *Fluid Phase Equilibria*. 65: 275-290.
- Giaya, A; Thompson, RW; Denkwicz, R. (2000). Liquid and vapor phase adsorption of chlorinated volatile organic compounds on hydrophobic molecular sieves. *Microporous and Mesoporous Materials*. 40: 205-218.
- Gil, B; Mierzynska, K; Szczerbinska, M; Datka, J. (2007). Basic sites in zeolites followed by IR studies of NO⁺. *Appl Catal A-Gen*. 319: 64-71. <http://dx.doi.org/10.1016/j.apcata.2006.11.010>.
- Gilbert, B; Banfield, JF. (2005). Molecular-scale processes involving nanoparticulate minerals in biogeochemical systems. *Rev Mineral Geochem*. 59: 109-155. <http://dx.doi.org/10.2138/rmg.2005.59.6>.
- Gilks, WR; Richardson, S; Spiegelhalter, DJ. (1995). Markov chain Monte Carlo in practice. Boca Raton, FL: Chapman & Hall/CRC Press. <http://www.crcpress.com/product/isbn/9780412055515>.
- Ginsberg, G; Hattis, D; Sonawane, B; Russ, A; Banati, P; Kozlak, M; Smolenski, S; Goble, R. (2002). Evaluation of child/adult pharmacokinetic differences from a database derived from the therapeutic drug literature. *Toxicol Sci*. 66: 185-200.
- Giraudet, S; Zhu, Z; Yao, X; Lu, G. (2010). Ordered Mesoporous Carbons Enriched with Nitrogen: Application to Hydrogen Storage. *J Phys Chem C*. 114: 8639-8645. <http://dx.doi.org/10.1021/jp101119r>.
- Giuffrida, S; Condorelli, GG; Costanzo, LL; Ventimiglia, G; Lo Nigro, R; Favazza, M; Votrico, E; Bongiorno, C; Fragala, IL. (2007). Nickel nanostructured materials from liquid phase photodeposition. *J Nanopart Res*. 9: 611-619. <http://dx.doi.org/10.1007/s11051-006-9089-2>.
- Glatthor, N; Von Clarmann, T; Fischer, H; Funke, B; Grabowski, U; Höpfner, M; Kellmann, S; Linden, A; Milz, M; Steck, T; Stiller, GP. (2007). Global peroxyacetyl nitrate (PAN) retrieval in the upper troposphere from limb emission spectra of the Michelson Interferometer for Passive Atmospheric Sounding (MIPAS). *Atmos Chem Phys Discuss*. 7: 1391-1420.
- Glod, G; Angst, W; Holliger, C; Schwarzenbach, RP. (1997). Corrinoid-mediated reduction of tetrachloroethene, trichloroethene, and trichlorofluoroethene in homogeneous aqueous solution: Reaction kinetics and reaction mechanisms. *Environ Sci Technol*. 31: 253-260.
- Glod, G; Brodmann, U; Angst, W; Holliger, C; Schwarzenbach, RP. (1997). Cobalamin-mediated reduction of cis- and trans-dichloroethene, 1,1-dichloroethene, and vinyl chloride in homogeneous aqueous solution: Reaction kinetics and mechanistic considerations. *Environ Sci Technol*. 31: 3154-3160.

Exposure Literature Search Results

Off Topic

- Gnanadesigan, M; Ravikumar, S; Inbaneson, SJ. (2011). Hepatoprotective and antioxidant properties of marine halophyte *Luminetzer racemosa* bark extract in CCL(4) induced hepatotoxicity. *Asian Pacific Journal of Tropical Medicine*. 4: 462-465. [http://dx.doi.org/10.1016/S1995-7645\(11\)60126-0](http://dx.doi.org/10.1016/S1995-7645(11)60126-0).
- Gobba, F; Ghittori, S; Imbriani, M; Maestri, L; Capodaglio, E; Cavalleri, A. (1997). The urinary excretion of solvents and gases for the biological monitoring of occupational exposure: a review [Review]. *Sci Total Environ*. 199: 3-12.
- Gogate, PR; Katekhaye, SN. (2012). A comparison of the degree of intensification due to the use of additives in ultrasonic horn and ultrasonic bath. *Chemical Engineering and Processing: Process Intensification*. 61: 23-29. <http://dx.doi.org/10.1016/j.cep.2012.06.016>.
- Goharshadi, EK; Nazari, F. (2001). Computation of internal pressure of liquids using a statistical mechanical equation of state. *Fluid Phase Equilibria*. 187: 425-431.
- Gold, LS; Stewart, PA; Milliken, K; Purdue, M; Severson, R; Seixas, N; Blair, A; Hartge, P; Davis, S; De Roos, AJ. (2010). The relationship between multiple myeloma and occupational exposure to six chlorinated solvents. *Occup Environ Med*. 68: 391-399. <http://dx.doi.org/10.1136/oem.2009.054809>.
- Golubina, EV; Lokteva, ES; Lunin, VV; Turakulova, AO; Simagina, VI; Stoyanova, IV. (2003). Modification of the supported hydrodechlorination palladium catalysts surface during of carbon tetrachloride. *Appl Catal A-Gen*. 241: 123-132.
- Golzar, M; Saghravani, SF; Moghaddam, MA. (2014). Experimental Study and Numerical Solution of Poly Acrylic Acid Supported Magnetite Nanoparticles Transport in a One-Dimensional Porous Media. *Advances in Materials Science and Engineering*. <http://dx.doi.org/10.1155/2014/864068>.
- Gomathi, A; Hoseini, SJ; Rao, CNR. (2009). Functionalization and solubilization of inorganic nanostructures and carbon nanotubes by employing organosilicon and organotin reagents. *J Mater Chem*. 19: 988-995. <http://dx.doi.org/10.1039/b813570c>.
- Gomez-Sainero, LM; Cortes, A; Seoane, XL; Arcoya, A. (2000). Hydrodechlorination of carbon tetrachloride to chloroform in the liquid phase with metal-supported catalysts. Effect of the catalyst components. *Ind Eng Chem Res*. 39: 2849-2854. <http://dx.doi.org/10.1021/ie990892f>.
- Gomez-Sainero, LM; Seoane, XL; Arcoya, A. (2004). Hydrodechlorination of Carbon Tetrachloride in the Liquid Phase on a Pd/Carbon Catalyst: Kinetic and Mechanistic Studies. *Appl Catal B-Environ*. 53: 101. <http://dx.doi.org/10.1016/j.apcatb.2004.05.007>.
- Gomez-Sainero, LM; Seoane, XL; Fierro, JLG; Arcoya, A. (2002). Liquid-phase hydrodechlorination of CCl4 to CHCl3 on Pd/carbon catalysts: Nature and role of Pd active species. *J Catal*. 209: 279-288. <http://dx.doi.org/10.1006/jcat.2002.3655>.
- Gomez-Sainero, LM; Seoane, XL; Tijero, E; Arcoya, A. (2002). Hydrodechlorination of carbon tetrachloride to chloroform in the liquid phase with a Pd/carbon catalyst. Study of the mass transfer steps. *Chem Eng Sci*. 57: 3565-3574.
- Goncalves, AS; Macedo, EA. (1993). INFINITE-DILUTION ACTIVITY-COEFFICIENTS BY COMPARATIVE EBULLIOMETRY - 5 SYSTEMS CONTAINING ETHYL FORMATE. *Fluid Phase Equilibria*. 85: 171-179.
- Goncharov, OY. (2001). Thermodynamics of the chemical vapor deposition of carbides in the system TaBr5-CCl4-Cd. *Inorg Mater*. 37: 237-242.
- Gong, F, ei; Luo, L; Yao, Y; Dai, D; Lu, W; Chen, W. (2016). Drastic rate acceleration driven by synergistic effects: Key role of persistent free radicals coupled with ascorbic acid in decomposition of organic contaminants by ferric citrate. *Chem Eng J*. 304: 440-447. <http://dx.doi.org/10.1016/j.cej.2016.06.111>.
- Gong, YN; Mo, JJ; Yu, HS; Wang, L; Xia, GQ. (1999). Characterization of carbon-doped GaAs grown by metalorganic vapor-phase epitaxy. *J Cryst Growth*. 206: 271-278.
- Gong, YN; Mo, JJ; Yu, HS; Wang, L; Xia, GQ. (2000). Quantitative study of carbon doping of GaAs grown by metalorganic vapor-phase epitaxy. *J Cryst Growth*. 209: 43-49.
- Gonulsen, R; Yildiz, N; Calimli, A. (2003). Adsorption of organic compounds on to bentonites modified with single or dual quaternary ammonium cations. *AST*. 21: 135-148.
- Gonzalez, CA; Ardila, AN; de Correa, CM; Martinez, MA; Fuentes-Zurita, G. (2007). Pd/TiO2 washcoated cordierite minimonoliths for hydrodechlorination of light organochlorinated compounds. *Ind Eng Chem Res*. 46: 7961-7969. <http://dx.doi.org/10.1021/ie070713r>.
- Gonzalez, CA; Bartoszek, M; Martin, A; Montes de Correa, C. (2009). Hydrodechlorination of Light Organochlorinated Compounds and Their Mixtures over Pd/TiO2-Washcoated Minimoliths. *Ind Eng Chem Res*. 48: 2826-2835. <http://dx.doi.org/10.1021/ie8013742>.
- Gonzalez, CA; Montes de Correa, C. (2010). Catalytic Hydrodechlorination of Tetrachloroethylene over Pd/TiO2 Minimoliths. *Ind Eng Chem Res*. 49: 490-497. <http://dx.doi.org/10.1021/ie901027y>.
- Gonzalez, JA; de la Fuente, IG; Cobos, JC. (1999). Proximity effects and cyclization in oxaalkanes plus CCl4 mixtures DISQUAC characterization of the Cl-O interactions. Comparison with Dortmund UNIFAC results. *Fluid Phase Equilibria*. 154: 11-31.
- Gonzalez, JA; Delafuente, IG; Cobos, JC. (1997). Thermodynamics of mixtures containing linear monocarboxylic acids .2. Binary systems showing cross-association between components: DISQUAC characterization of linear monocarboxylic acid plus 1-alkanol, or plus linear monocarboxylic acid mixtures. *Fluid Phase Equilibria*. 135: 1-21.
- Gonzalez, JA; Delafuente, IG; Cobos, JC; Casanova, C. (1994). THERMODYNAMICS OF MIXTURES CONTAINING LINEAR MONOCARBOXYLIC ACIDS .1. DISQUAC PREDICTIONS ON MOLAR EXCESS GIBBS ENERGIES, MOLAR EXCESS-ENTHALPIES AND SOLID-LIQUID EQUILIBRIA FOR MIXTURES OF LINEAR MONOCARBOXYLIC ACIDS WITH ORGANIC-SOLVENTS. *Fluid Phase Equilibria*. 99: 19-33.
- Gonzalez, MC; Le Roux, GC; Rosso, JA; Braun, AM. (2007). Mineralization of CCl4 by the UVC-photolysis of hydrogen peroxide in the presence of methanol. *Chemosphere*. 69: 1238-1244. <http://dx.doi.org/10.1016/j.chemosphere.2007.05.076>.
- Gonzalezmartin, ML; Bruque, JM; Gonzalezcaballero, F; Pereacarpio, R; Janczuk, B. (1996). The mechanism of adsorption of sodium dodecylsulfonate on fluorite and its surface free energy. *Appl Surf Sci*. 103: 395-402.
- Gopal, AV; Rao, KSR; Prasad, PSS; Rao, PK. (1998). Effect of method of preparation on the dismutation activity of CCl2F2 over Cr2O3-MgO-Al2O3 catalysts. *Stud Surf Sci Catal*. 113: 405-417.

Exposure Literature Search Results

Off Topic

- Gopalakrishnan, G; Negri, MC; Minsker, BS; Werth, CJ. (2007). Monitoring subsurface contamination using tree branches. *Ground Water Monitoring and Remediation*. 27: 65-74.
- Goral, M; Oracz, P; Warycha, S. (1988). VAPOR LIQUID EQUILIBRIA .4. THE TERNARY-SYSTEM CARBON-TETRACHLORIDE METHANOL CHLOROFORM AT 293.15-K. *Fluid Phase Equilibria*. 44: 77-93.
- Goral, M; Oracz, P; Warycha, S. (1990). VAPOR-LIQUID-EQUILIBRIA .5. THE TERNARY-SYSTEM CARBON-TETRACHLORIDE METHANOL CHLOROFORM AT 303.15-K. *Fluid Phase Equilibria*. 55: 337-354.
- Goral, M; Zawadzki, S. (1993). VAPOR-LIQUID-EQUILIBRIA IN NONPOLAR MIXTURES .2. CARBON-TETRACHLORIDE WITH ALKYL BENZENES AND N-ALKANES AT 313.15-K. *Fluid Phase Equilibria*. 90: 355-364.
- Goralski, P. (2000). Volumetric manifestation of van der Waals interactions between cholesterol and organic solvents of linear structure. *Fluid Phase Equilibria*. 167: 207-221.
- Gorecki, T; Pawliszyn, J. (1997). Field-portable solid-phase microextraction fast GC system for trace analysis. *Field Analytical Chemistry and Technology*. 1: 277-284.
- Gorski, CA; Nurmi, JT; Tratnyek, PG; Hofstetter, TB; Scherer, MM. (2010). Redox behavior of magnetite: implications for contaminant reduction. *Environ Sci Technol*. 44: 55-60. <http://dx.doi.org/10.1021/es9016848>.
- Gorski, CA; Scherer, MM. (2009). Influence of Magnetite Stoichiometry on Fe-II Uptake and Nitrobenzene Reduction. *Environ Sci Technol*. 43: 3675-3680. <http://dx.doi.org/10.1021/es803613a>.
- Gorski, CA; Scherer, MM. (2009). A new conceptual model for interpreting the redox behavior of magnetite in anoxic environments. *Geochim Cosmo Acta*. 73: A456-A456.
- Gorski, CA; Scherer, MM. (2010). Determination of nanoparticulate magnetite stoichiometry by Mossbauer spectroscopy, acidic dissolution, and powder X-ray diffraction: A critical review. *Am Mineral*. 95: 1017-1026. <http://dx.doi.org/10.2138/am.2010.3435>.
- Gorzka, Z; Paryjczak, T; Zarczynski, A; Kazmierczak, M; Michniewicz, M. (2003). Dioxins in thermo-catalyzed oxidates of selected organochlorine compounds. *Przemysł Chemiczny*. 82: 1020-1022.
- Gorzka, Z; Zarczynski, A; Paryjczak, T; Kazmierczak, M; Zaborowski, M. (2009). Total Catalytic Oxidation of Volatile Chloroorganics Occurring in Liquid Industrial Wastes from Organics Synthesis. *Rocznik Ochrona Srodowiska*. 11: 439-448.
- Gorzka, Z; Zarczynski, A; Zaborowski, M; Paryjczak, T; Kazmierczak, M. (2011). Oxidation of Chloroorganic Compounds in Liquid Industrial Wastes with the Palladium Catalyst Application. *Rocznik Ochrona Srodowiska*. 13: 557-569.
- Gosselin, RE; Hodge, HC; Smith, RP; Gleason, MN. (1976). *Acute poisoning Clinical toxicology of commercial products* (4 ed.). Baltimore, MD: Williams & Wilkins.
- Gostlow, B; Robinson, AD; Harris, NRP; O'Brien, LM; Oram, DE; Mills, GP; Newton, HM; Yong, SE; Pyle, JA. (2010). mu Dirac: an autonomous instrument for halocarbon measurements. *Atmos Meas Tech*. 3: 507-521. <http://dx.doi.org/10.5194/amt-3-507-2010>.
- Gotpagar, J; Lyuksyutov, S; Cohn, R; Grulke, E; Bhattacharyya, D. (1999). Reductive dehalogenation of trichloroethylene with zero-valent iron: Surface profiling microscopy and rate enhancement studies. *Langmuir*. 15: 8412-8420.
- Gouthamchandra, K; Mahmood, R; Manjunatha, H. (2010). Free radical scavenging, antioxidant enzymes and wound healing activities of leaves extracts from *Clerodendrum infortunatum* L. *Environ Toxicol Pharmacol*. 30: 11-18. <http://dx.doi.org/10.1016/j.etap.2010.03.005>.
- Grabowski, K; Patrykiewicz, A; Sokolowski, S. (1997). Monte-Carlo simulation of mixed multilayer adsorption. *Thin Solid Films*. 304: 344-352.
- Grabowski, K; Patrykiewicz, A; Sokolowski, S. (1999). Monte Carlo simulation of mixed multilayer adsorption - II: layering transitions and wetting phenomena in non-ideal mixtures. *Thin Solid Films*. 352: 259-268.
- Grabowski, K; Patrykiewicz, A; Sokolowski, S. (2000). Monte Carlo simulation of mixed multilayer adsorption: layering transitions and wetting phenomena in non-ideal mixtures. *Thin Solid Films*. 379: 297-307.
- Gragson, DE; Manes, JP; Smythe, JE; Baker, SM. (2003). PS-PEO diblock copolymer at the cyclohexane/SiO₂ interface: Effect of micelles on adsorption kinetics and coverage. *Langmuir*. 19: 5031-5035. <http://dx.doi.org/10.1021/la026903i>.
- Gragson, DE; Richmond, GL. (1997). Comparisons of the structure of water at neat oil/water and air/water interfaces as determined by vibrational sum frequency generation. *Langmuir*. 13: 4804-4806.
- Granberg, RA; Rasmuson, AC. (1999). Solubility of paracetamol in pure solvents. *Journal of Chemical and Engineering Data*. 44: 1391-1395.
- Granier, M; Lanneau, GF; Moineau, J; Girard, P; Ramonda, M. (2003). Improved strain relief of self-assembled monolayers from organohydrochlorosilanes grafted onto oxidized (1,0,0) silicon wafers. *Langmuir*. 19: 2691-2695. <http://dx.doi.org/10.1021/la020694k>.
- Grasl-Kraupp, B; Ruttkay-Nedecky, B; Koudelka, H; Bukowska, K; Bursch, W; Schulte-Hermann, R. (1995). In situ detection of fragmented DNA (TUNEL assay) fails to discriminate among apoptosis, necrosis, and autolytic cell death: A cautionary note. *Hepatology*. 21: 1465-1468.
- Grassian, VH. (2008). When Size Really Matters: Size-Dependent Properties and Surface Chemistry of Metal and Metal Oxide Nanoparticles in Gas and Liquid Phase Environments. *J Phys Chem C*. 112: 18303-18313. <http://dx.doi.org/10.1021/jp806073t>.
- Grate, JW; Abraham, MH; Du, CM; McGill, RA; Shuely, WJ. (1995). EXAMINATION OF VAPOR SORPTION BY FULLERENE, FULLERENE-COATED SURFACE-ACOUSTIC-WAVE SENSORS, GRAPHITE, AND LOW-POLARITY POLYMERS USING LINEAR SOLVATION ENERGY RELATIONSHIPS. *Langmuir*. 11: 2125-2130.
- Gray, DF; Pasco, NF; Williamson, AG. (1988). LIQUID-VAPOR EQUILIBRIA IN MIXTURES OF CARBON-TETRACHLORIDE AND CHLOROFORM WITH DIMETHYL SULFIDE AND DIETHYL SULFIDE. *Journal of Chemical and Engineering Data*. 33: 335-337.
- Graziosi, F; Arduini, J; Bonasoni, P; Furlani, F; Giostra, U; Manning, AJ; McCulloch, A; O'Doherty, S; Simmonds, PG; Reimann, S; Vollmer, MK; Maione, M. (2016). Emissions of carbon tetrachloride from Europe. *Atmos Chem Phys*. 16: 12849-12859. <http://dx.doi.org/10.5194/acp-16-12849-2016>.

Exposure Literature Search Results

Off Topic

- Greco, R; Iavarone, M; Fiedlerova, A; Borsig, E. (2002). Optical properties of polyethylene/styrene-co-methacrylate copolymers IPN-like networks: Effect of different methacrylate styrene co monomers on properties. *Journal of Materials Science*. 37: 3389-3395.
- Gregory, KB; Larese-Casanova, P; Parkin, GF; Scherer, MM. (2004). Abiotic transformation of hexahydro-1,3,5-trinitro-1,3,5-triazine by ferric bound to magnetite. *Environ Sci Technol*. 38: 1408-1414. <http://dx.doi.org/10.1021/es034588w>.
- Gregory, KB; Mason, MG; Picken, HD; Weathers, L; Parkin, GF. (2000). Bioaugmentation of Fe(0) for the remediation of chlorinated aliphatic hydrocarbons. *Environ Eng Sci*. 17: 169-181.
- Gresserov, BN; Sobolev, NA; Shek, EI. (1990). EFFECT OF THE PARTIAL PRESSURES OF CHLORINE-CONTAINING COMPONENTS ON THE KINETICS OF OXIDATION OF SILICON IN A CARBON-TETRACHLORIDE + OXYGEN MIXTURE. *Inorg Mater*. 26: 1344-1346.
- Grisdanurak, N; Chiarakorn, S; Wittayakun, J. (2003). Utilization of mesoporous molecular sieves synthesized from natural source rice husk silica to chlorinated volatile organic compounds (CVOs) adsorption. *Korean J Chem Eng*. 20: 950-955.
- Group, FW. (2000). Nonclinical assessment of potential hepatotoxicity in man (a concept paper meant to provide a framework for discussion at a February 12&13 Workshop. FDA Working Group.
- Grzybek, T; Motak, M; Papp, H. (2004). The structure of prospective denox catalysts based on carbon-montmorillonite nanocomposites. *Catalysis Today*. 90: 69-76. <http://dx.doi.org/10.1016/j.cattod.2004.04.010>.
- Gu, B; Phelps, TJ; Liang, L; Dickey, MJ; Roh, Y; Kinsall, BL; Palumbo, AV; Jacobs, GK. (1999). Biogeochemical dynamics in zero-valent iron columns: Implications for permeable reactive barriers. *Environ Sci Technol*. 33: 2170-2177.
- Gu, BH; Watson, DB; Wu, LY; Phillips, DH; White, DC; Zhou, JZ. (2002). Microbiological characteristics in a zero-valent iron reactive barrier. *Environ Monit Assess*. 77: 293-309. <http://dx.doi.org/10.1023/A:1016092808563>.
- Gu, FY; Hou, YJ. (2000). Salt effects on the isobaric vapor-liquid equilibrium for four binary systems. *Journal of Chemical and Engineering Data*. 45: 467-470.
- Gu, X; Lu, S; Fu, X; Qiu, Z; Sui, Q; Guo, X. (2017). Carbon dioxide radical anion-based UV/S2O82-/HCOOH reductive process for carbon tetrachloride degradation in aqueous solution. *Separation and Purification Technology*. 172: 211-216. <http://dx.doi.org/10.1016/j.seppur.2016.08.019>.
- Gu, X; Lu, S; Qiu, Z; Su, Q; Banks, CJ; Imai, T; Lin, K; Luo, Q. (2013). Photodegradation performance of 1,1,1-trichloroethane in aqueous solution: In the presence and absence of persulfate. *Chem Eng J*. 215: 29-35. <http://dx.doi.org/10.1016/j.cej.2012.09.132>.
- Gu, X; Lu, S; Qiu, Z; Sui, Q; Miao, Z; Lin, K; Liu, Y; Luo, Q. (2012). Comparison of Photodegradation Performance of 1,1,1-Trichloroethane in Aqueous Solution with the Addition of H2O2 or S2O82- Oxidants. *Ind Eng Chem Res*. 51: 7196-7204. <http://dx.doi.org/10.1021/ie202769d>.
- Gu, YL; Chen, LY; Qian, YT; Zhang, WQ; Ma, JH. (2005). Synthesis of nanocrystalline boron carbide via a solvothermal reduction of CCl4 in the presence of amorphous boron powder. *Journal of the American Ceramic Society*. 88: 225-227. <http://dx.doi.org/10.1111/j.1551-2916.2004.00023.x>.
- Guadagnino, E; Dedian, GC; Scalet, BM; Scandellari, ML. (1992). DETERMINATION OF SELENIUM IN GLASS BY GRAPHITE-FURNACE ATOMIC-ABSORPTION SPECTROSCOPY AFTER EXTRACTION WITH DITHIZONE - A COMPARISON WITH X-RAY-FLUORESCENCE AND VAPOR GENERATION ATOMIC-ABSORPTION SPECTROSCOPY. *Glass Technology*. 33: 209-213.
- Guastadisegni, C; Balduzzi, M; Mancuso, MT; Di Consiglio, E. (1999). Liver mitochondria alterations in chloroform-treated Sprague-Dawley rats. *J Toxicol Environ Health A*. 57: 415-429.
- Gubskii, I, ul; Kurskii, MD; Zadorina, OV; Fedorov, AN; Briuzgina, TS; Iurzenko, NN. (1990). [Calcium transport in endoplasmic reticulum of the rat liver during lipid peroxidation]. *Biokhimiya*. 55: 12-22.
- Gudi, G; Krähmer, A; Krüger, H; Hennig, L; Schulz, H. (2014). Discrimination of fennel chemotypes applying IR and Raman spectroscopy: discovery of a new γ -asarone chemotype. *J Agric Food Chem*. 62: 3537-3547. <http://dx.doi.org/10.1021/jf405752x>.
- Guevara, AP; Amor, E; Russell, G. (1996). Antimutagens from *Plumeria acuminata*. *Mutat Res Environ Mutagen Relat Subj*. 361: 67-72.
- Guha, A; Pal, R. (2007). Prediction of vapour-liquid equilibrium of some binary liquid systems by Generalized London Potential method. *Indian J Chem Tech*. 14: 178-182.
- Guhagarkar, SA; Shah, D; Patel, MD; Sathaye, SS; Devarajan, PV. (2015). Polyethylene Sebacate-Silymarin Nanoparticles with Enhanced Hepatoprotective Activity. *J Nanosci Nanotechnol*. 15: 4090-4093. <http://dx.doi.org/10.1166/jnn.2015.9518>.
- Guimbretiere, G; Bouchet, A; Rodriguez, V; Couzi, M; Talaga, D; Buffeteau, T; Canioni, L. (2008). Structural and Dynamical Insights from Vibrational Multipolar Analyses of Isotropic Media: Application to Molecular Liquid CCl4 and Silica Glass SiO2. *J Phys Chem C*. 112: 17906-17915. <http://dx.doi.org/10.1021/jp806395k>.
- Guleria, SP; Dutta, RK. (2011). Unconfined Compressive Strength of Fly Ash-Lime-Gypsum Composite Mixed with Treated Tire Chips. *Journal of Materials in Civil Engineering*. 23: 1255-1263. [http://dx.doi.org/10.1061/\(ASCE\)MT.1943-5533.0000292](http://dx.doi.org/10.1061/(ASCE)MT.1943-5533.0000292).
- Guleria, SP; Dutta, RK. (2012). Behaviour of fly ash-lime-gypsum composite mixed with treated tire chips. *Geomechanics and Engineering*. 4: 151-171.
- Gunaseelan, K; Umlong, IM; Mukhim, T; Ismail, K. (2003). Electrical conductance behavior of oil-in-water microemulsions stabilized by sodium dodecyl sulfate and 1-butanol. *Langmuir*. 19: 7276-7281. <http://dx.doi.org/10.1021/la034899k>.
- Gun'ko, VM; Borysenko, MV; Pissis, P; Spanoudaki, A; Shinyashiki, N; Sulim, IY; Kulik, TV; Palyanytsya, BB. (2007). Polydimethylsiloxane at the interfaces of fumed silica and zirconia/fumed silica. *Appl Surf Sci*. 253: 7143-7156. <http://dx.doi.org/10.1016/j.apsusc.2007.02.185>.
- Gun'ko, VM; Turov, VV; Lebeda, R; Skubiszewska-Zieba, J; Charmas, B. (2013). Confined space effects driving to heterogenization of solutions at the interfaces. *Adsorption*. 19: 305-321. <http://dx.doi.org/10.1007/s10450-012-9453-8>.
- Gun'ko, VM; Turov, VV; Skubiszewska-Zieba, J; Lebeda, R; Tsapko, MD; Palijczuk, D. (2003). Structural characteristics of a carbon adsorbent and influence of organic solvents on interfacial water. *Appl Surf Sci*. 214: 178-189. [http://dx.doi.org/10.1016/S0169-4332\(03\)00345-3](http://dx.doi.org/10.1016/S0169-4332(03)00345-3).

Exposure Literature Search Results

Off Topic

- Gun'ko, VM; Turov, VV; Whitby, RLD; Prykhod'ko, GP; Turov, AV; Mikhailovsky, SV. (2013). Interactions of single and multi-layer graphene oxides with water, methane, organic solvents and HCl studied by H-1 NMR. *Carbon*. 57: 191-201. <http://dx.doi.org/10.1016/j.carbon.2013.01.063>.
- Guo, CJ; Dekee, D. (1991). EFFECT OF MOLECULAR-SIZE AND FREE-VOLUME ON DIFFUSION IN LIQUIDS. *Chem Eng Sci*. 46: 2133-2141.
- Guo, CJ; Dekee, D; Harrison, B. (1992). EFFECT OF MOLECULAR-STRUCTURE ON DIFFUSION OF ORGANIC-SOLVENTS IN RUBBERS. *Chem Eng Sci*. 47: 1525-1532.
- Guo, W; Fung, BM. (1991). THE EFFECT OF SOLUTES ON THE ORIENTATIONAL ORDERING OF LIQUID-CRYSTALLINE SOLVENTS. *Liquid Crystals*. 9: 117-126.
- Guo, W; Shi, Y; Wang, H; Yang, H; Zhang, G. (2010). Sonochemical decomposition of levofloxacin in aqueous solution. *Water Environ Res*. 82: 696-700. <http://dx.doi.org/10.2175/106143010X12609736966801>.
- Guo, Y; Cheng, C; Wang, J; Wang, Z; Jin, X; Li, K; Kang, P; Gao, J. (2011). Detection of reactive oxygen species (ROS) generated by TiO₂(R), TiO₂(R/A) and TiO₂(A) under ultrasonic and solar light irradiation and application in degradation of organic dyes. *J Hazard Mater*. 192: 786-793. <http://dx.doi.org/10.1016/j.jhazmat.2011.05.084>.
- Guo, YH; Wang, YH; Hu, CW; Wang, YH; Wang, EB; Zhou, YC; Feng, SH. (2000). Microporous polyoxometalates POMs/SiO₂: Synthesis and photocatalytic degradation of aqueous organochlorine pesticides. *Chem Mater*. 12: 3501-3508. <http://dx.doi.org/10.1021/cm000074+>.
- Guo, ZB; Feng, R; Li, JH; Zheng, Z; Zheng, YF. (2008). Degradation of 2,4-dinitrophenol by combining sonolysis and different additives. *J Hazard Mater*. 158: 164-169. <http://dx.doi.org/10.1016/j.jhazmat.2008.01.056>.
- Gupta, AK; Karar, K; Srivastava, A. (2007). Chemical mass balance source apportionment of PM₁₀ and TSP in residential and industrial sites of an urban region of Kolkata, India. *J Hazard Mater*. 142: 279-287. <http://dx.doi.org/10.1016/j.jhazmat.2006.08.013>.
- Gupta, R; Wanchoo, RK; Bansal, A. (2010). Interfacial Tension of Some Newtonian and non-Newtonian Fluids by the Drop-Weight Method. *Chemical and Biochemical Engineering Quarterly*. 24: 295-300.
- Gupta, RK; Hussain, T; Panigrahi, G; Das, A; Singh, GN; Sweetey, K; Faiyazuddin, M; Rao, CV. (2011). Hepatoprotective effect of Solanum xanthocarpum fruit extract against CCl₄ induced acute liver toxicity in experimental animals. *Asian Pacific Journal of Tropical Medicine*. 4: 964-968. [http://dx.doi.org/10.1016/S1995-7645\(11\)60227-7](http://dx.doi.org/10.1016/S1995-7645(11)60227-7).
- Gupta, RS; Singh, D. (2007). Hepatomodulatory role of *Enicostemma littorale* Blume against oxidative stress induced liver injury in rats. *African Journal of Agricultural Research*. 2: 131-138.
- Gupta, SS; Sanyal, B. (1979). CORROSION OF STEEL BY CHLORINATED SOLVENTS AND ITS INHIBITION .1. FACTORS AFFECTING THE DECOMPOSITION OF CCl₄ AND ITS ACTION ON MILD-STEEL. 14: 155-159.
- Gurtler, KR; Kleinermaans, K. (1994). PHOTOOXIDATION OF EXHAUST POLLUTANTS .2. PHOTOOXIDATION OF CHLOROMETHANES - DEGRADATION EFFICIENCIES, QUANTUM YIELDS AND PRODUCTS. *Chemosphere*. 28: 1289-1298.
- Gururaja, MP; Joshi, AB; Joshi, H; Sathyanarayana, D; Subrahmanyam, EV; Chandrashekhar, KS. (2009). Attenuation of carbon tetrachloride-induced hepatotoxicity by cow urine distillate in rats. *Biomed Environ Sci*. 22: 345-347. [http://dx.doi.org/10.1016/S0895-3988\(09\)60066-0](http://dx.doi.org/10.1016/S0895-3988(09)60066-0).
- Gutierrez-Ortiz, JI; de Rivas, B; Lopez-Fonseca, R; Gonzalez-Velasco, JR. (2005). Effect of the presence of n-hexane on the catalytic combustion of chlororganics over ceria-zirconia mixed oxides. *Catalysis Today*. 107-08: 933-941. <http://dx.doi.org/10.1016/j.cattod.2005.07.045>.
- Ha, YL; Chakraborty, AK. (1994). CHARACTERIZATION OF CROWN-ETHERS AS MACROCYCLIC ELEMENTS FOR ROTAXANE PREPARATION - A MONTE-CARLO SIMULATION. *Chem Eng Sci*. 49: 2859-2866.
- Haas, JR; Shock, EL. (1999). Halocarbons in the environment: Estimates of thermodynamic properties for aqueous chloroethylene species and their stabilities in natural settings. *Geochim Cosmo Acta*. 63: 3429-3441.
- Häbich, A; Qiao, GG; Ducker, W. (2010). Enantioselective adsorption of surfactants monitored by ATR-FTIR. *Langmuir*. 26: 13944-13953. <http://dx.doi.org/10.1021/la101641r>.
- Hachiya, N; Motohashi, Y. (2000). Examination of lacZ mutant induction in the liver and testis of Muta(TM)Mouse following injection of halogenated aliphatic hydrocarbons classified as human carcinogens. *Ind Health*. 38: 213-220. <http://dx.doi.org/10.2486/indhealth.38.213>.
- Hadidi, K; Cohn, DR; Vitale, S; Bromberg, L. (1999). Economic study of the tunable electron beam plasma reactor for volatile organic compound treatment. *J Air Waste Manag Assoc*. 49: 225-228.
- Haehner, BD; Gorski, JC; Vandenbranden, M; Wrighton, SA; Janardan, SK; Watkins, PB; Hall, SD. (1996). Bimodal distribution of renal cytochrome P450 3A activity in humans. *Mol Pharmacol*. 50: 52-59.
- Hafeman, DG; Hoekstra, WG. (1977). Protection against carbon tetrachloride-induced lipid peroxidation in the rat by dietary vitamin E, selenium and methionine as measured by ethane evolution. *J Nutr*. 107: 656-665.
- Haggerty, R; Gorelick, SM. (1994). DESIGN OF MULTIPLE CONTAMINANT REMEDIATION - SENSITIVITY TO RATE-LIMITED MASS-TRANSFER. *Water Resour Res*. 30: 435-446.
- Hagmar, L; Bonassi, S; Strömberg, U; Brøgger, A; Knudsen, LE; Norppa, H; Reuterwall, C. (1988). Chromosomal aberrations in lymphocytes predict human cancer: a report from the European Study Group on Cytogenetic Biomarkers and Health (ESCH). *Cancer Res*. 58: 4117-4121.
- Hagmar, L; Strömberg, U; Bonassi, S; Hansteen, IL; Knudsen, LE; Lindholm, C; Norppa, H. (2004). Impact of types of lymphocyte chromosomal aberrations on human cancer risk: Results from Nordic and Italian cohorts. *Cancer Res*. 64: 2258-2263. <http://dx.doi.org/10.1158/0008-5472.CAN-03-3360>.

Exposure Literature Search Results

Off Topic

- Haider, N; Husain, D. (1993). KINETIC-STUDIES OF THE REACTIONS OF GROUND-STATE ATOMIC CARBON, C(2P(2)((3)P(J))), WITH HALOGENATED METHANES INVESTIGATED BY TIME-RESOLVED ATOMIC RESONANCE-ABSORPTION SPECTROSCOPY IN THE VACUUM ULTRA-VIOLET. *Combust Flame*. 93: 327-335.
- Hakkola, J; Raunio, H; Purkunen, R; Pelkonen, O; Saarikoski, S; Cresteil, T; Pasanen, M. (1996). Detection of cytochrome P450 gene expression in human placenta in first trimester of pregnancy. *Biochem Pharmacol*. 52: 379-383. [http://dx.doi.org/10.1016/0006-2952\(96\)00216-X](http://dx.doi.org/10.1016/0006-2952(96)00216-X).
- Halasz, J; Imre, B; Hannus, I. (2004). IR spectroscopic investigation of hydrodechlorination on Pt-containing zeolites. *Appl Catal A-Gen*. 271: 47-53. <http://dx.doi.org/10.1016/j.apcata.2004.02.045>.
- Hall, CR; Holmes, RJ. (1993). THE PREPARATION AND PROPERTIES OF SOME CHLORINATED ACTIVATED CARBONS .2. FURTHER OBSERVATIONS. *Carbon*. 31: 881-886.
- Hall, TM; Haine, TWN; Waugh, DW. (2002). Inferring the concentration of anthropogenic carbon in the ocean from tracers. *Global Biogeochem Cycles*. 16. <http://dx.doi.org/10.1029/2001GB001835>.
- Halliwell, B; Gutteridge, J. (1999). *Free Radicals in Biology and Medicine*. New York: Oxford University Press.
- Hamlin, GP; Kholkute, SD; Dukelow, WR. (1993). Toxicology of maternally ingested carbon tetrachloride (CCl₄) on embryonal and fetal development and in vitro fertilization in mice. *Zool Sci*. 10: 111-116.
- Han, J; Gao, C; Yang, S; Wang, J; Tan, D. (2014). Betanin attenuates carbon tetrachloride (CCl₄)-induced liver injury in common carp (*Cyprinus carpio* L.). *Fish Physiol Biochem*. 40: 865-874. <http://dx.doi.org/10.1007/s10695-013-9892-5>.
- Han, JC; Song, JI; Park, SW; Woo, D. (2002). Growth of ultrahigh carbon-doped InGaAs and its application to InP/InGaAs(C) HBTs. *IEEE Transactions on Electron Devices*. 49: 1-6.
- Han, Y; Chen, ZL; Shen, JM; Wang, JH; Li, WW; Li, J; Wang, BY; Tong, LN. (2017). The role of Cu(II) in the reduction of N-nitrosodimethylamine with iron and zinc. *Chemosphere*. 167: 171-177. <http://dx.doi.org/10.1016/j.chemosphere.2016.09.118>.
- Han, Y; Hyun, S; Jeong, HY; Hayes, K. (2012). Kinetic study of cis-dichloroethylene (cis-DCE) and vinyl chloride (VC) dechlorination using green rusts formed under varying conditions. *Water Res*. 46: 6339-6350. <http://dx.doi.org/10.1016/j.watres.2012.08.041>.
- Han, Y; Li, W; Zhang, M; Tao, K. (2008). Catalytic dechlorination of monochlorobenzene with a new type of nanoscale Ni(B)/Fe(B) bimetallic catalytic reductant. *Chemosphere*. 72: 53-58. <http://dx.doi.org/10.1016/j.chemosphere.2008.02.00>.
- Han, Y; Yan, W. (2016). Reductive Dechlorination of Trichloroethene by Zero-valent Iron Nanoparticles: Reactivity Enhancement through Sulfidation Treatment. *Environ Sci Technol*. 50: 12992-13001. <http://dx.doi.org/10.1021/acs.est.6b03997>.
- Hanabusa, K; Watanabe, Y; Kimura, M; Koyama, T; Shirai, H. (1996). Two component type of organogel-forming agent working by intermolecular hydrogen bonding. *Sen'i Gakkaishi*. 52: 129-136.
- Hanna, K; Kone, T; Ruby, C. (2010). Fenton-like oxidation and mineralization of phenol using synthetic Fe(II)-Fe(III) green rusts. *Environ Sci Pollut Res Int*. 17: 124-134. <http://dx.doi.org/10.1007/s11356-009-0148-y>.
- Hannus, I. (1999). Adsorption and transformation of halogenated hydrocarbons over zeolites. *Appl Catal A-Gen*. 189: 263-276.
- Hannus, I; Halasz, J. (2006). Hydrodechlorination over zeolite supported catalysts - Clarification of reaction mechanism. *J Jpn Petrol Inst*. 49: 105-113.
- Hannus, I; Konya, Z; Nagy, JB; Lentz, P; Kiricsi, I. (1998). Solid state MAS NMR investigation of Y-type zeolites reacted with chlorofluorocarbons. *Appl Catal B-Environ*. 17: 157-166.
- Hanoch, RJ; Shao, H; Butler, EC. (2006). Transformation of carbon tetrachloride by bisulfide treated goethite, hematite, magnetite, and kaolinite. *Chemosphere*. 63: 323-334. <http://dx.doi.org/10.1016/j.chemosphere.2005.07.016>.
- Hansch, C; Leo, A; Hoekman, D. (1995). Exploring QSAR: Hydrophobic, electronic, and steric constants. In C Hansch; A Leo; DH Hoekman (Eds.), *ACS Professional Reference Book*. Washington, DC: American Chemical Society.
- Hansen, M. (1989). *Pathophysiology: Foundations of Disease and Clinical Intervention Disorders of somatic and motor autonomic function*. Philadelphia: W.B. Saunders Company.
- Hansen, MF; Cavenee, WK. (1987). Genetics of cancer predisposition [Review]. *Cancer Res*. 47: 5518-5527.
- Hanson, AW; Stockman, SA; Stillman, GE. (1992). INP/INO.53GA0.47AS HETEROJUNCTION BIPOLAR-TRANSISTORS WITH A CARBON-DOPED BASE GROWN BY MOCVD. *IEEE Electron Device Letters*. 13: 504-506.
- Hansson, EB; Odziemkowski, MS; Gillham, RW. (2008). Influence of Na₂S on the degradation kinetics of CCl₄ in the presence of very pure iron. *J Contam Hydrol*. 98: 128-134. <http://dx.doi.org/10.1016/j.jconhyd.2008.02.00>.
- Hantal, G; Terleczy, P; Horvai, G; Nyulaszi, L; Jedlovszky, P, al. (2009). Molecular Level Properties of the Water-Dichloromethane Liquid/Liquid Interface, as Seen from Molecular Dynamics Simulation and Identification of Truly Interfacial Molecules Analysis. *J Phys Chem C*. 113: 19263-19276. <http://dx.doi.org/10.1021/jp906290b>.
- Hao, X; Ling, Q; Hong, F. (2014). Effects of dietary selenium on the pathological changes and oxidative stress in loach (*Paramisgurnus dabryanus*). *Fish Physiol Biochem*. 40: 1313-1323. <http://dx.doi.org/10.1007/s10695-014-9926-7>.
- Happell, JD; Mendoza, Y; Goodwin, K. (2014). A reassessment of the soil sink for atmospheric carbon tetrachloride based upon static flux chamber measurements. *J Atmos Chem*. 71: 113-123. <http://dx.doi.org/10.1007/s10874-014-9285-x>.
- Hard, GC; Seely, JC. (2005). Recommendations for the interpretation of renal tubule proliferative lesions occurring in rat kidneys with advanced chronic progressive nephropathy (CPN). *Toxicol Pathol*. 33: 641-649. <http://dx.doi.org/10.1080/01926230500299716>.
- Hardtdegen, H; Raafat, T; Hollfelder, M; Ungermanns, C. (1995). A NEW METHOD FOR CONTROLLED CARBON DOPING IN LP-MOVPE OF GAAS USING TMAS AND MIXTURES OF TMGA/TEGA. *J Cryst Growth*. 156: 333-336.
- Hardtdegen, H; Ungermanns, C; Wirtz, K; Herion, J; Siekmann, H; Luth, H. (1994). HEAVY CARBON DOPING IN LOW-PRESSURE METALORGANIC VAPOR-PHASE EPITAXY OF GAAS USING TRIMETHYLARSENIC - A COMPARISON BETWEEN THE CARRIER GASES N-2 AND H-2. *J Cryst Growth*. 145: 440-446.

Exposure Literature Search Results

Off Topic

- Harendra, S; Vipulanandan, C. (2010). Kinetics and Reductive Degradation of Surfactant-Solublized CCl₄ in Water Using Bimetallic Particles. *Ind Eng Chem Res.* 49: 8812-8820. <http://dx.doi.org/10.1021/ie1001372>.
- Hari, T; Nakajo, K; Huang, LW; Kojima, Y; Ozawa, S; Matsuda, H. (2002). Influence of the coexistence gas and in-situ solid absorbent on the decomposition of covalent chlorides and fluorides by non-thermal plasma. *Kagaku Kogaku Ronbunshu.* 28: 522-527.
- Harle, V; Rose, B; Robein, D; Gao, Y; Landsbeck, E; Scholz, F. (1992). CHLORINE ASSISTED SELECTIVE AREA EPITAXY IN AP-MOVPE OF INP - INFLUENCE OF CCL₄ ON GROWTH AND ON ZN AND SI INCORPORATION. *J Cryst Growth.* 124: 260-264.
- Harmon, TC; Semprini, L; Roberts, PV. (1992). SIMULATING SOLUTE TRANSPORT USING LABORATORY-BASED SORPTION PARAMETERS. *J Environ Eng.* 118: 666-689.
- Harris, CC. (1991). Chemical and physical carcinogenesis: advances and perspectives for the 1990s [Review]. *Cancer Res.* 51: 5023s-5044s.
- Hart, RN; Setlow, RB. (1974). Correlation between deoxyribonucleic acid excision-repair and lifespan in a number of mammalian species. *Proc Natl Acad Sci USA.* 71: 2169-2173.
- Hasegawa, K; Fusumae, H; Miyahara, S; Shinohara, M; Matsuyama, M; Watanabe, K. (1994). ACCELERATION OF THE UV-STIMULATED HT OXIDATION BY CCL₄. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 29: 281-299.
- Haselmann, KF; Laturus F; Svensmark, B; Gron, C. (2000). Formation of chloroform in spruce forest soil - results from laboratory incubation studies. *Chemosphere.* 41: 1769-1774.
- Hashsham, SA; Scholze, R; Freedman, DL. (1995). COBALAMIN-ENHANCED ANAEROBIC BIOTRANSFORMATION OF CARBON-TETRACHLORIDE. *Environ Sci Technol.* 29: 2856-2863. <http://dx.doi.org/10.1021/es00011a023>.
- Hassan, MH; Edfawy, M; Mansour, A; Hamed, AA. (2012). Antioxidant and antiapoptotic effects of capsaicin against carbon tetrachloride-induced hepatotoxicity in rats. *Toxicol Ind Health.* 28: 428-438. <http://dx.doi.org/10.1177/0748233711413801>.
- Hatch, S. R.; Polizzotti, RS; Dougal, S; Rabinowitz, P. (1993). IN-SITU SURFACE VIBRATIONAL SPECTROSCOPY OF THE VAPOR SOLID AND LIQUID-SOLID INTERFACES OF ACETONITRILE ON ZRO₂. *Journal of Vacuum Science and Technology A.* 11: 2232-2238.
- Hattis, D; Chu, M; Rahmioglu, N; Goble, R; Verma, P; Hartman, K; Kozlak, M. (2009). A preliminary operational classification system for nonmutagenic modes of action for carcinogenesis [Review]. *Crit Rev Toxicol.* 39: 97-138. <http://dx.doi.org/10.1080/10408440802307467>.
- Havlik, T; Kammel, R. (1995). LEACHING OF CHALCOPYRITE WITH ACIDIFIED FERRIC-CHLORIDE AND CARBON-TETRACHLORIDE ADDITION. *Miner Eng.* 8: 1125-1134.
- Hayashi, H; Kanie, K; Shinoda, K; Muramatsu, A; Suzuki, S; Sasaki, H. (2009). pH-dependence of selenate removal from liquid phase by reductive Fe(II)-Fe(III) hydroxysulfate compound, green rust. *Chemosphere.* 76: 638-643. <http://dx.doi.org/10.1016/j.chemosphere.2009.04.037>.
- He, DS; Ma, M; Zhao, ZH. (2000). Transport of cadmium ions through a liquid membrane containing amine extractants as carriers. *J Memb Sci.* 169: 53-59.
- He, H; Wu, D; Zhao, L; Luo, C; Dai, C; Zhang, Y. (2016). Sequestration of chelated copper by structural Fe(II): Reductive decomplexation and transformation of Cu(II)-EDTA. *J Hazard Mater.* 309: 116-125. <http://dx.doi.org/10.1016/j.jhazmat.2016.02.009>.
- He, J; Wang, F; Wu, Y; Huang, Y; Zhang, H. (2011). Preparation of the water-soluble chitosan-coated oxidized regenerated cellulose gauze. *Cellulose.* 18: 1651-1659. <http://dx.doi.org/10.1007/s10570-011-9582-3>.
- He, J; Wu, Y, aD; Wang, F; Cheng, W; Huang, Y, uD; Fu, B, o. (2014). Hemostatic, Antibacterial and Degradable Performance of the Water-soluble Chitosan-coated Oxidized Regenerated Cellulose Gauze. *Fibers and Polymers.* 15: 504-509. <http://dx.doi.org/10.1007/s12221-014-0504-5>.
- He, JH; Ela, WP; Betterton, EA; Arnold, RG; Saez, AE. (2004). Reductive dehalogenation of aqueous-phase chlorinated hydrocarbons in an electrochemical reactor. *Ind Eng Chem Res.* 43: 7965-7974. <http://dx.doi.org/10.1021/ie049568x>.
- He, JH; Saez, AE; Ela, WP; Betterton, EA; Arnold, RG. (2004). Destruction of aqueous-phase carbon tetrachloride in an electrochemical reactor with a porous cathode. *Ind Eng Chem Res.* 43: 913-923. <http://dx.doi.org/10.1021/ie030591c>.
- He, M; Guo, Y; Zhong, Q, iu; Zhang, Y. (2010). A new correlation on predicting self- and mutual-diffusion coefficient of Lennard-Jones chain fluid. *Fluid Phase Equilibria.* 291: 166-173. <http://dx.doi.org/10.1016/j.fluid.2009.12.014>.
- He, YM; Jiang, RF; Yang, YY; Huang, ZQ; Ouyang, GF. (2007). Excess molar volumes and surface tensions of 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene with 1,1-diethoxyethane and 2,2-dimethoxypropane at (298.15, 308.15, and 313.15) K. *Journal of Chemical and Engineering Data.* 52: 884-888. <http://dx.doi.org/10.1021/je060490w>.
- He, YT; Wilson, JT; Su, C; Wilkin, RT. (2015). Review of Abiotic Degradation of Chlorinated Solvents by Reactive Iron Minerals in Aquifers. *Ground Water Monitoring and Remediation.* 35: 57-75. <http://dx.doi.org/10.1111/gwmr.12111>.
- He, YT; Wilson, JT; Wilkin, RT. (2008). Transformation of reactive iron minerals in a permeable reactive barrier (biowall) used to treat TCE in groundwater. *Environ Sci Technol.* 42: 6690-6696. <http://dx.doi.org/10.1021/es8010354>.
- He, YT; Wilson, JT; Wilkin, RT. (2010). Impact of iron sulfide transformation on trichloroethylene degradation. *Geochim Cosmo Acta.* 74: 2025-2039. <http://dx.doi.org/10.1016/j.gca.2010.01.013>.
- Hebert, A; Forestier, D; Lenes, D; Benanou, D; Jacob, S; Arfi, C; Lambomez, L; Levi, Y. (2010). Innovative method for prioritizing emerging disinfection by-products (DBPs) in drinking water on the basis of their potential impact on public health. *Water Res.* 44: 3147-3165. <http://dx.doi.org/10.1016/j.watres.2010.02.004>.
- Heeba, GH; Mahmoud, ME. (2014). Therapeutic potential of morin against liver fibrosis in rats: Modulation of oxidative stress, cytokine production and nuclear factor kappa B. *Environ Toxicol Pharmacol.* 37: 662-671. <http://dx.doi.org/10.1016/j.etap.2014.01.026>.
- Heilmaier, HE; Greim, H; Sumner, KH. (1989). Metallothionein Induction in Mice by CCl₄: Hepatic Zn-Status and Distribution of Administered Cd. *Toxicol Environ Chem.* 23: 73-78.

Exposure Literature Search Results

Off Topic

- Heineman, EF; Cocco, P; Gomez, MR; Dosemeci, M; Stewart, PA; Hayes, RB; Zahm, SH; Thomas, TL; Blair, A. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons and risk of astrocytic brain cancer. *Am J Ind Med.* 26: 155-169. <http://dx.doi.org/10.1002/ajim.4700260203>.
- Heinichen, H; Heyl, A; Rutsch, O; Weichmann, J. (2001). Modeling of the complex chemical kinetics of the thermal decomposition of tetrachloromethane in methane. *Chem Eng Sci.* 56: 1381-1386.
- Helland, BR; Alvarez, PJJ; Schnoor, JL. (1995). REDUCTIVE DECHLORINATION OF CARBON-TETRACHLORIDE WITH ELEMENTAL IRON. *J Hazard Mater.* 41: 205-216.
- Hellmér, L; Bolcsfoldi, G. (1992). An evaluation of the E. coli K-12 uvrB/recA DNA repair host-mediated assay: I. In vitro sensitivity of the bacteria to 61 compounds. *Mutat Res.* 272: 145-160. [http://dx.doi.org/10.1016/0165-1161\(92\)90043-L](http://dx.doi.org/10.1016/0165-1161(92)90043-L).
- Helot, M; Chevolleau, T; Vallier, L; Joubert, O; Blanquet, E; Pisch, A; Mangiagalli, P; Lill, T. (2006). Plasma etching of HfO₂ at elevated temperatures in chlorine-based chemistry. *Journal of Vacuum Science and Technology A.* 24: 30-40. <http://dx.doi.org/10.1116/1.2134707>.
- Henderson, AD; Demond, AH. (2007). Long-term performance of zero-valent iron permeable reactive barriers: A critical review. *Environ Eng Sci.* 24: 401-423. <http://dx.doi.org/10.1089/ees.2006.0071>.
- Henglein, A. (1998). Colloidal silver nanoparticles: Photochemical preparation and interaction with O₂, CCl₄, and some metal ions. *Chem Mater.* 10: 444-450. <http://dx.doi.org/10.1021/cm970613j>.
- Heo, J, eeln; Kim, JH; Lee, JM, in; Kho, YJ; Lim, SS; Park, J, aeB; Kim, J; Kim, SC; Lee, J, aeY. (2016). FOXO3a Activation by oxyresveratrol of Morus bombycis koidzumi extract mediates antioxidant activity. *Animal Cells and Systems.* 20: 39-47. <http://dx.doi.org/10.1080/19768354.2016.1143030>.
- Heric, EL; Yeh, KN. (1970). NAPHTHALENE SOLUBILITY IN CYCLOHEXANE, CARBON TETRACHLORIDE, AND MIXED SOLVENTS THEREOF BETWEEN 10 DEGREES AND 70 DEGREES C. *Journal of Chemical and Engineering Data.* 15: 13-&.
- Hermon, H; Roth, M; Nissenbaum, J; Schieber, M; Shamir, J. (1991). STOICHIOMETRY AND ELECTRICAL CHARGE TRANSPORT IN HGI₂ CRYSTALS. *J Cryst Growth.* 109: 376-384.
- Hernandez, MA; Gonzalez, A, nal; Rojas, F; Asomoza, M; Solis, S; Portillo, R. (2007). Adsorption of chlorinated compounds (chlorobenzene, chloroform, and carbon tetrachloride) on microporous SiO₂, Ag-doped SiO₂ and natural and dealuminated clinoptilolites. *Ind Eng Chem Res.* 46: 3373-3381. <http://dx.doi.org/10.1021/ie061041s>.
- Hernandez, MA; Gonzalez, AI; Corona, L; Hernandez, F; Rojas, F; Asomoza, M; Solis, S; Portillo, R; Salgado, MA. (2009). Chlorobenzene, chloroform, and carbon tetrachloride adsorption on undoped and metal-doped sol-gel substrates (SiO₂), Ag/SiO₂), Cu/SiO₂) and Fe/SiO₂). *J Hazard Mater.* 162: 254-263. <http://dx.doi.org/10.1016/j.jhazmat.2008.05.05>.
- Hernandez, R; Zappi, M; Kuo, CH. (2004). Chloride effect on TNT degradation by zerovalent iron or zinc during water treatment. *Environ Sci Technol.* 38: 5157-5163. <http://dx.doi.org/10.1021/es049815o>.
- Hernandez-Maldonado, AJ; Stamatis, SD; Yang, RT; He, AZ; Cannella, W. (2004). New sorbents for desulfurization of diesel fuels via pi complexation: Layered beds and regeneration. *Ind Eng Chem Res.* 43: 769-776.
- Herrick, DE; Holder, GD; Shah, YT. (1988). ACCELERATION OF CHLORINATION OF ALUMINA USING SUPERCRITICAL CCL₄. *AIChE J.* 34: 669-671.
- Heylen, I; Vansant, EF. (1997). The difference in adsorption capacity between Fe-PILCs and modified Fe-BuA- and Fe-Zr-PILCs. 10: 41-50.
- Heymann, D; Cataldo, F; Fokkens, R; Nibbering, NMM; Vis, RD. (1999). Loss of chlorine from C-60 and C-70 chlorides. *Fullerene Sci Technol.* 7: 159-180.
- Hfaiedh, M; Brahmi, D; Zourgui, L. (2016). Hepatoprotective effect of Taraxacum officinale leaf extract on sodium dichromate-induced liver injury in rats. *Environ Toxicol.* 31: 339-349. <http://dx.doi.org/10.1002/tox.22048>.
- Higami, Y; Tsuchiya, T; To, K; Chiba, T; Yamaza, H; Shiokawa, D; Tanuma, S; Shimokawa, I. (2004). Expression of DNase gamma during Fas-independent apoptotic DNA fragmentation in rodent hepatocytes. *Cell Tissue Res.* 316: 403-407. <http://dx.doi.org/10.1007/s00441-004-0890-x>.
- Higgo, JJW; Nielsen, PH; Bannon, MP; Harrison, I; Christensen, TH. (1996). Effect of geochemical conditions on fate of organic compounds in groundwater. *Environ Geol.* 27: 335-346.
- Hill, GD; Pace, V; Persohn, E; Bresser, C; Haseman, JK; Tischler, AS; Nyska, A. (2003). A comparative immunohistochemical study of spontaneous and chemically induced pheochromocytomas in B6C3F1 mice. *Endocr Pathol.* 14: 81-91.
- Himmelheber, DW; Taillefert, M; Pennell, KD; Hughes, JB. (2008). Spatial and temporal evolution of biogeochemical processes following in situ capping of contaminated sediments. *Environ Sci Technol.* 42: 4113-4120. <http://dx.doi.org/10.1021/es702626x>.
- Hinsby, K; Hojberg, AL; Engesgaard, P; Jensen, KH; Larsen, F; Plummer, LN; Busenberg, E. (2007). Transport and degradation of chlorofluorocarbons (CFCs) in the pyritic Rabis Creek aquifer, Denmark. *Water Resour Res.* 43. <http://dx.doi.org/10.1029/2006WR005854>.
- Hirai, H; Shiraishi, Y. (2007). Regioselective carboxylation of aromatic compounds using cyclodextrin as mediator. *React Funct Polym.* 67: 1115-1128. <http://dx.doi.org/10.1016/j.reactfunctpolym.2007.07.013>.
- Hirata, K; Mikami, O; Saitoh, T. (1984). DIRECT TRANSFER OF RESIST GRATING PATTERNS ONTO INP BY REACTIVE-ION ETCHING USING CCL₄/O₂. 2: 45-48.
- Hirota, K; Hakoda, T; Taguchi, M; Takigami, M; Kim, H; Kojima, T. (2003). Application of electron beam for the reduction of PCDD/F emission from municipal solid waste incinerators. *Environ Sci Technol.* 37: 3164-3170. <http://dx.doi.org/10.1021/es021076t>.
- Hirota, K; Sakai, H; Washio, M; Kojima, T. (2004). Application of electron beams for the treatment of VOC streams. *Ind Eng Chem Res.* 43: 1185-1191. <http://dx.doi.org/10.1021/ie0340746>.

Exposure Literature Search Results

Off Topic

- Hirst, SM; Karakoti, A; Singh, S; Self, W; Tyler, R; Seal, S; Reilly, CM. (2013). Bio-distribution and in vivo antioxidant effects of cerium oxide nanoparticles in mice. *Environ Toxicol.* 28: 107-118. <http://dx.doi.org/10.1002/tox.20704>.
- Hlaiebi, M; Tbeur, N; Benjjar, A; Kamal, O; Lebrun, L. (2011). Carbohydrate-resorcinarene complexes involved in the facilitated transport of alditols across a supported liquid membrane. *J Memb Sci.* 377: 231-240. <http://dx.doi.org/10.1016/j.memsci.2011.04.055>.
- Hobson, WS; Pearton, SJ; Abernathy, CR; Ren, F; Lothian, J. R. (1993). SELECTIVE REGROWTH OF INP AND GAAS BY ORGANOMETALLIC VAPOR-PHASE EPITAXY AND METALORGANIC MOLECULAR-BEAM EPITAXY AROUND DRY-ETCHED FEATURES. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures.* 11: 536-541.
- Hobson, WS; Pearton, SJ; Lopata, JL. (1993). SELECTIVE REGROWTH OF III-V EPITAXIAL LAYERS BY LOW-PRESSURE ORGANOMETALLIC VAPOR-PHASE EPITAXY USING CCL4. *Journal of Vacuum Science and Technology A.* 11: 1006-1010.
- Hobson, WS; Pearton, SJ; Ren, F; Cheng, Y; Kozuch, DM; Stavola, M; Geva, M. (1993). CARBON-DOPED GAAS AND ALGAAS GROWN BY OMPVE - DOPING PROPERTIES, OXYGEN INCORPORATION, AND HYDROGEN PASSIVATION. *Mater Sci Eng B.* 20: 266-270.
- Hobson, WS; Zheng, JF; Stavola, M; Pearton, SJ. (1994). CARBON-DOPED GAAS GROWN BY ORGANOMETALLIC VAPOR-PHASE EPITAXY USING TRIS-DIMETHYLAMINOARSENIC AND CCL4. *J Cryst Growth.* 143: 124-128.
- Hoch, M. (1997). Thermodynamics of binary and larger organic-organic and organic-water systems. *CALPHAD.* 21: 359-379.
- Hoekstra, EJ; Duyzer, JH; de Leer, EWB; Brinkman, UAT. (2001). Chloroform - concentration gradients in soil air and atmospheric air, and emission fluxes from soil. *Atmos Environ.* 35: 61-70.
- Hoff, JT; Wania, F; Mackay, D; Gillham, R. (1995). Sorption of nonpolar organic vapors by ice and snow. *Environ Sci Technol.* 29: 1982-1989. <http://dx.doi.org/10.1021/es00008a016>.
- Hofstetter, TB; Schwarzenbach, RP; Haderlein, SB. (2003). Reactivity of Fe(II) species associated with clay minerals. *Environ Sci Technol.* 37: 519-528. <http://dx.doi.org/10.1021/es025955r>.
- Hoggard, PE; Maldotti, A. (2010). Catalysis of the photodecomposition of carbon tetrachloride in ethanol by an Amberlite anion exchange resin. *J Catal.* 275: 243-249. <http://dx.doi.org/10.1016/j.jcat.2010.08.003>.
- Hogue, C. (2014). OZONE DEPLETION Emissions of carbon tetrachloride continue despite global prohibition. *Chem Eng News.* 92: 11-11.
- Hohener, P; Werner, D; Balsiger, C; Pasteris, G. (2003). Worldwide occurrence and fate of chlorofluorocarbons in groundwater. *Crit Rev Environ Sci Tech.* 33: 1-29.
- Holder, JW. (2012). Physical and physicochemical factors effecting transport of chlorohydrocarbon gases from lung alveolar air to blood as measured by the causation of narcosis. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev.* 30: 42-80. <http://dx.doi.org/10.1080/10590501.2012.653888>.
- Holgado, MED; Deschaefer, CR; Arancibia, EL; Katz, M. (1994). EXCESS MOLAR VOLUMES AND VISCOSITIES OF BINARY-MIXTURES OF BIS(2-METHOXYL)ETHER (DIGLYME) WITH CHLOROALKANES AT 298.15-K. *Fluid Phase Equilibria.* 95: 299-312.
- Holly, EA; Aston, DA; Ahm, DK; Smith, AH. (1996). Intraocular Melanoma Linked to Occupations and Chemical Exposures. *Epidemiology.* 7: 55-61. <http://dx.doi.org/10.1097/00001648-199601000-00010>.
- Holt, BD; Heraty, LJ; Sturchio, NC. (2001). Extraction of chlorinated aliphatic hydrocarbons from groundwater at micromolar concentrations for isotopic analysis of chlorine. *Environ Pollut.* 113: 263-269.
- Holte, LK; Kuran, BA; Richmond, GL; Johnson, KE. (2014). Computational Modeling of Lauric Acid at the Organic-Water Interface. *J Phys Chem C.* 118: 10024-10032. <http://dx.doi.org/10.1021/jp411985c>.
- Hong, FCN; Hsieh, JC; Wu, JJ; Liang, GT; Hwang, JH. (1993). LOW-TEMPERATURE DEPOSITION OF DIAMOND USING CHLOROMETHANE IN A HOT-FILAMENT CHEMICAL-VAPOR-DEPOSITION REACTOR. *Diam Relat Mater.* 2: 365-372.
- Hong, IH; Ji, H; Hwa, SY; Jeong, WI; Jeong, DH; Do, SH; Kim, JM; Ki, MR; Park, JK; Goo, MJ; Hwang, OK; Hong, KS; Han, JY; Chung, HY; Jeong, KS. (2011). The protective effect of ENA Actimineral resource A on CCl4-induced liver injury in rats. *Mar Biotechnol.* 13: 462-473. <http://dx.doi.org/10.1007/s10126-010-9317-8>.
- Hong, KS; Pavlidis, D. (1996). Growth and characterization of heavily carbon doped InGaAs lattice matched to InP by LP-MOCVD using liquid CCl4. *Journal of Electronic Materials.* 25: 449-455.
- Hong, SC; Kim, HJ; Lee, YR; Noh, SK; Lyoo, WS. (2006). Polymerization of vinyl acetate catalyzed by a Cu(I) complex having a phosphorous ligand. *J Ind Eng Chem.* 12: 60-68.
- Honma, T. (1990). Effects of trichloroethylene, 1,1,1-trichloroethane and carbon tetrachloride on plasma lipoproteins of rats. *Ind Health.* 28: 159-174.
- Honma, T; Suda, M. (1997). Changes in plasma lipoproteins as toxicity markers for carbon tetrachloride, chloroform, and dichloromethane. *Ind Health.* 35: 519-531.
- Hooker, PD; Klabunde, KJ. (1994). DESTRUCTIVE ADSORPTION OF CARBON-TETRACHLORIDE ON IRON(III) OXIDE. *Environ Sci Technol.* 28: 1243-1247.
- Hooser, SB; Rosengren, RJ; Hill, DA; Mobley, SA; Sipes, IG. (1994). Vitamin A modulation of xenobiotic-induced hepatotoxicity in rodents. *Environ Health Perspect.* 102 Suppl 9: 39-43.
- Horikoshi, R; Mochida, T; Kurihara, M; Mikuriya, M. (2005). Supramolecular isomerism in self-assembled complexes from 4,4'-dipyridyl disulfide and M(hfac)(2): Coordination polymers (M = Mn) and metallamacrocycles (M = Co, Ni). *Cryst Growth Des.* 5: 243-249. <http://dx.doi.org/10.1021/cg0499109>.
- Horvath, AL. (1982). Halogenated hydrocarbons: Solubility-miscibility with water. New York, NY: Marcel Dekker, Inc.
- Hory, MA; Herino, R; Ligeon, M; Muller, F; Gaspard, F; Mihalescu, I; Vial, JC. (1995). FOURIER-TRANSFORM IR MONITORING OF POROUS SILICON PASSIVATION DURING POSTTREATMENTS SUCH AS ANODIC-OXIDATION AND CONTACT WITH ORGANIC-SOLVENTS. *Thin Solid Films.* 255: 200-203.

Exposure Literature Search Results

Off Topic

- Hosokawa, T; Datta, S; Sheth, AR; Brooks, NR; Young, VG; Grant, DJW. (2004). Isostructurality among five solvates of phenylbutazone. *Cryst Growth Des.* 4: 1195-1201. <http://dx.doi.org/10.1021/cg049923m>.
- Hou, CY; Lin, JH; Lin, SJ; Kuo, WC; Lin, HT. (2016). Down-regulation of CD53 expression in *Epinephelus coioides* under LPS, poly (I:C), and cytokine stimulation. *Fish Shellfish Immunol.* 51: 143-152. <http://dx.doi.org/10.1016/j.fsi.2015.11.032>.
- Hou, M; Wan, H; Liu, T; Fan, Y; Liu, X; Wang, X. (2008). The effect of different divalent cations on the reduction of hexavalent chromium by zerovalent iron. *Appl Catal B-Environ.* 84: 170-175. <http://dx.doi.org/10.1016/j.apcatb.2008.03.016>.
- Hou, N; Chai, J; Zhang, JQ; Song, J; Zhang, Y, an; Lu, J. (2016). Application of epsilon-beta fishlike phase diagrams on the microemulsion solubilizations of dense nonaqueous phase liquids. *Fluid Phase Equilibria.* 412: 211-217. <http://dx.doi.org/10.1016/j.fluid.2015.12.024>.
- Howe, RF. (2004). Zeolite catalysts for dehalogenation processes. *Appl Catal A-Gen.* 271: 3-11. <http://dx.doi.org/10.1016/j.apcata.2004.05.031>.
- Howells, SC; Black, G; Schlie, LA. (1994). O₂(A(1)DELTA(G) PRODUCTION AND OXYGEN DIFFUSION IN C60 FILMS. *Synthetic Metals.* 62: 1-7.
- Howsawkeng, J; Teel, AL; Hess, TF; Crawford, RL; Watts, RJ. (2010). Simultaneous abiotic reduction-biogenic oxidation in a microbial-MnO₂-catalyzed Fenton-like system. *Sci Total Environ.* 409: 439-445. <http://dx.doi.org/10.1016/j.scitotenv.2010.10.009>.
- Hozalski, RM; Zhang, L; Arnold, WA. (2001). Reduction of haloacetic acids by Fe⁰: Implications for treatment and fate. *Environ Sci Technol.* 35: 2258-2263. <http://dx.doi.org/10.1021/es001785b>.
- Hsiao, CY; Lee, CL; Ollis, DF. (1983). HETEROGENEOUS PHOTOCATALYSIS - DEGRADATION OF DILUTE-SOLUTIONS OF DICHLOROMETHANE (CH₂CL₂), CHLOROFORM (CHCl₃), AND CARBON-TETRACHLORIDE (CCL₄) WITH ILLUMINATED TiO₂ PHOTOCATALYST. *J Catal.* 82: 418-423.
- Hsiao, G; Shen, MY; Lin, KH; Lan, MH; Wu, LY; Chou, DS; Lin, CH; Su, CH; Sheu, JR. (2003). Antioxidative and hepatoprotective effects of *Androea camphorata* extract. *J Agric Food Chem.* 51: 3302-3308. <http://dx.doi.org/10.1021/jf021159t>.
- Hsieh, CT, e; Chen, W, eiYu. (2007). Gaseous adsorption of carbon tetrachloride onto carbon nanofiber arrays prepared by template-assisted synthesis. *Diam Relat Mater.* 16: 1945-1949. <http://dx.doi.org/10.1016/j.diamond.2007.08.021>.
- Hsieh, CW; Ko, WC; Ho, WJ; Chang, CK; Chen, GJ; Tsai, JC. (2016). Antioxidant and hepatoprotective effects of *Ajuga nipponensis* extract by ultrasonic-assisted extraction. *Asian Pacific Journal of Tropical Medicine.* 9: 420-425. <http://dx.doi.org/10.1016/j.apjtm.2016.03.029>.
- Hsieh, S; Horng, J. (2006). Deposition of Fe-Ni nanoparticles on Al₂O₃ for dechlorination of chloroform and trichloroethylene. *Appl Surf Sci.* 253: 1660-1665. <http://dx.doi.org/10.1016/j.apsusc.2006.03.001>.
- Hsouna, AB; Mongi, S; Culioli, G; Blache, Y; Ghilisi, Z; Chaabane, R; El Feki, A; Jaoua, S; Trigui, M. (2016). Protective effects of ethyl acetate fraction of *Lawsonia inermis* fruits extract against carbon tetrachloride-induced oxidative damage in rat liver. *Toxicol Ind Health.* 32: 694-706. <http://dx.doi.org/10.1177/0748233713502839>.
- Hsu, CK; Lin, WH; Yang, HW. (2013). Influence of preheating on antioxidant activity of the water extract from black soybean and color and sensory properties of black soybean decoction. *J Sci Food Agric.* 93: 3883-3890. <http://dx.doi.org/10.1002/jsfa.6373>.
- Hsu, SH; Huang, CS; Chung, TW; Gao, S. (2014). Adsorption of chlorinated volatile organic compounds using activated carbon made from *Jatropha curcas* seeds. *Taiwan Institute of Chemical Engineers Journal.* 45: 2526-2530. <http://dx.doi.org/10.1016/j.jtice.2014.05.028>.
- Hsu, YJ; Hou, CY; Lin, SJ; Kuo, WC; Lin, HT; Lin, JH. (2013). The biofunction of orange-spotted grouper (*Epinephelus coioides*) CC chemokine ligand 4 (CCL4) in innate and adaptive immunity. *Fish Shellfish Immunol.* 35: 1891-1898. <http://dx.doi.org/10.1016/j.fsi.2013.09.020>.
- Hu, J; Wang, H; Gao, Q; Guo, H. (2010). Porous carbons prepared by using metal-organic framework as the precursor for supercapacitors. *Carbon.* 48: 3599-3606. <http://dx.doi.org/10.1016/j.carbon.2010.06.008>.
- Hu, S; Li, F; Fan, Z. (2013). A convenient N₂-CCl₄ mixture plasma treatment to improve TiO₂ photocatalytic oxidation of aromatic air contaminants under both UV and visible light. *Appl Surf Sci.* 286: 228-234. <http://dx.doi.org/10.1016/j.apsusc.2013.09.052>.
- Hu, S; Li, F; Fan, Z; Gui, J. (2014). The effect of H₂-CCl₄ mixture plasma treatment on TiO₂ photocatalytic oxidation of aromatic air contaminants under both UV and visible light. *Chem Eng J.* 236: 285-292. <http://dx.doi.org/10.1016/j.cej.2013.09.098>.
- Hu, YZ. (1988). SCRUBBING CHARACTERISTICS OF CCL₄ AND C₂F₆ WITH A TITANIUM SUBLIMATION TRAP. *Journal of Vacuum Science and Technology A.* 6: 1255-1258.
- Hu, Z; Metiu, H. (2012). Halogen Adsorption on CeO₂: The Role of Lewis Acid-Base Pairing. *J Phys Chem C.* 116: 6664-6671. <http://dx.doi.org/10.1021/jp211693v>.
- Hua, I; Hoffmann, MR. (1996). Kinetics and mechanism of the sonolytic degradation of CCl₄: Intermediates and byproducts. *Environ Sci Technol.* 30: 864-871.
- Huang, CC; Lien, HL. (2010). Trimetallic Pd/Fe/Al particles for catalytic dechlorination of chlorinated organic contaminants. *Water Sci Technol.* 62: 202-208. <http://dx.doi.org/10.2166/wst.2010.303>.
- Huang, CC; Lo, SL; Lien, HL. (2012). Zero-valent copper nanoparticles for effective dechlorination of dichloromethane using sodium borohydride as a reductant. *Chem Eng J.* 203: 95-100. <http://dx.doi.org/10.1016/j.cej.2012.07.002>.
- Huang, CC; Lo, SL; Lien, HL. (2013). Synergistic effect of zero-valent copper nanoparticles on dichloromethane degradation by vitamin B-12 under reducing condition. *Chem Eng J.* 219: 311-318. <http://dx.doi.org/10.1016/j.cej.2013.01.016>.
- Huang, CC; Lo, SL; Lien, HL. (2015). Vitamin B-12-mediated hydrodechlorination of dichloromethane by bimetallic Cu/Al particles. *Chem Eng J.* 273: 413-420. <http://dx.doi.org/10.1016/j.cej.2015.03.064>.
- Huang, CC; Lo, SL; Tsai, SM, u; Lien, HL. (2011). Catalytic hydrodechlorination of 1,2-dichloroethane using copper nanoparticles under reduction conditions of sodium borohydride. *J Environ Monit.* 13: 2406-2412. <http://dx.doi.org/10.1039/c1em10370a>.
- Huang, CH, ao; Chang, Y, uHsu; Lin, HK, ai; Peng, CW, ei; Chung, W, enS; Lee, C, hiY; Chiu, HT. (2007). Phase segregation assisted morphology sculpting: Growth of graphite and silicon crystals via vapor-solid reactions. *J Phys Chem C.* 111: 4138-4145. <http://dx.doi.org/10.1021/jp0666961>.

Exposure Literature Search Results

Off Topic

- Huang, L; Fujita, T; Zhang, X; Matsuda, H. (2006). Influences of H-2 and O-2 and in situ Ca(OH)(2) absorption on nonthermal plasma decomposition of trichloroethylene in N-2. *Chem Eng J.* 124: 81-87. <http://dx.doi.org/10.1016/j.cej.2006.07.008>.
- Huang, LW; Nakajyo, K; Hari, T; Ozawa, S; Matsuda, H. (2001). Decomposition of carbon tetrachloride by a pulsed corona reactor incorporated with in situ absorption. *Ind Eng Chem Res.* 40: 5481-5486.
- Huang, LZ; Hansen, HC; Bjerrum, MJ. (2016). Electrochemical reduction of nitroaromatic compounds by single sheet iron oxide coated electrodes. *J Hazard Mater.* 306: 175-183. <http://dx.doi.org/10.1016/j.jhazmat.2015.12.009>.
- Huang, LZ; Hansen, HC; Daasbjerg, K. (2017). Graphene oxide-mediated rapid dechlorination of carbon tetrachloride by green rust. *J Hazard Mater.* 323: 690-697. <http://dx.doi.org/10.1016/j.jhazmat.2016.10.038>.
- Huang, MX; Peng, XM; Gu, L; Chen, GH. (2011). Pre-existing liver cirrhosis reduced the toxic effect of diethylene glycol in a rat model due to the impaired hepatic alcohol dehydrogenase. *Toxicol Ind Health.* 27: 742-753. <http://dx.doi.org/10.1177/0748233710397417>.
- Huang, P; Xu, NP; Shi, J; Lin, YS. (1996). Characterization of asymmetric ceramic membranes by modified permoporometry. *J Memb Sci.* 116: 301-305.
- Huang, PH; Su, CL; Wang, CH. (2005). Porosity characteristics of rayon base activated carbon filament produced by a new heat treatment process. 37: 70-76.
- Huang, Q; Meng, Z; Zhou, R. (2012). The effect of synergy between Cr2O3-CeO2 and USY zeolite on the catalytic performance and durability of chromium and cerium modified USY catalysts for decomposition of chlorinated volatile organic compounds. *Appl Catal B-Environ.* 115-116: 179-189. <http://dx.doi.org/10.1016/j.apcatb.2011.12.028>.
- Huang, R; Zheng, D; Yang, B; Wang, B, o. (2012). Preparation and simultaneous sorption of CTMAB-HTCC bentonite towards phenol and Cd(II). *Desalination and Water Treatment.* 44: 276-283. <http://dx.doi.org/10.5004/dwt.2012.3116>.
- Huang, RB; Okuno, H; Takasu, M; Shiozaki, Y; Inoue, K. (1996). Comparison of effects of xenobiotics on extrahepatic and hepatic microsomal drug-metabolizing enzymes in mice. *Environ Toxicol Pharmacol.* 1: 123-130.
- Huang, Z; Li, X, in; Yip, BD; Rubalcava, JM; Bardeen, CJ; Tang, ML. (2015). Nanocrystal Size and Quantum Yield in the Upconversion of Green to Violet Light with CdSe and Anthracene Derivatives. *Chem Mater.* 27: 7503-7507. <http://dx.doi.org/10.1021/acs.chemmater.5b03731>.
- Hugi-Cleary, D; Stoeckli, F. (2000). On the use of standard DRK isotherms in Dubinin's t/F method. *Carbon.* 38: 1309-1313.
- Hung, CH; Marinas, BJ. (1997). Role of chlorine and oxygen in the photocatalytic degradation of trichloroethylene vapor on TiO2 films. *Environ Sci Technol.* 31: 562-568.
- Hung, CH; Marinas, BJ. (1997). Role of water in the photocatalytic degradation of trichloroethylene vapor on TiO2 films. *Environ Sci Technol.* 31: 1440-1445.
- Hung, HM; Hoffmann, MR. (1998). Kinetics and mechanism of the enhanced reductive degradation of CCl4 by elemental iron in the presence of ultrasound. *Environ Sci Technol.* 32: 3011-3016.
- Hung, HM; Ling, FH; Hoffmann, MR. (2000). Kinetics and mechanism of the enhanced reductive degradation of nitrobenzene by elemental iron in the presence of ultrasound. *Environ Sci Technol.* 34: 1758-1763.
- Hung, WC; Fu, SH; Tseng, JJ; Chu, H; Ko, TH. (2007). Study on photocatalytic degradation of gaseous dichloromethane using pure and iron ion-doped TiO2 prepared by the sol-gel method. *Chemosphere.* 66: 2142-2151. <http://dx.doi.org/10.1016/j.chemosphere.2006.09.037>.
- Hunger, J; Buchner, R; Kandil, ME; May, EF; Marsh, KN; Hefter, G. (2010). Relative Permittivity of Dimethylsulfoxide and N,N-Dimethylformamide at Temperatures from (278 to 328) K and Pressures from (0.1 to 5) MPa. *Journal of Chemical and Engineering Data.* 55: 2055-2065. <http://dx.doi.org/10.1021/jc9010773>.
- Hurst, DF. (2004). Emissions of ozone-depleting substances in Russia during 2001. *J Geophys Res.* 109: D14303. <http://dx.doi.org/10.1029/2004JD004633>.
- Hurst, DF; Bakwin, PS; Elkins, JW. (1998). Recent trends in the variability of halogenated trace gases over the United States. *J Geophys Res Atmos.* 103: 25299-25306.
- Hurst, DF; Bakwin, PS; Myers, RC; Elkins, JW. (1997). Behavior of trace gas mixing ratios on a very tall tower in North Carolina. *J Geophys Res Atmos.* 102: 8825-8835.
- Hurst, DF; Lin, JC; Romashkin, PA; Daube, BC; Gerbig, C; Matross, DM; Wofsy, SC; Hall, BD; Elkins, JW. (2006). Continuing global significance of emissions of Montreal Protocol-restricted halocarbons in the United States and Canada. *J Geophys Res Atmos.* 111: [np]. <http://dx.doi.org/10.1029/2005JD006785>.
- Hussain, T; Siddiqui, HH; Fareed, S; Vijayakumar, M; Rao, CV. (2012). Evaluation of chemopreventive effect of *Fumaria indica* against N-nitrosodiethylamine and CCl4-induced hepatocellular carcinoma in Wistar rats. *Asian Pacific Journal of Tropical Medicine.* 5: 623-629. [http://dx.doi.org/10.1016/S1995-7645\(12\)60128-X](http://dx.doi.org/10.1016/S1995-7645(12)60128-X).
- Huston, PL; Pignatello, JJ. (1996). Reduction of perchloroalkanes by ferrioxalate-generated carboxylate radical preceding mineralization by the photo-fenton reaction. *Environ Sci Technol.* 30: 3457-3463.
- Hwang, d; Kim, YI; Cho, KH; Poudel, BK; Choi, JY; Kim, DW; Shin, YJ; Bae, ON; Yousaf, AM; Yong, CS; Kim, JO; Choi, HG. (2014). A novel solid dispersion system for natural product-loaded medicine: silymarin-loaded solid dispersion with enhanced oral bioavailability and hepatoprotective activity. *J Microencapsul.* 31: 619-626. <http://dx.doi.org/10.3109/02652048.2014.911375>.
- Hwang, I; Batchelor, B. (2002). Reductive dechlorination of chlorinated methanes in cement slurries containing Fe(II). *Chemosphere.* 48: 1019-1027.
- Hwang, S; Lee, MC; Choi, W. (2003). Highly enhanced photocatalytic oxidation of CO on titania deposited with Pt nanoparticles: kinetics and mechanism. *Appl Catal B-Environ.* 46: 49-63. [http://dx.doi.org/10.1016/S0926-3373\(03\)00162-0](http://dx.doi.org/10.1016/S0926-3373(03)00162-0).

Exposure Literature Search Results

Off Topic

- Hwang, WY; Miller, DL; Chen, YK; Humphrey, DA. (1994). CARBON DOPING OF INGAAS IN SOLID-SOURCE MOLECULAR-BEAM EPITAXY USING CARBON TETRABROMIDE. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures*. 12: 1193-1196.
- Hwang, YH; Yun, HI. (2011). Effects of acute hepatic and renal failure on pharmacokinetics of flunixin meglumine in rats. *Exp Anim*. 60: 187-191.
- Hyland, R; Gescher, A; Thummel, K; Schiller, C; Jheeta, P; Mynett, K; Smith, AW; Mráz, J. (1992). Metabolic oxidation and toxification of N-methylformamide catalyzed by the cytochrome P450 isoenzyme CYP2E1. *Mol Pharmacol*. 41: 259-266.
- Hyndman, DW; Dybas, MJ; Forney, L; Heine, R; Mayotte, T; Phanikumar, MS; Tatara, G; Tiedje, J; Voice, T; Wallace, R; Wiggert, D; Zhao, X; Criddle, CS. (2000). Hydraulic characterization and design of a full-scale biocurtain. *Ground Water*. 38: 462-474.
- Iijima, S; Nakamura, M; Yokoi, A; Kubota, M; Huang, L; Matsuda, H. (2011). Decomposition of dichloromethane and in situ alkali absorption of resulting halogenated products by a packed-bed non-thermal plasma reactor. *Journal of Material Cycles and Waste Management*. 13: 206-212. <http://dx.doi.org/10.1007/s10163-011-0022-0>.
- Iiyama, T; Aragaki, R, ei; Urushibara, T; Ozeki, S. (2006). Direct determination of the intermolecular structure of the adsorbed phase using in situ X-ray diffraction and reverse Monte Carlo methods. *AST*. 24: 815-821.
- Iiyama, T; Kobayashi, Y; Matsumoto, A; Nakahigashi, Y; Ozeki, S. (2005). Structural study of CHCl₃ molecular assemblies in micropores using X-ray techniques. *Adsorption*. 11: 169-172.
- Ikatsu, H; Okino, T; Nakajima, T. (1991). Ethanol and food deprivation induced enhancement of hepatotoxicity in rats given carbon tetrachloride at low concentration. *Br J Ind Med*. 48: 636-642.
- Ikatsu, H; Shinoda, S; Nakajima, T. (1998). CYP2E1 level in rat liver injured by the interaction between carbon tetrachloride and chloroform. *J Occup Health*. 40: 223-229. <http://dx.doi.org/10.1539/joh.40.223>.
- Iki, Y; KINOSHIT.M; Imoto, M. (1971). VINYL POLYMERIZATION .256. EFFECTS OF SOME METAL SALTS ON POLYMERIZATION OF METHYL METHACRYLATE INITIATED BY SYSTEM OF CELLULOSE-WATER-CARBON TETRACHLORIDE. 74: 295-&.
- ILSI. (1994). Physiological parameter values for PBPK models. Washington, DC: U.S. Environmental Protection Agency.
- Im, JK; Yoon, J; Her, N; Han, J; Zoh, KD, uk; Yoon, Y. (2015). Sonocatalytic-TiO₂ nanotube, Fenton, and CCl₄ reactions for enhanced oxidation, and their applications to acetaminophen and naproxen degradation. *Separation and Purification Technology*. 141: 1-9. <http://dx.doi.org/10.1016/j.seppur.2014.11.021>.
- Imre, B; Hannus, I; Konya, Z; Nagy, JB; Kiricsi, I. (2004). Hydrodechlorination of carbon tetrachloride on Pt-containing zeolites. *Stud Surf Sci Catal*. 154: 2536-2542.
- Inagaki, M; Watanabe, G. (1998). Stability of MoCl₅-GICs in various solutions. *Synthetic Metals*. 94: 235-238.
- Inci, I; Aydin, A. (2003). Extinction of hydroxycarboxylic acids with MIBK/toluene solutions of amines. *Journal of Sci Ind Res*. 62: 926-930.
- Indarto, A; Choi, J, aeW; Lee, H; Song, HK. (2008). Decomposition of greenhouse gases by plasma. *Environ Chem Lett*. 6: 215-222. <http://dx.doi.org/10.1007/s10311-008-0160-3>.
- Indarto, A; Choi, JW; Lee, H; Song, HK. (2006). Decomposition of CCl₄ and CHCl₃ on gliding arc plasma. *J Environ Sci*. 18: 83-89.
- Indarto, A; Yang, D, aeR; Choi, J, aeW; Lee, H; Song, HK. (2007). CCl₄ decomposition by gliding arc plasma: Role of C-2 compounds on products distribution. *Chemical Engineering Communications*. 194: 1111-1125. <http://dx.doi.org/10.1080/00986440701293363>.
- Inderjit; Dakshini, KMM. (1996). Allelopathic potential of *Pluchea lanceolata*: Comparative studies of cultivated fields. *Weed Sci*. 44: 393-396.
- Ingawale, DK; Mandlik, SK; Naik, SR. (2014). Models of hepatotoxicity and the underlying cellular, biochemical and immunological mechanism(s): A critical discussion [Review]. *Environ Toxicol Pharmacol*. 37: 118-133. <http://dx.doi.org/10.1016/j.etap.2013.08.015>.
- Ionel, L; Cristescu, CP; Jipa, F; Enculescu, M; Radoiu, M; Dabu, R; Zamfirescu, M; Ulmeanu, M. (2010). Nano and micro-morphology modifications of Si (100) substrate induced by femtosecond laser pulse irradiations in air, water, CCl₄ and C₂Cl₃F₃. *Optoelectronics and Advanced Materials Rapid Communications*. 4: 1920-1924.
- Iraji, A; Afzali, D; Mostafavi, A. (2013). Separation for trace amounts of gold (III) ion using ion-pair dispersive liquid-liquid microextraction prior to flame atomic absorption spectrometry determination. *Int J Environ Anal Chem*. 93: 315-324. <http://dx.doi.org/10.1080/03067319.2011.609937>.
- Ishikawa, A; Senda, R; Suzuki, K; Dale, CW; Meisel, T. (2014). Re-evaluating digestion methods for highly siderophile element and Os-187 isotope analysis: Evidence from geological reference materials. *Chem Geol*. 384: 27-46. <http://dx.doi.org/10.1016/j.chemgeo.2014.06.013>.
- Ishikawa, T; Cai, WY; Kandori, K. (1993). ADSORPTION OF MOLECULES ONTO MICROPOROUS HEMATITE. *Langmuir*. 9: 1125-1128.
- Ishiyama, T; Sato, Y; Morita, A. (2012). Interfacial Structures and Vibrational Spectra at Liquid/Liquid Boundaries: Molecular Dynamics Study of Water/Carbon Tetrachloride and Water/1,2-Dichloroethane Interfaces. *J Phys Chem C*. 116: 21439-21446. <http://dx.doi.org/10.1021/jp3073365>.
- Islam, AW; Zavvadi, A; Kadi, VN. (2012). ANALYSIS OF PARTITION COEFFICIENTS OF TERNARY LIQUID-LIQUID EQUILIBRIUM SYSTEMS AND FINDING CONSISTENCY USING UNIQUAC MODEL. *Inzynieria Chemiczna i Procesowa*. 33: 243-253. <http://dx.doi.org/10.2478/v10176-012-0022-1>.
- Isse, AA; Huang, B; Durante, C; Gennaro, A. (2012). Electrocatalytic dechlorination of volatile organic compounds at a copper cathode. Part I: Polychloromethanes. *Appl Catal B-Environ*. 126: 347-354. <http://dx.doi.org/10.1016/j.apcatb.2012.07.004>.
- Itaya, Y; Saito, Y; Hatano, S; Kobayashi, N; Kobayashi, J; Mori, S. (2004). Thermal radiation characteristics of coal char/ash particles dispersed in a gasification furnace. *J Chem Eng Jpn*. 37: 1367-1372.
- Ito, A; Tazaki, K; Fujii, M. (1992). TEMPERATURE EFFECT ON THE CONCENTRATION OF VAPORS OF ORGANIC-SOLVENTS IN NITROGEN BY USE OF SILICONE-RUBBER HOLLOW-FIBER MEMBRANES. *Kagaku Kogaku Ronbunshu*. 18: 259-262.
- Ito, T; Meyer, GJ. (2007). Heme-Mediated Reduction of Organohalide Pollutants at Nanocrystalline TiO₂ Thin-Film Interfaces. *Environ Eng Sci*. 24: 31-44.

Exposure Literature Search Results

Off Topic

- Itoh, K; Horii, N; Matsumoto, O. (1998). Effect of chlorine species on diamond deposition from plasma jets with chlorobenzenes as carbon sources. *J Electrochem Soc.* 145: 2895-2900.
- Itoh, N; Kutsuna, S; Ibusuki, T. (1994). A PRODUCT STUDY OF THE OH RADICAL-INITIATED OXIDATION OF PERCHLOROETHYLENE AND TRICHLOROETHYLENE. *Chemosphere.* 28: 2029-2040. [http://dx.doi.org/10.1016/0045-6535\(94\)90153-8](http://dx.doi.org/10.1016/0045-6535(94)90153-8).
- Jacob, DJ; Crawford, JH; Kleb, MM; Connors, VS; Bendura, RJ; Raper, JL; Sachse, GW; Gille, JC; Emmons, L; Heald, CL. (2003). The Transport and Chemical Evolution over the Pacific (TRACE-P) aircraft mission: design, execution, and first results. *J Geophys Res.* 108: 9000. <http://dx.doi.org/10.1029/2002JD003276>.
- Jacobo-Azuara, A; Leyva-Ramos, R; Padilla-Ortega, E; Aragon-Pina, A; Guerrero-Coronado, RM; Mendoza-Barron, J. (2006). Removal of toxic pollutants from aqueous solutions by adsorption onto an organobentonite. *AST.* 24: 687-699.
- Jadon, NS; Kumar, A. (1993). PARANEPHRIC BLOCKADE IN HEPATITIS IN BUFFALOS - HEMATOLOGICAL AND BIOCHEMICAL EFFECTS. *Indian J Anim Sci.* 63: 1031-1035.
- Jaeschke, H; Gores, GJ; Cederbaum, AI; Hinson, JA; Pessayre, D; Lemasters, JJ. (2002). Mechanisms in hepatotoxicity [Review]. *Toxicol Sci.* 65: 166-176.
- Jafarpour, B; Imhoff, PT; Chiu, PC. (2005). Quantification and modelling of 2,4-dinitrotoluene reduction with high-purity and cast iron. *J Contam Hydrol.* 76: 87-107. <http://dx.doi.org/10.1016/j.jconhyd.2004.08.00>.
- Jain, DVS; Wadi, RK; Saini, SB. (1981). ISOTHERMAL LIQUID-VAPOR EQUILIBRIA FOR ACETYLACETONE+, AND ACRYLONITRILE+ CARBON-TETRACHLORIDE AND ACRYLONITRILE+ TETRACHLOROETHYLENE AT 303.15 AND 323.15 K. 19: 167-170.
- Jain, NK; Singhai, AK. (2011). Protective effects of *Phyllanthus acidus* (L.) Skeels leaf extracts on acetaminophen and thioacetamide induced hepatic injuries in Wistar rats. *Asian Pacific Journal of Tropical Medicine.* 4: 470-474. [http://dx.doi.org/10.1016/S1995-7645\(11\)60128-4](http://dx.doi.org/10.1016/S1995-7645(11)60128-4).
- Jain, PM; Smith, JS; Valsaraj, KT. (1999). Reusable adsorbents for dilute solution separation 3. Sorption dynamics of phenanthrene on surfactant-modified alumina. *Separation and Purification Technology.* 17: 21-30.
- Jajvandian, R; Dashtizad, M; Anvari, M. (2006). Comparative study of chicken hepatocyte resistance against toxicity induced with toxic doses of carbon tetrachloride and acetaminophen in rat. *Canadian Journal of Animal Science.* 86: 584-584.
- Jakob, A; Joh, R; Rose, C; Gmehling, J. (1995). SOLID-LIQUID EQUILIBRIA IN BINARY-MIXTURES OF ORGANIC-COMPOUNDS. *Fluid Phase Equilibria.* 113: 117-126.
- James, CA; Xin, G; Doty, SL; Muiznieks, I; Newman, L; Strand, SE. (2009). A mass balance study of the phytoremediation of perchloroethylene-contaminated groundwater. *Environ Pollut.* 157: 2564-2569. <http://dx.doi.org/10.1016/j.envpol.2009.02.033>.
- James, CA; Xin, G; Doty, SL; Strand, SE. (2008). Degradation of low molecular weight volatile organic compounds by plants genetically modified with mammalian cytochrome P450 2E1. *Environ Sci Technol.* 42: 289-293. <http://dx.doi.org/10.1021/es071197z>.
- Jarvis, NV. (1991). THERMODYNAMIC MODELING OF SOLVENT-EXTRACTION SYSTEMS - SUCCESSES AND PROBLEMS. *Separation Science and Technology.* 26: 1403-1417.
- Jasienko-Halat, M. (2006). The effect of oxidation of flame coal on the microporous structure of carbon dioxide-activated chars. *Przemysł Chemiczny.* 85: 423-426.
- Jasienko-Halat, M; Kedzior, K. (2005). Comparison of molecular sieve properties in microporous chars from low-rank bituminous coal activated by steam and carbon dioxide. *Carbon.* 43: 944-953. <http://dx.doi.org/10.1016/j.carbon.2004.11.024>.
- Jasinski, M; Dors, M; Mizeraczyk, J; Lubanski, M; Zakrzewski, Z. (2001). Application of microwave torch plasma for hydrocarbons removal. *High Temperature Material Processes.* 5: 359-362.
- Jeen, SW; Lazar, S; Gui, L; Gillham, RW. (2014). Degradation of chlorofluorocarbons using granular iron and bimetallic irons. *J Contam Hydrol.* 158: 55-64. <http://dx.doi.org/10.1016/j.jconhyd.2014.01.002>.
- Jeffers, PM; Brenner, C; Wolfe, NL. (1996). Hydrolysis of carbon tetrachloride. *Environ Toxicol Chem.* 15: 1064-1065.
- Jegga, AG; Inga, A; Menendez, D; Aronow, BJ; Resnick, MA. (2008). Functional evolution of the p53 regulatory network through its target response elements. *Proc Natl Acad Sci USA.* 105: 944-949. <http://dx.doi.org/10.1073/pnas.0704694105>.
- Jena, PK; Brocchi, EA; Garcia, RI. (1997). Kinetics of chlorination of niobium pentoxide by carbon tetrachloride. *Metallurgical and Materials Transactions B - Process Metallurgy and Materials Processing Science.* 28: 39-45.
- Jena, PK; Brocchi, EA; Gonzalez, J. (2005). Kinetics of low-temperature chlorination of vanadium pentoxide by carbon tetrachloride vapor. *Metallurgical and Materials Transactions B - Process Metallurgy and Materials Processing Science.* 36: 195-199.
- Jena, PK; Brocchi, EA; Lima, MPA, C. (2001). Studies on the kinetics of carbon tetrachloride chlorination of tantalum pentoxide. *Metallurgical and Materials Transactions B - Process Metallurgy and Materials Processing Science.* 32: 801-810.
- Jena, PK; Brocchi, EA; Villela, TF. (1995). Studies on kinetics of low-temperature chlorination of ZrO₂ by gaseous carbon tetrachloride. *Metallurgical and Materials Transactions B - Process Metallurgy and Materials Processing Science.* 26: 235-240.
- Jena, PK; Gameiro, DH; Brocchi, EA. (1991). KINETICS OF CHLORINATION OF BRIQUETTED ANATASE BY CARBON-TETRACHLORIDE. *Institute of Materials, Minerals and Mining Transactions Section C: Mineral Processing & Extractiv.* 100: C65-C67.
- Jentzsch, TL; Chun, CL, an; Gabor, RS; Penn, RL, ee. (2007). Influence of aluminum substitution on the reactivity of magnetite nanoparticles. *J Phys Chem C.* 111: 10247-10253. <http://dx.doi.org/10.1021/jp072295+>.
- Jeon, M; Kwon, HJ; Kim, YH; Han, K, il; Nam, KW, oo; Baik, Y; Lee, S; Kim, W, anJ; Han, M, anD. (2013). Administration of rhlh-2 upregulates HGF in the cirrhotic liver of partial hepatectomized rats. *Animal Cells and Systems.* 17: 179-185. <http://dx.doi.org/10.1080/19768354.2013.801365>.
- Jeong, HY; Anantharaman, K; Han, Y; Hayes, K. (2011). Abiotic Reductive Dechlorination of cis-Dichloroethylene by Fe Species Formed during Iron- or Sulfate-Reduction. *Environ Sci Technol.* 45: 5186-5194. <http://dx.doi.org/10.1021/es104387w>.

Exposure Literature Search Results

Off Topic

- Jeong, HY; Anantharaman, K; Hyun, SP; Son, M; Hayes, K. (2013). pH impact on reductive dechlorination of cis-dichloroethylene by Fe precipitates: An X-ray absorption spectroscopy study. *Water Res.* 47: 6639-6649. <http://dx.doi.org/10.1016/j.watres.2013.08.035>.
- Jeong, HY; Hayes, KF. (2003). Impact of transition metals on reductive dechlorination rate of hexachloroethane by mackinawite. *Environ Sci Technol.* 37: 4650-4655. <http://dx.doi.org/10.1021/es0340533>.
- Jeong, HY; Hayes, KF. (2007). Reductive dechlorination of tetrachloroethylene and trichloroethylene by mackinawite (FeS) in the presence of metals: reaction rates. *Environ Sci Technol.* 41: 6390-6396. <http://dx.doi.org/10.1021/es0706394>.
- Jeong, HY; Kim, H; Hayes, KF. (2007). Reductive dechlorination pathways of tetrachloroethylene and trichloroethylene and subsequent transformation of their dechlorination products by mackinawite (FeS) in the presence of metals. *Environ Sci Technol.* 41: 7736-7743. <http://dx.doi.org/10.1021/es0708518>.
- Jewell, JM; Sachon, M; Aggarwal, ID. (1992). H₂O AND HF EVOLUTION FROM ZBLAN GLASSES. *Mater Lett.* 14: 352-354.
- Jho, E, unHea; Jung, J, aeW; Nam, K. (2013). Different fate of Pb and Cu at varied peroxide concentrations during the modified Fenton reaction in soil and its effect on the degradation of 2,4-dinitrotoluene. *J Chem Tech Biotechnol.* 88: 1481-1487. <http://dx.doi.org/10.1002/jctb.3991>.
- Jho, E; Singhal, N; Turner, S. (2012). Tetrachloroethylene and hexachloroethane degradation in Fe(III) and Fe(III)-citrate catalyzed Fenton systems. *J Chem Tech Biotechnol.* 87: 1179-1186. <http://dx.doi.org/10.1002/jctb.3746>.
- Jho, EH; Singhal, N; Turner, S. (2008). Degradation of hexachloroethane by Fenton's reagents. *Water Sci Technol.* 58: 2211-2214. <http://dx.doi.org/10.2166/wst.2008.576>.
- Jho, EH; Singhal, N; Turner, S. (2010). Fenton degradation of tetrachloroethene and hexachloroethane in Fe(II) catalyzed systems. *J Hazard Mater.* 184: 234-240. <http://dx.doi.org/10.1016/j.jhazmat.2010.08.027>.
- Ji, R; Zhang, N; You, N; Li, Q; Liu, W; Jiang, N; Liu, J; Zhang, H; Wang, D; Tao, K; Dou, K. (2012). The differentiation of MSCs into functional hepatocyte-like cells in a liver biomatrix scaffold and their transplantation into liver-fibrotic mice. *Biomaterials.* 33: 8995-9008. <http://dx.doi.org/10.1016/j.biomaterials.2012.08.058>.
- Ji, X, in; Li, Y, i; Zheng, J; Liu, Q. (2011). Solvent effects of ethyl methacrylate characterized by FTIR. *Mater Chem Phys.* 130: 1151-1155. <http://dx.doi.org/10.1016/j.matchemphys.2011.08.046>.
- Jia, R; Cao, L; Xu, P; Jeney, G; Yin, G. (2012). In vitro and in vivo hepatoprotective and antioxidant effects of Astragalus polysaccharides against carbon tetrachloride-induced hepatocyte damage in common carp (*Cyprinus carpio*). *Fish Physiol Biochem.* 38: 871-881. <http://dx.doi.org/10.1007/s10695-011-9575-z>.
- Jia, R; Cao, LP; Du, JL; Wang, JH; Liu, YJ; Jeney, G; Xu, P; Yin, GJ. (2014). Effects of carbon tetrachloride on oxidative stress, inflammatory response and hepatocyte apoptosis in common carp (*Cyprinus carpio*). *Aquat Toxicol.* 152: 11-19. <http://dx.doi.org/10.1016/j.aquatox.2014.02.014>.
- Jia, R, ui; Du, J, inL; Cao, L, iP; Liu, YJ; Xu, P, ao; Yin, G, uoJun. (2015). Hepatoprotective and antioxidant effects of phyllanthin against carbon tetrachloride-induced liver injury in *Cyprinus carpio*. *Aquaculture International.* 23: 883-893. <http://dx.doi.org/10.1007/s10499-014-9847-6>.
- Jia, XD; Han, C; Chen, JS. (2002). Effects of tea on preneoplastic lesions and cell cycle regulators in rat liver. *Cancer Epidemiol Biomarkers Prev.* 11: 1663-1667.
- Jiang, H; Yu, X; Nie, R; Lu, X; Zhou, D, an; Xia, Q. (2016). Selective hydrogenation of aromatic carboxylic acids over basic N-doped mesoporous carbon supported palladium catalysts. *Appl Catal A-Gen.* 520: 73-81. <http://dx.doi.org/10.1016/j.apcata.2016.04.009>.
- Jiang, X; Guo, H; Shen, T; Tang, X; Yang, Y; Ling, W. (2015). Cyanidin-3-O-β-glucoside Purified from Black Rice Protects Mice against Hepatic Fibrosis Induced by Carbon Tetrachloride via Inhibiting Hepatic Stellate Cell Activation. *J Agric Food Chem.* 63: 6221-6230. <http://dx.doi.org/10.1021/acs.jafc.5b02181>.
- Jiang, Y; Decker, S; Mohs, C; Klabunde, KJ. (1998). Catalytic solid state reactions on the surface of nanoscale metal oxide particles. *J Catal.* 180: 24-35.
- Jiao, Y; Qiu, C; Huang, L; Wu, K; Ma, H; Chen, S; Ma, L; Wu, D. (2009). Reductive dechlorination of carbon tetrachloride by zero-valent iron and related iron corrosion. *Appl Catal B-Environ.* 91: 434-440. <http://dx.doi.org/10.1016/j.apcatb.2009.06.012>.
- Jiménez-Arellanes, MA; Gutiérrez-Rebolledo, GA; Meckes-Fischer, M; León-Díaz, R. (2016). Medical plant extracts and natural compounds with a hepatoprotective effect against damage caused by antitubercular drugs: A review [Review]. *Asian Pacific Journal of Tropical Medicine.* 9: 1141-1149. <http://dx.doi.org/10.1016/j.apjtm.2016.10.010>.
- Jin, G; Englande, AJ. (1996). Redox potential as a controlling factor in enhancing carbon tetrachloride biodegradation. *Water Sci Technol.* 34: 59-66.
- Jin, G; Englande, AJ. (1997). Biodegradation kinetics of carbon tetrachloride by *Pseudomonas cepacia* under varying oxidation-reduction potential conditions. *Water Environ Res.* 69: 1094-1099.
- Jin, G; Englande, AJ. (1997). Effects of electron donor, dissolved oxygen, and oxidation-reduction potential biodegradation of carbon tetrachloride by *Escherichia coli* K-12. *Water Environ Res.* 69: 1100-1105.
- Jin, G; Englande, AJ. (1998). Carbon tetrachloride biodegradation in a fixed-biofilm reactor and its kinetic study. *Water Sci Technol.* 38: 155-162.
- Jin, G; Englande, AJ; Qiu, YL. (2003). An integrated treatability protocol for biotreatment/bioremediation of toxic pollutants generated by chemical industries. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 38: 597-607. <http://dx.doi.org/10.1081/ESE-120016923>.
- Jin, T; Stephenson, D. (2006). Optimising the process conditions in ultra-precision grinding to achieve surface finish of optical quality. *Key Eng Mater.* 304-305: 8-13.
- Jin, X; Wang, F; Gu, C; Yang, X; Kengara, FO; Bian, Y; Song, Y; Jiang, X. (2015). The interactive biotic and abiotic processes of DDT transformation under dissimilatory iron-reducing conditions. *Chemosphere.* 138: 18-24. <http://dx.doi.org/10.1016/j.chemosphere.2015.05.020>.

Exposure Literature Search Results

Off Topic

- Jing, C; Sato, T; Imaishi, N. (1997). Rayleigh-Marangoni thermal instability in two-liquid layer systems. *Microgravity Science and Technology*. 10: 21-28.
- Jiun-Horng, T; Kuo-Hsiung, L; Chih-Yu, C; Nina, L; Sen-Yi, M; Hung-Lung, C. (2008). Volatile organic compound constituents from an integrated iron and steel facility. *J Hazard Mater*. 157: 569-578. <http://dx.doi.org/10.1016/j.jhazmat.2008.01.022>.
- Jo, YH; Do, SH; Kong, SH. (2014). Persulfate activation by iron oxide-immobilized MnO₂ composite: identification of iron oxide and the optimum pH for degradations. *Chemosphere*. 95: 550-555. <http://dx.doi.org/10.1016/j.chemosphere.2013.10.010>.
- John, K; Naidu, SV. (2007). Chemical resistance of sisal/glass reinforced unsaturated polyester hybrid composites. *Journal of Reinforced Plastics and Composites*. 26: 373-376. <http://dx.doi.org/10.1177/0731684406072524>.
- Johnson, J; Parker, W; Kennedy, K. (2000). Enhanced scrubbing of chlorinated compounds from air streams. *Environmental Progress*. 19: 157-166.
- Johnson, TL; Fish, W; Gorby, YA; Tratnyek, PG. (1998). Degradation of carbon tetrachloride by iron metal: Complexation effects on the oxide surface. *J Contam Hydrol*. 29: 379-398.
- Johnson, TL; Scherer, MM; Tratnyek, PG. (1996). Kinetics of halogenated organic compound degradation by iron metal. *Environ Sci Technol*. 30: 2634-2640.
- Jolliet, O; Hauschild, M. (2005). Modeling the influence of intermittent rain events on long-term fate and transport of organic air pollutants. *Environ Sci Technol*. 39: 4513-4522.
- Jonas, LA; Sansone, EB. (1981). DESORPTION-KINETICS OF CARBON-TETRACHLORIDE FROM ACTIVATED CARBON. *Environ Sci Technol*. 15: 1367-1369.
- Jonas, LA; Svirbely, WJ. (1972). KINETICS OF ADSORPTION OF CARBON-TETRACHLORIDE AND CHLOROFORM FROM AIR MIXTURES BY ACTIVATED CARBON. *J Catal*. 24: 446-8.
- Jorge, M; Jedlovszky, P, al; Cordeiro, MND, S. (2010). A Critical Assessment of Methods for the Intrinsic Analysis of Liquid Interfaces. 1. Surface Site Distributions. *J Phys Chem C*. 114: 11169-11179. <http://dx.doi.org/10.1021/jp101035r>.
- Joshi, SS; Aminabhavi, TM; Balundgi, RH. (1991). EXCESS PROPERTIES OF BINARY-LIQUID MIXTURES OF NITROBENZENE WITH ALIPHATIC LIQUIDS IN THE TEMPERATURE-RANGE 298.15-313.15 K. 29: 541-544.
- Joun, W, onTak; Lee, SS, un; Koh, YE, un; Lee, KK, un. (2016). Impact of Water Table Fluctuations on the Concentration of Borehole Gas from NAPL Sources in the Vadose Zone. *Vadose Zone Journal*. 15. <http://dx.doi.org/10.2136/vzj2015.09.0124>.
- Jovari, P; Meszaros, G; Pusztai, L; Svab, E. (2002). Neutron-diffraction studies of some simple molecular systems: Si₂Cl₆, CBr₃D and CD₃I. *Applied Physics A: Materials Science and Processing*. 74: S1354-S1356. <http://dx.doi.org/10.1007/s003390101234>.
- Jovic-Jovicic, N; Milutinovic-Nikolic, A; Bankovic, P; Mojovic, Z; Zunic, M; Grzetic, I; Jovanovic, D. (2010). Organo-inorganic bentonite for simultaneous adsorption of Acid Orange 10 and lead ions. *Appl Clay Sci*. In Press, Corrected Proof: 452-456. <http://dx.doi.org/10.1016/j.clay.2009.11.005>.
- Ju, XM; Hecht, M; Galhotra, RA; Ela, WP; Betterton, EA; Arnold, RG; Saez, AE. (2006). Destruction of gas-phase trichloroethylene in a modified fuel cell. *Environ Sci Technol*. 40: 612-617. <http://dx.doi.org/10.1021/es0514895>.
- Jung, B; Batchelor, B. (2008). Analysis of dechlorination kinetics of chlorinated aliphatic hydrocarbons by Fe(II) in cement slurries. *J Hazard Mater*. 152: 62-70. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.061>.
- Jung, BM; Batchelor, B; Park, JY; Abdel-Wahab, A. (2014). Linear Free Energy Relationship Analysis of Chlorinated Hydrocarbons in Cement Slurries. *International Journal of Environmental Research*. 8: 819-830.
- Jung, J; Na, K, yuH; Lee, M, inJae; Moon, J; Kim, GI, I; Jang, J, aJ; Hwang, SG, yu; Kim, G, iJin. (2013). Efficacy of chorionic plate-derived mesenchymal stem cells isolated from placenta in CCl₄-injured rat liver depends on transplantation routes. 10: 10-17. <http://dx.doi.org/10.1007/s13770-013-0364-x>.
- Jung, JG; Do, SH; Kwon, YJ; Kong, SH. (2014). Degradation of multi-DNAPLs by a UV/persulfate/ethanol system with the additional injection of a base solution. *Environ Technol*. 36: 1-6. <http://dx.doi.org/10.1080/09593330.2014.974678>.
- Jung, SH; Lee, YS, il; Lim, SS; Kim, YS; Lee, S; Shin, K, ukH. (2009). Hepatoprotective and Antioxidant Capacities of *Paecilomyces japonica* and *Cordyceps sinensis* in Rats with CCl₄-Induced Hepatic Injury. *Kor J of Hort Sci Tech*. 27: 668-672.
- Jung, W; Fujita, M. (1991). Optimal conditions of purge trap/on-column cryofocusing method with capillary gas chromatography for determination of volatile halogenated hydrocarbons in aqueous samples. *Eisei Kagaku*. 37: 395-400.
- Jung, WT; Fujita, M; Sohn, D. (1992). Levels of volatile halogenated hydrocarbons in Tokyo rain and their seasonal time-series changes (pp. 490-497). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/93/16067). Jung, WT; Fujita, M; Sohn, D.
- Junker, KH; Hess, G; Ekerdt, JG; White, JM. (1998). Thermal and electron-driven chemistry of CCl₄ on clean and hydrogen precovered Si(100). *Journal of Vacuum Science and Technology A*. 16: 2995-3005.
- Junker, KH; White, JM. (1998). Thermal and electron driven chemistry of CCl₄ on oxidized Si(100). *Journal of Vacuum Science and Technology A*. 16: 3328-3334.
- Jurkiewicz, A; Maciel, GE. (1995). SOLID-STATE ¹³C NMR STUDIES OF THE INTERACTION OF ACETONE CARBON TETRACHLORIDE AND TRICHLOROETHYLENE WITH SOIL COMPONENTS. *Sci Total Environ*. 164: 195-202.
- Justicia-Leon, SD; Higgins, S; Mack, EE; Griffiths, DR; Tang, S; Edwards, EA; Löffler, FE. (2014). Bioaugmentation with distinct *Dehalobacter* strains achieves chloroform detoxification in microcosms. *Environ Sci Technol*. 48: 1851-1858. <http://dx.doi.org/10.1021/es403582f>.
- K, G; A, B. (1992). Poly(ADP-ribose) polymerase activity in mononuclear leukocytes of 13 mammalian species correlates with species-specific life span. *Proc Natl Acad Sci USA*. 89: 11759-11763.
- Kabeya, DT; Mokhtari, M; Perrin, C; Sergent, M; Grushko, Y; Kokovina, L; Rozhniakova, N. (1994). STUDY OF THE HALOGENATION OF EUBA2CU3O6. 4: 2069-2078.

Exposure Literature Search Results

Off Topic

- Kachina, A; Puzenat, E; Ould-Chikh, S; Geantet, C; Delichere, P; Afanasiev, P. (2012). A New Approach to the Preparation of Nitrogen-Doped Titania Visible Light Photocatalyst. *Chem Mater.* 24: 636-642. <http://dx.doi.org/10.1021/cm203848f>.
- Kadioglu, YY; Bayrakceken, S; Colak, S. (1996). Dissolution kinetics of natural FeS₂ in carbon tetrachloride and water-carbon tetrachloride media saturated by chlorine. *Int J Miner Process.* 47: 219-229.
- Kadioglu, YY; Karaca, S; Bayrakceken, S; Gulaboglu, MS. (1998). The removal of organic sulfur from two Turkish lignites by chlorinolysis. *Turkish Journal of Chemistry.* 22: 129-136.
- Kadry, AM; Skowronski, GA; Abdel-Rahman, MS. (1995). Evaluation of the use of uncertainty factors in deriving RfDs for some chlorinated compounds. *J Toxicol Environ Health.* 45: 83-95. <http://dx.doi.org/10.1080/15287399509531982>.
- Kaiser, KL; Mckinnon, MB; Stendahl, DH; Pett, WB. (1995). Response threshold levels of selected organic compounds for rainbow trout (*Oncorhynchus mykiss*). *Environ Toxicol Chem.* 14: 2107-2113.
- Kalender, M; Akosman, C. (2015). Dry Sorbent Injection (DSI) System for the Abatement of VOCs from Gas Streams. *Water Air Soil Pollut.* 226. <http://dx.doi.org/10.1007/s11270-015-2341-6>.
- Kalinin, YG; Korel'skii, AV; Kravchenko, EV; Shashkov, AY. (2004). Laser facility using nonlinear optical effects and its application for probing high-temperature pulsed plasmas. *Quantum Electronics.* 34: 399-401. <http://dx.doi.org/10.1070/QE2004v034n05ABEH002697>.
- Kalra, KC; Singh, KC; Spah, DC. (1994). EXCESS MOLAR GIBBS FREE-ENERGIES AND ISENTROPIC COMPRESSIBILITIES OF 1,2-DIBROMOETHANE PLUS CYCLOHEXANE OR TETRACHLOROMETHANE. *Journal of Chemical and Engineering Data.* 39: 372-374.
- Kaltchev, M; Celichowski, G; Lara, J; Tysoe, WT. (2000). A molecular-beam study of the tribological chemistry of carbon tetrachloride on oxygen-covered iron. *Tribology Letters.* 9: 161-165.
- Kaltchev, M; Kotvis, PV; Blunt, TJ; Lara, J; Tysoe, WT. (2001). A molecular beam study of the tribological chemistry of dialkyl disulfides. *Tribology Letters.* 10: 45-50.
- Kalyanaraman, B; Mason, RP; Perezreyes, E; Chignell, CF; Wolf, CR; Philpot, RM. (1979). CHARACTERIZATION OF THE FREE-RADICAL FORMED IN AEROBIC MICROSOMAL INCUBATIONS CONTAINING CARBON-TETRACHLORIDE AND NADPH. *Environ Health Perspect.* 33: 340-340.
- Kalz, G. (1986). DETERMINATION AND EVALUATION OF SPECIFIC VOLUMES OF SOL PHASES FROM CHLORINATED POLYETHYLENE TETRACHLOROMETHANE SOLUTIONS OF VARIOUS CONCENTRATIONS. 33: 290-293.
- Kameda, T; Inazu, K; Asano, K; Murota, M; Takenaka, N; Sadanaga, Y; Hisamatsu, Y; Bandow, H. (2013). Prediction of rate constants for the gas phase reactions of triphenylene with OH and NO₃ radicals using a relative rate method in CCl₄ liquid phase-system. *Chemosphere.* 90: 766-771. <http://dx.doi.org/10.1016/j.chemosphere.2012.09.071>.
- Kamegawa, K; Yoshida, H. (1997). Preparation and characterization of swelling porous carbon beads. *Carbon.* 35: 631-639.
- Kamoto, M; TAKAHASHI, F; Suzuki, S. (1971). STUDIES OF IMIDAZOLE CHARGE-TRANSFER COMPLEXES .2. ELECTROCHEMICAL STUDIES ON ELECTRON DONOR ACCEPTOR COMPLEXES OF IMIDAZOLE-CARBON TETRACHLORIDE SYSTEM. 92: 460-&.
- Kan, E; Koh, CI, I; Lee, K; Kang, J. (2015). Decomposition of aqueous chlorinated contaminants by UV irradiation with H₂O₂. 9: 429-435. <http://dx.doi.org/10.1007/s11783-014-0677-6>.
- Kanade, BV; Vakharia, MN; Pandya, MV; Patel, BM; Patel, AT; Oswal, SL. (1992). SURFACE TENSIONS OF BINARY-LIQUID MIXTURES AND THEIR CORRELATION WITH PRIGOGINE-FLORY-PATTERSON THEORY. 30: 308-312.
- Kandil, AT; El-Medani, SM. (1998). Lanthanides extraction by 8-quinolinol and by a mixture of quinolinol and trioctylphosphine oxide. *Separation Science and Technology.* 33: 437-447.
- Kandori, K; Ishikawa, T. (1991). SELECTIVE ADSORPTION OF WATER ON AMORPHOUS FERRIC-OXIDE HYDROXIDE. *Langmuir.* 7: 2213-2218.
- Kandori, K; Toshioka, M; Nakashima, H; Ishikawa, T. (1993). PORE STRUCTURE OF UNIFORM SPHERICAL COBALT PHOSPHATE PARTICLES. *Langmuir.* 9: 1031-1035.
- Kaneko, K. (1998). Nanospace geometry-sensitive molecular assembly. 5: 267-273.
- Kaneko, K; Hanzawa, Y; Iiyama, T; Kanda, T; Suzuki, T. (1999). Cluster-mediated water adsorption on carbon nanopores. *Adsorption.* 5: 7-13.
- Kaneko, K; Khoerunnisa, F; Minami, D; Futamura, R; Watanabe, A; Hanzawa, Y; Suzuki, T. (2013). Noticeable Reverse Shift in the Melting Temperatures of Benzene and Carbon Tetrachloride Confined within the Micropores and Mesopores of Hydrophobic Carbons. *AST.* 31: 145-151.
- Kang, JW, on; Diky, V; Frenkel, M. (2015). New modified UNIFAC parameters using critically evaluated phase equilibrium data. *Fluid Phase Equilibria.* 388: 128-141. <http://dx.doi.org/10.1016/j.fluid.2014.12.042>.
- Kang, K; Kim, J; Jin, Y; Ajmera, PK. (2015). Low temperature carbon nanotube and hexagonal diamond deposition with photo-enhanced chemical vapor deposition. *Microsystem Technologies.* 21: 1225-1231. <http://dx.doi.org/10.1007/s00542-014-2163-2>.
- Kang, M. (2007). Effect of a disturbed light-dark cycle on CCl₄-induced toxicity test using F344/N rats. *J Am Assoc Lab Anim Sci.* 46: 140-140.
- Kang, MC; Kang, SM; Ahn, G; Kim, KN; Kang, N; Samarakoon, KW; Oh, MC; Lee, JS; Jeon, YJ. (2013). Protective effect of a marine polyphenol, dieckol against carbon tetrachloride-induced acute liver damage in mouse. *Environ Toxicol Pharmacol.* 35: 517-523. <http://dx.doi.org/10.1016/j.etap.2013.02.013>.
- Kang, WH; Hwang, I; Park, JY. (2006). Dechlorination of trichloroethylene by a steel converter slag amended with Fe(II). *Chemosphere.* 62: 285-293. <http://dx.doi.org/10.1016/j.chemosphere.2005.05.011>.
- Kaown, D; Koh, DC; Solomon, DK, ip; Yoon, YY; Yang, J; Lee, KK, un. (2014). Delineation of recharge patterns and contaminant transport using H-3-He-3 in a shallow aquifer contaminated by chlorinated solvents in South Korea. *Hydrogeology Journal.* 22: 1041-1054. <http://dx.doi.org/10.1007/s10040-014-1123-3>.
- Kaown, D; Shouakar-Stash, O; Yang, J; Hyun, Y; Lee, KK. (2014). Identification of multiple sources of groundwater contamination by dual isotopes. *Ground Water.* 52: 875-885. <http://dx.doi.org/10.1111/gwat.12130>.

Exposure Literature Search Results

Off Topic

- Kapoor, IPS; Singh, B; Singh, G. (2011). ESSENTIAL OIL AND OLEORESINS OF CARDAMOM (*AMOMUM SUBULATUM* ROXB.) AS NATURAL FOOD PRESERVATIVES FOR SWEET ORANGE (*CITRUS SINENSIS*) JUICE. *Journal of Food Process Engineering*. 34: 1101-1113. <http://dx.doi.org/10.1111/j.1745-4530.2009.00525.x>.
- Kappler, A; Haderlein, SB. (2003). Natural organic matter as reductant for chlorinated aliphatic pollutants. *Environ Sci Technol*. 37: 2714-2719. <http://dx.doi.org/10.1021/es0201808>.
- Karaca, S; Kadioglu, Y; Bayrakceken, S; Gulaboglu, MS. (1999). Chlorination of two Turkish lignites in water and water-carbon tetrachloride media. *Turkish Journal of Chemistry*. 23: 231-241.
- Karaca, S; Kadioglu, YY; Bayrakceken, S; Gulaboglu, MS. (1997). Chlorination kinetics of pyrite mineral in two Turkish lignites. *Fuel Process Tech*. 50: 225-234.
- Karadas, C. (2014). A New Dispersive Liquid-Liquid Microextraction Method for Preconcentration of Copper from Waters and Cereal Flours and Determination by Flame Atomic Absorption Spectrometry. *Water Air Soil Pollut*. 225. <http://dx.doi.org/10.1007/s11270-014-2150-3>.
- Karakus, E; Karadeniz, A; Simsek, N; Can, I; Kara, A; Yildirim, S; Kalkan, Y; Kisa, F. (2011). Protective effect of Panax ginseng against serum biochemical changes and apoptosis in liver of rats treated with carbon tetrachloride (CCl₄). *J Hazard Mater*. 195: 208-213. <http://dx.doi.org/10.1016/j.jhazmat.2011.08.027>.
- Karbiwnyk, CM; Mills, CS; Helmig, D; Birks, JW. (2003). Use of chlorofluorocarbons as internal standards for the measurement of atmospheric non-methane volatile organic compounds sampled onto solid adsorbent cartridges. *Environ Sci Technol*. 37: 1002-1007. <http://dx.doi.org/10.1021/es025910q>.
- Karelin, AV; Shirokov, RV. (1998). Kinetics of the active medium of a nuclear-pumped laser based on transitions in the cadmium atom. *Quantum Electronics*. 28: 893-897.
- Karelin, AV; Simakova, OV. (1997). Kinetics of the active medium of a nuclear-pumped laser based on IR transitions in the chlorine atom. *Quantum Electronics*. 27: 963-967.
- Karger, AG. (1973). Pharmacology and the future of man: proceedings of the 5th international congress on pharmacology Factors that affect the covalent binding and toxicity of drugs. Basel, Switzerland: Gillette.
- Kariper, IA. (2016). CuI Film Produced by Chemical Extraction Method in Different Media. *Mater Res*. 19: 991-998. <http://dx.doi.org/10.1590/1980-5373-MR-2016-0067>.
- Karpinski, Z; Bonarowska, M; Juszczak, W. (2014). Hydrodechlorination of tetrachloromethane over silica-supported palladium-gold alloys. *Polish Journal of Chemical Technology*. 16: 101-105. <http://dx.doi.org/10.2478/pjct-2014-0077>.
- Karthikeyan, M; Deepa, K. (2010). Hepatoprotective effect of *Premna corymbosa* (Burm. f.) Rottl. & Willd. leaves extract on CCl₄ induced hepatic damage in Wistar albino rats. *Asian Pacific Journal of Tropical Medicine*. 3: 17-20.
- Karthikeyan, R; Somasundaram, ST; Manivasagam, T; Balasubramanian, T; Anantharaman, P. (2010). Hepatoprotective activity of brown alga *Padina boergesenii* against CCl₄ induced oxidative damage in Wistar rats. *Asian Pacific Journal of Tropical Medicine*. 3: 696-701. [http://dx.doi.org/10.1016/S1995-7645\(10\)60168-X](http://dx.doi.org/10.1016/S1995-7645(10)60168-X).
- Karunakaran, C; Karuthapandian, S. (2006). Solar photooxidation of diphenylamine. *Solar Energy Materials and Solar Cells*. 90: 1928-1935. <http://dx.doi.org/10.1016/j.solmat.2005.12.003>.
- Kaseros, VB; Sleep, BE; Bagley, DM. (2000). Column studies of biodegradation of mixtures of tetrachloroethene and carbon tetrachloride. *Water Res*. 34: 4161-4168.
- Kashirskaya, OA; Lotkhov, VA; Dil'man, VV. (2010). Difference in the rates of evaporation and condensation in the presence of an inert gas. *Theoretical Foundations of Chemical Engineering*. 44: 665-671. <http://dx.doi.org/10.1134/S0040579510050052>.
- Kasischke, ES; Amiro, BD; Barger, NN; French, NHF; Goetz, SJ; Grosse, G; Harmon, ME; Hicke, JA; Liu, S; Masek, JG. (2013). Impacts of disturbance on the terrestrial carbon budget of North America. *Jour Geo Res: Biog*. 118: 303-316. <http://dx.doi.org/10.1002/jgrg.20027>.
- Kaslusky, SF; Udell, KS. (2002). A theoretical model of air and steam co-injection to prevent the downward migration of DNAPLs during steam-enhanced extraction. *J Contam Hydrol*. 55: 213-232.
- Kasprzak, W; Nadolny, Z. (2012). Choice of optical active liquid in order to use in electric field measurement method based on electro-optic Kerr effect. 88: 248-250.
- Kassem, M; Senkan, SM. (1991). CHEMICAL STRUCTURES OF FUEL-RICH, PREMIXED, LAMINAR FLAMES OF 1,2-C₂H₄CL₂ AND CH₄. *Combust Flame*. 83: 365-374.
- Katami, T; Nisikawa, H; Yasuhara, A. (1992). Emission of chlorinated compounds by combustion of waste dry-cleaning materials. *Chemosphere*. 24: 343-349.
- Kataoka, T; Sakoda, A; Yoshimoto, M; Nakagawa, S; Toyota, T; Nishiyama, Y; Yamato, K; Ishimori, Y; Kawabe, A; Hanamoto, K; Taguchi, T; Yamaoka, K. (2011). Studies on possibility for alleviation of lifestyle diseases by low-dose irradiation or radon inhalation. *Radiat Prot Dosimetry*. 146: 360-363. <http://dx.doi.org/10.1093/rpd/ncr189>.
- Katekhaye, SN; Gogate, PR. (2011). Intensification of cavitation activity in sonochemical reactors using different additives: Efficacy assessment using a model reaction. *Chemical Engineering and Processing: Process Intensification*. 50: 95-103. <http://dx.doi.org/10.1016/j.cep.2010.12.002>.
- Kato, M; Yamaguchi, M; Yoshikawa, H. (1990). VAPOR-LIQUID-EQUILIBRIA AT 100-KPA FOR PROPIONIC-ACID + CARBON-TETRACHLORIDE OR 2-BUTANONE. *Journal of Chemical and Engineering Data*. 35: 85-87.
- Katoh, T; Haratake, J; Nakano, S; Kikuchi, M; Yoshikawa, M; Arashidani, K. (1998). Dose-dependent effects of dichloropropanol on liver histology and lipid peroxidation in rats. *Ind Health*. 36: 318-323.
- Kauppinen, T; Pukkala, E; Saalo, A; Sasco, AJ. (2003). Exposure to chemical carcinogens and risk of cancer among Finnish laboratory workers. *Am J Ind Med*. 44: 343-350. <http://dx.doi.org/10.1002/ajim.10278>.

Exposure Literature Search Results

Off Topic

- Kaur, R; Pal, B. (2015). Physicochemical and catalytic properties of Au nanorods micro-assembled in solvents of varying dipole moment and refractive index. *Materials Research Bulletin*. 62: 11-18. <http://dx.doi.org/10.1016/j.materresbull.2014.11.012>.
- Kaushik, A; Kaushik, J. (2010). Solvent Absorption Characteristics of Epoxy-Colloidal Silica Nanocomposites. *Journal of Reinforced Plastics and Composites*. 29: 2821-2833. <http://dx.doi.org/10.1177/0731684409360995>.
- Kawaguchi, M; Yagi, S; Enomoto, H. (2004). Chemical preparation and characterization of nitrogen-rich carbon nitride powders. *Carbon*. 42: 345-350. <http://dx.doi.org/10.1016/j.carbon.2003.11.004>.
- Kechavarz, R; Guigue, JP; Tachoire, H; Kenz, A; Sbai, K. (1998). Thermodynamic properties of binary mixtures of tetrachloromethane+n-alcohol by application of the dispersive quasichemical model. *Fluid Phase Equilibria*. 143: 41-63.
- Kedenburg, S; Vieweg, M; Gissibl, T; Giessen, H. (2012). Linear refractive index and absorption measurements of nonlinear optical liquids in the visible and near-infrared spectral region. 2: 1588-1611.
- Kehiaian, HV; Gonzalez, JA; Garcia, I; Cobos, JC; Casanova, C; Cocero, MJ. (1991). STERIC AND INDUCTIVE EFFECTS IN BINARY-MIXTURES OF ORGANIC CARBONATES WITH AROMATIC-HYDROCARBONS OR TETRACHLOROMETHANE. *Fluid Phase Equilibria*. 69: 81-89.
- Keiper, D; Westphalen, R; Landgren, G. (1999). Comparison of carbon doping of InGaAs and GaAs by CBr₄ using hydrogen or nitrogen as carrier gas in LP-MOVPE. *J Cryst Growth*. 197: 25-30.
- Kempinski, M; Sliwinska-Bartkowiak, M; Kempinski, W. (2007). Molecules in the porous system of activated carbon fibers - Spin population control. *Reviews on Advanced Materials Science*. 14: 163-166.
- Kennedy, A; Reznik, A; Tadesse, S; Nunes, J. (2009). Time dependence of component temperatures in microwave heated immiscible liquid mixture. *J Microw Power Electromagn Energy*. 43: 52-62.
- Kenneke, JF; Weber, EJ. (2003). Reductive dehalogenation of halomethanes in iron- and sulfate-reducing sediments. 1. Reactivity pattern analysis. *Environ Sci Technol*. 37: 713-720. <http://dx.doi.org/10.1021/es0205941>.
- Kerckaert, GA; Isfort, RJ; Carr, GJ; Aardema, MJ; Leboeuf, RA. (1996). A comprehensive protocol for conducting the Syrian hamster embryo cell transformation assay at pH 6.70. *Mutat Res*. 356: 65-84.
- Kern, B; Strelnikov, D; Weis, P; Böttcher, A; Kappes, MM. (2014). IR, NIR, and UV Absorption Spectroscopy of C₆₀(2+) and C₆₀(3+) in Neon Matrixes. *Journal of Physical Chemistry Letters*. 5: 457-460. <http://dx.doi.org/10.1021/jz402630z>.
- Keum, YS; Li, QX. (2004). Reduction of nitroaromatic pesticides with zero-valent iron. *Chemosphere*. 54: 255-263. <http://dx.doi.org/10.1016/j.chemosphere.2003.08.003>.
- Kevekordes, S; Porzig, J; Gebel, T; Dunkelberg, H. (1998). Combined effects in mutagenicity of halogenated aliphatic hydrocarbons and polycyclic aromatic hydrocarbons in salmonella TA98 and TA100. *Zentralblatt fuer Hygiene und Umweltmedizin*. 200: 5-6.
- Khachatryan, L; Dellinger, B. (2003). Formation of chlorinated hydrocarbons from the reaction of chlorine atoms and activated carbon. *Chemosphere*. 52: 709-716. [http://dx.doi.org/10.1016/S0045-6535\(03\)00232-7](http://dx.doi.org/10.1016/S0045-6535(03)00232-7).
- Khaleel, A. (2006). Catalytic activity of mesoporous alumina for the hydrolysis and dechlorination of carbon tetrachloride. *Microporous and Mesoporous Materials*. 91: 53-58. <http://dx.doi.org/10.1016/j.micromeso.2005.11.011>.
- Khaleel, A; Dellinger, B. (2002). FTIR investigation of adsorption and chemical decomposition of CCl₄ by high surface-area aluminum oxide. *Environ Sci Technol*. 36: 1620-1624. <http://dx.doi.org/10.1021/es010650i>.
- Khalil, AM. (1983). THERMAL-TREATMENT OF SILICA AEROSIL-200 - APPLICATIONS OF THE CRITERIA FOR CORRECT ANALYSIS TO BENZENE AND CARBON-TETRACHLORIDE ADSORPTION. 18: 39-49.
- Khan, MAH; Mead, MI; White, IR; Golledge, B; Nickless, G; Knights, A; Martin, D; Rivett, AC; Greally, BR; Shallcross, DE. (2009). Year-long measurements of C-1-C-3 halocarbons at an urban site and their relationship with meteorological parameters. *Atmos Sci Lett*. 10: 75-86. <http://dx.doi.org/10.1002/asl.213>.
- Khan, RA; Khan, MR; Sahreen, S; Ahmed, M; Shah, NA. (2015). Carbon tetrachloride-induced lipid peroxidation and hyperglycemia in rat: a novel study. *Toxicol Ind Health*. 31: 546-553. <http://dx.doi.org/10.1177/0748233713475503>.
- Khan, RA; Khan, MR; Shah, NA; Sahreen, S; Siddiq, P. (2015). Modulation of carbon tetrachloride-induced nephrotoxicity in rats by n-hexane extract of *Sonchus asper*. *Toxicol Ind Health*. 31: 955-959. <http://dx.doi.org/10.1177/0748233713485885>.
- Khanna, RN; Das, M; Anand, M. (2002). Influence of phenobarbital and carbon tetrachloride on the modulation of tissue retention profile of hexachlorocyclohexane in rats. *Biomed Environ Sci*. 15: 119-129.
- Khasbiullin, II; Belov, GP; Kharlampidi, K, hE; Vil'ms, AI. (2011). Ethylene oligomerization on the chromium ethylhexanoate-triethylaluminum-2,5-dimethylpyrrol catalytic system in the presence of carbon tetrachloride. *Petroleum Chemistry*. 51: 442-447. <http://dx.doi.org/10.1134/S0965544111060090>.
- Khatri, VN; Dutta, RK; Venkataraman, G; Shrivastava, R. (2016). Shear Strength Behaviour of Clay Reinforced with Treated Coir Fibres. 60: 135-143. <http://dx.doi.org/10.3311/PPci.7917>.
- Khenifi, A; Zohra, B; Kahina, B; Houari, H; Zoubir, D. (2009). Removal of 2,4-DCP from wastewater by CTAB/bentonite using one-step and two-step methods: A comparative study. *Chem Eng J*. 146: 345-354. <http://dx.doi.org/10.1016/j.cej.2008.06.028>.
- Khindaria, A; Grover, TA; Aust, SD. (1995). Reductive dehalogenation of aliphatic halocarbons by lignin peroxidase of *Phanerochaete chrysosporium*. *Environ Sci Technol*. 29: 719-725.
- Khodadadian, M; Taghizadeh, M; Hamidzadeh, M. (2011). Effects of various barium precursors and promoters on catalytic activity of Ba-Ti perovskite catalysts for oxidative coupling of methane. *Fuel Process Tech*. 92: 1164-1168. <http://dx.doi.org/10.1016/j.fuproc.2010.11.032>.
- Khusnutdinov, RI; Bayguzina, AR; Gallyamova, LI; Dzhemilev, UM. (2012). A novel method for synthesis of benzyl alkyl ethers using vanadium-based metal complex catalysts. *Petroleum Chemistry*. 52: 261-266. <http://dx.doi.org/10.1134/S0965544112040044>.

Exposure Literature Search Results

Off Topic

- Khusnutdinov, RI; Schadneva, NA; Oshnyakova, TM; Dzhemilev, UM. (2009). Addition of CCl₄ to olefins catalyzed by chromium and ruthenium complexes: The influence of water as a nucleophilic additive. *Petroleum Chemistry*. 49: 331-338. <http://dx.doi.org/10.1134/S0965544109040136>.
- Khusnutdinov, RI; Shchadneva, NA; Baiguzina, AR; Lavrent'eva, YY; Burangulova, RY; Atnabaeva, AM; Dzhemilev, UM. (2004). Addition of carbon tetrachloride to unsaturated compounds catalyzed by manganese, vanadium, and molybdenum complexes. *Petroleum Chemistry*. 44: 350-362.
- Khusnutdinov, RI; Shchadneva, NA; Baiguzina, AR; Mukminov, RR; Mayakova, Y, uYu; Smirnov, AA; Dzhemilev, UM. (2008). Synthesis of 2-thiophenecarboxylic and 2,5-thiophenedicarboxylic acid esters via the reaction of thiophenes with the CCl₄-ROH reagent in the presence of vanadium, iron, and molybdenum catalysts. *Petroleum Chemistry*. 48: 471-478. <http://dx.doi.org/10.1134/S0965544108060121>.
- Khusnutdinov, RI; Shchadneva, NA; Oshnyakova, TM; Dzhemilev, UM. (2011). Telomerization of Z,Z-cyclooctadiene with halomethanes catalyzed by chromium, copper, and molybdenum compounds in the presence of water. *Petroleum Chemistry*. 51: 435-441. <http://dx.doi.org/10.1134/S0965544111060107>.
- Kibbler, AE; Kurtz, S. R.; Olson, JM. (1991). CARBON DOPING AND ETCHING OF MOCVD-GROWN GAAS, INP, AND RELATED TERNARIES USING CCL₄. *J Cryst Growth*. 109: 258-263.
- Kile, DE; Chiou, CT; Zhou, HD; Li, H; Xu, OY. (1995). PARTITION OF NONPOLAR ORGANIC POLLUTANTS FROM WATER TO SOIL AND SEDIMENT ORGANIC MATTERS. *Environ Sci Technol*. 29: 1401-1406.
- Kile, DE; Wershaw, RL; Chiou, CT. (1999). Correlation of soil and sediment organic matter polarity to aqueous sorption of nonionic compounds. *Environ Sci Technol*. 33: 2053-2056.
- Kilinc, N; Sennik, E; Ozturk, ZZ. (2011). Fabrication of TiO₂ nanotubes by anodization of Ti thin films for VOC sensing. *Thin Solid Films*. 520: 953-958. <http://dx.doi.org/10.1016/j.tsf.2011.04.183>.
- Kim, BS; Choi, YY. (2005). Kinetics of the chlorination reaction of tantalum pentoxide with carbon tetrachloride gas. *Mater Trans*. 46: 2102-2106.
- Kim, BW; May, GS. (1994). AN OPTIMAL NEURAL-NETWORK PROCESS MODEL FOR PLASMA-ETCHING. *IEEE Trans Semicond Manuf*. 7: 12-21.
- Kim, CZ, oo; Kim, H; Song, KM, an; Jun, DH; Kang, H, oK; Park, W; Ko, CG, i. (2010). Enhanced efficiency in GaInP/GaAs tandem solar cells using carbon doped GaAs in tunnel junction. *Microelectron Eng*. 87: 677-681. <http://dx.doi.org/10.1016/j.mee.2009.09.014>.
- Kim, DH; Kwack, S; Yoon, K; Choi, J; Lee, BM, u. (2015). 4-HYDROXYNONENAL: A SUPERIOR OXIDATIVE BIOMARKER COMPARED TO MALONDIALDEHYDE AND CARBONYL CONTENT INDUCED BY CARBON TETRACHLORIDE IN RATS. *J Toxicol Environ Health A*. 78: 1051-1062. <http://dx.doi.org/10.1080/15287394.2015.1067505>.
- Kim, E; Murugesan, K; Kim, J; Tratnyek, PG; Chang, YS. (2013). Remediation of Trichloroethylene by FeS-Coated Iron Nanoparticles in Simulated and Real Groundwater: Effects of Water Chemistry. *Ind Eng Chem Res*. 52: 9343-9350. <http://dx.doi.org/10.1021/ie400165a>.
- Kim, EJ; Kim, JH; Chang, YS; Turcio-Ortega, D; Tratnyek, PG. (2014). Effects of metal ions on the reactivity and corrosion electrochemistry of Fe/FeS nanoparticles. *Environ Sci Technol*. 48: 4002-4011. <http://dx.doi.org/10.1021/es405622d>.
- Kim, EK; Kim, TG; Son, CS; Kim, SI; Park, YK; Kim, Y; Min, SK; Choi, IH. (1998). One-step selective growth of GaAs on V-groove patterned GaAs substrates using CBr₄ and CCl₄. *Institute of Physics Conference Series*. 156: 151-154.
- Kim, EK; Lee, MS; Kim, SI; Park, YJ; Min, SK; Lee, JY. (1997). InGaAs layer effect on the growth of AlGaAs/GaAs quantum wires on V-grooved GaAs substrates. *Appl Surf Sci*. 117: 690-694.
- Kim, HH; Kobara, H; Ogata, A; Futamura, S. (2005). Comparative assessment of different nonthermal plasma reactors on energy efficiency and aerosol formation from the decomposition of gas-phase benzene. *I E E E Transactions on Industry Applications*. 41: 206-214. <http://dx.doi.org/10.1109/TIA.2004.840988>.
- Kim, HJ; Leitch, M; Naknakorn, B; Tilton, RD; Lowry, GV. (2017). Effect of emplaced nZVI mass and groundwater velocity on PCE dechlorination and hydrogen evolution in water-saturated sand. *J Hazard Mater*. 322: 136-144. <http://dx.doi.org/10.1016/j.jhazmat.2016.04.037>.
- Kim, HS; Ahn, JY; Kim, C; Lee, S; Hwang, I. (2014). Effect of anions and humic acid on the performance of nanoscale zero-valent iron particles coated with polyacrylic acid. *Chemosphere*. 113: 93-100. <http://dx.doi.org/10.1016/j.chemosphere.2014.04.047>.
- Kim, HS; Kang, WH; Kim, M; Park, JY; Hwang, I. (2008). Comparison of hematite/Fe(II) systems with cement/Fe(II) systems in reductively dechlorinating trichloroethylene. *Chemosphere*. 73: 813-819. <http://dx.doi.org/10.1016/j.chemosphere.2008.04.092>.
- Kim, J; Park, C; Park, J; Chu, K; Choi, H. (2013). Vertical Crystallization of C-60 Nanowires by Solvent Vapor Annealing Process. *ACS Nano*. 7: 9122-9128. <http://dx.doi.org/10.1021/nn403729g>.
- Kim, K, iH; Shon, ZH, o; Nguyen, HT; Jeon, E, uIC. (2011). A review of major chlorofluorocarbons and their halocarbon alternatives in the air. *Atmos Environ*. 45: 1369-1382. <http://dx.doi.org/10.1016/j.atmosenv.2010.12.029>.
- Kim, MS; Kim, Y; Kim, SI; Hwang, SM; Kang, JM; Park, YK; Min, SK. (1995). Enhancement of side wall growth rate during MOVPE growth on patterned substrates with CCl₄. *Mater Sci Eng B*. 35: 214-218.
- Kim, NH; Choi, BG; Choi, JS. (1996). Solvent activity coefficients at infinite dilution in polystyrene-hydrocarbon systems from inverse gas chromatography. *Korean J Chem Eng*. 13: 129-135.
- Kim, S; Park, T; Lee, W. (2015). Enhanced reductive dechlorination of tetrachloroethene by nano-sized mackinawite with cyanocobalamin in a highly alkaline condition. *J Environ Manage*. 151: 378-385. <http://dx.doi.org/10.1016/j.jenvman.2015.01.004>.
- Kim, S; Picardal, FW. (1999). Enhanced anaerobic biotransformation of carbon tetrachloride in the presence of reduced iron oxides. *Environ Toxicol Chem*. 18: 2142-2150.
- Kim, SI; Kim, MS; Kim, Y; Hwang, SM; Min, BD; Son, CS; Kim, EK; Min, SK. (1997). Lateral growth rate control of GaAs on patterned substrates by CCl₄ and CBr₄ during MOCVD. *J Cryst Growth*. 170: 665-668.

Exposure Literature Search Results

Off Topic

- Kim, SI; Kim, Y; Kim, MS; Kim, CK; Min, SK; Lee, C. (1994). CARBON DOPING CHARACTERISTICS OF GAAS AND $Al_0.3Ga_{0.7}As$ GROWN BY ATMOSPHERIC-PRESSURE METALORGANIC CHEMICAL-VAPOR-DEPOSITION USING CCL_4 . *J Cryst Growth*. 141: 324-330.
- Kim, SI; Son, CS; Chung, SW; Park, YK; Kim, EE; Min, SK. (1997). Temperature-dependent Hall analysis of carbon-doped GaAs. *Thin Solid Films*. 310: 63-66.
- Kim, SW; Park, HS; Kim, HJ. (2003). 100 kW steam plasma process for treatment of PCBs (polychlorinated biphenyls) waste. *Vacuum*. 70: 59-66. [http://dx.doi.org/10.1016/S0042-207X\(02\)00761-3](http://dx.doi.org/10.1016/S0042-207X(02)00761-3).
- Kim, TY; Kim, SJ; Cho, SY. (2004). Effect of relative humidity on the adsorption characteristics of carbon tetrachloride in a fixed bed. *J Ind Eng Chem*. 10: 188-195.
- Kim, W; Tachikawa, T; Majima, T; Choi, W. (2009). Photocatalysis of Dye-Sensitized TiO_2 Nanoparticles with Thin Overcoat of Al_2O_3 : Enhanced Activity for H-2 Production and Dechlorination of CCL_4 . *J Phys Chem C*. 113: 10603-10609. <http://dx.doi.org/10.1021/jp9008114>.
- Kim, Y; Park, YK; Kim, MS; Kang, JM; Kim, SI; Hwang, SM; Min, SK. (1995). FACET EVOLUTION OF CCL_4 -DOPED $Al_0.5Ga_{0.5}As/GaAs$ MULTILAYERS DURING METALORGANIC CHEMICAL-VAPOR-DEPOSITION ON PATTERNED GAAS SUBSTRATES. *J Cryst Growth*. 156: 169-176.
- Kim, YH; Carraway, ER. (2002). Reductive dechlorination of PCE and TCE by vitamin B-12 and ZVMs. *Environ Technol*. 23: 1135-1145.
- Kim, YH; Carraway, ER. (2003). Dechlorination of chlorinated phenols by zero valent zinc. *Environ Technol*. 24: 1455-1463. <http://dx.doi.org/10.1080/09593330309385690>.
- Kim, YH; Carraway, ER. (2003). Reductive dechlorination of TCE by zero valent bimetals. *Environ Technol*. 24: 69-75.
- Kim, YH; Shin, WS; Ko, SO. (2004). Reductive dechlorination of chlorinated biphenyls by palladized zero-valent metals. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 39: 1177-1188. <http://dx.doi.org/10.1081/ESE-120030302>.
- Kindler, TP; Chameides, WL; Wine, PH; Cunnold, DM; Aleya, FN; Franklin, JA. (1995). THE FATE OF ATMOSPHERIC PHOSGENE AND THE STRATOSPHERIC CHLORINE LOADINGS OF ITS PARENT COMPOUNDS - CCL_4 , C_2CL_4 , $C_2H_3CL_3$, CH_3CCl_3 , AND $CHCl_3$. *J Geophys Res Atmos*. 100: 1235-1251.
- King, RCY; Roussel, F. (2005). Morphological and electrical characteristics of polyaniline nanofibers. *Synthetic Metals*. 153: 337-340. <http://dx.doi.org/10.1016/j.synthmet.2005.07.268>.
- King-Herbert, A; Thayer, K. (2006). NTP workshop: Animal models for the NTP rodent cancer bioassay: Stocks and strains - Should we switch? *Toxicol Pathol*. 34: 802-805. <http://dx.doi.org/10.1080/01926230600935938>.
- Kinoshita, K; Yamada, K; Matsutera, H. (1991). REACTIVE ION ETCHING OF FE-SI-AL ALLOY FOR THIN-FILM HEAD. *I E E E Transactions on Magnetics*. 27: 4888-4890.
- Kinoshita, T; Akita, S; Nii, S; Kawaizumi, F; Takahashi, K. (2005). Application of hydrofluoroethers as diluent to solvent extraction of zinc(II) using phosphorus acid extractants. *J Chem Eng Jpn*. 38: 94-99.
- Kinser, S; Sneed, R; Roth, R; Ganey, P. (2004). Neutrophils contribute to endotoxin enhancement of allyl alcohol hepatotoxicity. *J Toxicol Environ Health A*. 67: 911-928. <http://dx.doi.org/10.1080/15287390490443704>.
- Kircsi, I; Nagy, JB. (2004). Surface intermediates generated in the decomposition of C1 chlorofluorocarbons over oxides and zeolites of acid-base and redox character. *Appl Catal A-Gen*. 271: 27-38. <http://dx.doi.org/10.1016/j.apcata.2004.02.043>.
- Kirk, R; Othmer, D. *Kirk-Othmer Encyclopedia of Chemical Technology*.
- Kirtland, BC; Aelion, CM; Stone, PA; Hunkeler, D. (2003). Isotopic and geochemical assessment of in situ biodegradation of chlorinated hydrocarbons. *Environ Sci Technol*. 37: 4205-4212. <http://dx.doi.org/10.1021/es034046e>.
- Kishore, MA; Gupta, JP. (1997). Organic solvents as carrier of carbendazim in sunflower seeds. *Seed Science and Technology*. 25: 391-397.
- Kiss, LDB; Sawin, HH. (1992). POWER MODULATION STUDY OF CHEMICAL-KINETICS IN RF DISCHARGES. *Plasma Chemistry and Plasma Processing*. 12: 495-522.
- Kitawaki, S; Nagai, T; Sato, N. (2013). Chlorination of uranium oxides with CCL_4 using a mechanochemical method. *J Nucl Mater*. 439: 212-216. <http://dx.doi.org/10.1016/j.jnucmat.2013.03.017>.
- Kizim, NF; Golubina, EN; Tarasov, VV. (2016). Microprocesses of liquid extraction. *Theoretical Foundations of Chemical Engineering*. 50: 632-637. <http://dx.doi.org/10.1134/S0040579516040126>.
- Klaassen, CD; Liu, J. (1998). Induction of Metallothionein as an Adaptive Mechanism Affecting the Magnitude and Progression of Toxicological Injury [Review]. *Environ Health Perspect*. 106: 297-300.
- Klausen, J; Vikesland, PJ; Kohn, T; Burris, DR; Ball, WP; Roberts, AL. (2003). Longevity of granular iron in groundwater treatment processes: Solution composition effects on reduction of organohalides and nitroaromatic compounds. *Environ Sci Technol*. 37: 1208-1218. <http://dx.doi.org/10.1021/es025965s>.
- Kleeberg, H; Klein, D; Luck, WAP. (1987). CHANGES OF THE SOLUBILITY OF WATER IN CCL_4 BY POLYETHYLENE DERIVATIVES. *Chem Ing Tech*. 59: 409-411.
- Klein, AR; Silvester, E; Hogan, CF. (2014). Mediated electron transfer between Fe(II) adsorbed onto hydrous ferric oxide and a working electrode. *Environ Sci Technol*. 48: 10835-10842. <http://dx.doi.org/10.1021/es501561d>.
- Klej, D; Luliński, P; Maciejewska, D. (2015). Desorption of 3,3'-diindolylmethane from imprinted particles: An impact of cross-linker structure on binding capacity and selectivity. *Mater Sci Eng C*. 56: 233-240. <http://dx.doi.org/10.1016/j.msec.2015.06.016>.
- Klupinski, TP; Chin, YP; Traina, SJ. (2004). Abiotic degradation of pentachloronitrobenzene by Fe(II): Reactions on goethite and iron oxide nanoparticles. *Environ Sci Technol*. 38: 4353-4360. <http://dx.doi.org/10.1021/es035434j>.
- Knobel, LL; Mann, LJ. (1993). SAMPLING FOR PURGEABLE ORGANIC-COMPOUNDS USING POSITIVE-DISPLACEMENT PISTON AND CENTRIFUGAL SUBMERSIBLE PUMPS - A COMPARATIVE-STUDY. *Ground Water Monitoring and Remediation*. 13: 142-148.
- Knudsen, J; Bjerre, A. (1985). A METHOD OF HAZARD ASSESSMENT OF A GASEOUS SUBSTANCE WITH RESPECT TO FORMATION OF TOXIC PHOTODECOMPOSITION PRODUCTS - APPLICATION TO CCL_4 , CCL_3F AND CCL_2F_2 . *Chemosphere*. 14: 249-255.

Exposure Literature Search Results

Off Topic

- Ko, JH; Lee, SJ; Lim, KT. (2006). Rhus verniciflua Stokes glycoprotein (36kDa) has protective activity on carbon tetrachloride-induced liver injury in mice. *Environ Toxicol Pharmacol.* 22: 8-14. <http://dx.doi.org/10.1016/j.etap.2005.10.005>.
- Ko, S; Batchelor, B. (2007). Identification of active agents for tetrachloroethylene degradation in Portland cement slurry containing ferrous iron. *Environ Sci Technol.* 41: 5824-5832. <http://dx.doi.org/10.1021/es070361f>.
- Ko, SO; Lee, DH; Kim, YH. (2007). Kinetic studies of reductive dechlorination of chlorophenols with Ni/Fe bimetallic particles. *Environ Technol.* 28: 583-593. <http://dx.doi.org/10.1080/09593332808618818>.
- Kober, R; Schlicker, O; Ebert, M; Dahmke, A. (2002). Degradation of chlorinated ethylenes by Fe-0: inhibition processes and mineral precipitation. *Environ Geol.* 41: 644-652. <http://dx.doi.org/10.1007/s00254-001-0443-5>.
- Koch, I; Weil, R; Wolbold, R; Brockmüller, J; Hustert, E; Burk, O; Nuessler, A; Neuhaus, P; Eichelbaum, M; Zanger, U; Wojnowski, L. (2002). Interindividual variability and tissue-specificity in the expression of cytochrome P450 3A mRNA. *Drug Metab Dispos.* 30: 1108-1114.
- Koch, M; Cohn, DR; Patrick, RM; Schuetze, MP; Bromberg, L; Reilly, D; Hadidi, K; Thomas, P; Falkos, P. (1995). ELECTRON-BEAM ATMOSPHERIC-PRESSURE COLD-PLASMA DECOMPOSITION OF CARBON-TETRACHLORIDE AND TRICHLOROETHYLENE. *Environ Sci Technol.* 29: 2946-2952.
- Koenig, J; Lee, M; Manefield, M. (2015). Aliphatic organochlorine degradation in subsurface environments. *Reviews in Environmental Science and Biotechnology.* 14: 49-71. <http://dx.doi.org/10.1007/s11157-014-9345-3>.
- Koenig, JC; Boparai, HK; Lee, MJ; O'Carroll, DM; Barnes, RJ; Manefield, MJ. (2015). Particles and enzymes: Combining nanoscale zero valent iron and organochlorine respiring bacteria for the detoxification of chloroethane mixtures. *J Hazard Mater.* 308: 106-112. <http://dx.doi.org/10.1016/j.jhazmat.2015.12.036>.
- Koenig, JC; Lee, MJ; Manefield, M. (2012). Successful microcosm demonstration of a strategy for biodegradation of a mixture of carbon tetrachloride and perchloroethene harnessing sulfate reducing and dehalorespiring bacteria. *J Hazard Mater.* 219-220: 169-175. <http://dx.doi.org/10.1016/j.jhazmat.2012.03.076>.
- Kohn, T; Arnold, WA; Roberts, AL. (2006). Reactivity of substituted benzotrichlorides toward granular iron, Cr(II), and an iron(II) porphyrin: A correlation analysis. *Environ Sci Technol.* 40: 4253-4260. <http://dx.doi.org/10.1021/es051737x>.
- Kohn, T; Kane, SR; Fairbrother, DH; Roberts, AL. (2003). Investigation of the inhibitory effect of silica on the degradation of 1,1,1-trichloroethane by granular iron. *Environ Sci Technol.* 37: 5806-5812. <http://dx.doi.org/10.1021/es034495e>.
- Kohn, T; Livi, KJT; Roberts, AL; Vikesland, PJ. (2005). Longevity of granular iron in groundwater treatment processes: Corrosion product development. *Environ Sci Technol.* 39: 2867-2879. <http://dx.doi.org/10.1021/es048851k>.
- Koide, N; Hikosaka, T; Honda, Y; Yamaguchi, M; Sawaki, N. (2005). Incorporation of carbon on a (111)over-bar01 facet of GaN by MOVPE. *J Cryst Growth.* 284: 341-346. <http://dx.doi.org/10.1016/j.jcrysgro.2005.07.021>.
- Kolker, AM; Kozlov, AV; Gruzdev, MS; Sharnin, VA. (2011). C-60 Fullerene Crystallites with Tetralin, CCl4 and 1,2-dichlorobenzene: Determination of Composition by DSC and FT-IR Measurements. *Fullerenes, Nanotubes, and Carbon Nanostructures.* 19: 435-444. <http://dx.doi.org/10.1080/1536383X.2010.481063>.
- Kollonitsch, Z; Moller, K; Schimper, HJ; Giesen, C; Heuken, M; Willig, F; Hannappel, T. (2004). In situ monitored MOVPE growth of undoped and p-doped GaSb(100). *J Cryst Growth.* 261: 289-293. <http://dx.doi.org/10.1016/j.jcrysgro.2003.11.019>.
- Kolosov, VN. (2004). Effect of carbon on the structure and superconducting properties of Nb3Sn coatings produced by electrocodeposition. *Inorg Mater.* 40: 1287-1294.
- Kondratyuk, P; Yates, JT. (2005). Design and construction of a semiautomatic temperature programmed desorption apparatus for ultrahigh vacuum. *Journal of Vacuum Science and Technology A.* 23: 215-217. <http://dx.doi.org/10.1116/1.1818133>.
- Kone, T; Hanna, K; Abdelmoula, M; Ruby, C; Carteret, C. (2009). Reductive transformation and mineralization of an azo dye by hydroxysulphate green rust preceding oxidation using H(2)O(2) at neutral pH. *Chemosphere.* 75: 212-219. <http://dx.doi.org/10.1016/j.chemosphere.2008.12.002>.
- Konovalov, AB; Volegov, PL; Kochegarova, LP; Dmitrakov, YL. (1998). Determination of weight ratios of the components of a mixture of organic liquids using a computer tomograph. *Russian Journal of Nondestructive Testing.* 34: 129-134.
- Konovalov, AB; Volegov, PL; Kochegarova, LP; Dmitrakov, YL. (1999). Determination of the component mass fractions of a mixture of organic liquids by the method of multispectral computerized tomography. *Industrial Laboratory.* 65: 497-500.
- Konttinen, JT; Zevenhoven, CAP; Hupa, MM. (1997). Hot gas desulfurization with zinc titanate sorbents in a fluidized bed .1. Determination of sorbent particle conversion rate model parameters. *Ind Eng Chem Res.* 36: 2332-2339.
- Konttinen, JT; Zevenhoven, CAP; Hupa, MM. (1997). Hot gas desulfurization with zinc titanate sorbents in a fluidized bed .2. Reactor model. *Ind Eng Chem Res.* 36: 2340-2345.
- Konttinen, JT; Zevenhoven, CAP; Hupa, MM. (1997). Modeling of sulfided zinc titanate regeneration in a fluidized-bed reactor .2. Scale-up of the solid conversion model. *Ind Eng Chem Res.* 36: 5439-5446.
- Konyashin, IY. (1996). Thin TiCx films chemically vapour deposited onto cemented carbides from the TiCl4-CCl4-H-2 mixture. *Thin Solid Films.* 278: 37-44.
- Koper, O; Lagadic, I; Klabunde, KJ. (1997). Destructive adsorption of chlorinated hydrocarbons on ultrafine (nanoscale) particles of calcium oxide .2. *Chem Mater.* 9: 838-848.
- Koper, O; Li, YX; Klabunde, KJ. (1993). DESTRUCTIVE ADSORPTION OF CHLORINATED HYDROCARBONS ON ULTRAFINE (NANOSCALE) PARTICLES OF CALCIUM-OXIDE. *Chem Mater.* 5: 500-505.
- Koper, OB; Wovchko, EA; Glass, JA; Yates, JT; Klabunde, KJ. (1995). DECOMPOSITION OF CCL4 ON CAO. *Langmuir.* 11: 2054-2059.
- Koporec, KP; Kim, HK; Mackenzie, WF; Bruckner, JV. (1995). Effect of oral dosing vehicles on the subchronic hepatotoxicity of carbon tetrachloride in the rat. *J Toxicol Environ Health.* 44: 13-27. <http://dx.doi.org/10.1080/15287399509531940>.

Exposure Literature Search Results

Off Topic

- Kopylev, L; Chen, C; White, P. (2007). Towards quantitative uncertainty assessment for cancer risks: Central estimates and probability distributions of risk in dose-response modeling [Review]. *Regul Toxicol Pharmacol.* 49: 203-207. <http://dx.doi.org/10.1016/j.yrtph.2007.08.002>.
- Korsrud, GO; Grice, HC; Mclaughlan, JM. (1972). Sensitivity of several serum enzymes in detecting carbon tetrachloride-induced liver damage in rats. *Toxicol Appl Pharmacol.* 22: 474-483.
- Kotaka, H; Hayashi, S; Saito, H. (1992). PREPARATION OF SIC POWDER BY WURTZ-FITTIG REACTION. 100: 332-336.
- Kotaki, T; Amada, Y; Harada, K; Uyama, H; Matsumoto, O. (1993). DIAMOND DEPOSITION FROM AN AR-CCL4-H2 PLASMA-JET AT 13.3 KPA. *Diam Relat Mater.* 2: 342-346.
- Kotula, I; Marciniak, B. (2001). Solubilities of naphthalene and acenaphthene in chloro derivative solvents. *Journal of Chemical and Engineering Data.* 46: 783-787.
- Kotvis, PV; Huezio, L; Millman, WS; Tysoe, WT. (1991). THE SURFACE DECOMPOSITION AND EXTREME-PRESSURE TRIBOLOGICAL PROPERTIES OF HIGHLY CHLORINATED METHANES AND ETHANES ON FERROUS SURFACE. *Wear.* 147: 401-419.
- Kotvis, PV; Huezio, LA; Tysoe, WT. (1993). SURFACE-CHEMISTRY OF METHYLENE-CHLORIDE ON IRON - A MODEL FOR CHLORINATED-HYDROCARBON LUBRICANT ADDITIVES. *Langmuir.* 9: 467-474.
- Kotvis, PV; Lara, J; Surerus, K; Tysoe, WT. (1996). The nature of the lubricating films formed by carbon tetrachloride under conditions of extreme pressure. *Wear.* 201: 10-14.
- Kovacs, T; Turanyi, T; Foglein, K; Szepevolgyi, J. (2005). Kinetic modeling of the decomposition of carbon tetrachloride in thermal plasma. *Plasma Chemistry and Plasma Processing.* 25: 109-119. <http://dx.doi.org/10.1007/s11090-004-8837-2>.
- Kovacs, T; Turanyi, T; Foglein, K; Szepevolgyi, J. (2006). Modelling of carbon tetrachloride decomposition in oxidative RF thermal plasma. *Plasma Chemistry and Plasma Processing.* 26: 293-318. <http://dx.doi.org/10.1007/s11090-006-9003-9>.
- Kovacs, T; Turanyi, T; Szepevolgyi, J. (2010). CCl4 Decomposition in RF Thermal Plasma in Inert and Oxidative Environments. *Plasma Chemistry and Plasma Processing.* 30: 281-286. <http://dx.doi.org/10.1007/s11090-010-9219-6>.
- Kovalchuk, VI; D'Itri, JL. (2004). Catalytic chemistry of chloro- and chlorofluorocarbon dehalogenation: from macroscopic observations to molecular level understanding. *Appl Catal A-Gen.* 271: 13-25. <http://dx.doi.org/10.1016/j.apcata.2004.02.042>.
- Kowalczyk, P; Terzyk, AP; Gauden, PA; Rychlicki, G. (2002). Numerical analysis of the Horvath-Kawazoe equation - The adsorption of nitrogen, argon, benzene, carbon tetrachloride and sulphur hexafluoride. *AST.* 20: 295-305.
- Krabbes, G; Hoanh, DV; Hai, NV; Oppermann, H; Velichkow, S; Peshev, P. (1987). CHEMICAL VAPOR TRANSPORT OF STOICHIOMETRIC AND NONSTOICHIOMETRIC RUTILE USING TECL4, SECL4 OR CCL4. *J Cryst Growth.* 82: 477-486.
- Krasnov, A; Afanasyev, S; Oikari, A. (2007). Hepatic responses of gene expression in juvenile brown trout (*Salmo trutta lacustris*) exposed to three model contaminants applied singly and in combination. *Environ Toxicol Chem.* 26: 100-109.
- Krasnov, A; Koskinen, H; Rexroad, C; Afanasyev, S; Mölsä, H; Oikari, A. (2005). Transcriptome responses to carbon tetrachloride and pyrene in the kidney and liver of juvenile rainbow trout (*Oncorhynchus mykiss*). *Aquat Toxicol.* 74: 70-81. <http://dx.doi.org/10.1016/j.aquatox.2005.04.009>.
- Krawczyk, K; Jodzis, S; Lamenta, A; Kostka, K; Schmidt-Szalowski, K. (2010). Study on decomposition of tetrachloromethane as a model substance in environment of spark discharge plasma. *Przemysl Chemiczny.* 89: 1101-1106.
- Krawczyk, K; Ulejczyk, B. (2003). Decomposition of chloromethanes in gliding discharges. *Plasma Chemistry and Plasma Processing.* 23: 265-281.
- Krawczyk, K; Ulejczyk, B. (2004). Influence of water vapor on CCl4 and CHCl3 conversion in gliding discharge. *Plasma Chemistry and Plasma Processing.* 24: 155-167.
- Krawczyk, K; Ulejczyk, B; Song, HK; Lamenta, A; Paluch, B; Schmidt-Szalowski, K. (2009). Plasma-catalytic Reactor for Decomposition of Chlorinated Hydrocarbons. *Plasma Chemistry and Plasma Processing.* 29: 27-41. <http://dx.doi.org/10.1007/s11090-008-9159-6>.
- Krewski, D; Withey, JR; Ku, LF; Andersen, ME. (1994). Applications of physiologic pharmacokinetic modeling in carcinogenic risk assessment [Review]. *Environ Health Perspect.* 102: 37-50.
- Kriegmanking, MR; Reinhard, M. (1992). TRANSFORMATION OF CARBON-TETRACHLORIDE IN THE PRESENCE OF SULFIDE, BIOTITE, AND VERMICULITE. *Environ Sci Technol.* 26: 2198-2206.
- Kriegman-King, MR; Reinhard, M. (1994). Transformation of carbon tetrachloride by pyrite in aqueous solution. *Environ Sci Technol.* 28: 692-700.
- Krishna, HVR; Priya, SP; Rai, SK; Rajulu, AV. (2005). Tensile, impact, and chemical resistance properties of granite powder-epoxy composites. *Journal of Reinforced Plastics and Composites.* 24: 451-455. <http://dx.doi.org/10.1177/0731684405043549>.
- Krishnaiah, K. (1976). STUDIES ON INFLUENCE OF TEMPERATURE ON EFFICACY OF ETHYLENE DICHLORIDE AND CARBON-TETRACHLORIDE MIXTURE IN CONTROLLING TRIBOLIUM-CASTANEUM-HERBST AND TROGODERMA-GRANARIUM EVERTS. *Bull Grain Technol.* 14: 42-44.
- Krishnan, PSG; Vora, RH; Veeramani, S. (2002). Thermal degradation kinetics of 6FDA/durene diamine/ppDA copolyimides. *Plastics, Rubber and Composites.* 31: 289-294. <http://dx.doi.org/10.1179/146580102225003146>.
- Krithika, R; Jyothilakshmi, V; Verma, RJ. (2016). Phyllanthin inhibits CCl4-mediated oxidative stress and hepatic fibrosis by down-regulating TNF- α /NF- κ B, and pro-fibrotic factor TGF- β 1 mediating inflammatory signaling. *Toxicol Ind Health.* 32: 953-960. <http://dx.doi.org/10.1177/0748233714532996>.
- Kroeze, C; Reijnders, L. (1992). Halocarbons and global warming. *Sci Total Environ.* 111: 1-24. [http://dx.doi.org/10.1016/0048-9697\(92\)90042-Q](http://dx.doi.org/10.1016/0048-9697(92)90042-Q).
- Krokan, H; Grafstrom, RC; Sundqvist, K; Esterbauer, H; Harris, CC. (1985). Cytotoxicity, thiol depletion and inhibition of O6-methylguanine-DNA methyltransferase by various aldehydes in cultured human bronchial fibroblasts. *Carcinogenesis.* 6: 1755-1759.
- Kromann, A; Ludvigsen, L; H-J, A; Christensen, TH; Ejlerthsson, J; Svensson, BH. (1998). Degradability of chlorinated aliphatic compounds in methanogenic leachates sampled at eight landfills. *Waste Manag Res.* 16: 54-62.

Exposure Literature Search Results

Off Topic

- Kruus, P; Beutel, L; Aranda, R; Penchuk, J; Otson, R. (1998). Formation of complex organochlorine species in water due to cavitation. *Chemosphere*. 36: 1811-1824.
- Krysztafkiewicz, A; Rager, B; Maik, M. (1996). Silica recovery from waste obtained in hydrofluoric acid and aluminum fluoride production from fluosilicic acid. *J Hazard Mater*. 48: 31-49.
- Ku, CH; Wu, JJ. (2004). Effects of CCl₄ concentration on nanocrystalline diamond film deposition in a hot-filament chemical vapor deposition reactor. *Carbon*. 42: 2201-2205. <http://dx.doi.org/10.1016/j.carbon.2004.04.032>.
- Kuang, Q; Xie, SY; Jiang, ZY; Zhang, XH; Xie, ZX; Huang, RB; Zheng, LS. (2004). Low temperature solvothermal synthesis of crumpled carbon nanosheets. *Carbon*. 42: 1737-1741. <http://dx.doi.org/10.1016/j.carbon.2004.03.008>.
- Kubaczka, A; Bandrowski, J. (1990). ON NONITERATIVE METHODS OF THE CALCULATION OF MASS-TRANSPORT IN MULTICOMPONENT MIXTURES OF REAL FLUIDS. *Inzynieria Chemiczna i Procesowa*. 11: 537-551.
- Kubaczka, A; Bandrowski, J. (1991). MASS-TRANSPORT IN MULTICOMPONENT MIXTURES OF REAL FLUIDS .2. ALGORITHMS OF THE METHODS AND THEIR VERIFICATION. *Inzynieria Chemiczna i Procesowa*. 12: 81-112.
- Kubota, J; Ma, Z; Zaera, F. (2003). In situ characterization of adsorbates in solid-liquid interfaces by reflection-absorption infrared spectroscopy. *Langmuir*. 19: 3371-3376. <http://dx.doi.org/10.1021/la027031n>.
- Kucherov, AV; Hubbard, CP; Shelef, M. (1995). Rearrangement of cationic sites in CuH-ZSM-5 and reactivity loss upon high-temperature calcination and steam aging. *J Catal*. 157: 603-610.
- Kucherov, AV; Kucherova, TN; Slinkin, AA. (1998). Modification of zeolites by multi-charged cations by the use of in-situ formed "active gas-phase species". *Microporous and Mesoporous Materials*. 26: 1-10.
- Kucherov, AV; Lakeev, SG; Shelef, M. (1998). In situ ESR study of RhZSM-5 interaction with different compounds. *Microporous and Mesoporous Materials*. 20: 355-362.
- Kuenen, FJA; Venema, H; van Gestel, CAM; Verhoef, HA. (2009). Extracting soil microarthropods with olive oil: A novel mechanical extraction method for mesofauna from sandy soils. *European Journal of Soil Biology*. 45: 496-500. <http://dx.doi.org/10.1016/j.ejsobi.2009.07.001>.
- Kuhler, RJ; Santo, GA; Caudill, TR; Betterton, EA; Arnold, RG. (1993). Photoreductive dehalogenation of bromoform with titanium dioxide-cobalt macrocycle hybrid catalysts. *Environ Sci Technol*. 27: 2104-2111.
- Kuhn, M; Bachmann, P. (1990). DEMANDS FOR TURBOMOLECULAR PUMPS IN THE ALUMINUM ETCHING PROCESS. *Vacuum*. 41: 2028-2031.
- Kuijpers, LJM. (1993). COPENHAGEN-1992 - A REVISION OR A LANDMARK - DEVELOPMENT IN INTERNATIONAL AGREEMENTS AND REGULATIONS. *International Journal of Refrigeration*. 16: 210-220.
- Kuila, A; Maity, N; Layek, RK; Nandi, AK. (2014). On the pH sensitive optoelectronic properties of amphiphilic reduced graphene oxide via grafting of poly(dimethylaminoethyl methacrylate): a signature of p- and n-type doping. 2: 16039-16050. <http://dx.doi.org/10.1039/c4ta03408b>.
- Kujawska, M; Ignatowicz, E; Murias, M; Ewertowska, M; Mikołajczyk, K; Jodynis-Liebert, J. (2009). Protective effect of red beetroot against carbon tetrachloride- and N-nitrosodiethylamine-induced oxidative stress in rats. *J Agric Food Chem*. 57: 2570-2575. <http://dx.doi.org/10.1021/jf803315d>.
- Kukic-Markovic, J; Dobric, S; Jacevic, V; Topic, A; Petrovic, S; Marin, P. (2011). INFLUENCE OF SELECTED STACHYS EXTRACTS ON CARBON TETRACHLORIDE-INDUCED LIVER DAMAGE IN RATS. *Digest Journal of Nanomaterials and Biostructures*. 6: 1035-1041.
- Kukkadapu, RK; Boyd, SA. (1995). TETRAMETHYLPHOSPHONIUM-SMECTITE AND TETRAMETHYLAMMONIUM-SMECTITE AS ADSORBENTS OF AROMATIC AND CHLORINATED HYDROCARBONS - EFFECT OF WATER ON ADSORPTION EFFICIENCY. *Clays and Clay Minerals*. 43: 318-323.
- Kulkarni, SB; Kittur, AA; Kulkarni, SS; Kariduraganavar, MY. (2006). Investigations on sorption, diffusion and permeation of chloro-alkanes and -alkenes through fluoroelastomeric membranes. *Desalination*. 196: 43-54. <http://dx.doi.org/10.1016/j.deas.2005.11.019>.
- Kumar, A; Viden, I. (2007). Parameter optimization for the measurement of VOCs by canister system. *Pol J Environ Stud*. 16: 841-846.
- Kumar, BVS; Byrappa, K; Rai, KML; Anand, S; Rao, RV. (2002). The role of AlPO₄-11 in the synthesis of bisphenol-A and cinnamic acid. *Indian J Chem Tech*. 9: 543-544.
- Kumar, FJ; Jayaraman, D; Subramanian, C; Ramasamy, P. (1991). CURVATURE DEPENDENCE OF SURFACE FREE-ENERGY AND NUCLEATION KINETICS OF CCL₄ AND C₂H₂CL₄ VAPORS. *Journal of Mater Sci Lett*. 10: 608-610.
- Kumar, MK; Mitra, T; Ghosh, P. (2006). Adsorption of ionic surfactants at liquid-liquid interfaces in the presence of salt: Application in binary coalescence of drops. *Ind Eng Chem Res*. 45: 7135-7143. <http://dx.doi.org/10.1021/ie0604066>.
- Kumar, P; Karmakar, S; Bohidar, HB. (2008). Anomalous self-aggregation of carbon nanoparticles in polar, nonpolar, and binary solvents. *J Phys Chem C*. 112: 15113-15121. <http://dx.doi.org/10.1021/jp803693u>.
- Kumaran, MK. (2001). Molar volume and speed of sound in the neighborhood of the liquid-liquid critical point of (tetrachloromethane plus tetradecafluoromethylcyclohexane). *Fluid Phase Equilibria*. 182: 313-324.
- Kumari, P; Radhakrishnan, CK; Unnikrishnan, GP; Varghese, S; Sujith, A. (2010). Natural Rubber/Acrylonitrile Butadiene Rubber Blend Membranes: Vapor Permeation Properties. *Chem Eng Tech*. 33: 97-102. <http://dx.doi.org/10.1002/ceat.200900268>.
- Kuo, MH; David, A; Kamelamela, N; White, M; Shultz, MJ. (2007). Nitric acid - Water interaction probed via isolation in carbon tetrachloride. *J Phys Chem C*. 111: 8827-8831. <http://dx.doi.org/10.1021/jp067131s>.
- Kuo, SL; Hines, AL; Dural, NH. (1991). CORRELATION OF METHYL-CHLORIDE, METHYLENE-CHLORIDE, CHLOROFORM, AND CARBON-TETRACHLORIDE ADSORPTION DATA ON SILICA-GEL. *Separation Science and Technology*. 26: 1077-1091.
- Kuokkanen, T; Autio, P. (1989). CHLORINATION OF P CYMENE BY CHLORINE IN CARBON TETRACHLORIDE MODEL COMPOUNDS FOR ENVIRONMENTAL ANALYSES. *Chemosphere*. 18: 9-10.

Exposure Literature Search Results

Off Topic

- Kuokkanen, T; Vahaoja, P; Valimaki, I; Lauhanen, R. (2004). Suitability of the respirometric BOD Oxitop method for determining the biodegradability of oils in ground water using forestry hydraulic oils as model compounds. *Int J Environ Anal Chem.* 84: 677-689. <http://dx.doi.org/10.1080/03067310410001688435>.
- Kuramochi, H; Kawamoto, K. (2006). Modification of UNIFAC parameter table Revision 5 for representation of aqueous solubility and 1-octanol/water partition coefficient for POPs. *Chemosphere.* 63: 698-706. <http://dx.doi.org/10.1016/j.chemosphere.2005.07.070>.
- Kurata, O; Kitanchaen, N; Fujiwara, A; Nakayasu, C; Wada, S; Hatai, K. (2010). Activity of Granulocytes and Chemokines in the Leukocyte-encapsulation Response of Japanese Flounder *Paralichthys olivaceus*. *Gyobyu Kenkyu.* 45: 121-129.
- Kuribayashi, T; Seita, T; Honjo, T; Yamazaki, S; Momotani, E; Yamamoto, S. (2012). Impairment of $\alpha(2)$ -macroglobulin synthesis in experimental hepatopathic rats treated with turpentine oil. *Exp Anim.* 61: 125-130.
- Kurtz, AJ; Lloyd, RS. (2003). 1,N2-deoxyguanosine adducts of acrolein, crotonaldehyde, and trans-4-hydroxynonenal cross-link to peptides via Schiff base linkage. *J Biol Chem.* 278: 5970-5906.
- Kurzrock, T; Weuster-Botz, D. (2011). New reactive extraction systems for separation of bio-succinic acid. *Bioprocess Biosyst Eng.* 34: 779-787. <http://dx.doi.org/10.1007/s00449-011-0526-y>.
- Kushnerova, TV; Fomenko, SE; Kushnerova, NF; Sprygin, VG; Lesnikova, LN; Khotimchenko, Y, uS; Kondratieva, EV. (2010). Antioxidant and membrane-protective properties of an extract from the brown alga *Laminaria japonica*. *Russian Journal of Marine Biology.* 36: 384-389. <http://dx.doi.org/10.1134/S1063074010050093>.
- Kutsuna, S; Ebihara, Y; Nakamura, K; Ibusuki, T. (1993). Heterogeneous photochemical reactions between volatile chlorinated hydrocarbons (trichloroethene and tetrachloroethene) and titanium dioxide (pp. 599-604). (ISSN 0960-1686; BIOSIS/93/18832). Kutsuna, S; Ebihara, Y; Nakamura, K; Ibusuki, T.
- Kuznetsov, GD; Novikova, EM; Zhuravlev, AV. (1988). RATE OF PLASMA-ETCHING OF GALLIUM-ARSENIDE IN A MEDIUM BASED ON CCL4 AND C2F3CL3. *Inorg Mater.* 24: 601-605.
- Kuznetsova, TF. (2002). Mesoporous structure of hydrous tin(IV) oxide coprecipitated with aluminum cations. *Inorg Mater.* 38: 1015-1019.
- Kuznetsova, TF; Burdovitsyna, LI. (1997). Sorption and structural properties of the sequentially precipitated nickel-chromium hydroxides. *Appl Catal A-Gen.* 152: 1-6.
- Kuznetsova, TF; Eremenko, SI; Lemeshonok, GS. (1998). A method to control the ion-sorption properties of porous alumina. *Inorg Mater.* 34: 462-465.
- Kuznetsova, TF; Eremenko, SI; Lemeshonok, GS. (2000). Adsorption properties of tin silicophosphate. *Inorg Mater.* 36: 932-934.
- Kuzuya, T; Hirai, S; Sokolov, VV. (2013). Recovery of valuable metals from a spent nickel-metal hydride battery: Selective chlorination roasting of an anodic active material with CCl4 gas. *Separation and Purification Technology.* 118: 823-827. <http://dx.doi.org/10.1016/j.seppur.2013.08.008>.
- Kwon, K; Shim, H; Bae, W; Oh, J; Bae, J. (2016). Simultaneous biodegradation of carbon tetrachloride and trichloroethylene in a coupled anaerobic/aerobic biobarrier. *J Hazard Mater.* 313: 60-67. <http://dx.doi.org/10.1016/j.jhazmat.2016.03.057>.
- Kwon, M, anJae; Finneran, KT. (2009). Hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX) Reduction Is Concurrently Mediated by Direct Electron Transfer from Hydroquinones and Resulting Biogenic Fe(II) Formed During Electron Shuttle-Amended Biodegradation. *Environ Eng Sci.* 26: 961-971. <http://dx.doi.org/10.1089/ees.2008.0251>.
- Kytokivi, A; Lakomaa, EL; Root, A. (1996). Controlled formation of ZrO2 in the reaction of ZrCl4 vapor with porous silica and gamma-alumina surfaces. *Langmuir.* 12: 4395-4403.
- Kyung, D; Amir, A; Choi, K; Lee, W. (2015). Reductive Transformation of Tetrachloroethene Catalyzed by Sulfide-Cobalamin in Nano-Mackinawite Suspension. *Ind Eng Chem Res.* 54: 1439-1446. <http://dx.doi.org/10.1021/ie503605n>.
- Laborde-Boutet, C; Joly, G; Nicolaos, A; Thomas, M; Magnoux, P. (2006). Selectivity of thiophene/toluene competitive adsorptions onto zeolites. Influence of the alkali metal cation in FAU(Y). *Ind Eng Chem Res.* 45: 8111-8116. <http://dx.doi.org/10.1021/ie060430j>.
- Ladics, GS; Smith, C; Elliott, GS; Slone, TW; Loveless, SE. (1998). Further evaluation of the incorporation of an immunotoxicological functional assay for assessing humoral immunity for hazard identification purposes in rats in a standard toxicology study. *Toxicology.* 126: 137-152.
- Laffineur, F; Couturier, N; Delhalle, J; Mekhalif, Z. (2003). Effect of the solvent on the formation of n-dodecanethiol films on a polycrystalline Ag90Ni10 substrate. *Appl Surf Sci.* 212: 452-457. [http://dx.doi.org/10.1016/S0169-4332\(03\)00141-7](http://dx.doi.org/10.1016/S0169-4332(03)00141-7).
- Lagiewicz, M; Czech, Z. (2010). Oxidation of hexafluoropropylene to hexafluoropropylene oxide using oxygen. *Polish Journal of Chemical Technology.* 12: 1-3. <http://dx.doi.org/10.2478/v10026-010-009-y>.
- Lago, RM; Green, MLH; Tsang, SC; Odlyha, M. (1996). Catalytic decomposition of chlorinated organics in air by copper chloride based catalysts. *Appl Catal B-Environ.* 8: 107-121.
- Lai, B, o. (2012). Comments on the paper "Bioaugmentation and functional partitioning in a zero valent iron-anaerobic reactor for sulfate-containing wastewater treatment" published by JX Zhang, YB Zhang, X. Quan, YW Liu, XL An, S. Chen, HM Zhao in *Chem. Eng. J.* 174 (2011) 159-165. *Chem Eng J.* 209: 677-679. <http://dx.doi.org/10.1016/j.cej.2012.08.072>.
- Lai, B, o. (2013). Comments on the paper "A preliminary study of anaerobic treatment coupled with micro-electrolysis for anthraquinone dye wastewater". *Desalination.* 314: 159-160.
- Lai, B, o; Zhang, Y; Chen, Z; Yang, P; Zhou, Y; Wang, J. (2014). Removal of p-nitrophenol (PNP) in aqueous solution by the micron-scale iron-copper (Fe/Cu) bimetallic particles. *Appl Catal B-Environ.* 144: 816-830. <http://dx.doi.org/10.1016/j.apcatb.2013.08.020>.
- Laimer, J; Misslinger, G; Stori, H. (2003). Diamond deposition with chlorinated methanes: investigation of the plasma chemistry. *Surf Coating Tech.* 174: 938-942. [http://dx.doi.org/10.1016/S0257-8972\(03\)00450-X](http://dx.doi.org/10.1016/S0257-8972(03)00450-X).

Exposure Literature Search Results

Off Topic

- Lakhi, KS; Cha, WS, oo; Joseph, S; Wood, BJ; Aldeyab, SS; Lawrence, G; Choy, J, inHo; Vinu, A. (2015). Cage type mesoporous carbon nitride with large mesopores for CO₂ capture. *Catalysis Today*. 243: 209-217. <http://dx.doi.org/10.1016/j.cattod.2014.08.036>.
- Lal, AAS, am; Murthy, PB; Pillai, KS. (2007). Screening of hepatoprotective effect of a herbal mixture against CCl₄ induced hepatotoxicity in Swiss albino mice. *J Environ Biol*. 28: 201-207.
- Lambert, IB; Singer, TM; Boucher, SE; Douglas, GR. (2005). Detailed review of transgenic rodent mutation assays [Review]. *Mutat Res*. 590: 1-280. <http://dx.doi.org/10.1016/j.mrrev.2005.04.002>.
- Lan, Y; Butler, EC. (2016). Iron-Sulfide-Associated Products Formed during Reductive Dechlorination of Carbon Tetrachloride. *Environ Sci Technol*. 50: 5489-5497. <http://dx.doi.org/10.1021/acs.est.5b06154>.
- Lan, Y; Elwood Madden, AS; Butler, EC. (2016). Transformation of mackinawite to greigite by trichloroethylene and tetrachloroethylene. *Environ Sci Process Impacts*. 18: 1266-1273. <http://dx.doi.org/10.1039/c6em00461j>.
- Lang, XY; Han, LP. (2009). Thermal Stability of Nanocrystals Confined in Nanoporous Media. *J Phys Chem C*. 113: 16036-16041. <http://dx.doi.org/10.1021/jp904844s>.
- Lara, J; Kotvis, PV; Tysoe, WT. (1997). The surface chemistry of chlorinated hydrocarbon extreme-pressure lubricant additives. *Tribology Letters*. 3: 303-309.
- Lara, J; Molero, H; Ramirezcuesta, A; Tysoe, WT. (1996). Structure and growth kinetics of films formed by the thermal decomposition of CCl₄ on iron surfaces. *Langmuir*. 12: 2488-2494.
- Lara, J; Tysoe, WT. (1999). The surface and tribological chemistry of carbon tetrachloride on iron. *Tribology Letters*. 6: 195-198.
- Lara-Romero, J; Maya-Yescas, R; Rico-Cerda, JL; Rivera-Rojas, JL; Castillo, FC; Kaltchev, M; Tysoe, WT. (2006). Surface chemistry of tribochemical reactions explored in ultrahigh vacuum conditions. *Thin Solid Films*. 496: 463-468. <http://dx.doi.org/10.1016/j.tsf.2005.09.108>.
- Lardizábal, MN; Rodríguez, RE; Nocito, AL; Daniele, SM; Palatnik, JF; Veggi, LM. (2014). Alteration of the microRNA-122 regulatory network in rat models of hepatotoxicity. *Environ Toxicol Pharmacol*. 37: 354-364. <http://dx.doi.org/10.1016/j.etap.2013.12.008>.
- Larese-Casanova, P; Scherer, MM. (2007). Fe(II) sorption on hematite: New insights based on spectroscopic measurements. *Environ Sci Technol*. 41: 471-477. <http://dx.doi.org/10.1021/es0617035>.
- Larson, BJ; Gillmor, SD; Braun, JM; Cruz-Barba, LE; Savage, DE; Denes, FS; Lagally, MG. (2013). Long-term reduction in poly(dimethylsiloxane) surface hydrophobicity via cold-plasma treatments. *Langmuir*. 29: 12990-12996. <http://dx.doi.org/10.1021/la403077q>.
- Laternus, F; Matucha, M. (2008). Chloride - a precursor in the formation of volatile organochlorines by forest plants? *J Environ Radioact*. 99: 119-125. <http://dx.doi.org/10.1016/j.jenvrad.2007.07.008>.
- Laube, JC; Keil, A; Boenisch, H; Engel, A; Rockmann, T; Volk, CM; Sturges, WT. (2013). Observation-based assessment of stratospheric fractional release, lifetimes, and ozone depletion potentials of ten important source gases. *Atmos Chem Phys*. 13: 2779-2791. <http://dx.doi.org/10.5194/acp-13-2779-2013>.
- Lavanchy, A; Stockli, M; Wirz, C; Stoekli, F. (1996). Binary adsorption of vapours in active carbons described by the Dubinin equation. *AST*. 13: 537-545.
- Lavanchy, A; Stoekli, F. (1997). Dynamic adsorption of vapour mixtures in active carbon beds described by the Myers-Prausnitz and Dubinin theories. *Carbon*. 35: 1573-1579.
- Lavecchia, R; Piga, L; Pochetti, F; Chacon, L. (1993). PRODUCTION OF TITANIUM CHLORIDE BY CHLORINATION OF ILMENITE WITH CARBON-TETRACHLORIDE. *Institute of Materials, Minerals and Mining Transactions Section C: Mineral Processing & Extractiv*. 102: C174-C178.
- Lavra, V; Bazel, Y; Badida, M; Andruch, V. (2015). Liquid-liquid microextraction and spectrophotometric determination of anionic surfactants using Astra Phloxine FF. *Int J Environ Anal Chem*. 95: 217-224. <http://dx.doi.org/10.1080/03067319.2014.1002488>.
- Laxmi, PNV; Saritha, P; Rambabu, N; Himabindu, V; Anjaneyulu, Y. (2010). Sonochemical degradation of 2chloro-5methyl phenol assisted by TiO₂ and H₂O₂. *J Hazard Mater*. 174: 151-155. <http://dx.doi.org/10.1016/j.jhazmat.2009.09.029>.
- Le Coq, D; Bychkov, A; Honkimaeki, V; Beuneu, B; Bychkov, E. (2008). Neutron and X-ray diffraction studies of TeCl₄ and TeBr₄ liquids. *Journal of Non-Crystalline Solids*. 354: 259-262. <http://dx.doi.org/10.1016/j.jnoncrysol.2007.07.099>.
- Lebedev, AV; Lysenko, SN. (2011). Magnetic fluids stabilized by polypropylene glycol. *Journal of Magnetism and Magnetic Materials*. 323: 1198-1202. <http://dx.doi.org/10.1016/j.jmmm.2010.11.005>.
- Leboda, R; Charnas, B; Chodorowski, S; Skubiszewska-Zieba, J; Gun'ko, VM. (2006). Improved carbon-mineral adsorbents derived from cross-linking carbon-bearing residues in spent palygorskite. *Microporous and Mesoporous Materials*. 87: 207-216. <http://dx.doi.org/10.1016/j.micromeso.2005.08.005>.
- Leboeuf, RA; Kerckaert, GA; Aardema, MJ; Gibson, DP; Brauninger, R; Isfort, RJ. (1996). The pH 6.7 Syrian hamster embryo cell transformation assay for assessing the carcinogenic potential of chemicals [Review]. *Mutat Res*. 356: 85-127. [http://dx.doi.org/10.1016/0027-5107\(95\)00199-9](http://dx.doi.org/10.1016/0027-5107(95)00199-9).
- Ledakowicz, S; Miller, JS. (1993). KINETICS OF TETRACHLOROETHENE PHOTOCHEMICAL OXIDATION. *Chem Eng Sci*. 48: 2443-2451.
- Ledda-Columbano, GM; Coni, P; Simbula, G; Zedda, I; Columbano, A. (1993). Compensatory regeneration, mitogen-induced liver growth, and multistage chemical carcinogenesis [Review]. *Environ Health Perspect*. 101: 163-168.
- Lee, B, umHan; Lee, SK. (2009). Effect of lattice topology on the adsorption of benzyl alcohol on kaolinite surfaces: Quantum chemical calculations of geometry optimization, binding energy, and NMR chemical shielding. *Am Mineral*. 94: 1392-1404. <http://dx.doi.org/10.2138/am.2009.3198>.
- Lee, BD; Apel, WA; Miller, AR. (1999). Removal of low concentrations of carbon tetrachloride in compost-based biofilters operated under methanogenic conditions. *J Air Waste Manag Assoc*. 49: 1068-1074.
- Lee, C; Doong, R, an. (2010). Concentration effect of copper loading on the reductive dechlorination of tetrachloroethylene by zerovalent silicon. *Water Sci Technol*. 62: 28-35. <http://dx.doi.org/10.2166/wst.2010.236>.

Exposure Literature Search Results

Off Topic

- Lee, C; Doong, R, an. (2011). Enhanced Dechlorination of Tetrachloroethylene by Zerovalent Silicon in the Presence of Polyethylene Glycol under Anoxic Conditions. *Environ Sci Technol.* 45: 2301-2307. <http://dx.doi.org/10.1021/es1030273>.
- Lee, CC; Doong, RA. (2008). Dechlorination of tetrachloroethylene in aqueous solutions using metal-modified zerovalent silicon. *Environ Sci Technol.* 42: 4752-4757. <http://dx.doi.org/10.1021/es071545x>.
- Lee, CW; Yen, FL; Huang, HW; Wu, TH; Ko, HH; Tzeng, WS; Lin, CC. (2012). Resveratrol nanoparticle system improves dissolution properties and enhances the hepatoprotective effect of resveratrol through antioxidant and anti-inflammatory pathways. *J Agric Food Chem.* 60: 4662-4671. <http://dx.doi.org/10.1021/jf2050137>.
- Lee, CY. (1998). Carbonization of titanium and molybdenum by hexachloroethane. *Journal of Materials Synthesis and Processing.* 6: 49-53.
- Lee, DW; Alexandrovskii, S; Kim, BK. (2004). Mg-thermal reduction of $TiCl_4 + CxCl_4$ solution for producing ultrafine titanium carbide. *Mater Chem Phys.* 88: 23-26. <http://dx.doi.org/10.1016/j.matchemphys.2004.02.005>.
- Lee, DW; Alexandrovskii, SV; Kim, BK. (2004). Novel synthesis of substoichiometric ultrafine titanium carbide. *Mater Lett.* 58: 1471-1474. <http://dx.doi.org/10.1016/j.matlet.2003.10.011>.
- Lee, DW; Alexandrovskii, SV; Tolochko, OV; Kim, D; Kim, BK. (2005). Synthesis and kinetics for nanocrystalline titanium carbide upon metallothermic reduction of liquid chlorides. *Glass Physics and Chemistry.* 31: 549-553.
- Lee, DW; Kim, BK. (2003). Synthesis of nano-structured titanium carbide by Mg-thermal reduction. *Scripta Mater.* 48: 1513-1518. [http://dx.doi.org/10.1016/S1359-6462\(03\)00130-1](http://dx.doi.org/10.1016/S1359-6462(03)00130-1).
- Lee, G; Rho, S; Jahng, D. (2004). Design considerations for groundwater remediation using reduced metals. *Korean J Chem Eng.* 21: 621-628.
- Lee, IC; Kim, SH; Baek, HS; Moon, C; Kim, SH; Kim, YB; Yun, WK; Kim, HC; Kim, JC. (2015). Protective effects of diallyl disulfide on carbon tetrachloride-induced hepatotoxicity through activation of Nrf2. *Environ Toxicol.* 30: 538-548. <http://dx.doi.org/10.1002/tox.21930>.
- Lee, JW; Shim, WG; Yang, MS; Moon, H. (2004). Adsorption isotherms of polar and nonpolar organic compounds on MCM-48 at (303.15, 313.15, and 323.15) K. *Journal of Chemical and Engineering Data.* 49: 502-509.
- Lee, JY; Hozalski, RM; Arnold, WA. (2007). Effects of dissolved oxygen and iron aging on the reduction of trichloronitromethane, trichloroacetonitrile, and trichloropropanone. *Chemosphere.* 66: 2127-2135. <http://dx.doi.org/10.1016/j.chemosphere.2006.09.041>.
- Lee, JY; Yeo, YK; Moon, HM; Park, DS. (2000). Modeling and simulation of sulfur hexafluoride (SF_6) purification process. *Korean J Chem Eng.* 17: 252-256.
- Lee, KY; Lee, JY; Khinast, J; Stencel, JR; Lavid, M. (2004). Photochemical remediation of tetrachloroethylene: Reactor design, construction, and preliminary results. *J Environ Eng.* 130: 100-103. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2004\)130:1\(100\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2004)130:1(100)).
- Lee, MJ; Chiu, JY; Hwang, SM; Lin, HM. (1999). Viscosity calculations with the Eyring-Patel-Teja model for liquid mixtures. *Ind Eng Chem Res.* 38: 2867-2876.
- Lee, MJ; Lin, TK; Hwang, SM. (1998). Viscosity calculations with the aid of an equation of state. *Journal of the Chinese Institute of Chemical Engineers.* 29: 73-83.
- Lee, SM; Lee, SB; Park, CH; Choi, J. (2006). Expression of heat shock protein and hemoglobin genes in *Chironomus tentans* (Diptera, chironomidae) larvae exposed to various environmental pollutants: A potential biomarker of freshwater monitoring. *Chemosphere.* 65: 1074-1081. <http://dx.doi.org/10.1016/j.chemosphere.2006.02.042>.
- Lee, T; Lim, H; Lee, Y; Park, JW. (2003). Use of waste iron metal for removal of Cr(VI) from water. *Chemosphere.* 53: 479-485. [http://dx.doi.org/10.1016/S0045-6535\(03\)00548-4](http://dx.doi.org/10.1016/S0045-6535(03)00548-4).
- Lee, W; Batchelor, B. (2002). Abiotic reductive dechlorination of chlorinated ethylenes by iron-bearing soil minerals. 1. Pyrite and magnetite. *Environ Sci Technol.* 36: 5147-5154. <http://dx.doi.org/10.1021/es025836b>.
- Lee, W; Batchelor, B. (2002). Abiotic, reductive dechlorination of chlorinated ethylenes by iron-bearing soil minerals. 2. Green rust. *Environ Sci Technol.* 36: 5348-5354. <http://dx.doi.org/10.1021/es0258374>.
- Lee, W; Batchelor, B. (2003). Reductive capacity of natural reductants. *Environ Sci Technol.* 37: 535-541. <http://dx.doi.org/10.1021/es025830m>.
- Lee, W; Batchelor, B. (2004). Abiotic reductive dechlorination of chlorinated ethylenes by iron-bearing phyllosilicates. *Chemosphere.* 56: 999-1009. <http://dx.doi.org/10.1016/j.chemosphere.2004.05.015>.
- Lee, W; Batchelor, B. (2004). Abiotic reductive dechlorination of chlorinated ethylenes by soil. *Chemosphere.* 55: 705-713. <http://dx.doi.org/10.1016/j.chemosphere.2003.11.033>.
- Lee, WH; Park, JS; Sok, JH; Reucroft, P. (2005). Effects of pore structure and surface state on the adsorption properties of nano-porous carbon materials in low and high relative pressures. *Appl Surf Sci.* 246: 77-81. <http://dx.doi.org/10.1016/j.apsusc.2004.10.038>.
- Lee, WH; Reucroft, PJ. (1999). Vapor adsorption on coal- and wood-based chemically activated carbons - (II) - adsorption of organic vapors. *Carbon.* 37: 15-20.
- Lee, WJ; Chen, CY; Lin, WC; Wang, YT; Chin, CJ. (1996). Phosgene formation from the decomposition of 1,1-C₂H₂Cl₂ contained gas in an RF plasma reactor. *J Hazard Mater.* 48: 51-67.
- Lee, WJ; Cicek, B; Senkan, SM. (1993). Chemical structures of fuel-rich and fuel-lean flames of chloroform/methane mixtures. *Environ Sci Technol.* 27: 949-960. <http://dx.doi.org/10.1021/es00042a019>.
- Lee, Y; Bae, S; Lee, W. (2012). Degradation of carbon tetrachloride in modified Fenton reaction. *Korean J Chem Eng.* 29: 769-774. <http://dx.doi.org/10.1007/s11814-011-0261-8>.
- Lee, YL. (2003). Surfactants effects on mass transfer during drop-formation and drop falling stages. *AIChE J.* 49: 1859-1869.
- Lee, YL; Lin, SY. (2004). Influence of acid treatment on the surface activity and mass transfer inhibition of a splittable surfactant. *J Chem Tech Biotechnol.* 79: 678-685. <http://dx.doi.org/10.1002/jctb.1019>.
- Lefebvre, Y; Lacelle, S; Jolicoeur, C. (1992). SURFACE FRACTAL DIMENSIONS OF SOME INDUSTRIAL MINERALS FROM GAS-PHASE ADSORPTION-ISOTHERMS. *J Mater Res.* 7: 1888-1891.

Exposure Literature Search Results

Off Topic

- Legawiec-Jarzyna, M; Srebrowata, A; Juszykna, W; Karpinski, Z. (2004). Hydrodechlorination over Pd-Pt/Al(2)O(3) catalysts - A comparative study of chlorine removal from dichlorodifluoromethane, carbon tetrachloride and 1,2-dichloroethane. *Appl Catal A-Gen.* 271: 61-68. <http://dx.doi.org/10.1016/j.apcata.2004.01.036>.
- Lei, QF; Lin, RS; Ni, DY; Hou, YC. (1997). Thermal conductivities of some organic solvents and their binary mixtures. *Journal of Chemical and Engineering Data.* 42: 971-974.
- Lei, YJ; Ren, F; Mei, YZ; Gao, C; Zhu, LG; Lu, AX. (2014). Judd-Ofelt analysis and improvement in thermal stability and optical properties of Er³⁺-doped TeO₂-ZnO-Na₂O-B₂O₃-GeO₂ glasses. *Mater Res Innovat.* 18: 259-266. <http://dx.doi.org/10.1179/1433075X11Y.0000000059>.
- Leighton, DT, Jr; Calo, JM. (1981). Distribution coefficients of chlorinated hydrocarbons in dilute air-water systems for groundwater contamination applications. *Journal of Chemical and Engineering Data.* 26: 382-585. <http://dx.doi.org/10.1021/je00026a010>.
- Leisinger, T; Braus-Stromeyer, SA. (1995). Bacterial growth with chlorinated methanes [Review]. *Environ Health Perspect.* 103 Suppl 5: 33-36.
- Leith, IR; HIGHTOWE JW; Harkins, CG. (1970). STRESS CORROSION CRACKING OF TITANIUM - SOME SURFACE CHEMICAL REACTIONS IN METHANOL AND CARBON TETRACHLORIDE. *Corrosion.* 26: 377-&.
- Lekha, PC; Balaji, M; Subramanian, S; Padiyan, DP. (2010). Sensing properties of polyoxomolybdate doped polyaniline nanomaterials for oxidising and reducing volatile organic compounds. *Curr Appl Phys.* 10: 457-467. <http://dx.doi.org/10.1016/j.cap.2009.07.005>.
- Lekmine, G; Bastow, TP; Johnston, CD; Davis, GB. (2014). Dissolution of multi-component LNAPL gasolines: the effects of weathering and composition. *J Contam Hydrol.* 160: 1-11. <http://dx.doi.org/10.1016/j.jconhyd.2014.02.003>.
- Lemieux, PM; Ryan, JV. (1998). Enhanced formation of chlorinated PICs by the addition of bromine. *Combust Sci Tech.* 134: 367-387.
- Lemieux, PM; Ryan, JV; Bass, C; Barat, R. (1996). Emissions of trace products of incomplete combustion from a pilot-scale incinerator secondary combustion chamber. *J Air Waste Manag Assoc.* 46: 309-316.
- Lendvay, JM; Sauck, WA; McCormick, ML; Barcelona, MJ; Kampbell, DH; Wilson, JT; Adriaens, P. (1998). Geophysical characterization, redox zonation, and contaminant distribution at a groundwater surface water interface. *Water Resour Res.* 34: 3545-3559.
- Leng, JF; Nies, LF. (1999). The relationship between anaerobic reductive dechlorination and biomethylation of mercury (Reprinted from *Advances in Environmental Research*, vol 3, pg 389-402, 2000). *Adv Environ Res.* 3: U1-402.
- Lepori, L; Matteoli, E. (1997). Excess Gibbs energies of the ternary system ethanol plus tetrahydrofuran plus cyclohexane at 298.15 K. *Fluid Phase Equilibria.* 134: 113-131.
- Lepori, L; Matteoli, E; Conti, G; Gianni, P. (1998). Excess Gibbs energies of the ternary system ethanol plus N,N-dimethylformamide plus cyclohexane at 298.15 K. *Fluid Phase Equilibria.* 153: 293-315.
- Lepori, L; Matteoli, E; Gianni, P; Righetti, MC. (2015). Thermodynamic study of heptane plus amine mixtures. V. Excess and solvation Gibbs energies. *Fluid Phase Equilibria.* 387: 198-208. <http://dx.doi.org/10.1016/j.fluid.2014.12.017>.
- Lepori, L; Matteoli, E; Spanedda, A; Duce, C; Tine, MR. (2002). Volume changes on mixing perfluoroalkanes with alkanes or ethers at 298.15 K. *Fluid Phase Equilibria.* 201: 119-134.
- Lepori, L; Matteoli, E; Tine, MR. (1990). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA OF TETRACHLOROMETHANE + LINEAR ETHER OR ACETAL MIXTURES AT 298.15-K. *Journal of Chemical and Engineering Data.* 35: 179-182.
- Lepori, L; Matteoli, E; Tine, MR. (1991). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA OF MIXTURES CONTAINING ORGANIC-COMPOUNDS .7. EXCESS GIBBS ENERGIES OF CHLOROALKANE + OXAALKANE MIXTURES AT 298.15-K. *Journal of Chemical and Engineering Data.* 36: 406-409.
- Lepori, L; Matteoli, E; Tine, MR. (1993). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA OF MIXTURES OF ORGANIC-COMPOUNDS .8. EXCESS GIBBS ENERGIES OF TETRACHLOROMETHANE PLUS CYCLIC OXAALKANE MIXTURES AT 298.15-K. *Fluid Phase Equilibria.* 87: 177-188.
- Leroux, M; Beaumont, B; Grandjean, N; Lorenzini, P; Haffouz, S; Venegues, P; Massies, J; Gibart, P. (1997). Luminescence and reflectivity studies of undoped, n- and p-doped GaN on (0001) sapphire. *Mater Sci Eng B.* 50: 97-104.
- Lesage, S; Brown, S; Millar, K. (1996). Vitamin B-12-catalyzed dechlorination of perchloroethylene present as residual DNAPL. *Ground Water Monitoring and Remediation.* 16: 76-85.
- Lesage, S; Brown, S; Millar, K. (1998). A different mechanism for the reductive dechlorination of chlorinated ethenes: Kinetic and spectroscopic evidence. *Environ Sci Technol.* 32: 2264-2272.
- Lesage, S; Brown, S; Millar, K; Steer, H. (2003). Simulation of a ground water recirculation well with a dual-column laboratory setup. *Ground Water Monitoring and Remediation.* 23: 102-110.
- Leskiv, M; Bernardes, CES; Minas da Piedade, ME. (2009). A calorimetric system based on the LKB 10700-1 flow microcalorimeter. *Meas Sci Technol.* 20. <http://dx.doi.org/10.1088/0957-0233/20/7/075107>.
- Leung, CW; Tsui, WL; Shin, FG. (1998). A dielectric binary mixture formula with an interaction term. *Journal of Materials Science.* 33: 5163-5167.
- Lewis, RJ, Sr. (2007). *Hawley's condensed chemical dictionary (15th ed.)*. Hoboken, NJ: John Wiley & Sons. <http://dx.doi.org/10.1002/9780470114735>.
- Lewis, S; Lynch, A; Bachas, L; Hampson, S; Ormsbee, L; Bhattacharyya, D. (2009). Chelate-Modified Fenton Reaction for the Degradation of Trichloroethylene in Aqueous and Two-Phase Systems. *Environ Eng Sci.* 26: 849-859. <http://dx.doi.org/10.1089/ees.2008.0277>.
- Lewis, TA; Morra, MJ; Brown, PD. (1996). Comparative product analysis of carbon tetrachloride dehalogenation catalyzed by cobalt corrins in the presence of thiol or titanium (III) reducing agents. *Environ Sci Technol.* 30: 292-300.
- Lewis, TA; Morra, MJ; Habdas, J; Czuchajowski, L; Brown, PD. (1995). Reductive dechlorination of carbon tetrachloride mediated by cationic water-soluble metalloporphyrins. *J Environ Qual.* 24: 56-61.
- Lewis, TA; Paszczynski, A; Gordon-Wylie, SW; Jeedigunta, S; Lee, CH; Crawford, RL. (2001). Carbon tetrachloride dechlorination by the bacterial transition metal chelator pyridine-2,6-bis(thiocarboxylic acid). *Environ Sci Technol.* 35: 552-559. <http://dx.doi.org/10.1021/es001419s>.
- Lezal, D; Pedlikova, J; Gurovic, J; Vogt, R. (1996). The preparation of chalcogenide glasses in chlorine reactive atmosphere. *Ceramics - Silikaty.* 40: 55-59.

Exposure Literature Search Results

Off Topic

- Li, B, o; Metiu, H. (2012). Does Halogen Adsorption Activate the Oxygen Atom on an Oxide Surface? I. A Study of Br-2 and HBr Adsorption on La₂O₃ and La₂O₃ Doped with Mg or Zr. *J Phys Chem C*. 116: 4137-4148. <http://dx.doi.org/10.1021/jp209857s>.
- Li, C; Du, Z; Zou, W, ei; Li, H; Zhang, C. (2015). Fabrication of copper coated polymer foam and their application for hexavalent chromium removal. *React Funct Polym*. 88: 24-30. <http://dx.doi.org/10.1016/j.reactfunctpolym.2015.02.001>.
- Li, C; Hu, G; Zhong, W; He, W; Du, W; Qian, F. (2013). Coke Deposition Influence Based on a Run Length Simulation of a 1,2-Dichloroethane Cracker. *Ind Eng Chem Res*. 52: 17501-17516. <http://dx.doi.org/10.1021/ie401265f>.
- Li, C, min; Li, L; Bai, J, yan; Wu, J, ie; Huang, S; Wang, G, enlin. (2013). Correlation between heat shock protein 32 and chronic heat-induced liver injury in developing mice. *J Therm Biol*. 38: 513-519. <http://dx.doi.org/10.1016/j.jtherbio.2013.08.006>.
- Li, C; Xu, M; Sun, X; Han, S; Wu, X; Liu, Y, ouN; Huang, J; Deng, S. (2013). Chemical modification of Amberlite XAD-4 by carbonyl groups for phenol adsorption from wastewater. *Chem Eng J*. 229: 20-26. <http://dx.doi.org/10.1016/j.cej.2013.05.090>.
- Li, C; Yang, XG; Yang, BJ; Qian, YT. (2006). A chemical co-reduction route to synthesize nanocrystalline vanadium carbide. *Journal of the American Ceramic Society*. 89: 320-322. <http://dx.doi.org/10.1111/j.1551-2916.2005.00655.x>.
- Li, CT; Lee, WJ; Chen, CY; Wang, YT. (1996). CH₂Cl₂ decomposition by using a radio-frequency plasma system. *J Chem Tech Biotechnol*. 66: 382-388.
- Li, CT; Yang, RB; Shih, ML; Chen, CY; Hsieh, LT. (2003). Decomposition of 1,2-dichloroethane in an RF plasma environment. *J Chem Tech Biotechnol*. 78: 817-823. <http://dx.doi.org/10.1002/jctb.868>.
- Li, CT; Yang, RB; Shih, ML; Tsai, PJ; Hsieh, LT; Chen, CY. (2003). Reaction mechanism of 1,2-dichloroethane/O-2/Ar in the cold plasma environment. *Chem Eng J*. 92: 177-184.
- Li, DA; Yakushiji, D; Kanazawa, S; Ohkubo, T; Nomoto, Y. (2002). Decomposition of toluene by streamer corona discharge with catalyst. *Journal of Electrostatics*. 55: 311-319.
- Li, F; Lin, Y; Wang, X; Geng, Y; Wang, D. (2009). Preparative isolation and purification of capsaicinoids from *Capsicum frutescens* using high-speed counter-current chromatography. *Separation and Purification Technology*. 64: 304-308. <http://dx.doi.org/10.1016/j.seppur.2008.10.005>.
- Li, F; Wang, X; Liu, C; Li, Y; Zeng, F; Liu, L. (2008). Reductive transformation of pentachlorophenol on the interface of subtropical soil colloids and water. *Geoderma*. 148: 70-78. <http://dx.doi.org/10.1016/j.geoderma.2008.09.003>.
- Li, FB; Li, XM; Zhou, SG; Zhuang, L; Cao, F; Huang, DY; Xu, W; Liu, TX; Feng, CH. (2010). Enhanced reductive dechlorination of DDT in an anaerobic system of dissimilatory iron-reducing bacteria and iron oxide. *Environ Pollut*. 158: 1733-1740. <http://dx.doi.org/10.1016/j.envpol.2009.11.020>.
- Li, G; Jagadish, C. (1997). Recent progress in delta-doping of III-V semiconductors grown by metal organic vapour phase epitaxy. *Solid-State Electronics*. 41: 1207-1225.
- Li, H; Betterton, EA; Arnold, RG; Ela, WP; Barbaris, B; Grachane, C. (2005). Convenient new chemical actinometer based on aqueous acetone, 2-propanol, and carbon tetrachloride. *Environ Sci Technol*. 39: 2262-2266. <http://dx.doi.org/10.1021/es050046y>.
- Li, H; Fan, C; Vosgueritchian, M; Tee, BCK; Chen, H. (2014). Solution-grown aligned C-60 single-crystals for field-effect transistors. 2: 3617-3624. <http://dx.doi.org/10.1039/c3tc32431a>.
- Li, HX; Reinhardt, F; Birch, L; Bradford, G. (2004). High-efficient carbon-doped InGaAs/AlGaAs/GaAs quantum well lasers. *J Cryst Growth*. 263: 181-184. <http://dx.doi.org/10.1016/j.jcrysgro.2003.12.012>.
- Li, HX; Reinhardt, F; Macomber, S. (2003). Carbon auto-doped AlGaAs/GaAs quantum well lasers. *J Cryst Growth*. 256: 52-55. [http://dx.doi.org/10.1016/S0022-0248\(03\)01357-5](http://dx.doi.org/10.1016/S0022-0248(03)01357-5).
- Li, J, ie; Jiang, XY; Xu, J, iF; Zhong, L, iF; Wang, XC, e; Wang, G, uiQin; Zhao, P, eiPei. (2014). Determination of Platinum-Group Elements and Re-Os Isotopes using ID-ICP-MS and N-TIMS from a Single Digestion after Two-Stage Column Separation. *Geostandards and Geoanalytical Research*. 38: 37-50. <http://dx.doi.org/10.1111/j.1751-908X.2013.00242.x>.
- Li, J; Kuech, TF. (1997). Evolution of surface structure during carbon doping in the metal-organic vapor-phase epitaxial growth of GaAs. *J Cryst Growth*. 181: 171-180.
- Li, J; Kuech, TF. (1997). Surface morphology of carbon-doped GaAs grown by MOVPE. *J Cryst Growth*. 170: 292-296.
- Li, J, ie; Liang, X; Joo, J, iB; Lee, I; Yin, Y; Zaera, F. (2013). Mass Transport across the Porous Oxide Shells of Core-Shell and Yolk-Shell Nanostructures in Liquid Phase. *J Phys Chem C*. 117: 20043-20053. <http://dx.doi.org/10.1021/jp406991y>.
- Li, JC; Han, Y; Sun, Y; Jian, XH; Ba, DC. (2011). Study of the jet flow field of vacuum spray process. *Thin Solid Films*. 520: 891-895. <http://dx.doi.org/10.1016/j.tsf.2011.04.170>.
- Li, L; Fan, MH; Brown, RC; Van Leeuwen, JH; Wang, JJ; Wang, WH; Song, YH; Zhang, PY. (2006). Synthesis, properties, and environmental applications of nanoscale iron-based materials: A review. *Crit Rev Environ Sci Tech*. 36: 405-431. <http://dx.doi.org/10.1080/10643380600620387>.
- Li, L; Qi, H; Gan, S; Han, BK; Hicks, RF. (1998). Site-specific chemistry of carbon tetrachloride decomposition on GaAs(001). *Applied Physics A: Materials Science and Processing*. 66: S501-S505.
- Li, N; Li, T, ao; Lei, X; Fu, B, o; Liao, W; Qiu, J. (2014). Preparation and Characterization of Porous PDMS Beads for Oil and Organic Solvent Sorption. *Polymer Engineering and Science*. 54: 2965-2969. <http://dx.doi.org/10.1002/pen.23860>.
- Li, NY; Dong, HK; Tu, CW; Geva, M. (1995). P-TYPE GAAS DOPED BY DIODOMETHANE (CI₂H₂) IN MOLECULAR-BEAM EPITAXY, METALORGANIC MOLECULAR-BEAM EPITAXY, AND CHEMICAL BEAM EPITAXY. *J Cryst Growth*. 150: 246-250.
- Li, Q; Yang, J; Feng, D, an; Wu, Z; Wu, Q; Park, SS, oo; Ha, CS, ik; Zhao, D. (2010). Facile synthesis of porous carbon nitride spheres with hierarchical three-dimensional mesostructures for CO₂ capture. *Nano Research*. 3: 632-642. <http://dx.doi.org/10.1007/s12274-010-0023-7>.

Exposure Literature Search Results

Off Topic

- Li, T; Farrell, J. (2000). Reductive dechlorination of trichloroethene and carbon tetrachloride using iron and palladized-iron cathodes. *Environ Sci Technol.* 34: 173-179.
- Li, T; Farrell, J. (2001). Electrochemical investigation of the rate-limiting mechanisms for trichloroethylene and carbon tetrachloride reduction at iron surfaces. *Environ Sci Technol.* 35: 3560-3565.
- Li, TD; Zhou, W; Yi, J; Zhang, W; Lin, YR; Li, SF. (2011). [Simultaneous determination of seven chemicals of halogenated alkanes and aromatic hydrocarbons in the air of workplace by gas chromatography]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 29: 146-147.
- Li, W; Willey, RJ. (1997). Stability of hydroxyl and methoxy surface groups on silica aerogels. *Journal of Non-Crystalline Solids.* 212: 243-249.
- Li, W, ei; Xie, X, inan; Tang, CZ; Li, Y, an; Li, L, u; Wang, Y, ali; Fan, D, i; Wei, X. (2016). The Distribution of Bio-Oil Components with the Effects of Sub/Supercritical Ethanol and Free Radicals during Cellulose Liquefaction. *BioResources.* 11: 9771-9788. <http://dx.doi.org/10.15376/biores.11.4.9771-9788>.
- Li, X; Pan, X; Zhou, Y; Bao, X. (2013). Modulation of the textures and chemical nature of C-SiC as the support of Pd for liquid phase hydrogenation. *Carbon.* 57: 34-41. <http://dx.doi.org/10.1016/j.carbon.2013.01.013>.
- Li, Y; Bachas, LG; Bhattacharyya, D. (2007). Selected chloro-organic detoxifications by polychelate (Poly(acrylic acid)) and citrate-based Fenton reaction at neutral pH environment. *Ind Eng Chem Res.* 46: 7984-7992. <http://dx.doi.org/10.1021/ie070393b>.
- Li, Y; Chen, Z; Li, X; Zeng, H. (2011). A new surface modification method to improve the dispersity of nano-silica in organic solvents. *Journal of Sol-Gel Science and Technology.* 58: 290-295. <http://dx.doi.org/10.1007/s10971-010-2389-0>.
- Li, Y; Dai, K, un; Zhao, J; Li, N; Zheng, G; Liu, C; Chen, J; Shen, C. (2015). Liquid-Sensing Behaviors of Carbon Black/Polypropylene and Carbon Nanotubes/Polypropylene Composites: A Comparative Study. *Polymer Composites.* 36: 205-213. <http://dx.doi.org/10.1002/pc.22931>.
- Li, Y, u; Wang, T; Jian, Y. (2010). A SENSITIVE METHOD FOR THE DETERMINATION OF BROMINATED DIPHENYL ETHER (BDE-209) IN WATER BASED ON DISPERSIVE LIQUID-LIQUID MICROEXTRACTION AND ORTHOGONAL TEST. *Fresen Environ Bull.* 19: 516-521.
- Li, YG; He, Z; Tang, HS; Liu, LY; Xu, L; Wang, WC. (2004). The study of preparing "low-water" content quartz glass by sol-gel method. 33: 100-102.
- Li, YG; Liu, LY; He, ZA; Tang, HS; Xiao, SM; Xu, L; Wang, WC. (2004). Improvement of fluorescence lifetime from Er-doped sol-gel silica glass by dehydration in CCl₄. *Journal of Sol-Gel Science and Technology.* 30: 29-33.
- Li, YX; Wang, YD; Dai, YY. (2004). Effect of diluents on the extraction of oxalic acid by trialkylphosphine oxide. *Chinese Journal of Chemical Engineering.* 12: 143-148.
- Li, YY; Chen, Y, anJun; Liu, ZH, ua. (2014). A uniform correlation for predicting pool boiling heat transfer on plane surface with surface characteristics effect. *Int J Heat Mass Tran.* 77: 809-817. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2014.05.060>.
- Li, YZ; Fan, YN; Luo, GF. (2004). Investigation into the liquid selective hydrogenation of long chain alkadienes on molybdenum carbide and metallic molybdenum and/or boride mixture prepared by a thermosynthesis method at moderate temperature. *Ind Eng Chem Res.* 43: 1334-1339. <http://dx.doi.org/10.1021/ie034193l>.
- Li, Z; Potapenko, DV; Rim, KT; Flytzani-Stephanopoulos, M; Flynn, GW; Osgood, RM; Wen, XD; Batista, ER. (2015). Reactions of Deuterated Methanol (CD₃OD) on Fe₃O₄(111). *J Phys Chem C.* 119: 1113-1120. <http://dx.doi.org/10.1021/jp510821g>.
- Li, Z; Yu, G; Song, J; Wang, Q; Liu, M; Yang, Y. (2013). Study on the determination of heavy metals in water samples with ultrasound-assisted dispersive liquid-liquid microextraction prior to FAAS. *Water Sci Technol.* 67: 247-253. <http://dx.doi.org/10.2166/wst.2012.524>.
- Li, ZH; Cui, HH. (2002). Proceeding of experiments about liquid flow through microtubes. *International Journal of Nonlinear Sciences and Numerical Simulation.* 3: 577-580.
- Li, ZH; Li, H; Zhang, YM; Xue, MZ; Zhou, L; Liu, YG. (2005). A hybrid supported nickel catalyst for the controlled radical polymerization of methyl methacrylate. *Appl Catal A-Gen.* 292: 61-67. <http://dx.doi.org/10.1016/j.apcata.2005.05.030>.
- Li, ZY; Qin, W; Dai, YY. (2002). Equilibrium of extraction of p-aminobenzenesulfonic acid by Aliquat 336. *Chinese Journal of Chemical Engineering.* 10: 411-415.
- Li, ZY; Qin, W; Dai, YY. (2002). Liquid-liquid equilibria of acetic, propionic, butyric, and valeric acids with trioethylamine as extractant. *Journal of Chemical and Engineering Data.* 47: 843-848. <http://dx.doi.org/10.1021/je015526t>.
- Li, ZY; Qin, W; Dai, YY. (2003). Liquid-liquid equilibria of aqueous acetic acid derivatives with trioethylamine and select organic diluents. *Journal of Chemical and Engineering Data.* 48: 1113-1119. <http://dx.doi.org/10.1021/je025628z>.
- Liang, C; Lee, PH. (2012). Granular activated carbon/pyrite composites for environmental application: synthesis and characterization. *J Hazard Mater.* 231-232: 120-126. <http://dx.doi.org/10.1016/j.jhazmat.2012.06.048>.
- Liang, C; Lei, JH. (2015). Identification of Active Radical Species in Alkaline Persulfate Oxidation. *Water Environ Res.* 87: 656-659. <http://dx.doi.org/10.2175/106143015X14338845154986>.
- Liang, J; Song, C; Deng, J. (2014). Optically active microspheres constructed by helical substituted polyacetylene and used for adsorption of organic compounds in aqueous systems. 6: 19041-19049. <http://dx.doi.org/10.1021/am504943x>.
- Liang, LY; Korte, N; Gu, BH; Puls, R; Reeter, C. (2000). Geochemical and microbial reactions affecting the long-term performance of in situ 'iron barriers'. *Adv Environ Res.* 4: 273-286.
- Liang, X; Butler, EC. (2010). Effects of natural organic matter model compounds on the transformation of carbon tetrachloride by chloride green rust. *Water Res.* 44: 2125-2132. <http://dx.doi.org/10.1016/j.watres.2009.12.026>.
- Liang, X; Philp, RP; Butler, EC. (2009). Kinetic and isotope analyses of tetrachloroethylene and trichloroethylene degradation by model Fe(II)-bearing minerals. *Chemosphere.* 75: 63-69. <http://dx.doi.org/10.1016/j.chemosphere.2008.11.042>.
- Liang, XR, ui; Si, CX, ia; Chen, F, eiYan; Su, W, eiKe; Yu, XN, a. (2009). Solubility of Tiamulin Hydrogen Fumarate in Acetone, Acetonitrile, Ethyl Acetate, Ethyl Formate, and Butyl Acetate from (288.2 to 318.2) K. *Journal of Chemical and Engineering Data.* 54: 1126-1128. <http://dx.doi.org/10.1021/je800838w>.

Exposure Literature Search Results

Off Topic

- Lieber, CS. (2004). Alcoholic fatty liver: its pathogenesis and mechanism of progression to inflammation and fibrosis [Review]. *Alcohol*. 34: 9-19. <http://dx.doi.org/10.1016/j.alcohol.2004.07.008>.
- Lieberman, MW; Lykissa, ED; Barrios, R; Ou, CN; Kala, G; Kala, SV. (1999). Cyclosiloxanes produce fatal liver and lung damage in mice. *Environ Health Perspect*. 107: 161-165.
- Liekhus, KJ; Zlochower, IA; Cashdollar, KL; Djordjevic, SM; Loehr, CA. (2000). Flammability of gas mixtures containing volatile organic compounds and hydrogen. *J Loss Prev Process Indust*. 13: 377-384.
- Lien, HL. (2005). Transformation of chlorinated methanes by zero-valent aluminum coupled with Pd/Al₂O₃. *Environ Technol*. 26: 663-672.
- Lien, HL; Jhuo, YS; Chen, LH. (2007). Effect of heavy metals on dechlorination of carbon tetrachloride by iron nanoparticles. *Environ Eng Sci*. 24: 21-30. <http://dx.doi.org/10.1089/ees.2007.24.21>.
- Lien, HL; Zhang, W, eiX. (2007). Nanoscale Pd/Fe bimetallic particles: Catalytic effects of palladium on hydrodechlorination. *Appl Catal B-Environ*. 77: 110-116. <http://dx.doi.org/10.1016/j.apcatb.2007.07.014>.
- Lien, HL; Zhang, WX. (1999). Transformation of chlorinated methanes by nanoscale iron particles. *J Environ Eng*. 125: 1042-1047.
- Lien, HL; Zhang, WX. (2002). Enhanced dehalogenation of halogenated methanes by bimetallic Cu/Al. *Chemosphere*. 49: 371-378.
- Lifka, J; Ondruschka, B; Hofmann, J. (2002). The use of ultrasound for the degradation of organic compounds in water: Aquasonolysis - A review. *Chem Ing Tech*. 74: 403-413.
- Lim, DH, ee; Lastoskie, CM; Soon, A; Becker, U, do. (2009). Density Functional Theory Studies of Chloroethene Adsorption on Zerovalent Iron. *Environ Sci Technol*. 43: 1192-1198. <http://dx.doi.org/10.1021/es802523a>.
- Lim, SR; Lam, CW; Schoenung, JM. (2010). Quantity-based and toxicity-based evaluation of the U.S. Toxics Release Inventory. *J Hazard Mater*. 178: 49-56. <http://dx.doi.org/10.1016/j.jhazmat.2010.01.041>.
- Lima, GD; Sleep, BE. (2007). The spatial distribution of eubacteria and archaea in sand-clay columns degrading carbon tetrachloride and methanol. *J Contam Hydrol*. 94: 34-48. <http://dx.doi.org/10.1016/j.jconhyd.2007.05.001>.
- Lima, GD; Sleep, BE. (2010). The Impact of Carbon Tetrachloride on an Anaerobic Methanol-Degrading Microbial Community. *Water Air Soil Pollut*. 212: 357-368. <http://dx.doi.org/10.1007/s11270-010-0350-z>.
- Limao-Vieira, P; Lobo, RFM. (1999). Low energy electron beam for time-of-flight ionization measurements. *Vacuum*. 52: 19-22.
- Lin, CF; Hsieh, HM, in; Lee, LS, un. (2007). Estimations of the viscosities of binary mixtures with different equations of state and mixing rules. *Journal of the Chinese Institute of Chemical Engineers*. 38: 1-19. <http://dx.doi.org/10.1016/j.jcice.2006.10.001>.
- Lin, CJ; Liou, YH; Lo, SL. (2009). Supported Pd/Sn bimetallic nanoparticles for reductive dechlorination of aqueous trichloroethylene. *Chemosphere*. 74: 314-319. <http://dx.doi.org/10.1016/j.chemosphere.2008.08.046>.
- Lin, CJ; Lo, SL; Liou, YH. (2004). Dechlorination of trichloroethylene in aqueous solution by noble metal-modified iron. *J Hazard Mater*. 116: 219-228. <http://dx.doi.org/10.1016/j.jhazmat.2004.09.005>.
- Lin, CJ; Lo, SL; Liou, YH. (2005). Degradation of aqueous carbon tetrachloride by nanoscale zerovalent copper on a cation resin. *Chemosphere*. 59: 1299-1307. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.064>.
- Lin, H; Zhang, X; Shen, Y; Zheng, Y; Guo, Y; Zhu, Y; Diao, X; Wang, T; Chen, S; Chen, X. (2017). Model-dependent and model-independent approaches for evaluating hepatic fibrosis in rat liver using shearwave dispersion ultrasound vibrometry. 39: 66-72. <http://dx.doi.org/10.1016/j.medengphy.2016.10.007>.
- Lin, K; Ding, J; Wang, H; Huang, X; Gan, J. (2012). Goethite-mediated transformation of bisphenol A. *Chemosphere*. 89: 789-795. <http://dx.doi.org/10.1016/j.chemosphere.2012.04.053>.
- Lin, L, i; Quezada, BR; Stair, PC. (2010). Adsorption, Desorption, and Reaction of Methyl Radicals on Surface Terminations of alpha-Fe₂O₃. *J Phys Chem C*. 114: 17105-17111. <http://dx.doi.org/10.1021/jp1039018>.
- Lin, S; Buehler, MJ. (2013). Mechanics and molecular filtration performance of graphyne nanoweb membranes for selective water purification. *Nanoscale*. 5: 11801-11807. <http://dx.doi.org/10.1039/c3nr03241h>.
- Lin, SH; Juang, RS. (2009). Adsorption of phenol and its derivatives from water using synthetic resins and low-cost natural adsorbents: a review [Review]. *J Environ Manage*. 90: 1336-1349. <http://dx.doi.org/10.1016/j.jenvman.2008.09.003>.
- Lin, YP; Valentine, RL. (2008). Release of Pb(II) from monochloramine-mediated reduction of lead oxide (PbO₂). *Environ Sci Technol*. 42: 9137-9143. <http://dx.doi.org/10.1021/es801037n>.
- Lin, YS; Chen, MT; Lin, YF; Yang, SJ; Lin, JL. (2006). Investigation of chemical decomposition of CCl₄ on TiO₂ near room temperature. *Appl Surf Sci*. 252: 5892-5899. <http://dx.doi.org/10.1016/j.apsusc.2005.08.021>.
- Lin, YT; Liang, C. (2013). Carbon tetrachloride degradation by alkaline ascorbic acid solution. *Environ Sci Technol*. 47: 3299-3307. <http://dx.doi.org/10.1021/es304441e>.
- Lin, YT; Liang, C. (2015). Reductive dechlorination of carbon tetrachloride using buffered alkaline ascorbic acid. *Chemosphere*. 136: 27-31. <http://dx.doi.org/10.1016/j.chemosphere.2015.04.007>.
- Lindner, A; Velling, P; Prost, W; Wiersch, A; Kuphal, E; Burchard, A; Magerle, R; Deicher, M; Tegude, FJ. (1997). The role of hydrogen in low-temperature MOVPE growth and carbon doping of In_{0.53}Ga_{0.47}As for InP-based HBT. *J Cryst Growth*. 170: 287-291.
- Lindstedt, SL; Calder, WA. (1981). Body size, physiological time, and longevity of homeothermic animals. *Q Rev Biol*. 56: 1-16.
- Linehan, K; Doyle, H. (2014). Size controlled synthesis of carbon quantum dots using hydride reducing agents. 2: 6025-6031. <http://dx.doi.org/10.1039/c4tc00826j>.
- Liou, YH; Lo, SL; Lin, CJ. (2007). Size effect in reactivity of copper nanoparticles to carbon tetrachloride degradation. *Water Res*. 41: 1705-1712. <http://dx.doi.org/10.1016/j.watres.2007.01.014>.
- Lipczynskakochany, E; Harms, S; Milburn, R; Sprah, G; Nadarajah, N. (1994). DEGRADATION OF CARBON-TETRACHLORIDE IN THE PRESENCE OF IRON AND SULFUR-CONTAINING-COMPOUNDS. *Chemosphere*. 29: 1477-1489.

Exposure Literature Search Results

Off Topic

- Lipscomb, JC; Garrett, CM; Snawder, JE. (1997). Cytochrome P450-dependent metabolism of trichloroethylene: Interindividual differences in humans. *Toxicol Appl Pharmacol.* 142: 311-318. <http://dx.doi.org/10.1006/taap.1996.8040>.
- Lisochkin, Y, aA; Poznyak, VI. (2007). Ignition of vapor-air mixtures of ammonia and haloids of saturated hydrocarbons with nitrogen trifluoride and fluorine. *Combustion, Explosion, and Shock Waves.* 43: 139-142.
- Lissi, EA; Engel, D. (1992). INCORPORATION OF N-ALKANOLS IN REVERSE MICELLES IN THE AOT N-HEPTANE WATER-SYSTEM. *Langmuir.* 8: 452-455.
- Litvin, AP; Parfenov, PS; Ushakova, EV; Fedorov, AV; Artemyev, MV; Prudnikau, AV; Golubkov, VV; Baranov, AV. (2013). PbS Quantum Dots in a Porous Matrix: Optical Characterization. *J Phys Chem C.* 117: 12318-12324. <http://dx.doi.org/10.1021/jp402287b>.
- Liu, C; Xu, X; Fan, J. (2015). Accelerated anaerobic dechlorination of DDT in slurry with Hydragic Acrisols using citric acid and anthraquinone-2,6-disulfonate (AQDS). *J Environ Sci.* 38: 87-94. <http://dx.doi.org/10.1016/j.jes.2015.05.005>.
- Liu, CC; Liau, SF; Tseng, DH. (2006). Effects of the electrode arrangements on reductive dechlorination of trichloroethylene in an electro-enhanced iron wall. *Environ Technol.* 27: 683-693.
- Liu, CC; Tseng, DH; Wang, CY. (2006). Effects of ferrous ions on the reductive dechlorination of trichloroethylene by zero-valent iron. *J Hazard Mater.* 136: 706-713. <http://dx.doi.org/10.1016/j.jhazmat.2005.12.045>.
- Liu, F, ei; Kim, JG, u; Lee, CW, ee; Im, J, iSun. (2014). A mesoporous WO₃-X/graphene composite as a high-performance Li-ion battery anode. *Appl Surf Sci.* 316: 604-609. <http://dx.doi.org/10.1016/j.apsusc.2014.07.189>.
- Liu, H, u; Huang, W; Yang, X; Dai, K, un; Zheng, G; Liu, C; Shen, C; Yan, X; Guo, J; Guo, Z. (2016). Organic vapor sensing behaviors of conductive thermoplastic polyurethane-graphene nanocomposites. 4: 4459-4469. <http://dx.doi.org/10.1039/c6tc00987e>.
- Liu, HQ; Wang, WC; Chang, CH. (1991). MODEL WITH TEMPERATURE-INDEPENDENT PARAMETERS FOR THE VISCOSITIES OF LIQUID-MIXTURES. *Ind Eng Chem Res.* 30: 1617-1624.
- Liu, HY; Yamamoto, H; Wei, JJ; Waldeck, DH. (2003). Control of the electron transfer rate between cytochrome c and gold electrodes by the manipulation of the electrode's hydrogen bonding character. *Langmuir.* 19: 2378-2387. <http://dx.doi.org/10.1021/la026378n>.
- Liu, J; Kershaw, WC; Klaassen, CD. (1992). Protective effects of zinc on cultured rat primary hepatocytes to metals with low affinity for metallothionein. *J Toxicol Environ Health.* 35: 51-62.
- Liu, J; Wilding, WV; Rowley, RL. (2011). A Local-Composition Model for the Prediction of Mixture Dielectric Constants. *Journal of Chemical and Engineering Data.* 56: 2430-2437. <http://dx.doi.org/10.1021/je200007x>.
- Liu, JJY; Bai, CL; Williamson, AM; Qu, SX; Hamdan, H; Stacey, NH. (1996). Individual serum bile acids in apprentice spray painters in association with solvent exposure. *Int Arch Occup Environ Health.* 69: 21-26.
- Liu, L, in; Ma, D; Zheng, H; Li, X; Cheng, M; Bao, X. (2008). Synthesis and characterization of microporous carbon nitride. *Microporous and Mesoporous Materials.* 110: 216-222. <http://dx.doi.org/10.1016/j.micromeso.2007.06.012>.
- Liu, Q; Tian, G; Yan, H; Geng, X; Cao, Q; Wang, H; Ng, TB. (2014). Characterization of polysaccharides with antioxidant and hepatoprotective activities from the wild edible mushroom *Russula vinosa* Lindblad. *J Agric Food Chem.* 62: 8858-8866. <http://dx.doi.org/10.1021/jf502632c>.
- Liu, S, en; Tian, J; Wang, L, ei; Luo, Y; Zhai, J; Sun, X. (2011). Preparation of photoluminescent carbon nitride dots from CCl₄ and 1,2-ethylenediamine: a heat-treatment-based strategy. *J Mater Chem.* 21: 11726-11729. <http://dx.doi.org/10.1039/c1jm12149a>.
- Liu, T; Li, X; Waite, TD. (2014). Depassivation of aged Fe⁰ by divalent cations: correlation between contaminant degradation and surface complexation constants. *Environ Sci Technol.* 48: 14564-14571. <http://dx.doi.org/10.1021/es503777a>.
- Liu, Y; Cao, L; Du, J; Jia, R; Wang, J; Xu, P; Yin, G. (2015). Protective effects of *Lycium barbarum* polysaccharides against carbon tetrachloride-induced hepatotoxicity in precision-cut liver slices in vitro and in vivo in common carp (*Cyprinus carpio* L.). *Comp Biochem Physiol C Toxicol Pharmacol.* 169: 65-72. <http://dx.doi.org/10.1016/j.cbpc.2014.12.005>.
- Liu, Y; Liu, Q; Ye, G; Khan, A; Liu, J; Gan, F; Zhang, X; Kumbhar, S; Huang, K. (2015). Protective effects of Selenium-enriched probiotics on carbon tetrachloride-induced liver fibrosis in rats. *J Agric Food Chem.* 63: 242-249. <http://dx.doi.org/10.1021/jf503918a>.
- Liu, Y; Liu, XX; Hou, RL; Xue, JZ; Lia, SB; Shen, SK. (1999). The accelerating effect of NH₄Cl on gas phase reaction of oxidative coupling of methane at elevated pressures. *Appl Catal A-Gen.* 179: L1-L4.
- Liu, Y; Lowry, GV. (2006). Effect of particle age (Fe-o content) and solution pH on NZVI reactivity: H₂ evolution and TCE dechlorination. *Environ Sci Technol.* 40: 6085-6090. <http://dx.doi.org/10.1021/es060685o>.
- Liu, Y; Phenrat, T; Lowry, GV. (2007). Effect of TCE concentration and dissolved groundwater solutes on NZVI-Promoted TCE dechlorination and H₂ evolution. *Environ Sci Technol.* 41: 7881-7887.
- Liu, Y, i; Shang, Y, ue; Shan, G. (2014). Infinite Dilution Diffusion Coefficients of Chlorinated Methane in Poly(ethylene terephthalate) by Inverse Gas Chromatography. *Ind Eng Chem Res.* 53: 19533-19539. <http://dx.doi.org/10.1021/ie503009d>.
- Liu, YF; Wan, XL; Ying, SK. (2000). Synthesis of styrene and tetrahydrofuran block copolymers by in situ transformation. *Progress in Natural Science.* 10: 117-123.
- Liu, YJ; Luo, TL; Yao, XD; Mao, ZB; Liu, GJ. (2010). Experimental Measurement and Correlation of the Solubilities of 2,4-Dichloro-5-methoxy pyrimidine in Ethyl Ethanoate, Methanol, Ethanol, Acetone, Tetrachloromethane, and Heptane at Temperatures between (295 and 320) K. *Journal of Chemical and Engineering Data.* 55: 1402-1404. <http://dx.doi.org/10.1021/je9005689>.
- Liu, YQ; Majetich, SA; Tilton, RD; Sholl, DS; Lowry, GV. (2005). TCE dechlorination rates, pathways, and efficiency of nanoscale iron particles with different properties. *Environ Sci Technol.* 39: 1338-1345. <http://dx.doi.org/10.1021/es049195r>.
- Liu, Z; Arnold, RG; Betterton, EA; Festa, KD. (1999). Electrolytic reduction of CCl₄-effects of cathode material and potential on kinetics, selectivity, and product stoichiometry. *Environ Eng Sci.* 16: 1-13.

Exposure Literature Search Results

Off Topic

- Liu, ZJ; Arnold, RG; Betterton, EA; Smotkin, E. (2001). Reductive dehalogenation of gas-phase chlorinated solvents using a modified fuel cell. *Environ Sci Technol.* 35: 4320-4326. <http://dx.doi.org/10.1021/es001772y>.
- L-N, L; Grbic-Galic, D. (1993). Biotransformation of chlorinated aliphatic solvents in the presence of aromatic compounds under methanogenic conditions. *Environ Toxicol Chem.* 12: 1377-1393.
- Lo, IMC. (1996). The role of organic attenuation in saturated clay barrier system. *Water Sci Technol.* 33: 145-151.
- Lo, IMC; Lee, SCH; Mak, RKM. (1998). Sorption of nonpolar and polar organics on dicyldimethylammonium-bentonite. *Waste Manag Res.* 16: 129-138.
- Lo, TC; Huang, HC. (1993). REACTIVE ION ETCHING OF A-SIC-H FILMS USING CCL4 AND O2 GAS-MIXTURE. *Journal of Vacuum Science and Technology A.* 11: 286-290.
- Lodewyckx, P; Blacher, S; Leonard, A. (2006). Use of x-ray microtomography to visualise dynamic adsorption of organic vapour and water vapour on activated carbon. *Adsorption.* 12: 19-26. <http://dx.doi.org/10.1007/s10450-006-0135-2>.
- Lofffield, E; Shiels, MS; Graubard, BI; Katki, HA; Chaturvedi, AK; Trabert, B; Pinto, LA; Kemp, TJ; Shebl, FM; Mayne, ST; Wentzensen, N; Purdue, MP; Hildesheim, A; Sinha, R; Freedman, ND. (2015). Associations of Coffee Drinking with Systemic Immune and Inflammatory Markers. *Cancer Epidemiol Biomarkers Prev.* 24: 1052-1060. <http://dx.doi.org/10.1158/1055-9965.EPI-15-0038-T>.
- Logsdon, PB; Basu, RS. (1993). RECOVERY AND RECYCLE OF HCFCs BY ACTIVATED CARBON ADSORPTION. *J IES.* 36: 33-36.
- Logue, BA; Westall, JC. (2003). Kinetics of reduction of nitrobenzene and carbon tetrachloride at an iron-oxide coated gold electrode. *Environ Sci Technol.* 37: 2356-2362. <http://dx.doi.org/10.1021/es026472q>.
- Lohmann, J; Job, R; Gmehling, J. (1997). Estimation of enthalpies of fusion, melting temperatures, enthalpies of transition, and transition temperatures of pure compounds from experimental binary solid-liquid equilibrium data of eutectic systems. *Journal of Chemical and Engineering Data.* 42: 1176-1180.
- Lohmann, J; Joh, R; Gmehling, J. (1997). Solid-liquid equilibria of viscous binary mixtures with alcohols. *Journal of Chemical and Engineering Data.* 42: 1170-1175.
- Lohmann, J; Ropke, T; Gmehling, J. (1998). Solid-liquid equilibria of several binary systems with organic compounds. *Journal of Chemical and Engineering Data.* 43: 856-860.
- Lokteva, ES; Lazhko, AE; Golubina, EV; Timofeev, VV; Naumkin, AV; Yagodovskaya, TV; Gaidamaka, SN; Lunin, VV. (2011). Regeneration of Pd/TiO2 catalyst deactivated in reductive CCl4 transformations by the treatment with supercritical CO2, ozone in supercritical CO2 or oxygen plasma. *Journal of Supercritical Fluids.* 58: 263-271. <http://dx.doi.org/10.1016/j.supflu.2011.05.018>.
- Long, JL; Stensel, HD; Ferguson, JF; Strand, SE; Ongerth, JE. (1993). ANAEROBIC AND AEROBIC TREATMENT OF CHLORINATED ALIPHATIC-COMPOUNDS. *J Environ Eng.* 119: 300-320.
- Lookman, R; Bastiaens, L; Borremans, B; Maesen, M; Gemoets, J; Diels, L. (2004). Batch-test study on the dechlorination of 1,1,1-trichloroethane in contaminated aquifer material by zero-valent iron. *J Contam Hydrol.* 74: 133-144. <http://dx.doi.org/10.1016/j.jconhyd.2004.02.007>.
- Lopez, E; Ordonez, S; Diez, F. (2006). Deactivation of a Pd/Al2O3 catalyst used in hydrodechlorination reactions: Influence of the nature of organochlorinated compound and hydrogen chloride. *Appl Catal B-Environ.* 62: 57-65. <http://dx.doi.org/10.1016/j.apcatb.2005.06.014>.
- Lopez-Fonseca, R; Gutierrez-Ortiz, JI; Ayastui, JL; Gutierrez-Ortiz, MA; Gonzalez-Velasco, JR. (2003). Gas-phase catalytic combustion of chlorinated VOC binary mixtures. *Appl Catal B-Environ.* 45: 13-21. [http://dx.doi.org/10.1016/S0926-3373\(03\)00106-1](http://dx.doi.org/10.1016/S0926-3373(03)00106-1).
- Lorah, MM; Voytek, MA. (2004). Degradation of 1,1,2,2-tetrachloroethane and accumulation of vinyl chloride in wetland sediment microcosms and in situ porewater: biogeochemical controls and associations with microbial communities. *J Contam Hydrol.* 70: 117-145. <http://dx.doi.org/10.1016/j.jconhyd.2003.08.01>.
- Loraine, GA. (1993). SHORT-WAVELENGTH ULTRAVIOLET PHOTOLYSIS OF AQUEOUS CARBON-TETRACHLORIDE. *Hazardous Waste and Hazardous Materials.* 10: 185-194.
- Lou, JC; Chang, YS. (1997). Thermal oxidation of chloroform. *Combust Flame.* 109: 188-197.
- Lou, JC; Chou, ZH. (1996). An experimental and numerical study of the thermal oxidation of carbon tetrachloride. *Hazardous Waste and Hazardous Materials.* 13: 399-407.
- Lou, JC; Lee, SS. (1997). Destruction of trichloromethane with catalytic oxidation. *Appl Catal B-Environ.* 12: 111-123.
- Lourdudoss, S; Messmer, ER; Kjebon, O; Landgren, G. (1995). TEMPORALLY RESOLVED REGROWTH OF INP. *J Cryst Growth.* 152: 105-114.
- Lova, P; Bastianini, C; Giusto, P; Patrini, M; Rizzo, P; Guerra, G; Iodice, M; Soci, C; Comoretto, D. (2016). Label-Free Vapor Selectivity in Poly(p-Phenylene Oxide) Photonic Crystal Sensors. 8: 31941-31950. <http://dx.doi.org/10.1021/acsami.6b10809>.
- Lovley, DR; Woodward, JC. (1992). CONSUMPTION OF FREONS CFC-11 AND CFC-12 BY ANAEROBIC SEDIMENTS AND SOILS. *Environ Sci Technol.* 26: 925-929.
- Lowry, GV; Reinhard, M. (1999). Hydrodehalogenation of 1- to 3-carbon halogenated organic compounds in water using a palladium catalyst and hydrogen gas. *Environ Sci Technol.* 33: 1905-1910. <http://dx.doi.org/10.1021/es980963m>.
- Loyke, HF. (1985). BLOOD LEAD CONCENTRATE AND BLOOD-PRESSURE AFTER CCL4 TREATMENT. *Bull Environ Contam Toxicol.* 34: 730-735.
- Lu, B; Xu, Y; Xu, L; Cong, X; Yin, L; Li, H, ua; Peng, J. (2012). Mechanism investigation of dioscin against CCl4-induced acute liver damage in mice. *Environ Toxicol Pharmacol.* 34: 127-135. <http://dx.doi.org/10.1016/j.etap.2012.03.010>.
- Lu, J; Xie, Y; Xu, F; Zhu, LY. (2002). Study of the dissolution behavior of selenium and tellurium in different solvents - a novel route to Se, Te tubular bulk single crystals. *J Mater Chem.* 12: 2755-2761. <http://dx.doi.org/10.1039/b204092a>.
- Lu, M; Li, X; Chen, B, o; Li, M; Xin, H; Song, L. (2014). Catalytic Dechlorination of Carbon Tetrachloride in Liquid Phase with Methanol as H-Donor Over Ag/C Catalyst. *J Nanosci Nanotechnol.* 14: 7315-7318. <http://dx.doi.org/10.1166/jnn.2014.8970>.

Exposure Literature Search Results

Off Topic

- Lu, SY; Du, Y; Yan, JH; Li, XD; Ni, MJ; Cen, KF. (2012). Dioxins and their fingerprint in size-classified fly ash fractions from municipal solid waste incinerators in China--mechanical grate and fluidized bed units. *Journal of the Air and Waste Management Association*. 62: 717-724. <http://dx.doi.org/10.1080/10962247.2012.669740>.
- Lu, Y; Wei, XY; Cao, JP; Li, P; Liu, FJ; Zhao, YP; Fan, X; Zhao, W; Rong, LC; Wei, YB; Wang, SZ; Zhou, J; Zong, ZM. (2012). Characterization of a bio-oil from pyrolysis of rice husk by detailed compositional analysis and structural investigation of lignin. *Bioresour Technol*. 116: 114-119. <http://dx.doi.org/10.1016/j.biortech.2012.04.006>.
- Lu, Y; Wei, XY; Liu, FJ; Zong, ZM; Rong, LC; Zhao, YP; Fan, X; Wang, SZ; Yue, XM; Mukasa, R; Qing, Y; Zhao, W; Wu, L. (2014). Evaluation of an Upgraded Bio-oil from the Pyrolysis of Rice Husk by Acidic Resin-catalyzed Esterification. *Energy Source Part A*. 36: 575-581. <http://dx.doi.org/10.1080/15567036.2011.604377>.
- Luan, F; Xie, L; Sheng, J; Li, J; Zhou, Q; Zhai, G. (2012). Reduction of nitrobenzene by steel convert slag with Fe(II) system: the role of calcium in steel slag. *J Hazard Mater*. 217-218: 416-421. <http://dx.doi.org/10.1016/j.jhazmat.2012.03.047>.
- Lue, X; Wu, J; Lin, T; Wan, D; Huang, F; Xie, X; Jiang, M. (2011). Low-temperature rapid synthesis of high-quality pristine or boron-doped graphene via Wurtz-type reductive coupling reaction. *J Mater Chem*. 21: 10685-10689. <http://dx.doi.org/10.1039/c1jm11184a>.
- Lugo, L; Garcia, J; Comunas, MJP; Fernandez, J. (2003). Phase equilibria and pVT predictions for alkyl carbonate plus n-alkane systems using equations of state. *Fluid Phase Equilibria*. 212: 111-128. [http://dx.doi.org/10.1016/S0378-3812\(03\)00274-7](http://dx.doi.org/10.1016/S0378-3812(03)00274-7).
- Lugo, L; Luna, V; Garcia, J; Lopez, ER; Comunas, MJP; Fernandez, J. (2004). Prediction of the pressure dependence on the thermodynamic properties of dialkyl carbonate plus alkane mixtures using Nitta-Chao model. *Fluid Phase Equilibria*. 217: 165-173. <http://dx.doi.org/10.1016/j.fluid.2002.12.001>.
- Luk, K, aF; Ko, K, amM; Ng, K, aM. (2008). Separation and purification of schisandrin B from *Fructus schisandrae*. *Ind Eng Chem Res*. 47: 4193-4201. <http://dx.doi.org/10.1021/ie071317b>.
- Lum, KH; Stevens, GW; Kentish, SE. (2012). The modelling of water and hydrochloric acid extraction by tri-n-butyl phosphate. *Chem Eng Sci*. 84: 21-30. <http://dx.doi.org/10.1016/j.ces.2012.07.036>.
- Luna-Moreno, D; Vázquez-Martínez, O; Báez-Ruiz, A; Ramírez, J; Díaz-Muñoz, M. (2007). Food restricted schedules promote differential lipoperoxidative activity in rat hepatic subcellular fractions. *Comp Biochem Physiol A Mol Integr Physiol*. 146: 632-643. <http://dx.doi.org/10.1016/j.cbpa.2006.02.039>.
- Luo, C; Chen, Z, he; Wu, D; Ma, L. (2014). Electrochemical reductive degradation of chlorobenzene using galvanically replaced Pd/Fe nanoscale particles. *Chem Eng J*. 241: 376-383. <http://dx.doi.org/10.1016/j.cej.2013.10.072>.
- Luo, J; Farrell, J. (2013). Understanding pH effects on trichloroethylene and perchloroethylene adsorption to iron in permeable reactive barriers for groundwater remediation. *Int J Environ Sci Tech*. 10: 77-84. <http://dx.doi.org/10.1007/s13762-012-0082-2>.
- Lussier, MG; Shull, JC; Miller, DJ. (1994). ACTIVATED CARBON FROM CHERRY STONES. *Carbon*. 32: 1493-1498.
- Luzinova, Y; Dobbs, GT; Sassen, R; Mizaikoff, B. (2009). Quantification of adamantane in organic media via infrared attenuated total reflection spectroscopy. *Organic Geochemistry*. 40: 1143-1150. <http://dx.doi.org/10.1016/j.orggeochem.2009.07.015>.
- Lynge, E; Anttila, A; Hemminki, K. (1997). Organic solvents and cancer [Review]. *Cancer Causes Control*. 8: 406-419. <http://dx.doi.org/10.1023/A:1018461406120>.
- Ma, HZ; O'Loughlin, EJ; Burris, DR. (2001). Factors affecting humic-nickel complex mediated seduction of trichloroethene in homogeneous aqueous solution. *Environ Sci Technol*. 35: 717-724. <http://dx.doi.org/10.1021/es001314p>.
- Ma, J; Chen, H; Liu, D; Ji, N; Zong, G. (2013). Synthesis of polyacrylonitrile using AGET-ATRP in emulsion. *Mater Sci Eng C*. 33: 570-574. <http://dx.doi.org/10.1016/j.msec.2012.08.051>.
- Ma, J; Ding, J, ie; Zhang, L, i; Liu, C. (2014). Ursolic acid protects mouse liver against CCl4-induced oxidative stress and inflammation by the MAPK/NF-kappa B pathway. *Environ Toxicol Pharmacol*. 37: 975-983. <http://dx.doi.org/10.1016/j.etap.2014.03.011>.
- Ma, XD; Zheng, MH; Liu, WB; Qian, Y; Zhao, XR; Zhang, B. (2005). Synergic effect of calcium oxide and iron(III) oxide on the dechlorination of hexachlorobenzene. *Chemosphere*. 60: 796-801. <http://dx.doi.org/10.1016/j.chemosphere.2005.04.021>.
- Ma, Z; Kubota, J; Zaera, F. (2003). The influence of dissolved gases on the adsorption of cinchonidine from solution onto Pt surfaces: an in situ infrared study. *J Catal*. 219: 404-416. [http://dx.doi.org/10.1016/S0021-9517\(03\)00232-X](http://dx.doi.org/10.1016/S0021-9517(03)00232-X).
- Maa, JS; Oneill, JJ. (1983). REACTIVE ION ETCHING OF AL AND AL-SI FILMS WITH CCL4, N2, AND BCL3 MIXTURES. *Journal of Vacuum Science and Technology A*. 1: 636-637.
- Machocki, A; Denis, A. (2003). Evaluation of the possibilities of improving the selectivity and yield of ethylene in oxidative coupling of methane by the use of chloromethanes. *Przemysł Chemiczny*. 82: 624-626.
- Machocki, A; Jezior, R. (2008). Oxidative coupling of methane over a sodium-calcium oxide catalyst modified with chloride ions. *Chem Eng J*. 137: 643-652. <http://dx.doi.org/10.1016/j.cej.2007.05.038>.
- Mackay, DM; Bianchimosquera, G; Kopania, AA; Kianjah, H; Thorbjarnarson, KW. (1994). A FORCED-GRADIENT EXPERIMENT ON SOLUTE TRANSPORT IN THE BORDEN AQUIFER .1. EXPERIMENTAL METHODS AND MOMENT ANALYSES OF RESULTS. *Water Resour Res*. 30: 369-383.
- Macphail, RC; Berman, E; Elder, JA; Kavlock, RJ; Moser, VC; Narotsky, MG; Schlicht, M. (1995). A multidisciplinary approach to toxicological screening: IV Comparison of results. *J Toxicol Environ Health*. 45: 211-220. <http://dx.doi.org/10.1080/15287399509531989>.
- Madhu, P; Reddy, KP; Reddy, PS. (2015). Melatonin reduces oxidative stress and restores mitochondrial function in the liver of rats exposed to chemotherapeutics. *Journal of Experimental Zoology Part A: Ecological Genetics and Physiology (Online Edition)*. 323: 301-308. <http://dx.doi.org/10.1002/jez.1917>.

Exposure Literature Search Results

Off Topic

- Madhumitha, G; Saral, AM; Senthilkumar, B; Sivaraj, A. (2010). Hepatoprotective potential of petroleum ether leaf extract of *Crossandra infundibuliformis* on CCl₄ induced liver toxicity in albino mice. *Asian Pacific Journal of Tropical Medicine*. 3: 788-790. [http://dx.doi.org/10.1016/S1995-7645\(10\)60188-5](http://dx.doi.org/10.1016/S1995-7645(10)60188-5).
- Madle, S; Dean, SW; Andrae, U; Brambilla, G; Burlinson, B; Doolittle, DJ; Furihata, C; Hertner, T; Mcqueen, CA; Mori, H. (1994). Recommendations for the performance of UDS tests in vitro and in vivo [Review]. *Mutat Res*. 312: 263-285. [http://dx.doi.org/10.1016/0165-1161\(94\)00013-1](http://dx.doi.org/10.1016/0165-1161(94)00013-1).
- Magazu, V; Migliardo, F; Vadala, M. (2005). Small-Angle Neutron Scattering and Photon Correlation Spectroscopy investigation on Buckminsterfullerene solutions. *Fullerenes, Nanotubes, and Carbon Nanostructures*. 13: 203-214. <http://dx.doi.org/10.1081/FST-200056181>.
- Maggiore, R; Toscano, G; Crisafulli, C; Spina, S; Giannetto, A. (1982). ACTIVE-SITES IN THE NORMAL-HEXANE ISOMERIZATION OVER PT/GAMMA-AL₂O₃ CATALYST CHLORINATED WITH CCL₄. *Ann Chim*. 72: 597-609.
- Mahapatra, US; Roy, GS; Maharana, L. (2004). Dipole moment studies of H-bonded complexes of phenols and substituted phenols with benzaldehyde in tetrachloromethane. *Indian J Chem Tech*. 11: 811-815.
- Maheshwari, RC; Suri, SK; Tewari, US. (1979). EXCESS VOLUMES OF MIXING OF BINARY-MIXTURES OF ARSENIC TRIBROMIDE WITH BENZENE, CYCLOHEXANE, AND CARBON-TETRACHLORIDE AT 303.15, 308.15, AND 313.15-K. *Journal of Chemical and Engineering Data*. 24: 237-239.
- Mahmoud, KZ; Hijazi, AA. (2007). Effect of vitamin A and/or E on plasma enzymatic antioxidant systems and total antioxidant capacity of broiler chickens challenged with carbon tetrachloride. *J Anim Physiol Anim Nutr (Berl)*. 91: 333-340. <http://dx.doi.org/10.1111/j.1439-0396.2006.00659.x>.
- Maithreepala, RA; Doong, RA. (2004). Enhanced remediation of carbon tetrachloride by Fe(II)-Fe(III) systems in the presence of copper ions. *Water Sci Technol*. 50: 161-168.
- Maithreepala, RA; Doong, RA. (2004). Reductive dechlorination of carbon tetrachloride in aqueous solutions containing ferrous and copper ions. *Environ Sci Technol*. 38: 6676-6684. <http://dx.doi.org/10.1021/es0493906>.
- Maithreepala, RA; Doong, RA. (2004). Synergistic effect of copper ion on the reductive dechlorination of carbon tetrachloride by surface-bound Fe(II) associated with goethite. *Environ Sci Technol*. 38: 260-268. <http://dx.doi.org/10.1021/es034228k>.
- Maithreepala, RA; Doong, RA. (2005). Enhanced dechlorination of chlorinated methanes and ethenes by chloride green rust in the presence of copper(II). *Environ Sci Technol*. 39: 4082-4090. <http://dx.doi.org/10.1021/es048428b>.
- Maithreepala, RA; Doong, RA. (2008). Effect of biogenic iron species and copper ions on the reduction of carbon tetrachloride under iron-reducing conditions. *Chemosphere*. 70: 1405-1413. <http://dx.doi.org/10.1016/j.chemosphere.2007.09.021>.
- Maithreepala, RA; Doong, RA. (2009). Transformation of carbon tetrachloride by biogenic iron species in the presence of *Geobacter sulfurreducens* and electron shuttles. *J Hazard Mater*. 164: 337-344. <http://dx.doi.org/10.1016/j.jhazmat.2008.08.007>.
- Maiti, K; Mukherjee, K; Murugan, V; Saha, BP; Mukherjee, PK. (2010). Enhancing bioavailability and hepatoprotective activity of andrographolide from *Andrographis paniculata*, a well-known medicinal food, through its herbosome. *J Sci Food Agric*. 90: 43-51. <http://dx.doi.org/10.1002/jsfa.3777>.
- Majdan, M; Tarasiuk, B; Gladysz-Plaska, A; Pikus, S. (2007). Adsorption of organic pollutants on organo-clays. *Przemysł Chemiczny*. 86: 126-131.
- Mak, FT; Zele, SR; Cooper, WJ; Kurucz, CN; Waite, TD; Nickelsen, MG. (1997). Kinetic modeling of carbon tetrachloride, chloroform and methylene chloride removal from aqueous solution using the electron beam process. *Water Res*. 31: 219-228. [http://dx.doi.org/10.1016/S0043-1354\(96\)00264-3](http://dx.doi.org/10.1016/S0043-1354(96)00264-3).
- Maken, S; Deshwal, BR; Chadha, R; Anu, Singh, KC; Kim, H; Park, JW. (2005). Topological and thermodynamic investigations of molecular interactions in binary mixtures: Molar excess volumes and molar excess enthalpies. *Fluid Phase Equilibria*. 235: 42-49. <http://dx.doi.org/10.1016/j.fluid.2005.06.011>.
- Makni, M; Chtourou, Y; Barkallah, M; Fetoui, H. (2012). Protective effect of vanillin against carbon tetrachloride (CCl₄)-induced oxidative brain injury in rats. *Toxicol Ind Health*. 28: 655-662. <http://dx.doi.org/10.1177/0748233711420472>.
- Makni, M; Chtourou, Y; Fetoui, H; Garoui, e; Barkallah, M; Marouani, C; Kallel, C; Zeghal, N. (2012). Erythrocyte oxidative damage in rat treated with CCl₄: protective role of vanillin. *Toxicol Ind Health*. 28: 908-916. <http://dx.doi.org/10.1177/0748233711427055>.
- Malik, MA; Malik, SA. (1999). Pulsed corona discharges and their applications in toxic VOCs abatement. *Chinese Journal of Chemical Engineering*. 7: 351-362.
- Malinowski, A; Lomot, D; Karpinski, Z. (1998). Hydrodechlorination of CH₂Cl₂ over Pd/gamma-Al₂O₃. Correlation with the hydrodechlorination of CCl₂F₂ (CFC-12). *Appl Catal B-Environ*. 19: L79-L86.
- Mallia, VA; Seo, HI, n; Weiss, RG. (2013). Influence of Anions and Alkyl Chain Lengths of N-Alkyl-n-(R)-12-Hydroxyoctadecyl Ammonium Salts on Their Hydrogels and Organogels. *Langmuir*. 29: 6476-6484. <http://dx.doi.org/10.1021/la400748q>.
- Malysheva, A; Kurenkov, E; Ryabinin, V; Grobovoy, S. (2005). Influence of human fetal liver extract on hepatocyte nuclearity in CCl₄-induced liver cirrhosis. *Int J Artif Organs*. 28: 931-931.
- Mamantov, G; Chen, GS; Xiao, HM; Yang, YH; Hondrogiannis, E. (1995). ELECTROCHEMICAL AND SPECTROSCOPIC STUDIES OF TUNGSTEN-SPECIES IN THE ALCL₃-NACLSAT MELT. *J Electrochem Soc*. 142: 1758-1765.
- Mamontov, EV; Ivlev, DA. (2000). A hyperboloid mass spectrometer with a monopolar ion trap. *Instrum Exp Tech*. 43: 635-639.
- Manchanda, VK; Mohapatra, PK. (1994). 1-PHENYL-3-METHYL-4-BENZOYL-PYRAZOLONE-5 - A PROMISING EXTRACTANT FOR PLUTONIUM. *Separation Science and Technology*. 29: 1073-1086.

Exposure Literature Search Results

Off Topic

- Mane, GP; Dhawale, DS; Anand, C; Ariga, K; Ji, Q; Wahab, MA; Mori, T; Vinu, A. (2013). Selective sensing performance of mesoporous carbon nitride with a highly ordered porous structure prepared from 3-amino-1,2,4-triazine. 1: 2913-2920. <http://dx.doi.org/10.1039/c2ta01215d>.
- Mangipudy, RS; Chanda, S; Mehendale, HM. (1995). TISSUE-REPAIR RESPONSE AS A FUNCTION OF DOSE IN THIOACETAMIDE HEPATOTOXICITY. *Environ Health Perspect.* 103: 260-267.
- Mangipudy, RS; Rao, PS; Mehendale, HM. (1996). Effect of an antimetabolic agent colchicine on thioacetamide hepatotoxicity. *Environ Health Perspect.* 104: 744-749.
- Manibusan, MK; Odin, M; Eastmond, DA. (2007). Postulated carbon tetrachloride mode of action: a review. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev.* 25: 185-209.
- Manju, M; Akbarsha, MA; Oommen, OV. (2012). In vivo protective effect of dietary curcumin in fish *Anabas testudineus* (Bloch). *Fish Physiol Biochem.* 38: 309-318. <http://dx.doi.org/10.1007/s10695-011-9508-x>.
- Manju, M; Sherin, TG; Rajeesha, KN; Sreejith, P; Rajasekharan, KN; Oommen, OV. (2008). Curcumin and its derivatives prevent hepatocyte lipid peroxidation in *Anabas testudineus*. *J Fish Biol.* 73: 1701-1713. <http://dx.doi.org/10.1111/j.1095-8649.2008.02044.x>.
- Manno, M; Rezzadore, M; Grossi, M; Sbrana, C. (1996). Potentiation of occupational carbon tetrachloride toxicity by ethanol abuse. *Hum Exp Toxicol.* 15: 294-300. <http://dx.doi.org/10.1177/096032719601500404>.
- Mansdorf, SZ; Henry, N; Anderson, D; Strong, M; Rossi, D. (1997). The permeation of substituted chlorosilanes through selected protective clothing. *Am Ind Hyg Assoc J.* 58: 110-115.
- Mansouri, Al; Afzali, D; Ganjavi, F. (2014). Dispersive liquid-liquid microextraction of trace amounts of molybdenum prior to electro-thermal atomic absorption spectrometry determination. *Int J Environ Anal Chem.* 94: 247-254. <http://dx.doi.org/10.1080/03067319.2013.814124>.
- Manuel, J; Ahn, J, ouH; Kim, D, ulSun; Ahn, H, yoJun; Kim, K, iWon; Kim, J, aeK; Jacobsson, P, er. (2012). Synthesis and Electrochemical Properties of Polyaniline Nanofibers by Interfacial Polymerization. *J Nanosci Nanotechnol.* 12: 3534-3537. <http://dx.doi.org/10.1166/jnn.2012.5556>.
- Mao, E; Majerfeld, A. (1997). Growth of heavily C-doped GaAs/AlGaAs MQW structures by MOVPE for 2-3 μ m normal incidence photodetectors. *J Cryst Growth.* 170: 428-432.
- Mao, Z, hiBo; Luo, TL; Cui, T, ieB; Wang, Y, u; Liu, G, uoJi. (2010). Solubilities of 3-Pentadecylphenol in Ethanol, 1-Butanol, Toluene, Acetone, Tetrachloromethane, and Ethyl Acetate. *Journal of Chemical and Engineering Data.* 55: 543-546. <http://dx.doi.org/10.1021/je900346t>.
- Marchetti, A; Martignani, A; Tassi, L. (1998). Density and excess molar volumes of binary mixtures of 1,2-dichloroethane plus 2-chloroethanol from -10 to 80 degrees C. *Ann Chim.* 88: 495-507.
- Maron, DM; Ames, BN. (1983). Revised methods for salmonella mutagenicity test. *Mutat Res Environ Mutagen Relat Subj.* 113: 173-215. [http://dx.doi.org/10.1016/0165-1161\(83\)90010-9](http://dx.doi.org/10.1016/0165-1161(83)90010-9).
- Marongiu, B; Monaci, R; Porcedda, S. (1993). EXCESS GIBBS ENERGIES AND EXCESS-ENTHALPIES OF LIQUID BINARY-MIXTURES CONTAINING NITROALKANES. *Fluid Phase Equilibria.* 84: 281-296.
- Marongiu, B; Piras, A; Porcedda, S; Tuveri, E. (2007). Excess enthalpies of chloroalkylbenzene plus alkylbenzene mixtures. *Journal of Chemical and Engineering Data.* 52: 1941-1945. <http://dx.doi.org/10.1021/je7002447>.
- Marongiu, B; Porcedda, S; Lepori, L; Matteoli, E. (1995). THE EFFECT OF THE MOLECULAR SHAPE ON THE ENTHALPIC BEHAVIOR OF LIQUID-MIXTURES - CYCLIC HYDROCARBONS IN HEPTANE AND TETRACHLOROMETHANE. *Fluid Phase Equilibria.* 108: 167-183.
- Marongiu, B; Porcedda, S; Marrocu, M; Falconieri, D; Piras, A. (2010). Calorimetric Study of Nitrile Group-Solvent Interactions and Comparison with Dispersive Quasi-Chemical (DISQUAC) Predictions. *Journal of Chemical and Engineering Data.* 55: 5406-5412. <http://dx.doi.org/10.1021/je100489z>.
- Marongiu, B; Porcedda, S; Pittau, B; Kehiaian, HV. (1994). THERMODYNAMICS OF BINARY-MIXTURES CONTAINING LINEAR OR CYCLIC ALKENES .2. MIXTURES WITH BENZENE OR TETRACHLOROMETHANE. *Fluid Phase Equilibria.* 99: 185-198.
- Marongiu, B; Pusceddu, E; Porcedda, S; Lepori, L; Matteoli, E. (2006). Thermodynamic study of 1,1,2,2-tetrachloroethane plus hydrocarbon mixtures I. Excess and solvation enthalpies. *Fluid Phase Equilibria.* 250: 105-115. <http://dx.doi.org/10.1016/j.fluid.2006.10.013>.
- Marsh, KN. (2015). Relative Permittivity and Apparent Dipole Moments of Nitromethane, Nitroethane, 1-Nitropropane, and 2-Nitropropane in Several Nonpolar Solvents. *Journal of Chemical and Engineering Data.* 60: 3523-3531. <http://dx.doi.org/10.1021/acs.jced.5b00369>.
- Martin, C; Dutertre-Catella, H; Radionoff, M; Debray, M; Benstaali, C; Rat, P; Thevenin, M; Touitou, Y; Warnet, JM. (2003). Effect of age and photoperiodic conditions on metabolism and oxidative stress related markers at different circadian stages in rat liver and kidney. *Life Sci.* 73: 327-335.
- Martin, P; Mendez, A. (1997). Mechanisms of gasoline deposit formation in engine induction systems. Characterization of product reaction between benzothiophene oxides and benzothiophenes. *Petroleum Science and Technology.* 15: 1-18.
- Martin, P; Mendez, A. (1997). Mechanisms of gasoline deposit formation in engine induction systems. Characterization of product reaction between benzothiophene oxides with olefins and aromatic compounds. *Petroleum Science and Technology.* 15: 409-427.
- Martin, P; Mendez, A. (1998). Mechanisms of gasoline deposit formation in engine induction systems. Characterization of product reaction between benzothiophene oxides and basic nitrogen and naphthenic compounds. *Petroleum Science and Technology.* 16: 611-626.
- Martin, TM; Gupta, RB; Roberts, CB. (2000). Measurements and modeling of cloud point behavior for poly(propylene glycol) in ethane and in ethane plus cosolvent mixtures at high pressure. *Ind Eng Chem Res.* 39: 185-194.
- Martínez, A; Urios, A; Blanco, M. (2000). Mutagenicity of 80 chemicals in *Escherichia coli* tester strains IC203, deficient in OxyR, and its oxyR(+) parent WP2 uvrA/pKM101: detection of 31 oxidative mutagens. *Mutat Res.* 467: 41-53. [http://dx.doi.org/10.1016/S1383-5718\(00\)00020-6](http://dx.doi.org/10.1016/S1383-5718(00)00020-6).

Exposure Literature Search Results

Off Topic

- Martins, J; Soares, ML; Saker, ML; Olivates, L; Vasconcelos, VM. (2007). Phototactic behavior in *Daphnia magna* Straus as an indicator of toxicants in the aquatic environment. *Ecotoxicol Environ Saf.* 67: 417-422. <http://dx.doi.org/10.1016/j.ecoenv.2006.11.00>.
- Martins, JC; Saker, ML; Teles, LF; Vasconcelos, VM. (2007). Oxygen consumption by *Daphnia magna* Straus as a marker of chemical stress in the aquatic environment. *Environ Toxicol Chem.* 26: 1987-1991. <http://dx.doi.org/10.1897/07-051R>.
- Martucci, A; Brusatin, G; Guglielmi, M; Strohhofer, C; Fick, J; Pelli, S; Righini, GC. (1998). Fabrication and characterization of sol-gel GeO₂-SiO₂ erbium-doped planar waveguides. *Journal of Sol-Gel Science and Technology.* 13: 535-539.
- Martyanov, IN; Klabunde, KJ. (2004). Decomposition of CCl₃F over vanadium oxides and [MgVxOy]MgO shell/core-like particles. *J Catal.* 224: 340-346. <http://dx.doi.org/10.1016/j.jcat.2004.02.026>.
- Matejec, V; Hayer, M; Pospisilova, M; Kasik, I. (1997). Preparation of optical cores of silica optical fibers by the sol-gel method. *Journal of Sol-Gel Science and Technology.* 8: 889-893.
- Matheson, LJ; Tratnyek, PG. (1994). Reductive dehalogenation of chlorinated methanes by iron metal. *Environ Sci Technol.* 28: 2045-2053.
- Mathew, A; Ravi, J; Madhusoodanan, KN; Nair, KPR; Rasheed, TMA. (2004). Thermal diffusivity measurements of semiconducting amorphous GeSe_{100-x} thin films by photothermal deflection technique. *Appl Surf Sci.* 227: 410-415. <http://dx.doi.org/10.1016/j.apsusc.2003.12.020>.
- Mato, FA; Berro, C; Peneloux, A. (1991). EXCESS GIBBS ENERGIES AND EXCESS VOLUMES OF METHYL TERT-BUTYL ETHER (MTBE) + DICHLOROMETHANE, + CHLOROFORM, OR + TETRACHLOROMETHANE. *Journal of Chemical and Engineering Data.* 36: 259-262.
- Matouq, M; Koda, S; Maricela, T; Omar, A; Tagawa, T. (2009). Solvent Extraction of Bitumen from Jordan Oil Shale Assisted by Low Frequency Ultrasound. *J Jpn Petrol Inst.* 52: 265-269.
- Matsuda, S; Kokado, H; Inoue, E. (1971). PHOTOCURRENT IN SYSTEM OF CCL₄ AND HYDROGEN DONOR VIA PHOTOLYSIS OF CCL₄. 92: 47-&.
- Matsuo, T; Miyake, K. (1995). SIMPLE METHOD FOR FE⁺ ION PRODUCTION IN A MICROWAVE ION-SOURCE. *Journal of Vacuum Science and Technology A.* 13: 2138-2141.
- Matsuura, H; Tsukihashi, F. (2006). Chlorination kinetics of ZnO with Ar-Cl₂-O₂ gas and the effect of oxychloride formation. *Metallurgical and Materials Transactions B - Process Metallurgy and Materials Processing Science.* 37: 413-420.
- Matteoli, E; Lepori, L. (1988). ISOTHERMAL LIQUID VAPOR EQUILIBRIA OF MIXTURES CONTAINING ORGANIC-COMPOUNDS .2. EXCESS GIBBS FREE-ENERGIES OF A HYDROCARBON OR TETRACHLOROMETHANE + A CYCLIC KETONE AT 298.15 K. *Journal of Chemical and Engineering Data.* 33: 247-250.
- Matteoli, E; Lepori, L. (2000). Determination of the excess enthalpy of binary mixtures from the measurements of the heat of solution of the components: application to the perfluorohexane plus hexane mixture. *Fluid Phase Equilibria.* 174: 115-131.
- Matteoli, E; Lepori, L; Spanedda, A. (2003). Thermodynamic study of heptane plus amine mixtures - I. Excess and solvation enthalpies at 298.15 K. *Fluid Phase Equilibria.* 212: 41-52. [http://dx.doi.org/10.1016/S0378-3812\(03\)00260-7](http://dx.doi.org/10.1016/S0378-3812(03)00260-7).
- Matubayasi, N; Matsumoto, R; Motomura, K. (1990). PHASE-EQUILIBRIA IN A MIXED ADSORBED FILM OF OCTADECANOL AND CHOLESTEROL AT CARBON-TETRACHLORIDE WATER INTERFACE. *Langmuir.* 6: 822-825.
- Matubayasi, N; Matsunaga, R; Motomura, K. (1989). INTERACTION OF CHOLESTEROL AND OCTADECANOL IN A MIXED ADSORBED FILM AT CARBON-TETRACHLORIDE WATER INTERFACE - CRITICISM ABOUT THE CONDENSING EFFECT OF CHOLESTEROL. *Langmuir.* 5: 1048-1051.
- Maurya, P; Mohan, L; Sharma, P; Srivastava, CN. (2008). Larval susceptibility of *Aloe barbadensis* and *Cannabis sativa* against *Culex quinquefasciatus*, the filariasis vector. *J Environ Biol.* 29: 941-943.
- Mavani, SI; Mehta, NM; Parsania, PH. (2007). Synthesis and physico-chemical study of polyester polyol of epoxy resin of 1,1'-bis (3-methyl-4-hydroxy phenyl) cyclohexane and ricinoleic acid and its polyurethanes with polyethylene glycol. *Journal of Sci Ind Res.* 66: 377-384.
- Mavlyutov, AA; Mis'kevich, AI; Zhao, XL. (2001). Estimation of the lasing threshold for excimer media under nuclear pumping. *Instrum Exp Tech.* 44: 387-391.
- Mayotte, TJ; Dybas, MJ; Criddle, CS. (1996). Bench-scale evaluation of bioaugmentation to remediate carbon tetrachloride-contaminated aquifer materials. *Ground Water.* 34: 358-367.
- Mccann, J; Choi, E; Yamasaki, E; Ames, BN. (1975). Detection of carcinogens as mutagens in the Salmonella/microsome test: Assay of 300 chemicals. *Proc Natl Acad Sci USA.* 72: 5135-5139. <http://dx.doi.org/10.1073/pnas.72.12.5135>.
- Mccarty, PL. (2000). Novel biological removal of hazardous chemicals at trace levels. *Water Sci Technol.* 42: 49-60.
- Mccormick, ML; Adriaens, P. (2004). Carbon tetrachloride transformation on the surface of nanoscale biogenic magnetite particles. *Environ Sci Technol.* 38: 1045-1053. <http://dx.doi.org/10.1021/es030487m>.
- Mccormick, ML; Bouwer, EJ; Adriaens, P. (2002). Carbon tetrachloride transformation in a model iron-reducing culture: relative kinetics of biotic and abiotic reactions. *Environ Sci Technol.* 36: 403-410. <http://dx.doi.org/10.1021/es010923+>.
- Mcfearin, CL; Beaman, DK; Moore, FG; Richmond, GL. (2009). From Franklin to Today: Toward a Molecular Level Understanding of Bonding and Adsorption at the Oil-Water Interface. *J Phys Chem C.* 113: 1171-1188. <http://dx.doi.org/10.1021/jp808212m>.
- Mcfearin, CL; Richmond, GL. (2009). The Role of Interfacial Molecular Structure in the Adsorption of Ions at the Liquid-Liquid Interface. *J Phys Chem C.* 113: 21162-21168. <http://dx.doi.org/10.1021/jp906616c>.
- Mckenna, EA. (1998). Hormesis: considerations and implications for human health risk assessment. *Int J Environ Pollut.* 9: 90-107.
- Mclean, AJ; Le Couteur, DG. (2004). Aging biology and geriatric clinical pharmacology [Review]. *Pharmacol Rev.* 56: 163-184. <http://dx.doi.org/10.1124/pr.56.2.4>.
- Mcnab, WW; Ruiz, R. (1998). Palladium-catalyzed reductive dehalogenation of dissolved chlorinated aliphatics using electrolytically-generated hydrogen. *Chemosphere.* 37: 925-936.

Exposure Literature Search Results

Off Topic

- Medvedev, OO; Shapiro, AA. (2004). Modeling diffusion coefficients in binary mixtures. *Fluid Phase Equilibria*. 225: 13-22. <http://dx.doi.org/10.1016/j.fluid.2004.06.060>.
- Medvedev, OO; Shapiro, AA. (2005). Modeling diffusion coefficients in binary mixtures of polar and non-polar compounds. *Fluid Phase Equilibria*. 236: 111-124. <http://dx.doi.org/10.1016/j.fluid.2005.04.023>.
- Mehendale, HM. (1991). Commentary: role of hepatocellular regeneration and hepatolobular healing in the final outcome of liver injury. A two-stage model of toxicity [Review]. *Biochem Pharmacol*. 42: 1155-1162. [http://dx.doi.org/10.1016/0006-2952\(91\)90249-5](http://dx.doi.org/10.1016/0006-2952(91)90249-5).
- Mehendale, HM. (1992). Biochemical Mechanisms of Biphasic Dose-Response Relationships Role of Hormesis. In *Ej Calabrese (Ed.)*, (pp. 59-94): Lewis Publishers, Inc.
- Mehendale, HM. (1994). Amplified interactive toxicity of chemicals at nontoxic levels: mechanistic considerations and implications to public health. *Environ Health Perspect*. 102: 139-149.
- Mekhalif, Z; Laffineur, F; Couturier, N; Delhalle, J. (2003). Elaboration of self-assembled monolayers of n-alkanethiols on nickel polycrystalline substrates: time, concentration, and solvent effects. *Langmuir*. 19: 637-645. <http://dx.doi.org/10.1021/la020332c>.
- Melnikov, SP; Porkhaev, VV. (1995). LASING ON IR ATOMIC CHLORINE TRANSITIONS UNDER PUMPING OF GAS-MIXTURES BY URANIUM FISSION FRAGMENTS. *Kvantovaya Elektronika (Moscow)*. 22: 891-894.
- Memon, FN; Memon, S; Minhas, FT. (2016). Calix[4]arene-mediated uphill transport of methyl red through bulk liquid membrane: kinetics of operational variables. *Desalination and Water Treatment*. 57: 8358-8371. <http://dx.doi.org/10.1080/19443994.2015.1021842>.
- Menegazzi, M; Carcereri-De Prati, A; Suzuki, H; Shinozuka, H; Pibiri, M; Piga, R; Columbano, A; Ledda-Columbano, GM. (1997). Liver cell proliferation induced by nafenopin and cyproterone acetate is not associated with increases in activation of transcription factors NF-kappaB and AP-1 or with expression of tumor necrosis factor alpha. *Hepatology*. 25: 585-592. <http://dx.doi.org/10.1002/hep.510250316>.
- Mentzen, BF. (1992). STRUCTURAL CORRELATIONS BETWEEN THE FRAMEWORK SYMMETRY OF HIGHLY SILICEOUS MFI ZEOLITIC MATERIALS (SILICALITE, ZSM-5 FOR SI/AL-GREATER-THAN-75) AND THE LOCATION OR THE GEOMETRY OF SORBED MOLECULES. *Materials Research Bulletin*. 27: 831-838.
- Merkureva, RV; Aulika, BV; Shaternikova, IS; Konstantinova, IN; Dolinskaya, SI; Bushinskaya, LI; Nekrasova, GI; Koganova, ZI. (1980). THE INFLUENCE OF TETRACHLOROMETHANE ON SUBCELLULAR STRUCTURES OF RAT HEPATOCYTE LYSOSOMAL AND CYTOPLASMIC ENZYMES OF THE LIVER, LUNGS AND BLOOD-SERUM OF RATS DURING CONTINUOUS AND INTERMITTENT ACTION OF TETRACHLOROMETHANE. *J Hyg Epidemiol Microbiol Immunol*. 24: 121-132.
- Merkureva, RV; Bonashevskaya, TI; Shaternikova, IS; Belyayeva, NN; Bushinskaya, LI; Bulochnikova, EK; Nekrasova, GI. (1979). COMPARATIVE BIOCHEMICAL AND MORPHOLOGICAL INVESTIGATION OF THE LIVER OF EXPERIMENTAL-ANIMALS IN THE PROCESS OF HEPATOTROPIC EFFECT OF ATMOSPHERIC-POLLUTION (ON THE MODEL OF CARBON-TETRACHLORIDE). *J Hyg Epidemiol Microbiol Immunol*. 23: 368-&.
- Merouani, S; Hamdaoui, O; Saoudi, F; Chiha, M. (2010). Sonochemical degradation of Rhodamine B in aqueous phase: Effects of additives. *Chem Eng J*. 158: 550-557. <http://dx.doi.org/10.1016/j.cej.2010.01.048>.
- Meyer, EF; Feil, J. (1994). THERMODYNAMICS OF ADSORPTION OF C(CH3)4-NCLN (N=0-4) ON STERLING FT GRAPHITE AT ZERO COVERAGE USING GAS-SOLID CHROMATOGRAPHY. *Langmuir*. 10: 2399-2402.
- Meyer, EF; Mulvihill, G; Feil, J. (1993). PHYSICAL ADSORPTION OF NEOPENTANE ON STERLING FT GRAPHITE. *Langmuir*. 9: 3239-3244.
- Meyer, RJ; Reeves, CT; Safarik, DJ; Allen, DT; Mullins, CB. (2001). Comparison of phosgene formation from adsorption of carbon tetrachloride on oxygen modified Ir(111) and oxygen modified Ir(110). *Journal of Vacuum Science and Technology A*. 19: 1524-1530.
- Meyers, CY. (1975). CCL4-KOH AS REAGENT - NEW POSSIBILITY FOR INDUSTRIAL ORGANIC SYNTHESIS - REACTIONS OF SULFONES. 28: 249-249.
- Miao, Z; Gu, X; Lu, S; Brusseau, ML; Yan, N; Qiu, Z; Sui, Q. (2015). Enhancement effects of reducing agents on the degradation of tetrachloroethene in the Fe(II)/Fe(III) catalyzed percarbonate system. *J Hazard Mater*. 300: 530-537. <http://dx.doi.org/10.1016/j.jhazmat.2015.07.047>.
- Miao, Z; Gu, X; Lu, S; Brusseau, ML; Zhang, X; Fu, X; Danish, M; Qiu, Z; Sui, Q. (2015). Enhancement effects of chelating agents on the degradation of tetrachloroethene in Fe(III) catalyzed percarbonate system. *Chem Eng J*. 281: 286-294. <http://dx.doi.org/10.1016/j.cej.2015.06.076>.
- Miao, Z; Gu, X; Lu, S; Dionysiou, DD; Al-Abed, SR; Zang, X; Wu, X; Qiu, Z; Sui, Q; Danish, M. (2015). Mechanism of PCE oxidation by percarbonate in a chelated Fe(II)-based catalyzed system. *Chem Eng J*. 275: 53-62. <http://dx.doi.org/10.1016/j.cej.2015.04.014>.
- Miao, Z; Gu, X; Lu, S; Zang, X; Wu, X; Xu, M; Ndong, LB; Qiu, Z; Sui, Q; Fu, GY. (2015). Perchloroethylene (PCE) oxidation by percarbonate in Fe(2+)-catalyzed aqueous solution: PCE performance and its removal mechanism. *Chemosphere*. 119: 1120-1125. <http://dx.doi.org/10.1016/j.chemosphere.2014.09.065>.
- Michael, JV; Kumaran, SS. (1998). Thermal decomposition studies of halogenated organic compounds. *Combust Sci Tech*. 134: 31-44.
- Michorczyk, B; Ogonowski, J, an; Michorczyk, P. (2015). Oxidative coupling of methane in the presence of various gaseous additives. *Przemysl Chemiczny*. 94: 572-576.
- Miehr, R; Tratnyek, PG; Bandstra, JZ; Scherer, MM; Alowitz, MJ; Bylaska, EJ. (2004). Diversity of contaminant reduction reactions by zerovalent iron: Role of the reductate. *Environ Sci Technol*. 38: 139-147. <http://dx.doi.org/10.1021/es034237h>.
- Mielczarski, JA; Atenas, GM; Mielczarski, E. (2005). Role of iron surface oxidation layers in decomposition of azo-dye water pollutants in weak acidic solutions. *Appl Catal B-Environ*. 56: 289-303. <http://dx.doi.org/10.1016/j.apcatb.2004.09.017>.
- Mihailovic, V; Mistic, D; Matic, S; Mihailovic, M; Stanic, S; Vrvic, MM; Katanic, J; Mladenovic, M; Stankovic, N; Boroja, T; Stankovic, MS. (2015). Comparative phytochemical analysis of *Gentiana cruciata* L. roots and aerial parts, and their biological activities. *Ind Crop Prod*. 73: 49-62. <http://dx.doi.org/10.1016/j.indcrop.2015.04.013>.

Exposure Literature Search Results

Off Topic

- Mijaylova-Nacheva, P; Canul-Chuil, A. (2006). Anaerobic biodegradation of chlorinated aliphatic compounds using packed bed reactors. *Water Sci Technol.* 54: 193-200. <http://dx.doi.org/10.2166/wst.2006.878>.
- Milchert, E; Goc, W; Pelech, R. (2000). Adsorption of CCl₄ from aqueous solution on activated carbons. *AST.* 18: 823-837.
- Milczewska, K; Voelkel, A. (2003). The magnitude of polymer-filler interactions as evaluated by inverse gas chromatography. *Przemyst Chemiczny.* 82: 924-926.
- Millano, EF. (1999). Storage, disposal, remediation, and closure. *Water Environ Res.* 71: 885-916.
- Millar, GJ; Lewis, AR; Bowmaker, GA; Cooney, RP. (1993). RAMAN-SPECTROSCOPIC STUDY OF THE FORMATION OF POLYACETYLENE WITHIN ZEOLITE CHANNELS. *J Mater Chem.* 3: 867-872.
- Miller, GP. (1995). THE STRUCTURE OF A STOICHIOMETRIC CCL₄-CH₄-AIR FLAT FLAME. *Combust Flame.* 101: 101-112.
- Miller, JW; Angui, KTP. (1991). INDIRECT DETERMINATION OF BROMIDE AT TRACE LEVELS IN SOIL EXTRACTS. *Soil Sci Soc Am J.* 55: 384-388.
- Minami, W; Kim, H, eel. (2006). Decomposition of halocarbons using TiO₂ photocatalyst. *Kagaku Kogaku Ronbunshu.* 32: 310-313.
- Mink, G; Bertoti, I; Pap, IS; Mohai, M; Szekely, T; Duc, TM. (1987). ON THE ROLE OF POTASSIUM ADDITIVES IN THE CHLORINATION OF TiO₂ BY CCL₄ AND COCL₂. *Vacuum.* 37: 133-135.
- Miranda, B; Diaz, E; Ordonez, S; Vega, A; Diez, FV. (2006). Performance of alumina-supported noble metal catalysts for the combustion of trichloroethene at dry and wet conditions. *Appl Catal B-Environ.* 64: 262-271. <http://dx.doi.org/10.1016/j.apcatb.2005.12.008>.
- Mirsalis, JC. (1987). In vivo measurement of unscheduled DNA synthesis and S-phase synthesis as an indicator of hepatocarcinogenesis in rodents. *Cell Biol Toxicol.* 3: 165-173.
- Mirsalis, JC; Monforte, JA; Winegar, RA. (1994). Transgenic animal models for measuring mutations in vivo [Review]. *Crit Rev Toxicol.* 24: 255-280. <http://dx.doi.org/10.3109/10408449409021608>.
- Mirzaei Aliabadi, M; Naderi, G; Shahtaheri, SJ; Forushani, AR; Mohammadfam, I; Jahangiri, M. (2014). Transport properties of carboxylated nitrile butadiene rubber (XNBR)-nanoclay composites; a promising material for protective gloves in occupational exposures. 12: 51. <http://dx.doi.org/10.1186/2052-336X-12-51>.
- Misawa, M. (1992). ORIENTATIONAL CORRELATION IN MOLECULAR LIQUIDS ESTIMATED FROM EXPERIMENTAL STRUCTURE FACTORS. *Journal of Non-Crystalline Solids.* 150: 58-64.
- Mishima, K; Watanabe, H; Kaneko, S; Ogihara, T. (2003). Membrane disordering induced by chloroform and carbon tetrachloride. *Colloids Surf B Biointerfaces.* 28: 307-312.
- Mishra, D; Deepa, S; Sharma, U. (1999). Carrier-mediated transport of some main group metal loris across various organic liquid membranes. *Separation Science and Technology.* 34: 3113-3124.
- Mishra, D; Liao, Z; Farrell, J. (2008). Understanding Reductive Dechlorination of Trichloroethene on Boron-Doped Diamond Film Electrodes. *Environ Sci Technol.* 42: 9344-9349. <http://dx.doi.org/10.1021/es801815z>.
- Mishra, D; Sharma, U. (1996). Influence of halocarbon solvents on carrier mediated cation transport through bulk liquid membranes. *Indian J Chem Tech.* 3: 245-249.
- Mishra, KP; Gogate, PR. (2010). Intensification of degradation of Rhodamine B using hydrodynamic cavitation in the presence of additives. *Separation and Purification Technology.* 75: 385-391. <http://dx.doi.org/10.1016/j.seppur.2010.09.008>.
- Mishra, KP; Gogate, PR. (2011). Intensification of degradation of aqueous solutions of rhodamine B using sonochemical reactors at operating capacity of 7 L. *J Environ Manage.* 92: 1972-1977. <http://dx.doi.org/10.1016/j.jenvman.2011.03.046>.
- Mishra, KP; Gogate, PR. (2012). Ultrasonic Degradation of p-Nitrophenol in the Presence of Additives at Pilot Scale Capacity. *Ind Eng Chem Res.* 51: 1166-1172. <http://dx.doi.org/10.1021/ie2023806>.
- Mis'kevich, AI; Guo, J; Dyuzhov, Y, uA. (2013). Spontaneous and induced emission of XeCl* excimer molecules under pumping of Xe-CCl₄ and Ar-Xe-CCl₄ gas mixtures with a low CCl₄ content by fast electrons and uranium fission fragments. *Quantum Electronics.* 43: 1003-1008. <http://dx.doi.org/10.1070/QE2013v043n11ABEH015134>.
- Mis'kevich, AI; Jinbo, G. (2013). Luminescence characteristics of Xe₂Cl excimer molecules under pumping the dense Xe-CCl₄ gas mixtures with a pulsed electron beam. *Quantum Electronics.* 43: 489-495. <http://dx.doi.org/10.1070/QE2013v043n05ABEH015022>.
- Mistry, S; Dutt, KR; Jena, J. (2013). Protective effect of Sida cordata leaf extract against CCl₄ induced acute liver toxicity in rats. *Asian Pacific Journal of Tropical Medicine.* 6: 280-284. [http://dx.doi.org/10.1016/S1995-7645\(13\)60057-7](http://dx.doi.org/10.1016/S1995-7645(13)60057-7).
- Mitchell, SM; Ahmad, M; Teel, A, myL; Watts, RJ. (2014). Degradation of Perfluorooctanoic Acid by Reactive Species Generated through Catalyzed H₂O₂ Propagation Reactions. *Environ Sci Technol Lett.* 1: 117-121. <http://dx.doi.org/10.1021/ez4000862>.
- Mitropoulos, AC; Stefanopoulos, KL; Kanellopoulos, NK. (1998). Coal studies by small angle X-ray scattering. *Microporous and Mesoporous Materials.* 24: 29-39.
- Miyata, T; Minami, T; Shimokawa, K; Kakumu, T; Ishii, M. (1997). New materials consisting of multicomponent oxides for thin-film gas sensors. *J Electrochem Soc.* 144: 2432-2436.
- Moffat, JB; Sugiyama, S; Hayashi, H. (1997). The effects of the introduction of tetrachloromethane into the feedstream for the partial oxidation and oxidative coupling of methane. *Catalysis Today.* 37: 15-23.
- Moggridge, GD. (2012). Prediction of the mutual diffusivity in binary liquid mixtures containing one dimerising species, from the tracer diffusion coefficients. *Chem Eng Sci.* 76: 199-205. <http://dx.doi.org/10.1016/j.ces.2012.04.014>.
- Moggridge, GD. (2012). Prediction of the mutual diffusivity in binary non-ideal liquid mixtures from the tracer diffusion coefficients. *Chem Eng Sci.* 71: 226-238. <http://dx.doi.org/10.1016/j.ces.2011.12.016>.
- Mohamed, MR; Emam, MA; Hassan, NS; Mogadem, AI. (2014). Umbelliferone and daphnetin ameliorate carbon tetrachloride-induced hepatotoxicity in rats via nuclear factor erythroid 2-related factor 2-mediated heme oxygenase-1 expression. *Environ Toxicol Pharmacol.* 38: 531-541. <http://dx.doi.org/10.1016/j.etap.2014.08.004>.

Exposure Literature Search Results

Off Topic

- Mohamed-Zine, MB; Hamouche, A; Krim, L. (2013). The study of potable water treatment process in Algeria (boudouaou station) -by the application of life cycle assessment (LCA). 11: 37. <http://dx.doi.org/10.1186/2052-336X-11-37>.
- Mohammed, RR; Ibrahim, IAR; Taha, AH; McKay, G. (2013). Waste lubricating oil treatment by extraction and adsorption. *Chem Eng J.* 220: 343-351. <http://dx.doi.org/10.1016/j.cej.2012.12.076>.
- Mohanty, B; Verma, AK; Claesson, P; Bohidar, HB. (2007). Physical and anti-microbial characteristics of carbon nanoparticles prepared from lamp soot. *Nanotechnology.* 18. <http://dx.doi.org/10.1088/0957-4484/18/44/445102>.
- Mohapatra, D; Chaudhury, GR, oy; Park, KH, o. (2008). Recovery of boron from wastewater using 2,2,4-trimethyl-1,3-pentanediol in carbon tetrachloride. *Indian J Chem Tech.* 15: 483-487.
- Mohapatra, D; Chaudhury, GR; Park, KH. (2008). Solvent extraction approach to recover boron from wastewater generated by the LCD manufacturing industry: Part 1. *Minerals and Metallurgical Processing.* 25: 175-180.
- Mohapatra, D; Park, KH. (2008). Solvent extraction of Al(III) from sulfate solutions using bis (2,4,4-trimethylpentyl) phosphinic acid - mechanism and complexation. *Minerals and Metallurgical Processing.* 25: 73-78.
- Mohseni, M. (2005). Gas phase trichloroethylene (TCE) photooxidation and byproduct formation: Photolysis vs. titania/silica based photocatalysis. *Chemosphere.* 59: 335-342. <http://dx.doi.org/10.1016/j.chemosphere.2004.10.054>.
- Mojovic, Z; Jovic-Jovicic, N; Bankovic, P; Zunic, M; Abu Rabi-Stankovic, A; Milutinovic-Nikolic, A; Jovanovic, D. (2011). Electrooxidation of phenol on different organo bentonite-based electrodes. *Appl Clay Sci.* 53: 331-335. <http://dx.doi.org/10.1016/j.clay.2010.12.008>.
- Molina, CB; Calvo, L; Gilarranz, MA; Casas, JA; Rodriguez, JJ. (2009). Hydrodechlorination of 4-chlorophenol in aqueous phase with Pt-Al pillared clays using formic acid as hydrogen source. *Appl Clay Sci.* 45: 206-212. <http://dx.doi.org/10.1016/j.clay.2009.06.006>.
- Molina, MD; Rowland, FS. (1974). Predicted present stratospheric abundances of chlorine species from photodissociation of carbon tetrachloride. *Geophys Res Lett.* 1: 309-312.
- Molina, PG; Silber, JJ; Correa, NM; Sereno, L. (2007). Electrochemistry in AOT reverse micelles. A powerful technique to characterize organized media. *J Phys Chem C.* 111: 4269-4276. <http://dx.doi.org/10.1021/jp067145y>.
- Molina-Sabio, M; Nakagawa, Y; Rodriguez-Reinoso, F. (2008). Possible errors in microporosity in chemically activated carbon deduced from immersion calorimetry. *Carbon.* 46: 329-334. <http://dx.doi.org/10.1016/j.carbon.2007.11.046>.
- Molnar, M; Szekely, E; Simandi, B; Keszei, S; Lovasz, J; Fogassy, E. (2006). Enantio separation of ibuprofen by supercritical fluid extraction. *Journal of Supercritical Fluids.* 37: 384-389. <http://dx.doi.org/10.1016/j.supflu.2005.10.009>.
- Monahan, MJ; Teel, AL; Watts, RJ. (2005). Displacement of five metals sorbed on kaolinite during treatment with modified Fenton's reagent. *Water Res.* 39: 2955-2963. <http://dx.doi.org/10.1016/j.watres.2005.04.064>.
- Monajjemi, M; Azan, MJ; Mollaamin, F. (2013). Density Functional Theory Study on B30N20 Nanocage in Structural Properties and Thermochemical Outlook. *Fullerenes, Nanotubes, and Carbon Nanostructures.* 21: 503-515. <http://dx.doi.org/10.1080/1536383X.2011.629762>.
- Mondal, A; Maity, TK; Pal, D; Sannigrahi, S; Singh, J. (2011). Isolation and in vivo hepatoprotective activity of *Melothria heterophylla* (Lour.) Cogn. against chemically induced liver injuries in rats. *Asian Pacific Journal of Tropical Medicine.* 4: 619-623. [http://dx.doi.org/10.1016/S1995-7645\(11\)60159-4](http://dx.doi.org/10.1016/S1995-7645(11)60159-4).
- Mondal, P; Bhowmick, S; Jullok, N; Ye, W; Van Renterghem, W; Van Den Berghe, S; Van Der Bruggen, B. (2014). Behavior of As(V) with ZVI-H2O System and the Reduction to As(0). *J Phys Chem C.* 118: 21614-21621. <http://dx.doi.org/10.1021/jp505174k>.
- Montes-Moran, MA; Martinez-Alonso, A; Tascon, JMD. (2002). Adsorption of polar probe molecules on plasma-oxidised high-strength carbon fibres. *Fuel Process Tech.* 77: 359-364.
- Moody, DE; Loury, DN; Hammock, BD; Ruebner, BH; Cullen, JM; Hillman, JH; Hillman, DW; Rao, MS; London, WT; Hann, HWL; Millman, I; Griffin, MJ. (1992). SERUM EPOXIDE HYDROLASE (PRENEOPLASTIC ANTIGEN) IN HUMAN AND EXPERIMENTAL LIVER-INJURY. *Cancer Epidemiol Biomarkers Prev.* 1: 395-403.
- Moon, SD, oo; Choi, D, aeW. (2009). Monte Carlo simulation on the adsorption properties of carbon tetrachloride, neopentane, and cyclohexane in MCM-41. *Korean J Chem Eng.* 26: 1098-1105. <http://dx.doi.org/10.2478/s11814-009-0183-x>.
- Moore, AM; De Leon, CH; Young, TM. (2003). Rate and extent of aqueous perchlorate removal by iron surfaces. *Environ Sci Technol.* 37: 3189-3198. <http://dx.doi.org/10.1021/es026007t>.
- Moore, K; Forsberg, B; Baer, DR; Arnold, WA; Penns, R. (2011). Zero-Valent Iron: Impact of Anions Present during Synthesis on Subsequent Nanoparticle Reactivity. *J Environ Eng.* 137: 889-896. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000407](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000407).
- Moradi, SE. (2013). Naphthalene Removal From Water by Novel Mesoporous Carbon Nitride Adsorbent. *Chemical and Biochemical Engineering Quarterly.* 27: 365-372.
- Moradi, SE. (2014). Highly-ordered Metal-modified Mesoporous Carbon Nitride: As a Novel Hydrogen Adsorbent. *Chemical and Biochemical Engineering Quarterly.* 28: 267-272.
- Moradi, SE; Baniamerian, MJ. (2011). THE EFFECT OF MESOPOROUS CARBON MODIFICATION BY NITROGEN ON ITS ENRICHMENT EFFICIENCY OF CHROMATE ION: COMPARISON BETWEEN N-DOPED MESOPOROUS CARBON AND AMINO GRAFTED MESOPOROUS CARBON. *Chemical Industry and Chemical Engineering Quarterly.* 17: 505-515. <http://dx.doi.org/10.2298/CICEQ110701036M>.
- Moravek, A; Foken, T; Trebs, I. (2014). Application of a GC-ECD for measurements of biosphere-atmosphere exchange fluxes of peroxyacetyl nitrate using the relaxed eddy accumulation and gradient method. *Atmos Meas Tech.* 7: 2097-2119. <http://dx.doi.org/10.5194/amt-7-2097-2014>.
- Morgan, A; Black, A; Belcher, DR. (1970). The excretion in breath of some aliphatic halogenated hydrocarbons following administration by inhalation. *Ann Occup Hyg.* 13: 219-233. <http://dx.doi.org/10.1093/annhyg/13.4.219>.

Exposure Literature Search Results

Off Topic

- Mori, T; Hirose, K; Kikuchi, T; Kubo, J; Morikawa, Y. (2002). Formation of higher hydrocarbons from chloromethanes via hydrodechlorination over Pd/SiO₂ catalyst. *J Jpn Petrol Inst.* 45: 256-259.
- Mori, T; Kubo, J; Morikawa, Y. (2004). Hydrodechlorination of 1,1,1-trichloroethane over silica-supported palladium catalyst. *Appl Catal A-Gen.* 271: 69-76. <http://dx.doi.org/10.1016/j.apcata.2004.02.047>.
- Morikawa, A; Ebitani, K; Hirano, Y. (1996). Kinetic mechanism of reactions of carbon tetrachloride with TT-niobium oxide and niobium phosphate. *Catalysis Today.* 28: 91-97.
- Morita, T; Asano, N; Awogi, T; Sasaki, YF; Sato, S; Shimada, H; Sutou, S; Suzuki, T; Wakata, A; Sofuni, T; Hayashi, M. (1997). Evaluation of the rodent micronucleus assay in the screening of IARC carcinogens (groups 1, 2A and 2B) the summary report of the 6th collaborative study by CSGMT/JEMS MMS. *Mutat Res.* 389: 3-122. [http://dx.doi.org/10.1016/S1383-5718\(96\)00070-8](http://dx.doi.org/10.1016/S1383-5718(96)00070-8).
- Morley, AA; Turner, DR. (1999). The contribution of exogenous and endogenous mutagens to in vivo mutations [Review]. *Mutat Res.* 428: 11-15.
- Morra, MJ; Borek, V; Koolpe, J. (2000). Transformation of chlorinated hydrocarbons using aquocobalamin or coenzyme F-430 in combination with zero-valent iron. *J Environ Qual.* 29: 706-715.
- Morris, AJ; Meyer, GJ. (2008). TiO₂ Surface Functionalization to Control the Density of States. *J Phys Chem C.* 112: 18224-18231. <http://dx.doi.org/10.1021/jp801338y>.
- Morse, JS; Cundy, VA; Lester, TW. (1989). CHEMICAL-SPECIES, TEMPERATURE, AND NET REACTION-RATE PROFILES OF LAMINAR CARBON-TETRACHLORIDE METHANE AIR FLAMES. *Combust Sci Tech.* 66: 59-73.
- Moser, VC; Cheek, BM; Macphail, RC. (1995). A multidisciplinary approach to toxicological screening: III. Neurobehavioral toxicity. *J Toxicol Environ Health A.* 45: 173-210. <http://dx.doi.org/10.1080/15287399509531988>.
- Motojima, S; Ogawa, Y; Gakei, S; Iwanaga, H. (1995). PREPARATION OF SIC AND Si₃N₄ WHISKERS USING BEAN-CURD REFUSE AS THE Si SOURCE. *Mater Sci Eng B.* 30: 13-17.
- Motoki, K; Tanikawa, M; Akiyama, H; Toida, T; Toyoda, H; Koshishi, I; Imanari, T. (1992). CHANGES OF GLYCOSAMINOGLYCAN SPECIES IN CARBON TETRACHLORIDE-INTOXICATED RAT ORGANS. *JTHE.* 38: 63-68.
- Moumouzias, G; Ritzoulis, G. (1999). Relative permittivities and refractive indices of gamma-butyrolactone with o-xylene and m-xylene. *Journal of Chemical and Engineering Data.* 44: 1273-1278.
- Mousavi, S; Esmaeilpour, K; Keshavarz, MH. (2014). Preparation and characterization of nano N,N'-bis(1,2,4-triazol-3-yl)-4,4'-diamino-2,2',3,3',5,5',6,6'-octanitroazo-benzene explosive. *Indian Journal of Engineering and Materials Sciences.* 21: 585-588.
- Moyer, ES; Smith, SJ; Wood, GO. (2001). Carbon tetrachloride replacement compounds for organic vapor air-purifying respirator cartridge and activated carbon testing--a review [Review]. *AIHAJ.* 62: 494-507.
- Mtolera, MSP; Collen, J; Pedersen, M; Ekdahl, A; Abrahamsson, K; Semesi, AK. (1996). Stress-induced production of volatile halogenated organic compounds in *Eucheuma denticulatum* (Rhodophyta) caused by elevated pH and high light intensities. *European Journal of Phycology.* 31: 89-95.
- Mucka, V; Cuba, V; Pospisil, M; Silber, R. (2004). Radiation dechlorination of some chlorinated hydrocarbons particularly of carbon tetrachloride in presence of HCO₃⁻ or NO₃⁻ ions. *Appl Catal A-Gen.* 271: 195-201. <http://dx.doi.org/10.1016/j.apcata.2004.02.058>.
- Muftikian, R; Fernando, Q; Korte, N. (1995). A Method For The Rapid Dechlorination Of Low Molecular Weight Chlorinated Hydrocarbons In Water. *Water Res.* 29: 2434-2439.
- Müller, L; Kikuchi, Y; Probst, G; Schechtman, L; Shimada, H; Sofuni, T; Tweats, D. (1999). ICH-harmonised guidances on genotoxicity testing of pharmaceuticals: evolution, reasoning and impact [Review]. *Mutat Res.* 436: 195-225.
- Muller, L; Sofuni, T. (2000). Appropriate levels of cytotoxicity for genotoxicity tests using mammalian cells in vitro. *Environ Mol Mutagen.* 35: 202-205.
- Mumtaz, MM; Durkin, P; Diamond, GL; Hertzberg, R. (1996). Exercises in the use of weight-of-evidence approach for chemical-mixture interactions. *J Clean Technol, Environ Toxicol, Occup Med.* 5: 339-345.
- Mumtaz, MM; Ray, M; Crowell, SR; Keys, D; Fisher, J; Ruiz, P. (2012). Translational research to develop a human PBPK models tool kit-volatile organic compounds (VOCs). *J Toxicol Environ Health A.* 75: 6-24. <http://dx.doi.org/10.1080/15287394.2012.625546>.
- Mun, CH; He, J; Ng, WJ. (2008). Pentachlorophenol dechlorination by an acidogenic sludge. *Water Res.* 42: 3789-3798. <http://dx.doi.org/10.1016/j.watres.2008.07.01>.
- Mun, CH; Ng, WJ; He, J. (2008). Evaluation of Biodegradation Potential of Carbon Tetrachloride and Chlorophenols under Acidogenic Condition. *J Environ Eng.* 134: 177-183. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2008\)134:3\(177\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2008)134:3(177)).
- Murai, R; Sekine, T; Iguchi, M. (1971). STUDIES OF SOLVENT EXTRACTION SYSTEMS OF COBALT IN ANALYTICAL CHEMISTRY .2. FORMATION AND DISTRIBUTION EQUILIBRIA OF COBALT(II) COMPLEXES WITH VARIOUS BETA-DIKETONES IN CARBON TETRACHLORIDE-AQUEOUS SODIUM PERCHLORATE SYSTEMS. 92: 967-&.
- Muraviev, D; Warshawsky, A. (1994). AQUA-IMPREGNATED RESINS - HYDROGEN-DEUTERIUM EXCHANGE ON TRIMETHYLAMINE BORANE IN AN ION-EXCHANGE COLUMN. 22: 55-63.
- Muraviev, D; Warshawsky, A. (2001). Aqua-impregnated resins as new dual-function deuterating agent. *Separation Science and Technology.* 36: 2087-2119.
- Muriel, P; Alba, N; Pérez-Alvarez, VM; Shibayama, M; Tsutsumi, VK. (2001). Kupffer cells inhibition prevents hepatic lipid peroxidation and damage induced by carbon tetrachloride. *Comp Biochem Physiol C Toxicol Pharmacol.* 130: 219-226.
- Muromachi, S; Nakajima, T; Ohmura, R, yo; Mori, YH. (2011). Phase equilibrium for clathrate hydrates formed from an ozone plus oxygen gas mixture coexisting with carbon tetrachloride or 1,1-dichloro-1-fluoroethane. *Fluid Phase Equilibria.* 305: 145-151. <http://dx.doi.org/10.1016/j.fluid.2011.03.020>.

Exposure Literature Search Results

Off Topic

- Murphy, BL. (2016). Vapor degreasing with chlorinated solvents. *Environ Forensics*. 17: 282-293. <http://dx.doi.org/10.1080/15275922.2016.1230907>.
- Murthy, KNC; Jayaprakasha, GK; Singh, RP. (2002). Studies on antioxidant activity of pomegranate (*Punica granatum*) peel extract using in vivo models. *J Agric Food Chem*. 50: 4791-4795. <http://dx.doi.org/10.1021/jf0255735>.
- Murthy, KNC; Singh, RP; Jayaprakasha, GK. (2002). Antioxidant activities of grape (*Vitis vinifera*) pomace extracts. *J Agric Food Chem*. 50: 5909-5914. <http://dx.doi.org/10.1021/jf0257042>.
- Murugan, V; Mukherjee, K; Maiti, K; Mukherjee, PK. (2009). Enhanced oral bioavailability and antioxidant profile of ellagic acid by phospholipids. *J Agric Food Chem*. 57: 4559-4565. <http://dx.doi.org/10.1021/jf8037105>.
- Musumeci, D; Hunter, CA; McCabe, JF. (2010). Solvent Effects on Acridine Polymorphism. *Cryst Growth Des*. 10: 1661-1664. <http://dx.doi.org/10.1021/cg901225b>.
- Muthukrishnan, A; Boyarskiy, V; Sangaranarayanan, MV; Boyarskaya, I. (2012). Mechanism and Regioselectivity of the Electrochemical Reduction in Polychlorobiphenyls (PCBs): Kinetic Analysis for the Successive Reduction of Chlorines from Dichlorobiphenyls. *J Phys Chem C*. 116: 655-664. <http://dx.doi.org/10.1021/jp2066474>.
- Muthuraman, G; Moon, IS. (2016). Sustainable Generation of a Homogeneous Ni(II) Catalyst in the Cathodic Compartment of a Divided Flow Electrolytic Cell for the Degradation of Gaseous Carbon Tetrachloride by Electroscrubbing. 4: 1364-1372. <http://dx.doi.org/10.1021/acssuschemeng.5b01383>.
- Muthuraman, G; Teng, T; Tan, SH. (2012). Liquid-liquid extraction of Cibacron Red FN-R by TBAB as an extractant. *Desalination*. 284: 135-141. <http://dx.doi.org/10.1016/j.desal.2011.08.047>.
- Myszkowski, J; Milchert, E. (2003). Recovery of organochlorine derivatives from waste waters in the stripper-adsorber system. *Przemysł Chemiczny*. 82: 1048-1050.
- Myszkowski, J; Pelech, R; Wroblewska, A; Milchert, E. (2006). Formation of environmentally friendly processes by utilization of wastes and by-products. *Przemysł Chemiczny*. 85: 638-640.
- Naeeni, MH; Yamini, Y; Rezaee, M. (2011). Combination of supercritical fluid extraction with dispersive liquid-liquid microextraction for extraction of organophosphorus pesticides from soil and marine sediment samples. *Journal of Supercritical Fluids*. 57: 219-226. <http://dx.doi.org/10.1016/j.supflu.2011.03.005>.
- Nagano, K. (2004). Email dated March 9, 2004. Subject: Carbon tetrachloride 2-year chronic bioassay. From Kasuke Nagano, JBRC, to Mary Manibusan, U.S. EPA. Nagano, K.
- Nagano, K. (2004). Letter dated March 8, 2004 from Kasuke Nagano, JBRC, to Mary Manibusan, U.S. EPA [Personal Communication].
- Nagano, K. (2004). Letter dated March 9, 2004 from Kasuke Nagano, JBRC, to Mary Manibusan, U.S. EPA [Personal Communication].
- Nagano, K. (2005). Email dated October 15, 2005. Subject: Carbon tetrachloride 1998 inhalation study [Personal Communication].
- Nagano, K. (2007). Email dated April 5, 2007. Subject: Historical control data. From Kasuke [Personal Communication].
- Nagano, K; Umeda, Y; Saito, M; Nishizawa, T; Ikawa, N; Arito, H; Yamamoto, S; Fukushima, S. (2007). Thirteen-week inhalation toxicity of carbon tetrachloride in rats and mice. *J Occup Health*. 49: 249-259.
- Nagashima, H. (2015). Rubratoxin-B-induced secretion of chemokine ligands of cysteine-cysteine motif chemokine receptor 5 (CCR5) and its dependence on heat shock protein 90 in HL60 cells. *Environ Toxicol Pharmacol*. 40: 997-1000. <http://dx.doi.org/10.1016/j.etap.2015.10.012>.
- Nagashima, H; Nakagawa, H. (2014). Differences in the Toxicities of Trichothecene Mycotoxins, Deoxynivalenol and Nivalenol, in Cultured Cells. *JARQ*. 48: 393-397.
- Nagata, I. (1970). VAPOR-LIQUID EQUILIBRIUM DATA FOR TERNARY SYSTEM - METHYL ACETATE-CARBON TETRACHLORIDE-BENZENE. *Journal of Chemical and Engineering Data*. 15: 213-&.
- Nagata, I; Fukushima, Y. (1991). CORRELATION OF VAPOR-LIQUID-EQUILIBRIA FOR TAUTOMERIC MIXTURES OF ACETYLACETONE WITH NONASSOCIATED COMPONENTS. *Fluid Phase Equilibria*. 68: 1-12.
- Nagata, I; Gotoh, K; Tamura, K. (1996). Association model of fluids. Phase equilibria and excess enthalpies in acid mixtures. *Fluid Phase Equilibria*. 124: 31-54.
- Nagy, AG; Hess, DW. (1982). CHEMICAL-PROPERTIES OF POLYMER-FILMS FORMED DURING THE ETCHING OF ALUMINUM IN CCL4 PLASMAS. *J Electrochem Soc*. 129: 2530-2533.
- Naka, D; Dongwook, K; Carbonaro, RF; Strathmann, TJ. (2008). ABIOTIC REDUCTION OF NITROAROMATIC CONTAMINANTS BY IRON(II) COMPLEXES WITH ORGANOTHIOL LIGANDS. *Environ Toxicol Chem*. 27: 1257-1266.
- Nakahama, T; Takahashi, S; Urakubo, G; Nagamatsu, K. (1988). DISTRIBUTION OF CARBON TETRACHLORIDE IN RAT LIVER AND ITS URINARY METABOLITES. *Eisei Kagaku*. 34: 313-318.
- Nakahama, T; Urakubo, G. (1988). SPECIES-DIFFERENCE BETWEEN MICE AND RATS IN EXPIRATORY EXCRETION OF CARBON-TETRACHLORIDE AND ITS METABOLITES. *JTTHE*. 34: 279-281.
- Nakajima, T. (1997). Cytochrome P450 isoforms and the metabolism of volatile hydrocarbons of low relative molecular mass. *J Occup Health*. 39: 83-91. <http://dx.doi.org/10.1539/joh.39.83>.
- Nakajima, T; Wang, RS; Ito, Y; Aoyama, T; Kamijima, M. (2005). A review of hazardous chemical toxicity studies utilizing genetically-modified animals - Their applications for risk assessment [Review]. *Ind Health*. 43: 615-622. <http://dx.doi.org/10.2486/indhealth.43.615>.
- Nakamura, T; Tanaka, R; Higo, Y; Taira, K; Takeda, T. (1998). Lipid peroxide levels in tissues of live fish. *Fish Sci*. 64: 617-620.
- Nan, X; Maeng, O; Shin, H; An, H; Yeom, Y; Lee, H; Paik, S. (2008). Microarray study of genes differentially modulated in response to nitric oxide in macrophages. *Animal Cells and Systems*. 12: 15-21. <http://dx.doi.org/10.1080/19768354.2008.9647149>.

Exposure Literature Search Results

Off Topic

- Napierska, D; Barsiene, J; Mulkiewicz, E, wa; Podolska, M; Rybakovas, A. (2009). Biomarker responses in flounder *Platichthys flesus* from the Polish coastal area of the Baltic Sea and applications in biomonitoring. *Ecotoxicology*. 18: 846-859. <http://dx.doi.org/10.1007/s10646-009-0328-z>.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1993). Treatment of VOCs in high strength wastes using anaerobic expanded-bed GAC reactor. *Water Res*. 27: 181-194.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1995). Anaerobic treatment of volatile and semivolatile organic compounds in municipal wastewater. *Water Environ Res*. 67: 46-56.
- Narisawa, M; Hasegawa, T; Okamura, K; Itoh, M; Apple, T; Moraes, KV; Interrante, LV. (2002). Synthesis of silicon carbide films from partially oxidized polyvinylsilane by carbon tetrachloride solution casting. *J Mater Res*. 17: 214-223.
- Narotsky, MG; Best, DS; Rogers, EH; Mcdonald, A; Sey, YM; Simmons, JE. (2008). Integrated disinfection by-products mixtures research: assessment of developmental toxicity in Sprague-Dawley rats exposed to concentrates of water disinfected by chlorination and ozonation/postchlorination. *J Toxicol Environ Health A*. 71: 1216-1221. <http://dx.doi.org/10.1080/15287390802182623>.
- Narotsky, MG; Hamby, BT; Best, DS; Kavlock, RJ. (1995). Carbon tetrachloride (CCl₄)-induced pregnancy loss in F-344 rats: luteinizing hormone (LH) levels and rescue by human chorionic gonadotropin (hCG). *Biol Reprod*. 52: 172.
- Narotsky, MG; Kavlock, RJ. (1995). A multidisciplinary approach to toxicological screening: II. Developmental toxicity. *J Toxicol Environ Health*. 45: 145-171. <http://dx.doi.org/10.1080/15287399509531987>.
- Nasri, R; Siblini, A; Jorat, L; Noyel, G. (1996). Magneto dielectric behavior of the magnetic fluid manganese ferrite in carbon tetrachloride. *Journal of Magnetism and Magnetic Materials*. 161: 309-315.
- Nassar, R; Bernath, PF; Boone, CD; Clerbaux, C; Coheur, PF; Dufour, G; Froidevaux, L; Mahieu, E; Mcconnell, JC; Mcleod, SD; Murtagh, DP; Rinsland, CP; Semeniuk, K; Skelton, R; Walker, KA; Zander, R. (2006). A global inventory of stratospheric chlorine in 2004. *J Geophys Res Atmos*. 111. <http://dx.doi.org/10.1029/2006JD007073>.
- Nastaj, J; Ambrozek, B; Witkiewicz, K; Rudnicka, J. (2016). Adsorption Isotherms of Propan-2-ol, Methylbenzene, and Tetrachloromethane on Selected Activated Carbons. *Journal of Chemical and Engineering Data*. 61: 3559-3569. <http://dx.doi.org/10.1021/acs.jced.6b00488>.
- Nasterlack, M; Triebig, G; Stelzer, O. (1994). Hepatotoxic effects of solvent exposure around permissible limits and alcohol consumption in printers over a 4-year period. *Int Arch Occup Environ Health*. 66: 161-165. <http://dx.doi.org/10.1007/BF00380774>.
- Natarajan, SK; Basivireddy, J; Ramachandran, A; Thomas, S; Ramamoorthy, P; Pulimood, AB; Jacob, M; Balasubramanian, KA. (2006). Renal damage in experimentally-induced cirrhosis in rats: role of oxygen free radicals. *Hepatology*. 43: 1248-1256. <http://dx.doi.org/10.1002/hep.21179>.
- Nath, J. (1995). ULTRASONIC VELOCITIES, RELATIVE PERMITTIVITIES AND REFRACTIVE-INDEXES FOR BINARY-LIQUID MIXTURES OF TRICHLOROETHENE WITH PYRIDINE AND QUINOLINE. *Fluid Phase Equilibria*. 109: 39-51.
- Nath, J. (2000). Speeds of sound and isentropic compressibilities of (n-heptanol plus n-pentane, or n-hexane, or n-heptane, or n-octane) at T=303.15 K, and of (n-heptanol+2,2,4-trimethylpentane) at T=293.15 and 303.15 K. *Fluid Phase Equilibria*. 175: 63-73.
- Nath, J. (2002). Speeds of sound in and isentropic compressibilities of (n-octanol plus n-hexane, or n-heptane, or n-octane) at T=298.15 K. *Fluid Phase Equilibria*. 203: 261-268.
- Nath, J; Pandey, JG. (1997). Binary mixtures of butanol plus pentane, plus hexane, plus heptane, plus octane, plus 2,2,4-trimethylpentane, and plus carbon tetrachloride .1. Excess molar volumes at 288.15 K and 298.15 K and refractive indexes at 298.15 K. *Journal of Chemical and Engineering Data*. 42: 128-131.
- Navia, P; Troncoso, J; Romani, L. (2010). Isobaric Thermal Expansivity for Nonpolar Compounds. *Journal of Chemical and Engineering Data*. 55: 2173-2179. <http://dx.doi.org/10.1021/je900757k>.
- Nayak, MS; Dwivedi, R; Srivastava, SK. (1994). RATIO METHOD FOR SINGLE-COMPONENT GAS-ANALYSIS USING DOPED TIN OXIDE THICK-FILM SENSORS. 40: 93-95.
- Nayak, MS; Dwivedi, R; Srivastava, SK. (1994). SENSITIVITY AND RESPONSE-TIMES OF DOPED TIN OXIDE INTEGRATED GAS SENSORS. *Microelectronics Journal*. 25: 17-25.
- Naylor, DL. (1992). DEVELOPMENT OF SUSPENSIONS OF ROD-SHAPED BETA-FE(OH) PARTICLES IN INFRARED TRANSMITTING SOLVENTS FOR USE AS ARTIFICIAL KERR MEDIA. *J Mater Res*. 7: 2288-2293.
- NCI. (1977). Bioassay of 1,1,1-trichloroethane for possible carcinogenicity. (3). Bethesda, MD.
- Ndong, LBB, i; Gu, X; Lu, S; Ibondou, MP; Qiu, Z; Sui, Q; Mbadinga, SM; Mu, B. (2015). Role of reactive oxygen species in the dechlorination of trichloroethene and 1,1,1-trichloroethane in aqueous phase in UV/TiO₂ systems. *Chem Eng Sci*. 123: 367-375. <http://dx.doi.org/10.1016/j.ces.2014.11.034>.
- Neau, E; Escandell, J; Nicolas, C. (2010). Modeling of Highly Nonideal Systems: 1. A Generalized Version of the NRTL Equation for the Description of Low-Pressure Equilibria. *Ind Eng Chem Res*. 49: 7580-7588. <http://dx.doi.org/10.1021/ie100121c>.
- Nedelec, JM; Grolier, JPE; Baba, M. (2006). Thermoporosimetry: A powerful tool to study the cross-linking in gels networks. *Journal of Sol-Gel Science and Technology*. 40: 191-200. <http://dx.doi.org/10.1007/s10971-006-9115-y>.
- Neely, BJ; Wagner, J, an; Robinson, RL, Jr; Gasem, KAM. (2008). Mutual solubility measurements of hydrocarbon-water systems containing benzene, toluene, and 3-methylpentane. *Journal of Chemical and Engineering Data*. 53: 165-174. <http://dx.doi.org/10.1021/je700449z>.
- Neely, WB. (1977). MATERIAL BALANCE ANALYSIS OF TRICHLOROFLUOROMETHANE AND CARBON-TETRACHLORIDE IN ATMOSPHERE. *Sci Total Environ*. 8: 267-274.

Exposure Literature Search Results

Off Topic

- Neghab, M; Qu, S; Bai, CL; Caples, J; Stacey, NH. (1997). Raised concentration of serum bile acids following occupational exposure to halogenated solvents, 1,1,2-trichloro-1,2,2-trifluoroethane and trichloroethylene. *Int Arch Occup Environ Health*. 70: 187-194. <http://dx.doi.org/10.1007/s004200050205>.
- Neghab, M; Stacey, N. (1997). Toluene-induced elevation of serum bile acids: Relationship to bile acid transport. *J Toxicol Environ Health*. 52: 249-268. <http://dx.doi.org/10.1080/00984109708984063>.
- Neisius, NM; Lutz, M; Rentsch, D; Hemberger, P; Gaan, S. (2014). Synthesis of DOPO-Based Phosphonamides and their Thermal Properties. *Ind Eng Chem Res*. 53: 2889-2896. <http://dx.doi.org/10.1021/ie403677k>.
- Nelkenbaum, E; Dror, I; Berkowitz, B. (2009). Reductive dechlorination of atrazine catalyzed by metalloporphyrins. *Chemosphere*. 75: 48-55. <http://dx.doi.org/10.1016/j.chemosphere.2008.11.074>.
- Neta, G; Stewart, PA; Rajaraman, P; Hein, MJ; Waters, MA; Purdue, MP; Samanic, C; Coble, JB; Linet, MS; Inskip, PD. (2012). Occupational exposure to chlorinated solvents and risks of glioma and meningioma in adults. *Occup Environ Med*. 69: 793-801. <http://dx.doi.org/10.1136/oemed-2012-100742>.
- Neumann, A; Hofstetter, TB; Skarpeli-Liati, M; Schwarzenbach, RP. (2009). Reduction of polychlorinated ethanes and carbon tetrachloride by structural Fe(II) in smectites. *Environ Sci Technol*. 43: 4082-4089. <http://dx.doi.org/10.1021/es9001967>.
- Neves, IB; Chabut, M; Perruchot, C; Chehimi, MM; Benzarti, K. (2004). Interfacial interactions of structural adhesive components with cement pastes - Studies by inverse gas chromatography (IGC). *Appl Surf Sci*. 238: 523-529. <http://dx.doi.org/10.1016/j.apsusc.2004.05.245>.
- Nevin, KG; Vijayammal, PL. (2005). Effect of *Aerva lanata* against hepatotoxicity of carbon tetrachloride in rats. *Environ Toxicol Pharmacol*. 20: 471-477. <http://dx.doi.org/10.1016/j.etap.2005.05.010>.
- Newman, LA; Doty, SL; Gery, KL; Heilman, PE; Muiznieks, I; Shang, TQ; Siemieniec, ST; Strand, SE; Wang, XP; Wilson, AM; Gordon, MP. (1998). Phytoremediation of organic contaminants: A review of phytoremediation research at the University of Washington. *Journal of Soil Contamination*. 7: 531-542.
- Nicholas, JE; Spiers, AI. (1985). KINETICS AND MECHANISM IN THE DECOMPOSITION OF CCL4 IN A RADIO-FREQUENCY PULSE DISCHARGE. *Plasma Chemistry and Plasma Processing*. 5: 263-273.
- Nicoll, G; Francisco, JS. (1998). Carbon atom-initiated degradation of carbon tetrachloride in the presence of molecular oxygen: A product and mechanistic study. *Environ Sci Technol*. 32: 3200-3206.
- Nicoll, G; Francisco, JS. (1999). Heterogeneous degradation of carbon tetrachloride: Breaking the carbon-chlorine bond with activated carbon surfaces. *Environ Sci Technol*. 33: 4102-4106.
- Nie, X; Liu, J; Yue, D; Zeng, X; Nie, Y. (2013). Dechlorination of hexachlorobenzene using lead-iron bimetallic particles. *Chemosphere*. 90: 2403-2407. <http://dx.doi.org/10.1016/j.chemosphere.2012.10.068>.
- Niederberger, M; Ginès, P; Martin, PY; St John, J; Woytaszek, P; Xu, L; Tsai, P; Nemenoff, RA; Schrier, RW. (1998). Increased renal and vascular cytosolic phospholipase A2 activity in rats with cirrhosis and ascites. *Hepatology*. 27: 42-47. <http://dx.doi.org/10.1002/hep.510270108>.
- Niedernhofer, LJ; Daniels, JS; Rouzer, CA; Greene, RE; Marnett, LJ. (2003). Malondialdehyde, a product of lipid peroxidation, is mutagenic in human cells. *J Biol Chem*. 278: 31426-31433. <http://dx.doi.org/10.1074/jbc.M212549200>.
- Nielsen, PH; Holm, PE; Christensen, TH. (1992). A field method for determination of groundwater and groundwater sediment associated potentials for degradation of xenobiotic organic compounds. *Chemosphere*. 25: 449-462.
- Niemet, MR; Semprini, L. (2005). Column studies of anaerobic carbon tetrachloride biotransformation with Hanford Aquifer material. *Ground Water Monitoring and Remediation*. 25: 82-92.
- Nieuwenhuizen, MS; Groeneveld, FR. (2000). Formation of phosgene during welding activities in an atmosphere containing chlorinated hydrocarbons. *AIHAJ*. 61: 539-543.
- Nightingale, PD; Malin, G; Liss, PS. (1995). PRODUCTION OF CHLOROFORM AND OTHER LOW-MOLECULAR-WEIGHT HALOCARBONS BY SOME SPECIES OF MACROALGAE. *Limnol Oceanogr*. 40: 680-689.
- Nikiforov, VG; Shmelev, AG; Safiullin, GM; Lobkov, VS. (2012). Femtosecond laser control of induced anisotropy in a liquid: selective spectroscopy of intramolecular vibrations of carbon tetrachloride. *Quantum Electronics*. 42: 332-336. <http://dx.doi.org/10.1070/QE2012v042n04ABEH014796>.
- Nikolic, A; Vastag, D; Rozsatarjani, M; Petrovic, S. (1994). INFINITE DILUTION ACTIVITY-COEFFICIENTS OF ORGANIC SOLUTES IN N,N-DIETHYLDODECANAMIDE. *Journal of Chemical and Engineering Data*. 39: 618-620.
- Nikolic, NC; Stankovic, MZ. (2003). Solanidine hydrolytic extraction and separation from the potato (*Solanum tuberosum* L.) vines by using solid-liquid-liquid systems. *J Agric Food Chem*. 51: 1845-1849. <http://dx.doi.org/10.1021/jf020426s>.
- Nilsson, UL; Colmsjo, AL. (1990). Formation of chlorinated polycyclic aromatic hydrocarbons in different chlorination reactions. *Chemosphere*. 21: 939-952.
- Nishida, R; Sato, T; Kuwahara, Y; Fukami, H; Ishii, S. (1976). FEMALE SEX PHEROMONE OF THE GERMAN COCKROACH, *Blattella germanica* (L.) (ORTHOPTERA: BLATTELLIDAE), RESPONSIBLE FOR MALE WING-RAISING II. 29-HYDROXY-3, 11-DIMETHYL-2-NONACOSANONE. *J Chem Ecol*. 2: 449-455.
- Nishiumi, H; Kura, S; Yokoyama, T. (1991). EXTENDED BWR EQUATION OF STATE FOR FLUOROCARBONS, CHLOROFORM AND CARBON-TETRACHLORIDE. *Fluid Phase Equilibria*. 69: 141-153.
- Nitha, A; Prabha, SP; Ansil, PN; Latha, MS. (2016). Methanolic extract of *Woodfordia fruticosa* Kurz flowers ameliorates carbon tetrachloride-induced chronic hepatic fibrosis in rats. *Toxicol Ind Health*. 32: 1224-1236. <http://dx.doi.org/10.1177/0748233714552120>.
- Niu, J; Bao, Y; Li, Y; Chai, Z. (2013). Electrochemical mineralization of pentachlorophenol (PCP) by Ti/SnO₂-Sb electrodes. *Chemosphere*. 92: 1571-1577. <http://dx.doi.org/10.1016/j.chemosphere.2013.04.035>.

Exposure Literature Search Results

Off Topic

- Niu, X; Sun, L; Wang, Y; Wu, H; Xu, X. (2010). NF3 decomposition over some metal oxides in the absence of water. *Journal of Natural Gas Chemistry*. 19: 463-467. [http://dx.doi.org/10.1016/S1003-9953\(09\)60107-9](http://dx.doi.org/10.1016/S1003-9953(09)60107-9).
- Niwa, M; Ohta, Y; Nagasaka, Y. (2009). Mass Diffusion Coefficients of Cellulose Acetate Butyrate in Methyl Ethyl Ketone Solutions at Temperatures between (293 and 323) K and Mass Fractions from 0.05 to 0.60 Using the Soret Forced Rayleigh Scattering Method. *Journal of Chemical and Engineering Data*. 54: 2708-2714. <http://dx.doi.org/10.1021/je900242e>.
- Nkinamubanzi, P; Charlet, G; Delmas, G. (1985). EXCESS-ENTHALPIES, EXCESS HEAT-CAPACITIES AND EXCESS VOLUMES OF TETRAALKOXYSILANES WITH CYCLOHEXANE AND CARBON-TETRACHLORIDE. *Fluid Phase Equilibria*. 20: 57-73.
- Nkundimana, E; Noubactep, C; Uwamariya, V. (2015). METALLIC IRON FOR WATER TREATMENT AND ENVIRONMENTAL REMEDIATION: A HANDOUT TO YOUNG RESEARCHERS. *Fresen Environ Bull*. 24: 4842-4846.
- Noel, S; Sharma, S; Rath, SK. (2008). Simultaneous application of t-test and fold change criteria to identify acetaminophen and carbon tetrachloride affected genes in mice liver. *Environ Toxicol Pharmacol*. 26: 150-161. <http://dx.doi.org/10.1016/j.etap.2008.03.002>.
- Nolan, M. (1993). THE MONTREAL PROTOCOL - FOLLOWING THE REVIEW BY THE PARTIES IN COPENHAGEN, NOVEMBER 1992, AND SUBSEQUENT REGULATIONS. *Cell Polym*. 12: 143-151.
- Nomura, T. (1992). SMALL-ANGLE X-RAY SCATTERINGS OF WOOD AND BAMBOO .1. THE RELATIONSHIPS BETWEEN THE ULTRASTRUCTURES OF WOOD AND BAMBOO AND SMALL-ANGLE X-RAY-SCATTERING. 38: 533-542.
- Nordell, N; Borglind, J; Landgren, G. (1992). INFLUENCE OF MOVPE GROWTH-CONDITIONS AND CCL4 ADDITION ON INP CRYSTAL SHAPES. *J Cryst Growth*. 125: 597-611.
- Noro, JJ; Sekine, T. (1993). SEPARATION FACTOR OF LANTHANOIDS BY SOLVENT-EXTRACTION OF THEIR TERNARY COMPLEXES. *J Alloy Comp*. 192: 132-134.
- Norpoth, K; Reisch, A; Heinecke, A. (1980). Biostatistics of Ames-test data. In K Norpoth; RC Garner (Eds.), (pp. 312-322). New York, NY: Springer-Verlag. http://dx.doi.org/10.1007/978-3-642-67202-6_24.
- Nota, G; Naviglio, D; Romano, R; Sabia, V; Musso, SS; Improta, C. (1999). Determination of the wax ester content in olive oils. Improvement in the method proposed by EEC Regulation 183/93. *J Agric Food Chem*. 47: 202-205.
- Noubactep, C. (2008). Comments on "Sorption of triazoles to soil and iron minerals" by Y. Jia et al. [*Chemosphere* 67 (2007) 250-258]. *Chemosphere*. 71: 802-806. <http://dx.doi.org/10.1016/j.chemosphere.2007.11.056>.
- Noubactep, C. (2009). Characterizing the effects of shaking intensity on the kinetics of metallic iron dissolution in EDTA. *J Hazard Mater*. 170: 1149-1155. <http://dx.doi.org/10.1016/j.jhazmat.2009.05.085>.
- Noubactep, C. (2010). Elemental metals for environmental remediation: Learning from cementation process. *J Hazard Mater*. 181: 1170-1174. <http://dx.doi.org/10.1016/j.jhazmat.2010.05.085>.
- Noubactep, C. (2011). Aqueous contaminant removal by metallic iron: Is the paradigm shifting? *Water SA*. 37: 419-425.
- Noubactep, C. (2013). Metallic iron for environmental remediation: the long walk to evidence. *Corrosion Reviews*. 31: 51-59. <http://dx.doi.org/10.1515/corrrev-2013-0018>.
- Noubactep, C. (2013). Metallic iron for water treatment: A critical review. *CLEAN - Soil, Air, Water*. 41: 702-710. <http://dx.doi.org/10.1002/clen.201200502>.
- Noubactep, C. (2014). Flaws in the design of Fe(0)-based filtration systems? *Chemosphere*. 117: 104-107. <http://dx.doi.org/10.1016/j.chemosphere.2014.06.014>.
- Noubactep, C. (2016). Predicting the Hydraulic Conductivity of Metallic Iron Filters: Modeling Gone Astray. *Water*. 8. <http://dx.doi.org/10.3390/w8040162>.
- Noubactep, C; Meinrath, G; Merkel, BJ. (2005). Investigating the mechanism of uranium removal by zerovalent iron. *Environ Chem*. 2: 235-242. <http://dx.doi.org/10.1071/EN05003>.
- Novak, PJ; Daniels, L; Parkin, GF. (1998). Enhanced dechlorination of carbon tetrachloride and chloroform in the presence of elemental iron and *Methanosarcina barkeri*, *Methanosarcina thermophila*, or *Methanosaeta concillii*. *Environ Sci Technol*. 32: 1438-1443.
- Novak, PJ; Daniels, L; Parkin, GF. (1998). Rapid dechlorination of carbon tetrachloride and chloroform by extracellular agents in cultures of *Methanosarcina thermophila*. *Environ Sci Technol*. 32: 3132-3136.
- Novakova, V; Musil, J; Buckiova, D; Taborsky, O; Sollova, H; Vyborny, P. (1981). Effect of tetrachloromethane and other chlorinated hydrocarbons on the hepatic metabolism in the isolated perfused rat liver. *Cent Eur J Public Health*. 25: 369-383.
- Novotny, JL; Negrelli, DE; VANDENDR.T. (1973). TOTAL BAND ABSORPTION MODELS FOR ABSORBING-EMITTING LIQUIDS - CCL4. *Mech Eng (Am Soc Mech Eng)*. 95: 62-62.
- Novotny, JL; Negrelli, DE; VANDENDR.T. (1974). TOTAL BAND ABSORPTION MODELS FOR ABSORBING-EMITTING LIQUIDS - CCL4. *Journal of Heat Transfer*. 96: 27-31.
- Noweir, MH; Pfitzer, EA. (1973). CHEMICAL-ANALYSIS OF DECOMPOSITION PRODUCTS FROM CARBON-TETRACHLORIDE IN AIR. *Am Ind Hyg Assoc J*. 33: 669-677.
- Noweir, MH; Pfitzer, EA; Hatch, TF. (1973). The pulmonary response of rats exposed to the decomposition products of carbon tetrachloride vapors at its industrial threshold limit concentration. *Am Ind Hyg Assoc J*. 34: 73-77.
- Noweir, MH; Pfitzer, EA; Hatch, TF. (1973). Thermal decomposition of carbon tetrachloride vapors at its industrial threshold limit concentration. *Am Ind Hyg Assoc J*. 34: 25-37.
- Noziere, P; Michaletdoreau, B. (1994). EFFECT OF EXTRACTION METHOD ON ACTIVITIES OF POLYSACCHARIDE-DEPOLYMERASE ENZYMES IN THE MICROBIAL-POPULATION FROM THE SOLID-PHASE IN THE RUMEN. *Reprod Nutr Dev*. 34: 281-288.
- NRC. (1983). Risk Assessment in the Federal Government: Managing the Process. Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/366>.

Exposure Literature Search Results

Off Topic

- NRC. (1994). Science and judgment in risk assessment (pp. 672). Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/2125>.
- NTP. (1976). Report on the Carcinogenesis Bioassay of Chloroform (CAS No. 67-66-3). Natl Cancer Inst Carcinog Tech Rep Ser. 1976: 1-60.
- NTP. (2007). National toxicology database search application.
- Nunez Garcia, A; Boparai, HK; O'Carroll, DM. (2016). Enhanced Dechlorination of 1,2-Dichloroethane by Coupled Nano Iron-Dithionite Treatment. *Environ Sci Technol.* 50: 5243-5251. <http://dx.doi.org/10.1021/acs.est.6b00734>.
- Nunomura, W. (1991). RAT C-REACTIVE PROTEIN IN CHEMICALLY-INDUCED INFLAMMATION - CHANGES IN SERUM CONCENTRATION AND TISSUE DISTRIBUTION. *Zool Sci.* 8: 277-286.
- Nuns, N; Beaurain, A; Dinh, MTN; Vandenbroucke, A; De Geyter, N; Morent, R; Leys, C; Giraudon, JM; Lamonier, JF. (2014). A combined ToF-SIMS and XPS study for the elucidation of the role of water in the performances of a Post-Plasma Process using LaMnO₃+delta as catalyst in the total oxidation of trichloroethylene. *Appl Surf Sci.* 320: 154-160. <http://dx.doi.org/10.1016/j.apsusc.2014.09.047>.
- Nur, H; Ikeda, S; Ohtani, B. (2001). Phase-boundary catalysis of alkene epoxidation with aqueous hydrogen peroxide using amphiphilic zeolite particles loaded with titanium oxide. *J Catal.* 204: 402-408. <http://dx.doi.org/10.1006/jcat.2001.3386>.
- Nurmi, JT; Bandstra, JZ; Tratnyek, PG. (2004). Packed powder electrodes for characterizing the reactivity of granular iron in borate solutions. *J Electrochem Soc.* 151: B347-B353. <http://dx.doi.org/10.1149/1.1738135>.
- Nurmi, JT; Tratnyek, PG. (2002). Electrochemical properties of natural organic matter (NOM), fractions of NOM, and model biogeochemical electron shuttles. *Environ Sci Technol.* 36: 617-624. <http://dx.doi.org/10.1021/es0110731>.
- Nurmi, JT; Tratnyek, PG. (2008). Electrochemical studies of packed iron powder electrodes: Effects of common constituents of natural waters on corrosion potential. *Corrosion Sci.* 50: 144-154. <http://dx.doi.org/10.1016/j.corsci.2007.06.016>.
- Nurmi, JT; Tratnyek, PG; Sarathy, V; Baer, DR; Amonette, JE; Pecher, K; Wang, C; Linehan, JC; Matson, DW; Penn, RL; Driessen, MD. (2005). Characterization and properties of metallic iron nanoparticles: spectroscopy, electrochemistry, and kinetics. *Environ Sci Technol.* 39: 1221-1230. <http://dx.doi.org/10.1021/es049190u>.
- Nurrochmad, A; Margono, SA; Sardjiman, SA; Hakim, AR; Ernawati, AR; Kurniawati, E; Fatmawati, E. (2013). Hepatoprotective and antioxidant activity of pentagamavunon-0 against carbon tetrachloride-induced hepatic injury in rats. *Asian Pacific Journal of Tropical Medicine.* 6: 438-442. [http://dx.doi.org/10.1016/S1995-7645\(13\)60070-X](http://dx.doi.org/10.1016/S1995-7645(13)60070-X).
- Nurullina, NM; Batyrshin, NN; Kharlampidi, K, hE. (2014). Effect of the solvent nature on the magnesium 2-ethylhexanoate-catalyzed decomposition of cumene hydroperoxide. *Petroleum Chemistry.* 54: 65-68. <http://dx.doi.org/10.1134/S0965544114010095>.
- Nyberg, T; Heszler, P; Carlsson, JO. (1997). Diamond deposition from halogenated methane precursors on Si and SiC substrates. *Diam Relat Mater.* 6: 85-88.
- Nye, PH; Gerstl, Z; Galin, T. (1994). PREDICTION OF SORPTION BY SOILS OF VOLATILE HYDROCARBON MIXTURES. *J Environ Qual.* 23: 1031-1037.
- Nzengung, VA; Castillo, RM; Gates, WP; Mills, GL. (2001). Abiotic transformation of perchloroethylene in homogeneous dithionite solution and in suspensions of dithionite-treated clay minerals. *Environ Sci Technol.* 35: 2244-2251. <http://dx.doi.org/10.1021/es001578b>.
- Obare, SO; Ito, T; Balfour, MH; Meyer, GJ. (2003). Ferrous hemin oxidation by organic halides at nanocrystalline TiO₂ interfaces. *Nano Lett.* 3: 1151-1153. <http://dx.doi.org/10.1021/nl034353i>.
- Obare, SO; Ito, T; Meyer, GJ. (2005). Controlling reduction potentials of semiconductor-supported molecular catalysts for environment remediation of organohalide pollutants. *Environ Sci Technol.* 39: 6266-6272. <http://dx.doi.org/10.1021/es048058r>.
- Oda, T; Yamashita, R; Tanaka, K; Takahashi, T; Masuda, S. (1996). Analysis of low-temperature surface discharge plasma products from gaseous organic compounds. *I E E E Transactions on Industry Applications.* 32: 1044-1050.
- Odonnell, AG; He, ZL; Syers, JK. (1992). A BIPHASIC EXTRACTION PROCEDURE FOR THE SIMULTANEOUS REMOVAL OF ELEMENTAL SULFUR AND SULFATE FROM SOILS. *J Sci Food Agric.* 59: 395-400.
- Odziemkowski, MS; Gui, L; Gillham, RW. (2000). Reduction of N-nitrosodimethylamine with granular iron and nickel-enhanced iron. 2. Mechanistic studies. *Environ Sci Technol.* 34: 3495-3500.
- Oettingen, WF; Powell, CC; Sharpless, NE; Alford, WC; Pecora, LJ. (1950). Comparative studies of the toxicity and pharmacodynamic action of chlorinated methanes with special reference to their physical and chemical characteristics. *Arch Int Pharmacodyn Ther.* 81: 17-34.
- Ogata, A; Einaga, H; Kabashima, H; Futamura, S; Kushiya, S; Kim, HH. (2003). Effective combination of nonthermal plasma and catalysts for decomposition of benzene in air. *Appl Catal B-Environ.* 46: 87-95. [http://dx.doi.org/10.1016/S0926-3373\(03\)00180-2](http://dx.doi.org/10.1016/S0926-3373(03)00180-2).
- Ogata, A; Ito, D; Mizuno, K; Kushiya, S; Gal, A; Yamamoto, T. (2002). Effect of coexisting components on aromatic decomposition in a packed-bed plasma reactor. *Appl Catal A-Gen.* 236: 9-15.
- Ogata, A; Ito, D; Mizuno, K; Kushiya, S; Yamamoto, T. (2001). Removal of dilute benzene using a zeolite-hybrid plasma reactor. *I E E E Transactions on Industry Applications.* 37: 959-964.
- Ogata, A; Miyamae, K; Mizuno, K; Kushiya, S; Tezuka, M. (2002). Decomposition of benzene in air in a plasma reactor: Effect of reactor type and operating conditions. *Plasma Chemistry and Plasma Processing.* 22: 537-552.
- Ogata, A; Shintani, N; Yamanouchi, K; Mizuno, K; Kushiya, S; Yamamoto, T. (2000). Effect of water vapor on benzene decomposition using a nonthermal-discharge plasma reactor. *Plasma Chemistry and Plasma Processing.* 20: 453-467.
- Ogata, A; Yamanouchi, K; Mizuno, K; Kushiya, S; Yamamoto, T. (1999). Decomposition of benzene using alumina-hybrid and catalyst-hybrid plasma reactors. *I E E E Transactions on Industry Applications.* 35: 1289-1295.
- Ogata, A; Yamanouchi, K; Mizuno, K; Kushiya, S; Yamamoto, T. (1999). Oxidation of dilute benzene in an alumina hybrid plasma reactor at atmospheric pressure. *Plasma Chemistry and Plasma Processing.* 19: 383-394.
- Ogeturk, M; Kus, I; Pekmez, H; Yekeler, H; Sahin, S; Sarsilmaz, M. (2008). Inhibition of carbon tetrachloride-mediated apoptosis and oxidative stress by melatonin in experimental liver fibrosis. *Toxicol Ind Health.* 24: 201-208. <http://dx.doi.org/10.1177/0748233708093725>.

Exposure Literature Search Results

Off Topic

- Ogura, K; Kobayashi, W; Migita, CT; Kaku, K. (1992). Complete photodecomposition of CFC-113, trichloromethane and carbon tetrachloride and scavenging of generated reactive species. *Environ Technol.* 13: 81-88.
- Oh, BT; Just, CL; Alvarez, PJJ. (2001). Hexahydro-1,3,5-trinitro-1,3,5-triazine mineralization by zerovalent iron and mixed anaerobic cultures. *Environ Sci Technol.* 35: 4341-4346.
- Oh, SY; Cha, DK; Chiu, PC. (2002). Graphite-mediated reduction of 2,4-dinitrotoluene with elemental iron. *Environ Sci Technol.* 36: 2178-2184. <http://dx.doi.org/10.1021/es011474g>.
- Oh, SY; Cha, DK; Kim, BJ; Chiu, PC. (2004). Reduction of nitroglycerin with elemental iron: pathway, kinetics, and mechanisms. *Environ Sci Technol.* 38: 3723-3730.
- Ohashi, A; Watarai, H. (2002). Azo-imine resonance in palladium(II)-pyridylazo complex adsorbed at liquid-liquid interfaces studied by centrifugal liquid membrane resonance Raman microprobe spectroscopy. *Langmuir.* 18: 10292-10297. <http://dx.doi.org/10.1021/la020536t>.
- Ohba, M; Takigawa, T; Ogawa, H; Murakami, S; Nomura, H. (1997). Thermodynamic properties of rigid polycyclic molecules (2) Partial molar volumes of polycyclic aromatics compared with the RISM integral equation theory. *Fluid Phase Equilibria.* 136: 289-297.
- Ohno, H; Aoyama, T. (1991). Simultaneous determination of volatile chlorinated hydrocarbons by dual detection using a semi-wide bore capillary column. *J Health Sci.* 37: 387-394.
- Ohno, T; Moffat, JB. (1993). OXIDATIVE COUPLING OF METHANE ON LITHIUM CALCIUM-PHOSPHATE CATALYSTS. *Appl Catal A-Gen.* 93: 141-161.
- Ohsaka, T; Shinozaki, K; Tsuruta, K; Hirano, K. (2008). Photo-electrochemical degradation of some chlorinated organic compounds on n-TiO₂ electrode. *Chemosphere.* 73: 1279-1283. <http://dx.doi.org/10.1016/j.chemosphere.2008.07.016>.
- Ohta, S; Lai, EW; Taniguchi, S; Tischler, AS; Alesci, S; Pacak, K. (2006). Animal models of pheochromocytoma including NIH initial experience. *Ann N Y Acad Sci.* 1073: 300-305. <http://dx.doi.org/10.1196/annals.1353.034>.
- Oikari, A; Jimenez, B. (1992). Effects of hepatotoxicants on the induction of microsomal monooxygenase activity in sunfish liver by beta-naphthoflavone and benzo[a]pyrene. *Ecotoxicol Environ Saf.* 23: 89-102.
- Ojajärvi, A; Partanen, T; Ahlbom, A; Boffetta, P; Hakulinen, T; Jourenkova, N; Kauppinen, T; Kogevinas, M; Vainio, H; Weiderpass, E; Wesseling, C. (2001). Risk of pancreatic cancer in workers exposed to chlorinated hydrocarbon solvents and related compounds: A meta-analysis. *Am J Epidemiol.* 153: 841-850. <http://dx.doi.org/10.1093/aje/153.9.841>.
- Okamoto, T. (2000). Suppression of cytochrome P450 gene expression in the livers of mice with concanavalin A-induced hepatitis. *Eur J Pharmacol.* 394: 157-161. [http://dx.doi.org/10.1016/S0014-2999\(00\)00134-5](http://dx.doi.org/10.1016/S0014-2999(00)00134-5).
- O'Keefe, WK; Liu, Y, in; Sasges, MR; Wong, MS; Fu, H, an; Takata, T; Domen, K. (2014). Photocatalytic Hydrodechlorination of Trace Carbon Tetrachloride (CCl₄) in Aqueous Medium. *Ind Eng Chem Res.* 53: 9600-9607. <http://dx.doi.org/10.1021/ie500344v>.
- Okitsu, K; Kawasaki, K; Nanzai, B; Takenaka, N; Bandow, H. (2008). Effect of carbon tetrachloride on sonochemical decomposition of methyl orange in water. *Chemosphere.* 71: 36-42. <http://dx.doi.org/10.1016/j.chemosphere.2007.10.056>.
- Okochi, H; Sato, E; Matsubayashi, Y; Igawa, M. (2008). Effect of atmospheric humic-like substances on the enhanced dissolution of volatile organic compounds into dew water. *Atmos Res.* 87: 213-223. <http://dx.doi.org/10.1016/j.aunosres.2007.11.003>.
- Okunev, AG; Aristov, YI. (1999). Why an apparent surface dimension of silica gels may be abnormally high. *Langmuir.* 15: 5068-5072.
- Olaniran, AO; Babalola, GO; Okoh, AI. (2001). Aerobic dehalogenation potentials of four bacterial species isolated from soil and sewage sludge. *Chemosphere.* 45: 45-50.
- Olivas, Y; Dolfig, J; Smith, GB. (2002). The influence of redox potential on the degradation of halogenated methanes. *Environ Toxicol Chem.* 21: 493-499.
- Olloqui-Sariego, JL; Molina, VM; Gonzalez-Arjona, D; Roldan, E; Dominguez, M. (2008). Electrosynthesis of trichloroacetic acid by electrochemical carboxylation of carbon tetrachloride. *J Electrochem Soc.* 155: E157-E161. <http://dx.doi.org/10.1149/1.2971028>.
- Olloqui-Sariego, JL; Molina, VM; Gonzalez-Arjona, D; Roldan, E; Dominguez, M. (2010). An Efficient Electrochemical Carboxylation of Polychloromethanes at Zinc Cathode in Acetonitrile. *J Electrochem Soc.* 157: E64-E68. <http://dx.doi.org/10.1149/1.3299365>.
- O'Loughlin, EJ; Burris, DR. (2004). Reduction of halogenated ethanes by green rust. *Environ Toxicol Chem.* 23: 41-48. <http://dx.doi.org/10.1897/03-45>.
- O'Loughlin, EJ; Burris, DR; Delcomyn, CA. (1999). Reductive dechlorination of trichloroethene mediated by humic-metal complexes. *Environ Sci Technol.* 33: 1145-1147.
- O'Loughlin, EJ; Kelly, SD; Kemner, KM; Csencsits, R; Cook, RE. (2003). Reduction of Ag-I, Au-III, Cu-II, and Hg-II by Fe-II/Fe-III hydroxysulfate green rust. *Chemosphere.* 53: 437-446. [http://dx.doi.org/10.1016/S0045-6535\(03\)00545-9](http://dx.doi.org/10.1016/S0045-6535(03)00545-9).
- O'Loughlin, EJ; Kemner, KM; Burris, DR. (2003). Effects of Ag(I), Au(III), and Cu(II) on the reductive dechlorination of carbon tetrachloride by green rust. *Environ Sci Technol.* 37: 2905-2912. <http://dx.doi.org/10.1021/es030304w>.
- O'Loughlin, EJ; Larese-Casanova, P; Scherer, M; Cook, R. (2007). Green rust formation from the bioreduction of gamma-FeOOH (lepidocrocite): Comparison of several *Shewanella* species. *Geomicrobiology Journal.* 24: 211-230. <http://dx.doi.org/10.1080/01490450701459333>.
- Olsen, A, re; Key, RM; van Heuven, S; Lauvset, S, ivK; Velo, A; Lin, X; Schirnack, C; Kozyr, A; Tanhua, T; Hoppema, M; Jutterstrom, S; Steinfeldt, R; Jeansson, E; Ishii, M; Perez, F, izF; Suzuki, T. (2016). The Global Ocean Data Analysis Project version 2 (GLODAPv2) - an internally consistent data product for the world ocean. *Earth System Science Data.* 8: 297-323. <http://dx.doi.org/10.5194/essd-8-297-2016>.
- Olsson, KA; Jeansson, E; Tanhua, T; Gascard, JC. (2005). The East Greenland Current studied with CFCs and released sulphur hexafluoride. *J Mar Syst.* 55: 77-95. <http://dx.doi.org/10.1016/j.jmarsys.2004.07.019>.
- Onfelt, A. (1987). Spindle disturbances in mammalian cells: III: Toxicity, c-mitosis and aneuploidy with 22 different compounds: Specific and unspecific mechanisms. *Mutat Res Environ Mutagen Relat Subj.* 182: 135-154. [http://dx.doi.org/10.1016/0165-1161\(87\)90067-7](http://dx.doi.org/10.1016/0165-1161(87)90067-7).

Exposure Literature Search Results

Off Topic

- Ono, K; Oomori, T; Tuda, M; Namba, K. (1992). MEASUREMENTS OF THE CL ATOM CONCENTRATION IN RADIOFREQUENCY AND MICROWAVE PLASMAS BY 2-PHOTON LASER-INDUCED FLUORESCENCE - RELATION TO THE ETCHING OF SI. *Journal of Vacuum Science and Technology A*. 10: 1071-1079.
- Onosaka, S; Yoshida, M; Min, KS; Fujita, Y; Tanaka, K. (1991). STUDIES ON THE MECHANISMS OF METALLOTHIONEIN INDUCTION .1. INVOLVEMENT OF LIPIDS. *JTHE*. 37: 185-190.
- Oostrom, M; Dane, JH; Wietsma, TW. (2005). Removal of carbon tetrachloride from a layered porous medium by means of soil vapor extraction enhanced by desiccation and water table reduction. *Vadose Zone Journal*. 4: 1170-1182. <http://dx.doi.org/10.2136/vzj2004.0173>.
- Oostrom, M; Hofstee, C; Lenhard, RJ; Wietsma, TW. (2003). Flow behavior and residual saturation formation of liquid carbon tetrachloride in unsaturated heterogeneous porous media. *J Contam Hydrol*. 64: 93-112. [http://dx.doi.org/10.1016/S0169-7722\(02\)00107-9](http://dx.doi.org/10.1016/S0169-7722(02)00107-9).
- Oostrom, M; Lenhard, RJ. (2003). Carbon Tetrachloride Flow Behavior in Unsaturated Hanford Caliche Material: An Investigation of Residual Nonaqueous Phase Liquids. *Vadose Zone Journal*. 2: 25-33.
- Orbay, O; Gao, S; Barbaris, B; Rupp, E; Sáez, AE; Arnold, RG; Betterton, EA. (2008). Catalytic Dechlorination of Gas-phase Perchloroethylene under Mixed Redox Conditions. *Appl Catal B-Environ*. 79: 43-52. <http://dx.doi.org/10.1016/j.apcatb.2007.09.034>.
- Ordóñez, S; Sastre, H; Díez, FV. (2000). Hydrodechlorination of aliphatic organochlorinated compounds over commercial hydrogenation catalysts. *Appl Catal B-Environ*. 25: 49-58.
- Ortega, J; Espiau, F. (2003). A new correlation method for vapor-liquid equilibria and excess enthalpies for nonideal solutions using a genetic algorithm. Application to ethanol plus an n-alkane mixtures. *Ind Eng Chem Res*. 42: 4978-4992. <http://dx.doi.org/10.1021/ie030327j>.
- Orzechowska, GE; Poziomek, EJ; Hodge, VF; Engelmann, WH. (1995). USE OF SONOCHEMISTRY IN MONITORING CHLORINATED HYDROCARBONS IN WATER. *Environ Sci Technol*. 29: 1373-1379. <http://dx.doi.org/10.1021/es00005a033>.
- Osadebe, PO; Okoye, FB; Uzor, PF; Nnamani, NR; Adiele, IE; Obiano, NC. (2012). Phytochemical analysis, hepatoprotective and antioxidant activity of *Alchornea cordifolia* methanol leaf extract on carbon tetrachloride-induced hepatic damage in rats. *Asian Pacific Journal of Tropical Medicine*. 5: 289-293. [http://dx.doi.org/10.1016/S1995-7645\(12\)60041-8](http://dx.doi.org/10.1016/S1995-7645(12)60041-8).
- Osorio, P; Urbina-Villalba, G. (2011). Influence of Drop Deformability on the Stability of Decane-in-Water Emulsions. *Journal of Surfactants and Detergents*. 14: 281-300. <http://dx.doi.org/10.1007/s11743-010-1238-z>.
- Oswal, SL; Oswal, P; Dave, JP. (1994). V(E) OF MIXTURES CONTAINING ALKYL ACETATE, OR ETHYL ALKANOATE, OR ETHYL BROMOALKANOATE WITH N-HEXANE. *Fluid Phase Equilibria*. 98: 225-234.
- Oswal, SL; Patel, BM; Patel, AM; Ghael, NY. (2003). Densities, speeds of sound, isentropic compressibilities, and refractive indices of binary mixtures of methyl methacrylate with hydrocarbons, haloalkanes and alkyl amines. *Fluid Phase Equilibria*. 206: 313-329. [http://dx.doi.org/10.1016/S0378-3812\(03\)00031-1](http://dx.doi.org/10.1016/S0378-3812(03)00031-1).
- Oswal, SL; Patel, IN. (1998). Excess molar volumes of binary mixtures of alkyl acetates with hexane, tetrachloromethane, and trichloromethane. *Fluid Phase Equilibria*. 149: 249-259.
- Ott, JB; Goates, JR. (1996). Summary of melting and transition temperatures of pure substances and congruent and incongruent melting temperatures of molecular addition compounds. *Journal of Chemical and Engineering Data*. 41: 669-677.
- Ottu, OJ; Atawodi, SE; Onyike, E. (2013). Antioxidant, hepatoprotective and hypolipidemic effects of methanolic root extract of *Cassia singueana* in rats following acute and chronic carbon tetrachloride intoxication. *Asian Pacific Journal of Tropical Medicine*. 6: 609-615. [http://dx.doi.org/10.1016/S1995-7645\(13\)60105-4](http://dx.doi.org/10.1016/S1995-7645(13)60105-4).
- Oyanedel-Craver, VA; Smith, JA. (2006). Effect of quaternary ammonium cation loading and pH on heavy metal sorption to Ca bentonite and two organobentonites. *J Hazard Mater*. 137: 1102-1114. <http://dx.doi.org/10.1016/j.jhazmat.2006.03.051>.
- Ozaki, T; Murase, K; Machida, K; Adachi, G. (1996). Extraction of rare earths and thorium from monazite by chlorination with carbon tetrachloride. *Institute of Materials, Minerals and Mining Transactions Section C: Mineral Processing & Extractiv*. 105: C141-C145.
- Ozdemir, C; Sen, N; Kalipci, E. (2012). Reaction kinetics and removal of COD with treatment of TCE with the synthetic wastewater in UASB reactors. *Energy Education Science & Technology, Part A: Energy Science and Research*. 28: 689-698.
- Ozretic, B; Krajinovicozretic, M. (1993). PLASMA SORBITOL DEHYDROGENASE, GLUTAMATE-DEHYDROGENASE, AND ALKALINE-PHOSPHATASE AS POTENTIAL INDICATORS OF LIVER INTOXICATION IN GRAY MULLET (*MUGIL-AURATUS RISSO*). *Bull Environ Contam Toxicol*. 50: 586-592.
- Ozturk, B; Yilmaz, D. (2006). Absorptive removal of volatile organic compounds from flue gas streams. *Process Saf Environ Protect*. 84: 391-398. <http://dx.doi.org/10.1205/psep05003>.
- Ozturk, M; Akdogan, M; Keskin, I; Kisioglu, AN; Oztas, S; Yildiz, K. (2012). Effect of *Silybum marianum* on acute hepatic damage caused by carbon tetrachloride in rats. *Biomedical Research*. 23: 268-274.
- Pachauri, M; Upadhyay, SK. (2003). Kinetics of Ru-III catalysed polymerization of methylmethacrylate by aliphatic amines in presence of carbontetrachloride. *Indian J Chem Tech*. 10: 402-407.
- Paderewski, M. (1994). A SIMPLIFIED MODEL OF DESORPTION FROM FIXED-BED HEATED DIRECTLY BY ELECTRIC-CURRENT. *Inzynieria Chemiczna i Procesowa*. 15: 147-158.
- Page, DA; Carlson, GP. (1993). EFFECT OF PYRIDINE ON THE HEPATIC AND PULMONARY METABOLISM OF 2-BUTANOL IN RAT AND RABBIT. *J Toxicol Environ Health*. 38: 369-379. <http://dx.doi.org/10.1080/15287399309531725>.
- Pajak, J; Galewski, Z; Rospenk, M; Sobczyk, L. (2001). Liquid crystalline properties of and intramolecular hydrogen bonding in 4-methyl-2'-hydroxy-4'-alkoxyazobenzenes. *Liquid Crystals*. 28: 1003-1008.
- Pal, A; Bandyopadhyay, M. (1997). Fluorometric determination of trichloroacetic acid and its application in water sample analysis. *Indian J Chem Tech*. 4: 253-255.

Exposure Literature Search Results

Off Topic

- Pal, A; Kumar, A. (1998). Excess molar volumes and viscosities of binary mixtures of 2-(2-butoxyethoxy)ethanol with chloroalkanes at 298.15K. *Fluid Phase Equilibria*. 143: 241-251.
- Pal, A; Singh, W. (1997). Excess molar volumes and viscosities of binary mixtures of 2-butoxyethanol (butyl cellosolve) with chloroalkanes at 298.15 K. *Fluid Phase Equilibria*. 129: 211-221.
- Pal, A; Singh, W. (1997). Speeds of sound and viscosities in aqueous poly(ethylene glycol) solutions at 303.15 and 308.15 K. *Journal of Chemical and Engineering Data*. 42: 234-237.
- Pal, R; Kundu, D. (2009). Sol-gel synthesis of porous and dense silica microspheres. *Journal of Non-Crystalline Solids*. 355: 76-78. <http://dx.doi.org/10.1016/j.jnoncrysol.2008.03.052>.
- Palczewska-Tulinska, M; Oracz, P. (2005). Selected physicochemical properties of hexamethylcyclotrisiloxane, octamethylcyclotetrasiloxane, and decamethylcyclopentasiloxane. *Journal of Chemical and Engineering Data*. 50: 1711-1719. <http://dx.doi.org/10.1021/je050173+>.
- Palinko, I. (1995). EFFECTS OF SURFACE MODIFIERS ON THE LIQUID-PHASE HYDROGENATION OF ALKENES OVER SILICA-SUPPORTED PLATINUM, PALLADIUM AND RHODIUM CATALYSTS .1. QUINOLINE AND CARBON-TETRACHLORIDE. *Appl Catal A-Gen*. 126: 39-49.
- Palmer, PI. (2003). Eastern Asian emissions of anthropogenic halocarbons deduced from aircraft concentration data. *J Geophys Res*. 108: 4753. <http://dx.doi.org/10.1029/2003JD003591>.
- Palmer, PT; Remigi, C; Karr, D. (2000). Evaluation of two different direct-sampling ion-trap mass-spectrometry methods for monitoring halocarbon compounds in air. *Field Analytical Chemistry and Technology*. 4: 14-30.
- Pan, C; Ke, Q; Ouyang, G; Zhen, X; Yang, Y; Huang, Z. (2004). Excess Molar Volumes and Surface Tensions of Trimethylbenzene with Tetrahydrofuran Tetrachloromethane and Dimethyl Sulfoxide at 298.15 K. *Journal of Chemical and Engineering Data*. 49: 1839. <http://dx.doi.org/10.1021/je0497294>.
- Pandey, JD; Shukla, AK; Gupta, S; Pandey, S. (1995). ULTRASONIC VELOCITY AND REFRACTIVE-INDEX OF MULTICOMPONENT SYSTEMS. *Fluid Phase Equilibria*. 103: 285-299.
- Pang, L, inLin; Bi, JQ; Bai, Y, uJun; Zhu, H, uil; Qi, YX, in; Wang, CG, uo; Han, F, uD; Li, SJ, ie. (2008). Synthesis of carbon spheres via a low-temperature metathesis reaction. *J Phys Chem C*. 112: 12134-12137. <http://dx.doi.org/10.1021/jp801935m>.
- Panja, S; Mohapatra, PK; Tripathi, SC; Gandhi, PM; Janardan, P. (2012). Role of organic diluents on Am(III) extraction and transport behaviour using N,N,N',N'-tetraoctyl-3-oxapentanediamide as the extractant. *J Memb Sci*. 403: 71-77. <http://dx.doi.org/10.1016/j.memsci.2012.02.022>.
- Papa, J; Calderon, JB; Marchese, J; Rivarola, JB. (1977). KINETICS OF REACTION BETWEEN TUNGSTEN TRIOXIDE AND CARBON-TETRACHLORIDE. *AIChE J*. 23: 938-940.
- Papetti, A; Daglia, M; Aceti, C; Quaglia, M; Gregotti, C; Gazzani, G. (2006). Isolation of an in vitro and ex vivo antiradical melanoidin from roasted barley. *J Agric Food Chem*. 54: 1209-1216. <http://dx.doi.org/10.1021/jf058133x>.
- Papirer, E; Lacroix, R; Donnet, JB; Nanse, G; Fioux, P. (1994). XPS STUDY OF THE HALOGENATION OF CARBON-BLACK .1. BROMINATION. *Carbon*. 32: 1341-1358.
- Papirer, E; Lacroix, R; Donnet, JB; Nanse, G; Fioux, P. (1995). XPS STUDY OF THE HALOGENATION OF CARBON-BLACK .2. CHLORINATION. *Carbon*. 33: 63-72.
- Parat, B; Pardo, LC; Barrio, M; Tamarit, JL; Negrier, P; Salud, J; Lopez, DO; Mondieig, D. (2005). Polymorphism of CBrCl₃. *Chem Mater*. 17: 3359-3365. <http://dx.doi.org/10.1021/cm050372c>.
- Pardo, LC; Henao, A; Vispa, A. (2015). Characterizing ordering in liquids: An information theoretic approach. *Journal of Non-Crystalline Solids*. 407: 220-227. <http://dx.doi.org/10.1016/j.jnoncrysol.2014.07.032>.
- Parida, KM; Pattnayak, PK. (1998). SO₄²⁻/ZrO₂: An efficient catalyst for nitration of chlorobenzene to chloronitrobenzene. *Stud Surf Sci Catal*. 113: 247-250.
- Park, DH; Lee, MS; Kim, HJ; Kim, HS; Lee, YL; Kwon, MS; Jang, JJ; Lee, MJ. (2004). Chronic hepatotoxicity of carbon tetrachloride in hsp-70 knock out mice. *Exp Anim*. 53: 27-30.
- Park, J; Shaw, BR. (1994). IMPROVED PERFORMANCE OF UNMODIFIED AND COBALT PHTHALOCYANINE-MODIFIED CARBON-KEL-F COMPOSITE ELECTRODES. *J Electrochem Soc*. 141: 323-330.
- Park, JS; Her, N; Oh, J; Yoon, Y. (2011). Sonocatalytic degradation of bisphenol A and 17 alpha-ethinyl estradiol in the presence of stainless steel wire mesh catalyst in aqueous solution. *Separation and Purification Technology*. 78: 228-236. <http://dx.doi.org/10.1016/j.seppur.2011.02.007>.
- Park, JS; Her, N; Yoon, Y. (2011). Ultrasonic degradation of bisphenol A, 17 beta-estradiol, and 17 alpha-ethinyl estradiol in aqueous solution. *Desalination and Water Treatment*. 30: 300-309. <http://dx.doi.org/10.5004/dwt.2011.2178>.
- Park, JW; Jaffe, PR. (1993). PARTITIONING OF 3 NONIONIC ORGANIC-COMPOUNDS BETWEEN ADSORBED SURFACTANTS, MICELLES, AND WATER. *Environ Sci Technol*. 27: 2559-2565.
- Park, JW; Jaffe, PR. (1994). REMOVAL OF NONIONIC ORGANIC POLLUTANTS FROM WATER BY SORPTION TO ORGANO-OXIDES. *ACS Symp Ser Am Chem Soc*. 554: 171-183.
- Park, JW; Jaffe, PR. (1995). PHENANTHRENE REMOVAL FROM SOIL SLURRIES WITH SURFACTANT-TREATED OXIDES. *J Environ Eng*. 121: 430-437.
- Park, KH, o; Mohapatra, D; Kim, HI, n; Guo, X. (2007). Dissolution behavior of a complex Cu-Ni-Co-Fe matte in CuCl₂(2)-NaCl-HCl leaching medium. *Separation and Purification Technology*. 56: 303-310. <http://dx.doi.org/10.1016/j.seppur.2007.02.013>.
- Park, KH, o; Mohapatra, D; Nam, C. (2007). Two stage leaching of activated spent HDS catalyst and solvent extraction of aluminium using organo-phosphinic extractant, Cyanex 272. *J Hazard Mater*. 148: 287-295. <http://dx.doi.org/10.1016/j.jhazmat.2007.02.034>.
- Park, KH, o; Mohapatra, D; Reddy, BR. (2006). A study on the acidified ferric chloride leaching of a complex (Cu-Ni-Co-Fe) matte. *Separation and Purification Technology*. 51: 332-337. <http://dx.doi.org/10.1016/j.seppur.2006.02.013>.

Exposure Literature Search Results

Off Topic

- Parkin, GF. (1999). Anaerobic biotransformation of chlorinated aliphatic hydrocarbons: Ugly duckling to beautiful swan. *Water Environ Res.* 71: 1158-1164.
- Parkinson, GS; Dohnalek, Z; Smith, RS; Kay, BD. (2009). Reactivity of C₂Cl₆ and C₂Cl₄ Multilayers with Fe-0 Atoms over FeO(111). *J Phys Chem C.* 113: 10233-10241. <http://dx.doi.org/10.1021/jp901040f>.
- Parkinson, GS; Dohnalek, Z; Smith, RS; Kay, BD. (2009). Reactivity of Fe-0 Atoms, Clusters, and Nanoparticles with CCl₄ Multilayers on FeO(111). *J Phys Chem C.* 113: 1818-1829. <http://dx.doi.org/10.1021/jp8076062>.
- Parkinson, GS; Dohnalek, Z; Smith, RS; Kay, BD. (2010). Reactivity of Fe-0 Atoms with Mixed CCl₄ and D₂O Films over FeO(111). *J Phys Chem C.* 114: 17136-17141. <http://dx.doi.org/10.1021/jp103896k>.
- Parmar, M; Shah, P; Thakkar, V; Al-Rejaie, S; Gandhi, T. (2013). HEPATOPROTECTIVE POTENTIAL OF METHANOLIC EXTRACT OF VETIVERIA ZIZANIOIDES ROOTS AGAINST CARBON TETRACHLORIDE-INDUCED ACUTE LIVER DAMAGE IN RATS. *Digest Journal of Nanomaterials and Biostructures.* 8: 835-844.
- Parola, M; Leonarduzzi, G; Biasi, F; Albano, E; Biocca, ME; Poli, G; Dianzani, MU. (1992). Vitamin E dietary supplementation protects against carbon tetrachloride-induced chronic liver damage and cirrhosis. *Hepatology.* 16: 1014-1021.
- Parrett, JW, Jr; Sumner, JP; Devore, TC. (1999). Reaction between chlorocarbon vapors and sodium carbonate. *Environ Sci Technol.* 33: 1691-1696.
- Parsa, JB; Yazdi, M. (2008). Excess enthalpies and thermal conductivity coefficients for binary mixtures of carbon tetrachloride and four alkanes (C-5 to C-8) at a temperature of 2918.15 K. *Journal of Chemical and Engineering Data.* 53: 995-997. <http://dx.doi.org/10.1021/je7007395>.
- Parshetti, GK; Doong, R, an. (2010). Dechlorination and photodegradation of trichloroethylene by Fe/TiO₂ nanocomposites in the presence of nickel ions under anoxic conditions. *Appl Catal B-Environ.* 100: 116-123. <http://dx.doi.org/10.1016/j.apcatb.2010.07.020>.
- Parshetti, GK; Doong, R, an. (2012). Dechlorination of chlorinated hydrocarbons by bimetallic Ni/Fe immobilized on polyethylene glycol-grafted microfiltration membranes under anoxic conditions. *Chemosphere.* 86: 392-399. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.028>.
- Parshetti, GK; Doong, RA. (2009). Dechlorination of trichloroethylene by Ni/Fe nanoparticles immobilized in PEG/PVDF and PEG/nylon 66 membranes. *Water Res.* 43: 3086-3094. <http://dx.doi.org/10.1016/j.watres.2009.04.037>.
- Parsons, JD; Kruaval, GB. (1994). MORPHOLOGICAL STRUCTURE OF SILICON-CARBIDE, CHEMICALLY VAPOR-DEPOSITED ON TITANIUM CARBIDE, USING ETHYLENE, CARBON-TETRACHLORIDE, AND SILICON TETRACHLORIDE. *J Electrochem Soc.* 141: 771-777.
- Partay, LB; Jedlovsky, P, al; Horvai, G. (2009). Structure of the Liquid-Vapor Interface of Water-Acetonitrile Mixtures As Seen from Molecular Dynamics Simulations and Identification of Truly Interfacial Molecules Analysis. *J Phys Chem C.* 113: 18173-18183. <http://dx.doi.org/10.1021/jp901832r>.
- Parvulescu, AN; Gagea, BC; Alifanti, M; Parvulescu, V; Parvulescu, VI; Nae, S; Razus, A; Poncelet, G; Grange, P. (2001). Silica-embedded tert-butyl dimethylsilyltrifluoromethanesulfonate catalysts as new solid acid catalysts. *J Catal.* 202: 319-323. <http://dx.doi.org/10.1006/jcat.2001.3282>.
- Parvulescu, V; Parvulescu, VI; Grange, P. (2000). Preparation, characterization and catalytic properties of Co-Nb₂O₅-SiO₂ catalysts. *Catalysis Today.* 57: 193-199.
- Patel, A; Vaghasiya, A; Gajera, R; Baluja, S. (2010). Solubility of 5-Amino Salicylic Acid in Different Solvents at Various Temperatures. *Journal of Chemical and Engineering Data.* 55: 1453-1455. <http://dx.doi.org/10.1021/je900646u>.
- Pathare, S; Bhethanabotla, VR; Campbell, SW. (2004). Total vapor pressure measurements for 2-ethoxyethanol with carbon tetrachloride, chloroform, and dichloromethane at 303.15 K. *Journal of Chemical and Engineering Data.* 49: 510-513.
- Patil, PN; Gogate, PR. (2012). Degradation of methyl parathion using hydrodynamic cavitation: Effect of operating parameters and intensification using additives. *Separation and Purification Technology.* 95: 172-179. <http://dx.doi.org/10.1016/j.seppur.2012.04.019>.
- Patki, KC; von Moltke, LL; Harmatz, JS; Hesse, LM; Court, MH; Greenblatt, DJ. (2004). Effect of age on in vitro triazolam biotransformation in male human liver microsomes. *J Pharmacol Exp Ther.* 308: 874-879. <http://dx.doi.org/10.1124/jpet.103.059311>.
- Patrizi, B; Cumis, MS; Viciani, S; D'Amato, F; Foggi, P. (2014). Characteristic vibrational frequencies of toxic polychlorinated dibenzo-dioxins and -furans. *J Hazard Mater.* 274: 98-105. <http://dx.doi.org/10.1016/j.jhazmat.2014.04.004>.
- Paulo, CS; Lino, MM; Matos, AA; Ferreira, LS. (2013). Differential internalization of amphotericin B--conjugated nanoparticles in human cells and the expression of heat shock protein 70. *Biomaterials.* 34: 5281-5293. <http://dx.doi.org/10.1016/j.biomaterials.2013.03.048>.
- Payne, E; Smith, JF; Cope, BC; McGowan, LT. (1991). STUDIES ON THE ROLE OF LIVER CYTOCHROME-P-450 AND ESTRADIOL METABOLISM IN THE EFFECTS OF NUTRITION AND PHENOBARBITAL ON OVULATION RATE IN THE EWE. *Reprod Fertil Dev.* 3: 725-736.
- Pearson, CR; Hozalski, RM; Arnold, WA. (2005). Degradation of Chloropicrin in the Presence of Zero-Valent Iron. *Environ Toxicol Chem.* 24: 3037.
- Pearson, SJ; Hobson, WS; Ren, F; Abernathy, CR; Constantine, C. (1994). DRY-ETCHED MESAS FOR BURIED HETEROSTRUCTURE INGAASP/INP LASERS USING ELECTRON-CYCLOTRON-RESONANCE CL₂/CH₄/H₂/AR DISCHARGES. *Journal of Materials Science: Materials in Electronics.* 5: 185-190.
- Pecher, K; Haderlein, SB; Schwarzenbach, RP. (2002). Reduction of polyhalogenated methanes by surface-bound Fe(II) in aqueous suspensions of iron oxides. *Environ Sci Technol.* 36: 1734-1741. <http://dx.doi.org/10.1021/es011191o>.
- Pedersen, JE; Keiding, S. R. (1992). THZ TIME-DOMAIN SPECTROSCOPY OF NONPOLAR LIQUIDS. I E E E *Journal of Quantum Electronics.* 28: 2518-2522.
- Pedersen-Bjergaard, J; Andersen, MK; Christiansen, DH; Nerlov, C. (2002). Genetic pathways in therapy-related myelodysplasia and acute myeloid leukemia. *Blood.* 99: 1909-1912.

Exposure Literature Search Results

Off Topic

- Pei, Y; Wang, Q; Gong, X; Lei, F; Shen, B. (2015). Distribution of cyclohexanol and cyclohexanone between water and cyclohexane. *Fluid Phase Equilibria*. 394: 129-139. <http://dx.doi.org/10.1016/j.fluid.2015.02.029>.
- Pekel, N; Guven, O. (2002). Solvent, temperature and concentration effects on the adsorption of poly(n-butyl methacrylate) on alumina from solutions. *Turkish Journal of Chemistry*. 26: 221-227.
- Pelech, R; Bemnowska, A; Milchert, E. (2003). Adsorption of hydrocarbon chloro-derivatives onto DTO commercial activated carbon from multi-component aqueous solutions. *AST*. 21: 707-720.
- Pelech, R; Lewandowski, G; Milchert, E. (2006). Recovering organochlorine compounds from industrial wastewaters. *Przemysł Chemiczny*. 85: 641-643.
- Pelech, R; Milchert, E; Wróbel, R. (2006). Adsorption dynamics of chlorinated hydrocarbons from multi-component aqueous solution onto activated carbon. *J Hazard Mater*. 137: 1479-1487. <http://dx.doi.org/10.1016/j.jhazmat.2006.04.023>.
- Peles-Lemli, B; Acs, P; Kollar, L; Kunsagi-Mate, S. (2008). Permittivity-dependent carrier behavior of aniline derivatives toward common low-permittivity solvents in the solubilization of carbon nanotubes. *Fullerenes, Nanotubes, and Carbon Nanostructures*. 16: 247-257. <http://dx.doi.org/10.1080/15363830802171669>.
- Peng, DL; Dural, NH. (1998). Multicomponent adsorption of chloroform, carbon tetrachloride, and 1,1,1-trichloroethane on soils. *Journal of Chemical and Engineering Data*. 43: 283-288.
- Peng, H; Cheng, SY; Fan, ZQ. (2005). Synthesis and characterization of PBMA-b-PSt-b-PBMA triblock copolymers by atom transfer radical emulsion polymerization. *Polymer Engineering and Science*. 45: 1508-1514. <http://dx.doi.org/10.1002/pen.20430>.
- Peng, J; Zhang, W; Liu, Y, an; Jiang, Y; Ni, L; Qiu, J. (2017). Superior Adsorption Performance of Mesoporous Carbon Nitride for Methylene Blue and the Effect of Investigation of Different Modifications on Adsorption Capacity. *Water Air Soil Pollut*. 228. <http://dx.doi.org/10.1007/s11270-016-3189-0>.
- Peng, X; Matthews, A; Xue, S. (2010). Plasma-based processes and thin film equipment for nano-scale device fabrication. *Journal of Materials Science*. 46: 1-37. <http://dx.doi.org/10.1007/s10853-010-4974-6>.
- Peng, XF; Tien, Y; Lee, DJ. (2001). Bubble nucleation in microchannels: statistical mechanics approach. *Int J Heat Mass Tran*. 44: 2957-2964.
- Perera, VPS; Senevirathna, MKI; Pitigala, PKD, DP; Tennakone, K. (2005). Doping CuSCN films for enhancement of conductivity: Application in dye-sensitized solid-state solar cells. *Solar Energy Materials and Solar Cells*. 86: 443-450. <http://dx.doi.org/10.1016/j.solmat.2004.11.003>.
- Peretyazhko, T; Zachara, JM; Heald, SM; Jeon, BH; Kukkadapu, RK; Liu, C; Moore, D; Resch, CT. (2008). Heterogeneous reduction of Tc(VII) by Fe(II) at the solid-water interface. *Geochim Cosmo Acta*. 72: 1521-1539. <http://dx.doi.org/10.1016/j.gca.2008.01.004>.
- Perez, G; Caponecchi, G; Keheyen, Y; Lilla, E. (1993). Gas phase naphthalene chlorination. *Chemosphere*. 26: 2139-2146.
- Perez, P; Valero, J; Garcia, M. (1994). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIUM OF 1,2-DIBROMOETHANE PLUS TETRACHLOROMETHANE AT TEMPERATURES BETWEEN 283.15 AND 323.15-K. *Journal of Chemical and Engineering Data*. 39: 789-792.
- Pérez-hernández, N; Fort, D; Pérez, C; Martín, JD. (2011). Water-Induced Molecular Self-Assembly of Hollow Tubular Crystals. *Cryst Growth Des*. 11: 1054-1061. <http://dx.doi.org/10.1021/cg101227u>.
- Peringer, E; Tejuja, C; Salzinger, M; Lemonidou, AA; Lercher, JA. (2008). On the synthesis of LaCl₃ catalysts for oxidative chlorination of methane. *Appl Catal A-Gen*. 350: 178-185. <http://dx.doi.org/10.1016/j.apcata.2008.08.009>.
- Perlinger, JA; Angst, W; Schwarzenbach, RP. (1996). Kinetics of the reduction of hexachloroethane by juglone in solutions containing hydrogen. *Environ Sci Technol*. 30: 3408-3417.
- Perlinger, JA; Buschmann, J; Angst, W; Schwarzenbach, RP. (1998). Iron porphyrin and mercaptojuglone mediated reduction of polyhalogenated methanes and ethanes in homogenous aqueous solution. *Environ Sci Technol*. 32: 2431-2437.
- Perrin, A; Celzard, A; Albinaki, A; Jasienko-Halat, M; Mareche, JF; Furdin, G. (2005). NaOH activation of anthracites: effect of hydroxide content on pore textures and methane storage ability. *Microporous and Mesoporous Materials*. 81: 31-40. <http://dx.doi.org/10.1016/j.micromeso.2005.01.015>.
- Perrin, A; Celzard, A; Albinaki, A; Kaczmarczyk, J; Mareche, JF; Furdin, G. (2004). NaOH activation of anthracites: effect of temperature on pore textures and methane storage ability. *Carbon*. 42: 2855-2866. <http://dx.doi.org/10.1016/j.carbon.2004.06.030>.
- Persoff, P; Aapps, J; Moridis, G; Whang, JM. (1999). Effect of dilution and contaminants on sand grouted with colloidal silica. *Journal of Geotechnical and Geoenvironmental Engineering*. 125: 461-469.
- Pesyan, NN; Khalafy, J; Khani-Meinagh, H. (2009). 2,2'-Binaphthylene phosphorochloridite (BINOL-PCl) as a bulky and efficient reagent for the conversion of primary and secondary alcohols into iodides, and tertiary alcohols stereo- and/or regioselectively into olefin(s). *Turkish Journal of Chemistry*. 33: 527-543. <http://dx.doi.org/10.3906/kim-0804-19>.
- Peter, CP; Burek, JD; van Zwieten, MJ. (1986). Spontaneous nephropathies in rats. *Toxicol Pathol*. 14: 91-100.
- Petersen, JN; Bereded-Samuel, Y. (1998). The effect of oxygen exposure on the methanogenic activity of an anaerobic bacterial consortium. *Environmental Progress*. 17: 104-110.
- Petrelli, G; Siepi, G; Milligi, L; Vineis, P. (1993). Solvents in pesticides. *Scand J Work Environ Health*. 19: 63-65.
- Petrick, K; Mclachlan, MS. (1996). Rapid synthesis of some lower brominated C-13-labelled dibenzo-p-dioxins and dibenzofurans and mixed brominated/chlorinated dibenzo-p-dioxins. *Int J Environ Anal Chem*. 62: 21-33.
- Petrier, C; Francony, A. (1997). Incidence of wave-frequency on the reaction rates during ultrasonic wastewater treatment. *Water Sci Technol*. 35: 175-180.
- Petrov, JG; Ralston, J; Schneemilch, M; Hayes, RA. (2003). Dynamics of partial wetting and dewetting of an amorphous fluoropolymer by pure liquids. *Langmuir*. 19: 2795-2801. <http://dx.doi.org/10.1021/la026692h>.

Exposure Literature Search Results

Off Topic

- Petrovic, R; Tanaskovic, N; Djokic, V; Radovanovic, Z; Jankovic-Castvan, I; Stamenkovic, I; Janackovic, D, j. (2012). Influence of the gelation and calcination temperatures on physical parameters and photocatalytic activity of mesoporous titania powders synthesized by the nonhydrolytic sol-gel process. *Powder Technology*. 219: 239-243. <http://dx.doi.org/10.1016/j.powtec.2011.12.049>.
- Petrushenko, KB; Petrushenko, IK; Petrova, OV; Sobenina, LN; Trofimov, BA. (2017). Novel environment-sensitive 8-CF₃-BODIPY dye with 4-(dimethylamino)phenylgroup at the 3-position: Synthesis and optical properties. *Dyes and Pigments*. 136: 488-495. <http://dx.doi.org/10.1016/j.dyepig.2016.09.009>.
- Pfeifer, KF; Weber, LJ. (1979). EFFECT OF CARBON-TETRACHLORIDE ON THE TOTAL PLASMA-PROTEIN CONCENTRATION OF RAINBOW-TROUT, SALMO-GAIRDNERI. *Comp Biochem Physiol C Comp Pharmacol Toxicol*. 64: 37-42.
- Pfeifer, KF; Weber, LJ; Larson, RE. (1980). CARBON TETRACHLORIDE-INDUCED HEPATOTOXIC RESPONSE IN RAINBOW-TROUT, SALMO-GAIRDNERI, AS INFLUENCED BY 2 COMMERCIAL FISH DIETS. *Comp Biochem Physiol C Comp Pharmacol Toxicol*. 67: 91-96.
- Pfleging, W; Vorckel, A; Duddek, H; Wesner, DA; Kreutz, EW. (1997). Excimer-laser patterning of copper in LDE (laser dry etching). *Appl Surf Sci*. 109: 194-200.
- Pfleging, W; Wesner, DA; Kreutz, EW. (1996). CCl₄-assisted CF₄ etching of silicon in a microwave-assisted LDE (laser dry etching)-process. *Appl Surf Sci*. 96-8: 496-500.
- Phanikumar, MS; Hyndman, DW. (2003). Interactions between sorption and biodegradation: Exploring bioavailability and pulsed nutrient injection efficiency. *Water Resour Res*. 39. <http://dx.doi.org/10.1029/2002WR001761>.
- Phanikumar, MS; Hyndman, DW; Criddle, CS. (2002). Biocurtain design using reactive transport models. *Ground Water Monitoring and Remediation*. 22: 113-123.
- Phanikumar, MS; Hyndman, DW; Wiggert, DC; Dybas, MJ; Witt, ME; Criddle, CS. (2002). Simulation of microbial transport and carbon tetrachloride biodegradation in intermittently-fed aquifer columns. *Water Resour Res*. 38. <http://dx.doi.org/10.1029/2001WR000289>.
- Phanikumar, MS; Hyndman, DW; Zhao, XD; Dybas, MJ. (2005). A three-dimensional model of microbial transport and biodegradation at the Schoolcraft, Michigan, site. *Water Resour Res*. 41. <http://dx.doi.org/10.1029/2004WR003376>.
- Phillips, DH; Farmer, PB; Beland, FA; Nath, RG; Poirier, MC; Reddy, MV; Turteltaub, KW. (2000). Methods of DNA adduct determination and their application to testing compounds for genotoxicity. *Environ Mol Mutagen*. 35: 222-233.
- Philpot, RM; Nastainczyk, W; Mason, RP; Wolf, CR. (1979). REDUCTIVE METABOLISM OF CARBON-TETRACHLORIDE IN RECONSTITUTED MONO-OXYGENASE SYSTEMS. *Environ Health Perspect*. 33: 325-325.
- Phousongphouang, PT; Arey, J. (2003). Sources of the atmospheric contaminants, 2-nitrobenzanthrone and 3-nitrobenzanthrone. *Atmos Environ*. 37: 3189-3199. [http://dx.doi.org/10.1016/S1352-2310\(03\)00344-3](http://dx.doi.org/10.1016/S1352-2310(03)00344-3).
- Pickart, L. (2008). The human tri-peptide GHK and tissue remodeling. *J Biomater Sci Polym Ed*. 19: 969-988.
- Pickering, E; Lackey, WJ; Crain, S. (2000). CVD of Ti₃SiC₂. *Chemical Vapor Deposition*. 6: 289-295.
- Picos, S; Amarandei, G; Diaconu, I; Dorohoi, D. (2005). The birefringence of thin films of some nematic liquid crystals. *J Optoelect Adv Mater*. 7: 787-793.
- Piekarczyk, W. (1981). THERMODYNAMIC ANALYSIS OF THE Y₃FE₅O₁₂-CCL₄ SYSTEM AND GROWTH OF YIG SINGLE-CRYSTALS BY CHEMICAL VAPOR TRANSPORT WITH CCL₄ AS A TRANSPORTING AGENT. *J Cryst Growth*. 55: 543-548.
- Pinakov, DV; Alferova, NI; Chekhova, GN. (2012). Synthesis and IR spectroscopic characterization of fluorinated graphite intercalation compounds with chlorinated derivatives of methane and ethane. *Inorg Mater*. 48: 1153-1157. <http://dx.doi.org/10.1134/S002016851211009X>.
- Pinto, E; Melo, A; Ferreira, IM. (2014). Sensitive quantitation of polyamines in plant foods by ultrasound-assisted benzylation and dispersive liquid-liquid microextraction with the aid of experimental designs. *J Agric Food Chem*. 62: 4276-4284. <http://dx.doi.org/10.1021/jf500959g>.
- Piotrowska, A; Kaminska, E; Piotrowski, TT; Guziewicz, M; Golaszewska, K; Papis, E; Wrobel, J; Perchuc, L. (2000). Application of CCl₂F₂- and CCl₄-based plasmas for RIE of GaSb and related materials. *Vacuum*. 56: 57-61.
- Piotrowski, TT; Piotrowska, A; Kaminska, E; Piskorski, M; Papis, E; Golaszewska, K; Katcki, J; Ratajczak, J; Adamczewska, J; Wawro, A; Piotrowski, J; Orman, Z; Pawluczyk, J; Nowak, Z. (2001). Design and fabrication of GaSb/InGaAsSb/AlGaAsSb mid-infrared photodetectors. *Opto-Electronics Review*. 9: 188-194.
- Pirard, SL; Pirard, JP; Heyen, G; Schoebrechts, JP; Heinrichs, B. (2011). Experimental procedure and statistical data treatment for the kinetic study of selective hydrodechlorination of 1,2-dichloroethane into ethylene over a Pd-Ag sol-gel catalyst. *Chem Eng J*. 173: 801-812. <http://dx.doi.org/10.1016/j.cej.2011.07.002>.
- Pirinçcioğlu, M; Kızıl, G; Kızıl, M; Kanay, Z; Ketani, A. (2014). The protective role of pomegranate juice against carbon tetrachloride-induced oxidative stress in rats. *Toxicol Ind Health*. 30: 910-918. <http://dx.doi.org/10.1177/0748233712464809>.
- Pironon, J; Barres, O. (1992). INFLUENCE OF BRINE-HYDROCARBON INTERACTIONS ON FT-IR MICROSCOPIC ANALYSES OF INTRACRYSTALLINE LIQUID INCLUSIONS. *Geochim Cosmo Acta*. 56: 169-174.
- Pisareva, SI; Russkikh, IV. (2012). Effect of the solvent nature on the formation of intra- and intermolecularly hydrogen-bonded associates in crude oil solutions. *Petroleum Chemistry*. 52: 166-170. <http://dx.doi.org/10.1134/S0965544112030097>.
- Pithawala, K; Bahadur, A. (2002). Reverse mixed micelles as media for hosting enzymes. *Tenside Surfactants Detergents*. 39: 100-103.
- Pitkaaho, S; Matejova, L; Jiratova, K; Ojala, S; Keiski, RL. (2012). Oxidation of perchloroethylene-Activity and selectivity of Pt, Pd, Rh, and V₂O₅ catalysts supported on Al₂O₃, Al₂O₃-TiO₂ and Al₂O₃-CeO₂. Part 2. *Appl Catal B-Environ*. 126: 215-224. <http://dx.doi.org/10.1016/j.apcatb.2012.07.025>.
- Pittman, CU; Jiang, W; Yue, ZR; Gardner, S; Wang, L; Toghiani, H; Leon, CAL, Y. (1999). Surface properties of electrochemically oxidized carbon fibers. *Carbon*. 37: 1797-1807.

Exposure Literature Search Results

Off Topic

- Plaa, GL; Traiger, GJ. (1972). Mechanism of potentiation of CCl₄-induced hepatotoxicity. In TA Loomis (Ed.), (pp. 100-113). Basel, Switzerland: Larger.
- Plahuta, JM; Teel, A, myL; Ahmad, M; Beutel, MW; Rentz, JA; Watts, RJ. (2011). Oxidized Starch Solutions for Environmentally Friendly Aircraft Deicers. *Water Environ Res.* 83: 826-833. <http://dx.doi.org/10.2175/106143011X12928814445050>.
- Plank, CA; Christopher, PM. (1976). VAPOR-LIQUID-EQUILIBRIA OF METHYL BORATE CARBON TETRACHLORIDE AND METHYL BORATE BENZENE SYSTEMS. *Journal of Chemical and Engineering Data.* 21: 211-212.
- Podlesnyuk, VV; Hradil, J; Kralova, E. (1999). Sorption of organic vapours by macroporous and hypercrosslinked polymeric adsorbents. *React Funct Polym.* 42: 181-191.
- Pokorska, Z; Piszczewska, E; Andrysiak, A; Krueger, A; Wesek, W. (1987). PROCESS OF TETRACHLOROMETHANE AND TETRACHLOROETHYLENE SOLVENTS PRODUCTION. *Przemysl Chemiczny.* 66: 88-91.
- Politzer, P; Murray, JS; Brinck, T; Lane, P. (1995). ANALYTICAL REPRESENTATION AND PREDICTION OF MACROSCOPIC PROPERTIES - A GENERAL INTERACTION PROPERTIES FUNCTION. *ACS Symp Ser Am Chem Soc.* 586: 109-118.
- Polyakov, AM; Starannikova, LE; Yampolskii, YP. (2004). Amorphous Teflons AF as organophilic pervaporation materials Separation of mixtures of chloromethanes. *J Memb Sci.* 238: 21-32. <http://dx.doi.org/10.1016/j.memsci.2004.03.018>.
- Ponangi, RP; Pintauro, PN. (1996). Separation of volatile organic compounds from dry and humidified nitrogen using polyurethane membranes. *Ind Eng Chem Res.* 35: 2756-2765.
- Pooranaperundevi, M; Sumiyabanu, MS; Viswanathan, P; Sundarapandiyam, R; Anuradha, CV. (2010). Insulin resistance induced by high-fructose diet potentiates carbon tetrachloride hepatotoxicity. *Toxicol Ind Health.* 26: 89-104. <http://dx.doi.org/10.1177/0748233709359273>.
- Popa, A; Iliescu, S; Iliu, G; Dehelean, G. (2002). Organic synthesis by phosphorus groups supported polymers. *Rev Chim.* 53: 232-238.
- Popa, N; Marinescu, D; Kriza, A. (1991). DIPHAZE SYSTEM ULTRASONOLYSIS - CO CHLORIDE (II)-WATER-CARBON TETRACHLORIDE-2, 9 DIMETHYL, 10-PHENANTHROLYN. *Rev Chim.* 42: 514-516.
- Popov, C; Bulir, J; Ivanov, B; Delplancke-Ogletree, MP; Kulisch, W. (1999). Inductively coupled plasma and laser-induced chemical vapour deposition of thin carbon nitride films. *Surf Coating Tech.* 116: 261-268.
- Popov, C; Jelinek, M; Ivanov, B; Tomov, RI; Kulisch, W. (1999). Laser approaches for deposition of carbon nitride films - chemical vapour deposition and ablation. *Diam Relat Mater.* 8: 577-581.
- Popovic, M; Kaurinovic, B; Jakovjevic, V; Raskovic, A. (2008). Effect of dandelion flower extracts on some biochemical parameters of oxidative stress in rats treated with ccl(4). *Fresen Environ Bull.* 17: 74-78.
- Popp, W. (1996). [New data on syncarcinogenesis in tumors of exogenous origin] [Review]. *Zentralblatt fuer Hygiene und Umweltmedizin.* 198: 407-428.
- Porkhaev, VV. (1998). New near-IR lasing line due to a transition in the chlorine atom. *Quantum Electronics.* 28: 898-900.
- Porro, ME; Arellano, PR; Cuddihy, JA. (1997). Improved cleaning of heat exchangers. *International Sugar Journal.* 99: 413-&.
- Powers, J; Picard, K; Nyska, A; Tischler, A. (2008). Adrenergic differentiation and Ret expression in rat pheochromocytomas. *Endocr Pathol.* 19: 9-16. <http://dx.doi.org/10.1007/s12022-008-9019-1>.
- Poyer, JL; Floyd, RA; Mccay, PB; Janzen, EG; Davis, ER. (1978). Spin-trapping of the trichloromethyl radical produced during enzymic NADPH oxidation in the presence of carbon tetrachloride or bromotrichloromethane. *Biochim Biophys Acta.* 539: 402-409.
- Poyer, JL; Mccay, PB; Lai, EK; Janzen, EG; Davis, ER. (1980). Confirmation of assignment of the trichloromethyl radical spin adduct detected by spin trapping during ¹³C-carbon tetrachloride metabolism in vitro and in vivo. *Biochem Biophys Res Commun.* 94: 1154-1160.
- Prakash; Gupta, SK. (2000). Effect of carbon source on PCE dehalogenation. *J Environ Eng.* 126: 622-628.
- Prasad, R. (1992). ADSORPTION OF CCL₄ - A CONVENIENT METHOD FOR CHARACTERIZATION OF ADSORBENTS AND CATALYSTS. 30: 369-374.
- Prasad, R; Shankar, V. (1987). EXPERIMENTAL TERT-CURVE FOR ADSORPTION OF CARBON-TETRACHLORIDE ON PLANE SURFACES AT 0-DEGREES-C. 25: 243-244.
- Prasad, TEV; Naidu, BRP; Madhukiran, D; Prasad, DHL. (2001). Boiling temperature measurements on the binary mixtures of cyclohexane with some alcohols and chlorohydrocarbons. *Journal of Chemical and Engineering Data.* 46: 414-416.
- Prati, L; Rossi, M. (1999). Reductive catalytic dehalogenation of light chlorocarbons. *Appl Catal B-Environ.* 23: 135-142.
- Preis, S; Kallas, J. (2004). Gas-phase degradation of CCl₄, CHCl₃ and CH₂Cl₂ over metallic Fe. *Environ Chem Lett.* 2: 9-13. <http://dx.doi.org/10.1007/s10311-004-0067-6>.
- Prengle, HW; Symons, JM; Belhateche, D. (1996). H₂O₂/VisUV process for photo-oxidation of waterborne hazardous substances - C-1-C-6 chlorinated hydrocarbons. *Waste Manag.* 16: 327-333.
- Prieto, G; Prieto, O; Gay, CR; Mizuno, K; Yamamoto, T. (1999). Destruction of industrial gaseous contaminants containing chlorinated VOCs using plasma technology. *Lat Am Appl Res.* 29: 27-30.
- Prinn, RG; Weiss, RF; Fraser, PJ; Simmonds, PG; Cunnold, DM; Alyea, FN; O'Doherty, S; Salameh, P; Miller, BR; Huang, J; Wang, RHJ; Hartley, DE; Harth, C; Steele, LP; Sturrock, G; Midgley, PM; Mcculloch, A. (2000). A history of chemically and radiatively important gases in air deduced from ALE/GAGE/AGAGE. *J Geophys Res Atmos.* 105: 17751-17792.
- Puccia, V; Limbozzi, F; Avena, M. (2015). Arsenic in Porewaters of the Unsaturated Zone of an Argentinean Watershed: Adsorption and Competition with Carbonate as Important Processes that Regulate its Concentration. *Aquatic Geochemistry.* 21: 513-534. <http://dx.doi.org/10.1007/s10498-015-9271-1>.
- Puigserver, D; Carmona, JM; Cortés, A; Viladevall, M; Nieto, JM; Grifoll, M; Vila, J; Parker, BL. (2013). Subsoil heterogeneities controlling porewater contaminant mass and microbial diversity at a site with a complex pollution history. *J Contam Hydrol.* 144: 1-19. <http://dx.doi.org/10.1016/j.jconhyd.2012.10.009>.

Exposure Literature Search Results

Off Topic

- Puigserver, D; Nieto, JM; Grifoll, M; Vila, J; Cortes, A; Viladevall, M; Parker, BL; Carmona, JM. (2016). Temporal hydrochemical and microbial variations in microcosm experiments from sites contaminated with chloromethanes under biostimulation with lactic acid. *Bioremediat J.* 20: 54-70. <http://dx.doi.org/10.1080/10889868.2015.1124061>.
- Puri, BR; Gandhi, DL; Mahajan, OP. (1977). ADSORPTION OF BROMINE BY CARBONS FROM SOLUTION IN CARBON-TETRACHLORIDE. *Carbon.* 15: 173-176.
- Putz, ARH; Losh, DE; Speitel, GE. (2005). Removal of nonbiodegradable chemicals from mixtures during granular activated carbon bioregeneration. *J Environ Eng.* 131: 196-205. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:2\(196\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:2(196)).
- Puviani, L; Cavallari, G; Bonaiuto, E; Cannistrà, M; Zullo, A; Pariali, M; Pisano, A; Atzeni, F; Nardo, B. (2014). Portal blood arterialization with an extracorporeal device to treat toxic acute hepatic failure in a swine model. *Int J Artif Organs.* 37: 847-853. <http://dx.doi.org/10.5301/ijao.5000367>.
- Qafoku, NP; Zhong, L; Thompson, CJ; Liu, C; Arey, BW; Mitroshkov, A; Riley, RG. (2009). Physical control on CCl₄ and CHCl₃ desorption from artificially contaminated and aged sediments with supercritical carbon dioxide. *Chemosphere.* 74: 494-500. <http://dx.doi.org/10.1016/j.chemosphere.2008.10.033>.
- Qiao, SZ; Bhatia, SK; Nicholson, D. (2004). Study of hexane adsorption in nanoporous MCM-41 silica. *Langmuir.* 20: 389-395. <http://dx.doi.org/10.1021/la0353430>.
- Qin, W; Li, ZY; Dai, YY. (2003). Extraction of monocarboxylic acids with trioctylamine: Equilibria and correlation of apparent reactive equilibrium constant. *Ind Eng Chem Res.* 42: 6196-6204. <http://dx.doi.org/10.1021/ie021049b>.
- Qin, ZH. (1996). The study on UV-degradation dynamics of 2,3,7,8-tetrachlorodibenzo-p-dioxin and its analogues. *Chemosphere.* 33: 91-97.
- Qingliang, Z; Bing, G; David, S; John, C. (2011). Micro/nano Indentation and Single Grit Diamond Grinding Mechanism on Ultra Pure Fused Silica. *Chinese Journal of Mechanical Engineering.* 24: 963-970. <http://dx.doi.org/10.3901/CJME.2011.06.963>.
- Qiu, Y; Gao, L. (2004). P-type carbon nitride synthesized by a gas-solid reaction. *Journal of the American Ceramic Society.* 87: 1598-1601.
- Qujeq, D; Abassi, R; Faeizi, F; Parsian, H; Faraji, AS; Taheri, H; Tatar, M; Elmi, MM; Halalkhor, S. (2013). Effect of granulocyte colony-stimulating factor administration on tissue regeneration due to carbon tetrachloride-induced liver damage in experimental model. *Toxicol Ind Health.* 29: 498-503. <http://dx.doi.org/10.1177/0748233712440136>.
- Qusti, SY; Mahmoud, NME, IS. (2007). Effect of Nigella sativa L. oil on roridin E toxin administration on liver of male mice. *Journal of Applied Animal Research.* 31: 161-164.
- Rabergh, CMI; Lipsky, MM. (1997). Toxicity of chloroform and carbon tetrachloride in primary cultures of rainbow trout hepatocytes. *Aquat Toxicol.* 37: 169-182.
- Rabie, SM; Nazeha, SE. (2001). Comparison between the induced changes in the intensities of mid and near infrared absorption bands of poly[vinyl alcohol] due to temperature and solvents. *Int J Infrared Millimeter Waves.* 22: 941-960.
- Racicot, JG; Gaudet, M; Leray, C. (1975). BLOOD AND LIVER-ENZYMES IN RAINBOW-TROUT (SALMO-GAIRDNERI RICH) WITH EMPHASIS ON THEIR DIAGNOSTIC USE - STUDY OF CCL₄ TOXICITY AND A CASE OF AEROMONAS INFECTION. *J Fish Biol.* 7: 825-8.
- Rae, D; Thompson, W. (1979). EXPERIMENTS ON PREVENTION AND SUPPRESSION OF COAL-DUST EXPLOSIONS BY BROMOCHLORODIFLUOROMETHANE AND ON PREVENTION BY CARBON-TETRACHLORIDE. *Combust Flame.* 35: 131-138.
- Raghuathan, S; Lakshmanan, CM; Laddha, GS. (1978). ISOBARIC VAPOR-LIQUID-EQUILIBRIUM DATA FOR SYSTEM BENZENE-CARBON TETRACHLORIDE-CYCLOHEXANE AT ATMOSPHERIC-PRESSURE. 16: 297-300.
- Rai, GP; Cullinan, HT. (1973). DIFFUSION-COEFFICIENTS OF QUATERNARY LIQUID SYSTEM ACETONE-BENZENE-CARBON TETRACHLORIDE-N-HEXANE AT 25DEGREESC. *Journal of Chemical and Engineering Data.* 18: 213-214.
- Raja, SS; Kubendran, TR. (2004). Viscosities and densities of binary mixtures of 1,4-dioxane, carbon tetrachloride, and butanol at 303.15 K, 308.15 K, and 313.15 K. *Journal of Chemical and Engineering Data.* 49: 421-425.
- Rajamani, R; Srinivasan, D. (1977). VAPOR-LIQUID-EQUILIBRIUM DATA FOR SYSTEMS ISOPROPANOL-WATER AND CYCLOHEXANE-CARBON TETRACHLORIDE IN PRESENCE OF SALTS. 15: 91-93.
- Rajan, R; Kumar, R; Gandhi, KS. (1998). Modeling of sonochemical decomposition of CCl₄ in aqueous solutions. *Environ Sci Technol.* 32: 1128-1133.
- Rajan, R; Kumar, R; Gandhi, KS. (1998). Modelling of sonochemical oxidation of the water-KI-CCl₄ system. *Chem Eng Sci.* 53: 255-271.
- Rajbhandari, R; Shrestha, LK; Pokharel, BP; Pradhananga, RR. (2013). Development of nanoporous structure in carbons by chemical activation with zinc chloride. *J Nanosci Nanotechnol.* 13: 2613-2623. <http://dx.doi.org/10.1166/jnn.2013.7373>.
- Rajesh, P; Laverne, JA; Pimblott, SM. (2007). High dose radiolysis of aqueous solutions of chloromethanes: Importance in the storage of radioactive organic wastes. *J Nucl Mater.* 361: 10-17. <http://dx.doi.org/10.1016/j.jnucmat.2006.10.014>.
- Rajesh, J; Murthy, KN; Kumar, MK; Madhusudhan, B; Ravishankar, GA. (2006). Antioxidant potentials of flaxseed by in vivo model. *J Agric Food Chem.* 54: 3794-3799. <http://dx.doi.org/10.1021/jf053048a>.
- Rajulu, AV; Baksh, SA; Reddy, GR; Chary, KN. (1998). Chemical resistance and tensile properties of short bamboo fiber reinforced epoxy composites. *Journal of Reinforced Plastics and Composites.* 17: 1507-1511.
- Rajulu, AV; Devi, LG; Rao, GB; Reddy, RL. (2003). Chemical resistance and tensile properties of epoxy/unsaturated polyester blend coated bamboo fibers. *Journal of Reinforced Plastics and Composites.* 22: 1029-1034. <http://dx.doi.org/10.1177/073168403024571>.
- Rajulu, AV; Rao, GB; Reddy, RL. (2000). Chemical resistance and tensile properties of epoxy/polymethyl methacrylate blend coated bamboo fibres. *Indian Journal of Fibre & Textile Research.* 25: 295-297.
- Rakshit, S; Matocha, CJ; Coyne, MS; Sarkar, D. (2016). Nitrite reduction by Fe(II) associated with kaolinite. *Int J Environ Sci Tech.* 13: 1329-1334. <http://dx.doi.org/10.1007/s13762-016-0971-x>.

Exposure Literature Search Results

Off Topic

- Ram, LC; Tripathi, PSM; Jha, SK; Sharma, KP; Singh, G; Mishra, SP. (1997). gamma-irradiation of coal and lignite: effect on extractability. *Fuel Process Tech.* 53: 1-14.
- Ramachandran, B; Greene, HL; Chatterjee, S. (1996). Decomposition characteristics and reaction mechanisms of methylene chloride and carbon tetrachloride using metal-loaded zeolite catalysts. *Appl Catal B-Environ.* 8: 157-182.
- Ramamurthy, AS; Eglal, MM. (2014). Degradation of TCE by TEOS Coated nZVI in the Presence of Cu(II) for Groundwater Remediation. *Journal of Nanomaterials.* <http://dx.doi.org/10.1155/2014/606534>.
- Ramsey, JC; Andersen, ME. (1984). A physiologically based description of the inhalation pharmacokinetics of styrene in rats and humans. *Toxicol Appl Pharmacol.* 73: 159-175. [http://dx.doi.org/10.1016/0041-008X\(84\)90064-4](http://dx.doi.org/10.1016/0041-008X(84)90064-4).
- Ranade, RM; Ang, SS; Brown, WD. (1993). REACTIVE ION ETCHING OF THIN GOLD-FILMS. *J Electrochem Soc.* 140: 3676-3678.
- Ranadive, DK; Losee, DL. (1980). PLASMA-ETCHING OF ALUMINUM USING CCL4. *J Electrochem Soc.* 127: C90-C90.
- Rao, A; Rangwalla, H; Varshney, V; Dhinojwala, A. (2004). Structure of poly(methyl methacrylate) chains adsorbed on sapphire probed using infrared-visible sum frequency generation spectroscopy. *Langmuir.* 20: 7183-7188. <http://dx.doi.org/10.1021/la049413u>.
- Rao, BG; Rao, YV; Rao, TM. (2013). Hepatoprotective and antioxidant capacity of *Melochia corchorifolia* extracts. *Asian Pacific Journal of Tropical Medicine.* 6: 537-543. [http://dx.doi.org/10.1016/S1995-7645\(13\)60092-9](http://dx.doi.org/10.1016/S1995-7645(13)60092-9).
- Rao, KPC; Reddy, KS; Ramakrishna, M. (1988). EXCESS VOLUMES AND EXCESS-ENTHALPIES OF CYCLOHEXANONE WITH ALKANES, BENZENE, TOLUENE AND TETRACHLOROMETHANE AT 298.15-K. *Fluid Phase Equilibria.* 41: 303-316.
- Rao, PG; Vijayaraghavan, R; Raghavan, KV; Sai, PST. (2009). Kinetics and modeling of charge transfer polymerization of methyl methacrylate. *Asia-Pacific Journal of Chemical Engineering.* 4: 495-507. <http://dx.doi.org/10.1002/apj.261>.
- Rao, PS; Dalu, A; Kulkarni, SG; Mehendale, HM. (1996). Stimulated tissue repair prevents lethality in isopropanol-induced potentiation of carbon tetrachloride hepatotoxicity. *Toxicol Appl Pharmacol.* 140: 235-244. <http://dx.doi.org/10.1006/taap.1996.0218>.
- Rao, SP; Krishna, R. (1993). FILM MODEL FOR MASS-TRANSFER IN NONIDEAL MULTICOMPONENT FLUID MIXTURES. 52: 19-29.
- Rao, TN; Fujishima, A. (2000). Recent advances in electrochemistry of diamond. *Diam Relat Mater.* 9: 384-389.
- Rao, YF; Chu, W. (2010). Linuron decomposition in aqueous semiconductor suspension under visible light irradiation with and without H₂O₂. *Chem Eng J.* 158: 181-187. <http://dx.doi.org/10.1016/j.cej.2009.12.038>.
- Rasheed, A; Hines, RN; Mccarver-May, DG. (1997). Variation in induction of human placental CYP2E1: possible role in susceptibility to fetal alcohol syndrome? *Toxicol Appl Pharmacol.* 144: 396-400. <http://dx.doi.org/10.1006/taap.1997.8152>.
- Rashid, T. (2008). Petroleum Hydrocarbons Extraction Efficiency of Carbon Tetrachloride and Trichlorotrifluoroethane: A Comparative Study. *Petroleum Science and Technology.* 26: 2078-2087. <http://dx.doi.org/10.1080/10916460701429043>.
- Rastegarzadeh, S; Pourreza, N; Larki, A. (2015). Determination of trace silver in water, wastewater and ore samples using dispersive liquid-liquid microextraction coupled with flame atomic absorption spectrometry. *J Ind Eng Chem.* 24: 297-301. <http://dx.doi.org/10.1016/j.jiec.2014.09.045>.
- Ratasuk, N; Nanny, MA. (2007). Characterization and quantification of reversible redox sites in humic substances. *Environ Sci Technol.* 41: 7844-7850.
- Rathore, HS; Kumar, M; Ishratullah, K. (2006). Metal ion chromatography on sodium diethyldithiocarbamate. *Indian J Chem Tech.* 13: 84-87.
- Ratti, M; Canonica, S; Mcneill, K; Erickson, PR; Bolotin, J; Hofstetter, TB. (2015). Isotope fractionation associated with the direct photolysis of 4-chloroaniline. *Environ Sci Technol.* 49: 4263-4273. <http://dx.doi.org/10.1021/es505784a>.
- Raucy, JL; Kraner, JC; Lasker, JM. (1993). Bioactivation of halogenated hydrocarbons by cytochrome P4502E1 [Review]. *Crit Rev Toxicol.* 23: 1-20. <http://dx.doi.org/10.3109/10408449309104072>.
- Raut, SS; Kamble, SP; Kulkarni, PS. (2016). Efficacy of zero-valent copper (Cu(0)) nanoparticles and reducing agents for dechlorination of mono chloroaromatics. *Chemosphere.* 159: 359-366. <http://dx.doi.org/10.1016/j.chemosphere.2016.06.031>.
- Rawal, DS; Agarwal, VR; Sharma, HS; Sehgal, BK; Gulati, R; Vyas, HP. (2003). Anisotropic etching of GaAs using CCl₂F₂/CCl₄ gases to fabricate 200 μm deep via holes for grounding MMICs. *J Electrochem Soc.* 150: G395-G399. <http://dx.doi.org/10.1149/1.1577546>.
- Ray, SD; Mehendale, HM. (1990). Potentiation of CCl₄ and CHCl₃ hepatotoxicity and lethality by various alcohols. *Fundam Appl Toxicol.* 15: 429-440.
- Raymond, P; Plaa, GL. (1995). Ketone potentiation of haloalkane-induced hepato- and nephrotoxicity I Dose-response relationships. *J Toxicol Environ Health A.* 45: 465-480. <http://dx.doi.org/10.1080/15287399509532009>.
- Raymond, P; Plaa, GL. (1995). Ketone Potentiation of Haloalkane-Induced Hepatoand Nephrotoxicity. II. Implication of Monooxygenases. *J Toxicol Environ Health.* 46: 317-328. <http://dx.doi.org/10.1080/15287399509532038>.
- Raymond, P; Plaa, GL. (1995). KETONE POTENTIATION OF HALOALKANE-INDUCED HEPATOTOXICITY AND NEPHROTOXICITY .1. DOSE-RESPONSE RELATIONSHIPS. *J Toxicol Environ Health.* 45: 465-480.
- Raymond, P; Plaa, GL. (1996). Ketone potentiation of haloalkane-induced hepatotoxicity: CCl₄ and ketone treatment on hepatic membrane integrity. *J Toxicol Environ Health.* 49: 285-300.
- Raymond, P; Plaa, GL. (1997). Effect of dosing vehicle on the hepatotoxicity of CCl₄ and hepatotoxicity of CHCl₃ in rats. *J Toxicol Environ Health.* 51: 463-476. <http://dx.doi.org/10.1080/00984109708984037>.
- Read, HW; Fu, X; Clark, LA; Anderson, MA; Jarosch, T. (1996). Field trials of a TiO₂ pellet-based photocatalytic reactor for off-gas treatment at a soil vapor extraction well. *Journal of Soil Contamination.* 5: 187-202.
- Rebey, A; Bchetnia, A; El Jani, B. (1998). Etching of GaAs by CCl₄ and VCl₄ in a metalorganic vapor-phase epitaxy reactor. *J Cryst Growth.* 194: 286-291.
- Rebey, A; Beji, L; El Jani, B; Gibart, P. (1998). Optical monitoring of the growth rate reduction by CCl₄ during metalorganic vapour-phase epitaxy deposition of carbon doped GaAs. *J Cryst Growth.* 191: 734-739.

Exposure Literature Search Results

Off Topic

- Rebey, A; Boufaden, T; El Jani, B. (1999). In situ optical monitoring of the decomposition of GaN thin films. *J Cryst Growth*. 203: 12-17.
- Rebey, A; El Jani, B; Leycuras, A; Laugt, S; Gibart, P. (1999). In situ optical monitoring of metalorganic vapor phase epitaxy growth of C-doped GaAs. *Applied Physics A: Materials Science and Processing*. 68: 349-352.
- Rebey, A; Fathallah, W; El Jani, B. (2006). In depth study of the compensation in annealed heavily carbon doped GaAs. *Microelectronics Journal*. 37: 158-166. <http://dx.doi.org/10.1016/j.mejo.2005.02.127>.
- Rebey, A; Habchi, MM; Bchetnia, A; El Jani, B. (2004). In situ reflectance monitoring of the growth and etching of AlAs/GaAs structures in MOVPE. *J Cryst Growth*. 261: 450-457. <http://dx.doi.org/10.1016/j.jcrysgro.2003.09.042>.
- Rebodos, RL; Vikesland, PJ. (2010). Effects of oxidation on the magnetization of nanoparticulate magnetite. *Langmuir*. 26: 16745-16753. <http://dx.doi.org/10.1021/la102461z>.
- Reddy, EVS; Rajulu, AV; Reddy, KH; Reddy, GR. (2010). Chemical Resistance and Tensile Properties of Glass and Bamboo Fibers Reinforced Polyester Hybrid Composites. *Journal of Reinforced Plastics and Composites*. 29: 2119-2123. <http://dx.doi.org/10.1177/0731684409349520>.
- Regenhardt, SA; Meyer, CI; Trasarti, AF; Monzon, A; Garetto, TF. (2012). Catalytic oxidation of carbon tetrachloride on metal exchanged Y-zeolite. *Chem Eng J*. 198: 18-26. <http://dx.doi.org/10.1016/j.cej.2012.05.055>.
- Rei, M; Souza, JP; Schaeffer, L. (2001). Debinding properties' study of a 316-L stainless steel feedstock. *Key Eng Mater*. 189-1: 616-622.
- Reilly, JT; Thomas, A; Gibson, AR; Luebehusen, C, hiY; Donohue, MD. (2013). Analysis of the Self-Association of Aliphatic Alcohols Using Fourier Transform Infrared (FT-IR) Spectroscopy. *Ind Eng Chem Res*. 52: 14456-14462. <http://dx.doi.org/10.1021/ie302174r>.
- Reinke, LA; Lai, EK; Mccay, PB. (1988). Ethanol feeding stimulates trichloromethyl radical formation from carbon tetrachloride in liver. *Xenobiotica*. 18: 1311-1318. <http://dx.doi.org/10.3109/00498258809042255>.
- Reis, RA; Nobrega, R; Oliveira, JV; Tavares, FW. (2005). Self- and mutual diffusion coefficient equation for pure fluids, liquid mixtures and polymeric solutions. *Chem Eng Sci*. 60: 4581-4592. <http://dx.doi.org/10.1016/j.ces.2005.03.018>.
- Reitz, RH; Gargas, ML; Mendrala, AL; Schumann, AM. (1996). In vivo and in vitro studies of perchloroethylene metabolism for physiologically based pharmacokinetic modeling in rats, mice, and humans. *Toxicol Appl Pharmacol*. 136: 289-306. <http://dx.doi.org/10.1006/taap.1996.0036>.
- Rev, E; Lelkes, Z; Varga, V; Steger, C; Fonyo, Z. (2003). Separation of a minimum-boiling azeotrope in a batch extractive rectifier with an intermediate-boiling entrainer. *Ind Eng Chem Res*. 42: 162-174. <http://dx.doi.org/10.1021/ie020080a>.
- Rezvanianzadeh, MR; Yamini, Y; Khanchi, AR; Ashtari, P; Ghannadi-Maragheh, M. (2000). Highly selective and efficient membrane transport of molybdenum using di(2-ethylhexyl) phosphoric acid as carrier. *Separation Science and Technology*. 35: 1939-1949.
- Rhee, E; Speece, RE. (2000). Probing of maximal biodegradation rates of methylene chloride, carbon tetrachloride, and 1,1,1-trichloroethane in methanogenic processes. *Environ Technol*. 21: 147-156.
- Rheims, J; Koser, J; Wriedt, T. (1997). Refractive-index measurements in the near-IR using an Abbe refractometer. *Meas Sci Technol*. 8: 601-605.
- Rhlalou, T; Ferhat, M; Frouji, MA; Langevin, D; Metayer, M; Verchere, JF. (2000). Facilitated transport of sugars by a resorcinarene through a supported liquid membrane. *J Memb Sci*. 168: 63-73.
- Rhodes, WJ. (1991). STRATOSPHERIC OZONE PROTECTION - AN EPA ENGINEERING PERSPECTIVE. *J Air Waste Manag Assoc*. 41: 1579-1584.
- Ribera, D; Narbonne, JF; Michel, X; Livingstone, DR; Ohara, S. (1991). RESPONSES OF ANTIOXIDANTS AND LIPID-PEROXIDATION IN MUSSELS TO OXIDATIVE DAMAGE EXPOSURE. *Comp Biochem Physiol C Comp Pharmacol Toxicol*. 100: 177-181.
- Ricker, JA. (2008). A Practical Method to Evaluate Ground Water Contaminant Plume Stability. *Ground Water Monitoring and Remediation*. 28: 85-94. <http://dx.doi.org/10.1111/j.1745-6592.2008.00215.x>.
- Rikans, LE; Hornbrook, KR. (1997). Age-related susceptibility to hepatotoxicants. *Environ Toxicol Pharmacol*. 4: 339-344.
- Riley, RG; Szecsody, JE; Sklarew, DS; Mitroshkov, AV; Gent, PM; Brown, CF; Thompson, CJ. (2010). Desorption behavior of carbon tetrachloride and chloroform in contaminated low organic carbon aquifer sediments. *Chemosphere*. 79: 807-813. <http://dx.doi.org/10.1016/j.chemosphere.2010.03.005>.
- Rimbach, G; Hohler, D; Fischer, A; Roy, S; Virgili, F; Pallauf, J; Packer, L. (1999). Methods to assess free radicals and oxidative stress in biological systems. *Arch Tierernaehr*. 52: 203-222.
- Rivero-Huguet, M; Marshall, WD. (2009). Reduction of hexavalent chromium mediated by micron- and nano-scale zero-valent metallic particles. *J Environ Monit*. 11: 1072-1079. <http://dx.doi.org/10.1039/b819279k>.
- Roberts, AL; Sanborn, PN; Gschwend, PM. (1992). NUCLEOPHILIC-SUBSTITUTION REACTIONS OF DIHALOMETHANES WITH HYDROGEN-SULFIDE SPECIES. *Environ Sci Technol*. 26: 2263-2274.
- Roberts, AL; Totten, LA; Arnold, WA; Burris, DR; Campbell, TJ. (1996). REDUCTIVE ELIMINATION OF CHLORINATED ETHYLENES BY ZERO-VALENT METALS. *Environ Sci Technol*. 30: 2654-2659.
- Roberts, PV. (1982). DESORPTION-KINETICS OF CARBON-TETRACHLORIDE FROM ACTIVATED CARBON - COMMENT. *Environ Sci Technol*. 16: 773-773.
- Robertson, EJ; Beaman, DK; Richmond, GL. (2013). Designated drivers: the differing roles of divalent metal ions in surfactant adsorption at the oil-water interface. *Langmuir*. 29: 15511-15520. <http://dx.doi.org/10.1021/la403665n>.
- Robertson, EJ; Carpenter, AP; Olson, CM; Ciszewski, RK; Richmond, GL. (2014). Metal Ion Induced Adsorption and Ordering of Charged Macromolecules at the Aqueous/Hydrophobic Liquid Interface. *J Phys Chem C*. 118: 15260-15273. <http://dx.doi.org/10.1021/jp503051w>.
- Robertson, EJ; Richmond, GL. (2013). Chunks of charge: effects at play in the assembly of macromolecules at fluid surfaces. *Langmuir*. 29: 10980-10989. <http://dx.doi.org/10.1021/la4021096>.

Exposure Literature Search Results

Off Topic

- Rodriguez-Chueca, J; Mediano, A; Pueyo, N; Garcia-Suescun, I; Mosteo, R; Ormad, MP. (2016). Degradation of chloroform by Fenton-like treatment induced by electromagnetic fields: A case of study. *Chem Eng Sci.* 156: 89-96. <http://dx.doi.org/10.1016/j.ces.2016.09.016>.
- Rodriguez-Donis, I; Gerbaud, V; Joulia, X. (2012). Thermodynamic Insights on the Feasibility of Homogeneous Batch Extractive Distillation. 4. Azeotropic Mixtures with Intermediate Boiling Entrainer. *Ind Eng Chem Res.* 51: 6489-6501. <http://dx.doi.org/10.1021/ie2019432>.
- Rodriguez-Estupinan, P; Gomez, F; Giraldo, L; Carlos Moreno-Pirajan, J. (2015). Immersion enthalpies in different liquids of activated carbons modified by surface chemistry. 5: 233-240. <http://dx.doi.org/10.1166/mex.2015.1235>.
- Rodriguez-Garrido, B; Arbestain, MC; Monterroso, MC; Macias, F. (2004). Reductive dechlorination of alpha-, beta-, delta-, and gamma-hexachlorocyclohexane isomers by hydrocobalamin in the presence of either dithiothreitol or titanium(III) citrate as reducing agents. *Environ Sci Technol.* 38: 5046-5052. <http://dx.doi.org/10.1021/es030153x>.
- Roesler, JF; Yetter, RA; Dryer, FL. (1996). Inhibition and oxidation characteristics of chloromethanes in reacting CO/H₂O/O₂ mixtures. *Combust Sci Tech.* 120: 11-37.
- Rogojanu, A; Postolache, M; Dorohoi, DO. (2010). Liquid Crystalline Phase of Polymeric Esters of Alkoxybenzoic Acid in Tetrachloromethane. *Materiale Plastice.* 47: 282-285.
- Roh, Y; Cho, KS; Lee, S. (2001). Electrochemical remediation of trichloroethene-contaminated groundwater using palladized iron oxides. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 36: 923-933.
- Rohatgi, A; Raichoudhury, P; Fonash, SJ; Lester, P; Singh, R; Caplan, PJ; Poindexter, EH. (1986). CHARACTERIZATION AND CONTROL OF SILICON SURFACE MODIFICATION PRODUCED BY CCL₄ REACTIVE ION ETCHING. *J Electrochem Soc.* 133: 408-416.
- Roldán-Arjona, T; Pueyo, C. (1993). Mutagenic and lethal effects of halogenated methanes in the Ara test of *Salmonella typhimurium*: Quantitative relationship with chemical reactivity. *Mutagenesis.* 8: 127-131. <http://dx.doi.org/10.1093/mutage/8.2.127>.
- Romashkin, PA; Hurst, DF; Elkins, JW; Dutton, GS; Fahey, DW; Dunn, RE; Moore, FL; Myers, RC; Hall, BD. (2001). In situ measurements of long-lived trace gases in the lower stratosphere by gas chromatography. *J Atmos Ocean Tech.* 18: 1195-1204.
- Romashkin, PA; Hurst, DF; Elkins, JW; Dutton, GS; Wamsley, PR. (1999). Effect of the tropospheric trend on the stratospheric tracer-tracer correlations: Methyl chloroform. *J Geophys Res Atmos.* 104: 26643-26652.
- Rong, S; Sun, Y. (2014). Wetted-wall corona discharge induced degradation of sulfadiazine antibiotics in aqueous solution. *J Chem Tech Biotechnol.* 89: 1351-1359. <http://dx.doi.org/10.1002/jctb.4211>.
- Ronottrioli, C; Kherrat, R; Jaffrezicrenault, N. (1995). SOLUBILITY INTERACTIONS BETWEEN ORGANIC VAPORS AND SPECIFIC POLYMERIC CLADDINGS FOR OPTICAL-FIBER SENSOR. *Sensor Mater.* 7: 383-393.
- Rosa, MJ; Depinho, MN. (1997). Membrane surface characterisation by contact angle measurements using the immersed method. *J Memb Sci.* 131: 167-180.
- Rosca, P; Dragomir, R; Ionescu, C. (2003). Deactivation of zeolite catalysts by coke deposition. *Rev Chim.* 54: 707-710.
- Rose, ML; Bradford, BU; Germolec, DR; Lin, M; Tsukamoto, H; Thurman, RG. (2001). Gadolinium chloride-induced hepatocyte proliferation is prevented by antibodies to tumor necrosis factor α . *Toxicol Appl Pharmacol.* 170: 39-45. <http://dx.doi.org/10.1006/taap.2000.9077>.
- Rosenberg, C; Nylund, L; Aalto, T; Kontsas, H; Norppa, H; Jappinen, P; Vainio, H. (1991). VOLATILE ORGANOHALOGEN COMPOUNDS FROM THE BLEACHING OF PULP OCCURRENCE AND GENOTOXIC POTENTIAL IN THE WORK ENVIRONMENT (pp. 10-14). (ISSN 0045-6535; EISSN 1879-1298; BIOSIS/92/10857). Committee for Compounds Toxic to Reproduction.
- Rosengren, RJ; Sauer, JM; Hooser, SB; Sipes, IG. (1995). The interactions between retinol and five different hepatotoxicants in the Swiss Webster mouse. *Fundam Appl Toxicol.* 25: 281-292.
- Rosocho, LA; Secker, DA; Smith, JD. (1994). KINETIC MODELING OF TRICHLOROETHYLENE AND CARBON-TETRACHLORIDE REMOVAL FROM WATER BY ELECTRON-BEAM IRRADIATION. *ACS Symp Ser Am Chem Soc.* 554: 184-196.
- Rossberg, M. (2002). Chlorinated hydrocarbons. In W Gerhartz; YS Yamamoto; FT Campbell (Eds.), (5th ed., pp. 370-371). New York, NY: VCH Publishers.
- Rossi, AM; Zaccaro, L; Filippo Rosselli, F; Quattrone, C. (1988). Clastogenic effects induced in mice and rats by 1,4-bis[2-(3,5-dichloropyridyloxy)]-benzene, a phenobarbital-like enzyme inducer and liver tumour promoter. *Carcinogenesis.* 9: 1147-1151.
- Rostovshchikova, TN; Smirnov, VV; Kozhevin, VM; Yavsin, DA; Zabelin, MA; Yassievich, IN; Gurevich, SA. (2005). New size effect in the catalysis by interacting copper nanoparticles. *Appl Catal A-Gen.* 296: 70-79. <http://dx.doi.org/10.1016/j.apcata.2005.08.032>.
- Roth, HC; Schwaminger, S; Garcia, PF; Ritscher, J; Berensmeier, S. (2016). Oleate coating of iron oxide nanoparticles in aqueous systems: the role of temperature and surfactant concentration. *J Nanopart Res.* 18. <http://dx.doi.org/10.1007/s11051-016-3405-2>.
- Rotmans, J; Den elzen, MGJ. (1992). A model-based approach to the calculation of global warming potentials (GWP). *Int J Climatol.* 12: 865-874. <http://dx.doi.org/10.1002/joc.3370120809>.
- Roush, CJ; Lastoskie, CM; Worden, RM. (2006). Denitrification and chemotaxis of *Pseudomonas stutzeri* KC in porous media. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 41: 967-983. <http://dx.doi.org/10.1080/10934520600689258>.
- Rout, BK; Mishra, NC; Chakravorty, V. (1994). VISCOSITY AND DENSITY OF BINARY-LIQUID MIXTURES OF TRI-N-BUTYL PHOSPHATE PLUS BENZENE, PLUS CARBON-TETRACHLORIDE, PLUS ISOBUTYL METHYL KETONE AND PLUS ACETYLACETONE AT 25-DEGREES-C, 30-DEGREES-C, 35-DEGREES-C, 40-DEGREES-C AND 45-DEGREES-C. *Indian J Chem Tech.* 1: 347-350.
- Roy, MN; Roy, PK; Sah, RS; Pradhan, P; Sinha, B. (2009). Ion Pair and Triple Ion Formation by Some Tetraalkylammonium Iodides in Binary Mixtures of Carbon Tetrachloride plus Nitrobenzene. *Journal of Chemical and Engineering Data.* 54: 2429-2435. <http://dx.doi.org/10.1021/je800885h>.
- Roy, R. (2010). Short-term variability in halocarbons in relation to phytoplankton pigments in coastal waters of the central eastern Arabian Sea. *Estuar Coast Shelf Sci.* 88: 311-321. <http://dx.doi.org/10.1016/j.ecss.2010.04.011>.

Exposure Literature Search Results

Off Topic

- Royer, RA; Burgos, WD; Fisher, AS; Unz, RF; Dempsey, BA. (2002). Enhancement of biological reduction of hematite by electron shuttling and Fe(II) complexation. *Environ Sci Technol.* 36: 1939-1946. <http://dx.doi.org/10.1021/es011139s>.
- Ruan, X; Gu, X; Lu, S; Qiu, Z; Sui, Q. (2014). Trichloroethylene degradation by persulphate with magnetite as a heterogeneous activator in aqueous solution. *Environ Technol.* 36: 1-9. <http://dx.doi.org/10.1080/09593330.2014.991353>.
- Rubio, SJ; Quintero, MC; Rodero, A. (2011). Application of microwave air plasma in the destruction of trichloroethylene and carbon tetrachloride at atmospheric pressure. *J Hazard Mater.* 186: 820-826. <http://dx.doi.org/10.1016/j.jhazmat.2010.11.069>.
- Rubio, SJ; Quintero, MC; Rodero, A; Rodriguez, JM. (2007). Assessment of a new carbon tetrachloride destruction system based on a microwave plasma torch operating at atmospheric pressure. *J Hazard Mater.* 148: 419-427. <http://dx.doi.org/10.1016/j.jhazmat.2007.02.056>.
- Rubio, SJ; Rodero, A; Quintero, MC. (2008). Application of a microwave helium plasma torch operating at atmospheric pressure to destroy trichloroethylene. *Plasma Chemistry and Plasma Processing.* 28: 415-428. <http://dx.doi.org/10.1007/s11090-008-9133-3>.
- Ruckenstein, E; Shulgin, I. (2001). Cubic equation of state and local composition mixing rules: Correlations and predictions. Application to the solubility solids in supercritical solvents. *Ind Eng Chem Res.* 40: 2544-2549.
- Rudolph, J; Khedim, A; Koppmann, R; Bonsang, B. (1995). FIELD-STUDY OF THE EMISSIONS OF METHYL-CHLORIDE AND OTHER HALOCARBONS FROM BIOMASS BURNING IN WESTERN AFRICA. *J Atmos Chem.* 22: 67-80.
- Ruiz, MD; Rivarola, JB; Quiroga, OD. (1994). KINETIC-STUDY OF THE REACTION BETWEEN MOLYBDENUM TRIOXIDE AND GASEOUS CARBON-TETRACHLORIDE. *Can J Chem Eng.* 72: 289-295.
- Rupp, S; Metzger, JW. (2005). Brominated-chlorinated diphenyl ethers formed by thermolysis of polybrominated diphenyl ethers at low temperatures. *Chemosphere.* 60: 1644-1651. <http://dx.doi.org/10.1016/j.chemosphere.2005.02.038>.
- Rupp, VL; Hickman, JC. (1995). REPLACING 1,1,1-TRICHLOROETHANE WITH OTHER CHLORINATED SOLVENTS. *Plat Surf Finish.* 82: 34-38.
- Rury, AS; Ferry, C; Hunt, JR; Lee, M; Mondal, D; O'Connell, SMO; Phan, ENH; Peng, Z; Pokhilko, P; Sylvinson, D; Zhou, Y; Mak, C, hiH. (2016). Solvent Thermodynamic Driving Force Controls Stacking Interactions between Polyaromatics. *J Phys Chem C.* 120: 23858-23869. <http://dx.doi.org/10.1021/acs.jpcc.6b08292>.
- Rusonik, I; Zidky, T; Cohen, H; Meyerstein, D. (2005). Reactions of alkyl radicals with metal powders immersed in aqueous solutions. *Glass Physics and Chemistry.* 31: 115-118.
- Russell, JJ; Seetula, JA; Gutman, D; Danis, F; Caralp, F; Lightfoot, PD; Lesclaux, R; Melius, CF; Senkan, SM. (1990). KINETICS AND THERMOCHEMISTRY OF THE EQUILIBRIUM CCL_3+O_2 REVERSIBLE CCL_3O_2 . 94: 3277-3283.
- Russkikh, IV; Gossen, LP; Boyankova, OS. (2005). Characterization of asphaltite solutions by IR spectroscopy. *Petroleum Chemistry.* 45: 312-315.
- Rutherford, DW; Chiou, CT. (1992). Effect of water saturation in soil organic matter on the partition of organic compounds. *Environ Sci Technol.* 26: 965-970.
- Rutherford, DW; Chiou, CT; Kile, DE. (1992). INFLUENCE OF SOIL ORGANIC-MATTER COMPOSITION ON THE PARTITION OF ORGANIC-COMPOUNDS. *Environ Sci Technol.* 26: 336-340.
- Rutkowski, P; Mullens, S; Yperman, J; Gryglewicz, G. (2002). AP-TPR investigation of the effect of pyrite removal on the sulfur characterization of different rank coals. *Fuel Process Tech.* 76: 121-138.
- Rychlicki, G; Terzyk, AP. (1998). Thermodynamic verification of the theory of volume filling of micropores for adsorption on activated carbons. *AST.* 16: 641-653.
- Rysz, M; Connor, MK; Kamath, R; Newell, CJ. (2010). Origin and Propagation of an Incorrect Chemical Degradation Pathway in the Literature: cis-1,2-Dichloroethylene as a Daughter Product of 1,1,1-Trichloroethane. *Environ Forensics.* 11: 50-59. <http://dx.doi.org/10.1080/15275920903526486>.
- Ryu, A; Jeong, SW, oo; Jang, A, rn; Choi, H. (2011). Reduction of highly concentrated nitrate using nanoscale zero-valent iron: Effects of aggregation and catalyst on reactivity. *Appl Catal B-Environ.* 105: 128-135. <http://dx.doi.org/10.1016/j.apcatb.2011.04.002>.
- Ryumtsev, EI; Evlampieva, NP; Lezov, AV; Ponomarenko, SA; Boiko, NI; Shibaev, VP. (1998). Kerr effect in solutions of carbosilane dendrimers with terminal mesogenic groups. *Liquid Crystals.* 25: 475-479.
- Sachleben, RA; Moyer, BA; Case, FI; Garmon, SA. (1993). ALKYLATED LARIAT ETHERS AS SOLVENT-EXTRACTION REAGENTS - SURVEYING THE EXTRACTION OF ALKALI-METALS BY BIS-T-OCTYLBENZO-14-CROWN-4-ACETIC ACID BY USE OF POTENTIOMETRIC 2-PHASE TITRATION. *Separation Science and Technology.* 28: 1-23.
- Saez, V; Esclapez, MD; Frias-Ferrer, A; Bonete, P; Gonzalez-Garcia, J. (2008). Electrochemical Reduction of Perchloroethylene in Aqueous Media: Influence of the Electrode Material. *Journal of New Materials for Electrochemical Systems.* 11: 287-295.
- Saez, V; Tudela, I; Deseada Esclapez, M; Bonete, P; Louisnard, O; Gonzalez-Garcia, J. (2011). Sonoelectrochemical degradation of perchloroethylene in water: Enhancement of the process by the absence of background electrolyte. *Chem Eng J.* 168: 649-655. <http://dx.doi.org/10.1016/j.cej.2011.01.052>.
- Safarbalı, R; Yaftian, MR; Zamani, A. (2016). Cooperative effect of 2-(dibutylcarbamoyl)benzoic acid and 2-thenoyltrifluoroacetone for the synergistic extraction of lanthanide ions. *Separation Science and Technology.* 51: 1351-1361. <http://dx.doi.org/10.1080/01496395.2016.1165252>.
- Safarik, DJ; Meyer, RJ; Mullins, CB. (2001). Interaction of chlorodifluoromethane with ultrathin solid water films. *Journal of Vacuum Science and Technology A.* 19: 1537-1542.
- Safer, AM; Hanafy, NA; Bharali, DJ; Cui, H; Mousa, SA. (2015). Effect of Green Tea Extract Encapsulated Into Chitosan Nanoparticles on Hepatic Fibrosis Collagen Fibers Assessed by Atomic Force Microscopy in Rat Hepatic Fibrosis Model. *J Nanosci Nanotechnol.* 15: 6452-6459. <http://dx.doi.org/10.1166/jnn.2015.10608>.
- Safer, AM; Sen, A; Hanafy, NA; Mousa, SA. (2015). Quantification of the Healing Effect in Hepatic Fibrosis Induced by Chitosan Nano-Encapsulated Green Tea in Rat Model. *J Nanosci Nanotechnol.* 15: 9918-9924. <http://dx.doi.org/10.1166/jnn.2015.11400>.

Exposure Literature Search Results

Off Topic

- Safi, A; Nicolas, C; Neau, E; Chevalier, JL. (2008). Diffusion coefficients of organic compounds at infinite dilution in mixtures involving associating compounds. Experimental determination and modeling by group contribution methods. *Journal of Chemical and Engineering Data*. 53: 444-448. <http://dx.doi.org/10.1021/jc700539w>.
- Safta, M; Csunderlik, C. (1994). 2-ALKYL(ARYL)-2-IMIDAZOLINES PHOSPHORYLATION WITH DI-ALKYL-PHOSPHITES BY ATHERTON-TODD REACTION AND INTERPHASE TRANSFER CATALYSIS. *Rev Chim*. 45: 14-16.
- Sagert, NH; Lau, DWP. (1986). LIMITING ACTIVITY-COEFFICIENTS FOR BUTYL ALCOHOLS IN WATER, NORMAL-OCTANE, AND CARBON-TETRACHLORIDE. *Journal of Chemical and Engineering Data*. 31: 475-478.
- Saha, R; Dey, SK; Biswas, S; Jana, AD; Kumar, S. (2013). Transformation of a Mother Crystal to a Daughter Crystal through Amorphous Phase: De-assembly of Coordination Helices upon Heating and Re-assembly through Aqueation. *Cryst Growth Des*. 13: 2135-2142. <http://dx.doi.org/10.1021/cg400224a>.
- Sahay, BN; Verma, SK; Sinha, KP. (1983). INFLUENCE OF SOME GLYCOLYTIC AND TCA METABOLITES ON LIPID-METABOLISM IN RATS POISONED WITH CARBON-TETRACHLORIDE, THIOACETAMIDE AND ETHIONINE. *Indian J Anim Sci*. 53: 457-459.
- Saisho, K; Hasegawa, Y; Saeki, M; Toyoda, M; Saito, Y. (1994). Bioaccumulation of volatile chlorinated hydrocarbons in blue mussel, *Mytilus edulis* and killifish, *Oryzias latipes* (pp. 274-278). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/94/32432). Saisho, K; Hasegawa, Y; Saeki, M; Toyoda, M; Saito, Y.
- Sakaguchi, H; Hamaguchi, A. (1975). PHYSIOLOGICAL CHANGES IN SERUM AND HEPATOPANCREAS OF YELLOW TAIL INJECTED WITH CARBON-TETRACHLORIDE. *Nippon Suisan Gakkaishi*. 41: 283-290.
- Sakata, T; Watanabe, A; Hobarra, N; Nagashima, H. (1987). Chronic Liver Injury in Rats by Carbon Tetrachloride Inhalation. *Bull Environ Contam Toxicol*. 38: 959-961.
- Saleh, TA; Alhooshani, KR; Abdelbassit, MSA. (2015). Evaluation of AC/ZnO composite for sorption of dichloromethane, trichloromethane and carbon tetrachloride: kinetics and isotherms. *Taiwan Institute of Chemical Engineers Journal*. 55: 159-169. <http://dx.doi.org/10.1016/j.jtice.2015.04.004>.
- Salgin, U; Yildiz, N; Calimli, A. (2004). Desorption of salicylic acid from modified bentonite by using supercritical fluids in packed bed column. *Separation Science and Technology*. 39: 2677-2694. <http://dx.doi.org/10.1081/SS-200028462>.
- Salmenkivi, K; Heikkilä, P; Haglund, C; Arola, J. (2004). Malignancy in pheochromocytomas. *APMIS*. 112: 551-559.
- Salovsky, P; Shopova, V; Dancheva, V. (1998). Antioxidant defense mechanisms in the lung toxicity of tri-n-butyl phosphate. *Am J Ind Med*. 33: 11-15.
- Samal, S; Mohapatra, NK; Acharya, S; Dey, RK. (1999). Chelating resins VII: studies on chelating resins of formaldehyde and furfuraldehyde-condensed phenolic Schiff base derived from 4,4'-diaminodiphenylsulphone and o-hydroxyacetophenone. *React Funct Polym*. 42: 37-52.
- Samdani, AR; Mandal, S; Pangarkar, VG. (2003). Role of and criterion for sorption selectivity in pervaporative removal of trace organics from aqueous solutions. *Separation Science and Technology*. 38: 1069-1092. <http://dx.doi.org/10.1081/SS-120018124>.
- Samojlik, I; Lakić, N; Mimica-Dukić, N; Daković-Svajcer, K; Bozin, B. (2010). Antioxidant and hepatoprotective potential of essential oils of coriander (*Coriandrum sativum* L.) and caraway (*Carum carvi* L.) (Apiaceae). *J Agric Food Chem*. 58: 8848-8853. <http://dx.doi.org/10.1021/jf101645n>.
- Samsonova, TI; Roschina, OA; Meglitskii, VA; Koz'yakova, OK. (2007). Possible replacement of carbon tetrachloride with other solvents in determination of the oiling agent content in chemical fibres. *Fibre Chemistry*. 39: 340-343. <http://dx.doi.org/10.1007/s10692-007-0075-y>.
- Sanchez, V; Clifton, M. (1978). MUTUAL DIFFUSION-COEFFICIENTS IN BINARY-MIXTURES OF CARBON-TETRACHLORIDE AND ALCOHOLS AT 20-DEGREES-C. *Journal of Chemical and Engineering Data*. 23: 209-212.
- Sanderson, JT; Commandeur, JN; Van Wezel, A; Vermeulen, NP. (1999). Bioassays for the detection of chemicals that can form bioactivation-dependent reactive free radicals. *Environ Toxicol Chem*. 18: 1236-1243.
- Sandy, MS; Di Monte, D; Smith, MT. (1988). Relationships between intracellular vitamin E, lipid peroxidation, and chemical toxicity in hepatocytes. *Toxicol Appl Pharmacol*. 93: 288-297.
- Sano, M; Hu, ML; Tappel, AL. (1992). POTENTIATION OF NON-HALOCARBON OXIDANTS ON HALOCARBON-INDUCED OXIDATIVE DAMAGE TO RAT RED-BLOOD-CELLS. *J Agric Food Chem*. 40: 2192-2197.
- Sano, M; Kawabata, H; Tomita, I; Yoshioka, H; Hu, ML. (1994). Potentiation of oxidative damage to rat red blood cells by the concurrent presence of t-butyl hydroperoxide and bromotrichloromethane. *J Toxicol Environ Health*. 43: 339-350. <http://dx.doi.org/10.1080/15287399409531925>.
- Sanson, EB; Jonas, LA. (1982). DESORPTION-KINETICS OF CARBON-TETRACHLORIDE FROM ACTIVATED CARBON - REPLY. *Environ Sci Technol*. 16: 773-773.
- Sansone, EB; Jonas, LA. (1982). DESORPTION-KINETICS OF CARBON-TETRACHLORIDE FROM ACTIVATED CARBON - COMMENT. *Environ Sci Technol*. 16: 772-773.
- Santharam, S; Davis, LC; Erickson, LE. (2014). Biodegradation of Carbon Tetrachloride in Simulated Groundwater Flow Channels. *Environ Prog Sustain Energy*. 33: 444-453. <http://dx.doi.org/10.1002/ep.11808>.
- Sanzgiri, UY; Bruckner, JV. (1997). Effect of Emulphor, an emulsifier, on the pharmacokinetic and hepatotoxicity of oral carbon tetrachloride in the rat. *Fundam Appl Toxicol*. 36: 54-61. <http://dx.doi.org/10.1006/faat.1997.2290>.
- Sarada, BV; Rao, TN; Tryk, DA; Fujishima, A. (1999). Electroanalytical applications of conductive diamond electrodes. *New Diamond and Frontier Carbon Technology*. 9: 365-377.

Exposure Literature Search Results

Off Topic

- Sarathy, V; Tratnyek, PG; Nurmi, JT; Baer, DR; Amonette, JE; Chun, C; Penn, R; Reardon, EJ. (2008). Aging of iron nanoparticles in aqueous solution: Effects on structure and reactivity. *J Phys Chem C*. 112: 2286-2293. <http://dx.doi.org/10.1021/jp0777418>.
- Sareena, C; Ramesan, MT; Purushothaman, E. (2013). Transport Studies of Peanut Shell Powder Reinforced Natural Rubber Composites in Chlorinated Solvents. *Fibers and Polymers*. 14: 1674-1687. <http://dx.doi.org/10.1007/s12221-013-1674-2>.
- Saricicek, E; Tarakcioglu, M; Saricicek, V; Gulsen, MT; Karakok, M; Baltaci, Y; Taysi, S. (2014). Effect of *Nigella sativa* on experimental liver fibrosis. *Biomedical Research*. 25: 32-38.
- Sarkouhi, M; Yamini, Y; Reza, M; Zanjani, K; Afsharnaderi, A. (2007). Liquid-phase microextraction and gas-chromatographic determination of selenium(IV) in aqueous samples. *Int J Environ Anal Chem*. 87: 603-614. <http://dx.doi.org/10.1080/03067310701273119>.
- Sasloglou, SA; Petrou, JK; Kanellopoulos, NK; Androusoopoulos, GP. (2000). Realistic random sphere pack model for the prediction of sorption isotherms. *Microporous and Mesoporous Materials*. 39: 477-483.
- Sasloglou, SA; Petrou, JK; Kanellopoulos, NK; Androusoopoulos, GP. (2001). Realistic random sphere pack model for the prediction of relative permeability curves. *Microporous and Mesoporous Materials*. 47: 97-103.
- Sastry, NV; George, A; Jain, NJ; Bahadur, P. (1999). Densities, relative permittivities, excess volumes, and excess molar polarizations for alkyl ester (methyl propanoate, methyl butanoate, ethyl propanoate, and ethyl butanoate) plus hydrocarbons (n-heptane, benzene, chlorobenzene, and 1,1,2,2-tetrachloroethane) at 308.15 K and 318.15 K. *Journal of Chemical and Engineering Data*. 44: 456-464.
- Sastry, NV; Jain, NJ; George, A; Bahadur, P. (1999). Viscosities, speeds of sound and excess isentropic compressibilities of binary mixtures of alkyl alkanolate-hydrocarbons at 308.15 K and 318.15 K. *Fluid Phase Equilibria*. 163: 275-289.
- Sastry, NV; Patel, MC; Patel, SR. (1999). Ultrasonic behaviour of methyl methacrylate plus hydrocarbon mixtures at 298.15 and 308.15 K. *Fluid Phase Equilibria*. 155: 261-276.
- Satapanajaru, T; Comfort, SD; Shea, PJ. (2003). Enhancing metolachlor destruction rates with aluminum and iron salts during zerovalent iron treatment. *J Environ Qual*. 32: 1726-1734.
- Satapanajaru, T; Shea, PJ; Comfort, SD; Roh, Y. (2003). Green rust and iron oxide formation influences metolachlor dechlorination during zerovalent iron treatment. *Environ Sci Technol*. 37: 5219-5227. <http://dx.doi.org/10.1021/es0303485>.
- Sato, A. (1991). The effect of environmental factors on the pharmacokinetic behaviour of organic solvent vapours [Review]. *Ann Occup Hyg*. 35: 525-541.
- Sato, A; Nakajima, T. (1987). Pharmacokinetics of organic solvent vapors in relation to their toxicity [Review]. *Scand J Work Environ Health*. 13: 81-93.
- Sato, M. (1992). BIOLOGICAL ANTIOXIDANT DEFENSE SYSTEM AND METALLOTHIONEIN. *JTTHE*. 38: 228-239.
- Sato, M; Nakamura, H. (1982). THE EFFECTS OF MIXING N-2 IN CCL4 ON ALUMINUM REACTIVE ION ETCHING. *J Electrochem Soc*. 129: 2522-2527.
- Sawada, S; Yamanaka, T; Yamatsu, K; Furihata, C; Matsushima, T. (1991). Chromosome aberrations, micronuclei and sister-chromatid exchanges (SCEs) in rat liver induced in vivo by hepatocarcinogens including heterocyclic amines. *Mutat Res*. 251: 59-69.
- Sawant, SY; Somani, RS; Bajaj, HC. (2010). A solvothermal-reduction method for the production of horn shaped multi-wall carbon nanotubes. *Carbon*. 48: 668-672. <http://dx.doi.org/10.1016/j.carbon.2009.10.008>.
- Sawant, SY; Somani, RS; Newalkar, BL; Choudary, NV; Bajaj, HC. (2009). Synthesis of submicron size hollow carbon spheres by a chemical reduction - solvothermal method using carbon tetrachloride as carbon source. *Mater Lett*. 63: 2339-2342. <http://dx.doi.org/10.1016/j.matlet.2009.07.066>.
- Sawant, SY; Somani, RS; Sharma, SS; Bajaj, HC. (2014). Greenhouse Gas Adsorptivity of Horn-Shaped Carbon Nanotubes over Nitrogen: Equilibrium Study. *Separation Science and Technology*. 49: 1227-1234. <http://dx.doi.org/10.1080/01496395.2013.873050>.
- Sayato, Y; Nakamuro, K; Usui, S. (1987). CONTRIBUTION OF METABOLITES TO CARBON TETRACHLORIDE-INDUCED HEPATOTOXICITY IN RAT-LIVER MICROSOMES INVITRO. *JTTHE*. 33: 394-404.
- Schafer, B; Lacmann, R. (1995). MODELING OF THERMODYNAMIC PROPERTIES OF ASSOCIATED SOLUTIONS WITH EQUILIBRIUM-CONSTANTS DEFINED ON ACTIVITIES. *Fluid Phase Equilibria*. 112: 101-123.
- Schanke, CA; Wackett, LP. (1992). Environmental Reductive Elimination Reactions of Polychlorinated Ethanes Mimicked by Transition-Metal Coenzymes. *Environ Sci Technol*. 26: 830-833.
- Schenk, L. (2010). Comparison of Data Used for Setting Occupational Exposure Limits. *Int J Occup Environ Health*. 16: 249-262.
- Scherer, MM; Richter, S; Valentine, RL; Alvarez, PJJ. (2000). Chemistry and microbiology of permeable reactive barriers for in situ groundwater clean up. *Crit Rev Environ Sci Tech*. 30: 363-411.
- Scherer, MM; Westall, JC; Tratnyek, PG. (2002). Discussion on "Electrochemical and Raman spectroscopic studies of the influence of chlorinated solvents on the corrosion behaviour of iron in borate buffer and in simulated groundwater" [*Corrosion Science* 42 (2000) 1921-1939]. *Corrosion Sci*. 44: 1151-1157.
- Scherer, MM; Westall, JC; Ziomekmoroz, M; Tratnyek, PG. (1997). Kinetics of carbon tetrachloride reduction at an oxide-free iron electrode. *Environ Sci Technol*. 31: 2385-2391.
- Scheutz, C; Dote, Y; Fredenslund, AM; Mosbaek, H; Kjeldsen, P. (2007). Attenuation of Fluorocarbons released from foam insulation in landfills. *Environ Sci Technol*. 41: 7714-7722. <http://dx.doi.org/10.1021/es0707409>.
- Scheutz, C; Durant, ND; Hansen, MH; Bjerg, PL. (2011). Natural and enhanced anaerobic degradation of 1,1,1-trichloroethane and its degradation products in the subsurface--a critical review [Review]. *Water Res*. 45: 2701-2723. <http://dx.doi.org/10.1016/j.watres.2011.02.027>.
- Scheutz, C; Kjeldsen, P. (2005). Biodegradation of trace gases in simulated landfill soil cover systems. *J Air Waste Manag Assoc*. 55: 878-885.

Exposure Literature Search Results

Off Topic

- Scheutz, C; Pedersen, GB; Costa, G; Kjeldsen, P. (2009). Biodegradation of Methane and Halocarbons in Simulated Landfill Biocover Systems Containing Compost Materials. *J Environ Qual.* 38: 1363-1371. <http://dx.doi.org/10.2134/jeq2008.0170>.
- Scheutz, C; Winther, K; Kjeldsen, P. (2000). Removal of halogenated organic compounds in landfill gas by top covers containing zero-valent iron. *Environ Sci Technol.* 34: 2557-2563.
- Schiestl, RH; Gietz, RD; Mehta, RD; Hastings, PJ. (1989). Carcinogens induce intrachromosomal recombination in yeast. *Carcinogenesis.* 10: 1445-1455.
- Schiffmacher, EN; Becker, JG; Lorah, MM; Voytek, MA. (2016). The effects of co-contaminants and native wetland sediments on the activity and dominant transformation mechanisms of a 1,1,2,2-tetrachloroethane (TeCA)-degrading enrichment culture. *Chemosphere.* 147: 239-247. <http://dx.doi.org/10.1016/j.chemosphere.2015.12.033>.
- Schindler, LE; Plank, CA; Christopher, PM; Laukhuf, WLS. (1977). VAPOR-LIQUID-EQUILIBRIA OF TERNARY-SYSTEM METHYL BORATE METHYL-ALCOHOL CARBON TETRACHLORIDE. *Journal of Chemical and Engineering Data.* 22: 294-296.
- Schlenk, D; Ronis, MJ; Miranda, C; Buhler, DR. (1995). EFFECTS OF 2-METHYLISOBORNEOL (MIB), AND ETHANOL ON THE EXPRESSION AND ACTIVITY OF CYTOCHROME P450S FROM THE CHANNEL CATFISH. *J Fish Biol.* 46: 282-291.
- Schlueter, M; Hentzel, T; Suarez, C; Koch, M; Lorenz, WG; Boehm, L; Duering, RA; Koinig, KA; Bunge, M. (2014). Synthesis of novel palladium(0) nanocatalysts by microorganisms from heavy-metal-influenced high-alpine sites for dehalogenation of polychlorinated dioxins. *Chemosphere.* 117: 462-470. <http://dx.doi.org/10.1016/j.chemosphere.2014.07.030>.
- Schmidt, JT; Ahmad, M; Teel, AL; Watts, RJ. (2011). Hydrogen peroxide stabilization in one-dimensional flow columns. *J Contam Hydrol.* 126: 1-7. <http://dx.doi.org/10.1016/j.jconhyd.2011.05.008>.
- Schmidt-Szalowski, K; Krawczyk, K; Sentek, J, an; Ulejczyk, B; Gorska, A; Mlotek, M. (2011). Hybrid plasma-catalytic systems for converting substances of high stability, greenhouse gases and VOC. *Chem Eng Res Des.* 89: 2643-2651. <http://dx.doi.org/10.1016/j.cherd.2011.06.018>.
- Schoeffner, DJ; Warren, DA; Muralidara, S; Bruckner, JV; Simmons, JE. (1999). Organ weights and fat volume in rats as a function of strain and age. *J Toxicol Environ Health A.* 56: 449-462. <http://dx.doi.org/10.1080/009841099157917>.
- Schoenfeld, W; Antonell, MJ; Abernathy, CR. (1998). Doping of InSb and InAs using CBr₄ during growth by gas source molecular beam epitaxy. *J Cryst Growth.* 188: 50-55.
- Scholten, D; Trebicka, J; Liedtke, C; Weiskirchen, R. (2015). The carbon tetrachloride model in mice. *Lab Anim.* 49: 4-11. <http://dx.doi.org/10.1177/0023677215571192>.
- Scialdone, O; Galia, A; Guarisco, C; La Mantia, S. (2012). Abatement of 1,1,2,2-tetrachloroethane in water by reduction at silver cathode and oxidation at boron doped diamond anode in micro reactors. *Chem Eng J.* 189-190: 229-236. <http://dx.doi.org/10.1016/j.cej.2012.02.062>.
- Scibior, A; Zaporowska, H. (2007). Effects of vanadium(V) and/or chromium(III) on L-ascorbic acid and glutathione as well as iron, zinc, and copper levels in rat liver and kidney. *J Toxicol Environ Health A.* 70: 696-704. <http://dx.doi.org/10.1080/15287390601187906>.
- Seawright, AA; Wilkie, IW; Costigan, P; Hrdlicka, J; Steele, DP. (1980). The effect of an equimolar mixture of carbon tetrachloride and carbon disulphide on the liver of the rat. *Biochem Pharmacol.* 29: 1007-1014.
- Sedov, IA; Solomonov, BN. (2009). A method to determine the Gibbs energy of specific interactions in solutions. Hydrogen bonding of proton donating solutes in basic solvents. *Fluid Phase Equilibria.* 276: 108-115. <http://dx.doi.org/10.1016/j.fluid.2008.10.015>.
- Sega, M; Fabian, B; Horvai, G; Jedlovsky, P, al. (2016). How Is the Surface Tension of Various Liquids Distributed along the Interface Normal? *J Phys Chem C.* 120: 27468-27477. <http://dx.doi.org/10.1021/acs.jpcc.6b09880>.
- Seidler, A; Raum, E; Arabin, B; Hellenbrand, W; Walter, U; Schwartz, FW. (1999). Maternal occupational exposure to chemical substances and the risk of infants small-for-gestational-age. *Am J Ind Med.* 36: 213-222. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<213::AID-AJIM30>3.0.CO;2-A](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<213::AID-AJIM30>3.0.CO;2-A).
- Seki, T; Morimura, S; Tabata, S; Tang, Y; Shigematsu, T; Kida, K. (2008). Antioxidant activity of vinegar produced from distilled residues of the Japanese liquor shochu. *J Agric Food Chem.* 56: 3785-3790. <http://dx.doi.org/10.1021/jf073040w>.
- Selden, J. R.; Dolbeare, F; Miller, JE; Clair, JH; Mcgettigan, K; Dijohn, JA; Dysart, GA; Deluca, JG. (1994). Validation of a flow cytometric in vitro DNA repair (UDS) assay in rat hepatocytes. *Mutat Res.* 315: 147-167.
- Selmanoğlu, G; Karacaoğlu, E; Kiliç, A; Koçkaya, EA; Akay, MT. (2012). Toxicity of food contaminant furan on liver and kidney of growing male rats. *Environ Toxicol.* 27: 613-622. <http://dx.doi.org/10.1002/tox.20673>.
- Semadeni, M; P-C, C; Reinhard, M. (1998). Reductive transformation of trichloroethene by cobalamin: Reactivities of the intermediates acetylene, chloroacetylene, and the DCE isomers. *Environ Sci Technol.* 32: 1207-1213.
- Semencha, AV; Pozdnyakov, OF; Pozdnyakov, AO; Blinov, LN. (2008). Investigation of the structure of carbon-nitrogen compounds. *Glass Physics and Chemistry.* 34: 103-109. <http://dx.doi.org/10.1134/S108765960801015X>.
- Semprini, L. (1995). In situ bioremediation of chlorinated solvents [Review]. *Environ Health Perspect.* 103: 101-105.
- Sen, B; Osterman, GB; Salawitch, RJ; Toon, GC; Margitan, JJ; Blavier, JF; Chang, AY; May, RD; Webster, CR; Stimpfle, RM; Bonne, GP; Voss, PB; Perkins, KK; Anderson, JG; Cohen, RC; Elkins, JW; Dutton, GS; Hurst, DF; Romashkin, PA; Atlas, EL; Schauffler, SM; Loewenstein, M. (1999). The budget and partitioning of stratospheric chlorine during the 1997 Arctic summer. *J Geophys Res Atmos.* 104: 26653-26665.
- Seo, HS; Mccray, JE. (2002). Interfacial tension of chlorinated aliphatic DNAPL mixtures as a function of organic phase composition. *Environ Sci Technol.* 36: 1292-1298. <http://dx.doi.org/10.1021/es010931q>.
- Seo, YW; Lee, H. (2001). A new hydrate-based recovery process for removing chlorinated hydrocarbons from aqueous solutions. *Environ Sci Technol.* 35: 3386-3390.
- Servagent, S; Dubot, P; Vilar, MR. (1994). ADSORPTION-KINETICS STUDIES OF CHLOROSILANES ON SILICON. 184-189.

Exposure Literature Search Results

Off Topic

- Shah, AS; Khan, RA; Ahmed, M; Muhammad, N. (2016). Hepatoprotective role of *Nicotiana glauca* Linn. against carbon tetrachloride-induced injuries. *Toxicol Ind Health*. 32: 292-298. <http://dx.doi.org/10.1177/0748233713498448>.
- Shah, J; Vakharia, MN; Pandya, MV; Talele, GD; Pathak, KG; Palsanawala, PP; Oswal, SL. (1988). THE ROLE OF HYDROGEN-BONDING IN THE VISCOSITY OF BINARY-LIQUID MIXTURES OF ANILINE WITH BENZENE, CARBON-TETRACHLORIDE, TOLUENE, CHLOROBENZENE, BROMOBENZENE, NITROBENZENE, PYRIDINE, PARA-DIOXANE AND METHANOL AT 25-DEGREES-C, 35-DEGREES-C AND 45-DEGREES-C. 26: 383-388.
- Shalmashi, A; Eliassi, A, li. (2008). Solubility of salicylic acid in water, ethanol, carbon tetrachloride, ethyl acetate, and xylene. *Journal of Chemical and Engineering Data*. 53: 199-200. <http://dx.doi.org/10.1021/jc7004962>.
- Shalmashi, A; Golmohammad, F. (2010). SOLUBILITY OF CAFFEINE IN WATER, ETHYL ACETATE, ETHANOL, CARBON TETRACHLORIDE, METHANOL, CHLOROFORM, DICHLOROMETHANE, AND ACETONE BETWEEN 298 AND 323 K. *Lat Am Appl Res*. 40: 283-285.
- Shamay, ES; Richmond, GL. (2010). Ionic Disruption of the Liquid-Liquid Interface. *J Phys Chem C*. 114: 12590-12597. <http://dx.doi.org/10.1021/jp1023668>.
- Shamberger, RJ; Andreone, TL; Willis, CE. (1974). Antioxidants and cancer IV Initiating activity of malonaldehyde as a carcinogen. *J Natl Cancer Inst*. 53: 1771-1773.
- Shamsipur, M; Davarkhah, R; Yamini, Y; Hassani, R; Khanchi, A, liR. (2009). Selective Facilitated Transport of Uranium(VI) Across a Bulk Liquid Membrane Containing Benzoyltrifluoroacetone as Extractant-Carrier. *Separation Science and Technology*. 44: 2645-2660. <http://dx.doi.org/10.1080/01496390903012247>.
- Shan, H; Kurtz, HD; Freedman, DL. (2010). Evaluation of strategies for anaerobic bioremediation of high concentrations of halomethanes. *Water Res*. 44: 1317-1328. <http://dx.doi.org/10.1016/j.watres.2009.10.035>.
- Shan, XC; Qin, W; Dai, YY. (2005). Relative basicity of trioctylamine to carboxylic acid in selected organic diluents. *Chinese Journal of Chemical Engineering*. 13: 747-750.
- Shan, XC; Qin, W; Dai, YY. (2006). Dependence of extraction equilibrium of monocarboxylic acid from aqueous solutions on the relative basicity of extractant. *Chem Eng Sci*. 61: 2574-2581. <http://dx.doi.org/10.1016/j.ces.2005.11.026>.
- Shankar, K; Vaidya, VS; Apte, UM; Manautou, JE; Ronis, MJ; Bucci, TJ; Mehendale, HM. (2003). Type 1 diabetic mice are protected from acetaminophen hepatotoxicity. *Toxicol Sci*. 73: 220-234. <http://dx.doi.org/10.1093/toxsci/kfg059>.
- Shao, H; Butler, EC. (2007). The influence of iron and sulfur mineral fractions on carbon tetrachloride transformation in model anaerobic soils and sediments. *Chemosphere*. 68: 1807-1813. <http://dx.doi.org/10.1016/j.chemosphere.2007.04.048>.
- Shao, H; Butler, EC. (2009). Influence of soil minerals on the rates and products of abiotic transformation of carbon tetrachloride in anaerobic soils and sediments. *Environ Sci Technol*. 43: 1896-1901. <http://dx.doi.org/10.1021/es8026727>.
- Shao, H; Butler, EC. (2009). The Relative Importance of Abiotic and Biotic Transformation of Carbon Tetrachloride in Anaerobic Soils and Sediments. *Soil Sediment Contam*. 18: 455-469. <http://dx.doi.org/10.1080/15320380902962346>.
- Shao, L, ei; Samseth, J, on; Hagg, M, ayB. (2006). Gas permeabilities of poly(4-methyl-2-pentyne) membranes surface modified with carbon tetrachloride plasma. *Desalination*. 200: 1-3. <http://dx.doi.org/10.1016/j.desal.2006.03.127>.
- Shao, L, ei; Samseth, J, on; Hagg, M, ayB. (2008). Crosslinking and stabilization of high fractional free volume polymers for gas separation. *Int J Greenhouse Gas Control*. 2: 492-501. <http://dx.doi.org/10.1016/j.ijggc.2008.04.005>.
- Shao, M; Huang, D; Gu, D; Lu, S; Chang, C; Wang, J. (2011). Estimate of anthropogenic halocarbon emission based on measured ratio relative to CO in the Pearl River Delta region, China. *Atmos Chem Phys*. 11: 5011-5025. <http://dx.doi.org/10.5194/acp-11-5011-2011>.
- Sharghi, H; Forghaniha, A. (1995). Efficient synthesis of a range of 1-hydroxy-2-(1-alkyloxymethyl)-9,10-anthraquinone derivatives. *Iranian Journal of Chemistry and Chemical Engineering (International English Edition)*. 14: 16-22.
- Shariati, A; Lameris, GH; Peters, C, orJ. (2015). Experimental Determination of CCl₄ Hydrate Phase Equilibria up to High Pressures. *Journal of Chemical and Engineering Data*. 60: 398-402. <http://dx.doi.org/10.1021/jc5006505>.
- Sharma, A; Gogate, PR; Mahulkar, A; Pandit, AB. (2008). Modeling of hydrodynamic cavitation reactors based on orifice plates considering hydrodynamics and chemical reactions occurring in bubble. *Chem Eng J*. 143: 201-209. <http://dx.doi.org/10.1016/j.cej.2008.04.005>.
- Sharma, A; Saxena, A; Singh, B. (2009). In-situ degradation of sulphur mustard using (1R)-(-)-(camphorylsulphonyl) oxaziridine impregnated adsorbents. *J Hazard Mater*. 172: 650-653. <http://dx.doi.org/10.1016/j.jhazmat.2009.07.046>.
- Sharma, MC; Pathak, NN. (1991). BIOCHEMICAL-CHANGES IN EXPERIMENTALLY INDUCED HEPATOPATHY IN GOATS FED DIFFERENT LEVELS OF DIETARY-PROTEIN AND EFFECT OF HERBAL THERAPY. *Indian J Anim Sci*. 61: 1269-1275.
- Sharma, P; Mohan, L; Srivastava, CN. (2006). Phytoextract-induced developmental deformities in malaria vector. *Bioresour Technol*. 97: 1599-1604. <http://dx.doi.org/10.1016/j.biortech.2005.07.024>.
- Sharma, S; Rana, SV. (2013). Melatonin improves liver function in benzene-treated rats. *Arh Hig Rada Toksikol*. 64: 33-41. <http://dx.doi.org/10.2478/10004-1254-64-2013-2248>.
- Shaw, MC. (2003). The size effect in metal cutting. *Sadhana*. 28: 875-896.
- Shchapin, IY, u; Makhnach, OV; Klochikhin, VL; Osokin, Y, uG; Nekhaev, AI. (2008). Chemical behavior of 5-vinyl-2-norbornene, 5-ethylidene-2-norbornene, and related compounds as a key to understanding specifics of radiation-chemical processes: 3. The structure of 5-vinyl-2-norbornene and 2-vinylnorbornane radical cations. *Petroleum Chemistry*. 48: 71-82. <http://dx.doi.org/10.1134/S0965544108010143>.
- Shchapin, IY, u; Makhnach, OV; Klochikhin, VL; Osokin, Y, uG; Nekhaev, AI. (2010). Chemical behavior of 5-vinyl-2-norbornene, 5-ethylidene-2-norbornene, and related compounds as a key to understanding the specifics of radiation-chemical processes: 5. Energy-controlled positive-charge transfer processes. *Petroleum Chemistry*. 50: 476-483. <http://dx.doi.org/10.1134/S0965544110060125>.

Exposure Literature Search Results

Off Topic

- Shcherban, ND; Filonenko, SM; Yaremov, PS; Skoryk, M; Ilyin, VG; Aho, A; Murzin, DY, u. (2016). Synthesis, structure and adsorption properties of nonstoichiometric carbon nitride in comparison with nitrogen-containing carbons. *J Ind Eng Chem.* 34: 292-299. <http://dx.doi.org/10.1016/j.fiec.2015.11.023>.
- Shehata, SA. (2005). Nitrate detoxification of drinking water by ascorbic acid in growing rabbits. *World Rabbit Science.* 13: 93-106.
- Shekaari, H; Bezaatpour, A; Soltanpour, A. (2010). Partial Molar Volumes of N,N'-1,2-Ethyl-bis(salicyladimine) Schiff Base (Salen) in Organic Solvents at T = (283.15 to 318.15) K. *Journal of Chemical and Engineering Data.* 55: 5927-5931. <http://dx.doi.org/10.1021/jc100369a>.
- Shemer, H; Narkis, N. (2005). Effect of various reaction parameters on THMs aqueous sonolysis. *Chemosphere.* 59: 1317-1321. <http://dx.doi.org/10.1016/j.chemosphere.2004.11.045>.
- Shen, JM, in; Xu, L, in; Liu, Y, uGe; Lu, CL; Hou, W, enHua; Zhu, J, unJie. (2008). Wet chemistry self-seeded surface-deposition process toward amorphous carbon nanotubes and their electrochemical application. *Chem Mater.* 20: 3034-3041. <http://dx.doi.org/10.1021/cm702966x>.
- Shen, XY; Lu, YY; Zhu, LZ; Lu, SY. (2004). Sorption of BTEX mixtures to organobentonites. *J Environ Sci.* 16: 222-225.
- Shen, YH. (2001). Preparations of organobentonite using nonionic surfactants. *Chemosphere.* 44: 989-995.
- Shen, YH. (2002). Removal of dissolved organic matter from water by adsorption-flocculation using organobentonite. *Environ Technol.* 23: 553-560.
- Shen, YH. (2002). Removal of phenol from water by adsorption-flocculation using organobentonite. *Water Res.* 36: 1107-1114.
- Shen, YH. (2002). Sorption of benzene and naphthol to organobentonites intercalated with short chain cationic surfactants. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 37: 43-54.
- Shen, YS; Ku, Y. (1999). Treatment of gas-phase volatile organic compounds (VOCs) by the UV/O-3 process. *Chemosphere.* 38: 1855-1866.
- Sheng, G; Xu, S; Boyd, SA. (1996). Cosorption of organic contaminants from water by hexadecyltrimethylammonium-exchanged clays. *Water Res.* 30: 1483-1489.
- Shetty, MK; Limmer, MA; Waltermire, K; Morrison, GC; Burken, JG. (2014). In planta passive sampling devices for assessing subsurface chlorinated solvents. *Chemosphere.* 104: 149-154. <http://dx.doi.org/10.1016/j.chemosphere.2013.10.084>.
- Sheu, F; Chien, PJ; Hsieh, KY; Chin, KL; Huang, WT; Tsao, CY; Chen, YF; Cheng, HC; Chang, HH. (2009). Purification, cloning, and functional characterization of a novel immunomodulatory protein from *Antrodia camphorata* (bitter mushroom) that exhibits TLR2-dependent NF- κ B activation and M1 polarization within murine macrophages. *J Agric Food Chem.* 57: 4130-4141. <http://dx.doi.org/10.1021/jf900469a>.
- Shields, PA; Farrah, S. R.; Shah, DO. (1991). THE CORRELATION OF HYDROPHILE LIPOPHILE BALANCE OF FILTERS WITH VIRUS DESORPTION. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 26: 711-719.
- Shigematsu, K; Sugawara, A; Takahashi, Y. (2012). Pressure-Induced Growth of Carbon Tetrachloride Solid II in Solid Ib. *Cryst Growth Des.* 12: 3402-3406. <http://dx.doi.org/10.1021/cg201320t>.
- Shikata, T; Sakai, Y; Watanabe, J. (2014). Nitrobenzene anti-parallel dimer formation in non-polar solvents. 4. <http://dx.doi.org/10.1063/1.4884393>.
- Shilimkar, TN; Anuse, MA. (2002). Rapid extraction of lead(II) from succinate media with n-octylaniline in toluene. *Separation and Purification Technology.* 26: 185-193.
- Shim, WG; Lee, JW; Moon, H. (2003). Adsorption of carbon tetrachloride and chloroform on activated carbon at (300.15, 310.15, 320.15, and 330.15) K. *Journal of Chemical and Engineering Data.* 48: 286-290. <http://dx.doi.org/10.1021/jc020109h>.
- Shimoda, H; Tanaka, J; Kikuchi, M; Fukuda, T; Ito, H; Hatano, T; Yoshida, T. (2008). Walnut polyphenols prevent liver damage induced by carbon tetrachloride and d-galactosamine: hepatoprotective hydrolyzable tannins in the kernel pellicles of walnut. *J Agric Food Chem.* 56: 4444-4449. <http://dx.doi.org/10.1021/jf8002174>.
- Shimoda, S; Prengle H W, J. R.; Symons, JM. (1998). H₂O₂isUV photo-oxidation process for treatment of waterborne hazardous substances- reaction mechanism, rate model, and data for tubular flow and flow stirred tank reactors. *Waste Manag.* 17: 507-515.
- Shimotori, T; Cussler, EL; Arnold, WA. (2006). High-density polyethylene membrane containing Fe-0 as a contaminant barrier. *J Environ Eng.* 132: 803-809. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:7\(803\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:7(803)).
- Shimotori, T; Nuxoll, EE; Cussler, EL; Arnold, WA. (2004). A polymer membrane containing Fe-0 as a contaminant barrier. *Environ Sci Technol.* 38: 2264-2270. <http://dx.doi.org/10.1021/es034601c>.
- Shin, HC; Park, JW; Park, K; Song, HC. (2002). Removal characteristics of trace compounds of landfill gas by activated carbon adsorption. *Environ Pollut.* 119: 227-236.
- Shin, K; Rafailovich, MH; Sokolov, J; Gersappe, D; Kim, MW; Satija, SK; Nguyen, D; Xu, D; Yang, NL; Eisenberg, A. (2001). Structures of thin ionomer films in solvent mixtures. *Langmuir.* 17: 6675-6682.
- Shirai, M; Suzuki, N; Nishiyama, Y; Torii, K; Arai, M. (1999). Size-selective hydrogenation of NBR polymers catalyzed by pore-size controlled smectites loaded with palladium. *Appl Catal A-Gen.* 177: 219-225.
- Shiraishi, Y; Tomita, H; Fujiki, K; Hirai, H. (1998). One-step synthesis of 4,4'-biphenyldicarboxylic acid from biphenyl using cyclodextrin as catalyst. *React Funct Polym.* 36: 99-102.
- Shirakura, K; Kwon, SM, o; Masuda, H; Obi, S; Ito, R, ie; Shizuno, T; Kurihara, Y; Mine, T; Asahara, T. (2009). Establishment of Two Liver Fibrosis Models to Examine Endothelial Progenitor Cell Kinetics. 6: 1128-1133.
- Shirono, K; Morimatsu, T; Takemura, F. (2008). Gas Solubilities (CO₂, O-2, Ar, N-2, H-2, and He) in liquid chlorinated methanes. *Journal of Chemical and Engineering Data.* 53: 1867-1871. <http://dx.doi.org/10.1021/jc800200j>.
- Shnyra, A; Bocharov, A; Bochkova, N; Spirov, V. (1991). BIOARTIFICIAL LIVER USING HEPATOCYTES ON BIOSILON MICROCARRIERS - TREATMENT OF CHEMICALLY-INDUCED ACUTE HEPATIC-FAILURE IN RATS. *Artif Organs.* 15: 189-197.

Exposure Literature Search Results

Off Topic

- Shrout, JD; Larese-Casanova, P; Scherer, MM; Alvarez, PJ. (2005). Sustained and complete hexahydro-1,3,5-trinitro-1,3,5-triazine(RDX)degradation in zero-valent iron simulated barriers under different microbial conditions. *Environ Technol.* 26: 1115-1126.
- Shuaibov, AK; Minya, AI; Hrytsak, RV; Gomoki, ZT. (2015). Characteristics of a nanosecond-barrier-discharge-pumped multiwave UV-VUV lamp on a mixture of argon, krypton and vapours of freon. *Quantum Electronics.* 45: 185-188. <http://dx.doi.org/10.1070/QE2015v045n02ABEH015461>.
- Shukla, RK; Kumar, A; Singh, N; Tiwari, U, maK. (2009). VISCOUS BEHAVIOUR OF QUATERNARY FLUID SOLUTIONS AT 298.15 K. *Can J Chem Eng.* 87: 649-655. <http://dx.doi.org/10.1002/cjce.20202>.
- Shulman, SA; Groff, JH; Schlecht, PC; Xue, DX. (1996). Performance of laboratories analyzing organic solvents in the proficiency analytical testing program. *Am Ind Hyg Assoc J.* 57: 295-303.
- Shurupov, SV. (2000). Some factors that govern particulate carbon formation during pyrolysis of hydrocarbons. *Proc Combust Inst.* 28: 2507-2514.
- Shurupov, SV; Tesner, PA. (1999). Soot formation in isothermal pyrolysis of carbon tetrachloride and its mixture with methane. *Combustion, Explosion, and Shock Waves.* 35: 386-392.
- Sicilianojones, J; Murphy, MR. (1991). SPECIFIC-GRAVITY OF VARIOUS FEEDSTUFFS AS AFFECTED BY PARTICLE-SIZE AND INVITRO FERMENTATION. *J Dairy Sci.* 74: 896-901.
- Siddiqui, MN. (2003). Infrared study of hydrogen bond types in asphaltenes. *Petroleum Science and Technology.* 21: 1601-1615. <http://dx.doi.org/10.1081/LFT-120023241>.
- Siedlecka, EM; Mrozik, W; Kaczyński, Z; Stepnowski, P. (2008). Degradation of 1-butyl-3-methylimidazolium chloride ionic liquid in a Fenton-like system. *J Hazard Mater.* 154: 893-900. <http://dx.doi.org/10.1016/j.jhazmat.2007.10.104>.
- Silenko, PM; Shlapak, AN; Afanas'ev, VP. (2006). Chemical vapor deposition of pyrolytic carbon on SiC fibers. *Inorg Mater.* 42: 246-249. <http://dx.doi.org/10.1134/S002016850603006X>.
- Silva, LIB; Rocha-Santos, TAP; Duarte, AC. (2008). Sensing of volatile organic compounds in indoor atmosphere and confined areas of industrial environments. *Global NEST J.* 10: 217-225.
- Silvester, E; Charlet, L; Tournassat, C; Gehin, A; Grenèche, JM; Liger, E. (2005). Redox potential measurements and Mossbauer spectrometry of Fe-II adsorbed onto Fe-III (oxyhydr)oxides. *Geochim Cosmo Acta.* 69: 4801-4815. <http://dx.doi.org/10.1016/j.gca.2005.06.013>.
- Simmon, VF; Kauhanen, K; Tardiff, RG. (1977). Mutagenic activity of chemicals identified in drinking water. In *Second International Conference on Environmental Mutagens*, Edinburgh, Scotland July 11-15, 1977. New York, NY: Elsevier/North Holland Press.
- Simmon, VF; Tardiff, RG. (1978). Water Chlorination: Environmental Impact and Health Effects The mutagenic activity of halogenated compounds found in chlorinated drinking water. Ann Arbor, MI: Lewis Publishers Inc.
- Simmonds, PG; Derwent, RG; McCulloch, A; Odoherty, S; Gaudry, A. (1996). Long-term trends in concentrations of halocarbons and radiatively active trace gases in Atlantic and European air masses monitored at Mace Head, Ireland from 1987-1994. *Atmos Environ.* 30: 4041-4063.
- Simmons, JE; McDonald, A; Seely, JC; Sey, YM. (1995). Potentiation of carbon tetrachloride hepatotoxicity by inhaled methanol: time course of injury and recovery. *J Toxicol Environ Health.* 46: 203-216. <http://dx.doi.org/10.1080/15287399509532029>.
- Simmons, JE; Yang, RS; Svendsgaard, DJ; Thompson, MB; Seely, JC; McDonald, A. (1994). Toxicology studies of a chemical mixture of 25 groundwater contaminants: Hepatic and renal assessment, response to carbon tetrachloride challenge, and influence of treatment-induced water restriction. *J Toxicol Environ Health.* 43: 305-325. <http://dx.doi.org/10.1080/15287399409531923>.
- Simoiu, L; Baniceru, M; Trandafir, I. (1998). Excess properties in the binary systems containing carbon tetrachloride. *Rev Chim.* 49: 16-18.
- Simoiu, L; Trandafir, I; Pleniceanu, M; Baniceru, M. (1997). Excess properties of binary systems formed by carbon tetrachloride with isopropanol and n-butanol. *Fluid Phase Equilibria.* 136: 307-314.
- Simpson, EJ; Abukhadra, RK; Koros, WJ; Schechter, RS. (1993). SORPTION EQUILIBRIUM ISOTHERMS FOR VOLATILE ORGANICS IN AQUEOUS-SOLUTION - COMPARISON OF HEADSPACE GAS-CHROMATOGRAPHY AND ONLINE UV STIRRED CELL RESULTS. *Ind Eng Chem Res.* 32: 2269-2276.
- Sina, JF; Bean, CL; Dysart, GR; Taylor, VI; Bradley, MO. (1983). Evaluation of the alkaline elution/rat hepatocyte assay as a predictor of carcinogenic/mutagenic potential. *Mutat Res Environ Mutagen Relat Subj.* 113: 357-391. [http://dx.doi.org/10.1016/0165-1161\(83\)90228-5](http://dx.doi.org/10.1016/0165-1161(83)90228-5).
- Singh, H; Mehta, P; Vig, AP. (1997). Removal of glucosinolates from rapeseed meal using bowl-shaped tetrameric molecules in apolar solvent. *J Agric Food Chem.* 45: 4522-4524.
- Singh, LSS; Tiwary, KP; Purohit, RK; Zaidi, ZH; Husain, M. (2005). ECR plasma etching of GaAs in CCl₂F₂/Ar/O-2 discharge and IR studies of the etched surface. *Curr Appl Phys.* 5: 351-355. <http://dx.doi.org/10.1016/j.cap.2004.04.002>.
- Singh, N; Kamath, V; Narasimhamurthy, K; Rajini, PS. (2008). Protective effect of potato peel extract against carbon tetrachloride-induced liver injury in rats. *Environ Toxicol Pharmacol.* 26: 241-246. <http://dx.doi.org/10.1016/j.etap.2008.05.006>.
- Singh, N; Khullar, N; Kakkar, V; Kaur, IP. (2016). Hepatoprotective effects of sesamol loaded solid lipid nanoparticles in carbon tetrachloride induced sub-chronic hepatotoxicity in rats. *Environ Toxicol.* 31: 520-532. <http://dx.doi.org/10.1002/tox.22064>.
- Singh, P; Kaushik, A; Kirandeep. (2006). Mechanical and transport properties of colloidal silica-unsaturated polyester composites. *Journal of Reinforced Plastics and Composites.* 25: 119-140. <http://dx.doi.org/10.1177/0731684405055460>.
- Singhal, KG; Gupta, GD. (2012). Hepatoprotective and antioxidant activity of methanolic extract of flowers of Nerium oleander against CCl₄-induced liver injury in rats. *Asian Pacific Journal of Tropical Medicine.* 5: 677-685. [http://dx.doi.org/10.1016/S1995-7645\(12\)60106-0](http://dx.doi.org/10.1016/S1995-7645(12)60106-0).
- Sinha, S; Murthy, PSN; Rao, CVN; Ramaprasad, G; Sitaramaiah, S; Kumar, DG; Savant, SK. (1999). Simple method for enrichment of azadirachtin from neem seeds. *Journal of Sci Ind Res.* 58: 990-994.

Exposure Literature Search Results

Off Topic

- Sinquin, G; Petit, C; Libs, S; Hindermann, JP; Kiennemann, A. (2000). Catalytic destruction of chlorinated C-1 volatile organic compounds (CVOCs) reactivity, oxidation and hydrolysis mechanisms. *Appl Catal B-Environ.* 27: 105-115.
- Sivapullaiah, PV; Lakshmikantha, H. (2005). Chemical compatibility of lime stabilized Indian red earth as liner material. *Soil Sediment Contam.* 14: 515-526. <http://dx.doi.org/10.1080/15320380500263717>.
- Skeen, RS; Amos, KM; Petersen, JN. (1994). INFLUENCE OF NITRATE CONCENTRATION ON CARBON-TETRACHLORIDE TRANSFORMATION BY A DENITRIFYING MICROBIAL CONSORTIUM. *Water Res.* 28: 2433-2438.
- Skupinski, W; Malesa, M. (2002). Nitration of toluene with 65% nitric acid over MoO₃/SiO₂ as catalyst. *Przemysł Chemiczny.* 81: 519-521.
- Slater, GF; Lollar, BS; King, RA; O'Hannesin, S. (2002). Isotopic fractionation during reductive dechlorination of trichloroethene by zero-valent iron: influence of surface treatment. *Chemosphere.* 49: 587-596.
- Slater, TF. (1981). Free radicals as reactive intermediates in tissue injury. *Adv Exp Med Biol.* 136: 575-589.
- Sleep, BE; Brown, AJ; Lollar, BS. (2005). Long-term tetrachlorethene degradation sustained by endogenous cell decay. *J Environ Eng Sci.* 4: 11-17. <http://dx.doi.org/10.1139/S04-038>.
- Slemr, F; Ebinghaus, R; Simmonds, PG; Jennings, SG. (2006). European emissions of mercury derived from long-term observations at Mace Head, on the western Irish coast. *Atmos Environ.* 40: 6966-6974. <http://dx.doi.org/10.1016/j.atmosenv.2006.06.013>.
- Sliwiska-Bartkowiak, M; Gras, J; Sikorski, R; Radhakrishnan, R; Gelb, L; Gubbins, KE. (1999). Phase transitions in pores: Experimental and simulation studies of melting and freezing. *Langmuir.* 15: 6060-6069.
- Sliwiska-Bartkowiak, M; Hung, FR; Santiso, EE; Coasne, B; Grazyna, D; Siperstein, FR; Gubbins, K. (2005). Effect of confinement on freezing of CCl₄ in cylindrical pores. *Adsorption.* 11: 391-396.
- Sliwiska-Bartkowiak, M; Jazdzewska, M; Trafas, M; Kaczmarek-Klinowska, M; Gubbins, KE. (2015). Melting of Eutectic Mixtures in Silica and Carbon Nanopores. *Journal of Chemical and Engineering Data.* 60: 3093-3100. <http://dx.doi.org/10.1021/acs.jced.5b00131>.
- Sliwka, I; Lasa, J, an; Bielewski, J; Grombik, I; Limanowka, D; Rosiek, J. (2010). Long-Term Measurements of CFCs and SF₆ Concentrations in Air. *Pol J Environ Stud.* 19: 811-815.
- Smentkowski, VS; Cheng, CC; Yates, JT. (1990). THE INTERACTION OF CARBON-TETRACHLORIDE WITH FE(110) - A SYSTEM OF TRIBOLOGICAL IMPORTANCE. *Langmuir.* 6: 147-158.
- Smirnov, MB; Frolov, YB. (1989). USE OF H-1-NMR SPECTROSCOPY TO STUDY PETROLEUM ALKYL CARBAZOLES - POLYMETHYL CARBAZOLES IN A CCL₄+CDCL₃ MIXTURE. *Petroleum Chemistry.* 29: 220-229.
- Smith, A; Gelfand, A. (1992). Bayesian statistics without tears: A sampling-resampling perspective. *Am Stat.* 46: 84-89.
- Smith, BA; Teel, A, myL; Watts, RJ. (2009). Destruction of Trichloroethylene and Perchloroethylene DNAPLs by Catalyzed H₂O₂ Propagations. *J Environ Eng.* 135: 535-543. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2009\)135:7\(535\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2009)135:7(535)).
- Smith, BA; Teel, AL; Watts, RJ. (2004). Identification of the reactive oxygen species responsible for carbon tetrachloride degradation in modified Fenton's systems. *Environ Sci Technol.* 38: 5465-5469. <http://dx.doi.org/10.1021/es0352754>.
- Smith, BA; Teel, AL; Watts, RJ. (2006). Mechanism for the destruction of carbon tetrachloride and chloroform DNAPLs by modified Fenton's reagent. *J Contam Hydrol.* 85: 229-246. <http://dx.doi.org/10.1016/j.jconhyd.2006.02.002>.
- Smith, BA; Teel, AL; Watts, RJ. (2015). Destruction of 1,1,1-trichloroethane and 1,2-dichloroethane DNAPLs by catalyzed H₂O₂ propagations (CHP). *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 50: 846-854. <http://dx.doi.org/10.1080/10934529.2015.1019806>.
- Smith, BW; Fonseca, C; Zavyalova, L; Alam, Z; Bourov, A. (1997). Plasma reactive ion etching of 193 nm attenuated phase shift mask materials. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures.* 15: 2259-2262.
- Smith, ED; Mathews, DM. (1977). USE OF AN ANNULAR TEFLON SPINNING-BAND DISTILLATION COLUMN TO DETERMINE PRACTICAL LIQUID-VAPOR-EQUILIBRIUM DATA FOR CLOSE-BOILING SYSTEMS .1. CARBON TETRACHLORIDE-BENZENE SYSTEM. *Ind Eng Chem Fundam.* 16: 232-234.
- Smith, GV; Notheisz, F; Zsigmond, AG; Bartok, M. (1993). MODIFICATION OF PD AND PT BY THIOPHENE AND CARBON-TETRACHLORIDE DURING HYDROGENATION AND ISOMERIZATION OF (+)-APOPINENE. *Stud Surf Sci Catal.* 75: 2463-2466.
- Smith, JA; Bartelt-Hunt, SL; Burns, SE. (2003). Sorption and permeability of gasoline hydrocarbons in organobentonite porous media. *J Hazard Mater.* 96: 91-97.
- Smith, JA; Galan, A. (1995). Sorption of nonionic organic contaminants to single and dual organic cation bentonites from water. *Environ Sci Technol.* 29: 685-692.
- Smith, JA; Jaffe, PR. (1991). COMPARISON OF TETRACHLOROMETHANE SORPTION TO AN ALKYLAMMONIUM CLAY AND AN ALKYLDIAMMONIUM CLAY. *Environ Sci Technol.* 25: 2054-2058.
- Smith, JA; Jaffe, PR. (1994). Adsorptive selectivity of organic-cation-modified bentonite for nonionic organic contaminants. *Water Air Soil Pollut.* 72: 1-4.
- Smith, JA; Jaffe, PR. (1994). BENZENE TRANSPORT THROUGH LANDFILL LINERS CONTAINING ORGANOPHILIC BENTONITE. *J Environ Eng.* 120: 1559-1577.
- Smith, JA; Jaffe, PR; Chiou, CT. (1990). EFFECT OF 10 QUATERNARY AMMONIUM CATIONS ON TETRACHLOROMETHANE SORPTION TO CLAY FROM WATER. *Environ Sci Technol.* 24: 1167-1172.
- Smith, K; Liu, SF; El-Hiti, GA. (2005). Regioselective mononitration of simple aromatic compounds under mild conditions in ionic liquids. *Ind Eng Chem Res.* 44: 8611-8615. <http://dx.doi.org/10.1021/ie050047z>.
- Smith, RL; Acosta, GM; Arai, K. (1998). Prediction and correlation of triglyceride-solvent solid-liquid equilibria with activity coefficient models. *Fluid Phase Equilibria.* 145: 53-68.
- Smolen, JM; Weber, EJ; Tratnyek, PG. (1999). Molecular probe techniques for the identification of reductants in sediments: Evidence for reduction of 2-chloroacetophenone by hydride transfer. *Environ Sci Technol.* 33: 440-445.

Exposure Literature Search Results

Off Topic

- Snawder, JE; Lipscomb, JC. (2000). Interindividual variance of cytochrome P450 forms in human hepatic microsomes: correlation of individual forms with xenobiotic metabolism and implications in risk assessment. *Regul Toxicol Pharmacol.* 32: 200-209. <http://dx.doi.org/10.1006/rtph.2000.1424>.
- Soga, I; Granick, S. (1998). Flow-induced deformation and desorption of adsorbed polymers. *Langmuir.* 14: 4266-4271.
- Sokolnicki, J; Urbanski, B; Legendziewicz, J. (2000). Investigation of Er, Er : Yb and Er : Tm systems in silica sol-gels. *J Alloy Comp.* 300: 450-455.
- Soldatov, DV; Enright, GD; Ratcliffe, Cl; Henegouwen, AT; Ripmeester, JA. (2001). Inclusion potential, polymorphism, and molecular isomerism of metal dibenzoylmethanates coordinated with 2-methylpyridine. *Chem Mater.* 13: 4322-4334. <http://dx.doi.org/10.1021/cm010210q>.
- Soliman, AM; Abu-El-Zahab, HS; Alswiai, GA. (2013). Efficacy evaluation of the protein isolated from Peganum harmala seeds as an antioxidant in liver of rats. *Asian Pacific Journal of Tropical Medicine.* 6: 285-295. [http://dx.doi.org/10.1016/S1995-7645\(13\)60058-9](http://dx.doi.org/10.1016/S1995-7645(13)60058-9).
- Solomon, E; Borrow, J; Goddard, AD. (1991). Chromosome aberrations and cancer [Review]. *Science.* 254: 1153-1160.
- Solomon, S; Mills, M; Heidt, LE; Pollock, WH; Tuck, AF. (1992). On the evaluation of ozone depletion potentials. *J Geophys Res.* 97: 825. <http://dx.doi.org/10.1029/91JD02613>.
- Soloviev, V; Hassan, ANE; Akatov, V; Lezhnev, E; Ghaffar, TYA; Ghaffar, YA. (2003). A novel bioartificial liver containing small tissue fragments: Efficiency in the treatment of acute hepatic failure induced by carbon tetrachloride in rats. *Int J Artif Organs.* 26: 735-742.
- Sommerer, TJ; Kushner, MJ. (1992). MONTE-CARLO-FLUID MODEL OF CHLORINE ATOM PRODUCTION IN CL₂, HCL, AND CCL₄ RADIOFREQUENCY DISCHARGES FOR PLASMA-ETCHING. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures.* 10: 2179-2187.
- Son, CS; Kim, SI; Kim, Y; Lee, MS; Kim, MS; Min, SK; Choi, IH. (1996). Properties of carbon-doped InGaAs grown by atmospheric pressure metalorganic chemical vapor deposition using CCl₄. *J Cryst Growth.* 165: 222-226.
- Son, HS; Zoh, KD, uk. (2012). Effects of Methanol and Carbon Tetrachloride on Sonolysis of 1,4-Dioxane in Relation to Temperature. *Ind Eng Chem Res.* 51: 8939-8944. <http://dx.doi.org/10.1021/ie201766h>.
- Son, Y; Lim, M; Kim, J; Kim, L, eeH; Ashokkumar, M. (2012). Comparison of calorimetric energy and cavitation energy for the removal of bisphenol-A: The effects of frequency and liquid height. *Chem Eng J.* 183: 39-45. <http://dx.doi.org/10.1016/j.cej.2011.12.016>.
- Song, H; Carraway, ER. (2006). Reduction of chlorinated methanes by nano-sized zero-valent iron. Kinetics, pathways, and effect of reaction conditions. *Environ Eng Sci.* 23: 272-284.
- Song, M; Luo, C; Li, F; Jiang, L; Wang, Y; Zhang, D; Zhang, G. (2015). Anaerobic degradation of polychlorinated biphenyls (PCBs) and polychlorinated biphenyls ethers (PBDEs), and microbial community dynamics of electronic waste-contaminated soil. *Sci Total Environ.* 502: 426-433. <http://dx.doi.org/10.1016/j.scitotenv.2014.09.045>.
- Song, TY; Yen, GC. (2003). Protective effects of fermented filtrate from *Antrodia camphorata* in submerged culture against CCl₄-induced hepatic toxicity in rats. *J Agric Food Chem.* 51: 1571-1577. <http://dx.doi.org/10.1021/jf0209701>.
- Soni, MG; Mehendale, HM. (1998). Role of tissue repair in toxicologic interactions among hepatotoxic organics [Review]. *Environ Health Perspect.* 106 Suppl 6: 1307-1317.
- Sonmez, E; Turkez, H; Aydin, E; Ozgeris, FB; Oztetik, E; Kerli, S; Cacciatore, I; Di Stefano, A. (2015). Hepatic effects of yttrium oxide nanoflowers: in vitro risk evaluation. *Toxicol Environ Chem.* 97: 599-608. <http://dx.doi.org/10.1080/02772248.2015.1050025>.
- Sorel, D; Lesage, S; Brown, S; Millar, K. (2001). Vitamin B-12 and reduced titanium for remediation of residual chlorinated solvents: Field experiment. *Ground Water Monitoring and Remediation.* 21: 140-148.
- Soriano, MJ; Velasco, I; Otin, S; Kehiaian, HV. (1989). THERMODYNAMICS OF MIXTURES CONTAINING IODOALKANES .2. EXCESS-ENTHALPIES OF MIXTURES OF 1-IODOALKANE + CYCLOHEXANE, + BENZENE, OR + TETRACHLOROMETHANE - MEASUREMENT AND ANALYSIS IN TERMS OF GROUP CONTRIBUTIONS (DISQUAC). *Fluid Phase Equilibria.* 45: 205-216.
- Sorsa, M; Wilbourn, J; Vainio, H. (1992). Human cytogenetic damage as a predictor of cancer risk [Review]. In H Vainio; P Magee; DB McGregor; AJ McMichael (Eds.), *IARC Sci Publ* (pp. 543-554). Lyon, France: International Agency for Research on Cancer.
- Sosa, A; Underhill, D. (1984). SUBSTITUTES FOR CARBON-TETRACHLORIDE IN THE STANDARD ASTM TEST METHOD FOR ACTIVITY OF ACTIVATED CARBON. *J Air Pollut Control Assoc.* 34: 1215-1217.
- Soule, NM; Burns, SE. (2001). Effects of organic cation structure on behavior of organobentonites. *Journal of Geotechnical and Geoenvironmental Engineering.* 127: 363-370.
- Sowers, SL; Gubbins, KE. (1995). Optimizing removal of trace components from nitrogen/X mixtures using adsorption: Theory and simulation. *Langmuir.* 11: 4758-4764.
- Soylak, M; Unsal, YE. (2012). Dispersive liquid-liquid microextraction of cadmium(II) for preconcentration prior to flame atomic absorption spectrometric detection in water. *Toxicol Environ Chem.* 94: 1480. <http://dx.doi.org/10.1080/02772248.2012.717625>.
- Spanedda, A; Lepori, L; Matteoli, E. (1991). VOLUMES OF MIXING OF ETHERS WITH TETRACHLOROMETHANE AT 298.15-K. *Fluid Phase Equilibria.* 69: 209-222.
- Spassova, MA; Miller, DJ; Eastmond, DA; Nikolova, NS; Vulimiri, SV; Caldwell, J; Chen, C; White, PD. (2013). Dose-response analysis of bromate-induced DNA damage and mutagenicity is consistent with low-dose linear, nonthreshold processes. *Environ Mol Mutagen.* 54: 19-35. <http://dx.doi.org/10.1002/em.21737>.
- Spencer, JE; Shu, BY. (1982). EMISSION-SPECTROSCOPY OF CCL₄ AND BCL₃ PLASMAS DURING ALUMINUM ETCHING. *J Electrochem Soc.* 129: C325-C325.
- Spiegelhalter, D; Thomas, A; Best, N; Lunn, D. (2003). WinBugs version 1.4 user manual. Cambridge, UK: MRC Biostatistics Unit. <http://www.mrc-bsu.cam.ac.uk/bugs/winbugs/manual14.pdf>.

Exposure Literature Search Results

Off Topic

- Spirtas, R; Stewart, PA; Lee, JS; Marano, DE; Forbes, CD; Grauman, DJ; Pettigrew, HM; Blair, A; Hoover, RN; Cohen, JL. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: I. Epidemiological results. *Br J Ind Med*. 48: 515-530. <http://dx.doi.org/10.1136/oem.48.8.515>.
- Spitsyn, BV; Davidson, JL; Gradoboev, MN; Galushko, TB; Serebryakova, NV; Karpukhina, TA; Kulakova, II; Melnik, NN. (2006). Inroad to modification of detonation nanodiamond. *Diam Relat Mater*. 15: 296-299. <http://dx.doi.org/10.1016/j.diamond.2005.07.033>.
- Sponza, DT. (2002). Simultaneous granulation, biomass retainment and carbon tetrachloride (CT) removal in an upflow anaerobic sludge blanket (UASB) reactor. *Process Biochemistry*. 37: 1091-1101.
- Sponza, DT. (2005). Biotransformation of carbon tetrachloride and anaerobic granulation in a upflow anaerobic sludge blanket reactor. *J Environ Eng*. 131: 425-433. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:3\(425\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:3(425)).
- Sponza, DT; Oztekin, R. (2011). Removals of some hydrophobic poly aromatic hydrocarbons (PAHs) and *Daphnia magna* acute toxicity in a petrochemical industry wastewater with ultrasound in Izmir-Turkey. *Separation and Purification Technology*. 77: 301-311. <http://dx.doi.org/10.1016/j.seppur.2010.12.021>.
- Sprunger, LM; Achi, SS; Acree, WE, Jr; Abraham, MH; Leo, AJ; Hoekman, D. (2009). Correlation and prediction of solute transfer to chloroalkanes from both water and the gas phase. *Fluid Phase Equilibria*. 281: 144-162. <http://dx.doi.org/10.1016/j.fluid.2009.04.012>.
- Sprygin, VG; Kushnerova, NF; Fomenko, SE; Sizova, LA; Momot, TV. (2013). The hepatoprotective properties of an extract from the brown alga *Saccharina japonica*. *Russian Journal of Marine Biology*. 39: 65-69. <http://dx.doi.org/10.1134/S1063074013010100>.
- Srebowata, A; Juszczak, W; Kaszkur, Z; Sobczak, JW; Kepinski, L; Karpinski, Z. (2007). Hydrodechlorination of 1,2-dichloroethane and dichlorodifluoromethane over Ni/C catalysts: The effect of catalyst carbiding. *Appl Catal A-Gen*. 319: 181-192. <http://dx.doi.org/10.1016/j.apcata.2006.12.004>.
- Sreedharan, V; Puvvadi, S. (2013). Compressibility behaviour of bentonite and organically modified bentonite slurry. *Geotechnique*. 63: 876-879. <http://dx.doi.org/10.1680/geot.SIP13.P.008>.
- Sridharan, A; Prakash, K. (2000). Classification procedures for expansive soils. *Institution of Civil Engineers Proceedings Geotechnical Engineering*. 143: 235-240.
- Srinivasan, U; Houston, MR; Howe, RT; Maboudian, R. (1998). Alkyltrichlorosilane-based self-assembled monolayer films for stiction reduction in silicon micromachines. *I E E E Journal of Microelectromechanical Systems*. 7: 252-260.
- Srinivasu, P; Vinu, A; Hishita, S; Sasaki, T; Ariga, K; Mori, T. (2008). Preparation and characterization of novel microporous carbon nitride with very high surface area via nanocasting technique. *Microporous and Mesoporous Materials*. 108: 340-344. <http://dx.doi.org/10.1016/j.micromeso.2007.03.048>.
- Srivastava, AK; Shah, D; Mahato, TH; Singh, B; Saxena, A; Verma, AK; Shrivastava, S; Roy, A; Yadav, SS; Shrivastava, AR. (2012). Breakthrough behaviour of NBC canister against carbon tetrachloride: a simulant for chemical warfare agents. 13: 109-114. <http://dx.doi.org/10.5714/CL.2012.13.2.109>.
- Srivastava, AK; Shah, D; Saxena, A; Mahato, TH; Singh, B; Verma, AK; Shrivastava, S; Roy, A; Shrivastava, AR; Gutch, PK. (2012). Vapour breakthrough behaviour of carbon tetrachloride - a simulant for chemical warfare agent on ASZMT carbon. *Journal of Sci Ind Res*. 71: 748-756.
- Stacey, NH; Klaassen, CD. (1981). Inhibition of lipid peroxidation without prevention of cellular injury in isolated rat hepatocytes. *Toxicol Appl Pharmacol*. 58: 8-18.
- Stakebake, JL; Goad, HA. (1974). ADSORPTION OF CARBON-TETRACHLORIDE ON URANIUM-DIOXIDE. *J Catal*. 32: 272-278.
- Staker, GR; Dunlop, PJ. (1973). USE OF A NEW CELL TO MEASURE DIFFUSION-COEFFICIENTS FOR SYSTEMS BENZENE-CARBON TETRACHLORIDE AND SUCROSE-WATER AT 25 DEGREES C. *Journal of Chemical and Engineering Data*. 18: 61-63.
- Stankovic, MZ; Nikolic, NC; Palic, R; Cacic, MD; Veljkovic, VB. (1994). ISOLATION OF SOLANIDINE FROM HAULM AND TUBER SPROUTS OF POTATO (*SOLANUM-TUBEROSUM* L). *Potato Research*. 37: 271-278.
- Stanley, LA. (1995). Molecular aspects of chemical carcinogenesis: the roles of oncogenes and tumour suppressor genes [Review]. *Toxicology*. 96: 173-194.
- Stapleton, MG; Sparks, DL; Dentel, SK. (1994). SORPTION OF PENTACHLOROPHENOL TO HDTMA-CLAY AS A FUNCTION OF IONIC-STRENGTH AND PH. *Environ Sci Technol*. 28: 2330-2335.
- Starke, R; Kock, B; Roth, P; Eremin, A; Gurentsov, E; Shumova, V; Ziborov, V. (2003). Shock wave induced carbon particle formation from CCL4 and C3O2 observed by laser extinction and by laser-induced incandescence (LII). *Combust Flame*. 135: 77-85. [http://dx.doi.org/10.1016/S0010-2180\(03\)00148-2](http://dx.doi.org/10.1016/S0010-2180(03)00148-2).
- Statham, TM; Mason, LR; Mumford, KA; Stevens, GW. (2015). The specific reactive surface area of granular zero-valent iron in metal contaminant removal: Column experiments and modelling. *Water Res*. 77: 24-34. <http://dx.doi.org/10.1016/j.watres.2015.03.007>.
- Stemig, AM; Do, TA; Yuwono, VM; Arnold, WA; Penn, RL, ee. (2014). Goethite nanoparticle aggregation: effects of buffers, metal ions, and 4-chloronitrobenzene reduction. 1: 478-487. <http://dx.doi.org/10.1039/c3en00063j>.
- Stephenson, DJ; Hedge, J; Corbett, J. (2002). Surface finishing of Ni-Cr-B-Si composite coatings by precision grinding. *International Journal of Machine Tools and Manufacture*. 42: 357-363.
- Stephenson, DJ; Veselovac, D; Manley, S; Corbett, J. (2001). Ultra-precision grinding of hard steels. *Precision Engineering*. 25: 336-345.
- Stewart, A; Witts, LJ. (1993). Chronic carbon tetrachloride intoxication. 1944. *Br J Ind Med*. 50: 7-16.
- Stewart, BW. (1981). Generation and persistence of carcinogen-induced repair intermediates in rat liver DNA in vivo. *Cancer Res*. 41: 3228-3243.
- Stewart, PA; Lee, JS; Marano, DE; Spirtas, R; Forbes, CD; Blair, A. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: II. Exposures and their assessment. *Br J Ind Med*. 48: 531-537.
- Stewart, RD; Dodd, HC; Erley, DS; Holder, BB. (1965). Diagnosis of solvent poisoning. *JAMA*. 193: 1097-1100.

Exposure Literature Search Results

Off Topic

- Stewart, RD; Gay, HH; Erley, DS; Hake, CL; Peterson, JE. (1961). Human exposure to carbon tetrachloride vapor: Relationship of expired air concentration to exposure and toxicity. *J Occup Environ Med.* 3: 586-590.
- Stockman, SA; Hanson, AW; Colomb, CM; Fresina, MT; Baker, JE; Stillman, GE. (1994). A COMPARISON OF TMGA AND TEGA FOR LOW-TEMPERATURE METALORGANIC CHEMICAL-VAPOR-DEPOSITION GROWTH OF CCL4-DOPED INGAAS. *Journal of Electronic Materials.* 23: 791-799.
- Stockman, SA; Hanson, AW; Lichtenthal, SM; Fresina, MT; Hofler, GE; Hsieh, KC; Stillman, GE. (1992). PASSIVATION OF CARBON ACCEPTORS DURING GROWTH OF CARBON-DOPED GAAS, INGAAS, AND HBTS BY MOCVD. *Journal of Electronic Materials.* 21: 1111-1118.
- Stoeckli, F; Couderc, G; Sobota, R; Lavanchy, A. (2002). The Myers-Prausnitz-Dubinin theory and non-ideal adsorption in microporous solids. *AST.* 20: 189-197.
- Stone, M; Orme, C; Peterson, E; Benson, M; Kaszuba, J; Mroz, E; Haga, M. (2005). Gas permeation testing results from the mixed waste focus area improved hydrogen getter program. *Separation Science and Technology.* 40: 419-431. <http://dx.doi.org/10.1081/SS-200042486>.
- Strathmann, TJ; Stone, AT. (2002). Reduction of oxamyl and related pesticides by Fe-II: Influence of organic ligands and natural organic matter. *Environ Sci Technol.* 36: 5172-5183. <http://dx.doi.org/10.1021/es0205939>.
- Stromberg, JR; Wnuk, JD; Pinlac, RA; Meyer, GJ. (2006). Multielectron transfer at heme-functionalized nanocrystalline TiO₂: reductive dechlorination of DDT and CCl₄ forms stable carbene compounds. *Nano Lett.* 6: 1284-1286. <http://dx.doi.org/10.1021/nl060646a>.
- Struijs, J; van Dijk, A; Slaper, H; van Wijnen, HJ; Velders, GJ; Chaplin, G; Huijbregts, MA. (2010). Spatial- and time-explicit human damage modeling of ozone depleting substances in life cycle impact assessment. *Environ Sci Technol.* 44: 204-209. <http://dx.doi.org/10.1021/es9017865>.
- Su, C; Xia, X; Shi, Q; Song, X; Fu, J; Xiao, C; Chen, H; Lu, B; Sun, Z; Wu, S; Yang, S; Li, X; Ye, X; Song, E; Song, Y. (2015). Neohesperidin Dihydrochalcone versus CCl₄-Induced Hepatic Injury through Different Mechanisms: The Implication of Free Radical Scavenging and Nrf2 Activation. *J Agric Food Chem.* 63: 5468-5475. <http://dx.doi.org/10.1021/acs.jafc.5b01750>.
- Su, Cl; Huang, Y, aoX; Wong, JW, ei; Lu, CH; Wang, CM. (2012). PAN-based Carbon Nanofiber Absorbents Prepared Using Electrospinning. *Fibers and Polymers.* 13: 436-442. <http://dx.doi.org/10.1007/s12221-012-0436-x>.
- Su, Cl; Peng, CC; Lee, CY. (2011). Performance of viscose rayon based activated carbon fabric modified by sputtering silver and continuous plasma treatment. *Text Res J.* 81: 730-737. <http://dx.doi.org/10.1177/0040517510388546>.
- Su, YF; Hsu, CY; Shih, YH. (2012). Effects of various ions on the dechlorination kinetics of hexachlorobenzene by nanoscale zero-valent iron. *Chemosphere.* 88: 1346-1352. <http://dx.doi.org/10.1016/j.chemosphere.2012.05.036>.
- Subach, DJ; Kong, CL. (1973). Thermodynamics of solutions. Excess volumes of benzene, carbon tetrachloride, and mesitylene mixtures. *Journal of Chemical and Engineering Data.* 18: 403-405. <http://dx.doi.org/10.1021/jc60059a033>.
- Subhani, MS; Bhatti, NK; Mohammad, M; Khan, AY. (2000). Spectroscopic studies of charge-transfer complexes of 2,3-dichloro-5,6-dicyano-p-benzo-quinone. *Turkish Journal of Chemistry.* 24: 223-230.
- Suda, I; Oki, T; Masuda, M; Kobayashi, M; Nishiba, Y; Furuta, S. (2003). Physiological functionality of purple-fleshed sweet potatoes containing anthocyanins and their utilization in foods. *JARQ.* 37: 167-173.
- Sugimoto, M; Murakawa, T; Hirano, T; Ohashi, H. (1993). NOVEL REGENERATION METHOD OF PT/KL ZEOLITE CATALYST FOR LIGHT NAPHTHA REFORMING. *Appl Catal A-Gen.* 95: 257-268.
- Sugiyama, S; Abe, K; Minami, T; Hayashi, H; Moffat, JB. (1998). A comparative study of the oxidation of methane and ethane on calcium hydroxyapatites with incorporated lead in the presence and absence of tetrachloromethane. *Appl Catal A-Gen.* 169: 77-86.
- Sugiyama, S; Fujii, Y; Abe, K; Hayashi, H; Moffat, JB. (1999). Facile formation of the partial oxidation and oxidative-coupling products from the oxidation of methane on barium hydroxyapatites with tetrachloromethane. *Energy Fuels.* 13: 637-640.
- Sugiyama, S; Hashimoto, T; Morishita, Y; Shigemoto, N; Hayashi, H. (2004). Effects of calcium cations incorporated into magnesium vanadates on the redox behaviors and the catalytic activities for the oxidative dehydrogenation of propane. *Appl Catal A-Gen.* 270: 253-260. <http://dx.doi.org/10.1016/j.apcata.2004.05.018>.
- Sugiyama, S; Hirata, Y; Osaka, T; Moriga, T; Nakagawa, K; Sotowa, K, enL. (2007). V-51 MAS NMR and XAFS evidences for redox of magnesium Pyro- and Ortho-vanadates on the oxidative dehydrogenation of propane. *Ceramic Society of Japan Journal.* 115: 667-671.
- Sugiyama, S; Iguchi, Y; Nishioka, H; Minami, T; Moriga, T; Hayashi, H; Moffatt, JB. (1998). Effects of the thermal stability and the fine structure changes of strontium hydroxyapatites ion-exchanged with lead on methane oxidation in the presence and absence of tetrachloromethane. *J Catal.* 176: 25-34.
- Sugiyama, S; Iguchi, Y; Nishioka, H; Miyamoto, T; Hayashi, H; Moffat, JB. (1997). Effects of incorporated lead and chlorine on the oxidation of ethane on strontium hydroxyapatites. *J Mater Chem.* 7: 2483-2487.
- Sugiyama, S; Iizuka, Y; Nitta, E; Hayashi, H; Moffat, JB. (1998). Enhancement of the catalytic activities in the oxidative dehydrogenation of propane on cerium oxide in the presence of tetrachloromethane. 41: 413-416.
- Sugiyama, S; Iizuka, Y; Nitta, E; Hayashi, H; Moffat, JB. (2000). Role of tetrachloromethane as a gas-phase additive in the oxidative dehydrogenation of propane over cerium oxide. *J Catal.* 189: 233-237.
- Sugiyama, S; Matsumoto, H; Hayashi, H; Moffat, JB. (1999). Decomposition of tetrachloromethane on calcium hydroxyapatite under methane oxidation conditions. *Appl Catal B-Environ.* 20: 57-66.
- Sugiyama, S; Minami, T; Hayashi, H; Tanaka, M; Shigemoto, N; Moffat, JB. (1996). Partial oxidation of methane to carbon oxides and hydrogen on hydroxyapatite: Enhanced selectivity to carbon monoxide with tetrachloromethane. *Energy Fuels.* 10: 828-830.
- Sugiyama, S; Minami, T; Higaki, T; Hayashi, H; Moffat, JB. (1997). High selective conversion of methane to carbon monoxide and the effects of chlorine additives in the gas and solid phases on the oxidation of methane on strontium hydroxyapatites. *Ind Eng Chem Res.* 36: 328-334.

Exposure Literature Search Results

Off Topic

- Sugiyama, S; Minami, T; Moriga, T; Hayashi, H; Koto, K; Tanaka, M; Moffat, JB. (1996). Surface and bulk properties, catalytic activities and selectivities in methane oxidation on near-stoichiometric calcium hydroxyapatites. *J Mater Chem.* 6: 459-464.
- Sugiyama, S; Mitsuoka, H; Shono, T; Moriga, T; Hayashi, H. (2003). Effects of redox of Cu-species in copper-strontium Hydroxyapatites on the oxidative dehydrogenation of propane. *J Chem Eng Jpn.* 36: 210-215.
- Sugiyama, S; Moffat, JB. (1994). OXIDATIVE COUPLING OF METHANE ON SALTS OF MAGNESIUM DOPED BY ALKALI CARBONATES. *Energy Fuels.* 8: 463-469.
- Sugiyama, S; Nitta, E; Hayashi, H; Moffat, JB. (2000). The oxidation of propane on nonstoichiometric calcium hydroxyapatites in the presence and absence of tetrachloromethane. *Appl Catal A-Gen.* 198: 171-178.
- Sugiyama, S; Satomi, K; Hayashi, H; Shigemoto, N; Miyaura, K; Moffat, JB. (1993). OXIDATIVE COUPLING OF METHANE OVER ALKALI SULFATES IN THE PRESENCE AND ABSENCE OF TETRACHLOROMETHANE. *Appl Catal A-Gen.* 103: 55-67.
- Sugiyama, S; Satomi, K; Hayashi, H; Tanaka, M; Moffat, JB. (1995). OXIDATIVE DEHYDROGENATION OF ETHANE IN THE PRESENCE AND ABSENCE OF TETRACHLOROMETHANE OVER MAGNESIUM-SULFATE. *J Chem Eng Jpn.* 28: 204-209.
- Sugiyama, S; Shono, T; Makino, D; Moriga, T; Hayashi, H. (2003). Enhancement of the catalytic activities in propane oxidation and H-D exchangeability of hydroxyl groups by the incorporation with cobalt into strontium hydroxyapatite. *J Catal.* 214: 8-14. [http://dx.doi.org/10.1016/S0021-9517\(02\)00101-X](http://dx.doi.org/10.1016/S0021-9517(02)00101-X).
- Sugiyama, S; Shono, T; Nitta, E; Hayashi, H. (2001). Effects of gas- and solid-phase additives on oxidative dehydrogenation of propane on strontium and barium hydroxyapatites. *Appl Catal A-Gen.* 211: 123-130.
- Suh, JH; Shenvi, SV; Dixon, BM; Liu, H; Jaiswal, AK; Liu, RM; Hagen, TM. (2004). Decline in transcriptional activity of Nrf2 causes age-related loss of glutathione synthesis, which is reversible with lipoic acid. *Proc Natl Acad Sci USA.* 101: 3381-3386. <http://dx.doi.org/10.1073/pnas.0400282101>.
- Sui, J; Liu, X. (2013). Preparation and characterization of a dual-layer carbon film on 6H-SiC wafer using carbide-derived carbon process with subsequent chemical vapor deposition. *Surf Coating Tech.* 235: 469-474. <http://dx.doi.org/10.1016/j.surfcoat.2013.08.005>.
- Sui, J; Lu, J. (2011). The formation of a dual-layer carbon film on silicon carbide using a combination of carbide-derived carbon process and chemical vapor deposition in a CCl₄ - containing atmosphere. *Carbon.* 49: 732-736. <http://dx.doi.org/10.1016/j.carbon.2010.10.026>.
- Sullivan, GJ; Szwed, MK; Grant, RW. (1995). MOLECULAR-BEAM EPITAXIAL-GROWTH OF CARBON-DOPED GAAS WITH ELEMENTAL GALLIUM AND ARSENIC SOURCES AND A CCL₄ GAS-SOURCE. *Journal of Electronic Materials.* 24: 1-4.
- Sun, G; Li, YW; Hu, QK; Wu, QH; Yu, DL. (2009). Non-stoichiometric boron carbide synthesized in moderate temperature conditions. *Materials Science.* 27: 1033-1039.
- Sun, G; Liu, Z; Zhou, Z; He, J; Yu, D; Tian, Y. (2006). Solvothermal synthesis of hexagonal B-C-N compound at low temperature conditions. *Diam Relat Mater.* 15: 1659-1662. <http://dx.doi.org/10.1016/j.diamond.2006.02.001>.
- Sun, GR; He, JB; Pittman, CU. (2000). Destruction of halogenated hydrocarbons with solvated electrons in the presence of water. *Chemosphere.* 41: 907-916. [http://dx.doi.org/10.1016/S0045-6535\(99\)00428-2](http://dx.doi.org/10.1016/S0045-6535(99)00428-2).
- Sun, M, in; Wu, NN; Zhai, L, inF; Ru, XR, ui. (2015). Manipulate an air-cathode fuel cell toward recovering highly active heterogeneous electro-Fenton catalyst from the Fe(II) in acid mine drainage. *Miner Eng.* 84: 1-7. <http://dx.doi.org/10.1016/j.mineng.2015.09.015>.
- Sun, SB; Jaffe, PR. (1996). Sorption of phenanthrene from water onto alumina coated with dianionic surfactants. *Environ Sci Technol.* 30: 2906-2913.
- Sunil, C; Irudayaraj, SS; Duraipandiyar, V; Al-Dhabi, NA; Agastian, P; Ignacimuthu, S. (2014). Antioxidant and free radical scavenging effects of beta-amyrin isolated from *S. cochinchinensis* Moore. leaves. *Ind Crop Prod.* 61: 510-516. <http://dx.doi.org/10.1016/j.indcrop.2014.07.005>.
- Sunny; Kumar, R; Mishra, VN; Das, RR. (2014). A Dynamic Response, Transformed Cluster Analysis and Radial Basis Function Neural Network Based Gases/Odors Identification Approach Using a Thick Film Gas Sensor Array. *Journal of Computational and Theoretical Nanoscience.* 11: 1199-1204. <http://dx.doi.org/10.1166/jctn.2014.3483>.
- Sunny; Mishra, VN; Dwivedi, R; Das, RR. (2013). Classification of Gases/Odors Using Dynamic Responses of Thick Film Gas Sensor Array. *IEEE Sens J.* 13: 4924-4930. <http://dx.doi.org/10.1109/JSEN.2013.2278459>.
- SUNY. (2015). Degradation of TAIC by water falling film dielectric barrier discharge - Influence of radical scavengers. *J Hazard Mater.* 287: 317-324. <http://dx.doi.org/10.1016/j.jhazmat.2015.02.003>.
- Surdo, EM; Cussler, EL; Arnold, WA. (2009). Sorptive and Reactive Scavenger-Containing Sandwich Membranes as Contaminant Barriers. *J Environ Eng.* 135: 69-76. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2009\)135:2\(69\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2009)135:2(69)).
- Suri, RPS; Crittenden, JC; Hand, DW. (1999). Removal and destruction of organic compounds in water using adsorption, steam regeneration, and photocatalytic oxidation processes. *J Environ Eng.* 125: 897-905.
- Suriyakalaa, U; Antony, JJ; Suganya, S; Siva, D; Sukirtha, R; Kamalakkannan, S; Pichiah, PB; Achiraman, S. (2013). Hepatocurative activity of biosynthesized silver nanoparticles fabricated using *Andrographis paniculata*. *Colloids Surf B Biointerfaces.* 102: 189-194. <http://dx.doi.org/10.1016/j.colsurfb.2012.06.039>.
- Suzuki, T; Fukuoka, H; Ushikoshi, S; Sato, R; Morita, H; Takizawa, T. (2015). Protective effect of aqueous extracts from *Rhizopus oryzae* on liver injury induced by carbon tetrachloride in rats. 86: 532-540. <http://dx.doi.org/10.1111/asj.12328>.
- Suzuki, T; Hirose, G; Oishi, S. (2004). Contact angle of water droplet on apatite single crystals. *Materials Research Bulletin.* 39: 103-108. <http://dx.doi.org/10.1016/j.materresbull.2003.09.013>.
- Suzuki, T; Iiyama, T; Gubbins, KE; Kaneko, K. (1999). Quasi-symmetry structure of CCl₄ molecular assemblies in a graphitic nanopore: A grand canonical Monte Carlo simulation. *Langmuir.* 15: 5870-5875.

Exposure Literature Search Results

Off Topic

- Suzuki, T; Kaneko, K; Gubbins, KE. (1997). Pore width-sensitive filling mechanism for CCl₄ in a graphitic micropore by computer simulation. *Langmuir*. 13: 2545-2549.
- Suzuki, T; Oishi, S. (2001). Slit width dependent cooling effect for N₂ molecules adsorbed on graphitic nanospace: a grand canonical Monte Carlo simulation. *Synthetic Metals*. 125: 265-266.
- Suzuki, Y; Asano, M; Sato, K; Asami, M; Sakamoto, A; Tsutsumi, M; Kido, Y. (2011). Wheat gluten hydrolysate alters the progress of hepatic pathology induced by prolonged carbon tetrachloride administration in rat. *Biomedical Research*. 22.
- Svensson, T; Sanden, P, er; Bastviken, D; Oberg, G. (2007). Chlorine transport in a small catchment in southeast Sweden during two years. *Biogeochemistry*. 82: 181-199. <http://dx.doi.org/10.1007/s10533-006-9062-2>.
- Swanson, DB; Macdiarmid, AG; Epstein, AJ. (1991). IMPEDANCE PROFILING - A CONVENIENT TECHNIQUE FOR DETERMINING THE REDOX OR PROTONIC ACID DOPING CHARACTERISTICS OF CONDUCTING POLYMERS. *Synthetic Metals*. 43: 2987-2990.
- Swarnkar, A; Keshav, A; Soni, AB. (2016). Recovery of Methacrylic Acid from the Aqueous Phase Using Trioctylmethylammonium Chloride (TOMAC) in Different Diluents. *Journal of Chemical and Engineering Data*. 61: 1412-1420. <http://dx.doi.org/10.1021/acs.jced.5b00553>.
- Sweet, ND; Burroughs, GE; Ewers, L; Talaska, G. (2004). A field method for near real-time analysis of perchloroethylene in end-exhaled breath. *J Occup Environ Hyg*. 1: 515-520. <http://dx.doi.org/10.1080/15459620490472921>.
- Swiergiel, J; Jazyn, J, an. (2016). Structure of hydrogen bonded supramolecular self-assembles controlled by the structure of monomers: 1,1- and 1,3-diethylureas. *React Funct Polym*. 105: 129-133. <http://dx.doi.org/10.1016/j.reactfunctpolym.2016.06.002>.
- Swindle, AL; Cozzarelli, IM; Elwood Madden, AS. (2015). Using chromate to investigate the impact of natural organics on the surface reactivity of nanoparticulate magnetite. *Environ Sci Technol*. 49: 2156-2162. <http://dx.doi.org/10.1021/es504831d>.
- Swindle, AL; Madden, AS; Cozzarelli, IM; Benamara, M. (2014). Size-dependent reactivity of magnetite nanoparticles: a field-laboratory comparison. *Environ Sci Technol*. 48: 11413-11420. <http://dx.doi.org/10.1021/es500172p>.
- Szczewski, M. (1994). EXPLOSIVE PROPERTIES OF THE COMPOSITIONS CCL₄+AL+ZNO. *Propellants, Explosives, Pyrotechnics*. 19: 87-89.
- Sykes, RM; Kirsch, EJ. (1972). ACCUMULATION OF METHANOGENIC SUBSTRATES IN CCL₄ INHIBITED ANAEROBIC SEWAGE SLUDGE DIGESTER CULTURES. *Water Res*. 6: 41-&.
- Sylvestre, M; Bertrand, JL; Viel, G. (1997). easibility study for the potential use of biocatalytic systems to destroy chlorofluorocarbons (CFCs). *Crit Rev Environ Sci Tech*. 27: 87-111.
- Szalai, I; Ratkovics, F. (1990). A STUDY OF KETO-ENOL-TAUTOMERISM IN METHYL-ETHYL-KETONE + CARBON-TETRACHLORIDE MIXTURES, USING LINEAR AND NONLINEAR DIELECTRIC METHODS. *Hungarian Journal of Industrial Chemistry*. 18: 81-90.
- Szczepaniak, B; Goralski, J; Grams, J; Paryjczak, T. (2006). Studies on the activity of Pd/TiO₂ catalysts in the hydrodechlorination of CCl₄. *Przemysł Chemiczny*. 85: 764-766.
- Szecsody, JE; Fruchter, JS; Williams, MD; Vermeul, VR; Sklarew, D. (2004). In situ chemical reduction of aquifer sediments: Enhancement of reactive iron phases and TCE dechlorination. *Environ Sci Technol*. 38: 4656-4663. <http://dx.doi.org/10.1021/es034756k>.
- Szende, B; Kovacs, L; Moldvay, J; Timar, F; Simon, K; Lapis, K. (1992). Carrageenan Inhibits the Regression of Carbon Tetrachloride-Induced Collagen Accumulation in the Liver of Rats (pp. *Environmental Science and Engineering*). (ISSN 1077-1204; NIOSH/00206061). Szende, B; Kovacs, L; Moldvay, J; Timar, F; Simon, K; Lapis, K.
- Szollósi, G; Bartók, M. (1998). Vapour-phase heterogeneous catalytic transfer hydrogenation of alkyl methyl ketones on MgO: Prevention of the deactivation of MgO in the presence of carbon tetrachloride. *Appl Catal A-Gen*. 169: 263-269.
- Taguchi, T; Awata, S; Nishioka, M; Arakawa, Y; Shiraishi, N; Ryu, S; Kumazawa, H; Takano, Y; Nakayama, K; Yagyu, K; Kawamura, M; Sato, A. (1995). Elevation of Cystathionine gamma-Lyase Activity in the Serum of Rats Treated with a Single Dose of Carbon Tetrachloride. *Ind Health*. 33: 199-205.
- Taha, I; Steuernagel, L; Ziegmann, G. (2006). Chemical modification of date palm mesh fibres for reinforcement of polymeric materials. Part 1: Examination of different cleaning methods. *Polymers and Polymer Composites*. 14: 767-778.
- Tai, YL; Dempsey, BA. (2009). Nitrite reduction with hydrous ferric oxide and Fe(II): stoichiometry, rate, and mechanism. *Water Res*. 43: 546-552. <http://dx.doi.org/10.1016/j.watres.2008.10.055>.
- Tajima, M; Niwa, M; Fujii, Y; Koinuma, Y; Aizawa, R; Kushiya, S; Kobayashi, S; Mizuno, K; Ohuchi, H. (1996). Decomposition of chlorofluorocarbons in the presence of water over zeolite catalyst. *Appl Catal B-Environ*. 9: 167-177.
- Takagi, T; Sawada, K; Urakawa, H; Ueda, M; Cibulka, I. (2004). Speeds of sound in dense liquid and vapor pressures for 1,1-difluoroethane. *Journal of Chemical and Engineering Data*. 49: 1652-1656. <http://dx.doi.org/10.1021/jc049925a>.
- Takano, K; Tanasawa, I; Nishio, S. (1996). Enhancement of evaporation of a liquid droplet using EHD effect: Criteria for instability of gas-liquid interface under electric field. *Journal of Enhanced Heat Transfer*. 3: 73-81.
- Takebayashi, Y; Yajima, H; Hasegawa, Y. (2007). Extraction of Europium(III) with beta-diketones and the stability constants of the aqueous complexes. 14: 121-131.
- Takeda, K; Fujino, Y; Tsuge, Y; Matsuyama, H. (2003). A model of phase inversion using structural instability in liquid-liquid dispersion. *Kagaku Kogaku Ronbunshu*. 29: 351-356.
- Takeda, K; Nakashima, K; Tsuge, Y; Matsuyama, H. (2001). A theoretical model of phase inversion of liquid-liquid dispersion systems. *Kagaku Kogaku Ronbunshu*. 27: 352-358.
- Takeuchi, T; Tanahashi, T. (1997). Comparison of chlorocarbons as an additive during MOVPE for flat burying growth of InP. *J Cryst Growth*. 174: 611-615.
- Tagigawa, T; Ogawa, H; Tamura, K; Murakami, S. (1997). Excess enthalpies of binary mixtures {x-dioxane isomer plus (1-x)non-polar liquid} at 298.15 K. *Fluid Phase Equilibria*. 136: 257-267.

Exposure Literature Search Results

Off Topic

- Takita, Y; Wakamatsu, H; Tokumaru, M; Nishiguchi, H; Ito, M; Ishihara, T. (2000). Decomposition of chlorofluorocarbons over metal phosphate catalysts III. Reaction path of CCl₂F₂ decomposition over AlPO₄. *Appl Catal A-Gen.* 194: 55-61.
- Takubo, T; Sato, D; Inao, Y; Nishiguchi, H; Nagaoka, K; Takita, Y. (2009). Mechanism of Promotion Effects of Ce added to AlPO₄ Effective for CFC Decomposition. *Kagaku Kogaku Ronbunshu.* 35: 623-632.
- Talapaneni, SN; Anandan, S; Mane, GP; Anand, C; Dhawale, DS; Varghese, S; Mano, A; Mori, T; Vinu, A. (2012). Facile synthesis and basic catalytic application of 3D mesoporous carbon nitride with a controllable bimodal distribution. *J Mater Chem.* 22: 9831-9840. <http://dx.doi.org/10.1039/c2jm30229b>.
- Talik, P; Zabkowskawaclawek, M; Waclawek, W. (1992). SENSING PROPERTIES OF THE CB-PCV COMPOSITES FOR CHLORINATED-HYDROCARBON VAPORS. *Journal of Materials Science.* 27: 6807-6810.
- Talu, MF; Gül, M; Alpaslan, N; Yiğitcan, B. (2013). Calculation of melatonin and resveratrol effects on steatosis hepatis using soft computing methods. *Comput Methods Programs Biomed.* 111: 498-506. <http://dx.doi.org/10.1016/j.cmpb.2013.04.020>.
- Tamai, T; Inazu, K; Aika, KI. (2006). Dichlorodifluoromethane decomposition to CO₂ with simultaneous halogen fixation by calcium oxide based materials. *Environ Sci Technol.* 40: 823-829. <http://dx.doi.org/10.1021/es050139f>.
- Tamara, ML; Butler, EC. (2004). Effects of iron purity and groundwater characteristics on rates and products in the degradation of carbon tetrachloride by iron metal. *Environ Sci Technol.* 38: 1866-1876. <http://dx.doi.org/10.1021/es0305508>.
- Tamir, A; Dragoescu, C; Apelblat, A; Wisniak, J. (1983). HEATS OF VAPORIZATION AND VAPOR LIQUID EQUILIBRIA IN ASSOCIATED SOLUTIONS CONTAINING FORMIC-ACID, ACETIC-ACID, PROPIONIC-ACID AND CARBON-TETRACHLORIDE. *Fluid Phase Equilibria.* 10: 9-42.
- Tan, K; Li, CX, i; Lu, YZ; Wang, Z. (2009). Unified Production of Chlorinated Isotactic Polypropylene and Chlorinated Paraffin Via a Solvent Free Chlorination Process. *Polymer Engineering and Science.* 49: 1587-1593. <http://dx.doi.org/10.1002/pen.21379>.
- Tan, Y; Clewell, H; Campbell, J; Andersen, M. (2011). Evaluating Pharmacokinetic and Pharmacodynamic Interactions with Computational Models in Supporting Cumulative Risk Assessment [Review]. *Int J Environ Res Public Health.* 8: 1613-1630. <http://dx.doi.org/10.3390/ijerph8051613>.
- Tan, YM; Liao, KH; Clewell HJ, I. (2007). Reverse dosimetry: interpreting trihalomethanes biomonitoring data using physiologically based pharmacokinetic modeling. *J Expo Sci Environ Epidemiol.* 17: 591-603. <http://dx.doi.org/10.1038/sj.jes.750054>.
- Tan, YM; Liao, KH; Conolly, RB; Blount, BC; Mason, AM; Clewell, HJ. (2006). Use of a physiologically based pharmacokinetic model to identify exposures consistent with human biomonitoring data for chloroform. *J Toxicol Environ Health A.* 69: 1727-1756. <http://dx.doi.org/10.1080/15287390600631367>.
- Tanabe, T; Kozawa, Y; Suto, K; Nishizawa, J; Oyama, Y. (2005). Observing the stimulated Raman gain spectra of solutions using an infrared pump pulse with narrow linewidth and a low-noise CW probe laser. *Int J Infrared Millimeter Waves.* 26: 881-892. <http://dx.doi.org/10.1007/s10762-005-5660-7>.
- Tanaka, E. (1998). In vivo age-related changes in hepatic drug-oxidizing capacity in humans [Review]. *Clin Pharmacol Ther.* 23: 247-255.
- Tanaka, R; Higo, Y; Murata, H; Nakamura, T. (1999). Accumulation of hydroxy lipids in live fish with oxidative stress. *Fish Sci.* 65: 796-797.
- Tanaka, S; Kato, S; Hattori, S; Kojima, S; Ikeda, M; Kitamura, K. (1994). PERFORMANCE COMPARISON OF METALORGANIC VAPOR-PHASE EPITAXY-GROWN C-DOPED GAAS/ALGAAS HETEROJUNCTION BIPOLAR-TRANSISTOR WAFERS BETWEEN ASH3 AND TRIMETHYLARSENIC FOR THE BASE LAYER GROWTH. *J Cryst Growth.* 145: 947-952.
- Tanaka, S; Tanaka, M; Kimura, K; Nozaki, Y; Seki, Y. (1996). Breakthrough time of a respirator cartridge for carbon tetrachloride vapor flow of workers' respiratory patterns. *Ind Health.* 34: 227-236.
- Tanaka, T; Takahashi, K; Iwamoto, N; Agawa, Y; Sawada, Y; Yoshimura, Y; Zaima, N; Moriyama, T; Kawamura, Y. (2012). Hepatoprotective action of dietary bluefin tuna skin proteins on CCl₄-intoxicated mice. *Fish Sci.* 78: 911-921. <http://dx.doi.org/10.1007/s12562-012-0499-z>.
- Tandoi, V; Distefano, TD; Bowser, PA; Gossett, JM; Zinder, SH. (1994). Reductive dehalogenation of chlorinated ethenes and halogenated ethanes by a high-rate anaerobic enrichment culture. *Environ Sci Technol.* 28: 973-979.
- Tandon, A; Cohen, RM. (1998). Highly p-type carbon-doped InGaAs grown by atmospheric pressure organometallic vapor-phase epitaxy. *J Cryst Growth.* 192: 47-55.
- Tang, D; Hu, S; Dai, F; Yi, R; Gordin, ML; Chen, S; Song, J; Wang, D. (2016). Self-Templated Synthesis of Mesoporous Carbon from Carbon Tetrachloride Precursor for Supercapacitor Electrodes. 8: 6779-6783. <http://dx.doi.org/10.1021/acsami.5b12164>.
- Tang, K-T; Chiu, S-W; Chang, M-F; Hsieh, C-C; Shyu, J-M. (2011). A low-power electronic nose signal-processing chip for a portable artificial olfaction system. *IEEE Transactions on Biomedical Circuits and Systems.* 5: 380-390. <http://dx.doi.org/10.1109/TBCAS.2011.2116786>.
- Tang, S, iYe; Liu, D, aZ; Wang, JJ, i; Wang, H, uiY. (2006). Densities and viscosities for binary mixtures of chlorinated polypropylene with toluene, tetrahydrofuran, chloroform, carbon tetrachloride, and 2-butanone at (298.15, 308.15, and 318.15) K. *Journal of Chemical and Engineering Data.* 51: 2255-2259. <http://dx.doi.org/10.1021/je0603372>.
- Tang, S; Wang, XM; Mao, YQ; Zhao, Y; Yang, HW; Xie, YF. (2015). Effect of dissolved oxygen concentration on iron efficiency: Removal of three chloroacetic acids. *Water Res.* 73: 342-352. <http://dx.doi.org/10.1016/j.watres.2015.01.027>.
- Tanhua, T; Liu, M. (2015). Upwelling velocity and ventilation in the Mauritanian upwelling system estimated by CFC-12 and SF₆ observations. *J Mar Syst.* 151: 57-70. <http://dx.doi.org/10.1016/j.jmarsys.2015.07.002>.
- Taniguchi, T. (1993). WOOD PLASTIC COMPOSITE .1. THEORETICAL MAXIMUM MONOMER LOADING AND LIMITING STRENGTH. 39: 1285-1290.
- Tanilmis, T; Atalay, S; Alpay, HE; Atalay, FS. (2002). Catalytic combustion of carbon tetrachloride. *J Hazard Mater.* 90: 157-167.
- Tanwar, KS; Petitto, SC; Ghose, SK; Eng, PJ; Trainor, TP. (2008). Structural study of Fe(II) adsorption on hematite(111)over-bar02). *Geochim Cosmo Acta.* 72: 3311-3325. <http://dx.doi.org/10.1016/j.gca.2008.04.020>.
- Tao, L; Li, F. (2012). Electrochemical evidence of Fe(II)/Cu(II) interaction on titanium oxide for 2-nitrophenol reductive transformation. *Appl Clay Sci.* 64: 84-89. <http://dx.doi.org/10.1016/j.clay.2011.05.020>.

Exposure Literature Search Results

Off Topic

- Tao, T; Maciel, GE. (1998). 13C NMR study of co-contamination of clays with carbon tetrachloride and benzene. *Environ Sci Technol.* 32: 350-357.
- Tarkhanova, I; Zelikman, V; Gantman, M. (2014). The complexes of copper with grafted ionic liquids in the environmentally important processes. *Appl Catal A-Gen.* 470: 81-88. <http://dx.doi.org/10.1016/j.apcata.2013.10.041>.
- Tarkhanova, IG; Konovalov, VP. (2014). Heterogeneous catalysts based on immobilized copper complexes in the oxidation of mercaptans. *Petroleum Chemistry.* 54: 218-224. <http://dx.doi.org/10.1134/S096554411402011X>.
- Tas, DO; Pavlostathis, SG. (2007). The influence of iron reduction on the reductive biotransformation of pentachloronitrobenzene. *European Journal of Soil Biology.* 43: 264-275. <http://dx.doi.org/10.1016/j.ejsobi.2007.03.003>.
- Tas, DO; Pavlostathis, SG. (2014). Occurrence, Toxicity, and Biotransformation of Pentachloronitrobenzene and Chloroanilines. *Crit Rev Environ Sci Tech.* 44: 473-518. <http://dx.doi.org/10.1080/10643389.2012.728809>.
- Taschin, A; Cucini, R; Ziparo, C; Bartolini, P; Torre, R. (2007). Transient grating experiments on CCl₄-filled porous glasses. *Philos Mag.* 87: 715-722. <http://dx.doi.org/10.1080/14786430600910756>.
- Tavakoli, J; Chiang, HM; Bozzelli, JW. (1994). THERMAL-REACTIONS OF METHYLENE-CHLORIDE IN METHANE ARGON MIXTURES. *Combust Sci Tech.* 101: 135-152.
- Tawarah, KM; Abushamleh, HM. (1991). A SPECTROPHOTOMETRIC STUDY OF THE ACID-BASE EQUILIBRIA OF ORTHO-METHYL RED IN AQUEOUS-SOLUTIONS. *Dyes and Pigments.* 17: 203-215.
- Tawarah, KM; Abushamleh, HM. (1991). A SPECTROPHOTOMETRIC STUDY OF THE TAUTOMERIC AND ACID-BASE EQUILIBRIA OF METHYL-ORANGE AND METHYL YELLOW IN AQUEOUS ACIDIC SOLUTIONS. *Dyes and Pigments.* 16: 241-251.
- Taylor, PG; Tran, AM; Charlton, AK; Daniels, CR; Acree, WE. (2003). Solubility in binary solvent mixtures: Anthracene dissolved in alcohol plus carbon tetrachloride mixtures at 298.2 K. *Journal of Chemical and Engineering Data.* 48: 1603-1605. <http://dx.doi.org/10.1021/jc0301904>.
- Taylor, PH; Mallipeddi, R; Yamada, T. (2005). LP/LIF study of the formation and consumption of mercury (I) chloride: kinetics of mercury chlorination. *Chemosphere.* 61: 685-692. <http://dx.doi.org/10.1016/j.chemosphere.2005.03.089>.
- Taylor, PH; Tirey, DA; Dellinger, B. (1996). A detailed kinetic model of the high-temperature pyrolysis of tetrachloroethene. *Combust Flame.* 104: 260-271.
- Taylor, PH; Tirey, DA; Dellinger, B. (1996). The high-temperature pyrolysis of 1,3-hexachlorobutadiene. *Combust Flame.* 106: 1-10. [http://dx.doi.org/10.1016/0010-2180\(95\)00248-0](http://dx.doi.org/10.1016/0010-2180(95)00248-0).
- Taylor, PH; Tirey, DA; Dellinger, B. (1996). The high-temperature pyrolysis of hexachloropropene: Kinetic analysis of pathways to formation of perchloro-arylbenzenes. *Combust Flame.* 105: 486-498.
- Taylor, SJ; Beaumont, B; Herberholz, R. (1993). CARBON DOPING OF GAXIN1-XAS BY ATMOSPHERIC-PRESSURE ORGANOMETALLIC VAPOR-PHASE EPITAXY. *J Cryst Growth.* 132: 61-70.
- Tee, YH; Grulke, E; Bhattacharyya, D. (2005). Role of Ni/Fe nanoparticle composition on the degradation of trichloroethylene from water. *Ind Eng Chem Res.* 44: 7062-7070. <http://dx.doi.org/10.1021/ie050086a>.
- Teel, A; Ahmad, M; Watts, RJ. (2011). Persulfate activation by naturally occurring trace minerals. *J Hazard Mater.* 196: 153-159. <http://dx.doi.org/10.1016/j.jhazmat.2011.09.011>.
- Teel, AL; Vaughan, RE; Watts, RJ. (2008). Cadmium Release from Four Sorbents during Treatment of Contaminated Soils by Catalyzed H₂O₂ sub(2) Propagations (Modified Fenton's Reagent). *J Environ Eng.* 134: 331-337. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2008\)134:5\(331\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2008)134:5(331)).
- Teel, AL; Watts, RJ. (2002). Degradation of carbon tetrachloride by modified Fenton's reagent. *J Hazard Mater.* 94: 179-189.
- Teitz, NW. (1976). *Fundamentals of clinical chemistry.* Philadelphia, Pennsylvania: W.B. Saunders Company.
- Tejasree, C, h; Kiran, G; Rajyalakshmi, G; Reddy, ARN. (2013). Hepatoprotective activity of 1-(4-(Dimethylamino)Benzylidene)-5-(2-Oxindolin-3-ylidene) Thiocarbohydrazone in rats. *Toxicol Environ Chem.* 95: 1589-1594. <http://dx.doi.org/10.1080/02772248.2014.887257>.
- Tekobo, S; Richter, AG; Dergunov, SA; Pingali, S; Urban, VS; Yan, B; Pinkhassik, E. (2011). Synthesis, characterization, and controlled aggregation of biotemplated polystyrene nanodisks. *J Nanopart Res.* 13: 6427-6437. <http://dx.doi.org/10.1007/s11051-011-0395-y>.
- Tel, H; Eral, M; Altas, Y. (1998). Investigation of production conditions of ThO₂-UO₃ microspheres via the sol-gel process for pellet type fuels. *J Nucl Mater.* 256: 18-24.
- Temples, TJ; Waddell, MG; Domoracki, WJ; Eyer, J. (2001). Noninvasive determination of the location and distribution of DNAPL using advanced seismic reflection techniques. *Ground Water.* 39: 465-474.
- Tenney, CM; Lastoskie, CM. (2007). Pulsed pumping process optimization using a potential flow model. *J Contam Hydrol.* 93: 111-121. <http://dx.doi.org/10.1016/j.jconhyd.2007.01.016>.
- Tenney, CM; Lastoskie, CM; Dybas, MJ. (2004). A reactor model for pulsed pumping groundwater remediation. *Water Res.* 38: 3869-3880. <http://dx.doi.org/10.1016/j.watres.2004.06.029>.
- Teodorescu, M. (2005). Atom transfer radical polymerization I. *Fundamentals.* *Materiale Plastice.* 42: 168-172.
- Terdale, S; Dagade, D; Patil, K. (2009). Activity Coefficient Studies in Ternary Aqueous Solutions at 298.15 K: H₂O + alpha-Cyclodextrin plus Potassium Acetate and H₂O+18-Crown-6+Hydroquinone Systems. *Journal of Chemical and Engineering Data.* 54: 294-300. <http://dx.doi.org/10.1021/jc800307g>.
- Terzyk, AP; Rychlicki, G. (1999). Calorimetric investigations of molecular interactions in the adsorbate/microporous activated carbon system. Towards the mechanism of adsorption in micropores? *AST.* 17: 323-373.
- Tezuka, Y; Yoshino, M; Imai, K. (1991). ENVIRONMENTAL RESPONSES ON THE SURFACE OF POLYURETHANE-BASED GRAFT-COPOLYMERS HAVING UNIFORM SIZE POLYETHER AND POLYAMINE SEGMENTS. *Langmuir.* 7: 2860-2865.

Exposure Literature Search Results

Off Topic

- Thaus, DM; Stark, TJ; Griffis, DP; Russell, PE. (1996). Development of focused ion-beam machining techniques for Permalloy structures. 14: 3928-3932.
- Thibaud, C; Erkey, C; Akgerman, A. (1992). Investigation of adsorption equilibria of volatile organics on soil by frontal analysis chromatography. *Environ Sci Technol*. 26: 1159-1164.
- Thibaudon, M; Galan, C; Lanzoni, C; Monnier, S. (2015). Validation of a new adhesive coating solution: comparative study of carbon tetrachloride and diethyl ether. *Aerobiologia*. 31: 57-62. <http://dx.doi.org/10.1007/s10453-014-9346-2>.
- Thijssse, TR; Roemer, MGM; van Oss, RF. (1999). Trends in large-scale VOC concentrations in the Southern Netherlands between 1991 and 1997. *Atmos Environ*. 33: 3803-3812. [http://dx.doi.org/10.1016/S1352-2310\(98\)00421-X](http://dx.doi.org/10.1016/S1352-2310(98)00421-X).
- Thol, M; Rutkai, G; Koester, A; Dubberke, FH; Windmann, T; Span, R; Vrabec, J. (2016). Thermodynamic Properties of Octamethylcyclotetrasiloxane. *Journal of Chemical and Engineering Data*. 61: 2580-2595. <http://dx.doi.org/10.1021/acs.jced.6b00261>.
- Thomas, DJ; Southworth, P; Flowers, MC; Greef, R. (1990). AN INVESTIGATION OF THE ROUGHENING OF SILICON(100) SURFACES IN CL₂/CCL₄ REACTIVE ION ETCHING PLASMAS BY INSITU ELLIPSOMETRY AND QUADRUPOLE MASS-SPECTROMETRY - THE ROLE OF CCL₄. *Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures*. 8: 516-522.
- Thomas, JK. (2008). Compaction of porous silica - A photophysical study. *Microporous and Mesoporous Materials*. 115: 399-404. <http://dx.doi.org/10.1016/j.micromeso.2008.02.013>.
- Thomas, P; Wofford, HW. (1993). EFFECTS OF CADMIUM AND AROCLOR-1254 ON LIPID-PEROXIDATION, GLUTATHIONE-PEROXIDASE ACTIVITY, AND SELECTED ANTIOXIDANTS IN ATLANTIC CROAKER TISSUES. *Aquat Toxicol*. 27: 159-178. [http://dx.doi.org/10.1016/0166-445X\(93\)90052-3](http://dx.doi.org/10.1016/0166-445X(93)90052-3).
- Thomas, RS; Bigelow, PL; Keefe, TJ; Yang, RS. (1996). Variability in biological exposure indices using physiologically based pharmacokinetic modeling and Monte Carlo simulation. *Am Ind Hyg Assoc J*. 57: 23-32. <http://dx.doi.org/10.1080/15428119691015188>.
- Thomson, J; Webb, G; Winfield, J; Bonniface, D; Shortman, C; Winterton, N. (1993). AMBIENT-TEMPERATURE CATALYTIC FLUORINATION OF C-1 CHLOROHYDROCARBONS TO C-3 CHLOROHYDROCARBONS AND RELATED-COMPOUNDS USING OXIDE-SUPPORTED ORGANIC LAYER CATALYSTS. *Appl Catal A-Gen*. 97: 67-76.
- Thote, A; Gupta, RB. (2004). Hydrogen-bonding between a dichroic dye and a liquid crystal-forming molecule, for application to LCDs. *Fluid Phase Equilibria*. 220: 47-55. <http://dx.doi.org/10.1016/j.fluid.2004.01.035>.
- Thote, AJ; Gupta, RB. (2003). Hydrogen-bonding effects in liquid crystals for application to LCDs. *Ind Eng Chem Res*. 42: 1129-1136. <http://dx.doi.org/10.1021/ie020513+>.
- Thrall, KD; Vucelick, ME; Gies, RA; Benson, JM. (2000). Comparative metabolism of carbon tetrachloride in rats, mice, and hamsters using gas uptake and PBPK modeling. *J Toxicol Environ Health A*. 60: 531-548.
- Thybaud, V; Dean, S; Nohmi, T; de Boer, J; Douglas, GR; Glickman, BW; Gorelick, NJ; Heddle, JA; Heflich, RH; Lambert, I; Martus, HJ; Mirsalis, JC; Suzuki, T; Yajima, N. (2003). In vivo transgenic mutation assays. *Mutat Res*. 540: 141-151.
- Tian, L; Cai, Q; Wei, H. (1998). Alterations of antioxidant enzymes and oxidative damage to macromolecules in different organs of rats during aging. *Free Radic Biol Med*. 29: 1477-1484.
- Tian, L; Shi, X; Yu, L; Zhu, J; Ma, R; Yang, X. (2012). Chemical composition and hepatoprotective effects of polyphenol-rich extract from *Houttuynia cordata* tea. *J Agric Food Chem*. 60: 4641-4648. <http://dx.doi.org/10.1021/jf3008376>.
- Tian, Y; Umemura, J; Takenaka, T; Kunitake, T. (1988). ULTRAVIOLET VISIBLE ABSORPTION AND RESONANCE RAMAN-SPECTRA OF AZOBENZENE-CONTAINING AMPHIPHILE MONOLAYERS ADSORBED AT THE ACIDIC AQUEOUS-SOLUTION CARBON-TETRACHLORIDE INTERFACE. *Langmuir*. 4: 1064-1066.
- Timoshenko, VA; Shabatina, TI; Belyaev, AA; Morosov, YN; Sergeev, GB. (2005). The ESR study of chemical interactions in triple solid silver-carbon tetrachloride-mesogenic cyanobiphenyl co-condensate system. *Appl Surf Sci*. 246: 420-424. <http://dx.doi.org/10.1016/j.apsusc.2004.11.046>.
- Tischler, AS; Sheldon, W; Gray, R. (1996). Immunohistochemical and morphological characterization of spontaneously occurring pheochromocytomas in the aging mouse. *Vet Pathol*. 33: 512-520. <http://dx.doi.org/10.1177/030098589603300505>.
- Tobiszewski, M; Namieśnik, J. (2012). Abiotic degradation of chlorinated ethanes and ethenes in water [Review]. *Environ Sci Pollut Res Int*. 19: 1994-2006. <http://dx.doi.org/10.1007/s11356-012-0764-9>.
- Tobler, NB; Hofstetter, TB; Schwarzenbach, RP. (2007). Assessing iron-mediated oxidation of toluene and reduction of nitroaromatic contaminants in anoxic environments using compound-specific isotope analysis. *Environ Sci Technol*. 41: 7773-7780.
- Tognotti, L; Flytzani-Stephanopoulos, M; Sarofim, AF; Kopsinis, H; Stoukides, M. (1991). STUDY OF ADSORPTION DESORPTION OF CONTAMINANTS ON SINGLE SOIL PARTICLES USING THE ELECTRODYNAMIC THERMOGRAVIMETRIC ANALYZER. *Environ Sci Technol*. 25: 104-109.
- Tokay, H; Ilyinsky, A; Yapar, S; Helvacı, S; Peker, S. (1995). SOLVENT EFFECT ON THE THERMAL PERFORMANCE OF CHOLESTERIC LIQUID-CRYSTALS. *Turkish Journal of Chemistry*. 19: 161-169.
- Tokumitsu, E; Shirahama, M; Nagao, K; Nozaki, S; Konagai, M; Takahashi, K. (1993). CARBON DOPING IN MOLECULAR-BEAM EPITAXIAL (MBE) GROWTH OF GAAS USING NEOPENTANE AS A NOVEL CARBON SOURCE. *J Cryst Growth*. 127: 711-715.
- Tokunaga, K; Hess, DW. (1979). PLASMA-ETCHING OF ALUMINUM FILMS IN CARBON-TETRACHLORIDE. *J Electrochem Soc*. 126: C373-C373.
- Tokunaga, K; Hess, DW. (1980). ALUMINUM ETCHING IN CARBON-TETRACHLORIDE PLASMAS. *J Electrochem Soc*. 127: 928-932.
- Tokunaga, K; Redeker, FC; Danner, DA; Hess, DW. (1981). COMPARISON OF ALUMINUM ETCH RATES IN CARBON-TETRACHLORIDE AND BORON-TRICHLORIDE PLASMAS. *J Electrochem Soc*. 128: 851-855.

Exposure Literature Search Results

Off Topic

- Tombolan, F; Renault, D; Brault, D; Guffroy, M; Perin, F; Thybaud, V. (1999). Effect of mitogenic or regenerative cell proliferation on lacZ mutant frequency in the liver of MutaTMMice treated with 5, 9-dimethyldibenzo[c,g]carbazole. *Carcinogenesis*. 20: 1357-1362. <http://dx.doi.org/10.1093/carcin/20.7.1357>.
- Tomenson, JA; Baron, CE; O'Sullivan, JJ; Edwards, JC; Stonard, MC; Walker, RJ; Fearnley, DM. (1995). Hepatic function in workers occupationally exposed to carbon tetrachloride. *Occup Environ Med*. 52: 508-514.
- Tong, M; Yuan, S; Long, H; Zheng, M; Wang, L; Chen, J. (2011). Reduction of nitrobenzene in groundwater by iron nanoparticles immobilized in PEG/nylon membrane. *J Contam Hydrol*. 122: 16-25. <http://dx.doi.org/10.1016/j.jconhyd.2010.10.003>.
- Toon, GC; Blavier, JF; Sen, B; Margitan, JJ; Webster, CR; May, RD; Fahey, D; Gao, R; Del Negro, L; Proffitt, M; Elkins, J; Romashkin, PA; Hurst, DF; Oltmans, S; Atlas, E; Schauffler, S; Flocke, F; Bui, TP; Stimpfle, RM; Bonne, GP; Voss, PB; Cohen, RC. (1999). Comparison of MkIV balloon and ER-2 aircraft measurements of atmospheric trace gases. *J Geophys Res Atmos*. 104: 26779-26790.
- Tope, B; Zhu, Y; Lercher, JA. (2007). Oxidative dehydrogenation of ethane over Dy₂O₃/MgO supported LiCl containing eutectic chloride catalysts. *Catalysis Today*. 123: 113-121. <http://dx.doi.org/10.1016/j.cattod.2007.02.020>.
- Toraason, M; Heinroth-Hoffmann, I; Richards, D; Woolery, M; Hoffmann, P. (1994). H₂O₂-induced oxidative injury in rat cardiac myocytes is not potentiated by 1,1,1-trichloroethane, carbon tetrachloride, or halothane. *J Toxicol Environ Health*. 41: 489-507.
- Torrealba, D; Parra, D; Seras-Franzoso, J; Vallejos-Vidal, E; Yero, D; Gibert, I; Villaverde, A; Garcia-Fruitós, E; Roher, N. (2016). Nanostructured recombinant cytokines: A highly stable alternative to short-lived prophylactics. *Biomaterials*. 107: 102-114. <http://dx.doi.org/10.1016/j.biomaterials.2016.08.043>.
- Torres, RB; Francesconi, AZ; Volpe, PLO. (2002). Excess molar volumes of binary mixtures of acetonitrile and chloroalkanes at 298.15 K and atmospheric pressure with application of the ERAS-Model. *Fluid Phase Equilibria*. 200: 1-10.
- Torrisi, RL; Vasquez, P; Viscuso, O; Magro, C; Iacona, F; Puglisi, O. (1991). SURFACE CHARACTERIZATION OF THE AL/SI-TI/W METALLIZATION AFTER CHLORINATED PLASMA TREATMENTS. *J Electrochem Soc*. 138: 1171-1174.
- Toshev, A; Peshev, P. (1988). PREPARATION OF SNO₂ SINGLE-CRYSTALS BY CHEMICAL-TRANSPORT USING CL₂ AND CCL₄ AS TRANSPORTING AGENTS. *Materials Research Bulletin*. 23: 1045-1051.
- Totten, LA; Jans, U; Roberts, AL. (2001). Alkyl bromides as mechanistic probes of reductive dehalogenation: reactions of vicinal dibromide stereoisomers with zerovalent metals. *Environ Sci Technol*. 35: 2268-2274.
- Touati, F; Gharbi, N; Zarrouk, H. (1997). Synthesis of new hybrid organic-inorganic alumina gels by the sol-gel method. *Journal of Sol-Gel Science and Technology*. 8: 595-598.
- Touati, S; Meniai, AH. (2012). Solvent extraction of Cu(II) from sulphuric acid by means of sodium diethyldithiocarbamate and characterization of the formed complex. *Theoretical Foundations of Chemical Engineering*. 46: 719-726. <http://dx.doi.org/10.1134/S0040579512060231>.
- Trandafir, I; Tudose, RZ. (2004). Design and control of chemical reactors in recycle systems. *Rev Chim*. 55: 580-584.
- Trandafir, I, on; Tudose, RZ. (2007). Study of extraction columns with cylindrical rotor-flooding. *Rev Chim*. 58: 1091-1095.
- Trantham, H; Durnford, D. (1999). Stochastic aggregation model (SAM) for DNAPL-water displacement in porous media. *J Contam Hydrol*. 36: 377-400.
- Tratnyek, PG; Scherer, MM; Deng, BL; Hu, SD. (2001). Effects of natural organic matter, anthropogenic surfactants, and model quinones on the reduction of contaminants by zero-valent iron. *Water Res*. 35: 4435-4443.
- Travis, CC. (1990). Tissue dosimetry for reactive metabolites. *Risk Anal*. 10: 317-321. <http://dx.doi.org/10.1111/j.1539-6924.1990.tb01052.x>.
- Travlos, GS; Mirris, RW; Elwell, MR; Duke, A; Rosenblum, S; Thompson, MB. (1996). Frequency and relationships of clinical chemistry and liver and kidney histopathology findings in 13-week toxicity studies in rats. *Toxicology*. 107: 17-29.
- Treger, YA; Zaneskin, LN; Kartashov, LM; Balashov, LN; Reynish, LM; Khalilov, VR; Emelyanov, VI; Kharitonov, VI; Mishakov, SG; Levanovitch, VS. (1989). START AND MASTERING OF CARBON, TETRACHLORIDE INDUSTRIAL-PRODUCTION BY CHLORINE - CONTAINING HYDROCARBONS DESTRUCTION CHLORINATION. 643-649.
- Trens, P; Denoyel, R. (1996). Adsorption of (gamma-aminopropyl)triethoxysilane and related molecules at the silica/heptane interface. *Langmuir*. 12: 2781-2784.
- Tribble, DL; Aw, TY; Jones, DP. (1987). The pathophysiological significance of lipid peroxidation in oxidative cell injury [Review]. *Hepatology*. 7: 377-386.
- Triebig, G; Blume, J. (1992). ORGANIC-SOLVENTS AT THE WORKPLACE AND NEPHROTOXICITY - CURRENT KNOWLEDGE AND FUTURE PROSPECT. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin*. 27: 190-&.
- Tripp, CP; Combes, JR. (1998). Chemical modification of metal oxide surfaces in supercritical CO₂: The interaction of supercritical CO₂ with the adsorbed water layer and the surface hydroxyl groups of a silica surface. *Langmuir*. 14: 7350-7352.
- Tripp, CP; Hair, ML. (1992). AN INFRARED STUDY OF THE REACTION OF OCTADECYLTRICHLOROSILANE WITH SILICA. *Langmuir*. 8: 1120-1126.
- Tripp, CP; Hair, ML. (1993). MEASUREMENT OF POLYMER ADSORPTION ON COLLOIDAL SILICA BY IN-SITU TRANSMISSION FOURIER-TURNFORM INFRARED-SPECTROSCOPY. *Langmuir*. 9: 3523-3529.
- Tripp, CP; Hair, ML. (1994). CONTROLLED FLOCCULATION-DEFLOCCULATION BEHAVIOR OF ADSORBED BLOCK-COPOLYMERS IN COLLOIDAL DISPERSIONS BY MODIFYING SEGMENT SURFACE INTERACTIONS - THE USE OF SMALL DISPLACER MOLECULES TO SELECTIVELY CLEAVE INTERPARTICLE BONDS. *Langmuir*. 10: 4031-4038.
- Tripp, CP; Hair, ML. (1995). DIRECT OBSERVATION OF THE SURFACE BONDS BETWEEN SELF-ASSEMBLED MONOLAYERS OF OCTADECYLTRICHLOROSILANE AND SILICA SURFACES - A LOW-FREQUENCY IR STUDY AT THE SOLID-LIQUID INTERFACE. *Langmuir*. 11: 1215-1219.

Exposure Literature Search Results

Off Topic

- Trudinger, CM; Etheridge, DM; Rayner, PJ; Enting, IG; Sturrock, GA; Langenfelds, RL. (2002). Reconstructing atmospheric histories from measurements of air composition in firn. *J Geophys Res Atmos.* 107. <http://dx.doi.org/10.1029/2002JD002545>.
- Truex, M; Powell, T; Lynch, K. (2007). In situ dechlorination of TCE during aquifer heating. *Ground Water Monitoring and Remediation.* 27: 96-105.
- Truex, MJ; Oostrom, M; Brusseau, ML. (2009). Estimating Persistent Mass Flux of Volatile Contaminants from the Vadose Zone to Ground Water. *Ground Water Monitoring and Remediation.* 29: 63-72. <http://dx.doi.org/10.1111/j.1745-6592.2009.01236.x>.
- Tsai, TT; Kao, CM; Wang, JY. (2011). Remediation of TCE-contaminated groundwater using acid/BOF slag enhanced chemical oxidation. *Chemosphere.* 83: 687-692. <http://dx.doi.org/10.1016/j.chemosphere.2011.02.023>.
- Tsang, WT; Kapre, R; Sciortino, PF. (1994). IN-SITU DRY-ETCHING OF INP USING PHOSPHORUS TRICHLORIDE AND REGROWTH INSIDE A CHEMICAL BEAM EPITAXIAL-GROWTH CHAMBER. *J Cryst Growth.* 136: 42-49.
- Tsuchida, T; Kubo, J, un; Yoshioka, T; Sakuma, S; Takeguchi, T; Ueda, W. (2009). Influence of Preparation Factors on Ca/P Ratio and Surface Basicity of Hydroxyapatite Catalyst. *J Jpn Petrol Inst.* 52: 51-59.
- Tsuda, H; Matsumoto, K; Ogino, H; Ito, M; Hirono, I; Nagao, M; Sato, K; Cabral, R; Bartsch, H. (1993). Demonstration of initiation potential of carcinogens by induction of preneoplastic glutathione S-transferase P-form-positive liver cell foci: possible in vivo assay system for environmental carcinogens. *Jpn J Cancer Res.* 84: 230-236.
- Tsuru, T; Hino, T; Yoshioka, T; Asaeda, M. (2001). Permporometry characterization of microporous ceramic membranes. *J Memb Sci.* 186: 257-265.
- Tsutsumi, H; Fukuzawa, S; Ishikawa, M; Morita, M; Matsuda, Y. (1995). PREPARATION OF POLYANILINE-POLY(P-STYRENESULFONIC ACID) COMPOSITE BY THE POST-POLYMERIZATION METHOD. *Synthetic Metals.* 72: 231-235.
- Tsuyumoto, I; Iida, Y; Hori, H. (2011). Gas Sensor for Volatile Organochlorine Compounds Using Percolation Conduction of Organic Montmorillonite-Carbon Composites. *International Journal of Applied Ceramic Technology.* 8: 1408-1413. <http://dx.doi.org/10.1111/j.1744-7402.2011.02615.x>.
- Tu, CW; Dong, HK; Li, NY. (1996). Growth, etching, doping and effects of Ar⁺ laser irradiation in chemical beam epitaxy of GaAs with novel precursors. *J Cryst Growth.* 163: 187-194.
- Tudose, RZ; Apreotesei, G. (2001). Mass transfer coefficients in liquid-liquid extraction. *Chemical Engineering and Processing: Process Intensification.* 40: 477-485.
- Turcio-Ortega, D; Fan, D; Tratnyek, PG; Kim, E; Chang, YS. (2012). Reactivity of Fe/FeS Nanoparticles: Electrolyte Composition Effects on Corrosion Electrochemistry. *Environ Sci Technol.* 46: 12484-12492. <http://dx.doi.org/10.1021/es303422w>.
- Türk, G; Çeribaşı, S; Sönmez, M; Çiftçi, M; Yüce, A; Güvenç, M; Kaya, ŞÖ; Çay, M; Aksakal, M. (2016). Ameliorating effect of pomegranate juice consumption on carbon tetrachloride-induced sperm damages, lipid peroxidation, and testicular apoptosis. *Toxicol Ind Health.* 32: 126-137. <http://dx.doi.org/10.1177/0748233713499600>.
- Türkez, H; Aydın, E. (2016). In vitro assessment of cytogenetic and oxidative effects of α -pinene. *Toxicol Ind Health.* 32: 168-176. <http://dx.doi.org/10.1177/0748233713498456>.
- Türkez, H; Aydın, E. (2016). Investigation of cytotoxic, genotoxic and oxidative properties of carvacrol in human blood cells. *Toxicol Ind Health.* 32: 625-633. <http://dx.doi.org/10.1177/0748233713506771>.
- Turkez, H; Geyikoglu, F; Yousef, MI. (2016). Ameliorative effects of docosahexaenoic acid on the toxicity induced by 2,3,7,8-tetrachlorodibenzo-p-dioxin in cultured rat hepatocytes. *Toxicol Ind Health.* 32: 1074-1085. <http://dx.doi.org/10.1177/0748233714547382>.
- Tyczkowski, J. (2003). Plasma surface modification of polymer materials. *Przemysł Chemiczny.* 82: 1262-1264.
- Tyczkowski, J; Krawczyk, I; Wozniak, B. (2003). Modification of styrene-butadiene rubber surfaces by plasma chlorination. *Surf Coating Tech.* 174: 849-853. [http://dx.doi.org/10.1016/S0257-8972\(03\)00419-5](http://dx.doi.org/10.1016/S0257-8972(03)00419-5).
- Tysoe, WT; Surerus, K; Lara, J; Blunt, TJ; Kotvis, PV. (1995). The surface chemistry of chloroform as an extreme-pressure lubricant additive at high concentrations. *Tribology Letters.* 1: 39-46.
- U.S. EPA. (1986). Guidelines for the health risk assessment of chemical mixtures. *Fed Reg.* 51: 34014-34025.
- U.S. EPA. (1988). Recommendations for and documentation of biological values for use in risk assessment (pp. 1-395). (EPA/600/6-87/008). Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=34855>.
- U.S. EPA. (1988). Reference physiological parameters in pharmacokinetic modeling [EPA Report]. (EPA/600/6-88/004). Washington, DC: U.S. Environmental Protection Agency. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB88196019>.
- U.S. EPA. (1991). Guidelines for developmental toxicity risk assessment (pp. 1-71). (EPA/600/FR-91/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=23162>.
- U.S. EPA. (1994). Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry [EPA Report] (pp. 1-409). (EPA/600/8-90/066F). Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office. <https://cfpub.epa.gov/ncea/risk/recorddisplay.cfm?deid=71993&CFID=51174829&CFTOKEN=25006317>.
- U.S. EPA. (1995). The use of the benchmark dose approach in health risk assessment. (EPA/630/R-94/007). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30004WBL.txt>.
- U.S. EPA. (1996). Guidelines for reproductive toxicity risk assessment. *Fed Reg.* 61: 56274-56322.
- U.S. EPA. (1996). Symposium on natural attenuation of chlorinated organics in groundwater [EPA Report]. (AD-A319 114/5). Washington, DC.
- U.S. EPA. (1998). Guidelines for neurotoxicity risk assessment. *Fed Reg.* 63: 26926-26954.

Exposure Literature Search Results

Off Topic

- U.S. EPA. (2000). Benchmark dose technical guidance document [external review draft] [EPA Report] (pp. 1-96). (EPA/630/R-00/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. https://ofmpub.epa.gov/eims/eimscmm.getfile?p_download_id=4727.
- U.S. EPA. (2000). Science Policy Council handbook: Peer review [EPA Report]. (EPA 100-B-00-001). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB2005109156>.
- U.S. EPA. (2000). Science policy council handbook: Risk characterization (pp. 1-189). (EPA/100/B-00/002). Washington, D.C.: U.S. Environmental Protection Agency, Science Policy Council. <https://www.epa.gov/risk/risk-characterization-handbook>.
- U.S. EPA. (2000). Toxicological review of vinyl chloride [EPA Report]. (EPA/635R-00/004). Washington, DC. <http://www.epa.gov/iris/toxreviews/1001tr.pdf>.
- U.S. EPA. (2001). Toxicological review of chloroform [EPA Report]. (EPA/635/R-01/001). Washington, DC. <http://www.epa.gov/iris>.
- U.S. EPA. (2002). A review of the reference dose and reference concentration processes (pp. 1-192). (EPA/630/P-02/002F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/osa/review-reference-dose-and-reference-concentration-processes>.
- U.S. EPA. (2005). Supplemental guidance for assessing susceptibility from early-life exposure to carcinogens (pp. 1-125). (EPA/630/R-03/003F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. https://www3.epa.gov/airtoxics/childrens_supplement_final.pdf.
- U.S. EPA. (2006). Approaches for the application of physiologically based pharmacokinetic (PBPK) models and supporting data in risk assessment (Final Report) [EPA Report] (pp. 1-123). (EPA/600/R-05/043F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=157668>.
- U.S. EPA. (2006). A framework for assessing health risk of environmental exposures to children (pp. 1-145). (EPA/600/R-05/093F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=158363>.
- U.S. EPA. (2006). U.S. Environmental Protection Agency peer review handbook 3rd edition (3 ed.). (EPA/100/B-06/002). Washington, DC: U.S. Environmental Protection Agency, Science Policy Council. https://www.epa.gov/sites/production/files/2015-09/documents/peer_review_handbook_2006_3rd_edition.pdf.
- U.S. EPA. (2007). Benchmark dose software (BMDS) version 1.4.1. Retrieved from <http://www.epa.gov/ncea/bmds.htm>
- U.S. EPA. (2007). Protection of stratospheric ozone: extension of global laboratory and analytical use exemption for essential class I ozone-depleting substances. 72: 52332-52337.
- Uchida, K; Bhunia, S; Sugiyama, N; Furiya, M; Katoh, M; Katoh, S; Nozaki, S; Morisaki, H. (2003). Heavy carbon doping of GaAs by MOVPE using a new dopant source CBrCl₃ and characterization of the epilayers. *J Cryst Growth*. 248: 124-129.
- Uchimiya, M; Stone, AT. (2009). Reversible redox chemistry of quinones: impact on biogeochemical cycles [Review]. *Chemosphere*. 77: 451-458. <http://dx.doi.org/10.1016/j.chemosphere.2009.07.025>.
- Uddin, MN; Salam, MA; Hossain, MA. (2013). Spectrophotometric measurement of Cu(DTTC)₂ for the simultaneous determination of zinc and copper. *Chemosphere*. 90: 366-373. <http://dx.doi.org/10.1016/j.chemosphere.2012.07.029>.
- Ueda, M; Kim, HB; Ichimura, K. (1994). PHOTOCONTROL OF DISPERSIBILITY OF COLLOIDAL SILICA. *Mater Lett*. 20: 245-249.
- Ueda, M; Kim, HB; Ichimura, K. (1994). PHOTOCONTROLLED AGGREGATION OF COLLOIDAL SILICA. *J Mater Chem*. 4: 883-889.
- Ueda, M; Kudo, K; Ichimura, K. (1995). PHOTOCROMIC BEHAVIOR OF A SPIROBENZOPYRAN CHEMISORBED ON A COLLOIDAL SILICA SURFACE. *J Mater Chem*. 5: 1007-1011.
- Ujang, Z; Husain, WH; Seng, MC; Rashid, AHA. (2003). The kinetic resolution of 2-(4-chlorophenoxy) propionic acid using *Candida rugosa* lipase. *Process Biochemistry*. 38: 1483-1488. [http://dx.doi.org/10.1016/S0032-9592\(03\)00039-6](http://dx.doi.org/10.1016/S0032-9592(03)00039-6).
- Ukai, H; Inui, S; Takada, S; Dendo, J; Ogawa, J; Isobe, K; Ashida, T; Tamura, M; Tabuki, K; Ikeda, M. (1997). Types of organic solvents used in small- to medium-scale industries in Japan; a nationwide field survey. *Int Arch Occup Environ Health*. 70: 385-392.
- Ukegawa, K; Matsumura, A; Yazu, K; Kodera, Y; Kondo, T. (1991). AN ATTEMPT TO SEPARATE NITROGEN-COMPOUNDS. *Fuel Process Tech*. 28: 301-306.
- Ukrainczyk, L; Chibwe, M; Pinnavaia, TJ; Boyd, SA. (1995). REDUCTIVE DECHLORINATION OF CARBON-TETRACHLORIDE IN WATER CATALYZED BY MINERAL SUPPORTED BIOMIMETIC COBALT MACROCYCLES. *Environ Sci Technol*. 29: 439-445.
- Ulmeanu, M; Petkov, P; Hirshy, H; Brousseau, E. (2014). Formation of ordered arrays of Si and GaAs nanostructures by single-shot laser irradiation in near-field at the solid/liquid interface. 1. <http://dx.doi.org/10.1088/2053-1591/1/1/015030>.
- Ulmeanu, M; Petkov, P; Ursescu, D; Maraloiu, VA; Jipa, F; Brousseau, E; Ashfold, MNR. (2015). Pattern formation on silicon by laser-initiated liquid-assisted colloidal lithography. *Nanotechnology*. 26: 455303. <http://dx.doi.org/10.1088/0957-4484/26/45/455303>.
- Uludag-Demirer, S; Bowers, AR. (2003). Effects of surface oxidation and oxygen on the removal of trichloroethylene from the gas phase using elemental iron. *Water Air Soil Pollut*. 142: 229-242.
- Ungar, G; Tomic, V; Xie, F; Zeng, XB. (2009). Structure of Liquid Crystalline Aerosol-OT and Its Alkylammonium Salts. *Langmuir*. 25: 11067-11072. <http://dx.doi.org/10.1021/la901385n>.
- Unnikrishnan, S; Hegde, DS. (2006). An analysis of cleaner production and its impact on health hazards in the workplace. *Environ Int*. 32: 87-94. <http://dx.doi.org/10.1016/j.envint.2005.05.023>.
- Uno, S; Kurihara, K; Ochi, K; Kojima, K. (2007). Determination and correlation of vapor-liquid equilibrium for binary systems consisting of close-boiling components. *Fluid Phase Equilibria*. 257: 139-146. <http://dx.doi.org/10.1016/j.fluid.2007.01.042>.

Exposure Literature Search Results

Off Topic

- Urashima, K; Chang, JS. (2000). Removal of volatile organic compounds from air streams and industrial flue gases by non-thermal plasma technology. *I E E E Transactions on Dielectrics and Electrical Insulation*. 7: 602-614.
- Urhahn, T; Ballschmiter, K. (1998). Chemistry of the biosynthesis of halogenated methanes: C1-organohalogenes as pre-industrial chemical stressors in the environment? *Chemosphere*. 37: 1017-1032.
- Uryvaeva, IV; Delone, GV. (1995). An improved method of mouse liver micronucleus analysis: an application to age-related genetic alteration and polyploidy study. *Mutat Res*. 334: 71-80.
- Uslu, H. (2007). Liquid plus liquid equilibria of the (water plus tartaric acid plus Alamine 336 plus organic solvents) at 298.15 K. *Fluid Phase Equilibria*. 253: 12-18. <http://dx.doi.org/10.1016/j.fluid.2006.12.019>.
- Uslu, H. (2011). Investigation of acrylic acid extractability from aqueous solution using tridodecyl amine extractant. *Desalination and Water Treatment*. 28: 189-195. <http://dx.doi.org/10.5004/dwt.2011.2246>.
- Uslu, H; Datta, D; Bamufleh, HS. (2014). Extraction Equilibria of Gibberellic Acid by Tridodecylamine Dissolved in Alcohols. *Journal of Chemical and Engineering Data*. 59: 3882-3887. <http://dx.doi.org/10.1021/je500773w>.
- Uzomah, TC; Ugbolue, SCO. (1999). Strength properties of solvent vapour-treated pre-tensioned polypropylene films part I - Halohydrocarbon solvents. *Journal of Materials Science*. 34: 1839-1845.
- Van Goethem, F; Ghahroudi, MA; Castelain, P; Kirsch-Volders, M. (1993). Frequency and DNA content of micronuclei in rat parenchymal liver cells during experimental hepatocarcinogenesis. *Carcinogenesis*. 14: 2397-2406.
- Van Goor, A; Slawinska, A; Schmidt, CJ; Lamont, SJ. (2016). Distinct functional responses to stressors of bone marrow derived dendritic cells from diverse inbred chicken lines. *Dev Comp Immunol*. 63: 96-110. <http://dx.doi.org/10.1016/j.dci.2016.05.016>.
- Van Kuijk, FJ; Holte, LL; Dratz, EA. (1990). 4-Hydroxyhexenal: a lipid peroxidation product derived from oxidized docosahexaenoic acid. *Biochim Biophys Acta*. 1043: 116-118.
- Van Nooten, T; Springael, D; Bastiaens, L. (2008). Positive impact of microorganisms on the performance of laboratory-scale permeable reactive iron barriers. *Environ Sci Technol*. 42: 1680-1686. <http://dx.doi.org/10.1021/es071760d>.
- Vanko, G; Lalinsky, T; Hascik, S; Ryger, I; Mozolova, Z; Skriniarova, J; Tomaska, M; Kostic, I; Vincze, A. (2009). Impact of SF6 plasma treatment on performance of AlGaIn/GaN HEMT. *Vacuum*. 84: 235-237. <http://dx.doi.org/10.1016/j.vacuum.2009.04.032>.
- Vanstee, EW; Boorman, GA; Moorman, MP; Sloane, RA. (1982). TIME-VARYING CONCENTRATION PROFILE AS A DETERMINANT OF THE INHALATION TOXICITY OF CARBON-TETRACHLORIDE. *J Toxicol Environ Health*. 10: 785-795.
- Vanstone, N; Elsner, M; Lacrampe-Couloume, G; Mabury, S; Lollar, BS. (2008). Potential for identifying abiotic chloroalkane degradation mechanisms using carbon isotopic fractionation. *Environ Sci Technol*. 42: 126-132. <http://dx.doi.org/10.1021/es0711819>.
- Varshney, S; Singh, M. (2006). Densities, viscosities, and excess molar volumes of ternary liquid mixtures of bromobenzene+1,4-dioxane + (benzene or plus toluene or plus carbon tetrachloride) and some associated binary liquid mixtures. *Journal of Chemical and Engineering Data*. 51: 1136-1140. <http://dx.doi.org/10.1021/jc0600303>.
- Vassilevski, KV; Sizov, VE; Babanin, AI; Melnik, YV; Zubrilov, AS. (1996). Dry etching of gallium nitride using CCl2F2, CCl4 and their mixtures with N-2 and air. *Institute of Physics Conference Series*. 142: 1027-1030.
- Vazquez-Morillas, A; Vaca-Mier, M; Alvarez, PJ. (2006). Biological activation of hydrous ferric oxide for reduction of hexavalent chromium in the presence of different anions. *European Journal of Soil Biology*. 42: 99-106. <http://dx.doi.org/10.1016/j.ejsobi.2005.11.005>.
- Veeraraghavan, R; Mohapatra, PK; Manchanda, VK. (1999). Extraction of americium from nitric acid medium using 3-phenyl-4-benzoyl-5-isoxazolone and tri-n-octylphosphine oxide. *Separation Science and Technology*. 34: 123-137.
- Velazquez, JC; Leekumjorn, S; Nguyen, QX; Fang, Y, uLun; Heck, KN; Hopkins, GD; Reinhard, M; Wong, MS. (2013). Chloroform Hydrodechlorination Behavior of Alumina-supported Pd and PdAu Catalysts. *AIChE J*. 59: 4474-4482. <http://dx.doi.org/10.1002/aic.14250>.
- Velling, P. (2000). A comparative study of GaAs- and InP-based HBT growth by means of LP-MOVPE using conventional and non gaseous sources. *Progress in Crystal Growth and Characterization of Materials*. 41: 85-131.
- Verma, SK; Rastogi, S; Arora, I; Javed, K; Akhtar, M; Samim, M. (2016). Nanoparticle Based Delivery of Quercetin for the Treatment of Carbon Tetrachloride Mediated Liver Cirrhosis in Rats. *Journal of Biomedical Nanotechnology*. 12: 274-285. <http://dx.doi.org/10.1166/jbn.2016.2153>.
- Verma, SK; Rastogi, S; Javed, K; Akhtar, M; Arora, I; Samim, M. (2013). Nanothymoquinone, a novel hepatotargeted delivery system for treating CCl4 mediated hepatotoxicity in rats. 1: 2956-2966. <http://dx.doi.org/10.1039/c3tb20379d>.
- Veselovs'ka, KI; Veselovs'kyi, VL; Diyuk, VE; Gaidai, SV; Ishchenko, OV. (2015). Modification of the activated carbon surface by gaseous-phase chlorination with carbon tetrachloride. *Journal of Superhard Materials*. 37: 189-193. <http://dx.doi.org/10.3103/S1063457615030065>.
- Victor, IE; Ugorji, UO; Adeyinka, A. (2014). Efficacy of Hibiscus sabdariffa and Telfairia occidentalis in the attenuation of CCl4-mediated oxidative stress. *Asian Pacific Journal of Tropical Medicine*. 7S1: S321-S326. [http://dx.doi.org/10.1016/S1995-7645\(14\)60253-4](http://dx.doi.org/10.1016/S1995-7645(14)60253-4).
- Vieira, I; Sonnier, M; Cresteil, T. (1996). Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem*. 238: 476-483. <http://dx.doi.org/10.1111/j.1432-1033.1996.0476z.x>.
- Vikesland, PJ; Heathcock, AM; Rebodos, RL; Makus, KE. (2007). Particle size and aggregation effects on magnetite reactivity toward carbon tetrachloride. *Environ Sci Technol*. 41: 5277-5283. <http://dx.doi.org/10.1021/es062082i>.
- Vikesland, PJ; Klausen, J; Zimmermann, H; Roberts, AL; Ball, WP. (2003). Longevity of granular iron in groundwater treatment processes: changes in solute transport properties over time. *J Contam Hydrol*. 64: 3-33. [http://dx.doi.org/10.1016/S0169-7722\(02\)00150-X](http://dx.doi.org/10.1016/S0169-7722(02)00150-X).
- Vikesland, PJ; Rebodos, RL; Bottero, JY; Rose, J; Mason, A. (2016). Aggregation and sedimentation of magnetite nanoparticle clusters. 3: 567-577. <http://dx.doi.org/10.1039/c5en00155b>.

Exposure Literature Search Results

Off Topic

- Villar-Rodil, S; Martinez-Alonso, A; Pajares, JA; Tascon, JMD; Jasienko-Halat, M; Broniek, E; Kaczmarczyk, J; Jankowska, A; Albinak, A; Siemieniowska, T. (2003). Following changes in the porous texture of Nomex-derived activated carbon fibres with the molecular probe technique. *Microporous and Mesoporous Materials*. 64: 11-19. [http://dx.doi.org/10.1016/S1387-1811\(03\)00496-7](http://dx.doi.org/10.1016/S1387-1811(03)00496-7).
- Vincent, D; Jorat, L; Monin, J; Noyel, G. (1994). IMPROVEMENT OF THE TRANSMISSION REFLECTION METHOD FOR DIELECTRIC AND MAGNETIC MEASUREMENTS ON LIQUIDS BETWEEN 0.1 AND 20 GHZ. *Meas Sci Technol*. 5: 990-995.
- Vindedahl, AM; Arnold, WA; Penn, RL, ee. (2015). Impact of Pahokee Peat humic acid and buffer identity on goethite aggregation and reactivity. 2: 509-517. <http://dx.doi.org/10.1039/c5en00141b>.
- Vindedahl, AM; Stemig, MS; Arnold, WA; Penn, RL. (2016). Character of Humic Substances as a Predictor for Goethite Nanoparticle Reactivity and Aggregation. *Environ Sci Technol*. 50: 1200-1208. <http://dx.doi.org/10.1021/acs.est.5b04136>.
- Vinu, A. (2008). Two-dimensional hexagonally-ordered mesoporous carbon nitrides with tunable pore diameter, surface area and nitrogen content. *Adv Funct Mater*. 18: 816-827. <http://dx.doi.org/10.1002/adfm.200700783>.
- Vinu, A; Ariga, K; Mori, T; Nakanishi, T; Hishita, S; Golberg, D; Bando, Y. (2005). Preparation and characterization of well-ordered hexagonal mesoporous carbon nitride. *Adv Mater Deerfield*. 17: 1648+. <http://dx.doi.org/10.1002/adma.200401643>.
- Vinu, A; Srinivasu, P; Sawant, DP; Mori, T; Ariga, K; Chang, JS, an; Jhung, SH, wa; Balasubramanian, VV; Hwang, YK, yu. (2007). Three-dimensional cage type mesoporous CN-Based hybrid material with very high surface area and pore volume. *Chem Mater*. 19: 4367-4372. <http://dx.doi.org/10.1021/cm070657k>.
- Visan, S; Ciobotaru, V; Coara, G; Florescu, M. (2003). Considerations regarding the compatibility of some rubber structures with leather wastes. *Materiale Plastice*. 40: 136-140.
- Visan, S; Ciobotaru, V; Ionescu, F; Angelescu, A. (2008). Physico-chemical characterization of some microstructured polymeric materials. *Materiale Plastice*. 45: 80-86.
- Vitale, SA; Hadidi, K; Cohn, DR; Falkos, P. (1996). Electron beam generated plasma decomposition of 1,1,1-trichloroethane. *Plasma Chemistry and Plasma Processing*. 16: 651-668.
- Vitale, SA; Hadidi, K; Cohn, DR; Falkos, P. (1997). The effect of a carbon-carbon double bond on electron beam-generated plasma decomposition of trichloroethylene and 1,1,1-trichloroethane. *Plasma Chemistry and Plasma Processing*. 17: 59-78.
- Vizcaya, D; Christensen, KY; Lavoue, J; Siemietycki, J. (2013). Risk of lung cancer associated with six types of chlorinated solvents: results from two case-control studies in Montreal, Canada. *Occup Environ Med*. 70: 81-85. <http://dx.doi.org/10.1136/oemed-2012-101155>.
- Vn, S; Esclapez Vicente, MD; Bonete, P; González-García, J. (2009). Electrochemical degradation of perchloroethylene in aqueous media: An approach to different strategies. *Water Res*. 43: 8. <http://dx.doi.org/10.1016/j.watres.2009.02.019>.
- Vodyanitskii, Y, uN. (2014). Effect of reduced iron on the degradation of chlorinated hydrocarbons in contaminated soil and ground water: A review of publications. *Eurasian Soil Science*. 47: 119-133. <http://dx.doi.org/10.1134/S1064229314020136>.
- Vodyanitskii, Y, uN; Mineev, VG. (2015). Degradation of nitrates with the participation of Fe(II) and Fe(0) in groundwater: A review. *Eurasian Soil Science*. 48: 139-147. <http://dx.doi.org/10.1134/S1064229315020131>.
- Volodko, VG; Zvonkov, BN; Znysheva, LN; Portnov, VN. (1993). EFFECT OF CARBON-TETRACHLORIDE ON THE SELECTIVE GROWTH OF GALLIUM-ARSENIDE LAYERS IN THE MOC HYDRIDE PROCESS. *Inorg Mater*. 29: 469-471.
- Vonclarmann, T; Linden, A; Oelhaf, H; Fischer, H; Friedlvalon, F; Piesch, C; Seefeldner, M. (1995). DETERMINATION OF THE STRATOSPHERIC ORGANIC CHLORINE BUDGET IN THE SPRING ARCTIC VORTEX FROM MIPAS-B LIMB EMISSION-SPECTRA AND AIR SAMPLING EXPERIMENTS. *J Geophys Res Atmos*. 100: 13979-13997.
- Vothanh, D. (1995). INFLUENCE OF FLUID CHEMISTRY ON SHEAR-WAVE ATTENUATION AND VELOCITY IN SEDIMENTARY-ROCKS. *Geophysical Journal International*. 121: 737-749.
- Voyatzis, R; Moffat, JB. (1994). SIMULTANEOUS, SEQUENTIAL, AND REVERSE SEQUENTIAL TECHNIQUES FOR THE PREPARATION OF BINARY SILICA-SUPPORTED SODIUM/STRONTIUM CATALYSTS AND THE EFFECT OF CARBON-TETRACHLORIDE ON THE OXIDATIVE COUPLING OF METHANE. *Energy Fuels*. 8: 1106-1114.
- Voyatzis, R; Moffat, JB. (1995). COIMPREGNATED, SEQUENTIAL, AND REVERSE SEQUENTIAL LI/SR/SIO₂ CATALYSTS FOR THE OXIDATIVE COUPLING OF METHANE IN THE ABSENCE AND PRESENCE OF TETRACHLOROMETHANE - ACTIVE, SELECTIVE, AND STABLE CATALYSTS. *Energy Fuels*. 9: 240-247.
- Wagner, J; Chen, H; Brownawell, BJ; Westall, JC. (1994). Use of Cationic Surfactants to Modify Soil Surfaces to Promote Sorption and Retard Migration of Hydrophobic Organic Compounds (pp. 231-237). (ISSN 0013-936X; EISSN 1520-5851; NTIS/02988462_2). Wagner, J; Chen, H; Brownawell, BJ; Westall, JC.
- Wagner, VO; Blevins, RD. (1993). CHEMICALLY-INDUCED HISTONE MODIFICATION AS A PREDICTOR OF CARCINOGENICITY. *Arch Environ Contam Toxicol*. 25: 260-266.
- Wahren, M; Kranke, P; Moder, M; Rummel, S; Winkler, E. (1999). Hydrogen isotope effects in electrochemical reductions of organic chloro compounds. *Isotopes Environ Health Stud*. 35: 167-182.
- Wakabayashi, T; Williams, JA; Hutchings, IM. (1993). THE ACTION OF GASEOUS LUBRICANTS IN THE ORTHOGONAL MACHINING OF AN ALUMINUM-ALLOY BY TITANIUM NITRIDE COATED TOOLS. *Surf Coating Tech*. 57: 183-189.
- Walker, DS; Moore, FG; Richmond, GL. (2007). Vibrational sum frequency spectroscopy and molecular dynamics simulation of the carbon tetrachloride-water and 1,2-dichloroethane-water interfaces. *J Phys Chem C*. 111: 6103-6112. <http://dx.doi.org/10.1021/jp068700z>.
- Walker, DS; Richmond, GL. (2008). Interfacial depth profiling of the orientation and bonding of water molecules across liquid-liquid interfaces. *J Phys Chem C*. 112: 201-209. <http://dx.doi.org/10.1021/jp075469w>.
- Walker, RA; Conboy, JC; Richmond, GL. (1997). Molecular structure and ordering of phospholipids at a liquid-liquid interface. *Langmuir*. 13: 3070-3073.

Exposure Literature Search Results

Off Topic

- Wallace, MC; Hamesch, K; Lunova, M; Kim, Y; Weiskirchen, R; Strnad, P; Friedman, SL. (2015). Standard operating procedures in experimental liver research: thioacetamide model in mice and rats. *Lab Anim.* 49: 21-29. <http://dx.doi.org/10.1177/0023677215573040>.
- Walter, J; Nishioka, M; Hara, S. (2001). Ultrathin platinum nanoparticles encapsulated in a graphite lattice-prepared by a sonochemical approach. *Chem Mater.* 13: 1828-1833.
- Walton, BT; Hendricks, MS; Anderson, TA; Griest, WH; Merriweather, R; Beauchamp, JJ; Francis, CW. (1992). Soil sorption of volatile and semivolatile organic compounds in a mixture. *J Environ Qual.* 21: 552-558.
- Wan, C; Chen, YH; Wei, R. (1999). Dechlorination of chloromethanes on iron and palladium-iron bimetallic surface in aqueous systems. *Environ Toxicol Chem.* 18: 1091-1096.
- Wang, A, iK; Shan, A, iQin; Qin, Y; Yang, X, iU. (2010). EFFECTS OF CARBON TETRACHLORIDE ON SOIL RESPIRATION, SOIL MICROBE AMOUNTS, WHEAT GERMINATION AND SEEDLING'S CHLOROPHYLL CONTENT. *Fresen Environ Bull.* 19: 653-657.
- Wang, C; Shao, M, in; Huang, D; Lu, S; Zeng, L; Hu, M, in; Zhang, Q. (2014). Estimating halocarbon emissions using measured ratio relative to tracers in China. *Atmos Environ.* 89: 816-826. <http://dx.doi.org/10.1016/j.atmosenv.2014.03.025>.
- Wang, C; Wang, Y; Yin, Q; Xu, Z; Bao, Y; Hou, B; Liu, W, ei; Hao, H. (2015). Solubilities of 3-Chlorophthalic Anhydride and 4-Chlorophthalic Anhydride in Different Pure Solvents. *Journal of Chemical and Engineering Data.* 60: 3053-3061. <http://dx.doi.org/10.1021/acs.jced.5b00526>.
- Wang, CY; Zhang, WY; Qian, YT. (2002). Preparation of nanocrystalline ceria in CCl₄. *Mater Sci Eng B.* 94: 170-175.
- Wang, F; Dai, H; Deng, J; Bai, G; Ji, K; Liu, Y. (2012). Manganese oxides with rod-, wire-, tube-, and flower-like morphologies: highly effective catalysts for the removal of toluene. *Environ Sci Technol.* 46: 4034-4041. <http://dx.doi.org/10.1021/es204038j>.
- Wang, F, uY; Zhu, ZH, ua; Rudolph, V. (2008). Molecular transport in nanopores with broad pore-size distribution. *AIChE J.* 54: 2009-2023. <http://dx.doi.org/10.1002/aic.11520>.
- Wang, H; Chen, H, ao; Xu, Z; Wang, S; Li, B; Li, Y, i. (2012). Control the Morphologies and the Pore Architectures of Mesoporous Silicas through a Dual-Templating Approach. *Journal of Nanomaterials.* <http://dx.doi.org/10.1155/2012/371289>.
- Wang, H; Gao, Q; Hu, J. (2010). Preparation of porous doped carbons and the high performance in electrochemical capacitors. *Microporous and Mesoporous Materials.* 131: 89-96. <http://dx.doi.org/10.1016/j.micromeso.2009.12.007>.
- Wang, H; Wang, LL; Sun, X; Zhu, JH; Liu, WB; Jiang, DS; Zhu, JJ; Zhao, DG; Liu, ZS; Wang, YT; Zhang, SM; Yang, H. (2009). Suppression of indium droplet formation by adding CCl₄ during metalorganic chemical vapor deposition growth of InN films. *Semiconductor Science and Technology.* 24. <http://dx.doi.org/10.1088/0268-1242/24/7/075004>.
- Wang, HX; Liu, F; Ng, TB. (2001). Examination of pineal indoles and 6-methoxy-2-benzoxazolinone for antioxidant and antimicrobial effects. *Comp Biochem Physiol C Toxicol Pharmacol.* 130: 379-388.
- Wang, J; Blowers, P; Farrell, J. (2004). Understanding reduction of carbon tetrachloride at nickel surfaces. *Environ Sci Technol.* 38: 1576-1581. <http://dx.doi.org/10.1021/es034877k>.
- Wang, J; Farrell, J. (2003). Investigating the role of atomic hydrogen on chloroethene reactions with iron using tafel analysis and electrochemical impedance spectroscopy. *Environ Sci Technol.* 37: 3891-3896. <http://dx.doi.org/10.1021/es0254605>.
- Wang, J; Fu, Z; Liu, G; Guo, N; Lu, H; Zhan, Y. (2013). Mediators-assisted reductive biotransformation of tetrabromobisphenol-A by *Shewanella* sp. XB. *Bioresour Technol.* 142: 192-197. <http://dx.doi.org/10.1016/j.biortech.2013.04.062>.
- Wang, J; Li, R; Guo, Y; Qin, P; Sun, S. (2006). Removal of methyl chloroform in a coastal salt marsh of eastern China. *Chemosphere.* 65: 1371-1380. <http://dx.doi.org/10.1016/j.chemosphere.2006.04.019>.
- Wang, J; Qin, P; Sun, S. (2007). The flux of chloroform and tetrachloromethane along an elevational gradient of a coastal salt marsh, East China. *Environ Pollut.* 148: 10-20. <http://dx.doi.org/10.1016/j.envpol.2006.11.016>.
- Wang, JJ; Lambers, ES; Pearton, SJ; Ostling, M; Zetterling, CM; Grow, JM; Ren, F; Shul, RJ. (1998). ICP etching of SiC. *Solid-State Electronics.* 42: 2283-2288.
- Wang, JL; Chew, C; Chen, SW; Kuo, SR. (2000). Concentration variability of anthropogenic halocarbons and applications as internal reference in volatile organic compound measurements. *Environ Sci Technol.* 34: 2243-2248.
- Wang, JL; Lin, WC; Chen, TY. (2000). Using atmospheric CCl₄ as an internal reference in gas standard preparation. *Atmos Environ.* 34: 4393-4398.
- Wang, JL; Zhao, DS; Li, KX. (2012). Extractive Desulfurization of Gasoline Using Ionic Liquid Based on CuCl. *Petroleum Science and Technology.* 30: 2417-2423. <http://dx.doi.org/10.1080/10916466.2010.518194>.
- Wang, L, ei; Liu, P; Chen, T. (2016). Glow Discharge Plasma Induced Dechlorination and Decomposition of Dichloromethane in an Aqueous Solution. *Plasma Chemistry and Plasma Processing.* 36: 615-626. <http://dx.doi.org/10.1007/s11090-015-9658-1>.
- Wang, L, i; Wu, J; Guo, Y, an; Gong, C; Song, Y. (2015). Topographic characterization of the self-assembled nanostructures of chitosan on mica surface by atomic force microscopy. *Appl Surf Sci.* 353: 757-763. <http://dx.doi.org/10.1016/j.apsusc.2015.06.193>.
- Wang, L; Wu, J; Wang, L, e; Guo, C; Xu, Y, ao. (2014). High-yield synthesis of uniform B, N-rich BN-C-x nanoplates in mild temperatures. *J Nanopart Res.* 16. <http://dx.doi.org/10.1007/s11051-014-2511-2>.
- Wang, LH; Tsai, BJ. (2000). The sintering and crystallization of colloidal silica gel. *Mater Lett.* 43: 309-314.
- Wang, ML; Liu, BL; Lin, SJ. (2007). Synthesis of an active quaternary phosphonium salt and its application to the Wittig reaction: Kinetic study. *Journal of the Chinese Institute of Chemical Engineers.* 38: 451-459. <http://dx.doi.org/10.1016/j.jcice.2007.08.005>.
- Wang, ML; Ou, CC; Jwo, JJ. (1998). Effect of the distribution of pyridine 1-oxide on its catalyzed two-phase reaction of benzoyl chloride and carboxylate ion. *Chemical Engineering Communications.* 165: 151-165.
- Wang, PF; Li, WN; Peng, B; Lu, M. (2012). Effect of dehydration techniques on the fluorescence spectral features and OH absorption of heavy metals containing fluoride tellurite glasses. *Journal of Non-Crystalline Solids.* 358: 788-793. <http://dx.doi.org/10.1016/j.jnoncrysol.2011.12.029>.

Exposure Literature Search Results

Off Topic

- Wang, R; Nakajima, T; Honma, T. (1999). Different change patterns of the isozymes of cytochrome P450 and glutathione S-transferases in chemically induced liver damage in rat. *Ind Health*. 37: 440-448.
- Wang, R; Zhang, Y; Lan, Q; Holford, TR; Leaderer, B; Zahm, SH; Boyle, P; Dosemeci, M; Rothman, N; Zhu, Y; Qin, Q; Zheng, T. (2009). Occupational exposure to solvents and risk of non-Hodgkin lymphoma in Connecticut women. *Am J Epidemiol*. 169: 176-185. <http://dx.doi.org/10.1093/aje/kwn300>.
- Wang, S; Li, QS; Li, YL. (2006). Solubility of D-p-hydroxyphenylglycine in water, methanol, ethanol, carbon tetrachloride, toluene, and N,N-dimethylformamide between 278 K and 323 K. *Journal of Chemical and Engineering Data*. 51: 2201-2202. <http://dx.doi.org/10.1021/je060300h>.
- Wang, SB; Murata, K; Hayakawa, T; Hamakawa, S; Suzuki, K. (2000). Oxidative dehydrogenation of ethane over alkali metal chloride modified silica catalysts. *Energy Fuels*. 14: 899-903.
- Wang, SH; Kao, MY; Wu, SC; Lo, DY; Wu, JY; Chang, JC; Chiou, RY. (2011). Oral administration of *Trapa taiwanensis* Nakai fruit skin extracts conferring hepatoprotection from CCl₄-caused injury. *J Agric Food Chem*. 59: 3686-3692. <http://dx.doi.org/10.1021/jf1048386>.
- Wang, W; Lu, XH; Qin, XJ; Zhang, XH; Xu, YQ. (2008). Solubility of pyoluteorin in water, dichloromethane, chloroform, and carbon tetrachloride from (278.2 to 333.2) K. *Journal of Chemical and Engineering Data*. 53: 2241-2243. <http://dx.doi.org/10.1021/je800369k>.
- Wang, W; Xiong, S; Chen, L; Xi, B; Zhou, H; Zhang, Z. (2006). Formation of flexible Ag/C coaxial nanocables through a novel solution process. *Cryst Growth Des*. 6: 2422-2426. <http://dx.doi.org/10.1021/cg060068b>.
- Wang, X; Chen, C; Chang, Y; Liu, H. (2009). Dechlorination of chlorinated methanes by Pd/Fe bimetallic nanoparticles. *J Hazard Mater*. 161: 815-823. <http://dx.doi.org/10.1016/j.jhazmat.2008.04.027>.
- Wang, X; Chen, C; Liu, H; Ma, J, un. (2008). Characterization and Evaluation of Catalytic Dechlorination Activity of Pd/Fe Bimetallic Nanoparticles. *Ind Eng Chem Res*. 47: 8645-8651. <http://dx.doi.org/10.1021/ie701762d>.
- Wang, X; Dossett, MP; Gordon, MP; Strand, SE. (2004). Fate of carbon tetrachloride during phytoremediation with poplar under controlled field conditions. *Environ Sci Technol*. 38: 5744-5749. <http://dx.doi.org/10.1021/es0499187>.
- Wang, X; Gong, G; Yang, W; Li, Y; Jiang, M; Li, L. (2013). Antifibrotic activity of galangin, a novel function evaluated in animal liver fibrosis model. *Environ Toxicol Pharmacol*. 36: 288-295. <http://dx.doi.org/10.1016/j.etap.2013.04.004>.
- Wang, X, iKui; Wei, Y, ueC; Wang, C; Guo, W, eiLin; Wang, J, inG; Jiang, J, ieX. (2011). Ultrasonic degradation of reactive brilliant red K-2BP in water with CCl₄ enhancement: Performance optimization and degradation mechanism. *Separation and Purification Technology*. 81: 69-76. <http://dx.doi.org/10.1016/j.seppur.2011.07.003>.
- Wang, Y, u; Jia, A, iPin; Luo, MF, ei; Lu, J, iQ. (2015). Highly active spinel type CoCr₂O₄ catalysts for dichloromethane oxidation. *Appl Catal B-Environ*. 165: 477-486. <http://dx.doi.org/10.1016/j.apcatb.2014.10.044>.
- Wang, Y; Wu, C; Wang, X; Zhou, S. (2009). The role of humic substances in the anaerobic reductive dechlorination of 2,4-dichlorophenoxyacetic acid by *Comamonas koreensis* strain CY01. *J Hazard Mater*. 164: 941-947. <http://dx.doi.org/10.1016/j.jhazmat.2008.08.097>.
- Wang, YF; Lee, WJ; Chen, CY; Wu, YPG; Chang-Chien, GP. (2000). Reaction mechanisms in both a CCl₂F₂/O-2/Ar and a CCl₂F₂/H-2/Ar RF plasma environment. *Plasma Chemistry and Plasma Processing*. 20: 469-494.
- Wang, YK; Tao, L; Chen, MJ; Li, FB. (2012). Effects of the Fell/Cull interaction on copper aging enhancement and pentachlorophenol reductive transformation in paddy soil. *J Agric Food Chem*. 60: 630-638. <http://dx.doi.org/10.1021/jf2040093>.
- Wang, ZC; Yang, S; Huang, JJ; Chen, SL; Li, QQ; Li, Y. (2014). Effect of Rougan Huaqian granules combined with human mesenchymal stem cell transplantation on liver fibrosis in cirrhosis rats. *Asian Pacific Journal of Tropical Medicine*. 7: 576-581. [http://dx.doi.org/10.1016/S1995-7645\(14\)60097-3](http://dx.doi.org/10.1016/S1995-7645(14)60097-3).
- Wangenheim, J; Bolcsfoldi, G. (1988). Mouse lymphoma L5178Y thymidine kinase locus assay of 50 compounds. *Mutagenesis*. 3: 193-205. <http://dx.doi.org/10.1093/mutage/3.3.193>.
- Warddrip, ML; Kappers, MJ; Li, L; Qi, H; Han, BK; Gan, S; Hicks, RF. (1997). Mechanism of doping gallium arsenide with carbon tetrachloride during organometallic vapor-phase epitaxy. *Journal of Electronic Materials*. 26: 1189-1193.
- Warren, KD; Arnold, RG; Bishop, TL; Lindholm, LC; Betterton, EA. (1995). KINETICS AND MECHANISM OF REDUCTIVE DEHALOGENATION OF CARBON TETRACHLORIDE USING ZERO-VALENCE METALS. *J Hazard Mater*. 41: 2-3.
- Warrington, JS; Poku, JW; von Moltke, LL; Shader, RI; Harmatz, JS; Greenblatt, DJ. (2000). Effects of age on in vitro midazolam biotransformation in male CD-1 mouse liver microsomes. *J Pharmacol Exp Ther*. 292: 1024-1031.
- Warrington, JS; Von Moltke, LL; Greenblatt, DJ. (2004). Age-related differences in CYP3A expression and activity in the rat liver, intestine and kidney. *J Pharmacol Exp Ther*. 309: 720-729. <http://dx.doi.org/10.1124/jpet.103.061077>.
- Watanabe, K; Hatakeyama, M; Ichiki, K; Satake, T; Kato, T; Nagai, K. (2001). Large-hole anode-type fast atom beam (LA-FAB) source and its application to high-aspect-ratio GaAs etching. *Appl Surf Sci*. 169: 603-606.
- Watanabe, K; Nakazawa, H; Matsui, Y. (2009). Allophane films formed at the liquid/liquid interface. *Appl Clay Sci*. 46: 330-332. <http://dx.doi.org/10.1016/j.clay.2009.08.027>.
- Watanabe, N; Nittono, T; Ito, H. (1994). PRECISE CONTROL OF LATTICE STRAIN IN CARBON-DOPED GAAS BY INDIUM CO-DOPING FOR RELIABLE ALGAAS/GAAS HETEROJUNCTION BIPOLAR-TRANSISTORS. *J Cryst Growth*. 145: 929-934.
- Watanabe, Y; Nakagawa, M; Miyakoshi, Y. (1997). Enhancement of lipid peroxidation in the liver of mice exposed to magnetic fields. *Ind Health*. 35: 285-290.
- Watkins, SP; Pitts, OJ; Dale, C; Xu, XG; Dvorak, MW; Matine, N; Bolognesi, CR. (2000). Heavily carbon-doped GaAsSb grown on InP for HBT applications. *J Cryst Growth*. 221: 59-65.
- Watkins, SP; Wiersma, RD; Wang, CX; Pitts, OJ; Bolognesi, CR. (2003). Structural effects of carbon in GaSb grown by metalorganic vapor phase epitaxy. *J Cryst Growth*. 248: 274-278.

Exposure Literature Search Results

Off Topic

- Watson, AJ; Liddicoat, MI. (1985). RECENT HISTORY OF ATMOSPHERIC TRACE GAS CONCENTRATIONS DEDUCED FROM MEASUREMENTS IN THE DEEP-SEA - APPLICATION TO SULFUR HEXA-FLUORIDE AND CARBON-TETRACHLORIDE. *Atmos Environ.* 19: 1477-1484.
- Watts, RJ; Finn, DD; Cutler, LM; Schmidt, JT; Teel, AL. (2007). Enhanced stability of hydrogen peroxide in the presence of subsurface solids. *J Contam Hydrol.* 91: 312-326. <http://dx.doi.org/10.1016/j.jconhyd.2006.11.004>.
- Watts, RJ; Howsawkung, J; Teel, AL. (2005). Destruction of a carbon tetrachloride dense nonaqueous phase liquid by modified Fenton's reagent. *J Environ Eng.* 131: 1114-1119. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:7\(1114\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:7(1114)).
- Watts, RJ; Sarasa, J; Loge, FJ; Teel, AL. (2005). Oxidative and reductive pathways in manganese-catalyzed Fenton's reactions. *J Environ Eng.* 131: 158-164. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:1\(158\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:1(158)).
- Wauthier, V; Verbeeck, RK; Caulderon, PB. (2004). Age-related changes in the protein and mRNA levels of CYP2E1 and CYP3A isoforms as well as in their hepatic activities in Wistar rats. What role for oxidative stress? *Arch Toxicol.* 78: 131-138. <http://dx.doi.org/10.1007/s00204-003-0526-z>.
- Weathers, LJ; Parkin, GF; Alvarez, PJ. (1997). Utilization of cathodic hydrogen as electron donor for chloroform cometabolism by a mixed, methanogenic culture. *Environ Sci Technol.* 31: 880-885.
- Webster, HF; Wightman, JP. (1991). EFFECTS OF OXYGEN AND AMMONIA PLASMA TREATMENT ON POLYPHENYLENE SULFIDE THIN-FILMS AND THEIR INTERACTION WITH EPOXY ADHESIVE. *J Adhes Sci Tech.* 5: 93-106.
- Wee, ATS; Huan, CHA; Tan, KL; Tan, RSK. (1994). AN INVESTIGATION OF THE AR+ ION-ENHANCED REACTION OF CCL4 ON SI(100) BY SECONDARY-ION MASS-SPECTROSCOPY. *Journal of Materials Science.* 29: 4037-4042.
- Weeks, LD; Zhu, L, inL; Pellon, M; Haines, DR; Arumainayagam, CR. (2007). Low-energy electron-induced oligomerization of condensed carbon tetrachloride. *J Phys Chem C.* 111: 4815-4822. <http://dx.doi.org/10.1021/jp068562d>.
- Wei, Y, uT; Wu, SC; Chou, CM; Che, CH; Tsai, SM, u; Lien, HL. (2010). Influence of nanoscale zero-valent iron on geochemical properties of groundwater and vinyl chloride degradation: A field case study. *Water Res.* 44: 131-140. <http://dx.doi.org/10.1016/j.watres.2009.09.012>.
- Wei, Y, uT; Wu, SC; Yang, S; Che, CH; Lien, HL; Huang, D, eH. (2012). Biodegradable surfactant stabilized nanoscale zero-valent iron for in situ treatment of vinyl chloride and 1,2-dichloroethane. *J Hazard Mater.* 211: 373-380. <http://dx.doi.org/10.1016/j.jhazmat.2011.11.018>.
- Wei, YF; Dang, LP; Zhang, XY; Cui, WM; Wei, HY. (2012). Solid-Liquid Phase Equilibrium and Solubility of Dibenzo[b,d]furan and 9H-Fluoren-9-one in Organic Solvents. *Journal of Chemical and Engineering Data.* 57: 1279-1287. <http://dx.doi.org/10.1021/je201282d>.
- Wei, YX; Li, ZE; Hu, YF; Xu, ZH. (2003). Inhibition of mouse liver lipid peroxidation by high molecular weight phlorotannins from *Sargassum kjellmanianum*. *J Appl Phycol.* 15: 507-511.
- Weigel, K; Riese, M; Hoffmann, L; Hofer, S; Kalicinsky, C; Knieling, P; Olschewski, F; Preusse, P; Spang, R; Stroh, F; Volk, CM. (2010). CRISTA-NF measurements during the AMMA-SCOUT-O3 aircraft campaign. *Atmos Meas Tech.* 3: 1437-1455. <http://dx.doi.org/10.5194/amt-3-1437-2010>.
- Wei-hua, Z; Xie, Q; Zhuo-yong, Z. (2007). Catalytic reductive dechlorination of p-chlorophenol in water using Ni/Fe nanoscale particles. *J Environ Sci.* 19: 362-366. [http://dx.doi.org/10.1016/S1001-0742\(07\)60060-6](http://dx.doi.org/10.1016/S1001-0742(07)60060-6).
- Weirong, J; Lempe, DA. (2006). Calculation of viscosities of liquid mixtures using Eyring's theory in combination with cubic equations of state. *Chinese Journal of Chemical Engineering.* 14: 770-779.
- Weisenstein, DK; Ko, MKW; Sze, ND. (1992). THE CHLORINE BUDGET OF THE PRESENT-DAY ATMOSPHERE - A MODELING STUDY. *J Geophys Res Atmos.* 97: 2547-2559.
- Weiss, A. (1996). Sources of airborne CCl4: Critical remarks (pp. 112-114). (ISSN 0944-1344; EISSN 1614-7499; BIOSIS/96/31124). Weiss, A.
- Welhouse, GJ; Bleam, WF. (1992). NMR SPECTROSCOPIC INVESTIGATION OF HYDROGEN-BONDING IN ATRAZINE. *Environ Sci Technol.* 26: 959-964.
- Welhouse, GJ; Bleam, WF. (1993). ATRAZINE HYDROGEN-BONDING POTENTIALS. *Environ Sci Technol.* 27: 494-500.
- Welhouse, GJ; Bleam, WF. (1993). COOPERATIVE HYDROGEN-BONDING OF ATRAZINE. *Environ Sci Technol.* 27: 500-505.
- Wen, Y; Zhao, J; Nirala, SK; Bhadauria, M. (2012). Aluminum-Induced Toxicity and Its Response to Combined Treatment of HEDTA and Propolis in Rats. *Pol J Environ Stud.* 21: 1437-1443.
- Weng, WL. (1999). Viscosities and densities for binary mixtures of anisole with 1-butanol, 1-pentanol, 1-hexanol, 1-heptanol, and 1-octanol. *Journal of Chemical and Engineering Data.* 44: 63-66.
- Wenger, AK; Farouk, B; Wittle, JK. (1999). Analysis of material recovery in plasma arc melting of solid wastes: A computational study. *J Air Waste Manag Assoc.* 49: 279-288.
- Wenying, X; Ping, L; Jinhong, F. (2008). Reduction of nitrobenzene by the catalyzed Fe/Cu process. *J Environ Sci.* 20: 915-921.
- Wen-ying, X; Ting-yao, G. (2007). Dechlorination of carbon tetrachloride by the catalyzed Fe-Cu process. *J Environ Sci.* 19: 792-799.
- West, GB; Woodruff, WH; Brown, JH. (2002). Allometric scaling of metabolic rate from molecules and mitochondria to cells and mammals. *Proc Natl Acad Sci USA.* 99: 2473-2478. <http://dx.doi.org/10.1073/pnas.012579799>.
- Weston, A; Murthy, M. (1996). Synthesis of fullerenes: An effort to optimize process parameters. *Carbon.* 34: 1267-1274.
- White, MA; Perry, RT. (1994). MELTING BEHAVIOR IN BINARY COMPOUNDS - INCLUSION-COMPOUNDS AS EXAMPLES OF CONGRUENT VS INCONGRUENT MELTING. *Chem Mater.* 6: 603-610.
- White, MD; Oostrom, M; Lenhard, RJ. (2004). A practical model for mobile, residual, and entrapped NAPL in water-wet porous media. *Ground Water.* 42: 734-746.
- White, MD; Oostrom, M; Rockhold, ML; Rosing, M. (2008). Scalable modeling of carbon tetrachloride migration at the hanford site using the STOMP simulator. *Vadose Zone Journal.* 7: 654-666. <http://dx.doi.org/10.2136/vzj2007.0070>.

Exposure Literature Search Results

Off Topic

- Whittaker, SG; Zimmermann, FK; Dicus, B; Piegorsch, WW; Fogel, S; Resnick, MA. (1989). Detection of induced mitotic chromosome loss in *Saccharomyces cerevisiae*--an interlaboratory study. *Mutat Res.* 224: 31-76.
- Wiersma, R; Stotz, JAH; Pitts, OJ; Wang, CX; Thewalt, MLW; Watkins, SP. (2001). P-type carbon doping of GaSb. *Journal of Electronic Materials.* 30: 1429-1432.
- Wilcosky, TC; Checkoway, H; Marshall, EG; Tyroler, HA. (1984). Cancer mortality and solvent exposures in the rubber industry. *Am Ind Hyg Assoc J.* 45: 809-811. <http://dx.doi.org/10.1080/15298668491400683>.
- Wilde, K. (1982). DESORPTION-KINETICS OF CARBON-TETRACHLORIDE FROM ACTIVATED CARBON - COMMENT. *Environ Sci Technol.* 16: 731-732.
- Will Castro, LSE, P; Gomes Castro, AJ; Nascimento Santos, M, daS; Pinheiro, T, deS; Florentin, K, deQ; Alves, LG; Soriano, EM; Araujo, RM; Leite, EL. (2016). Effect of galactofucan sulfate of a brown seaweed on induced hepatotoxicity in rats, sodium pentobarbital-induced sleep, and anti-inflammatory activity. *J Appl Phycol.* 28: 2005-2017. <http://dx.doi.org/10.1007/s10811-015-0698-y>.
- Will, O; Mahler, HC; Arrigo, AP; Epe, B. (1999). Influence of glutathione levels and heat shock on the steady state levels of oxidative DNA base modifications in mammalian cells. *Carcinogenesis.* 20: 333-337.
- Williams, AGB; Scherer, MM. (2004). Spectroscopic evidence for Fe(II)-Fe(III) electron transfer at the iron oxide-water interface. *Environ Sci Technol.* 38: 4782-4790. <http://dx.doi.org/10.1021/es049373g>.
- Wills, PJ; Asha, VV. (2012). *Lygodium flexuosum* extract down regulates the expression of proinflammatory cytokines in CCl4-induced hepatotoxicity. *Asian Pacific Journal of Tropical Medicine.* 5: 421-426. [http://dx.doi.org/10.1016/S1995-7645\(12\)60072-8](http://dx.doi.org/10.1016/S1995-7645(12)60072-8).
- Wilson, JG. (1954). Influence of the offspring of altered physiologic states during pregnancy in the rat. *Ann N Y Acad Sci.* 57: 517-525.
- Wilson, SC; Burnett, V; Waterhouse, KS; Jones, KC. (1994). Volatile organic compounds in digested United Kingdom sewage sludges. *Environ Sci Technol.* 28: 259-266. <http://dx.doi.org/10.1021/es00051a012>.
- Wiltowski, TS; Howerton, RD; Lalvani, SB; Zamansky, V. (2001). Photocatalytic oxidation of trichloroethylene and carbon tetrachloride using titanium dioxide filter as a catalyst. *Energy Sources.* 23: 845-852.
- Winchell, LJ; Novak, PJ. (2008). Enhancing polychlorinated biphenyl dechlorination in fresh water sediment with biostimulation and bioaugmentation. *Chemosphere.* 71: 176-182. <http://dx.doi.org/10.1016/j.chemosphere.2007.10.021>.
- Winkelmann, K; Calhoun, RL; Mills, G. (2012). Effects of Periodic Illumination and Aqueous/Organic Interfacial Surface Area on Chain Propagation of CCl3F Reduction. *J Phys Chem C.* 116: 2829-2837. <http://dx.doi.org/10.1021/jp205543a>.
- Wisniak, J. (1983). ENTHALPY CONCENTRATION DATA FOR THE SYSTEMS CARBON TETRACHLORIDE-XYLENE. 21: 105-108.
- Wisniak, J; Tamir, A. (1975). VAPOR-LIQUID-EQUILIBRIA IN SYSTEM CARBON TETRACHLORIDE ACETIC ACID. *Journal of Chemical and Engineering Data.* 20: 168-170.
- Witt, ME; Dybas, MJ; Wiggert, DC; Criddle, CS. (1999). Use of bioaugmentation for continuous removal of carbon tetrachloride in model aquifer columns. *Environ Eng Sci.* 16: 475-485.
- Witt, ME; Dybas, MJ; Worden, RM; Criddle, CS. (1999). Motility-enhanced bioremediation of carbon tetrachloride-contaminated aquifer sediments. *Environ Sci Technol.* 33: 2958-2964.
- Wolf, CR; Mansuy, D; Nastainczyk, W; Deutschmann, G; Ullrich, V. (1977). The reduction of polyhalogenated methanes by liver microsomal cytochrome P450. *Mol Pharmacol.* 13: 698-705.
- Wolff, HA; Rolke, D; Rave-Fränk, M; Schirmer, M; Eichelner, W; Doerfler, A; Hille, A; Hess, CF; Matthias, C; Rödel, RM; Christiansen, H. (2011). Analysis of chemokine and chemokine receptor expression in squamous cell carcinoma of the head and neck (SCCHN) cell lines. *Radiat Environ Biophys.* 50: 145-154. <http://dx.doi.org/10.1007/s00411-010-0341-x>.
- Won, YS, oo. (2007). Thermal stability and reaction mechanism of chloromethanes in excess hydrogen atmosphere. *J Ind Eng Chem.* 13: 400-405.
- Won, YS, oo. (2012). Comparison for thermal decomposition and product distribution of chloroform under each argon and hydrogen reaction atmosphere. *Korean J Chem Eng.* 29: 1745-1751. <http://dx.doi.org/10.1007/s11814-012-0086-0>.
- Won, YS; Bozzelli, JW. (1992). CHLOROFORM PYROLYSIS - EXPERIMENT AND DETAILED REACTION MODEL. *Combust Sci Tech.* 85: 345-373.
- Wong, CK; Ooi, VEC; Ang, PO. (2000). Protective effects of seaweeds against liver injury caused by carbon tetrachloride in rats. *Chemosphere.* 41: 173-176.
- Wong, CK; Ooi, VEC; Ang, PO. (2004). Hepatoprotective effect of seaweeds' methanol extract against carbon tetrachloride-induced poisoning in rats. *Hydrobiologia.* 512: 267-270.
- Wong, CK; Ooi, VEC; Wong, CK. (2003). Protective effects of N-acetylcysteine against carbon tetrachloride- and trichloroethylene-induced poisoning in rats. *Environ Toxicol Pharmacol.* 14: 109-116. [http://dx.doi.org/10.1016/S1382-6689\(03\)00045-0](http://dx.doi.org/10.1016/S1382-6689(03)00045-0).
- Wood, GO; Moyer, ES. (1991). A Review and Comparison of Adsorption Isotherm Equations Used to Correlate and Predict Organic Vapor Cartridge Capacities. *Am Ind Hyg Assoc J.* 52: 235-242.
- Workman, DJ; Woods, SL; Gorby, YA; Fredrickson, JK; Truex, MJ. (1997). Microbial reduction of vitamin B-12 by *Shewanella* alga strain BrY with subsequent transformation of carbon tetrachloride. *Environ Sci Technol.* 31: 2292-2297.
- Wright, H; Ramkrishna, D. (1994). FACTORS AFFECTING COALESCENCE FREQUENCY OF DROPLETS IN A STIRRED LIQUID-LIQUID DISPERSION. *AIChE J.* 40: 767-776.
- Wu, B; Li, Y; Li, X; Zhu, J. (2015). Distribution and Identification of Chlorides in Distillates from YS Crude Oil. *Energy Fuels.* 29: 1391-1396. <http://dx.doi.org/10.1021/ef502450w>.
- Wu, CD; Liu, XH; Fan, JC; Wang, LS. (2001). Ultrasonic destruction of chloroform and carbon tetrachloride in aqueous solution. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 36: 947-955.
- Wu, D; Shao, B; Feng, Y; Ma, L. (2015). Effects of Cu²⁺, Ag⁺, and Pd²⁺ on the reductive debromination of 2,5-dibromoaniline by the ferrous hydroxy complex. *Environ Technol.* 36: 901-908. <http://dx.doi.org/10.1080/09593330.2014.966766>.

Exposure Literature Search Results

Off Topic

- Wu, D; Wang, Z; Wang, HW, u; Fan, J; Ma, L, uM. (2009). EFFECT OF Cu ON THE REDUCTIVE DECHLORINATION OF CHLORINATED HYDROCARBONS IN WATER BY SCRAP-IRON. *Fresen Environ Bull.* 18: 423-428.
- Wu, G; Gao, F; Kaltchev, M; Gutow, J; Mowlem, JK; Schramm, WC; Kotvis, PV; Tysoe, WT. (2002). An investigation of the tribological properties of thin KCl films on iron in ultrahigh vacuum: modeling the extreme-pressure lubricating interface. *Wear.* 252: 595-606.
- Wu, HM; Mcbride, TJ; Isanhart, JP; Cox, SB; Hooper, MJ. (2009). Responses of glutamate cysteine ligase and glutathione to oxidants in deer mice (*Peromyscus maniculatus*). *Ecotoxicol Environ Saf.* 72: 1572-1578. <http://dx.doi.org/10.1016/j.ecoenv.2009.02.008>.
- Wu, J; Yin, W; Gu, J; Li, P; Wang, X; Yang, B, o. (2013). A biotic Fe-0-H₂O system for nitrobenzene removal from groundwater. *Chem Eng J.* 226: 14-21. <http://dx.doi.org/10.1016/j.cej.2013.04.021>.
- Wu, JF; Ma, L; Zhao, HY; Wang, ZJ. (2002). The separation of chloromethane mixtures and the recovery of dichloromethane, chloroform and carbon tetrachloride by activated carbon fibre. *AST.* 20: 169-177.
- Wu, JJ; Ku, CH; Wong, TC; Wu, CT; Chen, KH; Chen, LC. (2005). Growth of nanocrystalline diamond films in CCl₄/H₂ ambient. *Thin Solid Films.* 473: 24-30. <http://dx.doi.org/10.1016/j.tsf.2004.06.152>.
- Wu, JM; Huang, HS; Livengood, CD. (1992). ULTRASONIC DESTRUCTION OF CHLORINATED COMPOUNDS IN AQUEOUS-SOLUTION. *Environmental Progress.* 11: 195-201.
- Wu, L; Shamsuzzoha, M; Ritchie, SMC. (2005). Preparation of cellulose acetate supported zero-valent iron nanoparticles for the dechlorination of trichloroethylene in water. *J Nanopart Res.* 7: 469-476. <http://dx.doi.org/10.1007/s11051-005-4271-5>.
- Wu, S; Shen, X; Ji, Z; Zhu, G; Zhou, H, u; Zang, H; Yu, T; Chen, C; Song, C; Feng, L; Zhao, M, i; Chen, K. (2017). Morphological syntheses and photocatalytic properties of well-defined sub-100 nm Ag/AgCl nanocrystals by a facile solution approach. *J Alloy Comp.* 693: 132-140. <http://dx.doi.org/10.1016/j.jallcom.2016.09.162>.
- Wu, X; Gu, X; Lu, S; Qiu, Z; Sui, Q; Zang, X; Miao, Z; Xu, M; Danish, M. (2016). Accelerated degradation of tetrachloroethylene by Fe(II) activated persulfate process with hydroxylamine for enhancing Fe(II) regeneration. *J Chem Tech Biotechnol.* 91: 1280-1289. <http://dx.doi.org/10.1002/jctb.4718>.
- Wu, X; Gu, X; Lu, S; Xu, M; Zang, X; Miao, Z; Qiu, Z; Sui, Q. (2014). Degradation of trichloroethylene in aqueous solution by persulfate activated with citric acid chelated ferrous ion. *Chem Eng J.* 255: 585-592. <http://dx.doi.org/10.1016/j.cej.2014.06.085>.
- Wu, X; Letuchy, YA; Eyman, DP. (1996). Catalytic hydrodechlorination of CCl₄ over silica-supported PdCl₂-containing molten salt catalysts: The promotional effects of CoCl₂ and CuCl₂. *J Catal.* 161: 164-177.
- Wu, X; Lu, S; Qiu, Z; Sui, Q; Lin, K; Du, X; Luo, Q. (2014). The reductive degradation of 1,1,1-trichloroethane by Fe(0) in a soil slurry system. *Environ Sci Pollut Res Int.* 21: 1401-1410. <http://dx.doi.org/10.1007/s11356-013-2029-7>.
- Wu, Y, aD; He, J; Huang, Y, uD; Tang, F, ei; Wang, F. (2012). Investigation on Degradation and Stability of Oxidized Regenerated Cellulose. *Fibers and Polymers.* 13: 582-586. <http://dx.doi.org/10.1007/s12221-012-0582-1>.
- Wu, Y, aD; He, J; Huang, Y, uD; Wang, F; Tang, F, ei. (2012). Oxidation of Regenerated Cellulose with Nitrogen Dioxide/Carbon Tetrachloride. *Fibers and Polymers.* 13: 576-581. <http://dx.doi.org/10.1007/s12221-012-0576-z>.
- Wu, Y; Liu, Y; Ding, XM; Obbard, EG; Wang, XZ; Ding, HJ; Hou, XY; Li, XB. (2004). Passivation of GaAs field-effect transistors in diluted S₂Cl₂ solution. *Appl Surf Sci.* 228: 5-9. <http://dx.doi.org/10.1016/j.apsusc.2004.01.037>.
- Wu, Y; Ma, C. (2011). Remediation technology of groundwater contaminated by perchloroethylene. *Int J Environ Pollut.* 45: 176-185.
- Wu, Y; Wang, SC; Jin, MR; Yang, XY. (2001). Poly(acrylate-co-acrylic acid)/polysulfone composite membranes for pervaporation of volatile organic compounds from water. *Separation Science and Technology.* 36: 3529-3540.
- Wu, YP; Won, YS. (2000). Pyrolysis of chloromethanes. *Combust Flame.* 122: 312-326.
- Wu, YPG; Lin, YF. (2004). The oxidation of trichloroethene with methane: Experiment and kinetic modeling. *Combust Flame.* 137: 376-402. <http://dx.doi.org/10.1016/j.combustflame.2004.03.002>.
- Wu, Z, hiLin; Ondruschka, B; Braeutigam, P. (2007). Degradation of chlorocarbons driven by hydrodynamic cavitation. *Chem Eng Tech.* 30: 642-648. <http://dx.doi.org/10.1002/ceat.200600288>.
- Wu, ZL; Gao, X; Luo, ZY; Ni, MJ; Cen, KF. (2004). Decomposition characteristics of toluene by a corona radical shower system. *J Environ Sci.* 16: 543-547.
- Wyrebowska, J; Jerzykowski, T. (1980). SOME PROPERTIES OF AMINOPROPANOL DEHYDROGENASE IN RAT SERUM STUDIED IN NORMAL CONDITIONS AND IN ACUTE CARBON-TETRACHLORIDE POISONING. *J Toxicol Environ Health.* 6: 613-620.
- Xia, D; Liu, B; Xin, W; Liu, T; Sun, J; Liu, N; Qin, S; Du, Z. (2016). Protective effects of C-phycocyanin on alcohol-induced subacute liver injury in mice. *J Appl Phycol.* 28: 765-772. <http://dx.doi.org/10.1007/s10811-015-0677-3>.
- Xiang, BS; Kevan, L. (1995). EFFECTS OF CHLOROMETHANES ON THE PHOTOIONIZATION OF METHYLPHENOTHIAZINE IN SILICA-GELS AT ROOM-TEMPERATURE. *Langmuir.* 11: 860-863.
- Xiao, JB, o; Yang, CS; Ren, F, enL; Jiang, X, inYu; Xu, M. (2007). Rapid determination of ciprofloxacin lactate in drugs by the Rayleigh light scattering technique. *Meas Sci Technol.* 18: 859-866. <http://dx.doi.org/10.1088/0957-0233/18/3/039>.
- Xiao, X; Jiang, J; Zhang, L. (2013). Selective oxidation of benzyl alcohol into benzaldehyde over semiconductors under visible light: The case of Bi(12)O(17)Cl(2) nanobelts. *Appl Catal B-Environ.* 142-143 (Nov 2013): 487-493. <http://dx.doi.org/10.1016/j.apcatb.2013.05.047>.
- Xie, L; Shang, C. (2006). Effects of copper and palladium on the reduction of bromate by Fe(0). *Chemosphere.* 64: 919-930. <http://dx.doi.org/10.1016/j.chemosphere.2006.01.042>.
- Xie, MX; Yang, XJ; Wang, QC; Zhi, JF. (1995). STUDIES ON ORGANOMETALLIC COMPOUNDS BY FT-IR. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxicol.* 30: 1569-1576.
- Xie, SM; Wan, PY; Feitz, AJ; Guan, J; Yang, XB; Liu, XG. (2004). Dechlorination of chlorinated aliphatic compounds by micro-scale Al-Zn-Mg/Fe powders as advanced zero-valent iron. *Chinese Journal of Chemical Engineering.* 12: 716-718.

Exposure Literature Search Results

Off Topic

- Xie, Y; Cwiertny, DM. (2013). Chlorinated Solvent Transformation by Palladized Zerovalent Iron: Mechanistic Insights from Reductant Loading Studies and Solvent Kinetic Isotope Effects. *Environ Sci Technol.* 47: 7940-7948. <http://dx.doi.org/10.1021/es401481a>.
- Xie, Y; Dong, H; Zeng, G; Tang, L; Jiang, Z; Zhang, C; Deng, J; Zhang, L; Zhang, Y. (2017). The interactions between nanoscale zero-valent iron and microbes in the subsurface environment: A review [Review]. *J Hazard Mater.* 321: 390-407. <http://dx.doi.org/10.1016/j.jhazmat.2016.09.028>.
- Xieqi, M; Cicek, B; Senkan, SM. (1993). CHEMICAL STRUCTURES OF FUEL-RICH AND FUEL-LEAN FLAMES OF CCL4/CH4 MIXTURES. *Combust Flame.* 94: 131-145.
- Xing, C; Guan, J; Li, Y; Li, J. (2014). Effect of a room-temperature ionic liquid on the structure and properties of electrospun poly(vinylidene fluoride) nanofibers. 6: 4447-4457. <http://dx.doi.org/10.1021/am500061v>.
- Xing, P, fei; Guo, J; Zhuang, Y, anxin; Li, F; Tu, G, anF. (2013). Rapid recovery of polycrystalline silicon from kerf loss slurry using double-layer organic solvent sedimentation method. *International Journal of Minerals, Metallurgy, and Materials.* 20: 947-952. <http://dx.doi.org/10.1007/s12613-013-0819-z>.
- Xing, S; Zhao, G; Yuan, Y. (2008). Preparation of polyaniline-polypyrrole composite sub-micro fibers via interfacial polymerization. *Polymer Composites.* 29: 22-26. <http://dx.doi.org/10.1002/pc.20344>.
- Xingyuan, N; Yang, L; Zhihua, Z; Jun, S; Bin, Z; Guangming, W. (2010). Surface Modification and Adsorption Properties of SiO₂ Nanoporous Aerogels. 39: 22-25.
- Xu, C; Liu, R; Chen, L; Tang, J. (2016). Enhanced dechlorination of 2,4-dichlorophenol by recoverable Ni/Fe-Fe₃O₄ nanocomposites. *J Environ Sci.* 48: 92-101. <http://dx.doi.org/10.1016/j.jes.2015.10.033>.
- Xu, H, ui; Zhang, B, in; Yang, Z; Yao, G; Zhao, H. (2014). Solubility of Dichloronitrobenzene in Eight Organic Solvents from T = (278.15 to 303.15) K: Measurement and Thermodynamic Modeling. *Journal of Chemical and Engineering Data.* 59: 1281-1287. <http://dx.doi.org/10.1021/je401044h>.
- Xu, J; Dozier, A; Bhattacharyya, D. (2005). Synthesis of nanoscale bimetallic particles in polyelectrolyte membrane matrix for reductive transformation of halogenated organic compounds. *J Nanopart Res.* 7: 449-467. <http://dx.doi.org/10.1007/s11051-005-4273-3>.
- Xu, J; Szyszkowicz, M; Jovic, B; Cakmak, S; Austin, CC; Zhu, J. (2016). Estimation of indoor and outdoor ratios of selected volatile organic compounds in Canada. *Atmos Environ.* 141: 523-531. <http://dx.doi.org/10.1016/j.atmosenv.2016.07.031>.
- Xu, J, ie; Wu, F, ei; Wu, H, aiTao; Xue, B; Li, YX, in; Cao, Y. (2014). Three-dimensional ordered mesoporous carbon nitride with large mesopores: Synthesis and application towards base catalysis. *Microporous and Mesoporous Materials.* 198: 223-229. <http://dx.doi.org/10.1016/j.micromeso.2014.07.042>.
- Xu, JY; Su, YY; Cheng, J, inS; Li, S, huXia; Liu, R; Li, W, enXin; Xu, G, uoT; Li, QN. (2010). Protective effects of fullerene on carbon tetrachloride-induced acute hepatotoxicity and nephrotoxicity in rats. *Carbon.* 48: 1388-1396. <http://dx.doi.org/10.1016/j.carbon.2009.12.029>.
- Xu, M; Gu, X; Lu, S; Miao, Z; Zang, X; Wu, X; Qiu, Z; Sui, Q. (2016). Degradation of carbon tetrachloride in thermally activated persulfate system in the presence of formic acid. 10: 438-446. <http://dx.doi.org/10.1007/s11783-015-0798-6>.
- Xu, M; Gu, X; Lu, S; Qiu, Z; Sui, Q. (2014). Role of Reactive Oxygen Species for 1,1,1-Trichloroethane Degradation in a Thermally Activated Persulfate System. *Ind Eng Chem Res.* 53: 1056-1063. <http://dx.doi.org/10.1021/ie403689d>.
- Xu, M; Gu, X; Lu, S; Qiu, Z; Sui, Q; Miao, Z; Zang, X; Wu, X. (2015). Degradation of carbon tetrachloride in aqueous solution in the thermally activated persulfate system. *J Hazard Mater.* 286: 7-14. <http://dx.doi.org/10.1016/j.jhazmat.2014.12.031>.
- Xu, N; Lu, XP; Wang, YR. (2006). Study on ultrasonic degradation of pentachlorophenol solution. *Chemical and Biochemical Engineering Quarterly.* 20: 343-347.
- Xu, NP; Yao, JM; Wang, YR; Shi, J; Lu, BCY. (1991). VAPOR-LIQUID-EQUILIBRIA OF 5 BINARY-SYSTEMS CONTAINING R-22. *Fluid Phase Equilibria.* 69: 261-270.
- Xu, S; Roy, S; Ben, T; Pei, C; Qiu, S. (2015). Enhanced recognition of a nitrogen containing organic compound by adjusting the acidity of the porous organic frameworks base (JUC-Z2). 3: 2628-2633. <http://dx.doi.org/10.1039/c4ta05640j>.
- Xu, T, jun; Cheng, Y, zhi; Shi, G, e; Wang, R, ixin. (2011). Molecular cloning, characterization, and expression analysis of a disease-resistance related CC chemokine gene in miiuy croaker (*Miichthys miiuy*). *Aquaculture.* 318: 25-32. <http://dx.doi.org/10.1016/j.aquaculture.2011.04.034>.
- Xu, X; Zhu, T. (2002). Solvent extraction of alkaline earth metals with alkylphosphorus acids. *Chinese Journal of Chemical Engineering.* 10: 25-32.
- Xu, Y; He, Y; Feng, X; Liang, L; Xu, J; Brookes, PC; Wu, J. (2014). Enhanced abiotic and biotic contributions to dechlorination of pentachlorophenol during Fe(III) reduction by an iron-reducing bacterium *Clostridium beijerinckii* Z. *Sci Total Environ.* 473-474: 215-223. <http://dx.doi.org/10.1016/j.scitotenv.2013.12.022>.
- Xuan, XL; Li, XZ; Wang, C; Liu, H. (2010). Effects of key reaction parameters on the reductive dechlorination of chloroform with Pd/Fe₀ bimetal in aqueous solution. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 45: 464-470. <http://dx.doi.org/10.1080/10934520903538608>.
- Xue, JL; Liu, GM, in; Zhao, DF; Li, J, inCZi; Su, X, uD. (2013). Inhibition effects of pentachlorophenol (PCP) on anaerobic digestion system. *Desalination and Water Treatment.* 51: 5892-5897. <http://dx.doi.org/10.1080/19443994.2013.803704>.
- Xue, L; Wang, T; Simpson, IJ; Ding, A; Gao, J; Blake, DR; Wang, X; Wang, W; Lei, H; Jin, D. (2011). Vertical distributions of non-methane hydrocarbons and halocarbons in the lower troposphere over northeast China. *Atmos Environ.* 45: 6501-6509. <http://dx.doi.org/10.1016/j.atmosenv.2011.08.072>.
- Yaftian, MR; Zamani, AA; Parinejad, M; Shams, E. (2005). Ion-pair extraction of cadmium complex anions from hydrochloric acid media using oxonium ion-dicyclohexyl-18-crown-6 complex. *Separation and Purification Technology.* 42: 175-180. <http://dx.doi.org/10.1016/j.seppur.2004.07.011>.

Exposure Literature Search Results

Off Topic

- Yaftian, MR; Zamani, AA; Rostamnia, S. (2006). Thorium(IV) ion-selective transport through a bulk liquid membrane containing 2-thenoyltrifluoroacetone as extractant-carrier. *Separation and Purification Technology*. 49: 71-75. <http://dx.doi.org/10.1016/j.seppur.2005.08.009>.
- Yahiaoui, A; Gonzalez, JA; Aitkaci, A; Jose, J; Kehiaian, HV. (1994). ISOTHERMAL VAPOR LIQUID EQUILIBRIA FOR THE 2-BUTANONE PLUS BENZENE PLUS N-OCTANE SYSTEM. *Fluid Phase Equilibria*. 98: 179-187.
- Yakupov, MZ; Shishlov, NM; Shereshovets, VV; Imashev, UB. (2001). Radical formation in liquid phase oxidation of organic sulfides and disulfides with chlorine dioxide. *Petroleum Chemistry*. 41: 48-49.
- Yamada, E; Wakabayashi, K; Koshi, M. (2008). Experimental and numerical analyses of carbon tetrachloride under laser-driven shock compression. *Science and Technology of Energetic Materials*. 69: 71-75.
- Yamada, M; Honda, N; Takasugi, R; Sekine, T. (1999). Rate of solvent extraction of chromium(III) in aqueous solutions with 2-thenoyltrifluoroacetone into chloroform. 6: 41-50.
- Yamada, N; Imai, T; Koyama, E. (2001). Lyotropic aggregate of tripeptide derivatives within organic solvents: Relationship between interpeptide hydrogen bonding and packing arrangements of components. *Langmuir*. 17: 961-963.
- Yamagishi, S; Takahashi, Y. (1991). FURTHER STUDY ON SINTERING BEHAVIOR OF SOL-GEL THO₂ MICROSPHERES. *J Nucl Mater*. 182: 195-202.
- Yamamoto, T; Mizuno, K; Tamori, I; Ogata, A; Nifuku, M; Michalska, M; Prieto, G. (1996). Catalysis-assisted plasma technology for carbon tetrachloride destruction. *I E E Transactions on Industry Applications*. 32: 100-105.
- Yamamoto, Y; Tagawa, S. (2001). Radiolytic and thermal dechlorination of organic chlorides adsorbed on molecular sieve 13X. *Environ Sci Technol*. 35: 2122-2127.
- Yamamura, S; Watanabe, M; Kanzaki, M; Soda, S; Ike, M. (2008). Removal of arsenic from contaminated soils by microbial reduction of arsenate and quinone. *Environ Sci Technol*. 42: 6154-6159. <http://dx.doi.org/10.1021/es703146f>.
- Yamazaki, K; Ohyama, H; Kurata, K; Wakabayashi, T. (1993). EFFECTS OF DIETARY VITAMIN-E ON CLINICAL COURSE AND PLASMA GLUTAMIC OXALOACETIC TRANSAMINASE AND GLUTAMIC PYRUVIC TRANSAMINASE ACTIVITIES IN HEREDITARY HEPATITIS OF LEC RATS. *Lab Anim Sci*. 43: 61-67.
- Yamini, Y; Chaloosi, M; Ebrahimzadeh, H. (2002). Highly selective and efficient transport of bismuth in bulk liquid membranes containing Cyanex 301. *Separation and Purification Technology*. 28: 43-51.
- Yampolskii, Y; Ovsepian, R. (1991). PERMEATION OF CHLOROMETHANES IN COPOLYMERS OF CHLOROPRENE WITH METHYL-METHACRYLATE AND METHACRYLIC-ACID. *J Memb Sci*. 55: 239-255.
- Yan, C; Wei, Q; Liu, Y, u. (2015). Separation and Analysis of Organic Compounds in Water Soluble Fraction of Bio-Oil. *Journal of Computational and Theoretical Nanoscience*. 12: 2964-2968. <http://dx.doi.org/10.1166/jctn.2015.4207>.
- Yan, J; Luo, X; Wang, W; Chen, F; Toussaint, R; Schmittbuhl, J; Vasseur, G, uy; Zhang, L. (2012). Testing oil saturation distribution in migration paths using MRI. *Journal of Petroleum Science and Engineering*. 86-87: 237-245. <http://dx.doi.org/10.1016/j.petrol.2012.03.027>.
- Yan, J; Şimşir, B; Farmer, AT; Bi, M; Yang, Y; Campagna, SR; Löffler, FE. (2016). The corrinoid cofactor of reductive dehalogenases affects dechlorination rates and extents in organohalide-respiring *Dehalococcoides mccartyi*. *ISME J*. 10: 1092-1101. <http://dx.doi.org/10.1038/ismej.2015.197>.
- Yan, NQ; Zhao, YF; Dan, W; Jia, JP; Wang, WB; Yao, SD. (2004). Degradation of dodecanethiol in dodecane by gamma-irradiation and improvement by sensitization. *Fuel Process Tech*. 85: 1393-1402. <http://dx.doi.org/10.1016/j.fuproc.2004.09.001>.
- Yan, Y; Peng, L; Cheng, N; Bai, H; Mu, L. (2015). Health risk assessment of toxic VOCs species for the coal fire well drillers. *Environ Sci Pollut Res Int*. 22: 15132-15144. <http://dx.doi.org/10.1007/s11356-015-4729-7>.
- Yan, YE; Schwartz, FW. (1999). Oxidative degradation and kinetics of chlorinated ethylenes by potassium permanganate. *J Contam Hydrol*. 37: 3-4.
- Yang, CH; Ting, WJ; Shen, CY; Hsu, HH; Lin, YM; Kuo, CH; Tsai, FJ; Tsai, CH; Tsai, Y; Huang, CY. (2016). Anti-apoptotic effect of San Huang Shel Shin Tang cyclodextrin complex (SHSSTc) on CCl₄-induced hepatotoxicity in rats. *Environ Toxicol*. 31: 663-670. <http://dx.doi.org/10.1002/tox.22078>.
- Yang, F; Liu, R; Tan, Z; Wen, X; Zheng, C; Lv, Y. (2010). Sensitive determination of mercury by a miniaturized spectrophotometer after in situ single-drop microextraction. *J Hazard Mater*. 183: 549-553. <http://dx.doi.org/10.1016/j.jhazmat.2010.07.059>.
- Yang, GF; Zhang, QY; Zhao, SY; Deng, ZD; Yang, ZM; Jiang, ZH. (2006). Dehydration of Er³⁺-doped phosphate glasses using reactive agent bubble flow method. *Journal of Non-Crystalline Solids*. 352: 827-831. <http://dx.doi.org/10.1016/j.jnoncrysol.2006.01.020>.
- Yang, GF; Zhao, SY; Deng, ZD; Sun, JS; Jiang, ZH. (2005). Removal of OH groups in Er³⁺-doped phosphate glasses by reaction atmosphere process. *Wuji Cailiao Xuebao*. 20: 1083-1088.
- Yang, H, eeC; Cho, YJ; Eun, H, eeC; Kim, EH, o. (2007). Destruction of chlorinated organic solvents in a two-stage molten salt oxidation reactor system. *Chem Eng Sci*. 62: 5137-5143. <http://dx.doi.org/10.1016/j.ces.2007.01.055>.
- Yang, HC; Cho, YJ; Eun, HC; Kim, EH. (2008). Destruction of chlorobenzene and carbon tetrachloride in a two-stage molten salt oxidation reactor system. *Chemosphere*. 73: S311-S315. <http://dx.doi.org/10.1016/j.chemosphere.2008.03.045>.
- Yang, J; Wang, K; Zhao, Q; Huang, L; Yuan, CS; Chen, WH; Yang, WB. (2014). Underestimated public health risks caused by overestimated VOC removal in wastewater treatment processes. *Environ Sci Process Impacts*. 16: 271-279. <http://dx.doi.org/10.1039/c3em00487b>.
- Yang, LW; Wright, PD; Brusenback, PR; Ko, SK; Kaleta, A. (1991). MILLIMETER-WAVE PERFORMANCE OF CARBON-DOPED-BASE ALGAAS/GAAS HBTs. *Electronics Letters*. 27: 1145-1147.
- Yang, Q; Scott, D; Chung, T; Stillman, GE. (2000). Optimization of emitter cap growth conditions for InGaP/GaAs HBTs with high current gain by LP-MOCVD. *Journal of Electronic Materials*. 29: 75-79.

Exposure Literature Search Results

Off Topic

- Yang, QY; Zhong, CL. (2005). Atomistic molecular dynamics simulation of liquid carbon tetrachloride confined in pillared pore materials. *Chem Eng Sci.* 60: 767-775. <http://dx.doi.org/10.1016/j.ces.2004.09.002>.
- Yang, RS; El-Masri, HA; Thomas, RS; Dobrev, ID; Dennison, JE; Bae, DS; Campain, JA; Liao, KH; Reisfeld, B; Andersen, ME; Mumtaz, M. (2004). Chemical mixture toxicology: from descriptive to mechanistic, and going on to in silico toxicology. *Environ Toxicol Pharmacol.* 18: 65-81. <http://dx.doi.org/10.1016/j.etap.2004.01.015>.
- Yang, RSH. (1998). Some critical issues and concerns related to research advances on the toxicology of chemical mixtures. *Environ Health Perspect.* 106: 1059-1063. <http://dx.doi.org/10.2307/3434152>.
- Yang, WH; Cenkowski, S. (1993). DIFFUSION OF SUGAR IN MICROWAVE DENATURED SUGAR-BEET TISSUES. *Trans ASAE.* 36: 1185-1188.
- Yang, X; Li, Y, an; Lu, A; Yan, Y; Wang, C; Wong, P, oK. (2011). Photocatalytic reduction of carbon tetrachloride by natural sphalerite under visible light irradiation. *Solar Energy Materials and Solar Cells.* 95: 1915-1921. <http://dx.doi.org/10.1016/j.solmat.2011.02.020>.
- Yang, Z; Du, M; Jiang, J. (2016). Reducing capacities and redox potentials of humic substances extracted from sewage sludge. *Chemosphere.* 144: 902-908. <http://dx.doi.org/10.1016/j.chemosphere.2015.09.037>.
- Yao, M; Wang, L, in; Hu, X, in; Hu, G; Luo, M; Fan, M. (2015). Synthesis of nitrogen-doped carbon with three-dimensional mesostructures for CO₂ capture. *Journal of Materials Science.* 50: 1221-1227. <http://dx.doi.org/10.1007/s10853-014-8678-1>.
- Yasutake, A; Adachi, T; Suda, I; Hirayama, K. (1993). EFFECT OF FE-OVERLOAD ON THE BIOTRANSFORMATION OF METHYLMERCURY IN RAT. *JTTHE.* 39: 106-113.
- Ye, JC; Chiu, PC. (2006). Transport of atomic hydrogen through graphite and its reaction with azoaromatic compounds. *Environ Sci Technol.* 40: 3959-3964. <http://dx.doi.org/10.1021/es060038x>.
- Yeh, CK; Hsu, CY; Chiu, CH; Huang, KL. (2008). Reaction efficiencies and rate constants for the goethite-catalyzed Fenton-like reaction of NAPL-form aromatic hydrocarbons and chloroethylenes. *J Hazard Mater.* 151: 562-569. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.014>.
- Yeh, CL; Chen, BR; Tseng, LY; Jao, P; Su, TH; Li, PC. (2015). Shear-wave elasticity imaging of a liver fibrosis mouse model using high-frequency ultrasound. *IEEE Trans Ultrason Ferroelectr Freq Control.* 62: 1295-1307. <http://dx.doi.org/10.1109/TUFFC.2014.006953>.
- Yeh, YH; Hsieh, YL; Lee, YT. (2013). Effects of yam peel extract against carbon tetrachloride-induced hepatotoxicity in rats. *J Agric Food Chem.* 61: 7387-7396. <http://dx.doi.org/10.1021/jf401864y>.
- Yildiz, O. (2007). Characterization of nanocrystalline (Th_{1-x}Cex)O-y powders synthesized by co-precipitation process. *J Nucl Mater.* 366: 266-271. <http://dx.doi.org/10.1016/j.jnucmat.2007.01.267>.
- Yilmaz-Ozden, T; Can, A; Karatug, A; Pala-Kara, Z; Okyar, A; Bolkent, S. (2016). Carbon tetrachloride-induced kidney damage and protective effect of *Amaranthus lividus* L. in rats. *Toxicol Ind Health.* 32: 1143-1152. <http://dx.doi.org/10.1177/0748233714555390>.
- Yin, C; Huang, Q; Liu, B; Wang, X; Xie, Y; He, L; Zhang, M; Yang, X, in. (2007). Synthesis and TEM observation of fluffy hollow carbon spheres by FeCl₃ catalyzed solvent-thermal reaction. *Mater Lett.* 61: 4015-4018. <http://dx.doi.org/10.1016/j.matlet.2007.01.008>.
- Yin, G; Cao, L; Xu, P; Jeney, G; Nakao, M; Lu, C. (2011). Hepatoprotective and antioxidant effects of *Glycyrrhiza glabra* extract against carbon tetrachloride (CCl₄)-induced hepatocyte damage in common carp (*Cyprinus carpio*). *Fish Physiol Biochem.* 37: 209-216. <http://dx.doi.org/10.1007/s10695-010-9436-1>.
- Yin, W; Wu, J; Huang, W; Wei, C. (2015). Enhanced nitrobenzene removal and column longevity by coupled abiotic and biotic processes in zero-valent iron column. *Chem Eng J.* 259: 417-423. <http://dx.doi.org/10.1016/j.cej.2014.08.040>.
- Yokouchi, Y. (2005). Estimates of ratios of anthropogenic halocarbon emissions from Japan based on aircraft monitoring over Sagami Bay, Japan. *J Geophys Res.* 110: D06301. <http://dx.doi.org/10.1029/2004JD005320>.
- Yokoyama, C; Ebina, T; Takahashi, S. (1993). MELTING TEMPERATURES OF SEVERAL POLYCYCLIC AND HETEROPOLYCYCLIC AROMATIC-COMPOUNDS UNDER HIGH-PRESSURES. *Fluid Phase Equilibria.* 84: 207-223.
- Yoon, H; Oostrom, M; Wietsma, TW; Werth, CJ; Valocchi, AJ. (2009). Numerical and experimental investigation of DNAPL removal mechanisms in a layered porous medium by means of soil vapor extraction. *J Contam Hydrol.* 109: 1-13. <http://dx.doi.org/10.1016/j.jconhyd.2009.07.001>.
- Yoon, M; Madden, MC; Barton, HA. (2007). Extrahepatic metabolism by CYP2E1 in PBPK modeling of lipophilic volatile organic chemicals: Impacts on metabolic parameter estimation and prediction of dose metrics. *J Toxicol Environ Health A.* 70: 1527-1541. <http://dx.doi.org/10.1080/15287390701384684>.
- Yoshida, T; Andoh, K; Fukuhara, M. (1999). Estimation of absorption of trihalomethanes and carbon tetrachloride in low-level exposure by inhalation pharmacokinetic analysis in rats. *Arch Environ Contam Toxicol.* 36: 347-354.
- Yoshioka, H; Fukaya, S; Onosaka, S; Nonogaki, T; Nagatsu, A. (2016). Kampo formula "Hochu-ekki-to" suppressed carbon tetrachloride-induced hepatotoxicity in mice. *Environ Health Prev Med.* 21: 579-584. <http://dx.doi.org/10.1007/s12199-016-0571-x>.
- Yoshioka, H; Tanaka, M; Fujii, H; Nonogaki, T. (2016). Sasa veitchii extract suppresses carbon tetrachloride-induced hepato- and nephrotoxicity in mice. *Environ Health Prev Med.* 21: 554-562. <http://dx.doi.org/10.1007/s12199-016-0581-8>.
- You, X; Koda, K; Yamada, T; Uraki, Y. (2015). Preparation of electrode for electric double layer capacitor from electrospun lignin fibers. *Holzforschung.* 69: 1097-1106. <http://dx.doi.org/10.1515/hf-2014-0262>.
- Young, RA; Mehendale, HM. (1989). Carbon tetrachloride metabolism in partially hepatectomized and sham-operated rats pre-exposed to chlordecone (kepone). *J Biochem Mol Toxicol.* 4: 211-219.
- Young, TH; Tang, HS; Chao, YC; Lee, HS; Hsiung, CH; Pao, LH; Hu, OY. (2008). Quantitative rat liver function test by galactose single point method. *Lab Anim.* 42: 495-504. <http://dx.doi.org/10.1258/la.2007.06040e>.
- Yu, JL; Li, JH; Chengz, RG; Ma, YM; Wang, XJ; Liu, JC. (2014). Effect of matrine on transforming growth factor β 1 and hepatocyte growth factor in rat liver fibrosis model. *Asian Pacific Journal of Tropical Medicine.* 7: 390-393. [http://dx.doi.org/10.1016/S1995-7645\(14\)60062-6](http://dx.doi.org/10.1016/S1995-7645(14)60062-6).

Exposure Literature Search Results

Off Topic

- Yu, M; Teel, AL; Watts, RJ. (2016). Activation of Peroxymonosulfate by Subsurface Minerals. *J Contam Hydrol.* 191: 33-43. <http://dx.doi.org/10.1016/j.jconhyd.2016.05.001>.
- Yu, WG; Qian, J; Lu, YH. (2011). Hepatoprotective effects of 2',4'-dihydroxy-6'-methoxy-3',5'-dimethylchalcone on CCl₄-induced acute liver injury in mice. *J Agric Food Chem.* 59: 12821-12829. <http://dx.doi.org/10.1021/jf2042032>.
- Yu, ZT; Smith, GB. (1997). Chloroform dechlorination by a wastewater methanogenic consortium and cell extracts of *Methanosarcina barkeri*. *Water Res.* 31: 1879-1886.
- Yuen, ST; Gogo, AR; Luk, IS; Cho, CH; Ho, JC; TT, L. (1995). The effect of nicotine and its interaction with carbon tetrachloride in the rat liver. *Pharmacol Toxicol.* 77: 225-230.
- Yunis, JJ. (1983). The chromosomal basis of human neoplasia. *Science.* 221: 227-236.
- Yurtseven, H; Dildar, Y. (2011). Calculation of thermodynamic quantities for carbon tetrachloride (CCl₄) close to the III-IV phase transition. *Korean J Chem Eng.* 28: 252-255. <http://dx.doi.org/10.1007/s11814-010-0320-6>.
- Yusufoglu, HS. (2014). Analgesic, antipyretic, anti-inflammatory, hepatoprotective and nephritic effects of the aerial parts of *Pulicaria arabica* (Family: Compositae) on rats. *Asian Pacific Journal of Tropical Medicine.* 7S1: S583-S590. [http://dx.doi.org/10.1016/S1995-7645\(14\)60293-5](http://dx.doi.org/10.1016/S1995-7645(14)60293-5).
- Yuzawa, H; Aoki, M; Itoh, H; Yoshida, H. (2011). Adsorption and Photoadsorption States of Benzene Derivatives on Titanium Oxide Studied by NMR. *Journal of Physical Chemistry Letters.* 2: 1868-1873. <http://dx.doi.org/10.1021/jz200621w>.
- Zachara, JM; Heald, SM; Jeon, BH, un; Kukkadapu, RK; Liu, C; Mckinley, JP; Dohnalkova, AC; Moore, DA. (2007). Reduction of pertechnetate [Tc(VII)] by aqueous Fe(II) and the nature of solid phase redox products. *Geochim Cosmo Acta.* 71: 2137-2157. <http://dx.doi.org/10.1016/j.gca.2006.10.025>.
- Zafra, A; del Olmo, M; Suárez, B; Hontoria, E; Navalón, A; Vilchez, JL. (2003). Gas chromatographic-mass spectrometric method for the determination of bisphenol A and its chlorinated derivatives in urban wastewater. *Water Res.* 37: 735-742.
- Zaleski, RT; Pavkov, KL; Keller, LH. (2007). Methyl ethyl ketone safety characterization for infants and children: Assessment in the USEPA Voluntary Children's Chemical Evaluation program. *Hum Ecol Risk Assess.* 13: 747-772. <http://dx.doi.org/10.1080/10807030701456585>.
- Zander, AK; Chen, JS; Semmens, MJ. (1992). REMOVAL OF HEXACHLOROCYCLOHEXANE ISOMERS FROM WATER BY MEMBRANE EXTRACTION INTO OIL. *Water Res.* 26: 129-137.
- Zander, R; Gunson, MR; Farmer, CB; Rinsland, CP; Irion, FW; Mahieu, E. (1992). THE 1985 CHLORINE AND FLUORINE INVENTORIES IN THE STRATOSPHERE BASED ON ATMOS OBSERVATIONS AT 30-DEGREES NORTH LATITUDE. *J Atmos Chem.* 15: 171-186.
- Zanozina, II; Babintseva, MV; Polishchuk, NV; Zanozin, IY; Cherentaeva, VV; Diskina, DE. (2003). Determination of chlorine in crude oils and light cuts. *Chemistry and Technology of Fuels and Oils.* 39: 95-97.
- Zararsiz, I; Sarsilmaz, M; Tas, U; Kus, I; Meydan, S; Ozan, E. (2007). Protective effect of melatonin against formaldehyde-induced kidney damage in rats. *Toxicol Ind Health.* 23: 573-579. <http://dx.doi.org/10.1177/0748233708089022>.
- Zarczynski, A; Gorzka, Z; Kazmierczak, M. (2005). Oxidation of tetrachloromethane (TCM) run over/in the presence of monolithic catalysts. *Przemysł Chemiczny.* 84: 943-945.
- Zarczynski, A; Gorzka, Z; Paryjczak, T; Kazmierczak, M. (2006). Utilization of organic tetrachloroderivatives over monolithic catalysts. *Przemysł Chemiczny.* 85: 1095-1098.
- Zarczynski, A; Kazmierczak, M; Gorzka, Z; Misiak, M. (2003). Destruction of organo-chlorine, -sulfur and -nitrogen compounds by thermocatalytic oxidation. *Przemysł Chemiczny.* 82: 1075-1077.
- Zarczynski, A; Stopczyk, A; Zaborowski, M; Gorzka, Z; Kazmierczak, M. (2010). Removal of Chloroorganic Compounds from Industrial Effluents Using Various Methods: Advantages of Thermocatalytic Oxidation. 32: 49-54.
- Zarczynski, A; Zaborowski, M; Gorzka, Z; Kazmierczak, M. (2013). UTILIZATION OF ENDS FROM PVC PRODUCTION WITH APPLICATION OF Fe-Cr CATALYST - DIOXINS HAZARD. 20: 109-116. <http://dx.doi.org/10.2478/eces-2013-0008>.
- Zazzera, L; Tirrell, M; Evans, JF. (1993). IN-SITU STUDY OF POLY(METHYL METHACRYLATE) ADSORPTION FROM SOLUTION ONTO CHEMICALLY-MODIFIED SI(100) SURFACES BY INTERNAL-REFLECTION INFRARED-SPECTROSCOPY. *Journal of Vacuum Science and Technology A.* 11: 2239-2243.
- Zeiger, E; Anderson, B; Haworth, S; Lawlor, T; Mortelmans, K. (1988). Salmonella mutagenicity tests: IV: Results from the testing of 300 chemicals. *Environ Mol Mutagen.* 11: 1-158. <http://dx.doi.org/10.1002/em.2850110602>.
- Zeise, L; Wilson, R; Crouch, EA. (1987). Dose-response relationships for carcinogens: A review [Review]. *Environ Health Perspect.* 73: 259-306.
- Zelinschi, BC; Dascalu, CF. (2012). The Influence of Electric Field on Special Anisotropic Plates Realized by Poly-(pheny-methacrylic)-ester of Cetyloxybenzoic-acid (PPMAECOBA) in Tetrachloromethane (TCM). *Rev Chim.* 63: 516-519.
- Zergioti, I; Hatziapostolou, A; Hontzopoulos, E; Zervaki, A; Haidemenopoulos, GN. (1995). Pyrolytic laser-based chemical vapour deposition of TiC coatings. *Thin Solid Films.* 271: 96-100.
- Zergioti, I; Zervaki, A; Hatziapostolou, A; Haidemenopoulos, G; Hontzopoulos, E. (1995). Deposition of refractory coatings by LCVD. *Optical and Quantum Electronics.* 27: 1377-1383.
- Zhai, JW; Shen, B; Yao, X; Zhang, LY. (2002). Preparation and spectral properties of Nd₂O₃-doped silica-based glasses prepared by the sol-gel process. *Ceramics International.* 28: 737-740.
- Zhang, C; Zhang, D; Li, Z; Akatsuka, T; Yang, S; Suzuki, D; Katayama, A. (2014). Insoluble Fe-humic acid complex as a solid-phase electron mediator for microbial reductive dechlorination. *Environ Sci Technol.* 48: 6318-6325. <http://dx.doi.org/10.1021/es501056n>.

Exposure Literature Search Results

Off Topic

- Zhang, D; Ren, Z; Su, X; Liu, C; Tarasov, VV. (2014). The mechanism of interphase mass transfer reaction and precipitation process of HDEHP-TBP-Cu-CCl₄/H₂C₂O₄-H₂O system. *Separation and Purification Technology*. 137: 116-126. <http://dx.doi.org/10.1016/j.seppur.2014.09.026>.
- Zhang, G; Hua, I. (2000). Ultrasonic degradation of trichloroacetonitrile, chloropicrin and bromobenzene: design factors and matrix effects. *Adv Environ Res*. 4: 219-224. [http://dx.doi.org/10.1016/S1093-0191\(00\)00021-6](http://dx.doi.org/10.1016/S1093-0191(00)00021-6).
- Zhang, H; Fu, Q; Yao, Y; Zhang, Z; Ma, T; Tan, D; Bao, X. (2008). Size-dependent surface reactions of Ag nanoparticles supported on highly oriented pyrolytic graphite. *Langmuir*. 24: 10874-10878. <http://dx.doi.org/10.1021/la801348n>.
- Zhang, H; Weber, EJ. (2009). Elucidating the Role of Electron Shuttles in Reductive Transformations in Anaerobic Sediments. *Environ Sci Technol*. 43: 1042-1048. <http://dx.doi.org/10.1021/es8017072>.
- Zhang, H; Weber, EJ. (2013). Identifying indicators of reactivity for chemical reductants in sediments. *Environ Sci Technol*. 47: 6959-6968. <http://dx.doi.org/10.1021/es302662r>.
- Zhang, HL. (2003). Viscosity and density for binary mixtures of carbon tetrachloride plus chloroform, carbon tetrachloride plus dichloromethane, and chloroform plus dichloromethane and one ternary mixture of chloroform+1 : 1 (carbon tetrachloride plus dichloromethane) at 303.15 K. *Journal of Chemical and Engineering Data*. 48: 52-55. <http://dx.doi.org/10.1021/je020067x>.
- Zhang, HL; Han, SJ. (1997). Viscometric and volumetric studies on binary mixtures of 1,2-dichloroethane and chlorinated methanes or their binary equimolar mixtures at 303.15 K. *Fluid Phase Equilibria*. 140: 233-244.
- Zhang, J; Chen, L; Wei, X; Xu, M; Huang, C; Wang, W; Wang, H. (2014). Characterization of a novel CC chemokine CCL4 in immune response induced by nitrite and its expression differences among three populations of *Megalobrama amblycephala*. *Fish Shellfish Immunol*. 38: 88-95. <http://dx.doi.org/10.1016/j.fsi.2014.02.012>.
- Zhang, J, un; Yao, H; Li, C; Du, X; Bai, X; Li, J; Liu, J. (2014). Solubilities and Thermodynamic Study of Carbon Tetrachloride in Imidazolium Ionic Liquids at Different Temperatures. *Journal of Chemical and Engineering Data*. 59: 672-677. <http://dx.doi.org/10.1021/je4006008>.
- Zhang, L; Yang, W; Zhang, L; Li, X. (2015). Highly chlorinated unintentionally produced persistent organic pollutants generated during the methanol-based production of chlorinated methanes: A case study in China. *Chemosphere*. 133: 1-5. <http://dx.doi.org/10.1016/j.chemosphere.2015.02.044>.
- Zhang, L; Yu, F, ei; Chang, Z; Guo, Y; Li, D. (2012). Extraction Equilibria of Picolinic Acid with Trialkylamine/n-Octanol. *Journal of Chemical and Engineering Data*. 57: 577-581. <http://dx.doi.org/10.1021/je201314m>.
- Zhang, M, an; He, F; Zhao, D. (2015). Catalytic activity of noble metal nanoparticles toward hydrodechlorination: influence of catalyst electronic structure and nature of adsorption. 9: 888-896. <http://dx.doi.org/10.1007/s11783-015-0774-1>.
- Zhang, M; Zhang, H; Li, H; Lai, F; Li, X; Tang, Y; Min, T; Wu, H. (2016). Antioxidant Mechanism of Betaine without Free Radical Scavenging Ability. *J Agric Food Chem*. <http://dx.doi.org/10.1021/acs.jafc.6b03592>.
- Zhang, N; Luo, J; Blowers, P; Farrell, J. (2008). Understanding trichloroethylene chemisorption to iron surfaces using density functional theory. *Environ Sci Technol*. 42: 2015-2020. <http://dx.doi.org/10.1021/es0717663>.
- Zhang, NL; Blowers, P; Farrell, J. (2005). Ab initio study of carbon-chlorine bond cleavage in carbon tetrachloride. *Environ Sci Technol*. 39: 612-617. <http://dx.doi.org/10.1021/es049480a>.
- Zhang, P; Chi, M; Sharma, S; McFarland, E. (2010). Silica encapsulated heterostructure catalyst of Pt nanoclusters on hematite nanocubes: synthesis and reactivity. *J Mater Chem*. 20: 2013-2017. <http://dx.doi.org/10.1039/b918208j>.
- Zhang, R; Zhao, Y; Sun, Y; Lu, X; Yang, X. (2013). Isolation, characterization, and hepatoprotective effects of the raffinose family oligosaccharides from *Rehmannia glutinosa* Libosch. *J Agric Food Chem*. 61: 7786-7793. <http://dx.doi.org/10.1021/jf4018492>.
- Zhang, RZ; Qiu, H; Wang, N; Long, FL; Mao, DW. (2015). Effect of *Rheum palmatum* L. on NF- κ B signaling pathway of mice with acute liver failure. *Asian Pacific Journal of Tropical Medicine*. 8: 841-847. <http://dx.doi.org/10.1016/j.apjtm.2015.09.011>.
- Zhang, S; Liu, P; Chen, L; Wang, Y; Wang, Z; Zhang, B. (2015). The effects of spheroid formation of adipose-derived stem cells in a microgravity bioreactor on stemness properties and therapeutic potential. *Biomaterials*. 41: 15-25. <http://dx.doi.org/10.1016/j.biomaterials.2014.11.019>.
- Zhang, T; Huang, J; Zhang, W; Yu, Y; Deng, S; Wang, B; Yu, G. (2013). Coupling the dechlorination of aqueous 4-CP with the mechanochemical destruction of solid PCNB using Fe-Ni-SiO₂. *J Hazard Mater*. 250-251: 175-180. <http://dx.doi.org/10.1016/j.jhazmat.2013.01.072>.
- Zhang, W, ei; Li, L, i; Li, B; Lin, K; Lu, S; Fu, R; Zhu, J; Cui, X. (2013). Mechanism and Pathway of Tetrachloroethylene Dechlorination by Zero-Valent Iron with Cu or Cu/C. *J Environ Eng*. 139: 803-809. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000693](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000693).
- Zhang, W; Liu, F; Liu, G; Gan, W; Zhang, M; Yu, H, ui; Di, X, in; Wang, Y; Wang, C. (2016). Stimulus-Responsive Smart Foam with Dual Wettability for Transfer and Controllable Release of Carbon Tetrachloride. 3. <http://dx.doi.org/10.1002/admi.201600100>.
- Zhang, W; Quan, X; Wang, J; Zhang, Z; Chen, S. (2006). Rapid and complete dechlorination of PCP in aqueous solution using Ni-Fe nanoparticles under assistance of ultrasound. *Chemosphere*. 65: 58-64. <http://dx.doi.org/10.1016/j.chemosphere.2006.02.060>.
- Zhang, W; Yin, L; Tao, X; Xu, L; Zheng, L; Han, X; Xu, Y; Wang, C; Peng, J. (2016). Dioscin alleviates dimethylnitrosamine-induced acute liver injury through regulating apoptosis, oxidative stress and inflammation. *Environ Toxicol Pharmacol*. 45: 193-201. <http://dx.doi.org/10.1016/j.etap.2016.06.002>.
- Zhang, X; Deng, B; Guo, J; Wang, Y; Lan, Y. (2011). Ligand-assisted degradation of carbon tetrachloride by microscale zero-valent iron. *J Environ Manage*. 92: 1328-1333. <http://dx.doi.org/10.1016/j.jenvman.2010.12.020>.
- Zhang, X; Zhang, Q; Peng, Q; Zhou, J; Liao, L; Sun, X; Zhang, L; Gong, T. (2014). Hepatitis B virus preS1-derived lipopeptide functionalized liposomes for targeting of hepatic cells. *Biomaterials*. 35: 6130-6141. <http://dx.doi.org/10.1016/j.biomaterials.2014.04.037>.
- Zhang, Y; Chen, XM; Sun, DL. (2014). Effects of coencapsulation of hepatocytes with adipose-derived stem cells in the treatment of rats with acute-on-chronic liver failure. *Int J Artif Organs*. 37: 133-141. <http://dx.doi.org/10.5301/ijao.5000284>.

Exposure Literature Search Results

Off Topic

- Zhang, Y; Crittenden, JC; Hand, DW; Perram, DL. (1996). Destruction of organic compounds in water using supported photocatalysts. *J Sol Energ Eng.* 118: 123-129.
- Zhang, Y; Jia, Y; Yang, M; Yang, P; Tian, Y; Xiao, A; Wen, A. (2012). The impaired disposition of probe drugs is due to both liver and kidney dysfunctions in CCl₄-model rats. *Environ Toxicol Pharmacol.* 33: 453-458. <http://dx.doi.org/10.1016/j.etap.2012.01.002>.
- Zhang, Y; Yang, B; Han, Y; Jiang, C; Wu, D; Fan, J; Ma, L. (2016). Novel iron metal matrix composite reinforced by quartz sand for the effective dechlorination of aqueous 2-chlorophenol. *Chemosphere.* 146: 308-314. <http://dx.doi.org/10.1016/j.chemosphere.2015.12.047>.
- Zhang, Y; Zhang, K, e; Dai, C; Zhou, X; Si, H. (2014). An enhanced Fenton reaction catalyzed by natural heterogeneous pyrite for nitrobenzene degradation in an aqueous solution. *Chem Eng J.* 244: 438-445. <http://dx.doi.org/10.1016/j.cej.2014.01.088>.
- Zhang, Z; Cissoko, N; Wo, J; Xu, X. (2009). Factors influencing the dechlorination of 2,4-dichlorophenol by Ni-Fe nanoparticles in the presence of humic acid. *J Hazard Mater.* 165: 78-86. <http://dx.doi.org/10.1016/j.jhazmat.2008.09.08>.
- Zhang, Z; Pu, Y; Pan, Q; Xu, X; Yan, X. (2016). Influences of keratinocyte growth factor - mesenchymal stem cells on chronic liver injury in rats. 44: 1810-1817. <http://dx.doi.org/10.3109/21691401.2015.1105237>.
- Zhang, Z; Wang, C; Zha, Y; Hu, W; Gao, Z; Zang, Y; Chen, J; Zhang, J; Dong, L. (2015). Corona-directed nucleic acid delivery into hepatic stellate cells for liver fibrosis therapy. *ACS Nano.* 9: 2405-2419. <http://dx.doi.org/10.1021/nn505166x>.
- Zhang, Z; Wo, JJ; Cissoko, N; Xu, X, inhua. (2008). Kinetics of 2,4-dichlorophenol dechlorination by Pd-Fe bimetallic nanoparticles in the presence of humic acid. *Journal of Zhejiang University- Science A.* 9: 118-124. <http://dx.doi.org/10.1631/jzus.A071313>.
- Zhang, ZC; Beard, BC. (1998). Genesis of durable catalyst for selective hydrodechlorination of CCl₄ to CHCl₃. *Appl Catal A-Gen.* 174: 33-39.
- Zhang, ZF; Oostrom, M; Ward, AL. (2007). Saturation-dependent hydraulic conductivity anisotropy for multifluid systems in porous media. *Vadose Zone Journal.* 6: 925-934. <http://dx.doi.org/10.2136/vzj2006.0141>.
- Zhang, ZZ; Sparks, DL; Scrivner, NC. (1993). SORPTION AND DESORPTION OF QUATERNARY AMINE CATIONS ON CLAYS. *Environ Sci Technol.* 27: 1625-1631.
- Zhao, L; Wang, Y; Liu, J; Wang, K; Guo, X; Ji, B; Wu, W; Zhou, F. (2016). Protective Effects of Genistein and Puerarin against Chronic Alcohol-Induced Liver Injury in Mice via Antioxidant, Anti-inflammatory, and Anti-apoptotic Mechanisms. *J Agric Food Chem.* 64: 7291-7297. <http://dx.doi.org/10.1021/acs.jafc.6b02907>.
- Zhao, Q; Liang, Y; Stephenson, D; Corbett, J. (2007). Surface and subsurface integrity in diamond grinding of optical glasses on Tetraform 'C'. *International Journal of Machine Tools and Manufacture.* 47: 2091-2097. <http://dx.doi.org/10.1016/j.ijmachtools.2007.05.005>.
- Zhao, QL; Stephenson, D; Corbett, J; Hedge, J; Wang, JH; Liang, YC. (2004). Single grit diamond grinding of Spectrosil 2000 glass on Tetraform 'C'. *Key Eng Mater.* 257-258: 107-112.
- Zhao, S; Zhang, J; Wang, Y. (2013). Electro-casting of proton exchange membranes from a heterogeneous solution. *J Power Sources.* 242: 23-27. <http://dx.doi.org/10.1016/j.jpowsour.2013.05.024>.
- Zhao, T; Boldog, I; Spasojevic, V; Rotaru, A; Garcia, Y; Janiak, C. (2016). Solvent-triggered relaxative spin state switching of [Fe(HB(pz)(3))(2)] in a closed nano-confinement of NH₂-MIL-101(Al). 4. <http://dx.doi.org/10.1039/c6tc01297c>.
- Zhao, X; Xue, CH; Li, ZJ; Cai, YP; Liu, HY; Qi, HT. (2004). Antioxidant and hepatoprotective activities of low molecular weight sulfated polysaccharide from *Laminaria japonica*. *J Appl Phycol.* 16: 111-115.
- Zhao, XD; Szafranski, MJ; Maraqa, MA; Voice, TC. (1999). Sorption and bioavailability of carbon tetrachloride in a low organic content sandy soil. *Environ Toxicol Chem.* 18: 1755-1762.
- Zhao, XP; Turco, RP. (1997). Photodissociation parameterization for stratospheric photochemical modeling. *J Geophys Res Atmos.* 102: 9447-9459.
- Zhao, XS; Ma, Q; Lu, GQM. (1998). VOC removal: Comparison of MCM-41 with hydrophobic zeolites and activated carbon. *Energy Fuels.* 12: 1051-1054.
- Zheng, CZ; Wang, J, unL; Li, X, ia; Liu, B, oKai; Wu, Q, i; Lin, XF, u. (2011). Regioselective synthesis of amphiphilic metoprolol-saccharide conjugates by enzymatic strategy in organic media. *Process Biochemistry.* 46: 123-127. <http://dx.doi.org/10.1016/j.procbio.2010.07.028>.
- Zheng, G; Suzuki, K; Miyata, Y; Shimizu, H. (2012). Osmium concentrations and Os-187/Os-188 ratios of three sediment reference materials. *Geochemical Journal.* 46: 143-149.
- Zheng, LX; Yang, H; Xu, DP; Wang, XJ; Li, XF; Li, JB; Wang, YT; Duan, LH; Hu, XW. (1998). Low-temperature growth of cubic GaN by metalorganic chemical-vapor deposition. *Thin Solid Films.* 326: 251-255.
- Zheng, MH; Bao, ZC; Xu, ZB; Wang, K. (1996). Mechanism of photodegradation of polychlorinated dibenzo-p-dioxins in carbon tetrachloride. *Chemosphere.* 32: 603-607.
- Zheng, QS; Sun, XL; Xu, B; Li, G; Song, M. (2005). Mechanisms of apigenin-7-glucoside as a hepatoprotective agent. *Biomed Environ Sci.* 18: 65-70.
- Zheng, T; Zhan, J; He, J; Day, C; Lu, Y; Mcpherson, GL; Piringner, G; John, VT. (2008). Reactivity characteristics of nanoscale zerovalent iron-silica composites for trichloroethylene remediation. *Environ Sci Technol.* 42: 4494-4499. <http://dx.doi.org/10.1021/es702214x>.
- Zheng, W; Yates, SR; Papiernik, SK; Guo, M; Gan, J. (2006). Dechlorination of chloropicrin and 1,3-dichloropropene by hydrogen sulfide species: redox and nucleophilic substitution reactions. *J Agric Food Chem.* 54: 2280-2287. <http://dx.doi.org/10.1021/jf0527100>.
- Zhirnov, E; Stepanov, S; Wang, WN; Shreter, YG; Takhin, DV; Bochkareva, NI. (2004). Influence of cathode material and SiCl₄ gas on inductively coupled plasma etching of AlGaN layers with Cl-2/Ar plasma. *Journal of Vacuum Science and Technology A.* 22: 2336-2341. <http://dx.doi.org/10.1116/1.1798711>.
- Zhnag, SM; Li, SP; Yan, YH; Chen, XM. (1999). A new polymer-bonded beta-cyclodextrin catalyst for selective synthesis of 4-hydroxybenzoic acid. *Journal of Wuhan University of Technology--Materials Science Edition.* 14: 35-39.

Exposure Literature Search Results

Off Topic

- Zhong, L; Yang, J. (2012). Reduction of Cr(VI) by malic acid in aqueous Fe-rich soil suspensions. *Chemosphere*. 86: 973-978. <http://dx.doi.org/10.1016/j.chemosphere.2011.11.025>.
- Zhou, B; Venart, JES; Hinata, S. (1992). FIBER OPTIC SENSOR FOR LIQUID-MIXTURE COMPOSITION. *Fluid Phase Equilibria*. 79: 175-185.
- Zhou, L; Zong, ZM; Tang, SR; Zong, Y; Xie, RL; Ding, MJ; Zhao, W; Zhu, XF; Xia, ZL; Wu, L; Wei, XY. (2010). FTIR and Mass Spectral Analyses of an Upgraded Bio-oil. *Energy Source Part A*. 32: 370-375. <http://dx.doi.org/10.1080/15567030802467340>.
- Zhou, Q; He, H; Frost, R, aYL; Xi, Y. (2008). Changes in the surfaces on DDOAB organoclays adsorbed with paranitrophenol-An XRD, TEM and TG study. *Materials Research Bulletin*. 43: 3318-3326. <http://dx.doi.org/10.1016/j.materresbull.2008.02.015>.
- Zhou, Q; Lan, W; Du, A; Wang, Y; Yang, J; Wu, Y; Yang, K; Wang, X. (2008). Lanthania promoted MgO: Simultaneous highly efficient catalytic degradation and dehydrochlorination of polypropylene/polyvinyl chloride. *Appl Catal B-Environ*. 80: 141-146. <http://dx.doi.org/10.1016/j.apcatb.2007.11.018>.
- Zhou, Q; Zhao, N; Xie, G. (2011). Determination of lead in environmental waters with dispersive liquid-liquid microextraction prior to atomic fluorescence spectrometry. *J Hazard Mater*. 189: 48-53. <http://dx.doi.org/10.1016/j.jhazmat.2011.01.123>.
- Zhou, S; Shao, Y; Gao, N; Zhu, S; Ma, Y; Deng, J. (2014). Chlorination and chloramination of tetracycline antibiotics: disinfection by-products formation and influential factors. *Ecotoxicol Environ Saf*. 107: 30-35. <http://dx.doi.org/10.1016/j.ecoenv.2014.05.008>.
- Zhu, L; Bozzelli, JW; Lay, TH. (1998). Comparison of AM1 and PM3 in MOPAC6 with literature for the thermodynamic parameters of C-1 and C-2 chlorocarbons. *Ind Eng Chem Res*. 37: 3497-3507.
- Zhu, L; Ren, X; Yu, S. (1998). Use of cetyltrimethylammonium bromide-bentonite to remove organic contaminants of varying polar character from water. *Environ Sci Technol*. 32: 3374-3378.
- Zhu, L; Tian, S; Shi, Y; Smith, BJ; Mcalister, JJ; Baptista Neto, JA; Silva, MAM. (2005). ADSORPTION OF VOLATILE ORGANIC COMPOUNDS ONTO POROUS CLAY HETEROSTRUCTURES BASED ON SPENT ORGANOBENTONITES. *Clays and Clay Minerals*. 53: 123-136. <http://dx.doi.org/10.1346/CCMN.2005.0530202>.
- Zhu, L; Xiao, P; Qian, Y. (2012). Fabrication of carbons dendritic hierarchical structure via easy copper substrate-induced solvothermal process at low temperature. *Micro and Nano Letters*. 7: 265-267. <http://dx.doi.org/10.1049/mnl.2012.0118>.
- Zhu, LZ; Chen, BL. (2000). Sorption behavior of p-nitrophenol on the interface between anion-cation organobentonite and water. *Environ Sci Technol*. 34: 2997-3002.
- Zhu, LZ; Li, YM; Zhang, JY. (1997). Sorption of organobentonites to some organic pollutants in water. *Environ Sci Technol*. 31: 1407-1410.
- Zhu, LZ; Su, YH. (2002). Benzene vapor sorption by organobentonites from ambient air. *Clays and Clay Minerals*. 50: 421-427.
- Zhu, Q; D'Agostino, C; Ainte, M; Mantle, MD; Gladden, LF; Ortona, O; Paduano, L; Ciccirelli, D; Moggridge, GD. (2016). Prediction of mutual diffusion coefficients in binary liquid systems with one self-associating component from viscosity data and intra-diffusion coefficients at infinite dilution. *Chem Eng Sci*. 147: 118-127. <http://dx.doi.org/10.1016/j.ces.2016.03.020>.
- Zhu, Q; Moggridge, GD; D'Agostino, C. (2015). A local composition model for the prediction of mutual diffusion coefficients in binary liquid mixtures from tracer diffusion coefficients. *Chem Eng Sci*. 132: 250-258. <http://dx.doi.org/10.1016/j.ces.2015.04.021>.
- Zhu, T; Wan, YD; Li, J; He, XW; Xu, DY; Shu, XQ; Liang, WJ; Jin, YQ. (2011). Volatile organic compounds decomposition using nonthermal plasma coupled with a combination of catalysts. *Int J Environ Sci Tech*. 8: 621-630.
- Zhu, T, ao; Xu, D; He, X; Shu, X; Li, J; Liang, W; Jin, Y; Wan, Y; Wu, Q; Hu, Y. (2010). DECOMPOSITION OF BENZENE IN DRY AIR BY SUPER-IMPOSED BARRIER DISCHARGE NONTHERMAL PLASMA-PHOTOCATALYTIC SYSTEM. *Fresen Environ Bull*. 19: 1275-1282.
- Zhu, W; Wang, R; Huang, T; Wu, F. (2014). The characteristics and two-step reaction model of p-nitroacetophenone biodegradation mediated by *Shewanella decolorationis* S12 and electron shuttle in the presence/absence of goethite. *Environ Technol*. 35: 3116-3123. <http://dx.doi.org/10.1080/09593330.2014.931471>.
- Zhu, X; Fan, Z; Wu, X; Meng, QY; Wang, SW; Tang, X; Ohman-Strickland, P; Georgopoulos, P; Zhang, J; Bonanno, L; Held, J; LiyP. (2008). Spatial variation of volatile organic compounds in a "Hot Spot" in New Jersey. *Atmos Environ*. 42: 7329-7338. <http://dx.doi.org/10.1016/j.atmosenv.2008.07.039>.
- Zhu, YH; Jiang, JG. (2008). Toxicity of carbon tetrachloride to *Dunaliella salina*, an environmentally tolerant alga. *J Toxicol Environ Health A*. 71: 474-477. <http://dx.doi.org/10.1080/15287390801907533>.
- Zhu, YL; Zheng, GD; Gao, D; Chen, TB; Wu, FK; Niu, MJ; Zou, KH. (2016). Odor composition analysis and odor indicator selection during sewage sludge composting. 66: 930-940. <http://dx.doi.org/10.1080/10962247.2016.1188865>.
- Zhukov, VI; Val'kovich, GV; Skorik, IN; Petrov, Y, uM; Belov, GP. (2007). Ethylene oligomerization in the presence of ZrO(OCOR)(2)-Al(C2H5)(2)Cl-modifier catalytic system. *Petroleum Chemistry*. 47: 49-54. <http://dx.doi.org/10.1134/S0965544107010069>.
- Zielkiewicz, J; Oracz, P; Warycha, S. (1990). TOTAL VAPOR-PRESSURE MEASUREMENTS AND EXCESS GIBBS ENERGIES FOR THE BINARY-SYSTEMS METHANOL + ETHANOL, ETHANOL + 2-PROPANOL, BENZENE + CYCLOHEXANE, BENZENE + CARBON-TETRACHLORIDE AND BENZENE + ETHANOL AT 303.15-K AND 313.15-K. *Fluid Phase Equilibria*. 58: 191-209.
- Zitomer, DH; Speece, RE. (1995). METHANETHIOL IN NONACCLIMATED SEWAGE-SLUDGE AFTER ADDITION OF CHLOROFORM AND OTHER TOXICANTS. *Environ Sci Technol*. 29: 762-768. <http://dx.doi.org/10.1021/es00003a025>.
- Zoccolillo, L; Amendola, L; Insogna, S. (2009). Comparison of atmosphere/aquatic environment concentration ratio of volatile chlorinated hydrocarbons between temperate regions and Antarctica. *Chemosphere*. 76: 1525-1532. <http://dx.doi.org/10.1016/j.chemosphere.2009.05.044>.
- Zolk, M; Eisert, F; Pipper, J; Herrwerth, S; Eck, W; Buck, M; Grunze, M. (2000). Solvation of oligo(ethylene glycol)-terminated self-assembled monolayers studied by vibrational sum frequency spectroscopy. *Langmuir*. 16: 5849-5852. <http://dx.doi.org/10.1021/la0003239>.

Exposure Literature Search Results

Off Topic

- Zöllig, H; Remmele, A; Fritzsche, C; Morgenroth, E; Udert, KM. (2015). Formation of Chlorination Byproducts and Their Emission Pathways in Chlorine Mediated Electro-Oxidation of Urine on Active and Nonactive Type Anodes. *Environ Sci Technol.* 49: 11062-11069. <http://dx.doi.org/10.1021/acs.est.5b01675>.
- Zou, C; Wu, D; Li, M; Zeng, Q; Xu, F, ei; Huang, Z; Fu, R. (2010). Template-free fabrication of hierarchical porous carbon by constructing carbonyl crosslinking bridges between polystyrene chains. *J Mater Chem.* 20: 731-735. <http://dx.doi.org/10.1039/b917960g>.
- Zou, SW; Stensel, HD; Ferguson, JF. (2000). Carbon tetrachloride degradation: Effect of microbial growth substrate and vitamin B(12) content. *Environ Sci Technol.* 34: 1751-1757.
- Zuo, GM; Cheng, ZX; Chen, H; Li, GW; Miao, T. (2006). Study on photocatalytic degradation of several volatile organic compounds. *J Hazard Mater.* 128: 158-163. <http://dx.doi.org/10.1016/j.jhazmat.2005.07.056>.
- Zuo, YJ; Xi, HL; Zhang, JH; Li, ZJ; Zhou, F. (2001). Foundation of kinetics model for TiO₂-photocatalyzed degradation of organic compounds in suspending system. *Chinese journal of catalysis.* 22: 198-202.
- Zwank, L; Elsner, M; Aeberhard, A; Schwarzenbach, RP; Haderlein, SB. (2005). Carbon isotope fractionation in the reductive dehalogenation of carbon tetrachloride at iron (hydr)oxide and iron sulfide minerals. *Environ Sci Technol.* 39: 5634-5641. <http://dx.doi.org/10.1021/es0487776>.

Environmental Hazard Literature Search Results

On Topic

- Abe, WI, K. Lang, T. Okumura, K. Enomoto, N. Kitamura, T. Takei, Y. Sato, N. (2007). Low Molecular Weight Heparin Prevents Hepatic Fibrogenesis Caused by Carbon Tetrachloride in the Rat. 46: 286-294.
- Adam, SEIT, E. (1972). Influence of Cold Environment on Hepatic Changes Produced by Repeated Doses of Carbon Tetrachloride. 106: 155-163.
- Affifi, SHM, , J. R. (1992). ULTRASTRUCTURAL-CHANGES ASSOCIATED WITH CARBON-TETRACHLORIDE HEPATOTOXICITY IN CHANNEL CATFISH, ICTALURUS-PUNCTATUS RAFINESQUE. *J Fish Dis.* 15: 119-129.
- Ahrens, M. (2008). Literature Review of Organic Chemicals of Emerging Environmental Concern in Use in Auckland. 28: 193 p.
- Aitio, A. (1974). Effect of chrysene and carbon tetrachloride administration on rat hepatic microsomal monooxygenase and UDPglucuronosyltransferase activity. *FEBS Lett.* 42: 46-49.
- Ajboye, TOY, M. T. Salau, A. K. Oladiji, A. T. Akanji, M. A. Okogun, J. I. (2010). Antioxidant and drug detoxification potential of aqueous extract of *Annona senegalensis* leaves in carbon tetrachloride-induced hepatocellular damage. *Pharmaceutical Biology.* 48: 1361-1370. <http://dx.doi.org/10.3109/13880209.2010.483247>.
- Ajiboye, TO. (2011). In Vivo Antioxidant Potentials of Piliostigma thonningii (Schum) Leaves: Studies on Hepatic Marker Enzyme, Antioxidant System, Drug Detoxifying Enzyme and Lipid Peroxidation. 30: 55-62.
- Akindele, AA, A. Olatoye, F. Benebo, A. (2013). Protective Effect of Selected Calcium Channel Blockers and Prednisolone, a Phospholipase-A2 Inhibitor, Against Gentamicin and Carbon Tetrachloride-Induced Nephrotoxicity. 33: 831-846.
- Al-Attar, AM. (2007). Chemopreventive Effect of Cinnamon Extract on Carbon Tetrachloride-Induced Physiological Changes in the Frog, *Rana ridibunda*. 7: 79-90.
- Aleksunes, LMS, A. M. Cherrington, N. J. Thibodeau, M. S. Klaassen, C. D. Manautou, J. E. (2005). Differential Expression of Mouse Hepatic Transporter Genes in Response to Acetaminophen and Carbon Tetrachloride. 83: 44-52.
- Aleksunes, LMS, G. L. Jakowski, A. B. Pruiimboom-Brees, I. M. Manautou, J. E. (2006). Coordinated Expression of Multidrug Resistance-Associated Proteins (MRPs) in Mouse Liver During Toxicant-Induced Injury. 89: 370-379.
- Alexeeff, GVK, W. W. (1983). Learning impairment in mice following acute exposure to dichloromethane and carbon tetrachloride. *J Toxicol Environ Health.* 11: 569-581. <http://dx.doi.org/10.1080/15287398309530368>.
- Alumot, EN, E. Bielora, R. Harduf, Z. (1974). Significance of Fumigant Residues in Animal Feed. 3-10.
- Alumot, EN, E. Mandel, E. Holstein, P. Bondi, A. Herzberg, M. (1976). TOLERANCE AND ACCEPTABLE DAILY INTAKE OF CHLORINATED FUMIGANTS IN RAT DIET. *Food Cosmet Toxicol.* 14: 105-110.
- Amador-Noguez, DD, A. Huang, W. Setchell, K. Moore, D. Darlington, G. (2007). Alterations in Xenobiotic Metabolism in the Long-Lived Little Mice. 6: 453-470.
- Anderson, SPH, P. Liu, J. Qian, X. Bahnemann, R. Swanson, C. Kwak, M. K. Kensler, T. W. Corton, J. C. (2004). The transcriptional response to a peroxisome proliferator-activated receptor alpha agonist includes increased expression of proteome maintenance genes. *J Biol Chem.* 279: 52390-52398. <http://dx.doi.org/10.1074/jbc.M409347200>.
- Ashida, HK, K. Danno, G. (1994). Hepatic phosphoglucomutase activity as a marker of oxidative stress-induced by pro-oxidative drugs. *Biosci Biotechnol Biochem.* 58: 55-59. <http://dx.doi.org/10.1271/bbb.58.55>.
- Azab, AKEN, A. K. M. El Halfawy, M. A. (1971). Studies on the Susceptibility of the Cadelle, *Tenebroides mauritanicus* (L.), to Certain Fumigants, Contact Insecticides and Inert Materials (Coleoptera: Ostromidae). 5: 181-196.
- Baligar, NSA, R. H. Ahmed, M. Hiremath, M. B. (2014). Evaluation of Acute Toxicity of Neem Active Constituent, Nimbolide and Its Hepatoprotective Activity Against Acute Dose of Carbon Tetrachloride Treated Albino Rats. 5: 3455.
- Baligar, NSA, R. H. Ahmed, M. Hiremath, M. B. (2014). Hepatoprotective activity of the neem-based constituent azadirachtin-A in carbon tetrachloride intoxicated Wistar rats. *Can J Physiol Pharmacol.* 92: 267-277. <http://dx.doi.org/10.1139/cjpp-2013-0449>.
- Balko, BAT, P. G. (1998). Photoeffects on the reduction of carbon tetrachloride by zero-valent iron. *J Phys Chem B.* 102: 1459-1465.
- Bang, YHT, H. S. (1966). Effect of sublethal doses of fumigants on stored-grain insects (pp. 22 p.). Pullman, WA: Washington University.

Environmental Hazard Literature Search Results

On Topic

- Bannasch, PG, R. A. Anders, F. Becker, R. Cabral, J. R. Della Porta, G. Feron, V. J. Henschler, D. Ito, N. Et, A. L. (1986). ASSAYS FOR INITIATING AND PROMOTING ACTIVITIES (pp. A CRITICAL APPRAISAL). (BIOSIS/88/11157). UNK.
- Barrows, MEP, S. R. Macek, K. J. Carroll, J. J. (1978). Bioconcentration and Elimination of Selected Water Pollutants by Bluegill Sunfish (*Lepomis macrochirus*). 176: 379-392.
- Bassi, M. (1960). Electron Microscopy of Rat Liver After Carbon Tetrachloride Poisoning. 20: 313-323.
- Batyuk, VPP, M. Y. (1962). Application of Certain Halogen-Containing Compounds and By-Products of Chemical Industry in the Control of *Acroptilon picris*. 112-117.
- Bauder, MBP, V. P. Hodson, P. V. (2005). Is oxidative stress the mechanism of blue sac disease in retene-exposed trout larvae? *Environ Toxicol Chem*. 24: 694-702.
- Bazin, CC, P. Bonnefille, M. Larbaigt, G. (1987). Compared Sensitivity of Luminescent Marine Bacteria (*Photobacterium phosphoreum*) and *Daphnia* Bioassays (Comparaison des Sensibilites du Test de Luminescence Bacterienne (*Photobacterium phosphoreum*) et du Test *Daphnie* (*Daphnia magna*) pour 14 Substances a Risque Toxique Eleve). 6: 403-413(FRE) (ENG ABS).
- Benedetti, AC, A. F. Ferrali, M. Comporti, M. (1977). Early Alterations Induced by Carbon Tetrachloride in the Lipids of the Membranes of the Endoplasmic Reticulum of the Liver Cell. I. Separation and Partial Characterization of Altered Lipids. 17: 151-166.
- Benedetti, AC, A. F. Ferrali, M. Comporti, M. (1977). Studies on the Relationships Between Carbon Tetrachloride-Induced Alterations of Liver Microsomal Lipids and Impairment of Glucose-6-Phosphatase Activity. 27: 309-323.
- Benedetti, AF, M. Casini, A. Comporti, M. (1974). Liver glutathione peroxidase activity and CCl₄-induced lipid peroxidation in selenium treated rats. *Res Comm Chem Pathol Pharmacol*. 9: 711-722.
- Bentivegna, SSW, C. M. (1991). Alteration of benzo(a)pyrene-DNA adduct formation by rats exposed to simple mixtures. *Adv Exp Med Biol*. 283: 675-679.
- Berman, ES, M. Moser, V. C. Macphail, R. C. (1995). A multidisciplinary approach to toxicological screening: I. Systemic toxicity. *J Toxicol Environ Health*. 45: 127-143. <http://dx.doi.org/10.1080/15287399509531986>.
- Bhadauria, MN, S. K. Shukla, S. (2007). Duration-Dependent Hepatoprotective Effects of Propolis Extract Against Carbon Tetrachloride-Induced Acute Liver Damage in Rats. 24: 1136-1145.
- Bhatia, BA, P. L. (1984). Cold Tolerance In CCl₄-Treated Rats And Its Modification By Administration Of Garlic Oil And Glucose. *Int J Biometeorol*. 28: 93-99.
- Bhatia, SKB, P. C. (1971). Studies on Resistance to Insecticides in *Tribolium castaneum* (Herbst). IV. Susceptibility of p,p'-DDT-Resistant Strain to Some Fumigants. 33: 45-49.
- Bhave, VSD, S. Latendresse, J. R. Mehendale, H. M. (2008). Inhibition of Cyclooxygenase-2 Aggravates Secretory Phospholipase A₂-Mediated Progression of Acute Liver Injury. 228: 239-246.
- Bhave, VSD, S. Latendresse, J. R. Muskhelishvili, L. Mehendale, H. M. (2008). Secretory phospholipase A₂ mediates progression of acute liver injury in the absence of sufficient cyclooxygenase-2. *Toxicol Appl Pharmacol*. 228: 225-238. <http://dx.doi.org/10.1016/j.taap.2007.12.023>.
- Bionomics, EGG. (1978). In Depth Studies on Health and Environmental Impact of Selected Water Pollutants. 40 p.
- Birge, WJB, J. A. Kuehne, R. A. (1980). Effects of Organic Compounds on Amphibian Reproduction. 39 p. (NTIS PB80-147523).
- Birge, WJC, R. A. (1983). Structure-activity relationships in aquatic toxicology [Review]. *Fundam Appl Toxicol*. 3: 359-368.
- Black, JAB, W. J. McDonnell, W. E. Westerman, A. G. Ramey, B. A. Bruser, D. M. (1982). The aquatic toxicity of organic compounds to embryonic-larval stages of fish and amphibians (pp. 61 PP). (ETICBACK/27462). Black, JA; Birge, WJ; McDonnell, WE; Westerman, AG; Ramey, BA; Bruser, DM. FISH,HERP.
- Blum, DJS, R. E. (1990). Determining Chemical Toxicity to Aquatic Species. *Environ Sci Technol*. 24: 284-293.
- Blum, DJS, R. E. (1991). A database of chemical toxicity to environmental bacteria and its use in interspecies comparisons and correlations. 63: 198-207.
- Bogacka, TT, B. Grawinski, E. Ceglarski, R. (1992). Toxicity and Biodegradation of Methane Halogen Derivatives in Aqueous Medium (Toksycznosc i Biodegradacja Chlorowcowych Pochodnych Metanu w Srodowisku Wodnym). 25: 37-43(POL) (ENG ABS).
- Bond, EJM, H. A. U. Buckland, C. T. (1967). The Influence of Oxygen on the Toxicity of Fumigants to *Sitophilus granarius* (L). 3: 289-294.
- Botsford, JL. (1998). A simple assay for toxic chemicals using a bacterial indicator. *World J Microbiol Biotechnol*. 14: 369-376.
- Botsford, JLR, J. Navarez, J. Riley, R. Wright, T. Baker, R. (1997). Assay for Toxic Chemicals Using Bacteria. *Bull Environ Contam Toxicol*. 59: 1000-1009.
- Bowdre, JHK, N. R. (1974). Water Quality Monitoring: Bacteria as Indicators. 1, 20 (NTIS PB-237061).
- Bowley, CRB, C. H. (1981). The Toxicity of Twelve Fumigants to Three Species of Mites Infesting Grain. 17: 83-87.
- Brabec, MJB, C. Bernstein, I. A. (1976). Studies on the Antagonism by Chloramphenicol of Carbon Tetrachloride-Induced Damage: Examination of Mitochondrial Protein Synthesis. 38: 157-167.
- Brabec, MJO, J. B. Kenel, M. Sorscher, D. Cornish, H. H. (1982). Modification of Methanol Potentiation of CCl₄ Toxicity in Rats by Chloramphenicol and Salicylate. 5: 143-154.
- Brack, WR, H. (1994). Toxicity testing of highly volatile chemicals with green algae: A new assay. 1: 223-228.
- Brar, RSS, R. Khandelwal, S. (2005). Effect of Certain Fumigants and Containers on the Viability of Wheat Seeds. 32: 253-256.
- Braun, JPS, G. Rico, A. G. (1987). Uses of gamma glutamyltransferase in experimental toxicology. *Adv Vet Sci Comp Med*. 31: 151-172.
- Bringmann, G. (1975). Determination of the Biologically Harmful Effect of Water Pollutants by Means of the Retardation of Cell Proliferation of the Blue Algae *Microcystis*. 14 p. (English translation of *Gesund.-Ing*. 96 (1975) 1238-1241 (GER)).

Environmental Hazard Literature Search Results

On Topic

- Bringmann, G. (1978). Bestimmung der biologischen schadwirkung wassergefahrdender stoffe gegen protozoen. Z f Wasser- und Abwasser-Forschung. 11: 210-215.
- Bringmann, G. (1978). Determination of the Biological Toxicity of Water Pollutants on Protozoa. 11: 210-215 (ENG ABS) (English Translation:214 p) (Toxicology 290: 81700 (81979)).
- Bringmann, GK, R. (1977). Grenzwerte der Schodwirkung Wassergefahrdender Stoffe genen Bakterien (*Pseudomonas putida*) und Grunalgen (*Scenedesmus quadricauda*) im Zellvermehrungshemmtest (Limiting Values for the Damaging Action of Water Pollutants to Bacteria (*Pseudomonas putida*) and Green Algae (*Scenedesmus quadricauda*) in the Cell Multiplication Inhibition Test). 10: 87-98(GER) (ENG ABS)(Publ As 7453).
- Bringmann, GK, R. (1977). Results of the Damaging Effect of Water Pollutants on *Daphnia magna* (Befunde der Schodwirkung Wassergefahrdender Stoffe Gegen *Daphnia magna*). 26 p. (English translation of Z. Wasser-Abwasser-Forsch. 10 (1977) 1161-1166 (GER)).
- Bringmann, GK, R. (1977). Toxicity Threshold for Water Pollutants in the Cell Multiplication Test with Respect to Bacteria (*Pseudomonas putida*) and Green Algae (*Scenedesmus quadricauda*). 32 p. (English translation of Z. Wasser-Abwasser-Forsch. 10 (1977) 1987-1998 (GER)).
- Bringmann, GK, R. (1978). Limiting Values for the Noxious Effects of Water Pollutant Material to Blue Algae (*Microcystis aeruginosa*) and Green Algae (*Scenedesmus quadricauda*) in Cell Propagation Inhibition Tests (Grenzwerte der Schodwirkung Wassergefahrdender Stoffe Gegen Blaualgen (*Microcystis aeruginosa*) und Grunalgen (*Scenedesmus quadricauda*) im Zellvermehrungshemmtest). 39 p. (English translation of Vom Wasser 50 (1978) 1945-1960 (GER)).
- Bringmann, GK, R. (1978). Testing of Substances for Their Toxicity Threshold: Model Organisms *Microcystis* (*Diplocystis*) *aeruginosa* and *Scenedesmus quadricauda*. 21: 275-284 (Author Communication Used).
- Bringmann, GK, R. (1979). Comparison of Toxic Limiting Concentrations of Water Contaminants Toward Bacteria, Algae and Protozoa in the Cell-Growth Inhibition Test (Vergleich der Toxischen Grenzkonzentrationen Wassergefahrdender Stoffe Gegen Bakterien, Algen und Protozoen im Zellvermehrungshemmtest). 100: 249-252(GER) (OECDG Data File).
- Bringmann, GK, R. (1980). Comparison of the toxicity thresholds of water pollutants to bacteria, algae, and protozoa in the cell multiplication inhibition test. Water Res. 14: 231-241.
- Bringmann, GK, R. (1980). Determination of the Biological Effect of Water Pollutants in Protozoa. II. Bacteriovorous Ciliates (Bestimmung der Biologischen Schodwirkung Wassergefahrdender Stoffe Gegen Protozoen. II. Bakterienfressende Ciliaten). 13: 26-31(GER) (ENG ABS).
- Bringmann, GK, R. Winter, A. (1980). Determination of the Biological Effect of Water Pollutants in Protozoa. III. Saprozoic Flagellates (Bestimmung der Biologischen Schodwirkung Wassergefahrdender Stoffe Gegen Protozoen III. Saprozoische Flagellaten). 13: 170-173(GER) (ENG ABS) (OECDG Data File).
- Bringmann, GK, R. (1981). Comparison of the Effect of Toxic Substances on the Flagellate Organisms Such as Ciliates and the Holozoic Bacteria-Devouring Organisms Such as Saprozoic Protozoans (Vergleich der Wirkung von Schadstoffen auf Flagellate Sowie Ciliate bzw. auf Holozoische Bakterienfressende Sowie Saprozoische Protozoen). 122: 308-313(GER) (ENG ABS).
- Bringmann, GK, R. (1982). Results of Toxic Action of Water Pollutants on *Daphnia magna* Straus Tested by an Improved Standardized Procedure. 15: 1-6(GER) (ENG ABS) (OECDG Data File).
- Brondeau, MTC, C. De Ceaurriz, J. (1991). Difference in Liver and Serum Malathion Carboxylesterase and Glucose-6-Phosphatase in Detecting Carbon Tetrachloride-Induced Liver Damage in Rats. 11: 433-435.
- Brooke, L. (1987). Report of the Flow-Through and Static Acute Test Comparisons with Fathead Minnows and Acute Tests with an Amphipod and a Cladoceran. 24 p.
- Brunschwig, AJ, C. Nicols, S. (1945). Carbon Tetrachloride Injury of the Liver. The Protective Action of Certain Compounds. 60: 388-391.
- Buccafusco, RJE, S. J. Leblanc, G. A. (1981). Acute toxicity of priority pollutants to bluegill (*Lepomis macrochirus*). Bull Environ Contam Toxicol. 26: 446-452. <http://dx.doi.org/10.1007/BF01622118>.
- Bulbena, OC, J. Bravo, M. L. (1997). Cytoprotective Activity in the Gastric Mucosa of Rats Exposed to Carbon Tetrachloride-Induced Liver Injury. 21: 475-488.
- Bulich, AA. (1979). Use of Luminescent Bacteria for Determining Toxicity in Aquatic Environments.
- Burcham, PC. (2006). Molecular Basis for Adaptive Responses During Chemically Induced Hepatotoxicity. 89: 349-351.
- Burk, RFL, J. M. (1979). Ethane Production and Liver Necrosis in Rats After Administration of Drugs and Other Chemicals. 50: 467-478.
- Butterworth, BE. (1991). Chemically Induced Cell Proliferation as a Predictive Assay for Potential Carcinogenicity. 369: 457-467.
- Bysshe, SE. (1990). Bioconcentration Factor in Aquatic Organisms. 5: 5.1 - 5.30.
- Cagen, SZK, C. D. (1979). Protection of Carbon Tetrachloride-Induced Hepatotoxicity by Zinc: Role of Metallothionein. 51: 107-116.
- Calabrese, EJJ, D. A. Baldwin, L. A. (1994). Tissue Repair: A Critical Determination in CCl₄ Hepatotoxicity. 27: 105-106.
- Call, DJB, L. T. Ahmad, N. (1980). Toxicity, Bioconcentration, and Metabolism of Selected Chemicals in Aquatic Organisms. 80 p.
- Call, DJB, L. T. Kent, R. J. (1983). Toxicity, Bioconcentration, and Metabolism of Five Herbicides in Freshwater Fish. 99 p. (Publ As 15275, 10635, 12612) (PB15283-15299 p. (Publ As 15275, 10635, 12612263681)).
- Calleja, MCP, G. Geladi, P. (1993). The Predictive Potential of a Battery of Ecotoxicological Tests for Human Acute Toxicity, as Evaluated with the First 50 MEIC Chemicals. 21: 330-349.
- Calleja, MCP, G. Geladi, P. (1994). Comparative acute toxicity of the first 50 multicentre evaluation of in vitro cytotoxicity chemicals to aquatic non-vertebrates. Arch Environ Contam Toxicol. 26: 69-78. <http://dx.doi.org/10.1007/BF00212796>.
- Campos, GS-H, W. Ghallab, A. Rochlitz, K. Putter, L. Medinas, D. B. Hetz, C. Widera, A. Cadenas, C. Begher-Tibbe, B. Reif, R. Gunther, G. Sachinidis, A. Hengstler, J. G. Godoy, P. (2014). The Transcription Factor CHOP, a Central Component of the Transcriptional Regulatory Network Induced upon CCl₄ Intoxication in Mouse Liver, is not a Critical Mediator of Hepatotoxicity. 88: 1267-1280.

Environmental Hazard Literature Search Results

On Topic

- Camps, JB, T. Gimenez, A. Alie, S. Caballeria, J. Pares, A. Joven, J. Masana, L. Rodes, J. (1992). Relationship Between Hepatic Lipid Peroxidation and Fibrogenesis in Carbon Tetrachloride-Treated Rats: Effect of Zinc Administration. 83: 695-700.
- Cantarow, AS, H. L. Morgan, D. R. (1938). Experimental Carbon Tetrachloride Poisoning in the Cat I. The Influence of Calcium Administration. 63: 153-172.
- Carlson, GP. (1975). Potentiation of carbon tetrachloride hepatotoxicity in rats by pretreatment with polychlorinated biphenyls. Toxicology. 5: 69-77.
- Casillas, EA, W. (1986). Hepatotoxic Effects of CCl₄ on English Sole (*Parophrys vetulus*): Possible Indicators of Liver Dysfunction. 84: 397-400.
- Casillas, EM, M. Ames, W. E. (1983). RELATIONSHIP OF SERUM CHEMISTRY VALUES TO LIVER AND KIDNEY HISTOPATHOLOGY IN ENGLISH SOLE (*PAROPHRYS-VETULUS*) AFTER ACUTE EXPOSURE TO CARBON-TETRACHLORIDE. Aquat Toxicol. 3: 61-78.
- Cawthorne, MAB, J. Sennitt, M. V. Green, J. Grasso, P. (1970). Vitamin E and Hepato Toxic Agents Part 3 Vitamin E Synthetic Anti Oxidants and Carbon Tetrachloride Toxicity in the Rat. 24: 357-384.
- Cawthorne, MAM, E. A. Bunyan, J. Leiper, J. W. G. Green, J. Watkins, J. H. (1971). The Effect of Ethoxyquin on the Mortality of Sheep Treated with DDT and Carbon Tetrachloride. 12: 516-520.
- Cengiz, NK, S. Güzel, A. Ozbek, H. Bektaş, H. Him, A. Erdoğan, E. Balahoroğlu, R. (2013). Investigation of the hepatoprotective effects of Sesame (*Sesamum indicum* L.) in carbon tetrachloride-induced liver toxicity. J Membr Biol. 246: 1-6. <http://dx.doi.org/10.1007/s00232-012-9494-7>.
- Cha, JYA, H. Y. Moon, H. I. Jeong, Y. K. Cho, Y. S. (2012). Effect of fermented *Angelicae gigantis* Radix on carbon tetrachloride-induced hepatotoxicity and oxidative stress in rats. Immunopharmacol Immunotoxicol. 34: 265-274. <http://dx.doi.org/10.3109/08923973.2011.600765>.
- Chan, WHS, W. Z. Ueng, T. H. (2005). Induction of rat hepatic cytochrome P-450 by ketamine and its toxicological implications. J Toxicol Environ Health A. 68: 1581-1597. <http://dx.doi.org/10.1080/15287390590967522>.
- Chandra, SK, B. P. Sharma, V. K. (1975). Relative Penetration Power of Some Selected Fumigants and Their Mixtures. 9: 127-134.
- Chandra, SK, B. P. Sharma, V. K. (1978). Efficacy of Some Selected Fumigants on Rice Weevil, *Sitophilus oryzae* Linnaeus. 12: 79-84.
- Chatamra, KP, E. (1981). Phenobarbitone-Induced Enlargement of the Liver in the Rat: Its Relationship to Carbon Tetrachloride-Induced Cirrhosis. 62: 283-288.
- Chávez, ES, J. Shibayama, M. Tsutsumi, V. Vergara, P. Castro-Sánchez, L. Salazar, E. P. Moreno, M. G. Muriel, P. (2010). Antifibrotic and fibrolytic properties of celecoxib in liver damage induced by carbon tetrachloride in the rat. Liver Int. 30: 969-978. <http://dx.doi.org/10.1111/j.1478-3231.2010.02256.x>.
- Chen, CYW, G. A. Bowser, P. R. (2004). Comparative blood chemistry and histopathology of tilapia infected with *Vibrio vulnificus* or *Streptococcus iniae* or exposed to carbon tetrachloride, gentamicin, or copper sulfate. Aquaculture. 239: 421-443. <http://dx.doi.org/10.1016/j.aquaculture.2004.05.033>.
- Chen, CYW, Y. J. Yang, C. F. (2009). Estimating Low-Toxic-Effect Concentrations in Closed-System Algal Toxicity Tests. 72: 1514-1522.
- Chen, LP, D. D. Zhou, J. Jiang, Y. Z. (2005). Protective Effect of Selenium-Enriched *Lactobacillus* on CCl₄-Induced Liver Injury in Mice and Its Possible Mechanisms. 11: 5795-5800.
- Chen, WJC, E. Y. Smuckler, E. A. (1977). Carbon tetrachloride-induced changes in mixed function oxidases and microsomal cytochromes in the rat lung. Lab Invest. 36: 388-394.
- Chengelis, CP. (1988). Paradoxical Effect of Cobaltous Chloride on Carbon Disulfide Induced Hepatotoxicity in Rats. 61: 83-96.
- Cheshchevik, VTL, E. A. Dremza, I. K. Zabrodskaya, S. V. Reiter, R. J. Prokopchik, N. I. Zavodnik, I. B. (2012). Rat liver mitochondrial damage under acute or chronic carbon tetrachloride-induced intoxication: protection by melatonin and cranberry flavonoids. Toxicol Appl Pharmacol. 261: 271-279. <http://dx.doi.org/10.1016/j.taap.2012.04.007>.
- Choi, MKS, I. S. Park, S. R. Hong, S. S. Kim, D. D. Chung, S. J. Shim, C. K. (2005). Mechanism of the Stationary Canalicular Excretion of Tributylmethyl Ammonium in Rats with a CCl₄-induced Acute Hepatic Injury. 94: 317-326.
- Chung, HH, D. P. Kim, H. J. Jang, K. S. Shin, D. M. Ahn, J. I. Lee, Y. S. Kong, G. (2006). Differential Gene Expression Profiles in the Steatosis/Fibrosis Model of Rat Liver by Chronic Administration of Carbon Tetrachloride. 208: 242-254.
- Clarke, ISL, E. M. K. (1986). Interaction of Metallothionein and Carbon Tetrachloride on the Protective Effect of Zinc on Hepatotoxicity. 64: 1104-1110.
- Clary, JJG, D. H. Stokinger, H. E. (1973). Comparative changes in serum enzyme levels in beryllium- or carbon tetrachloride-induced liver necrosis. Proc Soc Exp Biol Med. 143: 1207-1210.
- Co, DC. (1975). Fish Toxicity Studies. 5 p. (NTIS/OTS0517186).
- Co, DC. (2000). Internal Letters Within Dow Chemical USA Regarding Fish Toxicity Studies. 5 p. (NTIS/OTS0530682).
- Co., AC. (1994). HPLC Grade Solvents. 1766.
- Coleman, JBC, L. W. Lamb, R. G. (1988). The Influence of CCl₄ Biotransformation on the Activation of Rat Liver Phospholipase C In Vitro. Toxicol Appl Pharmacol. 95: 200-207.
- Columbano, AL-C, G. M. Lee, G. Rajalakshmi, S. Sarma, D. S. (1987). Inability of mitogen-induced liver hyperplasia to support the induction of enzyme-altered islands induced by liver carcinogens. Cancer Res. 47: 5557-5559.
- Congiu, AMC, E. Ugazio, G. (1984). Effects of metal ions and CCl₄ on sea urchin embryo (*Paracentrotus lividus*). Res Comm Chem Pathol Pharmacol. 43: 317-323.
- Connell, DW. (1990). Evaluation of the Bioconcentration Factor, Biomagnification Factor, and Related Physicochemical Properties of Organic Compounds. 9-45.

Environmental Hazard Literature Search Results

On Topic

- Connell, DWS, G. (1988). EVALUATION OF VARIOUS MOLECULAR PARAMETERS AS PREDICTORS OF BIOCONCENTRATION IN FISH. *Ecotoxicol Environ Saf.* 15: 324-335.
- Corp., S. R. (1978). Results of Continuous Exposure of Fathead Minnow Embryo to 21 Priority Pollutants. 46 p. (NTIS/OTS0511060)(Publ in Part as 0515175, 0515184, 0515590, 0519607, 0519953, 0510366, 0510427, 0120941).
- Cowles, CM, A. Chipman, J. K. (2007). Different mechanisms of modulation of gap junction communication by non-genotoxic carcinogens in rat liver in vivo. *Toxicology.* 238: 49-59. <http://dx.doi.org/10.1016/j.tox.2007.05.027>.
- Crebelli, RA, C. Carere, A. Conti, L. Crochi, B. Cotta-Ramusino, M. Benigni, R. (1995). Toxicology of halogenated aliphatic hydrocarbons: Structural and molecular determinants for the disturbance of chromosome segregation and the induction of lipid peroxidation. *Chem Biol Interact.* 98: 113-129. [http://dx.doi.org/10.1016/0009-2797\(95\)03639-3](http://dx.doi.org/10.1016/0009-2797(95)03639-3).
- Crebelli, RC, A. (1987). Chemical and physical agents assayed in tests for mitotic intergenic and intragenic recombination in *Aspergillus nidulans* diploid strains. *Mutagenesis.* 2: 469-475. <http://dx.doi.org/10.1093/mutage/2.6.469>.
- Crebelli, RC, A. Leopardi, P. (1999). Evaluation of 10 aliphatic halogenated hydrocarbons in the mouse bone marrow micronucleus test. *Mutagenesis.* 14: 207-215. <http://dx.doi.org/10.1093/mutage/14.2.207>.
- Cutler, MG. (1974). The Sensitivity of Function Tests in Detecting Liver Damage in the Rat. 28: 349-357.
- Dalton, S. R. Lee, S. M. King, R. N. Nanji, A. A. Kharbanda, K. K. Casey, C. A. Mcvicker, B. L. (2009). Carbon tetrachloride-induced liver damage in asialoglycoprotein receptor-deficient mice. *Biochem Pharmacol.* 77: 1283-1290. <http://dx.doi.org/10.1016/j.bcp.2008.12.023>.
- Dashti, HJ, B. Haegerstrand, I. Hultberg, B. Srinivas, U. Abdulla, M. Bengmark, S. (1989). Thioacetamide- and Carbon Tetrachloride-Induced Liver Cirrhosis. 21: 83-91.
- Davies, HWB, S. G. Pohl, L. R. (1986). Carbon Tetrachloride and 2 Isopropyl-4-Pentenamide-Induced Inactivation of Cytochrome P-450 Leads to Heme-derived Oriteub Adducts. 244: 387-392.
- Davies, RPD, A. J. (1984). The Prediction of Bioconcentration in Fish. 18: 1253-1262.
- Davis, JHD, J. E. Rafonnelli, A. Reich, G. (1973). Investigation of fatal acrylonitrile intoxications. In WB Deichmann (Ed.), (pp. 547-556). New York, NY: Intercontinental Medical Book Corp.
- Dawood, IKD, B. C. (1966). Field Tests on Two New Molluscicides (Molucid and WL 8008) in the Egypt-49 Project Area. 35: 913-920.
- Dawson, GWJ, A. L. Drozdowski, D. Rider, E. (1977). The acute toxicity of 47 industrial chemicals to fresh and saltwater fishes. *J Hazard Mater.* 1: 303-318.
- De Matteis, FD, S. J. Boobis, A. R. Comoglio, A. (1991). Inducible bilirubin-degrading system of rat liver microsomes: Role of cytochrome P450IA1. *Mol Pharmacol.* 40: 686-691.
- De Rooij, CB, J. C. Garny, V. Lecloux, A. Papp, R. Thompson, R. S. Van Wijk, D. (1998). Euro Chlor risk assessment for the marine environment OSPARCOM region: North sea - Tetrachloroethylene. *Environ Monit Assess.* 53: 489-508.
- de Vera, MPP, G. N. (1998). Potential protective effect of calcium carbonate as liming agent against copper toxicity in the African tilapia *Oreochromis mossambicus*. *Sci Total Environ.* 214: 193-202. [http://dx.doi.org/10.1016/S0048-9697\(98\)00065-5](http://dx.doi.org/10.1016/S0048-9697(98)00065-5).
- De Wolf, WC, J. H. Deneer, J. W. Wegman R, C. C. Hermens J, L. M. (1988). QUANTITATIVE STRUCTURE-ACTIVITY RELATIONSHIPS AND MIXTURE-TOXICITY STUDIES OF ALCOHOLS AND CHLOROHYDROCARBONS REPRODUCIBILITY OF EFFECTS ON GROWTH AND REPRODUCTION OF DAPHNIA-MAGNA. *Aquat Toxicol. AMST:* 39-50.
- Delistraty, D. (1999). Relationship between cancer slope factor and acute toxicity in rats and fish. *Hum Ecol Risk Assess.* 5: 415-426.
- Den Tonkelaar, EMVL, M. J. (1974). Protective Action of Dithiocarbamates on Experimental Liver Damage Produced by Carbon Tetrachloride. 30: 96-106.
- Deneer, JWS, T. L. Seinen, W. Hermens, J. L. (1988). The Joint Acute Toxicity to *Daphnia-Magna* of Industrial Organic Chemicals at Low Concentrations. *Aquat Toxicol.* 12: 33-38.
- Denny, FE. (1945). Synergistic Effects of Three Chemicals in the Treatment of Dormant Potato Tubers to Hasten Germination. 14: 1-14.
- Denny, FES, E. N. (1928). Chemical Treatments for Shortening the Rest Period of Pot-Grown Woody Plants. 15: 327-336.
- Devillers, JZ, D. Chastrette, M. (1988). A predictive correlation for the acute toxicity of organic pollutants to *Pimephales promelas*. *Chemosphere.* 17: 1531-1537. [http://dx.doi.org/10.1016/0045-6535\(88\)90205-6](http://dx.doi.org/10.1016/0045-6535(88)90205-6).
- Dhingra, ODM, J. J. (1980). DICHLOROMETHANE, TRICHLOROMETHANE AND CARBONTETRACHLORIDE AS SOLVENTS FOR BEAN SEED TREATMENT WITH SYSTEMIC FUNGICIDES. *Seed Science and Technology.* 8: 77-83.
- Disilvestro, RAC, G. P. (1992). Inflammation, an Inducer of Metallothionein, Inhibits Carbon-Tetrachloride-Induced Hepatotoxicity in Rats. 60: 175-181.
- Dogterom, PN, J. F. van Steveninck, J. Mulder, G. J. (1988). Inhibition of lipid peroxidation by disulfiram and diethyldithiocarbamate does not prevent hepatotoxin-induced cell death in isolated rat hepatocytes. A study with allyl alcohol, tert-butyl hydroperoxide, diethyl maleate, bromoisovalerylurea and carbon tetrachloride. *Chem Biol Interact.* 66: 251-265.
- Domitrovic, RJ, H. Grebic, D. Milin, C. Radosevic-Stasic, B. (2008). Dose- and Time-Dependent Effects of Luteolin on Liver Metallothioneins and Metals in Carbon Tetrachloride-Induced Hepatotoxicity in Mice. 126: 176-185.
- Domitrovic, RJ, H. Tomac, J. Sain, I. (2009). Liver Fibrosis in Mice Induced by Carbon Tetrachloride and Its Reversion by Luteolin. 241: 311-321.
- Domitrovic, RJ, H. (2010). Antifibrotic Activity of Anthocyanidin Delphinidin in Carbon Tetrachloride-Induced Hepatotoxicity in Mice. 272: 1-10.
- Domitrovic, RJ, H. Marchesi, V. V. Sain, I. Romic, Z. Rahelic, D. (2012). Preventive and therapeutic effects of oleuropein against carbon tetrachloride-induced liver damage in mice. *Pharmacol Res.* 65: 451-464. <http://dx.doi.org/10.1016/j.phrs.2011.12.005>.
- Dow, JG, T. (2000). Trichloroethylene induced vitamin B(12) and folate deficiency leads to increased formic acid excretion in the rat. *Toxicology.* 146: 123-136. [http://dx.doi.org/10.1016/S0300-483X\(00\)00156-6](http://dx.doi.org/10.1016/S0300-483X(00)00156-6).
- Duncan, WAML, B. J. (1977). *Clinical Toxicology.* 348 p.

Environmental Hazard Literature Search Results

On Topic

- Dwivedi, SS, R. Sharma, A. Zimniak, P. Ceci, J. D. Awasthi, Y. C. Boor, P. J. (2006). The Course of CCl₄ Induced Hepatotoxicity is Altered in mGSTA4-4 Null (-/-) Mice. 218: 58-66.
- Dybing, FD, O. (1946). The toxic effect of tetrachlormethane and tetrachlorethylene in oily solution. *Acta Pharmacol Toxicol.* 2: 223-226. <http://dx.doi.org/10.1111/j.1600-0773.1946.tb02612.x>.
- Eckhardt, DAR, J. E. Shaw, S. B. (2009). Groundwater quality in central New York, 2007 (pp. 48 p.). (Open-File Report 2009-1257). Troy, NY: U.S. Department of the Interior, U.S. Geological Survey, New York Water Science Center. <http://pubs.usgs.gov/of/2009/1257/>.
- Edwards, JED, A. J. (1942). Induction of cirrhosis of the liver and of hepatomas in mice with carbon tetrachloride. *J Natl Cancer Inst.* 3: 19-41.
- Edwards, MJK, B. J. Kauffman, F. C. Thurman, R. G. (1993). The involvement of Kupffer cells in carbon tetrachloride toxicity. *Toxicol Appl Pharmacol.* 119: 275-279.
- EG G Bionomics. (1978). In-depth studies on health and environmental impacts of selected water pollutants. (Monthly Report for February 1978, Contract 68-01-4646, U.S. EPA, Criteria Branch, Washington, DC). Wareham, MA.
- Egilmez, NS, E. Y. Onat, T. Tanyalcin, T. Erlacin, S. (1994). The Role of Vitamin E in Carbon Tetrachloride Toxicity. 21: 235-237.
- Ekor, MO, A. O. Kale, O. E. Oritogun, K. S. Adesanoye, O. A. Bamidele, T. O. (2011). Pharmacologic inhibition of the renin-angiotensin system did not attenuate hepatic toxicity induced by carbon tetrachloride in rats. *Hum Exp Toxicol.* 30: 1840-1848. <http://dx.doi.org/10.1177/0960327111401051>.
- El-Borollosy, FMW, A. K. Allam, H. M. The relative toxicity of sulfur dioxide, carbon disulphide, carbon tetrachloride and paradichlorobenzene to the different stages of *Achroia grisella* Fab. 1972, 6: 117-126.
- Elferink, MGLO, P. Draaisma, A. L. Merema, M. T. Bauerschmidt, S. Polman, J. Schoonen, W. G. Groothuis, G. M. M. (2008). Microarray Analysis in Rat Liver Slices Correctly Predicts In Vivo Hepatotoxicity. 229: 300-309.
- Enslin, KT, T. M. Borgstedt, H. H. Blake, B. W. Hart, J. B. (1987). In: K.L.E.Kaiser (Ed.), *QSAR in Environmental Toxicology*, Dordrecht, Holland Prediction of rat oral LD50 from *Daphnia magna* LC50 and chemical structure.
- Escher, MW, T. Buttner, S. Meier, W. Burkhardt-Holm, P. (1999). The effect of sewage plant effluent on brown trout (*Salmo trutta fario*): A cage experiment. *Aquat Sci.* 61: 93-100.
- Espandiar, PR, L. W. Srinivasan, C. Glauert, H. P. (2005). Comparison of Different Initiation Protocols in the Resistant Hepatocyte Model. 206: 373-381.
- Evers, WDH, J. B. Bond, J. T. (1982). Lack of Effect of a Purified Diet on Carbon Tetrachloride or Oxygen Toxicity. 1: 329-333.
- Fang, BL, S. Song, Y. Li, N. Li, H. Zhao, R. C. (2010). Intermittent dosing of G-CSF to ameliorate carbon tetrachloride-induced liver fibrosis in mice. *Toxicology.* 270: 43-48. <http://dx.doi.org/10.1016/j.tox.2009.12.002>.
- Fang, HLL, W. C. (2008). Lipid Peroxidation Products do Not Activate Hepatic Stellate Cells. 253: 36-45.
- Farber, EP, S. Gruenstein, M. (1976). The Resistance of Putative Premalignant Liver Cell Populations, Hyperplastic Nodules, to the Acute Cytotoxic Effects of Some Hepatocarcinogens. 36: 3879-3887.
- Faustman, EM. (1988). Short-term tests for teratogens. *DNA Repair.* 205: 355-384.
- Fernandez-Martinez, EB, R. A. Morales-Rios, M. S. Muriel, P. Perez-Alvarez, V. M. (2007). Trans-3-Phenyl-2-Propenoic Acid (Cinnamic Acid) Derivatives: Structure-Activity Relationship as Hepatoprotective Agents. 3: 475-479.
- Ferrario, JBL, G. C. Deleon, I. R. Laseter, J. L. (1985). Volatile organic pollutants in biota and sediments of Lake Pontchartrain. *Bull Environ Contam Toxicol.* 34: 246-255. <http://dx.doi.org/10.1007/BF01609730>.
- Fisher, DJB, D. T. Paulson, R. L. (1987). Toxicity of DEDGN (diethyleneglycol dinitrate), synthetic-HC smoke combustion products, solvent yellow 33 and solvent green 3 to freshwater aquatic organisms.
- Fisher, DJB, D. T. Paulson, R. L. (1990). Acute toxicity of a complex mixture of synthetic hexachloroethane (HC) smoke combustion products: II. Determination of component toxicity. *Environ Toxicol Chem.* 9: 755-760.
- Flaks, BN, J. W. (1974). Modification of Toxic Liver Injury in the Rat. I. Effect of Inhibition of Protein Synthesis on the Action of 2-Acetylaminofluorene, Carbon Tetrachloride, 3¹-Methyl-4-Dimethylaminoazobenzene and Diethylnitrosamine. 8: 135-150.
- Folmar, LCB, S. Moody, T. Gibson, J. (1993). The Effect of Short-Term Exposure to Three Chemicals on the Blood Chemistry of the Pinfish (*Lagodon rhomboides*). 24(1): 83-86.
- Fouremant, PM, J. M. Valencia, R. Zimmering, S. (1994). Chemical mutagenesis testing in *Drosophila*. X. Results of 70 coded chemicals tested for the National Toxicology Program. *Environ Mol Mutagen.* 23: 208-227. <http://dx.doi.org/10.1002/em.2850230310>.
- Fowler, JSL. (1970). Carbon Tetrachloride Metabolism in Sheep and in *Fasciola hepatica*. 39: 599-607.
- Fowler, JSL. (1970). Chlorinated Hydrocarbon Toxicity in the Fowl and Duck. *J Comp Pathol.* 80: 465-470.
- Fowler, JSL. (1971). Toxicity Of Carbon Tetrachloride And Other Fasciocidal Drugs In Sheep And Chickens. *Br Vet J.* 127: 304-312.
- Fuller, HLM, G. K. (1963). The Comparative Toxicity of Ethylene Dibromide when Fed as Fumigated Grain and when Administered in Single Daily Doses. 42: 508-514.
- Gast, RE, J. (1956). Solvents and Emulsifiers Used in Insecticide Formulations. 42-45, 136 - 139.
- Gastel, JA. (2001). Early Indicators of Response in Biologically Based Risk Assessment for Nongenotoxic Carcinogens. 33: 393-398.
- Gehring, PJ. (1968). Hepatotoxic potency of various chlorinated hydrocarbon vapours relative to their narcotic and lethal potencies in mice. *Toxicol Appl Pharmacol.* 13: 287-298.
- Geier, AK, S. K. Gerloff, T. Dietrich, C. G. Lammert, F. Karpen, S. J. Stieger, B. Meier, P. J. Matern, S. Gartung, C. (2002). Hepatobiliary Organic Anion Transporters are Differentially Regulated in Acute Toxic Liver Injury Induced by Carbon Tetrachloride. 37: 198-205.
- Geiger, DLB, L. T. Call, D. J. (1990). Acute Toxicities of Organic Chemicals to Fathead Minnows (*Pimephales promelas*), Volume V. 332 p.
- Genoni, GP. (1997). Influence of the energy relationships of organic compounds on their specificity toward aquatic organisms. *Ecotoxicol Environ Saf.* 36: 99-108. <http://dx.doi.org/10.1006/eesa.1996.1490>.

Environmental Hazard Literature Search Results

On Topic

- Gerok, WH, D. (1985). Ammonia Detoxication by the Liver: New Concepts of Glutamine and Urea Synthesis. 211-222.
- Geyer, HP, G. Freitag, D. (1984). Prediction of Ecotoxicological Behaviour of Chemicals: Relationship Between N-Octanol/Water Partition Coefficient and Bioaccumulation of Organic Chemicals by Alga *Chlorella*. 13: 269-283.
- Gilani, AUHJ, K. H. (1995). Preventive and Curative Effects of *Artemisia absinthium* on Acetaminophen and CCl₄-Induced Hepatotoxicity. 26: 309-315.
- Gingerich, WH. (1977). Sulfobromophthalein Disposition in Rainbow Trout (*Salmo gairdneri*) as Influenced by Carbon Tetrachloride intoxication. 96 p.
- Gingerich, WHW, L. J. (1976). Carbon Tetrachloride Induced Plasma Retention of Sulfobromophthalein in Rainbow Trout (*Salmo gairdneri*). 35: 585-(ABS).
- Gingerich, WHW, L. J. Larson, R. E. (1977). Carbon Tetrachloride-Induced Plasma Retention of Sulfobromophthalein (BSP) in the Rainbow Trout (*Salmo gairdneri*). 37: 146-(ABS).
- Gingerich, WHW, L. J. Larson, R. E. (1978). Carbon Tetrachloride-Induced Retention of Sulfobromophthalein in the Plasma of Rainbow Trout. 43: 147-158.
- Gingerich, WHW, L. J. Larson, R. E. (1978). The Effect of Carbon Tetrachloride on Hepatic Accumulation, Metabolism, and Biliary Excretion of Sulfobromophthalein in Rainbow Trout. 43: 159-167.
- Girish, GKG, R. K. Krishnamurthy, K. (1972). Ethylene Dibromide as a Grain Fumigant. 10: 120-130.
- Glende, EA, Jr Hruszkewycz, A. M. Recknagel, R. O. (1976). Critical role of lipid peroxidation in carbon tetrachloride-induced loss of aminopyrine demethylase, cytochrome P-450 and glucose 6-phosphatase. *Biochem Pharmacol*. 25: 2163-2170.
- Gnanamani, AS, M. Deepa, G. Deivanai, K. Sadulla, S. (2008). Haematological and Biochemical Effects of Polyphenolics in Animal Models. 72: 1321-1326.
- Goel, MRS, M. A. Stohs, S. J. (1988). Induction of lipid peroxidation by hexachlorocyclohexane, dieldrin, TCDD, carbon tetrachloride, and hexachlorobenzene in rats. *Bull Environ Contam Toxicol*. 40: 255-262.
- Gonzalez, FJ. (2001). The use of gene knockout mice to unravel the mechanisms of toxicity and chemical carcinogenesis. *Toxicol Lett*. 120: 199-208. [http://dx.doi.org/10.1016/S0378-4274\(01\)00296-X](http://dx.doi.org/10.1016/S0378-4274(01)00296-X).
- González-Reimers, EL-L, A. Olivera, R. M. Santolaria-Fernández, F. Galindo-Martín, L. Abreu-González, P. Sánchez-Sánchez, J. J. Martínez-Riera, A. (2003). Effects of protein deficiency on liver trace elements and antioxidant activity in carbon tetrachloride-induced liver cirrhosis. *Biol Trace Elem Res*. 93: 127-140.
- Grant, DLP, W. E. Villeneuve, D. C. (1971). Metabolism of a polychlorinated biphenyl (Aroclor 1254) mixture in the rat. *Bull Environ Contam Toxicol*. 6: 102-112. <http://dx.doi.org/10.1007/BF01540090>.
- Grant, DLP, W. E. J. (1972). The Effect Of Liver Damage On The Storage Of p,p'-DDT In The Rat. *Bull Environ Contam Toxicol*. 7: 284-287.
- Green, TT, A. Lee, R. Waechter, F. Weber, E. Noakes, J. (2005). Thiamethoxam Induced Mouse Liver Tumors and Their Relevance to Humans: Part 1: Mode of Action Studies in the Mouse. 86: 36-47.
- Gregus, ZW, J. B. Thompson, T. N. Klaassen, C. D. (1982). Resistance of Some Phase II Biotransformation Pathways to Hepatotoxins. 222: 471-479.
- Grohn, YB, M. L. Lindberg, L. A. (1985). Propionate Loading Test for Liver Function During Experimental Liver Necrosis in Sheep. 46: 952-958.
- Groothuis, GMMM, D. K. F. Hardonk, M. J. (1983). Morphological Studies on Selective Acinar Liver Damage by N-Hydroxy-2-Acetylaminofluorene and Carbon Tetrachloride. 322: 298-309.
- Gubs'Kii, IP, T. P. (1977). Effect of Tetrachloromethane on Alpha-Ketoglutarate Dehydrogenase and Succinate Dehydrogenase Activity in Mitochondria of Rat Liver Under Conditions of Administration of Polycyclic Hydrocarbons. 49: 26-30(RUS) (ENG ABS).
- Guo, TLM, J. A. Brown, R. D. Musgrove, D. L. Germolec, D. R. Butterworth, L. Munson, A. E. White, K. L., Jr. (2000). Carbon tetrachloride is immunosuppressive and decreases host resistance to *Listeria monocytogenes* and *Streptococcus pneumoniae* in female B6C3F1 mice. *Toxicology*. 154: 85-101.
- Guven, AK, N. (2005). Determination of Reduced Glutathion, Glutathione-S-Transferase and Selenium Levels in Goose Liver Cells with Damage Induced by Carbon Tetrachloride and Ethanol. 29: 1233-1238.
- Hamada, NP, R. E. (1977). Effect of chlorinated aliphatic hydrocarbons on excretion of protein and electrolytes by rat pancreas. *Toxicol Appl Pharmacol*. 39: 185-194.
- Hamdy, NE-D, E. (2012). New therapeutic aspect for carvedilol: antifibrotic effects of carvedilol in chronic carbon tetrachloride-induced liver damage. *Toxicol Appl Pharmacol*. 261: 292-299. <http://dx.doi.org/10.1016/j.taap.2012.04.012>.
- Hamlin, GP. (1991). Carbon Tetrachloride Effects on Fertilization and Preimplantation Development in Mice.
- Hammond, GH. (1947). Phyllophaga spp. Control with Volatile Soil Fumigants. A Progress Report. 14-19.
- Hanna, PMK, M. B. Jordan, S. J. Mason, R. P. (1993). Role of metallothionein in zinc(II) and chromium(III) mediated tolerance to carbon tetrachloride hepatotoxicity: evidence against a trichloromethyl radical-scavenging mechanism. *Chem Res Toxicol*. 6: 711-717.
- Harris, DOP, M. C. (1974). Further Observations on an Algicide Produced by *Pandorina morum*, a Colonial Green Flagellate. 9: 259-265.
- Harvey, DGH, C. M. (1971). The Application of Some Liver Function Tests to Sheep Dosed with Carbon Tetrachloride and Hexachlorophene. 88: 562-569.
- Harvey, MJK, C. D. (1983). Interaction of Metals and Carbon Tetrachloride on Lipid Peroxidation and Hepatotoxicity. 71: 316-322.
- Hasegawa, RT, M. Tsuda, H. Shirai, T. Hagiwara, A. Ito, N. (1982). Induction of Hyperplastic Liver Nodules in Hepatectomized Rats Treated with 3'-Methyl-4-Dimethylaminoazobenzene, Benzo(a)pyrene or Phenobarbital Before or After Exposure to N-2-Fluorenylacetamide. 73: 264-269.
- Hawker, D. (1990). Description of fish bioconcentration factors in terms of solvatochromic parameters. *Chemosphere*. 20: 467-478.

Environmental Hazard Literature Search Results

On Topic

- Hawker, DWC, D. W. (1985). Relationships Between Partition Coefficient, Uptake Rate Constant, Clearance Rate Constant and Time to Equilibrium for Bioaccumulation. 14: 1205-1219.
- Hegde, KJ, A. B. (2009). Hepatoprotective effect of *Carissa carandas* Linn root extract against CCl₄ and paracetamol induced hepatic oxidative stress. *Indian J Exp Biol.* 47: 660-667.
- Hermenean, AA, A. Stan, M. Herman, H. Mihali, C. V. Costache, M. Dinischiotu, A. (2013). Protective effects of naringenin on carbon tetrachloride-induced acute nephrotoxicity in mouse kidney. *Chem Biol Interact.* 205: 138-147. <http://dx.doi.org/10.1016/j.cbi.2013.06.016>.
- Hermens, JB, E. Canton, H. Wegman, R. (1985). QUANTITATIVE STRUCTURE-ACTIVITY RELATIONSHIPS AND MIXTURE TOXICITY STUDIES OF ALCOHOLS AND CHLOROHYDROCARBONS EFFECTS ON GROWTH OF DAPHNIA-MAGNA. *Aquat Toxicol. AMST:* 209-218.
- Hiatt, MH. (1981). Analysis of fish and sediment for volatile priority pollutants. *Anal Chem.* 53: 1541-1543.
- Hiatt, MH. (1983). Determination of volatile organic compounds in fish samples by vacuum distillation and fused silica capillary gas chromatography-mass spectrometry. *Anal Chem.* 55: 506-516.
- Hide, GA. (1986). Treatment of Potatoes Used for Seed. 13: 263-290.
- Hincks, JRB, W. A. (1987). Effects of inducer pretreatment on liver function and morphology in the mountain vole *Microtus montanus*. *Comp Biochem Physiol C Comp Pharmacol Toxicol.* 86: 343-347. [http://dx.doi.org/10.1016/0742-8413\(87\)90091-0](http://dx.doi.org/10.1016/0742-8413(87)90091-0).
- Hiraoka, YN, H. Murachi, S. (1979). Blood Properties of Rainbow Trout in Acute Hepatotoxicity by Carbon Tetrachloride. 45: 527-532.
- Hirode, MO, A. Miyagishima, T. Nagao, T. Ohno, Y. Urushidani, T. (2008). Gene Expression Profiling in Rat Liver Treated with Compounds Inducing Phospholipidosis. 229: 290-299.
- Hiyoshi, MK, H. Uemura, H. Matsuzaki, H. Tsukamoto, H. Sugimoto, R. Takeda, H. Dakeshita, S. Kitayama, A. Takami, H. Sawachika, F. Kido, H. Arisawa, K. (2009). D-Dopachrome tautomerase is a candidate for key proteins to protect the rat liver damaged by carbon tetrachloride. *Toxicology.* 255: 6-14. <http://dx.doi.org/10.1016/j.tox.2008.09.016>.
- Hojo, HK, T. Zuinen, R. Aoki, M. Yamaguchi, M. Chikuma, T. Sato, M. (2002). Production of Interleukin-6 and Its Implication in Rats After Subcutaneous Injection of Carbon Tetrachloride. 48: 134-139.
- Honma, TS, M. (1997). Changes in plasma lipoproteins as toxicity markers for carbon tetrachloride, chloroform, and dichloromethane. *Ind Health.* 35: 519-531.
- Hoyt, LF. (1928). Further Fumigation Tests with Ethylene Dichloride/Carbon Tetrachloride Mixture. 20: 931-932.
- Hsu, CT. (1998). Ultrastructural Changes in Liver Damage Induced by Carbon Tetrachloride in Spontaneously Hypertensive Rats and Wistar-Kyoto Rats. 70: 79-83.
- Huang, QZ, S. Zheng, L. He, M. Huang, R. Lin, X. (2012). Hepatoprotective effects of total saponins isolated from *Taraphochlamys affinis* against carbon tetrachloride induced liver injury in rats. *Food Chem Toxicol.* 50: 713-718. <http://dx.doi.org/10.1016/j.fct.2011.12.009>.
- Hurwitz, A. (1972). Effects of microsomal enzyme inducers on animals poisoned with hepatotoxins. *Toxicol Appl Pharmacol.* 22: 339-346.
- Ianas, OO, R. Badescu, I. Simionescu, L. Popovici, D. (1995). The Influence of "Selenium Organicum" upon the Hepatic Function of Carbon Tetrachloride Poisoned Rats. 33: 113-120.
- Ichi, IK, C. Nakagawa, T. Kobayashi, K. Kataoka, R. Nagata, E. Kitamura, Y. Nakazaki, C. Matura, T. Kojo, S. (2009). Neutral sphingomyelinase-induced ceramide accumulation by oxidative stress during carbon tetrachloride intoxication. *Toxicology.* 261: 33-40. <http://dx.doi.org/10.1016/j.tox.2009.04.040>.
- Iida, CF, K. Kishioka, T. Nagae, R. Onishi, Y. Ichi, I. Kojo, S. (2007). Activation of Mitogen Activated Protein Kinase (MAPK) During Carbon Tetrachloride Intoxication in the Rat Liver. 81: 489-493.
- Iida, CF, K. Koga, E. Washino, Y. Kitamura, Y. Ichi, I. Abe, K. Matura, T. Kojo, S. (2009). Effect of alpha-tocopherol on carbon tetrachloride intoxication in the rat liver. *Arch Toxicol.* 83: 477-483. <http://dx.doi.org/10.1007/s00204-008-0394-7>.
- Ince, SK, H. Erdogan, M. Hazman, O. Kucukkurt, I. (2012). Protective effect of boric acid against carbon tetrachloride-induced hepatotoxicity in mice. *Drug Chem Toxicol.* 35: 285-292. <http://dx.doi.org/10.3109/01480545.2011.607825>.
- Isoda, KT, E. Shimizu, Y. Saitoh, K. Ishida, I. Tezuka, M. (2013). Liver injury induced by thirty- and fifty-nanometer-diameter silica nanoparticles. *Biol Pharm Bull.* 36: 370-375.
- Itoh, NK, T. Nakanishi, H. Muto, N. Kobayashi, M. Kitagawa, I. Tanaka, K. (1997). Metallothionein-Independent Hepatoprotection by Zinc and Sakuraso-Saponin. 93: 135-140.
- Jaeger, RJT, M. J. Murphy, S. D. (1973). Biochemical effects of 1,1-dichloroethylene in rats: dissociation of its hepatotoxicity from a lipoperoxidative mechanism. *Toxicol Appl Pharmacol.* 24: 457-467. [http://dx.doi.org/10.1016/0041-008X\(73\)90052-5](http://dx.doi.org/10.1016/0041-008X(73)90052-5).
- Jain, GCJ, K. (2008). Protective Effect of *Abutilon indicum* Against Carbon Tetrachloride Induced Hepatic Toxicity in Rats. 11: 165-168.
- James, CAX, G. Doty, S. L. Strand, S. E. (2008). Degradation of low molecular weight volatile organic compounds by plants genetically modified with mammalian cytochrome P450 2E1. *Environ Sci Technol.* 42: 289-293. <http://dx.doi.org/10.1021/es071197z>.
- Janbaz, KHG, A. H. (1995). Evaluation of the protective potential of *Artemisia maritima* extract on acetaminophen- and CCl₄-induced liver damage. *J Ethnopharmacol.* 47: 43-47.
- Janbaz, KHS, S. A. Gilani, A. H. (2002). Protective Effect of Rutin on Paracetamol- and CCl₄-Induced Hepatotoxicity in Rodents. 73: 557-563.
- Janbaz, KHS, S. A. Gilani, A. H. (2004). Studies on the Protective Effects of Caffeic Acid and Quercetin on Chemical-Induced Hepatotoxicity in Rodents. 11: 424-430.
- Jefferson, RN. (1942). The Influence of Carbon Tetrachloride on the Toxic Efficiency of Certain Volatile Organic Compounds.
- Jenkins, LJ, M. J. Murphy, S. D. (1972). BIOCHEMICAL EFFECTS OF 1,1-DICHLOROETHYLENE IN RATS - COMPARISON WITH CARBON-TETRACHLORIDE AND 1,2-DICHLOROETHYLENE. *Toxicol Appl Pharmacol.* 23: 501-&.

Environmental Hazard Literature Search Results

On Topic

- Jeon, TIH, S. G. Park, N. G. Jung, Y. R. Shin, S. I. Choi, S. D. Park, D. K. (2003). Antioxidative Effect of Chitosan on Chronic Carbon Tetrachloride Induced Hepatic Injury in Rats. 187: 67-73.
- Jeon, YJH, S. H. Yang, K. H. Kaminski, N. E. (1997). Induction of liver-associated transforming growth factor beta 1 (TGF-beta 1) mRNA expression by carbon tetrachloride leads to the inhibition of T helper 2 cell-associated lymphokines. *Toxicol Appl Pharmacol.* 144: 27-35.
- Jia, NL, X. Wen, J. Qian, L. Qian, X. Wu, Y. Fan, G. (2007). A Proteomic Method for Analysis of CYP450s Protein Expression Changes in Carbon Tetrachloride Induced Male Rat Liver Microsomes. 237: 1-11.
- Jia, RC, L. Du, J. Xu, P. Jeney, G. Yin, G. (2013). The protective effect of silymarin on the carbon tetrachloride (CCl₄)-induced liver injury in common carp (*Cyprinus carpio*). *In Vitro Cellular and Developmental Biology.* 49: 155-161. <http://dx.doi.org/10.1007/s11626-013-9587-3>.
- Jia, RC, L. P. Du, J. L. Wang, J. H. Liu, Y. J. Jeney, G. Xu, P. Yin, G. J. (2014). Effects of carbon tetrachloride on oxidative stress, inflammatory response and hepatocyte apoptosis in common carp (*Cyprinus carpio*). *Aquat Toxicol.* 152: 11-19. <http://dx.doi.org/10.1016/j.aquatox.2014.02.014>.
- Jiang, LZ, R. (1979). Histological Studies on the Toxic Effects of Phenol and Carbon Tetrachloride on the Liver and Kidney of Common Carp *Cyprinus carpio* and Crucian Carp. 25: 311-314(CHI) (ENG ABS).
- Jiang, YL, J. Waalkes, M. Kang, Y. J. (2004). Changes in the Gene Expression Associated with Carbon Tetrachloride-Induced Liver Fibrosis Persist After Cessation of Dosing in Mice. 79: 404-410.
- Jiang, ZY, D. Y. Chen, X. C. Wu, J. (1992). Monitoring of Serum Markers for Fibrosis During Carbon Tetrachloride-Induced Liver Damage: Effects of Anti-fibrotic Agents. 16: 282-289.
- Jones, DHK, H. L. (1981). Toxicity of hymenoxon in Swiss white mice following pretreatment with microsomal enzyme inducers, inhibitors and carbon tetrachloride. *Res Comm Chem Pathol Pharmacol.* 33: 361-364.
- Juhnke, IL, D. (1978). Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizität mit dem Goldorfentest). 11: 161-164(GER) (ENG TRANSL) (OECDG Data File).
- Kaiser, KLM, M. B. Stendahl, D. H. Pett, W. B. (1995). Response threshold levels of selected organic compounds for rainbow trout (*Oncorhynchus mykiss*). *Environ Toxicol Chem.* 14: 2107-2113.
- Kala, AR, G. S. Pandya, K. P. (1978). Effects of Petroleum Hydrocarbon Solvents on Alkaline Phosphatase of Rats. 19: 287-294.
- Kalinin, FLL, V. P. (1962). Application of Chemical Methods for the Control of *Acroptilon picris*. 107-111.
- Kanazawa, KA, H. (1991). Relationship Between Oxidative Stress and Hepatic Phosphoglucomutase Activity in Rats. 13: 225-231.
- Kang, MCK, S. M. Ahn, G. Kim, K. N. Kang, N. Samarakoon, K. W. Oh, M. C. Lee, J. S. Jeon, Y. J. (2013). Protective effect of a marine polyphenol, dieckol against carbon tetrachloride-induced acute liver damage in mouse. *Environ Toxicol Pharmacol.* 35: 517-523. <http://dx.doi.org/10.1016/j.etap.2013.02.013>.
- Kay, K. (1973). Toxicology of Pesticides: Recent Advances. 6: 202-243.
- Kedderis, GL. (1990). The Role of the Mixed-Function Oxidase Systems in the Toxication and Detoxication of Chemicals: Relationship to Chemical Interactions. 2: 31-60.
- Kefalas, VS, N. H. (1991). Potentiating effects of chlorinated hydrocarbons on carbon tetrachloride toxicity in isolated rat hepatocytes and plasma membranes. *Toxicol Appl Pharmacol.* 109: 171-179.
- Kem, TR. (1978). Cross Resistance Characteristics of a Phosphine-Resistant Strain of *Tribolium castaneum* (Herbst) to Some Fumigants. 2: 206-208.
- Kemppainen, BWT, P. Zurovac, O. Stringfellow, D. (1996). Preliminary evaluation of in vitro prescreen assays for developmental toxicants based on cultured murine preimplantation embryos and a cell line developed from a bovine preimplantation embryo. *Toxicol In Vitro.* 10: 323-330.
- Kenaga, EE. (1975). Partitioning and Uptake of Pesticides in Biological Systems. 6: 217-273.
- Kennedy, GL, Jr Ferenz, R. L. Burgess, B. A. (1986). Estimation of Acute Oral Toxicity in Rats by Determination of the Approximate Lethal Dose Rather than the LD50. 6: 145-148.
- Kent, RAM, D. R. Walker, S. L. (1991). Data Gaps in the Aquatic Toxicology of Priority Pesticides and Industrial Toxic Substances in Canada. 1774: 1111-1124.
- Keplinger, MLL, G. E. Deichmann, W. B. (1959). Effects of Environmental Temperature on the Acute Toxicity of a Number of Compounds in Rats. 1: 156-161.
- Khangarot, BSD, S. (2009). Acute toxicity of metals and reference toxicants to a freshwater ostracod, *Cypris subglobosa* Sowerby, 1840 and correlation to EC(50) values of other test models. *J Hazard Mater.* 172: 641-649. <http://dx.doi.org/10.1016/j.jhazmat.2009.07.038>.
- Khudoley, VV. (1977). Tumor induction by carcinogenic agents in anuran amphibian *Rana temporaria*. *Arch Geschwulstforsch.* 47: 385-399.
- Kim, DHK, S. Yoon, K. Choi, J. Lee, B. M.,u. (2015). 4-HYDROXYNONENAL: A SUPERIOR OXIDATIVE BIOMARKER COMPARED TO MALONDIALDEHYDE AND CARBONYL CONTENT INDUCED BY CARBON TETRACHLORIDE IN RATS. *J Toxicol Environ Health A.* 78: 1051-1062. <http://dx.doi.org/10.1080/15287394.2015.1067505>.
- Kim, HSJ, J. H. Choi, K. H. Joung, Y. H. Joung, H. Effects of Rindite on breaking dormancy of potato microtubers. *Jan/Feb 1999.* v. 76 (1): 5-8.
- Kim, HYP, J. Lee, K. H. Lee, D. U. Kwak, J. H. Kim, Y. S. Lee, S. M. (2011). Ferulic acid protects against carbon tetrachloride-induced liver injury in mice. *Toxicology.* 282: 104-111. <http://dx.doi.org/10.1016/j.tox.2011.01.017>.
- Kim, SJJ, Y. S. Yoon, M. Y. Kim, Y. C. (2007). Comparative Effects of Dimethylsulfoxide on Metabolism and Toxicity of Carbon Tetrachloride and Dichloromethane. 27: 25-31.

Environmental Hazard Literature Search Results

On Topic

- Kim, YCY, H. K. Jung, Y. S. Park, J. H. Kim, S. Y. (2007). Hepatic injury induces contrasting response in liver and kidney to chemicals that are metabolically activated: role of male sex hormone. *Toxicol Appl Pharmacol.* 223: 56-65. <http://dx.doi.org/10.1016/j.taap.2007.05.009>.
- Kimball, G. (1978). The Effects of Lesser Known Metals and One Organic to Fathead Minnows (*Pimephales promelas*) and *Daphnia magna*. 88 p.
- Kinthead, ERW, R. E. (1992). Dermal Toxicity of Various Compounds to Female Rabbits. 11: 712.
- Kitchin, KTB, J. L. Kulkarni, A. P. (1992). Predictive assay for rodent carcinogenicity using in vivo biochemical parameters: Operational characteristics and complementarity. *Mutat Res.* 266: 253-272. [http://dx.doi.org/10.1016/0027-5107\(92\)90193-6](http://dx.doi.org/10.1016/0027-5107(92)90193-6).
- Kitchin, KTB, J. L. Kulkarni, A. P. (1993). Predicting rodent carcinogenicity of halogenated hydrocarbons by in vivo biochemical parameters. *Birth Defects Res B Dev Reprod Toxicol.* 13: 167-184.
- Klaassen, CDP, G. L. (1966). Relative effects of various chlorinated hydrocarbons on liver and kidney function in mice. *Toxicol Appl Pharmacol.* 9: 139-151.
- Klaassen, CDP, G. L. (1967). Relative effects of various chlorinated hydrocarbons on liver and kidney function in dogs. *Toxicol Appl Pharmacol.* 10: 119-131.
- Klaassen, CDP, G. L. (1969). Comparison of the biochemical alterations elicited in livers from rats treated with carbon tetrachloride, chloroform, 1,1,2-trichloroethane and 1,1,1-trichloroethane. *Biochem Pharmacol.* 18: 2019-2027.
- Klassen, WS, P. H., Jr. (1985). ARS Research Program in Chemical Insect Control. 8: 267-292.
- Kleinow, KMD, B. F. Buhler, D. R. Williams, D. E. (1987). The Interaction of the Reference Hepatotoxins Carbon Tetrachloride and Allyl Formate with beta Naphthoflavone Mediated P-450 Induction in the Winter. 27: 22-23.
- Kleinow, KMD, B. F. Buhler, D. R. Williams, D. E. (1990). Interaction of Carbon Tetrachloride with beta-Naphthoflavone-Mediated Cytochrome P450 Induction in Winter Flounder (*Pseudopleuronectes americanus*). 104: 367-374.
- Kline, ERM, V. R. Pickering, Q. H. Spehar, D. L. Stephan, C. E. (1987). EFFECTS OF POLLUTION ON FRESHWATER ORGANISMS. *J Water Pollut Control Fed.* 59: 539-572.
- Klingensmith, JSL, V. Mehendale, H. M. (1983). Acute hepatotoxicity and lethality of CCl₄ in chlordecone-pretreated rats. *Exp Mol Pathol.* 39: 1-10.
- Kluwe, WMA, K. M. Huff, J. (1984). CHRONIC KIDNEY DISEASE AND ORGANIC CHEMICAL EXPOSURES EVALUATIONS OF CAUSAL RELATIONSHIPS IN HUMANS AND EXPERIMENTAL ANIMALS. *Fundam Appl Toxicol.* 4: 899-901.
- Kluwe, WMH, C. L. Hook, J. B. (1979). Effects of dietary polychlorinated biphenyls and polybrominated biphenyls on the renal and hepatic toxicities of several chlorinated hydrocarbon solvents in mice. *J Toxicol Environ Health.* 5: 605-615. <http://dx.doi.org/10.1080/15287397909529773>.
- Kluwe, WMM, K. M. Hook, J. B. (1978). POTENTIATION OF HEPATIC AND RENAL TOXICITY OF VARIOUS COMPOUNDS BY PRIOR EXPOSURE TO POLY BROMINATED BI PHENYLS. *Environ Health Perspect.* 23: 241-246.
- Knie, JH, A. Juhnke, I. Schiller, W. (1983). Results of Studies on Chemical Substances with Four Biotests (Ergebnisse der Untersuchungen von Chemischen Stoffen mit vier Biotests). 27: 77-79(GER) (ENG ABS) (OECDG Data File).
- Koch, R. (1982). Chemical Structure Parameters as Criteria for the Classification of Environmental Pollutants (Strukturchemische Parameter als Kriterien zur Klassifizierung von Umweltschadstoffen). 11: 511-520(GER).
- Kodavanti, PRR, V. C. Mehendale, H. M. (1993). Loss of calcium homeostasis leads to progressive phase of chlordecone-potentiated carbon tetrachloride hepatotoxicity. *Toxicol Appl Pharmacol.* 122: 77-87. <http://dx.doi.org/10.1006/taap.1993.1174>.
- Koga, KO, Y. (1978). Potentiation of Toluene Toxicity by Hepatic Enzyme Inhibition in Mice. 3: 25-29.
- Koh, PHM, R. A. Iqbal, M. (2012). Antioxidant potential of *Cymbopogon citratus* extract: alleviation of carbon tetrachloride-induced hepatic oxidative stress and toxicity. *Hum Exp Toxicol.* 31: 81-91. <http://dx.doi.org/10.1177/0960327111407226>.
- Kojima-Yuasa, AK, K. Tabuchi, M. Akahoshi, Y. Kennedy, D. O. Matsui-Yuasa, I. (2011). Zinc deficiency enhances sensitivity to carbon tetrachloride-induced hepatotoxicity in rats. *J Trace Elem Med Biol.* 25: 103-108. <http://dx.doi.org/10.1016/j.jtemb.2011.02.001>.
- Konemann, H. (1981). Quantitative Structure-Activity Relationships in Fish Toxicity Studies. Part 1: Relationship for 50 Industrial Pollutants. 19: 209-221.
- Korsrud, GOK-G, T. Hasselager, E. Grice, H. C. McLaughlan, J. M. (1976). Effects of Dietary Protein Level on Carbon Tetrachloride-Induced Liver Damage in Rats. 37: 1-12.
- Koskinen, HP, P. Vehniainen, E. Krasnov, A. Rexroad, C. Afanasyev, S. Molsa, H. Oikari, A. (2004). Response of Rainbow Trout Transcriptome to Model Chemical Contaminants. 320: 745-753.
- Kotsanis, NM, C. D. (1991). Enhancement of Hepatocarcinogenesis in Rainbow Trout with Carbon Tetrachloride. 46: 879-886.
- Krajnovic-Ozretic, MO, B. (1987). Estimation of the Enzymes LDH, GOT and GPT in Plasma of Grey Mullet *Mugil auratus* and Their Significance in Liver intoxication. 3: 187-193.
- Krajnovic-Ozretic, MO, B. (1992). Detection and Evaluation of Heptic Intoxication in Fish. 69: 165-175 (Publ in Part As 7001, 9020).
- Krasnov, AA, S. Oikari, A. (2007). Hepatic responses of gene expression in juvenile brown trout (*Salmo trutta lacustris*) exposed to three model contaminants applied singly and in combination. *Environ Toxicol Chem.* 26: 100-109.
- Krasnov, AK, H. Rexroad, C. Afanasyev, S. Mölsä, H. Oikari, A. (2005). Transcriptome responses to carbon tetrachloride and pyrene in the kidney and liver of juvenile rainbow trout (*Oncorhynchus mykiss*). *Aquat Toxicol.* 74: 70-81. <http://dx.doi.org/10.1016/j.aquatox.2005.04.009>.
- Kraybill, HF. (1976). Distribution of chemical carcinogens in aquatic environments [Review]. *Prog Exp Tumor Res.* 20: 3-34.
- Kronevi, TW, J. Holmberg, B. (1979). Histopathology of Skin, Liver, and Kidney After Epicutaneous Administration of Five Industrial Solvents to Guinea Pigs. 19: 56-69.
- Kubic, VLA, M. W. (1981). Mechanism of the microsomal reduction of carbon tetrachloride and halothane. *Chem Biol Interact.* 34: 201-207.
- Kudla, AJ. (1984). Hydra Reaggregation: A Rapid Assay to Predict Teratogenic Hazards Induced by Environmental Toxicity. 74: 102-107.

Environmental Hazard Literature Search Results

On Topic

- Kulkarni, JHS, J. S. Bagyaraj, D. J. (1975). Effect of Seed Fumigation on the Symbiosis of Rhizobium sp. with Arachis hypogaea Linn. 130: 41-44.
- Kumar, BSC, B. C. Kwon, O. S. Jung, B. H. (2012). Discovery of common urinary biomarkers for hepatotoxicity induced by carbon tetrachloride, acetaminophen and methotrexate by mass spectrometry-based metabolomics. *J Appl Toxicol.* 32: 505-520. <http://dx.doi.org/10.1002/jat.1746>.
- Kumaravelu, PS, S. Dakshinamoorthy, D. P. Devaraj, N. S. (1996). The Antioxidant Effect of Eugenol on CCl₄-Induced Erythrocyte Damage in Rats. 7: 23, 28 (doi: DOI: 10.1016/0955-2863(1995)00162-X).
- Lamson, PDW, R. (1926). Early Cirrhosis of the Liver Produced in Dogs by Carbon Tetrachloride. 29: 191-202.
- Lannek, BL, P. (1974). Toxicity of Halogenated Oxyquinolines in Dogs. A Clinical Study. III. Intoxication Experiments. 15: 398-418.
- Larmour, RKB, H. N. (1938). The Effect on Wheat Quality of Long Exposure to Carbon Tetrachloride. 16: 241-247.
- Lawrence, JR. (1986). Towards More Effective Protection of the Aquatic Environment - An Industry View. 11: 380-383.
- Leblanc, GA. (1980). Acute toxicity of priority pollutants to water flea (Daphnia magna). *Bull Environ Contam Toxicol.* 24: 684-691. <http://dx.doi.org/10.1007/BF01608174>.
- Lee, KJC, J. H. Khanal, T. Hwang, Y. P. Chung, Y. C. Jeong, H. G. (2008). Protective Effect of Caffeic Acid Phenethyl Ester Against Carbon Tetrachloride-Induced Hepatotoxicity in Mice. 248: 18-24.
- Lee, KJJ, H. G. (2002). Protective Effect of Platycodi radix on Carbon Tetrachloride-Induced Hepatotoxicity. 40: 517-525.
- Lee, KSS, T. S. Choi, K. D. (1973). Effect of Sodium Selenite on the Hepatotoxicity Induced with Carbon Tetrachloride. 14: 53-57.
- Lee, SML, S. B. Park, C. H. Choi, J. (2006). Expression of heat shock protein and hemoglobin genes in Chironomus tentans (Diptera, chironomidae) larvae exposed to various environmental pollutants: A potential biomarker of freshwater monitoring. *Chemosphere.* 65: 1074-1081. <http://dx.doi.org/10.1016/j.chemosphere.2006.02.042>.
- Leonard, TBD, J. G. (1984). Effects of H₂ Receptor Antagonists on the Hepatotoxicity of Various Chemicals. 44: 375-388.
- Levin, WW, R. M. Conney, A. H. (1970). Effect of Carbon Tetrachloride and Other Inhibitors of Drug Metabolism on the Metabolism and Action of Estradiol-17beta and Estrone in the Rat. 173: 247.
- Lilius, HI, B. Holmstrom, T. (1994). A COMPARISON OF THE TOXICITY OF 50 REFERENCE CHEMICALS TO FRESHLY ISOLATED RAINBOW-TROUT HEPATOCYTES AND DAPHNIA-MAGNA. *Aquat Toxicol.* 30: 47-60.
- Lin, YS, D. Zhang, Z. Liu, C. (2009). An integrated metabolomic method for profiling of metabolic changes in carbon tetrachloride induced rat urine. *Toxicology.* 256: 191-200. <http://dx.doi.org/10.1016/j.tox.2008.11.018>.
- Liu, JS, L. E. Parkinson, A. Klaassen, C. D. (2000). Endotoxin pretreatment protects against the hepatotoxicity of acetaminophen and carbon tetrachloride: role of cytochrome P450 suppression. *Toxicology.* 147: 167-176.
- Liu, YC, L. Du, J. Jia, R. Wang, J. Xu, P. Yin, G. (2015). Protective effects of Lycium barbarum polysaccharides against carbon tetrachloride-induced hepatotoxicity in precision-cut liver slices in vitro and in vivo in common carp (Cyprinus carpio L.). *Comp Biochem Physiol C Toxicol Pharmacol.* 169: 65-72. <http://dx.doi.org/10.1016/j.cbpc.2014.12.005>.
- Llorens, JC, K. M. (1991). Enhanced Neurotoxicity of 3,3'-Iminodipropionitrile Following Pretreatment with Carbon Tetrachloride in the Rat. 12: 583-594.
- Lopez-Lirola, AG-R, E. Olivera, R. M. Santolaria-Fernandez, F. Galindo-Martin, L. Abreu-Gonzalez, P. Gonzalez-Hernandez, T. Valladares-Parrilla, F. (2003). Protein Deficiency and Muscle Damage in Carbon Tetrachloride Induced Liver Cirrhosis. 41: 1789-1797.
- Lopez-Reyes, AGA-C, N. Cano, B. G. Lara-Diaz, V. J. Guajardo-Salinas, G. E. Islas, J. F. Morales-Oyarvide, V. Morales-Garza, L. A. Galvez-Gastelum, F. J. Grijalva, G. Moreno-Cuevas, J. E. (2008). Black Bean Extract Ameliorates Liver Fibrosis in Rats with CCl₄-Induced Injury. 7: 130-135.
- Loyke, HF. (1985). Minerals and Blood Pressure in CCl₄ Treated Rats. 35: 608-611.
- Lukita-Atmadja, WS, T. Wake, K. (1993). Granuloma formation in the liver of Balb/c mice intoxicated with carbon tetrachloride. *Virchows Arch.* 64: 247-257.
- Lukita-Atmadja, WS. (1993). The Stellate Cells Phenotypic Transformation in the CCl₄-Injured Liver Fibrosis of ICR Mice: Their Desmin Immunoreactivity and Vitamin A Storage. 39: 15-33.
- Lyachovich, VVM, V. M. Dolgov, A. V. Jakobson, G. S. Panov, A. V. Tsyrov, I. B. (1971). Functional And Structural Changes In Liver Mitochondria Of Rats Due To CCl₄ Intoxication II. Respiratory Chain And Ion Transport. *Biochem Pharmacol.* 20: 1443-1451.
- Mackay, D. (1982). Correlation of Bioconcentration Factors. 16: 274-278.
- Magee, PS. (1991). COMPLEX FACTORS IN HYDROCARBON-WATER SOIL-WATER AND FISH-WATER PARTITIONING (pp. AMSTERDAM). (BIOSIS/92/22527). Magee, PS.
- Makni, MC, Y. Fetoui, H. Garoui, eIM Boudawara, T. Zeghal, N. (2011). Evaluation of the antioxidant, anti-inflammatory and hepatoprotective properties of vanillin in carbon tetrachloride-treated rats. *Eur J Pharmacol.* 668: 133-139. <http://dx.doi.org/10.1016/j.ejphar.2011.07.001>.
- Makni, MC, Y. Garoui, E. M. Boudawara, T. Fetoui, H. (2012). Carbon tetrachloride-induced nephrotoxicity and DNA damage in rats: protective role of vanillin. *Hum Exp Toxicol.* 31: 844-852. <http://dx.doi.org/10.1177/0960327111429140>.
- Makni, MC, Y. Barkallah, M. Fetoui, H. (2012). Protective effect of vanillin against carbon tetrachloride (CCl₄)-induced oxidative brain injury in rats. *Toxicol Ind Health.* 28: 655-662. <http://dx.doi.org/10.1177/0748233711420472>.
- Maltoni, C. (1977). Recent Findings on the Carcinogenicity of Chlorinated Olefins. 21: 1-5.
- Man, KNP, S. Tan-Un, K. C. (2008). Localization and expression pattern of cytoglobin in carbon tetrachloride-induced liver fibrosis. *Toxicol Lett.* 183: 36-44. <http://dx.doi.org/10.1016/j.toxlet.2008.09.015>.
- Manno, MR, M. Cazzaro, S. (1991). Suicidal Inactivation of Cytochrome P-450 by Halothane and Carbon Tetrachloride. 329-332.
- Marsalek, J. (1986). Municipal Sources of Selected Trace Organics in Sarnia. 21: 422-432.

Environmental Hazard Literature Search Results

On Topic

- Martins, JCS, M. L. Teles, L. F. Vasconcelos, V. M. (2007). Oxygen consumption by *Daphnia magna* Straus as a marker of chemical stress in the aquatic environment. *Environ Toxicol Chem.* 26: 1987-1991. <http://dx.doi.org/10.1897/07-051R>.
- Martins, JS, M. L. Saker, M. L. Oliveteles, L. Vasconcelos, V. M. (2007). Phototactic behavior in *Daphnia magna* Straus as an indicator of toxicants in the aquatic environment. *Ecotoxicol Environ Saf.* 67: 417-422. <http://dx.doi.org/10.1016/j.ecoenv.2006.11.00>.
- Matsumura, F. (1972). Metabolism of Insecticides in Microorganisms and Insects. 1: 96-106.
- Mayanski, DNS, Y. Kutina, S. N. Zubakhin, A. A. Mayanskaya, N. N. Tsyrendorjiev, D. D. (1993). Mononuclear Phagocyte System Responsiveness in Carbon Tetrachloride-Induced Liver Cirrhosis. 74: 229-236.
- Mayer, FLK, G. F. Ellersieck, M. R. Lee, G. (1992). Statistical Approach to Predicting Chronic Toxicity of Chemicals to Fishes from Acute Toxicity Test Data. 94 p. (PB92-94 p169655).
- Mcconnell, GF, D. M. Pearson, C. R. (1975). Chlorinated hydrocarbons and the environment. *Endeavour.* 34: 13-18.
- Mcgowan, JCM, A. (1986). MOLECULAR VOLUMES AND THE TOXICITIES OF CHEMICALS TO FISH. *Bull Environ Contam Toxicol.* 36: 881-887.
- McIntosh, DADT, J. C. (1972). A Comparison of Mouse and Rat Liver Enzymes and Their Response to Treatment with Various Compounds. 21: 1025-1029.
- Mclaughlin, J, Jr Marliac, J. P. Verrett, M. J. Mutchler, M. K. Fitzhugh, O. G. (1964). Toxicity of fourteen volatile chemicals as measured by the chick embryo method. *Am Ind Hyg Assoc J.* 25: 282-284. <http://dx.doi.org/10.1080/00028896409342588>.
- Mclean, AEMM, E. K. (1966). The Effect of Diet and 1,1,1-Trichloro-2,2-bis-(p-chlorophenyl)ethanol (DDT) on Microsomal Hydroxylating Enzymes and on Sensitivity of Rats to Carbon Tetrachloride Poisoning. *Biochem J.* 100: 564-571.
- Mendelsohn, MLMD, I. I. Lohman, P. H. M. (1992). A method for comparing and combining short-term genotoxicity test data: results and interpretation. *DNA Repair.* 266: 43-60.
- Michael, UFB, R. L. Levi, D. Pardo, V. Chavez, R. Papper, S. (1971). Abnormal Sodium Regulation in Rats Following Chronic Intermittent Exposure to Carbon Tetrachloride. 138: 796-799.
- Milad, KK, G. Bajova, V. Mojziso, J. (2000). Effects of Vitamin E and Selenium on Some Metabolic and Immunological Parameters in Carbon Tetrachloride Treated Sheep. 44: 6-11.
- Min, KST, Y. Onosaka, S. Tanaka, K. (1991). Induction of Hepatic Metallothionein by Nonmetallic Compounds Associated with Acute-Phase Response in Inflammation. 111: 152-162.
- Minami, KS, T. Narahara, M. Tomita, H. Kato, H. Sugiyama, H. Katoh, M. Nakajima, M. Yokoi, T. (2005). Relationship Between Hepatic Gene Expression Profiles and Hepatotoxicity in Five Typical Hepatotoxicant-Administered Rats. 87: 296-305.
- Minami, TM, H. Kubo, M. Okazaki, Y. (1986). Trace Elements (Cu,Fe,Zn) in Several Tissues of CCl4-Induced Chronic Hepatitis Rats. 36: 306-310.
- Mitoma, C. (1985). TESTS FOR RENAL FUNCTION (pp. PARK RIDGE). (BIOSIS/85/16079). Mitoma, C.
- Mohan, LS, P. Srivastava, C. N. (2007). Comparative efficacy of Solanum xanthocarpum extracts alone and in combination with a synthetic pyrethroid, cypermethrin, against malaria vector, *Anopheles stephensi*. *Southeast Asian J Trop Med Public Health.* 38: 256-260.
- Mori, HT, T. Niwa, K. Yoshimi, N. Iwata, H. Mori, Y. Hara, A. (1989). Induction of Altered Hepatocellular Foci of Hamster for a Possible Short-Term Assay for Carcinogens. 63: 451-454.
- Morton, SJR, R. J. (1978). EFFECTS OF DIETARY DI(2-ETHYLHEXYL)PHTHALATE (DEHP) ON HEPATIC LIPID-METABOLISM. *Pharmacologist.* 20: 249-249.
- Moser, VCC, B. M. Macphail, R. C. (1995). A MULTIDISCIPLINARY APPROACH TO TOXICOLOGICAL SCREENING .3. NEUROBEHAVIORAL TOXICITY. *J Toxicol Environ Health.* 45: 173-210.
- Muchovej, JJD, O. D. (1979). Dichloromethane and Tetrachloromethane as Fungicide Carriers in Soybean Seeds. Sept 1979. v. 96 (1): 87-90 ill.
- Mufti, SIS, I. G. (1990). A Reduction in Mixed Function Oxidases and in Tumor Promoting Effects of Ethanol in a NDEA-Initiated Hepatocarcinogenesis Model. 347-351.
- Mukhtar, HB, J. R. (1977). Serum Glutathione S-Transferases: Perinatal Development, Sex Difference, and Effect of Carbon Tetrachloride Administration on Enzyme Activity in the Rat. 21: 1277-1286.
- Munoz Torres, EPB, J. I. Abad Hernandez, M. M. Alonso Martin, M. J. Lopez Bravo, A. (1988). Experimental Carbon Tetrachloride-Induced Cirrhosis of the Liver. 10: 245-251.
- Nakamura, HK, N. Ohta, S. Fujita, T. Iwasaki, T. Shinoda, M. (1991). PROTECTIVE EFFECTS OF THE FRACTIONS EXTRACTED FROM THE CALLUS OF ACER-NIKOENSE MAXIM ON CARBON-TETRACHLORIDE INDUCED LIVER-INJURY. 111: 585-591.
- Narotsky, MGK, R. J. (1995). A multidisciplinary approach to toxicological screening: II. Developmental toxicity. *J Toxicol Environ Health.* 45: 145-171. <http://dx.doi.org/10.1080/15287399509531987>.
- Neely, WB. (1984). An Analysis of Aquatic Toxicity Data: Water Solubility and Acute LC50 Fish Data. 13: 813-819.
- Neely, WBB, D. R. Blau, G. E. (1974). Partition coefficient to measure bioconcentration potential of organic chemicals in fish. *Environ Sci Technol.* 8: 1113-1115. <http://dx.doi.org/10.1021/es60098a008>.
- Neuhauser, EF; Loehr, RC; Malecki, MR. (1986). Contact and Artificial Soil Tests Using Earthworms to Evaluate the Impact of Wastes in Soil. 886: 192-203.
- Neuhauser, EFL, R. C. Malecki, M. R. Milligan, D. L. Durkin, P. R. (1985). The Toxicity of Selected Organic Chemicals to the Earthworm *Eisenia fetida*. 14: 383-388 (OECDG Data File).
- Nirmalakhandan, NA, V. Mohsin, M. Sun, B. Cadena, F. (1994). Toxicity of mixtures of organic chemicals to microorganisms. *Water Res.* 28: 543-551.
- Nowier, MHP, E. A. Hatch, T. F. (1973). The Pulmonary Response of Rats Exposed to the Decomposition Products of Carbon Tetrachloride Vapors at Its Industrial Threshold Limit Concentration. 25: 73-77.

Environmental Hazard Literature Search Results

On Topic

- Oh, SHD, J. T. Whanger, P. D. Weswig, P. H. (1978). Biological Function of Metallothionein. V. Its Induction in Rats by Various Stresses. 234: 282-285.
- Oh, SHL, M. H. (1980). Glutathione Peroxidase Induction by Selenium and Carbon Tetrachloride-Induced Lipid Peroxidation in Rats. 12: 67-73.
- Ohtsuka, MF, K. Yano, H. Kojiro, M. (1998). Immunohistochemical measurement of cell proliferation as replicative DNA synthesis in the liver of male Fischer 344 rats following a single exposure to nongenotoxic hepatocarcinogens and noncarcinogens. *Exp Toxicol Pathol*. 50: 13-17. [http://dx.doi.org/10.1016/S0940-2993\(98\)80054-7](http://dx.doi.org/10.1016/S0940-2993(98)80054-7).
- Oikari, AJ, B. (1992). Effects of hepatotoxicants on the induction of microsomal monooxygenase activity in sunfish liver by beta-naphthoflavone and benzo[a]pyrene. *Ecotoxicol Environ Saf*. 23: 89-102.
- Okumura, HK, M. Minami, K. Nakajima, M. Yokoi, T. (2007). Change of Drug Excretory Pathway by CCl₄-Induced Liver Dysfunction in Rat. 74: 488-495.
- Okuno, HH, H. Murase, T. Shiozaki, Y. Sameshima, Y. (1986). Drug Metabolizing Activity In Rats with Chronic Liver Injury Induced by Carbon Tetrachloride: Relationship with the Content of Hydroxyproline in the Liver. 41: 363-371.
- Oleinik, AN. (1983). Effect of Antioxidants on Lipid Peroxidation During Combined Liver Involvement. 46: 102-105(RUS) (ENG ABS).
- Omann, GL, J. R. (1977). Pesticide uptake into membranes measured by fluorescence quenching. *Science*. WASH D C: 465-467.
- Opresko, DMS, B. E. Suter, G. W. (1994). Toxicological Benchmarks for Wildlife: 1994 Revision. 187 p. (NTIS/DE195-002293).
- Ostrowski, SRW, S. Chou, C. H. Pohl, H. R. Stevens, Y. W. Allred, P. M. Roney, N. Fay, M. Tylenda, C. A. (1999). Agency for Toxic Substances and Disease Registry's 1997 priority list of hazardous substances. Latent effects--carcinogenesis, neurotoxicology, and developmental deficits in humans and animals [Review]. *Toxicol Ind Health*. 15: 602-644. <http://dx.doi.org/10.1177/074823379901500702>.
- Otani, GA-E-M, M. M. Bock, K. W. (1976). UDP-Glucuronyltransferase in Perfused Rat Liver and in Microsomes - III. Effects of Galactosamine and Carbon Tetrachloride on the Glucuronidation of 1-Naphthol and Bilirubin. 25: 1293-1297.
- Ozretic, BK-O, M. (1993). Plasma Sorbitol Dehydrogenase, Glutamate Dehydrogenase, and Alkaline Phosphatase as Potential Indicators of Liver Intoxication in Grey Mullet (*Mugil auratus* Risso). 50: 586-592.
- Ozretic, M. (1993). Serum Enzymes in Fish as Biochemical Indicators of Marine Pollution. 48: 1-11.
- Paasivirta, JS, J. Surma-Aho, K. Humppi, T. Kuokkanen, T. Marttinen, M. (1983). Food chain enrichment of organochlorine compounds and mercury in clean and polluted lakes of Finland. *Chemosphere*. 12: 239-252.
- Papadopoulou-Mourkidou, E. (1983). Analysis of Established Pyrethroid Insecticides. 89: 179-208.
- Pappas, PV, V. Nebert, D. W. Marselos, M. (1994). Lack of Response of the Rat Liver "Class 3" Cytosolic Aldehyde Dehydrogenase to Toxic Chemicals, Glutathione Depletion, and Other Forms of Stress. 48: 841-845.
- Park, JJK, D. H. Park, H. Y. Son, K. H. Shin, D. H. Do, S. H. Yang, H. J. Yuan, D. W. Hong, I. H. Goo, M. J. Lee, H. R. Ki, M. R. Ishigami, A. Jeong, K. S. (2008). Hepatoprotective effect of Arazyme on CCl₄-induced acute hepatic injury in SMP30 knock-out mice. *Toxicology*. 246: 132-142. <http://dx.doi.org/10.1016/j.tox.2008.01.006>.
- Pates, MMT, A. Y. Pomerantseva, I. I. Tunitskaya, T. A. Turetskaya, I. M. (1968). Protective Action of Orotic Acid on the Liver Following Its Exposure to the Effect of Toxic Substances in Low Doses. 31: 717-719(RUS) (ENG ABS).
- Pauli, BDP, J. A. Money, S. L. (2000). RATL: A Database of Reptile and Amphibian Toxicology Literature. 494 p.
- Pearson, CRM, G. (1975). Chlorinated C1 and C2 hydrocarbons in the marine environment. *Proc Biol Sci*. 189: 305-332.
- Peijnenburg, WTH, M. J. Den Hollander, H. A. Van De Meent, D. Verboom, H. H. Wolfe, N. L. (1991). QSARs for Predicting Biotic and Abiotic Reductive Transformation Rate Constants of Halogenated Hydrocarbons in Anoxic Sediment Systems. 283-300.
- Pfeifer, KF. (1979). Biochemical and Physiological Aspects of Carbon-Tetrachloride Toxicity in the Rainbow Trout (*Salmo gairdneri*). 184 p.
- Pfeifer, KFW, L. J. Larson, R. E. (1977). Alanine Aminotransferase (GPT) in Rainbow Trout: Plasma Enzyme Levels As an Index of Liver Damage. 20: 431-437.
- Pfeifer, KFW, L. J. (1978). Plasma Protein Changes in Rainbow Trout After Carbon Tetrachloride Intoxication.
- Pfeifer, KFW, L. J. (1979). EFFECT OF CARBON-TETRACHLORIDE ON THE TOTAL PLASMA-PROTEIN CONCENTRATION OF RAINBOW-TROUT, SALMO-GAIRDNERI. *Comp Biochem Physiol C Comp Pharmacol Toxicol*. 64: 37-42.
- Pfeifer, KFW, L. J. Larson, R. E. (1980). Carbon Tetrachloride-Induced Hepatotoxic Response in Rainbow Trout, *Salmo gairdneri*, as Influenced by Two Commercial Fish Diets. 67: 91-96.
- Pfeifer, KFW, L. J. (1980). The Effect of Carbon Tetrachloride Treatment on Urine Flow Rate of the Rainbow Trout, *Salmo gairdneri*. 52: 347-350.
- Phipps, GLH, M. J. Leonard, E. N. Roush, T. H. Spehar, D. L. Stephan, C. E. Pickering, Q. H. Buikema, A. L., Jr. (1984). Effects of pollution on freshwater organisms. *Water Environment and Technology*. 56: 725-758.
- Piesova, EM, K. Kovac, G. (2000). The Effects of Vitamin E and Selenium on the Cytotoxicity and Frequency of Micronuclei in Carbon Tetrachloride-Treated Sheep. 44: 191-195.
- Pinto, CD, A. L. Rodríguez-Galdón, B. Cestero, J. J. Macías, P. (2012). Xanthohumol prevents carbon tetrachloride-induced acute liver injury in rats. *Food Chem Toxicol*. 50: 3405-3412. <http://dx.doi.org/10.1016/j.fct.2012.07.035>.
- Pitchumoni, CSS, R. J. Rosenthal, W. S. Johnson, E. A. (1972). Effects of 3 4 Benzpyrene Pre-Treatment on the Hepato Toxicity of Carbon Tetrachloride in Rats. 181: 227-233.
- Platt, DSC, B. L. (1969). Biochemical changes in rat liver in response to treatment with drugs and other agents - II effects of halothane, DDT, other chlorinated hydrocarbons, thioacetamide, dimethylnitrosamine and ethionine. *Biochem Pharmacol*. 18: 445-457.
- Porter, PE. (1967). Bidrin Insecticide. 5: 213-233.
- Pretorius, MWVA, H. Mohr, J. D. (1991). Preliminary mound-fumigation trials for the control of *Trinervitermes trinervoides* colonies (Isoptera: Termitidae) (pp. 89-90). (BIOSIS/92/34593). SOIL, ENV.
- Purchio, AFM, J. J. (1990). Organic Solvents as Vehicles of Fungicides in Seeds of Wheat. 15: 226-228.

Environmental Hazard Literature Search Results

On Topic

- Rabergh, CMIL, M. M. (1997). Toxicity of chloroform and carbon tetrachloride in primary cultures of rainbow trout hepatocytes. *Aquat Toxicol.* 37: 169-182.
- Raevskii, OARS, A. N. Tonkopii, V. D. Iofina, I. V. Zagrebin, A. O. (2008). Classificatory and Quantitative Models of the Relationship Between the Structures of Chemical Compounds and Their Toxicity for *Daphnia magna*. 42: 329-334.
- Rajendran, S. (1982). Post-Fumigation Productivity of *Trogoderma granarium* Everts (Coleoptera: Dermestidae). 72: 247-251.
- Rajendran, SM, M. (1981). Post-Fumigation Productivity of *Sitophilus oryzae* (L.) (Coleoptera: Curculionidae) and *Tribolium castaneum* (Herbst) (Coleoptera: Tenebrionidae) Exposed to Acrylonitrile, Adjuvants of Acrylonitrile, Acrylonitrile-Adjuvant Mixtures and Other Modern Fumigants. 71: 163-169.
- Rajendran, SM, M. (1987). Delayed mortality of some stored product insects exposed to candidate fumigants. *Indian J Entomol.* 49: 363-369.
- Rambotti, MGS, C. Rossodivita, M. E. Spreca, A. (1988). Ultracytochemical Localization of Adenylate Cyclase in Liver of Normal and of CC14 and CC14 Plus Colchicine Treated Rats. 34: 621-628.
- Rana, SVS. (1980). Visual Evidences on Reversible Dysenzymia Induced by Zinc and a new Chelating Agent in CCl₄ Poisoned Liver of Squirrels. 36: 233-241.
- Rana, SVST, M. K. (1986). Significance of beta-Glucuronidase and Glucose-6-Phosphatase Dehydrogenase in Liver Injury and Its Protection in Rats. 52: 477-480.
- Randle, LEG, C. E. P. Benson, C. A. Metcalfe, P. N. Kitteringham, N. R. Park, B. K. Williams, D. P. (2008). Investigation of the Effect of a Panel of Model Hepatotoxins on the Nrf2-Keap1 Defence Response Pathway in CD-1 Mice. 243: 249-260.
- Rao, KSR, R. O. (1968). Early Onset of Lipoperoxidation in Rat Liver After Carbon Tetrachloride Administration. 9: 271-278.
- Rao, PSM, R. S. Mehendale, H. M. (1997). Tissue injury and repair as parallel and opposing responses to CCl₄ hepatotoxicity: A novel dose-response. *Toxicology.* 118: 181-193. [http://dx.doi.org/10.1016/S0300-483X\(97\)03617-2](http://dx.doi.org/10.1016/S0300-483X(97)03617-2).
- Redkina, EK. (1977). Reaction of the Lymphoid Tissue to the Effect of Carbon Tetrachloride under Monotonous and Intermittent Conditions. 4: 40-44.
- Redman, AM, J. Febbo, E. Parkerton, T. Letinski, D. Connelly, M. Winkelmann, D. Toro, D. D. (2007). Application of the target lipid model for deriving predicted no-effect concentrations for wastewater organisms. *Environ Toxicol Chem.* 26: 2317-2331. <http://dx.doi.org/10.1897/07-083R.1>.
- Reuber, MD. (1978). Carcinogenicity Testing of Chemicals with Particular Reference to Organochlorine Pesticides. 10: 105-115.
- Reuber, MD. (1978). Carcinomas and other lesions of the liver in mice ingesting organochlorine pesticides. *Clin Toxicol.* 13: 231-256. <http://dx.doi.org/10.3109/15563657808988235>.
- Reynolds, E. (1972). Comparison of early injury to liver endoplasmic reticulum by halomethanes, hexachloroethane, benzene, toluene, bromobenzene, ethionine, thioacetamide and dimethylnitrosamine. *Biochem Pharmacol.* 21: 2555-2561. [http://dx.doi.org/10.1016/0006-2952\(72\)90223-7](http://dx.doi.org/10.1016/0006-2952(72)90223-7).
- Richardson, HHR, H. (1965). Methyl Bromide, Sulfuryl Fluoride, and Other Fumigants Against Quarantinable Cochlicella and Theba Snails. 58: 690-693.
- Richie, JP, Jr. (1983). Aging Differences in Acetaminophen Metabolism and Toxicity in the Mosquito. 109 p. (UMI#1322655).
- Richie, JP, Jr Mills, B. J. Lang, C. A. (1984). The Verification of a Mammalian Toxicant Classification Using a Mosquito Screening Method. 4: 1029-1035.
- Roark, RCC, R. T. (1929). Tests of Various Aliphatic Compounds as Fumigants. 52 p.
- Roberts, BLD, H. W. (1984). Relative toxicities of chemicals to the earthworm *Eisenia foetida*. *Environ Toxicol Chem.* 3: 67-78.
- Roderer, G. (1990). *Testung Wassergefährdender Stoffe als Grundlage für Wasserqualitätsstandards. Testbericht: Wassergefährdende Stoffe. (GER) (OECDG Data File).*
- Rolecki, RS, J. Lasota, W. (1984). Experimental Evaluation of Usefulness of Some Rat Blood Serum Enzymes Activities Determinations in Studies on Hepatotoxicity of Chemical Substances. Part. I. Enzymatic Studies (Doświadczalna Ocena Przydatności Oznaczeń Niektórych Enzymów w Surowicy krwi Szczurow w Badaniach Hepatotoksycznego Działania Substancji Chemicznych). 17: 23-34(POL) (ENG ABS).
- Rosenkranz, HSK, G. (1996). A study of the structural basis of the ability of chlorinated alkanes and alkenes to induce aneuploidy and toxicity in the mold *Aspergillus nidulans*. *Mutat Res.* 354: 183-193.
- Roy, CKK, J. V. Asad, M. (2006). Hepatoprotective Activity of *Psidium guajava* Linn. Leaf Extract. 44: 305-311.
- Ruch, RJK, J. E. (1986). Effects of tumor promoters, genotoxic carcinogens and hepatocytotoxins on mouse hepatocyte intercellular communication. *Cell Biol Toxicol.* 2: 469-483. <http://dx.doi.org/10.1007/BF00117849>.
- Rufener, WH, Jr Wolin, M. J. (1968). Effect of CCl₄ on CH₄ and Volatile Acid Production in Continuous Cultures of Rumen Organisms and in a Sheep Rumen. 16: 1955-1956.
- Rungby, JE, E. (1992). Experimentally Induced Lipid Peroxidation after Exposure to Chromium, Mercury or Silver: Interactions with Carbon Tetrachloride. *Pharmacol Toxicol.* 70: 205-207.
- Sagai, MT, A. L. (1979). Lipid Peroxidation Induced by Some Halomethanes as Measured by In Vivo Pentane Production in the Rat. 49: 283-291.
- Saisho, K; Hasegawa, Y; Saeki, M; Toyoda, M; Saito, Y. (1994). Bioaccumulation of volatile chlorinated hydrocarbons in blue mussel, *Mytilus edulis* and killifish, *Oryzias latipes* (pp. 274-278). (ISSN 0013-273X; EISSN 0013-273X; BIOSIS/94/32432). Saisho, K; Hasegawa, Y; Saeki, M; Toyoda, M; Saito, Y.
- Sakaguchi, HH, A. (1975). Physiological Changes in the Serum and Hepatopancreas of Yellow Tail Injected with Carbon Tetrachloride. 41: 283-290(JPN) (ENG ABS).
- Sakaguchi, TN, H. Masuda, K. Tsuge, I. Onishi, K. Tatsumi, H. (1966). The Relationship Between Chemical Structure and Protective Effect of Dithiocarbamate Derivatives Against Experimental Hepatic Injury Induced by Carbon Tetrachloride Administration in Rats. 15: 756-758.

Environmental Hazard Literature Search Results

On Topic

- Sakai, HT, T. Yamamoto, M. Kobayashi, K. Yuasa, H. Imai, T. Yanai, T. Masegi, T. Tatematsu, M. (2002). Distinction of carcinogens from mutagens by induction of liver cell foci in a model for detection of initiation activity. *Cancer Lett.* 188: 33-38. [http://dx.doi.org/10.1016/S0304-3835\(02\)00009-5](http://dx.doi.org/10.1016/S0304-3835(02)00009-5).
- Sakata, TW, A. Hobara, N. Nagashima, H. (1987). Chronic Liver Injury in Rats by Carbon Tetrachloride Inhalation. *Bull Environ Contam Toxicol.* 38: 959-961.
- Sample, BEA, C. A. (1999). Allometric models for interspecies extrapolation of wildlife toxicity data. *Bull Environ Contam Toxicol.* 62: 653-663.
- Sastry, KVA, V. P. (1975). Effect of carbon tetrachloride on the hepatic alkaline and acid phosphatases in a teleost fish, *Heteropneustes fossilis*. 93: 361-366.
- Sato, MS, M. (1991). Enhanced Lipid Peroxidation is not Necessary for Induction of Metallothionein-I by Oxidative Stress. 78: 143-154.
- Sato, MS, M. Hojo, G. (1995). Antioxidative Roles of Metallothionein and Manganese Superoxide Dismutase Induced by Tumor Necrosis Factor-alpha and Interleukin-6. 316: 738-744.
- Sawant, SPD, A. V. Mitra, M. S. Chilakapati, J. Warbritton, A. Latendresse, J. R. Mehendale, H. M. (2006). Protective Effect of Type 2 Diabetes on Acetaminophen-Induced Hepatotoxicity in Male Swiss-Webster Mice. 316: 507-519.
- Sawant, SPD, A. V. Mehendale, H. M. (2007). Mechanisms of inhibited liver tissue repair in toxicant challenged type 2 diabetic rats. *Toxicology.* 232: 200-215. <http://dx.doi.org/10.1016/j.tox.2007.01.004>.
- Schell, JDJ. (1987). Interactions of Halogenated Hydrocarbon Mixtures in the Embryo of the Japanese Medaka (*Oryzias latipes*). 179 p.
- Schoonen, WGE, J. Kloks, C. P. A., M. Ploemen, J. P. H., T. M. Smit, M. J. Zandberg, P. Horbach, G. J. Mellema, J. R. Thijsen-Vanzuylen, C. Tas, A. C. Van Nesselrooij, J. H. J. Vogels, J. T. W., E. (2007). Uniform Procedure of ¹H NMR Analysis of Rat Urine and Toxicometabonomics Part II: Comparison of NMR Profiles for Classification of Hepatotoxicity. 98: 286-297.
- Schuermann, GK, W. (1988). Advances in Bioconcentration Prediction. 17: 1551-1574.
- Schwetz, BAL, B. K. J. Gehring, P. J. (1974). Embryo- and Fetotoxicity of Inhaled Carbon Tetrachloride 1,1-Dichloroethane and Methyl Ethyl Ketone in Rats. 28: 452-464.
- Seawright, AAF, L. J. Steele, D. P. (1972). The Effect of Carbon Disulphide on the Toxicity of Carbon Tetrachloride for Sheep. *Aust Vet J.* 48: 38.
- Seawright, AAF, L. J. Steele, D. P. (1973). The Effect of Carbon Disulphide Used in Combination with Carbon Tetrachloride on the Toxicity of the Latter Drug for Sheep. 15: 158-166.
- Seawright, AAH, J. Dematteis, F. (1976). The Hepatotoxicity of O,O-Diethyl, O-Phenyl Phosphorothionate (SV1) for the Rat. 57: 16-22.
- Seawright, AAW, I. W. Costigan, P. Hrdlicka, J. Steele, D. P. (1980). The effect of an equimolar mixture of carbon tetrachloride and carbon disulphide on the liver of the rat. *Biochem Pharmacol.* 29: 1007-1014.
- Sesardic, DR, K. J. Edwards, R. J. Davies, D. S. Boobis, A. R. (1989). Selective Destruction of Cytochrome P-450d and Associated Monooxygenase Activity by Carbon Tetrachloride in the Rat. 19: 795-811.
- Seth, PKS, S. P. Mushtaq, M. Agarwal, D. K. Chandra, S. V. (1979). Effect of di-(2-ethylhexyl) phthalate on rat liver injured by chronic carbon tetrachloride treatment. *Acta Pharmacol Toxicol.* 44: 161-167. <http://dx.doi.org/10.1111/j.1600-0773.1979.tb02312.x>.
- Shaker, MEZ, K. R. Mehal, W. Z. Shiha, G. E. Ibrahim, T. M. (2011). Comparison of imatinib, nilotinib and silymarin in the treatment of carbon tetrachloride-induced hepatic oxidative stress, injury and fibrosis. *Toxicol Appl Pharmacol.* 252: 165-175. <http://dx.doi.org/10.1016/j.taap.2011.02.004>.
- Shan, WP, P. S. Murray, I. A. Mcdevitt, E. I. Kennett, M. J. Kang, B. H. Isom, H. C. Perdew, G. H. Gonzalez, F. J. Peters, J. M. (2008). Ligand Activation of Peroxisome Proliferator-Activated Receptor beta/delta (PPARbeta/delta) Attenuates Carbon Tetrachloride Hepatotoxicity by Downregulating Proinflammatory Gene Expression. 105: 418-428.
- Shara, MAD, P. H. Bagchi, D. Stohs, S. J. (1992). Excretion of formaldehyde, malondialdehyde, acetaldehyde and acetone in the urine of rats in response to 2,3,7,8-tetrachlorodibenzo-p-dioxin, paraquat, endrin and carbon tetrachloride. *J Chromatogr, Biomed Appl.* 576: 221-233. [http://dx.doi.org/10.1016/0378-4347\(92\)80196-W](http://dx.doi.org/10.1016/0378-4347(92)80196-W).
- Sharma, BT, J. S. (1986). STUDIES ON THE CHEMICAL CONTROL OF BATOCERA-RUFOMACULATA DE GEER COLEOPTERA CERAMBYCIDAE A SERIOUS PEST OF MULBERRY IN JAMMU AND KASHMIR STATE INDIA (pp. 84-87). (BIOSIS/88/15419). SOIL, ENV, MIXTURE.
- Sharma, PM, L. Srivastava, C. N. (2006). Phytoextract-induced developmental deformities in malaria vector. *Bioresour Technol.* 97: 1599-1604. <http://dx.doi.org/10.1016/j.biortech.2005.07.024>.
- Sharma, RPR, R. V. (1987). TOXIC EFFECTS OF CHEMICALS ON THE IMMUNE SYSTEM (pp. NEW YORK). (BIOSIS/87/24341). Sharma, RP; Reddy, RV.
- Shim, JYK, M. H. Kim, H. D. Ahn, J. Y. Yun, Y. S. Song, J. Y. (2010). Protective action of the immunomodulator ginsan against carbon tetrachloride-induced liver injury via control of oxidative stress and the inflammatory response. *Toxicol Appl Pharmacol.* 242: 318-325. <http://dx.doi.org/10.1016/j.taap.2009.11.005>.
- Shimizu, YI, K. Tezuka, E. Yufu, T. Nagai, Y. Ishida, I. Tezuka, M. (2012). Influence of 50-nm polystyrene particles in inducing cytotoxicity in mice co-injected with carbon tetrachloride, cisplatin, or paraquat. *Pharmazie.* 67: 712-714.
- Shin, DSK, K. W. Chung, H. Y. Yoon, S. Moon, J. O. (2013). Effect of sinapic acid against carbon tetrachloride-induced acute hepatic injury in rats. *Arch Pharm Res.* 36: 626-633. <http://dx.doi.org/10.1007/s12272-013-0050-5>.
- Shivanandappa, TR, S. (1987). INDUCTION OF GLUTATHIONE S-TRANSFERASE BY FUMIGANTS IN LARVAE OF THE KHAPRA BEETLE TROGODERMA GRANARIUM E. *Pestic Biochem Physiol.* 28: 121-126.
- Siegers, CPS, A. Strubelt, O. (1977). Influence of Some Hepatotoxic Agents on Hepatic Glutathione Levels in Mice. 160-162.
- Siegers, CPS, O. Volpel, M. (1978). The Antihepatotoxic Activity of Dithiocarb as Compared with Six Other Thio Compounds in Mice. 41: 79-88.
- Silva, VMMH, G. E. Manautou, J. E. (2006). Cholestasis Induced by Model Organic Anions Protects from Acetaminophen Hepatotoxicity in Male CD-1 Mice. 160: 204-211.

Environmental Hazard Literature Search Results

On Topic

- Simmons, JEY, R. S. Svendsgaard, D. J. Thompson, M. B. Seely, J. C. McDonald, A. (1994). Toxicology studies of a chemical mixture of 25 groundwater contaminants: Hepatic and renal assessment, response to carbon tetrachloride challenge, and influence of treatment-induced water restriction. *J Toxicol Environ Health*. 43: 305-325. <http://dx.doi.org/10.1080/15287399409531923>.
- Singh, KNS, B. P. (1983). Relative Toxicity of Various Fumigants to the Adults of Two Species of *Callosobruchus* and the Susceptibility of Different Sexes to These Fumigants. 45: 130-138.
- Sinks, GDS, T. W. (2001). Correlation of Tetrahymena and Pimephales Toxicity: Evaluation of 100 Additional Compounds. 20: 917-921.
- Sipes, IGES, A. E. Sim, W. W. Mobley, S. A. Earnest, D. L. (1990). Reactive Oxygen Species in the Progression of CCl₄-Induced Liver Injury. 283: 489-497.
- Smith, IRZ, B. A. Ferguson, H. W. Hayes, M. A. (1988). Alterations in Serum Chemistry in Rainbow Trout (*Salmo gairdneri*) with Liver Degeneration After Partial Hepatectomy or Treatment with Carbon. 1607: 136-(ABS).
- Smuckler, EA. (1971). Cellular Effects of Carbon Tetrachloride. 103: (ABS) (51) PXVI.
- Smyth, HFS, H. F., Jr Carpenter, C. P. (1936). The Chronic Toxicity of Carbon Tetrachloride; Animal Exposure and Field Studies. 18: 277-298.
- Smyth, RM, M. R. York, M. J. Clarke, C. J. Dare, T. Turton, J. A. (2007). Comprehensive Characterization of Serum Clinical Chemistry Parameters and the Identification of Urinary Superoxide Dismutase in a Carbon Tetrachloride-Induced Model of Hepatic Fibrosis in the Female Hanover Wistar Rat. 88: 361-376.
- Solt, DBC, E. Tsuda, H. Enomoto, K. Lee, G. Farber, E. (1983). Promotion of Liver Cancer Development by Brief Exposure to Dietary 2-acetylaminofluorene Plus Partial Hepatectomy or Carbon Tetrachloride. 43: 188.
- Soni, BV, N. P. Madamwar, D. (2008). Ameliorative Action of Cyanobacterial Phycoerythrin on CCl₄-Induced Toxicity in Rats. 248: 59-65.
- Soni, MGM, H. M. (1993). Hepatic failure leads to lethality of chlordecone-amplified hepatotoxicity of carbon tetrachloride. *Toxicol Sci*. 21: 442-450.
- Soni, MGM, H. M. (1998). Role of tissue repair in toxicologic interactions among hepatotoxic organics [Review]. *Environ Health Perspect*. 106 Suppl 6: 1307-1317.
- Sorgo, G. (1976). Trichlorethylene-, Carbon Tetrachloride-, and Gasoline-Intoxication in Connection with Arterio- and Coronary Sclerosis (Trichlorathylen-, Tetrachlorkohlenstoff- und Benzinintoxikation als Atiologischer Faktor bei der Entstehung der Arterio- bzw. Koronarsklerose). 35: 295-318(GER) (ENG ABS).
- Soudamini, KJU, M. C. Soni, K. B. Kuttan, R. (1992). Inhibition of Lipid Peroxidation and Cholesterol Levels in Mice by Curcumin. 36: 239-243.
- Sperelakis, N. (1992). CHEMICAL AGENT ACTIONS ON ION CHANNELS AND ELECTROPHYSIOLOGY OF THE HEART (pp. CARDIOVASCULAR TOXICOLOGY). (BIOSIS/93/05086). Sperelakis, N.
- Statham, CNC, W. A. Lech, J. J. (1978). Uptake, Distribution, and Effects of Carbon Tetrachloride in Rainbow Trout (*Salmo gairdneri*). 45: 131-140.
- Stebbing, ARD. (1982). Hormesis - the stimulation of growth by low levels of inhibitors [Review]. *Sci Total Environ*. 22: 213-234.
- Stenger, RJJ, E. A. (1971). Further Observations Upon the Effects of Phenobarbital Pretreatment on the Hepatotoxicity of Carbon Tetrachloride. 14: 220-227.
- Storey, CLD, L. I. (1973). Relative Toxicity of Chloropicrin, Phosphine, EDC-CCl₄, and CCl₄-CS₂ to Various Life Stages of the Indian Meal Moth. 8 p.
- Storherr, RW. (1977). Report on Carbamate Pesticides, Fumigants, and Miscellaneous. 60: 368.
- Stripp, BH, M. E. Gillette, J. R. (1972). Effect of 3 Methyl Cholanthrene Induction on the Carbon Tetrachloride Induced Changes in Rat Hepatic Microsomal Enzyme System. 21: 745-747.
- Sudha, MG, A. Deepa, G. Madhavacharyulu, E. Deivanai, K. Sadulla, S. (2008). In Vivo Studies on Evaluation of Potential Toxicity of Unspent Tannins Using Albino Rats (*Rattus norvegicus*). 46: 2288-2295.
- Suny. (2006). A Temporal Study on the Histopathological, Biochemical and Molecular Responses of CCl₄-Induced Hepatotoxicity in Cyp2e1-null Mice. 228: 310-322.
- Szutowski, MM. (1975). Effect of Carbon Tetrachloride on Activation and Detoxification of Organophosphorus Insecticides in the Rat. 33: 350-355.
- Tadros, MGP, J. Patel, H. Pandiripally, V. (1994). Differential Response of Green Algal Species to Solvents. 52: 333-337.
- Tadros, MGP, J. Patel, H. Pandiripally, V. (1995). Differential response of marine diatoms to solvents. *Bull Environ Contam Toxicol*. 54: 924-929.
- Tanaka, E. (1997). Simultaneous Determination of Carbamazepine and Its Metabolites in Plasma from Carbon Tetrachloride-Intoxicated Rats Using a New Reversed-Phase Chromatographic Column of 2-Microns Porous Microspherical Silica Gel. 688: 155-160.
- Tanaka, RN, K. (1975). Effect of carbon tetrachloride on the biliary excretion of 3,4-benzpyrene in rats (pp. 437-444). (HEEP/76/06283). Tanaka, R; Nakai, K.
- Tanii, HH, K. Harada, A. (1993). EFFECT OF CARBON TETRACHLORIDE ON ALLYLNITRILE-INDUCED HEAD TWITCHING (pp. 8-11). (ISSN 0013-9351 EISSN 1096-0953 BIOSIS/93/24155). National Occupational Health and Safety Commission (Worksafe Australia).
- Tapp, EC, R. (1965). Tetracycline Accumulation in Toxic Liver Damage. 89: 715-721.
- Tarskikh, MM. (2006). Damage to erythrocyte membranes as the mechanism for acrylate toxicity. *Bull Exp Biol Med*. 142: 690-692. <http://dx.doi.org/10.1007/s10517-006-0452-1>.
- Tezuka, MM, K. Edano, T. Okada, S. (1991). Protective effect of chromium(III) on acute lethal toxicity of carbon tetrachloride in rats and mice. *J Inorg Biochem*. 42: 1-8.
- Thiersch, JB. (1971). Investigations into the Differential Effect of Compounds on Rat Litter and Mother. 95-113.
- Thomann, RV. (1989). Bioaccumulation Model of Organic Chemical Distribution in Aquatic Food Chains. 23: 699-707.
- Thurman, RGC, H. D. Knecht, K. T. Lacagnin, L. B. O'Brien, P. Mason, R. P. (1991). Spin Trapping in the Perfused Liver: Carbon Tetrachloride as a Model System. 69-82.

Environmental Hazard Literature Search Results

On Topic

- Tipoe, GLL, T. M. Liong, E. C. Lau, T. Y. Fung, M. L. Nanji, A. A. (2010). Epigallocatechin-3-gallate (EGCG) reduces liver inflammation, oxidative stress and fibrosis in carbon tetrachloride (CCl₄)-induced liver injury in mice. *Toxicology*. 273: 45-52. <http://dx.doi.org/10.1016/j.tox.2010.04.014>.
- Toussaint, MWW, M. J. Burton, D. T. Hoffmann, F. J. Shedd, T. R. Gardner, H. S. (1999). Histopathology of Japanese medaka (*Oryzias latipes*) chronically exposed to a complex environmental mixture. *Toxicol Pathol*. 27: 652-663.
- Tracey, JPS, P. (1968). Hepatoma following carbon tetrachloride poisoning. *N Y State J Med*. 68: 2202-2204.
- Tsai, KPC, C. Y. (2007). An Algal Toxicity Database of Organic Toxicants Derived by a Closed-System Technique. 26: 1931-1939.
- Tsokos-Kuhn, JO. (1989). Evidence In Vivo for Elevation of Intracellular Free Ca²⁺ in the Liver After Diquat, Acetaminophen, and CCl₄. 38: 3061-3065.
- Tsuji, ST, Y. Ito, Y. Kanoh, S. (1986). The Influence of Rearing Temperatures on the Toxicity of Various Environmental Pollutants for Killifish (*Oryzias latipes*). 32: 46-53(JPN) (ENG ABS).
- U.S. EPA. (1978). In-Depth Studies on Health and Environmental Impacts of Selected Water Pollutants. 9 p. (PUBL IN PART AS 5175, 5184, 5590, 9953, 10366, 20456, 83925, 120941).
- U.S. EPA. (1978). Reviews of the Environmental Effects of Pollutants: XII. Hexachlorocyclopentadiene. 48 p.
- U.S. EPA. (1980). Ambient Water Quality Criteria for Carbon Tetrachloride.
- U.S. EPA. (1980). Water Quality Criteria Documents. 45: 79318-79379(ABS).
- U.S. EPA. (1980). Water Quality Criteria Documents; Availability. 45: 79319-79377.
- U.S. EPA. (1995). Final Water Quality Guidance for the Great Lakes System. 60: 15366-15422.
- Uehara, TH, M. Ono, A. Kiyosawa, N. Omura, K. Shimizu, T. Mizukawa, Y. Miyagishima, T. Nagao, T. Urushidani, T. (2008). A toxicogenomics approach for early assessment of potential non-genotoxic hepatocarcinogenicity of chemicals in rats. *Toxicology*. 250: 15-26. <http://dx.doi.org/10.1016/j.tox.2008.05.013>.
- Ueng, THM, L. Elves, R. G. Alvares, A. P. (1983). Isopropanol enhancement of cytochrome P-450-dependent monooxygenase activities and its effects on carbon tetrachloride intoxication. *Toxicol Appl Pharmacol*. 71: 204-214.
- Uno, YT, H. Miyagawa, M. Inoue, Y. Murata, T. Yoshikawa, K. (1994). An in vivo-in vitro replicative DNA synthesis (RDS) test using rat hepatocytes as an early prediction assay for nongenotoxic hepatocarcinogens screening of 22 known positives and 25 noncarcinogens. *Mutat Res*. 320: 189-205. [http://dx.doi.org/10.1016/0165-1218\(94\)90046-9](http://dx.doi.org/10.1016/0165-1218(94)90046-9).
- Vacher, JD, R. Flahaut, M. (1975). Possible role of lysosomal enzymes in some pharmacological effects produced by beryllium. *Toxicol Appl Pharmacol*. 33: 205-213.
- Van den Berg, KJvR, J. A. Bragt, P. C. Notten, W. R. (1991). Interactions of halogenated industrial chemicals with transthyretin and effects on thyroid hormone levels in vivo. *Arch Toxicol*. 65: 15-19. <http://dx.doi.org/10.1007/BF01973497>.
- Van Hylckama Vlieg, JEJ, D. B. (2001). Formation and Detoxification of Reactive Intermediates in the Metabolism of Chlorinated Ethenes. 85: 81-102.
- Vandegrift, EES, O. L. Smith, M. L. Hesseltine, C. W. (1973). Mycotoxin Formation Affected by Fumigation of Wheat. 18: 412-414.
- Veith, GDM, K. J. Petrocelli, S. R. Carroll, J. (1980). An evaluation of using partition coefficients and water solubility to estimate bioconcentration factors for organic chemicals in fish. pp: 116-129.
- Verin, VK. (1968). Atypical Mitosis in the Rat Liver Under Intoxication with CCl₄. 55: 63-66.
- Versteeg, DJ. (1985). Lysosomal Membrane Stability, Histopathology, and Serum Enzyme Activities as Sublethal Bioindicators of Xenobiotic Exposure in the Bluegill Sunfish. 169 p.
- Villeneuve, DCP, W. E. J. Panopio, L. G. Mendoza, C. E. Hatina, G. V. Grant, D. L. (1974). The Effects of Phenobarbital and Carbon Tetrachloride on the Rate of Decline of Body Burdens of Hexachlorobenzene in the Rat. 2: 243-252.
- Vittozzi, LN, W. (1987). Binding of reactive metabolites of CCl₄ to specific microsomal proteins. *Biochem Pharmacol*. 36: 1401-1406.
- Vorhaus, EFV, L. J. (1954). Protective Effects of Pretreatment with Cortisone, Auroemycin, and Folic Acid in Carbon Tetrachloride Induced Hepatic Injury in Rats. 26: 887-894.
- Vorne, M. (1971). Effect of Phenobarbital on the Resoration of Impaired Drug Metabolism in Carbon Tetrachloride-Induced Liver damage. 49: 143-150.
- Vorne, MA, P. Alavaikko, M. (1981). Effect of Phenobarbital on Hepatic Injury Induced by Chronic Carbon Tetrachloride Treatment. 172: 372-383.
- Walker, CH. (1981). The Correlation Between In Vivo and In Vitro Metabolism of Pesticides in Vertebrates. 1: 247-285.
- Walton, BTA, T. A. Hendricks, M. S. Talmage, S. S. (1989). Physicochemical Properties as Predictors of Organic Chemical Effects on Soil Microbial Respiration. 8: 53-63.
- Wang, DHI, K. Zhen, L. X. Taketa, K. (1996). Enhanced Liver Injury in Acatalasemic Mice Following Exposure to Carbon Tetrachloride. 70: 189-194.
- Wang, JQC, X. Zhang, C. Tao, L. Zhang, Z. H. Liu, X. Q. Xu, Y. B. Wang, H. Li, J. Xu, D. X. (2013). Phenylbutyric acid protects against carbon tetrachloride-induced hepatic fibrogenesis in mice. *Toxicol Appl Pharmacol*. 266: 307-316. <http://dx.doi.org/10.1016/j.taap.2012.11.007>.
- Waring, JFJ, R. A. Ciurlionis, R. Lum, P. Y. Praestgaard, J. T. Morfitt, D. C. Buratto, B. Roberts, C. Schadt, E. Ulrich, R. G. (2001). Clustering of hepatotoxins based on mechanism of toxicity using gene expression profiles. *Toxicol Appl Pharmacol*. 175: 28-42. <http://dx.doi.org/10.1006/taap.2001.9243>.
- Washino, YK, E. Kitamura, Y. Kamikawa, C. Kobayashi, K. Nakagawa, T. Nakazaki, C. Ichi, I. Kojo, S. (2010). Effect of celecoxib, a selective cyclooxygenase-2 inhibitor on carbon tetrachloride intoxication in rats. *Biol Pharm Bull*. 33: 707-709.
- Watson, DRC, B. Eichelbaum, M. Krishna, G. (1971). 3-Methyl-Cholanthrene Blocks Hepatic Necrosis Induced by Administration of Bromobenzene or Carbon Tetrachloride. 15: 363-372.

Environmental Hazard Literature Search Results

On Topic

- Weber, LJG, W. H. Pfeifer, K. F. (1979). Alterations in Rainbow Trout Liver Function and Body Fluids Following Treatment with Carbon Tetrachloride or Monochlorobenzene. 99: 401-413.
- Weisburger, EK. (1977). Carcinogenicity studies on halogenated hydrocarbons. *Environ Health Perspect.* 21: 7-16.
- Wen, TG, L. Zhang, Y. L. Zhao, J. Y. (2006). Dynamic changes of heme oxygenase-1 and carbon monoxide production in acute liver injury induced by carbon tetrachloride in rats. *Toxicology.* 228: 51-57. <http://dx.doi.org/10.1016/j.tox.2006.08.014>.
- Wheatley, DNK, I. R. Currie, A. R. (1966). Liver Injury and the Prevention of Massive Adrenal Necrosis from 9,10-Dimethyl-1,2-Benzanthracene in Rats. 211: 387-389.
- Whitehead, CC. (1971). The Effects of Pesticides on Production in Poultry. 88: 114-117.
- Willhite, CCS, R. P. (1981). The role of cyanide liberation in the acute toxicity of aliphatic nitriles. *Toxicol Appl Pharmacol.* 59: 589-602. [http://dx.doi.org/10.1016/0041-008X\(81\)90314-8](http://dx.doi.org/10.1016/0041-008X(81)90314-8).
- Williams, PLJ, R. C. Roberts, S. M. (2000). Principles of Toxicology: Environmental and Industrial Applications. 603 p.
- Wills, PA, V. (2006). Protective Effect of *Lygodium flexuosum* (L.) sw. Extract Against Carbon Tetrachloride-Induced Acute Liver Injury in Rats. 108: 320-326.
- Wong, CKO, V. E. C. Ang, P. O. (2000). Protective effects of seaweeds against liver injury caused by carbon tetrachloride in rats. *Chemosphere.* 41: 173-176.
- Wong, CKO, V. E. C. Ang, P. O. (2004). Hepatoprotective effect of seaweeds' methanol extract against carbon tetrachloride-induced poisoning in rats. *Hydrobiologia.* 512: 267-270.
- Wong, LLF, S. T. Man, K. Sit, W. H. Jiang, P. P. Jor, I. W. Lee, C. Y. Ling, W. L. Tam, K. T. Wan, J. M. (2011). Identification of liver proteins and their roles associated with carbon tetrachloride-induced hepatotoxicity. *Hum Exp Toxicol.* 30: 1369-1381. <http://dx.doi.org/10.1177/0960327110391388>.
- Wu, HML, C. G. Hwang, S. J. Kim, S. G. (2014). Mitigation of Carbon Tetrachloride-Induced Hepatic Injury by Methylene Blue, a Repurposed Drug, is Mediated by Dual Inhibition of GSK3 beta Downstream of PKA. 171: 2790-2802.
- Wu, HMM, T. J. Isanhart, J. P. Cox, S. B. Hooper, M. J. (2009). Responses of glutamate cysteine ligase and glutathione to oxidants in deer mice (*Peromyscus maniculatus*). *Ecotoxicol Environ Saf.* 72: 1572-1578. <http://dx.doi.org/10.1016/j.ecoenv.2009.02.008>.
- Wu, YL, L. Wen, T. Li, Y. Q. (2007). Protective Effects of Echinacoside on Carbon Tetrachloride-Induced Hepatotoxicity in Rats. 232: 50-56.
- Xiao, JL, E. C. Ling, M. T. Ching, Y. P. Fung, M. L. Tipoe, G. L. (2012). S-allylmercaptocysteine reduces carbon tetrachloride-induced hepatic oxidative stress and necroinflammation via nuclear factor kappa B-dependent pathways in mice. *Eur J Nutr.* 51: 323-333. <http://dx.doi.org/10.1007/s00394-011-0217-0>.
- Yagi, NK, K. Itokawa, Y. (1979). Thiamine deficiency induced by polychlorinated biphenyls (PCB) and dichlorodiphenyltrichloroethane (DDT) administration to rats. *J Environ Pathol Toxicol.* 2: 1119-1125.
- Yamaguchi, MT, Y. Misawa, H. Inagaki, S. Ma, Z. J. Takahashi, H. (2002). Potential Role of Regucalcin as a Specific Biochemical Marker of Chronic Liver Injury with Carbon Tetrachloride Administration in Rats. 241: 61-67.
- Yamaji, KO, K. I. Zuinen, R. Ochiai, Y. Chikuma, T. Hojo, H. (2008). Interleukin-6 Production by Peritoneal Mesothelial Cells and Its Regulation by Inflammatory Factors in Rats Administered Carbon Tetrachloride Intraperitoneally. 226: 38-45.
- Yamaji, KO, Y. Ohnishi, K. I. Yawata, A. Chikuma, T. Hojo, H. (2008). Up-Regulation of Hepatic Heme Oxygenase-1 Expression by Locally Induced Interleukin-6 in Rats Administered Carbon Tetrachloride Intraperitoneally. 179: 124-129.
- Yang, RSH. (1986). Acute vs. Chronic Toxicity and Toxicological Interactions Involving Pesticides. 18 p.
- Yang, RSH. (1987). ACUTE VERSUS CHRONIC TOXICITY AND TOXICOLOGICAL INTERACTIONS INVOLVING PESTICIDES. *ACS Symp Ser Am Chem Soc.* 336: 20-36.
- Yang, XG, J. Shi, Q. Su, Z. Qian, F. Davis, K. Mendrick, D. L. Salminen, W. F. (2012). Identification of urinary microRNA profiles in rats that may diagnose hepatotoxicity. *Toxicol Sci.* 125: 335-344. <http://dx.doi.org/10.1093/toxsci/kfr321>.
- Yao, QL, Y. Li, X. Shen, X. Wang, J. Tu, C. (2013). Curcumin ameliorates intrahepatic angiogenesis and capillarization of the sinusoids in carbon tetrachloride-induced rat liver fibrosis. *Toxicol Lett.* 222: 72-82. <http://dx.doi.org/10.1016/j.toxlet.2013.06.240>.
- Yoneyama, HK, Y. Koyama, J. Suzuki, K. Kawachi, H. Narumi, S. Ichida, T. (2007). Neutralization of CXCL10 Accelerates Liver Regeneration in Carbon Tetrachloride-Induced Acute Liver Injury. 40: 191-197.
- Yoshida, TA, K. Fukuhara, M. (1999). Estimation of absorption of trihalomethanes and carbon tetrachloride in low-level exposure by inhalation pharmacokinetic analysis in rats. *Arch Environ Contam Toxicol.* 36: 347-354.
- Yoshikawa, K. (1996). Anomalous nonidentity between *Salmonella* genotoxins and rodent carcinogens and genotoxic noncarcinogens [Review]. *Environ Health Perspect.* 104: 40-46. <http://dx.doi.org/10.2307/3432758>.
- Yoshioka, YM, T. Ose, Y. Sato, T. (1986). THE ESTIMATION FOR TOXICITY OF CHEMICALS ON FISH BY PHYSICO-CHEMICAL PROPERTIES. *Chemosphere.* 15: 195-204.
- Yoshioka, YO, Y. Sato, T. (1985). Testing for the toxicity of chemicals with *Tetrahymena pyriformis*. *Sci Total Environ.* 43: 149-157.
- Yoshioka, YO, Y. Sato, T. (1986). Correlation of the Five Test Methods to Assess Chemical Toxicity and Relation to Physical Properties. 12: 15-21.
- Yoshioka, YO, Y. Sato, T. (1986). Testing and Evaluation of Chemical Toxicity on Tubifex. 32: 308-311(JPN) (ENG ABS).
- Young, DRG, R. W. Baird, R. B. Brown, D. A. Taylor, P. A. Miille, M. J. (1983). Wastewater Inputs and Marine Bioaccumulation of Priority Pollutant Organics Off Southern California. 871-884.
- Young, SCW, C. J. Lin, J. J. Peng, P. L. Hsu, J. L. Chou, F. P. (2007). Protection Effect of Piper Betel Leaf Extract Against Carbon Tetrachloride-Induced Liver Fibrosis in Rats. 81: 45-55.
- Yuen, STG, A. R. Luk, I. S. Cho, C. H. Ho, J. C. Loh TT. (1995). The effect of nicotine and its interaction with carbon tetrachloride in the rat liver. *Pharmacol Toxicol.* 77: 225-230.

Environmental Hazard Literature Search Results

On Topic

- Yun, JWK, C. W. Bae, I. H. Park, Y. H. Chung, J. H. Lim, K. M. Kang, K. S. (2009). Determination of the key innate genes related to individual variation in carbon tetrachloride-induced hepatotoxicity using a pre-biopsy procedure. *Toxicol Appl Pharmacol.* 239: 55-63. <http://dx.doi.org/10.1016/j.taap.2009.05.018>.
- Zakhari, S. (1992). *Cardiovascular Toxicology of Halogenated Hydrocarbons and Other Solvents.* 14: 409-454.
- Zavodnik, LBZ, I. B. Lapshina, E. A. Belonovskaya, E. B. Martinchik, D. I. Kravchuk, R. I. Bryszewska, M. Reiter, R. J. (2005). Protective Effects of Melatonin Against Carbon Tetrachloride Hepatotoxicity in Rats. 23: 353-359.
- Zhang, FS, R. Wu, X. Zhao, X. Feng, D. Wang, L. Lu, S. Liu, Q. Xiang, Y. Fei, J. Huang, L. Wang, Z. (2009). Delayed liver injury and impaired hepatocyte proliferation after carbon tetrachloride exposure in BPOZ2-deficient mice. *Toxicol Lett.* 188: 201-207. <http://dx.doi.org/10.1016/j.toxlet.2009.04.009>.
- Zhang, JW, H. Peng, D. Taylor, E. W. (2008). Further Insight into the Impact of Sodium Selenite on Selenoenzymes: High-Dose Selenite Enhances Hepatic Thioredoxin Reductase 1 Activity as a Consequence of Liver Injury. 176: 223-229.
- Zhu, YHJ, J. G. (2008). Toxicity of carbon tetrachloride to *Dunaliella salina*, an environmentally tolerant alga. *J Toxicol Environ Health A.* 71: 474-477. <http://dx.doi.org/10.1080/15287390801907533>.
- Zidek, NH, J. Kramer, P. J. Hewitt, P. G. (2007). Acute hepatotoxicity: a predictive model based on focused illumina microarrays. *Toxicol Sci.* 99: 289-302. <http://dx.doi.org/10.1093/toxsci/kfm131>.
- Zuinen, RY, K. Aoki, M. Chikuma, T. Hojo, H. (2007). Early Induced, High-Level Interleukin-6 Expression in the Rat Peritoneal Cavity into Which a Hepatotoxicant Carbon Tetrachloride was Administered. 170: 42-48.

Environmental Hazard Literature Search Results

Off Topic

- Ababei, L; Capalna, S; Stefanescu, P. (1962). Variations in inorganic pyrophosphatase and glutaminase in the liver and brain of mice poisoned by carbon tetrachloride. *Nature.* 194: 983-984.
- Abbas, AT; El-Shitany, NA; Shaala, LA; Ali, SS; Azhar, EI; Abdel-Dayem, UA; Youssef, DT. (2013). Red Sea Suberea mollis Sponge Extract Protects against CCl4-Induced Acute Liver Injury in Rats via an Antioxidant Mechanism. *BMC Gastroenterol.* 13: 8.
- Abbate, S; Passarello, M; Lebon, F; Longhi, G; Ruggirello, A; Liveri, VT; Viani, F; Castiglione, F; Mendola, D; Mele, A. (2014). Chiroptical Phenomena in Reverse Micelles: The Case of (1R,2S)-Dodecyl (2-hydroxy-1-methyl-2-phenylethyl)dimethylammonium Bromide (DMEB). *Chirality.* 26: 532-538.
- Abbott, GA; Miller, MJ. (1948). Carbon tetrachloride poisoning; a report on ten cases at the U.S. Marine Hospital, Seattle, Washington, since 1937. *Public health reports (Washington, DC : 1896).* 63: 1619-1624.
- Abcejo, A; Andrejko, KM; Ochroch, EA; Raj, NR; Deutschman, CS. (2011). IMPAIRED HEPATOCELLULAR REGENERATION IN MURINE SEPSIS IS DEPENDENT ON REGULATORY PROTEIN LEVELS. *Shock.* 36: 471-477.
- Abd, ELHA; Mahmoud, SS; Asaad, GF; El-Hussiny, M. (1993). Pharmacological study of the effect of licorice alone and in combination with diclofenac sodium on hepatotoxicity-induced experimentally in rats. *J Complement Integr Med.*
- Abdel Moneim, AE. (2016). Prevention of carbon tetrachloride (CCl4)-induced toxicity in testes of rats treated with *Physalis peruviana* L. fruit. *Toxicol Ind Health.* 32: 1064-1073.
- Abdel, SOM; Baiuomy, AR; El-Shenawy, SM; Hassan, NS. (2005). Effect of pentoxifylline on hepatic injury caused in the rat by the administration of carbon tetrachloride or acetaminophen. *Pharmacological reports : PR.* 57: 596-603.
- Abdel, SOM; Sleem, AA; Shafee, N. (2010). Effect of trazodone and nefazodone on hepatic injury induced by carbon tetrachloride. *Drug discoveries & therapeutics.* 4: 285-297.
- Abdel, SOM; Sleem, AA; Shafee, N. (2010). Hepatoprotective effects of the nitric oxide donor isosorbide-5-mononitrate alone and in combination with the natural hepatoprotectant, silymarin, on carbon tetrachloride-induced hepatic injury in rats. *Inflammopharmacology.* 18: 87-94.
- Abdelaziz, DHA; Ali, SA. (2014). The protective effect of *Phoenix dactylifera* L. seeds against CCl4-induced hepatotoxicity in rats. *J Ethnopharmacol.* 155: 736-743.
- Abdel-Aziz, MT; Ghaffar, YA; El, MILIGYDA; Fouad, H. (1997). Role of endotoxin in liver injury. *J Clin Biochem Nutr.* 22: 19-29.
- Abdel-Bakky, MS; Helal, GK; El-Sayed, EM; Saad, AS. (2015). Carbon tetrachloride-induced liver injury in mice is tissue factor dependent. *Environ Toxicol Pharmacol.* 39: 1199-1205.
- Abdel-Hamid, NM; Abdel-Ghany, MI; Nazmy, MH; Amgad, SW. (2013). Can methanolic extract of *Nigella sativa* seed affect glyco-regulatory enzymes in experimental hepatocellular carcinoma? *Environ Health Prev Med.* 18: 49-56.
- Abdel-Hamid, NM; Faddah, LM; Al-Rehany, MA; Ali, AH; Bakeet, AA. (2007). New role of antinutritional factors, phytic acid and catechin in the treatment of CCl4 intoxication. *Ann Hepatol.* 6: 262-266.
- Abdel-Hamid, NM; Wahid, A; Mohamed, EM; Abdel-Aziz, MA; Mohafez, OM; Bakar, S. (2016). New pathways driving the experimental hepatoprotective action of tempol (4-hydroxy-2,2,6,6-tetramethylpiperidine-1-oxyl) against acute hepatotoxicity. *Biomedicine & Pharmacotherapy.* 79: 215-221.
- Abdel-Kader, MS; Alqasoumi, SI; Al-Taweel, AM. (2009). Hepatoprotective Constituents from *Cleome droserifolia*. *Chemical & Pharmaceutical Bulletin.* 57: 620-624.
- Abdellatif, AG. Peroxisome proliferation and modulation of rat liver carcinogenesis by 2,4-dichlorophenoxyacetic acid, 2,4,5-trichlorophenoxyacetic acid, perfluorooctanoic acid and nafenopin.

Environmental Hazard Literature Search Results

Off Topic

- Abdel-Monem, MM; Merdink, JL. (1981). Formation of N1-acetylspermidine in rat liver after treatment with carbon tetrachloride. *Life Sci.* 28: 2017-2023.
- Abdelraziq, IR. (2000). Ultrasonic absorption in critical binary mixture of perfluoromethylcyclohexane and carbon tetrachloride. *Journal of the Acoustical Society of America.* 107: 788-792.
- Abdelsalam, EB; Adam, SEI; Tartour, G. Modification of the hepatotoxicity of carbon tetrachloride and chloroform in goats by pre-treatment with dieldrin and phenobarbitone. *Zentralblatt fur Veterinarmedizin.* Mar 1982. v. 29 (2): 142-148.
- Abdelsalam, EB; Ford, E.J.H. The effect of induced liver, kidney and lung lesions on the toxicity of levamisole and diazinon in calves. *J Comp Pathol.* Nov 1987. v. 97 (6): 619-627.
- Abdel-Salam, OME; Youness, ER; Mohammed, NA; Morsy, SMY; Omara, EA; Sleem, AA. (2014). Citric Acid Effects on Brain and Liver Oxidative Stress in Lipopolysaccharide-Treated Mice. *J Med Food.* 17: 588-598.
- Abdel-Tawwab, M; Mousa, MAA; Ahmad, MH; Sakr, SFM. (2007). The use of calcium pre-exposure as a protective agent against environmental copper toxicity for juvenile Nile tilapia, *Oreochromis niloticus* (L.). *Aquaculture.* 264: 236-246.
- Abdel-Tawwab, M; Mousa, MAA; Mohammed, MA. (2010). Use of Live Baker's Yeast, *Saccharomyces cerevisiae*, in Practical Diet to Enhance the Growth Performance of Galilee Tilapia, *Sarotherodon galilaeus* (L.), and Its Resistance to Environmental Copper Toxicity. *J World Aquacult Soc.* 41: 214-223.
- Abdel-Tawwab, M; Wafeek, M. (2010). Response of Nile Tilapia, *Oreochromis niloticus* (L.) to Environmental Cadmium Toxicity During Organic Selenium Supplementation. *J World Aquacult Soc.* 41: 106-114.
- Abdel-Zaher, AO; Abdel-Rahman, MM; Hafez, MM; Omran, FM. (2007). Role of nitric oxide and reduced glutathione in the protective effects of aminoguanidine, gadolinium chloride and oleanolic acid against acetaminophen-induced hepatic and renal damage. *Toxicology.* 234: 124-134.
- Abderrafi, K; Garcia-Calzada, R; Sanchez-Royo, JF; Chirvony, VS; Agouram, S; Abargues, R; Ibanez, R; Martinez-Pastor, JP. (2013). Laser ablation of a silicon target in chloroform: formation of multilayer graphite nanostructures. *Journal of Physics D-Applied Physics.* 46: 35301-35301.
- Abdou, RH; Saleh, SY; Khalil, WF. (2015). Toxicological and biochemical studies on *Schinus terebinthifolius* concerning its curative and hepatoprotective effects against carbon tetrachloride-induced liver injury. *Pharmacognosy Magazine.* 11: S93-S101.
- Abdul-Razzak, KK; Alzoubi, KH; Abdo, SA; Hananeh, WM. (2012). High-dose vitamin C: Does it exacerbate the effect of psychosocial stress on liver? Biochemical and histological study. *Exp Toxicol Pathol.* 64: 367-371.
- Abdul-Wahab, SA. (2010). Level of environmental awareness towards depletion of the ozone layer among distributors and consumers in the solvent sector: a case study from Oman. *Clim Change.* 103: 503-517.
- Abe, H; Orita, M; Arichi, S. (1984). INHIBITORY ACTION OF SAIKOSAPONIN ON DRUG-INDUCED LIVER INJURY. 57th General Meeting Of The Japanese Pharmacological Society, Kyoto, Japan, Mar. 36.
- Abe, H; Orita, M; Konishi, H; Arichi, S; Odashima, S. (1985). EFFECTS OF SAIKOSAPONIN-D ON ENHANCED CARBON TETRACHLORIDE-HEPATOTOXICITY BY PHENOBARBITONE. *J Pharm Pharmacol.* 37: 555-559.
- Abe, H; Sakaguchi, M; Odashima, S; Arichi, S. (1982). Protective effect of saikosaponin-d isolated from *Bupleurum falcatum* L. on CCl₄-induced liver injury in the rat. *Naunyn Schmiedebergs Arch Pharmacol.* 320: 266-271.
- Abe, S; Suyama, S; Chiba, S; Nakao, H; Ohtake, Y; Ohkubo, Y. (2007). The uptake mechanism of gallium-67 into hepatocytes treated with carbon tetrachloride. *Biological & Pharmaceutical Bulletin.* 30: 224-229.
- Abe, S; Suyama, S; Shishido, H; Sato, M; Ohtake, Y; Sato, N; Ohkubo, Y. (2004). Uptake of Gallium-67 by the hepatocytes during liver regeneration in carbon tetrachloride-treated mice. *Biological & Pharmaceutical Bulletin.* 27: 1913-1915.
- Abe, W; Ikejima, K; Lang, T; Okumura, K; Enomoto, N; Kitamura, T; Takei, Y; Sato, N. (2007). Low molecular weight heparin prevents hepatic fibrogenesis caused by carbon tetrachloride in the rat. *J Hepatol.* 46: 286-294.
- Abergel, A; Sapin, V; Dif, N; Chassard, C; Darcha, C; Marcand-Sauvant, J; Gaillard-Martinie, B; Rock, E; Dechelotte, P; Sauvant, P. (2006). Growth arrest and decrease of alpha-SMA and type I collagen expression by palmitic acid in the rat hepatic stellate cell line PAV-1. *Dig Dis Sci.* 51: 986-995.
- Abernathy, CO. (1994). A RETROSPECTIVE ON DRINKING WATER. *Wang, R G M.* 0: 1-14.
- Aboelwafa, HR; Yousef, HN. (2015). The ameliorative effect of thymol against hydrocortisone-induced hepatic oxidative stress injury in adult male rats. *Biochem Cell Biol.* 93: 282-289.
- Abou-el-Makarem, MM; el-Gammal, H. (1976). Effect of phenobarbitone and indoxyl sulphate on biliary excretion of foreign organic compounds during administration of carbon tetrachloride. *Biochem Soc Trans.* 4: 1092-1094.
- Abouzied, MM; Eltahir, HM; Taye, A; Abdelrahman, MS. (2016). Experimental evidence for the therapeutic potential of tempol in the treatment of acute liver injury. *Mol Cell Biochem.* 411: 107-115.
- Abraham, MH; Greillier, PL; Prior, DV; Morris, JJ; Taylor, PJ; Laurence, C; Berthelot, M. (1989). Hydrogen-bonding. Part 6. A thermodynamically-based scale of solute hydrogen-bond basicity. *Tetrahedron Letters.* 30: 2571-2574.
- Abraham, MH; Platts, JA. (2001). Hydrogen bond structural group constants. *J Org Chem.* 66: 3484-3491.
- Abraham, MR; Duce, PP; Grellier, PL; Prior, DV; Morris, JJ; Taylor, PJ. (1988). Hydrogen-bonding. Part 5. A thermodynamically-based scale of solutehydrogen-bond acidity. *Tetrahedron Letters.* 29: 1587-1590.
- Abraham, P. (2004). Lysosomal enzyme activity during development of carbon tetrachloride induced cirrhosis in rats. *Critical care medicine.* 32: 2079-2083.
- Abraham, P; Wilfred, G. (2002). A massive increase in serum beta-glucuronidase after a single dose of carbon tetrachloride to the rat. *Clin Chim Acta.* 322: 183-184.

Environmental Hazard Literature Search Results

Off Topic

- Abraham, P; Wilfred, G. (2002). A massive increase in serum β -glucuronidase after a single dose of carbon tetrachloride to the rat. *Clin Chim Acta*. 322: 183-184.
- Abraham, P; Wilfred, G. (2003). A marked decrease in the activity of biotinidase in the plasma of rats after single dose of carbon tetrachloride. *Clin Chim Acta*. 328: 195-196.
- Abraham, P; Wilfred, G; Cathrine, SP. (1999). Oxidative damage to the lipids and proteins of the lungs, testis and kidney of rats during carbon tetrachloride intoxication. *Clin Chim Acta*. 289: 177-179.
- Abraham, P; Wilfred, G; Ramakrishna, B. (1999). Decreased activity of hepatic alkaline protease in rats with carbon tetrachloride-induced liver cirrhosis. *Indian J Exp Biol*. 37: 1243-1244.
- Abraham, P; Wilfred, G; Ramakrishna, B. (2000). Plasma prolidase may be an index of liver fibrosis in the rat. *Clinica chimica acta; international journal of clinical chemistry*. 295: 199-202.
- Abraham, P; Wilfred, G; Ramakrishna, B. (2003). Decrease in plasma biotinidase activity with normal albumin concentrations in experimental liver fibrosis. *Clin Chim Acta*. 334: 245-247.
- Abrahamsson, K; Dyrssen, D; Jogebrant, G; Krysell, M. (1989). HALOCARBON CONCENTRATIONS IN ASKEROFJORDEN SWEDEN RELATED TO THE WATER EXCHANGE AND INPUTS FROM THE PETROCHEMICAL SITE AT STENUNGSUND SWEDEN. *Vatten*. 45: 3-8.
- Abrahamsson, K; Klick, S. (1989). DISTRIBUTION AND FATE OF HALOGENATED ORGANIC SUBSTANCES IN AN ANOXIC MARINE ENVIRONMENT. *Chemosphere*. 18: 2247-2256.
- Abraldes, JG; Rodr; iacutVilarrupllarrupla, A; Graupera, M. Simvastatin treatment improves liver sinusoidal endothelial dysfunction in CCl4 cirrhotic rats.
- Aburama, MH; Abdelbary, GA. (2012). Novel diphenyl dimethyl bicarboxylate provascular powders with enhanced hepatocurative activity: preparation, optimization, in vitro/in vivo evaluation. *Int J Pharm*. 422: 139-150.
- Abu-Rizq, HA; Mansour, MH; Afzal, M. (2015). Curcuma longa attenuates carbon tetrachloride-induced oxidative stress in T-lymphocyte subpopulations. *Methods in molecular biology (Clifton, NJ)*. 1208: 159-170.
- Abu-Rizq, HA; Mansour, MH; Safer, AM; Afzal, M. (2008). Cyto-protective and immunomodulating effect of Curcuma longa in Wistar rats subjected to carbon tetrachloride-induced oxidative stress. *Inflammopharmacology*. 16: 87-95.
- Abu-Tair, L; Axelrod, JH; Doron, S; Ovadya, Y; Krizhanovsky, V; Galun, E; Amer, J; Safadi, R. (2013). Natural killer cell-dependent anti-fibrotic pathway in liver injury via Toll-like receptor-9. *PLoS ONE*. 8: e82571.
- Abuzaid, NS; Al-Malack, MH; Nakhla, GF; Essa, MH; Al-Tawabini, BS. (2000). Effects of dissolved oxygen and surfactant treatment on the sorptive capacity of a local soil for phenol. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 35: 263-280.
- Achliya, GS; Wadodkar, SG; Dorle, AK. (2004). Evaluation of hepatoprotective effect of Amalkadi Ghrita against carbon tetrachloride-induced hepatic damage in rats. *J Ethnopharmacol*. 90: 229-232.
- Achudume, AC. (1991). Effects of dimethyl sulfoxide (DMSO) on carbon (CCL4)-induced hepatotoxicity in mice. *Clinica chimica acta; international journal of clinical chemistry*. 200: 57-58.
- Achudume, AC. (1991). EFFECTS OF DIMETHYL SULFOXIDE DMSO ON CARBON CARBON TETRACHLORIDE-INDUCED HEPATOTOXICITY IN MICE. *Clin Chim Acta*. 200: 57-58.
- Achudume, AC; Aondo, UA. (1995). The effect of dimethyl sulphoxide on CCl4-induced damage to the liver and its effects on hepatic glutathione and glucose. *Acta Biol Hung*. 46: 31-37.
- Achudume, AC; Ogunyemi, KE. (2007). Effects of the extracts of *Pycanthus angolensis* against chemically induced acute hepatotoxicity. *Pakistan journal of biological sciences : PJBS*. 10: 3231-3233.
- Ackley, MW. (1985). RESIDENCE TIME MODEL FOR RESPIRATOR SORBENT BEDS. *Am Ind Hyg Assoc J*. 46: 679-689.
- Ackman, RG; Macpherson, E; Timmins, A. (1998). Anomalous high iodine value of squalene and the impact on iodine values of shark liver oils. *Journal of the American Oil Chemists Society*. 75: 1223-1225.
- Acuna-Askar, K; Englande, AJ; Hu, C; Jin, G. (2000). Methyl tertiary-butyl ether (MTBE) biodegradation in batch and continuous upflow fixed biofilm reactors. *Water Science and Technology*. 42: 153-161.
- AdĀimek, Fe; HĀijek, M. (1992). Microwave-Assisted Catalytic Addition of Halocompounds to Alkenes. *Tetrahedron Letters*. 33: 2039-2042.
- Adachi, A; Ikeda, C; Takagi, S; Fukao, N; Yoshie, E; Okano, T. (2001). Efficiency of rice bran for removal of organochlorine compounds and benzene from industrial wastewater. *J Agric Food Chem*. 49: 1309-1314.
- Adachi, A; Kobayashi, T. (1994). VOLATILE CHLORINATED ORGANIC COMPOUND LEVELS IN RAIN WATER FROM KOBE CITY IN JAPAN. *Bull Environ Contam Toxicol*. 52: 9-12.
- Adachi, E; Yoshida, T; Nagura, T; Masuda, Y; Hayashi, T. (1994). Localization of basement membrane collagen complex in liver and its concentration in sera after chronic administration of carbon tetrachloride. *Matrix Biology*. 14: 356-357.
- Adachi, Y; Horii, K; Suwa, M; Tanihata, M; Ohba, Y; Yamamoto, T. (1981). Serum glutathione S-transferase in experimental liver damage in rats. *Gastroenterologia Japonica*. 16: 129-133.
- Adam, IYS; Asma, EA. (2012). Assessment of Antihepatotoxic Effect of *Cuscuta californica* against Carbon Tetra Chloride Induced Liver Damage in Wistar Rats. *Journal of Pharmacology & Toxicology*. 7: 322-329.
- Adam, SEI; Thorpe, E. The interaction of cold environment and carbon tetrachloride hepatotoxicity in mice. *Aug 1970*, 51 (4): 394-403.
- Adamkiewicz, Pa; Sujak, A; Gruszecki, Wal. (2013). Spectroscopic study on formation of aggregated structures by carotenoids: Role of water. *Journal of molecular structure*. 1046: 44-51.

Environmental Hazard Literature Search Results

Off Topic

- Adams, JD, Jr.; Lauterburg, BH; Mitchell, JR. (1984). Plasma glutathione disulfide as an index of oxidant stress in vivo: effects of carbon tetrachloride, dimethylnitrosamine, nitrofurantoin, metronidazole, doxorubicin and diquat. *Res Comm Chem Pathol Pharmacol.* 46: 401-410.
- Adams, JQ; Clark, RM. (1991). Evaluating the costs of packed-tower aeration and GAC for controlling selected organics. *Am Water Works Assoc J.* 83: 49-57.
- Adams, VD. (1990). WATER AND WASTEWATER EXAMINATION MANUAL. Adams0-87371.
- Adamska, T; ynarczyk, W; Jodynis-Liebert, J; Bylka, W; Mat; awska, I. (2003). Hepatoprotective effect of the extract and isocytoside from *Aquilegia vulgaris*. *Phytotherapy research : PTR.* 17: 691-696.
- Adamson, DT; Parkin, GF. (1999). Biotransformation of mixtures of chlorinated aliphatic hydrocarbons by an acetate-grown methanogenic enrichment culture. *Water Res.* 33: 1482-1494.
- Adamson, DT; Parkin, GF. (2000). Impact of mixtures of chlorinated aliphatic hydrocarbons on a high-rate, tetraehloroethene-dechlorinating enrichment culture. *Environmental Science & Technology.* 34: 1959-1965.
- Adamson, DT; Parkin, GF. (2001). Product distribution during transformation of multiple contaminants by a high-rate, tetrachloroethene-dechlorinating enrichment culture. *Biodegradation.* 12: 337-348.
- Adamson, DT; Parkin, GF. (2001). Product distribution during transformation of multiple contaminants by a high-rate, tetrachloroethene-dechlorinating enrichment culture. *Biodegradation.* 12: 337-348.
- Adaramoye, OA. (2009). Comparative effects of vitamin E and kolaviron (a biflavonoid from *Garcinia kola*) on carbon tetrachloride-induced renal oxidative damage in mice. *Pakistan journal of biological sciences : PJBS.* 12: 1146-1151.
- Ade, P; Vittozzi, L; Shi, MN; Huang, YH; Zheng, WD; Zhang, LJ; Chen, ZX; Wang, XZ. (1988). Relationship between transforming growth factor beta1 and anti-fibrotic effect of interleukin-10. *Drug Chem Toxicol.* 11: 387-403.
- Adebusoye, SA; Ilori, MO; Picardal, FW; Amund, OO. (2008). Metabolism of chlorinated biphenyls: Use of 3,3'- and 3,5-dichlorobiphenyl as sole sources of carbon by natural species of *Ralstonia* and *Pseudomonas*. *Chemosphere.* 70: 656-663.
- Adebusoye, SA; Picardal, FW; Ilori, MO; Amund, OO. (2008). Influence of chlorobenzoic acids on the growth and degradation potentials of PCB-degrading microorganisms. *World Journal of Microbiology & Biotechnology.* 24: 1203-1208.
- Ademuyiwa, O; Onitilo, O; Dosumu, O; Ayannuga, O; Bakare, A; Akinlatun, W; Ogunyemi, EO. (2002). Zinc in CCl₄ toxicity. *Biomedical and environmental sciences : BES.* 15: 187-195.
- Adeneye, AA. (2009). Protective activity of the stem bark aqueous extract of *Musanga cecropioides* in carbon tetrachloride- and acetaminophen-induced acute hepatotoxicity in rats. *African journal of traditional, complementary, and alternative medicines : AJTCAM / African Networks on Ethnomedicines.* 6: 131-138.
- Adeneye, AA; Awodele, O; Aiyeola, SA; Benebo, AS. (2015). Modulatory potentials of the aqueous stem bark extract of *Mangifera indica* on carbon tetrachloride-induced hepatotoxicity in rats. *Journal of traditional and complementary medicine.* 5: 106-115.
- Adesanoye, OA; Farombi, EO. (2010). Hepatoprotective effects of *Vernonia amygdalina* (astereaceae) in rats treated with carbon tetrachloride. *Exp Toxicol Pathol.* 62: 197-206.
- Adetoro, KO; Bolanle, JD; Abdullahi, SB; Ahmed, OA. (2013). In vivo antioxidant effect of aqueous root bark, stem bark and leaves extracts of *Vitex doniana* in CCl₄ induced liver damage rats. *Asian Pacific journal of tropical biomedicine.* 3: 395-400.
- Adib, M; Sheikhi, E; Bijanzadeh, HR; Zhu, L-G. (2012). Microwave-assisted reaction between 2-aminobenzoic acids, 2-hydroxybenzaldehydes, and arylboronic acids: a one-pot three-component synthesis of bridgehead bicyclo[4.4.0]boron heterocycles. *Tetrahedron.* 68: 3377-3383.
- Admassu, W; Korus, RA. (1996). ENGINEERING OF BIOREMEDIATION PROCESSES NEEDS AND LIMITATIONS. Crawford, R L And D L Crawford Biotechnology Research Series. 0: 13-34.
- Admasu, AS. (1993). Chemistry and kinetics of: I. Phenylcarbene and pentafluorophenylcarbene, II. 10,10-Dimethyl-9-anthrylidene, and III. 4-Tolyl(trifluoromethyl)carbene. PhD, The Ohio State University 249.
- Adolphe, M; Yang, ZF; Lau, CK; Ngai, P; Lam, SP; Ho, DW; Poon, RT; Fan, ST. (1994). Cardiotrophin-1 enhances regeneration of cirrhotic liver remnant after hepatectomy through promotion of angiogenesis and cell proliferation. *Cell Biol Toxicol.* 10: 622-631.
- Adzet, T; Camarasa, J; Hernandez, JS; Laguna, JC. (1987). ACTION OF AN ARTICHOKE EXTRACT AGAINST CARBON TETRACHLORIDE-INDUCED HEPATOTOXICITY IN RATS. *Acta Pharm Jugosl.* 37: 183-188.
- Adzet, T; Camarasa, J; Laguna, JC. Hepatoprotective activity of polyphenolic compounds from *Cynara scolymus* against CCl₄ toxicity in isolated rat hepatocytes. *J Nat Prod.* July/Aug 1987. v. 50 (4): 612-617.
- Adzet, T; Camarasa, J; Laguna, JC. (1987). HEPATOPROTECTIVE ACTIVITY OF POLYPHENOLIC COMPOUNDS FROM CYNARA-SCOLYMUS AGAINST CARBON TETRACHLORIDE TOXICITY IN ISOLATED RAT HEPATOCYTES. *J Nat Prod.* 50: 612-617.
- Adzet, T; Camarasa, J; Laguna, JC; Lalueza, P. (1986). Increase of hepatic GSH after an acute CCl₄ intoxication in rats. *IRCS Medical Science Cell and Molecular Biology.* 14: 1021-1022.
- Afanas'ev, IB; Dorozhko, AI; Brodskii, AV; Kostyuk, VA; Potapovitch, AI. (1989). Chelating and free radical scavenging mechanisms of inhibitory action of rutin and quercetin in lipid peroxidation. *Biochem Pharmacol.* 38: 1763-1769.
- Affonso, OR; Mitidieri, E; Ribeiro, LP; Villela, GG. (1955). Blood serum xanthine oxidase of rats poisoned with carbon tetrachloride. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY).* 90: 527-529.
- Afzal, M; Khan, R; Kazmi, I; Anwar, F. (2013). Hepatoprotective potential of new steroid against carbon tetrachloride-induced hepatic injury. *Mol Cell Biochem.* 378: 275-281.
- Afzal, M; Obuekwe, C; Khan, AR; Barakat, H. (2009). Influence of *Cordia myxa* on chemically induced oxidative stress. *Nutrition and food science.* 39: 6-15.

Environmental Hazard Literature Search Results

Off Topic

- Agapiou, A; McNelis, E. (1975). Dichlorotetracarboxyltungsten as a catalyst for olefin metathesis. *Journal of Organometallic Chemistry*. 99: C47-C48.
- Agarwal, AK; Mehendale, HH. Changes in cytochrome P-450 and subcellular calcium levels by carbon tetrachloride in phenobarbital, chlordecone and mirox pretreated rats. *Toxicol Lett*. 18, Supplement 1: 86.
- Agarwal, AK; Mehendale, HM. CCl₄ -induced alterations in Ca⁺⁺ homeostasis in chlordecone and phenobarbital pretreated animals. *Life Sci*. Jan 9, 1984. v. 34 (2): 141-148.
- Agarwal, AK; Mehendale, HM. Chlordecone potentiation of CCl₄ hepatotoxicity in ovariectomized rats. *Toxicology*. Feb 1, 1984. v. 29 (4): 315-323 ill.
- Agarwal, AK; Mehendale, HM. Excessive hepatic accumulation of intracellular Ca²⁺ in chlordecone potentiated CCl₄ toxicity. *Toxicology*. Feb 14, 1984. v. 30 (1): 17-24.
- Agarwal, AK; Mehendale, HM. Potentiation of CCl₄ hepatotoxicity and lethality by chlordecone in female rats. *Toxicology*. Mar/Apr 1983. v. 26 (3/4): 231-242 ill.
- Agarwal, AK; Mehendale, HM. (1983). Effect of adrenalectomy on chlordecone potentiation of carbon tetrachloride hepatotoxicity. *Fundam Appl Toxicol*. 3: 507-511.
- Agarwal, AK; Mehendale, HM. (1983). Potentiation of CCl sub(4) hepatotoxicity and lethality by chlordecone in female rats. *Toxicology*. 26: 231-242.
- Agarwal, AK; Mehendale, HM. (1984). CCl sub(4)-induced alterations in Ca super(++) homeostasis in chlordecone and phenobarbital pretreated animals. *Life Sci*. 34: 141-148.
- Agarwal, AK; Mehendale, HM. (1984). Chlordecone potentiation of CCl sub(4) hepatotoxicity in ovariectomized rats. *Toxicology*. 29: 315-323.
- Agarwal, AK; Mehendale, HM. (1984). Excessive hepatic accumulation of intracellular Ca super(2+) in chlordecone potentiated CCl sub(4) toxicity. *Toxicology*. 30: 17-24.
- Agarwal, AK; Mehendale, HM. (1984). Perturbation of calcium homeostasis by CCl₄ in rats pretreated with chlordecone and phenobarbital. *Environ Health Perspect*. 57: 289-291.
- Agarwal, AK; Mehendale, HM. (1986). Effect of chlordecone on carbon tetrachloride-induced increase in calcium uptake in isolated perfused rat liver. *Toxicol Appl Pharmacol*. 83: 342-348.
- Agarwal, AK; Zinermon, WD. (1989). EFFECT OF ALPHA NAPHTHYL ISOTHIOCYANATE AND CARBON TETRACHLORIDE INTERACTION ON HEPATOCELLULAR CALCIUM TRANSPORT. *Bull Environ Contam Toxicol*. 42: 464-470.
- Agarwal, AK; Zinermon, WD. (1989). Effect of alpha-naphthyl isothiocyanate and CCl sub(4) interaction on hepatocellular calcium transport. *Bull Environ Contam Toxicol*. 42: 464-470.
- Agarwal, AK; Zinermon, WD. (1994). Effect of alpha-naphthyl isothiocyanate and CCl₄ interaction on hepatocellular calcium transport. 42: 464-470.
- Agarwal, AK; Zinermon, WD; Latoni, L. (1988). Effect of ethionine on hepatic mitochondrial and microsomal calcium uptake. *Bull Environ Contam Toxicol*. 40: 287-293.
- Agarwal, DK; Ray, PK. (1991). In vitro anti-oxidant property of protein-A of *Staphylococcus aureus*. *Indian J Exp Biol*. 29: 1130-1133.
- Agarwal, M; Srivastava, VK; Saxena, KK; Kumar, A. (1988). Hepatoprotective activity of *Beta vulgaris* against CCl₄-induced hepatic injury in rats. *Biochem Pharmacol*. 77: 91-93.
- Agbonon, A; Gbeassor, M. (2009). Hepatoprotective Effect of *Lonchocarpus sericeus* Leaves in CCl₄- Induced Liver Damage. *Journal of herbs, spices & medicinal plants*. 15: 216-226.
- Agha, AM; El-Khatib, AS; Kenawy, SA; Khayyal, MT. (1995). The influence of carbon tetrachloride-induced liver damage on the inflammatory reaction elicited by carrageenan and its treatment with diclofenac. *Pharmacol Res*. 32: 75-84.
- Aghel, N; Kalantari, H; Rezazadeh, S. (2011). Hepatoprotective Effect of *Ficus carica* Leaf Extract on Mice Intoxicated with Carbon Tetrachloride. *Iranian journal of pharmaceutical research : IJPR*. 10: 63-68.
- Agil, A; MirÂç, M; Aneiros, J; Caracuel, MD; GarcÂja-Granados, A; Navarro, MC. (1999). Isolation of anti-hepatotoxic principle form the juice of *Ecballium elaterium*. *Planta Med*. 65: 673-675.
- Agostini, C; Alfisi, M. (1981). A bovine muscle extract with anti-cirrhotic and anti-inflammatory properties in the rat. *Pharmacology*. 22: 52-58.
- Agostini, C; Di, SM. (1984). Effects of cimetidine and ranitidine on the "lipoperoxide" and lipid content of liver of rats treated with CCl₄, colchicine, ethanol, ethionine and emetine. *Res Comm Chem Pathol Pharmacol*. 44: 175-176.
- Aguilera-Tejero, E; Mayer-Valor, R; Gomez-Cardenas, G. Plasma bile acids, lactate dehydrogenase and sulphobromophthalein retention test in canine carbon tetrachloride intoxication. *Journal of small animal practice*. Nov 1988. v. 29 (11): 711-717.
- Agurell, E; Hamreby, AM; Lind, J; Palm, M; Rylander, G; Westman, A. (1997). COMPARISON OF EFFECTS INDUCED IN VIVO BY CARBON TETRACHLORIDE 1-ETHYL-1-NITROSOUREA AND METHYL METHANESULFONATE USING THE ALKALINE COMET ASSAY. 7th International Conference On Environmental Mutagens, Toulouse, France, September. 379.
- Agurell, E; Hamreby, A-M; Lind, J; Palm, M; Rylander, G; Westman, A. (1997). P XIV B.22 - P XIV B.22 Comparison of effects induced in vivo by carbon tetrachloride, 1-ethyl-1-nitrosourea and methyl methanesulfonate using the alkaline comet assay. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis*. 379: S133.
- Agwarambo, A; Ildigwe, EE; Ajaghaku, DL; Onuorah, MU; Mbagwu, SI. (2014). Evaluation of Antioxidant, Immunomodulatory Activities, and Safety of Ethanol Extract and Fractions of *Gongronema latifolium* Fruit. *International scholarly research notices*. 2014: 695272.
- Ahamed, MBK; Krishna, V; Dandin, CJ. (2010). In vitro antioxidant and in vivo prophylactic effects of two gamma-lactones isolated from *Grewia tiliifolia* against hepatotoxicity in carbon tetrachloride intoxicated rats. *Eur J Pharmacol*. 631: 42-52.

Environmental Hazard Literature Search Results

Off Topic

- Ahmad, A; Ahmad, R. (2014). Resveratrol mitigate structural changes and hepatic stellate cell activation in N¹-nitrosodimethylamine-induced liver fibrosis via restraining oxidative damage. *Chem Biol Interact.* 221: 1-12.
- Ahmad, A; Gu, XG; Li, L; Lv, SG; Xu, YS; Guo, XH. (2015). Efficient degradation of trichloroethylene in water using persulfate activated by reduced graphene oxide-iron nanocomposite. *Environ Sci Pollut Res Int.* 22: 17876-17885.
- Ahmad, B; Khan, MR; Shah, NA. (2015). Amelioration of carbon tetrachloride-induced pulmonary toxicity with *Oxalis corniculata*. *Toxicol Ind Health.* 31: 1243-1251.
- Ahmad, F; Khan, GM. (2012). Study of Aging and Hepatoprotective Activity of *Vitis vinifera* L. Seeds in Albino Rats. *Asian Pacific Journal of Tropical Biomedicine.* 2: S1770-S1774.
- Ahmad, F; Tabassum, N. (2013). Preliminary phytochemical, acute oral toxicity and antihepatotoxic study of roots of *Paeonia officinalis* Linn. *Asian Pacific Journal of Tropical Biomedicine.* 3: 64-68.
- Ahmad, FF; Cowan, DL; Sun, AY. (1987). DETECTION OF FREE RADICAL FORMATION IN VARIOUS TISSUES AFTER ACUTE CARBON TETRACHLORIDE ADMINISTRATION IN GERBIL. *Life Sci.* 41: 2469-2476.
- Ahmad, M; Ali, S; Mehmood, MS; Ali, H; Khurshid, A; Firdous, S; Muhammad, S; Ikram, M. (2013). Ex vivo assessment of carbon tetrachloride (CCl₄)-induced chronic injury using polarized light spectroscopy. *Appl Spectrosc.* 67: 1382-1389.
- Ahmad, M; Teel, AL; Watts, RJ. (2010). Persulfate activation by subsurface minerals. *J Contam Hydrol.* 115: 34-45.
- Ahmad, SM; Shah, FA; Bhat, FA; Bhat, JIA; Balkhi, MH. (2011). Thermal adaptability and disease association in common carp (*Cyprinus carpio communis*) acclimated to different (four) temperatures. *J Therm Biol.* 36: 492-497.
- Ahmadi, A; Ebrahimzadeh, MA; Ahmad-Ashrafi, S; Karami, M; Mahdavi, MR; Saravi, SSS. (2011). Hepatoprotective, antinociceptive and antioxidant activities of cimetidine, ranitidine and famotidine as histamine H₂ receptor antagonists. *Fundamental & Clinical Pharmacology.* 25: 72-79.
- Ahmadizadeh, M; Echt, R. (1985). THE EFFECT OF CARBON TETRACHLORIDE ON MOUSE AND HAMSTER TRACHEAL NONCILIATED EPITHELIAL CELLS. American Association Of Anatomists 98th Annual Meeting And The Association Canadienne Des Anatomistes. 211: 5A-6A.
- Ahmadizadeh, M; Echt, R; Heusner, W. (1987). THE EFFECT OF CARBON TETRACHLORIDE ON GLYCOPROTEIN-CONTAINING CELLS IN HAMSTER TRACHEAL RESPIRATORY EPITHELIUM. 100th Annual Meeting Of The American Association Of Anatomists, Washington, DC, Usa, May. 218.
- Ahmed, AF; Al-Qahtani, JH; Al-Yousef, HM; Al-Said, MS; Ashour, AE; Al-Sohaibani, M; Rafatullah, S. (2015). Proanthocyanidin-Rich Date Seed Extract Protects Against Chemically Induced Hepatorenal Toxicity. *J Med Food.* 18: 280-289.
- Ahmed, AF; Al-Yousef, HM; Al-Qahtani, JH; Al-Said, MS; Ashour, AE; Al-Sohaibani, M; Rafatullah, S. (2015). Hepatorenal protective effect of Antistax(®) against chemically-induced toxicity. *Pharmacognosy Magazine.* 11: S173-181.
- Ahmed, AF; Mahmoud, MF; Ouf, MA; El-Fathaah, EA. (2011). Aminoguanidine potentiates the hepatoprotective effect of silymarin in CCL₄ treated rats. *Ann Hepatol.* 10: 207-215.
- Ahmed, B; Alam, T; Khan, SA. (2001). Hepatoprotective activity of *Luffa echinata* fruits. *J Ethnopharmacol.* 76: 187-189.
- Ahmed, B; Al-Howiriny, TA; Mossa, JS. (2006). Crotalic and emarginelic acids: two triterpenes from *Crotalaria emarginella* and anti-inflammatory and anti-hepatotoxic activity of crotalic acid. *Phytochemistry.* 67: 956-964.
- Ahmed, B; Habibullah; Khan, S. (2011). Synthesis and antihepatotoxic activity of 2-(substituted-phenyl)-5-(2,3-dihydro-1,4-benzodioxane-2-yl)-1,3,4-oxadiazole derivatives. *J Enzyme Inhib Med Chem.* 26: 216-221.
- Ahmed, B; Khan, S; Verma, A; Habibullah. (2009). Antihepatotoxic activity of debelalactone, a new oxirano-furanocoumarin from *Phyllanthus debilis*. *J Asian Nat Prod Res.* 11: 687-692.
- Ahmed, B; Khan, SA; Alam, T. (2003). Synthesis and antihepatotoxic activity of some heterocyclic compounds containing the 1,4-dioxane ring system. *Pharmazie.* 58: 173-176.
- Ahmed, F; Islam, MA; Rahman, MM. (2006). Antibacterial activity of *Leonurus sibiricus* aerial parts. *Fitoterapia.* 77: 316-317.
- Ahmed, F; Urooj, A. (2010). Hepatoprotective effects of *Ficus racemosa* stem bark against carbon tetrachloride-induced hepatic damage in albino rats. *Pharmaceutical Biology.* 48: 210-216.
- Ahmed, S; Rahman, A; Alam, A; Saleem, M; Athar, M; Sultana, S. (2000). Evaluation of the efficacy of *Lawsonia alba* in the alleviation of carbon tetrachloride-induced oxidative stress. *J Ethnopharmacol.* 69: 157-164.
- Ahmed, SM; Beasley, MD; Efromson, AC; Hites, RA. (1974). Sampling errors in the quantitation of petroleum in Boston harbor water. *Anal Chem.* 46: 1858-1860.
- Ahmed, Y; Sohrab, MH; Al-Reza, SM; Tareq, FS; Hasan, CM; Sattar, MA. (2010). Antimicrobial and cytotoxic constituents from leaves of *Sapium baccatum*. *Food Chem Toxicol.* 48: 549-552.
- Ahmedchekkat, F; Medjram, MS; Chiha, M; Mahmoud Ali Al-bsoul, A. (2011). Sonophotocatalytic degradation of Rhodamine B using a novel reactor geometry: Effect of operating conditions. *Chem Eng J.* 178: 244-251.
- Ahn, M; Kim, J; Bang, H; Moon, J; Kim, GO; Shin, T. (2016). Hepatoprotective effects of allyl isothiocyanate against carbon tetrachloride-induced hepatotoxicity in rat. *Chem Biol Interact.* 254: 102-108.
- Ahn, M; Park, JS; Chae, S; Kim, S; Moon, C; Hyun, JW; Shin, T. (2014). Hepatoprotective effects of *Lycium chinense* Miller fruit and its constituent betaine in CCl₄-induced hepatic damage in rats. *Acta Histochem.* 116: 1104-1112.
- Ahn, TH; Yang, YS; Lee, JC; Moon, CJ; Kim, SH; Jun, W; Park, SC; Kim, JC. (2007). Ameliorative effects of Pycnogenol(®) on carbon tetrachloride-induced hepatic oxidative damage in rats. *Phytother Res.* 21: 1015-1019.
- Ahn, T-H; Yang, Y-S; Lee, J-C; Moon, C-J; Kim, S-H; Jun, W; Park, S-C; Kim, J-C. (2007). Ameliorative effects of pycnogenol® on carbon tetrachloride-induced hepatic oxidative damage in rats. *Phytother Res.* 21: 1015-1019.

Environmental Hazard Literature Search Results

Off Topic

- Ahn, YK; Kim, JH. (1993). Preventive effects of diphenyl dimethyl dicarboxylate on the immunotoxicity of carbon tetrachloride in ICR mice. *The Journal of toxicological sciences*. 18: 185-195.
- Ahrenholtz, SR; Epley, CC; Morris, AJ. (2014). Solvothermal Preparation of an Electrocatalytic Metalloporphyrin MOF Thin Film and its Redox Hopping Charge-Transfer Mechanism. *J Am Chem Soc*. 136: 2464-2472.
- Ahujarai, PL; Bhatia, B. Heat tolerance of CCl₄-treated animals and its modification by some agents. *Int J Biometeorol*. May 1984. v. 28 (2): 85-92.
- Ahujarai, PL; Bhatia, B. (1984). Heat tolerance of CCl₄-treated animals and its modification by some agents. *Int J Biometeorol*. 28: 85-92.
- Ahujarai, PL; Bhatia, B. (1984). Heat tolerance of CCl sub(4)-treated animals and its modification by some agents. *Int J Biometeorol*. 28: 85-92.
- Ai, G; Liu, QC; Hua, W; Huang, ZM; Wang, DW. (2013). Hepatoprotective evaluation of the total flavonoids extracted from flowers of *Abelmoschus manihot* (L.) Medic: In vitro and in vivo studies. *J Ethnopharmacol*. 146: 794-802.
- Aidi, T; Yamada, H; Asano, G. (1990). Expression of type IV procollagen and prolyl 4-hydroxylase messenger RNA in carbon tetrachloride-induced liver fibrosis studied by in situ hybridization. *Acta Histochem Cytochem*. 23: 817-824.
- Aisen, AM; Doi, K; Swanson, SD. (1994). Detection of liver fibrosis with magnetic cross-relaxation. *Magn Reson Med*. 31: 551-556.
- Aiyar, AS; Fatterpaker, P; Sreenivasan, A. (1964). Lipid metabolism in liver injury caused by carbon tetrachloride in the rat. *The Biochemical journal*. 90: 558-563.
- Aizawa, S. (1962). Electron microscopic cyto-histopathology. (18). Electron microscopic studies on vacuolar degeneration. Changes observed in liver cells and kidney tubules by acute carbon tetrachloride and diethylene glycol poisoning. *Acta Pathol Jpn*. 12: 155-176.
- Ajboye, TO; Yakubu, MT; Salau, AK; Oladiji, AT; Akanji, MA; Okogun, JI. (2010). Antioxidant and drug detoxification potential of aqueous extract of *Annona senegalensis* leaves in carbon tetrachloride-induced hepatocellular damage. *Pharmaceutical Biology*. 48: 1361-1370.
- Ajith, TA; Sheena, N; Janardhanan, KK. (2006). Phellinus rimosus Protects Carbon Tetrachloride-Induced Chronic Hepatotoxicity In Rats: Antioxidant Defense Mechanism. *Pharmaceutical Biology*. 44: 467-474.
- Akahori, A; Masui, M; Ando, M. (1978). Change of serum glutamic oxaloacetic transaminase activities after administration of carbon tetrachloride to mice. *Chemical & pharmaceutical bulletin*. 26: 2316-2320.
- Akahori, A; Masui, M; Kagawa, K; Enomot, M; Saito, M. (1983). Time course of biochemical and histological alterations following a single feeding of carbon tetrachloride to mice. *JAP J EXP MED*. 53: 199-209.
- Akamatsu, K; Yamasaki, Y; Nishikawa, M; Takakura, Y; Hashida, M. (1999). Development of a hepatocyte-specific prostaglandin E(1) polymeric prodrug and its potential for preventing carbon tetrachloride-induced fulminant hepatitis in mice. *J Pharmacol Exp Ther*. 290: 1242-1249.
- Akamatsu, K; Yamasaki, Y; Nishikawa, M; Takakura, Y; Hashida, M. (2001). Synthesis and pharmacological activity of a novel water-soluble hepatocyte-specific polymeric prodrug of prostaglandin E(1) using lactosylated poly(L-glutamic hydrazide) as a carrier. *Biochem Pharmacol*. 62: 1531-1536.
- Akbartabar, TM; Joodi, B; Sadeghi, H; Sadeghi, H; Jafari, M; Talebianpoor, MS; Mehraban, F; Mostafazadeh, M; Ghavamizadeh, M. (2015). Hepatoprotective activity of aerial parts of *Otostegia persica* against carbon tetrachloride-induced liver damage in rats. *Avicenna Journal of Phytomedicine*. 5: 238-246.
- Akhrem, IS; Chistyakov, AL; Gambaryan, NP; Stankevich, IV; Vol'pin, ME. (1997). Polyhalomethanes combined with aluminum halides as generators of superelectrophiles of a novel type. *Journal of Organometallic Chemistry*. 536-537: 489-495.
- Akiba, Y; Takahashi, K; Matsumoto, T. Hepatic lipid deposition and plasma transaminase activity influenced by oral administration of carbon tetrachloride in growing chicks. *Japanese poultry science*. Sept 1983. v. 20 (5): 277-283.
- Akihara, R; Homma, T; Lee, J; Yamada, K; Miyata, S; Fujii, J. (2016). Ablation of aldehyde reductase aggravates carbon tetrachloride-induced acute hepatic injury involving oxidative stress and endoplasmic reticulum stress. *Biochem Biophys Res Commun*. 478: 765-771.
- Akimoto, K; Kitagawa, Y; Akamatsu, T; Hirose, N; Sugano, M; Shimizu, S; Yamada, H. Protective effects of sesamin against liver damage caused by alcohol or carbon tetrachloride in rodents. *Annals of nutrition & metabolism*. July/Aug 1993. v. 37 (4): 218-224.
- Akindede, AJ; Ezenwanebe, KO; Anunobi, CC; Adeyemi, OO. (2010). Hepatoprotective and in vivo antioxidant effects of *Byrsocarpus coccineus* Schum. and Thonn. (Connaraceae). *J Ethnopharmacol*. 129: 46-52.
- Akintonwa, DAA. (1984). Consequences of carbon tetrachloride and orotate toxicity in mammalian liver cells at the subcellular level. *NIGER J BIOCHEM*. 1: 68-75.
- Akiyoshi, H; Terada, T. (1998). Mast cell, myofibroblast and nerve terminal complexes in carbon tetrachloride-induced cirrhotic rat livers. *J Hepatol*. 29: 112-119.
- Aksit, H; Bildik, A. (2014). Determination of DNA damage in experimental liver intoxication and role of N-acetyl cysteine. *Cell Biochem Biophys*. 70: 1119-1125.
- Aksoy, L; Sozbulir, NB. (2012). Effects of *Matricaria chamomilla* L. on lipid peroxidation, antioxidant enzyme systems, and key liver enzymes in CCl₄-treated rats. *Toxicol Environ Chem*. 94: 1780-1788.
- Aktay, G; Deliorman, D; Ergun, E; Ergun, F; Yesilada, E; Cevik, C. (2000). Hepatoprotective effects of Turkish folk remedies on experimental liver injury. *J Ethnopharmacol*. 73: 121-129.
- Akyol, G; Ozo, ul, C; Oz, E; Yoshitake, I; Ohishi, E; Sano, J; Mori, T; Kubo, K. (1997). Effects of KF-14363 on liver fibrosis in rats with chronic liver injury induced by carbon tetrachloride. *Acta Physiol Hung*. 85: 277-285.
- Akyuz, F; Aydin, O; Demir, T; Kanbak, Gnr. (2009). The Effects of CCl₄ on Na⁺/K⁺-ATPase and Trace Elements in Rats. *Biol Trace Elem Res*. 132: 207-214.
- Akyuz, F; Aydin, O; Demir, TA; Kanbak, G. (2009). The Effects of CCl₄ on Na(+)/K(+)-ATPase and Trace Elements in Rats. *Biol Trace Elem Res*. 132: 207-214.

Environmental Hazard Literature Search Results

Off Topic

- Al-Âja, JM; Edwards, HG; Fawcett, WR; Smagala, TG. (2007). An experimental Raman and theoretical DFT study on the self-association of acrylonitrile. *The journal of physical chemistry A*. 111: 793-804.
- Al-Abed, SR; Fang, YX. (2007). Use of granular graphite for electrolytic dechlorination of trichloroethylene. *Environ Eng Sci*. 24: 842-851.
- Alagbaoso, CA; Osubor, CC; Isikhuemhen, OS. (2015). Protective Effects of Extract from Sclerotium of the King Tuber Medicinal Mushroom, *Pleurotus tuberregium* (Higher Basidiomycetes) on Carbon Tetrachloride-Induced Hepatotoxicity in Wistar Albino Rats. *Int J Med Mushrooms*. 17: 1137-1143.
- AlAjmi, MF. (2014). "Tomato" *Lycopersicon esculentum* Mill. protects oxidative stress and liver injury in rats inflicted with carbon tetrachloride. *PharmaNutrition*. 2: 92-93.
- Ala-Kokko, L; GÄnzler, V; Hoek, JB; Rubin, E; Prockop, DJ. (1992). Hepatic fibrosis in rats produced by carbon tetrachloride and dimethylnitrosamine: observations suggesting immunoassays of serum for the 7S fragment of type IV collagen are a more sensitive index of liver damage than immunoassays for the NH₂-terminal propeptide of type III procollagen. *Hepatology* (Baltimore, Md). 16: 167-172.
- Ala-Kokko, L; Guenzler, V; Hoek, JB; Rubin, E; Prockop, DJ. (1992). Hepatic fibrosis in rats produced by carbon tetrachloride and dimethylnitrosamine: Observations suggesting immunoassays of serum for the 7S fragment of type IV collagen are a more sensitive index of liver damage than immunoassays for the amino-terminal propeptide of type III procollagen. *Hepatology*. 16: 167-172.
- Alam, K; Nagi, MN; Badary, OA; Al-Shabanah, OA; Al-Rikabi, AC; Al-Bekairi, AM. (1999). The protective action of thymol against carbon tetrachloride hepatotoxicity in mice. *Pharmacol Res*. 40: 159-163.
- Al-Asmari, AK; Athar, MT; Al-Shahrani, HM; Al-Dakheel, SI; Al-Ghamdi, MA. (2015). Efficacy of *Lepidium sativum* against carbon tetra chloride induced hepatotoxicity and determination of its bioactive compounds by GC-MS. *Toxicology Reports*. 2: 1319-1326.
- Alatsakis, M; Ballas, KD; Pavlidis, TE; Psarras, K; Rafailidis, S; Tzioufa-Asimakopoulou, V; Marakis, GN; Sakantamis, AK. (2009). Early Propranolol Administration Does Not Prevent Development of Esophageal Varices in Cirrhotic Rats. *Eur Surg Res*. 42: 11-16.
- Alavian, SM; Banihabib, N; Es, HM; Panahi, F. (2014). Protective Effect of Cornus mas Fruits Extract on Serum Biomarkers in CCl₄-Induced Hepatotoxicity in Male Rats. *Hepatitis Monthly*. 14: e10330.
- Albano, E; Bellomo, G; Carini, R; Biasi, F; Poli, G; Dianzani, MU. (1985). Mechanisms responsible for carbon tetrachloride-induced perturbation of mitochondrial calcium homeostasis. *FEBS Lett*. 192: 184-188.
- Albano, E; Carini, R; Parola, M; Bellomo, G; Gorla-Gatti, L; Poli, G; Dianzani, MU. (1989). Effects of carbon tetrachloride on calcium homeostasis. A critical reconsideration. *Biochem Pharmacol*. 38: 2719-2725.
- Albano, E; Carini, R; Parola, M; Bellomo, G; Poli, G; Dianzani, MU. (1988). INCREASE IN CYTOSOLIC FREE CALCIUM AND ITS ROLE IN THE PATHOGENESIS OF HEPATOCYTE INJURY INDUCED BY CARBON TETRACHLORIDE. *Poli, G, Et Al*. 0: 45-54.
- Albano, E; Lott, KA; Slater, TF; Stier, A; Symons, MC; Tomasi, A. (1982). Spin-trapping studies on the free-radical products formed by metabolic activation of carbon tetrachloride in rat liver microsomal fractions isolated hepatocytes and in vivo in the rat. *The Biochemical journal*. 204: 593-603.
- Al-Bayati, ZAF; Alwan, AH. Effects of fig latex on lipid peroxidation and CCl₄-induced lipid peroxidation in rat liver. *Journal of ethnopharmacology*. Sept 1990. v. 30 (2): 215-221.
- Albillos, A; Jalali, GB; Ghaffari, H; Prakash, HS; Kini, KR. (2012). Antioxidant and hepatoprotective effects of *Solanum xanthocarpum* leaf extracts against CCl₄-induced liver injury in rats. *Hepatology* (Baltimore, Md). 56: 1861-1869.
- Albrecht, J. (1981). Cerebral RNA Synthesis in Experimental Hepatogenic Encephalopathy. *Journal of Neuroscience Research*. 6: 553-558.
- Alcaiz-Monge, J; Román-Martínez, MC. (2012). Fundamentals of vapors adsorption onto activated carbon fibers assessed by the comparative analysis of N₂, and CO₂, adsorption. *Separation and Purification Technology*. 85: 83-89.
- Alcantara, RB; Preheim, LC; Gentry-Nielsen, MJ. (2001). Pneumolysin-induced complement depletion during experimental pneumococcal bacteremia. *Infect Immun*. 69: 3569-3575.
- Alcorn, J; Fettelberg, S; Miyai, K; Chojkier, M; Brenner, DA. (1988). INCREASED HEPATIC LAMININ CONTENT AND MESSENGER RNA LEVELS IN CARBON TETRACHLORIDE-INDUCED CIRRHOSIS. 39th Annual Meeting And Postgraduate Course Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 8.
- Aldaba-Muruato, LR; Moreno, MG; Shibayama, M; Tsutsumi, V; Muriel, P. (2012). Protective effects of allopurinol against acute liver damage and cirrhosis induced by carbon tetrachloride: Modulation of NF-kappa B, cytokine production and oxidative stress. *Biochimica Et Biophysica Acta-General Subjects*. 1820: 65-75.
- Aldaba-Muruato, LR; Moreno, MG; Shibayama, M; Tsutsumi, V; Muriel, P. (2013). Allopurinol Reverses Liver Damage Induced by Chronic Carbon Tetrachloride Treatment by Decreasing Oxidative Stress, TGF-beta Production and NF-kappa B Nuclear Translocation. *Pharmacology*. 92: 138-149.
- Aldaba-Muruato, LR; Moreno, MG; Shibayama, M; Tsutsumi, V; Muriel, P. (2012). Protective effects of allopurinol against acute liver damage and cirrhosis induced by carbon tetrachloride: Modulation of NF-ÎB, cytokine production and oxidative stress. *Biochim Biophys Acta*. 1820: 65-75.
- Al-Dbass, AM; Al-Daihan, SK; Bhat, RS. (2012). *Agaricus blazei* Murill as an efficient hepatoprotective and antioxidant agent against CCl₄-induced liver injury in rats. *Saudi J Biol Sci*. 19: 303-309.
- Al-Dosari, MS. (2010). The effectiveness of ethanolic extract of *Amaranthus tricolor* L.: A natural hepatoprotective agent. *Am J Chin Med*. 38: 1051-1064.
- Al-Dosari, MS. (2012). In vitro and in vivo antioxidant activity of alfalfa (*Medicago sativa* L.) on carbon tetrachloride intoxicated rats. *Am J Chin Med*. 40: 779-793.

Environmental Hazard Literature Search Results

Off Topic

- Aleksunes, LM; Slitt, AL; Maher, JM; Augustine, LM; Goedken, MJ; Chan, JY; Cherrington, NJ; Klaassen, CD; Manautou, JE. (2008). Induction of Mrp3 and Mrp4 transporters during acetaminophen hepatotoxicity is dependent on Nrf2. *Toxicol Appl Pharmacol.* 226: 74-83.
- Aleman, C; Galembeck, SE. (1997). Intramolecular electronic and hydrogen-bonding interactions in N,N'-dimethyl-2,3-di-O-methyl-L-tartaramide. *J Org Chem.* 62: 6562-6567.
- Alemu, P; Forsyth, GW; Searcy, GP. A comparison of parameters used to assess liver damage in sheep treated with carbon tetrachloride. *Canadian journal of comparative medicine.* Oct 1977, 41 (4): 420-427.
- Alexander, NM; Scheig, R; Klatskin, G. (1967). Effects of L-asparagine and related compounds on the hepatic fatty infiltration and necrosis induced by ethionine and carbon tetrachloride. *Biochem Pharmacol.* 16: 1091-1097.
- Alexovic, M; Balogh, IS; Skrljkova, J; Andruch, V. (2012). A dispersive liquid-liquid microextraction procedure for UV-Vis spectrophotometric determination of chromium(VI) in water samples. *Analytical Methods.* 4: 1410-1414.
- Algardaby, MM; Al-Sawahli, MM; Ahmed, OAA; Fahmy, UA; Abdallah, HM; Hattori, M; Ashour, OM; Abdel-Naim, AB. (2016). Curcumin-Zein Nanospheres Improve Liver Targeting and Antifibrotic Activity of Curcumin in Carbon Tetrachloride-Induced Mice Liver Fibrosis. *Journal of Biomedical Nanotechnology.* 12: 1746-1757.
- Algardaby, MM; El-Halawany, AM; Abdallah, HM; Alahdal, AM; Nagy, AA; Ashour, OM; Abdel-Naim, AB. (2016). Gingerol protects against experimental liver fibrosis in rats via suppression of pro-inflammatory and profibrogenic mediators. *Naunyn Schmiedebergs Arch Pharmacol.* 389: 419-428.
- Al-Ghamdi, MS. (2003). Protective effect of *Nigella sativa* seeds against carbon tetrachloride-induced liver damage. *Am J Chin Med.* 31: 721-728.
- Alha, A. (1950). Carbon tetrachloride mass poisoning. *Annales medicinae internae Fenniae.* 39: 3-32.
- Al-Harbi, NO; Imam, F; Nadeem, A; Al-Harbi, MM; Iqbal, M; Ahmad, SF. (2014). Carbon tetrachloride-induced hepatotoxicity in rat is reversed by treatment with riboflavin. *Int Immunopharmacol.* 21: 383-388.
- Alharthi, A; Lange, J; Whitaker, E. (1986). IMMISCIBLE FLUID FLOW IN POROUS MEDIA DIELECTRIC PROPERTIES. *J Contam Hydrol.* 1: 107-118.
- Al-Howiriny, TA; Al-Sohaibani, MO; Al-Said, MS; Al-Yahya, MA; El-Tahir, KH; Rafatullah, S. (2004). Hepatoprotective properties of *Commiphora opobalsamum* ("Balessan"), a traditional medicinal plant of Saudi Arabia. *Drugs under experimental and clinical research.* 30: 213-220.
- Ali, G; Masoud, MS. (2012). Bone marrow cells ameliorate liver fibrosis and express albumin after transplantation in CCl₄-induced fibrotic liver. *Saudi journal of gastroenterology : official journal of the Saudi Gastroenterology Association.* 18: 263-267.
- Ali, H; Kabir, N; Muhammad, A; Shah, MR; Musharraf, SG; Iqbal, N; Nadeem, S. (2014). Hautriwaic acid as one of the hepatoprotective constituent of *Dodonaea viscosa*. *Phytomedicine.* 21: 131-140.
- Ali, SA; Rizk, MZ; Ibrahim, NA; Abdallah, MS; Sharara, HM; Moustafa, MM. (2010). Protective role of *Juniperus phoenicea* and *Cupressus sempervirens* against CCl₄. *World journal of gastrointestinal pharmacology and therapeutics.* 1: 123-131.
- Ali, SF; Tariq, M. (1982). Effect of Carbon Tetrachloride on Cardiac Lipid Peroxidation, Serum Lipids and Enzymes of Albino Rats. *Toxicol Lett.* 11: 229-232.
- Allcroft, P; Margitanovic, V; Greene, A; Agar, MR; Clark, K; Abernethy, AP; Currow, DC. (2013). The role of benzodiazepines in breathlessness: a single site, open label pilot of sustained release morphine together with clonazepam. *J Palliat Med.* 16: 741-744.
- Allen, DR; Britton, RS; Rau, JM; McCay, PB; Bacon, BR. (1990). FREE RADICAL PRODUCTION FROM HEPATOTOXIC AGENTS IN ISOLATED IRON-LOADED HEPATOCYTES. 41st Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 12.
- Allen, GW; Armstrong, RS; Aroney, MJ; Skamp, KR. (1985). Electric birefringences and molecular conformations of arylgermanes in solution. *Journal of Molecular Structure.* 129: 145-149.
- Allis, JW; Brown, BL; Simmons, JE; Hatch, GE; McDonald, A; House, DE. (1996). Methanol potentiation of carbon tetrachloride hepatotoxicity: The central role of cytochrome P450. *Toxicology.* 112: 131-140.
- Allis, JW; Ward, TR; Seely, JC; Simmons, JE. (1990). Assessment of hepatic indicators of subchronic carbon tetrachloride injury and recovery in rats. *Fundam Appl Toxicol.* 15: 588-570.
- Allison, A. (1968). The role of lysosomes in the action of drugs and hormones. *Advances in chemotherapy.* 3: 253-302.
- Almersj   , O. (1971). Influence of halothane anaesthesia on the normal liver and the liver subjected to partial hepatectomy or stimulated drug metabolism. A comparative study of the influence of halothane, gaseous carbon tetrachloride, chloroform and nitrous oxide in the rat. *Acta Chir Scand Suppl.* 416: 1-83.
- Al-Olayan, EM; El-Khadragy, MF; Aref, AM; Othman, MS; Kassab, RB; Abdel, MAE. (2014). The potential protective effect of *Physalis peruviana* L. against carbon tetrachloride-induced hepatotoxicity in rats is mediated by suppression of oxidative stress and downregulation of MMP-9 expression. *Oxid Med Cell Longev.* 2014: 381413.
- Al-Olayan, EM; El-Khadragy, MF; Metwally, DM; Abdel Moneim, AE. (2014). Protective effects of pomegranate (*Punica granatum*) juice on testes against carbon tetrachloride intoxication in rats. *BMC Complement Altern Med.* 14: 164.
- Al-Olayan, EM; El-Khadragy, MF; Omer, SA; Shata, MT; Kassab, RB; Abdel, MAE. (2016). The Beneficial Effect of Cape Gooseberry Juice on Carbon Tetrachloride- Induced Neuronal Damage. *CNS & neurological disorders drug targets.* 15: 344-350.
- Alonso-Merino, E; Orozco, RM; Ruiz-Llorente, L; Martinez-Iglesias, OA; Velasco-Martin, JP; Montero-Pedrazuela, A; Fanjul-Rodriguez, L; Contreras-Jurado, C; Regadera, J; Aranda, A. (2016). Thyroid hormones inhibit TGF-beta signaling and attenuate fibrotic responses. *Proceedings of the National Academy of Sciences of the United States of America.* 113: E3451-E3460.
- Alp, MH; Hickman, R. (1987). The effect of prostaglandins, branched-chain amino acids and other drugs on the outcome of experimental acute porcine hepatic failure. *J Hepatol.* 4: 99-107.
- Alper, H; Laplante, M. (1978). Reactions of azirines with N-bromosuccinimide. *Tetrahedron.* 34: 625-626.

Environmental Hazard Literature Search Results

Off Topic

- Alpers, DH; Solin, M; Isselbacher, KH. (1968). The role of lipid peroxidation in the pathogenesis of carbon tetrachloride-induced liver injury. *Mol Pharmacol.* 4: 566-573.
- Alpini, G; Elias, I; Glaser, SS; Rodgers, RE; Phinizy, JL; Robertson, WE; Francis, H; Lasater, J; Richards, M; LeSage, GD. (1997). gamma-Interferon inhibits secretin-induced choleresis and cholangiocyte proliferation in a murine model of cirrhosis. *J Hepatol.* 27: 371-380.
- Alqasoumi, S. (2010). Carbon Tetrachloride-Induced Hepatotoxicity: Protective Effect of 'Rocket' *Eruca sativa* L. in Rats. *American Journal of Chinese Medicine.* 38: 75-88.
- Alqasoumi, SI. (2012). 'Okra' *Hibiscus esculentus* L.: A study of its hepatoprotective activity. *Saudi Pharmaceutical Journal.* 20: 135-141.
- Alqasoumi, SI. (2012). 'Okra' *Hibiscus esculentus* L.: A study of its hepatoprotective activity. *Saudi pharmaceutical journal : SPJ : the official publication of the Saudi Pharmaceutical Society.* 20: 135-141.
- Al-Rasheed, N; Faddah, L; Sharaf, IA; Mohamed, AM; Al-Rasheed, N; Abdelbaky, N. (2015). Assessment of the Potential Role of Silymarin Alone or in Combination with Vitamin E and/ or Curcumin on the Carbon Tetrachloride Induced Liver Injury in Rat. *Brazilian Archives of Biology and Technology.* 58: 833-842.
- Al-Rasheed, NM; Al-Rasheed, NM; Faddah, LM; Mohamed, AM; Mohammad, RA; Al-Amin, M. (2014). Potential impact of silymarin in combination with chlorogenic acid and/or melatonin in combating cardiomyopathy induced by carbon tetrachloride. *Saudi J Biol Sci.* 21: 265-274.
- Al-Rasheed, NM; Attia, HA; Mohamad, RA; Al-Rasheed, NM; Al, FM; Al-Amin, MA. (1981). Date fruits inhibit hepatocyte apoptosis and modulate the expression of hepatocyte growth factor, cytochrome P450 2E1 and heme oxygenase-1 in carbon tetrachloride-induced liver fibrosis. *Environ Health Perspect.* 14: 1-15.
- Al-Rasheed, NM; Attia, HA; Mohamad, RA; Al-Rasheed, NM; Al-Amin, MA; Al-Onazi, A. (2015). Aqueous Date Flesh or Pits Extract Attenuates Liver Fibrosis via Suppression of Hepatic Stellate Cell Activation and Reduction of Inflammatory Cytokines, Transforming Growth Factor- β 1 and Angiogenic Markers in Carbon Tetrachloride-Intoxicated Rats. *Evidence-based complementary and alternative medicine : eCAM.* 2015: 247357.
- Al-Rasheed, NM; Fadda, LM; Ali, HM; Abdel, BNA; El-Orabi, NF; Al-Rasheed, NM; Yacoub, HI. (2016). New mechanism in the modulation of carbon tetrachloride hepatotoxicity in rats using different natural antioxidants. *Toxicol Mech Meth.* 26: 243-250.
- Al-Rasheed, NM; Fadda, LM; Al-Rasheed, NM; Ali, HM; Yacoub, HI. (2016). Down-Regulation of NFkB, Bax, TGF-beta, Smad-2mRNA expression in the Livers of Carbon Tetrachloride Treated Rats using Different Natural Antioxidants. *Brazilian Archives of Biology and Technology.* 59: 50553-50553.
- Al-Rejaie, SS; Aleisa, AM; Al-Yahya, AA; Bakheet, SA; Alsheikh, A; Fatani, AG; Al-Shabanah, OA; Sayed-Ahmed, MM. (2009). Progression of diethylnitrosamine-induced hepatic carcinogenesis in carnitine-depleted rats. *World J Gastroenterol.* 15: 1373-1380.
- Alric, L; Vinel, JP; Cambon, C; Pascal, JP; Voigt, JJ; Pipy, B. (1993). TNF-ALPHA AND LEUKOTRIENES RELEASE BY MACROPHAGES IN CARBON TETRACHLORIDE INDUCED LIVER DISEASE IN RATS. 94th Annual Meeting Of The American Gastroenterological Association, Boston, Massachusetts, Usa, May. 104.
- AlSaid, M; Mothana, R; Raish, M; Al-Sohaibani, M; Al-Yahya, M; Ahmad, A; Al-Dosari, M; Rafatullah, S. (1991). Evaluation of the effectiveness of Piper cubeba extract in the amelioration of CCl4-induced liver injuries and oxidative damage in the rodent model. *BioMed Res Int.* 2015: 359358.
- Al-Said, MS; Mothana, RA; Al-Sohaibani, MO; Rafatullah, S. (2011). Ameliorative Effect of *Grewia tenax* (Forssk) Fiori Fruit Extract on CCl4-Induced Oxidative Stress and Hepatotoxicity in Rats. *J Food Sci.* 76: T200-T206.
- Al-Said, MS; Mothana, RA; Al-Yahya, MA; Al-Blowi, AS; Al-Sohaibani, M; Ahmed, AF; Rafatullah, S. (2012). Edible Oils for Liver Protection: Hepatoprotective Potentiality of *Moringa Oleifera* Seed Oil against Chemical-Induced Hepatitis in Rats. *J Food Sci.* 77: T124-T130.
- Al-Sayed, E; Abdel-Daim, MM. (2014). Protective Role of Cupressuflavone from *Cupressus macrocarpa* against Carbon Tetrachloride-Induced Hepato- and Nephrotoxicity in Mice. *Planta Med.* 80: 1665-1671.
- Al-Sayed, E; Abdel-Daim, MM; Kilany, OE; Karonen, M; Sinkkonen, J. (2015). Protective role of polyphenols from *Bauhinia hookeri* against carbon tetrachloride-induced hepato- and nephrotoxicity in mice. *Ren Fail.* 37: 1198-1207.
- Al-Sayed, E; El-Lakkany, NM; Seif, E-DSH; Sabra, AN; Hammam, OA. (2014). Hepatoprotective and antioxidant activity of *Melaleuca styphelioides* on carbon tetrachloride-induced hepatotoxicity in mice. *Pharmaceutical Biology.* 52: 1581-1590.
- Al-Sayed, E; Martiskainen, O; el-Din, SHS; Sabra, ANA; Hammam, OA; El-Lakkany, NM. (2015). Protective effect of *Pelargonium graveolens* against carbon tetrachloride-induced hepatotoxicity in mice and characterization of its bioactive constituents by HPLC-PDA-ESI-MS/MS analysis. *Medicinal Chemistry Research.* 24: 1438-1448.
- Al-Sayed, E; Martiskainen, O; Seif, e-DSH; Sabra, AN; Hammam, OA; El-Lakkany, NM; Abdel-Daim, MM. (2014). Hepatoprotective and antioxidant effect of *Bauhinia hookeri* extract against carbon tetrachloride-induced hepatotoxicity in mice and characterization of its bioactive compounds by HPLC-PDA-ESI-MS/MS. *BioMed Res Int.* 2014: 245171.
- Al-Shabanah, OA; Alam, K; Nagi, MN; Al-Rikabi, AC; Al-Bekairi, AM. (2000). Protective effect of aminoguanidine, a nitric oxide synthase inhibitor, against carbon tetrachloride induced hepatotoxicity in mice. *Life Sci.* 66: 265-270.
- Alsheblak, MM; Elsherbiny, NM; El-Karef, A; El-Shishtawy, MM. (2016). Protective effects of L-carnosine on CCl4-induced hepatic injury in rats. *Eur Cytokine Netw.* 27: 6-15.
- Alston, TA. (1991). Inhibition of vitamin B12-dependent methionine biosynthesis by chloroform and carbon tetrachloride. *Biochem Pharmacol.* 42: R25-R28.
- Alswang, D. (1979). The case of Gerrity vs Carbona (carbon tetrachloride-the insidious killer). *J Environ Pathol Toxicol.* 3: 565-570.

Environmental Hazard Literature Search Results

Off Topic

- Alta; I, G; I, M; Ketani, A; Haris, PI. (2011). Protective effect of Diyarbakır watermelon juice on carbon tetrachloride-induced toxicity in rats. *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association*. 49: 2433-2438.
- Altas, S; Kizil, G; Kizil, M; Ketani, A; Haris, PI. (2011). Protective effect of Diyarbakir watermelon juice on carbon tetrachloride-induced toxicity in rats. *Food Chem Toxicol*. 49: 2433-2438.
- Altiner, D; Kiliç, N, H. (1992). The antioxidant effect of *Rosa rugosa*. *Drug metabolism and drug interactions*. 23: 323-327.
- Altuna, R; Arroyo, V; RivAd, DNADNAUHCndIBiom dAPiSUdBSS; Rodà, J; Mariani, L. (2002). Factors influencing the indomethacin-induced intestinal lesions in the rat. *Br J Pharmacol*. 8: 335-339.
- Alumot, E; Mandel, E. Long term feeding of concentrate fumigated with carbon tetrachloride to sheep. *Anim Feed Sci Technol*. Mar 1977, 2 (1): 77-83.
- Alvarado, JS; Rose, C; LaFreniere, L. (2010). Degradation of carbon tetrachloride in the presence of zero-valent iron. *J Environ Monit*. 12: 1524-1530.
- Alvarez, LH; Jimenez-Bermudez, L; Hernandez-Montoya, V; Cervantes, FJ. (2012). Enhanced Dechlorination of Carbon Tetrachloride by Immobilized Fulvic Acids on Alumina Particles. *Water Air and Soil Pollution*. 223: 1911-1920.
- Alvarez-Rodríguez, I; Gene, TCUCSUoGAPGJM; Meza-García, E; Armendáriz-Borunda, J; Noda, T; Mimura, H; Orita, K. (2006). Assessment of Kupffer cell function in rats with chronic liver injury caused by CCl₄. *Experimental and toxicologic pathology : official journal of the Gesellschaft für Toxikologische Pathologie*. 58: 185-195.
- Alvaro, D; Gandin, C; Cantafora, A; Riggio, O; Corradini, SG; La, ROSAT; Baiocchi, L; Angelico, M. (1990). SEVERE DEPRESSION OF INTRACELLULAR PHOSPHOLIPASES IN THE EXPERIMENTAL LIVER CIRRHOSIS. 41st Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 12: 976.
- Alvizouri, AM; Tello, E; Verhaar, HJM; Van, LEEUWENCJ; Hermens, JLM. (1990). Classifying environmental pollutants: Structure-activity relationships for prediction of aquatic toxicity. *Virchows Arch B Cell Pathol Incl Mol Pathol*. 195: 281-289.
- Alvizouri-Muñoz, M; Angeles, D; Nica, yBHGDMSMOE; vez, H. (1992). Rapeseed diet and hepatocyte hypertrophy: an experimental morphometric study. *Revista de investigaciones clínicas y organo del Hospital de Enfermedades de la Nutrición*. 44: 187-192.
- Al-Waili, NS. (2003). Intravenous and Intrapulmonary Administration of Honey Solution to Healthy Sheep: Effects on Blood Sugar, Renal and Liver Function Tests, Bone Marrow Function, Lipid Profile, and Carbon Tetrachloride-Induced Liver Injury. *J Med Food*. 6: 231-247.
- Al-Waili, NS; Saloom, KY; Al-Waili, TN; Al-Waili, AN; Akmal, M; Al-Waili, FS; Al-Waili, HN. (2006). Influence of various diet regimens on deterioration of hepatic function and hematological parameters following carbon tetrachloride: a potential protective role of natural honey. *Nat Prod Res*. 20: 1258-1264.
- Alwmark, A; Santos, A; Mamlok, V; Greeley, GH, Jr.; Thompson, JC. (1987). Insulin and glucagon production in experimental cirrhosis. *Ann Surg*. 205: 9-12.
- Aly, HAA; Mansour, AM; Hassan, MH; Abd-Ellah, MF. (2016). Lipoic Acid Attenuates Aroclor 1260-Induced Hepatotoxicity in Adult Rats. *Environ Toxicol*. 31: 913-922.
- Al-Yahya, M; Mothana, R; Al-Said, M; Al-Dosari, M; Al-Musayeb, N; Al-Sohaibani, M; Parvez, MK; Rafatullah, S. (2013). Attenuation of CCl₄-Induced Oxidative Stress and Hepatonephrotoxicity by Saudi Sidr Honey in Rats. *Evidence-based complementary and alternative medicine : eCAM*. 2013: 569037.
- Alyanak, I; Bihlmaier, B. (1988). LONG-TERM BEHAVIOR OF ENCAPSULATION MATERIALS ESPECIALLY FOR CLEANING UP HAZARDOUS WASTE LANDFILLS. *Wolf, K, W J Van Den Brink And F J Colon*. 0: 621-624.
- Alzawqari, MH; Al-Baddany, AA; Al-Baadani, HH; Alhidary, IA; Khan, RU; Aqil, GM; Abdurab, A. (2016). Effect of feeding dried sweet orange (*Citrus sinensis*) peel and lemon grass (*Cymbopogon citratus*) leaves on growth performance, carcass traits, serum metabolites and antioxidant status in broiler during the finisher phase. *Environ Sci Pollut Res Int*. 23: 17077-17082.
- Amali, S; Rolston, DE. (1993). Theoretical investigation of multicomponent volatile organic vapor diffusion: Steady-state fluxes. *J Environ Qual*. 22: 825-831.
- Amalia, PM; Possa, MN; Augusto, MC; Francisca, LS. (2007). Quercetin prevents oxidative stress in cirrhotic rats. *Dig Dis Sci*. 52: 2616-2621.
- Amaral, OC; Otero, R; Grimalt, JO; Albaiges, J. (1996). Volatile and semi-volatile organochlorine compounds in tap and riverine waters in the area of influence of a chlorinated organic solvent factory. *Water Res*. 30: 1876-1884.
- Amat, N; Upur, H; Blazekovi. (2010). In vivo hepatoprotective activity of the aqueous extract of *Artemisia absinthium* L. against chemically and immunologically induced liver injuries in mice. *J Ethnopharmacol*. 131: 478-484.
- Amatucci, A; Novobrantseva, T; Gilbride, K; Brickelmaier, M; Hochman, P; Ibraghimov, A. (2007). Recombinant ST2 boosts hepatic Th2 response in vivo. *J Leukoc Biol*. 82: 124-132.
- Ambedkar, SS; Deshpande, BS; Sudhakaran, VK; Shewale, JG. (1991). *Beijerinckia indica* var. *penicillanicum* penicillin V acylase: enhanced enzyme production by catabolite repression-resistant mutant and effect of solvents on enzyme activity. *Journal of industrial microbiology*. 7: 209-214.
- Ambrosini, A; Bertoli, E; Zolese, G; Tanfani, F. (1991). Interaction of tributyltin acetate and tributyltin chloride with dipalmitoylphosphatidylcholine model membrane. *Chem Phys Lipids*. 58: 73-80.
- Amenta, V; Cook, JL; Hunter, CA; Low, CMR; Vinter, JG. (2011). Molecular recognition probes of solvation thermodynamics in solvent mixtures. *Organic & Biomolecular Chemistry*. 9: 7571-7578.
- Amer, J; Grifat, R; Doron, S; Abu-Tair, L; Mruwat, R; El-Khatib, A; Safadi, R. (2014). The pro-fibrotic effects of pregnancy in a carbon-tetrachloride-induced liver injury in mouse model. *Liver Int*. 34: 1232-1240.

Environmental Hazard Literature Search Results

Off Topic

- Amidon, GL. (1974). Comparison of Theoretical, Absolute Interaction Energies with Heats of Complexation in Carbon Tetrachloride. *J Pharm Sci.* 63: 1514-1519.
- Amidon, GL. (1974). Theoretical Calculation of Heats of Complexation in Carbon Tetrachloride. *J Pharm Sci.* 63: 1520-1523.
- Amin, A; Hamza, AA. (2005). Hepatoprotective effects of Hibiscus, Rosmarinus and Salvia on azathioprine-induced toxicity in rats. *Life Sci.* 77: 266-278.
- Amin, A; Hamza, AA. (2005). Oxidative stress mediates drug-induced hepatotoxicity in rats: a possible role of DNA fragmentation. *Toxicology.* 208: 367-375.
- Amin, A; Mahmoud-Ghoneim, D. (2009). Zizyphus spina-christi protects against carbon tetrachloride-induced liver fibrosis in rats. *Food Chem Toxicol.* 47: 2111-2119.
- Amin, A; Mahmoud-Ghoneim, D. (2011). Texture analysis of liver fibrosis microscopic images: a study on the effect of biomarkers. *Acta Biochim Biophys Sin.* 43: 193-203.
- Amin, AS. (2001). Spectrophotometric determination of cadmium using thiazolylazo chromogenic reagents in the presence of triton X-100: Application in environmental samples. *Analytical Letters.* 34: 163-176.
- Aminabhavi, TM; Munnoli, RS. (1994). AN ASSESSMENT OF CHEMICAL COMPATIBILITY OF BROMOBUTYL RUBBER CHLOROSULFONATED POLYETHYLENE AND EPICHLOROHYDRIN MEMBRANES IN THE PRESENCE OF SOME HAZARDOUS ORGANIC LIQUIDS. *J Hazard Mater.* 38: 223-242.
- Aminabhavi, TM; Phayde, HTS; Ortego, JD. (1996). Resistivity and dimensional stability of high-performance engineering thermoplastic blend of ethylene-propylene random copolymer and isotactic polypropylene membrane in the presence of hazardous haloalkanes. *J Hazard Mater.* 46: 71-88.
- Aminlari, M; Vaseghi, T; Sajedianfard, MJ; Samsami, M. (1994). Changes in arginase, aminotransferases and rhodanese in sera of domestic animals with experimentally induced liver necrosis. *J Comp Pathol.* 110: 1-9.
- Amlacher, E; Danz, M; Stiller, KJ; Rudolph, C. (1977). Persistent action of low doses of carcinogens on DNA-synthesis in comparison with protein synthesis in the regenerating rat liver. *Exp Pathol (Jena).* 14: 227-231.
- Amonette, JE; Workman, DJ; Kennedy, DW; Fruchter, JS; Gorby, YA. (2000). Dechlorination of carbon tetrachloride by Fe(II) associated with goethite. *Environmental Science & Technology.* 34: 4606-4613.
- Amoozegar, CB; Wang, T; Bouchard, MB; McCaslin, AF; Blaner, WS; Levenson, RM; Hillman, EM. (2012). Dynamic contrast-enhanced optical imaging of in vivo organ function. *Journal of biomedical optics.* 17: 96003-96001.
- Amorati, R; Pedulli, GF. (2012). Hydrogen bond donating ability of meta and para hydroxy phenoxy radicals. *Organic & Biomolecular Chemistry.* 10: 814-818.
- Amy, GL; Narbaitz, RM; Cooper, WJ. (1987). REMOVING VOCS FROM GROUNDWATER CONTAINING HUMIC SUBSTANCES BY MEANS OF COUPLED AIR STRIPPING AND ADSORPTION. *Am Water Works Assoc J.* 79: 49-54.
- Ana, T; Biljana, B; Isidora, S; Marina, M; Neda, MD; Silvana, P. (2010). Effects of Athamanta turbith Fruit Essential Oils on CCl₄-induced Hepatic Failure in Mice and Their Antioxidant Properties. *Phytother Res.* 24: 787-790.
- Ana, T; Biljana, B; Isidora, S; Marina, M; Neda, M-D; Silvana, P. (2010). Effects of Athamanta turbith fruit essential oils on CCl₄-induced hepatic failure in mice and their antioxidant properties. *Phytother Res.* 24: 787-790.
- Anand, C; Priya, SV; Lawrence, G; Mane, GP; Dhawale, DS; Prasad, KS; Balasubramanian, VV; Wahab, MA; Vinu, A. (2013). Transesterification of ethylacetate catalysed by metal free mesoporous carbon nitride. *Catalysis Today.* 204: 164-169.
- Anand, KK; Singh, B; Saxena, AK; Chandan, BK; Gupta, VN; Bhardwaj, V. (1997). 3,4,5-trihydroxy benzoic acid (gallic acid), the hepatoprotective principle in the fruits of Terminalia bellerica bioassay guided activity. *Pharmacol Res.* 36: 315-321.
- Anand, SS; Mehendale, HM. (2004). Liver regeneration: a critical toxicodynamic response in predictive toxicology. *Environ Toxicol Pharmacol.* 18: 149-160.
- Anastasakis, A; Nikolaou, V; Zhang, Q; Burns, J; Samanta, SR; Waldron, C; Haddleton, AJ; McHale, R; Fox, D; Percec, V; Wilson, P; Haddleton, DM. (2014). Copper(II)/Tertiary Amine Synergy in Photoinduced Living Radical Polymerization: Accelerated Synthesis of omega-Functional and alpha,omega-Heterofunctional Poly(acrylates). *J Am Chem Soc.* 136: 1141-1149.
- Anders, MW; Harris, RN. (1981). Effect of 2-propanol treatment on carbon tetrachloride metabolism and toxicity. *Adv Exp Med Biol.* 136 Pt A: 591-602.
- Anders, MW; Jakobson, I. (1985). Biotransformation of halogenated solvents. *Scandinavian journal of work, environment & health.* 11 Suppl 1: 23-32.
- Andersen, M; Brusick, D; Cohen, S; Dragan, Y; Frederick, C; Goodman, JI; Hard, G; Meek, B; O'Flaherty, EJ; Melnick, RL; Kohn, MC. (1998). Letters to the editor (and reply). *Toxicol Appl Pharmacol.* 153: 133-134.
- Andersen, ME; Dennison, JE. (2004). Mechanistic approaches for mixture risk assessments - Present capabilities with simple mixtures and future directions. *Environ Toxicol Pharmacol.* 16: 1-11.
- Andersen, ME; Gargas, ML; Jones, RA; Jenkins, LJ, Jr. (1979). The use of inhalation techniques to assess the kinetic constants of 1,1-dichloroethylene metabolism. *Toxicol Appl Pharmacol.* 47: 395-409.
- Andersen, ME; Jones, RA; Jenkins, LJ, Jr. (1978). The acute toxicity of single, oral doses of 1,1-dichloroethylene in the fasted, male rat: effect of induction and inhibition of microsomal enzyme activities on mortality. *Toxicol Appl Pharmacol.* 46: 227-234.
- Andersen, O; Lindegaard, P; Unger, M; Nordberg, GF. (1985). Effects of liver damage induced by polychlorinated biphenyls (PCB) on cadmium metabolism in mice. *Environ Res.* 38: 213-224.
- Anderson, CB; Geis, MP. (1975). Conformational effects in 3-halotetrahydropyrans. *Tetrahedron.* 31: 1149-1154.

Environmental Hazard Literature Search Results

Off Topic

- Anderson, NL; Giere, FA; Nance, SL; Gemmell, MA; Tollaksen, SL; Anderson, NG. (1987). Effects of toxic agents at the protein level: quantitative measurement of 213 mouse liver proteins following xenobiotic treatment. *Fundamental and applied toxicology : official journal of the Society of Toxicology*. 8: 39-50.
- Anderson, RJ; Bendell, DJ; Hooper, M; Cairns, D; Mackay, SP; Hiremath, SP; Jivanagi, AS; Badami, S; Biradar, JS; Townson, S. (2001). Potential transition state phosphoramidate inhibitors of beta-tubulin as antifilarial agents. *J Pharm Pharmacol*. 53: 89-94.
- Andersson, C; Mosialou, E; Weinander, R; Morgenstern, R. (1994). ENZYMOLOGY OF MICROSOMAL GLUTATHIONE S-TRANSFERASE. *Anders, M W And W Dekant*. 0: 19-35.
- Andiran, F; Ayhan, A; Tanyel, FC; Abbasoglu, O; Sayek, I. (2000). Regenerative capacities of normal and cirrhotic livers following 70% hepatectomy in rats and the effect of alpha-tocopherol on cirrhotic regeneration. *J Surg Res*. 89: 184-188.
- Andiran, F; Kilinc, K; Renda, N; Ayhan, A; Tanyel, FC. (2003). Lipid peroxidation and extracellular matrix in normal and cirrhotic rat livers following 70% hepatectomy. *Hepatogastroenterology*. 50: 805-808.
- Andrabi, K; Kaul, N; Ganguly, NK; Dilawari, JB. (1989). ALTERED CALCIUM HOMEOSTASIS IN CARBON TETRACHLORIDE EXPOSED RAT HEPATOCYTES. *Biochem Int*. 18: 1287-1296.
- Andreeshcheva, EM; Popova, TN; Artyukhov, VG; Matasova, LV. (2004). Free radical oxidation and catalytic activity of aconitate hydratase in rat liver under normal conditions and during toxic hepatitis. *Bull Exp Biol Med*. 137: 352-354.
- Andrews, ARJ; Zlatkis, A; Tang, MT; Zhang, W; Shanfield, H. (1993). New purification technique for the removal of organics from aqueous solutions using silicone polymers. *Environ Sci Technol*. 27: 1139-1145.
- Andrews, EJ; Novak, PJ. (2001). Influence of ferrous iron and pH on carbon tetrachloride degradation by *Methanosarcina thermophila*. *Water Res*. 35: 2307-2313.
- Andrews, JE; Courtney, KD; Donaldson, WE. (1983). The effects of ethylene chlorohydrin on fatty acid synthesis. *Journal of environmental science and health Part B, Pesticides, food contaminants, and agricultural wastes*. 18: 351-367.
- Andrews, WH; Maegraith, BG. (1948). The pathogenesis of the liver lesion due to the administration of carbon tetrachloride. *Annals of tropical medicine and parasitology*. 42: 95-100.
- Andri; oiu, CV; Andri; oiu, V; Cuciureanu, M; Nica-Badea, D; Bibire, N; Popa, M. (2014). Effect of apitherapy products against carbon tetrachloride-induced toxicity in Wistar rats. *World J Gastroenterol*. 55: 835-847.
- Andronescu, E; Borda; Petcu, P. (1984). The treatment of experimental cirrhotogenic aggressive chronic hepatitis with "REGOPAR"--a natural product. *Archives roumaines de pathologie experimenteriale et de microbiologie*. 43: 77-85.
- Andruch, V; Acebal, CC; ... krlÄfÄ-kovÄfÄj, J; SklenÄjÄ™ovÄj, H; Solich, P; Balogh, IS; Billes, F; KocÄrovÄj, Lv. (2012). Automated on-line dispersive liquid-liquid microextraction based on a sequential injection system. *Microchem J*. 100: 77-82.
- Andrysek, O; Setka, J; Pitha, J; Sup, M; Andryskova, J. (1964). THE VALUE OF GAMMAGRAPHY IN DIFFUSE LESIONS OF THE LIVER. *Review of Czechoslovak medicine*. 10: 8-16.
- Anehus, S; Yngner, T; Engelbrecht, C; Hafstroem, L; Heby, O. (1983). Urinary polyamine excretion as related to cell death and cell proliferation induced by carbon tetrachloride intoxication. *Exp Mol Pathol*. 38: 255-263.
- Aneja, R; Davies, AP; Knaggs, JA. (1974). On the mechanism of the reaction of alcohols with triphenylphosphine and carbon tetrachloride reagent. *Tetrahedron Letters*. 15: 67-70.
- Aneja, R; Upadhyaya, G; Prakash, S; Dass, SK; Chandra, R. (2005). Ameliorating effect of phytoestrogens on CCl4-induced oxidative stress in the livers of male Wistar rats. *Artificial cells, blood substitutes, and immobilization biotechnology*. 33: 201-213.
- Angeli, P; JimÄšnez, W; Mackenzie, HS; Zhang, PL; ClÄria, J; Rivera, F; Brenner, BM; RodÄšs, J. (1994). Renal effects of natriuretic peptide receptor blockade in cirrhotic rats with ascites. *Hepatology*. 1: 948-954.
- Angus, KW; Greig, A. Renal and hepatic calcification in a lamb poisoned by an anthelmintic dose of carbon tetrachloride. *J Comp Pathol*. Oct 1979. v. 89 (4): 605-607 ill.
- Angus, KW; Greig, A. (1979). Renal and hepatic calcification in a lamb poisoned by an anthelmintic dose of carbon tetrachloride. *J Comp Pathol*. 89: 605-607.
- Anilakumar, KR; Krishna, KR; Chandramohan, G; Khanum, F; Bawa, AS. (2007). Bees wax polyphenols as suppressor of CC1--induced oxidative stress in rats. *Indian J Physiol Pharmacol*. 51: 361-367.
- Anipsitakis, GP; Dionysiou, DD; Gonzalez, MA. (2006). Cobalt-mediated activation of peroxymonosulfate and sulfate radical attack on phenolic compounds. Implications of chloride ions. *Environmental Science & Technology*. 40: 1000-1007.
- Aniya, Y; Anders, MW. (1985). Alteration of hepatic glutathione S-transferases and release into serum after treatment with bromobenzene, carbon tetrachloride, or N-nitrosodimethylamine. *Biochem Pharmacol*. 34: 4239-4244.
- Aniya, Y; Koyama, T; Miyagi, C; Miyahira, M; Inomata, C; Kinoshita, S; Ichiba, T. (2005). Free radical scavenging and hepatoprotective actions of the medicinal herb, *Crassocephalum crepidioides* from the Okinawa Islands. *Biological & Pharmaceutical Bulletin*. 28: 19-23.
- Aniya, Y; Miyagi, C; Nakandakari, A; Kamiya, S; Imaizumi, N; Ichiba, T. Free radical scavenging action of the medicinal herb *Limonium wrightii* from the Okinawa islands. *Phytomedicine : international journal of phytotherapy and phytopharmacology*. Apr 2002. v. 9 (3): 239-244.
- Aniya, Y; Ohtani, I; Higa, T; Miyagi, C; Gibo, H; Shimabukuro, M; Nakanishi, H; Taira, J. (2000). Dimeric acid as an antioxidant of the mold, *Monascus anka*. *Free Radic Biol Med*. 28: 999-1004.
- Aniya, Y; Shimabukuro, M; Shimoji, M; Kohatsu, M; Gyamfi, MA; Miyagi, C; Kunii, D; Takayama, F; Egashira, T. (2000). Antioxidant and hepatoprotective actions of the medicinal herb *Artemisia campestris* from the Okinawa Islands. *Biological & Pharmaceutical Bulletin*. 23: 309-312.
- Anjum, AD. Carbon tetrachloride induced changes in serum bilirubin, glutamic oxaloacetic transaminase and glutamic pyruvic transaminase in buffalo calves. *Pakistan veterinary journal*. Jan 1982. v. 2 (1): 29-31.

Environmental Hazard Literature Search Results

Off Topic

- Ankoma-Sey, V; Wang, Y; Dai, Z. (2000). Hypoxic stimulation of vascular endothelial growth factor expression in activated rat hepatic stellate cells. *Hepatology* (Baltimore, Md). 31: 141-148.
- Annadurai, T; Vigneshwari, S; Thirukumaran, R; Thomas, PA; Geraldine, P. (2011). Acetyl-L-carnitine prevents carbon tetrachloride-induced oxidative stress in various tissues of Wistar rats. *J Physiol Biochem*. 67: 519-530.
- Anon. (1994). IMPLICATIONS TO WATER SUPPLIERS AND HOUSEHOLDERS OF THE NEW WHO GUIDELINES FOR DRINKING WATER QUALITY. *Aqua*. 43: 315-322.
- Anonymous. (1999). This meeting contains abstracts of 42 papers, written in English, covering chemical studies of toxic substances and experimental studies in animals and tissue culture, including enzymology. *J Health Sci*. 45: 42.
- Ansari, GA; Moslen, MT; Reynolds, ES. (1982). Evidence for in vivo covalent binding of CCl₃ derived from CCl₄ to cholesterol of rat liver. *Biochem Pharmacol*. 31: 3509-3510.
- Ansari, GAS; Moslen, MT; Reynolds, ES. (1982). Evidence for in vivo covalent binding of CCl sub(3) derived from CCL sub(4) to cholesterol of rat liver. *Biochem Pharmacol*. 31: 3509-3510.
- Anselmi, K; Subbotin, VM; Nemoto, E; Gandhi, CR. (2002). Accelerated reversal of carbon tetrachloride-induced cirrhosis in rats by the endothelin receptor antagonist TAK-044. *J Gastroenterol Hepatol*. 17: 589-597.
- Ansher, SS; Dolan, P; Bueding, E. (1983). Chemoprotective effects of two dithiolthiones and of butylhydroxyanisole against carbon tetrachloride and acetaminophen toxicity. *Hepatology* (Baltimore, Md). 3: 932-935.
- Anstee, QM; Goldin, RD; Wright, M; Martinelli, A; Cox, R; Thursz, MR. (2008). Coagulation status modulates murine hepatic fibrogenesis: implications for the development of novel therapies. *Journal of thrombosis and haemostasis : JTH*. 6: 1336-1343.
- Anthony, ML; Rose, VS; Nicholson, JK; Lindon, JC. (1995). Classification of toxin-induced changes in 1H NMR spectra of urine using an artificial neural network. *J Pharm Biomed Anal*. 13: 205-211.
- Antoine, M; Wirz, W; Tag, CG; Gressner, AM; Marvituna, M; Wycislo, M; Hellerbrand, C; Kiefer, P. (2007). Expression and function of fibroblast growth factor (FGF) 9 in hepatic stellate cells and its role in toxic liver injury. *Biochem Biophys Res Commun*. 361: 335-341.
- AntonoviÄš, DG; StojanoviÄš, ND; Božić, BM; NikoliÄš, AD; PetroviÄš, SD. (1997). Synthesis and FTIR spectroscopic study of some N-monosubstituted propanamides. *Journal of Molecular Structure*. 408-409: 421-423.
- Anttinen, H; Oikarinen, A; Puistola, U; Paeaekko, P; Pyhaenen, L. (1985). Prevention by zinc of rat lung collagen accumulation in carbon tetrachloride injury. *Am J Respir Crit Care Med*. 132: 536-540.
- Anwer, MS; Engelking, LR; Gronwall, R; Klentz, RD. Plasma bile acid elevation following CCl₄ induced liver damage in dogs, sheep, calves and ponies. *Res Vet Sci*. Mar 1976, 20 (2): 127-130.
- Anwer, MS; Engelking, LR; Gronwall, R; Klentz, RD. (1976). Plasma bile acid elevation following CCl₄ induced liver damage in dogs, sheep, calves and ponies. *Res Vet Sci*. 20: 127-130.
- Aoyama, C; Ishidate, K; Sugimoto, H; Vance, DE. (2007). Induction of choline kinase alpha by carbon tetrachloride (CCl₄) occurs via increased binding of c-jun to an AP-1 element. *Biochimica Et Biophysica Acta-Molecular and Cell Biology of Lipids*. 1771: 1148-1155.
- Aoyama, C; Ohtani, A; Ishidate, K. (2002). Expression and characterization of the active molecular forms of choline/ethanolamine kinase-alpha and -beta in mouse tissues, including carbon tetrachloride-induced liver. *Biochem J*. 363: 777-784.
- Aoyama, T; Ikejima, K; Kon, K; Okumura, K; Arai, K; Watanabe, S. (2009). Pioglitazone Promotes Survival and Prevents Hepatic Regeneration Failure After Partial Hepatectomy in Obese and Diabetic KK-A(y) Mice. *Hepatology*. 49: 1636-1644.
- Aoyama, T; Inokuchi, S; Brenner, DA; Seki, E. (2010). CX3CL1-CX3CR1 Interaction Prevents Carbon Tetrachloride-Induced Liver Inflammation and Fibrosis in Mice. *Hepatology*. 52: 1390-1400.
- Aparicio, JL; Duhalde-Vega, M; Loureiro, ME; Retegui, LA. (2009). The autoimmune response induced by mouse hepatitis virus A59 is expanded by a hepatotoxic agent. *Int Immunopharmacol*. 9: 627-631.
- Apblett, AW; Reinhardt, LE. (1997). DECHLORINATION OF CHLOROCARBONS BY MOLYBDATES AND VANADATES. 213th National Meeting Of The American Chemical Society, San Francisco, California, Usa, April. 213: 105.
- Apu, AS; Muhit, MA; Tareq, SM; Pathan, AH; Jamaluddin, ATM; Ahmed, M. (2010). Antimicrobial Activity and Brine Shrimp Lethality Bioassay of the Leaves Extract of *Dillenia indica* Linn. *Journal of Young Pharmacists*. 2: 50-53.
- Aquilio, E; Spagnoli, R; Riggio, D; Seri, S. (1993). Effects of zinc on hepatic ornithine transcarbamylase (OTC) activity. *Journal of trace elements and electrolytes in health and disease*. 7: 240-241.
- Ar; Of; Cetin, N. (2011). Protective role of ghrelin against carbon tetrachloride (CCl₄)-induced coagulation disturbances in rats. *Regulatory Peptides*. 166: 139-142.
- Arafa, HMM. (2009). Carnitine deficiency: a possible risk factor in paracetamol hepatotoxicity. *Arch Toxicol*. 83: 139-150.
- Aragno, M; Tamagno, E; Boccuzzi, G; Brignardello, E; Chiarpotto, E; Pizzini, A; Danni, O. (1993). Dehydroepiandrosterone pretreatment protects rats against the pro-oxidant and necrogenic effects of carbon tetrachloride. *Biochem Pharmacol*. 46: 1689-1694.
- Aragno, M; Tamagno, E; Danni, O; Ugazio, G. (1992). In vivo studies on halogen compound interactions: III. Effect of carbon tetrachloride plus 1,2-dichloroethane on liver necrosis and fatty accumulation. *Res Commun Chem Pathol Pharmacol*. 76: 341-354.
- Aragno, M; Tamagno, E; Gatto, V; Brignardello, E; Parola, S; Danni, O; Boccuzzi, G. (1999). Dehydroepiandrosterone protects tissues of streptozotocin-treated rats against oxidative stress. *Free Radic Biol Med*. 26: 1467-1474.
- Aragno, M; Tamagno, E; Poli, G; Boccuzzi, G; Brignardello, E; Danni, O. (1994). Prevention of carbon tetrachloride-induced lipid peroxidation in liver microsomes from dehydroepiandrosterone-pretreated rats. *Free Radic Res*. 21: 427-435.
- Arakawa, Y; Suzuki, K; Takeuchi, S. (1992). Zinc status in liver and gastrointestinal diseases. *J Nutr Sci Vitaminol. Spec No*: 526-529.

Environmental Hazard Literature Search Results

Off Topic

- Araki, A; Kamigaito, N; Sasaki, T; Matsushima, T. (2004). Mutagenicity of carbon tetrachloride and chloroform in Salmonella typhimurium TA98, TA100, TA1535, and TA1537, and Escherichia coli WP2uvrA/pKM101 and WP2/pKM101, using a gas exposure method. *Environ Mol Mutagen*. 43: 128-133.
- Aram, G; Potter, JJ; Liu, XP; Torbenson, MS; Mezey, E. (2008). Lack of inducible nitric oxide synthase leads to increased hepatic apoptosis and decreased fibrosis in mice after chronic carbon tetrachloride administration. *Hepatology*. 47: 2051-2058.
- Aram, G; Potter, JJ; Liu, XP; Wang, L; Torbenson, MS; Mezey, E. (2009). Deficiency of Nicotinamide Adenine Dinucleotide Phosphate, Reduced Form Oxidase Enhances Hepatocellular Injury But Attenuates Fibrosis After Chronic Carbon Tetrachloride Administration. *Hepatology*. 49: 911-919.
- Aranyi, C; O'Shea, WJ; Graham, JA; Miller, FJ. (1986). The effects of inhalation of organic chemical air contaminants on murine lung host defenses. *Fundam Appl Toxicol*. 6: 713-720.
- Aranzabal, A; Romero SÃ¡nchez, M; Elizundia, U; GonzÃ¡lez Velasco, JRn; GonzÃ¡lez Marcos, JA. (2016). The effect of deactivation of zeolites on product selectivity in the oxidation of chlorinated VOCs (trichloroethylene). *J Chem Tech Biotechnol*. 91: 318-326.
- Arbab, AH; Parvez, MK; Al-Dosari, MS; Al-Rehaily, AJ; Al-Sohaibani, M; Zaroug, EE; AlSaid, MS; Rafatullah, S. (2015). Hepatoprotective and antiviral efficacy of Acacia mellifera leaves fractions against hepatitis B virus. *BioMed Res Int*. 2015: 929131.
- Arcas, I; MartÃ­nez-MartÃ­nez, R; RoECMsMNUoMRgdHnSS; de, IM-BME; Vicente, V; Corral, J; Acha, V; Meurens, M; Naveau, H; Agathos, SN. (2012). ATR-FTIR sensor for monitoring aliphatic chlorinated hydrocarbons continuously on-line in a fixed bed bioreactor. *J Hepatol*. 57: 980-986.
- Arcos, JC; Woo, YT; Lai, DY. (1988). DATABASE ON BINARY COMBINATION EFFECTS OF CHEMICAL CARCINOGENS. *J Environ Sci Health Part C Environ Carcinog Rev*. 6: 1-150.
- Arduengo, AJ; Davidson, F; Dias, HVR; Goerlich, J; Khasnis, D; Marshall, WJ; Prakasha, TK. (1997). An air stable carbene and mixed carbene "dimers". *J Am Chem Soc*. 119: 12742-12749.
- Arena, U; Di Gregorio, F. (2013). Element partitioning in combustion- and gasification-based waste-to-energy units. *Waste Manag*. 33: 1142-1150.
- Arezzini, B; Lunghi, B; Lungarella, G; Gardi, C. (2003). Iron overload enhances the development of experimental liver cirrhosis in mice. *International Journal of Biochemistry & Cell Biology*. 35: 486-495.
- Argo, J. (1998). Retrospective exposure assessment with emission inventories: A new approach to an old problem. *Environmetrics*. 9: 505-518.
- Arici, OF; Cetin, N. (2011). Protective role of ghrelin against carbon tetrachloride (CCl₄)-induced coagulation disturbances in rats. *Regulatory Peptides*. 166: 139-142.
- Arii, S; Monden, K; Itai, S; Sasaoki, T; Adachi, Y; Funaki, N; Higashitsuji, H; Tobe, T. (1990). Depressed function of Kupffer cells in rats with carbon tetrachloride-induced liver cirrhosis. *Res Exp Med*. 190: 173-182.
- Arii, S; Monden, K; Itai, S; Sasaoki, T; Adachi, Y; Funaki, N; Higashitsuji, H; Tobe, T. (1993). Depressed function of Kupffer cells in rats with CCl₄-induced liver cirrhosis. *Research in experimental medicine Zeitschrift für die gesamte experimentelle Medizin einschliesslich experimenteller Chirurgie*. 190: 173-182.
- Arinc, E; Arslan, S; Bozcaarmutlu, A; Adali, O. (2007). Effects of diabetes on rabbit kidney and lung CYP2E1 and CYP2B4 expression and drug metabolism and potentiation of carcinogenic activity of N-nitrosodimethylamine in kidney and lung. *Food Chem Toxicol*. 45: 107-118.
- Arioka, Y; Ito, H; Ando, T; Ogiso, H; Hirata, A; Hara, A; Seishima, M. (2015). Pre-stimulated Mice with Carbon Tetrachloride Accelerate Early Liver Regeneration After Partial Hepatectomy. *Dig Dis Sci*. 60: 1699-1706.
- Arka, G; Anindita, K; Ankit, S; Kumar, SA; Kumar, MS. (2015). Preliminary evaluation of hepatoprotective potential of the polyherbal formulation. *Journal of intercultural ethnopharmacology*. 4: 118-124.
- Armbrust, T; Batusic, D; Xia, LQ; Ramadori, G. (2002). Early gene expression of hepatocyte growth factor in mononuclear phagocytes of rat liver after administration of carbon tetrachloride. *Liver*. 22: 486-494.
- Armbrust, T; Kreissig, M. Modulation of fibronectin gene expression in inflammatory mononuclear phagocytes of rat liver after acute liver injury.
- Armbrust, T; Nordmann, B; Kreissig, M; Ramadori, G. (1999). C1Q synthesis by tissue mononuclear phagocytes from normal and from damaged rat liver: up-regulation by dexamethasone, down-regulation by interferon gamma, and lipopolysaccharide. *Hepatology*. 26: 98-106.
- ArmendÃ¡riza, J. (1989). Kupffer cells from CCl₄-treated rat livers induce skin fibroblast and liver fat-storing cell proliferation in culture. *Toxicol Pathol*. 17: 38-45.
- ArmendÃ¡riz-Borunda, J; LeGros, L, Jr.; Campollo, O; Panduro, A; RincÃ³n, AR. (1998). Antisense S-oligodeoxynucleotides down-regulate TGFbeta-production by Kupffer cells from CCl₄-injured rat livers. *Biochim Biophys Acta*. 1353: 241-252.
- Armendariz, JS; Seyer, JM; Raghov, R. (1989). TRANSFORMING GROWTH FACTOR BETA GENE EXPRESSION IN RAT LIVER CELLS AFTER ACUTE EXPOSURE TO CARBON TETRACHLORIDE. *Joint Meeting Of The American Society For Cell Biology And The American Society For Biochemistry And Molecular Biology, San Francisco, California, Usa, January*. 107.
- Armendariz-Borunda, J; Greenwel, P; Rojkind, M. (1989). KUPFFER CELLS FROM CARBON TETRACHLORIDE-TREATED RAT LIVERS INDUCE SKIN FIBROBLAST AND LIVER FAT-STORING CELL PROLIFERATION IN CULTURE. *Matrix*. 9: 150-158.
- Armendariz-Borunda, J; Katai, H; Jones, CM; Seyer, JM; Kang, AH; Raghov, R. (1993). Transforming growth factor beta gene expression is transiently enhanced at a critical stage during liver regeneration after CCl₄ treatment. *Laboratory investigation; a journal of technical methods and pathology*. 69: 283-294.
- Armendariz-Borunda, J; Rojkind, M. (1985). MEDIATORS OF FIBROBLAST PROLIFERATION IN EXPERIMENTAL LIVER CIRRHOSIS. *36th Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Ill, Usa, Nov*. 5.
- Armendariz-Borunda, J; Seyer, JM; Kang, AH; Raghov, R. (1990). Regulation of TGF beta gene expression in rat liver intoxicated with carbon tetrachloride. *FASEB journal : official publication of the Federation of American Societies for Experimental Biology*. 4: 215-221.

Environmental Hazard Literature Search Results

Off Topic

- Armendariz-Borunda, J; Seyer, JM; Kang, AH; Raghov, R. (1990). Regulation of TGF β gene expression in rat liver intoxicated with carbon tetrachloride. *Faseb. J.* 4: 215-221.
- Armendariz-Borunda, J; Seyer, JM; Raghov, R. (1989). NON-PARENCHYMAL CELLS ARE THE PRIMARY PRODUCERS OF TRANSFORMING GROWTH FACTOR BETA AFTER ACUTE CARBON TETRACHLORIDE INTOXICATION OF THE LIVER. 40th Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, October. 10: 635.
- Armour, J; Corba, J; Bruce, RG. (1973). The prophylaxis of ovine fascioliasis by the strategic use of rafoxanide. *The Veterinary record.* 92: 83-89.
- Armour, MA; Browne, LM; Weir, GL. (1987). HAZARDOUS CHEMICALS INFORMATION AND DISPOSAL GUIDE THIRD EDITION. Armour, M A, L M Browne And G L Weir Hazardous Chemicals: Information And Disposal Guide, Third Edition Xx+463p University Of Alberta: Edmonton, Alberta, Canada Illus Paper. 0.
- Arnold, DP; Wells, PR. (1976). Hexamethyldiiodide: I. Preparation, thermal decomposition and methanolysis. *Journal of Organometallic Chemistry.* 111: 269-283.
- Arnold, WA; Ball, WP; Roberts, AL. (1999). Polychlorinated ethane reaction with zero-valent zinc: pathways and rate control. *J Contam Hydrol.* 40: 183-200.
- Aronian, PF; Scheff, PA; Wadden, RA. (1989). WINTERTIME SOURCE RECONCILIATION OF AMBIENT ORGANICS. *Atmos Environ.* 23: 911-920.
- Aroor, AR; Mehendale, HM. (1991). THE ROLE OF POLYADENOSINE DIPHOSPHATE RIBOSE POLYMERASE PARP ACTIVITY IN CARBON TETRACHLORIDE HEPATOTOXICITY. 75th Annual Meeting Of The Federation Of American Societies For Experimental Biology, Atlanta, Georgia, Usa, April. 5.
- Arora, B; Choudhary, M; Arya, P; Kumar, S; Choudhary, N; Singh, S. (2015). Hepatoprotective potential of *Saraca ashoka* (Roxb.) De Wilde bark by carbon tetrachloride induced liver damage in rats. *Bulletin of Faculty of Pharmacy, Cairo University.* 53: 23-28.
- Arora, RG. (1981). Enhanced susceptibility to aflatoxin B1 toxicity in weanling mice pretreated with carbon tetrachloride. *Acta pathologica et microbiologica Scandinavica Section A, Pathology.* 89: 303-308.
- Arora, SK; Bates, RB; Grady, RA; Delfel, NE. Crystal and molecular structure of the one to one complex of rotenone and carbon tetrachloride. *Journal. Oct 1, 1975, 97 (20): 5752-5755.*
- Arosio, B; Gagliano, N; Fusaro, LMP; Parmeggiani, L; Tagliabue, J; Galetti, P; De Castri, D; Mocheni, C; Annoni, G. (2000). Aloe-emodin quinone pretreatment reduces acute liver injury induced by carbon tetrachloride. *Pharmacology & Toxicology.* 87: 229-233.
- Arosio, B; Santambrogio, D; Gagliano, N; Annoni, G. (1993). Changes in expression of the albumin, fibronectin and type I procollagen genes in CCl4-induced liver fibrosis: effect of pyridoxol L,2-pyrrolidon-5 carboxylate. *Pharmacology & toxicology.* 73: 301-304.
- Arosio, B; Santambrogio, D; Gagliano, N; Ryan, A; Biasi, F; Vergani, C; Annoni, G. (1997). Glutathione pretreatment lessens the acute liver injury induced by carbon tetrachloride. *Pharmacology & toxicology.* 81: 164-168.
- ArrAd, LLUHCniPUoBS; Rodã€šs, J; Sviderskii, VL; Sultanov, VS; Roshchin, VI; Khovanskikh, AE; Rozengart, EV; Moralev, SN; Yagodina, OV; Gorelkina, VS; Kormilitsyn, BN; Basova, IN; Nikitina, TV. (1992). Analysis of the effect of the polyprenol preparation ropren and the choline alfoscerate preparation gliatilin on the membrane-bound and soluble forms of cholinesterases and monoamine oxidase of rat brain and serum in the tetrachloromethane model system of hepatic encephalopathy. *J Gastroenterol Hepatol.* 412: 33-36.
- Arranto, AJ. (1983). Medroxyprogesterone induced changes in rat liver. A light and electron microscopic study. *Pathology, research and practice.* 176: 115-124.
- Arroyo, V; Jimã€šnez, W; Morales-Ruiz, M; Newman, L. (2013). JAUNDICE IN INFANCY. *Gut.* 62: 138-145.
- Arshad, MI; Rauch, M; L'Helgoualc'h, A; Julia, V; Leite-de-Moraes, MC; Lucas-Clerc, C; Piquet-Pellorce, C; Samson, M. (2011). NKT cells are required to induce high IL-33 expression in hepatocytes during ConA-induced acute hepatitis. *Eur J Immunol.* 41: 2341-2348.
- Arstila, AU; Smith, MA; Trump, BF. (1972). Microsomal lipid peroxidation: morphological characterization. *Science (New York, NY).* 175: 530-533.
- Arulgnanendran, VRJ; Nirmalakhandan, N. (1995). DETERMINING CLEANUP LEVELS IN BIOREMEDIATION QUANTITATIVE STRUCTURE ACTIVITY RELATIONSHIP TECHNIQUES. *Hinchee, R E, G S Douglas And S K Ong.* 3: 1-57477.
- Arulgnanendran, VRJ; Nirmalakhandan, N. (1998). Microbial toxicity in soil medium. *Ecotoxicol Environ Saf.* 39: 48-56.
- Arun, M; Asha, VV. (2007). Preliminary studies on antihepatotoxic effect of *Physalis peruviana* Linn. (Solanaceae) against carbon tetrachloride induced acute liver injury in rats. *J Ethnopharmacol.* 111: 110-114.
- Arvand, M; Bozorgzadeh, E; Zanjanchi, MA; Shariati, S. (2014). Dispersive liquid-liquid microextraction of Fe(II) and Cu(II) with diethyldithiocarbamate and their simultaneous spectrophotometric determination using mean centering of ratio spectra. *Journal of analytical chemistry.* 69: 243-247.
- Asakura, S; Sawada, S; Daimon, H; Fukuda, T; Ogura, K; Yamatsu, K; Furihata, C. (1994). Effects of dietary restriction on induction of unscheduled DNA synthesis (UDS) and replicative DNA synthesis (RDS) in rat liver. *Mutat Res.* 322: 257-264.
- Asami, O; Ihara, I; Shimidzu, N; Shimizu, S; Tomita, Y; Ichihara, A; Nakamura, T. (1991). Purification and characterization of hepatocyte growth factor from injured liver of carbon tetrachloride-treated rats. *J Biochem.* 109: 8-13.
- Asamoto, M; Hokaiwado, N; Murasaki, T; Shirai, T. (2004). Connexin 32 dominant-negative mutant transgenic rats are resistant to hepatic damage by chemicals. *Hepatology.* 40: 205-210.
- Asaoka, Y; Sakai, H; Hirata, A; Sasaki, J; Goryo, M; Miyamoto, Y; Yanai, T; Masegi, T; Okada, K. (2010). Detection of Initiation Activity of 1,2-Dimethylhydrazine in in vivo Medium-Term Liver Initiation Assay System using 4-Week-Old Rats without Hepatocellular Proliferative Stimuli during the Test Chemical Treatment Period. *J Vet Med Sci.* 72: 43-53.
- Asaoka, Y; Sakai, H; Takahashi, N; Hirata, A; Tsukamoto, T; Yamamoto, M; Yanai, T; Masegi, T; Tatematsu, M. (2005). Intraperitoneal injection of D-galactosamine provides a potent cell proliferation stimulus for the detection of initiation activities of chemicals in rat liver. *J Appl Toxicol.* 25: 554-561.
- Ash, RM; Lynch, JR. (1971). The evaluation of gas detector tube systems: carbon tetrachloride. *Am Ind Hyg Assoc J.* 32: 552-553.

Environmental Hazard Literature Search Results

Off Topic

- Asha, VV; Sheeba, MS; Suresh, V; Wills, PJ. (2007). Hepatoprotection of *Phyllanthus maderaspatensis* against experimentally induced liver injury in rats. *Fitoterapia*. 78: 134-141.
- Ashida, H; Nakai, R; Kanazawa, K; Danno, G. (1998). Xenobiotic tolerance of primary cultured hepatocytes in rats fed a high-fat or high-protein diet. *J Nutr Sci Vitaminol*. 44: 89-102.
- Ashley, DL; Bonin, MA; Cardinali, FL; McCraw, JM; Wooten, JV. (1994). Blood concentrations of volatile organic compounds in a nonoccupationally exposed US population and in groups with suspected exposure. *Clin Chem*. 40: 1401-1404.
- Ashraf-Khorassani, M; Taylor, LT; Nazem, N; Coleman, WM, III. (2005). Isolation of tetra-acyl sucrose esters from Turkish tobacco using supercritical fluid CO₂ and comparison with conventional solvent extraction. *J Agric Food Chem*. 53: 1866-1872.
- Asiedu-Gyekye, IJ; Antwi, DA; Donkor, T. (2002). Some effects of the medicinal plant *Kalanchoe pinnata*. *Discovery and Innovation*. 14: 102-106.
- Aslan, A; Can, MI. (2014). Milk thistle impedes the development of carbontetrachloride-induced liver damage in rats through suppression of bcl-2 and regulating caspase pathway. *Life Sci*. 117: 13-18.
- Assaf-Anid, N. (1993). Reductive dechlorination of chlorinated pollutants by metals and organometallics. PhD, University of Michigan.
- Assaf-Anid, N; Hayes, KF; Vogel, TM. (1994). Reductive dechlorination of carbon tetrachloride by cobalamin (II) in the presence of dithiothreitol: Mechanistic study, effect of redox potential and pH. *Environmental Science & Technology*. 28: 246-252.
- Assaf-Anid, N; Lin, KY. (2002). Carbon tetrachloride reduction by Fe(2+), S(2-), and FeS with vitamin B(12) as organic amendment. *Journal of Environmental Engineering-Asce*. 128: 94-99.
- Assaf-Anid, N; Nies, L; Vogel, TM. (1992). REDUCTIVE DECHLORINATION OF CHLORINATED ALIPHATIC AND AROMATIC COMPOUNDS BY VITAMIN B12. *203rd Acs*. 203.
- Assaf-Anid, N; Vogel, TM. (1991). REDUCTIVE DECHLORINATION OF CHLORINATED ALIPHATIC COMPOUNDS BY METALLO-ORGANIC COMPLEXES. *91st General Meeting Of The American Society For Microbiology, Dallas, Texas, Usa, May*. 91: 296.
- Assimakopoulos, SF; Vagianos, CE. (2009). Bile duct ligation in rats: a reliable model of hepatorenal syndrome? *World J Gastroenterol*. 15: 121-123.
- Assmuth, T; Strandberg, T; Melanen, M; Seppanen, A; Vartiainen, T. (1988). ASSESSING RISKS OF TOXIC EMISSIONS FROM WASTE DEPOSITS IN FINLAND. *Wolf, K, W J Van Den Brink And F J Colon*. 0: 1137-1146.
- Assmuth, TW; Strandberg, T. (1993). Ground water contamination at Finnish landfills. *Water Air Soil Pollut*. 69: 179-199.
- Asuku, O; Atawodi, SE; Onyike, E. (2012). Antioxidant, Hepatoprotective, and Ameliorative Effects of Methanolic Extract of Leaves of *Grewia mollis* Juss. on Carbon Tetrachloride-Treated Albino Rats. *J Med Food*. 15: 83-88.
- Asuzu, IU; Abubaker, II. The emetic, antihepatotoxic, and antinephrotoxic effects of an extract from *Icacina trichantha*. *Journal of herbs, spices & medicinal plants*. 1995. v. 3 (4): 9-20.
- Atasever, A; Yaman, D. (2014). The effects of grape seed and colchicine on carbon tetrachloride induced hepatic damage in rats. *Exp Toxicol Pathol*. 66: 361-365.
- Atasoyu, E; Yildiz, S; Bilgi, O; Cermik, H; Evrenkaya, R; Aktas, S; Gultepe, M; Kandemir, EG. (2005). Investigation of the role of hyperbaric oxygen therapy in cisplatin-induced nephrotoxicity in rats. *Arch Toxicol*. 79: 289-293.
- Atchia, S; McAthey, P; Searle, A; Rowland, I. (1991). EFFECT OF ALPHA TOCOPHEROL ON TETRACHLOROMETHANE INDUCED TOXICITY AND CYTOCHROME P450 ACTIVITY IN YEAST. *15th Annual Meeting Of The United Kingdom Environmental Mutagen Society, Sheffield, England, Uk, April*. 6: 443.
- Aterman, K. (1954). Studies in fibrosis of the liver induced by carbon tetrachloride. I. Relation between hepatocellular injury and new formation of fibrous tissue. *AMA archives of pathology*. 57: 1-11.
- Aterman, K. (1954). Studies in fibrosis of the liver induced by carbon tetrachloride. II. A quantitative study of the effect of cortisone on fibrosis of the liver in rats. *AMA archives of pathology*. 57: 12-25.
- Aterman, K. (1954). Studies in fibrosis of the liver induced by carbon tetrachloride. III. Pantothenic acid and liver fibrosis. *AMA archives of pathology*. 57: 26-29.
- Aterman, K. (1962). Toxic effect of carbon tetrachloride on the liver cell. *British journal of pharmacology and chemotherapy*. 19: 219-225.
- Aterman, K; Ahmad, ND. (1953). Cortisone and liver function. *Harefuah*. 1: 71-73.
- Athukorala, Y; Lee, KW; Song, C; Ahn, CB; Shin, TS; Cha, YJ; Shahidi, F; Jeon, YJ. (2003). Potential antioxidant activity of marine red alga *Grateloupia filicina* extracts. *Journal of Food Lipids*. 10: 251-265.
- Atif, M; Rahman, SA; Ghorri, SS; Ahmed, MI; Mahmood, SB; Muqtadar, MA. (2015). HEPATOPROTECTIVE ACTIVITY OF FICUS DALHOUSIAE MIQ LEAVES ETHANOLIC EXTRACT ON CARBON TETRACHLORIDE AND PARACETAMOL INDUCED HEPATOTOXICITY IN WISTAR ALBINO RATS. *International Journal of Pharmaceutical Sciences and Drug Research*. 6: 1415.
- Atmaca, M; Bilgin, HM; Obay, BD; Diken, H; Kelle, M; Kale, E. (2011). The hepatoprotective effect of coumarin and coumarin derivatives on carbon tetrachloride-induced hepatic injury by antioxidative activities in rats. *J Physiol Biochem*. 67: 569-576.
- Atta, AH; Elkoly, TA; Mouneir, SM; Kamel, G; Alwabel, NA; Zaher, S. (2010). Hepatoprotective Effect of Methanol Extracts of *Zingiber officinale* and *Cichorium intybus*. *Indian J Pharmaceut Sci*. 72: 564-570.
- Atucha, NM; Garca-Esta; ilde; Murcin, DdFaFFdM; Ramajrez, t; rez, A; Pasrez, DDdFaFdMMS-QT; Romero, JC. (1994). Renal effects of nitric oxide synthesis inhibition in cirrhotic rats. *The American journal of physiology*. 267: R1454-1460.
- Atucha, NM; Ortiz, MC; Fortepiani, LA; Nadal, FJA; Martinez-Prieto, C; Garcia-Estan, J. (2000). Mesenteric hyporesponsiveness in cirrhotic rats with ascites: role of cGMP and K(+) channels. *Clin Sci (Lond)*. 99: 455-460.
- Atucha, D-DdFaFdMMS; Quesada, T; Garcia-Estan, J. (1993). Reduced renal papillary plasma flow in non-ascitic cirrhotic rats. *Clin Sci*. 85.
- Au, VM; Raseira, MC; Zannotto-Filho, A; Moreira, JC; Gelain, DP; Kirkpatrick, HJ; Sutherland, JM. (2014). A fatal case of poisoning with carbon tetrachloride. *The Journal of nutritional biochemistry*. 25: 1282-1295.

Environmental Hazard Literature Search Results

Off Topic

- Audran, G; Bremond, P; Marque, SRA; Obame, G. (2012). Chemically Triggered C-ON Bond Homolysis of Alkoxyamines. 5. Cybotactic Effect. *J Org Chem.* 77: 9634-9640.
- Augusti, KT; Anuradha; Prabha, SP; Smitha, KB; Sudheesh, M; George, A; Joseph, MC. (2005). Nutraceutical effects of garlic oil, its nonpolar fraction and a Ficus flavonoid as compared to vitamin E in CCl₄ induced liver damage in rats. *Indian J Exp Biol.* 43: 437-444.
- Augusto, O. (1993). Alkylation and cleavage of DNA by carbon-centered radical metabolites. *Free Radical Biol Med.* 15: 329-336.
- Aulenta, F; Canosa, A; Reale, P; Rossetti, S; Panero, S; Majone, M. (2009). Microbial Reductive Dechlorination of Trichloroethene to Ethene With Electrodes Serving as Electron Donors Without the External Addition of Redox Mediators. *Biotechnol Bioeng.* 103: 85-91.
- Aulenta, F; Di Maio, V; Ferri, T; Majone, M. (2010). The humic acid analogue anthraquinone-2,6-disulfonate (AQDS) serves as an electron shuttle in the electricity-driven microbial dechlorination of trichloroethene to cis-dichloroethene. *Bioresour Technol.* 101: 9728-9733.
- Aussel, C; Stora, C; Krebs, B. (1980). Alpha-fetoprotein and serum hormone levels following liver intoxication with carbon tetrachloride. *Biochem Biophys Res Commun.* 95: 796-800.
- Avemaria, F; Vanderheiden, S; Br nse, S. (2003). The aza-xylylene Diels-Alder approach for the synthesis of naturally occurring 2-alkyl tetrahydroquinolines. *Tetrahedron.* 59: 6785-6796.
- Avemaria, F; Vanderheiden, S; Brase, S. (2003). The aza-xylylene Diels-Alder approach for the synthesis of naturally occurring 2-alkyl tetrahydroquinolines. *Tetrahedron.* 59: 6785-6796.
- Awaad, AS; Soliman, GA; El-Sayed, DF; El-Gindi, OD; Alqasoumi, SI. (2012). Hepatoprotective activity of *Cyperus alternifolius* on carbon tetrachloride-induced hepatotoxicity in rats. *Pharmaceutical Biology.* 50: 155-161.
- Awad, JA; Morrow, JD. (1995). EXCRETION OF F-2-ISOPROSTANES IN BILE - A NOVEL INDEX OF HEPATIC LIPID-PEROXIDATION. *Hepatology.* 22: 962-968.
- Awadallah, R; el-Dessoukey, EA; Tahani, HM. (1978). Microsomal enzymes inducers and serum minerals in carbon-tetrachloride hepatotoxicity. *Zeitschrift fu r Ern hrungswissenschaft.* 17: 153-158.
- Ayala-Luis, KB; Cooper, NGA; Koch, CB; Hansen, HCB. (2012). Efficient Dechlorination of Carbon Tetrachloride by Hydrophobic Green Rust Intercalated with Dodecanoate Anions. *Environmental Science & Technology.* 46: 3390-3397.
- Ayatollahi, M; Hesami, Z; Jamshidzadeh, A; Gramizadeh, B. (2014). Antioxidant Effects of Bone Marrow Mesenchymal Stem Cell against Carbon Tetrachloride-Induced Oxidative Damage in Rat Livers. *International journal of organ transplantation medicine.* 5: 166-173.
- Ayub-Ayala, M; Flores-Alvarado, LJ. Effect of short-term carbon tetrachloride administration on blood lactic acid levels.
- Ayyildiz, O; Anderson, PR; Peters, RW. (2005). Laboratory batch experiments of the combined effects of ultrasound and air stripping in removing CCl₄ and 1,1,1-TCA from water. *J Hazard Mater.* 120: 149-156.
- Azetsu-Scott, K; Jones, EP; Gershey, RM. (2005). Distribution and ventilation of water masses in the Labrador Sea inferred from CFCs and carbon tetrachloride. *Marine Chemistry.* 94: 55-66.
- Aziz, TA; Aziz, MA; Fouad, HH; Rashed, LA; Salama, H; Abd-Alla, S; Wehab, MA; Ahmed, T. (2005). Interferon-alpha gene therapy prevents aflatoxin and carbon tetrachloride promoted hepatic carcinogenesis in rats. *Int J Mol Med.* 15: 21-26.
- Aziz, TA; Aziz, MA; Fouad, HH; Rashed, LA; Salama, H; Abd-Alla, S; Wehab, MAA; Ahmed, T. (2005). Interferon-a gene therapy prevents aflatoxin and carbon tetrachloride promoted hepatic carcinogenesis in rats. *Int J Mol Med.* 15: 21-26.
- Azizian, MF; Semprini, L. (2016). Simultaneous anaerobic transformation of tetrachloroethene and carbon tetrachloride in a continuous flow column. *J Contam Hydrol.* 190: 58-68.
- Azri, S; Gandolfi, AJ; Brendel, K. Carbon tetrachloride toxicity in precision-cut rat liver slices. *In Vitro Toxicol.* Summer 1990. v. 3 (2): 127-138.
- Azri, S; Mata, HP; Gandolfi, AJ; Brendel, K. (1991). CARBON TETRACHLORIDE INDUCED CYTOCHROME P-450 LOSS AND LIPID PEROXIDATION IN RAT LIVER SLICES. *Witmer, C M, Et Al.* 0: 669-674.
- Azri, S; Mata, HP; Gandolfi, AJ; Brendel, K. (1991). CCl₄-induced cytochrome P-450 loss and lipid peroxidation in rat liver slices. *Adv Exp Med Biol.* 283: 669-674.
- Azri, S; Mata, HP; Reid, LL; Gandolfi, AJ; Brendel, K. (1992). Further examination of the selective toxicity of carbon tetrachloride in rat liver slices. *Toxicol Appl Pharmacol.* 112: 81-86.
- Azri, S; Mata, HP; Reid, LL; Gandolfi, AJ; Brendel, K. (1992). Further examination of the selective toxicity of CCl₄ in rat liver slices. *Toxicol Appl Pharmacol.* 112: 81-86.
- Azri, S; Mata, HP; Reid, LL; Gandolfi, AJ; Brendel, K. (1992). Further examination of the selective toxicity of CCl₄ in rat liver slices. *Toxicol Appl Pharmacol.* 112: 81-86.
- B rcena, C; Stefanovic, M; Tutusaus, A; Joannas, L; Men ndez, A. Gas6/Axl pathway is activated in chronic liver disease and its targeting reduces fibrosis via hepatic stellate cell inactivation.
- B tAd, SSoNLoPSNIAAANIoHoHMSCRNF; Mukhopadhyay, P; Harvey-White, J; Kechrid, R; Pacher, P; Kunos, G. (2007). Endocannabinoids acting at CB1 receptors mediate the cardiac contractile dysfunction in vivo in cirrhotic rats. *American journal of physiology Heart and circulatory physiology.* 293: H1689-1695.
- B cker, R; Heroven, AK. The pyruvate-tricarboxylic acid cycle node: a focal point of virulence control in the enteric pathogen *Yersinia pseudotuberculosis*.
- B rger, W; Schade, R; Hirschelmann, R. (1987). The rat C-reactive protein--isolation and response to experimental inflammation and tissue damage. *Agents Actions.* 21: 93-97.
- Baba, H; Togo, H. (2010). Sulfonylamidation of alkylbenzenes at benzylic position with p-toluenesulfonamide and 1,3-diiodo-5,5-dimethylhydantoin. *Tetrahedron Letters.* 51: 2063-2066.
- Baba, S; Fujii, H; Hirose, T; Yasuchika, K; Azuma, H; Hoppo, T; Naito, M; Machimoto, T; Ikai, I. (2004). Commitment of bone marrow cells to hepatic stellate cells in mouse. *J Hepatol.* 40: 255-260.

Environmental Hazard Literature Search Results

Off Topic

- Babalola, OO; Anetor, JI; Adeniyi, FA. (2001). Amelioration of carbon tetrachloride-induced hepatotoxicity by terpenoid extract from leaves of *Vernonia amygdalina*. *Afr J Med Med Sci*. 30: 91-93.
- Babb, JL; Billing, PA; Gans, H; Yamaguchi, Y. (1983). Acute hepatotoxin exposure effects lymphoid and accessory cell types in inbred mice. *Proc Soc Exp Biol Med*. 174: 392-400.
- Babenko, NA; Shakhova, EG. (2008). Effects of flavonoids on sphingolipid turnover in the toxin-damaged liver and liver cells. *Lipids Health Dis*. 7: 1.
- Babitha, S; Banji, D; Banji, OJ. (2012). Antioxidant and hepatoprotective effects of flower extract of *Millingtonia hortensis* Linn. on carbon tetrachloride induced hepatotoxicity. *Journal of pharmacy & bioallied sciences*. 4: 307-312.
- Babu, PS; Krishna, V; Maruthi, KR; Shankarmurthy, K; Babu, RK. (2011). Evaluation of acute toxicity and hepatoprotective activity of the methanolic extract of *Dichrostachys cinerea* (Wight and Arn.) leaves. *Pharmacognosy Res*. 3: 40-43.
- Baccino, FM; Satta, G; Mamei, L. (1964). DISTRIBUTION OF CCL-4 AMONG LIVER CELL FRACTIONS. *Biochim Biophys Acta*. 90: 606-608.
- Bachar, SC; Mahmud, ZA; Qais, N. (2012). Antioxidant and Hepatoprotective Activities of Ethanolic Extracts of Leaves of *Premna esculenta* Roxb. against Carbon Tetrachloride-Induced Liver Damage in Rats. *Journal of Young Pharmacists*. 4: 228-234.
- Bacocchi, R. (2013). Principles, Developments and Design Criteria of In Situ Chemical Oxidation. *Water Air and Soil Pollution*. 224: 1717-1717.
- Back, H; Suesser, P. (1990). CONCENTRATIONS OF VOLATILE CHLORINATED HYDROCARBONS AND TRICHLOROACETIC ACID IN EARTHWORMS. 4th International Symposium On Earthworm Ecology, Avignon, France, June. 24: 1745-1748.
- Back, KC. (1970). Aerospace toxicology. II. Toxicological evaluation of materials associated with spacecraft. *Fed Proc*. 29: 2006-2009.
- Backhus, DA; Picardal, FW; Johnson, S; Knowles, T; Collins, R; Radue, A; Kim, S. (1997). Soil- and surfactant-enhanced reductive dechlorination of carbon tetrachloride in the presence of *Shewanella putrefaciens* 200. *J Contam Hydrol*. 28: 337-361.
- Badami, S; Moorkoth, S; Rai, SR; Kannan, E; Bhojraj, S. (2003). Antioxidant activity of *Caesalpinia sappan* heartwood. *Biological & Pharmaceutical Bulletin*. 26: 1534-1537.
- Badawy, AA; El-Badrawy, NM; Hassan, MM; Ebeid, FA. (1999). Colchicine therapy for hepatic murine schistosomal fibrosis: image analysis and serological study. *Int J Exp Pathol*. 80: 25-34.
- Baddeley, RM; Ejr, SJ; Evans, J. (1969). Gastric secretion in canines with cirrhosis and ascites. *Surgery, gynecology & obstetrics*. 129: 697-704.
- Baden, JM. (1989). Hepatotoxicity and metabolism of isoflurane in rats with cirrhosis. *Anesth Analg*. 68: 214-218.
- Baden, JM; Kundomal, YR; Luttrupp, ME, Jr.; Maze, M; Kosek, JC. (1985). Effects of volatile anesthetics or fentanyl on hepatic function in cirrhotic rats. *Anesth Analg*. 64: 1183-1188.
- Baden, JM; Serra, M; Fujinaga, M; Mazze, RI. (1987). Halothane metabolism in cirrhotic rats. *Anesthesiology*. 67: 660-664.
- Badger, D; Sauer, JM; Jolley, C; Abril, E; Sipes, IG. (1994). A SINGLE DOSE OF VITAMIN A POTENTIATES THE HEPATOTOXICITY OF CCL-4 IN RATS BY THE PRODUCTION OF ROS FROM NON-PARENCHYMAL CELLS. 45th Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 20.
- Badger, DA; Kuester, RK; Sauer, JM; Sipes, IG. (1997). Gadolinium chloride reduces cytochrome P450: relevance to chemical-induced hepatotoxicity. *Toxicology*. 121: 143-153.
- Badger, DA; Sauer, JM; Hoglen, NC; Jolley, CS; Sipes, IG. (1996). The role of inflammatory cells and cytochrome P450 in the potentiation of CCl₄-induced liver injury by a single dose of retinol. *Toxicol Appl Pharmacol*. 141: 507-519.
- Badger, DA; Sauer, JM; Hoglen, NC; Jolley, CS; Sipes, IG. (1996). The role of inflammatory cells and cytochrome P450 in the potentiation of CCl₄-induced liver injury by a single-dose of retinol. *Toxicol Appl Pharmacol*. 141: 507-519.
- Badger, TM; Ronis, MJJ; Ingelmannsundberg, M; Hakkak, R. (1995). INHIBITION OF CYP2E1 ACTIVITY DOES NOT ABOLISH PULSATILE URINE ALCOHOL CONCENTRATIONS DURING CHRONIC ALCOHOL INFUSIONS. *Eur J Biochem*. 230: 914-919.
- Bae, E; Choi, W. (2003). Highly enhanced photoreductive degradation of perchlorinated compounds on dye-sensitized metal/TiO₂ under visible light. *Environmental Science & Technology*. 37: 147-152.
- Bae, S; Lee, W. (2012). Enhanced reductive degradation of carbon tetrachloride by biogenic vivianite and Fe(II). *Geochim Cosmo Acta*. 85: 170-186.
- Bae, S; Lee, W. (2014). Influence of Riboflavin on Nanoscale Zero-Valent Iron Reactivity during the Degradation of Carbon Tetrachloride. *Environmental Science & Technology*. 48: 2368-2376.
- Bae, W; Odencrantz, JE; Rittmann, BE; Valocchi, AJ. (1990). Transformation kinetics of trace-level halogenated organic contaminants in a biologically active zone (BAZ) induced by nitrate injection. *J Contam Hydrol*. 6: 53-68.
- Bae, WK; Kang, K; Yu, JH; Yoo, KH; Factor, VM; Kaji, K; Matter, M; Thorgeirsson, S; Hennighausen, L. (2015). The methyltransferases enhancer of zeste homolog (EZH) 1 and EZH2 control hepatocyte homeostasis and regeneration. *FASEB J*. 29: 1653-1662.
- Bae, Y; Kim, D; Cho, HH; Singhal, N; Park, JW. (2012). Transformation impacts of dissolved and solid phase Fe(II) on trichloroethylene (TCE) reduction in an iron-reducing bacteria (IRB) mixed column system: A mathematical model. *Water Res*. 46: 6391-6398.
- Baek, SH; Park, M; Suh, JH; Choi, HS. (2008). Protective effects of an extract of young radish (*Raphanus sativus* L) cultivated with sulfur (sulfur-radish extract) and of sulfuraphane on carbon tetrachloride-induced hepatotoxicity. *Bioscience Biotechnology and Biochemistry*. 72: 1176-1182.
- Baek, W; Lee, JY. (2011). Source apportionment of trichloroethylene in groundwater of the industrial complex in Wonju, Korea: a 15-year dispute and perspective. *Water Environ J*. 25: 336-344.
- Baek, W; Lee, JY. (2011). Source apportionment of trichloroethylene in groundwater of the industrial complex in Wonju, Korea: a 15-year dispute and perspective. *Water Environ J*. 25: 336-344.
- Baertschi, P; Kuhn, W; Kuhn, H. (1953). Fractionation of isotopes by distillation of some organic substances. *Nature*. 171: 1018-1020.

Environmental Hazard Literature Search Results

Off Topic

- Baeseman, JL; Novak, PJ. (2001). Effects of various environmental conditions on the transformation of chlorinated solvents by *Methanosarcina thermophila* cell exudates. *Biotechnol Bioeng.* 75: 634-641.
- Bagal, MV; Gogate, PR. (2012). Sonochemical degradation of alachlor in the presence of process intensifying additives. *Separation and Purification Technology.* 90: 92-100.
- Baggenstoss, AH. (1947). Carbon tetrachloride intoxication treated by peritoneal lavage; pathologic aspects. *Proceedings of the staff meetings Mayo Clinic.* 22: 321-326.
- Bagheri, H; Dehghan, M; Es'haghi, A; Naderi, M. (2013). A conically fixed position single drop microextraction method for isolation of aryloxyphenoxypropionate herbicides from aquatic media. *Analytical Methods.* 5: 4846-4851.
- Bagley, DM; Lalonde, M; Kaseros, V; Stasiuk, KE; Sleep, BE. (2000). Acclimation of anaerobic systems to biodegrade tetrachloroethene in the presence of carbon tetrachloride and chloroform. *Water Res.* 34: 171-178.
- Bagley, DM; Sutherland, IG; Sleep, BE. (2004). Non-enzymatic degradation of chlorofluorocarbon 113 using cyanocobalamin under anaerobic conditions. *J Environ Eng Sci.* 3: 295-299.
- Bagnasco, FM; Stringer, B; Muslim, AM. (1978). Carbon tetrachloride poisoning. Radiographic findings. *N Y State J Med.* 78: 646-647.
- Bahad, r, O; â,-ito; lu, GS; Ozbek, H; Dall'Acqua, S; Ho; scaron; ek, J; Smejkal, K. (2011). Hepatoprotective and TNF- α ; inhibitory activity of *Zosima absinthifolia* extracts and coumarins. *Fitoterapia.* 82: 454-459.
- Bahcecioglu, IH; Koca, SS; Poyrazoglu, OK; Yalniz, M; Ozercan, IH; Ustundag, B; Sahin, K; Dagli, AF; Isik, A. (2008). Hepatoprotective effect of infliximab, an anti-TNF-alpha agent, on carbon tetrachloride-induced hepatic fibrosis. *Inflammation.* 31: 215-221.
- Bahcecioglu, IH; Yalniz, M; Ataseven, H; Bulbuler, N; Kececi, M; Demirdag, K; Ozercan, I; Ustundag, B. (2004). TNF-alpha and leptin in experimental liver fibrosis models induced by carbon tetrachloride and by common bile duct ligation. *Cell Biochem Funct.* 22: 359-363.
- Bahde, R; Kapoor, S; Bhargava, KK; Schilsky, ML; Palestro, CJ; Gupta, S. (2012). PET with (64)Cu-Histidine for Noninvasive Diagnosis of Biliary Copper Excretion in Long-Evans Cinnamon Rat Model of Wilson Disease. *J Nucl Med.* 53: 961-968.
- Bahde, R; Keschull, L; Stâ€ ppele, S; Zibert, A; Siaj, R; Hâ€ lz; Minin, E; Schmidt, HH; Spiegel, HU; Palmes, D. (2011). Role of angiotensin-1 receptor blockade in cirrhotic liver resection. *Liver international : official journal of the International Association for the Study of the Liver.* 31: 642-655.
- Baheti, JR; Goyal, RK; Shah, GB. (2006). Hepatoprotective activity of *Hemidesmus indicus* R. br. in rats. *Indian J Exp Biol.* 44: 399-402.
- Bahrami, AJ; Gunaje, JJ; Hayes, BJ; Riehle, KJ; Kenerson, HL; Yeung, RS; Stempien-Otero, AS; Campbell, JS; Mahoney, WM, Jr. (2014). Regulator of G-protein signaling-5 is a marker of hepatic stellate cells and expression mediates response to liver injury. *PLoS ONE.* 9: e108505.
- Bai, CL; Stacey, NH. (1993). Effects of carbon tetrachloride and chloroform on bile acid transport in isolated rat hepatocytes: Relationship to elevated serum bile acids. *Toxicol In Vitro.* 7: 197-203.
- Bai, G; Yan, G; Wang, G; Wan, P; Zhang, R. (2016). Anti-hepatic fibrosis effects of a novel turtle shell decoction by inhibiting hepatic stellate cell proliferation and blocking TGF- β ;1/Smad signaling pathway in rats. *Oncol Rep.* 36: 2902-2910.
- Bai, S; Shen, X; Zhu, G; Xu, Z; Liu, Y. (2011). Reversible phase transfer of graphene oxide and its use in the synthesis of graphene-based hybrid materials. *Carbon.* 49: 4563-4570.
- Bai, T; Yao, YL; Jin, XJ; Lian, LH; Li, Q; Yang, N; Jin, Q; Wu, YL; Nan, JX. (2014). Acanthoic acid, a diterpene in *Acanthopanax koreanum*, ameliorates the development of liver fibrosis via LXRs signals. *Chem Biol Interact.* 218: 63-70.
- Bai, X; Qiu, A; Guan, J; Shi, Z. (2007). Antioxidant and protective effect of an oleanolic acid-enriched extract of *A. deliciosa* root on carbon tetrachloride induced rat liver injury. *Asia Pacific journal of clinical nutrition.* 16 Suppl 1: 169-173.
- Baidus, NV; Chahboun, A; Gomes, MJM; Vasilevskiy, MI; Demina, PB; Uskova, EA; Zvonkov, BN. (2005). Suppression of the photoluminescence quenching effect in self-assembled InAs/GaAs quantum dots. *Appl Phys Lett.* 87: 53109-53109.
- Bajgar, J; BenÅ-skovÅ , L. (1977). Hepatotoxicity of o-ethyl-S-(2-dimethylaminoethyl) methylphosphonothioate in rats. *Sborník vědeckých prací Lékařské fakulty Karlovy univerzity v Hradci Králové Supplementum.*
- Bajracharya, K; Barry, DA. (1994). NOTE ON COMMON MIXING CELL MODELS. *J Hydrol.* 153: 189-214.
- Bak, MJ; Jun, M; Jeong, WS. (2012). Antioxidant and hepatoprotective effects of the red ginseng essential oil in H(2)O(2)-treated hepG2 cells and CCI(4)-treated mice. *International Journal of Molecular Sciences.* 13: 2314-2330.
- Bakale, G; McCreary, RD. (1992). Response of the k sub(e) test to NCI/NTP-screened chemicals. II. Genotoxic carcinogens and non-genotoxic non-carcinogens. *Carcinogenesis.* 13: 1437-1445.
- Bakale, G; McCreary, RD. (1992). Response of the ke test to NCI/NTP-screened chemicals. II. Genotoxic carcinogens and non-genotoxic non-carcinogens. *Carcinogenesis.* 13: 1437-1445.
- Bakale, G; McCreary, RD. (1992). Response of the ke test to NCI-screened chemicals: II. Genotoxic carcinogens and non-genotoxic non-carcinogens. *Carcinogenesis.* 13: 1437-1445.
- Baker, JA. (1989). CASE STUDIES IN ORGANIC CONTAMINANT HYDROGEOLOGY. *Environ Geol Water Sci.* 14: 17-34.
- Baker, MV; Watling, JD. (1995). Using free-radical bromination to functionalise the surfaces of self-assembled alkylsiloxane monolayers. *Tetrahedron Letters.* 36: 4623-4624.
- Bakkas, S; Julliard, M; Chanon, M. (1987). Reactivity of triethyl phosphite with tetrachloromethane : electron transfer versus ionic substitution on â€œpositiveâ€ halogen. *Tetrahedron.* 43: 501-512.
- Baklanov, MR; Mogilnikov, KP; Polovinkin, VG; Dultsev, FN. (2000). Determination of pore size distribution in thin films by ellipsometric porosimetry. *Journal of Vacuum Science & Technology B.* 18: 1385-1391.
- Bala, A; Haldar, PK; Kar, B; Naskar, S; Mazumder, UK. (2012). Carbon tetrachloride: A hepatotoxin causes oxidative stress in murine peritoneal macrophage and peripheral blood lymphocyte cells. *Immunopharmacol Immunotoxicol.* 34: 157-162.

Environmental Hazard Literature Search Results

Off Topic

- Bala, A; Kar, B; Karmakar, I; Kumar, RBS; Haldar, PK. (2012). Antioxidant activity of Cat's whiskers flavonoid on some reactive oxygen and nitrogen species generating inflammatory cells is mediated by scavenging of free radicals. *Chin J Nat Med.* 10: 321-327.
- Bala, S; Sharma, PL; Chaudhury, RR; Aikat, BK; Datta, BN. (1972). Effect of angiotensin on water and electrolyte excretion in normal and cirrhotic rats. *The Indian journal of medical research.* 60: 582-588.
- Balázs, M; Magyar, I; Richter, R; Valu, J. (1966). Effect of extract prepared from regenerating liver on liver regeneration in rats poisoned with carbon tetrachloride. *Gastroenterolog6.* 105: 214-224.
- Balaha, M; Kandeel, S; Barakat, W. (2016). Carvedilol suppresses circulating and hepatic IL-6 responsible for hepatocarcinogenesis of chronically damaged liver in rats. *Toxicol Appl Pharmacol.* 311: 1-11.
- Balansky, R; Blagoeva, P; Mircheva, Z; Pozhariski, K; de, FS. (1990). Effect of metabolic inhibitors, methylxanthines, antioxidants, alkali metals, and corn oil on 1,2-dimethylhydrazine carcinogenicity in rats. *Anticancer Res.* 12: 933-940.
- Balapure, AK; Rastogi, AK; Saleem, M; Sahib, MK. (1984). Effect of carbon tetrachloride induced toxicity on 125(I)-insulin receptor interaction and U-14(C)glucose/U-14(C)galactose homeostasis in isolated rat hepatocytes. *Indian J Exp Biol.* 22: 88-90.
- Balasubramanian, A; Murthy, NV; Ramakrishnan, S. (1977). Additive effect of acetyl salicylic acid on some toxic chemicals--a study of liver function tests. *The Indian journal of medical research.* 66: 155-159.
- Balasubramanian, P; Philip, L; Bhallamudi, SM. (2011). Biodegradation of Chlorinated and Non-chlorinated VOCs from Pharmaceutical Industries. *Appl Biochem Biotechnol.* 163: 497-518.
- Balata, G; Shamrool, H. (2014). Spherical agglomeration versus solid dispersion as different trials to optimize dissolution and bioactivity of silymarin. *Journal of Drug Delivery Science and Technology.* 24: 478-485.
- Baldasano, JM; Delgado, R; Calbo, J. (1998). Applying receptor models to analyze urban/suburban VOCs air quality in Martorell (Spain). *Environmental Science & Technology.* 32: 405-412.
- Balderas-Renteria, I; Caorona, MADL-LoGEE; Genomics, FdCQmUANLLniihc; Carranza-RosaAd, LEE; Genomics, FFdCQmUANLLniihc; Lozano-Garza, HG; Castillo-Nava, D. Hepatoprotective effect of *Leucophyllum frutescens* on Wistar albino rats intoxicated with carbon tetrachloride.
- Baldo, G; Giugliani, R; Uribe, C; Belardinelli, MC; Duarte, MES; Meurer, L; da Silveira, TR; Matte, U. (2010). Bone Marrow Mononuclear Cell Transplantation Improves Survival and Induces Hepatocyte Proliferation in Rats after CCl₄ Acute Liver Damage. *Dig Dis Sci.* 55: 3384-3392.
- Baligar, NS; Aladakatti, RH; Ahmed, M; Hiremath, MB. (2014). EVALUATION OF ACUTE TOXICITY OF NEEM ACTIVE CONSTITUENT, NIMBOLIDE AND ITS HEPATOPROTECTIVE ACTIVITY AGAINST ACUTE DOSE OF CARBON TETRACHLORIDE TREATED ALBINO RATS. *International Journal of Pharmaceutical Sciences and Drug Research.* 5: 3455.
- Baligar, NS; Aladakatti, RH; Ahmed, M; Hiremath, MB. (2014). Hepatoprotective activity of the neem-based constituent azadirachtin-A in carbon tetrachloride intoxicated Wistar rats. *Can J Physiol Pharmacol.* 92: 267-277.
- Balint, GA. (1998). Possible role of endogenous prostacyclin in the maintenance of hepatic integrity in rat. *Exp Toxicol Pathol.* 50: 9-11.
- Ballschmiter, K; Wittlinger, R. (1991). Interhemisphere exchange of hexachlorocyclohexanes, hexachlorobenzene, polychlorobiphenyls, and 1,1,1-trichloro-2,2-bis(p-chlorophenyl)ethane in the lower troposphere. *Environ Sci Technol.* 25: 1103-1111.
- Balogh, IS; Rusnakova, L; Skrlíkova, J; Kocurova, L; Torok, M; Andruch, V. (2012). A spectrophotometric method for manganese determination in water samples based on ion pair formation and dispersive liquid-liquid microextraction. *Int J Environ Anal Chem.* 92: 1059-1071.
- Balon, M; Munoz, MA; Guardado, P; Carmona, C. (1996). Hydrogen-bonding interactions between harmaline and pyridine in the ground and lowest excited singlet states. *Photochem Photobiol.* 64: 531-536.
- Balsiger, C; Holliger, C; Hohener, P. (2005). Reductive dechlorination of chlorofluorocarbons and hydrochlorofluorocarbons in sewage sludge and aquifer sediment microcosms. *Chemosphere.* 61: 361-373.
- Balta, C; Herman, H; Boldura, OM; Gasca, I; Rosu, M; Ardelean, A; Hermenean, A. (2015). Chrysin attenuates liver fibrosis and hepatic stellate cell activation through TGF-beta/Smad signaling pathway. *Chem Biol Interact.* 240: 94-101.
- Ban, M; Hettich, D; Bonnet, P. (2003). Effect of inhaled industrial chemicals on systemic and local immune response. *Toxicology.* 184: 41-50.
- Bande, R; Kapoor, S; Gupta, S. (2014). Nonselective inhibition of prostaglandin-endoperoxide synthases by naproxen ameliorates acute or chronic liver injury in animals. *Exp Mol Pathol.* 96: 27-35.
- Bandhu, HK; Dani, V; Garg, ML; Dhawan, DK. (2006). Hepatoprotective role of zinc in lead-treated, protein-deficient rats. *Drug Chem Toxicol.* 29: 11-24.
- Bandyopadhyay, A; De Sarkar, M; Bhowmick, AK. (2005). Epoxidised natural rubber/silica hybrid nanocomposites by sol-gel technique: Effect of reactants on the structure and the properties. *Journal of Materials Science.* 40: 53-62.
- Bandzouzi, A; Chapleur, Y. (1987). Dichloromethylation of 1,4-lactones. A new access to 1-deoxy-1-C-methyl-C-glycosyl compounds. *Carbohydr Res.* 171: 13-24.
- Bang, S; Myren, J; Beraki, K. Effect of the prostaglandin E1 analogue misoprostol on the carbon tetrachloride-induced injury of rat liver cells in culture.
- Bang, S; Myren, J; Linnestad, P; Serck-Hanssen, A; Strömme, JH. Effects of the prostaglandin E2 analogue enprostil on the carbon tetrachloride-induced necrosis of liver cells in mice.
- Bang, S; Myren, J; Linnestad, P; Serck-Hanssen, A; Stromme, JH; Berahki, K. (1989). THE PROSTAGLANDIN E-2 ANALOGUE ENPROSTIL AND LIVER CELL INJURIES AFTER INJECTIONS OF CARBON TETRACHLORIDE IN MICE. 24th Meeting Of The European Association For The Study Of The Liver, Munich, West Germany, August. 9.
- Bang, S; Myren, J; Linnestad, P; Stave, R; Hanssen, LE; Dolva, O; Serck-Hanssen, A; Arnesen, K; Beraki, K; Vagene, S. (1988). LIVER AND PANCREATIC INJURIES FOLLOWING REPEATED INJECTIONS OF CARBON TETRACHLORIDE FOR 6 MONTHS. 20th Meeting Of The European Pancreatic Club, Budapest, Hungary, August. 40: 68-69.

Environmental Hazard Literature Search Results

Off Topic

- Bang, S; Myren, J; Naess, O; Beraki, K; Serck-Hanssen, A; Arnesen, K. (1988). PROSTAGLANDINS AND CARBON TETRACHLORIDE-INDUCED LIVER CELL MORTALITY THE EFFECT OF THE PROSTAGLANDIN ANALOGUE ENPROSTIL. *Scand J Gastroenterol.* 23: 931-934.
- Banni, S; Casu, M; Corongiu, FP; Dessi, MA; Lai, A; Meloni, C. (1987). NMR spin-lattice relaxation times of intracellular Na-23 on rat livers and related lipid peroxidation following CCl₄ intoxication. *Chem Biol Interact.* 63: 207-214.
- Bansal, MB; Kovalovich, K; Gupta, R; Li, W; Agarwal, A; Radbill, B; Alvarez, CE; Safadi, R; Fiel, MI; Friedman, SL; Taub, RA. (2005). Interleukin-6 protects hepatocytes from CCl₄-mediated necrosis and apoptosis in mice by reducing MMP-2 expression. *J Hepatol.* 42: 548-556.
- Bansal, R; Prakash, J; Post, E; Beljaars, L; Schuppan, D; Poelstra, K. (2011). Novel Engineered Targeted Interferon-gamma Blocks Hepatic Fibrogenesis in Mice. *Hepatology.* 54: 586-596.
- Banskota, AH; Tezuka, Y; Adnyana, IK; Xiong, QB; Hase, K; Tran, KQ; Tanaka, K; Saiki, I; Kadota, S. (2000). Hepatoprotective effect of Combretum quadrangulare and its constituents. *Biological & Pharmaceutical Bulletin.* 23: 456-460.
- Bansode, RR; Losso, JN; Marshall, WE; Rao, RM; Portier, RJ. (2003). Adsorption of volatile organic compounds by pecan shell- and almond shell-based granular activated carbons. *Bioresour Technol.* 90: 175-184.
- Bao, Q-Y; Geng, D-D; Xue, J-W; Zhou, G; Gu, S-Y; Ding, Y; Zhang, C. (2013). Glutathione-mediated drug release from Tiopronin-conjugated gold nanoparticles for acute liver injury therapy. *Int J Pharm.* 446: 112-118.
- Baraniak, J; Stec, WJ. (1985). Stereochemical aspects of the reaction of dialkyl phosphates with amine in the presence of triphenylphosphine and carbon tetrachloride. *Tetrahedron Letters.* 26: 4379-4382.
- Baraona, E; Salinas, A; Navia, E; Orrego, H. (1965). ALTERATIONS OF AMMONIA METABOLISM IN THE CEREBRAL CORTEX OF RATS WITH HEPATIC DAMAGE INDUCED BY CARBON TETRACHLORIDE. *Clin Sci (Lond).* 28: 201-208.
- Bardhan, P; Sharma, SK; Garg, NK. (1985). In vitro effect of an Ayurvedic liver remedy on hepatic enzymes in carbon tetrachloride treated rats. *The Indian journal of medical research.* 82: 359-364.
- Bari, SS; Arora, R; Bhalla, A; Venugopalan, P. (2010). Facile synthesis of (Z)- and (E)-3-allylidene-beta-lactams via thermal beta-elimination of trans-3-allyl-3-sulfinyl-beta-lactams. *Tetrahedron Letters.* 51: 1719-1722.
- Barker, EA; Smuckler, EA; Benditt, EP. (1963). EFFECTS OF THIOACETAMIDE AND YELLOW PHOSPHORUS POISONING ON PROTEIN SYNTHESIS IN VIVO. Laboratory investigation; a journal of technical methods and pathology. 12: 955-960.
- Barlow, SM; Bimbo, AP; Miller, EL; Thorisson, S; Walters, DE. (1997). Collaborative test of determination of iodine value in fish oils. 1. Reaction time and carbon tetrachloride or cyclohexane as solvents. *Journal of the American Oil Chemists' Society.* 74: 1077-1083.
- Barlow, SM; Bimbo, AP; Miller, EL; Thorisson, S; Walters, DE. (1997). Collaborative test of determination of iodine value in fish oils. 2. Carbon tetrachloride or cyclohexane/acetic acid as solvents. *Journal of the American Oil Chemists' Society.* 74: 1085-1088.
- Barnes, MA; McMullen, MR; Roychowdhury, S; Madhun, NZ; Niese, K; Olman, MA; Stavitsky, AB; Bucala, R; Nagy, LE. (2015). Macrophage migration inhibitory factor is required for recruitment of scar-associated macrophages during liver fibrosis. *J Leukoc Biol.* 97: 161-169.
- Barnett, BR; Evans, AL; Roberts, CC; Fritsch, JM. (2011). Batch reactor kinetic studies on the reductive dechlorination of chlorinated ethylenes by tetrakis-(4-sulfonatophenyl)porphyrin cobalt. *Chemosphere.* 82: 592-596.
- Barone, C; Cittadini, A; Galeotti, T; Terranova, T. (1973). The effect of intoxication induced in rat liver by carbon tetrachloride, ethionine and white phosphorus on the level of microsomal cytochromes b5 and P-450. *Experientia.* 29: 73-74.
- Barratt, BJW; Easton, CJ; Henry, DJ; Li, IHW; Radom, L; Simpson, JS. (2004). Inhibition of peptidylglycine alpha-amidating monooxygenase by exploitation of factors affecting the stability and ease of formation of glycy radicals. *J Am Chem Soc.* 126: 13306-13311.
- Barrett, HM; Best, CH; Maclean, DL; Ridout, JH. (1939). The effect of choline on the fatty liver of carbon tetrachloride poisoning. *The Journal of physiology.* 97: 103-106.
- Barriault, C; Yousef, IM; Tuchweber, B. (1997). Hepatoprotection by agents which modulate macrophage activity may be mediated by their mitogenic properties. *Drug Metab Rev.* 29: 397-411.
- Barry, CN; Evans Jr, SA. (1983). Chlorination and cyclodehydration of 1,2-diols with the α -triphenylphosphate-tetrachloromethane-potassium carbonate reagent. *Tetrahedron Letters.* 24: 661-664.
- Barry, WE; Day, HJ. (1964). REFRACTORY SIDEROBLASTIC ANEMIA. CLINICAL AND HEMATOLOGIC STUDY OF TEN CASES. *Ann Intern Med.* 61: 1029-1044.
- Barth, A; Bernst, M. (1992). Influence of bile acids on stimulated lipid peroxidation and hydrogen peroxide production in rat liver microsomes. *Experimental and toxicologic pathology : official journal of the Gesellschaft für Toxikologische Pathologie.* 44: 399-405.
- Barth, A; Müller, D. In vitro investigation of a standardized dried extract of Citrullus colocynthis on liver toxicity in adult rats.
- Barth, A; Müller, D; Durring, K. (2002). In vitro investigation of a standardized dried extract of Citrullus colocynthis on liver toxicity in adult rats. *Exp Toxicol Pathol.* 54: 223-230.
- Barthel, SR; Medvedev, R; Heinrich, T; Buchner, SM; Ketter, N; Hildt, E. (2016). Hepatitis B virus inhibits insulin receptor signaling and impairs liver regeneration via intracellular retention of the insulin receptor. *Cellular and Molecular Life Sciences.* 73: 4121-4140.
- Bartholomaeus, A; Ahokas, J. (1995). Inhibition of P-450 by aucubin: Is the biological activity of aucubin due to its glutaraldehyde-like aglycone? *Toxicol Lett.* 80: 75-83.
- Bartholomew, ML; Willett, LB; Liu, TTY; Moorhead, PD. Changes in hepatic function tests to induced toxicity in the bovine liver. *J Anim Sci.* Jan 1987. v. 64 (1): 201-209.
- Barton, TG; Mordy, JA. (1984). The destruction of halogenated organic chemicals by plasma pyrolysis. *Can J Physiol Pharmacol.* 62: 976-978.
- Bartosiewicz, MJ; Jenkins, P; Penn, S; Emery, J; Buckpitt, A. (2001). Unique gene expression patterns in liver and kidney associated with exposure to chemical toxicants. *The Journal of pharmacology and experimental therapeutics.* 297: 895-905.
- Bartsokas, SC; Papadimitriou, DG; Papacharalampous, NX; Varonos, D. (1973). The effect of mild hypothermia in CCl₄ toxic hepatitis (histologic and functional study). *Acta hepato-gastroenterologica.* 20: 275-282.

Environmental Hazard Literature Search Results

Off Topic

- Barwick, VJ; Ellison, SLR; Rafferty, MJQ; Farrant, TJ. (1998). Evaluation of carbon disulfide as an alternative to carbon tetrachloride for the determination of hydrocarbon oils in water by infra-red spectrophotometry. *Int J Environ Anal Chem.* 72: 235-246.
- Baset, P; Matsushige, K; Hase, K; Kadota, S; Namba, T. (1996). Four di-O-caffeoyl quinic acid derivatives from propolis. Potent hepatoprotective activity in experimental liver injury models. *Biological & Pharmaceutical Bulletin.* 19: 1479-1484.
- Baskin, SI; Petrikovics, I; Platoff, GE; Rockwood, GA; Logue, BA. (2006). Spectrophotometric Analysis of the Cyanide Metabolite 2-Aminothiazoline-4-Carboxylic Acid (ATCA). *Toxicol Mech Meth.* 16: 339-345.
- Basnet, P; Matsushige, K; Hase, K; Kadota, S; Namba, T. (1996). Potent antihepatotoxic activity of dicaffeoyl quinic acids from propolis. *Biological & pharmaceutical bulletin.* 19: 655-657.
- Bass, NM; Kirsch, RE; Tuff, SA; Saunders, SJ. (1978). Radioimmunoassay of plasma ligandin: a sensitive index of experimental hepatocellular necrosis. *Gastroenterology.* 75: 589-594.
- Bassiouny, AR; Zaky, A; Kandeel, KM. (2011). Alteration of AP-endonuclease1 expression in curcumin-treated fibrotic rats. *Ann Hepatol.* 10: 516-530.
- Bastard, C; Bosisio, MR; Chabert, M; Kalopissis, AD; Mahrouf-Yorgov, M; Gilgenkrantz, H; Mueller, S; Sandrin, L. (2011). Transient micro-elastography: A novel non-invasive approach to measure liver stiffness in mice. *World J Gastroenterol.* 17: 968-975.
- Bastien, MC; Leblond, F; Pichette, V; Villeneuve, JP. (2000). Differential alteration of cytochrome P450 isoenzymes in two experimental models of cirrhosis. *Can J Physiol Pharmacol.* 78: 912-919.
- Basu, D; Asolekar, SR. (2012). Performance of UASB reactor in the biotreatment of 1,1,2-Trichloroethane. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 47: 267-273.
- Basu, S. (1999). Oxidative Injury Induced Cyclooxygenase Activation in Experimental Hepatotoxicity. *Biochem Biophys Res Commun.* 254: 764-767.
- Basu, S. (2003). Carbon tetrachloride-induced lipid peroxidation: eicosanoid formation and their regulation by antioxidant nutrients. *Toxicology.* 189: 113-127.
- Basu, S. (2007). Novel cyclooxygenase-catalyzed bioactive prostaglandin F(2 alpha) from physiology to new principles in inflammation. *Medicinal Research Reviews.* 27: 435-468.
- Batabyal, L; Sharma, P; Mohan, L; Maurya, P; Srivastava, CN. (2007). Larvicidal Efficiency of Certain Seed Extracts Against *Anopheles Stephensi*, with Reference to *Azadirachta indica*. *Journal of Asia-Pacific Entomology.* 10: 251-255.
- Batabyal, L; Sharma, P; Mohan, L; Maurya, P; Srivastava, CN. (2009). Relative toxicity of neem fruit, bitter gourd, and castor seed extracts against the larvae of filaria vector, *Culex quinquefasciatus* (Say). *Parasitol Res.* 105: 1205-1210.
- Batanov, AN; Ebert, LY; Dimov, PG; Pyshkin, SA. (2000). Effect of fetal tissue transplantation on reparative processes in experimental liver cirrhosis. *Bull Exp Biol Med.* 130: 798-801.
- Batey, RG; Johnston, R. (1993). Effects of alcohol, carbon tetrachloride, and choline deficiency on iron metabolism in the rat. *Alcoholism, clinical and experimental research.* 17: 931-934.
- Batt, SC; Peterson, PJ. (1988). RISK ASSESSMENT TECHNIQUES FOR CARCINOGENIC CHEMICALS. Richardson, M L. 0: 153-176.
- Battioni, JP; Fontecave, M; Jaouen, M; Mansuy, D. (1991). Vitamin E derivatives as new potent inhibitors of microsomal lipid peroxidation. *Biochem Biophys Res Commun.* 174: 1103-1108.
- Bau, BJ; Garca-ute; n, J; n, JC; Behrens, UJ; Ma, XL; Baraona, E; Lieber, CS. (2007). ACETALDEHYDE COLLAGEN ADDUCTS IN CARBON TETRACHLORIDE INDUCED LIVER INJURY IN RATS. *Gastroenterology.* 33: 959-966.
- Bauchop, T. (1967). Inhibition of rumen methanogenesis by methane analogues. *J Bacteriol.* 94: 171-175.
- Baumann, M; Berauer, M. (1985). Comparative study on the sensitivity of several serum enzymes in detecting hepatic damage in rats. *Archives of toxicology Supplement = Archiv für Toxikologie Supplement.* 8: 370-372.
- Bayat, N; Saygideger, SD; Xu, S; Lu, X; Yao, C; Huang, F; Jiang, H; Hua, W; Na, N; Liu, H; Ouyang, J. (2013). A visual sensor array for pattern recognition analysis of proteins using novel blue-emitting fluorescent gold nanoclusters. *Food Chem.* 141: 1972-1979.
- Bayer, E; Maurer, A; Deyle, CJ; Kutubuddin, M. (1995). RECOVERY OF ACTIVATED CARBONS FROM WASTES VIA LOW-TEMPERATURE CONVERSION .2. ANALYSIS AND EVALUATION OF APPLICABILITY. *Fresen Environ Bull.* 4: 539-544.
- Bayne, CK; Schmoyer, DD; Jenkins, RA. (1994). Practical reporting times for environmental samples. *Environmental Science & Technology.* 28: 1430-1436.
- Bayram, I. The hepatoprotective effects of dihydromyrcenol and geranyl formate in an experimental model of acute hepatic injury induced by the use of carbon tetrachloride.
- Beattie, J; Herbert, PH; Wechtel, C; Steele, CW. (1944). Carbon Tetrachloride Poisoning: Sulphur Metabolism. *Br Med J.* 2: 847-849.
- Beattie, J; Herbert, PH; Wechtel, C; Steele, CW. (1944). Studies on Hepatic Dysfunction: I. Carbon Tetrachloride Poisoning. *Br Med J.* 1: 209-211.
- Beaumont, GP; Garrido, CH, Jr. (1979). Respirator cartridge test system and test results for benzene and acrylonitrile. *Am Ind Hyg Assoc J.* 40: 883-887.
- Beaven, SW; Wroblewski, K; Wang, JH; Hong, C; Bensinger, S; Tsukamoto, H; Tontonoz, P. (2011). Liver X Receptor Signaling Is a Determinant of Stellate Cell Activation and Susceptibility to Fibrotic Liver Disease. *Gastroenterology.* 140: 1052-1062.
- Bechtold, MM; Gee, DL; Bruenner, U; Tappel, AL. (1982). Carbon Tetrachloride-Mediated Expiration of Pentane and Chloroform by the Intact Rat: The Effects of Pretreatment With Diethyl Maleate, SKF-525A and Phenobarbital. *Toxicol Lett.* 11: 165-171.
- Becker, E; MessneAd, lfrS-uuUmMnAlfrZNNFRG; Berndt, J. (1987). Two mechanisms of CCl4-induced fatty liver: lipid peroxidation or covalent binding studied in cultured rat hepatocytes. *Free Radic Res Commun.* 3: 299-308.
- Bedair, HM; Al-Saad, HT. (1992). Dissolved and particulate-adsorbed hydrocarbons in the waters of Shatt al-Arab River, Iraq. *Water Air Soil Pollut.* 61: 397-408.

Environmental Hazard Literature Search Results

Off Topic

- Bedard, TC. (1997). Part A. Functional modular phenylacetylene units: A "molecular turnstile." Part B. Progress towards an electrochemically active 9-phenylcarbazole hyperbranched polymer. PhD, University of Illinois at Urbana-Champaign.
- Bedel, S; Ulrich, G; Picard, C. (2002). Alternative approach to the free radical bromination of oligopyridine benzylic-methyl group. *Tetrahedron Letters*. 43: 1697-1700.
- Bedin, C; Boussarie, L; Barrier, L; Vidaud, M; Rosenbaum, J; Barbin, A; Bâ€šrã€šziat, JCBAUBH. (2002). Evaluation of DNA damage by the alkaline elution technique in liver, kidneys and lungs of rats and hamsters treated with N-nitrosodialkylamines. *Hepatology*. 4.
- Bedossa, P; Houglum, K; Trautwein, C; Holstege, A; Chojkier, M. (1994). Stimulation of collagen alpha 1(I) gene expression is associated with lipid peroxidation in hepatocellular injury: a link to tissue fibrosis? *Hepatology (Baltimore, Md)*. 19: 1262-1271.
- Beer, S; Bellovin, DI; Lee, JS; Komatsubara, K; Wang, LS; Koh, H; Boerner, K; Storm, TA; Davis, CR; Kay, MA; Felsher, DW; Grimm, D. (2010). Low-level shRNA Cytotoxicity Can Contribute to MYC-induced Hepatocellular Carcinoma in Adult Mice. *Molecular Therapy*. 18: 161-170.
- Begarney, MJ; Li, L; Han, BK; Law, DC; Li, CH; Yoon, H; Goorsky, MS; Hicks, RF. (1999). Formation of etch pits during carbon doping of gallium arsenide with carbon tetrachloride by metalorganic vapor-phase epitaxy. *Journal of Applied Physics*. 86: 318-324.
- Begarney, MJ; Warddrip, ML; Kappers, MJ; Hicks, RF. (1998). Kinetics of carbon tetrachloride decomposition during the metalorganic vapor-phase epitaxy of gallium arsenide and indium arsenide. *J Cryst Growth*. 193: 305-315.
- Begerow, J; Jermann, E; Keles, T; Ranft, U; Dunemann, L. (1995). PASSIVE SAMPLING FOR VOLATILE ORGANIC COMPOUNDS VOCs IN AIR AT ENVIRONMENTALLY RELEVANT CONCENTRATION LEVELS. *Fresenius' Journal Of Analytical Chemistry*. 351: 549-554.
- Begum, R; Sagawa, T; Masatoki, S; Matsuura, H. (1998). Infrared spectroscopic study of conformational properties of short chain poly(oxyethylene)s in methanol and carbon tetrachloride. *Journal of Molecular Structure*. 442: 243-250.
- Begum, SJ; Mohanachari, V; Rajendra, W; Indira, K. (1984). Acute toxic effects of carbon tetrachloride in the kidney of mice. *Environment and ecology Kalyani*. 2: 300-304.
- Behar, D; Feilchenfeld, H. (1965). A spectrophotometric investigation of the reaction between diethylaluminum halides and titanium tetrachloride in carbon tetrachloride. *Journal of Organometallic Chemistry*. 4: 278-283.
- Behnam, YT; Maclean, N. (1990). Effects of 5-azacytidine and 5-aza-2-deoxycytidine on alphafetoprotein levels in mice. *Comparative Biochemistry and Physiology Part C: Comparative Pharmacology*. 97: 357-361.
- Beissenhirtz, MK; Kwan, RCH; Ko, KM; Renneberg, R; Scheller, FW; Lisdat, F. (2004). Comparing an in vitro electrochemical measurement of superoxide scavenging activity with an in vivo assessment of antioxidant potential in Chinese tonifying herbs. *Phytother Res*. 18: 149-153.
- Belfiore, CJ; Yang, RSH; Chubb, LS; Lohitnavy, M; Lohitnavy, OS; Andersen, ME. (2007). Hepatic sequestration of chlordecone and hexafluoroacetone evaluated by pharmacokinetic modeling. *Toxicology*. 234: 59-72.
- Belgiorno, J; Plourde, V; Coulombe, PA; Wolfart, K; Spengler, G; Kawase, M; Motohashi, N; MolnÃ r, D-DoMUoSSDmt; ea, HH; Viveiros, M; Amaral, L. (1989). Synergistic interaction between proton pump inhibitors and resistance modifiers: promoting effects of antibiotics and plasmid curing. *The journal of histochemistry and cytochemistry : official journal of the Histochemistry Society*. 37: 377-381.
- Bell, AN; Mehendale, HM. The effect of dietary exposure to Mirex Plus Chlordecone combination on CCl4 hepatotoxicity. *Fundam Appl Toxicol*. Aug 1985. v. 5 (4): 679-687 ill.
- Bell, AN; Mehendale, HM. (1985). THE EFFECT OF DIETARY EXPOSURE TO A MIREX PLUS CHLORDECONE COMBINATION ON CARBON TETRACHLORIDE HEPATOTOXICITY. *Fundam Appl Toxicol*. 5: 679-687.
- Bell, AN; Mehendale, HM. (1985). The effect of dietary exposure to a mirex plus chlordecone combination on CCl4 hepatotoxicity. *Fundamental and applied toxicology : official journal of the Society of Toxicology*. 5: 679-687.
- Bell, AN; Mehendale, HM. (1985). The effect of dietary exposure to a mirex plus chlordecone combination on CCl sub(4) hepatotoxicity. *Fundam Appl Toxicol*. 5: 679-687.
- Bell, AN; Mehendale, HM. (1987). Comparative changes in hepatic DNA, RNA, protein, lipid, and glycogen induced by a subtoxic dose of CCl4 in chlordecone, mirex, and phenobarbital pretreated rats. *Toxicol Lett*. 35: 191-200.
- Bell, AN; Mehendale, M. (1987). Comparative changes in hepatic DNA, RNA, protein, lipid, and glycogen induced by a subtoxic dose of CCl sub(4) in chlordecone, mirex, and phenobarbital pretreated rats. *Toxicol Lett*. 35: 191-200.
- Bell, AN; Young, RA; Lockard, VG; Mehendale, HM. (1988). Protection of chlordecone-potentiated carbon tetrachloride hepatotoxicity and lethality by partial hepatectomy. *Arch Toxicol*. 61: 392-405.
- Bell, AP; Mitchell, WA. (1949). Carbon tetrachloride causes two deaths in industry. *Ind Hyg Newsl*. 9: 4.
- Bell, J; Melcer, H; Monteith, H; Osinga, I; Steel, P. (1993). Stripping of volatile organic compounds at full-scale municipal wastewater treatment plants. *Water Environ Res*. 65: 708-716.
- Bell, RW; Murphy, WM. (1967). Myocarditis in young military personnel. Herpes simplex, trichinosis, meningococcemia, carbon tetrachloride, and idiopathic fibrous and giant cell types. *Am Heart J*. 74: 309-323.
- Bell, SM; Angrish, MM; Wood, CE; Edwards, SW. (2016). Integrating Publicly Available Data to Generate Computationally Predicted Adverse Outcome Pathways for Fatty Liver. *Toxicol Sci*. 150: 510-520.
- Belo, MAD; Soares, VE; de Souza, LM; Sobreira, MFD; Cassol, DMS; Toma, SB. (2012). Hepatoprotective treatment attenuates oxidative damages induced by carbon tetrachloride in rats. *Exp Toxicol Pathol*. 64: 155-165.
- Beltran-Garcia, MJ; Estarron-Espinosa, M; Ogura, T. (1997). Volatile compounds secreted by the oyster mushroom (*Pleurotus ostreatus*) and their antibacterial activities. *J Agric Food Chem*. 45: 4049-4052.
- Belyaev, ND; Budker, VG; Derij, LV; Smolenskaya, IA; Subbotin, VM. (1991). A CORRELATION BETWEEN LIVER PLASMA MEMBRANE-ASSOCIATED STIMULATORY ACTIVITY PMASA AND EXPERIMENTAL CIRRHOSIS FORMATION. *Febs*. 278: 84-86.

Environmental Hazard Literature Search Results

Off Topic

- Belyaev, ND; Budker, VG; Deriy, LV; Smolenskaya, IA; Subbotin, VM. (1992). Liver plasma membrane-associated fibroblast growth: stimulatory and inhibitory activities during experimental cirrhosis. *Hepatology* (Baltimore, Md). 15: 525-531.
- Belykh, AG. (1983). Pharmacokinetics of bilignost in health and experimental liver pathology. *Pharmacology & Toxicology*. 46: 105-108.
- Ben Hsouna, A; Saoudi, M; Trigui, M; Jamoussi, K; Boudawara, T; Jaoua, S; El Feki, A. (2011). Characterization of bioactive compounds and ameliorative effects of *Ceratonia siliqua* leaf extract against CCl₄ induced hepatic oxidative damage and renal failure in rats. *Food Chem Toxicol*. 49: 3183-3191.
- Benedetti, A; Casini, A; Comporti, M. (1974). Fatty acid composition of the major lipid classes of very low density lipoproteins and of plasma in rats poisoned with carbon tetrachloride. *Res Comm Chem Pathol Pharmacol*. 8: 447-460.
- Benedetti, A; Casini, AF; Ferrali, M; Compoeti, M. (1977). Early alterations induced by carbon tetrachloride in the lipids of the membranes of the endoplasmic reticulum of the liver cell. II. Distribution of the alterations in the various lipid fractions. *Chem Biol Interact*. 17: 167-183.
- Benedetti, A; Casini, AF; Ferrali, M; Comporti, M. (1977). Early alterations induced by carbon tetrachloride in the lipids of the membranes of the endoplasmic reticulum of the liver cell. I. Separation and partial characterization of altered lipids. *Chem Biol Interact*. 17: 151-156.
- Benedetti, A; Casini, AF; Ferrali, M; Comporti, M. (1977). Studies on the relationships between carbon tetrachloride-induced alterations of liver microsomal lipids and impairment of glucose-6-phosphatase activity. *Exp Mol Pathol*. 27: 309-323.
- Benedetto, C; Dianzani, MU; Ahmed, M; Cheeseman, K; Connelly, C; Slater, TF. (1981). Activation of carbon tetrachloride, and distribution of NADPH-cytochrome c reductase, cytochrome P-450, and other microsomal enzyme activities in rat tissues. *Biochim Biophys Acta*. 677: 363-372.
- Benfenati, E; Facchini, G; Pierucci, P; Fanelli, R. (1996). Identification of organic contaminants in leachates from industrial waste landfills. *Trends Analyt Chem*. 15: 305-310.
- Benford, DJ; Bridges, JW. (1986). XENOBIOTIC METABOLISM IN LUNG. *Bridges, J W And L F Chasseaud*. 0: 53-94.
- Bengmark, S. (2009). Bio-ecological control of chronic liver disease and encephalopathy. *Metab Brain Dis*. 24: 223-236.
- Bengmark, S; Olsson, R. (1964). THE EFFECT OF CASTRATION AND TESTOSTERONE TREATMENT ON LIVER HEALING IN MALE RATS AFTER CARBON TETRACHLORIDE INJURY. *Pathol Microbiol*. 27: 167-174.
- Ben-Hayyim, G; Kochba, J. (1983). Aspects of Salt Tolerance in a NaCl-Selected Stable Cell Line of *Citrus sinensis*. *Plant physiology*. 72: 685-690.
- Benigni, R; Cotta-Ramusino, M; Andreoli, C. (1991). Relationship between chlorofluorocarbon chemical structure and their *Salmonella* mutagenicity. *J Toxicol Environ Health*. 34: 397-408.
- Bennett, DH; Kastenberg, WE; McKone, TE. (1999). General formulation of characteristics time for persistent chemicals in multimedia environment. *Environmental Science & Technology*. 33: 502-509.
- Bennett, GF. (1989). IMPACT OF TOXIC CHEMICALS ON LOCAL WASTEWATER TREATMENT PLANT AND THE ENVIRONMENT. *Environ Geol Water Sci*. 13: 201-212.
- Bennett, RG; Heimann, DG; Singh, S; Simpson, RL; Tuma, DJ. (2014). Relaxin decreases the severity of established hepatic fibrosis in mice. *Liver Int*. 34: 416-426.
- Bennett, RG; Heimann, DG; Tuma, DJ. (2009). Relaxin reduces fibrosis in models of progressive and established hepatic fibrosis. *Ann N Y Acad Sci*. 1160: 348-349.
- Benoist, AP; Broseliske, GH. (1994). WATER QUALITY PROGNOSIS AND COST ANALYSIS OF POLLUTION ABATEMENT MEASURES IN THE RHINE BASIN THE RIVER RHINE PROJECT EVER. *Water Science And Technology*. 29: 95-106.
- Bensley, EH; Hollenberg, CH; Joron, GE. (1957). Carbon tetrachloride; an underrated hazard. *Can Med Assoc J*. 76: 173-175.
- Benson, JM; Tibbetts, BM; Thrall, KD; Springer, DL. (2001). Uptake, tissue distribution, and fate of inhaled carbon tetrachloride: Comparison of rat, mouse, and hamster. *Inhal Toxicol*. 13: 207-217.
- Bera, TK; Chatterjee, K; De, D; Ali, KM; Jana, K; Maiti, S; Ghosh, D. (2011). Hepatoprotective activity of Livshis, a polyherbal formulation in CCl₄-induced hepatotoxic male Wistar rats: A toxicity screening approach. *Genomic Medicine, Biomarkers, and Health Sciences*. 3: 103-110.
- Berasain, C; Garcia-Trevijano, ER; Castillo, J; Erroba, E; Santamaria, M; Lee, DC; Prieto, J; Avila, MA. (2005). Novel role for amphiregulin in protection from liver injury. *J Biol Chem*. 280: 19012-19020.
- Berberich, DW; Wendling, JM; Orth, RG. (1990). ANALYSIS OF VOLATILE ORGANIC COMPOUNDS WITH AN ION TRAP MASS SPECTROMETER. US Environmental Protection Agency'S Atmospheric Research And Exposure Assessment Laboratory And Air And Waste Management Association Measurement Of Toxic And Related Air Pollutants. 0: 693-698.
- Berencsi, G; Krompecher, S; Maercz, I. (1964). CONTRIBUTION TO THE CORRELATION BETWEEN HEPATIC FUNCTION AND MUCOPOLYSACCHARIDE HOUSEHOLD. *Acta Anat*. 57: 232-242.
- Berens, AR. (1994). PREDICTION OF ORGANIC CHEMICAL PERMEATION THROUGH POLYVINYL CHLORIDE PIPE. *Am Water Works Assoc J*. 77: 57-64.
- Berezovskaya, IV; Beloshapko, AA; Vlasova, ME; Kinzirsky, AS; Rymartsev, VI. (1980). Modification of experimental liver damage by an antiseptic: alkyl-dimethylbenzylammonium chloride. *Polish journal of pharmacology and pharmacy*. 32: 395-401.
- Berge, ND; Ramsburg, CA. (2010). Iron-mediated trichloroethene reduction within nonaqueous phase liquid. *J Contam Hydrol*. 118: 105-116.
- Berger, J. (1971). A comparison of the activity of some fasciolicides against immature *Fasciola gigantica* in experimentally infected calves. *Bulletin of epizootic diseases of Africa Bulletin des epizooties en Afrique*. 19: 37-44.
- Berger, M; Hagler, H; Parsons, B; Reynolds, R. (1985). IN-VITRO HEPATOCELLULAR DEGENERATION AND NECROSIS A SEQUENTIAL MORPHOLOGIC ANALYSIS. Abstracts Of Papers Submitted To The American Association For The Study Of Liver Disease For The 86th Annual Meeting Of The American Gastroenterological Association Held In Conjunction With The Annual Meeting Of The American Association For The Study Of Liver Disease And The Gastroenterology Study Group, New York, NY, Usa, May. 88.

Environmental Hazard Literature Search Results

Off Topic

- Berger, ML; Reynolds, RC; Combes, B. (1987). Carbon tetrachloride-induced morphologic alterations in isolated rat hepatocytes. *Exp Mol Pathol.* 46: 245-257.
- Berger, ML; Sozeri, T. (1987). RAPID HALOGENATED HYDROCARBON TOXICITY IN ISOLATED HEPATOCYTES IS MEDIATED BY DIRECT SOLVENT EFFECTS. *Toxicology.* 45: 319-330.
- Bergman, A; Leonardsson, I; Wachtmeister, CA. (1981). Synthesis of polychlorinated [¹⁴C]alkanes (PCA) of high specific activity. *Chemosphere.* 10: 857-863.
- Bergman, K. (1979). Whole-body autoradiography and allied tracer techniques in distribution and elimination studies of some organic solvents: benzene, toluene, xylene, styrene, methylene chloride, chloroform, carbon tetrachloride and trichloroethylene. *Scandinavian journal of work, environment & health.* 5 Suppl 1: 1-263.
- Bergman, K. (1983). Application and results of whole-body autoradiography in distribution studies of organic solvents. *CRC CRIT REV TOXICOL.* 12: 59-118.
- Bergmen, F; Van, DERLINDENW. (1965). INFLUENCE OF CARBON TETRACHLORIDE-INDUCED CIRRHOSIS ON THE INCIDENCE OF RESTRAINT-STRESS EROSIONS IN THE STOMACH OF RATS. *Acta chirurgica Scandinavica.* 129: 196-200.
- Berlanga, J; Caballero, ME; Ramirez, D; Torres, A; Valenzuela, C; Lodos, J; Playford, RJ. (1998). Epidermal growth factor protects against carbon tetrachloride-induced hepatic injury. *Clin Sci (Lond).* 94: 219-223.
- Berman, E; House, DE; Allis, JW; Simmons, JE. (1992). Hepatotoxic interactions of ethanol with allyl alcohol or carbon tetrachloride in rats. *J Toxicol Environ Health.* 37: 161-176.
- Berman, LM; Wolf, PJ. (1998). Laser-induced breakdown spectroscopy of liquids: Aqueous solutions of nickel and chlorinated hydrocarbons. *Appl Spectrosc.* 52: 438-443.
- Berman, MD; Waggoner, JG; Foidart, JM; Kleinman, HK. (1980). Attachment to collagen by isolated hepatocytes from rats with induced hepatic fibrosis. *The Journal of laboratory and clinical medicine.* 95: 660-671.
- Bermudez, E; Mirsalis, JC; Eales, HC. (1982). Detection of DNA damage in primary cultures of rat hepatocytes following in vivo and in vitro exposure to genotoxic agents. *Environ Mutagen.* 4: 667-679.
- Bernacchi, A; Myers, R; Trump, BF; Marzella, L. (1984). Protection of hepatocytes with hyperoxia against carbon tetrachloride-induced injury. *Toxicol Pathol.* 12: 315-323.
- Bernacchi, AS; De Castro, CR; De Ferreyra, EC; Villarruel, MC; Fernandez, G; De Fenos, OM; Castro, JA. (1983). Carbon tetrachloride-induced liver injury in the rabbit. *Br J Exp Pathol.* 64: 261-267.
- Bernacchi, AS; De Castro, CR; De Toranzo, EGD; De Ferreyra, EC; De Fenos, OM; Castro, JA. Effects of carbon tetrachloride on the liver of chickens. Early biochemical and ultrastructural alterations in the absence of detectable lipid peroxidation. *Xenobiotica.* Feb 1987. v. 17 (2): 223-228.
- Bernacchi, AS; de, CCR; de, TEG; Marzi, A; de, FEC; de, FOM; Castro, JA. (1980). Pyrazole prevention of CC14-induced ultrastructural changes in rat liver. *Br J Exp Pathol.* 61: 505-511.
- Bernard, AM; Lauwerys, RR. (1981). The effects of sodium chromate and carbon tetrachloride on the urinary excretion and tissue distribution of cadmium in cadmium-pretreated rats. *Toxicol Appl Pharmacol.* 57: 30-38.
- Bernard, WV; Divers, TJ. (1989). Variations in serum sorbitol dehydrogenase, aspartate transaminase, and isoenzyme 5 of lactate dehydrogenase activities in horses given carbon tetrachloride. *Am J Vet Res.* 50: 622-623.
- Bernardi, M. (2005). HYDROGEOLOGIC INVESTIGATION AND IMPLEMENTATION OF REMEDIAL MEASURES AT BENDIX INDUSTRIAL TOOLS GREEN FIELD, MASSACHUSETTS WITH COVER LETTERS. *J Hepatol.* 43: 92-97.
- Bernstein, J; Santacana, G. (1987). Effects of ethanol on calcium transport across the liver cell plasma membrane. *Res Comm Chem Pathol Pharmacol.* 56: 49-74.
- Bertelli, A; Giovannini, L; Bertelli, AAE; Maltinti, G; Scalori, V; Romano, MR. (1986). Tissue concentrations of coenzyme Q in liver of rats intoxicated by carbon tetrachloride. *International Journal of Tissue Reactions.* 8: 343-346.
- Bertone, D; Campi, R; Morello, G. (1998). Etching of InP-based MQW laser structure in a MOCVD reactor by chlorinated compounds. *J Cryst Growth.* 195: 624-629.
- Bespalov, VG; Alexandrov, VA. (1984). Influence of retinol acetate and carbon tetrachloride on transplacental carcinogenic effect of N-nitrosoethylurea. *FARMAKOL TOKSIKOL*67-70.
- Bessolov, VN; Lebedev, MV; Binh, NM; Friedrich, M; Zahn, DRT. (1998). Sulphide passivation of GaAs: the role of the sulphur chemical activity. *Semiconductor Science and Technology.* 13: 611-614.
- Best, DH; Coleman, WB. (2010). Liver regeneration by small hepatocyte-like progenitor cells after necrotic injury by carbon tetrachloride in retrorsine-exposed rats. *Exp Mol Pathol.* 89: 92-98.
- Betterton, EA; Hollan, N; Arnold, RG; Gogosha, S; McKim, K; Liu, ZJ. (2000). Acetone-photosensitized reduction of carbon tetrachloride by 2-propanol in aqueous solution. *Environmental Science & Technology.* 34: 1229-1233.
- Beuth, J; Ko, HL; Steuer, M; Pulverer, G. (1993). Hepatocellular injury inhibits lectin-mediated tumor colonization into BALB/c-mice livers. *Experientia.* 49: 547-550.
- Beyer, RE. (1988). Inhibition by coenzyme Q of ethanol- and carbon tetrachloride-stimulated lipid peroxidation in vivo and catalyzed by microsomal and mitochondrial systems. *Free Radic Biol Med.* 5: 297-303.
- Beyer, WN. (1990). EVALUATING SOIL CONTAMINATION. *U S Fish Wildl Serv Biol Rep.* 90: 1-25.
- Beytut, E; Guven, A; Kamiloglu, NN. (2003). Alterations in antioxidative defense mechanisms of mice exposed to the different level of carbon tetrachloride. *Indian Veterinary Journal.* 80: 1128-1131.

Environmental Hazard Literature Search Results

Off Topic

- Bhadauria, M. (2012). Combined treatment of HEDTA and propolis prevents aluminum induced toxicity in rats. *Food Chem Toxicol.* 50: 2487-2495.
- Bhadauria, M. (2012). Propolis prevents hepatorenal injury induced by chronic exposure to carbon tetrachloride. *Evidence-based complementary and alternative medicine : eCAM.* 2012: 235358.
- Bhadauria, M; Jadon, A; Sharma, A; Shukla, S. (2002). Effect of propriety herbal formulation against chronic carbon tetrachloride induced hepatotoxicity. *Indian J Exp Biol.* 40: 1254-1259.
- Bhadauria, M; Nirala, SK. (2009). Reversal of acetaminophen induced subchronic hepatorenal injury by propolis extract in rats. *Environ Toxicol Pharmacol.* 27: 17-25.
- Bhadauria, M; Nirala, SK; Shukla, S. (2007). Duration-dependent hepatoprotective effects of propolis extract against carbon tetrachloride-induced acute liver damage in rats. *Advances in therapy.* 24: 1136-1145.
- Bhadauria, M; Nirala, SK; Shukla, S. (2007). Propolis protects CYP 2E1 enzymatic activity and oxidative stress induced by carbon tetrachloride. *Mol Cell Biochem.* 302: 215-224.
- Bhadauria, M; Nirala, SK; Shukla, S. (2008). Multiple treatment of propolis extract ameliorates carbon tetrachloride induced liver injury in rats. *Food Chem Toxicol.* 46: 2703-2712.
- Bhakta, T; Mukherjee, PK; Mukherjee, K; Banerjee, S; Mandal, SC; Maity, TK; Pal, M; Saha, BP. (1999). Evaluation of hepatoprotective activity of *Cassia fistula* leaf extract. *J Ethnopharmacol.* 66: 277-282.
- Bhalla, A; Bari, SS; Vats, S; Bhalla, J; Sharma, K; Narula, D. (2016). One pot, simple, and efficient synthesis of (E)- and (Z)-3-allylidene- $\hat{\text{I}}^2$ -lactams from 3-allyl-3-phenylseleno- $\hat{\text{I}}^2$ -lactams: analogues of $\hat{\text{I}}^2$ -lactamase inhibitors. *Tetrahedron Letters.* 57: 4763-4766.
- Bhanalaph, T; Sampson, D; Murphy, GP. (1973). The metabolism of the isolated perfused canine liver. *Cryobiology.* 10: 497-501.
- Bhandarkar, M; Khan, A. (2003). Protective effect of *Lawsonia alba* Lam., against CCl₄ induced hepatic damage in albino rats. *Indian J Exp Biol.* 41: 85-87.
- Bhandarkar, MR; Khan, A. (2004). Antihepatotoxic effect of *Nymphaea stellata* willd., against carbon tetrachloride-induced hepatic damage in albino rats. *J Ethnopharmacol.* 91: 61-64.
- Bharadwaj, TP; Tandon, HD; Wahi, PN. (1956). Adrenal cortex and hepatic cirrhosis. I. Role of adrenal cortex in evolution of carbon-tetrachloride-induced cirrhosis. *AMA archives of pathology.* 62: 200-214.
- Bharadwaj, TP; Tandon, HD; Wahi, PN. (1956). Adrenal cortex and hepatic cirrhosis. II. Effect of cortisone on progress of carbon-tetrachloride-induced cirrhosis. *AMA archives of pathology.* 62: 215-217.
- Bhargava, KK; Joseph, B; Ananthanarayanan, M; Balasubramanian, N; Tronco, GG; Palestro, CJ; Gupta, S. (2009). Adenosine Triphosphate-Binding Cassette Subfamily C Member 2 Is the Major Transporter of the Hepatobiliary Imaging Agent (99m)Tc-Mebrofenin. *J Nucl Med.* 50: 1140-1146.
- Bhargavi, K; Ramani, ND; Janarthan, M; Duraivel, S. (2013). Evaluation of nephro protective activity of methanolic extract of seeds of *Vitis vinifera* against Rifampicin and carbon tetra chloride induced nephro toxicity in wistar rats. *Indian Journal of Research in Pharmacy and Biotechnology.* 1: 803.
- Bhasin, P; Singla, N; Dhawan, DK. (2014). Protective Role of Zinc During Aluminum-Induced Hepatotoxicity. *Environ Toxicol.* 29: 320-327.
- Bhaskar, VH; Balakrishnan, N. (2010). Protective effects of *Pergularia daemia* roots against paracetamol and carbon tetrachloride-induced hepatotoxicity in rats. *Pharmaceutical Biology.* 48: 1265-1272.
- Bhat, S; Jacobs, JM; Hatfield, K; Prenger, J. (2006). Relationships between stream water chemistry and military land use in forested watersheds in Fort Benning, Georgia. *Ecol Indic.* 6: 458-466.
- Bhat, VB; Madyastha, KM. (2000). C-Phycocyanin: A potent peroxy radical scavenger in vivo and in vitro. *Biochem Biophys Res Commun.* 275: 20-25.
- Bhathal, PS; Grossman, HJ. (1985). Reduction of the increased portal vascular resistance of the isolated perfused cirrhotic rat liver by vasodilators. *J Hepatol.* 1: 325-337.
- Bhathal, PS; Rose, NR; Mackay, IR; Whittingham, S. (1983). Strain differences in mice in carbon tetrachloride-induced liver injury. *Br J Exp Pathol.* 64: 524-533.
- Bhatia, SS; Tonapi, GT. Effect of ethylene dichloride and carbon tetrachloride (EDCT) fumigation on the larval *Corcya cephalonica* (H.). *Science and culture.* July 1975, 41 (7): 332-334.
- Bhatnagar, A; Cheung, HM. (1994). Sonochemical destruction of chlorinated C1 and C2 volatile organic compounds in dilute aqueous solution. *Environmental Science & Technology.* 28: 1481-1486.
- Bhatnagar, SP. (1970). Release of cholinesterase from rat liver by nicotinamide and carbon tetrachloride. *Biochem Pharmacol.* 19: 2009-2016.
- Bhatt, P; Kumar, MS; Mudliar, S; Chakrabarti, T. (2007). Biodegradation of chlorinated compounds - A review. *Crit Rev Environ Sci Tech.* 37: 165-198.
- Bhattacharjee, M; Cherian, L; Gupta, VK. (1991). Modified Fujiwara reaction for the determination of trichloroacetic acid. *Microchem J.* 43: 109-111.
- Bhattacharjee, R; Sil, PC. (2007). Protein Isolate from the Herb *Phyllanthus niruri* Modulates Carbon Tetrachloride-Induced Cytotoxicity in Hepatocytes. *Toxicol Mech Meth.* 17: 41-47.
- Bhattacharjee, R; Sil, PC. (2007). Protein isolate from the herb, *Phyllanthus niruri* L. (Euphorbiaceae), plays hepatoprotective role against carbon tetrachloride induced liver damage via its antioxidant properties. *Food Chem Toxicol.* 45: 817-826.
- Bhattacharya, S. (1998). Mechanisms of signal transduction in the stress response of hepatocytes. *International Review of Cytology - a Survey of Cell Biology, Vol 184.* 184: 109-156.

Environmental Hazard Literature Search Results

Off Topic

- Bhattacharya, S; Banerjee, M; Mukherjee, AK. (2001). Room temperature solution studies of complexation between o-chloranil and a series of anilines by spectrophotometric method. *Spectrochimica acta Part A, Molecular and biomolecular spectroscopy*. 57: 2409-2416.
- Bhattacharya, S; Gachhui, R; Sil, PC. (2011). Hepatoprotective properties of kombucha tea against TBHP-induced oxidative stress via suppression of mitochondria dependent apoptosis. *Pathophysiology : the official journal of the International Society for Pathophysiology / ISP*. 18: 221-234.
- Bhattacharyya, D; Pandit, S; Mukherjee, R; Das, N; Sur, TK. (2003). Hepatoprotective effect of Himoliv, a polyherbal formulation in rats. *Indian J Physiol Pharmacol*. 47: 435-440.
- Bhattacharyya, S; Ahammed, SM; Saha, BP; Mukherjee, PK. (2013). The gallic acid-phospholipid complex improved the antioxidant potential of gallic acid by enhancing its bioavailability. *AAPS PharmSciTech*. 14: 1025-1033.
- Bhattacharyya, S; Ahmmed, SM; Saha, BP; Mukherjee, PK. (2014). Soya phospholipid complex of mangiferin enhances its hepatoprotectivity by improving its bioavailability and pharmacokinetics. *J Sci Food Agric*. 94: 1380-1388.
- Bhave, VS; Donthamsetty, S; Latendresse, JR; Cunningham, ML; Mehendale, HM. (2011). Secretory phospholipase A₂-mediated progression of hepatotoxicity initiated by acetaminophen is exacerbated in the absence of hepatic COX-2. *Toxicol Appl Pharmacol*. 251: 173-180.
- Bhavsar, SK; Joshi, P; Shah, MB; Santani, DD. (2007). Investigation into hepatoprotective activity of Citrus limon. *Pharmaceutical Biology*. 45: 303-311.
- Bhogal, RK; Bona, CA. (2005). B cells: no longer bystanders no liver fibroses. *J Clin Invest*. 115: 2962-2965.
- Bhondave, PD; Devarshi, PP; Mahadik, KR; Harsulkar, AM. (2014). 'Ashvagandharishta' prepared using yeast consortium from *Woodfordia fruticosa* flowers exhibit hepatoprotective effect on CCl₄ induced liver damage in Wistar rats. *J Ethnopharmacol*. 151: 183-190.
- Bhoopat, L; Srichairatanakool, S; Kanjanapothi, D; Taesotikul, T; Thananchai, H; Bhoopat, T. (2011). Hepatoprotective effects of lychee (*Litchi chinensis* Sonn.): A combination of antioxidant and anti-apoptotic activities. *J Ethnopharmacol*. 136: 55-66.
- Bhowmick, M; Semmens, MJ. (1985). LABORATORY-SCALE TESTING OF A CONTINUOUS CLAS PROCESS. *American Water Works Association Journal*. 86: 86-96.
- Bhowmick, M; Semmens, MJ. (1994). Batch studies on a closed loop air stripping process. *Water Res*. 28: 2011-2019.
- Bhuyan, UN; Nayak, NC; Deo, MG; Ramalingaswami, V. (1965). EFFECT OF DIETARY PROTEIN ON CARBON TETRACHLORIDE-INDUCED HEPATIC FIBROGENESIS IN ALBINO RATS. *Laboratory investigation; a journal of technical methods and pathology*. 14: 184-190.
- Bianchi-Mosquera, GC; Mackay, DM. (1992). COMPARISON OF STAINLESS STEEL VS. PTFE MINIWELLS FOR MONITORING HALOGENATED ORGANIC SOLUTE TRANSPORT. *Ground Water Monit Rev*. 12: 126-131.
- Biasi, F; Albano, E; Chiarpotto, E; Corongiu, FP; Pronzato, MA; Marinari, UM; Parola, M; Dianzani, MU; Poli, G. (1991). In vivo and in vitro evidence concerning the role of lipid peroxidation in the mechanism of hepatocyte death due to carbon tetrachloride. *Cell Biochem Funct*. 9: 111-118.
- Bickel, M; Baringhaus, KH; Gerl, M; Gãnzler, V; Kanta, J; Schmidts, L; Stapf, M; Tschank, G; Weidmann, K; Werner, U. (1998). Selective inhibition of hepatic collagen accumulation in experimental liver fibrosis in rats by a new prolyl 4-hydroxylase inhibitor. *Hepatology (Baltimore, Md)*. 28: 404-411.
- Bidlack, WR; Advani, SV; Andresen, JW. (1980). Carbon tetrachloride-altered binding of carbon monoxide to reduced cytochrome P-450 in phenobarbital microsomes. *Biochemical Medicine*. 23: 205-208.
- Bie, ST; Du, LX; Zhang, LM; Lu, FP. (2005). Bioconversion of methyl-testosterone in a biphasic system. *Process Biochemistry*. 40: 3309-3313.
- Bielmeier, SR; Murr, AS; Best, DS; Harrison, RA; Pegram, RA; Goldman, JM; Narotsky, MG. (2007). Effects of bromodichloromethane on ex vivo and in vitro luteal function and bromodichloromethane tissue dosimetry in the pregnant F344 rat. *Toxicol In Vitro*. 21: 919-928.
- Bielorai, R; Alumot, E. (1975). The temperature effect on fumigant desorption from cereal grain. *J Agric Food Chem*. 23: 426-429.
- Bien, E; Witt, M. (1985). Influence of pyrazolones on hepatic glutathione in rats. *Archives of toxicology Supplement = Archiv für Toxikologie Supplement*. 8: 366-369.
- Bierke, P; Granath, F; Ehrenberg, L; Dong, MX; Jia, Y; Zhang, YB; Li, CC; Geng, YT; Zhou, L; Li, XY; Liu, JC; Niu, YC. (1994). Emodin protects rat liver from CCl₄-induced fibrogenesis via inhibition of hepatic stellate cells activation. *Mutat Res*. 307: 387-393.
- Biesel, KW; Ehrnpreis, MN; Brathal, PS; Mackay, IR; Rose, NR. (1984). Genetics of carbon tetrachloride-induced liver injury in mice. II. Multigenic regulation. *Br J Exp Pathol*. 65: 125-131.
- Bigg, T; Judd, SJ. (2000). Zero-valent iron for water treatment. *Environ Technol*. 21: 661-670.
- Biju, P; Yu, YN. (2007). A new synthesis of 3,4-disubstituted 1,2,5-thiadiazoles. *Tetrahedron Letters*. 48: 5279-5282.
- Bikshapathi, M; Singh, S; Bhaduri, B; Mathur, GN; Sharma, A; Verma, N. (2012). Fe-nanoparticles dispersed carbon micro and nanofibers: Surfactant-mediated preparation and application to the removal of gaseous VOCs. *Colloids and surfaces*. 399: 46-55.
- Bilgin, HM; Atmaca, M; Obay, BD; Ozekinci, S; Tasmemir, E; Ketani, A. (2011). Protective effects of coumarin and coumarin derivatives against carbon tetrachloride-induced acute hepatotoxicity in rats. *Exp Toxicol Pathol*. 63: 325-330.
- Billing, P; Brinker, UH. (2012). Mild One-step Synthesis of Dibromo Compounds from Cyclic Ethers. *J Org Chem*. 77: 11227-11231.
- Bin, WT; Ma, LM; Xu, Q; Shi, XL. (2012). Embryonic hepatocyte transplantation for hepatic cirrhosis: efficacy and mechanism of action. *World J Gastroenterol*. 18: 309-322.
- Bintein, S; Devillers, J. (1994). QSAR for organic chemical sorption in soils and sediments. *Chemosphere*. 28: 1171-1188.
- Bioulac, P; Despuyos, L; Bedin, C; Iron, A; Saric, J; Balabaud, C. (1981). Decreased acute hepatotoxicity of carbon tetrachloride and bromobenzene by cholestyramine in the rat. *Gastroenterology*. 81: 520-526.
- Bioulac-Sage, P; Lapostolle, V; More, N; Balabaud, C. (1984). Acute hepatotoxicity of carbon tetra-chloride. Different liver lobes response in rats with portal branch ligation. *EXP PATHOL*. 26: 33-40.
- Bird, CW. (1980). The reaction of aldrin, photoaldrin and isodrin with phthaloyl peroxide. *Tetrahedron*. 36: 535-537.

Environmental Hazard Literature Search Results

Off Topic

- Birge, WJ; Black, JA; Ramey, BA. (1981). Reproductive Toxicology of Aquatic Contaminants. Hazard Assessment of Chemicals: Current Developments Vol 1, Academic Press, New York 1981 p 59-115, 7 fig, 7 tab, 196 ref Contract No AEN 74-00768 A01.
- Birk, MB. (1998). Trial burn activities for a mixed waste incinerator. Waste Manag. 18: 467-471.
- Biron, P; Meyer, P. (1968). Hepatic extraction of angiotensin after carbon tetrachloride intoxication. Revue canadienne de biologie / éditée par l'Université de Montréal. 27: 277-279.
- Bisgaard, HC; Quistorff, B. (1985). THE USE OF A LARGE SCALE SINUSOID MODEL HEPATOCYTE COLUMN IN THE STUDY OF ZONATION OF CARBON TETRACHLORIDE METABOLISM AND TOXICITY. 16th Annual Nordic Meeting On Biological Alcohol Research, Stockholm, Sweden, May. 57.
- Bishayee, A; Chatterjee, M. (1993). Carrot aqueous extract protection against hepatic oxidative stress and lipid peroxidation induces by acute carbon tetrachloride intoxication in mice. Fitoterapia. 64: 261-265.
- Bishayee, A; Mandal, A; Chatterjee, M. (1996). Prevention of alcohol-carbon tetrachloride-induced signs of early hepatotoxicity in mice by Trianthema portulacastrum L. Phytomedicine. 3: 155-161.
- Bishayee, A; Sarkar, A; Chatterjee, M. Hepatoprotective activity of carrot (Daucus carota L.) against carbon tetrachloride intoxication in mouse liver. J Ethnopharmacol. July 7, 1995. v. 47 (2): 69-74.
- Bishayi, B; Roychowdhury, S; Ghosh, S; Sengupta, M. (2002). Hepatoprotective and immunomodulatory properties of Tinospora cordifolia in CCl4 intoxicated mature albino rats. The Journal of toxicological sciences. 27: 139-146.
- Bishayi, B; Roychowdhury, S; Ghosh, S; Sengupta, M. (2002). Hepatoprotective and Immunomodulatory Properties of Tinospora Cordifolia in Ccl sub(4) Intoxicated Mature Albino Rats. J Toxicol Sci. 27: 139-146.
- Bishop, AR; Hostetler, MJ; Girolami, GS; Nuzzo, RG. (1998). Transport dynamics in ordered bilayer assemblies of the n-alkanes on Pt(111). J Am Chem Soc. 120: 3305-3315.
- Biswas, NM; Deb, C. (1971). Ascorbic acid and delta-5-3-beta-hydroxysteroid dehydrogenase in toad testis after carbon tetrachloride intoxication. Anatomischer Anzeiger. 128: 101-104.
- Biswas, NM; Mukherji, M. (1968). Histochemical changes in the kidney of toad (Bufo melanostictus) after carbon tetrachloride intoxication. Anatomischer Anzeiger. 123: 100-104.
- Bitencourt, S; Stradiot, L; Verhulst, S; Thoen, L; Mannaerts, I; van Grunsven, LA. (2015). Inhibitory effect of dietary capsaicin on liver fibrosis in mice. Molecular Nutrition & Food Research. 59: 1107-1116.
- Bjarnason, O; JÃChannesson, T; nasson, TA. (1968). Carbon tetrachloride poisoning in ReykjavÃk and v. Archiv für Toxikologie. 23: 112-121.
- Bjerg, PL; Ruge, K; Cortsen, J; Nielsen, PH; Christensen, TH. (1992). Degradation of aromatic and chlormated aliphatic hydrocarbons in the anaerobic part of the Grindsted Landfill Leachate Plume: In situ microcosm and laboratory batch experiments. Ground Water. 37: 113-121.
- Bjerre, A. (1981). Mathematical Modelling in the Hazard Assessment of Substances Forming Toxic Decomposition Products. The Example of Carbon Tetrachloride. ANNALS OCCUP HYG. 24: 175-183.
- Black, A; Khan, S; Brown, R; Sharp, P; Chatfield, H; McGuinness, C. (2007). An evaluation of opioid replacement pharmacotherapy in an urban Aboriginal Health Service. Aust N Z J Public Health. 31: 428-432.
- Blain, RB; Moholkar, M; Lakshmanan, K; Leonard, D; Zhao, X; Calabrese, EJ. (1996). Effects of repeat dosing and multiple blood drawing separately and together on carbon tetrachloride-induced hepatotoxicity. J Am Coll Toxicol. 15: 381-393.
- Blain, RB; Reeves, R; Ewald, KA; Leonard, D; Calabrese, EJ. (1999). Susceptibility to chlordecone-carbon tetrachloride induced hepatotoxicity and lethality is both age and sex dependent. Toxicol Sci. 50: 280-286.
- Blair, E; Greaves, J; Farmer, PJ. (2004). High-temperature electrocatalysis using thermophilic P450 CYP119: dehalogenation of CCl4 to CH4. J Am Chem Soc. 126: 8632-8633.
- Blair, PC; Thompson, MB; Wilson, RE; Esber, HH; Maronpot, RR. (1991). Correlation of changes in serum analytes and hepatic histopathology in rats exposed to carbon tetrachloride. Toxicol Lett. 55: 149-159.
- Blair, PC; Wilson, R; Thompson, MB. (1990). MEASUREMENT OF INDIVIDUAL BILE ACIDS IN SERUM TO CHARACTERIZE HEPATOBILIARY TOXICITY IN RATS. 42nd National Meeting Of The American Association For Clinical Chemistry And The 34th Annual Meeting Of The Canadian Society Of Clinical Chemists Held At The Xiv International Congress Of Clinical Chemistry, San Francisco, California, Usa, July. 36: 1175-1176.
- Blakeman, DP; Ryan, TP; Jolly, RA; Petry, TW. (1995). Diquat-dependent protein carbonyl formation: Identification of lipid-dependent and lipid-independent pathways. Biochem Pharmacol. 50: 929-935.
- Blakemore, F; McDougall, EL. (1946). Flock idiosyncrasy to carbon tetrachloride. The Veterinary record. 58: 400.
- Blanch, A; Bianchi, AC. (1999). Volatile organic compounds in an urban airborne environment adjacent to a municipal incinerator, waste collection centre and sewage treatment plant. AU - LEACH J. Atmos Environ. 33: 4309-4325.
- Blanchard, RD. (1986). USE OF A PERMEATION DEVICE TO COLLECT VOLATILE ORGANIC PRIORITY POLLUTANTS AU - HARDY JK. Berlin, A, R H Brown And K J Saunders. 0: 392-395.
- Blanchard, RD; Hardy, JK. (1985). USE OF A PERMEATION SAMPLER IN THE COLLECTION OF 23 VOLATILE ORGANIC PRIORITY POLLUTANTS. Anal Chem. 57: 2349-2351.
- Blanco, T; Maniasso, N; Gine, MF; Jacintho, AO. (1998). Liquid-liquid extraction in flow injection analysis using an open-phase separator for the spectrophotometric determination of copper in plant digests. Analyst. 123: 191-193.
- Blatz, PE; Mohler, JH; Navangul, HV. (1972). Anion-induced wavelength regulation of absorption maxima of Schiff bases of retinal. Biochemistry. 11: 848-855.

Environmental Hazard Literature Search Results

Off Topic

- Ble-Castillo, JL; Rodriguez-Hernandez, A; Miranda-Zamora, R; Juarez-Oropez, MA; Diaz-Zagoya, JC. (2002). Arthrospira maxima prevents the acute fatty liver induced by the administration of simvastatin, ethanol and a hypercholesterolemic diet to mice. *Life Sci.* 70: 2665-2673.
- Blendis, LM. (1992). Hepatocyte swelling and portal hypertension. *J Hepatol.* 15: 4-5.
- Blois, SM; Piccioni, F; Freitag, N; Tirado-Gonzalez, I; Moschansky, P; Lloyd, R; Hensel-Wiegel, K; Rose, M; Garcia, MG; Alaniz, LD; Mazzolini, G. (2014). Dendritic cells regulate angiogenesis associated with liver fibrogenesis. *Angiogenesis.* 17: 119-128.
- Bloomquist, JR; Roush, RT; Ffrench-Constant, RH. (1992). Reduced neuronal sensitivity to dieldrin and picrotoxinin in a cyclodiene-resistant strain of *Drosophila melanogaster* (Meigen). *Arch Insect Biochem Physiol.* 19: 17-25.
- BloudĀĵckovĀ , S; Rajnoch, J; LodererovĀ , A. Leflunomide derivate FK 778 in accelerated renal injury in transgenic rat.
- Blunden, SJ. (1983). The ultraviolet degradation of the methyltin chlorides in carbon tetrachloride and water. *Journal of Organometallic Chemistry.* 248: 149-160.
- Bo, Z; Yan, JH; Li, XD; Chi, Y; Cen, KF; Cheron, BG. (2007). Effects of oxygen and water vapor on volatile organic compounds decomposition using gliding arc gas discharge. *Plasma Chemistry and Plasma Processing.* 27: 546-558.
- Bobek, P; Ginter, E. (1962). The dynamics of serum lipoprotein patterns in vitamin C-saturated and vitamin C-deficient guinea-pigs after carbon tetrachloride poisoning. *Experientia.* 18: 267-268.
- Bodzioch, A; Owsianik, K; Skalik, J; Kowalska, E; Stasiak, A; Rozycka-Sokolowska, E; Marciniak, B; Balczewski, P. (2016). Efficient Synthesis of Bis(dibromomethyl) arenes as Important Precursors of Synthetically Useful Dialdehydes. *Synthesis-Stuttgart.* 48: 3509-3514.
- Boehler, WF; Huttie, RL; Hill, KM. (1990). EVALUATION OF A NONCRYOGENIC AUTOMATED MULTITUBE THERMAL DESORPTION SYSTEM FOR THE ANALYSIS OF AIR TOXICS. US Environmental Protection Agency'S Atmospheric Research And Exposure Assessment Laboratory And Air And Waste Management Association Measurement Of Toxic And Related Air Pollutants. 0: 699-708.
- Boekel, CP; Teuben, JH; De Liefde Meijer, HJ. (1974). Thermal decomposition of dicyclopentadienyltitanium(IV) diaryl and dibenzyl compounds. *Journal of Organometallic Chemistry.* 81: 371-377.
- Boga, C; Del Vecchio, E; Forlani, L; Todesco, PE. (2000). Tetrahalogenomethanes: simple reagents for the synthesis of monohalogenated and mixed dihalogenated aromatic heterocycles via metalĀ€halogen exchange from lithium compounds. *Journal of Organometallic Chemistry.* 601: 233-236.
- Bogatyrev, VM; Gun'ko, VM; Galaburda, MV; Borysenko, MV; Pokrovskiy, VA; Oranska, OI; Polshin, EV; Korduban, OM; Leboda, R; Skubiszewska-Zieba, J. (2009). Synthesis and characterization of Fe₂O₃/SiO₂ nanocomposites. *J Colloid Interface Sci.* 338: 376-388.
- Boigegrain, R; Castro, B. (1976). The joint action of trisdimethylaminophosphine (TDAP) and carbon tetrachloride on some vicinal diols. *Tetrahedron.* 32: 1283-1288.
- Bokare, AD; Chikate, RC; Rode, CV; Paknikar, KM. (2007). Effect of surface chemistry of Fe-Ni nanoparticles on mechanistic pathways of azo dye degradation. *Environmental Science & Technology.* 41: 7437-7443.
- Bolanle, JD; Adetoro, KO; Balarabe, SA; Adeyemi, OO. (2014). Hepatocurative potential of Vitex doniana root bark, stem bark and leaves extracts against CCl₄Ā€induced liver damage in rats. *Asian Pacific Journal of Tropical Biomedicine.* 4: 480-485.
- Bolarin, DM. (1984). Serum bile acid in the evaluation of colchicine treatment of carbon tetrachloride-induced liver injury. *Exp Mol Pathol.* 41: 384-389.
- Bolarin, DM; Barker, K; Fuller, GC. (1987). Enzyme markers of collagen synthesis in carbon tetrachloride-induced fibrosis and during colchicine modification of CCl₄-induced liver injury. *Exp Mol Pathol.* 46: 145-152.
- Bolkenius, FN; Bey, P; Seiler, N. (1985). Specific inhibition of polyamine oxidase in vivo is a method for the elucidation of its physiological role. *Biochim Biophys Acta.* 838: 69-76.
- Boll, M; Weber, LWD; Becker, E; Stampfl, A. (2001). Hepatocyte damage induced by carbon tetrachloride: Inhibited lipoprotein secretion and changed lipoprotein composition. *Zeitschrift Fur Naturforschung Section C-a Journal of Biosciences.* 56: 283-290.
- Boll, M; Weber, LWD; Becker, E; Stampfl, A. (2001). Pathogenesis of carbon tetrachloride-induced hepatocyte injury bioactivation of CCl₄ by cytochrome P450 and effects on lipid homeostasis. *Zeitschrift Fur Naturforschung Section C-a Journal of Biosciences.* 56: 111-121.
- Bollman, JL. (1946). The influence of dietary factors on the resistance of rats to carbon tetrachloride. *Collected papers of the Mayo Clinic and the Mayo Foundation Mayo Clinic.* 37: 814-817.
- Bollmark, M; Zain, R; StawiĀ,ski, J. (1996). A new entry to nucleoside phosphorofluoridate and nucleoside phosphorofluoridothioate diesters. *Tetrahedron Letters.* 37: 3537-3540.
- Bolognesi, M; Zampieri, F; Di Pascoli, M; Verardo, A; Turato, C; Calabrese, F; Lunardi, F; Pontisso, P; Angeli, P; Merkel, C; Gatta, A; Sacerdoti, D. (2011). Increased myoendothelial gap junctions mediate the enhanced response to epoxyeicosatrienoic acid and acetylcholine in mesenteric arterial vessels of cirrhotic rats. *Liver Int.* 31: 883-892.
- Bolt, HM; Filser, JG. (1977). Irreversible binding of chlorinated ethylenes to macromolecules. *Environ Health Perspect.* 21: 107-112.
- Bolt, MW; Racz, WJ; Brien, JF; Massey, TE. (2001). Effects of vitamin E on cytotoxicity of amiodarone and N-desethylamiodarone in isolated hamster lung cells. *Toxicology.* 166: 109-118.
- Bond, EJ. (1984). FUMIGATION OF RAW AND PROCESSED COMMODITIES. *Baur, F J.* 0: 145-160.
- Boned, C; Allal, A; Baylaucq, A; Zeberg-Mikkelsen, CK; Bessieres, D; Quinones-Cisneros, SE. (2004). Simultaneous free-volume modeling of the self-diffusion coefficient and dynamic viscosity at high pressure. *Physical Review E.* 6903: 1203-1203.
- Bongars, C; Bougeard, P; Bury, A; Cooksey, CJ; Johnson, MD; Mitchell, S; Owens, PA; Rajah, F. (1985). Homolytic displacement at carbon: XI. Intramolecular homolytic displacement as a route to cyclopentane and tetrahydrofuran derivatives from hex-5-enyl- and hex-3-oxo-5-enylcobaloximes. *Journal of Organometallic Chemistry.* 289: 163-171.

Environmental Hazard Literature Search Results

Off Topic

- Boniuk, V; Aterman, K. (1962). Effect of a liver extract on hepatic injury produced by carbon tetrachloride. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY)*. 110: 334-337.
- Bonner, TG; Gabb, EG; McNamara, P; Smethurst, B. (1965). The interaction of acetic and trifluoroacetic anhydrides in carbon tetrachloride. *Tetrahedron*. 21: 463-466.
- Bonner, TG; Hancock, RA; Rolle, FR. (1968). Aromatic nitration in carbon tetrachloride - a negative temperature coefficient. *Tetrahedron Letters*. 9: 1665-1667.
- Bonnevie, NL; Wenning, RJ. (1995). Sources of pollution and sediment contamination in Newark Bay, New Jersey. *AU - CRAWFORD DW. Ecotoxicol Environ Saf*. 30: 85-100.
- Bontha, JR; Kaplan, DI. (1999). Immobilization or recovery of chlorinated hydrocarbons from contaminated groundwater using clathrate hydrates: A proof-of-concept. *Environmental Science & Technology*. 33: 1051-1055.
- Boobis, AR; Daston, GP; Preston, RJ; Olin, SS. (2009). Application of Key Events Analysis to Chemical Carcinogens and Noncarcinogens. *Crit Rev Food Sci Nutr*. 49: 690-707.
- Boopathy, R. (2002). Anaerobic biotransformation of carbon tetrachloride under various electron acceptor conditions. *Bioresour Technol*. 84: 69-73.
- Boparai, HK; Shea, PJ; Comfort, SD; Snow, DD. (2006). Dechlorinating chloroacetanilide herbicides by dithionite-treated aquifer sediment and surface soil. *Environmental Science & Technology*. 40: 3043-3049.
- Boray, JC; Happich, FA. (1966). Tests on the anthelmintic efficiency of hilomid against immature and mature *Fasciola hepatica* in sheep and on its toxicity. *The Veterinary record*. 79: 358-363.
- Borch, T; Ambus, P; Laturnus, F; Svensmark, B; Gron, C. (2003). Biodegradation of chlorinated solvents in a water unsaturated topsoil. *Chemosphere*. 51: 143-152.
- Borch, T; Kretzschmar, R; Kappler, A; Van Cappellen, P; Ginder-Vogel, M; Voegelin, A; Campbell, K. (2010). Biogeochemical Redox Processes and their Impact on Contaminant Dynamics. *Environmental Science & Technology*. 44: 15-23.
- Borden, CW; Kittleson, KD. (1956). Acute renal failure due to carbon tetrachloride poisoning; report of a case. *Quarterly bulletin Northwestern University (Evanston, Ill) Medical School*. 30: 117-123.
- Borek, V; Morra, MJ. (1998). Cyclic voltammetry of aquocobalamin on clay-modified electrodes. *Environmental Science & Technology*. 32: 2149-2153.
- Borges, C; Del Fabbro, L; Boeira, SP; Furian, AF; Savegnago, L; Soares, LC; Braga, AL; Jesse, CR. (2013). Hepatoprotective effect of bis(4-methylbenzoyl) diselenide against CCl₄-induced oxidative damage in mice. *Cell Biochem Funct*. 31: 152-158.
- Borges, SS; Korn, M; Lima, JL. (2002). Chromium(III) determination with 1,5-diphenylcarbazide based on the oxidative effect of chlorine radicals generated from CCl₄ sonolysis in aqueous solution. *Analytical sciences : the international journal of the Japan Society for Analytical Chemistry*. 18: 1361-1366.
- Borguet, Y; Richel, A; Delfosse, S; Leclerc, A; Delaude, L; Demonceau, A. (2007). Microwave-enhanced ruthenium-catalysed atom transfer radical additions. *Tetrahedron Letters*. 48: 6334-6338.
- Borkham-Kamphorst, E; Alexi, P; Tihaa, L; Haas, U; Weiskirchen, R. (2015). Platelet-derived growth factor-D modulates extracellular matrix homeostasis and remodeling through TIMP-1 induction and attenuation of MMP-2 and MMP-9 gelatinase activities. *Biochem Biophys Res Commun*. 457: 307-313.
- Borkham-Kamphorst, E; Drews, F; Weiskirchen, R. (2011). Induction of lipocalin-2 expression in acute and chronic experimental liver injury moderated by pro-inflammatory cytokines interleukin-1 beta through nuclear factor-kappa B activation. *Liver Int*. 31: 656-665.
- Borkham-Kamphorst, E; Kovalenko, E; van Roeyen, CRC; Gassler, N; Bomble, M; Ostendorf, T; Floege, J; Gressner, AM; Weiskirchen, R. (2008). Platelet-derived growth factor isoform expression in carbon tetrachloride-induced chronic liver injury. *Lab Invest*. 88: 1090-1100.
- Boronina, T; Klabunde, KJ. (1995). DESTRUCTION OF ORGANOHALIDES IN WATER USING METAL PARTICLES CARBON TETRACHLORIDE-WATER REACTIONS WITH MAGNESIUM TIN AND ZINC. 209th American Chemical Society National Meeting, Anaheim, California, Usa, April. 209: 230.
- Borrelli, F; Borbone, N; Capasso, R; Montesano, D; Izzo, AA; De Marino, S; Capasso, F; Ferrara, L; Longo, R; Zollo, F. (2004). New Sesquiterpenes with intestinal relaxant effect from *Celastrus paniculatus*. *Planta Med*. 70: 652-656.
- Borzelleca, JF; O'Hara, TM; Gennings, C; Granger, RH; Sheppard, MA. (1990). Interactions of Water Contaminants: I. Plasma Enzyme Activity and Response Surface Methodology Following Gavage Administration of CCl₄ and CHCl₃ or TCE Singly and in Combination in the Rat. *Fundamental and Applied Toxicology FAATDF Vol 14, No 3, p 477-490, April 1990 7 fig, 1 tab, 32 ref EPA Cooperative Agreement CR-812558*.
- Borzelleca, JF; O'Hara, TM; Gennings, C; Granger, RH; Sheppard, MA; Condie, LW, Jr. (1990). Interactions of water contaminants: Plasma enzyme activity and response surface methodology following gavage administration of CCl sub(4) and CHCl sub(3) or TCE singly and in combination in the rat. *Fundam Appl Toxicol*. 14: 477-490.
- Borzelleca, JF; O'Hara, TM; Gennings, C; Granger, RH; Sheppard, MA; Condie, LWJR. (1990). Interactions of water contaminants: 1. Plasma enzyme activity and response surface methodology following Gavage administration of carbon tetrachloride and chloroform or trichloroethylene singly and in combination in the rat. *Fundam Appl Toxicol*. 14: 477-490.
- Borzuchowska, A; Boro; Szpakowicz, T; Prokopowicz, D; Boro; Kaczmarek, A; Pytel, B. (1993). Effect of cortisone on the behavior of serotonin, 5-hydroxy-indoloacetic acid and monoaminoxidase in the liver tissue, the blood and the urine in experimental rabbit liver injury with CCl₄. *Hepatogastroenterology*. 29: 243-245.

Environmental Hazard Literature Search Results

Off Topic

- Bos, C; Delmas, Y; Desmouliere, A; Solanilla, A; Hauger, O; Grosset, C; Dubus, I; Ivanovic, Z; Rosenbaum, J; Charbord, P; Combe, C; Bulte, JWM; Moonen, CTW; Ripoche, J; Grenier, N. (2004). In vivo MR imaging of intravascularly injected magnetically labeled mesenchymal stem cells in rat kidney and liver. *Radiology*. 233: 781-789.
- Bosch-MarcÃ , M; ClÃ agrav. Selective inhibition of cyclooxygenase 2 spares renal function and prostaglandin synthesis in cirrhotic rats with ascites.
- Bosgelmez, I; Soylemezoglu, T; Guvendik, G. (2008). The protective and antidotal effects of taurine on hexavalent chromium-induced oxidative stress in mice liver tissue. *Biol Trace Elem Res*. 125: 46-58.
- Bosia, A; Brossa, O; Danni, O; Burdino, E; Mina, S; Chiappino, I; Pescarmona, P; Ugazio, G. (1983). Impairment of erythropoiesis in rats exposed to environmental pollutants. *Res Commun Mol Pathol Pharmacol*. 40: 133-140.
- Boss, JH; Zajicek, G; Rosenmann, E. (1977). Urinary excretion of alpha-fetoprotein in rats on a cirrhotic carbon tetrachloride regimen. *The Journal of pathology*. 123: 85-92.
- Botsoglou, N; Taitzoglou, I; Zervos, I; Botsoglou, E; Tsantarliotou, M; Chatzopoulou, PS. (2010). Potential of long-term dietary administration of rosemary in improving the antioxidant status of rat tissues following carbon tetrachloride intoxication. *Food Chem Toxicol*. 48: 944-950.
- Botsoglou, NA; Taitzoglou, IA; Botsoglou, E; Lavrentiadou, SN; Kokoli, AN; Roubies, N. (2008). Effect of long-term dietary administration of oregano on the alleviation of carbon 14 tetrachloride-induced oxidative stress in rats. *J Agric Food Chem*. 56: 6287-6293.
- Botsoglou, NA; Taitzoglou, IA; Botsoglou, E; Lavrentiadou, SN; Kokoli, AN; Roubies, N. (2008). Effect of Long-Term Dietary Administration of Oregano on the Alleviation of Carbon Tetrachloride-Induced Oxidative Stress in Rats. *J Agric Food Chem*. 56: 6287-6293.
- Botsoglou, NA; Taitzoglou, IA; Botsoglou, E; Zervos, I; Kokoli, A; Christaki, E; Nikolaidis, E. (2009). Effect of long-term dietary administration of oregano and rosemary on the antioxidant status of rat serum, liver, kidney and heart after carbon tetrachloride-induced oxidative stress. *J Sci Food Agric*. 89: 1397-1406.
- Botti, B; Moslen, MT; Trieff, NM; Reynolds, ES. (1982). Transient decrease of liver cytosolic glutathione S-transferase activities in rats given 1,2-dibromoethane or CCl sub(4). *Chem Biol Interact*. 42: 259-270.
- Bottrell, DW; Fisk, JF; Robertson, GL; Petty, JD; Dempsey, CH; Bartling, ML. (1991). HOLDING TIMES OF VOLATILE ORGANICS IN WATER. *Friedman, D. O*: 179-205.
- BouÃ©, S; Gielen, M; Nasielski, J; Autin, J; Limbourg, M. (1968). On the reported selectivity of the bromination of mixed tetraalkyltins in carbon tetrachloride. *Journal of Organometallic Chemistry*. 15: 267-268.
- Boule, P; Lemaire, J. (1976). Photodimerization of maleic anhydride in carbon tetrachloride. *Tetrahedron Letters*. 17: 865-868.
- Boulton, RA; Alison, MR; Golding, M; Selden, C; Hodgson, HJF. (1998). Augmentation of the early phase of liver regeneration after 70% partial hepatectomy in rats following selective Kupffer cell depletion. *J Hepatol*. 29: 271-280.
- Bourque, D; Bisailon, JG; Ackermann, HW; Berthiaume, L; Alain, R; Beaudet, R. A new bacteriophage of *Corynebacterium glutamicum* isolated from swine waste. *Am J Vet Res*. Nov 1989. v. 50 (11): 1952-1956 ill.
- Bouwer, E; Mercer, J; Kavanaugh, M; Digiano, F. (1988). COPING WITH GROUNDWATER CONTAMINATION. *J Water Pollut Control Fed*. 60: 1415-1427.
- Bouwer, EJ; McCarty, PL. (1983). Transformations of 1- and 2-carbon halogenated aliphatic organic compounds under methanogenic conditions. *Appl Environ Microbiol*. 45: 1286-1294.
- Bouwer, EJ; McCarty, PL. (1983). Transformations of halogenated organic compounds under denitrification conditions. *Appl Environ Microbiol*. 45: 1295-1299.
- Bouwer, EJ; McCarty, PL. (1985). UTILIZATION RATES OF TRACE HALOGENATED ORGANIC COMPOUNDS IN ACETATE-GROWN BIOFILMS. *Biotechnol Bioeng*. 27: 1564-1571.
- Bove, FJ; Fulcomer, MC; Klotz, JB; Esmart, J; Dufficy, EM; Savrin, JE. (1995). Public drinking water contamination and birth outcomes. *Am J Epidemiol*. 141: 850-862.
- Boverhof, DR; Ladics, G; Luebke, B; Botham, J; Corsini, E; Evans, E; Germolec, D; Holsapple, M; Loveless, SE; Lu, H; van der Laan, JW; White, KL, Jr.; Yang, Y. (2014). Approaches and considerations for the assessment of immunotoxicity for environmental chemicals: A workshop summary. *Regul Toxicol Pharmacol*. 68: 96-107.
- Bowkiewicz-Surma, E; Krawczy; ski, J. (1967). Determination of guanase activity in serum and tissues of normal rats and of rats intoxicated with carbon tetrachloride. *Clinica chimica acta; international journal of clinical chemistry*. 16: 29-31.
- Boyd, MR; Burka, LT; Wilson, BJ; Sastry, BV. (1981). Development of tolerance to the pulmonary toxin, 4-ipomeanol. *Toxicology*. 19: 85-100.
- Boyd, MR; Statham, CN; Longo, NS. (1980). The pulmonary clara cell as a target for toxic chemicals requiring metabolic activation; studies with carbon tetrachloride. *The Journal of pharmacology and experimental therapeutics*. 212: 109-114.
- Boyden, BH; Banh, DT; Huckabay, HK; Fernandes, JB. (1992). Using inclined cascade aeration to strip chlorinated VOCs from drinking water. *Am Water Works Assoc J*. 84: 62-69.
- Boyes, WK; Bushnell, PJ; Crofton, KM; Evans, M; Simmons, JE. (2000). Neurotoxic and pharmacokinetic responses to trichloroethylene as a function of exposure scenario. *Environ Health Perspect*. 108: 317-322.
- Bozhkov, O; Tzvetkova, C; Russeva, E. (2006). Distribution and determination of Pb, Cd, Bi and Cu in the sea brine system: solution--colloidal particles--biota. *Ann Chim*. 96: 435-442.
- Bozkurt, S; Ersoy, E; Tekyn, HE; Bayram, O; Anadol, Z; Onuk, E; Ercan, ZS. (1997). The cytoprotective effect of iloprost against carbon tetrachloride induced necrosis in rat liver. *Res Commun Mol Pathol Pharmacol*. 95: 243-246.
- Brãœzuer, SDDoMCUIINYUSA; Yashiro, EDoMCUIINYUSA; Ueno, NG; Yavitt, JB; Zinder, SH. (2006). Characterization of acid-tolerant H/CO-utilizing methanogenic enrichment cultures from an acidic peat bog in New York State. *FEMS Microbiol Ecol*. 57: 206-216.

Environmental Hazard Literature Search Results

Off Topic

- Brabec, MJ; Gray, RH; Bernstein, IA. (1974). Restoration of hepatic mitochondria during recovery from carbon tetrachloride intoxication. *Biochem Pharmacol.* 23: 3227-3238.
- Bracha, P. (1964). PROBLEMS ENCOUNTERED IN SOUTHERN NIGERIA IN THE DETERMINATION OF VENTILATION IN MUD HUTS IN WHICH RESIDUAL FUMIGANTS ARE APPLIED. *Bull World Health Organ.* 30: 285-291.
- Brady, JF; Xiao, F; Wang, MH; Li, Y; Ning, SM; Gapac, JM; Yang, CS. (1991). Effects of disulfiram on hepatic P450IIE1, other microsomal enzymes, and hepatotoxicity in rats. *Toxicol Appl Pharmacol.* 108: 366-373.
- Brai, BI; Adisa, RA; Odetola, AA. (2014). Hepatoprotective properties of aqueous leaf extract of *Persea Americana*, Mill (Lauraceae) 'avocado' against CCL4-induced damage in rats. *African journal of traditional, complementary, and alternative medicines : AJTCAM / African Networks on Ethnomedicines.* 11: 237-244.
- Braide, VB. Antihepatotoxic biochemical effects of kolaviorn, a biflavonoid of *Garcinia kola* seeds. *Phytotherapy research : PTR.* Feb 1991. v. 5 (1): 35-37.
- Bramanti, G; Murmann, W; Pierini, P; Comporti, M. (1978). Effects of cicloxicil acid on CCl4-induced liver injury. *Arzneimittel-Forschung.* 28: 1212-1217.
- Brambilla, G; Martelli, A; Pino, A; Robbiano, L. (1988). REDUCTION OF DNA REPAIR EFFICIENTLY DURING THE INITIAL PHASE OF RAT LIVER CARCINOGENESIS. *Anticancer Res.* 8: 605-610.
- Brand, HS; Jorning, GGA; Chamuleau, R. (1998). Changes in urinary taurine and hypotaurine excretion after two-thirds hepatectomy in the rat. *Amino Acids.* 15: 373-383.
- Brandao, CG; Ferreira, HHA; Piovesana, H; Polimeno, NC; Ferraz, JGP; de Nucci, G; Pedrazzoli, J. (2000). Development of an experimental model of liver cirrhosis in rabbits. *Clin Exp Pharmacol Physiol.* 27: 987-990.
- Brandt, NN; Chikishev, AY; Dolgovskii, VI; Lebedenko, SI. (2007). Laser Raman spectroscopy of the effect of solvent on the low-frequency oscillations of organic molecules. *Laser Physics.* 17: 1133-1137.
- Branson; Neely, WB; Blau, GE. (1975). Predicting a Bioconcentration Potential of Organic Chemicals in Fish from Partition Coefficients. International Joint Commission Symposium on ' Structure-Activity Correlations in Studies of Toxicity and Bioconcentration with Aquatic Organisms ' March 11-13, 1975, Canada Center for Inland Waters, Burlington, Ontario, p 99-118 2 fig, 5 tab, 13 ref.
- Brantley, AS; Townsend, TG. (1999). Leaching of pollutants from reclaimed asphalt pavement. *Environ Eng Sci.* 16: 105-116.
- Brattin, WJ; Glende Jr, EA; Recknagel, RO. (1985). Pathological mechanisms in carbon tetrachloride hepatotoxicity. *Journal of Free Radicals in Biology & Medicine.* 1: 27-38.
- Brattin, WJ; Pencil, SD; Waller, RL; Glende, EA, Jr.; Recknagel, RO. (1984). Assessment of the role of calcium ion in halocarbon hepatotoxicity. *Environ Health Perspect.* 57: 321-323.
- Brauer, M; Towner, RA; Foxall, DL. (1990). Sodium-23 and proton nuclear magnetic resonance imaging studies of carbon tetrachloride-induced liver damage in the rat. *Magn Reson Imaging.* 8: 459-465.
- Brauer, M; Towner, RA; Renaud, I; Janzen, EG; Foxall, DL. (1989). In vivo proton nuclear magnetic resonance imaging and spectroscopy studies of halocarbon-induced liver damage. *Magn Reson Med.* 9: 229-239.
- Brauer, RW; Root, MA. (1946). The effect of carbon tetrachloride induced liver injury upon the acetylcholine hydrolyzing activity of blood plasma of the rat. *The Journal of pharmacology and experimental therapeutics.* 88: 109-118.
- Brault, D. (1985). Model studies in cytochrome P-450-mediated toxicity of halogenated compounds: radical processes involving iron porphyrins. *Environ Health Perspect.* 64: 53-60.
- Brault, D; Neta, P; Patterson, LK. (1985). The lipid peroxidation model for halogenated hydrocarbon toxicity. Kinetics of peroxy radical processes involving fatty acids and Fe(III) porphyrins. *Chem Biol Interact.* 54: 289-297.
- Braun, R; SchÄ¶neich, Jr. (1975). The influence of ethanol and carbon tetrachloride on the mutagenic effectivity of cyclophosphamide in the host-mediated assay with *Salmonella typhimurium*. *Mutation Research/Environmental Mutagenesis and Related Subjects.* 31: 191-194.
- Braunschweig, J; Bosch, J; Meckenstock, RU. (2013). Iron oxide nanoparticles in geomicrobiology: from biogeochemistry to bioremediation. *N Biotechnol.* 30: 793-802.
- Braunstein, H; Stenger, RJ. (1966). Hyaline bodies in carbon tetrachloride-damaged hepatic cells: nucleosidediphosphatase activity. *The journal of histochemistry and cytochemistry : official journal of the Histochemistry Society.* 14: 112-114.
- Bravo-Linares, CM; Mudge, SM; Loyola-Sepulveda, RH. (2007). Occurrence of volatile organic compounds (VOCs) in Liverpool Bay, Irish Sea. *Mar Pollut Bull.* 54: 1742-1753.
- Breen, KJ; Shaw, J; Alvin, J; Henderson, GI; Hoyumpa, AM, Jr.; Schenker, S. (1973). Effect of experimental hepatic injury on the clearance of phenobarbital and paraldehyde. *Gastroenterology.* 64: 992-1004.
- Breikaa, RM; Algandaby, MM; El-Demerdash, E; Abdel-Naim, AB. (2013). Biochanin A Protects against Acute Carbon Tetrachloride-Induced Hepatotoxicity in Rats. *Bioscience Biotechnology and Biochemistry.* 77: 909-916.
- Breikaa, RM; Algandaby, MM; El-Demerdash, E; Abdel-Naim, AB. (2013). Multimechanistic antifibrotic effect of biochanin a in rats: implications of proinflammatory and profibrogenic mediators. *PLoS ONE.* 8: e69276.
- Breitenstein, MJ; Toraason, M. (1991). EFFECT OF EXTRACELLULAR CALCIUM ON INHIBITION OF DYE COUPLING AMONG CARDIAC MYOCYTES BY HALOGENATED HYDROCARBONS. 75th Annual Meeting Of The Federation Of American Societies For Experimental Biology, Atlanta, Georgia, Usa, April. 5.
- Bremner, DP. (2013). Hepatogenous photosensitization its induction and study in guinea pigs. *Hepatology (Baltimore, Md).* 84: 555-568.
- Brennaman, B; Soucy, D; Howard, RJ. (1987). Effect of iron and liver injury on the pathogenesis of *Vibrio vulnificus*. *The Journal of surgical research.* 43: 527-531.

Environmental Hazard Literature Search Results

Off Topic

- Brennan, RJ; Schiestl, RH. (1998). Free radicals generated in yeast by the Salmonella test-negative carcinogens benzene, urethane, thiourea and auramine O. *Mutation Research-Fundamental and Molecular Mechanisms of Mutagenesis*. 403: 65-73.
- Brennan, RJ; Schiestl, RH. (1998). POSITIVE RESPONSES TO CARCINOGENS IN THE YEAST DEL RECOMBINATION ASSAY ARE NOT DUE TO SELECTION OF PREEXISTING SPONTANEOUS REVERTANTS. *Mutat Res*. 421: 117-120.
- Brenner, RM. (1963). Radioautographic studies with tritiated thymidine of cell migration in the mouse adrenal after a carbon tetrachloride stress. *The American journal of anatomy*. 112: 81-95.
- Brent, JA; Rumack, BH. (1993). Role of free radicals in toxic hepatic injury. II. Are free radicals the cause of toxin-induced liver injury? *Journal of toxicology Clinical toxicology*. 31: 173-196.
- Bret, L. Quantitation of blood plasma DNA as an index of in vivo cytotoxicity.
- Breure, AM; Rulkens, WH. (1997). Microbiological aspects of surfactant use for biological soil remediation. *AU - VOLKERING F. Biodegradation*. 8: 1997-1998.
- Bridbord, K; Brubaker, PE; Gay, B, Jr.; French, JG. (1975). Exposure to halogenated hydrocarbons in the indoor environment. *Environ Health Perspect*. 11: 215-220.
- Briley, SM; Jasti, S; McCracken, JM; Hornick, JE; Fegley, B; Pritchard, MT; Duncan, FE. (2016). Reproductive age-associated fibrosis in the stroma of the mammalian ovary. *Reproduction*. 152: 245-260.
- Brink, G; Glasser, L. (1986). Studies in hydrogen bonding: the enthalpy of hydrogen bond formation of ethanol in carbon tetrachloride solutions. *Journal of Molecular Structure*. 145: 219-224.
- Brinton, MA; Plagemann, PG. (1983). Clearance of lactate dehydrogenase by SJL/J mice infected with lactate dehydrogenase-elevating virus. *J Reticuloendothel Soc*. 33: 391-400.
- Brito, NJN; Lopez, JA; do Nascimento, MA; Macedo, JBM; Silva, GA; Oliveira, CN; de Rezende, AA; Brandao-Neto, J; Schwarz, A; Almeida, MD. (2012). Antioxidant activity and protective effect of *Turnera ulmifolia* Linn. var. *elegans* against carbon tetrachloride-induced oxidative damage in rats. *Food Chem Toxicol*. 50: 4340-4347.
- Brittebo, EB; Brandt, I. (1989). Metabolic activation of carbon tetrachloride by the cervico-vaginal epithelium in rodents. *Pharmacology & toxicology*. 65: 336-342.
- Brittebo, EB; Eriksson, C; Brandt, I. (1991). Metabolic activation of halogenated hydrocarbons in the conjunctival epithelium and excretory ducts of the intraorbital lacrimal gland in mice. *Experimental eye research*. 52: 245-252.
- Britton, RS; Dolak, JA; Glende, EAJR; Recknagel, RO. (1993). CHLORDECONE POTENTIATES THE RISE IN HEPATIC THYMIDINE KINASE ACTIVITY FOLLOWING CARBON TETRACHLORIDE ADMINISTRATION. 70th Annual Meeting Of The Federation Of American Societies For Experimental Biology, St Louis, Mo, Usa, Apr. 45: 344.
- Brobst, D; Brester, JE. (1988). Serum lipase determination in the dog using a one-hour test. *Journal of the American Veterinary Medical Association*. 150: 767-771.
- Broda, MA; Rzeszotarska, B. (2006). Association of model peptides and dehydropeptides: N-acetyl-L-tyrosine and (Z)-dehydrobutyryne N',N'-dimethylamides. *Acta Biochim Pol*. 53: 221-226.
- Broda, MA; Rzeszotarska, B; Smelka, L; Pietrzynski, G. (1998). Conformational investigation of alpha,beta-dehydropeptides. IX. N-acetyl-(E)-alpha,beta-dehydrobutyryne N'-methylamide: stereoelectronic properties from infrared and theoretical studies. *Journal of Peptide Research*. 52: 72-79.
- Brodie, BB; Krishna, G; Reid, WD; Cho, AK. (1971). Drug metabolism in man: past, present, and future. *Ann N Y Acad Sci*. 179: 11-18.
- Brody, TM; Stern, PH. (1964). LIVER INJURY FROM CHEMICALS. *Biochemical clinics*. 3: 189-195.
- Broeren, MAC; de Waal, BFM; van Genderen, MHP; Sanders, H; Fytas, G; Meijer, EW. (2005). Multicomponent host-guest chemistry of carboxylic acid and phosphonic acid based guests with dendritic hosts: An NMR study. *J Am Chem Soc*. 127: 10334-10343.
- Brogan, WC, 3rd; Colby, HD. (1983). Carbon tetrachloride (CCl₄) toxicity in the guinea pig adrenal cortex. *The West Virginia medical journal*. 79: 274.
- Brogan, WC, III; Eacho, PI; Hinton, DE; Colby, HD. (1984). Effects of carbon tetrachloride on adrenocortical structure and function in guinea pigs. *Toxicol Appl Pharmacol*. 75: 118-127.
- Broholm, K; Feenstra, S. (1995). Laboratory measurements of the aqueous solubility of mixtures of chlorinated solvents. *Environ Toxicol Chem*. 14: 9-15.
- Bromilow, RH; Chamberlain, K. (1995). PRINCIPLES GOVERNING UPTAKE AND TRANSPORT OF CHEMICALS. *Trapp, S And J C Mcfarlane*. 0: 37-68.
- Brondeau, MT; Bonnet, P; Guenier, JP; De Ceaurriz, J. (1983). Short-term inhalation test for evaluating industrial hepatotoxicants in rats. *Toxicol Lett*. 19: 139-146.
- Brouillet, A; Rosin, A; Rachmilewitz, M. (2009). Morphological changes in the liver of rats treated with various chemical agents. *J Hepatol*. 51: 55-66.
- Brown, KW; Thomas, JC; Whitney, F. (1997). Fate of volatile organic compounds and pesticides in composted municipal solid waste. *Compost Science & Utilization*. 5: 6-14.
- Brown, MS; Hart, A. (1991). REDUCING THE USE OF OZONE DEPLETING CHEMICALS THE IRVINE CALIFORNIA ORDINANCE. *J Air Waste Manage Assoc*. 42: 429-432.
- Brown, PC; Thorgeirsson, SS; Silverman, JA. (1993). Cloning and regulation of the rat *mdr2* gene. *Nucleic Acids Res*. 21: 3885-3891.
- Brown, RHA; Cape, JN; Farmer, JG. (1998). Partitioning of chlorinated solvents between pine needles and air. *Chemosphere*. 36: 1799-1810.
- Broxup, B; Robinson, K; Losos, G; Beyrouthy, P. (1989). Correlation between behavioral and pathological changes in the evaluation of neurotoxicity. *PLoS ONE*. 101: 510-520.

Environmental Hazard Literature Search Results

Off Topic

- Brucoleri, A; Gallucci, R; Germolec, DR; Blackshear, P; Simeonova, P; Thurman, RG; Luster, MI. (1997). Induction of early-immediate genes by tumor necrosis factor alpha contribute to liver repair following chemical-induced hepatotoxicity. *Hepatology (Baltimore, Md)*. 25: 133-141.
- Bruckner, JV; Mackenzie, WF; Muralidhara, S; Luthra, R; Kyle, GM; Acosta, D. (1986). Oral toxicity of carbon tetrachloride: Acute, subacute, and subchronic studies in rats. *Fundam Appl Toxicol*. 6: 16-34.
- Bruckner, JV; Ramanathan, R; Lee, KM; Muralidhara, S. (2002). Mechanisms of circadian rhythmicity of carbon tetrachloride hepatotoxicity. *J Pharmacol Exp Ther*. 300: 273-281.
- Bruix, J; Arderiu, MT; Bosch, J; Rodes, J. (1985). INCREASED VASCULAR RESISTANCE TO PORTAL BLOOD FLOW IS THE PRIMARY FACTOR PROMOTING PORTAL HYPERTENSION IN CARBON TETRACHLORIDE-CIRRHOTIC RATS. 20th Meeting Of The European Association For The Study Of The Liver, Espoo, Finland, Aug. 0.
- Brun, J; Dieudonné, FX; Marty, C; MÅller, JININSERMUMRPF; SchÅle, R; Pati; nttiÅro-Gare; a, c; a, A; L, LF; Fromiguã, O. FHL2 silencing reduces Wnt signaling and osteosarcoma tumorigenesis in vitro and in vivo.
- Brunke, EG; Allen, RJ. (1988). TROPOSPHERIC BACKGROUND MEASUREMENTS OF TRICHLOROFLUOROMETHANE METHYL CHLOROFORM AND CARBON TETRACHLORIDE AT CAPE POINT SOUTH AFRICA AND THEIR LONG-TERM TRENDS. *S Afr J Sci*. 84: 266-270.
- Brusle, J. (1991). The eel (*Anguilla sp.*) and organic chemical pollutants. *Sci Total Environ*. 102: 1-20.
- Brusseau, ML; Rohay, V; Truex, MJ. (2010). Analysis of Soil Vapor Extraction Data to Evaluate Mass-Transfer Constraints and Estimate Source-Zone Mass Flux. *Ground Water Monitoring and Remediation*. 30: 57-64.
- Brusseau, ML; Schnaar, G; Johnson, GR; Russo, AE. (2012). Nonideal transport of contaminants in heterogeneous porous media: 10. Impact of co-solutes on sorption by porous media with low organic-carbon contents. *Chemosphere*. 89: 1302-1306.
- Brusseau, ML; Srivastava, R. (1997). Nonideal transport of reactive solutes in heterogeneous porous media - 2. Quantitative analysis of the Borden natural-gradient field experiment. *J Contam Hydrol*. 28: 115-155.
- Bryant, BJ. (1963). IN VIVO REUTILIZATION OF THE DNA THYMIDINE OF NECROTIZED LIVER CELLS BY CELLS OF TESTIS AND INTESTINE. *Exp Cell Res*. 32: 209-212.
- Buchet, JP; Lauwerys, R. (1987). STUDY OF FACTORS INFLUENCING THE IN-VIVO METHYLATION OF INORGANIC ARSENIC IN RATS. *Toxicol Appl Pharmacol*. 91: 65-74.
- Buchholz, A; Laskov, C; Haderlein, SB. (2011). Effects of Zwitterionic Buffers on Sorption of Ferrous Iron at Goethite and Its Oxidation by CCl_4 . *Environmental Science & Technology*. 45: 3355-3360.
- Buck, M; Poli, V; Hunter, T; Chojkier, M. (2001). C/EBPbeta phosphorylation by RSK creates a functional XED caspase inhibitory box critical for cell survival. *Mol Cell*. 8: 807-816.
- Buckland, BC; Dunnill, P; Lilly, MD. (2000). The enzymatic transformation of water-insoluble reactants in nonaqueous solvents. Conversion of cholesterol to cholest-4-ene-3-one by a *Nocardia sp.* (Reprinted from *Biotechnology and Bioengineering*, vol 17, pg 815-826, 1975). *Biotechnol Bioeng*. 67: 714-719.
- Budzikiewicz, H. (2003). Heteroaromatic monothiocarboxylic acids from *Pseudomonas spp.* *Biodegradation*. 14: 65-72.
- Buisson, RSK; Kirk, PWW; Lester, JN. (1990). Fate of selected chlorinated organic compounds during semi-continuous anaerobic sludge digestion. *Arch Environ Contam Toxicol*. 19: 428-432.
- Buko, V; Belonovskaya, E; Naruta, E; Lukivskaya, O; Kanyuka, O; Zhuk, O; Kranc, R; Stoika, R; Sybirna, N. (2015). Pituitary tumor transforming gene as a novel regulatory factor of liver fibrosis. *Life Sci*. 132: 34-40.
- Bulaev, PV; Marmalyuk, AA; Padalitsa, AA; Nikitin, DB; Zalevsky, ID; Kapitonov, VA; Nikolaev, DN; Pikhtin, NA; Lyutetskiy, AV; Tarasov, IS. (2003). Comparison of carbon and zinc p-clad doped LP MOCVD grown InGaAs/AlGaAs low divergence high-power laser heterostructures. *J Cryst Growth*. 248: 114-118.
- Bulera, SJ; Eddy, SM; Ferguson, E; Jatkoa, TA; Reindel, JF; Bleavins, MR; De La Iglesia, FA. (2001). RNA expression in the early characterization of hepatotoxicants in wister rats by high-density DNA microarrays. *Hepatology*. 33: 1239-1258.
- Bull, RJ; Sasser, LB; Lei, XC. (2004). Interactions in the tumor-promoting activity of carbon tetrachloride, trichloroacetate, and dichloroacetate in the liver of male B6C3F1 mice. *Toxicology*. 199: 169-183.
- Bullister, JL; Wisegarver, DP. (1998). The solubility of carbon tetrachloride in water and seawater. *Deep-Sea Research Part I-Oceanographic Research Papers*. 45: 1285-1302.
- Bullister, JL; Wisegarver, DP. (2008). The shipboard analysis of trace levels of sulfur hexafluoride, chlorofluorocarbon-11 and chlorofluorocarbon-12 in seawater. *Deep-Sea Research Part I-Oceanographic Research Papers*. 55: 1063-1074.
- Buonsanti, R; Grillo, V; Carlino, E; Giannini, C; Gozzo, F; Garcia-Hernandez, M; Garcia, MA; Cingolani, R; Cozzoli, PD. (2010). Architectural Control of Seeded-Grown Magnetic-Semiconductor Iron Oxide-TiO(2) Nanorod Heterostructures: The Role of Seeds in Topology Selection. *J Am Chem Soc*. 132: 2437-2464.
- Bupesh, G; Amutha, C; Vasanth, S; Manoharan, N; Raja, RS; Krishnamoorthy, R; Subramanian, P. (2012). Hepatoprotective Efficacy of *Hypnea muciformis* Ethanolic Extract on CCl_4 Induced Toxicity in Rats. *Brazilian Archives of Biology and Technology*. 55: 857-863.
- Burcham, PC; Harman, AW. (1988). Effect of acetaminophen hepatotoxicity on hepatic mitochondrial and microsomal calcium contents in mice. *Toxicol Lett*. 44: 91-99.
- Burchinov, AN; Kiselev, VM; Penni, AA; Khistyeva, VV. (2015). Photosensitized generation of singlet oxygen by rhenium(I) complex. *Optics and Spectroscopy*. 119: 932-937.
- Burdino, E; Crispino, A; Di, CR; Genazzani, E; Pagliarani, M; Reboani, C; Ugazio, G. (1976). Carbon tetrachloride toxicity in the rat after administration of hypolipidemic agents. *Panminerva Med*. 18: 410-414.

Environmental Hazard Literature Search Results

Off Topic

- Burdino, E; Danni, O; Dianzani, MU; Milillo, PA; Poli, G; Sena, LM; Torrielli, MV; Ugazio, G. (1976). Halogenoalkane toxicity in different experimental conditions. *Panminerva Med.* 18: 332-345.
- Burdino, E; Gravela, E; Ugazio, G. (1973). Initiation of free radical reactions and hepatotoxicity in rats poisoned with carbon tetrachloride or bromotrichloromethane. *Agents and Actions.* 3: 244-253.
- Burford, RJ; Piers, WE; Ess, DH; Parvez, M. (2014). Reversible Interconversion Between a Monomeric Iridium Hydroxo and a Dinuclear Iridium μ -Oxo Complex. *J Am Chem Soc.* 136: 3256-3263.
- Burgos, WD; Royer, RA; Fang, YL; Yeh, GT; Fisher, AS; Jeon, BH; Dempsey, BA. (2002). Theoretical and experimental considerations related to reaction-based modeling: A case study using iron(III) oxide bioreduction. *Geomicrobiology Journal.* 19: 253-287.
- Burk, RF; Hill, KE; Lane, JM. (1988). INHIBITION OF CARBON TETRACHLORIDE METABOLISM BY OXYGEN VARIES BETWEEN ISOENZYMES OF CYTOCHROME P-450. *Biochem Biophys Res Commun.* 152: 1463-1467.
- Burk, RF; Hill, KE; Lane, JM. (1988). Inhibition of CCl₄ metabolism by oxygen varies between isoenzymes of cytochrome P-450. *Biochem Biophys Res Commun.* 152: 1463-1467.
- Burk, RF; Hill, KE; Lane, JM. (1988). Inhibition of CCl₄ metabolism by oxygen varies between isoenzymes of cytochrome P-450. *Biochem Biophys Res Commun.* 152: 1463-1467.
- Burk, RF; Lane, JM; Patel, K. (1984). Relationship of oxygen and glutathione in protection against carbon tetrachloride-induced hepatic microsomal lipid peroxidation and covalent binding in the rat. Rationale for the use of hyperbaric oxygen to treat carbon tetrachloride ingestion. *The Journal of clinical investigation.* 74: 1996-2001.
- Burk, RF; Patel, K; Lane, JM. (1983). Reduced glutathione protection against rat liver microsomal injury by carbon tetrachloride. Dependence on O₂. *The Biochemical journal.* 215: 441-445.
- Burk, RF; Patel, K; Lane, JM. (1983). Reduced glutathione protection against rat liver microsomal injury by carbon tetrachloride. Dependence on O₂. *Biochem J.* 215: 441-445.
- Burk, RR; Reiter, R; Lane, JM. (1985). ALTERATION OF CARBON TETRACHLORIDE METABOLISM IN THE RAT BY HYPERBARIC OXYGEN. 77th Annual Meeting Of The American Society For Clinical Investigation, Washington, DC, Usa, May. 33.
- Burke, AS; Redeker, K; Kurten, RC; James, LP; Hinson, JA. (2007). Mechanisms of chloroform-induced hepatotoxicity: Oxidative stress and mitochondrial permeability transition in freshly isolated mouse hepatocytes. *Journal of Toxicology and Environmental Health-Part a-Current Issues.* 70: 1936-1945.
- Burns, RC; Wu, Y; Sitzmann, JV. (1995). Role of cirrhosis in the hemodynamic response to hemorrhage in portal hypertension. *Surgery.* 117: 488-493.
- Burr, AW; Toole, K; Chapman, C; Hines, JE; Burt, AD. (1998). Anti-hepatocyte growth factor antibody inhibits hepatocyte proliferation during liver regeneration. *J Pathol.* 185: 298-302.
- Burris, DR; Delcomyn, CA; Deng, BL; Buck, LE; Hatfield, K. (1998). Kinetics of tetrachloroethylene reductive dechlorination catalyzed by vitamin B₁₂. *Environ Toxicol Chem.* 17: 1681-1688.
- Bursch, W; Gleeson, T; Kleine, L; Tenniswood, M. (1995). Expression of clusterin (testosterone-repressed prostate message-2) mRNA during growth and regeneration of rat liver. *Arch Toxicol.* 69: 253-258.
- Bursch, W; Schulte-Hermann, R. (1986). Cytoprotective effect of the prostacyclin derivative iloprost against liver cell death induced by the hepatotoxins carbon tetrachloride and bromobenzene. *Klinische Wochenschrift.* 64 Suppl 7: 47-50.
- Bursser, MT; Lutz, WK. (1987). Stimulation of DNA synthesis in rat and mouse liver by various tumor promoters. *Carcinogenesis.* 8: 1433-1437.
- Burt, AD; Robertson, JL; Heir, J; MacSween, RN. (1986). Desmin-containing stellate cells in rat liver; distribution in normal animals and response to experimental acute liver injury. *The Journal of pathology.* 150: 29-35.
- Buschmann, J; Angst, W; Schwarzenbach, RP. (1999). Iron porphyrin and cysteine mediated reduction of ten polyhalogenated methanes in homogeneous aqueous solution: Product analyses and mechanistic considerations. *Environmental Science & Technology.* 33: 1015-1020.
- Buschmann, RJ; Ryoo, JW. (1989). Hepatic structural correlates of liver fibrosis: a morphometric analysis. *Exp Mol Pathol.* 50: 114-124.
- Bussan, AL; Strathmann, TJ. (2007). Influence of organic ligands on the reduction of polyhalogenated alkanes by Iron(II). *Environmental Science & Technology.* 41: 6740-6747.
- Bussey, KA; Cavalier, AR; Connell, JR; Mraz, ME; Holderread, A; Oshin, KD; Cordeiro, L; Pintauer, T; Joyce, MV; Zeller, M. (2016). Synthesis, characterization, X-ray crystallography analysis and kinetic study of tris(2-(4-trifluoromethylbenzylideneamino)ethyl)amine copper derivatives. *Polyhedron.* 114: 13-22.
- Bussey, KA; Cavalier, AR; Mraz, ME; Oshin, KD; Sarjeant, A; Pintauer, T. (2016). Synthesis, characterization, X-ray crystallography analysis, and catalytic activity of bis(2-pyridylmethyl)amine copper complexes containing coupled pendent olefinic arms in atom transfer radical addition (ATRA) reactions. *Polyhedron.* 114: 256-267.
- Busuttil, A; Alston, WC; Horne, CH; MacSween, RN. (1972). Effect of the production of experimental cirrhosis in rats on serum aminotransferase levels. *Revue europeenne d'etudes cliniques et biologiques European journal of clinical and biological research.* 17: 979-982.
- Buszewski, B; Ligor, T. (2001). Application of different extraction methods for the quality control of water. *Water Air and Soil Pollution.* 129: 155-165.
- Butler, EC. (1998). Transformation of halogenated organic compounds by iron sulfide. PhD, University of Michigan.
- Butler, EC; Chen, LX; Darlington, R. (2013). Transformation of Trichloroethylene to Predominantly Non-Regulated Products under Stimulated Sulfate Reducing Conditions. *Ground Water Monitoring and Remediation.* 33: 52-60.

Environmental Hazard Literature Search Results

Off Topic

- Butler, EC; Hayes, KF. (1998). Effects of solution composition and pH on the reductive dechlorination of hexachloroethane by iron sulfide. *Environmental Science & Technology*. 32: 1276-1284.
- Butler, EC; Hayes, KF. (2000). Kinetics of the transformation of halogenated aliphatic compounds by iron sulfide. *Environmental Science & Technology*. 34: 422-429.
- Butler, EC; Hayes, KF. (2001). Factors influencing rates and products in the transformation of trichloroethylene by iron sulfide and iron metal. *Environmental Science & Technology*. 35: 3884-3891.
- Butler, WH. (1964). ACUTE LIVER INJURY IN DUCKLINGS AS A RESULT OF AFLATOXIN POISONING. *The Journal of pathology and bacteriology*. 88: 189-196.
- Buttersack, C; Basler, W. (1991). Hydraulic conductivity of cell walls in sugar beet tissue. *Plant Sci*. 76: 229-237.
- Buwa, S; Patil, S; Kulkarni, PH; Kanase, A. (2001). Hepatoprotective action of abhrak bhasma, an ayurvedic drug in albino rats against hepatitis induced by CCl₄. *Indian J Exp Biol*. 39: 1022-1027.
- Buxton, BH; Witschi, H; Plaa, GL. (1973). Biochemical changes provoked in rat liver by cholestatic doses of *n*-naphthylisothiocyanate. *Toxicol Appl Pharmacol*. 24: 60-72.
- Byrne, CD. (1988). SELECTION OF SUBSTANCES REQUIRING PRIORITY ACTION. Richardson, M L. 0: 414-434.
- Byrnes, RW; Petering, DH. (1991). Inhibition of bleomycin-induced cellular DNA strand scission by 1,10-phenanthroline. *Biochem Pharmacol*. 41: 1241-1248.
- Cabbar, HC; Bostanci, A. (2001). Moisture effect on the transport of organic vapors in sand. *J Hazard Mater*. 82: 313-322.
- Cabot, R; Hunter, CA. (2010). A thermodynamic study of selective solvation in solvent mixtures. *Organic & Biomolecular Chemistry*. 8: 1943-1950.
- Cabot, R; Hunter, CA; Varley, LM. (2010). Hydrogen bonding properties of non-polar solvents. *Organic & Biomolecular Chemistry*. 8: 1455-1462.
- Cabre, M; Camps, J; Ferre, N; Paternain, JL; Joven, J. (2001). The antioxidant and hepato-protective effects of zinc are related to hepatic cytochrome P450 depression and metallothionein induction in rats with experimental cirrhosis. *Int J Vitam Nutr Res*. 71: 229-236.
- Cabre, M; Camps, J; Paternain, JL; Ferre, N; Joven, J. (2000). Time-course of changes in hepatic lipid peroxidation and glutathione metabolism in rats with carbon tetrachloride-induced cirrhosis. *Clin Exp Pharmacol Physiol*. 27: 694-699.
- Cabre, M; Ferre, N; Folch, J; Paternain, JL; Hernandez, M; del Castillo, D; Joven, J; Camps, J. (1999). Inhibition of hepatic cell nuclear DNA fragmentation by zinc in carbon tetrachloride-treated rats. *J Hepatol*. 31: 228-234.
- Cabre, M; Joven, J; Camps, J. (1993). Specificity of the thiobarbituric acid determination in CCl₄-induced hepatic injury in rats. *Medical Science Research*. 21: 55-57.
- Cacanyiova, S; Pechanova, O; Babal, P; Cerna, A; Janega, P; Andriantsitohaina, R. (2011). Red wine polyphenols correct vascular function injured by chronic carbon tetrachloride intoxication. *Gen Physiol Biophys*. 30: 207-213.
- Cadogan, JIG; Sharp, JT. (1966). Duality of mechanism in the reaction of triethyl phosphite and carbon tetrachloride. *Tetrahedron Letters*. 7: 2733-2738.
- Cagen, SZ; Dent, JG; McCormack, KM; Rickert, DE; Gibson, JE. (1979). Effect of polybrominated biphenyls on the development of hepatic excretory function. *The Journal of pharmacology and experimental therapeutics*. 209: 1-6.
- Cagen, SZ; Klaassen, CD. (1980). Carbon tetrachloride-induced hepatotoxicity: studies in developing rats and protection by zinc. *Fed Proc*. 39: 3124-3128.
- Cagen, SZ; Klaassen, CD. (1979). Hepatotoxicity of carbon tetrachloride in developing rats. *Toxicol Appl Pharmacol*. 50: 347-354.
- Cai, HB; Sun, XG; Liu, ZF; Liu, YW; Tang, J; Liu, QA; Ji, BM; Song, YH; Zhou, YC; Yang, MH; Lv, ZP. (2010). Effects of dahuangzhechong pills on cytokines and mitogen activated protein kinase activation in rats with hepatic fibrosis. *J Ethnopharmacol*. 132: 157-164.
- Cai, X; Sakamoto, M; Fujitsuka, M; Majima, T. (2005). Higher triplet excited states of benzophenones and bimolecular triplet energy transfer measured by using nanosecond-picosecond two-color/two-laser flash photolysis. *Chemistry (Weinheim an der Bergstrasse, Germany)*. 11: 6471-6477.
- Cai, XC; Hara, M; Kawai, K; Tojo, S; Fujitsuka, M; Majima, T. (2003). Some triplet energy-transfer reactions initiated by photoexcitation of triplet excited state of dibenz a,h anthracene to the higher triplet excited states. *Tetrahedron Letters*. 44: 6117-6120.
- Cai, XG; Xia, JR; Li, WD; Lu, FL; Liu, J; Lu, Q; Zhi, H. (2014). Anti-fibrotic effects of specific-siRNA targeting of the receptor for advanced glycation end products in a rat model of experimental hepatic fibrosis. *Mol Med Rep*. 10: 306-314.
- Cai, Y; Gong, LK; Qi, XM; Li, XH; Ren, J. (2005). Apoptosis initiated by carbon tetrachloride in mitochondria of rat primary cultured hepatocytes. *Acta Pharmacol Sin*. 26: 969-975.
- Cai, Y; Zhou, CH; Fu, D; Shen, XZ. (2012). Overexpression of Smad ubiquitin regulatory factor 2 suppresses transforming growth factor- β mediated liver fibrosis. *Journal of digestive diseases*. 13: 327-334.
- Cai, Z; Lou, Q; Wang, F; Li, E; Sun, J; Fang, H; Xi, J; Ju, L. (2015). N-acetylcysteine protects against liver injury induced by carbon tetrachloride via activation of the Nrf2/HO-1 pathway. *Int J Clin Exp Pathol*. 8: 8655-8662.
- Cai, Z; Mehendale, HM. (1990). IN-VIVO METABOLISM OF CARBON TETRACHLORIDE BY GERBILS PRETREATED WITH CHLORDECONE PHENOBARBITAL OR MIREX. 74th Annual Meeting Of The Federation Of American Societies For Experimental Biology, Part I, Washington, DC, Usa, April. 4.
- Cai, Z; Mehendale, HM. (1990). Lethal effects of CCl₄ and its metabolism by Mongolian gerbils pretreated with chlordecone, phenobarbital, or mirex. *Toxicol Appl Pharmacol*. 104: 511-520.
- Cai, Z; Mehendale, HM. (1991). Protection from CCl₄ toxicity by prestimulation of hepatocellular regeneration in partially hepatectomized gerbils. *Biochem Pharmacol*. 42: 633-644.

Environmental Hazard Literature Search Results

Off Topic

- Cai, ZW; Mehendale, HM. (1990). Lethal effects of CCl₄ and its metabolism by Mongolian gerbils pretreated with chlordecone, phenobarbital, or mirex. *Toxicol Appl Pharmacol.* 104: 511-520.
- Cai, ZW; Mehendale, HM. (1991). Protection from CCl₄ toxicity by prestimulation of hepatocellular regeneration in partially hepatectomized gerbils. *Biochem Pharmacol.* 42: 633-644.
- Cairns, FJ. (1946). Carbon tetrachloride poisoning; a fatal case following accidental ingestion of carbon tetrachloride. *The New Zealand medical journal.* 45: 176-178.
- Cairo, G; Tacchini, L; Pietrangelo, A. (1998). Lack of coordinate control of ferritin and transferrin receptor expression during rat liver regeneration. *Hepatology.* 28: 173-178.
- Calabrese, C; Stingel, AM; Shen, L; Petersen, PB. (2012). Ultrafast continuum mid-infrared spectroscopy: probing the entire vibrational spectrum in a single laser shot with femtosecond time resolution. *Optics Letters.* 37: 2265-2267.
- Calabrese, EJ. (1996). Expanding the RfD concept to incorporate and optimize beneficial effects while preventing toxic responses from nonessential toxicants. *Ecotoxicol Environ Saf.* 34: 94-101.
- Calabrese, EJ. (2016). Preconditioning is hormesis part II: How the conditioning dose mediates protection: Dose optimization within temporal and mechanistic frameworks. *Pharmacol Res.* 110: 265-275.
- Calabrese, EJ; Baldwin, LA; Leonard, DA; Zhao, XQ. (1995). Decrease in hepatotoxicity by lead exposure is not explained by its mitogenic response. *J Appl Toxicol.* 15: 129-132.
- Calabrese, EJ; Baldwin, LA; Mehendale, HM. (1993). G2 subpopulation in rat liver induced into mitosis by low-level exposure to carbon tetrachloride: an adaptive response. *Toxicol Appl Pharmacol.* 121: 1-7.
- Calabrese, EJ; Baldwin, LA; Mehendale, HM. (1993). G sub(2) subpopulation in rat liver induced into mitosis by low-level exposure to carbon tetrachloride: An adaptive response. *Toxicol Appl Pharmacol.* 121: 1-7.
- Calabrese, EJ; Iavicoli, I; Calabrese, V. (2012). Hormesis: why it is important to biogerontologists. *Biogerontology.* 13: 215-235.
- Calabrese, EJ; Leonard, DA; Baldwin, LA. (1994). Tissue repair: A critical determinant in CCl sub(4) hepatotoxicity. *Ecotoxicol Environ Saf.* 27: 105-106.
- Calabrese, EJ; Leonard, DA; Zhao, X; Lakshmanan, K. (1996). Role of tissue repair in carbon tetrachloride hepatotoxicity in male and female Sprague-Dawley and Wistar rats. *J Am Coll Toxicol.* 15: 62-69.
- Calabrese, EJ; Mehendale, HM. (1996). A review of the role of tissue repair as an adaptive strategy: why low doses are often non-toxic and why high doses can be fatal. *34: 301-311.*
- Calatroni, A; SÃ rkâ€ Di, K. (2004). Rutin, a flavonoid phytochemical, ameliorates certain behavioral and electrophysiological alterations and general toxicity of oral arsenic in rats. *Life Sci.* 74: 1289-1305.
- Caletka, R; Muenster, H; Krivan, V. (1987). PRECONCENTRATION OF RADIOCESIUM FROM WATER SAMPLES ON ZINC HEXACYANOFERRATE BOUNDED IN AGAR AGAR GEL. *Anakon '87 On Advances In Analytical Chemistry: Methods And Applications, Baden Baden, West Germany, May.* 327: 19-20.
- Callaghan, R; Paull, P; Desmond, PV; Mashford, ML. (1994). Factors affecting the hepatic elimination of oxidized and of glucuronidated high clearance drugs following acute administration of carbon tetrachloride. *J Hepatol.* 20: 742-749.
- Callahan, CA; Shirazi, MA; Neuhauser, EF. (1994). Comparative toxicity of chemicals to earthworms. *Environ Toxicol Chem.* 13: 291-298.
- Callen, DF; Wolf, CR; Philpot, RM. (1980). Cytochrome P-450 mediated genetic activity and cytotoxicity of seven halogenated aliphatic hydrocarbons in *Saccharomyces cerevisiae*. *Mutat Res.* 77: 55-63.
- Calligaro, A; Vannini, V. (1976). Reply to the comments of K.M. Sancier concerning the communication: â€œElectron spin resonance study of homolytic cleavage of carbon tetrachloride in rat liver: Trichloromethyl free radicalsâ€ (Calligaro et al. 1975). *Pharmacological Research Communications.* 8: 431-434.
- Calvert, DN; Brody, TM. (1960). Role of the sympathetic nervous system in carbon tetrachloride hepatotoxicity. *The American journal of physiology.* 198: 669-676.
- Calvert, DN; Brody, TM. (1961). The effects of thyroid function upon carbon tetrachloride hepatotoxicity. *The Journal of pharmacology and experimental therapeutics.* 134: 304-310.
- Calza, L; Trapani, F; Salvadori, C; Magistrelli, E; Manfredi, R; Colangeli, V; Di, BMA; Borderi, M; Viale, P. (2013). Incidence of renal toxicity in HIV-infected, antiretroviral-naâ€ve. *Scandinavian journal of infectious diseases.* 45: 147-154.
- Camandola, S; Aragno, M; Cutrin, JC; Tamagno, E; Danni, O; Chiarpotto, E; Parola, M; Leonarduzzi, G; Biasi, F; Poli, G. (1999). Liver AP-1 activation due to carbon tetrachloride is potentiated by 1,2-dibromoethane but is inhibited by alpha-tocopherol or gadolinium chloride. *Free Radic Biol Med.* 26: 1108-1116.
- Camandola, S; Aragno, M; Cutrin, JC; Tamagno, E; Danni, O; Chiarpotto, E; Parola, M; Leonarduzzi, G; Biasi, F; Poli, G. (1999). Liver AP-1 activation due to carbon tetrachloride is potentiated by 1,2-dibromoethane but is inhibited by Î±-tocopherol or gadolinium chloride. *Free Radic Biol Med.* 26: 1108-1116.
- Camara-Campos, A; Musumeci, D; Hunter, CA; Turega, S. (2009). Chemical Double Mutant Cycles for the Quantification of Cooperativity in H-Bonded Complexes. *J Am Chem Soc.* 131: 18518-18524.
- Camarasa, J; Laguna, JC; Gaspar, A; Lalueza, P. (1987). BIOCHEMICAL AND HISTOLOGICAL PATTERN OF CYNARIN AND CAFFEIC ACID TREATMENT IN CARBON TETRACHLORIDE INDUCED HEPATOTOXICITY. *Med Sci Res.* 15: 91-92.
- Camarasa, J; Laguna, JC; Gaspar, A; Lalueza, P. (1987). Biochemical and histological pattern of cynarin and caffeic acid treatment in CCl sub(4)-induced hepatotoxicity. *Medical Science Research.* 15: 91-92.
- Cambon-Gros, C; Carrera, G; Mitjavila, S. (1984). Inhibition of Ca²⁺ sequestration in foetal liver microsomes by carbon tetrachloride and bromotrchloromethane. *Biochem Pharmacol.* 33: 2605-2608.

Environmental Hazard Literature Search Results

Off Topic

- Cambon-Gros, C; Carrera, G; Mitjavila, S. (1984). Inhibition of Ca super(2+) sequestration in foetal liver microsomes by carbon tetrachloride and bromotrachloromethane. *Biochem Pharmacol.* 33: 2605-2608.
- Cambon-Gros, C; Deltour, P; Biograin, RA; Fernandez, Y; Mitjavila, S. (1986). Radical activation of carbon tetrachloride in foetal and maternal rat liver microsomes. *Biochem Pharmacol.* 35: 2041-2044.
- Cambon-Gros, C; Fernandez, Y; Mitjavila, MT; Carbonell, T; Puig-Parellada, P; Mitjavila, S. (1989). COMBINED EFFECT OF A PUFA DEFICIENT DIET AND IRON LEVELS ON LIPID PEROXIDATION INDUCED CARBON TETRACHLORIDE. *International Symposium On Nutritional Toxicology And Food Safety, Toulouse, France, April. 7: S108-S110.*
- Cambos, NM; Reilly, JF. (1966). Effect of carbon tetrachloride on blood glutathione reductase activity in rabbits. *Toxicol Appl Pharmacol.* 9: 171-184.
- Cameron, MD; Aust, SD. (1999). Degradation of chemicals by reactive radicals produced by cellobiose dehydrogenase from *Phanerochaete chrysosporium*. *Arch Biochem Biophys.* 367: 115-121.
- Cameron, R. (1963). EXPLORING THE INJURED CELL. *The Medical journal of Australia.* 2: 341-347.
- Camoni, I; Di, MUCCIOA; Bellisai, MS; Citti, P. (1993). Pesticide residue control in the years 1988-1989 in Italy. *Biomed Environ Sci.* 6: 161-171.
- Camp, D; Harvey, PJ; Jenkins, ID. (2015). The effect of solvent polarity on the rate of the Mitsunobu esterification reaction. *Tetrahedron.* 71: 3932-3938.
- Campagnolo, JF; Akgerman, A. (1996). A prediction method for gas-phase VOC isotherms onto soils and soil constituents. *J Hazard Mater.* 49: 231-245.
- Campbell, JE. (1960). Myocardial lesions and granulocytopenia associated with chlorpromazine therapy. Liver necrosis resulting from unsuspected carbon tetrachloride poisoning. *Am J Clin Pathol.* 34: 133-138.
- Campbell, RM; Kosterlitz, HW. (1948). The effects of short-term changes in dietary protein on the response of the liver to carbon tetrachloride injury. *Br J Exp Pathol.* 29: 149-159.
- Campo, GM; Avenoso, A; Campo, S; D'Ascola, A; Ferlazzo, AM; Calatroni, A. (2004). The antioxidant and antifibrogenic effects of the glycosaminoglycans hyaluronic acid and chondroitin-4-sulphate in a subchronic rat model of carbon tetrachloride-induced liver fibrogenesis. *Chem Biol Interact.* 148: 125-138.
- Campo, GM; Avenoso, A; Campo, S; Ferlazzo, AM; Micali, C; Zanghi, L; Calatroni, A. (2004). Hyaluronic acid and chondroitin-4-sulphate treatment reduces damage in carbon tetrachloride-induced acute rat liver injury. *Life Sci.* 74: 1289-1305.
- Campo, GM; Avenoso, A; Campo, S; Nastasi, G; Traina, P; D'Ascola, A; Rugolo, CA; Calatroni, A. (2008). The antioxidant activity of chondroitin-4-sulphate, in carbon tetrachloride-induced acute hepatitis in mice, involves NF-kappa B and caspase activation. *Br J Pharmacol.* 155: 945-956.
- Campone, L; Piccinelli, AL; Celano, R; Rastrelli, L. (2012). pH-controlled dispersive liquid-liquid microextraction for the analysis of ionisable compounds in complex matrices: Case study of ochratoxin A in cereals. *Anal Chim Acta.* 754: 61-66.
- Campos, I; Solodkowska, W; Munoz, E; Segovia-Riquelme, N; Cembrano, J; Mardones, J. (1964). ETHANOL METABOLISM IN RATS WITH EXPERIMENTAL LIVER CIRRHOSIS. I. RATE OF COMBUSTION OF LABELED ETHANOL AND RATE OF DECREASE OF BLOOD ETHANOL LEVEL. *Quarterly journal of studies on alcohol.* 25: 417-422.
- Campos-Pineda, M; Acuna-Askar, K; Martinez-Guel, JA; Mas-Trevino, M; Tijerina-Menchaca, R; Martinez, LM; Videa, M; Parra-Saldivar, R. (2012). Time and cost efficient biodegradation of diesel in a continuous-upflow packed bed biofilm reactor and effect of surfactant GAELE. *J Chem Tech Biotechnol.* 87: 1131-1140.
- Camps, J; Sola, X; Rimola, A; Parâ€šs, A. Comparative study of aminoglycoside nephrotoxicity in normal rats and rats with experimental cirrhosis.
- Camps, J; Valcheva-Kuzmanova, SV; Popova, PB; Krasnaliev, IJ; Galunska, BT; Belcheva, A; Schunack, W. (1999). Protective effect of BP 2-94, a histamine H3-receptor agonist prodrug, in a model of carbon tetrachloride-induced hepatotoxicity in rats. *Mol Cell Biochem.* 198: 57-60.
- Candelario-Jalil, E; Mohammed-Al-Dalain, S; Fernandez, OSL; Menendez, S; Perez-Davison, G; Merino, N; Sam, S; Ajamieh, HH. (2001). Oxidative preconditioning affords protection against carbon tetrachloride-induced glycogen depletion and oxidative stress in rats. *J Appl Toxicol.* 21: 297-301.
- Canna-Michaelidou, S. (1993). MICROTOX RESPONSE TO VOLATILE ORGANIC POLLUTANTS-IMPLEMENTATION OF THE TEST IN INVESTIGATING ACCIDENTAL OR DELIBERATE WATER SUPPLY POLLUTION. *Sci Total Environ.* 0: 969-977.
- Cantâ€šrk, Z; Ozbilim, G; Yenisey, C. (1999). Experimental cirrhosis of the liver and cytoprotective effects of alpha tocopherol. *East African medical journal.* 76: 223-227.
- Canter, LW; Knox, RC. (1985). GROUND WATER POLLUTION CONTROL. *Canter, L W And R C Knox Ground Water Pollution Control Xxv+526p Lewis Publishers, Inc: Chelsea, Mich, Usa Illus Isbn. 0.*
- Cantilena, LR, Jr.; Cagen, SZ; Klaassen, CD. (1979). Methanol potentiation of carbon tetrachloride-induced hepatotoxicity. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY).* 162: 90-95.
- Cantillana, T; Sundstrâ€šm, M; Bergman, A. (2009). Synthesis of 2-(4-chlorophenyl)-2-(4-chloro-3-thiophenyl)-1,1-dichloroethene (3-SH-DDE) via Newmanâ€šKwart rearrangement â€šA precursor for synthesis of radiolabeled and unlabeled alkylsulfonyl-DDEs. *Chemosphere.* 76: 805-810.
- Cantillana, T; Sundstrom, M; Bergman, A. (2009). Synthesis of 2-(4-chlorophenyl)-2-(4-chloro-3-thiophenyl)-1,1-dichloroethene (3-SH-DDE) via Newman-Kwart rearrangement - A precursor for synthesis of radiolabeled and unlabeled alkylsulfonyl-DDEs. *Chemosphere.* 76: 805-810.
- Cantu, A; Pophal, G; Hall, S; Laush, CT. (1998). A unique application of an extractive FTIR ambient air monitoring system for the simultaneous detection of multiple-ppb-level VOCs. *Applied Physics B-Lasers and Optics.* 67: 493-496.

Environmental Hazard Literature Search Results

Off Topic

- Cantz, T; Sharma, AD; Jochheim-Richter, A; Arseniev, L; Klein, C; Manns, MP; Ott, M. (2004). Reevaluation of bone marrow-derived cells as a source for hepatocyte regeneration. *Cell Transplant.* 13: 659-666.
- Cao, AH; Vo, LT; King, RG. (2005). Honokiol protects against carbon tetrachloride induced liver damage in the rat. *Phytother Res.* 19: 932-937.
- Cao, BQ; Lin, JZ; Zhong, YS; Huang, SB; Lin, N; Tang, ZF; Chen, R; Xiang, P; Xu, RY. (2007). Contribution of mononuclear bone marrow cells to carbon tetrachloride-induced liver fibrosis in rats. *World J Gastroenterol.* 13: 1851-1854; discussion 1854-1856.
- Cao, F; Liu, TX; Wu, CY; Li, FB; Li, XM; Yu, HY; Tong, H; Chen, MJ. (2012). Enhanced Biotransformation of DDTs by an Iron- and Humic-Reducing Bacteria *Aeromonas hydrophila* HS01 upon Addition of Goethite and Anthraquinone-2,6-Disulphonic Disodium Salt (AQDS). *J Agric Food Chem.* 60: 11238-11244.
- Cao, G; Li, Q; Chen, X; Cai, H; Tu, S. (2014). Hepatoprotective effect of superfine particles of herbal medicine against CCl₄-induced acute liver damage in rats. *BioMed Res Int.* 2014: 934732.
- Cao, HX; Sun, H; Jiang, XG; Lu, HT; Zhang, GM; Wang, XJ; Sun, WJ; Wu, ZM; Wang, P; Liu, L; Zhou, J. (2009). Comparative study on the protective effects of Yinchenhao Decoction against liver injury induced by alpha-naphthylisothiocyanate and carbon tetrachloride. *Chin J Integr Med.* 15: 204-209.
- Cao, LP; Ding, WD; Du, JL; Jia, R; Liu, YJ; Zhao, CY; Shen, YJ; Yin, GJ. (2015). Effects of curcumin on antioxidative activities and cytokine production in Jian carp (*Cyprinus carpio* var. Jian) with CCl₄-induced liver damage. *Fish & Shellfish Immunology.* 43: 150-157.
- Cao, LP; Du, JL; Ding, WD; Jia, R; Liu, YJ; Xu, P; Teraoka, H; Yin, GJ. (2016). Hepatoprotective and antioxidant effects of dietary *Angelica sinensis* extract against carbon tetrachloride-induced hepatic injury in Jian Carp (*Cyprinus carpio* var. Jian). *Aquaculture Research.* 47: 1852-1863.
- Cao, W; Li, Y; Li, M; Zhang, X; Liao, M. (2017). Txn1, Ctsd and Cdk4 are key proteins of combination therapy with taurine, epigallocatechin gallate and genistein against liver fibrosis in rats. *Biomedicine & Pharmacotherapy.* 85: 611-619.
- Cao, W; Zhou, Y; Li, Y; Zhang, XR; He, M; Zang, N; Zhou, Y; Liao, M. (2015). iTRAQ-based proteomic analysis of combination therapy with taurine, epigallocatechin gallate, and genistein on carbon tetrachloride-induced liver fibrosis in rats. *Toxicol Lett.* 232: 233-245.
- Cao, X; Latta, C; Schmidt-Rohr, K; Mao, J; Pignatello, JJ. (2016). Investigation of sorbate-induced plasticization of Pahokee peat by solid-state NMR spectroscopy. *Journal of Soils and Sediments.* 16: 1841-1848.
- Cao, XA; Feng, GM; Gao, HH; Luo, XQ; Lu, HL. (2005). Nanosized gamma-Al₂O₃+Nd₂O₃-based cataluminescence sensor for ethylene dichloride. *Luminescence.* 20: 104-108.
- Capel, ID; Jenner, M; Dorrell, HM; Williams, DC. (1980). The effect of chloroform inhalation on hepatic glucuronidation and de-glucuronidation mechanisms. *Drug Chem Toxicol.* 3: 73-81.
- Caple, IW; Heath, TJ. Effect of liver damage caused by carbon tetrachloride on the secretion of bile salts and lipids into bile of sheep. *J Comp Pathol.* July 1971, 81 (3): 411-419.
- Cappelletti, M; Frascari, D; Zannoni, D; Fedi, S. (2012). Microbial degradation of chloroform. *Appl Microbiol Biotechnol.* 96: 1395-1409.
- Caprion, D. (2009). Discotic molecules in cylindrical nanopores: a Monte Carlo study. *The European physical journal E, Soft matter.* 28: 305-313.
- Capurro, PU. (1973). Effects of exposure to solvents caused by air pollution with special reference to CCl₄ and its distribution in air. *Clin Toxicol.* 6: 109-124.
- Caraceni, P; Giannone, F; Catani, L; Talarico, S; Pertosa, AM; Domenicali, M; Fogli, M; Principe, A; Trevisani, F; Baccarani, M; Bernardi, M; Lemoli, RM. (2007). Effects of granulocyte colony stimulating-factor in a rat model of acute liver injury. *Digestive and liver disease : official journal of the Italian Society of Gastroenterology and the Italian Association for the Study of the Liver.* 39: 943-951.
- Carakostas, MC; Gossett, KA; Church, GE; Cleghorn, BL. (1986). Evaluating toxin-induced hepatic injury in rats by laboratory results and discriminant analysis. *Vet Pathol.* 23: 264-269.
- Cardani, R. (2001). Immunohistochemical localization of beta 1-adrenergic receptors in the liver of male and female F344 rat. *Histochem Cell Biol.* 116: 441-445.
- Cardeilhac, PT; Nair, KP. (1973). Inhibition by castration of aflatoxin-induced hepatoma in carbon tetrachloride-treated rats. *Toxicol Appl Pharmacol.* 26: 393-397.
- Cardenas, A; Lowe, R; Oh, S; Bodkin, S; Kenney, T; Lamorte, WW; Afdhal, NH. (2008). Hemodynamic effects of substance P and its receptor antagonist RP67580 in anesthetized rats with carbon tetrachloride-induced cirrhosis. *Scand J Gastroenterol.* 43: 328-333.
- Cardoso, JE; Calmus, Y. Augmented portal flow in the isolated perfused cirrhotic rat liver: a haemodynamic and morphological study.
- Carere, A; Bellincampi, D; Conti, G; Conti, L; Crebelli, R; Gualandi, G; Morpurgo, G. (1984). GENOTOXIC ACTIVITY OF SELECTED CHEMICAL CARCINOGENS IN ASPERGILLUS-NIDULANS. 14th Annual Meeting Of The European Environmental Mutagen Society, Moscow, Ussr, Sept. 147: 287-288.
- Carini, R; Chiarpotto, E; Biasi, F; Leonarduzzi, G; Comoglio, A; Carpi, C; Poli, G. (1987). RELATION BETWEEN LIVER NECROSIS AND INTRAHEPATIC CHOLESTASIS IN RATS POISONED WITH CARBON TETRACHLORIDE. *Boll Soc Ital Biol Sper.* 63: 273-280.
- Carl, DE; Ghosh, SS; Gehr, TWB; Abbate, A; Toldo, S; Sanyal, AJ. (2016). A model of acute kidney injury in mice with cirrhosis and infection. *Liver Int.* 36: 865-873.
- Carlier, B; Schroeder, E; Mahieu, P. (1980). A rapidly and spontaneously reversible Goodpasture's syndrome after carbon tetrachloride inhalation. *Acta Clin Belg.* 35: 193-198.
- Carlson, DL; McGuire, MM; Roberts, AL; Fairbrother, DH. (2003). Influence of surface composition on the kinetics of alachlor reduction by iron pyrite. *Environmental Science & Technology.* 37: 2394-2399.
- Carlson, GP. (1975). Potentiation of carbon tetrachloride hepatotoxicity in rats by pretreatment with polychlorinated biphenyls. *Toxicology.* 5: 69-77.

Environmental Hazard Literature Search Results

Off Topic

- Carlson, GP. (1975). Protection against carbon tetrachloride-induced hepatotoxicity by pretreatment with methylmercury hydroxide. *Toxicology*. 4: 83-89.
- Carlson, GP. (1978). Halogenated benzenes, effect on xenobiotic metabolism and the toxicity of other chemicals. *Ann N Y Acad Sci*. 298: 159-169.
- Carlson, GP; Fuller, GC; Fausto, N. (1974). Effects of spironolactone on carbon tetrachloride hepatotoxicity. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY)*. 145: 182-185.
- Carlsson, R; Engvall, E; Freeman, A; Ruoslahti, E. (1981). Laminin and fibronectin in cell adhesion: enhanced adhesion of cells from regenerating liver to laminin. *Proceedings of the National Academy of Sciences of the United States of America*. 78: 2403-2406.
- Carmona, dGaCA; Ramirez, F. (1981). Protective action of cold acclimatization against carbon tetrachloride and ethionine-induced fatty livers. *Revista brasileira de biologia*. 41: 211-213.
- Carr, DJ; Kudavalli, JS; Dunne, KS; Muller-Bunz, H; Gilheany, DG. (2013). Synthesis of 2,3-Dihydro-1-phenylbenzo b phosphole (1-Phenylphosphindane) and Its Use as a Mechanistic Test in the Asymmetric Appel Reaction: Decisive Evidence against Involvement of Pseudorotation in the Stereoselecting Step. *J Org Chem*. 78: 10500-10505.
- Carrabba, MM; Edmonds, RB; Rauh, RD. (1987). FEASIBILITY STUDIES FOR THE DETECTION OF ORGANIC SURFACE AND SUBSURFACE WATER CONTAMINANTS BY SURFACE-ENHANCED RAMAN SPECTROSCOPY ON SILVER ELECTRODES. *Anal Chem*. 59: 2559-2563.
- Carreau, J; Frommel, D; Nguyen, TT; Mazliak, P. (1980). Hepatic delta 9 and delta 6 desaturase activities during the recovery period following carbon tetrachloride poisoning. *Lipids*. 15: 631-636.
- Carretero, OA; Bumpus, FM; Smeby, RR. (1969). Pressor response to angiotensins I and II and renin in rats treated with carbon tetrachloride. *Nature*. 221: 1067-1068.
- Carroll, KC; Oostrom, M; Truex, MJ; Rohay, VJ; Brusseau, ML. (2012). Assessing performance and closure for soil vapor extraction: Integrating vapor discharge and impact to groundwater quality. *J Contam Hydrol*. 128: 71-82.
- Carroll, LT; Hill, PA; Ngo, CQ; Klatt, KP; Fantini, JL. (2013). Synthesis and reactions of a 2-chlorocalix[4]arene and a 2,2- ϵ^2 -coupled dicalixarene. *Tetrahedron*. 69: 5002-5007.
- Carter, EA; McCarron, MJ; Alpert, E; Isselbacher, KJ. (1982). Lysyl oxidase and collagenase in experimental acute and chronic liver injury. *Gastroenterology*. 82: 526-534.
- Carvalho, RA; Jones, JG; McGuirk, C; Sherry, AD; Malloy, CR. (2002). Hepatic gluconeogenesis and Krebs cycle fluxes in a CCl₄ model of acute liver failure. *Nmr in Biomedicine*. 15: 45-51.
- Cascorbi, HF. (1973). Biotransformation of drugs used in anesthesia. *Anesthesiology*. 39: 115-125.
- Cascorbi, HF. (1974). Biotransformation of fluroxene. *International anesthesiology clinics*. 12: 107-110.
- Cascorbi, HF. (1974). Letter: A historical note on the biotransformation of chloroform. *Anesthesiology*. 40: 316.
- Cascorbi, HF; Gesinski, RM; Komar, MK. (1976). Biotransformation, sex hormones, and toxicity of two volatile anesthetics in mice. *J Toxicol Environ Health*. 1: 839-842.
- Cascorbi, HF; Gorsky, BH; Redford, JE. (1976). Sex differences in anaesthetic toxicity: fluroxene and trifluoroethanol in mice. *Br J Anaesth*. 48: 399-402.
- Cascorbi, HF; Singh-Amaranath, AV. (1972). Fluroxene toxicity in mice. *Anesthesiology*. 37: 480-482.
- Cascorbi, HF; Singh-Amaranath, AV. (1973). Modification of fluroxene toxicity. *Anesthesiology*. 38: 454-457.
- Casey, HW; McClellan, RO; Clarke, WJ; Bustad, LK. (1963). I-131-LABELED ROSE BENGAL DYE BLOOD CLEARANCE AS A LIVER FUNCTION TEST IN SHEEP. HW-76000. HW-SA [reports] US Atomic Energy Commission. 86: 174-177.
- Casey, HW; McClellan, RO; Clarke, WJ; Bustad, LK. (1963). IODINE-131-LABELED ROSE BENGAL BLOOD CLEARANCE AS A LIVER FUNCTION TEST IN SHEEP. *Am J Vet Res*. 24: 1189-1194.
- Casillas, E; Myers, MS; Rhodes, LD; McCain, BB. (1985). SERUM CHEMISTRY OF DISEASED ENGLISH SOLE PAROPHRYS-VETULUS FROM POLLUTED AREAS OF PUGET SOUND WASHINGTON USA. *J Fish Dis*. 8: 437-450.
- Castelain, P; Kirsch-Volders, M. (1986). IN-VIVO TRITIATED THYMIDINE LABELING STUDY IN THE INITIATION-SELECTION-PROTOCOL OF RAT HEPATOCARCINOGENESIS THE EARLY EFFECTS OF CARBON TETRACHLORIDE-INDUCED NECROSIS. *Fourth Annual Ecp*. 30.
- Castellanos, T; Ascencio, F; Bashan, Y. (1998). Cell-surface lectins of *Azospirillum* spp. *Curr Microbiol*. 36: 241-244.
- Castilla-Cortazar, I; Pascual, DoPCnUUoNPSiue; UrdanAd, DoPPCnUUoNPSiue. Jejunal microvilli atrophy and reduced nutrient transport in rats with advanced liver cirrhosis: improvement by Insulin-like Growth Factor I.
- Castranova, V; Bowman, L; Miles, PR; Reasor, MJ. (1980). Toxicity of metal ions to alveolar macrophages. *Am J Ind Med*. 1: 349-357.
- Castro C.R, d; Fernandez, G; Villarruel, MC; Berkiacchi, A; Castro, JA. Carbon tetrachloride activation in rat liver mitochondria. *Toxicol Lett*. 18, Supplement 1: 42.
- Castro, CdITgCITOXCIIFACONICE; Ishola, IO; Akinyede, AA; Robert, AK; Omilabu, SA. (1994). Hepatoprotective and antioxidant activities of Hepacare[®], a herbal formulation against carbon tetrachloride-induced liver injury. *Toxicol Lett*. 71: 87-95):87-95.
- Castro, CE. (1993). Biodehalogenation: The kinetics and rates of the microbial cleavage of carbon-halogen bonds. *Environ Toxicol Chem*. 12: 1609-1618.
- Castro, CE; Yokoyama, W; Belser, NO. (1989). Biodehalogenation: Active site versus enzymatic and whole cell rates with cytochromes P-450. *Environ Toxicol Chem*. 8: 13-18.
- Castro, CE; Yokoyama, WH; Belser, NO. (1988). BIODEHALOGENATION REDUCTIVE REACTIVITIES OF MICROBIAL AND MAMMALIAN CYTOCHROMES P-450 COMPARED WITH HEME AND WHOLE-CELL MODELS. *J Agric Food Chem*. 36: 915-919.
- Castro, GD; Castro, JA. Hydroxyproline reaction with free radicals generated during benzoyl peroxide catalytic decomposition of carbon tetrachloride Structure of reaction products formed.

Environmental Hazard Literature Search Results

Off Topic

- Castro, GD; Castro, JA. (1985). Studies on pentane evolution by rats treated with nifurtimox or benznidazole. *Toxicology*. 35: 319-326.
- Castro, GD; D'Ájaz, G; oaz, t; mez, CdITgCITECETBAAA; Castro, JA. (1996). 5-Methylcytosine attack by hydroxyl free radicals and during carbon tetrachloride promoted liver microsomal lipid peroxidation: structure of reaction products. *Chem Biol Interact*. 99.
- Castro, GD; D'Ájaz, GmMI. Species differences in the interaction between CCl₄ reactive metabolites and liver DNA or nuclear protein fractions.
- Castro, GD; Diaz, GOMEZMI; Castro, JA. (1989). SPECIES DIFFERENCES IN THE INTERACTION BETWEEN CARBON TETRACHLORIDE REACTIVE METABOLITES AND LIVER DNA OR NUCLEAR PROTEIN FRACTIONS. *Carcinogenesis*. 10: 289-294.
- Castro, GD; Gomez, MID; Castro, JA. (1991). Interaction of trichloromethyl radicals with phenylalanine. *Arch Toxicol*. 65: 340-343.
- Castro, GD; LÁçpez, AJ; Petricio, AR; Castro, JA. (1986). Effect of the pretreatment with pyrazole, cystamine or diphenyl-P-phenylenediamine (DPPD) on the CCl₄-promoted pentane evolution in rats. *Res Commun Chem Pathol Pharmacol*.
- Castro, GD; Stamato, CJ; Castro, JA. (1994). Tyrosine attack by free radicals derived from catalytic decomposition of carbon tetrachloride. *Free Radical Biology & Medicine*. 16: 693-701.
- Castro, JA. (1990). PREVENTION OF CHEMICALLY INDUCED LIVER INJURY. Goldstein, R S, W R Hewitt And J B Hook. 0: 233-258.
- Castro, JA; Cignoli, EV; De, CCR; De, FOM. (1972). Prevention by cystamine of liver necrosis and early biochemical alterations induced by carbon tetrachloride. *Biochem Pharmacol*. 21: 49-57.
- Castro, JA; De, CCR; D'Acosta, N; Diaz, GMI; De, FEC. (1973). Carbon tetrachloride activation in liver microsomes from rats induced with 3-methylcholantrene. *Biochem Biophys Res Commun*. 50: 273-279.
- Castro, JA; De, FEC; De, CCR; D'Ájaz, GmMI; D'Acosta, N; De, FOM. (1973). Studies on the mechanism of cystamine prevention of several liver structural and biochemical alterations caused by carbon tetrachloride. *Toxicol Appl Pharmacol*.
- Castro, JA; de, FEC; de, CCR; de, FOM; Gram, TE; Reagan, RL; Guarino, AM. (1978). Mechanism of chloramphenicol prevention of carbon tetrachloride-induced liver damage. *Exp Mol Pathol*. 28: 395-405.
- Castro, JA; De, FEC; De, CCR; De, FOM; Sasame, H; Gillette, JR. (1974). Prevention of carbon tetrachloride-induced necrosis by inhibitors of drug metabolism--further studies on their mechanism of action. *Biochem Pharmacol*. 23: 295-302.
- Castro, JA; Ferreyra, EC; de, CCR; de, FOM; Diaz, GmMI; Gram, TE; Reagan, RL; Guarino, AM. (1977). Studies on the role of protein synthesis in cell injury by toxic agents: I. Effect of cycloheximide administration on several factors modulating carbon tetrachloride-induced liver necrosis. *Toxicol Appl Pharmacol*. 41: 305-320.
- Castro, JA; Gomez, MI. (1972). Studies on the irreversible binding of 14 C-CCl₄ to microsomal lipids in rats under varying experimental conditions. *Toxicol Appl Pharmacol*. 23: 541-552.
- Castro, JA; Sasame, HA; Sussman, H; Gillette, JR. (1968). Diverse effects of SKF 525-A and antioxidants on carbon tetrachloride-induced changes in liver microsomal P-450 content and ethylmorphine metabolism. *Life Sci*. 7: 129-136.
- Castro, JA; Yang, DH; Ye, ZY; Xie, YJ; He, XJ; Xu, WJ; Zhou, WM. (1998). Effect of salvianolate on intestinal epithelium tight junction protein zonula occludens protein 1 in cirrhotic rats. *Res Commun Mol Pathol Pharmacol*. 102: 163-174.
- Castro, JADG; De, FEC; De, CCR; D'Acosta, N; De, FCM. (1973). Differences in the carbon tetrachloride-induced damage to components of the smooth and rough endoplasmic reticulum from rat liver. *Biochem Biophys Res Commun*. 50: 337-343.
- Castro, MP; de Moraes, FR; Fujimoto, RY; da Cruz, C; Belo, MAD; de Moraes, JRE. (2014). Acute Toxicity by Water Containing Hexavalent or Trivalent Chromium in Native Brazilian Fish, *Piaractus mesopotamicus*: Anatomopathological Alterations and Mortality. *Bull Environ Contam Toxicol*. 92: 213-219.
- Casu, A. (1963). Seasonal changes in the nitrate-reducing activity of a green alga. *Experientia*. 19: 88-89.
- Casu, M; Corongiu, FP; Dessi, MA; Lai, A; Meloni, C. (1987). NMR SPIN-LATTICE RELAXATION TIMES OF INTRACELLULAR SODIUM-23 ON RAT LIVERS AND RELATED LIPID PEROXIDATION FOLLOWING CARBON TETRACHLORIDE INTOXICATION AU - BANNI S. *Chem Biol Interact*. 63: 207-214.
- Casu, M; Gibbons, WA; Lai, A; Dessi, MA. (1991). PROTON NMR STUDY OF THE CHANGES IN CELLULAR AND MEMBRANE COMPOSITION INDUCED BY CARBON TETRACHLORIDE. Wegmann, R J And M A Wegmann. 0: 187-191.
- Cataldo, F; Ursini, O; Ragni, P. (2013). Fullerene C(60) Trichloromethylation Through CCl₄ Plasmalysis or Sonolysis. *Plasma Chemistry and Plasma Processing*. 33: 355-365.
- Cater, SR; Bircher, KG; Stevens, RDS; Safarzadeh-Amiri, A. (1990). RAYOX A SECOND GENERATION ENHANCED OXIDATION PROCESS FOR PROCESS AND GROUNDWATER REMEDIATION. Symposium On Advanced Oxidation Processes, June. 27: 151-168.
- Cau, CdSÁ n-D-DdBŠUNA; oacu, dMŠ; Pound, AW; Lawson, TA. (1990). Reduction of carbon tetrachloride toxicity by prior administration of a single small dose in mice and rats. *Hepatology*. 12: 172-179.
- CaU, CJA; Lin, SC; Lin, CC; Lin, YH; Chen, CH. (1994). Protective and therapeutic effects of ban-zhi-lian on hepatotoxin-induced liver injuries. *Arch To1994*. 68: 206-209.
- Cawthorne, MA; Bunyan, J; Sennitt, MV; Green, J; Grasso, P. (1970). Vitamin E and hepatotoxic agents. 3. Vitamin E, synthetic antioxidants and carbon tetrachloride toxicity in the rat. *The British journal of nutrition*. 24: 357-384.
- Cawthorne, MA; Murrell, EA; Bunyan, J; Leiper, JWG; Green, J; Watkins, JH. The effect of ethoxyquin on the mortality of sheep treated with DDT and carbon tetrachloride. *Res Vet Sci*. Nov 1971, 12 (6): 516-520.
- Cawthorne, MA; Palmer, ED; Bunyan, J; Green, J. In vivo effects of carbon tetrachloride and chloroform on liver and kidney glucose-6-phosphatase in mice. *Biochem Pharmacol*. Feb 1971, 20 (2): 494-496.
- Cawthorne, MA; Palmer, ED; Bunyan, J; Green, J. (1971). In vivo effects of carbon tetrachloride and chloroform on liver and kidney glucose-6-phosphatase in mice. *Biochem Pharmacol*. 20: 494-496.
- Cawthorne, MA; Palmer, ED; Green, J. (1973). [Effect of 6-ethoxy 2,2,4-trimethyl-1,2-dihydroquinoline (ethoxyquin) on carbon tetrachloride metabolism in the rat]. *Biochem Pharmacol*. 22: 783-788.

Environmental Hazard Literature Search Results

Off Topic

- Cawthorne, MA; Palmer, ED; Green, J. (1973). Effect of ethoxyquin on the carbon tetrachloride-induced changes in rat hepatic microsomal enzymes. *Biochem Pharmacol.* 22: 2066-2068.
- Cazalis, R; Pulido, P; Pâ€šreJm, LLdAUMRINRAEŠšdPvvdTFTc; Cejudo, FJ. (2006). Cloning and characterization of three thioredoxin h isoforms from wheat showing differential expression in seeds. *J Exp Bot.* 72.
- Cde, SÂ nV; Ashburn, LL; Endicott, KM. (1994). The nonportal distribution of the trabeculae in dietary cirrhosis of rats and carbon tetrachloride cirrhosis of rats and guinea-pigs. *Can J Physiol Pharmacol.* 72: 72(10):1252-1256.
- Ceballos, L; Moreno, L; Alvarez, L; Shaw, L; Fairweather, I; Lanusse, C. (2010). Unchanged triclabendazole kinetics after co-administration with ivermectin and methimazole: failure of its therapeutic activity against triclabendazole-resistant liver flukes. *BMC Vet Res.* 6: 8.
- Cebovic, T; Maksimovic, Z. (2012). Hepatoprotective Effect of *Filipendula hexapetala* Gilib. (Rosaceae) in Carbon Tetrachloride-induced Hepatotoxicity in Rats. *Phytother Res.* 26: 1088-1091.
- Cebovic, T; Spasic, S; Popovic, M; Borota, J; Leposavic, G. (2006). The European mistletoe (*Viscum album* L.) grown on plums extract inhibits CCL(4)-induced liver damage in rats. *Fresen Environ Bull.* 15: 393-400.
- Cederbaum, AI; Kukie, ka, E; Speisky, H. (1992). Inhibition of rat liver microsomal lipid peroxidation by boldine. *Biochem Pharmacol.* 44: 1765-1772.
- Celep, E; Aydin, A; Kirmizibekmez, H; Yesilada, E. (2013). Appraisal of in vitro and in vivo antioxidant activity potential of cornelian cherry leaves. *Food Chem Toxicol.* 62: 448-455.
- Cemborain, A; Castilla-CortÂ zar, IDDoPSoMUPS; Garc; iacuteÂja, M. Effects of IGF-I treatment on osteopenia in rats with advanced liver cirrhosis.
- Cemek, M; Aymelek, F; Buyukokuroglu, ME; Karaca, T; Buyukben, A; Yilmaz, F. (2010). Protective potential of Royal Jelly against carbon tetrachloride induced-toxicity and changes in the serum sialic acid levels. *Food Chem Toxicol.* 48: 2827-2832.
- Cemek, M; Yilmaz, F; Buyukokuroglu, ME; Buyukben, A; Aymelek, F; Ayaz, A. (2012). Serum and Liver Tissue Bio-Element Levels, and Antioxidant Enzyme Activities in Carbon Tetrachloride-Induced Hepatotoxicity: Protective Effects of Royal Jelly. *J Med Food.* 15: 747-752.
- Cengiz, M; Kutlu, HM; Burukoglu, DD; Ayhanci, A. (2015). A comparative study on the therapeutic effects of Silymarin and Silymarin-Loaded Solid Lipid Nanoparticles on D-GaIN/TNF-alpha-induced Liver Damage in Balb/c Mice. *Food Chem Toxicol.* 77: 93-100.
- Cengiz, N; Kavak, S; Guzel, A; Ozbek, H; Bektas, H; Him, A; Erdogan, E; Balahoroglu, R. (2013). Investigation of the Hepatoprotective Effects of Sesame (*Sesamum indicum* L.) in Carbon Tetrachloride-Induced Liver Toxicity. *J Membr Biol.* 246: 1-6.
- Ceolotto, G; Papparella, I; Sticca, A; Bova, S; Cavalli, M; Cargnelli, G; Semplicini, A; Gatta, A; Angeli, P. (2008). An Abnormal Gene Expression of the beta-Adrenergic System Contributes to the Pathogenesis of Cardiomyopathy in Cirrhotic Rats. *Hepatology.* 48: 1913-1923.
- CerbÂcn-AmbrD, J; CerbÂcn, J. Lactate and pyruvate increase the incorporation of [3H]proline into collagen [3H]hydroxyproline in liver slices of CCl4 cirrhotic rats.
- Cerrada-Gimenez, M; Pietila, M; Loimas, S; Pirinen, E; Hyvonen, MT; Keinanen, TA; Janne, J; Alhonen, L. (2011). Continuous oxidative stress due to activation of polyamine catabolism accelerates aging and protects against hepatotoxic insults. *Transgenic Res.* 20: 387-396.
- Cervantes, FJ; Duong-Dac, T; Roest, K; Akkermans, ADL; Lettinga, G; Field, JA. (2003). Enrichment and immobilization of quinone-respiring bacteria in anaerobic granular sludge. *Water Science and Technology.* 48: 9-16.
- Cervantes, FJ; Garcia-Espinosa, A; Moreno-Reynosa, MA; Rangel-Mendez, JR. (2010). Immobilized Redox Mediators on Anion Exchange Resins and Their Role on the Reductive Decolorization of Azo Dyes. *Environmental Science & Technology.* 44: 1747-1753.
- Cervantes, FJ; Gonzalez-Estrella, J; Marquez, A; Alvarez, LH; Arriaga, S. (2011). Immobilized humic substances on an anion exchange resin and their role on the redox biotransformation of contaminants. *Bioresour Technol.* 102: 2097-2100.
- Cervantes, FJ; Martinez, CM; Gonzalez-Estrella, J; Marquez, A; Arriaga, S. (2013). Kinetics during the redox biotransformation of pollutants mediated by immobilized and soluble humic acids. *Appl Microbiol Biotechnol.* 97: 2671-2679.
- Cervantes, FJ; Vu-Thi-Thu, L; Lettinga, G; Field, JA. (2004). Quinone-respiration improves dechlorination of carbon tetrachloride by anaerobic sludge. *Appl Microbiol Biotechnol.* 64: 702-711.
- Cervini-Silva, J. (2003). Linear free-energy relationship analysis of the fate of chlorinated 1-and 2-carbon compounds by redox-manipulated smectite clay minerals. *Environ Toxicol Chem.* 22: 2298-2305.
- Cervini-Silva, J; Kostka, JE; Larson, RA; Stucki, JW; Wu, J. (2003). Dehydrochlorination of 1,1,1-trichloroethane and pentachloroethane by microbially reduced ferruginous smectite. *Environ Toxicol Chem.* 22: 1046-1050.
- Cervini-Silva, J; Larson, RA; Wu, J; Stucki, JW. (2001). Transformation of chlorinated aliphatic compounds by ferruginous smectite. *Environmental Science & Technology.* 35: 805-809.
- Cervinkova, Z; Bgatova, NP; Shorina, TG; Holecek, M; Subrtova, D; Vosvrdoval, H; Shkurupy, VA; Simek, J. (1987). STRUCTURAL AND FUNCTIONAL CHANGES AFTER THE ADMINISTRATION OF TETRACHLOROMETHANE IN THE LIVER OF RATS FED ON DIETS WITH DIFFERENT PROTEIN CONTENTS. *Physiol Bohemoslov.* 36: 349-360.
- CervinkovÂ , Z; Bgatova, NP; aShorina, TG; Holecek, M; SubrtovÂ , D. Structural and functional changes after the administration of tetrachlormethane in the liver of rats fed on diets with different protein contents.
- Cetin, E; Kanbur, M; Cetin, N; Eraslan, G; Atasever, A. (2011). Hepatoprotective effect of ghrelin on carbon tetrachloride-induced acute liver injury in rats. *Regulatory Peptides.* 171: 1-5.
- Cetin, F; Yenil, N; Yuceer, L. (2005). Stable spiro-endoperoxides by sunlight-mediated photooxygenation of 1,2-O-alkylidene-5(E)-eno-5,6,8-trideoxy-alpha-D-xylo-oct-1,4-furano-7-u loses. *Carbohydr Res.* 340: 2583-2589.
- Cetinkaya, A; Kantarceken, B; Bulbuloglu, E; Kurutas, EB; Ciralik, H; Atli, Y. (2013). The effects of L-carnitine and N-acetylcysteine on carbontetrachloride induced acute liver damage in rats. *Bratislavské lekárskelisty.* 114: 682-688.

Environmental Hazard Literature Search Results

Off Topic

- Cha, JY; Ahn, HY; Moon, HI; Jeong, YK; Cho, YS. (2012). Effect of fermented *Angelicae gigantis Radix* on carbon tetrachloride-induced hepatotoxicity and oxidative stress in rats. *Immunopharmacol Immunotoxicol.* 34: 265-274.
- ChÃvez-PiÃñeda, AE; Favari, L; CastaÃ±eda-He; eda-HernÃndez, G. (2009). Pharmacokinetics of acemetacin and its active metabolite indomethacin in rats during acute hepatic damage and liver regeneration. *Ann Hepatol.* 8: 141-147.
- ChÃjvez, RM; Jaramillo, F; HernÃndez, ET; MartÃnez, MC. (2016). Protective effect of *Ginkgo biloba* in renal system versus toxic effect of carbon tetrachloride. *Toxicol Lett.* 259, Supplement: S245.
- Chadha, VD; Bhalla, P; Dhawan, DK. (2008). Zinc modulates lithium-induced hepatotoxicity in rats. *Liver Int.* 28: 558-565.
- Chadwick, RW; Copeland, MF; Carlson, GP; Trela, BA; Mos, BM. (1988). Comparison of in vivo and in vitro methods for assessing the effects of carbon tetrachloride on the hepatic drug-metabolizing enzyme system. *Toxicol Lett.* 42: 309-316.
- Chadwick, RW; Copeland, MF; Carlson, GP; Trela, BA; Most, BM. (1988). Comparison of in vivo and in vitro methods for assessing the effects of repeated dosing with carbon tetrachloride on the hepatic drug-metabolizing enzyme system. *Toxicol Lett.* 44: 201-213.
- Chahboun, A; Vasilevskiy, MI; Baidus, NV; Cavaco, A; Sobolev, NA; Carmo, MC; Alves, E; Zvonkov, BN. (2008). Further insight into the temperature quenching of photoluminescence from InAs/GaAs self-assembled quantum dots. *Journal of Applied Physics.* 103: 83548-83548.
- Chakass, D; Philippe, D; Erdual, E. micro-Opioid receptor activation prevents acute hepatic inflammation and cell death.
- Chakinala, AG; Gogate, PR; Chand, R; Bremner, DH; Molina, R; Burgess, AE. (2008). Intensification of oxidation capacity using chloroalkanes as additives in hydrodynamic and acoustic cavitation reactors. *Ultrason Sonochem.* 15: 164-170.
- Chakrabarti, S; Yamaguchi, S. (1985). EFFECTS OF SUBCHRONIC EXPOSURE TO ORGANIC SOLVENTS ON THE ANTICOAGULANT ACTION OF WARFARIN IN RATS. 69th Annual Meeting Of The Federation Of American Societies For Experimental Biology, Anaheim, Calif, Usa, Apr. 44: 519.
- Chakraborty, B; Sengupta, M. (2012). Boosting of nonspecific host response by aromatic spices turmeric and ginger in immunocompromised mice. *Cell Immunol.* 280: 92-100.
- Chakraborty, D; Mallik, BS; Chandra, A. (2014). An ab initio molecular dynamics study of water-carbon tetrachloride liquid-liquid interface: nature of interfacial structure, hydrogen bonds and dynamics. *Current Science.* 106: 1207-1218.
- Chakraborty, T; Rai, SN. (2005). Depolarization ratio and correlation between the relative intensity data and the abundance ratio of various isotopes of liquid carbon tetrachloride at room temperature. *Spectrochimica acta Part A, Molecular and biomolecular spectroscopy.* 62: 438-445.
- Chakravarty, B; Deb, C. (1964). CARBOHYDRATE METABOLISM IN CARBON TETRACHLORIDE INTOXICATION, A HISTOCHEMICAL AND BIOCHEMICAL STUDY. *Journal of experimental medical sciences.* 8: 59-64.
- Chals, M; Perron, R. Hyperchlorinated fatty acids. II. Photochlorination of stearic acid in carbon tetrachloride, reaction study. *Aug 1973, 50 (8):* 278-281.
- Chamaillard, M; Zalatnai, A; Sarosi, I; Rot, A; Kovalszky, I; Jeney, A; Lapis, K. (2007). RELATIONSHIP BETWEEN THE CARBON TETRACHLORIDE-INDUCED CIRRHOSIS AND DENA HEPATOCARCINOGENESIS IN EXPERIMENTAL MODELS. *Gut.* 56: 974-981.
- Chambers, JE; Dorough, GD. (1994). TOXICOLOGIC PROBLEMS ASSOCIATED WITH PESTICIDE MIXTURES AND PESTICIDE IMPURITIES. *Yang, R S H. O:* 135-155.
- Chamuleau, RA; Creighton, JH; De, NI; Moerland, MA; Van, dLOR; Smidt, J. (1988). Is the magnetic resonance imaging proton spin-lattice relaxation time a reliable noninvasive parameter of developing liver fibrosis? *Hepatology (Baltimore, Md).* 8: 217-221.
- Chamulitrat, W; Blazka, ME; Jordan, SJ; Luster, MI; Mason, RP. (1994). TUMOR NECROSIS FACTOR-ALPHA AND NITRIC OXIDE PRODUCTION IN RATS ADMINISTERED CARBON TETRACHLORIDE. 45th Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 20.
- Chamulitrat, W; Blazka, ME; Jordan, SJ; Luster, MI; Mason, RP. (1995). Tumor necrosis factor- alpha and nitric oxide production in endotoxin-primed rats administered carbon tetrachloride. *Life Sci.* 57: 2273-2280.
- Chamulitrat, W; Zhang, W; Xu, W; Pathil, A; Setchell, K; Stremmel, W. (2012). Hepatoprotectant ursodeoxycholyly lysophosphatidylethanolamide increasing phosphatidylcholine levels as a potential therapy of acute liver injury. *Front Physiol.* 3: 24.
- Chan, CC; Lee, FY; Wang, SS; Chang, FY; Lin, HC; Lin, HJ; Chu, CJ; Wu, SL; Tai, CC; Lee, SD. (1998). Chronic administration of octreotide ameliorates portal hypertension and portal hypertensive gastropathy in rats with cirrhosis. *Clin Sci (Lond).* 94: 367-371.
- Chan, CC; Lee, KC; Huang, YH; Chou, CK; Lin, HC; Lee, FY. (2014). Regulation by resveratrol of the cellular factors mediating liver damage and regeneration after acute toxic liver injury. *J Gastroenterol Hepatol.* 29: 603-613.
- Chan, CCH; Mundle, SOC; Eckert, T; Liang, XM; Tang, SQ; Lacrampe-Couloume, G; Edwards, EA; Lollar, BS. (2012). Large Carbon Isotope Fractionation during Biodegradation of Chloroform by Dehalobacter Cultures. *Environmental Science & Technology.* 46: 10154-10160.
- Chan, CY; Tang, JH; Li, YS; Chan, LY. (2006). Mixing ratios and sources of halocarbons in urban, semi-urban and rural sites of the Pearl River Delta, South China. *Atmos Environ.* 40: 7331-7345.
- Chan, KW; Ho, WS. (2015). Anti-oxidative and hepatoprotective effects of lithospermic acid against carbon tetrachloride-induced liver oxidative damage in vitro and in vivo. *Oncol Rep.* 34: 673-680.
- Chan, P; McDonald, GO; Cole, WH. (1960). The role of hepatic damage on development of the Walker 256 carcinosarcoma. *Surgical forum.* 11: 55-57.
- Chan, TH; Harrod, JF; van Gheluwe, P. (1974). Reaction of cuprous preoxides with carbon tetrachloride. A synthesis of aryl orthocarbonates. *Tetrahedron Letters.* 15: 4409-4412.
- Chan, WH; Liao, JW; Chou, CP; Chan, PK; Wei, CF; Ueng, TH. (2009). Induction of CYP1A1, 2B, 2E1 and 3A in rat liver by organochlorine pesticide dicofol. *Toxicol Lett.* 190: 150-155.

Environmental Hazard Literature Search Results

Off Topic

- Chan, YC; Chang, SC; Liu, SY; Yang, HL; Hseu, YC; Liao, JW. (2010). Beneficial effects of yam on carbon tetrachloride-induced hepatic fibrosis in rats. *J Sci Food Agric.* 90: 161-167.
- Chanda, S; Mehendale, HM. Nutritional impact on the final outcome of liver injury inflicted by model hepatotoxicants: effect of glucose loading. *FASEB journal : official publication of the Federation of American Societies for Experimental Biology.* Feb 1995. v. 9 (2): 240-245.
- Chandan, BK; Saxena, AK; Shukla, S; Sharma, N; Gupta, DK; Singh, K; Suri, J; Bhadauria, M; Qazi, GN. (2008). Hepatoprotective activity of *Woodfordia fruticosa* Kurz flowers against carbon tetrachloride induced hepatotoxicity. *J Ethnopharmacol.* 119: 218-224.
- Chandan, BK; Saxena, AK; Shukla, S; Sharma, N; Gupta, DK; Suri, KA; Suri, J; Bhadauria, M; Singh, B. (2007). Hepatoprotective potential of *Aloe barbadensis* Mill. against carbon tetrachloride induced hepatotoxicity. *J Ethnopharmacol.* 111: 560-566.
- Chandler, AM; Neuhaus, OW. (1964). SYNTHESIS OF SERUM GLYCOPROTEINS IN RESPONSE TO INJURY. *The American journal of physiology.* 206: 169-173.
- Chandra, M; Maheshwari, HB; Mittal, S; Mittal, MM. (1978). Effect of splenectomy on chronic hepatic injury by carbon tetrachloride in albino rats. *Indian J Exp Biol.* 16: 312-315.
- Chandra, SV; Saxena, DK. (1975). Manganese induced hepatic lesions in carbon tetrachloride pretreated rats. *Exp Pathol (Jena).* 10: 285-288.
- Chandrashekar, VM; Muchandi, AA; Sudi, SV; Ganapthy, S. (2010). Hepatoprotective activity of *Stereospermum suaveolens* against CCl₄-induced liver damage in albino rats. *Pharmaceutical Biology.* 48: 524-528.
- Chang, CC; Kyle, BG. Sorption and desorption kinetics of carbon tetrachloride vapor on wheat kernels. *Cereal chemistry.* July/Aug 1979. v. 56 (4): 321-323 ill.
- Chang, CY; Chen, YL; Yang, SC; Huang, GC; Tsi, D; Huang, CC; Chen, JR; Li, JS. (2009). Effect of Schisandrin B and Sesamin Mixture on CCl₄-induced Hepatic Oxidative Stress in Rats. *Phytother Res.* 23: 251-256.
- Chang, C-Y; Chen, Y-L; Yang, S-C; Huang, G-C; Tsi, D; Huang, C-C; Chen, J-R; Li, J-S. (2009). Effect of schisandrin B and sesamin mixture on CCl₄-induced hepatic oxidative stress in rats. *Phytother Res.* 23: 251-256.
- Chang, DPY; Mournighan, RE; Huffman, GL. (1991). An equilibrium analysis of some chlorinated hydrocarbons in stoichiometric to fuel-rich post-flame combustion environments. *J Air Waste Manage Assoc.* 41: 947-955.
- Chang, EE; Wang, WC; Zeng, LX; Chiang, HL. (2010). Health risk assessment of exposure to selected volatile organic compounds emitted from an integrated iron and steel plant. *Inhal Toxicol.* 22: 117-125.
- Chang, HC; Chiu, YW; Lin, YM; Chen, RJ; Lin, JA; Tsai, FJ; Tsai, CH; Kuo, YC; Liu, JY; Huan, CY. (2014). Herbal Supplement Attenuation of Cardiac Fibrosis in Rats with CCl₄-Induced Liver Cirrhosis. *Chin J Physiol.* 57: 41-47.
- Chang, HC; Chiu, YW; Lin, YM; Chen, RJ; Lin, JA; Tsai, FJ; Tsai, CH; Kuo, YC; Liu, JY; Huang, CY. (2014). Herbal supplement attenuation of cardiac fibrosis in rats with CCl₄-induced liver cirrhosis. *The Chinese journal of physiology.* 57: 41-47.
- Chang, HF; Lin, YH; Chu, CC; Wu, SJ; Tsai, YH; Chao, JC. (2007). Protective effects of Ginkgo biloba, Panax ginseng, and Schizandra chinensis extract on liver injury in rats. *Am J Chin Med.* 35: 995-1009.
- Chang, HL; Alvarez-Cohen, L. Transformation capacities of chlorinated organics by mixed cultures enriched on methane, propane, toluene, or phenol. *Biotechnol Bioeng.* Mar 5, 1995. v. 45 (5): 440-449.
- Chang, HL; Alvarez-Cohen, L. (1996). Biodegradation of individual and multiple chlorinated aliphatic hydrocarbons by methane-oxidizing cultures. *Appl Environ Microbiol.* 62: 3371-3377.
- Chang, HM; Liao, YW; Chiang, CH; Chen, YJ; Lai, YH; Chang, YL; Chen, HL; Jeng, SY; Hsieh, JH; Peng, CH; Li, HY; Chien, Y; Chen, SY; Chen, LK; Huo, TI. (2012). Improvement of carbon tetrachloride-induced acute hepatic failure by transplantation of induced pluripotent stem cells without reprogramming factor c-Myc. *International Journal of Molecular Sciences.* 13: 3598-3617.
- Chang, IM. (1998). Liver-protective activities of aucubin derived from traditional oriental medicine. *Res Commun Mol Pathol Pharmacol.* 102: 189-204.
- Chang, IM; Ryu, JC; Park, YC; Yun, HS; Yang, KH. (1983). Protective activities of aucubin against carbon tetrachloride-induced liver damage in mice. *Drug Chem Toxicol.* 6: 443-453.
- Chang, JB; Wu, MF; Yang, YY; Leu, SJ; Chen, YL; Yu, CS; Yu, CC; Chang, SJ; Lu, HF; Chung, JG. (2011). Carbon tetrachloride-induced hepatotoxicity and its amelioration by *Agaricus blazei* Murrill extract in a mouse model. *In vivo (Athens, Greece).* 25: 971-976.
- Chang, LW; Pereira, MA; Klaunig, JE. (1985). Cytotoxicity of halogenated alkanes in primary cultures of rat hepatocytes from normal, partial hepatectomized, and preneoplastic/neoplastic liver. *Toxicol Appl Pharmacol.* 80: 274-283.
- Chang, ML; Yeh, CT; Chang, PY; Chen, JC. (2005). Comparison of murine cirrhosis models induced by hepatotoxin administration and common bile duct ligation. *World J Gastroenterol.* 11: 4167-4172.
- Chang, P; Hung, DY; Siebert, GA; Bridle, K; Roberts, MS. (2005). Therapeutic effects and possible mechanisms of a snake venom preparation in the fibrotic rat liver. *Dig Dis Sci.* 50: 745-752.
- Chang, TN; Ho, YL; Huang, GJ; Huang, SS; Chen, CJ; Hsieh, PC; Chiang, YC; Chang, YS. (2011). Hepatoprotective effect of *Crossostephium chinensis* (L.) Makino in rats. *Am J Chin Med.* 39: 503-521.
- Chang, Y; Qi, X; Li, Z; Wang, F; Wang, S; Zhang, Z; Xiao, C; Ding, T; Yang, C. (2013). Hepatorenal syndrome: insights into the mechanisms of intra-abdominal hypertension. *Int J Clin Exp Pathol.* 6: 2523-2528.
- Chang, YC; Kikuchi, S; Kawachi, N; Sato, T; Takamizawa, K. (2008). Complete dechlorination of tetrachloroethylene by use of an anaerobic *Clostridium bifermentans* DPH-1 and zero-valent iron. *Environ Technol.* 29: 381-391.
- Chang, YS; Jang, JS; Deinzer, ML. (1990). Photochemistry of irgasan-triflate: A simple conversion of an aromatic hydroxyl group of chlorine in the synthesis of polychlorinated diphenyl ethers and polychlorinated dibenzofurans. *Tetrahedron.* 46: 4161-4164.
- Chang-Tsui, YY; Ho, IK. (1980). Enhancement of carbon tetrachloride elevated glutamate oxalacetate transaminase and glutamate pyruvate transaminase by acute and continuous pentobarbital administration in mice. *Clin Toxicol.* 16: 41-50.

Environmental Hazard Literature Search Results

Off Topic

- Chao, J; Lee, MS; Amagaya, S; Liao, JW; Wu, JB; Ho, LK; Peng, WH. (2009). Hepatoprotective effect of shidagonglao on acute liver injury induced by carbon tetrachloride. *Am J Chin Med.* 37: 1085-1097.
- Chao, KP; Ong, SK; Protopapas, A. (1998). Water-to-air mass transfer of VOCs: Laboratory-scale air sparging system. *Journal of Environmental Engineering-Asce.* 124: 1054-1060.
- Chao, TC; Chao, HH; Lin, JD; Chen, MF. (1999). Somatostatin and octreotide modulate the function of Kupffer cells in liver cirrhosis. *Regulatory Peptides.* 79: 117-124.
- Chapin, RE; Phelps, JL; Schwetz, BA; Yang, RSH. (1989). Toxicology studies of a chemical mixture of 25 groundwater contaminants: III. Male reproduction study in B6C3F1 mice. *Fundam Appl Toxicol.* 13: 388-398.
- Chapman, K; Prabhudesai, M; Erdman, JW, Jr. (1992). Effects of ethanol and carbon tetrachloride upon vitamin A status of rats. *Alcoholism, clinical and experimental research.* 16: 764-768.
- Chapman, KM; Prabhudesai, M; Erdman, JW, Jr. (1993). Effects of acute ethanol doses or dietary phenobarbital with carbon tetrachloride exposure on vitamin A status of rats. *Alcoholism, clinical and experimental research.* 17: 637-642.
- Chapman, RA. (1969). Canadian Food and Drug viewpoint on pesticide tolerances. *Can Med Assoc J.* 100: 192-197.
- Charbonneau, M; Couture, J; Plaa, GL. (1991). Inhalation versus oral administration of acetone: Effect of the vehicle on the potentiation of carbon tetrachloride-induced liver injury. *Toxicol Lett.* 57: 47-54.
- Charbonneau, M; Couture, J; Plaa, GL. (1991). Inhalation versus oral administration of acetone: effect of the vehicle on the potentiation of CCl₄-induced liver injury. *Toxicol Lett.* 57: 47-54 47-54.
- Charbonneau, M; Couture, J; Plaa, GL. (1991). Inhalation versus oral administration of acetone: Effect of the vehicle on the potentiation of CCl₄ sub(4)-induced liver injury. *Toxicol Lett.* 57: 47-54.
- Charbonneau, M; Iijima, M; Cote, MG; Plaa, GL. Temporal analysis of rat liver injury following potentiation of carbon tetrachloride hepatotoxicity with ketonic or ketogenic compounds.
- Charbonneau, M; Oleskevich, S; Brodeur, J; Plaa, GL. (1986). Acetone potentiation of rat liver injury induced by trichloroethylene-carbon tetrachloride mixtures. *Fundam Appl Toxicol.* 6: 654-661.
- Charbonneau, M; Perreault, F; Greselin, E; Brodeur, J; Plaa, GL. (1988). Assessment of the minimal effective dose of acetone for potentiation of the hepatotoxicity induced by trichloroethylene-carbon tetrachloride mixtures. *Fundam Appl Toxicol.* 10: 431-438.
- Charbonneau, M; Tuchweber, B; Plaa, GL. (1986). Acetone potentiation of chronic liver injury induced by repetitive administration of carbon tetrachloride. *Hepatology (Baltimore, Md).* 6: 694-700.
- Charlotte, F; Win, KM; Mallat, A; Preaux, AM; Dhumeaux, D; Zafrani, ES; Mavier, P; Rosenbaum, J. (1991). IMMUNOHISTOCHEMICAL STUDY OF THE EXPRESSION OF BASIC FIBROBLAST GROWTH FACTOR BFGF IN NORMAL RAT LIVER AND CARBON TETRACHLORIDE-INDUCED FIBROSIS. 42nd Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 14.
- Charlotte, F; Win, KM; Preaux, AM; Mavier, P; Dhumeaux, D; Zafrani, ES; Rosenbaum, J. (1993). Immunolocalization of heparin-binding growth factors (HBGF) types 1 and 2 in rat liver. Selective hyperexpression of HBGF-2 in carbon tetrachloride-induced fibrosis. *J Pathol.* 169: 471-476.
- Charpentier, D; Tuchweber, B. (1982). Increased hepatotoxicity of carbon tetrachloride by the hypolipidemic drug nafenopin in rats. *Res Commun Mol Pathol Pharmacol.* 36: 449-462.
- Chatamra, K; Proctor, E. (1981). Phenobarbitone-Induced Enlargement of the Liver in the Rat: Its Relationship to Carbon Tetrachloride-Induced Cirrhosis. *Br J Exp Pathol.* 62: 283-288.
- Chatterjee, A. (1966). Testicular degeneration in rats by carbon tetrachloride intoxication. *Experientia.* 22: 395-396.
- Chatterjee, A. (1967). Effect of phentolamine (Regitine) in the prevention of carbon tetrachloride-induced gonadal inhibition in rats. *Endocrinology.* 80: 983-985.
- Chatterjee, A. (1967). Role of ascorbic acid in the prevention of gonadal inhibition by carbon tetrachloride. *Endokrinologie.* 51: 319-322.
- Chatterjee, A. (1968). Effect of carbon tetrachloride in the cellular deterioration of adenohipophysial gonadotrophs and its prevention by using phentolamine. *Endokrinologie.* 53: 108-112.
- Chatterjee, A. (1968). Effect of carbon tetrachloride on gonadal physiology in female rats. *Acta Anat.* 71: 82-86.
- Chatterjee, A; Acharya, K. (2016). Include mushroom in daily diet-A strategy for better hepatic health. *Food Reviews International.* 32: 68-97.
- Chatterjee, A; Bardhan, NR. (1967). Prevention of carbon tetrachloride induced adrenal hypertrophy by the use of ascorbic acid in rats. *Endokrinologie.* 51: 306-307.
- Chatterjee, A; Bhaduri, S; Basumallik, AK. (1972). Effect of carbon tetrachloride in the body weight gain following an increased water intake and antidiuresis in toads: possible mode of action. *Endokrinologie.* 59: 218-220.
- Chatterjee, A; Mukherji, M. (1966). Effect of carbon tetrachloride in the gonadal activity of female rats. *Endokrinologie.* 50: 1-4.
- Chatterjee, A; Paul, BS. (1968). Morphologic deterioration of the adenohipophysial thyrotrophs and thyroid glands following carbon tetrachloride administration in rats. *Anatomischer Anzeiger.* 123: 89-90.
- Chatterjee, K. (1995). IMPLICATIONS OF MONTREAL PROTOCOL WITH PARTICULAR REFERENCE TO INDIA AND OTHER DEVELOPING COUNTRIES. *Atmos Environ.* 29: 1883-1903.
- Chatterjee, N; Das, S; Bose, D; Banerjee, S; Jha, T; Das Saha, K. (2015). Leishmanial lipid affords protection against oxidative stress induced hepatic injury by regulating inflammatory mediators and confining apoptosis progress. *Toxicol Lett.* 232: 499-512.
- Chattopadhyay, D; Arunachalam, G; Mandal, AB; Sur, TK; Mandal, SC; Bhattacharya, SK. (2002). Antimicrobial and anti-inflammatory activity of folklore: *Mallotus peltatus* leaf extract. *J Ethnopharmacol.* 82: 229-237.
- Chaturvedi, UC; Mehrotra, RM. (1967). Age as a modifying factor of chronic hepatic injury in albino rats. *Indian journal of pathology & bacteriology.* 10: 337-348.

Environmental Hazard Literature Search Results

Off Topic

- Chaudhary, P; Sharma, R; Sahu, M; Vishwanatha, JK; Awasthi, S; Awasthi, YC. (2013). 4-Hydroxynonenal Induces G(2)/M Phase Cell Cycle Arrest by Activation of the Ataxia Telangiectasia Mutated and Rad3-related Protein (ATR)/Checkpoint Kinase 1 (Chk1) Signaling Pathway. *J Biol Chem.* 288: 20532-20546.
- Chaudhury, S; Mehendale, HM. (1991). Amplification of carbon tetrachloride toxicity by chlordecone: Destruction of rat hepatic microsomal cytochrome P-450 subpopulation. *J Toxicol Environ Health.* 32: 277-294.
- Chaudhury, S; Mehendale, HM. (1991). Amplification of CCl₄ toxicity by chlordecone: Destruction of rat hepatic microsomal cytochrome P-450 subpopulation. *J Toxicol Environ Health.* 32: 277-294.
- Chavez, E; Castro-Sanchez, L; Shibayama, M; Tsutsumi, V; Salazar, EP; Moreno, MG; Muriel, P. (2012). Effects of acetyl salicylic acid and ibuprofen in chronic liver damage induced by CCl₄. *J Appl Toxicol.* 32: 51-59.
- Chavez, E; Reyes-Gordillo, K; Segovia, J; Shibayama, M; Tsutsumi, V; Vergara, P; Moreno, MG; Muriel, P. (2008). Resveratrol prevents fibrosis, NF-kappa B activation and TGF-beta increases induced by chronic CCl₄ treatment in rats. *J Appl Toxicol.* 28: 35-43.
- Che, H; Lee, W. (2011). Selective redox degradation of chlorinated aliphatic compounds by Fenton reaction in pyrite suspension. *Chemosphere.* 82: 1103-1108.
- Cheeseman, KH; Albano, EF; Tomasi, A; Slater, TF. (1984). The effect of the administration of cobaltic protoporphyrin IX on drug metabolism, carbon tetrachloride activation and lipid peroxidation in rat liver microsomes. *Chem Biol Interact.* 50: 143-151.
- Cheeseman, KH; Albano, EF; Tomasi, A; Slater, TF. (1985). Biochemical studies on the metabolic activation of halogenated alkanes. *Environmental Health Perspectives [ENVIRON HEALTH PERSPECT]* 1985.
- Cheeseman, KH; Proudfoot, KA; Maddix, SP; Collins, MM; Milia, A; Slater, TF. (1985). LOW RATE OF NADPH-ADP-IRON-DEPENDENT LIPID PEROXIDATION IN HEPATIC MICROSOMES OF DBA-2 MICE. *Febs.* 184: 343-346.
- Chelli, R; Gervasio, FL; Procacci, P; Schettino, V. (2002). Stacking and T-shape competition in aromatic-aromatic amino acid interactions. *J Am Chem Soc.* 124: 6133-6143.
- Chen, AS; Taguchi, T; Sakai, K; Matahira, Y; Wang, MW; Miwa, I. (2005). Effect of chitobiose and chitotriose on carbon tetrachloride-induced acute hepatotoxicity in rats. *Biological & Pharmaceutical Bulletin.* 28: 1971-1973.
- Chen, BY; Qu, P; Tie, R; Zhu, MZ; Zhu, XX; Yu, J. (2010). Protecting effects of vasonatrin peptide against carbon tetrachloride-induced liver fibrosis. *Regulatory Peptides.* 164: 139-143.
- Chen, C; Zhang, JS; Li, JJ; Huang, J; Yang, C; Huang, GC; Shi, JY. (2004). Hydrodynamic-based in vivo transfection of retinoic X receptor-alpha gene can enhance vitamin A-induced attenuation of liver fibrosis in mice. *Liver Int.* 24: 679-686.
- Chen, DONGFENG; Liu, WEIWEN; Leng, ENREN; Wu, BINGBING. (1998). Effects of splenectomy on CCl₄-induced liver fibrosis in rats. *Chin Med J.* 111: 779-783.
- Chen, F; Freedman, DL; Falta, RW; Murdoch, LC. (2012). Henry's law constants of chlorinated solvents at elevated temperatures. *Chemosphere.* 86: 156-165.
- Chen, F; Freedman, DL; Falta, RW; Murdoch, LC. (2012). Henry's law constants of chlorinated solvents at elevated temperatures. *Chemosphere.* 86: 156-165.
- Chen, FA; Wu, AB; Chen, CY. (2004). The influence of different treatments on the free radical scavenging activity of burdock and variations of its active components. *Food Chem.* 86: 479-484.
- Chen, FY; Pehkonen, SO; Ray, MB. (2002). Kinetics and mechanisms of UV-photodegradation of chlorinated organics in the gas phase. *Water Res.* 36: 4203-4214.
- Chen, FY; Yang, Q; Pehkonen, SO; Ray, MB. (2004). Modeling of gas-phase photodegradation of chloroform and carbon tetrachloride. *Journal of the Air & Waste Management Association.* 54: 1281-1292.
- Chen, H; Ratner, MA; Schatz, GC. (2011). Theoretical calculation of the photo-induced electron transfer rate between a gold atom and a gold cation solvated in CCl₄. *Journal of Photochemistry & Photobiology, A: Chemistry.* 221: 143-147.
- Chen, H; Yan, X; Zhu, P; Lin, J. (2006). Antioxidant activity and hepatoprotective potential of agaro-oligosaccharides in vitro and in vivo. *Nutr J.* 5: 31.
- Chen, HJ; Kang, SP; Lee, IJ; Lin, YL. (2014). Glycyrrhetic Acid Suppressed NF-kappa B Activation in TNF-alpha-Induced Hepatocytes. *J Agric Food Chem.* 62: 618-625.
- Chen, HN; Fan, S; Weng, CF. (2007). Down-regulation of TGF beta 1 and leptin ameliorates thioacetamide-induced liver injury in lipopolysaccharide-primed rats. *Journal of Endotoxin Research.* 13: 176-188.
- Chen, HW; Huang, CS; Li, CC; Lin, AH; Huang, YJ; Wang, TS; Yao, HT; Lii, CK. (2014). Bioavailability of andrographolide and protection against carbon tetrachloride-induced oxidative damage in rats. *Toxicol Appl Pharmacol.* 280: 1-9.
- Chen, JC; Tsai, CC; Chen, LD; Chen, HH; Wang, WC. (2000). Therapeutic effect of gypenoside on chronic liver injury and fibrosis induced by CCl₄ in rats. *Am J Chin Med.* 28: 175-185.
- Chen, JH; Tipoe, GL; Liong, EC; So, HSH; Leung, KM; Tom, WM; Fung, PCW; Nanji, AA. (2004). Green tea polyphenols prevent toxin-induced hepatotoxicity in mice by down-regulating inducible nitric oxide-derived prooxidants. *Am J Clin Nutr.* 80: 742-751.
- Chen, JH; Wong, HS; Leung, HY; Leong, PK; Chan, WM; Chen, N; Ko, KM. (2014). An ursolic acid-enriched extract of *Cynomorium songaricum* protects against carbon tetrachloride hepatotoxicity and gentamicin nephrotoxicity in rats possibly through a mitochondrial pathway: A comparison with ursolic acid. *Journal of Functional Foods.* 7: 330-341.
- Chen, JY; Abreu, BE. (1947). Effect of carbon tetrachloride poisoning on the toxicity of beta-diethylaminoethyl phenyl-alpha-thienylacetate and benadryl. *Fed Proc.* 6: 316.
- Chen, KT; Pernelle, K; Tsai, YH; Wu, YH; Hsieh, JY; Liao, KH; Guguen-Guillouzo, C. Liver X receptor α ; (LXR α ;/NR1H3) regulates differentiation of hepatocyte-like cells via reciprocal regulation of HNF4 α .

Environmental Hazard Literature Search Results

Off Topic

- Chen, L; Davis, GJ; Crabb, DW; Lumeng, L. (1994). Intrasplenic transplantation of isolated periportal and perivenous hepatocytes as a long-term system for study of liver-specific gene expression. *Hepatology* (Baltimore, Md). 19: 989-998.
- Chen, L; Yang, Z; Qiu, F. (1999). Studies on hepatocyte apoptosis, proliferation and oncogene c-fos expression in carbon tetrachloride-induced cirrhotic rat liver. *Journal of Tongji Medical University = Tong ji yi ke da xue xue bao*. 19: 53-55.
- Chen, LH; Huang, CC; Lien, HL. (2008). Bimetallic iron-aluminum particles for dechlorination of carbon tetrachloride. *Chemosphere*. 73: 692-697.
- Chen, L-H; Huang, C-C; Lien, H-L. (2008). Bimetallic iron-aluminum particles for dechlorination of carbon tetrachloride. *Chemosphere*. 73: 692-697.
- Chen, LS. (1990). Free-radical initiated addition of carbon tetrachloride to fluoro olefins. *Journal of Fluorine Chemistry*. 47: 261-272.
- Chen, M; Huang, W; Wang, C; Nie, H; Li, G; Sun, T; Yang, F; Zhang, Y; Shu, K; Wang, C; Gong, Q. (2014). High-mobility group box 1 exacerbates CCl₄-induced acute liver injury in mice. *Clinical immunology* (Orlando, Fla). 153: 56-63.
- Chen, M; Wang, T; Jiang, ZZ; Shan, C; Wang, H; Wu, MJ; Zhang, S; Zhang, Y; Zhang, LY. (2014). Anti-inflammatory and hepatoprotective effects of total flavonoid C-glycosides from *Abrus mollis* extracts. *Chin J Nat Med*. 12: 590-598.
- Chen, M; Xu, D; Hu, XL; Wang, H. (2008). Effects of liver fibrosis on verapamil pharmacokinetics in rats. *Clin Exp Pharmacol Physiol*. 35: 287-294.
- Chen, MF; Chung, HH; Lu, HL. (2012). Protection of the extracts of *Lentinus edodes* mycelia against carbon-tetrachloride-induced hepatic injury in rats. *TheScientificWorldJournal*. 2012: 231586.
- Chen, MJ; Huang, WJ; Wang, C; Nie, H; Li, G; Sun, T; Yang, F; Zhang, YX; Shu, KG; Wang, CY; Gong, Q. (2014). High-mobility group box 1 exacerbates CCl₄-induced acute liver injury in mice. *Clin Immunol*. 153: 56-63.
- Chen, MJ; Liu, CS; Li, XM; Huang, WL; Li, FB. (2014). Iron Reduction Coupled to Reductive Dechlorination in Red Soil: A Review. *Soil Sci*. 179: 457-467.
- Chen, MJ; Tong, H; Liu, CS; Chen, DD; Li, FB; Qiao, JT. (2016). A humic substance analogue AQDS stimulates *Geobacter* sp abundance and enhances pentachlorophenol transformation in a paddy soil. *Chemosphere*. 160: 141-148.
- Chen, NZ; Geng, QQ; Zheng, JB; He, S; Huo, XW; Sun, XJ. (2014). Suppression of the TGF-beta/Smad signaling pathway and inhibition of hepatic stellate cell proliferation play a role in the hepatoprotective effects of curcumin against alcohol-induced hepatic fibrosis. *Int J Mol Med*. 34: 1110-1116.
- Chen, P; Kakan, X; Wang, SM; Dong, W; Jia, AQ; Cai, C; Zhang, JF. (2013). Deletion of clock gene *Per2* exacerbates cholestatic liver injury and fibrosis in mice. *Exp Toxicol Pathol*. 65: 427-432.
- Chen, P; Kakan, X; Zhang, JF. (2010). Altered circadian rhythm of the clock genes in fibrotic livers induced by carbon tetrachloride. *FEBS Lett*. 584: 1597-1601.
- Chen, P; Li, CY; Pang, WQ; Zhao, Y; Dong, W; Wang, SM; Zhang, JF. (2009). The Protective Role of *Per2* Against Carbon Tetrachloride-induced Hepatotoxicity. *American Journal of Pathology*. 174: 63-70.
- Chen, P; Luo, Y; Hai, L; Qian, S; Wu, Y. (2010). Design, synthesis, and pharmacological evaluation of the aqueous prodrugs of desmethyl anethole trithione with hepatoprotective activity. *Eur J Med Chem*. 45: 3005-3010.
- Chen, P; Wang, ZQ; Zeng, LY; Wang, SM; Dong, W; Jia, AQ; Cai, C; Zhang, JF. (2012). Protective effects of salean against carbon tetrachloride-induced acute liver injury in mice. *J Appl Toxicol*. 32: 796-803.
- Chen, S; Ju, ML; Luo, Y; Chen, ZJ; Zhao, CP; Zhou, Y; Fu, J. (2013). Hepatoprotective and Antioxidant Activities of the Aqueous Extract from the Rhizome of *Phragmites australis*. *Zeitschrift Fur Naturforschung Section C-a Journal of Biosciences*. 68: 439-444.
- Chen, S; Zou, L; Li, L; Wu, T. (2013). The protective effect of glycyrrhetic acid on carbon tetrachloride-induced chronic liver fibrosis in mice via upregulation of *Nrf2*. *PLoS ONE*. 8: e53662.
- Chen, SA; Bagley, EB. Thermodynamics of associated solutions. II. Alcohol-active solvent solutions. *Chem Eng Sci*. 1978. v. 33 (2): 161-168.
- Chen, S-W. (1992). The effect of modification of mixed function oxidases and inhibition of enterohepatic circulation on concentration of estrogens in plasma in laying hens (*Gallus domesticus*). PhD, University of Illinois at Urbana-Champaign.
- Chen, SW; Chen, YX; Zhang, XR; Qian, H; Chen, WZ; Xie, WF. (2008). Targeted inhibition of platelet-derived growth factor receptor-beta subunit in hepatic stellate cells ameliorates hepatic fibrosis in rats. *Gene Therapy*. 15: 1424-1435.
- Chen, SW; Fan, DM; Tratnyek, PG. (2014). Novel Contaminant Transformation Pathways by Abiotic Reductants. *Environ Sci Technol Lett*. 1: 432-436.
- Chen, SW; Francis, BM; Dziuk, PJ. Effect of concentration of mixed-function oxidase on concentration of estrogen, rate of egg lay, eggshell thickness, and plasma calcium in laying hens. *J Anim Sci*. Oct 1993. v. 71 (10): 2700-2707.
- Chen, SY; Chyau, CC; Chu, CC; Chen, YH; Chen, TH; Duh, PD. (2013). Hepatoprotection using sweet orange peel and its bioactive compound, hesperidin, for CCl₄-induced liver injury in vivo. *Journal of Functional Foods*. 5: 1591-1600.
- Chen, TS; Leevy, CM. (1973). Liver regeneration and uraemia. *Br J Exp Pathol*. 54: 591-596.
- Chen, TX; Sun, HX; Oktia, K; Takemoto, T. (1988). Effects of epidermal growth factor, glucagon and insulin on the hepatocytes after experimental liver cell necrosis. In vivo studies with monoclonal anti-bromo-deoxyuridine staining. *Chin Med J*. 101: 837-840.
- Chen, WH; Yang, WB; Yuan, CS; Yang, JC; Zhao, QL. (2014). Fates of chlorinated volatile organic compounds in aerobic biological treatment processes: The effects of aeration and sludge addition. *Chemosphere*. 103: 92-98.
- Chen, WJ; Chi, EY; Smuckler, EA. (1977). Carbon tetrachloride-induced changes in mixed function oxidases and microsomal cytochromes in the rat lung. Laboratory investigation; a journal of technical methods and pathology. 36: 388-394.
- Chen, WY; Chen, CJ; Liao, JW; Mao, FC. (2009). Chromium attenuates hepatic damage in a rat model of chronic cholestasis. *Life Sci*. 84: 606-614.
- Chen, X; Jeyaseelan, S; Graham, N. (2002). Physical and chemical properties study of the activated carbon made from sewage sludge. *Waste management* (New York, NY). 22: 755-760.

Environmental Hazard Literature Search Results

Off Topic

- Chen, X; Shen, Y; Zheng, Y; Lin, H; Guo, Y; Zhu, Y; Zhang, X; Wang, T; Chen, S. (2013). Quantification of Liver Viscoelasticity with Acoustic Radiation Force: A Study of Hepatic Fibrosis in a Rat Model. *Ultrasound in medicine & biology*. 39: 2091-2102.
- Chen, XH; Gong, X; Jiang, R; Wang, B; Kuang, G; Li, K; Wan, JY. (2016). Resolvin D1 attenuates CCl4-induced acute liver injury involving up-regulation of HO-1 in mice. *Immunopharmacol Immunotoxicol*. 38: 61-67.
- Chen, XL; Meng, Q; Wang, CY; Liu, Q; Sun, HJ; Huo, XK; Sun, PY; Yang, XB; Peng, JY; Liu, KX. (2015). Protective Effects of Calycosin Against CCl4-Induced Liver Injury with Activation of FXR and STAT3 in Mice. *Pharm Res*. 32: 538-548.
- Chen, XW; Ying, XZ; Chen, L; Zhang, WW; Zhang, YC. (2015). Protective effects of sesamin on liver fibrosis through antioxidative and anti-inflammatory activities in rats. *Immunopharmacol Immunotoxicol*. 37: 465-472.
- Chen, XW; Ying, XZ; Zhang, WW; Chen, YP; Shi, CW; Hou, YJ; Zhang, YC. (2013). The hepatoprotective effect of fraxetin on carbon tetrachloride induced hepatic fibrosis by antioxidative activities in rats. *Int Immunopharmacol*. 17: 543-547.
- Chen, Y; Chen, Q; Lu, J; Li, FH; Tao, YY; Liu, CH. (2009). Effects of Danggui Buxue Decoction () on lipid peroxidation and MMP-2/9 activities of fibrotic liver in rats. *Chin J Integr Med*. 15: 435-441.
- Chen, Y; Choi, SS; Michelotti, GA; Chan, IS; Swiderska-Syn, M; Karaca, GF; Xie, G; Moylan, CA; Garibaldi, F; Premont, R; Suliman, HB; Piantadosi, CA; Diehl, AM. (2012). Hedgehog controls hepatic stellate cell fate by regulating metabolism. *Gastroenterology*. 143: 1319-1329 e1311-1311.
- Chen, Y; Huang, B; He, JS; Han, L; Zhan, YC; Wang, YW. (2011). In vitro and in vivo antioxidant effects of the ethanolic extract of *Swertia chirayita*. *J Ethnopharmacol*. 136: 309-315.
- Chen, Y; Huang, Y; Reiberger, T; Duyverman, AM; Huang, P; Samuel, R; Hiddingh, L; Roberge, S; Koppel, C; Lauwers, GY; Zhu, AX; Jain, RK; Duda, DG. (2014). Differential effects of sorafenib on liver versus tumor fibrosis mediated by stromal-derived factor 1 alpha/C-X-C receptor type 4 axis and myeloid differentiation antigen-positive myeloid cell infiltration in mice. *Hepatology (Baltimore, Md)*. 59: 1435-1447.
- Chen, Y; Ip, SP; Ko, KM; Poon, TCW; Ng, EWY; Lai, PBS; Mao, QQ; Xian, YF; Che, CT. (2011). A Proteomic Approach in Investigating the Hepatoprotective Mechanism of Schisandrin B: Role of Raf Kinase Inhibitor Protein. *J Proteome Res*. 10: 299-304.
- Chen, Y; Li, X; Ni, D. (2013). The protective effect of persimmon leaf flavonoid on carbon tetrachloride-induced liver injury in mice. *Acta horticulturae*473-477.
- Chen, Y; Wei, H; Sun, R; Dong, Z; Zhang, J; Tian, Z. (2007). Increased susceptibility to liver injury in hepatitis B virus transgenic mice involves NKG2D-ligand interaction and natural killer cells. *Hepatology (Baltimore, Md)*. 46: 706-715.
- Chen, Y; Wen, Y; Tang, ZR; Li, L; Cai, YL; Zhou, Q. (2014). Removal processes of disinfection byproducts in subsurface-flow constructed wetlands treating secondary effluent. *Water Res*. 51: 163-171.
- Chen, Y; Wen, Y; Zhou, JW; Zhou, Q; Vymazal, J; Kuschik, P. (2015). Transformation of Chloroform in Model Treatment Wetlands: From Mass Balance to Microbial Analysis. *Environmental Science & Technology*. 49: 6198-6205.
- Chen, YJ; Liu, J; Yang, XL; Zhao, XL; Xu, HB. (2005). Oleonic acid nanosuspensions: preparation, in-vitro characterization and enhanced hepatoprotective effect. *J Pharm Pharmacol*. 57: 259-264.
- Chen, YR; Chang, KT; Tsai, MJ; Lee, CH; Huang, KJ; Cheng, H; Ho, YP; Chen, JC; Yang, HH; Weng, CF. (2014). *Antrodia cinnamomea* profoundly exalted the reversion of activated hepatic stellate cells by the alteration of cellular proteins. *Food Chem Toxicol*. 69: 150-162.
- Chen, YW; Liu, BW; Zhang, YJ; Chen, YW; Dong, GF; Ding, XD; Xu, LM; Pat, B; Fan, JG; Li, DG. (2010). Preservation of basal AcSDKP attenuates carbon tetrachloride-induced fibrosis in the rat liver. *J Hepatol*. 53: 528-536.
- Chen, YZ; Wu, LZ; Peng, ML; Zhang, D; Zhang, LP; Tung, CH. (2006). Synthesis of alpha,beta-unsaturated gamma-lactones via photooxygenation of 2,3-dihydrofurans followed by ferrous ion-catalyzed gem-dehydration. *Tetrahedron*. 62: 10688-10693.
- Cheng, CC; Lin, NN; Lee, YF; Wu, LY; Hsu, HP; Lee, WJ; Tung, KC; Chiun, YT. (2010). Effects of Shugan-Huayu powder, a traditional Chinese medicine, on hepatic fibrosis in rat model. *The Chinese journal of physiology*. 53: 223-233.
- Cheng, N; Ren, NY; Gao, H; Lei, XS; Zheng, JB; Cao, W. (2013). Antioxidant and hepatoprotective effects of *Schisandra chinensis* pollen extract on CCl4-induced acute liver damage in mice. *Food Chem Toxicol*. 55: 234-240.
- Cheng, Q; Li, N; Chen, MQ; Zheng, JM; Qian, ZP; Wang, XY; Huang, C; Li, Q; Lin, QX; Shi, GF. (2013). Fuzheng Huayu inhibits carbon tetrachloride-induced liver fibrosis in mice through activating hepatic NK cells. *J Ethnopharmacol*. 145: 175-181.
- Cheng, R; Glater, J; Neethling, JB; Stenstrom, MK. (1991). The effects of small halocarbons on RO membrane performance. *Desalination*. 85: 33-44.
- Cheng, RC; Glater, J; Neethling, JB. (1990). EFFECTS OF SMALL HALOCARBON MOLECULES ON REVERSE OSMOSIS MEMBRANE PERFORMANCE. *199th Acs*. 199: 120.
- Cheng, W; He, J; Wu, Y; Song, C; Xie, S; Huang, Y; Fu, B. (2013). Preparation and characterization of oxidized regenerated cellulose film for hemostasis and the effect of blood on its surface. *Cellulose*. 20: 2547-2558.
- Cheng, XG; Maher, J; Dieter, MZ; Klaassen, CD. (2005). Regulation of mouse organic anion-transporting polypeptides (Oatps) in liver by prototypical microsomal enzyme inducers that activate distinct transcription factor pathways. *Drug Metab Dispos*. 33: 1276-1282.
- Cheng, Y; Lu, L; Zhang, W; Shi, J; Cao, Y. (2012). Reinforced low density alginate-based aerogels: Preparation, hydrophobic modification and characterization. *Carbohydr Polymer*. 88: 1093-1099.
- Cheong, KO; Shin, DS; Bak, J; Lee, C; Kim, KW; Je, NK; Chung, HY; Yoon, S; Moon, JO. (2016). Hepatoprotective effects of zingerone on carbon tetrachloride- and dimethylnitrosamine-induced liver injuries in rats. *Arch Pharm Res*. 39: 279-291.
- Cheong, MA; Kim, KS; Lee, GS. (2007). The pharmacodynamics of mivacurium in the rabbit with carbon tetrachloride-induced liver disease. *European journal of anaesthesiology*. 24: 789-795.
- Cherkashina, DV; Petrenko, AY. (2006). Hepatoprotective effect of fetal tissue cytosol and its thermostable fraction in rats with carbon tetrachloride-induced hepatitis. *Bull Exp Biol Med*. 141: 544-547.

Environmental Hazard Literature Search Results

Off Topic

- Chernousov, AF; Khorobrykh, TV; Karpova, RV; Nekrasova, TP. (2013). Regeneration of cirrhotic liver in rabbits after intrahepatic injection of cryoprecipitate. *Bull Exp Biol Med.* 154: 396-398.
- Chernovyants, MS; Aleshina, NV. (2012). Study on the antioxidant activity and quantification of thioamides based on nitrogen five-membered heterocycles by the kinetic technique. *Journal of analytical chemistry.* 67: 214-218.
- Cherr, GN; Meyers, SA; Yudin, AI; VandeVoort, CA; Myles, DG; Primakoff, P; Overstreet, JW. (1996). The PH-20 protein in cynomolgus macaque spermatozoa: identification of two different forms exhibiting hyaluronidase activity. *Developmental biology.* 175: 142-153.
- Cherrick, GR; Baker, H; Frank, O; Leevy, CM. (1964). EFFECT OF HEPATIC NECROSIS AND REGENERATION ON FOLIC ACID CONJUGASE AND REDUCTASE ACTIVITY. *Exp Mol Pathol.* 17: 325-331.
- Cheshchevik, VT; Dremza, IK; Lapshina, EA; Zabrodskaya, SV; Kujawa, J; Zavodnik, IB. (2011). Corrections by melatonin of liver mitochondrial disorders under diabetes and acute intoxication in rats. *Cell Biochem Funct.* 29: 481-488.
- Cheshchevik, VT; Lapshina, EA; Dremza, IK; Zabrodskaya, SV; Reiter, RJ; Prokopchik, NI; Zavodnik, IB. (2012). Rat liver mitochondrial damage under acute or chronic carbon tetrachloride-induced intoxication: Protection by melatonin and cranberry flavonoids. *Toxicol Appl Pharmacol.* 261: 271-279.
- Chessells, M; Hawker, DW; Connell, DW. (1999). Influence of solubility in lipid on bioconcentration of hydrophobic compounds. *Ecotoxicol Environ Saf.* 23: 260-273.
- Cheung, HM; Bhatnagar, A; Jansen, G. (1991). Sonochemical destruction of chlorinated hydrocarbons in dilute aqueous solution. *Environmental Science & Technology.* 25: 1510-1512.
- Cheung, JS; Fan, SJ; Gao, DS; Chow, AM; Man, K; Wu, EX. (2010). Diffusion tensor imaging of liver fibrosis in an experimental model. *Journal of magnetic resonance imaging : JMRI.* 32: 1141-1148.
- Cheung, PY; Zhang, Q; Zhang, YO; Bai, GR; Lin, MC; Chan, B; Fong, CC; Shi, L; Shi, YF; Chun, J; Kung, HF; Yang, M. (2006). Effect of WeiJia on carbon tetrachloride induced chronic liver injury. *World J Gastroenterol.* 12: 1912-1917.
- Cheung, STC; Fung, AKM; Lam, MHW. (1998). Visible photosensitization of TiO₂ - photodegradation of CCl₄ in aqueous medium. *Chemosphere.* 36: 2461-2473.
- Chi, HM; Chou, ST; Lin, SC; Su, ZY; Sheen, LY. (2010). Protective effects of water extract of clam on normal and CCl₄-induced damage in primary cultured rat hepatocytes. *Am J Chin Med.* 38: 1193-1205.
- Chiang, DJ; Roychowdhury, S; Bush, K; McMullen, MR; Pisano, S; Niese, K; Olman, MA; Pritchard, MT; Nagy, LE. (2013). Adenosine 2A receptor antagonist prevented and reversed liver fibrosis in a mouse model of ethanol-exacerbated liver fibrosis. *PLoS ONE.* 8: e69114.
- Chiang, H-L; Lin, K-H. (2014). Exhaust constituent emission factors of printed circuit board pyrolysis processes and its exhaust control. *J Hazard Mater.* 264: 545-551.
- Chiang, PC; Hung, CH; Mar, JC; Chang, EE. (1998). Henry's constants and mass transfer coefficients of halogenated organic pollutants in an air stripping packed column. *Water Science and Technology.* 38: 287-294.
- Chiarpotto, E; Albano, E; Miglietta, A; Poli, G; Gravela, E; Dianzani, MU. (1980). Studies on lipid peroxidation using isolated rat liver cells: the role of singlet oxygen in the propagation of lipid peroxidation ADP-Fe³⁺ or CCl₄ induced. *Bollettino della Societa italiana di biologia sperimentale.* 56: 615-618.
- Chiarpotto, E; Biasi, F; Aragno, M; Scavazza, A; Danni, O; Albano, E; Poli, G. (1993). Change of liver metabolism of 1,2-dibromoethane during simultaneous treatment with carbon tetrachloride. *Cell Biochem Funct.* 11: 71-75.
- Chiarpotto, E; Biasi, F; Aragno, M; Scavazza, A; Danni, O; Dianzani, MU; Poli, G. (1995). Ethanol-induced potentiation of rat hepatocyte damage due to 1,2-dibromoethane. *Alcohol and Alcoholism.* 30: 37-45.
- Chiarpotto, E; Biasi, F; Comoglio, A; Leonarduzzi, G; Poli, G; Dianzani, MU. (1990). Carbon tetrachloride-induced increase of hepatocyte free arachidonate level: Pathogenesis and contribution to cell death. *Chem Biol Interact.* 74: 195-206.
- Chiarpotto, E; Biasi, F; Comoglio, A; Leonarduzzi, G; Poli, G; Dianzani, MU. (1990). CCl₄-induced increase of hepatocyte free arachidonate level: pathogenesis and contribution to cell death. *Chem Biol Interact.* 74: 195-206.
- Chiarpotto, E; Carini, R; Biasi, F; Albano, E; Pronzato, MA; Marinari, UM; Dianzani, MU; Poli, G. (1998). EXPERIMENTAL OXIDATIVE INJURY OF THE LIVER PROTECTIVE ROLE OF ALPHA TOCOPHEROL SUPPLEMENTATION. *Gentilini, P And M U Dianzani.* 995: 0-444.
- Chiarpotto, E; Domenicotti, C; Paola, D; Vitali, A; Nitti, M; Pronzato, MA; Biasi, F; Cottalasso, D; Marinari, UM; Dragonetti, A; Cesaro, P; Isidoro, C; Poli, G. (1999). Regulation of rat hepatocyte protein kinase C beta isoenzymes by the lipid peroxidation product 4-hydroxy-2,3-nonenal: A signaling pathway to modulate vesicular transport of glycoproteins. *Hepatology.* 29: 1565-1572.
- Chidambara, MKN; Rajesha, J; Vanitha, A; Swamy, MM; Ravishankar, GA. (2005). Protective effect of *Dunaliella salina*-A marine micro alga, against carbon tetrachloride-induced hepatotoxicity in rats. *Hepatology research : the official journal of the Japan Society of Hepatology.* 33: 313-319.
- Chien, YC. (2012). Investigation of Carbon Tetrachloride Destruction by Copper Acetate. *J Environ Qual.* 41: 449-453.
- Chien, YC; Wang, HP; Yang, YW. (2001). Mineralization of CCl₄ with copper oxide. *Environmental Science & Technology.* 35: 3259-3262.
- Chigurupati, H; Auddy, B; Biyani, M; Stohs, SJ. (2016). Hepatoprotective Effects of a Proprietary Glycyrrhizin Product during Alcohol Consumption: A Randomized, Double-Blind, Placebo-Controlled, Crossover Study. *Phytother Res.* 30: 1943-1953.
- Chilakapati, A; Yabusaki, S; Szecsody, J; MacEvoy, W. (2000). Groundwater flow, multicomponent transport and biogeochemistry: development and application of a coupled process model. *J Contam Hydrol.* 43: 303-325.
- Chin, PC; Reinhard, M. (1996). Transformation of carbon tetrachloride by reduced vitamin B12 in aqueous cysteine solution. *Environmental Science & Technology.* 30: 1882-1889.
- Chin, YW; Lim, SW; Kim, SH; Shin, DY; Suh, YG; Kim, YB; Kim, YC; Kim, J. (2003). Hepatoprotective pyrrole derivatives of *Lycium chinense* fruits. *Bioorganic & medicinal chemistry letters.* 13: 79-81.

Environmental Hazard Literature Search Results

Off Topic

- Chiou, CT; Kile, DE. (1994). Effects of polar and nonpolar groups on the solubility of organic compounds in soil organic matter. *Environmental Science & Technology*. 28: 1139-1144.
- Chiou, CT; Kile, DE; Malcolm, RL. (1988). SORPTION OF VAPORS OF SOME ORGANIC LIQUIDS ON SOIL HUMIC ACID AND ITS RELATION TO PARTITIONING OF ORGANIC COMPOUNDS IN SOIL ORGANIC MATTER. *Environ Sci Technol*. 22: 298-303.
- Chipperfeld, JR; Ford, J; Webster, DE. (1975). Reactivity of main group π - σ transmission metal bonds : III. Reactions of halogens with $\text{Ph}_3\text{SiMn}(\text{CO})_5$ and $\text{Ph}_3\text{SnMn}(\text{CO})_5$. *Journal of Organometallic Chemistry*. 102: 417-421.
- Chirculescu, AR; Laky, D. (1978). Thymus quantitative morphological changes during CCl_4 -induced liver cirrhosis. *Morphologie et embryologie*. 24: 243-247.
- Chirumbolo, S. (2013). Hormetic effect of *Rosa laevigata* Michx in CCl_4 -induced hepatotoxicity and the presumptive role of PPARs. *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association*. 57: 387-388.
- Chiu, CC; Huang, GT; Chou, SH; Chien, CT; Chiou, LL; Chang, MH; Lee, HS; Chen, DS. (2007). Characterization of cytokeratin 19-positive hepatocyte foci in the regenerating rat liver after 2-AAF/ CCl_4 injury. *Histochem Cell Biol*. 128: 217-226.
- Chiu, CC; Sheu, JC; Chen, CH; Lee, CZ; Chiou, LL; Chou, SH; Huang, GT; Lee, HS. (2009). Global gene expression profiling reveals a key role of CD44 in hepatic oval-cell reaction after 2-AAF/ CCl_4 injury in rodents. *Histochem Cell Biol*. 132: 479-489.
- Chiu, HF; Lin, CC; Yang, CC; Yang, F. (1988). The pharmacological and pathological studies on several hepatic protective crude drugs from Taiwan (I). *Am J Chin Med*. 16: 127-137.
- Chiu, HF; Lin, CC; Yen, MH; Wu, PS; Yang, CY. (1992). Pharmacological and pathological studies on hepatic protective crude drugs from Taiwan (V): The effects of *Bombax malabarica* and *Scutellaria rivularis*. *Am J Chin Med*. 20: 257-264.
- Chiu, P-C; Reinhard, M. (1995). Metallocoenzyme-mediated reductive transformation of carbon tetrachloride in titanium (III) citrate aqueous solution. *Environmental Science & Technology*. 29: 595-603.
- Chiu, PY; Ko, KM. (2004). Schisandrin B protects myocardial ischemia-reperfusion injury partly by inducing Hsp25 and Hsp70 expression in rats. *Mol Cell Biochem*. 266: 139-144.
- Chiu, PY; Leung, HY; Poon, MKT; Mak, DHF; Ko, KM. (2006). Effects of schisandrin B enantiomers on cellular glutathione and menadione toxicity in AML12 hepatocytes. *Pharmacology*. 77: 63-70.
- Chiu, PY; Leung, HY; Siu, AH; Chen, N; Poon, MK; Ko, KM. (2008). Long-term treatment with a Yang-invigorating Chinese herbal formula produces generalized tissue protection against oxidative damage in rats. *Rejuvenation Research*. 11: 43-62.
- Chiu, PY; Leung, HY; Siu, AHL; Poon, MKT; Ko, KM. (2007). Schisandrin B decreases the sensitivity of mitochondria to calcium ion-induced permeability transition and protects against carbon tetrachloride toxicity in mouse livers. *Biological & Pharmaceutical Bulletin*. 30: 1108-1112.
- Chiu, PY; Luk, KF; Leung, HY; Ng, KM; Ko, KM. (2009). Schisandrin B Stereoisomers Protect against Hypoxia/Reoxygenation-induced Apoptosis and Associated Changes in the Ca^{2+} -induced Mitochondrial Permeability Transition and Mitochondrial Membrane Potential in AML12 Hepatocytes. *Phytother Res*. 23: 1592-1602.
- Chiu, PY; Mak, DHF; Poon, MKT; Ko, KM. (2002). In vivo antioxidant action of a lignan-enriched extract of Schisandra fruit and an anthraquinone-containing extract of Polygonum root in comparison with schisandrin B and emodin. *Planta Med*. 68: 951-956.
- Chiu, PY; Mak, DHF; Poon, MKT; Ko, KM. (2005). Role of cytochrome P-450 in schisandrin B-induced antioxidant and heat shock responses in mouse liver. *Life Sci*. 77: 2887-2895.
- Chiu, PY; Tang, MH; Mak, DHF; Poon, MKT; Ko, KM. (2003). Hepatoprotective mechanism of schisandrin B: Role of mitochondrial glutathione antioxidant status and heat shock proteins. *Free Radic Biol Med*. 35: 368-380.
- Chiu, YW; Chao, PY; Tsai, CC; Chiou, HL; Liu, YC; Hung, CC; Shih, HC; Lai, TJ; Liu, JY. (2014). *Ocimum gratissimum* is effective in prevention against liver fibrosis in vivo and in vitro. *Am J Chin Med*. 42: 833-852.
- Cho, BO; Park, HY; Ryu, HW; Jin, CH; Choi, DS; Kim, DS; Lim, ST; Seo, KI; Byun, MW; Jeong, IY. (2011). Protective effect of *Perilla frutescens* cv. Chookyoupjaso mutant water extract against oxidative injury in vitro and in vivo. *Food Science and Biotechnology*. 20: 1705-1711.
- Cho, BO; Ryu, HW; Jin, CH; Choi, DS; Kang, SY; Kim, DS; Byun, MW; Jeong, IY. (2011). Blackberry Extract Attenuates Oxidative Stress through Up-regulation of Nrf2-Dependent Antioxidant Enzymes in Carbon Tetrachloride-Treated Rats. *J Agric Food Chem*. 59: 11442-11448.
- Cho, BO; Ryu, HW; So, Y; Jin, CH; Baek, JY; Park, KH; Byun, EH; Jeong, IY. (2013). Hepatoprotective effect of 2,3-dehydrosilybin on carbon tetrachloride-induced liver injury in rats. *Food Chem*. 138: 107-115.
- Cho, BO; Yin, HH; Fang, CZ; Kim, SJ; Jeong, SI; Jang, SI. (2015). Hepatoprotective effect of *Diospyros lotus* leaf extract against acetaminophen-induced acute liver injury in mice. *Food Science and Biotechnology*. 24: 2205-2212.
- Cho, CH; Gogo, AR; Yuen, ST; Ho, J; Luk, ISC; Loh, TT. (1993). THE HEPATO-CYTOTOXIC EFFECTS OF NICOTINE IN PREGNANT AND NONPREGNANT RATS. 94th Annual Meeting Of The American Gastroenterological Association, Boston, Massachusetts, Usa, May. 104.
- Cho, CH; Sein, GM; Ogle, CW; Lee, SD; Wang, JY. (1986). The influence of partial hepatectomy and carbon tetrachloride on rat stomachs. *Res Commun Mol Pathol Pharmacol*. 53: 121-124.
- Cho, HK; Zhong, ZQ; Zhao, Y. (2009). A DMAP-functionalized oligocholate foldamer for solvent-responsive catalysis. *Tetrahedron*. 65: 7311-7316.
- Cho, JJ; Lee, YS. (1998). Enzyme-linked immunosorbent assay for serum procollagen type III peptide in rats with hepatic fibrosis. *J Vet Med Sci*. 60: 1213-1220.
- Cho, YK; Yun, JW; Park, JH; Kim, HJ; Park, DI; Sohn, CI; Jeon, WK; Kim, BI; Jin, W; Kwon, YH; Shin, MK; Yoo, TM; Kang, JH; Park, CS. (2009). Deleterious effects of silymarin on the expression of genes controlling endothelial nitric oxide synthase activity in carbon tetrachloride-treated rat livers. *Life Sci*. 85: 281-290.
- Cho, YM; Choi, WY; Lee, CH; Hyeon, T; Lee, HI. (2001). Visible light-induced degradation of carbon tetrachloride on dye-sensitized TiO_2 . *Environmental Science & Technology*. 35: 966-970.

Environmental Hazard Literature Search Results

Off Topic

- Choi, D; Kim, SJ; Kwon, DY; Lee, SY; Kim, YC. (2009). Taurine depletion by beta-alanine inhibits induction of hepatotoxicity in mice treated acutely with carbon tetrachloride. *Adv Exp Med Biol.* 643: 305-311.
- Choi, HS; Kang, JW; Lee, SM. (2015). Melatonin attenuates carbon tetrachloride-induced liver fibrosis via inhibition of necroptosis. *Translational Research.* 166: 292-303.
- Choi, HY; Lee, JH; Jegal, KH; Cho, IJ; Kim, YW; Kim, SC. (2016). Oxyresveratrol abrogates oxidative stress by activating ERK-Nrf2 pathway in the liver. *Chem Biol Interact.* 245: 110-121.
- Choi, J; Choi, K; Lee, W. (2009). Effects of transition metal and sulfide on the reductive dechlorination of carbon tetrachloride and 1,1,1-trichloroethane by FeS. *J Hazard Mater.* 162: 1151-1158.
- Choi, J; Lee, W. (2008). Enhanced degradation of tetrachloroethylene by green rusts with platinum. *Environmental Science & Technology.* 42: 3356-3362.
- Choi, J; Park, JK; Lee, KT; Park, KK; Kim, WB; Lee, JH; Jung, HJ; Park, HJ. (2005). In vivo antihepatotoxic effects of *Ligularia fischeri* var. *spiciformis* and the identification of the active component, 3,4-dicaffeoylquinic acid. *J Med Food.* 8: 348-352.
- Choi, JH; Kim, DW; Yun, N; Choi, JS; Isam, N; Kim, YS; Lee, SM. (2011). Protective Effects of Hyperoside against Carbon Tetrachloride-Induced Liver Damage in Mice. *J Nat Prod.* 74: 1055-1060.
- Choi, JH; Shin, S; Park, D; Jeon, JH; Choi, BH; Jang, MJ; Joo, SS; Oh, KW; Hong, JT; Suh, KH; Kim, YB. (2009). Comparative antihypertensive activities of losartan and HM70186 in rats with hepatic dysfunction. *Arch Pharm Res.* 32: 1005-1011.
- Choi, JY; Batchelor, B; Chung, JW. (2010). Reductive Dechlorination of Tetrachloroethylene by Green Rusts Modified with Copper. *Water Air and Soil Pollution.* 212: 407-417.
- Choi, K; Lee, W. (2009). Reductive dechlorination of carbon tetrachloride in acidic soil manipulated with iron(II) and bisulfide ion. *J Hazard Mater.* 172: 623-630.
- Choi, WS; Kim, CJ; Park, BS; Lee, SE; Takeoka, GR; Kim, DG; Lanpiao, X; Kim, JH. (2005). Inhibitory effect on proliferation of vascular smooth muscle cells and protective effect on CCl₄-induced hepatic damage of HEAL extract. *J Ethnopharmacol.* 100: 176-179.
- Chojceki, Z; Kern, F, Jr. (1999). The effect of dietary cirrhosis and CCl₄- poisoning on glucuronyl transferase activity of rat liver. *Gastroenterology.* 40: 521-531.
- Chong, LW; Hsu, YC; Chiu, YT; Yang, KC; Huang, T. (2006). Anti-fibrotic effects of thalidomide on hepatic stellate cells and dimethylnitrosamine-intoxicated rats. *J Biomed Sci.* 13: 403-418.
- Chopra, P; Roy, S; Ramalingaswami, V; Nayak, NC. (1972). Mechanism of carbon tetrachloride hepatotoxicity. An in vivo study of its molecular basis in rats and monkeys. *Laboratory investigation; a journal of technical methods and pathology.* 26: 716-727.
- Chor, JSY; Yu, J; Chan, KK; Go, YY; Sung, JY. (2009). *Stephania tetrandra* prevents and regresses liver fibrosis induced by carbon tetrachloride in rats. *J Gastroenterol Hepatol.* 24: 853-859.
- Choudhury, ST; Das, N; Ghosh, S; Ghosh, D; Chakraborty, S; Ali, N. (2016). Vesicular (liposomal and nanoparticulated) delivery of curcumin: a comparative study on carbon tetrachloride-mediated oxidative hepatocellular damage in rat model. *Int J Nanomedicine.* 11: 2179-2193.
- Chouteau, P; Defer, N; Florimond, A; Calderaro, J; Higgs, M; Gaudin, A; Merour, E; Dhumeaux, D; Lerat, H; Pawlotsky, JM. (2012). Hepatitis C virus (HCV) protein expression enhances hepatic fibrosis in HCV transgenic mice exposed to a fibrogenic agent. *J Hepatol.* 57: 499-507.
- Chow, AM; Tan, MQ; Gao, DS; Fan, SJ; Cheung, JS; Qiao, ZW; Man, K; Lu, ZR; Wu, EX. (2013). Molecular MRI of Liver Fibrosis by a Peptide-Targeted Contrast Agent in an Experimental Mouse Model. *Invest Radiol.* 48: 46-54.
- Chowdhury, S; Chen, Y; Yao, TW; Ajami, K; Wang, XM; Popov, Y; Schuppan, D; Bertolino, P; McCaughan, GW; Yu, DM; Gorrell, MD. (2013). Regulation of dipeptidyl peptidase 8 and 9 expression in activated lymphocytes and injured liver. *World J Gastroenterol.* 19: 2883-2893.
- Christe, ME; Rodgers, RL. (1994). Altered glucose and fatty acid oxidation in hearts of the spontaneously hypertensive rat. *Journal of molecular and cellular cardiology.* 26: 1371-1375.
- Christenson, WR; Davis, ME; Berndt, WO. (1989). Effect in the rat of the interaction of dichloromaleic acid and carbon tetrachloride on renal and hepatic function. *Fundam Appl Toxicol.* 13: 493-499.
- Christian, JJ. (1983). Love Canal's unhealthy voles. *NAT HIST (NY).* 92: 8-13.
- Christie, GS. (1968). Some aspects of carbon tetrachloride hepatotoxicity. *The New Zealand medical journal.* 67: Suppl:80-87.
- Christie, GS; Judah, JD. (1954). Mechanism of action of carbon tetrachloride on liver cells. *Proceedings of the Royal Society of London Series B, Biological sciences.* 142: 241-257.
- Christie, GS; Judah, JD. (1968). Cations of mitochondria in ethionine intoxication. *Laboratory investigation; a journal of technical methods and pathology.* 18: 108-113.
- Christina, AJ; Saraswathy, GR; Robert, SJ; Kothai, R; Chidambaranathan, N; Nalini, G; Therasal, RL. (2006). Inhibition of CCl₄-induced liver fibrosis by *Piper longum* Linn.? *Phytomedicine : international journal of phytotherapy and phytopharmacology.* 13: 196-198.
- Chrungoo, VJ; Singh, K; Singh, J. (1997). Differential biochemical response of freshly isolated rat hepatocytes to paracetamol, carbon tetrachloride and D-galactosamine toxicity. *Indian J Exp Biol.* 35: 603-610.
- Chrungoo, VJ; Singh, K; Singh, J. (1997). Silymarin mediated differential modulation of toxicity induced by carbon tetrachloride, paracetamol and D-galactosamine in freshly isolated rat hepatocytes. *Indian J Exp Biol.* 35: 611-617.
- Chrysikopoulos, CV; Hildemann, LM; Roberts, PV. (1992). Modeling the emission and dispersion of volatile organics from surface aeration wastewater treatment facilities. *Water Res.* 26: 1045-1052.
- Chu, CC; Chen, SY; Chyau, CC; Fu, ZH; Liu, CC; Duh, PD. (2016). Protective effect of *Djulis* (*Chenopodium formosanum*) and its bioactive compounds against carbon tetrachloride-induced liver injury, in vivo. *Journal of Functional Foods.* 26: 585-597.

Environmental Hazard Literature Search Results

Off Topic

- Chu, PS; Nakamoto, N; Ebinuma, H; Usui, S; Saeki, K; Matsumoto, A; Mikami, Y; Sugiyama, K; Tomita, K; Kanai, T; Saito, H; Hibi, T. (2013). C-C Motif Chemokine Receptor 9 Positive Macrophages Activate Hepatic Stellate Cells and Promote Liver Fibrosis in Mice. *Hepatology*. 58: 337-350.
- Chu, S-C. (1989). Dissociative attachment in chloromethane, dichloromethane, chloroform and carbon tetrachloride. PhD, The University of Nebraska - Lincoln.
- Chu, WH; Li, X; Bond, T; Gao, NY; Bin, X; Wang, QF; Ding, SK. (2016). Copper increases reductive dehalogenation of haloacetamides by zero-valent iron in drinking water: Reduction efficiency and integrated toxicity risk. *Water Res*. 107: 141-150.
- Chu, X; Wang, H; Jiang, YM; Zhang, YY; Bao, YF; Zhang, X; Zhang, JP; Guo, H; Yang, F; Luan, YC; Dong, YS. (2016). Ameliorative effects of tannic acid on carbon tetrachloride-induced liver fibrosis in vivo and in vitro. *J Pharmacol Sci*. 130: 15-23.
- Chu, X; Wang, H; Jiang, Y-m; Zhang, Y-y; Bao, Y-f; Zhang, X; Zhang, J-p; Guo, H; Yang, F; Luan, Y-c; Dong, Y-s. (2016). Ameliorative effects of tannic acid on carbon tetrachloride-induced liver fibrosis in vivo and in vitro. *J Pharmacol Sci*. 130: 15-23.
- Chuang, EM; Del Vecchio, A; Smolinski, S; Song, XY; Sarisky, RT. (2004). Biomedicines to reduce inflammation but not viral load in chronic HCV - what's the sense? *Trends in Biotechnology*. 22: 517-523.
- Chun, CL; Baer, DR; Matson, DW; Amonette, JE; Penn, RL. (2010). Characterization and Reactivity of Iron Nanoparticles prepared with added Cu, Pd, and Ni. *Environmental Science & Technology*. 44: 5079-5085.
- Chun, CL; Hozalski, RM; Arnold, WA. (2005). Degradation of drinking water disinfection byproducts by synthetic goethite and magnetite. *Environmental Science & Technology*. 39: 8525-8532.
- Chung, CW; Morandi, MT; Stock, TH; Afshar, M. (1999). Evaluation of a passive sampler for volatile organic compounds at ppb concentrations, varying temperatures, and humidities with 24-h exposures. 1. Description and characterization of exposure chamber system. *Environmental Science & Technology*. 33: 3661-3665.
- Chung, CW; Morandi, MT; Stock, TH; Afshar, M. (1999). Evaluation of a passive sampler for volatile organic compounds at ppb concentrations, varying temperatures, and humidities with 24-h exposures. 2. Sampler performance. *Environmental Science & Technology*. 33: 3666-3671.
- Chung, K; Starrett, S; Chung, Y; Ro, KS. (1998). PESTICIDES AND HERBICIDES. *Water Environ Res*. 70: 693-697.
- Churn, CC. (1993). INDUSTRIAL WASTES CHEMICAL AND ALLIED PRODUCTS. *Water Environ Res*. 65: 386-398.
- Cichewicz, RH; Kouzi, SA. (1998). Biotransformation of resveratrol to piceid by *Bacillus cereus*. *J Nat Prod*. 61: 1313-1314.
- CieÅłak-Golonka, M; Golonka, LJ. (1980). Electronic spectra of chromyl chloride, CrO₂Cl₂ in carbon tetrachloride-acetone binary mixtures. *Inorganic and Nuclear Chemistry Letters*. 16: 45-48.
- Cifone, MA; Ham, A. (1991). INVESTIGATIONS OF LOBULAR DIFFERENCES IN CELL PROLIFERATION IN THE LIVERS OF DMN-TREATED RATS. Twenty Second Annual Scientific Meeting Of The Environmental Mutagen Society, Kissimmee, Florida, Usa, April. 0: 16.
- Cignoli, EV; Castro, JA. (1971). Effect of inhibitors of drug metabolizing enzymes on carbon tetrachloride hepatotoxicity. *Toxicol Appl Pharmacol*. 18: 625-637.
- Cikrt, M; TichÅł, M. (1975). Biliary excretion of ⁶⁴Cu, ⁶⁵Zn and ²⁰³Hg in the rat with liver injury induced by CCl₄. *Arch Toxicol*. 34: 227-236.
- CirÅłs, S; WÅłrmer, L; Ballot, A; Agha, R; Wiedner, C; VelÅłquD, DADDB; a, UUAne; noma, dMMSCCMC; Quesada, A. (2014). Phylogeography of cylindrospermopsin and paralytic shellfish toxin-producing nostocales cyanobacteria from mediterranean europe (Spain). *Appl Environ Microbiol*. 80: 1359-1370.
- ClÅłria, JHHLHCniPBS; Jim; eez, W; Arroyo, V; Castro, A; Asbert, M; Ros, J; Rivera, F; RodÅłs, J. (1991). Doses of endothelin have natriuretic effects in conscious rats with cirrhosis and ascites. *Kidney Int*. 40: 182-187.
- Clampitt, RB. (1978). Young Scientists Award Lecture 1977: An investigation into the value of some clinical biochemical tests in the detection of minimal changes in liver morphology and function in the rat. *Arch Toxicol Suppl*. 1: 1-13.
- Clark, CS; Meyer, CR; Gartside, PS; Majeti, VA; Specker, B; Balistreri, WF; Elia, VJ. (1982). An Environmental Health Survey of Drinking Water Contamination by Leachate From a Pesticide Waste Dump in Hardeman County, Tennessee. *Arch Environ Health*. 37: 9-18.
- Clark, RB. (1992). MARINE POLLUTION THIRD EDITION. Clark, R B Marine Pollution, Third Edition Xii+172p Oxford University Press: Oxford, England, Uk. 0.
- Clark, RB; Frid, C; Attrill, M. (1997). MARINE POLLUTION FOURTH EDITION. Clark, R B, C Frid And M Attrill Marine Pollution, Fourth Edition X+161p Clarendon Press: Oxford, England, Uk Isbn. 6.
- Clark, RM; Fronk, CA; Lykins, BWJR. (1988). REMOVING ORGANIC CONTAMINANTS FROM GROUNDWATER. *Environ Sci Technol*. 22: 1126-1129.
- Clark, SB; O'Rangers, JJ; Rowe, WD; Madson, MR; Hurlbut, JA; Sofos, JN; Fuerst, B; James, G; Griffith, S; Readnour, RS. (2002). Interlaboratory comparison of methods for the determination of incurred tilmicosis residues in bovine liver. *J AOAC Int*. 85: 1260-1267.
- Clarke, AG. (1992). THE ATMOSPHERE. Harrison, R M. 0: 5-51.
- Clarke, AN; Mutch, RDJR; Wilson, DJ; Oma, KH. (1992). DESIGN AND IMPLEMENTATION OF PILOT SCALE SURFACTANT WASHING-FLUSHING TECHNOLOGIES INCLUDING SURFACTANT REUSE. Proceedings Of The Sixteenth Biennial Conference Of The International Association On Water Pollution Research And Control, Washington, DC, Usa, May. 26: 127-135.
- Clarke, LH; Novle, M; Oloffs, PC; Szeto, SY. An inhalation chamber for administering volatile compounds to animals: performance using carbon tetrachloride. *Can J Zool*. Mar 1973, 51 (3): 387-392.
- Clarke, MJ; Cooper, AI; Howdle, SM; Poliakoff, M. (2000). Photochemical reactions of organometallic complexes impregnated into polymers: Speciation, isomerization, and hydrogenation of residual alkene moieties in polyethylene. *J Am Chem Soc*. 122: 2523-2531.
- Clawson, G; Milam, K; Sesno, J; Gabriel, C; Niskanen, G; Wang, YF. (1989). HEPATOTOXIN-INDUCED HYPOMETHYLATION OF RIBOSOMAL RNA CURTAILS PROTEIN SYNTHESIS. Joint Meeting Of The American Society For Cell Biology And The American Society For Biochemistry And Molecular Biology, San Francisco, California, Usa, January. 107.

Environmental Hazard Literature Search Results

Off Topic

- Clawson, GA. (1989). Mechanisms of carbon tetrachloride hepatotoxicity. *Pathol Immunopathol Res.* 8: 104-112.
- Clawson, GA; MacDonald, JR; Woo, CH. (1987). Early hypomethylation of 2'-O-ribose moieties in hepatocyte cytoplasmic ribosomal RNA underlies the protein synthetic defect produced by CCl₄. *The Journal of cell biology.* 105: 705-711.
- Clawson, GA; Madsen, KR; Blankenship, LJ; Hatem, CL. (1991). Alterations in nuclear scaffold constituents during carbon tetrachloride-induced liver regeneration. *Hepatology.* 13: 515-522.
- Clawson, GA; Sesno, J; Milam, K; Wang, YF. (1989). METHYLATION OF RIBOSOMAL RNA AS A CONTROL FOR PROTEIN SYNTHESIS. Symposium On Nucleic Acid Methylation Held At The 18th Annual Ucla. 0: 203.
- Clayton, TA; Lindon, JC; Everett, J; Charuel, C; Hanton, G; Le Net, JL; Provost, JP; Nicholson, JK. (2003). An hypothesis for a mechanism underlying hepatotoxin-induced hypercreatinuria. *Arch Toxicol.* 77: 208-217.
- Cleary, RW. (2009). THE USE OF SOIL-GAS SAMPLING IN THE STUDY OF GROUNDWATER POLLUTION BY VOLATILE SOLVENTS VOC THE EXAMPLE OF THE PORTO FELIZ SAO PAULO BRAZIL CASE AU - HIRATA R CA. *The Journal of biological chemistry.* 24: 127-138.
- Clemedson, C; Ekwall, B. (1999). Overview of the final MEIC results: I. The in vitro-in vitro evaluation. *Toxicol In Vitro.* 13: 657-663.
- Clemedson, C; Odland, L; Varnbo, I; Walum, E. A comparative study of the effects of carbon tetrachloride on neurons, astrocytes and hepatocytes. *Alternatives to laboratory animals : ATLA.* Mar 1990. v. 17 (3): 168-173.
- Clemedson, C; Peterson, A; Walum, E. (1989). A combined in ovo-in vitro system for studies of volatile compounds on brain development: differential effects of carbon tetrachloride on neurones and astrocytes. *Pharmacology & toxicology.* 64: 94-99.
- Clemedson, C; Peterson, A; Walum, E. (1989). A COMBINED IN-OVO-IN-VITRO SYSTEM FOR STUDIES OF VOLATILE COMPOUNDS ON BRAIN DEVELOPMENT DIFFERENTIAL EFFECTS OF CARBON TETRACHLORIDE ON NEURONS AND ASTROCYTES. *Pharmacol Toxicol.* 64: 94-99.
- Clemedson, C; Romert, L; Odland, L; Varnbo, I; Walum, E. (1994). Biotransformation of carbon tetrachloride in cultured neurons and astrocytes. *Toxicology in vitro : an international journal published in association with BIBRA.* 8: 145-152.
- Clemedson, C; Schmid, B; Walum, E. (1989). Effects of carbon tetrachloride on embryonic development studied in the post-implantation rat embryo culture system and in chick embryos in ovo. *Toxicol In Vitro.* 3: 271-275.
- Clemedson, C; Walum, E; Flint, O. Effects of carbon tetrachloride on neuronal differentiation in rat embryo mid-brain micromass cultures. *Alternatives to laboratory animals : ATLA.* Mar 1989. v. 16 (3): 287-292 ill.
- Clemedson, C; Walum, E; Peterson, A. (1987). EFFECTS OF CARBON TETRACHLORIDE ON NEURONS AND ASTROCYTES STUDIED IN A COMBINED IN OVO-IN-VITRO SYSTEM. Second World Congress Of Neuroscience, Budapest, Hungary, August. 22.
- Clement, O; Frija, G; Chambon, C; Schouman-Clayes, E; Mosnier, JF; Poupon, MF; Balkau, B. (2014). Liver tumors in cirrhosis: experimental study with SPIO-enhanced MR imaging. *PLoS ONE.* 180: 31-36.
- Clement, YN; Williams, AF. (2005). Protection against paracetamol-induced hepatic injury by prazosin pre-treatment in CD-1 mice. *Mutation Research-Fundamental and Molecular Mechanisms of Mutagenesis.* 579: 182-188.
- Clerici, E; Mocarelli, P; Provini, L. (1964). RAT LIVER REGENERATION AFTER PARTIAL HEPATECTOMY AND SYMPATHETIC DENERVATION. *Exp Mol Pathol.* 90: 569-582.
- Clewell, HJ, III; Gentry, PR; Gearhart, JM. (1997). Investigation of the potential impact of benchmark dose and pharmacokinetic modelling in noncancer risk assessment. *J Toxicol Environ Health.* 52: 475-515.
- Clichici, S; Catoi, C; Mocan, T; Filip, A; Login, C; Nagy, A; Daicoviciu, D; Decea, N; Gherman, C; Moldovan, R; Muresan, A. (2011). Non-invasive oxidative stress markers for liver fibrosis development in the evolution of toxic hepatitis. *Acta Physiol Hung.* 98: 195-204.
- Clichici, S; Olteanu, D; Filip, A; Nagy, AL; Oros, A; Mircea, PA. (2016). Beneficial Effects of Silymarin After the Discontinuation of CCl₄-Induced Liver Fibrosis. *J Med Food.* 19: 789-797.
- Clichici, S; Olteanu, D; Nagy, AL; Oros, A; Filip, A; Mircea, PA. (2015). Silymarin inhibits the progression of fibrosis in the early stages of liver injury in CCl₄-treated rats. *J Med Food.* 18: 290-298.
- Clichici, S; Olteanu, D; Nagy, A-L; Oros, A; Filip, A; Mircea, PA. (2015). Silymarin Inhibits the Progression of Fibrosis in the Early Stages of Liver Injury in CCl₄-Treated Rats. *J Med Food.* 18: 290-298.
- Cliff, JM. (1963). Accidental poisoning with carbon tetrachloride. *J R Nav Med Serv.* 49: 47-53.
- Clinton, M, Jr. (1947). Renal injury following exposure to carbon tetrachloride; report of a case. *The New England journal of medicine.* 237: 183-185.
- Closa, D; Torres, M; Hotter, G; Bioque, G; LeÃn, OS. Prostanoids and free radicals in CCl₄-induced hepatotoxicity in rats: effect of astilbin. *Eur J Pharmacol.* 2: 276-280.
- Clower, BR; Douglas, BH; Carrier, O, Jr. (1968). Protection by reserpine of carbon tetrachloride-induced hepatic necrosis. *Eur J Pharmacol.* 2: 276-280.
- Clower, BR; Douglas, BH; Williams, WL. (1968). Effects of pretreatment with epinephrine and reserpine on carbon tetrachloride-induced hepatic damage. *Eur J Pharmacol.* 4: 325-330.
- Cluet, JL; Boisset, M; Boudene, C. (1986). Effect of pretreatment with cimetidine or phenobarbital on lipoperoxidation in carbon tetrachloride- and trichloroethylene-dosed rats. *Toxicology.* 38: 91-102.
- Coats, JR. (1987). TOXICOLOGY OF PESTICIDE RESIDUES IN FOODS. *Hathcock, J N.* 0: 249-280.
- Coballase-Urrutia, E; Pedraza-Chaverri, J; Cardenas-Rodriguez, N; Huerta-Gertrudis, B; Garcia-Cruz, ME; Ramirez-Morales, A; Sanchez-Gonzalez, DJ; Martinez-Martinez, CM; Camacho-Carranza, R; Espinosa-Aguirre, JJ. (2011). Hepatoprotective effect of acetic and methanolic extracts of *Heterotheca inuloides* against CCl₄-induced toxicity in rats. *Exp Toxicol Pathol.* 63: 363-370.
- Coballase-Urrutia, E; Pedraza-Chaverri, J; Cardenas-Rodriguez, N; Huerta-Gertrudis, B; Garcia-Cruz, ME; Ramirez-Morales, A; Sanchez-Gonzalez, DJ; Martinez-Martinez, CM; Camacho-Carranza, R; Espinosa-Aguirre, JJ. (2011). Hepatoprotective effect of acetic and methanolic extracts of *Heterotheca inuloides* against CCl₄-induced toxicity in rats. *Exp Toxicol Pathol.* 63: 363-370.

Environmental Hazard Literature Search Results

Off Topic

- Cobb, GD; Bouwer, EJ. (1991). Effects of electron acceptors on halogenated organic compound biotransformations in a biofilm column. *Environ Sci Technol.* 25: 1068-1074.
- Coby, AJ; Picardal, FW. (2005). Inhibition of NO₃(-) and NO₂(-) reduction by microbial Fe(III) reduction: Evidence of a reaction between NO₂(-) and cell surface-bound Fe(2+). *Appl Environ Microbiol.* 71: 5267-5274.
- Cocchioni, M; Pellegrini, MG; Grappasonni, I. (1996). [Organo-halogenated compounds in commercial bottled mineral water. I.]. *Igiene Moderna.* 106: 275-285.
- Cogliati, B; Crespo, YS; Da, STC; Aloia, TP; Nogueira, MS; Real-Lima, MA; Chaible, LM; Sanches, DS; Willebrords, J; Maes, M; Pereira, IV; Castro, IA; Vinken, M; Dagli, ML. (2016). Connexin32 deficiency exacerbates carbon tetrachloride-induced hepatocellular injury and liver fibrosis in mice. *Toxicol Mech Meth.* 26: 362-370.
- Cogliati, B; Da Silva, TC; Aloia, TPA; Chaible, LM; Real-Lima, MA; Sanches, DS; Matsuzaki, P; Hernandez-Blazquez, FJ; Dagli, MLZ. (2011). Morphological and Molecular Pathology of CCl₄-Induced Hepatic Fibrosis in Connexin43-Deficient Mice. *Microsc Res Tech.* 74: 421-429.
- Cohen, HJ. (1990). The development, testing, and validation of a field method for evaluating the service lives of respirator cartridges. PhD, University of Michigan.
- Cohen, HJ; Briggs, DE; Garrison, RP. (1991). Development of a field method for evaluating the service lives of organic vapor cartridges--part III: Results of laboratory testing using binary organic vapor mixtures. *Am Ind Hyg Assoc J.* 52: 34-43.
- Cohen, HJ; Levine, SP; Garrison, RP. (1991). Development of a field method for determining the service lives of respirator cartridges--Part IV: Results of field validation trials. *Am Ind Hyg Assoc J.* 52: 263-270.
- Cohen, HJ; Zellers, ET; Garrison, RP. (1990). Development of a field method for evaluating the service lives of organic vapor cartridges: Results of laboratory testing using carbon tetrachloride: Part II. Humidity effects. *Am Ind Hyg Assoc J.* 51: 575-580.
- Cohen, MA; Ryan, PB; Spengler, JD; Ozkaynak, H; Hayes, C. (1991). Source-receptor study of volatile organic compounds and particulate matter in the Kanawha Valley, (West Virginia, USA): I. Methods and descriptive statistics. *Atmos Environ Part B Urban Atmos.* 25: 79-94.
- Cohen, MD; Schook, LB; Oppenheim, JJ; Freed, BM; Rodgers, KE. (1999). 37th Annual Meeting of the Society of Toxicology symposium on alterations in cytokine receptors by xenobiotics (Seattle, Washington, USA). *Toxicol Sci.* 48: 163-169.
- Cohen, MM. (1957). Central nervous system in carbon tetrachloride intoxication. *Neurology.* 7: 238-244.
- Cohen, S; Svrjcek, A; Durborow, T; Barnes, NL. (1999). Water quality impacts by golf courses. *J Environ Qual.* 28: 798-809.
- Cohn, DV; Bawdon, R; Newman, RR; Hamilton, JW. (1968). Effect of calcium chelation on the ion content of liver mitochondria in carbon tetrachloride-poisoned rats. *The Journal of biological chemistry.* 243: 1089-1095.
- Colakoglu, N; Kus, I; Kukner, A; Pekmez, H; Ozan, E; Sarsilmaz, M. (2011). Protective effects of CAPE on liver injury induced by CCl₄: an electron microscopy study. *Ultrastruct Pathol.* 35: 26-30.
- Colakoglu, N; Kus, I; Kukner, A; Pekmez, H; Ozan, E; Sarsilmaz, M. (2011). Protective Effects of CAPE on Liver Injury Induced by CCl₄: An Electron Microscopy Study. *Ultrastruct Pathol.* 35: 26-30.
- Colakoglu, T; Keskek, M; Colakoglu, S; Can, B; Sayek, I. (2007). Serum endostatin levels and regenerative capacities of normal and cirrhotic livers following partial hepatectomy in mice: The response to different resection sizes. *J Surg Res.* 143: 337-343.
- Colby, HD. (1988). Adrenal gland toxicity: Chemically induced dysfunction. *Journal of the American College of Toxicology [J AM COLL TOXICOL]* Vol 7, no 1 1988. 7.
- Colby, HD; Brogan, WC, 3rd; Miles, PR. (1981). Carbon tetrachloride-induced changes in adrenal microsomal mixed-function oxidases and lipid peroxidation. *Toxicol Appl Pharmacol.* 60: 492-499.
- Colby, HD; Purcell, H; Kominami, S; Takemori, S; Kossor, DC. (1994). Adrenal activation of carbon tetrachloride: Role of microsomal P450 isozymes. *Toxicology.* 94: 31-40.
- Coleman, FS; Ripps, I. (1949). Carbon tetrachloride intoxication; report of two cases. *The Harlem Hospital bulletin.* 2: 42-45.
- Coleman, JB; Condie, LW; Lamb, RG. (1988). THE INFLUENCE OF CARBON TETRACHLORIDE BIOTRANSFORMATION ON THE ACTIVATION OF RAT LIVER PHOSPHOLIPASE C IN-VITRO. *Toxicol Appl Pharmacol.* 95: 200-207.
- Coleman, JB; Condie, LW; Lamb, RG. (1988). THE ROLE OF CARBON TETRACHLORIDE BIOTRANSFORMATION IN THE ACTIVATION OF HEPATOCYTE PHOSPHOLIPASE C IN-VIVO AND IN-VITRO. *Toxicol Appl Pharmacol.* 95: 208-219.
- Coleman, JB; Condie, LW; Lamb, RG. (1988). The role of CCl₄ biotransformation in the activation of hepatocyte phospholipase C in vivo and in vitro. *Toxicol Appl Pharmacol.* 95: 208-219.
- Coleman, JB; Condie, LW; Lamb, RG. (1988). The role of CCl sub(4) biotransformation in the activation of hepatocyte phospholipase C in vivo and in vitro. *Toxicol Appl Pharmacol.* 95: 208-219.
- Coleman, JD; Prabhu, KS; Thompson, JT; Reddy, PS; Peters, JM; Peterson, BR; Reddy, CC; Heuvel, JP. (2007). The oxidative stress mediator 4-hydroxynonenal is an intracellular agonist of the nuclear receptor peroxisome proliferator-activated receptor-beta/delta (PPAR beta/delta). *Free Radic Biol Med.* 42: 1155-1164.
- Colleran, E. (1997). USES OF BACTERIA IN BIOREMEDIATION. Sheehan, D. 2: 3-22.
- Colley, DG; Picard, DJ. (1988). HAZARDOUS WASTE INCINERATOR PERFORMANCE EVALUATION USING FOUR POHC'S. Third Chemical Congress Of North America Held At The 195th American Chemical Society Meeting, Toronto, Ontario, Canada, June. 3: 123.
- Collins, R; Picardal, F. (1999). Enhanced anaerobic transformations of carbon tetrachloride by soil organic matter. *Environ Toxicol Chem.* 18: 2703-2710.
- Columbano, A; Endoh, T; Denda, A; Noguchi, O; Nakae, D; Hasegawa, K; Ledda-Columbano, GM; Zedda, AI; Konishi, Y. (1996). Effects of cell proliferation and cell death (apoptosis and necrosis) on the early stages of rat hepatocarcinogenesis. *Carcinogenesis.* 17: 395-400.

Environmental Hazard Literature Search Results

Off Topic

- Columbano, A; Ledda-Columbano, GM; Coni, P; Pani, P. (1987). Failure of mitogen-induced cell proliferation to achieve initiation of rat liver carcinogenesis. *Carcinogenesis*. 8: 345-347.
- Columbano, A; Ledda-Columbano, GM; Ennas, MG; Curto, M; Chelo, A; Pani, P. (1990). Cell proliferation and promotion of rat liver carcinogenesis: different effect of hepatic regeneration and mitogen induced hyperplasia on the development of enzyme-altered foci. *Carcinogenesis*. 11: 771-776.
- Columbano, A; Ledda-Columbano, GM; Pibiri, M; Piga, R; Shinozuka, H; De, LV; Cerignoli, F; Tripodi, M. (1997). Increased expression of c-fos, c-jun and LRF-1 is not required for in vivo priming of hepatocytes by the mitogen TCPOBOP. *Oncogene*. 14: 857-863.
- Comba, ME; Kaiser, KLE. (1984). TRACKING RIVER PLUMES WITH VOLATILE HALOCARBON CONTAMINANTS THE NIAGARA RIVER-LAKE ONTARIO EXAMPLE CANADA USA. *J Great Lakes Res*. 10: 375-382.
- Comoglio, A; Leonarduzzi, G; Carini, R; Busolin, D; Basaga, H; Albano, E; Tomasi, A; Poli, G; Morazzoni, P; Magistretti, MJ. (1990). Studies on the antioxidant and free radical scavenging properties of IdB 1016 a new flavanolignan complex. *Free Radic Res Commun*. 11: 109-115.
- Comporti, M; Arezzini, B; Signorini, C; Sgherri, C; Monaco, B; Gardi, C. (2005). F(2)-isoprostanes stimulate collagen synthesis in activated hepatic stellate cells: a link with liver fibrosis? *Lab Invest*. 85: 1381-1391.
- Comporti, M; Arezzini, B; Signorini, C; Vecchio, D; Gardi, C. (2009). Oxidative stress, isoprostanes and hepatic fibrosis. *Histol Histopathol*. 24: 893-900.
- Comporti, M; Benedetti, A. (1972). Carbon tetrachloride induced peroxidation of liver lipids in vitamin E pretreated rats. *Biochem Pharmacol*. 21: 418-420.
- Comporti, M; Benedetti, A; Casini, A. (1974). Carbon tetrachloride induced liver alterations in rats pretreated with N,N'-diphenyl-p-phenylenediamine. *Biochem Pharmacol*. 23: 421-432.
- Comporti, M; Burdino, E; Ugazio, G. (1971). Changes in fatty acid pattern of liver microsomal phospholipids in rats treated with carbon tetrachloride. *The Italian journal of biochemistry*. 20: 156-165.
- Comporti, M; Landucci, G; Raja, F. (1971). Changes in microsomal lipids of rat liver after chronic carbon tetrachloride intoxication. *Experientia*. 27: 1155-1156.
- Comporti, M; Signorini, C; Arezzini, B; Vecchio, D; Monaco, B; Gardi, C. (2008). F2-isoprostanes are not just markers of oxidative stress. *Free Radic Biol Med*. 44: 247-256.
- Conaway, HB; Hoven, F. (1946). Electrocardiographic changes in carbon tetrachloride poisoning. *United States naval medical bulletin*. 46: 593-595.
- Condie, LW. (1985). Target organ toxicology of halocarbons commonly found contaminating drinking water. *Sci Total Environ*. 47: 433-442.
- Condie, LW; Laurie, RD; Mills, T; Robinson, M; Bercz, JP. (1986). Effect of gavage vehicle on hepatotoxicity of carbon tetrachloride in CD-1 mice: Corn oil versus Tween-60 aqueous emulsion. *Fundam Appl Toxicol*. 7: 199-206.
- Cong, M; Liu, TH; Wang, P; Fan, X; Yang, AT; Bai, YF; Peng, Z; Wu, P; Tong, XF; Chen, J; Li, H; Cong, R; Tang, SZ; Wang, BE; Jia, JD; You, H. (2013). Antifibrotic Effects of a Recombinant Adeno-Associated Virus Carrying Small Interfering RNA Targeting TIMP-1 in Rat Liver Fibrosis. *American Journal of Pathology*. 182: 1607-1616.
- Coni, P; Pichiri-Coni, G; Ledda-Columbano, GM; Rao, PM; Rajalakshmi, S; Sarma, DS; Columbano, A. (1990). Liver hyperplasia is not necessarily associated with increased expression of c-fos and c-myc mRNA. *Carcinogenesis*. 11: 835-839.
- Coni, P; Simbula, G; de, PAC; Menegazzi, M; Suzuki, H; Sarma, DS; Ledda-Columbano, GM; Columbano, A. (1993). Differences in the steady-state levels of c-fos, c-jun and c-myc messenger RNA during mitogen-induced liver growth and compensatory regeneration. *Hepatology (Baltimore, Md)*. 17: 1109-1116.
- Connell, DW; Hawker, DW. (1988). USE OF POLYNOMIAL EXPRESSIONS TO DESCRIBE THE BIOCONCENTRATION OF HYDROPHOBIC CHEMICALS BY FISH. *Ecotoxicol Environ Saf*. 16: 242-257.
- Connolly, MK; Bedrosian, AS; Clair, JMS; Mitchell, AP; Ibrahim, J; Stroud, A; Pachter, HL; Bar-Sagi, D; Frey, AB; Miller, G. (2009). In liver fibrosis, dendritic cells govern hepatic inflammation in mice via TNF-alpha. *J Clin Invest*. 119: 3213-3225.
- Connolly, MK; Bedrosian, AS; Malhotra, A; Henning, JR; Ibrahim, J; Vera, V; Cieza-Rubio, NE; Hassan, BU; Pachter, HL; Cohen, S; Frey, AB; Miller, G. (2010). In hepatic fibrosis, liver sinusoidal endothelial cells acquire enhanced immunogenicity. *Journal of immunology (Baltimore, Md : 1950)*. 185: 2200-2208.
- Connor, HD; Knecht, KT; Lacagnin, LB; O'Brien, P; Mason, RP. (1991). SPIN TRAPPING IN THE PERFUSED LIVER CARBON TETRACHLORIDE AS A MODEL SYSTEM AU - THURMAN RG. *Ballet, F And R G Thurman*. 0: 69-82.
- Connor, HD; Lacagnin, LB; Knecht, KT; Thurman, RG; Mason, RP. (1989). Reaction of glutathione with a free radical metabolite of carbon tetrachloride. *Mol Pharmacol*. 37: 443-451.
- Connor, HD; Thurman, RG; Chen, G; Poyer, JL; Janzen, EG; Mason, RP. (1998). Clarification of the relationship between free radical spin trapping and carbon tetrachloride metabolism in microsomal systems. *Free Radic Biol Med*. 24: 1364-1368.
- Connor, HD; Thurman, RG; Galizi, MD; Mason, RP. (1993). The formation of a novel free radical metabolite from carbon tetrachloride in the perfused rat liver and in vivo. *J Biol Chem*. 261: 4542-4548.
- Connor, SC; Wu, W; Sweatman, BC; Manini, J; Haselden, JN; Crowther, DJ; Waterfield, CJ. (2004). Effects of feeding and body weight loss on the (1)H-NMR-based urine metabolic profiles of male Wistar Han rats: implications for biomarker discovery. *Biomarkers*. 9: 156-179.
- Conso, F; Crabie, P; Gaultier, M. (1977). alpha foetoprotein in acute carbon tetrachloride poisoning. *Acta Pharmacol Toxicol*. 41 Suppl 2: 315.
- Constantinou, C; Henderson, N; Iredale, JP. (2005). Modeling liver fibrosis in rodents. *Methods Mol Med*. 117: 237-250.
- Consuelo Jimenez, M; Miranda, MA; Tormos, R. (1995). Formation of dichloromethyl phenyl ethers as major products in the photo-Reimer-Tiemann reaction without base. *Tetrahedron*. 51: 5825-5830.

Environmental Hazard Literature Search Results

Off Topic

- Contessa, AR; Floreani, M; Bonetti, AC; Santi, R. (1978). Liberation of cyanide from succinonitrile. 2. The effect of ethanol. *Biochem Pharmacol.* 27: 1135-1138.
- Conti, M; Malandrino, S; Magistretti, MJ. (1992). Protective activity of silipide on liver damage in rodents. *Jpn J Pharmacol.* 60: 315-321.
- Contreras, JG; Madariaga, ST. (2001). Bioactive four-membered heterocyclic compounds: The anti \rightarrow syn interconversion in dithietane-1,3-dioxide. *Bioorganic Chemistry.* 29: 57-64.
- Cook, E. (1990). GLOBAL ENVIRONMENTAL ADVOCACY CITIZEN ACTIVISM IN PROTECTING THE OZONE LAYER. *Ambio.* 19: 334-338.
- Cook, JL; Hunter, CA; Low, CMR; Perez-Velasco, A; Vinter, JG. (2007). Solvent effects on hydrogen bonding. *Angewandte Chemie-International Edition.* 46: 3706-3709.
- Cooper, BE; Owen, WJ. (1970). A novel reaction of carbon tetrachloride with [(diphenylphosphino)methyl]trimethylsilane. *Journal of Organometallic Chemistry.* 21: 329-332.
- Cooper, DC; Picardal, FW; Schimmelmann, A; Coby, AJ. (2003). Chemical and biological interactions during nitrate and goethite reduction by *Shewanella putrefaciens* 200. *Appl Environ Microbiol.* 69: 3517-3525.
- Cooper, SD; Feuer, G. (1973). Effects of drugs or hepatotoxins on the relation between drug-metabolizing activity and phospholipids in hepatic microsomes during choline deficiency. *Toxicol Appl Pharmacol.* 25: 7-19.
- Cooper, WJ; Nickelsen, MG; Meacham, DE; Cadavid, EM; Waite, TD; Kurucz, CN. (1992). High energy electron beam irradiation: An innovative process for the treatment of aqueous based organic hazardous wastes. *J Environ Sci Health Part A Environ Sci Eng.* 27: 219-244.
- Coppi, G; Bonardi, G; Gaetani, M. (1971). Experimental gastric ulcers and uropepsinogen excretion in the rat. *The Journal of pharmacy and pharmacology.* 23: 722-723.
- Corapcioglu, MY; Hossain, MA. (1990). Ground-water contamination by high-density immiscible hydrocarbon slugs in gravity-driven gravel aquifers. *Ground Water.* 28: 403-412.
- Corbin, IR; Buist, R; Peeling, J; Zhang, M; Uhanova, J; Minuk, GY. (2003). Hepatic (31)P MRS in rat models of chronic liver disease: assessing the extent and progression of disease. *Gut.* 52: 1046-1053.
- Corbin, JF; Teel, AL; Allen-King, RM; Watts, RJ. (2007). Reactive oxygen species responsible for the enhanced desorption of dodecane in modified Fenton's systems. *Water Environ Res.* 79: 37-42.
- Corcelle, V; Stieger, B; Gjinovci, A; Wollheim, CB; Gauthier, BR. (2006). Characterization of two distinct liver progenitor cell subpopulations of hematopoietic and hepatic origins. *Exp Cell Res.* 312: 2826-2836.
- Cordero-Páez, P. Hepatoprotective effect of commercial herbal extracts on carbon tetrachloride-induced liver damage in Wistar rats.
- Cornelius, CE; Gazmuri, G; Gronwall, R; Rhode, EA. (1965). PRELIMINARY STUDIES ON EXPERIMENTAL HYPERBILIRUBINEMIA AND HEPATIC COMA IN THE HORSE. *The Cornell veterinarian.* 55: 110-120.
- Cornell, RP. (1981). Endotoxin-induced hyperinsulinemia and hyperglucagonemia after experimental liver injury. *The American journal of physiology.* 241: E428-435.
- Cornish, HH. (1962). A study of carbon tetrachloride. IV. Esterase distribution in liver and sera of rats exposed to CC 14 vapors. *Toxicol Appl Pharmacol.* 4: 468-474.
- Cornish, HH; Adefuin, J. (1966). Ethanol potentiation of halogenated aliphatic solvent toxicity. *Am Ind Hyg Assoc J.* 27: 57-61.
- Cornish, HH; Adefuin, J. (2013). Potentiation of carbon tetrachloride toxicity by aliphatic alcohols. *BioFactors (Oxford, England).* 14: 447-449.
- Cornish, HH; Barth, ML; Ling, B. (1977). Influence of aliphatic alcohols on the hepatic response to halogenated olefins. *Environ Health Perspect.* 21: 149-152.
- Cornish, HH; Ling, BP; Barth, ML. (1973). Phenobarbital and organic solvent toxicity. *Am Ind Hyg Assoc J.* 34: 487-492.
- Cornish, HH; Ryan, RC. (1964). A STUDY OF CARBON TETRACHLORIDE. VI. AMINOACIDURIA IN RESPONSE TO CARBON TETRACHLORIDE INHALATION. *Toxicol Appl Pharmacol.* 6: 96-102.
- Corongiu, FP; Dessi, S; Sanna, A; Congiu, L. (1973). Failure of carbon tetrachloride (CC14) and trichlorobromo-methane (CC13 Br) to alter polyribosomal profiles in the rat brain. *Experientia.* 29: 1066-1067.
- Corongiu, FP; Lai, M; Milia, A. (1983). Carbon tetrachloride, bromotrichloromethane and ethanol acute intoxication. New chemical evidence for lipid peroxidation in rat tissue microsomes. *Biochem J.* 212: 625-631.
- Corongiu, FP; Poli, G; Dianzani, MU; Cheeseman, KH; Slater, TF. (1986). Lipid peroxidation and molecular damage to polyunsaturated fatty acids in rat liver. Recognition of two classes of hydroperoxides formed under conditions in vivo. *Chem Biol Interact.* 59: 147-155.
- Corradi, F; Brusasco, C; Fernandez, J; Vila, J; Ramirez, MJ; Seva-Pereira, T; Fernandez. (1991). Effects of pentoxifylline on intestinal bacterial overgrowth, bacterial translocation and spontaneous bacterial peritonitis in cirrhotic rats with ascites.
- Corsini, A; Bortolini, M. (2013). Drug-Induced Liver Injury: The Role of Drug Metabolism and Transport. *J Clin Pharmacol.* 53: 463-474.
- Cortese, MS; Paszczyński, A; Lewis, TA; Sebat, JL; Borek, V; Crawford, RL. (2002). Metal chelating properties of pyridine-2,6-bis(thiocarboxylic acid) produced by *Pseudomonas* spp. and the biological activities of the formed complexes. *Biometals.* 15: 103-120.
- Costa, AK; Trudell, JR. (1989). Interaction of hypoxia and carbon tetrachloride toxicity in hepatocyte monolayers. *Exp Mol Pathol.* 50: 183-192.
- Costentin, C; Robert, M; Saveant, JM. (2003). Successive removal of chloride ions from organic polychloride pollutants. Mechanisms of reductive electrochemical elimination in aliphatic gem-polychlorides, alpha,beta-polychloroalkenes, and alpha,beta-polychloroalkanes in mildly protic medium. *J Am Chem Soc.* 125: 10729-10739.
- Costentin, C; Robert, M; Saveant, JM. (2005). Does catalysis of reductive dechlorination of tetra- and trichloroethylenes by vitamin B12 and corrinoid-based dehalogenases follow an electron transfer mechanism? *J Am Chem Soc.* 127: 12154-12155.
- Cothorn, CR; Coniglio, WA; Marcus, WL. (1984). Techniques for the assessment of the carcinogenic risk to the U.S. population due to exposure from selected volatile organic compounds from drinking water via the ingestions, inhalation and dermal routes. NTIS, SPRINGFIELD, VA (USA) 1984.

Environmental Hazard Literature Search Results

Off Topic

- Cotruvo, JA. (1984). RISK ASSESSMENT AND CONTROL DECISIONS FOR PROTECTING DRINKING WATER QUALITY. Suffet, I H And M Malaiyandi. 0: 693-734.
- Cotruvo, JA. (1985). ORGANIC MICROPOLLUTANTS IN DRINKING WATER AN OVERVIEW. International Symposium On Organic Micropollutants In Drinking Water And Health, Amsterdam, Netherlands, June. 47: 7-26.
- Cotruvo, JA. (1985). REGULATION OF CONTAMINANTS IN DRINKING WATER. Rice, R G Safe Drinking Water: The Impact Of Chemicals On A Limited Resource. 0: 183-196.
- Cottalasso, D; Bellocchio, A; Domenicotti, C; Dapino, D; Pronzato, MA; Nanni, G. (1998). 1,1,2,2-tetrachloroethane-induced early decrease of dolichol levels in rat liver microsomes and Golgi apparatus. *Journal of Toxicology and Environmental Health-Part a-Current Issues*. 54: 133-144.
- Cottalasso, D; Domenicotti, C; Traverso, N; Pronzato, MA; Nanni, G. (2002). Influence of chronic ethanol consumption on toxic effects of 1,2-dichloroethane: glycolipoprotein retention and impairment of dolichol concentration in rat liver microsomes and Golgi apparatus. *Toxicology*. 178: 229-240.
- Cotterill, LA; Gower, JD; Clark, PK; Fuller, BJ; Thorniley, MS; Goddard, JG; Green, CJ. (1993). Reoxygenation following hypoxia stimulates lipid peroxidation and phosphatidylinositol breakdown in kidney cortical slices. *Biochem Pharmacol*. 45: 1947-1951.
- Cotton, FA; Daniels, LM; Murillo, CA; Timmons, DJ; Wilkinson, CC. (2002). The extraordinary ability of guanidinate derivatives to stabilize higher oxidation numbers in dimetal units by modification of redox potentials: Structures of Mo(2)(5+) and Mo(2)(6+) compounds. *J Am Chem Soc*. 124: 9249-9256.
- Cotutiu, C; Streja, D. (1966). Histochemical investigations of the liver in carbon tetrachloride poisoning. *Acta Histochem*. 23: 1-8.
- Courville, CB. (1963). FORENSIC NEUROPATHOLOGY. X. COMMON CHEMICAL, METALLIC, AND METALLOID POISONS. *J Forensic Sci*. 8: 481-502.
- Couzis, A. (1992). Adsorption of polymers and surfactants from solution onto the solid-liquid interface. PhD, University of Michigan.
- Cowles, C; Lee, AJ; Chipman, JK. (2000). Carbon tetrachloride reduces connexin 32 expression in rat liver in vivo only in association with hepatotoxicity. *Toxicology*. 148: 64.
- Crafton, CG; DiLuzio, NR. (1967). Antioxidant maintenance of hepatic triglyceride secretory activity and hepatic function in carbon tetrachloride poisoned rats. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY)*. 124: 1321-1323.
- Craig, DC; Durie, A; Edwards, GL; Sinclair, DJ. (1995). The cyclo-sulfonylation reaction: A comment on the radical reactions of 4-pentenyl tosylate. *Tetrahedron Letters*. 36: 1307-1310.
- Crane, JT; Binkley, FM; Gardner, RE; McCorkle, HJ. (1956). A study of the effects of the surgical treatment of experimentally produced liver disease. *Bulletin de la Société internationale de chirurgie*. 15: 151-163.
- Crebelli, R; Carere, A. (1987). GENOTOXIC ACTIVITY OF HALOGENATED ALIPHATIC HYDROCARBONS IN ASPERGILLUS-NIDULANS. Sumino, K. 0: 437-442.
- Cresci, GA; Allende, D; McMullen, MR; Nagy, LE. (2015). Alternative complement pathway component Factor D contributes to efficient clearance of tissue debris following acute CCl4-induced injury. *Mol Immunol*. 64: 9-17.
- Cresci, GA; Allende, D; McMullen, MR; Nagy, LE. (2015). Alternative complement pathway component Factor D contributes to efficient clearance of tissue debris following acute CCl₄-induced injury. *Mol Immunol*. 64: 9-17.
- Crespo, I; Miguel, BS; Laliena, A; Alvarez, M; Culebras, JM; Gonzalez-Gallego, J; Tunon, MJ. (2010). Melatonin prevents the decreased activity of antioxidant enzymes and activates nuclear erythroid 2-related factor 2 signaling in an animal model of fulminant hepatic failure of viral origin. *J Pineal Res*. 49: 193-200.
- Crespo, I; San-Miguel, B; Fernandez, A; De Urbina, JO; Gonzalez-Gallego, J; Tunon, MJ. (2015). Melatonin limits the expression of profibrogenic genes and ameliorates the progression of hepatic fibrosis in mice. *Translational Research*. 165: 346-357.
- Criddle, CS; DeWitt, JT; Grbic-Galic, D; McCarty, PL. (1990). Transformation of carbon tetrachloride by *Pseudomonas* sp. strain KC under denitrification conditions. *Appl Environ Microbiol*. 56: 3240-3246.
- Criddle, CS; DeWitt, JT; McCarty, PL. (1990). Reductive dehalogenation of carbon tetrachloride by *Escherichia coli* K-12. *Appl Environ Microbiol*. 56: 3247-3254.
- Crittenden, JC; Sanonraj, S; Bulloch, JL; Hand, DW; Rogers, TN; Speth, TF; Ulmer, M. (1999). Correlation of aqueous-phase adsorption isotherms. *Environmental Science & Technology*. 33: 2926-2933.
- Cronholm, T; Curstedt, T. (1985). Phosphatidylinositol composition in pancreas and submaxillary gland of ethanol-fed rats. *Alcohol (Fayetteville, NY)*. 2: 183-186.
- Cronin, MTD. (1996). Quantitative structure-activity relationship (QSAR) analysis of the acute sublethal neurotoxicity of solvents. *Toxicol In Vitro*. 10: 103-110.
- Croquet, V; Moal, F; Veal, N; Wang, J; Oberti, F; Roux, J; Vuillemin, E; Gallois, Y; Douay, O; Chappard, D; Cal  s, P. (2002). Hemodynamic and antifibrotic effects of losartan in rats with liver fibrosis and/or portal hypertension. *J Hepatol*. 37: 773-780.
- Cruz, C; Ibarra-Rubio, ME; Pedraza-Chaverr  j, J. (1993). Circulating levels of active, total and inactive renin (prorenin), angiotensin I and angiotensinogen in carbon tetrachloride-treated rats. *Clinical and experimental pharmacology & physiology*. 20: 83-88.
- Cruz-Zavala, AS; Pat-Espadas, AM; Rangel-Mendez, JR; Chazaro-Ruiz, LF; Ascacio-Valdes, JA; Aguilar, CN; Cervantes, FJ. (2016). Immobilization of metal-humic acid complexes in anaerobic granular sludge for their application as solid-phase redox mediators in the biotransformation of iopromide in UASB reactors. *Bioresour Technol*. 207: 39-45.
- Csallany, AS; Kim, SS; Gallaher, DD. (2000). Response of urinary lipophilic aldehydes and related carbonyl compounds to factors that stimulate lipid peroxidation in vivo. *Lipids*. 35: 855-862.

Environmental Hazard Literature Search Results

Off Topic

- Csok, Z; Vechorkin, O; Harkins, SB; Scopelliti, R; Hu, XL. (2008). Nickel complexes of a pincer NN(2) ligand: Multiple carbon-chloride activation of CH₂Cl₂ and CHCl₃ leads to selective carbon-carbon bond formation. *J Am Chem Soc.* 130: 8156-+.
- Cubero, E; Orozco, M; Luque, FJ. (1998). Theoretical study of azido-tetrazole isomerism: Effect of solvent and substituents and mechanism of isomerization. *J Am Chem Soc.* 120: 4723-4731.
- Cuciureanu, M; runtutu, ID; duraru, O; Stoica, B; Jerca, L; Crauciuc, E; Nechifor, M. (2009). The protective effect of montelukast sodium on carbon tetrachloride induced hepatopathy in rat. *Prostaglandins & other lipid mediators.* 88: 82-88.
- Cudahy, JJ. (1998). Low waste feed concentrations and destruction removal efficiency. *Waste Manag.* 18: 453-459.
- Cuenca, S. Microbiome composition by pyrosequencing in mesenteric lymph nodes of rats with CCl₄-induced cirrhosis.
- Cuenca, S; Sanchez, E; Santiago, A; El Khader, I; Panda, S; Vidal, S; Nieto, JC; Juarez, C; Sancho, F; Guarner, F; Soriano, G; Guarner, C; Manichanh, C. (2014). Microbiome Composition by Pyrosequencing in Mesenteric Lymph Nodes of Rats with CCl₄-induced Cirrhosis. *Journal of Innate Immunity.* 6: 263-271.
- Cui, L; An, L; Gong, W; Jiang, H. (2007). A novel process for preparation of ultra-clean micronized coal by high pressure water jet comminution technique. *Fuel.* 86: 750-757.
- Cui, WH; Matsuno, K; Iwata, K; Ibi, M; Matsumoto, M; Zhang, J; Zhu, K; Katsuyama, M; Torok, NJ; Yabe-Nishimura, C. (2011). NOX1/Nicotinamide Adenine Dinucleotide Phosphate, Reduced Form (NADPH) Oxidase Promotes Proliferation of Stellate Cells and Aggravates Liver Fibrosis Induced by Bile Duct Ligation. *Hepatology.* 54: 949-958.
- Cui, XF; Dang, SY; Wang, Y; Chen, Y; Zhou, J; Shen, CL; Kuang, Y; Fei, J; Lu, LG; Wang, ZG. (2017). Retinol dehydrogenase 13 deficiency diminishes carbon tetrachloride-induced liver fibrosis in mice. *Toxicol Lett.* 265: 17-22.
- Cui, Y; Han, Y; Yang, X; Sun, Y; Zhao, Y. (2013). Protective effects of quercetin and quercetin-5',8-disulfonate against carbon tetrachloride-caused oxidative liver injury in mice. *Molecules (Basel, Switzerland).* 19: 291-305.
- Cui, YM; Yang, XB; Lu, XS; Chen, JW; Zhao, Y. (2014). Protective effects of polyphenols-enriched extract from Huangshan Maofeng green tea against CCl₄-induced liver injury in mice. *Chem Biol Interact.* 220: 75-83.
- Cundy, VA; Lester, TW; Sterling, AM; Acharya, S; Montestruc, AN; Morse, JS; Sanderson, D; Grant, T; Wilks, T. (1988). IN SITU SAMPLING FROM AN INDUSTRIAL SCALE ROTARY KILN. Third Chemical Congress Of North America Held At The 195th American Chemical Society Meeting, Toronto, Ontario, Canada, June. 3: 104.
- Cundy, VA; Lester, TW; Sterling, AM; Montestruc, AP; Morse, JS; Leger, CB; Acharya, S. (1989). ROTARY KILN INCINERATION III. AN IN-DEPTH STUDY KILN EXIT-AFTERBURNER-STACK TRAIN AND KILN EXIT PATTERN FACTOR MEASUREMENTS DURING LIQUID CARBON TETRACHLORIDE PROCESSING. *JAPCA.* 39: 944-952.
- Cunnane, SC. (1987). Hepatic triacylglycerol accumulation induced by ethanol and carbon tetrachloride: interactions with essential fatty acids and prostaglandins. *Alcoholism, clinical and experimental research.* 11: 25-31.
- Cunning, MG; Hughes, PE. (1964). CONCERNING THE DISTRIBUTION OF MITOSES IN REGENERATING RAT LIVER. *Exp Cell Res.* 36: 592-604.
- Cunningham, BT. (1990). Carbon doping of compound semiconductor epitaxial layers grown by metalorganic chemical vapor deposition using carbon tetrachloride. PhD, University of Illinois at Urbana-Champaign.
- Cunningham, ML; Chang, SY; Sipes, IG. (1985). Covalent adduct formation and chloroform production after free radical attack on fatty acids by carbon tetrachloride reactive intermediates. *Toxicology.* 37: 297-305.
- Cunningham, ML; Gandolfi, AJ; Brendel, K; Sipes, IG. (1981). Covalent Binding of Halogenated Volatile Solvents to Subcellular Macromolecules in Hepatocytes. *Life Sci.* 29: 1207-1212.
- Cunningham, ML; Matthews, HB. (1991). Relationship of hepatocarcinogenicity and hepatocellular proliferation induced by mutagenic noncarcinogens vs carcinogens. II. 1- vs 2-nitropropane. *Toxicol Appl Pharmacol.* 110: 505-513.
- Curtis, HJ; Czernik, C; Tilley, J. (1968). Tumor induction as a measure of genetic damage and repair in somatic cells of mice. *Radiat Res.* 34: 315-319.
- Curtis, HJ; Tilley, J. (1968). Chromosome aberrations in liver forced to regenerate by chemical or surgical methods. *Journal of gerontology.* 23: 140-141.
- Curtis, HJ; Tilley, J. (1972). The role of mutations in liver tumor induction in mice. *Radiat Res.* 50: 539-542.
- Curtis, LR; Mehendale, HM. (1980). Specificity of chlordecone-induced potentiation of carbon tetrachloride hepatotoxicity. *Drug metabolism and disposition: the biological fate of chemicals.* 8: 23-27.
- Curtis, LR; Williams, WL; Mehendale, HM. (1979). Biliary excretory dysfunction following exposure to photomirex and photomirex/carbon tetrachloride combination. *Toxicology.* 13: 77-90.
- Curtis, LR; Williams, WL; Mehendale, HM. (1979). Potentiation of the hepatotoxicity of carbon tetrachloride following preexposure to chlordecone (kepone) in the male rat. *Toxicol Appl Pharmacol.* 51: 283-293.
- Curtis, SJ; Moritz, M; Snodgrass, PJ. (1972). Serum enzymes derived from liver cell fractions. I. The response to carbon tetrachloride intoxication in rats. *Gastroenterology.* 62: 84-92.
- Cutrăin, C. (1990). Effect of nifedipine and S-adenosylmethionine in the liver of rats treated with CCl₄ and ethanol for one month.
- Cutrin, C; Menino, M; Pazo, JA; Perez-Becerra, E; Sande, L; Barrio, E. (1992). S-adenosylmethionine and steatosis in an experimental model of toxic liver injury in rats treated with carbon tetrachloride and ethanol. *Medical Science Research.* 20: 943-944.
- Cutrin, C; Menino, MJ; Carballo, C; Parafita, MA; Perez-Becerra, E; Barrio, E. (1993). S-adenosylmethionine in rat liver cirrhosis. *Research Communications In Substances Of Abuse.* 14: 159-167.
- Cutrin, C; Menino, MJ; Carballo, C; Pazo, JA; Barrio, E; Parafita, MA. (1991). Lactacidaemia in rats with cirrhosis induced by carbon tetrachloride and ethanol: Treatment with colchicine, nifedipine and S-adenosylmethionine. *Medical Science Research.* 19: 351-352.

Environmental Hazard Literature Search Results

Off Topic

- Cutrin, C; Menino, MJ; Otero, X; Miguez, J; Perez-Becerra, E; Barrio, E. (1992). Effect of nifedipine and S-adenosylmethionine in the liver of rats treated with carbon tetrachloride and ethanol for one month. *Life Sci.* 51: L113-PL118.
- Cutrin, C; Menino, MJ; Perez-Becerra, E; Parafita, M; Paz, M; Maceira, MD; Barrio, E. (1992). EFFECT OF NIFEDIPINE IN THE LIVER OF RATS TREATED FOR A MONTH WITH CARBON TETRACHLORIDE AND ETHANOL. *Med Sci Res.* 20: 153-154.
- Cwiertny, DM; Bransfield, SJ; Livi, KJT; Fairbrother, DH; Roberts, AL. (2006). Exploring the influence of granular iron additives on 1,1,1-trichloroethane reduction. *Environmental Science & Technology.* 40: 6837-6843.
- Cwiertny, DM; Roberts, AL. (2005). On the nonlinear relationship between k(obs) and reductant mass loading in iron batch systems. *Environmental Science & Technology.* 39: 8948-8957.
- Cyrendorzhev, DD; Kutina, SN; Zubakhin, AA. (2000). Liver resistance to toxic effects of CCl₄ under conditions of gadolinium chloride depression of Kupffer cells. *Bull Exp Biol Med.* 129: 605-607.
- Czaja, MJ; Flanders, KC; Biempica, L; Klein, C; Zern, MA; Weiner, FR. (1989). Expression of tumor necrosis factor-alpha and transforming growth factor-beta 1 in acute liver injury. *Growth factors (Chur, Switzerland).* 1: 219-226.
- Czaja, MJ; Xu, J; Alt, E. (1995). Prevention of carbon tetrachloride-induced rat liver injury by soluble tumor necrosis factor receptor. *Gastroenterology.* 108: 1849-1854.
- Czaja, MJ; Xu, J; Ju, Y; Alt, E; Schmiedeberg, P. (2000). Lipopolysaccharide-neutralizing antibody reduces hepatocyte injury from acute hepatotoxin administration. *J Hepatol.* 33: 216-223.
- Czechowska, G; Celinski, K; Korolczuk, A; Wojcicka, G; Dudka, J; Bojarska, A; Reiter, RJ. (2015). PROTECTIVE EFFECTS OF MELATONIN AGAINST THIOACETANIDE-INDUCED LIVER FIBROSIS IN RATS. *J Physiol Pharmacol.* 66: 567-579.
- Czifrak, K; Somsak, L. (2002). Radical-mediated bromination of carbohydrate derivatives: searching for alternative reaction conditions without carbon tetrachloride. *Tetrahedron Letters.* 43: 8849-8852.
- Czochra, P; Klopčič, B; Meyer, E; Herkel, J; Garcia-Lazaro, JF; Thieringer, F; Schirmacher, P; Biesterfeld, S; Galle, PR; Lohse, AW; Kanzler, S. (2006). Liver fibrosis induced by hepatic overexpression of PDGF-B in transgenic mice. *J Hepatol.* 45: 419-428.
- D, ANS; Antal, L; Szegedi, G; Györfy, A. (1963). STUDIES ON ADAPTIVE ENZYME SYNTHESIS. I. GENERAL INTRODUCTORY REMARKS, AND METHODS. *Acta medica Academiae Scientiarum Hungaricae.* 19: 295-309.
- Da Silva, C; Couturier, A; Castagna, M. (1987). Chloroform and carbon tetrachloride are protein kinase C activators. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis.* 181: 336-337.
- Da Silva, MLB; Johnson, RL; Alvarez, PJJ. (2007). Microbial characterization of groundwater undergoing treatment with a permeable reactive iron barrier. *Environ Eng Sci.* 24: 1122-1127.
- Dáni, S; Sári, B; Kirilina, S; Kiss, A. (1968). Erythrocyte enzymes in hepatogenic anaemia. *Acta Med Acad Sci Hung.*
- Dâjz, G; oez, t; mez, MI; de, CCR; D'Acosta, N; de, FOM; de, FEC. (1995). Species differences in carbon tetrachloride-induced hepatotoxicity: the role of CCl₄ activation and of lipid peroxidation. *Toxicol Appl Pharmacol.* 34: 102-114.
- Dâjz, GmCCJA. (1973). Effect of inhibitors of drug metabolism on mitochondrial swelling and on carbon tetrachloride-induced lysosomal damage. *Toxicol Appl Pharmacol.* 3.
- Dâjz-García, JM; Oliver-Bota, DDFyTaF; eacute; utica, FdFudNPSF-GD. (1992). Pharmacokinetics of diazepam in the rat: influence of a carbon tetrachloride-induced hepatic injury. *J Pharm Sci.* 81: 768-772.
- Dâjz; Castro, JA; Manubolu, M; Goodla, L; Ravilla, S; Thanasekaran, J; Dutta, P; Malmlâ f, K; Obulum, VR. (1995). Protective effect of *Actinopterygii radiata* (Sw.) Link. against CCl₄; induced oxidative stress in albino rats. *Res Commun Mol Pathol Pharmacol.* 88: 288(282):205-213.
- Dâĉsi, I; Mirpuri, E. (2002). Altered liver gene expression in CCl₄-cirrhotic rats is partially normalized by insulin-like growth factor-I. *Toxicology.* 172: 59-67.
- Dâ™Angelo, PA; Bromberg, L; Hatton, TA; Wilusz, E. (2016). Sensing and inactivation of *Bacillus anthracis* Sterne by polymerâ€bromine complexes. *Appl Microbiol Biotechnol.* 100: 6847-6857.
- Dâ™Argenio, G; Mazzone, G; Ribecco, MT; Lembo, V; Vitaglione, P; Guarino, M; Morisco, F; Napolitano, M; Fogliano, V; Caporaso, N. (2013). Garlic extract attenuating rat liver fibrosis by inhibiting TGF-β₁. *Clin Nutr.* 32: 252-258.
- Dâ rrling, K; Dalu, A; Warbritton, A; Bucci, TJ; Mehendale, HM. (2002). Age-Related Susceptibility to Chlordecone-Potentiated Carbon Tetrachloride Hepatotoxicity and Lethality Is due to Hepatic Quiescence. *Experimental and toxicologic pathology : official journal of the Gesellschaft für Toxikologische Pathologie.* 54: 223-230.
- Dabale; Bais, R. (1981). Effect of Carbon Tetrachloride on the Quantity of Blood Sugar and Liver Glycogen in *Tatera indica* and *Rattus rattus*. *Journal of Animal Morphology and Physiology.* 28: 216-220.
- Dabbagh, AH; Faghihi, K. (2000). Isotope effect and kinetic studies of the reaction of tertiary alcohols with triphenylphosphine-carbon tetrachloride: Ion pair or concerted? *Tetrahedron.* 56: 3611-3617.
- Dabeva, MD; Alpini, G; Hurston, E; Shafritz, DA. (1993). Models for hepatic progenitor cell activation. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY).* 204: 242-252.
- D'Acosta, N; Castro, JA; Dâjz, GmMI; de, CCR; de, FOM. (1973). Role of cytochrome P-450 in carbon tetrachloride activation and CCl₄-induced necrosis. Effect of inhibitors of heme synthesis. I. 3-Amino-1,2,4 triazole. *Res Comm Chem Pathol Pharmacol.* 6: 175-183.
- D'Acosta, N; Castro, JA; de, CCR; Dâjz, GmMddFEC; de, FOM. (1975). Mechanism of dimethylnitrosamine and carbon tetrachloride-induced liver necrosis: similarities and differences. *Toxicolharmaco, Jun.* 32: 474-481.
- D'Acosta, N; Castro, JA; de, FEC; Dâjz, G; oez, t; mez, MI; de, CCR. (1972). Pyrazole blockade of carbon tetrachloride activation and liver necrosis. *Res Commun Chem Pathol Pharmacol.* 4.
- Daft, JL. Fumigant contamination during large-scale food sampling for analysis. *Arch Environ Contam Toxicol.* Mar 1988. v. 17 (2): 177-181.

Environmental Hazard Literature Search Results

Off Topic

- Dahab, GM; Kheriza, MM; El-Beltagi, HM; Fouda, AMM; El-Din, OAS. (2004). Digital quantification of fibrosis in liver biopsy sections: Description of a new method by Photoshop software. *J Gastroenterol Hepatol.* 19: 78-85.
- Dahlke, MH; Popp, FC; Bahlmann, FH; Aselmann, H; Jager, MD; Neipp, M; Piso, P; Klempnauer, M; Schlitt, HJ. (2003). Liver regeneration in a retrorsine/CCl₄-induced acute liver failure model: do bone marrow-derived cells contribute? *J Hepatol.* 39: 365-373.
- Dai, D; Rose, RL; Hodgson, E. (1999). Toxicology of environmentally persistent chemicals: mirex and chlordecone. *Reviews in Toxicology.* 2: 477-499.
- Dai, J; Liu, MW; Ai, Q; Lin, L; Wu, KW; Deng, XY; Jing, YP; Jia, MY; Wan, JY; Zhang, L. (2014). Involvement of catalase in the protective benefits of metformin in mice with oxidative liver injury. *Chem Biol Interact.* 216: 34-42.
- D'Albuquerque, LA; Nakatsukasa, H; Silverman, JA; Gant, TW; Evarts, RP; Thorgeirsson, SS. (2012). Expression of multidrug resistance genes in rat liver during regeneration and after carbon tetrachloride intoxication. *Acta cirurgica brasileira / Sociedade Brasileira para Desenvolvimento Pesquisa em Cirurgia.* 27: 589-594.
- D'Alessandro, LA; Hoehme, S; Henney, A; Drasdo, D; Klingmüller, U. (2015). Unraveling liver complexity from molecular to organ level: Challenges and perspectives. *Progress in Biophysics and Molecular Biology.* 117: 78-86.
- Dalu, A; Mehendale, HM. (1996). Efficient tissue repair underlies the resiliency of postnatally developing rats to chlordecone plus CCl₄ hepatotoxicity. *Toxicology.* 111: 29-42.
- Dalu, A; Rao, PS; Mehendale, HM. (1998). Colchicine antimetabolism abolishes resiliency of postnatally developing rats to chlordecone-amplified carbon tetrachloride hepatotoxicity and lethality. *Environ Health Perspect.* 106: 597-606.
- Dambrauskas, T; Cornish, HH. (1970). Effect of pretreatment of rats with carbon tetrachloride on tolerance development. *Toxicol Appl Pharmacol.* 17: 83-97.
- Dan, LK; Lu, QW; Wang, BX; Liu, AJ. (1988). Ultrastructural studies on the effect of "gan fu kang" in preventing experimental liver damage in mice. *Journal of traditional Chinese medicine = Chung i tsa chih ying wen pan / sponsored by All-China Association of Traditional Chinese Medicine, Academy of Traditional Chinese Medicine.* 8: 151-154.
- Dandagi, PM; Patil, MB; Mastiholmath, VS; Gadad, AP; Dhumsure, RH. (2008). Development and evaluation of hepatoprotective polyherbal formulation containing some indigenous medicinal plants. *Indian J Pharmaceut Sci.* 70: 265-268.
- Dang, SS; Wang, BF; Cheng, YA; Song, P; Liu, ZG; Li, ZF. (2007). Inhibitory effects of saikosaponin-d on CCl₄-induced hepatic fibrogenesis in rats. *World J Gastroenterol.* 13: 557-563.
- Dang, SS; Zhang, X; Jia, XL; Cheng, YA; Song, P; Liu, EQ; He, Q; Li, ZF. (2008). Protective effects of emodin and astragalus polysaccharides on chronic hepatic injury in rats. *Chin Med J.* 121: 1010-1014.
- Dange, SV; Patki, PS; Bapat, VM; Shrotri, DS. (1987). Effect of 'Arogyavardhini' against carbon tetrachloride induced hepatic damage in albino rats. *Indian J Physiol Pharmacol.* 31: 25-29.
- D'Angelo, PA; Bromberg, L; Hatton, TA; Wilusz, E. (2016). Sensing and inactivation of *Bacillus anthracis* Sterne by polymer-bromine complexes. *Appl Microbiol Biotechnol.* 100: 6847-6857.
- Dangwal, SK; Jethani, BM. (1980). A simple method of determination of nitrobenzene and nitrochlorobenzene in air and urine. *Am Ind Hyg Assoc J.* 41: 847-850.
- Danhof, M; Hisaoka, M; Levy, G. (1985). Kinetics of drug action in disease states XII: Effect of experimental liver diseases on the pharmacodynamics of phenobarbital and ethanol in rats. *J Pharm Sci.* 74: 321-324.
- Dani, C; Bonatto, D; Salvador, M; Pereira, MD; Henriques, JAP; Eleutherio, E. (2008). Antioxidant protection of resveratrol and catechin in *Saccharomyces cerevisiae*. *J Agric Food Chem.* 56: 4268-4272.
- Dani, C; Oliboni, LS; Pasquali, MA; Oliveira, MR; Umezu, FM; Salvador, M; Moreira, JC; Henriques, JA. (2008). Intake of purple grape juice as a hepatoprotective agent in Wistar rats. *J Med Food.* 11: 127-132.
- Dani, C; Oliboni, LS; Umezu, FM; Pasquali, MAB; Salvador, M; Moreira, JCF; Henriques, JAP. (2009). Antioxidant and Antigenotoxic Activities of Purple Grape Juice—Organic and Conventional—in Adult Rats. *J Med Food.* 12: 1111-1118.
- Dani, C; Pasquali, MAB; Oliveira, MR; Umezu, FM; Salvador, M; Henriques, JAP; Moreira, JCF. (2008). Protective effects of purple grape juice on carbon tetrachloride-induced oxidative stress in brains of adult Wistar rats. *J Med Food.* 11: 55-61.
- Dani, V; Dhawan, DK. (2005). Radioprotective role of zinc following single dose radioiodine (¹³¹I) exposure to red blood cells of rats. *Indian J Med Res.* 122: 338-342.
- Dani, V; Malhotra, A; Dhawan, D. (2007). ¹³¹I induced hematological alterations in rat blood: Protection by zinc. *Biol Trace Elem Res.* 120: 219-226.
- Danielsen, KM. (2004). Reductive dechlorination of carbon tetrachloride by magnetite: The importance of geochemical conditions. PhD, University of Michigan.
- Danielsen, KM; Gland, JL; Hayes, KF. (2005). Influence of amine buffers on carbon tetrachloride reductive dechlorination by the iron oxide magnetite. *Environmental Science & Technology.* 39: 756-763.
- Danielsen, KM; Hayes, KF. (2004). pH dependence of carbon tetrachloride reductive dechlorination by magnetite. *Environmental Science & Technology.* 38: 4745-4752.
- Danielssielsson, A; Sehlin, J; Nakamura, SI; Oda, Y; Shimada, T; Oki, I; Sugimoto, K. (1994). SOS-INDUCING ACTIVITY OF CHEMICAL CARCINOGENS AND MUTAGENS IN *SALMONELLA-TYPHIMURIUM* TA1535-PSK-1002 EXAMINATION WITH 151 CHEMICALS. *J Hepatol.* 21: 332-339.
- Danilovic, Z; Seiwerth, S; Mosunjac, M; Manojlovic, S; Cviko, A. (1991). ULTRASTRUCTURAL LOCALIZATION OF CHOLINESTERASE ASSOCIATED WITH CARBON TETRACHLORIDE INDUCED FATTY CHANGE IN THE LIVER. Xiiith European Congress Of Pathology, Ljubljana, Yugoslavia, September. 187: 674.

Environmental Hazard Literature Search Results

Off Topic

- Daniluk, J; Chibowski, D; Szuster-Ciesielska, A; Kandefer-Szerszen, M. (1994). Effect of carbon tetrachloride intoxication and ethanol ingestion on interferon production in mice. *Arch Immunol Ther Exp.* 42: 325-330.
- Danish, M; Gu, XG; Lu, SG; Zhang, X; Fu, XR; Xue, YF; Miao, ZW; Ahmad, A; Naqvi, M; Qureshi, AS. (2016). The Effect of Chelating Agents on Enhancement of 1,1,1-Trichloroethane and Trichloroethylene Degradation by Z-nZVI-Catalyzed Percarbonate Process. *Water Air and Soil Pollution.* 227: 301-301.
- Danni, O; Aragno, M; Biasi, F; Chiarpotto, E; Comoglio, A; Poli, G. (1988). HEPATOCYTE DAMAGE INDUCED BY CARBON TETRACHLORIDE AND 1,2-DIBROMOETHANE MIXTURE ROLE OF LIPID PEROXIDATION AND GSH DEPLETION. *Polj, G, Et Al.* 0: 63-72.
- Danni, O; Aragno, M; Tamagno, E; Ugazio, G. (1992). In vivo studies on halogen compound interactions. IV. Interaction among different halogen derivatives with and without synergistic action on liver toxicity. *Res Comm Chem Pathol Pharmacol.* 76: 355-366.
- Danni, O; Chiarpotto, E; Aragno, M; Biasi, F; Comoglio, A; Belliardo, F; Dianzani, MU; Poli, G. (1991). Lipid peroxidation and irreversible cell damage: Synergism between carbon tetrachloride and 1,2-dibromoethane in isolated rat hepatocytes. *Toxicol Appl Pharmacol.* 110: 216-222.
- Danni, O; Sawyer, BC; Slater, TF. (1977). Effects of (+)-catechin in vitro and in vivo on disturbances produced in rat liver endoplasmic reticulum by carbon tetrachloride [proceedings]. *Biochem Soc Trans.* 5: 1029-1032.
- Danz, M; Amlacher, E; Urban, H; Bolck, F. (1973). Different action of carcinogenic and noncarcinogenic substances on the proliferative activity of adrenal cortex cells. *Exp Pathol (Jena).* 8: 122-127.
- Dar, A; Faizi, S; Naqvi, S; Roome, T; Zikr-ur-Rehman, S; Ali, M; Firdous, S; Moin, ST. (2005). Analgesic and antioxidant activity of mangiferin and its derivatives: the structure activity relationship. *Biological & Pharmaceutical Bulletin.* 28: 596-600.
- Daragan, VA; Voloshin, AM; Chochina, SV; Khazanovich, TN; Wood, WG; Avdulov, NA; Mayo, KH. (2000). Specific binding of ethanol to cholesterol in organic solvents. *Biophysical Journal.* 79: 406-415.
- Darby, JA. (2008). A kinetic model of fumigant sorption by grain using batch experimental data. *Pest Manag Sci.* 64: 519-526.
- D'Argenio, G; Amoroso, DC; Mazzone, G; Vitaglione, P; Romano, A; Ribecco, MT; D'Armiento, MR; Mezza, E; Morisco, F; Fogliano, V; Caporaso, N. (2010). Garlic extract prevents CCl(4)-induced liver fibrosis in rats: The role of tissue transglutaminase. *Digestive and liver disease : official journal of the Italian Society of Gastroenterology and the Italian Association for the Study of the Liver.* 42: 571-577.
- D'Argenio, G; Cariello, R; Tuccillo, C; Mazzone, G; Federico, A; Funaro, A; De, ML. Symbiotic formulation in experimentally induced liver fibrosis in rats: intestinal microbiota as a key point to treat liver damage?
- Darlington, R; Lehmicke, LG; Andrachek, RG; Freedman, DL. (2013). Anaerobic abiotic transformations of cis-1,2-dichloroethene in fractured sandstone. *Chemosphere.* 90: 2226-2232.
- d'Arville, CN; Le, M; Kloppel, TM; Simon, FR. (1989). Alterations in the functional expression of receptors on cirrhotic rat hepatocytes. *Hepatology (Baltimore, Md).* 9: 6-11.
- Das, BK; Bepary, S; Datta, BK; Chowdhury, AA; Ali, MS; Rouf, AS. (2008). Hepatoprotective activity of *Phyllanthus reticulatus*. *Pak J Pharm Sci.* 21: 333-337.
- Das, D; Pemberton, PW; Burrows, PC; Gordon, C; Smith, A; McMahon, RFT; Warnes, TW. (2000). Antioxidant properties of colchicine in acute carbon tetrachloride induced rat liver injury and its role in the resolution of established cirrhosis. *Biochimica Et Biophysica Acta-Molecular Basis of Disease.* 1502: 351-362.
- Das, M; Boerma, M; Goree, JR; Lavoie, EG; Fausther, M; Gubrij, IB; Pangle, AK; Johnson, LG; Dranoff, JA. (2014). Pathological changes in pulmonary circulation in carbon tetrachloride (CCl4)-induced cirrhotic mice. *PLoS ONE.* 9: e96043.
- Das, PK; Chopra, P; Nayak, NC. (1974). Hepatocellular tolerance to carbon tetrachloride induced injury in the rat: A study of its nature and possible mode of evolution. *Exp Mol Pathol.* 21: 218-236.
- Dasgupta, PR; Kar, AB; Das, C. (1964). METABOLISM OF RAT PITUITARY GONADOTROPHIN. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY).* 116: 253-255.
- Dashti, H; Behbehani, A; Abul, H; Hussain, T; Madda, P. (1995). Alterations of trace elements in kidney, spleen and lungs in treated and untreated experimental liver cirrhosis. *Journal of the Royal College of Surgeons of Edinburgh.* 40: 173-179.
- Dashti, H; Jeppsson, B; Haegerstrand, I; Hultberg, B; Srinivas, U; Abdulla, M; Bengmark, S. (1989). Thioacetamide- and carbon tetrachloride-induced liver cirrhosis. *Eur Surg Res.* 21: 83-91.
- Dashti, HM; al-Sayer, H; Behbehani, A; Madda, J; Christenson, JT. (1992). Liver cirrhosis induced by carbon tetrachloride and the effect of superoxide dismutase and xanthine oxidase inhibitor treatment. *Journal of the Royal College of Surgeons of Edinburgh.* 37: 23-28.
- Date, M; Matsuzaki, K; Matsushita, M; Sakitani, K; Shibano, K; Okajima, A; Yamamoto, C; Ogata, N; Okumura, T; Seki, T; Kubota, Y; Kan, M; McKeehan, WL; Inoue, K. (1998). Differential expression of transforming growth factor-beta and its receptors in hepatocytes and nonparenchymal cells of rat liver after CCl(4) administration. *J Hepatol.* 28: 572-581.
- Date, M; Matsuzaki, K; Matsushita, M; Tahashi, Y; Furukawa, F; Inoue, K. (2000). Modulation of transforming growth factor beta function in hepatocytes and hepatic stellate cells in rat liver injury. *Gut.* 46: 719-724.
- Date, M; Matsuzaki, K; Matsushita, M; Tahashi, Y; Sakitani, K; Inoue, K. (2000). Differential regulation of activin A for hepatocyte growth and fibronectin synthesis in rat liver injury. *J Hepatol.* 32: 251-260.
- Dateki, M; Kunitomo, M; Yoshioka, K; Yanai, K; Nakasono, S; Negishi, T. (2011). Adaptive gene regulation of pyruvate dehydrogenase kinase isoenzyme 4 in hepatotoxic chemical-induced liver injury and its stimulatory potential for DNA repair and cell proliferation. *J Recept Signal Transduct Res.* 31: 85-95.
- Datskou, I; North, K. Risks due to groundwater contamination at a plutonium processing facility. *Water Air Soil Pollut.* July 1996. v. 90 (1/2): 133-131.

Environmental Hazard Literature Search Results

Off Topic

- Datta, K; Mukherjee, AK. (2006). Study of quenching of anthracene fluorescence by [60]fullerene. *Spectrochimica acta Part A, Molecular and biomolecular spectroscopy*. 65: 261-264.
- Datta, S; Basu, K; Sinha, S; Bhattacharyya, P. (1998). Hepatoprotective effect of a protein isolated from *Cajanus indicus* (Spreng) on carbon tetrachloride induced hepatotoxicity in mice. *Indian J Exp Biol*. 36: 175-181.
- Datta, S; Bhattacharyya, P. (2001). Effect of a herbal protein CI-1, purified from *Cajanus indicus* on the ultrastructural study of hepatocytes, in models of liver failure in mice. *J Ethnopharmacol*. 77: 11-18.
- Davaatseren, M; Hur, HJ; Yang, HJ; Hwang, JT; Park, JH; Kim, HJ; Kim, MJ; Kwon, DY; Sung, MJ. (2013). *Taraxacum officinal* (dandelion) leaf extract alleviates high-fat diet-induced nonalcoholic fatty liver. *Food Chem Toxicol*. 58: 30-36.
- Davaatseren, M; Hur, HJ; Yang, HJ; Hwang, JT; Park, JH; Kim, HJ; Kim, MS; Kim, MJ; Kwon, DY; Sung, MJ. (2013). Dandelion Leaf Extract Protects Against Liver Injury Induced by Methionine- and Choline-Deficient Diet in Mice. *J Med Food*. 16: 26-33.
- Davey, DE; Cattrall, RW; Cardwell, TJ; Magee, RJ. (1978). The rate of mass transfer of metal chlorides between hydrochloric acid and alkylammonium chloride solutions: Niobium(V) between 10.8 M hydrochloric acid and bis(3,5,5-trimethylhexyl)ammonium chloride in carbon tetrachloride. *Journal of Inorganic and Nuclear Chemistry*. 40: 1141-1145.
- Davey, DE; Cattrall, RW; Cardwell, TJ; Magee, RJ. (1979). The mechanism of extraction of niobium(V) from hydrochloric acid by bis(3,5,5-trimethylhexyl) ammonium chloride dissolved in chloroform, carbon tetrachloride and benzene. *Journal of Inorganic and Nuclear Chemistry*. 41: 1199-1203.
- David, S; de Sennyey, Gr. (1979). Synthèse des 1-(5-désoxy- β -D-ribo-hexofuranosyl)cytosine et 1-(2,5-didésoxy- β -D- α -ribo-hexofuranosyl)cytosine, et de leurs phosphates. Contribution à l'étude de la spécificité d'une ribonucléotidyl- α -D-ribose-5-phosphatase de mammifère (rat). *Carbohydr Res*. 77: 79-97.
- David, S; de Sennyey, Gr. (1980). Dérivés chlorés de l'uridine: nouvelles voies d'accès commode au 1-(2,3-didésoxy- β -D-glycero-pent-2- α -nofuranosyl)uracile (œuridinine). *Carbohydr Res*. 82: 45-49.
- Davidson, CI; Jaffrezo, JL; Mosher, BW; Dibb, JE; Borys, RD; Bodhaine, BA; Rasmussen, RA; Boutron, CF; Gorlach, U; al., e. (1993). CHEMICAL CONSTITUENTS IN THE AIR AND SNOW AT DYE 3 GREENLAND I. SEASONAL VARIATIONS. *Atmospheric Environment Part A General Topics*. 27: 2709-2722.
- Davies, HW; Satoh, H; Schulick, RD; Pohl, LR. (1985). IMMUNOCHEMICAL IDENTIFICATION OF AN IRREVERSIBLY BOUND HEME-DERIVED ADDUCT TO CYTOCHROME P-450 FOLLOWING CARBON TETRACHLORIDE TREATMENT OF RATS. *Biochem Pharmacol*. 34: 3203-3206.
- Davies, HW; Satoh, H; Schulick, RD; Pohl, LR. (1985). Immunochemical identification of an irreversibly bound heme-derived adduct to cytochrome P-450 following CCl₄ treatment of rats. *Biochem Pharmacol*. 34: 3203-3206.
- Davies, JKW. (1989). The application of box models in the analysis of toxic hazards by using the probit dose-response relationship. *J Hazard Mater*. 22: 319-330.
- Davies, MJ; Slater, TF. (1988). THE USE OF ELECTRON-SPIN-RESONANCE TECHNIQUES TO DETECT FREE-RADICAL FORMATION AND TISSUE DAMAGE. *Proc Nutr Soc*. 47: 397-406.
- Davis, BH; Madri, JA. (1987). Type I and type III procollagen peptides during hepatic fibrogenesis. An immunohistochemical and ELISA serum study in the CCl₄ rat model. *Am J Pathol*. 126: 137-147.
- Davis, BH; Madri, JA. (1987). Type I and type III procollagen peptides during hepatic fibrogenesis. An immunohistochemical and ELISA serum study in the CCl₄ rat model. *American Journal of Pathology*. 126: 137-147.
- Davis, BH; Madri, JA. (1987). VITAMIN A ADMINISTRATION DIMINISHES TYPE I AND III COLLAGEN PRODUCTION DURING CARBON TETRACHLORIDE-INDUCED HEPATIC FIBROSIS. 38th Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, October. 7.
- Davis, DC; Schroeder, DH; Gram, TE; Reagan, RL; Gillette, JR. (1971). A comparison of the effects of halothane and CCl₄ on the hepatic drug metabolizing system. *The Journal of pharmacology and experimental therapeutics*. 177: 556-566.
- Davis, M; Deady, LW; Finch, AJ; Smith, JF. (1973). Some reactions of grignard reagents with chloroform and carbon tetrachloride in the presence of cyclohexene. *Tetrahedron*. 29: 349-352.
- Davis, ME; Berndt, WO; Mehendale, HM. (1980). Alterations of xenobiotic excretory function induced by potassium dichromate or carbon tetrachloride pretreatment. *J Toxicol Environ Health*. 6: 455-465.
- Davis, ME; Houser, WH. (1992). CHLORDECONE TREATMENT INCREASES HEPATIC CYTOCHROME P450IIE1. Meeting Of The Federation Of American Societies For Experimental Biology. 6.
- Davis, ME; Mehendale, HM. Functional and biochemical correlates of chlordecone exposure and its enhancement of CCl₄ hepatotoxicity. *Toxicology*. 1980. v. 15 (2): 91-103 ill.
- Davis, PJ; Abdel-Maksoud, H; Trainor, TM; Vouros, P; Neumeyer, JL. (1985). Stereospecific microbiological 10-O-demethylation of R-(-)-10,11-dimethoxyaporphines. *Biochem Biophys Res Commun*. 127: 407-412.
- Davy, CW; Fulleylove, M; Edmunds, JG; Eichler, DA; Rushton, B; Tudor, RJ; Walker, JM. (1989). The diagnostic usefulness of isocitrate dehydrogenase (ICDH) in the marmoset (*Callithrix jacchus*). *J Appl Toxicol*. 9: 33-37.
- Dawborn, JK; Ralston, M; Weiden, S. (1961). Acute carbon tetrachloride poisoning. Transaminase and biopsy studies. *Br Med J*. 2: 493-494.
- Dawes, VJ; Waldock, MJ. (1994). Measurement of Volatile Organic Compounds at UK National Monitoring Plan Stations. *Mar Pollut Bull*. 28: 291-298.
- Dawkins, MJ. (1963). Carbon tetrachloride poisoning in the liver of the new-born rat. *The Journal of pathology and bacteriology*. 85: 189-196.
- Dawood, IK; Dazo, BC. (1966). Field tests on two new molluscicides (Molucid and WL 8008) in the Egypt-49 project area. *Bull World Health Organ*. 35: 913-920.

Environmental Hazard Literature Search Results

Off Topic

- Dawson, HE; McAlary, T. (2009). A Compilation of Statistics for VOCs from Post-1990 Indoor Air Concentration Studies in North American Residences Unaffected by Subsurface Vapor Intrusion. *Ground Water Monitoring and Remediation*. 29: 60-69.
- Day, BJ. (1992). Mechanisms of xenobiotic interactions in pneumotoxicity. PhD, Purdue University.
- Day, BJ; Carlson, GP; DeNicola, DB. (1993). Potentiation of carbon tetrachloride-induced hepatotoxicity and pneumotoxicity by pyridine. *Journal of biochemical toxicology*. 8: 11-18.
- Day, WW; Weiner, M. (1991). Inhibition of hepatic drug metabolism and carbon tetrachloride toxicity in Fischer-344 rats by exercise. *Biochem Pharmacol*. 42: 181-184.
- de Best, JH; Hage, A; Doddema, HJ; Janssen, DB; Harder, W. (1999). Complete transformation of 1,1,1-trichloroethane to chloroethane by a methanogenic mixed population. *Appl Microbiol Biotechnol*. 51: 277-283.
- de Best, JH; Hunneman, P; Doddema, HJ; Janssen, DB; Harder, W. (1999). Transformation of carbon tetrachloride in an anaerobic packed-bed reactor without addition of another electron donor. *Biodegradation*. 10: 287-295.
- de Best, JH; Salminen, E; Doddema, HJ; Janssen, DB; Harder, W. (1997). Transformation of carbon tetrachloride under sulfate reducing conditions. *Biodegradation*. 8: 429-436.
- de Blas, M; Navazo, M; Alonso, L; Durana, N; Gomez, MC; Iza, J. (2012). Simultaneous indoor and outdoor on-line hourly monitoring of atmospheric volatile organic compounds in an urban building. The role of inside and outside sources. *Sci Total Environ*. 426: 327-335.
- De, BLESERPJ; Scott, CD; Niki, T; Xu, G; Wisse, E; Geerts, A. (1995). DISTRIBUTION OF INSULIN-LIKE GROWTH FACTOR-II-MANNOSE 6-PHOSPHATE RECEPTOR IN LIVER AND SERUM DURING ACUTE CCL-4-INTOXICATION OF THE RAT. 46th Annual Meeting And Postgraduate Course Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 22.
- De, BLESERPJ; Scott, CD; Niki, T; Xu, G; Wisse, E; Geerts, A. (1996). Insulin-like growth factor II mannose 6-phosphate-receptor expression in liver and serum during acute CCl4 intoxication in the rat. *Hepatology*. 23: 1530-1537.
- de Blicq, L; Baudet, E. (1924). Carbon Tetrachloride as an Anthelmintic in Horses. *Journal of Comparative Pathology and Therapeutics*. 37: 219-222.
- De, BOERJG; Erfle, HL; Walsh, D; Holcroft, J; Glickman, BW. (1996). THE USE OF LACL TRANSGENIC MICE IN GENETIC TOXICOLOGY. Pfeifer, G P. O: 411-429.
- De, BPJ; Niki, T; Rogiers, V; Geerts, A. (1997). Transforming growth factor-beta gene expression in normal and fibrotic rat liver. *J Hepatol*. 26: 886-893.
- de, CCR; Bernacchi, AS; de, FEC; de, FOM; Castro, JA. (1978). Carbon tetrachloride induced ultrastructural alterations in pancreatic acinar cells and in the hepatocytes. Similarities and differences. *Toxicology*. 11: 289-296.
- de, CCR; Bernacchi, AS; Villarruel, MC; Fernandez, G; Castro, JA. (1984). Carbon tetrachloride activation by highly purified liver mitochondrial preparations. *Agents and Actions*. 15: 664-667.
- de, CCR; de, FOM; Castro, JA; Bari, F; Nad, DoPFooMMUoSdmt; r, e; r, HSHBARlpsu-sh; Guidetti, P; ScR. (1988). Kynurenic acid attenuates NMDA-induced pial arteriolar dilation in newborn pigs. *Exp Mol Pathol*. 48: 286-300.
- De Clercq, B; Verpoort, F. (2001). Ring-closing metathesis, Kharasch addition and enol ester synthesis catalysed by a novel class of ruthenium(II) complexes. *Tetrahedron Letters*. 42: 8959-8963.
- De Clercq, B; Verpoort, F. (2002). Radical reactions catalysed by homobimetallic ruthenium(II) complexes bearing Schiff base ligands: atom transfer radical addition and controlled polymerisation. *Tetrahedron Letters*. 43: 4687-4690.
- de, CMG; Daemon, E; Zhang, Z; Wang, C; Zha, Y; Hu, W; Gao, Z; Zang, Y; Chen, J; Zhang, J; Dong, L. (2015). Corona-directed nucleic acid delivery into hepatic stellate cells for liver fibrosis therapy. *Vet Parasitol*. 212: 331-335.
- de, FEC; Bernacchi, AS; Castro, JA. (1986). Increased glutathione (GSH) content in livers of control and carbon tetrachloride poisoned rats treated with the anticalmodulin drug trifluoperazine (TFP). *Res Comm Chem Pathol Pharmacol*. 53: 399-402.
- de, FEC; Bernacchi, AS; de, FOM; CastAd, CdITgITOXcITeFACONICET. (1992). Prevention of carbon tetrachloride-induced liver necrosis by the chelator alizarin sodium sulfonate. *Exp Mol Pathol*.
- De, FEC; Castro, JA; D'Áz, GmMI; D'Acosta, N; De, CCR; De, FOM. (1974). Prevention and treatment of carbon tetrachloride hepatotoxicity by cysteine: studies about its mechanism. *Toxicol Appl Pharmacol*. 7: 558-568.
- de, FEC; chi, AS. Late protective effects of the anticalmodulin drug fluphenazine on carbon tetrachloride-induced liver necrosis.
- de, FEC; de, FOM; Ca; Dempsey, CR. (1990). A comparison of organic emissions from hazardous waste incinerators versus the 1990 toxics release inventory air releases. *Toxicol Lett*. 51: 13-21.
- de, FEC; de, FOM; Castro, JA. (1983). Tryptophan potentiation of the late cysteine preventive effects in carbon tetrachloride-induced necrosis. *Res Comm Chem Pathol Pharmacol*. 40: 515-518.
- de, FEC; de, FOM; Castro, JA. (1984). Late preventive effects of phenylmethylsulfonyl-fluoride on carbon tetrachloride-induced liver necrosis. *Toxicol Lett*. 21: 173-178.
- de, FEC; de, FOM; Castro, JA. (1984). Late preventive effects on carbon tetrachloride-induced necrosis of the inhibitor of proteases 1-1-chloro-3-tosyl amido-7-amino-2-heptanone (TLCK). *Res Comm Chem Pathol Pharmacol*. 46: 289-292.
- de, FEC; de, TEG; de, FOM; Castro, JA. (1981). Studies on the mechanism of enhancement of carbon tetrachloride hepatotoxicity by Triton WR 1339. *Br J Exp Pathol*. 62: 512-518.
- de Figueiredo, RM; Bailliez, V; Dubreuil, D; Olesker, A; Cleophax, J. (2003). O-dichlorovinyl osides: A new anomeric protecting group. *Synthesis-Stuttgart*. 2831-2834.
- de, FOM; Be, AS; de, CCRCdIT; oacuteÂçgicas, ITOXCITEFACONICETBAA; Castro, JA; Orumbo, IF. (1989). Alteration of glucose-6-phosphatase activity and regenerative, and total DNA concentrations in regenerating and normal rat liver of aqueous extracts of two Nigerian plants. *Exp Mol Pathol*. 50: 191-199.

Environmental Hazard Literature Search Results

Off Topic

- de, GCJ; ten, VGH; van, ARE; te, KA; Gaasbeek, JJW; Wilson, RH; Moorman, AF; Charles, R; Lamers, WH. (1987). Reciprocal regulation of glutamine synthetase and carbamoylphosphate synthetase levels in rat liver. *Biochim Biophys Acta*. 908: 231-240.
- De, GH; Bhattacharya, SK; Madura, RL; Dobbs, RA; Angara, RVR; Tabak, H. (1987). Fate of selected RCRA compounds in a pilot-scale activated sludge system. *Free Radic Res Commun*. 3: 293-298.
- De, GH; LittA; Hugo-Wissemann, D; Wissemann, P. Lipid peroxidation and cell viability in isolated hepatocytes in a redesigned oxystat system: evaluation of the hypothesis that lipid peroxidation, preferentially induced at low oxygen partial pressures, is decisive for CCl₄ liver cell injury.
- de, GH; Noll, T. (1989). Halomethane hepatotoxicity: induction of lipid peroxidation and inactivation of cytochrome P-450 in rat liver microsomes under low oxygen partial pressures. *Toxicol Appl Pharmacol*. 97: 530-537.
- De, GROOTH; Littauer, A; Hugo-Wissemann, D; Wissemann, P; Noll, T. (1988). LIPID PEROXIDATION AND CELL VIABILITY IN ISOLATED HEPATOCYTES IN A REDESIGNED OXYSTAT SYSTEM EVALUATION OF THE HYPOTHESIS THAT LIPID PEROXIDATION PREFERENTIALLY INDUCED AT LOW OXYGEN PARTIAL PRESSURES IS DECISIVE FOR CARBON TETRACHLORIDE LIVER CELL INJURY. *Arch Biochem Biophys*. 264: 591-599.
- De, GROOTH; Noll, T. (1987). THE ROLE OF PHYSIOLOGICAL OXYGEN PARTIAL PRESSURES IN LIPID PEROXIDATION THEORETICAL CONSIDERATIONS AND EXPERIMENTAL EVIDENCE. *Chem Phys Lipids*. 44: 209-226.
- De, GROOTH; Noll, T. (1989). HALOMETHANE HEPATOTOXICITY INDUCTION OF LIPID PEROXIDATION AND INACTIVATION OF CYTOCHROME P-450 IN RAT LIVER MICROSOMES UNDER LOW OXYGEN PARTIAL PRESSURE. *Toxicol Appl Pharmacol*. 97: 530-537.
- De, GROOTH; Sies, H. (1988). CYTOCHROME P-450 REDUCTIVE METABOLISM AND CELL INJURY. Symposium In Honor Of The Retirement Of Professor Gilbert J Mannerling, Minneapolis, Minnesota, Usa, June. 20: 275-284.
- De Groot, H; Littauer, A; Hugo-Wissemann, D; Wissemann, P; Noll, T. (1988). Lipid peroxidation and cell viability isolated hepatocytes in a redesigned oxystat system: Evaluation of the hypothesis that lipid peroxidation, preferentially induced at low oxygen partial pressures, is decisive for CCl₄ liver cell injury. *Arch Biochem Biophys*. 264: 591-599.
- de, HK; Sauer, HD; Werner, B; Kloepfel, G. (1980). Protective effects of cholestyramine on liver cirrhosis induced by carbon tetrachloride in the rat. *Gut*. 21: 860-865.
- de Hoog, EHA; Kegel, WK; van Blaaderen, A; Lekkerkerker, HNW. (2001). Direct observation of crystallization and aggregation in a phase-separating colloid-polymer suspension. *Physical Review E*. 6402: 1407-1407.
- De, KN; Schamp, N; Ariosto, F; Riggio, O; Cantafora, A; Colucci, S; Gaudio, E; Mechelli, C; Merli, M; Seri, S; Capocaccia, L. (1989). Carbon tetrachloride-induced experimental cirrhosis in the rat: a reappraisal of the model. *J Ethnopharmacol*. 26: 121-127.
- De, LORAS; Izzotti, A; Randerath, K; Randerath, E; Bartsch, H; Nair, J; Balansky, R; Van, SCHOOTENF; Degan, P; Fronza, G; Walsh, D; Lewtas, J. (1996). DNA adducts and chronic degenerative diseases. Pathogenetic relevance and implications in preventive medicine. *Mutat Res*. 366: 197-238.
- De Luca, D; Tagliatti, V; Conotte, R; Colet, J. (2011). Chlordecone potentiation of carbon tetrachloride toxicity: A metabonomic-based mechanistic study. *Toxicol Lett*. 205, Supplement: S181-S182.
- de Maine, MM; de Maine, PAD. (1959). Spectrophotometric studies of tin(II) and tin(IV) dissolved separately in water, methanol and hydrochloric acid. *Journal of Inorganic and Nuclear Chemistry*. 11: 13-19.
- de Maine, PAD; de Maine, MM. (1959). Spectrophotometric studies of tin (II) and tin (IV) dissolved together in pure methanol and in methanol-carbon tetrachloride. *Journal of Inorganic and Nuclear Chemistry*. 11: 144-150.
- de Maine, PAD; de Maine, MM. (1960). Inorganic salts dissolved in non-aqueous and in mixed solventsâ€”VI Studies of two layer formation in the system: SnCl₄·5H₂O-methanol-carbon tetrachloride. *Journal of Inorganic and Nuclear Chemistry*. 14: 142-145.
- de Maine, PAD; Koubek, E. (1959). Inorganic salts dissolved in non-aqueous or in mixed solventsâ€”I spectrophotometric and conductometric studies of anhydrous ferric chloride dissolved in pure nitromethane or in nitromethane-carbon tetrachloride. *Journal of Inorganic and Nuclear Chemistry*. 11: 329-336.
- de Maine, PAD; McAlonie, GE; de Maine, MM. (1960). Inorganic salts dissolved in non-aqueous or in mixed solventsâ€”IV: Conductance studies of SnCl₄·5H₂O and SnCl₂·2H₂O dissolved together in methanol-carbon tetrachloride. *Journal of Inorganic and Nuclear Chemistry*. 14: 273-275.
- De Mecca, MM; Castro, GD; Castro, JA. (1993). Antioxidative stress therapy with dithiothreitol tetraacetate. I. Protection against carbon tetrachloride induced liver necrosis. *Arch Toxicol*. 67: 547-551.
- De, MIGLIOMR; Simile, MM; Muroli, MR; Pusceddu, S; Calvisi, D; Carru, A; Seddaiu, MA; Daino, L; Deiana, L; Pascale, RM; Feo, F. (1999). Correlation of c-myc overexpression and amplification with progression of preneoplastic liver lesions to malignancy in the poorly susceptible Wistar rat strain. *Mol Carcinog*. 25: 21-29.
- de, MMM; Castro, GD. Dithiothreitol inhibitory effects on carbon tetrachloride-promoted NADPH-dependent lipid peroxidation in liver microsomal suspensions.
- De, MS; Rychlicki, C; Agostinelli, L; Saccomanno, S; Candelaresi, C; Trozzi, L; Mingarelli, E; Facinelli, B; Magi, G; Palmieri, C; Marziani, M; Benedetti, A; Svegliati-Baroni, GDoGUPdMAI. (2014). Dysbiosis contributes to fibrogenesis in the course of chronic liver injury in mice. *Hepatology (Baltimore, Md)*. 59.
- De, MS; Seki, E; Uchinami, H; Kluwe, J; Zhang, Y; Brenner, DA; Schwabe, RF. (2007). Gene expression profiles during hepatic stellate cell activation in culture and in vivo. *Gastroenterology*. 132: 1937-1946.
- de Oliveira, MC; Menezes-Garcia, Z; Arifa, RDD; de Paula, TP; Andrade, JMO; Santos, SHS; de Menezes, GB; de Souza, DD; Teixeira, MM; Ferreira, AVM. (2015). Platelet-activating factor modulates fat storage in the liver induced by a high-refined carbohydrate-containing diet. *J Nutr Biochem*. 26: 978-985.

Environmental Hazard Literature Search Results

Off Topic

- De Oliveira, SA; Souza, BSD; Barreto, EPS; Kaneto, CM; Neto, HA; Azevedo, CM; Guimaraes, ET; De Freitas, LAR; Ribeiro-Dos-Santos, R; Soares, MBP. (2012). Reduction of galectin-3 expression and liver fibrosis after cell therapy in a mouse model of cirrhosis. *Cytotherapy*. 14: 339-349.
- De Pascali, G; Melisi, D; Valentini, M; Valentini, A; Nitti, MA; Nasi, R; Casamassima, G; Ambrico, PF; Cardone, A. (2014). Spray deposited carbon nanotubes for organic vapor sensors. *Microelectronics Journal*. 45: 1691-1694.
- de Perez, OA; de Ferreyra, EC; Bernacchi, AS; Villarruel, MC; de Fenos, OM; Castro, JA. (1989). Carbon tetrachloride-induced liver cell injury in the mongolian gerbil (*Meriones unguiculatus*). *Comparative Biochemistry and Physiology, C*. 94C: 359-364.
- de Ruiter, N; Ottenwaelder, H; Muliawan, H; Kappus, H. (1982). Lipid Peroxidation in Isolated Rat Hepatocytes Measured by Ethane and n-Pentane Formation. *Arch Toxicol*. 49: 265-273.
- De, S; Ravishankar, B; Bhavsar, GC. An investigation on the hepatoprotective activity of *Gymnosporia montana*. *Planta Med*. Aug 1994. v. 60 (4): 301-304.
- De, SÂ nDdBAlldF; iacelular, UNAAandš; Taketa, K. (2001). Electrophoretic multiplicity of phospho-fructokinase in rat liver and other tissues and effect of carbon tetrachloride intoxication. *Hepatology (Baltimore, Md)*. 34: 677-687.
- De Tata, V; Lorenzini, G; Cecchi, L; Ciuffi, C; Bergamini, E. (2001). Age-related changes in the urinary excretion of aldehydes in ad libitum fed and food-restricted rats. *Experimental Gerontology*. 36: 507-518.
- de, TEG; Castro, JA. (1980). Evidence against the formation of malondialdehyde derived fluorescent products in rat liver during carbon tetrachloride poisoning. *Res Comm Chem Pathol Pharmacol*. 29: 385-388.
- de, TEG; Castro, JA. (1987). Reaction of 4-hydroxynonenal with some thiol-containing radioprotective agents or their active metabolites. *Free Radic Biol Med*.
- De, TEG; De, FEC; De, FOM; Castro, JA. (1983). Prevention of carbon tetrachloride-induced liver necrosis by several amino acids. *Br J Exp Pathol*. 64: 166-171.
- de, TEG; GÃmez, MI. (1978). Carbon tetrachloride activation, lipid peroxidation and liver necrosis in different strains of mice. *Res Commun Chem Pathol Pharmacol*. 19: 347-352.
- de, TEG; Villarruel, MC; Castro, JA. (1978). Early destruction of cytochrome P-450 in testis of carbon tetrachloride poisoned rats. *Toxicology*. 10: 39-44.
- De Windt, W; Boon, N; Van den Bulcke, J; Rubberecht, L; Prata, F; Mast, J; Hennebel, T; Verstraete, W. (2006). Biological control of the size and reactivity of catalytic Pd(0) produced by *Shewanella oneidensis*. *Antonie Van Leeuwenhoek International Journal of General and Molecular Microbiology*. 90: 377-389.
- De Wit, RH; Brabec, MJ. (1985). Protein synthesis by hepatic mitochondria isolated from carbon tetrachloride-exposed rats. *Biochimica et Biophysica Acta: Protein Structure and Molecular Enzymology*. 824: 256-261.
- de, WW; Julien, B; Tran-Van-Nhieu, J; Manin, S; Poelstra, K; Chun, J; Carpentier, S; Levade, T; Mallat, A; Lotersztajn, S; Kedderis, GL. (2007). THE ROLE OF THE MIXED-FUNCTION OXIDASE SYSTEM IN THE TOXICATION AND DETOXICATION OF CHEMICALS RELATIONSHIP TO CHEMICAL INTERACTIONS. *FASEB journal : official publication of the Federation of American Societies for Experimental Biology*. 21: 2005-2013.
- De, ZWARTD; Kramer, KJM; Jenner, HA. (1995). Practical experiences with the biological early warning system "Mosselmonitor". *Environmental Toxicology And Water Quality*. 10: 237-247.
- de Zwart, LL; Hermanns, RCA; Meerman, JHN; Commandeur, JNM; Salemink, PJM; Vermeulen, NPE. (1998). Evaluation of urinary biomarkers for radical-induced liver damage in rats treated with carbon tetrachloride. *Toxicol Appl Pharmacol*. 148: 71-82.
- De Zwart, LL; Hermanns, RCA; Meerman, JHN; Commandeur, JNM; Salemink, PJM; Vermeulen, NPE. (1998). Excretion of multiple urinary biomarkers for radical-induced damage in rats treated with three different nephrotoxic compounds. *Biomarkers*. 3: 347-365.
- de Zwart, LL; Vermeulen, NPE; Hermanns, RCA; Commandeur, JNM; Salemink, PJM; Meerman, JHN. (1999). Urinary excretion of biomarkers for radical-induced damage in rats treated with NDMA or diquat and the effects of calcium carbimide co-administration. *Chem Biol Interact*. 117: 151-172.
- Deak, JC; Pang, YS; Sechler, TD; Wang, ZH; Dlott, DD. (2004). Vibrational energy transfer across a reverse micelle surfactant layer. *Science*. 306: 473-476.
- Deal, ST; Horton, D. (1999). A concise synthesis of methyl 2,6-dideoxy-2-fluoro-beta-L-talopyranoside. *Carbohydr Res*. 315: 187-191.
- DeAngelis, RA; Kovalovich, K; Cressman, DE; Taub, R. (2001). Normal liver regeneration in p50/nuclear factor kappa B1 knockout mice. *Hepatology*. 33: 915-924.
- Deb, C; Chakravarty, B. (1962). Histochemistry of the rat's kidney after carbon tetrachloride intoxication. *Acta Anat*. 50: 158-162.
- Deb, C; Chakravarty, B. (1964). Effect of carbon tetrachloride intoxication on the liver of toad (*Bufo melanosticus*). *The Biochemical journal*. 20: 548-549.
- Debellefontaine, H; Chakchouk, M; Foussard, JN; Tissot, D; Striolo, P. (1996). Treatment of organic aqueous wastes: Wet air oxidation and Wet Peroxide Oxidation. *Environ Pollut*. 92: 155-164.
- DeCicco, LA; Rikans, LE; Tutor, CG; Hornbrook, KR. (1998). Serum and liver concentrations of tumor necrosis factor alpha and interleukin-1 beta following administration of carbon tetrachloride to male rats. *Toxicol Lett*. 98: 115-121.
- DeCicco, LA; Rikans, LE; Tutor, CG; Hornbrook, KR. (1998). Serum and liver concentrations of tumor necrosis factor β and interleukin-1 β following administration of carbon tetrachloride to male rats. *Toxicol Lett*. 98: 115-121.
- Deconinck, E; Canfyn, M; SacrÃ©, PY; Baudewyns, S; Courselle, P; De Beer, JO. (2012). A validated GC-MS method for the determination and quantification of residual solvents in counterfeit tablets and capsules. *J Pharm Biomed Anal*. 70: 64-70.

Environmental Hazard Literature Search Results

Off Topic

- Deconinck, E; Canfyn, M; Sacre, PY; Baudewyns, S; Courselle, P; De Beer, JO. (2012). A validated GC-MS method for the determination and quantification of residual solvents in counterfeit tablets and capsules. *J Pharm Biomed Anal.* 70: 64-70.
- Deepa, V; Sridhar, R; Goparaju, A; Reddy, PN; Murthy, PB. (2012). Nanoemulsified ethanolic extract of *Pyllanthus amarus* Schum & Thonn ameliorates CCl₄ induced hepatotoxicity in Wistar rats. *Indian J Exp Biol.* 50: 785-794.
- DeFelice, TP. (1999). Chemical composition of fresh snowfalls at Palmer Station, Antarctica. *Atmos Environ.* 33: 155-161.
- Defreese, JL; Hwang, SJ; Parra-Vasquez, ANG; Katz, A. (2006). Molecular motion of tethered molecules in bulk and surface-functionalized materials: A comparative study of confinement. *J Am Chem Soc.* 128: 5687-5694.
- Degawa, M; Ohta, A; Namiki, M; Masuko, T; Hashimoto, Y. (1987). In vivo selection of a low spin form of cytochrome P-448 from 3-methylcholanthrene-induced rat cytochrome P-450 isozymes by carbon tetrachloride. *Biochem Pharmacol.* 36: 3315-3317.
- Degawa, M; Ohta, A; Namiki, M; Masuko, T; Hashimoto, Y. (1994). IN-VIVO AND IN-VITRO SELECTIONS OF CYTOCHROME P-448L FROM 3 METHYLCHOLANTHRENE MC OR POLYCHLORINATED BIPHENYLS PCB-INDUCED CYTOCHROME P-450 ISOZYMES BY CARBON TETRACHLORIDE. *Free radical biology & medicine.* 76.
- Deguchi, M; Shiraki, K; Inoue, H; Okano, H; Ito, T; Yamanaka, T; Sugimoto, K; Sakai, T; Ohmori, S; Murata, K; Furusaka, A; Hisatomi, H; Nakano, T. (2002). Expression of survivin during liver regeneration. *Biochem Biophys Res Commun.* 297: 59-64.
- DeHoff, KJ; Oostrom, M; Zhang, C; Grate, JW. (2012). Evaluation of Two-Phase Relative Permeability and Capillary Pressure Relations for Unstable Displacements in a Pore Network. *Vadose Zone Journal.* 11: NIL_415-NIL_426.
- Deipser, A; Stegmann, R. (1997). Biological degradation of VCCs and CFCs under simulated anaerobic landfill conditions in laboratory test digesters. *Environmental science and pollution research international.* 4: 209-216.
- Deitsch, JJ; Smith, JA; Arnold, MB; Bolus, J. (1998). Sorption and desorption rates of carbon tetrachloride and 1,2-dichlorobenzene to three organobentonites and a natural peat soil. *Environmental Science & Technology.* 32: 3169-3177.
- Deitsch, JJ; Zimmerman, JB; Smith, JA. (1997). EFFECT OF SURFACTANTS ON THE RAT OF CARBON TETRACHLORIDE AND 1 2-DICHLOROBENZENE DESORPTION FROM SOIL TO WATER. 214th American Chemical Society National Meeting, Las Vegas, Nevada, Usa, September. 214: 128.
- Delaney, B; Kaminski, NE. (1993). Induction of serum-borne immunomodulatory factors in B6C3F1 mice by carbon tetrachloride. I. Carbon tetrachloride-induced suppression of helper T-lymphocyte function is mediated by a serum borne factor. *Toxicology.* 85: 67-84.
- Delaney, B; Kaminski, NE. (1994). Induction of serum borne immunomodulatory factors in B6C3F1 mice by carbon tetrachloride: Exposure to carbon tetrachloride produces an increase in B-cell number and function. *Toxicology.* 88: 201-212.
- Delaney, B; Strom, SC; Collins, S; Kaminski, NE. (1994). Carbon tetrachloride suppresses T-cell-dependent immune responses by induction of transforming growth factor-beta 1. *Toxicol Appl Pharmacol.* 126: 98-107.
- Deleener, A; Castelain, P; Preat, V; de Gerlache, J; Alexandre, H; Kirsch-Volders, M. (1987). Changes in nucleolar transcriptional activity and nuclear DNA content during the first steps of rat hepatocarcinogenesis. *Carcinogenesis.* 8: 195-201.
- Deliconstantinos, G; Mykoniatis, M; Papadimitriou, D. (1986). Carbon tetrachloride modulates the rat hepatic microsomal UDP-glucuronyl transferase activity and membrane fluidity. *Experientia.* 42: 181-183.
- Dellinger, B; Taylor, PH; Tirey, DA; Lee, CC. (1989). PATHWAYS OF FORMATION OF CHLORINATED PICS FROM THE THERMAL DEGRADATION OF SIMPLE CHLORINATED HYDROCARBONS. 1st Annual Gulf Coast Hazardous Substance Research Center Symposium On Hazardous Waste Incineration, Beaumont, Texas, Usa, February. 22: 175-186.
- Delorey, DC; Cronn, DR; Farmer, JC. (1988). TROPOSPHERIC LATITUDINAL DISTRIBUTIONS OF DICHLORODIFLUOROMETHANE TRICHLOROFLUOROMETHANE NITROUS OXIDE 1 1 1 TRICHLOROETHANE AND CARBON TETRACHLORIDE OVER THE REMOTE PACIFIC OCEAN. *Atmos Environ.* 22: 1481-1494.
- Deluca, C; Passi, S; Fabbri, AA; Fanelli, C. (1995). ERGOSTEROL OXIDATION MAY BE CONSIDERED A SIGNAL FOR FUNGAL GROWTH AND AFLATOXIN PRODUCTION IN ASPERGILLUS-PARASITICUS. *Food Additives and Contaminants Part a-Chemistry Analysis Control Exposure & Risk Assessment.* 12: 445-450.
- Demarini, DM; Inmon, JP; Simmons, JE; Berman, E; Pasley, TC; Warren, SH; Williams, RW. (1987). MUTAGENICITY IN SALMONELLA OF HAZARDOUS WASTES AND URINE FROM RATS FED THESE WASTES. *Mutat Res.* 189: 205-216.
- Demento, SL; Eisenbarth, SC; Foellmer, HG; Platt, C; Caplan, MJ; Mark, SW; Mellman, I; Ledizet, M; Fikrig, E; Flavell, RA; Fahmy, TM. (2009). Inflammasome-activating nanoparticles as modular systems for optimizing vaccine efficacy. *Vaccine.* 27: 3013-3021.
- Demirci-Gultekin, D; Gunbas, DD; Taskesenligil, Y; Balci, M. (2007). High temperature bromination. Part 22: Bromination of 1a,2,7,7a-tetrahydro-1H-cyclopropa b naphthalene. *Tetrahedron.* 63: 8151-8156.
- Demirdag, K; Bahcecioglu, IH; Ozercan, IH; Ozden, M; Yilmaz, S; Kalkan, A. (2004). Role of L-carnitine in the prevention of acute liver damage induced by carbon tetrachloride in rats. *J Gastroenterol Hepatol.* 19: 333-338.
- Demirel, U; Yalniz, M; Aygun, C; Orhan, C; Tuzcu, M; Sahin, K; Ozercan, IH; Bahcecioglu, IH. (2012). Allopurinol Ameliorates Thioacetamide-Induced Acute Liver Failure by Regulating Cellular Redox-Sensitive Transcription Factors in Rats. *Inflammation.* 35: 1549-1557.
- Demirgian, JC; Erickson, MD. (1990). The potential of continuous emission monitoring of hazardous waste incinerators using Fourier transform IR spectroscopy. *Waste Manage.* 10: 227-232.
- Demiroren, K; Dogan, Y; Kocamaz, H; Ozercan, IH; Ilhan, S; Ustundag, B; Bahcecioglu, IH. (2014). Protective effects of L-carnitine, N-acetylcysteine and genistein in an experimental model of liver fibrosis. *Clinics and Research in Hepatology and Gastroenterology.* 38: 63-72.
- Demkowicz-Dobrzanski, K; Nalecz-Jawecki, G; Wawer, Z; Bargiel, T; Zak, M; Sawicki, J. (1986). TOXICITY OF NEUTRALIZED WASTES FOLLOWING A SYNTHESIS OF CHLORINATED HYDROCARBONS TO DAPHNIA MAGNA AND CHLORELLA SP. *Sci Total Environ.* 0: 1151-1158.

Environmental Hazard Literature Search Results

Off Topic

- Demori, I; Burlando, B; Gerdoni, E; Lanni, A; Fugassa, E; Voci, A. (2008). Uncoupling protein-2 induction in rat hepatocytes after acute carbon tetrachloride liver injury. *J Cell Physiol.* 216: 413-418.
- den, EMG; Swart, RJ; Rotmans, J. (1992). Strengthening the Montreal protocol: does it cool down the greenhouse? *The Science of the total environment.* 113: 229-250.
- Deng, G; Huang, XJ; Luo, HW; Huang, FZ; Liu, XY; Wang, YH. (1988). Amelioration of carbon tetrachloride-induced cirrhosis and portal hypertension in rat using adenoviral gene transfer of Akt. *Drug Nutr Interact.* 19: 7778-7787.
- Deng, GG; Wang, JZ; Zhang, QY; He, HB; Wu, FF; Feng, TY; Zhou, JG; Zou, K; Hattori, M. (2012). Hepatoprotective Effects of Phloridzin on Hepatic Fibrosis Induced by Carbon Tetrachloride against Oxidative Stress-Triggered Damage and Fibrosis in Rats. *Biological & Pharmaceutical Bulletin.* 35: 1118-1125.
- Deng, JF; Wang, JD; Shih, TS; Lan, FL. (1987). Outbreak of carbon tetrachloride poisoning in a color printing factory related to the use of isopropyl alcohol and an air conditioning system in Taiwan. *Am J Ind Med.* 12: 11-19.
- Deng, JS; Chang, YC; Wen, CL; Liao, JC; Hou, WC; Amagaya, S; Huang, SS; Huang, GJ. (2012). Hepatoprotective effect of the ethanol extract of *Vitis thunbergii* on carbon tetrachloride-induced acute hepatotoxicity in rats through anti-oxidative activities. *J Ethnopharmacol.* 142: 795-803.
- Deng, L; Liu, G; Wu, X; Wang, Y; Tong, M; Liu, B; Wang, K; Peng, Y; Kong, X. (2014). Adipose derived mesenchymal stem cells efficiently rescue carbon tetrachloride-induced acute liver failure in mouse. *TheScientificWorldJournal.* 2014: 103643.
- Deng, Q; Chen, M; Kong, L; Zhao, X; Guo, J; Wen, X. (2013). Novel coupling of surfactant assisted emulsification dispersive liquid-liquid microextraction with spectrophotometric determination for ultra trace nickel. *Spectrochimica acta Part A, Molecular and biomolecular spectroscopy.* 104: 64-69.
- Deng, Q-F; Liu, L; Lin, X-Z; Du, G; Liu, Y; Yuan, Z-Y. (2012). Synthesis and CO₂ capture properties of mesoporous carbon nitride materials. *Chem Eng J.* 203: 63-70.
- Deng, XY; Wu, KW; Wan, JY; Li, LJ; Jiang, R; Jia, MY; Jing, YP; Zhang, L. (2012). Aminotriazole attenuated carbon tetrachloride-induced oxidative liver injury in mice. *Food Chem Toxicol.* 50: 3073-3078.
- Deng, YR; Ma, HD; Tsuneyama, K; Yang, W; Wang, YH; Lu, FT; Liu, CH; Liu, P; He, XS; Diehl, AM; Gershwin, ME; Lian, ZX. (2013). STAT3-mediated attenuation of CCl₄-induced mouse liver fibrosis by the protein kinase inhibitor sorafenib. *J Autoimmun.* 46: 25-34.
- Deng, ZY; Li, J; Jin, Y; Chen, XL; Lian, XWj. (2009). Effect of oxymatrine on the p38 mitogen-activated protein kinases signalling pathway in rats with CCl₄ induced hepatic fibrosis. *Chin Med J.*
- Denisov, AG; Kalashnikova, SA; Shchegolev, AI; Novochadov, VV. (2010). Sex hormone profile and morphological changes in the ovaries in chronic endotoxiosis. *Bull Exp Biol Med.* 149: 96-99.
- Denkba; Eb; Kaitian, X; Tuncel, A; Pi, kin, E. (1995). Rifampicin-carrying poly(D,L-lactide) microspheres: loading and release. *Journal of biomaterials science Polymer edition.* 6: 815-825.
- Denli, M; Okan, F; Uluocak, AN. (2004). Effect of dietary supplementation of herb essential oils on the growth performance, carcass and intestinal characteristics of quail (*Coturnix coturnix japonica*). *South African Journal of Animal Science.* 34: 174-179.
- Dent, JG; Graichen, ME. (1982). Effect of hepatocarcinogens on epoxide hydrolase and other xenobiotic metabolizing enzymes. *Carcinogenesis.* 3: 733-738.
- Dent, RG; Glaze, L. (1985). Extraction of light filth from unground marjoram: collaborative study. *Journal - Association of Official Analytical Chemists.* 68: 899-901.
- Dentel, SK; Jamrah, AI; Sparks, DL. (1998). Sorption and cosorption of 1,2,4-trichlorobenzene and tannic acid by organo-clays. *Water Res.* 32: 3689-3697.
- Denton, RM; An, J; Adeniran, B; Blake, AJ; Lewis, W; Poulton, AM. (2011). Catalytic Phosphorus(V)-Mediated Nucleophilic Substitution Reactions: Development of a Catalytic Appel Reaction. *J Org Chem.* 76: 6749-6767.
- Deo, MG; Roy, H; Ramalingaswami, V. (1975). Protein deficiency in carbon tetrachloride-induced hepatic lesions. *Arch Pathol.* 99: 147-151.
- DeptuÅ,a, C; Minc, S. (1967). Uranium (VI) extraction from sulphuric acid solutions with tri-n-octylamine solutions in benzene and carbon tetrachloride. *Journal of Inorganic and Nuclear Chemistry.* 29: 221-227.
- Derakhshesh, M; Abedi, J; Hassanzadeh, H. (2010). Mechanism of methanol decomposition by non-thermal plasma. *Journal of Electrostatics.* 68: 424-428.
- Derwent, RG; Simmonds, PG; O'Doherty, S; Ryall, DB. (1998). The impact of the Montreal Protocol on halocarbon concentrations in northern hemisphere baseline and European air masses at Mace Head, Ireland over a ten year period from 1987-1996. *Atmos Environ.* 32: 3689-3702.
- Desai, SN; Patel, DK; Devkar, RV; Patel, PV; Ramachandran, AV. (2012). Hepatoprotective potential of polyphenol rich extract of *Murraya koenigii* L.: An in vivo study. *Food Chem Toxicol.* 50: 310-314.
- Desaiah, D; Pentyala, SN; Trotman, CH; Vig, PJS; Sekhon, BS. Combined effects of carbon tetrachloride and chlordecone on calmodulin activity in gerbil brain. *J Toxicol Environ Health.* Oct 1991. v. 34 (2): 219-228.
- Desanchez, VC; Hernandezmunoz, R; Yanez, L; Vidrio, S; Diazmunoz, M. (1995). POSSIBLE MECHANISM OF ADENOSINE PROTECTION IN CARBON-TETRACHLORIDE ACUTE HEPATOTOXICITY - ROLE OF ADENOSINE BY-PRODUCTS AND GLUTATHIONE-PEROXIDASE. *Journal of Biochemical Toxicology.* 10: 41-50.
- DeSantis, DA; Ko, CW; Wang, L; Lee, P; Croniger, CM. (2015). Constitutive Activation of the Nlr4 Inflammasome Prevents Hepatic Fibrosis and Promotes Hepatic Regeneration after Partial Hepatectomy. *Mediators Inflamm* 9827-9827.
- Deshpande, KT; Liu, S; McCracken, JM; Jiang, L; Gaw, TE; Kaydo, LN; Richard, ZC; O'Neil, MF; Pritchard, MT. (2016). Moderate (2%, v/v) Ethanol Feeding Alters Hepatic Wound Healing after Acute Carbon Tetrachloride Exposure in Mice. *Biomolecules.* 6: 5.

Environmental Hazard Literature Search Results

Off Topic

- Deshpande, UR; Gadre, SG; Raste, AS; Pillai, D; Bhide, SV; Samuel, AM. (1998). Protective effect of turmeric (*Curcuma longa* L.) extract on carbon tetrachloride-induced liver damage in rats. *Indian J Exp Biol.* 36: 573-577.
- Desmaris, L; Percina, N; Cottier, L; Sinou, D. (2003). Conversion of alcohols to bromides using a fluorine phosphine. *Tetrahedron Letters.* 44: 7589-7591.
- Desmond, PV; James, R; Schenker, S; Gerkens, JF; Branch, RA. (1981). Preservation of glucuronidation in carbon tetrachloride-induced acute liver injury in the rat. *Biochem Pharmacol.* 30: 993-999.
- Desmorat, H; Vinel, JP; Lalhoul, O; Payen, JL; Combis, JM; Badia, P; Souqual, MC; Pipy, B; Voigt, JJ; Pascal, JP. (1991). EVOLUTION OF SYSTEMIC AND Splanchnic Hemodynamics in Rats with Carbon Tetrachloride Induced Liver Disease. 42nd Annual Meeting of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 14.
- Desmorat, H; Vinel, JP; Lalhoul, O; Voigt, JJ; Payen, JL; Combis, JM; Badia, P; Souqual, MC; Pipy, B; Pascal, JP. (1991). EVOLUTION OF PORTAL HYPERTENSION IN RATS WITH CARBON TETRACHLORIDE INDUCED LIVER DISEASE. 26th Meeting Of The European Association For The Study Of The Liver, Palma De Mallorca, Spain, September. 13.
- Desmorat, H; Vinel, JP; Lalhoul, O; Voigt, JJ; Payen, JL; Combis, JM; Badia, P; Souqual, MC; Pipy, B; Pascal, JP. (1991). INTERRELATIONSHIPS BETWEEN HEMODYNAMIC PARAMETERS IN RATS WITH CARBON TETRACHLORIDE INDUCED LIVER DISEASE. 26th Meeting Of The European Association For The Study Of The Liver, Palma De Mallorca, Spain, September. 13.
- Desmouliere, A; Tuchweber, B; Yousef, IM; Gabbiani, G. (1997). Effect of pentoxifylline on early fibroproliferative response and phenotypic modulation induced by CCl₄ or bile duct obstruction in rats. *Cells of the Hepatic Sinusoid, Vol 648-49.*
- Desmouliere, A; Xu, GX; Costa, AMA; Yousef, IM; Gabbiani, G; Tuchweber, B. (1999). Effect of pentoxifylline on early proliferation and phenotypic modulation of fibrogenic cells in two rat models of liver fibrosis and on cultured hepatic stellate cells. *J Hepatol.* 30: 621-631.
- Desreux, JF. (1970). Extraction of metals by long-chain alkylammonium salts: Hydration of tri-laurylammonium hydrochloride. *Anal Chim Acta.* 52: 207-219.
- Dethlefsen, V; Tiews, K. (1985). REVIEW ON THE EFFECTS OF POLLUTION ON MARINE FISH LIFE AND FISHERIES IN THE NORTH SEA. *Z Angew Ichthyol.* 1: 97-118.
- DeToranzo, EGD; Marzi, A; Castro, JA. (1981). Effects of Cysteine and Cystamine on the Carbon Tetrachloride Induced Decrease in Arachidonic Acid Content of Rat Liver Microsomal Phospholipids. *TOXICOL.* 19: 77-82.
- Dettmer, CM; Kramer, S; Driscoll, DH; Aponte, GE. (1968). A comparison of the chronic effects of irradiation upon the normal, damaged, and regenerating rat liver. *Radiology.* 91: 990 passim.
- Deulofeu, R; Pares, A; Rubio, M; Gasso, M; Roman, J; Gimenez, A; Varela-Moreiras, G; Caballeria, J; Ballesta, AM; Mato, JM; Rodes, J. (2000). S-adenosylmethionine prevents hepatic tocopherol depletion in carbon tetrachloride-injured rats. *Clin Sci (Lond).* 99: 315-320.
- Devaraj, S; Ismail, S; Ramanathan, S; Yam, MF. (2014). Investigation of antioxidant and hepatoprotective activity of standardized *Curcuma xanthorrhiza* rhizome in carbon tetrachloride-induced hepatic damaged rats. *TheScientificWorldJournal.* 2014: 353128.
- Devaraj, VC; Krishna, BG; Viswanatha, GL; Kamath, JV; Kumar, S. (2011). Hepatoprotective activity of Hepax-a polyherbal formulation. *Asian Pacific Journal of Tropical Biomedicine.* 1: 142-146.
- Devaraj, VC; Krishna, BG; Viswanatha, GL; Kamath, JV; Kumar, S. (2011). Hepatoprotective activity of Hepaxâ€”A polyherbal formulation. *Asian Pacific Journal of Tropical Biomedicine.* 1: 142-146.
- Develi-Is, S; Bekpınar, S; Kalaz, EB; Evran, B; Unlucerci, Y; Gulluoglu, M; Uysal, M. (2013). The protection by heme oxygenase-1 induction against thioacetamide-induced liver toxicity is associated with changes in arginine and asymmetric dimethylarginine. *Cell Biochem Funct.* 31: 122-128.
- Devenyi, R; Tiefenbach, H; Orrego, H; Varghese, G; Israel, Y. (1979). Does an excess in liver proline increase the accumulation of collagen induced by carbon tetrachloride? *Experientia.* 35: 1641-1642.
- Devi, SS; Palkar, PS; Mehendale, HM. (2007). Measuring covalent binding in hepatotoxicity. *Current protocols in toxicology / editorial board, Mahin D Maines (editor-in-chief) [et al]. Chapter 14: Unit14 16.*
- Devillers, J; Chambon, P; Zakaray, D; Chastrette, M; Chambon, R. (1987). Predictive Structure-Toxicity Model with *Daphnia magna*. *Chemosphere CMSHAF Vol 16, No 6, p 1149-1163, 1987 3 fig, 28 ref.*
- Devlin, JF; Allin, KO. (2005). Major anion effects on the kinetics and reactivity of granular iron in glass-encased magnet batch reactor experiments. *Environmental Science & Technology.* 39: 1868-1874.
- Devlin, JF; Katic, D; Barker, JF. (2004). In situ sequenced bioremediation of mixed contaminants in groundwater. *J Contam Hydrol.* 69: 233-261.
- Devlin, JF; McMaster, M; Barker, JF. (2002). Hydrogeologic assessment of in situ natural attenuation in a controlled field experiment. *Water Resour Res.* 38: 1002-1002.
- Devlin, JF; Muller, D. (1999). Field and laboratory studies of carbon tetrachloride transformation in a sandy aquifer under sulfate reducing conditions. *Environmental Science & Technology.* 33: 1021-1027.
- DeVries, JW; Larson, PA; Bowers, RH; Keating, JA; Broge, JM; Wehling, PS; Patel, HH; Zurawski, JW. Improved codistillation method for determination of carbon tetrachloride, ethylene dichloride, and ethylene dibromide in grain and grain-based products. *Journal of the Association of Official Analytical Chemists.* July/Aug 1985. v. 68 (4): 759-762.
- Dewulf, J; Van, LANGENHOVEH. (1997). Analytical techniques for the determination and measurement data of 7 chlorinated C1- and C2- hydrocarbons and 6 monocyclic aromatic hydrocarbons in remote air masses: An overview. *Atmos Environ.* 31: 3291-3307.
- Dewulf, J; Van, LANGENHOVEH. (1997). Chlorinated C1- and C2-hydrocarbons and monocyclic aromatic hydrocarbons in marine waters: An overview on fate processes, sampling, analysis and measurements. *Water Res.* 31: 1825-1838.

Environmental Hazard Literature Search Results

Off Topic

- Dewulf, J; Van, LANGENHOVEH; Heireman, B. (1998). The air/water exchange of volatile organic compounds from waters in the transient and turbulent regime. *Water Res.* 32: 2106-2112.
- Dewulf, JP; Van, LANGENHOVEHR; Der, AUWERALFV. (1998). Air/water exchange dynamics of 13 volatile chlorinated C1- and C2-hydrocarbons and monocyclic aromatic hydrocarbons in the southern North Sea and the Scheldt estuary. *Environmental Science & Technology.* 32: 903-911.
- Dey, A; Parmar, D; Dhawan, A; Dash, D; Seth, PK. (2002). Cytochrome P450 2E1 dependent catalytic activity and lipid peroxidation in rat blood lymphocytes. *Life Sci.* 71: 2509-2519.
- Dhanasekaran, M; Ignacimuthu, S; Agastian, P. (2009). Potential hepatoprotective activity of ononitol monohydrate isolated from *Cassia tora* L. on carbon tetrachloride induced hepatotoxicity in wistar rats. *Phytomedicine.* 16: 891-895.
- Dharancy, S; Body-Malapel, M; Louvet, A; Berrebi, D; Gantier, E; Gosset, P; Viala, J; Hollebecque, A; Moreno, C; Philpott, DJ; Girardin, SE; Sansonetti, PJ; Desreumaux, P; Mathurin, P; Dubuquoy, L. (2010). Neutrophil Migration During Liver Injury Is Under Nucleotide-Binding Oligomerization Domain 1 Control. *Gastroenterology.* 138: 1546-NIL_1421.
- Dhawan, D; Goel, A. (1994). Hepatoprotective effects of Liv-52 and its indirect influence on the regulation of thyroid hormones in rat liver toxicity induced by carbon tetrachloride. *Research in experimental medicine Zeitschrift für die gesamte experimentelle Medizin einschliesslich experimenteller Chirurgie.* 194: 203-215.
- Dhawan, D; Goel, A; Singh, K. (1991). EFFECTS OF CARBON TETRACHLORIDE ON THE CLEARANCE OF IODINE-131 ROSE BENGAL IN RAT LIVER. *Med Sci Res.* 19: 81-82.
- Dhawan, D; Sen, T; Dani, V. (2006). Effectiveness of Zinc in Modulating the CCl₄ - Induced Oxidative Stress in Rat Liver. *Toxicol Mech Meth.* 16: 37-40.
- Dhawan, D; Sen, T; Dani, V. (2006). Effectiveness of Zinc in Modulating the CCl₄ (4) - Induced Oxidative Stress in Rat Liver. *Toxicol Mech Meth.* 16: 37-40.
- Dhuley, JN; Naik, SR. (1997). Protective effect of Rhinax, a herbal formulation, against CCl₄-induced liver injury and survival in rats. *J Ethnopharmacol.* 56: 159-164.
- Di, CR; Muccioli, G; Lando, D; Brossa, O; Burdino, E; Chiappino, I; Danni, O; Mina, S; Ugazio, G. (1980). A sensitive experimental model for the assessment of hepatotoxicity by halogenocompounds: prolactin binding to the specific receptors. *Dev Toxicol Environ Sci.* 8: 651-654.
- Di, GIULIORT; Habig, C; Gallagher, EP. (1993). Effects of Black Rock Harbor sediments on indices of biotransformation, oxidative stress, and DNA integrity in channel catfish. *Aquat Toxicol.* 26: 1-22.
- Di, LNR; Hartman, AD. (1969). The effect of ethanol and carbon tetrachloride administration on hepatic lipid-soluble antioxidant activity. *Exp Mol Pathol.* 11: 38-52.
- Di, LNR; Stege, TE. (1977). Enhanced hepatic chemiluminescence following carbon tetrachloride or hydrazine administration. *Life Sci.* 21: 1457-1464.
- Di Pascoli, M; Zampieri, F; Verardo, A; Pesce, P; Turato, C; Angeli, P; Sacerdoti, D; Bolognesi, M. (2016). Inhibition of epoxyeicosatrienoic acid production in rats with cirrhosis has beneficial effects on portal hypertension by reducing splanchnic vasodilation. *Hepatology.* 64: 923-930.
- Di, PM; Div, ia; Rodr; iuez-Vilarrupla, A; Rosado, E; Vilaseca, M; Gate; a-PagÃ n, JC. (2002). Resveratrol improves intrahepatic endothelial dysfunction and reduces hepatic fibrosis and portal pressure in cirrhotic rats. *Clin Exp in Exp Pharmacol Physiol.* 29.
- Di Re, J; Lee, C; Riddick, DS. (1999). Lack of mechanism-based inactivation of rat hepatic microsomal cytochromes P450 by doxorubicin. *Can J Physiol Pharmacol.* 77: 589-597.
- di Simplicio, P; Mannervik, B. (1983). Enzymes involved in glutathione metabolism in rat liver and blood after carbon tetrachloride intoxication. *Toxicol Lett.* 18: 285-290.
- Di, SP. (1982). Glutathione and glutathione S-transferases in rat liver and in plasma after carbon tetrachloride and thioacetamide intoxication. *Pharmacological research communications.* 14: 909-920.
- Di, SP; Pierini, A; Segre, G. (1977). Ligandin release from liver into blood in rats intoxicated by carbon tetrachloride. *Pharmacological research communications.* 9: 799-813.
- Diallo, B; Vanhaelen-Fastre, R; Vanhaelen, M; Fiegel, C; Joyeux, M; Roland, A; Fleurentin, J. Further studies on the hepatoprotective effects of *Cochlospermum tinctorium* rhizomes. *Journal of ethno-pharmacology.* Apr 1992. v. 36 (2): 137-142.
- Dianovsky, J; Sivikova, K. (2001). CCl₄ induced genotoxicity and protective effect of antioxidants after in vivo administration to sheep. *Acta Veterinaria Brno.* 70: 467-472.
- Dianzani, MU. (1976). Toxic liver injury by protein synthesis inhibitors. *Progress in liver diseases.* 5: 232-245.
- Dianzani, MU. (1998). 4-hydroxynonenal and cell signalling. *Free Radic Res.* 28: 553-560.
- Dianzani, MU; Gabriel, L; Gravela, E; Paradisi, L. (1976). Interference of CCl₄ metabolites with subcellular structures. *Panminerva Med.* 18: 310-319.
- Dianzani, MU; Ugazio, G. (1973). Lipoperoxidation after carbon tetrachloride poisoning in rats previously treated with antioxidants. *Chem Biol Interact.* 6: 67-79.
- Diao, Y; Zhao, XF; Lin, JS; Wang, QZ; Xu, RA. (2011). Protection of the liver against CCl₄-induced injury by intramuscular electrotransfer of a kallistatin-encoding plasmid. *World J Gastroenterol.* 17: 111-117.
- Dias, AD; Helwig, T; Lex, J; Miller, J; Schmickler, H. (2000). Synthesis of syn-3a(12c),9a(9b)-dihomoperylene-3,10-dione, (E)-syn-2,2'-bi(7H-1,6-methano 10 annulenyldiene)-7,7'-dione and of its rearrangement product, trans-12a,12b-dihydro-3a(12c),9a(9b)-dihomoperylene-3,10-dione. *Journal of the Chemical Society-Perkin Transactions* 12083-2089.

Environmental Hazard Literature Search Results

Off Topic

- Dias, JV; Paredes, BD; Mesquita, LFQ; Carvalho, AB; Kozlowski, EO; Lessa, AS; Takiya, CM; Resende, CMC; Coelho, HSM; Campos-De-Carvalho, AC; Rezende, GFM; Goldenberg, RCS. (2008). An ultrasound and histomorphological analysis of experimental liver cirrhosis in rats. *Braz J Med Biol Res.* 41: 992-999.
- Diaz, GMI; Castro, JA. (1980). Nuclear activation of carbon tetrachloride and chloroform. *Res Comm Chem Pathol Pharmacol.* 27: 191-194.
- Diaz, GmMCCdITgITOXCI TEFLSBA; Dau, DdLoCCdITgITOXFACONICETJ; Cast, CJA; Castro, GD. (2006). Liver nuclear and microsomal CYP2E1-mediated metabolism of xenobiotics in rats chronically drinking an alcohol-containing liquid diet. *Toxicol Ind Health.* 22: 367-374.
- Diaz Gomez, MI; Castro, JA. (1980). Covalent Binding of Carbon Tetrachloride Metabolites to Liver Nuclear DNA, Proteins, and Lipids. *TOXICOL AND APPL PHARMACOL.* 56: 199-206.
- Diaz-Garcia, JM; Oliver-Botana, J; Fos, GD. (1991). Pharmacokinetics of diazepam in the rat: influence of an experimentally induced hepatic injury. *European Journal of Drug Metabolism and Pharmacokinetics. Spec No 3:* 94-101.
- Diaz-Gil, JJ; Munoz, J; Albillos, A; Rua, C; Machin, C; Garcia-Canero, R; Cereceda, RM; Guijarro, MC; Trilla, C; Escartin, P. (1999). Improvement in liver fibrosis, functionality and hemodynamics in CCl₄-cirrhotic rats after injection of the Liver Growth Factor. *J Hepatol.* 30: 1065-1072.
- Diaz-Juarez, J; Rivera-Valerdi, L; Bernal-Cerrillo, DE; Hernandez-Munoz, R. (2006). Predominance of released mitochondrial enzymes by partial hepatectomy-induced rat regenerating liver is controlled by hemodynamic changes and not related to mitochondrial damage. *Scand J Gastroenterol.* 41: 223-233.
- Diaz-Munoz, M; Tapia, R. (1988). GLUTAMATE DECARBOXYLASE INHIBITION AND VITAMIN B-6 METABOLISM IN BRAIN OF CIRRHOTIC RATS CHRONICALLY TREATED WITH CARBON TETRACHLORIDE. *J Neurosci Res.* 20: 376-382.
- Diaz-Munoz, M; Tapia, R. (1988). Regional brain GABA metabolism and release during hepatic coma produced in rats chronically treated with carbon tetrachloride. *Neurochem Res.* 13: 37-44.
- Diaz-Rivera, RS; Ramirez, E; Pons, ER. (1950). Carbon tetrachloride poisoning; a case with the lower nephron syndrome and electrocardiographic alterations. *Boleti de la Asociacion Medica de Puerto Rico.* 42: 169-178.
- Dibella, S; Richetta, G; Pichierrri, U. (1963). ON PATHOLOGICAL OCCURRENCE OF GLUCOSE-6-PHOSPHATASE IN BLOOD SERUM. *Clinica chimica acta; international journal of clinical chemistry.* 8: 788.
- Dickens, BF; Tse, SY; Pflug, BR; Kramer, JH; Weglicki, WB. (1990). INTERACTION BETWEEN ORGANIC HYDROPEROXIDES AND CHLORINATED HYDROCARBONS A POSSIBLE MECHANISM FOR FREE RADICAL PRODUCTION. 74th Annual Meeting Of The Federation Of American Societies For Experimental Biology, Part I, Washington, DC, Usa, April. 4.
- Dickens, BF; Tse, SYE; Mak, IT; Weglicki, WB. (1989). PRO-OXIDANT EFFECT OF CHLORINATED HYDROCARBONS ON CULTURED VASCULAR CELLS. 73rd Annual Meeting Of The Federation Of American Societies For Experimental Biology, New Orleans, Louisiana, Usa, March. 3.
- Diemer, NH. (1975). Size and density of oligodendroglial nuclei in rats with CCl₄-induced liver disease. *Neurobiology.* 5: 197-206.
- Diena, BB; Wallace, R; Sato, H; Ueda, K; Greenberg, L. (1971). The susceptibility of mice to salmonella typhi infection. *Res Comm Chem Pathol Pharmacol.* 2: 216-227.
- Dienel, GA; Cruz, NF. (1984). Induction of brain ornithine decarboxylase during recovery from metabolic, mechanical, thermal, or chemical injury. *J Neurochem.* 42: 1053-1061.
- Dietrich, P; Moleda, L; Kees, F; MÄller, M; Straub, RH; Hellerbrand, C; Wiest, R. (2013). Dysbalance in sympathetic neurotransmitter release and action in cirrhotic rats: impact of exogenous neuropeptide Y. *J Hepatol.* 58: 254-261.
- Dietz, FK; Traiger, GJ. (1979). Potentiation of CCl₄ hepatotoxicity in rats by a metabolite of 2-butanone: 2,3-butanediol. *Toxicology.* 14: 209-215.
- Digiano, FA; Wang, CK. (1988). ADSORPTION OF SYNTHETIC ORGANIC CHEMICALS IN THE PRESENCE OF OZONATED HUMIC SUBSTANCES. Annual Conference And Exposition Of The American Water Works Association On The Wonderful World Of Water, Orlando, Florida, Usa, June. 80: 68.
- Dikshit, P; Tyagi, MK; Shukla, K; Sharma, S; Gambhir, JK; Shukla, R. (2011). Hepatoprotective effect of stem of *Musa sapientum* Linn in rats intoxicated with carbon tetrachloride. *Ann Hepatol.* 10: 333-339.
- Dikshith, TS; Datta, KK; Raizada, RB. (1980). Response of carbon tetrachloride treated male rats to benzene hexachloride & Quinalphos. *Indian J Exp Biol.* 18: 1267-1272.
- Dilawari, JB; Andrabi, K; Upjeet, K; Nalini, K; Ganguly, NK. (1988). VERAPAMIL REDUCED HEPATIC TOXICITY AND COLLAGEN SYNTHESIS BY CARBON TETRACHLORIDE EXPOSED RAT HEPATOCYTES. 39th Annual Meeting And Postgraduate Course Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 8.
- Diluzio, NR; Costales, F. (1965). INHIBITION OF THE ETHANOL AND CARBON TETRACHLORIDE INDUCED FATTY LIVER BY ANTIOXIDANTS. *Exp Mol Pathol.* 28: 141-154.
- Dimitrov, PL; Kambourova, MS; Mandeva, RD; Emanuilova, EI. (1997). Isolation and characterization of xylan-degrading alkali-tolerant thermophiles. *FEMS Microbiol Lett.* 157: 27-30.
- Dinakarpandian, D; Carey, PR. (1999). Molecular structure of 5-methyl thiophene acryloyl ethyl thiolester: A vibrational spectroscopic and density functional theory study. *Biospectroscopy.* 5: 201-218.
- Dincer, S; Ozenirler, S; Oz, E; Akyol, G; Ozogul, C. (2002). The protective effect of taurine pretreatment on carbon tetrachloride-induced hepatic damage - A light and electron microscopic study. *Amino Acids.* 22: 417-426.
- Dinda, S; Patwardhan, AV; Panda, SR; Pradhan, NC. (2008). Kinetics of reactive absorption of carbon dioxide with solutions of aniline in carbon tetrachloride and chloroform. *Chem Eng J.* 136: 349-357.
- Ding, BS; Cao, ZW; Lis, R; Nolan, DJ; Guo, PP; Simons, M; Penfold, ME; Shido, K; Rabbany, SY; Rafii, S. (2014). Divergent angiocrine signals from vascular niche balance liver regeneration and fibrosis. *Nature.* 505: 97-+.

Environmental Hazard Literature Search Results

Off Topic

- Ding, J; Yu, J; Wang, C; Hu, W; Li, D; Luo, Y; Luo, H; Yu, H. (2005). Ginkgo biloba extract alleviates liver fibrosis induced by CCl in rats. *Liver international : official journal of the International Association for the Study of the Liver*. 25: 1224-1232.
- Ding, J; Yu, JP; Wang, CD; Hu, W; Li, D; Luo, YJ; Luo, HS; Yu, HG. (2005). Ginkgo biloba extract alleviates liver fibrosis induced by CCl(4) in rats. *Liver Int*. 25: 1224-1232.
- Ding, L; Li, Y; Jia, D; Deng, J; Yang, W. (2011). β -Cyclodextrin-based oil-absorbents: Preparation, high oil absorbency and reusability. *Carbohydr Polymer*. 83: 1990-1996.
- Ding, M; Potter, JJ; Liu, XP; Torbenson, MS; Mezey, E. (2010). Selenium Supplementation Decreases Hepatic Fibrosis in Mice After Chronic Carbon Tetrachloride Administration. *Biol Trace Elem Res*. 133: 83-97.
- Ding, W; Verney, E; Sidransky, H. (1985). Protective effect of tryptophan and cysteine against carbon tetrachloride-induced liver injury. *Exp Mol Pathol*. 43: 364-374.
- Ding, WG; Tooyama, I; Kimura, H; Kuriyama, K; Ochi, J. (1993). Distribution of taurine-like immunoreactivity in the mouse liver during ontogeny and after carbon tetrachloride or phenobarbital intoxication. *Histochemical Journal*. 25: 376-383.
- Ding, YY; Cheng, K; Qi, CZ; Song, QB. (2012). Ferrous salt-promoted homocoupling of arenediazonium tetrafluoroborates under mild conditions. *Tetrahedron Letters*. 53: 6269-6272.
- Dingell, JV; Heimberg, M. (1968). The effects of aliphatic halogenated hydrocarbons on hepatic drug metabolism. *Biochem Pharmacol*. 17: 1269-1278.
- Dinman, BD. (1965). ENZYMATIC INSIGHTS TO CELL TOXICITY. *Arch Environ Health*. 11: 265-271.
- Dinman, BD; Bernstein, IA. (1968). Acute carbon tetrachloride hepatotoxicity. IV. Liver and serum enzyme activity during the acute damage phase. *Arch Environ Health*. 16: 770-776.
- Dinman, BD; Bernstein, IA. (1968). Acute carbon tetrachloride hepatotoxicity. V. Enzymatic activity and structural concomitants during the regenerative phase. *Arch Environ Health*. 16: 777-784.
- Dinman, BD; Fox, CF; Frajola, WJ; Rabor, A. (1962). Serum enzyme and B12 changes in CC14 hepatotoxicity. *Arch Environ Health*. 4: 168-182.
- Dinman, BD; Hamdi, EA; Fox, CF; Frajola, WJ. (1963). CCl4 TOXICITY. III. HEPATO-STRUCTURAL AND ENZYMATIC CHANGE. *Arch Environ Health*. 7: 630-646.
- Dintzner, MR; Morse, KM; McClelland, KM; Coligado, DM. (2004). Investigation of the Montmorillonite clay-catalyzed 1,3 shift reaction of 3-methyl-2-butenyl phenyl ether. *Tetrahedron Letters*. 45: 79-81.
- Dinu, V; Trutia, E; Beiloiu, DD. (1983). Carbon tetrachloride-induced changes in hepatic antioxidizing enzymes. *Revue Roumaine de Biochimie*. 20: 93-96.
- DiRenzo, AB; Gandolfi, AJ; Sipes, IG; Brendel, K; Byard, JL. (1984). Effect of O2 tension on the bioactivation and metabolism of aliphatic halides by primary rat-hepatocyte cultures. *Xenobiotica; the fate of foreign compounds in biological systems*. 14: 521-525.
- DiRenzo, AB; Gandolfi, AJ; Sipes, IG; McDougal, JN. (1982). Effect of senescence on the bioactivation of aliphatic halides. *Res Comm Chem Pathol Pharmacol*. 36: 493-502.
- DiSilvestro, RA; Carlson, GP. Effects of moderate copper deficiency on carbon tetrachloride-induced hepatotoxicity in rats. *Proc Soc Exp Biol Med*. May 1991. v. 197 (1): 32-35.
- DiSilvestro, RA; Carlson, GP. Inflammation protects copper deficient rats against carbon tetrachloride hepatotoxicity. *Nutrition research*. Dec 1992. v. 12 (12): 1561-1564.
- DiSilvestro, RA; Carlson, GP. (1994). Effects of mild zinc deficiency, plus or minus acute phase response, on CCl4 hepatotoxicity. *Free radical biology & medicine*. 16: 57-61.
- DiSilvestro, RA; Medeiros, DM. Low and marginal copper intake by postweanling rats: effects on copper status and resistance to carbon tetrachloride hepatotoxicity. *Metabolism: clinical and experimental*. Oct 1992. v. 41 (10): 1122-1124.
- Divald, A; Lapis, K; Szende, B; Toth, E; Zalattay, A; Timar, J; Pogany, G; Kovalszky, I; Jeney, A. (1987). FORMATION OF EXTRACELLULAR MATRIX DURING PROGRESSION OF HEPATIC DAMAGE IN RAT LIVER. *Xith European Congress Of Pathology, Prague, Czechoslovakia, September*. 182: 484.
- Divald, A; Ujhelyi, E; Jeney, A; Lapis, K; Institoris, L. (1985). Hepatoprotective effects of prostacyclins on CCl4-induced liver injury in rats. *Exp Mol Pathol*. 42: 163-166.
- Divald, A; Vajta, G; Olah, J; Jeney, A; Lapis, K. (1985). EFFECT OF PROSTACYCLIN ON TRIGLYCERIDE CATABOLISM IN CARBON TETRACHLORIDE POISONED HEPATOCYTES. *Ircs*. 13.
- Dixit, Y; Kar, A. (2009). Antioxidative activity of some vegetable peels determined in vitro by inducing liver lipid peroxidation. *Food Research International*. 42: 1351-1354.
- Dixon, DG; Hill, CEA; Hodson, PV; Kempe, EJ; Kaiser, KLE. (1985). Plasma Leucine Aminonaphthylamidase as an Indicator of Acute Sublethal Toxicant Stress in Rainbow Trout. *Environmental Toxicology and Chemistry ETOCDK Vol 4, No 6, p 789-796, 1985 6 tab, 22 ref Dept of Fisheries and Oceans Contract DDS No 01SEFP312-2-0041*.
- Dixon, DG; Hodson, PV; Kaiser, KLE. (1987). Serum sorbitol dehydrogenase activity as an indicator of chemically induced liver damage in rainbow trout. *Environ Toxicol Chem*. 6: 685-696.
- Dixon, PAF; Udeagha, AU. (1986). The effect of some hepatotoxins on the sulphoxidation of cimetidine in rat. *Comparative Biochemistry and Physiology, C*. 83C: 385-386.
- Djebbar, Y; Narbaitz, RM. (1999). Improved Onda correlations for mass transfer in packed towers. *Water Science And Technology*. 38: 295-302.
- Do; ukan, A; Akpolat, N; Celiker, H; Ilhan, N; Halil, Be; lu, I; GÃ nal, AI. (2003). Protective effect of interferon-alpha on carbon tetrachloride-induced nephrotoxicity. *J Nephrol*. 16: 81-84.

Environmental Hazard Literature Search Results

Off Topic

- Do, SH; Batchelor, B. (2012). Reductive dechlorination of chlorinated hydrocarbons as non-aqueous phase liquid (NAPL): Preliminary investigation on effects of cement doses. *Sci Total Environ.* 430: 82-87.
- Do, SH; Yun, HS; Jeong, WI; Jeong, DH; Ki, MR; Chung, JY; Park, SJ; Kim, SB; Jeong, KS. (2007). Up-regulation of Metabotropic glutamate receptor 3 (mGluR3) in rat fibrosis and cirrhosis model of persistent hypoxic condition. *Mol Cell Biochem.* 294: 189-196.
- Do, S-H; Kwon, Y-J; Bang, S-J; Kong, S-H. (2013). Persulfate reactivity enhanced by Fe₃O₄ and CaO-Fe₃O₄ composite: Identification of composite and degradation of CCl₄ at various levels of pH. *Chem Eng J.* 221: 72-80.
- Dobbs, RA; Jelus, M; Cheng, KY. (1986). PARTITIONING OF TOXIC ORGANIC COMPOUNDS ON MUNICIPAL WASTEWATER TREATMENT SOLIDS. Scholze, R J Jr, Et Al. 0: 584-600.
- Dobson, DJ; Saini, S. (1997). Porphyrin-modified electrodes as biomimetic sensors for the determination of organohalide pollutants in aqueous samples. *Anal Chem.* 69: 3532-3538.
- Docks, EL; Krishna, G. (1976). The role of glutathione in chloroform-induced hepatotoxicity. *Exp Mol Pathol.* 24: 13-22.
- Dodd, NJF. (1990). FREE RADICAL STUDIES IN BIOLOGY AND MEDICINE. Symons, M C R Specialist Periodical Report Electron Spin Resonance. 0: 136-177.
- Dodson, RE; Houseman, EA; Levy, JI; Spengler, JD; Shine, JP; Bennett, DH. (2007). Measured and modeled personal exposures to and risks from volatile organic compounds. *Environmental Science & Technology.* 41: 8498-8505.
- Doherty, FG; Evans, DW; Neuhauser, EF. (1993). An assessment of total and leachable contaminants in zebra mussels (*Dreissena polymorpha*) from Lake Erie. *Ecotoxicol Environ Saf.* 25: 328-340.
- Doherty, RE. (2000). A history of the production and use of carbon tetrachloride, tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane in the United States: Part 1 - Historical background; Carbon tetrachloride and tetrachloroethylene. *Environ Forensics.* 1: 69-81.
- Doherty, RE. (2000). A History of the Production and Use of Carbon Tetrachloride, Tetrachloroethylene, Trichloroethylene and 1,1,1-Trichloroethane in the United States: Part 1—Historical Background; Carbon Tetrachloride and Tetrachloroethylene. *Environ Forensics.* 1: 69-81.
- Doherty, RE. (2000). A history of the production and use of carbon tetrachloride, tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane in the United States: Part 2 - Trichloroethylene and 1,1,1-trichloroethane. *Environ Forensics.* 1: 83-93.
- Doherty, RE. (2012). The Manufacture, Use, and Supply of Chlorinated Solvents in the United States During World War II. *Environ Forensics.* 13: 7-26.
- Dohn, DR; Graziano, MJ; Casida, JE. (1988). Metabolites of [3-13C]1,2-dibromo-3-chloropropane in male rats studied by 13C and 1H-13C correlated two-dimensional NMR spectroscopy. *Biochem Pharmacol.* 37: 3485-3495.
- Doi, K; Kurabe, S; Shimazu, N; Inagaki, M. Systemic histopathology of rats with CCl₄-induced hepatic cirrhosis. *Lab Anim.* Jan 1991. v. 25 (1): 21-25.
- Doi, K; Kurabe, S; Shimazu, N; Inagaki, M. (1991). Systemic histopathology of rats with carbon tetrachloride induced hepatic cirrhosis. *Lab Anim.* 25: 21-25.
- Dokter, T. (1985). FORMATION OF NITROGEN TRICHLORIDE AND DINITROGEN MONOXIDE IN THE REACTION OF SODIUM HYPOCHLORITE AND NITROGEN COMPOUNDS. *J Hazard Mater.* 12: 207-224.
- Dolai, N; Karmakar, I; Kumar, RBS; Kar, B; Bala, A; Haldar, PK. (2012). Free radical scavenging activity of *Castanopsis indica* in mediating hepatoprotective activity of carbon tetrachloride intoxicated rats. *Asian Pacific Journal of Tropical Biomedicine.* 2: S243-S251.
- Dolci, ED; Brabec, MJ. (1978). Antagonism by chloramphenicol of carbon tetrachloride hepatotoxicity. Examination of microsomal cytochrome P-450 and lipid peroxidation. *Exp Mol Pathol.* 28: 96-106.
- Dolenc, D; Plesnicar, B. (2006). Abstraction of iodine from aromatic iodides by alkyl radicals: Steric and electronic effects. *J Org Chem.* 71: 8028-8036.
- Dolfing, J; Janssen, DB. (1994). Estimates of Gibbs free energies of formation of chlorinated aliphatic compounds. *Biodegradation.* 5: 21-28.
- Dolfing, J; Van, DENWIJNGAARDAJ; Janssen, DB. (1993). Microbiological aspects of the removal of chlorinated hydrocarbons from air. *Biodegradation.* 4: 1993-1994.
- Dolfing, J; Van Eekert, M; Seech, A; Vogan, J; Mueller, J. (2007). In situ chemical reduction (ISCR) technologies: Significance of low Eh reactions. *Soil & Sediment Contamination.* 17: 63-74.
- Domenicali, M; Caraceni, P; Giannone, F; Baldassarre, M; Lucchetti, G; Quarta, C; Patti, C; Catani, L; Nanni, C; Lemoli, RM; Bernardi, M. (2009). A novel model of CCl₄-induced cirrhosis with ascites in the mouse. *J Hepatol.* 51: 991-999.
- Domenicali, M; Caraceni, P; Giannone, F; Pertosa, AM; Principe, A; Zambruni, A; Trevisani, F; Croci, T; Bernardi, M. (2009). Cannabinoid type 1 receptor antagonism delays ascites formation in rats with cirrhosis. *Gastroenterology.* 137: 341-349.
- Domenicali, M; Caraceni, P; Principe, A; Pertosa, AM; Ros, J; Chieco, P; Trevisani, F; Jimenez, W. A novel sodium overload test predicting ascites decompensation in rats with CCl₄-induced cirrhosis.
- Domenicotti, C; Paola, D; Vitali, A; Nitti, M; Cottalasso, D; Melloni, E; Poli, G; Marinari, UM; Pronzato, MA. (1998). Mechanisms of inactivation of hepatocyte protein kinase C isoforms following acute ethanol treatment. *Free Radic Biol Med.* 25: 529-535.
- Dominis, M; Solter, D; Damjanov, I. (1973). Aspiration cytological and cytochemical study of changes induced in rat liver cells by carbon tetrachloride (CCl₄). *Beiträge zur Pathologie.* 150: 132-147.
- Domitrovi; Jakovac, H. (2011). Effects of standardized bilberry fruit extract (Mirtoselect®) on resolution of CCl₄-induced liver fibrosis in mice. *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association.* 49: 848-854.

Environmental Hazard Literature Search Results

Off Topic

- Domitrović, R; Jakovac, H; Marchesi, VV; Blažeković, B; eković, G. (2013). Resolution of liver fibrosis by isoquinoline alkaloid berberine in CCl₄-intoxicated mice is mediated by suppression of oxidative stress and upregulation of MMP-2 expression. *J Med Food*. 16: 518-528.
- Domitrović, R; Jakovac, H. (2011). Effects of standardized bilberry fruit extract (Mirtoselect®) on resolution of CCl₄-induced liver fibrosis in mice. *Food Chem Toxicol*. 49: 848-854.
- Domitrović, R; Jakovac, H; Blagojević, G. (2011). Hepatoprotective activity of berberine is mediated by inhibition of TNF- α , COX-2, and iNOS expression in CCl₄-intoxicated mice. *Toxicology*. 280: 33-43.
- Domitrović, R; Jakovac, H; Marchesi, VV; Šain, I; Romić, Z; Rahelić, D. (2014). Corrigendum to "Preventive and therapeutic effects of oleuropein against carbon tetrachloride-induced liver damage in mice" [Pharmacol. Res. 65 (4) (2012) 451-464]. *Pharmacol Res*. 79: 103.
- Domitrović, R; Jakovac, H. (2010). Antifibrotic activity of anthocyanidin delphinidin in carbon tetrachloride-induced hepatotoxicity in mice. *Toxicology*. 272: 1-10.
- Domitrović, R; Jakovac, H. (2011). Effects of standardized bilberry fruit extract (Mirtoselect (R)) on resolution of CCl₄-induced liver fibrosis in mice. *Food Chem Toxicol*. 49: 848-854.
- Domitrović, R; Jakovac, H; Blagojević, G. (2011). Hepatoprotective activity of berberine is mediated by inhibition of TNF- α , COX-2, and iNOS expression in CCl₄-intoxicated mice. *Toxicology*. 280: 33-43.
- Domitrović, R; Jakovac, H; Marchesi, VV; Blazeković, B. (2013). Resolution of Liver Fibrosis by Isoquinoline Alkaloid Berberine in CCl₄-Intoxicated Mice Is Mediated by Suppression of Oxidative Stress and Upregulation of MMP-2 Expression. *J Med Food*. 16: 518-528.
- Domitrović, R; Jakovac, H; Marchesi, VV; Šain, I; Romić, Z; Rahelić, D. (2014). Preventive and therapeutic effects of oleuropein against carbon tetrachloride-induced liver damage in mice (vol 65, pg 451, 2012). *Pharmacol Res*. 79: 103-103.
- Domitrović, R; Jakovac, H; Marchesi, VV; Vladimir-Knezević, S; Cvijanović, O; Tadić, Z; Romić, Z; Rahelić, D. (2012). Differential hepatoprotective mechanisms of rutin and quercetin in CCl₄-intoxicated BALB/cN mice. *Acta Pharmacol Sin*. 33: 1260-1270.
- Domitrović, R; Jakovac, H; Milin, C; Radosević-Stasić, B. (2009). Dose- and time-dependent effects of luteolin on carbon tetrachloride-induced hepatotoxicity in mice. *Exp Toxicol Pathol*. 61: 581-589.
- Domitrović, R; Jakovac, H; Romić, Z; Rahelić, D; Tadić, Z. (2010). Antifibrotic activity of Taraxacum officinale root in carbon tetrachloride-induced liver damage in mice. *J Ethnopharmacol*. 130: 569-577.
- Domitrović, R; Rashed, K; Cvijanović, O; Vladimir-Knezević, S; Skoda, M; Visnić, A. (2015). Myricitrin exhibits antioxidant, anti-inflammatory and antifibrotic activity in carbon tetrachloride-intoxicated mice. *Chem Biol Interact*. 230: 21-29.
- Domitrović, R; Skoda, M; Marchesi, VV; Cvijanović, O; Pugel, EP; Stefan, MB. (2013). Rosmarinic acid ameliorates acute liver damage and fibrogenesis in carbon tetrachloride-intoxicated mice. *Food Chem Toxicol*. 51: 370-378.
- Donfack, JH; Simo, CCF; Ngameni, B; Tchana, AN; Kerr, PG; Finzi, PV; Vidari, G; Giardina, S; Buonocore, D; Ngadjui, BT; Moundipa, PF; Marzatico, F. (2010). Antihepatotoxic and Antioxidant Activities of Methanol Extract and Isolated Compounds from Ficus chlamydocarpa. *Natural Product Communications*. 5: 1607-1612.
- Dong, DS; Xu, LN; Yin, LH; Qi, Y; Peng, JY. (2015). Naringin prevents carbon tetrachloride-induced acute liver injury in mice. *Journal of Functional Foods*. 12: 179-191.
- Dong, DS; Zhang, S; Yin, LH; Tang, XQ; Xu, YW; Han, X; Qi, Y; Peng, JY. (2013). Protective effects of the total saponins from Rosa laevigata Michx fruit against carbon tetrachloride-induced acute liver injury in mice. *Food Chem Toxicol*. 62: 120-130.
- Dong, S; Chen, Q-L; Song, Y-N; Sun, Y; Wei, B; Li, X-Y; Hu, Y-Y; Liu, P; Su, S-B. (2016). Mechanisms of CCl₄-induced liver fibrosis with combined transcriptomic and proteomic analysis. *J Toxicol Sci*. 41: 561.
- Dong, W; Lv, B; Wei, F; Yang, L. (2013). Recombinant bovine pancreatic trypsin inhibitor protects the liver from carbon tetrachloride-induced chronic injury in rats. *Pharmaceutical Biology*. 51: 1298-1303.
- Dong, W; Ning, L; Lu, WD; Li, CC; Chen, RP; Jia, XN; Wang, L; Guo, LZ. (2009). Tumor-inhibitory and liver-protective effects of Phellinus igniarius extracellular polysaccharides. *World Journal of Microbiology & Biotechnology*. 25: 633-638.
- Donnelly, KC; Anderson, CS; Barbee, GC; Manek, DJ. (1989). SOIL TOXICOLOGY. Cockerham, L G And B S Shane. 0: 321-352.
- Donovan, MP; Newton, RP; Brown, EG. (1986). FREE NUCLEOTIDES AS INDICES OF CARBON TETRACHLORIDE-INDUCED LIVER INJURY. 621st Meeting Of The Biochemical Society, London, England, UK, December. 15: 676-677.
- Donthamsetty, S; Bhave, VS; Mitra, MS; Latendresse, JR; Mehendale, HM. (2007). Nonalcoholic fatty liver sensitizes rats to carbon tetrachloride hepatotoxicity. *Hepatology*. 45: 391-403.
- Donthamsetty, S; Bhave, VS; Mitra, MS; Latendresse, JR; Mehendale, HM. (2008). Nonalcoholic steatohepatitic (NASH) mice are protected from higher hepatotoxicity of acetaminophen upon induction of PPAR alpha with clofibrate. *Toxicol Appl Pharmacol*. 230: 327-337.
- Doolittle, DJ; Muller, G; Scribner, HE. (1987). Relationship between hepatotoxicity and induction of replicative DNA synthesis following single or multiple doses of carbon tetrachloride. *J Toxicol Environ Health*. 22: 63-78.
- Doong, R; Wu, S. Enhanced biodegradation of carbon tetrachloride by the supplement of substrate and mineral ions under anaerobic condition. *Water environment research : a research publication of the Water Environment Federation*. May/June 1995. v. 67 (3): 276-281.
- Doong, RA; Chang, SM. (2000). Relationship between electron donor and microorganism on the dechlorination of carbon tetrachloride by an anaerobic enrichment culture. *Chemosphere*. 40: 1427-1433.
- Doong, RA; Chen, KT; Tsai, HC. (2003). Reductive dechlorination of carbon tetrachloride and tetrachloroethylene by zerovalent silicon-iron reductants. *Environmental Science & Technology*. 37: 2575-2581.
- Doong, RA; Chen, TF; Chang, WH. (1996). Effects of electron donor and microbial concentration on the enhanced dechlorination of carbon tetrachloride by anaerobic consortia. *Appl Microbiol Biotechnol*. 46: 183-186.

Environmental Hazard Literature Search Results

Off Topic

- Doong, RA; Chen, TF; Wu, YW. (1997). Anaerobic dechlorination of carbon tetrachloride by free-living and attached bacteria under various electron-donor conditions. *Appl Microbiol Biotechnol.* 47: 317-323.
- Doong, RA; Chiang, HC. (2005). Transformation of carbon tetrachloride by thiol reductants in the presence of quinone compounds. *Environmental Science & Technology.* 39: 7460-7468.
- Doong, RA; Hsieh, TC; Huang, CP. (2010). Photoassisted reduction of metal ions and organic dye by titanium dioxide nanoparticles in aqueous solution under anoxic conditions. *Sci Total Environ.* 408: 3334-3341.
- Doong, RA; Lai, YJ. (2005). Dechlorination of tetrachloroethylene by palladized iron in the presence of humic acid. *Water Res.* 39: 2309-2318.
- Doong, RA; Lai, YL. (2006). Effect of metal ions and humic acid on the dechlorination of tetrachloroethylene by zerovalent iron. *Chemosphere.* 64: 371-378.
- Doong, RA; Lee, CC; Chen, KT; Wu, SF. (2004). Coupled reduction of chlorinated hydrocarbons and heavy metals by zerovalent silicon. *Water Science and Technology.* 50: 89-96.
- Doong, RA; Lee, CC; Lien, CM. (2014). Enhanced dechlorination of carbon tetrachloride by *Geobacter sulfurreducens* in the presence of naturally occurring quinones and ferrihydrite. *Chemosphere.* 97: 54-63.
- Doong, RA; Wu, SC. Substrate effects on the enhanced biotransformation of polychlorinated hydrocarbons under anaerobic condition. *Chemosphere.* Apr 1995. v. 30 (8): 1499-1511.
- Doong, RA; Wu, SC. (1992). THE EFFECT OF OXIDATION-REDUCTION POTENTIAL ON THE BIOTRANSFORMATIONS OF CHLORINATED HYDROCARBONS. *Proceedings Of The Sixteenth Biennial Conference Of The International Association On Water Pollution Research And Control, Washington, DC, Usa, May.* 26: 159-168.
- Doong, RA; Wu, SC; Chen, TF. (1998). Modeling transport and fate of chlorinated hydrocarbons governed by biotic transformation in porous media. *Water Res.* 32: 39-46.
- Doong, R-A; Wu, S-C. (1992). Reductive dechlorination of chlorinated hydrocarbons in aqueous solutions containing ferrous and sulfide ions. *Chemosphere.* 24: 1063-1075.
- Dorman, HN; Fowler, HA. (1946). Hemangioma of the kidney; report of an additional case. *The Journal of urology.* 55: 348-357.
- Dorn, C; Hellmann, J; Hellerbrand, C. (2012). Protective effect of xanthohumol on toxin-induced liver inflammation and fibrosis. *Int J Clin Exp Pathol.* 5: 29-36.
- dos Santos, AC; Baggio, CH; Freitas, CS; Lepieszynski, J; Mayer, B; Twardowschy, A; Missau, FC; dos Santos, EP; Pizzolatti, MG; Marques, MCA. (2008). Gastroprotective activity of the chloroform extract of the roots from *Arctium lappa* L. *J Pharm Pharmacol.* 60: 795-801.
- dos Santos, RMB; Muralha, VSF; Correia, CF; Simoes, JAM. (2001). Solvation enthalpies of free radicals: O-O bond strength in di-tert-butylperoxide. *J Am Chem Soc.* 123: 12670-12674.
- Dostalek, M; Brooks, JD; Hardy, KD; Milne, GL; Moore, MM; Sharma, S; Morrow, JD; Guengerich, FP. (2007). In vivo oxidative damage in rats is associated with barbiturate response but not other cytochrome P450 inducers. *Mol Pharmacol.* 72: 1419-1424.
- Doty, SL; Shang, TQ; Wilson, AM; Tangen, J; Westergreen, AD; Newman, LA; Strand, SE; Gordon, MP. (2000). Enhanced metabolism of halogenated hydrocarbons in transgenic plants containing mammalian cytochrome P450 2E1. *Proceedings of the National Academy of Sciences of the United States of America.* 97: 6287-6291.
- Douglas, BH; Clower, BR. (1968). Hepatotoxic effect of carbon tetrachloride during pregnancy. *Am J Obstet Gynecol.* 102: 236-239.
- Dragun, J. (1991). Geochemistry and soil chemistry reactions occurring during in situ vitrification. *J Hazard Mater.* 26: 343-364.
- Drake, JJP. (1974). Effects of carbon tetrachloride on lipid metabolism. *Food Cosmet Toxicol.* 12: 555-559.
- Draper, HH; Polensek, L; Hadley, M; McGirr, LG. (1984). Urinary malondialdehyde as an indicator of lipid peroxidation in the diet and in the tissues. *Lipids.* 19: 836-843.
- Dries, J; Bastiaens, L; Springael, D; Agathos, SN; Diels, L. (2004). Competition for sorption and degradation of chlorinated ethenes in batch zero-valent iron systems. *Environmental Science & Technology.* 38: 2879-2884.
- Drill, VA; Loomis, TA. (1946). Effect of methionine supplements on hepatic injury produced by carbon tetrachloride. *Science (New York, NY).* 103: 199-201.
- Drill, VA; Loomis, TA; Belford, J. (1947). Effect of protein and carbohydrate intake on liver injury produced in dogs by carbon tetrachloride. *The Journal of industrial hygiene and toxicology.* 29: 180-184.
- Dror, I; Baram, D; Berkowitz, B. (2005). Use of nanosized catalysts for transformation of chloro-organic pollutants. *Environmental Science & Technology.* 39: 1283-1290.
- Dror, I; Schlautman, MA. (2003). Role of metalloporphyrin core metals in the mediated reductive dechlorination of tetrachloroethylene. *Environ Toxicol Chem.* 22: 525-533.
- Dror, I; Schlautman, MA. (2004). Cosolvent effect on the catalytic reductive dechlorination of PCE. *Chemosphere.* 57: 1505-1514.
- Dror, I; Schlautman, MA. (2004). Metalloporphyrin solubility: A trigger for catalyzing reductive dechlorination of tetrachloroethylene. *Environ Toxicol Chem.* 23: 252-257.
- Droy, BF; Miller, MR; Freeland, TM; Hinton, DE. (1988). IMMUNOHISTOCHEMICAL DETECTION OF CARBON TETRACHLORIDE-INDUCED MITOSIS-RELATED DNA SYNTHESIS IN LIVERS OF TROUT AND RAT. *Aquat Toxicol.* 13: 155-166.
- Droy, BF; Miller, MR; Freeland, TM; Hinton, DE. (1988). Immunohistochemical detection of CCl₄-induced, mitosis-related DNA synthesis in livers of trout and rat. *Aquat Toxicol.* 13: 155-166.
- Drucker, C; Gewiese, J; Malchow, S; Scheller, J; Rose-John, S. (2010). Impact of interleukin-6 classic- and trans-signaling on liver damage and regeneration. *J Autoimmun.* 34: 29-37.
- D'Souza, SJ; Narurkar, LM; Narurkar, MV. (1994). INDUCTION OF XENOBIOTIC METABOLISING ENZYMES IN RAT LYMPHOCYTES. *Medical Science Research.* 22: 451-453.

Environmental Hazard Literature Search Results

Off Topic

- Dtsch, FORSCHUNGSGEM. (1987). MAXIMUM CONCENTRATIONS AT THE WORKPLACE AND BIOLOGICAL TOLERANCE VALUES FOR WORKING MATERIALS 1987 REPORT NO. XXIII COMMISSION FOR THE INVESTIGATION OF HEALTH HAZARDS OF CHEMICAL COMPOUNDS IN THE WORK AREA. Deutsche Forschungsgemeinschaft Maximum Concentrations At The Workplace And Biological Tolerance Values For Working Materials0-89573.
- Du, JK; Bao, JG; Tong, M; Yuan, SH. (2013). Dechlorination of Pentachlorophenol by Palladium/Iron Nanoparticles Immobilized in a Membrane Synthesized by Sequential and Simultaneous Reduction of Trivalent Iron and Divalent Palladium Ions. *Environ Eng Sci.* 30: 350-356.
- Du, XM; Sun, NY; Chen, Y; Irino, N; Shoyama, Y. (2000). Hepatoprotective aliphatic glycosides from three *Goodyera* species. *Biological & Pharmaceutical Bulletin.* 23: 731-734.
- Du, XM; Sun, NY; Hayashi, J; Chen, Y; Sugiura, M; Shoyama, Y. (2003). Hepatoprotective and antihyperliposis activities of in vitro cultured *Anoectochilus formosanus*. *Phytother Res.* 17: 30-33.
- Dubuisson, L; Desmouliere, A; Decourt, B; Evade, L; Bedin, C; Boussarie, L; Barrier, L; Vidaud, N; Rosenbaum, J. (2002). Inhibition of rat liver fibrogenesis through noradrenergic antagonism. *Hepatology.* 35: 325-331.
- Duc, ATT; Schwab, AJ; Simard, A; Villeneuve, L; Dupuis, J. (2003). Reduction in hepatic endothelin-I clearance in cirrhosis. *Clin Sci (Lond).* 105: 227-234.
- Ducarme, X; Andre, HM; Lebrun, P. (1998). Extracting endogenous microarthropods: A new flotation method using 1,2-dibromoethane. *European Journal of Soil Biology.* 34: 143-150.
- Duchen, LW. (1961). The effects of deprivation of portal blood on the liver and its influence on carbon tetrachloride liver injury in the rat. *Br J Exp Pathol.* 42: 247-252.
- Ducommun, JC; Goldberg, HI; Korobkin, M; Moss, AA; Kressel, HY. (1979). The relation of liver fat to computed tomography numbers: a preliminary experimental study in rabbits. *Radiology.* 130: 511-513.
- Duerk, H; Frank, H. (1984). Carbon tetrachloride metabolism in vivo and exhalation of volatile alkanes: Dependence upon oxygen partial pressure. *Toxicology.* 30: 249-257.
- Duffy, BJ. (1961). 'Carbon tet' -- kidney remover. *GP.* 24: 110.
- Duffy, CC; McCallister, DL; Renken, RR. (1997). Carbon tetrachloride retention by modern and buried soil A horizons. *J Environ Qual.* 26: 1123-1127.
- Dufour, JF; LÃ thi, M. Expression of inositol 1,4,5-trisphosphate receptor isoforms in rat cirrhosis.
- Duh, PD; Lin, SL; Wu, SC. (2011). Hepatoprotection of *Graptopetalum paraguayense* E. Walther on CCl₄-induced liver damage and inflammation. *J Ethnopharmacol.* 134: 379-385.
- Duh, PD; Lin, SL; Wu, SC. (2011). Hepatoprotection of *Graptopetalum paraguayense* E. Walther on CCl₄-induced liver damage and inflammation. *J Ethnopharmacol.* 134: 379-385.
- Dumanoglu, Y; Kara, M; Altioek, H; Odabasi, M; Elbir, T; Bayram, A. (2014). Spatial and seasonal variation and source apportionment of volatile organic compounds (VOCs) in a heavily industrialized region. *Atmos Environ.* 98: 168-178.
- Dumont, JM; Maignan, MF; Janin, B; Herbage, D; Perrissoud, D. (1986). Effect of malotilate on chronic liver injury induced by carbon tetrachloride in the rat. *J Hepatol.* 3: 260-268.
- Duncan, MB; Yang, C; Tanjore, H; Boyle, PM; Keskin, D; Sugimoto, H; Zeisberg, M; Olsen, BR; Kalluri, R. (2013). Type XVIII collagen is essential for survival during acute liver injury in mice. *Disease models & mechanisms.* 6: 942-951.
- Dunn, WJ, III; Emery, SL; Glen, WG; Scott, DR. (1989). Preprocessing, variable selection, and classification rules in the application of SIMCA pattern recognition to mass spectral data. *Environ Sci Technol.* 23: 1499-1505.
- Dunse, BL; Steele, LP; Wilson, S; Fraser, PJ; Krummel, PB. (2005). Trace gas emissions from Melbourne, Australia, based on AGAGE observations at Cape Grim, Tasmania, 1995-2000. *Atmos Environ.* 39: 6334-6344.
- Dupin, S; Delrat, P. Indocyanine green pharmacokinetics in rats with progressive carbon tetrachloride-induced hepatocellular insufficiency.
- Duplantier, JG; Senant, NGREFINSERMEUŠB; Bordeaux, rLŠSBF; Freyburger, G; Laurendeau, I; Herbert, JM; liÅ re, AGREFGREFINSERMEEUŠBL; France, LŠSBF; Rosenbaum, J. (2004). A role for thrombin in liver fibrosis. *Gut.* 53.
- Durden, WD, Jr.; Chipman, DW. (1967). Gasoline sniffing complicated by acute carbon tetrachloride poisoning. *Arch Intern Med.* 119: 371-374.
- Dutta, M; Nath, AK; Uddin, MZ; Hossain, MA; Morshed, MM; Kawsar, MH. (2012). In Vitro Antioxidant, Total Phenolic Content and Brine Shrimp Lethality Studies of *Synedrella nodiflora*. *International Journal of Pharmaceutical Sciences and Drug Research.* 3: 1528.
- Dutta, S; Kamat, M; Gole, D. (1987). COMPARISON OF EFFECTS OF OZONE CADMIUM CHLORIDE AND CARBON TETRACHLORIDE ON CARBON-14 ANTIPYRINE METABOLISM IN CONSCIOUS RATS. *J Appl Toxicol.* 7: 97-104.
- Dutta, S; Kamat, M; Gole, D. (1987). Comparison of effects of ozone, cadmium chloride and carbon tetrachloride on [14C]antipyrine metabolism in conscious rats. *Journal of applied toxicology : JAT.* 7: 97-103.
- Duus, F. (1981). A study of the tautomerism of 2- and 4-ethoxycarbonylthiolan-3-ones implicating stereochemical effects of ring-substitution. *Tetrahedron.* 37: 2633-2640.
- Duwaerts, CC; Gehring, S; Cheng, CW; van Rooijen, N; Gregory, SH. (2013). Contrasting responses of Kupffer cells and inflammatory mononuclear phagocytes to biliary obstruction in a mouse model of cholestatic liver injury. *Liver Int.* 33: 255-265.
- Dux, M; DeÅ k; Eacutr; Depart, PUUoSdmt; r, e; r, SH. Endovanilloids are potential activators of the trigeminovascular nociceptor complex.
- Duxbury, ML; Armstrong, GD; Drew, DJ; Henly, SJ. (1984). Head nurse leadership style with staff nurse burnout and job satisfaction in neonatal intensive care units. *Nursing research.* 33: 97-101.
- Dwivedi, S; Sharma, R; Sharma, A; Zimniak, P; Ceci, JD; Awasthi, YC; Boor, PJ. (2006). The course of CCl₄ induced hepatotoxicity is altered in mGSTA4-4 null (-/-) mice. *Toxicology.* 218: 58-66.

Environmental Hazard Literature Search Results

Off Topic

- Dwivedi, Y; Rastogi, R; Chander, R; Sharma, SK; Kapoor, NK; Garg, NK; Dhawan, BN. (1990). Hepatoprotective activity of picroliv against carbon tetrachloride-induced liver damage in rats. *The Indian journal of medical research*. 92: 195-200.
- Dybas, MJ; Barcelona, M; Bezborodnikov, S; Davies, S; Forney, L; Heuer, H; Kawka, O; Mayotte, T; Sepulveda-Torres, L; Smalla, K; Sneathen, M; Tiedje, J; Voice, T; Wiggert, DC; Witt, ME; Criddle, CS. (1998). Pilot-scale evaluation of bioaugmentation for in-situ remediation of a carbon tetrachloride contaminated aquifer. *Environmental Science & Technology*. 32: 3598-3611.
- Dybas, MJ; Criddle, CS; Zimmerman, SW; Norbach, DH. (1999). Nephrotoxic effects of long-term carbon tetrachloride administration in rats. *Archives of microbiology*. 171: 424-429.
- Dybas, MJ; Hyndman, DW; Heine, R; Tiedje, J; Linning, K; Wiggert, D; Voice, T; Zhao, X; Dybas, L; Criddle, CS. (2002). Development, operation, and long-term performance of a full-scale biocurtain utilizing bioaugmentation. *Environmental Science & Technology*. 36: 3635-3644.
- Dybas, MJ; Mayotte, TJ; Criddle, CS. (1994). USE OF ALKALINE NICHE ADJUSTMENT TO ENABLE COLONIZATION AND REMEDIATION OF CARBON TETRACHLORIDE-CONTAMINATED AQUIFER MATERIALS BY PSEUDOMONAS SP. STRAIN KC. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 441.
- Dybas, MJ; Tatara, GM; Criddle, CS. Localization and characterization of the carbon tetrachloride transformation activity of *Pseudomonas* sp. strain KC. *Appl Environ Microbiol*. Feb 1995. v. 61 (2): 758-762.
- Dyer, M. (1995). THE WATER QUALITY AT LAGO DI VICO DURING 1992-1993. *Sci Total Environ*. 171: 77-83.
- Dygai, AM; Zyuz'kov, GN; Gurto, RV; Zhdanov, VV; Udut, EV; Miroshnichenko, LA; Chaikovskiy, AV; Markova, TS; Simanina, EV; Stavrova, LA; Minakova, MY; Agafonov, VI. (2013). Humoral mechanisms regulating the functions of progenitor cells in chronic hepatitis. *Bull Exp Biol Med*. 154: 303-305.
- Dyrssen, D; Fogelqvist, E; Krysell, M; Sturm, R. (1990). Release of halocarbons from an industrial estuary. *Tellus Ser B Chem Phys Meteorol*. 42: 162-169.
- Dyrssen, D; Petkovič, D. (1965). Distribution studies of tripropyl phosphate between different organic diluents and water. *Journal of Inorganic and Nuclear Chemistry*. 27: 1381-1393.
- Dziegiel, P; Jethon, Z; Suder, E; Sopol, M; Rabczynski, J; Surowiak, P; Zabel, M. (2002). Role of exogenous melatonin in reducing the cardiotoxic effect of daunorubicin and doxorubicin in the rat. *Exp Toxicol Pathol*. 53: 433-439.
- Dziewinski, J; Marczak, S; Nuttall, E; Purdy, G; Smith, W; Taylor, J; Zhou, C. (1992). Development and testing electrochemical methods for treatment metal salts, cyanides and organic compounds in waste stream. *Waste Manag*. 18: 257-263.
- Dzik, T; Simon, K; Gladysz, A; Szozda-Wzorek, J. (1987). MORPHOLOGICAL AND BIOCHEMICAL EVALUATION OF THE COLCHICINE INFLUENCE ON DEVELOPMENT OF EXPERIMENTAL LIVER CIRRHOSIS IN BUFFALO RATS. 22nd Meeting Of The European Association For The Study Of The Liver, Torino, Italy, September. 5.
- Ebaid, H; Al-Tamimi, J; Hassan, I; Alhazza, I; Al-Khalifa, M. (2014). Antioxidant bioactivity of *Samsun ant* (*Pachycondyla sennaarensis*) venom protects against CCL₄-induced nephrotoxicity in mice. *Oxid Med Cell Longev*. 2014: 763061.
- Ebaid, H; Bashandy, SAE; Alhazza, IM; Rady, A; El-Shehry, S. (2013). Folic acid and melatonin ameliorate carbon tetrachloride-induced hepatic injury, oxidative stress and inflammation in rats. *Nutrition and Metabolism*. 10: 513.
- Ebeid, HM; Gibriel, AAY; Al-Sayed, HMA; Elbehairy, SA; Motawe, EH. (2015). Hepatoprotective and Antioxidant Effects of Wheat, Carrot, and Mango as Nutraceutical Agents against CCl₄-Induced Hepatocellular Toxicity. *Journal of the American College of Nutrition*. 34: 228-231.
- Ebel, RE. (1989). PYRAZOLE TREATMENT OF RATS POTENTIATES CARBON TETRACHLORIDE BUT NOT CHLOROFORM-HEPATOTOXICITY. *Biochem Biophys Res Commun*. 161: 615-618.
- Ebel, RE. (1989). Pyrazole treatment of rats potentiates CCl₄-but not CHCl₃-hepatotoxicity. *Biochem Biophys Res Commun*. 161: 615-618.
- Ebel, RE; McGrath, EA. (1984). CCl₄-hepatotoxicity in the Mongolian gerbil: Influence of monooxygenase system induction. *Toxicol Lett*. 22: 205-210.
- Eccles, W; Jasinski, M; Kaszynski, P; Zienkiewicz, K; Stulgies, B; Jankowiak, A. (2008). Reactivity of 13,13-dibromo-2,4,9,11-tetraoxadispiro 5.0.5.1 tridecane toward organolithiums: Remarkable resistance to the DMS rearrangement. *J Org Chem*. 73: 5732-5744.
- Eden, E; Harrison, DD. (1955). Studies in carbon tetrachloride poisoning. III. The possible role of sulphur amino acids in detoxication. *The Australian journal of experimental biology and medical science*. 33: 85-89.
- Eden, E; Harrison, DD; Linnane, AW. (1954). Studies in carbon tetrachloride poisoning. II. The effect on creatine metabolism. *The Australian journal of experimental biology and medical science*. 32: 341-345.
- Eden, E; Harrison, DD; Linnane, AW. (1956). Studies in carbon tetrachloride poisoning. I. The detection and estimation of creatine and related compounds. *J Clin Pathol*. 32: 333-339.
- Edfawy, M; Hassan, MH; Mansour, A; Hamed, AA; Amin, HAA. (2012). Meloxicam Modulates Oxidative Stress Status, Inhibits Prostaglandin E₂, and Abrogates Apoptosis in Carbon Tetrachloride-Induced Rat Hepatic Injury. *Int J Toxicol*. 31: 276-286.
- Edwards, FG; Egemen, E; Brennan, R; Nirmalakhandan, N. (1999). Ranking of Toxics Release Inventory chemicals using a Level III fugacity model and toxicity. *Water Science And Technology*. 39: 83-90.
- Egashira, T; Yamamoto, T; Kuroiwa, Y. (1982). Protective effects of diisopropyl 1, 3-dithiol-2-ylidene malonate (NKK-105) on liver injury by carbon tetrachloride (CCl₄). *The Journal of toxicological sciences*. 7: 13-18.
- Egli, C; Scholtz, R; Cook, AM; Leisinger, T. (1987). Anaerobic dechlorination of tetrachloromethane and 1,2-dichloroethane to degradable products by pure cultures of *Desulfobacterium* sp. and *Methanobacterium* sp. *FEMS Microbiol Lett*. 43: 257-261.
- Egli, C; Stromeyer, S; Cook, AM; Leisinger, T. (1990). Transformation of tetra- and trichloromethane to CO₂ by anaerobic bacteria is a non-enzymic process. *FEMS Microbiol Lett*. 68: 207-212.

Environmental Hazard Literature Search Results

Off Topic

- Egli, C; Stromeyer, S; Cook, AM; Leisinger, T. (1990). Transformation of tetra- and trichloromethane to CO₂, by anaerobic bacteria is a non-enzymic process. *FEMS Microbiol Lett.* 68: 207-212.
- Ehling, J; Bartneck, M; Wei, X; Gremse, F; Fech, V; Mockel, D; Baeck, C; Hittatiya, K; Eulberg, D; Luedde, T; Kiessling, F; Trautwein, C; Lammers, T; Tacke, F. (2014). CCL2-dependent infiltrating macrophages promote angiogenesis in progressive liver fibrosis. *Gut.* 63: 1960-1971.
- Ehrnpreis, MN; Giambrone, MA; Rojkind, M. (1980). Liver proline oxidase activity and collagen synthesis in rats with cirrhosis induced by carbon tetrachloride. *Biochim Biophys Acta.* 629: 184-193.
- Eichhorst, S; Ramadori, G; Bengmark, S; Olsson, R. (1999). EFFECT OF VITAMIN B12 ON LIVER REGENERATION AFTER PARTIAL HEPATECTOMY. *Am J Pathol.* 154: 153-167.
- Eidi, A; Eidi, M; Al-Ebrahim, M; Rohani, AH; Mortazavi, P. (2011). Protective effects of sodium molybdate on carbon tetrachloride-induced hepatotoxicity in rats. *J Trace Elem Biol.* 25: 67-71.
- Eidi, A; Moghadam, JZ; Mortazavi, P; Rezazadeh, S; Olamafar, S. (2013). Hepatoprotective effects of Juglans regia extract against CCl₄-induced oxidative damage in rats. *Pharmaceutical Biology.* 51: 558-565.
- Eidi, A; Mortazavi, P; Bazargan, M; Zaringhalam, J. (2012). Hepatoprotective activity of cinnamon ethanolic extract against CCl₄-induced liver injury in rats. *EXCLI Journal.* 11: 495-507.
- Eidi, A; Mortazavi, P; Behzadi, K; Rohani, AH; Safi, S. (2013). Hepatoprotective Effect of Manganese Chloride Against CCl₄-Induced Liver Injury in Rats. *Biol Trace Elem Res.* 155: 267-275.
- Eidi, A; Mortazavi, P; Moghadam, JZ; Mardani, PM. (2015). Hepatoprotective effects of Portulaca oleracea extract against CCl₄-induced damage in rats. *Pharmaceutical Biology.* 53: 1042-1051.
- Eidi, A; Mortazavi, P; Moradi, F; Rohani, AH; Safi, S. (2013). Magnesium attenuates carbon tetrachloride-induced hepatic injury in rats. *Magnes Res.* 26: 165-175.
- Eipel, C; Eisold, M; Schuett, H; Vollmar, B. (2007). Inhibition of heme oxygenase-1 protects against tissue injury in carbon tetrachloride exposed livers. *J Surg Res.* 139: 113-120.
- Ekblad-Sekund, G; Walum, E. (1991). Astrocytic regulatory functions: A possible target for CNS effects of organic solvents. *Toxicol In Vitro.* 5: 503-506.
- Eklund, G; Pedersen, JR; Stromberg, B. (1988). METHANE HYDROGEN CHLORIDE AND OXYGEN FORM A WIDE RANGE OF CHLORINATED ORGANIC SPECIES IN THE TEMPERATURE RANGE 400 C-950 C. *Chemosphere.* 17: 575-586.
- Ekor, M; Odewabi, AO; Kale, OE; Adesanoye, OA; Bamidele, TO. (2013). Celecoxib, a selective cyclooxygenase-2 inhibitor, lowers plasma cholesterol and attenuates hepatic lipid peroxidation during carbon-tetrachloride-associated hepatotoxicity in rats. *Drug Chem Toxicol.* 36: 1-8.
- Ekström, T; Ståhl, A; Sigvardsson, K; Hågerberg, J. (1986). Lipid peroxidation in vivo monitored as ethane exhalation and malondialdehyde excretion in urine after oral administration of chloroform. *Acta Pharmacol Toxicol.* 5: 289-296.
- Ekwall, B; Acosta, D. (1982). In vitro comparative toxicity of selected drugs and chemicals in HeLa cells, Chang liver cells, and rat hepatocytes. *Br J Exp Pathol.* 5: 219-231.
- El, BK; Hashimoto, Y; Muzandu, K; Ikenaka, Y; Ibrahim, ZS; Kazusaka, A; Fujita, S; Ishizuka, M. (2009). Protective effect of Pleurotus cornucopiae mushroom extract on carbon tetrachloride-induced hepatotoxicity. *The Japanese journal of veterinary research.* 57: 109-118.
- El, FANTROUSSIS; Naveau, H; Agathos, SN. (1998). Anaerobic dechlorinating bacteria. *Biotechnol Prog.* 14: 167-188.
- El, SISIA; Earnest, D; Sipes, IG. (1987). ROLE OF ACTIVE OXYGEN SPECIES AND KUPFFER CELLS IN RETINOL POTENTIATION OF CHEMICALLY INDUCED LIVER INJURY. Joint Japan Usa Congress Of Pharmaceutical Sciences, Honolulu, Hawaii, Usa, December. 76.
- Elagöz, V; M, MWJ. (2005). Responses of sensitive and tolerant bush beans (*Phaseolus vulgaris* L.) to ozone in open-top chambers are influenced by phenotypic differences, morphological characteristics, and the chamber environment. *Environmental pollution (Barking, Essex : 1987).* 136: 371-383.
- El-Agamy, DS. (2010). Comparative effects of curcumin and resveratrol on aflatoxin B(1)-induced liver injury in rats. *Arch Toxicol.* 84: 389-396.
- El-Agroudy, NN; El-Naga, R; Abd El-Razeq, R; El-Demerdash, E. (2016). Forskolol, a hedgehog signalling inhibitor, attenuates carbon tetrachloride-induced liver fibrosis in rats. *Br J Pharmacol.* 173: 3248-3260.
- El-Ashmawy, NE; El-Bahrawy, HA; Shamloula, MM; Ibrahim, AO. (2015). Antifibrotic effect of AT-1 blocker and statin in rats with hepatic fibrosis. *Clin Exp Pharmacol Physiol.* 42: 979-987.
- Elbarbry, F; Ragheb, A; Marfleet, T; Shoker, A. (2012). Modulation of Hepatic Drug Metabolizing Enzymes by Dietary Doses of Thymoquinone in Female New Zealand White Rabbits. *Phytother Res.* 26: 1726-1730.
- El-Batch, M; Ibrahim, W; Said, S. (2011). Effect of Histidine on Autotaxin Activity in Experimentally Induced Liver Fibrosis. *J Biochem Mol Toxicol.* 25: 143-150.
- El-Batta, A; Jiang, CC; Zhao, W; Anness, R; Cooksy, AL; Bergdahl, M. (2007). Wittig reactions in water media employing stabilized ylides with aldehydes. Synthesis of alpha,beta-unsaturated esters from mixing aldehydes, alpha-bromoesters, and Ph(3)P in aqueous NaHCO₃. *J Org Chem.* 72: 5244-5259.
- Elberry, AA; Harraz, FM; Ghareib, SA; Nagy, AA; Gabr, SA; Suliaman, MI; Abdel-Sattar, E. (2010). Antihepatotoxic effect of marrubium vulgare and withania somnifera extracts on carbon tetrachloride-induced hepatotoxicity in rats. *Journal of Basic and Clinical Pharmacy.* 1: 247-254.
- El-Dakhkhny, M; Mady, NI; Halim, MA. (2000). Nigella sativa L. oil protects against induced hepatotoxicity and improves serum lipid profile in rats. *Arzneimittel-Forschung-Drug Research.* 50: 832-836.
- el-Demerdash, E; el-Denshary, E-D; el-didi, M; Al-Gharabli, N; Osman, AM. (2002). Probuco and liver efficiency during chemically-induced hepatocarcinogenesis. *Anticancer Res.* 22: 977-984.

Environmental Hazard Literature Search Results

Off Topic

- El-Demerdash, E; Salam, OMA; El-Batran, SA; Abdallah, HMI; Shaffie, NM. (2008). Inhibition of the renin-angiotensin system attenuates the development of liver fibrosis and oxidative stress in rats. *Clin Exp Pharmacol Physiol.* 35: 159-167.
- el-Dessoukey, EA; Awadallah, R; el-Attar, S. Biochemical changes under the effect of carbon tetrachloride intoxication. *Dec 1977, 16 (4): 217-222.*
- el-Dessoukey, EA; Tahani, HM; Awadallah, R; Zinat, HA; Kotb, NA. (1978). Effect of phenobarbitone and propionyl-promazine on serum enzymes in carbon-tetrachloride hepatotoxicity. *Zeitschrift für Ernährungswissenschaft.* 17: 159-168.
- EleÄ kovÄj, L; Balogh, IS; Imrich, J; Andruch, V. (2015). Application of cinnamoyl derivative as a new ligand for dispersive liquid-liquid microextraction and spectrophotometric determination of cobalt. *Journal of analytical chemistry.* 70: 298-304.
- Elgawish, RAR; Rahman, HGA; Abdelrazek, HMA. (2015). Green tea extract attenuates CCl₄-induced hepatic injury in male hamsters via inhibition of lipid peroxidation and p53-mediated apoptosis. *Toxicology Reports.* 2: 1149-1156.
- Elgengaihi, S; Mossa, AT; Refaie, AA; Aboubaker, D. (2016). Hepatoprotective Efficacy of Cichorium intybus L. Extract Against Carbon Tetrachloride-induced Liver Damage in Rats. *Journal of Dietary Supplements.* 13: 570-584.
- El-Gengaihi, SE; Hamed, MA; Khalaf-Allah, A-R; Mohammed, MA. (2013). Golden berry juice attenuates the severity of hepatorenal injury. *Journal of Dietary Supplements.* 10: 357-369.
- El-Gengaihi, SE; Hassan, EE; Hamed, MA; Zahran, HG; Mohammed, MA. (2013). Chemical composition and biological evaluation of *Physalis peruviana* root as hepato-renal protective agent. *Journal of Dietary Supplements.* 10: 39-53.
- El-Halawany, AM; El, DRS; El, SNS; Hattori, M. (2014). Protective effect of *Aframomum melegueta* phenolics against CCl₄-induced rat hepatocytes damage; role of apoptosis and pro-inflammatory cytokines inhibition. *Sci Rep.* 4: 5880.
- Elias, AN; Vaziri, ND; Pandian, MR; Domurat, E; Ansari, MA; Yazdani, M. (1988). Atrial natriuretic peptide, arginine vasopressin, and the renin-angiotensin system in carbon tetrachloride-induced hepatitis in rats. *Res Comm Chem Pathol Pharmacol.* 60: 401-408.
- el-Kateb, H; Soliman, A; Elwi, AM; Kamel, SH. (1965). The prophylactic effect of vitamin E against hepatotoxicity induced by carbon tetrachloride. *The Journal of the Egyptian Medical Association.* 48: 491-501.
- El-Khatib, AS; Agha, AM; Mahran, LG; Khayyal, MT. (2002). Prophylactic effect of aqueous propolis extract against acute experimental hepatotoxicity in vivo. *Zeitschrift Für Naturforschung Section C-a Journal of Biosciences.* 57: 379-385.
- El-Khatib, AS; Mansour, MA. (2001). Prior treatment with captopril attenuates carbon tetrachloride-induced liver injury in mice. *Res Commun Mol Pathol Pharmacol.* 110: 3-16.
- Elkhatib, EA; Bennett, OL; Baligar, VC; Wright, RJ. A centrifuge method for obtaining soil solution using an immiscible liquid. *Soil Sci Soc Am J. Mar/Apr 1986. v. 50 (2): 297-299.*
- Ellerd, MG; Massmann, JW; Schwaegler, DP; Rohay, VJ. (1999). Enhancements for passive vapor extraction: The Hanford study. *Ground Water.* 37: 427-437.
- Ellinger, C; Seffner, W; Schiller, F. (1991). Investigations on the sensitivity of several biochemical and histological methods after liver intoxication induced by pentachlorophenol and carbon tetrachloride. *Archives of toxicology Supplement = Archiv für Toxikologie Supplement.* 14: 63-67.
- Elliot, AJ; Vo, LT; Grossman, VL; Bhathal, PS; Grossman, HJ. (1997). Endothelin-induced vasoconstriction in isolated perfused liver preparations from normal and cirrhotic rats. *J Gastroenterol Hepatol.* 12: 314-318.
- Ellis, RL. (1995). RAPID TEST METHODS FOR REGULATORY PROGRAMS. Beier, R C And L H Stanker. 621: 44-58.
- Ellis, S; Sanders, S; Bodansky, O. (1947). Carbon tetrachloride liver damage and acetylcholine esterase activity in the rabbit and rat. *Fed Proc.* 6: 328.
- Elloy, FC; Teel, AL; Watts, RJ. (2014). Activation of Persulfate by Surfactants under Acidic and Basic Conditions. *Ground Water Monitoring and Remediation.* 34: 51-59.
- El-Masri, HA; Thomas, RS; Sabados, GR; Phillips, JK; Constan, AA; Benjamin, SA; Andersen, ME; Mehendale, HM; Yang, RSH. (1996). Physiologically based pharmacokinetic/pharmacodynamic modeling of the toxicologic interaction between carbon tetrachloride and Kepone. *Arch Toxicol.* 70: 704-713.
- Elnour, A; Bamosa, A; Al Meheithif, A; Aleissa, K. (2013). Amelioration of Severe Carbon Tetrachloride Toxicity by Zamzam Water in Rats. *Journal of Nutrition & Food Sciences.* 3: 1.
- Eloff, JN. (2001). Antibacterial activity of *Marula* (*Sclerocarya birrea* (A. rich.) Hochst. subsp *caffra* (Sond.) Kokwaro) (*Anacardiaceae*) bark and leaves. *J Ethnopharmacol.* 76: 305-308.
- El-Samaligy, MS; Afifi, NN; Mahmoud, EA. (2006). Evaluation of hybrid liposomes-encapsulated silymarin regarding physical stability and in vivo performance. *Int J Pharm.* 319: 121-129.
- El-Sayed, A; Jager, J; Bonner, BM; Redmann, T; Kaleta, EF. (2005). The seeds of *Nigella sativa* as a feed additive to male layer-type chicks: lack of hepato- and nephrotoxicity and failure of immunomodulation following vaccinations with paramyxovirus types 2 and 3 and only minor efficacy on spontaneous *Eimeria tenella* coccidiosis. *Archiv Für Geflügelkunde.* 69: 27-34.
- El-Sayed, WM. (2011). Upregulation of Chemoprotective Enzymes and Glutathione by *Nigella sativa* (Black Seed) and Thymoquinone in CCl₄-Intoxicated Rats. *Int J Toxicol.* 30: 707-714.
- El-Sayed, YS; Lebda, MA; Hassinin, M; Neoman, SA. (2015). Chicory (*Cichorium intybus* L.) root extract regulates the oxidative status and antioxidant gene transcripts in CCl₄-induced hepatotoxicity. *PLoS ONE.* 10: e0121549.
- El-Shaarawi, AH; Esterby, SR; Warry, ND; Kuntz, KW. (1985). EVIDENCE OF CONTAMINANT LOADING TO LAKE ONTARIO FROM THE NIAGARA RIVER USA CANADA. *Can J Fish Aquat Sci.* 42: 1278-1289.
- Elshal, M; Abu-Elsaad, N; El-Karef, A; Ibrahim, TM. (2015). The multi-kinase inhibitor pazopanib targets hepatic stellate cell activation and apoptosis alleviating progression of liver fibrosis. *Naunyn-Schmiedeberg's Archives of Pharmacology.* 388: 1293-1304.

Environmental Hazard Literature Search Results

Off Topic

- El-Sharkawy, EE; Kames, AOG; Sayed, SM; Nisir, N; Wahba, NM; Elsherif, WM; Nafady, AM; Abdel-Hafeez, MM; Aamer, AA. (2014). The ameliorative effect of propolis against methoxychlor induced ovarian toxicity in rat. *Exp Toxicol Pathol.* 66: 415-421.
- ELSisi, AED; Earnest, DL; Sipes, IG. Vitamin A potentiation of carbon tetrachloride hepatotoxicity: enhanced lipid peroxidation without enhanced biotransformation. *Toxicol Appl Pharmacol.* Apr 1993. v. 119 (2): 289-294.
- ELSisi, AED; Earnest, DL; Sipes, IG. (1993). Vitamin A potentiation of carbon tetrachloride hepatotoxicity: Role of liver macrophages and active oxygen species. *Toxicol Appl Pharmacol.* 119: 295-301.
- ELSisi, AED; Hall, P; Sim, WL; Earnest, DL; Sipes, IG. (1993). Characterization of vitamin A potentiation of carbon tetrachloride-induced liver injury. *Toxicol Appl Pharmacol.* 119: 280-288.
- Elsner, M; Haderlein, SB; Kellerhals, T; Luzi, S; Zwank, L; Angst, W; Schwarzenbach, RP. (2004). Mechanisms and products of surface-mediated reductive dehalogenation of carbon tetrachloride by Fe(II) on goethite. *Environmental Science & Technology.* 38: 2058-2066.
- Elsner, M; Schwarzenbach, RP; Haderlein, SB. (2004). Reactivity of Fe(II)-bearing minerals toward reductive transformation of organic contaminants. *Environmental Science & Technology.* 38: 799-807.
- Elson, KE; Jenkins, ID; Loughlin, WA. (2003). The Hendrickson reagent and the Mitsunobu reaction: a mechanistic study. *Organic & Biomolecular Chemistry.* 1: 2958-2965.
- Elwi, AM; Kamel, SH; el-Kateb, H; Soliman, MA. (1966). Pathological study of the hepatotoxicity of carbon tetrachloride. *Deutsche Zahnärztliche Zeitschrift.* 21: 583-596.
- Ely, RL; Williamson, KJ; Hyman, MR; Arp, DJ. Cometabolism of chlorinated solvents by nitrifying bacteria: kinetics, substrate interactions, toxicity effects, and bacterial response. *Biotechnol Bioeng.* June 20, 1997. v. 54 (6): 520-534.
- Endemann, DH; Sugano, M; Imaizumi, K; Cho, S; Hori, K; Wada, M. (2009). Hepatotoxicity and lipid metabolism. I. Structure of liver triglyceride in rats dosed with carbon tetrachloride. *American journal of physiology Gastrointestinal and liver physiology.* 297: G849-857.
- Endoh, D; Okui, T; Ozawa, S; Yamato, O; Kon, Y; Arikawa, J; Hayashi, M. (2002). Protective effect of a lignan-containing flaxseed extract against CCl₄-induced hepatic injury. *J Vet Med Sci.* 64: 761-765.
- Enechi, OC; Odo, CE; Wuave, CP. (2013). Evaluation of the *in vitro* anti-oxidant activity of *Alternanthera brasiliana* leaves. *Journal of Pharmacy Research.* 6: 919-924.
- Engin, A; Ferahkose, Z; Ozdemir, E; Altan, N. (1988). LIVER GLYCOGEN IN GANGRENOUS INTESTINAL OBSTRUCTION. *Res Exp Med.* 188: 299-304.
- Englande, AJJR. (1997). Effects of electron donor, dissolved oxygen, and oxidation-reduction potential biodegradation of carbon tetrachloride by *Escherichia coli* K-12. AU - JIN G. *Water Environ Res.* 69: 1100-1105.
- English, JC; Anders, MW. (1985). Evidence for the metabolism of N-nitrosodimethylamine and carbon tetrachloride by a common isozyme of cytochrome P-450. *Drug Metab Dispos.* 13: 449-452.
- Engström, A; Mouzon, J; Čárdoba, JM; Tegman, R; Antti, ML. (2012). Synthesis of a TiCN/SiC polyhedron and elongated crystals nanopowder at low nitrogen concentration. *Mater Lett.* 81: 148-150.
- Enrich, EC; Ginás, P; Bataller, R; Sancho-Bru, P; Wan, LS. (1367). Stability of salicylic acid and cetrimide system in the presence of additives. *Hepatolog.* Oct. 60: 1367-1377.
- Enzan, H. (1985). Proliferation of Ito cells (fat-storing cells) in acute carbon tetrachloride liver injury. A light and electron microscopic autoradiographic study. *Acta Pathol Jpn.* 35: 1301-1308.
- Enzan, H. (1987). Protein synthesis in Ito cells (fat-storing cells) of cultured liver tissues from CCL₄-treated mice. A light and electron microscopic autoradiographic study. *Acta Pathol Jpn.* 37: 225-230.
- Enzan, H. (1987). PROTEIN SYNTHESIS IN ITO CELLS FAT-STORING CELLS OF CULTURED LIVER TISSUES FROM CARBON TETRACHLORIDE-TREATED MICE A LIGHT AND ELECTRON MICROSCOPIC AUTORADIOGRAPHIC STUDY. *Acta Pathol Jpn.* 37: 225-230.
- Epperson, ER; Frye, H. (1966). The action of carbon tetrachloride on molybdenum(IV) oxide. Tungsten(IV) oxide, and tungsten(VI) oxide. *Inorganic and Nuclear Chemistry Letters.* 2: 223-226.
- Erami, K; Tanaka, Y; Kawamura, S; Miyago, M; Sawazaki, A; Imaizumi, K; Sato, M. (2016). Dietary Egg Yolk Supplementation Improves Low-Protein-Diet-Induced Fatty Liver in Rats. *J Nutr Sci Vitaminol.* 62: 240-248.
- Erbs, M; Hansen, HCB; Olsen, CE. (1999). Reductive dechlorination of carbon tetrachloride using iron(II) iron(III) hydroxide sulfate (green rust). *Environmental Science & Technology.* 33: 307-311.
- Eren, Z; Ince, NH. (2010). Sonolytic and sonocatalytic degradation of azo dyes by low and high frequency ultrasound. *J Hazard Mater.* 177: 1019-1024.
- Eriksson, C; Brandt, I. (1991). Metabolic activation of halogenated hydrocarbons in the conjunctival epithelium and excretory ducts of the intraorbital lacrimal gland in mice. AU - BRITTEBO EB. *Exp Eye Res.* 52: 245-252.
- Eriksson, L; Jonsson, J; Berglind, R. (1993). External validation of a QSAR for the acute toxicity of halogenated aliphatic hydrocarbons. *Environ Toxicol Chem.* 12: 1185-1191.
- Eriksson, L; Jonsson, J; Hellberg, S; Lindgren, F; Skagerberg, B; Sjostrom, M; Wold, S; Berglind, R. (1990). A strategy for ranking environmentally occurring chemicals: Part III. Multivariate quantitative structure-activity relationships for halogenated aliphatics. *Environ Toxicol Chem.* 9: 1339-1352.
- Eriksson, L; Jonsson, J; Sjostrom, M; Wold, S. (1989). A strategy for ranking environmentally occurring chemicals: Part II. An illustration with two data sets of chlorinated aliphatics and aliphatic alcohols. *Chemometrics Intelligent Lab Syst.* 7: 131-142.
- Eriksson, L; Jonsson, J; Tysklind, M. (1995). Multivariate QSBR modeling of biodehalogenation half-lives of halogenated aliphatic hydrocarbons. *Environ Toxicol Chem.* 14: 209-217.
- Eriksson, L; Jonsson, J; Hellberg, S; Lindgren, F; Sjoestroem, M; Wold, S. (1991). A strategy for ranking environmentally occurring chemicals: Part V. The development of two genotoxicity QSARs for halogenated aliphatics. *Environ Toxicol Chem.* 10: 585-596.

Environmental Hazard Literature Search Results

Off Topic

- Erman, F; Balkan, J; Cevikbas, U; Kocak-Toker, N; Uysal, M. (2004). Betaine or taurine administration prevents fibrosis and lipid peroxidation induced by rat liver by ethanol plus carbon tetrachloride intoxication. *Amino Acids*. 27: 199-205.
- Ersenkul, DA; Ziylan, A; Ince, NH; Acar, HY; Demirer, M; Copty, NK. (2011). Impact of dilution on the transport of poly(acrylic acid) supported magnetite nanoparticles in porous media. *J Contam Hydrol*. 126: 248-257.
- Es, HM; Dehghan, G; Banihabib, N; Zare, S; Mikaili, P; Panahi, F. (2014). Protective effects of *Cornus mas* fruit extract on carbon tetrachloride induced nephrotoxicity in rats. *Indian J Nephrol*. 24: 291-296.
- Escobar, C; Mendoza, JY; Salazar-Juarez, A; Avila, J; Hernandez-Munoz, R; Diaz-Munoz, M; Aguilar-Roblero, R. (2002). Rats made cirrhotic by chronic CCl₄ treatment still exhibit anticipatory activity to a restricted feeding schedule. *Chronobiol Int*. 19: 1073-1086.
- Esmaili, MA; Alilou, M. (2014). Naringenin attenuates CCl₄-induced hepatic inflammation by the activation of an Nrf2-mediated pathway in rats. *Clin Exp Pharmacol Physiol*. 41: 416-422.
- Espandiar, P; Glauert, HP; Lehmler, HJ; Lee, EY; Srinivasan, C; Robertson, LW. (2003). Polychlorinated biphenyls as initiators in liver carcinogenesis: resistant hepatocyte model. *Toxicol Appl Pharmacol*. 186: 55-62.
- Espandiar, P; Glauert, HP; Lehmler, HJ; Lee, EY; Srinivasan, C; Robertson, LW. (2004). Initiating activity of 4-chlorobiphenyl metabolites in the resistant hepatocyte model. *Toxicol Sci*. 79: 41-46.
- Espanol-Suner, R; Carpentier, R; Van Hul, N; Legry, V; Achouri, Y; Cordi, S; Jacquemin, P; Lemaigre, F; Leclercq, IA. (2012). Liver Progenitor Cells Yield Functional Hepatocytes in Response to Chronic Liver Injury in Mice. *Gastroenterology*. 143: 1564-+.
- Espinosa-Aguisa-Aguirre, JJ; Soliman, MA; Fahmy, SA; De, HHA. (2013). Liver cell regeneration in prophylaxis and treatment of carbon tetrachloride hepatotoxicity. *Evid Based Complement Alternat Med*. 659013: 214-222.
- Esteban-Zubero, E; Alatorre-Jiménez, MSA; López-Pingarrón, L; Reyes-Gonzales, MC; Almeida-Souza, P; Cantin-Golet, A; Ruiz-Ruiz, FJ; Tan, D-X; García-a, JJ; Reiter, RJ. (2016). Melatonin's role in preventing toxin-related and sepsis-mediated hepatic damage: A review. *Pharmacol Res*. 105: 108-120.
- Esteban-Zubero, E; Alatorre-Jimenez, MA; Lopez-Pingarron, L; Reyes-Gonzales, MC; Almeida-Souza, P; Cantin-Golet, A; Ruiz-Ruiz, FJ; Tan, DX; Garcia, JJ; Reiter, RJ. (2016). Melatonin's role in preventing toxin-related and sepsis-mediated hepatic damage: A review. *Pharmacol Res*. 105: 108-120.
- Estler, CJ; Schmidt, B; Pesch, HJ. (1973). Investigation of the accumulation of fat in the kidneys of mice poisoned with carbon tetrachloride. *Archiv für Toxikologie*. 30: 103-110.
- Etienne-Mesmin, L; Vijay-Kumar, M; Gewirtz, AT; Chassaing, B. (2016). Hepatocyte Toll-Like Receptor 5 Promotes Bacterial Clearance and Protects Mice Against High-Fat Diet-Induced Liver Disease. *CMGH Cellular and Molecular Gastroenterology and Hepatology*. 2: 584-604.
- Etim, O; Akpan, E; Usuh, I. (2008). Hepatotoxicity of carbon tetrachloride: protective effect of *Gongronema latifolium*. *Pak J Pharm Sci*. 21: 268-274.
- Eum, HA; Lee, JH; Yang, MC; Shim, KS; Lee, JH; Ma, JY. (2011). Protective effect of *Ssanghwa-tang* fermented by *Lactobacillus fermentum* against carbon tetrachloride-induced acute hepatotoxicity in rats. *African journal of traditional, complementary, and alternative medicines : AJTCAM / African Networks on Ethnomedicines*. 8: 312-321.
- Evans, HE; Kyte, WS. (1991). THE IMPACT OF RECENT LEGISLATION ON THE UK GENERATION INDUSTRY. *Chow, W And K K Connor*. 0: 44-57.
- Evans, MAB. (1987). PHOTOSENSITIZATION A CASE REPORT. *Bovine Pract*. 0: 209-211.
- Evans, MV; Simmons, JE. (1996). Physiologically based pharmacokinetic estimated metabolic constants and hepatotoxicity of carbon tetrachloride after methanol pretreatment in rats. *Toxicol Appl Pharmacol*. 140: 245-253.
- Everett, RM; Duncan, JR; Prasse, KW. (1977). Alkaline phosphatase, leucine aminopeptidase, and alanine aminotransferase activities with obstructive and toxic hepatic disease in cats. *Am J Vet Res*. 38: 963-966.
- Eybl, V; Caisová, D. Influence of iron chelators, 1,2-dialkyl-3-hydroxypyridin-4-ones, on the lipid peroxidation and glutathione level in the liver of mice.
- Ezquerro, I-J; Lasarte, J-J; Dotor, J; Castilla-Cortázar, I; Bustos, M; Peñuelas, In; Blanco, G; Rodríguez, C; Lechuga, MadCG; Greenwel, P; Rojkind, M; Prieto, Js; Borrás-Cuesta, F. (2006). Corrigendum to "A synthetic peptide from transforming growth factor β^2 type III receptor inhibits liver fibrogenesis in rats with carbon tetrachloride liver injury" [Cytokine 22 (2003) 12-20]. *Cytokine*. 33: 119.
- Fa; Gruebele, A; Zawaski, K; Novak, RF. (1989). THE ROLE OF CYTOCHROME P450-CATALYZED CCL-4 METABOLISM IN IMMEDIATE EARLY F-FOS AND C-JUN GENE EXPRESSION. *Life Sci*. 8.
- Fabila, D; de, IRaJM; Stolik, S; Mau, ME. In vivo assessment of liver fibrosis using diffuse reflectance and fluorescence spectroscopy: a proof of concept.
- Fahim, FA; Esmat, AY; Fadel, HM; Hassan, KFS. (1999). Allied studies on the effect of *Rosmarinus officinalis* L-on experimental hepatotoxicity and mutagenesis. *International Journal of Food Sciences and Nutrition*. 50: 413-427.
- Fahmy, NM; Al-Sayed, E; Abdel-Daim, MM; Karonen, M; Singab, AN. (2016). Protective effect of *Terminalia muelleri* against carbon tetrachloride-induced hepato and nephro-toxicity in mice and characterization of its bioactive constituents. *Pharmaceutical Biology*. 54: 303-313.
- Fahmy, SR; Abdel-Ghaffar, F; Bakry, FA; Sayed, DA. (2014). Ecotoxicological Effect of Sublethal Exposure to Zinc Oxide Nanoparticles on Freshwater Snail *Biomphalaria alexandrina*. *Arch Environ Contam Toxicol*. 67: 192-202.
- Fahmy, SR; Hamdi, SA. (2011). Curative effect of the Egyptian marine *Erugosquilla massavensis* extract on carbon tetrachloride-induced oxidative stress in rat liver and erythrocytes. *Eur Rev Med Pharmacol Sci*. 15: 303-312.
- Fakjian, N; Buckpitt, AR. (1984). Metabolism of bromobenzene to glutathione adducts in lung slices from mice treated with pneumotoxicants. *Biochem Pharmacol*. 33: 1479-1486.

Environmental Hazard Literature Search Results

Off Topic

- Falk, HL. (1963). METABOLISM OF BENZO(A)PYRENE IN RATS WITH AND WITHOUT LIVER INJURY. *Acta - Unio Internationalis Contra Cancrum*. 19: 528-530.
- Fallu, J; Salier, JP; Daveau, M; Recknagel, RO; Ghoshal, AK. (1999). Lipoperoxidation as a vector in carbon tetrachloride hepatotoxicity. *The American journal of physiology*. 277: G838-846.
- Fan, DM; Bradley, MJ; Hinkle, AW; Johnson, RL; Tratnyek, PG. (2016). Chemical Reactivity Probes for Assessing Abiotic Natural Attenuation by Reducing Iron Minerals. *Environmental Science & Technology*. 50: 1868-1876.
- Fan, GJ; Tang, JJ; Bhadauria, M; Nirala, SK; Dai, F; Zhou, B; Li, Y; Liu, ZL. (2009). Resveratrol ameliorates carbon tetrachloride-induced acute liver injury in mice. *Environ Toxicol Pharmacol*. 28: 350-356.
- Fan, HN; Wang, HJ; Yang-Dan, CR; Ren, L; Wang, C; Li, YF; Deng, Y. (2013). Protective effects of hydrogen sulfide on oxidative stress and fibrosis in hepatic stellate cells. *Mol Med Rep*. 7: 247-253.
- Fan, JH; Li, X; Li, P; Li, N; Wang, TL; Shen, H; Siow, Y; Choy, P; Gong, YW. (2007). Saikosaponin-d attenuates the development of liver fibrosis by preventing hepatocyte injury. *Biochemistry and Cell Biology-Biochimie Et Biologie Cellulaire*. 85: 189-195.
- Fan, WM; Shi, BY; Wei, HS; Ma, XH; He, XY; Feng, K. (2013). gamma-Aminobutyric Acid B Receptor Improves Carbon Tetrachloride-Induced Liver Fibrosis in Rats. *Dig Dis Sci*. 58: 1909-1915.
- Fander, U; Haas, W; Krá€neSo, E-EMPF; F., CVQFVQ. (1982). The damage of the hepatic mixed functional oxygenase system by CCl₄: significance of incorporation of 14CCl₄ metabolites in vivo. *Exp Mol Pathol*.
- Fander, U; Haas, W; Kroener, H. (1982). The Damage of the Hepatic Mixed Functional Oxygenase System by CCl₄: Significance of Incorporation of super(14)CCl₄ Metabolites in vivo. *Exp Mol Pathol*. 36: 34-43.
- Fanelli, C; Fabbri, AA; Panfili, G; Castoria, R; De Luca, C; Passi, S. (1989). Aflatoxin congener biosynthesis induced by lipoperoxidation. *Experimental Mycology*. 13: 61-68.
- Fanelli, SL; Castro, GD; de Toranzo, EGD; Castro, JA. (1998). Mechanisms of the preventive properties of some garlic components in the carbon tetrachloride promoted oxidative stress. Diallyl sulfide, diallyl disulfide, allyl mercaptan and allyl methyl sulfide. *Res Commun Mol Pathol Pharmacol*. 102: 163-174.
- Fanelli, SL; Castro, GD; Galelli, ME; Castro, JA. (1998). Liver nuclear activation of carbon tetrachloride or bromotrichloromethane to trichloromethyl and trichloromethylperoxyl free radicals. Their reactions with lipids and proteins. *Biomed Environ Sci*. 11: 101-114.
- Fang, BJ; Shi, MX; Liao, LM; Yang, SG; Liu, YH; Zhao, RC. (2004). Systemic infusion of FLK1(+) mesenchymal stem cells ameliorate carbon tetrachloride-induced liver fibrosis in mice. *Transplantation*. 78: 83-88.
- Fang, F; Wang, JB; Zhao, YL; Jin, C; Kong, WJ; Zhao, HP; Wang, HJ; Xiao, XH. (2011). A comparative study on the tissue distributions of rhubarb anthraquinones in normal and CCl₄-injured rats orally administered rhubarb extract. *J Ethnopharmacol*. 137: 1492-1497.
- Fang, GD; Gao, J; Dionysiou, DD; Liu, C; Zhou, DM. (2013). Activation of Persulfate by Quinones: Free Radical Reactions and Implication for the Degradation of PCBs. *Environmental Science & Technology*. 47: 4605-4611.
- Fang, HL; Lai, JJ; Lin, WL; Lin, WC. (2007). A fermented substance from *Aspergillus phoenicis* reduces liver fibrosis induced by carbon tetrachloride in rats. *Bioscience Biotechnology and Biochemistry*. 71: 1154-1161.
- Fang, HL; Lai, JT; Lin, WC. (2008). Inhibitory effect of olive oil on fibrosis induced by carbon tetrachloride in rat liver. *Clinical nutrition (Edinburgh, Scotland)*. 27: 900-907.
- Fang, HL; Lin, HY; Chan, MC; Lin, WL; Lin, WC. (2007). Treatment of chronic liver injuries in mice by oral administration of ethanolic extract of the fruit of *Hovenia dulcis*. *Am J Chin Med*. 35: 693-703.
- Fang, HL; Lin, WC. (2008). Corn oil enhancing hepatic lipid peroxidation induced by CCl₄ does not aggravate liver fibrosis in rats. *Food Chem Toxicol*. 46: 2267-2273.
- Fang, HL; Wu, JB; Lin, WL; Ho, HY; Lin, WC. (2008). Further studies on the hepatoprotective effects of *Anoectochilus formosanus*. *Phytother Res*. 22: 291-296.
- Fang, W-j; Yu, Q-s; Zong, H-x; Lin, R-s. (1998). Calorimetric determination of the vapor heat capacity of petroleum cuts. *Fuel*. 77: 895-899.
- Fang, ZQ; Cheng, W; Song, ZF; Chen, XL. (2008). A study on the toxicants from the wood-pulp bleach-and-cleaning effluents. *Journal of Safety and Environment/Anquan Yu Huanjing Xuebao*. 8: 19-22.
- Fang, Z-q; Gan, P; Yang, L; Dai, Z-y; Qi, S-h; Jia, J-l; He, X-w. (2013). Health-based Risk Assessment in the Excavating Process of VOCs Contaminated Site. *Environmental Science*. 34: 4612-4618.
- Farang, A; Kamel, SH; Soliman, MA. (1966). Estimation of the dose-response curve of subcutaneously injected carbon tetrachloride in mice. *The Journal of the Egyptian Medical Association*. 49: 652-662.
- Farang, MM; Volicer, L. (1987). Acute hepatic damage in rats impairs metharbital metabolism. *Pharmacology*. 34: 181-191.
- Farber, E. (1969). Effects of environmental agents at the level of enzyme-forming systems. *Environ Res*. 2: 373-379.
- Farber, E; Liang, H; Shinozuka, H. (1971). Dissociation of effects on protein synthesis and ribosomes from membrane changes induced by carbon tetrachloride. *Am J Pathol*. 64: 601-617.
- Farber, JL. (1982). Biology of disease: membrane injury and calcium homeostasis in the pathogenesis of coagulative necrosis. *Laboratory investigation; a journal of technical methods and pathology*. 47: 114-123.
- Farber, JL. (1982). Calcium and the mechanisms of liver necrosis. *Progress in liver diseases*. 7: 347-360.
- Farber, JL. (1985). The biochemical pathology of toxic cell death. *Monogr Pathol*. 26: 19-31.
- Farber, JL. (1987). Xenobiotics, drug metabolism, and liver injury. *Monogr Pathol*. 28: 43-53.
- Farber, JL; Gerson, RJ. (1984). Mechanisms of cell injury with hepatotoxic chemicals. *Pharmacol Rev*. 36: 71S-75S.
- Farbiszewski, R; Worowski, K; Rzeczycki, W. (1971). The comparison of arginine content in serum proteins in rats with Guerin tumour and in experimental induced intoxication with CCl₄ and HgCl₂. *Neoplasma*. 18: 265-269.

Environmental Hazard Literature Search Results

Off Topic

- Farghali, H; Buchar, E; MachkovÃ , ZK; KamenÃjkoe; Masek, K. (1986). Muramyl dipeptide and carbon tetrachloride hepatotoxicity in rats: involvement of plasma membrane and calcium homeostasis in protective effect. *Methods Find Exp Clin Pharmacol.* 8: 469-477:469-477.
- Farghali, H; MachkovÃ , JJI; Buchar, E; Jank; Masek, K. (1986). Possible effects of muramyl dipeptide on liver cell membranes. *Methods Find Exp Clin Pharmacol.* 8: 131-136.
- Farghali, H; MachkovÃ , Z; KamenÃjkovÃ , L; asek, K. (1984). The protection from hepatotoxicity of some compounds by the synthetic immunomodulator muramyl dipeptide (MDP) in rat hepatocytes and in vivo. *Methods Find Exp Clin Pharmacol.* 6.
- Farghali, H; MartÃjne, DDoPsFoMCUPCR; KamenÃjkov; aac. Amelioration of chemically-induced hepatocyte injury by cyclosporine A.
- Farhadi, K; Maleki, R; Tahmasebi, R. (2011). Preparation of AlÃ,OÃf/TiOÃ,, composite sol-gel fiber for headspace solid-phase microextraction of chlorinated organic solvents from urine. *J Sep Sci.* 34: 1669-1674.
- Farida, T; Salawu, OA; Tijani, AY; Ejiolor, JI. (2012). Pharmacological evaluation of Ipomoea asarifolia (Desr.) against carbon tetrachloride-induced hepatotoxicity in rats. *J Ethnopharmacol.* 142: 642-646.
- Fariss, MW; Bryson, KF; Hylton, EE; Lippman, HR; Stubin, CH; Zhao, X-G. (1993). Protection against carbon tetrachloride-induced hepatotoxicity by pretreating rats with the hemisuccinate esters of tocopherol and cholesterol. *Environ Health Perspect.* 101: 528-536.
- Fariss, MW; Lippman, HR; Mumaw, VR; Ray, SD. (1997). Cholesteryl hemisuccinate treatment protects rodents from the toxic effects of acetaminophen, adriamycin, carbon tetrachloride, chloroform and galactosamine. *Toxicol Lett.* 90: 133-144.
- Fariss, MW; Reed, DJ. (1985). Mechanism of chemical-induced toxicity. II. Role of extracellular calcium. *Toxicol Appl Pharmacol.* 79: 296-306.
- Farkas, D; Tannenbaum. (2005). In Vitro Methods to Study Chemically-Induced Hepatotoxicity: A Literature Review. *Curr Drug Metab.* 6: 127-139.
- Farombi, EO. (2000). Mechanisms for the hepatoprotective action of kolaviron: Studies on hepatic enzymes, microsomal lipids and lipid peroxidation in carbontetrachloride-treated rats. *Pharmacol Res.* 42: 75-80.
- Farombi, EO; Nwankwo, JO; Emerole, GO. (1997). Possible modulatory effect of browned yam flour diet on chemically-induced toxicity in the rat. *Food Chem Toxicol.* 35: 975-979.
- Farombi, EO; Nwankwo, JO; Emerole, GO. (2000). Modulation of carbon tetrachloride-induced lipid peroxidation and xenobiotic-metabolizing enzymes in rats fed browned yam flour diet. *Afr J Med Med Sci.* 29: 127-132.
- Faroon, OM; Mehendale, HM. (1990). Bromotrichloromethane hepatotoxicity. The role of stimulated hepatocellular regeneration in recovery: biochemical and histopathological studies in control and chlordecone pretreated male rats. *Toxicol Pathol.* 18: 667-677.
- Farooq, S; Admad, I; Pathak, GK. In vivo protective role of Koflet (an ayurvedic preparation) against cellular toxicity caused by CCl4 and flyash. *J Ethnopharmacol.* Oct 1997. v. 58 (2): 109-116.
- Farooq, SM; Asokan, D; Sakthivel, R; Kalaiselvi, P; Varalakshmi, P. (2004). Salubrious effect of C-phycoyanin against oxalate-mediated renal cell injury. *Clin Chim Acta.* 348: 199-205.
- Farrar, WE, Jr.; Corwin, LM. (1966). The essential role of the liver in detoxification of endotoxin. *Ann N Y Acad Sci.* 133: 668-684.
- Farrar, WE, Jr.; Eidson, M; Kent, TH. (1968). Susceptibility of rabbits to pyrogenic and lethal effects of endotoxin after acute liver injury. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY).* 128: 711-715.
- Farrar, WE, Jr.; Magnani, TJ. (1964). ENDOTOXIN SUSCEPTIBILITY FOLLOWING HEPATIC INJURY BY CARBON TETRACHLORIDE. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY).* 115: 596-601.
- Farrell, GC; Zaluzny, L. (1984). Microsomal protein synthesis and induction of cytochrome P-450 in cirrhotic rat liver. *The Australian journal of experimental biology and medical science.* 62: 291-301.
- Farrell, GC; Zaluzny, L. (1985). Hepatic heme metabolism and cytochrome P450 in cirrhotic rat liver. *Gastroenterology.* 89: 172-179.
- Farrell, J; Kason, M; Melitas, N; Li, T. (2000). Investigation of the long-term performance of zero-valent iron for reductive dechlorination of trichloroethylene. *Environmental Science & Technology.* 34: 514-521.
- Fat'yanov, OV; Ogura, T; Nicol, MF; Kondo, K. (2001). Temperatures of shocked CCl(4) measured by precise two-band time-resolved radiometry in the 7-12 mu m spectral range. *Infrared Physics & Technology.* 42: 55-60.
- Fat'yanov, OV; Ogura, T; Nicol, MF; Nakamura, KG; Kondo, K. (2000). Time-resolved two-band infrared radiometry of carbon tetrachloride under shock compression up to 10 GPa. *Appl Phys Lett.* 77: 960-962.
- Faus, MJ; LupiÃ Ãrez, A; Vargas, A; SÃ nchez-Medina, F. (1978). Induction of rat kidney gluconeogenesis during acute liver intoxication by carbon tetrachloride. *The Biochemical journal.* 174: 461-467.
- Fausther, M; Lecka, J; Soliman, E; Kauffenstein, G; Pelletier, J; Sheung, N; Dranoff, JA; Sevigny, J. (2012). Coexpression of ecto-5'-nucleotidase/CD73 with specific NTPDases differentially regulates adenosine formation in the rat liver. *American Journal of Physiology-Gastrointestinal and Liver Physiology.* 302: G447-G459.
- Fausto, R; Cacula, C; Duarte, ML. (2000). Vibrational analysis and structural implications of H-bonding in isolated and aggregated 2-amino-1-propanol: a study by MI-IR and Raman spectroscopy and molecular orbital calculations. *Journal of Molecular Structure.* 550Ã551: 365-388.
- Favari, L; Mourelle, M; Amezcua, JL. (1987). ASPIRIN DISPOSITION IN RATS ACUTELY INTOXICATED WITH CARBON TETRACHLORIDE. *J Appl Toxicol.* 7: 361-366.
- Favari, L; Mourelle, M; Amezcua, JL. (1987). Aspirin disposition in rats acutely intoxicated with CCl sub(4). *J Appl Toxicol.* 7: 361-365.
- Favari, L; PÃ ẽred, DDdF; iacuogÃ ia, ooCntEEAdIPNMšcAMR. (1997). Comparative effects of colchicine and silymarin on CCl4-chronic liver damage in rats. *Arch Med Res.*

Environmental Hazard Literature Search Results

Off Topic

- Fawell, JK. (1991). CARCINOGENIC MICROPOLLUTANTS IN DRINKING WATER RISKS AND REGULATION. Meeting On Hazard Assessment And Control Of Environmental Contaminants In Water Held At The 1st lawprc. 25: 473-478.
- Fehâĉŕ, J; Bar-PoliĀ k, Z; SrĀĉŕ, L; Fehâĉŕ, E; Toncsev, He. (1982). Biochemical markers in carbon-tetrachloride-and galactosamine-induced acute liver injuries: the effects of dihydroquinoline-type antioxidants. Br J Exp Pathol.
- Fehâĉŕ, J; Jakab, L; TakĀ cs, L. (1970). Effect of liver injury and of induced inflammation on the serum glycoprotein level. Acta Med Acad Sci Hung. 27: 57-63.
- Fehâĉŕ, J; PollĀ k, Z; SrĀĉŕ, TTH; Cornides, A; ol, A. (1984). Experimental models for the study of hepatoprotection. Acta Physiol Hung. 61984; 64: 401-407.
- Feher, P; Ujhelyi, Z; Vecsernyes, M; Fenyvesi, F; Damache, G; Ardelean, A; Costache, M; Dinischiotu, A; Hermenean, A; Bacskay, I. (2015). Hepatoprotective effects of a self-micro emulsifying drug delivery system containing Silybum marianum native seed oil against experimentally induced liver injury. Pharmazie. 70: 231-238.
- Feige, WA; Clark, RM; Lykins, BWJR; Fronk, CA. (1987). TREATMENT OF WATER FROM CONTAMINATED WELLS. D'Itri, F M And L G Wolfson Rural Groundwater Contamination Xix+416p Lewis Publishers, Inc: Chelsea, Michigan, Usa Illus Isbn. 0: 235-252.
- Felder, E; Pitre, D; Klaus, F. (1983). Pyrazinamide. Analytical Profiles of Drug Substances433-462.
- Feng, D; Kondo, Y; Ishigami, A; Kuramoto, M; Machida, T; Maruyama, N. (2004). Senescence marker protein-30 as a novel antiaging molecule. Ann N Y Acad Sci. 1019: 360-364.
- Feng, H; Kavrakova, IK; Pratt, DA; Tellinghuisen, J; Porter, NA. (2002). Lewis acid-promoted Kharasch-Curran additions: A competition kinetics study of bromine atom transfer addition of N-alpha-bromoacetyl-oxazolidinone to 1-hexene. J Org Chem. 67: 6050-6054.
- Feng, HQ; Weymouth, ND; Rockey, DC. (2009). Endothelin antagonism in portal hypertensive mice: implications for endothelin receptor-specific signaling in liver disease. American Journal of Physiology-Gastrointestinal and Liver Physiology. 297: G27-G33.
- Feng, J; Lim, TT. (2005). Pathways and kinetics of carbon tetrachloride and chloroform reductions by nano-scale Fe and Fe/Ni particles: comparison with commercial micro-scale Fe and Zn. Chemosphere. 59: 1267-1277.
- Feng, J; Lim, TT. (2007). Iron-mediated reduction rates and pathways of halogenated methanes with nanoscale Pd/Fe: Analysis of linear free energy relationship. Chemosphere. 66: 1765-1774.
- Feng, J; Zhu, BW; Lim, TT. (2008). Reduction of chlorinated methanes with nano-scale Fe particles: Effects of amphiphiles on the dechlorination reaction and two-parameter regression for kinetic prediction. Chemosphere. 73: 1817-1823.
- Feng, L; Kang, H; Liu, LN; Cao, YM. (2013). CD4(+)/CD25(+)/Foxp3(+) Regulatory T Cells Contribute in Liver Fibrosis Improvement with Interferon Alpha. Inflammation. 36: 1374-1382.
- Feng, Y; Siu, K-Y; Ye, X; Wang, N; Yuen, M-F; Leung, C-H; Tong, Y; Kobayashi, S. (2010). Hepatoprotective effects of berberine on carbon tetrachloride-induced acute hepatotoxicity in rats. Chinese Medicine. 5: 33.
- Feng, Y; Sun, C; Yuan, Y; Zhu, Y; Wan, J; Firempong, CK; Omari-Siaw, E; Xu, Y; Pu, Z; Yu, J; Xu, X. (2016). Enhanced oral bioavailability and in vivo antioxidant activity of chlorogenic acid via liposomal formulation. Int J Pharm. 501: 342-349.
- Feng, YB; Wang, N; Ye, XS; Li, HY; Feng, YG; Cheung, F; Nagamatsu, T. (2011). Hepatoprotective effect and its possible mechanism of Coptidis rhizoma aqueous extract on carbon tetrachloride-induced chronic liver hepatotoxicity in rats. J Ethnopharmacol. 138: 683-690.
- Fenhann, J. (2000). Industrial non-energy, non-CO(2) greenhouse gas emissions. Technological Forecasting and Social Change. 63: 313-334.
- Fennelly, J; Frank, O; Baker, H; Leevy, CM. (1964). TRANSKETOLASE ACTIVITY IN EXPERIMENTAL THIAMINE DEFICIENCY AND HEPATIC NECROSIS. Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY). 116: 875-877.
- Fenyves, D; GariĀĉŕ, L. Clearance by the liver in cirrhosis. I. Relationship between propranolol metabolism in vitro and its extraction by the perfused liver in the rat.
- Ferencz, V; HorvĀ th, C; aacu, KĀ rBssDoIMSUKSBH. Bone disorders in experimentally induced liver disease in growing rats.
- Ferguson, JF; Pietari, JMH. (2000). Anaerobic transformations and bioremediation of chlorinated solvents. Environ Pollut. 107: 209-215.
- FernĀ ndez, G; Villarruel, MC; de, FEC; de, FOM; Bernacchi, AS; de, CCR; Castro, JA. (1984). Carbon tetrachloride-induced early biochemical alterations but not necrosis in pigeon's liver. Agents and Actions. 15: 463-466.
- FernĀ ndez, G; Villarruel, MC; de, FEC; de, FOM; Ca. (1986). Imipramine prevention of carbon tetrachloride-induced liver necrosis at late states of the intoxication process. Journal of applied toxicology : JAT. 6.
- FernĀ ndez, IloBUL; o, LnSS; Ortiz, dUdUJ; GonzĀ lez-Gallego, J; TuĀ; oacuteĀĉn, MJlloBUUoLnt; n, u; n, S; Centro, dInB; dicute; dica, eRdEHepĀ tyvSEammue; Wu, YW; Chen, KD; Lin, WC. (2015). Effect of Ganoderma tsugae on chronically carbon tetrachloride-intoxicated rats. Tran. 165: 346-357.
- FernĀ ndez-Llama, P; Jimenez, W; Bosch-MarcĀĉŕ, M; Arroyo, V; Nielsen, S; Knepper, MA. (2000). Dysregulation of renal aquaporins and Na-Cl cotransporter in CCl4-induced cirrhosis. Kidney Int. 58: 216-228.
- FernĀ ndez-Varo, G; Morales-Ruiz, M; Tugues, S; MuĀ;oz; Casals, G; Arroyo, V. Impaired extracellular matrix degradation in aortic vessels of cirrhotic rats.
- Fernandes, AAH; Fernandas, A, Jr.; Novelli, ELB. (2004). Effect of Brazilian propolis on experimental hepatotoxicity in rats. Revista de Ciencias Farmaceuticas. 25: 85-89.
- Fernandez, V; Videla, LA; Tapia, G; Israel, Y. (2002). Increases in tumor necrosis factor-alpha in response to thyroid hormone-induced liver oxidative stress in the rat. Free Radic Res. 36: 719-725.
- Fernandez-Llama, P; Ageloff, S; Fernandez-Varo, G; Ros, J; Wang, XY; Garra, N; Esteva-Font, C; Ballarin, J; Barcelo, P; Arroyo, V; Stokes, JB; Knepper, MA; Jimenez, W. (2005). Sodium retention in cirrhotic rats is associated with increased renal abundance of sodium transporter proteins. Kidney Int. 67: 622-630.

Environmental Hazard Literature Search Results

Off Topic

- Fernandez-Llama, P; Turner, R; Dibona, G; Knepper, MA. (1999). Renal expression of aquaporins in liver cirrhosis induced by chronic common bile duct ligation in rats. *Journal of the American Society of Nephrology*. 10: 1950-1957.
- Fernandez-Lopez, JA; Subirade, I; Fernandez, Y; Deltour, P; Periquet, A; Mitjavila, S. (1993). Ca-efflux, from direct membrane injury by CCl₄, is elicited by amphiphilic vehicles in vitro. *Experientia*.
- Fernandez-Martinez, E; Morales-Rios, MS; Perez-Alvarez, V; Muriel, P. (2001). Effects of thalidomide and 3-phthalimido-3-(3,4-dimethoxyphenyl)-propanamide on bile duct obstruction-induced cirrhosis in the rat. *Drug Development Research*. 54: 209-218.
- Fernandez-Martinez, E; Morales-Rios, MS; Perez-Alvarez, V; Muriel, P. (2004). Immunomodulatory effects of thalidomide analogs on LPS-induced plasma and hepatic cytokines in the rat. *Biochem Pharmacol*. 68: 1321-1329.
- Fernandez-Martinez, E; Perez-Alvarez, V; Tsutsumi, V; Shibayama, M; Muriel, P. (2006). Chronic bile duct obstruction induces changes in plasma and hepatic levels of cytokines and nitric oxide in the rat. *Exp Toxicol Pathol*. 58: 49-58.
- Fernandez-Sanchez, JM; Sawvel, EJ; Alvarez, PJJ. (2004). Effect of Fe(0) quantity on the efficiency of integrated microbial-Fe(0) treatment processes. *Chemosphere*. 54: 823-829.
- Ferrans, VJ; Roberts, WC. (1971). Myocardial ultrastructure in acute and chronic hypoxia. *Cardiology*. 56: 144-160.
- Ferre, N; Camps, J; Cabre, M; Paul, A; Joven, J. (2001). Hepatic paraoxonase activity alterations and free radical production in rats with experimental cirrhosis. *Metabolism-Clinical and Experimental*. 50: 997-1000.
- Ferre, N; Martinez-Clemente, M; Lopez-Parra, M; Gonzalez-Periz, A; Horrillo, R; Planaguma, A; Camps, J; Joven, J; Tres, A; Guardiola, F; Bataller, R; Arroyo, V; Claria, J. (2009). Increased susceptibility to exacerbated liver injury in hypercholesterolemic ApoE-deficient mice: potential involvement of oxysterols. *American Journal of Physiology-Gastrointestinal and Liver Physiology*. 296: G553-G562.
- Ferreira, DW; Naquet, P; Manautou, JE. (2015). Influence of Vanin-1 and Catalytic Products in Liver During Normal and Oxidative Stress Conditions. *Curr Med Chem*. 22: 2407-2416.
- Ferreira, GR; Garcia, NcdEeEMDdQmUFdJdFJdFMGB; Couri, MR; Dos, SHF; de, OLF. (2013). On the azo/hydrazo equilibrium in Sudan I azo dye derivatives. *The journal of physical chemistry A*. 117: 642-649.
- Ferreira, E; Villarruel, MC; Bernacchi, AS; Fernandez, G; Fenos, O; Castro, JA. (1989). Late preventive effects against carbon tetrachloride-induced liver necrosis of the calcium chelating agent Calcion. *Arch Toxicol*. 63: 450-455.
- Ferreira, EC; de, FOM; Bernacchi, AS; de, CCR; Castro, JA. (1977). Treatment of carbon tetrachloride-induced liver necrosis with chemical compounds. *Toxicol Appl Pharmacol*. 42: 513-521.
- Ferrieri, AP; Thorpe, MR; Ferrieri, RA. (2006). Stimulating natural defenses in poplar clones (OP-367) increases plant metabolism of carbon tetrachloride. *Int J Phytoremediation*. 8: 233-243.
- Fetzner, S. (1998). Bacterial dehalogenation. *Appl Microbiol Biotechnol*. 50: 633-657.
- Fetzner, S; Lingens, F. (1985). BACTERIAL DEHALOGENASES BIOCHEMISTRY GENETICS AND BIOTECHNOLOGICAL APPLICATIONS. *Microbiological Reviews*. 58: 641-685.
- Feuer, G; Dharni, MSI; Clapp, J; De la Iglesia, FA. (1979). Effect of drugs on progesterone metabolism in the female rat. *Toxicology*. 12: 197-209.
- Feuer, G; Golberg, L. (1967). Functional identity of rat-liver microsomal glucose 6-phosphatase and inorganic pyrophosphatase. *Food Cosmet Toxicol*. 5: 665-672.
- Feuer, G; Golberg, L. (1967). Liver response tests. 8. Factors influencing the activities of liver-microsomal phosphatases. *Food Cosmet Toxicol*. 5: 673-690.
- Feuer, G; Golberg, L; Le, PJR. (1965). Liver response tests. I. Exploratory studies on glucose 6-phosphatase and other liver enzymes. *Food Cosmet Toxicol*. 3: 235-249.
- Feuer, G; Granda, V. (1970). Antagonistic effect of foreign compounds on microsomal enzymes of the liver of the rat. *Toxicol Appl Pharmacol*. 16: 626-637.
- Feuer, G; Kellen, JA; Kovacs, K. (2005). Is there any association between the pharmacologic control of prolactin release and its action on mammary carcinogenesis in the rat? *Histochem Cell Biol*. 123: 585-593.
- Fiedler, P; Bohm, S; Kulhanek, J; Exner, O. (2006). Acidity of ortho-substituted benzoic acids: an infrared and theoretical study of the intramolecular hydrogen bonds. *Organic & Biomolecular Chemistry*. 4: 2003-2011.
- Field, JA. (2001). Recalcitrance as a catalyst for new developments. *Water Science and Technology*. 44: 33-40.
- Filimonov, PN; Sukhenko, TG; GavriloVA, NI; Shkurupii, VA. (2005). Effect of IFN-alpha on CC1 4-induced fibrosis of the liver and immune status in mice of different age. *Bull Exp Biol Med*. 139: 324-327.
- Filip, C; Ungureanu, D; Nechifor, C; Matei, V; Chel, rescu, D; Caruntu, ID; Florea, C; Nechifor, M. (2003). The role of some prostaglandin analogues in experimental intoxication produced by carbon tetrachloride in rats. *Revista medico-chirurgicala Societii de Medicina Naturalista din Iasi*. 107: 388-392.
- Filser, JG; Bolt, HM; Muliawan, H; Kappus, H. (1983). Quantitative evaluation of ethane and n-pentane as indicators of lipid peroxidation in vivo. *Arch Toxicol*. 52: 135-147.
- Filser, JG; Kessler, W; Csanady, GA. (2004). The "Tuebingen desiccator" system, a tool to study oxidative stress in vivo and inhalation toxicokinetics. *Drug Metab Rev*. 36: 787-803.
- Fine, RA; Smethie, WM; Bullister, JL; Rhein, M; Min, DH; Warner, MJ; Poisson, A; Weiss, RF. (2008). Decadal ventilation and mixing of Indian Ocean waters. *Deep-Sea Research Part I-Oceanographic Research Papers*. 55: 20-37.
- Finklea, HO; Phillippi, MA; Lompert, E; Grate, JW. (1998). Highly sorbent films derived from Ni(SCN)₂(4-picoline)₄ for the detection of chlorinated and aromatic hydrocarbons with quartz crystal microbalance sensors. *Anal Chem*. 70: 1268-1276.
- Finneran, IA; Welsch, R; Allodi, MA; Miller, TF; Blake, GA. (2016). Coherent two-dimensional terahertz-terahertz-Raman spectroscopy. *Proceedings of the National Academy of Sciences of the United States of America*. 113: 6857-6861.

Environmental Hazard Literature Search Results

Off Topic

- Fiore-Donati, L; Chieco-Bianchi, L. (1960). Effect of 5-hydroxy-tryptamine on the development of the carbon tetrachloride-induced cirrhosis in rats. *Laboratory investigation; a journal of technical methods and pathology*. 9: 625-638.
- Fiorucci, L; Monti, A; Testai, E; Ade, P; Vittozzi, L. (1988). In vitro effects of polyhalogenated hydrocarbons on liver mitochondria respiration and microsomal cytochrome P-450. *Drug Chem Toxicol*. 11: 387-403.
- Fiorucci, S; Rizzo, G; Antonelli, E; Renga, B; Mencarelli, A; Riccardi, L; Morelli, A; Pruzanski, M; Pellicciari, R. (2005). Cross-talk between farnesoid-X-receptor (FXR) and peroxisome proliferator-activated receptor gamma contributes to the antifibrotic activity of FXR ligands in rodent models of liver cirrhosis. *J Pharmacol Exp Ther*. 315: 58-68.
- Firth, JD; Gove, C; Panos, MZ; Raine, AEG; Williams, R; Ledingham, JGG. (1989). Sodium handling in the isolated perfused kidney of the cirrhotic rat. *Clin Sci*. 77: 657-662.
- Fischer, R; Reinehr, R; Lu, TP; Schänke, A; Warskulat, U; Dienes, HP; Hâ€žussinger, D. (2005). Intercellular communication via gap junctions in activated rat hepatic stellate cells. *Gastroenterology*. 128: 433-448.
- Fischer-Nielsen, A; Poulsen, HE; Hansen, BA; Hage, E; Keiding, S. (1991). Carbon tetrachloride cirrhosis in rats: Irreversible histological changes and differentiate functional impairment. *J Hepatol*. 12: 110-117.
- Fischer-Nielsen, A; Poulsen, HE; Hansen, BA; Hage, E; Keiding, S. (1991). CCl₄ cirrhosis in rats: irreversible histological changes and differentiated functional impairment. *J Hepatol*. 12: 110-117.
- Fiserova-Bergerova, V; Pierce, JT; Droz, PO. (1990). Dermal absorption potential of industrial chemicals: Criteria for skin notation. *Am J Ind Med*. 17: 617-636.
- Fish, DR; Espir, ML. (1988). Convulsions associated with prophylactic antimalarial drugs: implications for people with epilepsy. *BMJ (Clinical research ed)*. 297: 526-527.
- Fishbein, L. (1976). Industrial mutagens and potential mutagens I. Halogenated aliphatic derivatives. *Mutat Res*. 32: 267-307.
- Fishbein, L. (1976). Potential hazards of fumigant residues. *Environ Health Perspect*. 14: 39-45.
- Fishbein, L. (1979). Potential halogenated industrial carcinogenic and mutagenic chemicals. II. Halogenated saturated hydrocarbons. *The Science of the total environment*. 11: 163-195.
- Fisher, DA; Hales, CH; Filkin, DL; Ko, MKW; Sze, ND; Connell, PS; Wuebbles, DJ; Isaksen, ISA; Stordal, F. (6266). MODEL CALCULATIONS OF THE RELATIVE EFFECTS OF CFCS AND THEIR REPLACEMENTS ON STRATOSPHERIC OZONE. *Nature*. 344: 508-512.
- Fisher, DA; Hales, CH; Wang, WC; Ko, MKW; Sze, ND. (6266). MODEL CALCULATIONS OF THE RELATIVE EFFECTS OF CFCS AND THEIR REPLACEMENTS ON GLOBAL WARMING. *Nature*. 344: 513-516.
- Fisher, DJ; Burton, DT; Paulson, RL. (1987). Toxicity of DEGDN, Synthetic-HC Smoke Combustion Products, Solvent Yellow 33 and Solvent Green 3 to Freshwater Aquatic Organisms. Available from the National Technical Information Service, Springfield VA 22161, as AD-A188 766 Price codes: A04 in paper copy, A01 in microfiche Final Report for Phase II, January 1987 75p, 8 fig, 16 tab, 42 ref, 2 append Navy Contract N00039-87-C-5301 and Army MIPR85MM5505.
- Fisher, ER. (1965). CHOLESTEROL ATHEROSCLEROSIS IN RABBITS WITH CIRRHOSIS. *Am J Pathol*. 46: 577-588.
- Fisher, G; Petucci, C; MacNamara, E; Raftery, D. (1999). NMR probe for the simultaneous acquisition of multiple samples. *J Magn Reson*. 138: 160-163.
- Fisher, GG. (1999). Development of instrumentation for NQR spectroscopy and multiplex sample NMR. PhD, Purdue University.
- Fisher, RF; Holbrook, DJ, Jr.; Leake, HB; Brubaker, PE. (1975). Effect of platinum and palladium salts on thymidine incorporation into DNA of rat tissues. *Environ Health Perspect*. 12: 57-62.
- Fiume, L. (1962). Inhibition by aminoacetonitrile of early lesions induced in the liver of rats by carbon tetrachloride. *The Journal of pathology and bacteriology*. 83: 291-293.
- Flanders, KC. (2004). Smad3 as a mediator of the fibrotic response. *Int J Exp Pathol*. 85: 47-64.
- Flatt, JP; Quail, JM. (1981). Effects of liver damage on ketone-body production and nitrogen balance in starved rats. *The Biochemical journal*. 198: 227-230.
- Fleischmann, S; Percec, V. (2010). SET-LRP of methyl methacrylate initiated with CCl₄, in the presence and absence of air. *Journal of polymer science*. 48: 2243-2250.
- Fleisher, GA; Wakim, KG. (1956). Transaminase in canine serum and cerebrospinal fluid after carbon tetrachloride poisoning and injection of transaminase concentrates. *Proceedings of the staff meetings Mayo Clinic*. 31: 640-648.
- Fleisher, GA; Wakim, KG. (1961). Presence of two glutamic-oxalacetic transaminases in serum of dogs following acute injury of the liver. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY)*. 106: 283-286.
- Fletcher, M; Akgerman, A. (1989). Selective removal of metals from waste streams. *J Hazard Mater*. 22: 255.
- Fleurentin, J; Hoefler, C; Lexa, A; Mortier, F; Pelt, JM. (1986). Hepatoprotective properties of *Crepis rupepepii* and *Anisotes trisulcus*: two traditional medicinal plants of Yemen. *J Ethnopharmacol*. 16: 105-111.
- Floersheim, GL. (1976). Antagonistic effects against single lethal doses of *Amanita phalloides*. *Naunyn Schmiedebergs Arch Pharmacol*. 293: 171-174.
- Floodgate, GD; Route, MG. (1987). MICROBIOLOGY AND DISTRIBUTION OF HYDROCARBONS IN THE MARINE SURFACE OIL FILM. Houghton, D R, R N Smith And H O W Eggins. 0: 237-241.
- Floyd, RA; Pye, QN; Schneider, JE; Wood, KL; Poyer, JL; Mardt, ML; Watson, JJ; Wong, PK. (1992). CONDITIONS INFLUENCING THE 8 HYDROXYGUANINE CONTENT OF MICROSOMAL RNA AND MITOCHONDRIAL AND NUCLEAR DNA AND RNA. *Journal of reproduction and fertility*. 9: 49.

Environmental Hazard Literature Search Results

Off Topic

- Flytzani-Stephanopoulos, M; Sarofim, AF; Tognotti, L; Kopsinis, H; Stoukides, M. (1990). INCINERATION OF CONTAMINATED SOILS IN AN ELECTRODYNAMIC BALANCE. Tedder, D W And F G Pohland. 0: 29-49.
- Foddis, ML; Ackerer, P; Montisci, A; Uras, G. (2015). ANN-based approach for the estimation of aquifer pollutant source behaviour. *Water Science and Technology-Water Supply*. 15: 1285-1294.
- Fodor, G; Kemã€šny, EEN. (1965). On the hepato-protective effect of selenium in carbon tetrachloride poisoning in albino rats. *Experientia*.
- Fodor, O; Szã€ntay, I. (1970). A study of ¹⁴C elimination in experimental intoxication with carbon tetrachloride following d,l-aspartic acid-(4)-¹⁴C administration under aspartate protection. *Nucl Med*. 3: 95-97.
- Fodor, O; Tapalaga, D; Barbarino, F. (1995). Protective action of the aspartic acid on liver steroid dehydrogenases in experimental chronic intoxication with carbon tetrachloride. *Acta gastro-enterologica Belgica*. 34: 447-454.
- Fogel, RP; Davidman, M; Poleski, MH; Spanier, AH. (1983). Carbon tetrachloride poisoning treated with hemodialysis and total parenteral nutrition. *Can Med Assoc J*. 128: 560-561.
- Foglein, KA; Szabo, PT; Dombi, A; Szepevolgyi, J. (2003). Comparative study of the decomposition of CCl₄ in cold and thermal plasma. *Plasma Chemistry and Plasma Processing*. 23: 651-664.
- Fokin, AA; Lauenstein, O; Gunchenko, PA; Schreiner, PR. (2001). Halogenation of cubane under phase-transfer conditions: Single and double C-H-bond substitution with conservation of the cage structure. *J Am Chem Soc*. 123: 1842-1847.
- Fokken, B; Kurz, R. (1979). REMOVAL OF PURGEABLE ORGANIC CHLORINE COMPOUNDS BY ACTIVATED CARBON ADSORPTION. Meeting On Adsorption Techniques In Drinking Water Treatment Held At The North Atlantic Treaty Organization'S Committee On The Challenges Of Modern Society Symposium, Reston, Virginia, Usa, April. 7: 351-362.
- Folland, DS; Schaffner, W; Ginn, HE; Crofford, OB; McMurray, DR. (1976). Carbon tetrachloride toxicity potentiated by isopropyl alcohol. Investigation of an industrial outbreak. *JAMA*. 236: 1853-1856.
- Folmar, LC. (1993). EFFECTS OF CHEMICAL CONTAMINANTS ON BLOOD CHEMISTRY OF TELEOST FISH A BIBLIOGRAPHY AND SYNOPSIS OF SELECTED EFFECTS. *Environ Toxicol Chem*. 12: 337-375.
- Forczek, ST; Laturnus, F; Dolezalova, J; Holik, J; Wimmer, Z. (2015). Emission of climate relevant volatile organochlorines by plants occurring in temperate forests. *Plant Soil Environ*. 61: 103-108.
- Ford, EJ; Adam, SE; Gopinath, C. (1972). Hepatic amidopyrine N-demethylase activity in the calf. *J Comp Pathol*. 82: 355-364.
- Ford, EJ; Evans, J. (1985). Distribution of 5'-nucleotidase in the tissues of sheep and the effect of kidney and liver lesions on the activity of the enzyme in plasma and urine. *Res Vet Sci*. 39: 103-109.
- Ford, EJH; Lawrence, JA. (1965). Hepatic and serum changes following repeated administration of small amounts of carbon tetrachloride to sheep. *J Comp Pathol*. 75: 185-188.
- Forni, LG; Packer, JE; Slater, TF; Willson, RL. (1983). Reaction of the trichloromethyl and halothane-derived peroxy radicals with unsaturated fatty acids: A pulse radiolysis study. *Chem Biol Interact*. 45: 171-177.
- Fort, DJ; Rogers, RL; Paul, RR; Stover, EL; Finch, RA. (2001). Optimization of an exogenous metabolic activation system for FETAX. II. Preliminary evaluation. *Drug Chem Toxicol*. 24: 117-127.
- Forth, W; La, DK; Swenberg, JA. (1987). DNA adducts: Biological markers of exposure and potential applications to risk assessment. *Toxicol*. 25: 129-146.
- Forti, L; Ghelfi, F; Libertini, E; Pagnoni, UM; Soragni, E. (1997). Halogen atom transfer radical addition of alpha-polychloroesters to olefins promoted by Fe⁰ filings. *Tetrahedron*. 53: 17761-17768.
- Foster, JH. (1990). NERVOUS FACTORS IN TOXIC LIVER INJURY. 14: 74-76.
- Foti, MC; Barclay, LRC; Ingold, KU. (2002). The role of hydrogen bonding on the H-atom-donating abilities of catechols and naphthalene diols and on a previously overlooked aspect of their infrared spectra. *J Am Chem Soc*. 124: 12881-12888.
- Foti, MC; DiLabio, GA; Ingold, KU. (2003). Overlooked difference between hydrogen bonds of equal strength formed between catechol and an oxygen or nitrogen base. Experiments and DFT calculations. *J Am Chem Soc*. 125: 14642-14647.
- Foti, RS; Rock, DA; Pearson, JT; Wahlstrom, JL; Wienkers, LC. (2011). Mechanism-Based Inactivation of Cytochrome P450 3A4 by Mibefradil through Heme Destruction. *Drug Metab Dispos*. 39: 1188-1195.
- Fouda, AMM; Daba, MHY; Dahab, GM; el-Din, OAS. (2008). Thymoquinone ameliorates renal oxidative damage and proliferative response induced by mercuric chloride in rats. *Basic & Clinical Pharmacology & Toxicology*. 103: 109-118.
- Fountain, JC. The role of field trials in development and feasibility assessment of surfactant-enhanced aquifer remediation. *Water environment research : a research publication of the Water Environment Federation*. Mar/Apr 1997. v. 69 (2): 188-195.
- Fountoulakis, M; de Vera, MC; Cramer, F; Boess, F; Gasser, R; Albertini, S; Suter, L. (2002). Modulation of gene and protein expression by carbon tetrachloride in the rat liver. *Toxicol Appl Pharmacol*. 183: 71-80.
- Fountoulakis, M; Juranville, JF; Tsangaris, G; Suter, L. (2004). Fractionation of liver proteins by preparative electrophoresis. *Amino Acids*. 26: 27-36.
- Fourcot, A; Couchie, D; Chobert, MN; Zafrani, ES; Mavier, P; Laperche, Y; Brouillet, A. (2011). Gas6 deficiency prevents liver inflammation, steatohepatitis, and fibrosis in mice. *American Journal of Physiology-Gastrointestinal and Liver Physiology*. 300: G1043-G1053.
- Fowler, JSL. Carbon tetrachloride metabolism in sheep and in *Fasciola hepatica*. *July 1970*, 39 (3): 599-607.
- Fowler, JSL. (1970). Chlorinated hydrocarbon toxicity in the fowl and duck. *J Comp Pathol*. 80: 465-471.
- Fowles, JR; Alexeeff, GV; Dodge, D. (1999). The use of benchmark dose methodology with acute inhalation lethality data. *Regul Toxicol Pharmacol*. 29: 262-278.

Environmental Hazard Literature Search Results

Off Topic

- Fox, CF; Dinman, BD; Frajola, WJ. (1962). CCl₄ poisoning II: Serum enzymes, free fatty acids and liver pathology; effects of phenoxybenzamine and phenergan. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine* (New York, NY). 111: 731-734.
- Foxell, AW. (1951). Three cases of carbon tetrachloride poisoning with one fatality. *Br Med J.* 1: 397.
- Fraga, CG; Leibovitz, BE; Tappel, AL. (1987). Halogenated compounds as inducers of lipid peroxidation in tissue slices. *Free Radical Biology & Medicine.* 3: 119-123.
- Fraga, CG; Llesui, SF; Koch, OR; Boveris, A. (1985). IN-SITU LIVER CHEMILUMINESCENCE UNDER PHYSIOLOGICAL CONDITIONS AND SITUATIONS OF OXIDATIVE STRESS. *Acta Med Rom.* 23: 261-274.
- Fraga, CG; Martino, VS; Ferraro, GE; Coussio, JD; Boveris, A. (1987). Flavonoids as antioxidants evaluated by in vitro and in situ liver chemiluminescence. *Biochem Pharmacol.* 36: 717-720.
- Fragiadakis, D; Roland, CM. (2011). Connection between dynamics and thermodynamics of liquids on the melting line. *Physical Review E.* 83: 1504-1504.
- Franc s, R; Chiva, M; S nchez, E; Gonz; acutavajas, JM; Llovet, T; Zapater, P; Soriano, G; Mu oz, C; Balanz , J. Bacterial translocation is downregulated by anti-TNF-alpha monoclonal antibody administration in rats with cirrhosis and ascites.
- Francavilla, A; Albano, O; Meduri, B; Panella, C. (1970). Effect of CCl₄ on mitochondrial oxidation and ATP levels in rat liver. *Clinica chimica acta; international journal of clinical chemistry.* 30: 415-419.
- Francis, JL; Simmonds, VJ; Ingram, AJ. (2014). The effect of carbon tetrachloride-induced cirrhosis of the liver on fibrinogen-bound sialic acid and sialyltransferase activity in the rat. *J Ethnopharmacol.* 43: 38-43.
- Frank, H. (1991). AIRBORNE CHLOROCARBONS PHOTOOXIDANTS AND FOREST DECLINE. *Ambio.* 20: 13-18.
- Frank, H; D rk, H; Thiel, D. (1987). Fatty acids in liver microsomal lipids of rats exposed to hypoxia, tetrachloromethane, or both. *Biochimica et Biophysica Acta (BBA) - Lipids and Lipid Metabolism.* 922: 54-61.
- Frank, H; Frank, W; Neves, HJC. (1991). Airborne C1- and C2-halocarbons at four representative sites in Europe. *Atmospheric Environment Part A General Topics.* 25: 257-261.
- Frank, H; Haussmann, HJ; Remmer, H. (1982). Metabolic Activation of Carbon Tetrachloride: Induction of Cytochrome P-450 With Phenobarbital or 3-Methylcholanthrene and its Effect on Covalent Binding. *Chem Biol Interact.* 40: 193-208.
- Frank, H; Link, B. (1984). Anaerobic metabolism of carbon tetrachloride and formation of catabolically resistant phospholipids. *Biochem Pharmacol.* 33: 1127-1130.
- Frank, H; Palma-Rosa, V. (2008). Inhibition of tetrachloromethane-induced cross-linking of microsomal fatty acids by the spin-trap α -phenyl-N-t-butyl nitron. *Toxicol Environ Chem.* 90: 769-778.
- Frank, H; Wiegand, M; Strecker, M; Thiel, D. (2014). MONOHYDROPEROXIDES OF LINOLEIC ACID IN ENDOPLASMIC LIPIDS OF RATS EXPOSED TO TETRACHLOROMETHANE. *Ecotoxicol Environ Saf.* 22: 689-697.
- Frank, O; Baker, H; Leevy, CM. (1964). VITAMIN-BINDING CAPACITY OF EXPERIMENTALLY INJURED LIVER. *Nature.* 203: 302-303.
- Frank, W; Frank, H. (1990). Concentrations of airborne C1- and C2-halocarbons in forest areas in West Germany: Results of three campaigns in 1986, 1987 and 1988. *Atmos Environ Part A Gen Top.* 24: 1735-1740.
- Frank, W; Neves, HJC; Frank, H. (1991). Levels of airborne halocarbons at urban and mountain forest sites in Germany and at the Atlantic coast. *Chemosphere.* 23: 609-626.
- Franke, H; Poli, G; Zimmermann, T; Dianzani, MU; Dargel, R. (1988). Short-term effects of carbon tetrachloride on the lipoprotein secretion in isolated rat hepatocytes. *Virchows Archiv B, Cell pathology including molecular pathology.* 54: 357-365.
- Frankl, HD; Gaertner, PL; Kossuth, LC; Milch, LJ. (1957). Toxic vapor inhalation and serum enzyme levels. *Tex Rep Biol Med.* 15: 868-873.
- Frantz, PP. (1994). Structure and dynamics of adsorbed polymer. PhD, University of Illinois at Urbana-Champaign.
- Fraser, PJ; Dunse, BL; Manning, AJ; Walsh, S; Wang, RHJ; Krummel, PB; Steele, LP; Porter, LW; Allison, C; O'Doherty, S; Simmonds, PG; Muhle, J; Weiss, RF; Prinn, RG. (2014). Australian carbon tetrachloride emissions in a global context. *Environ Chem.* 11: 77-88.
- Fredrickson, JK; Brockman, FJ; Bjornstad, BN; Long, PE; Li, SW; McKinley, JP; Wright, JV; Conca, JL; Kieft, TL; Balkwill, DL. (1994). Microbiological characteristics of pristine and contaminated deep vadose sediments from an arid region. *Geomicrobiology Journal.* 11: 95-107.
- Freeman, A; Boobis, AR; Gooderham, NJ. (1988). Hepatotoxicity of carbon tetrachloride: Protection by pretreatment of mice with polyriboinosinic acid multiplied by polyribocytidylic acid. *Transactions Biochemical Society.* 16: 632-633.
- Freidig, A; Hofhuis, M; Van Holstijn, I; Hermens, J. (2001). Glutathione depletion in rat hepatocytes: a mixture toxicity study with alpha,beta-unsaturated esters. *Xenobiotica.* 31: 295-307.
- Freidman, MM; Lapan, B. (1964). ENZYME ACTIVITIES DURING HEPATIC INJURY CAUSED BY CARBON TETRACHLORIDE. *Clin Chem.* 10: 335-345.
- Freitag, D; Ballhorn, L; Behechti, A; Fischer, K; Thumm, W. (1994). Structural configuration and toxicity of chlorinated alkanes. *Chemosphere.* 28: 253-259.
- Freitag, D; Ballhorn, L; Geyer, H; Korte, F. (1985). ENVIRONMENTAL HAZARD PROFILE OF ORGANIC CHEMICALS AN EXPERIMENTAL METHOD FOR THE ASSESSMENT OF THE BEHAVIOR OF ORGANIC CHEMICALS IN THE ECOSPHERE BY SIMPLE LABORATORY TESTS WITH CARBON-14-LABELED CHEMICALS. *Chemosphere.* 14: 1589-1616.
- French, HF. (1997). OZONE RESPONSE ACCELERATES. *Starke, L.* 0: 102-103.
- Frenklach, M; Hsu, JP; Miller, DL; Matula, RA. (1986). Shock-tube pyrolysis of chlorinated hydrocarbons: Formation of soot. *Combust Flame.* 64: 141-156.
- Freston, JW; Bouchier, IA. (1967). Potentiation of carbon tetrachloride toxicity by dimethyl sulphoxide. *Nature.* 214: 734-735.
- Frezza, EE; Gerunda, GE. Sex hormones and trace elements in rat CCl₄-induced cirrhosis and hepatocellular carcinoma.
- Fried, W. (1989). Regulation of extrarenal erythropoietin production. *Adv Exp Med Biol.* 271: 39-51.

Environmental Hazard Literature Search Results

Off Topic

- Fried, W; Barone, J; Schade, S; Anagnostou, A. (1979). Effect of carbon tetrachloride on extrarenal erythropoietin production in rats. *The Journal of laboratory and clinical medicine*. 93: 700-705.
- Friedman, L; Sage, J; Blendermann, EM. (1970). Growth and liver response of chicks and rats to carbon tetrachloride and ethanol. *Poult Sci*. 49: 298-309.
- Friedman, MA; Eaton, LR; Bailey, W. Influence of acetaldehyde, dietary protein, carbon tetrachloride and butylatedhydroxytoluene on the toxicity of methylmercury in rats. *Bull Environ Contam Toxicol*. July 1978, 20 (1): 102-110.
- Friedman, R; Eales, L. (1962). Carbon tetrachloride poisoning. A report of three cases with commentaries. *South African medical journal = Suid-Afrikaanse tydskrif vir geneeskunde*. 36: 1067-1071.
- Friedman, SL; Wong, L; Lalazar, A. (1994). CLONING OF A NOVEL ZINC FINGER GENE INDUCED DURING RAT LIPOCYTE ACTIVATION IN VIVO. 45th Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 20.
- Friedrich, AJ; Catalano, JG. (2012). Fe(II)-Mediated Reduction and Repartitioning of Structurally Incorporated Cu, Co, and Mn in Iron Oxides. *Environmental Science & Technology*. 46: 11070-11077.
- Frink, EJ, Jr.; DiGiovanni, DA; Davis, JR; Brown, BR, Jr. (1989). Serum ammonia levels in response to glycine infusion in normal and cirrhotic rats. *Anesth Analg*. 69: 776-782.
- Fritsch, P; Elias, P; Varga, J. (1976). The fate of Staphylococcal exfoliatin in newborn and adult mice. *The British journal of dermatology*. 95: 275-284.
- Froyen, P; Skramstad, J. (1998). Phosphorus in organic synthesis. The Tanigawa reaction revisited as a method for converting alcohols to tertiary amines. *Tetrahedron Letters*. 39: 6387-6390.
- Fruncillo, RJ; Ruch, EK; DiGregorio, GJ. (1986). The effect of acute hepatic injury on the disposition of vitamin A in the rat. *Res Comm Chem Pathol Pharmacol*. 54: 283-286.
- Fry, AJ. (2015). Computational Studies of Ion Pairing. 10. Ion Pairing between Tetrabutylammonium ion and Inorganic Ions: A General Motif Confirmed. *J Org Chem*. 80: 3758-3765.
- Fry, WA; Smith, JM; Suker, JR. (1959). Acute carbon tetrachloride intoxication. Report of a case of inhalation intoxication with severe liver damage followed by complete recovery. *Quarterly bulletin Northwestern University (Evanston, Ill) Medical School*. 33: 346-351.
- Fu, QS; Boonchayaanant, B; Tang, WP; Trost, BM; Criddle, CS. (2009). Simple menaquinones reduce carbon tetrachloride and iron (III). *Biodegradation*. 20: 109-116.
- Fu, W; Chen, JL; Cai, YL; Lei, YF; Chen, LM; Pei, L; Zhou, DN; Liang, XF; Ruan, JL. (2010). Antioxidant, free radical scavenging, anti-inflammatory and hepatoprotective potential of the extract from *Parathelypteris nipponica* (Franch. et Sav.) Ching. *J Ethnopharmacol*. 130: 521-528.
- Fu, YM; Zheng, SZ; Lin, JG; Ryerse, J; Chen, AP. (2008). Curcumin protects the rat liver from CCl(4)-caused injury and fibrogenesis by attenuating oxidative stress and suppressing inflammation. *Mol Pharmacol*. 73: 399-409.
- Fuerst, RG; Logan, TJ; Midgett, MR; Sykes, AL; Buedel, T; Bursley, J; Homolya, JB. (1989). SAMPLING AND ANALYSIS EXPERIMENTS FOR IMPROVED CHARACTERIZATION OF PRODUCTS OF INCOMPLETE COMBUSTION. *JAPCA*. 39: 969-974.
- Fujii, K. (1996). Stimulatory effect of anesthetics on dechlorination of carbon tetrachloride in guinea-pig liver microsomes. *Toxicology*. 114: 147-153.
- Fujii, K; Rahman, M; Yuge, O. (1996). Isoflurane enhances dechlorination of carbon tetrachloride in guinea-pig liver microsomes. *J Appl Toxicol*. 16: 249-253.
- Fujimori, H; Fujita, T; Pan-Hou, H. (2001). Modification of 3'-AMP Forming Enzyme Activity by a Potent Immunosuppressant, ISP-I/Myriocin, in Liver of Mice Treated with Carbon Tetrachloride. *J Health Sci*. 47: 314-317.
- Fujimori, H; Pan-Hou, H. (2002). Effect of Carbon Tetrachloride on 3'-AMP-Forming Enzyme Activity in Rat Liver. *J Health Sci*. 48: 204-207.
- Fujimoto, J; Iimuro, Y. (2010). 9.20 - Carbon Tetrachloride-Induced Hepatotoxicity* A2 - McQueen, Charlene A. *Comprehensive Toxicology (Second Edition)* Oxford437-455.
- Fujimoto, JM; Plaa, GL. (1961). Effect of ethionine and carbon tetrachloride on urethan and phenobarbital induced changes in hexobarbital action. *The Journal of pharmacology and experimental therapeutics*. 131: 282-286.
- Fujimoto, K; Nakata, K. (1972). Anatomical lesions being responsible for development of portal hypertension in carbon tetrachloride-induced rat liver cirrhosis. *Acta Pathol Jpn*. 22: 625-635.
- Fujimura, H; Murakami, N; Kurabe, M; Toriumi, W. (2009). In vitro assay for drug-induced hepatosteatosis using rat primary hepatocytes, a fluorescent lipid analog and gene expression analysis. *J Appl Toxicol*. 29: 356-363.
- Fujisawa, K; Yabuuchi, C; Izawa, T; Kuwamura, M; Takasu, N; Torii, M; Yamate, J. (2013). Expression patterns of heat shock protein 25 in carbon tetrachloride-induced rat liver injury. *Exp Toxicol Pathol*. 65: 469-476.
- Fujita, H. (1977). Anticancer agents and glutathione--from the standpoint of their pharmacokinetics. *Tsurumi shigaku Tsurumi University dental journal*. 3: 1-7.
- Fujita, M; Sano, M; Yoshino, K; Tomita, I. (1994). Effects of aldehyde dehydrogenase and glutathione on the degradation of (E)-4-hydroxy-2-nonenal and N-hexanal in rat liver. *Biochemistry and molecular biology international*. 32: 429-434.
- Fujiwara, K; Ogata, I; Hirata, K; Ohta, Y; Oka, H. (1988). FACTORS CONTRIBUTING TO FIBRIN FORMATION IN THE HEPATIC SINUSOIDS IN ACUTE LIVER FAILURE. 39th Annual Meeting And Postgraduate Course Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 8.
- Fujiwara, K; Ogata, I; Ohta, Y; Hirata, K; Oka, Y; Yamada, S; Sato, Y; Masaki, N; Oka, H. (1988). Intravascular coagulation in acute liver failure in rats and its treatment with antithrombin III. *Gut*. 29: 1103-1108.

Environmental Hazard Literature Search Results

Off Topic

- Fujiwara, K; Ohta, Y; Ogata, I; Sato, Y; Oka, Y; Hayashi, S; Takatsuki, K; Oka, H. (1984). Protective effect of 4-(3,7,11,15-tetramethyl-6,10,14-hexadecatrienyl)morpholine on liver injury induced by hepatotoxins in rats. *Hepatology (Baltimore, Md)*. 4: 1134-1136.
- Fujiwara, K; Oka, H. (1990). Availability of exchange blood transfusion and plasma exchange in treatment of acute liver failure. *Prog Clin Biol Res*. 337: 221-222.
- Fujiwara, K; Oka, Y; Ogata, I; Ohta, Y; Sato, Y; Masaki, N; Takatsuki, K; Oka, H. (1988). Exchange blood transfusion for acute hepatic failure: its limited availability depending on the type of injury in rats. *Artif Organs*. 12: 227-233.
- Fukai, F; Nishizawa, S; Kurano, M; Taniguchi, K; Katayama, T. (1989). Carbon tetrachloride-induced alteration of glutathione S-transferase in rat liver cytosol and plasma. *J Clin Biochem Nutr*. 6: 175-185.
- Fukami, N; Yosida, M; Lee, BD; Taku, K; Hosomi, M. (2001). Photocatalytic degradation of gaseous perchloroethylene: products and pathway. *Chemosphere*. 42: 345-350.
- Fukao, T; Hosono, T; Misawa, S; Seki, T; Ariga, T. (2004). Chemoprotective effect of diallyl trisulfide from garlic against carbon tetrachloride-induced acute liver injury of rats. *BioFactors (Oxford, England)*. 21: 171-174.
- Fukao, T; Hosono, T; Misawa, S; Seki, T; Ariga, T. (2004). The effects of allyl sulfides on the induction of phase II detoxification enzymes and liver injury by carbon tetrachloride. *Food Chem Toxicol*. 42: 743-749.
- Fukuhara, M; Kondo, M; Takabatake, E. (1986). Toxicological significance of hepatic responses to furylfuramide(AF-2) in the rat. *Toxicology*. 39: 165-176.
- Fukui, T; Kawamoto, T; Sonomoto, K; Tanaka, A. Long-term continuous production of optically active 2-(4-chlorophenoxy)propanoic acid by yeast lipase in an organic solvent system. *Appl Microbiol Biotechnol*. Dec 1990. v. 34 (3): 330-334.
- Fukushima, T; Hamada, Y; Yamada, H; Horii, I. (2007). CHANGES OF MICRO-RNA EXPRESSION IN RAT LIVER TREATED BY ACETAMINOPHEN OR CARBON TETRACHLORIDE - REGULATING ROLE OF MICRO-RNA FOR RNA EXPRESSION. *J Toxicol Sci*. 32: 401-409.
- Fulceri, R; Pompella, A; Beneditti, A; Comporti, M. (1990). On the role of lipid peroxidation and protein-bound aldehydes in the haloalkane-induced inactivation of microsomal glucose 6 phosphatase. *Res Commun Chem Pathol Pharmacol*. 68: 73-88.
- Fumoto, S; Furukawa, H; Nakamura, J; Nishida, K. (2011). Safety of liver surface instillation of plasmid DNA in normal and carbon tetrachloride-induced hepatitis mice. *Journal of pharmacy & pharmaceutical sciences : a publication of the Canadian Society for Pharmaceutical Sciences, Soci été canadienne des sciences pharmaceutiques*. 14: 274-282.
- Funaki, N; Arai, S; Monden, K; Sasaoki, T; Adachi, Y; Higashitsuji, H; Tanaka, J; Imamura, M. (1994). Chemical mediator release and surface marker expression of hepatic macrophages in rats with CCl4-induced liver cirrhosis. *Life Sci*. 54: 2071-2082.
- Funaki, N; Arai, S; Monden, K; Sasaoki, T; Adachi, Y; Higashitsuji, H; Tanaka, J; Imamura, M. (1994). Chemical mediator release and surface marker expression of hepatic macrophages in rats with CCl sub(4)-induced liver cirrhosis. *Life Sci*. 54: 2071-2082.
- Funatsu, K; Itsuji, S; Tsukada, N; Mizuno, Y; Ishii, M; Oda, M; Tsuchiya, M. (1986). EFFECT OF ENDOGENOUS ENDOTOXIN ON CARBON TETRACHLORIDE LIVER INJURY IN RATS BIOCHEMICAL AND ULTRASTRUCTURAL OBSERVATIONS. Eighteenth Annual Meeting Of The Clinical Electron Microscopy Society Of Japan, Kyoto, Japan, October. 19: 569-570.
- Fung, AKM; Chiu, BKW; Lam, MHW. (2003). Surface modification of TiO(2) by a ruthenium(II) polypyridyl complex via silyl-linkage for the sensitized photocatalytic degradation of carbon tetrachloride by visible irradiation. *Water Res*. 37: 1939-1947.
- Furman, O; Laine, DF; Blumenfeld, A; Teel, AL; Shimizu, K; Cheng, IF; Watts, RJ. (2009). Enhanced Reactivity of Superoxide in Water-Solid Matrices. *Environmental Science & Technology*. 43: 1528-1533.
- Furman, OS; Teel, AL; Ahmad, M; Merker, MC; Watts, RJ. (2011). Effect of Basicity on Persulfate Reactivity. *Journal of Environmental Engineering-Asce*. 137: 241-247.
- Furmaniak, S; Terzyk, AP; Gauden, PA; Weso, owski, RP; Kowalczyk, P. (2009). Ar, CCl(4) and C(6)H(6) adsorption outside and inside of the bundles of multi-walled carbon nanotubes-simulation study. *Physical chemistry chemical physics : PCCP*. 11: 4982-4995.
- Furuhama, K; Goi, S; Kawarabayashi, K; Maru, C; Inage, F. Calculation of maximal removal rate of indocyanine green to measure hepatic functional mass in dogs by use of the nine-hour method. *Am J Vet Res*. June 1996. v. 57 (6): 803-806.
- Furuhama, K; Kato, M; Suzuki, N; Igarashi, K; Onodera, T. (1987). The influence of single or repeated phlebotomy on the physiological condition of normal and diseased rats. *The Journal of toxicological sciences*. 12: 1-9.
- Furukawa, T. (1965). Relation between release of free fatty acid from the adipose tissue and carbon tetrachloride-induced fatty infiltration in the liver. *Wakayama medical reports*. 9: 211-215.
- Furukawa, T. (1965). The role of the hormonal glands and sympathetic nerve in the fatty infiltration of liver resulting from carbon tetrachloride toxicity. *Wakayama medical reports*. 9: 203-210.
- Furukawa, T; Yasumoto, K; Inokuchi, K. (1984). Pulmonary interstitial edema in experimental cirrhosis of the liver in rats. *European surgical research Europäische chirurgische Forschung Recherches chirurgicales européennes*. 16: 366-371.
- Furuse, M; Kanno, S; Takano, T; Matsumura, Y. (2001). Cyclohexane as an alternative vapor of carbon tetrachloride for the assessment of gas removing capacities of gas masks. *Ind Health*. 39: 1-7.
- Fuse, Y; Abe, M; Onoe, T. (1969). Fine structure of the pale cell induced by carbon tetrachloride. *Sapporo igaku zasshi The Sapporo medical journal*. 35: 146-160.
- Futagami, T; Yamaguchi, T; Nakayama, SI; Goto, M; Furukawa, K. (2006). Effects of chloromethanes on growth of and deletion of the pce gene cluster in dehalorespiring *Desulfitobacterium hafniense* strain Y51. *Appl Environ Microbiol*. 72: 5998-6003.
- G vez-Gast şlum, FIlfMBiM; Gene, TUoGDoeoMB; Genomics, SMSGM; Segura-Flores, AA; Senties-Gomez, MD; Mu  o, JF. Combinatorial gene therapy renders increased survival in cirrhotic rats.
- G mez-Hurtado, I; Sant; Peir  , G; Zapater, P. Gut microbiota dysbiosis is associated with inflammation and bacterial translocation in mice with CCl4-induced fibrosis.

Environmental Hazard Literature Search Results

Off Topic

- Gâ€ me; de, dCCR; de, FEC; Acosta, ND; de, FOM; CastroSo, TAPA. (1975). Mechanistic studies on carbon tetrachloride hepatotoxicity in fasted and fed rats. *Toxicol Appl Pharmacol*.
- GÃ¼nther, H; Neumann, S; Simon, H. (1987). 2-Oxocarboxylate reductase from *Proteus* species and its use for the preparation of (2R)-hydroxy acids. *J Biotechnol*. 5: 53-65.
- Gabardo, T; Peripolli, CM; de Andrade, RB; Gemelli, T; Lima, JDO; Oliveira, AS; da Silva Medeiros, N; Wannmacher, C; Dani, C; Funchal, Cu. (2015). Assessment of changes in energy metabolism parameters provoked by carbon tetrachloride in Wistar rats and the protective effect of white grape juice. *Toxicology Reports*. 2: 645-653.
- Gabele, E; Froh, M; Arteeel, GE; Uesugi, T; Hellerbrand, C; Scholmerich, J; Brenner, DA; Thurman, RG; Rippe, RA. (2009). TNF alpha is required for cholestasis-induced liver fibrosis in the mouse. *Biochem Biophys Res Commun*. 378: 348-353.
- Gabriel, A; Kuddus, RH; Rao, AS; Gandhi, CR. (1999). Down-regulation of endothelin receptors by transforming growth factor beta 1 in hepatic stellate cells. *J Hepatol*. 30: 440-450.
- Gabrieli, ER; Orfanos, A. (1968). Effect of carbon tetrachloride on serum glutamic-oxalacetic transaminase isoenzymes. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY)*. 127: 766-770.
- Gad, AS; Khadrawy, YA; El-Nekeety, AA; Mohamed, SR; Hassan, NS; Abdel-Wahhab, MA. (2011). Antioxidant activity and hepatoprotective effects of whey protein and *Spirulina* in rats. *Nutrition*. 27: 582-589.
- Gad, SC; Chengelis, CP. (1988). ACUTE TOXICOLOGY TESTING PERSPECTIVES AND HORIZONS. Gad, S C And C P Chengelis *Acute Toxicology Testing: Perspectives And Horizons* Xiii+530p Telford Press, Inc: Caldwell, New Jersey, Usa Illus Isbn. 0.
- Gadeholt, G. (1984). Ethanol-inducible cytochrome P-450 is more susceptible to in vitro carbon tetrachloride-mediated destruction than phenobarbital-inducible and beta-naphthoflavone-inducible cytochromes P-450. *Acta Pharmacol Toxicol*. 55: 216-223.
- Gadgil, SD; Bhate, VN; Sadre, NL; Tiwari, NM. (1971). Effect of pretreatment with barbiturates on carbon tetrachloride-induced hepato-toxicity in rats. *Indian J Med Sci*. 25: 384-386.
- Gagandeep, S; Rajvanshi, P; Sokhi, RP; Slehria, S; Palestro, CJ; Bhargava, KK; Gupta, S. (2000). Transplanted hepatocytes engraft, survive, and proliferate in the liver of rats with carbon tetrachloride-induced cirrhosis. *J Pathol*. 191: 78-85.
- Gagliano, N; Arosio, B; Grizzi, F; Vergani, C; Annoni, G. (2002). Acute liver CCl(4) intoxication causes low HSP70 gene expression and a delayed transition through the cell cycle in aged rats. *Experimental gerontology*. 37: 791-801.
- Gaikwad, V; Kennedy, E; Mackie, J; Holdsworth, C; Molloy, S; Kundu, S; Stockenhuber, M; Dlugogorski, B. (2014). Reaction of carbon tetrachloride with methane in a non-equilibrium plasma at atmospheric pressure, and characterisation of the polymer thus formed. *J Hazard Mater*. 280: 38-45.
- Galaly, SR; Ahmed, OM; Mahmoud, AM. (2014). THYMOQUINONE AND CURCUMIN PREVENT GENTAMICIN-INDUCED LIVER INJURY BY ATTENUATING OXIDATIVE STRESS, INFLAMMATION AND APOPTOSIS. *J Physiol Pharmacol*. 65: 823-832.
- Galan, A; Barba, I; CÃ¡rdoba, J; Planas, R; Letnansky, K; Wenzel, J. (2010). The phosphorylation of histones in rat liver undergoing malignant transformation. *Liver international : official journal of the International Association for the Study of the Liver*. 30: 979-987.
- Galati, EM; Mondello, MR; Lauriano, ER; Taviano, MF; Galluzzo, M; Miceli, N. (2005). *Opuntia ficus indica* (L.) Mill. fruit juice protects liver from carbon tetrachloride-induced injury. *Phytother Res*. 19: 796-800.
- Galleli, ME; Castro, JA. (1998). Effect of trichloromethyl and trichloromethyl peroxy free radicals on protein sulfhydryl content studies in model and in enzymatic carbon tetrachloride activation systems. *Res Commun Mol Pathol Pharmacol*. 100: 227-238.
- Galleli, ME; mez, MI; Cas; Castro, JA. (1997). Carbon tetrachloride-induced free radical mediated protein oxidation in vitro and in vivo. *Redox Rep*.
- Galicia-Moreno, M; RodrÃ­guez-Rivera, A. N-acetylcysteine prevents carbon tetrachloride-induced liver cirrhosis: role of liver transforming growth factor-beta and oxidative stress.
- Galicia-Moreno, M; Rodriguez-Rivera, A; Reyes-Gordillo, K; Segovia, J; Shibayama, M; Tsutsumi, V; Vergara, P; Moreno, MG; Fernandez-Martinez, E; Perez-Alvarez, VM; Muriel, P. (2008). Trolox Down-Regulates Transforming Growth Factor-beta and Prevents Experimental Cirrhosis. *Basic & Clinical Pharmacology & Toxicology*. 103: 476-481.
- Gallagher, CH. (1960). The effect of precursors of pyridine nucleotides on poisoning by carbon tetrachloride. *The Australian journal of experimental biology and medical science*. 38: 251-259.
- Gallagher, CH. (1961). The effect of hepatotoxins on E260 values of liver and of serum. *The Australian journal of experimental biology and medical science*. 39: 323-331.
- Gallagher, CH. (1961). Protection by antioxidants against lethal doses of carbon tetrachloride. *Nature*. 192: 881-882.
- Gallagher, CH. (1962). The effect of antioxidants on poisoning by carbon tetrachloride. *The Australian journal of experimental biology and medical science*. 40: 241-253.
- Gallagher, CH; Rees, KR. (1960). Levels of pyridine nucleotides in liver poisoning. *Nature*. 187: 148-149.
- Gallagher, CH; Simmonds, RA. (1959). Prophylaxis of poisoning by carbon tetrachloride. *Nature*. 184: 1407-1408.
- Gallegos, P; Lutz, J; Markwiese, J; Ryt, R; Mirenda, R. (2007). Wildlife ecological screening levels for inhalation of volatile organic chemicals. *Environ Toxicol Chem*. 26: 1299-1303.
- Galler, K; FrÃ¼hlich, E; Kortgen, A; Bauer, M; Popp, Jr; Neugebauer, U. (2016). Hepatic cirrhosis and recovery as reflected by Raman spectroscopy: information revealed by statistical analysis might lead to a prognostic biomarker. *Anal Bioanal Chem*. 408: 8053-8063.
- Galli, A; Schiestl, RH. (1996). Effects of *Salmonella* assay negative and positive carcinogens on intrachromosomal recombination in G1-arrested yeast cells. *Mutat Res*. 370: 209-221.
- Galli, A; Schiestl, RH. (1998). Effect of *Salmonella* assay negative and positive carcinogens on intrachromosomal recombination in S-phase arrested yeast cells. *Mutation Research-Genetic Toxicology and Environmental Mutagenesis*. 419: 53-68.

Environmental Hazard Literature Search Results

Off Topic

- Galli, A; Schiestl, RH. (1998). YEAST STRAINS TO DETECT GENOMIC DELETIONS INDUCED BY CARCINOGENS IN CELL-CYCLE ARRESTED CELLS. *Biotherapy*. 11: 129-133.
- Galligani, L; Lonati-Galligani, M; Fuller, G. (1979). Collagen metabolism in the liver of normal and carbon tetrachloride treated rats. *Biomedicine / [publiée pour l'AAICIG]*. 31: 199-201.
- Galligani, L; Lonati-Galligani, M; Fuller, GC. (1979). Collagen synthesis in explant cultures of normal and CCl₄-treated mouse liver. *Toxicol Appl Pharmacol*. 48: 131-137.
- Gallo, JM; Cheung, LL; Kim, HJ; Bruckner, JV; Gillespie, WR. (1993). A physiological and system analysis hybrid pharmacokinetic model to characterize carbon tetrachloride blood concentrations following administration in different oral vehicles. *Journal of pharmacokinetics and biopharmaceutics*. 21: 551-574.
- Gallup, GA. (2005). Complex energy shift and background phase shift for simulated electron-molecular shape resonances. *Physical Review A*. 7102: 2710-2710.
- Gambella, GR; Bellotti, S; Mau, MA; Scarpa, S. Changes in fibronectin production in rat liver during cirrhotic evolution due to treatment with CCl₄ and steroid hormones: correlation with plasmatic fibronectin.
- Gan, D; Ma, LP; Jiang, CX; Wang, MC; Zeng, XX. (2012). Medium optimization and potential hepatoprotective effect of mycelial polysaccharides from *Pholiota dinghuensis* Bi against carbon tetrachloride-induced acute liver injury in mice. *Food Chem Toxicol*. 50: 2681-2688.
- Gander, JW; Parkin, GF; Scherer, MM. (2002). Kinetics of 1,1,1-trichloroethane transformation by iron sulfide and a methanogenic consortium. *Environmental Science & Technology*. 36: 4540-4546.
- Gandhi, CR; Sproat, LA; Subbotin, VM. (1996). Increased hepatic endothelin-1 levels and endothelin receptor density in cirrhotic rats. *Life Sci*. 58: 55-62.
- Gandhi, S; Oh, BT; Schnoor, JL; Alvarez, PJJ. (2002). Degradation of TCE, Cr(VI), sulfate, and nitrate mixtures by granular iron in flow-through columns under different microbial conditions. *Water Res*. 36: 1973-1982.
- Gandolfi, O; Cais, M. (1977). The naphthalenechromium tricarbonyl-catalyzed addition of carbon tetrachloride to olefins at ambient temperatures. *Journal of Organometallic Chemistry*. 125: 141-154.
- Ganesan, B; Anandan, R. (2009). Protective effect of betaine on changes in the levels of lysosomal enzyme activities in heart tissue in isoprenaline-induced myocardial infarction in Wistar rats. *Cell Stress & Chaperones*. 14: 661-667.
- Ganie, SA; Amin, S; Hamid, R; Hamid, A; Majeed, R; Qurishi, Y; Zargar, BA; Masood, A; Zargar, MA. (2012). Podophyllum hexandrum aqueous extract as a potential free radical scavenger. *Redox report : communications in free radical research*. 17: 54-62.
- Ganie, SA; Haq, E; Hamid, A; Qurishi, Y; Mahmood, Z; Zargar, BA; Masood, A; Zargar, MA. (2011). Carbon tetrachloride induced kidney and lung tissue damages and antioxidant activities of the aqueous rhizome extract of Podophyllum hexandrum. *BMC Complement Altern Med*. 11: 17.
- Ganie, SA; Haq, E; Masood, A; Hamid, A; Zargar, MA. (2011). Antioxidant and protective effect of ethyl acetate extract of podophyllum hexandrum rhizome on carbon tetrachloride induced rat liver injury. *Evidence-based complementary and alternative medicine : eCAM*. 2011: 238020.
- Ganie, SA; Zargar, BA; Masood, A; Zargar, MA. (2013). Hepatoprotective and antioxidant activity of rhizome of Podophyllum hexandrum against carbon tetra chloride induced hepatotoxicity in rats. *Biomedical and environmental sciences : BES*. 26: 209-221.
- Ganiev, IM; Timerghazin, QK; Khalizov, AF; Andriyashina, NM; Shereshevovets, VV; Volodarsky, LB; Tolstikov, GA. (1999). Complexes of chlorine dioxide with nitroxyl radicals. *Tetrahedron Letters*. 40: 4737-4740.
- Gano, JE; Atik, S. (1979). Photodesulfurization of O-alkyl thioesters. *Tetrahedron Letters*. 20: 4635-4636.
- Ganote, CE; Rosenthal, AS. (1968). Characteristic lesions of methylazoxymethanol-induced liver damage. A comparative ultrastructural study with dimethylnitrosamine, hydrazine sulfate, and carbon tetrachloride. *Laboratory investigation; a journal of technical methods and pathology*. 19: 382-398.
- Gans, JH. (1973). The effect of carbon tetrachloride administration on cholesterol metabolism in mice. *Biochimica et Biophysica Acta (BBA) - Lipids and Lipid Metabolism*. 326: 116-126.
- Gans, JH; Korson, R; Herman, J. (1976). Enhancement by phenobarbital of some effects of carbon tetrachloride on mouse liver. *Biochem Pharmacol*. 25: 557-561.
- Gantzer, CJ; Wackett, LP. (1991). Reductive dechlorination catalyzed by bacterial transition-metal coenzymes. *Environmental Science & Technology*. 25: 715-722.
- Gao, C; Govind, R; Tabak, HH. (1992). Application of the group contribution method for predicting the toxicity of organic chemicals. *Environ Toxicol Chem*. 11: 631-636.
- Gao, CF; Gressner, G; Zoremba, M; Gressner, AM. (1996). Transforming growth factor beta (TGF-beta) expression in isolated and cultured rat hepatocytes. *J Cell Physiol*. 167: 394-405.
- Gao, CY; Tian, CR; Zhou, R; Zhang, RG; Lu, YH. (2014). Phenolic composition, DNA damage protective activity and hepatoprotective effect of free phenolic extract from *Sphallerocarpus gracilis* seeds. *Int Immunopharmacol*. 20: 238-247.
- Gao, H; Zhou, YW. (2005). Anti-lipid peroxidation and protection of liver mitochondria against injuries by picoside II. *World J Gastroenterol*. 11: 3671-3674.
- Gao, J; Dou, H; Tang, XH; Xu, LZ; Fan, YM; Zhao, XN. (2004). Inhibitory effect of TCCE on CCl₄-induced overexpression of IL-6 in acute liver injury. *Acta Biochim Biophys Sin*. 36: 767-772.
- Gao, J; Tang, XH; Dou, H; Fan, YM; Zhao, XN; Xu, Q. (2004). Hepatoprotective activity of Terminalia catappa L. leaves and its two triterpenoids. *J Pharm Pharmacol*. 56: 1449-1455.

Environmental Hazard Literature Search Results

Off Topic

- Gao, Q; Zhao, X; Yin, L; Zhang, Y; Wang, B; Wu, X; Zhang, X; Fu, X; Sun, W. (2016). The essential oil of *Artemisia capillaris* protects against CCl₄-induced liver injury in vivo. *Revista Brasileira de Farmacognosia*. 26: 369-374.
- Gao, XX; Shi, DH; Chen, YX; Cui, JT; Wang, YR; Jiang, CP; Wu, JH. (2012). The therapeutic effects of tectorigenin on chemically induced liver fibrosis in rats and an associated metabonomic investigation. *Arch Pharm Res*. 35: 1479-1493.
- Gao, Z; Zhang, C; Tian, W; Liu, K; Hou, R; Yue, C; Wu, Y; Wang, D; Liu, J; Hu, Y; Yang, Y. (2017). The antioxidative and hepatoprotective effects comparison of Chinese angelica polysaccharide(CAP)and selenizing CAP (sCAP) in CCl₄ induced hepatic injury mice. *Int J Biol Macromol*. 97: 46-54.
- Gao, ZY; Zhang, JS; Li, LB; Shen, LQ; Li, QY; Zou, Y; Du, XH; Zhao, ZB. (2016). Heat shock proteins 27 and 70 contribute to the protection of Schisandrin B against D-galactosamine-induced liver injury in mice. *Can J Physiol Pharmacol*. 94: 373-378.
- Garay, ER; Lozzio, B; Machado, E; Lotti, C; Royer, M. (1964). TRANSFORMATION OF BILIVERDIN INTO BILIRUBIN IN EXPERIMENTAL LIVER INJURY. *Acta hepato-splenologica*. 11: 285-293.
- Garberg, P; Akerblom, EL; Bolcsfoldi, G. (1988). EVALUATION OF A GENOTOXICITY TEST MEASURING DNA-STRAND BREAKS IN MOUSE LYMPHOMA CELLS BY ALKALINE UNWINDING AND HYDROXYAPATITE ELUTION. *Mutat Res*. 203: 155-176.
- Garc a, J; Shibayama, M; Tsutsumi, V; Peiter, EM; Klinger, W. (2003). Age dependence of indicator sensitivity and of leucine aminopeptidase activity in serum of Wistar rats (Jena) after injury by carbon tetrachloride and allyl alcohol. *Eur J Gastroenterol H*. 9: 951-957.
- Garc a, L; Hern andez, I; Sandoval, A; Salazar, A; Garcia, J; Vera, J; Grijalva, G; Muriel, P; Margolin, S; Armendariz-Borunda, J. (2002). Pirfenidone effectively reverses experimental liver fibrosis. *J Hepatol*. 37: 797-805.
- Garc a-J ncz, A; Luengo, A; do, J; Ram rez-Ch. Effect of uraemia on endothelial cell damage is mediated by the integrin linked kinase pathway.
- Garcia-Ayllon, MS; Silveyra, MX; Candela, A; Compan, A; Claria, J; Jover, R; Perez-Mateo, M; Felipo, V; Martinez, S; Galceran, J; Saez-Valero, J. (2006). Changes in liver and plasma acetylcholinesterase in rats with cirrhosis induced by bile duct ligation. *Hepatology*. 43: 444-453.
- Garcia-Pag n, HHHLLUIDMDiM; oiques, HHCnldlBiom  dPPISuBS; Jackson, AF; Williams, A; Recio, L; Waters, MD; Lambert, IB; Yauk, CL. (2006). Case study on the utility of hepatic global gene expression profiling in the risk assessment of the carcinogen furan. *Hepatology* (Baltimore, Md). 44: 44-52.
- Garcia-Pagan, JC; Bosch, J. (2004). Milestones in liver disease - The resistance of the cirrhotic liver: a new target for the treatment of portal hypertension - Commentary. *J Hepatol*. 40: 887-890.
- Garcia-Villanova, RJ; Garcia, C; Gomez, JA; Paz, GARCIA; Ardanuy, R. (1997). Formation, evolution and modeling of trihalomethanes in the drinking water of a town: II. In the distribution system. *Water Res*. 31: 1405-1413.
- Gardner, M. (1998). Stability of trace organic substances in water: Data obtained from interlaboratory tests. *Analytical Communications*. 35: 373-375.
- Gargas, ML; Andersen, ME; Clewell, HJ, III. (1986). A physiologically based simulation approach for determining metabolic constants from gas uptake data. *Toxicol Appl Pharmacol*. 86: 341-532.
- Gargas, ML; Seybold, PG; Andersen, ME. (1987). MODELING THE TISSUE SOLUBILITIES AND METABOLIC RATE CONSTANT V-M-A-X OF HALOGENATED METHANES ETHANES AND ETHYLENES. Symposium On Quantitative Toxicology Held At The 17th Conference On Toxicology, Dayton, Ohio, Usa, November. 43: 235-256.
- Gariepy, L; Fenyves, D; Kassissia, I; Villeneuve, JP. (1993). Clearance by the liver in cirrhosis: II. Characterization of propranolol uptake with the multiple-indicator dilution technique. *Hepatology*. 18: 823-831.
- Gariepy, L; Fenyves, D; Petit, JL; Raymond, G; Villeneuve, JP. (1990). Propranolol metabolism by isolated hepatocytes from normal and cirrhotic rat livers: the effect of albumin. *Can J Physiol Pharmacol*. 68: 68(66):657-662.
- Garman, JR; Freund, T; Lawless, EW. (1987). TESTING FOR GROUNDWATER CONTAMINATION AT HAZARDOUS WASTE SITES. *J Chromatogr Sci*. 25: 328-337.
- Garner, RC; McLean, AE. (1969). Increased susceptibility to carbon tetrachloride poisoning in the rat after pretreatment with oral phenobarbitone. *Biochem Pharmacol*. 18: 645-650.
- Garrison, JC; Peterson, P; Uyeki, EM. (1988). COMPUTER-ASSISTED MICROSCOPY IN THE STUDY OF HEPATOTOXINS. Xii International Meeting Of The Society For Analytical Cytology, Breckenridge, Colorado, Usa, September. 0: 85.
- Gartia, Y; Biswas, A; Stadler, M; Nasini, UB; Ghosh, A. (2012). Cross coupling reactions of multiple CCl bonds of polychlorinated solvents with Grignard reagent using a pincer nickel complex. *Journal of Molecular Catalysis*. 363-364: 322-327.
- Gartung, C; Geier, A; Kim, SK; Gerloff, T; Karpen, SJ; Stieger, B; Meier, PJ; Matern, S. (1999). Selective down-regulation of basolateral organic anion transporters in rats with acute liver injury induced by carbon tetrachloride (CCL₄). 50th Annual Meeting And Postgraduate Courses Of The American Association For The Study Of Liver Diseases, Dallas, Texas, Usa, November. 30.
- Gascon-Barr s, CCdRCA -VH s-n Q CC; Huet, PM. Estimation of collagen content of liver specimens. Variation among animals and among hepatic lobes in cirrhotic rats.
- Gasparotto, J; Somensi, N; Bortolin, RC; Girardi, CS; Kunzler, A; Rabelo, TK; Schnorr, CE; Moresco, KS; Bassani, VL; Yatsu, FKJ; Vizzotto, M; Raseira, M; Zanutto-Filho, A; Moreira, JCF; Gelain, DP. (2014). Preventive supplementation with fresh and preserved peach attenuates CCl₄-induced oxidative stress, inflammation and tissue damage. *J Nutr Biochem*. 25: 1282-1295.
- Gass c, M; Rubio, M; Varela, G. Effects of S-adenosylmethionine on lipid peroxidation and liver fibrogenesis in carbon tetrachloride-induced cirrhosis.
- Gaudio, E; Pannarale, L; Franchitto, A; Riggio, O. (1993). Zinc supplementation in experimental liver cirrhosis: a morphological, structural and ultrastructural study. *Int J Exp Pathol*. 74: 463-469.

Environmental Hazard Literature Search Results

Off Topic

- Gaynes, BI; Watkins, JB, 3rd. (1989). Carbon tetrachloride and the sorbitol pathway in the diabetic mouse. *Comparative biochemistry and physiology B, Comparative biochemistry*. 94: 213-217.
- Gazit, V; Weymann, A; Hartman, E; Finck, BN; Hruz, PW; Tzekov, A; Rudnick, DA. (2010). Liver Regeneration is Impaired in Lipodystrophic Fatty Liver Dystrophy Mice. *Hepatology*. 52: 2109-2117.
- Gazzaniga, PP. (1975). Rat liver isozymes in acute carbon tetrachloride and ethionine poisoning. *Enzyme*. 20: 193-208.
- Gazzaniga, PP; Lipari, M; Sonnino, FR. (2013). Immuno-electrophoresis of soluble proteins isolated from cellular fractions of liver from rats poisoned with carbon tetrachloride. *Xenobiotica; the fate of foreign compounds in biological systems*. 90: 682-685.
- Ge, JP; Rudnick, DA; He, J; Crimmins, DL; Ladenson, JH; Bessler, M; Mason, PJ. (2010). Dyskerin Ablation in Mouse Liver Inhibits rRNA Processing and Cell Division. *Mol Cell Biol*. 30: 413-422.
- Gear, RB; Yan, M; Schneider, J; Succop, P; Heffelfinger, SC; Clegg, DJ. (2007). Charles River Sprague Dawley rats lack early age-dependent susceptibility to DMBA-induced mammary carcinogenesis. *Int J Biol Sci*. 3: 408-416.
- Gebert, MS. (1991). Diffusion-limited interactions in polymer solutions: A study of polymer-small molecule and polymer-polymer interactions using phosphorescence quenching. PhD, Northwestern University.
- Gebhardt, R. (2002). Oxidative stress, plant-derived antioxidants and liver fibrosis. *Planta Med*. 68: 289-296.
- Gebhardt, R; Beckers, G; Gaunitz, F. (1991). Treatment of cirrhotic rats with L-ornithine-L-aspartate enhances urea synthesis and lowers serum ammonia levels.
- Gebhardt, R; Burger, HJ; Heini, H; Schreiber, KL; Mecke, D. (1988). ALTERATIONS OF HEPATIC ENZYME LEVELS AND OF THE ACINAR DISTRIBUTION OF GLUTAMINE SYNTHETASE IN RESPONSE TO EXPERIMENTAL LIVER INJURY IN THE RAT. *Hepatology*. 8: 822-830.
- Gebhardt, R; Reichen, J. (1994). Changes in distribution and activity of glutamine synthetase in carbon tetrachloride-induced cirrhosis in the rat: potential role in hyperammonemia. *Hepatology (Baltimore, Md)*. 20: 684-691.
- Gebhardt, R; Schoels, L. (1989). CHANGES IN THE NUCLEAR PATTERN OF GLUTAMINE SYNTHETASE-NEGATIVE AND POSITIVE HEPATOCYTES DURING REGENERATION AFTER INTOXICATION WITH CARBON TETRACHLORIDE. *Symposia And Workshops Held At The Annual Meeting Of The Deutsche Gesellschaft Fuer Zellbiologie*. 0: 21.
- Gebhart, AMW; Brabec, MJ. (1985). Carbon tetrachloride depresses hepatic phospholipid synthesis in rats. *Toxicol Lett*. 24: 71-78.
- Geddes, IC. (1972). Metabolism of volatile anaesthetics. *Br J Anaesth*. 44: 953-960.
- Gee, DL; Bechtold, MM; Tappel, AL. (1981). Carbon tetrachloride-induced lipid peroxidation: simultaneous in vivo measurements of pentane and chloroform exhaled by the rat. *Toxicol Lett*. 8: 299-306.
- Gee, GW; Oostrom, M; Freshley, MD; Rockhold, ML; Zachara, JM. (2007). Hanford site vadose zone studies: An overview. *Vadose Zone Journal*. 6: 899-905.
- Geerts, A; Lazou, JM; De, BP; Wisse, E. (1991). Tissue distribution, quantitation and proliferation kinetics of fat-storing cells in carbon tetrachloride-injured rat liver. *Hepatology (Baltimore, Md)*. 13: 1193-1202.
- Geerts, A; Schellinck, P; Bouwens, L; Wisse, E. (1988). CELL POPULATION KINETICS OF KUPFFER CELLS DURING THE ONSET OF FIBROSIS IN RAT LIVER BY CHRONIC CARBON TETRACHLORIDE ADMINISTRATION. *J Hepatol*. 6: 50-56.
- Geetha, S; Jayamurthy, P; Pal, K; Pandey, S; Kumar, R; Sawhney, RC. (2008). Hepatoprotective effects of sea buckthorn (*Hippophae rhamnoides* L.) against carbon tetrachloride induced liver injury in rats. *J Sci Food Agric*. 88: 1592-1597.
- Gehring, P; Eschweiler, H. (1999). Ozone/electron beam process for water treatment: Design, limitations and economic considerations. *Ozone-Science & Engineering*. 21: 523-538.
- Geier, A; Dietrich, CG; Voigt, S; Kim, SK; Gerloff, T; Kullak-Ublick, GA; Lorenzen, J; Matern, S; Gartung, C. (2003). Effects of proinflammatory cytokines on rat organic anion transporters during toxic liver injury and cholestasis. *Hepatology*. 38: 345-354.
- Geier, A; Kim, SK; Gerloff, T; Dietrich, CG; Lammert, F; Karpen, SJ; Stieger, B; Meier, PJ; Matern, S; Gartung, C. (2002). Hepatobiliary organic anion transporters are differentially regulated in acute toxic liver injury induced by carbon tetrachloride. *J Hepatol*. 37: 198-205.
- Gellert, J; Goldermann, L; Teschke, R. (1983). Effect of CO₂-induced hyperventilation on carbon tetrachloride (CCl₄) levels following acute CCl₄ poisoning. *Intensive Care Med*. 9: 333-337.
- Gelu-Simeon, M; Rowland, FS. (2016). METHANE AND CHLOROCARBONS IN THE EARTH'S ATMOSPHERE. *Toxicol Lett*. 255: 1-10.
- Geng, XX; Yang, Q; Xie, RJ; Luo, XH; Han, B; Ma, L; Li, CX; Cheng, ML. (2005). In vivo effects of Chinese herbal recipe, Danshaohuaxian, on apoptosis and proliferation of hepatic stellate cells in hepatic fibrotic rats. *World J Gastroenterol*. 11: 561-566.
- Gentry, SJ; Walsh, PT. (1986). A DIFFUSIVE SAMPLER STAIN TUBE EXPOSURE MONITOR. Berlin, A, R H Brown And K J Saunders. 0: 379-382.
- George, S; Wright, J; Bell, G; Geffen, A; Taylor, S. (2000). Dietary effects on xenobiotic-induced oxidative damage in 'O' group plaice. *Mar Environ Res*. 50: 80-81.
- Georges, PC; Hui, JJ; Gombos, Z; McCormick, ME; Wang, AY; Uemura, M; Mick, R; Janmey, PA; Furth, EE; Wells, RG. (2007). Increased stiffness of the rat liver precedes matrix deposition: implications for fibrosis. *American Journal of Physiology-Gastrointestinal and Liver Physiology*. 293: G1147-G1154.
- Georgijew, A; Kalczak, M; Wegiel, J. (2000). Some observations on the effect of CCl₄ on normal and regenerating liver. *J Physiol Biochem*. 56: 91-99.
- Geraghty, FJ; Rogers, WA. (1947). Carbon tetrachloride poisoning with report of a case. *The West Virginia medical journal*. 43: 242-246.
- Gerba, CP. (1996). PRINCIPLES OF TOXICOLOGY. Pepper, I L, C P Gerba And M L Brusseau. 0: 323-344.
- Gerber, GB; Bartsch, GG; Deroo, J. (1975). Influence of phospholipids on liver damage. I. Carbontetrachloride poisoning and alterations in amino acid uptake, peroxidation, sialic acid content, and lysosomal enzymes. *Acta hepato-gastroenterologica*. 22: 175-180.
- Gerber, GJ; O'Shaughnessy, D. (1986). Comparison of the behavioral effects of neurotoxic and systemically toxic agents: how discriminatory are behavioral tests of neurotoxicity? *Neurobehavioral toxicology and teratology*. 8: 703-710.

Environmental Hazard Literature Search Results

Off Topic

- Gerig, JT. (2003). Solute-solvent interactions probed by intermolecular NOEs. *J Org Chem.* 68: 5244-5248.
- Gerlach, R; Cunningham, AB; Caccavo, F. (2000). Dissimilatory iron-reducing bacteria can influence the reduction of carbon tetrachloride by iron metal. *Environmental Science & Technology.* 34: 2461-2464.
- Germano, MP; D'Angelo, V; Sanogo, R; Morabito, A; Pergolizzi, S; De Pasquale, R. (2001). Hepatoprotective activity of *Trichilia roka* on carbon tetrachloride-induced liver damage in rats. *J Pharm Pharmacol.* 53: 1569-1574.
- Germolec, DR; Luster, MI. (1994). IMMUNE ALTERATIONS RESULTING FROM EXPOSURE TO CHEMICAL MIXTURES. *Yang, R S H. O:* 197-217.
- Getoff, N. (1986). Radiation induced decomposition of some chlorinated methanes in water. *Water Res.* 20: 1261-1264.
- Getoff, N. (1989). ADVANCEMENTS OF RADIATION INDUCED DEGRADATION OF POLLUTANTS IN DRINKING AND WASTE WATER. *Appl Radiat Isot.* 40: 585-594.
- Geurts, M; Hermans, E; Mx, JM. (2013). Enhanced striatal dopamine D(2) receptor-induced [35S]GTPgammaS binding after haloperidol treatment. *J Contam Hydrol.* 144: 1-19.
- Gewiese-Rabsch, J; Drucker, C; Malchow, S; Scheller, J; Rose-John, S. (2010). Role of IL-6 trans-signaling in CCl(4) induced liver damage. *Biochimica Et Biophysica Acta-Molecular Basis of Disease.* 1802: 1054-1061.
- Ghaffari, H; Ghassam, BJ; Prakash, HS. (2012). Hepatoprotective and cytoprotective properties of *Hyptis suaveolens* against oxidative stress-induced damage by CCl(4) and H(2)O(2). *Asian Pacific Journal of Tropical Medicine.* 5: 868-874.
- Ghaffari, H; Venkataramana, M; Nayaka, SC; Ghassam, BJ; Angaswamy, N; Shekar, S; Kumara, KKS; Prakash, HS. (2013). Hepatoprotective action of *Orthosiphon diffusus* (Benth.) methanol active fraction through antioxidant mechanisms: An in vivo and in vitro evaluation. *J Ethnopharmacol.* 149: 737-744.
- Ghafoory, S; Breitkopf-Heinlein, K; Li, Q; Scholl, C; Dooley, S; W&E lfl, S. (2013). Zonation of nitrogen and glucose metabolism gene expression upon acute liver damage in mouse. *PLoS ONE.* 8: e78262.
- Ghafourian, T; Dearden, JC. (2000). The use of atomic charges and orbital energies as hydrogen-bonding-donor parameters for QSAR studies: Comparison of MNDO, AM1 and PM13 methods. *J Pharm Pharmacol.* 52: 603-610.
- Gharbi, N; Pressac, M. [60]fullerene is a powerful antioxidant in vivo with no acute or subacute toxicity.
- Ghasemi, M; Azarnia, M; Jamali, M; Mirabolghasemi, G; Nazarian, S; Naghizadeh, MM; Rajabi, M; Tahamtani, Y. (2014). Protective effects of *Ephedra pachyclada* extract on mouse models of carbon tetrachloride- induced chronic and acute liver failure. *Tissue & Cell.* 46: 78-85.
- Gholson, AR; Javanty, RKM; Storm, JF. (1990). EVALUATION OF ALUMINUM CANISTERS FOR THE COLLECTION AND STORAGE OF AIR TOXICS. *Anal Chem.* 62: 1899-1902.
- Ghosh, AK; Chaudhuri, P; Panja, SS. (2016). Steady state fluorescence spectroscopic studies on the aggregation of coal derived asphaltene at lower concentration. *Fuel.* 185: 164-170.
- Ghosh, AK; Srivastava, SK; Bagchi, S. (2007). Study of self-aggregation of coal derived asphaltene in organic solvents: A fluorescence approach. *Fuel.* 86: 2528-2534.
- Ghosh, D; Ghosh, S; Sarkar, S; Ghosh, A; Das, N; Das Saha, K; Mandala, AK. (2010). Quercetin in vesicular delivery systems: Evaluation in combating arsenic-induced acute liver toxicity associated gene expression in rat model. *Chem Biol Interact.* 186: 61-71.
- Ghoshal, AK. (1976). Antioxidant role of vitamin E and carbon tetrachloride hepatotoxicity. *Exp Mol Pathol.* 25: 202-207.
- Ghoshal, AK; Mullen, B; Medline, A; Farber, E. (1983). Sequential analysis of hepatic carcinogenesis. Regeneration of liver after carbon tetrachloride-induced liver necrosis when hepatocyte proliferation is inhibited by 2-acetylaminofluorene. *Laboratory investigation; a journal of technical methods and pathology.* 48: 224-230.
- Ghoshal, AK; Recknagel, RO. (1965). On the mechanism of carbon tetrachloride hepatotoxicity: Co-occurrence of loss of glucose-6-phosphatase activity with peroxidation of microsomal lipid. *Life Sci.* 4: 2195-2209.
- Ghoshal, AK; Recknagel, RO. (1965). Positive evidence of acceleration of lipoperoxidation in rat liver by carbon tetrachloride: in vitro experiments. *Life Sci.* 4: 1521-1530.
- Giacometti, J; Muhvic, D; Pavletic, A; Dudaric, L. (2016). Cocoa polyphenols exhibit antioxidant, anti-inflammatory, anticarcinogenic, and anti-necrotic activity in carbon tetrachloride-intoxicated mice. *Journal of Functional Foods.* 23: 177-187.
- Giannone, FA; Baldassarre, M; Domenicali, M; Zaccherini, G; Trevisani, F; Bernardi, M; Caraceni, P. (2012). Reversal of liver fibrosis by the antagonism of endocannabinoid CB1 receptor in a rat model of CCl(4)-induced advanced cirrhosis. *Lab Invest.* 92: 384-395.
- Gibb, JW; Brody, TM. (1967). The protective effect of nicotinamide on carbon tetrachloride-induced hepatotoxicity. *Biochem Pharmacol.* 16: 2047-2049.
- Gibbons, RD; Jarke, FH; Stoub, KP. (1991). DETECTION LIMITS FOR LINEAR CALIBRATION CURVES WITH INCREASING VARIANCE AND MULTIPLE FUTURE DETECTION DECISIONS. *Friedman, D. O:* 377-390.
- Gielsing, RG; Elsharkawy, AM; Caamano, JH; Cowie, DE; Wright, MC; Ebrahimkhani, MR; Burt, AD; Mann, J; Raychaudhuri, P; Liou, HC; Oakley, F; Mann, DA. (2010). The c-Rel Subunit of Nuclear Factor-kappa B Regulates Murine Liver Inflammation, Wound-Healing, and Hepatocyte Proliferation. *Hepatology.* 51: 922-931.
- Gielsing, RG; Wallace, K; Han, YP. (2009). Interleukin-1 participates in the progression from liver injury to fibrosis. *American Journal of Physiology-Gastrointestinal and Liver Physiology.* 296: G1324-G1331.
- Giese, U; Stenner, H; Ludwig, E; Kettrup, A. (1990). Determination of chlorinated hydrocarbons in single and multicomponent test gases. *Fresenius' J Anal Chem.* 338: 610-614.
- Giffen, PS; Pick, CR; Price, MA; Williams, A; York, MJ. (2002). Alpha-glutathione S-transferase in the assessment of hepatotoxicity - Its diagnostic utility in comparison with other recognized markers in the Wistar Han rat. *Toxicol Pathol.* 30: 365-372.

Environmental Hazard Literature Search Results

Off Topic

- Giffen, PS; Turton, J; Andrews, CM; Barrett, P; Clarke, CJ; Fung, KW; Munday, MR; Roman, IF; Smyth, R; Walshe, K; York, MJ. (2003). Markers of experimental acute inflammation in the Wistar Han rat with particular reference to haptoglobin and C-reactive protein. *Arch Toxicol.* 77: 392-402.
- Gil, F; Fiserova-Bergerova, V; Altman, NH. (1988). Hepatic protection from chemical injury by isoflurane. *Anesth Analg.* 67: 860-867.
- Gil, M; Nunez, JL; Palafox, MA; Iza, N. (2001). FTIR study of five complex beta-lactam molecules. *Biopolymers.* 62: 278-294.
- Gilani, AH; Janbaz, KH. Effect of *Rubia cordifolia* extract on acetaminophen and CCl₄-induced hepatotoxicity. *Phytotherapy research : PTR.* Aug 1995. v. 9 (5): 372-375.
- Gilani, AH; Janbaz, KH. (1994). Hepatoprotective effects of *artemisia scoparia* against carbon tetrachloride: an environmental contaminant. *JPMA The Journal of the Pakistan Medical Association.* 44: 65-68.
- Gilani, AH; Janbaz, KH; Akhtar, MS. (1985). Selective protective effect of an extract from *Fumaria parviflora* on paracetamol-induced hepatotoxicity. *General pharmacology.* 27: 979-983.
- Gilani, AH; Janbaz, KH; Shah, BH. (1998). Esculetin prevents liver damage induced by paracetamol and CCl₄. *Pharmacol Res.* 37: 31-35.
- Gilbert, B; Banfield, JF. (2005). Molecular-scale processes involving nanoparticulate minerals in biogeochemical systems. *Molecular Geomicrobiology* Chantilly 109-155.
- Gilby, AR. Movement of halogenated fumigants through wheat. *Journal of stored products research.* Oct 1983. v. 19 (4): 199-202.
- Gillberg, R; Korsan-Bengtson, K; Magnusson, B; Nyberg, G. (1981). Gastrointestinal blood loss, gastroscopy and coagulation factors in normal volunteers during administration of acetylsalicylic acid and fluproquazone. *Scand J Rheumatol.* 10: 342-346.
- Gillette, J. (2000). Laboratory of Chemical Pharmacology, National Heart, Lung, and Blood Institute, NIH: A short history. *Annu Rev Pharmacol Toxicol.* 40: 19-41.
- Gillette, JR; Davis, DC; Sasame, HA. (1972). Cytochrome P-450 and its role in drug metabolism. *Annual review of pharmacology.* 12: 57-84.
- Gillham, RW; O'Hannesin, SF. (1994). ENHANCED DEGRADATION OF HALOGENATED ALIPHATICS BY ZERO-VALENT IRON. *Ground Water.* 32: 958-967.
- Gilloteaux, J; Kashouty, R; Yono, N. (2008). The perinuclear space of pancreatic acinar cells and the synthetic pathway of zymogen in *Scorpaena scrofa* L.: Ultrastructural aspects. *Tissue & Cell.* 40: 7-20.
- Ginsburg, I; Koren, E; Horani, A; Mahamid, M; Doron, S; Muhanna, N; Amer, J; Safadi, R. (2009). Amelioration of hepatic fibrosis via *Padma Hepaten* is associated with altered natural killer T lymphocytes. *Clin Exp Immunol.* 157: 155-164.
- Gioli-Pereira, L; Coradin, K; Nagaoka, MR; Borges, DR; Kouyoumdjian, M. (2002). Enzyme release from injured, preserved, and ex vivo reperfused liver does not indicate malfunction. *Transplantation.* 74: 1081-1083.
- Giordano, MC; Bazˆajn, JC; Arvia, AJ. (1966). The interaction of iodine with dimethyl-sulphoxide in carbon tetrachloride solutions. *Journal of Inorganic and Nuclear Chemistry.* 28: 1209-1214.
- Giri, RK; Bose, A; Mishra, SK. (2011). Hepatoprotective activity of *Tagetes erecta* against carbon tetrachloride-induced hepatic damage in rats. *Acta Pol Pharm.* 68: 999-1003.
- Giri, SN; Wang, Q; Hyde, DM; Schiedt, MJ. (1991). EFFECT OF TAURINE AND NIACIN ON CARBON TETRACHLORIDE-INDUCED LIVER FIBROSIS IN RATS. 75th Annual Meeting Of The Federation Of American Societies For Experimental Biology, Atlanta, Georgia, Usa, April. 5.
- Girish, C; Koner, BC; Jayanthi, S; Rao, KR; Rajesh, B; Pradhan, SC. (2009). Hepatoprotective activity of picroliv, curcumin and ellagic acid compared to silymarin on paracetamol induced liver toxicity in mice. *Fundamental & Clinical Pharmacology.* 23: 735-745.
- Girish, C; Pradhan, SC. (2008). Drug development for liver diseases: focus on picroliv, ellagic acid and curcumin. *Fundamental & Clinical Pharmacology.* 22: 623-632.
- Girish, C; Pradhan, SC. (2012). Hepatoprotective activities of picroliv, curcumin, and ellagic acid compared to silymarin on carbon-tetrachloride-induced liver toxicity in mice. *Journal of pharmacology & pharmacotherapeutics.* 3: 149-155.
- Girish, GK; Tripathi, BP; Srivastava, PK; Krishnamurthy, K. Studies on the behaviour of ethylene di bromide and carbon tetrachloride mixtures. II. *Bull Grain Technol.* Mar 1972, 10 (1): 30-36.
- Girish, GK; Tripathi, BP; Srivastava, PK; Krishnamurthy, K. Studies on the behaviour of ethylene di-bromide and carbon tetrachloride mixtures. I. *Bull Grain Technol.* Dec 1971, 9 (4): 242-246.
- Gitlin, N. (1980). Carbon tetrachloride-induced cirrhosis? *South African medical journal = Suid-Afrikaanse tydskrif vir geneeskunde.* 58: 872-873.
- Glasauer, S; Langley, S; Beveridge, TJ. (2004). Intracellular manganese granules formed by a subsurface bacterium. *Environmental Microbiology.* 6: 1042-1048.
- Glaser, G; Mager, J. (1971). Biochemical studies on the mechanism of action of liver poisons. I. Inhibition of protein synthesis. *Biochim Biophys Acta.* 261: 487-499.
- Glaser, G; Mager, J. (1971). Biochemical studies on the mechanism of action of liver poisons. II. Induction of fatty livers. *Biochim Biophys Acta.* 261: 500-507.
- Glaser, G; Mager, J. (1974). Biochemical studies on the mechanism of action of liver poisons. III. Depletion of liver glutathione in ethionine poisoning. *Biochim Biophys Acta.* 372: 237-244.
- Glavas, S; Moschonas, N. (2002). First measurements of carbon tetrachloride and tetrachloroethene in the atmosphere of Athens, Greece. *Sci Total Environ.* 290: 231-237.
- Glaze, WH; Koga, M; Ruth, EC; Cancilla, D. (1987). APPLICATION OF CLOSED LOOP STRIPPING AND XAD RESIN ADSORPTION FOR THE DETERMINATION OF OZONE BY-PRODUCTS FROM NATURAL WATER. *Larson, R A.* 0: 201-210.
- Glende, EA, Jr. (1972). On the mechanism of carbon tetrachloride toxicity--coincidence of loss of drug-metabolizing activity with peroxidation of microsomal lipid. *Biochem Pharmacol.* 21: 2131-2138.

Environmental Hazard Literature Search Results

Off Topic

- Glende, EA, Jr.; Recknagel, RO. (1991). An indirect method demonstrating that CCl₄-dependent hepatocyte injury is linked to a rise in intracellular calcium ion concentration. 73: 41-52.
- Glende, EA, Jr.; Recknagel, RO. (1992). Phospholipase A sub(2) activation and cell injury in isolated rat hepatocytes exposed to bromotrichloromethane, chloroform, and 1,1-dichloroethylene as compared to effects of carbon tetrachloride. *Toxicol Appl Pharmacol.* 113: 159-162.
- Glende Jr, EA. (1972). Carbon tetrachloride-induced protection against carbon tetrachloride toxicity: The role of the liver microsomal drug-metabolizing system. *Biochem Pharmacol.* 21: 1697-1702.
- Glende Jr, EA; Recknagel, RO. (1969). Biochemical basis for the in vitro pro-oxidant action of carbon tetrachloride. *Exp Mol Pathol.* 11: 172-185.
- Gliedman, ML; Girardet, R; Ryzoff, R; Karlson, KE. (1965). HEPATIC SWELLING AND INFERIOR VENA CAVA CONSTRICTION. *Ann Surg.* 161: 344-349.
- Glover, EL; Reuber, MD. (1967). Chronic thyroiditis in Buffalo rats with carbon tetrachloride-induced cirrhosis. *Endocrinology.* 80: 361-364.
- Gnanadesigan, M; Ravikumar, S; Inbaneson, SJ. (2011). Hepatoprotective and antioxidant properties of marine halophyte *Luminetzer racemosa* bark extract in CCL₄ induced hepatotoxicity. *Asian Pacific Journal of Tropical Medicine.* 4: 462-465.
- Gnanakaran, S; Hochstrasser, RM. (2001). Conformational preferences and vibrational frequency distributions of short peptides in relation to multidimensional infrared spectroscopy. *J Am Chem Soc.* 123: 12886-12898.
- Go, J; Kim, JE; Koh, EK; Song, SH; Sung, JE; Lee, HA; Lee, YH; Lim, Y; Hong, JT; Hwang, DY. (2016). Protective Effect of Gallotannin-Enriched Extract Isolated from *Galla Rhois* against CCl₄-Induced Hepatotoxicity in ICR Mice. *Nutrients.* 8: 107.
- Goczko, H; Szabo-Revesz, P; Farkas, B; Hasznos-Nexdei, M; Serwanis, SF; Pintye-Hodi, K; Kasa, P; Eros, I; Antal, I; Marton, S. (2000). Development of spherical crystals of acetylsalicylic acid for direct tablet-making. *Chemical & Pharmaceutical Bulletin.* 48: 1877-1881.
- Goddard, JG; Sweeney, GD. (1983). Ferric nitrilotriacetate: A potent stimulant of in vivo lipid peroxidation in mice. *Biochem Pharmacol.* 32: 3879-3882.
- Godevac, D; Vujisic, L; Mojovic, M; Ignjatovic, A; Spasojevic, I; Vajs, V. (2008). Evaluation of antioxidant capacity of *Allium ursinum* L. volatile oil and its effect on membrane fluidity. *Food Chem.* 107: 1692-1700.
- Goel, A; Chauhan, DP; Dhawan, DK. (2000). Protective effects of zinc in chlorpyrifos induced hepatotoxicity - A biochemical and trace elemental study. *Biol Trace Elem Res.* 74: 171-183.
- Goel, A; Dani, V; Dhawan, DK. (2005). Protective effects of zinc on lipid peroxidation, antioxidant enzymes and hepatic histoarchitecture in chlorpyrifos-induced toxicity. *Chem Biol Interact.* 156: 131-140.
- Goel, A; Dani, V; Dhawan, DK. (2006). Chlorpyrifos-induced alterations in the activities of carbohydrate metabolizing enzymes in rat liver: The role of zinc. *Toxicol Lett.* 163: 235-241.
- Goel, A; Dani, V; Dhawan, DK. (2006). Role of zinc in mitigating the toxic effects of chlorpyrifos on hematological alterations and electron microscopic observations in rat blood. *Biometals.* 19: 483-492.
- Goel, A; Dani, V; Dhawan, DK. (2007). Zinc mediates normalization of hepatic drug metabolizing enzymes in chlorpyrifos-induced toxicity. *Toxicol Lett.* 169: 26-33.
- Goel, A; Dhawan, D; Kheruka, S. (1994). Evaluation of zinc in the regulation of serum T3 and T4 levels and hepatic functions in carbontetrachloride-intoxicated rats. *Biol Trace Elem Res.* 41: 59-68.
- Goel, A; Dhawan, DK. (2001). Zinc supplementation prevents liver injury in chlorpyrifos-treated rats. *Biol Trace Elem Res.* 82: 185-200.
- Goeptar, AR; Scheerens, H; Vermeulen, NPE. (1995). OXYGEN AND XENOBIOTIC REDUCTASE ACTIVITIES OF CYTOCHROME P 450. *Crit Rev Toxicol.* 25: 25-65.
- Goerig, M; Wernze, H; Wuensch, P; Post, S; Krandig, G; Raschke, A; Kommerel, B. (1989). UPREGULATION OF HEPATIC AND EXTRAHEPATIC PGH SYNTHASE ACTIVITY IN EXPERIMENTAL CIRRHOSIS OF THE LIVER. 24th Meeting Of The European Association For The Study Of The Liver, Munich, West Germany, August. 9.
- Goetcheus, JS; Webster, LT, Jr. (1965). GAMMA-AMINOBUTYRATE AND HEPATIC COMA. *The Journal of laboratory and clinical medicine.* 65: 257-267.
- Goeting, NL; Fleming, JS; Gallagher, P; Walmsely, BH; Karran, SJ. (1986). Alterations in liver blood flow and reticuloendothelial function in progressive cirrhosis in the rat. *Journal of nuclear medicine : official publication, Society of Nuclear Medicine.* 27: 1751-1754.
- Gohda, E; Nagahama, J; Nakamura, O; Tsubouchi, H; Daikuhara, Y; Pitot, HC. (1984). Increased activities of liver cathepsins T and D in carbon tetrachloride-treated rats. *Biochimica et Biophysica Acta: Protein Structure and Molecular Enzymology.* 802: 362-371.
- Gokhale, MS; Lin, J; Yager, JD. (1997). A mixture of antioxidants and fatty acids improves the viability of cultured rat hepatocytes untreated or treated with doxorubicin. *Toxicol In Vitro.* 11: 753-759.
- Gokilaveni, C; Nishadh, A; Selvi, V. (2006). AMELIORATIVE ROLE OF *Vernonia cinerea* IN CARBON TETRACHLORIDE INDUCED HEPATIC DYSFUNCTION IN RATS. *Ancient Science of Life.* 25: 1-5.
- Gola, M. (1976). Slow current changes underlying square shaped potential waves in warmed *Aplysia* neurones. *Experientia.* 32: 585-587.
- Golash, N; Gogate, PR. (2012). Degradation of dichlorvos containing wastewaters using sonochemical reactors. *Ultrason Sonochem.* 19: 1051-1060.
- Gold, EJ; Francis, RJ; Zimmermann, A; Mellor, SL; Cranfield, M; Risbridger, GP; Groome, NP; Wheatley, AM; Fleming, JS. (2003). Changes in activin and activin receptor subunit expression in rat liver during the development of CCl₄-induced cirrhosis. *Molecular and cellular endocrinology.* 201: 143-153.
- Gold, LS; Slone, TH; Stern, BR; Bernstein, L. (1993). Comparison of target organs of carcinogenicity for mutagenic and non-mutagenic chemicals. *Mutat Res.* 286: 75-100.

Environmental Hazard Literature Search Results

Off Topic

- Goldani, HA; Oliveira, OL; Vieira, SM; ra, TR; Lindstrom, TD; Anders, MW; Remmer, H. (2010). Effect of phenobarbital and diethyl maleate on carbon tetrachloride toxicity in isolated rat hepatocytes. *Arq Gastroenterol.* 47: 188-192.
- Goldani, HAS; Matte, US; Ramos, ARL; Costa, TG; Winkelmann, LV; Meurer, L; Vieira, SMG; Kieling, CO; Silveira, TR. (2007). The role of food restriction on CCl₄-induced cirrhosis model in rats. *Exp Toxicol Pathol.* 58: 331-337.
- Goldfarb, S; Singer, EJ; Popper, H. (1963). BILIARY DUCTULES AND BILE SECRETION. *The Journal of laboratory and clinical medicine.* 62: 608-615.
- Goldstein, RS; Hewitt, WR; Hook, JB. (1990). TOXIC INTERACTIONS. Goldstein, R S, W R Hewitt And J B Hook. 0.
- Goldsworthy, TL; Goldsworthy, SM; Sprankle, CS; Butterworth, BE. (1994). Expression of myc, fos and Ha-ras associated with chemically induced cell proliferation in the rat liver. *Cell Prolif.* 27: 269-278.
- Gole, MK; Dasgupta, S. (2002). Role of plant metabolites in toxic liver injury. *Asia Pacific journal of clinical nutrition.* 11: 48-50.
- Gole, MK; Dasgupta, S; Sur, RK; Ghosal, J. Hepatoprotective effect of Amoora rohituka. *International journal of pharmacognosy : a journal of crude drug research.* Dec 1997. v. 35 (5): 318-322.
- Gomes, A; Alam, MA; Datta, P; Bhattacharya, S; Gomes, A. (2011). Hepatoprotective activity of the edible snail (*Bellamia bengalensis*) flesh extract in carbon tetrachloride induced hepatotoxicity in rats. *J Ethnopharmacol.* 138: 228-232.
- Gomes, A; Das, M; Sur, P; Besra, SE; Chakravorty, AK; Das, B; Ganguly, DK; Vedasiromoni, JR. (2003). *Glycosmis arborea* extract as a hepatoprotective agent. *Phytother Res.* 17: 571-574.
- Gonçalves, RV; Novaes, RmD; Sarandy, MuM; Leite, JoPV; Vilela, EF; Cupertino, MdC; da Matta, SrLP. (2016). *Schizocalyx cuspidatus* (A. St.-Hil.) Kainul. & B. Bremer extract improves antioxidant defenses and accelerates the regression of hepatic fibrosis after exposure to carbon tetrachloride in rats. *Nat Prod Res.* 30: 2738-2742.
- Goncalves, RV; da Matta, SLP; Novaes, RD; Leite, JPV; Peluzio, MDG; Vilela, EF. (2014). Bark Extract of *Bathysa cuspidata* in the Treatment of Liver Injury Induced by Carbon Tetrachloride in Rats. *Brazilian Archives of Biology and Technology.* 57: 504-513.
- Goncalves, RV; Novaes, RD; Leite, JPV; Vilela, EF; Cupertino, MC; Nunes, LG; Matta, SLP. (2012). Hepatoprotective effect of *Bathysa cuspidata* in a murine model of severe toxic liver injury. *Int J Exp Pathol.* 93: 370-376.
- Gong, YN; Mo, JJ; Yu, HS; Wang, L; Xia, GQ. (2000). Quantitative study of carbon doping of GaAs grown by metalorganic vapor-phase epitaxy. *J Cryst Growth.* 209: 43-49.
- Gonsky, Y; Korda, MM; Klishch, IN. (1991). Acetylcysteine effect on antioxidant system in experimental toxic damage of the liver. *FARMAKOL TOKSIKOL.* 54: 44-46.
- González-Cuevas, J. Ethylenediaminetetraacetic acid induces antioxidant and anti-inflammatory activities in experimental liver fibrosis.
- González-lez-Gallego, J; Osawa, Y; Highet, RJ; Pohl, LR. (1992). The use of stable isotopes to identify reactive metabolites and target macromolecules associated with toxicities of halogenated hydrocarbon compounds. *Thromb Res Suppl.* 67: 15-21.
- González-lez-Padrón, An; de Toranzo, EGD; Castro, JA. (1996). Potential synergistic effects of lipid peroxidation and of covalent binding on carbon tetrachloride induced depression of liver microsomal glucose 6-phosphatase activity. *Toxicol Lett.* 88, Supplement 1: 106.
- González-lez, R; Ancheta, O; Márquez, M; Rodríguez, S. Hepatoprotective effects of diethylcarbamazine in acute liver damage induced by carbon tetrachloride in rats.
- Gonzales, PH; Rhoden, CR; Luz, C; Correa, G; Barbosa-Coutinho, LM; Oliveira, MC. (2007). Male gonadal function, prolactin secretion and lactotroph population in an experimental model of cirrhosis. *Braz J Med Biol Res.* 40: 1383-1388.
- Gonzalez Padron, A; De Toranzo, EGD; Castro, JA. (1996). Depression of liver microsomal glucose 6-phosphatase activity in carbon tetrachloride-poisoned rats. Potential synergistic effects of lipid peroxidation and of covalent binding of haloalkane-derived free radicals to cellular components in the process. *Free Radical Biology & Medicine.* 21: 81-87.
- Gonzalez, R; Corcho, I; Ramirez, D; Rodriguez, S; Ancheta, O; Merino, N; Gonzalez, A; Pascual, C. Hepatoprotective effects of propolis extract on carbon tetrachloride-induced liver injury in rats. *Phytotherapy research : PTR.* Mar 1995. v. 9 (2): 114-117.
- Gonzalez-Correa, JA; de la Cruz, JP; Gordillo, J; Urena, I; Redondo, L; de la Cuesta, FS. (2002). Effects of silymarin MZ-80 on hepatic oxidative stress in rats with biliary obstruction. *Pharmacology.* 64: 18-27.
- Gopal, N; Sengottuvelu, S. (2008). Hepatoprotective activity of *Clerodendrum inerme* against CCl₄ induced hepatic injury in rats. *Fitoterapia.* 79: 24-26.
- Gopalakrishnan, G. (2008). Nature's sensors: Using plants as an alternative monitoring approach for subsurface contamination. PhD, University of Illinois at Urbana-Champaign.
- Gopalakrishnan, G; Negri, MC; Minsker, BS; Werth, CJ. (2007). Monitoring subsurface contamination using tree branches. *Ground Water Monitoring and Remediation.* 27: 65-74.
- Gorbenko, AS; Setkov, NA. (2003). The adrenomimetic dobutamine stimulates proliferative activity of hepatocytes and suppresses fibroblasts in mice with posttoxic experimental cirrhosis. *Doklady biological sciences : proceedings of the Academy of Sciences of the USSR, Biological sciences sections / translated from Russian.* 393: 571-574.
- Gorby, YA; Workman, DJ; Kennedy, DW; Plymale, AE. (1994). TRANSFORMATION OF CARBON TETRACHLORIDE BY AN IRON REDUCING BACTERIUM IN THE PRESENCE OF SOLID PHASE IRON. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 442.
- Gorczyca, M; Zejc, A; Krupi, ska, J; Czarnecki, R. (1974). Piperazine derivatives of methylxanthines. I - Chemical and pharmacological properties of 8-piperazinotheophyllines. *Il Farmaco; edizione scientifica.* 29: 802-810.
- Gordis, E. (1969). Lipid metabolites of carbon tetrachloride. *The Journal of clinical investigation.* 48: 203-209.
- Gordon, S; Mackay, D; GÃrecD, DADDoESUoWOCsgac; Cherry, CJA; Pawliszyn, J. (2002). A laboratory technique for investigation of diffusion and transformation of volatile organic compounds in low permeability media. *J Contam Hydrol.* 57: 223-240.

Environmental Hazard Literature Search Results

Off Topic

- Gorla, N; de, FEC; Villarruel, MC; de, FOM; Castro, JA. (1983). Studies on the mechanism of glutathione prevention of carbon tetrachloride-induced liver injury. *Br J Exp Pathol.* 64: 388-395.
- Gorski, CA; Nurmi, JT; Tratnyek, PG; Hofstetter, TB; Scherer, MM. (2010). Redox Behavior of Magnetite: Implications for Contaminant Reduction. *Environmental Science & Technology.* 44: 55-60.
- Gorski, CA; Scherer, MM. (2009). Influence of Magnetite Stoichiometry on Fe(II) Uptake and Nitrobenzene Reduction. *Environmental Science & Technology.* 43: 3675-3680.
- Gorsky, BH; Cascorbi, HF. (1979). Halothane hepatotoxicity and fluoride production in mice and rats. *Anesthesiology.* 50: 123-125.
- Goss, KU. (1997). Conceptual model for the adsorption of organic compounds from the gas phase to liquid and solid surfaces. *Environmental Science & Technology.* 31: 3600-3605.
- Goss, KU; Schwarzenbach, RP. (1998). Gas/solid and gas/liquid partitioning of organic compounds: Critical evaluation of the interpretation of equilibrium constants. *Environmental Science & Technology.* 32: 2025-2032.
- Gotoh, M; Sekitani, Y; Aramaki, T; Kobayashi, H; Ogino, K; Hobara, T. (1992). POLLUTION DUE TO VOLATILE HALOCARBON COMPOUNDS IN BIOTA. *Bull Environ Contam Toxicol.* 49: 186-191.
- Goudarshivananavar, BC; Vigneshwaran, V; Dharmappa, KK; Pramod, SN. (2015). Pharmacological Potential of Tetrahydrofurano/Pyran Quinoline and Benzo[b]furoindolyl Derivatives in Acute Inflammation, Pain and Oxidative Stress. *Anti-inflammatory & anti-allergy agents in medicinal chemistry.* 13: 165-173.
- Gould, VE; Smuckler, EA. (1971). Alveolar injury in acute carbon tetrachloride intoxication. *Arch Intern Med.* 128: 109-117.
- Gound, SS; Thakare, VN; Khan, S; Wadekar, RR; Naik, SR. (2015). Ameliorative effects of *Tricholepis glaberrima* in experimentally induced hepatic damage in rats: Modulation of cytokines functions. *J Ethnopharmacol.* 160: 164-172.
- Govindwar, SP; Siddiqui, AM; Hashmi, RS; Kachole; Pawar, SS. (1984). Effect of ampicillin on hepatic microsomal mixed-function oxidase system in male mice. *Toxicol Lett.* 23: 201-204.
- Gowda, DKV; Kumar, BJ; Shetty, SN. The influence of glucose, p-aminosalicylic acid and carbon tetrachloride on pentothal sodium anaesthesia in dogs. 1971, 5 (4): 383-392.
- Goyette, M; Petropoulos, CJ; Shank, PR; Fausto, N. (1983). Expression of a cellular oncogene during liver regeneration. *Science (New York, NY).* 219: 510-512.
- Grabel, A; Plass, M. (1999). The influence of hydrogen bonding on the diffusion behaviour of diastereoisomeric tripeptide derivatives. *Journal of Molecular Structure.* 480-481: 417-421.
- Gracia-Sancho, J. Evidence against a role for NADPH oxidase modulating hepatic vascular tone in cirrhosis.
- Grant, WB; Kagann, RH; McClenny, WA. (1992). Optical remote measurement of toxic gases. *J Air Waste Manage Assoc.* 42: 18-30.
- Granzow, M; Schierwagen, R; Klein, S; Kowallick, B; Huss, S; Linhart, M; Mazar, IG; Rätzén, JDDoIMIuoBB; Vogt, A; Schildberg, FA; Gonzalez-Carmona, MA; Wojtalla, A; Krężmer, D-DoIMIuoBBG; NattermannD, DoIMIuoBBG; Siegmund, SV; Werner, N; Färst, DO. Angiotensin-II type 1 receptor-mediated Janus kinase 2 activation induces liver fibrosis.
- Grasl-Kraupp, B; Rossmanith, W; RuttKay-Nedecky, B; Mullauer, L; Kammerer, B; Bursch, W; Schulte-Hermann, R. (1998). Levels of transforming growth factor beta and transforming growth factor beta receptors in rat liver during growth, regression by apoptosis and neoplasia. *Hepatology.* 28: 717-726.
- Graton, J; Berthelot, M; Besseau, F; Laurence, C. (2005). An enthalpic scale of hydrogen-bond basicity. 3. Ammonia, primary, secondary, and tertiary amines. *J Org Chem.* 70: 7892-7901.
- Graupera, M; Garca-Pagan, JHHLLUIvHCUUooBBS; Titos, E; Claria, J; Massaguer, A; Bosch, J; Rodes, J. (2002). 5-lipoxygenase inhibition reduces intrahepatic vascular resistance of cirrhotic rat livers: a possible role of cysteinyl-leukotrienes. *Gastroenterology.* 122: 387-393.
- Graupera, M; Garca-ute, n, J; n, JC; Abaldes, JG; Peralta, C; Bragulat, M; Corominola, H; Bosch, J; Rodes, J. (2003). Cyclooxygenase-derived products modulate the increased intrahepatic resistance of cirrhotic rat livers. *Hepatology (Baltimore, Md).* 37: 172-181.
- Gravela, E. (1973). Evidence for a reduced active life-span of messenger RNA in liver of rats poisoned with carbon tetrachloride. *Exp Mol Pathol.* 19: 79-93.
- Gravela, E; Gabriel, L; Ugazio, G. (1971). Protection by glutathione and propyl gallate on the impaired in vitro amino acid incorporation into liver microsomal protein of CCL 4 -poisoned rats. *Biochem Pharmacol.* 20: 2065-2070.
- Gravela, E; Pani, P; Ferrari, A; Mazzarino, C. (1971). Effects of the CCL 4 -cycloheximide interaction on protein synthesis and lipid metabolism in rat liver. *Biochem Pharmacol.* 20: 3423-3430.
- Gray, I. (1947). Carbon tetrachloride poisoning; report of seven cases with two deaths. *N Y State J Med.* 47: 2311-2315.
- Gray, SL; Haine, TW. (2001). Constraining a North Atlantic Ocean general circulation model with chlorofluorocarbon observations. *Journal of Physical Oceanography.* 31: 1157-1181.
- Greabu, M; Olinescu, R. (2002). The formation of oxidative stress condition in the experimental chemically induced hepatotoxicity. *Roczniki Akademii Medycznej w Białymstoku (1995).* 47: 86-94.
- Green, AJ; Perry, A; Moore, PB; Space, B. (2012). A theoretical study of the sum frequency vibrational spectroscopy of the carbon tetrachloride/water interface. *Journal of Physics-Condensed Matter.* 24: 24108-24108.
- Green, J; Bunyan, J; Cawthorne, MA; Diplock, AT. (1969). Vitamin E and hepatotoxic agents. 1. Carbon tetrachloride and lipid peroxidation in the rat. *The British journal of nutrition.* 23: 297-307.
- Green, JR; O'Day, DM. (1964). CARBON TETRACHLORIDE POISONING: A CASE REPORT AND REVIEW. *The Medical journal of Australia.* 2: 376-380.
- Greene, FE; Stripp, B; Gillette, JR. (1969). The effect of carbon tetrachloride on heme components and ethylmorphine metabolism in rat liver microsomes. *Biochem Pharmacol.* 18: 1531-1533.

Environmental Hazard Literature Search Results

Off Topic

- Greenwald, I; Kalagaev, IY. (2010). Water complexes with organic solvents in liquid phase. An IR spectroscopic study. *Tetrahedron Letters*. 51: 2610-2612.
- Greenwel, P; Rubin, J; Schwartz, M; Hertzberg, EL; Rojkind, M. (1993). Liver fat-storing cell clones obtained from a CCl₄-cirrhotic rat are heterogeneous with regard to proliferation, expression of extracellular matrix components, interleukin-6, and connexin 43. *Laboratory investigation; a journal of technical methods and pathology*. 69: 210-216.
- Greenwel, P; Schwartz, M; Rosas, M; Peyrol, S; Grimaud, JA; Rojkind, M. (1991). Characterization of fat-storing cell lines derived from normal and CCl₄-cirrhotic livers. Differences in the production of interleukin-6. *Laboratory investigation; a journal of technical methods and pathology*. 65: 644-653.
- Greenwel, P; Takiya-Maeda, C; Rojkind, M. (1993). TURPENTINE ADMINISTRATION TO RAT HYPERINDUCES THE EXPRESSION OF LIVER ALPHA-1 BUT NOT OF ALPHA-1-III PROCOLLAGEN MRNAS. 44th Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 18.
- Gregory, KB; Larese-Casanova, P; Parkin, GF; Scherer, MM. (2004). Abiotic transformation of hexahydro-1,3,5-trinitro-1,3,5-triazine by ferric iron to magnetite. *Environmental Science & Technology*. 38: 1408-1414.
- Gregory, KB; Mason, MG; Picken, HD; Weathers, LJ; Parkin, GF. (2000). Bioaugmentation of Fe(0) for the remediation of chlorinated aliphatic hydrocarbons. *Environ Eng Sci*. 17: 169-181.
- Gregory, NL. (1966). Carbon tetrachloride toxicity and electron capture. *Nature*. 212: 1460-1461.
- Greselin, ED; de, dm; ttedhygiÅ ndmF; de, e; decine, UU; dMdm; M; Q; eacutenaada; Brodeur, J; Plaa, GL; Kennedy, GLJR; Graepel, GJ. (1991). Acute toxicity in the rat following either oral or inhalation exposure. *Can J Physiol Pharmacol*. 69: 317-326.
- Gresh, N; Tiraboschi, G; Salahub, DR. (1998). Conformational properties of a model alanine dipeptide and of alanine-derived oligopeptides: Effects of solvation in water and in organic solvents - A combined SIBFA/Continuum reaction field, ab initio Self-Consistent Field, and Density Functional Theory investigation. *Biopolymers*. 45: 405-425.
- Gressner, AM. (1980). Ribosomal protein modifications in liver injury: effect of carbon tetrachloride and extrahepatic cholestasis on protein phosphorylation. *Journal of clinical chemistry and clinical biochemistry Zeitschrift für klinische Chemie und klinische Biochemie*. 18: 111-116.
- Gribble, GW. (1992). Naturally occurring organohalogen compounds: A survey. *J Nat Prod*. 55: 1353-1395.
- Gribble, GW. (1994). THE NATURAL PRODUCTION OF CHLORINATED COMPOUNDS. *Environmental Science & Technology*. 28: 312A-319A.
- Gribble, GW. (1995). THE NATURAL PRODUCTION OF ORGANOCHLORINE COMPOUNDS. 210th American Chemical Society National Meeting, Chicago, Illinois, Usa, August. 210: 65.
- Gribilas, G; Zarros, A; Zira, A; Giaginis, C; Tsurouflis, G; Liapi, C; Spiliopoulou, C; Theocharis, SE. (2009). Involvement of Hepatic Stimulator Substance in Experimentally Induced Fibrosis and Cirrhosis in the Rat. *Dig Dis Sci*. 54: 2367-2376.
- Grice, HC; Barth, ML; Cornish, HH; Foster, GV; Gray, RH. (1971). Correlation between serum enzymes, isozyme patterns and histologically detectable organ damage. *Food Cosmet Toxicol*. 9: 847-855.
- Grisham, JW; Porta, EA. (1964). ORIGIN AND FATE OF PROLIFERATED HEPATIC DUCTAL CELLS IN THE RAT: ELECTRON MICROSCOPIC AND AUTORADIOGRAPHIC STUDIES. *Exp Mol Pathol*. 86: 242-261.
- Gron, C. (1990). Organic halogen group parameters in ground water investigation: Part III. *Chemosphere*. 21: 135-152.
- Grondin, J; Blancou, H; Commeyras, A. (1989). Synthèse de trichlorométhyl perfluoroalcanes [RFCCl₃, RF=CaF₂n+1 (n=4,6,8)]. *Journal of Fluorine Chemistry*. 45: 349-354.
- Groothuis, GM; Weitering, JG; Hardonk, MJ; Meijer, DK. (1983). Heterogeneity of rat hepatocytes in transport and hepatic binding of asialoalkaline phosphatase studied after induction of selective acinar damage by N-hydroxy-2-acetylaminofluorene and carbon tetrachloride. *Biochem Pharmacol*. 32: 2721-2727.
- Groothuis, GM; Weitering, JG; Keulemans, KP; Hardonk, MJ; Mulder, D; Meijer, DK. (1983). Heterogeneity of rat hepatocytes in bile acid and DBSP transport studied after induction of selective acinar damage by N-hydroxy-2-acetylaminofluorene and carbon tetrachloride. *Naunyn Schmiedebergs Arch Pharmacol*. 322: 310-318.
- Groothuis, GMM; Spijker, H; Oosting, R; Meijer, DKF. (1988). HEPATOCYTE HETEROGENEITY IN DBSP TRANSPORT IN NORMAL AND CARBON TETRACHLORIDE-DAMAGED LIVERS. 39th Annual Meeting And Postgraduate Course Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 8.
- Grosjean, D. (1989). INDOOR AIR POLLUTION IN SOUTHERN CALIFORNIA USA MUSEUMS. 198th Acs. 198: 69.
- Grosjean, E; Rasmussen, RA; Grosjean, D. (1999). Toxic air contaminants in Porto Alegre, Brazil. *Environmental Science & Technology*. 33: 1970-1978.
- Grossi, E; Callegari, ML; Chirico, M; Caporaso, N; Romano, M; Morelli, L; Loguercio, C; de, FEC; Castro, JA; D'Aziz, GmDUDAN; de, CCR; de, FTPJ. (2013). Diverse effects of antioxidants on carbon tetrachloride hepatotoxicity. *Liver Int*. 33.
- Grossman, HJ; Grossman, VL; Bhathal, PS. (1992). Enhanced vasoconstrictor response of the isolated perfused cirrhotic rat liver to humoral vasoconstrictor substances found in portal venous blood. *J Gastroenterol Hepatol*. 7: 283-287.
- Grossman, HJ; White, D; Grossman, VL; Bhathal, PS. (1998). Effect of interferon gamma on intrahepatic haemodynamics of the cirrhotic rat liver. *J Gastroenterol Hepatol*. 13: 1058-1060.
- Gruebele, A; Zawaski, K; Kaplan, D; Novak, RF. (1996). Cytochrome P4502E1- and cytochrome P4502B1/2B2-catalyzed carbon tetrachloride metabolism: Effects on signal transduction and nuclear AP-1 and NF-kappaB transcription factor levels. *Drug Metab Dispos*. 24: 15-22.
- Gruebele, A; Zawaski, K; Kaplan, D; Novak, RF. (1996). Cytochrome P4502E1- and cytochrome P4502B1/2B2-catalyzed carbon tetrachloride metabolism: effects on signal transduction as demonstrated by altered immediate-early (c-Fos and c-Jun) gene expression and nuclear AP-1 and NF-kappa B transcription factor levels. *Drug metabolism and disposition: the biological fate of chemicals*. 24: 15-22.

Environmental Hazard Literature Search Results

Off Topic

- Gruez, A; Zeghouf, M; Bertrand, J; Eschenbrenner, M; Coves, J; Fontecave, M; Pignol, D; Fontecilla-Camps, JC. (1998). The FNR-like domain of the Escherichia coli sulfite reductase flavoprotein component: Crystallization and preliminary X-ray analysis. *Acta Crystallographica Section D-Biological Crystallography*. 54: 135-136.
- Grypioti, AD; Kostopanagiotou, G; Demopoulos, CA; Roussos, A; Mykoniatis, M. (2008). Platelet activating factor (PAF) antagonism with ginkgolide B protects the liver against acute injury. Importance of controlling the receptor of PAF. *Dig Dis Sci*. 53: 1054-1062.
- Grypioti, AD; Theocharis, SE; Demopoulos, CA; Papadopoulou-Daifoti, Z; Basayiannis, AC; Mykoniatis, MG. (2006). Effect of platelet-activating factor (PAF) receptor antagonist (BN52021) on acetaminophen-induced acute liver injury and regeneration in rats. *Liver Int*. 26: 97-105.
- Grzenda, A; Lomberk, G; Velez, G; Buttar, N; Tietz, P; Hendrickson, H; Liebl, A; Xiong, YY; Gores, G; Fernandez-Zapico, M; Larusso, NF; Faubion, W; Shah, VH; Urrutia, R. (2013). Role for KrÄ ppe-lianscracription factor 11 in mesenchymal cell function and fibrosis. *PLoS ONE*. 8: e75311.
- Gu, B; Phelps, TJ; Liang, L; Dickey, MJ; Roh, Y; Kinsall, BL; Palumbo, AV; Jacobs, GK. (1999). Biogeochemical dynamics in zero-valent iron columns: Implications for permeable reactive barriers. *Environmental Science & Technology*. 33: 2170-2177.
- Gu, BH; Watson, DB; Wu, LY; Phillips, DH; White, DC; Zhou, JZ. (2002). Microbiological characteristics in a zero-valent iron reactive barrier. *Environ Monit Assess*. 77: 293-309.
- Gu, DQ; Fu, T; Nelson, JA; Superina, RA; Soriano, HE. (2002). Liver repopulation after cell transplantation in mice treated with retrorsine and carbon tetrachloride. *Transplantation*. 73: 1818-1824.
- Gu, H; Gu, X; Xu, Q; Kang, WY. (2014). Antioxidant activity in vitro and hepatoprotective effect of Phlomis maximowiczii in vivo. *African journal of traditional, complementary, and alternative medicines : AJTCAM / African Networks on Ethnomedicines*. 11: 46-52.
- Gu, J; Yuan, ZX; Tan, R; Zhang, X. (2015). Isolation of herpetin from *Herpetospermum* seed and hepatoprotective activity of liposomal herpetin against carbon tetrachloride-induced liver injury in mice. *Pharmazie*. 70: 745-752.
- Gu, X; Lu, S; Qiu, Z; Sui, Q; Banks, CJ; Imai, T; Lin, K; Luo, Q. (2013). Photodegradation performance of 1,1,1-trichloroethane in aqueous solution: In the presence and absence of persulfate. *Chem Eng J*. 215-216: 29-35.
- Gualandi, G. (1984). Genotoxicity of the free-radical producers CCl4 and lipoperoxide in *Aspergillus nidulans*. *Mutat Res*. 136: 109-114.
- Gualandi, G. (1984). Genotoxicity of the free-radical producers CCl sub(4) and lipoperoxide in *Aspergillus nidulans*. *Mutat Res*. 136: 109-114.
- Guarini, E; Sampoli, M; Venturi, G; Bafile, U; Barocchi, F. (2007). Inelastic neutron scattering and molecular dynamics determination of the interaction potential in liquid CD(4). *Phys Rev Lett*. 99: 7801-7801.
- Guarner, C; GonzÄ lez-Navajas, JM; SÄ nchez, E; Soriando, G; FrancÄšs, R. The detection of bacterial DNA in blood of rats with CCl4-induced cirrhosis with ascites represents episodes of bacterial translocation.
- Guarner, C; Runyon, BA; Young, S; Heck, M; Sheikh, MY. (1997). Intestinal bacterial overgrowth and bacterial translocation in cirrhotic rats with ascites. *J Hepatol*. 26: 1372-1378.
- Guarner, F; Fremont-Smith, M; Corzo, J; Quiroga, J; Rodriguez, JL; Prieto, J. (1983). In vivo and in vitro effects of arachidonic acid products on liver cell integrity following carbon tetrachloride poisoning. *Advances in prostaglandin, thromboxane, and leukotriene research*. 12: 75-82.
- Guarner, F; Fremont-Smith, M; Prieto, J. (1985). Cytoprotective effect of prostaglandins on isolated rat liver cells. *Liver*. 5: 35-39.
- Guastadisegni, C; Balduzzi, M; Mancuso, MT; Di Consiglio, E. (1999). Liver mitochondria alterations in chloroform-treated Sprague-Dawley rats. *Journal of Toxicology and Environmental Health-Part a-Current Issues*. 57: 415-429.
- Guderitz, T; Schmidt, W; Brauch, HJ. (1993). Organic compounds in the upper River Elbe and their impact on quality of bankfilter water. *Vom Wasser Weinheim*. 81: 315-326.
- Guelden, M; Seibert, H. (1996). Cytotoxic and non-cytotoxic effects of the MEIC reference chemicals on spontaneously contracting primary cultured rat skeletal muscle cells. *Toxicol In Vitro*. 10: 395-406.
- Guelfi, JF; Braun, JP; Benard, P; Rico, AG; Thouvenot, JP. (1982). Value of so called cholestasis markers in the dog: an experimental study. *Res Vet Sci*. 33: 309-312.
- Guengerich, FP; Liebler, DC; Reed, DL. (1985). ENZYMATIC ACTIVATION OF CHEMICALS TO TOXIC METABOLITES. *Crit Rev Toxicol*. 14: 259-307.
- Gualp, N; Ozcan, C; Simms, BT. (1964). FASCIOLA GIGANTICA AND FASCIOLIASIS IN TURKEY. *Am J Vet Res*. 25: 196-210.
- Guerra, M; Amorati, R; Pedulli, GF. (2004). Water effect on the O-H dissociation enthalpy of para-substituted phenols: a DFT study. *J Org Chem*. 69: 5460-5467.
- Guerrero, JA; Teruel, R; MartÄñez, C. Protective role of antithrombin in mouse models of liver injury.
- Guerrero-Barajas, C; Field, JA. (2005). Enhancement of anaerobic carbon tetrachloride biotransformation in methanogenic sludge with redox active vitamins. *Biodegradation*. 16: 215-228.
- Guerrero-Barajas, C; Field, JA. (2005). Riboflavin- and cobalamin-mediated biodegradation of chloroform in a methanogenic consortium. *Biotechnol Bioeng*. 89: 539-550.
- Guerrero-Barajas, C; Field, JA. (2006). Enhanced anaerobic biotransformation of carbon tetrachloride with precursors of vitamin B(12) biosynthesis. *Biodegradation*. 17: 317-329.
- Guevara, AP; Amor, E; Russell, G. (1986). Antimutagens from *Plumeria acuminata* Ait. *Mutat Res*. 361: 67-72.
- Guha, A; Panda, D. (2004). Solubility of freons in polar and non-polar liquids at 298.15 K. *Journal of Fluorine Chemistry*. 125: 653-659.
- Guhagarkar, SA; Shah, D; Patel, MD; Sathaye, SS; Devarajan, PV. (1991). Polyethylene Sebacate-Silymarin Nanoparticles with Enhanced Hepatoprotective Activity. *J Nanosci Nanotechnol*. 15: 4090-4093.
- Gui, SY; Wei, W; Wang, H; Wu, L; Sun, WY; Chen, WB; Wu, CY. (2006). Effects and mechanisms of crude astragalosides fraction on liver fibrosis in rats. *J Ethnopharmacol*. 103: 154-159.

Environmental Hazard Literature Search Results

Off Topic

- Gui, SY; Wei, W; Wang, H; Wu, L; Sun, WY; Wu, CY. (2005). Protective effect of fufanghuangqiduogan against acute liver injury in mice. *World J Gastroenterol.* 11: 2984-2989.
- Guidotti, M; Onorati, B; Lucarelli, E; Blasi, G; Ravaioli, G. (2001). Determination of chlorinated solvents in exhaled air, urine, and blood of subjects exposed in the workplace using SPME and GC-MS. *American clinical laboratory.* 20: 23-26.
- Guijarro, A; Yus, M. (1996). Polychlorinated materials as a source of polyanionic synthons. *Tetrahedron.* 52: 1797-1810.
- Guild, WR; Young, JV; Merrill, JP. (1958). Anuria due to carbon tetrachloride intoxication. *Ann Intern Med.* 48: 1221-1227.
- Guillen, MD. (1994). Polycyclic aromatic compounds: Extraction and determination in food. *Food Addit Contam.* 11: 669-684.
- Guimond, A; Teletin, M; Garo, E; D'Sa, A; Selloum, M; Champy, MF; Vonesch, JL; Monassier, L. (2007). Quantitative ultrasonic tissue characterization as a new tool for continuous monitoring of chronic liver remodelling in mice. *Liver Int.* 27: 854-864.
- Gujral, JS; Farhood, A; Jaeschke, H. (2003). Oncotic necrosis and caspase-dependent apoptosis during galactosamine-induced liver injury in rats. *Toxicol Appl Pharmacol.* 190: 37-46.
- Gulati, OD; Gokhale, SD; Sayed, BA; Joseph, AD. (1962). Role of sympathetic discharge in the hepatotoxic action of carbon tetrachloride. *Archives internationales de pharmacodynamie et de therapie.* 138: 412-419.
- Gulfraz, M; Ahamd, D; Ahmad, MS; Qureshi, R; Mahmood, RT; Jabeen, N; Abbasi, KS. (2014). Effect of leaf extracts of *Taraxacum officinale* on CCl₄ induced hepatotoxicity in rats, in vivo study. *Pak J Pharm Sci.* 27: 825-829.
- Gulmen, TS. (2005). Vibrational energy relaxation of methanol in solution. PhD, The University of Wisconsin - Madison.
- Gultekin, F; Hicyilmaz, H. (2007). Renal deterioration caused by carcinogens as a consequence of free radical mediated tissue damage: a review of the protective action of melatonin. *Arch Toxicol.* 81: 675-681.
- Gumucio, JJ; Katz, ME; Miller, DL; Balabaud, CP; Greenfield, JM; Wagner, RM. (1979). Bile salt transport after selective damage to acinar zone 3 hepatocytes by bromobenzene in the rat. *Toxicol Appl Pharmacol.* 50: 77-85.
- Gunâ€™ko, VM; Goncharuk, OV; Goworek, J. (2015). Evaporation of polar and nonpolar liquids from silica gels and fumed silica. *Colloids and Surfaces A: Physicochemical and Engineering Aspects.* 474: 52-62.
- Gunâ€™ko, VM; Morozova, LP; Turova, AA; Turov, AV; Gaishun, VE; Bogatyrev, VM; Turov, VV. (2012). Hydrated phosphorus oxyacids alone and adsorbed on nanosilica. *J Colloid Interface Sci.* 368: 263-272.
- Gunâ€™ko, VM; Turov, VV; Whitby, RLD; Prykhodâ€™ko, GP; Turov, AV; Mikhalovsky, SV. (2013). Interactions of single and multi-layer graphene oxides with water, methane, organic solvents and HCl studied by ¹H NMR. *Carbon.* 57: 191-201.
- Gunatilleka, AD; Poole, CF. (1999). Models for estimating the non-specific aquatic toxicity of organic compounds. *Analytical Communications.* 36: 235-242.
- Gunawan, BK; Liu, ZX; Han, D; Hanawa, N; Gaarde, WA; Kaplowitz, N. (2006). c-jun N-terminal kinase plays a major role in murine acetaminophen hepatotoxicity. *Gastroenterology.* 131: 165-178.
- Guo, C; Xu, LY; He, QL; Liang, T; Duan, XQ; Li, R. (2013). Anti-fibrotic effects of puerarin on CCl₄-induced hepatic fibrosis in rats possibly through the regulation of PPAR- γ expression and inhibition of PI3K/Akt pathway. *Food Chem Toxicol.* 56: 436-442.
- Guo, CJ; Pan, Q; Cheng, T; Jiang, B; Chen, GY; Li, DG. (2009). Changes in microRNAs associated with hepatic stellate cell activation status identify signaling pathways. *FEBS J.* 276: 5163-5176.
- Guo, CN; Shah, RD; Mills, J; Dukor, RK; Cao, XL; Freedman, TB; Nafie, LA. (2006). Fourier transform near-infrared vibrational circular dichroism used for on-line monitoring the epimerization of 2,2-dimethyl-1,3-dioxolane-4-methanol: A pseudo racemization reaction. *Chirality.* 18: 775-782.
- Guo, GL; Wang, SJ; Shi, LY; Li, HY; Han, CM; Gu, QB; Cao, YZ; Li, FS. (2010). Health Risk Analysis of VOC/SVOC Contaminated Soil in an Abandoned Chemical Plant. *Environmental Science.* 31: 397-402.
- Guo, MZ; Li, XS; Xu, HR; Mei, ZC; Shen, W; Ye, XF. (2002). Rhein inhibits liver fibrosis induced by carbon tetrachloride in rats. *Acta Pharmacol Sin.* 23: 739-744.
- Guo, TL; McCay, JA; Brown, RD; Musgrove, DL; Germolec, DR; Butterworth, L; Munson, AE; White, KL. (2000). Carbon tetrachloride is immunosuppressive and decreases host resistance to *Listeria monocytogenes* and *Streptococcus pneumoniae* in female B6C3F1 mice. *Toxicology.* 154: 85-101.
- Guo, TT; Xu, HL; Zhang, LX; Zhang, HP; Guo, YF; Gu, JW; He, PM. (2007). In vivo protective effect of *Porphyra yezoensis* polysaccharide against carbon tetrachloride induced hepatotoxicity in mice. *Regul Toxicol Pharmacol.* 49: 101-106.
- Guo, WL; Shi, YH; Wang, HZ; Yang, H; Zhang, GY. (2010). Sonochemical Decomposition of Levofloxacin in Aqueous Solution. *Water Environ Res.* 82: 696-700.
- Guo, XL; Liang, B; Wang, XW; Fan, FG; Jin, J; Lan, R; Yang, JH; Wang, XC; Jin, L; Cao, Q. (2013). Glycyrrhizic acid attenuates CCl₄-induced hepatocyte apoptosis in rats via a p53-mediated pathway. *World J Gastroenterol.* 19: 3781-3791.
- Guo, Y; Cheng, C; Wang, J; Wang, Z; Jin, X; Li, K; Kang, P; Gao, J. (2011). Detection of reactive oxygen species (ROS) generated by TiO₂(R), TiO₂(R/A) and TiO₂(A) under ultrasonic and solar light irradiation and application in degradation of organic dyes. *J Hazard Mater.* 192: 786-793.
- Guppy, M; Chipman, JK; Coleman, R; Sharma, R. (1993). PHENOBARBITONE AND CARBON TETRACHLORIDE MEDIATED LOSS OF INTERCELLULAR COMMUNICATION IN HEPATOCYTE COUPLETS. Meeting Of The British Toxicology Society And The British Society Of Toxicological Pathologists, Canterbury, England, Uk, April. 12: 578.
- Gupta, HP; Srivastava, A; Singh, NB. (1994). Changes in the virulence of *Mycobacterium bovis* (BCG Phipps) in carbon tetrachloride treated mice. *The Indian journal of medical research.* 100: 163-166.
- Gupta, NK; Dixit, VK. (2009). Evaluation of hepatoprotective activity of *Cleome viscosa* Linn. extract. *Indian J Pharmacol.* 41: 36-40.
- Gupta, PP. (2001). Picroliv - Hepatoprotectant - Immunomodulator. *Drugs of the Future.* 26: 25-31.

Environmental Hazard Literature Search Results

Off Topic

- Gupta, RK; Hussain, T; Panigrahi, G; Das, A; Singh, GN; Sweetey, K; Faiyazuddin, M; Rao, CV. (2011). Hepatoprotective effect of Solanum xanthocarpum fruit extract against CCl₄ induced acute liver toxicity in experimental animals. *Asian Pacific Journal of Tropical Medicine*. 4: 964-968.
- Gupta, S; Rajvanshi, P; Aragona, E; Lee, CD; Yerneni, PR; Burk, RD. (1999). Transplanted hepatocytes proliferate differently after CCl₄ treatment and hepatocyte growth factor infusion. *American Journal of Physiology-Gastrointestinal and Liver Physiology*. 276: G629-G638.
- Gupta, S; Rajvanshi, P; Sokhi, RP; Vaidya, S; Irani, AN; Gorla, GR. (1999). Position-specific gene expression in the liver lobule is directed by the microenvironment and not by the previous cell differentiation state. *J Biol Chem*. 274: 2157-2165.
- Gupta, S; Singh, SK; Girotra, P. (2014). Targeting silymarin for improved hepatoprotective activity through chitosan nanoparticles. *International journal of pharmaceutical investigation*. 4: 156-163.
- Gupta, SK. (2000). Effect of carbon source on PCE dehalogenation. *Journal of Environmental Engineering-Asce*. 126: 622-628.
- Gupta, SK; Yumnam, S; Hitchcock, PB. (2012). Synthesis and deprotonation of (phenylselenolatodimethylsilyl)bis(trimethylsilyl) methane: The crystal structure of (Me₃Si)₂Si₂Me₂BrCH. *Journal of molecular structure*. 1018: 137-144.
- Gupta, TK; Toruner, M; Chung, MK; Groszmann, RJ. (1998). Endothelial dysfunction and decreased production of nitric oxide in the intrahepatic microcirculation of cirrhotic rats. *Hepatology*. 28: 926-931.
- Gururaja, MP; Joshi, AB; Joshi, H; Sathyanarayana, D; Subrahmanyam, EV; Chandrashekhar, KS. (2009). Attenuation of carbon tetrachloride-induced hepatotoxicity by cow urine distillate in rats. *Biomedical and environmental sciences : BES*. 22: 345-347.
- Gusarova, NK; Volkov, PA; Ivanova, NI; Oparina, LA; Kolyvanov, NA; Vysotskaya, OV; Larina, LI; Trofimov, BA. (2012). Chemoselective Reactions of Secondary Phosphine Chalcogenides with Vinyloxyalkylamines: Synthesis of a Novel Family of Functional Phosphinochalcogenoic Amides. *Synthesis-Stuttgart*. 44: 2786-2792.
- Gutiérrez-Ruiz, MC; Vel; aacez-Moctezuma, J; Yoon, YH; Nelson, JH. (5176). A THEORETICAL STUDY OF THE EFFECT OF HUMIDITY ON RESPIRATOR CARTRIDGE SERVICE LIFE. *World J Gastroent*09, Nov. 15: 5176-5178.
- Gutierrez, RM; Navarro, YT. (2010). Antioxidant and hepatoprotective effects of the methanol extract of the leaves of *Satureja macrostema*. *Pharmacognosy Magazine*. 6: 125-131.
- Gutteridge, JM; Wardle, N. (1981). Peroxidation of Liver and Brain Tissue of Paracetamol Poisoned Rats. *Medical Laboratory Sciences*. 38: 167-169.
- Güven, A; Güven, A; Gulmez, M. (2003). The effect of kefir on the activities of GSH-Px, GST, CAT, GSH and LPO levels in carbon tetrachloride-induced mice tissues. *Journal of Veterinary Medicine Series B-Infectious Diseases and Veterinary Public Health*. 50: 412-416.
- Güven, A; Marasli, N; Kaya, N. (2003). Changes in the lipid peroxide status of geese in chronic carbon tetrachloride poisoning. *Indian Veterinary Journal*. 80: 508-510.
- Guzman, RE; Solter, PF. (1999). Hepatic oxidative stress following prolonged sublethal microcystin LR exposure. *Toxicol Pathol*. 27: 582-588.
- Gyamfi, MA; Yonamine, M; Aniya, Y. (1999). Free-radical scavenging action of medicinal herbs from Ghana *Thonningia sanguinea* on experimentally-induced liver injuries. *General Pharmacology-the Vascular System*. 32: 661-667.
- Gyorgy, P; Seifter, J. (1946). Influence of dietary factors and sex on the toxicity of carbon tetrachloride in rats. *The Journal of experimental medicine*. 83: 449-462.
- Ha, KT; Yoon, SJ; Choi, DY; Kim, DW; Kim, JK; Kim, CH. (2005). Protective effect of Lycium chinense fruit on carbon tetrachloride-induced hepatotoxicity. *J Ethnopharmacol*. 96: 529-535.
- Hämmerle, S; Hengstler, JG; Brulport, M; Schäfer, M. Mathematical modelling of liver regeneration after intoxication with CCl₄.
- Haag, WR; Mill, T. (1988). SOME REACTIONS OF NATURALLY OCCURRING NUCLEOPHILES WITH HALOALKANES IN WATER. *Environ Toxicol Chem*. 7: 917-924.
- Haag, WR; Yao, CCD. (1992). Rate constants for reaction of hydroxyl radicals with several drinking water contaminants. *Environ Sci Technol*. 26: 1005-1013.
- Haaparanta, M; Aho, K; Bergman, J; Paul, R; Solin, O. (1988). 2 FLUORINE-18 FLUORO-2-DEOXY-D-GALACTOSE LIVER PERFUSION AND METABOLIC STUDIES WITH HEALTHY AND CARBON TETRACHLORIDE DAMAGED RAT LIVER. *Third International Symposium On The Synthesis And Applications Of Isotopically Labelled Compounds, Innsbruck, Austria, July*. 39: 586.
- Haba, K; Seno, S. (1961). An electron microscope study of liver cell in carbon tetrachloride intoxication, significance of "opaque area". *Acta medicinarum Okayama*. 15: 375-389.
- Habuchi, H; Ushida, T; Habuchi, O. (2016). Mice deficient in N-acetylgalactosamine 4-sulfate 6-O-sulfotransferase exhibit enhanced liver fibrosis and delayed recovery from fibrosis in carbon tetrachloride-treated mice. *Heliyon*. 2: Article e00138.
- Haddleton, DM; Jackson, SG; Bon, SAF. (2000). Copper(I)-mediated living radical polymerization under fluoruous biphasic conditions. *J Am Chem Soc*. 122: 1542-1543.
- Hadidi, K; Cohn, DR; Vitale, S; Bromberg, L. (1999). Economic study of the tunable electron beam plasma reactor for volatile organic compound treatment. *Journal of the Air & Waste Management Association*. 49: 225-228.
- Haeussinger, D; Gerok, W. (1984). Hepatocyte heterogeneity in ammonia metabolism: Impairment of glutamine synthesis in CCl₄ induced liver cell necrosis with no effect on urea synthesis. *Chem Biol Interact*. 48: 191-194.
- Hafez, MM; Al-Harbi, NO; Al-Hoshani, AR; Al-Hosaini, KA; Al, SSD; Al, RSS; Sayed-Ahmed, MM; Al-Shabanah, OA. (2015). Hepato-protective effect of rutin via IL-6/STAT3 pathway in CCl₄-induced hepatotoxicity in rats. *Biol Res*. 48: 30.
- Hafez, MM; Al-Shabanah, OA; Al-Harbi, NO; Al-Harbi, MM; Al-Rejaie, SS; Alsurayea, SM; Sayed-Ahmed, MM. (2014). Association between paraoxonases gene expression and oxidative stress in hepatotoxicity induced by CCl₄. *Oxid Med Cell Longev*. 2014: 893212.
- Hagihara, M; Shimura, T; Takebe, K; Munkhbat, B; Tsuji, K. (1994). Effects of iso and xeno fetal liver fragments transplantation on acute and chronic liver failure in rats. *Cell Transplant*. 3: 283-290.

Environmental Hazard Literature Search Results

Off Topic

- Hagiwara, S; Otsuka, T; Yamazaki, Y. (2008). Overexpression of NK2 promotes liver fibrosis in carbon tetrachloride-induced chronic liver injury (vol 28, pg 126, 2008). *Liver Int.* 28: 582-582.
- Hagiwara, S; Otsuka, T; Yamazaki, Y; Kosone, T; Soharu, N; Ichikawa, T; Sato, K; Kakizaki, S; Takagi, H; Mori, M. (2008). Overexpression of NK2 promotes liver fibrosis in carbon tetrachloride-induced chronic liver injury. *Liver Int.* 28: 126-131.
- Haider, AF; Williams, CK. (2007). Application of dichlorovinyl xyloside for the novel synthesis of 2,3,4-tri-O-methyl-D-xylono-1,5-lactone. *Journal of Carbohydrate Chemistry.* 26: 411-418.
- Haider, M; Kundi, M; Groll-Knapp, E; Koller, M. (1990). Interactions between noise and air pollution. *Environ Int.* 16: 593-602.
- Hajiasgharzadeh, K; Tavangar, SM; Javan, M; Dehpour, AR; Mani, AR. (2014). Does hepatic vagus nerve modulate the progression of biliary fibrosis in rats? *Autonomic Neuroscience-Basic & Clinical.* 185: 67-75.
- Hakkinen, PJ; Frankel, R; Morse, CC; Witschi, H. (1983). Effect of lung, liver, and kidney toxicants on respiratory rate in the mouse. *Toxicology.* 26: 181-192.
- Halbreich, A; Mager, J. (1969). Early effects of carbon tetrachloride on the synthesis of phospholipids in the rat liver and their possible pathogenetic role in fatty liver induction. *Biochimica et Biophysica Acta (BBA) - Lipids and Lipid Metabolism.* 187: 584-587.
- Haley, AE. (1948). Carbon tetrachloride poisoning; report of a fatal case. *The Dallas medical journal.* 34: 6-8.
- Halfon, E; Simons, TJ; Schertzer, WM. (1990). Modeling the spatial distribution of seven halocarbons in Lake St. Clair in June 1984 using the TOXFATE model. *J Gt Lakes Res.* 16: 90-112.
- Halim, AB; El-Ahmady, C; Hassab-Allah, S; Abdel-Galil, F; Hafez, Y; Darwish, A. (1997). Biochemical effect of antioxidants on lipids and liver function in experimentally-induced liver damage. *Annals of Clinical Biochemistry.* 34: 656-663.
- Halks-Miller, M; Fedor, V; Tyson, CA. (1998). OVERVIEW OF APPROACHES TO IN-VITRO NEUROTOXICITY TESTING. *J Am Coll Toxicol.* 10: 727-736.
- Hall, A; Germani, G; Isgrà, T; TDDoCPUCLMSRFCLUKBAK; Dhillon, AP. (2012). Fibrosis distribution in explanted cirrhotic livers. *Histopathology.* 60: 270-277.
- Hall, PDLM; Plummer, JL; Bampton, P; Mackinnon, M; Cmielewski, PL; Ilesley, AH; Ahern, MJ. (1996). THE EFFECTS OF ISONIAZID IN A RAT MODEL FOR IRON-CARBON TETRACHLORIDE-INDUCED FIBROSIS. 47th Annual Meeting And Postgraduate Courses Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 24.
- Hall, PDLM; Plummer, JL; Ilesley, AH; Ahern, MJ; Cmielewski, PL; Williams, RA. (1994). The pathology of liver injury induced by the chronic administration of alcohol and 'low-dose' carbon tetrachloride of Porton rats. *J Gastroenterol Hepatol.* 9: 250-256.
- Hall, PM; Plummer, JL; Ilesley, AH; Ahern, MJ; Cmielewski, PL; Williams, RA. (1994). The pathology of liver injury induced by the chronic administration of alcohol and 'low-dose' carbon tetrachloride in Porton rats. *J Gastroenterol Hepatol.* 9: 250-256.
- Hall, R; Huss, S; Hochrath, K; Fischer, HP; Tacke, F; Weiskirchen, R; Lammert, F; Wang, X; Ohno, T. (2011). Typing of MEIC chemicals according to their toxicokinetic modes of action by lactate dehydrogenase-release assay. *Biochim Biophys Acta.* 1812: 1640-1648.
- Hallberg, GR. (1989). PESTICIDE POLLUTION OF GROUNDWATER IN THE HUMID USA. *Agric Ecosyst Environ.* 26: 299-368.
- Hals, E; Bjørn, G. (1973). Histopathological changes in rat incisors in experimental carbon tetrachloride intoxication. *Odontologisk revy.* 24: 5-26.
- Hamasaki, K; Nakashima, M; Naito, S; Akiyama, Y; Ohtsuru, A; Hamanaka, Y; Hsu, CT; Ito, M; Sekine, I. (2001). The sympathetic nervous system promotes carbon tetrachloride-induced liver cirrhosis in rats by suppressing apoptosis and enhancing the growth kinetics of regenerating hepatocytes. *J Gastroenterol.* 36: 111-120.
- Hamby, DM. (1996). Site remediation techniques supporting environmental restoration activities. A review. *Sci Total Environ.* 191: 203-224.
- Hamdy, N; El-Demerdash, E. (2012). New therapeutic aspect for carvedilol: Antifibrotic effects of carvedilol in chronic carbon tetrachloride-induced liver damage. *Toxicol Appl Pharmacol.* 261: 292-299.
- Hamed, MA; Ali, SA; El-Rigal, NS. (2012). Therapeutic potential of ginger against renal injury induced by carbon tetrachloride in rats. *TheScientificWorldJournal.* 2012: 840421.
- Hamlin, GP; Kholkute, SD; Dukelow, WR. (1993). Toxicology of maternally ingested carbon tetrachloride on embryonal and fetal development and in vitro fertilization in mice. *Zool Sci.* 10: 111-116.
- Hammitt, JK; Camm, F; Connell, PS; Mooz, WE; Wolf, KA; Wuebbles, DJ; Bamezai, A. (1990). FUTURE EMISSION SCENARIOS FOR CHEMICALS THAT MAY DEplete STRATOSPHERIC OZONE. *Nature.* 330: 711-716.
- Hamza, AA. (2010). Ameliorative effects of Moringa oleifera Lam seed extract on liver fibrosis in rats. *Food Chem Toxicol.* 48: 345-355.
- Hamzavi, J; Ehnert, S; Godoy, P; Ciuculan, L; Weng, H; Mertens, PR; Heuchel, R; Dooley, S. (2008). Disruption of the Smad7 gene enhances CCl₄-dependent liver damage and fibrogenesis in mice. *J Cell Mol Med.* 12: 2130-2144.
- Hamzawy, MA; El-Denshary, E; Abdel-Wahhab, M; Bahgat, A. (2009). Antioxidative stress of estradiol and α -lipoic acid in carbon tetrachloride-induced hepatotoxicity in rats. *Toxicol Lett.* 189, Supplement: S116.
- Hamzawy, MA; El-Denshary, ESM; Abdel-Wahhab, MA; Hassan, NS; Bahgat, AK. (2011). Comparative study of antioxidative stress of estradiol, α -lipoic acid and l-carnitine against carbon tetrachloride-induced hepatotoxicity in rats. *Toxicol Lett.* 205, Supplement: S221-S222.
- Han, J; Gao, C; Yang, S; Wang, J; Tan, D. (2014). Betanin attenuates carbon tetrachloride (CCl₄)-induced liver injury in common carp (*Cyprinus carpio* L.). *Fish Physiol Biochem.* 40: 865-874.
- Han, JC; Song, JI; Park, SW; Woo, D. (2002). Growth of ultrahigh carbon-doped InGaAs and its application to InP/InGaAs(C) HBTs. *Ieee Transactions on Electron Devices.* 49: 1-6.
- Han, JM; Kim, HG; Choi, MK; Lee, JS; Park, HJ; Wang, JH; Lee, JS; Son, SW; Hwang, SY; Son, CG. (2012). Aqueous extract of *Artemisia iwayomogi* Kitamura attenuates cholestatic liver fibrosis in a rat model of bile duct ligation. *Food Chem Toxicol.* 50: 3505-3513.
- Han, JY; Gao, C; Yang, SB; Wang, J; Tan, DH. (2014). Betanin attenuates carbon tetrachloride (CCl₄)-induced liver injury in common carp (*Cyprinus carpio* L.). *Fish Physiol Biochem.* 40: 865-874.

Environmental Hazard Literature Search Results

Off Topic

- Han, LH; Dong, LY; Yu, H; Sun, GY; Wu, Y; Gao, J; Thasler, W; An, W. (2015). Deceleration of liver regeneration by knockdown of augmenter of liver regeneration gene is associated with impairment of mitochondrial DNA synthesis in mice. *American journal of physiology Gastrointestinal and liver physiology*. 309: G112-122.
- Han, Y; Chen, ZL; Shen, JM; Wang, JH; Li, WW; Li, J; Wang, BY; Tong, LN. (2017). The role of Cu(II) in the reduction of N-nitrosodimethylamine with iron and zinc. *Chemosphere*. 167: 171-177.
- Han, Y; Li, W; Zhang, MH; Tao, K. (2008). Catalytic dechlorination of monochlorobenzene with a new type of nanoscale Ni(B)/Fe(B) bimetallic catalytic reductant. *Chemosphere*. 72: 53-58.
- Han, YL; Yan, WL. (2016). Reductive Dechlorination of Trichloroethene by Zero-valent Iron Nanoparticles: Reactivity Enhancement through Sulfidation Treatment. *Environmental Science & Technology*. 50: 12992-13001.
- Han, YS; Hyun, SP; Jeong, HY; Hayes, KF. (2012). Kinetic study of cis-dichloroethylene (cis-DCE) and vinyl chloride (VC) dechlorination using green rusts formed under varying conditions. *Water Res*. 46: 6339-6350.
- Han, YY; Onori, P; Meng, FY; DeMorrow, S; Venter, J; Francis, H; Franchitto, A; Ray, D; Kennedy, L; Greene, J; Renzi, A; Mancinelli, R; Gaudio, E; Glaser, S; Alpini, G. (2014). Prolonged exposure of cholestatic rats to complete dark inhibits biliary hyperplasia and liver fibrosis. *American Journal of Physiology-Gastrointestinal and Liver Physiology*. 307: G894-G904.
- Han, Z; Zhu, TP; Liu, XH; Li, CY; Yue, S; Liu, X; Yang, L; Yang, L; Li, LY. (2012). 15-deoxy-Delta(12,14)-prostaglandin J(2) reduces recruitment of bone marrow-derived monocyte/macrophages in chronic liver injury in mice. *Hepatology*. 56: 350-360.
- Hanasono, GK; Cét; eaMg; Plaa, GL. (1975). Potentiation of carbon tetrachloride-induced hepatotoxicity in alloxan- or strepto- zotocin-diabetic rats. *The Journal of pharmacology and experimental therapeutics*. 192: 592-604.
- Hancock-Chen, T; Scaiano, JC. (1998). Nonlinear effects and a cascade of radical events leading to laser-specific generation of active oxygen species. *Photochem Photobiol*. 67: 174-178.
- Handa, SS; Sharma, A. (1990). Hepatoprotective activity of andrographolide from *Andrographis paniculata* against carbon tetrachloride. *Indian J Med Res Sect B*. 92: 276-283.
- Handy, JA; Fu, PP; Kumar, P; Mells, JE; Sharma, S; Saxena, NK; Anania, FA. (2011). Adiponectin inhibits leptin signalling via multiple mechanisms to exert protective effects against hepatic fibrosis. *Biochem J*. 440: 385-395.
- Hanna, PM; Kadiiska, MB; Jordan, SJ; Mason, RP. (1993). The effect of zinc(II) and chromium(III) on carbon tetrachloride hepatotoxicity: Evidence against a free radical scavenging role for induced metallothionein. *J Inorg Biochem*. 51: 408.
- Hanna, PM; Kadiiska, MB; Jordan, SJ; Mason, RP. (1993). The effect of zinc(II) and chromium(III) on carbon tetrachloride hepatotoxicity: Evidence against trichloromethyl radical scavenging by metallothionein in vivo. *Free Radic Biol Med*. 15: 492.
- Hanna, RGM. (1983). Oil pollution on the Egyptian Red Sea coast. *Mar Pollut Bull*. 14: 268-271.
- Hannah, SA; Austern, BM; Eralp, AE; Dobbs, RA. (1988). REMOVAL OF ORGANIC TOXIC POLLUTANTS BY TRICKLING FILTER AND ACTIVATED SLUDGE. *J Water Pollut Control Fed*. 60: 1281-1283.
- Hannivoort, RA; Dunning, S; Borght, SV; Schroyen, B; Woudenberg, J; Oakley, F; Buist-Homan, M; van den Heuvel, FAJ; Geuken, M; Geerts, A; Roskams, T; Faber, KN; Moshage, H. (2008). Multidrug resistance-associated proteins are crucial for the viability of activated rat hepatic stellate cells. *Hepatology*. 48: 624-634.
- Hannus, I; BÁza, M; Beck, A; Gucci, L; SÁjfrÁn, G. (2009). Hydrodechlorination catalytic activity of gold nanoparticles supported on TiO₂ modified SBA-15 investigated by IR spectroscopy. *Journal of Molecular Structure*. 924é926: 355-357.
- Hanoach, R; Shao, H; Butler, EC. (2006). Transformation of carbon tetrachloride by bisulfide treated goethite, hematite, magnetite, and kaolinite. *Chemosphere*. 63: 323-334.
- Hansson, EB; Odziemkowski, MS; Gillham, RW. (2008). Influence of Na(2)S on the degradation kinetics of CCl(4) in the presence of very pure iron. *J Contam Hydrol*. 98: 128-134.
- Hantal, G; Darvas, M; Partay, LB; Horvai, G; Jedlovsky, P. (2010). Molecular level properties of the free water surface and different organic liquid/water interfaces, as seen from ITIM analysis of computer simulation results. *Journal of Physics-Condensed Matter*. 22: 84112-84112.
- Hanzlik, RP. (1981). Reactivity and toxicity among halogenated methanes and related compounds. A physicochemical correlate with predictive value. *Biochem Pharmacol*. 30: 3027-3030.
- Hao, XF; Ling, QF; Hong, FS. (2014). Effects of dietary selenium on the pathological changes and oxidative stress in loach (*Paramisgurnus dabryanus*). *Fish Physiol Biochem*. 40: 1313-1323.
- Hao, ZM; Cai, M; Lv, YF; Huang, YH; Li, HH. (2012). Oral Administration of Recombinant Adeno-associated Virus-mediated Bone Morphogenetic Protein-7 Suppresses CCl(4)-induced Hepatic Fibrosis in Mice. *Molecular Therapy*. 20: 2043-2051.
- Happell, JD; Mendoza, Y; Goodwin, K. (2014). A reassessment of the soil sink for atmospheric carbon tetrachloride based upon static flux chamber measurements. *J Atmos Chem*. 71: 113-123.
- Happell, JD; Wallace, DWR. (1998). Removal of atmospheric CCl(4) under bulk aerobic conditions in groundwater and soils. *Environmental Science & Technology*. 32: 1244-1252.
- Harashima, M; Harada, K; Ito, Y; Hyuga, M; Seki, T; Ariga, T; Yamaguchi, T; Niimi, S. (2008). Annexin A3 expression increases in hepatocytes and is regulated by hepatocyte growth factor in rat liver regeneration. *J Biochem*. 143: 537-545.
- Hardin, BL, Jr. (1953). Poisoning from carbon tetrachloride used in removing adhesive tape from the skin. *The Medical annals of the District of Columbia*. 22: 224-225; passim.
- Hardin, BL, Jr. (1954). Carbon tetrachloride poisoning; a review. *Industrial medicine & surgery*. 23: 93-105.
- Hariharapura, RC; Srinivasan, R; Ashok, G; Dongre, SH; Jagani, HV; Vijayan, P. (2014). Investigation of the Antioxidant and Hepatoprotective Potential of *Hypericum mysorens*. *Antioxidants (Basel, Switzerland)*. 3: 526-543.

Environmental Hazard Literature Search Results

Off Topic

- Harisch, G; Meyer, W. (1985). Studies on tissue distribution of glutathione and on activities of glutathione-related enzymes after carbon tetrachloride-induced liver injury. *Res Comm Chem Pathol Pharmacol.* 47: 399-314.
- Harisch, G; Meyer, W. (1985). TISSUE DISTRIBUTION OF GLUTATHIONE AND ACTIVITIES OF GLUTATHIONE-RELATED ENZYMES AFTER CARBON TETRACHLORIDE-INDUCED LIVER INJURY. *Res Commun Chem Pathol Pharmacol.* 47: 399-414.
- Harish, R; Shivanandappa, T. (2006). Antioxidant activity and hepatoprotective potential of *Phyllanthus niruri*. *Food Chem.* 95: 180-185.
- Harish, R; Shivanandappa, T. (2010). Hepatoprotective potential of *Decalepis hamiltonii* (Wight and Arn) against carbon tetrachloride-induced hepatic damage in rats. *Journal of pharmacy & bioallied sciences.* 2: 341-345.
- Harper, DT, Jr.; Robinson, FR. (1966). Comparative pathology of animals exposed to carbon tetrachloride at ambient air vs. 5 psia 100 per cent oxygen atmosphere. *AMRL-TR-66-120.* Amrl Tr.
- Harper, DT, Jr.; Robinson, FR. (1967). Comparative pathology of animals exposed to carbon tetrachloride in oxygen at 258 mm. Hg and in ambient air. *Aerosp Med.* 38: 784-788.
- Harrell, RM; Means, RE; Caviston, KJ; Mitchell, WJ. (1990). HUMIDIFIED CANISTER STABILITY OF SELECTED VOC'S. US Environmental Protection Agency'S Atmospheric Research And Exposure Assessment Laboratory And Air And Waste Management Association Measurement Of Toxic And Related Air Pollutants. 0: 726-730.
- Harrigan, GG; LaPlante, RH; Cosma, GN; Cockerell, G; Goodacre, R; Maddox, JF; Luyendyk, JP; Ganey, PE; Roth, RA. (2004). Application of high-throughput Fourier-transform infrared spectroscopy in toxicology studies: contribution to a study on the development of an animal model for idiosyncratic toxicity. *Toxicol Lett.* 146: 197-205.
- Harris, RN; Anders, MW. (1980). Effect of Fasting, Diethyl Maleate, and Alcohols on Carbon Tetrachloride-Induced Hepatotoxicity. *TOXICOL AND APPL PHARMACOL.* 56: 191-198.
- Harris, RN; Anders, MW. (1981). 2-Propanol treatment induces selectively the metabolism of carbon tetrachloride to phosgene. Implications for carbon tetrachloride hepatotoxicity. *Drug metabolism and disposition: the biological fate of chemicals.* 9: 551-556.
- Harris, RN; Anders, MW. (1981). Phosgene: A Possible Role in the Potentiation of Carbon Tetrachloride Hepatotoxicity by 2-Propanol. *Life Sci.* 29: 503-507.
- Harris, RN; Ratnayake, JH; Garry, VF; Anders, MW. (1982). Interactive Hepatotoxicity of Chloroform and Carbon Tetrachloride. *Toxicol Appl Pharmacol.* 63: 281-291.
- Harris, TR; Bettaieb, A; Kodani, S; Dong, H; Myers, R; Chiamvimonvat, N; Haj, FG; Hammock, BD. (2015). Inhibition of soluble epoxide hydrolase attenuates hepatic fibrosis and endoplasmic reticulum stress induced by carbon tetrachloride in mice. *Toxicol Appl Pharmacol.* 286: 102-111.
- Harris, TR; Kodani, S; Yang, J; Imai, DM; Hammock, BD. (2016). An ω -3-enriched diet alone does not attenuate CCl₄-induced hepatic fibrosis. *The Journal of Nutritional Biochemistry.* 38: 93-101.
- Harris, TR; Kodani, S; Yang, J; Imai, DM; Hammock, BD. (2016). An omega-3-enriched diet alone does not attenuate CCl₄-induced hepatic fibrosis. *J Nutr Biochem.* 38: 93-101.
- Harstad, EB; Klaassen, CD. (2002). Analysis of strain difference in sensitivity to cadmium-induced hepatotoxicity in Fischer 344 and Sprague-Dawley rats. *Toxicol Sci.* 67: 329-340.
- Harstad, EB; Klaassen, CD. (2002). iNOS-null mice are not resistant to cadmium chloride-induced hepatotoxicity. *Toxicology.* 175: 83-90.
- Harstad, EB; Klaassen, CD. (2002). Tumor necrosis factor-alpha-null mice are not resistant to cadmium chloride-induced hepatotoxicity. *Toxicol Appl Pharmacol.* 179: 155-162.
- Hart, JR. (1994). COMPARISON OF EMISSIONS FROM BURNING HAZARDOUS WASTE IN A DRY-PROCESS CEMENT KILN WITH EMISSION FROM BURNING CONVENTIONAL FOSSIL FUELS. *Hazardous Waste & Hazardous Materials.* 11: 193-199.
- Hartenstein, HU. (1994). Fixed bed activated coke filters for the control of toxic metals and organics from waste incinerators- the second generation. *Chemosphere.* 29: 2071-2081.
- Hartley, DP; Kolaja, KL; Reichard, J; Petersen, DR. (1999). 4-hydroxynonenal and malondialdehyde hepatic protein adducts in rats treated with carbon tetrachloride: Immunochemical detection and lobular localization. *Toxicol Appl Pharmacol.* 161: 23-33.
- Hartman, AD; Di, LNR; Trumbull, ML. (1968). Modification of chronic carbon tetrachloride hepatic injury by N,N'-diphenyl-p-phenylenediamine. *Exp Mol Pathol.* 9: 349-362.
- Hartmann, P; Haimerl, M; Mazagova, M; Brenner, DA; Schnabl, B. (2012). Toll-Like Receptor 2-Mediated Intestinal Injury and Enteric Tumor Necrosis Factor Receptor I Contribute to Liver Fibrosis in Mice. *Gastroenterology.* 143: 1330-+.
- Harvey, DG. (1959). The specific gravity of liver and its relation to the fat content following high fat diets and carbon tetrachloride poisoning. *Experientia.* 15: 445-446.
- Harvey, DG; Hoe, CM. The application of some liver function tests to sheep dosed with Carbon Tetrachloride and Hexachlorophene. *Veterinary record* . May 29, 1971, 88 (22): 562-568.
- Harvey, MJ; Klaassen, CD. (1983). Interaction of metals and carbon tetrachloride on lipid peroxidation and hepatotoxicity. *TOXICOL APPL PHARMACOL.* 71: 316-322.
- Harvey, PJ; Gready, JE; Hickey, HM; Le Couteur, DG; McLean, AJ. (1999). (31)P and (1)H NMR spectroscopic studies of liver extracts of carbon tetrachloride-treated rats. *Nmr in Biomedicine.* 12: 395-401.
- Harvey, PJ; Gready, JE; Yin, ZL; Le Couteur, DG; McLean, AJ. (2000). Acute oxygen supplementation restores markers of hepatocyte energy status and hypoxia in cirrhotic rats. *J Pharmacol Exp Ther.* 293: 641-645.
- Hase, K; Kasimu, R; Basnet, P; Kadota, S; Namba, T. Preventive effect of lithospermate B from *Salvia miltiorhiza* on experimental hepatitis induced by carbon tetrachloride or D-galactosamine/lipopolysaccharide. *Planta Med.* Feb 1997. v. 63 (1): 22-26.

Environmental Hazard Literature Search Results

Off Topic

- Hase, K; Ohsugi, M; Xiong, QB; Basnet, P; Kadota, S; Namba, T. (1997). Hepatoprotective effect of *Hovenia dulcis* Thunb on experimental liver injuries induced by carbon tetrachloride or D-galactosamine/lipopolysaccharide. *Biological & Pharmaceutical Bulletin*. 20: 381-385.
- Hase, T. (1966). Hepatic microcirculatory changes in acute and chronic carbon tetrachloride poisoning in rats. *Am J Pathol*. 49: 1069-1086.
- Hase, T. (1968). Development of portahepatic venous shunts and cirrhosis in carbon tetrachloride poisoning in rats. *Am J Pathol*. 53: 83-98.
- Hasegawa, A; Hioki, Y; Kiso, M; Okumura, H; Azuma, I. (1983). Synthesis and biological activities of N-acetyl-1-thiomuramoyl-L-alanyl-D-isoglutamine and some of its lipophilic derivatives. *Carbohydr Res*. 123: 183-199.
- Hasegawa, K; Fusumae, H; Miyahara, S; Shinohara, M; Matsuyama, M; Watanabe, K. (1994). Acceleration of the UV-stimulated HT oxidation by CCl₄. *Journal Of Environmental Science And Health Part A Environmental Science And Engineering*. 29: 281-299.
- Hasegawa, M; Takenaka, H; Shinotsuka, A. (1988). Experimental study of iron effect on the liver function. *Ann Nucl Med*. 2: 27-34.
- Hasegawa, T; Hirai, Y; Koga, N; Tomokuni, K. (1983). Hepatic mitochondrial and microsomal recovery of rats intoxicated with CCl sub(4). *INDUST HEALTH*. 21: 231-234.
- Hasegawa, T; Tomokuni, K. (1983). Fatty acid synthesis in the hepatic soluble fraction of rat recovered from CCl sub(4) intoxication. *Biochem Pharmacol*. 32: 2367-2370.
- Haselmann, KF; Laturnus, F; Gron, C. (2002). Formation of chloroform in soil. A year-round study at a Danish spruce forest site. *Water Air and Soil Pollution*. 139: 35-41.
- Hashida, M; Akamatsu, K; Nishikawa, M; Yamashita, F; Takakura, Y. (1999). Design of polymeric prodrugs of prostaglandin E(1) having galactose residue for hepatocyte targeting. *J Control Release*. 62: 253-262.
- Hashida, M; Akamatsu, K; Nishikawa, M; Yamashita, F; Yoshikawa, H; Takakura, Y. (2000). Design of polymeric prodrugs of PGE1 for cell-specific hepatic targeting. *Pharmazie*. 55: 202-205.
- Hashimoto, M; Kothary, PC; Raper, SE. (1999). Phenobarbital in comparison with carbon tetrachloride and phenobarbital-induced cirrhosis in rat liver regeneration. *J Surg Res*. 81: 164-169.
- Hashimoto, M; Watanabe, G. (1999). Functional capacity of the cirrhotic liver after partial hepatectomy in the rat. *Surgery*. 126: 541-547.
- Hashimoto, S. (1961). Effects of thioctic acid and adenosine triphosphate on liver diseases. I. Influences of thioctic acid and adenosine triphosphate on the liver of the mice damaged with carbon tetrachloride. *The Journal of vitaminology*. 7: 27-35.
- Hashimoto, T; Goto, M; Sakakibara, H; Oi, N; Okamoto, M; Kanazawa, K. (2007). Yellow tea is more potent than other types of tea in suppressing liver toxicity induced by carbon tetrachloride in rats. *Phytother Res*. 21: 668-670.
- Hashsham, SA; Freedman, DL. (1999). Enhanced biotransformation of carbon tetrachloride by *Acetobacterium woodii* upon addition of hydroxocobalamin and fructose. *Appl Environ Microbiol*. 65: 4537-4542.
- Hasmall, SC; Pyrah, ITG; Soames, AR; Roberts, RA. (1997). Expression of the immediate-early genes, c-fos, c-jun, and c-myc: A comparison in rats of nongenotoxic hepatocarcinogens with noncarcinogenic liver mitogens. *Fundam Appl Toxicol*. 40: 129-137.
- Hassan, MH; Bahashawan, SA; Abdelghany, TM; Abd-Allah, GM; Ghobara, MM. (2015). Crocin Abrogates Carbon Tetrachloride-Induced Renal Toxicity in Rats via Modulation of Metabolizing Enzymes and Diminution of Oxidative Stress, Apoptosis, and Inflammatory Cytokines. *J Biochem Mol Toxicol*. 29: 330-339.
- Hassan, MH; Edfawy, M; Mansour, A; Hamed, A-A. (2012). Antioxidant and antiapoptotic effects of capsaicin against carbon tetrachloride-induced hepatotoxicity in rats. *Toxicol Ind Health*. 28: 428-438.
- Hassan, MH; Ghobara, M; Abd-Allah, GM. (2014). Modulator Effects of Meloxicam against Doxorubicin-Induced Nephrotoxicity in Mice. *J Biochem Mol Toxicol*. 28: 337-346.
- Hassan, MH; Ghobara, MM. (2016). Antifibrotic effect of meloxicam in rat liver: role of nuclear factor kappa B, proinflammatory cytokines, and oxidative stress. *Naunyn-Schmiedeberg's Archives of Pharmacology*. 389: 971-983.
- Hassan, S; Rizk, MZ; El-Sharkawi, F; Badary, O; Kadry, MO. (2009). Hepatoprotective and antioxidant activity of phytic acid and/or catechin against carbon tetrachloride-induced hepatotoxicity in rats. *Toxicol Lett*. 189, Supplement: S265-S266.
- Hassner, A; Belostotskii, AM. (1995). A simple method of preparation of 7-alkyl-7-azabicyclo[2.2.1]heptanes. *Tetrahedron Letters*. 36: 1709-1712.
- Hassounah, OA; Bayoumy, AS; Abdel-Wahab, MM. (1995). Studies on the effect of acute doses of indomethacin (prostaglandins inhibitor) during induced liver failure. *J Egypt Soc Parasitol*. 25: 443-452.
- Hasumura, Y; Teschke, R; Lieber, CS. (1974). Increased carbon tetrachloride hepatotoxicity, and its mechanism, after chronic ethanol consumption. *Gastroenterology*. 66: 415-422.
- Hata, M; Iida, H; Yamanegi, K; Yamada, N; Ohyama, H; Hirano, H; Nakasho, K; Terada, N. (2013). Phenotypic characteristics and proliferative activity of hyperplastic ductule cells in cholangiofibrosis induced by thioacetamide in rats. *Exp Toxicol Pathol*. 65: 351-356.
- Hatch, GE; Santrock, J; Slade, R; Hayes, JM. (1988). DETECTION OF CARBON TETRACHLORIDE INDUCED OXIDATION OF HEPATIC TISSUE IN-VIVO BY OXYGEN-18 TRACING. *Toxicol Appl Pharmacol*. 93: 81-88.
- Hathway, DE. (1974). Chemical, biochemical and toxicological differences between carbon tetrachloride and chloroform. A critical review of recent investigations of these compounds in mammals. *Arzneimittel-Forschung*. 24: 173-176.
- Hatta, S. (1984). Involvement of alpha 1- and beta 2-adrenergic stimulation in the induction of hepatic DNA synthesis in carbon tetrachloride-intoxicated rats. *Japanese journal of pharmacology*. 36: 540-543.
- Hatta, S. (1984). Relationship between glucagon-induced cyclic AMP accumulation and DNA synthesis in carbon tetrachloride-intoxicated rat liver. *Japanese journal of pharmacology*. 36: 258-261.
- Hatta, S. (1985). Influence of plasma hormone levels on various stimulant-induced hepatic DNA synthesis in carbon tetrachloride-intoxicated rats. *Japanese journal of pharmacology*. 37: 77-84.

Environmental Hazard Literature Search Results

Off Topic

- Hatta, S; Ohshika, H. (1990). Enhancement in beta-adrenergic responsiveness of adenylate cyclase in rat liver during regeneration after carbon tetrachloride administration. *Res Comm Chem Pathol Pharmacol.* 70: 273-288.
- Hatta, S; Suzuki, Y; Miyamoto, A; Takemura, H; Ohshika, H. (1986). Effects of 8-(2-dimethylaminoethyl)-3-oxo-4-phenyl-1-thia-4,8-diazaspiro [4,5] decane dihydrochloride monohydrate (Y-8845) on carbon tetrachloride-induced liver injury. *Japanese journal of pharmacology.* 40: 561-567.
- Hattori, S; Dhar, DK; Hara, N; Tonomoto, Y; Onoda, T; Ono, T; Yamanoi, A; Tachibana, M; Tsuchiya, M; Nagasue, N. (2007). FR-167653, a selective p38 MAPK inhibitor, exerts salutary effect on liver cirrhosis through downregulation of Runx2. *Lab Invest.* 87: 591-601.
- Haupt, W; Jonitza, D; Klein, S; Scheja, L; Monserrat, LE; Hooper, K; Book, SA; Chernoff, GF. (1997). PRIORITIZING CANDIDATE REPRODUCTIVE-DEVELOPMENTAL TOXICANTS FOR EVALUATION AU - DONALD JM. *The Journal of pharmacology and experimental therapeutics.* 283: 1-6.
- Hawker, DW; Connell, DW. (1988). INFLUENCE OF PARTITION COEFFICIENT OF LIPOPHILIC COMPOUNDS ON BIOCONCENTRATION KINETICS WITH FISH. *Water Res.* 22: 701-708.
- Hayasaka, A; Maddrey, WC; Hahn, EG. (1988). SERUM CONCENTRATION OF THE AMINO-TERMINAL PROPEPTIDE OF PROCOLLAGEN III PIIIP AND STEADY STATE LEVEL OF THE MESSENGER RNA OF ALPHA 1 CHAIN OF PROCOLLAGEN III IN CARBON TETRACHLORIDE INDUCED FIBROTIC RAT LIVER. 39th Annual Meeting And Postgraduate Course Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 8.
- Hayashi, H; Taniai, E; Morita, R; Hayashi, M; Nakamura, D; Wakita, A; Suzuki, K; Shibutani, M; Mitsumori, K. (2012). Enhanced liver tumor promotion but not liver initiation activity in rats subjected to combined administration of omeprazole and β -naphthoflavone. *The Journal of toxicological sciences.* 37: 969-985.
- Hayashi, S. (2013). Experimental studies on nutrition management in liver injury. *Food Chem.* 37: 107-123.
- Hayashi, S; Itoh, A; Isoda, K; Kondoh, M; Kawase, M; Yagi, K. (2008). Fucoidan partly prevents CCl₄-induced liver fibrosis. *Eur J Pharmacol.* 580: 380-384.
- Hayashi, S; Watanabe, A; Shiota, T; Obata, T; Takei, N; Sakata, T; Nagashima, H. (1982). Effects of intraduodenal feeding of a branched-chain amino acid-rich solution on ammonia-induced encephalopathy in liver-injured rats. *Gastroenterologia Japonica.* 17: 538-541.
- Haydon, DA; Urban, BW. The action of hydrocarbons and carbon tetrachloride on the sodium current of the squid giant axon. *J Physiol.* 1983. v. 338: 435-450.
- Hayes, JR; Condie, LW, Jr.; Borzelleca, JF. (1986). Acute, 14-day repeated dosing, and 90-day subchronic toxicity studies of carbon tetrachloride in CD-1 mice. *Fundam Appl Toxicol.* 7: 454-463.
- Hayes, MA; Pickering, DB. (1985). Comparative cytopathology of primary rat hepatocyte cultures exposed to aflatoxin B₁, acetaminophen, and other hepatotoxins. *Toxicol Appl Pharmacol.* 80: 345-356.
- Hays, WS; Wheeler, DE; Eghtesad, B; Glew, RH; Johnston, DE. (1998). Expression of cytosolic beta-glucosidase in guinea pig liver cells. *Hepatology (Baltimore, Md).* 28: 156-163.
- Hazem, SH; Shaker, ME; Ashamallah, SA; Ibrahim, TM. (2014). The novel Janus kinase inhibitor ruxolitinib confers protection against carbon tetrachloride-induced hepatotoxicity via multiple mechanisms. *Chem Biol Interact.* 220: 116-127.
- Hazen, TC; Fliermans, CB. (1993). Rapid screening for bacteria capable of degrading toxic organic compounds. AU - GORDEN RW. *J Microbiol Methods.* 18: 339-347.
- Hazle, JD; Narayana, PA; Dunsford, HA. (1990). Chronic carbon tetrachloride and phospholipase D hepatotoxicity in rat: in vivo ¹H magnetic resonance, total lipid analysis, and histology. *Magn Reson Med.* 15: 211-228.
- Hazle, JD; Narayana, PA; Dunsford, HA. (1990). Chronic carbon tetrachloride and phospholipase D hepatotoxicity in rat: In vivo PMR, total lipid analysis, and histology. *Magn Reson Med.* 15: 211-228.
- Hazle, JD; Narayana, PA; Dunsford, HA. (1991). In vivo NMR, biochemical, and histologic evaluation of alcohol-induced fatty liver in rat and a comparison with carbon tetrachloride hepatotoxicity. *Magn Reson Med.* 19: 124-135.
- Hazlett, JM; Bailey, RE. (1990). EVALUATION OF A CONTINUOUS SAMPLING AND ANALYSIS SYSTEM FOR VOLATILE ORGANIC COMPOUNDS. US Environmental Protection Agency'S Atmospheric Research And Exposure Assessment Laboratory And Air And Waste Management Association Measurement Of Toxic And Related Air Pollutants. 0: 731-739.
- He, H; He, JP; Sui, YJ; Zhou, SQ; Wang, J. (2008). The hepatoprotective effects of *Ganoderma lucidum* peptides against carbon tetrachloride-induced liver injury in mice. *Journal of Food Biochemistry.* 32: 628-641.
- He, JS; Huang, B; Ban, XQ; Tian, J; Zhu, L; Wang, YW. (2012). In vitro and in vivo antioxidant activity of the ethanolic extract from *Meconopsis quintuplinervia*. *J Ethnopharmacol.* 141: 104-110.
- He, Q; Wang, X. (1995). EFFECTS OF CCL-4 ON CD-INDUCED RENAL DAMAGE. North American Congress Of Clinical Toxicology Annual Meeting, Rochester, New York, Usa, September. 33: 541-542.
- He, SX; Luo, JY; Wang, YP; Wang, YL; Fu, H; Xu, JL; Zhao, G; Liu, EQ. (2006). Effects of extract from *Ginkgo biloba* on carbon tetrachloride-induced liver injury in rats. *World J Gastroenterol.* 12: 3924-3928.
- He, W; Wang, B; Yang, J; Zhuang, Y; Wang, LZ; Huang, XD; Chen, JP. (2014). Chloroquine Improved Carbon Tetrachloride-Induced Liver Fibrosis through Its Inhibition of the Activation of Hepatic Stellate Cells: Role of Autophagy. *Biological & Pharmaceutical Bulletin.* 37: 1505-1509.
- He, XJ; Huang, TZ; Wang, PJ; Peng, XC; Li, WC; Wang, J; Tang, J; Feng, N; Yu, MH. (2012). Morphological and biomechanical remodeling of the hepatic portal vein in a swine model of portal hypertension. *Ann Vasc Surg.* 26: 259-267.
- He, YH; Liu, Q; Li, YX; Yang, XF; Wang, WR; Li, TT; Zhang, W; Cui, YX; Wang, CY; Lin, R. (2015). Protective effects of hydroxysafflor yellow A (HSYA) on alcohol-induced liver injury in rats. *J Physiol Biochem.* 71: 69-78.

Environmental Hazard Literature Search Results

Off Topic

- He, YT; Liu, DW; Ding, LY; Li, Q; Xiao, YH. (2004). Therapeutic effects and molecular mechanisms of anti-fibrosis herbs and selenium on rats with hepatic fibrosis. *World J Gastroenterol.* 10: 703-706.
- He, YT; Wilson, JT; Su, C; Wilkin, RT. (2015). Review of Abiotic Degradation of Chlorinated Solvents by Reactive Iron Minerals in Aquifers. *Ground Water Monitoring and Remediation.* 35: 57-75.
- He, YT; Wilson, JT; Wilkin, RT. (2008). Transformation of reactive iron minerals in a permeable reactive barrier (biowall) used to treat TCE in groundwater. *Environmental Science & Technology.* 42: 6690-6696.
- Head, B; Moody, DE; Woo, CH; Smuckler, EA. (1981). Alterations of specific forms of cytochrome P-450 in rat liver during acute carbon tetrachloride intoxication. *Toxicol Appl Pharmacol.* 61: 286-295.
- Hebda, C; Szykula, J; Orpiszewski, J; Fischer, P. (1991). Novel metabolite structures from biotransformation of a sesquiterpenoid ketone by selected fungal strains. *Biological chemistry Hoppe-Seyler.* 372: 337-344.
- Hebert, A; Forestier, D; Lenes, D; Benanou, D; Jacob, S; Arfi, C; Lambomez, L; Levi, Y. (2010). Innovative method for prioritizing emerging disinfection by-products (DBPs) in drinking water on the basis of their potential impact on public health. *Water Res.* 44: 3147-3165.
- Hede, AR; Anderson, L; Post, C. (1985). EFFECT OF A HOMOLOGOUS SERIES OF HALOGENATED METHANES ON PULMONARY UPTAKE OF 5 HYDROXYTRYPTAMINE IN ISOLATED PERFUSED RAT LUNG. *Acta Pharmacol Toxicol.* 57: 291-296.
- Heeba, GH; Mahmoud, ME. (2014). Therapeutic potential of morin against liver fibrosis in rats: Modulation of oxidative stress, cytokine production and nuclear factor kappa B. *Environ Toxicol Pharmacol.* 37: 662-671.
- Heemstra, JR; Walsh, CT. (2008). Tandem Action of the O(2)- and FADH(2)-Dependent Halogenases KtzQ and KtzR Produce 6,7-Dichlorotryptophan for Kutzneride Assembly. *J Am Chem Soc.* 130: 14024-+.
- Hegarty, JM; Brattin, WJ; Recknagel, RO. (1984). Halomethane-induced inhibition of protein synthesis in isolated hepatocytes. *Exp Mol Pathol.* 41: 331-337.
- Hegarty, JM; Glende, EA, Jr.; Recknagel, RO. (1986). Potentiation by chlordecone of the defect in hepatic microsomal calcium sequestration induced by carbon tetrachloride. *Journal of biochemical toxicology.* 1: 73-78.
- Heglund, DL; Tilotta, DC. (1996). Determination of volatile organic compounds in water by solid phase microextraction and infrared spectroscopy. *Environmental Science & Technology.* 30: 1212-1219.
- Heida, H; Van, DENBERGM; Olie, K. (1964). RISK ASSESSMENT AND SELECTION OF REMEDIAL ACTION ALTERNATIVES THE VOLGERMEERPOLDER CASE STUDY. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY).* 19: 615-622.
- Heilmaier, HE; Greim, H; Summer, KH. (1989). Metallothionein induction in mice by CCl sub(4): Hepatic Zn-status and distribution of administered Cd. *Toxicol Environ Chem.* 23: 73-78.
- Heim, WG; Kerrigan, JM. (1963). APPEARANCE OF SLOW ALPHA-2-GLOBULIN AFTER INTERFERENCE WITH THE LIVER. *Nature.* 199: 1100-1101.
- Heimberg, M; Watkins, ML; Tooker, R. (1964). CARBON TETRACHLORIDE HEPATOTOXICITY: THE DIRECT ACTION OF CCL4 ON THE LIVER. *The Journal of pharmacology and experimental therapeutics.* 145: 92-101.
- Heimberg, M; Weinstein, I. (1962). A mechanism for the induction by carbon tetrachloride of fatty liver in the rat. *Biochem Pharmacol.* 11: 163-165.
- Heimbuch, JA; Wilhelmi, AR. (1985). WET AIR OXIDATION A TREATMENT MEANS FOR AQUEOUS HAZARDOUS WASTE STREAMS. *J Hazard Mater.* 12: 187-200.
- Heindel, JJ; Chapin, RE; George, J; Gulati, DK; Fail, PA; Barnes, LH; Yang, RSH. (1995). Assessment of the reproductive toxicity of a complex mixture of 25 groundwater contaminants in mice and rats. *Fundam Appl Toxicol.* 25: 9-19.
- Heinrichs, D; Offermanns, C; Berres, ML; Nellen, A; Leng, L; Schmitz, P; Bucala, R; Trautwein, C. (1988). Macrophage migration inhibitory factor (MIF) exerts antifibrotic effects in experimental liver fibrosis via CD74. *J Toxicol Environ Health.*
- Helland, BR; Alvarez, PJJ; Schnoor, JL. (1995). REDUCTIVE DECHLORINATION OF CARBON TETRACHLORIDE WITH ELEMENTAL IRON. *J Hazard Mater.* 41: 205-216.
- Hellemans, K; Michalik, L; Dittie, A; Knorr, A; Rombouts, K; De, JJ; Heirman, C; Quartier, E; Schuit, F; Wahli, W; Geerts, A. (2003). Peroxisome proliferator-activated receptor-beta signaling contributes to enhanced proliferation of hepatic stellate cells. *Gastroenterology.* 124: 184-201.
- Hellemans, K; Rombouts, K; Quartier, E; Dittiã€š, AS; Knorr, A; Michalik, L; Rogiers, V; Schuit, F; Wahli, W; Geerts, A. (2003). PPARbeta regulates vitamin A metabolism-related gene expression in hepatic stellate cells undergoing activation. *J Lipid Res.* 44: 280-295.
- Hellmer, L; Bolcsfoldi, G. (1992). An evaluation on the Escherichia coli K-12 uvrB/recA DNA repair host-mediated assay: I. In vitro sensitivity of the bacteria to 61 compounds. *Mutat Res.* 272: 145-160.
- Helmig, D; Arey, J. (1992). Organic chemicals in the air at Whitaker's forest ierra Nevada Mountains, California. *Sci Total Environ.* 112: 233-250.
- Helmig, D; Mueller, J; Klein, W. (1989). Volatile organic substances in a forest atmosphere. *Chemosphere.* 19: 1399-1412.
- Hemalatha, S; Raghunath, A. (2004). Dietary sesame (*Sesamum indicum* cultivar Linn) oil inhibits iron-induced oxidative stress in rats. *Br J Nutr.* 92: 581-587.
- Hemmann, S; Graf, J; Roderfeld, M; Roeb, E. (2007). Expression of MMPs and TIMPs in liver fibrosis - a systematic review with special emphasis on anti-fibrotic strategies. *J Hepatol.* 46: 955-975.
- Hemmings, SJ; Pulga, VB; Tran, ST; Uwiera, RRE. (2002). Differential inhibitory effects of carbon tetrachloride on the hepatic plasma membrane, mitochondrial and endoplasmic reticular calcium transport systems: implications to hepatotoxicity. *Cell Biochem Funct.* 20: 47-59.
- Hemmings, SJ; Song, XY. (2005). The effects of dietary flaxseed on the Fischer 344 rat. III. Protection against CCl(4)-induced liver injury. *Cell Biochem Funct.* 23: 389-398.

Environmental Hazard Literature Search Results

Off Topic

- Henderson, AD; Demond, AH. (2007). Long-term performance of zero-valent iron permeable reactive barriers: A critical review. *Environ Eng Sci.* 24: 401-423.
- Hendricks, MS; Anderson, TA; Griest, WH; Merriweather, R; Beauchamp, JJ; Francis, CW. (1992). Soil sorption of volatile and semivolatile organic compounds in a mixture. *AU - WALTON BT. J Environ Qual.* 21: 552-558.
- Hengstler, JG; Marchan, R; Leist, M. (2012). Highlight report: towards the replacement of in vivo repeated dose systemic toxicity testing. *Arch Toxicol.* 86: 13-15.
- Henkel, C; Roderfeld, M; Weiskirchen, R; Berres, ML; Hillebrandt, S; Lammert, F; Meyer, HE; Stuhlet, K; Graf, J; Roeb, E. (2006). Changes of the hepatic proteome in murine models for toxically induced fibrogenesis and sclerosing cholangitis. *Proteomics.* 6: 6538-6548.
- Hennenberg, M; Trebicka, J; Kohistani, AZ; Heller, J; Sauerbruch, T. (2009). Vascular hyporesponsiveness to angiotensin II in rats with CCl₄-induced liver cirrhosis. *Eur J Clin Invest.* 39: 906-913.
- Hennighausen, G; Lange, P. (1979). Toxic effects of di-n-octyltin dichloride on the thymus in mice. *Arch Toxicol Suppl.* 2: 315-320.
- Henson, JM; Yates, MV; Cochran, JW. (1989). METABOLISM OF CHLORINATED METHANES ETHANES AND ETHYLENES BY A MIXED BACTERIAL CULTURE GROWING ON METHANE. *J Ind Microbiol.* 4: 29-36.
- Herbst, H; Heinrichs, O; Schuppan, D; Milani, S; Stein, H. (1991). Temporal and spatial patterns of transin/stromelysin RNA expression following toxic injury in rat liver. *Virchows Archiv B, Cell pathology including molecular pathology.* 60: 295-300.
- Herbst, H; Milani, S; Schuppan, D; Stein, H. (1991). Temporal and spatial patterns of proto-oncogene expression at early stages of toxic liver injury in the rat. *Lab Invest.* 65: 324-333.
- Hermans, N; Cos, P; De, MGR; Maes, L; Pieters, L; Vanden, BD; Vlietinck, AJ; De, BT. (2007). Study of potential systemic oxidative stress animal models for the evaluation of antioxidant activity: status of lipid peroxidation and fat-soluble antioxidants. *The Journal of pharmacy and pharmacology.* 59: 131-136.
- Hermenean, A; Ardelean, A; Stan, M; Hadaruga, N; Mihali, CV; Costache, M; Dinischiotu, A. (2014). Antioxidant and Hepatoprotective Effects of Naringenin and Its beta-Cyclodextrin Formulation in Mice Intoxicated with Carbon Tetrachloride: A Comparative Study. *J Med Food.* 17: 670-677.
- Hermenean, A; Ardelean, A; Stan, M; Herman, H; Mihali, CV; Costache, M; Dinischiotu, A. (2013). Protective effects of naringenin on carbon tetrachloride-induced acute nephrotoxicity in mouse kidney. *Chem Biol Interact.* 205: 138-147.
- Hermenean, A; Popescu, C; Ardelean, A; Stan, M; Hadaruga, N; Mihali, CV; Costache, M; Dinischiotu, A. (2012). Hepatoprotective Effects of Berberis vulgaris L. Extract/ beta Cyclodextrin on Carbon Tetrachloride-Induced Acute Toxicity in Mice. *International Journal of Molecular Sciences.* 13: 9014-9034.
- Hermenean, A; Stan, M; Ardelean, A; Pilat, L; Mihali, CV; Popescu, C; Nagy, L; Deak, G; Zsuga, M; Keki, S; Bacskay, I; Fenyvesi, F; Costache, M; Dinischiotu, A; Vecsernyes, M. (2015). Antioxidant and hepatoprotective activity of milk thistle (*Silybum marianum* L. Gaertn.) seed oil. *Open Life Sciences.* 10: 225-236.
- Hernandez, MC; Chave, E; PCC-IPNPOBMMDFMmm-cm. (2005). ACQUISITION AND CHEMICAL ANALYSIS OF MOTHER'S MILK FOR SELECTED TOXIC SUBSTANCES (DECEMBER 1980). *Basic & clinical pharmacology & toxicology.* 96: 375-380.
- Hernandez-de; otilde; oz, R; Dajaz-Mu; ntideAd, DdBdBtDF; a, CUNAn; eacuteǀ Cǀ xico, DF; Lǀ D, DDǀ FdFaCeUNA; oacu, dMǀ Cǀ Dǀ Mǀ Dǀ Lǀ Cǀ pez, DDǀ Bǀ tica, IdF; a, CUNNAndMǀ sa; eacutMǀ ǀ xic. Balance between oxidative damage and proliferative potential in an experimental rat model of CCl₄-induced cirrhosis: protective role of adenosine administration.
- Hernandez-Guerra, M; de, GZA; Gonzǀ lez-Mǀ ǀ ndez, Y. Chronic intermittent hypoxia aggravates intrahepatic endothelial dysfunction in cirrhotic rats.
- Hernǀ ndez, ET; Chǀ ǀ vez, RM; Jaramillo, F; Martǀ -nez, MC. (2016). Hepatoprotective effect of Ginkgo biloba against intoxication caused by a single dose of carbon tetrachloride. *Toxicol Lett.* 259, Supplement: S245.
- Hernǀ ndez, MA; Gonzǀ ǀ lez, AI; Corona, L; Hernǀ ndez, F; Rojas, F; Asomoza, M; Solǀ -s, S; Portillo, R; Salgado, MA. (2009). Chlorobenzene, chloroform, and carbon tetrachloride adsorption on undoped and metal-doped solǀ ǀ gel substrates (SiO₂, Ag/SiO₂, Cu/SiO₂ and Fe/SiO₂). *J Hazard Mater.* 162: 254-263.
- Hernandez, R; Zappi, M; Kuo, CH. (2004). Chloride effect on TNT degradation by zerovalent iron or zinc during water treatment. *Environmental Science & Technology.* 38: 5157-5163.
- Hernandez-Munoz, R; Diaz-Munoz, M; Suarez-Cuenca, JA; Trejo-Solis, C; Lopez, V; Sanchez-Sevilla, L; Yanez, L; De Sanchez, VC. (2001). Adenosine reverses a preestablished CCl₄-induced micronodular cirrhosis through enhancing collagenolytic activity and stimulating hepatocyte cell proliferation in rats. *Hepatology.* 34: 677-687.
- Hernandez-Munoz, R; Glender, W; Nunoz, MD; Garcia-Sainz, JA; Chagoya de Sanchez, V. (1984). Effects of adenosine on liver cell damage induced by carbon tetrachloride. *Biochem Pharmacol.* 33: 2599-2604.
- Hernandez-Munoz, R; Sanchez-Sevilla, L; Martinez-Gomez, A; Dent, MAR. (2003). Changes in mitochondrial adenine nucleotides and in permeability transition in two models of rat liver regeneration. *Hepatology.* 37: 842-851.
- Herrera, TA; Lang, R; Tchobanoglous, G. (1988). A STUDY OF THE EMISSIONS OF VOLATILE ORGANIC COMPOUNDS FOUND IN LANDFILL GAS. *Bell, J M.* 0: 229-238.
- Herrmann, R. (1996). Transport of chlorinated hydrocarbons between sewage and sewer atmosphere. *AU - HAAS BS. Water Science And Technology.* 34: 557-564.
- Hers, I; Zapf-Gilje, R; Petrovic, S; Macfarlane, M; McLenehan, R. (1317). PREDICTION OF RISK-BASED SCREENING LEVELS FOR INFILTRATION OF VOLATILE SUBSURFACE CONTAMINANTS INTO BUILDINGS. *Dwyer, F J, T R Doane And M L Hinman.* 0: 265-285.

Environmental Hazard Literature Search Results

Off Topic

- Herz Jr, R; Tapley, DF; Ross, JE. (1961). Glucuronide formation in the transport of thyroxine analogues by rat intestine. *Biochim Biophys Acta*. 53: 273-284.
- Herzog, BL; Chou, SFJ; Chou, J; Valkenburg, JR; Griffin, RA. (1988). CHANGES IN VOLATILE ORGANIC CHEMICAL CONCENTRATIONS AFTER PURGING SLOWLY RECOVERING WELLS. *Ground Water Monit Rev*. 8: 93-99.
- Hetrick, DM; Pandey, A. (1999). A methodology for establishing cleanup objectives in the unsaturated soil zone using sensitivity and uncertainty analysis for chemical fate and transport. *Journal of Soil Contamination*. 8: 559-576.
- Heuchel, R; Radtke, F; Schaffner, W. (1976). TRANSCRIPTIONAL REGULATION BY HEAVY METALS EXEMPLIFIED AT THE METALLOTHIONEIN GENES. *Baeuerle, P A*. 0: 206-240.
- Heuser, SG; Scudamore, KA. (1968). Determination of residual acrylonitrile, carbon disulphide, carbon tetrachloride and ethylene dichloride in cereals after fumigation. *Chemistry & industry*. 34: 1154-1157.
- Hewawasam, RP; Jayatilaka, K; Pathirana, C; Mudduwa, LKB. (2003). Protective effect of *Asteracantha longifolia* extract in mouse liver injury induced by carbon tetrachloride and paracetamol. *J Pharm Pharmacol*. 55: 1413-1418.
- Hewawasam, RP; Jayatilaka, K; Pathirana, C; Mudduwa, LKB. (2004). Hepatoprotective effect of *Epaltes divaricata* extract on carbon tetrachloride induced hepatotoxicity in mice. *Indian J Med Res*. 120: 30-34.
- Hewitt, W; Brown, EM. (1984). Nephrotoxic interactions between ketonic solvents and halogenated aliphatic chemicals. *Fundam Appl Toxicol*. 4: 902-908.
- Hewitt, WR; Miyajima, H; Cote, MG; Hewitt, LA; Cianflone, DJ; Plaa, GL. (1982). Dose-Response Relationships in 1,3-Butanediol-Induced Potentiation of Carbon Tetrachloride Toxicity. *Toxicol Appl Pharmacol*. 64: 529-540.
- Hewitt, WR; Plaa, GL. (1979). Potentiation of carbon tetrachloride-induced hepatotoxicity by 1,3-butanediol. *Toxicol Appl Pharmacol*. 47: 177-180.
- Heymann, F; Hammerich, L; Storch, D; Bartneck, M; Huss, S; Russeler, V; Gassler, N; Lira, SA; Luedde, T; Trautwein, C; Tacke, F. (2012). Hepatic macrophage migration and differentiation critical for liver fibrosis is mediated by the chemokine receptor C-C motif chemokine receptor 8 in mice. *Hepatology*. 55: 898-909.
- Hibasami, H; Fijikawa, T; Sugiyama, T; Yoshioka, K; Nakanishi, K; Ishii, Y; Sugimoto, Y; Nakashima, K. (1999). Hormonal control of ornithine decarboxylase and spermidine spermine N(1)-acetyltransferase activities by sex steroid hormones in the uterus of ovariectomized rats. *Biogenic Amines*. 15: 333-340.
- Hickey, PL; Angus, PW; McLean, AJ; Morgan, DJ. (1995). Oxygen supplementation restores theophylline clearance to normal in cirrhotic rats. *Gastroenterology*. 108: 1504-1509.
- Hietanen, E; Ahotupa, M; Heikelä, A; Laitinen, M. (1982). Dietary cholesterol-induced changes of xenobiotic metabolism in liver. II. Effects of phenobarbitone and carbon tetrachloride on activities of drug-metabolizing enzymes. *Drug Nutr Interact*. 1: 313-327.
- Hietanen, E; Ahotupa, M; Heikelä, A; Laitinen, M; Nienstedt, W. (1982). Dietary cholesterol-induced changes of xenobiotic metabolism in liver. I. Influence of xenobiotic administration on hepatic membrane structure. *Drug Nutr Interact*. 1: 279-292.
- Higami, Y; Tsuchiya, T; To, K; Chiba, H; Yamaza, H; Shiokawa, D; Tanuma, S; Shimokawa, I. (2004). Expression of DNase gamma during Fas-independent apoptotic DNA fragmentation in rodent hepatocytes. *Cell Tissue Res*. 316: 403-407.
- Higashi, K; Tomigahara, Y; Shiraki, H; Miyata, K; Mikami, T; Kimura, T; Moro, T; Inagaki, Y; Kaneko, H. (2011). A Novel Small Compound That Promotes Nuclear Translocation of YB-1 Ameliorates Experimental Hepatic Fibrosis in Mice. *J Biol Chem*. 286: 4485-4492.
- Higashiyama, R; Moro, T; Nakao, S; Mikami, K; Fukumitsu, H; Ueda, Y; Ikeda, K; Adachi, E; Bou-Gharios, G; Okazaki, I; Inagaki, Y. (2009). Negligible Contribution of Bone Marrow-Derived Cells to Collagen Production During Hepatic Fibrogenesis in Mice. *Gastroenterology*. 137: 1459-1466.
- Higazi, AA; El-Haj, M; Melhem, A; Horani, A; Pappo, O; Alvarez, CE; Muhanna, N; Friedman, SL; Safadi, R. (2008). Immunomodulatory effects of plasminogen activators on hepatic fibrogenesis. *Clin Exp Immunol*. 152: 163-173.
- Higgins, PJ; Piwnicka, M; Darzynkiewicz, Z; Melamed, MR. (1984). Multiparameter flow cytometric analysis of hepatic nuclear RNA and DNA of normal and hepatotoxin-treated mice. *Am J Pathol*. 115: 31-35.
- Higginson, J; Grady, H; Huntley, C. (1963). THE EFFECTS OF DIFFERENT DIETS ON IRON ABSORPTION. *Laboratory investigation; a journal of technical methods and pathology*. 12: 1260-1269.
- Higgo, JJW; Nielsen, PH; Bannon, MP; Harrison, I; Christensen, TH. Effect of geochemical conditions on fate of organic compounds in groundwater. *Environ Geol*. June 1996. v. 27 (4): 335-346.
- Highman, B; Cyr, WH; Streett, RP, Jr. (1973). Bacterial endocarditis in x-irradiated rats: effect of isoproterenol and adrenergic receptor blocking agents. *Res Comm Chem Pathol Pharmacol*. 5: 311-318.
- Highman, B; Cyr, WH; Streett, RP, Jr. (1973). Effect of x-irradiation and fasting on hepatotoxicity of carbon tetrachloride in rats. *Radiat Res*. 54: 444-452.
- Hikino, H; Kiso, Y; Hatano, T; Yoshida, T; Okuda, T. (1985). Antihepatotoxic actions of tannins. *J Ethnopharmacol*. 14: 19-29.
- Hikino, H; Kiso, Y; Kato, N; Hamada, Y; Shioiri, T; Aiyama, R; Itokawa, H; Kiuchi, F; Sankawa, U. (1985). Antihepatotoxic actions of gingerols and diarylheptanoids. *J Ethnopharmacol*. 14: 31-39.
- Hikino, H; Sugai, T; Konno, C; Hashimoto, I; Terasaki, S; Hirono, I. (1979). Liver-protective principle of *Thujopsis dolabrata* leaves. *Planta Med*. 36: 156-163.
- Hilton, JN; Machacek, RF; Kavanaugh, MC; Roberts, KJ. (1987). DESIGN OF PILOT PROGRAM FOR ORGANICS REMOVAL AT NIAGARA FALLS ONTARIO CANADA. *Huck, P M And P Toft*. 0: 283-298.
- Himes, M; Hoffman, J; Pollister, AW; Post, J. (1957). Origin of polyploid nuclei in rat livers during regeneration following carbon tetrachloride poisoning. *J Mt Sinai Hosp NY*. 24: 935-938.

Environmental Hazard Literature Search Results

Off Topic

- Himes, MB; Hoffman, J; Klein, A; Post, J; Poulos, V. (1956). Responses of the liver to injury; effect of previous injury upon the healing pattern after acute carbon tetrachloride poisoning. *AMA archives of pathology*. 62: 96-102.
- Himmelheber, DW; Taillefert, M; Pennell, KD; Hughes, JB. (2008). Spatial and temporal evolution of biogeochemical processes following in situ capping of contaminated sediments. *Environmental Science & Technology*. 42: 4113-4120.
- Hino, M; Fuyamada, H; Nagatsu, T; Kurokawa, S; Okuyama, S. (1976). Glycylprolyl beta-naphthylamidase activities in serum, liver and kidney of rats in chronic carbon tetrachloride intoxication. *Clinica chimica acta; international journal of clinical chemistry*. 67: 103-105.
- Hino, M; Fuyamada, H; Nagatsu, T; Kurokawa, S; Okuyama, S. (1976). Glycylprolyl Î²-naphthylamidase activities in serum, liver and kidney of rats in chronic carbon tetrachloride intoxication. *Clin Chim Acta*. 67: 103-105.
- Hinsby, K; Hojberg, AL; Engesgaard, P; Jensen, KH; Larsen, F; Plummer, LN; Busenberg, E. (2007). Transport and degradation of chlorofluorocarbons (CFCs) in the pyritic Rabis Creek aquifer, Denmark. *Water Resour Res*. 43: 10423-10423.
- Hinson, JA; Bucci, TJ; Irwin, LK; Michael, SL; Mayeux, PR. (2002). Effect of inhibitors of nitric oxide synthase on acetaminophen-induced hepatotoxicity in mice. *Nitric Oxide-Biology and Chemistry*. 6: 160-167.
- Hintermann, E; Bayer, M; Pfeilschifter, JM; Deak, F; Kiss, I; Paulsson, M; Christen, U. (2015). Upregulation of matrilin-2 expression in murine hepatic stellate cells during liver injury has no effect on fibrosis formation and resolution. *Liver Int*. 35: 1265-1273.
- Hintermann, E; Bayer, M; Pfeilschifter, JM; Luster, AD; Christen, U. (2010). CXCL10 promotes liver fibrosis by prevention of NK cell mediated hepatic stellate cell inactivation. *J Autoimmun*. 35: 424-435.
- Hioki, O; Minemura, M; Shimizu, Y; Kasii, Y; Nishimori, H; Takahara, T; Higuchi, K; Yoshitake, Y; Nishikawa, K; Watanabe, A. (1996). Expression and localization of basic fibroblast growth factor (bFGF) in the repair process of rat liver injury. *J Hepatol*. 24: 217-224.
- Hirai, S; Ishibuchi, T; Watabe, S; Makita, M; Kishida, C; Takagaki, M; Kurauchi, N; Egashira, Y. (2011). Protective Effect of Red-Stemmed Type of *Ipomoea aquatica* Forsk against CCl₄-Induced Oxidative Damage in Mice. *J Nutr Sci Vitaminol*. 57: 306-310.
- Hirano, H; Hirano, T; Yanagihara, N; Tamura, M. (1996). FUNCTIONAL PROTEIN TARGETING BY FUZZY SET CLONING. Annual Meeting Of The 6th International Congress On Cell Biology And The 36th American Society For Cell Biology, San Francisco, California, Usa, December. 7.
- Hiraoka, Y; Nakagawa, H; Murachi, S. (1979). Blood properties of rainbow trout in acute hepatotoxicity (sic) by carbon tetrachloride. *BULL JAP SOC SCI FISH/NISSUISHI*. 45: 527-532.
- Hirata, K; Ogata, I; Ohta, Y; Fujiwara, K. (1989). Hepatic sinusoidal cell destruction in the development of intravascular coagulation in acute liver failure of rats. *J Pathol*. 158: 157-165.
- Hirate, J; Watanabe, J; Ozeki, S. (1984). Elimination of creatinine following intravenous administration to chronically CCl₄-treated rats. *Chemical & pharmaceutical bulletin*. 32: 2848-2850.
- Hirate, J; Watanabe, J; Ozeki, S. (1984). Elimination of creatinine following intravenous administration to chronically CCl sub(4)-treated rats. *Chemical & Pharmaceutical Bulletin*. 32: 2848-2850.
- Hirayama, C; Hiroshige, K; Masuya, T. (1969). Hepatic collagenolytic activity in rats after carbon tetrachloride poisoning. *The Biochemical journal*. 115: 843-847.
- Hirayama, C; Morotomi, I; Hiroshige, K. (1970). Quantitative and metabolic changes of hepatic collagens in rats after carbon tetrachloride poisoning. *The Biochemical journal*. 118: 229-232.
- Hirayama, Y; Tsuchida, S; Sawasaki, Y; Kurahashi, Y; Kurata, R; Matsushima, K; Katsuta, Y; Yamaki, T; Tsuchiya, Y; Yano, M. (1988). EFFECT OF KZ-1026 ON THE LIVER REGENERATION AFTER PARTIAL HEPATECTOMY IN NORMAL RATS AND CARBON TETRACHLORIDE-INDUCED CHRONICALLY INJURED RATS. 61st General Meeting Of The Japanese Pharmacological Society, Fukuoka, Japan, March. 46.
- Hirota, K; Hakoda, T; Taguchi, M; Takigami, M; Kim, H; Kojima, T. (2003). Application of electron beam for the reduction of PCDD/F emission from municipal solid waste incinerators. *Environmental Science & Technology*. 37: 3164-3170.
- Hirsch, GH. (1976). Differential effects of nephrotoxic agents on renal transport and metabolism by use of in vitro techniques. *Environ Health Perspect*. 15: 89-99.
- Hirst, SM; Karakoti, A; Singh, S; Self, W; Tyler, R; Seal, S; Reilly, CM. (2013). Bio- distribution and in vivo antioxidant effects of cerium oxide nanoparticles in mice. *Environ Toxicol*. 28: 107-118.
- Hirst, SM; Karakoti, A; Singh, S; Self, W; Tyler, R; Seal, S; Reilly, CM. (2013). Bio-distribution and in vivo antioxidant effects of cerium oxide nanoparticles in mice. *Environ Toxicol*. 28: 107-118.
- Hisamori, S; Tabata, C; Kadokawa, Y; Okoshi, K; Tabata, R; Mori, A; Nagayama, S; Watanabe, G; Kubo, H; Sakai, Y. (2008). All-trans-retinoic acid ameliorates carbon tetrachloride-induced liver fibrosis in mice through modulating cytokine production. *Liver Int*. 28: 1217-1225.
- Hisanaga, T; Terai, S; Iwamoto, T; Takami, T; Yamamoto, N; Murata, T; Matsuyama, T; Nishina, H; Sakaida, I. (2011). TNFR1-mediated signaling is important to induce the improvement of liver fibrosis by bone marrow cell infusion. *Cell Tissue Res*. 346: 79-88.
- Hismiogullari, AA; Hismiogullari, SE; Karaca, O; Sunay, FB; Paksoy, S; Can, M; Kus, I; Seyrek, K; Yavuz, O. (2015). The protective effect of curcumin administration on carbon tetrachloride (CCl₄)-induced nephrotoxicity in rats. *Pharmacol Rep*. 67: 410-416.
- Hix, S; Kadiiska, MB; Mason, RP; Augusto, O. (2000). In vivo metabolism of tert-butyl hydroperoxide to methyl radicals. EPR spin-trapping and DNA methylation studies. *Chem Res Toxicol*. 13: 1056-1064.
- Hjelle, JJ; Gordon, AS; Petersen, DR. (1982). Studies on carbon tetrachloride-ethanol interactions in mice. *Toxicol Lett*. 10: 17-24.
- Hjelle, JJ; Grubbs, JH; Beer, DG; Petersen. (1981). Inhibition of Rat Liver Aldehyde Dehydrogenase by Carbon Tetrachloride. *J Pharmacol Exp Ther*. 219: 821-826.
- Hjelle, JJ; Grubbs, JH; Beer, DG; Petersen. (1983). Time course of the carbon tetrachloride-induced decrease in mitochondrial aldehyde dehydrogenase activity. *Toxicol Appl Pharmacol*. 67: 159-165.
- Hjelle, JJ; Petersen, DR. (1981). Decreased in vivo acetaldehyde oxidation and hepatic aldehyde dehydrogenase inhibition in C57BL and DBA mice treated with carbon tetrachloride. *Toxicol Appl Pharmacol*. 59: 15-24.

Environmental Hazard Literature Search Results

Off Topic

- HlaÅbi, M; Tbeur, N; Benjjar, A; Kamal, O; Lebrun, L. (2011). Carbohydrateâ€“resorcinarene complexes involved in the facilitated transport of alditols across a supported liquid membrane. *J Memb Sci.* 377: 231-240.
- Hlavackova, L; Janega, P; Cerna, A; Pechanova, O; Andriantsitohaina, R; Babal, P. (2009). Red wine polyphenols affect the collagen composition in the aorta after oxidative damage induced by chronic administration of CCl₄. *Physiological research / Academia Scientiarum Bohemoslovaca.* 58: 337-344.
- Ho, IK; Chang, YY; Fontenot, J; Mehendale, HM. (1979). Potentiation of mortality by carbon tetrachloride during morphine pellet implantation in the mouse. *J Environ Pathol Toxicol.* 3: 387-397.
- Hobara, N; Watanabe, A. (1981). Impaired metabolism of azathioprine in carbon tetrachloride-injured rats. *Hepatogastroenterology.* 28: 192-194.
- Hocher, B; Zart, R; Diekmann, F; Slowinski, T; Thoene-Reineke, C; Neumayer, HH; Bauer, C. (1996). ROLE OF THE PARACRINE LIVER ENDOTHELIN SYSTEM IN THE PATHOGENESIS OF CCL-4-INDUCED LIVER INJURY. 30th Annual Scientific Meeting Of The European Society For Clinical Investigation And The Medical Research Society Of Great Britain, Interlaken, Switzerland. 26.
- Hocher, B; Zart, R; Diekmann, F; Slowinski, T; Thone-Reineke, C; Lutz, J; Bauer, C. (1995). Correction of PREVIEWS 98642261. Role of the paracrine liver endothelin system in the pathogenesis of CCl₄-induced liver injury. Correction of volume number from 293 and correction of issue number from 4-5. *European Journal Of Pharmacology Environmental Toxicology And Pharmacology Section.* 5: 361-368.
- Hodges, GR; Ingold, KU. (1999). Cage-escape of geminate radical pairs can produce peroxyxynitrate from peroxyxynitrite under a wide variety of experimental conditions. *J Am Chem Soc.* 121: 10695-10701.
- Hodgson, E. (1987). CHEMICALS IN THE ENVIRONMENT THE IMPENDING CRISIS AND THE NEED FOR ENVIRONMENTAL TOXICOLOGISTS. Hodgson, E. 3: 0-444.
- Hodson, PV; Dixon, DG; Kaiser, KLE. (1987). ESTIMATING THE ACUTE TOXICITY OF WATERBORNE CHEMICALS IN TROUT FROM MEASUREMENTS OF MEDIAN LD50 AND THE OCTANOL-WATER PARTITION COEFFICIENT. Symposium On Structure Activity Relationships In Environmental Toxicology And Chemistry Held At The 193rd National Meeting Of The American Chemical Society, Denver, Colorado, Usa, April. 7: 443-454.
- Hoefler, C; Fleurentin, J; Mortier, F; Pelt, JM; Guillemain, J. (1987). Comparative choleric and hepatoprotective properties of young sprouts and total plant extracts of *Rosmarinus officinalis* in rats. *J Ethnopharmacol.* 19: 133-143.
- Hoehme, S; Brulport, M; Bauer, A; Bedawy, E; Schormann, W; Hermes, M; Puppe, V; Gebhardt, R; Zellmer, S; Schwarz, M; Bockamp, E; Timmel, T; Hengstler, JG; Drasdo, D. (2010). Prediction and validation of cell alignment along microvessels as order principle to restore tissue architecture in liver regeneration. *Proceedings of the National Academy of Sciences of the United States of America.* 107: 10371-10376.
- Hoekstra, EJ; Duyzer, JH; de Leer, EWB; Brinkman, UAT. (2001). Chloroform - concentration gradients in soil air and atmospheric air, and emission fluxes from soil. *Atmos Environ.* 35: 61-70.
- Hoekstra, EJ; Duyzer, JH; de Leer, EWB; Brinkman, UAT. (2001). Chloroform â€“ concentration gradients in soil air and atmospheric air, and emission fluxes from soil. *Atmos Environ.* 35: 61-70.
- Hoenig, V. (1964). THE LIVER AND ITS DISEASES. *Gastroenterology.* 46: 558-582.
- Hoenig, V; Hoenigova, J. (1964). SOME SEROLOGICAL PECULIARITIES IN RATS INTOXICATED BY CARBON TETRACHLORIDE. *Tijdschrift voor gastroenterologie.* 7: 277-281.
- Hoff, JT; Mackay, D; Gillham, R; Shiu, WY. (1993). Partitioning of organic chemicals at the air-water interface in environmental systems. *Environ Sci Technol.* 27: 2174-2180.
- Hoffman, A; Baluom, M. (1993). Effect of acute experimental liver dysfunction on the pharmacodynamics of heptabarbital in rats. *Acta anaesthesiologica Scandinavica.* 37: 102-104.
- Hoffman, J; Himes, MB; Lapan, S; Post, J. (1955). Responses of the liver to injury, effects of cortisone upon acute tetrachloride poisoning. *AMA archives of pathology.* 60: 10-18.
- Hoffman, J; Himes, MB; Lapan, S; Riszki, R; Post, J. (1955). Responses of the liver to injury: effects of acute carbon tetrachloride poisoning. *AMA archives of pathology.* 59: 429-438.
- Hofstetter, TB; Schwarzenbach, RP; Haderlein, SB. (2003). Reactivity of Fe(II) species associated with clay minerals. *Environmental Science & Technology.* 37: 519-528.
- Hohener, P; Werner, D; Balsiger, C; Pasteris, G. (2003). Worldwide occurrence and fate of chlorofluorocarbons in groundwater. *Crit Rev Environ Sci Tech.* 33: 1-29.
- Hojo, I; Hanioka, K; Miyata, M; Yamazoe, Y. (2000). Hepatotoxicity of acetaminophen and N-acetyl-p-benzoquinone imine and enhancement by fructose. *Xenobiotica.* 30: 933-941.
- Holden, PR; James, NH; Brooks, AN; Roberts, RA; Kimber, I; Pennie, WD. (2000). Identification of a possible association between carbon tetrachloride-induced hepatotoxicity and interleukin-8 expression. *J Biochem Mol Toxicol.* 14: 283-290.
- Holecek, M; Skalska, H; Mraz, J. (1999). Plasma amino acid levels after carbon tetrachloride induced acute liver damage. A dose-response and time-response study in rats. *Amino Acids.* 16: 1-11.
- Holecek, M; Tilser, I; Skopec, F; Sprongl, L. (1996). Leucine metabolism in rats with cirrhosis. *J Hepatol.* 24: 209-216.
- Hollinger, MA. (1982). Biochemical evidence for pulmonary endothelial cell injury after carbon tetrachloride administration in mice. *J Pharmacol Exp Ther.* 222: 641-644.
- Holmes, KJ; Ellis, JH. (1996). Potential environmental impacts of future halocarbon emissions. *Environmental Science & Technology.* 30: 348A-355A.

Environmental Hazard Literature Search Results

Off Topic

- Holtz, M; Dasgupta, PK; Zhang, GF. (1999). Small-volume raman spectroscopy with a liquid core waveguide. *Anal Chem.* 71: 2934-2938.
- Hong, F; Si, CP; Gao, PF; Cederbaum, AI; Xiong, HB; Lu, YK. (2016). The role of CYP2A5 in liver injury and fibrosis: chemical-specific difference. *Naunyn-Schmiedebergs Archives of Pharmacology.* 389: 33-43.
- Hong, HL; Yang, RSH; Boorman, GA. (1991). Residual damage to hematopoietic system in mice exposed to a mixture of groundwater contaminants. *Toxicol Lett.* 57: 101-112.
- Hong, HL; Yang, RSH; Boorman, GA. (1993). Enhancement of myelotoxicity induced by repeated irradiation in mice exposed to a mixture of groundwater contaminants. *Arch Toxicol.* 67: 358-364.
- Hong, IH; Ji, H; Hwa, SY; Jeong, WI; Jeong, DH; Do, SH; Kim, JM; Ki, MR; Park, JK; Goo, MJ; Hwang, OK; Hong, KS; Han, JY; Chung, HY; Jeong, KS. (2011). The Protective Effect of ENA Actiminer Resource A on CCl₄-Induced Liver Injury in Rats. *Mar Biotechnol.* 13: 462-473.
- Hong, IH; Park, SJ; Goo, MJ; Lee, HR; Park, JK; Ki, MR; Kim, SH; Lee, EM; Kim, AY; Jeong, KS. (2013). JNK1 and JNK2 regulate alpha-SMA in hepatic stellate cells during CCl₄-induced fibrosis in the rat liver. *Pathol Int.* 63: 483-491.
- Hong, RT; Xu, JM; Mei, Q. (2009). Melatonin ameliorates experimental hepatic fibrosis induced by carbon tetrachloride in rats. *World J Gastroenterol.* 15: 1452-1458.
- Hong, SS; Chung, SJ; Shim, CK. (2000). Functional impairment of sinusoidal membrane transport of organic cations in rats with CCl₄-induced hepatic failure. *Pharm Res.* 17: 833-838.
- Hong, SW; Jung, KH; Zheng, HM; Lee, HS; Suh, JK; Park, IS; Lee, DH; Hong, SS. (2010). The Protective Effect of Resveratrol on Dimethylnitrosamine-Induced Liver Fibrosis in Rats. *Arch Pharm Res.* 33: 601-609.
- Hong, ZF; Chen, W; Zhao, JY; Wu, ZS; Zhou, JH; Li, TJ; Hu, JA. (2010). Hepatoprotective effects of *Rubus aleaeifolius* Poir. and identification of its active constituents. *J Ethnopharmacol.* 129: 267-272.
- Honma, T. (1990). Effects of trichloroethylene, 1,1,1-trichloroethane and carbon tetrachloride on plasma lipoproteins of rats. *Ind Health.* 28: 159-174.
- Honma, T. (1990). Effects of trichloroethylene, 1,1,1-trichloroethane and carbon tetrachloride on plasma lipoproteins of rats. *Ind Health.* 28: 159-174.
- Honma, T. (1991). CHANGES IN PLASMA LIPOPROTEINS OF RATS INDUCED BY CHLORINATED ORGANIC SOLVENTS. 64th Annual Meeting Of The Japanese Pharmacological Society, Kobe, Japan, March. 55.
- Honma, T; Ohtani, K; Kanada, M. (1994). HEPATOTOXICITY OF CHLORINATED ORGANIC COMPOUNDS AND CHANGES IN PLASMA LIPOPROTEIN METABOLISM. 67th Annual Meeting Of The Japanese Pharmacological Society, Kyoto, Japan, March. 64.
- Honma, T; Ohtani, K; Kanada, M. (1995). MODIFICATION OF HEPATOTOXICITY OF CHLORINATED ORGANIC COMPOUNDS BY PREVIOUS ADMINISTRATION OF ETHANOL. 68th Annual Meeting Of The Japanese Pharmacological Society, Nagoya, Japan, March. 67.
- Honma, T; Ohtani, K; Miyagawa, M. (1994). CHANGES IN PLASMA LIPOPROTEIN CONCENTRATIONS INDUCED BY ADMINISTRATION OF DICHLOROMETHANE IN RATS. 21st Annual Meeting Of The Japanese Society Of Toxicological Sciences, Sapporo, Japan, June. 19: 341.
- Hoogweg, PHA; Wulffraat, KJ; Van, DEWETERINGBGM. (1991). NORTH SEA STRATEGIES. International Conference On The Environmental Management Of Enclosed Coastal Seas '90, Kobe, Japan, August. 23: 57-62.
- Hooker, BS; Skeen, RS; Petersen, JN. (1994). Biological destruction of CCl₄: II. Kinetic modeling. *Biotechnol Bioeng.* 44: 211-218.
- Hooker, BS; Skeen, RS; Petersen, JN. (1994). KINETIC MODELING OF THE BIOLOGICAL DESTRUCTION OF CARBON TETRACHLORIDE. 207th National Meeting Of The American Chemical Society, San Diego, California, Usa, March. 207: 36.
- Hooker, PD; Klabunde, KJ. (1994). Destructive adsorption of carbon tetrachloride on iron(III) oxide. *Environmental Science & Technology.* 28: 1243-1247.
- Hope, TA; Doherty, A; Fu, YJ; Aslam, R; Qayyum, A; Brasch, RC. (2012). Gadolinium Accumulation and Fibrosis in the Liver after Administration of Gadoxetate Disodium in a Rat Model of Active Hepatic Fibrosis. *Radiology.* 264: 423-427.
- Horani, A; Shoseyov, D; Doron, S; Mruwat, R; Amer, J; Kerem, E; Safadi, R. (2011). Immune modulation of ovalbumin-induced lung injury in mice using beta-glucosylceramide and a potential role of the liver. *Immunobiology.* 216: 548-557.
- Hore, DK; Walker, DS; Richmond, GL. (2007). Layered organic structure at the carbon tetrachloride-water interface. *J Am Chem Soc.* 129: 752-753.
- Hore, DK; Walker, DS; Richmond, GL. (2008). Water at hydrophobic surfaces: When weaker is better. *J Am Chem Soc.* 130: 1800+.
- Horiuchi, S; Ono, S. Effects of riboflavin administration on the phospholipid metabolism of rat liver impaired with carbon tetrachloride. *Int J Vitam Nutr Res.* 1984. v. 54 (2/3): 174-177 ill.
- Horiuchi, T; Ohtsubo, K; Saito, M. (1978). Development of resistance to hepatotoxic effect of furylfuramide by pretreatment with its subnecrotic doses and carbon tetrachloride. *The Japanese journal of experimental medicine.* 48: 27-33.
- Horn, MM; Ramos, AR; Winkelmann, L; Matte, US; Goldani, HA; Silveira, TR. (2006). Seminiferous epithelium of rats with food restriction and carbon tetrachloride-induced cirrhosis. *International braz j urol : official journal of the Brazilian Society of Urology.* 32: 94-99; discussion 99.
- Horn, TL; O'Brien, TD; Schook, LB; Rutherford, MS. (2000). Acute hepatotoxicant exposure induces TNFR-mediated hepatic injury and cytokine/apoptotic gene expression. *Toxicol Sci.* 54: 262-273.
- Hornbuckle, WE; Graham, ES; Roth, L; Baldwin, BH; Wickenden, C; Tennant, BC. (1985). Laboratory assessment of hepatic injury in the woodchuck (*Marmota monax*). *Lab Anim Sci.* 35: 376-381.
- Horne, CH; Thompson, WD; Busuttill, A; MacSween, RN. (1973). Long-term effects of carbon tetrachloride and sodium phenobarbitone administration on rat serum proteins. *Br J Exp Pathol.* 54: 222-228.
- Horning, MG; Earle, MJ; Maling, HM. (1962). Changes in fatty acid composition of liver lipids induced by carbon tetrachloride and ethionine. *Biochim Biophys Acta.* 56: 175-177.

Environmental Hazard Literature Search Results

Off Topic

- Horning, MG; Mani, L; Knox, KL. (1965). BIOCHEMICAL FACTORS IN CARBON TETRACHLORIDE TOXICITY*. *Drugs and Enzymes* 351-361.
- Horozova, E; Dimcheva, N; Jordanova, Z. (2001). Enzyme-catalyzed decomposition of dibenzoyl peroxide in organic solvents. *Zeitschrift Fur Naturforschung Section C-a Journal of Biosciences*. 56: 553-558.
- Horrillo, R; Planaguma, A; Gonzalez-Periz, A; Ferre, N; Titos, E; Miquel, R; Lopez-Parra, M; Masferrer, JL; Arroyo, V; Claria, J. (2007). Comparative protection against liver inflammation and fibrosis by a selective cyclooxygenase-2 inhibitor and a nonredox-type 5-lipoxygenase inhibitor. *J Pharmacol Exp Ther*. 323: 778-786.
- Horsmans, Y; Bursch, W; Taper, HS; Somer, MP; Meyer, S; Putz, B; Schulte-Hermann, R. (2006). Histochemical and biochemical studies on the effect of the prostacyclin derivative iloprost on CCl4-induced lipid peroxidation in rat liver and its significance for hepatoprotection. *Gut*. 55: 1020-1029.
- Hort, MA; DalBo, S; Brighente, IMC; Pizzolatti, MG; Pedrosa, RC; Ribeiro-do-Valle, RM. (2008). Antioxidant and hepatoprotective effects of *Cyathea phalerata* Mart. (Cyatheaaceae). *Basic & Clinical Pharmacology & Toxicology*. 103: 17-24.
- Hortelano, P; Faus, M; Muñoz-Clares, R; Sánchez-Medina, F. (1980). Influence of dietary manipulations on rat kidney gluconeogenesis during acute intoxication with carbon tetrachloride. *General Pharmacology: The Vascular System*. 11: 503-506.
- Hortelano, P; Faus, MJ; Pita, ML; Sanchez-Medina, F. (1980). Involvement of glucocorticoids in the stimulation of rat kidney phosphoenolpyruvate carboxykinase activity after liver intoxication by carbon tetrachloride. *Toxicol Lett*. 6: 5-10.
- Horváth, D; Dóczy, H; Káncya, D; Földes, H; Papp, A; Saxena, A; Garg, NK. (2010). Effect of Liv-52 on membrane lipids in carbon tetrachloride induced hepatotoxicity in rats. *Environ Toxicol Pharmacol*. 30: 121-126.
- Horváth, E. Nervous system effects of dissolved and nanoparticulate cadmium in rats in subacute exposure.
- Hoshi, M. (1963). THE METABOLISM OF C14-LABELED GLUCOSE, FRUCTOSE AND SORBITOL IN ALLOXAN DIABETIC AND CCL4-POISONING ANIMALS. *Med J Osaka Univ*. 14: 35-45.
- Hoshi, M; Inamori, K; Shigeta, Y; Wada, M. (1961). The metabolism of sorbitol in diseased states. I. In vitro study of the metabolism of sorbitol, fructose and glucose in alloxandiabetic and CCl4-poisoning rats. *Med J Osaka Univ*. 11: 357-366.
- Hoshi, M; Inamori, K; Shigeta, Y; Wada, M. (1961). The metabolism of sorbitol in diseased states. II. In vivo study on the metabolism of sorbitol, fructose and glucose in alloxan-diabetic and CCL4-poisoning animals. *Med J Osaka Univ*. 12: 63-74.
- Hosoda, A; Yamada, S; Kawasaki, H. (1993). Effects of carbon tetrachloride-induced chronic liver damage on glutathione and glutathione-dependent enzymes in rat gastric mucosa. *Res Comm Chem Pathol Pharmacol*. 81: 209-220.
- Hosoda, A; Yamada, S; Kawasaki, H. (1993). Effects of liver damage induced by carbon tetrachloride on glutathione and glutathione-dependent enzymes in rat gastric mucosa. *Res Comm Chem Pathol Pharmacol*. 79: 141-150.
- Hosokawa, S. (1961). Hemodynamics in intrahepatic vascular system of the damaged liver, especially, liver cirrhosis. *The Bulletin of the Yamaguchi Medical School*. 8: 295-314.
- Hosono-Fukao, T; Hosono, T; Seki, T; Ariga, T. (2009). Diallyl Trisulfide Protects Rats from Carbon Tetrachloride-Induced Liver Injury. *J Nutr*. 139: 2252-2256.
- Hosoya, S; Ikejima, K; Takeda, K; Arai, K; Ishikawa, S; Yamagata, H; Aoyama, T; Kon, K; Yamashina, S; Watanabe, S. (2013). Innate immune responses involving natural killer and natural killer T cells promote liver regeneration after partial hepatectomy in mice. *American Journal of Physiology-Gastrointestinal and Liver Physiology*. 304: G293-G299.
- Hossain, MA; Corapcioglu, MY. (1988). MODIFYING THE USGS SOLUTE TRANSPORT COMPUTER MODEL TO PREDICT HIGH-DENSITY HYDROCARBON MIGRATION. *Ground Water*. 26: 717-723.
- Hottinger, S; Rollinghoff, W; Wietholtz, H; Preisig, R. (1982). Filter trapping of ¹⁴CO₂: a simple and quantitative method for studying cell metabolism in hepatocyte monolayers. *Biochem Pharmacol*. 31: 1803-1806.
- Hou, FL; Zhang, RF; Zhang, MW; Su, DX; Wei, ZC; Deng, YY; Zhang, Y; Chi, JW; Tang, XJ. (2013). Hepatoprotective and antioxidant activity of anthocyanins in black rice bran on carbon tetrachloride-induced liver injury in mice. *Journal of Functional Foods*. 5: 1705-1713.
- Hou, JA; Tian, JW; Jiang, WL; Gao, YB; Fu, FH. (2011). Therapeutic effects of SMND-309, a new metabolite of salvianolic acid B, on experimental liver fibrosis. *Eur J Pharmacol*. 650: 390-395.
- Hou, Y; Shao, WF; Xiao, R; Xu, KL; Ma, ZZ; Johnstone, BH; Du, YS. (2009). Pu-erh tea aqueous extracts lower atherosclerotic risk factors in a rat hyperlipidemia model. *Experimental Gerontology*. 44: 434-439.
- Hou, YL; Tsai, YH; Lin, YH; Chao, JC. (2014). Ginseng extract and ginsenoside Rb1 attenuate carbon tetrachloride-induced liver fibrosis in rats. *BMC Complement Altern Med*. 14: 415.
- Houk, VS; Demarini, DM. (1988). Use of the microscreen phage-induction assay to assess the genotoxicity of 14 hazardous industrial wastes. *Environ Mol Mutagen*. 11: 13-30.
- Housset, C; Rockey, DC; Bissell, DM. (1990). Endothelin receptors in rat liver: Lipocytes as a contractile target for endothelin 1. *Biochim Biophys Acta*. 90: 9266-9270.
- Hove, EL. (1948). alpha-Tocopherol and certain nitrogenous compounds as factors influencing the mortality of rats after CCl4 poisoning. *Fed Proc*. 7: 290.
- Hove, EL; Hardin, JO. (1951). Effect of vitamin E and CCL4 on fat, respiration and choline oxidase of rats livers. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY)*. 78: 858-861.
- Hove, EL; Hardin, JO. (1951). Effect of vitamins E, B12 and folacin on CCL4 toxicity and protein utilization in rats. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY)*. 77: 502-505.
- Howard, B. (1986). LABORATORY SAFETY MORE IMPORTANT THAN EVER A BRIEF REPORT. *J Histotechnol*. 9: 25-26.
- Howsawkung, J; Teel, AL; Hess, TF; Crawford, RL; Watts, RJ. (2010). Simultaneous abiotic reduction and biotic oxidation in a microbial-MnO₂-catalyzed Fenton-like system. *Sci Total Environ*. 409: 439-445.

Environmental Hazard Literature Search Results

Off Topic

- Howsawkung, J; Teel, AL; Hess, TF; Crawford, RL; Watts, RJ. (2010). Simultaneous abiotic reduction-biotic oxidation in a microbial-MnO₂-catalyzed Fenton-like system. *Sci Total Environ.* 409: 439-445.
- Hoyt, PR; Wang, T-H; Henley, DC; Yang, DM; Ch'ang, L-Y; Yang, WK. (1993). Carbon tetrachloride induction of rapid changes in liver nuclear protein factors capable of sequence-specific binding to regulatory elements in the long terminal repeat of polytropic-class endogenous murine leukemia virus-related proviruses. *Mol Carcinog.* 8: 245-254.
- Hozalski, RM; Zhang, L; Arnold, WA. (2001). Reduction of haloacetic acids by Fe(0): Implications for treatment and fate. *Environmental Science & Technology.* 35: 2258-2263.
- Hrubec, J; Luijten, JA; Luijten, WCM; Piet, GJ. (1986). A pilot plant study on water quality changes during groundwater recharge. *Water Res.* 20: 1119-1127.
- Hsiao, EC; Koniaris, LG; Zimmers-Koniaris, T; Sebald, SM; Huynh, TV; Lee, SJ. (2000). Characterization of growth-differentiation factor 15, a transforming growth factor beta superfamily member induced following liver injury. *Mol Cell Biol.* 20: 3742-3751.
- Hsiao, G; Lin, YH; Lin, CH; Chou, DS; Lin, WC; Sheu, JR. (2001). The protective effects of PMC against chronic carbon tetrachloride-induced hepatotoxicity in vivo. *Biological & Pharmaceutical Bulletin.* 24: 1271-1276.
- Hsiao, G; Shen, MY; Lin, KH; Lan, MH; Wu, LY; Chou, DS; Lin, CH; Su, CH; Sheu, J. (2003). Antioxidative and hepatoprotective effects of *Antrodia camphorata* extract. *J Agric Food Chem.* 51: 3302-3308.
- Hsiao, Y; Zou, T; Ling, CC; Hu, H; Tao, XM; Song, HY. (2008). Disruption of tissue-type plasminogen activator gene in mice aggravated liver fibrosis. *J Gastroenterol Hepatol.* 23: E258-E264.
- Hsieh, CC; Fang, HL; Lina, WC. (2008). Inhibitory effect of *Solanum nigrum* on thioacetamide-induced liver fibrosis in mice. *J Ethnopharmacol.* 119: 117-121.
- Hsieh, PC; Ho, YL; Huang, GJ; Huang, MH; Chiang, YC; Huang, SS; Hou, WC; Chang, YS. (2011). Hepatoprotective effect of the aqueous extract of *Flemingia macrophylla* on carbon tetrachloride-induced acute hepatotoxicity in rats through anti-oxidative activities. *Am J Chin Med.* 39: 349-365.
- Hsieh, WT; Liu, YT; Lin, WC. (2011). Anti-inflammatory properties of *Ajuga bracteosa* in vivo and in vitro study and their effects on mouse model of liver fibrosis. *J Ethnopharmacol.* 135: 116-125.
- Hsieh, WT; Tsai, CT; Wu, JB; Hsiao, HB; Yang, LC; Lin, WC. (2011). Kinsenoside, a high yielding constituent from *Anoectochilus formosanus*, inhibits carbon tetrachloride induced Kupffer cells mediated liver damage. *J Ethnopharmacol.* 135: 440-449.
- Hsouna, AB; Saoudi, M; Trigui, M; Jamoussi, K; Boudawara, T; Jaoua, S; Feki, AE. (2011). Characterization of bioactive compounds and ameliorative effects of *Ceratonia siliqua* leaf extract against CCl₄-induced hepatic oxidative damage and renal failure in rats. *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association.* 49: 3183-3191.
- Hsu, CC; Hsu, CL; Tsai, SE; Fu, TYC; Yen, GC. (2009). Protective Effect of *Millettia reticulata* Benth Against CCl₄-Induced Hepatic Damage and Inflammatory Action in Rats. *J Med Food.* 12: 821-828.
- Hsu, CL; Hsu, CC; Yen, GC. (2010). Hepatoprotection by freshwater clam extract against CCl₄-induced hepatic damage in rats. *Am J Chin Med.* 38: 881-894.
- Hsu, CT. (1992). The role of the sympathetic nervous system in promoting liver cirrhosis induced by carbon tetrachloride, using the essential hypertensive animal (SHR). *J Auton Nerv Syst.* 37: 163-173.
- Hsu, CT. (1995). The role of the autonomic nervous system in chemically-induced liver damage and repair--using the essential hypertensive animal model (SHR). *Journal of the autonomic nervous system.* 51: 135-142.
- Hsu, CT. (1998). Ultrastructural changes in liver damage induced by carbon tetrachloride in spontaneously hypertensive rats and Wistar-Kyoto rats. *Journal of the Autonomic Nervous System.* 70: 79-83.
- Hsu, CT. (1998). Ultrastructural changes in liver damage induced by carbon tetrachloride in spontaneously hypertensive rats and Wistar-Kyoto rats. *Journal Of The Autonomic Nervous System.* 70: 79-83.
- Hsu, CT; Schichijo, K; Ito, M; Sekine, I. (1993). The effect of chemical sympathectomy on acute liver injury induced by carbon tetrachloride in spontaneously hypertensive rats. *Journal of the autonomic nervous system.* 43: 91-96.
- Hsu, CY; Lee, FY; Huo, TI; Chan, CY; Huang, HC; Lin, HC; Chang, CC; Teng, TH; Wang, SS; Lee, SD. (2010). Lack of therapeutic effects of gabexate mesilate on the hepatic encephalopathy in rats with acute and chronic hepatic failure. *J Gastroenterol Hepatol.* 25: 1321-1328.
- Hsu, FL; Tsai, YJ; Kao, MC; Chen, CF. (1993). Antihepatotoxic activity of phenolic flavan-3-ols and their derivatives. *Am J Chin Med.* 21: 45-50.
- Hsu, J-D; Kao, S-H; Tu, C-C; Li, Y-J; Wang, C-J. (2009). *Solanum nigrum* L. Extract Inhibits 2-Acetylaminofluorene-Induced Hepatocarcinogenesis through Overexpression of Glutathione S-Transferase and Antioxidant Enzymes. *J Agric Food Chem.* 57: 8628-8634.
- Hsu, LS; Ho, HH; Lin, MC; Chyau, CC; Peng, JS; Wang, CJ. (2012). Mulberry water extracts (MWEs) ameliorated carbon tetrachloride-induced liver damages in rat. *Food Chem Toxicol.* 50: 3086-3093.
- Hsu, YW; Tsai, CF; Chang, WH; Ho, YC; Chen, WK; Lu, FJ. (2008). Protective effects of *Dunaliella salina* - A carotenoids-rich alga, against carbon tetrachloride-induced hepatotoxicity in mice. *Food Chem Toxicol.* 46: 3311-3317.
- Hsu, YW; Tsai, CF; Chen, WK; Lu, FJ. (2009). Protective effects of seabuckthorn (*Hippophae rhamnoides* L.) seed oil against carbon tetrachloride-induced hepatotoxicity in mice. *Food Chem Toxicol.* 47: 2281-2288.
- Hsu, Y-W; Tsai, C-F; Chang, W-H; Ho, Y-C; Chen, W-K; Lu, F-J. (2008). Protective effects of *Dunaliella salina* - A carotenoids-rich alga, against carbon tetrachloride-induced hepatotoxicity in mice. *Food Chem Toxicol.* 46: 3311-3317.
- Hu, DD; Chen, Y; Bihi, A; Li, XM; Wang, TL; Wang, BE; Zhao, XY. (2014). A new conversation between radiology and pathology-identifying microvascular architecture in stages of cirrhosis via diffraction enhanced imaging in vitro. *PLoS ONE.* 9: e87957.

Environmental Hazard Literature Search Results

Off Topic

- Hu, GX; Xiong, W; Shi, HL; Li, ZW; Shen, J; Fang, XJ. (2015). Raman spectroscopic detection using a two-dimensional spatial heterodyne spectrometer. *Optical Engineering*. 54: 14101-14101.
- Hu, J; Zhao, J; Chen, W; Lin, S; Zhang, J; Hong, Z. (2013). Hepatoprotection of 1 β -hydroxyeuscaphic acid - the major constituent from *Rubus aleaefolius* against CCl₄-induced injury in hepatocytes cells. *Pharmaceutical Biology*. 51: 686-690.
- Hu, JH; Liu, XD; Xie, L; Wang, GJ; Liu, HY. (2007). Possible multiple transporters were involved in hepatobiliary excretion of antofloxacin in rats. *Xenobiotica*. 37: 579-591.
- Hu, JJ; Li, CH; Wang, HD; Xu, WL; Zhang, AQ; Dong, JH. (2015). Portal vein clamping alone confers protection against hepatic ischemia-reperfusion injury via preserving hepatocyte function in cirrhotic rats. *J Surg Res*. 194: 139-146.
- Hu, JJ; Sun, C; Lan, L; Chen, YW; Li, DG. (2010). Therapeutic effect of transplanting beta(2)m(-)/Thy1(+) bone marrow-derived hepatocyte stem cells transduced with lentiviral-mediated HGF gene into CCl₄-injured rats. *The journal of gene medicine*. 12: 244-254.
- Hu, L; Montzka, SA; Miller, BR; Andrews, AE; Miller, JB; Lehman, SJ; Sweeney, C; Miller, SM; Thoning, K; Siso, C; Atlas, EL; Blake, DR; de Gouw, J; Gilman, JB; Dutton, G; Elkins, JW; Hall, B; Chen, HL; Fischer, ML; Mountain, ME; Nehr Korn, T; Biraud, SC; Moore, FL; Tans, P. (2016). Continued emissions of carbon tetrachloride from the United States nearly two decades after its phaseout for dispersive uses. *Proceedings of the National Academy of Sciences of the United States of America*. 113: 2880-2885.
- Hu, L; Yu, W; Li, Y; Prasad, N; Tang, Z. (2014). Antioxidant activity of extract and its major constituents from okra seed on rat hepatocytes injured by carbon tetrachloride. *BioMed Res Int*. 2014: 341291.
- Hu, LH; Li, LR; Xu, DM; Xia, XM; Pi, RX; Xu, D; Wang, WC; Du, H; Song, EQ; Song, Y. (2014). Protective effects of neohesperidin dihydrochalcone against carbon tetrachloride-induced oxidative damage in vivo and in vitro. *Chem Biol Interact*. 213: 51-59.
- Hu, PF; Zhu, YW; Zhong, W; Chen, YX; Lin, Y; Zhang, X; Yin, C; Yue, HY; Xie, WF. (1992). Inhibition of plasminogen activator inhibitor-1 expression by siRNA in rat hepatic stellate cells. *J Gastroenterol Hepatol*. 23: 1917-1925.
- Hu, W; Ma, ZQ; Jiang, S; Fan, CX; Deng, C; Yan, XL; Di, SY; Lv, JJ; Reiter, RJ; Yang, Y. (2016). Melatonin: the dawning of a treatment for fibrosis? *J Pineal Res*. 60: 121-131.
- Hu, XP; Shin, JW; Wang, JH; Cho, JH; Son, JY; Cho, CK; Son, CG. (2008). Antioxidative and hepatoprotective effect of CGX, an herbal medicine, against toxic acute injury in mice. *J Ethnopharmacol*. 120: 51-55.
- Hu, YX; Yu, CH; Wu, F; Yu, WY; Zhong, YS; Ying, HZ; Yu, B. (2016). Antihepatofibrotic Effects of Aqueous Extract of *Prunella vulgaris* on Carbon Tetrachloride-Induced Hepatic Fibrosis in Rats. *Planta Med*. 82: 97-105.
- Hua, I; Hoffmann, MR. (1996). Kinetics and mechanism of the sonochemical degradation of CCl₄: Intermediates and byproducts. *Environmental Science & Technology*. 30: 864-871.
- Huan, SK; Wang, KT; Lee, CJ; Sung, CH; Chien, TY; Wang, CC. (2012). Wu-Chia-Pi solution attenuates carbon tetrachloride-induced hepatic injury through the antioxidative abilities of its components acteoside and quercetin. *Molecules (Basel, Switzerland)*. 17: 14673-14684.
- Huang, B; Ban, X; He, J; Zeng, H; Zhang, P; Wang, Y. (2010). Hepatoprotective and antioxidant effects of the methanolic extract from *Halenia elliptica*. *J Ethnopharmacol*. 131: 276-281.
- Huang, B; Ban, XQ; He, JS; Tong, J; Tian, J; Wang, YW. (2010). Hepatoprotective and antioxidant activity of ethanolic extracts of edible lotus (*Nelumbo nucifera Gaertn.*) leaves. *Food Chem*. 120: 873-878.
- Huang, C; Ma, T; Meng, X; Lv, X; Zhang, L; Wang, J; Li, J. (2010). Potential protective effects of a traditional Chinese herb, *Litsea coreana* Levl., on liver fibrosis in rats. *The Journal of pharmacy and pharmacology*. 62: 223-230.
- Huang, C; Wikfeldt, KT; Tokushima, T; Nordlund, D; Harada, Y; Bergmann, U; Niebuhr, M; Weiss, TM; Horikawa, Y; Leetmaa, M; Ljungberg, MP; Takahashi, O; Lenz, A; Ojam  e, L; Lyubartsev, AP; Shin, S; Pettersson, LGM; Nilsson, A. (2009). The inhomogeneous structure of water at ambient conditions. *Proceedings of the National Academy of Sciences of the United States of America*. 106: 15214-15218.
- Huang, CC; Lien, HL. (2010). Trimetallic Pd/Fe/Al particles for catalytic dechlorination of chlorinated organic contaminants. *Water Science and Technology*. 62: 202-208.
- Huang, CC; Lo, SL; Tsai, SM; Lien, HL. (2011). Catalytic hydrodechlorination of 1,2-dichloroethane using copper nanoparticles under reduction conditions of sodium borohydride. *J Environ Monit*. 13: 2406-2412.
- Huang, CC; Tung, YT; Cheng, KC; Wu, JH. (2011). Phytocompounds from *Vitis kelungensis* stem prevent carbon tetrachloride-induced acute liver injury in mice. *Food Chem*. 125: 726-731.
- Huang, CZ; Feng, P; Li, YF; Tan, KJ; Wang, HY. (2005). Adsorption of penicillin-berberine ion associates at a water/tetrachloromethane interface and determination of penicillin based on total internal-reflected resonance light scattering measurements. *Anal Chim Acta*. 538: 337-343.
- Huang, CZ; Lu, W; Li, YF. (2003). Total internal reflected resonance light scattering detection of DNA at water/tetrachloromethane interface with acridine orange and cetyltrimethylammonium bromide. *Anal Chim Acta*. 494: 11-19.
- Huang, GJ; Deng, JS; Huang, SS; Lee, CY; Hou, WC; Wang, SY; Sung, PJ; Kuo, YH. (2013). Hepatoprotective effects of eburicoic acid and dehydroeburicoic acid from *Antrodia camphorata* in a mouse model of acute hepatic injury. *Food Chem*. 141: 3020-3027.
- Huang, GJ; Deng, JS; Huang, SS; Shao, YY; Chen, CC; Kuo, YH. (2012). Protective effect of antrosterol from *Antrodia camphorata* submerged whole broth against carbon tetrachloride-induced acute liver injury in mice. *Food Chem*. 132: 709-716.
- Huang, H; Guo, W; Chen, H. (2011). In situ FTIR and generalized 2D IR correlation spectroscopic studies on the crystallization behavior of solution-cast PHB film. *Anal Bioanal Chem*. 400: 279-288.
- Huang, HC; Haq, O; Utsumi, T; Sethasine, S; Abalde, JG; Groszmann, RJ; Iwakiri, Y. (2012). Intestinal and plasma VEGF levels in cirrhosis: the role of portal pressure. *J Cell Mol Med*. 16: 1125-1133.
- Huang, HL; Wang, YJ; Zhang, QY; Liu, B; Wang, FY; Li, JJ; Zhu, RZ. (2012). Hepatoprotective effects of baicalein against CCl₄-induced acute liver injury in mice. *World J Gastroenterol*. 18: 6605-6613.

Environmental Hazard Literature Search Results

Off Topic

- Huang, J; Hao, OJ; Al-Ghusain, IA; Chen, JM; Kim, MH; Phull, KK; Davis, AP. (1992). BIOLOGICAL FIXED FILM SYSTEMS. *Water Environ Res.* 64: 359-366.
- Huang, J; Ou, Y; Yew, TW; Liu, J; Leng, B; Lin, Z; Su, Y; Zhuang, Y; Lin, J; Li, X; Xue, Y; Pan, Y. (2016). Hepatoprotective effects of polysaccharide isolated from *Agaricus bisporus* industrial wastewater against CCl₄-induced hepatic injury in mice. *Int J Biol Macromol.* 82: 678-686.
- Huang, L-Z; Hansen, HCB; Daasbjerg, K. (2017). Graphene oxide-mediated rapid dechlorination of carbon tetrachloride by green rust. *J Hazard Mater.* 323, Part B: 690-697.
- Huang, MX; Peng, XM; Gu, L; Chen, GH. (2011). Pre-existing liver cirrhosis reduced the toxic effect of diethylene glycol in a rat model due to the impaired hepatic alcohol dehydrogenase. *Toxicol Ind Health.* 27: 742-753.
- Huang, Q; Xie, Q; Shi, CC; Xiang, XG; Lin, LY; Gong, BD; Zhao, GD; Wang, H; Jia, NN. (2009). Expression of angiotensin-converting enzyme 2 in CCL4-induced rat liver fibrosis. *Int J Mol Med.* 23: 717-723.
- Huang, QF; Huang, RB; Zhang, SJ; Lin, J; Wei, L; He, M; Zhuo, L; Lin, X. (2013). Protective effect of genistein isolated from *Hydrocotyle sibthorpioides* on hepatic injury and fibrosis induced by chronic alcohol in rats. *Toxicol Lett.* 217: 102-110.
- Huang, QF; Li, YW; Zhang, SJ; Huang, RB; Zheng, L; Wei, L; He, M; Liao, M; Li, L; Zhuo, L; Lin, X. (2012). Effect and mechanism of methyl helicterate isolated from *Helicteres angustifolia* (Sterculiaceae) on hepatic fibrosis induced by carbon tetrachloride in rats. *J Ethnopharmacol.* 143: 889-895.
- Huang, QF; Zhang, SJ; Zheng, L; He, M; Huang, RB; Lin, X. (2012). Hepatoprotective effects of total saponins isolated from *Taraphochlamys affinis* against carbon tetrachloride induced liver injury in rats. *Food Chem Toxicol.* 50: 713-718.
- Huang, QF; Zhang, SJ; Zheng, L; Liao, M; He, M; Huang, RB; Zhuo, L; Lin, X. (2012). Protective effect of isoorientin-2''-O-alpha-L-arabinopyranosyl isolated from *Gypsophila elegans* on alcohol induced hepatic fibrosis in rats. *Food Chem Toxicol.* 50: 1992-2001.
- Huang, R; Okuno, H; Takasu, M; Shiozaki, Y; Inoue, K. (1995). Protective effect of rifampicin against acute liver injury induced by carbon tetrachloride in mice. *Japanese journal of pharmacology.* 69: 325-334.
- Huang, RB; Okuno, K; Takasu, M; Takeda, S; Kano, H; Shiozaki, Y; Inoue, K. (2000). Effects of rifampin on the glutathione depletion and cytochrome c reduction by acetaminophen reactive metabolites in an in vitro P450 enzyme system. *Japanese Journal of Pharmacology.* 83: 182-190.
- Huang, SS; Chen, DZ; Wu, H; Chen, RC; Du, SJ; Dong, JJ; Liang, G; Xu, LM; Wang, XD; Yang, YP; Yu, ZP; Feng, WK; Chen, YP. (2016). Cannabinoid receptors are involved in the protective effect of a novel curcumin derivative C66 against CCl₄-induced liver fibrosis. *Eur J Pharmacol.* 779: 22-30.
- Huang, TL; Villalobos, SA; Hammock, BD. (1993). Effect of hepatotoxic doses of paracetamol and carbon tetrachloride on the serum and hepatic carboxylesterase activity in mice. *The Journal of pharmacy and pharmacology.* 45: 458-465.
- Huang, WT. (1991). Effect of olean-9(11), 12-diene-3 beta, 30-diol 3 beta, o-hemisuccinate Na salt, a glycyrrhetic acid derivative, on peroxidation in CCl₄ induced mouse acute hepatitis. *Am J Chin Med.* 19: 115-120.
- Huang, X; Li, DG; Wang, ZR; Wei, HS; Cheng, JL; Zhan, YT; Zhou, X; Xu, QF; Li, X; Lu, HM. (2001). Expression changes of activin A in the development of hepatic fibrosis. *World J Gastroenterol.* 7: 37-41.
- Huang, Y; Feng, H; Kan, T; Huang, B; Zhang, M; Li, Y; Shi, C; Wu, M; Luo, Y; Yang, J; Xu, F. (2013). Bevacizumab attenuates hepatic fibrosis in rats by inhibiting activation of hepatic stellate cells. *PLoS ONE.* 8: e73492.
- Huang, YH; Shi, MN; Zheng, WD; Zhang, LJ; Chen, ZX; Wang, XZ. (2006). Therapeutic effect of interleukin-10 on CCl₄-induced hepatic fibrosis in rats. *World J Gastroenterol.* 12: 1386-1391.
- Huang, ZH; Murakami, T; Okochi, A; Yumoyo, R; Nagai, J; Takano, M. (2001). Expression and function of P-glycoprotein in rats with carbon tetrachloride-induced acute hepatic failure. *J Pharm Pharmacol.* 53: 873-881.
- Huard, B. Characterization of the major histocompatibility complex class II binding site on LAG-3 protein.
- Hubel, E; Saroha, A; Park, WJ; Pewzner-Jung, Y; Lavoie, EG; Futerman, AH; Bruck, R; Fishman, S; Dranoff, JA; Shibolet, O; Zvibel, I. (2017). Sortilin Deficiency Reduces Ductular Reaction, Hepatocyte Apoptosis, and Liver Fibrosis in Cholestatic-Induced Liver Injury. *American Journal of Pathology.* 187: 122-133.
- Huberman, A; Soberon, G. (1970). Albumin synthesis in liver slices of cirrhotic rats. *Clinica chimica acta; international journal of clinical chemistry.* 29: 121-127.
- Hubich, AI; Bondar, AY; Kastsjuk, TU; Kastsjuk, UA; Lakhvich, FA; Sholukh, MV. (1990). Hepatoprotective action of prostaglandin A(2) analogs under CCl₄-induced liver injury in vitro. *Hepatology research : the official journal of the Japan Society of Hepatology.* 37: 416-424.
- Huck, PM; Toft, P. (1986). TREATMENT OF DRINKING WATER FOR ORGANIC CONTAMINANTS SECOND NATIONAL CONFERENCE EDMONTON ALBERTA CANADA APRIL 7-8 1986. Huck, P M And P Toft. 0.
- Hudig, D; Sell, S; Newell, L; Smuckler, EA. (1979). Dissociation of alpha-macroglobulin and alpha-fetoprotein production during experimental injury. *Laboratory investigation; a journal of technical methods and pathology.* 40: 134-139.
- Hue, AC; Free, AH. (1965). AN IMPROVED METHOD FOR THE DETERMINATION OF GUANASE IN SERUM OR PLASMA. *Clin Chem.* 11: 708-715.
- Huebert, RC; Shah, VH. (2014). Sinusoidal Endothelial Cells Direct Traffic at the Intersection of Regeneration and Fibrosis. *Hepatology.* 60: 754-756.
- Huffman, S. (1999). The effects of oil on Mallards (*Anas platyrhynchos*). *Tex J Sci.* 51: 181-190.
- Hughenoltz, GCG; Meijers, JCM; Adelmeijer, J; Porte, RJ; Lisman, T. (2013). TAFI deficiency promotes liver damage in murine models of liver failure through defective down-regulation of hepatic inflammation. *Thromb Haemostasis.* 109: 948-955.

Environmental Hazard Literature Search Results

Off Topic

- Hughes, HM; George, IM; Evans, JC; Rowlands, CC; Powell, GM; Curtis, CG. (1991). The role of the liver in the production of free radicals during halothane anaesthesia in the rat. Quantification of N-tert-butyl- α -(4-nitrophenyl)nitron (PBN)-trapped adducts in bile from halothane as compared with carbon tetrachloride. *Biochem J.* 277: 795-800.
- Hughes, JP. (1954). Hazardous exposure to some so-called safe solvents. *J Am Med Assoc.* 156: 234-237.
- Hugyecz, M; MracsKÁc, DDoPFoMUSDmtš; r, HH; Hertelendy, P; Farkas, E; Domoki, F; Bari, F. (2011). Hydrogen supplemented air inhalation reduces changes of prooxidant enzyme and gap junction protein levels after transient global cerebral ischemia in the rat hippocampus. *Brain Res.* 2: 31-38.
- Huhn, O; Hellmer, HH; Rhein, M; Rodehacke, C; Roether, WG; Schodlok, MP; Schroder, M. (2008). Evidence of deep- and bottom-water formation in the western Weddell Sea. *Deep-Sea Research Part II-Topical Studies in Oceanography.* 55: 1098-1116.
- Huhn, O; Roether, W; Beining, P; Rose, H. (2001). Validity limits of carbon tetrachloride as an ocean tracer. *Deep-Sea Research Part I-Oceanographic Research Papers.* 48: 2025-2049.
- Huhn, O; Roether, W; Steinfeldt, R. (2008). Age spectra in North Atlantic Deep Water along the South American continental slope, 10 degrees N-30 degrees S, based on tracer observations. *Deep-Sea Research Part I-Oceanographic Research Papers.* 55: 1252-1276.
- Huie, RE; Brault, D; Neta, P. (1987). RATE CONSTANTS FOR ONE-ELECTRON OXIDATION BY THE TRIFLUOROMETHYL TRICHLOROMETHYL AND TRIBROMOMETHYL PEROXYL RADICALS IN AQUEOUS SOLUTIONS. *Chem Biol Interact.* 62: 227-236.
- Hultin, T. (1971). The early interference of liver carcinogens with protein synthesis and its possible bearing on the problem of tumor induction. *Biochem Pharmacol.* 20: 1009-1017.
- Hummer, RL. (1975). Pets in today's society. *Am J Public Health.* 65: 1095-1098.
- Hung, CH; Marinas, BJ. (1995). IDENTIFICATION AND QUANTIFICATION OF PRODUCTS FORMED FROM THE PHOTOCATALYTIC DEGRADATION OF TRICHLOROETHYLENE VAPOR ON TIO-2 ILLUMINATED WITH NEAR-UV LIGHT. 210th American Chemical Society National Meeting, Chicago, Illinois, Usa, August. 210: 154.
- Hung, C-P. (1993). Abiotic transformation of halogenated aliphatic compounds by iron powder. PhD, Michigan State University.
- Hung, DY; Chang, P; Cheung, K; McWhinney, B; Masci, PP; Weiss, M; Roberts, MS. (2002). Cationic drug pharmacokinetics in diseased livers determined by fibrosis index, hepatic protein content, microsomal activity, and nature of drug. *J Pharmacol Exp Ther.* 301: 1079-1087.
- Hung, DY; Chang, P; Cheung, K; Winterford, C; Roberts, MS. (2002). Quantitative evaluation of altered hepatic spaces and membrane transport in fibrotic rat liver. *Hepatology.* 36: 1180-1189.
- Hung, GD; Li, PC; Lee, HS; Chang, HM; Chien, CT; Lee, KL. (2012). Green tea extract supplementation ameliorates CCl₄-induced hepatic oxidative stress, fibrosis, and acute-phase protein expression in rat. *Journal of the Formosan Medical Association = Taiwan yi zhi.* 111: 550-559.
- Hung, HM; Hoffmann, MR. (1998). Kinetics and mechanism of the enhanced reductive degradation of CCl₄ by elemental iron in the presence of ultrasound. *Environmental Science & Technology.* 32: 3011-3016.
- Hung, HM; Ling, FH; Hoffmann, MR. (2000). Kinetics and mechanism of the enhanced reductive degradation of nitrobenzene by elemental iron in the presence of ultrasound. *Environmental Science & Technology.* 34: 1758-1763.
- Hung, MY; Fu, TYC; Shih, PH; Lee, CP; Yen, GC. (2006). Du-Zhong (*Eucommia ulmoides* Oliv.) leaves inhibits CCl₄-induced hepatic damage in rats. *Food Chem Toxicol.* 44: 1424-1431.
- Hung, M-Y; Fu, TY-C; Shih, P-H; Lee, C-P; Yen, G-C. (2006). Du-Zhong (*Eucommia ulmoides* Oliv.) leaves inhibits CCl₄-induced hepatic damage in rats. *Food Chem Toxicol.* 44: 1424-1431.
- Hunt, ER. Hepatotoxicity of carbon tetrachloride in sheep. 1. the influence of diet. *Aust Vet J.* June 1971, 47 (6): 272-274.
- Hunt, ER. Hepatotoxicity of carbon tetrachloride in sheep. 2. influence of ingestion of *Heliotropium europaeum*. *Aust Vet J.* Feb 1972, 48 (2): 57-61.
- Hunt, S; McCosker, PJ. Observations on serum adenosine deaminase activity in experimentally produced liver diseases of cattle and sheep; yellow-wood, Lantana, carbon tetrachloride and chronic copper poisoning. *Feb 1970, 126 (2): 74-81.*
- Hunt, SM; Fawell, JK. (1987). Toxicology of Organic Micropollutants in Drinking Water: Estimating the Risk. *Journal of the Institution of Water Engineers and Scientists JIWSDI Vol 41, No 3, p 276-284, June 1987.*
- Hunter, NW. (1965). EXPERIMENTAL LIVER POISONING OF THE FROG (*RANA PIPIENS*) WITH CARBON TETRACHLORIDE. I. LIVER-GLYCOGEN STORAGE, BLOOD-GLUCOSE LEVEL, AND CYTOCHROME-OXIDASE ACTIVITY. *Exp Mol Pathol.* 4: 449-455.
- Huo, HZ; Wang, B; Liang, YK; Bao, YY; Gu, Y. (2011). Hepatoprotective and antioxidant effects of licorice extract against CCl₄-induced oxidative damage in rats. *International Journal of Molecular Sciences.* 12: 6529-6543.
- Huo, YC; Li, WW; Chen, CB; Li, CX; Zeng, R; Lau, TC; Huang, TY. (2016). Biogenic FeS accelerates reductive dechlorination of carbon tetrachloride by *Shewanella putrefaciens* CN32. *Enzyme Microb Technol.* 95: 236-241.
- Huwowitz, RB; Studer, A. (1960). Effect of partial hepatectomy on mitosis rate in carbon tetrachloride-induced liver damage of parabiotic rats. *Arch Pathol.* 69: 511-515.
- Hussain, T; Gupta, RK; K, S; Khan, MS; Hussain, MD; Arif, MD; Hussain, A; Faiyazuddin, MD; Rao, CV. (2012). Evaluation of antihepatotoxic potential of *Solanum xanthocarpum* fruit extract against antitubercular drugs induced hepatopathy in experimental rodents. *Asian Pacific journal of tropical biomedicine.* 2: 454-460.
- Hussain, T; Siddiqui, HH; Fareed, S; Vijayakumar, M; Rao, CV. (2012). Chemopreventive evaluation of *Tephrosia purpurea* against N-nitrosodiethylamine-induced hepatocarcinogenesis in Wistar rats. *The Journal of pharmacy and pharmacology.* 64: 1195-1205.
- Hussain, T; Siddiqui, HH; Fareed, S; Vijayakumar, M; Rao, CV. (2012). Evaluation of chemopreventive effect of *Fumaria indica* against N-nitrosodiethylamine and CCl₄-induced hepatocellular carcinoma in Wistar rats. *Asian Pacific Journal of Tropical Medicine.* 5: 623-629.
- Hwang, I; Batchelor, B. (2002). Reductive dechlorination of chlorinated methanes in cement slurries containing Fe(II). *Chemosphere.* 48: 1019-1027.

Environmental Hazard Literature Search Results

Off Topic

- Hwang, IS; Kim, JE; Lee, YJ; Kwak, MH; Choi, YH; Kang, BC; Hong, JT; Hwang, DY. (2013). Protective effects of gomisin A isolated from *Schisandra chinensis* against CCl₄-induced hepatic and renal injury. *Int J Mol Med*. 31: 888-898.
- Hwang, ISS; Tang, F; Leung, PP; Li, YY; Fan, ST; Luk, JMC. (2006). The gene expression of adrenomedullin, calcitonin-receptor-like receptor and receptor activity modifying proteins (RAMPs) in CCl₄-induced rat liver cirrhosis. *Regulatory Peptides*. 135: 69-77.
- Hwang, SJ; Powers, DC; Maher, AG; Anderson, BL; Hadt, RG; Zheng, SL; Chen, YS; Nocera, DG. (2015). Trap-Free Halogen Photoelimination from Mononuclear Ni(III) Complexes. *J Am Chem Soc*. 137: 6472-6475.
- Hwang, TL; Chen, CY. (2012). Gender different response to immunonutrition in liver cirrhosis with sepsis in rats. *Nutrients*. 4: 231-242.
- Hwang, YP; Choi, CY; Chung, YC; Jeon, SS; Jeong, HG. (2007). Protective effects of puerarin on carbon tetrachloride-induced hepatotoxicity. *Arch Pharm Res*. 30: 1309-1317.
- Hwang, YP; Choi, JH; Jeong, HG. (2009). Protective effect of the *Aralia continentalis* root extract against carbon tetrachloride-induced hepatotoxicity in mice. *Food Chem Toxicol*. 47: 75-81.
- Hwu, JR; Hsu, CY; Jain, ML. (2004). Efficient photolytic esterification of carboxylic acids with alcohols in perhalogenated methane. *Tetrahedron Letters*. 45: 5151-5154.
- Hyndman, DW; Dybas, MJ; Forney, L; Heine, R; Mayotte, T; Phanikumar, MS; Tatara, G; Tiedje, J; Voice, T; Wallace, R; Wiggert, D; Zhao, X; Criddle, CS. (2000). Hydraulic characterization and design of a full-scale biocurtain. *Ground Water*. 38: 462-474.
- Hynie, S; Rao, KS; Recknagel, RO. (1996). Early incorporation of carbon-labeled carbon tetrachloride into rat liver particulate lipids and proteins. *Pharmacol Res*. 34: 211-218.
- HyvÄnen, MT; Sinervirta, R; Grigorenko, N; Khomutov, AR; VepsÄlÄinen, J; KeinÄnen, TA; Alhonen, L. (2010). Î±-Methylspermidine protects against carbon tetrachloride-induced hepatic and pancreatic damage. *Amino Acids*. 38: 575-581.
- Hyvonen, MT; Sinervirta, R; Grigorenko, N; Khomutov, AR; Vepsalainen, J; Keinanen, TA; Alhonen, L. (2010). alpha-Methylspermidine protects against carbon tetrachloride-induced hepatic and pancreatic damage. *Amino Acids*. 38: 575-581.
- Ibragimov, BT; Talipov, SA; Nazarov, GV; Mardanov, RG; Aripov, TF; Ismailov, AI; Sadykov, AS. X-ray structural investigation of gossypol and its derivatives. VI. The structure of the adduct of gossypol with carbon tetrachloride. *Chemistry of Natural Compounds*. Jan/Feb 1986. v. 22 (1): 110-111.
- Ibrahim, M; Khaja, MN; Aara, A; Khan, AA; Habeeb, MA; Devi, YP; Narasu, ML; Habibullah, CM. (2008). Hepatoprotective activity of *Sapindus mukorossi* and *Rheum emodi* extracts: in vitro and in vivo studies. *World J Gastroenterol*. 14: 2566-2571.
- Ibrahim, NA; El-Seedi, HR; Mohammed, MM. (2007). Phytochemical investigation and hepatoprotective activity of *Cupressus sempervirens* L. leaves growing in Egypt. *Nat Prod Res*. 21: 857-866.
- Ibrahim, ZS; Ishizuka, M; Soliman, M; ElBohi, K; Sobhy, W; Muzandu, K; Elkattawy, AM; Sakamoto, KQ; Fujita, S. (2008). Protection by *Nigella sativa* against carbon tetrachloride-induced downregulation of hepatic cytochrome P450 isozymes in rats. *The Japanese journal of veterinary research*. 56: 119-128.
- Ibrahim, ZS; Nassan, MA; Soliman, MM. (2016). Ameliorative effects of pomegranate on carbon tetrachloride hepatotoxicity in rats: A molecular and histopathological study. *Mol Med Rep*. 13: 3653-3660.
- Icen, AL; Huovinen, JA. (1959). The effect of acute carbon tetrachloride poisoning on the sulfhydryl content of rat liver, kidney and blood. *Acta pathologica et microbiologica Scandinavica*. 47: 297-303.
- Ichikawa, K; Chung, Y-S; Utsumi, H. (1998). In Vitro Bioassay System Closely Related to Whole Body Toxicity. *Mizu Kankyo Gakkaishi/Journal of Japan Society on Water Environment*. 20: 701-704.
- Ichikawa, K; Okabayashi, T; Shima, Y; Iiyama, T; Takezaki, Y; Munekage, M; Namikawa, T; Sugimoto, T; Kobayashi, M; Mimura, T; Hanazaki, K. (2012). Branched-chain amino acid-enriched nutrients stimulate antioxidant DNA repair in a rat model of liver injury induced by carbon tetrachloride. *Mol Biol Rep*. 39: 10803-10810.
- Ichikawa, M; Yamamura, K; Jeon, HG; Nakajima, M; Taniguchi, Y. (2011). Effects of volatile additives in solutions used to prepare polythiophene-based thin-film transistors. *Journal of Applied Physics*. 109: 54504-54504.
- Icho, T; Kojima, S; Yoshikawa, K; Yoshimura, T; Shirota, M; Kajiwara, Y; Kitabatake, K; Kubota, K. (1994). Inhibition of carbon tetrachloride-induced hepatotoxicity by neopterins. *Biological & pharmaceutical bulletin*. 17: 914-916.
- IdÄšo, G; Dioguardi, N. (1972). Gamma-glutamyl transpeptidase: a clinical and experimental study. *Digestion*. 5: 326-336.
- IdÄšo, GDNDNE; De, FR. (1971). Behaviour of some enzymes and isoenzymes in plasma liver and bile of rats treated with carbon tetrachloride. *Enzyme*. 12: 242-254.
- Ideura, T; Yoshimura, A; Shirai, M; Taira, T; Koshikawa, S. (1993). Endotoxin-induced acute tubular necrosis in cirrhotic rats. *Scand J Urol Nephrol*. 27: 433-439.
- Iga, T; Sugiyama, Y; Yokota, M; Tomono, Y; Awazu, S; Hanano, M. (1977). Pharmacokinetic aspects of sulfobromophthalein transport in chronically carbon tetrachloride-intoxicated rats. *Biochem Pharmacol*. 26: 1867-1875.
- Iga, T; Yokota, M; Sugiyama, Y; Awazu, S; Hanano, M. (1980). Hepatic transport of indocyanine green in rats chronically intoxicated with carbon tetrachloride. *Biochem Pharmacol*. 29: 1291-1297.
- Igarashi, I; Maejima, T; Kai, K; Arakawa, S; Teranishi, M; Sanbuissho, A. (2014). Role of connexin 32 in acetaminophen toxicity in a knockout mice model. *Exp Toxicol Pathol*. 66: 103-110.
- Igarashi, K; Kawai, C; Kurakane, S. (2011). 3-Hydroxy-6-Methylpyridine with Preventive Activity on Carbon Tetrachloride-Induced Liver Injury Is Produced During Roasting of Coffee Beans. *Food Science and Technology Research*. 17: 39-44.
- Igarashi, K; Mikami, T; Takahashi, Y; Sato, H. (2008). Comparison of the preventive activity of isorhamnetin glycosides from *Atsumi-kabu* (Red turnip, *Brassica campestris* L.) leaves on carbon tetrachloride-induced liver injury in mice. *Bioscience Biotechnology and Biochemistry*. 72: 856-860.

Environmental Hazard Literature Search Results

Off Topic

- Igarashi, T; Muramatsu, H; Ohmori, S; Ueno, K; Kitagawa, H; Satoh, T. (1988). Plasma glutathione S-transferase in carbon tetrachloride treated rats and its association to hepatic cytosolic isozymes. *Japanese Journal of Pharmacology*. 46: 211-216.
- Iijima, K; Kiyohara, H; Tanaka, M; Matsumoto, T; Cyong, JC; Yamada, H. (1987). Preventive effect of taraxasteryl acetate from *Inula britannica* subsp. *japonica* on experimental hepatitis in vivo. *Planta Med*. 61: 50-53.
- Iiyama, K; Stone, BA; Macauley, BJ. Compositional changes in compost during composting and growth of *Agaricus bisporus*. *Appl Environ Microbiol*. May 1994. v. 60 (5): 1538-1546.
- Ijiri, Y; Kato, R; Sadamatsu, M; Takano, M; Okada, Y; Tanaka, K; Hayashi, T. (2014). Chronological changes in circulating levels of soluble tumor necrosis factor receptors 1 and 2 in rats with carbon tetrachloride-induced liver injury. *Toxicology*. 316: 55-60.
- Ikai, I; Shimahara, Y; Wakashiro, S; Ozaki, N; Tokunaga, Y; Tanaka, A; Morimoto, T; Ozawa, K. (1988). Influence of hemorrhagic shock on hepatic energy metabolism in carbon tetrachloride-induced cirrhotic rats. *Circulatory shock*. 26: 365-374.
- Ikatsu, H; Nakajima, T. (1992). Hepatotoxic interaction between carbon tetrachloride and chloroform in ethanol treated rats. *Arch Toxicol*. 66: 580-586.
- Ikebe, T; Wang, Y; Ikeda, K; Yamamoto, T; Kubo, S; Hirohashi, K; Kinoshita, H; Kaneda, K; Sakurai, M. (1999). Suppressive effect of TNP-470 on carbon tetrachloride-induced liver fibrosis in rats. *Cells of the Hepatic Sinusoid, Vol 7183-184*.
- Ikeda, H; Kume, Y; Tejima, K; Tomiya, T; Nishikawa, T; Watanabe, N; Ohtomo, N; Arai, M; Arai, C; Omata, M; Fujiwara, K; Yatomi, Y. (2007). Rho-kinase inhibitor prevents hepatocyte damage in acute liver injury induced by carbon tetrachloride in rats. *American Journal of Physiology-Gastrointestinal and Liver Physiology*. 293: G911-G917.
- Ikeda, H; Nagoshi, S; Ohno, A; Yanase, M; Maekawa, H; Fujiwara, K. (1998). Activated rat stellate cells express c-met and respond to hepatocyte growth factor to enhance transforming growth factor beta 1 expression and DNA synthesis. *Biochem Biophys Res Commun*. 250: 769-775.
- Ikeda, H; Wu, GY; Wu, CH. (1993). Lipocytes from fibrotic rat liver have an impaired feedback response to procollagen propeptides. *The American journal of physiology*. 264: G157-162.
- Ikeda, K; Kawada, N; Wang, YQ; Kadoya, H; Nakatani, K; Sato, M; Kaneda, K. (1998). Expression of cellular prion protein in activated hepatic stellate cells. *American Journal of Pathology*. 153: 1695-1700.
- Ikeda, K; Kawada, N; Wang, YQ; Kadoya, H; Nakatani, K; Sato, M; Kaneda, K. (1999). Expression of prion protein in activated hepatic stellate cells. *Cells of the Hepatic Sinusoid, Vol 721-23*.
- Ikeda, M. (1988). MULTIPLE EXPOSURE TO CHEMICALS. *Regul Toxicol Pharmacol*. 8: 414-421.
- Ikeda, M; Koizumi, A; Kasahara, M; Watanabe, T; Nakatsuka, H; Sekita, Y. (1987). A STATISTICAL APPROACH TO THE PREDICTION OF THE POSSIBLE PRESENCE OF POLLUTANT CHEMICALS IN THE ENVIRONMENT. *Regul Toxicol Pharmacol*. 7: 321-336.
- Ikeda, S; Kagaya, M; Kobayashi, K; Tohyama, T; Kiso, Y; Higuchi, N; Yamashita, K. (2003). Dietary sesame Lignans decrease lipid peroxidation in rats fed docosahexaenoic acid. *J Nutr Sci Vitaminol*. 49: 270-276.
- Ikeda, T; Ito, Y; Murakami, I; Mokuda, O; Tominaga, M; Mashiba, H. (1986). Conversion of T sub(4) to T sub(3) in perfused liver of rats with carbon tetrachloride-induced liver injury. *Acta Endocrinol*. 112: 89-92.
- Ikeda, T; Takeuchi, T; Ito, Y; Murakami, I; Mokuda, O; Tominaga, M; Mashiba, H. (1986). Secretion and degradation of insulin and glucagon in carbon tetrachloride-induced liver injury rats. *The American journal of physiology*. 251: E660-663.
- Ikejima, K; Honda, H; Yoshikawa, M; Hirose, M; Kitamura, T; Takei, Y; Sato, N. (2001). Leptin augments inflammatory and profibrogenic responses in the murine liver induced by hepatotoxic chemicals. *Hepatology*. 34: 288-297.
- Ilango, K; Maharajan, G; Narasimhan, S. (2013). Anti-nociceptive and anti-inflammatory activities of *Azadirachta indica* fruit skin extract and its isolated constituent azadiradione. *Nat Prod Res*. 27: 1463-1467.
- Ilavarasan, R; Mallika, M; Venkataraman, S. (2006). Anti-inflammatory and free radical scavenging activity of *Ricinus communis* root extract. *J Ethnopharmacol*. 103: 478-480.
- Ilavarasan, R; Vasudevan, M; Anbazhagan, S; Venkataraman, S. (2003). Antioxidant activity of *Thespesia populnea* bark extracts against carbon tetrachloride-induced liver injury in rats. *J Ethnopharmacol*. 87: 227-230.
- Ilavenil, S; Kaleeswaran, B; Ravikumar, S. (2012). Protective effects of lycorine against carbon tetrachloride induced hepatotoxicity in Swiss albino mice. *Fundamental & Clinical Pharmacology*. 26: 393-401.
- Ilyas, MS; de la Iglesia, FA; Feuer, G. (1978). The effect of phenobarbital and carbon tetrachloride on fatty acid content and composition of phospholipids from rat liver. *Toxicol Appl Pharmacol*. 45: 69-77.
- Ilyas, MS; de la Iglesia, FA; Feuer, G. (1978). The effect of phenobarbital and carbon tetrachloride on fatty acid content and composition of phospholipids from the endoplasmic reticulum of rat liver. *Toxicol Appl Pharmacol*. 44: 491-504.
- Imai, Y; Mitsuhashi, O. (1967). Formation of monounsaturated fatty acids in fatty liver. *J Biochem*. 61: 712-718.
- Imaizumi, Y; Sugimoto, T; Kasai, T. (1981). Effect of diisopropyl 1,3-dithiol-2-ylidene malonate (NKK-105) on fatty liver induced by carbon tetrachloride. *Japanese journal of pharmacology*. 31: 15-21.
- Imamura, T; Fujimoto, JM; Klecker, A; Peterson, RE; Erwin, CP. (1977). Differential protection by certain agents against carbon tetrachloride-induced increase in bile duct-pancreatic fluid flow. *Toxicol Appl Pharmacol*. 41: 487-495.
- Imanishi, H; Harihara, Y; Bandai, Y; Sanjo, K; Makuuchi, M. (1997). Reduced gastric surface mucus layer in experimental portal hypertension. *J Gastroenterol*. 32: 720-725.
- Imanishi, H; Kothary, PC; Bhora, FY; Eckhauser, FE; Raper, SE. (1995). Impaired phorbol ester-induced hepatocyte proliferation in cirrhosis. *The Journal of surgical research*. 58: 435-440.
- Immenschuh, S; Fahimi, HD; Baumgart-Vogt, E. (2005). Complementary regulation of heme oxygenase-1 and peroxiredoxin I gene expression by oxidative stress in the liver. *Cell Mol Biol (Noisy-le-grand)*. 51: 471-477.

Environmental Hazard Literature Search Results

Off Topic

- Imoto, M; Satake, T; Sugiyama, S; Ozawa, T. (1982). Reappraisal of carbon tetrachloride-induced hepatoinjury. *J APPL BIOCHEM.* 4: 364-370.
- Inadera, H; Tachibana, S; Suzuki, A; Shimomura, A. (2010). Carbon tetrachloride affects inflammation-related biochemical networks in the mouse liver as identified by a customized cDNA microarray system. *Environ Health Prev Med.* 15: 105-114.
- Inagaki, M; Gotoh, H; Nakayama, S; Sakamoto, K. (1987). CHANGES OF SOME APOPROTEIN CONCENTRATIONS IN SERUM OF RATS WITH CARBON TETRACHLORIDE-INDUCED HEPATIC INJURY. 60th General Meeting Of The Japanese Pharmacological Society, Chiba, Japan, March. 43.
- Inagaki, Y; Kushida, M; Higashi, K; Itoh, J; Higashiyama, R; Hong, YY; Kawada, N; Namikawa, K; Kiyama, H; Bou-Gharios, G; Watanabe, T; Ikeda, K. (2005). Cell type-specific intervention of transforming growth factor beta/Smad signaling suppresses collagen gene expression and hepatic fibrosis in mice. *Gastroenterology.* 129: 259-268.
- Inagaki, Y; Matsumoto, Y; Ishii, M; Uchino, K; Sezutsu, H; Sekimizu, K. (2015). Fluorescence imaging for a noninvasive in vivo toxicity-test using a transgenic silkworm expressing green fluorescent protein. *Sci Rep.* 5: 11180.
- Inage, F; Furuhashi, K. (1992). Application of maximal removal rate of indocyanine green to the determination of hepatic functional mass in conscious rats. *The Journal of veterinary medical science / the Japanese Society of Veterinary Science.* 59: 335-340.
- Inamura, T; Miura, S; Tsuzuki, Y; Hara, Y; Hokari, R; Ogawa, T; Teramoto, K; Watanabe, C; Kobayashi, H; Nagata, H; Ishii, H. (2003). Alteration of intestinal intraepithelial lymphocytes and increased bacterial translocation in a murine model of cirrhosis. *Immunol Lett.* 90: 3-11.
- Ince, NH. (1998). Light-enhanced chemical oxidation for tertiary treatment of municipal landfill leachate. *Water Environ Res.* 70: 1161-1169.
- Indarto, A; Choi, JW; Lee, H; Song, HK. (2006). Decomposition of CCl₄ and CHCl₃ on gliding arc plasma. *J Environ Sci.* 18: 83-89.
- Indarto, A; Choi, JW; Lee, H; Song, HK. (2008). Decomposition of greenhouse gases by plasma. *Environ Chem Lett.* 6: 215-222.
- Inder, RE; Bray, BJ; Sipes, IG; Rosengren, RJ. (1999). Role of cytochrome P4502E1 in retinol's attenuation of carbon tetrachloride-induced hepatotoxicity in the Swiss Webster mouse. *Toxicol Sci.* 52: 130-139.
- Inderjit; Dakshini, KMM. Allelopathic potential of *Pluchea lanceolata*: comparative studies of cultivated fields. *Weed Sci.* Apr/June 1996. v. 44 (2): 393-396.
- Ingall, A; Lott, KA; Slater, TF. (1978). Metabolic activation of carbon tetrachloride to a free-radical product: studies using a spin trap. *Biochem Soc Trans.* 6: 962-964.
- Ingawale, DK; Mandlik, SK; Kshirsagar, AD. (2013). Hepatoprotective activity of *Calotropis gigantea* flowers against carbon-tetrachloride-induced liver damage in mice. *J Complement Integr Med.*
- Ingawale, DK; Mandlik, SK; Naik, SR. (2014). Models of hepatotoxicity and the underlying cellular, biochemical and immunological mechanism(s): A critical discussion. *Environ Toxicol Pharmacol.* 37: 118-133.
- Ingebrigtsen, S; Bonifaci, N; Denat, A; Lesaint, O. (2008). Spectral analysis of the light emitted from streamers in chlorinated alkane and alkene liquids. *Journal of Physics D-Applied Physics.* 41: 35204-35204.
- Innerfield, I; Cohen, H; Zweil, P. (1966). Effect of orally administered proteolytic enzymes on carbon tetrachloride induced granuloma pouch. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY).* 123: 871-875.
- Innerfield, I; Rowley, GR; Zwell, P; Porpora, J. (1967). The rat plasminogen system, intrahepatic fibrinolysis and carbon tetrachloride hepatotoxicity. *Thrombosis et diathesis haemorrhagica.* 18: 447-455.
- Ino, K; Masuya, M; Tawara, I; Miyata, E; Oda, K; Nakamori, Y; Suzuki, K; Ohishi, K; Katayama, N. (2014). Monocytes infiltrate the pancreas via the MCP-1/CCR2 pathway and differentiate into stellate cells. *PLoS ONE.* 9: e84889.
- Inoue, S; Mishima, O; Zhang, QB; Minami, H; Uto, M. (2001). Spectrophotometric determination of niobium(V) with N-cinnamoyl-N-2,3-xylylhydroxylamine and thiocyanate. *Analytical Letters.* 34: 2465-2475.
- InstitĂcris, L; Siroki, O. Immunotoxicological investigation in rats dosed repeatedly with combinations of cypermethrin, As(III), and Hg(II).
- InstitĂcris, L; Siroki, O; Undeger, U; Basaran, N; Banerjee, BD; DĂcși, I. (2001). Detection of the effects of repeated dose combined propoxur and heavy metal exposure by measurement of certain toxicological, haematological and immune function parameters in rats. *Toxicology* 185-193.
- InstitĂcris, L; Banfi, H; Lengyel, Z; Papp, A. A study on immunotoxicological effects of subacute amitraz exposure in rats.
- Ioannidou, HA; Koutentis, PA. (2012). Substitution at C-4 in 3,5-disubstituted 4H-1,2,6-thiadiazin-4-ones. *Tetrahedron.* 68: 2590-2597.
- Ionov, M; Gordiyenko, NV; Zukowska, I; Tokhtaeva, E; Mareninova, OA; Baram, N; Ziyayev, K; Rezhepov, K; Zamaraeva, M. (2012). Stability and antioxidant activity of gossypol derivative immobilized on N-polyvinylpyrrolidone. *Int J Biol Macromol.* 51: 908-914.
- Ip, SP; Che, CT; Ko, KM. (1998). Structure-activity relationship of schisandrins in enhancing liver mitochondrial glutathione status in CCl₄-poisoned mice. *Acta Pharmacol Sin.* 19: 313-316.
- Ip, SP; Che, CT; Kong, YC; Ko, KM. (2001). Effects of schisandrin B pretreatment on tumor necrosis factor-alpha induced apoptosis and Hsp70 expression in mouse liver. *Cell Stress & Chaperones.* 6: 44-48.
- Ip, SP; Poon, MKT; Che, CT; Ng, KH; Kong, YC; Ko, KM. (1996). Schisandrin B protects against carbon tetrachloride toxicity by enhancing the mitochondrial glutathione redox status in mouse liver. *Free Radical Biology & Medicine.* 21: 709-712.
- Ip, SP; Poon, MKT; Wu, SS; Che, CT; Ng, KH; Kong, YC; Ko, KM. Effect of Schisandrin B on hepatic glutathione antioxidant system in mice: protection against carbon tetrachloride toxicity. *Planta Med.* Oct 1995. v. 61 (5): 398-401.
- Ip, SP; Yiu, HY; Ko, KM. (2000). Differential effect of schisandrin B and dimethyl diphenyl bicarboxylate (DDB) on hepatic mitochondrial glutathione redox status in carbon tetrachloride intoxicated mice. *Mol Cell Biochem.* 205: 111-114.
- Ip, SP; Yiu, HY; Ko, KM. (2000). Schisandrin B protects against menadione-induced hepatotoxicity by enhancing DT-diaphorase activity. *Mol Cell Biochem.* 208: 151-155.

Environmental Hazard Literature Search Results

Off Topic

- Ip, S-P; Ko, K-M. (1996). The crucial antioxidant action of schisandrin B in protecting against carbon tetrachloride hepatotoxicity in mice: A comparative study with butylated hydroxytoluene. *Biochem Pharmacol.* 52: 1687-1693.
- Ip, S-P; Ma, C-Y; Che, C-T; Ko, K-M. (1997). Methyleneedioxy group as determinant of schisandrin in enhancing hepatic mitochondrial glutathione in carbon tetrachloride-intoxicated mice. *Biochem Pharmacol.* 54: 317-319.
- Iqbal, M; Gnanaraj, C. (2012). Eleusine indica L. possesses antioxidant activity and precludes carbon tetrachloride (CCl₄)-mediated oxidative hepatic damage in rats. *Environ Health Prev Med.* 17: 307-315.
- Iranpoor, N; Firouzabadi, H; Azadi, R. (2006). A new diphenylphosphinite ionic liquid (IL-OPPh(2)) as reagent and solvent for highly selective bromination, thiocyanation or isothiocyanation of alcohols and trimethylsilyl and tetrahydropyranyl ethers. *Tetrahedron Letters.* 47: 5531-5534.
- Iranpoor, N; Firouzabadi, H; Jamalian, A; Kazemi, F. (2005). Silicaphosphine (Silphos): a filterable reagent for the conversion of alcohols and thiols to alkyl bromides and iodides. *Tetrahedron.* 61: 5699-5704.
- Iredale, JP; Benyon, RC; Pickering, J; McCullen, M; Northrop, M; Pawley, S; Hovell, C; Arthur, MJ. (1998). Mechanisms of spontaneous resolution of rat liver fibrosis. Hepatic stellate cell apoptosis and reduced hepatic expression of metalloproteinase inhibitors. *The Journal of clinical investigation.* 102: 538-549.
- Iriawati; Miyake, H; Taniguchi, T. (1994). Organogenesis in leaf protoplast-derived calli of mungbean. *Japanese Journal Of Crop Science.* 63: 714-720.
- Irie, H; Asano-Hoshino, A; Sekino, Y; Nogami, M; Kitagawa, T; Kanda, H. (2010). Striking LD50 variation associated with fluctuations of CYP2E1-positive cells in hepatic lobule during chronic CCl₄ exposure in mice. *Virchows Arch.* 456: 423-431.
- Irita, K; Okabe, H; Koga, A; Kurosawa, K; Tagawa, K; Yamakawa, M; Yoshitake, J; Takahashi, S. (1994). Carbon tetrachloride increases sinusoidal efflux of reduced and oxidized glutathione in rats. *Biochem Pharmacol.* 47: 447-452.
- Irita, K; Okabe, H; Koga, A; Yamakawa, M; Yoshitake, J. (1994). The limiting effect of dichloroacetate on endotoxin-induced liver damage in starved rats. *The Journal of surgical research.* 56: 216-220.
- Irita, K; Okabe, H; Yamakawa, M; Yoshitake, J; Takahashi, S. (1996). Potentiation of carbon tetrachloride-induced liver damage by dibutyl-3',5'-cyclic AMP in unstarved rats. *J Gastroenterol Hepatol.* 11: 658-661.
- Ishida, N; Nakata, K; Tanaka, M; Takase, K; Mita, S. (1991). The protective effects of (4R)-hexahydro-7,7-dimethyl-6-oxo-1,2,5-dithiazocine-4-carboxylic acid (SA3443), a novel cyclic disulfide, on chemically-induced acute liver injury. *Japanese journal of pharmacology.* 55: 275-278.
- Ishida, S; Hirakawa, F; Iwamoto, T. (2011). A Stable Dialkylphosphinyl Radical. *J Am Chem Soc.* 133: 12968-12971.
- Ishidate, K; Enosawa, S; Nakazawa, Y. (1983). Actinomycin D-sensitive induction of choline kinase by carbon tetrachloride intoxication in rat liver. *Biochem Biophys Res Commun.* 111: 683-689.
- Ishidate, MJR; Harnois, MC; Sofuni, T. (1988). A COMPARATIVE ANALYSIS OF DATA ON THE CLASTOGENICITY OF 951 CHEMICAL SUBSTANCES TESTED IN MAMMALIAN CELL CULTURES. *Mutat Res.* 195: 151-213.
- Ishigami, T; Fujita, T; Simbula, G; Columbano, A; Kikuchi, K; Ishigami, A; Shimosawa, T; Arakawa, Y; Maruyama, N. (2001). Regulatory effects of senescence marker protein 30 on the proliferation of hepatocytes. *Pathol Int.* 51: 491-497.
- Ishihara, K; Kanai, S; Tanaka, K; Kawashita, E; Akiba, S. (2016). Group IVA phospholipase A(2) deficiency prevents CCl₄-induced hepatic cell death through the enhancement of autophagy. *Biochem Biophys Res Commun.* 471: 15-20.
- Ishihara, K; Miyazaki, A; Nabe, T; Fushimi, H; Iriyama, N; Kanai, S; Sato, T; Uozumi, N; Shimizu, T; Akiba, S. (2012). Group IVA phospholipase A(2) participates in the progression of hepatic fibrosis. *FASEB J.* 26: 4111-4121.
- Ishii, H. (1963). EXPERIMENTAL AND CLINICAL STUDIES ON THE FINE STRUCTURE OF THE LIVER IN LIVER DAMAGES. ESPECIALLY MITOCHONDRIA AND ENDOPLASMIC RETICULUM. *Bulletin of the Osaka Medical School.* 9: 164-210.
- Ishii, H; Suga, T; Ninobe, S; Inatsu, Y. (1977). Effect of 3-amino-1,2,4-triazole on carbon tetrachloride-induced necrosis. *Chemical & pharmaceutical bulletin.* 25: 2035-2040.
- Ishii, H; Takahashi, H; Mamori, H; Murai, S; Kanno, T. (1969). Effects of xylitol on carbohydrate metabolism in rat liver treated with carbon tetrachloride or alloxan. *The Keio journal of medicine.* 18: 109-114.
- Ishii, K; Karube, H; Fujita, Y; Shibata, H; Okudaira, M; Tsuchiya, M. (1990). Is macronodular liver cirrhosis an irreversible lesion? Changes in the intrahepatic micro-vasculature treated with estradiol benzoate in rats. *Angiology.* 41: 512-517.
- Ishii, K; Matama, S; Shibata, H; Okabe, H; Okudaira, M; Nagata, H; Tsuchiya, M. (1984). Microcirculatory responses to estradiol benzoate in chronic liver damage induced by carbon tetrachloride in the rat. *Gastroenterologia Japonica.* 19: 419-423.
- Ishii, K; Shibuya, A; Okabe, H; Fujishiro, Y; Tsuchiya, M. (1984). MICROCIRCULATORY RESPONSES TO EXOGENOUS ESTROGEN IN CIRRHOTIC LIVER OF THE RAT. 9th Meeting Of The Japanese Society For Microcirculation, Part. 1: 126.
- Ishii, K; Shimizu, M; Karube, H; Shibuya, A; Shibata, H; Okudaira, M; Nagata, H; Tsuchiya, M. (1992). Inhibitory effect of noradrenaline on acute liver injury induced by carbon tetrachloride in the rat. *Journal of the autonomic nervous system.* 39: 13-18.
- Ishii, T; Uehara, K; Ozaki, Y; Mimuro, M. (1999). The effects of pH and ionic strength on the aggregation of bacteriochlorophyll c in aqueous organic media: The possibility of two kinds of aggregates. *Photochem Photobiol.* 70: 760-765.
- Ishikawa, K; Mochida, S; Mashiba, S; Inao, M; Matsui, A; Ikeda, H; Ohno, A; Shibuya, M; Fujiwara, K. (1999). Expressions of vascular endothelial growth factor in nonparenchymal as well as parenchymal cells in rat liver after necrosis. *Biochem Biophys Res Commun.* 254: 587-593.
- Ishikawa, T; Ichida, T; Matsuda, Y; Sugitani, S; Sugiyama, M; Kato, T; Miyazaki, H; Asakura, H. (2000). Expression of hepatic thrombopoietin mRNA in primary cultured hepatocytes and in rats with acute liver injury or bone marrow suppression with or without cirrhosis. *J Gastroenterol Hepatol.* 15: 647-653.

Environmental Hazard Literature Search Results

Off Topic

- Ishikawa, T; Mori, M; Ichikawa, Y; Kitoh, J; Yamashita, K. (2000). Three-dimensional observations of spatial arrangement of hepatic zonation and vein system in mice and house musk shrews. *The Anatomical record*. 260: 228-237.
- Ishikawa, T; Terai, S; Urata, Y; Marumoto, Y; Aoyama, K; Sakaida, I; Murata, T; Nishina, H; Shinoda, K; Uchimura, S; Hamamoto, Y; Okita, K. (2006). Fibroblast growth factor 2 facilitates the differentiation of transplanted bone marrow cells into hepatocytes. *Cell Tissue Res*. 323: 221-231.
- Ishil, T; Kimura, M; Yamamoto, T; Kirihata, M; Uehara, K. (2000). The effects of epimerization at the 3(1)-position of bacteriochlorophylls c on their aggregation in chlorosomes of green sulfur bacteria. Control of the ratio of 3(1) epimers by light intensity. *Photochem Photobiol*. 71: 567-573.
- Ishimori, A; Nemoto, K; Shimoyama, M; Yamagata, S. (1971). Inactivation of gastrin-like synthetic peptide by the liver and serum, and its clinical significance. *The Tohoku journal of experimental medicine*. 103: 61-70.
- Ishiyama, H; Sato, M; Matsumura, K; Sento, M; Ogino, K; Hobara, T. (1995). Proliferation of hepatocytes and attenuation from carbon tetrachloride hepatotoxicity by gadolinium chloride in rats. *Pharmacology & toxicology*. 77: 293-298.
- Ishizaka, S; Habuchi, S; Kim, HB; Kitamura, N. (1999). Excitation energy transfer from sulforhodamine 101 to Acid Blue 1 at a liquid/liquid interface: Experimental approach to estimate interfacial roughness. *Anal Chem*. 71: 3382-3389.
- Ishizaka, S; Kim, HB; Kitamura, N. (2001). Time-resolved total internal reflection fluorometry study on polarity at a liquid/liquid interface. *Anal Chem*. 73: 2421-2428.
- Ishizaka, S; Nishijima, Y; Kitamura, N. (2006). A thermodynamic study on the complexation between riboflavin and a diaminotriazine derivative mediated by triple hydrogen bonds at water/oil interfaces. *Anal Bioanal Chem*. 386: 749-758.
- Islam, MR; Parvin, MS; Islam, ME. (2012). Antioxidant and hepatoprotective activity of an ethanol extract of *Syzygium jambos* (L.) leaves. *Drug discoveries & therapeutics*. 6: 205-211.
- Ismail, AFM; Moawed, FSM; Mohamed, MA. (2015). Protective mechanism of grape seed oil on carbon tetrachloride-induced brain damage in gamma-irradiated rats. *Journal of Photochemistry and Photobiology B-Biology*. 153: 317-323.
- Ismail, AFM; Moawed, FSM; Mohamed, MA. (2015). Protective mechanism of grape seed oil on carbon tetrachloride-induced brain damage in I^{137} -irradiated rats. *Journal of Photochemistry & Photobiology, B: Biology*. 153: 317-323.
- Ismail, AFM; Salem, AAM; Eassawy, MMT. (2016). Hepatoprotective effect of grape seed oil against carbon tetrachloride induced oxidative stress in liver of gamma-irradiated rat. *Journal of Photochemistry and Photobiology B-Biology*. 160: 1-10.
- Ismail, AFM; Salem, AAM; Eassawy, MMT. (2016). Hepatoprotective effect of grape seed oil against carbon tetrachloride induced oxidative stress in liver of I^{137} -irradiated rat. *J Photochem Photobiol B*. 160: 1-10.
- Ismail, AFM; Salem, AAM; Eassawy, MMT. (2016). Modulation of gamma-irradiation and carbon tetrachloride induced oxidative stress in the brain of female rats by flaxseed oil. *Journal of Photochemistry and Photobiology B-Biology*. 161: 91-99.
- Ismail, NA; Shamsah-Din, NS; Mamat, SS; Zabidi, Z; Wan, ZWN; Kamisan, FH; Yahya, F; Mohtarrudin, N; Mohd-Desa, MN; Zakaria, ZA. (2014). Effect of aqueous extract of *Dicranopteris linearis* leaves against paracetamol and carbon tetrachloride-induced liver toxicity in rats. *Pak J Pharm Sci*. 27: 831-835.
- Ismail, RS; El-Megeid, AA; Abdel-Moemin, AR. (2009). Carbon tetrachloride-induced liver disease in rats: the potential effect of supplement oils with vitamins E and C on the nutritional status. *German medical science : GMS e-journal*. 7: Doc05.
- Isoda, K; Yoshimi, S; Nishimura, T; Tezuka, M; Ishida, I. (2013). Influence of nano-polystyrene particles in inducing cytotoxicity in mice co-injected with carbon tetrachloride, cisplatin, or paraquat. *Toxicol Lett*. 221, Supplement: S242.
- Isogai, M; Shimokawa, N; Yamaguchi, M. Hepatic calcium-binding protein regucalcin is released into the serum of rats administered orally carbon tetrachloride. *Mol Cell Biochem*. Feb 23, 1994. v. 131 (2): 173-179.
- Isogai, N; Ueda, Y; Kurozumi, N; Kamiishi, H. (1990). Wound healing at the site of microvascular anastomosis: fibrin-stabilizing factor XIII administration and its effects. *Microsurgery*. 11: 40-46.
- Isono, M; Soda, M; Inoue, A; Akiyoshi, H; Sato, K. (2003). Reverse transformation of hepatic myofibroblast-like cells by TGFbeta1/LAP. *Biochem Biophys Res Commun*. 311: 959-965.
- Isozaki, M; Masubuchi, Y; Horie, T. (2001). Retinol binding protein in plasma to evaluate the hepatotoxicity of rats treated with CCl4. *Res Commun Mol Pathol Pharmacol*. 110: 303-310.
- Issa, R; Zhou, X; Constandinou, CM; Fallowfield, J; Millward-Sadler, H; Gaca, MD; Sands, E; Suliman, I; Trim, N; Knorr, A; Arthur, MJ; Benyon, RC; Iredale, JP. (2004). Spontaneous recovery from micronodular cirrhosis: evidence for incomplete resolution associated with matrix cross-linking. *Gastroenterology*. 126: 1795-1808.
- Issa, R; Zhou, X; Trim, N; Millward-Sadler, H; Krane, S; Benyon, C; Iredale, J. (2003). Mutation in collagen-1 that confers resistance to the action of collagenase results in failure of recovery from CCl4-induced liver fibrosis, persistence of activated hepatic stellate cells, and diminished hepatocyte regeneration. *FASEB journal : official publication of the Federation of American Societies for Experimental Biology*. 17: 47-49.
- Isselbacher, KJ; Carter, EA. (1973). Ethanol metabolism: oxidative and peroxidative mechanisms. *Drug metabolism and disposition: the biological fate of chemicals*. 1: 449-454.
- Isselbacher, KJ; Jones, WA. (1964). ALTERATIONS OF GLUCOSE METABOLISM IN VIRAL AND TOXIC LIVER INJURY. *Gastroenterology*. 46: 424-433.
- Isselbacher, KJ; McCarthy, EA. (1960). Effect of carbon tetrachloride upon glucuronide formation by guinea pig liver. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY)*. 103: 819-822.
- Ito, M; Shimura, H; Watanabe, N; Tamai, M; Hanada, K; Takahashi, A; Tanaka, Y; Arai, K; Zhang, PL; Chang, R. (1992). Hepatoprotective compounds from *Canarium album* and *Euphorbia nematocarpa*. *Chemical & pharmaceutical bulletin*. 38: 2201-2203.

Environmental Hazard Literature Search Results

Off Topic

- Ito, N; Imaida, K; Hasegawa, R; Tsuda, H; Cohen, SM. (1989). RAPID BIOASSAY METHODS FOR CARCINOGENS AND MODIFIERS OF HEPATOCARCINOGENESIS. *Crit Rev Toxicol.* 19: 385-415.
- Ito, N; Sugano, H. (8055). PROGRESS IN EXPERIMENTAL TUMOR RESEARCH VOL. 33. MODIFICATION OF TUMOR DEVELOPMENT IN RODENTS. Ito, N And H Sugano. 0.
- Ito, N; Tatematsu, M; Imaida, K; Hasegawa, R; Murasaki, G. (1980). Effects of various promoters on the induction of hyperplastic nodules in rat liver. *Gan.* 71: 415-416.
- Ito, T. (1981). Microsomal injury in the liver of rats treated with carbon tetrachloride. *The Journal of toxicological sciences.* 6: 83-103.
- Ito, T; Itoshima, T; Kiyotoshi, S; Kawaguchi, K; Ogawa, H; Hattori, S; Kitadai, M; Maruyama, T; Nagashima, H. (1982). Peritoneoscopic study on rat liver cell necrosis induced by carbon tetrachloride and allyl formate. *Gastroenterologia Japonica.* 17: 31-35.
- Ito, T; Meyer, GJ. (2007). Heme-mediated reduction of organohalide pollutants at nanocrystalline TiO₂ thin-film interfaces. *Environ Eng Sci.* 24: 31-44.
- Ito, Y; Watanabe, T; Nagatomo, S; Seki, T; Nimi, S; Ariga, T. (2007). Annexin a3-expressing cellular phenotypes emerge from necrotic lesion in the pericentral area in 2-acetylaminofluorene/carbon tetrachloride-treated rat livers. *Bioscience Biotechnology and Biochemistry.* 71: 3082-3089.
- Itoh, H; Koyata, H; Takahara, T; Watanabe, A; Hiraga, K. (1992). Prostacyclin administration suppresses the increase in hepatic levels of COL1A(I) and glyceraldehyde-3-phosphate dehydrogenase mRNAs in the rat treated with carbon tetrachloride. *Biochem Biophys Res Commun.* 185: 981-986.
- Itoh, N; Kutsuna, S; Ibusuki, T. (1994). A product study of the OH radical initiated oxidation of perchloroethylene and trichloroethylene. *Chemosphere.* 28: 2029-2040.
- Itoh, S; Gohara, S; Inomata, R; Matsuyama, Y; Yamagishi, F. (1990). Calcium staining by the glyoxal-bis-(2-hydroxyanil) method in the livers of rats treated with carbon tetrachloride, diltiazem, and with both agents together. *Liver.* 10: 365-371.
- Itoh, S; Gohara, S; Matsuo, S; Yamaba, Y. (1988). EFFECTS OF CALCIUM ANTAGONIST DILTIAZEM ON LIVER CALCIUM CONTENT AND NECROSIS OF HEPATOCYTES IN RATS FOLLOWING TREATMENT WITH CARBON TETRACHLORIDE. *Res Commun Chem Pathol Pharmacol.* 60: 133-136.
- Itoh, S; Oda, T; Yamaba, Y. (1988). CHANGES IN LIVER T-4-5' DEIODINASE ACTIVITY IN RELATION TO SERUM TRIIODOTHYRONINE T-3 THYROXINE T-4 AND THE T-3-T-4 RATIO IN RATS TREATED WITH CARBON TETRACHLORIDE. *Med Sci Res.* 16: 451-452.
- Itoh, S; Yamaba, Y; Gohara, S; Oda, T; Marutani, K; Kameda, C. (1987). Changes in liver calcium content in relation to serum triiodothyronine (T3), thyroxine (T4) and T3/T4 ratio in rats treated with CCl₄. *Res Commun Mol Pathol Pharmacol.* 58: 417-420.
- Itoh, S; Yamaba, Y; Matsuo, S; Oda, T; Satoh, T. (1985). Early changes in the levels of serum triiodothyronine (T3), thyroxine (T4), T3/T4 ratio and microsomal carboxylesterase activity in rats following treatment with CCl₄. *Res Comm Chem Pathol Pharmacol.* 49: 447-450.
- Itoh, S; Yamaba, Y; Matsuo, S; Oda, T; Satoh, T. (1985). EARLY CHANGES IN THE LEVELS OF SERUM TRIIODOTHYRONINE THYROXINE TRIIODOTHYRONINE-THYROXINE RATIO AND MICROSOMAL CARBOXYLESTERASE ACTIVITY IN RATS FOLLOWING TREATMENT WITH CARBON TETRACHLORIDE. *Res Commun Chem Pathol Pharmacol.* 49: 447-450.
- Itoh, S; Yamagishi, F; Matsuyama, Y. (1989). Relationship between liver microsomal function and serum thyroid hormones in rats treated with carbon tetrachloride. *Res Comm Chem Pathol Pharmacol.* 65: 111-114.
- Itoh, T. (2012). Absorption spectra of α,ω -diphenylhexadecaene and shorter diphenylpolyenes. *Spectrochimica acta Part A, Molecular and biomolecular spectroscopy.* 88: 232-234.
- Itoh, T; Moto, M; Takahashi, M; Sakai, H; Mitsumori, K. (2006). Liver initiation activity of norfloxacin but not nalidixic acid, pipemidic acid, and ciprofloxacin on in vivo short-term liver initiation assay in rats. *Toxicology.* 222: 240-246.
- Itoh, Y; Kitajima, Y; Terano, A; Harada, T. (1989). EVALUATION OF PROTHROMBIN ACTIVITY PA IN PRIMARY CULTURED RAT HEPATOCYTES EFFECTS OF VITAMIN K VK WARFARIN AND CARBON TETRACHLORIDE. Meeting Of The American Association For The Study Of Liver Disease Held At The 90th Annual Meeting Of The American Gastroenterological Association, Washington, DC, Usa, May. 96.
- Itoh, Y; Terano, A. (1990). Effect of vitamin K on carbon tetrachloride-induced cellular damage in primary cultured rat hepatocytes. *Gastroenterologia Japonica.* 25: 463-470.
- Itoh, Y; Terano, A; Harada, T. (1990). Vitamin K protects cultured rat hepatocytes against carbon tetrachloride-induced damage. *Gastroenterologia Japonica.* 25: 131.
- Iturriaga, H; Pino, ME; Pereda, T. (1981). CCl₄ - Induced Liver Cirrhosis, in the Rat: Effects of Colchicine in its Induction and Recovery. *Rev Med Chil.* 109: 1045-1050.
- Iturriaga, H; Vaisman, S; Eugenia, PINOME; Pereda, T. (1971). Lysosomal injury and hepatic necrosis. Effects of triton WR-1339 on liver cells in the rat. *Exp Mol Pathol.* 14: 350-361.
- Ivanetich, KM; Eidne, KA; Ziman, MR; Kirsch, RE. (1993). LIVER INJURY AND REGENERATION. Arias, I M, M Frenkel And J H P Wilson. 0: 97-129.
- Ivanov, YI. (1979). The evidence of production or activation of a natriuretic factor in the liver. *Endocrinologia experimentalis.* 13: 195-200.
- Iwai, M; Morikawa, T; Muramatsu, A; Tanaka, S; Mori, T; Harada, Y; Okanou, T; Kashima, K; Ishii, M. (2000). Biological significance of AFP expression in liver injury induced by CCl₄. *Acta Histochem Cytochem.* 33: 17-22.
- Iwai, M; Shimazu, T. (1988). Effects of ventromedial and lateral hypothalamic stimulation on chemically-induced liver injury in rats. *Life Sci.* 42: 1833-1840.
- Iwaisako, K; Hatano, E; Taura, K; Nakajima, A; Tada, M; Seo, S; Tamaki, N; Sato, F; Ikai, I; Uemoto, S; Kinoshita, M. (2008). Loss of Sept4 exacerbates liver fibrosis through the dysregulation of hepatic stellate cells. *J Hepatol.* 49: 768-778.
- Iwamoto, K; Watanabe, J; Araki, K; Satoh, M; Deguchi, N. (1985). Reduced hepatic clearance of propranolol induced by chronic carbon tetrachloride treatment in rats. *J Pharmacol Exp Ther.* 234: 470-475.

Environmental Hazard Literature Search Results

Off Topic

- Iwata, K; Hamaguchi, H-o. (1997). Mechanism of the photochemical reaction between anthracene and carbon tetrachloride studied by time-resolved infrared spectroscopy. *Journal of Molecular Structure*. 413-414: 101-106.
- Iwata, K; Takahashi, H. (2001). Photoinduced Cl transfer reaction between biphenyl and carbon tetrachloride studied by nanosecond time-resolved infrared spectroscopy and picosecond time-resolved fluorescence spectroscopy. *Journal of Molecular Structure*. 598: 97-102.
- Iwu, MM. (1986). Biflavanones of *Garcinia*: pharmacological and biological activities. *Prog Clin Biol Res*. 213: 485-488.
- Iwu, MM; Igboko, OA; Onwuchekwa, UA; Okunji, CO. (1987). Evaluation of the antihepatotoxic activity of the biflavonoids of *Garcinia kola* seed. *J Ethnopharmacol*. 21: 127-138.
- Iyama, T; Takasuga, A; Azuma, M. beta-Carotene accumulation in mouse tissues and a protective role against lipid peroxidation. *Int J Vitam Nutr Res*. 1996. v. 66 (4): 301-305.
- Izutsu, KT; Smuckler, EA. (1978). Effects of carbon tetrachloride on rat liver plasmalemmal calcium adenosine triphosphatase. *Am J Pathol*. 90: 145-158.
- JÁrovÁ, D; SperlingovÁ, I. Immunotoxic effects of carbon tetrachloride--the effect on morphology and function of the immune system in mice. *JÁzn*; Alhonen, L; Adachi, T; Nagae, T; Ito, Y; Hirano, K; Sugiura, M. (2011). Superoxide dismutase levels following liver and kidney intoxication. *Transgenic Res*. 20: 387-396.
- Jackson, ER; Kilroy, C; Joslin, DL; Schomaker, SJ; Pruiimboom-Brees, I; Amacher, DE. (2008). The Early Effects of Short-Term Dexamethasone Administration on Hepatic and Serum Alanine Aminotransferase in the Rat. *Drug Chem Toxicol*. 31: 427-445.
- Jacob, S; Sudhakaran, PR. (2003). Changes in the activity of matrix metalloproteinases in regenerating rat liver after CCl₄-induced injury. *Indian journal of biochemistry & biophysics*. 40: 324-329.
- Jacobs, FM. (1952). Lower nephron nephrosis and the artificial kidney; a case report. *Virginia medical monthly*. 79: 260-263.
- Jacobziner, H; Aybin, HW. (1961). Tetrachloride poisoning. *N Y State J Med*. 61: 3506-3510.
- Jacobziner, H; Raybin, HW. (1963). Carbon tetrachloride, iron, and aspirin poisonings. *N Y State J Med*. 63: 1701-1704.
- Jacoff, FS; Scarberry, R; Rosa, D. (1986). Source assessment of hexachlorobenzene from the organic chemical manufacturing industry. *IARC Sci Publ*. 77: 31-37.
- Jadhav, VB; Thakare, VN; Suralkar, AA; Deshpande, AD; Naik, SR. (2010). Hepatoprotective activity of *Luffa acutangula* against CCl₄ and rifampicin induced liver toxicity in rats: a biochemical and histopathological evaluation. *Indian J Exp Biol*. 48: 822-829.
- Jadon, A; Bhadauria, M; Shukla, S. (2007). Protective effect of *Terminalia bellerica* Roxb. and gallic acid against carbon tetrachloride induced damage in albino rats. *J Ethnopharmacol*. 109: 214-218.
- Jadzyn, J; Czechowski, G; Ginovska, M. (2005). Pretransitional critical-like behavior of dielectric permittivity in mixtures of mesomorphic and nonmesomorphic compounds. *Physical Review E*. 7105: 2702-2702.
- Jaecker, JA; Robinson, WR; Walton, RA. (1974). The redox behavior of rhenium halides. Part VI. The crystal and molecular structure of the rhenium(IV) complex of 1,2-bis(diphenylphosphino)ethane, ReCl₄(dppe) · 0.75CCl₄. The product of the carbon tetrachloride oxidation of Re₂Cl₆(dppe)₂. *Inorganic and Nuclear Chemistry Letters*. 10: 93-98.
- Jaeger, RJ; Conolly, RB; Murphy, SD. (1975). Short-term inhalation toxicity of halogenated hydrocarbons: effects on fasting rats. *Arch Environ Health*. 30: 26-31.
- Jaesckhe, H; Williams, CD; McGill, MR; Xie, YC; Ramachandran, A. (2013). Models of drug-induced liver injury for evaluation of phytotherapeutics and other natural products. *Food Chem Toxicol*. 55: 279-289.
- Jafarpour, B; Imhoff, PT; Chiu, PC. (2005). Quantification and modelling of 2,4-dinitrotoluene reduction with high-purity and cast iron. *J Contam Hydrol*. 76: 87-107.
- Jaffrezo, JL; Davidson, CI. (1993). THE DYE 3 GAS AND AEROSOL SAMPLING PROGRAM DGASP AN OVERVIEW. *Atmos Environ*. 27: 2703-2707.
- Jahan, I; Rahman, MS; Rahman, MZ; Kaiser, MA; Islam, MS; Wahab, A; Rashid, MA. (2010). Chemical and biological investigations of *Delonix regia* (Bojer ex Hook.) Raf. *Acta pharmaceutica (Zagreb, Croatia)*. 60: 207-215.
- Jahanshahi, M; Gooderham, NJ. (1988). EFFECT OF INTERFERON INDUCERS ON CARBON TETRACHLORIDE TOXICITY IN CONGENIC STRAINS OF MICE. Symposium On Biomembranes, Receptors And Disease Processes Held At The 629th Meeting Of The Biochemical Society, London, England, Uk, December. 17: 733-734.
- Jahn, F; Reuter, A; Karge, E; Danz, M; Klinger, W. (1993). Age dependent different influence of carbon tetrachloride on biotransformation of xenobiotics, glutathione content, lipid peroxidation and histopathology of rat liver. *Experimental and toxicologic pathology : official journal of the Gesellschaft für Toxikologische Pathologie*. 45: 101-107.
- Jain, A; Soni, M; Deb, L; Jain, A; Rout, SP; Gupta, VB; Krishna, KL. (2008). Antioxidant and hepatoprotective activity of ethanolic and aqueous extracts of *Momordica dioica* Roxb. leaves. *J Ethnopharmacol*. 115: 61-66.
- Jain, M; Kapadia, R; Jadeja, RN; Thounaojam, MC; Devkar, RV; Mishra, SH. (1993). Protective role of standardized *Feronia limonia* stem bark methanolic extract against carbon tetrachloride induced hepatotoxicity. *Ann Hepatol*. 11: 935-943.
- Jain, M; Kapadia, R; Jadeja, RN; Thounaojam, MC; Devkar, RV; Mishra, SH. (2012). Amelioration of carbon tetrachloride induced hepatotoxicity in rats by standardized *Feronia limonia*. Linn leaf extracts. *EXCLI Journal*. 11: 250-259.
- Jain, M; Kapadia, R; Jadeja, RN; Thounaojam, MC; Devkar, RV; Mishra, SH. (2012). Hepatoprotective potential of *Tecomella undulata* stem bark is partially due to the presence of betulinic acid. *J Ethnopharmacol*. 143: 194-200.
- Jain, NK; Lodhi, S; Jain, A; Nahata, A; Singhai, AK. (2011). Effects of *Phyllanthus acidus* (L.) Skeels fruit on carbon tetrachloride-induced acute oxidative damage in livers of rats and mice. *Zhong xi yi jie he xue bao = Journal of Chinese integrative medicine*. 9: 49-56.
- Jain, NK; Singhai, AK. (2012). Ameliorative effects of *Spinacia oleracea* L. seeds on carbon tetrachloride (CCl₄) induced hepatotoxicity: in vitro and in vivo studies. *Asian Pacific Journal of Tropical Biomedicine*. 2: S232-S237.

Environmental Hazard Literature Search Results

Off Topic

- Jain, PK; Khurana, N; Pounikar, Y; Gajbhiye, A; Kharya, MD. (2013). Enhancement of absorption and hepatoprotective potential through soya-phosphatidylcholine-andrographolide vesicular system. *J Liposome Res.* 23: 110-118.
- Jain, S; Dixit, VK; Malviya, N; Ambawatia, V. (2009). Antioxidant and hepatoprotective activity of ethanolic and aqueous extracts of *Amorphophallus campanulatus* Roxb. tubers. *Acta Pol Pharm.* 66: 423-428.
- Jain, S; Singh, M; Barik, R; Malviya, N. (2013). EFFECTS OF PREMNA INTEGRIFOLIA LINN. ROOTS EXTRACTS IN CCL4 INDUCED TOXICITY IN RATS. *International Journal of Pharmaceutical Sciences and Drug Research.* 4: 4697.
- Jakobson, I; Wahlberg, JE; Holmberg, B; Johansson, G. (1982). Uptake via the Blood and Elimination of 10 Organic Solvents Following Epicutaneous Exposure of Anesthetized Guinea Pigs. *Toxicol Appl Pharmacol.* 63: 181-187.
- Jameel, NM; Thirunavukkarasu, C; Wu, T; Watkins, SC; Friedman, SL; Gandhi, CR. (2009). p38-MAPK- and Caspase-3-Mediated Superoxide-Induced Apoptosis of Rat Hepatic Stellate Cells: Reversal by Retinoic Acid. *J Cell Physiol.* 218: 157-166.
- James, CA; Strand, SE. (2009). Phytoremediation of small organic contaminants using transgenic plants. *Curr Opin Biotechnol.* 20: 237-241.
- James, CA; Xin, G; Doty, SL; Muiznieks, I; Newman, L; Strand, SE. (2009). A mass balance study of the phytoremediation of perchloroethylene-contaminated groundwater. *Environ Pollut.* 157: 2564-2569.
- James, GW; Pickering, RW. (1976). The protective effect of a novel compound RU 18492, on galactosamine-induced hepatotoxicity in the rat. *Arzneimittel-Forschung.* 26: 2197-2199.
- James, JL; Friend, DS; MacDonald, JR; Smuckler, EA. (1986). Alterations in hepatocyte plasma membrane in carbon tetrachloride poisoning. Freeze-fracture analysis of gap junction and electron spin resonance analysis of lipid fluidity. *Laboratory investigation; a journal of technical methods and pathology.* 54: 268-274.
- James, JL; Friend, DS; Macdonald, JR; Smuckler, EA. (1986). Alterations in hepatocyte plasma membrane in carbon tetrachloride poisoning: Freeze-fracture analysis of gap junction and ESR analysis of lipid fluidity. *Lab Invest.* 54: 268-274.
- James, JL; Moody, DE; Chan, CH; Smuckler, EA. (1982). The phospholipids of the hepatic endoplasmic reticulum. Structural change in liver injury. *Biochem J.* 206: 203-210.
- James, R; Desmond, P; KÃ pfer, ASSS; Branch, RA. (1981). The differential localization of various drug metabolizing systems within the rat liver lobule as determined by the hepatotoxins allyl alcohol, carbon tetrachloride and bromobenzene. *The Journal of pharmacology and experimental therapeutics.* 217: 127-132.
- Jamil, MS; Mahmood, Z; Saeed, A; Jamil, A; Usmanghani, K; Asif, HM; Sajjad-al-Hassan; Roohi, M. (2013). Efficacy of herbal coded Hepcon on drug induced hepatitis in experimental animals through histopathological and biochemical analysis. *Pak J Pharm Sci.* 26: 991-997.
- Jamshidzadeh, A; Fereidooni, F; Salehi, Z; Niknahad, H. (2005). Hepatoprotective activity of *Gundelia tourenfortii*. *J Ethnopharmacol.* 101: 233-237.
- Jamshidzadeh, A; Heidari, R; Razmjou, M; Karimi, F; Moein, MR; Farshad, O; Akbarizadeh, AR; Shayesteh, MR. (2015). An in vivo and in vitro investigation on hepatoprotective effects of *Pimpinella anisum* seed essential oil and extracts against carbon tetrachloride-induced toxicity. *Iranian Journal of Basic Medical Sciences.* 18: 205-211.
- Jan, S; Khan, MR. (2016). Protective effects of *Monotheca buxifolia* fruit on renal toxicity induced by CCl₄ in rats. *BMC Complement Altern Med.* 16: 289.
- Jana, PK; Saha, DK; Sarkar, D. (2013). Contribution of some ozone depleting substances (ODS) and greenhouse gases (GHGs) on total column ozone growth at Srinagar (34°N, 74.8°E), India. *Journal of earth system science.* 122: 239-252.
- Janakat, S; Al-Merie, H. (2002). Evaluation of hepatoprotective effect of *Pistacia lentiscus*, *Phillyrea latifolia* and *Nicotiana glauca*. *J Ethnopharmacol.* 83: 135-138.
- Janakat, S; Al-Merie, H. (2002). Optimization of the dose and route of injection, and characterisation of the time course of carbon tetrachloride-induced hepatotoxicity in the rat. *Journal of Pharmacological and Toxicological Methods.* 48: 41-44.
- Janbaz, KH; Gilani, AH. (2000). Studies on preventive and curative effects of berberine on chemical-induced hepatotoxicity in rodents. *Fitoterapia.* 71: 25-33.
- Janbaz, KH; Gilant, AH. (1999). Potentiation of paracetamol and carbon tetrachloride-induced hepatotoxicity in rodents by the food additive vanillin. *Food Chem Toxicol.* 37: 603-607.
- Janbaz, KH; Saeed, SA; Gilani, AH. (1998). An assessment of the potential of protopine to inhibit microsomal drug metabolising enzymes and prevent chemical-induced hepatotoxicity in rodents. *Pharmacol Res.* 38: 215-219.
- JancsÃ c, G; Motomura, M; Ozaki, I; Fujio, N; Setoguchi, Y; Yamamoto, K; Kariya, T; Sakai, T. (2012). Increased laminin B1 mRNA levels in carbon tetrachloride-induced liver fibrosis in rats. *Neuroscience.* 201: 320-330.
- JancsÃ c, G; SÃ ntD, DDoPUoSDme; r, e; r, HSjpsu-sh; Szigeti, C; Dux, DoPUoSDmt; r, e; r, HSHjpsu-sNLM. (2004). Selective C-fiber deafferentation of the spinal dorsal horn prevents lesion-induced transganglionic transport of cholera toxin to the substantia gelatinosa in the rat. *Neurosci Lett.*
- Jang, JH; Kang, KJ; Kim, YH; Kang, YN; Lee, IS. (2008). Reevaluation of Experimental Model of Hepatic Fibrosis Induced by Hepatotoxic Drugs: An Easy, Applicable, and Reproducible Model. *Transplant Proc.* 40: 2700-2703.
- Janoff, A; Zweifach, BW. (1963). EFFECT OF ENDOTOXIN-TOLERANCE, CORTISONE, AND THOROTRAST ON RELEASE OF ENZYMES FOR SUBCELLULAR PARTICLES OF MOUSE LIVER. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY).* 114: 695-698.
- Jaouen, M; Mansuy, D; JollÃ s, P; Shyamal, S; Latha, PG; Shine, VJ; Suja, SR; Rajasekharan, S; Ganga, DT. (1989). Hepatoprotective effects of *Pittosporum neelgherrense* Wight&Arn., a popular Indian ethnomedicine. *Experientia.* 45: 882-886.
- Jaramillo-JuÃ re, UUANsAMŠRRg; guez-VÃ zq. (2015). Acute renal failure induced by carbon tetrachloride in rats with hepatic cirrhosis. *Biochem Biophys Res Commun.*

Environmental Hazard Literature Search Results

Off Topic

- Jarmohamed, W; Mulder, P. (1994). Oxychlorination and combustion of propene on fly-ash. Formation of chlorinated benzenes, dibenzodioxines and mono- and dibenzofurans. *Chemosphere*. 29: 1911-1917.
- Jarrett, MR; Finklea, HO. (1999). Detection of nonpolar vapors on quartz crystal microbalances with Ni(SCN)(2)(4-picoline)(4) coatings. *Anal Chem*. 71: 353-357.
- Jasemine, S; Srivastava, RS; Singh, SK. (2007). Hepatoprotective effect of crude extract and isolated lignans of *Justicia simplex* against CCl₄-induced hepatotoxicity. *Pharmaceutical Biology*. 45: 274-277.
- Jasinski, B. (1960). An investigation of myocardial metabolism by means of isotopes. 60Co-vitamin B₁₂-retention capacity of normal and injured myocardium, and its significance. The effect of a heart muscle extract. *Clinica chimica acta; international journal of clinical chemistry*. 5: 333-338.
- JastrzÄ™bska, I; Morzycki, JW; Trochimowicz, U. (2004). Lead tetraacetate-iodine oxidation of 23-spirostanols. *Tetrahedron Letters*. 45: 1929-1932.
- Jastrzebska, I; Morzycki, JW; Trochimowicz, U. (2004). Lead tetraacetate-iodine oxidation of 23-spirostanols. *Tetrahedron Letters*. 45: 1929-1932.
- Jaswal, A; Shukla, S. (2015). Therapeutic efficacy of *Nigella sativa* Linn. seed extract against CCl₄ induced hepatic injury in Wistar rats. *Indian J Exp Biol*. 53: 44-50.
- Javier, PA; Courel, M; Sobrado, J; Gonzalez, L. (1987). Acute renal failure after topical application of carbon tetrachloride. *Lancet (London, England)*. 1: 515-516.
- Jayakumar, T; Ramesh, E; Geraldine, P. (2006). Antioxidant activity of the oyster mushroom, *Pleurotus ostreatus*, on CCl₄-induced liver injury in rats. *Food Chem Toxicol*. 44: 1989-1996.
- Jayakumar, T; Sakthivel, M; Thomas, PA; Geraldine, P. (2008). *Pleurotus ostreatus*, an oyster mushroom, decreases the oxidative stress induced by carbon tetrachloride in rat kidneys, heart and brain. *Chem Biol Interact*. 176: 108-120.
- Jayanty, RKM; Cooper, SW; Decker, CE; Von, LEHMDENDJ. (1985). EVALUATION OF PARTS-PER-BILLION ORGANIC CYLINDER GASES FOR USE AS AUDITS DURING HAZARDOUS WASTE TRIAL BURN TESTS. *J Air Pollut Control Assoc*. 36: 1195-1200.
- Jayanty, RKM; Sokash, JA; Gutknecht, WF; Decker, CE; Von, LEHMDENDJ. (1985). QUALITY ASSURANCE FOR PRINCIPAL ORGANIC HAZARDOUS CONSTITUENTS MEASUREMENTS DURING HAZARDOUS WASTE TRIAL BURN TESTS. *J Air Pollut Control Assoc*. 35: 143-147.
- Jayanty, RKM; Sokol, CK; Von, LEHMDENDJ. (1988). PERFORMANCE AUDIT RESULTS FOR VOLATILE POHC MEASUREMENTS DURING RCRA TRIAL BURN TESTS. *JAPCA*. 38: 823-827.
- Jayanty, RKM; Tompkins, SB; Von, LEHMDENDJ. (1990). Summary of POHC audit results using VOST and bag methods during RCRA trial burns. *J Air Waste Manage Assoc*. 40: 1505-1509.
- Jayathilaka, KAPW; Thabrew, MI; Pathirana, C; De, SILVADGH; Perera, DJB. (1989). AN EVALUATION OF THE POTENCY OF OSBECKIA-OCTANDRA AND MELOTHRIA-MADERASPATANA AS ANTIHEPATOTOXIC AGENTS. *Planta Med*. 55: 137-139.
- Jayatilaka, K; Thabrew, MI. (2000). Protection by *Osbeckia aspera* against carbon tetrachloride-mediated alterations in microsomal drug metabolizing enzyme activity. *J Pharm Pharmacol*. 52: 461-465.
- Jayatilaka, KAPW; Thabrew, MI; Perera, DJB. Effect of *Melothria maderaspatana* on carbon tetrachloride-induced changes in rat hepatic microsomal drug-metabolizing enzyme activity. *Journal of ethno-pharmacology*. Aug 1990. v. 30 (1): 97-100.
- Jazdzewska, M; Hung, FR; Gubbins, KE; Sliwinska-Bartkowiak, M. (2005). An experimental study of melting of CCl₄ in carbon nanotubes. *Physical chemistry chemical physics : PCCP*. 7: 3884-3887.
- Je, JY; Cha, JY; Cho, YS; Ahn, HY; Lee, JH; Cho, YS; Ahn, CB. (2013). Hepatoprotective effect of peptic hydrolysate from salmon pectoral fin protein byproducts on ethanol-induced oxidative stress in Sprague-Dawley rats. *Food Research International*. 51: 648-653.
- Jeen, SW; Lazar, S; Gui, L; Gillham, RW. (2014). Degradation of chlorofluorocarbons using granular iron and bimetallic irons. *J Contam Hydrol*. 158: 55-64.
- Jeffers, PM; Ward, LM; Woytowitch, LM; Wolfe, NL. (1989). HOMOGENEOUS HYDROLYSIS RATE CONSTANTS FOR SELECTED CHLORINATED METHANES ETHANES ETHENES AND PROPANES. *Environ Sci Technol*. 23: 965-969.
- Jeffery, EH; Haschek, WM. (1988). Protection by dimethylsulfoxide against acetaminophen-induced hepatic, but not respiratory toxicity in the mouse. *Toxicol Appl Pharmacol*. 93: 452-461.
- Jennings, LK; Chartrand, MMG; Lacrampe-Couloume, G; Lollar, BS; Spain, JC; Gossett, JM. (2009). Proteomic and Transcriptomic Analyses Reveal Genes Upregulated by cis-Dichloroethene in *Polaromonas* sp Strain JS666. *Appl Environ Microbiol*. 75: 3733-3744.
- Jennings, RB. (1955). Fatal fulminant acute carbon tetrachloride poisoning. *AMA archives of pathology*. 59: 269-284.
- Jennings, RB; Kearns, WM, Jr. (1954). Necrotizing nephrosis in the rat following administration of carbon tetrachloride. *The Australian journal of experimental biology and medical science*. 56: 348-359.
- Jeon, J; Park, J. (2005). Effects of *Chrysanthemum boreale* M. water extract on serum liver enzyme activities and Kupffer cells of carbon tetrachloride-induced rats. *Food Science and Biotechnology*. 14: 290-296.
- Jeon, TI; Hwang, SG; Lim, BO; Park, DK. (2003). Extracts of *Phellinus linteus* grown on germinated brown rice suppress liver damage induced by carbon tetrachloride in rats. *Biotechnol Lett*. 25: 2093-2096.
- Jeong, BS; Lee, MK; Kim, YC; Lee, ES. (2007). Modification of C₂ functional group on asiatic acid and the evaluation of hepatoprotective effects. *Arch Pharm Res*. 30: 282-289.
- Jeong, DH; Hwang, M; Park, JK; Goo, MJ; Hong, IH; Ki, MR; Ishigami, A; Kim, AY; Lee, EM; Lee, EJ; Jeong, KS. (2013). Smad3 deficiency ameliorates hepatic fibrogenesis through the expression of senescence marker protein-30, an antioxidant-related protein. *International Journal of Molecular Sciences*. 14: 23700-23710.

Environmental Hazard Literature Search Results

Off Topic

- Jeong, DH; Jang, JJ; Lee, SJ; Lee, JH; Lim, IK; Lee, MJ; Lee, YS. (2001). Expression patterns of cell cycle-related proteins in a rat cirrhotic model induced by CCl₄ or thioacetamide. *J Gastroenterol.* 36: 24-32.
- Jeong, DH; Lee, GP; Jeong, WI; Do, SH; Yang, HJ; Yuan, DW; Park, HY; Kim, KJ; Jeong, KS. (2005). Alterations of mast cells and TGF-beta1 on the silymarin treatment for CCl₄-induced hepatic fibrosis. *World J Gastroenterol.* 11: 1141-1148.
- Jeong, DH; Lee, SJ; Lee, JH; Bae, IH; Jeong, KS; Jang, JJ; Lim, IK; Kim, MR; Lee, MJ; Lee, YS. (2001). Subcellular redistribution of protein kinase C isozymes is associated with rat liver cirrhotic changes induced by carbon tetrachloride or thioacetamide. *J Gastroenterol Hepatol.* 16: 34-40.
- Jeong, EJ; Kim, NH; Heo, JD; Lee, KY; Rho, JR; Kim, YC; Sung, SH. (2015). Antifibrotic Compounds from *Liriodendron tulipifera* Attenuating HSC-T6 Proliferation and TNF-alpha Production in RAW264.7 Cells. *Biological & Pharmaceutical Bulletin.* 38: 228-234.
- Jeong, HG. (1999). Inhibition of cytochrome P450 2E1 expression by oleanolic acid: hepatoprotective effects against carbon tetrachloride-induced hepatic injury. *Toxicol Lett.* 105: 215-222.
- Jeong, HG; Park, HY. (1998). The prevention of carbon tetrachloride induced hepatotoxicity in mice by alpha-Hederin: Inhibition of cytochrome P450 2E1 expression. *Biochemistry and Molecular Biology International.* 45: 163-170.
- Jeong, HG; You, HJ; Park, SJ; Moon, AR; Chung, YC; Kang, SK; Chun, HK. (2002). Hepatoprotective effects of 18 beta-glycyrrhetic acid on carbon tetrachloride-induced liver injury: Inhibition of cytochrome P450 2E1 expression. *Pharmacol Res.* 46: 221-227.
- Jeong, HG; You, HJ; Park, SJ; Moon, AR; Chung, YC; Kang, SK; Chun, HK. (2002). HEPATOPROTECTIVE EFFECTS OF 18β-GLYCYRRHETINIC ACID ON CARBON TETRACHLORIDE-INDUCED LIVER INJURY: INHIBITION OF CYTOCHROME P450 2E1 EXPRESSION. *Pharmacol Res.* 46: 221-227.
- Jeong, HY; Anantharaman, K; Han, YS; Hayes, KF. (2011). Abiotic Reductive Dechlorination of cis-Dichloroethylene by Fe Species Formed during Iron- or Sulfate-Reduction. *Environmental Science & Technology.* 45: 5186-5194.
- Jeong, HY; Anantharaman, K; Hyun, SP; Son, M; Hayes, KF. (2013). pH impact on reductive dechlorination of cis-dichloroethylene by Fe precipitates: An X-ray absorption spectroscopy study. *Water Res.* 47: 6639-6649.
- Jeong, HY; Hayes, KF. (2003). Impact of transition metals on reductive dechlorination rate of hexachloroethane by mackinawite. *Environmental Science & Technology.* 37: 4650-4655.
- Jeong, HY; Hayes, KF. (2007). Reductive dechlorination of tetrachloroethylene and trichloroethylene by mackinawite (FeS) in the presence of metals: Reaction rates. *Environmental Science & Technology.* 41: 6390-6396.
- Jeong, HY; Kim, H; Hayes, KF. (2007). Reductive dechlorination pathways of tetrachloroethylene and trichloroethylene and subsequent transformation of their dechlorination products by mackinawite (FeS) in the presence of metals. *Environmental Science & Technology.* 41: 7736-7743.
- Jeong, J-Y; Lee, H-J; Kang, S-W; Tan, L-S; Baek, J-B. (2008). Nylon 610/functionalized multiwalled carbon nanotube composite prepared from in-situ interfacial polymerization. *Journal of polymer science.* 46: 6041-6050.
- Jeong, TC; Kim, HJ; Park, JI; Ha, CS; Park, JD; Kim, SI; Roh, JK. Protective effects of red ginseng saponins against carbon tetrachloride-induced hepatotoxicity in Sprague Dawley rats. *Planta Med.* Apr 1997. v. 63 (2): 136-140.
- Jeong, WI; Do, SH; Jeong, DH; Hong, IH; Park, JK; Ran, KM; Yang, HJ; Yuan, DW; Kim, SB; Cha, MS; Jeong, KS. (2006). Kinetics of MMP-1 and MMP-3 produced by mast cells and macrophages in liver fibrogenesis of rat. *Anticancer Res.* 26: 3517-3526.
- Jeong, WI; Do, SH; Yun, HS; Song, BJ; Kim, SJ; Kwak, WJ; Yoo, SE; Park, HY; Jeong, KS. (2004). Hypoxia potentiates transforming growth factor-beta expression of hepatocyte during the cirrhotic condition in rat liver. *Liver Int.* 24: 658-668.
- Jeong, WI; Lee, CS; Park, SJ; Chung, JY; Jeong, KS. (2002). Kinetics of macrophages, myofibroblasts and mast cells in carbon tetrachloride-induced rat liver cirrhosis. *Anticancer Res.* 22: 869-877.
- Jeong, WI; Park, O; Suh, YG; Byun, JS; Park, SY; Choi, E; Kim, JK; Ko, H; Wang, H; Miller, AM; Gao, B. (2011). Suppression of Innate Immunity (Natural Killer Cell/Interferon-gamma) in the Advanced Stages of Liver Fibrosis in Mice. *Hepatology.* 53: 1342-1351.
- Jernigan, JD; Harbison, RD. (1982). Role of biotransformation in the potentiation of halocarbon hepatotoxicity by 2,5-hexanedione. *J Toxicol Environ Health.* 9: 761-781.
- Jernigan, JD; Pounds, JG; Harbison, RD. (1983). Potentiation of chlorinated hydrocarbon toxicity by 2,5-hexanedione in primary cultures of adult rat hepatocytes. *Fundamental and applied toxicology : official journal of the Society of Toxicology.* 3: 22-26.
- Jessen, BA; Mullins, JS; de Peyster, A; Stevens, GJ. (2003). Assessment of Hepatocytes and liver slices as in vitro test systems to predict in vivo gene expression. *Toxicol Sci.* 75: 208-222.
- Jetten, J; De, KRUIJFN; Van, DENBERGF. (1994). Polyethylene terephthalate bottles (PRBs): A health and safety assessment. *AU - FERON VJ. Food Addit Contam.* 11: 571-594.
- Jho, E; Singhal, N; Turner, S. (2012). Tetrachloroethylene and hexachloroethane degradation in Fe(III) and Fe(III)-citrate catalyzed Fenton systems. *J Chem Tech Biotechnol.* 87: 1179-1186.
- Jho, EH; Jung, JW; Nam, K. (2013). Different fate of Pb and Cu at varied peroxide concentrations during the modified Fenton reaction in soil and its effect on the degradation of 2,4-dinitrotoluene. *J Chem Tech Biotechnol.* 88: 1481-1487.
- Jho, EH; Singhal, N; Turner, S. (2008). Degradation of hexachloroethane by Fenton's reagents. *Water Science and Technology.* 58: 2211-2214.
- Ji, C; Kaplowitz, N; Lau, MY; Kao, E; Petrovic, LM; Lee, AS. (2011). Liver-specific loss of glucose-regulated protein 78 perturbs the unfolded protein response and exacerbates a spectrum of liver diseases in mice. *Hepatology (Baltimore, Md).* 54: 229-239.
- Ji, L; Xue, R; Tang, W; Wu, W; Hu, T; Liu, X; Peng, X; Gu, J; Chen, S; Zhang, S. (2014). Toll like receptor 2 knock-out attenuates carbon tetrachloride (CCl₄)-induced liver fibrosis by downregulating MAPK and NF-κB signaling pathways. *FEBS Lett.* 588: 2095-2100.
- Ji, L; Xue, R; Tang, W; Wu, W; Hu, T; Liu, X; Peng, X; Gu, J; Chen, S; Zhang, S. (2014). Toll like receptor 2 knock-out attenuates carbon tetrachloride (CCl₄)-induced liver fibrosis by downregulating MAPK and NF-κB signaling pathways. *FEBS Lett.* 588: 2095-2100.

Environmental Hazard Literature Search Results

Off Topic

- Ji, LL; Xue, RY; Tang, WQ; Wu, WB; Hu, TT; Liu, XJ; Peng, XM; Gu, JX; Chen, S; Zhang, S. (2014). Toll like receptor 2 knock-out attenuates carbon tetrachloride (CCl₄)-induced liver fibrosis by downregulating MAPK and NF-kappa B signaling pathways. *FEBS Lett.* 588: 2095-2100.
- Jia, C. (2007). Volatile organic compounds in industrial, urban, and suburban areas: Sources and exposures. PhD, University of Michigan.
- Jia, HJ; Takahashi, S; Saito, K; Kato, H. (2013). DNA microarray analysis identified molecular pathways mediating the effects of supplementation of branched-chain amino acids on CCl₄-induced cirrhosis in rats. *Molecular Nutrition & Food Research.* 57: 291-306.
- Jia, R; Cao, L; Du, J; Xu, P; Jeney, G; Yin, G. (2013). The protective effect of silymarin on the carbon tetrachloride (CCl₄)-induced liver injury in common carp (*Cyprinus carpio*). *In vitro cellular & developmental biology.* 49: 155-161.
- Jia, R; Cao, LP; Xu, P; Jeney, G; Yin, GJ. (2012). In vitro and in vivo hepatoprotective and antioxidant effects of Astragalus polysaccharides against carbon tetrachloride-induced hepatocyte damage in common carp (*Cyprinus carpio*). *Fish Physiol Biochem.* 38: 871-881.
- Jia, R; Du, JL; Cao, LP; Liu, YJ; Xu, P; Yin, GJ. (2015). Hepatoprotective and antioxidant effects of phyllanthin against carbon tetrachloride-induced liver injury in *Cyprinus carpio*. *Aquaculture International.* 23: 883-893.
- Jia, R; Du, JL; Cao, LP; Liu, YJ; Xu, P; Yin, GJ. (2016). Protective action of the phyllanthin against carbon tetrachloride-induced hepatocyte damage in *Cyprinus carpio*. *In Vitro Cellular & Developmental Biology-Animal.* 52: 1-9.
- Jia, SS; Liu, X; Li, WY; Xie, JS; Yang, L; Li, LY. (2015). Peroxisome Proliferator-Activated Receptor Gamma Negatively Regulates the Differentiation of Bone Marrow-Derived Mesenchymal Stem Cells Toward Myofibroblasts in Liver Fibrogenesis. *Cell Physiol Biochem.* 37: 2085-2100.
- Jia, XY; Zhang, QA; Zhang, ZQ; Wang, Y; Yuan, JF; Wang, HY; Zhao, D. (2011). Hepatoprotective effects of almond oil against carbon tetrachloride induced liver injury in rats. *Food Chem.* 125: 673-678.
- Jian, YC; Li, W; He, Y; Jiang, M; Liu, YB; Xiong, WJ. (2012). Effect of oxymatrine on hepatic gene expression profile in experimental liver fibrosis of rats. *Chin J Integr Med.* 18: 445-450.
- Jian, YC; Wang, JJ; Dong, S; Hu, JW; Hu, LJ; Yang, GM; Zheng, YX; Xiong, WJ. (2014). Wnt-induced secreted protein 1/CCN4 in liver fibrosis both in vitro and in vivo. *Clin Lab.* 60: 29-35.
- Jiang, B; Sawa, M; Yamamoto, T; Kasai, S. (1997). Enhancement of proliferation of intrasplenically transplanted hepatocytes in cirrhotic rats by hepatic stimulatory substance. *Transplantation.* 63: 131-135.
- Jiang, CX; Xiong, QP; Gan, D; Jiao, YP; Liu, J; Ma, LP; Zeng, XX. (2013). Antioxidant activity and potential hepatoprotective effect of polysaccharides from *Cyclina sinensis*. *Carbohydr Polymer.* 91: 262-268.
- Jiang, F; Parsons, CJ; Stefanovic, B. (1989). Gene expression profile of quiescent and activated rat hepatic stellate cells implicates Wnt signaling pathway in activation. *Chem Biol Interact.* 45: 401-409.
- Jiang, J; Huang, B; Bin, G; Chen, S; Feng, F; Zou, L. (2016). An experimental study on the assessment of rabbit hepatic fibrosis by using magnetic resonance T1 ρ imaging. *Magn Reson Imaging.* 34: 308-311.
- Jiang, J; Zhou, C; Xu, Q. (2003). Alleviating effects of si-ni-san, a traditional Chinese prescription, on experimental liver injury and its mechanisms. *Biological & pharmaceutical bulletin.* 26: 1089-1094.
- Jiang, LM; Huang, J; Wang, YL; Tang, HR. (2012). Metabonomic Analysis Reveals the CCl₄-Induced Systems Alterations for Multiple Rat Organs. *J Proteome Res.* 11: 3848-3859.
- Jiang, QG; Lv, YX; Dai, WD; Miao, XY; Zhong, DW. (2013). Extraction and bioactivity of polygonatum polysaccharides. *Int J Biol Macromol.* 54: 131-135.
- Jiang, W; Gao, M; Sun, SA; Bi, AJ; Xin, YQ; Han, XD; Wang, LB; Yin, ZM; Luo, L. (2012). Protective effect of L-theanine on carbon tetrachloride-induced acute liver injury in mice. *Biochem Biophys Res Commun.* 422: 344-350.
- Jiang, X; Guo, H; Shen, T; Tang, X; Yang, Y; Ling, W. (2015). Cyanidin-3-O- β -glucoside Purified from Black Rice Protects Mice against Hepatic Fibrosis Induced by Carbon Tetrachloride via Inhibiting Hepatic Stellate Cell Activation. *J Agric Food Chem.* 63: 6221-6230.
- Jiang, XM; Li, S; Xiang, GQ; Li, QH; Fan, L; He, LJ; Gu, KR. (2016). Determination of the acid values of edible oils via FTIR spectroscopy based on the O-H stretching band. *Food Chem.* 212: 585-589.
- Jiang, XW; Guo, HH; Shen, TR; Tang, XL; Yang, Y; Ling, WH. (2015). Cyanidin-3-O- β -glucoside Purified from Black Rice Protects Mice against Hepatic Fibrosis Induced by Carbon Tetrachloride via Inhibiting Hepatic Stellate Cell Activation. *J Agric Food Chem.* 63: 6221-6230.
- Jiang, YC; Liu, J; Waalkes, M; Kang, YJ. (2004). Changes in the gene expression associated with carbon tetrachloride-induced liver fibrosis persist after cessation of dosing in mice. *Toxicol Sci.* 79: 404-410.
- Jiang, Z; You, DY; Chen, XC; Wu, J. (1992). Monitoring of serum markers for fibrosis during CCl₄-induced liver damage. Effects of anti-fibrotic agents. *J Hepatol.* 16: 282-289.
- Jiao, JJ; Sastre, D; Fiel, MI; Lee, UE; Ghiassi-Nejad, Z; Ginhoux, F; Vivier, E; Friedman, SL; Merad, M; Aloman, C. (2012). Dendritic cell regulation of carbon tetrachloride-induced murine liver fibrosis regression. *Hepatology.* 55: 243-255.
- Jiko, M; Yano, I; Okuda, M; Inui, K. (2005). Altered pharmacokinetics of paclitaxel in experimental hepatic or renal failure. *Pharm Res.* 22: 228-234.
- Jiménez, DDoB; Molecular, GHcNudIdlBiom dPpIS; Teichert, RW; Smith, NJ; Raghuraman, S; Yoshikami, D; Light, AR; Olivera, BM. (2007). Functional profiling of neurons through cellular neuropharmacology. *J Hepatol.* 46: 440-446.
- Jiménez, aCaNdI Biom dISddBS; Arroyo, V; Rivera, F; Rodáñez, HCNdIdlBiom dAPISUdBBS; Gopinath, C; Prentice, DE; Street, AE; Crook, D. (2003). Serum bile acid concentration in some experimental liver lesions of rat. *Adv Exp Med* 2003. 525: 133-136.
- Jiménez-Anguiano, A; iacuedina, V; Farfán n-Lbe, ABEAoNDDoBoRUAnMM-ICPMCM; Giono-Chiang, G; KerseD; Garcája-Lorenzana, M. (1987). Modification of sleep architecture in an animal model of experimental cirrhosis.
- Jimenez, J; Navarro, MC; Montilla, MP; Martin, A. Thymus zygis oil: its effects on CCl₄-induced hepatotoxicity and free radical scavenger activity. *Journal of essential oil research : JEOR.* Mar/Apr 1993. v. 5 (2): 153-158.

Environmental Hazard Literature Search Results

Off Topic

- Jimenez, W; Martinez-Pardo, A; Arroyo, V; Bruix, J; Rimola, A; Gaya, J; Rivera, F; Rodes, J. (1985). TEMPORAL RELATIONSHIP BETWEEN HYPERALDOSTERONISM SODIUM RETENTION AND ASCITES FORMATION IN RATS WITH EXPERIMENTAL CIRRHOSIS. *Hepatology*. 5: 245-250.
- Jimenez-Jativa, S; NÅÉ; ez, dCdCl; Morata, P. (1992). Rat serum fructose 1,6 bisphosphatase: modifications in different experimental conditions. *Biochem Int*.
- Jimoh, FO; Babalola, SA; Yakubu, MT. (2009). Assessment of the antioxidant potential of *Cnidioscolous chayamansa*. *Pharmaceutical Biology*. 47: 903-909.
- Jin, G; Englande, AJ, Jr. Redox potential as a controlling factor in enhancing carbon tetrachloride biodegradation. *Water quality international '96 : selected proceedings of the 18th Biennial Conference of the International Association on Water Quality, held in Singapore, 23-28 June 1996 /*. 1996. v. 34 (10): 59-66.
- Jin, G; Englande, AJ. (1998). Carbon tetrachloride biodegradation in a fixed-biofilm reactor and its kinetic study. *Water Science and Technology*. 38: 155-162.
- Jin, G; Englande, AJ; Qiu, YL. (2003). An integrated treatability protocol for biotreatment/bioremediation of toxic pollutants generated by chemical industries. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 38: 597-607.
- Jin, G; Englande, AJJR. (1997). Biodegradation kinetics of carbon tetrachloride by *Pseudomonas cepacia* under varying oxidation-reduction potential conditions. *Water Environ Res*. 69: 1094-1099.
- Jin, SX; Fu, SS; Han, J; Jin, SY; Lv, QY; Lu, Y; Qi, JP; Wu, W; Yuan, HL. (2012). Improvement of oral bioavailability of glycyrrhizin by sodium deoxycholate/phospholipid-mixed nanomicelles. *J Drug Target*. 20: 615-622.
- Jin, SZ; Liu, BR; Xu, J; Gao, FL; Hu, ZJ; Wang, XH; Pei, FH; Hong, Y; Hu, HY; Han, MZ. (2012). Ex vivo-expanded bone marrow stem cells home to the liver and ameliorate functional recovery in a mouse model of acute hepatic injury. *Hepatobiliary & pancreatic diseases international : HBPD INT*. 11: 66-73.
- Jin, SZ; Meng, XW; Sun, X; Han, MZ; Liu, BR; Wang, XH; Sun, LY; Huang, Q; Zhao, RB; Ban, X; Yu, HY; Yu, HW. (2010). Granulocyte colony-stimulating factor enhances bone marrow mononuclear cell homing to the liver in a mouse model of acute hepatic injury. *Dig Dis Sci*. 55: 2805-2813.
- Jin, X; Wang, F; Gu, CG; Yang, XL; Kengara, FO; Bian, YR; Song, Y; Jiang, X. (2015). The interactive biotic and abiotic processes of DDT transformation under dissimilatory iron-reducing conditions. *Chemosphere*. 138: 18-24.
- Jin, YS; Kim, MK; Heo, SI; Han, W; Wang, MH. (2007). Identification and properties of 2,5-dihydroxy-4,3'-di(beta-d-glucopyranosyloxy)-trans-stilbene from *Morus bombycis* Koidzumi roots. *Phytother Res*. 21: 605-608.
- Jin, YS; Kim, MK; Heo, SI; Han, W; Wang, MH. (2007). Identification and properties of 2,5-dihydroxy-4,3'-di(beta-D-glucopyranosyloxy)-trans-stilbene from *Morus bombycis* Koidzumi roots. *Phytotherapy research : PTR*. 21: 605-608.
- Jin, YS; Lee, MJ; Han, W; Heo, SI; Sohn, SI; Wang, MH. (2006). Antioxidant effects and hepatoprotective activity of 2,5-dihydroxy-4,3'-di(beta-D-glucopyranosyloxy)-trans-stilbene *Morus bombycis* Koidzumi roots on CCl(4)-induced liver damage. *Free Radic Res*. 40: 986-992.
- Jin, YS; Lee, MJ; Han, W; Heo, SI; Sohn, SI; Wang, MH. (2006). Antioxidant effects and hepatoprotective activity of 2,5-dihydroxy-4,3'-di(beta-d-glucopyranosyloxy)-trans-stilbene from *Morus bombycis* Koidzumi roots on CCl4-induced liver damage. *Free Radic Res*. 40: 986-992.
- Jin, YS; Sa, JH; Shim, TH; Rhee, HI; Wang, MH. (2005). Hepatoprotective and antioxidant effects of *Morus bombycis* Koidzumi on CCl(4)-induced liver damage. *Biochem Biophys Res Commun*. 329: 991-995.
- Jin, ZX; Sun, R; Wei, HM; Gao, XA; Chen, YY; Tian, ZG. (2011). Accelerated Liver Fibrosis in Hepatitis B Virus Transgenic Mice: Involvement of Natural Killer T Cells. *Hepatology*. 53: 219-229.
- Jing, H; De, KQ; Ji, QL; Eng, LL; Xiao, YC; Yan, SP. (2007). Expression of Toll-like receptor 4 in rat liver during the course of carbon tetrachloride-induced liver injury. *J Gastroenterol Hepatol*. 22: 862-869.
- Jiroutova, A; Slavkovsky, R; Cermakova, M; Majdiakova, L; Hanovcova, I; Bolehovska, R; Hajzlerova, M; Radilovat, H; Ruzsova, E; Kanta, J. (2007). Expression of mRNAs related to connective tissue metabolism in rat hepatic stellate cells and myofibroblasts. *Exp Toxicol Pathol*. 58: 263-273.
- Jo, YH; Do, SH; Kong, SH. (2014). Persulfate activation by iron oxide-immobilized MnO2 composite: Identification of iron oxide and the optimum pH for degradations. *Chemosphere*. 95: 550-555.
- JoÅ„czyk, A; Balcerzak, P. (1989). Dihalomethanes as C-H acids in the catalytic two-phase (CTP) system - a new method for the synthesis of gem-dichlorocyclopropanes. *Tetrahedron Letters*. 30: 4697-4700.
- Job, CK. (1965). PORTAL VENOUS PRESSURE IN ACUTE HEPATIC NECROSIS AND EARLY CIRRHOSIS DUE TO CARBON TETRACHLORIDE. *The Journal of pathology and bacteriology*. 89: 397-398.
- Jockusch, S; Ren, RX; Jang, YP; Itagaki, Y; Vollmer-Snarr, HR; Sparrow, J; Nakanishi, K; Turro, NJ. (2004). Photochemistry of A1E, a retinoid with a conjugated pyridinium moiety: Competition between pericyclic photooxygenation and pericyclization. *J Am Chem Soc*. 126: 4646-4652.
- Jodynys-Liebert, J; Adamska, T; Ewertowska, M; Bylka, W; Matlawska, I. (2009). *Aquilegia vulgaris* extract attenuates carbon tetrachloride-induced liver fibrosis in rats. *Exp Toxicol Pathol*. 61: 443-451.
- Joglekar, GV; Chitale, GK; Balwani, JH. (1963). PROTECTION BY INDIGENOUS DRUGS AGAINST HEPATOTOXIC EFFECTS OF CARBON TETRACHLORIDE IN MICE. *Acta Pharmacol Toxicol*. 20: 73-79.
- Johansson, I; Ingelmann-Sundberg, M. (1985). Carbon tetrachloride-induced lipid peroxidation dependent on an ethanol-inducible form of rabbit liver microsomal cytochrome P-450. *FEBS Lett*. 183: 265-269.
- Johnson, AC. (1955). Carbon tetrachloride can be a hazard. *Canadian hospital*. 32: 46; passim.

Environmental Hazard Literature Search Results

Off Topic

- Johnson, HE. (1992). Dynamic aspects of adsorbed polymer layers: Evidence of glass-like transitions. PhD, University of Illinois at Urbana-Champaign.
- Johnson, JB; Johnson, P; Eve, J; Keller, D; Batten, G; Wilkins, W. (1953). Severe carbon tetrachloride poisoning with recovery followed by fatal homologous serum hepatitis. *The Journal of laboratory and clinical medicine*. 42: 380-388.
- Johnson, MT; Thomas, AA; Prine, MR. (1964). SELECTION OF LIVER PROFILE TESTS FOR USE IN DOGS. *Arch Environ Health*. 8: 675-680.
- Johnson, SJ; Hines, JE; Burt, AD. (1992). Macrophage and perisinusoidal cell kinetics in acute liver injury. *The Journal of pathology*. 166: 351-358.
- Johnson, SJ; Hines, JE; Burt, AD. (1992). Phenotypic modulation of perisinusoidal cells following acute liver injury: a quantitative analysis. *Int J Exp Pathol*. 73: 765-772.
- Johnson, SJ; Hines, JE; Burt, AD. (2014). Immunolocalization of proliferating perisinusoidal cells in rat liver. *Phytomedicine : international journal of phytotherapy and phytopharmacology*. 24: 67-72.
- Johnson, TL; Fish, W; Gorby, YA; Tratnyek, PG. (1998). Degradation of carbon tetrachloride by iron metal: Complexation effects on the oxide surface. *J Contam Hydrol*. 29: 379-398.
- Johnson, TL; Scherer, MM; Tratnyek, PG. (1996). Kinetics of halogenated organic compound degradation by iron metal. *Environmental Science & Technology*. 30: 2634-2640.
- Johnson, TL; Tratnyek, PG. (1995). DECHLORINATION OF CARBON TETRACHLORIDE BY IRON METAL THE ROLE OF COMPETING CORROSION REACTIONS. 209th American Chemical Society National Meeting, Anaheim, California, Usa, April. 209: 129.
- Johnston, DE; Kroening, C. (1996). Stimulation of prostaglandin synthesis in cultured liver cells by CCl₄. *Hepatology (Baltimore, Md)*. 24: 677-684.
- Johnston, DE; Kroening, C. (1997). MECHANISM OF EARLY CELL DEATH CAUSED BY CARBON TETRACHLORIDE IN CULTURED RAT HEPATOCYTES. 48th Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 26.
- Johnston, DE; Kroening, C. (1998). Mechanism of early carbon tetrachloride toxicity in cultured rat hepatocytes. *Pharmacology & Toxicology*. 83: 231-239.
- Johnston, GW; Williams, AO. (1966). Cerebral changes in monkeys with carbon tetrachloride intoxication. *Ir J Med Sci*. 6: 23-28.
- Johnston, R; Batey, RG. (1985). THE EFFECTS OF ALCOHOL AND CARBON TETRACHLORIDE ON INTESTINAL AND HEPATIC IRON METABOLISM. Annual Scientific Meeting Of The Gastroenterological Society Of Australia, Sydney, NSW, Australia, Apr. 15: 548.
- Johnston, R; Batey, RG. (1985). IRON METABOLISM THE EFFECTS OF ALCOHOL CARBON TETRACHLORIDE AND CHOLINE DEFICIENCY. 36th Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Ill, Usa, Nov. 5: 991.
- Jolliet, O; Hauschild, M. (2005). Modeling the influence of intermittent rain events on long-term fate and transport of organic air pollutants. *Environmental Science & Technology*. 39: 4513-4522.
- Jonassen, TEN; Christensen, S; Kwon, TH; Langhoff, S; Salling, N; Nielsen, S. (2000). Renal water handling in rats with decompensated liver cirrhosis. *American Journal of Physiology-Renal Physiology*. 279: F1101-F1109.
- Jonassen, TEN; Sorensen, AM; Petersen, JS; Andreasen, F; Christensen, S. (2000). Increased natriuretic efficiency of furosemide in rats with carbon tetrachloride-induced cirrhosis. *Hepatology*. 31: 1224-1230.
- Jonek, J; Olkowski, Z; Turza, ski, L. (1966). Cytochemical studies on the behaviour of some oxidative enzymes in cerebellum of rats chronically poisoned with carbon tetrachloride. *Internationales Archiv für Arbeitsmedizin*. 22: 133-140.
- Jonek, J; Olkowski, Z; Turza, ski, L. (1967). Studies on the interrelation between the Golgi zone and lysosomes in the spinal cords of rats chronically poisoned with carbon tetrachloride. *Internationales Archiv für Arbeitsmedizin*. 23: 215-225.
- Jonek, J; Olkowski, Z; Turza, ski, L. (1987). Histochemical studies on the spinal cords of rats chronically poisoned with carbon tetrachloride. *Internationales Archiv für Arbeitsmedizin*. 24: 135-139.
- Jonek, J; Olkowski, Z; Turza, skj, L. (1966). Studies on the behaviour of some oxidative enzymes in the spinal cords of rats chronically poisoned with carbon tetrachloride. *Acta Histochem*. 25: 224-232.
- Jones, BE; Czaja, MJ. (1998). Mechanisms of hepatic toxicity. III. Intracellular signaling in response to toxic liver injury. *Am J Physiol*. 275: G874-G878.
- Jones, BV; Shah, M. (1982). Clinico-chemical changes in goats given carbon tetrachloride. *Nordisk veterinærmedicin*. 34: 25-32.
- Jones, CC. (1973). Carbon tetrachloride poisoning. Report of a case. *Tex Med*. 69: 86-90.
- Jones, DH; Kim, HL. (1981). Toxicity of Hymenoxon in Swiss White Mice Following Pretreatment With Microsomal Enzyme Inducers, Inhibitors and Carbon Tetrachloride. *Res Commun Mol Pathol Pharmacol*. 33: 361-364.
- Jones, JP, Jr. (1985). Fat embolism and osteonecrosis. *The Orthopedic clinics of North America*. 16: 595-633.
- Jonsson, J; Eriksson, L; Sjostrom, M; Wold, S; Tosato, ML. (1989). A STRATEGY FOR RANKING ENVIRONMENTALLY OCCURRING CHEMICALS. *Chemometrics Intelligent Lab Syst*. 5: 169-186.
- Jop, KM; Askew, AM; Terrio, KF; Simoes, AT. (1999). APPLICATION OF THE SHORT-TERM CHRONIC TEST WITH CERIODAPHNIA-DUBIA IN IDENTIFYING SOURCES OF TOXICITY IN INDUSTRIAL WASTEWATERS. *Bull Environ Contam Toxicol*. 49: 765-771.
- Jorgensen, M; Norgaard, T; Faarup, P. (1974). Functional structure of the cirrhotic rat liver. *Acta pathologica et microbiologica Scandinavica Section A, Pathology*. 82: 13-20.
- Josan, S; Billingsley, K; Orduna, J; Park, JM; Luong, R; Yu, LQ; Hurd, R; Pfefferbaum, A; Spielman, D; Mayer, D. (2015). Assessing inflammatory liver injury in an acute CCl₄ model using dynamic 3D metabolic imaging of hyperpolarized 1-C-13 pyruvate. *Nmr in Biomedicine*. 28: 1671-1677.
- Jose, JK; Kuttan, R. (2000). Hepatoprotective activity of *Emblica officinalis* and *Chyavanaprash*. *J Ethnopharmacol*. 72: 135-140.
- Joseph, B; Bhargava, KK; Tronco, GG; Palestro, CJ; Gupta, S. (2008). Systemic and local release of inflammatory cytokines regulates hepatobiliary excretion of 99mTc-mebrofenin. *Nuclear medicine communications*. 29: 336-344.

Environmental Hazard Literature Search Results

Off Topic

- Joseph, B; Kumaran, V; Berishvili, E; Bhargava, KK; Palestro, CJ; Gupta, S. (2006). Monocrotaline promotes transplanted cell engraftment and advances liver repopulation in rats via liver conditioning. *Hepatology*. 44: 1411-1420.
- Joseph, JA; Ayyappan, UP; Sasidharan, SR; Mutyala, S; Goudar, KS; Agarwal, A. (2014). Ameliorative effect of Phytocee™ Cool against carbon tetrachloride-induced oxidative stress. *Pharmacognosy Res*. 6: 320-325.
- Joseph, JA; Radhakrishnan, U; Mutyala, S; Goudar, KS; Ayyappan, UP; Agarwal, A. (2015). Antioxidant and protective effects of Phytocee(™) against carbon tetrachloride-induced oxidative stress. *Journal of natural science, biology, and medicine*. 6: 183-187.
- Joshi, AV; Baidossi, M; Qafisheh, N; Chachashvili, E; Sasson, Y. (2004). Mild electrophilic halogenation of chloropyridines using CCl(4) or C(2)Cl(6) under basic phase transfer conditions. *Tetrahedron Letters*. 45: 5061-5063.
- Joshi, RK; Gogate, PR. (2012). Degradation of dichlorvos using hydrodynamic cavitation based treatment strategies. *Ultrason Sonochem*. 19: 532-539.
- Joun, WT; Lee, SS; Koh, YE; Lee, KK. (2016). Impact of Water Table Fluctuations on the Concentration of Borehole Gas from NAPL Sources in the Vadose Zone. *Vadose Zone Journal*. 15: NIL_52-NIL_64.
- Jovanovic, A. (2004). Roles of the cyclin dependent kinase inhibitors p21 and p27 in gastrointestinal tract homeostasis. PhD, University of Illinois at Chicago, Health Sciences Center.
- JoviÄž, B; NikoliÄž, A; PetroviÄž, S. (2013). FTIR spectroscopic study of hydrogen bonding and solvent induced frequency shifts of N-tert-butylacetamide. *Journal of molecular structure*. 1044: 140-143.
- Joy, KL; Kuttan, R. (1999). Inhibition by Picrorrhiza kurroa extract of oxygen free radical reactions and hepatic fibrosis in rats. *J Clin Biochem Nutr*. 27: 9-17.
- Joyave, JL; Steinhauer, LS; Dillehay, DL; Born, CK; Hamrick, ME. (1985). Alteration on chemically induced hepatotoxicity by copper(II) (3,5-diisopropylsalicylate) sub(2). *Biochem Pharmacol*. 34: 3915-3919.
- Joyave, JL; Steinhauer, LS; Dillehay, DL; Born, CK; Maynard E, H. (1985). Alteration of chemically induced hepatotoxicity by copper (II) (3,5-diisopropylsalicylate)2. *Biochem Pharmacol*. 34: 3915-3919.
- Ju, SH; Teng, GJ; Lu, HH; Jin, JY; Zhang, Y; Zhang, AF; Ni, YC. (2010). In Vivo Differentiation of Magnetically Labeled Mesenchymal Stem Cells Into Hepatocytes for Cell Therapy to Repair Damaged Liver. *Invest Radiol*. 45: 625-633.
- Ju, SH; Teng, GJ; Lu, HH; Zhang, Y; Zhang, AF; Chen, F; Ni, YC. (2007). In vivo MR tracking of mesenchymal stem cells in rat liver after intrasplenic transplantation. *Radiology*. 245: 206-215.
- Ju, XM; Hecht, M; Galhotra, RA; Ela, WP; Betterton, EA; Arnold, RG; Saez, AE. (2006). Destruction of gas-phase trichloroethylene in a modified fuel cell. *Environmental Science & Technology*. 40: 612-617.
- Judah, JD. (1984). Speaking personally: mechanisms of liver injury. *Pathology*. 16: 267-271.
- Judah, JD; Ahmed, K; McLean, AE. (1965). PROTECTION PROVIDED AGAINST CARBON TETRACHLORIDE AND THIOACETAMIDE POISONING BY STROPHANTHIN-G. *The Journal of pathology and bacteriology*. 89: 619-623.
- Judah, JD; Ahmed, K; McLean, AE. (1966). Cation changes following liver injury due to carbon tetrachloride. *Annales medicinae experimentalis et biologiae Fenniae*. 44: 338-342.
- Judah, JD; Rees, KR. (1959). Mechanism of action of carbon tetrachloride. *Fed Proc*. 18: 1013-1020.
- Juggi, JS. (1972). Effect of carbon tetrachloride on the bile content of triglyceride. *Biochemical Medicine*. 6: 111-115.
- Juggi, JS. (1975). Tissue acetylsalicylic acid esterase activity in rats with acute and chronic liver damage from carbon-tetrachloride and ethanol. *Enzyme*. 20: 183-187.
- Juggi, JS. (1977). Bile formation in rats with acute liver damage from carbon tetrachloride. *Indian J Physiol Pharmacol*. 21: 311-322.
- Juggi, JS; Lim, WM. (1978). Bilirubin tolerance in rats with acute liver damage from carbon tetrachloride. *Biochemical medicine*. 20: 285-295.
- Jung, B; Batchelor, B. (2008). Analysis of dechlorination kinetics of chlorinated aliphatic hydrocarbons by Fe(II) in cement slurries. *J Hazard Mater*. 152: 62-70.
- Jung, DE; Kang, S-H; Han, JS; Lim, WC; Park, Y-aW; Yoo, BR. (2007). SiÄžC coupling reaction of polychloromethanes with HSiCl3 in the presence of Bu4PCl: Convenient synthetic method for bis(chlorosilyl)methanes. *Journal of Organometallic Chemistry*. 692: 3901-3906.
- Jung, JG; Do, SH; Kwon, YJ; Kong, SH. (2015). Degradation of multi-DNAPLs by a UV/persulphate/ethanol system with the additional injection of a base solution. *Environ Technol*. 36: 1044-1049.
- Jung, SH; Lee, YS; Lim, SS; Lee, S; Shin, KH; Kim, YS. (2004). Antioxidant activities of isoflavones from the rhizomes of *Belamcanda chinensis* on carbon tetrachloride-induced hepatic injury in rats. *Arch Pharm Res*. 27: 184-188.
- Junge, U; Creutzfeldt, W. (1977). Hepatotrophic effects of pancreatic and gastrointestinal hormones in the rat in vivo and in vitro. *Ciba Found Symp*. 55: 269-283.
- Junior, SD; Bustorff-Silva, JM; Junior, OCE; Jorge, GD; Leonardi, LS. (2003). Retinyl-palmitate reduces liver fibrosis induced by biliary obstruction in rats. *Hepatogastroenterology*. 50: 146-150.
- Junker, KH; White, JM. (1998). Thermal and electron driven chemistry of CCl(4) on oxidized Si(100). *Journal of Vacuum Science & Technology A*. 16: 3328-3334.
- Junnila, M; Rahko, T; Sukura, A; Lindberg, LA. (2000). Reduction of carbon tetrachloride-induced hepatotoxic effects by oral administration of betaine in male Han-Wistar rats: A morphometric histological study. *Vet Pathol*. 37: 231-238.
- Juorio, AV; Yu, PH. (1985). EFFECTS OF BENZENE AND OTHER ORGANIC SOLVENTS ON THE DECARBOXYLATION OF SOME BRAIN AROMATIC L AMINO-ACIDS. *Biochem Pharmacol*. 34: 1381-1388.
- Jurkiewicz, A; Maciel, GE. (1995). SOLID-STATE 13C NMR STUDIES OF THE INTERACTION OF ACETONE CARBON TETRACHLORIDE AND TRICHLOROETHYLENE WITH SOIL COMPONENTS. *Sci Total Environ*. 164: 195-202.

Environmental Hazard Literature Search Results

Off Topic

- Justicia-Leon, SD; Higgins, S; Mack, EE; Griffiths, DR; Tang, SQ; Edwards, EA; Loffler, FE. (2014). Bioaugmentation with Distinct *Dehalobacter* Strains Achieves Chloroform Detoxification in Microcosms. *Environmental Science & Technology*. 48: 1851-1858.
- Ká vte; r, G; Telegdy-Ková ts, L; Kraszner, EB. (1975). Effect of carbon-tetrachloride and mercuric chloride on the tocopherol and ubiquinone content of liver and kidney. *Acta Biol Acad Sci Hung*. 196: 67-67.
- KÄ¶ster, U; Albrecht, D; Kappus, H. (1977). Evidence for carbon tetrachloride- and ethanol-induced lipid peroxidation in Vivo demonstrated by ethane production in mice and rats. *Toxicol Appl Pharmacol*. 41: 639-648.
- Kaartinen, M. (1995). Liver damage in mice and rats causes tenfold increase of blood immunoglobulin A. *Scand J Immunol*. 7: 519-522.
- Kabal, J; Ramey, ER. (1965). EFFECT OF LIVER DAMAGE ON PLASMA FFA RESPONSE TO EPINEPHRINE. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY)*. 119: 708-710.
- Kabil, NN; Seddiek, HA; Yassin, NA; Gamal-Eldin, MM. (2014). Effect of ghrelin on chronic liver injury and fibrogenesis in male rats: Possible role of nitric oxide. *Peptides*. 52: 90-97.
- Kabir, M; Iqbal, MZ; Farooqi, ZR; Shafiq, M. (2010). VEGETATION PATTERN AND SOIL CHARACTERISTICS OF THE POLLUTED INDUSTRIAL AREA OF KARACHI. *Pakistan Journal of Botany*. 42: 661-678.
- Kacaroglu, F. (1999). Review of groundwater pollution and protection in karst areas. *Water Air And Soil Pollution*. 113: 337-356.
- Kadiiska, MB; Gladen, BC; Baird, DD; Dikalova, AE; Sohal, RS; Hatch, GE; Jones, DP; Mason, RP; Barrett, JC. (2000). Biomarkers of oxidative stress study: Are plasma antioxidants markers of CC1(4) poisoning? *Free Radic Biol Med*. 28: 838-845.
- Kadiiska, MB; Mason, RP. (2000). Acute methanol intoxication generates free radicals in rats: An ESR spin trapping investigation. *Free Radic Biol Med*. 28: 1106-1114.
- Kadiyala, M; Ponnusankar, S; Elango, K. (2013). *Calotropis gigantia* (L.) R. Br (Apocynaceae): a phytochemical and pharmacological review. *J Ethnopharmacol*. 150: 32-50.
- Kadl, A; Sharma, PR; Chen, WS; Agrawal, R; Meher, AK; Rudraiah, S; Grubbs, N; Sharma, R; Leitinger, N. (2011). Oxidized phospholipid-induced inflammation is mediated by Toll-like receptor 2. *Free Radic Biol Med*. 51: 1903-1909.
- Kagawa, K; Matsutaka, H; Yamaguchi, Y; Fukuhama, C. (2011). Garlic extract inhibits the enhanced peroxidation and production of lipids in carbon tetrachloride-induced liver injury. *Eur J Immunol*. 41: 2341-2348.
- Kaido, T; Yamaoka, S; Seto, S; Funaki, N; Kasamatsu, T; Tanaka, J; Nakamura, T; Imamura, M. (1997). Continuous hepatocyte growth factor supply prevents lipopolysaccharide-induced liver injury in rats. *FEBS Lett*. 411: 378-382.
- Kaiser, HE. (1988). THE SEVEN TYPES OF CAUSES OF NEOPLASTIC GROWTH AN ORGANISMIC VIEW. *Weisburger, E K*. 7: 0-89838.
- Kaiser, JP; Lipscomb, JC; Wesselkamper, SC. (2012). Putative Mechanisms of Environmental Chemical-Induced Steatosis. *Int J Toxicol*. 31: 551-563.
- Kaiser, KLE; Comba, ME. (1986). Tracking river plumes with volatile halocarbon contaminants: The St. Clair River-Lake St. Clair example. *Environ Toxicol Chem*. 5: 965-976.
- Kaiser, KLE; Comba, ME; Huneault, H. (1983). Volatile halocarbon contaminants in the Niagara River and in Lake Ontario. *J Great Lakes Res*. 9: 212-223.
- Kaiser, KLE; McKinnon, MB; Stendahl, DH; Pett, WB. (1995). Response threshold levels of selected organic compounds for rainbow trout (*Oncorhynchus mykiss*). *Environ Toxicol Chem*. 14: 2107-2113.
- Kaiser, KLE; Valdmanis, I. (1979). Volatile chloro- and chlorofluorocarbons in Lake Erie - 1977 and 1978. *J Great Lakes Res*. 5: 160-169.
- Kaizer, J; Pap, J; Speier, G. (2005). Modeling antioxidant properties of polyphenols by the TEMPO-initiated reaction of 3,5-di-tert-butylcatechol with dioxygen. *Food Chem*. 93, issue 3: 425-430.
- Kaji, K; Factor, VM; Andersen, JB; Durkin, ME; Tomokuni, A; Marquardt, JU; Matter, MS; Hoang, T; Conner, EA; Thorgeirsson, SS. (2016). DNMT1 Is a Required Genomic Regulator for Murine Liver Histogenesis and Regeneration. *Hepatology*. 64: 582-598.
- Kajigaeshi, S; Kakinami, T; Moriwaki, M; Tanaka, T; Fujisaki, S. (1988). An effective chlorinating agent benzyltrimethylammonium tetrachloroiodate, benzylic chlorination of alkylaromatic compounds. *Tetrahedron Letters*. 29: 5783-5786.
- Kajihara, J; Guoji, Y; Kato, K; Suzuki, Y. (1995). Sulfatide, a specific sugar ligand for L-selectin, blocks CCl4-induced liver inflammation in rats. *Biosci Biotechnol Biochem*. 59: 155-157.
- Kajiwara, K; Okuno, M; Kobayashi, T; Honma, N; Maki, T; Kato, M; Ohnishi, H; Muto, Y; Moriwaki, H. (1998). Oral supplementation with branched-chain amino acids improves survival rate of rats with carbon tetrachloride induced liver cirrhosis. *Dig Dis Sci*. 43: 1572-1579.
- Kaka, JS; Al-Khamis, KI; Tanira, MO. (1988). Effect of hepatic and renal dysfunction on disposition of bupropion in rats. *European Journal of Drug Metabolism and Pharmacokinetics*. 13: 149-153.
- Kakan, X; Chen, P; Zhang, JF. (2011). Clock gene mPer2 functions in diurnal variation of acetaminophen induced hepatotoxicity in mice. *Exp Toxicol Pathol*. 63: 581-585.
- Kalafova, A; Hascik, P; Kacaniova, M; Petruska, P; Capcarova, M. (2015). The effect of propolis on biochemical parameters and antioxidant status of the blood of broiler chickens. *Journal of Apicultural Research*. 54: 173-178.
- Kalashnikova, SA; Goryachev, AN; Novochadov, VV; Shchyogolev, AI. (2009). Thyroid modulation of TNF-dependent apoptosis and formation of chronic liver disease in endogenous intoxication in rats. *Bull Exp Biol Med*. 147: 240-244.
- Kalaskar, MG; Surana, SJ. (2011). Free radical scavenging and hepatoprotective potential of *Ficus microcarpa* L. fil. bark extracts. *Journal of Natural Medicines*. 65: 633-640.
- Kalczak, M; Georgijew, A. (1970). Some aspects of connective tissue development in the course of CC14-induced liver cirrhosis in rats. *Polish medical journal*. 9: 122-127.
- Kaldor, A; Pogatsa, G; Szinay, G. (1960). The effect of tolbutamide on toxic liver injury. *Diabetes*. 9: 126-128.

Environmental Hazard Literature Search Results

Off Topic

- Kalender, M; Akosman, C. (2015). Dry Sorbent Injection (DSI) System for the Abatement of VOCs from Gas Streams. *Water Air and Soil Pollution*. 226: 54-54.
- Kalf, GF; Post, GB; Snyder, R. (1987). Solvent toxicology: Recent advances in the toxicology of benzene, the glycol ethers, and carbon tetrachloride. *Annu Rev Pharmacol Toxicol*. 27: 399-427.
- Kalinichenko, VV; Bhattacharyya, D; Zhou, Y; Gusarova, GA; Kim, W; Sin, B; Costa, RH. (2003). Foxf1 +/- mice exhibit defective stellate cell activation and abnormal liver regeneration following CCl₄ injury. *Hepatology*. 37: 107-117.
- Kalinin, YG; Korel'skii, VA; Kravchenko, EV; Shashkov, AY. (2002). Laser probing of the plasma in the S-300 facility. *Plasma Physics Reports*. 28: 790-795.
- Kalinina, OA; Kalinin, SA; Polack, EW; Mikaelian, I; Panda, S; Costa, RH; Adami, GR. (2003). Sustained hepatic expression of FoxM1B in transgenic mice has minimal effects on hepatocellular carcinoma development but increases cell proliferation rates in preneoplastic and early neoplastic lesions. *Oncogene*. 22: 6266-6276.
- Kalinski, RJ; Kelly, WE; Bogardi, I; Ehrman, RL; Yamamoto, PD. (1994). The modality of the migration and over-wintering of small passerines in a forest in southern France. *Ground Water*. 32: 31-34.
- Kalla, NR; Bansal, MP. (1975). Effect of carbon tetrachloride on gonadal physiology in male rats. *Acta Anat*. 91: 380-385.
- Kallis, YN; Robson, AJ; Fallowfield, JA; Thomas, HC; Alison, MR; Wright, NA; Goldin, RD; Iredale, JP; Forbes, SJ. (2011). Remodelling of extracellular matrix is a requirement for the hepatic progenitor cell response. *Gut*. 60: 525-533.
- Kalu, FN; Ogugua, VN; Ujowundu, CO; Nwaoguikpe, RN. (2011). Aqueous Extract of Combretum dolichopentalum Leaf - a Potent Inhibitor of Carbon Tetrachloride Induced Hepatotoxicity in Rats. *Journal of Applied Pharmaceutical Science*. 1: 114-117.
- Kalyanaraman, B; Mason, RP; Perez-Reyes, E; Chignell, CF; Wolf, CR; Philpot, RM. (1979). Characterization of the free radical formed in aerobic microsomal incubations containing carbon tetrachloride and NADPH. *Biochem Biophys Res Commun*. 89: 1065-1072.
- Kalyani, GA; Ramesh, CK; Krishna, V. (2011). Hepatoprotective and Antioxidant Activities of Desmodium Triquetrum DC. *Indian J Pharmaceut Sci*. 73: 463-466.
- Kamada, Y; Tamura, S; Kiso, S; Matsumoto, H; Saji, Y; Yoshida, Y; Fukui, K; Maeda, N; Nishizawa, H; Nagaretani, H; Okamoto, Y; Kihara, S; Miyagawa, J; Shinomura, Y; Funahashi, T; Matsuzawa, Y. (2003). Enhanced carbon tetrachloride-induced liver fibrosis in mice lacking adiponectin. *Gastroenterology*. 125: 1796-1807.
- Kamada, Y; Yoshida, Y; Saji, Y; Fukushima, J; Tamura, S; Kiso, S; Hayashi, N. (2009). Transplantation of basic fibroblast growth factor-pretreated adipose tissue-derived stromal cells enhances regression of liver fibrosis in mice. *American Journal of Physiology-Gastrointestinal and Liver Physiology*. 296: G157-G167.
- Kamalakkannan, N; Rukkumani, R; Varma, PS; Viswanathan, P; Rajasekharan, KN; Menon, VP. (2005). Comparative effects of curcumin and an analogue of curcumin in carbon tetrachloride-induced hepatotoxicity in rats. *Basic & Clinical Pharmacology & Toxicology*. 97: 15-21.
- Kamalakkannan, N; Rukkumani, R; Viswanathan, P; Rajasekharan, KN; Menon, VP. (2005). Effect of curcumin and its analogue on lipids in carbon tetrachloride-induced hepatotoxicity: a comparative study. *Pharmaceutical Biology*. 43: 460-466.
- Kameda, T; Inazu, K; Asano, K; Murota, M; Takenaka, N; Sadanaga, Y; Hisamatsu, Y; Bandow, H. (2013). Prediction of rate constants for the gas phase reactions of triphenylene with OH and NO₃ radicals using a relative rate method in CCl₄ liquid phase-system. *Chemosphere*. 90: 766-771.
- Kameda, T; Inazu, K; Asano, K; Murota, M; Takenaka, N; Sadanaga, Y; Hisamatsu, Y; Bandow, H. (2013). Prediction of rate constants for the gas phase reactions of triphenylene with OH and NO₃ radicals using a relative rate method in CCl₄ liquid phase-system. *Chemosphere*. 90: 766-771.
- Kamel, R; El Morsy, EM. (2013). Hepatoprotective effect of methylsulfonylmethane against carbon tetrachloride-induced acute liver injury in rats. *Arch Pharm Res*. 36: 1140-1148.
- Kamel, SH; Elwi, AM; el-Kateb, H; Soliman, MA. (1965). The preventive effects of nicotinic acid against experimental hepatotoxicity produced by carbon tetrachloride. *The Journal of the Egyptian Medical Association*. 48: 671-679.
- Kamigata, N; Udodaira, K; Yoshikawa, M; Shimizu, T. (1998). Reactions of trichloromethanesulfonyl chloride and carbon tetrachloride with silyl enol ethers catalyzed by a ruthenium(II) phosphine complex. *Journal of Organometallic Chemistry*. 552: 39-43.
- Kamijo, S; Tao, K; Takao, G; Murooka, H; Murafuji, T. (2015). Ether derivatization via two-step protocol comprised of photochemical ethereal C-H bond chlorination and nucleophilic substitution. *Tetrahedron Letters*. 56: 1904-1907.
- Kaminski, NE; Barnes, DW; Jordan, SD; Holsapple, MP. (1990). The role of metabolism in carbon tetrachloride-mediated immunosuppression: In vivo studies. *Toxicol Appl Pharmacol*. 102: 9-20.
- Kaminski, NE; Holsapple, MP. (1988). IMMUNOTOXICITY BY CARBON TETRACHLORIDE. 72nd Annual Meeting Of The Federation Of American Societies For Experimental Biology, Las Vegas, Nevada, Usa, May. 2.
- Kaminski, NE; Jordan, SD; Holsapple, MP. (1989). Suppression of humoral and cell-mediated immune responses by carbon tetrachloride. *Fundamental and applied toxicology : official journal of the Society of Toxicology*. 12: 117-128.
- Kaminski, NE; Stevens, WD. (1992). The role of metabolism in carbon tetrachloride-mediated immunosuppression. In vitro studies. *Toxicology*. 75: 175-188.
- Kaminski, NE; Yang, KK; Holsapple, MP. (1993). HEPATOCYTE AND SPLEEN CELL SYSTEMS. *Tyson, C A And J M Frazier*. 4: 0-12.
- Kamisan, FH; Yahya, F; Ismail, NA; Din, SS; Mamat, SS; Zabidi, Z; Zainuddin, WN; Mohtarrudin, N; Husain, H; Ahmad, Z; Zakaria, ZA. (2013). Hepatoprotective activity of methanol extract of Melastoma malabathricum leaf in rats. *Journal of Acupuncture and Meridian Studies*. 6: 52-55.
- Kamisan, FH; Yahya, F; Mamat, SS; Kamarolzaman, MF; Mohtarrudin, N; Kek, TL; Salleh, MZ; Hussain, MK; Zakaria, ZA. (2014). Effect of methanol extract of Dicranopteris linearis against carbon tetrachloride-induced acute liver injury in rats. *BMC Complement Altern Med*. 14: 123.

Environmental Hazard Literature Search Results

Off Topic

- Kamisetty, NK; Pack, SP; Nonogawa, M; Yamada, K; Yoshida, Y; Kodaki, T; Makino, K. (2009). Stabilization of the immobilized linkers and DNA probes for DNA microarray fabrication by end-capping of the remaining unreacted silanol on the glass. *J Biotechnol.* 140: 242-245.
- Kamiyama, T; Sato, C; Liu, J; Tajiri, K; Miyakawa, H; Marumo, F. (1993). Role of lipid peroxidation in acetaminophen-induced hepatotoxicity: comparison with carbon tetrachloride. *Toxicol Lett.* 66: 7-12.
- Kamps, R; Mueller, H; Schmitt, M; Sommer, S; Wang, Z; Kleinermanns, K. (1993). Photooxidation of exhaust pollutants: I. Degradation efficiencies, quantum yields and products of benzene photooxidation. *Chemosphere.* 27: 2127-2142.
- Kan, AT; Tomson, MB. (1996). UNIFAC prediction of aqueous and nonaqueous solubilities of chemicals with environmental interest. *Environmental Science & Technology.* 30: 1369-1376.
- Kan, E; Koh, C-I; Lee, K; Kang, J. (2015). Decomposition of aqueous chlorinated contaminants by UV irradiation with H₂O₂. *Frontiers of environmental science & engineering.* 9: 429-435.
- Kan, E; Koh, C-I; Lee, K; Kang, J. (2015). Decomposition of aqueous chlorinated contaminants by UV irradiation with H₂O₂. *Frontiers of Environmental Science & Engineering.* 9: 429-435.
- Kanaghinis, T; Avgerinos, A; Scliros, P; Kalantzis, N; Hatzioannou, J; Nikolopoulou, P; Anagnostou, D; Katsas, A; Demopoulos, J; Rekoumis, G; Stathakos, D. (1982). Plasma lipoprotein pattern in relation to liver histology after toxic hepatitis and experimental biliary obstruction in rabbits. *The American journal of gastroenterology.* 77: 512-522.
- Kanai, S; Ishihara, K; Kawashita, E; Tomoo, T; Nagahira, K; Hayashi, Y; Akiba, S. (2016). ASB14780, an Orally Active Inhibitor of Group IVA Phospholipase A(2), Is a Pharmacotherapeutic Candidate for Nonalcoholic Fatty Liver Disease. *J Pharmacol Exp Ther.* 356: 604-614.
- Kanai, S; Okano, H. (1998). Mechanism of the protective effects of sumac gall extract and gallic acid on the progression of CCl₄-induced acute liver injury in rats. *Am J Chin Med.* 26: 333-341.
- Kanamura, S; Kanai, K; Asada-Kubota, M. (1981). Demonstration of injured hepatocytes after carbon tetrachloride administration by loss of histochemical glucose-6-phosphatase reaction. *Exp Pathol.* 20: 68-70.
- Kanase, A; Patil, S; Thorat, B. (1997). Curative effects of mandur bhasma on liver and kidney of albino rats after induction of acute hepatitis by CCl₄. *Indian J Exp Biol.* 35: 754-764.
- Kanazawa, S; Mizuno, S; Yamauchi, R; Nishimura, N; Maeba, I. (1999). Synthesis of 5-hydroxy-2-(beta-D-ribofuranosyl)pyran-4-one from a pyranulose glycoside. *Carbohydr Res.* 318: 180-185.
- Kanazawa, Y; Verma, IM. (2003). Little evidence of bone marrow-derived hepatocytes in the replacement of injured liver. *Proceedings of the National Academy of Sciences of the United States of America.* 100: 11850-11853.
- Kanbak, G; Ozdemir, F; Caliskan, F; Sahin, F; Inal, M. (2007). Betaine prevents loss of sialic acid residues and peroxidative injury of erythrocyte membrane in ethanol-given rats. *Cell Biochem Funct.* 25: 103-108.
- Kanbur, M; Eraslan, G; Beyaz, L; Silici, S; Liman, BC; Altinordulu, S; Atasever, A. (2009). The effects of royal jelly on liver damage induced by paracetamol in mice. *Exp Toxicol Pathol.* 61: 123-132.
- Kandhi, R; Bobbala, D; Yeganeh, M; Mayhue, M; Menendez, A; Ilangumaran, S. (2016). Negative regulation of the hepatic fibrogenic response by suppressor of cytokine signaling 1. *Cytokine.* 82: 58-69.
- Kanduc, D; Mittelman, A; Serpico, R; Sinigaglia, E; Sinha, AA; Natale, C; Santacrose, R; Di Corcia, MG; Lucchese, A; Dini, L; Pani, P; Santacrose, S; Simone, S; Bucci, R; Farber, E. (2002). Cell death: Apoptosis versus necrosis (review). *Int J Oncol.* 21: 165-170.
- Kaneko, M; Nagamine, T; Nakazato, K; Mori, M. (2013). The anti-apoptotic effect of fucoxanthin on carbon tetrachloride-induced hepatotoxicity. *The Journal of toxicological sciences.* 38: 115-126.
- Kaneko, T; Saegusa, M; Tasaka, K; Sato, A. (2000). Immunotoxicity of trichloroethylene: a study with MRL-lpr/lpr mice. *J Appl Toxicol.* 20: 471-475.
- Kaneko, T; Wang, PY; Sato, A. (2000). Relationship between blood/air partition coefficients of lipophilic organic solvents and blood triglyceride levels. *Toxicology.* 143: 203-208.
- Kanematsu, T. (1976). Promoting effect of carbon tetrachloride on azo-dye hepatocarcinogenesis in rats. *Fukuoka igaku zasshi = Hukuoka acta medica.* 67: 134-145.
- Kang, H; Koppula, S. (2014). Hepatoprotective Effect of *Houttuynia cordata* Thunb Extract against Carbon Tetrachloride-induced Hepatic Damage in Mice. *Indian J Pharmaceut Sci.* 76: 267-273.
- Kang, H; Koppula, S. (2014). *Olea europaea* Linn. Fruit Pulp Extract Protects against Carbon Tetrachloride-induced Hepatic Damage in Mice. *Indian J Pharmaceut Sci.* 76: 274-280.
- Kang, HC; Nan, JX; Park, PH; Kim, JY; Lee, SH; Woo, SW; Zhao, YZ; Park, EJ; Sohn, DH. (2002). Curcumin inhibits collagen synthesis and hepatic stellate cell activation in-vivo and in-vitro. *J Pharm Pharmacol.* 54: 119-126.
- Kang, JO; Slater, G; Aufses, AH, Jr.; Cohen, G. (1988). Production of ethane by rats treated with the colon carcinogen, 1,2-dimethylhydrazine. *Biochem Pharmacol.* 37: 2967-2971.
- Kang, JW; Hong, JM; Lee, SM. (2016). Melatonin enhances mitophagy and mitochondrial biogenesis in rats with carbon tetrachloride-induced liver fibrosis. *J Pineal Res.* 60: 383-393.
- Kang, JW; Yoon, SJ; Sung, YK; Lee, SM. (2012). Magnesium chenoursodeoxycholic acid ameliorates carbon tetrachloride-induced liver fibrosis in rats. *Exp Biol Med.* 237: 83-92.
- Kang, KY; Kim, JN; Chang, IY; Park, SH; Yoon, SP. (2011). Calretinin immunoreactivity in normal and carbon tetrachloride-induced nephrotoxic rats. *Acta Histochem.* 113: 712-716.
- Kang, M; Jeong, SJ; Park, SY; Lee, HJ; Kim, HJ; Park, KH; Ye, SK; Kim, SH; Lee, JW. (2012). Antagonistic regulation of transmembrane 4 L6 family member 5 attenuates fibrotic phenotypes in CCl₄-treated mice. *FEBS J.* 279: 625-635.

Environmental Hazard Literature Search Results

Off Topic

- Kapil, A; Koul, IB; Banerjee, SK; Gupta, BD. (1993). Antihepatotoxic effects of major diterpenoid constituents of *Andrographis paniculata*. *Biochem Pharmacol.* 46: 182-185.
- Kapil, RP; Axelson, JE; Ongley, R; Price, JD. (1984). Nonlinear bioavailability of metoclopramide in the rat: evidence for saturable first-pass metabolism. *J Pharm Sci.* 73: 215-218.
- Kapkov, VT. (1973). TOXICITY OF COPPER COMPLEXES TO FRESHWATER MOLLUSKS. AVAILABLE FROM THE NATIONAL TECHNICAL INFORMATION SERVICE, SPRINGFIELD, VA 22161, AS AD-763 967, \$325 IN PAPER COPY, \$225 IN MICROFICHE TRANSLATION FSTC-HT-23-1987-72, MARCH 1973 TRANSLATED FROM PROCHOVED, VOL 26, NO 2, 1971 5 P.
- Kapoor, IPS; Singh, B; Singh, G. (2011). ESSENTIAL OIL AND OLEORESINS OF CARDAMOM (*AMOMUM SUBULATUM* ROXB.) AS NATURAL FOOD PRESERVATIVES FOR SWEET ORANGE (*CITRUS SINENSIS*) JUICE. *Journal of Food Process Engineering.* 34: 1101-1113.
- Kapoor, S. (2009). Emerging clinical and therapeutic applications of *Nigella sativa* in gastroenterology. *World J Gastroenterol.* 15: 2170-2171.
- Kapoor, S; Berishvili, E; Bandi, S; Gupta, S. (2014). Ischemic preconditioning affects long-term cell fate through DNA damage-related molecular signaling and altered proliferation. *Am J Pathol.* 184: 2779-2790.
- Kappler, A; Haderlein, SB. (2003). Natural organic matter as reductant for chlorinated aliphatic pollutants. *Environmental Science & Technology.* 37: 2714-2719.
- Kappus, H. (1949). BIOCHEMICAL MECHANISMS OF CHEMICAL-INDUCED LIPID PEROXIDATION. *Vigo Pelfrey, C.* 0: 103-120.
- Kappus, H; De Ruiter, N; Ottenwaelder, H; Muliawan, H. (1981). Ethane Formation of Isolated Rat Hepatocytes Due to Carbon Tetrachloride. *Toxicol Lett.* 8: 265-271.
- Kappus, H; Sies, H. (1981). Toxic Drug Effects Associated With Oxygen Metabolism: Redox Cycling and Lipid Peroxidation. *Experientia Basel.* 37: 1233-1241.
- Karabulut, S; Namlı, H. (2012). An FT-IR and DFT based new approach for the detection of tautomer proportions in solution. *Journal of molecular structure.* 1024: 151-155.
- Karadeniz, A; Yildirim, A; Karakoc, A; Kalkan, Y; Celebi, F. (2009). Protective effect of *Panax ginseng* on carbon tetrachloride induced liver, heart and kidney injury in rats. *Rev Med Vet.* 160: 237-243.
- Karaku; De; er, Y; Id; Ad, poPFoVVMaRtEt. (2017). Protective effect of *Silybum marianum* and *Taraxacum officinale* extracts against oxidative kidney injuries induced by carbon tetrachloride in rats. *Ren Fail.* 39: 1-6.
- Karakus, E; Karadeniz, A; Simsek, N; Can, I; Kara, A; Yildirim, S; Kalkan, Y; Kisa, F. (2011). Protective effect of *Panax ginseng* against serum biochemical changes and apoptosis in liver of rats treated with carbon tetrachloride (CCl₄). *J Hazard Mater.* 195: 208-213.
- Karakus, E; Karadeniz, A; Simsek, N; Can, I; Kara, A; Yildirim, S; Kalkan, Y; Kisa, F. (2011). Protective effect of *Panax ginseng* against serum biochemical changes and apoptosis in liver of rats treated with carbon tetrachloride (CCl₄). *J Hazard Mater.* 195: 208-213.
- Karan, M; Vasisht, K; Handa, SS. (1999). Antihepatotoxic activity of *Swertia chirata* on carbon tetrachloride induced hepatotoxicity in rats. *Phytother Res.* 13: 24-30.
- Karan, M; Vasisht, K; Handa, SS. (1999). Antihepatotoxic activity of *Swertia chirata* on paracetamol and galactosamine induced hepatotoxicity in rats. *Phytother Res.* 13: 95-101.
- Karandikar, SM; Joglekar, GV; Chitale, GK; Balwani, JH. (1963). PROTECTION BY INDIGENOUS DRUGS AGAINST HEPATOTOXIC EFFECTS OF CARBON TETRACHLORIDE - A LONG TERM STUDY. *Acta Pharmacol Toxicol.* 20: 274-280.
- Karasawa, T; Onishi, K; Nishimura, K. (1970). Effect of sodium taurine N-carbodithioate on acute experimental hepatic injury induced in rats by carbon tetrachloride. *Japanese journal of pharmacology.* 20: 229-236.
- Karbowski, A; Skalba, P. (1968). Some renal histochemical lesions in rats chronically poisoned with carbon tetrachloride. *Polish medical journal.* 7: 1421-1429.
- Karge, E; Javor, T; Klinger, W. (1987). EFFECTS OF ALLOPURINOL DEXTRO CYANIDANOL-3 AND DIHYDROQUINOLINE-TYPE ANTIOXIDANTS ON RAT HEPATIC MICROSOMAL CYTOCHROME P-450 AND MONOOXYGENASES AU - HORVATH T. *Int J Clin Pharmacol Ther Toxicol.* 25: 201-203.
- Karin, D; Koyama, Y; Brenner, D; Kisseleva, T. (2016). The characteristics of activated portal fibroblasts/myofibroblasts in liver fibrosis. *Differentiation.* 92: 84-92.
- Karkampouna, S; Goumans, MJ; ten Dijke, P; Dooley, S; Kruithof-de Julio, M. (2016). Inhibition of TGF beta type I receptor activity facilitates liver regeneration upon acute CCl₄ intoxication in mice. *Arch Toxicol.* 90: 347-357.
- Karkampouna, S; Goumans, M-J; Dijke, P; Dooley, S; Kruithof-de Julio, M. (2016). Inhibition of TGF beta type I receptor activity facilitates liver regeneration upon acute CCl₄ intoxication in mice. *Arch Toxicol.* 90: 347-357.
- Karlmark, KR; Weiskirchen, R; Zimmermann, HW; Gassler, N; Ginhoux, F; Weber, C; Merad, M; Luedde, T; Trautwein, C; Tacke, F. (2009). Hepatic Recruitment of the Inflammatory Gr1(+) Monocyte Subset Upon Liver Injury Promotes Hepatic Fibrosis. *Hepatology.* 50: 261-274.
- Karmen, A; Giuffrida, L. (1964). ENHANCEMENT OF THE RESPONSE OF THE HYDROGEN FLAME IONIZATION DETECTOR TO COMPOUNDS CONTAINING HALOGENS AND PHOSPHORUS. *Nature.* 201: 1204-1205.
- Kartha, VN; Krishnamurthy, S. (1980). The effect of carbontetrachloride toxicity on erythrocyte hemolysis and on tissue catalysis of lipid peroxidation. *Indian journal of pathology & microbiology.* 23: 21-27.
- Karu, AE. (1993). MONOCLONAL ANTIBODIES AND THEIR USE IN MEASUREMENT OF ENVIRONMENTAL CONTAMINANTS. *Saxena, J.* 0: 205-321.
- Kasbekar, DK; Lavate, WV; Rege, DV; Sreenivasan, A. (1959). A study of vitamin B12 protection in experimental liver injury to the rat by carbon tetrachloride. *The Biochemical journal.* 72: 384-389.
- Kaseros, VB; Sleep, BE; Bagley, DM. (2000). Column studies of biodegradation of mixtures of tetrachloroethene and carbon tetrachloride. *Water Res.* 34: 4161-4168.

Environmental Hazard Literature Search Results

Off Topic

- Kashiwazaki, K; Hibbs, MS; Seyer, JM; Mainardi, CL; Kang, AH. (1986). Stimulation of interstitial collagenase in co-cultures of rat hepatocytes and sinusoidal cells. *Gastroenterology*. 90: 829-836.
- Kaslusky, SF; Udell, KS. (2002). A theoretical model of air and steam co-injection to prevent the downward migration of DNAPLs during steam-enhanced extraction. *J Contam Hydrol*. 55: 213-232.
- Kass, GEN. (2006). Mitochondrial involvement in drug-induced hepatic injury. *Chem Biol Interact*. 163: 145-159.
- Kast, A; Nishikawa, J; Yabe, T. (1982). Decrease of carbon tetrachloride liver toxicity in rats given Dipyridamole. *Exp Pathol*. 21: 123-133.
- Kasturi, P; Agthe, DE. (1990). ENVIRONMENTAL EXTERNALITIES IN HAWAII AGRICULTURE POTENTIAL REMEDIES AND TRADE-OFFS. *J Environ Syst*. 20: 1990-1991.
- Kasuda, S; Watanabe, S; Kobayashi, T; Hata, N; Misawa, Y; Utsumi, H; Okuyama, H. (1999). Dietary docosahexaenoic acid enhances ferric nitrilotriacetate-induced oxidative damage in mice but not when additional alpha-tocopherol is supplemented. *Free Radic Res*. 30: 199-205.
- Katami, T; Nisikawa, H; Yasuhara, A. (1992). Emission of chlorinated compounds by combustion of waste dry-cleaning materials. *Chemosphere*. 24: 343-349.
- Kataoka, T. (2013). Study of antioxidative effects and anti-inflammatory effects in mice due to low-dose X-irradiation or radon inhalation. *J Radiat Res (Tokyo)*. 54: 587-596.
- Kataoka, T; Nishiyama, Y; Toyota, T; Yoshimoto, M; Sakoda, A; Ishimori, Y; Aoyama, Y; Taguchi, T; Yamaoka, K. (2011). Radon Inhalation Protects Mice from Carbon-Tetrachloride-Induced Hepatic and Renal Damage. *Inflammation*. 34: 559-567.
- Kataoka, T; Nishiyama, Y; Yamato, K; Teraoka, J; Morii, Y; Sakoda, A; Ishimori, Y; Taguchi, T; Yamaoka, K. (2012). Comparative study on the inhibitory effects of antioxidant vitamins and radon on carbon tetrachloride-induced hepatopathy. *J Radiat Res (Tokyo)*. 53: 830-839.
- Kataoka, T; Nomura, T; Wang, DH; Taguchi, T; Yamaoka, K. (2005). Effects of post low-dose X-ray irradiation on carbon tetrachloride-induced acatalasemic mice liver damage. *Physiological chemistry and physics and medical NMR*. 37: 109-126.
- Kataoka, T; Sakoda, A; Yoshimoto, M; Nakagawa, S; Toyota, T; Nishiyama, Y; Yamato, K; Ishimori, Y; Kawabe, A; Hanamoto, K; Taguchi, T; Yamaoka, K. (2011). STUDIES ON POSSIBILITY FOR ALLEVIATION OF LIFESTYLE DISEASES BY LOW-DOSE IRRADIATION OR RADON INHALATION. *Radiat Prot Dosimetry*. 146: 360-363.
- Kataoka, T; Yamato, K; Nishiyama, Y; Morii, Y; Etani, R; Takata, Y; Hanamoto, K; Kawabe, A; Sakoda, A; Ishimori, Y; Taguchi, T; Yamaoka, K. (2012). Comparative study on the inhibitory effects of α-tocopherol and radon on carbon tetrachloride-induced renal damage. *Ren Fail*. 34: 1181-1187.
- Kataria, M; Singh, LN. (1997). Hepatoprotective effect of Liv-52 and kumaryasava on carbon tetrachloride induced hepatic damage in rats. *Indian J Exp Biol*. 35: 655-657.
- Kato, H; Nakazawa, Y. (1986). Carbon tetrachloride and trichloroethylene toxicities to rat hepatocytes in primary monolayer culture: Its relationship to the level of cytochrome P-450. *Toxicol Lett*. 34: 55-66.
- Kato, H; Nakazawa, Y. (1987). The effect of carbon tetrachloride on the enzymatic hydrolysis of cellular triacylglycerol in adult rat hepatocytes in primary monolayer culture. *Biochem Pharmacol*. 36: 1807-1814.
- Kato, H; Saito, T; Nabeshima, M; Shimada, K; Kinugasa, S. (2006). Assessment of diffusion coefficients of general solvents by PFG-NMR: Investigation of the sources error. *J Magn Reson*. 180: 266-273.
- Kato, H; Tsuji, M; Okazaki, M; Oguchi, K. (1992). EFFECTS OF CARBON TETRACHLORIDE ON COAGULATIVE AND FIBRINOLYTIC ACTIVITIES IN RAT PRIMARY CULTURED HEPATOCYTES. 65th Annual Meeting Of The Japanese Pharmacological Society, Sendai, Japan, March. 59.
- Kato, K; Kawai, T; Fujii, M; Bunai, Y; Shima, H; Takahashi, M. (1985). Enhancing effect of preadministration of carbon tetrachloride on methylazoxymethanol acetate-induced intestinal carcinogenesis. *The Journal of toxicological sciences*. 10: 289-293.
- Kato, T; Hisasue, M; Segawa, K; Fujimoto, A; Makiishi, E; Neo, S; Yasuno, K; Kobayashi, R; Tsuchiya, R. (2013). Accumulation of Xenotransplanted Canine Bone Marrow Cells in NOD/SCID/gamma(null)(c) Mice with Acute Hepatitis Induced by CCl4. *J Vet Med Sci*. 75: 847-855.
- Kato, T; Ishibe, T; Hirayama, M; Fukushige, M; Takenaka, I; Kazuta, M. (1965). BASIC STUDIES ON THE PROSTATE OF RAT UNDER VARIOUS HORMONAL ENVIRONMENT. *Endocrinologia japonica*. 12: 1-8.
- Katsukura, Y; Abe, N; Watabe, N; Tsuchiya, T. (1985). Distribution pattern of liver matrix proteins, fibronectin and type I collagen, in DAB-induced hepatoma of rat. *The Tohoku journal of experimental medicine*. 146: 405-417.
- Katsukura, Y; Abe, N; Watabe, N; Tsuchiya, T. (1994). DISTRIBUTION PATTERN OF LIVER MATRIX PROTEINS FIBRONECTIN AND TYPE I COLLAGEN IN 4 DIMETHYLAMINOAZOBENZENE-INDUCED HEPATOMA OF RAT. *Tohoku J Exp Med*. 146: 405-418.
- Katsumata, T; Murata, T; Yamaguchi, M. (1998). Alteration in calcium content and Ca(2+)-ATPase activity in the liver nuclei of rats orally administered carbon tetrachloride. *Mol Cell Biochem*. 185: 153-159.
- Katz, A; Chebath, J; Friedman, J; Revel, M. (1998). Increased sensitivity of IL-6-deficient mice to carbon tetrachloride hepatotoxicity and protection with an IL-6 receptor IL-6 chimera. *Cytokines Cellular & Molecular Therapy*. 4: 221-227.
- Kaufman, SN; Larson, RE. (1981). The Effect of Hypothermia on Biochemical and Morphological Aspects of Carbon Tetrachloride Hepatotoxicity. *Res Commun Mol Pathol Pharmacol*. 31: 463-474.
- Kaur, N; Gupta, AK; Uberoi, SK. (1991). Protective role of fructose during tetrachloromethane hepatotoxicity in rats. *Medical Science Research*. 19: 533-534.
- Kaurinovic, B; Popovic, M; Vlasisavljevic, S. (2004). In vitro and in vivo effects of *Laurus nobilis* L. leaf extracts. *Drug Metab Rev*. 15: 3378-3390.
- Kauschke, SG; Knorr, A; Heke, M; Kohlmeyer, J; Schauer, M; Theiss, G; Waehler, R; Burchardt, ER. (1999). Two assays for measuring fibrosis: Reverse transcriptase-polymerase chain reaction of collagen alpha(1) (III) mRNA is an early predictor of subsequent collagen deposition while a novel serum N-terminal procollagen (III) propeptide assay reflects manifest fibrosis in carbon tetrachloride-treated rats. *Anal Biochem*. 275: 131-140.

Environmental Hazard Literature Search Results

Off Topic

- Kautiainen, A; Tornqvist, M; Svensson, K; Osterman-Golkar, S. (1989). Adducts of malonaldehyde and a few other aldehydes to hemoglobin. *Carcinogenesis*. 10: 2123-2130.
- Kavishankar, GB; Moree, SS; Lakshmidhevi, N. (2014). Hepatoprotective and antioxidant activity of N-Trisaccharide in different experimental rats. *Phytomedicine : international journal of phytotherapy and phytopharmacology*. 21: 1026-1031.
- Kavlock, RJ; Perreault, SD. (1994). MULTIPLE CHEMICAL EXPOSURE AND RISKS OF ADVERSE REPRODUCTIVE FUNCTION AND OUTCOME. *Yang, R S H*. 0: 245-297.
- Kawada, N; Mizoguchi, Y; Kobayashi, K; Yamamoto, S; Morisawa, S. (1990). Arachidonic acid metabolites in carbon tetrachloride-induced liver injury. *Gastroenterologia Japonica*. 25: 363-368.
- Kawahara, N; Ikatsu, H; Kawata, H; Miyoshi, S; Tomochika, K; Sinoda, S. (1999). Purification and characterization of 2-ethoxyphenol-induced cytochrome P450 from *Corynebacterium* sp strain EP1. *Canadian Journal of Microbiology*. 45: 833-839.
- Kawai, K; Xue, F; Takahara, T; Kudo, H; Yata, Y; Zhang, W; Sugiyama, T. (2012). Matrix Metalloproteinase-9 Contributes to the Mobilization of Bone Marrow Cells in the Injured Liver. *Cell Transplant*. 21: 453-464.
- Kawai, Y; Fujii, H; Okada, M; Tsuchie, Y; Uchida, K; Osawa, T. (2006). Formation of N(epsilon)-(succinyl)lysine in vivo: a novel marker for docosahexaenoic acid-derived protein modification. *J Lipid Res*. 47: 1386-1398.
- Kawakami, S; Munakata, C; Fumoto, S; Yamashita, F; Hashida, M. (2000). Targeted delivery of prostaglandin E(1) to hepatocytes using galactosylated liposomes. *J Drug Target*. 8: 137-142.
- Kawano, Y; Ohta, M; Iwashita, Y; Komori, Y; Inomata, M; Kitano, S. (2014). Effects of the dihydrolipoyl histidinate zinc complex against carbon tetrachloride-induced hepatic fibrosis in rats. *Surgery Today*. 44: 1744-1750.
- Kawao, N; Okada, K; Kawata, S; Okamoto, C; Tsuritani, M; Ueshima, S; Matsuo, O. (2007). Plasmin decreases the BH3-only protein Bim(EL) via the ERK1/2 signaling pathway in hepatocytes. *Biochimica Et Biophysica Acta-Molecular Cell Research*. 1773: 718-727.
- Kawasaki, H. (1965). Development of tumor in the course of spontaneous restoration of carbon tetrachloride induced cirrhosis of the liver in rats. *The Kurume medical journal*. 12: 37-42.
- Kawasaki, T; Tamura, S; Kiso, S; Doi, Y; Yoshida, Y; Kamada, Y; Saeki, A; Saji, Y; Matsuzawa, Y. (2005). Effects of growth factors on the growth and differentiation of mouse fetal liver epithelial cells in primary cultures. *J Gastroenterol Hepatol*. 20: 857-864.
- Kawashima, A; Horii, I. (1992). CYTOTOXICITY TESTS USING MONKEY PRIMARY CULTURED HEPATOCYTES. Nineteenth Annual Meeting Of The Japanese Society Of Toxicological Sciences, Tokyo, Japan, July. 17: 343.
- Kawata, K; Mukai, H; Tanabe, H; Yasuhara, A. (1996). VARIATIONS OF VOLATILE CHLORINATED HYDROCARBONS IN AMBIENT AIR AT INDUSTRIAL AREAS IN NIIGATA. *Bull Environ Contam Toxicol*. 57: 1-7.
- Kawauchi, T; Mishiya, K. Residual tetrachloroethylene in dry-cleaned clothes. *Environ Res*. Apr 1989. v. 48 (2): 296-301.
- Kazantzis, G; Bomford, RR. (1960). Dyspepsia due to inhalation of carbon tetrachloride vapour. *Lancet (London, England)*. 1: 360-362.
- Kearney, A; Connolly, JF; Downey, NE. (1967). Serum transaminase levels in treated fasciola hepatica infected sheep. *The Veterinary record*. 81: 134-139.
- Kearney, PC; Woolson, EA; Isensee, AR; Helling, CS. (1973). Tetrachlorodibenzodioxin in the environment: sources, fate, and decontamination. *Environ Health Perspect*. 5: 273-277.
- Kedinger, C; Simard, R. (1974). The action of alpha-amanitin on RNA synthesis in Chinese hamster ovary cells. *Ultrastructural and biochemical studies. The Journal of cell biology*. 63: 831-842.
- Keener, WK; Arp, DJ. (1993). Kinetic studies of ammonia monooxygenase inhibition in *Nitrosomonas europaea* by hydrocarbons and halogenated hydrocarbons in an optimized whole-cell assay. *Appl Environ Microbiol*. 59: 2501-2510.
- Kefalas, V; Stacey, NH. (1989). Potentiation of carbon tetrachloride-induced lipid peroxidation by trichloroethylene in isolated rat hepatocytes: No role in enhanced toxicity. *Toxicol Appl Pharmacol*. 101: 158-169.
- Kefalas, V; Stacey, NH. (1993). Use of primary cultures of rat hepatocytes to study interactive toxicity: Carbon tetrachloride and trichloroethylene. *Toxicol In Vitro*. 7: 235-240.
- Kehayoglou, AK; Williams, HS; Whimster, WF; Holdsworth, CD. (1968). Calcium absorption in the normal, bile-duct ligated, and cirrhotic rat, with observations on the effect of long- and medium-chain triglycerides. *Gut*. 9: 597-603.
- Kehoe, EL; Overholt, EL. (1955). Lower nephron nephrosis following exposure to carbon tetrachloride inhalation. *Medical bulletin of the U S Army, Europe United States Army, Europe Medical Division*. 12: 213-218.
- Keim, W; Raffeis, GH; Kurth, D. (1990). Transition metal catalysed C-C-coupling reactions of 3,3,3-trifluoropropene. *Journal of Fluorine Chemistry*. 48: 229-237.
- KeinãĚnzen, TA; Alhonen, L; Serfas, MS; Goufman, E; Feuerman, MH; Gartel, AL; Tyner, AL. (2010). p53-independent induction of p21WAF11 expression in pericentral hepatocytes following carbon tetrachloride intoxication. *Amino Acids*. 38: 575-581.
- Keller, F; Snyder, AB; Petracek, FJ; Sancier, KM. (1971). Hepatic free radical levels in ethanol-treated and carbon tetrachloride-treated rats. *Biochem Pharmacol*. 20: 2507-2511.
- Kelly, TR; Hodge, TA. (1963). HEPATIC REGENERATION IN THE NORMAL AND NECROTIC LIVER OF THE DOG. *Ann Surg*. 158: 31-36.
- Kelsh, DJ; Parsons, MW. (1997). Department of energy sites suitable for electrokinetic remediation. *J Hazard Mater*. 55: 109-116.
- Kemp, DD. (1990). GLOBAL ENVIRONMENTAL ISSUES A CLIMATOLOGICAL APPROACH. Kemp, D D *Global Environmental Issues: A Climatological Approach Xv+220p Routledge: London, England, Uk*. 4: 0-415.
- Kemp, LK; Donnalley, AB; Storey, RF. (2008). Synthesis and characterization of carboxylic acid-terminated polyisobutylenes. *Journal of polymer science*. 46: 3229-3240.
- Kenel, MF; Kulkarni. (1985). Ethanol potentiation of carbon tetrachloride hepatotoxicity: Possible role for the in vivo inhibition of aldehyde dehydrogenase. *General Pharmacology*. 16: 355-360.

Environmental Hazard Literature Search Results

Off Topic

- Kenneke, JF; Weber, EJ. (2003). Reductive dehalogenation of halomethanes in iron- and sulfate-reducing sediments. 1. Reactivity pattern analysis. *Environmental Science & Technology*. 37: 713-720.
- Kent, G; Volini, FI; Minick, OT; Orfei, E; Delahuerge, J. (1964). EFFECT OF IRON LOADING UPON THE FORMATION OF COLLAGEN IN THE HEPATIC INJURY INDUCED BY CARBON TETRACHLORIDE. *Am J Pathol*. 45: 129-155.
- Kent, G; Volini, FI; Orfei, E; Minick, OT; Delahuerge, J. (1963). EFFECT OF HEPATIC INJURIES UPON IRON STORAGE IN THE LIVER. *Laboratory investigation; a journal of technical methods and pathology*. 12: 1094-1101.
- Kepekci, RA; Polat, S; Celik, A; Bayat, N; Saygideger, SD. (2013). Protective effect of *Spirulina platensis* enriched in phenolic compounds against hepatotoxicity induced by CCl₄. *Food Chem*. 141: 1972-1979.
- Kerfoot, HB. (1990). SOIL-GAS SURVEYS FOR DETECTION AND DELINEATION OF GROUNDWATER CONTAMINATION. *Trends Anal Chem*. 9: 157-163.
- Kershenobich, D; Rojkind, M. (1973). Effect of the administration of l-azetidine-2-carboxylic acid on albumin and transferrin biosynthesis by liver slices of rats treated with carbon tetrachloride. *Biochimica et Biophysica Acta (BBA) - Nucleic Acids and Protein Synthesis*. 319: 216-222.
- Kertes, AS; King, CJ. (2009). Extraction Chemistry of Fermentation Product Carboxylic Acids. *Biotechnol Bioeng*. 103: 432-445.
- Kerwar, SS; Oronsky, AL; Choe, D; Alvarez, B. (1977). Studies on the effect of 3,4-dehydroproline on collagen metabolism in carbon tetrachloride-induced hepatic fibrosis. *Arch Biochem Biophys*. 182: 118-123.
- Keskar, DV; Venkataraman, R; Srinivasan, SR; Dhanapalan, P. (1995). Clinicopathology and treatment of carbon tetrachloride induced hepatotoxicity in neonatal buffalo calves. *Indian Veterinary Journal*. 72: 1065-1067.
- Kesteloot, F; Desmouliere, A; Leclercq, I; Thiry, M; Arrese, JE; Prockop, DJ; Lapiere, CM; Nusgens, BV; Colige, A. (2007). ADAM metalloproteinase with thrombospondin type 1 motif 2 inactivation reduces the extent and stability of carbon tetrachloride-induced hepatic fibrosis in mice. *Hepatology*. 46: 1620-1631.
- Keum, YS; Li, QX. (2004). Reduction of nitroaromatic pesticides with zero-valent iron. *Chemosphere*. 54: 255-263.
- Khachatryan, L; Dellinger, B. (2003). Formation of chlorinated hydrocarbons from the reaction of chlorine atoms and activated carbon. *Chemosphere*. 52: 709-716.
- Khaleel, A; Dellinger, B. (2002). FTIR investigation of adsorption and chemical decomposition of CCl₄ by high surface-area aluminum oxide. *Environmental Science & Technology*. 36: 1620-1624.
- Khalidi, A; Zaki, SA. (1969). The mode of action of carbon tetrachloride on *Fasciola hepatica*. *Br J Pharmacol*. 36: 253-256.
- Khalil, MAK; Rasmussen, RA; Wang, MX; Ren, L. (1990). Emissions of trace gases from Chinese rice fields and biogas generators: Methane, dinitrogen oxide, carbon monoxide, carbon dioxide chlorocarbons, and hydrocarbons. *Chemosphere*. 20: 207-226.
- Khalilullah, H; Khan, S; Ahsan, MJ; Ahmed, B. (2011). Synthesis and antihepatotoxic activity of 5-(2,3-dihydro-1,4-benzodioxane-6-yl)-3-substituted-phenyl-4,5-dihydro-1H-pyrazole derivatives. *Bioorganic & medicinal chemistry letters*. 21: 7251-7254.
- Khan, AU; Kovacic, D; Kolbanovskiy, A; Desai, M; Frenkel, K; Geacintov, NE. (2000). The decomposition of peroxy nitrite to nitroxyl anion (NO⁻) and singlet oxygen in aqueous solution. *Proceedings of the National Academy of Sciences of the United States of America*. 97: 2984-2989.
- Khan, MA; Gupta, A; Sastry, JL; Ahmad, S. (2015). Hepatoprotective potential of kumaryasava and its concentrate against CCl₄-induced hepatic toxicity in Wistar rats. *Journal of pharmacy & bioallied sciences*. 7: 297-299.
- Khan, MAQ. (1990). BIOCHEMICAL EFFECTS OF PESTICIDES ON MAMMALS. Bahadir, M, P Boeger, H Buchenauer, M Eto, M A Q Khan, G Pfister And G Sandmann *Chemistry Of Plant Protection*. 0: 109-172.
- Khan, MR; Ahmed, D. (2009). Protective effects of *Digera muricata* (L.) Mart. on testis against oxidative stress of carbon tetrachloride in rat. *Food Chem Toxicol*. 47: 1393-1399.
- Khan, MR; Rizvi, W; Khan, GN; Khan, RA; Shaheen, S. (2009). Carbon tetrachloride-induced nephrotoxicity in rats: Protective role of *Digera muricata*. *J Ethnopharmacol*. 122: 91-99.
- Khan, MR; Siddique, F. (1990). Antioxidant effects of *Citharexylum spinosum* in CCl₄-induced nephrotoxicity in rat. *Experimental and toxicologic pathology : official journal of the Gesellschaft für Toxikologische Pathologie*. 64: 349-355.
- Khan, MR; Siddique, F. (2012). Antioxidant effects of *Citharexylum spinosum* in CCl₄ induced nephrotoxicity in rat. *Exp Toxicol Pathol*. 64: 349-355.
- Khan, MR; Siddique, F. (2012). Antioxidant effects of *Citharexylum spinosum* in CCl₄ induced nephrotoxicity in rat. *Exp Toxicol Pathol*. 64: 349-355.
- Khan, MR; Younus, T. (2011). Prevention of CCl₄-induced oxidative damage in adrenal gland by *Digera muricata* extract in rat. *Pak J Pharm Sci*. 24: 469-473.
- Khan, MR; Zehra, H. (2013). Amelioration of CCl₄-induced nephrotoxicity by *Oxalis corniculata* in rat. *Exp Toxicol Pathol*. 65: 327-334.
- Khan, MR; Zehra, H. (2013). Amelioration of CCl₄-induced nephrotoxicity by *Oxalis corniculata* in rat. *Exp Toxicol Pathol*. 65: 327-334.
- Khan, N; Swartz, H. (2002). Measurements in vivo of parameters pertinent to ROS/RNS using EPR spectroscopy. *Mol Cell Biochem*. 234: 341-357.
- Khan, RA. (2012). Protective effects of *Sonchus asper* (L.) Hill, (Asteraceae) against CCl₄-induced oxidative stress in the thyroid tissue of rats. *BMC Complement Altern Med*. 12: 181.
- Khan, RA; Khan, MR; Ahmed, M; Sahreen, S; Shah, NA; Shah, MS; Bokhari, J; Rashid, U; Ahmad, B; Jan, S. (2012). Hepatoprotection with a chloroform extract of *Launaea procumbens* against CCl₄-induced injuries in rats. *BMC Complement Altern Med*. 12: 114.
- Khan, RA; Khan, MR; Sahreen, S. (2010). Evaluation of *Launaea procumbens* use in renal disorders: A rat model. *J Ethnopharmacol*. 128: 452-461.

Environmental Hazard Literature Search Results

Off Topic

- Khan, RA; Khan, MR; Sahreen, S. (2012). CCl₄-induced hepatotoxicity: protective effect of rutin on p53, CYP2E1 and the antioxidative status in rat. *BMC Complement Altern Med.* 12: 178.
- Khan, RA; Khan, MR; Sahreen, S. (2012). Protective effect of *Sonchus asper* extracts against experimentally induced lung injuries in rats: A novel study. *Exp Toxicol Pathol.* 64: 725-731.
- Khan, RA; Khan, MR; Sahreen, S. (2013). Attenuation of CCl₄-induced hepatic oxidative stress in rat by *Launaea procumbens*. *Exp Toxicol Pathol.* 65: 319-326.
- Khan, RA; Khan, MR; Sahreen, S. (2013). Attenuation of CCl₄-induced hepatic oxidative stress in rat by *Launaea procumbens*. *Exp Toxicol Pathol.* 65: 319-326.
- Khan, RA; Khan, MR; Sahreen, S; Ahmed, M; Shah, NA. (2015). Carbon tetrachloride-induced lipid peroxidation and hyperglycemia in rat: a novel study. *Toxicol Ind Health.* 31: 546-553.
- Khan, RA; Khan, MR; Sahreen, S; Alkreathy, HM. (2016). Effect of *Launaea procumbens* extract on oxidative marker, p53, and CYP 2E1: a randomized control study. *Food & Nutrition Research.* 60: 29790-29790.
- Khan, RA; Khan, MR; Sahreen, S; Bokhari, J. (2010). Prevention of CCl₄-induced nephrotoxicity with *Sonchus asper* in rat. *Food Chem Toxicol.* 48: 2469-2476.
- Khan, RA; Khan, MR; Shah, NA; Sahreen, S; Siddiq, P. (2015). Modulation of carbon tetrachloride-induced nephrotoxicity in rats by n-hexane extract of *Sonchus asper*. *Toxicol Ind Health.* 31: 955-959.
- Khan, S; Khan, GM. (2007). In vitro antifungal activity of *Rhazya stricta*. *Pak J Pharm Sci.* 20: 279-284.
- Khan, SA; Ahmad, B; Alam, T. (2006). Synthesis and antihepatotoxic activity of some new chalcones containing 1, 4 - dioxane ring system. *Pak J Pharm Sci.* 19: 290-294.
- Khan, TH; Sultana, S. (2009). Antioxidant and hepatoprotective potential of *Aegle marmelos* Correa. against CCl₄-induced oxidative stress and early tumor events. *J Enzyme Inhib Med Chem.* 24: 320-327.
- Khanna, RN; Das, M; Anand, M. (2002). Influence of phenobarbital and carbon tetrachloride on the modulation of tissue retention profile of hexachlorocyclohexane in rats. *Biomedical and environmental sciences : BES.* 15: 119-129.
- Khatoon, S; Rai, V; Rawat, AKS; Mehrotra, S. (2006). Comparative pharmacognostic studies of three *Phyllanthus* species. *J Ethnopharmacol.* 104: 79-86.
- Khatoon, T; Ahmad, K. (2015). Studies on hepatic injury produced by carbon tetrachloride. *Animal science journal = Nihon chikusan Gakkaiho* 3: 1-5.
- Khemawoot, P; Maruyama, C; Tsukada, H; Noda, H; Ishizaki, J; Yokogawa, K; Miyamoto, K. (2007). Influence of chronic hepatic failure on disposition kinetics of valproate excretion through a phase II reaction in rats treated with carbon tetrachloride. *Biopharmaceutics & Drug Disposition.* 28: 331-338.
- Khimji, AK; Shao, R; Rockey, DC. (2008). Divergent transforming growth factor-beta signaling in hepatic stellate cells after liver injury - Functional effects on ECE-1 regulation. *American Journal of Pathology.* 173: 716-727.
- Khindaria, A; Grover, TA; Aust, SD. Reductive dehalogenation of aliphatic halocarbons by lignin peroxidase of *Phanerochaete chrysosporium*. *Environmental science & technology.* Mar 1995. v. 29 (3): 719-725.
- Khorshid, HR; Azonov, JA; Novitsky, YA; Farzambar, B; Shahhosseiny, MH. (2008). Hepatoprotective effects of setarud against carbon tetrachloride-induced liver injury in rats. *Indian journal of gastroenterology : official journal of the Indian Society of Gastroenterology.* 27: 110-112.
- Khurana, JM; Kandpal, BM. (2003). A novel method of synthesis of 1,2-diketones from 1,2-diols using N-bromosuccinimide. *Tetrahedron Letters.* 44: 4909-4912.
- Khurana, S; Mukhopadhyay, A. (2008). In vitro transdifferentiation of adult hematopoietic stem cells: an alternative source of engraftable hepatocytes. *J Hepatol.* 49: 998-1007.
- Ki, MR; Lee, HR; Park, JK; Hong, IH; Han, SY; You, SY; Lee, EM; Kim, AY; Lee, SS; Jeong, KS. (2011). Ascorbate promotes carbon tetrachloride-induced hepatic injury in senescence marker protein 30-deficient mice by enhancing inflammation. *J Nutr Biochem.* 22: 535-542.
- Kiba, T. (2002). The role of the autonomic nervous system in liver regeneration and apoptosis - Recent developments. *Digestion.* 66: 79-88.
- Kieczka, H; Kappus, H. (1980). Oxygen dependence of CCl₄-induced lipid peroxidation in vitro and in vivo. *Toxicol Lett.* 5: 191-196.
- Kierdaszuk, B; Shugar, D. (1983). Structure of the planar complex of N⁴-methoxycytosine with adenine, and its relevance to the mechanism of hydroxylamine mutagenesis. *Biophys Chem.* 17: 285-295.
- Kikkawa, R; Yamamoto, T; Fukushima, T; Yamada, H; Horii, I. (2005). Investigation of a hepatotoxicity screening system in primary cell cultures- "what biomarkers would need to be addressed to estimate toxicity in conventional and new approaches?". *J Toxicol Sci.* 30: 61-72.
- Kile, DE; Wershaw, RL; Chiou, CT. (1999). Correlation of soil and sediment organic matter polarity to aqueous sorption of nonionic compounds. *Environmental Science & Technology.* 33: 2053-2056.
- Kim, CJ; Park, CI; Kim, CS; Lee, YB. (1982). Histochemical and ultrastructural studies of hepatic fibrogenesis; its initiation and the effect of dexamethasone in rats. *Yonsei Med J.* 23: 89-100.
- Kim, DH; Song, SB; Kang, WS; Jeong, YH; Yoon, YS; Lee, YM; Chang, BS; Lee, KJ. (2009). Superfine Saengshik Improves Liver Protecting Effect Compared with Fine Saengshik in an Animal Model. *J Food Sci.* 74: H59-H64.
- Kim, DW; Cho, HI; Kim, KM; Kim, SJ; Choi, JS; Kim, YS; Lee, SM. (2012). Isorhamnetin-3-O-galactoside Protects against CCl₄-Induced Hepatic Injury in Mice. *Biomolecules & therapeutics.* 20: 406-412.
- Kim, EJ; Cho, HJ; Park, D; Kim, JY; Kim, YB; Park, TG; Shim, CK; Oh, YK. (2011). Antifibrotic effect of MMP13-encoding plasmid DNA delivered using polyethylenimine shielded with hyaluronic acid. *Molecular therapy : the journal of the American Society of Gene Therapy.* 19: 355-361.

Environmental Hazard Literature Search Results

Off Topic

- Kim, EJ; Kim, JH; Chang, YS; Turcio-Ortega, D; Tratnyek, PG. (2014). Effects of Metal Ions on the Reactivity and Corrosion Electrochemistry of Fe/FeS Nanoparticles. *Environmental Science & Technology*. 48: 4002-4011.
- Kim, H. Carotenoids protect cultured rat hepatocytes from injury caused by carbon tetrachloride. *International journal of biochemistry & cell biology*. Dec 1995. v. 27 (12): 1303-1309.
- Kim, H; Booth, CJ; Pinus, AB; Chen, P; Lee, A; Qiu, M; Whitlock, M; Murphy, PS; Constable, RT. (2008). Induced hepatic fibrosis in rats: Hepatic steatosis, macromolecule content, perfusion parameters, and their correlations - Preliminary MR imaging in rats. *Radiology*. 247: 696-705.
- Kim, HH; Ogata, A; Futamura, S. (2005). Atmospheric plasma-driven catalysis for the low temperature decomposition of dilute aromatic compounds. *Journal of Physics D-Applied Physics*. 38: 1292-1300.
- Kim, HJ; Bruckner, JV. (1987). EFFECT OF ORAL DOSING VEHICLES ON THE ACUTE HEPATOTOXICITY AND THE PHARMACOKINETICS OF CARBON TETRACHLORIDE IN RATS. 187: 380.
- Kim, HJ; Bruckner, JV; Dallas, CE; Gallo, JM. (1990). Effect of dosing vehicles on the pharmacokinetics of orally administered carbon tetrachloride in rats. *Toxicol Appl Pharmacol*. 102: 50-60.
- Kim, HJ; Chun, YJ; Park, JD; Kim, SI; Roh, JK; Jeong, TC. (1997). Protection of rat liver microsomes against carbon tetrachloride-induced lipid peroxidation by red ginseng saponin through cytochrome P450 inhibition. *Planta Med*. 63: 415-418.
- Kim, HJ; Odend'Hal, S; Bruckner, JV. (1990). Effect of oral dosing vehicles on the acute hepatotoxicity of carbon tetrachloride in rats. *Toxicol Appl Pharmacol*. 102: 34-39.
- Kim, HJ; Yu, MH; Lee, IS. (2008). Inhibitory effects of methanol extract of plum (*Prunus salicina* L., cv. 'Soldam') fruits against benzo(alpha)pyrene-induced toxicity in mice. *Food Chem Toxicol*. 46: 3407-3413.
- Kim, HK. (1998). The role of trace copper in the transformation of carbon tetrachloride by *Pseudomonas stutzeri* KC. PhD, Michigan State University.
- Kim, HK; Li, L; Lee, HS; Park, MO; Bilehal, D; Li, W; Kim, YH. (2009). Protective Effects of *Chlorella vulgaris* Extract on Carbon Tetrachloride-induced Acute Liver Injury in Mice. *Food Science and Biotechnology*. 18: 1186-1192.
- Kim, HP; Kim, SY; Lee, EJ; Kim, YC; Kim, YC. (1997). Zeaxanthin dipalmitate from *Lycium chinense* has hepatoprotective activity. *Res Commun Mol Pathol Pharmacol*. 97: 301-314.
- Kim, HS; Ahn, JY; Kim, C; Lee, S; Hwang, I. (2014). Effect of anions and humic acid on the performance of nanoscale zero-valent iron particles coated with polyacrylic acid. *Chemosphere*. 113: 93-100.
- Kim, HS; Kang, WH; Kim, M; Park, JY; Hwang, I. (2008). Comparison of hematite/Fe(II) systems with cement/Fe(II) systems in reductively dechlorinating trichloroethylene. *Chemosphere*. 73: 813-819.
- Kim, HS; Lee, JS; Chung, HC; Han, GD. (2012). Extracts of oyster mushroom (*Pleurotus ostreatus*) grown on wheat ameliorate hepatotoxicity induced by carbon tetrachloride in rats. *Food Science and Biotechnology*. 21: 1263-1267.
- Kim, HS; Lim, HK; Chung, MW; Kim, YC. (2000). Antihepatotoxic activity of bergenin, the major constituent of *Mallotus japonicus*, on carbon tetrachloride-intoxicated hepatocytes. *J Ethnopharmacol*. 69: 79-83.
- Kim, HY; Kim, JK; Choi, JH; Jung, JY; Oh, WY; Kim, DC; Lee, HS; Kim, YS; Kang, SS; Lee, SH; Lee, SM. (2010). Hepatoprotective Effect of Pinorensinol on Carbon Tetrachloride-Induced Hepatic Damage in Mice. *J Pharmacol Sci*. 112: 105-112.
- Kim, HY; Kim, SJ; Kim, KN; Lee, SG; Lee, SM. (2011). Protective effect of HV-P411, an herbal mixture, on carbon tetrachloride-induced liver fibrosis. *Food Chem*. 124: 248-253.
- Kim, HY; Park, J; Lee, KH; Lee, DU; Kwak, JH; Kim, YS; Lee, SM. (2011). Ferulic acid protects against carbon tetrachloride-induced liver injury in mice. *Toxicology*. 282: 104-111.
- Kim, I; Chin, YW; Lim, SW; Kim, YC; Kim, J. (2004). Norisoprenoids and hepatoprotective flavone glycosides from the aerial parts of *Beta vulgaris* var. *ciela*. *Arch Pharm Res*. 27: 600-603.
- Kim, IS; Yang, M; Cho, KK; Goo, YM; Kim, TW; Park, JH; Cho, JH; Jo, C; Lee, M; Lee, OH; Kang, SN. (2014). EFFECT OF MEDICINAL PLANT EXTRACTS ON THE PHYSICO-CHEMICAL PROPERTIES AND SENSORY CHARACTERISTICS OF GELATIN JELLY. *Journal of Food Processing and Preservation*. 38: 1527-1533.
- Kim, J; Lim, J; Lee, B-C; Kim, Y-u; Ki Lee, S; Cheun, BS; Soh, K-S. (2005). Spontaneous Ultra-Weak Photon Emission and Delayed Luminescence during Carbon Tetrachloride-Induced Liver Injury and Repair in Mouse. *J Health Sci*. 51: 155-160.
- Kim, JH; Lim, JP; Kang, TW. (1999). Effect of biphenyl dimethyl dicarboxylate on the humoral immunosuppression by ketoconazole in mice. *Arch Pharm Res*. 22: 124-129.
- Kim, J-U; Schollmeyer, D; Brehmer, M; Zentel, R. (2011). Simple chiral urea gelators, (R)- and (S)-2-heptylurea: Their gelling ability enhanced by chirality. *J Colloid Interface Sci*. 357: 428-433.
- Kim, JY; Park, JK; Emmons, B; Armstrong, DE. (1995). Survey of volatile organic compounds at a municipal solid waste cocomposting facility. *Water Environ Res*. 67: 1044-1051.
- Kim, K; Ryu, EK; Seo, Y. (1990). Synthesis of 4-bromo-4-isoxazolin-3-ones: Application of bromine-N,N-dimethylacetamide complex. *Tetrahedron Letters*. 31: 5043-5044.
- Kim, KH; Bae, JH; Cha, SW; Han, SS; Park, KH; Jeong, TC. (2000). Role of metabolic activation by cytochrome P450 in thioacetamide-induced suppression of antibody response in male BALB/c mice. *Toxicol Lett*. 114: 225-235.
- Kim, KH; Shon, ZH; Hang, TN; Jeon, EC. (2011). A review of major chlorofluorocarbons and their halocarbon alternatives in the air. *Atmos Environ*. 45: 1369-1382.
- Kim, KS; Joseph, B; Inada, M; Gupta, S. (2005). Regulation of hepatocyte engraftment and proliferation after cytotoxic drug-induced perturbation of the rat liver. *Transplantation*. 80: 653-659.

Environmental Hazard Literature Search Results

Off Topic

- Kim, KY; Choi, I; Kim, SS. (2000). Progression of hepatic stellate cell activation is associated with the level of oxidative stress rather than cytokines during CCl₄-induced fibrogenesis. *Molecules and Cells*. 10: 289-300.
- Kim, MK; Song, BJ; Seidel, J; Soh, Y; Jeong, KS; Kim, IS; Kobayashi, H; Green, MV; Carrasquillo, JA; Paik, CH. (1998). Use of (99m)Tc-mercaptoacetyltriglycine (MAG3)-biocytin hepatobiliary scintigraphy to study the protective effect of a synthetic enzyme inhibitor on acute hepatotoxicity in mice. *Nucl Med Biol*. 25: 561-568.
- Kim, ND; Kwak, MK; Kim, SG. (1997). Inhibition of cytochrome P450 2E1 expression by 2-(allylthio)pyrazine, a potential chemoprotective agent: hepatoprotective effects. *Biochem Pharmacol*. 53: 261-269.
- Kim, NY; Lee, MK; Park, MJ; Kim, SJ; Park, HJ; Choi, JW; Kim, SH; Cho, SY; Lee, JS. (2005). Momordin Ic and oleanolic acid from *Kochiae Fructus* reduce carbon tetrachloride-induced hepatotoxicity in rats. *J Med Food*. 8: 177-183.
- Kim, RS; Labella, FS. (1987). CRITERIA FOR DETERMINATION OF LIPID PEROXIDATION IN TISSUES ESTIMATION IN LIVER OF MICE INTOXICATED WITH CARBON TETRACHLORIDE. *Can J Physiol Pharmacol*. 65: 1503-1506.
- Kim, S. (2000). Enhanced biodegradation of hazardous organic halides. PhD, Indiana University.
- Kim, S; Na, JY; Song, K; Kwon, J. (2016). In vivo protective effect of phosphatidylcholine on carbon tetrachloride induced nephrotoxicity. *Exp Toxicol Pathol*. 68: 553-558.
- Kim, S; Park, T; Lee, W. (2015). Enhanced reductive dechlorination of tetrachloroethene by nanosized mackinawite with cyanocobalamin in a highly alkaline condition. *J Environ Manage*. 151: 378-385.
- Kim, S; Picardal, FW. (1999). Enhanced anaerobic biotransformation of carbon tetrachloride in the presence of reduced iron oxides. *Environ Toxicol Chem*. 18: 2142-2150.
- Kim, SG; Surh, YJ; Sohn, Y; Yoo, JK; Lee, JW; Liem, A; Miller, JA. (1998). Inhibition of vinyl carbamate-induced hepatotoxicity, mutagenicity, and tumorigenicity by isopropyl-2-(1,3-dithietane-2-ylidene)-2-N-(4-methylthiazol-2-yl)carbamoyl acetate (YH439). *Carcinogenesis*. 19: 687-690.
- Kim, SH; Cheon, HJ; Yun, N; Oh, ST; Shin, E; Shim, KS; Lee, SM. (2009). Protective Effect of a Mixture of Aloe vera and Silybum marianum Against Carbon Tetrachloride-Induced Acute Hepatotoxicity and Liver Fibrosis. *J Pharmacol Sci*. 109: 119-127.
- Kim, SH; Chu, HJ; Kang, DH; Song, GA; Cho, M; Yang, US; Kim, HJ; Chung, HY. (2002). NF-kappa B binding activity and cyclooxygenase-2 expression in persistent CCl₄-treated rat liver injury. *J Korean Med Sci*. 17: 193-200.
- Kim, SH; Jang, YP; Sung, SH; Kim, CJ; Kim, JW; Kim, YC. (2003). Hepatoprotective dibenzylbutyrolactone lignans of *Torreya nucifera* against CCl₄-induced toxicity in primary cultured rat hepatocytes. *Biological & Pharmaceutical Bulletin*. 26: 1202-1205.
- Kim, SJ; Park, JH; Kim, KH; Lee, WR; Chang, YC; Park, KK; Lee, KG; Han, SM; Yeo, JH; Pak, SC. (2010). Bee venom inhibits hepatic fibrosis through suppression of pro-fibrogenic cytokine expression. *Am J Chin Med*. 38: 921-935.
- Kim, SY; Kim, HP; Huh, H; Kim, YC. (1997). Antihepatotoxic zeaxanthins from the fruits of *Lycium chinense*. *Arch Pharm Res*. 20: 529-532.
- Kim, T; Murakami, T; Hasuiki, Y; Gotoh, M; Kato, N; Takahashi, M; Miyazawa, T; Narumi, Y; Monden, M; Nakamura, H. (1997). Experimental hepatic dysfunction: evaluation by MRI with Gd-EOB-DTPA. *Journal of magnetic resonance imaging : JMRI*. 7: 683-688.
- Kim, TH; Kim, DG; Lee, M; Lee, TS. (2010). Synthesis of reversible fluorescent organogel containing 2-(2'-hydroxyphenyl)benzoxazole: fluorescence enhancement upon gelation and detecting property for nerve gas simulant. *Tetrahedron*. 66: 1667-1672.
- Kim, TH; Kim, YW; Shin, SM; Kim, CW; Yu, IJ; Kim, SG. (2010). Synergistic hepatotoxicity of N,N-dimethylformamide with carbon tetrachloride in association with endoplasmic reticulum stress. *Chem Biol Interact*. 184: 492-501.
- Kim, TW; Lee, DR; Choi, BK; Kang, HK; Jung, JY; Lim, SW; Yang, SH; Suh, JW. (2016). Hepatoprotective effects of polymethoxyflavones against acute and chronic carbon tetrachloride intoxication. *Food Chem Toxicol*. 91: 91-99.
- Kim, TW; Lim, JH; Song, IB; Park, SJ; Yang, JW; Shin, JC; Suh, JW; Son, HY; Cho, ES; Kim, MS; Lee, SW; Kim, JW; Yun, HI. (2012). Hepatoprotective and Anti-Hepatitis C Viral Activity of *Platycodon grandiflorum* Extract on Carbon Tetrachloride-Induced Acute Hepatic Injury in Mice. *J Nutr Sci Vitaminol*. 58: 187-194.
- Kim, Y; DiSilvestro, R; Clinton, S. (2004). Effects of Lycopene-beadlet or tomato-powder feeding on carbon tetrachloride-induced hepatotoxicity in rats. *Phytomedicine*. 11: 152-156.
- Kim, YC. (1997). Dichloromethane potentiation of carbon tetrachloride hepatotoxicity in rats. *Fundam Appl Toxicol*. 35: 138-141.
- Kim, YH; Carraway, ER. (2002). Reductive dechlorination of PCE and TCE by vitamin B-12 and ZVMs. *Environ Technol*. 23: 1135-1145.
- Kim, YH; Carraway, ER. (2003). Dechlorination of chlorinated phenols by zero valent zinc. *Environ Technol*. 24: 1455-1463.
- Kim, YH; Carraway, ER. (2003). Reductive dechlorination of TCE by zero valent bimetal. *Environ Technol*. 24: 69-75.
- Kim, YH; Peyrol, S; So, CK; Boyd, CD; Csiszar, K. (1999). Coexpression of the lysyl oxidase-like gene (LOXL) and the gene encoding type III procollagen in induced liver fibrosis. *J Cell Biochem*. 72: 181-188.
- Kim, YH; Shin, WS; Ko, SO. (2004). Reductive dechlorination of chlorinated biphenyls by palladized zero-valent metals. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 39: 1177-1188.
- Kim, YK. (1988). HYPOGONADISM IN HEPATIC FAILURE. *Nishinohon J Urol*. 50: 1-6.
- Kimura, C; Nukina, M; Igarashi, K; Sugawara, Y. (2005). beta-hydroxyergothioneine, a new ergothioneine derivative from the mushroom *Lyophyllum connatum*, and its protective activity against carbon tetrachloride-induced injury in primary culture hepatocytes. *Bioscience Biotechnology and Biochemistry*. 69: 357-363.
- Kimura, F; Nishida, O; Um, SH; Tokubayashi, M; Kita, T. (1993). HEPATIC HEMODYNAMIC CHANGES IN ACUTE HEPATIC INJURY INDUCED BY CARBON TETRACHLORIDE IN RATS. 94th Annual Meeting Of The American Gastroenterological Association, Boston, Massachusetts, Usa, May. 104.
- Kimura, K; Nagaki, M; Kakimi, K; Saio, M; Saeki, T; Okuda, Y; Kuwata, K; Moriwaki, H. (2008). Critical role of CD44 in hepatotoxin-mediated liver injury. *J Hepatol*. 48: 952-961.

Environmental Hazard Literature Search Results

Off Topic

- Kimura, T; Kido, S; Kamiyama, T; Fujisawa, M. (2011). Enthalpic Discrimination of R- and S-Limonenes in Nonpolar Solvents at 298.15 K. *Chirality*. 23: E98-E104.
- Kimura, T; Nakayama, S; Yamao, T; Kurosaki, Y; Nakayama, T. (1993). Pharmacokinetics of indocyanine green in rats with experimentally induced hepatic diseases. *Biological & pharmaceutical bulletin*. 16: 1140-1145.
- King, AM. (2001). Time-resolved studies of isolated molecules and in solution: Watching energy flow. PhD, The University of Wisconsin - Madison.
- King, RG; Sharp, JA. (1985). Choline transport across a carbon tetrachloride phase containing a chloroform-methanol extract of brain. *Biochimica et Biophysica Acta (BBA) - Biomembranes*. 815: 505-509.
- Kiningham, K; Kasarskis, E. (1998). Antioxidant function of metallothioneins. *J Trace Elem Exp Med*. 11: 219-226.
- Kinoshita, H; Tanaka, E; Yoshida, T; Kuroiwa, Y. (1985). The relationship between hepatic microsomal biphenyl 2-hydroxylase, 4-hydroxylase and urinary glucuronic acid excretion in the rat. *European Journal of Drug Metabolism and Pharmacokinetics*. 10: 247-251.
- Kinoshita, T; Fan, H-J; Furuya, E. (2015). An innovative method for determining micro pore volume of synthetic resins. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*. 466: 107-114.
- Kinoshita, T; Tashiro, K; Nakamura, T. (1989). Marked increase of HGF messenger RNA in non-parenchymal liver cells of rats treated with hepatotoxins. *Biochem Biophys Res Commun*. 165: 1229-1234.
- Kinoshita, T; Tashiro, K; Nakamura, T. (1989). Marked increase of HGF mRNA in non-parenchymal liver cells of rats treated with hepatotoxins. *Biochem Biophys Res Commun*. 165: 1229-1234.
- Kinser, S; Sneed, RA; Roth, RA; Ganey, PE. (2004). Neutrophils contribute to endotoxin enhancement of allyl alcohol hepatotoxicity. *Journal of Toxicology and Environmental Health-Part a-Current Issues*. 67: 911-928.
- Kira, M; Ishima, T; Iwamoto, T; Ichinohe, M. (2001). A mechanistic study of reactions of stable disilenes with haloalkanes. *J Am Chem Soc*. 123: 1676-1682.
- Kirkpatrick, DT; Guth, DJ; Mavis, RD. (1986). Detection of in vivo lipid peroxidation using the thiobarbituric acid assay for lipid hydroperoxides. *Journal of biochemical toxicology*. 1: 93-104.
- Kirova, A; Stoytchev, T. (1977). Effect of some thiol compounds on the content of carbon tetrachloride in the liver and brain in cases of acute poisoning of rats. *Acta physiologica et pharmacologica Bulgarica*. 3: 70-76.
- Kisauzi, DN; Leek, BF. Liver blood flow and volatile fatty acid utilization in sheep before and after carbon tetrachloride treatment. *J Comp Pathol*. May 1988. v. 98 (4): 471-480.
- Kiselev, VM; Kislyakov, IM; Bagrov, IV. (2016). Spectral dependence of the efficiency of direct optical excitation of molecular oxygen in tetrachloromethane. *Optics and Spectroscopy*. 120: 859-863.
- Kishi, T; Takahashi, T; Okamoto, T. (1997). Cytosolic NADPH-UQ reductase-linked recycling of cellular ubiquinol: Its protective effect against carbon tetrachloride hepatotoxicity in rat. *Mol Aspects Med*. 18, Supplement 1: 71-77.
- Kishore, GS; Nordquist, RE; Carubelli, R. (1983). Sialic acid metabolism in rat liver: effect of carbon tetrachloride. *Life Sci*. 33: 2129-2136.
- Kishore, MA; Gupta, JP. (1997). Organic solvents as carrier of carbendazim in sunflower seeds. *Seed Science and Technology*. 25: 391-397.
- Kisiel, A; pcy; ska, E. (2016). *Medicago truncatula* Gaertn. as a model for understanding the mechanism of growth promotion by bacteria from rhizosphere and nodules of alfalfa. *Planta*. 243: 1169-1189.
- Kiso, S; Kawata, S; Tamura, S; Ito, N; Tsushima, H; Yamada, A; Higashiyama, S; Taniguchi, N; Matsuzawa, Y. (1996). Expression of heparin-binding EGF-like growth factor in rat liver injured by carbon tetrachloride or D-galactosamine. *Biochem Biophys Res Commun*. 220: 285-288.
- Kiso, Y; Tohkin, M; Hikino, H. Assay method for antihepatotoxic activity using carbon tetrachloride induced cytotoxicity in primary cultured hepatocytes. *Planta medica = journal of medicinal plant research*. Dec 1983. v. 49 (4): 224-225.
- Kiso, Y; Tohkin, M; Hikino, H. (1983). Antihepatotoxic principles of *Atractylodes* rhizomes. *J Nat Prod*. 46: 651-654.
- Kiso, Y; Tohkin, M; Hikino, H; Ikeya, Y; Taguchi, H. (1985). MECHANISM OF ANTIHEPATOTOXIC ACTIVITY OF WUWEIZISU C AND GOMISIN A. *Planta Med*. 0: 331-334.
- Kisseleva, T; Cong, M; Paik, Y; Scholten, D; Jiang, CY; Benner, C; Iwaisako, K; Moore-Morris, T; Scott, B; Tsukamoto, H; Evans, SM; Dillmann, W; Glass, CK; Brenner, DA. (2012). Myofibroblasts revert to an inactive phenotype during regression of liver fibrosis. *Proceedings of the National Academy of Sciences of the United States of America*. 109: 9448-9453.
- Kisseleva, T; von, Kc-BM; Reichart, D; McGillvray, SM; Wingender, G; Kronenberg, M; Glass, CK; Nizet, V; Brenner, DA. (2011). Fibrocyte-like cells recruited to the spleen support innate and adaptive immune responses to acute injury or infection. *Journal of molecular medicine (Berlin, Germany)*. 89: 997-1013.
- Kitajima, S; Utsunomiya, K; Tamura, T; Ariyoshi, T. (1994). Protective effects of the nucleic acid components on CCL4-induced liver injury in rats. *Res Commun Mol Pathol Pharmacol*. 85: 329-335.
- Kitamoto, T; Marubayashi, S; Yamazaki, T. (2008). Preparation and conformational study of CF(3)-containing enkephalin-derived oligopeptide. *Tetrahedron*. 64: 1888-1894.
- Kitamura, S; Kuwasako, M; Ohta, S; Tatsumi, K. (1999). Reductive debromination of (alpha-bromoiso-valeryl)urea by intestinal bacteria. *J Pharm Pharmacol*. 51: 79-84.
- Kitazawa, S; Denda, A; Tsutsumi, M; Tsujiuchi, T; Hasegawa, K; Tamura, K; Maruyama, H; Konishi, Y. (1990). Enhanced preneoplastic liver lesion development under 'selection pressure' conditions after administration of deoxycholic or lithocholic acid in the initiation phase in rats. *Carcinogenesis*. 11: 1323-1328.
- Kitchin, KT; Brown, JL. (1989). Biochemical effects of three carcinogenic chlorinated methanes in rat liver. *Teratogenesis, Carcinogenesis and Mutagenesis*. 9: 61-69.

Environmental Hazard Literature Search Results

Off Topic

- Kitta, D; Schwarz, M; Tennekes, HA; Uehleke, H; Kunz, W. (1981). Covalent binding of CCl₄-intermediates to reduced pyridine nucleotides in mouse liver. *Adv Exp Med Biol.* 136 Pt A: 769-777.
- Kitteringham, NR; Pirmohamed, M; Smith, DA; Park, BK. (1991). Induction of stress-responsive genes following hepatotoxin administration. *AU - POWELL H. Annual Congress Of The British Toxicology Society, Stoke On Trent, England, Uk, April.* 18: 530.
- Kitteringham, NR; Powell, H; Clement, YN; Dodd, CC; Tettey, JNA; Pirmohamed, M; Smith, DA; McLellan, LI; Park, BK. (2000). Hepatocellular response to chemical stress in CD-1 mice: Induction of early genes and gamma-glutamylcysteine synthetase. *Hepatology.* 32: 321-333.
- Kiyotoshi, S. (1982). Kupffer cell hyperplasia in rats intoxicated by carbon tetrachloride as demonstrated by scanning electron microscopy. *Gastroenterologia Japonica.* 17: 422-429.
- Kizu, T; Yoshida, Y; Furuta, K; Ogura, S; Egawa, M; Chatani, N; Hamano, M; Takemura, T; Ezaki, H; Kamada, Y; Nishida, K; Nakaoka, Y; Kiso, S; Takehara, T. (2015). Loss of Gab1 adaptor protein in hepatocytes aggravates experimental liver fibrosis in mice. *American Journal of Physiology-Gastrointestinal and Liver Physiology.* 308: G613-G624.
- Klaesing, HP; Müller, H; Markwardt, F. (1985). Changes of haemostaseological variables in carbon tetrachloride poisoning in rats. *Arch Toxicol Suppl.*
- Klaassen, CD; Liu, J. (1997). ROLE OF METALLOTHIONEIN IN CADMIUM-INDUCED HEPATOTOXICITY AND NEPHROTOXICITY. *Drug Metab Rev.* 29: 79-102.
- Klaassen, CD; Plaa, GL. (1968). Effect of carbon tetrachloride on the metabolism, storage, and excretion of sulfobromophthalein. *Toxicol Appl Pharmacol.* 12: 132-139.
- Klabunde, K; Michalowicz, GP; MUDUŠIČ; Müller, P; Chvapil, M; Ryan, JN; Elias, SL; Peng, YM. (2001). Protective effect of zinc on carbon tetrachloride-induced liver injury in rats. *J Synchrontron Radiat.* 12: 925-927.
- Klassen, W; Schwartz, PHJR. (1983). AGRICULTURAL RESEARCH SERVICE USA RESEARCH PROGRAM IN CHEMICAL INSECT CONTROL. *Hilton, J L.* 0: 267-292.
- Klausen, J; Vikesland, PJ; Kohn, T; Burris, DR; Ball, WP; Roberts, AL. (2003). Longevity of granular iron in groundwater treatment processes: Solution composition effects on reduction of organohalides and nitroaromatic compounds. *Environmental Science & Technology.* 37: 1208-1218.
- Kleijn, R; Van, DERVOETE; Udo, DEHAESHA. (1994). Controlling substance flows: The case of chlorine. *Environ Manage.* 18: 523-542.
- Klein, AR; Silvester, E; Hogan, CF. (2014). Mediated Electron Transfer between Fe-II Adsorbed onto Hydrous Ferric Oxide and a Working Electrode. *Environmental Science & Technology.* 48: 10835-10842.
- Klein, J; Brueggemann, R; Voigt, K; Steinberg, CEW. (1995). Advances In Comparative Analysis Of Adverse Effects In Aquatic Ecosystems With Emphasis On Studies With Humic Substances And On Progress In Mathematical Analysis Techniques. *Water Res.* 29: 2261-2268.
- Kleinow, KM; Droy, BF; Buhler; Williams, DE. (1988). The interaction of the reference hepatotoxins carbon tetrachloride and allyl formate with beta naphthoflavone mediated P-450 induction in the winter flounder (*Pseudopleuronectes americanus*). *Bulletin of the Mount Desert Island Biological Laboratory.* 27: 22-23.
- Kleinrok, Z; Czechowska, G. (1992). THE INFLUENCE OF ETHANOL ON THE AMINOPHENAZONE ELIMINATION FROM ISOLATED RAT LIVER LESIONED BY CARBON TETRACHLORIDE. *Xi Congress Of The Polish Pharmacological Society And Of The German Society Of Pharmacology And Toxicology, Gdansk, Poland, September.* 44: 157.
- Klingensmith, JS; Mehendale, HM. (1983). Destruction of hepatic mixed-function oxygenase parameters by CCl₄ in rats following acute treatment with chlordecone, mirex, and phenobarbital. *Life Sci.* 33: 2339-2348.
- Klingensmith, JS; Mehendale, HM. Hepatic microsomal metabolism of CCl₄ after pretreatment with chlordecone, mirex, or phenobarbital in male rats. *Drug metabolism and disposition: the biological fate of chemicals.* July/Aug 1983. v. 11 (4): 329-334.
- Klingensmith, JS; Mehendale, HM. Potentiation of CCl₄ lethality by chlordecone. *Toxicol Lett.* Apr 1982. v. 11 (1/2): 149-154.
- Klingensmith, JS; Mehendale, HM. (1981). Potentiation of brominated halomethane hepatotoxicity by chlordecone in the male rat. *Toxicol Appl Pharmacol.* 61: 378-384.
- Klingensmith, JS; Mehendale, HM. (1982). Potentiation of CCl₄ Lethality by Chlordecone. *Toxicol Lett.* 11: 149-154.
- Klingensmith, JS; Mehendale, HM. (1983). Destruction of hepatic mixed-function oxygenase parameters by CCl₄ in rats following acute treatment with chlordecone, Mirex, and phenobarbital. *Life Sci.* 33: 2339-2348.
- Klingensmith, JS; Mehendale, HM. (1983). Hepatic microsomal metabolism of CCl₄ after pretreatment with chlordecone, mirex, or phenobarbital in male rats. *Drug Metab Dispos.* 11: 329-334.
- Klinger, W. (1973). Activity course of amidopyrine-N-demethylation by 9000 x g-liver supernatant of weanling and adult rats of both sexes after administration of carbon tetrachloride. *Acta Biol Med Ger.* 30: 133-137.
- Klinger, W; Sittner, J. (2013). The sensitivity of the indocyaninegreen clearance as a liver test after acute injury by carbon tetrachloride and allyl alcohol in 30- and 120-day-old rats. *J Hepatol.* 58: 904-910.
- Klopman, G; Frierson, MR; Rosenkranz, HS. (1990). The structural basis of the mutagenicity of chemicals in *Salmonella typhimurium*: The Gene-Tox data base. *Mutat Res.* 228: 1-50.
- Klotz, U; Ammon, E. (1998). Clinical and toxicological consequences of the inductive potential of ethanol. *Eur J Clin Pharmacol.* 54: 7-12.
- Kluba-Wojewoda, U. (1994). Cytoprotective effect of prostaglandin E₂ and I₂ in experimental liver damage. *Polish journal of pathology : official journal of the Polish Society of Pathologists.* 45: 55-62.
- Klupinski, TP; Chin, YP; Traina, SJ. (2004). Abiotic degradation of pentachloronitrobenzene by Fe(II): Reactions on goethite and iron oxide nanoparticles. *Environmental Science & Technology.* 38: 4353-4360.

Environmental Hazard Literature Search Results

Off Topic

- Kluwe, M; Kaimann, B; Lorber, KE; Meoer, ZUKOECKERH. (1990). FORMATION OF INTERMEDIATES DURING FLAMELESS THERMAL DECOMPOSITION OF 1,2-DICHLOROBENZENE. Tenth International Symposium On Chlorinated Dioxins And Related Compounds. 23: 1465-1472.
- Kluwe, WM. (1981). Renal Function Tests as Indicators of Kidney Injury in Subacute Toxicity Studies. TOXICOL AND APPL PHARMACOL. 57: 414-424.
- Kluwe, WM; Harrington, FW; Cooper, SE. (1982). Toxic Effects of Organohalide Compounds on Renal Tubular Cells in vivo and in vitro. J Pharmacol Exp Ther. 220: 597-603.
- Kluwe, WM; Hook, JB; Bernstein, J. (1982). Synergistic Toxicity of Carbon Tetrachloride and Several Aromatic Organohalide Compounds. Toxicology. 23: 321-336.
- Knecht, KT; Mason, RP. (1988). In vivo radical trapping and biliary secretion of radical adducts of carbon tetrachloride-derived free radical metabolites. Drug Metab Dispos. 16: 813-824.
- Knecht, KT; Mason, RP. (1990). QUANTITATION WITH SPIN TRAPPING IN-VIVO. Davies, K J A. 0: 171-174.
- Knecht, KT; Mason, RP. (1991). The detection of halocarbon-derived radical adducts in bile and liver of rats. Drug metabolism and disposition: the biological fate of chemicals. 19: 325-331.
- Knecht, KT; Mason, RP. (1993). IN-VIVO SPIN TRAPPING OF XENOBIOTIC FREE RADICAL METABOLITES. Arch Biochem Biophys. 303: 185-194.
- Kniepert, E; Seffner, W. (1989). Histological and histometrical changes of liver damage in rats after treatment with ethanol and carbon tetrachloride. EXP PATHOL. 36: 185-188.
- Kniepert, E; Siegemund, A; Goerisch, V. (1990). Influence of ethanol pretreatment of differing duration on toxic effects of carbon tetrachloride in rats. Biomed Biochim Acta. 49: 1097-1102.
- Kniepert, E; Siegemund, A; Rosenkranz, M; G&ris. (1991). Toxic effects of carbon tetrachloride during short and long term ethanol intake in rats. Archives of toxicology Supplement = Archiv für Toxikologie Supplement.
- Knittel, T; Armbrust, T; Schw≷ Schuppan, D; Ramadori, G. (1992). Distribution and cellular origin of undulin in rat liver. Laboratory investigation; a journal of technical methods and pathology. 67: 779-787.
- Knittel, T; Dinter, C. Expression and regulation of cell adhesion molecules by hepatic stellate cells (HSC) of rat liver: involvement of HSC in recruitment of inflammatory cells during hepatic tissue repair.
- Knittel, T; Kobold, D; Piscaglia, F; Saile, B; Neubauer, K; Mehde, M; Timpl, R; Ramadori, G. (1999). Localization of liver myofibroblasts and hepatic stellate cells in normal and diseased rat livers: distinct roles of (myo-)fibroblast subpopulations in hepatic tissue repair. Histochem Cell Biol. 112: 387-401.
- Knockaert, L; Berson, A; Fautrel, A; Prost, PE; Ribault, C; Fromenty, B; Robin, MA. (2010). A single carbon tetrachloride administration induces early alterations of mitochondrial DNA in mouse liver, through a lipid peroxidation-dependent mechanism. Toxicol Lett. 196, Supplement: S211.
- Knockaert, L; Berson, A; Ribault, C; Prost, PE; Fautrel, A; Pajaud, J; Lepage, S; Lucas-Clerc, C; Begue, JM; Fromenty, B; Robin, MA. (2012). Carbon tetrachloride-mediated lipid peroxidation induces early mitochondrial alterations in mouse liver. Lab Invest. 92: 396-410.
- Knockaert, L; Ribault, C; Fautrel, A; Lepage, S; B&guå@, J; Fromenty, B; Robin, M. (2011). Early carbon tetrachloride-induced liver toxicity involve lipid peroxidation-dependent and independent mechanisms. Toxicol Lett. 205, Supplement: S185.
- Knoll, WH. (1994). Factors influencing the competitive advantage of Pseudomonas sp. strain KC for subsequent remediation of a carbon tetrachloride impacted aquifer. PhD, Michigan State University.
- Knorr, A; Hirth-Dietrich, C; Alonso-Alija, C; Harter, M; Hahn, M; Keim, Y; Wunder, F; Stasch, JP. (2008). Nitric oxide-independent activation of soluble guanylate cyclase by BAY 60-2770 in experimental liver fibrosis. Arzneimittel-Forschung-Drug Research. 58: 71-80.
- Knott, PJ; Curzon, G. (1975). Tryptophan and tyrosine disposition and brain tryptophan metabolism in acute carbon tetrachloride poisoning. Biochem Pharmacol. 24: 963-966.
- Knox, RC; Canter, LW. (1996). Prioritization of ground water contaminants and sources. Water Air And Soil Pollution. 88: 205-226.
- Knox, RS; Spring, BQ. (2003). Dipole strengths in the chlorophylls. Photochem Photobiol. 77: 497-501.
- Knudsen, J; Bjerre, A. (1985). A METHOD OF HAZARD ASSESSMENT OF A GASEOUS SUBSTANCE WITH RESPECT TO FORMATION OF TOXIC PHOTODECOMPOSITION PRODUCTS APPLICATION TO CARBON TETRACHLORIDE TRICHLOROFLUOROMETHANE AND DICHLORODIFLUOROMETHANE. Chemosphere. 14: 249-255.
- Ko, JH; Lee, SJ; Lim, KT. (2006). Rhus verniciflua Stokes glycoprotein (36 kDa) has protective activity on carbon tetrachloride-induced liver injury in mice. Environ Toxicol Pharmacol. 22: 8-14.
- Ko, JH; Lim, KT. (2006). Glycoprotein isolated from Ulmus davidiana NAKAI protects against carbon tetrachloride-induced liver injury in the mouse. J Pharmacol Sci. 101: 205-213.
- Ko, KM; Ip, SP; Poon, MKT; Wu, SS; Che, CT; Ng, KH; Kong, YC. Effect of a lignan-enriched Fructus Schisandrae extract on hepatic glutathione status in rats: protection against carbon tetrachloride toxicity. Planta Med. Apr 1995. v. 61 (2): 134-137.
- Ko, KM; Poon, MKT; Ip, SP; Wu, K. (2002). Protection against Carbon Tetrachloride Liver Toxicity by Enantiomers of Schisandrin B Associated with Differential Changes in Hepatic Glutathione Antioxidant System in Mice. Pharmaceutical Biology. 40: 298-301.
- Ko, S; Batchelor, B. (2007). Identification of active agents for tetrachloroethylene degradation in Portland cement slurry containing ferrous iron. Environmental Science & Technology. 41: 5824-5832.
- Ko, SO; Lee, DH; Kim, YH. (2007). Kinetic studies of reductive dechlorination of chlorophenols with Ni/Fe bimetallic particles. Environ Technol. 28: 583-593.
- Ko, WS; Hsu, SL; Chyau, CC; Chen, KC; Peng, RY. (2010). Compound Cordyceps TCM-700C exhibits potent hepatoprotective capability in animal model. Fitoterapia. 81: 1-7.

Environmental Hazard Literature Search Results

Off Topic

- Ko, YJ; Hsieh, WT; Wu, YW; Lin, WC. (2002). Ameliorative effect of *Silene aprica* on liver injuries induced by carbon tetrachloride and acetaminophen. *Am J Chin Med.* 30: 235-243.
- Kobayashi, N; Ito, M; Nakamura, J; Cai, J; Cao, C; Hammel, JM; Fox, JJ. (2000). The role of hepatocyte transplantation to treat chronic liver failure. *Transplant Proc.* 32: 2287-2288.
- Kobayashi, N; Ito, M; Nakamura, J; Cai, J; Hammel, JM; Fox, JJ. (1999). Hepatocyte transplantation improves liver function and prolongs survival in rats with decompensated liver cirrhosis. *Transplant Proc.* 31: 428-429.
- Kobayashi, N; Ito, M; Nakamura, J; Cai, J; Hammel, JM; Fox, JJ. (2000). Treatment of carbon tetrachloride and phenobarbital-induced chronic liver failure with intrasplenic hepatocyte transplantation. *Cell Transplant.* 9: 671-673.
- Kobayashi, T; Niimi, S; Hashimoto, O; Hayakawa, T. (2000). Expression of inhibin beta(A), beta(B), and follistatin mRNAs in the carbon tetrachloride induced rat liver regeneration model. *Biological & Pharmaceutical Bulletin.* 23: 755-757.
- Kober, H; Tatsch, E; Torbitz, VD; Cargnin, LP; Sangoi, MB; Bochi, GV; da Silva, ARH; Barbisan, F; Ribeiro, EE; da Cruz, IBM; Moresco, RN. (2016). Genoprotective and hepatoprotective effects of Guarana (*Paullinia cupana* Mart. var. *sorbilis*) on CCl₄-induced liver damage in rats. *Drug Chem Toxicol.* 39: 48-52.
- Kober, R; Schlicker, O; Ebert, M; Dahmke, A. (2002). Degradation of chlorinated ethylenes by Fe(0): inhibition processes and mineral precipitation. *Environ Geol.* 41: 644-652.
- Kocãrovãj, Lv; Balogh, IS; Nagy, L; Billes, F; Simon, As; Andruch, V. (2011). Application of a bisindocarbocyanine reagent for dispersive liquid-liquid microextraction of silver with subsequent spectrophotometric determination. *Microchem J.* 99: 514-522.
- Koch, R; Nagel, M. (1988). QUANTITATIVE STRUCTURE ACTIVITY RELATIONSHIPS IN SOIL ECOTOXICOLOGY. *Sci Total Environ.* 77: 269-276.
- Koch, R; Strobel, K. (1981). Ecochemical and Toxicological Data for Selected Haloalkanes and Their Evaluation. *Acta Hydrochim Hydrobiol.* 9: 227-246.
- Koda, M; Murawaki, Y; Hirayama, C. (1988). Free and small peptide-bound (super(14)C)hydroxyproline synthesis in rat liver in vitro in CCl₄-induced hepatic fibrosis. *Biochem Biophys Res Commun.* 151: 1128-1135.
- Koda, M; Murawaki, Y; Hirayama, C. (1988). FREE AND SMALL PEPTIDE-BOUND CARBON-14 HYDROXYPROLINE SYNTHESIS IN RAT LIVER IN-VITRO IN CARBON TETRACHLORIDE-INDUCED HEPATIC FIBROSIS. *Biochem Biophys Res Commun.* 151: 1128-1135.
- Koda, M; Murawaki, Y; Yamamoto, H; Kwasaki, H. (1994). Dynamics of hepatic collagen synthesis and intracellular degradation of newly synthesized collagen during chronic carbon tetrachloride-induced liver injury in rats. *Res Comm Chem Pathol Pharmacol.* 84: 233-244.
- Kodavanti, PR; Kodavanti, UP; Faroon, OM; Mehendale, HM. (1992). Pivotal role of hepatocellular regeneration in the ultimate hepatotoxicity of CCl₄ in chlordecone-, mirex-, or phenobarbital-pretreated rats. *Toxicol Pathol.* 20: 556-569.
- Kodavanti, PR; Kodavanti, UP; Mehendale, HM. (1990). Altered hepatic energy status in chlordecone (Kepone)-potentiated CCl₄ hepatotoxicity. *Biochem Pharmacol.* 40: 859-866.
- Kodavanti, PR; Joshi, UM; Lockard, VG; Mehendale, HM. (1988). ROLE OF HEPATOCELLULAR REGENERATION IN THE POTENTIATION OF CARBON TETRACHLORIDE HEPATOTOXICITY BY CHLORDECONE KEPONE. 196th American Chemical Society National Meeting, Los Angeles, California, Usa, September. 196: AGRO-166.
- Kodavanti, PR; Joshi, UM; Mehendale, HM; Lockard, VG. (1989). Chlordecone (Kepone)-potentiated carbon tetrachloride hepatotoxicity in partially hepatectomized rats -- a histomorphometric study. *J Appl Toxicol.* 9: 367-375.
- Kodavanti, PR; Joshi, UM; Young, RA; Bell, AN; Mehendale, HM. (1989). Role of hepatocellular regeneration in chlordecone potentiated hepatotoxicity of carbon tetrachloride. *Arch Toxicol.* 63: 367-375.
- Kodavanti, PR; Joshi, UM; Young, RA; Meydrech, EF; Mehendale, HM. (1989). PROTECTION OF HEPATOTOXIC AND LETHAL EFFECTS OF CARBON TETRACHLORIDE BY PARTIAL HEPATECTOMY. *Toxicol Pathol.* 17: 494-505.
- Kodavanti, PR; Kodavanti, UP; Mehendale, HM. (1990). Altered hepatic energy status in chlordecone (Kepone)-potentiated carbon tetrachloride hepatotoxicity. *Biochem Pharmacol.* 40: 859-866.
- Kodavanti, PR; Mehendale, HM. (1989). ROLE OF HEPATIC CYCLIC AMP AND PHOSPHORYLASE LEVELS IN CHLORDECONE KEPONE POTENTIATED CARBON TETRACHLORIDE HEPATOTOXICITY. 73rd Annual Meeting Of The Federation Of American Societies For Experimental Biology, New Orleans, Louisiana, Usa, March. 3.
- Koecher, Z; Habermannova, S; Cerhova, M; Suva, J. (1964). THE INFLUENCE OF OROTIC ACID ON LIVER PARENCHYMA. IV. CHANGES IN SERUM AND LIVER LIPIDS DUE TO CHRONIC CARBON TETRACHLORIDE INTOXICATION. *Acta vitaminologica.* 18: 269-275.
- Koehnlein, HE; Mergard, U. (1972). Animal experiments on the effect of various haemostyptic drugs. *The British journal of surgery.* 59: 313.
- Koenig, JC; Boparai, HK; Lee, MJ; Oã€™Carroll, DM; Barnes, RJ; Manefield, MJ. (2016). Particles and enzymes: Combining nanoscale zero valent iron and organochlorine respiring bacteria for the detoxification of chloroethane mixtures. *J Hazard Mater.* 308: 106-112.
- Koenig, JC; Groissmeier, KD; Manefield, MJ. (2014). Tolerance of anaerobic bacteria to chlorinated solvents. *Microbes and environments / JSME.* 29: 23-30.
- Koenig, JC; Lee, MJ; Manefield, M. (2012). Successful microcosm demonstration of a strategy for biodegradation of a mixture of carbon tetrachloride and perchloroethene harnessing sulfate reducing and dehalorespiring bacteria. *J Hazard Mater.* 219-220: 169-175.
- Koepfel, TA; Mihaljevic, N; Kraenzlin, B; Loehr, M; Jesenofsky, R; Post, S; Palma, P. (2007). Enhanced iNOS gene expression in the steatotic rat liver after normothermic ischemia. *Eur Surg Res.* 39: 303-311.
- Koertge, HH; Maynard, GB, Jr.; Pollard, JW. (1966). Carbon tetrachloride poisoning: a danger to the uninformed. *Journal of the American College Health Association.* 15: 94-96.
- Koga, M; Akiyama, T; Glaze, WH. (1991). ANALYSIS OF OZONATION BY-PRODUCTS PRODUCED IN DRINKING WATER TREATMENT. *Ixth Uoeh.* 7: 423-432.

Environmental Hazard Literature Search Results

Off Topic

- Koh, PH; Mokhtar, RA; Iqbal, M. (2011). Andrographis paniculata ameliorates carbon tetrachloride (CCl₄)-dependent hepatic damage and toxicity: diminution of oxidative stress. Redox report : communications in free radical research. 16: 134-143.
- Koh, SB; Ban, JY; Lee, BY; Seong, YH. (2003). Protective effects of fangchinoline and tetrandrine on hydrogen peroxide-induced oxidative neuronal cell damage in cultured rat cerebellar granule cells. Planta Med. 69: 506-512.
- Kohashi, T; Tateaki, Y; Tateno, C; Asahara, T; Obara, M; Yoshizato, K. (2002). Expression of pleiotrophin in hepatic nonparenchymal cells and preneoplastic nodules in carbon tetrachloride-induced fibrotic rat liver. Growth Factors. 20: 53-60.
- Kohjima, M; Tsai, TH; Tackett, BC; Thevananther, S; Li, L; Chang, BHJ; Chan, L. (2013). Delayed liver regeneration after partial hepatectomy in adipose differentiation related protein-null mice. J Hepatol. 59: 1246-1254.
- Kohn, T; Arnold, WA; Roberts, AL. (2006). Reactivity of substituted benzotrichlorides toward granular iron, Cr(II), and an iron(II) porphyrin: A correlation analysis. Environmental Science & Technology. 40: 4253-4260.
- Kohn, T; Kane, S; Fairbrother, DH; Roberts, AL. (2003). Investigation of the inhibitory effect of silica on the degradation of 1,1,1-trichloroethane by granular iron. Environmental Science & Technology. 37: 5806-5812.
- Kohn, T; Livi, KJT; Roberts, AL; Vikesland, PJ. (2005). Longevity of granular iron in groundwater treatment processes: Corrosion product development. Environmental Science & Technology. 39: 2867-2879.
- Kohno, H; Hoshino, Y; Katoh, S; Ohkubo, Y. (1992). Effect of retinoic acid on liver transglutaminase activity and carbon tetrachloride-induced liver damage in mice. Experientia. 48: 386-388.
- Kohno, H; Kashimura, K; Katoh, S; Ohkubo, Y. (1991). Changes in transglutaminase activity in carbon tetrachloride-damaged rat liver. Experientia Basel. 47: 70-75.
- Kohonen, P; Benfenati, E; Bower, D; Ceder, R; Crump, M; Cross, K; Grafstrom, RC; Healy, L; Helma, C; Jeliaskova, N; Jeliaskov, V; Maggioni, S; Miller, S; Myatt, G; Rautenberg, M; Stacey, G; Willighagen, E; Wiseman, J; Hardy, B. (2013). The ToxBank Data Warehouse: Supporting the Replacement of In Vivo Repeated Dose Systemic Toxicity Testing. Molecular Informatics. 32: 47-63.
- Koivusaari, U; Lang, M; Hietanen, E. (1980). Differences in the response of hepatic and intestinal drug metabolizing enzymes in rats following carbon tetrachloride and/or phenobarbital treatment. Acta Pharmacol Toxicol. 46: 37-42.
- Koizumi, T; Mitsutani, N; Kawata, H; Wada, M; Yoshida, T. (1964). N-ACETYL-BETA-GLUCOSAMINIDASE ACTIVITY IN HEPATIC FIBROSIS. Laboratory investigation; a journal of technical methods and pathology. 13: 752-756.
- Kojima, I; Davis, SS. (1984). The effect of salt concentration on the distribution of phenol between aqueous sodium chloride and carbon tetrachloride. Int J Pharm. 20: 203-207.
- Kojima, S; Shimomura, H; Matsumori, S. (2000). Effect of pre-irradiation with low-dose gamma-rays on chemically induced hepatotoxicity and glutathione depletion. Anticancer Res. 20: 1583-1588.
- Kokala, M; Liakos, A; Kondili, B; Mykoniatis, M. (1995). The time-course of rat liver regeneration after acute carbon tetrachloride intoxication. Pharmacol Res. 31, Supplement 1: 142.
- Kokudo, N; Kothary, PC; Eckhauser, FE; Raper, SE. (1992). Transforming growth factor-alpha (TGF-alpha) improves hepatic DNA synthesis after hepatectomy in cirrhotic rats. The Journal of surgical research. 52: 648-655.
- Kolano, C; Bucher, G; Grote, D; Schade, O; Sander, W. (2006). A TRIR, TREPR and computational study on the reactivity and structure of the 2,2,2-trifluoroethoxycarbonyl radical. Photochem Photobiol. 82: 332-338.
- Kollonitsch, Z; Moller, K; Schimper, HJ; Giesen, C; Heuken, M; Willig, F; Hannappel, T. (2004). In situ monitored MOVPE growth of undoped and p-doped GaSb(100). J Cryst Growth. 261: 289-293.
- Kolomeets, AV; Plyusnin, VF; Grivin, VP; Larionov, SV; Lemmetyinen, H. (2011). Photochemical processes for dithiocarbamate metal complexes. Photochemistry of Niá' á' á'(n-Buâ,,NCSâ,,)â,, complex in CClâ,,,. Journal of Photochemistry & Photobiology, A: Chemistry. 220: 164-172.
- Kolpakov, MA; Grek, OR; Bashkirova, YV; Lyubarskii, MS; Ravilova, YR. (2001). Hepatoprotective properties of aqueous extract from Pentaphylloides fruticosa during chronic toxic hepatitis. Bull Exp Biol Med. 131: 470-472.
- Komaromy, L; Tigyi, A. (1988). A UNIQUE CELL TYPE IN THE LUNG THE CLARA CELL THE NON-CILIATED BRONCHIOLAR EPITHELIAL CELL. Acta Biol Hung. 39: 17-30.
- Komatsu, Y; Waku, T; Iwasaki, N; Ono, W; Yamaguchi, C; Yanagisawa, J. (2012). Global analysis of DNA methylation in early-stage liver fibrosis. BMC Medical Genomics. 5: 5.
- Kon, K; Ikejima, K; Hirose, M; Yoshikawa, M; Enomoto, N; Kitamura, T; Takei, Y; Sato, N. (2002). Pioglitazone prevents early-phase hepatic fibrogenesis caused by carbon tetrachloride. Biochem Biophys Res Commun. 291: 55-61.
- Nonan, K. Hepatoprotective and in vivo antioxidant activity of Olax subscorpioidea Oliv. (Olacaceae) and Distemonathus benthamianus Baill. (Caesalpinaceae).
- Kondeva-Burdina, M; Simeonova, R; Krasteva, I; Benbassat, N. (2013). PROTECTIVE EFFECTS OF EXTRACT FROM ASTRAGALUS GLYCYPHYLLOIDES ON CARBON TETRACHLORIDE-INDUCED TOXICITY IN ISOLATED RAT HEPATOCYTES. Biotechnol Biotechnol Equip. 27: 3866-3869.
- Kondo, K; Takahashi, M; Ohmizu, H; Matsumoto, M; Taguchi, I; Iwasaki, T. (1994). 2,2'-Disubstituted biphenyls: Synthesis and suppressive effect against carbon tetrachloride-induced liver injury. Chemical & Pharmaceutical Bulletin. 42: 62-66.
- Kondo, Y; Takano, F; Hojo, H. Suppression of chemically and immunologically induced hepatic injuries by gentiopicroside in mice. Planta Med. Oct 1994. v. 60 (5): 414-416.
- Kone, T; Hanna, K; Abdelmoula, M; Ruby, C; Carteret, C. (2009). Reductive transformation and mineralization of an azo dye by hydroxysulphate green rust preceding oxidation using H₂O₂ at neutral pH. Chemosphere. 75: 212-219.
- Kong, D; Zhang, F; Wei, D; Zhu, X; Zhang, X; Chen, L; Lu, Y; Zheng, S. (2013). Paeonol inhibits hepatic fibrogenesis via disrupting nuclear factor- κ B pathway in activated stellate cells: in vivo and in vitro studies. J Gastroenterol Hepatol. 28: 1223-1233.

Environmental Hazard Literature Search Results

Off Topic

- Kong, EJ; Digiano, FA. (1986). Competitive adsorption among volatile organic chemicals on activated carbon and carbonaceous resin. *Am Water Works Assoc J.* 78: 181-188.
- Kong, YX; Wang, H; Wang, SL; Tang, N. (2014). FTY720, a Sphingosine-1 Phosphate Receptor Modulator, Improves Liver Fibrosis in a Mouse Model by Impairing the Motility of Bone Marrow-Derived Mesenchymal Stem Cells. *Inflammation.* 37: 1326-1336.
- Konishi, H; Sudo, M; Sumi, M; Morii, H; Minouchi, T; Amoto, T; Yamaji, A. (2005). Pharmacokinetic behavior of micafungin in rats with carbon tetrachloride-induced acute hepatic failure. *Biological & Pharmaceutical Bulletin.* 28: 556-559.
- Kono, T; Kashiwade, Y; Asama, T; Chisato, N; Ebisawa, Y; Yoneda, M; Kasai, S. (2011). Preventive effect of urinary trypsin inhibitor on the development of liver fibrosis in mice. *Exp Biol Med.* 236: 1314-1321.
- Konstantinova, M; Mareva, S; Jordanov, N. (1977). The distribution and dimerization of benzoic acid. association with trioctylphosphine oxide in carbon tetrachloride. *Anal Chim Acta.* 90: 295-299.
- Konwaler, BE; Noyes, CB. (1944). CARBON TETRACHLORIDE POISONING: REPORT OF CASES. *California and western medicine.* 61: 16-20.
- Konya, KG; Paul, T; Lin, SQ; Lusztyk, J; Ingold, KU. (2000). Laser flash photolysis studies on the first superoxide thermal source. First direct measurements of the rates of solvent-assisted 1,2-hydrogen atom shifts and a proposed new mechanism for this unusual rearrangement. *J Am Chem Soc.* 122: 7518-7527.
- Konyashchenko, AV; Losev, LL. (2006). Multifrequency Raman generation in liquid carbon tetrachloride with two-color pumping. *Optics Communications.* 260: 712-715.
- Koo, A; Liang, IY; Cheng, KK. (1976). Intrahepatic microvascular changes in carbon tetrachloride-induced cirrhotic livers in the rat. *The Australian journal of experimental biology and medical science.* 54: 277-286.
- Koo, YC; Hong, CO; Nam, MH; Kim, JH; Yang, SY; Won, NH; Park, TS; Lee, KW. (2013). Inhibitory effect of yellow myrobalan (*Terminalia chebula*) extract on fibrosis induced by carbon tetrachloride in rat liver. *Food Science and Biotechnology.* 22: 871-880.
- Koporec, KP; Kim, HJ; MacKenzie, WF; Bruckner, JV. (1995). Effect of oral dosing vehicles on the subchronic hepatotoxicity of carbon tetrachloride in the rat. *J Toxicol Environ Health.* 44: 13-27.
- Kopp, RF; Maynard, CA; de Niella, PR; Smart, LB; Abrahamson, LP. (2002). Collection and storage of pollen from *Salix* (Salicaceae). *Am J Bot.* 89: 248-252.
- Koppikar, SV; Satav, JG; Fatterpaker, P; Sreenivasan, A. (1969). Lipid composition of subcellular fractions in carbon tetrachloride induced fatty liver. *Indian journal of biochemistry.* 6: 185-189.
- Koptagel, E; Bulut, HE. (1998). Effects of short-term hydrocarbon inhalation on rat tracheal mucosa. *Okajimas Folia Anatomica Japonica.* 75: 71-86.
- Korkmaz, H; Temel, T; Bugdaci, MS; Tekelioglu, Y; Ozoran, Y; Kapicioglu, S. (2014). Effects of fish oil on cell proliferation and liver injury in an experimental model of acute hepatic injury induced by carbon tetrachloride. *Bratislavské lekárske listy.* 115: 185-189.
- Kornbrust, DJ; Bus, JS. (1984). Glutathione depletion by methyl chloride and association with lipid peroxidation in mice and rats. *Toxicol Appl Pharmacol.* 72: 388-399.
- Korsrud, GO; Grice, HC; McLaughlan, JM. (1972). Sensitivity of several serum enzymes in detecting carbon tetrachloride-induced liver damage in rats. *Toxicol Appl Pharmacol.* 22: 474-483.
- Kosenko, EA; Kaminsky, YG. (2010). Activation of AMP deaminase and adenosine deaminase in the liver during ammonia poisoning and hepatitis. *Bull Exp Biol Med.* 150: 36-38.
- Koski, WS; Roszak, S; Kaufman, JJ; Balasubramanian, K. (1997). Potential toxicity of CF3X halocarbons. *In Vitro Toxicol.* 10: 455-457.
- Koski, WS; Roszak, S; Kaufman, JJ; Balasubramanian, K. (1997). Potential toxicity of CF sub(3)X halocarbons. *In Vitro Toxicol.* 10: 455-457.
- Kostin, VA; Zolottsev, VA; Kuzikov, AV; Masamrekh, RA; Shumyantseva, VV; Veselovsky, AV; Stulov, SV; Novikov, RA; Timofeev, VP; Misharin, AY. (2016). Oxazolonyl derivatives of 17(20)E -21-norpregnene differing in the structure of A and B rings. Facile synthesis and inhibition of CYP17A1 catalytic activity. *Steroids.* 115: 114-122.
- Kostyuk, VA. (1991). Effect of o-benzoquinone derivatives on free radical reactions initiated by carbon tetrachloride in rat liver microsomes. *Biokhimiya.* 56: 109-114.
- Kostyuk, VA; Potapovich, AI. (1991). Damage of rat liver microsomal mixed function oxidase system by carbon tetrachloride. In vivo study with selective inhibitor of lipid peroxidation. *Biochem Int.* 25: 349-353.
- Kostyuk, VA; Potapovich, AI; Speransky, SD; Maslova, GT. (1985). Protective effect of natural flavonoids on rat peritoneal macrophages injury caused by asbestos fibers. *Free radical biology & medicine.* 21: 487-493.
- Kostyuk, VA; Potapovich, AI; Tereshchenko, SM. (1991). 4-(4-R-Phenylamino)-5-methoxy-1-2-benzoquinones are new selective inhibitors of carbon tetrachloride-initiated free radical reactions in liver. *Biochem Int.* 25: 167-172.
- Kotora, M; Hájek, M. (1991). Addition of tetrachloromethane to trifluoroethene catalyzed by copper complexes. *Journal of Fluorine Chemistry.* 55: 57-62.
- Kotora, M; Hájek, M. (1993). Ligand effect on regioselectivity in the addition reaction of tetrachloromethane with trifluoroethene catalyzed by copper(I) complexes. *Journal of Fluorine Chemistry.* 64: 101-105.
- Kotsanis, N; Metcalfe, CD. (1988). ACCELERATING AN IN-VIVO TROUT CARCINOGENESIS ASSAY WITH CARBON TETRACHLORIDE AND PARTIAL HEPATECTOMY. Fifteenth Annual Aquatic Toxicity Workshop, Montreal, Quebec, Canada, November. 0: 204-211.
- Kotzampassi, K; Metaxas, G; Paramythiotis, D; Pidonia, I; Rekka, H; Karamouzis, M; Eleftheriadis, E. (2003). The influence of continuous seven-day elevated intra-abdominal pressure in the renal perfusion in cirrhotic rats. *J Surg Res.* 115: 133-138.
- Kotze, M; Eloff, JN. (2002). Extraction of antibacterial compounds from *Combretum microphyllum* (Combretaceae). *South African Journal of Botany.* 68: 62-67.

Environmental Hazard Literature Search Results

Off Topic

- Koul, IB; Kapil, A. (1993). Evaluation of the liver protective potential of piperine, an active principle of black and long peppers. *Planta Med.* 59: 413-417.
- Kourounakis, PN; Rekka, E. (1991). Effect of adaptive steroids on the impairment of hepatic drug metabolic activity caused by hepatotoxic agents. *European Journal of Drug Metabolism and Pharmacokinetics. Spec No 3:* 17-23.
- Koutensk; yac; Kontoghiorghes, GJ; Sanzgiri, U; Muralidhara, S; Bruckner, JV. (1991). EFFECT OF EMULPHOR CONCENTRATION CONC ON ORAL PHARMACOKINETICS PK AND HEPATOTOXICITY OF CARBON TETRACHLORIDE. *Archives of toxicology Supplement = Archiv für Toxikologie Supplement.* 14: 185-187.
- Koutentis, PA; Rees, CW. (2000). Chemistry of 4-dicyanomethylene-1,2,6-thiadiazines. *Journal of the Chemical Society-Perkin Transactions* 11081-1088.
- Kovac, M; Anderluh, M; Vercouillie, J; Guilloteau, D; Emond, P; Mavel, S. (2013). Aromatic fluoro-de-triazenation with boron trifluoride diethyl etherate under non-protic acid conditions. *Journal of Fluorine Chemistry.* 147: 5-9.
- Kovalenko, VN; Kozyrkov, YY. (2015). A Simple Method for Resolution of Endo-/Exo-Monoesters of Trans-Norborn-5-Ene-2,3-Dicarboxylic Acids Into Their Enantiomers. *Chirality.* 27: 151-155.
- Kovalovich, K; DeAngelis, RA; Li, W; Furth, EE; Ciliberto, G; Taub, R. (2000). Increased toxin-induced liver injury and fibrosis in interleukin-6-deficient mice. *Hepatology.* 31: 149-159.
- Kovalovich, K; Li, W; DeAngelis, R; Greenbaum, LE; Ciliberto, G; Taub, R. (2001). Interleukin-6 protects against Fas-mediated death by establishing a critical level of anti-apoptotic hepatic proteins FLIP, Bcl-2, and Bcl-xL. *J Biol Chem.* 276: 26605-26613.
- Koyama, T; Chounan, R; Uemura, D; Yamaguchi, K; Yazawa, K. (2006). Hepatoprotective effect of a hot-water extract from the edible thorny oyster *Spondylus varius* on carbon tetrachloride-induced liver injury in mice. *Bioscience Biotechnology and Biochemistry.* 70: 729-731.
- Koyama, Y; Sato, A. (1986). Effects of one-day food restriction on the metabolism and toxicity of organic solvents in rats. *Japanese Journal of Industrial Health.* 28: 96-100.
- Kozakiewicz, M; Godlewski, A. (2003). Modulation of the mitotic activity and population of the mast cells in the oral mucosa by substance P. *Cell Mol Biol Lett.* 8.
- Kozuka, S; Sassa, R. (1976). Acceleration of hepatocarcinogenesis of 2,7-bis(acetamido)fluorene by carbon tetrachloride and time relation of treatment. *Gan.* 67: 141-145.
- Krã€ner, B-BPM. (1982). The intracellular distribution of liver cell calcium in normal rats and one hour after administration of carbon tetrachloride. *Biochem Pharmacol.*
- Krã€zhenb; uumS; Reichen, J. (1993). Decreased hepatic glucose production in rats with carbon tetrachloride-induced cirrhosis. *J Hepatol.* 19: 64-70.
- Krã€ner, H; Planker, M. (1980). The Role of Calcium in Liver Cell Damage: Comparative Studies with Carbon Tetrachloride and D-Galactosamine. *Pathol Res Pract.* 169: 298-303.
- Krack, G; Deboysier, D; Goethals, F; Vossen, P; Roberfroid, M. (1983). AN IN-VITRO MODEL FOR ACUTE TOXICITY TESTING USING HEPATOCYTES FRESHLY ISOLATED FROM ADULT MAMMALS. *Homburger, F. O:* 286-294.
- Krack, G; Goethals, F; Deboysier, D; Roberfroid, M. (1980). Interference of chemicals with glycogen metabolism in isolated hepatocytes. *Toxicology.* 18: 213-223.
- Kraft, K. (1997). Artichoke leaf extract - Recent findings reflecting effects on lipid metabolism, liver and gastrointestinal tracts. *Phytomedicine.* 4: 369-378.
- Krahenbuhl, L; Ledermann, M; Lang, C; Krahenbuhl, S. (2000). Relationship between hepatic mitochondrial functions in vivo and in vitro in rats with carbon tetrachloride-induced liver cirrhosis. *J Hepatol.* 33: 216-223.
- Krahenbuhl, L; Schafer, M; Ledermann, M; Krahenbuhl, S. (1999). Benzoic acid metabolism reflects hepatic mitochondrial function in rats with carbon tetrachloride (CCl4)-induced cirrhosis. *34th Annual Meeting Of The European Association For The Study Of The Liver, Naples, Italy, April.* 30: 149.
- Krahenbuhl, S; Reichen, J. (1988). CANALICULAR BILE FLOW AND BILE SALT SECRETION ARE MAINTAINED IN RATS WITH LIVER CIRRHOSIS FURTHER EVIDENCE FOR THE INTACT CELL HYPOTHESIS. *J Hepatol.* 7: 63-71.
- Krampert, M; Heldin, CH; Heuchel, RL. (2008). A gain-of-function mutation in the PDGFR-beta alters the kinetics of injury response in liver and skin. *Lab Invest.* 88: 1204-1214.
- Krasteva, AZ; Mitcheva, MK; Kondeva-Burdina, MS; Descatoire, VA. (2007). In vitro study of lovastatin interactions with amiodarone and with carbon tetrachloride in isolated rat hepatocytes. *World J Gastroenterol.* 13: 2198-2204.
- Kravetz, D; Bosch, J; Arderiu, M; Piera, C; Pizcueta, P; Setoain, J; Rodes, J. (1987). INCREASED PLASMA VOLUME IN RATS WITH PORTAL HYPERTENSION DUE TO CARBON TETRACHLORIDE INDUCED CIRRHOSIS AND PARTIAL PORTAL VEIN LIGATION. *22nd Meeting Of The European Association For The Study Of The Liver, Torino, Italy, September.* 5.
- Kravetz, D; Bosch, J; Arderiu, M; Pilar, PM; Rodã€s, J. (1989). Hemodynamic effects of blood volume restitution following a hemorrhage in rats with portal hypertension due to cirrhosis of the liver: influence of the extent of portal-systemic shunting. *Hepatology Jun.* 9: 808-814.
- Krawczyk, K; Ulejczyk, B. (2003). Decomposition of chloromethanes in gliding discharges. *Plasma Chemistry and Plasma Processing.* 23: 265-281.
- Krawczyk, K; Ulejczyk, B. (2004). Influence of water vapor on CCl(4) and CHCl(3) conversion in gliding discharge. *Plasma Chemistry and Plasma Processing.* 24: 155-167.
- Krawczyk, K; Ulejczyk, B; Song, HK; Lamenta, A; Paluch, B; Schmidt-Szalowski, K. (2009). Plasma-catalytic Reactor for Decomposition of Chlorinated Hydrocarbons. *Plasma Chemistry and Plasma Processing.* 29: 27-41.
- Krech, JH; Rose-Pehrsson, SL. (1997). Detection of volatile organic compounds in the vapor phase using solvatochromic dye-doped polymers. *Anal Chim Acta.* 341: 53-62.

Environmental Hazard Literature Search Results

Off Topic

- Kreft, B; Block, W; Dombrowski, F; Fackeldey, A; Bachmann, R; Muhlhauser, J; Traber, F; Oksendal, A; Pfeifer, U; Schild, HH. (1998). Diagnostic value of a superparamagnetic iron oxide in MR imaging of chronic liver disease in an animal model. *AJR Am J Roentgenol.* 170: 661-668.
- Kreft, B; Dombrowski, F; Block, W; Bachmann, R; Pfeifer, U; Schild, H. (1999). Evaluation of different models of experimentally induced liver cirrhosis for MRI research with correlation to histopathologic findings. *Invest Radiol.* 34: 360-366.
- Kremsner, JM; Kappe, CO. (2006). Silicon carbide passive heating elements in microwave-assisted organic synthesis. *J Org Chem.* 71: 4651-4658.
- Kriegman-King, MR; Reinhard, M. (1992). ABIOTIC TRANSFORMATION OF CARBON TETRACHLORIDE IN THE PRESENCE OF SULFIDE AND MINERAL SURFACES. *203rd Acs.* 203.
- Krieter, PA; van, DRA. (1983). Cytochrome P-450 and halothane metabolism. Decrease in rat liver microsomal P-450 in vitro. *Chem Biol Interact.* 44: 219-235.
- Krishna, PR; Kamaya, H; Ueda, I. (1110). Alcohols dehydrate lipid membranes: An infrared study on hydrogen bonding. *AU - CHIOU J-S. Biochim Biophys Acta.* 2: 225-233.
- Krishnaiah, K. Studies on the influence of temperature on the efficacy of ethylene dichloride and carbon tetrachloride mixture in controlling *Tribolium castaneum* Herbst. and *Trogoderma granarium* Everts. *Bull Grain Technol.* Apr 1976, 14 (1): 42-44.
- Krishnakumar, NM; Latha, PG; Suja, SR; Shine, VJ; Shyamal, S; Anuja, GI; Sini, S; Pradeep, S; Shikha, P; Unni, PK; Rajasekharan, S. (2008). Hepatoprotective effect of *Hibiscus hispidissimus* Griffith, ethanolic extract in paracetamol and CCl₄ induced hepatotoxicity in Wistar rats. *Indian J Exp Biol.* 46: 653-659.
- Krishnan, A; Li, X; Kao, WWY; Viker, K; Butters, K; Masuoka, H; Knudsen, B; Gores, G; Charlton, M. (2012). Lumican, an extracellular matrix proteoglycan, is a novel requisite for hepatic fibrosis. *Lab Invest.* 92: 1712-1725.
- Krishnan, N; Stenger, RJ. (1966). Effects of starvation on the hepatotoxicity of carbon tetrachloride. A light and electron microscopic study. *Am J Pathol.* 49: 239-255.
- Krishnappa, P; Venkatarangaiah, K; Venkatesh; Shivamogga, RSK; Kashi, PGR. (2014). Antioxidant and prophylactic effects of *Delonix elata* L., stem bark extracts, and flavonoid isolated quercetin against carbon tetrachloride-induced hepatotoxicity in rats. *BioMed Res Int.* 2014: 507851.
- Kristensen, DB; Kawada, N; Imamura, K; Miyamoto, Y; Tateno, C; Seki, S; Kuroki, T; Yoshizato, K. (2000). Proteome analysis of rat hepatic stellate cells. *Hepatology.* 32: 268-277.
- Krithika, R; Jyothishankar, V; Prashantha, K; Verma, RJ. (2015). Mechanism of protective effect of phyllanthin against carbon tetrachloride-induced hepatotoxicity and experimental liver fibrosis in mice. *Toxicol Mech Meth.* 25: 708-717.
- Krithika, R; Jyothishankar, V; Verma, RJ. (2016). Phyllanthin inhibits CCl₄-mediated oxidative stress and hepatic fibrosis by down-regulating TNF- α /NF- κ B, and pro-fibrotic factor TGF- β 1 mediating inflammatory signaling. *Toxicol Ind Health.* 32: 953-960.
- Krithika, R; Verma, RJ. (2004). Mitigation of carbon tetrachloride-induced damage by *Phyllanthus amarus* in liver of mice. *The American journal of clinical nutrition.* 66: 439-444.
- Krithika, R; Verma, RJ. (2009). Ameliorative potential of *Phyllanthus amarus* against carbon tetrachloride-induced hepatotoxicity. *Acta Pol Pharm.* 66: 579-583.
- Krizhanovsky, V; Yon, M; Dickens, RA; Hearn, S; Simon, J; Miething, C; Yee, H; Zender, L; Lowe, SW. (2008). Senescence of activated stellate cells limits liver fibrosis. *Cell.* 134: 657-667.
- Kroener, H; Planker, M. (1982). Studies on carbon tetrachloride-induced damage to rat liver microsomes, evidence for the role of calcium. *Hepatogastroenterology.* 29: 63-64.
- Krogaard, H; Andersen, AS. (1990). Effect of cellulase fractionation on the viability of cultured barley (*Hordeum vulgare*) protoplasts. *Physiol Plant.* 80: 119-125.
- Kroker, R; Frimmer, M. (1974). Decrease of binding sites for phalloidin on the surface of liver cells during carbon tetrachloride intoxication. *Naunyn Schmiedebergs Arch Pharmacol.* 282: 109-111.
- Kroker, R; Frimmer, M. (1974). Proceedings: The mechanism of phalloidin-tolerance in baby rats and in animals poisoned with carbon tetrachloride. *Naunyn Schmiedebergs Arch Pharmacol.* 282: suppl 282:R251.
- Kromann, A; Christensen, TH. (1991). Degradability of organic chemicals in a landfill environment studied by in situ and laboratory leachate reactors. *Waste Management & Research.* 16: 437-445.
- Kromann, A; Ludvigsen, L; Albrechtsen, HJ; Christensen, TH; Ejlerthsson, J; Svensson, BH. (1998). Degradability of chlorinated aliphatic compounds in methanogenic leachates sampled at eight landfills. *Waste Management & Research.* 16: 54-62.
- Krone, UE; Thauer, RK. Reductive formation of carbon monoxide from CCl₄ and FREONS 11, 12, and 13 catalyzed by corrinoids.
- Krone, UE; Thauer, RK; Hogenamp, HPC. (1992). THE REDUCTIVE DEHALOGENATION OF CHLORINATED AND FLUORINATED C-1 HYDROCARBONS CATALYZED BY CORRINOIDS. *203rd Acs.* 203.
- Kruus, P; Beutel, L; Aranda, R; Penchuk, J; Otson, R. (1998). Formation of complex organochlorine species in water due to cavitation. *Chemosphere.* 36: 1811-1824.
- Krysell, M. (1992). Carbon tetrachloride and methyl chloroform as tracers of deep water formation in the Weddell Sea, Antarctica. *Marine Chemistry.* 39: 297-310.
- Kubo, H; Harada, M; Ishikawa, M; Nishitani, H. (2006). Hemodynamic changes with liver fibrosis measured by dynamic contrast-enhanced MRI in the rat. *Magnetic resonance in medical sciences : MRMS : an official journal of Japan Society of Magnetic Resonance in Medicine.* 5: 65-71.
- Kucharz, E; Lockard, VG; Mehendale, HM; O'Neal, RM. (1983). Chlordecone-induced potentiation of carbon tetrachloride hepatotoxicity: a morphometric and biochemical study. *Exp Clin Endocrinol.* 1983: 111-114.

Environmental Hazard Literature Search Results

Off Topic

- Kucharz, E; Olczyk, K; Draczdz, M. (1986). Influence of thyroid hormones and of methylthiouracil upon collagen content in the liver of rats with hepatic fibrosis. *Endocrinologie*. 24: 21-25.
- Kucharz, E; Olczyk, K; Drozd, M; Wieczorek, M. (1986). INFLUENCE OF THYROID HORMONES AND METHYLTHIOURACIL ON COLLAGEN CONTENT IN THE LIVER OF RATS WITH HEPATIC FIBROSIS. *Rev Roum Med Endocrinol*. 24: 21-26.
- Kucharz, EJ. (1987). Dynamics of collagen accumulation and activity of collagen-degrading enzymes in the liver of rats with carbon tetrachloride-induced hepatic fibrosis. *Connect Tissue Res*. 16: 143-151.
- Kucia, MJ; Wysoczynski, M; Wu, W; Zuba-Surma, EK; Ratajczak, J; Ratajczak, MZ. (2008). Evidence that very small embryonic-like stem cells are mobilized into peripheral blood. *Stem Cells*. 26: 2083-2092.
- Kudryavtseva, MV; Besborodkina, NN; Kudryavtsev, BN. (1999). Restoration of the glycogen-forming function of hepatocytes in rats with liver cirrhosis is facilitated by a high-carbohydrate diet. *The British journal of nutrition*. 81: 473-480.
- Kudryavtseva, MV; Bezborodkina, NN; Okovity, SV; Kudryavtsev, BN. (2003). Effects of the 2-ethylthiobenzimidazole hydrobromide (bemithyl) on carbohydrate metabolism in cirrhotic rat liver. *Exp Toxicol Pathol*. 54: 339-347.
- Kudryavtseva, MV; Emelyanov, AV; Sakuta, GA; Bezborodkina, NN; Kudryavtsev, BN. (1998). Glycogen-forming function of hepatocytes in the rat regenerating cirrhotic liver after a partial hepatectomy. *Tissue & Cell*. 30: 261-267.
- Kuenen, FJA; Venema, H; van Gestel, CAM; Verhoef, HA. (2009). Extracting soil microarthropods with olive oil: A novel mechanical extraction method for mesofauna from sandy soils. *European Journal of Soil Biology*. 45: 496-500.
- Kuge, K. (1963). SUPPLEMENTARY STUDIES ON THE RHODOPSIN-REGENERATION OF LIVER IMPAIRED ALBINO RAT. *Osaka City Med J*. 17: 13-30.
- Kuhara, T; Tanaka, A; Yamauchi, K; Iwatsuki, K. (2014). Bovine lactoferrin ingestion protects against inflammation via IL-11 induction in the small intestine of mice with hepatitis. *Br J Nutr*. 111: 1801-1810.
- Kuhlmann, WD; Peschke, P. (2006). Hepatic progenitor cells, stem cells, and AFP expression in models of liver injury. *Int J Exp Pathol*. 87: 343-359.
- Kujawska, M; Ewertowska, M; Adamska, T; Sadowski, C; Ignatowicz, E; Jodynis-Liebert, J. (2014). Antioxidant effect of lycopene-enriched tomato paste on N-nitrosodiethylamine-induced oxidative stress in rats. *J Physiol Biochem*. 70: 981-990.
- Kujawska, M; Ignatowicz, E; Ewertowska, M; Markowski, J; Jodynis-Liebert, J. (2011). Cloudy apple juice protects against chemical-induced oxidative stress in rat. *Eur J Nutr*. 50: 53-60.
- Kujawska, M; Ignatowicz, E; Murias, M; Ewertowska, M; Mikolajczyk, K; Jodynis-Liebert, J. (2009). Protective Effect of Red Beetroot against Carbon Tetrachloride- and N-Nitrosodiethylamine-Induced Oxidative Stress in Rats. *J Agric Food Chem*. 57: 2570-2575.
- Kujawska, M; Jodynis-Liebert, J; Ewertowska, M; Adamska, T; Matlawska, I; Bylka, W. (2007). Protective effect of *Aquilegia vulgaris* (L.) on carbon tetrachloride-induced oxidative stress in rats. *Indian J Exp Biol*. 45: 702-711.
- Kukner, A; Tore, F; Firat, T; Terzi, EH; Oner, H; Balaban, YH; Ozogul, C. (2010). The preventive effect of low molecular weight heparin on CCL₄-induced necrosis and apoptosis in rat liver. *Ann Hepatol*. 9: 445-454.
- Kuladeep, R; Jyothi, L; Prakash, P; Shekhar, SM; Prasad, MD; Rao, DN. (2013). Investigation of optical limiting properties of Aluminium nanoparticles prepared by pulsed laser ablation in different carrier media. *Journal of Applied Physics*. 114: 43101-43101.
- Kulcsr, A; acute; r-Gergely, J. (1991). Effects of tamoxifen and levonorgestrel treatment on carbon tetrachloride induced alterations in rats. *Arzneimittel-Forschung*. 41: 1298-1301.
- Kulcsr, A; Kulcsr-Gergely, J; Weisz, G; Udvardy, M. (1984). Hepatic actions of progestogenic steroids. *Arzneimittel-Forschung*. 34: 1301-1305.
- Kulcsr-Gergely, J. (1992). Metoprolol and propranolol treatment in carbon tetrachloride-induced hepatic injury. *Arzneimittel-Forschung*. 42: 1192-1195.
- Kulcsr-Gergely, J; Kulcsr, A. (1975). The role of sex differences in the effect of anabolics on the liver. *Arzneimittelforschung*. 25: [Arzel-Forschunorschung].
- Kulcsar, GERGELY; Kulcsar, A; Devenyi, I. (1964). THE PROTECTIVE EFFECT OF THYROIDECTOMY AND OVARECTOMY ON EXPERIMENTAL LIVER LESION. *The Tohoku journal of experimental medicine*. 84: 256-258.
- Kulkarni, JS; Khanna, A. (2006). Functional hepatocyte-like cells derived from mouse embryonic stem cells: A novel in vitro hepatotoxicity model for drug screening. *Toxicol In Vitro*. 20: 1014-1022.
- Kuloglu, N; Sonmez, MF. (2015). A biochemical and immunohistochemical study of the protective effects of carnosine for carbon tetrachloride induced liver injury in rats. *Biotechnic & Histochemistry*. 90: 608-614.
- Kulonen, E; Kari, K; Franssila, K. (1983). Effects of long-term treatment of rats with ethanol, carbon tetrachloride and high fat-low protein diet on the Kupffer cell distribution with reference to chemical composition of the liver. *Acta pathologica, microbiologica, et immunologica Scandinavica Section C, Immunology*. 91: 221-225.
- Kulcsr-Gergely, J; Kulcsr, A; Gomba, S. (1978). Estrogens as disposing factors in experimental liver injury. *Exp Pathol (Jena)*. 16: 283-289.
- Kumagai, D; Yamate, J; Tajima, T; Tsukamoto, Y; Yasui, H; Kuwamura, M; Kotani, T; Sakuma, S. (2000). Distribution of cells labelled by a monoclonal antibody (A3) against a cloned cell line derived from a rat malignant fibrous histiocytoma. *J Comp Pathol*. 123: 77-87.
- Kumagai, K; Kiyosawa, N; Ito, K; Yamoto, T; Teranishi, M; Nakayama, H; Manabe, S. (2007). Influence of Kupffer cell inactivation on cycloheximide-induced hepatic injury. *Toxicology*. 241: 106-118.
- Kumar, EP; Suresh, B; Sualiman, SM; Venkataraman, BV. (1999). Blood cholinesterase activities after malathion poisoning in liver injury. *AU - NIKOURKAR N. Indian J Physiol Pharmacol*. 43: 99-103.
- Kumar, P; Ranawade, AV; Kumar, NG. (2014). Potential probiotic *Escherichia coli* 16 harboring the *Vitreoscilla* hemoglobin gene improves gastrointestinal tract colonization and ameliorates carbon tetrachloride induced hepatotoxicity in rats. *BioMed Res Int*. 2014: 213574.
- Kumar, P; Smith, T; Rahman, K; Mells, JE; Thorn, NE; Saxena, NK; Anania, FA. (2014). Adiponectin modulates focal adhesion disassembly in activated hepatic stellate cells: implication for reversing hepatic fibrosis. *FASEB J*. 28: 5172-5183.

Environmental Hazard Literature Search Results

Off Topic

- Kumar, S; Rana, SVS. (1987). HEMOCHROMATOSIS IN THE LIVER OF RAT AFTER EXPOSURE TO FEW XENOBIOTICS A HISTOCHEMICAL STUDY. *Proc Indian Natl Sci Acad Part B Biol Sci.* 53: 221-226.
- Kumar, S; Rana, SVS. (1988). INFLUENCE OF SEX HORMONES ON SERUM TRANSAMINASES DURING EXPERIMENTAL LIVER INJURY IN RATS. *Curr Sci.* 57: 1259-1261.
- Kumar, SS; Kumar, BR; Mohan, GK. (2009). Hepatoprotective effect of *Trichosanthes cucumerina* Var *cucumerina* L. on carbon tetrachloride induced liver damage in rats. *J Ethnopharmacol.* 123: 347-350.
- Kumar, V; Kaushik, MP. (2005). N-tert-butyl-N-chlorocyanamide: a new reagent for the efficient preparation of gem-chloronitroso compounds. *Tetrahedron Letters.* 46: 8121-8123.
- Kumar, V; Mahato, RI. (2015). Delivery and Targeting of miRNAs for Treating Liver Fibrosis. *Pharm Res.* 32: 341-361.
- Kumarappan, C; Vijayakumar, M; Thilagam, E; Balamurugan, M; Thiagarajan, M; Senthil, S; Das, SC; Mandal, SC. (2011). Protective and curative effects of polyphenolic extracts from *Ichnocarpus frutescens* leaves on experimental hepatotoxicity by carbon tetrachloride and tamoxifen. *Ann Hepatol.* 10: 63-72.
- Kumaravelu, P; Dakshinamoorthy, DP; Subramaniam, S; Devaraj, H; Devaraj, NS. (1995). Effect of eugenol on drug-metabolizing enzymes of carbon tetrachloride-intoxicated rat liver. *Biochem Pharmacol.* 49: 1703-1707.
- Kume, Y; Ikeda, H; Inoue, M; Teijima, K; Tomiya, T; Nishikawa, T; Watanabe, N; Ichikawa, T; Kaneko, M; Okubo, S; Yokota, H; Omata, M; Fujiwara, K; Yatomi, Y. (2007). Hepatic stellate cell damage may lead to decreased plasma ADAMTS13 activity in rats. *FEBS Lett.* 581: 1631-1634.
- Kundu, R; Dasgupta, S; Biswas, A; Bhattacharya, S; Pal, BC; Bhattacharya, S; Rao, PG; Barua, NC; Bordoloi, M; Bhattacharya, S. (2011). Carlinoside reduces hepatic bilirubin accumulation by stimulating bilirubin-UGT activity through Nrf2 gene expression. *Biochem Pharmacol.* 82: 1186-1197.
- Kunert, KJ; Tappel, AL. (1983). The effect of vitamin C on in vivo lipid peroxidation in guinea pigs as measured by pentane and ethane production. *Lipids.* 18: 271-274.
- Kunimoto, K; Nojima, H; Yamazaki, Y; Yoshikawa, T; Okanoue, T; Tsukita, S. (2009). Involvement of IQGAP3, a regulator of Ras/ERK-related cascade, in hepatocyte proliferation in mouse liver regeneration and development. *J Cell Physiol.* 220: 621-631.
- Kunjiappan, S; Bhattacharjee, C; Chowdhury, R. (2015). In vitro antioxidant and hepatoprotective potential of *Azolla microphylla* phytochemically synthesized gold nanoparticles on acetaminophen - induced hepatocyte damage in *Cyprinus carpio* L. *In Vitro Cellular & Developmental Biology-Animal.* 51: 630-643.
- Kuo, DH; Kang, WH; Shieh, PC; Chen, FA; Chang, CD; Tsai, ML; Cheng, AC; Ho, CT; Pan, MH. (2010). Protective effect of *Pracparatum mungo* extract on carbon tetrachloride-induced hepatotoxicity in rats. *Food Chem.* 123: 1007-1012.
- Kuo, HW; Chiang, TF; Lo, II; Lai, JS; Chan, CC; Wang, JD. (1997). VOC concentration in Taiwan's household drinking water. *Sci Total Environ.* 208: 41-47.
- Kuo, HW; Lo, II; Chan, CC; Lai, JS; Wang, JD. (1996). Volatile organic compounds in water near petrochemical factories in Taiwan. *Chemosphere.* 33: 913-920.
- Kuo, TK; Hung, SP; Chuang, CH; Chen, CT; Shih, YRV; Fang, SCY; Yang, VW; Lee, OK. (2008). Stem cell therapy for liver disease: Parameters governing the success of using bone marrow mesenchymal stem cells. *Gastroenterology.* 134: 2111-2121.
- Kuo, WL; Yu, MC; Lee, JF; Tsai, CN; Chen, TC; Chen, MF. (2012). Imatinib mesylate improves liver regeneration and attenuates liver fibrogenesis in CCL4-treated mice. *Journal of gastrointestinal surgery : official journal of the Society for Surgery of the Alimentary Tract.* 16: 361-369.
- Kuramochi, H; Kawamoto, K. (2006). Modification of UNIFAC parameter table Revision 5 for representation of aqueous solubility and 1-octanol/water partition coefficient for POPS. *Chemosphere.* 63: 698-706.
- Kurbasov, SV; Losev, LL. (2005). Optimizing the on-axis anti-Stokes generation of four-wave stimulated Raman scattering with a focused pump beam. *Optics Communications.* 254: 203-206.
- Kurcer, Z; Oguz, E; Iraz, M; Fadillioğlu, E; Baba, F; Koksall, M; Olmez, E. (2007). Melatonin improves methanol intoxication-induced oxidative liver injury in rats. *J Pineal Res.* 43: 42-49.
- Kuriakose, GC; Kurup, MG. (2011). Antioxidant and antihepatotoxic effect of *Spirulina laxissima* against carbon tetrachloride induced hepatotoxicity in rats. *Food & function.* 2: 190-196.
- Kurikawa, N; Suga, M; Kuroda, S; Yamada, K; Ishikawa, H. (2003). An angiotensin II type 1 receptor antagonist, olmesartan medoxomil, improves experimental liver fibrosis by suppression of proliferation and collagen synthesis in activated hepatic stellate cells. *Br J Pharmacol.* 139: 1085-1094.
- Kurose, I; Wolf, RE; Grisham, MB; Granger, DN. (1998). Hypercholesterolemia enhances oxidant production in mesenteric venules exposed to Ischemia/Reperfusion. *Arteriosclerosis, thrombosis, and vascular biology.* 18: 1583-1588.
- Kuruo, lu, AC; Arikan, Z; Vural, G; Karata, Ara, M. Single photon emission computerised tomography in chronic alcoholism. *Antisocial personality disorder may be associated with decreased frontal perfusion.*
- Kurz, MM. (1991). Studies on the dynamics and benefits of fructose and sorbitol as supplements for neonatal and growing calves. PhD, The Ohio State University.
- Kurzrock, T; Weuster-Botz, D. (2011). New reactive extraction systems for separation of bio-succinic acid. *Bioprocess Biosyst Eng.* 34: 779-787.
- Kus, I; Ogeturk, M; Oner, H; Sahin, S; Yekeler, H; Sarsilmaz, M. (2005). Protective effects of melatonin against carbon tetrachloride-induced hepatotoxicity in rats: a light microscopic and biochemical study. *Cell Biochem Funct.* 23: 169-174.
- Kus, L; Colakoglu, N; Pekmez, H; Seckin, D; Ogeturk, M; Sarsilmaz, M. (2004). Protective effects of caffeic acid phenethyl ester (CAPE) on carbon tetrachloride-induced hepatotoxicity in rats. *Acta Histochem.* 106: 289-297.
- Kusek, JC. (1980). Lidocaine metabolism and toxicity: a laboratory experiment for dental students. *Journal of dental education.* 44: 218-220.

Environmental Hazard Literature Search Results

Off Topic

- Kushnerova, TV; Fomenko, SE; Kushnerova, NF; Sprygin, VG; Lesnikova, LN; Khotimchenko, YS; Kondratieva, EV. (2010). Antioxidant and membrane-protective properties of an extract from the brown alga *Laminaria japonica*. *Russian Journal of Marine Biology*. 36: 390-395.
- Kutina, SN; Zubakhin, AA. (2000). Liver resistance to CCl₄-induced injury after stimulation of macrophages with various preparations. *Bull Exp Biol Med*. 129: 524-526.
- Kutteh, RA. (1993). Raman intensity computation of small molecules, helical molecules, and DNA. PhD, Purdue University.
- Kuzmina, TA; Dzeverin, I; Kharchenko, VA. (2016). Strongylids in domestic horses: Influence of horse age, breed and deworming programs on the strongyle parasite community. *Vet Parasitol*. 227: 56-63.
- Kuzmina, TA; Kharchenko, VA; Starovir, AI; Dvojnok, GM. (2005). Analysis of the strongylid nematodes (Nematoda : Strongylidae) community after deworming of brood horses in Ukraine. *Vet Parasitol*. 131: 283-290.
- Kuzmina, TA; Kharchenko, VA; Zvegintsova, NS; Zhang, L; Liu, J. (2013). Strongylids (Nematoda: Strongylidae) in two zebra species from the "Askania-Nova" Biosphere Reserve, Ukraine: biodiversity and parasite community structure. *Helminthologia*. 50: 172-180.
- Kuzmina, TA; Kharchenko, VA; Zvegintsova, NS; Zhang, L; Liu, J. (2013). Strongylids (Nematoda: Strongylidae) in two zebra species from the "Askania-Nova" Biosphere Reserve, Ukraine: biodiversity and parasite community structure. *Helminthologia*. 50: 172-180.
- Kuzmina, TA; Kharchenko, VO. (2008). Anthelmintic resistance in cyathostomins of brood horses in Ukraine and influence of anthelmintic treatments on strongylid community structure. *Vet Parasitol*. 154: 277-288.
- Kuznetsov, DA; Zavijalov, NV; Govorkov, AV; Ivanov-Snaryad, AA. (1986). Methyl mercury-induced combined inhibition of ATP regeneration and protein synthesis in reticulocyte lysate cell-free translation system. *Toxicol Lett*. 30: 267-271.
- Kuzu, N; Metin, K; Dagli, AF; Akdemir, F; Orhan, C; Yalniz, M; Ozercan, IH; Sahin, K; Bahcecioglu, IH. (2007). Protective role of genistein in acute liver damage induced by carbon tetrachloride. *Mediators Inflamm* 36381-36381.
- Kuzuya, T; Hirai, S; Sokolov, VV. (2013). Recovery of valuable metals from a spent nickel metal hydride battery: Selective chlorination roasting of an anodic active material with CCl₄ gas. *Separation and Purification Technology*. 118: 823-827.
- Kwak, K; Park, S; Fayer, MD. (2007). Dynamics around solutes and solute-solvent complexes in mixed solvents. *Proceedings of the National Academy of Sciences of the United States of America*. 104: 14221-14226.
- Kwon, K; Shim, H; Bae, W; Oh, J; Bae, J. (2016). Simultaneous biodegradation of carbon tetrachloride and trichloroethylene in a coupled anaerobic/aerobic biobarrier. *J Hazard Mater*. 313: 60-67.
- Kwon, MJ; Finneran, KT. (2009). Hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX) Reduction Is Concurrently Mediated by Direct Electron Transfer from Hydroquinones and Resulting Biogenic Fe(II) Formed During Electron Shuttle-Amended Biodegradation. *Environ Eng Sci*. 26: 961-971.
- Kwon, YH; Jovanovic, A; Serfas, MS; Tyner, AL. (2003). The Cdk inhibitor p21 is required for necrosis, but it inhibits apoptosis following toxin-induced liver injury. *J Biol Chem*. 278: 30348-30355.
- Kyle, GM; Luthra, R; Bruckner, JV; MacKenzie, WF; Acosta, D. (1983). Assessment of functional, morphological, and enzymatic tests for acute nephrotoxicity induced by mercuric chloride. *J Toxicol Environ Health*. 12: 99-117.
- I, M; Çzdemir, G; Kanay, Z; Ketani, MA. (2012). Protective effect of *Vitis rotundifolia* L. cv.) grape juice against carbon tetrachloride induced oxidant stress in rat. *Food & function*. 3: 668-673.
- LÁste; Fa; KovÁcs, K; Kocsi, EP. (1972). Pituitary necrosis induced by intrasellar injections of hexadimethrine-bromide. *Exp Pathol (Jena)*.
- LÁjskov; GreksÁk, M; Ko, HJ; Chen, JH; Ng, LT. (2008). Hepatoprotection of *Gentiana scabra* extract and polyphenols in liver of carbon tetrachloride-intoxicated mice. *Gen Physiol Biophys*. 27: 179-186.
- LÁopez, C; Arroyo, V; La, VG; Gaya, J; ClÁria, J; Rivera, F; RodÁs, J. (1989). Role of altered systemic hemodynamics in the blunted renal response to atrial natriuretic peptide in rats with cirrhosis and ascites. *J Hepatol*. 1989: 217-212.
- LÁopez, dPV; Bolt, HM. (1977). Effects of hepatotoxic agents on hepatic microsomal metabolism of estrogens in the rat. *Arzneimittel-Forschung*. 27: 2117-2120.
- LÁopez-Parra, M; ClÁria, J. Renal effects of selective cyclooxygenase inhibition in experimental liver disease.
- LÁopez-Talavera, JC. Tyrosine kinase inhibition ameliorates the hyperdynamic state and decreases nitric oxide production in cirrhotic rats with portal hypertension and ascites. *Br J Exp Pathol*.
- Laakso, M; Alhonen, L; JÁnne, J; Lee, WJ; Cicek, B; Senkan, SM. (2006). Chemical structures of fuel-rich and fuel-lean flames of chloroform/methane mixtures. *J Cell Mol Med*. 27: 949-960.
- LaCagnin, LB; Connor, HD; Mason, RP; Thurman, RG. (1988). The carbon dioxide anion radical adduct in the perfused rat liver: Relationship to halocarbon-induced toxicity. *Mol Pharmacol*. 33: 351-357.
- Ladefoged, O. The effect of carbon tetrachloride (CCl₄) induced liver damage on the volume of distribution, the elimination half-life and body clearance of antipyrine and warfarin in rabbits. *Acta Vet Scand*. 1979. v. 20 (3): 429-437.
- Ladeji, O; Okoye, ZS. Anti-hepatotoxic properties of *Vitex doniana* bark extract. *International journal of pharmacognosy : a journal of crude drug research*. Dec 1996. v. 34 (5): 355-358.
- Ladics, GS; Smith, C; Elliott, GS; Slone, TW; Loveless, SE. (1998). Further evaluation of the incorporation of an immunotoxicological functional assay for assessing humoral immunity for hazard identification purposes in rats in a standard toxicology study. *Toxicology*. 126: 137-152.
- Lafdil, F; Chobert, MN; Couchie, D; Brouillet, A; Zafrani, ES; Mavier, P; Laperche, Y. (2006). Induction of Gas6 protein in CCl₄-induced rat liver injury and anti-apoptotic effect on hepatic stellate cells. *Hepatology*. 44: 228-239.
- Lafdil, F; Chobert, MN; Deveaux, V; Zafrani, ES; Mavier, P; Nakano, T; Laperche, Y; Brouillet, A. (2009). Growth arrest-specific protein 6 deficiency impairs liver tissue repair after acute toxic hepatitis in mice. *J Hepatol*. 51: 55-66.

Environmental Hazard Literature Search Results

Off Topic

- Lafferty, J; Ali, M; Carstairs, K; Crawford, L. (1998). The effect of carbon tetrachloride on the detection of hemoglobin H using various commercially available electrophoresis products. *Am J Clin Pathol.* 109: 651-652.
- Lagadec, M; Doblas, S; Giraudeau, C; Ronot, M; Lambert, SA; Fasseu, M; Paradis, V; Moreau, R; Pastor, CM; Vilgrain, V; Daire, JL; Van Beers, BE. (2015). Advanced Fibrosis: Correlation between Pharmacokinetic Parameters at Dynamic Gadoxetate-enhanced MR Imaging and Hepatocyte Organic Anion Transporter Expression in Rat Liver. *Radiology.* 274: 379-386.
- Lahiri, B; Bansal, OP. (1965). CHANGES OF MAST CELL POPULATION IN RAT LIVER DURING DEVELOPMENT OF CARBON TETRACHLORIDE-INDUCED CIRRHOSIS. *Journal of the Indian Medical Association.* 44: 413-417.
- Lahl, R. (1973). Pathohistological findings in the peripheral nervous system (nn. ischiadici) after experimental carbon tetrachloride intoxication in bastard rabbits. *European neurology.* 10: 97-116.
- Lai, A; Saba, G; Casu, M; DessÃ , MA. (1992). Analysis of sodium-23 nuclear magnetic resonance spin-lattice relaxation for the study of the intracellular sodium state. *Biophys Chem.* 42: 73-77.
- Lai, JT; Hsieh, WT; Fang, HL; Lin, WC. (2009). The protective effects of a fermented substance from *Saccharomyces cerevisiae* on carbon tetrachloride-induced liver damage in rats. *Clinical nutrition (Edinburgh, Scotland).* 28: 338-345.
- Lai, TY; Weng, YJ; Kuo, WW; Chen, LM; Chung, YT; Lin, YM; Tsai, FJ; Lee, CH; Choong, YM; Lai, EY; Huang, CY; Yeh, YL. (1998). Taohe Chengqi Tang ameliorates acute liver injury induced by carbon tetrachloride in rats. *Zhong xi yi jie he xue bao = Journal of Chinese integrative medicine.* 8: 49-55.
- Lai, YC; Luo, CH; Chou, HC; Yang, CJ; Lu, L; Chen, CS. (2016). Conversion of beta-glycopyranoside to alpha-glycopyranoside by photo-activated radical reaction. *Tetrahedron Letters.* 57: 2474-2477.
- Lai, Y-C; Luo, C-H; Chou, H-C; Yang, C-J; Lu, L; Chen, C-S. (2016). Conversion of β -glycopyranoside to α -glycopyranoside by photo-activated radical reaction. *Tetrahedron letters.* 57: 2474-2477.
- Lai, Z; Wu, P. (2008). Investigation on the conformations of AOT in water-in-oil microemulsions using 2D-ATR-FTIR correlation spectroscopy. *Journal of Molecular Structure.* 883â€“884: 236-241.
- Laib, RJ. (1982). Specific covalent binding and toxicity of aliphatic halogenated xenobiotics. *Quarterly reviews on drug metabolism and drug interactions.* 4: 1-48.
- Lakhrissi, M; Chapleur, Y. (1998). A short route to alpha-chloro- and alpha-azido-ulosonic esters. *Tetrahedron Letters.* 39: 4659-4662.
- Lakhrissi, Y; Taillefumier, C; Chretien, F; Chapleur, Y. (2001). Facile dibromoolefination of lactones using bromomethylenetriphenylphosphorane. *Tetrahedron Letters.* 42: 7265-7268.
- Lakshminarasamma, C; Vidyavati. Mutagenic effect of carbon tetrachloride: karyological studies in *Raphanus sativus* L. *Perspectives in cytology and genetics.* 1978 (pub. 1981). v. 3: 475-478 471 plate.
- Lal, AAS; Murthy, PB; Pillai, KS. (2007). Screening of hepatoprotective effect of a herbal mixture against CCl(4) induced hepatotoxicity in Swiss albino mice. *J Environ Biol.* 28: 201-207.
- Lal, H; Puri, SK; Fuller, GC. (1970). Enhanced toxicity of carbon tetrachloride inhalation after phenobarbital pretreatment. *Pharmacological Research Communications.* 2: 143-147.
- Lal, H; Puri, SK; Fuller, GC. (1970). Impairment of hepatic drug metabolism by carbon tetrachloride inhalation. *Toxicol Appl Pharmacol.* 16: 35-39.
- Lal, M; Schoeneich, C; Moenig, J; Asmus, KD. (1988). RATE CONSTANTS FOR THE REACTIONS OF HALOGENATED ORGANIC RADICALS. *Int J Radiat Biol.* 54: 773-786.
- Laleman, W; Knolle, P; Shah, VH; Sauerbruch, T; Trebicka, J; Hansen, H; De, ROSACT; Pohl, H; Fay, M; Mumtaz, MM. (2014). Public health challenges posed by chemical mixtures. *Hepatology (Baltimore, Md).* 60: 334-348.
- Lam, HB; Yeh, CH; Cheng, KC; Hsu, CT; Cheng, JT. (2008). Effect of cholinergic denervation on hepatic fibrosis induced by carbon tetrachloride in rats. *Neurosci Lett.* 438: 90-95.
- Lamb, CW; Miller, FM; Roth, A; Dellinger, B; Sidhu, S. (1994). DETAILED DETERMINATION OF ORGANIC EMISSIONS FROM A PREHEATER CEMENT KILN CO-FIRED WITH LIQUID HAZARDOUS WASTES. *Hazardous Waste & Hazardous Materials.* 11: 201-216.
- Lamb, RG; Borzelleca, JF; Condie, LW; Gennings, C. (1989). Toxic interactions between carbon tetrachloride and chloroform in cultured rat hepatocytes. *Toxicol Appl Pharmacol.* 101: 106-113.
- Lamb, RG; McCue, SB; Taylor; McGuffin, MA. (1984). The role of phospholipid metabolism in bromobenzene-and carbon tetrachloride-dependent hepatocyte injury. *Toxicol Appl Pharmacol.* 75: 510-520.
- Lamb, RG; Schwertz, DW. (1982). The Effects of Bromobenzene and Carbon Tetrachloride Exposure in vitro on the Phospholipase C Activity of Rat Liver Cells. *Toxicol Appl Pharmacol.* 63: 216-229.
- Lampe, J; Butschak, G. (1978). The role of cytochrome P-450 in the toxicity of xenobiotics. *Die Pharmazie.* 33: 407-411.
- Lan, Y; Butler, EC. (2016). Iron-Sulfide-Associated Products Formed during Reductive Dechlorination of Carbon Tetrachloride. *Environmental Science & Technology.* 50: 5489-5497.
- Lan, Y; Chen, Y; Cao, X; Zhang, J; Wang, J; Xu, X; Qiu, Y; Zhang, T; Liu, X; Liu, BF; Zhang, G. (2014). Synthesis and biological evaluation of novel sigma-1 receptor antagonists based on pyrimidine scaffold as agents for treating neuropathic pain. *J Med Chem.* 57: 10404-10423.
- Lan, Y; Madden, ASE; Butler, EC. (2016). Transformation of mackinawite to greigite by trichloroethylene and tetrachloroethylene. *Environmental Science-Processes & Impacts.* 18: 1266-1273.
- Lana, JP; Martins, LB; de Oliveira, MC; Menezes-Garcia, Z; Yamada, LTP; Vieira, LQ; Teixeira, MM; Ferreira, AVM. (2016). TNF and IL-18 cytokines may regulate liver fat storage under homeostasis conditions. *Applied Physiology Nutrition and Metabolism.* 41: 1295-1302.
- Landen, WO, Jr. (1979). Micro assay of carbon tetrachloride in beverages and in pharmaceutical preparations. *Bull Environ Contam Toxicol.* 22: 431-438.

Environmental Hazard Literature Search Results

Off Topic

- Landers, RE; Norvell, MJ; Bieber, MA. (1986). Oil gavage test-compound administration effects in NTP carcinogenesis-toxicity testing. *Prog Clin Biol Res.* 222: 357-374.
- Landgren, O; Kyle, RA; Hoppin, JA; Freeman, LEB; Cerhan, JR; Katzmann, JA; Rajkumar, SV; Alavanja, MC. (2009). Pesticide exposure and risk of monoclonal gammopathy of undetermined significance in the Agricultural Health Study. *Blood.* 113: 6386-6391.
- Landon, EJ; Jaiswal, RK; Naukam, RJ; Rama Sastry, BV. (1984). Effects of calcium channel blocking agents on membrane microviscosity and calcium in the liver of the carbon tetrachloride treated rat. *Biochem Pharmacol.* 33: 3553-3560.
- Landon, EJ; Naukam, RJ; Sastry, BVR. (1986). Effects of calcium channel blocking agents on calcium and centrilobular necrosis in the liver of rats treated with hepatotoxic agents. *Biochem Pharmacol.* 35: 697-705.
- Lang, A; Sakhnini, E; Fidder, HH; Maor, Y; Bar-Meir, S; Chowers, Y. (2005). Somatostatin inhibits pro-inflammatory cytokine secretion from rat hepatic stellate cells. *Liver Int.* 25: 808-816.
- Lang, Q; Liu, Q; Xu, N; Qian, KL; Qi, JH; Sun, YC; Xiao, L; Shi, XF. (2011). The antifibrotic effects of TGF-beta 1 siRNA on hepatic fibrosis in rats. *Biochem Biophys Res Commun.* 409: 448-453.
- Lang, Q; Liu, Q; Xu, N; Qian, K-L; Qi, J-H; Sun, Y-C; Xiao, L; Shi, X-F. (2011). The antifibrotic effects of TGF- β 1 siRNA on hepatic fibrosis in rats. *Biochem Biophys Res Commun.* 409: 448-453.
- Langen, FHMM; Paul, PG; Booren, RV. (1987). STEAM STRIPPING ORGANIC COMPOUNDS FROM CONTAMINATED WATERS. De Waal, K J A And W J Van Den Brink. 0: 513-519.
- Lanthier, N; Horsmans, Y; Leclercq, IA. (2009). The metabolic syndrome: how it may influence hepatic stellate cell activation and hepatic fibrosis. *Curr Opin Clin Nutr Metab Care.* 12: 404-411.
- Lapis, K; Ujhelyi, E; Gyenes, M; Jeney, A. (1984). Alterations of markers during hepatocarcinogenesis in rats. *IARC Sci Publ.* 56: 25-36.
- Lapostolle, V; Bioulac-Sage, P; Balabaud, C. (1983). (Hepatotoxicity due to carbon tetrachloride (CCl sub(4)) in the rat; vascularization influence.). *Gastroenterol Clin Biol.* 7: 642.
- Lapshina, EA; Zamaraeva, M; Cheshchevik, VT; Olchowik-Grabarek, E; Sekowski, S; Zukowska, I; Golovach, NG; Burd, VN; Zavodnik, IB. (2015). Cranberry flavonoids prevent toxic rat liver mitochondrial damage in vivo and scavenge free radicals in vitro. *Cell Biochem Funct.* 33: 202-210.
- Laqueur, W; Nashat, F. (1948). Dietary protein and carbon tetrachloride intoxication; histological changes in the rats liver in acute poisoning. *Archives internationales de pharmacodynamie et de therapie.* 77: 449-455.
- Lardizabal, MN; Nocito, AL. (1989). Reference genes for real-time PCR quantification of microRNAs and messenger RNAs in rat models of hepatotoxicity.
- Lardizabal, MN; Rodriguez, RE; Nocito, AL; Daniele, SM; Palatnik, JF; Veggi, LM. (2014). Alteration of the microRNA-122 regulatory network in rat models of hepatotoxicity. *Environ Toxicol Pharmacol.* 37: 354-364.
- Larese-Casanova, P; Scherer, MM. (2007). Fe(II) sorption on hematite: New insights based on spectroscopic measurements. *Environmental Science & Technology.* 41: 471-477.
- Larsen, T; Kjeldsen, P; Christensen, TH; Skov, B; Refstrup, M. (1988). SORPTION OF SPECIFIC ORGANICS ON AQUIFER MATERIALS OF LOW ORGANIC CARBON CONTENT. Wolf, K, W J Van Den Brink And F J Colon. 0: 1155-1158.
- Larson, RE; Plaa, GL. (1963). SPINAL CORD TRANSECTION AND CCL-4-TOXICITY. *Experientia.* 19: 604-606.
- Larson, RE; Plaa, GL. (1965). A CORRELATION OF THE EFFECTS OF CERVICAL CORDOTOMY, HYPOTHERMIA AND CATECHOLAMINES ON CARBON TETRACHLORIDE-INDUCED HEPATIC NECROSIS. *The Journal of pharmacology and experimental therapeutics.* 147: 103-111.
- Larson, RE; Plaa, GL; Brody, MJ. (1964). IMMUNOLOGICAL SYMPATHECTOMY AND CCL-4 HEPATOTOXICITY. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY).* 116: 557-560.
- Larson, RE; Plaa, GL; Crews, LM. (1964). The effect of spinal cord transection on carbon tetrachloride hepatotoxicity. *Toxicol Appl Pharmacol.* 6: 154-162.
- Lasierra, J; Barrao, F; Cau, CaG. Changes of the fibrinolytic system in liver dysfunction: role of portal hypertension.
- Laskin, DL. (1996). Sinusoidal lining cells and hepatotoxicity. *Toxicol Pathol.* 24: 112-118.
- Laskin, DL. (2009). Macrophages and Inflammatory Mediators in Chemical Toxicity: A Battle of Forces. *Chem Res Toxicol.* 22: 1376-1385.
- Laskin, DL; Pendino, KJ. (1995). Macrophages and inflammatory mediators in tissue injury. *Annu Rev Pharmacol Toxicol.* 35: 655-677.
- Laskin, JD; Heck, DE; Gardner, CR; Laskin, DL. (2001). Prooxidant and antioxidant functions of nitric oxide in liver toxicity. *Antioxidants & redox signaling.* 3: 261-271.
- Laternus, F; Matucha, M. (2008). Chloride - a precursor in the formation of volatile organochlorines by forest plants? *J Environ Radioact.* 99: 119-125.
- Laternus, F; Matucha, M. (2008). Chloride " a precursor in the formation of volatile organochlorines by forest plants? *J Environ Radioact.* 99: 119-125.
- Lau, KM; He, ZD; Dong, H; Fung, KP; But, PPH. (2002). Anti-oxidative, anti-inflammatory and hepato-protective effects of *Ligustrum robustum*. *J Ethnopharmacol.* 83: 63-71.
- Laurence, C; Berthelot, M. (2000). Observations on the strength of hydrogen bonding. *Perspectives in Drug Discovery and Design.* 18: 39-60.
- Laurie, RD; Bercz, JP; Wessendarp, TK; Condie, LW. (1986). Studies of the toxic interactions of disinfection by-products. *Environ Health Perspect.* 69: 203-207.
- Lautenschlager, I; Vëe; aumuml; nen; nen, H; Kulonen, E. (1982). Qualitative study on the Kupffer cells in the liver of ethanol- and carbon tetrachloride-treated rats. *Acta pathologica, microbiologica, et immunologica Scandinavica Section C, Immunology.* 90: 347-351.
- Lauterburg, BH. (1987). Early disturbance of calcium translocation across the plasma membrane in toxic liver injury. *Hepatology (Baltimore, Md).* 7: 1179-1183.

Environmental Hazard Literature Search Results

Off Topic

- Lautt, WW; Plaa, GL. (1974). Hemodynamic effects of CCl₄ in the intact liver of the cat. *Can J Physiol Pharmacol.* 52: 727-735.
- Laviña, H-HHLLUHCnBS; Gracia-Sancho, J; Rodríguez-Vil, rA. Superoxide dismutase gene transfer reduces portal pressure in CCl₄ cirrhotic rats with portal hypertension.
- Lavra, V; Bazel, Y; Badida, M; Andruch, V. (2015). Liquid-liquid microextraction and spectrophotometric determination of anionic surfactants using Astra Phloxine FF. *Int J Environ Anal Chem.* 95: 217-224.
- Lavra, V; Bazel, Y; Badida, M; Andruch, V. (2015). Liquid-liquid microextraction and spectrophotometric determination of anionic surfactants using Astra Phloxine FF. *Int J Environ Anal Chem.* 95: 217-224.
- Lavrentiadou, SN; Tsantarliotou, MP; Zervos, IA; Nikolaidis, E; Georgiadis, MP; Taitzoglou, IA. (2013). CCl₄ induces tissue-type plasminogen activator in rat brain; protective effects of oregano, rosemary or vitamin E. *Food Chem Toxicol.* 61: 196-202.
- Lavrentiadou, SN; Tsantarliotou, MP; Zervos, IA; Nikolaidis, E; Georgiadis, MP; Taitzoglou, IA. (2013). CCl₄ induces tissue-type plasminogen activator in rat brain; protective effects of oregano, rosemary or vitamin E. *Food Chem Toxicol.* 61: 196-202.
- Lawrence, RA; Jenkinson, SG. (1987). Effects of copper deficiency on carbon tetrachloride-induced lipid peroxidation. *The Journal of laboratory and clinical medicine.* 109: 134-140.
- Lawson, TA; Pound, AW. (1974). The different susceptibility of rat liver lobes to carbon tetrachloride and dimethylnitrosamine. *Br J Exp Pathol.* 55: 583-588.
- Lazareva, MN. (1981). Alpha-fetoprotein production by the synchronized regenerating murine liver. Its independence on the phases of the mitotic cycle. *Oncodevelopmental biology and medicine : the journal of the International Society for Oncodevelopmental Biology and Medicine.* 2: 89-99.
- Lazarov, L; Nietfeld, G; Puschmann, K; Angelov, S; Stumpp, E. (1984). Reactions of a bituminous coal with metal chlorides in carbon tetrachloride. *Fuel.* 63: 952-955.
- Lazarova, I; Simeonova, R; Vitcheva, V; Kondeva-Burdina, M; Gevrenova, R; Zheleva-Dimitrova, D; Zengin, G; Danchev, ND. (2016). Hepatoprotective and antioxidant potential of *Asphodeline lutea* (L.) Rchb. roots extract in experimental models in vitro/in vivo. *Biomedicine & Pharmacotherapy.* 83: 70-78.
- Id; z, O; Can, Z; SarD, MkVSKTUTT; Yulu; Oztürk, F. Hepatoprotective potential of chestnut bee pollen on carbon tetrachloride-induced hepatic damages in rats.
- Le Couteur, DG; Hickey, H; Harvey, PJ; Gready, J; McLean, AJ. (1999). Hepatic artery flow and propranolol metabolism in perfused cirrhotic rat liver. *J Pharmacol Exp Ther.* 289: 1553-1558.
- Le Grogne, E; Clavier, R; Poli, R. (2001). Radical polymerization of styrene controlled by half-sandwich Mo(III)/Mo(IV) couples: All basic mechanisms are possible. *J Am Chem Soc.* 123: 9513-9524.
- Le, MSM; Lykke, AW; Stewart, BW. (1980). Reduced yield of pulmonary surfactant: patterns of response following administration of chemicals to rats by inhalation. *Toxicol Lett.* 5: 89-93.
- Le, PAGERN; Cheeseman, KH; Osman, N; Slater, TF. (1988). LIPID PEROXIDATION IN PURIFIED PLASMA MEMBRANE FRACTIONS OF RAT LIVER IN RELATION TO THE HEPATOTOXICITY OF CARBON TETRACHLORIDE. *Cell Biochem Funct.* 6: 87-100.
- Le, PRN; Cheeseman, KH; Osman, N; Slater, TF. (1988). Lipid peroxidation in purified plasma membrane fractions of rat liver in relation to the hepatotoxicity of carbon tetrachloride. *Cell Biochem Funct.* 6: 87-99.
- Le, PRN; Dorling, PR. (1971). Plasma membranes in acute liver injury. Biochemical changes induced by carbon tetrachloride. *The Australian journal of experimental biology and medical science.* 49: 345-350.
- Leach, LH; Lewis, TA. (2006). Identification and characterization of *Pseudomonas* membrane transporters necessary for utilization of the siderophore pyridine-2,6-bis(thiocarboxylic acid) (PDTC). *Microbiology-Sgm.* 152: 3157-3166.
- Leal, L; Fonseca, FN; Pereira, FA; Canuto, KM; Felipe, CFB; Fontenele, JB; Pitombeira, MV; Silveira, ER; Viana, GSB. (2008). Protective effects of amburoside A, a phenol glucoside from *Amburana cearensis*, against CCl₄-induced hepatotoxicity in rats. *Planta Med.* 74: 497-502.
- Leaver, DD. (1968). Sporidesmin poisoning in the sheep. I. Changes in bile secretion and the excretion of sporidesmin in bile. *Res Vet Sci.* 9: 255-264.
- Leclercq, IA; Farrell, GC; Schriemer, R; Robertson, GR. (2002). Leptin is essential for the hepatic fibrogenic response to chronic liver injury. *J Hepatol.* 37: 206-213.
- Leclercq, IA; Field, J; Farrell, GC. (2003). Leptin-specific mechanisms for impaired liver regeneration in ob/ob mice after toxic injury. *Gastroenterology.* 124: 1451-1464.
- Leclercq, IA; Sempoux, C; Starkel, P; Horsmans, Y. (2006). Limited therapeutic efficacy of pioglitazone on progression of hepatic fibrosis in rats. *Gut.* 55: 1020-1029.
- Lecompte, Y; Franco, D; Martin, ED; Bismuth, H. (1974). Liver arterialization with portacaval shunt in the cirrhotic rat. *Surgery.* 75: 161-168.
- LeCouter, J; Moritz, DR; Li, B; Phillips, GL; Liang, XH; Gerber, HP; Hillan, KJ; Ferrara, N. (2003). Angiogenesis-independent endothelial protection of liver: role of VEGFR-1. *Science (New York, NY).* 299: 890-893.
- Ledda-Cleda-Columbano, GM; Lynch, TJ; Blackwell, GJ; Moncada, S. (1997). CARBON TETRACHLORIDE-INDUCED EICOSANOID SYNTHESIS AND ENZYME RELEASE FROM RAT PERITONEAL LEUKOCYTES. *Hepatology (Baltimore, Md).* 25: 585-592.
- Ledda-Columbano, GM; Coni, P; Curto, M; Giacomini, L; Faa, G; Sarma, DS; Columbano, A. (1992). Mitogen-induced liver hyperplasia does not substitute for compensatory regeneration during promotion of chemical hepatocarcinogenesis. *Carcinogenesis.* 13: 379-383.
- Leduc, EH; Wilson, JW. (1958). Injury to liver cells in carbon tetrachloride poisoning; histochemical changes induced by carbon tetrachloride in mouse liver protected by sulfaguanidine. *AMA archives of pathology.* 65: 147-157.
- Leduc, LH. (1973). Sulfaguanidine protection of mouse liver from carbon tetrachloride-induced necrosis. *Laboratory investigation; a journal of technical methods and pathology.* 29: 186-196.

Environmental Hazard Literature Search Results

Off Topic

- Lee, BD; Apel, WA; Miller, AR. (1999). Removal of low concentrations of carbon tetrachloride in compost-based biofilters operated under methanogenic conditions. *Journal of the Air & Waste Management Association*. 49: 1068-1074.
- Lee, B-J; Senevirathne, M; Kim, J-S; Kim, Y-M; Lee, M-S; Jeong, M-H; Kang, YM; Kim, JI; Nam, B-H; Ahn, C-B; Je, J-Y. (2010). Protective effect of fermented sea tangle against ethanol and carbon tetrachloride-induced hepatic damage in Sprague-Dawley rats. *Food Chem Toxicol*. 48: 1123-1128.
- Lee, BS; Bullister, JL; Murray, JW; Sonnerup, RE. (2002). Anthropogenic chlorofluorocarbons in the Black Sea and the Sea of Marmara. *Deep-Sea Research Part I-Oceanographic Research Papers*. 49: 895-913.
- Lee, BS; Bullister, JL; Whitney, FA. (1999). Chlorofluorocarbon CFC-11 and carbon tetrachloride removal in Saanich Inlet, an intermittently anoxic basin. *Marine Chemistry*. 66: 171-185.
- Lee, BS; Chiou, CB. (2007). The use of CFC-12, CFC-11 and CH₃CCl₃ to trace terrestrial airborne pollutant transport by land-sea breezes. *Atmos Environ*. 41: 3360-3372.
- Lee, BS; Chiou, CB. (2008). The relationship of meteorological and anthropogenic factors to time series measurements of CFC-11, CFC-12, and CH₃CCl₃ concentrations in the urban atmosphere. *Atmos Environ*. 42: 7706-7717.
- Lee, BS; Chiou, CB; Lin, CY. (2014). Analysis of diurnal variability of atmospheric halocarbons and CFC replacements to imply emission strength and sources at an urban site of Lukang in central Taiwan. *Atmos Environ*. 99: 112-123.
- Lee, CC; Doong, RA. (2008). Dechlorination of tetrachloroethylene in aqueous solutions using metal-modified zerovalent silicon. *Environmental Science & Technology*. 42: 4752-4757.
- Lee, CC; Doong, RA. (2010). Concentration effect of copper loading on the reductive dechlorination of tetrachloroethylene by zerovalent silicon. *Water Science and Technology*. 62: 28-35.
- Lee, CC; Doong, RA. (2011). Enhanced Dechlorination of Tetrachloroethylene by Zerovalent Silicon in the Presence of Polyethylene Glycol under Anoxic Conditions. *Environmental Science & Technology*. 45: 2301-2307.
- Lee, CC; Shen, SR; Lai, YJ; Wu, SC. (2013). Rutin and quercetin, bioactive compounds from tartary buckwheat, prevent liver inflammatory injury. *Food & function*. 4: 794-802.
- Lee, CH; Lewis, TA; Paszczyński, A; Crawford, RL. (1999). Identification of an extracellular catalyst of carbon tetrachloride dehalogenation from *Pseudomonas stutzeri* strain KC as pyridine-2,6-bis(thiocarboxylate). *Biochem Biophys Res Commun*. 261: 562-566.
- Lee, CH; Lewis, TA; Paszczyński, A; Crawford, RL. (1999). Identification of an extracellular catalyst of carbon tetrachloride dehalogenation from *Pseudomonas stutzeri* strain KC as pyridine-2,6-bis(thiocarboxylate) (vol 261, pg 562, 1999). *Biochem Biophys Res Commun*. 265: 770-770.
- Lee, CH; Park, SW; Kim, YS; Kang, SS; Kim, JA; Lee, SH; Lee, SM. (2007). Protective mechanism of glycyrrhizin on acute liver injury induced by carbon tetrachloride in mice. *Biological & Pharmaceutical Bulletin*. 30: 1898-1904.
- Lee, C-H; Lewis, TA; Paszczyński, A; Crawford, RL. (1999). Identification of an Extracellular Catalyst of Carbon Tetrachloride Dehalogenation from *Pseudomonas stutzeri* Strain KC as Pyridine-2,6-bis(thiocarboxylate): Volume 261, Number 3 (1999), pages 562-566. *Biochem Biophys Res Commun*. 265: 770.
- Lee, CM; Knight, B; Yeoh, GC; Ramm, GA; Olynyk, JK. (2005). Lymphotoxin-beta production following bile duct ligation: Possible role for Kupffer cells. *J Gastroenterol Hepatol*. 20: 1762-1768.
- Lee, CP; Shih, PH; Hsu, CL; Yen, GC. (2007). Hepatoprotection of tea seed oil (*Camellia oleifera* Abel.) against CCl₄-induced oxidative damage in rats. *Food Chem Toxicol*. 45: 888-895.
- Lee, CY; Peng, WH; Cheng, HY; Chen, FN; Lai, MT; Chiu, TH. (2006). Hepatoprotective effect of *Phyllanthus* in Taiwan on acute liver damage induced by carbon tetrachloride. *Am J Chin Med*. 34: 471-482.
- Lee, E; Miki, Y; Furukawa, YI; Shimizu, H; Kariya, K. (1987). INFLUENCE OF HEPATIC DAMAGE ON GLUTATHIONE TRANSFERASE ACTIVITY IN PRIMARY CULTURED RAT HEPATOCYTES. 60th General Meeting Of The Japanese Pharmacological Society, Chiba, Japan, March. 43.
- Lee, E; Miki, Y; Furukawa, YI; Shimizu, H; Kariya, K. (1991). Selective release of glutathione transferase subunits from primary cultured rat hepatocytes by carbon tetrachloride and deoxycholic acid. *Toxicology*. 67: 237-248.
- Lee, EJ; Kim, S; Kim, J; Kim, YC. (2002). Hepatoprotective phenylpropanoids from *Scrophularia buergeriana* roots against CCl₄-induced toxicity: Action mechanism and structure-activity relationship. *Planta Med*. 68: 407-411.
- Lee, G; Eilersieck, MR; Mayer, FL; Krause, GF. (1995). Predicting chronic lethality of chemicals to fishes from acute toxicity test data: Multifactor probit analysis. *Environ Toxicol Chem*. 14: 345-349.
- Lee, GH; Bhandary, B; Lee, EM; Park, JK; Jeong, KS; Kim, IK; Kim, HR; Chae, HJ. (2011). The roles of ER stress and P450 2E1 in CCl₄-induced steatosis. *International Journal of Biochemistry & Cell Biology*. 43: 1469-1482.
- Lee, G-H; Bhandary, B; Lee, E-M; Park, J-K; Jeong, K-S; Kim, I-K; Kim, H-R; Chae, H-J. (2011). The roles of ER stress and P450 2E1 in CCl₄-induced steatosis. *international journal of biochemistry & cell biology*. 43: 1469-1482.
- Lee, GP; Jeong, WI; Jeong, DH; Do, SH; Kim, TH; Jeong, KS. (2005). Diagnostic evaluation of carbon tetrachloride-induced rat hepatic cirrhosis model. *Anticancer Res*. 25: 1029-1038.
- Lee, HL; Chang, WJ. (2016). Sensitivity analysis of rectangular atomic force microscope cantilevers immersed in liquids based on the modified couple stress theory. *Micron*. 80: 1-5.
- Lee, HS; Huang, GT; Chen, CH; Chiou, LL; Lee, CC; Yang, PM; Chen, DS; Sheu, JC. (2001). Less reversal of liver fibrosis after prolonged carbon tetrachloride injection. *Hepatogastroenterology*. 48: 1312-1315.
- Lee, HS; Huang, GT; Miao, LH; Chiou, LL; Chen, CH; Sheu, JC. (2001). Expression of matrix metalloproteinases in spontaneous regression of liver fibrosis. *Hepatogastroenterology*. 48: 1114-1117.

Environmental Hazard Literature Search Results

Off Topic

- Lee, HS; Jung, KH; Hong, SW; Park, IS; Lee, C; Han, HK; Lee, DH; Hong, SS. (2008). Morin protects acute liver damage by carbon tetrachloride (CCl₄) in rat. *Arch Pharm Res.* 31: 1160-1165.
- Lee, HS; Keum, KY; Ku, SK. (2007). Effects of *Picrorrhiza rhizoma* water extracts on the subacute liver damages induced by carbon tetrachloride. *J Med Food.* 10: 110-117.
- Lee, HS; Kim, HH; Ku, SK. (2008). Hepatoprotective effects of *Artemisiae Capillaris Herba* and *Picrorrhiza Rhizoma* combinations on carbon tetrachloride-induced subacute liver damage in rats. *Nutrition Research.* 28: 270-277.
- Lee, HS; Li, L; Kim, HK; Bilehal, D; Li, W; Lee, DS; Kim, YH. (2010). The protective effects of *Curcuma longa* Linn. extract on carbon tetrachloride-induced hepatotoxicity in rats via upregulation of Nrf2. *J Microbiol Biotechnol.* 20: 1331-1338.
- Lee, HS; Liu, Y; Chen, HC; Chiou, LL; Huang, GT; Lo, W; Dong, CY. (2004). Optical biopsy of liver fibrosis by use of multiphoton microscopy. *Optics letters.* 29: 2614-2616.
- Lee, HW; Choo, MK; Bae, EA; Kim, DH. (2003). beta-Glucuronidase inhibitor tectorigenin isolated from the flower of *Pueraria thunbergiana* protects carbon tetrachloride-induced liver injury. *Liver Int.* 23: 221-226.
- Lee, I; Ma, Z; Kaneko, S; Zaera, F. (2008). 1-(1-Naphthyl)ethylamine adsorption on platinum surfaces: on the mechanism of chiral modification in catalysis. *J Am Chem Soc.* 130: 14597-14604.
- Lee, IC; Kim, SH; Baek, HS; Moon, C; Kang, SS; Kim, SH; Kim, YB; Shin, IS; Kim, JC. (2014). The involvement of Nrf2 in the protective effects of diallyl disulfide on carbon tetrachloride-induced hepatic oxidative damage and inflammatory response in rats. *Food Chem Toxicol.* 63: 174-185.
- Lee, IC; Kim, SH; Baek, HS; Moon, C; Kim, SH; Kim, YB; Yun, WK; Kim, HC; Kim, JC. (2015). Protective effects of diallyl disulfide on carbon tetrachloride-induced hepatotoxicity through activation of Nrf2. *Environ Toxicol.* 30: 538-548.
- Lee, IC; Kim, SH; Baek, HS; Moon, C; Kim, SH; Kim, YB; Yun, WK; Kim, HC; Kim, JC. (2015). Protective Effects of Diallyl Disulfide on Carbon Tetrachloride-Induced Hepatotoxicity Through Activation of Nrf2. *Environ Toxicol.* 30: 538-548.
- Lee, J; Grandner, JM; Engle, KM; Houk, KN; Grubbs, RH. (2016). In Situ Catalyst Modification in Atom Transfer Radical Reactions with Ruthenium Benzylidene Complexes. *J Am Chem Soc.* 138: 7171-7177.
- Lee, J; Kim, YJ; Lee, J; Kim, BJ; Lee, S; Park, T; Consortium, TD-G. (2016). Gene-set association tests for next-generation sequencing data. *Bioinformatics.* 32: 611-619.
- Lee, JG; Cha, HT. (1992). One step conversion of anilines to aryl halides using sodium nitrite and halotrimethylsilane. *Tetrahedron Letters.* 33: 3167-3168.
- Lee, JG; Ha, DS. (1989). Oxidation of olefins using chromic anhydride-chlorotrimethylsilane. A convenient synthesis of α -chloro ketones. *Tetrahedron Letters.* 30: 193-196.
- Lee, JG; Kim, KC. (1992). Aromatization of cyclohexenes and cyclohexadienes with selenium dioxide-trimethylsilyl polyphosphate. *Tetrahedron Letters.* 33: 6363-6366.
- Lee, JI; Lee, KS; Paik, YH; Park, YN; Han, KH; Chon, CY; Moon, YM. (2003). Apoptosis of hepatic stellate cells in carbon tetrachloride induced acute liver injury of the rat: analysis of isolated hepatic stellate cells. *J Hepatol.* 39: 960-966.
- Lee, JJ; Yang, SY; Kim, DH; Hur, SJ; Lee, JD; Yum, MJ; Song, MD. (2014). LIVER FIBROSIS PROTECTIVE EFFECT OF HOVENIA DULCIS FRUIT. *Current Topics in Nutraceutical Research.* 12: 43-49.
- Lee, JS; Kim, HS; Lee, YJ; Yong, CS; Choi, HG; Han, GD; Vim, JA; Lee, JS. (2008). Hepatoprotective effect of *Grifola frondosa* water extract on carbon tetrachloride-induced liver injury in rats. *Food Science and Biotechnology.* 17: 203-207.
- Lee, JS; Lee, KA; Kim, HS; Kang, SM; Lee, YJ; Yoon, JD; Chung, MW; Han, GD; Lee, JS. (2006). Hepatoprotective effects of waxy brown rice fermented with *Agrocybe cylindracea*. *Food Science and Biotechnology.* 15: 238-243.
- Lee, JW; Shin, KD; Lee, M; Kim, EJ; Han, SS; Han, MY; Ha, HJ; Jeong, TC; Koh, WS. (2003). Role of metabolism by flavin-containing monooxygenase in thioacetamide-induced immunosuppression. *Toxicol Lett.* 136: 163-172.
- Lee, JY; Hozalski, RM; Arnold, WA. (2007). Effects of dissolved oxygen and iron aging on the reduction of trichloronitromethane, trichloroacetone nitrile, and trichloropropanone. *Chemosphere.* 66: 2127-2135.
- Lee, JY; Lee, SH; Kim, HJ; Ha, JM; Lee, SH; Lee, JH; Ha, BJ. (2004). The preventive inhibition of chondroitin sulfate against the CCl₄-induced oxidative stress of subcellular level. *Arch Pharm Res.* 27: 340-345.
- Lee, KA; Lee, JS; Yoon, JD; Chung, MW; Ha, HC; Lee, JS. (2004). Hepatoprotective effects of waxy brown rice fermented with *Coprinus cinereus*. *Food Science and Biotechnology.* 13: 230-234.
- Lee, KJ; Choi, JH; Jeong, HG. (2007). Hepatoprotective and antioxidant effects of the coffee diterpenes kahweol and cafestol on carbon tetrachloride-induced liver damage in mice. *Food Chem Toxicol.* 45: 2118-2125.
- Lee, KJ; Choi, JH; Kim, HG; Han, EH; Hwang, YP; Lee, YC; Chung, YC; Jeong, HG. (2008). Protective effect of saponins derived from the roots of *Platycodon grandiflorum* against carbon tetrachloride induced hepatotoxicity in mice. *Food Chem Toxicol.* 46: 1778-1785.
- Lee, KJ; Kim, JY; Jung, KS; Choi, CY; Chung, YC; Kim, DH; Jeong, HG. (2004). Suppressive effects of *Platycodon grandiflorum* on the progress of carbon tetrachloride-induced hepatic fibrosis. *Arch Pharm Res.* 27: 1238-1244.
- Lee, KJ; Kim, SH; Kwon, JH. (1997). Synthesis of 1,2,4-triazole-fused heterocycles by tandem Appel dehydration thermal rearrangement methodology. *Synthesis-Stuttgart* 1461-1466.
- Lee, KJ; Terada, K; Oyadomari, S; Inomata, Y; Mori, M; Gotoh, T. (2004). Induction of molecular chaperones in carbon tetrachloride-treated rat liver: implications in protection against liver damage. *Cell Stress & Chaperones.* 9: 58-68.
- Lee, KJ; Woo, ER; Choi, CY; Shin, DW; Lee, DG; You, HJ; Jeong, HG. (2004). Protective effect of acteoside on carbon tetrachloride-induced hepatotoxicity. *Life Sci.* 74: 1051-1064.

Environmental Hazard Literature Search Results

Off Topic

- Lee, KKH; Kwong, WH; Chan, FT; Yew, DT; Chan, WY. (2002). Pien Tze Huang protects the liver against carbon tetrachloride-induced damage. *Pharmacology & Toxicology*. 91: 185-192.
- Lee, KS; Cottam, HB; Houglum, K; Wasson, DB; Carson, D; Chojkier, M. (1997). Pentoxifylline blocks hepatic stellate cell activation independently of phosphodiesterase inhibitory activity. *The American journal of physiology*. 273: G1094-1100.
- Lee, KW; Wingate, FP; Boyd, JW. (1985). THE ADVANCED ELECTRIC REACTOR A NEW TECHNOLOGY FOR HAZARDOUS WASTE DESTRUCTION. *J Hazard Mater*. 12: 143-160.
- Lee, KY; Lee, JY; Khinast, J; Stencel, J; Lavid, M. (2004). Photochemical remediation of tetrachloroethylene: Reactor design, construction, and preliminary results. *Journal of Environmental Engineering-Asce*. 130: 100-103.
- Lee, M; Low, A; Zemb, O; Koenig, J; Michaelsen, A; Manefield, M. (2012). Complete chloroform dechlorination by organochlorine respiration and fermentation. *Environmental Microbiology*. 14: 883-894.
- Lee, M; Oh, J. (2010). Sonolysis of trichloroethylene and carbon tetrachloride in aqueous solution. *Ultrason Sonochem*. 17: 207-212.
- Lee, MD; Odom, JM; Buchanan, RJ. (1998). New perspectives on microbial dehalogenation of chlorinated solvents: Insights from the field. *Annual Review of Microbiology*. 52: 423-452.
- Lee, MD; Thomas, JM; Borden, RC; Bedient, PB; Ward, CH; Wilson, JT; Conway, RA. (1988). BIORESTORATION OF AQUIFERS CONTAMINATED WITH ORGANIC COMPOUNDS. *Crit Rev Environ Control*. 18: 29-89.
- Lee, MK; Choi, YJ; Sung, SH; Kim, JW; Kim, YC. Antihepatotoxic activity of icariin, a major constituent of *Epimedium koreanum*. *Planta Med*. Dec 1995. v. 61 (6): 523-526.
- Lee, MK; Kim, SH; Yang, H; Lim, DY; Ryu, JH; Lee, ES; Jew, SS; Park, HG; Sung, SH; Kim, YC. (2009). Asiatic Acid Derivatives Protect Primary Cultures of Rat Hepatocytes against Carbon Tetrachloride-Induced Injury via the Cellular Antioxidant System. *Natural Product Communications*. 4: 765-768.
- Lee, MK; Yeo, H; Kim, J; Kim, YC. (2000). Protection of rat hepatocytes exposed to CCl₄ in-vitro by cynandione A, a biacetophenone from *Cynanchum wilfordii*. *The Journal of pharmacy and pharmacology*. 52: 341-345.
- Lee, PY; McCay, PB; Hornbrook, KR. (1982). Evidence for carbon tetrachloride-induced lipid peroxidation in mouse liver. *Biochem Pharmacol*. 31: 405-409.
- Lee, S; Han, KH; Yabuki, E; Nakamura, Y; Kawakami, S; Shimada, K; Hayakawa, T; Onoue, H; Fukushima, M. (2015). Dietary L-cysteine inhibits D-galactosamine-induced acute liver injury in rats. *Food Science and Biotechnology*. 24: 1151-1157.
- Lee, S; Lee, YS; Jung, SH; Kang, SS; Shin, KH. (2003). Anti-oxidant activities of fucosterol from the marine algae *Pelvetia siliquosa*. *Arch Pharm Res*. 26: 719-722.
- Lee, SE; Song, KH; Liu, J; Kwon, HJ; Youn, SB; Lee, YW; Cho, SH; Kim, DH. (2004). The effectiveness of auriculoacupoint treatment for artificially induced acute hepatic injury in dogs. *Am J Chin Med*. 32: 445-451.
- Lee, SH; Nan, JX; Zhao, YZ; Woo, SW; Park, EJ; Kang, TH; Seo, GS; Kim, YC; Sohn, DH. (2003). The chalcone butein from *Rhus verniciflua* shows antifibrogenic activity. *Planta Med*. 69: 990-994.
- Lee, SH; Seo, GS; Park, YN; Yoo, TM; Sohn, DH. (2004). Effects and regulation of osteopontin in rat hepatic stellate cells. *Biochem Pharmacol*. 68: 2367-2378.
- Lee, SH; Zhao, YZ; Park, EJ; Che, XH; Seo, GS; Sohn, DH. (2011). 2',4',6'-Tris(methoxymethoxy) chalcone induces apoptosis by enhancing Fas-ligand in activated hepatic stellate cells. *Eur J Pharmacol*. 658: 9-15.
- Lee, SJ; Kim, YG; Kang, KW; Kim, CW; Kim, SG. (2004). Effects of colchicine on liver functions of cirrhotic rats: beneficial effects result from stellate cell inactivation and inhibition of TGF beta 1 expression. *Chem Biol Interact*. 147: 9-21.
- Lee, SJ; Lim, KT. (2008). Glycoprotein of *Zanthoxylum piperitum* DC has a hepatoprotective effect via anti-oxidative character in vivo and in vitro. *Toxicol In Vitro*. 22: 376-385.
- Lee, SJ; Oh, PS; Ko, JH; Lim, K; Lim, KT. (2006). Protective effect of glycoprotein isolated from *Ulmus davidiana* Nakai on carbon tetrachloride-induced mouse liver injury. *J Pharm Pharmacol*. 58: 143-152.
- Lee, SJ; Oh, PS; Lim, KT. (2006). Hepatoprotective and hypolipidaemic effects of glycoprotein isolated from *Gardenia jasminoides* Ellis in mice. *Clin Exp Pharmacol Physiol*. 33: 925-933.
- Lee, SP; Savard, CE; Kuver, R. (2009). Gallbladder Epithelial Cells that Engraft in Mouse Liver Can Differentiate into Hepatocyte-Like Cells. *American Journal of Pathology*. 174: 842-853.
- Lee, SP; Yang, SC; Cheng, YS; Lien, WJ; Ng, LT. (2010). Hepatoprotection by palm tocotrienol-rich fraction. *European Journal of Lipid Science and Technology*. 112: 712-719.
- Lee, SW; Kim, K; Rho, MC; Chung, MY; Kim, YH; Lee, S; Lee, HS; Kim, YK. (2004). New Polyacetylenes, DGAT inhibitors from the roots of *Panax ginseng*. *Planta Med*. 70: 197-200.
- Lee, SY; Kim, YC. (2007). Effect of beta-alanine administration on carbon tetrachloride-induced acute hepatotoxicity. *Amino Acids*. 33: 543-546.
- Lee, SY; Kim, YC. (2007). Effect of β -alanine administration on carbon tetrachloride-induced acute hepatotoxicity. *Amino Acids*. 33: 543-546.
- Lee, T; Lim, H; Lee, Y; Park, JW. (2003). Use of waste iron metal for removal of Cr(VI) from water. *Chemosphere*. 53: 479-485.
- Lee, TH; Jawan, B; Chou, WY; Lu, CN; Wu, CL; Kuo, HM; Concejero, AM; Wang, CH. (2006). Alpha-melanocyte-stimulating hormone gene therapy reverses carbon tetrachloride induced liver fibrosis in mice. *The journal of gene medicine*. 8: 764-772.
- Lee, TH; Jawan, B; Chou, WY; Lu, CN; Wu, CL; Kuo, HM; Concejero, AM; Wang, CH. (2006). alpha-Melanocyte-stimulating hormone gene therapy reverses carbon tetrachloride induced liver fibrosis in mice. *J Gene Med*. 8: 764-772.
- Lee, TY; Chang, HH; Wang, GJ; Chiu, JH; Yang, YY; Lin, HC. (2006). Water-soluble extract of *Salvia miltiorrhiza* ameliorates carbon tetrachloride-mediated hepatic apoptosis in rats. *J Pharm Pharmacol*. 58: 659-665.

Environmental Hazard Literature Search Results

Off Topic

- Lee, TY; Lee, KC; Chang, HH. (2010). Modulation of the cannabinoid receptors by andrographolide attenuates hepatic apoptosis following bile duct ligation in rats with fibrosis. *Apoptosis*. 15: 904-914.
- Lee, TY; Mai, LM; Wang, GJ; Chiu, JH; Lin, YL; Lin, HC. (2003). Protective mechanism of *Salvia miltiorrhiza* on carbon tetrachloride-induced acute hepatotoxicity in rats. *J Pharmacol Sci*. 91: 202-210.
- Lee, TY; Wang, GJ; Chiu, JH; Lin, HC. (2003). Long-term administration of *Salvia miltiorrhiza* ameliorates carbon tetrachloride-induced hepatic fibrosis in rats. *J Pharm Pharmacol*. 55: 1561-1568.
- Lee, VY; Fukawa, T; Nakamoto, M; Sekiguchi, A; Tumanskii, BL; Karni, M; Apeloig, Y. (2006). ((t)Bu₂MeSi)₂Sn=Sn(SiMe(t)Bu)₂(2): A distannene with a Sn=Sn double bond that is stable both in the solid state and in solution. *J Am Chem Soc*. 128: 11643-11651.
- Lee, W; Batchelor, B. (2002). Abiotic reductive dechlorination of chlorinated ethylenes by iron-bearing soil minerals. 1. Pyrite and magnetite. *Environmental Science & Technology*. 36: 5147-5154.
- Lee, W; Batchelor, B. (2002). Abiotic, reductive dechlorination of chlorinated ethylenes by iron-bearing soil minerals. 2. Green rust. *Environmental Science & Technology*. 36: 5348-5354.
- Lee, W; Batchelor, B. (2004). Abiotic reductive dechlorination of chlorinated ethylenes by soil. *Chemosphere*. 55: 705-713.
- Lee, WJ; Batchelor, B. (2003). Reductive capacity of natural reductants. *Environmental Science & Technology*. 37: 535-541.
- Lee, WJ; Batchelor, B. (2004). Abiotic reductive dechlorination of chlorinated ethylenes by iron-bearing phyllosilicates. *Chemosphere*. 56: 999-1009.
- Lee, WR; Kim, KH; An, HJ; Kim, JY; Lee, SJ; Han, SM; Pak, SC; Park, KK. (2014). Apamin inhibits hepatic fibrosis through suppression of transforming growth factor β1-induced hepatocyte epithelial-mesenchymal transition. *Biochem Biophys Res Commun*. 450: 195-201.
- Lee, Y; Jee, HJ; Noh, H; Kang, GH; Park, J; Cho, J; Cho, JH; Ahn, S; Lee, C; Kim, OH; Oh, BC; Kim, H. (2013). In vivo H-1-MRS hepatic lipid profiling in nonalcoholic fatty liver disease: An animal study at 9.4 T. *Magn Reson Med*. 70: 620-629.
- Lee, YS; Cho, JJ. (1986). STUDIES ON VALUE OF PROCOLLAGEN TYPE III PEPTIDE AND HYDROXYPROLINE IN RAT LIVER CIRRHOSIS INDUCED BY DIMETHYLNITROSAMINE. 20th Annual Meeting Of The Japanese Society Of Toxicological Sciences, Chiba, Japan, July. 18: 388.
- Lee, YY; Crauste, C; Wang, HL; Leung, HH; Vercauteren, J; Galano, JM; Oger, C; Durand, T; Wang, JMF; Lee, JCY. (2016). Extra Virgin Olive Oil Reduced Polyunsaturated Fatty Acid and Cholesterol Oxidation in Rodent Liver: Is This Accounted for Hydroxytyrosol-Fatty Acid Conjugation? *Chem Res Toxicol*. 29: 1689-1698.
- Leemans, R. (1994). INCORPORATING LAND-USE CHANGE IN EARTH SYSTEM MODELS ILLUSTRATED BY IMAGE 2. Walker, B And W Steffen. 8: 0-521.
- Leeming, DJ; Byrjalsen, I; Jimenez, W; Christiansen, C; Karsdal, MA. (2013). Protein fingerprinting of the extracellular matrix remodelling in a rat model of liver fibrosis-a serological evaluation. *Liver Int*. 33: 439-447.
- Leevy, CM; Ten-Hove, W; Frank, O; Baker, H. (1964). FOLIC ACID DEFICIENCY AND HEPATIC DNA SYNTHESIS. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY)*. 117: 746-748.
- Lefevre, PA; Ashby, J. (1989). EVALUATION OF DICHLOROMETHANE AS AN INDUCER OF DNA SYNTHESIS IN THE B-6C-3F-1 MOUSE LIVER. *Carcinogenesis*. 10: 1067-1072.
- Legendre, C; Cherruau, LdRCFsdMP-nP-RUšPF; JeyaraD, LdRCFsdMPP-RUšPF; CroS; n, D; Bechert, U; Christensen, JM. (1993). Pharmacokinetics of orally administered ibuprofen in African and Asian elephants (*Loxodonta africana* and *Elephas maximus*). *Clinical science (London, England : 1979)*. 38: 258-268.
- Leite-Mor, MM; Tersariol, IL; Michelacci, YM; Nader, HB; Gray, CW; Morgan, PM; Kane, MT. (1992). Purification of an embryotrophic factor from commercial bovine serum albumin and its identification as citrate. *The Journal of laboratory and clinical medicine*. 119: 676-681.
- Lekholm, U. (1976). Effects of essential fatty acid deficiency and carbon tetrachloride-induced liver cirrhosis on lipid and fatty acid compositions of oral palatal epithelium in rats. *International journal of oral surgery*. 5: 311-321.
- Lekholm, U; Wallenius, K. (1976). Effects of essential fatty acid deficiency and of carbon tetrachloride-induced liver cirrhosis on oral carcinogenesis in the rat. *Odontologisk revy*. 27: 165-180.
- Lekmine, G; Bastow, TP; Johnston, CD; Davis, GB. (2014). Dissolution of multi-component LNAPL gasolines: The effects of weathering and composition. *J Contam Hydrol*. 160: 1-11.
- Lemieux, PM; Linak, WP; Debenedictis, C; Ryan, JV; Wendt, JOL; Dunn, JE. (1994). OPERATING PARAMETERS TO MINIMIZE EMISSIONS DURING ROTARY KILN EMERGENCY SAFETY VENT OPENINGS. *Hazardous Waste & Hazardous Materials*. 11: 111-128.
- Lemieux, PM; Ryan, JV. (1998). Enhanced formation of dioxins and furans from combustion devices by addition of trace quantities of bromine. *Waste Manag*. 18: 361-370.
- Lemke, MJ; Brown, BJ; Leff, LG. (1997). The response of three bacterial populations to pollution in a stream. *Microb Ecol*. 34: 224-231.
- Lemos, QT; Andrade, ZA. (2010). Angiogenesis and experimental hepatic fibrosis. *Mem Inst Oswaldo Cruz*. 105: 611-614.
- Lendvay, JM; Sauck, WA; McCormick, ML; Barcelona, MJ; Kampbell, DH; Wilson, JT; Adriaens, P. (1998). Geophysical characterization, redox zonation, and contaminant distribution at a groundwater surface water interface. *Water Resour Res*. 34: 3545-3559.
- Leng, G; Chen, W; Zhang, M; Huang, F; Cao, Q. (2014). Determination of phthalate esters in liquor samples by vortex-assisted surfactant-enhanced emulsification liquid-liquid microextraction followed by GC-MS. *J Sep Sci*. 37: 684-690.
- Lennartson, A. (2011). Optical resolution and racemisation of [Fe(acac)₃]. *Inorganica Chimica Acta*. 365: 451-453.
- Lenz, AM; Fairweather, M; Peyton, JC; Gardner, SA; Cheadle, WG. (2011). Liver injury and abscess formation in secondary murine peritonitis. *Inflamm Res*. 60: 337-345.
- Leon, MDG; Montfort, I; Montes, ET; Vancell, RL; Garcia, AO; Canto, AG; Nequiz-Avendano, M; Perez-Tamayo, R. (2006). Hepatocyte production of modulators of extracellular liver matrix in normal and cirrhotic rat liver. *Exp Mol Pathol*. 80: 97-108.

Environmental Hazard Literature Search Results

Off Topic

- Leong, PK; Chen, N; Chiu, PY; Leung, HY; Ma, CW; Tang, QT; Ko, KM. (2010). Long-Term Treatment with Shengmai San-Derived Herbal Supplement (Wei Kang Su) Enhances Antioxidant Response in Various Tissues of Rats with Protection Against Carbon Tetrachloride Hepatotoxicity. *J Med Food*. 13: 427-438.
- Leong, PK; Chiu, PY; Chen, N; Leung, HY; Ko, KM. (2011). Schisandrin B elicits a glutathione antioxidant response and protects against apoptosis via the redox-sensitive ERK/Nrf2 pathway in AML12 hepatocytes. *Free Radic Res*. 45: 483-495.
- Leong, PK; Chiu, PY; Ko, KM. (2012). Prooxidant-Induced Glutathione Antioxidant Response in Vitro and in Vivo: A Comparative Study between Schisandrin B and Curcumin. *Biological & Pharmaceutical Bulletin*. 35: 464-472.
- Lepczyk, PA. (2005). Laboratory and numerical simulations of three-dimensional microbial transport and biodegradation. PhD, Michigan State University.
- Lerman, SE; Kipen, HM. (1993). Material safety data sheets. Caveat emptor. *Arch Intern Med*. 150: 981-984.
- Leroux-Roels, G; Abraham, B; Fourneau, M; De, CN; Safary, A. (2000). A comparison of two commercial recombinant vaccines for hepatitis B in adolescents. *Vaccine*. 19: 937-942.
- Lertprasertsuke, N; Shinoda, M; Watanabe, K. (1989). THE ALTERATION OF LIPID PEROXIDATION AND ITS SCAVENGING SYSTEM IN 3' MET-DAB-INDUCED CARCINOGENESIS IN RAT LIVER. Xiith European Congress Of Pathology, Porto, Portugal, September. 185: 89-90.
- LeSage, G; Glaser, S; Alpini, G. (2001). Regulation of cholangiocyte proliferation. *Liver*. 21: 73-80.
- Lesage, G; Glaser, S; Tretjak, Z; Rodgers, R; Robertson, WE; Phinizy, JL; Lasater, J; Alpini, G. (1996). ACUTE CARBON TETRACHLORIDE CCL-4 FEEDING INDUCES SELECTIVE APOPTOSIS IN LARGE BUT NOT SMALL INTRAHEPATIC BILE DUCTS IBDU FROM BILE DUCT LIGATED BDL RAT LIVER. 47th Annual Meeting And Postgraduate Courses Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 24.
- LeSage, GD; Benedetti, A; Glaser, S; Marucci, L; Tretjak, Z; Caligiuri, A; Rodgers, R; Phinizy, JL; Baiocchi, L; Francis, H; Lasater, J; Ugili, L; Alpini, G. (1999). Acute carbon tetrachloride feeding selectively damages large, but not small, cholangiocytes from normal rat liver. *Hepatology*. 29: 307-319.
- LeSage, GD; Glaser, SS; Marucci, L; Benedetti, A; Phinizy, JL; Rodgers, R; Caligiuri, A; Papa, E; Tretjak, Z; Jezequel, AM; Holcomb, LA; Alpini, G. (1999). Acute carbon tetrachloride feeding induces damage of large but not small cholangiocytes from BDL rat liver. *American Journal of Physiology-Gastrointestinal and Liver Physiology*. 276: G1289-G1301.
- Lesage, S; Brown, S; Millar, K; Steer, H. (2003). Simulation of a ground water recirculation well with a dual-column laboratory setup. *Ground Water Monitoring and Remediation*. 23: 102-110.
- Lessa, AS; Paredes, BD; Dias, JV; Carvalho, AB; Quintanilha, LF; Takiya, CM; Tura, BR; Rezende, GFM; de Carvalho, ACC; Resende, CMC; Goldenberg, RCS. (2010). Ultrasound imaging in an experimental model of fatty liver disease and cirrhosis in rats. *BMC Vet Res*. 6: 6-6.
- LettÃ©ron, P; Labbe, G; Degott, C; Berson, A; Fromenty, B; Delaforge, M; Larrey, D; Pessayre, D. (1990). Mechanism for the protective effects of silymarin against carbon tetrachloride-induced lipid peroxidation and hepatotoxicity in mice: Evidence that silymarin acts both as an inhibitor of metabolic activation and as a chain-breaking antioxidant. *Biochem Pharmacol*. 39: 2027-2034.
- Leu, JI; Crissey, MAS; Taub, R. (2003). Massive hepatic apoptosis associated with TGF-beta 1 activation after Fas ligand treatment of IGF binding protein-1-deficient mice. *J Clin Invest*. 111: 129-139.
- Leung, CW; Tsui, WL; Shin, FG. (1998). A dielectric binary mixture formula with an interaction term. *Journal of Materials Science*. 33: 5163-5167.
- Leung, HW. (1991). Development and utilization of physiologically based pharmacokinetic models for toxicological applications. *J Toxicol Environ Health*. 32: 247-268.
- Leung, TM; Tipoe, GL; Liong, EC; Lau, TYH; Fung, ML; Nanji, AA. (2008). Endothelial nitric oxide synthase is a critical factor in experimental liver fibrosis. *Int J Exp Pathol*. 89: 241-250.
- Levin, W; Kuntzman, R; Conney, AH. (2013). Stimulatory effect of phenobarbital on the metabolism of the oral contraceptive 17 alpha-ethynylestradiol-3-methyl ether (mestranol) by rat liver microsomes. *Oral surgery, oral medicine, oral pathology and oral radiology*. 116: e23-26.
- Levine, RA. (1988). Hepatic cytoprotection by prostaglandins: theories unlimited. *Hepatology (Baltimore, Md)*. 8: 969-970.
- Levinson, WE; Korus, RA. (1995). DEGRADATION OF CARBON TETRACHLORIDE BY PSEUDOMONAS SP. KC UNDER AEROBIC AND DENITRIFYING CONDITIONS. 95th General Meeting Of The American Society For Microbiology, Washington, DC, Usa, May. 95: 401.
- Levy, GN; Brabec, JM. (1984). Binding of carbon tetrachloride metabolites to rat hepatic mitochondrial DNA. *Toxicol Lett*. 22: 229-234.
- Lewis, S; Lynch, A; Bachas, L; Hampson, S; Ormsbee, L; Bhattacharyya, D. (2009). Chelate-Modified Fenton Reaction for the Degradation of Trichloroethylene in Aqueous and Two-Phase Systems. *Environ Eng Sci*. 26: 849-859.
- Lewis, TA. (1995). EFFECT OF NUCLEOPHILIC TRAPPING AGENTS ON TRANSFORMATION OF CARBON TETRACHLORIDE TO CARBON DIOXIDE BY PSEUDOMONAS SP. STRAIN KC. 95th General Meeting Of The American Society For Microbiology, Washington, DC, Usa, May. 95: 404.
- Lewis, TA; Cortese, MS; Sebat, JL; Green, TL; Lee, CH; Crawford, RL. (2000). A Pseudomonas stutzeri gene cluster encoding the biosynthesis of the CCl(4)-dechlorination agent pyridine-2,6-bis(thiocarboxylic acid). *Environmental Microbiology*. 2: 407-416.
- Lewis, TA; Crawford, RL. Physiological factors affecting carbon tetrachloride dehalogenation by the denitrifying bacterium Pseudomonas sp. strain KC. *Appl Environ Microbiol*. May 1993. v. 59 (5): 1635-1641.
- Lewis, TA; Crawford, RL. (1991). EVALUATION OF BACTERIAL ENRICHMENTS FOR THE IN-SITU REMOVAL OF CARBON TETRACHLORIDE FROM SUBSURFACE SOILS. 91st General Meeting Of The American Society For Microbiology, Dallas, Texas, Usa, May. 91: 285.
- Lewis, TA; Crawford, RL. (1995). Transformation of carbon tetrachloride via sulfur and oxygen substitution by Pseudomonas sp. strain KC. *J Bacteriol*. 177: 2204-2208.
- Lewis, TA; Glassing, A; Harper, J; Franklin, MJ. (2013). Role for Ferredoxin: NAD(P)H Oxidoreductase (FprA) in Sulfate Assimilation and Siderophore Biosynthesis in Pseudomonads. *J Bacteriol*. 195: 3876-3887.

Environmental Hazard Literature Search Results

Off Topic

- Lewis, TA; Leach, L; Morales, S; Austin, PR; Hartwell, HJ; Kaplan, B; Forker, C; Meyer, JM. (2004). Physiological and molecular genetic evaluation of the dechlorination agent, pyridine-2,6-bis(monothiocarboxylic acid) (PDTC) as a secondary siderophore of *Pseudomonas*. *Environmental Microbiology*. 6: 159-169.
- Lewis, TA; Morra, MJ; Habdas, J; Czuchajowski, L; Brown, PD. (1995). Reductive dechlorination of carbon tetrachloride mediated by cationic water-soluble metalloporphyrins. *J Environ Qual*. 24: 56-61.
- Lewis, TA; Paszczynski, A; Gordon-Wylie, SW; Jeedigunta, S; Lee, CH; Crawford, RL. (2001). Carbon tetrachloride dechlorination by the bacterial transition metal chelator pyridine-2,6-bis(thiocarboxylic acid). *Environmental Science & Technology*. 35: 552-559.
- Lexa, A; Fleurentin, J; Lehr, PR; Mortier, F; Pruvost, M; Pelt, JM. (1989). Choleric and hepatoprotective properties of *Eupatorium cannabinum* in the rat. *Planta Med*. 55: 127-132.
- Lexa, A; Younos, C; Mortier, F. Study of antihepatotoxicity of *Eupatorium cannabinum* L. in mice: an adequate method of screening in vivo antihepatotoxic natural principles. *Phytotherapy research : PTR*. Aug 1990. v. 4 (4): 148-151.
- Li, B; Shao, Q; Ji, D; Li, F; Chen, GF. (2015). Mesenchymal Stem Cells Mitigate Cirrhosis through BMP7. *Cell Physiol Biochem*. 35: 433-440.
- Li, C; Jiang, W; Zhu, H; Hou, J. (2012). Antifibrotic effects of protocatechuic aldehyde on experimental liver fibrosis. *Pharmaceutical Biology*. 50: 413-419.
- Li, C; Nakayama, S; Kurosaki, Y; Nakayama, T; Kimura, T. (1990). Pharmacokinetics of cefpiramide in rats acutely intoxicated with carbon tetrachloride. *Journal of Pharmacobio-Dynamics*. 13: 189-194.
- Li, C; Xu, M; Sun, X; Han, S; Wu, X; Liu, Y-N; Huang, J; Deng, S. (2013). Chemical modification of Amberlite XAD-4 by carbonyl groups for phenol adsorption from wastewater. *Chem Eng J*. 229: 20-26.
- Li, C; Yi, LT; Geng, D; Han, YY; Weng, LJ. (2015). Hepatoprotective effect of ethanol extract from *Berchemia lineate* against CCl₄-induced acute hepatotoxicity in mice. *Pharmaceutical Biology*. 53: 767-772.
- Li, CC; Hsiang, CY; Wu, SL; Ho, TY. (2012). Identification of novel mechanisms of silymarin on the carbon tetrachloride-induced liver fibrosis in mice by nuclear factor-kappa B bioluminescent imaging-guided transcriptomic analysis. *Food Chem Toxicol*. 50: 1568-1575.
- Li, C-C; Hsiang, C-Y; Wu, S-L; Ho, T-Y. (2012). Identification of novel mechanisms of silymarin on the carbon tetrachloride-induced liver fibrosis in mice by nuclear factor- κ B bioluminescent imaging-guided transcriptomic analysis. *Food Chem Toxicol*. 50: 1568-1575.
- Li, CM; Li, L; Bai, JY; Wu, J; Huang, S; Wang, GL. (2013). Correlation between heat shock protein 32 and chronic heat-induced liver injury in developing mice. *J Therm Biol*. 38: 513-519.
- Li, CY; Kong, YX; Wang, H; Wang, SL; Yu, H; Liu, X; Yang, L; Jiang, XM; Li, LS; Li, LY. (2009). Homing of bone marrow mesenchymal stem cells mediated by sphingosine 1-phosphate contributes to liver fibrosis. *J Hepatol*. 50: 1174-1183.
- Li, D; Brady, JF; Lee, MJ; Yang, CS. (1989). Effect of 1,3-butanediol on rat liver microsomal NDMA demethylation and other monooxygenase activities. *Toxicol Lett*. 45: 141-147.
- Li, D; Cai, HD; Hou, M; Fu, D; Ma, YS; Luo, Q; Yuan, XY; Lv, ML; Zhang, XP; Cong, XL; Lv, ZW. (2012). Effects of indoleamine 2,3-dioxygenases in carbon tetrachloride-induced hepatitis model of rats. *Cell Biochem Funct*. 30: 309-314.
- Li, D; Chen, S; Becker, FF; Randerath, K. (1991). Specific reduction of I-compound levels in DNA from spontaneous hepatomas of 22-24 month old male C3H mice. *Carcinogenesis*. 12: 2389-2391.
- Li, DA; Yakushiji, D; Kanazawa, S; Ohkubo, T; Nomoto, Y. (2002). Decomposition of toluene by streamer corona discharge with catalyst. *Journal of Electrostatics*. 55: 311-319.
- Li, F; Kato, I; Kawaguchi, H; Takasawa, K; Hibino, Y; Hiraga, K. (2006). The galectin-3 gene promoter binding proteins in the liver of rats 48-h post-treatment with CCl₄. *Gene*. 367: 46-55.
- Li, F; Ma, N; Zhao, R; Wu, G; Zhang, Y; Qiao, Y; Han, D; Xu, Y; Xiang, Y; Yan, B; Jin, J; Lv, G; Wang, L; Xu, C; Gao, X; Luo, S. (2014). Overexpression of miR-483-5p/3p cooperate to inhibit mouse liver fibrosis by suppressing the TGF- β ; stimulated HSCs in transgenic mice. *J Cell Mol Med*. 18: 966-974.
- Li, F; Song, ZJ; Li, QH; Wu, J; Wang, JY; Xie, C; Tu, CT; Wang, J; Huang, XW; Lu, WY. (2011). Molecular Imaging of Hepatic Stellate Cell Activity by Visualization of Hepatic Integrin α v β 3 Expression with SPECT in Rat. *Hepatology*. 54: 1020-1030.
- Li, FB; Li, XM; Zhou, SG; Zhuang, L; Cao, F; Huang, DY; Xu, W; Liu, TX; Feng, CH. (2010). Enhanced reductive dechlorination of DDT in an anaerobic system of dissimilatory iron-reducing bacteria and iron oxide. *Environ Pollut*. 158: 1733-1740.
- Li, FB; Wang, XG; Liu, CS; Li, YT; Zeng, F; Liu, L. (2008). Reductive transformation of pentachlorophenol on the interface of subtropical soil colloids and water. *Geoderma*. 148: 70-78.
- Li, G; Wang, XY; Suo, YR; Wang, HL. (2014). Protective effect of seed oil of *Herpetospermum pedunculatum* against carbon tetrachloride-induced liver injury in rats. *Saudi Med J*. 35: 981-987.
- Li, GJ; Li, J; Li, CS; Qi, HG; Dong, PH; Zheng, JJ; Yu, FJ. (2016). MicroRNA-125a-5p Contributes to Hepatic Stellate Cell Activation through Targeting FHL1. *Cell Physiol Biochem*. 38: 1544-1552.
- Li, GM; Xie, Q; Shi, Y; Li, DG; Zhang, MJ; Jiang, S; Zhou, HJ; Lu, HM; Jin, YX. (2006). Inhibition of connective tissue growth factor by siRNA prevents liver fibrosis in rats. *J Gene Med*. 8: 889-900.
- Li, G-S; Jiang, W-L; Tian, J-W; Qu, G-W; Zhu, H-B; Fu, F-H. (2010). In vitro and in vivo antifibrotic effects of rosmarinic acid on experimental liver fibrosis. *Phytomedicine*. 17: 282-288.
- Li, GY; Gao, HY; Huang, J; Lu, J; Gu, JK; Wang, JH. (2014). Hepatoprotective effect of *Cichorium intybus* L., a traditional Uighur medicine, against carbon tetrachloride-induced hepatic fibrosis in rats. *World J Gastroenterol*. 20: 4753-4760.
- Li, H; Chen, TW; Chen, XL; Zhang, XM; Li, ZL; Zeng, NL; Zhou, L; Wang, LY; Tang, HJ; Li, CP; Li, L; Xie, XY. (2012). Magnetic resonance-based total liver volume and magnetic resonance-diffusion weighted imaging for staging liver fibrosis in mini-pigs. *World J Gastroenterol*. 18: 7225-7233.

Environmental Hazard Literature Search Results

Off Topic

- Li, HP; Zhang, DQ; Duan, LA; Dong, GF; Wang, LD; Qiu, Y. (2007). Morphological structure and optical property of anthracene single crystals grown from solution. *Japanese Journal of Applied Physics Part 1-Regular Papers Brief Communications & Review Papers*. 46: 7789-7792.
- Li, J; Gao, J; Yan, D; Yuan, Y; Sah, S; Satyal, U; Liu, M; Han, W; Yu, Y. (2011). Neutralization of chemokine CXCL14 (BRAK) expression reduces CCl₄ induced liver injury and steatosis in mice. *Eur J Pharmacol*. 671: 120-127.
- Li, JC; Feng, L; Sun, BH; Ikeda, T; Nohara, T. (2005). Hepatoprotective activity of the constituents in *Swertia pseudochinensis*. *Biological & pharmaceutical bulletin*. 28: 534-537.
- Li, JF; Chen, BC; Lai, DD; Jia, ZR; Andersson, R; Zhang, B; Yao, JG; Yu, Z. (2011). Soy isoflavone delays the progression of thioacetamide-induced liver fibrosis in rats. *Scand J Gastroenterol*. 46: 341-349.
- Li, JJ; Gao, J; Yan, DJ; Yuan, YS; Sah, S; Satyal, U; Liu, M; Han, W; Yu, Y. (2011). Neutralization of chemokine CXCL14 (BRAK) expression reduces CCl₄ induced liver injury and steatosis in mice. *Eur J Pharmacol*. 671: 120-127.
- Li, JP; Gao, Y; Chu, SF; Zhang, Z; Xia, CY; Mou, Z; Song, XY; He, WB; Guo, XF; Chen, NH. (2014). Nrf2 pathway activation contributes to anti-fibrosis effects of ginsenoside Rg1 in a rat model of alcohol-and CCl₄-induced hepatic fibrosis. *Acta Pharmacol Sin*. 35: 1031-1044.
- Li, L; Chen, JF; Li, YP; Lv, YN; Wu, KF; Liu, Y; Cui, L. (2013). Colon-targeted delivery of liver hydrolysates: efficacy in reversing carbon tetrachloride-induced liver damage. *Journal of Drug Delivery Science and Technology*. 23: 493-497.
- Li, L; Fan, MH; Brown, RC; Van Leeuwen, JH; Wang, JJ; Wang, WH; Song, YH; Zhang, PY. (2006). Synthesis, properties, and environmental applications of nanoscale iron-based materials: A review. *Crit Rev Environ Sci Tech*. 36: 405-431.
- Li, L; Li, W; Kim, YH; Lee, YW. (2013). *Chlorella vulgaris* extract ameliorates carbon tetrachloride-induced acute hepatic injury in mice. *Exp Toxicol Pathol*. 65: 73-80.
- Li, L; Qi, H; Gan, S; Han, BK; Hicks, RF. (1998). Site-specific chemistry of carbon tetrachloride decomposition on GaAs(001). *Applied Physics a-Materials Science & Processing*. 66: S501-S505.
- Li, LB; Zhang, TR; Zhou, L; Zhou, L; Xing, GH; Chen, YH; Xin, YB. (2014). Schisandrin B attenuates acetaminophen-induced hepatic injury through heat-shock protein 27 and 70 in mice. *J Gastroenterol Hepatol*. 29: 640-647.
- Li, M; Zhu, L; Xie, A; Yuan, JL. (2015). Oral Administration of *Saccharomyces boulardii* Ameliorates Carbon Tetrachloride-Induced Liver Fibrosis in Rats via Reducing Intestinal Permeability and Modulating Gut Microbial Composition. *Inflammation*. 38: 170-179.
- Li, N; Zhang, L; Li, H; Fang, B. (2010). Administration of Granulocyte Colony-Stimulating Factor Ameliorates Radiation-Induced Hepatic Fibrosis in Mice. *Transplant Proc*. 42: 3833-3839.
- Li, PC; Chiu, YW; Lin, YM; Day, CH; Hwang, GY; Pai, P; Tsai, FJ; Tsai, CH; Kuo, YC; Chang, HC; Liu, JY; Huang, CY. (2012). Herbal Supplement Ameliorates Cardiac Hypertrophy in Rats with CCl₄-Induced Liver Cirrhosis. *Evidence-based complementary and alternative medicine : eCAM*. 2012: 139045.
- Li, R; Guo, W; Fu, Z; Ding, G; Zou, Y; Wang, Z. (2011). Hepatoprotective action of Radix *Paeoniae Rubra* aqueous extract against CCl₄-induced hepatic damage. *Molecules (Basel, Switzerland)*. 16: 8684-8694.
- Li, R; Song, JH; Wu, W; Wu, XM; Su, M. (2016). Puerarin exerts the protective effect against chemical induced dysmetabolism in rats. *Gene*. 595: 168-174.
- Li, R; Wang, Y; Zhao, E; Wu, K; Li, W; Shi, L; Wang, D; Xie, G; Yin, Y; Deng, M; Zhang, P; Tao, K. (2016). Maresin 1, a Proresolving Lipid Mediator, Mitigates Carbon Tetrachloride-Induced Liver Injury in Mice. *Oxid Med Cell Longev*. 2016: 9203716.
- Li, R; Xu, LY; Liang, T; Li, YW; Zhang, SJ; Duan, XQ. (2013). Puerarin mediates hepatoprotection against CCl₄-induced hepatic fibrosis rats through attenuation of inflammation response and amelioration of metabolic function. *Food Chem Toxicol*. 52: 69-75.
- Li, S; Wackett, LP. (1993). Reductive dehalogenation by cytochrome P450CAM: Substrate binding and catalysis. *Biochemistry*. 32: 9355-9361.
- Li, SQ; Wang, DM; Shu, YJ; Wan, XD; Xu, ZS; Li, EZ. (2013). Proper heat shock pretreatment reduces acute liver injury induced by carbon tetrachloride and accelerates liver repair in mice. *J Toxicol Pathol*. 26: 365-373.
- Li, SQ; Wang, DM; Zhu, S; Meng, HY; Han, HM; Lu, HJ. (2015). The Protective Roles of IL-6 Trans-Signaling Regulated by ADAM9 on the Liver in Carbon Tetrachloride-Induced Liver Injury in Mice. *J Biochem Mol Toxicol*. 29: 340-348.
- Li, T; Farrell, J. (2000). Reductive dechlorination of trichloroethene and carbon tetrachloride using iron and palladized-iron cathodes. *Environmental Science & Technology*. 34: 173-179.
- Li, T; Farrell, J. (2001). Electrochemical investigation of the rate-limiting mechanisms for trichloroethylene and carbon tetrachloride reduction at iron surfaces. *Environmental Science & Technology*. 35: 3560-3565.
- Li, TJ; Zhu, J; Ma, KS; Liu, NZ; Feng, K; Li, XW; Wang, SG; Bie, P. (2013). Autologous bone marrow-derived mesenchymal stem cell transplantation promotes liver regeneration after portal vein embolization in cirrhotic rats. *J Surg Res*. 184: 1161-1173.
- Li, TZ; Kim, JH; Cho, HH; Lee, HS; Kim, KS; Lee, SW; Suh, H. (2010). Therapeutic Potential of Bone-Marrow-Derived Mesenchymal Stem Cells Differentiated with Growth-Factor-Free Coculture Method in Liver-Injured Rats. *Tissue Engineering Part A*. 16: 2649-2659.
- Li, W; Ma, H; Huang, L; Ding, Y. (2011). Well-defined nanoporous palladium for electrochemical reductive dechlorination. *Physical chemistry chemical physics : PCCP*. 13: 5565-5568.
- Li, W; Zhu, C; Li, Y; Wu, Q; Gao, R. (2014). Mest attenuates CCl₄-induced liver fibrosis in rats by inhibiting the Wnt/ β -catenin signaling pathway. *Gut and Liver*. 8: 282-291.
- Li, X; Jin, Q; Yao, Q; Xu, B; Li, Z; Tu, C. (2016). Quercetin attenuates the activation of hepatic stellate cells and liver fibrosis in mice through modulation of HMGB1-TLR2/4-NF- κ B signaling pathways. *Toxicol Lett*. 261: 1-12.
- Li, X; Jin, QW; Yao, QY; Xu, BL; Li, Z; Tu, CT. (2016). Quercetin attenuates the activation of hepatic stellate cells and liver fibrosis in mice through modulation of HMGB1-TLR2/4-NF- κ B signaling pathways. *Toxicol Lett*. 261: 1-12.

Environmental Hazard Literature Search Results

Off Topic

- Li, X; Pan, X; Zhou, Y; Bao, X. (2013). Modulation of the textures and chemical nature of C₆₀SiC as the support of Pd for liquid phase hydrogenation. *Carbon*. 57: 34-41.
- Li, X; Yang, X; Wu, P; Meng, Y; Li, S; Lai, W. (2001). Gene-CYP11B2 expression in rat liver in hepatic fibrogenesis induced by CCl₄. *Chin Med J*. 114: 64-68.
- Li, XB; Xie, F; Liu, SS; Li, Y; Zhou, JC; Liu, YQ; Yuan, HQ; Lou, HX. (2013). Naphtho- γ -pyrones from Endophyte *Aspergillus niger* occurring in the liverwort *Heteroscyphus tener* (Steph.) Schiffn. *Chemistry & Biorxiv*. 10: 1193-1201.
- Li, XM; Zhou, SG; Li, FB; Wu, CY; Zhuang, L; Xu, W; Liu, L. (2009). Fe(III) oxide reduction and carbon tetrachloride dechlorination by a newly isolated *Klebsiella pneumoniae* strain L17. *J Appl Microbiol*. 106: 130-139.
- Li, XW; Zhang, FS; Wang, DQ; Li, ZY; Qin, XM; Du, GH. (2014). NMR-based metabolomic and quantitative real-time PCR in the profiling of metabolic changes in carbon tetrachloride-induced rat liver injury. *J Pharm Biomed Anal*. 89: 42-49.
- Li, XW; Zhu, R; Li, B; Zhou, M; Sheng, QJ; Yang, YP; Han, NY; Li, ZQ. (2010). Mechanism underlying carbon tetrachloride-inhibited protein synthesis in liver. *World J Gastroenterol*. 16: 3950-3956.
- Li, Y; Brown, CW; Lo, SC. (1999). Near infrared spectroscopic determination of alcohols - solving non-linearity with linear and non-linear methods. *Journal of Near Infrared Spectroscopy*. 7: 55-62.
- Li, YB; Wang, L; Ju, L; Deng, HY; Zhang, ZZ; Hou, ZG; Xie, JB; Wang, YM; Zhang, YJ. (2016). A Systematic Strategy for Screening and Application of Specific Biomarkers in Hepatotoxicity Using Metabolomics Combined With ROC Curves and SVMs. *Toxicol Sci*. 150: 390-399.
- Li, YD; Qian, YT; Liao, HW; Ding, Y; Yang, L; Xu, CY; Li, FQ; Zhou, G. (1998). A reduction-pyrolysis-catalysis synthesis of diamond. *Science*. 281: 246-247.
- Li, YQ; Wang, SF. (2006). Anti-hepatitis B activities of ganoderic acid from *Ganoderma lucidum*. *Biotechnol Lett*. 28: 837-841.
- Li, YS; Zhang, ZJ; Fei, YH; Chen, HH; Qian, Y; Dun, Y. (2016). Investigation of quality and pollution characteristics of groundwater in the Hutuo River Alluvial Plain, North China Plain. *Environ Earth Sci*. 75: 581-581.
- Li, YX; Yang, ZH; Jia, SS; Yuan, K. (2016). Protective effect and mechanism of action of mulberry marc anthocyanins on carbon tetrachloride-induced liver fibrosis in rats. *Journal of Functional Foods*. 24: 595-601.
- Li, Z; Alameda-Angulo, C; Quiclet-Sire, B; Zard, SZ. (2011). A flexible approach to hexahydronaphthalene-1-carboxylates. *Tetrahedron*. 67: 9844-9852.
- Liakos, AA; Mykoniatis, MG; Kokala, ME; Papadimitriou, DG; Liatsos, GD. (1999). Levels of hepatic stimulator substance in liver regenerating process of partially hepatectomized rats pretreated with a single dose of carbon tetrachloride. *Dig Dis Sci*. 44: 1046-1053.
- Lian, J; Lu, Y; Xu, P; Ai, A; Zhou, G; Liu, W; Cao, Y; Zhang, WJ. (2014). Prevention of liver fibrosis by intrasplenic injection of high-density cultured bone marrow cells in a rat chronic liver injury model. *PLoS ONE*. 9: e103603.
- Lian, NQ; Jiang, YY; Zhang, F; Jin, HH; Lu, CF; Wu, XF; Lu, Y; Zheng, SZ. (2015). Curcumin regulates cell fate and metabolism by inhibiting hedgehog signaling in hepatic stellate cells. *Lab Invest*. 95: 790-803.
- Liang, CJ; Lei, JH. (2015). Identification of Active Radical Species in Alkaline Persulfate Oxidation. *Water Environ Res*. 87: 656-659.
- Liang, D; Zhou, Q; Gong, W; Wang, Y; Nie, Z; He, H; Li, J; Wu, J; Wu, C; Zhang, J. (2011). Studies on the antioxidant and hepatoprotective activities of polysaccharides from *Talinum triangulare*. *J Ethnopharmacol*. 136: 316-321.
- Liang, LN; Grbic-Galic, D. (1993). Biotransformation of chlorinated aliphatic solvents in the presence of aromatic compounds under methanogenic conditions. *Environ Toxicol Chem*. 12: 1377-1393.
- Liang, QN; Sheng, YC; Jiang, P; Ji, LL; Xia, YY; Min, Y; Wang, ZT. (2011). The difference of glutathione antioxidant system in newly weaned and young mice liver and its involvement in isoleucine-induced hepatotoxicity. *Arch Toxicol*. 85: 1267-1279.
- Liang, S; Mann, MA; Guter, GA; Kim, PHS; Hardan, DL. (1999). Nitrate removal from contaminated groundwater: An innovative approach to design of an ion exchange plant used data from bench-scale tests and computer models. *American Water Works Association Journal*. 91: 90-91.
- Liang, XM; Butler, EC. (2010). Effects of natural organic matter model compounds on the transformation of carbon tetrachloride by chloride green rust. *Water Res*. 44: 2125-2132.
- Liang, XM; Philp, RP; Butler, EC. (2009). Kinetic and isotope analyses of tetrachloroethylene and trichloroethylene degradation by model Fe(II)-bearing minerals. *Chemosphere*. 75: 63-69.
- Liang, Y-H; Tang, C-L; Lu, S-Y; Cheng, B; Wu, F; Chen, Z-N; Song, F; Ruan, J-X; Zhang, H-Y; Song, H; Zheng, H; Su, Z-H. (2016). Serum metabolomics study of the hepatoprotective effect of *Corydalis saxicola* Bunting on carbon tetrachloride-induced acute hepatotoxicity in rats by ¹H NMR analysis. *J Pharm Biomed Anal*. 129: 70-79.
- Liao, XX; Liang, B; Li, ZZ; Li, YF. (2011). A simple, rapid and sensitive ultraviolet-visible spectrophotometric technique for the determination of ultra-trace copper based on injection-ultrasound-assisted dispersive liquid-liquid microextraction. *Analyst*. 136: 4580-4586.
- Liao, Y; Ma, T; Cui, YH; Qi, ZC. (2014). Spatial distribution characteristics of volatile halogenated hydrocarbons in unsaturated zone of Xiaodian sewage irrigation area, Taiyuan, China. *Ecotoxicology*. 23: 1951-1957.
- Liao, YJ; Zou, XC; Wang, C; Zhao, X. (2016). Insect Tea Extract Attenuates CCl₄-induced Hepatic Damage Through Its Antioxidant Capacities in ICR Mice. *Food Science and Biotechnology*. 25: 581-587.
- Liatsos, GD; Mykoniatis, MG; Margeli, A; Liakos, AA; Theocharis, SE. (2003). Effect of acute ethanol exposure on hepatic stimulator substance (HSS) levels during liver regeneration - Protective function of HSS. *Dig Dis Sci*. 48: 1929-1938.
- Libes, SM. (1992). AN INTRODUCTION TO MARINE BIOGEOCHEMISTRY. Libes, S M An Introduction To Marine Biogeochemistry Xv+734p John Wiley And Sons, Inc: New York, New York, Usa. 0.
- Lichtenthaler, FW; Sakakibara, T; Oeser, E. (1977). Tetra-O-benzoyl-2-halohexopyranosyl halides: Preparation, assignment of configuration, and hydrolysis to enolones. *Carbohydr Res*. 59: 47-61.

Environmental Hazard Literature Search Results

Off Topic

- Licis, IJ; Mason, HB. (1989). BOILERS COFIRING HAZARDOUS WASTE EFFECTS OF HYSTERESIS ON PERFORMANCE MEASUREMENTS. *Waste Manage.* 9: 101-108.
- Lie, TS; Nakajima, Y; Hå€ fer, M; Otani, Y; Nakano, H. (1987). Alteration of thymus and of immune regulatory-antifibroblast factors in acute and chronic hepatic damage. *Res Exp Med.* 187: 3-201.
- Liebe, R; Hall, RA; Williams, RW; Dooley, S; Lammert, F. (2013). Systems genetics of hepatocellular damage in vivo and in vitro: identification of a critical network on chromosome 11 in mouse. *Physiol Genomics.* 45: 931-939.
- Lieberman, MW; Lykissa, ED; Barrios, R; Ou, CN; Kala, G; Kala, SV. (1999). Cyclosiloxanes produce fatal liver and lung damage in mice. *Environ Health Perspect.* 107: 161-165.
- Lieberzeit, PA; Afzal, A; Glanzing, G; Dickert, FL. (2007). Molecularly imprinted sol-gel nanoparticles for mass-sensitive engine oil degradation sensing. *Anal Bioanal Chem.* 389: 441-446.
- Liekhus, KJ; Connolly, MJ. (1999). Estimation of volatile organic compounds (VOC) concentration within inner void volume of vented waste drums. *Waste Manag.* 19: 199-206.
- Lien, HL. (2005). Transformation of chlorinated methanes by zero-valent aluminum coupled with Pd/Al(2)O(3). *Environ Technol.* 26: 663-672.
- Lien, HL; Jhuo, YS; Chen, LH. (2007). Effect of heavy metals on dechlorination of carbon tetrachloride by iron nanoparticles. *Environ Eng Sci.* 24: 21-30.
- Lien, HL; Zhang, WX. (1999). Transformation of chlorinated methanes by nanoscale iron particles. *Journal of Environmental Engineering-Asce.* 125: 1042-1047.
- Lien, HL; Zhang, WX. (2002). Enhanced dehalogenation of halogenated methanes by bimetallic Cu/Al. *Chemosphere.* 49: 371-378.
- Liikala, TL; Olsen, KB; Teel, SS; Lanigan, DC. (1996). Volatile organic compounds: Comparison of two sample collection and preservation methods. *Environmental Science & Technology.* 30: 3441-3447.
- Lilius, H; Hastbacka, T; Isomaa, B. (1995). A comparison of the toxicity of 30 reference chemicals to *Daphnia magna* and *Daphnia pulex*. *Environ Toxicol Chem.* 14: 2085-2088.
- Lilja, HS; Holbrook, DJ, Jr. (1981). Characterization of the 107S Peak on Hepatic Polysomal Profiles From Carbon Tetrachloride-Treated Rats. *Environ Res.* 24: 330-337.
- Lilly, PD; Ross, TM; Pegram, RA. (1997). Trihalomethane comparative toxicity: Acute renal and hepatic toxicity of chloroform and bromodichloromethane following aqueous gavage. *Fundam Appl Toxicol.* 40: 101-110.
- Lim, DH; Lastoskie, CM; Soon, A; Becker, U. (2009). Density Functional Theory Studies of Chloroethene Adsorption on Zerovalent Iron. *Environmental Science & Technology.* 43: 1192-1198.
- Lim, HK; Kim, HS; Kim, SH; Chang, MJ; Rhee, GS; Choi, J. (2001). Protective effects of acetylbergenin against carbon tetrachloride-induced hepatotoxicity in rats. *Arch Pharm Res.* 24: 114-118.
- Lim, HN; Ji, SH; Lee, KJ. (2007). Synthesis of 2-(9-fluorenyl)acrylic acid derivatives via intramolecular friedel-crafts reaction of morita-baylis-hiliman adducts of 2-biphenylcarboxaldehydes. *Synthesis-Stuttgart* 2454-2460.
- Lim, M; Son, Y; Yang, J; Khim, J. (2008). Addition of Chlorinated Compounds in the Sonochemical Degradation of 2-Chlorophenol. *Japanese Journal of Applied Physics.* 47: 4123-4126.
- Lima, AR; Pereira, RGFA; Abrahão, SA; Zangeronimo, MRG; Paula, FBA; Duarte, SMS. (2013). Effect of decaffeination of green and roasted coffees on the in vivo antioxidant activity and prevention of liver injury in rats. *Revista Brasileira de Farmacognosia.* 23: 506-512.
- Lima, CF; Fernandes-Ferreira, M; Pereira-Wilson, C. (2007). Drinking of *Salvia officinalis* tea increases CCl4-induced hepatotoxicity in mice. *Food Chem Toxicol.* 45: 456-464.
- Lima, CF; Fernandes-Ferreira, M; Pereira-Wilson, C. (2007). Drinking of *Salvia officinalis* tea increases CCl sub(4)-induced hepatotoxicity in mice. *Food Chem Toxicol.* 45: 456-464.
- Lima, GD; Sleep, BE. (2007). The spatial distribution of eubacteria and archaea in sand-clay columns degrading carbon tetrachloride and methanol. *J Contam Hydrol.* 94: 34-48.
- Lima, GD; Sleep, BE. (2010). The Impact of Carbon Tetrachloride on an Anaerobic Methanol-Degrading Microbial Community. *Water Air and Soil Pollution.* 212: 357-368.
- Lima, Gudp; Sleep, BE. (2007). The spatial distribution of eubacteria and archaea in sand-clay columns degrading carbon tetrachloride and methanol. *J Contam Hydrol.* 94: 34-48.
- Limaye, PB; Apte, UM; Shankar, K; Bucci, TJ; Warbritton, A; Mehendale, HM. (2003). Calpain released from dying hepatocytes mediates progression of acute liver injury induced by model hepatotoxicants. *Toxicol Appl Pharmacol.* 191: 211-226.
- Limaye, PB; Bhave, VS; Palkar, PS; Apte, UM; Sawant, SP; Yu, ST; Latendresse, JR; Reddy, JK; Mehendale, HM. (2006). Upregulation of calpastatin in regenerating and developing rat liver: Role in resistance against hepatotoxicity. *Hepatology.* 44: 379-388.
- Limbirt, ESB; Betts, WB. (1995). Kinetics of bio-oxidation of a medium comprising phenol and a mixture of organic contaminants. *Appl Microbiol Biotechnol.* 43: 165-170.
- Limm, W; Hollifield, HC. (1996). Modelling of additive diffusion in polyolefins. *Food Addit Contam.* 13: 949-967.
- Limousin, C; Olesker, A; Cleophax, J; Petit, A; Loupy, A; Lukacs, G. (1998). Halogenation of carbohydrates by triphenylphosphine complex reagents in highly concentrated solution under microwave activation or conventional heating. *Carbohydr Res.* 312: 23-31.
- Lin, CC; Chang, CH; Yang, JJ; Namba, T; Hattori, M. Hepatoprotective effects of emodin from *Ventilago leiocarpa*. *J Ethnopharmacol.* June 1996. v. 52 (2): 107-111.
- Lin, CC; Hsu, YF; Lin, TC; Hsu, FL; Hsu, HY. (1998). Antioxidant and hepatoprotective activity of punicalagin and punicalin on carbon tetrachloride-induced liver damage in rats. *J Pharm Pharmacol.* 50: 789-794.

Environmental Hazard Literature Search Results

Off Topic

- Lin, CC; Lee, HY; Chang, CH; Yang, JJ. (1999). The anti-inflammatory and hepatoprotective effects of fractions from *Cudrania cochinchinensis* var. *gerontogea*. *Am J Chin Med.* 27: 227-239.
- Lin, CC; Lin, CH. (1993). Pharmacological and pathological studies on Taiwan folk medicine (IX): The hepatoprotective effect of the methanolic extract from *echinops grijisii*. *Am J Chin Med.* 21: 33-44.
- Lin, CC; Lin, JK; Chang, CH. Evaluation of hepatoprotective effects of "Chhit-Chan-Than" from Taiwan. *International journal of pharmacognosy : a journal of crude drug research.* June 1995. v. 33 (2): 139-143.
- Lin, CC; Lin, JM; Chiu, HF. (1992). Studies on folk medicine "thang-kau-tin" from Taiwan. (I). The anti-inflammatory and liver-protective effect. *Am J Chin Med.* 20: 37-50.
- Lin, CC; Lin, ML; Lin, JM. The antiinflammatory and liver protective effect of *Tithonia diversifolia* (Hemsl.) Gray and *Dicliptera chinensis* Juss. extracts in rats. *Phytotherapy research : PTR.* July/Aug 1993. v. 7 (4): 305-309.
- Lin, CC; Lu, JM; Yang, JJ; Chuang, SC; Ujjie, T. (1996). Anti-inflammatory and radical scavenge effects of *Arctium lappa*. *Am J Chin Med.* 24: 127-137.
- Lin, CC; Ng, LT; Yang, JJ; Hsu, YF. (2002). Anti-inflammatory and hepatoprotective activity of *peh-hue-juwa-chi-cao* in male rats. *Am J Chin Med.* 30: 225-234.
- Lin, CC; Shieh, DE. (1996). In vivo hepatoprotective effect of baicalein, baicalin and wogonin from *Scutellaria rivularis*. *Phytother Res.* 10: 651-654.
- Lin, CC; Shieh, DE; Yen, MH. (1997). Hepatoprotective effect of the fractions of *Ban-zhi-lian* on experimental liver injuries in rats. *J Ethnopharmacol.* 56: 193-200.
- Lin, CC; Yen, MH; Chiu, HF. (1991). The pharmacological and pathological studies on Taiwan folk medicine (VI): The effects of *Elephantopus scaber* subsp. *oblanceolata*, *E. mollis* and *Pseudoelephantopus spicatus*. *Am J Chin Med.* 19: 41-50.
- Lin, CC; Yen, MH; Lo, TS; Lin, JM. (1998). Evaluation of the hepatoprotective and antioxidant activity of *Boehmeria nivea* var. *nivea* and *B-nivea* var. *tenacissima*. *J Ethnopharmacol.* 60: 9-17.
- Lin, C-C; Chen, C. (1969). The effects of carbon tetrachloride and some antioxidants on the hydroxylation of tetralin by rat liver homogenate. *Biochimica et Biophysica Acta (BBA) - General Subjects.* 192: 133-135.
- Lin, CJ; Liou, YH; Lo, SL. (2009). Supported Pd/Sn bimetallic nanoparticles for reductive dechlorination of aqueous trichloroethylene. *Chemosphere.* 74: 314-319.
- Lin, CJ; Lo, SL; Liou, YH. (2005). Degradation of aqueous carbon tetrachloride by nanoscale zerovalent copper on a cation resin. *Chemosphere.* 59: 1299-1307.
- Lin, CN; Tome, WP. (1988). ANTIHEPATOTOXIC PRINCIPLES OF *SAMBUCUS-FORMOSANA*. *Planta Med.* 54: 223-224.
- Lin, CY; Tsai, ZY; Cheng, IC; Lin, SH. (2005). Effects of fermented soy milk on the liver lipids under oxidative stress. *World J Gastroenterol.* 11: 7355-7358.
- Lin, DD; Lei, L; Zhang, YS; Hu, B; Bao, GM; Liu, YH; Song, Y; Liu, CL; Wu, Y; Zhao, LX; Yu, X; Liu, HY. (2015). Secreted IL-1 alpha promotes T-cell activation and expansion of CD11b(+)Gr1(+) cells in carbon tetrachloride-induced liver injury in mice. *Eur J Immunol.* 45: 2084-2098.
- Lin, HM; Tseng, HC; Wang, CJ; Lin, JJ; Lo, CW; Chou, FP. (2008). Hepatoprotective effects of *Solanum nigrum* Linn extract against CCl(4)-induced oxidative damage in rats. *Chem Biol Interact.* 171: 283-293.
- Lin, HM; Tseng, HC; Wang, CJ; Lin, JJ; Lo, CW; Chou, FP. (2008). Hepatoprotective effects of *Solanum nigrum* Linn extract against CCl(4)-induced oxidative damage in rats. *Chem Biol Interact.* 171: 283-293.
- Lin, JC; Peng, YJ; Wang, SY; Lai, MJ; Young, TH; Salter, DM; Lee, HS. (2016). Sympathetic Nervous System Control of Carbon Tetrachloride-Induced Oxidative Stress in Liver through α -Adrenergic Signaling. *Oxid Med Cell Longev.* 2016: 3190617.
- Lin, JC; Peng, YJ; Wang, SY; Young, TH; Salter, DM; Lee, HS. (2015). Role of the sympathetic nervous system in carbon tetrachloride-induced hepatotoxicity and systemic inflammation. *PLoS ONE.* 10: e0121365.
- Lin, JM; Lin, CC; Chiu, HF; Yang, JJ; Lee, SG. (1993). Evaluation of the anti-inflammatory and liver-protective effects of *anoectochilus formosanus*, *ganoderma lucidum* and *gynostemma pentaphyllum* in rats. *Am J Chin Med.* 21: 59-69.
- Lin, JM; Zhao, JY; Li, TJ; Zhou, JH; Hu, J; Hong, ZF. (2011). Hepatoprotection in a Rat Model of Acute Liver Damage Through Inhibition of CY2E1 Activity by Total Alkaloids Extracted From *Rubus alceifolius* Poir. *Int J Toxicol.* 30: 237-243.
- Lin, KD; Ding, JF; Wang, HY; Huang, XW; Gan, J. (2012). Goethite-mediated transformation of bisphenol A. *Chemosphere.* 89: 789-795.
- Lin, KJ; Chen, JC; Tsauer, W; Lin, CC; Lin, JG; Tsai, CC. (2001). Prophylactic effect of four prescriptions of traditional Chinese medicine on alpha-naphthylisothiocyanate and carbon tetrachloride induced toxicity in rats. *Acta Pharmacol Sin.* 22: 1159-1167.
- Lin, N; Chen, S; Pan, W; Xu, L; Hu, K; Xu, R. (2011). NP603, a novel and potent inhibitor of FGFR1 tyrosine kinase, inhibits hepatic stellate cell proliferation and ameliorates hepatic fibrosis in rats. *American journal of physiology Cell physiology.* 301: C469-477.
- Lin, PT; Singh, V; Hu, JJ; Richardson, K; Musgraves, JD; Luzinov, I; Hensley, J; Kimerling, LC; Agarwal, A. (2013). Chip-scale Mid- Infrared chemical sensors using air-clad pedestal silicon waveguides. *Lab Chip.* 13: 2161-2166.
- Lin, SC; Chung, TC; Lin, CC; Ueng, TH; Lin, YH; Lin, SY; Wang, LY. (2000). Hepatoprotective effects of *Arctium lappa* on carbon tetrachloride- and acetaminophen-induced liver damage. *Am J Chin Med.* 28: 163-173.
- Lin, SC; Chung, TC; Ueng, TH; Lin, YH; Hsu, SH; Chiang, CL; Lin, CC. (2000). The hepatoprotective effects of *Solanum alatum* Moench. on acetaminophen-induced hepatotoxicity in mice. *Am J Chin Med.* 28: 105-114.
- Lin, SC; Lin, CC; Lin, YH; Shyu, SJ. (1994). Hepatoprotective effects of Taiwan folk medicine: *wedelia chinensis* on three hepatotoxin-induced hepatotoxicity. *Am J Chin Med.* 22: 155-168.
- Lin, SC; Lin, CC; Lin, YH; Supriyatna, S; Pan, SL. (1996). The protective effect of *Alstonia scholaris* R. Br. on hepatotoxin-induced acute liver damage. *Am J Chin Med.* 24: 153-164.

Environmental Hazard Literature Search Results

Off Topic

- Lin, SC; Lin, CC; Lin, YH; Supriyatna, S; Teng, CW. (1995). Protective and therapeutic effects of Curcuma xanthorrhiza on hepatotoxin-induced liver damage. *Am J Chin Med.* 23: 243-254.
- Lin, SC; Lin, CC; Lin, YH; Yao, CJ. (1994). Hepatoprotective effects of Taiwan folk medicine: *Ixeris chinensis* (Thunb.) Nak. on experimental liver injuries. *Am J Chin Med.* 22: 243-254.
- Lin, SC; Lin, CC; Lu, FJ; Lin, YH; Chen, CH. (1996). Protective and therapeutic effects of huanglian-jie-du-tang on hepatotoxin-induced liver injuries. *Am J Chin Med.* 24: 219-229.
- Lin, SC; Lin, CH; Lin, CC; Lin, YH; Chen, CF; Chen, IC; Wang, LY. (2002). Hepatoprotective effects of *Arctium lappa* Linne on liver injuries induced by chronic ethanol consumption and potentiated by carbon tetrachloride. *J Biomed Sci.* 9: 401-409.
- Lin, SH; Juang, RS. (2009). Adsorption of phenol and its derivatives from water using synthetic resins and low-cost natural adsorbents: A review. *J Environ Manage.* 90: 1336-1349.
- Lin, T; Gao, DY; Liu, YC; Sung, YC; Wan, D; Liu, JY; Chiang, T; Wang, L; Chen, Y. (2016). Development and characterization of sorafenib-loaded PLGA nanoparticles for the systemic treatment of liver fibrosis. *Journal of controlled release : official journal of the Controlled Release Society.* 221: 62-70.
- Lin, WC; Kuo, SC; Lin, WL; Fang, HL; Wang, BC. (2006). Filtrate of fermented mycelia from *Antrodia camphorata* reduces liver fibrosis induced by carbon tetrachloride in rats. *World J Gastroenterol.* 12: 2369-2374.
- Lin, WC; Lin, WL. (2006). Ameliorative effect of *Ganoderma lucidum* on carbon tetrachloride-induced liver fibrosis in rats. *World J Gastroenterol.* 12: 265-270.
- Lin, WW; Jang, YJ; Wang, Y; Liu, JT; Hu, S; Wang, LY; Yao, CF. (2001). An improved and easy method for the preparation of 2,2-disubstituted 1-nitroalkenes. *J Org Chem.* 66: 1984-1991.
- Lin, X; Chen, YX; Lv, SJ; Tan, SM; Zhang, SJ; Huang, RB; Zhuo, L; Liang, S; Lu, ZP; Huang, QF. (2015). *Gypsophila elegans* isoorientin attenuates CCl₄-induced hepatic fibrosis in rats via modulation of NF- κ B and TGF- β 1/Smad signaling pathways. *Int Immunopharmacol.* 28: 305-312.
- Lin, X; Huang, R; Zhang, S; Zheng, L; Wei, L; He, M; Zhou, Y; Zhuo, L; Huang, Q. (2012). Methyl helicterate protects against CCl₄-induced liver injury in rats by inhibiting oxidative stress, NF- κ B activation, Fas/FasL pathway and cytochrome P450E1 level. *Food Chem Toxicol.* 50: 3413-3420.
- Lin, X; Huang, RB; Zhang, SJ; Zheng, L; Wei, L; He, M; Zhou, Y; Zhuo, L; Huang, QF. (2012). Methyl helicterate protects against CCl₄-induced liver injury in rats by inhibiting oxidative stress, NF- κ B activation, Fas/FasL pathway and cytochrome P450E1 level. *Food Chem Toxicol.* 50: 3413-3420.
- Lin, X; Liu, X; Huang, QF; Zhang, SJ; Zheng, L; Wei, L; He, M; Jiao, Y; Huang, JC; Fu, SJ; Chen, ZN; Li, YW; Zhuo, L; Huang, RB. (2012). Hepatoprotective Effects of the Polysaccharide Isolated from *Tarphochlamys affinis* (Acanthaceae) against CCl₄-Induced Hepatic Injury. *Biological & Pharmaceutical Bulletin.* 35: 1574-1580.
- Lin, X; Zhang, SJ; Huang, QF; Wei, L; Zheng, L; Chen, ZN; Jiao, Y; Huang, JC; Fu, SJ; Huang, RB. (2012). Protective effect of Fufang-Liu-Yue-Qing, a traditional Chinese herbal formula, on CCl₄ induced liver fibrosis in rats. *J Ethnopharmacol.* 142: 548-556.
- Lin, Y-C; Cheng, K-M; Huang, H-Y; Chao, P-Y; Hwang, J-M; Lee, H-H; Lu, C-Y; Chiu, Y-W; Liu, J-Y. (2014). Hepatoprotective activity of Chhit-Chan-Than extract powder against carbon tetrachloride-induced liver injury in rats. *J Food Drug Anal.* 22: 220-229.
- Lin, YP; Valentine, RL. (2008). Release of Pb(II) from Monochloramine-Mediated Reduction of Lead Oxide (PbO₂). *Environmental Science & Technology.* 42: 9137-9143.
- Lin, YT; Liang, CJ. (2013). Carbon Tetrachloride Degradation by Alkaline Ascorbic Acid Solution. *Environmental Science & Technology.* 47: 3299-3307.
- Lin, YT; Liang, CJ. (2015). Reductive dechlorination of carbon tetrachloride using buffered alkaline ascorbic acid. *Chemosphere.* 136: 27-31.
- Lin, SL; Anderson, RJ; Guggenheim, SJ; Robertson, GL; Berl, T. (1981). Role of vasopressin in impaired water excretion in conscious rats with experimental cirrhosis. *Kidney Int.* 20: 173-180.
- Lind, RC; Gandolfi, AJ. (1999). Hepatoprotection by dimethyl sulfoxide. I. Protection when given twenty-four hours after chloroform or bromobenzene. *Toxicol Pathol.* 27: 342-347.
- Lind, RC; Gandolfi, AJ; Sipes, IG; Brown, BR, Jr. (1985). Comparison of the requirements for hepatic injury with halothane and enflurane in rats. *Anesth Analg.* 64: 955-963.
- Lindblad, WJ; Fuller, GC. (1983). Hepatic collagenase activity during carbon tetrachloride induced fibrosis. *Fundamental and applied toxicology : official journal of the Society of Toxicology.* 3: 34-40.
- Lindblad, WJ; Redford, KS; Guzelian, PS. (1989). ENHANCED COLLAGEN BIOSYNTHETIC CAPACITY OF HEPATOCYTE CULTURES ISOLATED FROM CARBON TETRACHLORIDE TREATED RATS. 40th Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, October. 10: 682.
- Lindner, JS; Cook, RL; Hansheng, Z; Jacobs, LM. (1993). ANALYSIS OF POST-COMBUSTION PRODUCTS FROM WASTE DERIVED FUEL BY FTIR SPECTROSCOPY. Symposium On Emerging Technologies: Metals, Oxidation, And Separation, Belmont, Texas, Usa, February. 13: 527.
- Lindroos, PM; Zarnegar, R; Michalopoulos, GK. (1991). Hepatocyte growth factor (hepatopietin A) rapidly increases in plasma before DNA synthesis and liver regeneration stimulated by partial hepatectomy and carbon tetrachloride administration. *Hepatology (Baltimore, Md).* 13: 743-750.
- Lindros, KO. (1990). ISOLATED PERIportal AND PERIVENOUS HEPATOCYTES DIFFERENCE IN GLUTATHIONE METABOLISM P450 EXPRESSION AND SUSCEPTIBILITY TO CARBON TETRACHLORIDE INJURY. *Grunnet, N And B Quistorff.* 0: 68-81.
- Lindros, KO; Cai, YA; Penttilä, DRLALHF. (1990). Role of ethanol-inducible cytochrome P-450 IIE1 in carbon tetrachloride-induced damage to centrilobular hepatocytes from ethanol-treated rats. *Hepatology.* 12.

Environmental Hazard Literature Search Results

Off Topic

- Lindros, KO; Jarvelainen, HA. (2005). Chronic systemic endotoxin exposure: An animal model in experimental hepatic encephalopathy. *Metab Brain Dis.* 20: 393-398.
- Lindsay, J; Metcalf, JS; Codd, GA. (2006). Protection against the toxicity of microcystin-LR and cylindrospermopsin in *Artemia salina* and *Daphnia* spp. by pre-treatment with cyanobacterial lipopolysaccharide (LPS). *Toxicol.* 48: 995-1001.
- Lindstrom, TD; Anders, MW. (1977). Effect of cycloheximide and actinomycin D on carbon tetrachloride hepatotoxicity. *Toxicol Appl Pharmacol.* 42: 167-173.
- Lindstrom, TD; Anders, MW. (1977). Studies on the mechanism of carbon tetrachloride autoprotection: Effect of a protective dose of carbon tetrachloride on lipid peroxidation and glutathione peroxidase-glutathione reductase. *Toxicol Lett.* 1: 109-114.
- Lindstrom, TD; Anders, MW. (1978). Effect of agents known to alter carbon tetrachloride hepatotoxicity and cytochrome P-450 levels on carbon tetrachloride-stimulated lipid peroxidation and ethane expiration in the intact rat. *Biochem Pharmacol.* 27: 563-567.
- Ling, M; Brauer, M. (1991). Proton NMR analyses of methyl group-containing metabolites in rat liver extracts: Effects of starvation, anoxia, acute glycerol and carbon tetrachloride treatment and chronic ethanol administration on hepatic metabolism. *Physiol Chem Phys Med Nmr.* 23: 229-238.
- Lionetto, MG; Giordano, ME; Calisi, A; Erroi, E; De Nuccio, F; Schettino, T. (2011). Effect of the Daily Ingestion of a Purified Anthocyanin Extract From Grape Skin on Rat Serum Antioxidant Capacity. *Physiol Res.* 60: 637-645.
- Liou, YH; Lo, SL; Lin, CJ. (2007). Size effect in reactivity of copper nanoparticles to carbon tetrachloride degradation. *Water Res.* 41: 1705-1712.
- Lioy, PJ; Daisey, JM. (1987). TOXIC AIR POLLUTION A COMPREHENSIVE STUDY OF NON-CRITERIA AIR POLLUTANTS. Lioy, P J And J M Daisey Toxic Air Pollution: A Comprehensive Study Of Non Criteria Air Pollutants Xxv+294p Lewis Publishers, Inc: Chelsea, Michigan, Usa Illus Isbn. 0.
- Lioy, PJ; Daisey, JM; Morandi, MT; Harkov, RD; Greenberg, A; Bozzelli, J; Kebbekus, B; Louis, J; McGeorge, LJ. (1987). THE AIRBORNE TOXIC ELEMENT AND ORGANIC SUBSTANCES ATEOS STUDY DESIGN. Lioy, P J And J M Daisey Toxic Air Pollution: A Comprehensive Study Of Non Criteria Air Pollutants Xxv+294p Lewis Publishers, Inc: Chelsea, Michigan, Usa Illus Isbn. 0: 1-44.
- Lipczynska-Kochany, E; Harms, S; Milburn, R; Sprah, G; Nadarajah, N. (1994). Degradation of carbon tetrachloride in the presence of iron and sulphur containing compounds. *Chemosphere.* 29: 1477-1489.
- Lisbonne, M; L'Helgoualc'h, A; Nauwelaers, G; Turlin, B; Lucas, C; Herbelin, A; Piquet-Pellorce, C; Samson, M. (2011). Invariant natural killer T-cell-deficient mice display increased CCl₄-induced hepatitis associated with CXCL1 over-expression and neutrophil infiltration. *Eur J Immunol.* 41: 1720-1732.
- Lisbonne, M; L'Helgoualc'h, A; Nauwelaers, G; Turlin, B; Lucas, C; Herbelin, A; Piquet-Pellorce, C; Samson, M. (2011). Invariant natural killer T-cell-deficient mice display increased CCl₄-induced hepatitis associated with CXCL1 over-expression and neutrophil infiltration. *Eur J Immunol.* 41: 1720-1732.
- Lissi, EA; Rosenbluth, H. (1993). Disruption effects of carbon tetrachloride on rat liver microsomes. *J Photochem Photobiol B.* 17: 33-40.
- Lister, PD; Mellencamp, MA; Preheim, LC. (1992). Cirrhosis impairs serum bacteriostasis for *Escherichia coli*. *The Journal of laboratory and clinical medicine.* 120: 633-638.
- Litterst, CL; Farber, TM; Van, LEJ. (1973). Potentiation of CCl₄-induced hepatotoxicity in the dog by chronic exposure to phenobarbital. *Toxicol Appl Pharmacol.* 25: 354-362.
- Little, JC. (1992). Applying the two-resistance theory to contaminant volatilization of showers. *Environ Sci Technol.* 26: 1341-1349.
- Litvinov, NN. (1985). Hygienic classification of carcinogens and its use in limiting exposure to carcinogens. *Gigiena i Sanitariya*10-13.
- Litvinov, NN; Voronin, VM; Kazachkov, VI. (1986). Studies of carcinogenesis modifying properties of aniline, carbon tetrachloride, benzene and ethanol. *Eksperimentalnaya Onkologiya/Experimental Oncology.* 8: 21-23.
- Liu, C; Tao, Q; Sun, MY; Wu, JZ; Yang, WG; Jian, P; Peng, JH; Hu, YY; Liu, CH; Liu, P. (2010). Kupffer cells are associated with apoptosis, inflammation and fibrotic effects in hepatic fibrosis in rats. *Lab Invest.* 90: 1805-1816.
- Liu, CC; Liau, SF; Tseng, DH. (2006). Effects of the electrode arrangements on reductive dechlorination of trichloroethylene in an electro-enhanced iron wall. *Environ Technol.* 27: 683-693.
- Liu, CH; Chan, KM; Chiang, TY; Liu, JY; Chern, GG; Hsu, FF; Wu, YH; Liu, YC; Chen, YC. (2016). Dual-Functional Nanoparticles Targeting CXCR4 and Delivering Antiangiogenic siRNA Ameliorate Liver Fibrosis. *Mol Pharm.* 13: 2253-2262.
- Liu, CT; Chuang, PT; Wu, CY; Weng, YM; Chen, WL; Tseng, CY. (2006). Antioxidative and in vitro hepatoprotective activity of *Bupleurum kaioi* leaf infusion. *Phytother Res.* 20: 1003-1008.
- Liu, CY; Xu, XH; Fan, JL. (2015). Accelerated anaerobic dechlorination of DDT in slurry with Hydragric Acrisols using citric acid and anthraquinone-2, 6-disulfonate (AQDS). *J Environ Sci.* 38: 87-94.
- Liu, D; Chen, H; Yin, P; Ji, N; Zong, G; Qu, R. (2011). Synthesis of polyacrylonitrile by single-electron transfer-living radical polymerization using Fe(0) as catalyst and its adsorption properties after modification. *Journal of polymer science.* 49: 2916-2923.
- Liu, DJ; Chen, W; Huo, YM; Liu, W; Zhang, JF; Hua, R; Sun, YW. (2014). Prostacyclin decreases splanchnic vascular contractility in cirrhotic rats. *Hepatobiliary & pancreatic diseases international : HBPD INT.* 13: 416-422.
- Liu, F; Liu, ZD; Wu, N; Cong, X; Fei, R; Chen, HS; Wei, L. (2009). Transplanted endothelial progenitor cells ameliorate carbon tetrachloride-induced liver cirrhosis in rats. *Liver transplantation : official publication of the American Association for the Study of Liver Diseases and the International Liver Transplantation Society.* 15: 1092-1100.
- Liu, FP; Lin, YX; Li, Z; Ma, X; Han, Q; Liu, YS; Zhou, Q; Liu, JL; Li, R; Li, JC; Gao, L. (2014). Glutathione S-transferase A1 (GSTA1) release, an early indicator of acute hepatic injury in mice. *Food Chem Toxicol.* 71: 225-230.
- Liu, GH; Zhu, YF; Zhang, XR; Xu, BQ. (2002). Chemiluminescence determination of chlorinated volatile organic compounds by conversion on nanometer TiO₂. *Anal Chem.* 74: 6279-6284.

Environmental Hazard Literature Search Results

Off Topic

- Liu, GJ; Ji, Q; Moriyasu, F; Xie, XY; Wang, W; Wong, LH; Lin, MX; Lu, MD. (2013). Value of Contrast-Enhanced Ultrasound Using Perflubutane Microbubbles for Diagnosing Liver Fibrosis and Cirrhosis in Rats. *Ultrasound in medicine & biology*. 39: 2158-2165.
- Liu, GT. (1991). Effects of some compounds isolated from Chinese medicinal herbs on hepatic microsomal cytochrome P-450 and their potential biological consequences. *Drug Metab Rev*. 23: 439-465.
- Liu, GT; Li, Y; Wei, HL; Zhang, H; Xu, JY; Yu, LH. (2005). Mechanism of protective action of bicyclol against CCl₄-induced liver injury in mice. *Liver international : official journal of the International Association for the Study of the Liver*. 25: 872-879.
- Liu, HM; Zhang, YT; Zhen, YZ; Ma, Y; Zuo, WW. (2014). A 1,2-propylene oxide sensor utilizing cataluminescence on CeO₂ nanoparticles. *Luminescence*. 29: 1183-1187.
- Liu, J; Cho, SN; Song, KH; Kim, DH; Kim, MC; Cho, SW. (2007). The effect of oculo-acupuncture on acute hepatic injury induced by carbon tetrachloride in dogs. *Am J Chin Med*. 35: 53-61.
- Liu, J; Liu, Y; Klaassen, CD. (1994). The effect of Chinese hepatoprotective medicines on experimental liver injury in mice. *J Ethnopharmacol*. 42: 183-191.
- Liu, J; Liu, Y; Mao, Q; Klaassen, CD. (1994). The effects of 10 triterpenoid compounds on experimental liver injury in mice. *Fundam Appl Toxicol*. 22: 34-40.
- Liu, J; Liu, Y; Parkinson, A; Klaassen, CD. (1995). Effect of oleanolic acid on hepatic toxicant-activating and detoxifying systems in mice. *J Pharmacol Exp Ther*. 275: 768-774.
- Liu, J; Lu, JF; Wen, XY; Kan, J; Jin, CH. (2015). Antioxidant and protective effect of inulin and catechin grafted inulin against CCl₄-induced liver injury. *Int J Biol Macromol*. 72: 1479-1484.
- Liu, J; Waalkes, MP. (2005). Nitric oxide and chemically induced hepatotoxicity: beneficial effects of the liver-selective nitric oxide donor, V-PYRRO/NO. *Toxicology*. 208: 289-297.
- Liu, J; Wu, Q; Lu, YF; Pi, JB. (2008). New insights into generalized hepatoprotective effects of oleanolic acid: Key roles of metallothionein and Nrf2 induction. *Biochem Pharmacol*. 76: 922-928.
- Liu, J; Zhang, Z; Gao, J; Xie, J; Yang, L; Hu, S. (2011). Downregulation effects of beta-elemene on the levels of plasma endotoxin, serum TNF-alpha, and hepatic CD14 expression in rats with liver fibrosis. *Frontiers of medicine*. 5: 101-105.
- Liu, J; Zhou, ZX; Zhang, W; Bell, MW; Waalkes, MP. (2009). Changes in hepatic gene expression in response to hepatoprotective levels of zinc. *Liver Int*. 29: 1222-1229.
- Liu, JF; Tan, HN; Sun, YF; Zhou, SA; Cao, JC; Wang, FS. (2009). The preventive effects of heparin-superoxide dismutase on carbon tetrachloride-induced acute liver failure and hepatic fibrosis in mice. *Mol Cell Biochem*. 327: 219-228.
- Liu, JF; Teng, L; Liu, CH; Hu, LK; Wang, YG; Liu, H; Wang, FS. (2009). Augmented inhibitory effect of superoxide dismutase on superoxide anion release from macrophages by chemical modification with polysaccharide and attenuation effects on radiation-induced inflammatory cytokine expression in vitro. *J Drug Target*. 17: 216-224.
- Liu, JY; Chen, CC; Wang, WH; Hsu, JD; Yang, MY; Wang, CJ. (2006). The protective effects of Hibiscus sabdariffa extract on CCl₄-induced liver fibrosis in rats. *Food Chem Toxicol*. 44: 336-343.
- Liu, JY; Zhang, ZP; Tu, XL; Liu, JL; Zhang, HY; Zhang, JC; Zang, YH; Zhu, J; Chen, JN; Dong, L; Zhang, JF. (2013). Knockdown of N-Acetylglucosaminyl Transferase V Ameliorates Hepatotoxin-Induced Liver Fibrosis in Mice. *Toxicol Sci*. 135: 144-155.
- Liu, J-Y; Chen, C-C; Wang, W-H; Hsu, J-D; Yang, M-Y; Wang, C-J. (2006). The protective effects of Hibiscus sabdariffa extract on CCl₄-induced liver fibrosis in rats. *Food Chem Toxicol*. 44: 336-343.
- Liu, KT; Lesca, P. Pharmacological properties of dibenzo cyclooctene derivatives isolated from *Fructus schizandrae chinensis*. III. Inhibitory effects on carbon tetrachloride-induced lipid peroxidation, metabolism and covalent binding of carbon tetrachloride to lipids. *Chem Biol Interact*. July 15, 1982. v. 41 (1): 39-47.
- Liu, KX; Kato, Y; Yamazaki, M; Higuchi, O; Nakamura, T; Sugiyama, Y. (1993). Decrease in the hepatic clearance of hepatocyte growth factor in carbon tetrachloride-intoxicated rats. *Hepatology (Baltimore, Md)*. 17: 651-660.
- Liu, M; Meng, GY; Zhang, JJ; Zhao, HJ; Jia, L. (2016). Antioxidant and Hepatoprotective Activities of Mycelia Selenium Polysaccharide by *Hypsizigus marmoreus* SK-02. *Biol Trace Elem Res*. 172: 437-448.
- Liu, P; Hu, YY; Liu, CH; Liu, C; Zhu, DY. (2001). Effects of salviainolic acid A (SA-A) on liver injury: SA-A action on hepatic peroxidation. *Liver*. 21: 384-390.
- Liu, P; Jin, X; Lv, H; Li, J; Xu, W; Qian, HH; Yin, ZF. (2014). Icaritin ameliorates carbon tetrachloride-induced acute liver injury mainly because of the antioxidative function through estrogen-like effects. *In Vitro Cellular & Developmental Biology-Animal*. 50: 899-908.
- Liu, Q; Kong, BH; Li, GX; Liu, N; Xia, XF. (2011). Hepatoprotective and antioxidant effects of porcine plasma protein hydrolysates on carbon tetrachloride-induced liver damage in rats. *Food Chem Toxicol*. 49: 1316-1321.
- Liu, Q; Tian, GT; Yan, H; Geng, XR; Cao, QP; Wang, HX; Ng, TB. (2014). Characterization of Polysaccharides with Antioxidant and Hepatoprotective Activities from the Wild Edible Mushroom *Russula vinosa* Lindblad. *J Agric Food Chem*. 62: 8858-8866.
- Liu, Q; Wang, CY; Liu, Z; Ma, XS; He, YH; Chen, SS; Bai, XY. (2014). Hydroxysafflor yellow A suppresses liver fibrosis induced by carbon tetrachloride with high-fat diet by regulating PPAR- γ /p38 MAPK signaling. *Pharmaceutical Biology*. 52: 1085-1093.
- Liu, QH; Li, DG; Huang, X; Zong, CH; Xu, QF; Lu, HM. (2004). Suppressive effects of 17 β -estradiol on hepatic fibrosis in CCl₄-induced rat model. *World J Gastroenterol*. 10: 1315-1320.
- Liu, QQ; Wang, X; Zhang, Y; Li, CJ; Hu, LH; Shen, X. (2010). Leukamenin F suppresses liver fibrogenesis by inhibiting both hepatic stellate cell proliferation and extracellular matrix production. *Acta Pharmacol Sin*. 31: 839-848.
- Liu, SB; Ikenaga, N; Peng, ZW; Sverdlov, DY; Greenstein, A; Smith, V; Schuppan, D; Popov, Y. (2016). Lysyl oxidase activity contributes to collagen stabilization during liver fibrosis progression and limits spontaneous fibrosis reversal in mice. *FASEB J*. 30: 1599-1609.

Environmental Hazard Literature Search Results

Off Topic

- Liu, SQ; Yu, JP; Chen, HL; Luo, HS; Chen, SM; Yu, HG. (2006). Therapeutic effects and molecular mechanisms of Ginkgo biloba extract on liver fibrosis in rats. *Am J Chin Med.* 34: 99-114.
- Liu, TX; Li, XM; Waite, TD. (2014). Depassivation of Aged Fe-0 by Divalent Cations: Correlation between Contaminant Degradation and Surface Complexation Constants. *Environmental Science & Technology.* 48: 14564-14571.
- Liu, WH; Horng, WC; Tsai, MS. (1996). Bioconversion of cholesterol to cholest-4-en-3-one in aqueous organic solvent two-phase reactors. *Enzyme Microb Technol.* 18: 184-189.
- Liu, X; Chi, Y; Dong, G; Wu, E; Qiao, Y; Zeng, H; Qiu, J. (2009). Optical gain at 1550 nm from colloidal solution of Er³⁺-Yb³⁺ codoped NaYF₄ nanocubes. *Optics Express.* 17: 5885-5890.
- Liu, XJ; Wu, YT; Yang, Y; Li, WX; Huang, C; Meng, XM; Li, J. (2016). Role of NLRC5 in progression and reversal of hepatic fibrosis. *Toxicol Appl Pharmacol.* 294: 43-53.
- Liu, XQ; Hu, XJ; Xu, HX; Zeng, XY. (2013). Xiaochaihu Decoction attenuates the vicious circle between the oxidative stress and the ALP inactivation through LPS-catecholamines interactions in gut, liver and brain during CCl₄+ethanol-induced mouse HCC. *BMC Complement Altern Med.* 13: 375.
- Liu, Y; Guo, C; Liu, C-Z. (2014). Development of a mixed solvent system for the efficient resolution of (R, S)-2-octanol catalyzed by magnetite-immobilized lipase. *Journal of Molecular Catalysis B: Enzymatic.* 101: 23-27.
- Liu, Y; Hartley, DP; Liu, J. (1998). Protection against carbon tetrachloride hepatotoxicity by oleanolic acid is not mediated through metallothionein1. *Toxicol Lett.* 95: 77-85.
- Liu, Y; Phenrat, T; Lowry, GV. (2007). Effect of TCE concentration and dissolved groundwater solutes on NZVI-Promoted TCE dechlorination and H-2 evolution. *Environmental Science & Technology.* 41: 7881-7887.
- Liu, Y; Shao, ML; Wu, Y; Yan, C; Jiang, S; Liu, JN; Dai, JL; Yang, L; Li, J; Jia, WQ; Rui, LY; Liu, Y. (2015). Role for the endoplasmic reticulum stress sensor IRE1 alpha in liver regenerative responses. *J Hepatol.* 62: 590-598.
- Liu, Y; Wang, LF; Zou, HF; Song, XY; Xu, HF; Lin, P; Zheng, HH; Yu, XG. (2006). Expression and location of Smad2, 4 mRNAs during and after liver fibrogenesis of rats. *World J Gastroenterol.* 12: 1577-1582.
- Liu, Y; Wang, Z; Kwong, SQ; Lui, EL; Friedman, SL; Li, FR; Lam, RW; Zhang, GC; Zhang, H; Ye, T. (2011). Inhibition of PDGF, TGF- β , and Abl signaling and reduction of liver fibrosis by the small molecule Bcr-Abl tyrosine kinase antagonist Nilotinib. *J Hepatol.* 55: 612-625.
- Liu, Y; Wang, Z; Wang, J; Lam, W; Kwong, S; Li, F; Friedman, SL; Zhou, S; Ren, Q; Xu, Z; Wang, X; Ji, L; Tang, S; Zhang, H; Lui, EL; Ye, T. (2013). A histone deacetylase inhibitor, largazole, decreases liver fibrosis and angiogenesis by inhibiting transforming growth factor- β and vascular endothelial growth factor signalling. *Liver international : official journal of the International Association for the Study of the Liver.* 33: 504-515.
- Liu, Y; Yang, X; Jing, Y; Zhang, S; Zong, C; Jiang, J; Sun, K; Li, R; Gao, L; Zhao, X; Wu, D; Shi, Y; Han, Z; Wei, L. (2015). Contribution and Mobilization of Mesenchymal Stem Cells in a mouse model of carbon tetrachloride-induced liver fibrosis. *Sci Rep.* 5: 17762.
- Liu, YF; Xiao, BL; Liu, YQ; Li, SQ; Zhan, CL. (1988). The use of isolated rat hepatocyte in prescreening of hepatotoxicants: Observation on toxic effects of 14 compounds. *Biomed Environ Sci.* 1: 308-315.
- Liu, YH; Liu, Q; Ye, GP; Khan, A; Liu, J; Gan, F; Zhang, X; Kumbhar, S; Huang, KH. (2015). Protective Effects of Selenium-Enriched Probiotics on Carbon Tetrachloride-Induced Liver Fibrosis in Rats. *J Agric Food Chem.* 63: 242-249.
- Liu, YJ; Du, JL; Cao, LP; Jia, R; Shen, YJ; Zhao, CY; Xu, P; Yin, GJ. (2015). Anti-inflammatory and hepatoprotective effects of Ganoderma lucidum polysaccharides on carbon tetrachloride-induced hepatocyte damage in common carp (*Cyprinus carpio* L.). *Int Immunopharmacol.* 25: 112-120.
- Liu, YK; Shen, W. (2003). Inhibitive effect of cordyceps sinensis on experimental hepatic fibrosis and its possible mechanism. *World J Gastroenterol.* 9: 529-533.
- Liu, YP; Hartley, DP; Liu, J. (1998). Protection against carbon tetrachloride hepatotoxicity by oleanolic acid is not mediated through metallothionein. *Toxicol Lett.* 95: 77-85.
- Liu, YQ; Lowry, GV. (2006). Effect of particle age (Fe(o) content) and solution pH on NZVI reactivity: H(2) evolution and TCE dechlorination. *Environmental Science & Technology.* 40: 6085-6090.
- Liu, YQ; Lui, ELH; Friedman, SL; Li, L; Ye, T; Chen, YJ; Poon, RT; Wo, J; Kok, TW; Fan, ST. (2009). PTK787/ZK22258 attenuates stellate cell activation and hepatic fibrosis in vivo by inhibiting VEGF signaling. *Lab Invest.* 89: 209-221.
- Liu, YQ; Majetich, SA; Tilton, RD; Sholl, DS; Lowry, GV. (2005). TCE dechlorination rates, pathways, and efficiency of nanoscale iron particles with different properties. *Environmental Science & Technology.* 39: 1338-1345.
- Liu, ZH; Arnold, RG; Betterton, EA; Festa, KD. (1999). Electrolytic reduction of CCl(4) - effects of cathode Material and potential on kinetics, selectivity, and product stoichiometry. *Environ Eng Sci.* 16: 1-13.
- Livingstone, DEW; Barat, P; Di Rollo, EM; Rees, GA; Weldin, BA; Rog-Zielinska, EA; MacFarlane, DP; Walker, BR; Andrew, R. (2015). 5 alpha-Reductase Type 1 Deficiency or Inhibition Predisposes to Insulin Resistance, Hepatic Steatosis, and Liver Fibrosis in Rodents. *Diabetes.* 64: 447-458.
- Llor, J; Vazquez, J; Anadon, A. (1988). INTERACTION OF CYANAMIDE AND CARBON TETRACHLORIDE IN HEPATIC FIBROSIS OF THE RAT. Xiii National Meeting Of The Sociedad Espanola De Farmacologia. 5: 165.
- Llorens, J; Crofton, KM. (1990). ENHANCED NEUROTOXICITY OF 3 3' IMINODIPROPIONITRILE FOLLOWING CARBON TETRACHLORIDE PRETREATMENT IN THE RAT. Eighth International Neurotoxicology Conference, Little Rock, Arkansas, Usa, October. 12: 583-594.
- Llovet, JM; BartolÁi, R; Planas, R. Bacterial translocation in cirrhotic rats. Its role in the development of spontaneous bacterial peritonitis.
- Lloyd, RS; Triger, DR. (1975). Studies on hepatic uptake of antigen. III. Studies of liver macrophage function in normal rats and following carbon tetrachloride administration. *Immunology.* 29: 253-263.

Environmental Hazard Literature Search Results

Off Topic

- Lloyd, SA; Franklin, MR. (1991). Modulation of carbon tetrachloride hepatotoxicity and xenobiotic-metabolizing enzymes by corticosterone pretreatment, adrenalectomy and sham surgery. *Toxicol Lett.* 55: 65-75.
- Lo, IMC; Lee, SCH; Mak, RKM. (1998). Sorption of nonpolar and polar organics on dicytyldimethylammonium-bentonite. *Waste Management & Research.* 16: 129-138.
- Lobo-Sotomayor, G; Mena, P; Wolff, C; NÂ quira, N; Blanco, G; Armas-Merino, R; Donoso, G; Sabarots, C. (1991). Hepato-splenic distribution of ⁹⁹Tcm-phytate and hepato-enteric distribution of ⁹⁹Tcm-DISIDA in mice with carbon tetrachloride-induced acute liver damage. *Nuclear medicine communications.* 12: 993-996.
- Lockard, VG; Mehendale, HM; O'Neal, RM. (1983). Chlordecone-induced potentiation of carbon tetrachloride hepatotoxicity: a light and electron microscopic study. *Exp Mol Pathol.* 39: 230-245.
- Loef, K; Lindros, K; Seppa, K; Fukunaga, T; Badger, T; Ronis, M; Sillanaukee, P. (1996). The effect of ethanol or hepatotoxin exposure on rat transferrin desialylation. *Alcohol Alcoholism.* 31: 445-451.
- Loeser, W; Siegers, CP. (1985). Effects of phenobarbital, phorone and carbon tetrachloride pretreatment on the biliary excretion of acetaminophen in rats. *Archives internationales de pharmacodynamie et de thérapie.* 275: 180-188.
- Logan, DM; Raj, AS. (1990). RISK ASSESSMENT WITH COMPLEX MIXTURES. Twenty First Annual Meeting Of The Environmental Mutagen Society, Albuquerque, New Mexico, Usa, March. 15: 36.
- Logan, WF; Williams, AJ; Edwards, EC; Watson, DC. (1964). PULMONARY OEDEMA COMPLICATING ACUTE RENAL FAILURE. *Postgrad Med J.* 40: 24-26.
- Loginov, AS; Molostova, LV; Akovantseva, NA; Kartasheva, NA; Ulyanova, VV. (1983). Effect of long-term administration of carbon tetrachloride on bile composition in rats. *Byulleten Eksperimental'noi Biologii I Meditsiny.* 95: 33-36.
- Logue, BA; Westall, JC. (2003). Kinetics of reduction of nitrobenzene and carbon tetrachloride at an iron-oxide coated gold electrode. *Environmental Science & Technology.* 37: 2356-2362.
- Logue, JM; Huff-Hartz, KE; Lambe, AT; Donahue, NM; Robinson, AL. (2009). High time-resolved measurements of organic air toxics in different source regimes. *Atmos Environ.* 43: 6205-6217.
- Loh, TT; Juggi, JS. (1971). Tissue iron in acute and chronic liver damage from carbon tetrachloride. *The Australian journal of experimental biology and medical science.* 49: 493-499.
- Lohman, PHM; Mendelsohn, ML; Moore, DH, II; Waters, MD; Brusick, DJ; Ashby, J; Lohman, WJA. (1992). A METHOD FOR COMPARING AND COMBINING SHORT-TERM GENOTOXICITY TEST DATA THE BASIC SYSTEM. *Mutat Res.* 266: 7-25.
- Lok, CM; Ward, JP; van Dorp, DA. (1976). The synthesis of Chiral Glycerides starting from D- and L-serine. *Chem Phys Lipids.* 16: 115-122.
- Loki, AL; Rajamohan, T. (2003). Hepatoprotective and antioxidant effect of tender coconut water on carbon tetrachloride induced liver injury in rats. *Indian Journal of Biochemistry & Biophysics.* 40: 354-357.
- Lombardi, B; Ugazio, G. (1965). Serum lipoproteins in rats with carbon tetrachloride-induced fatty liver. *J Lipid Res.* 6: 498-505.
- Long, RM; Moore, L. (1986). Elevated cytosolic calcium in rat hepatocytes exposed to carbon tetrachloride. *J Pharmacol Exp Ther.* 238: 186-191.
- Long, RM; Moore, L. (1986). Inhibition of liver endoplasmic reticulum calcium pump by CCl₄ and release of a sequestered calcium pool. *Biochem Pharmacol.* 35: 4131-4137.
- Long, RM; Moore, L. (1986). Inhibition of liver endoplasmic reticulum calcium pump by CCl sub(4) and release of a sequestered calcium pool. *Biochem Pharmacol.* 35: 4131-4137.
- Long, RM; Moore, L. (1987). Cytosolic calcium after carbon tetrachloride, 1,1-dichloroethylene, and phenylephrine exposure: Studies in rat hepatocytes with phosphorylase a and quin2. *Biochem Pharmacol.* 36: 1215-1221.
- Long, RM; Moore, L. (1988). Biochemical evaluation of rat hepatocyte primary cultures as a model for carbon tetrachloride hepatotoxicity: Comparative studies in vivo and in vitro. *Toxicol Appl Pharmacol.* 92: 295-306.
- Long, RM; Moore, L. (1990). Inhibition of liver endoplasmic reticulum calcium pump by carbon tetrachloride and release of a sequestered calcium pool. *Biochem Pharmacol.* 35: 4131-4138.
- Long, RM; Moore, L; Schoenberg. (1989). Halocarbon hepatotoxicity is not initiated by Ca super(2+)-stimulated endonuclease activation. *Toxicol Appl Pharmacol.* 97: 350-359.
- Long, RM; Moore, L; Schoenberg, DR. (1989). Halocarbon hepatotoxicity is not initiated by Ca₂+stimulated endonuclease activation. *Toxicol Appl Pharmacol.* 97: 350-359.
- Long, RM; Moore, L; Schoenberg, DR. (1989). HALOCARBON HEPATOTOXICITY IS NOT INITIATED BY CALCIUM STIMULATED ENDONUCLEASE ACTIVATION. *Toxicol Appl Pharmacol.* 97: 350-359.
- Long, Y; ÅšliwiÅ„ska-Bartkowiak, Mg; Drozdowski, H; KempIÅ„ski, M; Phillips, KA; Palmer, JC; Gubbins, KE. (2013). High pressure effect in nanoporous carbon materials: Effects of pore geometry. *Colloids and surfaces.* 437: 33-41.
- Long-De, VALLIERECL; Petrozzi, S; Zurrer, D; Baier, U; Dunn, IJ. (8451). METHODS OF ANAEROBIC DEGRADATION OF TOXIC COMPOUNDS IN CHEMICAL AND INDUSTRIAL WASTEWATERS. *Mizrahi, A. O:* 35-72.
- Longo, S; Vitillo, JG; DaniD, DdCceBINSTMRUUtduSvPDMFI; Guerra, G. (2013). Monolithic aerogels based on poly(2,6-diphenyl-1,4-phenylene oxide) and syndiotactic polystyrene. *ACS applied materials & interfaces.*
- Longo, V; Chirulli, V; Gervasi, PG; Nencioni, S; Pellegrini, M. (2007). Lisosan G, a powder of grain, does not interfere with the drug metabolizing enzymes and has a protective role on carbon tetrachloride-induced hepatotoxicity. *Biotechnol Lett.* 29: 1155-1159.
- Longo, V; Chirulli, V; Gervasi, PG; Nencioni, S; Pellegrini, M. (2007). Lisosan G, a powder of grain, does not interfere with the drug metabolizing enzymes and has a protective role on carbon tetrachloride-induced hepatotoxicity. *Biotechnol Lett.* 29: 1155-1159.
- Lookman, R; Bastiaens, L; Borremans, B; Maesen, M; Gemoets, J; Diels, L. (2004). Batch-test study on the dechlorination of 1,1,1-trichloroethane in contaminated aquifer material by zero-valent iron. *J Contam Hydrol.* 74: 133-144.

Environmental Hazard Literature Search Results

Off Topic

- Lopez, C; Jimenez, W; Claria, J; La, VILLAC; Asbert, M; Gaya, J; Rivera, F; Arroyo, V; Rodes, J. (1989). TEMPORAL RELATIONSHIP BETWEEN THE DECREASE IN ARTERIAL PRESSURE AND THE ONSET OF SODIUM RETENTION IN HYPERTENSIVE RATS WITH CARBON TETRACHLORIDE INDUCED CIRRHOSIS. 24th Meeting Of The European Association For The Study Of The Liver, Munich, West Germany, August. 9.
- Lopez De O, A; Carmona De G, CA; Moussatche, H. (1993). On the mechanism of protective action of cold acclimatization against carbon tetrachloride- and ethionine-induced fatty liver. *Mem Inst Oswaldo Cruz*. 88: 313-316.
- Lopez-Diazguerrero, NE; Luna-Lopez, A; Gutierrez-Ruiz, MC; Zentella, A; Konigsberg, M. (2005). Susceptibility of DNA to oxidative stressors in young and aging mice. *Life Sci*. 77: 2840-2854.
- Lopez-Navarrete, G; Ramos-Martinez, E; Suarez-Alvarez, K; Aguirre-Garcia, J; Ledezma-Soto, Y; Leon-Cabrera, S; Gudino-Zayas, M; Guzman, C; Gutierrez-Reyes, G; Hernandez-Ruiz, J; Camacho-Arroyo, I; Robles-Diaz, G; Kershenobich, D; Terrazas, LI; Escobedo, G. (2011). Th2-Associated Alternative Kupffer Cell Activation Promotes Liver Fibrosis without Inducing Local Inflammation. *Int J Biol Sci*. 7: 1273-1286.
- Lopez-Novoa, JM; Rengel, MA. (1977). A micropuncture study of salt and water retention in chronic experimental cirrhosis. *The American journal of physiology*. 232: F315-318.
- Lopez-Parra, M; Claria, J; Planaguma, A; Titos, E; Masferrer, JL; Woerner, BM; Koki, AT; Jimenez, W; Altuna, R; Arroyo, V; Rivera, F; Rodes, J. (2002). Cyclooxygenase-1 derived prostaglandins are involved in the maintenance of renal function in rats with cirrhosis and ascites. *Br J Pharmacol*. 135: 891-900.
- Lopez-Parra, M; Telleria, N; Titos, E; Planaguma, A; Gonzalez-Periz, A; Arroyo, V; Rodes, J; Claria, J. (2006). Gene expression profiling of renal dysfunction in rats with experimental cirrhosis. *J Hepatol*. 45: 221-229.
- Lorah, MM; Voytek, MA. (2004). Degradation of 1,1,2,2-tetrachloro ethane and accumulation of vinyl chloride in wetland sediment microcosms and in situ porewater: biogeochemical controls and associations with microbial communities. *J Contam Hydrol*. 70: 117-145.
- Loraine, GA. (1993). Short wavelength ultraviolet photolysis of aqueous carbon tetrachloride. *Hazard Waste Hazard Mater*. 10: 185-194.
- Lorance, ED; Kramer, WH; Gould, IR. (2004). Barrierless electron transfer bond fragmentation reactions. *J Am Chem Soc*. 126: 14071-14078.
- Lorena, D; Darby, IA; Gadeau, AP; Leen, LLS; Rittling, S; Porto, LC; Rosenbaum, J; Desmouliere, A. (2006). Osteopontin expression in normal and fibrotic liver. Altered liver healing in osteopontin-deficient mice. *J Hepatol*. 44: 383-390.
- Lorena, D; Darby, IA; Reinhardt, DP; Sapin, V; Rosenbaum, J; Desmouliere, A. (2004). Fibrillin-1 expression in normal and fibrotic rat liver and in cultured hepatic fibroblastic cells: modulation by mechanical stress and role in cell adhesion. *Lab Invest*. 84: 203-212.
- Lorenzo-Zuniga, V; Rodriguez-Ortigosa, CM; Bartoli, R; Martinez-Chantar, ML; Martinez-Peralta, L; Pardo, A; Ojanguren, I; Quiroga, J; Planas, R; Prieto, J. (2006). Insulin-like growth factor I improves intestinal barrier function in cirrhotic rats. *Gut*. 55: 1306-1312.
- Losa, GA; Paradisi, L; Barrera, G; Parola, M; Iannarelli, M; Dianzani, MU. (1987). THE IMPAIRMENT OF MEMBRANE FLUIDITY ENZYME ACTIVITIES AND ULTRASTRUCTURAL PROPERTIES OF THE LIVER PLASMA MEMBRANE DURING CHEMICAL CARCINOGENESIS. 19th Annual Meeting Of The Union Des Societes Suisses De Biologie Experimentale. 43: 642.
- Loschiavo, SR; White, NDG. The loss of a grain fumigant mixture of carbon tetrachloride and carbon bisulfide through sealing and various covering materials. *Canadian entomologist*. June 1987. v. 119 (6): 595-597.
- Loscutoff, WV; Poore, MV. (1991). AMBIENT AIR TOXICS DATA FROM CALIFORNIA'S TOXIC AIR CONTAMINANT MONITORING PROGRAM. Chow, W And K K Connor. O: 191-203.
- LotersztAd, INSERMUC; ea, CŠF; Ohhama, I; Kumagai, K; Tamura, K; Ohno, T; Kano, M; Satomi, M; Shimoyama, T. (2010). Gastric mucosal barrier in the rats fed with protein deficient diet or treated with carbon tetrachloride. *Hepatology (Baltimore, Md)*. 52: 52(53):1046-1059.
- Lou, JC; Chou, ZH. (1996). An experimental and numerical study of the thermal oxidation of carbon tetrachloride. *Hazardous Waste & Hazardous Materials*. 13: 399-407.
- Lou, JL; Jiang, MN; Li, C; Zhou, Q; He, X; Lei, HY; Li, J; Jia, YJ. (2010). Herb medicine Gan-fu-kang attenuates liver injury in a rat fibrotic model. *J Ethnopharmacol*. 128: 131-138.
- Lough, J; Rosenthal, L; Arzoumanian, A; Goresky, CA. (1987). Kupffer cell depletion associated with capillarization of liver sinusoids in carbon tetrachloride-induced rat liver cirrhosis. *J Hepatol*. 5: 190-198.
- Louis, H; Le Moine, A; Quertinmont, E; Peny, MO; Geerts, T; Goldman, M; Le Moine, O; Deviere, J. (2000). Repeated concanavalin A challenge in mice induces an interleukin 10-producing phenotype and liver fibrosis. *Hepatology*. 31: 381-390.
- Louisnard, O; Gonz lezacute; iacute; a, J; Filser, JG; Jung, P; Bolt, HM. (2011). Increased acetone exhalation induced by metabolites of halogenated C1 and C2 compounds. *Ultrason Sonochem*. 18: 104-113:104-113.
- Loureiro-Silva, MR; Molina, HM; Borges, DR. (2001). Portal hypertensive response to bradykinin in inflamed or cirrhotic rat livers is mediated by B2-type receptors. *J Gastroenterol Hepatol*. 16: 41-45.
- Louria, DB; Bogden, JD. (1980). The dangers from limited exposure to carbon tetrachloride. *Crit Rev Toxicol*. 7: 177-188.
- Louw, R; Manion, JA; Mulder, P. (1986). GAS-PHASE THERMAL HYDROGENOLYSIS OF ORGANIC CHLORINE COMPOUNDS AN ALTERNATIVE TO INCINERATION. 3rd International Symposium On Materials And Energy For Refuse, Antwerp, Belgium, March. 14: 365-368.
- Louw, R; Mulder, P. (1990). Gas-phase and activated carbon mediated thermal hydrogenolysis of halogenated organics. *J Environ Sci Health Part A Environ Sci Eng*. 25: 555-570.
- Love, EB; Miller, AA. (1951). Fatal poisoning by inhalation of carbon tetrachloride (thawpit). *Lancet (London, England)*. 1: 1306-1307.
- Loveday, KS; Anderson, BE; Resnick, MA; Zeiger, E. (1990). Chromosome aberration and sister chromatid exchange tests in Chinese hamster ovary cells in vitro: V. Results with 46 chemicals. *Environ Mol Mutagen*. 16: 272-303.
- Lovelock, JE. (1977). Halogenated hydrocarbons in the atmosphere. *Ecotoxicol Environ Saf*. 1: 399-406.
- Low, D; Thomas, NW; Fry, JR. (1995). Lobar variation of carbon tetrachloride hepatotoxicity in the rat. *Toxicol Lett*. 81: 1-4.
- Lowrey, K; Glende, EA, Jr.; Recknagel, RO. (1981). Destruction of liver microsomal calcium pump activity by carbon tetrachloride and bromotrachloromethane. *Biochem Pharmacol*. 30: 135-140.

Environmental Hazard Literature Search Results

Off Topic

- Lowrey, K; Glende, EA, Jr.; Recknagel, RO. (1981). Failure of ethanol or isopropanol pretreatment to affect carbon tetrachloride-induced inhibition of hepatic microsomal calcium pump activity. *Drug Chem Toxicol.* 4: 263-273.
- Lowrey, K; Glende, EA, Jr.; Recknagel, RO. (1981). Rapid depression of rat liver microsomal calcium pump activity after administration of carbon tetrachloride or bromotrichloromethane and lack of effect after ethanol. *Toxicol Appl Pharmacol.* 59: 389-394.
- Lowry, GV; Reinhard, M. (1999). Hydrodehalogenation of 1-to 3-carbon halogenated organic compounds in water using a palladium catalyst and hydrogen gas. *Environmental Science & Technology.* 33: 1905-1910.
- Loyke, HF. (1964). ANGIOTENSINOGEN EFFECT OF CCL4 TREATED EXPERIMENTAL HYPERTENSION. *The American journal of the medical sciences.* 247: 177-181.
- Loyke, HF. (1964). EXPERIMENTAL HYPERTENSIONS TREATED WITH CCL-4: MEASUREMENTS OF ADRENAL FUNCTION, VASCULAR RESPONSIVENESS, ANGIOTENSINASE AND CONVERTING ENZYME. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY).* 115: 1035-1040.
- Loyke, HF. (1973). Angiotensins lung converting enzyme. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY).* 143: 82-84.
- Loyke, HF. (1984). Copper and zinc in CCl sub(4) treated rats. *Bull Environ Contam Toxicol.* 32: 405-409.
- Loyke, HF. (1985). Blood lead concentrate and blood pressure after CCl4 treatment. *Bull Environ Contam Toxicol.* 34: 730-735.
- Loyke, HF. (1985). Blood lead concentrate and blood pressure after CCl sub(4) treatment. *Bull Environ Contam Toxicol.* 34: 730-735.
- Loyke, HF. (1985). MINERALS AND BLOOD PRESSURE IN CARBON TETRACHLORIDE TREATED RATS. *Bull Environ Contam Toxicol.* 35: 608-611.
- Loyke, HF. (1988). Blood pressure reduction by CCl4 in the spontaneously hypertensive rat. *Bull Environ Contam Toxicol.* 41: 56-62.
- Loyke, HF. (1988). DEMONSTRATION OF A DEPRESSOR SUBSTANCE IN SERUM FROM CARBON TETRACHLORIDE TREATED RATS. *Pharmacol Res Commun.* 20: 693-698.
- Loyke, HF. (1988). Demonstration of a depressor substance in serum from CCl4 treated rats. *Pharmacological research communications.* 20: 693-698.
- Loyke, HF. (1988). Demonstration of a depressor substance in serum from CCl sub(4) treated rats. *Pharmacol Res.* 20: 693-698.
- Loyke, HF; Maksem, JA. (1992). Hepatocellular injury induced by chronic low-dose carbon tetrachloride in spontaneous and renal hypertensive rats: A correlation to the reversal of experimental rat hypertensive models. *J Environ Pathol Toxicol Oncol.* 11: 38-42.
- Lozan, JL; al., e. (1990). WARNING SIGNALS FROM THE NORTH SEA. Lozan, J L, Et Al. 0.
- Lu, B; Xu, Y; Xu, L; Cong, X; Yin, L; Li, H; Peng, J. (2012). Mechanism investigation of dioscin against CCl₄-induced acute liver damage in mice. *Environ Toxicol Pharmacol.* 34: 127-135.
- Lu, B; Yin, L; Xu, L; Peng, J. (2011). Application of proteomic and bioinformatic techniques for studying the hepatoprotective effect of dioscin against CCl₄-induced liver damage in mice. *Planta Med.* 77: 407-415.
- Lu, B; Yu, L; Li, S; Si, S; Zeng, Y. (2010). Alleviation of CCl₄-induced cirrhosis in rats by tetramethylpyrazine is associated with downregulation of leptin and TGF-beta1 pathway. *Drug Chem Toxicol.* 33: 310-315.
- Lu, BN; Xu, YS; Xu, LN; Cong, XN; Yin, LH; Li, H; Peng, JY. (2012). Mechanism investigation of dioscin against CCl₄-induced acute liver damage in mice. *Environ Toxicol Pharmacol.* 34: 127-135.
- Lu, DH; Guo, XY; Qin, SY; Luo, W; Huang, XL; Chen, M; Wang, JX; Ma, SJ; Yang, XW; Jiang, HX. (2015). Interleukin-22 ameliorates liver fibrogenesis by attenuating hepatic stellate cell activation and downregulating the levels of inflammatory cytokines. *World J Gastroenterol.* 21: 1531-1545.
- Lu, H; Wan, J; Jiang, R; Xie, J; Peng, X; Zhang, L. (2012). Sodium butyrate potentiates carbon tetrachloride-induced acute liver injury in mice. *Toxicol Mech Meth.* 22: 648-655.
- Lu, KL; Chang, YS; Ho, LK; Lin, CC; Tsai, CC. (2000). The evaluation of the therapeutic effect of tao-shang-tsoo on alpha-naphthylisothiocyanate and carbon tetrachloride-induced acute liver damage in rats. *Am J Chin Med.* 28: 361-370.
- Lu, KL; Tsai, CC; Ho, LK; Lin, CC; Chang, YS. (2002). Preventive effect of the Taiwan folk medicine *Ixeris laevigata* var. *oldhami* on alpha-naphthylisothiocyanate and carbon tetrachloride-induced acute liver injury in rats. *Phytother Res.* 16: S45-S50.
- Lu, L; Wang, J; Lu, H; Zhang, G; Liu, Y; Wang, J; Zhang, Y; Shang, H; Ji, H; Chen, X; Duan, Y; Li, Y. (2015). MicroRNA-130a and -130b enhance activation of hepatic stellate cells by suppressing PPAR γ expression: A rat fibrosis model study. *Biochem Biophys Res Commun.* 465: 387-393.
- Lu, L; Wang, JL; Lu, HW; Zhang, GY; Liu, Y; Wang, JZ; Zhang, YF; Shang, H; Ji, H; Chen, X; Duan, YX; Li, YM. (2015). MicroRNA-130a and -130b enhance activation of hepatic stellate cells by suppressing PPAR gamma expression: A rat fibrosis model study. *Biochem Biophys Res Commun.* 465: 387-393.
- Lu, MZ; Loh, TP. (2014). Iron-catalyzed cascade carbochloromethylation of activated alkenes: highly efficient access to chloro-containing oxindoles. *BMC Vet Res.* 16: 4698-4701.
- Lu, N; Liu, Y; Tang, A; Chen, L; Miao, D; Yuan, X. (2015). Hepatocyte-specific ablation of PP2A catalytic subunit α ; attenuates liver fibrosis progression via TGF- β 1/Smad signaling. *BioMed Res Int.* 2015: 794862.
- Lu, SY; Du, YZ; Yan, JH; Li, XD; Ni, MJ; Cen, KF. (2012). Dioxins and their fingerprint in size-classified fly ash fractions from municipal solid waste incinerators in China-Mechanical grate and fluidized bed units. *Journal of the Air & Waste Management Association.* 62: 717-724.
- Lu, W; Huang, CZ; Li, YF. (2002). A sensitive and selective assay of nucleic acids by measuring enhanced total internal reflected resonance light scattering signals deriving from the evanescent field at the water/tetrachloromethane interface. *Analyst.* 127: 1392-1396.
- Lu, W; Huang, CZ; Li, YF. (2003). Novel assay of thiamine based on its enhancement of total internal reflected resonance light scattering signals of sodium dodecylbenzene sulfonate at the water/tetrachloromethane interface. *Anal Chim Acta.* 475: 151-161.

Environmental Hazard Literature Search Results

Off Topic

- Lu, W; Locke, SJ; Brauer, M. (1994). In vivo and in vitro ³¹P magnetic resonance spectroscopic studies of the hepatic response of healthy rats and rats with acute hepatic damage to fructose loading. *Magn Reson Med.* 31: 469-481.
- Lu, X; Tao, S; Cao, J; Dawson, RW. (1999). Prediction of fish bioconcentration factors of nonpolar organic pollutants based on molecular connectivity indices. *Chemosphere.* 39: 987-999.
- Lu, XS; Zhao, Y; Sun, YF; Yang, S; Yang, XB. (2013). Characterisation of polysaccharides from green tea of Huangshan Maofeng with antioxidant and hepatoprotective effects. *Food Chem.* 141: 3415-3423.
- Lu, Y; Hu, DM; Ma, SB; Zhao, X; Wang, S; Wei, G; Wang, XF; Wen, AD; Wang, JW. (2016). Protective effect of wedelolactone against CCl₄-induced acute liver injury in mice. *Int Immunopharmacol.* 34: 44-52.
- Lu, YY; Wang, CP; Zhou, L; Chen, Y; Su, SH; Feng, YY; Yang, YP. (2008). Synthesis of platelet-activating factor and its receptor expression in Kupffer cells in rat carbon tetrachloride-induced cirrhosis. *World J Gastroenterol.* 14: 764-770.
- Luckey, SW; Petersen, DR. (2001). Activation of Kupffer cells during the course of carbon tetrachloride-induced liver injury and fibrosis in rats. *Exp Mol Pathol.* 71: 226-240.
- Luk, JM; Wang, PP; Lee, CK; Wang, JH; Fan, ST. (2005). Hepatic potential of bone marrow stromal cells: Development of in vitro co-culture and intra-portal transplantation models. *J Immunol Methods.* 305: 39-47.
- Lukács, D; Dósa, M; Szabó, A. (2007). Subchronic heavy metal and alcohol treatment in rats: changes in the somatosensory evoked cortical activity. *Acta Biol Hung.* 58: 259-267.
- Luke, NS; Sams, R; DeVito, MJ; Conolly, RB; El-Masri, HA. (2010). Development of a Quantitative Model Incorporating Key Events in a Hepatotoxic Mode of Action to Predict Tumor Incidence. *Toxicol Sci.* 115: 253-266.
- Lumbroso, H; Liègeois, C; Olivato, PR. (1987). The solution-state conformations of fluoro-, dimethylamino- and methoxyacetone. *Journal of Molecular Structure.* 162: 131-139.
- Luna-López, A; Zentella, A; Ureña, B; Das, D; Pemberton, P; Gordon, C; Burrows, P; Smith, A; McMahon, RFT; Warnes, TW. (2005). GLOBAL AUGMENTATION OF LIPID PEROXIDATION IN CARBON TETRACHLORIDE CCl₄-INDUCED CIRRHOSIS IN RATS. *LiO Life Sci.* 77: 2840-2854.
- Luna-Moreno, D; Vazquez-Martinez, O; Baez-Ruiz, A; Ramirez, J; Diaz-Munoz, M. (2007). Food restricted schedules promote differential lipoperoxidative activity in rat hepatic subcellular fractions. *Comparative Biochemistry and Physiology a-Molecular & Integrative Physiology.* 146: 632-643.
- Lundberg, I; Ekdahl, M; Kronevi, T; Lidums, V; Lundberg, S. (1986). Relative hepatotoxicity of some industrial solvents after intraperitoneal injection or inhalation exposure in rats. *Environ Res.* 40: 411-420.
- Lunn, G; Sansone, EB. (1985). Validation of techniques for the destruction of dimethyl sulfate. *Am Ind Hyg Assoc J.* 46: 111-114.
- Lunseith, JH. (1965). CARDIAC HYPERTROPHY IN RATS WITH CARBON TETRACHLORIDE CIRRHOSIS. *Arch Pathol.* 79: 644-646.
- Luo, L; Chen, H; Zhang, L; Xu, K; Lv, Y. (2009). A cataluminescence gas sensor for carbon tetrachloride based on nanosized ZnS. *Anal Chim Acta.* 635: 183-187.
- Luo, L; Xie, Y; Wang, A; Liu, XM; Xiao, F; Zhong, XL; Zhong, CG. (2014). Desipramine Ameliorates Cr(VI)-Induced Hepatocellular Apoptosis via the Inhibition of Ceramide Channel Formation and Mitochondrial PTP Opening. *Cell Physiol Biochem.* 34: 2128-2136.
- Luo, L; Zhou, AL. (2009). Antifibrotic activity of anisodamine in vivo is associated with changed intrahepatic levels of matrix metalloproteinase-2 and its inhibitor tissue inhibitors of metalloproteinases-2 and transforming growth factor beta 1 in rats with carbon tetrachloride-induced liver injury. *J Gastroenterol Hepatol.* 24: 1070-1076.
- Luo, W; Zhang, M; Wright, A; Kamrudin, S; Wang, H; Guo, C; An, D. (2012). Steatohepatitis and vascular thrombosis in apolipoprotein e deficient mice. *Thromb Res Suppl.* 129: e(4):e166-167.
- Luo, W; Chen, Z; Zhu, L; Chen, F; Wang, L; Tang, H. (2007). A sensitive spectrophotometric method for determination of carbon tetrachloride with the aid of ultrasonic decolorization of methyl orange. *Anal Chim Acta.* 588: 117-122.
- Luo, YJ; Yu, JP; Shi, ZH; Wang, L. (2004). Ginkgo biloba extract reverses CCl₄-induced liver fibrosis in rats. *World J Gastroenterol.* 10: 1037-1042.
- Lupp, A; Lucas, N; Danz, M; Klinger, W. (2000). Transplantation of fetal liver tissue suspension into the spleens of adult syngenic rats: effects of different cytotoxins on cytochrome P450 isoforms expression and on glycogen content. *Exp Toxicol Pathol.* 52: 381-393.
- Lupp, A; Tralls, M; Fuchs, U; Klinger, W. (2001). Transplantation of fetal liver tissue suspension into the spleens of adult syngenic rats: effects of different cytotoxins on cytochrome P450 mediated monooxygenase functions and on oxidative state. *Exp Toxicol Pathol.* 52: 529-538.
- Lupp, A; Tralls, M; Fuchs, U; Lucas, N; Klinger, W. (1998). TRANSPLANTATION OF FETAL LIVER TISSUE SUSPENSIONS INTO THE SPLEENS OF ADULT SYNGENIC RATS EFFECTS OF VARIOUS INDUCERS MITOGENS AND CELL POISONS ON CYTOCHROME P450 P450 ISOFORMS EXPRESSION AND ON P450 MEDIATED MONOOXYGENASE FUNCTIONS. 16th European Workshop On Drug Metabolism, Copenhagen, Denmark, June. 50: 120.
- Luque-Romero, FL; Pueyo, C; Rhodes, WJ. (1991). Stratospheric ozone protection: An EPA engineering perspective. *Mutagenesis.* 6: 199-205.
- Luse, SA; Wood, WG. (1967). The brain in fatal carbon tetrachloride poisoning. *Arch Neurol.* 17: 304-312.
- Luster, MI; Simeonova, PP; Gallucci, RM; Brucoleri, A; Blazka, ME; Yucsoy, B. (2001). Role of inflammation in chemical-induced hepatotoxicity. *Toxicol Lett.* 120: 317-321.
- Luster, MI; Simeonova, PP; Gallucci, RM; Matheson, JM; Yucsoy, B. (2000). Immunotoxicology: role of inflammation in chemical-induced hepatotoxicity. *International Journal of Immunopharmacology.* 22: 1143-1147.
- Luthman, J; Jonson, G. (1969). The metabolic response to norepinephrine in carbon tetrachloride poisoned sheep. *Acta Vet Scand.* 10: 168-180.
- Luthman, J; Jonson, G; Holtenius, P. The preventive effect of nicotinic acid on carbon tetrachloride toxicity in sheep. *Acta Vet Scand.* 1970, 11 (2): 254-267.

Environmental Hazard Literature Search Results

Off Topic

- Luthra, R; Kyle, GM; Mehta, PS; Bruckner, JV. (1984). Effects of carbon tetrachloride and 1,1-dichloroethylene on rat hepatic microsomal calcium- and/or magnesium-stimulated ATPase. *Biochem Pharmacol.* 33: 3295-3298.
- Luton, EF. (1965). Carbon tetrachloride exposure during anticoagulant therapy. Dangerous enhancement of hypoprothrombinemic effect. *JAMA.* 194: 1386-1387.
- Lutz, LM; Glende Jr, EA; Recknagel, RO. (1973). Protection by diethyldithiocarbamate against carbon tetrachloride lethality in rats and against carbon tetrachloride-induced lipid peroxidation in vitro. *Biochem Pharmacol.* 22: 1729-1734.
- Lutz, RW; Shires, TK. (1978). Polysomal changes in rats treated with lethal doses of carbon tetrachloride. *Toxicol Appl Pharmacol.* 45: 653-663.
- Lutz, WK; B  sser, MT; Sagelsdorff, P. (1984). Potency of carcinogens derived from covalent DNA binding and stimulation of DNA synthesis in rat liver. *Toxicol Pathol.* 12: 106-111.
- Lv, D; Zhu, CQ; Liu, L. (2015). Sesamin ameliorates oxidative liver injury induced by carbon tetrachloride in rat. *Int J Clin Exp Pathol.* 8: 5733-5738.
- Lv, LS; Jiang, CB; Li, JL; Zheng, TS. (2012). Protective effects of lotus (*Nelumbo nucifera Gaertn*) germ oil against carbon tetrachloride-induced injury in mice and cultured PC-12 cells. *Food Chem Toxicol.* 50: 1447-1453.
- Lv, P; Luo, HS; Zhou, XP; Paul, SC; Xiao, YJ; Si, XM; Liu, SQ. (2006). Thalidomide prevents rat liver cirrhosis via inhibition of oxidative stress. *Pathology Research and Practice.* 202: 777-788.
- Lv, P; Luo, HS; Zhou, XP; Xiao, YJ; Paul, SC; Si, XM; Zhou, YH. (2007). Reversal effect of thalidomide on established hepatic cirrhosis in rats via inhibition of nuclear factor-kappa B/inhibitor of nuclear factor-kappa B pathway. *Arch Med Res.* 38: 15-27.
- Lv, P; Paul, SC; Xiao, Y; Liu, SQ; Luo, HS. (2006). Effects of thalidomide on the expression of adhesion molecules in rat liver cirrhosis. *Mediators Inflamm*93253-93253.
- Lyachovich, VV; Mishin, VM; Dolgov, AV; Tsyrov, IB. (1971). Functional and structural changes in liver mitochondria of rats due to CCl 4 intoxication. I. Studies on state of electron-transport chain. *Biochem Pharmacol.* 20: 1437-1441.
- Lynch, TJ; Blackwell, GJ; Moncada, S. (1985). Carbon tetrachloride-induced eicosanoid synthesis and enzyme release from rat peritoneal leucocytes. *Biochem Pharmacol.* 34: 1515-1522.
- Lysychenko, G; Weber, R; Kovach, V; Gertsruk, M; Watson, A; Krasnova, I. (2015). Threats to water resources from hexachlorobenzene waste at Kalush City (Ukraine)-a review of the risks and the remediation options. *Environ Sci Pollut Res Int.* 22: 14391-14404.
- Lysychenko, G; Weber, R; Kovach, V; Gertsruk, M; Watson, A; Krasnova, I. (2015). Threats to water resources from hexachlorobenzene waste at Kalush City (Ukraine)  a review of the risks and the remediation options. *Environmental science and pollution research international.* 22: 14391-14404.
- Ma, B; Wang, J; Tong, J; Zhou, G; Chen, Y; He, J; Wang, Y. (2016). Protective effects of *Chaenomeles thibetica* extract against carbon tetrachloride-induced damage via the MAPK/Nrf2 pathway. *Food & function.* 7: 1492-1500.
- Ma, CM; Liu, AL; Wang, YY; Geng, XL; Hao, L; Song, QW; Sun, B; Wang, HQ; Zhao, G. (2014). The hepatocyte phase of Gd-EOB-DTPA-enhanced MRI in the evaluation of hepatic fibrosis and early liver cirrhosis in a rat model: An experimental study. *Life Sci.* 108: 104-108.
- Ma, HZ; O'Loughlin, EJ; Burris, DR. (2001). Factors affecting humic-nickel complex mediated seduction of trichloroethene in homogeneous aqueous solution. *Environmental Science & Technology.* 35: 717-724.
- Ma, J; Chen, H; Zhang, M; Chen, L. (2011). Cu powder-catalyzed single electron transfer-living radical polymerization of acrylonitrile. *Journal of polymer science.* 49: 2588-2593.
- Ma, JQ; Ding, J; Xiao, ZH; Liu, CM. (2014). Puerarin ameliorates carbon tetrachloride-induced oxidative DNA damage and inflammation in mouse kidney through ERK/Nrf2/ARE pathway. *Food Chem Toxicol.* 71: 264-271.
- Ma, JQ; Ding, J; Xiao, ZH; Liu, CM. (2014). Ursolic acid ameliorates carbon tetrachloride-induced oxidative DNA damage and inflammation in mouse kidney by inhibiting the STAT3 and NF-kappa B activities. *Int Immunopharmacol.* 21: 389-395.
- Ma, JQ; Ding, J; Zhang, L; Liu, CM. (2014). Hepatoprotective properties of sesamin against CCl4 induced oxidative stress-mediated apoptosis in mice via JNK pathway. *Food Chem Toxicol.* 64: 41-48.
- Ma, JQ; Ding, J; Zhang, L; Liu, CM. (2014). Ursolic acid protects mouse liver against CCl4-induced oxidative stress and inflammation by the MAPK/NF-kappa B pathway. *Environ Toxicol Pharmacol.* 37: 975-983.
- Ma, JQ; Ding, J; Zhang, L; Liu, CM. (2015). Protective effects of ursolic acid in an experimental model of liver fibrosis through Nrf2/ARE pathway. *Clinics and Research in Hepatology and Gastroenterology.* 39: 188-197.
- Ma, JQ; Ding, J; Zhao, H; Liu, CM. (2014). Puerarin Attenuates Carbon Tetrachloride-Induced Liver Oxidative Stress and Hyperlipidaemia in Mouse by JNK/c-Jun/CYP7A1 Pathway. *Basic & Clinical Pharmacology & Toxicology.* 115: 389-395.
- Ma, J-Q; Ding, J; Xiao, Z-H; Liu, C-M. (2014). Ursolic acid ameliorates carbon tetrachloride-induced oxidative DNA damage and inflammation in mouse kidney by inhibiting the STAT3 and NF-  B activities. *Int Immunopharmacol.* 21: 389-395.
- Ma, JYC; Bowman, L; Lacagnin, LB; Miles, PR. (1989). CARBON TETRACHLORIDE DECREASES PHOSPHOLIPID SYNTHESIS IN ISOLATED ALVEOLAR TYPE II CELLS. 73rd Annual Meeting Of The Federation Of American Societies For Experimental Biology, New Orleans, Louisiana, Usa, March. 3.
- Ma, JYC; LaCagnin, LB; Bowman, L; Miles, PR. (1989). Carbon tetrachloride inhibits synthesis of pulmonary surfactant disaturated phosphatidylcholines and ATP production in alveolar type II cells. *Biochimica et Biophysica Acta: Protein Structure and Molecular Enzymology.* 1003: 136-144.
- Ma, QW; Zhao, JJ; Cao, W; Liu, JL; Cui, S. (2015). Estradiol decreases taurine level by reducing cysteine sulfinic acid decarboxylase via the estrogen receptor-alpha in female mice liver. *American Journal of Physiology-Gastrointestinal and Liver Physiology.* 308: G277-G286.
- Ma, R; He, S; Liang, X; Yu, H; Liang, Y; Cai, X. (2014). Decorin prevents the development of CCl4-induced liver fibrosis in mice. *Chin Med J.* 127: 1100-1104.

Environmental Hazard Literature Search Results

Off Topic

- Ma, SF; Nishikawa, M; Katsumi, H; Yamashita, F; Hashida, M. (2006). Liver targeting of catalase by cationization for prevention of acute liver failure in mice. *J Control Release*. 110: 273-282.
- Ma, TT; Li, XF; Li, WX; Yang, Y; Huang, C; Meng, XM; Zhang, L; Li, J. (2015). Geniposide alleviates inflammation by suppressing MeCP2 in mice with carbon tetrachloride-induced acute liver injury and LPS-treated THP-1 cells. *Int Immunopharmacol*. 29: 739-747.
- Ma, TT; Sun, XY; Tian, CR; Zheng, YJ; Zheng, CP; Zhan, JC. (2015). Chemical composition and hepatoprotective effects of polyphenols extracted from the stems and leaves of *Sphallerocarpus gracilis*. *Journal of Functional Foods*. 18: 673-683.
- Ma, X; Li, C; Qi, W; Li, X; Wang, S; Cao, X; Wang, C. (2015). Protective effect of extracellular polysaccharides from *Grifola frondosa* mycelium on CCl₄-injured liver in vitro. *Bioactive Carbohydrates and Dietary Fibre*. 6: 7-14.
- Ma, XD; Zheng, MH; Liu, WB; Qian, Y; Zhao, XR; Zhang, B. (2005). Synergic effect of calcium oxide and iron(III) oxide on the dechlorination of hexachlorobenzene. *Chemosphere*. 60: 796-801.
- Ma, XM; Burken, JG. (2002). VOCs fate and partitioning in vegetation: Use of tree cores in groundwater analysis. *Environmental Science & Technology*. 36: 4663-4668.
- Mañáñdez, JD; Hernáñdez, RDH; Conejo, VcA. (2006). Spermine increases arginase activity in the liver after carbon tetrachloride-induced hepatic injury in Long-Evans rats. *Biomedicine & Pharmacotherapy*. 60: 82-85.
- Macke, I-FC; Experimental, SUoSHG; Richter, S; Menger, MD; Vollmar, B. (2000). Significance of hepatic arterial responsiveness for adequate tissue oxygenation upon portal vein occlusion in cirrhotic livers. *Int J Colorectal Dis*. 15: 335-341.
- Mallik; Bhadauria, M; Nirala, SK; Shrivastava, S; Sharma, A; Johri, S; Chandan, BK; Singh, B; Saxena, AK; Shukla, S. (1997). Emodin reverses CCl₄ induced hepatic cytochrome P450 (CYP) enzymatic and ultrastructural changes: The in vivo evidence. *Cellular and molecular life sciences : CMLS*. 53: 917-920.
- Maatooq, GT; Marzouk, AM; Gray, AI; Rosazza, JP. (2010). Bioactive microbial metabolites from glycyrrhetic acid. *Phytochemistry*. 71: 262-270.
- Macalady, DL; Tratnyek, PG; Grundl, TJ. (1986). ABIOTIC REDUCTION REACTIONS OF ANTHROPOGENIC ORGANIC CHEMICALS IN ANAEROBIC SYSTEMS A CRITICAL REVIEW. *J Contam Hydrol*. 1: 1-28.
- MacDonald, JR; Gandolfi, AJ; Sipes, IG. (1983). Cystamine treatment of chemically induced liver injury. *Dev Toxicol Environ Sci*. 11: 463-466.
- MacDonald, JR; Gandolfi, AJ; Sipes, IG. (1986). Amelioration of carbon tetrachloride-induced hepatic necrosis by post-toxicant treatment with cystamine. *Toxicology*. 39: 135-148.
- MacDonald, JR; Thayer, KJ; Smuckler, EA. (1987). Isolation and maintenance of monolayer hepatocytes from the livers of toxin-treated rats. *Exp Mol Pathol*. 46: 64-77.
- MacDonald, LP; Skinner, DJ; Hopton, FJ; Thomas, GH. (1977). Burning Waste Chlorinated Hydrocarbons in a Cement Kiln. *Technology Development Report EPS 4-WP-77-2*, Environmental Protection Service, Fisheries and Environment Canada, Ottawa, Canada, March, 1977, 223 p, 31 fig, 66 tab, 28 ref, 9 append.
- MacDonald-Wicks, LK; Garg, ML. (2002). Modulation of carbon tetrachloride-induced oxidative stress by dietary fat in rats. *J Nutr Biochem*. 13: 87-95.
- MacDonald-Wicks, LK; Garg, ML. (2003). Vitamin E supplementation in the mitigation of carbon tetrachloride induced oxidative stress in rats. *J Nutr Biochem*. 14: 211-218.
- MacEwen, JD; Geckler, RP. (1966). Comparative toxicity studies on animals exposed continuously for periods up to 90 days to NO₂, O₃, and CCl₄ in ambient air vs. 5 psia 100 per cent oxygen atmosphere. *AMRL-TR-66-120*. Amrl Tr.
- Machado, FD; Kuo, J; Wohlenberg, MF; Frusciante, MD; Freitas, M; Oliveira, AS; Andrade, RB; Wannmacher, CMD; Dani, C; Funchal, C. (2016). Subchronic treatment with acai frozen pulp prevents the brain oxidative damage in rats with acute liver failure. *Metab Brain Dis*. 31: 1427-1434.
- Machado, FD; Marinho, JP; Abujamra, AL; Dani, C; Quincozes-Santos, A; Funchal, C. (2015). Carbon Tetrachloride Increases the Pro-inflammatory Cytokines Levels in Different Brain Areas of Wistar Rats: The Protective Effect of Acai Frozen Pulp. *Neurochem Res*. 40: 1976-1983.
- Mackinnon, M; Clayton, C; Plummer, J; Ahern, M; Cmielewski, P; Ilsley, A; Hall, P. (1995). Iron overload facilitates hepatic fibrosis in the rat alcohol/low-dose carbon tetrachloride model. *Hepatology (Baltimore, Md)*. 21: 1083-1088.
- Mackinnon, M; Hall, P. (1981). Plasma clearance of intravenous chenodeoxycholic acid in rabbits with varying severity of hepatocellular necrosis. *Hepatology (Baltimore, Md)*. 1: 325-328.
- Macmahon, HE; Weiss, S. (1929). Carbon Tetrachloride Poisoning with Macroscopic Fat in the Pulmonary Artery. *Am J Pathol*. 5: 623-630 623.
- Madeira, F; Quina, M; Sanguino, JC. (1972). Quantitative hepatic cytology. Experimental study. *Digestion*. 7: 165-173.
- Madhu, P; Reddy, KP; Reddy, PS. (2015). Melatonin reduces oxidative stress and restores mitochondrial function in the liver of rats exposed to chemotherapeutics. *Journal of Experimental Zoology Part a-Ecological Genetics and Physiology*. 323: 301-308.
- Madhusudhan, G; Reddy, GO; Ramanatham, J; Dubey, PK. (2003). Stereoselective synthesis of anti-2-oxazolidinones by Ph(3)P-CCl(4)-Et(3)N mediated S(N)2 cyclization of N-Boc-beta-amino alcohols. *Tetrahedron Letters*. 44: 6323-6325.
- Madubuny, II; Obi, SKC; Nwebude, NI; Chime, AB. Antihepatotoxic and antimicrobial activities of *Harungana madagascariensis* leaf extracts. *International journal of pharmacognosy : a journal of crude drug research*. June 1995. v. 33 (2): 129-134.
- Madubunyi, II; Asuzu, IU. Pharmacological screening of *Anthocleista nobilis* root bark. *International journal of pharmacognosy : a journal of crude drug research*. Jan 1996. v. 34 (1): 28-33.
- Madubunyi, II; Njoku, CJ; Ibeh, EO; Chime, AB. Antihepatotoxic and trypanocidal effects of the root bark extract of *Uvaria chamae*. *International journal of pharmacognosy : a journal of crude drug research*. Jan 1996. v. 34 (1): 34-40.
- Magdaleno, F; Arriazu, E; de Galarreta, MR; Chen, Y; Ge, XD; de la Rosa, LC; Nieto, N. (2016). Cartilage oligomeric matrix protein participates in the pathogenesis of liver fibrosis. *J Hepatol*. 65: 963-971.

Environmental Hazard Literature Search Results

Off Topic

- Mager, J; Bornstein, S; Halbreich, A. (1965). Enhancement of the polyuridylic acid-directed phenylalanine polymerization in liver-microsome preparations from rats treated with carbon tetrachloride or dimethylnitrosamine. *Biochimica et Biophysica Acta (BBA) - Nucleic Acids and Protein Synthesis*. 95: 682-684.
- Mager, J; Halbreich, A; Bornstein, S. (1965). Antidotal effect of aminoacetonitrile against the biochemical injury of the microsomal amino-acid incorporating system induced in vivo by carbon tetrachloride or dimethylnitrosamine. *Biochem Biophys Res Commun*. 18: 576-581.
- Maggio, MB; Fujimoto, JM. (1966). Effect of carbon tetrachloride on distribution of sulfobromophthalein in plasma and liver of mice. *Toxicol Appl Pharmacol*. 9: 309-318.
- Magnino, F; Busenlechner, D; Huber, CD; Vasak, C; Dobsak, A; Gruber, R; Watzek, G. (1999). Sinus augmentation analysis revised: the gradient of graft consolidation. *Hepatology (Baltimore, Md)*. 30: 1018-1026.
- Magos, L; Snowden, R; White, IN; Butler, WH; Tuffery, AA. (1982). Isotoxic oral and inhalation exposure of carbon tetrachloride in Porton-Wistar and Fischer rats. *Journal of applied toxicology : JAT*. 2: 238-240.
- Magus, RD; Fouts, JR. (1968). Inhibition of tryptophan pyrrolase induction by carbon tetrachloride in rats. *Mol Pharmacol*. 4: 465-470.
- Maher, JJ. (1991). HEPATOCYTE GROWTH FACTOR MRNA IS LOCALIZED PRIMARILY IN LIPOCYTES IN NORMAL RAT LIVER AND INCREASES IN RESPONSE TO CARBON TETRACHLORIDE. 42nd Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 14.
- Mahesh, A; Jeyachandran, R; Cindrella, L; Thangadurai, D; Veerapur, VP; Muralidhara Rao, D. (2010). Hepatocurative potential of sesquiterpene lactones of *Taraxacum officinale* on carbon tetrachloride induced liver toxicity in mice. *Acta Biol Hung*. 61: 175-190.
- Mahesh, A; Jeyachandran, R; Cindrella, L; Thangadurai, D; Veerapur, VP; Rao, DM. (2010). HEPATOCURATIVE POTENTIAL OF SESQUITERPENE LACTONES OF TARAXACUM OFFICINALE ON CARBON TETRACHLORIDE INDUCED LIVER TOXICITY IN MICE. *Acta Biol Hung*. 61: 175-190.
- Maheshwari, H; Agarwal, R; Patil, C; Katare, OP. (2003). Preparation and pharmacological evaluation of silibinin liposomes. *Arzneimittel-Forschung-Drug Research*. 53: 420-427.
- Maheshwari, HB; Kumar, S. (1974). Effect of splenectomy on acute hepatic injury by carbon tetrachloride in albino rats. *Indian J Exp Biol*. 12: 382-384.
- Maheshwari, P; Baburao, B; Reddy, AR. (2012). Hepatoprotective activity of methanolic extract of *Hiptage bengalensis* leaves against CCl₄-induced hepatotoxicity in rats. *Toxicol Mech Meth*. 22: 483-487.
- Mahieu, P; Geubel, A; Rahier, J; Scailteur, V; Dieryck, JP; Lauwerys, R. (1983). Potentiation of carbon-tetrachloride hepato-nephrotoxicity by phenobarbital in man, a case report. *International Journal of Clinical Pharmacology Research*. 111: 427-430.
- Mahler, JF; Price, HC; O'Connor, RW; Wilson, RE; Eldridge, S; Moorman, MP; Morgan, DL. (1999). Characterization of hepatocellular resistance and susceptibility to styrene toxicity in B6C3F1 mice. *Toxicol Sci*. 48: 123-133.
- Mahmoodi, M; Khosroshahi, ME; Atyabi, F. (2011). Dynamic study of PLGA/CS nanoparticles delivery containing drug model into phantom tissue using CO₂ laser for clinical applications. *Journal of biophotonics*. 4: 403-414.
- Mahmoud, AM. (2014). Hesperidin protects against cyclophosphamide-induced hepatotoxicity by upregulation of PPAR gamma and abrogation of oxidative stress and inflammation. *Can J Physiol Pharmacol*. 92: 717-724.
- Mahmoud, KZ; Hijazi, AA. (2007). Effect of vitamin A and/or E on plasma enzymatic antioxidant systems and total antioxidant capacity of broiler chickens challenged with carbon tetrachloride. *J Anim Physiol Anim Nutr (Berl)*. 91: 333-340.
- Mahon, DC; Nair, KK; Oloffs, PC. DNA in rat hepatocyte nuclei: effects of treatment with low levels of carbon tetrachloride and (or) chlordane. *Can J Zool*. May 1979. v. 57 (5): 1003-1009 ill.
- Mahon, DC; Oloffs, PC. (1979). Effects of sub-chronic low-level dietary intake of chlordane on rats with cirrhosis of the liver. *Journal of environmental science and health Part B, Pesticides, food contaminants, and agricultural wastes*. 14: 227-245.
- Mahon, DC; Oloffs, PC; Hardwick, DF. Interactions, in rats, between CCl₄-induced liver cirrhosis and chronic treatment with the organochlorine insecticide chlordane. *Clin Biochem*. Aug 1978. v. 11 (4): 135-138 ill.
- Mahran, LG; El-Khatib, AS; Agha, AM; Khayyal, MT. (1996). The protective effect of aqueous propolis extract on isolated rat hepatocytes against carbon tetrachloride toxicity. *Drugs Under Experimental and Clinical Research*. 22: 309-316.
- Maier, Gn; Reisenauer, HP; Hu, J; Hess Jr, BA; Schaad, LJ. (1989). Photoisomerisierung von tetrachlormethan in einer argon-matrix. *Tetrahedron Letters*. 30: 4105-4108.
- Maithreepala, RA; Doong, R-a. (2009). Transformation of carbon tetrachloride by biogenic iron species in the presence of *Geobacter sulfurreducens* and electron shuttles. *J Hazard Mater*. 164: 337-344.
- Maithreepala, RA; Doong, RA. (2004). Enhanced remediation of carbon tetrachloride by Fe(II)-Fe(III) systems in the presence of copper ions. *Water Science and Technology*. 50: 161-168.
- Maithreepala, RA; Doong, RA. (2004). Enhanced remediation of carbon tetrachloride Fe(II)-Fe(III) systems in the presence of copper ions. *Water Science & Technology*. 50: 161-168.
- Maithreepala, RA; Doong, RA. (2004). Reductive dechlorination of carbon tetrachloride in aqueous solutions containing ferrous and copper ions. *Environmental Science & Technology*. 38: 6676-6684.
- Maithreepala, RA; Doong, RA. (2004). Synergistic effect of copper ion on the reductive dechlorination of carbon tetrachloride by surface-bound Fe(II) associated with goethite. *Environmental Science & Technology*. 38: 260-268.
- Maithreepala, RA; Doong, RA. (2005). Enhanced dechlorination of chlorinated methanes and ethenes by chloride green rust in the presence of copper(II). *Environmental Science & Technology*. 39: 4082-4090.
- Maithreepala, RA; Doong, RA. (2008). Effect of biogenic iron species and copper ions on the reduction of carbon tetrachloride under iron-reducing conditions. *Chemosphere*. 70: 1405-1413.

Environmental Hazard Literature Search Results

Off Topic

- Maiti, K; Mukherjee, K; Gantait, A; Saha, BP; Mukherjee, PK. (2006). Enhanced therapeutic potential of naringenin-phospholipid complex in rats. *J Pharm Pharmacol.* 58: 1227-1233.
- Maiti, K; Mukherjee, K; Gantait, A; Saha, BP; Mukherjee, PK. (2007). Curcumin-phospholipid complex: Preparation, therapeutic evaluation and pharmacokinetic study in rats. *Int J Pharm.* 330: 155-163.
- Maiti, K; Mukherjee, K; Gantait, A; Saha, BP; Mukherjee, PK. (2007). Curcumin-phospholipid complex: Preparation, therapeutic evaluation and pharmacokinetic study in rats. *Int J Pharm.* 330: 155-163.
- Maiti, K; Mukherjee, K; Murugan, V; Saha, BP; Mukherjee, PK. (2009). Exploring the effect of Hesperetin-HSPC complex--a novel drug delivery system on the in vitro release, therapeutic efficacy and pharmacokinetics. *AAPS PharmSciTech.* 10: 943-950.
- Maiti, K; Mukherjee, K; Murugan, V; Saha, BP; Mukherjee, PK. (2010). Enhancing bioavailability and hepatoprotective activity of andrographolide from *Andrographis paniculata*, a well-known medicinal food, through its herbosome. *J Sci Food Agric.* 90: 43-51.
- Maitra, U; Rao, P; Kumar, V; Balasubramanian, R; Mathew, L. (1998). Solvent effect in molecular recognition: Determining binding constants in different solvents following an extraction based protocol. *Tetrahedron Letters.* 39: 3255-3258.
- Majewski, C; Wysocki, K; Owczarek, L; Kurnatowska, A; GÅłrski, S. (1966). Metabolism of radioactive zinc in the liver damaged with carbon tetrachloride. II. Autoradiographic studies. *Acta medica Polona.* 7: 245-252.
- Major, MD. (1989). An examination of the organization of block copolymer containing systems by fluorescence spectroscopy. PhD, Northwestern University.
- Mak, DHF; Ip, SP; Li, PC; Poon, MKT; Ko, KM. Effects of Schisandrin B and alpha-tocopherol on lipid peroxidation, in vitro and in vivo. *Mol Cell Biochem.* Dec 20, 1996. v. 165 (2): 161-165.
- Mak, DHF; Ko, KM. (1997). Alterations in susceptibility to carbon tetrachloride toxicity and hepatic antioxidant/detoxification system in streptozotocin-induced short-term diabetic rats: Effects of insulin and schisandrin B treatment. *Mol Cell Biochem.* 175: 225-232.
- Mak, FT; Zele, SR; Cooper, WJ; Kurucz, CN; Waite, TD; Nickelsen, MG. (1997). Kinetic modeling of carbon tetrachloride, chloroform and methylene chloride removal from aqueous solution using the electron beam process. *Water Res.* 31: 219-228.
- Makarov, VA; Rekkandt, SA; Leontyeva, TP; Bondarenko, OL. (1984). Acetylation of sulfanilamide substances during toxic injury to the liver. *FARMAKOL TOKSIKOL60-63.*
- Makhijani, A; Gurney, KR. (1995). MENDING THE OZONE HOLE SCIENCE TECHNOLOGY AND POLICY. Makhijani, A And K R Gurney Mending The Ozone Hole: Science, Technology, And Policy Xii+355p Mit Press: Cambridge, Massachusetts, Usa. 0.
- Maki, Y; Takeshita, M; Miyata, S; Tanaka, S. (1964). OBSERVATIONS ON ENZYMES IN CARBON TETRACHLORIDE FATTY LIVER. *The Kumamoto medical journal.* 17: 153-158.
- Maki, Y; Takeshita, M; Miyata, S; Tanaka, S. (1965). Studies on tryptophan pyrrolase in carbon tetrachloride induced fatty liver. Tryptophan pyrrolase activity as a measure of the therapeutic effect of drugs on hepatic injury. *The Kumamoto medical journal.* 18: 113-120.
- Makni, M; Chtourou, Y; Barkallah, M; Fetoui, H. (2012). Protective effect of vanillin against carbon tetrachloride (CCl₄)-induced oxidative brain injury in rats. *Toxicol Ind Health.* 28: 655-662.
- Makni, M; Chtourou, Y; Fetoui, H; Garoui, E; Boudawara, T; Zeghal, N. (2011). Evaluation of the antioxidant, anti-inflammatory and hepatoprotective properties of vanillin in carbon tetrachloride-treated rats. *Eur J Pharmacol.* 668: 133-139.
- Makni, M; Chtourou, Y; Fetoui, H; Garoui, eM; Barkallah, M; Marouani, C; Kallel, C; Zeghal, N. (2012). Erythrocyte oxidative damage in rat treated with CCl₄: protective role of vanillin. *Toxicol Ind Health.* 28: 908-916.
- Makogon, NV; Lushnikova, IV; Korneitchuk, AN; Alexeyeva, IN. (1998). Effects of nordihydroguaiaretic acid and indomethacin on the viability and functional activities of normal and carbon tetrachloride-injured rat hepatocytes cultured alone and with Kupffer cells. *Acta physiologica et pharmacologica Bulgarica.* 23: 33-38.
- Makotchenko, VG; Grayfer, ED; Nazarov, AS; Kim, S-J; Fedorov, VE. (2011). The synthesis and properties of highly exfoliated graphites from fluorinated graphite intercalation compounds. *Carbon.* 49: 3233-3241.
- Maksimovic, Z; Kovacevic, N; Lakusic, B; Cebovic, T. (2011). Antioxidant Activity of Yellow Dock (*Rumex crispus* L., Polygonaceae) Fruit Extract. *Phytother Res.* 25: 101-105.
- Malachowsky, KJ; Phelps, TJ; Teboli, AB; Minnikin, DE; White, DC. (1994). Aerobic mineralization of trichloroethylene, vinyl chloride, and aromatic compounds by *Rhodococcus* species. *Appl Environ Microbiol.* 60: 542-548.
- Malamed, S; Weissman, J. (1966). Failure of certain inhibitors to prevent absorbance decreases of mitochondrial suspensions induced by hypotonicity and carbon tetrachloride. *Biochimica et Biophysica Acta (BBA) - Enzymology and Biological Oxidation.* 128: 181-183.
- Maldonado, V; Chan, L; Meléndez, J. Regulation of apo B mRNA expression in liver and intestine during liver regeneration induced by CCl₄.
- Maldotti, A; Andreotti, L; Molinari, A; Carassiti, V. (1999). Photochemically driven models of oxygenases based on the use of iron porphyrins. *J Biol Inorg Chem.* 4: 154-161.
- Malendowicz, L. (1968). Cytological and cytochemical studies of the proximal tubule of the nephron of rats treated with oestrogens, androgens, and carbon tetrachloride. *Folia histochemica et cytochemica.* 6: 281-295.
- Malendowicz, LK; Colby, HD. (1982). Effects of Carbon Tetrachloride on Adrenocortical Function in Rats. *Toxicol Appl Pharmacol.* 65: 32-37.
- Maling, HM; Eichelbaum, FM; Saul, W; Sipes, IG; Brown, EA; Gillette, JR. (1974). Nature of the protection against carbon tetrachloride-induced hepatotoxicity produced by pretreatment with dibenamine (N-(2-chloroethyl)dibenzylamine). *Biochem Pharmacol.* 23: 1479-1491.
- Maling, HM; Frank, A; Horning, MG. (1962). Effect of carbon tetrachloride on hepatic synthesis and release of triglycerides. *Biochim Biophys Acta.* 64: 540-545.
- Maling, HM; Highman, B; Williams, MA; Saul, W; Butler, WM, Jr.; Brodie, BB. (1974). Reduction by pretreatment with dibenamine of hepatotoxicity induced by carbon tetrachloride, thioacetamide or dimethylnitrosamine. *Toxicol Appl Pharmacol.* 27: 380-394.

Environmental Hazard Literature Search Results

Off Topic

- Maling, HM; Stripp, B; Sipes, IG; Highman, B; Saul, W; Williams, MA. (1975). Enhanced hepatotoxicity of carbon tetrachloride, thioacetamide, and dimethylnitrosamine by pretreatment of rats with ethanol and some comparisons with potentiation by isopropanol. *Toxicol Appl Pharmacol.* 33: 291-308.
- Maling, HM; Wakabayashi, M; Horning, MG. (1963). ALTERATIONS IN HEPATIC LIPID BIOSYNTHETIC PATHWAYS AFTER ETHANOL, ETHIONINE AND CARBON TETRACHLORIDE. *Advances in enzyme regulation.* 1: 247-257.
- Malkin, R; Martinez, K; Marinovich, V; Wilcox, T; Wall, D; Biagini, R. (1998). The relationship between symptoms and IgG and IgE antibodies in an office environment. *Environ Res.* 76: 85-93.
- Mallat, A; Lotersztajn, S. (2011). The liver X receptor in hepatic stellate cells: A novel antifibrogenic target? *J Hepatol.* 55: 1452-1454.
- Mallet, L; Foliot, A; Amat, D; Mignot, J; Celier, C; Petite, JP. (1981). The Degree of Hepatic Enzyme Induction Might Be Related to the Amount of Hepatic Fibrosis in Rats Chronically Intoxicated by CCl₄. *Gastroenterol Clin Biol.* 5: 572-576.
- Mallett, AK; Walters, DG; Rowland, IR. (1988). Protein-related differences in the excretion of nitrosoproline and nitrate by the rat--possible modification of de novo nitrate synthesis. *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association.* 26: 831-835.
- Mallia, VA; Butler, PD; Sarkar, B; Holman, KT; Weiss, RG. (2011). Reversible Phase Transitions within Self-Assembled Fibrillar Networks of (R)-18-(n-Alkylamino)octadecan-7-ols in Their Carbon Tetrachloride Gels. *J Am Chem Soc.* 133: 15045-15054.
- Maltoni, C; Minardi, F; Soffritti, M; Lefemine, G. (1991). LONG-TERM CARCINOGENICITY BIOASSAYS ON INDUSTRIAL CHEMICALS AND MAN-MADE MINERAL FIBERS AT THE BENTIVOGLIO BT LABORATORIES OF THE BOLOGNA INSTITUTE OF ONCOLOGY PREMISES PROGRAMS AND RESULTS. *Ixth Uoeh.* 7: 63-94.
- Maltoni, C; Prodi, G. (1959). Effect of cirrhogenic treatment with carbon tetrachloride on the development of liver neoplasia in rats fed with butter-yellow (p-dimethylaminoazobenzene). *Acta - Unio Internationalis Contra Cancrum.* 15: 191-195.
- Malveau, C; Diter, B; Humbert, F; Canet, D. (1998). Self-diffusion measurements by carbon-13 NMR using radiofrequency field gradients. *J Magn Reson.* 130: 131-134.
- Ma-Ma, K; Nyunt, N; Tin, KM. (1978). The protective effect of *Eclipta alba* on carbon tetrachloride-induced acute liver damage. *Toxicol Appl Pharmacol.* 45: 723-728.
- Manabe, N; Azuma, Y; Sugimoto, M; Tanaka, T; Kiso, N; Yamaguchi, M; Uchio-Yamada, K; Miyamoto, H. (2000). A novel in vivo (31)P-nuclear magnetic resonance technique for assessment of liver failure induced by chlorinated-hydrocarbon in mice. *Biomedical Research-Tokyo.* 21: 317-326.
- Manabe, S; Nuber, D; Lin, YC. (1989). EFFECT OF CHLORDECONE CD ON THE CARBON TETRACHLORIDE-INDUCED ZONAL NECROSIS IN PERFUSED RAT LIVERS. 40th Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, October. 10: 745.
- Manabe, T; Suzuki, T; Honjo, I. (1978). Changes of gastric blood flow in experimentally induced cirrhosis of the liver. *Surgery, gynecology & obstetrics.* 147: 753-757.
- Manahan, SE. (1990). HAZARDOUS WASTE CHEMISTRY TOXICOLOGY AND TREATMENT. Manahan, S E Hazardous Waste Chemistry, Toxicology And Treatment Xiii+378p Lewis Publishers, Inc: Chelsea, Michigan, Usa Illus Isbn. 0.
- Manautou, JE; Silva, VM; Henning, GE; Whiteley, HE. (1998). Repeated dosing with the peroxisome proliferator clofibrate decreases the toxicity of model hepatotoxic agents in male mice. *Toxicology.* 127: 1-10.
- Mancini, R; Jezequel, AM; Bendetti, A; Paolucci, F; Marucci, L; Baroni, GS; Orlandi, F. (1992). A MORPHOMETRIC STUDY ON THE PROLIFERATION OF LIPOCYTES IN EXPERIMENTAL LIVER CIRRHOSIS. *Gentilini, P And M U Dianzani.* 995: 0-444.
- Mancini, RE; Kocsis, JJ. (1974). Dimethylsulfoxide increases the lethality of CCl₄ in rats but decreases its hepatotoxicity. *Toxicol Appl Pharmacol.* 27: 206-209.
- Mancuso, TF. (1955). Industrial poisoning: carbon tetrachloride. *The Ohio State medical journal.* 51: 140.
- Mandal, A; Bandyopadhyay, S; Chatterjee, M. (1997). *Trianthema portulacastrum* L. reverses hepatic lipid peroxidation, glutathione status and activities of related antioxidant enzymes in carbon tetrachloride-induced chronic liver damage in mice. *Phytomedicine : international journal of phytotherapy and phytopharmacology.* 4: 239-244.
- Mandal, A; Bishayee, A; Chatterjee, M. *Trianthema portulacastrum* affords antihepatotoxic activity against carbon tetrachloride-induced chronic liver damage in mice: reflection in subcellular levels. *Phytotherapy research : PTR.* May 1997. v. 11 (3): 216-221.
- Mandal, A; Karmakar, R; Bandyopadhyay, S; Chatterjee, M. (1998). Antihepatotoxic potential of *Trianthema portulacastrum* in carbon tetrachloride-induced chronic hepatocellular injury in mice: Reflection in haematological, histological and biochemical characteristics. *Arch Pharm Res.* 21: 223-230.
- Mandal, AK; Das, N. (2005). Sugar coated liposomal flavonoid: A unique formulation in combating carbontetrachloride induced hepatic oxidative damage. *J Drug Target.* 13: 305-315.
- Mandal, AK; Sinha, J; Mandal, S; Mukhopadhyay, S; Das, N. (2002). Targeting of liposomal flavonoid to liver in combating hepatocellular oxidative damage. *Drug Deliv.* 9: 181-185.
- Mandal, PK; Bishayee, A; Chatterjee, M. Stimulation of tissue repair by *Mikania cordata* root extract in carbon tetrachloride-induced liver injury in mice. *Phytotherapy research : PTR.* Jan/Feb 1993. v. 7 (1): 103-105.
- Mandal, PK; Bishayee, A; Chatterjee, M. (1992). Stimulation of hepatic protein synthesis in response to *Mikania cordata* root extract in carbon tetrachloride-induced hepatotoxicity in mice. *The Italian journal of biochemistry.* 41: 345-351.
- Mandal, PK; Bishayee, A; Mukherjee, JR; Chatterjee, M. *Mikania cordata* root extract in the inhibition of lipid peroxidation and reduction of enzyme leakage in mice with carbon tetrachloride induced liver damage. *Phytotherapy research : PTR.* July/Aug 1992. v. 6 (4): 227-229.

Environmental Hazard Literature Search Results

Off Topic

- Mandal, SC; Maity, TK; Das, J; Pal, M; Saha, BP. (1999). Hepatoprotective activity of *Ficus racemosa* leaf extract on liver damage caused by carbon tetrachloride in rats. *Phytother Res.* 13: 430-432.
- Manju, M; Akbarsha, MA; Oommen, OV. (2012). In vivo protective effect of dietary curcumin in fish *Anabas testudineus* (Bloch). *Fish Physiol Biochem.* 38: 309-318.
- Manju, M; Sherin, TG; Rajeesha, KN; Sreejith, P; Rajasekharan, KN; Oommen, OV. (2008). Curcumin and its derivatives prevent hepatocyte lipid peroxidation in *Anabas testudineus*. *J Fish Biol.* 73: 1701-1713.
- Manjunatha, BK; Vidya, SM; Dhiman, P; Pallavi, R; Mankani, KL. (2005). Hepatoprotective activity of *Leucas hirta* against CCl₄ induced hepatic damage in rats. *Indian J Exp Biol.* 43: 722-727.
- Mann, J; Chu, DCK; Maxwell, A; Oakley, F; Zhu, NL; Tsukamoto, H; Mann, DA. (2010). MeCP2 Controls an Epigenetic Pathway That Promotes Myofibroblast Transdifferentiation and Fibrosis. *Gastroenterology.* 138: 705-NIL_374.
- Manna, P; Sinha, M; Sil, PC. (2006). Aqueous extract of *Terminalia arjuna* prevents carbon tetrachloride induced hepatic and renal disorders. *BMC Complement Altern Med.* 6: 33.
- Mannaerts, I; Eysackers, N; Onyema, OO; Van, BK; Valente, S; Mai, A; Odenthal, M; van, GLA. (2013). Class II HDAC inhibition hampers hepatic stellate cell activation by induction of microRNA-29. *PLoS ONE.* 8: e55786.
- Mannheimer, EG; Carv, CAB. Bone marrow cells obtained from cirrhotic rats do not improve function or reduce fibrosis in a chronic liver disease model.
- Manno, M; Bertazzon, A; Burlina, A; Galzigna, L. (1985). Interaction of low doses of ionizing radiation and carbon tetrachloride on liver superoxide dismutase and glutathione peroxidase in mice. *Enzyme.* 34: 107-112.
- Manno, M; de Matteis, F; King, LJ. (1988). The mechanism of the suicidal, reductive inactivation of microsomal cytochrome P-450 by carbon tetrachloride. *Biochem Pharmacol.* 37: 1981-1990.
- Manno, M; King, LJ; De, MATTEISF. (1986). THE SUICIDAL REDUCTIVE ACTIVATION OF CARBON TETRACHLORIDE BY PROTOHEME. Benford, D J, J W Bridges And G G Gibson. 0: 452-455.
- Manno, M; King, LJ; De, MF. (1989). The degradation of haem by carbon tetrachloride: metabolic activation requires a free axial coordination site on the haem iron and electron donation. *Xenobiotica; the fate of foreign compounds in biological systems.* 19: 1023-1035.
- Manno, M; Rezzadore, M. (1994). Critical role of ethanol abuse in carbon tetrachloride poisoning. *Lancet (London, England).* 343: 232.
- Mano, Y; Tsukada, H; Kurihara, T; Nomura, M; Yokogawa, K; Miyamoto, K. (2006). Development of dosage design of hepatic metabolizing drugs using serum albumin level in chronic hepatic failure. *Biological & Pharmaceutical Bulletin.* 29: 1692-1699.
- Manojlovic, Z; Blackmon, J; Stefanovic, B. (2013). Tacrolimus (FK506) prevents early stages of ethanol induced hepatic fibrosis by targeting LARP6 dependent mechanism of collagen synthesis. *PLoS ONE.* 8: e65897.
- Mansour, MA. (2000). Protective effects of thymoquinone and desferrioxamine against hepatotoxicity of carbon tetrachloride in mice. *Life Sci.* 66: 2583-2591.
- Mansour, MA; Ginawi, OT; El-Hadiyah, T; El-Khatib, AS; Al-Shabanah, OA; Al-Sawaf, HA. (2001). Effects of volatile oil constituents of *Nigella sativa* on carbon tetrachloride-induced hepatotoxicity in mice: evidence for antioxidant effects of thymoquinone. *Res Commun Mol Pathol Pharmacol.* 110: 239-251.
- Mansuy, D; Fontecave, M; Chottard, JC. (1980). A heme model study of carbon tetrachloride metabolism: mechanisms of phosgene and carbon dioxide formation. *Biochem Biophys Res Commun.* 95: 1536-1542.
- Mantawy, EM; Tadros, MG; Awad, AS; Hassan, DAA; El-Demerdash, E. (2012). Insights antifibrotic mechanism of methyl palmitate: Impact on nuclear factor kappa B and proinflammatory cytokines. *Toxicol Appl Pharmacol.* 258: 134-144.
- Manwaring, JF; Van Den Berg, LA; Faust, B. (1980). EPA Puts Emergency Water Provisions into Action. *Water and Wastes Engineering Vol 17, No 4, p 40, 42-44, April, 1980.*
- Mar, Mn-CML; Sakai, K; Jawaid, S; Sasaki, T; Bou-Gharios, G; Sakai, T. (2012). Transforming growth factor- β -independent role of connective tissue growth factor in the development of liver fibrosis. *Hepatology (Baltimore, Md).* 56: 1870-1882.
- Maranhão, HM; Vascon, VCF; Rolim, LA; Neto, PJ; Neto, JC; Filho, RC; Fernandes, MP. Hepatoprotective effect of the aqueous extract of *Simarouba amara* Aublet (*Simaroubaceae*) stem bark against carbon tetrachloride (CCl₄)-induced hepatic damage in rats.
- Marchand, C; McLean, S; Plaa, GL. (1970). The effect of SKF 525A on the distribution of carbon tetrachloride in rats. *The Journal of pharmacology and experimental therapeutics.* 174: 232-238.
- Marchand, C; McLean, S; Plaa, GL; Traiger, G. (1971). Protection by 2-diethylaminoethyl-2,2-diphenylvalerate hydrochloride against carbon tetrachloride hepatotoxicity. A possible mechanism of action. *Biochem Pharmacol.* 20: 869-875.
- Marchand, M; Caprais, JC; Pignet, P. (1988). HYDROCARBONS AND HALOGENATED HYDROCARBONS IN COASTAL WATERS OF THE WESTERN MEDITERRANEAN FRANCE. *Mar Environ Res.* 25: 131-159.
- Marchishin, SM. (1983). Efficacy of phenolic compounds of *Arnica* in toxic liver injury. *Pharmacology & Toxicology.* 46: 102-106.
- Mardashev, SR; Burobin, VA. (1964). DETECTION OF UROCANASE IN THE BLOOD IN CARBON TETRACHLORIDE POISONING. *Federation proceedings Translation supplement; selected translations from medical-related science.* 23: 15-16.
- Marek, CJ; Tucker, SJ; Konstantinou, DK; Elrick, LJ; Haefner, D; Sigalas, C; Murray, GI; Goodwin, B; Wright, MC. (2005). Pregnenolone-16 alpha-carbonitrile inhibits rodent liver fibrogenesis via PXR (pregnane X receptor)-dependent and PXR-independent mechanisms. *Biochem J.* 387: 601-608.
- Maria, S; Stoffelbach, F; Mata, J; Daran, JC; Richard, P; Poli, R. (2005). The radical trap in atom transfer radical polymerization need not be thermodynamically stable. A study of the MoX(3)(PMe(3))(3) catalysts. *J Am Chem Soc.* 127: 5946-5956.
- Mariani, MF; DeFeo, B; Thomas, L; Schisselbauer, JC; Van Rossum, GDV. (1991). Effects of chlorinated hydrocarbons on cellular volume regulation in slices of rat liver. *Toxicol In Vitro.* 5: 311-323.

Environmental Hazard Literature Search Results

Off Topic

- Marie, PJ; Li, XX; Zheng, QC; Wang, Y; Zhang, HX. (2013). Theoretical insights into the reductive metabolism of CCl₄ by cytochrome P450 enzymes and the CCl₄-dependent suicidal inactivation of P450. *PLoS ONE*. 8(2013); 8: e55034.
- Marini, S; Longo, V; Mazzaccaro, A; Gervasi, PG. (1998). Xenobiotic-metabolizing enzymes in pig nasal and hepatic tissues. *Xenobiotica; the fate of foreign compounds in biological systems*. 28: 923-935.
- Marino, G; Piazzese, E; Gruttadauria, S; Nicotra, G; Guarnaccia, M; Emmanuele, G; Bartoloni, G; Messina, A; Travali, S; Famulari, C; Gruttadauria, G. (2006). New model of liver regeneration induced through use of vascular endothelial growth factor. *Transplant Proc*. 38: 1193-1194.
- Marinovich, M; Flaminio, LM; Papagni, M; Galli, CL. (1986). EVALUATION OF THE CYTOPROTECTIVE EFFECT OF NATURAL AND SYNTHETIC PROSTAGLANDINS IN CARBON TETRACHLORIDE INDUCED LIVER CELL DAMAGE. *Samuelsson, B, R Paoletti And P W Ramwell*. 0: 1094-1097.
- Marinovich, M; Flaminio, LM; Papagni, M; Galli, CL. (1987). Evaluation of the cytoprotective effect of natural and synthetic prostaglandins in CCl₄-induced liver cell damage. *Advances in prostaglandin, thromboxane, and leukotriene research*. 17B: 1094-1097.
- Marinovich, M; Flaminio, LM; Papagni, M; Galli, CL. (1989). STIMULATION OF ARACHIDONIC ACID METABOLISM BY CARBON TETRACHLORIDE IN ISOLATED RAT HEPATOCYTES. *Prostaglandins*. 37: 23-32.
- Marinovich, M; Lorenzo, JL; Flaminio, LM; Granata, A; Galli, CL. The hep G2 cell line as a possible alternative to isolated hepatocytes in cytotoxicity studies. *Alternatives to laboratory animals : ATLA*. Sept 1988. v. 16 (1): 16-22.
- Markwiese, JT; Tiller, B; Rytj, RT; Bauer, R. (2008). Using artificial burrows to evaluate inhalation risks to burrowing mammals. *Integr Environ Assess Manag*. 4: 425-430.
- Marquardt, JU; Seo, D; Gomez-Quiroz, LE; Uchida, K; Gillen, MC; Kitade, M; Kaposi-Novak, P; Conner, EA; Factor, VM; Thorgeirsson, SS. (2012). Loss of c-Met accelerates development of liver fibrosis in response to CCl₄ exposure through deregulation of multiple molecular pathways. *Biochimica Et Biophysica Acta-Molecular Basis of Disease*. 1822: 942-951.
- Marques, TG; Chaib, E; da, FJH; Lourenço, AC. Review of experimental models for inducing hepatic cirrhosis by bile duct ligation and carbon tetrachloride injection.
- Marquez-Aguirre, AL; Armendáriz-Borunda, J; Zhang, TT; Xu, XL; Jiang, MH; Jiang, JG. (2011). Hepatoprotective function of *Penthorum chinense* Pursh. *Redox report : communications in free radical research*. 4: 1581-1585.
- Marra, F; DeFranco, R; Grappone, C; Parola, M; Milani, S; Leonarduzzi, G; Pastacaldi, S; Wenzel, UO; Pinzani, M; Dianzani, MU; Laffi, G; Gentilini, P. (1999). Expression of monocyte chemoattractant protein-1 precedes monocyte recruitment in a rat model of acute liver injury, and is modulated by vitamin E. *J Investig Med*. 47: 66-75.
- Marroni, N; Ozturk, F; Ucar, M; Ozturk, IC; Vardi, N; Batcioglu, K. (2003). Carbon tetrachloride-induced nephrotoxicity and protective effect of betaine in Sprague-Dawley rats. *Dig Dis Sci*. 48: 824-829.
- Marshall, RAG; Pollard, DR. (1970). The reaction of diphenylmercury and carbon tetrachloride at a mercury surface. *Journal of Organometallic Chemistry*. 25: 287-292.
- Marsillach, J; Camp, CJ. Paraoxonase-1 is related to inflammation, fibrosis and PPAR delta in experimental liver disease.
- Marsillach, J; Ferr; Camps, J. Changes in the expression of genes related to apoptosis and fibrosis pathways in CCl₄-treated rats.
- Marsillach, J; Ferr; NCCdRBiom; ddSSJdReCi; naRS; Camps, J; Riu, F. Moderately high folic acid supplementation exacerbates experimentally induced liver fibrosis in rats.
- Mart, CJ; Henke, CB. (1992). Emissions from the incineration of nerve agent rockets containing low-level PCBs. *J Environ Sci Health Part A Environ Sci Eng*. 27: 1549-1575.
- Martínez, M. (1995). Protective effect of colchicine on acute liver damage induced by CCl₄. Role of cytochrome P-450. *Journal of applied toxicology : JAT*.
- Martínez-Chantar, ML; Corrales, FJ; Martínez-CruD, LA; García-Trevijano, ER; Huang, ZZ; Chen, L; Kanel, G; Avila, MA; Mato, JM; Lu, SC. (2002). Spontaneous oxidative stress and liver tumors in mice lacking methionine adenosyltransferase 1A. *FASEB journal : official publication of the Federation of American Societies for Experimental Biology*. 16: 1292-1294.
- Martínez-Mate; nez, LdNm; mica, INdP; a, ISsSCM;DFM; eacu; Camacho-Carranza, R; Espinosa-Aguirre, LdNNmINdP; i, ISCM;DFM;TETETPM; Checkoway, H; Wilcosky, T; Wolf, P; Tyroler, H. (2011). An evaluation of the associations of leukemia and rubber industry solvent exposures. *Experimental and toxicologic pathology : official journal of the Gesellschaft für Toxikologische Pathologie*. 5: 239-249.
- Martin, FM; Beary, ME. (1971). Metabolism in vitro of (4-14C)-androstene-3,17-dione by livers from normal and carbon tetrachloride-poisoned rats. *The Biochemical journal*. 123: 44P-45P.
- Martin, FM; Liddy, CP; Beary, ME. (1971). Metabolism in vitro of (4-14C)-androstene-3,17-dione by subcellular fractions isolated from livers of normal and carbon tetrachloride-poisoned rats. *The Biochemical journal*. 125: 116P.
- Martin, JE. (1991). REGULATORY REQUIREMENTS FOR HAZARDOUS WASTE MEASUREMENTS. *Simmons, M S*. 0: 3-14.
- Martin, P; Ferreira, M; Gammal, SH; Fromm, HC; Jones, EA. (1988). HEPATIC ENCEPHALOPATHY DUE TO CHRONIC LIVER DISEASE THE RAT WITH CARBON TETRACHLORIDE-INDUCED CIRRHOSIS IS AN UNSATISFACTORY MODEL. 39th Annual Meeting And Postgraduate Course Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 8.
- Martin, PY; Ohara, M; Gines, P; Xu, DL; St John, J; Niederberger, M; Schrier, RW. (1998). Nitric oxide synthase (NOS) inhibition for one week improves renal sodium and water excretion in cirrhotic rats with ascites. *J Clin Invest*. 101: 235-242.
- Martin, RJ; Ng, WJ. (1985). CHEMICAL REGENERATION OF EXHAUSTED ACTIVATED CARBON II. *Water Res*. 19: 1527-1536.
- Martin, WB; Dyke, LH, Jr. (1946). Carbon tetrachloride poisoning; a report on one case with necropsy and one nonfatal case with clinical laboratory studies. *Ann Intern Med*. 25: 488-497.

Environmental Hazard Literature Search Results

Off Topic

- Martin-Aragón, S; de, IHB. Pharmacological modification of endogenous antioxidant enzymes by ursolic acid on tetrachloride-induced liver damage in rats and primary cultures of rat hepatocytes.
- Martinez, CM; Alvarez, LH; Cervantes, FJ. (2012). Simultaneous biodegradation of phenol and carbon tetrachloride mediated by humic acids. *Biodegradation*. 23: 635-644.
- Martinez, CM; Celis, LB; Cervantes, FJ. (2013). Immobilized humic substances as redox mediator for the simultaneous removal of phenol and Reactive Red 2 in a UASB reactor. *Appl Microbiol Biotechnol*. 97: 9897-9905.
- Martinez, M; Mourelle, M; Muriel, P. (1995). Protective effect of colchicine on acute liver damage induced by CCl₄. Role of cytochrome P-450. *J Appl Toxicol*. 15: 49-52.
- Martinez-Calva, I; Campos-Apaez, A; Rosales-Vega, E; Mourelle, M. Vitamin E improves membrane lipid alterations induced by CCl₄ intoxication. *J Appl Toxicol*. Oct 1984. v. 4 (5): 270-272.
- Martinez-Hernandez, A. (1985). The hepatic extracellular matrix. II. Electron immunohistochemical studies in rats with CCl₄-induced cirrhosis. *Laboratory investigation; a journal of technical methods and pathology*. 53: 166-186.
- Martinez-Hernandez, A; Martinez, J. (1991). The role of capillarization in hepatic failure: Studies in carbon tetrachloride-induced cirrhosis. *Hepatology*. 14: 864-874.
- Martins, MAP; Emmerich, DJ; Pereira, CMP; Cunico, W; Rossato, M; Zanatta, N; Bonacorso, HG. (2004). Synthesis of new halo-containing acetylenes and their application to the synthesis of azoles. *Tetrahedron Letters*. 45: 4935-4938.
- Maru, A; Pachauri, SP. Evaluation of multiple serum enzymes as indicators of liver pathology in domestic buffaloes (*Bubalus bubalis*). *Indian journal of animal sciences*. July 1985. v. 55 (7): 549-550.
- Marucci, L; Alpini, G; Glaser, SS; Alvaro, D; Benedetti, A; Francis, H; Phinizz, JL; Marziani, M; Mauldin, J; Venter, J. (2003). Taurocholate feeding prevent CCl₄-induced damage of large cholangiocytes through PI3-kinase-dependent mechanism. *Am J Physiol*. 284: G290-G301.
- Marumoto, Y; Terai, S; Urata, Y; Matsumoto, T; Mizunaga, Y; Yamamoto, N; Jin, H; Fujisawa, K; Murata, T; Shinoda, K; Nishina, H; Sakaida, I. (2008). Continuous high expression of XBP1 and GRP78 is important for the survival of bone marrow cells in CCl₄-treated cirrhotic liver. *Biochem Biophys Res Commun*. 367: 546-552.
- Maruyama, H; Amanuma, T; Takashima, Y; Yoshiji, H; Nakae, D; Tsutsumi, M; Tsujiuchi, T; Denda, A; Konishi, Y. (1992). Possible enhancing effect of the immunosuppressive agent, 6-mercaptopurine(6-MP) on focal lesion development in cirrhotic liver induced by carbon tetrachloride but not furfural in F344 rats. *Carcinogenesis*. 13: 1365-1369.
- Maruyama, K; Okazaki, I; Kashiwazaki, K; Funatsu, K; Oda, M; Kamegaya, K; Tsuchiya, M. (1978). Different appearance of hepatic collagenase and lysosomal enzymes in recovery of experimental hepatic fibrosis. *Biochemistry and experimental biology*. 14: 191-201.
- Maruyama, M; Kawabata, K; Kuribayashi, N. (2000). Crystal morphologies and melting curves of CCl₄ at pressures up to 330 MPa. *J Cryst Growth*. 220: 161-165.
- Maruyama, M; Sato, Y; Uchida, Y. (1970). Changes in turnover rates of some enzymes involved in nitrogen metabolism in the rat liver after administration of carbon tetrachloride. *J Biochem*. 68: 811-820.
- Maruyama, T; Ikeo, T; Ueki, M. (1999). A rapid and facile method for the preparation of peptide disulfides. *Tetrahedron Letters*. 40: 5031-5034.
- Maruyama, W; Ichimi, K; Fukui, Y; Yan, J; Zhu, Y; Kamiuntun, H; Omura, T. (1997). The minor outer capsid protein P2 of rice gall dwarf virus has a primary structure conserved with, yet is chemically dissimilar to, rice dwarf virus P2, a protein associated with virus infectivity. *Archives of virology*. 142: 2011-2019.
- Marzec, M; Kuchta, B; Firlej, L. (2007). Adsorption and phase transitions in adsorbed systems: structural properties of CCl₄ layers adsorbed on a graphite surface. *J Mol Model*. 13: 537-542.
- Marzella, L; Muhvich, K; Myers, RA. (1986). Effect of hyperoxia on liver necrosis induced by hepatotoxins. *Virchows Archiv B, Cell pathology including molecular pathology*. 51: 497-507.
- Marzi, A; de, TEG; Castro, JA. (1980). Mechanism of chlorpromazine prevention of carbon tetrachloride-induced liver necrosis. *Toxicol Appl Pharmacol*. 52: 82-88.
- Marzi, A; de, TEG; Castro, JA. (1980). Studies on the prevention of CCl₄ induced liver necrosis by agents having effects on cell membrane. *Res Comm Chem Pathol Pharmacol*. 30: 581-584.
- Marzouk, AM. (2009). Hepatoprotective Triterpenes from Hairy Root Cultures of *Ocimum basilicum* L. *Zeitschrift Fur Naturforschung Section C-a Journal of Biosciences*. 64: 201-209.
- Marzouk, MS; El-Toumy, SA; Moharram, FA; Shalaby, NM; Ahmed, AA. (2002). Pharmacologically active ellagitannins from *Terminalia myriocarpa*. *Planta Med*. 68: 523-527.
- Mas, N; Tasci, I; Comert, B; Ocal, R; Mas, MR. (2008). Ursodeoxycholic acid treatment improves hepatocyte ultrastructure in rat liver fibrosis. *World J Gastroenterol*. 14: 1108-1111.
- Masaki, N; Yamada, S; Ogata, I; Ohta, Y; Fujiwara, K. (1988). Enhancement of carbon tetrachloride-induced liver injury by glucagon and insulin treatment. *Research in experimental medicine Zeitschrift für die gesamte experimentelle Medizin einschliesslich experimenteller Chirurgie*. 188: 27-33.
- Mason, RP. (2004). Using anti-5,5-dimethyl-1-pyrroline N-oxide (anti-DMPO) to detect protein radicals in time and space with immuno-spin trapping. *Free Radic Biol Med*. 36: 1214-1223.
- Mason, RP; Stolze, K; Morehouse, KM. (1986). ESR STUDIES OF THE FREE RADICAL METABOLITES OF TOXIC CHEMICALS. Meeting On Free Radical Biochemistry And Radiation Injury Held At The 13th L H Gray Conference, London, England, UK, July. 55: 163-171.
- Masson, MJ; Collins, LA; Carpenter, LD; Graf, ML; Ryan, PM; Bourdi, M; Pohl, LR. (2010). Pathologic role of stressed-induced glucocorticoids in drug-induced liver injury in mice. *Biochem Biophys Res Commun*. 397: 453-458.
- Masson, S; Scott, M. Changes in growth factor and cytokine mRNA levels after hepatectomy in rat with CCl₄-induced cirrhosis.

Environmental Hazard Literature Search Results

Off Topic

- Masson, S; Scottâ€š, M; Garnier, S; Fran; ois, A. Differential expression of apoptosis-associated genes post-hepatectomy in cirrhotic vs. normal rats.
- Mast, V; Fischer, C; Mikus, G; Eichelbaum, M. (1992). Use of pseudoracemic nitrendipine to elucidate the metabolic steps responsible for stereoselective disposition of nitrendipine enantiomers. *Br J Clin Pharmacol* 92, Jan. 33: 51-59.
- Mastellos, D; Papadimitriou, JC; Franchini, S; Tsonis, PA; Lambris, JD. (2001). A novel role of complement: Mice deficient in the fifth component of complement (C5) exhibit impaired liver regeneration. *J Immunol*. 166: 2479-2486.
- Masubuchi, Y; Ihara, A; Shimada, K. (2011). Gender differences in susceptibility to carbon tetrachloride-induced hepatotoxicity in CD-1 mice. *Toxicol Lett*. 205, Supplement: S274.
- Masuda, H; Fukumoto, M; Hirayoshi, K; Nagata, K. (1994). Coexpression of the collagen-binding stress protein HSP47 gene and the alpha 1(I) and alpha 1(III) collagen genes in carbon tetrachloride-induced rat liver fibrosis. *The Journal of clinical investigation*. 94: 2481-2488.
- Masuda, H; Hironaka, S; Matsui, Y; Hirooka, S; Hirai, M; Hirata, Y; Akao, M; Kumagai, H. (2015). Comparative Study of the Antioxidative Activity of Culinary Herbs and Spices, and Hepatoprotective Effects of Three Selected Lamiaceae Plants on Carbon Tetrachloride-Induced Oxidative Stress in Rats. *Food Science and Technology Research*. 21: 407-418.
- Masuda, Y. (1981). Carbon Tetrachloride-Induced Loss of Microsomal Glucose 6-Phosphatase and Cytochrome P-450 In Vitro. *Japanese Journal of Pharmacology*. 31: 104-116.
- Masuda, Y; Kuchii, M; Okada, N; Murano, T. (1973). Studies on the function of cell membrane. 9th report. Protective action of sodium taurine N-carbodithioate (TDT) against CCl4-induced biochemical changes in liver cell membrane of rats. *Japanese journal of pharmacology*. 23: 773-779.
- Masuda, Y; Kuchii, M; Yamamoto, H; Murano, T. (1973). Studies on the function of cell membrane. 7th report. Influence of CCl4 administration of solubilization of the enzymes in electron transport system in rat liver plasma membrane and microsome. *Japanese journal of pharmacology*. 23: 757-765.
- Masuda, Y; Murano, T. (1977). Carbon tetrachloride-induced lipid peroxidation of rat liver microsomes in vitro. *Biochem Pharmacol*. 26: 2275-2282.
- Masuda, Y; Nakamura, Y. (1989). Oxidation of diethyldithiocarbamate to disulfiram by liver microsomal cytochrome P-450-containing monooxygenase system. *Res Comm Chem Pathol Pharmacol*. 66: 57-67.
- Masuda, Y; Nakamura, Y. (1990). Effects of oxygen deficiency and calcium omission on carbon tetrachloride hepatotoxicity in isolated perfused livers from phenobarbital-pretreated rats. *Biochem Pharmacol*. 40: 1865-1876.
- Masuda, Y; Nakayama, N. (1982). Protective effect of diethyldithiocarbamate and carbon disulfide against liver injury induced by various hepatotoxic agents. *Biochem Pharmacol*. 31: 2713-2725.
- Masuda, Y; Nakayama, N. (1983). Protective action of diethyldithiocarbamate and carbon disulfide against acute toxicities induced by 1,1-dichloroethylene in mice. *Toxicol Appl Pharmacol*. 71: 42-53.
- Masuda, Y; Oguma, T; Kaneko, H. (1998). Intrahepatic flow disturbance as detected by in vivo acridine orange staining in endothelin-1-treated and cirrhotic rats. *Japanese journal of pharmacology*. 77: 315-318.
- Masuda, Y; Oikawa, K; Imaizumi, N; Kato, A; Murano, T. (1991). Heme peptide as a model substance for halogenomethane activation and heme modification. *Biochim Biophys Acta*. 1075: 131-138.
- Masuda, Y; Ozaki, M. (1993). EFFECT OF IONIC MILIEU ON CARBON TETRACHLORIDE HEPATOTOXICITY IN PERFUSED RAT LIVER. 66th Annual Meeting Of The Japanese Pharmacological Society, Yokohama, Japan, March. 61.
- Masuda, Y; Yano, I; Murano, T. (1980). Comparative studies on the hepatotoxic actions of chloroform and related halogenomethanes in normal and phenobarbital-pretreated animals. *Journal of pharmacobio-dynamics*. 3: 53-64.
- Masuko, K; Rubin, E; Popper, H. (1964). PROLIFERATION OF BILE DUCTS IN CIRRHOSIS. *Arch Pathol*. 78: 421-431.
- Masunaga, H; Fujise, N; Yamashita, Y; Shiota, A; Yasuda, H; Higashio, K. (1997). Deleted form of hepatocyte growth factor (dHGF) increases the number of platelets in rats with liver cirrhosis. *Liver*. 17: 192-197.
- Masuya, M; Nakamura, S; Yukimoto, H; Miyata, E; Ino, K; Liu, B; Suzuki, K; Ohishi, K; Katayama, N. (2011). Ly6C(+) monocytes are extrahepatic precursors of hepatic stellate cells in the injured liver of mice. *Exp Hematol*. 39: 934-946.
- Matar, KM; Tayem, YI. (2014). Effect of experimentally induced hepatic and renal failure on the pharmacokinetics of topiramate in rats. *BioMed Res Int*. 2014: 570910.
- Matei, V. The eNOS cofactor tetrahydrobiopterin improves endothelial dysfunction in livers of rats with CCl4 cirrhosis.
- Mathan, G; Fatima, G; Saxena, AK; Chandan, BK; Jaggi, BS; Gupta, BD; Qazi, GN; Balasundaram, C; Rajan, KDA; Kumar, VL; Kumar, V. (2011). Chemoprevention with Aqueous Extract of *Butea monosperma* Flowers Results in Normalization of Nuclear Morphometry and Inhibition of a Proliferation Marker in Liver Tumors. *Phytother Res*. 25: 324-328.
- Matheson, LJ; Jahnke, LL; Oremland, RS. (1997). Inhibition of methane oxidation by *Methylococcus capsulatus* with hydrochlorofluorocarbons and fluorinated methanes. *Appl Environ Microbiol*. 63: 2952-2956.
- Matheson, LJ; Tratnyek, PG. (1994). Reductive dehalogenation of chlorinated methanes by iron metal. *Environmental Science & Technology*. 28: 2045-2053.
- Matkovich, B; Novâ€šk, R; Zsoldos, T. (1978). Effect of acute carbon tetrachloride intoxication on the lipid peroxidation and the enzymes of the peroxide metabolism of rat tissues. *Gen Pharmacol*.
- Mato, JM; Alvarez, L. S-adenosyl-L-methionine synthetase and methionine metabolism deficiencies in cirrhosis.
- Matsubara, T; Mori, S; Touchi, A; Masuda, Y; Takeuchi, Y. (1983). Carbon tetrachloride-induced hepatotoxicity in rats: Evidence for different susceptibilities of rat liver lobes. *Japanese Journal of Pharmacology*. 33: 435-445.

Environmental Hazard Literature Search Results

Off Topic

- Matsuda, H; Ninomiya, K; Shimoda, H; Yoshikawa, M. (2002). Hepatoprotective principles from the flowers of *Tilia argentea* (linden): structure requirements of tiliroside and mechanisms of action. *Bioorganic & medicinal chemistry*. 10: 707-712.
- Matsuda, H; Samukawa, K; Kubo, M. (1991). Anti-hepatitic activity of ginsenoside Ro. *Planta Med*. 57: 523-526.
- Matsui, I; Pegg, AE. (1980). Increase in acetylation of spermidine in rat liver extracts brought about by treatment with carbon tetrachloride. *Biochem Biophys Res Commun*. 92: 1009-1015.
- Matsui, I; Wiegand, L; Pegg, AE. (1981). Properties of spermidine N-acetyltransferase from livers of rats treated with carbon tetrachloride and its role in the conversion of spermidine into putrescine. *The Journal of biological chemistry*. 256: 2454-2459.
- Matsumoto, A; Kanai, T; Mikami, Y; Chu, PS; Nakamoto, N; Ebinuma, H; Saito, H; Sato, T; Yagita, H; Hibi, T. (2013). IL-22-producing ROR γ t-dependent innate lymphoid cells play a novel protective role in murine acute hepatitis. *PLoS ONE*. 8: e62853.
- Matsumoto, E; Muragaki, Y; Ooshima, A. (1989). Increased serum type IV collagen peptide in carbon tetrachloride-treated rats. *Acta Pathol Jpn*. 39: 23-29.
- Matsumoto, H; Motegi, T; Nakano, T; Nagai, Y. (1979). Addition of carbon tetrachloride and methyl trichloroacetate to silicon-functional vinylsilanes. *Journal of Organometallic Chemistry*. 174: 157-161.
- Matsumoto, H; Nakano, T; Nagai, Y. (1973). Radical reactions in the coordination sphere I. Addition of carbon tetrachloride and chloroform to 1-olefins catalyzed by ruthenium(II) complexes. *Tetrahedron Letters*. 14: 5147-5150.
- Matsumoto, H; Nikaido, T; Nagai, Y. (1975). Radical reactions in the coordination sphere II. Stereoselective addition of carbon tetrachloride to cyclohexene catalyzed by dichloro(1,1,1-triphenylphosphine)ruthenium(II). *Tetrahedron Letters*. 16: 899-902.
- Matsumoto, M; Kikuchi, E; Okamoto, Y; Morimura, M; Kitano, H; Fukui, H; Nakano, H; Tsujii, T. (1992). D-galactosamine-induced cell damage enhances specific binding of prostaglandin E1 to rat hepatocytes. *Biochem Biophys Res Commun*. 184: 654-660.
- Matsumoto, M; Matsuoka, Y; Saiga, Y; Iijima, I. (1987). Effects of methyl (+)(3S)-1,2,3,4-tetrahydro-3-hydroxy-methyl-beta-carboline-2-carbodithioate (THC), a new hepatoprotective agent, on acute liver injuries induced by various hepatotoxic substances in mice and rats. *Journal of pharmacobio-dynamics*. 10: 599-607.
- Matsumoto, M; Matsuoka, Y; Saiga, Y; Iijima, I. (1987). EFFECTS OF METHYL DEXTRO 3S-1 2 3 4 TETRAHYDRO-3-HYDROXYMETHYL-BETA-CARBOLINE-2-CARBODITHIOATE THC A NEW HEPATOPROTECTIVE AGENT ON ACUTE LIVER INJURIES INDUCED BY VARIOUS HEPATOTOXIC SUBSTANCES IN MICE AND RATS. *J Pharmacobio Dyn*. 10: 599-607.
- Matsumoto, M; Matsuoka, Y; Saiga, Y; Iijima, I; Kitamura, K; Iwasaki, HO; Morita, T. (1987). Effects of methyl (+) (3S)-1,2,3,4-tetrahydro-3-hydroxymethyl-beta-carboline-2-carbodithioate(THC), a new hepatoprotective agent, on protein synthesis and chronic liver injury induced by carbon tetrachloride in rats. *Journal of pharmacobio-dynamics*. 10: 689-696.
- Matsumoto, Y; Suga, T. (1981). Protection by 3-amino-1,2,4-triazole against the lowered uptake of p-biphenylmethyl-(dl-tropryl-alpha-tropinium) bromide into the hepatic lysosomes of carbon tetrachloride-treated mice. *Chemical & pharmaceutical bulletin*. 29: 3617-3623.
- Matsumura, Y. (1996). Selection of desorbing solvents for organic compounds from active carbon tubes. *Ind Health*. 34: 167-176.
- Matsunaga, N; Nishijima, T; Hattori, K; Iizasa, H; Yamamoto, K; Kizu, J; Takanaoka, A; Morikawa, A; Nakashima, E. (2001). Application of the PKCYP-test to predict the amount of in vivo CYP2C11 using tolbutamide as a probe. *Biological & Pharmaceutical Bulletin*. 24: 1305-1310.
- Matsushima, T; Nagano, K; Nishizawa, T; Yamamoto, S. (1997). Long term inhalation toxicity studies of five chlorinated hydrocarbons in F344 rats and BDF1 mice. *Proceedings Of The 1st International Conference Of Asian Society Of Toxicology, Yokohama, Japan, June*. 23: 296.
- Mattila, K; Kinder, R; Bechinger, B. (1999). The alignment of a voltage-sensing peptide in dodecylphosphocholine micelles and in oriented lipid bilayers by nuclear magnetic resonance and molecular modeling. *Biophysical Journal*. 77: 2102-2113.
- Mattocks, AR. (1981). Liver Cell Enlargement in Rats Given Hydroxymethyl Pyrroles Analogous to Pyrrolizidine Alkaloid Metabolites, Followed Later by the Hepatotoxin Dimethylnitrosamine. *Toxicol Lett*. 8: 201-205.
- Matwchuk, CL; Daniel, GB; DeNovo, RC; Schultze, AE; Schmidt, DE; Creevy, KE. (2000). Evaluation of plasma time-activity curves of technetium-99m-mebrofenin for measurement of hepatic function in dogs. *Veterinary Radiology & Ultrasound*. 41: 78-84.
- Maugh, TH, 2nd. (1984). What is the risk from chlorofluorocarbons? *Science (New York, NY)*. 223: 1051-1052.
- Maurya, P; Mohan, L; Sharma, P; Batabyal, L; Srivastava, CN. (2007). Larvicidal efficacy of *Aloe barbadensis* and *Cannabis sativa* against the malaria vector *Anopheles stephensi* (Diptera: Culicidae). *Entomological research*. 37: 153-156.
- Maurya, P; Mohan, L; Sharma, P; Srivastava, CN. (2008). Larval susceptibility of *Aloe barbadensis* and *Cannabis sativa* against *Culex quinquefasciatus*, the filariasis vector. *J Environ Biol*. 29: 941-943.
- Maurya, P; Sharma, P; Mohan, L; Batabyal, L; Srivastava, CN. (2009). Evaluation of larvicidal nature of fleshy fruit wall of *Momordica charantia* Linn. (family: cucurbitaceae) in the management of mosquitoes. *Parasitol Res*. 105: 1653-1659.
- Maurya, P; Sharma, P; Mohan, L; Batabyal, L; Srivastava, CN. (2009). Evaluation of the toxicity of different phytoextracts of *Ocimum basilicum* against *Anopheles stephensi* and *Culex quinquefasciatus*. *Journal of Asia-Pacific Entomology*. 12: 113-115.
- Mavier, P; Laperche, Y; Subbotin, VM; Nikolaidis, NL; Rao, AS; Fung, JJ. (2006). THE EFFECT OF FK506 ON CARBON TETRACHLORIDE INDUCED ACUTE HEPATIC INJURY IN RATS. *Hepatology (Baltimore, Md)*. 20.
- Maximchuk, AJ; Rubinstein, D. (1963). Lipid mobilization following carbon tetrachloride administration. *Can J Biochem Physiol*. 41: 525-528.
- Mayama, J; Kumano, T; Hayakari, M; Yamazaki, T; Aizawa, S; Kudo, T; Tsuchida, S. (2003). Polymorphic glutathione S-transferase subunit 3 of rat liver exhibits different susceptibilities to carbon tetrachloride: differences in their interactions with heat-shock protein 90. *Biochem J*. 372: 611-616.
- Maya-Mendoza, A; Hernandez-Munoz, R; Gariglio, P; Aranda-Anzaldo, A. (2004). Gene positional changes relative to the nuclear substructure during carbon tetrachloride-induced hepatic fibrosis in rats. *J Cell Biochem*. 93: 1084-1098.

Environmental Hazard Literature Search Results

Off Topic

- Mayanski, DN; Schwartz, YS; Kutina, SN; Zubakhin, AA; Mayanskaya, NN; Tsyrendorjiev, DD. (1993). Mononuclear phagocyte system responsiveness in CCl₄-induced liver cirrhosis. *Int J Exp Pathol.* 74: 229-236.
- Mayanski, DN; Schwartz, YSH; Kutina, SN; Zubakhin, AA; Mayanskaya, NN; Tsyrendorjiev, DD. (1985). Mononuclear phagocyte system responsiveness in carbon tetrachloride-induced liver cirrhosis. *Int J Exp Pathol.* 74: 229-236.
- Mayansky, DN; Shvarts, Y; Tsyrendorzhiiev, DD; Kutina, SN. (1988). Changes in the functions of mononuclear phagocytes in experimental liver cirrhosis. *Byulleten Eksperimental'noi Biologii I Meditsiny* 214-216.
- Maynard, AW. (1989). CHEMICAL MONITORING EFFECTIVE USE OF CHEMICAL ANALYSIS FOR OPTIMIZATION OF CONTAMINANT REMOVAL. Workshop On The Optimization And Control Of Petroleum Refinery Wastewater Treatment Systems With A Focus On Toxic Contaminants, Burlington, Ontario, Canada, March. 24: 411-424.
- Mayotte, TJ; Dybas, MJ; Criddle, CS. Bench-scale evaluation of bioaugmentation to remediate carbon tetrachloride-contaminated aquifer materials. *Ground Water.* Mar/Apr 1996. v. 34 (2): 358-367.
- Maze, M; Smith, CM; Baden, JM. (1985). Halothane anesthesia does not exacerbate hepatic dysfunction in cirrhotic rats. *Anesthesiology.* 62: 1-5.
- Maziasz, TJ; Liu, J; Madhu, C; Klaassen, CD. (2012). The differential effects of hepatotoxicants on the sulfation pathway in rats. *Gastroenterology.* 143: 1564-1575 e1567.
- Mazmanci, B; Mazmanci, MA; Unyayar, A; Unyayar, S; Cekic, FO; Deger, AG; Yalin, S; Comelekoglu, U. (2011). Protective effect of *Funalia trogii* crude extract on deltamethrin-induced oxidative stress in rats. *Food Chem.* 125: 1037-1040.
- Mazzacca, G; Bianco, AR; Budillon, G; Perillo, N. (1975). The source of ascitic fluid in experimental cirrhosis in the rat. *Pathol Microbiol.* 42: 66-69.
- Mbarki, S; Alimi, H; Bouzenna, H; Elfeki, A; Hfaiedh, N. (2017). Phytochemical study and protective effect of *Trigonella foenum graecum* (Fenugreek seeds) against carbon tetrachloride-induced toxicity in liver and kidney of male rat. *Biomedicine & Pharmacotherapy.* 88: 19-26.
- Mbarki, S; Dhibi, S; Bouzenna, H; Elfeki, A; Hfaiedh, N. (2016). Effects of MgCl₂ supplementation on blood parameters and kidney injury of rats exposed to CCl₄. *Open Life Sciences.* 11: 250-258.
- Mbonifor, JN; Chigbo, FE; Mehendale, HM. (2000). Polyamine Protection Against Chemically Induced Hepatotoxicity. *Int J Toxicol.* 19: 391-400.
- McCarty, MF. (2000). Co-administration of equimolar doses of betaine may alleviate the hepatotoxic risk associated with niacin therapy. *Med Hypotheses.* 55: 189-194.
- McCarty, PL. (1985). IN-SITU BIOREMEDIATION OF CHLORINATED SOLVENTS. *Curr Opin Biotechnol.* 4: 323-330.
- McCarty, PL. (2000). Novel biological removal of hazardous chemicals at trace levels. *Water Science and Technology.* 42: 49-60.
- McCarty, PL; Argo, D; Reinhard, M. (1979). OPERATIONAL EXPERIENCES WITH ACTIVATED CARBON ADSORBERS AT WATER FACTORY 21 ORANGE COUNTY CALIFORNIA USA. Meeting On Adsorption Techniques In Drinking Water Treatment Held At The North Atlantic Treaty Organization'S Committee On The Challenges Of Modern Society Symposium, Reston, Virginia, Usa, April. 7: 319-338.
- McCay, PB. (1987). APPLICATION OF ESR SPECTROSCOPY IN TOXICOLOGY. *Arch Toxicol.* 60: 133-137.
- McClaine, JW; Ford, RM. (2002). Reversal of flagellar rotation is important in initial attachment of *Escherichia coli* to glass in a dynamic system with high- and low-ionic-strength buffers. *Appl Environ Microbiol.* 68: 1280-1289.
- McClenny, WA; Oliver, KD; Pleil, JD. (1989). A FIELD STRATEGY FOR SORTING VOLATILE ORGANICS INTO SOURCE-RELATED GROUPS. *Environ Sci Technol.* 23: 1373-1379.
- McClugage, SG, Jr.; McCuskey, RS. (1971). "In vivo" microscopic study of the response of the hepatic microvascular system to carbon tetrachloride poisoning. *Microvasc Res.* 3: 354-360.
- McCollister, DD; Hollingsworth, RL; Oyen, F; Rowe, VK. (1956). Comparative inhalation toxicity of fumigant mixtures; individual and joint effects of ethylene dichloride, carbon tetrachloride, and ethylene dibromide. *AMA archives of industrial health.* 13: 1-7.
- McCorkle, DL; Ding, WX; Ma, CY; Pinnaduwege, LA. (1999). Dissociation of benzene and methylene chloride based on enhanced dissociative electron attachment to highly excited molecules. *Journal of Physics D-Applied Physics.* 32: 46-54.
- McCorkle, DL; Ding, WX; Ma, CY; Pinnaduwege, LA. (1999). Dissociation of benzene in a pulsed glow discharge. *Journal of Applied Physics.* 86: 3550-3557.
- McCormick, ML. (2002). Biotic and abiotic transformations of alkyl halides in iron reducing environments. PhD, University of Michigan.
- McCormick, ML; Adriaens, P. (1999). Reductive transformation of carbon tetrachloride by the dissimilative iron reducing bacteria *Geobacter metallireducens*. 99th General Meeting Of The American Society For Microbiology, Chicago, Illinois, Usa, May. 99: 541.
- McCormick, ML; Adriaens, P. (2004). Carbon tetrachloride transformation on the surface of nanoscale biogenic magnetite particles. *Environmental Science & Technology.* 38: 1045-1053.
- McCormick, ML; Bouwer, EJ; Adriaens, P. (2002). Carbon tetrachloride transformation in a model iron-reducing culture: Relative kinetics of biotic and abiotic reactions. *Environmental Science & Technology.* 36: 403-410.
- McCuskey, RS; Sipes, IG. (2010). 9.01 - Introduction to the Liver and its Response to Toxicants A2 - McQueen, Charlene A. *Comprehensive Toxicology (Second Edition)* Oxford 1-9.
- McDonald, TJ; Kennicutt, MC, II; Brooks, JM. (1988). VOLATILE ORGANIC COMPOUNDS AT A COASTAL GULF OF MEXICO SITE. *Chemosphere.* 17: 123-136.
- McFee, JN; Rasmussen, GP; Young, CM. (1985). THE DESIGN AND DEMONSTRATION OF A FLUIDIZED BED INCINERATOR FOR THE DESTRUCTION OF HAZARDOUS ORGANIC MATERIALS IN SOILS. *J Hazard Mater.* 12: 129-142.
- McGee, CJ. (1949). Lower nephron nephrosis; carbon tetrachloride poisoning with a report of three cases. *The American journal of the medical sciences.* 218: 636-645.

Environmental Hazard Literature Search Results

Off Topic

- McGee, JO; Patrick, RS. (1969). The synthesis of sulphated mucopolysaccharide in mouse liver following carbon tetrachloride injury. I. Autoradiographic studies. *Br J Exp Pathol.* 50: 521-526.
- McGee, JO; Patrick, RS. (1969). The synthesis of sulphated mucopolysaccharide in mouse liver following carbon tetrachloride injury. II. Quantitation and partial characterization of extracted mucopolysaccharide. *Br J Exp Pathol.* 50: 527-532.
- McGee, JO; Patrick, RS. (1972). The role of perisinusoidal cells in experimental hepatic fibrogenesis. *The Journal of pathology.* 106: Pvi.
- McGee, JO; Patrick, RS. (1972). The role of perisinusoidal cells in hepatic fibrogenesis. An electron microscopic study of acute carbon tetrachloride liver injury. *Laboratory investigation; a journal of technical methods and pathology.* 26: 429-440.
- McGeorge, LJ; Krietzman, SJ; Dupuy, CJ; Mintz, B. (1992). NATIONAL SURVEY OF DRINKING WATER STANDARDS AND GUIDELINES FOR CHEMICAL CONTAMINANTS. *Am Water Works Assoc J.* 84: 72-76.
- McGill, CM. (1946). Death and illness from use of carbon tetrachloride. *Northwest medicine.* 45: 169-172.
- McKarns, SC; Letterio, JJ; Kaminski, NE. (2003). Concentration-dependent bifunctional effect of TGF-beta(1) on immunoglobulin production: a role for Smad3 in IgA production in vitro. *Int Immunopharmacol.* 3: 1761-1774.
- McKeever, R; Okaneku, J; LaSala, GS. (2014). More on pulmonary fibrosis associated with aluminum trihydrate (Corian) dust. *The New England journal of medicine.* 371: 973.
- McLaren, M; Braye, S; Fleming, J; Karran, S; Taylor, I. (1996). Changes in blood flow, portal pressure and shunting during the development of cirrhosis in response to beta-blockade. *Gut.* 28: 663-667.
- McLean, AE. (1967). The effect of diet and vitamin E on liver injury due to carbon tetrachloride. *Br J Exp Pathol.* 48: 632-636.
- McLean, AE. (1970). The effect of protein deficiency and microsomal enzyme induction by DDT and phenobarbitone on the acute toxicity of chloroform and a pyrrolizidine alkaloid, retrorsine. *Br J Exp Pathol.* 51: 317-321.
- McLean, AE. (1977). Diet, DDT, and the toxicity of drugs and chemicals. *Fed Proc.* 36: 1688-1691.
- McLean, AE; Ahmed, K; Judah, JD. (1964). CELLULAR PERMEABILITY AND THE REACTION TO INJURY. *Ann N Y Acad Sci.* 116: 986-989.
- McLean, AE; McLean, E. (1969). Diet and toxicity. *Br Med Bull.* 25: 278-281.
- McLean, AEM. (1967). Effect of hexane and carbon tetrachloride on microsomal cytochrome (P450). *Biochem Pharmacol.* 16: 2030-2033.
- McLean, EK; Hill, KR. (1969). Portal hypertension in acute experimental veno-occlusive disease of the liver in rats. *Br J Exp Pathol.* 50: 37-41.
- McLean, EK; McLean, AE; Marshall, WJ; Sutton, PM. (1970). A rapid method for producing cirrhosis of the liver in rats and its effect on microsomal enzyme activity. *The Journal of pathology.* 100: Pv.
- McLean, EK; McLean, AE; Sutton, PM. (1969). Instant cirrhosis. An improved method for producing cirrhosis of the liver in rats by simultaneous administration of carbon tetrachloride and phenobarbitone. *Br J Exp Pathol.* 50: 502-506.
- McLean, P; Rossi, F. (1964). Changes in the activities of urea-cycle enzymes after the administration of carbon tetrachloride. *The Biochemical journal.* 91: 261-270.
- McLean, TR. (2005). Discontinuation of Vioxx. *Lancet (London, England).* 365: 25; author reply 27-28.
- McMahan, RS; Riehle, KJ; Fausto, N; Campbell, JS. (2013). A disintegrin and metalloproteinase 17 regulates TNF and TNFR1 levels in inflammation and liver regeneration in mice. *American Journal of Physiology-Gastrointestinal and Liver Physiology.* 305: G25-G34.
- McNab, WW; Ruiz, R. (1998). Palladium-catalyzed reductive dehalogenation of dissolved chlorinated aliphatics using electrolytically-generated hydrogen. *Chemosphere.* 37: 925-936.
- McNab, WWJR; Ruiz, R. (1998). Palladium-catalyzed reductive dehalogenation of dissolved chlorinated aliphatics using electrolytically-generated hydrogen. *Chemosphere.* 37: 925-936.
- McNerney, JM; MacEwen, JD. (1965). Comparative toxicity studies at reduced and ambient pressures. I. Acute response. *Am Ind Hyg Assoc J.* 26: 568-573.
- McPhie, JL. (1981). The activity of lysyl oxidase in experimental hepatic fibrosis. *Hepatogastroenterology.* 28: 240-241.
- McPhie, JL; Short, LT. (1975). Hepatic prolyl hydroxylase activity in experimental cirrhosis. *Acta hepato-gastroenterologica.* 22: 387-391.
- Meera, R; Devi, P; Kameswari, B; Madhumitha, B; Merlin, NJ. (2009). Antioxidant and hepatoprotective activities of *Ocimum basilicum* Linn. and *Trigonella foenum-graecum* Linn. against H₂O₂ and CCl₄ induced hepatotoxicity in goat liver. *Indian J Exp Biol.* 47: 584-590.
- Meftah, S; Sajadimajd, S; Yazdanparast, R. (2013). Structure-activity relationship of 15 different Mn-salen derivatives against free radicals. *Drug Chem Toxicol.* 36: 9-18.
- Mego, JL; Cain, JA. (1973). The effect of carbon tetrachloride on lysosome function in kidneys and livers of mice. *Biochimica et Biophysica Acta (BBA) - General Subjects.* 297: 343-345.
- Mehendale, HM. Amplification of hepatotoxicity and lethality of CCl₄ and CHCl₃ by chlordecone. *Reviews in biochemical toxicology.* 1989. v. 10: 91-138.
- Mehendale, HM. Mechanism of the lethal interaction of chlordecone and CCl₄ at non-toxic doses. *Toxicol Lett.* Dec 1989. v. 49 (2/3): 215-241.
- Mehendale, HM. (1984). Potentiation of halomethane hepatotoxicity: chlordecone and carbon tetrachloride. *Fundamental and applied toxicology : official journal of the Society of Toxicology.* 4: 295-308.
- Mehendale, HM. (1988). MECHANISM OF THE LETHAL INTERACTION OF CHLORDECONE AND CARBON TETRACHLORIDE AT NON-TOXIC DOSES. Meeting On Contemporary Initiatives In Quantitative Toxicology, Held At The 18th Conference On Toxicology, Dayton, Ohio, Usa, November. 49: 215-242.
- Mehendale, HM. (1989). AMPLIFICATION OF HEPATOTOXICITY AND LETHALITY OF CARBON TETRACHLORIDE AND CHLOROFORM BY CHLORDECONE. *Hodgson, E, J R Bend And R M Philpot.* 10: 0-444.
- Mehendale, HM. (1991). BIOCHEMICAL MECHANISMS OF BIPHASIC DOSE-RESPONSE RELATIONSHIPS ROLE OF HORMESIS. *Calabrese, E J.* 0: 59-94.

Environmental Hazard Literature Search Results

Off Topic

- Mehendale, HM. (1991). Role of hepatocellular regeneration and hepatobular healing in the final outcome of liver injury. A two-stage model of toxicity. *Biochem Pharmacol.* 42: 1155-1162.
- Mehendale, HM. (1994). Amplified interactive toxicity of chemicals at nontoxic levels: mechanistic considerations and implications to public health. *Environ Health Perspect.* 102 Suppl 9: 139-149.
- Mehendale, HM. (2005). Tissue repair: An important determinant of final outcome of toxicant-induced injury. *Toxicol Pathol.* 33: 41-51.
- Mehendale, HM. (2012). Once initiated, how does toxic tissue injury expand? *Trends Pharmacol Sci.* 33: 200-206.
- Mehendale, HM; Curtis, LR. (1978). 1185 - KEPONE-INDUCED HEPATOBILIARY DYSFUNCTION AND INTERACTION WITH CARBON TETRACHLORIDE. Abstracts459.
- Mehendale, HM; Curtis, LR; Thureson-Klein, AK. (1981). Ultrastructural and Biochemical Correlates of the Specificity of Chlordecone-Potentiated Carbon Tetrachloride Hepatotoxicity. *J Toxicol Environ Health.* 7: 499-517.
- Mehendale, HM; Klingensmith, JS. In vivo metabolism of CCl₄ by rats pretreated with chlordecone, mirex, or phenobarbital. *Toxicol Appl Pharmacol.* Apr 1988. v. 93 (2): 247-256 ill.
- Mehendale, HM; Klingensmith, JS. (1988). In vivo metabolism of CCl₄ by rats pretreated with chlordecone, mirex, or phenobarbital. *Toxicol Appl Pharmacol.* 93: 247-256.
- Mehendale, HM; Klingensmith, JS. (1988). IN-VIVO METABOLISM OF CARBON TETRACHLORIDE BY RATS PRETREATED WITH CHLORDECONE MIREX OR PHENOBARBITAL. *Toxicol Appl Pharmacol.* 93: 247-256.
- Mehendale, HM; Purushotham, KR; Lockard, VG. (1989). The time course of liver injury and (super(3)H)thymidine incorporation in chlordecone-potentiated CHCl₃ hepatotoxicity. *Exp Mol Pathol.* 51: 31-47.
- Mehendale, HM; Rao, SB. (1988). PROTECTIVE ROLE OF FRUCTOSE 1 6-DIPHOSPHATE DURING CARBON TETRACHLORIDE HEPATOTOXICITY. 196th American Chemical Society National Meeting, Los Angeles, California, Usa, September. 196: AGRO-167.
- Mehendale, HM; Ray, SD. (1990). Inhibition of cell division in hepatoma cell cultures by chlordecone and carbon tetrachloride combination. *Toxicol In Vitro.* 4: 179-183.
- Mehendale, HM; Ray, SD; Cai, Z. (1991). Paradoxical toxicity of carbon tetrachloride in isolated hepatocytes from chlordecone, phenobarbital and mirex pretreated rats. *In Vitro Toxicol.* 4: 187-196.
- Mehendale, HM; Ray, SD; Cai, Z. (1991). Paradoxical toxicity of CCl₄ in isolated hepatocytes from chlordecone, phenobarbital and mirex pretreated rats. *In Vitro Toxicol.* 4: 187-196.
- Mehendale, HM; Roth, RA; Gandolfi, AJ; Klaunig, JE; Lemasters, JJ; Curtis, LR. (1994). Novel mechanisms in chemically induced hepatotoxicity. *FASEB J.* 8: 1285-1295.
- Mehendale, HM; Thakore, KN; Gargas, ML; Andersen, ME. (1990). RELATIONSHIP OF HEPATOTOXICITY AND LETHALITY WITH METABOLIC CONSTANTS OF BROMOCARBON TRICHLORIDE IN RATS PRETREATED WITH CHLORDECONE PHENOBARBITAL AND MIREX. Xith International Congress Of Pharmacology, Amsterdam, Netherlands, July. 183.
- Mehendale, HM; Thakore, KN; Rao, CV. (1994). Autoprotection: Stimulated tissue repair permits recovery from injury. *Journal Of Biochemical Toxicology.* 9: 131-139.
- Mehmetcik, G; Ozdemirler, G; Kocak-Toker, N; Cevikbas, U; Uysal, M. (2008). Effect of pretreatment with artichoke extract on carbon tetrachloride-induced liver injury and oxidative stress. *Exp Toxicol Pathol.* 60: 475-480.
- Mehrotra, NK; Chandra, H; Gupta, GS. (1975). Effect of cirrhosis on pulmonary fibrogenesis caused by silica dust in rats. *Exp Pathol (Jena).* 10: 66-71.
- Mehrotra, R; Nath, P; Pandey, R; Chaturvedi, R. (1983). Histological & ultrastructural alterations in the livers of albino rats after prolonged administration of paracetamol. *The Indian journal of medical research.* 77: 873-878.
- Mehrotra, RM. (1962). Experimental toxic cirrhosis: a review. *The Indian journal of medical research.* 50: 952-976.
- Mehta, PK; Bhatia, SK; Bhatia, RK; Bhalla, TC. (2013). Purification and characterization of a novel thermo-active amidase from *Geobacillus subterraneus* RL-2a. *Extremophiles.* 17: 637-648.
- Mehta, RS; Hartle, DK. (1994). Effects of total fasting or chronic food restriction on plasma endothelin levels in rats. *Physiology & behavior.* 56: 407-410.
- Mehta, VK; Sethi, GR; Garg, AK. (1984). EFFECT OF GAMMA RADIATION AND FUMIGANTS ON TRIBOLIUM-CASTANEUM. *J Nucl Agric Biol.* 13: 109-112.
- Meier, Jr; Higuchi, T. (1965). Determination of Stability Constants from Optical Rotatory Dispersion Measurements: Camphor-Phenol System in Carbon Tetrachloride. *J Pharm Sci.* 54: 1183-1186.
- Meier, RP; MÅ ller, YDSSRUT; Visceral, SU; Medical, FGGS; Morel, P; Gonelle-Gispert, C; BÅ hler, DSSRUT; Visceral, SU; Medical, FuGS. (2013). Transplantation of mesenchymal stem cells for the treatment of liver diseases, is there enough evidence? *Stem Cell Research.* 11: 1348-1364.
- Meissner, E; Milchert, E. (2003). Kinetics of tetrachloromethane fluorination by hydrogen fluoride in the presence of antimony pentachloride. *Journal of Fluorine Chemistry.* 119: 89-95.
- Mejia-Garcia, A; Galindo-Gomez, S. 2,3,7,8-Tetrachlorodibenzo-p-dioxin enhances CCl₄-induced hepatotoxicity in an aryl hydrocarbon receptor-dependent manner.
- Melamed, E; Lavy, S. (1977). Parkinsonism associated with chronic inhalation of carbon tetrachloride. *Lancet (London, England).* 1: 1015.
- Meldolesi, J. (1968). Protective effects of alpha-tocopherol on the hepatotoxicity of carbon tetrachloride: an electron microscope study. *Exp Mol Pathol.* 9: 141-147.
- Melen, K; Hultberg, B; Haegerstrand, I; Isaksson, A; Joellsson, B; Bengmark, S. (1985). Lysosomal enzymes in plasma, liver and spleen from rats with carbon tetrachloride-induced liver cirrhosis. *Enzyme and Protein.* 33: 84-88.

Environmental Hazard Literature Search Results

Off Topic

- Melick, WF. (1946). Acute toxic nephrosis due to poisoning by carbon tetrachloride; a case report. *The Journal of urology*. 55: 342-347.
- Melin, AM; Perromat, A; Clerc, M. (1996). In vivo effect of diosmin on carrageenan and CCl₄-induced lipid peroxidation in rat liver microsomes. *J Biochem Toxicol*. 11.
- Melin, AM; Perromat, A; Deleris, G. (2000). Pharmacologic application of Fourier transform IR spectroscopy: In vivo toxicity of carbon tetrachloride on rat liver. *Biopolymers*. 57: 160-168.
- Melin, AM; Perromat, A; Deleris, G. (2001). Fourier-transform infrared spectroscopy: a pharmacotoxicologic tool for in vivo monitoring radical aggression. *Can J Physiol Pharmacol*. 79: 158-165.
- Melin, AM; Perromat, A; Deleris, G. (2001). The in vivo toxicity of carbon tetrachloride and carrageenan on heart microsomes: analysis by Fourier transform infrared spectroscopy. *Can J Physiol Pharmacol*. 79: 799-804.
- Melvin, JB. (1967). The effect of actinomycin D on mitosis in regenerating mouse liver. *Exp Cell Res*. 45: 559-569.
- Men, YJ; Seth, EC; Yi, S; Allen, RH; Taga, ME; Alvarez-Cohen, L. (2014). Sustainable Growth of Dehalococcoides mccartyi 195 by Corrinoid Salvaging and Remodeling in Defined Lactate-Fermenting Consortia. *Appl Environ Microbiol*. 80: 2133-2141.
- Mendez, JD; Hernandez, RD; Conejo, VA. (2006). Spermine increases arginase activity in the liver after carbon tetrachloride-induced hepatic injury in Long-Evans rats. *Biomedicine & Pharmacotherapy*. 60: 82-85.
- Mendieta-Condado, E; Pichardo-Olvera, M; Sanchez-Sevilla, L; de Sanchez, VC; Hernandez-Munoz, R. (2009). Adenosine Administration Accelerates Progression of the Cell Cycle during Rat Liver Regeneration Induced by One-Third Hepatectomy. *J Pharmacol Exp Ther*. 331: 122-132.
- Mendoza, N; Liao, JC; Lin, KH; Cheng, HY; Wu, JB; Hsieh, MT; Peng, WH. (2003). Actinidia rubricaulis attenuates hepatic fibrosis induced by carbon tetrachloride in rats. *Drugs in R&D*. 4: 29-35.
- Mendoza, S; Noa, M; Perez, Y; Mas, R. (2007). Preventive Effect of D-002, a Mixture of Long-Chain Alcohols from Beeswax, on the Liver Damage Induced with CCl₄ in Rats. *J Med Food*. 10: 379-383.
- Mendoza, Y; Goodwin, KD; Happell, JD. (2011). Microbial Removal of Atmospheric Carbon Tetrachloride in Bulk Aerobic Soils. *Appl Environ Microbiol*. 77: 5835-5841.
- Menegazzi, M; Carcereri-De, PA; Suzuki, H. Liver cell proliferation induced by nafenopin and cyproterone acetate is not associated with increases in activation of transcription factors NF- κ B and AP-1 or with expression of tumor necrosis factor alpha.
- Meng, FY; Francis, H; Glaser, S; Han, YY; DeMorrow, S; Stokes, A; Staloch, D; Venter, J; White, M; Ueno, Y; Reid, LM; Alpini, G. (2012). Role of stem cell factor and granulocyte colony-stimulating factor in remodeling during liver regeneration. *Hepatology*. 55: 209-221.
- Meng, Q; Chen, X; Wang, C; Liu, Q; Sun, H; Sun, P; Huo, X; Liu, Z; Liu, K. (2015). Protective effects of alisol B 23-acetate from edible botanical *Rhizoma alismatis* against carbon tetrachloride-induced hepatotoxicity in mice. *Food & function*. 6: 1241-1250.
- Meng, YF; Guan, BH; Wu, ZB; Wang, DH. (2006). Enhanced degradation of carbon tetrachloride by surfactant-modified zero-valent iron. *Journal of Zhejiang University Science B*. 7: 702-707.
- Meng, ZP; Wang, YD; Wang, L; Jin, W; Liu, N; Pan, H; Liu, L; Wagman, L; Forman, BM; Huang, WD. (2010). FXR Regulates Liver Repair after CCl₄-Induced Toxic Injury. *Mol Endocrinol*. 24: 886-897.
- Meng-Xia, X; Yuan, L. (2002). Studies on the hydrogen bonding of aniline's derivatives by FT-IR. *Spectrochimica acta Part A, Molecular and biomolecular spectroscopy*. 58: 2817-2826.
- Menino, MJ; Cutrin, C; Parafita, MA. (1993). Effect of colchicine on lactate production by isolated hepatocytes in rats treated with carbon tetrachloride and ethanol. *Drug and Alcohol Dependence*. 32: 181-185.
- Mentz, P; Pawelski, KE; Giessler, C; Mest, HJ; Schwab, M; Kersten, T; Czeslick, E. (1988). Significance of the cardioprotective effect of prostanoids and indomethacin. *Biomed Biochim Acta*. 47: 548-51.
- Menyhárt, J; Simon, L. (1968). Induced regeneration of the rat liver during experimental cirrhosis. *Acta medica Academiae Scientiarum Hungaricae*. 25: 23-31.
- Mera, E; Muriel, P; Castillo, C; Mourelle, M. (1994). Cimetidine prevents and partially reverses CCl₄-induced liver cirrhosis. *J Appl Toxicol*. 14: 87-90.
- Mercier, M. (1988). RISK ASSESSMENT OF CHEMICALS A GLOBAL APPROACH. Richardson, M L. 0: 73-91.
- Meredith, OM. (1963). I-131-ROSE BENGAL LIVER FUNCTION TESTING DURING ACUTE CARBON TETRACHLORIDE POISONING. *Proceedings of the Western Pharmacology Society*. 6: 29-30.
- Merino, N; González, t; lez, R; González, A; Remirez, D. (1996). Histopathological evaluation on the effect of red propolis on liver damage induced by CCl₄ in rats. *Arch Med Res*. 3: 285-289.
- Merkur'eva, RV. (1978). Biochemical investigation of the functional state of various subcellular structures as a criterion for the assessment of unfavourable effects of environmental factors. *Journal of hygiene, epidemiology, microbiology, and immunology*. 22: 400-407.
- Merkur'eva, RV; Bonashevskaya, TI; Shaternikova, IS; Belyayeva, NN; Bushinskaya, LI; Bulochnikova, EK; Nekrasova, GI. (1979). Comparative biochemical and morphological investigation of the liver of experimental animals in the process of hepatotropic effect of atmospheric pollution (on the model of carbon tetrachloride). *Journal of hygiene, epidemiology, microbiology, and immunology*. 23: 368-377.
- Merrick, BA; Stober, JA; Condie, LW. (1988). Chemical Interactions Among Chlorohydrocarbon Mixtures Found in Wastewater Effluents. Available from the National Technical Information Service, Springfield VA 22161, as PB88-230456 Price codes: A03 in paper copy, A01 in microfiche Report No EPA/600/D-88/150, August 1988 18p, 2 fig, 4 tab, 19 ref.
- Mersch-Sundermann, V. (1989). EXAMINATION OF MUTAGENICITY OF ORGANIC MICROCONTAMINATIONS ON THE ENVIRONMENT II. COMMUNICATION THE MUTAGENICITY OF HALOGENATED ALIPHATIC HYDROCARBONS WITH THE SALMONELLA MICROsome TEST AMES-TEST AS TO CONTAMINATION OF GROUND AND DRINKING-WATER. *Zentralbl Bakteriell Mikrobiol Hyg Ser B Umwelthyg Krankenhaushyg Arbeitshyg Praev Med*. 187: 230-243.

Environmental Hazard Literature Search Results

Off Topic

- Meshchishen, IF. (1989). Ethionium effect on the liver glutathione system in toxic hepatitis. *FARMAKOL TOKSIKOL*. 52: 80-82.
- Meshorer, A; Benhar, E. (1966). Accidental poisoning of inbred male mice by carbon tetrachloride. *Laboratory animal care*. 16: 198-201.
- Metge, WR; Owen, CA, Jr.; Foulk, WT; Hoffmann, HN, 2nd. (1964). BILIRUBIN GLUCURONYL TRANSFERASE ACTIVITY IN LIVER DISEASE. *The Journal of laboratory and clinical medicine*. 64: 89-98.
- Meydani, M. (1987). DIETARY EFFECTS ON DETOXIFICATION PROCESSES. *Hathcock, J N*. 0: 1-40.
- Meyer, RJ; Reeves, CT; Safarik, DJ; Allen, DT; Mullins, CB. (2001). Comparison of phosgene formation from adsorption of carbon tetrachloride on oxygen modified Ir(111) and oxygen modified Ir(110). *Journal of Vacuum Science & Technology A*. 19: 1524-1530.
- Meyer-Alber, A; Hartmann, H; Stämpel, F; Creutzfeldt, W. (1992). Mechanism of insulin resistance in CCl₄-induced cirrhosis of rats. *Gastroenterology*. 102: 223-229.
- Meyer-Alber, A; Hartmann, H; Stümpel, F; Creutzfeldt, W. (1992). Mechanism of insulin resistance in carbon tetrachloride induced cirrhosis of rats. *Gastroenterology*. 102: 223-229.
- Mezaki, Y; Morii, M; Yoshikawa, K; Yamaguchi, N; Satoyoshi, K; Miura, M; Imai, K; Hebiguchi, T; Habuchi, T; Senoo, H. (2012). Elevated expression of transforming growth factor beta 3 in carbon tetrachloride-treated rat liver and involvement of retinoid signaling. *Int J Mol Med*. 29: 18-24.
- Miao, Z; Gu, X; Lu, S; Brusseau, ML; Yan, N; Qiu, Z; Sui, Q. (2015). Enhancement effects of reducing agents on the degradation of tetrachloroethene in the Fe(II)/Fe(III) catalyzed percarbonate system. *J Hazard Mater*. 300: 530-537.
- Miao, ZW; Gu, XG; Lu, SG; Zang, XK; Wu, XL; Xu, MH; Ndong, LBB; Qiu, ZF; Sui, Q; Fu, GY. (2015). Perchloroethylene (PCE) oxidation by percarbonate in Fe²⁺-catalyzed aqueous solution: PCE performance and its removal mechanism. *Chemosphere*. 119: 1120-1125.
- Michael, S; Simko, V; Katz, J; Popescu, A. (1988). PROTECTIVE EFFECT OF ACETYLCYSTEINE ACC IN COMBINED TOXICITY OF ALCOHOL AND CARBON TETRACHLORIDE IN RATS. Meeting Of The American Society For Clinical Nutrition, Inc Clinical Division Of The American Institute Of Nutrition, Washington, DC, Usa, April. 36.
- Michael, SL; Mayeux, PR; Bucci, TJ; Warbritton, AR; Irwin, LK; Pumford, NR; Hinson, JA. (2001). Acetaminophen-induced hepatotoxicity in mice lacking inducible nitric oxide synthase activity. *Nitric Oxide-Biology and Chemistry*. 5: 432-441.
- Michael, UF; Barenberg, RL; Levi, D; Pardo, V; Chavez, R; Papper, S; Hulet, WH. (1971). Abnormal sodium regulation in rats following chronic intermittent exposure to carbon tetrachloride. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY)*. 138: 796-799.
- Michaud, JP; Gandolfi, AJ; Brendel, K. (1996). Investigation of hepatotoxic interaction using precision-cut rat liver slice culture: Steps toward validation, and comparisons to in vivo findings. *In Vitro Toxicol*. 9: 43-52.
- Michel, CG; El-Sayed, NS; Moustafa, SF; Ezzat, SM; Nesseem, DI; El-Alfy, TS. (2011). Phytochemical and biological investigation of the extracts of *Nigella sativa* L. seed waste. *Drug Testing and Analysis*. 3: 245-254.
- Mico, BA; Branchflower, RV; Pohl, LR. (1983). Formation of electrophilic chlorine from carbon tetrachloride-involvement of cytochrome P-450. *Biochem Pharmacol*. 32: 2357-2358.
- Mico, BA; Pohl, LR. (1982). Metabolism of carbon tetrachloride to electrophilic chlorine by liver microsomes: Exclusion of cytochrome P-450 catalyzed chloroperoxidase reaction. *Biochem Biophys Res Commun*. 107: 27-31.
- Mico, BA; Pohl, LR. (1983). Reductive oxygenation of carbon tetrachloride: Trichloromethylperoxyl radical as a possible intermediate in the conversion of carbon tetrachloride to electrophilic chlorine. *Arch Biochem Biophys*. 225: 596-609.
- Middleton, P; Stockwell, WR; Carter, WPL. (1990). Aggregation and analysis of volatile organic compound emissions for regional modeling. *Atmos Environ Part A Gen Top*. 24: 1107-1134.
- Midlgey, P. (1997). HCFCs AND HFCS HALOCARBON REPLACEMENTS FOR CFCS. *Atmos Environ*. 31: 1095-1096.
- Miehr, R; Tratnyek, PG; Bandstra, JZ; Scherer, MM; Alowitz, MJ; Bylaska, EJ. (2004). Diversity of contaminant reduction reactions by zerovalent iron: Role of the reductate. *Environmental Science & Technology*. 38: 139-147.
- Mielens, ZE; Drobeck, HP; Rozitis, J, Jr.; Sansone, VJ, Jr. (1969). Inhibition of experimental inflammation by oral toxic agents. *Toxicol Appl Pharmacol*. 14: 293-300.
- Mifflin, RC; Moller, PC; Papaconstantinou, J. (1988). GENETIC ANALYSIS OF L ETHIONINE-MEDIATED INDUCTION OF ALPHA FETOPROTEIN IN MICE. *Somatic Cell Mol Genet*. 14: 553-566.
- Migliore-Samour, D; Delaforge, M. (1989). In vivo effects of immunostimulating lipopeptides in mouse liver microsomal cytochromes P-450 and on paracetamol-induced toxicity. *Archives of toxicology Supplement = Archiv für Toxikologie Supplement*. 13: 282-286.
- Mihailovi; Katani, Mi; scaron; Stankovi; Mihailovi; Uskokovi; Aramba; scaron; Soluji; Mladenovi; Stankovi. (1992). Hepatoprotective effects of secoiridoid-rich extracts from *Gentiana cruciata* L. against carbon tetrachloride induced liver damage in rats. *Food & function*. 5: 1795-1803.
- Mihailovic, V; Mihailovic, M; Uskokovic, A; Arambasic, J; Mistic, D; Stankovic, V; Katanic, J; Mladenovic, M; Solujic, S; Matic, S. (2013). Hepatoprotective effects of *Gentiana asclepiadea* L. extracts against carbon tetrachloride induced liver injury in rats. *Food Chem Toxicol*. 52: 83-90.
- Mihailovic, V; Mistic, D; Matic, S; Mihailovic, M; Stanic, S; Vrvic, MM; Katanic, J; Mladenovic, M; Stankovic, N; Boroja, T; Stankovic, MS. (2015). Comparative phytochemical analysis of *Gentiana cruciata* L. roots and aerial parts, and their biological activities. *Ind Crop Prod*. 73: 49-62.
- Mihara, M; Ogihara, H; Kondo, T; Uchiyama, M. (1982). Lipid peroxidation and related changes in rats by oral administration of hexachlorobenzene (HCB). *Bulletin of the National Institute of Hygienic Sciences Tok*. 57: 58-61.
- Mihara, M; Uchiyama, M. (1981). Evaluation of Thiobarbituric Acid (TBA) Value as an Index of Lipid Peroxidation in CCl₄-Intoxicated Rat Liver. *Yakugaku Zasshi*. 101: 221-226.

Environmental Hazard Literature Search Results

Off Topic

- Mihas, AA. (1991). Prostaglandin E1 cytoprotection against carbon tetrachloride induced necrosis in isolated rat liver cells. *Res Commun Chem Pathol Pharmacol.* 75: 173-184.
- Mihas, AA. (1991). PROTECTIVE EFFECTS OF PROSTAGLANDIN E-1 ON CARBON TETRACHLORIDE-INDUCED NECROSIS IN ISOLATED RAT LIVER CELLS. Joint Meeting Of The Association Of American Physicians, The American Society For Clinical Investigation, And The American Federation For Clinical Research, Seattle, Washington, Usa, May. 39.
- Mihas, AA. (2015). Prostaglandin E1 cytoprotection against CCl4-induced necrosis in isolated rat liver cells. *Environmental health : a global access science source.* 75: 173-184.
- Mihas, AA; Kanji, VK; Rao, MR; Desai, D. (1994). VITAMIN E REVERSES THE CARBON TETRACHLORIDE-INDUCED INHIBITION OF LIVER NITRIC OXIDE SYNTHASE IN THE RAT. 45th Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 20.
- Mihas, AA; Markov, AK; Subramony, C. (1991). Protective effects of misoprostol on carbon tetrachloride-induced liver damage in the rat. *Pharmacology.* 42: 283-286.
- Mijaylova-Nacheva, P; Canul-Chuil, A. (2006). Anaerobic biodegradation of chlorinated aliphatic compounds using packed bed reactors. *Water Science and Technology.* 54: 193-200.
- Mikalsen, A; Alexander, J; Wallin, H; Ingelman-Sundberg, M; Andersen, RA. (1991). Reductive metabolism and protein binding of chromium(VI) by P450 protein enzymes. *Carcinogenesis.* 12: 825-831.
- Mikami, K; Goto, T; Miura, K; Ohshima, S; Yoneyama, K; Lin, JG; Watanabe, D; Segawa, D; Kataoka, E; Shibuya, T; Watanabe, S. (2005). Gabexate mesilate, a synthetic protease inhibitor, attenuates carbon tetrachloride-induced liver injury in rats. *J Gastroenterol.* 40: 260-265.
- Mikami, KI; Otaka, M; Goto, T; Miura, K; Ohshima, S; Yoneyama, K; Lin, JG; Watanabe, D; Segawa, D; Kataoka, E; Odashima, M; Watanabe, S. (2004). Induction of a 72-kDa heat shock protein and protection against lipopolysaccharide-induced liver injury in cirrhotic rats. *J Gastroenterol Hepatol.* 19: 884-890.
- Mikesell, MD; Boyd, SA. (1990). Dechlorination of chloroform by Methanosarcina strains. *Appl Environ Microbiol.* 56: 1198-1201.
- Mikhail, TH; Awadallah, R; Dessoukey, EA. (1977). Effect of AMP on acute carbon-tetrachloride hepatotoxicity. *Zeitschrift für Ernährungs- und Ernährungswissenschaft.* 16: 256-261.
- Mikhail, TH; Awadallah, R; El-Dessoukey, EA. (1978). Effect of AMP on serum minerals in carbon-tetrachloride hepatotoxicity. *Zeitschrift für Ernährungs- und Ernährungswissenschaft.* 17: 47-51.
- Milani, S; Herbst, H; Schuppan, D; Hahn, EG; Stein, H. (1989). In situ hybridization for procollagen types I, III and IV mRNA in normal and fibrotic rat liver: evidence for predominant expression in nonparenchymal liver cells. *Hepatology (Baltimore, Md).* 10: 84-92.
- Milani, S; Herbst, H; Schuppan, D; Kim, KY; Stein, H; Riecken, EO; Hahn, EG; Surrenti, C. (1988). MESENCHYMAL CELLS BUT NOT HEPATOCYTES EXPRESS PROCOLLAGEN MESSENGER RNA IN NORMAL AND FIBROTIC RAT LIVER. 39th Annual Meeting And Postgraduate Course Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 8.
- Milanovich, FP; Brown, SB; Colston, BWJR; Daley, PF; Langry, KC. (1994). A FIBER-OPTIC SENSOR SYSTEM FOR MONITORING CHLORINATED HYDROCARBON POLLUTANTS. *Talanta.* 41: 2189-2194.
- Milcu, SM; Vaisler, L; Biener, J. (1961). New data on the liver-protecting action of methylthiouracil. *Rumanian medical review.* 5: 189-191.
- Milillo, P; Burdino, E; Danni, O; Mina, S; Ugazio, G. (1982). Mechanism of Protection Against Carbon Tetrachloride Toxicity. II. Lethality in Rats Fed a Polyunsaturated Fatty Acid Deficient Diet. *Drug Chem Toxicol.* 5: 125-141.
- Millano, EF. (1999). Storage, disposal, remediation, and closure. *Water Environ Res.* 71: 885-916.
- Miller, CT; Comalander, DR. (1988). GROUNDWATER QUALITY. *J Water Pollut Control Fed.* 60: 961-978.
- Miller, CT; Mayer, AS. (1989). FATE AND EFFECTS OF POLLUTANTS GROUNDWATER. *J Water Pollut Control Fed.* 61: 954-984.
- Miller, JE; Cornatzer, WE. (1969). Studies on liver phosphatidyl cholines: I. Effects of fatty liver induction on phosphatidyl cholines from liver mitochondria and microsomes. *Lipids.* 4: 19-27.
- Miller, SB; Denyszyn, RB; Sirinides, MS; Sassaman, TE; Tyson, RJ. (1990). TOXIC ORGANIC GAS STANDARDS IN HIGH PRESSURE CYLINDERS. US Environmental Protection Agency'S Atmospheric Research And Exposure Assessment Laboratory And Air And Waste Management Association Measurement Of Toxic And Related Air Pollutants. 0: 718-725.
- Miller, WR; Rhoderick, GC. (1995). STABILITY OF COMPRESSED GAS MIXTURES CONTAINING LOW LEVEL VOLATILE ORGANIC COMPOUNDS IN ALUMINUM CYLINDERS. *Fresenius' Journal Of Analytical Chemistry.* 351: 221-229.
- Millette, JR; Allenspach, AL; Clark, PJ; McCauley, PT; Washington, IS. (1985). X-RAY MICROANALYSIS OF CALCIUM POTASSIUM AND PHOSPHORUS IN LIVE MITOCHONDRIA STRESSED BY CARBON TETRACHLORIDE. *J Anal Toxicol.* 9: 145-151.
- Millette, JR; Allenspach, AL; Clark, PJ; McCauley, PT; Washington, IS. (1985). X-ray microanalysis of calcium, potassium, and phosphorus in liver mitochondria stressed by carbon tetrachloride. *Journal of Analytical Toxicology.* 9: 145-151.
- Milon, MA; Muhit, MA; Goshwami, D; Masud, MM; Begum, B. (2012). ANTIOXIDANT, CYTOTOXIC AND ANTIMICROBIAL ACTIVITY OF SONNERATIA ALBA BARK. *International Journal of Pharmaceutical Sciences and Drug Research.* 3: 2233.
- Min, DH; Warner, MJ; Bullister, JL. (2010). Estimated rates of carbon tetrachloride removal in the thermocline and deep waters of the East Sea (Sea of Japan). *Marine Chemistry.* 121: 100-111.
- Min, KS; Morishita, F; Tetsuchikawahara, N; Onosaka, S. (2005). Induction of hepatic and renal metallothionein synthesis by ferric nitrilotriacetate in mice: the role of MT as an antioxidant. *Toxicol Appl Pharmacol.* 204: 9-17.
- Min, KS; Tanaka, N; Horie, T; Kawano, H; Tetsuchikawahara, N; Onosaka, S. (2005). Metallothionein-enriched hepatocytes are resistant to ferric nitrilotriacetate toxicity during conditions of glutathione depletion. *Toxicol Lett.* 158: 108-115.
- Min, KS; Terano, Y; Onosaka, S; Tanaka, K. (1992). Induction of metallothionein synthesis by menadione or carbon tetrachloride is independent of free radical production. *Toxicol Appl Pharmacol.* 113: 74-79.

Environmental Hazard Literature Search Results

Off Topic

- Minaire, Y; Sâ€rensen, EW. (1994). Studies on iron absorption. VII. Iron absorption in rats with carbon tetrachloride (CCl₄) induced damage and cirrhosis of the liver. *Life Sci.* 54: 2093-2098.
- Minakata, K; Okuno, E; Nakamura, M; Iwahashi, H. (2007). Identification of radicals formed in the reaction mixtures of rat liver microsomes with ADP, Fe(3+) and NADPH using HPLC-EPR and HPLC-EPR-MS. *J Biochem.* 142: 73-78.
- Minami, R; Nakamura, C; Inotsume, N; Nakano, M. (1998). Effects of aluminum hydroxide and famotidine on bioavailability of tosofloxacin in healthy volunteers. *Antimicrob Agents Chemother.* 42: 453-455.
- Minamino, T; Ito, Y; Ohkubo, H; Hosono, K; Suzuki, T; Sato, T; Ae, T; Shibuya, A; Sakagami, H; Narumiya, S; Koizumi, W; Majima, M. (2012). Thromboxane A₂ receptor signaling promotes liver tissue repair after toxic injury through the enhancement of macrophage recruitment. *Toxicol Appl Pharmacol.* 259: 104-114.
- Minamino, T; Ito, Y; Ohkubo, H; Hosono, K; Suzuki, T; Sato, T; Ae, T; Shibuya, A; Sakagami, H; Narumiya, S; Koizumi, W; Majima, M. (2012). Thromboxane A₂ receptor signaling promotes liver tissue repair after toxic injury through the enhancement of macrophage recruitment. *Toxicol Appl Pharmacol.* 259: 104-114.
- Minamino, T; Ito, Y; Ohkubo, H; Shimuzu, Y; Kojo, K; Nishizwa, N; Amano, H; Narumiya, S; Koizumi, W; Majima, M. (2015). Adhesion of platelets through thromboxane A₂ receptor signaling facilitates liver repair during acute chemical-induced hepatotoxicity. *Life Sci.* 132: 85-92.
- Minero, C; Pelizzetti, E; Sega, M; Friberg, SE; Sjoblom, J. (1999). The role of humic substances in the photocatalytic degradation of water contaminants. *Journal Of Dispersion Science And Technology.* 20: 643-661.
- Minghui, Z; Zhicheng, B; Xiaobai, X; Keou, W. (1996). Mechanism of photodegradation of polychlorinated dibenzo-p-dioxins in carbon tetrachloride. *Chemosphere.* 32: 603-607.
- Mingxue, Y; Yunda, L; Yugu, L. (1992). Potential use of luminol-dependent chemiluminescence for estimation of free radicals produced in hepatic microsomes and reconstituted cytochrome P450 systems. *Biomed Environ Sci.* 5: 336-348.
- Minin, EA; Buchwalow, IB; Wellner, M; Palmes, D; Spiegel, HU; Neuman, J; Boecker, W; Herbst, H. (2005). L-Arginine-NO-cGMP signaling following acute liver injury in the rat. *Exp Toxicol Pathol.* 57: 161-171.
- Minot, AS; Cutler, JT. (1928). GUANIDINE RETENTION AND CALCIUM RESERVE AS ANTAGONISTIC FACTORS IN CARBON TETRACHLORIDE AND CHLOROFORM POISONING. *The Journal of clinical investigation.* 6: 369-402.
- Mion, F; Geloen, A; Rousseau, M; Brazier, JL; Minaire, Y. (1994). Mechanism of carbon tetrachloride autoprotection: An in vivo study based on super(13)C-aminopyrine and super(13)C-galactose breath tests. *Life Sci.* 54: 2093-2098.
- Miquel, M; BartolÃi, R; SerafÃn, A; CabrÃes, E. Rat CCl₄-induced cirrhosis plus total portal vein ligation: a new model for the study of hyperammonaemia and brain oedema.
- Mir, AI; Kumar, B; Tasduq, SA; Gupta, DK; Bhardwaj, S; Johri, RK. (2007). Reversal of hepatotoxin-induced pre-fibrogenic events by *Emblca officinalis*--a histological study. *Indian J Exp Biol.* 45: 626-629.
- Miralles-GarcÃja, JM; GarcÃja-Iglesia, C; GarcÃ -DÃjez, LC. (1981). The kinetics of the thyroid hormones and the peripheral conversion rate of thyroxine to triiodothyronine in acute liver insufficiency under experimental conditions. *Hor Horm Metab Res.* 13.
- Miranda, CL; Henderson, MC; Schmitz, JA; Buhler, DR. (1983). Protective role of dietary butylated hydroxyanisole against chemical-induced acute liver damage in mice. *Toxicol Appl Pharmacol.* 69: 73-80.
- Mirsalis, JC; Butterworth, BE. (1980). Detection of unscheduled DNA synthesis in hepatocytes isolated from rats treated with genotoxic agents: an in vivo- in vitro assay for potential carcinogens and mutagens. *Carcinogenesis.* 1: 621-625.
- Mirsalis, JC; Hamer, JD; O'Loughin, KG; Winegar, RA; Short, JM. (1993). EFFECTS OF NONGENOTOXIC CARCINOGENS ON HEPATIC MUTATIONS IN LACI TRANSGENIC MICE. 24th Annual Scientific Meeting Of The Environmental Mutagen Society, Norfolk, Virginia, Usa, April. 21: 48.
- Mirsalis, JC; Steinmetz, KL. (1988). THE ROLE OF HYPERPLASIA IN LIVER CARCINOGENESIS. *Stevenson, D E, Et Al. O:* 149-162.
- Mirvish, SS; Sidransky, H. (1971). Labeling in vivo of rat liver proteins by tritium-labeled dimethylnitrosamine. Effect of prior treatment with 3-methylcholanthrene, phenobarbitone, dimethylformamide, diethyl-formamide, aminoacetonitrile, ethionine and carbon tetrachloride. *Biochem Pharmacol.* 20: 3493-3499.
- Mirzaei, A; Mirzaei, M; Mirzaei, N. (2011). Antioxidant activity of the *Pistacia atlantica* in carbon tetrachloride intoxicated rats in Iran. *Clin Biochem.* 44: S329-S330.
- Mirzaev, SZ; Iwanowski, I; Kaatze, U. (2007). Dynamic scaling of the critical mixture perfluoromethylcyclohexane-carbon tetrachloride. *Journal of Physics D-Applied Physics.* 40: 3248-3253.
- Mishima, K; Watanabe, H; Kaneko, S; Ogihara, T. (2003). Membrane disordering induced by chloroform and carbon tetrachloride. *Colloids and Surfaces B-Biointerfaces.* 28: 307-312.
- Mishra, D; Liao, ZH; Farrell, J. (2008). Understanding Reductive Dechlorination of Trichloroethene on Boron-Doped Diamond Film Electrodes. *Environmental Science & Technology.* 42: 9344-9349.
- Mishra, KP; Gogate, PR. (2011). Intensification of degradation of aqueous solutions of rhodamine B using sonochemical reactors at operating capacity of 7 L. *J Environ Manage.* 92: 1972-1977.
- Miskolci, C; LabÃ dAd, uoMAS-G-rMUDme; r, e; r, HSSH; Kurih. Guanine-cytosine rich regions of plasmid DNA can be the target in anti-plasmid effect of phenothiazines.
- Mistry, KJ; Krishna, M; Bhattacharya, RK. (2001). Effect of aflatoxin B₁ on phosphoinositide signal transduction pathway during regeneration of liver cells following partial hepatectomy. *Indian Journal of Biochemistry & Biophysics.* 38: 270-273.
- Mistry, S; Dutt, KR; Jena, J. (2013). Protective effect of *Sida cordata* leaf extract against CCl₄ induced acute liver toxicity in rats. *Asian Pacific Journal of Tropical Medicine.* 6: 280-284.

Environmental Hazard Literature Search Results

Off Topic

- Misuraca, MC; Grecu, T; Freixa, Z; Garavini, V; Hunter, CA; van Leeuwen, P; Segarra-Maset, MD; Turegat, SM. (2011). Relationship Between Conformational Flexibility and Chelate Cooperativity. *J Org Chem.* 76: 2723-2732.
- Mitchell, C; Couty, JP; Anson, M; Crain, AM; Bizet, V; Râ€šAd, IICUŠPDCdRSPF; Pd, ICUUŠPDCNdRSPF. Dual role of CCR2 in the constitution and the resolution of liver fibrosis in mice.
- Mitchell, C; Robin, MA; Mayeuf, A; Mahrouf-Yorgov, M; Mansouri, A; Hamard, M; Couton, D; Fromenty, B; Gilgenkrantz, H. (2009). Protection against Hepatocyte Mitochondrial Dysfunction Delays Fibrosis Progression in Mice. *American Journal of Pathology.* 175: 1929-1937.
- Mitchell, SM; Ahmad, M; Teel, AL; Watts, RJ. (2014). Degradation of Perfluorooctanoic Acid by Reactive Species Generated through Catalyzed H₂O₂ Propagation Reactions. *Environ Sci Technol Lett.* 1: 117-121.
- Mitcheva, M; Astroug, H; Drenska, D; Popov, A; Kassarova, M. (1993). Biochemical and morphological studies on the effects of anthocyanins and vitamin E on carbon tetrachloride induced liver injury. *Cell Mol Biol (Noisy-le-grand).* 39: 443-448.
- Mitcheva, M; Kondeva, M; Vitcheva, V; Nedialkov, P; Kitanov, G. (2006). Effect of benzophenones from *Hypericum annulatum* on carbon tetrachloride-induced toxicity in freshly isolated rat hepatocytes. *Redox report : communications in free radical research.* 11: 3-8.
- Mitcheva, M; Kondeva-Burdina, M; Vitcheva, V; Krasteva, I; Nikolov, S. (2008). Effect of Purified Saponin Mixture from *Astragalus corniculatus* on Toxicity Models in Isolated Rat Hepatocytes. *Pharmaceutical Biology.* 46: 866-870.
- Mitidieri, E; Affonso, OR. (1979). Serum xanthine dehydrogenase of carbon tetrachloride-induced hepatotoxicity in alloxan-diabetic rats. *Acta Biol Med Ger.* 38: 1131-1134.
- Mitra, G; Poddar, MK; Ghosh, JJ. (1975). Effect of delta9-tetrahydrocannabinol on rat liver microsomal lipid peroxidation. *Toxicol Appl Pharmacol.* 34: 525-528.
- Mitra, S; Gole, M; Samajdar, K; Sur, RK; Chakraborty, BN. Antihepatotoxic activity of *Chelidonium majus*. *International journal of pharmacognosy.* 1992. v. 30 (2): 125-128.
- Mitra, S; Sur, RK; Roy, A; Mukherjee, AS. Effect of *Chelidonium majus* L. on experimental hepatic tissue injury. *Phytotherapy research : PTR.* June 1996. v. 10 (4): 354-356.
- Mitra, SK; Venkataranganna, MV; Gopumadhavan, S; Anturlikar, SD; Seshadri, SJ; Venkatesha, UU. (2001). The protective effect of HD-03 in CCl₄-induced hepatic encephalopathy in rats. *Phytotherapy research : PTR.* 15: 493-496.
- Mitra, SK; Venkataranganna, MV; Sundaram, R; Gopumadhavan, S. (1998). Effect of HD-03, a herbal formulation, on the antioxidant defence system in rats. *Phytother Res.* 12: 114-117.
- Mitsugi, R; Itoh, T; Fujiwara, R. (2016). MicroRNA-877-5p is involved in the trovafloxacin-induced liver injury. *Toxicol Lett.* 263: 34-43.
- Mittal, D. (2009). Hepatoprotective effects of *Polygonum bistorta* and active principles on albino rats intoxicated with carbon tetrachloride and paracetamol. *Toxicol Lett.* 189, Supplement: S57.
- Miura, K; Yoshino, R; Hirai, Y; Goto, T; Ohshima, S; Mikami, K; Yoneyama, K; Watanabe, D; Sato, M; Senoo, H; Kodama, Y; Osawa, Y; Brenner, DA; Watanabe, S. (2007). Epimorphin, a morphogenic protein, induces proteases in rodent hepatocytes through NF-kappaB. *J Hepatol.* 47: 834-843.
- Miura, K; Yoshino, R; Hirai, Y; Goto, T; Ohshima, S; Mikami, KI; Yoneyama, K; Watanabe, D; Sato, M; Senoo, H; Kodama, Y; Osawa, Y; Brenner, DA; Watanabe, S. (2007). Epimorphin, a morphogenic protein, induces proteases in rodent hepatocytes through NF-kB. *J Hepatol.* 47: 834-843.
- Miura, S; Asakura, H; Munakata, Y; Kobayashi, K; Yoshioka, M; Morishita, T; Tsuchiya, M. (1982). Lymphatic role in the pathogenesis of fat malabsorption in liver cirrhosis in rats. *Dig Dis Sci.* 27: 1030-1036.
- Miura, S; Serizawa, H; Hamada, Y; Tanaka, S; Yoshioka, M; Hibi, T; Tsuchiya, M. (1989). CHANGES OF GUT-ASSOCIATED LYMPHOID TISSUE GALT IN RATS WITH CARBON TETRACHLORIDE-INDUCED LIVER CIRRHOSIS. 90th Annual Meeting Of The American Gastroenterological Association, Washington, DC, Usa, May. 96.
- Miyagawa, M; Katsuta, O; Tsuchitani, M; Yoshikawa, K. (1997). Measurement of replicative DNA synthesis (RDS) by a 5-bromo-2'-deoxyuridine (BrdU) labeling technique for detection of hepatocyte proliferation. *J Vet Med Sci.* 59: 45-49.
- Miyahara, S; Hibasami, H; Sakaguchi, K; Nakanishi, K; Yoshioka, K; Ishii, Y; Hasegawa, M; Kawarada, Y; Nakashima, K. (1999). Hormonal regulation of ornithine decarboxylase and spermidine spermine N(1)-acetyltransferase activities by sex steroid hormones in rat seminal vesicles. *Biogenic Amines.* 15: 321-331.
- Miyao, H; Arao, T; Udayama, M; Kinjo, J; Nohara, T. Kaikasaponin III and soyasaponin I, major triterpene saponins of *Abrus cantoniensis*, act on GOT and GPT: influence on transaminase elevation of rat liver cells concomitantly exposed to CCl₄ for one hour. *Planta Med.* Feb 1998. v. 64 (1): 5-7.
- Miyazaki, M; Mars, WM; Runge, D; Kim, TH; Bowen, WC; Michalopoulos, GK. (1998). Phenobarbital suppresses growth and accelerates restoration of differentiation markers of primary culture rat hepatocytes in the chemically defined hepatocyte growth medium containing hepatocyte growth factor and epidermal growth factor. *Exp Cell Res.* 241: 445-457.
- Miyazaki, T; Matsuzaki, Y. (2014). Taurine and liver diseases: a focus on the heterogeneous protective properties of taurine. *Amino Acids.* 46: 101-110.
- Miyazawa, T; Suzuki, T; Fujimoto, K. (1990). PHOSPHOLIPID HYDROPEROXIDE ACCUMULATION IN LIVER OF RATS INTOXICATED CARBON TETRACHLORIDE AND ITS PREVENTION BY ALPHA TOCOPHEROL. *Davies, K J A.* 0: 82-86.
- Miyazawa, T; Suzuki, T; Fujimoto, K. (1990). Phospholipid hydroperoxide accumulation in liver of rats intoxicated carbon tetrachloride and its prevention by Î±-tocopherol. *Free Radic Biol Med.* 9, Supplement 1: 10.
- Miyazawa, T; Suzuki, T; Fujimoto, K; Kaneda, T. Phospholipid hydroperoxide accumulation in liver of rats intoxicated with carbon tetrachloride and its inhibition by dietary alpha-tocopherol. *J Biochem.* May 1990. v. 107 (5): 689-693.

Environmental Hazard Literature Search Results

Off Topic

- Mizoguchi, T; Sakamoto, S; Koyama, Y; Ogura, K; Inagaki, F. (1998). The structure of the aggregate form of bacteriochlorophyll c showing the Q(y) absorption above 740 nm as determined by the ring-current effects on (1)H and (13)C nuclei and by (1)H-(1)H intermolecular NOE correlations. *Photochem Photobiol.* 67: 239-248.
- Mizuguchi, H; Yamazaki, Y; Shikamoto, Y; Shin, Y; Sonoda, J; Morita, T. (2002). Prothrombin activation during carbon tetrachloride-induced acute liver injury in mice. *Thromb Res Suppl.* 106: 257-261.
- Mizuguchi, S; Takemura, S; Minamiyama, Y; Kodai, S; Tsukioka, T; Inoue, K; Okada, S; Suehiro, S. (2006). S-allyl cysteine attenuated CCl4-induced oxidative stress and pulmonary fibrosis in rats. *BioFactors (Oxford, England).* 26: 81-92.
- Mizuoka, H; Shikata, N; Yang, JH; Takasu, M; Inoue, K; Tsubura, A. (1999). Biphasic effect of colchicine on acute liver injury induced by carbon tetrachloride or by dimethylnitrosamine in mice. *J Hepatol.* 31: 825-833.
- Mizutani, T; Miyamoto, Y. (1999). Modulation of halobenzene-induced hepatotoxicity by DT-diaphorase modulators, butylated hydroxyanisole and dicoumarol: evidence for possible involvement of quinone metabolites in the toxicity of halobenzenes. *Toxicol Lett.* 105: 25-30.
- Mobaraki, N; Hemmateenejad, B. (2011). Structural characterization of carbonyl compounds by IR spectroscopy and chemometrics data analysis. *Chemometrics and intelligent laboratory systems.* 109: 171-177.
- Moberg, C; Nilsson, M. (1973). 6-Halogenofulvenes and allylcyclopentadiene from nickelocene. *Journal of Organometallic Chemistry.* 49: 243-248.
- Mobley, SA; Earnest, DL; Sim, WW; McCusky, PA; McCuskey, RS; Sipes, IG. (1990). HYPERVITAMINOSIS A INCREASES NECROSIS BUT INCREASES FIBROSIS FOLLOWING REPEATED SMALL DOSES OF CARBON TETRACHLORIDE. Abstracts Of Papers Submitted To The American Association For The Study Of Liver Diseases For The 91st Annual Meeting Of The American Gastroenterological Association, San Antonio, Texas, Usa, May. 98.
- Mochida, S; Ishikawa, K; Toshima, K; Inao, M; Ikeda, H; Matsui, A; Shibuya, M; Fujiwara, K. (1998). The mechanisms of hepatic sinusoidal endothelial cell regeneration: A possible communication system associated with vascular endothelial growth factor in liver cells. *J Gastroenterol Hepatol.* 13: S1-S5.
- Mochida, S; Ishikawa, K; Toshima, K; Inao, M; Ikeda, H; Ohno, A; Matsui, A; Shibuya, M; Fujiwara, K. (1999). Regeneration of sinusoidal endothelial cells: A possible communication system through vascular endothelial growth factor among liver cells. *Cells of the Hepatic Sinusoid, Vol 7263-266.*
- Mochida, S; Masaki, N; Ohta, Y; Matsui, A; Ogata, I; Fujiwara, K. (1992). In situ detection of oxidative stress in rat hepatocytes. *J Pathol.* 167: 83-89.
- Mochizuki, A; Pace, A; Rockwell, CE; Roth, KJ; Chow, A; O'Brien, KM; Albee, R; Kelly, K; Towery, K; Luyendyk, JP; Copple, BL. (2014). Hepatic Stellate Cells Orchestrate Clearance of Necrotic Cells in a Hypoxia-Inducible Factor-1 alpha-Dependent Manner by Modulating Macrophage Phenotype in Mice. *J Immunol.* 192: 3847-3857.
- Mochizuki, AJ. (2014). The role of macrophage polarization in liver repair following an acute injury. PhD, Michigan State University.
- Mochizuki, M; Shimizu, S; Urasoko, Y; Umeshita, K; Kamata, T; Kitazawa, T; Nakamura, D; Nishihata, Y; Ohishi, T; Edamoto, H. (2009). Carbon tetrachloride-induced hepatotoxicity in pregnant and lactating rats. *The Journal of toxicological sciences.* 34: 175-181.
- Mochizuki, S; Kawashita, Y; Eguchi, S; Takatsuki, M; Yamanouchi, K; Tokai, H; Hidaka, M; Soyama, A; Nagayoshi, S; Kanematsu, T. (2010). Liver repopulation by transplanted hepatocytes in a rat model of acute liver failure induced by carbon tetrachloride and a partial hepatectomy. *Annals of transplantation : quarterly of the Polish Transplantation Society.* 15: 49-55.
- Moddy, DE; James, JL; Clawson, GA; Smuckler, EA. (1981). Correlations Among the Changes in Hepatic Microsomal Components After Intoxication With Alkyl Halides and Other Hepatotoxins. *Mol Pharmacol.* 20: 685-693.
- Moen, JET. (1988). SOIL PROTECTION IN THE NETHERLANDS. Wolf, K, W J Van Den Brink And F J Colon. 0: 1495-1504.
- Moghaddam, AP; Eggers, JS; Calabrese, EJ. (1998). Evaluation of sex difference in tissue repair following acute carbon tetrachloride toxicity in male and female Sprague-Dawley rats. *Toxicology.* 130: 95-105.
- Moh, A; Iwamoto, Y; Chai, GX; Zhang, SSM; Kano, A; Yang, DD; Zhang, W; Wang, J; Jacoby, JJ; Gao, B; Flavell, RA; Fu, XY. (2007). Role of STAT3 in liver regeneration: survival, DNA synthesis, inflammatory reaction and liver mass recovery. *Lab Invest.* 87: 1018-1028.
- Mohamed, MA; Marzouk, MS; Moharram, FA; El-Sayed, MM; Baiuomy, AR. (2005). Phytochemical constituents and hepatoprotective activity of *Viburnum tinus*. *Phytochemistry.* 66: 2780-2786.
- Mohamed, MR; Emam, MA; Hassan, NS; Mogadem, AI. (2014). Umbelliferone and daphnetin ameliorate carbon tetrachloride-induced hepatotoxicity in rats via nuclear factor erythroid 2-related factor 2-mediated heme oxygenase-1 expression. *Environ Toxicol Pharmacol.* 38: 531-541.
- Mohammadalipour, A; Karimi, J; Khodadadi, I; Solgi, G; Hashemnia, M; Sheikh, N; Bahabadi, M. (2017). Dasatinib prevent hepatic fibrosis induced by carbon tetrachloride (CCl4) via anti-inflammatory and antioxidant mechanism. *Immunopharmacol Immunotoxicol.* 39: 19-27.
- Mohammadi, M; Yazdanparast, R. (2009). Methoxy VO-salen complex: in vitro antioxidant activity, cytotoxicity evaluation and protective effect on CCl4-induced oxidative stress in rats. *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association.* 47: 716-721.
- Mohammadi, M; Yazdanparast, R. (2010). Radical scavenging abilities and hepatoprotective effect of [N, N'-Bis (salicylidene) ethane-1, 2-diaminato] oxovanadium (IV) complex in CCl4-treated rats. *Experimental and toxicologic pathology : official journal of the Gesellschaft für Toxikologische Pathologie.* 62: 533-538.
- Mohammadpoor-Baltork, I; Nourozi, AR. (1999). Efficient and selective oxidative deprotection of tetrahydropyranyl ethers, ethylene acetals and ketals with silver and sodium bromates in the presence of aluminum chloride. *Synthesis-Stuttgart* 487-490.

Environmental Hazard Literature Search Results

Off Topic

- Mohammed, A; Abd Al Haleem, EN; El-Bakly, WM; El-Demerdash, E. (2016). Deferoxamine alleviates liver fibrosis induced by CCl₄ in rats. *Clin Exp Pharmacol Physiol*. 43: 760-768.
- Mohammed, N; Abielgasim, AI; Mohammed, AH. (2008). Protective Effect of Raphanus sativus Against Carbon Tetrachloride Induced Hepatotoxicity In Wistar Albino Rats. *Journal of Pharmacology & Toxicology*. 3: 272-278.
- Mohammed, RR; Ibrahim, IAR; Taha, AH; McKay, G. (2013). Waste lubricating oil treatment by extraction and adsorption. *Chem Eng J*. 220: 343-351.
- Mohan, L; Sharma, P; Srivastava, CN. (2005). Evaluation of Solanum xanthocarpum extracts as mosquito larvicides. *Journal of environmental biology / Academy of Environmental Biology, India*. 26: 399-401.
- Mohan-Rao, HN; Wagle, NG; Ramesh, AN; Kulkarni, S; Rao, MS. Use of ethylene oxide and carbon tetrachloride mixture in the warehouses. *Bull Grain Technol*. Dec 1974, 12 (3): 235-237.
- Mohe, NU; Padiya, KJ; Salunkhe, MM. (2003). An efficient oxidizing reagent for the synthesis of mixed backbone oligonucleotides via the H-phosphonate approach. *Bioorganic & Medicinal Chemistry*. 11: 1419-1431.
- Mohseni, M. (2005). Gas phase trichloroethylene (TCE) photooxidation and byproduct formation: photolysis vs. titania/silica based photocatalysis. *Chemosphere*. 59: 335-342.
- Mohsin, S; Shams, S; Ali Nasir, G; Khan, M; Javaid Awan, S; Khan, SN; Riazuddin, S. (2011). Enhanced hepatic differentiation of mesenchymal stem cells after pretreatment with injured liver tissue. *Differentiation*. 81: 42-48.
- Mojzis, J; Nicak, A; Guzy, J; Kron, I; Mirossay, L. (1998). Effect of stobadine on carbon tetrachloride-induced erythrocyte membrane changes in rats. *Free Radic Biol Med*. 24: 1347-1351.
- Mokuda, O; Ubukata, E; Sakamoto, Y. (1995). Impaired glucose uptake and intact gluconeogenesis in perfused rat liver after carbon tetrachloride injury. *Biochemical and molecular medicine*. 54: 38-42.
- Moles, A; Tarrats, N; Fern; aaFernÂ ndez-Checa, JC. Cathepsins B and D drive hepatic stellate cell proliferation and promote their fibrogenic potential.
- Molino, G; Cavanna, A; Biondi, AM; MacrÂ , G; Ugazio, G. (1982). Bromsulphalein (BSP) kinetics in the rat: a new approach in evaluating experimental hepatotoxicity. *Int Arch Occup Environ Health*. 51.
- MolnÂ r, A; Amaral, L; Moln; aaJ. (2003). Antiplasmid effect of promethazine in mixed bacterial cultures. *International journal of antimicrobial agents*. 22: 217-222.
- MolnÂ r, D-DoMM; Immunobiology, FoGUoSSDmtšHeSHmcsu-sh; Moln; aacuteD, DoMMMM; Immunobiology, FoGMUoSDmtšHSHmcsu-sh; er, G. (2004). Infectious plasmid resistance and efflux pump mediated resistance. *Acta microbiologica et immunologica Hungarica*. 51: 333-349.
- MolnÂ r, J; Higgins, TE; Romanow, S. (2000). TREATMENT PROCESSES FOR CONTAMINATED GROUNDWATER THREE CASE STUDIES. *Int J Antimicrob Agents* 20s. 14: 243-247.
- Monahan, MJ; Teel, AL; Watts, RJ. (2005). Displacement of five metals sorbed on kaolinite during treatment with modified Fenton's reagent. *Water Res*. 39: 2955-2963.
- Monasterio, RP; Fernandez, MD; Silva, MF. (2013). High-throughput determination of phenolic compounds in virgin olive oil using dispersive liquid-liquid microextraction- capillary zone electrophoresis. *Electrophoresis*. 34: 1836-1843.
- Mondal, A; Karan, SK; Singha, T; Rajalingam, D; Maity, TK. (2012). Evaluation of Hepatoprotective Effect of Leaves of Cassia sophera Linn. Evidence-based complementary and alternative medicine : eCAM. 2012: 436139.
- Mondal, A; Maity, TK; Pal, D; Sannigrahi, S; Singh, J. (2011). Isolation and in vivo hepatoprotective activity of Melothria heterophylla (Lour.) Cogn. against chemically induced liver injuries in rats. *Asian Pacific Journal of Tropical Medicine*. 4: 619-623.
- Moneim, AEA; El-Khadragy, MF. (2013). The potential effects of pomegranate (Punica granatum) juice on carbon tetrachloride-induced nephrotoxicity in rats. *J Physiol Biochem*. 69: 359-370.
- Montalvo, JGJR; Faight, SE; Bucu, SM. (1988). RELATION OF THE ACUTE PULMONARY RESPONSE TO COTTON DUST AND DUST COMPOSITIONAL ANALYSIS BY NEAR IR REFLECTANCE SPECTROSCOPY PART II. UNSIEVED DUST. *Appl Spectrosc*. 42: 433-442.
- Montfort, I; Pâ€šreo, R. Collagenase of hepatocytes and sinusoidal liver cells in the reversibility of experimental cirrhosis of the liver.
- Montgomerie, RF. (1926). Carbon tetrachloride in liver rot of sheep. *Journal of Comparative Pathology and Therapeutics*. 39: 113-131.
- Montgomery, L; Assaf-Anid, N; Nies, L; Anid, PJ; Vogel, TM. (1994). ANAEROBIC BIODEGRADATION OF CHLORINATED ORGANIC COMPOUNDS. *Chaudhry, G R. 0*: 256-276.
- Monticello, TM; Barton, D; Ma, X; Babish, JG; Durham, SK. (1995). Comparison of acute hepatocellular proliferating cell nuclear antigen labeling indices and growth fractions, p34cdc2 kinases, and serum enzymes in carbon tetrachloride-treated rats. *Toxicol Pathol*. 23: 439-446.
- Montilla, MP; Cabo, J; Navarro, MC; Risco, S; Jimenez, J; Aneiros, J. The protective and curative action of Withania frutescens leaf extract against CCl₄-induced hepatotoxicity. *Phytotherapy research : PTR*. Dec 1990. v. 4 (6): 212-215 ill.
- Montosi, G; Garuti, C; Iannone, A; Pietrangelo, A. (1998). Spatial and temporal dynamics of hepatic stellate cell activation during oxidant-stress-induced fibrogenesis. *American Journal of Pathology*. 152: 1319-1326.
- Moody, DE; Clawson, GA; Woo, CH; Smickler, EA. (1982). Cellular distribution of cytochrome P-450 loss in rats of different ages treated with alkyl halides. *Toxicol Appl Pharmacol*. 66: 278-289.
- Moody, DE; Head, B; Smuckler, EA. (1979). Reduction in hepatic microsomal cytochromes P-450 and b5 in rats exposed to 1,2-dibromo-3-chloropropane and carbon tetrachloride: enhancement of effect by pretreatment with phenobarbital. *J Environ Pathol Toxicol*. 3: 177-190.
- Moody, DE; Head, B; Woo, CH; James, JL; Smuckler, EA. (1986). NADPH-dependent and -independent loss of cytochrome P-450 in control and phenobarbital-induced rat hepatic microsomes incubated with carbon tetrachloride. *Exp Mol Pathol*. 44: 318-328.

Environmental Hazard Literature Search Results

Off Topic

- Moody, DE; James, JL; Smuckler, EA. (1988). PHENOBARBITAL TREATMENT ALTERS THE KINETICS AND SITE OF CARBON TETRACHLORIDE-MEDIATED LIPID PEROXIDATION IN RAT LIVER MICROSOMES. 72nd Annual Meeting Of The Federation Of American Societies For Experimental Biology, Las Vegas, Nevada, Usa, May. 2: 641.
- Moody, DE; James, JL; Smuckler, EA. (1990). Phenobarbital pretreatment alters the localization of CCl₄-induced changes in rat liver microsomal fatty acids. *Toxicol Appl Pharmacol.* 103: 16-27.
- Moody, DE; James, JL; Smuckler, EA. (1990). Phenobarbital pretreatment alters the localization of CCl₄-induced changes in rat liver microsomal fatty acids. *Toxicol Appl Pharmacol.* 103: 16-27.
- Moody, DE; Smuckler, EA. Recovery of hepatic microsomal and nuclear fractions from rats treated with 1,2-dibromo-3-chloropropane (DBCP) and carbon tetrachloride (CCl₄). *Toxicol Lett.* 18, Supplement 1: 10.
- Mookerjee, S. (1968). Impairment of plasma glycoprotein synthesis in choline deficiency compared with effects of carbon tetrachloride intoxication. *Can J Physiol Pharmacol.* 46: 499-505.
- Moon, HD. (1950). The pathology of fatal carbon tetrachloride poisoning with special reference to the histogenesis of the hepatic and renal lesions. *Am J Pathol.* 26: 1041-1057.
- Moon, JO; Park, SK; Nagano, T. (1998). Hepatoprotective effect of Fe-TPEN on carbon tetrachloride induced liver injury in rats. *Biological & Pharmaceutical Bulletin.* 21: 284-288.
- Moon, KH; Lee, YM; Song, BJ. (2010). Inhibition of hepatic mitochondrial aldehyde dehydrogenase by carbon tetrachloride through JNK-mediated phosphorylation. *Free Radic Biol Med.* 48: 391-398.
- Moon, S; Adamski, JM; Hansen, MJ; Lichtman, A. (1990). BROMINATED ORGANIC POLLUTANTS IN NASSAU COUNTY DRINKING WATER. Hickey, J E Jr And L A Longmire. 0: 303-320.
- Moon, S; Adamski, JM; Lichtman, A. (1962). PROFILE OF VOLATILE ORGANIC CHEMICALS IN NASSAU COUNTY NEW YORK USA GROUNDWATER. Friedman, D. 0: 50-63.
- Moon, TC; Hwang, HS; Quan, Z; Son, KH; Kim, CH; Kim, HP; Kang, SS; Son, JK; Chang, HW. (2006). Ochnaflavone, naturally occurring biflavonoid, inhibits phospholipase A(2) dependent phosphatidylethanolamine degradation in a CCl₄-induced rat liver microsome. *Biological & Pharmaceutical Bulletin.* 29: 2359-2361.
- Moore, AM; De Leon, CH; Young, TM. (2003). Rate and extent of aqueous perchlorate removal by iron surfaces. *Environmental Science & Technology.* 37: 3189-3198.
- Moore, FG; Richmond, GL. (2008). Integration or segregation: How do molecules behave at oil/water interfaces? *Acc Chem Res.* 41: 739-748.
- Moore, K; Forsberg, B; Baer, DR; Arnold, WA; Penns, RL. (2011). Zero-Valent Iron: Impact of Anions Present during Synthesis on Subsequent Nanoparticle Reactivity. *Journal of Environmental Engineering-Asce.* 137: 889-896.
- Moore, KE; Brody, TM. (1960). Functional changes in liver mitochondria following in situ anoxia. *The American journal of physiology.* 198: 677-681.
- Moore, L. (1983). Enhanced hepatotoxicity and inhibition of liver endoplasmic reticulum calcium pump by CCl₄ in rats fed a thiamine deficient diet. *Life Sci.* 32: 741-745.
- Moore, L. (1983). Enhanced hepatotoxicity and inhibition of liver endoplasmic reticulum calcium pump by CCl₄ in rats fed a thiamine deficient diet. *Life Sci.* 32: 741-745.
- Moore, L; Ray, P. (1983). Enhanced inhibition of hepatic microsomal calcium pump activity by CCl₄ treatment of isopropanol-pretreated rats. *Toxicol Appl Pharmacol.* 71: 54-58.
- Moore, L; Ray, P. (1983). Enhanced inhibition of hepatic microsomal calcium pump activity by CCl₄ treatment of isopropanol-pretreated rats. *Toxicol Appl Pharmacol.* 71: 54-58.
- Moore, L; Rodman, DG; Landon, EJ. (1976). Calcium uptake of a rat liver microsomal subcellular fraction in response to in vivo administration of carbon tetrachloride. *The Journal of biological chemistry.* 251: 1197-1201.
- Moore, L; Schoenberg, DR; Long, RM. (1988). IMPACT OF HALOGENATED COMPOUNDS ON CALCIUM HOMEOSTASIS IN HEPATOCYTES. Conference On The Calcium Messenger System: Implications For Toxicological Research, Research Triangle Park, North Carolina, Usa, March. 84: 149-154.
- Morais, AD; Abarca-Quinones, J; Guigas, B; Viollet, B; Starkel, P; Horsmans, Y; Leclercq, IA. (2010). Development of hepatic fibrosis occurs normally in AMPK-deficient mice. *Clin Sci (Lond).* 118: 411-420.
- Morais, AD; Abarca-Quinones, J; Horsmans, Y; Starkel, P; Leclercq, IA. (2007). Peroxisome proliferated-activated receptor gamma ligand, Pioglitazone, does not prevent hepatic fibrosis in mice. *Int J Mol Med.* 19: 105-112.
- Morales-Ruiz, M; Cejudo-Martin, P; Fernandez-Varo, G; Tugues, S; Ros, J; Angeli, P; Rivera, F; Arroyo, V; Rodes, J; Sessa, WC; Jimenez, W. (2003). Transduction of the liver with activated Akt normalizes portal pressure in cirrhotic rats. *Gastroenterology.* 125: 522-531.
- Morata, P; Aguiar, F; Colmenero, JD; Serrano-Lozano, A. (1989). Fructose biphosphatase activity in the serum of rats treated with carbon tetrachloride. *Biochem Int.* 19: 863-870.
- Morata, P; Colmenero, JD; Sanchez-Carrillo, JJ; Morell, M. (1990). Serum activity of the key gluconeogenic enzymes in carbon-tetrachloride-induced experimental hepatotoxicity. *Enzyme and Protein.* 43: 169-174.
- Moratalla, A; Gomez-Hurtado, I; Moya-Perez, A; Zapater, P; Peiro, G; Gonzalez-Navajas, JM; Del Pulgar, EMG; Such, J; Sanz, Y; Frances, R. (2016). Bifidobacterium pseudocatenulatum CECT7765 promotes a TLR2-dependent anti-inflammatory response in intestinal lymphocytes from mice with cirrhosis. *Eur J Nutr.* 55: 197-206.
- Moratalla, A; Gomez-Hurtado, I; Santacruz, A; Moya, A; Peiro, G; Zapater, P; Gonzalez-Navajas, JM; Gimenez, P; Such, J; Sanz, Y; Frances, R. (2014). Protective effect of Bifidobacterium pseudocatenulatum CECT7765 against induced bacterial antigen translocation in experimental cirrhosis. *Liver Int.* 34: 850-858.

Environmental Hazard Literature Search Results

Off Topic

- More, AS; Kumari, RR; Gupta, G; Kathirvel, K; Lonare, MK; Dhayagude, RS; Kumar, D; Kumar, D; Sharma, AK; Tandan, SK. (2012). Effect of S-methylisothiourea in acetaminophen-induced hepatotoxicity in rat. *Naunyn-Schmiedeberg's Archives of Pharmacology*. 385: 1127-1139.
- More, IA. (1973). Biochemical and histological correlations of regeneration after experimental liver damage: significance of cirrhosis. *Br J Exp Pathol*. 54: 404-408.
- Moree, SS; Rajesha, J. (2013). Investigation of in vitro and in vivo antioxidant potential of secoisolariciresinol diglucoside. *Mol Cell Biochem*. 373: 179-187.
- Moreira, PR; Maioli, MA; Medeiros, HC; Guelfi, M; Pereira, FT; Mingatto, FE. (2014). Protective effect of bixin on carbon tetrachloride-induced hepatotoxicity in rats. *Biol Res*. 47: 49.
- Moreno, M; Ramalho, LN; Sancho-Bru, P; Ruiz-Ortega, M; Ramalho, F; Abalde, JG; Colmenero, J; Dominguez, M; Egido, J; Arroyo, V; Gines, P; Bataller, R. (2009). Atorvastatin attenuates angiotensin II-induced inflammatory actions in the liver. *American Journal of Physiology-Gastrointestinal and Liver Physiology*. 296: G147-G156.
- Moreno, MG; Muriel, P. (2006). Inducible nitric oxide synthase is not essential for the development of fibrosis and liver damage induced by CCl(4) in mice. *J Appl Toxicol*. 26: 326-332.
- Morentin, B; Callado, LF; Meana, JJ. (1998). Differences in criminal activity between heroin abusers and subjects without psychiatric disorders--analysis of 578 detainees in Bilbao, Spain. *J Forensic Sci*. 43: 993-999.
- Moresco, RN; Sperotto, RL; Bernardi, AS; Cardoso, RF; Gomes, P. (2007). Effect of the aqueous extract of *Syzygium cumini* on carbon tetrachloride-induced hepatotoxicity in rats. *Phytother Res*. 21: 793-795.
- Moresco, RN; Sperotto, RL; Bernardi, AS; Cardoso, RF; Gomes, P. (2007). Effect of the aqueous extract of *Syzygium cumini* on carbon tetrachloride-induced hepatotoxicity in rats. *Phytother Res*. 21: 793-795.
- Morford, LA; Davis, C; Jin, L; Dobierzewska, A; Peterson, ML; Spear, BT. (2007). The oncofetal gene glypican 3 is regulated in the postnatal liver by zinc fingers and homeoboxes 2 and in the regenerating liver by alpha-fetoprotein regulator 2. *Hepatology*. 46: 1541-1547.
- Morgan, EL; Wyatt, JP; Sutherland, RB. (1949). An episode of carbon tetrachloride poisoning with renal complications. *Can Med Assoc J*. 60: 145-150.
- Mori, H; Ushimaru, Y; Tanaka, T; Hirono, I. (1977). Effect of carbon tetrachloride on carcinogenicity of petasites japonicus and transplantability of induced tumors. *Gan*. 68: 841-845.
- Mori, J; Matsunaga, T; Takahashi, S; Hasegawa, C; Saito, H. (2003). Inhibitory activity on lipid peroxidation of extracts from marine brown alga. *Phytother Res*. 17: 549-551.
- Mori, N; Yokooji, T; Kamio, Y; Murakami, T. (2010). Increased intestinal absorption of mizoribine, an immunosuppressive agent, in cholestatic rats. *Pharmazie*. 65: 457-460.
- Mori, Y; Tsuji, J. (1971). Organic syntheses by means of metal complexesâ€”VI : Reactions of anilines, carbon tetrachloride and carbon monoxide. *Tetrahedron*. 27: 3811-3819.
- Mori, Y; Tsuji, J. (1971). Organic syntheses by means of metal complexesâ€”VII : One step synthesis of triarylimidazoles and triarylimidazolines from benzylamine derivatives and carbon tetrachloride. *Tetrahedron*. 27: 4039-4044.
- Morigasaki, S; Li, F; Kawai, A; Yamazaki, K; Sikdar, D; Hibino, Y; Hiraga, K. (2000). Interaction of albumin mRNA with proteins from rat liver with CCl(4)-induced injury. *Biochem Biophys Res Commun*. 273: 261-266.
- Morimoto, T; Jikkoh, A; Yokoo, N; Taki, Y; Tanaka, J; Kamiyama, Y; Ozawa, K; Tobe, T. (1985). Changes in coenzyme Q level in mitochondria of cirrhotic rat liver. *Life Sci*. 36: 1577-1580.
- Morimoto, T; Tanaka, A; Taki, Y; Noguchi, M; Yokoo, N; Nishihira, T; Nishikawa, K; Yamamoto, S; Nitta, N; Jikkoh, A. (1988). Changes in concentrations of respiratory components and cytochrome oxidase activity in mitochondria obtained from carbon tetrachloride-induced cirrhotic rat liver. *World J Gastroenterol*. 74: 485-489.
- Morio, LA; Laskin, DL. (1998). P2C79 - The role of tumor necrosis factor- α and nitric oxide in acute liver injury induced by carbon tetrachloride. *Toxicol Lett*. 95, Supplement 1: 113.
- Moriones, P; RÃ-os, X; EcheverrÃ-a, JSC; Garrido, JNJ; Pires, Jo; Pinto, Ms. (2011). Hybrid organicâ€”inorganic phenyl stationary phases for the gas separation of organic binary mixtures. *Colloids and surfaces*. 389: 69-75.
- Morishita, K; Mizukawa, Y; Kasahara, T; Okuyama, M; Takashima, K; Toritsuka, N; Miyagishima, T; Nagao, T; Urushidani, T. (2006). Gene expression profile in liver of differing ages of rats after single oral administration of acetaminophen. *J Toxicol Sci*. 31: 491-507.
- Morishita, M; Kamei, N; Ehara, J; Isowa, K; Takayama, K. (2007). A novel approach using functional peptides for efficient intestinal absorption of insulin. *Journal of controlled release : official journal of the Controlled Release Society*. 118: 177-184.
- Morita, H; Yoshikawa, H; Takizawa, T; Shirai, M; Akahori, F; Yoshimura, T. (2006). The formation of g=2.49-species of cytochrome P450 in the rat liver by PCB126 oral administration: Identification of heme axial ligands by EPR spectroscopy. *Bioscience Biotechnology and Biochemistry*. 70: 2974-2981.
- Morita, HE; Kodama, TS; Tanaka, T. (2006). Chirality of camphor derivatives by density functional theory. *Chirality*. 18: 783-789.
- Morita, M; Hirosawa, K; Takeda, S; Ouchi, K. (1979). Carbonization of polycyclic aromatics. 1. Carbonization of anthracene in carbon tetrachloride. *Fuel*. 58: 269-275.
- Moriya, K; Sakai, K; Yan, MH; Sakai, T. (2012). Fibronectin is essential for survival but is dispensable for proliferation of hepatocytes in acute liver injury in mice. *Hepatology*. 56: 311-321.
- Moriya, K; Yoshikawa, M; Ouji, Y; Saito, K; Nishiofuku, M; Matsuda, R; Ishizaka, S; Fukui, H. (2008). Embryonic stem cells reduce liver fibrosis in CCl(4)-treated mice. *Int J Exp Pathol*. 89: 401-409.

Environmental Hazard Literature Search Results

Off Topic

- Moriya, K; Yoshikawa, M; Saito, K; Oujji, Y; Nishiofuku, M; Hayashi, N; Ishizaka, S; Fukui, H. (2007). Embryonic stem cells develop into hepatocytes after intrasplenic transplantation in CCl₄-treated mice. *World J Gastroenterol.* 13: 866-873.
- Mormone, E; Lu, Y; Ge, X; Fiel, MI; Nieto, N. (2012). Fibromodulin, an oxidative stress-sensitive proteoglycan, regulates the fibrogenic response to liver injury in mice. *Gastroenterology.* 142: 612-621 e615.
- Moro, T; Shimoyama, Y; Kushida, M; Hong, YY; Nakao, S; Higashiyama, R; Sugioka, Y; Inoue, H; Okazaki, I; Inagaki, Y. (2008). Glycyrrhizin and its metabolite inhibit Smad3-mediated type I collagen gene transcription and suppress experimental murine liver fibrosis. *Life Sci.* 83: 531-539.
- Morrin, PA; Gedney, WB; Barth, W; Heptinstall, RH. (1962). Acute tubular necrosis. Report of a case with failure to recover after sixty-seven days of oliguria. *Ann Intern Med.* 56: 925-930.
- Morris, JC. (1975). FORMATION OF HALOGENATED ORGANICS BY CHLORINATION OF WATER SUPPLIES. AVAILABLE FROM THE NATIONAL TECHNICAL INFORMATION SERVICE, SPRINGFIELD, VA 22161, AS PB-241 511, \$425 IN PAPER COPY, \$225 IN MICROFICHE ENVIRONMENTAL PROTECTION AGENCY, WASHINGTON, DC, REPORT EPA-600/1-75-002, MARCH 1975 54 P, 166 REF 1CA046 (PEMP), P5-01-1805-J.
- Morrison, GR; Brock, FE; Karl, IE; Shank, RE. (1965). Quantitative analysis of regenerating and degenerating areas within the lobule of the carbon tetrachloride-injured liver. *Arch Biochem Biophys.* 111: 448-460.
- Morrow, JD; Awad, JA; Kato, T; Takahashi, K; Burk, RF; Roberts, LJ. (1991). FORMATION OF NOVEL NON-CYCLOOXYGENASE DERIVED PROSTAGLANDINS IN AN IN-VIVO MODEL OF LIPID PEROXIDATION AND HEPATIC INJURY. 42nd Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 14.
- Morsy, MA; Abdalla, AM; Mahmoud, AM; Abdelwahab, SA; Mahmoud, ME. (2012). Protective effects of curcumin, alpha-lipoic acid, and N-acetylcysteine against carbon tetrachloride-induced liver fibrosis in rats. *J Physiol Biochem.* 68: 29-35.
- Mortezaee, K; Sabbaghziarani, F; Omid, A; Dehpour, AR; Omid, N; Ghasemi, S; Pasbakhsh, P; Kashani, IR. (2016). Therapeutic value of melatonin post-treatment on CCl₄-induced fibrotic rat liver. *Can J Physiol Pharmacol.* 94: 119-130.
- Mortland, MM; Boyd, SA. (1989). Polymerization and dechlorination of chloroethenes on Cu(II)-smectite via radical-cation intermediates. *Environmental Science & Technology.* 23: 223-227.
- Moscovici, J; Benzakour, M. Unexpected Fe local order in iron oxide coated nanocrystalline magnesium oxides with exceptional reactivities against environmental toxins.
- Moseley, RH; Jarose, S; Permod, P. (1992). Hepatic Na(+)-dicarboxylate cotransport: identification, characterization, and acinar localization. *The American journal of physiology.* 263: G871-879.
- Moselhy, SS; Ali, HK. (2009). Hepatoprotective effect of cinnamon extracts against carbon tetrachloride induced oxidative stress and liver injury in rats. *Biol Res.* 42: 93-98.
- Mossakowski, MJ; Smialek, M; Pronaszko, A. (1971). Disturbances in the permeability of the cerebral blood vessels in experimental hepatic encephalopathy. *Polish medical journal.* 10: 208-217.
- Mostafa, MH; Ruchirawat, M; Weisburger, EK. Effect of indole on N-nitrosodimethylamine demethylase in rats treated with carbon tetrachloride. *Food Cosmet Toxicol.* Dec 1981. v. 19 (6): 717-721 ill.
- Mota, FL; Carneiro, AR; Queimada, AJ; Pinho, SP; Macedo, EA. (2009). Temperature and solvent effects in the solubility of some pharmaceutical compounds: Measurements and modeling. *Eur J Pharm Sci.* 37: 499-507.
- Motawi, TK; Hamed, MA; Shabana, MH; Hashem, RM; Naser, AFA. (2011). Zingiber officinale acts as a nutraceutical agent against liver fibrosis. *Nutrition & metabolism.* 8: 11 p.
- Motawi, TM; Atta, HM; Sadik, NA; Azzam, M. (2014). The therapeutic effects of bone marrow-derived mesenchymal stem cells and simvastatin in a rat model of liver fibrosis. *Cell Biochem Biophys.* 68: 111-125.
- Moto, M; Sasaki, YF; Okamura, M; Fujita, M; Kashida, Y; Machida, N; Mitsumori, K. (2003). Absence of in vivo genotoxicity and liver initiation activity of dicyclanil. *The Journal of toxicological sciences.* 28: 173-179.
- Motoki, K; Tanikawa, M; Akiyama, H; Toida, T; Toyoda, H; Koshiishi, I; Imanari, T. (1992). Changes of glycosaminoglycan species in carbon tetrachloride-intoxicated rat organs. *Japanese Journal of Toxicology and Environmental Health.* 38: 63-68.
- Motomura, M; Ozaki, I; Fujio, N; Setoguchi, Y; Yamamoto, K; Kariya, T; Sakai, T. (1990). Participation of hepatocytes on laminin gene expression during CCl₄-induced liver fibrosis. *Gastroenterologia Japonica.* 25: 273.
- Motomura, M; Ozaki, I; Mukai, T; Joh, K; Setoguchi, Y; Yamamoto, K; Sakai, T; Hori, K. (1990). Resurgence of aldolase A and C gene expression in acute carbon tetrachloride induced liver injury. *Gastroenterologia Japonica.* 25: 402.
- Motoyama, Y; Hanada, S; Niibayashi, S; Shimamoto, K; Takaoka, N; Nagashima, H. (2005). Atom-transfer radical reactions catalyzed by a coordinatively unsaturated diruthenium amidinate, (eta⁵-C₅Me₅)Ru(mu²-i-PrN=C(Me)Ni-Pr)Ru(eta⁵-C₅Me₅) (+). *Tetrahedron.* 61: 10216-10226.
- Mott, HV. (1989). Diffusive transport of low molecular weight organic solutes through soil-bentonite containment barriers. PhD, University of Michigan.
- Mourelle, M; Amezcua, JL; Favari, L. (1987). HETEROGENEITY OF CHANGES ON THE DISPOSITION OF ASPIRIN IN RATS WITH CARBON TETRACHLORIDE INDUCED CHRONIC LIVER DAMAGE. *Biochem Pharmacol.* 36: 3021-3026.
- Mourelle, M; Amezcua, JL; Favari, L. (1987). Heterogeneity of changes on the disposition of aspirin in rats with CCl₄-induced chronic liver damage. *Biochem Pharmacol.* 36: 3021-3025.
- Mourelle, M; Amezcua, JL; Hong, E. (1987). EFFECT OF RIOPROSTIL AND COLCHICINE ON CARBON TETRACHLORIDE-ACUTE LIVER DAMAGE IN RATS RELATIONSHIP WITH PLASMA MEMBRANE LIPIDS. *Prostaglandins.* 33: 869-878.

Environmental Hazard Literature Search Results

Off Topic

- Mourelle, M; Amezcua, JL; Hong, E. (1987). Effect of rioprostil and colchicine on CCl₄-acute liver damage in rats. Relationship with plasma membrane lipids. Prostaglandins.
- Mourelle, M; Meza, MA. (1990). Carbon tetrachloride-induced lipoperoxidation triggers a lethal defect in the liver plasma membranes. *J Appl Toxicol.* 10: 23-28.
- Mourelle, M; Meza, MA. (1990). CCl₄-induced lipoperoxidation triggers a lethal defect in the liver plasma membranes. *J Appl Toxicol.* 10: 23-27.
- Mourelle, M; Muriel, P; Favari, L; Franco, T. (1989). PREVENTION OF CARBON TETRACHLORIDE-INDUCED LIVER CIRRHOSIS BY SILYMARIN. *Fundam Clin Pharmacol.* 3: 183-192.
- Mourelle, M; Perez, VM; Rojkind, M. (1988). Lipid quantitation in formalin-fixed liver sections. *The journal of histochemistry and cytochemistry : official journal of the Histochemistry Society.* 36: 1471-1474.
- Mourelle, M; Rubalcava, B. (1979). Changes in the insulin and glucagon receptors in the regenerating liver following intoxication with carbon tetrachloride. *Biochem Biophys Res Commun.* 88: 189-198.
- Mourelle, M; Rubalcava, B. (1981). Changes in thyroid hormones following liver intoxication with carbon tetrachloride. *Journal of applied toxicology : JAT.* 1: 174-176.
- Mourelle, M; Rubalcava, B. (1981). Regeneration of the liver after carbon tetrachloride. Differences in adenylate cyclase and pancreatic hormone receptors. *The Journal of biological chemistry.* 256: 1656-1660.
- Mourelle, M; Villalon, C; Amezcua, JL. (1988). PROTECTIVE EFFECT OF COLCHICINE ON ACUTE LIVER DAMAGE INDUCED BY CARBON TETRACHLORIDE. *J Hepatol.* 6: 337-342.
- Mourelle, M; Villalon, C; Amezcua, JL. (1988). Protective effect of colchicine on acute liver damage induced by carbon tetrachloride. *J Hepatol.* 6: 337-342.
- Moussa, F; Devlin, JF. (2005). LABORATORY AND FIELD TRANSFORMATIONS OF CARBON TETRACHLORIDE IN SULFATE REDUCING ENVIRONMENTS. *Nano Lett* 2005t. 5: 2578-2585.
- Moustacchi, E; Carere, A; Morpurgo, G; Ramel, C; Wurgler, FE. (1983). ASSAYS FOR GENETIC CHANGES IN FUNGI. *Montesano, R, Et Al.* 0: 303-350.
- Moustafa, SA. (1997). Effects of ginseng on serum tri-iodothyronine (T₃), thyroxine (T₄) and the T₃/T₄ ratio in rats treated with CCl₄. *Biomedical Letters.* 55: 25-32.
- Moyer, ES; Smith, SJ; Wood, GO. (2001). Carbon tetrachloride replacement compounds for organic vapor air-purifying respirator cartridge and activated carbon testing - A review. *AIHAJ.* 62: 494-507.
- Mu, Y; Liu, P; Du, G; Du, J; Wang, G; Long, A; Wang, L; Li, F. (2009). Action mechanism of Yi Guan Jian Decoction on CCl₄-induced cirrhosis in rats. *J Ethnopharmacol.* 121: 35-42.
- Muñoz, DD; Muñoz, A; Joshi, BM; Ubeda, M; Lario, M; Díaz, D; Frate, S; R; Monserrat, J; Pastor, O. (2015). Interaction between intestinal dendritic cells and bacteria translocated from the gut in rats with cirrhosis. *Pharmacognosy Magazine.*
- Muñoz, SWWM. (1986). Effect of experimental liver disease on the utilization for protein synthesis of orally administered alpha-ketoisocaproate. *Hepatology (Baltimore, Md).* 6: 472-476.
- Mueller, J. (1989). CHLORINATED HYDROCARBONS IN THE TROPOSPHERE. World Meteorological Organization Technical Conference On The Monitoring And Assessment Of Changing Composition Of The Troposphere, Sofia, Bulgaria, October. 0: 126.
- Mueller, JA; Ditoro, DM. (1993). Multicomponent adsorption of volatile organic chemicals from air stripper offgas. *Water Environ Res.* 65: 15-25.
- Mueller-Herold, U; Caderas, D; Funck, P. (1997). Validity of global lifetime estimates by a simple general limiting law for the decay of organic compounds with long-range pollution potential. *Environmental Science & Technology.* 31: 3511-3515.
- Muguerza, B; Castilla-Cortazar, I; Garca, M; Santidria, N, S. (2001). Antifibrogenic effect in vivo of low doses of insulin-like growth factor-I in cirrhotic rats. *Biochim Biophys Acta.* 1536: 185-195.
- Muhanna, N; Horani, A; Doron, S; Safadi, R. (2007). Lymphocyte-hepatic stellate cell proximity suggests a direct interaction. *Clin Exp Immunol.* 148: 338-347.
- Mujeeb, M; Alam, KS; Aeri, V; Ali, B. (2011). Hepatoprotective Activity of the Ethanolic Extract of Ficus carica Linn. Leaves in Carbon Tetrachloride-Induced Hepatotoxicity in Rats. *Iranian journal of pharmaceutical research : IJPR.* 10: 301-306.
- Mujumdar, AM; Upadhye, AS; Pradhan, AM. (1998). Effect of Azadirachta indica leaf extract on carbon tetrachloride-induced hepatic damage in albino rats. *Indian J Pharmaceut Sci.* 60: 363-367.
- Mukai, T; Mera, K; Nishida, K; Nakashima, M; Sasaki, H; Nakamura, J. (2004). Pharmacokinetics of phenol red in rat models of liver damage prepared by liver targeting of carbon tetrachloride. *Biological & Pharmaceutical Bulletin.* 27: 595-597.
- Mukai, T; Mera, K; Nishida, K; Nakashima, M; Sasaki, H; Sakaeda, T; Nakamura, J. (2002). A novel method for preparation of animal models of liver damage: Liver targeting of carbon tetrachloride in rats. *Biological & Pharmaceutical Bulletin.* 25: 1494-1497.
- Mukerjee, S; Ellenson, WD; Lewis, RG; Stevens, RK; Somerville, MC; Shadwick, DS. (1997). An environmental scoping study in the Lower Rio Grande Valley of Texas: I. Comparative assessment of air sampling methods. *Environ Int.* 23: 611-628.
- Mukherjee, PK; Bhakta, T; Saha, BP; Pal, S; Pal, M; Das, AA. (1994). Protective effect of fraction of azadirachta indica leaf extract on carbon tetrachloride induced hepatotoxicity. *Ancient Science of Life.* 14: 71-76.
- Mukherjee, S; Sur, A; Maiti, BR. (1997). Hepatoprotective effect of Swertia chirata on rat. *Indian J Exp Biol.* 35: 384-388.
- Muley, MM; Thakare, VN; Patil, RR; Kshirsagar, AD; Naik, SR. (2012). Silymarin improves the behavioural, biochemical and histoarchitecture alterations in focal ischemic rats: A comparative evaluation with piracetam and protocatechuic acid. *Pharmacology Biochemistry and Behavior.* 102: 286-293.
- Muliawan, H; Kappus, H. (1983). Ferrous ion-stimulated alkane expiration in rats treated with carbon tetrachloride. *Toxicology.* 28: 29-36.

Environmental Hazard Literature Search Results

Off Topic

- Mullaugh, KM; Hamilton, JM; Avery, GB; Felix, JD; Mead, RN; Willey, JD; Kieber, RJ. (2015). Temporal and spatial variability of trace volatile organic compounds in rainwater. *Chemosphere*. 134: 203-209.
- Mullen, KD; McCullough, AJ. (1989). Problems with animal models of chronic liver disease: suggestions for improvement in standardization. *Hepatology* (Baltimore, Md). 9: 500-503.
- Muller, JF; Hawker, DW; Connell, DW. (1994). Calculation of bioconcentration factors of persistent hydrophobic compounds in the air/vegetation system. *Chemosphere*. 29: 623-640.
- Mumma, CE; Lawless, EW. (1975). Survey of Industrial Processing Data. Task I-Hexachlorobenzene and Hexachlorobutadiene Pollution from Chlorocarbon Processing. Available from the National Technical Information Service, Springfield VA 22161 as PB-243 641, Price codes: A09 in paper copy, A01 in microfiche Report No EPA 560/3-75-003, June 1975 186 p 28 fig , 26 tab, 50 ref, 3 append EPA 68-01-2105.
- Mumtaz, MM; Derosa, CT; Durkin, PR. (1994). APPROACHES AND CHALLENGES IN RISK ASSESSMENTS OF CHEMICAL MIXTURES. Yang, R S H. O: 565-597.
- Mun, CH; He, JZ; Ng, WJ. (2008). Pentachlorophenol dechlorination by an acidogenic sludge. *Water Res*. 42: 3789-3798.
- Mun, CH; Ng, WJ; He, JZ. (2008). Evaluation of biodegradation potential of carbon tetrachloride and chlorophenols under acidogenic condition. *Journal of Environmental Engineering-Asce*. 134: 177-183.
- Mundal, DA; Lee, JJ; Thomson, RJ. (2008). Tandem carbon-carbon and carbon-chlorine bond formation by Cu(II) chloride-promoted 3,3 sigmatropic rearrangement of N-allylhydrazones. *J Am Chem Soc*. 130: 1148-+.
- Munz, C; Roberts, PV. (1989). GAS AND LIQUID-PHASE MASS TRANSFER RESISTANCES OF ORGANIC COMPOUNDS DURING MECHANICAL SURFACE AERATION. *Water Res*. 23: 589-602.
- Murad, CA; Begg, SJ; Griffiths, PJ; Littleton, JM. (1977). Hepatic triglyceride accumulation and the ethanol physical withdrawal syndrome in mice. *Br J Exp Pathol*. 58: 606-615.
- Murakami, T; Kohno, K; Ninomiya, K; Matsuda, H; Yoshikawa, M. (2001). Medicinal foodstuffs. XXV. Hepatoprotective principle and structures of ionone glucoside, phenethyl glycoside, and flavonol oligoglycosides from young seedpods of garden peas, *Pisum sativum* L. *Chemical & Pharmaceutical Bulletin*. 49: 1003-1008.
- Murakami, T; Nagamura, Y; Hirano, K. (1998). The effect of ethanolamine on acute carbon tetrachloride intoxication. *Biological & Pharmaceutical Bulletin*. 21: 84-86.
- Murakami, T; Nagamura, Y; Hirano, K. (1998). Ethanolamine stimulates repair processes in acute CCl₄ damage of mouse liver. *Toxicol Lett*. 94: 137-144.
- Murakami, T; Nagamura, Y; Hirano, K. (1998). Ethanolamine stimulates repair processes in acute CCl₄ damage of mouse liver. *Toxicol Lett*. 94: 137-144.
- Murakami, T; Nagamura, Y; Hirano, K. (1998). The recovering effect of betaine on carbon tetrachloride-induced liver injury. *J Nutr Sci Vitaminol*. 44: 249-255.
- Murakami, T; Yumoto, R; Nagai, J; Takano, M. (2002). Factors affecting the expression and function of P-glycoprotein in rats: drug treatments and diseased states. *Pharmazie*. 57: 102-107.
- Murali, B; Korrapati, MC; Warbritton, A; Latendresse, J; Mehendale, HM. (2004). Tolerance of aged Fischer 344 rats against chlordecone-amplified carbon tetrachloride toxicity. *Mech Ageing Dev*. 125: 421-435.
- Murata, T; Aarii, S; Mori, A; Imamura, M. (2003). Therapeutic significance of Y-27632, a Rho-kinase inhibitor, on the established liver fibrosis. *J Surg Res*. 114: 64-71.
- Murata, T; Aarii, S; Nakamura, T; Mori, A; Kaido, T; Furuyama, H; Furumoto, K; Nakao, T; Isobe, N; Imamura, M. (2001). Inhibitory effect of Y-27632, a ROCK inhibitor, on progression of rat liver fibrosis in association with inactivation of hepatic stellate cells. *J Hepatol*. 35: 474-481.
- Murawaki, Y; Yamada, S; Koda, M; Hirayama, C. (1990). Collagenase and collagenolytic cathepsin in normal and fibrotic rat liver. *J Biochem*. 108: 241-244.
- Murawaki, Y; Yamamoto, H; Koda, M; Kawasaki, H. (1994). Serum collagenase activity reflects the amount of liver collagenase in chronic carbon tetrachloride-treated rats. *Res Comm Chem Pathol Pharmacol*. 84: 63-72.
- Murayama, H; Ikemoto, M; Fukuda, Y; Nagata, A. (2008). Superiority of serum type-I arginase and ornithine carbamyltransferase in the detection of toxicant-induced acute hepatic injury in rats. *Clin Chim Acta*. 391: 31-35.
- Muriel, P. Effect of alpha-interferon on erythrocyte and hepatocyte plasma membranes derived from cirrhotic rats.
- Muriel, P. Erythrocyte alterations correlate with CCl₄ and biliary obstruction-induced liver damage in the rat.
- Muriel, P. (1993). S-adenosyl-L-methionine prevents and reverses erythrocyte membrane alterations in cirrhosis. *J Appl Toxicol*. 13: 179-182.
- Muriel, P. (1998). Nitric oxide protection of rat liver from lipid peroxidation, collagen accumulation, and liver damage induced by carbon tetrachloride. *Biochem Pharmacol*. 56: 773-779.
- Muriel, P; Alba, N; Perez-Alvarez, VM; Shibayama, M; Tsutsumi, VK. (2001). Kupffer cells inhibition prevents hepatic lipid peroxidation and damage induced by carbon tetrachloride. *Comparative Biochemistry and Physiology C-Toxicology & Pharmacology*. 130: 219-226.
- Muriel, P; Class, T; Kohnle, R; Ballschmiter, K. (2008). Chemistry of organic traces in air: VII. Bromo- and bromochloromethanes in air over the Atlantic Ocean. *Journal of applied toxicology : JAT*. 15: 429-436.
- Muriel, P; Escobar, Y. (2003). Kupffer cells are responsible for liver cirrhosis induced by carbon tetrachloride. *J Appl Toxicol*. 23: 103-108.
- Muriel, P; Fernndez, I; nez, E; oacucin, dF; iacuogja, T-IPN, te.; xico, CM; xico, pammcm; eacuAlvarez, VV; Ponce, SndI; acologja, CINVESCINVESTAVIPNM; xico, pammcm. Thalidomide ameliorates carbon tetrachloride induced cirrhosis in the rat.
- Muriel, P; Gonzalez, MP. (1997). EFFECT OF NITRIC OXIDE MODULATION ON CHRONIC CCL-4-INDUCED LIVER PEROXIDATION AND DAMAGE IN RATS. 48th Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 26.

Environmental Hazard Literature Search Results

Off Topic

- Muriel, P; Martinez, M; Mourelle, M. (1994). DOES COLCHICINE PROTECT THE LIVER FROM ACUTE LIVER DAMAGE INDUCED BY CCL-4 BY DECREASING CYTOCHROME P-450-? 45th Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 20.
- Muriel, P; Moreno, MG. Resolution of liver fibrosis in chronic CCl₄ administration in the rat after discontinuation of treatment: effect of silymarin, silibinin, colchicine and trimethylcolchicinic acid.
- Muriel, P; Moreno, MG; Hernandez, MD; Chavez, E; Alcantar, LK. (2005). Resolution of liver fibrosis in chronic CCl₄ administration in the rat after discontinuation of treatment: Effect of silymarin, silibinin, colchicine and trimethylcolchicinic acid. *Basic & Clinical Pharmacology & Toxicology*. 96: 375-380.
- Muriel, P; Mourelle, M. (1990). Prevention by silymarin of membrane alterations in acute CCl₄ liver damage. *J Appl Toxicol*. 10: 275-279.
- Muriel, P; Mourelle, M. (1990). The role of membrane composition in ATPase activities of cirrhotic rat liver: Effect of silymarin. *J Appl Toxicol*. 10: 281-284.
- Muro, H; Shirasawa, H; Kosugi, I; Ito, I. (1990). Defect of sinusoidal Fc receptors and immune complex uptake in carbon tetrachloride induced liver cirrhosis in rats. *Gastroenterology*. 99: 200-210.
- Muro, H; Shirasawa, H; Kosugi, I; Ito, I. (1990). Defect of sinusoidal Fc receptors and immune complex uptake in CCl₄-induced liver cirrhosis in rats. *Gastroenterology*. 99: 200-210.
- Murota, S; Morita, I. (1980). Prostaglandin-synthesizing system in rat liver: changes with aging and various stimuli. *Advances in prostaglandin and thromboxane research*. 8: 1495-1506.
- Murphy, BL. (2016). Vapor degreasing with chlorinated solvents. *Environ Forensics*. 17: 282-293.
- Murphy, SD; Malley, S. (1969). Effect of carbon tetrachloride on induction of liver enzymes by acute stress or corticosterone. *Toxicol Appl Pharmacol*. 15: 117-130.
- Murray, AJ; Riley, JP. (1973). Occurrence of some chlorinated aliphatic hydrocarbons in the environment. *Nature*. 242: 37-38.
- Murray, JS; Lane, P; Politzer, P. (2009). Expansion of the sigma-hole concept. *J Mol Model*. 15: 723-729.
- Murray, M; Farrell, GC. (1984). Different effects of carbon tetrachloride toxicity and cirrhosis on substrate binding to rat hepatic microsomal cytochrome P-450. *Biochem Pharmacol*. 33: 687-689.
- Murray, WD; Richardson, M. (1993). PROGRESS TOWARD THE BIOLOGICAL TREATMENT OF C-1 AND C-2 HALOGENATED HYDROCARBONS. *Crit Rev Environ Sci Technol*. 23: 195-217.
- Murthy, HN; Dandin, VS; Paek, KY. (2014). Hepatoprotective activity of ginsenosides from Panax ginseng adventitious roots against carbon tetrachloride treated hepatic injury in rats. *J Ethnopharmacol*. 158: 442-446.
- Murthy, KNC; Jayaprakasha, GK; Singh, RP. Studies on antioxidant activity of pomegranate (*Punica granatum*) peel extract using in vivo models. *J Agric Food Chem*. Aug 14, 2002. v. 50 (17): 4791-4795.
- Murthy, KNC; Jayaprakasha, GK; Singh, RP. (2002). Studies on antioxidant activity of pomegranate (*Punica granatum*) peel extract using in vivo models. *J Agric Food Chem*. 50: 4791-4795.
- Murthy, KNC; Vanitha, A; Rajesha, J; Swamy, MM; Sowmya, PR; Ravishankar, GA. (2005). In vivo antioxidant activity of carotenoids from *Dunaliella salina* - a green microalga. *Life Sci*. 76: 1381-1390.
- Murugan, V; Mukherjee, K; Maiti, K; Mukherjee, PK. (2009). Enhanced Oral Bioavailability and Antioxidant Profile of Ellagic Acid by Phospholipids. *J Agric Food Chem*. 57: 4559-4565.
- Musarrat, J; Hashsham, SA. (2003). Customized cDNA microarray for expression profiling of environmentally important genes of *Pseudomonas stutzeri* strain KC. *Teratogenesis Carcinogenesis and Mutagenesis* 283-294.
- Musser, AW; Spooner, GH. (1968). Serum ornithine carbamoyl transferase levels and hepatocellular damage in rats treated with carbon tetrachloride. *Arch Pathol*. 86: 606-609.
- Musuda, Y; Kuchii, M; Yamamoto, H; Murano, T. (1973). Studies on the function of cell membrane. 6th report. Influence of sex hormones on the elevation of NADH-cytochrome c reductase activity in liver plasma membrane of CCl₄-administered rats. *Japanese journal of pharmacology*. 23: 753-756.
- Muth, OH. (1960). Carbon tetrachloride poisoning of ewes on a low selenium ration. *Am J Vet Res*. 21: 86-87.
- Muthuraman, G; Moon, IS. (2017). Innovative reductive remediation of carbon tetrafluoride at room temperature by using electrogenerated Co¹⁺. *J Hazard Mater*. 325: 157-162.
- Muthuraman, G; Teng, TT; Tan, SH. (2012). Liquid-liquid extraction of Cibacron Red FN-R by TBAB as an extractant. *Desalination*. 284: 135-141.
- Myasnikov, LA; Zaitsev, VF. (1967). The role of the liver in the development of hypercholesterolaemia in atherosclerosis. *Cor VASA*. 9: 272-281.
- Myren, J. (1960). The effect of ACTH on dehydrogenase activity following liver injury in mice. 2. The effect of ACTH after injection of single doses of carbon tetrachloride. *Acta pathologica et microbiologica Scandinavica*. 48: 211-216.
- Myren, J. (1961). The role of adrenocortical function in the liver damage and regeneration in mice treated with carbon tetrachloride (CCl₄). *Acta pathologica et microbiologica Scandinavica Supplement*. Suppl 148: 161-169.
- Myren, J; Band, S; Linnestad, P; Stave, R; Hanssen, LE; Dolva, LO; Serck-Hanssen, A; Arnesen, K; Stroemme, J. (1989). Liver cell necrosis and regeneration following injections of carbon tetrachloride. Effects of the thyrotropin-releasing hormone and somatostatin. *Acta Pathologica, Microbiologica et Immunologica Scandinavica*. 97: 334-342.
- Myren, J; Bang, S; Linnestad, P; Stromme, JH; Serck-Hanssen, A; Hanssen, LE. (1990). THE SOMATOSTATIN ANALOGUE SMS-201-995 AND THE LIVER CELL INJURY AFTER SINGLE INJECTIONS OF CARBON TETRACHLORIDE. 8th International Symposium On Gastrointestinal Hormones, Timmendorfer Strand Sea, West Germany, September. 46: 74.

Environmental Hazard Literature Search Results

Off Topic

- Myren, J; Beraki, K; Bang, S; Naess, O; Arnesen, K; Serck-Hanssen, A. (1988). THE EFFECT OF THE SOMATOSTATIN ANALOGUE SMS-201-995 ON THE SURVIVAL OF PARENCHYMAL LIVER CELLS IN CULTURE. Seventh International Symposium On Gastrointestinal Hormones, Shizuoka, Japan, November. 9: 52.
- Myren, J; Oye, I. (1960). Serum proteins in rabbit after single injections of carbon tetrachloride (CCl₄). *Acta pathologica et microbiologica Scandinavica*. 48: 201-204.
- Na, JY; Song, K; Kim, S; Kwon, J. (2015). Hepatoprotective effect of phosphatidylcholine against carbon tetrachloride liver damage in mice. *Biochem Biophys Res Commun*. 460: 308-313.
- Nã@dã@lec, JY; Ait-Haddou-Mouloud, H; Folest, JC; Pã@richon, J. (1988). Electrochemical cross-coupling of organic halides: Trichloromethylation and related synthesis of gem-dichloro compounds. *Tetrahedron Letters*. 29: 1699-1700.
- Nabavi, SM; Hajizadeh, MA; Fazli, M; Bigdellou, R; Mohammadzadeh, S; Nabavi, SF; Ebrahimzadeh, MA. (2012). Hepatoprotective activity of *Allium paradoxum*. *Eur Rev Med Pharmacol Sci*. 16 Suppl 3: 43-46.
- Nabeshima, Y; Tazuma, S; Kanno, K; Hyogo, H; Iwai, M; Horiuchi, M; Chayama, K. (2006). Anti-fibrogenic function of angiotensin II type 2 receptor in CCl₄-induced liver fibrosis. *Biochem Biophys Res Commun*. 346: 658-664.
- Nachtomi, E. Effect of ethylene dibromide and carbon tetrachloride on lipid peroxidation in rat and chick liver. *Exp Mol Pathol*. Oct 1972, 17 (2): 171-175.
- Nachtomi, E; Alumot, E. (1972). Comparison of ethylene dibromide and carbon tetrachloride toxicity in rats and chicks: blood and liver levels; lipid peroxidation. *Exp Mol Pathol*. 16: 71-78.
- Nachtomi, E; Alumot, E; Bondi, A. Biochemical changes in organs of chicks and rats poisoned with ethylene dibromide and carbon tetrachloride. *Sept/Oct 1968*, 6(5): 803-811.
- Nadim, F; Nadim, A; Hoag, GE; Dahmani, AM. (1997). Desorption rate limitation in the extraction of organic molecules from unsaturated soils during soil venting operations. *J Contam Hydrol*. 25: 21-37.
- Nadkarni, GD; D'Souza, NB. (1988). Hepatic antioxidant enzymes and lipid peroxidation in carbon tetrachloride-induced liver cirrhosis in rats. *Biochemical medicine and metabolic biology*. 40: 42-45.
- Nadkarni, GD; Pestonjamas, KN; Soman, CS. (1986). Efficacy of propylthiouracil treatment in carbon tetrachloride-induced liver cirrhosis in rats. *Indian journal of gastroenterology : official journal of the Indian Society of Gastroenterology*. 5: 183-186.
- Nadkarni, GD; Shimpi, HH; Noronha, OP. (1991). Biokinetics of ^{99m}Tc-labelled liver-imaging agents in an animal model of liver cirrhosis. *Indian journal of gastroenterology : official journal of the Indian Society of Gastroenterology*. 10: 51-53.
- Nagababu, E; Lakshmaiah, N. (1994). Inhibition of microsomal lipid peroxidation and monoxygenase activities by eugenol. *Free Radic Res*. 20: 253-266.
- Nagababu, E; Sesikeran, B; Lakshmaiah, N. (1995). The protective effects of eugenol on carbon tetrachloride induced hepatotoxicity in rats. *Free Radic Res*. 23: 617-627.
- Nagae, Y; Miyamoto, M; Miyamoto, H. (1992). Effect of estrogen on liver plasma membrane in rats. *The Journal of toxicological sciences*. 17: 185-195.
- Nagamura, Y; Uesugi, K; Naito, J; Ishiguro, I. (1999). Cinnabaric acid was formed in damaged mitochondria and its effect on mitochondrial respiration. *Adv Exp Med Biol*. 467: 419-423.
- Nagano, K; Sasaki, T; Umeda, Y; Nishizawa, T; Ikawa, N; Ohbayashi, H; Arito, H; Yamamoto, S; Fukushima, S. (2007). Inhalation carcinogenicity and chronic toxicity of carbon tetrachloride in rats and mice. *Inhal Toxicol*. 19: 1089-1103.
- Nagaoka, S; Shimizu, K; Kaneko, H; Shibayama, F; Morikawa, K; Kanamaru, Y; Otsuka, A; Hirahashi, T; Kato, T. (2005). A novel protein C-phycocyanin plays a crucial role in the hypocholesterolemic action of *Spirulina platensis* concentrate in rats. *J Nutr*. 135: 2425-2430.
- Nagaraja, D; Melavanki, RM; Patil, NR; Geethanjali, HS; Kusanur, RA. (2015). Solvent effect on the relative quantum yield and fluorescence quenching of a newly synthesized coumarin derivative. *Luminescence*. 30: 495-502.
- Nagaraja, YP; Krishna, V. (2016). Hepatoprotective effect of the Aqueous Extract and 5-Hydroxy, 7,8,2-Trimethoxy Flavone of *Andrographis alata* Nees. in Carbon Tetrachloride Treated Rats. *Achievements in the Life Sciences*. 10: 5-10.
- Nagasawa, S; Yamanaka, H; Motoi, Y; Ishikawa, T; Takizawa, T. (1989). Effect of isoprothiolane on hepatic lesions of heifer caused by carbon tetrachloride. *Nihon juigaku zasshi The Japanese journal of veterinary science*. 51: 284-293.
- Nagayama, S; Yokoi, T; Kawaguchi, Y; Kamataki, T. (1994). Occurrence of autoantibody to protein disulfide isomerase in rats with xenobiotic-induced hepatitis. *The Journal of toxicological sciences*. 19: 155-161.
- Nagda, G; Bhatt, DK. (2014). Effect of treatment of cow's urine "Gomutra" and antioxidants in alleviating the lindane-induced oxidative stress in kidney of Swiss mice (*Mus musculus*). *Mol Biol Rep*. 41: 1967-1976.
- Nagendrappa, G; Urs, SSR. (1999). Chloramine-T with iodine: A new reagent to determine the iodine value of edible oils. Part II. *Journal of the American Oil Chemists Society*. 76: 1001-1002.
- Nagi, MN; Alam, K; Badary, OA; Al-Shabanah, OA; Al-Sawaf, HA; Al-Bekairi, AM. (1999). Thymoquinone protects against carbon tetrachloride hepatotoxicity in mice via an antioxidant mechanism. *Biochemistry and Molecular Biology International*. 47: 153-159.
- Nagiel-Ostaszewski, I; Lau-Cam, CA. (1990). Protection by pantethine, pantothenic acid and cystamine against carbon tetrachloride-induced hepatotoxicity in the rat. *Res Commun Mol Pathol Pharmacol*. 67: 289-292.
- Nagy, PI. (2013). Are the intramolecular O-H&middledot;&middledot;&middledot;F and O-H&middledot;&middledot;&middledot;Cl hydrogen bonds maintained in solution? A theoretical study. *The journal of physical chemistry A*. 117: 2812-2826.
- Nagymajtã€šnyi, L; Alves, AC; Gonã€ıalves, MM; MendeAd, D-DdCnTdBfDcNtUNdLrPafup. (2005). Determination of organophosphorous pesticides in the ppq range using a simple solid-phase extraction method combined with dispersive liquid-liquid microextraction. *Environ Toxicol Pharmacol*. 34: 2475-2481.

Environmental Hazard Literature Search Results

Off Topic

- Nagyrajtenyi, L; Fisher, EM; Koshland, CP. (2007). Numerical simulation of the thermal destruction of some chlorinated C1 and C2 hydrocarbons. *Hum Exp Toxicol.* 200726: 441-445.
- Nahar, T; Uddin, B; Hossain, S; Sikder, AM; Ahmed, S. (2013). Aloe vera gel protects liver from oxidative stress-induced damage in experimental rat model. *J Complement Integr Med.*
- Naik, SR; Panda, VS. (2007). Antioxidant and hepatoprotective effects of Ginkgo biloba phytosomes in carbon tetrachloride-induced liver injury in rodents. *Liver Int.* 27: 393-399.
- Naik, SR; Thakare, VN; Path, SR. (2011). Protective effect of curcumin on experimentally induced inflammation, hepatotoxicity and cardiotoxicity in rats: Evidence of its antioxidant property. *Exp Toxicol Pathol.* 63: 419-431.
- Nair, RP; Pineda-Lanorio, JA; Frost, BJ. (2012). Atom transfer radical addition (ATRA) of carbon tetrachloride and chlorinated esters to various olefins catalyzed by Cp^{*}Ru(PPh₃)(PR₃)Cl complexes. *Inorganica Chimica Acta.* 380: 96-103.
- Najdenov, G. (1966). Investigations on liver enzyme activity in test animals previously subjected to experimental injuries and under conditions of drinking Hissar mineral water from the "Momina Banja" spring. *Folia medica.* 8: 132-139.
- Najm, IN; Snoeyink, VL; Lykins, BWJR; Adams, JQ. (1991). Using powdered activated carbon: A critical review. *Am Water Works Assoc J.* 83: 65-76.
- Naka, D; Kim, D; Carbonaro, RF; Strathmann, TJ. (2008). Abiotic reduction of nitroaromatic contaminants by iron(II) complexes with organothiol ligands. *Environ Toxicol Chem.* 27: 1257-1266.
- Nakade, Y; Tsuchida, D; Fukuda, H; Iwa, M; Pappas, TN; Takahashi, T. (2005). Restraint stress delays solid gastric emptying via a central CRF and peripheral sympathetic neuron in rats. *American Journal of Physiology-Regulatory Integrative and Comparative Physiology.* 288: R427-R432.
- Nakade, Y; Yoneda, M; Nakamura, K; Makino, I; Terano, A. (2002). Involvement of endogenous CRF in carbon tetrachloride-induced acute liver injury in rats. *American Journal of Physiology-Regulatory Integrative and Comparative Physiology.* 282: R1782-R1788.
- Nakade, Y; Yoneda, M; Takamoto, S; Yokohama, S; Tamori, K; Okada, M; Aso, K; Sato, Y; Nakamura, K; Makino, I; Terano, A. (1999). A role of endogenous corticotropin-releasing factor (CRF) in the brain carbon tetrachloride (CCl₄)-induced acute liver injury in rats. *Digestive Disease Week And The 100th Annual Meeting Of The American Gastroenterological Association, Orlando, Florida, Usa, May.* 116.
- Nakade, Y; Yoneda, M; Yokohama, S; Tamori, K; Nakamura, K; Watanobe, H; Kono, T; Makino, I; Terano, A. (2003). Central injection of a stressin inhibits carbon tetrachloride-induced acute liver injury in rats. *Eur J Pharmacol.* 460: 135-138.
- Nakagawa, S; Yoshida, S; Hirao, Y; Kasuga, S; Fuwa, T. (1985). Cytoprotective activity of components of garlic, ginseng and ciuwjia on hepatocyte injury induced by carbon tetrachloride in vitro. *Hiroshima journal of medical sciences.* 34: 303-309.
- Nakahama, T; Takahashi, S; Urakubo, G; Nagamatsu, K. (1988). Distribution of carbon tetrachloride in rat liver and its urinary metabolites. *EISEI KAGAKU.* 34: 313-318.
- Nakahama, T; Urakubo, G. (1988). Species difference between mice and rats in expiratory excretion of carbon tetrachloride and its metabolites. *EISEI KAGAKU.* 34: 279-281.
- Nakahira, K; Takahashi, T; Shimizu, H; Maeshima, K; Uehara, K; Fujii, H; Nakatsuka, H; Yokoyama, M; Akagi, R; Morita, K. (2003). Protective role of heme oxygenase-1 induction in carbon tetrachloride-induced hepatotoxicity. *Biochem Pharmacol.* 66: 1091-1105.
- Nakajima, T; Akatsu, S; Ohmura, R; Takeya, S; Mori, YH. (2011). Molecular Storage of Ozone in a Clathrate Hydrate Formed from an O₃+O₂+CO₂ Gas Mixture. *Angewandte Chemie-International Edition.* 50: 10340-10343.
- Nakajima, T; Koyama, Y; Sato, A. (1982). Dietary modification of metabolism and toxicity of chemical substances--with special reference to carbohydrate. *Biochem Pharmacol.* 31: 1005-1011.
- Nakajima, T; Nakashima, T; Yoshizaki, K; Nishikawa, H. (1987). PHOSPHORUS-31 AND PROTON NMR SPECTROSCOPIC ANALYSES OF CARBON TETRACHLORIDE-INTOXICATED RAT LIVER. *64th Annual Meeting Of The Physiological Society Of Japan, Chiba, Japan, April.* 49: 329.
- Nakakimura, H; Mizuno, K. (1980). Studies on lipid peroxidation in biological systems. II. Hyperlipoperoxidemia in mice induced by alloxan. *Chemical & pharmaceutical bulletin.* 28: 2207-2211.
- Nakamoto, N; Tada, S; Kameyama, K; Kitamura, K; Kurita, S; Saito, Y; Saito, H; Ishii, H. (2003). A free radical scavenger, edaravone, attenuates steatosis and cell death via reducing inflammatory cytokine production in rat acute liver injury. *Free Radic Res.* 37: 849-859.
- Nakamura, H; Hirata, K; Yamashiro, K; Hiranuma, K; Shibata, K; Higashi, K; Morita, T; Hirano, H. (1994). Increase of hepatic mRNAs of profilin, actin and extracellular matrix proteins after carbon tetrachloride treatment and partial hepatectomy in rats. *Biochem Biophys Res Commun.* 198: 568-573.
- Nakamura, I; Zakharia, K; Banani, BA; Mikhail, DS; Kim, TH; Yang, JD; Moser, CD; Shaleh, HM; Thornburgh, SR; Walters, I; Roberts, LR. (2014). Brivanib attenuates hepatic fibrosis in vivo and stellate cell activation in vitro by inhibition of FGF, VEGF and PDGF signaling. *PLoS ONE.* 9: e92273.
- Nakamura, K; Nonaka, H; Saito, H; Tanaka, M; Miyajima, A. (2004). Hepatocyte proliferation and tissue remodeling is impaired after liver injury in oncostatin M receptor knockout mice. *Hepatology.* 39: 635-644.
- Nakamura, N; Fusamoto, H; Koizumi, T. (1975). The effects of aminoacetonitrile and its derivative on components of hepatic connective tissue in rats with chronic hepatic injury. *Acta hepato-gastroenterologica.* 22: 78-84.
- Nakamura, T; Akiyoshi, H; Saito, I; Sato, K. (1999). Adenovirus-mediated gene expression in the septal cells of cirrhotic rat livers. *J Hepatol.* 30: 101-106.
- Nakamura, T; Akiyoshi, H; Shiota, G; Isono, M; Nakamura, K; Moriyama, M; Sato, K. (1999). Hepatoprotective action of adenovirus-transferred HNF-3 gamma gene in acute liver injury caused by CCl₄. *FEBS Lett.* 459: 1-4.
- Nakamura, T; Fujii, T; Ichihara, A. (1985). Enzyme leakage due to change of membrane permeability of primary cultured rat hepatocytes treated with various hepatotoxins and its prevention by glycyrrhizin. *Cell Biol Toxicol.* 1: 285-295.

Environmental Hazard Literature Search Results

Off Topic

- Nakamura, T; Hotchi, M. (1992). Changes in DNA strand breaks in non-parenchymal cells following hepatocyte regeneration in carbon tetrachloride induced rat liver injury. *Virchows Arch B Cell Pathol Incl Mol Pathol.* 63: 11-16.
- Nakamura, T; Hotchi, M. (1992). Changes in DNA strand breaks in non-parenchymal cells following hepatocyte regeneration in CCl₄-induced rat liver injury. *Virchows Archiv B, Cell pathology including molecular pathology.* 63: 11-16.
- Nakamura, T; Miyazaki, H; Kusunoki, S; Furuya, T. (1987). PROTECTIVE EFFECT OF NATURAL EXTRACTS ON TWO TYPES OF HEPATIC INJURY MODELS. Fifty Eighth Annual Meeting Of The Zoological Society Of Japan, Toyama, Japan, October. 4.
- Nakamura, T; Nakamura, S; Kawamura. (1958). Studies on influence of protein on the liver injury due to chloroform and carbon tetrachloride. *The Tohoku journal of experimental medicine.* 67: 373-380.
- Nakamura, T; Otsuki, M; Tani, S; Okabayashi, Y; Fujii, M; Oka, T; Fujisawa, T; Baba, S. (1988). PANCREATIC ENDOCRINE FUNCTION IN CIRRHOTIC RATS. *Metab Clin Exp.* 37: 892-899.
- Nakamura, T; Torimura, T; Sakamoto, M; Hashimoto, O; Taniguchi, E; Inoue, K; Sakata, R; Kumashiro, R; Murohara, T; Ueno, T; Sata, M. (2007). Significance and therapeutic potential of endothelial progenitor cell transplantation in a cirrhotic liver rat model. *Gastroenterology.* 133: 91-107.
- Nakanishi, Y; Orita, M; Okuda, T; Abe, H. (1998). Effects of geraniin on the liver in rats I-effects of geraniin compared to ellagic acid, and gallic acid on hepatic injuries induced by CCl₄, D-galactosamine, and thioacetamide. *Natural Medicines.* 52: 396-403.
- Nakano, A; Kanda, T; Abe, H. (1996). Bone changes and mineral metabolism disorders in rats with experimental liver cirrhosis. *J Gastroenterol Hepatol.* 11: 1143-1154.
- Nakao, LS; Kadiiska, MB; Mason, RP; Grijalba, MT; Augusto, O. (2000). Metabolism of acetaldehyde to methyl and acetyl radicals: In vitro and in vivo electron paramagnetic resonance spin-trapping studies. *Free Radic Biol Med.* 29: 721-729.
- Nakashima, T; Goda, F; Jiang, J; Shima, T; Swartz, HM. (1995). Use of EPR oximetry with India ink to measure the pO₂ in the liver in vivo in mice. *Magn Reson Med.* 34: 888-892.
- Nakashima, T; Matsumoto, N; Kashima, K. (1998). Treatment with bovine gallstones exacerbates liver damage, but enhances hepatoprotection by bear gall powder in carbon tetrachloride-intoxicated rats. *Japanese Journal of Pharmacology.* 76: 271-277.
- Nakashima, T; Taniko, T; Kuriyama, K. (1982). Therapeutic effect of taurine administration on carbon tetrachloride-induced hepatic injury. *Japanese journal of pharmacology.* 32: 583-589.
- Nakata, K; Fujimoto, K. (1973). Relationship between liver cell injury and circulatory disturbance in the development of carbon tetrachloride poisoning. *Acta Pathol Jpn.* 23: 667-673.
- Nakata, K; Higaki, K. (1969). Relationship between circulatory disturbance and histological lesions in the isolated rat liver resulting from carbon tetrachloride poisoning. *Microvasc Res.* 1: 379-389.
- Nakata, Y; Iwai, M; Kimura, S; Shimazu, T. (1996). Prolonged decrease in hepatic connexin32 in chronic liver injury induced by carbon tetrachloride in rats. *J Hepatol.* 25: 529-537.
- Nakatsuka, R; Taniguchi, M; Hirata, M; Shiota, G; Sato, K. (2007). Transient expression of bone morphogenic protein-2 in acute liver injury by carbon tetrachloride. *J Biochem.* 141: 113-119.
- Nakatsukasa, H; Nagy, P; Everts, RP; Marsden, E; Thorgerisson, SS. (1988). THE EXPRESSION OF COLLAGEN AND TGF-BETA GENES IN CARBON TETRACHLORIDE INDUCED RAT LIVER FIBROSIS. 39th Annual Meeting And Postgraduate Course Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 8.
- Nakaya, Y; Harada, N; Niwa, Y; Takahashi, A. (2002). Time course of change in respiratory quotient during prolonged starvation in carbon tetrachloride-induced cirrhotic rats. *Nutrition Research.* 22: 695-703.
- Nalabotu, SK; Kolli, MB; Triest, WE; Ma, JY; Manne, N; Katta, A; Addagarla, HS; Rice, KM; Blough, ER. (2011). Intratracheal instillation of cerium oxide nanoparticles induces hepatic toxicity in male Sprague-Dawley rats. *Int J Nanomedicine.* 6: 2327-2335.
- Nan, JX; Jiang, YZ; Park, EJ; Ko, G; Kim, YC; Sohn, DH. (2003). Protective effect of *Rhodiola sachalinensis* extract on carbon tetrachloride-induced liver injury in rats. *J Ethnopharmacol.* 84: 143-148.
- Nan, JX; Park, EJ; Kang, HC; Park, PH; Kim, JY; Sohn, DH. (2001). Anti-fibrotic effects of a hot-water extract from *Salvia miltiorrhiza* roots on liver fibrosis induced by biliary obstruction in rats. *J Pharm Pharmacol.* 53: 197-204.
- Nan, JX; Park, EJ; Kim, YC; Ko, G; Sohn, DH. (2002). *Scutellaria baicalensis* inhibits liver fibrosis induced by bile duct ligation or carbon tetrachloride in rats. *J Pharm Pharmacol.* 54: 555-563.
- Nan, JX; Park, EJ; Yang, BK; Song, CH; Ko, GN; Sohn, DH. (2001). Antifibrotic effect of extracellular biopolymer from submerged mycelial cultures of *Cordyceps militaris* on liver fibrosis induced by bile duct ligation and scission in rats. *Arch Pharm Res.* 24: 327-332.
- Nanbu, S; Sekine, M; Nakata, M. (2012). Intramolecular hydrogen-atom tunneling and photoreaction mechanism of 4-bromo-2-chloro-6-fluorophenol in low-temperature argon matrices. *Journal of molecular structure.* 1025: 69-73.
- Nanni, G; Majorani, F; Maloberti, G; Canepa, C; Casu, A. (2000). Action of chronic CCl₄ on the retinol and dolichol content of rat liver parenchymal and non-parenchymal cells. *Life Sci.* 67: 2293-2304.
- Nanni, G; Majorani, F; Maloberti, G; Canepa, C; Casu, A. (2001). Interaction between monensin and CCl₄ after chronic treatment: dolichol and retinol content of rat liver sinusoidal cells. *International journal of tissue reactions.* 23: 9-20.
- Naora, K; Ichikawa, N; Hirano, H; Iwamoto, K. (1999). Distribution of ciprofloxacin into the central nervous system in rats with acute renal or hepatic failure. *J Pharm Pharmacol.* 51: 609-616.
- Napierska, D; Barsiene, J; Mulkiewicz, E; Podolska, M; Rybakovas, A. (2009). Biomarker responses in flounder *Platichthys flesus* from the Polish coastal area of the Baltic Sea and applications in biomonitoring. *Ecotoxicology.* 18: 846-859.
- Narasimhan, TR; Nair, SG. Comparative activity of some liver enzymes of ducks and chicken, and the effects of hepatotoxicity induced by CCl₄ on the levels of a few of them. *Indian journal of animal sciences.* Jan 1974, 44 (1): 53-59.

Environmental Hazard Literature Search Results

Off Topic

- Narasimhan, TR; Nair, SG. Effect of CCl₄ poisoning on the activity of a few enzymes and lipid phosphorus content in the plasma of ducks and chicken. *Indian J Med Res.* Jan 1974, 62 (1): 65-70.
- Narayan, S; Bajpai, A; Chauhan, SS; Misra, UK. (1985). Lipid peroxidation in lung and liver of rats given DDT and endosulfan intratracheally. *Bull Environ Contam Toxicol.* 34: 63-67.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1993). Treatment of VOCs in high strength wastes using anaerobic expanded-bed GAC reactor. *Water Res.* 27: 181-194.
- Narayanan, B; Suidan, MT; Gelderloos, AB; Brenner, RC. (1995). Anaerobic treatment of volatile and semivolatile organic compounds in municipal wastewater. *Water Environ Res.* 67: 46-56.
- Nardo, B; Tsivian, M; Neri, F; Piras, G; Pariali, M; Bertelli, R; Cavallari, G. (2008). Extracorporeal portal vein oxygenation improves outcome of acute liver failure in swine. *Transplant Proc.* 40: 2046-2048.
- Narisawa, M; Hasegawa, T; Okamura, K; Itoh, M; Apple, T; Moraes, KV; Interrante, LV. (2002). Synthesis of silicon carbide films from partially oxidized polyvinylsilane by carbon tetrachloride solution casting. *J Mater Res.* 17: 214-223.
- Narotsky, MG; Best, DS; McDonald, A; Godin, EA; Hunter, ES; Simmons, JE. (2011). Pregnancy loss and eye malformations in offspring of F344 rats following gestational exposure to mixtures of regulated trihalomethanes and haloacetic acids. *Reprod Toxicol.* 31: 59-65.
- Narotsky, MG; Brownie, GF; Kavlock, RJ. (1997). Critical period of carbon tetrachloride-induced pregnancy loss in Fischer-344 rats, with insights into the detection of resorption sites by ammonium sulfide staining. *Teratology.* 56: 252-261.
- Narotsky, MG; Hamby, BT; Mitchell, DS; Kavlock, RJ. (1994). EFFECT OF VEHICLE ON THE DEVELOPMENTAL TOXICITY OF BROMODICHLOROMETHANE BDCM AND CARBON TETRACHLORIDE CCL-4 IN RATS. Thirty Fourth Annual Meeting Of The Teratology Society And The Eighteenth Annual Meeting Of The Neurobehavioral Teratology Society, Las Croabas, Puerto Rico, June. 49: 395.
- Narotsky, MG; Pegram, RA; Kavlock, RJ. (1997). Effect of dosing vehicle on the developmental toxicity of bromodichloromethane and carbon tetrachloride in rats. *Fundam Appl Toxicol.* 40: 30-36.
- Narotsky, MG; Pressman, JG; Miltner, RJ; Speth, TF; Teuschler, LK; Rice, GE; Richardson, SD; Best, DS; McDonald, A; Hunter, ES; Simmons, JE. (2012). Developmental Toxicity Evaluations of Whole Mixtures of Disinfection By-products using Concentrated Drinking Water in Rats: Gestational and Lactational Effects of Sulfate and Sodium. *Birth Defects Research Part B-Developmental and Reproductive Toxicology.* 95: 202-212.
- Nascimbeni, B; Phillips, MD; Croom, DK; Andrews, PW; Tice, RR; Nauman, CH. (1991). EVALUATION OF DNA DAMAGE IN GOLDEN MICE OCHROTOMYS-NUTTALLI INHABITING A HAZARDOUS WASTE SITE. Twenty Second Annual Scientific Meeting Of The Environmental Mutagen Society, Kissimmee, Florida, Usa, April. 0: 55.
- Naseem, M; Parvez, S. (2014). Hesperidin restores experimentally induced neurotoxicity in Wistar rats. *Toxicol Mech Meth.* 24: 512-519.
- Nasiri, BS; Pouraboli, I; Malekpour, AR; Mohammadi, G. (2012). Hepatoprotective Effect of *Otostegia persica* Boiss. Shoot Extract on Carbon Tetrachloride-Induced Acute Liver Damage in Rats. *Iranian journal of pharmaceutical research : IJPR.* 11: 1235-1241.
- Nasiruddin, KM; Blake, J. Effect of Rindite on storage behavior, dormancy break and sprout growth of potato microtubers (cv. Desiree). *American potato journal.* Sept/Oct 1997. v. 74 (5): 325-330.
- Natarajan, SK; Basivireddy, J; Ramachandran, A; Thomas, S; Ramamoorthy, P; Pulimood, AB; Jacob, M; Balasubramanian, KA. (2006). Renal damage in experimentally-induced cirrhosis in rats: Role of oxygen free radicals. *Hepatology.* 43: 1248-1256.
- Natarajan, SK; Ramoorthy, P; Thomas, S; Basivireddy, J; Kang, G; Ramachandran, A; Pulimood, AB; Balasubramanian, KA. (2006). Intestinal mucosal alterations in rats with carbon tetrachloride-induced cirrhosis: Changes in glycosylation and luminal bacteria. *Hepatology.* 43: 837-846.
- Natarajan, SK; Thomas, S; Ramachandran, A; Pulimood, AB; Balasubramanian, KA. (2005). Retinoid metabolism during development of liver cirrhosis. *Arch Biochem Biophys.* 443: 93-100.
- Natarajan, SK; Thomas, S; Ramamoorthy, P; Basivireddy, J; Pulimood, AB; Ramachandran, A; Balasubramanian, KA. (2006). Oxidative stress in the development of liver cirrhosis: A comparison of two different experimental models. *J Gastroenterol Hepatol.* 21: 947-957.
- Nath, I; Sood, SK; Nayak, NC. (1972). Experimental siderosis and liver injury in the rhesus monkey. *The Journal of pathology.* 106: 103-111.
- Natsume, M; Tsuji, H; Harada, A; Akiyama, M; Yano, T; Ishikura, H; Nakanishi, I; Matsushima, K; Kaneko, S; Mukaida, N. (1999). Attenuated liver fibrosis and depressed serum albumin levels in carbon tetrachloride-treated IL-6-deficient mice. *J Leukoc Biol.* 66: 601-608.
- Nava-Ocampo, A; Suster, S; Gonzalez, MP; Muriel, P. (1994). EFFECTS OF COLCHICEINE O-10-DEMETHYLCOLCHICINE AND URSODEOXYCHOLIC ACID IN EXPERIMENTALLY INDUCED CCL-4-CIRRHOSIS HISTOPATHOLOGIC CORRELATION OF HEPATOCYTE AND ERYTHROCYTE MEMBRANE ALTERATIONS. 45th Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 20.
- NavaOcampo, AA; Suster, S; Muriel, P. (1997). Effect of colchicine and ursodeoxycholic acid on hepatocyte and erythrocyte membranes and liver histology in experimentally induced carbon tetrachloride cirrhosis in rats. *Eur J Clin Invest.* 27: 77-84.
- Naya, M; Takeda, H; Yoshida, K; Nakanishi, J; Moriwaki, N. (2007). Toxicity assessment of chemical mixture; combinations of carbon tetrachloride, phenobarbital, chlofibrate in vitro. *Toxicol Lett.* 172, Supplement: S88.
- Nayak, NC; Chopra, P. (1980). Carbon tetrachloride toxicity: failure of promethazine to prevent in vivo liver injury. *The Indian journal of medical research.* 72: 546-553.
- Nayak, NC; Chopra, P; Dhar, A; Das, PK. (1975). Diverse mechanisms of hepatocellular injuries due to chemicals: evidence in rats administered carbon tetrachloride or dimethylnitrosamine. *Br J Exp Pathol.* 56: 103-112.
- Nayak, NC; Chopra, P; Ramalingaswami, V. (1970). The role of liver cell endoplasmic reticulum and microsomal enzymes in carbon tetrachloride toxicity: An in vivo study. *Life Sci.* 9: 1431-1439.

Environmental Hazard Literature Search Results

Off Topic

- Nayak, NC; Mital, I; Dhar, A; Chopra, P; Das, PK. (1975). Increase in serum alpha foetoprotein level in hepatic regeneration of the rat. Effects of age and of magnitude of regenerative activity. *Br J Exp Pathol.* 56: 113-118.
- Nayak, NC; Sathar, SA; Mughal, S; Duttagupta, S; Mathur, M; Chopra, P. (1996). The nature and significance of liver cell vacuolation following hepatocellular injury: An analysis based on observations on rats rendered tolerant to hepatotoxic damage. *Virchows Arch.* 428: 353-365.
- Nazari, MM; Burstson, MW; Bishop, PK; Lerner, DN. (1993). Urban ground-water pollution: A case study from Coventry, United Kingdom. *Ground Water.* 31: 417-424.
- Naziroglu, M; Cay, M; Ustundag, B; Aksakal, M; Yekeler, H. (1999). Protective effects of vitamin E on carbon tetrachloride-induced liver damage in rats. *Cell Biochem Funct.* 17: 253-259.
- Neau, SH. (1988). On the application of regular solution theory to the estimation of solubility parameters of crystalline organic compounds from solubility data. PhD, University of Michigan.
- Neely, WB. (1977). Material balance analysis of trichlorofluoromethane and carbon tetrachloride in the atmosphere. *Sci Total Environ.* 8: 267-274.
- Neergaard, J; Nielsen, B; Faurby, V; Christensen, DH; Nielsen, OF. (1971). Plasticizers in P.V.C. and the occurrence of hepatitis in a haemodialysis unit. A preliminary communication. *Scand J Urol Nephrol.* 5: 141-145.
- Negatu, Z; McNitt, JI; McMillin, KW. (2006). Determination of small bone fragments in mechanically separated rabbit meat. *Journal of Muscle Foods.* 17: 185-197.
- Negi, AS; Kumar, JK; Luqman, S; Shanker, K; Gupta, MM; Khanuja, SPS. (2008). Recent advances in plant hepatoprotectives: A chemical and biological profile of some important leads. *Medicinal Research Reviews.* 28: 746-772.
- Negishi, I; Aizawa, Y. (1975). Effect of phospholipid on lipid metabolism in experimental fatty liver. *Chemical & pharmaceutical bulletin.* 23: 1938-1942.
- Nelkenbaum, E; Dror, I; Berkowitz, B. (2009). Reductive dechlorination of atrazine catalyzed by metalloporphyrins. *Chemosphere.* 75: 48-55.
- Nellen, A; Heinrichs, D; Berres, ML; Sahin, H; Schmitz, P; Proudfoot, AE; Trautwein, C; Wasmuth, HE. (2012). Interference with oligomerization and glycosaminoglycan binding of the chemokine CCL5 improves experimental liver injury. *PLoS ONE.* 7: e36614.
- Nellis, SR; Yoon, H; Werth, CJ; Oostrom, M; Valocchi, AJ. (2009). Surface and Interfacial Properties of Nonaqueous-Phase Liquid Mixtures Released to the Subsurface at the Hanford Site. *Vadose Zone Journal.* 8: 343-351.
- Nelson, RS; Eichinger, MR. (2001). Role of nitric oxide (NO) in pulmonary dysfunction associated with experimental cirrhosis. *Respiration Physiology.* 126: 65-74.
- Nelson, SD. (1995). Mechanisms of the formation and disposition of reactive metabolites that can cause acute liver injury. *Drug Metab Rev.* 27: 147-177.
- Nema, AK; Agarwal, A; Kashaw, V. (2011). Hepatoprotective activity of *Leptadenia reticulata* stems against carbon tetrachloride-induced hepatotoxicity in rats. *Indian J Pharmacol.* 43: 254-257.
- Nencini, C; Franchi, GG; Cavallo, F; Micheli, L. (2010). Protective Effect of *Allium neapolitanum* Cyr. Versus *Allium sativum* L. on Acute Ethanol-Induced Oxidative Stress in Rat Liver. *J Med Food.* 13: 329-335.
- Nestruck, AC; Furneaux, RW. (1973). Carbon tetrachloride and cation transport by rat liver slices. *Can J Physiol Pharmacol.* 51: 807-813.
- Neta, P; Patterson, LK. (1994). THE LIPID PEROXIDATION MODEL FOR HALOGENATED HYDROCARBON TOXICITY KINETICS OF PEROXYL RADICAL PROCESSES INVOLVING FATTY-ACIDS AND IRON-III PORPHYRINS AU - BRAULT D. *Chem Biol Interact.* 54: 289-298.
- Neubauer, K; Eichhorst, ST; Wilfling, T; Buchenau, M; Xia, L; Ramadori, G. (1998). Sinusoidal intercellular adhesion molecule-1 up-regulation precedes the accumulation of leukocyte function antigen-1-positive cells and tissue necrosis in a model of carbon tetrachloride-induced acute rat liver injury. *Lab Invest.* 78: 185-194.
- Neubauer, K; Knittel, T; Armbrust, T; Ramadori, G. (1995). Accumulation and cellular localization of fibrinogen/fibrin during short-term and long-term rat liver injury. *Gastroenterology.* 108: 1124-1135.
- Neubauer, K; Knittel, T; Aurisch, S; Fellmer, P. Glial fibrillary acidic protein--a cell type specific marker for Ito cells in vivo and in vitro.
- Neubauer, K; KrÄ ger, MD-DoIMUoG; ouingenm, G; Quondamatteo, F; Knittel, T. Transforming growth factor-beta1 stimulates the synthesis of basement membrane proteins laminin, collagen type IV and entactin in rat liver sinusoidal endothelial cells.
- Neubauer, K; Lindhorst, A; Tron, K; Ramadori, G; Saile, B. (2008). Decrease of PECAM-1-gene-expression induced by proinflammatory cytokines IFN-gamma and IFN-alpha is reversed by TGF-beta in sinusoidal endothelial cells and hepatic mononuclear phagocytes. *BMC physiology.* 8: 9.
- Neubauer, K; Ritzel, A; Salie, B; Ramadori, G. (2000). Decrease of platelet-endothelial cell adhesion molecule 1-gene-expression in inflammatory cells and in endothelial cells in the rat liver following CCl(4)-administration and in vitro after treatment with TNF alpha. *Immunol Lett.* 74: 153-164.
- Neubauer, K; Wilfling, T; Ritzel, A. Platelet-endothelial cell adhesion molecule-1 gene expression in liver sinusoidal endothelial cells during liver injury and repair.
- Neuhaus, OW; Balegno, HF; Bibeau, M. (1962). Serum cholesterol in rats intoxicated with carbon tetrachloride. *Nature.* 196: 1001-1002.
- Neumann, A; Hofstetter, TB; Skarpeli-Liati, M; Schwarzenbach, RP. (2009). Reduction of Polychlorinated Ethanes and Carbon Tetrachloride by Structural Fe(II) in Smectites. *Environmental Science & Technology.* 43: 4082-4089.
- Nevin, KG; Vijayammal, PL. (2005). Effect of *Aerva lanata* against hepatotoxicity of carbon tetrachloride in rats. *Environ Toxicol Pharmacol.* 20: 471-477.
- New, PS; Lubash, GD; Scherr, L; Rubin, AL. (1962). Acute renal failure associated with carbon tetrachloride intoxication. *JAMA.* 181: 903-906.

Environmental Hazard Literature Search Results

Off Topic

- Newcomer, LR; Blackburn, WB; Hansen, GA. (1962). PERFORMANCE OF THE TOXICITY CHARACTERISTIC LEACHING PROCEDURE. *Friedman, D. O.*: 199-216.
- Newman, LA; Doty, SL; Gery, KL; Heilman, PE; Muiznieks, I; Shang, TQ; Siemieniec, ST; Strand, SE; Wang, XP; Wilson, AM; Gordon, MP. (1998). Phytoremediation of organic contaminants: A review of phytoremediation research at the University of Washington. *Journal of Soil Contamination*. 7: 531-542.
- Newman, SG; Bryan, CS; Perez, D; Lautens, M. (2011). The Use of Bromotrichloromethane in Chlorination Reactions. *Synthesis-Stuttgart* 342-346.
- Ng, HP; Wang, YF; Lee, CY; Hu, ML. (1999). Toxicological and antioxidant effects of short-term dehydroepiandrosterone injection in young rats fed diets deficient or adequate in vitamin E. *Food Chem Toxicol*. 37: 503-508.
- Ng, KK; Lam, CM; Poon, RT; Shek, TW; Ho, DW; Fan, ST. (2006). Safety limit of large-volume hepatic radiofrequency ablation in a rat model. *Arch Surg*. 141: 252-258.
- Nhongsang, J; Toskulkaeo, C; Glinsukon, T. (1990). Potentiation of the mechanism of carbon tetrachloride induced hepatotoxicity by thinner inhalation. *Res Commun Subst Abuse*. 11: 73-76.
- Ni, ZBA; van Gaans, P; Smit, M; Rijnaarts, H; Grotenhuis, T. (2016). Combination of aquifer thermal energy storage and enhanced bioremediation: resilience of reductive dechlorination to redox changes. *Appl Microbiol Biotechnol*. 100: 3767-3780.
- Niazi, SB; Mozammil, M. (1991). Spectrophotometric determination of traces of iodide by liquid-liquid extraction of Brilliant Green-iodide ion pair. *Anal Chim Acta*. 252: 115-120.
- Nicaise, C; Prozzi, D; Viaene, E; Moreno, C; Gustot, T; Quertinmont, E; Demetter, P; Suain, V; Goffin, P; Deviere, J; Hols, P. (2008). Control of acute, chronic, and constitutive hyperammonemia by wild-type and genetically engineered *Lactobacillus plantarum* in rodents. *Hepatology*. 48: 1184-1192.
- Nicoll, G; Francisco, JS. (1998). Carbon atom initiated degradation of carbon tetrachloride in the presence of molecular oxygen: A product and mechanistic study. *Environmental Science & Technology*. 32: 3200-3206.
- Nicoll, G; Francisco, JS. (1999). Heterogeneous degradation of carbon tetrachloride: Breaking the carbon-chlorine bond with activated carbon surfaces. *Environmental Science & Technology*. 33: 4102-4106.
- Nicolov, DK. (1990). NUCLEOLI AND NUCLEOLAR CYCLE IN THE CELLS OF CHEMICALLY INDUCED ASCITIC TUMOR IN MICE. *C R Acad Bulg Sci*. 43: 135-137.
- Nie, XQ; Liu, JG; Yue, DB; Zeng, XW; Nie, YF. (2013). Dechlorination of hexachlorobenzene using lead-iron bimetallic particles. *Chemosphere*. 90: 2403-2407.
- Nie, Y; Ren, D; Lu, X; Sun, Y; Yang, X. (2015). Differential protective effects of polyphenol extracts from apple peels and flesh against acute CCl₄-induced liver damage in mice. *Food & function*. 6: 513-524.
- Niederberger, M; Ginês, P; Martin, PY; Tsai, P; Morris, K; McMurry, I; Schrier, RW. (1996). Comparison of vascular nitric oxide production and systemic hemodynamics in cirrhosis versus prehepatic portal hypertension in rats. *Hepatology (Baltimore, Md)*. 24: 947-951.
- Nielsen, PH; Bjarnadottir, H; Winter, PL; Christensen, TH. In situ and laboratory studies on the fate of specific organic compounds in an anaerobic landfill leachate plume. 2. Fate of aromatic and chlorinated aliphatic compounds. *J Contam Hydrol*. Nov 1995. v. 20 (1/2): 51-66.
- Nielsen, PH; Bjerg, PL; Nielsen, P; Smith, P; Christensen, TH. (1996). In situ and laboratory determined first-order degradation rate constants of specific organic compounds in an aerobic aquifer. *Environmental Science & Technology*. 30: 31-37.
- Nielsen, PH; Holm, PE; Christensen, TH. (1992). A field method for determination of groundwater and groundwater-sediment associated potentials for degradation of xenobiotic organic compounds. *Chemosphere*. 25: 449-462.
- Nielsen, VK; Larsen, J. (1965). Acute renal failure due to carbon tetrachloride poisoning. *Acta medica Scandinavica*. 178: 363-374.
- Niemi, MR; Semprini, L. (2005). Column studies of anaerobic carbon tetrachloride biotransformation with Hanford Aquifer material. *Ground Water Monitoring and Remediation*. 25: 82-92.
- Niessen, WR. (8247). ENVIRONMENTAL SCIENCE AND POLLUTION CONTROL SERIES 13. COMBUSTION AND INCINERATION PROCESSES APPLICATIONS IN ENVIRONMENTAL ENGINEERING SECOND EDITION. Niessen, W R *Environmental Science And Pollution Control Series*. 13.
- Nieto, N; Cederbaum, AI. (2005). S-adenosylmethionine blocks collagen I production by preventing transforming growth factor-beta induction of the COL1A2 promoter. *J Biol Chem*. 280: 30963-30974.
- Nieto, N; Dominguez-Rosales, JA; Fontana, L; Salazar, A; Armendariz-Borunda, J; Greenwel, P; Rojkind, M. (2001). Rat hepatic stellate cells contribute to the acute-phase response with increased expression of alpha1(I) and alpha1(IV) collagens, tissue inhibitor of metalloproteinase-1, and matrix-metalloproteinase-2 messenger RNAs. *Hepatology (Baltimore, Md)*. 33: 597-607.
- Nieto, N; Friedman, SL; Cederbaum, A. (2002). Stimulation and proliferation of primary rat hepatic stellate cells by cytochrome P450 2E1-derived reactive oxygen species. *Hepatology*. 35: 62-73.
- Nii, Y; Kunieda, T; Takizawa, T. (1976). Stereochemistry of four isomeric telomers (N=3) of vinylene carbonate with carbon tetrachloride as novel synthetic intermediates for heptoses. *Tetrahedron Letters*. 17: 2323-2326.
- Niiranen, K; Keinanen, TA; Pirinen, E; Heikkinen, S; Tusa, M; Fatrai, S; Suppola, S; Pietila, M; Uimari, A; Laakso, M; Alhonen, L; Janne, J. (2006). Mice with targeted disruption of spermidine/spermine N(1)-acetyltransferase gene maintain nearly normal tissue polyamine homeostasis but show signs of insulin resistance upon aging. *J Cell Mol Med*. 10: 933-945.
- Nijenhuis, I; Schmidt, M; Pellegatti, E; Paramatti, E; Richnow, HH; Gargini, A. (2013). A stable isotope approach for source apportionment of chlorinated ethene plumes at a complex multi-contamination events urban site. *J Contam Hydrol*. 153: 92-105.
- Niki, T; De, BPJ; Xu, G; Van, DBK; Wisse, E; Geerts, A. (1996). Comparison of glial fibrillary acidic protein and desmin staining in normal and CCl₄-induced fibrotic rat livers. *Hepatology (Baltimore, Md)*. 23: 1538-1545.

Environmental Hazard Literature Search Results

Off Topic

- Niki, T; Pekny, M; Hellemans, K; De Bleser, P; Van den Berg, K; Vaeyens, F; Quartier, E; Schuit, F; Geerts, A. (1999). Class VI intermediate filament protein nestin is induced during activation of rat hepatic stellate cells. *Hepatology*. 29: 520-527.
- Nikolić, A; Jović, B; Csanady, S; Petrović, S. (2007). N-H⁺O hydrogen bonding: FT IR, NIR and 1H NMR study of N-methylpropionamide cyclic ether systems. *Journal of Molecular Structure*. 834-836: 249-252.
- Nikolić, AD; Rozsa-Tarjani, M; Komaromi, A; Csanadi, J; Petrović, SD. (1992). Hydrogen bonding of N-monosubstituted amides. IR and NMR study of N-butylbenzamides. *Journal of Molecular Structure*. 267: 49-54.
- Nikolić, AD; Tarjani, M; Perić, Janjić, N; Petrović, SD. (1988). Hydrogen bonding of N-monosubstituted amides. IR study of N-ethylacetamide and N-methylpropionamide. *Journal of Molecular Structure*. 174: 129-134.
- Nikolić, AD; Tarjani-Rozsa, M; Perić, Janjić, NU; Petrik, A; Antonović, DG. (1990). Hydrogen bonding of N-monosubstituted amides. IR study of N-butylacetamides. *Journal of Molecular Structure*. 219: 245-250.
- Nikolic, NC; Stankovic, MZ. (2003). Solanidine Hydrolytic Extraction and Separation from the Potato (*Solanum tuberosum* L.) Vines by Using Solid-Liquid Systems. *J Agric Food Chem*. 51: 1845-1849.
- Nikolic, NC; Stankovic, MZ. (2003). Solanidine hydrolytic extraction and separation from the potato (*Solanum tuberosum* L.) vines by using solid-liquid-liquid systems. *J Agric Food Chem*. 51: 1845-1849.
- Nikolic, NC; Stankovic, MZ. (2006). Acid hydrolysis of potato tuber sprout glycoalkaloids and kinetics of solanidine extraction in three-phase systems. *Italian Journal of Food Science*. 18: 287-294.
- Nilsson, A. (1992). GREENHOUSE EARTH. Nilsson, A Greenhouse Earth Xvi+219p John Wiley And Sons Ltd: Chichester, England, Uk. 0.
- Ninan, S; Varadarajan, A; Jadhav, SB; Kulkarni, AJ; Malve, SP. (1999). Camphor-3-thioxo-2-oxime as an analytical reagent for extractive spectrophotometric determination and separation of lead. *Spectrochimica Acta Part A Molecular And Biomolecular Spectroscopy*. 55: 825-831.
- Nirala, SK; Bhadauria, M. (2008). Propolis reverses acetaminophen induced acute hepatorenal alterations: A biochemical and histopathological approach. *Arch Pharm Res*. 31: 451-461.
- Nirmalakhandan, N; Sun, B; Arulgnanendran, VI; Mohsin, M; Wang, XH; Prakash, J; Hall, N. (1994). ANALYZING AND MODELING TOXICITY OF MIXTURES OF ORGANIC CHEMICALS TO MICROORGANISMS. *Water Science And Technology*. 30: 87-96.
- Nirmalakhandan, NN; Speece, RE. (1988). PREDICTION OF AQUEOUS SOLUBILITY OF ORGANIC CHEMICALS BASED ON MOLECULAR STRUCTURE. *Environ Sci Technol*. 22: 328-338.
- Nishida, K; Honda, T; Nakashima, M; Sasaki, H; Nakamura, J. (2003). Influence of liver disease on phenolsulfonphthalein absorption from liver surface to examine possibility of direct liver surface application for drug targeting. *Biological & Pharmaceutical Bulletin*. 26: 988-993.
- Nishida, K; Ohta, Y; Ishiguro, I. (1998). gamma-Glutamylcysteinylethyl ester attenuates progression of carbon tetrachloride-induced acute liver injury in mice. *Toxicology*. 126: 55-63.
- Nishida, K; Ohta, Y; Ishiguro, I. (1998). γ -Glutamylcysteinylethyl ester attenuates progression of carbon tetrachloride-induced acute liver injury in mice. *Toxicology*. 126: 55-63.
- Nishida, K; Ohta, Y; Ishiguro, I. (1998). Preventive effect of gamma-glutamylcysteinylethyl ester on carbon tetrachloride-induced hepatic triglyceride accumulation in mice. *Toxicol Lett*. 95: 141-146.
- Nishida, K; Ohta, Y; Ishiguro, I. (1998). Preventive effect of γ -glutamylcysteinylethyl ester on carbon tetrachloride-induced hepatic triglyceride accumulation in mice. *Toxicol Lett*. 95: 141-146.
- Nishida, K; Ohta, Y; Kongo, M; Ishiguro, I. (1996). Response of endogenous reduced glutathione through hepatic glutathione redox cycle to enhancement of hepatic lipid peroxidation with the development of acute liver injury in mice intoxicated with carbon tetrachloride. *Research Communications in Molecular Pathology and Pharmacology Communicati*. 93: 198-218.
- Nishigaki, I; Ichinose, H; Nagatsu, T. (1986). Effect of carbon tetrachloride administration on serum aromatic L-amino acid decarboxylase activity of the rat. *J Clin Biochem Nutr*. 1: 181-188.
- Nishigaki, I; Kuttan, R; Oku, H; Ashoori, F; Abe, H; Yagi, K. (1992). Suppression effect of curcumin on lipid peroxidation induced in rats by carbon tetrachloride or super(60)Co-irradiation. *J Clin Biochem Nutr*. 13: 23-29.
- Nishijima, KI; Kuge, Y; Seki, K; Ohkura, K; Motoki, N; Nagatsu, K; Tanaka, A; Tsukamoto, E; Tamaki, N. (2002). A simplified and improved synthesis of (11)C phosgene with iron and iron (III) oxide. *Nucl Med Biol*. 29: 345-350.
- Nishikawa, A; Furukawa, F; Mitsui, M; Enami, T; Toyokuni, S; Uchida, K; Takahashi, M. (1994). LOCALIZATION OF 4-HYDROXYNONENAL AN ALDEHYDIC LIPID PEROXIDATION PRODUCT IN THE LIVER OF RATS TREATED WITH CARBON TETRACHLORIDE. 21st Annual Meeting Of The Japanese Society Of Toxicological Sciences, Sapporo, Japan, June. 19: 323.
- Nishikawa, H; Katami, T; Takahara, Y; Sumida, H; Yasuhara, A. (1992). Emission of organic compounds by combustion of waste plastics involving vinyl chloride polymer. *Chemosphere*. 25: 1953-1960.
- Nishikawa, H; Katami, T; Yasuhara, A. (1993). Contribution of an industrial waste incinerator to the atmospheric concentrations of volatile chlorinated organic compounds. *Chemosphere*. 27: 1425-1432.
- Nishikawa, Y; Ohi, N; Yagisawa, A; Doi, Y; Yamamoto, Y; Yoshida, M; Tokairin, T; Yoshioka, T; Omori, Y; Enomoto, K. (2009). Suppressive Effect of Orthovanadate on Hepatic Stellate Cell Activation and Liver Fibrosis in Rats. *American Journal of Pathology*. 174: 881-890.
- Nishikawa, Y; Sone, M; Nagahama, Y; Kumagai, E; Doi, Y; Omori, Y; Yoshioka, T; Tokairin, T; Yoshida, M; Yamamoto, Y; Ito, A; Sugiyama, T; Enomoto, K. (2013). Tumor necrosis factor- α ; promotes bile ductular transdifferentiation of mature rat hepatocytes in vitro. *J Cell Biochem*. 114: 831-843.
- Nishimura, Y; Morikawa, Y; Kondo, C; Tonomura, Y; Fukushima, R; Torii, M; Uehara, T. (2013). Genomic biomarkers for cardiotoxicity in rats as a sensitive tool in preclinical studies. *J Appl Toxicol*. 33: 1120-1130.

Environmental Hazard Literature Search Results

Off Topic

- Nishizawa, E; Limantara, L; Nanjou, N; Nagae, H; Kakuno, T; Koyama, Y. Solvent effects on triplet-state bacteriochlorophyll a as detected by transient raman spectroscopy and the environment of bacteriochlorophyll a in the light-harvesting complex of *Rhodobacter sphaeoides* R26. *Photochem Photobiol.* Feb 1994. v. 59 (2): 229-236.
- Nishizawa, N; Sato, D; Ito, Y; Nagasawa, T; Hatakeyama, Y; Choi, MR; Choi, YY; Wei, YM. (2002). Effects of dietary protein of proso millet on liver injury induced by D-galactosamine in rats. *Bioscience Biotechnology and Biochemistry.* 66: 92-96.
- Nitha, A; Prabha, SP; Ansil, PN; Latha, MS. (2016). Methanolic extract of *Woodfordia fruticosa* Kurz flowers ameliorates carbon tetrachloride-induced chronic hepatic fibrosis in rats. *Toxicol Ind Health.* 32: 1224-1236.
- Nitha, B; Fijesh, PV; Janardhanan, KK. (2013). Hepatoprotective activity of cultured mycelium of Morel mushroom, *Morchella esculenta*. *Exp Toxicol Pathol.* 65: 105-112.
- Nithitanakool, S; Pithayanukul, P; Bavovada, R. (2009). Antioxidant and Hepatoprotective Activities of Thai Mango Seed Kernel Extract. *Planta Med.* 75: 1118-1123.
- Nitta, T; Kim, JS; Mohuczcy, D; Behrns, KE. (2008). Murine cirrhosis induces hepatocyte epithelial mesenchymal transition and alterations in survival signaling pathways. *Hepatology.* 48: 909-919.
- Niu, J; Bao, Y; Li, Y; Chai, Z. (2013). Electrochemical mineralization of pentachlorophenol (PCP) by Ti/SnO₂/Sb electrodes. *Chemosphere.* 92: 1571-1577.
- Niu, JF; Bao, YP; Li, Y; Chai, Z. (2013). Electrochemical mineralization of pentachlorophenol (PCP) by Ti/SnO₂-Sb electrodes. *Chemosphere.* 92: 1571-1577.
- Nkosi, CZ; Opoku, AR; Terblanche, SE. (2005). Effect of pumpkin seed (*Cucurbita pepo*) protein isolate on the activity levels of certain plasma enzymes in CCl₄-induced liver injury in low-protein fed rats. *Phytother Res.* 19: 341-345.
- Nkosi, CZ; Opoku, AR; Terblanche, SE. (2006). Antioxidative effects of pumpkin seed (*Cucurbita pepo*) protein isolate in CCl₄-induced liver injury in low-protein fed rats. *Phytother Res.* 20: 935-940.
- Nkundimana, E; Noubactep, C; Uwamariya, V. (2015). METALLIC IRON FOR WATER TREATMENT AND ENVIRONMENTAL REMEDIATION: A HANDOUT TO YOUNG RESEARCHERS. *Fresen Environ Bull.* 24: 4842-4846.
- Noa, M; Mendoza, S; MÃ s, C-CfNPNCfSRA; Cuba, SBsBHC; Mendoza, N. (2002). Effect of D-003, a mixture of high molecular weight primary acids from sugar cane wax, on CL₄C-induced liver acute injury in rats. *Drugs under experimental and clinical research.* 28: 177-183.
- Noa, M; Mendoza, S; MÃ s, R. Effect of policosanol on carbon tetrachloride-induced acute liver damage in Sprague-Dawley rats.
- Nobre, MM; Rc. (2004). Soil vapor extraction of chlorinated solvents at an industrial site in Brazil. *J Hazard Mater.* 110: 119-127.
- Noda, H; Ishikawa, K; Hibino, H; Omura, T. A reovirus in the brown planthopper, *Nilaparvata lugens*. *J Gen Virol.* Oct 1991. v. 72 (pt.10): 2425-2430.
- Noda, T; Morita, S; Baba, A. (1994). Enhanced teratogenic activity of di-n-butyltin diacetate by carbon tetrachloride pretreatment in rats. *Food Chem Toxicol.* 32: 321-327.
- Noel, S; Sharma, S; Rath, SK. (2008). Simultaneous application of t-test and fold change criteria to identify acetaminophen and carbon tetrachloride affected genes in mice liver. *Environ Toxicol Pharmacol.* 26: 150-161.
- Noguchi, T; Fong, KL; Lai, EK; Alexander, SS; King, MM; Olson, L; Poyer, JL; McCay, PB. (1982). Specificity of a Phenobarbital-Induced Cytochrome P-450 for Metabolism of Carbon Tetrachloride to the Trichloromethyl Radical. *Biochem Pharmacol.* 31: 615-624.
- Noguchi, T; Fong, KL; Lai, EK; Olson, L; McCay, PB. (1982). Selective early loss of polypeptides in liver microsomes of CCl₄-treated rats. Relationship to cytochrome P-450 content. *Biochem Pharmacol.* 31: 609-614.
- Noguchi, T; Fong, KL; Lai, EK; Olson, L; McCay, PB. (1982). Selective Early Loss of Polypeptides in Liver Microsomes of CCl₄-Treated Rats: Relationship to Cytochrome P-450 Content. *Biochem Pharmacol.* 31: 609-614.
- Noguchi, T; Ikawa, N; Ishikawa, H; Take, M; Nakayama, E; Matsushima, T. (1992). ON AVAILABILITY OF HISTOGRAM AND RADARGRAM IN HEMATOLOGICAL AND BLOOD BIOCHEMICAL ANALYSIS FOR LONG TERM TOXICITY STUDIES. Nineteenth Annual Meeting Of The Japanese Society Of Toxicological Sciences, Tokyo, Japan, July. 17: 316.
- Noguchi, T; Matsuyama, S; Akao, M; Hagiwara, H; Uno, S; Seki, T; Ariga, T. (2001). Induction of hepatic tissue-type plasminogen activator and type 1 plasminogen activator-inhibitor gene expressions and appearance of their translation products in the bile following acute liver injury in rats. *Thromb Res Suppl.* 104: 283-291.
- Nogueira, CW; Anusha, M; Venkateswarlu, M; Prabhakaran, V; Taj, SS; Kumari, BP; Ranganayakulu, D. (2010). Hepatoprotective activity of aqueous extract of *Portulaca oleracea* in combination with lycopene in rats. *Cell Biol Toxicol.* 26: 569-577.
- Nogueira, CW; Borges, LP; Souza, ACG. (2009). Oral administration of diphenyl diselenide potentiates hepatotoxicity induced by carbon tetrachloride in rats. *J Appl Toxicol.* 29: 156-164.
- Nogueira, RFP; Alberici, RM; Jardim, WF. (1997). Heterogeneous photocatalysis: An emerging technology for remediation of VOC contaminated environments. *Ciencia E Cultura.* 49: 14-24.
- Noh, JR; Gang, GT; Kim, YH; Yang, KJ; Hwang, JH; Lee, HS; Oh, WK; Song, KS; Lee, CH. (2010). Antioxidant effects of the chestnut (*Castanea crenata*) inner shell extract in t-BHP-treated HepG2 cells, and CCl₄- and high-fat diet-treated mice. *Food Chem Toxicol.* 48: 3177-3183.
- Noji, S; Tashiro, K; Koyama, E; Nohno, T; Ohyama, K; Taniguchi, S; Nakamura, T. (1990). Expression of hepatocyte growth factor gene in endothelial and Kupffer cells of damaged rat livers, as revealed by in situ hybridization. *Biochem Biophys Res Commun.* 173: 42-47.
- Nokata, M; Katoh, M; Sugimoto, T. (1985). Protective effect of malotilate (diisopropyl 1,3-dithiol-2-ylidenemalonate) on carbon tetrachloride-induced liver injury in mice and rats. *The Journal of toxicological sciences.* 10: 279-288.
- Nolan, JP; Ali, MV. (1973). Endotoxin and the liver. II. Effect of tolerance on carbon tetrachloride-induced injury. *J Med.* 4: 28-38.
- Nolan, JP; Camara, DS. (1989). Intestinal endotoxins and macrophages as mediators of liver injury. *Trans Am Clin Climatol Assoc.* 100: 115-125.

Environmental Hazard Literature Search Results

Off Topic

- Nolan, JP; Leibowitz, AI. (1978). Endotoxin and the liver. III. Modification of acute carbon tetrachloride injury by polymyxin b--an antiendotoxin. *Gastroenterology*. 75: 445-449.
- Nolan, JP; Leibowitz, AI; Vladutiu, AO. (1980). Influence of Carbon Tetrachloride on Circulating Endotoxin After Exogenous Administration of Endotoxin in Rats. *Proc Soc Exp Biol Med*. 165: 453-456.
- Noll, KE; Sarlis, JN. (1988). ADSORPTION CHARACTERISTICS OF ACTIVATED CARBON AND XAD4 RESIN FOR THE REMOVAL OF HAZARDOUS ORGANIC SOLVENTS. *JAPCA*. 38: 1512-1517.
- Noll, T; de Groot, H. (1984). The critical steady-state hypoxic conditions in carbon tetrachloride-induced lipid peroxidation in rat liver microsomes. *Biochimica et Biophysica Acta: Protein Structure and Molecular Enzymology*. 795: 356-362.
- Noll, T; Hugo-Wissemann, D. The decisive pO₂-levels in haloalkane-mediated liver cell injury.
- Nomura, M; Iida, S; Seki, K-i; Kobayashi, K; Hagino, G; Horikoshi, S; Sugiyama, T; Sugimori, A; Kajitani, M. (2011). Rare direct imidation of aromatic metallacycle by reaction of CpCo(dithiolene) complex with N-halosuccinimide. *Journal of Organometallic Chemistry*. 696: 1723-1728.
- Nomura, T; Yamaoka, K. (1999). Low-dose gamma -ray irradiation reduces oxidative damage induced by CCl₄ in mouse liver. *Free Radical Biology & Medicine*. 27: 1324-1333.
- Nomura, T; Yamaoka, K. (1999). Low-dose gamma-ray irradiation reduces oxidative damage induced by CCl₄ in mouse liver. *Free Radic Biol Med*. 27: 1324-1333.
- Nonaka, H; Sugano, S; Miyajima, A. (2004). Serial analysis of gene expression in sinusoidal endothelial cells from normal and injured mouse liver. *Biochem Biophys Res Commun*. 324: 15-24.
- Nonnemaker, J; Mowery, P; Hersey, J; Nimsch, C; Farrelly, M; Messeri, P; Haviland, ML. (2004). Measurement properties of a nicotine dependence scale for adolescents. *Nicotine & tobacco research : official journal of the Society for Research on Nicotine and Tobacco*. 6: 295-301.
- Noonan, NE. (1981). Variations of Plasma Enzymes in the Pony and the Dog After Carbon Tetrachloride Administration. *Am J Vet Res*. 42: 674-678.
- Noonan, NE; Meyer, DJ. (1979). Use of plasma arginase and gamma-glutamyl transpeptidase as specific indicators of hepatocellular or hepatobiliary disease in the dog. *Am J Vet Res*. 40: 942-947.
- Nopanitaya, W; Grisham, JW; Carson, JL; Dotson, MM. (1976). Surface features of cirrhotic liver. *Virchows Archiv A, Pathological anatomy and histology*. 372: 97-108.
- Norback, DH; Engblom, JF; Allen, JR. (1975). Tissue distribution and excretion of octachlorodibenzo-rho-dioxin in the rat. *Toxicol Appl Pharmacol*. 32: 330-338.
- Nordmark, U; Cedergren, A. (2000). Conditions for accurate Karl Fischer coulometry using diaphragm-free cells. *Anal Chem*. 72: 172-179.
- Norman, WC, 3rd; Boggs, P. (1996). Flawed estimates of methylene chloride exposures. *Am J Ind Med*. 30: 504-509.
- Nose, M; Ito, M; Kamimura, K; Shimizu, M; Ogihara, Y. (1994). A comparison of the antihepatotoxic activity between glycyrrhizin and glycyrrhetic acid. *Planta Med*. 60: 136-139.
- Noubactep, C. (2008). Comments on "Sorption of triazoles to soil and iron minerals" by Y. ha et al. *Chemosphere* 67 (2007) 250-258. *Chemosphere*. 71: 802-806.
- Noubactep, C. (2011). Aqueous contaminant removal by metallic iron: Is the paradigm shifting? *Water SA*. 37: 419-425.
- Noubactep, C. (2013). Metallic Iron for Water Treatment: A Critical Review. *Clean-Soil Air Water*. 41: 702-710.
- Noubactep, C. (2014). Flaws in the design of Fe(0)-based filtration systems? *Chemosphere*. 117: 104-107.
- Noubactep, C. (2016). Predicting the Hydraulic Conductivity of Metallic Iron Filters: Modeling Gone Astray. *Water*. 8: 162-162.
- Noubactep, C; Meinrath, G; Merkel, BJ. (2005). Investigating the mechanism of uranium removal by zerovalent iron. *Environ Chem*. 2: 235-242.
- Noubarani, M; Khayat, SA; Mafinezhad, R; Mohebbi, S; Mohammad, K; Andalib, S; Kardan, A; Eskandari, MR. (2016). Protective effect of *Cydonia oblonga* Mill. fruit on carbon tetrachloride-induced hepatotoxicity. *Planta Med*. 81: S1-S381.
- Nour, EM; Refat, MS. (2011). Spectroscopic and structural studies on charge-transfer complexes of lanthanum(III)acetylacetonate with β -acceptor iodine and β -acceptor DDQ. *Journal of molecular structure*. 994: 289-294.
- Nováková, O; Buckiová, DCMEHEGA. (1981). The effect of dibutyl sulphide on hepatocytes studied by means of the isolated rat liver perfusion after preceding exposure to tetrachloromethane and phenobarbital in vivo. *Acta Univ Carol [Med] (Praha)*.
- Novak, PJ. (1997). Enhanced dechlorination of carbon tetrachloride and chloroform in the presence of elemental iron and methanogenic Archaea. PhD, The University of Iowa.
- Novak, PJ; Daniels, L; Parkin, GF. (1998). Enhanced dechlorination of carbon tetrachloride and chloroform in the presence of elemental iron and *Methanosarcina barkeri*, *Methanosarcina thermophila*, or *Methanosaeta concillii*. *Environmental Science & Technology*. 32: 1438-1443.
- Novak, PJ; Daniels, L; Parkin, GF. (1998). Rapid dechlorination of carbon tetrachloride and chloroform by extracellular agents in cultures of *Methanosarcina thermophila*. *Environmental Science & Technology*. 32: 3132-3136.
- Novak, PJ; Weathers, LJ; Parkin, GF. (1996). CARBON TETRACHLORIDE AND CHLOROFORM TRANSFORMATION BY METHANOGENIC BACTERIA UTILIZING CATHODICALLY DERIVED HYDROGEN AS THE ELECTRON DONOR. 96th General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 96: 408.
- Novakov, CP; Feierman, D; Cederbaum, AI; Stoyanovsky, DA. (2001). An ESR and HPLC-EC assay for the detection of alkyl radicals. *Chem Res Toxicol*. 14: 1239-1246.
- Novato, TP; Araújo, LX. Evaluation of the combined effect of thymol, carvacrol and (E)-cinnamaldehyde on *Amblyomma sculptum* (Acari: Ixodidae) and *Dermacentor nitens* (Acari: Ixodidae) larvae.

Environmental Hazard Literature Search Results

Off Topic

- Novitskiy, G; Potter, JJ; Wang, L; Mezey, E. (2006). Influences of reactive oxygen species and nitric oxide on hepatic fibrogenesis. *Liver Int.* 26: 1248-1257.
- Novosyadlyy, R; Dargel, R; Scharf, JG. (2005). Expression of insulin-like growth factor-I and insulin-like growth factor binding proteins during thioacetamide-induced liver cirrhosis in rats. *Growth Hormone & IGF Research.* 15: 313-323.
- Noweir, M; Pfitzer, EA; Hatch, TF. (1972). Decomposition of chlorinated hydrocarbons: a review. *Am Ind Hyg Assoc J.* 33: 454-460.
- Noweir, MH; Pfitzer, EA. (1972). Chemical analysis of decomposition products from carbon tetrachloride in air. *Am Ind Hyg Assoc J.* 33: 669-677.
- Noweir, MH; Pfitzer, EA; Hatch, TF. (1973). Decomposition of phosgene in air. *Am Ind Hyg Assoc J.* 34: 110-119.
- Noweir, MH; Pfitzer, EA; Hatch, TF. (1973). The pulmonary response of rats exposed to the decomposition products of carbon tetrachloride vapors at its industrial threshold limit concentration. *Am Ind Hyg Assoc J.* 34: 73-77.
- Noweir, MH; Pfitzer, EA; Hatch, TF. (1973). Thermal decomposition of carbon tetrachloride vapors at its industrial threshold limit concentration. *Am Ind Hyg Assoc J.* 34: 25-37.
- Noyan, S; Cavusoglu, I; Minbay, FZ. (2006). The effect of vitamin A on CCl₄-induced hepatic injuries in rats: a histochemical, immunohistochemical and ultrastructural study. *Acta Histochem.* 107: 421-434.
- Noyan, T; Komuroglu, U; Bayram, I; Sekeroglu, MR. (2006). Comparison of the effects of melatonin and pentoxifylline on carbon tetrachloride-induced liver toxicity in mice. *Cell Biol Toxicol.* 22: 381-391.
- NuÃ±o, P; Panduro, A. (1997). Viscosity regulates apolipoprotein A-1 gene expression in experimental models of secondary hyperlipidemia and in cultured hepatocytes. *Biochim Biophys Acta.* 1344: 262-269.
- Nubbe, ME; Adams, VD; Watts, RJ; Clark, YR. (1992). CHEMICAL ANALYSIS. *Water Environ Res.* 64: 303-333.
- Nucci, F; Reale, L. (1958). [Aspartic-ketoglutaric transaminase activity of the blood in experimental carbon tetrachloride poisoning]. *Folia medica Folia medica (Naples, Italy).* 41: 487-494.
- Nugent, WA; Kochi, JK. (1977). Organomercurials. III. Initiation processes in the homolytic cleavage of dialkylmercury. Spontaneous reaction of di-tert-butylmercury in carbon tetrachloride. *Journal of Organometallic Chemistry.* 124: 371-389.
- Nunlist, R. (1988). ROUTINE 2D NMR METHODS FOR ORGANIC MOLECULES. Third Chemical Congress Of North America Held At The 195th American Chemical Society Meeting, Toronto, Ontario, Canada, June. 3: 148.
- Nurmi, JT; Tratnyek, PG. (2002). Electrochemical properties of natural organic matter (NOM), fractions of NOM, and model biogeochemical electron shuttles. *Environmental Science & Technology.* 36: 617-624.
- Nurmi, JT; Tratnyek, PG; Sarathy, V; Baer, DR; Amonette, JE; Pecher, K; Wang, CM; Linehan, JC; Matson, DW; Penn, RL; Driessen, MD. (2005). Characterization and properties of metallic iron nanoparticles: Spectroscopy, electrochemistry, and kinetics. *Environmental Science & Technology.* 39: 1221-1230.
- Nworu, CS; Ihim, SA; Ugwu, LE; Laiyemo, KA; Akah, PA. (2014). Hepato- and Nephroprotective Activities of a Nigerian Local King Tuber Oyster Mushroom, *Pleurotus tuberregium* (Higher Basidiomycetes), in Chemically-Induced Organ Toxicities in Rats. *Int J Med Mushrooms.* 16: 305-318.
- Nyeland, BA. (1992). PROBLEMS ASSOCIATED WITH INTERLABORATORY COMPARISONS OF HALOGENATED HYDROCARBONS IN DRINKING WATER THE USE OF COMMERCIAL CONTROL MATERIALS. 5th International Symposium On Biological And Environmental Reference Materials, Aachen, Germany, May. 345: 265-269.
- Nzengung, VA; Castillo, RM; Gates, WP; Mills, GL. (2001). Abiotic transformation of perchloroethylene in homogeneous dithionite solution and in suspensions of dithionite-treated clay minerals. *Environmental Science & Technology.* 35: 2244-2251.
- Oakley, F; Mann, J; Nailard, S; Smart, DE; Mungalsingh, N; Constandinou, C; Ali, S; Wilson, SJ; Millward-Sadler, H; Iredale, JP; Mann, DA. (2005). Nuclear factor-kappa beta 1 (p50) limits the inflammatory and fibrogenic responses to chronic injury. *American Journal of Pathology.* 166: 695-708.
- Oakley, F; Mann, J; Nailard, S; Smart, DE; Mungalsingh, N; Constandinou, C; Ali, S; Wilson, SJ; Millward-Sadler, H; Iredale, JP; Mann, DA. (2005). Nuclear factor-kappaB1 (p50) limits the inflammatory and fibrogenic responses to chronic injury. *Am J Pathol.* 166: 695-708.
- Oakley, F; Trim, N; Constandinou, CM; Ye, W; Gray, AM; Frantz, G; Hillan, K; Kendall, T; Benyon, RC; Mann, DA; Iredale, JP. (2003). Hepatocytes express nerve growth factor during liver injury: evidence for paracrine regulation of hepatic stellate cell apoptosis. *Am J Pathol.* 163: 1849-1858.
- Obare, SO; Ito, T; Meyer, GJ. (2005). Controlling reduction potentials of semiconductor-supported molecular catalysts for environment remediation of organohalide pollutants. *Environmental Science & Technology.* 39: 6266-6272.
- Obata, T; Egashira, T. (1987). MONOAMINE OXIDASE MAO IN PLASMA OF RATS AFTER HEPATOTOXINS ADMINISTRATION. 14th Annual Meeting Of The Japanese Society Of Toxicological Sciences, Kitakyushu, Japan, July. 12: 575.
- Obata, T; Egashira, T; Yamanaka, Y. (1988). Changes in amine oxidase in plasma of rats treated with hepatotoxins. *Japanese journal of pharmacology.* 48: 142-144.
- Obi, FO; Usenu, IA; Osayande, JO. (1998). Prevention of carbon tetrachloride-induced hepatotoxicity in the rat by *H-roasinensis* anthocyanin extract administered in ethanol. *Toxicology.* 131: 93-98.
- O'Brian, MR; Kirshbom, PM; Maier, RJ. (1987). Tn5-induced cytochrome mutants of *Bradyrhizobium japonicum*: effects of the mutations on cells grown symbiotically and in culture. *J Bacteriol.* 169: 1089-1094.
- O'Brien, PJ. (1988). RADICAL FORMATION DURING THE PEROXIDASE CATALYZED METABOLISM OF CARCINOGENS AND XENOBIOTICS THE REACTIVITY OF THESE RADICALS WITH GSH DNA AND UNSATURATED LIPID. *Free Radical Biol Med.* 4: 169-184.
- Obrzud, M; Rospenk, M; Koll, A. (2012). Self-association of N,N-dialkylthiourea derivatives in non-polar solvents. *Journal of molecular structure.* 1018: 54-63.

Environmental Hazard Literature Search Results

Off Topic

- Ochi, Y; Yumori, Y; Morioka, A; Miura, K; Tsukamoto, I; Kojo, S. (1990). Effect of alpha -blockade on liver regeneration after carbon tetrachloride intoxication in the rat. *Biochem Pharmacol.* 39: 2065-2066.
- Ochiai, M; Sueda, T. (2004). Tetrahydrofurylation of alcohols catalyzed by alkylperoxy- λ 3-iodane and carbon tetrachloride. *Tetrahedron Letters.* 45: 3557-3559.
- Ochiai, M; Sueda, T. (2004). Tetrahydrofurylation of alcohols catalyzed by alkylperoxy- λ (3)-iodane and carbon tetrachloride. *Tetrahedron Letters.* 45: 3557-3559.
- Ochiai, T; Hori, M; Kowa, Y. (1973). Effects of 1-morpholinoacetyl-2-methyl-3-phenyl-4-oxo-1, 2, 3, 4-tetrahydroquinazoline hydrochloride (HQ-275) on acute experimental hepatic injury induced by carbon tetrachloride in rats. *Japanese journal of pharmacology.* 23: 381-390.
- Ockner, SA; McArthur, JD; Merrill, JP. (1969). Deplorable availability of carbon tetrachloride. *The New England journal of medicine.* 280: 274.
- O'Connell, JL; Simpson, JS; Dumanski, PG; Simpson, GW; Easton, CJ. (2006). Aromatic chlorination of omega-phenylalkylamines and omega-phenylalkylamides in carbon tetrachloride and alpha,alpha,alpha-trifluorotoluene. *Organic & Biomolecular Chemistry.* 4: 2716-2723.
- O'Connor, MA; Koza-Taylor, P; Campion, SN; Aleksunes, LM; Gu, X; Enayetallah, AE; Lawton, MP; Manautou, JE. (2014). Analysis of changes in hepatic gene expression in a murine model of tolerance to acetaminophen hepatotoxicity (autoprotection). *Toxicol Appl Pharmacol.* 274: 156-167.
- Oda, M; Nishida, J; Kazemoto, S; Ueno, M; Funatsu, K; Ishii, K; Inoue, J; Ito, K; Kaneko, K; Tsukada, N; Tsuchiya, M. (1991). INCREASED EXCRETION OF ENDOTOXIN INTO BILE IN LIVER CIRRHOSIS COMPENSATORY RESPONSE TO IMPAIRED KUPFFER CELL FUNCTIONS. 42nd Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 14.
- Oda, M; Yokomori, H; Kamegaya, Y; Wang, L; Ogi, M. (1999). Transformation of hepatic sinusoidal endothelium related to the pathogenesis of portal hypertension in liver cirrhosis - Alterations in expression of endothelin receptor subtypes and plasma membrane Ca(++)-ATPase activities. *Cells of the Hepatic Sinusoid, Vol 7135-139.*
- Oda, S; Ohta, H. (1992). Alleviation of toxicity of poisonous organic compounds on hydrophilic carrier/hydrophobic organic solvent interface. *Biosci Biotechnol Biochem.* 56: 1515-1517.
- Odabasi, M; Elbir, T; Dumanoglu, Y; Sofuoglu, SC. (2014). Halogenated volatile organic compounds in chlorine-bleach-containing household products and implications for their use. *Atmos Environ.* 92: 376-383.
- Odenthal, M; Geerts, A; Jung, W; Gilberg, B; Dienes, HP; Schirmacher, P. (1994). CELLULAR DISTRIBUTION OF HGF-SYNTHESIS IN RAT LIVER UPON ACUTE INTOXICATION AND FIBROSIS. 78th Meeting Of The German Society Of Pathology, Zurich, Switzerland, April. 190: 238-239.
- Odenthal, M; Neubauer, K; Meyer, zBSKH. Localization and mRNA steady-state level of cellular fibronectin in rat liver undergoing a CCl4-induced acute damage or fibrosis.
- Odenthal, M; Neubauer, K; Meyer, ZUMBUESCHENFELDEKH; Ramadori, G. (1993). Localization and mRNA steady-state level of cellular fibronectin in rat liver undergoing a carbon tetrachloride induced acute damage or fibrosis. *Biochim Biophys Acta.* 3: 266-272.
- O'Donovan, DJ. (1980). Glutamine metabolism in carbon tetrachloride-treated acidotic rats. *The International journal of biochemistry.* 12: 85-87.
- Odziemkowski, MS; Gui, L; Gillham, RW. (2000). Reduction of N-nitrosodimethylamine with granular iron and nickel-enhanced iron. 2. Mechanistic studies. *Environmental Science & Technology.* 34: 3495-3500.
- Oehnel, E. (1971). Drycleaning in the hospital laundry. *Canadian hospital.* 48: 66-67.
- Ogasawara, T; Hoshino, M; Hayakawa, T; Ohhara, H; Yamada, T; Yamada, H; Inagaki, T; Iida, M; Nakazawa, T; Uchida, A; Hasegawa, C; Miyaji, M; Shimizu, H; Itoh, M. (1997). ALTERATIONS IN PANCREATIC EXOCRINE FUNCTION AND ELECTRON MICROSCOPIC MORPHOLOGICAL STRUCTURES OF ACINAR CELLS IN RATS WITH CARBON TETRACHLORIDE-INDUCED HEPATIC INJURY. Digestive Disease Week And The 97th Annual Meeting Of The American Gastroenterological Association, Washington, DC, Usa, May. 112.
- Ogasawara, Y; Isoda, S; Tanabe, S. (1998). A labile sulfur in trisulfide affects cytochrome P-450 dependent lipid peroxidation in rat liver microsomes. *Toxicol Lett.* 99: 191-198.
- Ogasawara, Y; Isoda, S; Tanabe, S. (1999). Antioxidant effects of albumin-bound sulfur in lipid peroxidation of rat liver microsomes. *Biological & Pharmaceutical Bulletin.* 22: 441-445.
- Ogata, A; Miyamae, K; Mizuno, K; Kushiyama, S; Tezuka, M. (2002). Decomposition of benzene in air in a plasma reactor: Effect of reactor type and operating conditions. *Plasma Chemistry and Plasma Processing.* 22: 537-552.
- Ogata, A; Shintani, N; Yamanouchi, K; Mizuno, K; Kushiyama, S; Yamamoto, T. (2000). Effect of water vapor on benzene decomposition using a nonthermal-discharge plasma reactor. *Plasma Chemistry and Plasma Processing.* 20: 453-467.
- Ogata, A; Yamanouchi, K; Mizuno, K; Kushiyama, S; Yamamoto, T. (1999). Oxidation of dilute benzene in an alumina hybrid plasma reactor at atmospheric pressure. *Plasma Chemistry and Plasma Processing.* 19: 383-394.
- Ogata, I; Auster, AS; Matsui, A; Greenwel, P; Geerts, A; D'Amico, T; Fujiwara, K; Kessler, E; Rojkind, M. (1998). Up-regulation of type I procollagen C-proteinase enhancer protein messenger RNA in rats with CCl4-induced liver fibrosis. 26: 611-617.
- Ogata, M. (1961). Studies on the protein synthesis in poisoning. I. The inhibitory action of CCl4 on the incorporation of C-14-2-glycine into the protein of mouse liver. *Acta medica Okayama.* 15: 367-374.
- Ogawa, M; Takada, Y; Suzuki, H; Nemoto, K; Fukumura, T. (2010). Simple and effective method for producing [11C]phosgene using an environmental CCl4 gas detection tube. *Nucl Med Biol.* 37: 73-76.
- Ogawa, T; Morioka, Y; Inoue, T; Takano, M. (1992). DELAYED BURN HEALING IN CARBON TETRACHLORIDE TREATED RATS. 65th Annual Meeting Of The Japanese Pharmacological Society, Sendai, Japan, March. 59.
- Ogeturk, M; Kus, I; Colakoglu, N; Zararsiz, I; Ilham, N; Sarsilmaz, M. (2005). Caffeic acid phenethyl ester protects kidneys against carbon tetrachloride toxicity in rats. *J Ethnopharmacol.* 97: 273-280.
- Ogeturk, M; Kus, I; Kavakli, A; Oner, J; Kukner, A; Sarsilmaz, M. (2005). Reduction of carbon tetrachloride-induced nephropathy by melatonin administration. *Cell Biochem Funct.* 23: 85-92.

Environmental Hazard Literature Search Results

Off Topic

- Ogeturk, M; Kus, I; Kavakli, A; Zararsiz, I; Ilhan, N; Sarsilmaz, M. (2004). Effects of melatonin on carbon tetrachloride-induced changes in rat serum. *J Physiol Biochem.* 60: 205-210.
- Ogeturk, M; Kus, I; Pekmez, H; Yekeler, H; Sahin, S; Sarsilmaz, M. (2008). Inhibition of carbon tetrachloride-mediated apoptosis and oxidative stress by melatonin in experimental liver fibrosis. *Toxicol Ind Health.* 24: 201-208.
- Ogino, K; Hobara, T; Kobayashi, H; Ishiyama, H; Gotoh, M; Imamura, A; Egami, N. (1991). Lipid peroxidation induced by trichloroethylene in rat liver. *Bull Environ Contam Toxicol.* 46: 417-421.
- Ogiso, T; Kitagawa, T; Iwaki, M; Tanino, T. (1997). Pharmacokinetic analysis of enterohepatic circulation of etodolac and effect of hepatic and renal injury on the pharmacokinetics. *Biological & pharmaceutical bulletin.* 20: 405-410.
- Ogiso, T; Kobayashi, T; Kato, Y. (1975). Effect of "drugs for liver disease" on hepatotoxic action of carbon tetrachloride. I. Changes of lysosomal enzyme levels and effect of protoporphyrin on the levels. *Japanese journal of pharmacology.* 25: 401-409.
- Ogiso, T; Kobayashi, T; Kuhara, K; Kato, Y. (1975). Effect of "drugs for liver disease" on hepatotoxic action of carbon tetrachloride. II. Effect of protoporphyrin and phosphorylcholine on microsomal drug-metabolizing enzyme activities and the components in injured liver. *Japanese journal of pharmacology.* 25: 411-421.
- Ogiso, T; Kuhara, K; Kobayashi, T; Masuda, H; Kato, Y. (1977). Effect of "drugs for liver disease" on hepatotoxic action of carbon tetrachloride. IV. Relationship between fatty acid composition of phospholipids and drug monooxygenation activity in rat liver microsomes and role of phosphorylcholine. *Chemical & pharmaceutical bulletin.* 25: 87-95.
- Ogiso, T; Kuhara, K; Noda, N; Kato, Y. (1976). Effect of "drugs for liver disease" on hepatotoxic action of carbon tetrachloride. III. Effect of protoporphyrin and phosphoryl-choline on injured microsomal membrane. *Chemical & pharmaceutical bulletin.* 24: 1893-1901.
- Oguy, D; Reichen, J; Marti, U. (1994). Differential effect of micronodular and biliary cirrhosis on epidermal growth factor receptor expression in the rat. *J Hepatol.* 21: 997-1005.
- Ogura, K; Kobayashi, W; Migita, CT; Kaku, K. (1992). Complete photodecomposition of CFC-113, trichloromethane and carbon tetrachloride and scavenging of generated reactive species. *Environ Technol.* 13: 81-88.
- Ogura, Y; Hamanoue, M; Tanabe, G; Mitsue, S; Yoshidome, S; Nuruki, K; Aikou, T. (2001). Hepatocyte growth factor promotes liver regeneration and protein synthesis after hepatectomy in cirrhotic rats. *Hepatogastroenterology.* 48: 545-549.
- Oh, BT; Just, CL; Alvarez, PJJ. (2001). Hexahydro-1,3,5-trinitro-1,3,5-triazine mineralization by zerovalent iron and mixed anaerobic cultures. *Environmental Science & Technology.* 35: 4341-4346.
- Oh, PS; Lee, J; Lim, KT. (2010). Inhibitory effect of MIL glycoprotein on expression of pro-inflammatory mediators in carbon tetrachloride-induced mice liver damage. *J Appl Toxicol.* 30: 754-760.
- Oh, SY; Cha, DK; Chiu, PC. (2002). Graphite-mediated reduction of 2,4-dinitrotoluene with elemental iron. *Environmental Science & Technology.* 36: 2178-2184.
- Oh, SY; Cha, DK; Kim, BJ; Chiu, PC. (2004). Reduction of nitroglycerin with elemental iron: Pathway, kinetics, and mechanisms. *Environmental Science & Technology.* 38: 3723-3730.
- Oh, WY; Pyo, S; Lee, KR; Lee, BK; Shin, DH; Cho, SI; Lee, SM. (2003). Effect of *Holotrichia diomphalia* larvae on liver fibrosis and hepatotoxicity in rats. *J Ethnopharmacol.* 87: 175-180.
- O'Hara, TM; Borzelleca, JF; Clarke, EC; Sheppard, MA; Condie, LW, Jr. (1989). A CCl₄/CHCl₃ interaction study in isolated hepatocytes: selection of a vehicle. *Fundamental and applied toxicology : official journal of the Society of Toxicology.* 13: 605-615.
- O'Hara, TM; Borzelleca, JF; Clarke, EC; Sheppard, MA; Condie, LW, Jr. (1989). A CCl sub(4)/CHCl sub(3) interaction study in isolated hepatocytes: Selection of a vehicle. *Fundam Appl Toxicol.* 13: 605-615.
- O'Hara, TM; Sheppard, MA; Clarke, EC; Borzelleca, JF; Gennings, C; Condie, LW, Jr. (1991). A CCl₄/CHCl₃ interaction study in isolated hepatocytes: non-induced and phenobarbital-pretreated cells. *Journal of applied toxicology : JAT.* 11: 147-154.
- O'Hara, TM; Sheppard, MA; Clarke, EC; Borzelleca, JF; Gennings, C; Condie, LW, Jr. (1991). A CCl sub(4)/CHCl sub(3) interaction study in isolated hepatocytes: Non-induced and phenobarbital-pretreated cells. *J Appl Toxicol.* 11: 147-154.
- Ohba, R; Deguchi, T; Kishikawa, M; Morimura, S; Suzuki, I. (2003). Antioxidative effect of enzymatic hydrolysate of horn and hoof in rat. *Food Science and Technology Research.* 9: 152-154.
- Ohe, K. (1962). Lipid metabolism in hepatic injury. 3. Effect of orotic acid on serum and liver lipid levels in rats with subacute hepatic injury induced by the repeated injections of carbon tetrachloride. *Acta Scholae Medicinalis Universitatis in Kioto.* 38: 145-158.
- Ohkubo, Y; Sasayama, A; Takegahara, I; Katoh, S; Abe, K; Kohno, H; Kubodera, A. (1990). ⁶⁷Ga in transferrin-unbound form is taken up by inflamed liver of mouse treated with CCl₄. *Ann Nucl Med.* 4: 89-93.
- Ohmiya, A; Ishige, N; Iwasa, H; Yanagihashi, R; Kuromi, H; Hagihara, Y. (1985). EFFECTS OF SEVERAL DRUGS ON CIRCULATION OF THE LIVER TREATED WITH CARBON TETRACHLORIDE IN CATS. 58th General Meeting Of The Japanese Pharmacological Society, Tokyo, Japan, Mar. 39.
- Ohmiya, Y; Fujisawa, S; Nakai, K. (1991). EFFECTS OF CARBON TETRACHLORIDE MONOCROTALINE AND AMIODARONE ON MICROSOMAL MEMBRANE FLUIDITY AND DRUG METABOLIZING ACTIVITIES IN RATS. 64th Annual Meeting Of The Japanese Pharmacological Society, Kobe, Japan, March. 55.
- Ohmori, S; Misaizu, T; Kitada, M; Kitagawa, H; Igarashi, K; Hirose, S; Kanakubo, Y. (1988). POLYAMINE LOWERED THE HEPATIC LIPID PEROXIDE LEVEL IN RATS. *Res Commun Chem Pathol Pharmacol.* 62: 235-250.
- Ohno, A; Hirata, K; Ohta, Y; Yamada, S; Mochida, S; Fujiwara, K. (1991). Ruffle formation in the evaluation of stimulatory state of hepatic macrophages in rats. *Liver.* 11: 114-117.

Environmental Hazard Literature Search Results

Off Topic

- Ohnuma, T; Anan, E; Hoashi, R; Takeda, Y; Nishiyama, T; Ogura, K; Hiratsuka, A. (2011). Dietary Diacetylene Falcarindiol Induces Phase 2 Drug-Metabolizing Enzymes and Blocks Carbon Tetrachloride-Induced Hepatotoxicity in Mice through Suppression of Lipid Peroxidation. *Biological & Pharmaceutical Bulletin*. 34: 371-378.
- Ohsaka, T; Shinozaki, K; Tsuruta, K; Hirano, K. (2008). Photo-electrochemical degradation of some chlorinated organic compounds on n-TiO(2) electrode. *Chemosphere*. 73: 1279-1283.
- Ohshita, J; Taketsugu, R; Nakahara, Y; Kunai, A. (2004). Convenient synthesis of alkoxyhalosilanes from hydrosilanes. *Journal of Organometallic Chemistry*. 689: 3258-3264.
- Ohta, S; Kumasaka, M; Shinoda, M. (1985). EFFECT OF CYSTEAMINE ON CARBON TETRACHLORIDE INDUCED HEPATIC INJURY IN RATS. *Yakugaku Zasshi*. 105: 866-873.
- Ohta, Y; Imai, Y; Matsura, T; Yamada, K; Tokunaga, K. (2005). Successively postadministered melatonin prevents disruption of hepatic antioxidant status in rats with bile duct ligation. *J Pineal Res*. 39: 367-374.
- Ohta, Y; Kongo, M; Sasaki, E; Nishida, K; Ishiguro, I. (1999). Preventive effect of melatonin on the progression of carbon tetrachloride-induced acute liver injury in rats. *Adv Exp Med Biol*. 467: 327-332.
- Ohta, Y; Kongo, M; Sasaki, E; Nishida, K; Ishiguro, I. (2000). Therapeutic effect of melatonin on carbon tetrachloride-induced acute liver injury in rats. *J Pineal Res*. 28: 119-126.
- Ohta, Y; Nishida, K; Sasaki, E; Kongo, M; Ishiguro, I. (1997). Attenuation of disrupted hepatic active oxygen metabolism with the recovery of acute liver injury in rats intoxicated with carbon tetrachloride. *Res Commun Mol Pathol Pharmacol*. 95: 191-207.
- Ohta, Y; Sahashi, D. (2002). L-tryptophan administration promotes the reversion of pre-established chronic liver injury in rats treated with carbon tetrachloride. *J Nutr Biochem*. 13: 550-559.
- Ohta, Y; Sahashi, D; Sasaki, E; Ishiguro, I. (1999). Alleviation of carbon tetrachloride-induced chronic liver injury and related dysfunction by L-tryptophan in rats. *Annals of Clinical Biochemistry*. 36: 504-510.
- Ohta, Y; Sasaki, E; Nishida, K; Hayashi, T; Nagata, M; Ishiguro, I. (1997). Preventive effect of oren-gedoku-to (huanglian-jie-du-tang) extract on progression of carbon tetrachloride-induced acute liver injury in rats. *Am J Chin Med*. 25: 57-68.
- Ohta, Y; Sasaki, E; Nishida, K; Kobayashi, T; Nagata, M; Ishiguro, I. (1995). Preventive effect of dai-saiko-to (da-chai-hu-tang) extract on disrupted hepatic active oxygen metabolism in rats with carbon tetrachloride-induced liver injury. *Am J Chin Med*. 23: 53-64.
- Ohta, Y; Sasaki, E; Nishida, K; Kongo, M; Hayashi, T; Nagata, M; Ishiguro, I. Contribution of the antilipid peroxidative action of Dai-saiko-to extract to its preventative effect on carbon tetrachloride-induced acute liver injury in rats. *Phytotherapy research : PTR*. Feb 1998. v. 12 (1): 5-8.
- Ohta, Y; Sasaki, E; Nishida, K; Kongo, M; Hayashi, T; Nagata, M; Ishiguro, I. (1998). Contribution of the antilipid peroxidative action of Dai-saiko-to extract to its preventative effect on carbon tetrachloride-induced acute liver injury in rats. *Phytother Res*. 12: 5-8.
- Ohta, Y; Sasaki, E; Nishida, K; Kongo, M; Hayashi, T; Nagata, M; Ishiguro, I. (1998). Inhibitory effect of Oren-gedoku-to (Huanglian-Jie-Du-Tang) extract on hepatic triglyceride accumulation with the progression of carbon tetrachloride-induced acute liver injury in rats. *J Ethnopharmacol*. 61: 75-80.
- Ohta, Y; Uemura, M; Saito, K; Sasaki, E; Ishiguro, I. (1996). Relationship between the level of serum L-tryptophan and its hepatic uptake and metabolism in rats with carbon tetrachloride-induced liver cirrhosis. *Amino Acids*. 10: 369-378.
- Ohura, T; Amagai, T; Senga, Y; Fusaya, M. (2006). Organic air pollutants inside and outside residences in Shimizu, Japan: Levels, sources and risks. *Sci Total Environ*. 366: 485-499.
- Oji, K. (1964). CLINICAL EVALUATION OF LINOLEIC ACID IN THE TREATMENT OF CHRONIC LIVER DISEASES. *Tijdschrift voor gastro-enterologie*. 7: 347-357.
- Oji, N. (1963). The inactivation of cortisol in experimental diabetic animals. *Med J Osaka Univ*. 13: 293-298.
- Oji, N; Shigeta, Y. (1964). THE EFFECT OF GLUCOCORTICOID ON GLUCONEOGENESIS IN RATS WITH LIVER DAMAGE. *Endocrinologia japonica*. 11: 265-268.
- Oka, M; Maeda, S; Koga, N; Kato, K; Saito, T. (1992). A modified colorimetric MTT assay adapted for primary cultured hepatocytes: application to proliferation and cytotoxicity assays. *Biosci Biotechnol Biochem*. 56: 1472-1473.
- Okabayashi, H; Tsuru, M. (1990). Effects of bilirubin on lipid peroxidation induced by carbon tetrachloride in rat liver microsomes. *Free Radic Biol Med*. 9, Supplement 1: 19.
- Okabe, S; Takeuchi, K; Urushidani, T; Naganuma, T; Takagi, K. (1975). Effects of L-glutamine on acetylsalicylic acid-induced gastric lesions in normal and cirrhotic rats. *Japanese journal of pharmacology*. 25: 687-691.
- Okada, K; Uehara, K; Ozaki, Y. Fourier-transform infrared spectroscopic study of the structure of chlorophyll a and chlorophyll b in highly dilute water-saturated carbon tetrachloride solutions. *Photochem Photobiol*. June 1993. v. 57 (6): 958-963.
- Okada, K; Ueshima, S; Imano, M; Kataoka, K; Matsuo, O. (2004). The regulation of liver regeneration by the plasmin/alpha 2-antiplasmin system. *J Hepatol*. 40: 110-116.
- Okamoto, K; Tanaka, M; Kozawa, T; Tagawa, S. (2009). Dynamics of Radical Cation of Poly(4-hydroxystyrene) and Its Copolymer for Extreme Ultraviolet and Electron Beam Resists. *Japanese Journal of Applied Physics*. 48: FC606-FC606.
- Okamoto, K; Tanaka, M; Kozawa, T; Tagawa, S. (2010). Dynamics of Radical Cation of Poly(4-hydroxystyrene)-Based Chemically Amplified Resists for Extreme-Ultraviolet and Electron Beam Lithographies. *Japanese Journal of Applied Physics*. 49: 6501-6501.
- Okamoto, T; Masuda, Y; Kawasaki, T; Okabe, S. (2001). Zaltoprofen prevents carbon tetrachloride-induced reduction of body weight in rats. *Int J Mol Med*. 7: 101-104.
- Okamoto, T; Okabe, S. (2000). Carbon tetrachloride treatment induces anorexia independently of hepatitis in rats. *Int J Mol Med*. 6: 181-183.
- Okazaki, I; Maruyama, K. (1974). Collagenase activity in experimental hepatic fibrosis. *Nature*. 252: 49-50.

Environmental Hazard Literature Search Results

Off Topic

- Okazaki, I; Tsuchiya, M; Kamegaya, K; Oda, M; Maruyama, K; Oshio, C. (1973). Capillarization of hepatic sinusoids in carbon tetrachloride-induced hepatic fibrosis. *Bibliotheca anatomica*. 12: 476-483.
- Okazaki, M; Furuya, E; Kasahara, T; Sakamoto, K. (1985). Function of reticuloendothelial system on CCl₄ induced liver injury in mice. *Japanese Journal of Pharmacology*. 39: 503-514.
- Okazaki, M; Furuya, E; Shin, Y; Sakamoto, K. (1986). Studies on alterations in blood coagulative and fibrinolytic activities after single and multiple administrations of carbon tetrachloride in mice. *Japanese journal of pharmacology*. 41: 447-458.
- Okazaki, M; Sakamoto, K. (1987). THE MEASUREMENT OF PLATELET AGGREGATION AND ATP-RELEASE IN LIVER DAMAGED MICE INDUCED BY CARBON TETRACHLORIDE USING A LUMI-AGGREGOMETER. 60th General Meeting Of The Japanese Pharmacological Society, Chiba, Japan, March. 43.
- Okazaki, M; Zhang, L; Suzuki, M; Sakamoto, K. (1988). THE MEASUREMENT OF PLATELET AGGREGATION AND ATP RELEASE IN MICE WITH LIVER DAMAGE INDUCED BY CARBON TETRACHLORIDE USING A WHOLE BLOOD AGGREGOMETER. *Jpn J Pharmacol*. 48: 407-416.
- Okazaki, M; Zhang, LS; Suzuki, M; Sakamoto, K. (1988). The measurement of platelet aggregation and ATP-release in mice with liver damage induced by carbon tetrachloride (CCl₄) using a whole blood aggregometer. *Japanese journal of pharmacology*. 48: 407-415.
- Okita, M; Watanabe, A; Takei, N; Nagashima, H; Ubuka, T. Effects of branched-chain alpha-keto acids on plasma amino acid concentrations in carbon tetrachloride-intoxicated rats. *J Nutr*. July 1984. v. 114 (7): 1235-1241 ill.
- Okita, M; Watanabe, A; Tsuji, T. (1988). Effect of branched-chain amino acid on 15N incorporation into liver and skeletal muscle proteins following [15N]-ammonium chloride administration to carbon tetrachloride-intoxicated rats. *J Nutr Sci Vitaminol*. 34: 85-96.
- Okita, M; Watanabe, A; Tsuji, T. (1988). EFFECT OF BRANCHED-CHAIN AMINO ACID ON NITROGEN-15 INCORPORATION INTO LIVER AND SKELETAL MUSCLE PROTEINS FOLLOWING NITROGEN-15-LABELED AMMONIUM CHLORIDE ADMINISTRATION TO CARBON TETRACHLORIDE-INTOXICATED RATS. *J Nutr Sci Vitaminol*. 34: 85-96.
- Okita, M; Watanabe, A; Tsuji, T. (1989). Effects of valine on 15N incorporation into serum and tissue protein and non-protein fractions following 15N-L-leucine administration to normal and liver-injured rats. *J Nutr Sci Vitaminol*. 35: 559-567.
- Okitsu, K; Kawasaki, K; Nanzai, B; Takenaka, N; Bandow, H. (2008). Effect of carbon tetrachloride on sonochemical decomposition of methyl orange in water. *Chemosphere*. 71: 36-42.
- Okolo, KO; Siminialayi, IM; Orisakwe, OE. (2016). Protective Effects of *Pleurotus tuber-regium* on Carbon- Tetrachloride Induced Testicular Injury in Sprague Dawley Rats. *Frontiers in pharmacology*. 7: 480.
- Okoshi, S; Suzuki, N. (1965). Clinical studies on serum ionic calcium in domestic animals. VI. Effect of intravenous injection of calcium ion solution in healthy animals and those with liver damage. *Nihon juigaku zasshi The Japanese journal of veterinary science*. 27: 1-23.
- Okoshi, S; Suzuki, N. (1965). Clinical studies on serum ionic calcium in domestic animals. VII. Effect of peroral administration of calcium on rabbits with liver damaged experimentally. *Nihon juigaku zasshi The Japanese journal of veterinary science*. 27: 79-95.
- Okuda, M; Li, K; Beard, MR; Showalter, LA; Scholle, F; Lemon, SM; Weinman, SA. (2002). Mitochondrial injury, oxidative stress, and antioxidant gene expression are induced by hepatitis C virus core protein. *Gastroenterology*. 122: 366-375.
- Okuda, T; Suzuki, T; Negita, H. (1983). Bonding and molecular motions in the 1:1 molecular complexes of 1,4-diazabicyclo[2.2.2]octane with tetrahalomethane as studied by means of NQR. *Journal of Molecular Structure*. 111: 177-182.
- Okumoto, K; Saito, T; Haga, H; Hattori, E; Ishii, R; Karasawa, T; Suzuki, A; Misawa, K; Sanjo, M; Ito, JI; Sugahara, K; Saito, K; Togashi, H; Kawata, S. (2006). Characteristics of rat bone marrow cells differentiated into a liver cell lineage and dynamics of the transplanted cells in the injured liver. *J Gastroenterol*. 41: 62-69.
- Okumura, N; Koh, T; Hasebe, Y; Seki, T; Ariga, T. (2009). A Novel Function of Thrombin-activatable Fibrinolysis Inhibitor during Rat Liver Regeneration and in Growth-promoted Hepatocytes in Primary Culture. *J Biol Chem*. 284: 16553-16561.
- Okuno, F; Arai, M; Hirano, Y; Sujita, K; Eto, S; Ishii, H. (1987). PARTIAL PROTECTION OF CARBON TETRACHLORIDE INDUCED HEPATOTOXICITY BY CIMETIDINE. Abstracts Of Papers Submitted To The American Association For The Study Of Liver Disease For The 88th Annual Meeting Of The American Gastroenterological Association And Digestive Week, Chicago, Illinois, Usa, May. 92.
- Okuno, M; Muto, Y; Kato, M; Moriwaki, H; Noma, A; Tagaya, O; Tanabe, Y. (1991). Changes in serum and hepatic levels of immunoreactive prolyl hydroxylase in two models of hepatic fibrosis in rats. *J Gastroenterol Hepatol*. 6: 271-277.
- Okuno, M; Muto, Y; Moriwaki, H; Kato, M; Noma, A; Tagaya, O; Nozaki, Y; Suzuki, Y. (1990). Inhibitory effect of acyclic retinoid (polyprenoic acid) on hepatic fibrosis in CCl₄-treated rats. *Gastroenterologia Japonica*. 25: 223-229.
- Olaniran, AO; Babalola, GO; Okoh, AI. Aerobic dehalogenation potentials of four bacterial species isolated from soil and sewage sludge. *Chemosphere*. Oct 2001. v. 45 (1): 45-50.
- Olczyk, K; Draczdz, M; Kucharz, E. (1984). Effect of some selected anti-inflammatory steroids on elastin content in liver of rats treated with carbon tetrachloride. *Experimental and clinical endocrinology*. 83: 353-357.
- Olczyk, K; Kucharz, E; Draczdz, M. (1987). Influence of thyroid hormones and methylthiouracil upon elastin content in the liver of rats with carbon tetrachloride-induced hepatic fibrosis. *Endocrinologie*. 25: 3-7.
- Olczyk, K; Kucharz, EJ; Sonecki, P. (1993). Matrix-degrading lysosomal hydrolases in serum of rats with hepatic fibrosis treated with methylthiouracil or thyroideum. *Romanian journal of endocrinology / sponsore [sic] by the Academy of Medical Sciences*. 31: 23-26.
- Oldaker, GB, III; Taylor, WD; Parrish, KB. (1995). Investigations of ventilation rate, smoking activity and indoor air quality at four large office buildings. *Environ Technol*. 16: 173-180.
- Olefirenko, AA; Lutsenko, DG; Sleta, IV; Marchenko, VS. (2009). Use of fractal [corrected] analysis for evaluation of liver structure and function in rats in vivo. *Bull Exp Biol Med*. 147: 273-276.
- Oleszkiewicz, L. (1966). The effect of the denervation of the common hepatic artery on the liver lesions induced by carbon tetrachloride in dog. *Polish medical journal*. 5: 1323-1329.

Environmental Hazard Literature Search Results

Off Topic

- Olexsey, RA; Blaney, BL; Turner, RJ; Brown, LM. (1988). TECHNOLOGIES FOR THE RECOVERY OF SOLVENTS FROM HAZARDOUS WASTES. *Hazard Waste Hazard Mater.* 5: 365-377.
- Olguin-Martinez, M; Hernandez-Espinosa, DR; Hernandez-Munoz, R. (2013). alpha-Tocopherol administration blocks adaptive changes in cell NADH/NAD(+) redox state and mitochondrial function leading to inhibition of gastric mucosa cell proliferation in rats. *Free Radic Biol Med.* 65: 1090-1100.
- Olinescu, R; Nit, Pascu, N. (1982). Biochemical mechanisms involved in the hepatotoxicity of some drugs. *Médecine interne.* 20: 59-65.
- Olivas, Y; Dolfig, J; Smith, GB. (2002). The influence of redox potential on the degradation of halogenated methanes. *Environ Toxicol Chem.* 21: 493-499.
- Olivato, PR; Santos, JMM; Cerqueira, CR, Jr.; Vinhato, En; Zukerman-Schpector, J; Ng, SW; Tiekink, ERT; Colle, MD. (2012). Conformational preferences for some 3-(4- C_2 -substituted phenylsulfonyl)-1-methyl-2-piperidones through spectroscopic and theoretical studies. *Journal of molecular structure.* 1028: 97-106.
- Oliveira, MC; Monteiro, AS; Leal, ECP; Munin, E; Osorio, RAL; Ribeiro, W; Vieira, RP. (2013). Low-level Laser Therapy Ameliorates CCl₄-induced Liver Cirrhosis in Rats. *Photochem Photobiol.* 89: 173-178.
- O'Loughlin, EJ; Burris, DR. (2004). Reduction of halogenated ethanes by green rust. *Environ Toxicol Chem.* 23: 41-48.
- O'Loughlin, EJ; Burris, DR; Delcomyn, CA. (1999). Reductive dechlorination of trichloroethene mediated by humic-metal complexes. *Environmental Science & Technology.* 33: 1145-1147.
- O'Loughlin, EJ; Kelly, SD; Kemner, KM; Csencsits, R; Cook, RE. (2003). Reduction of Ag-I, Au-III, Cu-II, and Hg-II by Fe-II/Fe-III hydroxysulfate green rust. *Chemosphere.* 53: 437-446.
- O'Loughlin, EJ; Kemner, KM; Burris, DR. (2003). Effects of Ag(I), Au(III), and Cu(II) on the reductive dechlorination of carbon tetrachloride by green rust. *Environmental Science & Technology.* 37: 2905-2912.
- O'Loughlin, EJ; Larese-Casanova, P; Scherer, M; Cook, R. (2007). Green rust formation from the bioreduction of gamma-FeOOH (lepidocrocite): Comparison of several *Shewanella* species. *Geomicrobiology Journal.* 24: 211-230.
- Olson, KC. (1996). 1. Pyranonaphthoquinone natural products via an annelation reaction of levoglucosenone: The total synthesis of optically pure kalafungin. 2. The synthesis and photochemical behavior of acetylenic ethers. PhD, The Ohio State University.
- Olsson, KA; Jeansson, E; Tanhua, T; Gascard, JC. (2005). The East Greenland Current studied with CFCs and released sulphur hexafluoride. *J Mar Syst.* 55: 77-95.
- Olsson, R. (1966). Partial hepatectomy in experimental carbon tetrachloride-induced liver fibrosis. A histological and biochemical study in rats. *Acta chirurgica Scandinavica Supplementum.* 366: 3-85.
- Omata, M; Kikuchi, M; Higuchi, C; Sanaka, S; Takuma, T; Sugino, N; Mori, Y. (1986). Drug-induced nephropathy: our recent clinical experience. *Dev Toxicol Environ Sci.* 14: 15-20.
- Omori, K; Terai, S; Ishikawa, T; Aoyama, K; Sakaida, I; Nishina, H; Shinoda, K; Uchimura, S; Hamamoto, Y; Okita, K. (2004). Molecular signature associated with plasticity of bone marrow cell under persistent liver damage by self-organizing-map-based gene expression. *FEBS Lett.* 578: 10-20.
- Omugba, AE; Ajiboye, AJ; Oyagbemi, AA; Agofure, E. (2015). Modulatory effects of cod liver oil on the antioxidant status and oxidative stress induced by acute exposure to carbon tetrachloride (CCL₄) in experimental animal models. *J Basic Clin Physiol Pharmacol.* 26: 253-257.
- Omura, M; Katsumata, T; Misawa, H; Yamaguchi, M. (1999). Decrease in protein kinase and phosphatase activities in the liver nuclei of rats exposed to carbon tetrachloride. *Toxicol Appl Pharmacol.* 160: 192-197.
- Ongerth, JE; Wacker, R; Strand, SE; Dewalle, FB. (1995). Concentration and Biototoxicity Assay of Dilute Aqueous Solutions of Volatile Chlorinated Organics Using Supercritical Fluid Extraction. *Journal Of Environmental Science And Health Part A Environmental Science And Engineering & Toxic And Hazardous Substance Control.* 30: 1867-1890.
- Ongun, A; Thomson, WW; Mudd, JB. (1968). Lipid composition of chloroplasts isolated by aqueous and nonaqueous techniques. *J Lipid Res.* 9: 409-415.
- Onishi, H; Hayashi, Y; Ogawa, N; Yajima, G; Aihara, K. (1974). Histopathological studies of the effects of cytochrome C on carbon tetrachloride-induced liver damage and on the livers of aged rats. *Japanese journal of pharmacology.* 24: 425-432.
- Onishi, H; Takahashi, H; Machida, Y. (2005). Preparation and evaluation of glycyrrhetic acid-containing microparticles as an anti-hepatotoxic system. *Drug Development Research.* 66: 189-199.
- Onishi, H; Tsubuda, S; Ogawa, N. (1973). Effect of cytochrome c on carbon tetrachloride damage to the liver. *Japanese journal of pharmacology.* 23: 881-888.
- Ono, S; Hirano, H; Obara, K; Kamei, M; Kaito, I. (2016). In vivo conjugation of 4-(14-C)cortisol by cerebrospinal fluid of normal and carbon tetrachloride impaired dogs. *Naunyn Schmiedebergs Arch Pharmacol.* 113: 299-300.
- Onodera, S; Nishikawa, T; Igarashi, K; Nishimura, A; Suzuki, S. (1989). CHEMICAL CHANGES OF ORGANIC COMPOUNDS IN CHLORINATED WATER XV. THE CONCENTRATIONS AND COMPOSITIONS OF HALOGENATED ORGANICS FORMED DURING CHLORINATIONS OF WATER FROM THE TAMA RIVER JAPAN. *Eisei Kagaku.* 35: 9-18.
- Onoja, SO; Madubuike, GK; Ezeja, MI. (2015). Hepatoprotective and antioxidant activity of hydromethanolic extract of *Daniella oliveri* leaves in carbon tetrachloride-induced hepatotoxicity in rats. *J Basic Clin Physiol Pharmacol.* 26: 465-470.
- Onori, P; Morini, S; Franchitto, A; Sferra, R; Alvaro, D; Gaudio, E. (2000). Hepatic microvascular features in experimental cirrhosis: a structural and morphometrical study in CCl₄-treated rats. *J Hepatol.* 33: 555-563.
- Onoue, S; Nakamura, T; Uchida, A; Ogawa, K; Yuminoki, K; Hashimoto, N; Hiza, A; Tsukaguchi, Y; Asakawa, T; Kan, T; Yamada, S. (2013). Physicochemical and biopharmaceutical characterization of amorphous, solid dispersion of nobiletin, a citrus polymethoxylated flavone, with improved hepatoprotective effects. *Eur J Pharm Sci.* 49: 453-460.

Environmental Hazard Literature Search Results

Off Topic

- Onoue, S; Terasawa, N; Nakamura, T; Yuminoki, K; Hashimoto, N; Yamada, S. (2014). Biopharmaceutical characterization of nanocrystalline solid dispersion of coenzyme Q10 prepared with cold wet-milling system. *European journal of pharmaceutical sciences : official journal of the European Federation for Pharmaceutical Sciences*. 53: 118-125.
- Onoue, S; Yamamoto, K; Kawabata, Y; Yamada, S. (2013). In vitro/in vivo characterization of nanocrystalline formulation of tranilast with improved dissolution and hepatoprotective properties. *Eur J Pharm Biopharm*. 85: 952-957.
- Onozuka, I; Kakinuma, S; Kamiya, A; Miyoshi, M; Sakamoto, N; Kiyohashi, K; Watanabe, T; Funaoka, Y; Ueyama, M; Nakagawa, M; Koshikawa, N; Seiki, M; Nakauchi, H; Watanabe, M. (2011). Cholestatic liver fibrosis and toxin-induced fibrosis are exacerbated in matrix metalloproteinase-2 deficient mice. *Biochem Biophys Res Commun*. 406: 134-140.
- Oostrom, M; Dane, JH; Wietsma, TW. (2005). Removal of carbon tetrachloride from a layered porous medium by means of soil vapor extraction enhanced by desiccation and water table reduction. *Vadose Zone Journal*. 4: 1170-1182.
- Oostrom, M; Hofstee, C; Lenhard, RJ; Wietsma, TW. (2003). Flow behavior and residual saturation formation of liquid carbon tetrachloride in unsaturated heterogeneous porous media. *J Contam Hydrol*. 64: 93-112.
- Oostrom, M; Lenhard, RJ. (2003). Carbon tetrachloride flow behavior in unsaturated Hanford caliche material: an investigation of residual nonaqueous phase liquids. *Vadose zone journal VZJ*. 2.
- Oostrom, M; Rockhold, ML; Thorne, PD; Truex, MJ; Last, GV; Rohay, VJ. (2007). Carbon tetrachloride flow and transport in the subsurface of the 216-Z-9 trench at the Hanford Site. *Vadose Zone Journal*. 6: 971-984.
- Oostrom, M; Truex, MJ; Tartakovsky, GD; Wietsma, TW. (2010). Three-Dimensional Simulation of Volatile Organic Compound Mass Flux from the Vadose Zone to Groundwater. *Ground Water Monitoring and Remediation*. 30: 45-56.
- Opie, EL. (1950). THE EFFECT OF INJURY BY TOXIC AGENTS UPON OSMOTIC PRESSURE MAINTAINED BY CELLS OF LIVER AND OF KIDNEY. *The Journal of experimental medicine*. 91: 285-294.
- Opoku, AR; Ndlovu, IM; Terblanche, SE; Hutchings, AH. (2007). In vivo hepatoprotective effects of *Rhoicissus tridentata* subsp. *cuneifolia*, a traditional Zulu medicinal plant, against CCl₄-induced acute liver injury in rats. *South African Journal of Botany*. 73: 372-377.
- Oppelt, ET. (1991). AIR EMISSIONS FROM THE INCINERATION OF HAZARDOUS WASTE. Mehlman, M A. 0: 1-26.
- Oppenheimer, EH. (1958). A note on the difference between the susceptibility of the liver of the hen and rooster to carbon tetrachloride poisoning. *Bulletin of the Johns Hopkins Hospital*. 102: 313-319.
- Oratz, M; Rothschild, MA; Burks, A; Mongelli, J; Schreiber, SS. (1972). The influence of amino acids and hepatotoxic agents on albumin synthesis, polysomal aggregation and RNA turnover. *Ciba Foundation symposium*. 9: 131-153.
- Oratz, M; Rothschild, MA; Schreiber, SS; Lane, BP. (1980). Spermine stimulation of CCl₄ depressed protein synthesis in rabbits. *Gastroenterology*. 79: 1165-1173.
- Oraumbo, IF; Van Duuren, BL. (1989). Evidence for the covalent interaction of carbon tetrachloride with mouse liver chromatin DNA in vitro. *J Environ Pathol Toxicol Oncol*. 9: 13-18.
- O'Reilly, RK; Gibson, VC; White, AJP; Williams, DJ. (2003). Design of highly active iron-based catalysts for atom transfer radical polymerization: Tridentate salicylaldiminato ligands affording near ideal Nernstian behavior. *J Am Chem Soc*. 125: 8450-8451.
- Orfila, C; Lepert, JC; Alric, L; Carrera, G; Beraud, M; Pipy, B. (2005). Immunohistochemical distribution of activated nuclear factor kappa B and peroxisome proliferator-activated receptors in carbon tetrachloride-induced chronic liver injury in rats. *Histochem Cell Biol*. 123: 585-593.
- Orfila, C; Lepert, JC; Alric, L; Carrera, G; Beraud, M; Vinel, JP; Pipy, B. (1999). Expression of TNF-alpha and immunohistochemical distribution of hepatic macrophage surface markers in carbon tetrachloride-induced chronic liver injury in rats. *Histochemical Journal*. 31: 677-685.
- Orhan, DD; Orhan, N; Ergun, E; Ergun, F. (2007). Hepatoprotective effect of *Vitis vinifera* L. leaves on carbon tetrachloride-induced acute liver damage in rats. *J Ethnopharmacol*. 112: 145-151.
- Orhan, IE; Åžener, B; Musharraf, SG. (2012). Antioxidant and hepatoprotective activity appraisal of four selected *Fumaria* species and their total phenol and flavonoid quantities. *Exp Toxicol Pathol*. 64: 205-209.
- Ornstein, RL. (1993). ON USING RATIONAL ENZYME REDESIGN TO IMPROVE ENZYME-MEDIATED MICROBIAL DEHALOGENATION OF RECALCITRANT SUBSTANCES IN DEEP-SUBSURFACE ENVIRONMENTS. Sarma, R H And M H Sarma. 8: 0-940030.
- Orrego, H; Carmichael, FJ; Phillips, MJ; Kalant, H; Khanna, J; Israel, Y. (1976). Protection by propylthiouracil against carbon tetrachloride-induced liver damage. *Gastroenterology*. 71: 821-826.
- Orrenius, S; Thor, H; Jernström, C. (1980). The influence of inducers on drug-metabolizing enzyme activity and on formation of reactive drug metabolites in the liver. *Ciba Foundation symposium*.
- Orser, CS; Foong, FCF; Capaldi, SR; Nalezny, J; Mackay, W; Benjamin, M; Farr, SB. (1995). Use of prokaryotic stress promoters as indicators of the mechanisms of chemical toxicity. *In Vitro Toxicol*. 8: 71-85.
- Ortuño-Sahagún, D; Ehlvest, J; Veidebaum, T; Pääldvere, E. (1993). Role of mitotic activity in target tissues in N-nitrosodiethylamine carcinogenesis. *Gen Pharmacol*. 24: 295-301.
- Ortego, JD; Kowalska, M; Cocke, DL. (1991). INTERACTIONS OF MONTMORILLONITE WITH ORGANIC COMPOUNDS ADSORPTIVE AND CATALYTIC PROPERTIES. *Chemosphere*. 22: 769-798.
- Oraumbo, IF; Van Duuren, BL. (1987). Time-related binding of the hepatocarcinogen carbon tetrachloride to hepatic chromatin proteins in vitro. *Carcinogenesis*. 8: 855-856.
- Osada, N; Mochida, S; Inao, M; Mashimo, Y; Fujiwara, K. (2001). Apoptosis in dissociation between DNA synthesis and cellular functions of activated hepatic stellate cells - A study with carbon tetrachloride-induced rat liver injury. *Biochem Biophys Res Commun*. 282: 524-528.

Environmental Hazard Literature Search Results

Off Topic

- Osadebe, PO; Okoye, FB; Uzor, PF; Nnamani, NR; Adiele, IE; Obiano, NC. (2012). Phytochemical analysis, hepatoprotective and antioxidant activity of *Alchornea cordifolia* methanol leaf extract on carbon tetrachloride-induced hepatic damage in rats. *Asian Pacific Journal of Tropical Medicine*. 5: 289-293.
- Osawa, Y; Highet, RJ; Murphy, CM; Cotter, RJ; Pohl, LR. (1989). FORMATION OF HEME-DERIVED PRODUCTS BY THE REACTION OF FERROUS DEOXYMYOGLOBIN WITH BROMOTRICHLOROMETHANE. *J Am Chem Soc*. 111: 4462-4467.
- Osawa, Y; Pohl, LR. (1981). COVALENT BONDING OF THE PROSTHETIC HEME TO PROTEIN A POTENTIAL MECHANISM FOR THE SUICIDE INACTIVATION OR ACTIVATION OF HEMOPROTEINS. *Marnett, L J*. 0: 236-246.
- Osborne, BG; Barrett, GM; Laal-Khoshab, A; Willis, KH. (1989). THE OCCURRENCE OF PESTICIDE RESIDUES IN UK HOME-GROWN AND IMPORTED WHEAT. *Pestic Sci*. 27: 103-109.
- Oshima, Y; Kamijou, A; Moritani, H; Namao, KI; Ohizumi, Y. (1993). Vitisin A and cis-vitisin A, strongly hepatotoxic plant oligostilbenes from *Vitis coignetiae* (Vitaceae). *J Org Chem*. 58: 850-853.
- Oshima, Y; Namao, K; Kamijou, A; Matsuoka, S; Nakano, M; Terao, K; Ohizumi, Y. Powerful hepatoprotective and hepatotoxic plant oligostilbenes, isolated from the Oriental medicinal plant *Vitis coignetiae* (Vitaceae). *Experientia*. Jan 15, 1995. v. 51 (1): 63-66.
- Oshima, Y; Ueno, Y. Ampelopsins D, E, H and cis-ampelosin E, oligostilbenes from *Ampelopsis brevipedunculata* var. *hancei* roots. *Phytochemistry*. May 1993. v. 33 (1): 179-182.
- Osowska-Pacewowska, K; Zwierzak, A. (1985). N,N-dihalophosphoramides-XVI: Ionic addition of diethyl n,n-dibromophosphoroamidate (DBPA) to alkenes and cycloalkenes. *Tetrahedron*. 41: 4717-4725.
- Osterreicher, CH; Taura, K; De Minicis, S; Seki, E; Penz-Osterreicher, M; Kodama, Y; Kluwe, J; Schuster, M; Oudit, GY; Penninger, JA; Brenner, DA. (2009). Angiotensin-Converting-Enzyme 2 Inhibits Liver Fibrosis in Mice. *Hepatology*. 50: 929-938.
- Osumi, Y; Amano, Y; Shimamoto, K. (1967). Fatty liver caused by repetitive administration of relatively small doses of carbon tetrachloride in rats. *Japanese journal of pharmacology*. 17: 298-307.
- Ozli, A; nczi, D; DoPHUoSFoMHSdmtSH; Veza, E; r, T; S, A; rk, z, L. Functional neurotoxicity of Mn-containing nanoparticles in rats.
- Ozli, A; nczi, G; Veza, E; r, T; S, A; rk, z, L. Metal deposition and functional neurotoxicity in rats after 3-6 weeks nasal exposure by two physicochemical forms of manganese.
- Ota, M; Sato, N; Obara, K. (1971). Metabolism in vitro of 4- 14 C-testosterone by hepatic microsomal and soluble fractions of carbon tetrachloride and ethionine injured rats. *Endocrinologia japonica*. 18: 227-234.
- Otsuka, T; Takagi, H; Horiguchi, N; Toyoda, M; Sato, K; Takayama, H; Mori, M. (2002). CCl₄-induced acute liver injury in mice is inhibited by hepatocyte growth factor overexpression but stimulated by NK2 overexpression. *FEBS Lett*. 532: 391-395.
- Ott, M; Rajvanshi, P; Sokhi, RP; Alpini, G; Aragona, E; Dabeva, M; Shafritz, DA; Gupta, S. (1999). Differentiation-specific regulation of transgene expression in a diploid epithelial, cell line derived from the normal F344 rat liver. *J Pathol*. 187: 365-373.
- Ottu, OJ; Atawodi, SE; Onyike, E. (2013). Antioxidant, hepatoprotective and hypolipidemic effects of methanolic root extract of *Cassia singueana* in rats following acute and chronic carbon tetrachloride intoxication. *Asian Pacific Journal of Tropical Medicine*. 6: 609-615.
- Ouye, MT. (1984). AN OVERVIEW OF POST HARVEST INSECT RESEARCH PERFORMED BY USA DEPARTMENT OF AGRICULTURE AGRICULTURAL RESEARCH SERVICE LABORATORIES. *Baur, F J*. 0: 203-224.
- Oxenford, JL; McGeorge, LJ; Jenniss, SW. (1989). DETERMINATION OF PRACTICAL QUANTITATION LEVELS FOR ORGANIC COMPOUNDS IN DRINKING WATER. *Am Water Works Assoc J*. 81: 149-154.
- Oyagi, S; Hirose, M; Kojima, M; Okuyama, M; Kawase, M; Nakamura, T; Ohgushi, H; Yagi, K. (2006). Therapeutic effect of transplanting HGF-treated bone marrow mesenchymal cells into CCl₄-injured rats. *J Hepatol*. 44: 742-748.
- Oyeyemi, IT; Akanni, OO; Adaramoye, OA; Bakare, AA. (2017). Methanol extract of *Nymphaea lotus* ameliorates carbon tetrachloride-induced chronic liver injury in rats via inhibition of oxidative stress. *J Basic Clin Physiol Pharmacol*. 28: 43-50.
- Ozaki, M; Masuda, Y. (1993). Carbon tetrachloride-induced cell death in perfused livers from phenobarbital-pretreated rats under hypoxic conditions and various ionic milieu. Further evidence for calcium-dependent irreversible changes. *Biochem Pharmacol*. 46: 2039-2049.
- Ozardali, I; Bitiren, M; Karakilcik, AZ; Zerir, M; Aksoy, N; Musa, D. (2004). Effects of selenium on histopathological and enzymatic changes in experimental liver injury of rats. *Exp Toxicol Pathol*. 56: 59-64.
- Ozbek, H; Acikara, OB; Keskin, I; Kirmizi, NI; Ozbilgin, S; Oz, BE; Kurtul, E; Ozrenk, BC; Tekin, M; Saltan, G. (2017). Evaluation of hepatoprotective and antidiabetic activity of *Alchemilla mollis*. *Biomedicine & Pharmacotherapy*. 86: 172-176.
- Ozbek, H; Citoglu, WS; Dulger, H; Ugras, S; Sever, B. (2004). Hepatoprotective and anti-inflammatory activities of *Ballota glandulosissima*. *J Ethnopharmacol*. 95: 143-149.
- Ozbek, H; ra. Hepatoprotective effect of *Foeniculum vulgare* essential oil.
- Ozeki, T; Funakoshi, K; Iwaki, K. (1985). Rapid induction of cirrhosis by administration of carbon tetrachloride plus phospholipase D. *Br J Exp Pathol*. 66: 385-390.
- Ozeki, T; Inoue, N; Kan, M; Yamagata, S; Wakui, K; Ouchi, K. (1982). A polyhydric phenol sulfokinase and chronic liver injury. *Gastroenterologia Japonica*. 17: 230-234.
- Ozenirler, S; Din, E; er, D; DoGGUFoMBAT. The protective effect of *Ginkgo biloba* extract on CCl₄-induced hepatic damage.
- Ozsoy, SY; Ozsoy, B; Ozyildiz, Z; Aytekin, I. (2011). Protective effect of L-carnitine on experimental lead toxicity in rats: a clinical, histopathological and immunohistochemical study. *Biotechnic & Histochemistry*. 86: 436-443.
- Ozturk, F; Gul, M; Ates, B; Ozturk, IC; Cetin, A; Vardi, N; Otlu, A; Yilmaz, I. (2009). Protective effect of apricot (*Prunus armeniaca* L.) on hepatic steatosis and damage induced by carbon tetrachloride in Wistar rats. *Br J Nutr*. 102: 1767-1775.
- Ozturk, IC; Ozturk, F; Gul, M; Ates, B; Cetin, A. (2009). Protective effects of ascorbic acid on hepatotoxicity and oxidative stress caused by carbon tetrachloride in the liver of Wistar rats. *Cell Biochem Funct*. 27: 309-315.

Environmental Hazard Literature Search Results

Off Topic

- PÂ Imai, M; Szalay, R. Total synthesis of isotopically enriched Si-29 silica NPs as potential spikes for isotope dilution quantification of natural silica NPs.
- Pâ s; Au, PAE. (1982). Effect of carbon tetrachloride on polyamine metabolism in rodent liver. *Arch Biochem Biophys.* 217: 730-737.
- Pâšrez-Tamayo, R. (1979). Cirrhosis of the liver: a reversible disease? *Pathology annual.* 14 Pt 2: 183-213.
- PâštrAd, LADLdCMšeEESIGECUšdSBLBLB; FrU, FA. (1997). Ultrasonic waste-water treatment: incidence of ultrasonic frequency on the rate of phenol and carbon tetrachloride degradation. *Ultrason Sono997, Oct.* 4: 295-300.
- Padhy, BM; Srivastava, A; Kumar, VL. (2007). *Calotropis procera* latex affords protection against carbon tetrachloride induced hepatotoxicity in rats. *J Ethnopharmacol.* 113: 498-502.
- Padma, P; Setty, OH. (1999). Protective effect of *Phyllanthus fraternus* against carbon tetrachloride-induced mitochondrial dysfunction. *Life Sci.* 64: 2411-2417.
- Padma, P; Setty, OH. (1999). Studies on cytochrome oxidase in carbon tetrachloride treated rats. *Indian J Exp Biol.* 37: 1139-1141.
- Padron, AG; De Toranzo, EGD; Castro, JA. (1993). Late preventive effects of quinacrine on carbon tetrachloride induced liver necrosis. *Arch Toxicol.* 67: 386-391.
- Paduraru, I; Saramet, A; Danila, G; Nichifor, M; Jerca, L; Iacobovici, A; Ungureanu, D; Filip, M. (1996). Antioxidant action of a new flavonic derivative in acute carbon tetrachloride intoxication. *European Journal of Drug Metabolism and Pharmacokinetics.* 21: 1-6.
- Paeaekko, P; Anttila, S; Sormunen, R; Ala-Kokko, L; Peura, R; Ferrans, VJ; Ryhaenen, L. (1996). Biochemical and morphological characterization of carbon tetrachloride-induced lung fibrosis in rats. *Arch Toxicol.* 70: 540-552.
- Paeaekko, P; Sormunen, R; Risteli, L; Risteli, J; Ala-Kokko, L; Ryhaenen, L. (1989). Malotilate prevents accumulation of type III pN-collagen, type IV collagen, and laminin in carbon tetrachloride-induced pulmonary fibrosis in rats. *Am J Respir Crit Care Med.* 139: 1105-1111.
- Page, DA. (1993). Part 1. The role of the intestinal tract in the elimination of carbon tetrachloride. Part 2. The effect of pyridine on xenobiotic metabolism in liver and lung. PhD, Purdue University.
- Page, DA; Carlson, GP. (1994). The role of the intestinal tract in the elimination of carbon tetrachloride. *Toxicol Appl Pharmacol.* 124: 268-274.
- Paik, YH; Iwaisako, K; Seki, E; Inokuchi, S; Schnabl, B; Osterreicher, CH; Kisseleva, T; Brenner, DA. (2011). The Nicotinamide Adenine Dinucleotide Phosphate Oxidase (NOX) Homologues NOX1 and NOX2/gp91(phox) Mediate Hepatic Fibrosis in Mice. *Hepatology.* 53: 1730-1741.
- Paine, AJ; Hockin, LJ. (1982). The maintenance of cytochrome P-450 in liver cell culture: recent studies on P-450 mediated mechanisms of toxicity. *Toxicology.* 25: 41-45.
- Pal, D; Sur, S; Mandal, S; Das, A; Roy, A; Das, S; Panda, CK. (2012). Prevention of liver carcinogenesis by amarogentin through modulation of G(1)/S cell cycle check point and induction of apoptosis. *Carcinogenesis.* 33: 2424-2431.
- Pal, P; Saha, A; Mukherjee, AK; Mukherjee, DC. (2004). Study of charge transfer complexes of menadione (vitamin K3) with a series of anilines. *Spectrochimica acta Part A, Molecular and biomolecular spectroscopy.* 60: 167-171.
- Palacios, RS; Roderfeld, M; Hemmann, S; Rath, T; Atanasova, S; Tschuschner, A; Gressner, OA; Weiskirchen, R; Graf, J; Roeb, E. (2008). Activation of hepatic stellate cells is associated with cytokine expression in thioacetamide-induced hepatic fibrosis in mice. *Lab Invest.* 88: 1192-1203.
- Palaparthi, R; Kastrissios, H; Gulati, A. (2001). Pharmacokinetics of diaspirin cross-linked haemoglobin in a rat model of hepatic cirrhosis. *J Pharm Pharmacol.* 53: 179-185.
- Palkar, PS; Philip, BK; Reddy, RN; Mehendale, HM. (2007). Priming dose of phenylhydrazine protects against hemolytic and lethal effects of 2-butoxyethanol. *Toxicol Appl Pharmacol.* 225: 102-112.
- Palmerini, CA; Saccardi, C; Floridi, A; Arienti, G. (1996). Formylcolchicine bound to lactosaminated serum albumin is a more active antifibrotic agent than free colchicine. *Clinica chimica acta; international journal of clinical chemistry.* 254: 149-157.
- Palmi, M; Youmbi, GT; Fusi, F; Sgaragli, GP; Dixon, HBF; Frosini, M; Tipton, KF. (1999). Potentiation of mitochondrial Ca(2+) sequestration by taurine. *Biochem Pharmacol.* 58: 1123-1131.
- Pan, CX; Wu, FR; Wang, XY; Tang, J; Gao, WF; Ge, JF; Chen, FH. (2014). Inhibition of ASICs reduces rat hepatic stellate cells activity and liver fibrosis: an in vitro and in vivo study. *Cell Biol Int.* 38: 1003-1012.
- Pan, M; Song, YL; Xu, JM; Gan, HZ. (2006). Melatonin ameliorates nonalcoholic fatty liver induced by high-fat diet in rats. *J Pineal Res.* 41: 79-84.
- Pan, Q; Zhang, ZB; Zhang, X; Shi, J; Chen, YX; Han, ZG; Xie, WF. (2007). Gene expression profile analysis of the spontaneous reversal of rat hepatic fibrosis by cDNA microarray. *Dig Dis Sci.* 52: 2591-2600.
- Pan, SY; Dong, H; Han, YF; Li, WY; Zhao, XY; Ko, KM. (2006). A novel experimental model of acute hypertriglyceridemia induced by schisandrin B. *Eur J Pharmacol.* 537: 200-204.
- Pan, TL; Wang, PW; Chen, CC; Fang, JY; Sintupisut, N. (2012). Functional proteomics reveals hepatotoxicity and the molecular mechanisms of different forms of chromium delivered by skin administration. *Proteomics.* 12: 477-489.
- Pan, XC; Fang, C; Fantin, M; Malhotra, N; So, WY; Peteanu, LA; Isse, AA; Gennaro, A; Liu, P; Matyjaszewskit, K. (2016). Mechanism of Photoinduced Metal-Free Atom Transfer Radical Polymerization: Experimental and Computational Studies. *J Am Chem Soc.* 138: 2411-2425.
- Pan, XY; Hussain, FN; Iqbal, J; Feuerman, MH; Hussain, MM. (2007). Inhibiting proteasomal degradation of microsomal triglyceride transfer protein prevents CCl(4)-induced steatosis. *J Biol Chem.* 282: 17078-17089.
- Panagiotou, AN; Sakkas, VA; Albanis, TA. (2009). Application of chemometric assisted dispersive liquid-liquid microextraction to the determination of personal care products in natural waters. *Anal Chim Acta.* 649: 135-140.
- Panda, VS; Ashar, HD. (2012). ANTIOXIDANT AND HEPATOPROTECTIVE EFFECTS OF GARCINIA INDICA CHOISY FRUITS IN CARBON TETRACHLORIDE-INDUCED LIVER INJURY IN RATS. *Journal of Food Biochemistry.* 36: 240-247.

Environmental Hazard Literature Search Results

Off Topic

- Pande, V; Shukla, PK. (2001). Rhamnazin-4'-O-beta- apiosyl(1->2) glucoside as a means of antioxidative defense against tetrachloromethane induced hepatotoxicity in rats. *Pharmazie*. 56: 427-428.
- Pandey, GP. (2006). Comparison of hepatotoxicity induced by ipomeamarone, carbon tetrachloride and paracetamol. *Indian Veterinary Journal*. 83: 961-964.
- Pandey, GP; Shrivastava, PN; Shrivastava, AM; Sharma, IJ; Shrivastava, AB. Studies on histopathological changes in carbon tetrachloride-induced hepatotoxicity and the protective effect of livol in dogs. *Indian veterinary journal*. Dec 1983. v. 60 (12): 978-980.
- Panduro, A; Shalaby, F; Biempica, L; Shafritz, DA. (1988). Changes in albumin, alpha-fetoprotein and collagen gene transcription in CCl4-induced hepatic fibrosis. *Hepatology (Baltimore, Md)*. 8: 259-266.
- Panduro, A; Shalaby, F; Weiner, FR; Biempica, L; Zern, MA; Shafritz, DA. (1986). Transcriptional switch from albumin to alpha-fetoprotein and changes in transcription of other genes during carbon tetrachloride induced liver regeneration. *Biochemistry*. 25: 1414-1420.
- Panduro, A; Valencia, J; Rojkind, M. (1993). Induction of prothrombin biosynthesis and inhibition of gamma carboxylase activity in experimental models of liver regeneration and fibrosis. *Int J Biochem*. 25: 525-532.
- Panduro-Cerda, FS; Welner, F; Zern, M; Shafritz, D. (1985). REGULATION OF LIVER SPECIFIC GENE EXPRESSION AT THE LEVEL OF TRANSCRIPTION IN CARBON TETRACHLORIDE TREATED RATS. Abstracts Of Papers Submitted To The American Gastroenterological Association For The 86th Annual Meeting Of The American Gastroenterological Association Held In Conjunction With The Annual Meeting Of The American Association For The Study Of Liver Disease And The Gastroenterology Study Group, New York, NY, Usa, May. 88.
- Pang, JM; Zaleski, J; Kauffman, FC. (1996). Actions of selected hepatotoxicants on freshly isolated and cryopreserved rat hepatocytes. *Cryobiology*. 33: 226-235.
- Pangrekar, J; Klopman, G; Rosenkranz, HS. (2008). Expert-system comparison of structural determinants of chemical toxicity to environmental bacteria. *Basic & clinical pharmacology & toxicology*. 103: 476-481.
- Pani, P; Corongiu, FP; Sanna, A; Congiu, L. (1975). Protection by lead nitrate against carbon tetrachloride hepatotoxicity. *Drug metabolism and disposition: the biological fate of chemicals*. 3: 148-154.
- Pani, P; Torrielli, MV; Gabriel, L; Gravela, E. (1973). Further observation on the effects of 3-methylcholanthrene and phenobarbital on carbon tetrachloride hepatotoxicity. *Exp Mol Pathol*. 19: 15-22.
- Pankow, D; Pfordte, K; Ponsold, W. (1973). Combined effects of carbon tetrachloride and carbon monoxide on the activities of leucine aminopeptidase and transaminases in plasma of rats. *Toxicol Appl Pharmacol*. 25: 310-313.
- Pankow, D; Ponsold, W. (1976). Effect of methemoglobinemia on carbon tetrachloride hepatotoxicity. *Toxicol Appl Pharmacol*. 36: 143-150.
- Pankow, JF; Johnson, RL; Cherry, JA. (1993). Air sparging in gate wells in cutoff walls and trenches for control of plumes of volatile organic compounds (VOCs). *Ground Water*. 31: 654-663.
- Panos, MZ; Gove, C; Firth, JD; Raine, AE; Ledingham, JG; Westaby, D; Williams, R. (1990). Impaired natriuretic response to atrial natriuretic peptide in the isolated kidney of rats with experimental cirrhosis. *Clinical science (London, England : 1979)*. 79: 67-71.
- Panovska, TK; Kulevanova, S; Gjorgoski, I; Bogdanova, M; Petrushevska, G. (2007). Hepatoprotective effect of the ethyl acetate extract of *Teucrium polium* L. against carbon tetrachloride-induced hepatic injury in rats. *Acta pharmaceutica (Zagreb, Croatia)*. 57: 241-248.
- Panuganti, SD; Khan, FD; Svensson, CK. (2006). Enhanced xenobiotic-induced hepatotoxicity and Kupffer cell activation by restraint-induced stress. *J Pharmacol Exp Ther*. 318: 26-34.
- Paola, V; Antonella, B; Giancarlo, N; Gino, LA. (1993). Detection of mutagenic pollutants of inland and coastal waters by means of the Salmonella microsome assay. *Environ Technol*. 14: 543-553.
- Paoletti, R. (1963). Pharmacological control of lipid mobilization and transport. *Biochemical Society symposium*. 24: 171-180.
- Pap, P; Ćuk, Z; Weng, HL; Cai, WM; Liu, RH. (1993). Animal experiment and clinical study of effect of gamma-interferon on hepatic fibrosis. *Sbornik rad fakulty Karlovy university v Hradci Krajskeho Stredochodsku*. 36: 93-98.
- Papalabros, E; Felekouras, E; Singala, F; Salakou, S; Triantafyllou, A; Alexiou, D; Tsamandas, A. (1999). Liver histopathology after necrosis induced by carbon tetrachloride and allyl-alcohol. *34th Annual Meeting Of The European Association For The Study Of The Liver, Naples, Italy, April*. 30: 216.
- Papp, A; Nagymajtosi, L; Brocks, DG; Bickel, M; Engelbart, K. (2005). Type IV collagen antigens in serum of rats with experimental fibrosis of the liver. *Environ Toxicol Pharmacol*. 19: 775-784.
- Pappas, NJ, Jr. (1980). Increased rat liver homogenate, mitochondrial, and cytosolic aspartate aminotransferase activity in acute carbon tetrachloride poisoning. *Clinica chimica acta; international journal of clinical chemistry*. 106: 223-229.
- Pappas, NJ, Jr. (1981). Response of Rat Liver Aspartate Aminotransferase to Carbon Tetrachloride. *Res Commun Mol Pathol Pharmacol*. 31: 475-482.
- Pappas, NJ, Jr. (1989). Theoretical aspects of enzymes in diagnosis. Why do serum enzymes change in hepatic, myocardial, and other diseases? *Clin Lab Med*. 9: 595-626.
- Pappas, NJ, Jr.; Wisecarver, JL; Becker, S. (1984). Effect of cycloheximide on increased aspartate aminotransferase in carbon tetrachloride hepatotoxicity. *Ann Clin Lab Sci*. 14: 40-46.
- Paquet, KJ; Kamphausen, U. (1975). The carbon-tetrachloride-hepatotoxicity as a model of liver damage. First report: Long-time biochemical changes. *Acta hepato-gastroenterologica*. 22: 84-88.
- Paradis, V; Vilgrain, V; Sinkov, R; Icho, T; Kojima, S; Shinohara, N; Kajiwar, Y; Kitabatake, K; Kubota, K. (2014). Protective effects of tetrahydropterin against free radical-induced injury. *PLoS ONE*. 2014; 9: e94679.
- Parafita, MA; Pazo, JA; Alfonso, M; Beiras, E. (1989). Antigenic alterations of hepatocyte membrane in rats after long-term administration of ethanol and carbon tetrachloride. *Drug and Alcohol Dependence*. 23: 177-179.

Environmental Hazard Literature Search Results

Off Topic

- Parales, RE; Bruce, NC; Schmid, A; Wackett, LP. (2002). Biodegradation, biotransformation, and biocatalysis (B3). *Appl Environ Microbiol.* 68: 4699-4709.
- Paramesha, M; Ramesh, CK; Krishna, V; Ravi, KYS; Parvathi, KM. (2011). Hepatoprotective and in vitro antioxidant effect of *Carthamus tinctorious* L, var *Annigeri-2*-, an oil-yielding crop, against CCl₄-induced liver injury in rats. *Pharmacognosy Magazine.* 7: 289-297.
- Parasakthy, K; Deepalakshmi, PD; Shanthi, S; Niranjali-Devaraj, S. (1993). THE HEPATOPROTECTIVE ACTION OF EUGENOL. *Med Sci Res.* 21: 611-612.
- Pardo, A; Ojanguren, I; Quiroga, J; Planas, R; Prieto, J; Numazawa, S; Oguro, T; Yoshida, T; Kuroiwa, Y. (2006). Synergistic induction of rat hepatic ornithine decarboxylase by multiple doses of cobalt chloride. *Gut.* 55: 1306-1312.
- Pardo, LC; Tamarit, JL; Veglio, N; Bermejo, FJ; Cuello, GJ. (2007). Comparison of short-range-order in liquid- and rotator-phase states of a simple molecular liquid: A reverse Monte Carlo and molecular dynamics analysis of neutron diffraction data. *Physical Review B.* 76: 4203-4203.
- Pardo, LC; Veglio, N; Bermejo, FJ; Tamarit, JL; Cuello, GJ. (2005). Experimental assessment of the extent of orientational short-range order in liquids. *Physical Review B.* 7201: 4206-4206.
- Paredes-Carbajal, MC; Torres-Duran, PV; Diaz-Zagoya, JC; Mascher, D; Juarez-Oropeza, MA. (2001). Effects of the ethanolic extract of *Spirulina maxima* on endothelium dependent vasomotor responses of rat aortic rings. *J Ethnopharmacol.* 75: 37-44.
- Pareek, A; Godavarthi, A; Issarani, R; Nagori, BP. (2013). Antioxidant and hepatoprotective activity of *Fagonia schweinfurthii* (Hadidi) Hadidi extract in carbon tetrachloride induced hepatotoxicity in HepG2 cell line and rats. *J Ethnopharmacol.* 150: 973-981.
- Parentini, I; Bergamini, E; Cecchi, L; Cavallini, G; Donati, A; Maccheroni, M; Tamburini, I; Gori, Z. (2003). The effect of carbon tetrachloride and ultraviolet radiation on dolichol levels in liver cells isolated from 3-and 24-month-old male Sprague-Dawley rats. *Biogerontology.* 4: 365-370.
- Park, CB; Lee, SB; Ryu, DDY. (2000). Penicillin acylase-catalyzed synthesis of cefazolin in water-organic solvent mixtures: enhancement effect of ethyl acetate and carbon tetrachloride on the synthetic yield. *Journal of Molecular Catalysis B: Enzymatic.* 9: 275-281.
- Park, CM; Cha, YS; Youn, HJ; Cho, CW; Song, YS. (2010). Amelioration of Oxidative Stress by Dandelion Extract through CYP2E1 Suppression against Acute Liver Injury Induced by Carbon Tetrachloride in Sprague-Dawley Rats. *Phytother Res.* 24: 1347-1353.
- Park, CM; Youn, HJ; Chang, HK; Song, YS. (2010). TOP1 and 2, polysaccharides from *Taraxacum officinale*, attenuate CCl₄-induced hepatic damage through the modulation of NF- κ B and its regulatory mediators. *Food Chem Toxicol.* 48, issue 5: 1255-1261.
- Park, CM; Youn, HJ; Chang, HK; Song, YS. (2010). TOP1 and 2, polysaccharides from *Taraxacum officinale*, attenuate CCl₄-induced hepatic damage through the modulation of NF-kappa B and its regulatory mediators. *Food Chem Toxicol.* 48: 1255-1261.
- Park, DH; Lee, MS; Kim, HJ; Kim, HS; Lee, YL; Kwon, MS; Jang, JJ; Lee, MJ. (2004). Chronic hepatotoxicity of carbon tetrachloride in HSP-70 knock out mice. *Exp Anim.* 53: 27-30.
- Park, EJ; Jeon, CH; Ko, G; Kim, J; Sohn, DH. (2000). Protective effect of curcumin in rat liver injury induced by carbon tetrachloride. *J Pharm Pharmacol.* 52: 437-440.
- Park, EJ; Nan, JX; Kim, JY; Kang, HC; Choi, JH; Lee, SJ; Lee, BH; Kim, SJ; Lee, JH; Kim, YC; Sohn, DH. (2000). The ethanol-soluble part of a hot-water extract from *Artemisia iwayomogi* inhibits liver fibrosis induced by carbon tetrachloride in rats. *J Pharm Pharmacol.* 52: 875-881.
- Park, EJ; Zhao, YZ; Kim, YC; Sohn, DH. (2005). Protective effect of (S)-bakuchiol from *Psoralea corylifolia* on rat liver injury in vitro and in vivo. *Planta Med.* 71: 508-513.
- Park, EJ; Zhao, YZ; Kim, YC; Sohn, DH. (2007). Bakuchiol-induced caspase-3-dependent apoptosis occurs through c-Jun NH₂-terminal kinase-mediated mitochondrial translocation of Bax in rat liver myofibroblasts. *Eur J Pharmacol.* 559: 115-123.
- Park, EJ; Zhao, YZ; Kim, YC; Sohn, DH. (2009). Preventive effects of a purified extract isolated from *Salvia miltiorrhiza* enriched with tanshinone I, tanshinone IIA and cryptotanshinone on hepatocyte injury in vitro and in vivo. *Food Chem Toxicol.* 47: 2742-2748.
- Park, EJ; Zhao, YZ; Kim, YH; Lee, JJ; Sohn, DH. (2004). Acanthoic acid from *Acanthopanax koreanum* protects against liver injury induced by tert-butyl hydroperoxide or carbon tetrachloride in vitro and in vivo. *Planta Med.* 70: 321-327.
- Park, EJ; Zhao, YZ; Na, M; Bae, K; Kim, YH; Lee, BH; Sohn, DH. (2003). Protective effects of honokiol and magnolol on tertiary butyl hydroperoxide- or D-galactosamine-induced toxicity in rat primary hepatocytes. *Planta Med.* 69: 33-37.
- Park, HJ; Kim, HG; Wang, JH; Choi, MK; Han, JM; Lee, JS; Son, CG. (2016). Comparison of TGF-beta, PDGF, and CTGF in hepatic fibrosis models using DMN, CCl₄, and TAA. *Drug Chem Toxicol.* 39: 111-118.
- Park, HJ; Park, KM; Rhee, MH; Song, YB; Choi, KJ; Lee, JH; Kim, SC; Park, KH. (1996). Effect of ginsenoside Rb-1 on rat liver phosphoproteins induced by carbon tetrachloride. *Biological & Pharmaceutical Bulletin.* 19: 834-838.
- Park, J; Kim, HY; Lee, SM. (2011). Protective effects of Moutan Cortex Radicis against acute hepatotoxicity. *African journal of traditional, complementary, and alternative medicines : AJTCAM / African Networks on Ethnomedicines.* 8: 220-225.
- Park, JH; Jo, JH; Kim, KH; Kim, SJ; Lee, WR; Park, KK; Park, JB. (2009). Antifibrotic effect through the regulation of transcription factor using ring type-Sp1 decoy oligodeoxynucleotide in carbon tetrachloride-induced liver fibrosis. *J Gene Med.* 11: 824-833.
- Park, JH; Kum, YS; Lee, TI; Kim, SJ; Lee, WR; Kim, BI; Kim, HS; Kim, KH; Park, KK. (2011). Melittin attenuates liver injury in thioacetamide-treated mice through modulating inflammation and fibrogenesis. *Exp Biol Med.* 236: 1306-1313.
- Park, JK; Ki, MR; Lee, HR; Hong, IH; Ji, AR; Ishigami, A; Park, SI; Kim, JM; Chung, HY; Yoo, SE; Jeong, KS. (2010). Vitamin C Deficiency Attenuates Liver Fibrosis by Way of Up-regulated Peroxisome Proliferator-Activated Receptor-gamma Expression in Senescence Marker Protein 30 Knockout Mice. *Hepatology.* 51: 1766-1777.
- Park, KH; Shin, HJ; Song, YB; Hyun, HC; Cho, HJ; Ham, HS; Yoo, YB; Ko, YC; Jun, WT; Park, HJ. (2002). Possible role of ginsenoside Rb-1 on regulation of rat liver triglycerides. *Biological & Pharmaceutical Bulletin.* 25: 457-460.

Environmental Hazard Literature Search Results

Off Topic

- Park, KS; Sorensen, DL; Sims, JL; Adams, VD. (1988). Volatilization of Wastewater Trace Organics in Slow Rate Land Treatment Systems. *Hazardous Waste and Hazardous Materials HWHME2 Vol 5, No 3, p 219-229, Summer 1988 2 fig, 5 tab, 17 ref.*
- Park, O; Jeong, WI; Wang, L; Wang, H; Lian, ZX; Gershwin, ME; Gao, B. (2009). Diverse Roles of Invariant Natural Killer T Cells in Liver Injury and Fibrosis Induced by Carbon Tetrachloride. *Hepatology. 49: 1683-1694.*
- Park, S; Kim, SHJ; Ropella, GEP; Roberts, MS; Hunt, CA. (2010). Tracing Multiscale Mechanisms of Drug Disposition in Normal and Diseased Livers. *J Pharmacol Exp Ther. 334: 124-136.*
- Park, S-A; Kim, M-J; Park, S-Y; Kim, J-S; Lee, S-J; Woo, HA; Kim, D-K; Nam, J-S; Sheen, YY. (2015). EW-7197 inhibits hepatic, renal, and pulmonary fibrosis by blocking TGF- β /Smad and ROS signaling. *Cellular and molecular life sciences. 72: 2023-2039.*
- Park, SL; Lee, SY; Nam, YD; Yi, SH; Seo, MJ; Lim, SI. (2014). Hepatoprotective effect of fermented rice bran against carbon tetrachloride-induced toxicity in mice. *Food Science and Biotechnology. 23: 165-171.*
- Park, SS; Kim, SO; Yun, ST; Chae, GT; Yu, SY; Kim, S; Kim, Y. (2005). Effects of land use on the spatial distribution of trace metals and volatile organic compounds in urban groundwater, Seoul, Korea. *Environ Geol. 48: 1116-1131.*
- Park, SW; Kyle, BG. Sorption kinetics and equilibria of carbon tetrachloride on wheat. *Cereal chemistry. Sept/Oct 1975, 52 (5): 611-619.*
- Park, SW; Lee, CH; Kim, YS; Kang, SS; Jeon, SJ; Son, KH; Lee, SM. (2008). Protective effect of baicalin against carbon tetrachloride-induced acute hepatic injury in mice. *J Pharmacol Sci. 106: 136-143.*
- Park, WJ; Park, JW; Erez-Roman, R; Kogot-Levin, A; Bame, JR; Tirosh, B; Saada, A; Merrill, AH, Jr.; Pewzner-Jung, Y; Futerman, AH. (2013). Protection of a ceramide synthase 2 null mouse from drug-induced liver injury: role of gap junction dysfunction and connexin 32 mislocalization. *The Journal of biological chemistry. 288: 30904-30916.*
- Parker, KJ; Tuthill, TA. (1986). Carbon tetrachloride induced changes in ultrasonic properties of liver. *IEEE transactions on bio-medical engineering. 33: 453-460.*
- Parkhomenko, K; Barloy, L; Sortais, J-B; Djukic, J-P; Pfeffer, M. (2010). Cycloruthenated complexes as homogeneous catalysts for atom-transfer radical additions. *Tetrahedron Letters. 51: 822-825.*
- Parkki, MG. (1986). Biotransformation reactions and active metabolites. *Prog Clin Biol Res. 220: 89-96.*
- Parola, M; Albano, E; Autelli, R; Barrera, G; Biocca, ME; Paradisi, L; Dianzani, MU. (1990). Inhibition of the high affinity Ca²⁺-ATPase activity in rat liver plasma membranes following carbon tetrachloride intoxication. *Chem Biol Interact. 73: 103-119.*
- Parola, M; Cheeseman, KH; Biocca, ME; Dianzani, MU; Slater, TF. (1988). CUMENE-HYDROPEROXIDE INDUCED CELL DAMAGE AND DEATH IN BILIARY EPITHELIAL CELLS. *Poli, G, Et Al. 0: 245-254.*
- Parola, M; Cheeseman, KH; Biocca, ME; Dianzani, MU; Slater, TF. (1990). Menadione and cumene hydroperoxide induced cytotoxicity in biliary epithelial cells isolated from rat liver. *Biochem Pharmacol. 39: 1727-1734.*
- Parola, M; Leonarduzzi, G; Biasi, F; Albano, E; Biocca, ME; Poli, G; Dianzani, MU. (1992). Vitamin E dietary supplementation protects against carbon tetrachloride-induced chronic liver damage and cirrhosis. *Hepatology (Baltimore, Md). 16: 1014-1021.*
- Parola, M; Muraca, R; Dianzani, I; Barrera, G; Leonarduzzi, G; Bendinelli, P; Piccoletti, R; Poli, G. (1992). Vitamin E dietary supplementation inhibits transforming growth factor beta 1 gene expression in the rat liver. *FEBS Lett. 308: 267-270.*
- Parola, M; Paradisi, L; Torrielli, MV. (1984). Non-steroidal anti-inflammatory agents and hepatic lipid peroxidation in normal- and carrageenin-treated rats. *Res Comm Chem Pathol Pharmacol. 45: 37-53.*
- Parola, M; Robino, G. (2001). Oxidative stress-related molecules and liver fibrosis. *J Hepatol. 35: 297-306.*
- Paronetto, F; Popper, H. (1964). ENHANCED ANTIBODY FORMATION IN EXPERIMENTAL ACUTE AND CHRONIC LIVER INJURY PRODUCED BY CARBON TETRACHLORIDE OR ALLYL ALCOHOL. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY). 116: 1060-1064.*
- Parrett, JW; Sumner, JP; Devore, TC. (1999). Reaction between chlorocarbon vapors and sodium carbonate. *Environmental Science & Technology. 33: 1691-1696.*
- Parrotta, MJ. (1991). Radioactivity in water treatment wastes: A USEPA perspective. *Am Water Works Assoc J. 83: 134-140.*
- Parry, EW. The mechanism of necrotic tissue removal in mouse liver following CCl₄-induced injury. *J Comp Pathol. Apr 1979. v. 89 (2): 205-211 ill.*
- Parry, EW. (1975). Induction of hepatocellular mitosis with carbon tetrachloride in late-phase Ehrlich ascites tumour-bearing mice. *Gan. 66: 99-101.*
- Parry, EW. (1976). Tumour-associated hepatocellular mitosis in Ehrlich ascites tumour-bearing mice. *Gan. 67: 585-593.*
- Parry, EW. (1978). Effect of Ehrlich ascites tumour on the clinical course and pathology of mice having carbon tetrachloride-induced hepatorenal necrosis. *Gan. 69: 159-166.*
- Parry, EW. (1978). Studies on mobilization of Kupffer cells in mice. I. The effect of carbon tetrachloride-induced liver necrosis. *J Comp Pathol. 88: 481-487.*
- Parry, EW. (1979). Inhibition by cell-free Ehrlich ascites tumour fluid of the resolution of carbon tetrachloride-induced hepatorenal necrosis in mice. *Gan. 70: 267-272.*
- Parry, EW. (1980). The effect of cycloheximide and carbon tetrachloride in Ehrlich ascites tumour-bearing mice. *Gan. 71: 275-279.*
- Parry, EW. (1984). A lethal syndrome in mice following administration of carbon tetrachloride and cycloheximide, and its prevention by heparin treatment. *J Comp Pathol. 94: 505-508.*
- Parry, EW. (1985). Uninterrupted protein synthesis is essential for survival in the early stages of carbon tetrachloride-induced hepatocellular necrosis in the mouse. *Experientia. 41: 1319-1320.*
- Parshetti, GK; Doong, RA. (2009). Dechlorination of trichloroethylene by Ni/Fe nanoparticles immobilized in PEG/PVDF and PEG/nylon 66 membranes. *Water Res. 43: 3086-3094.*

Environmental Hazard Literature Search Results

Off Topic

- Parshetti, GK; Doong, RA. (2012). Dechlorination of chlorinated hydrocarbons by bimetallic Ni/Fe immobilized on polyethylene glycol-grafted microfiltration membranes under anoxic conditions. *Chemosphere*. 86: 392-399.
- Parsons, FM; Blagg, CR; Williams, RE. (1963). CHEMISTRY, THERAPY AND HEMODIALYSIS OF ACUTE RENAL FAILURE. *Biochemical clinics*. 2: 457-496.
- Partanen, JM; Ornitz, DM; Werner, S; Wexler, BC; Greenberg, BP. (2010). Effect of CCL4-induced cirrhosis on the pathophysiologic course of acute myocardial infarction in nonarteriosclerotic vs arteriosclerotic male rats. *Gastroenterology*. 139: 1385-1396.
- Partenheimer, RC; Citron, DS. (1952). Practical control of fluid and electrolyte balance in carbon tetrachloride nephrosis; report of cases. *AMA archives of internal medicine*. 89: 216-233.
- Paruruckumani, PS; Maharajan, A; Ganapiriyi, V; Narayanaswamy, Y; Jeyasekar, RR. (2015). Surface Ultrastructural Changes in the Gill and Liver Tissue of Asian Sea Bass Lates calcarifer (Bloch) Exposed to Copper. *Biol Trace Elem Res*. 168: 500-507.
- Parveen, R; Baboota, S; Ali, J; Ahuja, A; Vasudev, SS; Ahmad, S. (2011). Effects of Silymarin Nanoemulsion against Carbon Tetrachloride-induced Hepatic Damage. *Arch Pharm Res*. 34: 767-774.
- Pascal, SG; Saulenas, AM; Fournier, GA; Seddon, JM; Hatfield, RM; Albert, DM. (1985). An investigation into the association between liver damage and metastatic uveal melanoma. *American journal of ophthalmology*. 100: 448-453.
- Pasqualino, A; Tessitore, V. (1969). Histochemical studies of the hepatic monoamine oxidase activity in rats treated with carbon tetrachloride. *Acta anatomica Supplementum*. 56: 347-359.
- Passi, S; De Luca, C; Fabbri, AA; Brasini, S; Fanelli, C. Possible role of ergosterol oxidation in aflatoxin production by *Aspergillus parasiticus*. *Mycol Res*. Mar 1994. v. 98 (3): 363-368.
- Passi, S; Fanelli, C; Fabbri, AA; Finotti, E; Panfili, G; Nazzaro-Porto, M. (1985). EFFECT OF HALOMETHANES ON AFLATOXIN INDUCTION IN CULTURES OF *ASPERGILLUS-PARASITICUS*. *J Gen Microbiol*. 131: 687-692.
- Passi, S; Nazzaro-Porto, M; Picardo, M; Finotti, E; Fabbri, AA; Fanelli, C. Microsomal and mitochondrial involvement in production of aflatoxins induced by carbon tetrachloride and hydroperoxide in cultures of *Aspergillus parasiticus*. *Transactions of the British Mycological Society*. Oct 1986. v. 87 (pt.3): 451-456.
- Paszczynski, A; Sebat, J; Erwin, D; Crawford, RL. (2004). Biotransformation of carbon tetrachloride by the facultative anaerobic bacterium *Pseudomonas stutzeri*. *Strict and Facultative Anaerobes: Medical and Environmental Aspects* 317-328.
- Patel, JA; Shah, US. (2009). Hepatoprotective activity of Piper longum traditional milk extract on carbon tetrachloride induced liver toxicity in Wistar rats. *Boletín Latinoamericano y del Caribe de plantas medicinales y aromáticas*. 8: 121-129.
- Patel, JR; Rajan, MS; Ashok, S; R, SA. (2013). Protective Effect of *Uvaria narum* Bl. Leaves on Carbon Tetrachloride induced Hepatotoxicity in Rats. *Journal of Applied Pharmaceutical Science*. 3: 164-168.
- Patel, SK; Patel, NJ. (2010). Simultaneous Determination of Imipramine Hydrochloride and Chlordiazepoxide in Pharmaceutical Preparations by Spectrophotometric, RP-HPLC, and HPTLC Methods. *J AOAC Int*. 93: 904-910.
- Patere, SN; Saraf, MN; Majumdar, AS. (2009). Hepatoprotective Activity of Polyherbal Formulation (Normeta((R))) in Oxidative Stress Induced by Alcohol, Polyunsaturated Fatty Acids and Iron in Rats. *Basic & Clinical Pharmacology & Toxicology*. 105: 173-180.
- Pathak, A; Mahmood, A; Pathak, R; Dhawan, D. (2002). Effect of zinc on hepatic lipid peroxidation and antioxidative enzymes in ethanol-fed rats. *J Appl Toxicol*. 22: 207-210.
- Pathak, A; Mahmood, A; Pathak, R; Dhawan, D. (2004). Role of zinc on lipid peroxidation and antioxidative enzymes in intestines of ethanol-fed rats. *Biol Trace Elem Res*. 100: 247-257.
- Pathak, AK; Saraf, S; Dixit, VK. (1991). Hepatoprotective activity of *Tridax procumbens*: Part I. *Fitoterapia*. 62: 307-314.
- Patil, MD; Parhad, NM. (1986). Growth of salmonellas in different enrichment media. *The Journal of applied bacteriology*. 61: 19-24.
- Patil, NR; Melavanki, RM; Kapatkar, SB; Chandrashekhar, K; Patil, HD; Umopathy, S. (2011). Fluorescence quenching of biologically active carboxamide by aniline and carbon tetrachloride in different solvents using Stern-Volmer plots. *Spectrochimica acta Part A, Molecular and biomolecular spectroscopy*. 79: 1985-1991.
- Patil, NV; Bhosale, AV; Ubale, MB. (2012). EVALUATION OF HEPATOPROTECTIVE ACTIVITY OF *WRIGHTIA TINCTORIA* IN CARBON TETRACHLORIDE INDUCED RATS. *Advances In Pharmacology And Toxicology*. 13: 57.
- Patil, PN; Gogate, PR. (2012). Degradation of methyl parathion using hydrodynamic cavitation: Effect of operating parameters and intensification using additives. *Separation and Purification Technology*. 95: 172-179.
- Patil, S; Kanase, A; Varute, AT. (1993). Effect of hepatoprotective ayurvedic drugs on lipolytic activities during CCL4 induced acute hepatic injury in albino rats. *Indian J Exp Biol*. 31: 265-269.
- Patrick, CR; Tomes, F. (1980). The vapour pressures and excess free energies of mixing of the systems hexafluorobenzene-carbon tetrachloride and hexafluorobenzene-perfluoromethylcyclohexane. *Journal of Fluorine Chemistry*. 15: 267-278.
- Patrick, RS; Kennedy, JS. (1964). S35-LABELLED AMINO ACIDS IN EXPERIMENTAL LIVER DISEASE. *The Journal of pathology and bacteriology*. 88: 107-114.
- Patrick, RS; Kennedy, JS. (1964). THE SYNTHESIS OF SULPHATED MUCOPOLYSACCHARIDE AT SITES OF HEPATIC FIBROSIS INDUCED BY CARBON TETRACHLORIDE, AMYLOIDOSIS AND THE IMPLANTATION OF CATGUT. *The Journal of pathology and bacteriology*. 88: 549-555.
- Patrick, RS; McGee, JO. (1967). The utilisation of proline by the sinusoidal cells of mouse liver damaged by hepatotoxic agents. *The Journal of pathology and bacteriology*. 93: 309-315.
- Patrick-Iwuanyanwu, KC; Wegwu, MO; Ayalogu, EO. (2007). Prevention of CCL4-induced liver damage by ginger, garlic and vitamin E. *Pakistan journal of biological sciences : PJBS*. 10: 617-621.
- Patrizi, B; Cumis, MSd; Viciani, S; D'Amato, F; Foggi, P. (2014). Characteristic vibrational frequencies of toxic polychlorinated dibenzo-dioxins and -furans. *J Hazard Mater*. 274: 98-105.

Environmental Hazard Literature Search Results

Off Topic

- Patterson, EV; Cramer, CJ; Truhlar, DG. (2001). Reductive dechlorination of hexachloroethane in the environment: Mechanistic studies via computational electrochemistry. *J Am Chem Soc.* 123: 2025-2031.
- Patterson, RJ; Jackson, RE; Graham, BW; Chaput, C; Priddle, M. (1984). RETARDATION OF TOXIC CHEMICALS IN A CONTAMINATED OUTWASH AQUIFER. Symposium On Degradation, Retention And Dispersion Of Pollutants In Groundwater Held By The International Association On Water Pollution Research And Control, Copenhagen, Denmark, Sept. 17: 57-70.
- Patton, TB; Lombardo, CR; Lyons, C. (1956). Experimental observations on meat intoxication, ammonia accumulation and hepatic coma. *Ann Surg.* 143: 588-598; discussion, 598-589.
- Paul, SC; Lv, P; Xiao, YJ; An, P; Liu, SQ; Luo, HS. (2006). Thalidomide in rat liver cirrhosis: Blockade of tumor necrosis factor-alpha via inhibition of degradation of an inhibitor of nuclear factor-kappa B. *Pathobiology.* 73: 82-92.
- Paulsen, JE. (1990). The time-course of mouse liver regeneration after carbon tetrachloride injury is influenced by circadian rhythms. *Chronobiol Int.* 7: 271-276.
- Paulsen, JE; Reichelt, KL. (1992). Mouse liver regeneration after carbon tetrachloride injury as test system for hepatic growth regulators. *Virchows Archiv B, Cell pathology including molecular pathology.* 62: 173-177.
- Paulus, HJ; Lippmann, M; Cohen, AE. (1957). Evaluation of potential health hazards in fumigation of shelled corn with a mixture of carbon disulfide and carbon tetrachloride. *American Industrial Hygiene Association quarterly.* 18: 345-350.
- Paumgartner, G; Longueville, J; Leevy, CM. (1968). Phagocytic activity in experimental liver injury. *Exp Mol Pathol.* 9: 161-176.
- Pause, L; Robert, M; Saveant, JM. (2000). Reductive cleavage of carbon tetrachloride in a polar solvent. An example of a dissociative electron transfer with significant attractive interaction between the caged product fragments. *J Am Chem Soc.* 122: 9829-9835.
- Pause, L; Robert, M; Saveant, JM. (2001). Stabilities of ion/radical adducts in the liquid phase as derived from the dependence of electrochemical cleavage reactivities upon solvent. *J Am Chem Soc.* 123: 11908-11916.
- Paustenbach, DJ; Carlson, GP; Christian, JE; Born, GS. (1986). A comparative study of the pharmacokinetics of carbon tetrachloride in the rat following repeated inhalation exposures of 8 and 11.5 hours per day. *Fundam Appl Toxicol.* 6: 484-497.
- Paustenbach, DJ; Carlson, GP; Christian, JE; Born, GS; Rausch, JE. (1983). A dynamic closed-loop recirculation inhalation chamber for conducting pharmacokinetic and short-term toxicity studies. *Fundam Appl Toxicol.* 3: 528-532.
- Paustenbach, DJ; Christian, JE; Carlson, GP; Born, GS. (1986). The effect of an 11.5-hour per day exposure schedule on the distribution and toxicity of inhaled carbon tetrachloride in the rat. *Fundam Appl Toxicol.* 6: 472-483.
- Paustenbach, DJ; Christian, JE; Carlson, GP; Born, GS. (1986). The effect of an 11.5-hr/day exposure schedule on the distribution and toxicity of inhaled carbon tetrachloride in the rat. *Fundam Appl Toxicol.* 6: 472-483.
- Paustenback, DJ; Clewell, HJ, III; Gargas, ML; Andersen, ME. (1988). A physiologically based pharmacokinetic model for inhaled carbon tetrachloride. *Toxicol Appl Pharmacol.* 96: 191-211.
- Pavanato, A; Tunon, MJ; Sanchez-Campos, S; Marroni, CA; Llesuy, S; Gonzalez-Gallego, J; Marroni, N. (2003). Effects of quercetin on liver damage in rats with carbon tetrachloride-induced cirrhosis. *Dig Dis Sci.* 48: 824-829.
- Pavier, C; Gandini, A. (2000). Oxypropylation of sugar beet pulp. 2. Separation of the grafted pulp from the propylene oxide homopolymer. *Carbohydr Polymer.* 42: 13-17.
- Pawa, S; Ali, S. (2004). Liver necrosis and fulminant hepatic failure in rats: protection by oxyanionic form of tungsten. *Biochimica Et Biophysica Acta-Molecular Basis of Disease.* 1688: 210-222.
- Pawar, SD; Somkuwar, AP; Deore, MD; Gatne, MM. (2003). Effect of Awala on carbon tetrachloride-induced hepatotoxicity in rats. *Toxicology International.* 10: 121-123.
- Pawlowska-Goral, K; Wardas, M; Maciejewskaw-Paszek, I; Skiba, M; Nogaj, S. (2001). The usefulness of antioxidative enzymes for the estimation of synthetic effects of PGE(1) analogue. *Exp Toxicol Pathol.* 53: 195-197.
- Payne, E; Smith, JF; Cope, BC; McGowan, LT. Studies on the role of liver cytochrome P-450 and oestradiol metabolism in the effects of nutrition and phenobarbital on ovulation rate in the ewe. *Reproduction, fertility, and development.* 1991. v. 3 (6): 725-736.
- Pe; ech, R; Milchert, E; WrÄbel, R. (2006). Adsorption dynamics of chlorinated hydrocarbons from multi-component aqueous solution onto activated carbon. *J Hazard Mater.* 137: 1479-1487.
- Pearson, CC. (1947). Carbon tetrachloride intoxication with acute hepatic and renal failure treated with peritoneal lavage; report of case. *Proceedings of the staff meetings Mayo Clinic.* 22: 314-320.
- Pearson, CR; Hozalski, RM; Arnold, WA. (2005). Degradation of chloropicrin in the presence of zero-valent iron. *Environ Toxicol Chem.* 24: 3037-3042.
- Pecher, K; Haderlein, SB; Schwarzenbach, RP. (2002). Reduction of polyhalogenated methanes by surface-bound Fe(II) in aqueous suspensions of iron oxides. *Environmental Science & Technology.* 36: 1734-1741.
- Pecze, L. Effect of acute administration of certain heavy metals and their combinations on the spontaneous and evoked cortical activity in rats.
- Pecze, L; Papp, A; NagymajtÄnyi, L. (2004). Simultaneous changes of the spontaneous and stimulus-evoked cortical activity in rats acutely treated with mercuric chloride. *Neurotoxicol Teratol.* 26: 131-137.
- Pecze, L; Papp, A; Nagymute; nyi, L. (2004). Changes in the spontaneous and stimulus-evoked activity in the somatosensory cortex of rats on acute manganese administration. *Toxicol Lett.* 148.
- Pedersen, JR. (1989). ISOTOPIC CARBON EXCHANGE BETWEEN A SIMPLE CHLOROALKANE AND DIOXINS. *Chemosphere.* 18: 2311-2316.
- Pediaditakis, P; Lopez-Talavera, JC; Petersen, B; Monga, SPS; Michalopoulos, GK. (2001). The processing and utilization of hepatocyte growth factor/scatter factor following partial hepatectomy in the rat. *Hepatology.* 34: 688-693.
- Pedraza-ChaverrÄi, J; Cruz, C; HernÄndez. Angiotensin I-converting enzyme activity in rats with carbon tetrachloride-induced acute renal failure.

Environmental Hazard Literature Search Results

Off Topic

- Peer, F; Sharma, MC; Lal, SB. (1988). CLINICO-PATHOLOGICAL STUDIES IN CARBON TETRACHLORIDE INDUCED HEPATOPATHY IN GOATS. *Indian J Vet Med.* 8: 166-170.
- Pegg, AE; Perry, W. (1981). Stimulation of transfer of methyl groups from O6-methylguanine in DNA to protein by rat liver extracts in response to hepatotoxins. *Carcinogenesis.* 2: 1195-1200.
- Peijnenburg, W; Eriksson, L; De, GROOTA; Sjoström, M; Verboom, H. (1998). The kinetics of reductive dehalogenation of a set of halogenated aliphatic hydrocarbons in anaerobic sediment slurries. *Environmental Science And Pollution Research International.* 5: 12-16.
- Pekmez, H; Kus, I; Colakoglu, N; Ogeturk, M; Ozyurt, H; Turkoglu, AO; Sarsilmaz, M. (2007). The protective effects of caffeic acid phenethyl ester (CAPE) against liver damage induced by cigarette smoke inhalation in rats. *Cell Biochem Funct.* 25: 395-400.
- Pelissier, MA; Trap, C; Malewiak, MI; Morfin, R. (2004). Antioxidant effects of dehydroepiandrosterone and 7 alpha-hydroxy-dehydroepiandrosterone in the rat colon, intestine and liver. *Steroids.* 69: 137-144.
- Pelkonen, O; Raunio, H; Salonpaa, P; Pasanen, M; Pellinen, P; Honkakoski, P; Lang, M; Iscan, M; Stenback, F. (1992). LIVER-DAMAGING AGENTS INCREASE THE EXPRESSION CYP2A-5 P450 ACTIVE IN COUMARIN 7-HYDROXYLATION IN THE MOUSE. *Xx Nordic Congress Of Physiology And Pharmacology, Copenhagen, Denmark, August.* 0: 128.
- Pellicoro, A; Aucott, RL; Ramachandran, P; Robson, AJ; Fallowfield, JA; Snowdon, VK; Hartland, SN; Vernon, M; Duffield, JS; Benyon, RC; Forbes, SJ; Iredale, JP. (2012). Elastin accumulation is regulated at the level of degradation by macrophage metalloelastase (MMP-12) during experimental liver fibrosis. *Hepatology.* 55: 1965-1975.
- Pencil, SD; Brattin, WJ, Jr.; Glende, EA, Jr.; Recknagel, RO. (1984). Carbon tetrachloride-dependent inhibition of lipid secretion by isolated hepatocytes. Characterization and requirement for bioactivation. *Biochem Pharmacol.* 33: 2419-2423.
- Pencil, SD; Brattin, WJ; Glende, EA, Jr.; Recknagel, RO. (1984). Evidence against a role for disturbed hepatocellular calcium homeostasis in the fatty liver of carbon tetrachloride hepatotoxicity. *Toxicol Pathol.* 12: 96-100.
- Pencil, SD; Brattin, WJ, Jr.; Glende, EA, Jr.; Recknagel, RO. (1984). Evidence against involvement of calcium in carbon tetrachloride-dependent inhibition of lipid secretion by isolated hepatocytes. *Biochem Pharmacol.* 33: 2425-2429.
- Pencil, SD; Glende, EA, Jr.; Recknagel, RO. (1982). Loss of calcium sequestration capacity in endoplasmic reticulum of isolated hepatocytes treated with carbon tetrachloride. *Res Commun Mol Pathol Pharmacol.* 36: 413-428.
- Peng, HC; Lin, SH. (2004). Effects of chicken extract on antioxidative status and liver protection under oxidative stress. *J Nutr Sci Vitaminol.* 50: 325-329.
- Peng, HY; Chu, YC; Chen, SJ; Chou, ST. (2009). Hepatoprotection of chlorella against carbon tetrachloride-induced oxidative damage in rats. *In vivo (Athens, Greece).* 23: 747-754.
- Peng, JB; Zhang, WL; Liu, Y; Jiang, YH; Ni, L; Qiu, J. (2017). Superior Adsorption Performance of Mesoporous Carbon Nitride for Methylene Blue and the Effect of Investigation of Different Modifications on Adsorption Capacity. *Water Air and Soil Pollution.* 228: 9-9.
- Peng, JH; Li, XM; Feng, Q; Chen, L; Xu, LL; Hu, YY. (2013). Anti-fibrotic effect of Cordyceps sinensis polysaccharide: Inhibiting HSC activation, TGF-beta 1/Smad signalling, MMPs and TIMPs. *Exp Biol Med.* 238: 668-677.
- Peng, SY; Chou, CJ; Cheng, PJ; Ko, IC; Kao, YJ; Chen, YH; Cheng, WT; Shaw, SW; Wu, SC. (2014). Therapeutic potential of amniotic-fluid-derived stem cells on liver fibrosis model in mice. *Taiwanese journal of obstetrics & gynecology.* 53: 151-157.
- Peng, WH; Tien, YC; Huang, CY; Huang, TH; Liao, JC; Kuo, CL; Lin, YC. (2010). Fraxinus rhynchophylla ethanol extract attenuates carbon tetrachloride-induced liver fibrosis in rats via down-regulating the expressions of uPA, MMP-2, MMP-9 and TIMP-1. *J Ethnopharmacol.* 127: 606-613.
- Peng, X; Wang, B; Wang, T; Zhao, Q. (2005). Expression of basic fibroblast growth factor in rat liver fibrosis and hepatic stellate cells. *Journal of Huazhong University of Science and Technology Medical sciences = Hua zhong ke ji da xue xue bao Yi xue Ying De wen ban = Huazhong keji daxue xuebao Yixue Yingdewen ban.* 25: 166-169, 222.
- Peng, XD; Dai, LL; Huang, CQ; He, CM; Yang, B; Chen, LJ. (2009). Relationship between anti-fibrotic effect of Panax notoginseng saponins and serum cytokines in rat hepatic fibrosis. *Biochem Biophys Res Commun.* 388: 31-34.
- Peng, XL; Matthews, A; Xue, S. (2011). Plasma-based processes and thin film equipment for nano-scale device fabrication. *Journal of Materials Science.* 46: 1-37.
- Peng, Y; Huang, K; Shen, L; Tao, YY; Liu, CH. (2016). Cultured Mycelium Cordyceps sinensis alleviates CCl4-induced liver inflammation and fibrosis in mice by activating hepatic natural killer cells. *Acta Pharmacol Sin.* 37: 204-216.
- Peng, Y; Huang, K; Shen, L; Tao, YY; Liu, CH. (2016). Cultured Mycelium Cordyceps sinensis alleviates CCl4-induced liver inflammation and fibrosis in mice by activating hepatic natural killer cells. *Acta Pharmacol Sin.* 37: 204-216.
- Peng, Y; Tao, Y; Wang, Q; Shen, L; Yang, T; Liu, Z; Liu, C. (2014). Ergosterol Is the Active Compound of Cultured Mycelium Cordyceps sinensis on Antiliver Fibrosis. *Evidence-based complementary and alternative medicine : eCAM.* 2014: 537234.
- Penny, C; Vuilleumier, S; Bringel, F. (2010). Microbial degradation of tetrachloromethane: mechanisms and perspectives for bioremediation. *FEMS Microbiol Ecol.* 74: 257-275.
- Penteado, FC; FerreiAd, CP; Gastroenterologyerology, U; Department, oPSoFUMSBaPSPBpdcb; Ci, SC. Neutrophil migration during liver cirrhosis in rabbits.
- Pentyala, SN; Vig, PJ; Sekhon, BS; Desaiiah, D. (1994). Effect of carbon tetrachloride on inositol 1,4,5-trisphosphate dependent and independent regulation of rat brain microsomal Ca²⁺ flux. *Cell Signal.* 6: 561-567.
- Pentyala, SN; Vig, PJS; Sekhon, BS; Desaiiah, D. (1994). Effect of carbon tetrachloride on inositol 1,4,5-trisphosphate dependent and independent regulation of rat brain microsomal Ca super(2+) flux. *Cell Signal.* 6: 561-567.
- Pentz, R; Strubelt, O. (1983). Fasting increases the concentrations of carbon tetrachloride and of its metabolite chloroform in the liver of mice. *Toxicol Lett.* 16: 231-234.

Environmental Hazard Literature Search Results

Off Topic

- Perdek, JM; Freestone, FJ; Gupta, GD; King, G; Sawyer, RH; Stumbar, JP. (1989). TRIAL BURN RESULTS AND FUTURE ACTIVITIES OF THE EPA MOBILE INCINERATOR. Eighth International Symposium On Chlorinated Dioxins And Related Compounds, Umea, Sweden, August. 19: 561-564.
- Pereira, FE; Motta, L; Cardoso, AA. (1997). Kupffer cell activation with BCG. *Corynebacterium parvum* or zymosan protects against acute liver injury induced by carbon tetrachloride in rats. *Arq Gastroenterol.* 34: 157-162.
- Perepelyuk, M; Terajima, M; Wang, AY; Georges, PC; Janmey, PA; Yamauchi, M; Wells, RG. (2013). Hepatic stellate cells and portal fibroblasts are the major cellular sources of collagens and lysyl oxidases in normal liver and early after injury. *American Journal of Physiology-Gastrointestinal and Liver Physiology.* 304: G605-G614.
- Perez, G; Caponecchi, G; Keheyam, Y; Lilla, E. (1993). Gas phase naphthalene chlorination. *Chemosphere.* 26: 2139-2146.
- Perez-Pastor, R; Garcia-Alonso, S; Quejido, CABEZASA. (1999). Distribution of volatile organic compounds in Madrid (Spain). *Environmental Science And Pollution Research International.* 6: 141-146.
- Perez-Vargas, JE; Zarco, N; Shibayama, M; Segovia, J; Tsutsumi, V; Muriel, P. (2014). Hesperidin Prevents Liver Fibrosis in Rats by Decreasing the Expression of Nuclear Factor-kappa B, Transforming Growth Factor-beta and Connective Tissue Growth Factor. *Pharmacology.* 94: 80-89.
- Perlinger, JA; Buschmann, J; Angst, W; Schwarzenbach, RP. (1998). Iron porphyrin and mercaptojuglone mediated reduction of polyhalogenated methanes and ethanes in homogeneous aqueous solution. *Environmental Science & Technology.* 32: 2431-2437.
- Perlinger, JA; Buschmann, J; Angst, W; Schwarzenbach, RP. (1998). Iron porphyrin and mercaptojuglone mediated reduction of polyhalogenated methanes and ethanes in homogenous aqueous solution. *Environmental Science & Technology.* 32: 2431-2437.
- Perona, MJ. (1992). The solubility of hydrophobic compounds in aqueous droplets. *Atmos Environ Part A Gen Top.* 26: 2549-2553.
- Perrier, S; Jackson, SG; Haddleton, DM; Ameduri, B; Boutevin, B. (2002). Preparation of fluorinated methacrylic copolymers by copper mediated living radical polymerization. *Tetrahedron.* 58: 4053-4059.
- Perrissoud, D; Auderset, G; Reymond, O; Maignan, MF. (1981). The effect of carbon tetrachloride on isolated rat hepatocytes. *Virchows Archiv B, Cell pathology including molecular pathology.* 35: 83-91.
- Perrissoud, D; Testa, B. (1986). Inhibiting or potentiating effects of flavonoids on carbon tetrachloride-induced toxicity in isolated rat hepatocytes. *Arzneimittel-Forschung.* 36: 1249-1253.
- Perrissoud, D; Weibel, I. (1980). Protective effect of (+)cyanidanol-3 in acute liver injury induced by galactosamine or carbon tetrachloride in the rat. *Naunyn Schmiedebergs Arch Pharmacol.* 312: 285-291.
- Perromat, A; Dâ€š; eacute; HernÃ ndez-MuÃ roz, R. (2000). Adenosine partially prevents cirrhosis induced by carbon tetrachloride in rats. *Biopolymers.* 57: 160-168.
- Perry, DA; Razer, TM; Cordova, JS; Schiefer, EM; Chen, T; Primm, KM; Bonde, AM; Biris, AS. (2012). Soluteâ€“solvent halogen bonding during adsorption on silver nanostructures. *J Colloid Interface Sci.* 376: 239-244.
- Persson, BH. (1950). Gonadal hormones as factors modifying experimental toxipathic liver injury due to carbon tetrachloride poisoning. *Acta Societatis Medicorum Upsaliensis.* 55: 103-124.
- Persson, JO; Terelius, Y; Ingelman-Sundberg, M. (1990). Cytochrome P-450-dependent formation of reactive oxygen radicals: Isozyme-specific inhibition of P-450-mediated reduction of oxygen and carbon tetrachloride. *Xenobiotica.* 20: 887-900.
- Perugorria, MJ; Murphy, LB; Fullard, N; Chakraborty, JB; Vyrla, D; Wilson, CL; Oakley, F; Mann, J; Mann, DA. (2013). Tumor progression locus 2/Cot is required for activation of extracellular regulated kinase in liver injury and toll-like receptorinduced TIMP-1 gene transcription in hepatic stellate cells in mice. *Hepatology.* 57: 1238-1249.
- Pessayre, D; Cobert, B; Descatoire, V; Degott, C; Babany, G; Funck-Brentano, C; Delaforge, M; Larrey, D. (1982). Hepatotoxicity of trichloroethylene-carbon tetrachloride mixtures in rats. A possible consequence of the potentiation by trichloroethylene of carbon tetrachloride-induced lipid peroxidation and liver lesions. *GASTROENTEROLOGY.* 83: 761-772.
- Petersen, BE; Bowen, WC; Patrene, KD; Mars, WM; Sullivan, AK; Murase, N; Boggs, SS; Greenberger, JS; Goff, JP. (1999). Bone marrow as a potential source of hepatic oval cells. *Science (New York, NY).* 284: 1168-1170.
- Petersen, BE; Goff, JP; Greenberger, JS; Michalopoulos, GK. (1998). Hepatic oval cells express the hematopoietic stem cell marker Thy-1 in the rat. *Hepatology (Baltimore, Md).* 27: 433-445.
- Petersen, BE; Michalopoulos, GK. (1995). HEPATOCYTE STEM CELLS HEPATOCYTE GROWTH FACTOR HGF AND ITS RECEPTOR MET REGULATION IN THE REGENERATING LIVER AFTER ALLYL ALCOHOL AA AND CARBON TETRACHLORIDE CCL-4 POISONING. *Experimental Biology.* 9.
- Petersen, BE; Zajac, VF; Michalopoulos, GK. (1998). Hepatic oval cell activation in response to injury following chemically induced periportal or pericentral damage in rats. *Hepatology.* 27: 1030-1038.
- Petersen, DR; Doorn, JA. (2004). Reactions of 4-hydroxynonenal with proteins and cellular targets. *Free Radic Biol Med.* 37: 937-945.
- Petersen, DR; Hjelle, JJ. (1982). Metabolic interactions of aldehyde dehydrogenase with therapeutic and toxic agents. *Prog Clin Biol Res.* 114: 103-120.
- Petersen, JN; Skeen, RS; Amos, KM; Hooker, BS. Biological destruction of CCl4. I. Experimental design and data. *Biotechnol Bioeng.* Mar 15, 1994. v. 43 (6): 521-528.
- Petersen, JN; Skeen, RS; Amos, KM; Hooker, BS. (1994). Biological destruction of CCl4: I. Experimental design and data. *Biotechnol Bioeng.* 43: 521-528.
- Peterson, RE; Fujimoto, JM. (1976). Increased "bile duct-pancreatic fluid" flow in rats pretreated with carbon tetrachloride. *Toxicol Appl Pharmacol.* 35: 29-39.
- Petrelli, M; Stenger, RJ. (1969). The effect of trypan blue on the hepatotoxicity of carbon tetrachloride in the rat. *Exp Mol Pathol.* 10: 115-128.

Environmental Hazard Literature Search Results

Off Topic

- Petrier, C; Francony, A. (1997). Incidence of wave-frequency on the reaction rates during ultrasonic wastewater treatment. *Water Science and Technology*. 35: 175-180.
- Petrin, MJ; Reynolds, WL. (1971). Ligand exchange rates of Ni(AA)₂L₂ complexes in carbon tetrachloride. *Journal of Inorganic and Nuclear Chemistry*. 33: 3978-3982.
- Petrović, R; Tanasković, N; Djokić, V; Radovanović, A; Janković-Eastvan, I; Stamenković, I; Janačković, D. (2012). Influence of the gelation and calcination temperatures on physical parameters and photocatalytic activity of mesoporous titania powders synthesized by the nonhydrolytic sol-gel process. *Powder Technology*. 219: 239-243.
- Petrovskis, EA. (1995). Transformation of chlorinated solvents by metal-reducing bacteria. PhD, University of Michigan.
- Petrovskis, EA; Adriaens, P; Vogel, TM. (1994). LOCALIZATION OF TETRACHLOROMETHANE TRANSFORMATION ACTIVITY BY SHEWANELLA PUTREFACIENS MR-1. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 440.
- Petrovskis, EA; Vogel, TM. (1993). ANAEROBIC REDUCTIVE DECHLORINATION OF TETRACHLOROMETHANE BY SHEWANELLA-PUTREFACIENS MR-1 AND MR-7. 93rd General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 93: 381.
- Petrovskis, EA; Vogel, TM; Adriaens, P. (1994). Effects of electron acceptors and donors on transformation of tetrachloromethane by *Shewanella putrefaciens* MR-1. *FEMS Microbiol Lett*. 121: 357-363.
- Petrowsky, H; Schmandra, T; Lorey, T; Hanisch, E; Herrmann, G. (1999). Endothelin-induced contraction of the portal vein in cirrhosis. *European surgical research Europäische chirurgische Forschung Recherches chirurgicales européennes*. 31: 289-296.
- Pfau, D; Westphal, S; Bossanyi, PV; Dietzmann, K. (1995). Abnormal dendritic maturation of neurons under the influence of a Tilorone analogue (R 10.874). *Experimental and toxicologic pathology : official journal of the Gesellschaft für Toxikologische Pathologie*. 47: 367-374.
- Phaneuf, D; Mosconi, AD; Leclair, C; Raper, SE; Wilson, JM. (2004). Generation of a mouse expressing a conditional knockout of the hepatocyte growth factor gene: Demonstration of impaired liver regeneration. *DNA Cell Biol*. 23: 592-603.
- Phanikumar, MS; Hyndman, DW. (2003). Interactions between sorption and biodegradation: Exploring bioavailability and pulsed nutrient injection efficiency. *Water Resour Res*. 39: 1122-1122.
- Phanikumar, MS; Hyndman, DW; Criddle, CS. (2002). Biocurtain design using reactive transport models. *Ground Water Monitoring and Remediation*. 22: 113-123.
- Phanikumar, MS; Hyndman, DW; Wiggert, DC; Dybas, MJ; Witt, ME; Criddle, CS. (2002). Simulation of microbial transport and carbon tetrachloride biodegradation in intermittently-fed aquifer columns. *Water Resour Res*. 38: 1033-1033.
- Phanikumar, MS; Hyndman, DW; Zhao, XD; Dybas, MJ. (2005). A three-dimensional model of microbial transport and biodegradation at the Schoolcraft, Michigan, site. *Water Resour Res*. 41: 5011-5011.
- Phayde, HTS; Ortego, JD; Rudzinski, WE. (1996). Molecular migration of hazardous liquids into thermoplastic ethylene-propylene random copolymer and isotactic polypropylene membranes. *AU - AMINABHAVI TM. J Hazard Mater*. 49: 125-141.
- Phillips, JC; Topp, CE; Mendis, D; Walker, R; Gangolli, SD. (1978). The effect of ethoxyquin on the hepatotoxicity of dimethylnitrosamine and carbon tetrachloride in the rat [proceedings]. *Biochem Soc Trans*. 6: 1244-1246.
- Philpot, RM; Nastainczyk, WM; Mason, RP; Wolf, CR; Conney, AH; Estabrook, RW; Gillette, JR; O'Brien, PJ. (1980). THE REDUCTIVE METABOLISM OF CARBON TETRACHLORIDE IN RECONSTITUTED MONOOXYGENASE SYSTEMS A2 - Coon, Minor J. *Microsomes, Drug Oxidations and Chemical Carcinogenesis* 877-880.
- Picardal, F; Arnold, RG; Huey, BB. Effects of electron donor and acceptor conditions on reductive dehalogenation of tetrachloromethane by *Shewanella putrefaciens* 200. *Appl Environ Microbiol*. Jan 1995. v. 61 (1): 8-12.
- Picardal, FW; Arnold, RG; Couch, H; Little, AM; Smith, ME. Involvement of cytochromes in the anaerobic biotransformation of tetrachloromethane by *Shewanella putrefaciens* 200. *Appl Environ Microbiol*. Nov 1993. v. 59 (11): 3763-3770.
- Piecuch, J; Orkisz, W; Gabriel, A; Sosada, K; Zurawinski, W; Rudzki, M; Mikusek, W; Polanka, J. (2007). Liver regeneration following portal blood arterialization and splenectomy in acute hepatic failure. *Hepatogastroenterology*. 54: 1546-1550.
- Pieper-Furst, U; Hall, R; Huss, S; Hochrath, K; Fischer, HP; Tacke, F; Weiskirchen, R; Lammert, F. (2011). Expression of the megalin C-terminal fragment by macrophages during liver fibrogenesis in mice. *Biochimica Et Biophysica Acta-Molecular Basis of Disease*. 1812: 1640-1648.
- Pierce, FT; Gofman, JW. (1951). The effect of carbon tetrachloride poisoning on serum lipoproteins associated with atherosclerosis. *Circulation*. 4: 29-33.
- Pierce, RA; Glaug, MR; Greco, RS; Mackenzie, JW; Boyd, CD; Deak, SB. (1987). Increased procollagen mRNA levels in carbon tetrachloride-induced liver fibrosis in rats. *J Biol Chem*. 262: 1652-1658.
- Pierrard, G. Control of the cowpea weevil *Callosobruchus maculatus*, at the farmer level in Senegal. *Tropical pest management*. July/Sept 1986. v. 32 (3): 197-200, 256, 258.
- Piesova, E; Milad, K; Kovac, G. (2000). Effects of pretreatment with vitamin E and selenium on CCl₄ induced micronuclei in sheep in vivo. *Acta Veterinaria-Beograd*. 50: 169-176.
- Pietrangeli, P; Mondovi, B. (2004). Amine oxidases and tumors. *Neurotoxicology*. 25: 317-324.
- Pilichos, C; Perrea, D; Demonakou, M; Preza, A; Donta, I. (2004). Management of carbon tetrachloride-induced acute liver injury in rats by syngeneic hepatocyte transplantation in spleen and peritoneal cavity. *World J Gastroenterol*. 10: 2099-2102.
- Pilon, D; Bj. Potentiation of CCl₄-induced liver injury by ketonic and ketogenic compounds: role of the CCl₄ dose.
- Pilon, D; Brodeur, J; Plaa, GL. (1986). 1,3-Butanediol-induced increases in ketone bodies and potentiation of CCl₄ hepatotoxicity. *Toxicology*. 40: 165-180.

Environmental Hazard Literature Search Results

Off Topic

- Pilon, D; Brodeur, J; Plaa, GL. (1986). 1,3-Butanediol-induced increases in ketone bodies and potentiation of CCl₄ hepatotoxicity. *Toxicology*. 40: 165-180.
- Pilon, D; Brodeur, J; Plaa, GL. (1988). POTENTIATION OF CARBON TETRACHLORIDE-INDUCED LIVER INJURY BY KETONIC AND KETOGENIC COMPOUNDS ROLE OF THE CARBON TETRACHLORIDE DOSE. *Toxicol Appl Pharmacol*. 94: 183-190.
- Pilon, D; Brodeur, J; Plaa, GL. (1988). Potentiation of CCl₄-induced liver injury by ketonic and ketogenic compounds: Role of the CCl₄ dose. *Toxicol Appl Pharmacol*. 94: 183-190.
- Pilon, D; Charbonneau, M; Brodeur, J; Plaa, GL. (1986). Metabolites and ketone body production following methyl n-butyl ketone exposure as possible indices of MnBK potentiation of carbon tetrachloride hepatotoxicity. *Toxicol Appl Pharmacol*. 85: 49-59.
- Ping, J; Gao, AM; Qin, HQ; Wei, XN; Bai, J; Liu, L; Li, XH; Li, RW; Ao, Y; Wang, H. (2011). Indole-3-carbinol enhances the resolution of rat liver fibrosis and stimulates hepatic stellate cell apoptosis by blocking the inhibitor of κ B kinase α ;inhibitor of κ B- α ;nuclear factor- κ B pathway. *The Journal of pharmacology and experimental therapeutics*. 339: 694-703.
- Pinnioja, S; Autio, T; Niemi, E; Pensala, O. (1993). Import control of irradiated foods by the thermoluminescence method. *Zeitschrift für Lebensmittel-Untersuchung und -Forschung*. 196: 111-115.
- Pino, ME; Petermann, M; Pereda, T; Iturriaga, H; Ugarte, G. (1981). Effects of Chromic Ethanol Administration on Hepatic Collagen Accumulation in the Rat. *Archivos de Biología y Medicina Experimentales*. 14: 111-115.
- Pinto, C; Duque, AL; Rodriguez-Galdon, B; Cestero, JJ; Macias, P. (2012). Xanthohumol prevents carbon tetrachloride-induced acute liver injury in rats. *Food Chem Toxicol*. 50: 3405-3412.
- Pinto, C; Rodriguez-Galdon, B; Cestero, JJ; Macias, P. (2013). Hepatoprotective effects of lycopene against carbon tetrachloride-induced acute liver injury in rats. *Journal of Functional Foods*. 5: 1601-1610.
- Pinto, E; Melo, A; Ferreira, I. (2014). Sensitive Quantitation of Polyamines in Plant Foods by Ultrasound-Assisted Benzoylation and Dispersive Liquid-Liquid Microextraction with the Aid of Experimental Designs. *J Agric Food Chem*. 62: 4276-4284.
- Pinzani, M; Milani, S; Grappone, C; Weber, FL, Jr.; Gentilini, P; Abboud, HE. (1994). Expression of platelet-derived growth factor in a model of acute liver injury. *Hepatology (Baltimore, Md)*. 19: 701-707.
- Pipatti, R. (1998). Emission estimates for some acidifying and greenhouse gases and options for their control in Finland. *Vtt Publications*. 0: 3-86.
- Pirincciolu, M; Kizil, G; Kizil, M; Kanay, Z; Ketani, A. (2014). The protective role of pomegranate juice against carbon tetrachloride-induced oxidative stress in rats. *Toxicol Ind Health*. 30: 910-918.
- Piryaei, A; Valojerdi, MR; Shahsavani, M; Baharvand, H. (2011). Differentiation of bone marrow-derived mesenchymal stem cells into hepatocyte-like cells on nanofibers and their transplantation into a carbon tetrachloride-induced liver fibrosis model. *Stem cell reviews*. 7: 103-118.
- Piscaglia, F; Knittel, T; Kobold, D; Barnikol-Watanabe, S; Di Rocco, P; Ramadori, G. (1999). Cellular localization of hepatic cytochrome 1B1 expression and its regulation by aromatic hydrocarbons and inflammatory cytokines. *Biochem Pharmacol*. 58: 157-165.
- Pitchumoni, CS; Stenger, RJ; Rosenthal, WS; Johnson, EA. (1972). Effects of 3,4-benzpyrene pretreatment on the hepatotoxicity of carbon tetrachloride in rats. *The Journal of pharmacology and experimental therapeutics*. 181: 227-233.
- Piyachaturawat, P; Kingkaehoi, S; Toskulkaeo, C. (1995). Potentiation of carbon tetrachloride hepatotoxicity by piperine. *Drug Chem Toxicol*. 18: 333-344.
- Pizcueta, MP; de, LAM; Kravetz, D; Bosch, J; Rod  s, J. (1989). Propranolol decreases portal pressure without changing portocollateral resistance in cirrhotic rats. *Hepatology (Baltimore, Md)*. 10: 953-957.
- Plaa, GL. (1976). Quantitative aspects in the assessment of liver injury. *Environ Health Perspect*. 15: 39-46.
- Plaa, GL. (1988). EXPERIMENTAL EVALUATION OF HALOALKANES AND LIVER INJURY. *Fundam Appl Toxicol*. 10: 563-570.
- Plaa, GL. (1991). MECHANISMS OF CHEMICALLY-INDUCED HEPATIC INJURY. *Ballet, F And R G Thurman*. 0: 361-374.
- Plaa, GL. (1997). A four-decade adventure in experimental liver injury. *Drug Metab Rev*. 29: 1-37.
- Plaa, GL. (2000). Chlorinated methanes and liver injury: Highlights of the past 50 years. *Annu Rev Pharmacol Toxicol*. 40: 43-65.
- Plaa, GL; Hewitt, WR. (1978). 1187 - ROLE OF INCREASED MICROSOMAL MEMBRANE SENSITIVITY TO PEROXIDATIVE DAMAGE IN ISOPROPANOL POTENTIATION OF CARBON TETRACHLORIDE HEPATOTOXICITY. *Abstracts460*.
- Plaa, GL; Hewitt, WR; du Souich, P; Caille, G; Lock, S. (1982). Isopropanol and acetone potentiation of carbon tetrachloride-induced hepatotoxicity: Single versus repetitive pretreatments in rats. *J Toxicol Environ Health*. 9: 235-250.
- Plaa, GL; Larson, RE. (1964). CCL-4-INDUCED LIVER DAMAGE. CURRENT CONCEPTS REGARDING MECHANISMS OF ACTION. *Arch Environ Health*. 9: 536-543.
- Plaa, GL; Larson, RE. (1965). RELATIVE NEPHROTOXIC PROPERTIES OF CHLORINATED METHANE, ETHANE, AND ETHYLENE DERIVATIVES IN MICE. *Toxicol Appl Pharmacol*. 7: 37-44.
- Plaa, GL; Vezina, M. (1987). Potentiation of liver toxicity by ketones or ketogenic chemicals. *Union Medicale du Canada*. 116: 97-108.
- PlaD, D; partement, dPPF; eacute  , de; decute; decine, U  M  Q  ; du, SPD  PdPF; eacult  , dM  ; eae, M  Q; eac, Q  C; Guertler, KR; Kleinermanns, K. (3461). Photooxidation of exhaust pollutants: II. Photooxidation of chloromethanes: Degradation efficiencies, quantum yields and products. *Biochem Pharmacol*. 38: 3461-3467.
- Planaguma, A; Claria, J; Miquel, R; Lopez-Parra, M; Titos, E; Masferrer, JL; Arroyo, V; Rodes, J. (2005). The selective cyclooxygenase-2 inhibitor SC-236 reduces liver fibrosis by mechanisms involving non-parenchymal cell apoptosis and PPAR gamma activation. *FASEB J*. 19: 1120-+.
- Plass, M; Kolbe, A. (1992). Conformational influence on hydrogen bond. *Journal of Molecular Structure*. 267: 21-32.
- Platford, RF. (1979). Glyceryl trioleate-water partition coefficients for three simple organic compounds. *Bull Environ Contam Toxicol*. 21: 68-73.

Environmental Hazard Literature Search Results

Off Topic

- Pleil, JD; McClenny, WA; Holdren, MW; Pollack, AJ; Oliver, KD. (1990). SECTOR SAMPLING FOR VOLATILE ORGANICS CONTRIBUTIONS TO AMBIENT AIR FROM INDUSTRIAL SOURCES. US Environmental Protection Agency'S Atmospheric Research And Exposure Assessment Laboratory And Air And Waste Management Association Measurement Of Toxic And Related Air Pollutants. 0: 227-243.
- Pleil, JD; McClenny, WA; Holdren, MW; Pollack, AJ; Oliver, KD. (1993). Spatially resolved monitoring for volatile organic compounds using remote sector sampling. Atmos Environ Part A Gen Top. 27: 739-747.
- Pleil, JD; Oliver, KD; McClenny, WA. (1988). AMBIENT AIR ANALYSES USING NONSPECIFIC FLAME IONIZATION AND ELECTRON CAPTURE DETECTION COMPARED TO SPECIFIC DETECTION BY MASS SPECTROSCOPY. JAPCA. 38: 1006-1010.
- Plumacher, J; Schroeder, P. (1994). Accumulation and fate of C12-chlorocarbons and trichloroacetic acid in spruce needles from an Austrian mountain site. Chemosphere. 29: 2467-2476.
- Plumb, RHJR. (1991). THE OCCURRENCE OF APPENDIX IX ORGANIC CONSTITUENTS IN DISPOSAL SITE GROUND WATER. Ground Water Monit Rev. 11: 157-164.
- Plummer, JL; Ossowicz, CJ; Whibley, C; Ilsley, AH; Hall, PDL. (2000). Influence of intestinal flora on the development of fibrosis and cirrhosis in a rat model. J Gastroenterol Hepatol. 15: 1307-1311.
- Plyusnin, VF; Kolomeets, AV; Budkina, DS; Pozdnyakov, IP; Tkachenko, NV; Lemmetyinen, H. (2013). Photophysics of bis(ethylxanthato)nickel(II) [Ni(EtOCSâ,,)â,,] complex studied by femtosecond pump-probe spectroscopy. Journal of Photochemistry & Photobiology, A: Chemistry. 251: 57-62.
- Podkolzin, SG; Stangland, EE; Jones, ME; Peringer, E; Lercher, JA. (2007). Methyl chloride production from methane over lanthanum-based catalysts. J Am Chem Soc. 129: 2569-2576.
- Podoltsev, N; Zhang, B; Yao, X; Bustillo, I; Deng, Y; Cooper, DL. (2013). Chemoimmunotherapy and withdrawal of immunosuppression for monomorphic posttransplant lymphoproliferative disorders. Clinical lymphoma, myeloma & leukemia. 13: 716-720.
- Podzei, LK. (1961). Metastasis formation of Brown-Pearce tumor inoculated into different parts of the stomach under normal conditions and after exposure of the liver to carbon tetrachloride. Biulleten' eksperimental'noĭ biologii i meditsiny. 51: 704-706.
- Poelchen, W. (1993). SENSORY NERVE STIMULATION EVOKED BY INTRATRACHEAL INSTILLATION OF HYDROCARBONS. Deutsche Gesellschaft Fuer Pharmakologie Und Toxikologie. 348.
- Poggi, M; Paoletti, R. (1964). A NEW INSIGHT ON CARBON TETRACHLORIDE EFFECT ON TRIGLYCERIDE TRANSPORT. Biochem Pharmacol. 13: 949-954.
- Pohl, HR; Abadin, HG. (1995). Utilizing uncertainty factors in minimal risk levels derivation. Regul Toxicol Pharmacol. 22: 180-188.
- Pohl, HR; Chou, C. (2005). Health effects classification and its role in the derivation of minimal risk levels: Hepatic effects. Regul Toxicol Pharmacol. 42: 161-171.
- Pohl, LR; George, JW. (1983). Identification of dichloromethyl carbene as a metabolite of carbon tetrachloride. Biochem Biophys Res Commun. 117: 367-371.
- Pohl, LR; Schulick, RD; Highet, RJ; George, JW. (1984). Reductive-oxygenation mechanism of metabolism of carbon tetrachloride to phosgene by cytochrome P-450. Mol Pharmacol. 25: 318-321.
- Pohorille, A; Pratt, LR. (1990). Cavities in molecular liquids and the theory of hydrophobic solubilities. J Am Chem Soc. 112: 5066-5074.
- Pokrovskii, AA; Archakov, AI; Devichenskii, VM. (1966). Effect of promazine on activity of certain liver and blood enzymes in carbon tetrachloride poisoning. Federation proceedings Translation supplement; selected translations from medical-related science. 25: 271-272.
- Polasek, M; Fuchs, BC; Uppal, R; Schuhle, DT; Alford, JK; Loving, GS; Yamada, S; Wei, L; Lauwers, GY; Guimaraes, AR; Tanabe, KK; Caravan, P. (2012). Molecular MR imaging of liver fibrosis: A feasibility study using rat and mouse models. J Hepatol. 57: 549-555.
- Poli, G; Albano, E; Biasi, F; Chiarpotto, E; Dianzani, MU. (1983). In vitro evidence for CCl sub(4) metabolites covalently bound to lipoprotein micelles. FEBS Lett. 160: 187-190.
- Poli, G; Albano, E; Dianzani, MU; Melloni, E; Pontremoli, S; Marinari, UM; Pronzato, MA; Cottalasso, D. (1988). Carbon tetrachloride-induced inhibition of protein kinase C in isolated rat hepatocytes. Biochem Biophys Res Commun. 153: 591-597.
- Poli, G; Cheeseman, K; Slater, TF; Dianzani, MU. (1981). The Role of Lipid Peroxidation in CCl sub(4)-Induced Damage to Liver Microsomal Enzymes: Comparative Studies In Vitro Using Microsomes and Isolation Liver Cells. Chem Biol Interact. 37: 13-24.
- Poli, G; Cheeseman, KH; Biasi, F; Chiarpotto, E; Dianzani, MU; Esterbauer, H; Slater, TF. (1989). Promethazine inhibits the formation of aldehydic products of lipid peroxidation but not covalent binding resulting from the exposure of rat liver fractions to carbon tetrachloride. Biochem J. 264: 527-532.
- Poli, G; Cheeseman, KH; Biasi, F; Chiarpotto, E; Dianzani, MU; Esterbauer, H; Slater, TF. (1989). Promethazine inhibits the formation of aldehydic products of lipid peroxidation but not covalent binding resulting from the exposure of rat liver fractions to CCl4. The Biochemical journal. 264: 527-532.
- Poli, G; Chiarpotto, E; Albano, E; Biasi, F; Cottalasso, D; Pronzato, MA; Marinari, UM; Nanni, G; Dianzani, MU. (1988). CARBON TETRACHLORIDE-INDUCED OXIDATIVE STRESS AT THE LEVEL OF LIVER GOLGI APPARATUS EFFECT ON LIPOPROTEIN SECRETION. Crastes De Paulet, A, L Douste Blazy And R Paoletti. 0: 183-192.
- Poli, G; Chiarpotto, E; Albano, E; Biasi, F; Cecchini, G; Gravela, E; Dianzani, MU. (1983). Biochemical evidence for chemical and/or topographic differences in the lipoperoxidative processes induced by CCl sub(4) and iron. Chem Biol Interact. 43: 253-261.
- Poli, G; Chiarpotto, E; Albano, E; Cottalasso, D; Nanni, G; Marinari, UM; Bassi, AM; Dianzani, MU. (1985). Carbon tetrachloride-induced inhibition of hepatocyte lipoprotein secretion: Functional impairment of Golgi apparatus in the early phases of such injury. Life Sci. 36: 533-539.
- Poli, G; Chiarpotto, E; Biasi, F; Albano, E; Carini, R; Dianzani, MU. (1987). LIPID PEROXIDATION IN THE PATHOGENESIS OF HEPATOCYTE DEATH. 22nd Meeting Of The European Association For The Study Of The Liver, Torino, Italy, September. 5.

Environmental Hazard Literature Search Results

Off Topic

- Poli, G; Chiarpotto, E; Biasi, F; Aragno, M; Dinni, O; Comoglio, A. (1990). Potentiation by 1,2-dibromoethane of lipid peroxidation and irreversible hepatocyte damage due to carbon tetrachloride. *Free Radic Biol Med.* 9, Supplement 1: 161.
- Poli, G; Cottalasso, D; Pronzato, MA; Chiarpotto, E; Albano, E; Vargiolu, S; Corongiu, F; Marinari, UM; Nanni, G; Dianzani, MU. (1984). LIPID PEROXIDATION AND FREE RADICAL COVALENT BINDING IN THE PATHOGENESIS OF CARBON TETRACHLORIDE-INDUCED IMPAIRMENT OF LIVER GOLGI APPARATUS. 19th Meeting Of The European Association For The Study Of The Liver, Berne, Switzerland, Sept. 0.
- Poli, G; Cottalasso, D; Pronzato, MA; Chiarpotto, E; Biasi, F; Corongiu, FP; Marinari, UM; Nanni, G; Dianzani, MU. (1990). Lipid peroxidation and covalent binding in the early functional impairment of liver Golgi apparatus by carbon tetrachloride. *Appl Environ Microbiol.* 8: 1-10.
- Poli, G; Dianzani, MU; Cheeseman, KH; Slater, TF; Lang, J; Esterbauer, H. (1985). SEPARATION AND CHARACTERIZATION OF THE ALDEHYDIC PRODUCTS OF LIPID PEROXIDATION STIMULATED BY CARBON TETRACHLORIDE OR ADP-IRON IN ISOLATED RAT HEPATOCYTES AND RAT LIVER MICROSOMAL SUSPENSIONS. *Biochem J.* 227: 629-638.
- Poli, G; Gravela, E; Albano, E; Dianzani, MU. (1979). Studies on fatty liver with isolated hepatocytes. II. The action of carbon tetrachloride on lipid peroxidation, protein, and triglyceride synthesis and secretion. *Exp Mol Pathol.* 30: 116-127.
- Poli, G; Pronzato, MA; Domenicotti, C; Biasi, F; Chiarpotto, E; Viotti, P; Melloni, E; Marinari, UM. (1990). Inactivation of hepatocyte protein kinase C by carbon tetrachloride: Involvement of drug's metabolic activation and prooxidant effect. *Free Radic Biol Med.* 9, Supplement 1: 87.
- Poli, R. (2006). Relationship between one-electron transition-metal reactivity and radical polymerization processes. *Angewandte Chemie-International Edition.* 45: 5058-5070.
- Polkowska, A. (2004). Determination of volatile organohalogen compounds in urban precipitation in Tricity area (Gdansk, Gdynia, Sopot). *Chemosphere.* 57: 1265-1274.
- Polkowska, Z. (2004). Determination of volatile organohalogen compounds in urban precipitation in Tricity area (Gdańsk, Gdynia, Sopot). *Chemosphere.* 57: 1265-1274.
- Pollak, JK. (1998). A short review of the problems posed by xenobiotics in chemical mixtures and the role of mixed function oxidases. *Int J Environ Health Res.* 8: 157-163.
- Polo, CF; Vazquez, ES; Batlle, AMDC. (1992). Regulation of heme pathway in regenerating mouse liver. *Comp Biochem Physiol B Comp Biochem.* 101: 243-246.
- Pols, HB; Hieltjes, AHM; Kouwe, FA. (1990). THE OCCURRENCE AND THE SOURCES OF BLACK LIST SUBSTANCES IN TWO RIVER BASINS IN THE NETHERLANDS. *lawprc.* 24: 55-68.
- Poly, WL. (1997). Nongenetic variation, genetic-environmental interactions and altered gene expression. II. Disease, parasite and pollution effects. *Comparative Biochemistry And Physiology B.* 117: 61-74.
- Pomeisl, K; Květa, J; Paleta, O. (2006). Convenient synthesis of 3-fluoro-4,5-diphenylfuran-2(5H)-one from benzoin ethers: Novel and efficient E isomerisation and cyclisation of 2-fluoroalkenoate precursors, substitution of vinylic fluorine. *Journal of Fluorine Chemistry.* 127: 1390-1397.
- Ponmari, G; Annamalai, A; Gopalakrishnan, VK; Lakshmi, PTV; Guruvayoorappan, C. (2014). NF-kappa B activation and proinflammatory cytokines mediated protective effect of *Indigofera caerulea* Roxb. on CCl4 induced liver damage in rats. *Int Immunopharmacol.* 23: 672-680.
- Pontius, FW. (1998). New horizons in federal regulation. *American Water Works Association Journal.* 90: 38-50.
- Pontius, FW. (1999). Complying with future water regulations: With regulatory activity picking up momentum into 2000, utilities must anticipate and strategically plan for compliance. *American Water Works Association Journal.* 91: 46-58.
- Poo, JL; Pa; Farrar, WE, Jr.; Watson, JG. (1999). HYPOGLYCEMIA FOLLOWING ENDOTOXIN ADMINISTRATION IN ANIMALS WITH LIVER DAMAGE. *Exp Toxicol Pathol.* 115: 833-837.
- Poon, MKT; Chiu, PY; Mak, DHF; Ko, KM. (2003). Metformin protects against carbon tetrachloride hepatotoxicity in mice. *J Pharmacol Sci.* 93: 501-504.
- Poon, R; Yagminas, A; Singh, A; Valli, VE; Chu, I. (2001). Short-term oral toxicity of gasohol in female rats. *J Appl Toxicol.* 21: 461-467.
- Pooranaperundevi, M; Sumiyabanu, MS; Viswanathan, P; Sundarapandiyam, R; Anuradha, CV. (2010). Insulin resistance induced by high-fructose diet potentiates carbon tetrachloride hepatotoxicity. *Toxicol Ind Health.* 26: 89-104.
- Popov, CS; Yantchev, I; Georgiev, G; Geneva, L. Effect of different factors modifying the activity of some enzyme systems of the endoplasmic reticulum on the sensitivity of cell organelles against the damaging action of chemical agents. i. interrelations between the activity of some enzyme systems located in endoplasmic reticulum and hepatotoxicity of carbon tetrachloride. *Br J Exp Pathol.* Oct 1976, 57 (5): 593-603.
- Popov, Y; Sverdlov, DY; Sharma, AK; Bhaskar, KR; Li, SY; Freitag, TL; Lee, J; Dieterich, W; Melino, G; Schuppan, D. (2011). Tissue Transglutaminase Does Not Affect Fibrotic Matrix Stability or Regression of Liver Fibrosis in Mice. *Gastroenterology.* 140: 1642-1652.
- Popovič, M; Kaurinovič, B; Jakovljevič, V; Mimica, M; Dukic, N; Bursa, M. (2007). Effect of parsley (*Petroselinum crispum* (Mill.) Nym. ex A.W. Hill, Apiaceae) extracts on some biochemical parameters of oxidative stress in mice treated with CCl₄. *Phytother Res.* 21: 717-723.
- Popovic, D; Dukic, D; Katic, V; Jovic, Z; Jovic, M; Lalic, J; Golubovic, I; Stojanovic, S; Ulrih, NP; Stankovic, M; Sokolovic, D. (2016). Antioxidant and proapoptotic effects of anthocyanins from bilberry extract in rats exposed to hepatotoxic effects of carbon tetrachloride. *Life Sci.* 157: 168-177.
- Popovic, M; Kaurinovic, B; Jakovjevic, V; Raskovic, A. (2008). Effect of dandelion flower extracts on some biochemical parameters of oxidative stress in rats treated with ccl(4). *Fresen Environ Bull.* 17: 74-78.

Environmental Hazard Literature Search Results

Off Topic

- Popovic, M; Kaurinovic, B; Jakovljevic, V; Mimica-Dukic, N; Bursac, M. (2007). Effect of parsley (*Petroselinum crispum* (Mill.) Nym. ex AW Hill, Apiaceae) extracts on some biochemical parameters of oxidative stress in mice treated with CCl₄. *Phytother Res.* 21: 717-723.
- Popovic, M; Kaurinovic, B; Trivic, S; Mimica-Dukic, N; Bursac, M. (2006). Effect of celery (*Apium graveolens*) extracts on some biochemical parameters of oxidative stress in mice treated with carbon tetrachloride. *Phytother Res.* 20: 531-537.
- Popovic, MR; Mimica-Dukic, N; Jakovljevic, V; Kujundzic, S. (2001). In Vivo Effects of *Sambucus nigra* L. on CCl₄ sub(4)-Induced Hepatotoxicity in Rats. *Journal of Herbs, Spices & Medicinal Plants.* 8: 1-8.
- Popp, FC; Slowik, P; Eggenhofer, E; Renner, P; Lang, SA; Stoeltzing, O; Geissler, EK; Piso, P; Schlitt, HJ; Dahlke, MH. (2007). No contribution of multipotent mesenchymal stromal cells to liver regeneration in a rat model of prolonged hepatic injury. *Stem Cells.* 25: 639-645.
- Popp, JA; Shinozuka, H; Farber, E. (1978). The protective effects of diethyldithiocarbamate and cycloheximide on the multiple hepatic lesions induced by carbon tetrachloride in the rat. *Toxicol Appl Pharmacol.* 45: 549-564.
- Popper, H; Barka, T; Goldfarb, S; Hutterer, F; Paronetto, F; Rubin, E; Schaffner, F. (1963). FACTORS DETERMINING CHRONICITY OF LIVER DISEASE. A PROGRESS REPORT. *J Mt Sinai Hosp NY.* 30: 336-348.
- Popper, H; Koch-Weser, D; Szanto, PB. (1949). Protective effect of vitamin B12 upon hepatic injury produced by carbon tetrachloride. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY).* 71: 688-690.
- Porchezian, E; Ansari, SH. (2000). Effect of liquid extract from fresh *Abutilon indicum* leaves and *Allium cepa* bulbs on paracetamol and carbontetrachloride induced hepatotoxicity. *Die Pharmazie.* 55: 702-703.
- Porchezian, E; Ansari, SH. (2005). Hepatoprotective activity of *Abutilon indicum* on experimental liver damage in rats. *Phytomedicine : international journal of phytotherapy and phytopharmacology.* 12: 62-64.
- Porteous, A. (1992). *DICTIONARY OF ENVIRONMENTAL SCIENCE AND TECHNOLOGY REVISED EDITION.* Porteous, A *Dictionary Of Environmental Science And Technology, Revised Edition* xiv+439p John Wiley And Sons Ltd: Chichester, England, Uk. 0.
- Posadas del R -o, FA; Ch -avez-Morales, RM; Rodr -guez-V -zquez, ML; Jaramillo-Ju -rez, F; Mart -nez-Salda -a, MC; Olmos-Guerrero, CE; Reyes-Romero, MA. (2009). Analysis of the therapeutic effect of *Ginkgo biloba* on liver damage produced by carbon tetrachloride in adult male rats. *Toxicol Lett.* 189, Supplement: S127.
- Post, J; Himes, MB; Klein, A; Hoffman, J. (1957). Responses of the liver to injury; effects of growth hormone upon acute carbon tetrachloride poisoning. *AMA archives of pathology.* 64: 278-283.
- Post, J; Himes, MB; Klein, A; Hoffman, J. (1957). Responses of the liver to injury; effects of previous injuries and age upon the healing pattern after acute carbon tetrachloride poisoning. *AMA archives of pathology.* 64: 284-289.
- Post, J; Klein, A; Hoffman, J. (1960). Responses of the liver to injury. Effects of age upon the healing pattern after acute carbon tetrachloride poisoning. *Arch Pathol.* 70: 314-321.
- Posthuma, D; Vaatstra, WJ. (1971). Changes in rabbit liver sterol patterns after administration of carbon tetrachloride in doses effective against *Fasciola hepatica*, the liver fluke. *Biochem Pharmacol.* 20: 1133-1138.
- Pothoczki, S; Ottochian, A; Rovira-Esteva, M; Pardo, LC; Tamarit, JL; Cuello, GJ. (2012). Role of steric and electrostatic effects in the short-range order of quasitetrahedral molecular liquids. *Physical Review B.* 85: 4202-4202.
- Pothoczki, S; Pusztai, L; Kohara, S. (2007). The structure of liquid iodomethane, CH₃I/CD₃I. *Journal of Physics-Condensed Matter.* 19: 35204-35204.
- Potter, JJ; Rennie-Tankesley, L; Mezey, E. (2003). Influence of leptin in the development of hepatic fibrosis produced in mice by *Schistosoma mansoni* infection and by chronic carbon tetrachloride administration. *J Hepatol.* 38: 281-288.
- Poulos, JE; Gower, WR; Fontanet, HL; Kalmus, GW; Vesely, DL. (1995). CIRRHOSIS WITH ASCITES - INCREASED ATRIAL-NATRIURETIC-PEPTIDE MESSENGER-RNA EXPRESSION IN RAT VENTRICLE. *Gastroenterology.* 108: 1496-1503.
- Pound, AW. (1975). The effect of a dose of dimethylnitrosamine on the toxicity of a subsequent dose and on the toxicity of carbon tetrachloride in mice. *Br J Exp Pathol.* 56: 271-275.
- Pound, AW; Horn, L; Lawson, TA. (1973). Decreased toxicity of dimethylnitrosamine in rats after treatment with carbon tetrachloride. *Pathology.* 5: 233-242.
- Pound, AW; Lawson, TA. (1974). Protection by a small dose of carbon tetrachloride against the toxic effects of dimethylnitrosamine in rats. *Br J Exp Pathol.* 55: 203-212.
- Pound, AW; Lawson, TA. (1975). Protection by carbon tetrachloride against the toxic effects of dimethylnitrosamine in mice. *Br J Exp Pathol.* 56: 77-82.
- Pounds, JG. (1988). THE ROLE OF CELL CALCIUM IN CURRENT APPROACHES TO TOXICOLOGY. *Conference On The Calcium Messenger System: Implications For Toxicological Research, Research Triangle Park, North Carolina, Usa, March.* 84: 7-16.
- Pourjavadi, A; Doulabi, M. (2014). Preparation and evaluation of a polymeric gel containing ionic liquid  functionalized MWCNTs as a novel class of organic solvent absorbent. *Journal of polymer science.* 52: 3166-3172.
- Pourrat, JP; Fau, FSGJ; Armendariz-Borunda, J; Katai, H; Jones, CM; Seyer, JM; Kang, AH; Raghov, R. (1990). Transforming growth factor beta gene expression is transiently enhanced at a critical stage during liver regeneration after carbon tetrachloride treatment. *Toxicology.* 69: 283-294.
- Povie, G; Marzorati, M; Bigler, P; Renaud, P. (2013). Role of Equilibrium Associations on the Hydrogen Atom Transfer from the Triethylborane-Methanol Complex. *J Org Chem.* 78: 1553-1558.
- Powell, JF. (1945). The solubility or distribution coefficient of carbon tetrachloride in water, whole blood, and plasma. *Br J Ind Med.* 2: 212-216.
- Poyrazoglu, OK; Bahcecioglu, IH; Ataseven, H; Metin, K; Dagli, AF; Yalniz, M; Ustundag, B. (2008). Effect of Unfiltered Coffee on Carbon Tetrachloride-Induced Liver Injury in Rats. *Inflammation.* 31: 408-413.

Environmental Hazard Literature Search Results

Off Topic

- PrâĚsat, V; Lans, M; de, GJ; Taper, H; Roberfroid, M. (1987). Influence of the duration and the delay of administration of phenobarbital on its modulating effect on rat hepatocarcinogenesis. *Carcinogenesis*. 8.
- Prabhu, VG. (1969). The effect of microsomal enzyme stimulants and depressants on amphetamine aggregation toxicity in mice. *The Journal of the American Osteopathic Association*. 68: 1056.
- Prabhu, VG; Browne, RK; Zaroslinski, JF. (1964). STUDIES ON METABOLISM IN RAT AND MOUSE OF A NEW HYPNOTIC-METHAQUALONE. *Archives internationales de pharmacodynamie et de thérapie*. 148: 228-236.
- Prabhu, VG; Parikh, SH. (1966). Role of carbon tetrachloride in altering pentylene tetrazol and strychnine response in rats. *The Indian journal of medical research*. 54: 1065-1070.
- Prabhu, VG; Rise, NL; Oester, YT. (1972). The effect of experimental local inflammation on the action of barbiturates in rat. *Archives internationales de pharmacodynamie et de thérapie*. 195: 343-350.
- Pradeep, HA; Khan, S; Ravikumar, K; Ahmed, MF; Rao, MS; Kiranmai, M; Reddy, DS; Ahamed, SR; Ibrahim, M. (2009). Hepatoprotective evaluation of *Anogeissus latifolia*: in vitro and in vivo studies. *World J Gastroenterol*. 15: 4816-4822.
- Pradeep, K; Mohan, CV; Anand, KG; Karthikeyan, S. (2005). Effect of pretreatment of *Cassia fistula* Linn. leaf extract against subacute CCl₄ induced hepatotoxicity in rats. *Indian J Exp Biol*. 43: 526-530.
- Pradeep, K; Mohan, CVR; Gobianand, K; Karthikeyan, S. (2007). Effect of *Cassia fistula* Linn. leaf extract on diethylnitrosamine induced hepatic injury in rats. *Chem Biol Interact*. 167: 12-18.
- Pradhan, NR; Misra, SK. (1992). Ultrastructural studies on the effect of tefroli vet. granules in hepatotoxicity induced by carbon tetrachloride in goats. *Indian Veterinary Journal*. 69: 627-630.
- Prag, JJ. (1951). Carbon tetrachloride poisoning by inhalation. *South African medical journal = Suid-Afrikaanse tydskrif vir geneeskunde*. 25: 351-352.
- Prakash, A; Rao, J. (1992). INSECT PEST MANAGEMENT IN STORED-RICE ECOSYSTEMS. Jayas, D S, N D G White And W E Muir. 0: 709-736.
- Prakash, A; Satyan, KS; Wahi, SP; Singh, RP. Comparative hepatoprotective activity of three *Phyllanthus* species, *P. urinaria*, *P. niruri* and *P. simplex*, on carbon tetrachloride induced liver injury in the rat. *Phytotherapy research : PTR*. Dec 1995. v. 9 (8): 594-596.
- Prakash, J; Nirmalakhandan, N; Sun, B; Peace, J. (1996). Toxicity of binary mixtures of organic chemicals to microorganisms. *Water Res*. 30: 1459-1463.
- Pramyothin, P; Janthasoot, W; Pongnimitprasert, N; Phrukudom, S; Ruangrunsi, N. (2004). Hepatotoxic effect of (+)usnic acid from *Usnea siamensis* Wainio in rats, isolated rat hepatocytes and isolated rat liver mitochondria. *J Ethnopharmacol*. 90: 381-387.
- Prandota, J; Sokalski, L; Kucharska, L. (1975). Influence of bovine somatotropin on the liver experimentally damaged with carbon tetrachloride. *Arch Immunol Ther Exp*. 23: 537-541.
- Prasad, B; Misra, SK; Choudhuri, PC. (1985). IMPACTS OF SUBCLINICAL HEPATITIS ON ACUTE METHEMOGLOBINEMIA IN BUFFALO CALVES. *Indian J Vet Med*. 5: 27-30.
- Prasad, GV; Reddy, KS; Mohanachari, V; Rajendra, W; Indira, K. (1984). Metabolic alterations in cardiac muscle of mice due to carbon tetrachloride poisoning. *Environment and ecology Kalyani*. 2: 5-9.
- Prasad, GVE; Reddy, KS; Mohanachari, V; Rajendra, W; Indira, K. (1984). Kinetic behavior of hepatic succinate dehydrogenase in mice exposed to carbon tetrachloride. *Environment and ecology Kalyani*. 2: 103-106.
- Prata, C; Chatgialiloglu, C; Landi, L; Peterson, K; Malouff, J; Thorsteinsson, EB. (2006). A meta-analytic investigation of emotional intelligence and alcohol involvement. *Free radical biology & medicine*. 40: 1549-1556.
- Prather, MJ. (6034). CONTINENTAL SOURCES OF HALOCARBONS AND NITROUS OXIDE. *Nature*. 317: 221-225.
- Prather, MJ; Watson, RT. (6268). STRATOSPHERIC OZONE DEPLETION AND FUTURE LEVELS OF ATMOSPHERIC CHLORINE AND BROMINE. *Nature*. 344: 729-734.
- Pratt, GC; Bock, D; Stock, TH; Morandi, M; Adgate, JL; Ramachandran, G; Mongin, SJ; Sexton, K. (2005). A field comparison of volatile organic compound measurements using passive organic vapor monitors and stainless steel canisters. *Environmental Science & Technology*. 39: 3261-3268.
- Pratt, K; Shirey, R; Mani, V. (1261). SOLID-PHASE MICROEXTRACTION OF VOCs IN WATER. Wang, W, J L Schnoor And J Doi. 0: 139-146.
- Predes, FD; Diamante, MAD; Foglio, MA; Camargo, CA; Aoyama, H; Miranda, SC; Cruz, B; Marcondes, M; Dolder, H. (2014). Hepatoprotective Effect of *Arctium lappa* Root Extract on Cadmium Toxicity in Adult Wistar Rats. *Biol Trace Elem Res*. 160: 250-257.
- Predes, FD; Diamante, MAS; Foglio, MA; Dolder, H. (2016). Effects of *Arctium lappa* on Cadmium-Induced Damage to the Testis and Epididymis of Adult Wistar Rats. *Biol Trace Elem Res*. 173: 362-371.
- Predes, FS; da Matta, SLP; Monteiro, JC; de Oliveira, TT. (2009). Investigation of Liver Tissue and Biochemical Parameters of Adult Wistar Rats treated with *Arctium lappa* L. *Brazilian Archives of Biology and Technology*. 52: 335-340.
- Preis, S; Kallas, J. (2004). Gas-phase degradation of CCl₄, CHCl₃ and CH₂Cl₂ over metallic Fe. *Environ Chem Lett*. 2: 9-13.
- Premalatha, B; Sachdanandam, P. (1999). Alterations in lipid metabolism during the development of aflatoxin B₁ induced experimental hepatocellular carcinoma. *Medical Science Research*. 27: 779-782.
- Prendergast, JA; Jones, RA; Jenkins, LJ, Jr.; Siegel, J. (1967). Effects on experimental animals of long-term inhalation of trichloroethylene, carbon tetrachloride, 1,1,1-trichloroethane, dichlorodifluoromethane, and 1,1-dichloroethylene. *Toxicol Appl Pharmacol*. 10: 270-289.
- Prengle, HWJR; Symons, JM; Belhateche, D. (1987). H₂O₂isUV process for photo-oxidation of waterborne hazardous substances. C1-C6 chlorinated hydrocarbons. *Laboratory investigation; a journal of technical methods and pathology*. 16: 327-333.
- Prengle Jr, HW; Symons, JM; Belhateche, D. (1996). H₂O₂isUV process for photo-oxidation of waterborne hazardous substances â€” C1—, C6 chlorinated hydrocarbons. *Waste Manag*. 16: 327-333.

Environmental Hazard Literature Search Results

Off Topic

- Preston, TJ. (2012). Formation and Relaxation Dynamics of Condensed-Phase Polyhalomethane Isomers. PhD, The University of Wisconsin - Madison.
- Price, NR. (1985). THE MODE OF ACTION OF FUMIGANTS. *J Stored Prod Res.* 21: 157-164.
- Priest, RE; Smuckler, EA; Iseri, OA; Benditt, EP. (1962). Liver lipid peroxide levels in carbon tetrachloride poisoning. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY).* 111: 50-51.
- Priestly, BG; Plaa, GL. (1970). Temporal aspects of carbon tetrachloride-induced alteration of sulfobromophthalein excretion and metabolism. *Toxicol Appl Pharmacol.* 17: 786-794.
- Priestly, BG; Plaa, GL. (1976). Hepatic function after acute or subchronic nicotine administration in untreated mice and mice treated with hepatotoxic chemicals. *Archives internationales de pharmacodynamie et de therapeutique.* 223: 132-141.
- Prieto, JM; Iacopini, P; Cioni, P; Chericoni, S. (2007). In vitro activity of the essential oils of *Origanum vulgare*, *Satureja montana* and their main constituents in peroxynitrite-induced oxidative processes. *Food Chem.* 104: 889-895.
- Prindle, JC, Jr. (1989). Dynamics and stability of emulsion polymerization reactors. PhD, The University of Wisconsin - Madison.
- Pritchard, DJ; Butler, WH. (1989). Apoptosis--the mechanism of cell death in dimethylnitrosamine-induced hepatotoxicity. *The Journal of pathology.* 158: 253-260.
- Pritchard, DJ; Wright, MG; Sulsh, S; Butler, WH. (1987). THE ASSESSMENT OF CHEMICALLY INDUCED LIVER INJURY IN RAT. *J Appl Toxicol.* 7: 229-236.
- Pritchard, DJ; Wright, MG; Sulsh, S; Butler, WH. (1987). The assessment of chemically induced liver injury in rats. *Journal of applied toxicology : JAT.* 7: 229-236.
- Pritchard, MT; Cohen, JI; Roychowdhury, S; Nagy, LE. (2009). EGR-1 mediated TNF α production is associated with hepatoprotection after acute carbon tetrachloride exposure in mice. *Cytokine.* 48: 119.
- Pritchard, MT; Cohen, JI; Roychowdhury, S; Pratt, BT; Nagy, LE. (2010). Early growth response-1 attenuates liver injury and promotes hepatoprotection after carbon tetrachloride exposure in mice. *J Hepatol.* 53: 655-662.
- Pritchard, MT; Malinak, RN; Nagy, LE. (2011). Early growth response (EGR)-1 is required for timely cell-cycle entry and progression in hepatocytes after acute carbon tetrachloride exposure in mice. *American Journal of Physiology-Gastrointestinal and Liver Physiology.* 300: G1124-G1131.
- Pritchard, MT; Nagy, LE. (2010). Hepatic Fibrosis Is Enhanced and Accompanied by Robust Oval Cell Activation after Chronic Carbon Tetrachloride Administration to Egr-1-Deficient Mice. *American Journal of Pathology.* 176: 2743-2752.
- Priya, S; Sudhakaran, PR. (2008). Curcumin-induced recovery from hepatic injury involves induction of apoptosis of activated hepatic stellate cells. *Indian journal of biochemistry & biophysics.* 45: 317-325.
- Proctor, E; Chatamra, K. (1982). High yield micronodular cirrhosis in the rat. *Gastroenterology.* 83: 1183-1190.
- Proctor, E; Chatamra, K. (1983). Controlled induction of cirrhosis in the rat. *Br J Exp Pathol.* 64: 320-330.
- Proctor, E; Chatamra, K. (1984). EXPERIMENTAL CIRRHOSIS. Kleinberger, G, P Ferenci, P Riederer And H Thaler. 0: 85-93.
- Profeta, LT; Myrick, ML. (2007). Spectral resolution in multivariate optical computing. *Spectrochimica acta Part A, Molecular and biomolecular spectroscopy.* 67: 483-502.
- Prokopenko, LG; Konoplya, AI. (1982). Effect of carbon tetrachloride on immunostimulant factor formation by animal splenocytes. *FARMAKOL TOKSIKOL.* 45: 61-65.
- Prokopowicz, J. (1963). ERYTHROCYTE CATALASE IN LIVER CIRRHOSIS AND IN EXPERIMENTAL LIVER INJURY. *Experientia.* 19: 469-470.
- Pronzato, MA; Cottalasso, D; Domenicotti, C; Marinari, UM; Nanni, G. (1988). EFFECT OF VITAMIN E ON THE CARBON TETRACHLORIDE-INDUCED CHANGES OF DOLICHOLS DISTRIBUTION IN RAT LIVER MICROSOMES AND GOLGI APPARATUS. *Poli, G, Et Al.* 0: 335-342.
- Pronzato, MA; Cottalasso, D; Domenicotti, C; Tenca, C; Traverso, N; Nanni, G; Marinari, UM. (1992). Effects of CCl₄ poisoning on metabolism of dolichol in rat liver microsomes and Golgi apparatus. *Free Radic Res Commun.* 11: 267-277.
- Pronzato, MA; Domenicotti, C; Rosso, E; Bellocchio, A; Patrone, M; Marinari, UM; Melloni, E; Poli, G. (1993). Modulation of Rat Liver Protein Kinase C during in Vivo CCl₄-Induced Oxidative Stress. *Biochem Biophys Res Commun.* 194: 635-641.
- Pronzato, MA; Marinari, UM; Domenicotti, C; Rosso, E; Cottalasso, D; Nanni, G; Melloni, E; Poli, G. (1991). EFFECTS OF CARBON TETRACHLORIDE ON THE REGULATORY SYSTEMS OF TRANSMEMBRANE SIGNALLING. *Yagi, K, Et Al.* 998: 0-444.
- Protzel, M; Giardina, AC; Albano, EH. (1964). THE EFFECT OF LIVER IMBALANCE ON THE DEVELOPMENT OF ORAL TUMORS IN MICE FOLLOWING THE APPLICATION OF BENZOPYRENE OR TOBACCO TAR. *Oral Surg Oral Med Oral Pathol.* 18: 622-635.
- Proudfoot, AT; Macdonald, RH. (1968). Infectious-mononucleosis-like syndrome following haemodialysis for carbon tetrachloride poisoning. *Postgrad Med J.* 44: 249-251.
- Pruvost, J; Connan, O; Marty, Y; Le Corre, P. (1999). A sampling device for collection and analysis of volatile halocarbons in coastal and oceanic waters. *Analyst.* 124: 1389-1394.
- Pryakhin, EA; Mokrov, YG; Tryapitsina, GA; Ivanov, IA; Osipov, DI; Atamanyuk, NI; Deryabina, LV; Shaposhnikova, IA; Shishkina, EA; Obvintseva, NA; Egoreichenkov, EA; Styazhkina, EV; Osipova, OF; Mogilnikova, NI; Andreev, SS; Tarasov, OV; Geras'kin, SA; Trapeznikov, AV; Akleyev, AV. (2016). Characterization of biocenoses in the storage reservoirs of liquid radioactive wastes of Mayak PA. Initial descriptive report. *J Environ Radioact.* 151 Pt 2: 449-460.
- Pryakhin, EA; Tryapitsina, GA; Deryabina, LV; Atamanyuk, NI; Stukalov, PM; Ivanov, IA; Kostyuchenko, VA; Akleyev, AV. (2012). Status of ecosystems in radioactive waste reservoirs of the Mayak Production Association in 2009. *Health Phys.* 103: 61-63.
- Ptacek, CJ; Gillham, RW. (1992). Laboratory and field measurements of non-equilibrium transport in the Borden aquifer, Ontario, Canada. *J Contam Hydrol.* 10: 119-158.

Environmental Hazard Literature Search Results

Off Topic

- Pu, XY; Fan, WB; Yu, S; Li, Y; Ma, XL; Liu, L; Ren, J; Zhang, WJ. (2015). Polysaccharides from *Angelica* and *Astragalus* exert hepatoprotective effects against carbon-tetrachloride-induced intoxication in mice. *Can J Physiol Pharmacol.* 93: 39-43.
- Puccia, V; Limbozzi, F; Avena, M. (2015). Arsenic in Porewaters of the Unsaturated Zone of an Argentinean Watershed: Adsorption and Competition with Carbonate as Important Processes that Regulate its Concentration. *Aquatic Geochemistry.* 21: 513-534.
- Puche, JE; Lee, YA; Jiao, J; Aloman, C; Fiel, MI; Muñoz, U; KrAd, DDoLDMSSoMNYNYUSA; Lee, T; Yee, HF, Jr.; Friedman, SL. (2013). A novel murine model to deplete hepatic stellate cells uncovers their role in amplifying liver damage in mice. *Hepatology (Baltimore, Md).* 57: 339-350.
- Puigserver, D; Carmona, JM; Cortes, A; Viladevall, M; Nieto, JM; Grifoll, M; Vila, J; Parker, BL. (2013). Subsoil heterogeneities controlling porewater contaminant mass and microbial diversity at a site with a complex pollution history. *J Contam Hydrol.* 144: 1-19.
- Puigserver, D; Nieto, JM; Grifoll, M; Vila, J; Cortes, A; Viladevall, M; Parker, BL; Carmona, JM. (2016). Temporal hydrochemical and microbial variations in microcosm experiments from sites contaminated with chloromethanes under biostimulation with lactic acid. *Bioremediat J.* 20: 54-70.
- Pulavendran, S; Vignesh, J; Rose, C. (2010). Differential anti-inflammatory and anti-fibrotic activity of transplanted mesenchymal vs. hematopoietic stem cells in carbon tetrachloride-induced liver injury in mice. *Int Immunopharmacol.* 10: 513-519.
- Puri, EC; Mueller, D. (1989). Testing of hydralazine in in vivo-in vitro hepatocyte assays for UDS and stimulation of replicative DNA synthesis. *Mutat Res.* 218: 13-19.
- Purnak, T; Ozaslan, E; Beyazit, Y; Efe, C. (2011). Coffee and liver fibrosis. *Clinical nutrition (Edinburgh, Scotland).* 30: 130.
- Purnanand; Batra, BS; Pant, BP. (1989). A convenient synthetic route to phosphate esters from phosphites. *Tetrahedron Letters.* 30: 1687-1688.
- Purucker, E; Wernze, H; Krandik, G; Raschke, A. (1990). GLUTATHIONE GSH IN LIVER KIDNEY AND MUSCLE AS RELATED TO THE PLASMA CONCENTRATION IN THE DEVELOPMENT OF CARBON TETRACHLORIDE CIRRHOSIS OF THE RAT. 25th Meeting Of The European Association For The Study Of The Liver, Budapest, Hungary, October. 11.
- Pushpendran, CK; Shenoy, BV; Eapen, J. (1976). Studies on carbon tetrachloride toxicity. *Indian J Exp Biol.* 14: 421-423.
- Putz, ARH; Losh, DE; Speitel, GE. (2005). Removal of nonbiodegradable chemicals from mixtures during granular activated carbon bioregeneration. *Journal of Environmental Engineering-Asce.* 131: 196-205.
- Puviani, L; Cavallari, G; Bonaiuto, E; Cannistrà, M; Pariali, M; Pisano, A; Atzeni, F; Nardo, B. (2014). Portal blood arterialization with an extracorporeal device to treat toxic acute hepatic failure in a swine model. *J Ethnopharmacol.* 37: 847-853.
- Puzycycki, D; Jâ€ rnvall, DDoPCKISS; man-Sundberndberg, M; Conner, JR; Smith, FG. (1988). IMMOBILIZATION OF LOW LEVEL HAZARDOUS ORGANICS USING RECYCLED MATERIALS. *Biochemistry.* 27: 1925-1934.
- Qafoku, NP; Zhong, LR; Thompson, CJ; Liu, CX; Arey, BW; Mitroshkov, A; Riley, RG. (2009). Physical control on CCl(4) and CHCl(3) desorption from artificially contaminated and aged sediments with supercritical carbon dioxide. *Chemosphere.* 74: 494-500.
- Qazi, FM; Alam, SM. (1988). Potentiating effects of phenobarbitone on the induction of cirrhosis in rats by carbon tetrachloride. *JPMA The Journal of the Pakistan Medical Association.* 38: 296-299.
- Qi, ZJ; Qian, JJ; Qiao, TX; Hou, WH. (1983). A preliminary biochemical study on the protective effects of Qingkailing injection on liver injury. *Journal of traditional Chinese medicine = Chung i tsa chih ying wen pan / sponsored by All-China Association of Traditional Chinese Medicine, Academy of Traditional Chinese Medicine.* 3: 27-31.
- Qian, SY; Wang, HP; Schafer, FQ; Buettner, GR. (2000). EPR detection of lipid-derived free radicals from PUFA, LDL, and cell oxidations. *Free Radic Biol Med.* 29: 568-579.
- Qiao, H; Han, H; Hong, D; Ren, Z; Chen, Y; Zhou, C. (2011). Protective effects of baicalin on carbon tetrachloride induced liver injury by activating PPARγ and inhibiting TGFβ1. *Pharmaceutical Biology.* 49: 38-45.
- Qiao, H; Han, H; Hong, D; Ren, Z; Chen, Y; Zhou, C. (2011). Protective effects of baicalin on carbon tetrachloride induced liver injury by activating PPARÎ³ and inhibiting TGFÎ²1. *Pharmaceutical Biology.* 49: 38-45.
- Qiao, HX; Tong, YH; Han, HC; Xu, W; Ren, ZH; Ouyang, JF; Chen, Y. (2011). A novel therapeutic regimen for hepatic fibrosis using the combination of mesenchymal stem cells and baicalin. *Pharmazie.* 66: 37-43.
- Qin, J; He, Y; Duan, M; Luo, M. (2017). Effects of Nuclear Factor-E2-related factor 2/Heme Oxygenase 1 on splanchnic hemodynamics in experimental cirrhosis with portal hypertension. *Microvasc Res.* 111: 12-19.
- Qin, LQ; Wang, Y; Xu, JY; Kaneko, T; Sato, A; Wang, PY. (2007). One-day dietary restriction changes hepatic metabolism and potentiates the hepatotoxicity of carbon tetrachloride and chloroform in rats. *Tohoku J Exp Med.* 212: 379-387.
- Qiu, C; Dong, X; Huang, M; Wang, S; Ma, H. (2011). Facile fabrication of nanostructured Pd&Fe bimetallic thin films and their electrodechlorination activity. *Journal of Molecular Catalysis.* 350: 56-63.
- Qiu, DK; Hua, J; Li, JQ; Li, EL. (2005). CD14 expression on Kupffer cells during the course of carbon tetrachloride-mediated liver injury. *Chinese journal of digestive diseases.* 6: 137-141.
- Qiu, J; Liu, ZW; Da, L; Li, Y; Xuan, HX; Lin, QS; Li, F; Wang, YF; Li, ZP; Zhao, MJ. (2007). Overexpression of the gene for transmembrane 4 superfamily member 4 accelerates liver damage in rats treated with CCl(4). *J Hepatol.* 46: 266-275.
- Qiu, JF; Zhang, ZQ; Chen, W; Wu, ZY. (2007). Cystamine ameliorates liver fibrosis induced by carbon tetrachloride via inhibition of tissue transglutaminase. *World J Gastroenterol.* 13: 4328-4332.
- Qu, W; Huang, H; Li, K; Qin, C. (2014). Danshensu-mediated protective effect against hepatic fibrosis induced by carbon tetrachloride in rats. *Pathologie Biologie.* 62: 348-353.
- Qu, Y; Chen, WH; Zong, L; Xu, MY; Lu, LG. (2012). 18α-Glycyrrhizin induces apoptosis and suppresses activation of rat hepatic stellate cells. *Medical science monitor : international medical journal of experimental and clinical research.* 18: BR24-32.

Environmental Hazard Literature Search Results

Off Topic

- Quadery, TM; Islam, F; Ahsan, M; Hasan, CM. (2012). ANTIOXIDANT AND CYTOTOXIC ACTIVITIES OF PARABAENA SAGITATA MIERS. *Bangladesh Journal of Botany*. 41: 155-158.
- Quan, J; Li, T; Zhao, W; Xu, H; Qiu, D; Yin, X. (2013). Hepatoprotective effect of polysaccharides from *Boschniakia rossica* on carbon tetrachloride-induced toxicity in mice. *J Clin Biochem Nutr*. 52: 244-252.
- Quan, JS; Piao, L; Wang, X; Li, T; Yin, XZ. (2009). Rossicaside B Protects against Carbon Tetrachloride-induced Hepatotoxicity in Mice. *Basic & Clinical Pharmacology & Toxicology*. 105: 380-386.
- Quan, JS; Piao, L; Xu, HX; Li, T; Yin, XZ. (2009). Protective Effect of Iridoid Glucosides from *Boschniakia rossica* on Acute Liver Injury Induced by Carbon Tetrachloride in Rats. *Bioscience Biotechnology and Biochemistry*. 73: 849-854.
- Quan, JS; Yin, XZ; Xu, HX. (2011). *Boschniakia rossica* prevents the carbon tetrachloride-induced hepatotoxicity in rat. *Exp Toxicol Pathol*. 63: 53-59.
- Quan, Z; Khan, S; O'Brien, PJ. (1992). Role of cytochrome P-450IIE1 in N-nitroso-N-methylaniline induced hepatocyte cytotoxicity. *Chem Biol Interact*. 83: 221-233.
- Quinn, PJ; Scanlon, MP. (2000). Elimination of volatile chemicals in disinfectant evaluation procedures by freeze drying. *Letters in Applied Microbiology*. 31: 223-227.
- Quinn, PS; Higginson, J. (1965). REVERSIBLE AND IRREVERSIBLE CHANGES IN EXPERIMENTAL CIRRHOSIS. *Am J Pathol*. 47: 353-369.
- Quintana, A; Lopez-Garriga, J. (1995). DETERMINATION OF VOLATILE HALOGENATED ORGANIC COMPOUNDS IN THE TROPICAL TERRESTRIAL ECOSYSTEM. 209th American Chemical Society National Meeting, Anaheim, California, Usa, April. 209: 184.
- Quintana-Bustamante, O; Alvarez-Barrientos, A; Kofman, AV; Fabregat, I; Bueren, JA; Theise, ND; Segovia, JC. (2006). Hematopoietic mobilization in mice increases the presence of bone marrow-derived hepatocytes via in vivo cell fusion. *Hepatology*. 43: 108-116.
- Quintanilha, LF; Mannheimer, EG; Carvalho, AB; Paredes, BD; Dias, JV; Almeida, AS; Gutfilen, B; da Fonseca, LMB; Resende, CMC; Rezende, GFA; de Carvalho, ACC; Goldenberg, RCS. (2008). Bone Marrow Cell Transplant Does Not Prevent or Reverse Murine Liver Cirrhosis. *Cell Transplant*. 17: 943-953.
- Quintero, N; Stashenko, EE; Fuentes, JL. (2012). The influence of organic solvents on estimates of genotoxicity and antigenotoxicity in the SOS chromotest. *Genet Mol Biol*. 35: 503-514.
- Qujeq, D; Abassi, R; Faezi, F; Parsian, H; Faraji, AS; Taheri, H; Tatar, M; Elmi, MM; Halalkhor, S. (2013). Effect of granulocyte colony-stimulating factor administration on tissue regeneration due to carbon tetrachloride-induced liver damage in experimental model. *Toxicol Ind Health*. 29: 498-503.
- Qureshi, SZ; Qayoom, T; Helalet, MI. (1999). Simultaneous spectrophotometric and volumetric determinations of amoxycillin, ampicillin and cloxacillin in drug formulations: reaction mechanism in the base catalysed hydrolysis followed by oxidation with iodate in dilute acid solution. *J Pharm Biomed Anal*. 21: 473-482.
- Qusti, SY; Mahmoud, N. (2007). Effect of *Nigella sativa* L. oil on roridin E toxin administration on liver of male mice. *Journal of Applied Animal Research*. 31: 161-164.
- ra; D, DoPfooMyz; ucÅ , u; Yil, UVT; Sever, B; Xu, YZ; Thuraisingam, T; Marino, R; Radzioch, D. (2004). Recruitment of SWI/SNF complex is required for transcriptional activation of the SLC11A1 gene during macrophage differentiation of HL-60 cells. *J Ethnopharmacol Dec*. 3: 12839-12849.
- Ra; scaron; kovi; Milanovi; Pavlovi; ebovi; Vukmirovi; Mikov, M. (2014). Antioxidant activity of rosemary (*Rosmarinus officinalis* L.) essential oil and its hepatoprotective potential. *BMC Complement Altern Med*. 14: 225.
- Ra; scaron; kovi; Pavlovi; Kvrgi; Sudji, J; Miti; apo, I; Mikov, M. (2015). Effects of pharmaceutical formulations containing thyme on carbon tetrachloride-induced liver injury in rats. *BMC Complement Altern Med*. 15: 442.
- RÂÇseafau, J; Tosato, ML; Piazza, R; Chiorboli, C; Passerini, L; Pino, A; Cruciani, G; Clementi, S. (1997). Application of chemometrics to the screening of hazardous chemicals: A case study. *Prostaglandins Leukot Essent Fatty Acids*. 6: 331-334.
- Râ€ s; Sti, SA. (1974). Proceedings: Kinetics of the binding of carbon monoxide and oxygen to microsomal cytochrome P450 and the influence of substrates. *Naunyn Schmiedebergs Arch Pharmacol*. 282: suppl 282:R281.
- Rabani, V; Shahsavani, M; Gharavi, M; Piryaei, A; Azhdari, Z; Baharvand, H. (2010). Mesenchymal stem cell infusion therapy in a carbon tetrachloride-induced liver fibrosis model affects matrix metalloproteinase expression. *Cell Biol Int*. 34: 601-605.
- Rabergh, C; Enright, AM; Kane, AS; Lipsky, MM. (1993). ATTACHMENT AND PRIMARY CULTURE OF RAINBOW TROUT HEPATOCYTES FOR USE IN TOXICOLOGICAL RESEARCH TOXICITY OF CHLOROFORM AND CARBON TETRACHLORIDE. *World Congress On Alternatives And Animal Use In The Life Sciences*, Baltimore, Maryland, Usa, November. 7: 174.
- Rabin, BR; Blyth, CA; Doherty, D; Freedman, RB; Roobol, A; Sunshine, G; Williams, DJ. (1974). The neoplastic cell. The effects of steroid hormones and carcinogens on the interaction of membranes with polysomes. *Journal of clinical pathology Supplement (Royal College of Pathologists)*. 7: 51-59.
- Rabinovici, N; Wiener, E. (1961). Liver regeneration after partial hepatectomy in carbon tetrachloride-induced cirrhosis in the rat. *Gastroenterology*. 40: 416-422.
- Rad, MNS; Khalafi-Nezhad, A; Behrouz, S; Asrari, Z; Behrouz, M; Amini, Z. (2009). One-Pot Synthesis of N-Alkyl Purine, Pyrimidine and Azole Derivatives from Alcohols using Ph(3)P/CCl(4): A Rapid Route to Carboacyclic Nucleoside Synthesis. *Synthesis-Stuttgart*3067-3076.
- Rad, MNS; Khalafi-Nezhad, A; Karimitabar, F; Behrouz, S. (2010). An Efficient One-Pot Synthesis of Oxime Ethers from Alcohols Using Triphenylphosphine/Carbon Tetrachloride. *Synthesis-Stuttgart*1724-1730.
- Radaeva, S; Sun, R; Jaruga, B; Nguyen, VT; Tian, ZG; Gao, B. (2006). Natural killer cells ameliorate liver fibrosis by killing activated stellate cells in NKG2D-dependent and tumor necrosis factor-related apoptosis-inducing ligand-dependent manners. *Gastroenterology*. 130: 435-452.

Environmental Hazard Literature Search Results

Off Topic

- Radbill, BD; Gupta, R; Ramirez, MC; DiFeo, A; Martignetti, JA; Alvarez, CE; Friedman, SL; Narla, G; Vrabie, R; Bowles, R; Saiman, Y; Bansal, MB. (2011). Loss of matrix metalloproteinase-2 amplifies murine toxin-induced liver fibrosis by upregulating collagen I expression. *Dig Dis Sci*. 56: 406-416.
- Radomski, MW; Orme, T. (1988). Effect of environmental temperature on fatty livers produced by various hepatotoxic agents in rats. *The Journal of nutrition*. 92: 19-22.
- Radosevich, M; Traina, SJ; Hao, YL; Tuovinen, OH. Degradation and mineralization of atrazine by a soil bacterial isolate. *Appl Environ Microbiol*. Jan 1995. v. 61 (1): 297-302.
- Rafailidis, S; Ballas, K; Psarras, K; Pavlidis, T; Emoniotou, E; Papamichali, R; Kalodimos, G; Marakis, G; Sakadamis, A; Koukoulis, G. (2008). Effect of early bosentan administration on the development of esophageal varices in cirrhotic rats: experimental study in Wistar rats. *J Gastroenterol*. 43: 897-904.
- Rafailidis, S; Demertzidis, C; Ballas, K; Alatsakis, M; Symeonidis, N; Pavlidis, T; Psarras, K; Tzioufa-Asimakopoulou, V; Sakadamis, A. (2009). Effect of early propranolol administration on portal hypertensive gastropathy in cirrhotic rats. *World J Gastroenterol*. 15: 4284-4289.
- Rafatullah, S; Mossa, JS; Ageel, AM; Al-Yahya, MA; Tariq, M. Hepatoprotective and safety evaluation studies on sarsaparilla. *International journal of pharmacognosy*. 1991. v. 29 (4): 296-301.
- Raghupathy, L; Harada, M; Ohno, H; Naganuma, A; Imura, N; Doi, R. (1988). Methods of removing external metal contamination from hair samples for environmental monitoring. *Sci Total Environ*. 77: 141-151.
- Rahman, A; Bishop, R; Craig, DC; Scudder, ML. (2004). Pi-halogen dimer interactions and the inclusion chemistry of a new tetrahalo aryl host. *Organic & Biomolecular Chemistry*. 2: 175-182.
- Rahman, MS; Jahan, N; Khatun, M; Rashid, MA. (2015). CHEMICAL AND BIOLOGICAL ASSAYS OF BRASSICA RAPA SUBSP CHINENSIS (L.) HANELT. *Bangladesh Journal of Botany*. 44: 327-332.
- Rahman, TM; Hodgson, HJF. (2000). Animal models of acute hepatic failure. *Int J Exp Pathol*. 81: 145-157.
- Rahmat, AA; Dar, FA; Choudhary, IM. (2014). Protection of CCl₄-Induced Liver and Kidney Damage by Phenolic Compounds in Leaf Extracts of *Cnestis ferruginea* (de Candolle). *Pharmacognosy Res*. 6: 19-28.
- Rai, SP; Neog, LS; Bhattacharyya, D; Ganguli, M. (2014). Symmetrical Peripheral Gangrene complicating Staphylococcal Toxic Shock Syndrome. *Chem Biol Interact*. 64: 181-182.
- Raines, DE; Claycomb, RJ. (2002). The role of electrostatic interactions in governing anesthetic action on the Torpedo nicotinic acetylcholine receptor. *Anesth Analg*. 95: 356-361.
- Raisbeck, MF; Brown, EM; Hewitt, WR. (1986). Renal and hepatic interactions between 2-hexanone and carbon tetrachloride in F-344 rats. *Toxicol Lett*. 31: 15-21.
- Raisbeck, MF; Brown, EM; Kanchanapangka, S; Hewitt, WR. (1990). KETONIC POTENTIATION OF HALOALKANE-INDUCED NEPHROTOXICITY. Goldstein, R S, W R Hewitt And J B Hook. 0: 321-366.
- Raj, HG; Sharma, RK; Garg, BS; Parmar, VS; Jain, SC; Goel, S; Tyagi, YK; Singh, A; Olsen, CE; Wengel, J. (1998). Mechanism of biochemical action of substituted 4-methylbenzopyran-2-ones. Part 3: A novel mechanism for the inhibition of biological membrane lipid peroxidation by dioxygenated 4-methylcoumarins mediated by the formation of a stable ADP-Fe-inhibitor mixed ligand complex. *Bioorganic & medicinal chemistry*. 6: 2205-2212.
- Raj, S; Gothandam, KM. (2014). Hepatoprotective effect of polyphenols rich methanolic extract of *Amorphophallus commutatus* var. *wayanadensis* against CCl₄ induced hepatic injury in swiss albino mice. *Food Chem Toxicol*. 67: 105-112.
- Raja, S; Ahamed, K; Kumar, V; Mukherjee, K; Bandyopadhyay, A; Mukherjee, PK. (2007). Antioxidant effect of *Cytisus scoparius* against carbon tetrachloride treated liver injury in rats. *J Ethnopharmacol*. 109: 41-47.
- Rajagopal, R; Li, PC. (1991). Comparison of two screening methods for the detection of volatile organic compounds in ground water. *J Chemometrics*. 5: 321-331.
- Rajan, R; Kumar, R; Gandhi, KS. (1998). Modeling of sonochemical decomposition of CCl₄ in aqueous solutions. *Environmental Science & Technology*. 32: 1128-1133.
- Rajan, R; Subrahmanyam, K. (1965). BROMSULPHALEIN RETENTION IN RABBITS UNDER DIFFERENT CONDITIONS. *Indian J Exp Biol*. 3: 53-55.
- Rajayya, M. (1992). Parallel pathways in the electrolytic reduction of halogenated aliphatic compounds. PhD, Michigan State University.
- Rajendran, KV; Kennedy, L; O'Connor, CT; Bergin, E; Gilheany, DG. (2013). Systematic survey of positive chlorine sources in the asymmetric Appel reaction: oxalyl chloride as a new phosphine activator. *Tetrahedron Letters*. 54: 7009-7012.
- Rajesh, MG; Latha, MS. (2001). Hepatoprotection by *Elephantopus scaber* Linn. in CCl₄-induced liver injury. *Indian J Physiol Pharmacol*. 45: 481-486.
- Rajesh, MG; Latha, MS. (2004). Preliminary evaluation of the antihepatotoxic activity of Kamilari, a polyherbal formulation. *J Ethnopharmacol*. 91: 99-104.
- Rajेशha, J; Murthy, KNC; Kumar, MK; Madhusudhan, B; Ravishankar, GA. (2006). Antioxidant potentials of flaxseed by in vivo model. *J Agric Food Chem*. 54: 3794-3799.
- Rajeswary, H; Vasuki, R; Samudram, P; Geetha, A. (2011). Hepatoprotective action of ethanolic extracts of *Melia azedarach* Linn. and *Piper longum* Linn and their combination on CCl₄ induced hepatotoxicity in rats. *Indian J Exp Biol*. 49: 276-281.
- Rajkapoor, B; Jayakar, B; Kavimani, S; Muruges, N. (2002). Effect of dried fruits of *Carica papaya* Linn on hepatotoxicity. *Biological & pharmaceutical bulletin*. 25: 1645-1646.
- Rajtar, G; Kleinrok, Z. (1990). Effect of chronic ethanol treatment and the abstinence period on the ethanol elimination by isolated rat liver lesioned by carbon tetrachloride. *Acta physiologica Polonica*. 41: 8-13.

Environmental Hazard Literature Search Results

Off Topic

- Raju, K; Anbuganapathi, G; Gokulakrishnan, V; Rajkapoor, B; Jayakar, B; Manian, S. (2003). Effect of dried fruits of *Solanum nigrum* Linn against CCl₄-induced hepatic damage in rats. *Biological & Pharmaceutical Bulletin*. 26: 1618-1619.
- Rake, MO; Flute, PT; Pannell, G; Shilkin, KB; Williams, R. (1973). Experimental hepatic necrosis: studies on coagulation abnormalities, plasma clearance, and organ distribution of ¹²⁵I-labelled fibrinogen. *Gut*. 14: 574-580.
- Ram, RN; Tittal, RK. (2014). beta-(Carbonatoxy)alkyl radicals: a new subset of beta-(ester)alkyl radical fragmentation during copper(I)-mediated synthesis of 1,1-dichloro-1-alkenes. *Tetrahedron Letters*. 55: 4342-4345.
- Ram, VJ; Goel, A. (1999). Past and present scenario of hepatoprotectants. *Curr Med Chem*. 6: 217-254.
- Ramabadran, K; Bainsinath, M; Guruswami, MN. (1976). Anticonvulsant activity of enzyme inhibitors in rats. *J Pharm Sci*. 65: 1245-1246.
- Ramachandran, P; Pellicoro, A; Vernon, MA; Boulter, L; Aucott, RL; Ali, A; Hartland, SN; Snowden, VK; Cappon, A; Gordon-Walker, TT; Williams, MJ; Dunbar, DR; Manning, JR; van, RN; Fallowfield, JA; Forbes, SJ; Iredale, JP. (2012). Differential Ly-6C expression identifies the recruited macrophage phenotype, which orchestrates the regression of murine liver fibrosis. *Proceedings of the National Academy of Sciences of the United States of America*. 109: E3186-3195.
- Ramadori, G; Schwä€ gler, S. (1991). Tenascin gene expression in rat liver and in rat liver cells. In vivo and in vitro studies. *Res Comm Chem Pathol Pharmacol*.
- Ramadori, G; Schwoegler, S; Veit, T; Meyer, ZUMBUESCHENFELDEKH. (1990). IN-VIVO AND IN-VITRO NIDOGEN-LIVER GENE-EXPRESSION STUDIES IN CARBON TETRACHLORIDE DAMAGED RAT LIVER AND IN NORMAL LIVER CELLS. 25th Meeting Of The European Association For The Study Of The Liver, Budapest, Hungary, October. 11.
- Ramadori, G; Staley, LJ; Richards, MK; Huffman, GL; Olexsey, RA; Dellinger, B. (1993). TURBULENT FLAME REACTOR STUDIES OF CHLORINATED HYDROCARBON DESTRUCTION EFFICIENCY. *Biochim Biophys Acta*. 1181: 266-272.
- Ramadori, G; Yim, AP. (2004). Some flow-cytofluorimetric studies of the nuclear ploidy of mouse hepatocytes: iii. further observations on early changes in nuclear ploidy of mouse hepatocytes following various experimental procedures. *J Hepatol*. 40: 638-645.
- Ramaiah, SK; Apte, U; Mehendale, HM. (2001). Cytochrome P4502E1 induction increases thioacetamide liver injury in diet-restricted rats. *Drug Metab Dispos*. 29: 1088-1095.
- Ramalho, TC; de Alencastro, RB; La-Scalea, MA; Figueroa-Villar, JD. (2004). Theoretical evaluation of adiabatic and vertical electron affinity of some radiosensitizers in solution using FEP, ab initio and DFT methods. *Biophys Chem*. 110: 267-279.
- Ramanaiah, P; Shankara, CR; Indira, K; Rajendra, W. (1991). Effect of carbon tetrachloride on arginine metabolism of *Lamellidens marginalis*. *Indian J Environ Health*. 33: 213-217.
- Ramasamy, P; Subhapradha, N; Shanmugam, V; Shanmugam, A. (2014). Protective effect of chitosan from *Sepia kobsiensis* (Hoyle 1885) cuttlebone against CCl₄ induced hepatic injury. *Int J Biol Macromol*. 65: 559-563.
- Ramesh, L; Andhale, MS. (1996). Effect of aeration and cytotoxic chemicals on tetrachloromethane dehalogenation by *Rhodotorula R3*. *Indian J Exp Biol*. 34: 380-381.
- Ramirez, MJ; Ibanez, A; Navasa, M; Casals, E; Morales-Ruiz, M; Jimenez, W; Arroyo, V; Rodes, J. (2004). High-density lipoproteins reduce the effect of endotoxin on cytokine production and systemic hemodynamics in cirrhotic rats with ascites. *J Hepatol*. 40: 424-430.
- Ramkumar, KM; Anuradha, CV. (2005). Short-term dietary restriction modulates liver lipid peroxidation in carbon tetrachloride-intoxicated rats. *J Basic Clin Physiol Pharmacol*. 16: 245-256.
- Ramkumar, KM; Rajesh, R; Anuradha, CV. (2003). Food restriction attenuates blood lipid peroxidation in carbon tetrachloride-intoxicated rats. *Nutrition*. 19: 358-362.
- Ramos, AR; Matte, U. Intestinal permeability assessed by ⁵¹Cr-EDTA in rats with CCl₄ - induced cirrhosis.
- Rana, SV. (1977). Connective tissue fibers in the liver of squirrel, after carbon tetrachloride poisoning. A histochemical study. *Anatomischer Anzeiger*. 141: 126-129.
- Rana, SV. (1979). Possible role of a new metal chelate in the treatment of carbon tetrachloride induced liver damage in squirrels. *Mikroskopie*. 35: 66-69.
- Rana, SV; Agrawal, VP. (1971). Histochemical study of a few enzymes in the liver of common squirrel, *Funambulus pennanti* poisoned with carbon tetrachloride. *Acta Histochem*. 41: 125-130.
- Rana, SV; Kumar, S. (1987). Effect of sex hormones on lipid peroxidation in the necrotic liver of rat. *Gegenbaurs morphologisches Jahrbuch*. 133: 657-663.
- Rana, SV; Rastogi, S. (1991). Effect of parathyroidectomy on calcium and phospholipase A₂ in the liver of carbon tetrachloride-treated rats. *Physiological chemistry and physics and medical NMR*. 23: 173-176.
- Rana, SV; Tayal, MK. (1981). Influence of zinc, vitamin B₁₂ and glutathione on the liver of rats exposed to carbon tetrachloride. *Ind Health*. 19: 65-69.
- Rana, SV; Tayal, MK. (1981). Lipotropic effects of zinc, vitamin B₁₂, and glutathione on the fatty liver of rat. A histochemical study. *Mikroskopie*. 38: 294-300.
- Rana, SVS; Tayal, MK. (1981). Influence of Zinc, Vitamin B sub(12) and Glutathione on the Liver of Rats Exposed to Carbon Tetrachloride. *INDUST HEALTH*. 19: 65-69.
- Ranawat, L; Bhatt, J; Patel, J. (2010). Hepatoprotective activity of ethanolic extracts of bark of *Zanthoxylum armatum* DC in CCl₄ induced hepatic damage in rats. *J Ethnopharmacol*. 127: 777-780.
- Rand, KH; Raad, I; el, KA; Houck, HJ; Brey, W; Rocca, J; Loftsson, T; Bodor, N. (1987). Trifluorothymidine: potential non-invasive diagnosis of herpes simplex infection using ¹⁹F nuclear magnetic resonance in a murine hepatitis model. *Journal of virological methods*. 18: 257-269.

Environmental Hazard Literature Search Results

Off Topic

- Randerath, K; Randerath, E; Zhou, GD; Li, D. (1999). Bulky endogenous DNA modifications (I-compounds) Possible structural origins and functional implications. *Mutat Res.* 424: 183-194.
- Ranek, L; Bremmelgaard, A; Dupont, B; Jorgensen, M; Keiding, S; Thomsen, P; Tyrsted, G. (1974). The effects of azathioprine on CCl₄ induced cirrhosis in the rat. *Beiträge zur Pathologie.* 152: 66-73.
- Rani, S; Kumar, S; Chandra, S. (2014). Spectroscopic and biological approach in the characterization of a novel 14-membered [N₄] macrocyclic ligand and its palladium(II), platinum(II), ruthenium(III) and iridium(III) complexes. *Spectrochimica acta Part A, Molecular and biomolecular spectroscopy.* 118: 244-250.
- Rao, AR; Sarada, R; Shylaja, MD; Ravishankar, GA. (2015). Evaluation of hepatoprotective and antioxidant activity of astaxanthin and astaxanthin esters from microalga-Haematococcus pluvialis. *Journal of Food Science and Technology-Mysore.* 52: 6703-6710.
- Rao, BG; Rao, YV; Rao, TM. (2013). Hepatoprotective and antioxidant capacity of Melochia corchorifolia extracts. *Asian Pacific Journal of Tropical Medicine.* 6: 537-543.
- Rao, CV; Kodavanti, PRS; Mehendale, HM. (1991). PERTURBATION OF CALCIUM REGULATED EVENTS DURING CHLORDECONE CD POTENTIATED CARBON TETRACHLORIDE HEPATOTOXICITY. 75th Annual Meeting Of The Federation Of American Societies For Experimental Biology, Atlanta, Georgia, Usa, April. 5.
- Rao, CV; Mehendale, HM. (1991). Effect of colchicine on hepatobiliary function in CCl₄ treated rats. *Biochem Pharmacol.* 42: 2323-2332.
- Rao, CV; Mehendale, HM. (1991). Effect of colchicine on hepatobiliary function in CCl sub(4) treated rats. *Biochem Pharmacol.* 42: 2323-2332.
- Rao, GMM; Rao, CV; Pushpangadan, P; Shirwaikar, A. (2006). Hepatoprotective effects of rubiadin, a major constituent of *Rubia cordifolia* Linn. *J Ethnopharmacol.* 103: 484-490.
- Rao, KS; Mishra, SH. (1998). Antihepatotoxic activity of monomethyl fumarate isolated from *Fumaria indica*. *J Ethnopharmacol.* 60: 207-213.
- Rao, PS; Dalu, A; Kulkarni, SG; Mehendale, HM. (1996). Stimulated tissue repair prevents lethality in isopropanol-induced potentiation of carbon tetrachloride hepatotoxicity. *Toxicol Appl Pharmacol.* 140: 235-244.
- Rao, PSC; Hornsby, AG; Jessup, RE. (1984). INDICES FOR RANKING THE POTENTIAL FOR PESTICIDE CONTAMINATION OF GROUNDWATER. 44th Annual Meeting Of The Soil And Crop Science Society Of Florida, Jacksonville Beach, Fla, Usa, Oct. 44: 1-8.
- Rao, SB; Mehendale, HM. (1989). Protection from chlordecone (Kepone)-potentiated CCl₄ hepatotoxicity in rats by fructose 1,6-diphosphate. *The International journal of biochemistry.* 21: 949-954.
- Rao, SB; Mehendale, HM. (1989). Protective role of fructose 1,6-bisphosphate during CCl sub(4) hepatotoxicity in rats. *Biochem J.* 262: 721-725.
- Rao, SB; Young, RA; Mehendale, HM. (1990). Perturbations in polyamines and related enzymes following chlordecone-potentiated bromotrachloromethane hepatotoxicity. *J Biochem Toxicol.* 5: 23-32.
- Rao, VC; Mehendale, HM. (1991). Colchicine antimitosis abolishes carbon tetrachloride autoprotection. *Toxicol Pathol.* 19: 597-606.
- Rao, VC; Mehendale, HM. (1991). Colchicine antimitosis abolishes CCl₄ autoprotection. *Toxicol Pathol.* 19: 597-606.
- Rao, VC; Mehendale, HM. (1993). Effect of antimitotic agent colchicine on carbon tetrachloride toxicity. *Arch Toxicol.* 67: 392-400.
- Rao, VRS; Narayanan, SS. (1989). DETERMINATION OF CARBON DISULFIDE THROUGH XANTHATE BY RADIORELEASE METHOD EMPLOYING RADIOCHLORAMINE-T. *J Radioanal Nucl Chem.* 136: 325-330.
- Rao, VS; Silveira, ER; Glende, EAJR; Recknagel, RO. (1997). An indirect method demonstrating that carbon tetrachloride dependent hepatocyte injury is linked to a rise in intracellular calcium ion concentration. *Phytomedicine* 97, Ma. 73: 41-52.
- Rasgoti, S. (1997). Effect of carbon tetrachloride on rat liver, following parathyroidectomy: histopathological observations. *Indian J Exp Biol.* 35: 443-447.
- Rashed, K; Potocnjak, I; Giacometti, J; Skoda, M; Domitrovic, R. (2014). Terminalia bellerica aerial parts ethyl acetate extract exhibits antioxidant, anti-inflammatory and antifibrotic activity in carbon tetrachloride-intoxicated mice. *Journal of Functional Foods.* 8: 319-330.
- Rashid, K; Sinha, K; Sil, PC. (2013). An update on oxidative stress-mediated organ pathophysiology. *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association.* 62: 584-600.
- Rasool, M; Iqbal, J; Malik, A; Ramzan, HS; Qureshi, MS; Asif, M; Qazi, MH; Kamal, MA; Chaudhary, AG; Al-Qahtani, MH; Gan, SH; Karim, S. (2014). Hepatoprotective Effects of *Silybum marianum* (Silymarin) and *Glycyrrhiza glabra* (Glycyrrhizin) in Combination: A Possible Synergy. *Evidence-based complementary and alternative medicine : eCAM.* 2014: 641597.
- Rastogi, S; Rana, SVS. (1990). Influence of parathyroidectomy on liver glycogen in rats treated with carbon tetrachloride. *Indian journal of experimental biology New Delhi.* 28: 794-795.
- Rat, P; Korwin-Zmij. New in vitro fluorimetric microtitration assays for toxicological screening of drugs.
- Ratasuk, N; Nanny, MA. (2007). Characterization and quantification of reversible redox sites in humic substances. *Environmental Science & Technology.* 41: 7844-7850.
- Ratner, AV; Carter, EA; Pohost, GM; Wands, JR. (1986). Nuclear magnetic resonance spectroscopy and imaging in the study of experimental liver diseases. *Alcoholism, clinical and experimental research.* 10: 241-245.
- Ratti, M; Canonica, S; McNeill, K; Erickson, PR; Bolotin, J; Hofstetter, TB. (2015). Isotope Fractionation Associated with the Direct Photolysis of 4-Chloroaniline. *Environmental Science & Technology.* 49: 4263-4273.
- Rau, JM; Reinke, LA; McCay, PB. (1990). Direct observation of spin-trapped carbon dioxide radicals in hepatocytes exposed to carbon tetrachloride. *Free Radic Res Commun.* 9: 197-204.
- Raunio, H; Rautio, A; Arranto, AJ; Saarni, HU. (1986). Polyamine biosynthesis and monoxygenase enzyme activity in rat liver cirrhosis and regeneration. *Res Comm Chem Pathol Pharmacol.* 53: 159-165.
- Rav-Acha, C; Shuval, HI; Avisar, E; Ben-Zakin, S; Alkaslasi, D; Zelicovitz, Y. (1990). MUTAGENICITY OF CHLORINATED SEAWATER FROM COOLING SYSTEMS OF POWER PLANTS. *Grandjean, E. O:* 33-54.
- Ravikumar, S; Gnanadesigan, M. (1993). Hepatoprotective and antioxidant activity of a mangrove plant *Lumnitzera racemosa*. 1: 348-352.

Environmental Hazard Literature Search Results

Off Topic

- Ravindran, R; Balasubramanian, TR. (1988). Kinetics and mechanism of oxidation of tri-n-butylstannyl alkoxides of benzhydrol and substituted benzhydrols by bromine in carbon tetrachloride. *Journal of Organometallic Chemistry*. 344: 289-292.
- Raw, AS; Jang, EB. (2002). Attractant for the Mediterranean fruit fly, the method of preparation and method of use. United States Department of Agriculture patents 13 p.
- Ray, P; Moore, L. (1986). Carbon tetrachloride-induced release of calcium from isolated hepatocytes. *Toxicology*. 41: 205-212.
- Ray, SD; Mehendale, HM. (1990). Potentiation of carbon tetrachloride and carbon trichloride hepatotoxicity and lethality by various alcohols. *Fundam Appl Toxicol*. 15: 429-440.
- Ray, SD; Mumaw, VR; Raje, RR; Fariss, MW. (1996). Protection of acetaminophen-induced hepatocellular apoptosis and necrosis by cholesteryl hemisuccinate pretreatment. *J Pharmacol Exp Ther*. 279: 1470-1483.
- Raymond, P. (1996). Ketone potentiation of haloalkane-induced hepatotoxicity: CCl₄ and ketone treatment on hepatic membrane integrity. *J Toxicol Environ Health*. 25: 85-300.
- Raymond, P; Plaa, GL. (1995). Ketone potentiation of haloalkane-induced hepato- and nephrotoxicity. I. Dose-response relationships. *J Toxicol Environ Health*. 45: 465-480.
- Raymond, P; Plaa, GL. (1996). Ketone potentiation of haloalkane-induced hepatotoxicity: CCl₄ and ketone treatment on hepatic membrane integrity. *J Toxicol Environ Health*. 49: 285-300.
- Raymond, P; Plaa, GL. (1997). Effect of dosing vehicle on the hepatotoxicity of CCl₄ and nephrotoxicity of CHCl₃ in rats. *J Toxicol Environ Health*. 51: 463-476.
- Raymond, P; Plaa, GL. (1997). Effect of dosing vehicle on the hepatotoxicity of CCl₄ and nephrotoxicity of CHCl₃ in rats. *J Toxicol Environ Health*. 51: 463-476.
- Rayssiguier, Y; Chevalier, F; Bonnet, M; Kopp, J; Durlach, J. Influence of magnesium deficiency on liver collagen after carbon tetrachloride or ethanol administration to rats. *J Nutr*. Dec 1985. v. 115 (12): 1656-1662.
- Reath, DB; Kirby, J; Lynch, M; Maull, KI. (1994). Injury and cost comparison of restrained and unrestrained motor vehicle crash victims. *The Journal of trauma*. 29: 1173-1176; discussion 1176-1177.
- Reboredo, M; Chang, HC. Zolmitriptan: a novel portal hypotensive agent which synergizes with propranolol in lowering portal pressure.
- Recknagel, RO; Glende, EA, Jr. (1973). Carbon tetrachloride hepatotoxicity: an example of lethal cleavage. *CRC Crit Rev Toxicol*. 2: 263-297.
- Recknagel, RO. (1967). Carbon tetrachloride hepatotoxicity. *Pharmacol Rev*. 19: 145-208.
- Recknagel, RO. (1983). A new direction in the study of carbon tetrachloride hepatotoxicity. *Life Sci*. 33: 401-408.
- Recknagel, RO; Ghoshal, AK. (1966). Lipoperoxidation of rat liver microsomal lipids induced by carbon tetrachloride. *Nature*. 210: 1162-1163.
- Recknagel, RO; Ghoshal, AK. (1966). New data on the question of lipoperoxidation in carbon tetrachloride poisoning. *Exp Mol Pathol*. 5: 108-117.
- Recknagel, RO; Ghoshal, AK. (1966). Quantitative estimation of peroxidative degeneration of rat liver microsomal and mitochondrial lipids after carbon tetrachloride poisoning. *Exp Mol Pathol*. 5: 413-426.
- Recknagel, RO; Glende, EA, Jr.; Dolak, JA; Waller, RL. (1989). Mechanisms of carbon tetrachloride toxicity. *Pharmacology & Therapeutics*. 43: 139-154.
- Recknagel, RO; Glende, EA, Jr. (1987). EFFECT OF CARBON TETRACHLORIDE ON LIVER CELL CALCIUM HOMEOSTASIS. *Heilmann, C*. 0: 229-236.
- Recknagel, RO; Glende Jr, EA; Hruszkewycz, AM. (1977). CHAPTER 3 - Chemical Mechanisms in Carbon Tetrachloride Toxicity A2 - Pryor, William A. *Free Radicals in Biology* 97-132.
- Recknagel, RO; Litteria, M. (1960). Biochemical changes in carbon tetrachloride fatty liver: concentration of carbon tetrachloride in liver and blood. *Am J Pathol*. 36: 521-531.
- Recknagel, RO; Lombardi, B; Schotz, MC. (1960). A new insight into pathogenesis of carbon tetrachloride fat infiltration. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY)*. 104: 608-610.
- Reddrop, CJ; Cheeseman, KH; Slater, TF. (1983). Correlations between common tests for assessment of liver damage: indices of the hepatoprotective activity of promethazine in carbon tetrachloride hepatotoxicity. *Cell Biochem Funct*. 1: 55-63.
- Reddrop, CJ; Riess, W; Slater, TF. (1981). Interactions of carbon tetrachloride and promethazine in the rat--I. Effects of promethazine on the concentrations of carbon tetrachloride in blood and liver, and on the production of chloroform. *Biochem Pharmacol*. 30: 1443-1447.
- Reddrop, CJ; Riess, W; Slater, TF. (1981). Interactions of carbon tetrachloride and promethazine in the rat--II. Elimination of carbon tetrachloride and chloroform in expired air as indications of their metabolism in the intact animal. *Biochem Pharmacol*. 30: 1449-1455.
- Reddy, BP; Kokate, CK; Rambhau, D; Venkateswarlu, V; Murthy, VN. (1986). ANTIHEPATOTOXIC ACTIVITY OF SOME AYURVEDIC PREPARATIONS. *Indian J Pharmaceut Sci*. 55: 137-140.
- Reddy, DG; Krishnamurthy, KR; Bhaskar, GR. (1962). Carbon tetrachloride cirrhosis in rats. 1. The influence of age, sex, and gonadectomy; 2. The changes in the livers of the fetuses born to mothers exposed to carbon tetrachloride. *Arch Pathol*. 74: 73-80.
- Reddy, GM; Bhavani, AKD; Reddy, PP; Reddy, PSN. (2002). Synthesis of NN'-linked bisazaheterocycles. *Synthesis-Stuttgart* 1311-1343.
- Redmond, CK. (1991). SEVENTH SYMPOSIUM ON ENVIRONMENTAL EPIDEMIOLOGY METHODS FOR ENVIRONMENTAL QUANTITATIVE RISK ASSESSMENT PITTSBURGH PENNSYLVANIA USA APRIL 3-5 1989. *Environ Health Perspect*. 90: 155-296.
- Reen, RK; Karan, M; Singh, K; Karan, V; Johri, RK; Singh, J. (2001). Screening of various *Swertia* species extracts in primary monolayer cultures of rat hepatocytes against carbon tetrachloride- and paracetamol-induced toxicity. *J Ethnopharmacol*. 75: 239-247.
- Rees, KR; Shotlander, VL. (1964). CHANGES IN LIPID METABOLISM DURING THE DEVELOPMENT OF THE FATTY LIVER. *Br J Exp Pathol*. 45: 364-374.
- Rees, KR; Shotlander, VL. (1964). HEPATIC CELL INJURY. *Biochemical clinics*. 4: 181-188.
- Rees, KR; Sinha, KP; Spector, WG. (1961). The pathogenesis of liver injury in carbon tetrachloride and thioacetamide poisoning. *The Journal of pathology and bacteriology*. 81: 107-118.

Environmental Hazard Literature Search Results

Off Topic

- Rees, KR; Smith, JF. (1963). THE PRESENCE OF MITOCHONDRIAL ENZYMES IN FAT IN THE LIVER IN CARBON TETRACHLORIDE POISONING. *The Journal of pathology and bacteriology*. 86: 327-331.
- Rees, KR; Spector, WG. (1961). Reversible nature of liver cell damage due to carbon tetrachloride as demonstrated by the use of phenergan. *Nature*. 190: 821-822.
- Reese, AJ; Rimington, C. (1964). BILIARY AND URINARY EXCRETION OF PORPHYRINS IN THE RAT STUDIED BY INTRAVITAL FLUORESCENCE MICROSCOPY. *Br J Exp Pathol*. 45: 30-36.
- Regalado Soto, DI; ChÃ¡vez Morales, RM; MartÃ­nez SaldaÃ±a, MC. (2016). Quercetin effect on chronic kidney intoxication caused by carbon tetrachloride. *Toxicol Lett*. 259, Supplement: S244-S245.
- Regenhardt, SA; Meyer, CI; Trasarti, AF; MonzÃ³n, A; Garetto, TF. (2012). Catalytic oxidation of carbon tetrachloride on metal exchanged Y-zeolite. *Chem Eng J*. 198-199: 18-26.
- Regimbeau, JM; Fuks, D; Kohneh-Shahri, LoltoLDUŠRŠDs; Department, oPHœCPRPFR-mc-a-af; Terris, B. Restrictive model of compensated carbon tetrachloride-induced cirrhosis in rats.
- Reginatteginatto, FH; Li, W; Wu, Y; Zhu, C; Wang, Z; Gao, R; Wu, Q. (2012). Anti-fibrosis effects of Huisheng oral solution in CCl4-induced hepatic fibrosis in rat. *Pharmaceutical Biology*. 50: 911-918.
- Regunathan, P. (1985). OVERVIEW OF POINT-OF-USE WATER TREATMENT TECHNOLOGY. Rice, R G *Safe Drinking Water: The Impact Of Chemicals On A Limited Resource*. 0: 43-62.
- Reichard, H. (1959). Ornithine carbamyl transferase in dog serum on intravenous injection of enzyme, choledochus ligation, and carbon tetrachloride poisoning. *The Journal of laboratory and clinical medicine*. 53: 417-425.
- Reichard, JF; Doorn, JA; Simon, F; Taylor, MS; Petersen, DR. (2003). Characterization of multidrug resistance-associated protein 2 in the hepatocellular disposition of 4-hydroxynonenal. *Arch Biochem Biophys*. 411: 243-250.
- Reichard, JF; Vasiliou, V; Petersen, DR. (2000). Characterization of 4-hydroxy-2-nonenal metabolism in stellate cell lines derived from normal and cirrhotic rat liver. *Biochimica Et Biophysica Acta-Molecular and Cell Biology of Lipids*. 1487: 222-232.
- Reichenbach, V; FernÃ¡ndez-VaD, B; Moland, MGSHC; iac, PdBIDIBAPSCcdInBŠeEdEHepÃ¡ tyvUo; Casals, G; OrU, OD. (1992). Adenoviral dominant-negative soluble PDGFRβ improves hepatic collagen, systemic hemodynamics, and portal pressure in fibrotic rats.
- Reichenbach, V; Ros, J; FernÃ¡ndez-VaD, G; Cas, CG; Melgar-Lesmes, P; Campos, T; Makriyannis, A; Morales-Ruiz, M; JimÃ©nez, SSoB; Mo, GHC; ial, CnBS. (2012). Prevention of fibrosis progression in CCl4-treated rats: role of the hepatic endocannabinoid and apelin systems. *The Journal of pharmacology and experimental therapeutics*. 340: 629-637.
- Reimers, J; Hall, LE. (1999). The solvation of acetonitrile. *J Am Chem Soc*. 121: 3730-3744.
- Reimers, RS; Akers, TG; White, L. (8451). USE OF APPLIED FIELDS IN BIOLOGICAL TREATMENT OF TOXIC SUBSTANCES WASTEWATER AND SLUDGES. Mizrahi, A. 0: 235-272.
- Reinhard, M; Curtis, GP; Kriegman, MM. (1990). TRANSFORMATIONS OF CARBON TETRACHLORIDE AND HEXACHLOROETHANE INDUCED BY NATURAL SEDIMENTS AND MINERALS UNDER ANAEROBIC AND AEROBIC CONDITIONS. 199th *Acs*. 199: 96.
- Reinhardt, CF; Dinman, BD. (1965). TOXICITY OF HYDRAZINE AND 1,1-DIMETHYLHYDRAZINE (UDMH): HEPATOSTRUCTURAL AND ENZYMATIC CHANGE. *Arch Environ Health*. 10: 859-869.
- Reinke, LA; Janzen, EG. (1991). Detection of spin adducts in blood after administration of carbon tetrachloride to rats. *Chem Biol Interact*. 78: 155-165.
- Reinke, LA; Lai, EK; McCay, PB. Ethanol feeding stimulates trichloromethyl radical formation from carbon tetrachloride in liver. *Xenobiotica*. Nov 1988. v. 18 (11): 1311-1318.
- Reinke, LA; Towner, RA; Janzen, EG. (1992). Spin trapping of free radical metabolites of carbon tetrachloride in vitro and in vivo: Effect of acute ethanol administration. *Toxicol Appl Pharmacol*. 112: 17-23.
- Reinke, LA; Yamashiro, S; Towner, RA; Janzen, EG. (1993). THE INVOLVEMENT OF KUPFFER CELLS IN THE FORMATION OF HYDROPHIC REGIONS IN RAT LIVER MRI-MRS EM AND SPIN TRAPPING STUDIES. 1st Annual Meeting Of The Oxygen Society On Oxygen, Charleston, South Carolina, Usa, November. 15: 522.
- Reissman, KR; Boley, J; Christianson, JF; Delp, MH. (1954). The serum iron in experimental hepatocellular necrosis. *The Journal of laboratory and clinical medicine*. 43: 572-582.
- Reiter, R; Tang, L; Garcia, JJ; MuÃ±oz-HoyD, A. (1997). Pharmacological actions of melatonin in oxygen radical pathophysiology. *Life Sci*. 60: 2255-2271.
- Reiter, RJ; Rosales-Corral, SA; Manchester, LC; Liu, XY; Tan, DX. (2014). Melatonin in the Biliary Tract and Liver: Health Implications. *Curr Pharm Des*. 20: 4788-4801.
- Reitman, FA; Berger, ML; Minnema, DJ; Shertzer, HG. (1996). Calcium transport, thiol status, and hepatotoxicity following N-nitrosodimethylamine exposure in mice. 23: 321-331.
- Reitman, FA; Berger, ML; Shertzer, HG. (1988). Studies on calcium transport during carbon tetrachloride mediated hepatotoxicity in mice. *Biochem Pharmacol*. 37: 4584-4586.
- Remirez, D; Gonzalez, R; Rodriguez, S; Ancheta, O; Bracho, JC; Rosado, A; Rojas, E; Ramos, ME. (1997). Protective effects of Propolis extract on allyl alcohol-induced liver injury in mice. *Phytomedicine*. 4: 309-314.
- Remizov, AB; Kamalova, DI; Skochilov, RA; Suvorova, IA; Batyrshin, NN; Kharlampidi, KE. (2004). FT-IR study of self-association of some hydroperoxides. *Journal of Molecular Structure*. 700: 73-79.
- Remmer, H; Gharaibeh, AM. (1984). Measurement of the oxidation rate of volatile alkanes: a new and non-invasive procedure for testing the drug-metabolizing capacity of the liver. *Biochem Soc Trans*. 12: 28-30.

Environmental Hazard Literature Search Results

Off Topic

- Renard, P; Bouillon, C; Naveau, H; Nyns, EJ. (1993). Toxicity of a mixture of polychlorinated organic compounds towards an unacclimated methanogenic consortium. *Biotechnol Lett.* 15: 195-200.
- Renga, B; Mencarelli, A; Migliorati, M; Cipriani, S; D'Amore, C; Distrutti, E; Fiorucci, S. (2011). SHP-dependent and -independent induction of peroxisome proliferator-activated receptor- γ ; by the bile acid sensor farnesoid X receptor counter-regulates the pro-inflammatory phenotype of liver myofibroblasts. *Inflammation research : official journal of the European Histamine Research Society [et al]*. 60: 577-587.
- Renga, B; Mencarelli, A; Migliorati, M; Distrutti, E; Fiorucci, S. (2009). Bile-acid-activated farnesoid X receptor regulates hydrogen sulfide production and hepatic microcirculation. *World J Gastroenterol.* 15: 2097-2108.
- Resch, M; Wiest, R; Moleda, L; Fredersdorf, S; Stoelcker, B; Schroeder, JA; Schäfer, Imeri. Alterations in mechanical properties of mesenteric resistance arteries in experimental portal hypertension.
- Reuber, MD. (1970). Accentuation of carbon tetrachloride-induced cirrhosis by azathioprine in the rat. *Arch Pathol.* 90: 567-571.
- Reuber, MD. (1970). Hepatic vein thrombosis. Increased incidence in rats given methylcholanthrene and carbon tetrachloride. *Arch Environ Health.* 20: 458-461.
- Reuber, MD. (1975). Hepatic vein thrombosis in Buffalo strain female rats ingesting dimethylnitrosamine. *Pathologia Europaea.* 10: 241-244.
- Reuber, MD; Dove, LF. (1971). Hepatic lesions in aged rats given carbon tetrachloride and 3-methylcholanthrene. *Pathol Microbiol.* 37: 122-131.
- Reuber, MD; Dove, LF; Glover, EL. (1968). Severe cirrhosis with hepatic vein thrombosis in rats given carbon tetrachloride and 3-methylcholanthrene. *Pathol Microbiol.* 32: 41-48.
- Reuber, MD; Glover, EL. (1967). Cholangiofibrosis in the liver of buffalo strain rats injected with carbon tetrachloride. *Br J Exp Pathol.* 48: 319-322.
- Reuber, MD; Glover, EL. (1967). Thrombosis of hepatic veins accompanying carbon tetrachloride induced cirrhosis. *Arch Pathol.* 83: 267-270.
- Reuber, MD; Glover, EL. (1968). Carbon tetrachloride induced cirrhosis. Effect of age and sex. *Arch Pathol.* 85: 275-279.
- Reuber, MD; Glover, EL; Dove, LF. (1969). Hepatic lesions in aged rats given carbon tetrachloride. *Gerontologia.* 15: 7-13.
- Reuning, RH; Schanker, LS. (1971). Effect of carbon tetrachloride-induced liver damage on hepatic transport of ouabain in the rat. *The Journal of pharmacology and experimental therapeutics.* 178: 589-594.
- Reuning, RH; Schanker, LS. (1972). Effect of carbon tetrachloride-induced liver damage on organic ion transport in rat liver. *Toxicol Appl Pharmacol.* 23: 553-562.
- Reves, JG. (1974). Halothane hepatitis. Current concepts. *Postgrad Med.* 56: 65-70.
- Reyes-Gordillo, K; Muriel, P; Castaneda-Hernandez, G; Favari, L. (2007). Pharmacokinetics of diclofenac in rats intoxicated with CCL₄, and in the regenerating liver. *Biopharmaceutics & Drug Disposition.* 28: 415-422.
- Reyes-Gordillo, K; Segovia, J; Shibayama, M; Vergara, P; Moreno, MG; Muriel, P. (2007). Curcumin protects against acute liver damage in the rat by inhibiting NF- κ B, proinflammatory cytokines production and oxidative stress. *Biochimica Et Biophysica Acta-General Subjects.* 1770: 989-996.
- Reyes-Gordillo, K; Shah, R; Arellanes-Robledo, J; Rojkind, M; Lakshman, MR. (2012). Protective effects of thymosin β_4 on carbon tetrachloride-induced acute hepatotoxicity in rats. *Ann N Y Acad Sci.* 1269: 61-68.
- Reynell, PC. (1955). Therapy in experimental hepatic failure. *Br Med J.* 1: 459-460.
- Reynolds, ES. (1963). LIVER PARENCHYMAL CELL INJURY. I. INITIAL ALTERATIONS OF THE CELL FOLLOWING POISONING WITH CARBON TETRACHLORIDE. *The Journal of cell biology.* 19: 139-157.
- Reynolds, ES. (1964). LIVER PARENCHYMAL CELL INJURY. II. CYTOCHEMICAL EVENTS CONCERNED WITH MITOCHONDRIAL DYSFUNCTION FOLLOWING POISONING WITH CARBON TETRACHLORIDE. *Laboratory investigation; a journal of technical methods and pathology.* 13: 1457-1470.
- Reynolds, ES. (1965). Liver parenchymal cell injury. 3. The nature of calcium-associated electron-opaque masses in rat liver mitochondria following poisoning with carbon tetrachloride. *The Journal of cell biology.* 25: Suppl:53-75.
- Reynolds, ES. (1967). Liver parenchymal cell injury. IV. Pattern of incorporation of carbon and chlorine from carbon tetrachloride into chemical constituents of liver in vivo. *The Journal of pharmacology and experimental therapeutics.* 155: 117-126.
- Reynolds, ES. (1977). Liver endoplasmic reticulum: target site of halocarbon metabolites. *Adv Exp Med Biol.* 84: 117-137.
- Reynolds, ES. (1978). 1012 - CARBON TETRACHLORIDE METABOLISM, METABOLITE BINDING AND LIVER INJURY. *Abstracts391.*
- Reynolds, ES. (1979). Cellular injury: one-dimensional approaches to polydimensional problems. *Tex Rep Biol Med.* 38: 55-77.
- Reynolds, ES; Moslen, MT. (1974). Chemical modulation of early carbon tetrachloride liver injury. *Toxicol Appl Pharmacol.* 29: 377-388.
- Reynolds, ES; Moslen, MT; Treinen, RJ. (1982). Isopropanol enhancement of carbon tetrachloride metabolism in vivo. *Life Sci.* 31: 661-669.
- Reynolds, ES; Ree, HJ. (1971). Liver parenchymal cell injury. VII. Membrane denaturation following carbon tetrachloride. *Laboratory investigation; a journal of technical methods and pathology.* 25: 269-278.
- Reynolds, ES; Ree, HJ; Moslen, MT. (1972). Liver parenchymal cell injury. IX. Phenobarbital potentiation of endoplasmic reticulum denaturation following carbon tetrachloride. *Laboratory investigation; a journal of technical methods and pathology.* 26: 290-299.
- Reynolds, ES; Thiers, RE; Vallee, BL. (1962). Mitochondrial function and metal content in carbon tetrachloride poisoning. *The Journal of biological chemistry.* 237: 3546-3551.
- Reynolds, ES; Treinen, RJ; Farrish, HH; Moslen, MT. (1984). Metabolism of (super(14)C)carbon tetrachloride to exhaled, excreted and bound metabolites. Dose-response, time-course and pharmacokinetics. *Biochem Pharmacol.* 33: 3363-3374.
- Reynolds, ES; Treinen, RJ; Farrish, HH; Moslen, MT. (1984). Metabolism of [14C]carbon tetrachloride to exhaled, excreted and bound metabolites. Dose-response, time-course and pharmacokinetics. *Biochem Pharmacol.* 33: 3363-3374.

Environmental Hazard Literature Search Results

Off Topic

- Reynolds, ES; Treinen, RJ; Farrish, HH; Moslen, MT. (1984). Relationships between the pharmacokinetics of carbon tetrachloride conversion to carbon dioxide and chloroform and liver injury. *Archives of toxicology Supplement = Archiv für Toxikologie Supplement*. 7: 303-306.
- Reza, HM; Tabassum, N; Sagor, MA; Chowdhury, MR; Rahman, M; Jain, P; Alam, MA. (2016). Angiotensin-converting enzyme inhibitor prevents oxidative stress, inflammation, and fibrosis in carbon tetrachloride-treated rat liver. *Toxicol Mech Meth*. 26: 46-53.
- Rezaei, H; Normant, JF. (2000). Preparation of 1-bromo-1-chloro-, 1,1-dibromo- or 1,1-dichloroalk-1-enes from ketones. *Synthesis-Stuttgart*109-112.
- Rezende, TP. Protective effects of *Baccharis dracunculifolia* leaves extract against carbon tetrachloride- and acetaminophen-induced hepatotoxicity in experimental animals.
- Rhee, E; Speece, RE. (2000). Probing of maximal biodegradation rates of methylene chloride, carbon tetrachloride, and 1,1,1-trichloroethane in methanogenic processes. *Environ Technol*. 21: 147-156.
- Rhew, RC; Miller, BR; Weiss, RF. (2008). Chloroform, carbon tetrachloride and methyl chloroform fluxes in southern California ecosystems. *Atmos Environ*. 42: 7135-7140.
- Rhoden, EL; Pereira-Lima, J; Rhoden, CR; Mauri, M; Pereira-Lima, JC; Zettler, CG; Barros, EG. (1999). The role of colchicine in prevention of hepatic cirrhosis induced by carbon tetrachloride. *Hepatogastroenterology*. 46: 1111-1115.
- Rhoden, EL; Pereira-Lima, L; Kalil, AN; Lucas, ML; Mauri, M; Menti, E; Rhoden, CR; Pereira-Lima, J; Zettler, CG; BellÃ-KIAd. (2000). Effects of ischemia and reperfusion on oxidative stress in hepatic cirrhosis induced by carbon tetrachloride in rats. *The Kobe journal of medical sciences*. 46: 171-180.
- Rhoderick, GC; Zielinski, WLJR. (1988). PREPARATION OF ACCURATE MULTICOMPONENT GAS STANDARDS OF VOLATILE TOXIC ORGANIC COMPOUNDS IN THE LOW-PARTS-PER-BILLION RANGE. *Anal Chem*. 60: 2454-2460.
- Ribeiro, AR; Nunes, OC; Pereira, MFR; Silva, AMT. (2015). An overview on the advanced oxidation processes applied for the treatment of water pollutants defined in the recently launched Directive 2013/39/EU. *Environ Int*. 75: 33-51.
- Ribeiro, LP; McDonald, HJ. (1963). SERUM LIPOPROTEIN LEVELS IN RATS WITH LIVER DAMAGE INDUCED BY CARBON TETRACHLORIDE. *Clinica chimica acta; international journal of clinical chemistry*. 8: 727-730.
- Ribera, D; Narbonne, JF; Michel, X; Livingstone, O'Hara, S. (1991). Responses of antioxidants and lipid peroxidation in mussels to oxidative damage exposure. *Comparative Biochemistry and Physiology, C*. 100C: 177-181.
- Ribera, D; Narbonne, JF; Michel, X; Livingstone, DR; O'Hara, S. (1990). RESPONSE OF ANTIOXIDANTS AND LIPID PEROXIDATION IN MUSSELS TO OXIDATIVE DAMAGE EXPOSURE. Meeting On Physiological And Biochemical Approaches To The Toxicological Assessment Of Environmental Pollution Held At The 12th Annual Conference Of The European Society For Comparative Physiology And Biochemistry, Utrecht, Netherlands, August. 100: 177-182.
- Ribera, J; Pauta, M; Melgar-Lesmes, P; Tugues, S; FernÃndez-Varo, G; Held, KF; Soria, G; Tudela, R; Planas, AM; FernÃndez-o, C. Increased nitric oxide production in lymphatic endothelial cells causes impairment of lymphatic drainage in cirrhotic rats.
- Rice, AJ; Plaa, GL. (1968). Effect of hypophysectomy and spinal cord transection on carbon tetrachloride-induced changes in the hemodynamics of the isolated perfused rat liver. *Toxicol Appl Pharmacol*. 12: 194-201.
- Rice, AJ; Plaa, GL. (1969). The role of triglyceride accumulation and of necrosis in the hemodynamic responses of the isolated perfused rat liver after administration of carbon tetrachloride. *Toxicol Appl Pharmacol*. 14: 151-162.
- Rice, AJ; Roberts, RJ; Plaa, GL. (1967). The effect of carbon tetrachloride, administered in vivo, on the hemodynamics of the isolated perfused rat liver. *Toxicol Appl Pharmacol*. 11: 422-431.
- Richardson, FC; Boucheron, JA; Dyroff, MC; Popp, JA; Swenberg, JA. (1986). Biochemical and morphologic studies of heterogeneous lobe responses in hepatocarcinogenesis. *Carcinogenesis*. 7: 247-251.
- Richardson, TL; Sahle-Demessie, E. (2014). Sprinkler irrigation for the removal of VOCs from groundwater. *Hepatology (Baltimore, Md)*. 19: 1049-1054.
- Richel, A; Demonceau, A; Noels, AF. (2006). Electrochemistry as a correlation tool with the catalytic activities in RuCl(2)(p-cymene)(PAr(3)) - catalysed Kharasch additions. *Tetrahedron Letters*. 47: 2077-2081.
- Richmond, RE; DeAngelo, AB; Daniel, FB. (1992). Immunohistochemical detection of ras and myc oncogene expression in regenerating rat liver. *Toxicol Lett*. 60: 119-129.
- Richter, S; MÃcke, I. Impact of intrinsic blood flow regulation in cirrhosis: maintenance of hepatic arterial buffer response.
- Ricker, JA. (2008). A Practical Method to Evaluate Ground Water Contaminant Plume Stability. *Ground Water Monitoring and Remediation*. 28: 85-94.
- Riederer, M. (1995). PARTITIONING AND TRANSPORT OF ORGANIC CHEMICALS BETWEEN THE ATMOSPHERIC ENVIRONMENT AND LEAVES. *Trapp, S And J C Mcfarlane*. 0: 153-190.
- Riel, MA; Williams, D; Brinkley, WW; Kadakia, SC. (1997). THE EFFECT OF DEFEROXAMINE ON CARBON TETRACHLORIDE INDUCED CIRRHOSIS IN THE RAT. *Digestive Disease Week And The 97th Annual Meeting Of The American Gastroenterological Association, Washington, DC, Usa, May*. 112.
- Riely, CA. (1978). Drugs and what they do to the liver. *Medical times*. 106: 87-92.
- Ries, PD. (1988). The molecular and condensed phase optical excitations of 4-(4,4-bis((trifluoromethyl)sulfonyl)-1,3-butadienyl)-N,N-dimethylbenzeamine. PhD, The University of Nebraska - Lincoln.
- Rifai, HS; Borden, RC; Wilson, JT; Ward, CH. (1995). INTRINSIC BIOATTENUATION FOR SUBSURFACE RESTORATION. *Hinchee, R E, J T Wilson And D C Downey*. 3: 1-57477.

Environmental Hazard Literature Search Results

Off Topic

- Riggio, O; Merli, M; Capocaccia, L; Caschera, M; Zullo, A; Pinto, G; Gaudio, E; Franchitto, A; Spagnoli, R; D'Aquilino, E. (1992). Zinc supplementation reduces blood ammonia and increases liver ornithine transcarbamylase activity in experimental cirrhosis. *Hepatology* (Baltimore, Md). 16: 785-789.
- Rikans, LE. (1989). Influence of aging on chemically induced hepatotoxicity: role of age-related changes in metabolism. *Drug Metab Rev.* 20: 87-110.
- Rikans, LE; DeCicco, LA; Hornbrook, KR; Yamano, T. (1999). Effect of age and carbon tetrachloride on cytokine concentrations in rat liver. *Mech Ageing Dev.* 108: 173-182.
- Rikans, LE; Hornbrook, KR. (1997). Age-related susceptibility to hepatotoxicants. *Environ Toxicol Pharmacol.* 4: 339-344.
- Rikans, LE; Hornbrook, KR; Cai, Y. (1994). Carbon tetrachloride hepatotoxicity as a function of age in female Fischer 344 rats. *Mech Ageing Dev.* 76: 89-99.
- Rikans, LE; Kosanke, SD. (1984). Effect of aging on liver glutathione levels and hepatocellular injury from carbon tetrachloride, allyl alcohol or galactosamine. *Drug Chem Toxicol.* 7: 595-604.
- Riley, RF; Coleman, MK; Hokama, Y. (1964). EFFECTS OF DRUGS ON CX-PROTEIN RESPONSES IN THE RABBIT. *Archives internationales de pharmacodynamie et de therapie.* 148: 61-81.
- Riley, RG; Szecsody, JE; Sklarew, DS; Mitroshkov, AV; Gent, PM; Brown, CF; Thompson, CJ. (2010). Desorption behavior of carbon tetrachloride and chloroform in contaminated low organic carbon aquifer sediments. *Chemosphere.* 79: 807-813.
- Rimington, C. (1963). PATTERNS OF PORPHYRIN EXCRETION AND THEIR INTERPRETATION. *South African journal of laboratory and clinical medicine Suid-Afrikaanse tydskrif vir laboratorium- en kliniekwerk.* 14: 255-261.
- Rincón, AR; Zhu, ZH; Panduro, A; Petronilho, F; Dal-Pizzal-Pizzol, F; Costa, GM. (1994). Hepatoprotective effects and HSV-1 activity of the hydroethanolic extract of *Cecropia glaziovii* (embaêba-v) against acyclovir-resistant strain. *Biochim Biophys Acta.* 1211: 1-6.
- Rincon, AR; Covarrubias, A; Pedraza-Chaverri, J; Poo, JL; Armendariz-Borunda, J; Panduro, A. (1999). Differential effect of CCl₄ on renal function in cirrhotic and non-cirrhotic rats. *Exp Toxicol Pathol.* 51: 199-205.
- Rincon-Sanchez, AR; Covarrubias, A; Rivas-Estilla, AM; Pedraza-Chaverri, J; Cruz, C; Islas-Carbajal, MCI; Panduro, A; Estanes, A; Armendariz-Borunda, J. (2005). PGE₂ alleviates kidney and liver damage, decreases plasma renin activity and acute phase response in cirrhotic rats with acute liver damage. *Exp Toxicol Pathol.* 56: 291-303.
- Rinzema, LC; Silverstein, LG. (1972). Hazards from chlorinated hydrocarbon decomposition during welding. *Am Ind Hyg Assoc J.* 33: 35-40.
- Rio, A; Gassull, MA; Aldeguer, X; Ojanguren, I; Cabre, E; Fernandez, E. (2008). Reduced liver injury in the interleukin-6 knockout mice by chronic carbon tetrachloride administration. *Eur J Clin Invest.* 38: 306-316.
- Ripple, SR. (1992). LOOKING BACK AT NUCLEAR WEAPONS FACILITIES. *Environ Sci Technol.* 26: 1270-1277.
- Risal, P; Hwang, PH; Yun, BS; Yi, HK; Cho, BH; Jang, KY; Jeong, YJ. (2012). Hispidin Analogue Davallialactone Attenuates Carbon Tetrachloride-Induced Hepatotoxicity in Mice. *J Nat Prod.* 75: 1683-1689.
- Risal, P; Park, BH; Cho, BH; Kim, JC; Jeong, YJ. (2012). Overexpression of peptidyl-prolyl isomerase Pin1 attenuates hepatocytes apoptosis and secondary necrosis following carbon tetrachloride-induced acute liver injury in mice. *Pathol Int.* 62: 8-15.
- Risteli, J; Kivirikko, KI. (1974). Activities of prolyl hydroxylase, lysyl hydroxylase, collagen galactosyltransferase and collagen glucosyltransferase in the liver of rats with hepatic injury. *The Biochemical journal.* 144: 115-122.
- Ritesh, KR; Suganya, A; Dileepkumar, HV; Rajashekar, Y; Shivanandappa, T. (2015). A single acute hepatotoxic dose of CCl₄ causes oxidative stress in the rat brain. *Toxicology Reports.* 2: 891-895.
- Ritter, C; Reinke, A; Andrades, M; Martins, MR; Rocha, J. Protective effect of N-acetylcysteine and deferoxamine on carbon tetrachloride-induced acute hepatic failure in rats.
- Rittmann, BE; Valocchi, AJ; Odencrantz, JE; Bae, W. (1988). IN SITU BIORECLAMATION OF CONTAMINATED GROUNDWATER. *Univ Ill Urbana Champaign Water Resour Cent Res Rep.* 0: 1-121.
- Rivera, CA; Bradford, BU; Hunt, KJ; Adachi, Y; Schrum, LW; Koop, DR; Burchardt, ER; Rippe, RA; Thurman, RG. (2001). Attenuation of CCl₄-induced hepatic fibrosis by GdCl₃ treatment or dietary glycine. *American journal of physiology Gastrointestinal and liver physiology.* 281: G200-207.
- Rivera, H; Morales-Rios, MS; Bautista, W; Shibayama, M; Tsutsumi, V; Muriel, P; Perez-Alvarez, V. (2011). A novel fluorinated stilbene exerts hepatoprotective properties in CCl₄-induced acute liver damage. *Can J Physiol Pharmacol.* 89: 759-766.
- Rivera, H; Shibayama, M; Tsutsumi, V; Perez-Alvarez, V; Muriel, P. (2008). Resveratrol and trimethylated resveratrol protect from acute liver damage induced by CCl₄ in the rat. *J Appl Toxicol.* 28: 147-155.
- Rivera-Espinoza, Y; Muriel, P. (2009). Pharmacological actions of curcumin in liver diseases or damage. *Liver Int.* 29: 1457-1466.
- Rivera-Huizar, S; Rincón-S; aaceze, nchez, AR; Covarrubias-Pinedo, A; Islas-Carbajal, MC; Gabriel-Ortiz, I-IfMBiM; Gene, TCUCSUoGAPPGJM; Pedraza-Chaverri, J. Renal dysfunction as a consequence of acute liver damage by bile duct ligation in cirrhotic rats.
- Rivero-Huguet, M; Marshall, WD. (2009). Reduction of hexavalent chromium mediated by micron- and nano-scale zero-valent metallic particles. *J Environ Monit.* 11: 1072-1079.
- Roberts, JA. (1964). ENHANCEMENT OF THE VIRULENCE OF ATTENUATED ECTROMELIA VIRUS IN MICE MAINTAINED IN A COLD ENVIRONMENT. *The Australian journal of experimental biology and medical science.* 42: 657-666.
- Roberts, LJ, 2nd; Brame, CJ; Chen, Y; Morrow, JD; Salomon, RG. (1999). Formation of reactive products of the isoprostane pathway: isolevuglandins and cyclopentenone isoprostanes. *Adv Exp Med Biol.* 469: 335-341.
- Roberts, SM; Harbison, RD; James, RC. (1994). Methamphetamine potentiation of carbon tetrachloride hepatotoxicity in mice. *J Pharmacol Exp Ther.* 271: 1051-1057.

Environmental Hazard Literature Search Results

Off Topic

- Roberts, SM; Harbison, RD; James, RC. (1995). Mechanistic studies on the potentiation of carbon tetrachloride hepatotoxicity by methamphetamine. *Toxicology*. 97: 49-57.
- Roberts, SM; Harbison, RD; Seng, JE; James, RC. (1991). Potentiation of carbon tetrachloride hepatotoxicity by phenylpropanolamine. *Toxicol Appl Pharmacol*. 111: 175-188.
- Roberts, SM; Harbison, RD; Westhouse, RA; James, RC. (1995). Exacerbation of carbon tetrachloride-induced liver injury in the rat by methamphetamine. *Toxicol Lett*. 76: 77-83.
- Robertson, CI; Gaffney, DP, 2nd; Chrin, LR; Berger, CL. (2005). Structural rearrangements in the active site of smooth-muscle myosin. *Biophysical Journal*. 89: 1882-1892.
- Robertson, DG; Reily, MD; Sigler, RE; Wells, DF; Paterson, DA; Braden, TK. (2000). Metabonomics: Evaluation of nuclear magnetic resonance (NMR) and pattern recognition technology for rapid in vivo screening of liver and kidney toxicants. *Toxicol Sci*. 57: 326-337.
- Robertson, EJ; Oliver, GK; Qian, M; Proulx, C; Zuckermann, RN; Richmond, GL. (2014). Assembly and molecular order of two-dimensional peptoid nanosheets through the oil-water interface. *Proceedings of the National Academy of Sciences of the United States of America*. 111: 13284-13289.
- Robinson, JP; Lawler, G; Schneider, D; Roth, RA; Updyke, L; Pfeifer, R. (1990). IN-VITRO ANALYSIS OF TOXIC CHEMICALS FUNCTIONAL ASSAYS USING FLOW CYTOMETRY. *Xivth International Meeting Of The Society For Analytical Cytology, Asheville, North Carolina, Usa, March*. 0: 36.
- Rocha, SW; de, FaME; Rodrigues, GB. Diethylcarbamazine reduces chronic inflammation and fibrosis in carbon tetrachloride- (CCl₄)-induced liver injury in mice.
- Rocha, SWS; de Franca, MER; Rodrigues, GB; Barbosa, KPS; Nunes, AKS; Pastor, AF; Oliveira, AGV; Oliveira, WH; Luna, RLA; Peixoto, CA. (2014). Diethylcarbamazine Reduces Chronic Inflammation and Fibrosis in Carbon Tetrachloride- (CCl₄-) Induced Liver Injury in Mice. *Mediators Inflamm* 96383-96383.
- Rocha-Hernández, DDoBFoMNUcMC; Rau, Rr-GMD; U, CÂ r-TA; Pi; ntilPiÀra-GaAd; Gevrenova, R; Kondeva-Burdina, M; Denkov, N; Zheleva-Dimitrova, D. (1997). Flavonoid profiles of three Bupleurum species and in vitro hepatoprotective of activity Bupleurum flavum Forsk. *Proceedings of the Western Pharmacology Society*. 40: 91-93.
- Rockey, DC; Boyles, JK; Gabbiani, G; Friedman, SL. (1992). Rat hepatic lipocytes express smooth muscle actin upon activation in vivo and in culture. *Journal of submicroscopic cytology and pathology*. 24: 193-203.
- Rockey, DC; Chung, JJ. (1997). Regulation of inducible nitric oxide synthase and nitric oxide during hepatic injury and fibrogenesis. *The American journal of physiology*. 273: G124-130.
- Rockey, DC; Chung, JJ. (1998). Reduced nitric oxide production by endothelial cells in cirrhotic rat liver: endothelial dysfunction in portal hypertension. *Gastroenterology*. 114: 344-351.
- Rockey, DC; Weymouth, N; Shi, Z. (2013). Smooth muscle α actin (Acta2) and myofibroblast function during hepatic wound healing. *PLoS ONE*. 8: e77166.
- Rod, RŠJ; Tan, CY; Lai, RC; Wong, W; Dan, YY; Lim, SK; Ho, HK. (2000). Mesenchymal stem cell-derived exosomes promote hepatic regeneration in drug-induced liver injury models. *Gastroenterology*. 119: 794-805.
- RodàĚšs, JI-IdIB; dicas, CSpdlCfMS; Mato, JM; Hsouna, AB; Mongi, S; Culioli, G; Blache, Y; Ghilisi, Z; Chaabane, R; El, FA; Jaoua, S; Trigui, M. (1995). Protective effects of ethyl acetate fraction of Lawsonia inermis fruits extract against carbon tetrachloride-induced oxidative damage in rat liver. *Hepatology (Baltimore, Md)*. 22: 1310-1315.
- Roddy, JW; Coleman, CF. (1973). Reference solutes for isopiestic and dynamic vapor pressure osmometry in organic solvents: tri-n-octylamine in n-hexane and benzophenone in carbon tetrachloride. *Journal of Inorganic and Nuclear Chemistry*. 35: 4317-4319.
- Rodehacke, CB; Roether, W; Hellmer, HH; Hall, T. (2010). Temporal variations and trends of CFC11 and CFC12 surface-water saturations in Antarctic marginal seas: Results of a regional ocean circulation model. *Deep-Sea Research Part I-Oceanographic Research Papers*. 57: 175-198.
- Rodeiro, I; Donato, MT; Martinez, I; Hernandez, I; Garrido, G; Gonzalez-Lavaut, JA; Menendez, R; Laguna, A; Castell, JV; Gomez-Lechon, MJ. (2008). Potential hepatoprotective effects of new Cuban natural products in rat hepatocytes culture. *Toxicol In Vitro*. 22: 1242-1249.
- Roderfeld, M; Geier, A; Dietrich, CG; Siewert, E; Jansen, B; Gartung, C; Roeb, E. (2006). Cytokine blockade inhibits hepatic tissue inhibitor of metalloproteinase-1 expression and up-regulates matrix metalloproteinase-9 in toxic liver injury. *Liver Int*. 26: 579-586.
- Roderfeld, M; Rath, T; Pasupuleti, S; Zimmermann, M; Neumann, C; Churin, Y; Dierkes, C; Voswinckel, R; Barth, PJ; Zahner, D; Graf, J; Roeb, E. (2012). Bone marrow transplantation improves hepatic fibrosis in Abcb4(-/-) mice via Th1 response and matrix metalloproteinase activity. *Gut*. 61: 907-916.
- Rodríguez-Vilarrupla, A; LaviÀra, io-ioBoBSacue; GarcÀja; oacute, H; Rosado, E; Roglans, N; Bosch, J; GarcÀja-Pag; aaJute; n, JC. (2012). PPAR α activation improves endothelial dysfunction and reduces fibrosis and portal pressure in cirrhotic rats. *J Hepatol*.
- Rodriguez, D; Navarro-Vazquez, A; Castedo, L; Dominguez, D; Saa, C. (2003). Cyclic allene intermediates in intramolecular dehydro Diels-Alder reactions: Labeling and theoretical cycloaromatization studies. *J Org Chem*. 68: 1938-1946.
- Rodriguez, N; Sanz, JL. (1998). Response of an anaerobic granular sludge to chlorinated aliphatic hydrocarbons in different conditions. *Journal Of Fermentation And Bioengineering*. 86: 226-232.
- Rodriguez-Garrido, B; Arbestain, MC; Monterroso, MC; Macias, F. (2004). Reductive dechlorination of alpha-, beta-, delta-, and gamma-hexachlorocyclohexane isomers by hydrocobalamin in the presence of either dithiothreitol or titanium(III) citrate as reducing agents. *Environmental Science & Technology*. 38: 5046-5052.
- Rodriguez-Kabana, R; Kokalis-Burelle, N. (1997). CHEMICAL AND BIOLOGICAL CONTROL. *Hillocks, R J And J M Waller*. 0: 397-418.

Environmental Hazard Literature Search Results

Off Topic

- Rodriguez-Rivera, A; Galicia-Moreno, M; Reyes-Gordillo, K; Segovia, J; Vergara, P; Moreno, MG; Shibayama, M; Tsutsumi, V; Muriel, P. (2008). Methyl palmitate prevents CCl₄-induced liver fibrosis. *J Appl Toxicol.* 28: 1021-1026.
- Rodriguez-Vilarrupla, A; Graupera, M; Matei, V; Bataller, R; Abralde, JG; Bosch, J; Garcia-Pagan, JC. (2008). Large-conductance calcium-activated potassium channels modulate vascular tone in experimental cirrhosis. *Liver Int.* 28: 566-573.
- Roelsgaard, K; StÅ-dÅ-oslash; rgensen, H; DÅ-nstrup, S; Djurhuus, JC. (1993). Non-invasive investigation of parenchymal liver disease using ³¹P NMR spectroscopy. *NMR in biomedicine.* 6: 383-388.
- Rogers, CG; Boyes, BG; Stapley, R; Matula, TI. (1990). EVALUATION OF GENOTOXICITY OF TERT BUTYL HYDROQUINONE IN A HEPATOCYTE-MEDIATED MUTATION ASSAY WITH V79 CELLS AND IN STRAIN D7 OF SACCHAROMYCES-CEREVISIAE. Forty First Annual Meeting Of The Tissue Culture Association, Houston, Texas, Usa, June. 26.
- Rogers, GW; Kay, KK. (1947). Colorimetric determination of carbon tetrachloride using a modified Fujiwara reaction. *The Journal of industrial hygiene and toxicology.* 29: 229-232.
- Rogers, HR; Crathorne, B; Watts, CD. (1992). Sources and fate of organic contaminants in the Mersey estuary: Volatile organohalogen compounds. *Mar Pollut Bull.* 24: 82-91.
- Rogers, RD; McFarlane, JC. Sorption of carbon tetrachloride, ethylene dibromide, and trichloroethylene on soil and clay. *Environ Monit Assess.* 1981. v. 1 (2): 155-162 ill.
- Roh, Y; Cho, KS; Lee, S. (2001). Electrochemical remediation of trichloroethene-contaminated groundwater using palladized iron oxides. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 36: 923-933.
- Roh, YS; Park, S; Kim, JW; Lim, CW; Seki, E; Kim, B. (2009). Toll-like receptor 7-mediated type I interferon signaling prevents cholestasis- and hepatotoxin-induced liver fibrosis. *Hepatology (Baltimore, Md).* 60: 237-249.
- Rojkind, M. (1973). Inhibition of liver fibrosis by 1-azetidine-2-carboxylic acid in rats treated with carbon tetrachloride. *The Journal of clinical investigation.* 52: 2451-2456.
- Rojkind, M; Greenwel, P. Animal models of liver fibrosis. *Adv Vet Sci Comp Med.* 1993. v. 37: 333-355.
- Rojkind, M; Greenwel, P; Saed, SO; Zern, MA; Weiner, FR. (1988). PRODUCTION OF A FIBROGENIC FACTOR BY HEPATOCYTES OF CARBON TETRACHLORIDE-TREATED RATS. 39th Annual Meeting And Postgraduate Course Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 8.
- Rojkind, M; Kerшенobich, D. (1975). Effect of colchicine on collagen, albumin and transferrin synthesis by cirrhotic rat liver slices. *Biochim Biophys Acta.* 378: 415-423.
- Romaguera, C; Grimalt, F. (1980). Sensitization to benzoyl peroxide, retinoic acid and carbon tetrachloride. *Contact Derm.* 6: 442.
- Romero, G; Lasheras, B; Sainz, SL; Cenarruzabeitia, E. (1994). Protective effects of calcium channel blockers in carbon tetrachloride-induced liver toxicity. *Life Sci.* 55: 981-990.
- Rong, S; Sun, Y. (2015). Degradation of TAIC by water falling film dielectric barrier discharge " Influence of radical scavengers. *J Hazard Mater.* 287: 317-324.
- Ronis, MJ; Johansson, I; Hultenby, K; Lagercrantz, J; Glaumann, H; Ingelman-Sundberg, M. (1991). Acetone-regulated synthesis and degradation of cytochrome P450E1 and cytochrome P450B1 in rat liver [corrected]. *European journal of biochemistry / FEBS.* 198: 383-389.
- Ronis, MJ; Cunny, HC. (8385). PHYSIOLOGICAL ENDOGENOUS FACTORS AFFECTING THE METABOLISM OF XENOBIOTICS. Hodgson, E And P E Levi. 0: 133-151.
- Ronot, M; LambeAd, UUPDPCF; Ipma, INSERMUCdRBßB-BF; Wagner, M; Garteiser, P; Doblas, S; Albuquerque, M. Viscoelastic parameters for quantifying liver fibrosis: three-dimensional multifrequency MR elastography study on thin liver rat slices.
- Roose, P; Dewulf, J; Brinkman, UAT; Van Langenhove, H. (2001). Measurement of volatile organic compounds in sediments of the Scheldt Estuary and the Southern North Sea. *Water Res.* 35: 1478-1488.
- Ropp, JA. (2002). Determination of rotational correlation times for hydrogen -bonded liquids using nuclear magnetic resonance and theoretical calculations. PhD, The University of Wisconsin - Madison.
- Rosa, DP; Bona, S; Simonetto, D; Zettler, C; Marroni, CA; Marroni, NP. (2010). Melatonin protects the liver and erythrocytes against oxidative stress in cirrhotic rats. *Arq Gastroenterol.* 47: 72-78.
- Rosado, E; Rodriguez-Vilarrupla, A; Gracia-Sancho, J; Tripathi, D; Garcia-Caldero, H; Bosch, J; Garcia-Pagan, JC. (2013). Terutroban, a TP-Receptor Antagonist, Reduces Portal Pressure in Cirrhotic Rats. *Hepatology.* 58: 1424-1435.
- Rosen, GM; Rauckman, EJ. (1982). Carbon tetrachloride-induced lipid peroxidation: a spin trapping study. *Toxicol Lett.* 10: 337-344.
- Rosen, ME; Pankow, JF; Gibs, J; Imbriotta, TE. (1992). COMPARISON OF DOWNHOLE AND SURFACE SAMPLING FOR THE DETERMINATION OF VOLATILE ORGANIC COMPOUNDS VOCs IN GROUND WATER. *Ground Water Monit Rev.* 12: 126-133.
- Rosenbaum, JL; Black, MW. (1964). HEMODIALYSIS FOR ACUTE CARBON TETRACHLORIDE POISONING. *The Journal of the Albert Einstein Medical Center, Philadelphia.* 12: 200-202.
- Rosenberg, D; Ilic, Z; Yin, L; Sell, S. (2000). Proliferation of hepatic lineage cells of normal C57BL and interleukin-6 knockout mice after cocaine-induced periportal injury. *Hepatology.* 31: 948-955.
- Rosenberg, MG; Billing, P; Brecker, L; Brinker, UH. (2014). Bromination and Accompanying Rearrangement of the Polycyclic Oxetane 2,4-Oxytwistane. *J Org Chem.* 79: 8786-8799.
- Rosenberg, P; Sjostrom, M; Soderberg, C; Kinnman, N; Stal, P; Hultcrantz, R. (2011). Attenuated liver fibrosis after bile duct ligation and defective hepatic stellate cell activation in neural cell adhesion molecule knockout mice. *Liver Int.* 31: 630-641.
- Rosenfeld, JK; Plumb, RHJR. (1991). GROUND WATER CONTAMINATION AT WOOD TREATMENT FACILITIES. *Ground Water Monit Rev.* 11: 133-140.

Environmental Hazard Literature Search Results

Off Topic

- Rosenkranz, E; Charters, AC, 3rd; Orloff, MJ. (2016). Regeneration in rat liver injured by carbon tetrachloride. *Biomedicine & pharmacotherapy = Biomedecine & pharmacotherapie*. 26: 411-412.
- Rosin, A; Doljanski, L. (1946). Pyroninophilic structures of liver cells in carbon tetrachloride poisoning. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY)*. 62: 62-64.
- Rosocha, LA; Secker, DA; Smith, JD. Kinetic modeling of trichloroethylene and carbon tetrachloride removal from water by electron-beam irradiation. *ACS Symp Ser Am Chem Soc*. 1994. (554): 184-196.
- Rossi, AM; Zaccaro, L; Rosselli, F; Quattrone, C. (1988). Clastogenic effects induced in mice and rats by 1,4-bis(2-(3,5-dichloropyridyloxy))-benzene, a phenobarbital-like enzyme inducer and liver tumour promoter. *Carcinogenesis*. 9: 1147-1151.
- Rossi, F; Filippelli, W; Guarino, V; Russo, S; Magliulo, R; Marmo, E. (1985). ORGAN TOLERANCE OF NON-STEROIDAL ANTI-INFLAMMATORY DRUGS EFFECT ON LIVER CELLS. *Drugs Exp Clin Res*. 11: 511-516.
- Rossi, F; McLean, P. (1963). Effect of carbon tetrachloride intoxication on the activity of enzymes of the urea cycle in the liver of the rat. *Nature*. 197: 1207-1208.
- Rossi, F; Zatti, M. (1960). Activation of fatty acids in the liver in carbon tetrachloride poisoning. *Experientia*. 16: 513-514.
- Rossi, F; Zatti, M. (1963). Activation of amino acids in the liver in CCl₄ intoxication. *Experientia*. 19: 197-198.
- Rossi, F; Zatti, M. (1963). Liver and plasma phosphatides during the initial stages of carbon tetrachloride intoxication in rats. *Br J Exp Pathol*. 44: 131-136.
- Rossi, S; Gemma, S; Fabrizi, L; Testai, E; Vittozzi, L. (1999). Time dependence of chloroform-induced metabolic alterations in the liver and kidney of B6C3F1 mice. *Arch Toxicol*. 73: 387-393.
- Rotaru, G; Constantinescu, S; Filipescu, G; Ratea, E. (1978). Hepatic protection in carbon tetrachloride experimental intoxication. *Morphologie et embryologie*. 24: 149-156.
- Roth, B; Klimkova, DEUTSCHOVAE. (1963). THE EFFECT OF THE CHRONIC ACTION OF INDUSTRIAL POISONS ON THE ELECTROENCEPHALOGRAM OF MAN. *Review of Czechoslovak medicine*. 9: 217-227.
- Roth, H; Strasser, EG. Laboratory tests with a mixture of carbon disulfide and carbon tetrachloride for quarantine control of larvae of *Megastigmus* spp. and *Cecidomyiidae* in conifer seeds. *J Econ Entomol*. Aug 16, 1971, 64 (4): 904-906.
- Roth, RA. (1981). Effect of pneumotoxicants on lactate dehydrogenase activity in airways of rats. *Toxicol Appl Pharmacol*. 57: 69-78.
- Roth, RP; Drew, RT; Lo, RJ; Fouts, JR. (1975). Dichloromethane inhalation, carboxyhemoglobin concentrations, and drug metabolizing enzymes in rabbits. *Toxicol Appl Pharmacol*. 33: 427-437.
- Rothschild, MA; Oratz, M; Schreiber, SS. (1971). Effect of tryptophan on the hepatotoxic effects of alcohol and carbon tetrachloride. *Transactions of the Association of American Physicians*. 84: 313-320.
- Rothschild, MA; Oratz, M; Schreiber, SS. (1972). Effects of carbon tetrachloride on albumin synthesis. *The Journal of clinical investigation*. 51: 2310-2314.
- Roudabush, RL; Terhaar, CJ; Fassett, DW; Dziuba, SP. (1965). Comparative acute effects of some chemicals on the skin of rabbits and guinea pigs. *Toxicol Appl Pharmacol*. 7: 559-565.
- Roush, CJ; Lastoskie, CM; Worden, RM. (2006). Denitrification and chemotaxis of *Pseudomonas stutzeri* KC in porous media. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 41: 967-983.
- Rovira-Esteva, M; Murugan, NA; Pardo, LC; Busch, S; Tamarit, JL; Pothoczki, S; Cuello, GJ; Bermejo, FJ. (2011). Interplay between intramolecular and intermolecular structures of 1,1,2,2-tetrachloro-1,2-difluoroethane. *Physical Review B*. 84: 4202-4202.
- Rowat, SC. (1998). Integrated defense system overlaps as a disease model: With examples for multiple chemical sensitivity. *Environ Health Perspect*. 106: 85-109.
- Rowland, FS. (1988). CHLOROFLUOROCARBONS STRATOSPHERIC OZONE AND THE ANTARCTIC OZONE HOLE. *Environ Conserv*. 15: 101-115.
- Rowland, FS. (1990). STRATOSPHERIC OZONE DEPLETION BY CHLOROFLUOROCARBONS. *Ambio*. 19: 281-292.
- Rowles, SL. (1952). Adenylpyrophosphates in the fatty livers of guinea-pigs produced by carbon tetrachloride. *The Biochemical journal*. 52: xxxi.
- Roy, A; Soni, GR; Kolhapure, RM; Banerjee, K; Patki, PS. (1992). Induction of tumour necrosis factor alpha in experimental animals treated with hepatotoxicants. *Indian J Exp Biol*. 30: 696-700.
- Roy, CK; Das, AK. (2010). Comparative evaluation of different extracts of leaves of *Psidium guajava* Linn. for hepatoprotective activity. *Pak J Pharm Sci*. 23: 15-20.
- Roy, P; Das, S; Auddy, RG; Mukherjee, A. (2014). Engineered andrographolide nanosystems for smart recovery in hepatotoxic conditions. *Int J Nanomedicine*. 9: 4723-4735.
- Roy, R. (2010). Short-term variability in halocarbons in relation to phytoplankton pigments in coastal waters of the central eastern Arabian Sea. *Estuarine Coastal and Shelf Science*. 88: 311-321.
- Roy, R; Pratihary, A; Narvenkar, G; Mochemadkar, S; Gauns, M; Naqvi, SWA. (2011). The relationship between volatile halocarbons and phytoplankton pigments during a *Trichodesmium* bloom in the coastal eastern Arabian Sea. *Estuarine Coastal and Shelf Science*. 95: 110-118.
- Roy, WR; Griffin, RA. (1987). ESTIMATING THRESHOLD VALUES FOR THE LAND DISPOSAL OF ORGANIC SOLVENT-CONTAMINATED WASTES. *J Hazard Mater*. 15: 365-376.
- Roy, WR; Griffin, RA. (1990). Vapor-phase interactions and diffusion of organic solvents in the unsaturated zone. *Environ Geol Water Sci*. 15: 101-110.
- Roy, WR; Griffin, RA. (1991). An analytical model for in situ extraction of organic vapors. *J Hazard Mater*. 26: 301-318.
- Roy, WR; Griffin, RA; Mitchell, JK; Mitchell, RA. (1989). LIMITATIONS AND FEASIBILITY OF THE LAND DISPOSAL OR ORGANIC SOLVENT-CONTAMINATED WASTES. *Environ Geol Water Sci*. 13: 225-232.

Environmental Hazard Literature Search Results

Off Topic

- Royer, RA; Burgos, WD; Fisher, AS; Unz, RF; Dempsey, BA. (2002). Enhancement of biological reduction of hematite by electron shuttling and Fe(II) complexation. *Environmental Science & Technology*. 36: 1939-1946.
- Royer, RJ; Debry, G; Ulmer, M; Bannwarth, B. (1984). Food and drug interactions. *World review of nutrition and dietetics*. 43: 117-128.
- Rozanowska, M; Cantrell, A; Edge, R; Land, EJ; Sarna, T; Truscott, TG. (2005). Pulse radiolysis study of the interaction of retinoids with peroxy radicals. *Free Radic Biol Med*. 39: 1399-1405.
- Rozenblum, N; Zeira, E; Bulvik, B; Gourevitch, S; Yotvat, H; Galun, E; Goldberg, SN. (2015). Radiofrequency Ablation: Inflammatory Changes in the Periablative Zone Can Induce Global Organ Effects, including Liver Regeneration. *Radiology*. 276: 416-425.
- Rozga, J; Foss, A; Alumets, J; Ahren, B; Jeppsson, B; Bengmark, S. (1991). Liver cirrhosis in rats: regeneration and assessment of the role of phenobarbital. *The Journal of surgical research*. 51: 329-335.
- Rozman, K; Hanninen, O. (1986). GASTROINTESTINAL TOXICOLOGY. Rozman, K And O Hanninen 0-444.
- Rri, G; Bengmark, S; Olsson, R. (1999). The effect of sex and of testosterone on toxic liver damage. *Histochem Cell Biol*. 25: 293-297.
- Ruan, XX; Gu, XG; Lu, SG; Qiu, ZF; Sui, Q. (2015). Trichloroethylene degradation by persulphate with magnetite as a heterogeneous activator in aqueous solution. *Environ Technol*. 36: 1389-1397.
- Rubenstein, B; Rubinstein, D. (1964). THE EFFECT OF CARBON TETRACHLORIDE ON HEPATIC LIPID METABOLISM. *Canadian journal of biochemistry*. 42: 1263-1273.
- Rubin, E; Hutterer, F; Popper, H. (1963). Cell proliferation and fiber formation in chronic carbon tetrachloride intoxication. A morphologic and chemical study. *Am J Pathol*. 42: 715-728.
- Ruch, RJ; Klaunig, JE; Schultz, NE; Askari, AB; Lacher, DA; Pereira, MA; Goldblatt, PJ. (1986). Mechanisms of chloroform and carbon tetrachloride toxicity in primary cultured mouse hepatocytes. *Environ Health Perspect*. 69: 301-305.
- Ruchirawat, M; Mostafa, MH; Shank, RC; Weisburger, EK. (1983). Inhibitory effects of carbon tetrachloride on dimethylnitrosamine metabolism and DNA alkylation. *Carcinogenesis*. 4: 537-539.
- Ruddock, PLD; Williams, DJ; Reese, PB. (1998). The scope and limitations of the reaction of Delta(5)-steroids with mercury(II) trifluoroacetate. *Steroids*. 63: 650-664.
- Rudnicki, M; Silveira, MM; Pereira, TV; Oliveira, MR; Reginatto, FH; Dal-Pizzol, F; Moreira, JCF. (2007). Protective effects of Passiflora alata extract pretreatment on carbon tetrachloride induced oxidative damage in rats. *Food Chem Toxicol*. 45: 656-661.
- Rudraiah, S; Moscovitz, JE; Donepudi, AC; Campion, SN; Slitt, AL; Aleksunes, LM; Manautou, JE. (2014). Differential Fmo3 gene expression in various liver injury models involving hepatic oxidative stress in mice. *Toxicology*. 325: 85-95.
- Ruert, W; Wolf, M; Weise, SM; Andres, G; Egger, R. (1993). ISOTOPE-HYDROGEOLOGICAL CASE STUDY ON THE PENETRATION OF POLLUTION INTO THE DEEP TERTIARY AQUIFER IN THE AREA OF MUNICH GERMANY. *J Contam Hydrol*. 14: 15-38.
- Rugge, CD; Ahlert, RC; Zukowski, JM. (1992). Lenticular drops: A key to immiscible-liquid transport in aquifers? *Speculations Sci Technol*. 15: 30-39.
- Rugge, K; Bjerg, PL; Pedersen, JK; Mosbaek, H; Christensen, TH. (1999). An anaerobic field injection experiment in a landfill leachate plume, Grindsted, Denmark 1. Experimental setup, tracer movement, and fate of aromatic and chlorinated compounds. *Water Resour Res*. 35: 1231-1246.
- Ruiz-Ortega, IdMDiMIHCnlidBiomÅ dSiSCdl; oacutiĀĉn, B; dicute; dica, EKBCSS; Ramalho, F; Abrales, JG; Colmened, IdMDiMIHCnlidBiomÅ dSiSCdl; oacuciĀĉn, c; dicute; dica, EKBCIS; Dominguez, M; Egido, J; Arroyo, VidMDDiMIHCnlidBiomÅ dniSCdl; n, BĚKCSS; GinĀ s, P; Ugazio, G; Burdino, E; Bosio, A; Ghigo, L; Urciuoli, R; Rolfo, P. (2009). Effects of propofol in the rat chronically consuming ethanol and treated with carbon tetrachloride. *Am J Physiol Gastroiiver Ph2009, Feb*. 296: 161-172.
- Ruiz-Torres, A; KĀ rten, I. (1976). The dynamics of collagen deposition in liver damaged by CCl4. *Beiträge zur Pathologie*. 158: 287-295.
- Rull, A; Beltran, R; Joven, J; Schuel, H; Goldstein, E; Mechoulam, R; Zimmerman, AM; Zimmerman, S. (2008). Anandamide (arachidonylethanolamide), a brain cannabinoid receptor agonist, reduces sperm fertilizing capacity in sea urchins by inhibiting the acrosome reaction. *Mol Cell Biochem*. 308: 101-109.
- Rullier, A; Gillibert-Duplantier, J; Costet, P; Cubel, G; Haurie, V; Petitbois, C; Taras, D; Dugot-Senant, N; Deleris, G; Bioulac-Sage, P; Rosenbaum, J. (2008). Protease-activated receptor 1 knockout reduces experimentally induced liver fibrosis. *American Journal of Physiology-Gastrointestinal and Liver Physiology*. 294: G226-G235.
- Rumack, BH. (2002). Acetaminophen hepatotoxicity: The first 35 years. *Journal of Toxicology-Clinical Toxicology*. 40: 3-20.
- Runa, JF; Hossain, M; Hasanuzzaman, M; Ali, MR. (2013). Investigation of Phenolic Profiles, Cytotoxic Potential and Phytochemical Screening of Different Extracts of *Drynaria quercifolia* J. Smith (Leaves). *Advanced pharmaceutical bulletin*. 3: 465-467.
- Runovich, AA; Pivovarov, YI; Kuril'skaya, TE; Sergeeva, AS; Babushkina, IV; Bogorodskaya, SL. (1994). Protective effect of transplantation of neonatal liver cell nuclei on the model of acute toxic hepatitis. *Bull Exp Biol Med*. 153: 563-568.
- Rush, B; Merritt, MV; Kaluzny, M; Van, ST; Brunden, MN; Ruwart, M. (1986). Studies on the mechanism of the protective action of 16,16-dimethylPGE2 in carbon tetrachloride induced acute hepatic injury in the rat. *Prostaglandins*. 32: 439-455.
- Rush, GF; Smith, JH; Newton, JF; Hook, JB. (1984). Chemically induced nephrotoxicity: role of metabolic activation. *Crit Rev Toxicol*. 13: 99-160.
- RusnĀĭkovĀĭ, L; Andruch, V; Balogh, IS; Ā... krlĀĭĀ-kovĀĭĀĭ, J. (2011). A dispersive liquid-liquid microextraction procedure for determination of boron in water after ultrasound-assisted conversion to tetrafluoroborate. *Talanta*. 85: 541-545.
- Russo, FP; Alison, MR; Bigger, BW; Amofah, E; Florou, A; Amin, F; Bou-Gharios, G; Jeffery, R; Iredale, JP; Forbes, SJ. (2006). The bone marrow functionally contributes to liver fibrosis. *Gastroenterology*. 130: 1807-1821.
- Rusu, MA; Bucur, N; Puica, C; Tamas, M. (1999). Effects of *Corylus avellana* in Acetaminophen and CCl sub(4) Induced Toxicosis. *Phyther Res*. 13: 120-123.

Environmental Hazard Literature Search Results

Off Topic

- Rusu, MA; Bucur, N; Puica, C; Tamas, M. (1999). Effects of *Corylus avellana* in acetaminophen and CCl₄ induced toxicosis. *Phytother Res.* 13: 120-123.
- Rusu, MA; Tamas, M; Puica, C; Roman, I; Sabadas, M. (2005). The hepatoprotective action of ten herbal extracts in CCl₄ intoxicated liver. *Phytotherapy research : PTR.* 19: 744-749.
- Rutherford, DW; Chiou, CT. Effect of water saturation in soil organic matter on the partition of organic compounds. *Environmental science & technology.* May 1992. v. 26 (5): 965-970.
- Rutherford, DW; Chiou, CT; Kile, DE. Influence of soil organic matter composition on the partition of organic compounds. *Environmental science & technology.* Feb 1992. v. 26 (2): 336-340.
- Rutkowski, JV; Roebuck, BD; Smith, RP. (1986). Allyl alcohol partially protects murine hepatic mitochondria against carbon tetrachloride. *Toxicology.* 40: 25-30.
- Ruttadauria, SG; Grosso, G; Pagano, D; Biondi, A; Echeverri, GJ; Seria, E; Pietrosi, G; Liotta, R; Basile, F; Gridelli, B. (2013). Marrow-Derived Mesenchymal Stem Cells Restore Biochemical Markers of Acute Liver Injury in Experimental Model. *Transplant Proc.* 45: 480-486.
- Ruwart, MJ; Nichols, NM; Hedeem, K; Rush, BD; Stachura, J. (1985). 16,16-Dimethyl PGE₂ and fatty acids protect hepatocytes against CCl₄-induced damage. *In vitro cellular & developmental biology : journal of the Tissue Culture Association.* 21: 450-452.
- Ruwart, MJ; Rush, BD; Friedle, NM; Piper, RC; Kolaja, GJ. (1981). Protective effects of 16,16-dimethyl PGE₂ on the liver and kidney. *Prostaglandins.* 21, Supplement 1: 97-102.
- Ryall, DB; Maryon, RH. (1998). Validation of the UK Met. Office's NAME model against the ETEX dataset. *Atmos Environ.* 32: 4265-4276.
- Ryder, JL. (2007). Experimental investigation of the factors affecting the wettability of aquifer materials. PhD, University of Michigan.
- Ryeom, HK; Kim, SH; Kim, JY; Kim, HJ; Lee, JM; Chang, YM; Kim, YS; Kang, DS. (2004). Quantitative evaluation of liver function with MRI Using Gd-EOB-DTPA. *Korean J Radiol.* 5: 231-239.
- Ryoo, JW; Buschmann, RJ. (1983). A morphometric analysis of the hypertrophy of experimental liver cirrhosis. *Virchows Archiv A, Pathological anatomy and histopathology.* 400: 173-186.
- Rysz, M; Connor, MK; Kamath, R; Newell, CJ. (2010). Origin and Propagation of an Incorrect Chemical Degradation Pathway in the Literature: cis-1,2-Dichloroethylene as a Daughter Product of 1,1,1-Trichloroethane. *Environ Forensics.* 11: 50-59.
- Ryu, A; Itabe, H; Mutoh, M; Kudo, I; Arai, H; Inoue, K. (2000). Enhanced Degradation of Phospholipids by Phospholipase A₂ in Liver of Carbon Tetrachloride-Treated Rat. *J Health Sci.* 46: 275-281.
- Ryu, BK; Ahn, BO; Oh, TY; Kim, SH; Kim, WB; Lee, EB. (1998). Studies on protective effect of DA-9601, *Artemisia asiatica* extract, on acetaminophen- and CCl₄-induced liver damage in rats. *Arch Pharm Res.* 21: 508-513.
- Ryvnyak, VV. (1988). Changes in acid phosphatase activity in the liver in the process of cirrhosis involution. *Byulleten Eksperimental'noi Biologii i Meditsiny* 37-40.
- S. Isaacs, N; Kirkpatrick, D. (1972). The chlorination of epoxides by triphenylphosphine in carbon tetrachloride. *Tetrahedron Letters.* 13: 3869-3870.
- SÃ ez, V; Esclapez, MD; Bonete, P; Walton, DJ; Rehorek, A. Sonochemical degradation of perchloroethylene: the influence of ultrasonic variables, and the identification of products.
- SÃ nchez, E; Chiva, MT; Soriano, G; Llovet, T; MercÃ , J. Development of an experimental model of induced bacterial peritonitis in cirrhotic rats with or without ascites.
- SÃ nchez, E; Mirelis, B; Sancho, FJ; GonzÃ leas, JM. Modulation of inflammatory response in a cirrhotic rat model with induced bacterial peritonitis.
- SÃ hâ€jnil; in, A; KoÃ ejak-Toker, N; Uysal, M; Oz, H. (1986). Stimulation of lipid peroxidation and impairment of glutathione-dependent defence system in the liver of rats repeatedly treated with carbon tetrachloride. *J Appl Toxicol.*
- SÃ r-Alti; Yenice, B. (2000). Effect of black tea on lipid peroxide and glutathione levels in female rats. *Drug metabolism and drug interactions.* 16: 299-305.
- Saad, EA. (2012). Curative and protective effects of L-arginine on carbon tetrachloride-induced hepatotoxicity in mice. *Biochem Biophys Res Commun.* 423: 147-151.
- Saarni, HU; StengÃ rU, K; au, KŽUSSEA. (1983). Medroxyprogesterone acetate improvement of the hepatic drug-metabolizing enzyme system in rats after chemical liver injury. *Biochem Pharmacol.* 6.
- Saba, AB; Onakoya, OM; Oyagbemi, AA. (2012). Hepatoprotective and in vivo antioxidant activities of ethanolic extract of whole fruit of *Lagenaria breviflora*. *J Basic Clin Physiol Pharmacol.* 23: 27-32.
- Saba, AB; Oyagbemi, AA; Azeez, OI. (2010). Amelioration of carbon tetrachloride-induced hepatotoxicity and haemotoxicity by aqueous leaf extract of *Cnidioscolus aconitifolius* in rats. *Nigerian journal of physiological sciences : official publication of the Physiological Society of Nigeria.* 25: 139-147.
- Sabin, F; Tuerk, T; Vogler, A. (1992). Decontamination of industrial waste water by photocatalytic oxidation of organic components: A model study. *Z Wasser Abwasser Forsch.* 25: 163-167.
- Saccon, C; Rivano, R. (1957). [Behavior of the blood glycoproteins in occlusion of the choledochus & in liver disease due to carbon tetrachloride; experimental research]. *Pathologica.* 49: 147-153.
- Sacerdoti, D; Jiang, H; Gaiani, S; McGiff, JC; Gatta, A; Bolognesi, M. (2011). 11,12-EET increases porto-sinusoidal resistance and may play a role in endothelial dysfunction of portal hypertension. *Prostaglandins & Other Lipid Mediators.* 96: 72-75.
- Sachan, DS; Dodson, WL. (1992). Effects of L-carnitine on carbon tetrachloride-induced changes in serum and liver lipids and acylcarnitines. *J Environ Pathol Toxicol Oncol.* 11: 125-129.

Environmental Hazard Literature Search Results

Off Topic

- Sachdev, KN. (1966). Cytological changes in rat liver in early stages of acute carbon-tetrachloride hepatopathy. *Indian journal of pathology & bacteriology*. 9: 188-197.
- Sadanobu, S; Takeuchi, M; Tezuka, M. (1997). Effect of 1,3-dithia-2-thioxo-cyclopent-4-ene and its derivatives on liver injury induced by carbon tetrachloride and orotic acid in rats. *The Biochemical journal*. 22: 413-426.
- Sadanobu, S; Takeuchi, M; Tezuka, M. (1998). Effect of 4-phenyl-1,3-dithia-2-thioxo-cyclopent-4-ene on liver injury induced by repeated exposure to galactosamine plus carbon tetrachloride in rats. *Genome biology*. 23: 129-148.
- Sadanobu, S; Watanabe, M; Nakamura, C; Tezuka, M. (1999). In vitro tests of 1,3-dithia-2-thioxo-cyclopent-4-ene to evaluate the mechanisms of its hepatoprotective action. *The Journal of toxicological sciences*. 24: 375-381.
- Sadek, K; Beltagy, D; Saleh, E; Abouelkhair, R. (2016). Camel milk and bee honey regulate profibrotic cytokine gene transcripts in liver cirrhosis induced by carbon tetrachloride. *Can J Physiol Pharmacol*. 94: 1141-1150.
- Saeaw, N; Thepanondh, S. (2015). Source apportionment analysis of airborne VOCs using positive matrix factorization in industrial and urban areas in Thailand. *Atmos Pollut Res*. 6: 644-650.
- Saeed, A; Qasim, M. (2014). Total synthesis of cytotoxic metabolite (Ä, Ä, Ä±Ä,)-desmethyldiaporinol from *Ampelomyces* sp. *Nat Prod Res*. 28: 185-190.
- Saeed, N; Khan, MR; Shabbir, M. (2012). Antioxidant activity, total phenolic and total flavonoid contents of whole plant extracts *Torilis leptophylla* L. *BMC Complement Altern Med*. 12: 221.
- Saez, JC; Bennett, MVL; Spray, DC. (1987). Carbon tetrachloride at hepatotoxic levels blocks reversibly gap junctions between rat hepatocytes. *Science (Washington)*. 236: 967-970.
- Saez, V; Vicente, MDE; Frias-Ferrer, AJ; Bonete, P; Gonzalez-Garcia, J. (2009). Electrochemical degradation of perchloroethylene in aqueous media: An approach to different strategies. *Water Res*. 43: 2169-2178.
- Safadi, R; Ohta, M; Alvarez, CE; Fiel, MI; Bansal, M; Mehal, WZ; Friedman, SL. (2004). Immune stimulation of hepatic fibrogenesis by CD8 cells and attenuation by transgenic interleukin-10 from hepatocytes. *Gastroenterology*. 127: 870-882.
- Safadi, R; Zigmund, E; Pappo, O; Shalev, Z; Ilan, Y. (2007). Amelioration of hepatic fibrosis via beta-glucosylceramide-mediated immune modulation is associated with altered CD8 and NKT lymphocyte distribution. *Int Immunol*. 19: 1021-1029.
- Safavi, A; Townshend, A. (1984). Molecular emission cavity analysis: Part 27. Indirect Determination of Selenium, Tellurium, Arsenic and Antimony After Extraction as their Diethyldithiocarbamates. *Anal Chim Acta*. 164: 77-82.
- Sagor, AT; Chowdhury, MR; Tabassum, N; Hossain, H; Rahman, MM; Alam, MA. (2015). Supplementation of fresh ucche (*Momordica charantia* L. var. *muricata* Willd) prevented oxidative stress, fibrosis and hepatic damage in CCl4 treated rats. *BMC Complement Altern Med*. 15: 115.
- Saha, P; Mazumder, UK; Haldar, PK; Gupta, M; Kundu Sen, S; Islam, A. (2011). Antioxidant and Hepatoprotective Activity of *Lagenaria siceraria* Aerial parts. *Pharmacognosy Journal*. 3: 67-74.
- Sahay, BN; Sinha, KP. Influence of autacoids and corticosteroids on the lipid metabolism of rats poisoned with carbon tetrachloride, thioacetamide and ethionine. *Indian veterinary journal*. Jan 1978, 55 (1): 13-17.
- Sahay, BN; Verma, SK; Sinha, KF. Influence of some glycolytic and TCA metabolites on lipid metabolism in rats poisoned with carbon tetrachloride, thioacetamide and ethionine. *Indian journal of animal sciences*. Apr 1983. v. 53 (4): 457-459.
- Sahin, H; Borkham-Kamphorst, E; Kuppe, C; Zaldivar, MM; Grouls, C; Al-samman, M; Nellen, A; Schmitz, P; Heinrichs, D; Berres, ML; Doleschel, D; Scholten, D; Weiskirchen, R; Moeller, MJ; Kiessling, F; Trautwein, C; Wasmuth, HE. (2012). Chemokine Cxcl9 attenuates liver fibrosis-associated angiogenesis in mice. *Hepatology*. 55: 1610-1619.
- Sahreem, S; Khan, MR; Khan, RA. (2011). Hepatoprotective effects of methanol extract of *Carissa opaca* leaves on CCl4-induced damage in rat. *BMC Complement Altern Med*. 11: 48.
- Sahreem, S; Khan, MR; Khan, RA. (2013). Ameliorating effect of various fractions of *Rumex hastatus* roots against hepato- and testicular toxicity caused by CCl4. *Oxid Med Cell Longev*. 2013: 325406.
- Sahreem, S; Khan, MR; Khan, RA; Alkreathy, HM. (2015). Protective effects of *Carissa opaca* fruits against CCl4-induced oxidative kidney lipid peroxidation and trauma in rat. *Food & Nutrition Research*. 59: 28438-28438.
- Sahreem, S; Khan, MR; Khan, RA; Shah, NA. (2013). Effect of *Carissa opaca* leaves extract on lipid peroxidation, antioxidant activity and reproductive hormones in male rats. *Lipids Health Dis*. 12: 90.
- Said, MM; Ibrahim, MH; Mekkawy, MY. (1984). Early identification of carbon tetrachloride hepatotoxicity in albino rats. *Pharmazie*. 39: 64-65.
- Saile, B; U, RG; Klaassen, CD. (1999). NONMETALLIC ENVIRONMENTAL TOXICANTS AIR POLLUTANTS SOLVENTS AND VAPORS AND PESTICIDES. *J Hepatol*. 31: 692-702.
- Saint-Fort, R. (1991). Ground water contamination by anthropogenic organic compounds from waste disposal sites; Transformations and behavior. *J Environ Sci Health Part A Environ Sci Eng*. 26: 13-62.
- Saisho, K; Hasegawa, Y; Saeki, M; Toyoda, M; Saito, Y. (1994). Bioaccumulation of volatile chlorinated hydrocarbons in blue mussel, *Mytilus edulis* and killifish, *Oryzias latipes*. *Japanese Journal of Toxicology and Environmental Health*. 40: 274-278.
- Saito, S; Ebashi, J; Sumita, S; Furumoto, T; Nagamura, Y; Nishida, K; Isiguro, I. (1993). Comparison of cytoprotective effects of saponins isolated from leaves of *Aralia elata* Seem. (Araliaceae) with synthesized bisdesmosides of oleanolic acid and hederagenin on carbon tetrachloride-induced hepatic injury. *Chemical & pharmaceutical bulletin*. 41: 1395-1401.
- Saito, S; Kuroda, K; Hayashi, Y; Sasaki, Y; Nagamura, Y; Nishida, K; Ishiguro, I. (1991). Preparation of glycyrrhetic acid glycosides having various beta (1 arrow right 2)-linked disaccharides and their cytoprotective effects on carbon tetrachloride-induced hepatic injury. *Chemical & Pharmaceutical Bulletin*. 39: 2333-2339.

Environmental Hazard Literature Search Results

Off Topic

- Saito, S; Kuroda, K; Hayashi, Y; Sasaki, Y; Nagamura, Y; Nishida, K; Ishiguro, I. (1991). Preparation of glycyrrhetic acid glycosides having various beta(1----2)-linked disaccharides and their cytoprotective effects on carbon tetrachloride-induced hepatic injury. *Chemical & pharmaceutical bulletin*. 39: 2333-2339.
- Saito, S; Tanoue, A; Matsuo, M. (1992). Applicability of the i/o-characters to a quantitative description of bioconcentration of organic chemicals in fish. *Chemosphere*. 24: 81-88.
- Sajid, M; Khan, MR; Shah, NA; Shah, SA; Ismail, H; Younis, T; Zahra, Z. (2016). Phytochemical, antioxidant and hepatoprotective effects of *Alnus nitida* bark in carbon tetrachloride challenged Sprague Dawley rats. *BMC Complement Altern Med*. 16: 268.
- Sajid, M; Khan, MR; Shah, NA; Ullah, S; Younis, T; Majid, M; Ahmad, B; Nigussie, D. (2016). Proficiencies of *Artemisia scoparia* against CCl₄ induced DNA damages and renal toxicity in rat. *BMC Complement Altern Med*. 16: 149.
- Sakadamis, AK; Ballas, KD; Tzioufa-Asimakopoulou, V; Alatsakis, MB. (2001). A rat model of liver cirrhosis and esophageal varices. *Research in Experimental Medicine*. 200: 137-154.
- Sakae, A; Masakane, H; Yukio, O; Yasuhiko, O; Kenji, F; Hiroshi, O; Haruji, O; Toyokazu, K. (1989). Treatment of chronic liver injury in mice by oral administration of xiao-chai-hu-tang. *J Ethnopharmacol*. 25: 181-187.
- Sakaguchi, H; Dachs, S; Mautner, W; Grishman, E; Churg, J. (1964). RENAL GLOMERULAR LESIONS AFTER ADMINISTRATION OF CARBON TETRACHLORIDE AND ETHIONINE. *Laboratory investigation; a journal of technical methods and pathology*. 13: 1418-1426.
- Sakaguchi, T; Nishimura, H; Masuda, Ks; Tsuge, I; Onishi, K; Tatsumi, H. (1966). The relationship between chemical structure and protective effect of dithiocarbamate derivatives against experimental hepatic injury induced by carbon tetrachloride administration in rats. *Biochem Pharmacol*. 15: 756-758.
- Sakamoto, K; Otsuka, K; Kasahara, T; Abe, K. (1986). Effect of carbon tetrachloride on blood coagulation and fibrinolytic activities in rats. *Folia Pharmacologica Japonica*. 88: 255-262.
- Sakamoto, M; Cai, XC; Hara, M; Fujitsuka, M; Majima, T. (2004). Intermolecular electron transfer from naphthalene derivatives in the higher triplet excited states. *J Am Chem Soc*. 126: 9709-9714.
- Sakamoto, M; Nakamura, T; Torimura, T; Iwamoto, H; Masuda, H; Koga, H; Abe, M; Hashimoto, O; Ueno, T; Sata, M. (2013). Transplantation of endothelial progenitor cells ameliorates vascular dysfunction and portal hypertension in carbon tetrachloride-induced rat liver cirrhotic model. *J Gastroenterol Hepatol*. 28: 168-178.
- Sakata, T. (1984). Effects of carbon tetrachloride and azathioprine on diethylnitrosamine and N-2-fluorenyl-acetamide-induced hyperplastic liver nodule and hepatocellular carcinoma. *Acta Med Okayama*. 38: 511-524.
- Sakata, T; Watanabe, A; Takei, N; Shiota, T; Nakatsukasa, H; Fujiwara, M; Kobayashi, M; Nagashima, H. (1983). Effect of azathioprine and carbon tetrachloride on induction of hyperplastic liver nodule and hepatocellular carcinoma by diethylnitrosamine and N-2-fluorenylacetamide in rats. *Ann N Y Acad Sci*. 417: 288-293.
- Sakuta, GA. (1996). DNA AND TOTAL PROTEIN CONTENTS IN THE HEPATOCYTES IN THE COURSE RAT LIVER REGENERATION AFTER THE END OF A CHRONIC CARBON TETRACHLORIDE POISONING. *Annual Meeting Of The 6th International Congress On Cell Biology And The 36th American Society For Cell Biology, San Francisco, California, Usa, December*. 7.
- Salam, O; Oraby, FH; Hassan, NS. (2007). Vinpocetine ameliorates acute hepatic damage caused by administration of carbon tetrachloride in rats. *Acta Biol Hung*. 58: 411-419.
- Salam, O; Sleem, AA; Omara, EA; Hassan, NS. (2009). Hepatoprotective effects of misoprostol and silymarin on carbon tetrachloride-induced hepatic damage in rats. *Fundamental & Clinical Pharmacology*. 23: 179-188.
- Salameh, N; Larrat, B; Abarca-Quinones, J; Pallu, S; Dorvillius, M; Leclercq, I; Fink, M; Sinkus, R; Van Beers, BE. (2009). Early Detection of Steatohepatitis in Fatty Rat Liver by Using MR Elastography. *Radiology*. 253: 90-97.
- Salas, AL; Montezuma, TD; Farina, GG; Reyes-Esperza, J; Rodriguez-Fragoso, L. (2008). Genistein modifies liver fibrosis and improves liver function by inducing uPA expression and proteolytic activity in CCl₄-treated rats. *Pharmacology*. 81: 41-49.
- Salawu, SO; Akindahunsi, AA. (2007). Protective Effect of Some Tropical Vegetables Against CCl₄ -Induced Hepatic Damage. *J Med Food*. 10: 350-355.
- Salazar-Montes, A; Ruiz-Corro, L; Lopez-Reyes, A; Castrejon-Gomez, E; Armendariz-Borunda, J. (2008). Potent antioxidant role of Pirfenidone in experimental cirrhosis. *Eur J Pharmacol*. 595: 69-77.
- Salazar-Montes, A; Ruiz-Corro, L; Sandoval-Rodriguez, A; Lopez-Reyes, A; Armendariz-Borunda, J. (2006). Increased DNA binding activity of NF-kappaB, STAT-3, SMAD3 and AP-1 in acutely damaged liver. *World J Gastroenterol*. 12: 5995-6001.
- Saldeen, T. (1969). On the protective action of zinc against experimental liver damage due to choline free diet or carbon tetrachloride. *Zeitschrift für die gesamte experimentelle Medizin einschliesslich experimentelle Chirurgie*. 150: 251-259.
- Saldeen, T; Brunk, U. (1967). Enzyme histochemical investigations of the inhibitory effect of zinc on the injurious action of carbon tetrachloride on the liver. *Frankfurter Zeitschrift für Pathologie*. 76: 419-426.
- Saleh, DO; Jaleel, G; El-Awdan, SA; Oraby, F; Badawi, M. (2014). Thioacetamide-induced liver injury: protective role of genistein. *Can J Physiol Pharmacol*. 92: 965-973.
- Salichs, A; Lopez, M; Segarra, V; Orozco, M; Luque, EJ. (2002). Fast estimation of hydrogen-bonding donor and acceptor propensities: a GMIPp study. *Journal of Computer-Aided Molecular Design*. 16: 569-583.
- Salier, JP; Daveau, M; Huss, S; Stellmacher, C; Goltz, D; Khlistunova, I; Adam, AC; Trebicka, J; Kirfel, J; Bâ tneAd, IloPUoCCG. (2000). Deficiency in four and one half LIM domain protein 2 (FHL2) aggravates liver fibrosis in mice. *Apopt000, Ap*.
- Salminen Jr, WF; Voellmy, R; Roberts, SM. (1996). Induction of hsp 70 in HepG2 cells in response to hepatotoxicants. *Toxicol Appl Pharmacol*. 141: 117-123.

Environmental Hazard Literature Search Results

Off Topic

- Salminen, WF; Voellmy, R; Roberts, SM. (1997). Protection against hepatotoxicity by a single dose of amphetamine: The potential role of heat shock protein induction. *Toxicol Appl Pharmacol.* 147: 247-258.
- Salmon, AG; Nash, JA; Walklin, CM; Freedman, RB. (1985). DECHLORINATION OF HALOCARBONS BY MICROSOMES AND VESICULAR RECONSTITUTED CYTOCHROME P-450 SYSTEMS UNDER REDUCTIVE CONDITIONS. *Br J Ind Med.* 42: 305-311.
- Saltan AÿitoAÿlu, G; BahadAÿr AcAÿkara, A; Sever YAÿlmaz, B; Aÿzbek, H. (2012). Evaluation of analgesic, anti-inflammatory and hepatoprotective effects of lycorine from *Sternbergia fisheriana* (Herbert) Rupr. *Fitoterapia.* 83: 81-87.
- Salto, R; Sola, M; Oliver, FJ; Vargas, AM. (1996). Effects of starvation, diabetes and carbon tetrachloride intoxication on rat kidney cortex and liver pyruvate carboxylase levels. *Arch Physiol Biochem.*
- Saltzman, BE. (1985). Variability and bias in the analyses of industrial hygiene samples. *Am Ind Hyg Assoc J.* 46: 134-141.
- Salvatore, F; Scoppa, P; Cozzolino, D. (1959). Protective effect of ornithine and aspartic acid in chronic carbon tetrachloride intoxication. *Clinica chimica acta; international journal of clinical chemistry.* 4: 728-732.
- Salyamon, L. (1990). INFLAMMATORY REACTIVITY AND CARCINOGENESIS. *Acta - Unio Internationalis Contra Cancrum.* 19: 552-554.
- Samad, A; Anderson, CW; Carroll, RB. (1986). Mapping of phosphomonoester and apparent phosphodiester bonds of the oncogene product p53 from simian virus 40-transformed 3T3 cells. *Proceedings of the National Academy of Sciences of the United States of America.* 83: 897-901.
- Samanta, AK; Pandey, P; Bandyopadhyay, B; Mukhopadhyay, A; Chakraborty, T. (2011). Intra- and intermolecular H-bond mediated tautomerization and dimerization of 3-methyl-1,2-cyclopentanedione: Infrared spectroscopy in argon matrix and CCl₄ solution. *Journal of molecular structure.* 994: 97-103.
- Sambasiva Rao, E; Rajeswara Rao, P; Ganga Rao, B; Mallikarjuna Rao, T. (2013). Evaluation of hepatoprotective activity of *Gynandropsis gynandra*. *Journal of Pharmacy Research.* 6: 928-932.
- Sampayo-Reyes, A; Zakharyan, RA; Healy, SM; Aposhian, HV. (2000). Monomethylarsonic acid reductase and monomethylarsonous acid in hamster tissue. *Chem Res Toxicol.* 13: 1181-1186.
- Samuel, J; Sinha, D; Zhao, JCG; Wang, XD. (2014). Water residing in small ultrastructural spaces plays a critical role in the mechanical behavior of bone. *Bone.* 59: 199-206.
- Sancheti, S; Sancheti, S; Seo, SY. (2013). Ameliorative effects of 7-methylcoumarin and 7-methoxycoumarin against CCl₄-induced hepatotoxicity in rats. *Drug Chem Toxicol.* 36: 42-47.
- Sanchez, E; Nieto, JC; Boullosa, A; Vidal, S; Sancho, FJ; Rossi, G; Sancho-Bru, P; Oms, R; Mirelis, B; Juarez, C; Guarner, C; Soriano, G. (2015). VSL#3 probiotic treatment decreases bacterial translocation in rats with carbon tetrachloride-induced cirrhosis. *Liver Int.* 35: 735-745.
- Sanchezl; Benedi, J; Nadeau, D; Marchand, C. (2001). Importance of the route of administration of ccl 4 in the protective effect of promethazine. *Experimental and toxicologic pathology : official journal of the Gesellschaft für Toxikologische Pathologie.* 53: 199-206.
- Sand, JM; Larsen, L; Hogaboam, C; Martinez, F; Han, M; RAÿssel, LM; Nawrocki, A; Zheng, Q; Karsdal, MA; Leeming, DJ. (2013). MMP mediated degradation of type IV collagen alpha 1 and alpha 3 chains reflects basement membrane remodeling in experimental and clinical fibrosis--validation of two novel biomarker assays. *PLoS ONE.* 8: e84934.
- Sandalls, FJ; Hatton, DB. (1977). Measurements of atmospheric concentrations of trichlorofluoromethane, dichlorodifluoromethane and carbon tetrachloride by aircraft sampling over the British isles. *Atmos Environ* (1967). 11: 321-327.
- Sanders, PF. (1995). Calculation of soil cleanup criteria for volatile organic compounds as controlled by the soil-to-groundwater pathway: Comparison of four unsaturated soil zone leaching models. *Journal of Soil Contamination.* 4: 1-24.
- Sanders, PF; Stern, AH. (1994). Calculation of soil cleanup criteria for carcinogenic volatile organic compounds as controlled by the soil-to-indoor air exposure pathway. *Environ Toxicol Chem.* 13: 1367-1373.
- Sanderson, JT; Commandeur, JNM; van Wezel, A; Vermeulen, NPE. (1999). Bioassays for the detection of chemicals that can form bioactivation-dependent reactive free radicals. *Environ Toxicol Chem.* 18: 1236-1243.
- Sandhu, GS; Gonnella, NC; Kapeghian, JC; Plocinski, AF; Plutchok, J; Schlosser, MJ. (1991). Evaluation of ³¹P NMR spectroscopy as an indicator of chemically induced hepatic toxicity in the rat: comparison with serum enzyme levels and pathology. *NMR in biomedicine.* 4: 12-15.
- Sangameswaran, B; Reddy, TC; Jayakar, B. (2008). Hepatoprotective effect of leaf extracts of *Andrographis lineata* nees on liver damage caused by carbon tetrachloride in rats. *Phytother Res.* 22: 124-126.
- Sanins, SM; Nicholson, JK; Elcombe, C; Timbrell, JA. (1990). Hepatotoxin-induced hypertauninuria: A proton NMR study. *Arch Toxicol.* 64: 407-411.
- Sankh, P; Ananda, KJ; Manjunantha Prabhu, BH. (2010). Induced aflatoxin and carbon tetrachloride toxicity on gravid uterus of rabbits - a pathomorphological study. *Veterinary world.* 3: 275-276.
- San-Miguel, B; Crespo, I; Sanchez, DI; Gonzalez-Fernandez, B; de Urbina, JJO; Tunon, MJ; Gonzalez-Gallego, J. (2015). Melatonin inhibits autophagy and endoplasmic reticulum stress in mice with carbon tetrachloride-induced fibrosis. *J Pineal Res.* 59: 151-162.
- Sanmugapriya, E; Venkataraman, S. (2006). Studies on hepatoprotective and antioxidant actions of *Strychnos potatorum* Linn. seeds on CCl₄-induced acute hepatic injury in experimental rats. *J Ethnopharmacol.* 105: 154-160.
- Sano, M; Kawabata, H; Tomita, I; Yoshioka, H; Hu, ML. (1994). Potentiation of oxidative damage to rat red blood cells by the concurrent presence of t-butyl hydroperoxide and bromotrichloromethane. *J Toxicol Environ Health.* 43: 339-350.
- Sano, M; Takahashi, Y; Yoshino, K; Shimoi, K; Nakamura, Y; Tomita, I; Oguni, I; Konomoto, H. (1995). EFFECT OF TEA (CAMELLIA-SINENSIS L) ON LIPID-PEROXIDATION IN RAT-LIVER AND KIDNEY - A COMPARISON OF GREEN AND BLACK TEA FEEDING. *Biological & Pharmaceutical Bulletin.* 18: 1006-1008.
- Sano, M; Tappel, AL. (1990). Halogenated hydrocarbon and hydroperoxide induced lipid peroxidation in rat tissue slices. *J Agric Food Chem.* 38: 437-441.

Environmental Hazard Literature Search Results

Off Topic

- Sano, Y; Sano, T; Nagata, S. (2010). Electronic and ionic contributions to the constant-volume specific heat of carbon tetrachloride shocked at pressures up to 23 GPa. *Journal of Applied Physics*. 107: 33507-33507.
- Sanogo, R; Germano, MP; D'Angelo, V; Guglielmo, M; De Pasquale, R. (1998). Antihepatotoxic properties of *Entada africana* (Mimosaceae). *Phytother Res*. 12: S157-S159.
- Sanso, G; Aragno, M; Mastrocola, R; Restivo, F; Mengozzi, G; Smedile, A; Rosina, F; Danni, O; Parola, M; Rizzetto, M. (2005). Neutral endopeptidase (EC 3.4.24.11) in cirrhotic liver: a new target to treat portal hypertension? *J Hepatol*. 43: 791-798.
- Sansoe, G; Aragno, M; Mastrocola, R; Parola, M. (2016). Pathogenesis of solute-free water retention in experimental ascitic cirrhosis: is vasopressin the only culprit? *Clin Sci (Lond)*. 130: 117-124.
- Sansoe, G; Aragno, M; Mastrocola, R; Paternostro, C; Parola, M. (2013). Calcium receptors located in fibrotic septa: a new target to reduce portal pressure in liver cirrhosis. *Clin Sci (Lond)*. 125: 67-75.
- Santana, T; Araújo, AD; DoNeMinnDInnSZubir, nM; xicote; xico, DF; González, D; MMMinNDIn; oacalvador, Z; Zubir, nM; S; D; Tapia, E; Peña, J; DoN; Mineral, MuNDInnSZubir, nM; xicote; xico, DF; Panduro, A; Ito, T; Hayashi, N; Horimoto, M; Sasaki, Y; Tanaka, Y; Kaneko, A; Fusamoto, H; Kamada, T. (1993). Expression of the c-met/hepatocyte growth factor receptor gene during rat liver regeneration induced by carbon tetrachloride. *Ren Fail*. 15: 19-26.
- Santone, KS; Acosta, D; Stavchansky, SA; Bruckner, JV. (1987). THE USE OF PRIMARY CULTURES OF POSTNATAL RAT HEPATOCYTES TO INVESTIGATE CARBON TETRACHLORIDE-INDUCED CYTOTOXICITY. *Guillouzo, A. O*: 221-234.
- Santra, A; Das, S; Maity, A; Rao, SB; Mazumder, DN. (1998). Prevention of carbon tetrachloride-induced hepatic injury in mice by *Picrohiza kurrooa*. *Indian journal of gastroenterology : official journal of the Indian Society of Gastroenterology*. 17: 6-9.
- Sanz, JL; Rodriguez, N; Amils, R. (1994). ACETOCLASTIC METHANOGENIC TOXICITY PRODUCED BY ALIPHATIC ORGANOCHLORIDE SOLVENTS. *Water Science And Technology*. 30: 121-123.
- Sanz, JL; Rodriguez, N; Amils, R. (1997). Effect of chlorinated aliphatic hydrocarbons on the acetoclastic methanogenic activity of granular sludge. *Appl Microbiol Biotechnol*. 47: 324-328.
- Sanz, S; Pucilowska, JB; Liu, S; Rodriguez-Ortigosa, CM; Lund, PK; Brenner, DA; Fuller, CR; Simmons, JG; Pardo, A; Martinez-Chantar, ML; Fagin, JA; Prieto, J. (2005). Expression of insulin-like growth factor I by activated hepatic stellate cells reduces fibrogenesis and enhances regeneration after liver injury. *Gut*. 54: 134-141.
- Sanzgiri, UY; Kim, HJ; Muralidhara, S; Dallas, CE; Bruckner, JV. (1995). Effect of route and pattern of exposure on the pharmacokinetics and acute hepatotoxicity of carbon tetrachloride. *Toxicol Appl Pharmacol*. 134: 148-154.
- Sapozhnikova, TA; Zarudii, FS; Baschenko, N; Gabdrahmanova, SF; Makara, NS; Khisamutdinova, RY; Ivanova, NA; Nazarov, VS. (2008). Choleric activity of 2-demethoxycarbonyl-2-ethoxycarbonyl-11-deoxymisoprostol on the model of CCl₄-induced hepatitis. *Bull Exp Biol Med*. 145: 223-224.
- Saquin, JM; Mitchell, LA; Wu, B; Wagner, TB; Knappe, DR; Barlaz, MA. (2010). Factors controlling alkylbenzene and tetrachloroethene desorption from municipal solid waste components. *Environmental science & technology*. 44: 1123-1129.
- Sar, TK; Mandal, TK; Das, SK; Chakraborty, AK. (1992). Pharmacokinetics of ceftriaxone in carbon tetrachloride-induced hepatopathic and uranyl nitrate-induced nephropathic goats following single dose intravenous administration. *Drug Metab Lett*. 2: 23-28.
- Saraf, S; Dixit, VK; Tripathi, SC; Patnaik, GK. Antihepatotoxic activity of *Cassia occidentalis*. *International journal of pharmacognosy : a journal of crude drug research*. Apr 1994. v. 32 (2): 178-183.
- Sarafov, D; Mitkov, D; Dzhabazova, S. (1994). Effect of a balanced amino acid-based diet on the nitrogen metabolism in carbon tetrachloride-induced liver injury. *Folia medica*. 36: 13-20.
- Saranteas, T; Mourouzis, C; Anagnostopoulou, S; Danis, K; Tachmintzis, A; Rallis, G. (2006). (14)C-lidocaine disposition in serum and tissues of normal and liver diseased rats. *Journal of oral and maxillofacial surgery : official journal of the American Association of Oral and Maxillofacial Surgeons*. 64: 892-895.
- Saravanan, S; Pandikumar, P; Pazhanivel, N; Paulraj, MG; Ignacimuthu, S. (2013). Hepatoprotective role of *Abelmoschus esculentus* (Linn.) Moench., on carbon tetrachloride-induced liver injury. *Toxicol Mech Meth*. 23: 528-536.
- Sarhadynejad, Z; Sharififar, F; Pardakhty, A; Nematollahi, MH; Sattaie-Mokhtari, S; Mandegary, A. (2016). Pharmacological safety evaluation of a traditional herbal medicine "Zereshk-e-Saghir" and assessment of its hepatoprotective effects on carbon tetrachloride induced hepatic damage in rats. *J Ethnopharmacol*. 190: 387-395.
- Sarkar, A; Pradhan, S; Mukhopadhyay, I; Bose, SK; Roy, S; Chatterjee, M. (1999). INHIBITION OF EARLY DNA-DAMAGE AND CHROMOSOMAL ABERRATIONS BY *TRIANTHEMA PORTULACASTRUM* L. IN CARBON TETRACHLORIDE-INDUCED MOUSE LIVER DAMAGE. *Cell Biol Int*. 23: 703-708.
- Sasaki, H; Yoshida, S; Kitahara, T; Yoshioka, T; Nakagawa, H; Nakamura, T; Ichikawa, N; Nishida, K; Nakamura, J; Nakashima, M. (2006). Influence of disease stage on polyethylenimine-mediated plasmid DNA delivery in murine hepatitis. *Int J Pharm*. 318: 139-145.
- Sasaki, S; Masaki, N; Yashiro, H; Kudo, M; Kimura, K; Takebe, K. (1981). Degradation of insulin in perfused liver and skeletal muscle and insulin secretion in perfused pancreas of liver injury rat. *Hormone and metabolic research = Hormon- und Stoffwechselforschung = Hormones et métabolisme*. 13: 561-564.
- Sasaki, T. (2004). (11)C Choline uptake in regenerating liver after partial hepatectomy or CCl₄-administration. *Nucl Med Biol*. 31: 269-275.
- Sasaki, T; Suzuki, M; Noda, K; Noguchi, T; Ishida, R; Oda, H; Araki, M; Matsushima, T. (1997). Mutagenicity study of carbon tetrachloride and chloroform with microbial mutagenicity test and rat liver micronucleus test. *Proceedings Of The 1st International Conference Of Asian Society Of Toxicology, Yokohama, Japan, June*. 23: 305.
- Sasaki, Y; Hayashi, N; Ito, T; Fusamoto, H; Sato, N; Kamada, T. (1989). Heterogeneous activation of protein kinase C during rat liver regeneration induced by carbon tetrachloride administration. *FEBS Lett*. 254: 59-65.

Environmental Hazard Literature Search Results

Off Topic

- Sasaki, YF; Saga, A; Akasaka, M; Ishibashi, S; Yoshida, K; Su, YQ; Matsusaka, N; Tsuda, S. (1998). Detection in vivo genotoxicity of haloalkanes and haloalkenes carcinogenic to rodents by the alkaline single cell gel electrophoresis (comet) assay in multiple mouse organs. *Mutat Res.* 419: 13-20.
- Sasame, HA; Castro, JA; Gillette, JR. (1968). Studies on the destruction of liver microsomal cytochrome P-450 by carbon tetrachloride administration. *Biochem Pharmacol.* 17: 1759-1768.
- Sasic, S; Antic-Jovanovic, A; Kuzmanovic, M; Jeremic, M. (1999). Quantitative analysis of the Raman spectra of mixtures of weakly interacting components by factor analysis methods. *Analyst.* 124: 1481-1487.
- Sasirekha, V; Vanelle, P; Terme, T; Ramakrishnan, V. (2009). Preferential solvation of 1,4-dimethoxy-2,3-dimethyl-9,10-anthraquinone--a spectrophotometric and fluorometric study. *J Fluoresc.* 19: 419-426.
- Sasson, Y; Rempel, GL. (1974). Homogeneous transfer hydrogenolysis of carbon tetrachloride by carbinols catalyzed by dichlorotris(triphenylphosphine)ruthenium (II). *Tetrahedron Letters.* 15: 3221-3224.
- Sastry, KV; Agrawal, VP. (1976). Histochemical studies on the liver of *Heteropneustes fossilis* treated with carbon tetrachloride. *Acta Anat.* 94: 59-64.
- Satapanajaru, T; Comfort, SD; Shea, PJ. (2003). Enhancing metolachlor destruction rates with aluminum and iron salts during zerovalent iron treatment. *J Environ Qual.* 32: 1726-1734.
- Satapanajaru, T; Shea, PJ; Comfort, SD; Roh, Y. (2003). Green rust and iron oxide formation influences metolachlor dechlorination during zerovalent iron treatment. *Environmental Science & Technology.* 37: 5219-5227.
- Sathyavelu Reddy, K; Venkateswara Prasad, G; Mohanachari, V; Rajendra, W; Indira, K. (1984). Biochemical responses in the skeletal muscle of mice exposed to acute carbon tetrachloride poisoning. *Environment and ecology Kalyani.* 2: 209-212.
- Sato, A. (1999). Acarbose and acetaminophen- a dangerous combination? *Hepatology (Baltimore, Md).* 29: 1914.
- Sato, A; Nakajima, T. (1985). Enhanced metabolism of volatile hydrocarbons in rat liver following food deprivation, restricted carbohydrate intake, and administration of ethanol, phenobarbital, polychlorinated biphenyl and 3-methylcholanthrene: a comparative study. *Xenobiotica; the fate of foreign compounds in biological systems.* 15: 67-75.
- Sato, A; Nakajima, T. (1987). PHARMACOKINETICS OF ORGANIC SOLVENT VAPORS IN RELATION TO THEIR TOXICITY. *Scand J Work Environ Health.* 13: 81-93.
- Sato, A; Nakajima, T; Koyama, Y. (1981). Dose-Related Effects of a Single Dose of Ethanol on the Metabolism in Rat Liver of Some Aromatic and Chlorinated Hydrocarbons. *TOXICOL AND APPL PHARMACOL.* 60: 8-15.
- Sato, A; Nakajima, T; Koyama, Y. (1983). Interaction between ethanol and carbohydrate on the metabolism in rat liver of aromatic and chlorinated hydrocarbons. *Toxicol Appl Pharmacol.* 68: 242-249.
- Sato, A; Nakashima, H; Nakashima, M; Ikarashi, M; Nishiyama, K; Kinoshita, M; Seki, S. (2014). Involvement of the TNF and FasL produced by CD11b Kupffer cells/macrophages in CCl4-induced acute hepatic injury. *PLoS ONE.* 9: e92515.
- Sato, C; Nakano, M; Lieber, CS. (1981). Prevention of acetaminophen-induced hepatotoxicity by acute ethanol administration in the rat: comparison with carbon tetrachloride-induced hepatotoxicity. *The Journal of pharmacology and experimental therapeutics.* 218: 805-810.
- Sato, H; Uehara, K; Ishii, T; Ozaki, Y. FT-IR and near-infrared FT-Raman study of aggregation of bacteriochlorophyll c in solutions: evidence for involvement of the ester group in the aggregation. *Biochemistry.* June 20, 1995. v. 34 (24): 7854-7860.
- Sato, H; Uehara, K; Ishii, T; Ozaki, Y. Near-infrared-FT-Raman study of aggregation of bacteriochlorophyll c in whole living *Chlorobium limicola*. *Photochem Photobiol.* Sept 1995. v. 62 (3): 509-513.
- Sato, M; Imai, K; Kimura, R; Murata, T. (1985). Effect of sodium copper chlorophyllin on lipid peroxidation. VIII. Its effect on carbon tetrachloride-induced liver injury in rats. *Chemical & pharmaceutical bulletin.* 33: 3530-3533.
- Sato, M; Takizawa, Y. (1983). The effects of CCl4 on the accumulation of mercury in rat tissues after methylmercury injection. *Toxicol Lett.* 15: 245-249.
- Sato, M; Takizawa, Y. (1983). The effects of CCl sub(4) on the accumulation of mercury in rat tissues after methylmercury injection. *Toxicol Lett.* 15: 245-249.
- Sato, N; Abe, S; Yamada, T; Iwasaki, K; Ohtake, Y; Ohkubo, Y. (2004). Relationship between liver injury and transglutaminase activities in guinea pigs and rats. *Biological & Pharmaceutical Bulletin.* 27: 236-238.
- Sato, N; Fujii, K; Kawamoto, M; Yuge, O; Morio, M. (1990). Paraquat inhibits the lipid peroxidation caused by carbon tetrachloride in guinea pig liver microsomes. *Res Commun Chem Pathol Pharmacol.* 70: 93-102.
- Sato, N; Kamada, T; Kawano, S; Hayashi, N; Kishida, Y; Meren, H; Yoshihara, H; Abe, H. (1983). Effect of acute and chronic ethanol consumption on hepatic tissue oxygen tension in rats. *Pharmacology Biochemistry and Behavior.* 18.
- Sato, N; Ota, M; Obara, K. (1969). Metabolism in vitro of (4-14C) testosterone by liver homogenates of normal and carbon tetrachloride injured rats. *The Tohoku journal of experimental medicine.* 98: 281-288.
- Sato, T; Kaneko, M; Hama, A; Kusakari, T; Fujieda, H. (1996). Expression of class II MHC molecules in the rat pineal gland during development and effects of treatment with carbon tetrachloride. *Cell Tissue Res.* 284: 65-76.
- Sato, Y; Igarashi, Y; Hakamata, Y; Murakami, T; Kaneko, T; Takahashi, M; Seo, N; Kobayashi, E. (2003). Establishment of Alb-DsRed2 transgenic rat for liver regeneration research. *Biochem Biophys Res Commun.* 311: 478-481.
- Sato, Y; Maruyama, M. (1974). Immunological study of carbon tetrachloride-mediated induction of tyrosine aminotransferase in rat liver. *Arch Biochem Biophys.* 163: 133-145.
- Sato, Y; Yoneda, M; Nakamura, K; Makino, I; Terano, A. (2003). Protective effect of central thyrotropin-releasing hormone on carbon tetrachloride-induced acute hepatocellular necrosis in rats. *J Hepatol.* 39: 47-54.

Environmental Hazard Literature Search Results

Off Topic

- Satoh, M; Ando, S; Shinoda, T; Yamazaki, M. (1987). Clearance of bacterial lipopolysaccharides and lipid A by the liver and the role of argininosuccinate synthase. *Innate Immun.* 14: 51-60.
- Satoh, M; Tsuji, Y; Watanabe, Y; Okonogi, H; Suzuki, Y; Nakagawa, M; Shimizu, H. (1996). Metallothionein content increased in the liver of mice exposed to magnetic fields. *Arch Toxicol.* 70: 315-318.
- Sattari, D; Hill, CL. (1990). PHOTOCHEMICAL DEHALOGENATION OF CARBON TETRACHLORIDE BY ALCOHOLS CATALYSED BY POLYOXOTUNGSTATES. *J Chem Soc Chem Commun.* 0: 634-635.
- Satturwar, PM; Fulzele, SV; Joshi, SB; Dorle, AK. (2003). Hepatoprotective activity of Haridradi ghrita on carbon tetrachloride-induced liver damage in rats. *Indian J Exp Biol.* 41: 1447-1451.
- Sauer, JM; Stine, ER; Gunawardhana, L; Hill, DA; Sipes, IG. (1999). The liver as a target for chemical-chemical interactions. 43: 37-63.
- Sauers, LJ; Maurer, JK; Reer, PJ. (1994). The rat as a model to evaluate the gastric irritation potential of alkaline products. *Toxicol Pathol.* 22: 324-329.
- Saul, RL; Archer, MC. (1984). Oxidation of ammonia and hydroxylamine to nitrate in the rat and in vitro. *Carcinogenesis.* 5: 77-81.
- Saunavaara, J; Jokisaari, J. (2006). Determination of sample temperature and temperature stability with (129)Xe NMR. *J Magn Reson.* 180: 58-62.
- Savegnago, L; Braga, AAL; Jess, JCR; Nurrochmad, A; Margono, SA; Sardjiman; Hakim, AR; Ernawati; Kurniawati, E; Fatmawati, E. (2013). Hepatoprotective and antioxidant activity of pentagamavunon-0 against carbon tetrachloride-induced hepatic injury in rats. *Cell Biochem Funct.* 31: 152-158.
- Savilov, PN; Yakovlev, VN. (2014). Phosphate-dependent glutaminase response to liver injury and hyperbaric oxygenation. *Bull Exp Biol Med.* 157: 299-301.
- Savilov, PN; Yakovlev, VN. (2016). Effect of Liver Damage and Hyperbaric Oxygenation on Glutamine Synthetase of Hepatocytes. *Bull Exp Biol Med.* 160: 295-297.
- Savino, A; Pasquini, R; Conti, R; Melchiorri, C; Di, CAROA; Sebastiani, L; Grella, A; Bonacci, S. (1987). INFLUENCE OF WASTE WATER DISINFECTION TREATMENTS ON SOME GENOTOXIC CHEMICAL MICROPOLLUTANTS. *Angeletti, G And A Bjorseth.* 0: 357-370.
- Sawada, S; Asakura, S; Daimon, H; Furihata, C. (1995). Comparison of autoradiography, liquid scintillation counting and immunoenzymatic staining of 5-bromo-2'-deoxyuridine for measurement of unscheduled DNA synthesis and replicative DNA synthesis in rat liver. *Mutat Res.* 344: 109-116.
- Sawada, S; Murakami, K; Murata, J; Tsukada, K; Saiki, I. (2001). Accumulation of extracellular matrix in the liver induces high metastatic potential of hepatocellular carcinoma to the lung. *Int J Oncol.* 19: 65-70.
- Sawaki, S; Morikawa, N. (1964). CELLULOSE ACETATE ELECTROPHORESIS OF MALATE DEHYDROGENASE. *The Journal of vitaminology.* 10: 179-184.
- Sawant, SP; Dnyanmote, AV; Warbritton, A; Latendresse, J; Mehendale, HM. (2006). Type 2 diabetic rats are sensitive to thioacetamide hepatotoxicity. *Toxicol Appl Pharmacol.* 211: 221-232.
- Sax, NI; Lewis, RJSR. (1986). RAPID GUIDE TO HAZARDOUS CHEMICALS IN THE WORKPLACE. Sax, N I And R J Lewis, Sr. 0.
- Saxena, NK; Saliba, G; Floyd, JJ; Anania, FA. (2003). Leptin induces increased alpha 2(I) collagen gene expression in cultured rat hepatic stellate cells. *J Cell Biochem.* 89: 311-320.
- Sayato, Y; Nakamuro, K; Usui, S. (1987). Contribution of metabolites to carbon tetrachloride-induced hepatotoxicity in rat liver microsomes in vitro. *EISEI KAGAKU.* 33: 394-404.
- Sayin, FK; Buyukbas, S; Basarali, MK; Alp, H; Toy, H; Ugurcu, V. (2016). Effects of Silybum marianum Extract on High-Fat Diet Induced Metabolic Disorders in Rats. *Polish Journal of Food and Nutrition Sciences.* 66: 43-49.
- Scarso, A; Onagi, H; Rebek, J, Jr. (2004). Mechanically regulated rotation of a guest in a nanoscale host. *J Am Chem Soc.* 126: 12728-12729.
- Schä€ IsD, PP-CIUŽT; uumlen, n, Federal Republic omany; Mecke, D; Gebhardt, R. (1990). Reestablishment of the heterogeneous distribution of hepatic glutamine synthetase during regeneration after CCl4-intoxication. *Histochemistry.* 194: 49-54.
- Schatzki, PF. (1963). RAT LIVER ADENOSINETRIPHOSPHATASE. CHANGES FOLLOWING EXPERIMENTAL CARBON TETRACHLORIDE ADMINISTRATION. *Arch Pathol.* 75: 85-90.
- Scheig, R; Klatskin, G. (1969). Some effects of ethanol and carbon tetrachloride on lipoperoxidation in rat liver. *Life Sci.* 8: 881-888.
- Schelz, Z; Molnar, J; Hohmann, J. (2006). Antimicrobial and antiplasmid activities of essential oils. *Fitoterapia.* 77.
- Scherer, MM; Westall, JC; Tratnyek, PG. (1997). KINETICS OF CARBON TETRACHLORIDE REDUCTION AT AN IRON ROTATING DISK ELECTRODE. 213th National Meeting Of The American Chemical Society, San Francisco, California, Usa, April. 213: 6.
- Scherer, MM; Westall, JC; Ziomek-Moroz, M; Tratnyek, PG. (1997). Kinetics of carbon tetrachloride reduction at an oxide-free iron electrode. *Environmental Science & Technology.* 31: 2385-2391.
- Scherer, MP; Frank, G; Gummer, AW. (2000). Experimental determination of the mechanical impedance of atomic force microscopy cantilevers in fluids up to 70 kHz. *Journal of Applied Physics.* 88: 2912-2920.
- Scheringer, M. (1997). Characterization of the environmental distribution behavior of organic chemicals by means of persistence and spatial range. *Environmental Science & Technology.* 31: 2891-2897.
- Scheutz, C; Dote, Y; Fredenslund, AM; Mosbaek, H; Kjeldsen, P. (2007). Attenuation of Fluorocarbons released from foam insulation in landfills. *Environmental Science & Technology.* 41: 7714-7722.
- Scheutz, C; Durant, ND; Hansen, MH; Bjerg, PL. (2011). Natural and enhanced anaerobic degradation of 1,1,1-trichloroethane and its degradation products in the subsurface - A critical review. *Water Res.* 45: 2701-2723.
- Scheutz, C; Kjeldsen, P. (2005). Biodegradation of trace gases in simulated landfill soil cover systems. *Journal of the Air & Waste Management Association.* 55: 878-885.

Environmental Hazard Literature Search Results

Off Topic

- Scheutz, C; Mosbaek, H; Kjeldsen, P. (2004). Attenuation of methane and volatile organic compounds in landfill soil covers. *J Environ Qual.* 33: 61-71.
- Scheutz, C; Pedersen, GB; Costa, G; Kjeldsen, P. (2009). Biodegradation of Methane and Halocarbons in Simulated Landfill Biocover Systems Containing Compost Materials. *J Environ Qual.* 38: 1363-1371.
- Scheving, LA; Zhang, XQ; Stevenson, MC; Threadgill, DW; Russell, WE. (2015). Loss of hepatocyte EGFR has no effect alone but exacerbates carbon tetrachloride-induced liver injury and impairs regeneration in hepatocyte Met-deficient mice. *American Journal of Physiology-Gastrointestinal and Liver Physiology.* 308: G364-G377.
- Scheving, LA; Zhang, XQ; Stevenson, MC; Weintraub, MA; Abbasi, A; Clarke, AM; Threadgill, DW; Russell, WE. (2015). Loss of hepatocyte ERBB3 but not EGFR impairs hepatocarcinogenesis. *American Journal of Physiology-Gastrointestinal and Liver Physiology.* 309: G942-G954.
- Scheving, LA; Zhang, XQ; Threadgill, DW; Russell, WE. (2016). Hepatocyte ERBB3 and EGFR are required for maximal CCl4-induced liver fibrosis. *American Journal of Physiology-Gastrointestinal and Liver Physiology.* 311: G807-G816.
- Schiaffonati, L; Tiberio, L. (1991). Gene expression in liver after toxic injury: analysis of heat shock response and oxidative stress-inducible genes. *Liver.* 17: 183-191.
- Schiffmacher, EN; Becker, JG; Lorah, MM; Voytek, MA. (2016). The effects of co-contaminants and native wetland sediments on the activity and dominant transformation mechanisms of a 1,1,2,2-tetrachloroethane (TeCA)-degrading enrichment culture. *Chemosphere.* 147: 239-247.
- Schiller, J; Strubelt, O. (1985). INTERRELATION BETWEEN HEPATIC CALCIUM ACCUMULATION AND HEPATOTOXICITY. 26th Spring Meeting Of The Deutsche Pharmakologische Gesellschaft. 329.
- Schleyer, R; Arneith, JD; Kerndorff, H; Milde, G. (1988). MAIN CONTAMINANTS AND PRIORITY FROM WASTE SITES CRITERIA FOR SELECTION WITH THE AIM OF ASSESSMENT ON THE GROUNDWATER PATH. Wolf, K, W J Van Den Brink And F J Colon. 0: 247-252.
- Schluter, M; Hentzel, T; Suarez, C; Koch, M; Lorenz, WG; Bohm, L; Doring, RA; Koinig, KA; Bunge, M. (2014). Synthesis of novel palladium(0) nanocatalysts by microorganisms from heavy-metal-influenced high-alpine sites for dehalogenation of polychlorinated dioxins. *Chemosphere.* 117: 462-470.
- Schmid, N; Allison, JR; Dolenc, J; Eichenberger, AP; Kunz, APE; van Gunsteren, WF. (2011). Biomolecular structure refinement using the GROMOS simulation software. *Journal of Biomolecular Nmr.* 51: 265-281.
- Schmidt, JT; Ahmad, M; Teel, AL; Watts, RJ. (2011). Hydrogen peroxide stabilization in one-dimensional flow columns. *J Contam Hydrol.* 126: 1-7.
- Schmidt, P; Gohlke, R; Just, A; Rothe, R; Burck, D; Jäzger, H. (1980). Combined action of hepatotoxic substances and increased environmental temperature on the liver of rats. *Journal of hygiene, epidemiology, microbiology, and immunology.* 24: 271-276.
- Schmiedeberg, P; Biempica, L; Czaja, MJ. (1993). Timing of protooncogene expression varies in toxin-induced liver regeneration. *J Cell Physiol.* 154: 294-300.
- Schmitt-Gräff, A; Chakroun, G. Modulation of perisinusoidal cell cytoskeletal features during experimental hepatic fibrosis.
- Schnabl, B; Kweon, YO; Frederick, JP; Wang, XF; Rippe, RA; Brenner, DA. (2001). The role of Smad3 in mediating mouse hepatic stellate cell activation. *Hepatology (Baltimore, Md).* 34: 89-100.
- Schneider, SH. (4892). THE GREENHOUSE EFFECT SCIENCE AND POLICY. *Science.* 243: 771-781.
- Schoeffner, DJ; Warren, DA; Muralidhara, S; Bruckner, JV; Simmons, JE. (1999). Organ weights and fat volume in rats as a function of strain and age. *Journal of Toxicology and Environmental Health-Part a-Current Issues.* 56: 449-462.
- Schoeler, HF; Voss, B; Hoyer, H. (1984). CHLORINATED HYDROCARBONS IN THE GROUNDWATER OF THE RHINE-SIEG AREA WEST GERMANY. Workshop Of The Deutsche Gesellschaft Fuer Hygiene Und Mikrobiologie. 181: 14.
- Schoels, L; Mecke, D; Gebhardt, R. (1990). Reestablishment of the heterogeneous distribution of hepatic glutamine synthetase during regeneration after carbon tetrachloride intoxication. *Histochemistry.* 94: 49-54.
- Schoevaert, D; Feldmann, G; Bernuau, D; Brady, JF; Li, DC; Ishizaki, H; Yang, CS. (1988). Effect of diallyl sulfide on rat liver microsomal nitrosamine metabolism and other monooxygenase activities. *Laboratory investigation; a journal of technical methods and pathology.* 59: 657-665.
- Scholten, D; Osterreicher, CH; Scholten, A; Iwaisako, K; Gu, G; Brenner, DA; Kisseleva, T. (2010). Genetic labeling does not detect epithelial-to-mesenchymal transition of cholangiocytes in liver fibrosis in mice. *Gastroenterology.* 139: 987-998.
- Scholten, D; Trebicka, J; Liedtke, C; Weiskirchen, R. (2015). The carbon tetrachloride model in mice. *Lab Anim.* 49: 4-11.
- Schotz, MC; Baker, N; Chavez, MN. (1965). Plasma free fatty acid turnover in carbon tetrachloride-treated rats. *Metabolism.* 14: 1023-1026.
- Schotz, MC; Recknagel, RO. (1960). Rapid increase of rat-liver triglycerides following carbon tetrachloride poisoning. *Biochim Biophys Acta.* 41: 151-152.
- Schreiner, GE; Maher, JF. (1965). TOXIC NEPHROPATHY. *Am J Med.* 38: 409-449.
- Schulte-Hermann, R. (1987). INITIATION AND PROMOTION IN HEPATOCARCINOGENESIS. *Arch Toxicol.* 60: 179-181.
- Schultz, N; Onfelt, A. (2000). Sensitivity of cytokinesis to hydrophobic interactions. Chemical induction of bi- and multinucleated cells. *Chem Biol Interact.* 126: 97-123.
- Schulz, H; Nagymajtányi, L; toris, L; Papp, A; Siroki, O. (2002). A study on behavioral, neurotoxicological, and immunotoxicological effects of subchronic arsenic treatment in rats. *Journal of toxicology and environmental health Part A.* 65: 1181-1193.
- Schulze, RM; Kappus, H. (1980). Lysis of erythrocytes as a result of microsomal lipid peroxidation induced by CCl4 or FeCl2. *Res Comm Chem Pathol Pharmacol.* 27: 129-137.
- Schumann, J; Tiegs, G. (1999). Pathophysiological mechanisms of TNF during intoxication with natural or man-made toxins. *Toxicology.* 138: 103-126.

Environmental Hazard Literature Search Results

Off Topic

- Schuppan, D; Herbst, H; Heinrichs, O; Milani, S; Surrenti, C; Riecken, EO; Stein, H. (1991). TEMPORAL AND SPATIAL PATTERNS OF TRANSIN STROMELYSIN RNA EXPRESSION FOLLOWING CARBON TETRACHLORIDE INTOXICATION IN RAT LIVER. 26th Meeting Of The European Association For The Study Of The Liver, Palma De Mallorca, Spain, September. 13.
- Schwartz, BS; Ford, DP; Bolla, KI; Agnew, J; Rothman, N; Bleecker, ML. (1990). Solvent-associated decrements in olfactory function in paint manufacturing workers. *Am J Ind Med.* 18: 697-706.
- Schwartz, JA; Solomon, JA; Henkelman, K; Leininger, JR; Iverson, WO. (2011). Spontaneous thymoma in a juvenile cynomolgus macaque (*Macaca fascicularis*). *Toxicol Pathol.* 39: 706-710.
- Schweich, MD; Lison, D; Lauwerys, R. (1994). Assessment of lipid peroxidation associated with lung damage induced by oxidative stress. *Biochem Pharmacol.* 47: 1395-1400.
- Schwartz, DW; Lamb, RG. (1982). The influence of carbon tetrachloride metabolism on the carbon tetrachloride-induced activation of rat liver cell phospholipase C activity. *Toxicol Appl Pharmacol.* 65: 402-412.
- Schwetz, BA; Leong, BK; Gehring, PJ. (1974). Embryo- and fetotoxicity of inhaled carbon tetrachloride, 1,1-dichloroethane and methyl ethyl ketone in rats. *Toxicol Appl Pharmacol.* 28: 452-464.
- Schwetz, BA; Plaa, GL. (1969). Catecholamine potentiation of carbon tetrachloride-induced hepatotoxicity in mice. *Toxicol Appl Pharmacol.* 14: 495-509.
- Scibior, A; Zaporowska, H. (2007). Effects of vanadium(V) and/or chromium(III) on L-ascorbic acid and glutathione as well as iron, zinc, and copper levels in rat liver and kidney. *Journal of Toxicology and Environmental Health-Part a-Current Issues.* 70: 696-704.
- Scott, GB; Howell, RM. (1964). ACUTE HEPATIC NECROSIS AND BLOOD COAGULATION. AN IN VIVO APPROACH. *Br J Exp Pathol.* 45: 95-101.
- Scott, GD. (1970). Drugs and reality in captive society. Some observations on chemical adaptation. *Canadian Psychiatric Association journal.* 15: 215-222.
- Scudamore, KA; Heuser, SG. Determination of carbon tetrachloride in fumigated cereal grains during storage. *Pestic Sci.* Feb 1972, 4 (1): 1-12.
- Seawright, AA; McLean, AE. (1967). The effect of diet on carbon tetrachloride metabolism. *The Biochemical journal.* 105: 1055-1060.
- Seawright, AA; Steele, DP; Menrath, RE. Seasonal variation in hepatic microsomal oxidative metabolism in vitro and susceptibility to carbon tetrachloride in a flock of sheep. *Aust Vet J.* Sept 1972, 48 (9): 488-494.
- Seawright, AA; Steele, DP; Menrath, RE. (1972). Seasonal variation in hepatic microsomal oxidative metabolism in vitro and susceptibility to carbon tetrachloride in a flock of sheep. *Aust Vet J.* 48: 488-494.
- Seawright, AA; Steele, DP; Mudie, AW; Bishop, R. The effect of diet and drugs on hepatic microsomal aminopyrine N-demethylase activity in vitro and susceptibility to carbon tetrachloride in sheep. *Res Vet Sci.* May 1972, 13 (3): 245-256.
- Seawright, AA; Wilkie, IW; Costigan, P; Hrdlicka, J; Steele, DP. (1980). The effect of an equimolar mixture of carbon tetrachloride and carbon disulphide on the liver of the rat. *Biochem Pharmacol.* 29: 1007-1014.
- Sebastiani, G; Gkouvasos, K; Maffettone, C; Busatto, G; Guido, M; Pantopoulos, K. (2011). Accelerated CCl₄-induced liver fibrosis in H₂O₂-/- mice, associated with an oxidative burst and precocious profibrogenic gene expression. *PLoS ONE.* 6: e25138.
- Secundo, F; Carrea, G; Soregaroli, C; Varinelli, D; Morrone, R. (2001). Activity of different *Candida antarctica* lipase B formulations in organic solvents. *Biotechnol Bioeng.* 73: 157-163.
- Secundo, F; Spadaro, S; Carrea, G; Overbeeke, PLA. (1999). Optimization of *Pseudomonas cepacia* lipase preparations for catalysis in organic solvents. *Biotechnol Bioeng.* 62: 554-561.
- Sedlaczek, N; Jia, JD; Bauer, M; Herbst, H; Ruehl, M; Hahn, EG; Schuppan, D. (2001). Proliferating bile duct epithelial cells are a major source of connective tissue growth factor in rat biliary fibrosis. *American Journal of Pathology.* 158: 1239-1244.
- Seely, JE; Pá€ s; Au, PAE. (1982). Measurement of the number of ornithine decarboxylase molecules in rat and mouse tissues under various physiological conditions by binding of radiolabelled alpha-difluoromethylornithine. *The Biochemical journal.* 206: 311-318.
- Segawa, D; Miura, K; Goto, T; Ohshima, S; Mikami, KI; Yoneyama, K; Shibuya, T; Watanabe, D; Kataoka, E; Yoshino, R; Watanabe, S. (2005). Distribution and isoforms of epimorphin in carbon tetrachloride-induced acute liver injury in mice. *J Gastroenterol Hepatol.* 20: 1769-1780.
- Segovia, J; Shibayama, M; Tsutsumi, V; Vergara, P; Moreno, MG; Muriel, P; Pá€ rez-Trueba, G; Ramos-Guanche, C; MartÃncute; nchute; nchez, B; MÃ rquez-HernÃ ndez, CCFBRICBPVoGHCcpsi; Giuliani, A; MartÃncute; nchez, G. (2009). Protective effect of gossypitrin on carbon tetrachloride-induced in vivo hepatotoxicity. *European journal of gastroenterology & hepatology.* 21: 908-914.
- Segre, G; Di Simplicio, P; Palmi, M. (1978). 1510 - EFFECT OF CARBON TETRACHLORIDE INTOXICATION ON LIVER GLUTATHIONE CONTENT IN RATS. *Abstracts586.*
- Seidel, A. (1984). Influence of the antimicrotubular agents, colchicine and vinblastin, on the uptake of americium by rat liver, kidneys, and skeleton. *Toxicol Appl Pharmacol.* 76: 113-117.
- Seifert, J; VÃ cha, J. (1975). Microsomal inducers of drug-metabolizing enzymes suppress cytidine nucleotide biosynthesis in rat liver. *Arch Biochem Biophys.*
- Seifert, WF; Bosma, A; Brouwer, A; Hendriks, HF; Roholl, PJ; van, LRE; van, T-dRGC; Seifert-Bock, I; Knook, DL. (1994). Vitamin A deficiency potentiates carbon tetrachloride-induced liver fibrosis in rats. *Hepatology (Baltimore, Md).* 19: 193-201.
- Seifert, WF; Roholl, PJ; Blauw, B; van, dHF; van, T-DRCF; Seifert-Bock, I; Bosma, A; Knook, DL; Brouwer, A. (1994). Fat-storing cells and myofibroblasts are involved in the initial phase of carbon tetrachloride-induced hepatic fibrosis in BN/BiRij rats. *Int J Exp Pathol.* 75: 131-146.
- Seikoh, R; Kodama, O; Ogawa, Y; Itoh, N; Takeuchi, H; Tanaka, T; Ichiba, Y; Dohi, K. (1985). Changes of histamine contents and mast cell population in the gastric mucosa of carbon tetrachloride-induced cirrhotic rats. *Hiroshima journal of medical sciences.* 34: 395-397.
- Sein, KT; Chu, N. (1979). Liver and kidney glucose-6-phosphatase levels in carbon tetrachloride- and DDT-administered mice. *Enzyme.* 24: 72-74.

Environmental Hazard Literature Search Results

Off Topic

- Seishima, M; Usui, T; Naganawa, S; Nishimura, M; Moriwaki, H; Muto, Y; Noma, A. (1996). Reduction of intestinal apo A-IV mRNA levels in the cirrhotic rat. *J Gastroenterol Hepatol.* 11: 746-751.
- Seitz, T; Baudoux, J; Bekolo, H; Cahard, D; Plaquevent, JC; Lasne, MC; Rouden, J. (2006). Organocatalyzed route to enantioenriched pipercolic esters: decarboxylation of an aminomalonate hemiester. *Tetrahedron.* 62: 6155-6165.
- Seiwerth, S; Vajic, E. (1989). ASSOCIATION OF BUCHE WITH LIPIDS. Xiith European Congress Of Pathology, Porto, Portugal, September. 185: 149.
- Seki, M; Kasama, K; Imai, K. (2000). Effect of food restriction on hepatotoxicity of carbon tetrachloride in rats. *The Journal of toxicological sciences.* 25: 33-40.
- Seki, M; Ohara, N; Seki, T; Kojima, K; Kasama, K; Imai, K. (1996). EFFECTS OF FOOD RESTRICTION ON REPEATED DOSES OF CARBON TETRACHLORIDE TOXICITY IN RATS. 23rd Annual Meeting Of The Japanese Society Of Toxicological Sciences, Fukuoka, Japan, July. 21: 404.
- Sekiguchi, A; Fukawa, T; Nakamoto, M; Lee, VY; Ichinohe, M. (2002). Isolable silyl and germyl radicals lacking conjugation with pi-bonds: Synthesis, characterization, and reactivity. *J Am Chem Soc.* 124: 9865-9869.
- Selan, FM; Evans, MA. (1987). The role of microtubules in chlorinated alkaline-induced fatty liver. *Toxicol Lett.* 36: 117-127.
- Selan, FM; Evans, MA. (1987). The role of microtubules in chlorinated alkane-induced fatty liver. *Toxicol Lett.* 36: 117-127.
- Selbo, JG. (2000). Dynamics of Dianin's clathrates. PhD, The University of Nebraska - Lincoln.
- Sell, DA; Reynolds, ES. (1969). Liver parenchymal cell injury. 8. Lesions of membranous cellular components following iodoform. *The Journal of cell biology.* 41: 736-752.
- Sell, S. (2001). Heterogeneity and plasticity of hepatocyte lineage cells. *Hepatology.* 33: 738-750.
- Sellers, EA. (1947). The lipotropic factors in the treatment of carbon tetrachloride cirrhosis in rats. *Fed Proc.* 6: 290.
- Selmanoglu, G; Karacaoglu, E; Kiliç, A; Kockaya, EA; Akay, MT. (2012). Toxicity of food contaminant furan on liver and kidney of growing male rats. *Environ Toxicol.* 27: 613-622.
- Semadeni, M; Chiu, PC; Reinhard, M. (1998). Reductive transformation of trichloroethene by cobalamin: Reactivities of the intermediates acetylene, chloroacetylene, and the DCE isomers. *Environmental Science & Technology.* 32: 1207-1213.
- Semenov, DE; Zhukova, NA; Bessergeneva, EP; Sorokina, IV; Baev, DS; Glukhov, BM; Nepomnyaschikh, GI; Tolstikova, TG. (2012). Effect of triterpene derivatives on the total hepatocyte count in the liver of rats with toxic hepatitis. *Bull Exp Biol Med.* 153: 858-861.
- Semenov, DE; Zhukova, NA; Ivanova, EP; Sorokina, IV; Baiev, DS; Nepomnyashchikh, GI; Tolstikova, TG; Biryukova, MS. (2015). Hepatoprotective properties of betulonic acid amide and heptral in toxic liver injury induced by carbon tetrachloride in combination with ethanol. *Bull Exp Biol Med.* 158: 336-341.
- Semino, G; Lilly, P; Andersen, ME. (1997). A pharmacokinetic model describing pulsatile uptake of orally-administered carbon tetrachloride. *Toxicology.* 117: 25-33.
- Semprini, L; Hopkins, GD; McCarty, PL; Roberts, PV. (1992). In situ transformation of carbon tetrachloride and other halogenated compounds resulting from biostimulation under anoxic conditions. *Environ Sci Technol.* 26: 2454-2461.
- Sen, T; Basu, A; Ray, RN; Nag Chaudhuri, AK. Hepatoprotective effects of *Pluchea indica* (Less) extract in experimental acute liver damage in rodents. *Phytotherapy research : PTR.* Sept/Oct 1993. v. 7 (5): 352-355.
- Senapati, S; Berkowitz, ML. (2001). Computer simulation study of the interface width of the liquid/liquid interface. *Phys Rev Lett.* 8717: 6101-6101.
- Sengupta, M; Sharma, GD; Chakraborty, B. (2011). Effect of aqueous extract of *Tinospora cordifolia* on functions of peritoneal macrophages isolated from CCl₄ intoxicated male albino mice. *BMC Complement Altern Med.* 11: 102.
- Senoo, K; Solaiman, MZ; Kawaguchi, M; Imaizumi-Anraku, H; Akao, S; Tanaka, A; Obata, H. (2000). Isolation of two different phenotypes of mycorrhizal mutants in the model legume plant *Lotus japonicus* after EMS-treatment. *Plant & cell physiology.* 41: 726-732.
- Senthilkumar, KTM; Raj Kapoor, B; Kavimani, S. (2005). Protective effect of *Enicostemma littorale* against CCl₄-induced hepatic damage in rats. *Pharmaceutical Biology.* 43: 485-487.
- Sentjurc, M; Mason, RP. (1992). Inhibition of radical adduct reduction and reoxidation of the corresponding hydroxylamines in vivo spin trapping of carbon tetrachloride-derived radicals. *Free Radical Biology & Medicine.* 13: 151-160.
- Seo, HS; McCray, JE. (2002). Interfacial tension of chlorinated aliphatic DNAPL mixtures as a function of organic phase composition. *Environmental Science & Technology.* 36: 1292-1298.
- Seo, JY; Han, JH; Kim, YJ; Lim, SS; Kim, JS. (2014). Protective effects of dehydroglyasperin c against carbon tetrachloride-induced liver damage in mice. *Food Science and Biotechnology.* 23: 547-553.
- Seo, W; Eun, HS; Kim, SY; Yi, HS; Lee, YS; Park, SH; Jang, MJ; Jo, E; Kim, SC; Han, YM; Park, KG; Jeong, WI. (2016). Exosome-Mediated Activation of Toll-Like Receptor 3 in Stellate Cells Stimulates Interleukin-17 Production by gamma delta T Cells in Liver Fibrosis. *Hepatology.* 64: 616-631.
- Seo, YW; Lee, H. (2001). A new hydrate-based recovery process for removing chlorinated hydrocarbons from aqueous solutions. *Environmental Science & Technology.* 35: 3386-3390.
- Sepúlveda; Huang, A; Kim, H; Criddle, CS. (2002). Analysis of regulatory elements and genes required for carbon tetrachloride degradation in *Pseudomonas stutzeri* strain KC. *J Mol Microbiol Biotechnol.* 4: 151-161.
- Sepúlveda, LC; Criddle, CS. (1999). Genetic characterization of *Pseudomonas* sp. strain KC mutants with impaired ability to degrade carbon tetrachloride. 99th General Meeting Of The American Society For Microbiology, Chicago, Illinois, Usa, May. 99: 601.
- Sepúlveda-Torres, LD; Rajendran, N; Dybas, MJ; Criddle, CS. (1999). Generation and initial characterization of *Pseudomonas stutzeri* KC mutants with impaired ability to degrade carbon tetrachloride. *Archives of Microbiology.* 171: 424-429.

Environmental Hazard Literature Search Results

Off Topic

- Sepulveda-Torres, LD; Zhou, JZ; Guasp, C; Lalucat, J; Knaebel, D; Plank, JL; Criddle, CS. (2001). *Pseudomonas* sp strain KC represents a new genomovar within *Pseudomonas stutzeri*. *Int J Syst Evol Microbiol*. 51: 2013-2019.
- Sepulveda-Torres, LD. (2000). Characterization of genes involved in the degradation of carbon tetrachloride by *Pseudomonas stutzeri* strain KC. PhD, Michigan State University.
- Sepulveda-Torres, LD; Rajendran, N; Criddle, CS. (1998). CHARACTERIZATION OF GENES INVOLVED IN THE DEGRADATION OF CARBON TETRACHLORIDE BY PSEUDOMONAS STUTZERI KC. 98th General Meeting Of The American Society For Microbiology, Atlanta, Georgia, Usa, May. 98: 426.
- Serbetci, K; Uysal, O; Erkasap, N; Koken, T; Baydemir, C; Erkasap, S. (2012). Anti-apoptotic and antioxidant effect of leptin on CCl₄-induced acute liver injury in rats. *Mol Biol Rep*. 39: 1173-1180.
- Serebro, LH; Kew, MC; Kilroe-Smith, TA. (1974). Hepatic zinc concentrations in experimental cirrhosis induced with carbon tetrachloride and phenobarbitone. *The South African journal of medical sciences*. 39: 99-103.
- Serrano-Trespacios, PI; Ryan, L; Spengler, JD. (2004). Ambient, indoor and personal exposure relationships of volatile organic compounds in Mexico City Metropolitan Area. *J Expo Anal Environ Epidemiol*. 14: S118-S132.
- Serratori, FT; Schnitzer, B; Smith, EB. (1969). Promethazine protection in carbon tetrachloride liver injury. An electron microscopic study. *Arch Pathol*. 87: 46-51.
- Seshachar, BR; Nambiar, PK. (1955). Effects of carbon tetrachloride on mitosis. *Nature*. 176: 796.
- Seth, PK; Agarwal, DK; Agarwal, S. (1981). Effect of Phthalic Acid Esters on Drug Metabolizing Enzymes. *Bull Environ Contam Toxicol*. 26: 764-768.
- Seth, PK; Srivastava, SP; Mushtaq, M; Agarwal, DK; Chandra, SV. (1979). Effect of di-(2-ethylhexyl) phthalate on rat liver injured by chronic carbon tetrachloride treatment. *Acta Pharmacol Toxicol*. 44: 161-167.
- Sethuraman, MG; Lalitha, KG; Kapoor, BR. (2003). Hepatoprotective activity of *Sarcostemma brevistigma* against carbon tetrachloride-induced hepatic damage in rats. *Current Science*. 84: 1186-1187.
- Sethuraman, V; Gupta, PP; Verma, BB. Pathological studies on carbon tetrachloride poisoning in buffalo calves. *Indian veterinary journal*. Feb 1978, 55 (2): 132-138.
- Severance, DL. (1993). Computational investigations of condensed phase systems. PhD, Purdue University.
- Seward, CR; Vaughan, G; Hove, EL. (1966). Effect of selenium on incisor depigmentation and carbon tetrachloride poisoning in vitamin E-deficient rats. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY)*. 121: 850-852.
- Seya, K; Ohkohchi, N; Mori, S. (1996). Changes in the ability of ATP synthesis in the mitochondrial membrane in the rat liver injured by carbon tetrachloride. *Tohoku J Exp Med*. 178: 425-430.
- Sgibneva, OV; Galaev, Y; Goncharova, LV. (1983). Hormonal induction of tyrosine aminotransferase of the animals liver under chronic intoxication with some hepatotropic poisons. *FARMACOL TOKSIKOL*. 46: 106-109.
- Sgoutas, DS. (1967). Phospholipid changes during hepatic injury caused by carbon tetrachloride. *Metabolism: clinical and experimental*. 16: 382-391.
- Shaarawy, SM; Tohamy, AA; Elgendy, SM; Abd Elmageed, ZY; Bahnasy, A; Mohamed, MS; Kandil, E; Matrougui, K. (2009). Protective Effects of Garlic and Silymarin on NDEA-Induced Rats Hepatotoxicity. *Int J Biol Sci*. 5: 549-557.
- Shaffer, CB; Carpenter, CP; Moses, C. (1946). An experimental evaluation of methionine in the therapy of liver injury from carbon tetrachloride. *The Journal of industrial hygiene and toxicology*. 28: 87-93.
- Shafir, E; Khassis, S. (1969). Role of enhanced fat mobilization in liver triglyceride accumulation in carbon tetrachloride-induced liver injury. *Isr J Med Sci*. 5: 975-984.
- Shah, AS; Khan, RA; Ahmed, M; Muhammad, N. (2016). Hepatoprotective role of *Nicotiana glauca* Linn. against carbon tetrachloride-induced injuries. *Toxicol Ind Health*. 32: 292-298.
- Shah, HC; Carlson, GP. (1975). Alteration by phenobarbital and 3-methyl-cholanthrene of functional and structural changes in rat liver due to carbon tetrachloride inhalation. *The Journal of pharmacology and experimental therapeutics*. 193: 281-292.
- Shah, JJ; Singh, HB. (1988). DISTRIBUTION OF VOLATILE ORGANIC CHEMICALS IN OUTDOOR AND INDOOR AIR. *Environ Sci Technol*. 22: 1381-1388.
- Shah, MD; Gnanaraj, C; Haque, AT; Iqbal, M. (2015). Antioxidative and chemopreventive effects of *Nephrolepis biserrata* against carbon tetrachloride (CCl₄)-induced oxidative stress and hepatic dysfunction in rats. *Pharmaceutical Biology*. 53: 31-39.
- Shah, MM; Barr, DP; Chung, N; Aust, SD. (1992). Use of white rot fungi in the degradation of environmental chemicals. *Toxicol Lett*. 64-65 Spec No: 493-501.
- Shah, MM; Grover, TA; Aust, SD. Reduction of CCl₄ to the trichloromethyl radical by lignin peroxidase H₂ from *Phanerochaete chrysosporium*. *Biochem Biophys Res Commun*. Mar 31, 1993. v. 191 (3): 887-892.
- Shah, NA; Khan, MR; Ahmad, B; Noureen, F; Rashid, U; Khan, RA. (2013). Investigation on flavonoid composition and anti free radical potential of *Sida cordata*. *BMC Complement Altern Med*. 13: 276.
- Shah, V; Cao, S; Hendrickson, H; Yao, J; Katusic, ZS. (2001). Regulation of hepatic eNOS by caveolin and calmodulin after bile duct ligation in rats. *American Journal of Physiology-Gastrointestinal and Liver Physiology*. 280: G1209-G1216.
- Shah, V; Toruner, M; Haddad, F; Cadelina, G; Papapetropoulos, A; Choo, K; Sessa, WC; Grossmann, RJ. (1999). Impaired endothelial nitric oxide synthase activity associated with enhanced caveolin binding in experimental cirrhosis in the rat. *Gastroenterology*. 117: 1222-1228.
- Shah, VN; Shah, MB; Bhatt, PA. (2011). Hepatoprotective activity of punarnavashtak kwath, an Ayurvedic formulation, against CCl₄-induced hepatotoxicity in rats and on the HepG2 cell line. *Pharmaceutical Biology*. 49: 408-415.

Environmental Hazard Literature Search Results

Off Topic

- Shahjahan, M; Sabitha, KE; Jainu, M; Devi, CSS. (2004). Effect of Solanum trilobatum against carbon tetrachloride induced hepatic damage in albino rats. *Indian J Med Res.* 120: 194-198.
- Shahjahan, M; Vani, G; Shyamala Devi, CS. (2005). Protective effect of Indigofera oblongifolia in CCl₄-induced hepatotoxicity. *J Med Food.* 8: 261-265.
- Shailajan, S; Chandra, N; Sane, RT; Menon, S. (2005). Effect of Asteracantha longifolia Nees. against CCl₄ induced liver dysfunction in rat. *Indian J Exp Biol.* 43: 68-75.
- Shailajan, S; Joshi, M; Tiwari, B. (2014). Hepatoprotective activity of Parmelia perlata (Huds.) Ach. against CCl₄ induced liver toxicity in Albino Wistar rats. *Journal of Applied Pharmaceutical Science.* 4: 70-074.
- Shaker, ME; Houssem, ME; Abo-Hashem, EM; Ibrahim, TM. (2009). Comparison of vitamin E, L-carnitine and melatonin in ameliorating carbon tetrachloride and diabetes induced hepatic oxidative stress. *J Physiol Biochem.* 65: 225-233.
- Shakir, KA; Madhusudhan, B. (2007). Hypocholesterolemic and hepatoprotective effects of flaxseed chutney: Evidence from animal studies. *Indian journal of clinical biochemistry : IJCB.* 22: 117-121.
- Shakya, AK; Sharma, N; Saxena, M; Shrivastava, S; Shukla, S. (2012). Evaluation of the antioxidant and hepatoprotective effect of Majoon-e-Dabeed-ul-ward against carbon tetrachloride induced liver injury. *Exp Toxicol Pathol.* 64: 767-773.
- Shan, AQ; Wang, AK; Han, BP; Yang, XJ; Chuai, XM; Zhang, J. (2007). Effect of Carbon Tetrachloride on Two Main Bacteria in Anaerobic Biodegradation System. *Journal of Agro-Environment Science.* 26: 1822-1826.
- Shan, H; Kurtz, HD; Freedman, DL. (2010). Evaluation of strategies for anaerobic bioremediation of high concentrations of halomethanes. *Water Res.* 44: 1317-1328.
- Shan, HF; Kurtz, HD; Myktyczuk, N; Trevors, JT; Freedman, DL. (2010). Anaerobic Biotransformation of High Concentrations of Chloroform by an Enrichment Culture and Two Bacterial Isolates. *Appl Environ Microbiol.* 76: 6463-6469.
- Shan, W. (2007). Peroxisome proliferator-activated receptor β attenuates chemically-induced liver toxicity. PhD, The Pennsylvania State University.
- Shan, WW; Nicol, CJ; Ito, S; Bility, MT; Kennett, MJ; Ward, JM; Gonzalez, FJ; Peters, JM. (2008). Peroxisome proliferator-activated receptor-beta/delta protects against chemically induced liver toxicity in mice. *Hepatology.* 47: 225-235.
- Shane, BS. (1849). PRINCIPLES OF ECOTOXICOLOGY. Cockerham, L G And B S Shane. 0: 11-47.
- Shankar, K; Vaidya, VS; Corton, JC; Bucci, TJ; Liu, J; Waalkes, MP; Mehendale, HM. (2003). Activation of PPAR-alpha in streptozotocin-induced diabetes is essential for resistance against acetaminophen toxicity. *FASEB J.* 17: 1748-+.
- Shankar, K; Vaidya, VS; Wang, T; Bucci, TJ; Mehendale, HM. (2003). Streptozotocin-induced diabetic mice are resistant to lethal effects of thioacetamide hepatotoxicity. *Toxicol Appl Pharmacol.* 188: 122-134.
- Shankar, NLG; Manavalan, R; Venkappayya, D; Raj, CD. (2008). Hepatoprotective and antioxidant effects of Commiphora berryi (Arn) Engl bark extract against CCl₄-induced oxidative damage in rats. *Food Chem Toxicol.* 46: 3182-3185.
- Shanmugasundaram, P; Venkataraman, S. (2006). Hepatoprotective and antioxidant effects of Hygrophila auriculata (K. Schum) Heine Acanthaceae root extract. *J Ethnopharmacol.* 104: 124-128.
- Shao, HB; Butler, EC. (2007). The influence of iron and sulfur mineral fractions on carbon tetrachloride transformation in model anaerobic soils and sediments. *Chemosphere.* 68: 1807-1813.
- Shao, HB; Butler, EC. (2009). Influence of Soil Minerals on the Rates and Products of Abiotic Transformation of Carbon Tetrachloride in Anaerobic Soils and Sediments. *Environmental Science & Technology.* 43: 1896-1901.
- Shao, HB; Butler, EC. (2009). The Relative Importance of Abiotic and Biotic Transformation of Carbon Tetrachloride in Anaerobic Soils and Sediments. *Soil & Sediment Contamination.* 18: 455-469.
- Shao, L; Samseth, J; Hågg, M-B. (2006). Gas permeabilities of poly(4-methyl-2-pentyne) membranes surface modified with carbon tetrachloride plasma. *Desalination.* 200: 1-3.
- Shao, L; Samseth, J; Hagg, MB. (2008). Crosslinking and stabilization of high fractional free volume polymers for gas separation. *Int J Greenhouse Gas Control.* 2: 492-501.
- Shapiro, AA; Fonshtein, LM. (1979). Study of the mutagenic action of cyclophosphane on bacteria in host-mediated assay. *Biology bulletin of the Academy of Sciences of the USSR.* 6: 310-315.
- Share, L; Recknagel, RO. (1959). Effect of carbon tetrachloride poisoning on potassium, sodium and water content of liver mitochondria. *The American journal of physiology.* 197: 121-125.
- Sharma, A; Saxena, A; Singh, B. (2009). In-situ degradation of sulphur mustard using (1R)-(-)-(camphorylsulphonyl) oxaziridine impregnated adsorbents. *J Hazard Mater.* 172: 650-653.
- Sharma, CK; Saxena, M; Sharma, V. (2013). Jaggery Protects Hepatorenal Injury Induced by Acute Exposure to Carbon Tetrachloride in Wistar rats. *J Environ Pathol Toxicol Oncol.* 32: 1-7.
- Sharma, DP; Sinha, RP; Prasad, R. (1988). EFFICACY OF PREDNISOLONE IN THE TREATMENT OF CARBON TETRACHLORIDE INDUCED CHRONIC HEPATITIS IN BUFFALO CALVES. *Indian J Vet Med.* 8: 171-173.
- Sharma, J; Gairola, S; Gaur, RD; Painuli, RM. (2012). The treatment of jaundice with medicinal plants in indigenous communities of the Sub-Himalayan region of Uttarakhand, India. *J Ethnopharmacol.* 143: 262-291.
- Sharma, MC; Pathak, NN. (1991). Biochemical changes in experimentally induced hepatopathy in goats fed different levels of dietary protein and effects of herbal therapy. *Indian J Anim Sci.* 61: 1269-1275.
- Sharma, N; Shukla, S. (2011). Hepatoprotective potential of aqueous extract of Butea monosperma against CCl₄ induced damage in rats. *Exp Toxicol Pathol.* 63: 671-676.

Environmental Hazard Literature Search Results

Off Topic

- Sharma, N; Shukla, S. (2011). Hepatoprotective potential of aqueous extract of *Butea monosperma* against CCl₄, induced damage in rats. *Exp Toxicol Pathol.* 63: 671-676.
- Sharma, P; Mohan, L; Srivastava, CN. (2004). Larval susceptibility of *Ajuga remota* against anopheline and culicine mosquitos. *The Southeast Asian journal of tropical medicine and public health.* 35: 608-610.
- Sharma, P; Mohan, L; Srivastava, CN. (2009). *Amaranthus oleracea* and *Euphorbia hirta*: natural potential larvicidal agents against the urban Indian malaria vector, *Anopheles stephensi* Liston (Diptera: Culicidae). *Parasitol Res.* 106: 171-176.
- Sharma, SK; Suman; Vasudeva, N. (2012). Hepatoprotective activity of *Vitis vinifera* root extract against carbon tetrachloride-induced liver damage in rats. *Acta Pol Pharm.* 69: 933-937.
- Shastin, AV; Korotchenko, VN; Nenajdenko, VG; Balenkova, ES. (2000). A novel synthetic approach to dichlorostyrenes. *Tetrahedron.* 56: 6557-6563.
- Shaw, Y-H; Kant, LS; Li, NC. (1973). 250-MHz proton magnetic resonance study of interaction of water with lecithin in carbon tetrachloride. *Journal of Magnetic Resonance (1969).* 12: 209-213.
- Shea, SM. (1966). Experimental toxic cirrhosis in the rat. Kinetics of hepatocyte proliferation during intermittent carbon tetrachloride intoxication. *Exp Mol Pathol.* 5: 311-328.
- Shea, SM; Bartholomay, AF. (1965). In numero studies in a cell renewal system. Periodically adjusted cell renewal process. *J Theor Biol.* 9: 389-413.
- Shear, NM; Schmidt, CW; Huntley, SL; Crawford, DW; Finley, BL. (1996). Evaluation of the factors relating combined sewer overflows with sediment contamination of the lower passaic river. *Mar Pollut Bull.* 32: 288-304.
- Shehata, SA. (2005). Nitrate detoxification of drinking water by ascorbic acid in growing rabbits. *World Rabbit Science.* 13: 93-106.
- Shekouhian, MH. (1988). UV DEGRADATION STUDIES OF ORGANOTIN FUNGICIDES AND MITICIDES. *Agric Biol Res.* 4: 1-8.
- Shelby, MD; Tice, RR; Demarini, DM; Yang, RSH. (1989). TOXICITY AND MUTAGENICITY OF A MIXTURE OF 25 CHEMICALS FOUND IN CONTAMINATED GROUNDWATER. *Vainio, H, M Sorsa And A J Mcmichael.* 0: 314-332.
- Shelton, DW; Weber, LJ. (1981). Quantification of the Joint Effects of Hepatotoxic Agents: Evaluation of a Theoretical Model in Mice. *Environ Res.* 26: 33-41.
- Shemer, H; Narkis, N. (2005). Effect of various reaction parameters on THMs aqueous sonolysis. *Chemosphere.* 59: 1317-1321.
- Shen, AG; Liao, ZX; Wang, H; Goan, LH; Wu, Y; Wang, XH; Yu, ZY; Hu, JM. (2007). Study on the in vitro and in vivo activation of rat hepatic stellate cells by Raman spectroscopy. *Journal of Biomedical Optics.* 12: 34003-34003.
- Shen, BD; Chen, HG; Shen, CY; Xu, PH; Li, JJ; Shen, G; Yuan, HL; Han, J. (2015). Hepatoprotective effects of lignans extract from *Herpetospermum caudigerum* against CCl₄-induced acute liver injury in mice. *J Ethnopharmacol.* 164: 46-52.
- Shen, BD; Jin, SY; Lv, QY; Jin, SX; Yu, C; Yue, PF; Han, J; Yuan, HL. (2013). Enhanced intestinal absorption activity and hepatoprotective effect of herpetrine via preparation of nanosuspensions using pH-dependent dissolving-precipitating/homogenization process. *J Pharm Pharmacol.* 65: 1382-1392.
- Shen, DZ; Ma, XL; Cai, TT; Zhu, XL; Xin, XD; Kang, Q. (2015). Investigation on kinetic processes of zeolitic imidazolate framework-8 film growth and adsorption of chlorohydro-carbons using a quartz crystal microbalance. *Analytical Methods.* 7: 9619-9628.
- Shen, ES; Garry, VF; Anders, MW. (1982). Effect of hypoxia on carbon tetrachloride hepatotoxicity. *Biochem Pharmacol.* 31: 3787-3793.
- Shen, H; Fan, J; Burczynski, F; Minuk, GY; Cattini, P; Gong, Y. (2007). Increased smad1 expression and transcriptional activity enhances trans-differentiation of hepatic stellate cells. *J Cell Physiol.* 212: 764-770.
- Shen, SL; Xu, YH; Wu, ZB. (1988). Ultrastructural study of cells in pseudobulbes of the liver with experimental cirrhosis. *Journal of Tongji Medical University = Tong ji yi ke da xue xue bao.* 8: 135-139.
- Shen, X; Cheng, S; Peng, Y; Song, H; Li, H. (2014). Attenuation of early liver fibrosis by herbal compound "Diwu Yanggan" through modulating the balance between epithelial-to-mesenchymal transition and mesenchymal-to-epithelial transition. *BMC Complement Altern Med.* 14: 418.
- Shen, XC; Tang, YP; Yang, RH; Yu, L; Fang, TH; Duan, JA. (2009). The protective effect of *Zizyphus jujube* fruit on carbon tetrachloride-induced hepatic injury in mice by anti-oxidative activities. *J Ethnopharmacol.* 122: 555-560.
- Shen, XY; Lu, YY; Zhu, LZ; Lu, SY. (2004). Sorption of BTEX mixtures to organobentonites. *J Environ Sci.* 16: 222-225.
- Shen, YH. (2001). Preparations of organobentonite using nonionic surfactants. *Chemosphere.* 44: 989-995.
- Shen, YH. (2002). Removal of dissolved organic matter from water by adsorption-flocculation using organobentonite. *Environ Technol.* 23: 553-560.
- Shen, YH. (2002). Removal of phenol from water by adsorption-flocculation using organobentonite. *Water Res.* 36: 1107-1114.
- Shen, YH. (2002). Sorption of benzene and naphthol to organobentonites intercalated with short chain cationic surfactants. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 37: 43-54.
- Shen, YS; Ku, Y. (1999). Treatment of gas-phase volatile organic compounds (VOCs) by the UV3 process. *Chemosphere.* 38: 1855-1866.
- Shen, YS; Ku, Y. (1999). Treatment of gas-phase volatile organic compounds (VOCs) by the UV/O(3) process. *Chemosphere.* 38: 1855-1866.
- Sheng, G; Xu, S; Boyd, SA. (1996). Cosorption of organic contaminants from water by hexadecyltrimethylammonium-exchanged clays. *Water Res.* 30: 1483-1489.
- Sheng, HP; Yuen, ST; So, HL; Cho, CH. (2001). Hepatototoxicity of prenatal and postnatal exposure to nicotine in rat pups. *Exp Biol Med.* 226: 934-939.
- Shertzer, HG; Niemi, MP; Reitman, FA; Berger, ML; Myers, BL; Tabor, MW. (1987). Protection against carbon tetrachloride hepatotoxicity by pretreatment with indole-3-carbinol. *Exp Mol Pathol.* 46: 180-189.

Environmental Hazard Literature Search Results

Off Topic

- Shertzer, HG; Reitman, FA; Tabor, MW. (1988). Influence of diet on the expression of hepatotoxicity from carbon tetrachloride in ICR mice. DRUG-NUTR INTERACTIONS. 5: 275-282.
- Shertzer, HG; Sainsbury, M. Intrinsic acute toxicity and hepatic enzyme inducing properties of the chemoprotectants indole-3-carbinol and 5,10-dihydroindeno[1,2-b]indole in mice. Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association. 1991. v. 29 (4): 237-242.
- Shertzer, HG; Sainsbury, M. (1988). AMELIORATION OF CARBON TETRACHLORIDE HEPATOTOXICITY IN MICE BY INDENOINDOLE COMPOUNDS. 72nd Annual Meeting Of The Federation Of American Societies For Experimental Biology, Las Vegas, Nevada, Usa, May. 2: 648.
- Shertzer, HG; Sainsbury, M. (1988). Protection against carbon tetrachloride hepatotoxicity by 5,10-dihydroindeno(1,2-b)indole, a potent inhibitor of lipid peroxidation. Food Chem Toxicol. 26: 517-522.
- Shertzer, HG; Sainsbury, M. (1991). Chemoprotective and hepatic enzyme induction properties of indole and indenoindole antioxidants in rats. Food Chem Toxicol. 29: 391-400.
- Sherwood, JL; Petersen, JN; Skeen, RS. (1998). Biodegradation of 1,1,1-trichloroethane by a carbon tetrachloride-degrading denitrifying consortium. Biotechnol Bioeng. 59: 393-399.
- Sherwood, JL; Petersen, JN; Skeen, RS. (1999). Biotransformation of carbon tetrachloride by various acetate- and nitrate-limited denitrifying consortia. Biotechnol Bioeng. 64: 342-348.
- Sherwood, JL; Petersen, JN; Skeen, RS; Valentine, NB. (1996). Effects of nitrate and acetate availability on chloroform production during carbon tetrachloride destruction. Biotechnol Bioeng. 51: 551-557.
- Shetty, MK; Limmer, MA; Waltermire, K; Morrison, GC; Burken, JG. (2014). In planta passive sampling devices for assessing subsurface chlorinated solvents. Chemosphere. 104: 149-154.
- Sheweita, SA; Abd El-Gabar, M; Bastawy, M. (2001). Carbon tetrachloride changes the activity of cytochrome P450 system in the liver of male rats: role of antioxidants. Toxicology. 169: 83-92.
- Sheweita, SA; Abd El-Gabar, M; Bastawy, M. (2001). Carbon tetrachloride-induced changes in the activity of phase II drug-metabolizing enzyme in the liver of male rats: role of antioxidants. Toxicology. 165: 217-224.
- Shi, GF; Li, Q. (2005). Effects of oxymatrine on experimental hepatic fibrosis and its mechanism in vivo. World J Gastroenterol. 11: 268-271.
- Shi, H; Dong, L; Zhang, Y; Bai, Y; Zhao, J; Zhang, L. (2010). Protective effect of a coffee preparation (Nescafe pure) against carbon tetrachloride-induced liver fibrosis in rats. Clinical nutrition (Edinburgh, Scotland). 29: 399-405.
- Shi, HT; Dong, L; Jiang, J; Zhao, JH; Zhao, G; Dang, XY; Lu, XL; Jia, M. (2013). Chlorogenic acid reduces liver inflammation and fibrosis through inhibition of toll-like receptor 4 signaling pathway. Toxicology. 303: 107-114.
- Shi, HY; Dong, L; Bai, YH; Zhao, JH; Zhang, Y; Zhang, L. (2009). Chlorogenic acid against carbon tetrachloride-induced liver fibrosis in rats. Eur J Pharmacol. 623: 119-124.
- Shi, J; Lu, L; Guo, W; Zhang, J; Cao, Y. (2013). Heat insulation performance, mechanics and hydrophobic modification of cellulose/SiO₂ composite aerogels. Carbohydr Polymer. 98: 282-289.
- Shi, JL; Aisaki, K; Ikawa, Y; Wake, K. (1998). Evidence of hepatocyte apoptosis in rat liver after the administration of carbon tetrachloride. American Journal of Pathology. 153: 515-525.
- Shi, Q; Song, XF; Fu, JL; Su, CY; Xia, XM; Song, EQ; Song, Y. (2015). Artificial sweetener neohesperidin dihydrochalcone showed antioxidative, anti-inflammatory and anti-apoptosis effects against paraquat-induced liver injury in mice. Int Immunopharmacol. 29: 722-729.
- Shi, ZM; Feng, P; Jiang, DQ; Wang, XJ. (2006). Mistletoe alkali inhibits peroxidation in rat liver and kidney. World J Gastroenterol. 12: 4052-4055.
- Shibata, H; Hara, H. (1988). Blood clearance of 99mTc-phytate for evaluation of hepatic dysfunction in rats. The Journal of toxicological sciences. 13: 83-96.
- Shibata, H; Hara, H. (1994). BLOOD CLEARANCE OF TECHNETIUM-99M PHYTATE FOR EVALUATION OF HEPATIC DYSFUNCTION IN RATS. Proceedings of the National Academy of Sciences of the United States of America. 13: 83-96.
- Shibata, H; Hisano, T; Kohno, M. (1989). Relation between blood clearance and hepatic uptake of 99mTc-phytate in rats with hepatic injury. Radioisotopes. 38: 426-429.
- Shibata, H; Kohno, M. (1990). Possible relation between blood clearance and hepatic uptake of technetium-99m phytate and severity of hepatic injury in dogs. Bull Fac Agric Yamaguchi Univ. 0: 25-32.
- Shibata, H; Kohno, M. (1991). Relation between blood clearance and hepatic uptake of technetium-99m phytate in dogs with hepatic injury. Radioisotopes. 40: 35-37.
- Shibata, H; Kohno, M; Hisano, T. (1988). Blood clearance of 99mTc-phytate for evaluation of hepatic dysfunction in dogs. The Journal of toxicological sciences. 13: 151-159.
- Shibata, H; Kohno, M; Hisano, T. (1988). BLOOD CLEARANCE OF TECHNETIUM-99M PHYTATE FOR EVALUATION OF HEPATIC DYSFUNCTION IN DOGS. J Toxicol Sci. 13: 151-160.
- Shibata, H; Odani, N. (1991). Blood clearances of 99mTc-phytate and indocyanine green in carbon tetrachloride treated dogs. The Journal of toxicological sciences. 16: 145-154.
- Shibata, H; Odani, N. (1991). Blood clearances of technetium-99m-phytate and indocyanine green in carbon tetrachloride treated dogs. J Toxicol Sci. 16: 145-154.
- Shibata, H; Shigetomi, M. (1992). Comparison of the blood clearance tests of technetium-99m phytate and indocyanine green in liver-injured rats with carbon tetrachloride. Radioisotopes. 41: 507-510.
- Shibata, H; Takagi, A; Hisano, T. (1988). BLOOD CLEARANCE OF GOLD-198 COLLOID FOR EVALUATION OF HEPATIC DYSFUNCTION IN RATS. Bull Fac Agric Yamaguchi Univ. 0: 1-12.

Environmental Hazard Literature Search Results

Off Topic

- Shibata, H; Yoshioka, Y; Ohkawa, A; Abe, Y; Nomura, T; Mukai, Y; Nakagawa, S; Taniai, M; Ohta, T; Mayumi, T; Kamada, H; Tsunoda, S; Tsutsumi, Y. (2008). The therapeutic effect of TNFR1-selective antagonistic mutant TNF-alpha in murine hepatitis models. *Cytokine*. 44: 229-233.
- Shibata, T; Matsuoka, T; Koda, S; Nomura, H. (1999). Depolarized light scattering of liquid crystals with addition of carbon tetrachloride in the isotropic phase. *Japanese Journal of Applied Physics Part 1-Regular Papers Brief Communications & Review Papers*. 38: 2059-2063.
- Shibayama, M; Tsutsumi, V; Vergara, P; Moreno, MG; Nagoshi, S; Ohta, Y; Matsui, A; Fujiwara, K. (2008). Protective action of putrescine against rat liver injury. *Journal of applied toxicology : JAT*. 28: 35-43.
- Shibayama, Y. (1988). Hepatotoxicity of carbon tetrachloride after chronic ethanol consumption. *Exp Mol Pathol*. 49: 234-242.
- Shibayama, Y. (1988). ON THE PATHOGENESIS OF PORTAL HYPERTENSION IN CIRRHOSIS OF THE LIVER. *Liver*. 8: 95-99.
- Shibayama, Y. (1989). Prevention of hepatotoxic responses to chemicals by glycyrrhizin in rats. *Exp Mol Pathol*. 51: 48-55.
- Shibuya, K; Tajima, M; Yamate, J; Saitoh, T; Nunoya, T. (1997). Carbon tetrachloride-induced hepatotoxicity enhances the development of pulmonary foam cells in rats fed a cholesterol-cholic acid diet. *Toxicol Pathol*. 25: 487-494.
- Shields, PA; Farrah; Shah, DO. (1991). The correlation of hydrophile-lipophile balance of filters with virus desorption. *J ENVIRON SCI HEALTH, PART A*. A26: 711-719.
- Shiels, DO. (1958). Poisoning due to use of carbon tetrachloride. *The Medical journal of Australia*. 45: 729-731.
- Shih, CC; Wu, YW; Lin, WC. (2005). Aqueous extract of *Anoectochilus formosanus* attenuate hepatic fibrosis induced by carbon tetrachloride in rats. *Phytomedicine : international journal of phytotherapy and phytopharmacology*. 12: 453-460.
- Shilova, IV; Zhavoronok, TV; Souslov, NI; Novozheeva, TP; Mustafin, RN; Losseva, AM. (2008). Hepatoprotective properties of fractions from meadowsweet extract during experimental toxic hepatitis. *Bull Exp Biol Med*. 146: 49-51.
- Shilova, IV; Zhavoronok, TV; Suslov, NI; Krasnov, EA; Novozheeva, TP; Veremeev, AV; Nagaev, MG; Petina, GV. (2006). Hepatoprotective and antioxidant activity of meadowsweet extract during experimental toxic hepatitis. *Bull Exp Biol Med*. 142: 216-218.
- Shilstone, JJ; Wade, AE. (1987). THE EFFECT OF INDOMETHACIN ON PROSTAGLANDIN E-2 AND DNA SYNTHESIS DURING CARBON TETRACHLORIDE-INDUCED LIVER REGENERATION. 187: 384.
- Shim, BS; Hong, KI. (1985). The sites of stimulatory action of prostaglandin E1, carrageenan, endotoxin and turpentine on haptoglobin synthesis in the liver. *Korean J Biochem*. 17: 155-160.
- Shimabukuro, T; Yamamoto, Y; Kume, M; Kimoto, S; Okamoto, R; Morimoto, T; Yamaoka, Y. (1998). Induction of heat shock response: effect on the rat liver with carbon tetrachloride-induced fibrosis from ischemia-reperfusion injury. *World J Surg*. 22: 464-468; discussion 468-469.
- Shimasaki, H; Saypil, WH; Ueta, N. (1991). Free radical-induced liver injury. II. Effects of intraperitoneally administered 2,2'-azobis(2-amidinopropane) dihydrochloride on the fatty acid profiles of hepatic triacylglycerol and phospholipids. *Free Radic Res Commun*. 14: 247-252.
- Shimazawa, T; Nagai, H; Koda, A; Kasahara, M. (1990). The effects of thromboxane A2 inhibitors (OKY-046 and ONO-3708) and leukotriene inhibitors (AA-861 and LY-171883) on CCl4-induced chronic liver injury in mice. *Prostaglandins, leukotrienes, and essential fatty acids*. 40: 67-71.
- Shimizu, H; Uetsuka, K; Nakayama, H; Doi, K. (2001). Carbon tetrachloride-induced acute liver injury in Mini and Wistar rats. *Exp Toxicol Pathol*. 53: 11-17.
- Shimizu, K; Nagamori, S; Fujise, K; Hasumura, S; Homma, S; Sujino, H; Matsuura, T; Tanaka, H; Kameda, H. (1986). FINE STRUCTURE OF THE CIRRHOTIC LIVER INDUCED BY CARBON TETRACHLORIDE IN NAGASE ANALBUMINEMIC RATS. Eighteenth Annual Meeting Of The Clinical Electron Microscopy Society Of Japan, Kyoto, Japan, October. 19: 563-564.
- Shimizu, Y. (1969). Effect of carbon tetrachloride administration on the synthesis of triglycerides and phospholipids in rat liver. *J Lipid Res*. 10: 479-486.
- Shimizu-Saito, K; Horikawa, S; Kojima, N; Shiga, J; Senoo, H; Tsukada, K. (1998). Differential expression of S-adenosylmethionine synthetase isozymes in different cell types of rat liver. *Hepatology (Baltimore, Md)*. 26: 424-431.
- Shimoda, H; Tanaka, J; Kikuchi, M; Fukuda, T; Ito, H; Hatano, T; Yoshida, T. (2008). Walnut polyphenols prevent liver damage induced by carbon tetrachloride and D-galactosamine: Hepatoprotective hydrolyzable tannins in the kernel pellicles of walnut. *J Agric Food Chem*. 56: 4444-4449.
- Shimoda, S; Prengle, HWJR; Symons, JM. (1998). H2O2 is UV photo-oxidation process for treatment of waterborne hazardous substances-reaction mechanism, rate model, and data for tubular flow and flow stirred tank reactors. *Waste Manag*. 17: 507-515.
- Shimojo, H; Moriyama, K; Togo, H. (2015). A One-Pot, Transition-Metal-Free Procedure for C-O, C-S, and C-N Bond Formation at the Benzylic Position of Methylarenes. *Synthesis-Stuttgart*. 47: 1280-1290.
- Shimokawa, M; Yamamoto, K; Kawakami, J; Sawada, Y; Iga, T. (1994). Effect of renal or hepatic dysfunction on neurotoxic convulsion induced by ranitidine in mice. *Pharm Res*. 11: 1519-1523.
- Shimotori, T. (2005). Polymer membranes containing zero-valent iron as contaminant barriers. PhD, University of Minnesota.
- Shimotori, T; Cussler, EL; Arnold, WA. (2006). High-density polyethylene membrane containing Fe(0) as a contaminant barrier. *Journal of Environmental Engineering-Asce*. 132: 803-809.
- Shimotori, T; Nuxoll, EE; Cussler, EL; Arnold, WA. (2004). A polymer membrane containing Fe(0) as a contaminant barrier. *Environmental Science & Technology*. 38: 2264-2270.
- Shimuzu, M; Morita, S; Yamano, T; Yamada, A. (1989). Relationship between hepatic glutathione content and carbon tetrachloride-induced hepatotoxicity in vivo. *Toxicol Lett*. 47: 95-102.
- Shin, DS; Kim, KW; Chung, HY; Yoon, S; Moon, JO. (2013). Effect of sinapic acid against carbon tetrachloride-induced acute hepatic injury in rats. *Arch Pharm Res*. 36: 626-633.

Environmental Hazard Literature Search Results

Off Topic

- Shin, HC; Park, JW; Park, K; Song, HC. (2002). Removal characteristics of trace compounds of landfill gas by activated carbon adsorption. *Environ Pollut.* 119: 227-236.
- Shin, JH; Lee, CW; Oh, SJ; Yun, J; Kang, MR; Han, SB; Park, H; Jung, JC; Chung, YH; Kang, JS. (2014). Hepatoprotective effect of aged black garlic extract in rodents. *Toxicological Research.* 30: 49-54.
- Shin, M; Yee, S; Robles, M; Oak, S; Choi, BH. (1994). THE ROLE OF GLUTATHIONE IN TOXIC EFFECTS OF CARBON TETRACHLORIDE IN THE RAT. *Experimental Biology.* 8.
- Shin, TS; Choi, KD. (1970). Liver cells of cordotomized rats after single dose of carbon tetrachloride. *Yonsei Med J.* 11: 85-91.
- Shinozuka, H. (1971). Unusual membrane alterations in the rough endoplasmic reticulum of rat liver cells after carbon tetrachloride injury. *Exp Cell Res.* 64: 380-386.
- Shiota, T. (1984). Accelerated leucine decarboxylation in the rat brain in relation to increased blood ammonia levels during acute hepatic failure. *Acta Med Okayama.* 38: 219-225.
- Shiota, T; Watanabe, A; Higashi, T; Nagashima, H. (1984). Prevention of methionine and ammonia-induced coma by intravenous infusion of a branched chain amino acid solution to rats with liver injury. *Acta Med Okayama.* 38: 479-482.
- Shioya, A; Kuraishi, K; Kakimoto, M; Tamama, Y. (1964). PHARMACOLOGICAL STUDY ON L-ORNITHINE L-ASPARTATE. *Japanese journal of pharmacology.* 14: 201-214.
- Shiratori, Y; Geerts, A; Ichida, T; Wisse, E. (1985). SINUSOIDAL CELL INTERACTION IN LIVER FIBROSIS. 36th Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Ill, Usa, Nov. 5: 949.
- Shiratori, Y; Ichida, T; Geerts, A; Wisse, E. (1985). MODULATION OF COLLAGEN SYNTHESIS BY FAT-STORING CELLS ISOLATED FROM CARBON TETRACHLORIDE TREATED AND VITAMIN A TREATED RATS. 20th Meeting Of The European Association For The Study Of The Liver, Espoo, Finland, Aug. 0.
- Shiratori, Y; Ichida, T; Geerts, A; Wisse, E. (1987). Modulation of collagen synthesis by fat-storing cells, isolated from CCl₄- or vitamin A-treated rats. *Dig Dis Sci.* 32: 1281-1289.
- Shiratori, Y; Ichida, T; Geerts, A; Wisse, E. (1994). MODULATION OF THE COLLAGEN SYNTHESIS BY FAT-STORING CELLS ISOLATED FROM RATS TREATED WITH CARBON TETRACHLORIDE AND VITAMIN A. 36th Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Ill, Usa, Nov. 5: 948.
- Shires, TK. (1978). Lipoperoxidative effects on liver rough microsomal membranes and the ribosome-membrane complex: studies in vitro and in vivo with chemical carcinogens and carbon tetrachloride. *Laboratory investigation; a journal of technical methods and pathology.* 38: 693-702.
- Shirgaonkar, IZ; Pandit, AB. (1997). Degradation of aqueous solution of potassium iodide and sodium cyanide in the presence of carbon tetrachloride. *Ultrason Sonochem.* 4: 245-253.
- Shirwaikar, A; Vasanth Kumar, A; Krishnanand, BR; Sreenivasan, KK. Chemical investigation and antihepatotoxic activity of *Thespesia populnea*. *International journal of pharmacognosy : a journal of crude drug research.* Dec 1995. v. 33 (4): 305-310.
- Shiryayeva, A; Arkadyeva, A; Emelyanova, L; Sakuta, G; Morozov, V. (2009). Superoxide anion production by the mitochondrial respiratory chain of hepatocytes of rats with experimental toxic hepatitis. *J Bioenerg Biomembr.* 41: 379-385.
- Shiryayeva, A; Baidyuk, E; Arkadyeva, A; Okovityy, S; Morozov, V; Sakuta, G. (2008). Hepatocyte mitochondrion electron-transport chain alterations in CCl₄ and alcohol induced hepatitis in rats and their correction with simvastatin. *J Bioenerg Biomembr.* 40: 27-34.
- Shizu, R; Abe, T; Benoki, S; Takahashi, M; Kodama, S; Miyata, M; Matsuzawa, A; Yoshinari, K. (2016). PXR stimulates growth factor-mediated hepatocyte proliferation by cross-talk with the FOXO transcription factor. *Biochem J.* 473: 257-266.
- Shkurupy, VA. (1986). Selective storage of rheopolyglucin and latex in the liver cells and the response of the liver parenchyma to acute CCl₄ poisoning. *Byulleten Eksperimental'noi Biologii i Meditsiny.* 102: 362-365.
- Shkurupy, VA; Lungarella, G; Benedetti, A; Gardi, C; de, SMM; Comperti, M. (1987). Bromotrichloromethane-induced damage to bronchiolar Clara cells. *Physiologia Bohemoslovaca.* 36: 349-359.
- Shnyra, A; Bocharov, A; Bochkova, N; Spirov, V. (1991). Bioartificial liver using hepatocytes on Biosilon microcarriers: Treatment of chemically induced acute hepatic failure in rats. *Artif Organs.* 15: 189-197.
- Shoemaker, JD; Visek, WJ. (1989). OROTIC ACID OVERPRODUCTION IN EXPERIMENTAL CIRRHOSIS OF RATS. *Exp Mol Pathol.* 50: 371-384.
- Sholukh, MV; Hubich, AI; Pashkovsky, FS; Lakhvich, FA. (2010). Structural features of prostanoid analogues involved in hepatocytes protection against CCl₄-induced injury. *Prostaglandins & other lipid mediators.* 93: 134-142.
- Shon, MY; Cha, JY; Lee, CH; Park, SH; Cho, YS. (2007). Protective effect of administrated glutathione-enriched *Saccharomyces cerevisiae* FF-8 against carbon tetrachloride (CCl₄)-induced hepatotoxicity and oxidative stress in rats. *Food Science and Biotechnology.* 16: 967-974.
- Shouche, M; Petersen, JN; Skeen, RS. Use of a mathematical model for prediction of optimum feeding strategies for in situ bioremediation. *Appl Biochem Biotechnol.* Spring 1993. v. 39/40: 763-779.
- Shouche, MS; Petersen, JN; Skeen, RS; Hooker, BS. Alternating extraction/injection well interactions for in situ bioremediation. *Appl Biochem Biotechnol.* Spring 1994. v. 45/46: 775-785.
- Shrestha, LK; Yamauchi, Y; Hill, JP; Miyazawa, K; Ariga, K. (2013). Fullerene Crystals with Bimodal Pore Architectures Consisting of Macropores and Mesopores. *J Am Chem Soc.* 135: 586-589.
- Shrestha, N; Chand, L; Han, MK; Lee, SO; Kim, CY; Jeong, YJ. (2016). Glutamine inhibits CCl₄ induced liver fibrosis in mice and TGF-beta 1 mediated epithelial-mesenchymal transition in mouse hepatocytes. *Food Chem Toxicol.* 93: 129-137.
- Shrestha, N; Chand, L; Han, MK; Lee, SO; Kim, CY; Jeong, YJ. (2016). Glutamine inhibits CCl₄ induced liver fibrosis in mice and TGF-β1 mediated epithelial-mesenchymal transition in mouse hepatocytes. *Food Chem Toxicol.* 93: 129-137.

Environmental Hazard Literature Search Results

Off Topic

- Shrivastava, R; Delomenie, C; Chevalier, A; John, G; Ekwall, B; Walum, E; Massingham, R. (1992). Comparison of in vivo acute lethal potency and in vitro cytotoxicity of 48 chemicals. *Cell Biol Toxicol.* 8: 157-170.
- Shrout, JD; Larese-Casanova, P; Scherer, MM; Alvarez, PJ. (2005). Sustained and complete hexahydro-1,3,5-trinitro-1,3,5-triazine(RDX)degradation in zero-valent iron simulated barriers under different microbial conditions. *Environ Technol.* 26: 1115-1126.
- Shrout, JD; Williams, AGB; Scherer, MM; Parkin, GF. (2005). Inhibition of bacterial perchlorate reduction by zero-valent iron. *Biodegradation.* 16: 23-32.
- Shu, JC; He, YJ; Lv, X; Ye, GR; Wang, LX. (2009). Curcumin prevents liver fibrosis by inducing apoptosis and suppressing activation of hepatic stellate cells. *Journal of Natural Medicines.* 63: 415-420.
- Shu, M; Huang, DD; Hung, ZA; Hu, XR; Zhang, S. (2016). Inhibition of MAPK and NF-kappa B signaling pathways alleviate carbon tetrachloride (CCl4)-induced liver fibrosis in Toll-like receptor 5 (TLR5) deficiency mice. *Biochem Biophys Res Commun.* 471: 233-239.
- Shu, M; Huang, D-d; Hung, Z-a; Hu, X-r; Zhang, S. (2016). Inhibition of MAPK and NF- κ B signaling pathways alleviate carbon tetrachloride (CCl4)-induced liver fibrosis in Toll-like receptor 5 (TLR5) deficiency mice. *Biochem Biophys Res Commun.* 471: 233-239.
- Shukla, OP. (1994). Biotechnology for environmental pollution control. *Biological Memoirs.* 20: 1-9.
- Shukla, S; Bhadauria, M; Jadon, A. (2004). Effect of propolis extract on acute carbon tetrachloride induced hepatotoxicity. *Indian J Exp Biol.* 42: 993-997.
- Shukla, S; Bhadauria, M; Jadon, A. (2005). Evaluation of hepatoprotective potential of propolis extract in carbon tetrachloride induced liver injury in rats. *Indian Journal of Biochemistry & Biophysics.* 42: 321-325.
- Shukla, S; Bhadauria, M; Sharma, A; Jadon, A. (2005). Hepatoprotective effect of a propriety herbal formulation (PHF) on experimental liver damage in rats. *Toxicology International.* 12: 75-81.
- Shukla, V; Cuenin, C; Dubey, N; Herceg, Z. (2011). Loss of Histone Acetyltransferase Cofactor Transformation/Transcription Domain-Associated Protein Impairs Liver Regeneration After Toxic Injury. *Hepatology.* 53: 954-963.
- Shulin, Z; Dobson, GR. (1991). Octahedral metal carbonyls. 74. Estimates of solvent-metal bond strengths in (solvent)M(CO)₅ complexes (solvent=benzene (M=Mo, W) and tetrachloromethane (M=Cr)). *Inorganica Chimica Acta.* 181: 103-109.
- Shultz, VD; Campbell, W; Karr, S; Hixson, DC; Thompson, NL. (1999). TA1 Oncofetal Rat Liver cDNA and Putative Amino Acid Permease: Temporal Correlation with c-myc during Acute CCl Liver Injury and Variation of RNA Levels in Response to Amino Acids in Hepatocyte Cultures. *Toxicol Appl Pharmacol.* 154: 84-96.
- Shultz, VD; Campbell, W; Karr, S; Hixson, DC; Thompson, NL. (1999). TA1 oncofetal rat liver cDNA and putative amino acid permease: Temporal correlation with c-myc during acute CCl(4) liver injury and variation of RNA levels in response to amino acids in hepatocyte cultures. *Toxicol Appl Pharmacol.* 154: 84-96.
- Shvarts, YS; Zubakhin, AA; Dushkin, MI. (2000). Suppression of hemopoiesis during CCl(4)-induced hepatic fibrosis: role of systemic endotoxemia. *Bull Exp Biol Med.* 130: 759-762.
- Shyamal, S; Latha, PG; Shine, VJ; Suja, SR; Rajasekharan, S; Devi, TG. (2006). Hepatoprotective effects of *Pittosporum neelgherrense* Wight&Arn., a popular Indian ethnomedicine. *J Ethnopharmacol.* 107: 151-155.
- Shyu, MH; Kao, TC; Yen, GC. (2008). Hsian-tsoa (*Mesona procumbens* Heml.) prevents against rat liver fibrosis induced by CCl(4) via inhibition of hepatic stellate cells activation. *Food Chem Toxicol.* 46: 3707-3713.
- Shyur, LF; Huang, CC; Hsu, YY; Cheng, YW; Yang, SD. (2011). A sesquiterpenol extract potently suppresses inflammation in macrophages and mice skin and prevents chronic liver damage in mice through JNK-dependent HO-1 expression. *Phytochemistry.* 72: 391-399.
- Shyur, LF; Huang, CC; Lo, CP; Chiu, CY; Chen, YP; Wang, SY; Chang, ST. (1987). Hepatoprotective phytocompounds from *Cryptomeria japonica* are potent modulators of inflammatory mediators. *Phytochemistry.* 69: 1348-1358.
- Siah, CW; Trinder, D; Olynyk, JK. (2005). Iron overload. *Clin Chim Acta.* 358: 24-36.
- Sibley, JA; Higgins, GM; Fleisher, GA. (1955). Serum aldolase in experimental liver necrosis. *AMA archives of pathology.* 59: 712-716.
- Siciliano-Jones, J; Murphy, MR. Specific gravity of various feedstuffs as affected by particle size and in vitro fermentation. *J Dairy Sci.* Mar 1991. v. 74 (3): 896-901.
- Siddiqui, FS; Mehendale, HM. (1988). EFFECT OF VARIOUS DIETARY PRETREATMENTS ON CARBON TETRACHLORIDE HEPATOTOXICITY IN MONGOLIAN GERBILS. 72nd Annual Meeting Of The Federation Of American Societies For Experimental Biology, Las Vegas, Nevada, Usa, May. 2.
- Sidhu, KS. (1992). REGULATION OF ENVIRONMENTAL CONTAMINANTS IN DRINKING WATER STATE METHODS AND PROBLEMS. *J Am Coll Toxicol.* 11: 331-340.
- Sidhu, P; Garg, ML; Dhawan, DK. (2005). Time dependent study to evaluate the efficacy of zinc on hepatic marker enzymes and elemental profile in serum and liver of protein deficient rats. *Biometals.* 18: 97-106.
- Sidor, R. (1969). A technique for the sampling and analysis of halogenated hydrocarbons in air. *Am Ind Hyg Assoc J.* 30: 188-191.
- Sidransky, H; Murty, CN; Verney, E. (1982). Effect of tryptophan on the inhibitory action of selected hepatotoxic agents on hepatic protein synthesis. *Exp Mol Pathol.* 37: 305-322.
- Sidransky, H; Verney, E. (1982). Acute effects of selected hepatotoxic agents on polyribosomes and protein synthesis in the livers of rats fed purified diets containing hepatocarcinogens. *Exp Mol Pathol.* 36: 72-85.
- Sidransky, H; Verney, E; Kurl, RN; Razavi, T. (1988). Effect of tryptophan on toxic cirrhosis induced by intermittent carbon tetrachloride intoxication in the rat. *Exp Mol Pathol.* 49: 102-110.
- Sidransky, H; Verney, E; Murty, CN. (1977). Effect of tryptophan on hepatic polyribosomes and protein synthesis in rats treated with carbon tetrachloride. *Toxicol Appl Pharmacol.* 39: 295-305.

Environmental Hazard Literature Search Results

Off Topic

- Sidransky, H; Verney, E; Murty, CN. (1981). Effect of tryptophan on hepatoma and host liver of rats. Influence after treatment with hypertonic sodium chloride and carbon tetrachloride. *Exp Mol Pathol.* 35: 124-136.
- Siegel, J; Jones, RA; Coon, RA; Lyon, JP. (1971). Effects on experimental animals of acute, repeated and continuous inhalation exposures to dichloroacetylene mixtures. *Toxicol Appl Pharmacol.* 18: 168-174.
- Siegers, CP. (1978). Antidotal effects of dimethyl sulphoxide against paracetamol-, bromobenzene-, and thioacetamide-induced hepatotoxicity. *The Journal of pharmacy and pharmacology.* 30: 375-377.
- Siegers, CP; Filser, JG; Bolt, HM. (1978). Effect of dithiocarb on metabolism and covalent binding of carbon tetrachloride. *Toxicol Appl Pharmacol.* 46: 709-716.
- Siegers, CP; Heger, B; Baretton, G; Younes, M. (1988). INHIBITION OF HALOTHANE-INDUCED LIPID PEROXIDATION BY MISOPROSTOL WITHOUT HEPATOPROTECTION. *Toxicology.* 53: 213-218.
- Siegers, CP; Horn, W; Younes, M. (1985). Effect of hypoxia on the metabolism and hepatotoxicity of carbon tetrachloride and vinylidene chloride in rats. *Acta Pharmacol Toxicol.* 56: 81-86.
- Siegers, CP; Horn, W; Younes, M. (1985). Effect of phorone-induced glutathione depletion on the metabolism and hepatotoxicity of carbon tetrachloride and vinylidene chloride in rats. *Journal of applied toxicology : JAT.* 5: 352-356.
- Siegers, CP; Jess, U; Younes, M. (1983). Effects of phenobarbital, GSH-depletors, CCl₄ and ethanol on the biliary efflux of glutathione in rats. *Archives internationales de pharmacodynamie et de therapie.* 266: 315-325.
- Siegers, CP; Pauli, V; Korb, G; Younes, M. (1986). Hepatoprotection by malotilate against carbon tetrachloride-alcohol-induced liver fibrosis. *Agents and Actions.* 18: 600-603.
- Siegers, CP; Reichl, W; Younes, M. (1984). Sex differences in the susceptibility of rats to carbon tetrachloride-alcohol-induced liver injury. *Agents and Actions.* 14: 121-123.
- Siegers, CP; Schättl, A. (1979). Dose-dependent biliary and renal excretion of paracetamol in the rat. *Pharmacology.* 18: 175-179.
- Siegers, CP; Steffen, B; Younes, M. (1988). ANTIDOTAL EFFECTS OF DEFERIOXAMINE IN EXPERIMENTAL LIVER INJURY ROLE OF LIPID PEROXIDATION. *Pharmacol Res Commun.* 20: 337-344.
- Siegers, CP; Strubelt, O; Dost-Kempf, E. (1982). Fasting accelerates the in vivo metabolism of carbon tetrachloride in rats. *Toxicol Lett.* 10: 423-426.
- Siegers, CP; Strubelt, O; Schättl, A. (1978). Relations between hepatotoxicity and pharmacokinetics of paracetamol in rats and mice. *Pharmacology.*
- Siegers, CP; Vâ€lpele, M; Scheel, G; Younes, M. (1982). Effects of dithiocarb and (+)-catechin against carbon tetrachloride-alcohol-induced liver fibrosis. *Agents and Actions.* 12: 743-748.
- Siegers, CP; Younes, M. (1984). Protection by diethyldithiocarbamate, a CS₂-liberating agent, against different models of experimentally-induced liver injury. *G Ital Med Lav.* 6: 135-137.
- Sieweke, MH; Bissell, MJ. (1994). THE TUMOR-PROMOTING EFFECT OF WOUNDING A POSSIBLE ROLE FOR TGF-BETA-INDUCED STROMAL ALTERATIONS. *Critical Reviews In Oncogenesis.* 5: 297-311.
- Sigala, F; Kostopanagiotou, G; Andreadou, I; Kavatzas, N; Felekouras, E; Sigalas, P; Bastounis, E; Papalambros, E. (2004). Histological and lipid peroxidation changes after administration of 2-acetylaminofluorene in a rat liver injury model following selective periportal and pericentral damage. *Toxicology.* 196: 155-163.
- Sigala, F; Theocharis, S; Sigalas, K; Markantonis-Kyroudis, S; Papalambros, E; Triantafyllou, A; Kostopanagiotou, G; Andreadou, I. (2006). Therapeutic value of melatonin in an experimental model of liver injury and regeneration. *J Pineal Res.* 40: 270-279.
- Signé, E; Blancou, H; Commeyras, A. (1995). RÃ©activitÃ© par voie thermique de RFH. *Journal of Fluorine Chemistry.* 70: 197-200.
- Sikander, M; Malik, S; Parveen, K; Ahmad, M; Yadav, D; Bin Hafeez, Z; Bansal, M. (2013). Hepatoprotective effect of *Origanum vulgare* in Wistar rats against carbon tetrachloride-induced hepatotoxicity. *Protoplasma.* 250: 483-493.
- Sikiric, P; Seiwerth, S; Grabarevic, Z; Rucman, R; Petek, M; Rotkvic, I; Turkovic, B; Jagic, V; Mildner, B; Duvnjak, M. (1993). Hepatoprotective effect of BPC 157, a 15-amino acid peptide, on liver lesions induced by either restraint stress or bile duct and hepatic artery ligation or CCl₄ administration. A comparative study with dopamine agonists and somatostatin. *Life Sci.* 53: PL291-296.
- Siler, AR; Brindza, MR; Walker, RA. (2009). Hydrogen-bonding molecular ruler surfactants as probes of specific solvation at liquid/liquid interfaces. *Anal Bioanal Chem.* 395: 1063-1073.
- Silkworth, JB. (2008). LOVE CANAL DEVELOPMENT OF THE TOXICOLOGIC EVALUATION OF ITS COMPLEX CHEMICAL CONTAMINATION. *Anal Chem.* 0: 13-50.
- Silva, MPD; Hicke, K; Thiemann, W. (1991). Organophosphorous and volatile organochlorine compounds in the waters of the Nilwala River of southern Sri Lanka. *Aqua.* 40: 217-221.
- Silver, EH; Szabo, S. (1982). Possible role of lipid peroxidation in the actions of acrylonitrile on the adrenals, liver and gastrointestinal tract. *Res Comm Chem Pathol Pharmacol.* 36: 33-43.
- Silverberg, LJ; Dillon, JL; Vemishetti, P. (1996). A simple, rapid and efficient protocol for the selective phosphorylation of phenols with dibenzyl phosphite. *Tetrahedron Letters.* 37: 771-774.
- Silverman, DM; Taves, DR. (1981). The distribution of fluoride and calcium in the liver of the carbon tetrachloride-poisoned rat. *Toxicol Appl Pharmacol.* 61: 172-176.
- Simal, F; Sebille, S; Demonceau, A; Noels, AF; Nunez, R; Abad, M; Teixidor, F; Vinas, C. (2000). Radical reactions catalysed by ruthenium(II) complexes with anionic carborane phosphine ligands: Kharasch addition to olefins and controlled polymerisation. *Tetrahedron Letters.* 41: 5347-5351.

Environmental Hazard Literature Search Results

Off Topic

- Simek, J; Cervinková, Z; Smejkalová, J; Chmelar, V. (1980). Effect of realimentation after several days' pure carbohydrate intake on DNA synthesis in regenerating rat liver. *Physiologia Bohemoslovaca*. 29: 161-166.
- Simeonova, PP; Gallucci, RM; Hulderman, T; Wilson, R; Kommineni, C; Rao, M; Luster, MI. (2001). The role of tumor necrosis factor-alpha in liver toxicity, inflammation, and fibrosis induced by carbon tetrachloride. *Toxicol Appl Pharmacol*. 177: 112-120.
- Simeonova, R; Bratkov, VM; Kondeva-Burdina, M; Vitcheva, V; Manov, V; Krasteva, I. (2015). Experimental liver protection of n-butanolic extract of *Astragalus monspessulanus* L. on carbon tetrachloride model of toxicity in rat. *Redox report : communications in free radical research*. 20: 145-153.
- Simeonova, R; Kondeva-Burdina, M; Vitcheva, V; Krasteva, I; Manov, V; Mitcheva, M. (2014). Protective effects of the apigenin-O/C-diglucoside saponarin from *Gypsophila trichotoma* on carbone tetrachloride-induced hepatotoxicity in vitro/in vivo in rats. *Phytomedicine : international journal of phytotherapy and phytopharmacology*. 21: 148-154.
- Simeonova, RL; Vitcheva, VB; Kondeva-Burdina, MS; Krasteva, IN; Nikolov, SD; Mitcheva, MK. (2010). Effect of purified saponin mixture from *Astragalus corniculatus* on enzyme- and non-enzyme-induced lipid peroxidation in liver microsomes from spontaneously hypertensive rats and normotensive rats. *Phytomedicine : international journal of phytotherapy and phytopharmacology*. 17: 346-349.
- Simi, CK; Abraham, TE. (2007). Encapsulation of crosslinked subtilisin microcrystals in hydrogel beads for controlled release applications. *Eur J Pharm Sci*. 32: 17-23.
- Simile, MM; Banni, S; Angioni, E; Carta, G; De Miglio, MR; Muroi, MR; Calvisi, DF; Carru, A; Pascale, RM; Feo, F. (2001). 5'-methylthioadenosine administration prevents lipid peroxidation and fibrogenesis induced in rat liver by carbon-tetrachloride intoxication. *J Hepatol*. 34: 386-394.
- Simko, V; Kelley, RE; Dincsoy, HP; Gimmon, Z; Willmann, K. (1982). Exercise in rats with liver injury induced by carbon tetrachloride or bile duct obstruction. Blood cholic acid and liver histology. *Research in experimental medicine Zeitschrift für die gesamte experimentelle Medizin einschliesslich experimenteller Chirurgie*. 181: 135-145.
- Simko, V; Michael, S. (1994). Effect of ursodeoxycholic acid on in vivo and in vitro toxic liver injury in rats. *Alimentary pharmacology & therapeutics*. 8: 315-322.
- Simko, V; Michael, S; Katz, J; Oberstein, E; Popescu, A. (1992). Protective effect of oral acetylcysteine against the hepatorenal toxicity of carbon tetrachloride potentiated by ethyl alcohol. *Alcoholism, clinical and experimental research*. 16: 795-799.
- Simko, V; Michael, S; Oberstein, E. (1991). ROLE OF URSODEOXYCHOLIC ACID UDCA IN LIVER INJURY INDUCED IN RATS BY CARBON TETRACHLORIDE AND ETHANOL ET. Meeting Of The American Association For The Study Of Liver Diseases, New Orleans, Louisiana, Usa, May. 100.
- Simmonds, PG; Cunnold, DM; Dollard, GJ; Davies, TJ; McCulloch, A; Derwent, RG. (1993). Evidence of the phase-out of CFC use in Europe over the period 1987-1990. *Atmos Environ Part A Gen Top*. 27: 1397-1407.
- Simmonds, PG; Derwent, RG. (1989). MEASUREMENTS OF OZONE AND OTHER RADIATIVELY ACTIVE GASES AT MACE HEAD IN THE REPUBLIC OF IRELAND. International Conference On The Generation Of Oxidants On Regional And Global Scales, Norwich, England, UK, July. 25: 1795-1808.
- Simmons, JE. (1994). NEPHROTOXICITY RESULTING FROM MULTIPLE CHEMICAL EXPOSURES AND CHEMICAL INTERACTIONS. *PLoS ONE*. 0: 335-360.
- Simmons, JE. (1997). THE HEPATIC INTERACTION OF ALIPHATIC ALCOHOLS WITH HALOGENATED HYDROCARBONS. *Drug Metab Rev*. 29: 123-136.
- Simmons, JE; Boyes, WK; Bushnell, PJ; Raymer, JH; Limsakun, T; McDonald, A; Sey, YM; Evans, MV. (2002). A physiologically based pharmacokinetic model for trichloroethylene in the male Long-Evans rat. *Toxicol Sci*. 69: 3-15.
- Simmons, JE; DeMarini, DM; Berman, E. (1988). Lethality and hepatotoxicity of complex waste mixtures. *Environ Res*. 46: 74-85.
- Simmons, JE; McDonald, A; Seely, JC; Sey, YM. (1995). Potentiation of carbon tetrachloride hepatotoxicity by inhaled methanol: time course of injury and recovery. *J Toxicol Environ Health*. 46: 203-216.
- Simmons, MS. (1991). HAZARDOUS WASTE MEASUREMENTS. Simmons, M S. 0.
- Simon, K; adysz, A. (1988). Cobalt-activated acylase (AA-Co) activity in experimental liver carcinogenesis in rats. Part II. Chronic poisoning with carbon tetrachloride (CCl4). *Materia medica Polona Polish journal of medicine and pharmacy*. 20: 147-149.
- Simon, K; adysz, A; Bako; ska-Paco; Sobiech, KA; Dzik, T. (1991). The activity of alpha-amylase and gamma-amylase in serum and pancreatic homogenate of rats with experimental liver damage treated with colchicine. *Materia medica Polona Polish journal of medicine and pharmacy*. 23: 103-106.
- Simon, K; Gladysz, A. (1988). COBALT-ACTIVATED ACYLASE AA-CO ACTIVITY IN EXPERIMENTAL LIVER CARCINOGENESIS IN RATS PART II. CHRONIC POISONING WITH CARBON TETRACHLORIDE. *Mater Med Pol*. 20: 147-149.
- Simon, MA. (1939). ACUTE TOXIC NEPHRITIS DUE TO INHALATION OF CARBON TETRACHLORIDE FUMES. *Can Med Assoc J*. 41: 580-583.
- Simon-Giavarotti, KA; Giavarotti, L; Gomes, LF; Lima, AF; Veridiano, AM; Garcia, EA; Mora, OA; Fernandez, V; Videla, LA; Junqueira, VBC. (2002). Enhancement of lindane-induced liver oxidative stress and hepatotoxicity by thyroid hormone is reduced by gadolinium chloride. *Free Radic Res*. 36: 1033-1039.
- Simplicio, PD; Segre, G. (1977). Ligandin content in liver of rats intoxicated by a carbon tetrachloride. *Pharmacological research communications*. 9: 283-298.
- Simpson, SA; Alexander, DJ; Reed, CJ. (2005). Induction of heat shock protein 70 in rat olfactory epithelium by toxic chemicals: in vitro and in vivo studies. *Arch Toxicol*. 79: 224-230.
- Sindhu, ER; Firdous, AP; Preethi, KC; Kuttan, R. (2010). Carotenoid lutein protects rats from paracetamol-, carbon tetrachloride- and ethanol-induced hepatic damage. *J Pharm Pharmacol*. 62: 1054-1060.

Environmental Hazard Literature Search Results

Off Topic

- Singh, A; Agarwal, RA. (1990). Molluscicidal and anti-cholinesterase activity of Euphorbiales. *Biol Agric Hortic.* 7: 81-92.
- Singh, B; Chandan, BK; Gupta, DK. (2003). Adaptogenic activity of a novel withanolide-free aqueous fraction from the roots of *Withania somnifera* Dun. (Part II). *Phytother Res.* 17: 531-536.
- Singh, B; Chandan, BK; Prabhakar, A; Taneja, SC; Singh, J; Qazi, GN. (2005). Chemistry and hepatoprotective activity of an active fraction from *Barleria prionitis* Linn. in experimental animals. *Phytother Res.* 19: 391-404.
- Singh, B; Chandan, BK; Sharma, N; Bhardwaj, V; Satti, NK; Gupta, VN; Gupta, BD; Suri, KA; Suri, OP. (2006). Isolation, structure elucidation and *In Vivo* hepatoprotective potential of trans-tetracos-15-enoic acid from *Indigofera tinctoria* Linn. *Phytother Res.* 20: 831-839.
- Singh, B; Chandan, BK; Sharma, N; Bhardwaj, V; Satti, NK; Gupta, VN; Gupta, BD; Suri, KA; Suri, OP. (2006). Isolation, structure elucidation and *in vivo* hepatoprotective potential of trans-tetracos-15-enoic acid from *Indigofera tinctoria* Linn. *Phytother Res.* 20: 831-839.
- Singh, B; Saxena, AK; Chandan, BK; Agarwal, SG; Bhatia, MS; Anand, KK. Hepatoprotective effect of ethanolic extract of *Eclipta alba* on experimental liver damage in rats and mice. *Phytotherapy research* : PTR. Mar/Apr 1993. v. 7 (2): 154-158.
- Singh, B; Saxena, AK; Chandan, BK; Bhardwaj, V; Gupta, VN; Suri, OP; Handa, SS. (2001). Hepatoprotective activity of indigotone--a bioactive fraction from *Indigofera tinctoria* Linn. *Phytotherapy research* : PTR. 15: 294-297.
- Singh, BG; Agrawal, SC. (1987). INFLUENCE OF ORGANIC VOLATILE COMPOUNDS ON THE GROWTH OF CERTAIN KERATINOPHILIC FUNGI. *Curr Sci.* 56: 271-274.
- Singh, D; Arya, PV; Aggarwal, VP; Gupta, RS. (2014). Evaluation of Antioxidant and Hepatoprotective Activities of *Moringa oleifera* Lam. Leaves in Carbon Tetrachloride-Intoxicated Rats. *Antioxidants (Basel, Switzerland).* 3: 569-591.
- Singh, D; Arya, PV; Sharma, A; Dobhal, MP; Gupta, RS. (2015). Modulatory potential of alpha-amyrin against hepatic oxidative stress through antioxidant status in wistar albino rats. *J Ethnopharmacol.* 161: 186-193.
- Singh, D; Singh, R; Singh, P; Gupta, RS. (2009). Effects of Embelin on Lipid Peroxidation and Free Radical Scavenging Activity against Liver Damage in Rats. *Basic & Clinical Pharmacology & Toxicology.* 105: 243-248.
- Singh, GB; Zaidi, SH. (1965). EXPERIMENTAL STUDIES ON THE RELATIONSHIP OF HEPATIC CIRRHOSIS AND PEPTIC ULCERATION. *Indian journal of pathology & bacteriology.* 12: 178-183.
- Singh, H; Sidhu, S; Chopra, K; Khan, MU. (2016). Hepatoprotective effect of trans-Chalcone on experimentally induced hepatic injury in rats: inhibition of hepatic inflammation and fibrosis. *Can J Physiol Pharmacol.* 94: 879-887.
- Singh, H; Sidhu, S; Chopra, K; Khan, MU. (2017). The novel role of β -aescin in attenuating CCl₄-induced hepatotoxicity in rats. *Pharmaceutical Biology.* 55: 749-757.
- Singh, HB; Lillian, D; Appleby, A; Lobban, L. (1975). Atmospheric formation of carbon tetrachloride from tetrachloroethylene. *Environmental letters.* 10: 253-256.
- Singh, J; Garg, KN; Mehrotra, GC. (1990). Effect of aspartate and glutamate on carbon tetrachloride induced liver damage in rats. *Indian J Exp Biol.* 28: 1180-1183.
- Singh, J; Garg, KN; Yadav, MS; Lal, H. (1990). Effect of adenosine and inosine on carbon tetrachloride-induced liver damage in rats. *Indian J Physiol Pharmacol.* 36: 39-42.
- Singh, JP; Murtuza, M; Singh, CDN. Studies on calcium and urea nitrogen in the blood of sheep experimentally poisoned with carbon tetrachloride. *Indian veterinary journal.* Feb 1978, 55 (2): 125-127.
- Singh, JP; Singh, CDN; Sinha, BK. Studies on experimental carbon tetrachloride poisoning in sheep. *Kerala journal of veterinary science.* June 1978. v. 9 (1): 105-110 ill.
- Singh, K; Khanna, AK; Chander, R. (1999). Hepatoprotective activity of ellagic acid against carbon tetrachloride induced hepatotoxicity in rats. *Indian J Exp Biol.* 37: 1025-1026.
- Singh, KP; Saxena, AK; Zaidi, SIA; Dwivedi, PD; Srivastava, SP; Seth, PK; Ray, PK. (1988). Protection against carbon tetrachloride-induced hepatotoxicity by protein A. *J Appl Toxicol.* 8: 407-410.
- Singh, KP; Zaidi, SIA; Raisuddin; Saxena, AK; Dwivedi, PD; Seth, PK; Ray, PK. (1990). Protection against carbon-tetrachloride-induced lymphoid organotoxicity in rats by protein A. *Toxicol Lett.* 51: 339-351.
- Singh, M; Tiwari, V; Jain, A; Ghoshal, S. (2005). Protective activity of picroliv on hepatic amoebiasis associated with carbon tetrachloride toxicity. *Indian J Med Res.* 121: 676-682.
- Singh, N; Kamath, V; Narasimhamurthy, K; Rajini, PS. (2008). Protective effect of potato peel extract against carbon tetrachloride-induced liver injury in rats. *Environ Toxicol Pharmacol.* 26: 241-246.
- Singh, N; Khan, IM; Ahmad, A. (2010). Spectrophotometric and spectroscopic studies of charge transfer complexes of p-toluidine as an electron donor with picric acid as an electron acceptor in different solvents. *Spectrochimica acta Part A, Molecular and biomolecular spectroscopy.* 75: 1347-1353.
- Singh, N; Khullar, N; Kakkar, V; Kaur, IP. (2014). Attenuation of carbon tetrachloride-induced hepatic injury with curcumin-loaded solid lipid nanoparticles. *BioDrugs : clinical immunotherapeutics, biopharmaceuticals and gene therapy.* 28: 297-312.
- Singh, N; Khullar, N; Kakkar, V; Kaur, IP. (2015). Sesamol loaded solid lipid nanoparticles: a promising intervention for control of carbon tetrachloride induced hepatotoxicity. *BMC Complement Altern Med.* 15: 142.
- Singh, N; Khullar, N; Kakkar, V; Kaur, IP. (2016). Hepatoprotective effects of sesamol loaded solid lipid nanoparticles in carbon tetrachloride induced sub-chronic hepatotoxicity in rats. *Environ Toxicol.* 31: 520-532.
- Singh, NB; Mathur, IS; Gupta, HP; Srivastava, A; Gupta, SK. (1980). Increased susceptibility of rabbits to intravenous challenge with *Mycobacterium avium* after mild hepatitis produced by carbon tetrachloride. *J Med Microbiol.* 13: 319-322.
- Singh, NB; Srivastava, A; Mathur, IS; Gupta, HP; Gupta, SK. (1981). Effect of rifampicin treatment of *Myobacterium avium* infection in carbon tetrachloride treated rabbits. *Indian J Exp Biol.* 19: 201-202.

Environmental Hazard Literature Search Results

Off Topic

- Singh, PL; Singh, AL. (1993). Screening of fungicides and fumigants for their use in storage of chilgoza (*Pinus gerardiana* Wall.) seed. *Indian Journal Of Mycology And Plant Pathology*. 23: 58-63.
- Singh, SK; Yadav, RP; Singh, A. (2010). Piscicidal activity of leaf and bark extract of *Thevetia peruviana* plant and their biochemical stress response on fish metabolism. *Eur Rev Med Pharmacol Sci*. 14: 915-923.
- Singhal, KG; Gupta, GD. (2012). Hepatoprotective and antioxidant activity of methanolic extract of flowers of *Nerium oleander* against CCl₄-induced liver injury in rats. *Evidence-based complementary and alternative medicine : eCAM*. 5: 677-685.
- Sinha, KP; Saran, A. (1972). Serum transaminase levels during the course of repeated administration of carbon tetrachloride to rabbits. *The Indian journal of medical research*. 60: 1378-1385.
- Sinha, RP; Sharma, DP. Effect of parenteral carbon tetrachloride (CTC) on lipid and cholesterol in buffalo. *Indian journal of animal sciences*. Oct 1984. v. 54 (10): 988-990 ill.
- Sinha, S; Murugesan, T; Maiti, K; Gayen, JR; Pal, M; Saha, BP. (2001). Evaluation of anti-inflammatory potential of *Bergenia ciliata* Sternb. rhizome extract in rats. *J Pharm Pharmacol*. 53: 193-196.
- Sirica, AE; Williams, TW. (1992). Appearance of ductular hepatocytes in rat liver after bile duct ligation and subsequent Zone 3 necrosis by carbon tetrachloride. *American Journal of Pathology*. 140: 129-136.
- Sirota, JH. (1949). Carbon tetrachloride poisoning in man; the mechanisms of renal failure and recovery. *The Journal of clinical investigation*. 28: 1412-1422.
- Sisodia, SS; Bhatnagar, M. (2009). Hepatoprotective activity of *Eugenia jambolana* Lam. in carbon tetrachloride treated rats. *Indian J Pharmacol*. 41: 23-27.
- Sivakumar, L; Balasubramanian, MP. (2003). Anti oxidant property of *Arogyavardhini*, an indigenous formulation on CCL induced liver in Albino rats. *Journal of Ecotoxicology & Environmental Monitoring*. 13: 215-218.
- Sivikova, K; Dianovsky, J. (2000). A decrease of sister chromatid exchanges induced by carbon tetrachloride in cultured sheep peripheral lymphocytes by vitamin E and selenium. *Veterinarni Medicina*. 45: 322-326.
- Sivikova, K; Piesova, E; Dianovsky, J. (2001). The protection of Vitamin E and selenium against carbon tetrachloride-induced genotoxicity in ovine peripheral blood lymphocytes. *Mutation Research-Genetic Toxicology and Environmental Mutagenesis*. 494: 135-142.
- Skakun, NP; Kovalchuk, SF. (1987). Efficacy of antioxidants in a combined damage of the liver by carbon tetrachloride and ethanol. *FARMAKOL TOKSIKOL*97-99.
- Skarda, PK; Mulrooney, NP; Fan, GS; Bergland, VA; Kren, BT; Steer, CJ. (1993). IN-VIVO MODULATION BY BILE ACIDS OF MULTIPLE GROWTH-RELATED GENES IN CARBON TETRACHLORIDE INDUCED HEPATIC FIBROSIS. 44th Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 18.
- Skeen, RS; Amos, KM; Petersen, JN. (1994). Influence of nitrate concentration on carbon tetrachloride transformation by denitrifying microbial consortium. *Water Res*. 28: 2433-2438.
- Skeen, RS; Valentine, NB; Hooker, BS; Petersen, JN. (1995). Kinetics of nitrate inhibition of carbon tetrachloride transformation by a denitrifying consortia. *Biotechnol Bioeng*. 45: 279-284.
- Skiba, M; Maciejewska-Paszek, I; Pawlowska-Goral, K; Aleksiewicz, R; Wardas, M. (2003). Hepatoprotective action of PGE(1) analogue estimated by measuring the concentrations of acetoacetate and beta-hydroxybutyrate. *Exp Toxicol Pathol*. 55: 209-212.
- Skopec, F; Bajgar, J. Validity of two different methods to detect liver injury.
- Skovgaard, N. (2000). 1. Carbon Tetrachloride, : Environmental Health Criteria, No. 208, 1999, xviii+177 pages (English with summaries in French and Spanish), ISBN 92 4 157208 6; Sw.fr. 42.-/US \$37.80; in developing countries: Sw.fr. 29.40. Order no. 1160208; WHO, 1211 Geneva 27, Switzerland. *International Journal of Food Microbiology*. 54: 220-221.
- Skrokki, A. (1992). Quality of drinking water from one surface water plant and six groundwater plants in the town of Kajaani in Finland. *Vatten*. 48: 78-81.
- Skrtic, S; Wallenius, K; Sjogren, K; Isaksson, OGP; Ohlsson, C; Jansson, JO. (2001). Possible roles of insulin-like growth factor in regulation of physiological and pathophysiological liver growth. *Hormone Research*. 55: 1-6.
- Slater, GF; Lollar, BS; King, RA; O'Hannesin, S. (2002). Isotopic fractionation during reductive dechlorination of trichloroethene by zero-valent iron: influence of surface treatment. *Chemosphere*. 49: 587-596.
- Slater, TF. (1965). A NOTE ON THE RELATIVE TOXIC ACTIVITIES OF TETRACHLOROMETHANE AND TRICHLORO-FLUORO-METHANE ON THE RAT. *Biochem Pharmacol*. 14: 178-181.
- Slater, TF. (1966). Necrogenic action of carbon tetrachloride in the rat: a speculative mechanism based on activation. *Nature*. 209: 36-40.
- Slater, TF. (1968). The inhibitory effects in vitro of phenothiazines and other drugs on lipid-peroxidation systems in rat liver microsomes, and their relationship to the liver necrosis produced by carbon tetrachloride. *The Biochemical journal*. 106: 155-160.
- Slater, TF. (1978). Biochemical studies of transient intermediates in relation to chemical carcinogenesis. *Ciba Found Symp*. 67: 301-328.
- Slater, TF. (1982). Biochemical implications of current studies on vitamin E. *Ann N Y Acad Sci*. 393: 496-500.
- Slater, TF. (1984). Free-radical mechanisms in tissue injury. *The Biochemical journal*. 222: 1-15.
- Slater, TF; Cheeseman, KH; Davies, MJ; Hurst, JS. (1986). FREE RADICAL MECHANISMS IN RELATION TO CELL INJURY AND CELL DIVISION. Benford, D J, J W Bridges And G G Gibson. 0: 679-689.
- Slater, TF; Cheeseman, KH; Ingold, KU. (1985). Carbon tetrachloride toxicity as a model for studying free-radical mediated liver injury. *Philosophical transactions of the Royal Society of London Series B, Biological sciences*. 311: 633-645.
- Slater, TF; Delaney, VB. (1970). Liver adenosine triphosphate content and bile flow rate in the rat. *The Biochemical journal*. 116: 303-308.
- Slater, TF; Delaney, VB. (1971). The effects of various drugs and toxic agents on bile flow rate and composition in the rat. *Toxicol Appl Pharmacol*. 20: 157-174.

Environmental Hazard Literature Search Results

Off Topic

- Slater, TF; Greenbaum, AL. (1965). Changes in lysosomal enzymes in acute experimental liver injury. *The Biochemical journal*. 96: 484-491.
- Slater, TF; Jose, PJ. (1969). Destruction of reduced nicotinamide-adenine dinucleotide phosphate by bromotrichloromethane and by carbon tetrachloride in vitro and in vivo. *The Biochemical journal*. 114: 7P-8P.
- Slater, TF; Sawyer, BC. (1969). The effects of carbon tetrachloride on rat liver microsomes during the first hour of poisoning in vivo, and the modifying actions of promethazine. *The Biochemical journal*. 111: 317-324.
- Slater, TF; Sawyer, BC. (1970). The hepatotoxic action of carbon tetrachloride stimulatory effect of carbon tetrachloride on lipid peroxidation in microsomal suspensions. *FEBS Lett*. 11: 132-136.
- Slater, TF; Strâ€žuli, USSBC. (1964). Changes in liver nucleotide concentrations in experimental liver injury. 1. Carbon tetrachloride poisoning. *The Biochemical journal*. 93: 260-266.
- Slaughter, MR; Bugelski, PJ; O'Brien, PJ. (1999). Evaluation of Alamar Blue reduction for the in vitro assay of hepatocyte toxicity. *Toxicol In Vitro*. 13: 567-569.
- Sleep, BE; Brown, AJ; Lollar, BS. (2005). Long-term tetrachlorethene degradation sustained by endogenous cell decay. *J Environ Eng Sci*. 4: 11-17.
- Sliger, MD. (2002). Affecting *reactivity of organomanganese species through the manipulation of a metallosteroelectronic effect. PhD, The University of Iowa.
- Sliwka, I; Lasa, J; Bielewski, J; Grombik, I; Limanowka, D; Rosiek, J. (2010). Long-Term Measurements of CFCs and SF(6) Concentrations in Air. *Pol J Environ Stud*. 19: 811-815.
- Sloan, JE. (1950). Carbon tetrachloride dosage in sheep; some observations on possible chronic toxicity. *The Veterinary record*. 62: 380-381.
- Smart, DE; Vincent, KJ; Arthur, MJ; Eickelberg, O; Castellazzi, M; Mann, J; Mann, DA. (2001). JunD regulates transcription of the tissue inhibitor of metalloproteinases-1 and interleukin-6 genes in activated hepatic stellate cells. *The Journal of biological chemistry*. 276: 24414-24421.
- SmejkalovÃ , J; Rouchal, J; DvorÃ ckov, aa. (1985). The time course of biochemical and histological changes following carbon tetrachloride-induced liver damage in rats of both sexes. *Physiol Bohemoslov*.
- SmejkalovÃ , JSVSVPLFKUHK. (1988). Differences in liver reparatory activity in male and female rats following the administration of carbon tetrachloride. *Sborník vědeckých prací Lékařské fakulty Karlovy university v Hradci Králové*.
- Srnialowicz, RJ; Simmons, JE; Luebke, RW; Allis, JW. (1991). Immunotoxicologic assessment of subacute exposure of rats to carbon tetrachloride with comparison to hepatotoxicity and nephrotoxicity. *Fundam Appl Toxicol*. 17: 186-196.
- Smiley, BL; Richmond, GL. (2000). Assembly of long chain phosphatidylcholines at a liquid-liquid interface. *Biopolymers*. 57: 117-125.
- Smirnova, OV; Kovtun, IV; Smirnov, AN; Shchelkunova, TA; Factor, VM; Rozen, VB. (1993). Inheritance of androgen program of male-specific expression of unusual estrogen-binding protein by daughter hepatocytes at rat liver regeneration. *The Journal of steroid biochemistry and molecular biology*. 44: 155-162.
- Smith, AE; Evans, MV; Davidian, M. (1998). Statistical properties of fitted estimates of apparent in vivo metabolic constants obtained from gas uptake data. I. Lipophilic and slowly metabolized VOCs. *Inhal Toxicol*. 10: 383-409.
- Smith, AR. (1947). Doudenal ulcer following exposure to carbon tetrachloride; report of two cases. *The Journal of industrial hygiene and toxicology*. 29: 134.
- Smith, BA; Teel, AL; Watts, RJ. (2004). Identification of the reactive oxygen species responsible for carbon tetrachloride degradation in modified Fenton's systems. *Environmental Science & Technology*. 38: 5465-5469.
- Smith, BA; Teel, AL; Watts, RJ. (2006). Mechanism for the destruction of carbon tetrachloride and chloroform DNAPLs by modified Fenton's reagent. *J Contam Hydrol*. 85: 229-246.
- Smith, BA; Teel, AL; Watts, RJ. (2009). Destruction of Trichloroethylene and Perchloroethylene DNAPLs by Catalyzed H(2)O(2) Propagations. *Journal of Environmental Engineering-Asce*. 135: 535-543.
- Smith, BA; Teel, AL; Watts, RJ. (2015). Destruction of 1,1,1-trichloroethane and 1,2-dichloroethane DNAPLs by catalyzed H2O2 propagations (CHP). *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 50: 846-854.
- Smith, CI; Cooksley, WG; Powell, LW. (1980). Cell-mediated immunity to liver antigen in toxic liver injury. II. Role in pathogenesis of liver damage. *Clin Exp Immunol*. 39: 618-625.
- Smith, CV; Hughes, H; Mitchell, JR. (1984). Free radicals in vivo. Covalent binding to lipids. *Mol Pharmacol*. 26: 112-116.
- Smith, DA; Beweries, T; Blasius, C; Jasim, N; Nazir, R; Nazir, S; Robertson, CC; Whitwood, AC; Hunter, CA; Brammer, L; Perutz, RN. (2015). The Contrasting Character of Early and Late Transition Metal Fluorides as Hydrogen Bond Acceptors. *J Am Chem Soc*. 137: 11820-11831.
- Smith, DH. (1965). Carbon tetrachloride toxicity. *Br Med J*. 2: 1434.
- Smith, JA; Galan, A. Sorption of nonionic organic contaminants to single and dual organic cation bentonites from water. *Environmental science & technology*. Mar 1995. v. 29 (3): 685-692.
- Smith, JA; Jaffe, PR. (1990). EFFECT OF QUATERNARY AMMONIUM CATIONS ON SORPTION OF CONTAMINATIONS TO CLAY. *199th Acs*. 199: 148.
- Smith, JA; Jaffe, PR. (1991). Comparison of tetrachloromethane sorption to an alkylammonium-clay and an alkydiammonium-clay. *Environ Sci Technol*. 25: 2054-2058.
- Smith, JA; Jaffe, PR. (1994). Adsorptive selectivity of organic-cation-modified bentonite for nonionic organic contaminants. *Water Air And Soil Pollution*. 72: 205-211.
- Smith, JA; Jaffe, PR; Chiou, CT. Effect of ten quaternary ammonium cations on tetrachloromethane sorption to clay from water. *Environmental science & technology*. Aug 1990. v. 24 (8): 1167-1172.
- Smith, JH. (1988). The use of renal cortical slices from the Fischer 344 rat as an in vitro model to evaluate nephrotoxicity. *Fundam Appl Toxicol*. 11: 132-142.

Environmental Hazard Literature Search Results

Off Topic

- Smith, K; El-Hiti, GA; Hammond, MEW; Bahzad, D; Li, ZQ; Siquet, C. (2000). Highly efficient and selective electrophilic and free radical catalytic bromination reactions of simple aromatic compounds in the presence of reusable zeolites. *Journal of the Chemical Society-Perkin Transactions* 12745-2752.
- Smith, LL. (1986). The response of the lung to foreign compounds that produce free radicals. *Annual review of physiology*. 48: 681-692.
- Smith, MT; Sandy. (1985). Role of extracellular Ca super(2+) in toxic liver injury: Comparative studies with the perfused rat liver and isolated hepatocytes. *Toxicol Appl Pharmacol*. 81: 213-219.
- Smith, MT; Sandy, MS. (1985). Role of extracellular Ca²⁺ in toxic liver injury: comparative studies with the perfused rat liver and isolated hepatocytes. *Toxicol Appl Pharmacol*. 81: 213-219.
- Smith, MT; Thor, H; Hartzell, P; Orrenius, S. (1982). The measurement of lipid peroxidation in isolated hepatocytes. *Biochem Pharmacol*. 31: 19-26.
- Smith, MT; Thor, H; Orrenius, S. (1981). Toxic Injury to Isolated Hepatocytes is Not Dependent on Extracellular Calcium. *Science (Washington)*. 213: 1257-1259.
- Smith, MT; Thor, H; Orrenius, S. (1983). The role of lipid peroxidation in the toxicity of foreign compound to liver cells. *Biochem Pharmacol*. 32: 763-764.
- Smith, RK. (1993). HANDBOOK OF ENVIRONMENTAL ANALYSIS. Smith, R K Handbook Of Environmental Analysis Viii+193p Genium Publishing Corp: Schenectady, New York, Usa Isbn. 0.
- Smolen, JM; Weber, EJ; Tratnyek, PG. (1999). Molecular probe techniques for the identification of reductants in sediments: Evidence for reduction of 2-chloroacetophenone by hydride transfer. *Environmental Science & Technology*. 33: 440-445.
- Smuckler, EA. (1976). Alterations produced in the endoplasmic reticulum by carbon tetrachloride. *Panminerva Med*. 18: 292-309.
- Smuckler, EA. (1976). Structural and functional changes in acute liver injury. *Environ Health Perspect*. 15: 13-25.
- Smuckler, EA; Arcasoy, M. (1969). Structural and functional changes of the endoplasmic reticulum of hepatic parenchymal cells. *International review of experimental pathology*. 7: 305-418.
- Smuckler, EA; Arrhenius, E; Hultin, T. (1967). Alterations in microsomal electron transport, oxidative N-demethylation and azo-dye cleavage in carbon tetrachloride and dimethylnitrosamine-induced liver injury. *The Biochemical journal*. 103: 55-64.
- Smuckler, EA; Benditt, EP. (1965). STUDIES ON CARBON TETRACHLORIDE INTOXICATION. 3. A SUBCELLULAR DEFECT IN PROTEIN SYNTHESIS. *Biochemistry*. 4: 671-679.
- Smuckler, EA; Gans, JH. (1980). The in vivo incorporation of triated thymidine into liver cell nuclear DNA in mice treated chronically with carbon tetrachloride or with diethylnitrosamine. *Exp Mol Pathol*. 33: 65-73.
- Smuckler, EA; Iseri, OA; Benditt, EP. (1961). Studies on carbon tetrachloride intoxication: I. The effect of carbon tetrachloride on incorporation of labelled amino acids into plasma proteins. *Biochem Biophys Res Commun*. 5: 270-275.
- Smuckler, EA; Iseri, OA; Benditt, EP. (1964). STUDIES ON CARBON TETRACHLORIDE INTOXICATION. II. DEPRESSED AMINO ACID INCORPORATION INTO MITOCHONDRIAL PROTEIN AND CYTOCHROME C. Laboratory investigation; a journal of technical methods and pathology. 13: 531-538.
- Smuckler, EA; Parthier, B; Hultin, T. (1968). The effects of polyuridylic acid on phenylalanine incorporation by subcellular fractions from carbon tetrachloride-poisoned rat liver. *The Biochemical journal*. 107: 151-163.
- Smuckler, EA; Ross, R; Benditt, EP. (1965). EFFECTS OF CARBON TETRACHLORIDE ON GUINEA PIG LIVER. *Exp Mol Pathol*. 11: 328-339.
- Smyth, FE; Desmond, PV; Mashford, ML. (1989). COMPARISON OF OXIDATION AND GLUCURONIDATION PATHWAYS IN FOUR MODELS OF LIVER INJURY. *Annual Scientific Meeting Of The Gastroenterological Society Of Australia, Perth, Australia, April*. 19: -450.
- Smyth, R; Munday, MR; York, MJ; Clarke, CJ; Dare, T; Turton, JA. (2007). Comprehensive characterization of serum clinical chemistry parameters and the identification of urinary superoxide dismutase in a carbon tetrachloride-induced model of hepatic fibrosis in the female Hanover Wistar rat. *Int J Exp Pathol*. 88: 361-376.
- Smyth, R; Munday, MR; York, MJ; Clarke, CJ; Dare, T; Turton, JA. (2009). Dose response and time course studies on superoxide dismutase as a urinary biomarker of carbon tetrachloride-induced hepatic injury in the Hanover Wistar rat. *Int J Exp Pathol*. 90: 500-511.
- Sneathen, ML. (1996). Theoretical and experimental competitiveness of *Pseudomonas stutzeri* KC. PhD, Michigan State University.
- Snelders, DJ; Dyson, PJ. (2011). Efficient synthesis of β -chlorovinylketones from acetylene in chloroaluminate ionic liquids. *Org Lett*. 13: 4048-4051.
- Snell, AM. (1947). Carbon tetrachloride intoxication treated by peritoneal lavage: clinical aspects. *Proceedings of the staff meetings Mayo Clinic*. 22: 327-330.
- Snodgrass, PJ. (1989). UREA CYCLE ENZYME ACTIVITIES ARE NORMAL AND INDUCIBLE BY A HIGH-PROTEIN DIET IN CARBON TETRACHLORIDE CIRRHOSIS OF RATS. *Hepatology*. 9: 373-379.
- Snowdon, VK; Pellicoro, A; Ramachandran, P; Mungall, W; Jansen, M; Lennen, R; Aucott, R; Kendall, T; Hughes, J; Iredale, J; Fallowfield, J. (2013). Relaxin is a renal vasodilator in experimental models of cirrhosis and a potential novel therapy for hepatorenal syndrome in man. *Lancet*. 381S1: S102.
- Snyder, CA. (1917). ORGANIC SOLVENTS. Dean, J H, Et Al. 0: 183-190.
- Snyder, IS; Deters, M; Ingle, J. (1971). Effect of endotoxin on pyruvate kinase activity in mouse liver. *Infect Immun*. 4: 138-142.
- Sobti, RC. (1984). Sister chromatid exchange induction potential of the halogenated hydrocarbons produced during water chlorination. *Chromosome Information Service* 17-19.
- Sobti, RC; Mittal, OP; Sachdeva, A; Gill, GB. Anticlastogenic effect of essential oil of seeds of *Apium graveolens*. *Cytologia : international journal of cytology*. June 1991. v. 56 (2): 303-308.

Environmental Hazard Literature Search Results

Off Topic

- Sochacka, E. (2001). Efficient assessment of modified nucleoside stability under conditions of automated oligonucleotide synthesis: Characterization of the oxidation and oxidative desulfurization of 2-thiouridine. *Nucleosides Nucleotides & Nucleic Acids*. 20: 1871-1879.
- Sodergren, E; Cederberg, J; Vessby, B; Basu, S. (2001). Vitamin E reduces lipid peroxidation in experimental hepatotoxicity in rats. *Eur J Nutr*. 40: 10-16.
- Sodergren, E; Vessby, B; Basu, S. (2000). Radioimmunological measurement of F(2)-isoprostanes after hydrolysis of lipids in tissues. *Prostaglandins Leukot Essent Fatty Acids*. 63: 149-152.
- Soejima, T; Satoh, K; Kamigaito, M. (2016). Control of stereochemistry in atom transfer radical addition and step-growth radical polymerization by chiral transition metal catalysts. *Tetrahedron*. 72: 7657-7664.
- Sogawa, S; Nihro, Y; Ueda, H; Miki, T; Matsumoto, H; Satoh, T. (1994). Protective effects of hydroxychalcones on free radical-induced cell damage. *Biological & pharmaceutical bulletin*. 17: 251-256.
- Sohel, MS; Brahamankar, DM; Chopde, CT; Dorle, AK. (1974). Influence of adrenergic blockers and antilipemic agents on pharmacodynamic actions of morphine in carbon tetrachloride-treated rats. *Toxicol Appl Pharmacol*. 27: 477-483.
- Sohn, DH; Kim, YC; Oh, SH; Park, EJ; Li, X; Lee, BH. (2003). Hepatoprotective and free radical scavenging effects of *Nelumbo nucifera*. *Phytomedicine*. 10: 165-169.
- Sohn, DH; Yun, YP; Park, KS; Veech, RL; Song, BJ. (1991). Post-translational reduction of cytochrome P450IIE by carbon tetrachloride, its substrate. *Biochem Biophys Res Commun*. 179: 449-454.
- Sohn, DH; Yun, YP; Park, KS; Veech, RL; Song, BJ. (1991). Post-translational reduction of cytochrome P450IIE by CCl₄, its substrate. *Biochem Biophys Res Commun*. 179: 449-454.
- Solà€†, J; Camps, J; Arroyo, V; Guarner, F; Gaya, J; Rivera, F; Rodes, J. (1988). Longitudinal study of renal prostaglandin excretion in cirrhotic rats: relationship with the renin-aldosterone system. *Clin Sci*.
- Soliman, AM; Abu-El-Zahab, HS; Alswiai, GA. (2013). Efficacy evaluation of the protein isolated from *Peganum harmala* seeds as an antioxidant in liver of rats. *Asian Pacific Journal of Tropical Medicine*. 6: 285-295.
- Soliman, AM; Fahmy, SR. (1997). Protective and curative effects of the 15 KD isolated protein from the *Peganum harmala* L. seeds against carbon tetrachloride induced oxidative stress in brain, tests and erythrocytes of rats. *Eur Rev Med Pharmacol Sci*. 15: 888-899.
- Soliman, MA; de, HHA; Elwi, AM. (1969). Vitamin E, nicotinic acid, vitamin C and total belladonna alkaloids as liver cell regenerators. *Pharmacology*. 2: 352-360.
- Soliman, MA; Elwi, AM; Kamel, SH; el-Kateb, H. (1966). The prophylaxis of carbon tetrachloride hepatotoxicity by total belladonna alkaloids. *The Journal of the Egyptian Medical Association*. 49: 59-69.
- Solis-Herruzo, JA; De, GM; Ferrer, MP; Hernandez, MoDDoMSoMUHDdOUMS; Fernandez-Boya, B; De, ITMP; MuÃƒ±oz-Ya. Reversal of carbon tetrachloride induced changes in microviscosity and lipid composition of liver plasma membrane by colchicine in rats.
- Solodkowska, W; Alvarado-Andrade, R; MuÃƒ±oz, EMMJ. (1968). Ethanol metabolism in adipose tissue from rats chronically exposed to carbon tetrachloride. In vitro oxidation to CO₂ and incorporation into fatty acids and insaponifiable fraction. *Med Exp Int J Exp Med*. 18: 331-335.
- Solodkowska, W; Munoz, E; Figuerola, I; Segovia-Riquelme, N; Mardones, J. (1964). ETHANOL METABOLISM IN RATS WITH EXPERIMENTAL LIVER CIRRHOSIS. II. FATE OF CARBON-1 OF ETHANOL INCUBATED WITH LIVER SLICES. *Quarterly journal of studies on alcohol*. 25: 423-426.
- Soloviev, V; Hassan, AN; Akatov, V; Lezhnev, E; Ghaffar, TY; Ghaffar, YA. (2003). A novel bioartificial liver containing small tissue fragments: efficiency in the treatment of acute hepatic failure induced by carbon tetrachloride in rats. *The International journal of artificial organs*. 26: 735-742.
- Solter, PF. (2005). Clinical pathology approaches to hepatic injury. *Toxicol Pathol*. 33: 9-16.
- Somasundaram, A; Karthikeyan, R; Velmurugan, V; Dhandapani, B; Raja, M. (2010). Evaluation of hepatoprotective activity of *Kyllinga nemoralis* (Hutch & Dalz) rhizomes. *J Ethnopharmacol*. 127: 555-557.
- Somasundaram, A; Karthikeyan, R; Velmurugan, V; Dhandapani, B; Raja, M. (2010). Evaluation of hepatoprotective activity of *Kyllinga nemoralis* (Hutch & Dalz) rhizomes. *J Ethnopharmacol*. 127: 555-557.
- Son, CS; Park, YK; Kim, SI; Kim, Y; Kim, EK; Min, SK; Choi, IH. (1998). Maskless selective epitaxial growth on patterned GaAs substrates by metalorganic chemical vapor deposition. *Japanese Journal of Applied Physics Part 1-Regular Papers Brief Communications & Review Papers*. 37: 1701-1703.
- Son, G; Iimuro, Y; Seki, E; Hirano, T; Kaneda, Y; Fujimoto, J. (2007). Selective inactivation of NF- κ B in the liver using NF- κ B decoy suppresses CCl₄-induced liver injury and fibrosis. *American Journal of Physiology-Gastrointestinal and Liver Physiology*. 293: G631-G639.
- Son, KR; Chung, SY; Kim, HC; Kim, HS; Choi, SH; Lee, JM; Moon, WK. (2010). MRI of magnetically labeled mesenchymal stem cells in hepatic failure model. *World J Gastroenterol*. 16: 5611-5615.
- Sone, H; Fugetsu, B; Tsukada, T; Endo, M. (1994). Affinity-based elimination of aromatic VOCs by highly crystalline multi-walled carbon nanotubes. *Zhongguo yao li xue bao = Acta pharmacologica Sinica*. 15: 495-497.
- Song, AR; Ko, HJ; Lai, MN; Ng, LT. (2011). Protective effects of *Wu-Ling-Shen* (*Xylaria nigripes*) on carbon tetrachloride-induced hepatotoxicity in mice. *Immunopharmacol Immunotoxicol*. 33: 454-460.
- Song, C; Ding, L; Yao, F; Deng, J; Yang, W. (2013). β -Cyclodextrin-based oil-absorbent microspheres: Preparation and high oil absorbency. *Carbohydr Polymer*. 91: 217-223.
- Song, G; Zhu, C; Hu, Y; Chen, J; Cheng, H. (2013). Determination of organic pollutants in coking wastewater by dispersive liquid-liquid microextraction/GC/MS. *J Sep Sci*. 36: 1644-1651.

Environmental Hazard Literature Search Results

Off Topic

- Song, H; Carraway, ER. (2006). Reduction of chlorinated methanes by nano-sized zero-valent iron. Kinetics, pathways, and effect of reaction conditions. *Environ Eng Sci.* 23: 272-284.
- Song, HY; Mao, ZM; Yang, LL; Liu, T; Li, DF; Zhang, L; Ge, YL; Zheng, PY; Liu, P; Zhang, XQ; Ji, G. (2011). Dangfei liganning capsules attenuate the susceptibility of rat nonalcoholic fatty liver to carbon tetrachloride toxicity. *Journal of traditional Chinese medicine = Chung i tsa chih ying wen pan / sponsored by All-China Association of Traditional Chinese Medicine, Academy of Traditional Chinese Medicine.* 31: 327-333.
- Song, IS; Lee, YM; Chung, SJ; Shim, CK. (2003). Multiple alterations of canalicular membrane transport activities in rats with CCL(4)-induced hepatic injury. *Drug Metab Dispos.* 31: 482-490.
- Song, JY; Li, L; Ahn, JB; Park, JG; Jo, JS; Park, DH; Jang, HK; Jang, JJ; Lee, MJ. (2007). Acute liver toxicity by carbon tetrachloride in HSP70 knock out mice. *Exp Toxicol Pathol.* 59: 29-34.
- Song, M; Zhou, ZX; Chen, T; Zhang, JW; McClain, CJ. (2011). Copper Deficiency Exacerbates Bile Duct Ligation-Induced Liver Injury and Fibrosis in Rats. *J Pharmacol Exp Ther.* 339: 298-306.
- Song, SL; Gong, ZJ; Huang, YQ; Zhang, QR; Huang, TX. (2006). JinSanE decoction, a chinese herbal medicine, inhibits expression of TGF-beta1/Smads in experimental hepatic fibrosis in rats. *Am J Chin Med.* 34: 1047-1061.
- Song, SL; Gong, ZJ; Zhang, QR; Huang, TX. (2005). Effects of Chinese traditional compound, JinSanE, on expression of TGF-beta1 and TGF-beta1 type II receptor mRNA, Smad3 and Smad7 on experimental hepatic fibrosis in vivo. *World J Gastroenterol.* 11: 2269-2276.
- Song, SZ; Choi, YH; Jin, GY; Li, GZ; Yan, GH. (2011). Protective Effect of Cornuside against Carbon Tetrachloride-Induced Acute Hepatic Injury. *Bioscience Biotechnology and Biochemistry.* 75: 656-661.
- Song, TY; Yen, GC. (2003). Protective effects of fermented filtrate from *Androdia camphorata* in submerged culture against CCl(4)-induced hepatic toxicity in rats. *J Agric Food Chem.* 51: 1571-1577.
- Song, YH; Chen, XL; Kong, XJ; Liu, NZ; Li, W; Wu, XL; Lin, JS; Jin, YX. (2005). Ribozymes against TGF beta 1 reverse character of activated hepatic stellate cells in vitro and inhibit liver fibrosis in rats. *J Gene Med.* 7: 965-976.
- Song, YN; Zhang, GB; Lu, YY; Chen, QL; Yang, L; Wang, ZT; Liu, P; Su, SB. (2016). Huangqi decoction alleviates dimethylnitrosamine-induced liver fibrosis: An analysis of bile acids metabolic mechanism. *J Ethnopharmacol.* 189: 148-156.
- Song, ZY; McClain, CJ; Chen, T. (2004). S-adenosylmethionine protects against acetaminophen-induced hepatotoxicity in mice. *Pharmacology.* 71: 199-208.
- Song, ZY; Uriarte, S; Sahoo, R; Chen, T; Barve, S; Hill, D; McClain, C. (2005). S-adenosylmethionine (SAME) modulates interleukin-10 and interleukin-6, but not TNF, production via the adenosine (A2) receptor. *Biochimica Et Biophysica Acta-Molecular Cell Research.* 1743: 205-213.
- Soni, MG; Mangipudy, RS; Mumtaz, MM; Mehendale, HM. (1998). Tissue repair response as a function of dose during trichloroethylene hepatotoxicity. *Toxicol Sci.* 42: 158-165.
- Soni, MG; Mehendale, HM. (1991). ATP PROTECTION OF CHLORDECONE-AMPLIFIED CARBON TETRACHLORIDE HEPATOTOXICITY AND LETHALITY. 75th Annual Meeting Of The Federation Of American Societies For Experimental Biology, Atlanta, Georgia, Usa, April. 5.
- Soni, MG; Mehendale, HM. (1991). EVIDENCE FOR COMPLETE HEPATIC FAILURE IN THE INTERACTIVE TOXICITY OF CHLORDECONE AND CARBON TETRACHLORIDE. 42nd Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 14.
- Soni, MG; Mehendale, HM. (1991). Protection from chlordecone-amplified carbon tetrachloride toxicity by cyanidanol: Regeneration studies. *Toxicol Appl Pharmacol.* 108: 58-66.
- Soni, MG; Mehendale, HM. (1994). Adenosine triphosphate protection of chlordecone-amplified CCl4 hepatotoxicity and lethality. *J Hepatol.* 20: 267-274.
- Soni, MG; Mehendale, HM. (1998). Role of tissue repair in toxicologic interactions among hepatotoxic organics. *Environ Health Perspect.* 106: 1307-1317.
- Sonmez, E; Turkez, H; Aydin, E; Ozgeris, FB; Oztetik, E; Kerli, S; Cacciatore, I; Di Stefano, A. (2015). Hepatic effects of yttrium oxide nanoflowers: in vitro risk evaluation. *Toxicol Environ Chem.* 97: 599-608.
- Sonmez, M; Turk, G; Ceribasi, S; Ciftci, M; Yuce, A; Guvenc, M; Kaya, SO; Cay, M; Aksakal, M. (2014). Quercetin attenuates carbon tetrachloride-induced testicular damage in rats. *Andrologia.* 46: 848-858.
- Sonnino, FR; Gazzaniga, PP. (1962). Agar electrophoresis of soluble proteins isolated from cellular fractions of CCl-4 treated rat liver. *Experientia.* 18: 215-217.
- Sonoyama, T; Tamura, N; Miyashita, K; Park, K; Oyamada, N; Taura, D; Inuzuka, M; Fukunaga, Y; Sone, M; Nakao, K. (2009). Inhibition of hepatic damage and liver fibrosis by brain natriuretic peptide. *FEBS Lett.* 583: 2067-2070.
- Sorel, D; Lesage, S; Brown, S; Millar, K. (2001). Vitamin B(12) and reduced titanium for remediation of residual chlorinated solvents: Field experiment. *Ground Water Monitoring and Remediation.* 21: 140-148.
- Soriano, G; Sanchez, E; Guarner, C; Schiffrin, EJ. (2012). Lactobacillus johnsonii La1 without antioxidants does not decrease bacterial translocation in rats with carbon tetrachloride-induced cirrhosis. *J Hepatol.* 57: 1395-1396.
- Sorini, SS; Jackson, LP. (1988). EVALUATION OF THE TOXICITY CHARACTERISTIC LEACHING PROCEDURE TCLP ON UTILITY WASTES. *Nucl Chem Waste Manage.* 8: 217-224.
- Sotnikova, NV; Stavrova, LA; Gur'antseva, LA; Khrichkova, TY; Fomina, TI; Vetoshkina, NV; Dubskaya, TY; Sergeeva, SA; Epshtein, OI; Ermolaeva, LA; Dygai, AM; Gol'dberg, ED. (2005). Mechanisms of the effects of granulocytic CSF on tissue reparation during chronic CCl4-induced damage to the liver. *Bull Exp Biol Med.* 140: 644-647.
- Souza, MF. Inhibition of lipid peroxidation by ternatin, a tetramethoxyflavone from *Egletes viscosa* L.

Environmental Hazard Literature Search Results

Off Topic

- Spano, JS; August, JR; Henderson, RA; Dumas, MB; Groth, AH, Jr. (1983). Serum gamma-glutamyl transpeptidase activity in healthy cats and cats with induced hepatic disease. *Am J Vet Res.* 44: 2049-2053.
- Sparatore, A; Novelli, F; Sparatore, F. (1997). Synthesis and biological investigations of 1-(tetrahydropyran-2'-yl)- and 1-(tetrahydrofuran-2'-yl)benzimidazoles and 1/2-(tetrahydropyran-2'-yl)- and 1/2-(tetrahydrofuran-2'-yl)benzotriazoles. *Farmaco.* 52: 509-521.
- Spasova, MA; Miller, DJ; Eastmond, DA; Nikolova, NS; Vulimiri, SV; Caldwell, J; Chen, C; White, PD. (2013). Dose-response analysis of bromate-induced DNA damage and mutagenicity is consistent with low-dose linear, nonthreshold processes. *Environ Mol Mutagen.* 54: 19-35.
- Spee, T. (1986). Evaluation of an ISO draft proposal for sampling and analysis of chlorinated hydrocarbon solvent vapors in workplace atmospheres. *Am Ind Hyg Assoc J.* 47: 27-36.
- Speroni, E; Cervellati, R; Govoni, P; Guizzardi, S; Renzulli, C; Guerra, MC. (2003). Efficacy of different *Cynara scolymus* preparations on liver complaints. *J Ethnopharmacol.* 86: 203-211.
- Spiegel, SM; Hyams, BB. (1984). Radiographic demonstration of a toxic agent. *Journal of the Canadian Association of Radiologists.* 35: 204-205.
- Spigarelli, JL; Going, JE; Li, R. (1986). Hexachlorobenzene levels in multimedia environmental samples from selected chemical production plants. *IARC Sci Publ.* 77: 155-160.
- Sponza, DT. (2001). Performance of upflow anaerobic sludge blanket (UASB) reactor treating wastewaters containing carbon tetrachloride. *World Journal of Microbiology & Biotechnology.* 17: 839-847.
- Sponza, DT. (2002). Simultaneous granulation, biomass retainment and carbon tetrachloride (CT) removal in an upflow anaerobic sludge blanket (UASB) reactor. *Process Biochemistry.* 37: 1091-1101.
- Sponza, DT. (2005). Biotransformation of carbon tetrachloride and anaerobic granulation in a upflow anaerobic sludge blanket reactor. *Journal of Environmental Engineering-Asce.* 131: 425-433.
- Sponza, DT; Oztekin, R. (2011). Removals of some hydrophobic poly aromatic hydrocarbons (PAHs) and *Daphnia magna* acute toxicity in a petrochemical industry wastewater with ultrasound in Izmir-Turkey. *Separation and Purification Technology.* 77: 301-311.
- Spoor, W. (2001). Industrial chemicals and the horse. *Veterinary Clinics of North America-Equine Practice.* 17: 501-+.
- Spratt, MG; Kratzing, CC. (1970). Reticuloendothelial activity in choline-deficient or carbon tetrachloride-treated rats. *J Reticuloendothel Soc.* 7: 355-365.
- Squadrito, GL; Church, DL; Pryor, WA. (1987). ANOMALOUS NITRATION OF FLUORANTHENE WITH NITROGEN DIOXIDE IN CARBON TETRACHLORIDE. 194th American Chemical Society National Meeting, New Orleans, Louisiana, Usa, August. 194: 17.
- Squadrito, GL; Fronczek, FR; Church, DF; Pryor, WA. (1989). FREE-RADICAL NITRATION OF NAPHTHALENE WITH NITROGEN DIOXIDE IN CARBON TETRACHLORIDE AND IMPLICATIONS FOR ENVIRONMENTAL NITRATIONS. *J Org Chem.* 54: 548-552.
- Squire, LR; Barondes, SH. (1972). Variable decay of memory and its recovery in cycloheximide-treated mice. *Proceedings of the National Academy of Sciences of the United States of America.* 69: 1416-1420.
- Sreelatha, S; Padma, PR. (2010). Protective mechanisms of *Moringa oleifera* against CCl₄-induced oxidative stress in precision-cut liver slices. *Forschende Komplementärmedizin (2006).* 17: 189-194.
- Sreelatha, S; Padma, PR; Umadevi, M. (2009). Protective effects of *Coriandrum sativum* extracts on carbon tetrachloride-induced hepatotoxicity in rats. *Food Chem Toxicol.* 47: 702-708.
- Sreepriya, M; Devaki, T; Nayeem, M. (2001). Protective effects of *Indigofera tinctoria* L. against D-Galactosamine and carbon tetrachloride challenge on 'in situ' perfused rat liver. *Br J Exp Pathol.* 45: 428-434.
- Sridevi, VK; Chouhan, HS; Singh, NK; Singh, SK. (2012). Antioxidant and hepatoprotective effects of ethanol extract of *Vitex glabrata* on carbon tetrachloride-induced liver damage in rats. *Nat Prod Res.* 26: 1135-1140.
- Srilakshmi, VS; Vijayan, P; Raj, PV; Dhanaraj, SA; Chandrashekar, HR. (2010). Hepatoprotective properties of *Caesalpinia sappan* Linn. heartwood on carbon tetrachloride induced toxicity. *Indian J Exp Biol.* 48: 905-910.
- Srilaxmi, P; Sareddy, GR; Kavi, KPB; Setty, OH; Babu, PP. (2010). Protective efficacy of natansnin, a dibenzoyl glycoside from *Salvinia natans* against CCl₄ induced oxidative stress and cellular degeneration in rat liver. *BMC Pharmacol.* 10: 13.
- Srinivasan, M; Rukkumani, R; Sudheer, AR; Menon, VP. (2005). Ferulic acid, a natural protector against carbon tetrachloride-induced toxicity. *Fundamental & Clinical Pharmacology.* 19: 491-496.
- Srinivasan, R; Chandrasekar, MJ; Nanjan, MJ; Suresh, B. (2007). Antioxidant activity of *Caesalpinia digyna* root. *J Ethnopharmacol.* 113: 284-291.
- Srinivasan, S; Balwani, JH. (1969). Effect of zinc sulphate on carbon tetrachloride hepatotoxicity. *Acta Pharmacol Toxicol.* 27: 424-428.
- Srinivasan, S; Recknagel, RO. (1971). Carbon tetrachloride hepatotoxicity in female rats. *Exp Mol Pathol.* 15: 268-270.
- Srinivasan, S; Recknagel, RO. (1973). Ultraviolet spectra of rat kidney lipids after carbon tetrachloride administration. *Exp Mol Pathol.* 18: 214-218.
- Srivastava, A; Devotta, S. (2007). Indoor air quality of public places in Mumbai, India in terms of volatile organic compounds. *Environ Monit Assess.* 133: 127-138.
- Srivastava, A; Shivanandappa, T. (2010). Hepatoprotective effect of the root extract of *Decalepis hamiltonii* against carbon tetrachloride-induced oxidative stress in rats. *Food Chem.* 118: 411-417.
- Srivastava, SP; Chen, N; Holtzman, JL. (1990). The in vitro NADPH dependent inhibition by carbon tetrachloride of the ATP dependent calcium uptake of hepatic microsomes from male rats: Studies on the mechanism of the inactivation of the hepatic microsomal calcium pump trichloromethyl radical. *J Biol Chem.* 265: 8392-8399.
- Srivastava, SP; Chen, NQ; Holtzman, JL. (1990). The in vitro NADPH-dependent inhibition by CCl₄ of the ATP-dependent calcium uptake of hepatic microsomes from male rats. Studies on the mechanism of the inactivation of the hepatic microsomal calcium pump by the CCl₃.radical. *The Journal of biological chemistry.* 265: 8392-8399.

Environmental Hazard Literature Search Results

Off Topic

- Srivastava, SP; Chen, NQ; Liu, XY; Holtzman, JL. (1989). EFFECT OF CARBON TETRACHLORIDE ON THE MICROSOMAL ATP-DEPENDENT CALCIUM UPTAKE. 73rd Annual Meeting Of The Federation Of American Societies For Experimental Biology, New Orleans, Louisiana, Usa, March. 3.
- Srivastava, SP; Holtzman, JL. (1990). EFFECT OF CARBON TETRACHLORIDE ON THE MICROSOMAL ATP-DEPENDENT CALCIUM ATPASE AND TURNOVER. 74th Annual Meeting Of The Federation Of American Societies For Experimental Biology, Part I, Washington, DC, Usa, April. 4.
- Srivastava, SP; Singh, KP; Saxena, AK; Seth, PK; Ray, PK. (1987). In vivo protection by protein A of hepatic microsomal mixed function oxidase system of CCl₄-administered rats. *Biochem Pharmacol.* 36: 4055-4058.
- Srivastava, SP; Singh, KP; Saxena, AK; Seth, PK; Ray, PK. (1987). IN-VIVO PROTECTION BY PROTEIN A OF HEPATIC MICROSOMAL MIXED FUNCTION OXIDASE SYSTEM OF CARBON TETRACHLORIDE-ADMINISTERED RATS. *Biochem Pharmacol.* 36: 4055-4058.
- Staats, DA; Lohr, DP; Colby, HD. (1990). Effects of carbon tetrachloride administration to guinea pigs on cytochromes P-450 and antioxidant levels in the inner and outer zones of the adrenal cortex. *Drug metabolism and disposition: the biological fate of chemicals.* 18: 543-545.
- Stacey, N; Priestly, BG. (1978). Dose-dependent toxicity of CCl₄ in isolated rat hepatocytes and the effects of hepatoprotective treatments. *Toxicol Appl Pharmacol.* 45: 29-39.
- Stacey, N; Priestly, BG. (1978). Lipid peroxidation in isolated rat hepatocytes: relationship to toxicity of CCl₄, ADP/Fe³⁺, and diethyl maleate. *Toxicol Appl Pharmacol.* 45: 41-48.
- Stacey, NH. (1989). POTENTIATION OF CARBON TETRACHLORIDE-INDUCED LIPID PEROXIDATION BY TRICHLOROETHYLENE IN ISOLATED RAT HEPATOCYTES NO ROLE IN ENHANCED TOXICITY AU - KEFALAS V. *Toxicol Appl Pharmacol.* 101: 158-169.
- Stacey, NH. (1989). Toxicity of combinations of chlorinated aliphatic hydrocarbons in vitro and in vivo. *Toxicol In Vitro.* 3: 137-143.
- Stacey, NH; Fanning, JC. (1981). Ultrastructural changes in isolated rat hepatocytes after incubation with carbon tetrachloride. *Toxicology.* 22: 69-77.
- Stacey, NH; Ottenwaelder, H; Kappus, H. (1982). CCl₄ sub(4)-induced lipid peroxidation in isolated rat hepatocytes with different oxygen concentrations. *Toxicol Appl Pharmacol.* 62: 421-427.
- Stachura, J; Tarnawski, A; Ivey, KJ; Mach, T; Bogdal, J; Szczudrawa, J; Klimczyk, B. (1981). Prostaglandin Protection of Carbon Tetrachloride-Induced Liver Cell Necrosis in the Rat. *GASTROENTEROLOGY.* 81: 211-217.
- Stacpoole, PW; Henderson, GN; Yan, ZM; Cornett, R; James, MO. (1998). Pharmacokinetics, metabolism, and toxicology of dichloroacetate. *Drug Metab Rev.* 30: 499-539.
- Stahl, SS. (1965). THE EFFECT OF HEPATIC INJURY ON GINGIVAL HEALING IN RATS. *Oral Surg Oral Med Oral Pathol.* 19: 188-196.
- Staley, LJ; Richards, MK; Huffman, GL; Olexsey, RA; Dellinger, B. (1989). ON THE RELATIONSHIP BETWEEN CARBON MONOXIDE POHC AND PIC EMISSIONS FROM A SIMULATED HAZARDOUS WASTE INCINERATOR. *JAPCA.* 39: 321-327.
- Stampfl, A; Kadry, AM; Skowronski, GA; Abdel-Rahman, MS. (2001). Evaluation of the use of uncertainty factors in deriving RfDs for some chlorinated compounds. *Z Naturforsch C.* 56: 283-290.
- Stangroom, SJ; Collins, CD; Lester, JN. (1998). Sources of organic micropollutants to lowland rivers. *Environ Technol.* 19: 643-666.
- Stankova, IG; Videnov, GI; Golovinsky, EV; Jung, G. (1999). Synthesis of thiazole, imidazole and oxazole containing amino acids for peptide backbone modification. *J Pept Sci.* 5: 392-398.
- StarÅ½, JÅ½; Kratzer, K; PrÅ½iÅ½ilovÅ½, J. (1978). Dithizone extraction of methylmercury, ethylmercury and phenylmercury. *Anal Chim Acta.* 100: 627-633.
- Stark, DD; Bass, NM; Moss, AA; Bacon, BR; McKerrow, JH; Cann, CE; Brito, A; Goldberg, HI. (1983). Nuclear magnetic resonance imaging of experimentally induced liver disease. *Radiology.* 148: 743-751.
- Statham, TM; Mason, LR; Mumford, KA; Stevens, GW. (2015). The specific reactive surface area of granular zero-valent iron in metal contaminant removal: Column experiments and modelling. *Water Res.* 77: 24-34.
- Staudinger, J; Roberts, PV. (1996). A CRITICAL REVIEW OF HENRY'S LAW CONSTANTS FOR ENVIRONMENTAL APPLICATIONS. *Crit Rev Environ Sci Tech.* 26: 205-297.
- Steel, CJ; Brady, F; Luthra, SK; Brown, G; Khan, I; Poole, KG; Sergis, A; Jones, T; Price, PM. (1999). An automated radiosynthesis of 2-[¹¹C]thymidine using anhydrous [¹¹C]urea derived from [¹¹C]phosgene. *Applied radiation and isotopes : including data, instrumentation and methods for use in agriculture, industry and medicine.* 51: 377-388.
- Steele, PRM; Yim, APC; Herbertson, BM; Watson, J. (1981). Some Flow Cytofluorimetric Studies of the Nuclear Ploidy of Mouse Hepatocytes. II. Early Changes in Nuclear Ploidy of Mouse Hepatocytes Following Carbon Tetrachloride Administration: Evidence for Polyploid Nuclei Arrested in Telophase. *Br J Exp Pathol.* 62: 474-479.
- Steele, RH; Wilhelm, DL. (1966). The inflammatory reaction in chemical injury. I. Increased vascular permeability and erythema induced by various chemicals. *Br J Exp Pathol.* 47: 612-623.
- Steele, RH; Wilhelm, DL. (1970). The inflammatory reaction in chemical injury. 3. Leucocytosis and other histological changes induced by superficial injury. *Br J Exp Pathol.* 51: 265-279.
- Stefan, AM; Coulter, S; Gray, B; LaMorte, W; Nikelaeson, S; Edge, ASB; Afdhal, NH. (1999). Xenogeneic transplantation of porcine hepatocytes into the CCl₄ cirrhotic rat model. *Cell Transplant.* 8: 649-659.
- Steichen, J; Koelliker, J; Grosh, D; Heiman, A; Yearout, R; Robbins, V. (1988). CONTAMINATION OF FARMSTEAD WELLS BY PESTICIDES VOLATILE ORGANICS AND INORGANIC CHEMICALS IN KANSAS USA. *Ground Water Monit Rev.* 8: 153-160.
- Steinberg, RA; Agard, DA. (1981). Turnover of regulatory subunit of cyclic AMP-dependent protein kinase in S49 mouse lymphoma cells. Regulation by catalytic subunit and analogs of cyclic AMP. *The Journal of biological chemistry.* 256: 10731-10734.

Environmental Hazard Literature Search Results

Off Topic

- Steinhauer, LS; Joyave, JL; Davidson, CP; Born, CK; Hamrick, ME. (1986). Inhibition of carbon tetrachloride induced hepatotoxicity by dantrolene sodium. *Res Comm Chem Pathol Pharmacol.* 52: 59-70.
- Stemig, AM; Do, TA; Yuwono, VM; Arnold, WA; Penn, RL. (2014). Goethite nanoparticle aggregation: effects of buffers, metal ions, and 4-chloronitrobenzene reduction. *Environmental Science-Nano.* 1: 478-487.
- Stengård, SSHU; Sotaniemi, EA. (1984). Effects of medroxyprogesterone acetate on hepatic glucose metabolism and microsomal enzyme activity in rats with normal and altered liver. *Pharmacology.* 28: 34-41.
- Stenger, RJ. (1963). HEPATIC PARENCHYMAL CELL ALTERATIONS AFTER LONG-TERM CARBON TETRACHLORIDE ADMINISTRATION. A LIGHT AND ELECTRON MICROSCOPIC STUDY. *Am J Pathol.* 43: 867-895.
- Stenger, RJ. (1965). FIBROGENESIS ALONG THE HEPATIC SINUSOIDS IN CARBON TETRACHLORIDE-INDUCED CIRRHOSIS. AN ELECTRON MICROSCOPIC STUDY. *Exp Mol Pathol.* 4: 357-369.
- Stenger, RJ. (1966). Concentric lamellar formations in hepatic parenchymal cells of carbon tetrachloride-treated rats. *Journal of ultrastructure research.* 14: 240-253.
- Stenger, RJ. (1966). Hepatic sinusoids in carbon tetrachloride-induced cirrhosis. An electron microscopic study. *Arch Pathol.* 81: 439-447.
- Stenger, RJ; Johnson, EA. (1971). Further observations upon the effects of phenobarbital pretreatment on the hepatotoxicity of carbon tetrachloride. *Exp Mol Pathol.* 14: 220-227.
- Stenger, RJ; Miller, RA; Williamson, JN. (1970). Effects of phenobarbital pretreatment on the hepatotoxicity of carbon tetrachloride. *Exp Mol Pathol.* 13: 242-252.
- Stenger, RJ; Petrelli, M; Segel, A; Williamson, JN; Johnson, EA. (1969). Modification of carbon tetrachloride hepatotoxicity by prior loading of the reticuloendothelial system with carbon particles. *Am J Pathol.* 57: 689-706.
- Stenger, RJ; Porway, M; Johnson, EA; Datta, RK. (1975). Effects of chlordane pretreatment on the hepatotoxicity of carbon tetrachloride. *Exp Mol Pathol.* 23: 144-153.
- Stenius, U; Stahl, A; Hogberg, J. (1998). In vitro studies on non-genotoxic carcinogens: Resistance to DNA synthesis inhibition in GST-P-positive hepatocytes isolated from enzyme-altered foci-bearing rats. *Toxicol In Vitro.* 12: 279-285.
- Stephenson, JHM; Allen, F; Slagle, T. (1990). ANALYSIS OF VOLATILE ORGANICS IN AIR VIA WATER METHODS. US Environmental Protection Agency'S Atmospheric Research And Exposure Assessment Laboratory And Air And Waste Management Association Measurement Of Toxic And Related Air Pollutants. 0: 194-199.
- Stern, P; Kuljak, S. (1969). Tremor induction in mice and its modification. *Eur J Pharmacol.* 5: 343-347.
- Stern, PH; Furukawa, T; Brody, TM. (1965). RAT LIVER AND PLASMA LIPIDS AFTER CARBON TETRACHLORIDE ADMINISTRATION. *J Lipid Res.* 6: 278-286.
- Stetter, JR; Cao, Z. (1990). A REAL-TIME MONITOR FOR CHLORINATED ORGANICS IN WATER. US Environmental Protection Agency'S Atmospheric Research And Exposure Assessment Laboratory And Air And Waste Management Association Measurement Of Toxic And Related Air Pollutants. 0: 836-848.
- Stetter, JR; Jurs, PC; Rose, SL. (1986). Detection of hazardous gases and vapors: Pattern recognition analysis of data from an electrochemical sensor array. *Anal Chem.* 58: 860-866.
- Steup; Wiersma, D; McMillan, DA; Sipes, IG. (1991). Pretreatment with drinking water solutions containing trichloroethylene or chloroform enhances the hepatotoxicity of carbon tetrachloride in Fischer 344 rats. *Fundam Appl Toxicol.* 16: 798-809.
- Steup, DR; Hall, P; McMillan, DA; Sipes, IG. (1993). Time course of hepatic injury and recovery following coadministration of carbon tetrachloride and trichloroethylene in Fischer-344 rats. *Toxicol Pathol.* 21: 327-334.
- Stevens, AA; Seeger, DR; Demarco, J; Moore, L. (1979). REMOVAL OF HIGHER MOLECULAR WEIGHT ORGANIC COMPOUNDS BY THE GRANULAR ACTIVATED CARBON ADSORPTION UNIT PROCESS. Meeting On Adsorption Techniques In Drinking Water Treatment Held At The North Atlantic Treaty Organization'S Committee On The Challenges Of Modern Society Symposium, Reston, Virginia, Usa, April. 7: 363-372.
- Stevens, H; Forster, FM. (1953). Effect of carbon tetrachloride on the nervous system. *AMA archives of neurology and psychiatry.* 70: 635-649.
- Stevens, H; Forster, FM. (1953). Toxic effects of carbon tetrachloride on the central nervous system. *Transactions of the American Neurological Association.* 3: 136-137.
- Stevens, RH; Cole, DA; Lindholm, PA; Liu, PT; Gourlay, ML; Cheng, HF. (1984). IDENTIFICATION OF CARCINOGENS BY MEASUREMENT OF CELL-MEDIATED IMMUNITY VS. ANTITUMOR IMMUNITY IN RATS TO HALOGEN-CONTAINING ORGANIC COMPOUNDS. *Jolley, R L Et Al.* 0: 251-264.
- Stevenson, DE; Storer, AC. Papain in organic solvents: determination of conditions suitable for biocatalysis and the effect on substrate specificity and inhibition. *Biotechnol Bioeng.* Mar 15, 1991. v. 37 (6): 519-527.
- Stewart, A; Witts, LJ. (1993). Chronic carbon tetrachloride intoxication. 1944. *Br J Ind Med.* 50: 7-16.
- Stewart, BW; Le, MSM; Lykke, AW. (1979). Correlation of biochemical and morphological changes induced by chemical injury to the lung. *Chem Biol Interact.* 26: 321-338.
- Stewart, RD; Boettner, EA; Southworth, RR; Cerny, JC. (1963). Acute carbon tetrachloride intoxication. *JAMA.* 183: 994-997.
- Stewart, RK; Dangi, A; Huang, C; Murase, N; Kimura, S; Stolz, DB; Wilson, GC; Lentsch, AB; Gandhi, CR. (2014). A novel mouse model of depletion of stellate cells clarifies their role in ischemia/reperfusion- and endotoxin-induced acute liver injury. *J Hepatol.* 60: 298-305.
- Stinson, MK. (1989). EPA SITE DEMONSTRATION OF THE TERRA VAC IN SITU VACUUM EXTRACTION PROCESS IN GROVELAND MASSACHUSETTS USA. *JAPCA.* 39: 1054-1062.
- Stobbe, GD. (1947). Fatal renal disease in carbon tetrachloride poisoning. *The Ohio State medical journal.* 43: 1245-1247.
- Stock, MK; Hammerich, L; do, ONT; Berres, ML; Alsamman, M; Heinrichs, D; Nellen, A; Trautwein, C; Tacke, F; Wasmuth, HE; Sahin, H. (2013). Met-CCL5 modifies monocyte subpopulations during liver fibrosis regression. *Int J Clin Exp Pathol.* 6: 678-685.

Environmental Hazard Literature Search Results

Off Topic

- Stolworthy, JC; Paszczynski, A; Korus, R; Crawford, RL. (2001). Metal binding by pyridine-2,6-bis(monothiocarboxylic acid), a biochelator produced by *Pseudomonas stutzeri* and *Pseudomonas putida*. *Biodegradation*. 12: 411-418.
- Stom, DI; Bejm, AM. (1976). Effect of phenols on some algal species. *Gidrobiol Zh*. 12: 53-57.
- Stordal, F; Isaksen, ISA. (1987). OZONE PERTURBATIONS DUE TO INCREASES IN NITROUS OXIDE METHANE AND CHLOROCARBONS TWO-DIMENSIONAL TIME-DEPENDENT CALCULATIONS. *Tellus Ser B Chem Phys Meteorol*. 39: 333-353.
- Storey, CL. Effect of temperature and commodity on distribution of CCl₄-CS₂(80:20) and EDC-CCl₄ (75:25) applied by gravity penetration and closed recirculation. *J Econ Entomol*. Feb 15, 1971, 64 (1): 227-230.
- Storey, CL; Kirk, LD; Mustakas, GC. Fate of EDC-CCl₄ (75:25) residues during milling and oil extraction of soybeans. *J Econ Entomol*. Aug 15, 1972, 65 (4): 1126-1129.
- Stoyanovsky, DA; Cederbaum, AI. (1996). Thiol oxidation and cytochrome P450-dependent metabolism of CCl₄ triggers Ca²⁺ release from liver microsomes. *Biochemistry*. 35: 15839-15845.
- Stoyanovsky, DA; Cederbaum, AI. (1999). Metabolism of carbon tetrachloride to trichloromethyl radical: An ESR and HPLC-EC study. *Chem Res Toxicol*. 12: 730-736.
- Stoytchev, T; Kirova, A. (1977). Effect of ethylxanthogenate, diethyldithiocarbamate and unithiol on carbon tetrachloride poisoning. *Acta physiologica et pharmacologica Bulgarica*. 3: 61-69.
- Strand, SE; Dossett, M; Harris, C; Wang, XP; Doty, SL. (2005). Mass balance studies of volatile chlorinated hydrocarbon phytoremediation. *Zeitschrift Fur Naturforschung Section C-a Journal of Biosciences*. 60: 325-330.
- Strand, SE; Newman, L; Shurtleff, B; Wilmoth, J; Heilman, P; Duffy, J; Gordon, M. (1996). MASS BALANCE CHAMBER ALLOWS DETERMINATION OF TRANSFORMATIONS OF CHLORINATED HYDROCARBONS IN PLANTS. 212th American Chemical Society National Meeting, Orlando, Florida, Usa, August. 212: 55.
- Strand, SE; Seamons, RM; Bjelland, MD; Stensel, HD. (1988). KINETICS OF METHANE-OXIDIZING BIOFILMS FOR DEGRADATION OF TOXIC ORGANICS. Meeting On Water And Wastewater Microbiology Held At The International Association For Water Pollution Research And Control Conference, Newport Beach, California, Usa, February. 20: 167-174.
- Strathmann, TJ; Stone, AT. (2002). Reduction of oxamyl and related pesticides by Fe-II: Influence of organic ligands and natural organic matter. *Environmental Science & Technology*. 36: 5172-5183.
- Straus, B. (1954). Aplastic anemia following exposure to carbon tetrachloride. *J Am Med Assoc*. 155: 737-739.
- Strechen, SB; Kresyun, VI. (1992). The mechanisms of hepatoprotective action of new nicotinic acid derivatives in experimental CCl₄-induced injury to the liver. *Byulleten Eksperimental'noi Biologii I Meditsiny*. 114: 58-61.
- Stripp, B; Hamrick, ME; Gillette, JR. (1972). Effect of 3-methylcholanthrene induction on the carbon tetrachloride-induced changes in rat hepatic microsomal enzyme system. *Biochem Pharmacol*. 21: 745-747.
- Stripp, B; Sipes, IG; Maling, HM; Gillette, JR. (1974). Dibenamine impairment of rat hepatic microsomal enzymes and its relation to hepatotoxicity induced by CCl₄ and dimethylnitrosamine. *Drug metabolism and disposition: the biological fate of chemicals*. 2: 464-468.
- Stromberg, JR; Wnuk, JD; Pinlac, RA; Meyer, GJ. (1994). Multielectron transfer at heme-functionalized nanocrystalline TiO₂: reductive dechlorination of DDT and CCl₄ forms stable carbene compounds. *Nano Lett*. 6: 1284-1286.
- Strong, L; Wall, R. (1990). THE CHEMICAL CONTROL OF LIVESTOCK PARASITES PROBLEMS AND ALTERNATIVES. *Parasitol Today*. 6: 291-296.
- Strong-Gunderson, JM; Palumbo, AV. (1994). Alternative method for rapidly screening microbial isolates for their potential to degrade volatile contaminants. *Journal of industrial microbiology*. 13: 361-366.
- Stroo, WE; Hook, JB. (1977). Enzymes of renal origin in urine as indicators of nephrotoxicity. *Toxicol Appl Pharmacol*. 39: 423-434.
- Strubelt, O. (1981). Influence of 2,4-dinitrophenol on the susceptibility of rats to hepatotoxic injury. *Toxicol Lett*. 9: 221-224.
- Strubelt, O; Breining, H. (1980). Influence of hypoxia on the hepatotoxic effects of carbon tetrachloride, paracetamol, allyl alcohol, bromobenzene and thioacetamide. *Toxicol Lett*. 6: 109-113.
- Strubelt, O; Buettner, F; Siegers, CP. (1975). Proceedings: The hepatotoxic effect of ethanol after pretreatment with carbon tetrachloride, allyl alcohol, or D-galactosamine. *Naunyn Schmiedebergs Arch Pharmacol*. 287 Suppl: R102.
- Strubelt, O; Obermeier, F; Siegers, CP. (1978). The influence of ethanol pretreatment on the effects of nine hepatotoxic agents. *Acta Pharmacol Toxicol*. 43: 211-218.
- Strubelt, O; Obermeier, F; Siegers, CP; Vépel, M. (1978). Increased carbon tetrachloride hepatotoxicity after low-level ethanol consumption. *Toxicology*.
- Strubelt, O; Siegers, CP; Vélpel, M; Younes, M. (1979). Studies on the mechanism of paracetamol-induced protection against paracetamol hepatotoxicity. *Toxicology*. 12: 121-133.
- Strusi, A; Saracino, N. (1980). (The effects of chlorinated hydrocarbons on the embryonic development of the sea urchin *Paracentrotus lividus*). *Oebalia Taranto*. 6: 81-94.
- Stubin, AI; Brosnan, TM; Porter, KD; Jimenez, L; Lochan, H. (1996). Organic priority pollutants in New York City municipal wastewaters: 1989-1993. *Water Environ Res*. 68: 1037-1044.
- Stuer-Lauridsen, F; Pedersen, F. (1997). On the influence of the polarity index of organic matter in predicting environmental sorption of chemicals. *Chemosphere*. 35: 761-773.
- Stumm, MM; D'Orazio, D; Sumanovski, LT; Martin, PY; Reichen, J; Sieber, CC. (2002). Endothelial, but not the inducible, nitric oxide synthase is detectable in normal and portal hypertensive rats. *Liver*. 22: 441-450.

Environmental Hazard Literature Search Results

Off Topic

- Su, C; Xia, X; Shi, Q; Song, X; Fu, J; Xiao, C; Chen, H; Lu, B; Sun, Z; Wu, S; Yang, S; Li, X; Ye, X; Song, E; Song, Y. (2015). Neohesperidin Dihydrochalcone versus CCl₄-Induced Hepatic Injury through Different Mechanisms: The Implication of Free Radical Scavenging and Nrf2 Activation. *J Agric Food Chem.* 63: 5468-5475.
- Su, CY; Xia, XM; Shi, Q; Song, XF; Fu, JL; Xiao, CX; Chen, HJ; Lu, B; Sun, ZY; Wu, SM; Yang, SY; Li, XG; Ye, XL; Song, EQ; Song, Y. (2015). Neohesperidin Dihydrochalcone versus CCl₄-Induced Hepatic Injury through Different Mechanisms: The Implication of Free Radical Scavenging and Nrf2 Activation. *J Agric Food Chem.* 63: 5468-5475.
- Su, FC; Mukherjee, B; Batterman, S. (2013). Determinants of personal, indoor and outdoor VOC concentrations: An analysis of the RIOPA data. *Environ Res.* 126: 192-203.
- Su, GCC. (1998). A comparison of statistical and empirical detection limits. *J AOAC Int.* 81: 105-110.
- Su, GL; Gong, KQ; Fan, MH; Kelley, WM; Hsieh, J; Sun, JM; Hemmila, MR; Arbabi, S; Remick, DG; Wang, SC. (2005). Lipopolysaccharide-binding protein modulates acetaminophen-induced liver injury in mice. *Hepatology.* 41: 187-195.
- Su, GL; Wang, SC; Aminlari, A; Tipoe, GL; Steintraesser, L; Nanji, A. (2004). Impaired hepatocyte regeneration in toll-like receptor 4 mutant mice. *Dig Dis Sci.* 49: 843-849.
- Su, LJ; Chang, CC; Yang, CH; Hsieh, SJ; Wu, YC; Lai, JM; Tseng, TL; Huang, CY; Hsu, SL. (2013). *Graptopetalum paraguayense* ameliorates chemical-induced rat hepatic fibrosis in vivo and inactivates stellate cells and Kupffer cells in vitro. *PLoS ONE.* 8: e53988.
- Su, M; Chen, HQ; Wei, CH; Chen, N; Wu, W. (2014). Potential protection of vitamin C against liver-lesioned mice. *Int Immunopharmacol.* 22: 492-497.
- Su, T; Bondar, T; Zhou, X; Zhang, C; He, H; Medzhitov, R. (2015). Two-signal requirement for growth-promoting function of Yap in hepatocytes. *Elife.*
- Su, XS; Wang, YQ; Zhou, GY; Yang, X; Yu, R; Lin, Y; Zheng, CQ. (2014). Probucol attenuates ethanol-induced liver fibrosis in rats by inhibiting oxidative stress, extracellular matrix protein accumulation and cytokine production. *Clin Exp Pharmacol Physiol.* 41: 73-80.
- Su, Y; Pan, H; Guo, Z; Zhou, W; Zhang, B. (2015). Bacterial translocation and endotoxemia after pringle maneuver in cirrhotic rats. *Dig Dis Sci.* 60: 414-419.
- Su, YF; Hsu, CY; Shih, YH. (2012). Effects of various ions on the dechlorination kinetics of hexachlorobenzene by nanoscale zero-valent iron. *Chemosphere.* 88: 1346-1352.
- Suarez, D; Laval, G; Tu, SM; Jiang, D; Robinson, CL; Scott, R; Golding, BT. (2009). Benzylic Brominations with N-Bromosuccinimide in (Trifluoromethyl)benzene. *Synthesis-Stuttgart*1807-1810.
- Suarez, KA; Bhonsle, P. (1976). Proceedings: The role of cytochrome P-450 in carbon tetrachloride-induced hepatic injury. *The Journal of the American Osteopathic Association.* 75: 537.
- Suarez, KA; Bhonsle, P. (1976). The relationship of cobaltous chloride-induced alterations of hepatic microsomal enzymes to altered carbon tetrachloride hepatotoxicity. *Toxicol Appl Pharmacol.* 37: 23-27.
- Suarez, KA; Bhonsle, P. (1978). Enhanced hepatotoxicity of carbon tetrachloride following sodium nitrite pretreatment. *Archives internationales de pharmacodynamie et de therapie.* 234: 329-334.
- Suarez, KA; Carlson, GP; Fuller, GC. (1975). Effect of phenobarbital or 3-methylcholanthrene pretreatment on carbon tetrachloride-induced lipid peroxidation in rat liver. *Toxicol Appl Pharmacol.* 34: 314-319.
- Suarez, KA; Griffin, K; Kopplin, RP; Bhonsle, P. (1981). Protective Effect of Diethylmaleate Pretreatment on Carbon Tetrachloride Hepatotoxicity. *TOXICOL AND APPL PHARMACOL.* 57: 318-324.
- Suarez-Castillo, OR; Melendez-Rodriguez, M; Beiza-Granados, L; Cano-Escudero, IC; Morales-Rios, MS; Joseph-Nathan, P. (2011). C-6 Regioselective Bromination of Methyl Indolyl-3-acetate. *Natural Product Communications.* 6: 451-456.
- Suarez-Cuenca, JA; de Sanchez, VC; Aranda-Fraustro, A; Sanchez-Sevilla, L; Martinez-Perez, L; Hernandez-Munoz, R. (2008). Partial hepatectomy-induced regeneration accelerates reversion of liver fibrosis involving participation of hepatic stellate cells. *Exp Biol Med.* 233: 827-839.
- Suba, V; Murugesan, T; Kumaravelrajan, R; Mandal, SC; Saha, BP. (2005). Antiinflammatory, analgesic and antiperoxidative efficacy of *Barleria lupulina* Lindl. extract. *Phytother Res.* 19: 695-699.
- Subbotin, VM; Nikolaidis, NL; Van, THIELDH. (1993). HETEROTOPIC HEPATOCYTES IN THE PORTAL VEIN OF SPRAGUE-DAWLEY RATS A RESPONSE TO FK 506 TREATMENT COMBINED WITH CARBON TETRACHLORIDE. 94th Annual Meeting Of The American Gastroenterological Association, Boston, Massachusetts, Usa, May. 104.
- Subbotin, VM; Nikolaidis, NL; Van, THIELDH. (1993). MORPHOLOGICAL ESTIMATION OF SUBCHRONIC HEPATIC INJURY AND A-SMA-POSITIVE CELLS APPEARANCE IN CARBON TETRACHLORIDE-INDUCED RAT LIVER FIBROSIS. 94th Annual Meeting Of The American Gastroenterological Association, Boston, Massachusetts, Usa, May. 104.
- Subhapradha, N; Saravanan, R; Ramasamy, P; Srinivasan, A; Shanmugam, V; Shanmugam, A. (2014). Hepatoprotective Effect of beta-Chitosan from *Gladius of Sepioteuthis lessoniana* Against Carbon Tetrachloride-Induced Oxidative Stress in Wistar Rats. *Appl Biochem Biotechnol.* 172: 9-20.
- Subhapradha, N; Saravanan, R; Ramasamy, P; Srinivasan, A; Shanmugam, V; Shanmugam, A. (2014). Hepatoprotective Effect of β -Chitosan from *Gladius of Sepioteuthis lessoniana* Against Carbon Tetrachloride-Induced Oxidative Stress in Wistar Rats. *Appl Biochem Biotechnol.* 172: 9-20.
- Subramanian, L; Selvam, R. (1999). Prevention of CCl₄ - Induced hepatotoxicity by aqueous extract of turmeric. *Nutrition Research.* 19: 429-441.
- Suciu, M; Gruia, AT; Nica, DV; Azghadi, SMR; Mic, AA; Mic, FA. (2016). Data on expression of lipoxygenases-5 and -12 in the normal and acetaminophen-damaged liver. *Data in Brief.* 7: 1199-1203.

Environmental Hazard Literature Search Results

Off Topic

- Suda, I; Ishikawa, F; Hatakeyama, M; Miyawaki, M; Kudo, T; Hirano, K; Ito, A; Yamakawa, O; Horiuchi, S. (2008). Intake of purple sweet potato beverage affects on serum hepatic biomarker levels of healthy adult men with borderline hepatitis. *Eur J Clin Nutr.* 62: 60-67.
- Suda, I; Oki, T; Masuda, M; Kobayashi, M; Nishiba, Y; Furuta, S. (2003). Physiological functionality of purple-fleshed sweet potatoes containing anthocyanins and their utilization in foods. *Jarq-Japan Agricultural Research Quarterly.* 37: 167-173.
- Suda, M; Fukushima, A. (1981). Dichloromethylenation of esters and lactones by triphenylphosphine-carbon tetrachloride reagent. *Tetrahedron Letters.* 22: 759-762.
- Sudhir, S; Budhiraja, RD. (1992). Comparison of the protective effect of withaferin 'A' and hydrocortisone against carbon tetrachloride induced hepatotoxicity in rats. *Indian J Physiol Pharmacol.* 36: 127-129.
- Sudhir, S; Budhiraja, RD. (1992). Comparison of the protective effect of Withaferin-'A' and hydrocortisone against CCL4 induced hepatotoxicity in rats. *Indian J Physiol Pharmacol.* 36: 127-129.
- Sudo, K; Yamada, Y; Moriwaki, H; Saito, K; Seishima, M. (2005). Lack of tumor necrosis factor receptor type 1 inhibits liver fibrosis induced by carbon tetrachloride in mice. *Cytokine.* 29: 236-244.
- Suematsu, M; Kato, S; Ishii, H; Asako, H; Yanagisawa, T; Suzuki, H; Oshio, C; Tsuchiya, M. (1991). Intralobular heterogeneity of carbon tetrachloride-induced oxidative stress in perfused rat liver visualized by digital imaging fluorescence microscopy. *Lab Invest.* 64: 167-173.
- Suematsu, M; Kato, S; Oshio, C; Ishii, H; Tsuchiya, M. (1989). SPATIAL AND TEMPORAL ANALYSIS OF INTRAVITAL OXIDATIVE STRESS IN ORGAN MICROCIRCULATORY SYSTEM THE APPLICATION OF DIGITAL IMAGING PHOTONIC MICROSCOPY. The Forty Second Annual Meeting Of The Japan Society For Cell Biology, Kyoto, Japan, October. 14: 812.
- Suematsu, M; Kato, S; Yanagisawa, T; Asako, H; Oshio, C; Ishii, H; Tsuchiya, M. (1989). INTRALOBULAR HETEROGENEITY OF CARBON TETRACHLORIDE INDUCED LIPID PEROXIDATION IN PERFUSED RAT LIVER DEMONSTRATED BY DIGITAL IMAGING FLUORESCENCE MICROSCOPY. 40th Annual Meeting Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, October. 10: 612.
- Sueyoshi, Y; Imai, Y. (1964). INFLUENCE OF LACTOSE ON AMOUNT OF LIVER-FAT IN FATTY LIVERS. *The Keio journal of medicine.* 13: 101-106.
- Suffet, IH; Baker, RJ; Yohe, TL. (1988). PRETREATMENT OF DRINKING WATER TO CONTROL ORGANIC CONTAMINANTS AND TASTE AND ODOR. Hahn, H H And R Klute. 0: 15-40.
- Sugano, M; Cho, S; Imaizumi, K; Wada, M. (1970). Hepatotoxicity and lipid metabolism. 3. Changes in phosphatidylcholine and phosphatidylethanolamine during hepatic injury caused by carbon tetrachloride. *Biochem Pharmacol.* 19: 2325-2333.
- Sugano, M; Imaizumi, K; Cho, S; Wada, M. (1971). Hepatotoxicity and lipid metabolism. IV. Structure and molecular species of hepatic triglyceride in rats treated with carbon tetrachloride. *Lipids.* 6: 141-144.
- Sugano, S. (1992). Endotoxin levels in cirrhotic rats with sterile and infected ascites. *Gastroenterol Jpn.* 27: 348-353.
- Sugawara, T; Igarashi, K. (2009). Identification of Major Flavonoids in Petals of Edible Chrysanthemum Flowers and Their Suppressive Effect on Carbon Tetrachloride-Induced Liver Injury in Mice. *Food Science and Technology Research.* 15: 499-506.
- Sugherini, L; PoU, PA; Casini, AF; Cau, CM; Serfas, MS; Goufman, E; Feuerman, MH; Gartel, AL; Tyner, AL. (1994). p53-independent induction of p21WAF1/CIP1 expression in pericentral hepatocytes following carbon tetrachloride intoxication. *Xenobiotica.* 24: 281-289.
- Sugihara, A; Tsujimura, T; Fujita, Y; Nakata, Y; Terada, N. (1999). Evaluation of role of mast cells in the development of liver fibrosis using mast cell-deficient rats and mice. *J Hepatol.* 30: 859-867.
- Sugihara, N; Furuno, K; Kita, N; Murakami, T; Yata, N. (1991). Increase in the plasma protein binding of weakly basic drugs in carbon tetrachloride-intoxicated rats. *Chemical & Pharmaceutical Bulletin.* 39: 2671-2673.
- Sugihara, N; Furuno, K; Kita, N; Murakami, T; Yata, N. (1992). Distribution of quinidine in rats with carbon tetrachloride-intoxicated hepatic disease. *Journal of pharmacobio-dynamics.* 15: 167-174.
- Sugihara, N; Furuno, K; Kita, N; Murakami, T; Yata, N. (1992). Plasma alpha 1-acid glycoprotein concentration in rats with chemical liver injury. *Chemical & pharmaceutical bulletin.* 40: 2516-2519.
- Sugimoto, H; Tanaka, H; Kanno, Y. (2008). Volatile organic compound gas sensing using quartz crystal microbalance with inorganic films coated by pulsed laser deposition. *Japanese Journal of Applied Physics.* 47: 637-639.
- Sugiyama, A; Sato, A; Takeuchi, T. (2009). PEGylated lactoferrin enhanced its hepatoprotective effects on acute liver injury induced by carbon tetrachloride in rats. *Food Chem Toxicol.* 47: 1453-1458.
- Sugiyama, A; Suzuki, K; Mitra, S; Arashida, R; Yoshida, E; Nakano, R; Yabuta, Y; Takeuchi, T. (2009). Hepatoprotective Effects of Paramylon, a beta-1, 3-D-Glucan Isolated from *Euglena gracilis* Z, on Acute Liver Injury Induced by Carbon Tetrachloride in Rats. *J Vet Med Sci.* 71: 885-890.
- Sugiyama, S; Kitazawa, M; Ozawa, T; Suzuki, K; Izawa, Y. (1980). Protective effect of coenzyme Q10 against carbon tetrachloride-induced liver injury. *Nagoya J Med Sci.* 43: 25-27.
- Suh, YG; Kim, JK; Byun, JS; Yi, HS; Lee, YS; Eun, HS; Kim, SY; Han, KH; Lee, KS; Duester, G; Friedman, SL; Jeong, WI. (2012). CD11b(+) Gr1(+) bone marrow cells ameliorate liver fibrosis by producing interleukin-10 in mice. *Hepatology (Baltimore, Md).* 56: 1902-1912.
- Sui, J; Lu, J. (2011). The formation of a dual-layer carbon film on silicon carbide using a combination of carbide-derived carbon process and chemical vapor deposition in a CCl₄ containing atmosphere. *Carbon.* 49: 732-736.
- Suja, S; Latha, PG; Pushpangadan, P; Rajasekharan, S. (2004). Evaluation of hepatoprotective effects of *Helminthostachys zeylanica* (L.) Hook against carbon tetrachloride-induced liver damage in Wistar rats. *J Ethnopharmacol.* 92: 61-66.
- Sulitzeanu, D. (1969). Antigenic structure of connective tissue. *International Arch Allergy Appl Immunol.* 36: 114.
- Sultana, S; Ahmad, S; Khan, N; Jahangir, T. (2005). Effect of *Emblca officinalis* (Gaertn) on CCL4 induced hepatic toxicity and DNA synthesis in Wistar rats. *Indian J Exp Biol.* 43: 430-436.

Environmental Hazard Literature Search Results

Off Topic

- Sumalatha, S; Pai, KS; Kumar, N; Bhat, KM. (2014). Hepatoprotective Role of *Caesalpinia bonduca*: A Histopathological and Biochemical Study. *Journal of clinical and diagnostic research : JCDR*. 8: HF05-07.
- Summerton, CB; Seymour, CA. (1991). CHANGES IN MARKER ENZYMES IN RAT SERUM DURING INDUCTION OF CIRRHOSIS WITH CARBON TETRACHLORIDE. *Medical Research Society Summer Meeting, Cambridge, England, Uk, July*. 81.
- Sun, C; Li, DG; Chen, YW; Chen, YW; Wang, BC; Sun, QL; Lu, HM. (2008). Transplantation of urokinase-type plasminogen activator gene-modified bone marrow-derived liver stem cells reduces liver fibrosis in rats. *The journal of gene medicine*. 10: 855-866.
- Sun, CK; Chen, CH; Kao, YH; Yuen, CM; Sheu, JJ; Lee, FY; Chen, YT; Kung, CT; Yip, HK. (2011). Bone Marrow Cells Reduce Fibrogenesis and Enhance Regeneration in Fibrotic Rat Liver. *J Surg Res*. 169: E15-E26.
- Sun, H; Che, QM; Zhao, X; Pu, XP. (2010). Antifibrotic effects of chronic baicalein administration in a CCl₄ liver fibrosis model in rats. *Eur J Pharmacol*. 631: 53-60.
- Sun, H; Lu, Z; Liang, H; Xin, J; Gao, Y; Guo, Q. (2014). Mesenteric and splenic contributions to portal venous CT perfusion in hepatic diffuse disease. *Int J Clin Exp Pathol*. 7: 8082-8086.
- Sun, HY; Chen, L; Zhou, WP; Hu, LA; Li, LA; Tu, QQ; Chang, YX; Liu, Q; Sun, XJ; Wu, MC; Wang, HY. (2011). The protective role of hydrogen-rich saline in experimental liver injury in mice. *J Hepatol*. 54: 471-480.
- Sun, J; Slavov, S; Schnackenberg, LK; Ando, Y; Greenhaw, J; Yang, X; Salminen, W; Mendrick, DL; Beger, R. (2014). Identification of a metabolic biomarker panel in rats for prediction of acute and idiosyncratic hepatotoxicity. *Computational and structural biotechnology journal*. 10: 78-89.
- Sun, K; Eriksson, SE; Tan, YP; Zhang, L; Arner, ESJ; Zhang, JS. (2014). Serum thioredoxin reductase levels increase in response to chemically induced acute liver injury. *Biochimica Et Biophysica Acta-General Subjects*. 1840: 2105-2111.
- Sun, SC; Wei, RD; Schaeffer, BT. (1971). The influence of postnecrotic cirrhosis on aflatoxin carcinogenesis in rats. *Laboratory investigation; a journal of technical methods and pathology*. 24: 368-372.
- Sun, WY; Wei, W; Gui, SY; Wu, L; Wang, H. (2008). Protective effect of extract from *Paeonia lactiflora* and *Astragalus membranaceus* against liver injury induced by *Bacillus Calmette-Guerin* and lipopolysaccharide in mice. *Basic & Clinical Pharmacology & Toxicology*. 103: 143-149.
- Sun, WY; Wei, W; Wu, L; Gui, SY; Wang, H. (2007). Effects and mechanisms of extract from *Paeonia lactiflora* and *Astragalus membranaceus* on liver fibrosis induced by carbon tetrachloride in rats. *J Ethnopharmacol*. 112: 514-523.
- Sun, XF; Gu, L; Deng, WS; Xu, Q. (2014). Impaired balance of T helper 17/T regulatory cells in carbon tetrachloride-induced liver fibrosis in mice. *World J Gastroenterol*. 20: 2062-2070.
- Sun, YF; Yang, XB; Lu, XS; Wang, DY; Zhao, Y. (2013). Protective effects of Keemun black tea polysaccharides on acute carbon tetrachloride-caused oxidative hepatotoxicity in mice. *Food Chem Toxicol*. 58: 184-192.
- Sun, Z; Yu, X; Wu, W; Jia, D; Chen, Y; Ji, L; Liu, X; Peng, X; Li, Y; Yang, L; Ruan, Y; Gu, J; Ren, S; Zhang, S. (2012). Fibroblast growth factor 7 inhibits cholesterol 7 α -hydroxylase gene expression in hepatocytes. *Biochem Biophys Res Commun*. 423: 775-780.
- Sun, ZC; Yu, XM; Wu, WB; Jia, DW; Chen, YL; Ji, LL; Liu, XJ; Peng, XM; Li, YT; Yang, LL; Ruan, YY; Gu, JX; Ren, SF; Zhang, SW. (2012). Fibroblast growth factor 7 inhibits cholesterol 7 alpha-hydroxylase gene expression in hepatocytes. *Biochem Biophys Res Commun*. 423: 775-780.
- Sun, Z-L; Gao, G-L; Xia, Y-F; Feng, J; Qiao, Z-Y. (2011). A new hepatoprotective saponin from *Semen Celosia cristatae*. *Fitoterapia*. 82: 591-594.
- Sun, Z-L; Wang, Y; Guo, M-L; Li, Y-X. (2010). Two new hepatoprotective saponins from *Semen celosiae*. *Fitoterapia*. 81: 375-380.
- Sundstrom, DW; Weir, BA; Barber, TA; Klei, HE. (1990). DESTRUCTION OF POLLUTANTS AND MICROORGANISMS IN WATER BY UV LIGHT AND HYDROGEN PEROXIDE. *Symposium On Advanced Oxidation Processes, June*. 27: 57-68.
- Sung, SH; Lee, EJ; Cho, JH; Kim, HS; Kim, YC. (2000). Sauchinone, a lignan from *Saururus chinensis*, attenuates CCl₄-induced toxicity in primary cultures of rat hepatocytes. *Biological & Pharmaceutical Bulletin*. 23: 666-668.
- Sunil, C; Ignacimuthu, S. (2011). In vitro and in vivo antioxidant activity of *Symplocos cochinchinensis* S. Moore leaves containing phenolic compounds. *Food Chem Toxicol*. 49: 1604-1609.
- Sunilson, JAJ; Muthappan, M; Das, A; Suraj, R; Varatharajan, R; Promwichit, P. (2009). Hepatoprotective Activity of *Coccinia grandis* Leaves Against Carbon Tetrachloride Induced Hepatic Injury in Rats. *International Journal of Pharmacology*. 5: 222-227.
- Suntio, LR; Shiu, WY; Mackay, D. (1988). A REVIEW OF THE NATURE AND PROPERTIES OF CHEMICALS PRESENT IN PULP MILL EFFLUENTS. *Chemosphere*. 17: 1249-1290.
- Suntres, ZE; Lui, EMK. (2006). Antioxidant effect of zinc and zinc-metallothionein in the acute cytotoxicity of hydrogen peroxide in Ehrlich ascites tumour cells. *Chem Biol Interact*. 162: 11-23.
- Surdo, EM. (2009). Active membranes for containing and treating environmental contamination. PhD, University of Minnesota.
- Surdo, EM; Cussler, EL; Arnold, WA. (2009). Sorptive and Reactive Scavenger-Containing Sandwich Membranes as Contaminant Barriers. *Journal of Environmental Engineering-Asce*. 135: 69-76.
- Surendran, S; Eswaran, MB; Vijayakumar, M; Rao, CV. (2011). In vitro and in vivo hepatoprotective activity of *Cissampelos pareira* against carbon-tetrachloride induced hepatic damage. *Indian J Exp Biol*. 49: 939-945.
- Sureshkumar, SV; Mishra, SH. (2006). Hepatoprotective effect of extracts from *Pergularia daemia* Forsk. *J Ethnopharmacol*. 107: 164-168.
- Suri, RPS; Crittenden, JC; Hand, DW. (1999). Removal and destruction of organic compounds in water using adsorption, steam regeneration, and photocatalytic oxidation processes. *Journal of Environmental Engineering-Asce*. 125: 897-905.
- Suriyachan, D; Thithapandha, A. (1977). Modification of carbon tetrachloride hepatotoxicity by chemicals. *Toxicol Appl Pharmacol*. 41: 369-376.
- Suriyakalaa, U; Antony, JJ; Suganya, S; Siva, D; Sukirtha, R; Kamalakkannan, S; Pichiah, PBT; Achiraman, S. (2013). Hepatocurative activity of biosynthesized silver nanoparticles fabricated using *Andrographis paniculata*. *Colloids and surfaces*. 102: 189-194.

Environmental Hazard Literature Search Results

Off Topic

- Suryanarayana Rao, K; Glende Jr, EA; Recknagel, RO. (1970). Effect of drug pretreatment on carbon tetrachloride-induced lipid peroxidation in rat liver microsomal lipids. *Exp Mol Pathol.* 12: 324-331.
- Suryanarayana Rao, K; Recknagel, RO. (1968). Early onset of lipoperoxidation in rat liver after carbon tetrachloride administration. *Exp Mol Pathol.* 9: 271-278.
- Susuki, T; Tsuji, J. (1968). Organic syntheses by means of metal complexes. I. Carbonylation of olefins with carbon monoxide and carbon tetrachloride catalyzed by binuclear metal carbonyls. *Tetrahedron Letters.* 9: 913-915.
- Suter, L; Babiss, LE; Wheeldon, EB. (2004). Toxicogenomics in predictive toxicology in drug development. *Chemistry & Biology.* 11: 161-171.
- Sutinen, R; Paronen, P; Saano, V; Urtti, A. (2000). Water-activated, pH-controlled patch in transdermal administration of timolol. II. Drug absorption and skin irritation. *European journal of pharmaceutical sciences : official journal of the European Federation for Pharmaceutical Sciences.* 11: 25-31.
- Sutton, PM. (1960). Concurrent experimental lesions in the liver due to carbon tetrachloride and alpha-naphthyl-isothiocyanate. *The Journal of pathology and bacteriology.* 79: 157-158.
- Sutton, PM; Spurgeon, PJ. (1966). Mitoses in bile duct epithelium following acute carbon tetrachloride poisoning. *Br J Exp Pathol.* 47: 545-549.
- Suva, J; Musil, F. (1978). 1033 - THE INFLUENCE OF CARBON TETRACHLORIDE IN DEPENDENCE ON THE ACTIVITY OF LIVER MICROSOMAL MIXED-FUNCTION OXIDASE IN THE RATS. Abstracts398.
- Suyama, S; Abe, S; Inoue, Y; Toukairin, A; Ohtake, Y; Ohkubo, Y. (2006). The involvement of transferrin in the uptake of iron-59 by hepatocytes of carbon tetrachloride-damaged rats. *Biological & Pharmaceutical Bulletin.* 29: 1387-1390.
- Suzek, H; Celik, I; Dogan, A; Yildirim, S. (2016). Protective effect and antioxidant role of sweetgum (*Liquidambar orientalis*) oil against carbon tetrachloride-induced hepatotoxicity and oxidative stress in rats. *Pharmaceutical Biology.* 54: 451-457.
- Suzuki, H; Hirano, N; Watanabe, C; Tarumoto, Y. (1997). Carbon tetrachloride does not induce micronucleus in either mouse bone marrow or peripheral blood. *Mutation Research-Genetic Toxicology and Environmental Mutagenesis.* 394: 77-80.
- Suzuki, S; Ogawa, E; Shibata, K; Tsuzuki, H. (1967). Changes in 65Zn and 59Fe metabolism, and carbonic anhydrase and catalase activity in animals with liver-damaged by carbon tetrachloride or ethionine. *Japanese journal of pharmacology.* 17: 393-408.
- Suzuki, S; Suzuki, S; Nakamura, N; Koizumi, T. (1976). The heterogeneity of dermatan sulfate and heparan sulfate in rat liver and a shift in the glycosaminoglycan contents in carbon tetrachloride-damaged liver. *Biochim Biophys Acta.* 428: 166-181.
- Suzuki, T; Chiang, HJ; Yanaura, S; Yoshida, T; Kuroiwa, Y. (1986). Studies on the mechanism of interaction between methamphetamine and quinine in rats. *Journal of pharmacobio-dynamics.* 9: 234-238.
- Suzuki, T; Fukuoka, H; Ushikoshi, S; Sato, R; Morita, H; Takizawa, T. (2015). Protective effect of aqueous extracts from *Rhizopus oryzae* on liver injury induced by carbon tetrachloride in rats. *Animal Science Journal.* 86: 532-540.
- Suzuki, T; Nezu, K; Sasaki, H; Miyazawa, T; Isono, H. (1994). Cytotoxicity of chlorinated hydrocarbons and lipid peroxidation in isolated rat hepatocytes. *Biological & pharmaceutical bulletin.* 17: 82-86.
- Svendsgaard, DJ; Hertzberg, RC. (1994). STATISTICAL METHODS FOR THE TOXICOLOGICAL EVALUATION OF THE ADDITIVITY ASSUMPTION AS USED IN THE ENVIRONMENTAL PROTECTION AGENCY CHEMICAL MIXTURE RISK ASSESSMENT GUIDELINES. Yang, R S H. 0: 599-642.
- Svensson, T; Sanden, P; Bastviken, D; Oberg, G. (2007). Chlorine transport in a small catchment in southeast Sweden during two years. *Biogeochemistry.* 82: 181-199.
- Svobodovı, H; Nonappa; Wimmer, Zk; Kolehmainen, E. (2011). Design, synthesis and stimuli responsive gelation of novel stigmaterolı amino acid conjugates. *J Colloid Interface Sci.* 361: 587-593.
- Swaim, LD; Taylor, HW; Jersey, GC. (1985). THE EFFECT OF HANDLING TECHNIQUES ON SERUM ALANINE TRANSAMINASE EC-2.6.1.2 ACTIVITY IN MICE. *J Appl Toxicol.* 5: 160-162.
- Swaim, LD; Taylor, HW; Jersey, GC. (1985). The effect of handling techniques on serum ALT activity in mice. *Journal of applied toxicology : JAT.* 5: 160-162.
- Swain, MG; Appleyard, C; Wallace, J; Wong, H; Le, T. (1999). Endogenous glucocorticoids released during acute toxic liver injury enhance hepatic IL-10 synthesis and release. *American Journal of Physiology-Gastrointestinal and Liver Physiology.* 276: G199-G205.
- Swenson, ES; Guest, I; Ilic, Z; Mazzeo-Helgevold, M; Lizardi, P; Hardiman, C; Sell, S; Krause, DS. (2008). Hepatocyte nuclear factor-1 as marker of epithelial phenotype reveals marrow-derived hepatocytes, but not duct cells, after liver injury in mice. *Stem Cells.* 26: 1768-1777.
- Swindle, AL; Cozzarelli, IM; Madden, ASE. (2015). Using Chromate to Investigate the Impact of Natural Organics on the Surface Reactivity of Nanoparticulate Magnetite. *Environmental Science & Technology.* 49: 2156-2162.
- Swindle, AL; Madden, ASE; Cozzarelli, IM; Benamara, M. (2014). Size-Dependent Reactivity of Magnetite Nanoparticles: A Field-Laboratory Comparison. *Environmental Science & Technology.* 48: 11413-11420.
- Swindlehurst, RJ; Johnston, PA; Trondle, S; Stringer, RL; Stephenson, AD; Stone, IM. (1995). REGULATION OF TOXIC CHEMICALS IN THE MEDITERRANEAN THE NEED FOR AN ADEQUATE STRATEGY. *Sci Total Environ.* 171: 243-264.
- Syal, S. (1992). Reductive dechlorination in a continuous flow electrolysis cell. PhD, Michigan State University.
- Syamasundar, KV; Singh, B; Singh Thakur, R; Husain, A; Yoshinobu, K; Hiroshi, H. (1985). Antihepatotoxic principles of *Phyllanthus niruri* herbs. *J Ethnopharmacol.* 14: 41-44.
- Syed, SN; Rizvi, W; Kumar, A; Khan, AA; Moin, S; Ahsan, A. (2014). In vitro antioxidant and in vivo hepatoprotective activity of leave extract of *Raphanus sativus* in rats using CCL4 model. *African journal of traditional, complementary, and alternative medicines : AJTCAM / African Networks on Ethnomedicines.* 11: 102-106.
- Sykes, RG; Doty, RN. (1988). THE NEW REGULATIONS A CHALLENGE FOR SMALL SYSTEMS. *Am Water Works Assoc J.* 80: 62-64.
- Synder, IS; Agarwal, MK; Berry, LJ. (1967). Influence of carbon tetrachloride on inducible liver enzymes and response to endotoxin in mice. *J Bacteriol.* 94: 1817-1823.

Environmental Hazard Literature Search Results

Off Topic

- Synková, J. (1969). Serum histidine ammonia-lyase activity in carbon tetrachloride poisoned rats. *Sborník vědeckých prací Karlovy univerzity v Hradci Králové*. 12: 643-649.
- Syrov, VN; Khushbaktova, ZA; Nabiev, AN. (1992). An experimental study of the hepatoprotective properties of phytoecdysteroids and nerobol in carbon tetrachloride-induced liver injury. *EKSP KLIN FARMAKOL/EXP CLIN PHARMACOL*. 55: 61-65.
- Szabó, A; Nagymajtényi, L; Vezáry, T. (2006). Alterations in the cortical and peripheral somatosensory evoked activity of rats treated with 3-nitropropionic acid. *Toxicol* 2006, Jan. 160: 212-213.
- Szabó, A; Papp, A. Functional neurotoxic effects in rats elicited by 3-nitropropionic acid in acute and subacute administration.
- Szabó, A; Papp, A. Stimulus frequency dependence of the central and peripheral somatosensory evoked activity in rats treated with various pesticides.
- Szabo, AM; Endresz, V; Sri, F. Isocitrate lyase encoding plasmids in BCG cause increased survival in ApoB100-only LDLR^{-/-} mice.
- Szarvas, F; Biliczki, F. (1970). Effect of sirepar on experimental cirrhosis in rats. *Therapia Hungarica (English edition)*. 18: 103-106.
- Szebeni, J; Eskelson, CD; Mufti, SI; Watson, RR; Sipes, IG. (1986). Inhibition of ethanol induced ethane exhalation by carcinogenic pretreatment of rats 12 months earlier. *World J Gastroenterol*. 39: 2587-2591.
- Szecsody, JE; Fruchter, JS; Williams, MD; Vermeul, VR; Sklarew, D. (2004). In situ chemical reduction of aquifer sediments: Enhancement of reactive iron phases and TCE dechlorination. *Environmental Science & Technology*. 38: 4656-4663.
- Szigeti, C; Sánta, P. Disparate changes in the expression of transient receptor potential vanilloid type 1 receptor mRNA and protein in dorsal root ganglion neurons following local capsaicin treatment of the sciatic nerve in the rat.
- Szlamka, I; Kovács, AG; Somogyi, J; Menyhart, JASH. (1973). Effect of beta receptor blockade on liver injury induced by carbon tetrachloride. *Acta physiologica Academiae Scientiarum Hungaricae*.
- Szlamka, I; Menyhart, J; Somogyi, J. (1975). Relationship between lysosomal damage, fatty infiltration and hepatocellular necrosis in the course of acute liver injury induced by carbon tetrachloride in the rat. *Acta physiologica Academiae Scientiarum Hungaricae*. 46: 51-57.
- Szlamka, L; Sándor, P; Koltay, E; Kovács, E. (1977). Effect of lipid load and carbon tetrachloride on the fatty acid release from dog adipose tissue isolated in vivo. *Acta Physiol Acad Sci Hun*. 49: 103-109.
- Szymanska, JA; Bruchajzer, E; Sporny, S; Piotrowski, JK. (1998). Changes in selected indicators of liver impairment after repeated administration of mono- and polybromobenzenes in mice. *Bull Environ Contam Toxicol*. 61: 22-30.
- Szymonik-Lesiuk, S; Czechowska, G; Stryjecka-Zimmer, M; Omka, M; Madro, A; Celiński, K; Wielosł, M. (2003). Catalase, superoxide dismutase, and glutathione peroxidase activities in various rat tissues after carbon tetrachloride intoxication. *Journal of hepato-biliary-pancreatic surgery*. 10: 309-315.
- Támas, I; Gruber, L; Radics, L. (1975). On the mechanism of the reaction of triphenylphosphine-carbon tetrachloride with alcohols, acids and enolizable ketones. *Tetrahedron Letters*. 16: 2473-2476.
- Tárel, D-DoP; Toxicology, YznUvV-T; Au, OH; Erten, R; Oner, AC; Cengiz, N; Yilmaz, O. (2009). Hepatoprotective and anti-inflammatory activities of *Plantago major* L. *Indian J Pharmacol*. 41: 120-124.
- Tárkai, G; Árkai, S; Árkai, M. Ameliorating effect of pomegranate juice consumption on carbon tetrachloride-induced sperm damages, lipid peroxidation, and testicular apoptosis.
- Tabak, HH; Grady, CP; Volskay, VT. (1990). Effect of Selected RCRA Compounds on Activated Sludge Activity. *Research Journal of the Water Pollution Control Federation JWPFA5*, Vol 62, No 5, p 654-664, July/August 1990 6 fig, 10 fig, 25 ref EPA Cooperative Agreement CR-813382-01-0.
- Tabata, F. (1963). ROLE OF THE LIVER IN EXPERIMENTAL RENAL HYPERTENSION: STUDY ON INACTIVATING ABILITY OF THE VASOACTIVE SUBSTANCE FOLLOWING RENO-PORTAL VENOUS ANASTOMOSIS. *The Kobe journal of medical sciences*. 41: 93-134.
- Tadokoro, K; Ishidate, K; Nakazawa, Y. (1985). Evidence for the existence of isozymes of choline kinase and their selective induction in 3-methylcholanthrene- or carbon tetrachloride-treated rat liver. *Biochim Biophys Acta*. 835: 501-513.
- Taguchi, K; Miyasato, M; Ujihira, H; Watanabe, H; Kadowaki, D; Sakai, H; Tsuchida, E; Horinouchi, H; Kobayashi, K; Maruyama, T; Otagiri, M. (2010). Hepatically-metabolized and -excreted artificial oxygen carrier, hemoglobin vesicles, can be safely used under conditions of hepatic impairment. *Toxicol Appl Pharmacol*. 248: 234-241.
- Tahara, K; Matsuoka, S; Oama, H. (1974). Effect of riboflavin and riboflavin 2',3',4',5'-tetrabutylrate on rat liver microsomal lipid peroxidation. *J Nutr Sci Vitaminol*. 20: 81-88.
- Tahashi, Y; Matsuzaki, K; Date, M; Yoshida, K; Furukawa, F; Sugano, Y; Matsushita, M; Himeno, Y; Inagaki, Y; Inoue, K. (2002). Differential regulation of TGF-beta signal in hepatic stellate cells between acute and chronic rat liver injury. *Hepatology (Baltimore, Md)*. 35: 49-61.
- Tai, YL; Dempsey, BA. (2009). Nitrite reduction with hydrous ferric oxide and Fe(II): Stoichiometry, rate, and mechanism. *Water Res*. 43: 546-552.
- Taieb, D; Malicet, C; Garcia, S; Rocchi, P; Arnaud, C; Dagorn, JC; Iovanna, JL; Vasseur, S. (2005). Inactivation of stress protein p8 increases murine carbon tetrachloride hepatotoxicity via preserved CYP2E1 activity. *Hepatology*. 42: 176-182.
- Taira, Z; Monmasu, H; Ueda, Y. (2009). Innate Host-defensive Function of a Hepatic Lipid Fraction Produced in Low-dose Carbon Tetrachloride-pretreated Mice. *Anticancer Res*. 29: 837-841.
- Taira, Z; Yabe, K; Hamaguchi, Y; Hirayama, K; Kishimoto, M; Ishida, S; Ueda, Y. (2004). Effects of Sho-saiko-to extract and its components, Baicalin, baicalein, glycyrrhizin and glycyrrhetic acid, on pharmacokinetic behavior of salicylamide in carbon tetrachloride intoxicated rats. *Food Chem Toxicol*. 42: 803-807.
- Taj, D; Khan, H; Sultana, V; Ara, J; Ehteshamul-Haque, S. (2014). Antihepatotoxic effect of golden berry (*Physalis peruviana* Linn.) in carbon tetrachloride (CCl₄) intoxicated rats. *Pak J Pharm Sci*. 27: 491-494.

Environmental Hazard Literature Search Results

Off Topic

- Tajima, S; Nishimura, N; Ito, K. (1985). Suppression of delayed-type hypersensitivity mediated by macrophage-like cells in mice with experimental liver injury. *Immunology*. 54: 57-64.
- Takahashi, H; Imamura, M; Mikami, Y; Yamauchi, H. (1999). Exacerbation of acute pancreatitis in the presence of chronic liver injury in rats, with special reference to therapeutic efficacy of prostaglandin E1. *Pancreas*. 19: 199-204.
- Takahashi, H; Onishi, H; Machida, Y. (2004). Glycyrrhetic acid-loaded microparticles: liver-specific delivery and therapeutic potential against carbon tetrachloride-induced hepatitis. *J Pharm Pharmacol*. 56: 437-444.
- Takahashi, K; Higashi, Y; Yata, N. (1986). Hepato-biliary transport of amaranth by single pass liver perfusion in normal and carbon tetrachloride or alpha-naphthylisothiocyanate treated rats. *Journal of pharmacobio-dynamics*. 9: 570-577.
- Takahashi, M; Kitamoto, D; Imura, T; Oku, H; Takara, K; Wada, K. (2008). Characterization and bioavailability of liposomes containing a ukon extract. *Bioscience Biotechnology and Biochemistry*. 72: 1199-1205.
- Takahashi, N; Katsurada, M; Ohori, Y; Niki, E; Yamamoto, Y. (1990). EFFECT OF INTERVAL CARBON TETRACHLORIDE ADMINISTRATION ON LEVELS OF HYDROPEROXIDE AND ANTIOXIDANTS IN RAT. Meeting On Oxidative Damage And Repair Held At The 5th Biennial Meeting Of The International Society For Free Radical Research, Pasadena, California, Usa, November. 9.
- Takahashi, N; Nakazawa, M; Watanabe, T. (1970). Effect of carbon tetrachloride upon arylesterases in mice. *Japanese journal of pharmacology*. 20: 210-221.
- Takahashi, S; Hirose, M; Tamano, S; Ozaki, M; Orita, S; Ito, T; Takeuchi, M; Ochi, H; Fukada, S; Kasai, H; Shirai, T. (1998). Immunohistochemical detection of 8-hydroxy-2'-deoxyguanosine in paraffin-embedded sections of rat liver after carbon tetrachloride treatment. *Toxicol Pathol*. 26: 247-252.
- Takahashi, T; Sugimoto, N; Takahata, K; Okamoto, T; Kishi, T. (1996). Cellular antioxidant defense by a ubiquinol-regenerating system coupled with cytosolic NADPH-dependent ubiquinone reductase: Protective effect against carbon tetrachloride-induced hepatotoxicity in the rat. *Biological & Pharmaceutical Bulletin*. 19: 1005-1012.
- Takano, T; Miyazaki, Y. (1982). Effect of chlorinated ethanes and ethylenes on electron transport in rat liver mitochondria. *The Journal of toxicological sciences*. 7: 143-149.
- Takano, T; Tatematsu, M; Hasegawa, R; Imaida, K; Ito, N. (1980). Dose-response relationship for the promoting effect of phenobarbital on the induction of liver hyperplastic nodules in rats exposed to 2-fluorenylacetamide and carbon tetrachloride. *Gan*. 71: 580-581.
- Takasuka, M; Yamakawa, M. (1995). FTIR spectral study of intramolecular hydrogen bonding in E-type of 15-keto-prostaglandins in dilute CCl4 solution: Structure-activity relationships. *Bioorganic & Medicinal Chemistry*. 3: 459-469.
- Takeda, A; Okumura, H; Okada, S. (1993). Liver distribution of 99mTc-DL-homocysteine in experimental hepatitis rats. *Nucl Med Biol*. 20: 911-916.
- Takeda, K; Watanabe, J; Inoue, K; Kanamura, S. (2000). Rifampicin suppresses hepatic CYP2E1 expression and minimizes DNA injury caused by carbon tetrachloride in perivenular hepatocytes of mice. *Alcoholism-Clinical and Experimental Research*. 24: 875-925.
- Takeda, M; Yamamoto, M; Isoda, K; Higashiyama, S; Hirose, M; Ohgushi, H; Kawase, M; Yagi, K. (2005). Availability of bone marrow stromal cells in three-dimensional coculture with hepatocytes and transplantation into liver-damaged mice. *J Biosci Bioeng*. 100: 77-81.
- Takeda, S; Arai, I; Kase, Y; Ohkura, Y; Hasegawa, M; Sekiguchi, Y; Sudo, K; Aburada, M; Hosoya, E. (1987). Pharmacological studies on antihepatotoxic action of (+)-(6S,7S,R-biar)-5,6,7,8-tetrahydro-1,2,3,12-tetramethoxy-6,7-di methyl-10,11-methylenedioxy-6-dibenzo(a,c)cyclooctenol (TJN-101), a lignan component of schisandra fruits. Influences of solvents on the efficacy of TJN-101 in the experimental acute hepatic injuries. *J PHARM SOC JAPAN/YAKUGAKU ZASSHI*. 107: 517-524.
- Takeda, S; Kase, Y; Arai, I; Ohkura, Y; Hasegawa, M; Sekiguchi, Y; Tatsugi, A; Funo, S; Aburada, M; Hosoya, E. (1987). Effects of TJN-101, a lignan compound isolated from Schisandra fruits, on liver fibrosis and on liver regeneration after partial hepatectomy in rats with chronic liver injury induced by CCl sub(4). *Folia Pharmacologica Japonica*. 90: 51-65.
- Takeda, T; Endo, Y; Reddy, ACS; Sasaki, R; Fujiwara, T. (1999). Transformation of ketones into 1-chloro and 1,1-dichloro-1-alkenes by means of a polychloromethane-titanocene(II) system. *Tetrahedron*. 55: 2475-2486.
- Takei, N. (1985). Branched chain amino acid transaminase and branched chain alpha-ketoacid dehydrogenase activity in the brain, liver and skeletal muscle of acute hepatic failure rats. *Acta Med Okayama*. 39: 1-10.
- Takei, N; Watanabe, A; Sakata, T; Hayashi, S; Obata, T; Shiota, T; Nagashima, H. (1983). Brain tyrosine hydroxylase activity and calculated amount of brain dopa synthesized in carbon tetrachloride-intoxicated rats. *Gastroenterologia Japonica*. 18: 11-14.
- Takekoshi, S; Kitatani, K; Yamamoto, Y. (2014). Roles of Oxidized Diacylglycerol for Carbon Tetrachloride-induced Liver Injury and Fibrosis in Mouse. *Acta Histochem Cytochem*. 47: 185-194.
- Takemoto, S; Yamamoto, A; Tomonaga, S; Funaba, M; Matsui, T. (2013). Magnesium Deficiency Induces the Emergence of Mast Cells in the Liver of Rats. *J Nutr Sci Vitaminol*. 59: 560-563.
- Takeshita, M; Iwai, H. (1964). CONVERSION OF NUCLEOSIDE TO SEDOHEPTULOSE MONOPHOSPHATE BY MOUSE LIVER INJURED WITH CCL-4. *Arch Biochem Biophys*. 108: 357-358.
- Taketa, K; Tanaka, A; Watanabe, A; Takesue, A; Aoe, H; Kosaka, K. (1976). Undifferentiated patterns of key carbohydrate-metabolizing enzymes in injured livers. I. Acute carbon-tetrachloride intoxication of rat. *Enzyme*. 21: 158-173.
- Takeuchi, J; Kubo, T; Yoshida, H; Kitagawa, T; Tone, T. (1972). Hemodynamics in the dog liver after carbon tetrachloride injury. *J Appl Physiol*. 32: 320-324.
- Takeuchi, K; Ichinohe, M; Sekiguchi, A. (2011). Access to a Stable Si(2)N(2) Four-Membered Ring with Non-Kekule Singlet Biradical Character from a Disilyne. *J Am Chem Soc*. 133: 12478-12481.
- Takeuchi, T; Ochiya, T; Takezawa, T. (2008). Tissue array substratum composed of histological sections: A new platform for orienting differentiation of embryonic stem cells towards hepatic lineage. *Tissue Engineering Part A*. 14: 267-NIL_243.

Environmental Hazard Literature Search Results

Off Topic

- Takiguchi, N; Takahashi, Y; Nishikawa, M; Matsui, Y; Fukuhara, Y; Oushiki, D; Kiyose, K; Hanaoka, K; Nagano, T; Takakura, Y. (2011). Positive Correlation Between the Generation of Reactive Oxygen Species and Activation/Reactivation of Transgene Expression After Hydrodynamic Injections into Mice. *Pharm Res.* 28: 702-711.
- Takino, M. (1991). Sleep deprivation affects the course of carbon tetrachloride-induced acute liver damage in rats. *J Saitama Med Sch.* 18: 243-252.
- Takizawa, S; Watanabe, H; Naito, Y; Inoue, S. (1975). Preparative action of carbon tetrachloride in liver tumorigenesis by a single application of N-butyl nitrosourea in male ICR/JCL strain mice. *Gan.* 66: 603-614.
- Takizawa, Y; Muto, H. (1988). DETERMINATION OF FLUOROCARBONS OBTAINED BY THE PHOTOCHEMICAL REACTION. *Fluoride.* 21: 201-209.
- Talinli, I; Tokta, S. (1994). Oxygen uptake rate inhibition test: A modified method for priority pollutants. *Environ Technol.* 15: 979-988.
- Taljaard, JJ; Shanley, BC; Stewart-Wynne, EG; Deppe, WM; Joubert, SM. (1972). Studies on low dose chloroquine therapy and the action of chloroquine in symptomatic porphyria. *The British journal of dermatology.* 87: 261-269.
- Talmale, VR; More, PR; Ghumare, BC; Shendre, SB; Nirgulkar, SN. (2010). Efficacy of Pcorriza kurrooa Benth in experimentally induced hepatotoxicity in cross-bred calves. *Veterinary world.* 3: 29-31.
- Talu, MF; Gul, M; Alpaslan, N; Yigitcan, B. (2013). Calculation of melatonin and resveratrol effects on steatosis hepatis using soft computing methods. *Comput Methods Programs Biomed.* 111: 498-506.
- Tamagno, E; Aragno, M; Boccuzzi, G; Gallo, M; Parola, S; Fubini, B; Poli, G; Danni, O. (1998). Oxygen free radical scavenger properties of dehydroepiandrosterone. *Cell Biochem Funct.* 16: 57-63.
- Tamai, T; Inazu, K; Aika, KI. (2006). Dichlorodifluoromethane decomposition to CO₂ with simultaneous halogen fixation by calcium oxide based materials. *Environmental Science & Technology.* 40: 823-829.
- Tamano, S; Tsuda, H; Tatematsu, M; Hasegawa, R; Imaida, K; Ito, N. (1981). Induction of gamma-glutamyl transpeptidase positive foci in rat liver by pyrolysis products of amino acids. *Gan.* 72: 747-753.
- Tamao, H. (1966). Experimental and clinical studies on the intrahepatic vascular changes in chronic liver injury. I. Microscopic vital observation of the mouse liver in chronic carbon-tetrachloride intoxication. *Japanese circulation journal.* 30: 205-216.
- Tamara, ML; Butler, EC. (2004). Effects of iron purity and groundwater characteristics on rates and products in the degradation of carbon tetrachloride by iron metal. *Environmental Science & Technology.* 38: 1866-1876.
- Tamarit, JL; Barrio, M; Pardo, LC; Negrier, P; Mondieig, D. (2008). High-pressure properties inferred from normal-pressure properties. *Journal of Physics-Condensed Matter.* 20: 44110-44110.
- Tamizhselvi, R; Parasakthy, K; Sirajudeen, KNS; Vidhya, N; Niranjali, S. (1999). Eugenol as an in vivo antioxidant against carbon tetrachloride-induced oxidative stress. *Medical Science Research.* 27: 255-258.
- Tammes, AR. (1965). EXOGENOUS SEROTONIN ADMINISTERED TO RATS WITH LIVER DAMAGE. *Arch Pathol.* 79: 626-628.
- Tamura, Y; Niinobe, M; Arima, T; Okuda, H; Fujii, S. (1973). Studies on aminopeptidases in rat liver and plasma. *Biochim Biophys Acta.* 327: 437-445.
- Tan, G; Pan, S; Li, J; Dong, X; Kang, K; Zhao, M; Jiang, X; Kanwar, JR; Qiao, H; Jiang, H; Sun, X. (2011). Hydrogen sulfide attenuates carbon tetrachloride-induced hepatotoxicity, liver cirrhosis and portal hypertension in rats. *PLoS ONE.* 6: e25943.
- Tan, HB; He, Q; Li, RG; Lei, FF; Lei, X. (2016). Trillin Reduces Liver Chronic Inflammation and Fibrosis in Carbon Tetrachloride (CCl₄) Induced Liver Injury in Mice. *Immunol Invest.* 45: 371-382.
- Tanahashi, N; Shikami, J; Yoneda, M; Ishida, T. (2011). Effects of manual acupuncture at GB34 on carbon tetrachloride-induced acute liver injury in rats. *Journal of Acupuncture and Meridian Studies.* 4: 214-219.
- Tanaka, A; Morimoto, T; Wakashiro, S; Ikai, I; Ozawa, K; Orii, Y. (1987). Kinetic alterations of cytochrome c oxidase in carbon tetrachloride induced cirrhotic rat liver. *Life Sci.* 41: 741-748.
- Tanaka, E; Etoh, H; Ishikawa, A; Nakano, M; Misawa, S. (1991). Influence of liver damage on antipyrine metabolite formation in rats. *Xenobiotica; the fate of foreign compounds in biological systems.* 21: 663-667.
- Tanaka, E; Hagino, S; Yoshida, T; Kuroiwa, Y; Ohno, H; Numata, H. (1984). The protective effect of cysteine on chemical-induced liver injury in rats. *The Journal of toxicological sciences.* 9: 245-251.
- Tanaka, E; Ishikawa, A; Fukao, K; Misawa, S; Iwasaki, Y. (1987). ASSESSMENT OF MICROSOMAL FUNCTION BY TRIMETHADIONE TOLERANCE TEST IN PARTIALLY HEPATECTOMIZED RATS. 60th General Meeting Of The Japanese Pharmacological Society, Chiba, Japan, March. 43.
- Tanaka, E; Ishikawa, A; Misawa, S. (1992). Simplified test for determination of drug-oxidizing capacity in rats with chemical-induced liver injury using caffeine and trimethadione as model drugs. *Pharmacology & toxicology.* 70: 177-180.
- Tanaka, E; Ishikawa, A; Misawa, S. (1994). Changes in caffeine, lidocaine and trimethadione metabolism in carbon tetrachloride-intoxicated rats as assessed by a "cocktail" study. *Pharmacology & toxicology.* 75: 150-153.
- Tanaka, E; Ishikawa, A; Yamamoto, Y; Uchida, E; Kobayashi, S; Yasuhara, H; Misawa, S. (1992). Simplified approach for evaluation of hepatic drug-oxidizing capacity with a simultaneous measurement of caffeine and its primary demethylated metabolites in carbon tetrachloride-intoxicated rats. *Xenobiotica.* 22: 535-541.
- Tanaka, E; Kinoshita, H; Yoshida, T; Kuroiwa, Y. (1981). Determination of plasma trimethadione and its metabolite carbon tetrachloride-intoxicated rat liver: a useful tool for estimation of hepatic drug metabolizing capacity. *Journal of pharmacobio-dynamics.* 4: 961-967.
- Tanaka, E; Kinoshita, H; Yoshida, T; Kuroiwa, Y. (1981). Determination of Plasma Trimethadione and Its Metabolite in Carbon Tetrachloride-Intoxicated Rat Liver: A Useful Tool for Estimation of Hepatic Drug-Metabolizing Capacity. *J PHARM DYN.* 4: 961-967.
- Tanaka, E; Kinoshita, H; Yoshida, T; Kuroiwa, Y. (1981). Saliva levels of trimethadione and its metabolite as an index of drug metabolizing activity in rats. *Journal of pharmacobio-dynamics.* 4: 922-927.

Environmental Hazard Literature Search Results

Off Topic

- Tanaka, F; Hori, N; Sato, K. (2002). Identification of differentially expressed genes in rat hepatoma cell lines using subtraction and microarray. *J Biochem.* 131: 39-44.
- Tanaka, K. (1982). Effects of hepatic disorder on the fate of cadmium in rats. *Dev Toxicol Environ Sci.* 9: 237-249.
- Tanaka, K; Itoh, N; Min, KS; Muto, N. (1998). Toxicological significances of metallothionein: Induction by inflammation. *Journal of Toxicology-Toxin Reviews.* 17: 57-71.
- Tanaka, K; Matsuda, T; Morita, H; Hosomi, H. (1995). Depressed sensitivity of the hepatoportal NaCl receptors in rats with carbon tetrachloride-induced liver cirrhosis. *The American journal of physiology.* 269: R1390-1395.
- Tanaka, K; Nomura, H; Onosaka, S; Min, KS. (1981). Release of Hepatic Cadmium by Carbon Tetrachloride Treatment. *TOXICOL AND APPL PHARMACOL.* 59: 535-539.
- Tanaka, M; Iwakiri, Y. (2016). The Hepatic Lymphatic Vascular System: Structure, Function, Markers, and Lymphangiogenesis. *CMGH Cellular and Molecular Gastroenterology and Hepatology.* 2: 733-749.
- Tanaka, N; Kono, H; Ishii, K; Hosomura, N; Fujii, H. (2009). Dietary olive oil prevents carbon tetrachloride-induced hepatic fibrosis in mice. *J Gastroenterol.* 44: 983-990.
- Tanaka, N; Tanaka, K; Nagashima, Y; Kondo, M; Sekihara, H. (1999). Nitric oxide increases hepatic arterial blood flow in rats with carbon tetrachloride-induced acute hepatic injury. *Gastroenterology.* 117: 173-180.
- Tanaka, R; Higo, Y; Murata, H; Nakamura, T. (1999). Accumulation of hydroxy lipids in live fish with oxidative stress. *Fish Sci.* 65: 796-797.
- Tanaka, S; Tanaka, M; Kimura, K; Nozaki, K; Seki, Y. (1996). Breakthrough time of a respirator cartridge for carbon tetrachloride vapor flow of workers' respiratory patterns. *Ind Health.* 34: 227-236.
- Tanaka, T; Mori, H; Williams, GM. (1987). ENHANCEMENT OF DIMETHYLNITROSAMINE-INITIATED HEPATOCARCINOGENESIS IN HAMSTERS BY SUBSEQUENT ADMINISTRATION OF CARBON TETRACHLORIDE BUT NOT PHENOBARBITAL OR P P' DDT. *Carcinogenesis.* 8: 1171-1178.
- Tanaka, T; Mori, H; Williams, GM. (1987). Enhancement of dimethylnitrosamine-initiated hepatocarcinogenesis in hamsters by subsequent administration of carbon tetrachloride but not phenobarbital or p,p'-dichlorodiphenyltrichloroethane. *Carcinogenesis.* 8: 1171-1178.
- Tanaka, T; Takahashi, K; Iwamoto, N; Agawa, Y; Sawada, Y; Yoshimura, Y; Zaima, N; Moriyama, T; Kawamura, Y. (2012). Hepatoprotective action of dietary bluefin tuna skin proteins on CCl(4)-intoxicated mice. *Fish Sci.* 78: 911-921.
- Tanaka, Y; Aleksunes, LM; Cui, YJ; Klaassen, CD. (2009). ANIT-Induced Intrahepatic Cholestasis Alters Hepatobiliary Transporter Expression via Nrf2-Dependent and Independent Signaling. *Toxicol Sci.* 108: 247-257.
- Tanemura, K; Suzuki, T; Nishida, Y; Horaguchi, T. (2008). Chlorination of aliphatic hydrocarbons, aromatic compounds, and olefins in subcritical carbon tetrachloride. *Tetrahedron Letters.* 49: 6419-6422.
- Tanemura, K; Suzuki, T; Nishida, Y; Horaguchi, T. (2010). Chlorination of various substrates in subcritical carbon tetrachloride. *Tetrahedron.* 66: 2881-2888.
- Tang, AC; Chen, XY; Lu, QY; Zheng, N; Wei, YF; Wu, XY. (2014). Antihepatotoxic Effect of Tadehaginoside, Extracted from Tadehagi triquetrum (L.), Against CCl4-Lesioned Rats Through Activating the Nrf2 Signaling Pathway and Attenuating the Inflammatory Response. *Inflammation.* 37: 1006-1014.
- Tang, D; Wang, F; Tang, J; Mao, A; Liao, S; Wang, Q. (2017). Dicranostiga leptopodu (Maxim.) Fedde extracts attenuated CCl4-induced acute liver damage in mice through increasing anti-oxidative enzyme activity to improve mitochondrial function. *Biomedicine & Pharmacotherapy.* 85: 763-771.
- Tang, MH; Chiu, PY; Ko, KM. (2003). Hepatoprotective action of schisandrin B against carbon tetrachloride toxicity was mediated by both enhancement of mitochondrial glutathione status and induction of heat shock proteins in mice. *BioFactors.* 19: 33-42.
- Tang, S; Wang, XM; Mao, YQ; Zhao, Y; Yang, HW; Xie, YFF. (2015). Effect of dissolved oxygen concentration on iron efficiency: Removal of three chloroacetic acids. *Water Res.* 73: 342-352.
- Tang, WP; Akahoshi, T; Piao, JS; Narahara, S; Murata, M; Kawano, T; Hamano, N; Ikeda, T; Hashizume, M. (2015). Basic fibroblast growth factor-treated adipose tissue-derived mesenchymal stem cell infusion to ameliorate liver cirrhosis via paracrine hepatocyte growth factor. *J Gastroenterol Hepatol.* 30: 1065-1074.
- Tang, XH; Gao, J; Chen, J; Fang, F; Wang, YP; Dou, H; Xu, QA; Qian, ZM. (2005). Inhibition of ursolic acid on calcium-induced mitochondrial permeability transition and release of two proapoptotic proteins. *Biochem Biophys Res Commun.* 337: 320-324.
- Tang, XH; Gao, J; Chen, J; Xu, LZ; Tang, YH; Zhao, XN; Michael, L. (2008). Mitochondrial modulation is involved in the hepatoprotection of Limonium sinense extract against liver damage in mice. *J Ethnopharmacol.* 120: 427-431.
- Tang, XH; Gao, J; Fang, F; Chen, J; Xu, LZ; Zhao, XN; Xu, Q. (2005). Hepatoprotection of oleanolic acid is related to its inhibition on mitochondrial permeability transition. *Am J Chin Med.* 33: 627-637.
- Tang, XH; Gao, J; Wang, YP; Fan, YM; Xu, LZ; Zhao, XN; Xu, Q; Qian, ZM. (2006). Effective protection of Terminalia catappa L. leaves from damage induced by carbon tetrachloride in liver mitochondria. *J Nutr Biochem.* 17: 177-182.
- Tang, XM; Yang, JT; Li, J. (2009). Accelerative effect of leflunomide on recovery from hepatic fibrosis involves TRAIL-mediated hepatic stellate cell apoptosis. *Life Sci.* 84: 552-557.
- Tang, XP; An, J; Denton, RM. (2014). A procedure for Appel halogenations and dehydrations using a polystyrene supported phosphine oxide. *Tetrahedron Letters.* 55: 799-802.
- Tang, Y; Hu, C; Liu, Y. (2013). Effect of bioactive peptide of Carapax Trionycis on TGF- β ¹-induced intracellular events in hepatic stellate cells. *J Ethnopharmacol.* 148: 69-73.
- Tanhua, T; Fogelqvist, E; BastÅrker, Åz. (1996). Reduction of volatile halocarbons in anoxic seawater, results from a study in the Black Sea. *Marine Chemistry.* 54: 159-170.

Environmental Hazard Literature Search Results

Off Topic

- Tanhua, T; Liu, M. (2015). Upwelling velocity and ventilation in the Mauritanian upwelling system estimated by CFC-12 and SF6 observations. *J Mar Syst.* 151: 57-70.
- Tanhua, T; Olsson, KA. (2005). Removal and bioaccumulation of anthropogenic, halogenated transient tracers in an anoxic fjord. *Marine Chemistry.* 94: 27-41.
- Tanhua, T; Olsson, KA; Fogelqvist, E. (2004). A first study of SF(6) as a transient tracer in the Southern Ocean. *Deep-Sea Research Part II-Topical Studies in Oceanography.* 51: 2683-2699.
- Tani, H. (1964). STUDIES ON THE EFFECT OF CARBON TETRACHLORIDE ON THE LIVER CELLS. *Nagoya J Med Sci.* 26: 228-233.
- Taniguchi, M; Takeuchi, T; Nakatsuka, R; Watanabe, T; Sato, K. (2004). Molecular process in acute liver injury and regeneration induced by carbon tetrachloride. *Life Sci.* 75: 1539-1549.
- Tanii, H; Hashimoto, K. (1984). Structure-toxicity relationship of aliphatic nitriles. *Toxicol Lett.* 22: 267-272.
- Tanii, H; Hashimoto, K. (1984). Studies on the mechanism of acute toxicity of nitriles in mice. *Arch Toxicol.* 55: 47-54.
- Tanii, H; Hashimoto, K; Harada, A. (1993). Effect of carbon tetrachloride on allylnitrile-induced head twitching. *Environ Res.* 61: 140-149.
- Tanii, H; Hayashi, M; Hashimoto, K. (1989). Nitrile-induced behavioral abnormalities in mice. *Neurotoxicology.* 10: 157-165.
- Tanii, H; Huang, J; Hashimoto, K. (1995). Structure-acute toxicity relationship of aromatic hydrocarbons in mice. *Toxicol Lett.* 76: 27-31.
- Tanii, H; Kurosaka, Y; Hayashi, M; Hashimoto, K. (1989). ALLYLNITRILE A COMPOUND WHICH INDUCES LONG-TERM DYSKINESIA IN MICE FOLLOWING A SINGLE ADMINISTRATION. *Exp Neurol.* 103: 64-67.
- Tanii, H; Tsuji, H; Hashimoto, K. (1986). Structure-toxicity relationship of monoketones. *Toxicol Lett.* 30: 13-17.
- TanilmiÅÿ, T; Atalay, Sh; Alpay, HE; Atalay, FS. (2002). Catalytic combustion of carbon tetrachloride. *J Hazard Mater.* 90: 157-167.
- Tanimoto, A; Mukai, M; Kuribayashi, S. (2006). Evaluation of superparamagnetic iron oxide for MR imaging of liver injury: proton relaxation mechanisms and optimal MR imaging parameters. *Magnetic resonance in medical sciences : MRMS : an official journal of Japan Society of Magnetic Resonance in Medicine.* 5: 89-98.
- Tanko, JM; Blackert, JF. (1993). Free-radical side-chain bromination of alkylaromatics in supercritical carbon dioxide. *Science.* 263: 203-205.
- Tanriverdi, G; Kaya-Dagistanli, F; Ayla, S; Demirci, S; Eser, M; Unal, ZS; Cengiz, M; Oktar, H. (2016). Resveratrol can prevent CCl4-induced liver injury by inhibiting Notch signaling pathway. *Histol Histopathol.* 31: 769-784.
- Tantengco, VO; Jose, FR; Somera, LC; Bucana, CD. (1965). STUDIES ON VITAMIN B12 METABOLISM FOLLOWING LIVER INJURY. *Journal of the Philippine Medical Association.* 41: 19-45.
- Tanyol, H; Friedman, MH. (1961). Influence of a liver preparation on liver of cats receiving carbon tetrachloride. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY).* 106: 645-648.
- Tao, LL; Cheng, YY; Ding, D; Mei, S; Xu, JW; Yu, J; Ou-Yang, Q; Deng, L; Chen, Q; Li, QQ; Xu, ZD; Liu, XP. (2012). C/EBP-α ameliorates CCl(4)-induced liver fibrosis in mice through promoting apoptosis of hepatic stellate cells with little apoptotic effect on hepatocytes in vitro and in vivo. *Apoptosis : an international journal on programmed cell death.* 17: 492-502.
- Tao, T; Maciel, GE. (1998). (13)C NMR study of co-contamination of clays with carbon tetrachloride and benzene. *Environmental Science & Technology.* 32: 350-357.
- Tao, YY; Yan, XC; Zhou, T; Shen, L; Liu, ZL; Liu, CH. (2014). Fuzheng Huayu recipe alleviates hepatic fibrosis via inhibiting TNF-α induced hepatocyte apoptosis. *BMC Complement Altern Med.* 14: 449.
- Tarasov, VV; Kolesnikov, SA; Levin, VM; Skvortsov, IM. (2009). Investigations on 1-azabicycles. 26*. IR spectra of the simplest pyrrolizidine alcohols in the region of the stretching vibrations of the hydroxyl group and their connection with the stereochemistry of the compounds. *Chemistry of heterocyclic compounds.* 45: 929-936.
- Tarnowski, W; Seitz, HJ; Lierse, W. (1970). A critical experimental contribution concerning the value of CCl 4 -intoxicated liver in metabolic studies. *Biochem Pharmacol.* 19: 1409-1417.
- Tas, DO; Pavlostathis, SG. (2007). The influence of iron reduction on the reductive biotransformation of pentachloronitrobenzene. *European Journal of Soil Biology.* 43: 264-275.
- Tas, DO; Pavlostathis, SG. (2010). Microbial transformation of pentachloronitrobenzene under nitrate reducing conditions. *Biodegradation.* 21: 691-702.
- Tasduq, SA; Mondhe, DM; Gupta, DK; Baleshwar, M; Johri, RK. (2005). Reversal of fibrogenic events in liver by *Emblica officinalis* (fruit), an Indian natural drug. *Biological & Pharmaceutical Bulletin.* 28: 1304-1306.
- Tatara, GM. (1996). Physiology of carbon tetrachloride transformation by *Pseudomonas stutzeri* KC. PhD, Michigan State University.
- Tatara, GM; Dybas, MJ; Criddle, CS. Effects of medium and trace metals on kinetics of carbon tetrachloride transformation by *Pseudomonas* sp. strain KC. *Appl Environ Microbiol.* July 1993. v. 59 (7): 2126-2121.
- Tatara, GM; Dybas, MJ; Criddle, CS. (1994). PRELIMINARY SIZE DETERMINATION AND PURIFICATION OF THE SUPERNATANT COMPONENT INVOLVED IN CARBON TETRACHLORIDE TRANSFORMATION BY PSEUDOMONAS SP. STRAIN KC. 94th General Meeting Of The American Society For Microbiology, Las Vegas, Nevada, Usa, May. 94: 441.
- Tatata, G; Fathepure, B; Rhodes, A; Criddle, C. (1992). NOVEL ASPECTS OF THE TRANSFORMATION OF CARBON TETRACHLORIDE BY PSEUDOMONAS-SP STRAIN KC. 92nd General Meeting Of The American Society For Microbiology, New Orleans, Louisiana, Usa, May. 92: 383.
- Tateaki, Y; Ogawa, T; Kawada, N; Kohashi, T; Arihiro, K; Tateno, C; Obara, M; Yoshizato, K. (2004). Typing of hepatic nonparenchymal cells using fibulin-2 and cytoglobin/STAP as liver fibrogenesis-related markers. *Histochem Cell Biol.* 122: 41-49.
- Tateishi, H; Masson, GM. (1972). Role of the liver in the regulation of plasma angiotensinogen and renin levels. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY).* 139: 304-309.

Environmental Hazard Literature Search Results

Off Topic

- Tatiya, AU; Surana, SJ; Sutar, MP; Gamit, NH. (2012). Hepatoprotective effect of poly herbal formulation against various hepatotoxic agents in rats. *Pharmacognosy Res.* 4: 50-56.
- Taub, R. (2004). Liver regeneration: From myth to mechanism. *Nature Reviews Molecular Cell Biology.* 5: 836-847.
- Taura, K; Miura, K; Iwaisako, K; Osterreicher, CH; Kodama, Y; Penz-Osterreicher, M; Brenner, DA. (2010). Hepatocytes Do Not Undergo Epithelial-Mesenchymal Transition in Liver Fibrosis in Mice. *Hepatology.* 51: 1027-1036.
- Tav, C; Pinnaduwege, LA. (2000). Dissociative electron attachment to laser-excited benzene. *Journal of Physics D-Applied Physics.* 33: 2391-2397.
- Tawfeeq, MM; Suzuki, T; Shimamoto, K; Hayashi, H; Shibutani, M; Mitsumori, K. (2011). Evaluation of in vivo genotoxic potential of fenofibrate in rats subjected to two-week repeated oral administration. *Arch Toxicol.* 85: 1003-1011.
- Taye, A; Abdel-Raheem, IT. (2012). Hepatoprotective effect of the selective mineralocorticoid receptor antagonist, eplerenone against carbon tetrachloride-induced liver injury in rats. *Ann Hepatol.* 11: 384-391.
- Taylor, PH; Dellinger, B. (1988). THERMAL DEGRADATION CHARACTERISTICS OF CHLOROMETHANE MIXTURES. *Environ Sci Technol.* 22: 438-447.
- Taylor, PH; Dellinger, B; Lee, CC. (1990). Development of a thermal stability based ranking of hazardous organic compound incinerability. *Environ Sci Technol.* 24: 316-328.
- Taylor, PH; Mallipeddi, R; Yamada, T. (2005). LP/LIF study of the formation and consumption of mercury(I) chloride: Kinetics of mercury chlorination. *Chemosphere.* 61: 685-692.
- Taylor, SL; Tappel, AL. Effect of dietary antioxidants and phenobarbital pretreatment on microsomal lipid peroxidation and activation by carbon tetrachloride. *Life Sci.* Oct 15, 1976, 19 (8): 1151-1160.
- Tebbens, BD; Ottoboni, F. (1965). Dynamics of vapor-air mixtures. *Am Ind Hyg Assoc J.* 26: 445-448.
- Teel, AL; Vaughan, RE; Watts, RJ. (2008). Cadmium release from four sorbents during treatment of contaminated soils by catalyzed H₂O₂ propagations (modified Fenton's reagent). *Journal of Environmental Engineering-Asce.* 134: 331-337.
- Teel, AL; Watts, RJ. (2002). Degradation of carbon tetrachloride by modified Fenton's reagent. *J Hazard Mater.* 94: 179-189.
- Teel, AL; Watts, RJ. (2002). Degradation of carbon tetrachloride by modified Fenton's reagent. *J Hazard Mater.* 94: 179-189.
- Tegeris, AS; Smalley, HE, Jr.; Earl, FL; Curtis, JM. (1969). Ornithine carbamyl transferase as a liver function test comparative studies in the dog, swine, and man. *Toxicol Appl Pharmacol.* 14: 54-66.
- Teixeira, KN; Oliveira, JS; Drabowski, B; Bruna-Romero, O; Santos, AMC; Santoro, MM. (2010). Analysis of the oxidase activity induced by CCl₄ and H₂O₂ in different recombinant myoglobins. *Int J Biol Macromol.* 47: 276-282.
- Teixeira-Clerc, F; Belot, MP; Manin, S; Deveaux, V; Cadoudal, T; Chobert, MN; Louvet, A; Zimmer, A; Tordjmann, T; Mallat, A; Lotersztajn, S. (2010). Beneficial Paracrine Effects of Cannabinoid Receptor 2 on Liver Injury and Regeneration. *Hepatology.* 52: 1046-1059.
- Tejasree, C; Kiran, G; Rajyalakshmi, G; Reddy, ARN. (2013). Hepatoprotective activity of 1-(4-(Dimethylamino)Benzylidene)-5-(2-Oxoindolin-3-ylidene) Thiocarbohydrazone in rats. *Toxicol Environ Chem.* 95: 1589-1594.
- Tejo, BA; Salleh, AB; Pleiss, J. (2004). Structure and dynamics of *Candida rugosa* lipase: the role of organic solvent. *J Mol Model.* 10: 358-366.
- Tekkesin, N; Taga, Y; Sav, A; Almaata, I; Ibrism, D. (2011). Induction of HGF and VEGF in Hepatic Regeneration after Hepatotoxin-Induced Cirrhosis in Mice. *Hepatogastroenterology.* 58: 971-979.
- Telange, DR; Patil, AT; Petha, AM; Fegade, H; Anand, S; Dave, VS. Formulation and characterization of an apigenin-phospholipid phytosome (APLC) for improved solubility, in vivo bioavailability, and antioxidant potential. *Eur J Pharm Sci.*
- Teltschik, Z; Wiest, R; Beisner, J; Nuding, S; Hofmann, C; Schoelmerich, J; Bevins, CL; Stange, EF; Wehkamp, J. (2012). Intestinal bacterial translocation in rats with cirrhosis is related to compromised Paneth cell antimicrobial host defense. *Hepatology (Baltimore, Md).* 55: 1154-1163.
- Temcharoen, P; Bunyaratvej, S; Bhamarapravati, N. (1978). Combined effects of ethyl-alpha-p chlorphenoxyisobutyrate (CPIB) and carbon tetrachloride on the rat liver cells. *Journal of the Medical Association of Thailand = Chotmaihet thangphaet.* 61: 330-339.
- Temples, TJ; Waddell, MG; Domoracki, WJ; Eyer, J. Noninvasive determination of the location and distribution of DNAPL using advanced seismic reflection techniques. *Ground Water.* May/June 2001. v. 39 (3): 465-474.
- Tenney, CM; Lastoskie, CM. (2007). Pulsed pumping process optimization using a potential flow model. *J Contam Hydrol.* 93: 111-121.
- Tenney, CM; Lastoskie, CM; Dybas, MJ. (2004). A reactor model for pulsed pumping groundwater remediation. *Water Res.* 38: 3869-3880.
- Terai, S; Sakaida, I; Yamamoto, N; Omori, K; Watanabe, T; Ohata, S; Katada, T; Miyamoto, K; Shinoda, K; Nishina, H; Okita, K. (2003). An in vivo model for monitoring trans-differentiation of bone marrow cells into functional hepatocytes. *J Biochem.* 134: 551-558.
- Teranishi, Y; Matsubara, T; Krausz, KW; Le, TTT; Gonzalez, FJ; Yoshizato, K; Ikeda, K; Kawada, N. (2015). Involvement of hepatic stellate cell cytoglobin in acute hepatocyte damage through the regulation of CYP2E1-mediated xenobiotic metabolism. *Lab Invest.* 95: 515-524.
- Teraoka, R; Shimada, T; Aburada, M. (2012). The Molecular Mechanisms of the Hepatoprotective Effect of Gomisin A against Oxidative Stress and Inflammatory Response in Rats with Carbon Tetrachloride-Induced Acute Liver Injury. *Biological & Pharmaceutical Bulletin.* 35: 171-177.
- Terashima, T; Ouchi, M; Ando, T; Sawamoto, M. (2006). In situ hydrogenation of terminal halogen in poly(methyl methacrylate) by ruthenium-catalyzed living radical polymerization: Direct transformation of "polymerization catalyst" into "hydrogenation catalyst". *J Am Chem Soc.* 128: 11014-11015.
- Teratani, T; Tomita, K; Suzuki, T; Oshikawa, T; Yokoyama, H; Shimamura, K; Tominaga, S; Hiroi, S; Irie, R; Okada, Y; Kurihara, C; Ebinuma, H; Saito, H; Hokari, R; Sugiyama, K; Kanai, T; Miura, S; Hibi, T. (2012). A High-Cholesterol Diet Exacerbates Liver Fibrosis in Mice via Accumulation of Free Cholesterol in Hepatic Stellate Cells. *Gastroenterology.* 142: 152-NIL_331.
- Terblanche, J; Hickman, R. (1991). Animal models of fulminant hepatic failure. *Dig Dis Sci.* 36: 770-774.
- Terris, B; Bedossa, P; Poynard, T. (1994). No effect of neutralizing antibody to TGF-beta 1 in acute CCl₄-induced liver fibrogenesis. *J Hepatol.* 21: 1149-1150.

Environmental Hazard Literature Search Results

Off Topic

- Terzyk, AP; Furmaniak, S; Gauden, PA; Harris, PJF; Wloch, J. (2008). Testing isotherm models and recovering empirical relationships for adsorption in microporous carbons using virtual carbon models and grand canonical Monte Carlo simulations. *Journal of Physics-Condensed Matter*. 20: 85212-85212.
- Teschke, R; Hauptmeier, KH; Frenzel, H. (1983). Effect of an acute dose of ethanol on the hepatotoxicity due to carbon tetrachloride. *Liver*. 3: 100-109.
- Teschke, R; Vierke, W; Gellert, J. (1984). Effect of ethanol on carbon tetrachloride levels and hepatotoxicity after acute carbon tetrachloride poisoning. *Arch Toxicol*. 56: 78-82.
- Teselkin, YO; Babenkova, IV; Kolhir, VK; Baginskaya, AI; Tjukavkina, NA; Kolesnik, YA; Selivanova, IA; Eichholz, AA. (2000). Dihydroquercetin as a means of antioxidative defence in rats with tetrachloromethane hepatitis. *Phytother Res*. 14: 160-162.
- Tessitore, L; Pani, P; Dianzani, MU. (1992). Choline enhances acetylaminofluorene promotion of liver carcinogenesis in female but not in male rats. *Carcinogenesis*. 13: 385-389.
- Tewari, HC; Rao, BV; Varma, TK. Comparative field trials with carbon tetrachloride, hexachlorophene against fascioliasis in cattle. *Indian veterinary journal*. Feb 1970, 47 (2): 124-128.
- Tezuka, M; Ishii, S; Okada, S. (1991). Chromium(III) decreases carbon tetrachloride-originated trichloromethyl radical in mice. *J Inorg Biochem*. 44: 261-266.
- Tezuka, M; Momiyama, K; Edano, T; Okada, S. (1991). Protective effect of chromium(III) on acute lethal toxicity of carbon tetrachloride in rats and mice. *J Inorg Biochem*. 42: 1-8.
- Tezuka, M; Sadanobu, S; Gomi, K; Tachikawa, M; Sawamura, R. (1995). In vitro effect of chromium and other trace metals on mouse hepatotoxicity induced by carbon tetrachloride exposure. *Biological & Pharmaceutical Bulletin*. 18: 256-261.
- Thabrew, MI; Emerole, GO; Subbarao, VV. Effect of Liv-52 on carbon tetrachloride-induced changes in hepatic microsomal drug-metabolizing enzymes of the rat. *Toxicol Lett*. Dec 1982. v. 14 (3/4): 183-188.
- Thabrew, MI; Jayatilaka, KAPW; Perera, DJB. Evaluation of the efficacy of *Melothria maderaspatana* in the alleviation of carbon tetrachloride-induced liver dysfunction. *Journal of ethno-pharmacology*. July/Aug 1988. v. 23 (2/3): 305-312 ill.
- Thakore, KN; Mehendale, HM. (1991). LIVER INJURY AND REGENERATION DURING CARBON TETRACHLORIDE AUTOPROTECTION. 75th Annual Meeting Of The Federation Of American Societies For Experimental Biology, Atlanta, Georgia, Usa, April. 5.
- Thakore, KN; Mehendale, HM. (1991). Role of hepatocellular regeneration in CCl₄ autoprotection. *Toxicol Pathol*. 19: 47-58.
- Thakore, KN; Mehendale, HM. (1994). Effect of phenobarbital and mirex pretreatments on CCl₄ autoprotection. *Toxicol Pathol*. 22: 291-299.
- Thanh, TB; Thanh, HN; Minh, HPT; Le-Thi-Thu, H; Ly, HDT; Duc, LV. (2015). Protective effect of *Tetracera scandens* L. leaf extract against CCl₄-induced acute liver injury in rats. *Asian Pacific Journal of Tropical Biomedicine*. 5: 221-227.
- Thanh, TB; Thanh, HN; Minh, HPT; Le-Thi-Thu, H; Ly, HDT; Duc, LV. (2015). Protective effect of *Tetracera scandens* L. leaf extract against CCl₄ sub(4)-induced acute liver injury in rats. *Asian Pacific Journal of Tropical Biomedicine*. 5: 221-227.
- Theocharis, SE; Koutsclini, H; Spiliopoulou, C; Thalhammer, T; Ninos, S; Koutselinis, A. (1999). Peroxisome Proliferator Activating Receptor gamma expression in the liver of carbon tetrachloride intoxicated rats. 17th European Congress Of Pathology And The Xixth Spanish Congress Of Pathology, Barcelona, Spain, September. 435: 364.
- Theodorakis, NG; Wang, YN; Wu, JM; Maluccio, MA; Sitzmann, JV; Skill, NJ. (2009). Role of endothelial nitric oxide synthase in the development of portal hypertension in the carbon tetrachloride-induced liver fibrosis model. *American Journal of Physiology-Gastrointestinal and Liver Physiology*. 297: G792-G799.
- Thibaudon, M; Galan, C; Lanzoni, C; Monnier, S. (2015). Validation of a new adhesive coating solution: comparative study of carbon tetrachloride and diethyl ether. *Aerobiologia*. 31: 57-62.
- Thiers, RE; Reynolds, ES; Vallee, BL. (1960). The effect of carbon tetrachloride poisoning on subcellular metal distribution in rat liver. *The Journal of biological chemistry*. 235: 2130-2133.
- Thijssen, TR; Roemer, MGM; van Oss, RF. (1999). Trends in large-scale VOC concentrations in the Southern Netherlands between 1991 and 1997. *Atmos Environ*. 33: 3803-3812.
- Thingale, AD; Shaikh, KS; Channekar, PR; Galgatte, UC; Chaudhari, PD; Bothiraja, C. (2015). Enhanced hepatoprotective activity of andrographolide complexed with a biomaterial. *Drug Deliv*. 22: 117-124.
- Thiru, A; Kannan, G; Ashokan, K; Sivanandam, V. (2012). Restorative effect of (5E, 13E)-5,13-docosadienoic acid on carbon tetrachloride induced oxidative stress in rats. *Asian Pacific Journal of Tropical Biomedicine*. 2: S1592-S1599.
- Tohen, LF; Guimarães, EL; Doll, e; DšDDoCBVUBLBu. A role for autophagy during hepatic stellate cell activation.
- Thomas, AA. (1965). LOW AMBIENT PRESSURE ENVIRONMENTS AND TOXICITY. A NEW APPROACH TO SPACE CABIN TOXICOLOGY. *Arch Environ Health*. 11: 316-322.
- Thomas, B. (1990). REGULATORY PRESSURES ON PESTICIDE FORMULATIONS. *Pestic Sci*. 29: 475-480.
- Thomas, CE; Aust, SD. (1986). Free radicals and environmental toxins. *Annals of emergency medicine*. 15: 1075-1083.
- Thomas, E; Pearse, AG. (1964). THE SOLITARY ACTIVE CELLS. HISTOCHEMICAL DEMONSTRATION OF DAMAGE-RESISTANT NERVE CELLS WITH A TPN-DIAPHORASE REACTION. *Acta Neuropathol*. 3: 238-249.
- Thomas, JA; Pope, C; Wojtacha, D; Robson, AJ; Gordon-Walker, TT; Hartland, S; Ramachandran, P; Van Deemter, M; Hume, DA; Iredale, JP; Forbes, SJ. (2011). Macrophage Therapy for Murine Liver Fibrosis Recruits Host Effector Cells Improving Fibrosis, Regeneration, and Function. *Hepatology*. 53: 2003-2015.
- Thomas, JDR. (1995). AWAY WITH CHLORINATED SOLVENTS HOW WILL ANALYTICAL CHEMISTRY COPE? *Trends Analyt Chem*. 14: 186-190.
- Thomas, JM; Ward, CH. (1989). IN SITU BIORESTORATION OF ORGANIC CONTAMINANTS IN THE SUBSURFACE. *Environ Sci Technol*. 23: 760-766.

Environmental Hazard Literature Search Results

Off Topic

- Thomas, L; DeFeo, B; Mariani, MF; van Rossum, GDV. (1989). Comparison of metabolic effects of carbon tetrachloride and 1,2-dichloroethane added in vitro to slices of rat liver. *Toxicol In Vitro*. 3: 59-68.
- Thomas, P. (1987). EFFECT OF XENOBIOTICS ON PEROXIDATION OF HEPATIC MICROSOMAL LIPIDS FROM STRIPED MULLET MUGIL-CEPHALUS AND ATLANTIC CROAKER MICROPOGONIAS-UNDULATUS AU - WOFFORD HW. Fourth International Symposium On Responses Of Marine Organisms To Pollutants, Woods Hole, Massachusetts, Usa, April. 24: 285-290.
- Thomas, RD. (1989). Epidemiology and Toxicology of Volatile Organic Chemical Contaminants in Water Absorbed through the Skin. *Journal of the American College of Toxicology JACTDZ Vol 8, No 5, p 779-795, October 1989 1 fig, 6 tab, 72 ref.*
- Thompson, CM. (1946). Pulmonary changes in carbon tetrachloride poisoning. *The American journal of roentgenology and radium therapy*. 55: 16-19.
- Thompson, IP; van der Gast, CJ; Ciric, L; Singer, AC. (2005). Bioaugmentation for bioremediation: the challenge of strain selection. *Environmental Microbiology*. 7: 909-915.
- Thompson, K; Maltby, J; Fallowfield, J; McAulay, M; Millward-Sadler, H; Sheron, N. (1998). Interleukin-10 expression and function in experimental murine liver inflammation and fibrosis. *Hepatology*. 28: 1597-1606.
- Thompson, PA; Couture, P; Thellen, C; Auclair, JC. (1987). STRUCTURE-FUNCTION RELATIONSHIPS FOR MONITORING CELLULAR STRESS AND RECOVERY RESPONSES WITH SELENASTRUM-CAPRICORNUTUM. *Aquat Toxicol*. 10: 291-306.
- Thompson, RS; De Rooij, C; Garny, V; Lecloux, A; Van Wijk, D. (2004). Carbon tetrachloride marine risk assessment with special reference to the OSPARCOM region: North Sea. *Environ Monit Assess*. 97: 23-38.
- Thompson, WD; Jack, AS; Patrick, RS. (1980). The possible role of macrophages in transient hepatic fibrogenesis induced by acute carbon tetrachloride injury. *The Journal of pathology*. 130: 65-73.
- Thorgeirsson, SS; Mitchell, JR; Sasame, HA; Potter, WZ. (1976). Biochemical changes after hepatic injury by allyl alcohol and N-hydroxy-2-acetylaminofluorene. *Chem Biol Interact*. 15: 139-147.
- Thornhill, DP; Steffen, C; Netter, KJ. (1984). A kinetic evaluation of ¹⁴CO₂ in expired air after ¹⁴C-methacetin administration in rats, used for the in vivo study of the metabolism of drugs. *European Journal of Drug Metabolism and Pharmacokinetics*. 9: 161-168.
- Thorpe, E. (1968). Histochemical study of the effects of some anthelmintics in experimental fascioliasis in the rat. *Annals of tropical medicine and parasitology*. 62: 361-371.
- Thresiamma, KC; Kuttan, R. (1997). Effect of antioxidants on lung fibrosis induced in rats. *J Clin Biochem Nutr*. 22: 125-129.
- Tian, CC; Zha, XQ; Pan, LH; Luo, JP. (2013). Structural characterization and antioxidant activity of a low-molecular polysaccharide from *Dendrobium huoshanense*. *Fitoterapia*. 91: 247-255.
- Tian, LM; Shi, XL; Yu, LH; Zhu, J; Ma, R; Yang, XB. (2012). Chemical Composition and Hepatoprotective Effects of Polyphenol-Rich Extract from *Houttuynia cordata* Tea. *J Agric Food Chem*. 60: 4641-4648.
- Tian, XP; Yin, YY; Li, X. (2011). Effects and mechanisms of *Acremonium terricola* milleretal mycelium on liver fibrosis induced by carbon tetrachloride in rats. *Am J Chin Med*. 39: 537-550.
- Tian, YJ; Zuo, J; Zhang, LY; Li, ZW; Gao, SQ; Lu, GH. (2007). Study of resonance Raman cross section of aqueous beta-carotene at low concentrations. *Applied Physics B-Lasers and Optics*. 87: 727-730.
- Tichá, M; Cikrt, M. (1976). Effect of chronic administration of carbon tetrachloride on copper, zinc, and mercury binding in bile in rats. *Toxicol Appl Pharmacol*. 36: 163-172.
- Tichy, M. (1991). QSAR APPROACH TO ESTIMATION OF THE DISTRIBUTION OF XENOBIOTICS AND THE TARGET ORGAN IN THE BODY. Selected Papers From The 17th Symposium On Xenobiochemistry, Hradec Kralove, Czechoslovakia, June. 9: 191-200.
- Tiebo, F; Gengtao, L. (1992). Protective effects of dimethyl-4,4'-dimethoxy-5,6,5',6'-dimethylenedioxybiphenyl-2,2'-dicarboxylate on damages of isolated rat hepatocytes induced by carbon tetrachloride and D-galactosamine. *Biomed Environ Sci*. 5: 185-194.
- Tien, YC; Liao, JC; Chiu, CS; Huang, TH; Huang, CY; Chang, WT; Peng, WH. (2011). Esculetin ameliorates carbon tetrachloride-mediated hepatic apoptosis in rats. *International Journal of Molecular Sciences*. 12: 4053-4067.
- Tierney, DJ; Koop, DR. (1990). RAPID PROTEOLYSIS OF CARBON TETRACHLORIDE INACTIVATED P450IIE1 IS ACCOMPANIED BY UBIQUITIN CONJUGATION. Meeting On Oxidative Damage And Repair Held At The 5th Biennial Meeting Of The International Society For Free Radical Research, Pasadena, California, Usa, November. 9: 83.
- Tilbury, RS; Myers, WG; Chandra, R; Dahl, JR; Lee, R. (1980). Production of 7.6-minute potassium-38 for medical use. *Journal of nuclear medicine* : official publication, Society of Nuclear Medicine. 21: 867-871.
- Timbrell, JA; Seabra, V; Waterfield, CJ. (1995). The in vivo and in vitro protective properties of taurine. *General Pharmacology: The Vascular System*. 26: 453-462.
- Timbrell, JA; Waterfield, CJ. (1996). Changes in taurine as an indicator of hepatic dysfunction and biochemical perturbations. *Studies in vivo and in vitro. Adv Exp Med Biol*. 403: 125-134.
- Tiozzo, R; Cingi, MR; Croce, MA. (1988). Interaction of heparan sulfate and its fractions with endothelial cells in culture. *International journal of tissue reactions*. 15: 163-168.
- Tipoe, GL; Leung, TM; Liong, E; So, H; Leung, KM; Lau, TYH; Tom, WM; Fung, ML; Fan, ST; Nanji, AA. (2006). Inhibitors of inducible nitric oxide (NO) synthase are more effective than an NO donor in reducing carbon-tetrachloride induced acute liver injury. *Histol Histopathol*. 21: 1157-1165.
- Tipoe, GL; Leung, TM; Liong, EC; Lau, TYH; Fung, ML; Nanji, AA. (2010). Epigallocatechin-3-gallate (EGCG) reduces liver inflammation, oxidative stress and fibrosis in carbon tetrachloride (CCl₄)-induced liver injury in mice. *Toxicology*. 273: 45-52.
- Tirkey, N; Pilkhwai, S; Kuhad, A; Chopra, K. (2005). Hesperidin, a citrus bioflavonoid, decreases the oxidative stress produced by carbon tetrachloride in rat liver and kidney. *BMC Pharmacol*. 5: 2.

Environmental Hazard Literature Search Results

Off Topic

- Tirmenstein, MA; Ge, XK; Elkins, CR; Fariss, MW. (1999). Administration of the tris salt of alpha-tocopheryl hemisuccinate inactivates CYP2E1, enhances microsomal alpha-tocopherol levels and protects against carbon tetrachloride-induced hepatotoxicity. *Free Radic Biol Med.* 26: 825-835.
- Tirmenstein, MA; Leraas, TL; Fariss, MW. (1997). alpha-Tocopheryl hemisuccinate administration increases rat liver subcellular alpha-tocopherol levels and protects against carbon tetrachloride-induced hepatotoxicity. *Toxicol Lett.* 92: 67-77.
- Titos, E; Claria, J; Bataller, R; Bosch-Marce, M; Gines, P; Jimenez, W; Arroyo, V; Rivera, F; Rodes, J. (2000). Hepatocyte-derived cysteinyl leukotrienes modulate vascular tone in experimental cirrhosis. *Gastroenterology.* 119: 794-805.
- Titos, E; Claria, J; Planaguma, A; Lopez-Parra, M; Gonzalez-Periz, A; Gaya, J; Miquel, R; Arroyo, V; Rodes, J. (2005). Inhibition of 5-lipoxygenase-activating protein abrogates experimental liver injury: role of Kupffer cells. *J Leukoc Biol.* 78: 871-878.
- Titos, E; Claria, J; Planaguma, A; Lopez-Parra, M; Villamor, N; Parrizas, M; Carrio, A; Miquel, R; Jimenez, W; Arroyo, V; Rivera, F; Rodes, J. (2003). Inhibition of 5-lipoxygenase induces cell growth arrest and apoptosis in rat Kupffer cells: implications for liver fibrosis. *FASEB J.* 17: 1745-+.
- Tivers, MS; Lipscomb, VJ; Smith, KC; Wheeler-Jones, CPD; House, AK. (2014). Markers of hepatic regeneration associated with surgical attenuation of congenital portosystemic shunts in dogs. *Vet J.* 200: 305-311.
- Tjelve, H; Loeffler, B. (1983). Extrahepatic sites of metabolism of carbon tetrachloride in rats. *Chem Biol Interact.* 46: 299-316.
- Tobiska, J; Brada, Z; Kocent, A; Pechan, Z. (1964). HOST-TUMOUR RELATIONSHIP. X. *Neoplasma.* 11: 3-12.
- Tobiska, J; Brada, Z; Kocent, A; Pechan, Z. (1964). HOST-TUMOUR RELATIONSHIP. XI. THE ROLE OF THE LIVER IN THE SYNTHESIS OF SERUM GLYCOPROTEINS DURING THE COURSE OF GROWTH OF JENSEN'S SARCOMA. *Neoplasma.* 11: 13-25.
- Tobiszewski, M; Namiesnik, J. (2012). Abiotic degradation of chlorinated ethanes and ethenes in water. *Environ Sci Pollut Res Int.* 19: 1994-2006.
- Tobler, NB; Hofstetter, TB; Schwarzenbach, RP. (2007). Assessing iron-mediated oxidation of toluene and reduction of nitroaromatic contaminants in anoxic environments using compound-specific isotope analysis. *Environmental Science & Technology.* 41: 7773-7780.
- Todd, DF; Loscutt, WV. (1991). AN OVERVIEW OF CARB-ADOPTED SOURCE TEST METHODS FOR TOXIC COMPOUNDS AND RESULTS OF TESTING NATURAL GAS-FIRED UTILITY BOILERS. *Chow, W And K K Connor.* 0: 66-72.
- Todriya, TV; Nikolaeva, TL. (2006). Regeneration of the liver in mice treated with a mixture of hepatotoxins in delayed periods after bone marrow transplantation. *Bull Exp Biol Med.* 141: 475-478.
- Togashi, H; Shinzawa, H; Ogata, T; Matsuo, T; Ohno, S; Saito, K; Yamada, N; Yokoyama, H; Noda, H; Oikawa, K; Kamada, H; Takahashi, T. (1998). Spatiotemporal measurement of free radical elimination in the abdomen using an in vivo ESR-CT imaging system. *Free Radic Biol Med.* 25: 1-8.
- Tognotti, L; Flytzani-Stephanopoulos, M; Sarofim, AF; Kopsinis, H; Stoukides, M. (1991). Study of adsorption-desorption of contaminants on single soil particles using the electrodynamic thermogravimetric analyzer. *Environ Sci Technol.* 25: 104-109.
- Toivola, D. (1998). Microcystins: Potent tools to study serine/threonine protein phosphatases and their role in cytoskeletal regulation. *Acta Academiae Aboensis Ser B Mathematica Et Physica.* 57: 3-39.
- Tokubayashi, M; Nishida, O; Um, SH; Kimura, F; Takimoto, Y; Sung, ME; Yoshioka, H; Kita, T. (1993). THE SPLANCHNIC AND SYSTEMIC HEMODYNAMIC CHANGES IN RATS DURING THE DEVELOPMENT OF LIVER CIRRHOSIS INDUCED BY CARBON TETRACHLORIDE. 94th Annual Meeting Of The American Gastroenterological Association, Boston, Massachusetts, Usa, May. 104.
- Tolooei, M; Mirzaei, A. (2015). Effects of Pistacia Atlantica Extract on Erythrocyte Membrane Rigidity, Oxidative Stress, and Hepatotoxicity Induced by CCl4 in Rats. *Global Journal of Health Science.* 7: 46855.
- Tomasi, A; Albano, E; Banni, S; Botti, B; Corongiu, F; Dessi, A; Iannone, A; Vannini, V; Dianzani, MU. (1987). Free-radical metabolism of carbon tetrachloride in rat liver mitochondria. A study of the mechanism of activation. *Biochem J.* 246: 313-317.
- Tomaszewski, KE; Harries, GC; Jeffrey, P. (1991). The production of hepatic cirrhosis in rats. *J Appl Toxicol.* 11: 229-231.
- Tomatsu, A; Nakanishi, M; Sakanaka, M; Komura, S; Ohishi, N; Yagi, K. (1995). PROTECTIVE EFFECT OF CATECHOLESTROGEN ON INJURY CAUSED BY CO-60-IRRADIATION IN MICE. *J Clin Biochem Nutr.* 18: 49-54.
- Tombolan, F; Renault, D; Brault, D; Guffroy, M; Perin, F; Thybaud, V. (1999). Effect of mitogenic or regenerative cell proliferation on lacZ mutant frequency in the liver of Muta (TM) Mice treated with 5,9-dimethyldibenzo c,g carbazole. *Carcinogenesis.* 20: 1357-1362.
- Tombolan, F; Renault, D; Brault, D; Perin, F; Thybaud, V. (1998). ROLE OF REGENERATIVE CELL PROLIFERATION INDUCED BY CARBON TETRACHLORIDE ON THE FIXATION OF DNA-ADDUCTS INTO GENE MUTATIONS IN LIVER OF 5 9-DIMETHYLDIBENZOCARBAZOLE TREATED MUTA MOUSE. 29th Annual Meeting Of The Environmental Mutagen Society, Anaheim, California, Usa, March. 31: 10.
- Tomiya, T; Ogata, I; Fujiwara, K. (1998). Transforming growth factor alpha levels in liver and blood correlate better than hepatocyte growth factor with hepatocyte proliferation during liver regeneration. *American Journal of Pathology.* 153: 955-961.
- Tomkins, BA; Caton, JE. (1962). PREPARATION OF RADIOACTIVE MIXED WASTE SAMPLES FOR MEASUREMENT OF RCRA ORGANIC COMPOUNDS. *Friedman, D.* 0: 351-364.
- Tomokuni, K. (1969). Studies on hepatotoxicity induced by chlorinated hydrocarbons. Lipid and ATP metabolisms in the liver of mice exposed to 1,1,2,2-tetrachloroethane. *Acta medicinae Okayama.* 23: 273-282.
- Tomokuni, K. (1970). Studies on hepatotoxicity induced by chlorinated hydrocarbons. II. Lipid metabolism and absorption spectrum of microsomal lipid in the mice exposed to 1, 1, 2, 2-tetrachloroethane. *Acta medicinae Okayama.* 24: 315-322.
- Tompsett, SL. (1964). THE DETERMINATION OF DISULFIRAM (ANTABUSE TETRAETHYL THIURAMDISULPHIDE) IN BLOOD AND URINE. *Acta Pharmacol Toxicol.* 21: 20-22.
- Toncsev, H; Pollak, Z; Kiss, A; Sreter, L; Feher, J. (1982). Acute carbon tetrachloride induced lysosomal membrane damage and the membrane protecting effect of a new dihydroquinoline-type antioxidant. *International Journal of Tissue Reactions.* 4: 325-330.

Environmental Hazard Literature Search Results

Off Topic

- Tong, M; Yuan, SH; Long, HY; Zheng, MM; Wang, LL; Chen, J. (2011). Reduction of nitrobenzene in groundwater by iron nanoparticles immobilized in PEG/nylon membrane. *J Contam Hydrol.* 122: 16-25.
- Toraason, M; Heinroth-Hoffmann, I; Richards, D; Woolery, M; Hoffmann, P. (1994). H sub(2)O sub(2)-induced oxidative injury in rat cardiac myocytes is not potentiated by 1,1,1-trichloroethane, carbon tetrachloride, or halothane. *J Toxicol Environ Health.* 41: 489-507.
- Toraason, M; Krueger, JA; Breitenstein, MJ; Swearingin, TF. (1989). DEPRESSION OF CONTRACTILITY IN CULTURED CARDIAC MYOCYTES FROM NEONATAL RAT BY CARBON TETRACHLORIDE AND 1 1 1 TRICHLOROETHANE. Second International Conference On Practical In Vitro Toxicology, Nottingham, England, Uk, July. 4: 363-368.
- Toriumi, K; Horikoshi, Y; Osamura, RY; Yamamoto, Y; Nakamura, N; Takekoshi, S. (2013). Carbon tetrachloride-induced hepatic injury through formation of oxidized diacylglycerol and activation of the PKC/NF-kappa B pathway. *Lab Invest.* 93: 218-229.
- TorrentÃ, C; AudÃi-Mte, GGdMAiMAMADd; middot; lografia, MiDssFFdGUdBMF; s, snBS; Bordeleau, G; Marchesi, M; Rosell, M; Otero, N; Soler, A. (2014). The use of alkaline hydrolysis as a novel strategy for chloroform remediation: the feasibility of using construction wastes and evaluation of carbon isotopic fractionation. *Environmental science & technology.* 48: 1869-1877.
- Torres, LRD; de Santana, FC; Torres-Leal, FL; de Melo, ILP; Yoshime, LT; Matos-Neto, EM; Seelaender, MCL; Araujo, CMM; Cogliati, B; Mancini, J. (2016). Pequi (*Caryocar brasiliense* Camb.) almond oil attenuates carbon tetrachloride-induced acute hepatic injury in rats: Antioxidant and anti-inflammatory effects. *Food Chem Toxicol.* 97: 205-216.
- Torres-Duran, PV; Miranda-Zamora, R; Paredes-Carbajal, MC; Mascher, D; Ble-Castillo, J; Diaz-Zagoya, JC; Juarez-Oropeza, MA. (1999). Studies on the preventive effect of *Spirulina maxima* on fatty liver development induced by carbon tetrachloride, in the rat. *J Ethnopharmacol.* 64: 141-147.
- Torres-Duran, PV; Miranda-Zamora, R; Paredes-Carbajal, MC; Mascher, D; Diaz-Zagoya, JC; Juarez-Oropeza, MA. (1998). *Spirulina maxima* prevents induction of fatty liver by carbon tetrachloride in the rat. *Biochemistry and Molecular Biology International.* 44: 787-793.
- Torres-Duran, PV; Paredes-Carbajal, MC; Mascher, D; Zamora-Gonzalez, J; Diaz-Zagoya, JC; Juarez-Oropeza, MA. (2006). Protective effect of *Arthrospira maxima* on fatty acid composition in fatty liver. *Arch Med Res.* 37: 479-483.
- Torrielli, MV; Ugazio, G. (1975). Biochemical aspects of the protective action of propyl gallate on liver injury in rats poisoned with carbon tetrachloride. *Toxicol Appl Pharmacol.* 34: 151-169.
- Torrielli, MV; Ugazio, G; Gabriel, L; Burdino, E. (1974). Time course of protection by N'-diphenyl-p-phenylendiamine (DPPD) against carbon tetrachloride hepatotoxicity. *Agents and Actions.* 4: 383-390.
- Tortoriello, P; Advani, SV; Riebow, JF; Bidlack, WP. (1990). Microsomal metabolism of carbon tetrachloride: Participation of pyridine nucleotide synergism. *Biochem Med Metab Biol.* 44: 18-28.
- Toshihiro, K; Tatsuya, H; Haruo, K; Susumu, I; Tsunemi, S; Keiki, O. (1987). Alteration of chloral hydrate metabolism in rats with carbon tetrachloride-induced liver damage. *Toxicol Lett.* 37: 263-268.
- Totten, LA; Jans, U; Roberts, AL. (2001). Alkyl bromides as mechanistic probes of reductive dehalogenation: Reactions of vicinal dibromide stereoisomers with zerovalent metals. *Environmental Science & Technology.* 35: 2268-2274.
- Towner, RA; Brauer, M; Janzen, EG; Ling, M-F. (1989). In vivo and in vitro super(31)P-NMR spectroscopy of rat liver treated with halocarbons. *Biochimica et Biophysica Acta: Protein Structure and Molecular Enzymology.* 993: 92-99.
- Towner, RA; Brauer, M; Janzen, EG; Ling, MF. (1989). In vivo and in vitro 31P-NMR spectroscopy of rat liver treated with halocarbons. *Biochim Biophys Acta.* 993: 92-99.
- Towner, RA; Brauer, M; Janzen, EG; Ling, MF. (1989). IN-VIVO AND IN-VITRO PHOSPHORUS-31 NMR SPECTROSCOPY OF RAT LIVER TREATED WITH HALOCARBONS. *Biochim Biophys Acta.* 993: 92-99.
- Towner, RA; Hashimoto, H; Summers, PM. (2000). Non-invasive in vivo magnetic resonance imaging assessment of acute aflatoxin B1 hepatotoxicity in rats. *Biochimica Et Biophysica Acta-General Subjects.* 1475: 314-320.
- Towner, RA; Janzen, EG; Chu, SC; Rath, A. (1992). Use of 1H/23Na and 1H/31P double frequency tuned birdcage coils to study in vivo carbon tetrachloride-induced hepatotoxicity in rats. *Magn Reson Imaging.* 10: 679-688.
- Towner, RA; Janzen, EG; Zhang, YK; Yamashiro, S. (1993). MRI study of the inhibitory effect of new spin traps on in vivo carbon tetrachloride induced hepatotoxicity in rats. *Free Radical Biol Med.* 14: 677-681.
- Towner, RA; Janzen, EG; Zhang, YK; Yamashiro, S. (1993). MRI study of the inhibitory effect of new spin traps on in vivo CCl4-induced hepatotoxicity in rats. *Free radical biology & medicine.* 14: 677-681.
- Towner, RA; Reinke, LA; Janzen, EG; Yamashiro, S. (1994). In vivo magnetic resonance imaging study of Kupffer cell involvement in CCl4-induced hepatotoxicity in rats. *Can J Physiol Pharmacol.* 72: 441-446.
- Towner, RA; Zhdanov, RI; Janzen, EG. (1993). Use of nitroxides as MRI contrast agents to study in vivo carbon tetrachloride induced hepatotoxicity in rats. *Free Radic Res Commun.* 19 Suppl 1: S211-218.
- Toyota, T; Kataoka, T; Nishiyama, Y; Taguchi, T; Yamaoka, K. (2012). Inhibitory Effects of Pretreatment with Radon on Acute Alcohol-Induced Hepatopathy in Mice. *Mediators Inflamm* 2012: 82801-82801.
- Traiger, GJ; Bruckner, JV; Jiang, WD; Dietz, FK; Cooke, PH. (1989). Effect of 2-butanol and 2-butanone on rat hepatic ultrastructure and drug metabolizing enzyme activity. *J Toxicol Environ Health.* 28: 235-248.
- Traiger, GJ; Plaa, GL. (1971). Differences in the potentiation of carbon tetrachloride in rats by ethanol and isopropanol pretreatment. *Toxicol Appl Pharmacol.* 20: 105-112.
- Traiger, GJ; Plaa, GL. (1973). Effect of isopropanol on CCl4-induced changes in perfused rat liver hemodynamics. *Archives internationales de pharmacodynamie et de therapie.* 202: 102-105.
- Tran, CD; Challa, S; Franko, M. (2005). Ionic liquids as an attractive alternative solvent for thermal lens measurements. *Anal Chem.* 77: 7442-7447.

Environmental Hazard Literature Search Results

Off Topic

- Tran, TT; Groben, P; Pisetsky, DS. (2008). The release of DNA into the plasma of mice following hepatic cell death by apoptosis and necrosis. *Biomarkers*. 13: 184-200.
- Trantham, H; Durnford, D. (1999). Stochastic aggregation model (SAM) for DNAPL-water displacement in porous media. *J Contam Hydrol*. 36: 377-400.
- Trapp, S; McFarlane, JC. (1995). INTRODUCTION. *Trapp, S And J C Mcfarlane*. 0: 1-10.
- Tratnyek, PG; Scherer, MM; Deng, BL; Hu, SD. (2001). Effects of natural organic matter, anthropogenic surfactants, and model quinones on the reduction of contaminants by zero-valent iron. *Water Res*. 35: 4435-4443.
- Travieso, L; Benítez, F. Assessment of a microalgae pond for post-treatment of the effluent from an anaerobic fixed bed reactor treating distillery wastewater.
- Travis, CC; Wang, LA; Waehner, MJ. (1991). Quantitative correlation of carcinogenic potency with four different classes of short-term test data. *Mutagenesis*. 6: 353-360.
- Trejo, RA; Di, LND. (1971). Influence of reticuloendothelial system (RES) functional modification on endotoxin detoxication by liver and spleen. *J Reticuloendothel Soc*. 10: 515-525.
- Trenholm, A. (1998). Identification of PICs in hazardous waste combustion emissions. *Waste Manag*. 18: 485-492.
- Trennery, PN; Waring, RH. (1983). Early changes in thioacetamide-induced liver damage. *Toxicol Lett*. 19: 299-307.
- Trevizo, C; Nirmalakhandan, N. (1999). Prediction of microbial toxicity of industrial organic chemicals. *Water Science And Technology*. 39: 63-69.
- Trieff, NM; Weller, SC; Ramanujam, S; Legator. (1990). Prediction of toxicological interactions in a binary mixture by using pattern recognition techniques: Proposed approach with a developed model. *Teratogenesis, Carcinogenesis and Mutagenesis*. 10: 165-175.
- Triger, DR; Wright, R. (1973). Studies on hepatic uptake of antigen. II. The effect of hepatotoxins on the immune response. *Immunology*. 25: 951-956.
- Trinus, FP; Pisarev, AA; Chubenko, AV; Stefanov, AV. (1985). Experimental morphological studies of liposome effect in CCl sub(4) intoxication. *Byulleten Eksperimental'noi Biologii I Meditsiny*. 100: 714-715.
- Tripathi, BK; Srivastava, S; Rastogi, R; Raina, D; Ram, VJ; Srivastava, AK. (2003). Hepatoprotection by 3-bromo-6-(4-chlorophenyl)-4-methylthio-2H-pyran-2-one against experimentally induced liver injury in rats. *Acta pharmaceutica (Zagreb, Croatia)*. 53: 91-100.
- Trnovec, T; Gajdosíková, A; Gregusková, M. (1980). Induction of pentylenetetrazol convulsions by polysaccharide--protein complex isolated from *Candida albicans*. *Exp Mol Pathol*.
- Trnovec, T; Plesková, A; Chorvát, D. (1974). The effect of carbon tetrachloride on radiocerium metabolism in rats. *Strahlentherapie*. 147: 521-530.
- Trtanj, MI; Maksimovic, ZB; Vlahov, AA; Djakovic, VN. (1988). Effects of some organic diluents on detonation propagation in tetranitromethane. *HAZARDOUS MATER*. 19: 161-167.
- Truex, M; Powell, T; Lynch, K. (2007). In situ dechlorination of TCE during aquifer heating. *Ground Water Monitoring and Remediation*. 27: 96-105.
- Truex, MJ; Oostrom, M; Brusseau, ML. (2009). Estimating Persistent Mass Flux of Volatile Contaminants from the Vadose Zone to Ground Water. *Ground Water Monitoring and Remediation*. 29: 63-72.
- Truss, CD; Killenberg, PG. (1982). Treatment of carbon tetrachloride poisoning with hyperbaric oxygen. *Gastroenterology*. 82: 767-769.
- Tsai, CC; Kao, ST; Hsu, CT; Lin, CC; Lai, JS; Lin, JG. (1997). Ameliorative effect of traditional Chinese medicine prescriptions on alpha-naphthylisothiocyanate and carbon-tetrachloride induced toxicity in rats. *Am J Chin Med*. 25: 185-196.
- Tsai, CCT; Kao, CT; Hsu, CTH; Lin, CC; Lin, JG. (1997). Evaluation of four prescriptions of traditional Chinese medicine: Syh-Mo-Yiin, Guizhi-Fuling-Wan, Shieh-Qing-Wan and Syh-Nih-Sann on experimental acute liver damage in rats. *J Ethnopharmacol*. 55: 213-222.
- Tsai, JH; Liu, JY; Wu, TT; Ho, PC; Huang, CY; Shyu, JC; Hsieh, YS; Tsai, CC; Liu, YC. (2008). Effects of silymarin on the resolution of liver fibrosis induced by carbon tetrachloride in rats. *J Viral Hepat*. 15: 508-514.
- Tsai, TH; Shih, SC; Ho, TC; Ma, HI; Liu, MY; Chen, SL; Tsao, YP. (2014). Pigment epithelium-derived factor 34-mer peptide prevents liver fibrosis and hepatic stellate cell activation through down-regulation of the PDGF receptor. *PLoS ONE*. 9: e95443.
- Tsai, TT; Kao, CM; Wang, JY. (2011). Remediation of TCE-contaminated groundwater using acid/BOF slag enhanced chemical oxidation. *Chemosphere*. 83: 687-692.
- Tse, SYH; Mak, IT; Weglicki, WB; Dickens, BF. (1988). CHLORINATED HYDROCARBONS ENHANCE LIPID PEROXIDATION IN CULTURED ENDOTHELIAL CELLS AND SMOOTH MUSCLE CELLS. Xth Annual Meeting Of The International Society For Heart Research, Williamsburg, Virginia, Usa, June. 20.
- Tse, SYH; Mak, IT; Weglicki, WB; Dickens, BF. (1990). Chlorinated aliphatic hydrocarbons promote lipid peroxidation in vascular cells. *J Toxicol Environ Health*. 31: 217-226.
- Tseng, CK; Lin, CK; Chang, HW; Wu, YH; Yen, FL; Chang, FR; Chen, WC; Yeh, CC; Lee, JC. (2014). Aqueous extract of *Gracilaria tenuistipitata* suppresses LPS-induced NF- κ B and MAPK activation in RAW 264.7 and rat peritoneal macrophages and exerts hepatoprotective effects on carbon tetrachloride-treated rat. *PLoS ONE*. 9: e86557.
- Tsiliviannis, CA. (1999). Report: Comparison of environmental impacts from solid waste treatment and disposal facilities. *Waste Management & Research*. 17: 231-241.
- Tsirel'nikov, NI; Dobrovolskaya, SG. (1974). Morphohistochemical investigation of the embryonic liver after CC14 administration at various stages of ontogeny. *Bull Exp Biol Med*. 76: 1467-1469.
- Tsokos-Kuhn, JO; Smith, CV; Mitchell, JR; Tate, CA; Entman, ML. (1986). Evidence for increased membrane permeability of plasmalemmal vesicles from livers of phenobarbital-induced CCl sub(4)-intoxicated rats. *Mol Pharmacol*. 30: 444-451.

Environmental Hazard Literature Search Results

Off Topic

- Tsolaki, E; Athanasiou, E; Gounari, E; Zogas, N; Siotou, E; Yiangou, M; Anagnostopoulos, A; Yannaki, E. (2014). Hematopoietic stem cells and liver regeneration: Differentially acting hematopoietic stem cell mobilization agents reverse induced chronic liver injury. *Blood Cells Molecules and Diseases*. 53: 124-132.
- Tsuang, MT; Lyons, MJ; Eisen, SA; Goldberg, J; True, W; Lin, N; Meyer, JM; Toomey, R; Faraone, SV; Eaves, L. (1985). Genetic influences on DSM-III-R drug abuse and dependence: a study of 3,372 twin pairs. 67: 473-477.
- Tsuboi, Y; Ishikawa, S; Fujisawa, G; Okada, K; Saito, T. (1994). Therapeutic efficacy of the non-peptide AVP antagonist OPC-31260 in cirrhotic rats. *Kidney Int*. 46: 237-244.
- Tsuchida, T; Yasuyama, T; Higuchi, K; Watanabe, A; Urakami, T; Akaike, T; Sato, K; Maeda, H. (1993). The protective effect of pyrroloquinoline quinone and its derivatives against carbon tetrachloride-induced liver injury of rats. *J Gastroenterol Hepatol*. 8: 342-347.
- Tsuchiya, S; Tsukamoto, Y; Taira, E; LaMarre, J. (2007). Involvement of transforming growth factor-beta in the expression of gicerin, a cell adhesion molecule, in the regeneration of hepatocytes. *Int J Mol Med*. 19: 381-386.
- Tsui, TY; Lau, CK; Ma, J; Glockzin, G; Obed, A; Schlitt, HJ; Fan, ST. (2006). Adeno-associated virus-mediated heme oxygenase-1 gene transfer suppresses the progression of micronodular cirrhosis in rats. *World J Gastroenterol*. 12: 2016-2023.
- Tsui, TY; Lau, CK; Ma, J; Wu, XB; Wang, YQ; Farkas, S; Xu, R; Schlitt, HJ; Fan, ST. (2005). rAAV-mediated stable expression of heme oxygenase-1 in stellate cells: A new approach to attenuate liver fibrosis in rats. *Hepatology*. 42: 335-342.
- Tsuji, J; Sato, K; Nagashima, H. (1982). Activation of polyhaloalkanes by palladium catalyst. Preparation of \hat{I}^3 -trichloro esters by coaddition reaction of carbon tetrachloride and carbon monoxide to olefins. *Tetrahedron Letters*. 23: 893-896.
- Tsuji, M; Kato, H; Okazaki, M; Oguchi, K. (1992). PROTECTIVE EFFECT OF SHO-SAIKO-TO AGAINST CARBON TETRACHLORIDE INDUCED HEPATOTOXICITY IN PRIMARY CULTURED HEPATOCYTES OF RAT. 65th Annual Meeting Of The Japanese Pharmacological Society, Sendai, Japan, March. 59.
- Tsuji, M; Kodama, K; Oguchi, K. (1990). Protective effect of S-adenosyl-L-methionine against CCl sub(4)-induced hepatotoxicity in cultured hepatocytes. *Japanese Journal of Pharmacology*. 52: 209-214.
- Tsujii, T; Fukuhara, M; Fukuda, S; Matsui, T; Matsuoka, Y. (1975). Studies on the inhibition of experimental liver fibrosis. 2. The mechanism of the inhibition of liver fibrosis of rats due to carbon tetrachloride by elastase. *Gastroenterologia Japonica*. 10: 215-220.
- Tsujimoto, I; Moriya, K; Sakai, K; Dickneite, G; Sakai, T. (2011). Critical Role of Factor XIII in the Initial Stages of Carbon Tetrachloride-Induced Adult Liver Remodeling. *American Journal of Pathology*. 179: 3011-3019.
- Tsujiuchi, T; Sasaki, Y; Kubozoe, T; Tsutsumi, M; Konishi, Y; Nakae, D. (2002). Alterations of the Fhit gene in hepatocellular carcinomas induced by N-nitrosodiethylamine in rats. *Mol Carcinog*. 34: 19-24.
- Tsuruoka, N; Abe, K; Wake, K; Takata, M; Hatta, A; Sato, T; Inoue, H. (2009). Hepatic protection by glycyrrhizin and inhibition of iNOS expression in concanavalin A-induced liver injury in mice. *Inflamm Res*. 58: 593-599.
- Tsyrov, IB; Lyakhovich, VV. (1975). Rate-limiting steps in drug metabolism by microsomes from CCl-4-cirrhotic rat liver. *Chem Biol Interact*. 10: 77-89.
- Tu, CT; Guo, JS; Wang, M; Wang, JY. (2007). Antifibrotic activity of rofecoxib in vivo is associated with reduced portal hypertension in rats with carbon tetrachloride-induced liver injury. *J Gastroenterol Hepatol*. 22: 877-884.
- Tu, CT; Yao, QY; Xu, BL; Wang, JY; Zhou, CH; Zhang, SC. (2012). Protective effects of curcumin against hepatic fibrosis induced by carbon tetrachloride: Modulation of high-mobility group box 1, Toll-like receptor 4 and 2 expression. *Food Chem Toxicol*. 50: 3343-3351.
- Tu, XL; Zhang, HY; Zhang, JC; Zhao, SH; Zheng, XX; Zhang, ZP; Zhu, J; Chen, JN; Dong, L; Zang, YH; Zhang, JF. (2014). MicroRNA-101 suppresses liver fibrosis by targeting the TGF beta signalling pathway. *J Pathol*. 234: 46-59.
- Tu, XL; Zheng, XX; Li, HA; Cao, ZP; Chang, HW; Luan, SY; Zhu, J; Chen, JN; Zang, YH; Zhang, JF. (2015). MicroRNA-30 Protects Against Carbon Tetrachloride-induced Liver Fibrosis by Attenuating Transforming Growth Factor Beta Signaling in Hepatic Stellate Cells. *Toxicol Sci*. 146: 157-169.
- TuÅrÅĉn, MJ; Alvarez, M; Culebras, JM. (1990). An overview of animal models for investigating the pathogenesis and therapeutic strategies in acute hepatic failure.
- Tuchweber, B; Werringloer, J; Kourounakis, P. (1974). Effect of phenobarbital or pregnenolone-16alpha-carbonitrile (PCN) pretreatment on acute carbon tetrachloride hepatotoxicity in rats. *Biochem Pharmacol*. 23: 513-518.
- Tugues, S; Morales-Ruiz, M; Fernandez-Varo, G; Ros, J; Arteta, D; Munoz-Luque, J; Arroyo, V; Rodes, J; Jimenez, W. (2005). Microarray analysis of endothelial differentially expressed genes in liver of cirrhotic rats. *Gastroenterology*. 129: 1686-1695.
- Tukappa, NKA; Londonkar, RL; Nayaka, HB; Kumar, CBS. (2015). Cytotoxicity and hepatoprotective attributes of methanolic extract of *Rumex vesicarius* L. *Biol Res*. 48: 19.
- Tuncer, I; Ozbek, H; Ugras, S; Bayram, I. (2003). Anti-fibrogenic effects of captopril and candesartan cilexetil on the hepatic fibrosis development in rat - The effect of AT1-R blocker on the hepatic fibrosis. *Exp Toxicol Pathol*. 55: 159-166.
- Tung, YT; Wu, JH; Huang, CC; Peng, HC; Chen, YL; Yang, SC; Chang, ST. (2009). Protective effect of *Acacia confusa* bark extract and its active compound gallic acid against carbon tetrachloride-induced chronic liver injury in rats. *Food Chem Toxicol*. 47: 1385-1392.
- Tuormaa, TE. (1995). Adverse effects of agrochemicals on reproduction and health: A brief review from the literature. *Journal Of Nutritional & Environmental Medicine*. 5: 353-366.
- Tuovinen, PI. (1949). A case of carbon tetrachloride poisoning with anuria treated by unilateral discission of the renal capsule. *Annales chirurgiae et gynaecologiae Fenniae*. 38: 169-172.
- Turcio-Ortega, D; Fan, DM; Tratnyek, PG; Kim, EJ; Chang, YS. (2012). Reactivity of Fe/FeS Nanoparticles: Electrolyte Composition Effects on Corrosion Electrochemistry. *Environmental Science & Technology*. 46: 12484-12492.

Environmental Hazard Literature Search Results

Off Topic

- Turgut, K; Demir, C; Ok, M; Ciftçi, K. (1997). Pre- and postprandial total serum bile acid concentration following acute liver damage in dogs. *Zentralblatt für Veterinärmedizin Reihe A*. 44: 25-29.
- Turkdogan, MK; Agaoglu, Z; Yener, Z; Sekeroglu, R; Akkan, HA; Avci, ME. (2001). The role of antioxidant vitamins (C and E), selenium and *Nigella sativa* in the prevention of liver fibrosis and cirrhosis in rabbits: New hopes. *Deutsche Tierärztliche Wochenschrift*. 108: 71-73.
- Turkdogan, MK; Ozbek, H; Yener, Z; Tuncer, I; Uygan, I; Ceylan, E. (2003). The role of *Urtica dioica* and *Nigella sativa* in the prevention of carbon tetrachloride-induced hepatotoxicity in rats. *Phytother Res*. 17: 942-946.
- Turkez, H; Geyikoglu, F; Mokhtar, YI; Togar, B. (2012). Eicosapentaenoic acid protects against 2,3,7,8-tetrachlorodibenzo-p-dioxin-induced hepatic toxicity in cultured rat hepatocytes. *Cytotechnology*. 64: 15-25.
- Turkez, H; Geyikoglu, F; Yousef, MI; Celik, K; Bakir, TO. (2012). Ameliorative effect of supplementation with L-glutamine on oxidative stress, DNA damage, cell viability and hepatotoxicity induced by 2,3,7,8-tetrachlorodibenzo-p-dioxin in rat hepatocyte cultures. *Cytotechnology*. 64: 687-699.
- Turkez, H; Yousef, MI; Geyikoglu, F. (2012). Propolis protects against 2,3,7,8-tetrachlorodibenzo-p-dioxin-induced toxicity in rat hepatocytes. *Food Chem Toxicol*. 50: 2142-2148.
- Turov, VV; Gunâko, VM; Turova, AA; Morozova, LP; Voronin, EF. (2011). Interfacial behavior of concentrated HCl solution and water clustered at a surface of nanosilica in weakly polar solvents media. *Colloids and surfaces*. 390: 48-55.
- Tursman, JF; Cork, DJ. (1992). Subsurface contaminant bioremediation engineering. *Crit Rev Environ Control*. 22: 1-26.
- Tutar, A; Balci, M. (2002). Bromination of an N-carbomethoxy-7-aza-2,3-benzonorborene and synthesis of N-carbomethoxy-7-aza-2,3-dibromo-5,6-benzonorborene: High temperature bromination. Part 14. *Tetrahedron*. 58: 8979-8984.
- Tutau, F; Rodriguez-Ortigosa, C; Puche, JE; Juanarena, N; Monreal, I; Garcia Fernandez, M; Clavijo, E; Castilla, A; Castilla-Cortazar, I. (2009). Enhanced actions of insulin-like growth factor-I and interferon-alpha co-administration in experimental cirrhosis. *Liver Int*. 29: 37-46.
- Tyndall, RL; Clapp, NK; Davidson, KA; Colyer, SP; Burtis, CA. (1978). Effects of carcinogenic and non-carcinogenic chemicals on plasma esterases in BALB/c mice. *Chem Biol Interact*. 23: 159-169.
- Tyras, H. (1989). Spectrophotometric determination of methyl alcohol in the atmosphere. *Zeitschrift für die gesamte Hygiene und ihre Grenzgebiete*. 35: 96-97.
- Tyson, CA. (1987). CORRESPONDENCE OF RESULTS FROM HEPATOCYTE STUDIES WITH IN-VIVO RESPONSE. *Toxicol Ind Health*. 3: 459-478.
- Tyson, CA; Hawk-Prather, K; Story, DL; Gould, DH. (1983). Correlations of in vitro and in vivo hepatotoxicity for five haloalkanes. *Toxicol Appl Pharmacol*. 70: 289-302.
- Tyson, CA; Story, DL; Stephens, RJ. (1983). Ultrastructural changes in isolated rat hepatocytes exposed to different CCl₄ concentrations. *Biochem Biophys Res Commun*. 114: 511-517.
- Tytler, NB; Tully, SJ. (1993). THE WHO WHAT WHY AND HOW OF WASTE ANALYSIS. *Anal Proc*. 30: 69-71.
- Tzeng, JI; Chen, MF; Chung, HH; Cheng, JT. (2013). Silymarin Decreases Connective Tissue Growth Factor to Improve Liver Fibrosis in Rats Treated with Carbon Tetrachloride. *Phytother Res*. 27: 1023-1028.
- U, ADT; Kanbak, G; Li, Y; Wang, J; Asahina, K. (2009). Mesothelial cells give rise to hepatic stellate cells and myofibroblasts via mesothelial-mesenchymal transition in liver injury. *Biol Trace Elem Res*. 132: 207-214.
- u, DI; Bayr, BI; Tuncer, I; Ozt; uumtârk, Y; uu, Yz; uuumuml; umi; Yil, UFoMDoPKThhc; Kriete, A; Anderson, MK; Love, B; Freund, J; Caffrey, JJ; Young, MB; Sendera, TJ; Magnuson, SR; Braugher, JM. (2003). Combined histomorphometric and gene-expression profiling applied to toxicology. *Fitoterapia*. 74: 317-319.
- Ubeda, M; Munoz, L; Borrero, MJ; Diaz, D; Frances, R; Monserrat, J; Lario, M; Lledo, L; Such, J; Alvarez-Mon, M; Albillos, A. (2010). Critical Role of the Liver in the Induction of Systemic Inflammation in Rats With Preascitic Cirrhosis. *Hepatology*. 52: 2086-2095.
- Uchimiya, M; Stone, AT. (2009). Reversible redox chemistry of quinones: Impact on biogeochemical cycles. *Chemosphere*. 77: 451-458.
- Uchio, K; Graham, M; Dean, NM; Rosenbaum, J; Desmouliere, A. (2004). Down-regulation of connective tissue growth factor and type I collagen mRNA expression by connective tissue growth factor antisense oligonucleotide during experimental liver fibrosis. *Wound Repair and Regeneration*. 12: 60-66.
- Uchio, K; Tuchweber, B; Manabe, N; Gabbiani, G; Rosenbaum, J; Desmouliere, A. (2002). Cellular retinol-binding protein-1 expression and modulation during in vivo and in vitro myofibroblastic differentiation of rat hepatic stellate cells and portal fibroblasts. *Lab Invest*. 82: 619-628.
- Uchiyama, H; Nakajima, T; Yagi, O; Tabuchi, T. (1989). AEROBIC DEGRADATION OF TRICHLOROETHYLENE AT HIGH CONCENTRATION BY A METHANE-UTILIZING MIXED CULTURE. *Agric Biol Chem*. 53: 1019-1024.
- Udeagha, AU. (1986). The effect of some hepatotoxins on the sulfoxidation of cimetidine in rat. *AU - DIXON P AF. Comp Biochem Physiol C Comp Pharmacol Toxicol*. 83: 385-386.
- Ueda, Y. (1967). Experimental liver carcinoma and liver cirrhosis induced by p-dimethylaminoazobenzene after preliminary carbon tetrachloride injections. *The Tohoku journal of experimental medicine*. 92: 175-206.
- Ueda, Y. (1967). The relation between experimental liver carcinoma and liver cirrhosis induced by simultaneous administration of p-dimethylaminoazobenzene and carbon tetrachloride. *The Tohoku journal of experimental medicine*. 92: 83-107.
- Ueda, Y. (1967). The relation between experimental liver carcinoma and liver cirrhosis induced by successive administration of p-dimethylaminoazobenzene and carbon tetrachloride. *The Tohoku journal of experimental medicine*. 92: 109-140.
- Ueda, Y; Yabe, K; Taira, Z. (2006). A bio-defensive function induced by low-dose lipopolysaccharide pre-treatment against CCl₄-induced fulminant hepatic failure in rats. *Anticancer Res*. 26: 4063-4066.
- Uehara, K; Tachibana, T; Tsunooka, M; Ozaki, Y. Interconversion of bacteriochlorophyll c aggregates in solid films upon organic vapor treatment. *Photochem Photobiol*. Sept 1995. v. 62 (3): 496-501.

Environmental Hazard Literature Search Results

Off Topic

- Uehleke, H; Werner, T. A comparative study on the irreversible binding of labeled halothane trichlorofluoromethane, chloroform, and carbon tetrachloride to hepatic protein and lipids in vitro and in vivo. *Archiv fur Toxikologie*. 1975, 34 (4): 289-308.
- Ueji, S; Fujino, R; Okubo, N; Miyazawa, T; Kurita, S; Kitadini, M; Muromatsu, A. Solvent-induced inversion of enantioselectivity in lipase-catalyzed esterification of 2-phenoxypropionic acids. *Biotechnol Lett*. Mar 1992. v. 14 (3): 163-168.
- Uemitsu, N. (1986). Inhalation pharmacokinetics of carbon tetrachloride in rats based on arterial blood:inhaled air concentration ratios. *Toxicol Appl Pharmacol*. 83: 20-29.
- Uemitsu, N; Minobe, Y; Nakayoshi, H. (1985). Concentration-time-response relationship under conditions of single inhalation of carbon tetrachloride. *Toxicol Appl Pharmacol*. 77: 260-266.
- Uemitsu, N; Nakayoshi, H. (1984). Evaluation of liver weight changes following a single oral administration of carbon tetrachloride in rats. *Toxicol Appl Pharmacol*. 75: 1-7.
- Uemitsu, N; Nishimura, C; Nakayoshi, H. (1986). Evaluation of liver weight changes following repeated administration of carbon tetrachloride in rats and body-liver weight relationship. *Toxicology*. 40: 181-190.
- Ueno, K; Yamaura, K; Chiku, R; Satoh, T. (1990). SUPPRESSION OF HUMORAL IMMUNE RESPONSE BY CARBON TETRACHLORIDE IN MICE. 63rd Annual Meeting Of The Japanese Pharmacological Society, Tokyo, Japan, March. 52.
- Ugazio, G; Artizzu, M; Pani, P; Dianzani, MU. (1964). The changes in some hydrolytic enzymes in carbon tetrachloride-induced fatty livers. *The Journal of the Albert Einstein Medical Center, Philadelphia*. 90: 109-116.
- Ugazio, G; Danni, O; Milillo, P; Burdino, E; Congiu, AM. (1982). Mechanism of protection against carbon tetrachloride toxicity. I. Prevention of lethal effects by partial surgical hepatectomy. *Drug Chem Toxicol*. 5: 115-124.
- Ugazio, G; Koch, RR; Recknagel, RO. (1972). Mechanism of protection against carbon tetrachloride by prior carbon tetrachloride administration. *Exp Mol Pathol*. 16: 281-285.
- Ugazio, G; Koch, RR; Recknagel, RO. (1973). Reversibility of liver damage in rats rendered resistant to carbon tetrachloride by prior carbon tetrachloride administration: Bearing on the lipoperoxidation hypothesis. *Exp Mol Pathol*. 18: 281-289.
- Ugazio, G; Pani, P. (1968). Studies of lipoproteins isolated from rat serum after in vitro treatment with carbon tetrachloride. *Life Sci*. 7: 699-705.
- Ugazio, G; Torrielli, MV. Rat liver lipolytic activity after carbon tetrachloride poisoning. *Life Sci*. Feb 1, 1969, 8 (3): 197-206.
- Ugazio, G; Torrielli, MV. (1969). Effect of propyl gallate on carbon tetrachloride induced fatty liver. *Biochem Pharmacol*. 18: 2271-2274.
- Uhlemann, E; MÄ¼ller, H. (1968). Chelate von β -diketonderivaten 1: Teil X. Zweiphasenverteilung von thiodibenzoylmethan und seinen kupfer-, nickel- und kobaltchelaten. *Anal Chim Acta*. 41: 311-318.
- Uhler, AD; Diachenko, GW. (1987). Volatile halocarbon compounds in process water and processed foods. *Bull Environ Contam Toxicol*. 39: 601-607.
- Ujang, Z; Husain, WH; Seng, MC; Rashid, AHA. (2003). The kinetic resolution of 2-(4-chlorophenoxy) propionic acid using *Candida rugosa* lipase. *Process Biochemistry*. 38: 1483-1488.
- Ujhelyi, E; Divald, A; Vajta, G; Jeney, A; Lapis, K. (1984). Effect of PG12 in carbon tetrachloride-induced liver injury. *Acta Physiol Hung*. 64: 425-430.
- Ujhelyi, E; Kovács, L; Lapis, K. (1980). Morphological and biochemical study of the hepatoprotective effect of AICA-phosphate. *Acta Med Acad Sci H80*. 37.
- Ukrainczyk, L; Chibwe, M; Pinnavaia, TJ; Boyd, SA. Reductive dechlorination of carbon tetrachloride in water catalyzed by mineral-supported biomimetic cobalt macrocycles. *Environmental science & technology*. Feb 1995. v. 29 (2): 439-445.
- Ulanova, IP; Khalepo, AI; Avilova, GG. (1984). Intermittent exposure to toxic compounds in the working-zone atmosphere viewed from the aspect of hygienic standardization. *Journal of hygiene, epidemiology, microbiology, and immunology*. 29: 243-251.
- Ulicna, O; Vancova, O; Waczulikova, I; Bozek, P; Janega, P; Babal, P; Liskova, S; Greksak, M. (2008). Does rooibos tea (*Aspalathus linearis*) support regeneration of rat liver after intoxication by carbon tetrachloride? *Gen Physiol Biophys*. 27: 179-186.
- Ulmeanu, M; Anghel, I; Filipescu, M; Luculescu, C; Enculescu, M; Zamfirescu, M. (2013). Periodic arrays of nanostructures in silicon and gallium arsenide by near-field enhanced laser irradiation in liquid precursors. *Colloids and surfaces*. 418: 47-51.
- Uludag-Demirer, S; Bowers, AR. (2003). Effects of surface oxidation and oxygen on the removal of trichloroethylene from the gas phase using elemental iron. *Water Air and Soil Pollution*. 142: 229-242.
- Umbright, C; Sellamuthu, R; Li, SQ; Kashon, M; Luster, M; Joseph, P. (2010). Blood gene expression markers to detect and distinguish target organ toxicity. *Mol Cell Biochem*. 335: 223-234.
- Umetsu, M; Wang, ZY; Yoza, K; Kobayashi, M; Nozawa, T. (2000). Interaction of photosynthetic pigments with various organic solvents 2. Application of magnetic circular dichroism to bacteriochlorophyll a and light-harvesting complex 1. *Biochimica Et Biophysica Acta-Bioenergetics*. 1457: 106-117.
- Umetsu, M; Wang, ZY; Zhang, J; Ishii, T; Uehara, K; Inoko, Y; Kobayashi, M; Nozawa, T. (1999). How the formation process influences the structure of BChl c aggregates. *Photosynthesis Research*. 60: 229-239.
- Umezu, K; Yuasa, S; Sudoh, A. (1985). Change of hepatic histamine content during hepatic fibrosis. *Biochem Pharmacol*. 34: 2007-2011.
- Umezu, T; Shibata, Y. (2014). Different behavioral effect dose-response profiles in mice exposed to two-carbon chlorinated hydrocarbons: Influence of structural and physical properties. *Toxicol Appl Pharmacol*. 279: 103-112.
- Umiker, W; Pearce, J. (1953). Nature and genesis of pulmonary alterations in carbon tetrachloride poisoning. *AMA archives of pathology*. 55: 203-217.
- Un, K; Kawakami, S; Yoshida, M; Higuchi, Y; Suzuki, R; Maruyama, K; Yamashita, F; Hashida, M. (2012). Efficient suppression of murine intracellular adhesion molecule-1 using ultrasound-responsive and mannose-modified lipoplexes inhibits acute hepatic inflammation. *Hepatology*. 56: 259-269.

Environmental Hazard Literature Search Results

Off Topic

- Unakar, NJ. (1966). Effect of p-hydroxypropiophenone on fibrosis induced by carbon tetrachloride in mice. *Am J Pathol.* 48: 897-919.
- Ungar, H. (1951). Transformation of the hepatic vasculature of rats following protracted experimental poisoning with carbon tetrachloride; its possible relation to the formation of urate calculi in the urinary tract. *Am J Pathol.* 27: 871-883.
- Unnikrishnan, S; Hegde, DS. (2006). An analysis of cleaner production and its impact on health hazards in the workplace. *Environ Int.* 32: 87-94.
- Unnikrishnan, VS; Sudhakaran, PR. (1985). Metabolism of glycosaminoglycans in experimental liver fibrosis. *Indian journal of biochemistry and biophysics New Delhi.* 22: 304-308.
- Uno, Y; Matsuura, K; Miyagawa, M; Takasawa, H; Tanifuji, H; Abe, K; Akimoto, A; Asanoma, K; Baba, K; Daigo, H; Hagiwara, T; Hirano, K; Inoue, T; Kawano, Y; Kijima, K; Sato, F; Shibata-Yoshida, K; Yamamura, E. (1999). Rat liver in vivo replicative DNA synthesis test for short-term prediction of nongenotoxic (Ames-negative) hepatocarcinogenicity: a collaborative study of the Nongenotoxic Carcinogen Study Group of Japan. *Toxicol Lett.* 109: 105-114.
- Uno, Y; Takasawa, H; Miyagawa, M; Inoue, Y; Murata, T; Ogawa, M; Yoshikawa, K. (1992). In vivo-in vitro replicative DNA synthesis (RDS) test using perfused rat livers as an early prediction assay for nongenotoxic hepatocarcinogens: I. Establishment of a standard protocol. *Toxicol Lett.* 63: 191-199.
- Uno, Y; Takasawa, H; Miyagawa, M; Inoue, Y; Murata, T; Ogawa, M; Yoshikawa, K. (1992). In vivo-in vitro replicative DNA synthesis (RDS) test using perfused rat livers as an early prediction assay for nongenotoxic hepatocarcinogens: II. Assessment of judgment criteria. *Toxicol Lett.* 63: 201-209.
- Upadhyaya, G; Roy, AN. (1987). EFFICACY OF CERTAIN CHEMICALS IN THE CONTROL OF SPECIES OF FUSARIUM IN STORED ASHGAURD. *Pesticides.* 21: 25-27.
- Upur, H; Amat, N; Blazekovic, B; Talip, A. (2009). Protective effect of Cichorium glandulosum root extract on carbon tetrachloride-induced and galactosamine-induced hepatotoxicity in mice. *Food Chem Toxicol.* 47: 2022-2030.
- Ura, H; Denda, A; Yokose, Y; Tsutsumi, M; Konishi, Y. (1987). EFFECT OF VITAMIN E ON THE INDUCTION AND EVOLUTION OF ENZYME-ALTERED FOCI IN THE LIVER OF RATS TREATED WITH DIETHYLNITROSAMINE. *Carcinogenesis.* 8: 1595-1600.
- Urakami, T; Yoshida, C; Akaike, T; Maeda, H; Nishigori, H; Niki, E. (1997). Synthesis of monoesters of pyrroloquinoline quinone and imidazopyrroloquinoline, and radical scavenging activities using electron spin resonance in vitro and pharmacological activity in vivo. *J Nutr Sci Vitaminol.* 43: 19-33.
- Urano, K; Kawamoto, K; Abe, Y; Otake, M. (1988). Chlorinated organic compounds in urban air in Japan. *The Science of the total environment.* 74: 121-131.
- Urano, K; Murata, C. (1985). ADSORPTION OF PRINCIPAL CHLORINATED ORGANIC COMPOUNDS ON SOIL. *Chemosphere.* 14: 293-300.
- Urano, K; Yamamoto, E; Tonegawa, M; Fujie, K. (1991). Adsorption of chlorinated organic compounds on activated carbon from water. *Water Res.* 25: 1459-1464.
- Urbaniak, M; Iwanek, W. (2004). The interaction of octamethoxyresorcinarene with halogenoacetic acids. *Tetrahedron.* 60: 8265-8273.
- Urbanova, M; Setnicka, V; Volka, K. (2000). Measurements of concentration dependence and enantiomeric purity of terpene solutions as a test of a new commercial VCD spectrometer. *Chirality.* 12: 199-203.
- Urhahn, T; Ballschmiter, K. (1998). Chemistry of the biosynthesis of halogenated methanes: C1-organohalogenes as pre-industrial chemical stressors in the environment? *Chemosphere.* 37: 1017-1032.
- Urtasun, R; Cubero, FJ; Vera, M; Nieto, N. (2009). Reactive nitrogen species switch on early extracellular matrix remodeling via induction of MMP1 and TNFalpha. *Gastroenterology.* 136: 1410-1422, e1411-1414.
- Uryvaeva, IV; Delone, GV. (1995). An improved method of mouse liver micronucleus analysis: an application to age-related genetic alteration and polyploidy study. *Mutat Res.* 334: 71-80.
- Uskokovi; Markovi; Milenkovi; Topi; Kotur-Stevuljevi; Stefanovi; Anti; Stankovi. (2007). Protective effects of tungstophosphoric acid and sodium tungstate on chemically induced liver necrosis in wistar rats. *Journal of pharmacy & pharmaceutical sciences : a publication of the Canadian Society for Pharmaceutical Sciences, Soci e#769;te#769; canadienne des sciences pharmaceutiques.* 10: 340-349.
- Usui, T; Moriwaki, H; Hatakeyama, H; Kasai, T; Kato, M; Seishima, M; Okuno, M; Ohnishi, H; Yoshida, T; Muto, Y. (1996). Oral supplementation with branched-chain amino acids improves transthyretin turnover in rats with carbon tetrachloride-induced liver cirrhosis. *The Journal of nutrition.* 126: 1412-1420.
- Utrilla, MP; Navarro, MC; Jimenez, J; Montilla, MP; Martin, A. (1995). Santolindiacetylene, a polyacetylene derivative isolated from the essential oil of *Santolina canescens*. *J Nat Prod.* 58: 1749-1752.
- Utsumi, H; Ichikawa, K; Takeshita, K. (1995). In vivo ESR measurements of free radical reactions in living mice. *Toxicol Lett.* 83: 561-565.
- Utsumi, H; Murayama, J; Hamada, A. (1985). Structural changes of rat liver microsomal membranes induced by the oral administration of carbon tetrachloride. 31P-NMR and spin-label studies. *Biochem Pharmacol.* 34: 57-63.
- Utsumi, H; Murayama, JI; Hamada, A. (1985). STRUCTURAL CHANGES OF RAT LIVER MICROSOMAL MEMBRANES INDUCED BY THE ORAL ADMINISTRATION OF CARBON TETRACHLORIDE PHOSPHORUS-31 NMR AND SPIN-LABEL STUDIES. *Biochem Pharmacol.* 34: 57-64.
- Utsumi, H; Murayama, JI; Hamada, A. (1985). Structural changes of rat liver microsomal membranes induced by the oral administration of carbon tetrachloride. super(31)P-NMR and spin-label studies. *Biochem Pharmacol.* 34: 57-63.
- Utsunomiya, T; Shimada, M; Rikimaru, T; Hasegawa, H; Yamashita, Y; Hamatsu, T; Yamasaki, M; Kaku, S; Yamada, K; Sugimachi, K. (2003). Antioxidant and anti-inflammatory effects of a diet supplemented with sesamin on hepatic ischemia-reperfusion injury in rats. *Hepatogastroenterology.* 50: 1609-1613.
- Uyama, N; Shimahara, Y; Kawada, N; Seki, S; Okuyama, H; Iimuro, Y; Yamaoka, Y. (2002). Regulation of cultured rat hepatocyte proliferation by stellate cells. *J Hepatol.* 36: 590-599.

Environmental Hazard Literature Search Results

Off Topic

- Uyama, N; Zhao, L; Van, RE; Hirako, Y; Reynaert, H; Adams, DH; Xue, Z; Li, Z; Robson, R; Pekny, M; Geerts, A. (2006). Hepatic stellate cells express synemin, a protein bridging intermediate filaments to focal adhesions. *Gut*. 55: 1276-1289.
- Uzel, N; Ozdemirler, G; Sivas, A; Uysal, M. (2016). Effects of carbon tetrachloride-induced lipid peroxidation and diethyl maleate-induced glutathione depletion on plasma lecithin cholesterol acyltransferase activity in rats. *Chem Biol Interact*. 5: 353-358.
- Uzma, N; Kumar, BS; Priyadarsini, KI. (2011). Hepatoprotective, Immunomodulatory, and Anti-inflammatory Activities of Selenocystine in Experimental Liver Injury of Rats. *Biol Trace Elem Res*. 142: 723-734.
- Uzomah, TC; Ugbolue, SCO. (1999). Strength properties of solvent vapour-treated pre-tensioned polypropylene films part I - Halohydrocarbon solvents. *Journal of Materials Science*. 34: 1839-1845.
- VÃ cha, SSJ. (1977). Biosynthesis of cytidine nucleotides and level of cytochrome P-450 in rat liver after administration of carbon tetrachloride. *Toxicology*. 8: 157-164.
- VÃ hÃ roja, P; NÃ rhi, J; Kuokkanen, T; Naatus, O; Jalonen, J; Lahdelma, S. (2005). An infrared spectroscopic method for quantitative analysis of fatty alcohols and fatty acid esters in machinery oils. *Anal Bioanal Chem*. 383: 305-311.
- VÃ r, o, K; AlberAlbert, M; VetÃ ssi, DDoIMUoVSBH. Hepatic ultrasonographic findings in experimental carbon tetrachloride intoxication of the dog.
- VÃ zÃ n; nenH; Kulonen, E. (1984). Synthesis of collagen and other proteins in parenchymal and non-parenchymal liver cells from CCl₄- or ethanol-treated rats. *Acta Pharmacol Toxicol*.
- Vacher, J; Delevallee, F; Deraedt, R. (1977). Mechanism of the hypersusceptibility to the lethal effect of endotoxin (ET) induced in mice by injection of beryllium phosphate. *Toxicol Appl Pharmacol*. 40: 99-108.
- Vadiraja, BB; Gaikwad, NW; Madyastha, KM. (1998). Hepatoprotective effect of C-phycocyanin: Protection for carbon tetrachloride and R-(+)-pulegone-mediated hepatotoxicity in rats. *Biochem Biophys Res Commun*. 249: 428-431.
- Vadiraja, BB; Gaikwad, NW; Madyastha, KM. (1998). Hepatoprotective effect of C-phycocyanin: protection for carbon tetrachloride and R-(+)-pulegone-mediated hepatotoxicity in rats. *Biochem Biophys Res Commun*. 249: 428-431.
- Vaes, WHJ; Ramos, EU; Verhaar, HJM; Cramer, CJ; Hermens, JLM. (1998). Understanding and estimating membrane/water partition coefficients: Approaches to derive quantitative structure property relationships. *Chem Res Toxicol*. 11: 847-854.
- Vaillancourt, T; Plaa, GL; Sengupta, M; Sharma, GD; Chakraborty, B. (1990). Hepatoprotective and immunomodulatory properties of aqueous extract of *Curcuma longa* in carbon tetra chloride intoxicated Swiss albino mice. *Fundamental and applied toxicology : official journal of the Society of Toxicology*. 1: 193-199.
- Vainio, H; Aitio, A. (1975). Influence of hematin, carbon tetrachloride and SKF 525-A administration on the enhancement of microsomal monooxygenase and UDPglucuronosyltransferase by 3,4-benzpyrene in rat liver. *Acta Pharmacol Toxicol*. 37: 23-32.
- Vainio, H; Parkki, MG. (1974). Protection of microsomal drug biotransformation enzymes against carbon tetrachloride by diethyldithiocarbamate in rat liver. *Res Comm Chem Pathol Pharmacol*. 9: 511-522.
- Vainio, H; Parkki, MG; Marniemi, J. (1976). Effects of aliphatic chlorohydrocarbons on drug-metabolizing enzymes in rat liver in vivo. *Xenobiotica; the fate of foreign compounds in biological systems*. 6: 599-604.
- Vaishwanar, I; Jiddewar, GG; Shukla, RD; Kowale, CN. (1972). Effect of nicotinic acid on serum & hepatic lipids in experimentally induced fatty liver. *Indian J Exp Biol*. 10: 428-430.
- Vajdovich, P; SzilÃ gyi, A; GaÃ l, T. Evaluation of blood lipid peroxidation parameters in carbon tetrachloride (CCl₄) toxicity in sheep.
- Vakulin, GM. (1989). Early posttoxic defects of hepatocyte membranes revealed electron microscopically with lanthanum transmembrane tracer. *Byulleten Eksperimental'noi Biologii i Meditsiny*. 107: 99-101.
- Valame, VP; Chitre, RG; Sheth, UK. (1963). Effect of administration of glucuronic acid in rats treated with carbon tetrachloride. *Archives internationales de pharmacodynamie et de the#769;rapie*. 143: 165-172.
- Valatas, V; Kolios, G; Manousou, P; Xidakis, C; Notas, G; Ljumovic, D; Kouroumalis, EA. (2004). Secretion of inflammatory mediators by isolated rat Kupffer cells: the effect of octreotide. *Regulatory Peptides*. 120: 215-225.
- Valcheva-Kuzmanova, S; Borisova, P; Galunska, B; Krasnaliev, I; Belcheva, A. (2004). Hepatoprotective effect of the natural fruit juice from *Aronia melanocarpa* on carbon tetrachloride-induced acute liver damage in rats. *Exp Toxicol Pathol*. 56: 195-201.
- Valcheva-Kuzmanova, SV; Popova, PB; Galunska, BT; Belcheva, A. (2006). Protective effect of *Aronia melanocarpa* fruit juice pretreatment in a model of carbon tetrachloride-induced hepatotoxicity in rats. *Folia medica*. 48: 57-62.
- Valdovska, A; Pilmane, M. (2011). Histopathologic and immunohistochemical lesions in liver of mink infected with Aleutian disease virus. *Pol J Vet Sci*. 14: 69-76.
- Valenzuela, RM; Costello, K; Chen, M; Said, A; Johnson, KP; Dhib-Jalbut, S. (2007). Clinical response to glatiramer acetate correlates with modulation of IFN-gamma and IL-4 expression in multiple sclerosis. *Multiple sclerosis (Houndmills, Basingstoke, England)*. 13: 754-762.
- Valles, EG; De Castro, CR; Castro, JA. (1994). Late protective effects against CCl sub(4)-induced liver necrosis by the radioprotective agent 2-aminoethyl-isothiuronium bromide hydrobromide (AET). *Toxicology*. 90: 71-80.
- Valles, EG; de Castro, CR; Castro, JA. (1994). N-Acetyl cysteine is an early but also a late preventive agent against carbon tetrachloride-induced liver necrosis. *Toxicol Lett*. 71: 87-95.
- Valles, EG; de, CCR; Castro, JA. (1995). Radioprotectors as late preventive agents against carbon tetrachloride induced liver necrosis: protection by 2-(3-aminopropylamino) ethylphosphorothioic acid (WR2721). *Exp Mol Pathol*. 63.
- Van Aken, B. (2008). Transgenic plants for phytoremediation: helping nature to clean up environmental pollution. *Trends in Biotechnology*. 26: 225-227.
- Van, CH; Marsboom, R; Vandenberghe, J; Will, JA. (1983). Safety studies evaluating the effect of mebendazole on liver function in dogs. *Journal of the American Veterinary Medical Association*. 183: 93-98.

Environmental Hazard Literature Search Results

Off Topic

- Van de Castelee, M; Sagesser, H; Zimmermann, H; Reichen, J. (2001). Characterisation of portal hypertension models by microspheres in anaesthetised rats: a comparison of liver flow. *Pharmacology & Therapeutics*. 90: 35-43.
- Van der Avert, P; Weckhuysen, BM. (2002). Low-temperature destruction of chlorinated hydrocarbons over lanthanide oxide based catalysts. *Angewandte Chemie-International Edition*. 41: 4730-4732.
- van der Merwe, SW; van den Bogaerde, JB; Goosen, C; Maree, FF; Milner, RJ; Schnitzler, CM; Biscardi, A; Mesquita, JM; Engelbrecht, G; Kahn, D; Fevery, J. (2003). Hepatic osteodystrophy in rats results mainly from portasystemic shunting. *Gut*. 52: 580-585.
- van der Zee, FP; Bouwman, RHM; Strik, D; Lettinga, G; Field, JA. (2001). Application of redox mediators to accelerate the transformation of reactive azo dyes in anaerobic bioreactors. *Biotechnol Bioeng*. 75: 691-701.
- Van der Zee, FR; Cervantes, FJ. (2009). Impact and application of electron shuttles on the redox (bio)transformation of contaminants: A review. *Biotechnology Advances*. 27: 256-277.
- Van, DERVAARTD; Marchand, EG; Bagely-Pride, A. (1996). THERMAL AND CATALYTIC INCINERATION OF VOLATILE ORGANIC COMPOUNDS. *American journal of medical genetics*. 24: 203-236.
- van, dGM; Vermeulen, NP; Heij, P; de, BH; Breimer, DD. (1986). Correlation between the metabolism of hexobarbital and aminopyrine in vivo in rats. *Xenobiotica; the fate of foreign compounds in biological systems*. 16: 1091-1096.
- van, dGM; Vermeulen, NP; Hofman, PH; Breimer, DD. (1986). The influence of pretreatment on the urinary metabolite profile of pseudoracemic hexobarbital. *Biochem Pharmacol*. 35: 3166-3169.
- van, dGM; Vermeulen, NP; Hofman, PH; Breimer, DD. (1987). Correlation of apparent intrinsic clearances of simultaneously administered S (+) and d3R (-) hexobarbital in the rat. *Biochem Pharmacol*. 36: 1321-1323.
- Van Eekert, MHA; Schroder, TJ; Stams, AJM; Schraa, G; Field, JA. (1998). Degradation and fate of carbon tetrachloride in unadapted methanogenic granular sludge. *Appl Environ Microbiol*. 64: 2350-2356.
- van Eekert, MHA; Stams, AJM; Field, JA; Schraa, G. (1999). Gratuitous dechlorination of chloroethanes by methanogenic granular sludge. *Appl Microbiol Biotechnol*. 51: 46-52.
- van, GJ; van, VH; de, NI. (1986). Acute phase reactants enhance CCl₄ induced liver cirrhosis in the rat. *Exp Mol Pathol*. 44: 157-168.
- Van, LEEUWENCJ; Van, DERZANDTPTJ; Aldenberg, T; Verhaar, HJM; Hermens, JLM. (1992). Application of QSARs, extrapolation and equilibrium partitioning in aquatic effects assessment: I. Narcotic industrial pollutants. *Environ Toxicol Chem*. 11: 267-282.
- van, LJA; Hickman, R; Saunders, SJ; Terblanche, J. (1974). Massive liver cell necrosis induced in the pig with carbon tetrachloride. *South African medical journal = Suid-Afrikaanse tydskrif vir geneeskunde*. 48: 1201-1204.
- Van Nooten, T; Springael, D; Bastiaens, L. (2008). Positive impact of microorganisms on the performance of laboratory-scale permeable reactive iron barriers. *Environmental Science & Technology*. 42: 1680-1686.
- Van, OOSTEROMWP; Urlings, LGCM; Huybregts, MACM; Van, DEREYKD. (1987). SAMPLING AND CONSERVATION OF VOLATILE ORGANIC MICROPOLLUTANTS IN GROUNDWATER. Wolf, K, W J Van Den Brink And F J Colon. 0: 227-230.
- Van, PA. (1974). Biotransformation of diethyl ether and chloroform. *International anesthesiology clinics*. 12: 35-40.
- Van Puyvelde, L; Kayonga, A; Brioen, P; Costa, J; Ndimubakunzi, A; De Kimpe, N; Schamp, N. (1989). The hepatoprotective principle of *Hypoestes triflora* leaves. *J Ethnopharmacol*. 26: 121-127.
- Van, RG; Lijnen, P; Verbesselt, R; Verbruggen, A; Fevery, J. (1997). Effect of narcotic agents and of bleeding on systemic and renal haemodynamics in healthy and CCl₄-treated cirrhotic rats. *Clinical science (London, England : 1979)*. 93: 549-556.
- Van, ROEYG; Fevery, J. (1992). CIRRHOSIS AND SALT-RETENTION IN CARBON TETRACHLORIDE RAT. 27th Annual Meeting Of The European Association For The Study Of The Liver, Vienna, Austria, August. 16.
- Van, SC; Trachet, B; Casteleyn, C; van, LD; Van, HL; Segers, P; Geerts, A; Van, VH; Colle, I. (2010). Vascular corrosion casting: analyzing wall shear stress in the portal vein and vascular abnormalities in portal hypertensive and cirrhotic rodents. *Laboratory investigation; a journal of technical methods and pathology*. 90: 1558-1572.
- van Stee, EW; Boorman, GA; Moorman, MP; Sloane, RA. (1982). Time-varying concentration profile as a determinant of the inhalation toxicity of carbon tetrachloride. *J Toxicol Environ Health*. 10: 785-795.
- van Swelm, RPL; Kramers, C; Masereeuw, R; Russel, FGM. (2014). Application of urine proteomics for biomarker discovery in drug-induced liver injury. *Crit Rev Toxicol*. 44: 823-841.
- Van, VJF; Alberts, JO. (1968). Evaluation of liver function tests and liver biopsy in experimental carbon tetrachloride intoxication and extrahepatic bile duct obstruction in the dog. *Am J Vet Res*. 29: 2119-2131.
- van Zwol, PJ; Palasantzas, G. (2010). Repulsive Casimir forces between solid materials with high-refractive-index intervening liquids. *Physical Review A*. 81: 2502-2502.
- Vanaja, DK; Sivakumar, B; Jesudasan, RA; Singh, L; Janardanasarma, MK; Habibullah, CM. (1998). In vivo identification, survival, and functional efficacy of transplanted hepatocytes in acute liver failure mice model by fish using Y-chromosome probe. *Cell Transplant*. 7: 267-273.
- Vanaja, R; Gajalakshmi, BS. (1993). Zinc counteracts experimentally-induced cirrhotic changes in rats. *Indian J Physiol Pharmacol*. 37: 163-164.
- Vandegrift, EE; Shotwell, OL; Smith, ML; Hesseltine, CW. Mycotoxin production affected by insecticide treatment of wheat. *Cereal chemistry*. May/June 1973, 50 (3): 264-270.
- Vanderwolf, CH; Zibrowski, EM. (2001). Pyriform cortex beta-waves: odor-specific sensitization following repeated olfactory stimulation. *Brain Res*. 892: 301-308.
- Vanheule, E; Geerts, AM; Reynaert, H; Van Vlierberghe, H; Geerts, A; De Vos, M; Colle, I. (2008). Influence of somatostatin and octreotide on liver microcirculation in an experimental mouse model of cirrhosis studied by intravital fluorescence microscopy. *Liver Int*. 28: 107-116.

Environmental Hazard Literature Search Results

Off Topic

- Vanheule, E; Geerts, AM; Van Huysse, J; Schelfhout, D; Praet, M; Van Vlierberghe, H; De Vos, M; Colle, I. (2008). An intravital microscopic study of the hepatic microcirculation in cirrhotic mice models: relationship between fibrosis and angiogenesis. *Int J Exp Pathol.* 89: 419-432.
- Vanitha, A; Murthy, KNC; Kumar, V; Sakthivelu, G; Veigas, JM; Saibaba, P; Ravishankar, GA. (2007). Effect of the Carotenoid-Producing Alga, *Dunaliella bardawil*, on CCl₄-Induced Toxicity in Rats. *Int J Toxicol.* 26: 159-167.
- Vann, LS; Helwig, HL; Goetz, ME. (1969). Carbon tetrachloride lowering of choline oxidation in mice--a radiorespirometric study. *Toxicol Appl Pharmacol.* 14: 457-468.
- Vannelli, TM. (1994). Oxidation of halogenated alkanes, alkenes, and aromatics by the ammonia-oxidizing bacterium *Nitrosomonas europaea*. PhD, University of Minnesota.
- Vanni, VV; Dianzani, MU; Gokhale, SD; Kelkar, VV; Gulati, OD. (1987). SOME OBSERVATIONS ON THE POSSIBLE MEDIATION OF CARBON TETRACHLORIDE HEPATOTOXICITY THROUGH THE CENTRAL NERVOUS SYSTEM. *The Biochemical journal.* 246: 313-317.
- Vanstone, N; Elsner, M; Lacrampe-Couloume, G; Mabury, S; Lollar, BS. (2008). Potential for identifying abiotic chloroalkane degradation mechanisms using carbon isotopic fractionation. *Environmental science & technology.* 42: 126-132.
- Vanstone, N; Elsner, M; Lacrampe-Couloume, G; Mabury, S; Lollar, BS. (2008). Potential for identifying abiotic chloroalkane degradation mechanisms using carbon isotopic fractionation. *Environmental Science & Technology.* 42: 126-132.
- Vardi, J; Sulitzeanu, D. (1987). Antigenic components of rat connective tissue. 3. Liver connective tissue antigens of rats made cirrhotic by treatment with carbon tetrachloride. *Br J Exp Pathol.* 49: 6-10.
- Varelamoreiras, G; Alonsoaperte, E; Rubio, M; Gasso, M; Deulofeu, R; Alvarez, L; Caballeria, J; Rodes, J; Mato, JM. (1995). CARBON TETRACHLORIDE-INDUCED HEPATIC-INJURY IS ASSOCIATED WITH GLOBAL DNA HYPOMETHYLATION AND HOMOCYSTEINEMIA - EFFECT OF S-ADENOSYLMETHIONINE TREATMENT. *Hepatology.* 22: 1310-1315.
- Varga, F; Măeşes, MM; Molnár, RA. (1966). Reversibility of hepatic fibrosis induced by carbon tetrachloride in the rat. *Acta physiologica Academiae Scientiarum Hungaricae.*
- Vargas-Mendoza, N; Esquivel-Soto, J; Esquivel-Chirino, C. Hepatoprotective effect of silymarin.
- Vargo, EJ; Petr czi, A. (2013). Detecting cocaine use? The autobiographical implicit association test (aIAT) produces false positives in a real-world setting. *Substance abuse treatment, prevention, and policy.* 8: 22.
- Varma, MM; Ampy, Verma, K; Talbot, WW. (1988). In Vitro Mutagenicity of Water Contaminants in Complex Mixtures. *Journal of Applied Toxicology* JJATDK Vol 8, No 4, p 243-248, August 1988 8 fig, 14 ref NIH Grant 2-SO6-RR-08016.
- Varon, ML; Cole, LJ. (1966). Hemopoietic colony-forming units in regenerating mouse liver: suppression by anticoagulants. *Science (New York, NY).* 153: 643-644.
- Varshney, JP; Gupta, AK. (1997). Effect of repeated administration of carbon tetrachloride on haemato-biochemical profile in donkeys. *Indian Veterinary Journal.* 74: 746-748.
- Vasseur, P; Ferard, JF; Babut, M. (1991). The Biological Aspects of the Regulatory Control of Industrial Effluents in France. *Chemosphere CMSHAF, Vol 22, No 5/6, p 625-633, 1991 3 tab, 16 ref.*
- Vassiliadis, E; Veidal, SS; Simonsen, H; Larsen, DV; Vainer, B; Chen, XL; Zheng, QL; Karsdal, MA; Leeming, DJ. (2011). Immunological detection of the type V collagen propeptide fragment, PVCP-1230, in connective tissue remodeling associated with liver fibrosis. *Biomarkers.* 16: 426-433.
- Vassiliadis, P; Trichopoulos, D; Kalapothaki, V; S c ri; eacutO. (1981). Isolation of *Salmonella* with the use of 100 ml of the R10 modification of Rappaport's enrichment medium. *The Journal of hygiene.* 87: 35-41.
- Vatakuti, S; Schoonen, W; Elferink, MLG; Groothuis, GMM; Olinga, P. (2015). Acute toxicity of CCl₄ but not of paracetamol induces a transcriptomic signature of fibrosis in precision-cut liver slices. *Toxicol In Vitro.* 29: 1012-1020.
- Vazquez, C; Bujan, J; Vallejo, D. (1990). Blood coagulation variations induced by carbon tetrachloride inhalation in Wistar rats. *Toxicol Appl Pharmacol.* 103: 206-213.
- Vazquez-Morillas, A; Vaca-Mier, M; Alvarez, PJ. (2006). Biological activation of hydrous ferric oxide for reduction of hexavalent, chromium in the presence of different anions. *European Journal of Soil Biology.* 42: 99-106.
- Veal, N; Oberti, F; Moal, F; Vuillemin, E; Fort, J; Pilette, C. (2000). Spleno-renal shunt blood flow is an accurate index of collateral circulation in different models of portal hypertension and after pharmacological changes in rats. *J Hepa J Hepatol.* 32.
- Veggi, LM; Shah, MD; Gnanaraj, C; Khan, MS; Iqbal, M. (2014). *Dillenia suffruticosa* L. Impedes Carbon Tetrachloride-Induced Hepatic Damage by Modulating Oxidative Stress and Inflammatory Markers in Rats. *Environ Toxicol Pharmacol.* 37: 354-364.
- Veglio, N; Bermejo, FJ; Pardo, LC; Tamarit, JL; Cuello, GJ. (2005). Direct experimental assessment of the strength of orientational correlations in polar liquids. *Physical Review E.* 7203: 1502-1502.
- Veidal, SS; Karsdal, MA; Vassiliadis, E; Nawrocki, A; Larsen, MR; Nguyen, QH; H c zglundD, DNBASHDsn ; Luo, Y; Zheng, Q; Vainer, B; Leeming, DJ. (2011). MMP mediated degradation of type VI collagen is highly associated with liver fibrosis--identification and validation of a novel biochemical marker assay. *PLoS ONE.* 6: e24753.
- Veigas, JM; Shrivastava, R; Neelwarne, B. (2008). Efficient amelioration of carbon tetrachloride induced toxicity in isolated rat hepatocytes by *Syzygium cumini* Skeels extract. *Toxicol In Vitro.* 22: 1440-1446.
- Velapoldi, RA; Dorko, WD. (1990). STANDARDS FOR ATMOSPHERIC MEASUREMENTS. Fourth International Symposium On Biological And Environmental Reference Materials, Orlando, Florida, Usa, February. 338: 479-485.
- Velasco-Loyden, G; Perez-Carreon, JI; Aguero, JFC; Romero, PC; Vidrio-Gomez, S; Martinez-Perez, L; Yanez-Maldonado, L; Hernandez-Munoz, R; Macias-Silva, M; de Sanchez, VC. (2010). Prevention of in vitro hepatic stellate cells activation by the adenosine derivative compound IFC305. *Biochem Pharmacol.* 80: 1690-1699.

Environmental Hazard Literature Search Results

Off Topic

- Vendemiale, G; Grattagliano, I; Caruso, ML; Serviddio, G; Valentini, AM; Pirrelli, M; Altomare, E. (2001). Increased oxidative stress in dimethylnitrosamine-induced liver fibrosis in the rat: Effect of N-acetylcysteine and interferon-alpha. *Toxicol Appl Pharmacol.* 175: 130-139.
- Veng-Pedersen, P; Paustenbach, DJ; Carlson, GP; Suarez, L. (1987). A linear systems approach to analyzing the pharmacokinetics of carbon tetrachloride in the rat following repeated exposures of 8 and 11.5 h/day. *Arch Toxicol.* 60: 355-364.
- Venkatachalapathy, C; Pitchumani, K. (1997). Selectivity in bromination of alkylbenzenes in the presence of montmorillonite clay. *Tetrahedron.* 53: 2581-2584.
- Venkatadri, R; Peters, RW. (1993). CHEMICAL OXIDATION TECHNOLOGIES ULTRAVIOLET LIGHT-HYDROGEN PEROXIDE FENTON'S REAGENT AND TITANIUM DIOXIDE-ASSISTED PHOTOCATALYSIS. *Hazard Waste Hazard Mater.* 10: 107-149.
- Venkataraman, S; Sreenivasan, A. (1965). Synthesis of serum proteins in carbon tetrachloride injured rat & effect of vitamin B12 protection. *Indian journal of biochemistry.* 2: 163-165.
- Ventura, K; Dostal, M; Churacek, J. (1993). Retention characteristics of some volatile compounds on Tenax GR. *J Chromatogr.* 642: 379-382.
- Venugopal, SK; Wu, J; Catana, AM; Eisenbud, L; He, SQ; Duan, YY; Follenzi, A; Zern, MA. (2007). Lentivirus-mediated superoxide dismutase1 gene delivery protects against oxidative stress-induced liver injury in mice. *Liver Int.* 27: 1311-1322.
- Venukumar, MR; Latha, MS. (2002). Antioxidant activity of *Curculigo orchioides* in carbon tetrachloride-induced hepatopathy in rats. *Indian journal of clinical biochemistry : IJCB.* 17: 80-87.
- Venukumar, MR; Latha, MS. (2002). Antioxidant effect of *Coscinium fenestratum* in carbon tetrachloride treated rats. *Indian J Physiol Pharmacol.* 46: 223-228.
- Venukumar, MR; Latha, MS. (2004). Effect of *Coscinium fenestratum* on hepatotoxicity in rats. *Indian J Exp Biol.* 42: 792-797.
- Vergara, P; Castro-S; aacut, L; Salazar, EP; Mo; Muriel, P; Filser, JG; Kessler, W; CsanÁ dy, GAlloTGSFNRCfE; Health, NG. (2010). The "Tuebingen desiccator" system, a tool to study oxidative stress in vivo and inhalation toxicokinetics. *Liver Int.* 30: 969-978.
- Verma, N; Khosa, RL. (2010). Hepatoprotective activity of leaves of *Zanthoxylum armatum* DC in CCl₄ induced hepatotoxicity in rats. *Indian journal of biochemistry & biophysics.* 47: 124-127.
- Verma, N; Singh, AP; Amresh, G; Sahu, PK; Rao, C. (2011). Protective effect of ethyl acetate fraction of *Rhododendron arboreum* flowers against carbon tetrachloride-induced hepatotoxicity in experimental models. *Indian J Pharmacol.* 43: 291-295.
- Verrezen, F; Hurtgen, C. (1992). The measurement of technetium-99 and iodine-129 in waste water from pressurized nuclear-power reactors. *International journal of radiation applications and instrumentation Part A, Applied radiation and isotopes.* 43: 61-68.
- Verstraete, M; Vermynen, J; Collen, D. (1974). Intravascular coagulation in liver disease. *Annu Rev Med.* 25: 447-455.
- Verstraete, W; Top, EM. (1999). Soil clean-up: Lessons to remember. *International Biodeterioration & Biodegradation.* 43: 147-153.
- Vettorazzi, G. (1977). State of the art of the toxicological evaluation carried out by the joint FAO/WHO expert committee on pesticide residues. III. Miscellaneous pesticides used in agriculture and public health. *Residue reviews.* 66: 137-184.
- Vetvicka, V; Garcia-Mina, JM; Proctor, M; Yvin, JC. (2015). Humic Acid and Glucan: Protection Against Liver Injury Induced by Carbon Tetrachloride. *J Med Food.* 18: 572-577.
- Vetvicka, V; Garcia-Mina, JM; Yvin, JC. (2015). Prophylactic effects of humic acid-glucan combination against experimental liver injury. *Journal of intercultural ethnopharmacology.* 4: 249-255.
- Vežnář, T; Hoyk, Z; Varga, C; NÁ ray, DDoPHD; oacu, Dmt; te; m, tšHSH; Nagymajtáěšnyi, L. (2005). Behavioral and neurotoxicological effects of subchronic manganese exposure in rats. *Environ Toxicol Pharmacol.* 19: 797-810.
- Vežnář, T; Papp, A; Kurunczi, A; PÁ rdAd, DADDoPHUSDm; m, tšg; NÁ ray, DDoPHUoSHSD; oatáěšr, H. Behavioral and neurotoxic effects seen during and after subchronic exposure of rats to organic mercury.
- Viamajala, S; Peyton, BM; Gerlach, R; Sivaswamy, V; Apel, WA; Petersen, JN. (2008). Permeable Reactive Biobarriers for In Situ Cr(VI) Reduction: Bench Scale Tests Using *Cellulomonas* sp Strain ES6. *Biotechnol Bioeng.* 101: 1150-1162.
- Vidakovic, R; Desmond, PV; Mashford, ML. (1989). EFFECTS OF ACUTE LIVER INJURY ON THE HEPATIC ELIMINATION OF MORPHINE IN THE ISOLATED PERFUSED RAT LIVER. *Annual Scientific Meeting Of The Gastroenterological Society Of Australia, Perth, Australia, April.* 19.
- Vido, I; Niederland, TR. (1963). EXPERIMENTAL CIRRHOSIS OF THE LIVER AND ITS BIOCHEMICAL REFLECTION IN THE SERUM. *Acta hepatosplenologica.* 10: 361-367.
- Vido, I; Niederland, TR; Tomik, F. (1963). GENESIS AND DEVELOPMENT OF EXPERIMENTAL CIRRHOSIS OF THE LIVER. *Review of Czechoslovak medicine.* 9: 245-257.
- Vidya, SM; Krishna, V; Manjunatha, BK; Mankani, KL; Ahmed, M; Singh, SD. (2007). Evaluation of hepatoprotective activity of *Clerodendrum serratum* L. *Indian J Exp Biol.* 45: 538-542.
- Vieira, RP; Franca, RF; Damaceno-Rodrigues, NR; Dolhnikoff, M; Caldini, EG; Carvalho, CRF; Ribeiro, W. (2008). Dose-dependent hepatic response to subchronic administration of nandrolone decanoate. *Medicine and Science in Sports and Exercise.* 40: 842-847.
- Vieux, AS; Ngiefu, K; Rutagengwa, N. (1978). Equilibrium constants of U(VI)-tri-isooctylammonium acetate complexes in various organic diluents. *Journal of Inorganic and Nuclear Chemistry.* 40: 1431-1434.
- Vijaya, S; Nagarajan, B. Arginine metabolism in rat liver after hepatic damage. *Biochemical medicine.* Feb 1982. v. 27 (1): 86-94.
- Vijaya, S; Nagarajan, B. (1981). Changes in arginase, ornithine carbamyl transferase & arginine-related metabolites in chronic carbon tetrachloride toxicity. *Indian journal of biochemistry & biophysics.* 18: 298-299.
- vijayakumar, S; Dhanapal, R; Sarathchandran, I; Kumar, AS; Ratna, JV. (2012). Evaluation of antioxidant activity of *Ammania baccifera* (L.) Whole plant extract in rats. *Asian Pacific Journal of Tropical Biomedicine.* 2: S753-S756.
- Vikas; Bhatia, A; Sood, SK. (1988). Development of paracetamol induced hepatocellular tolerance in albino rats. *The Indian journal of medical research.* 88: 181-186.

Environmental Hazard Literature Search Results

Off Topic

- Vikesland, PJ; Heathcock, AM; Rebodos, RL; Makus, KE. (2007). Particle size and aggregation effects on magnetite reactivity toward carbon tetrachloride. *Environmental Science & Technology*. 41: 5277-5283.
- Vikesland, PJ; Klausen, J; Zimmermann, H; Roberts, AL; Ball, WP. (2003). Longevity of granular iron in groundwater treatment processes: changes in solute transport properties over time. *J Contam Hydrol*. 64: 3-33.
- Vikesland, PJ; Rebodos, RL; Bottero, JY; Rose, J; Masion, A. (2016). Aggregation and sedimentation of magnetite nanoparticle clusters. *Environmental Science-Nano*. 3: 567-577.
- Villa, L; Polli, E; Dioguardi, N. (1957). Experimental liver insufficiency. *Scientia medica italica English ed*. 5: 398-432.
- Villamediana, LM; Velo, M; Sanz, E; Lopez, NOVOAJM; Hernando, L; Caramelo, C. (1986). ANGIOTENSIN II ALL BINDING STUDIES IN ISOLATED GLOMERULI FROM CIRRHOTIC RATS. Meeting Of The American Society Of Nephrology, Washington, DC, Usa, December. 31: 291.
- Villarruel, MC; D'Aziz, GmMI; Castro, JA. (1975). The nature of the in vitro irreversible binding of carbon tetrachloride to microsomal lipids. *Toxicol Appl Pharmacol*. 33: 106-114.
- Villarruel, MC; de, FEC; Bernacchi, AS; Castro, JA. (1988). Glutathione (GSH) content in livers from control and carbon tetrachloride poisoned rats treated with the calmodulin inhibitors thioridazine, imipramine or chlorpromazine. *Res Comm Chem Pathol Pharmacol*. 60: 397-400.
- Villarruel, MC; Fernandez, G; De Ferreyra, EC; De Fenos, OM; Castro, JA. (1982). Studies on the Mechanism of Alloxan-Diabetes Potentiation of Carbon Tetrachloride-Induced Liver Necrosis. *Br J Exp Pathol*. 63: 388-393.
- Villarruel, MC; Fernandez, G; de Ferreyra, EC; de Fenos, OM; Castro, JA. (1990). Modulation of the course of CCl₄-induced liver injury by the anti-calmodulin drug thioridazine. *Toxicol Lett*. 51: 13-21.
- Villarruel, MD; de, TEG; Castro, JA. (1977). Carbon tetrachloride activation, lipid peroxidation, and the mixed function oxygenase activity of various rat tissues. *Toxicol Appl Pharmacol*. 41: 337-344.
- Villela, GG. (1961). Quinine oxidase in liver and blood plasma of rabbits poisoned with carbon tetrachloride. *Nature*. 190: 807-808.
- Villela, GG. (1964). Biochemical aspects of carbon tetrachloride poisoning. *Biochem Pharmacol*. 13: 665-676.
- Villela, GG; Assis, WP. (1963). SERUM 5'-NUCLEOTIDASE IN RATS POISONED WITH CARBON TETRACHLORIDE. *Revista brasileira de biologia*. 23: 251-253.
- Villela, GG; Mitidieri, E. (1955). Rat liver xanthine oxidase in carbon tetrachloride poisoning. *Nature*. 175: 208-209.
- Vilstrup, H. (1978). The galactose elimination capacity as a quantitative measure of liver function in acute carbon tetrachloride intoxication of rats. *Eur J Clin Invest*. 8: 317-319.
- Vilstrup, H. (1983). Effects of acute carbon tetrachloride intoxication on kinetics of galactose elimination by perfused rat livers. *Scand J Clin Lab Invest*. 43: 127-131.
- Vindedahl, AM; Arnold, WA; Penn, RL. (2015). Impact of Pahokee Peat humic acid and buffer identity on goethite aggregation and reactivity. *Environmental Science-Nano*. 2: 509-517.
- Vindedahl, AM; Stemig, MS; Arnold, WA; Penn, RL. (2016). Character of Humic Substances as a Predictor for Goethite Nanoparticle Reactivity and Aggregation. *Environmental Science & Technology*. 50: 1200-1208.
- Vinhato, En; Olivato, PR; Rodrigues, A; Zukerman-Schpector, J; Colle, MD. (2011). Spectroscopic and theoretical studies of some N,N-diethyl-2-[(4- α -substituted)phenylsulfonyl]acetamid es. *Journal of molecular structure*. 1002: 97-106.
- Vinken, M. (2012). Gap junctions and non-neoplastic liver disease. *J Hepatol*. 57: 655-662.
- Vinogradova, LF; Mirzoyan, Z; Kharlitskaya, EV; Beketova, TP. (1989). On the pathogenetic mechanisms of the liver damage by an anthelmintic drug chloxil. *FARMAKOL TOKSIKOL*. 52: 62-66.
- Vinokurov, AP; Eremeev, AV; Setkov, NA. (2002). Dobutamine prevents experimental postintoxication liver cirrhosis in mice. *Bull Exp Biol Med*. 134: 43-46.
- Vinu, A. (2008). Two-dimensional hexagonally-ordered mesoporous carbon nitrides with tunable pore diameter, surface area and nitrogen content. *Adv Funct Mater*. 18: 816-827.
- Visalli, JR. (1989). The similarity of environmental impacts from all methods of managing solid wastes. *J Environ Syst*. 19: 155-170.
- Visen, PKS; Saraswat, B; Dhawan, BN. (1998). Curative effect of picroliv on primary cultured rat hepatocytes against different hepatotoxins: An in vitro study. *Journal of Pharmacological and Toxicological Methods*. 40: 173-179.
- Vismont, FI; Shust, OG. (2000). Role of alpha1-antitrypsin and detoxification functions of the liver in the pathogenesis of endotoxin-induced fever. *Bull Exp Biol Med*. 130: 645-646.
- VitÃ lis, FFHC. (1975). The effect of a long-term CCl₄ action on the DNA content of rat liver cell nuclei. A cytophotometric study. *Folia histochemica et cytochemica*.
- Vitcheva, V; Simeonova, R; Krasteva, I; Nikolov, S; Mitcheva, M. (2013). Protective Effects of a Purified Saponin Mixture from *Astragalus corniculatus* Bieb., in vivo Hepatotoxicity Models. *Phytother Res*. 27: 731-736.
- Vittozzi, L; Gemma, S; Sbraccia, M; Testai, E. (2000). Comparative characterization of CHCl₃ metabolism and toxicokinetics in rodent strains differently susceptible to chloroform-induced carcinogenicity. *Environ Toxicol Pharmacol*. 8: 103-110.
- Vodyanitskii, YN. (2014). Effect of reduced iron on the degradation of chlorinated hydrocarbons in contaminated soil and ground water: A review of publications. *Eurasian Soil Science*. 47: 119-133.
- Vodyanitskii, YN; Mineev, VG. (2015). Degradation of nitrates with the participation of Fe(II) and Fe(0) in groundwater: A review. *Eurasian Soil Science*. 48: 139-147.
- Vogin, EE; Skeggs, HR; Bokelman, DL; Mattis, PA. (1967). Liver function: postprandial urea nitrogen elevation and indocyanine green clearance in the dog. *Toxicol Appl Pharmacol*. 10: 577-585.
- Vogt, C; Cotruvo, J. (1987). DRINKING WATER STANDARDS THEIR DERIVATION AND MEANING. D'Itri, F M And L G Wolfson Rural Groundwater Contamination Xix+416p Lewis Publishers, Inc: Chelsea, Michigan, Usa Illus Isbn. 0: 213-224.

Environmental Hazard Literature Search Results

Off Topic

- Vohra, BP; Hui, X. (2001). Taurine protects against carbon tetrachloride toxicity in the cultured neurons and in vivo. *Arch Physiol Biochem.* 109: 90-94.
- Vohs, JK; Brege, JJ; Raymond, JE; Brown, AE; Williams, GL; Fahlman, BD. (2004). Low-temperature growth of carbon nanotubes from the catalytic decomposition of carbon tetrachloride. *J Am Chem Soc.* 126: 9936-9937.
- Vollmar, B; Siegmund, S; Menger, MD. (1998). An intravital fluorescence microscopic study of hepatic microvascular and cellular derangements in developing cirrhosis in rats. *Hepatology.* 27: 1544-1553.
- Vollmar, B; Siegmund, S; Richter, S; Menger, MD. (1999). Microvascular consequences of Kupffer cell modulation in rat liver fibrogenesis. *J Pathol.* 189: 85-91.
- Vollmar, B; Wolf, B; Siegmund, S; Katsen, AD; Menger, MD. (1997). Lymph vessel expansion and function in the development of hepatic fibrosis and cirrhosis. *Am J Pathol.* 151: 169-175.
- Vollmar, B; Yang, H; Hirooka, K; Fukuda, K; Shiraga, F. (2000). Neuroprotective effects of angiotensin II type 1 receptor blocker in a rat model of chronic glaucoma. *American journal of physiology Gastrointestinal and liver physiology.* 279: G454-462.
- Volonterio, A; Chiva, G; Fustero, S; Piera, J; Rosello, MS; Sani, M; Zanda, M. (2003). Stereocontrolled solid-phase synthesis of fluorinated partially-modified retropeptides via tandem aza-Michael/enolate-protonation. *Tetrahedron Letters.* 44: 7019-7022.
- Volskay, VTJR; Grady, CPLJR. (1988). TOXICITY OF SELECTED RCRA COMPOUNDS TO ACTIVATED SLUDGE MICROORGANISMS. *J Water Pollut Control Fed.* 60: 1850-1856.
- von Schonfeld, J; Weisbrod, B; Muller, MK. (1997). Silibinin, a plant extract with antioxidant and membrane stabilizing properties, protects exocrine pancreas from cyclosporin A toxicity. *Cellular and Molecular Life Sciences.* 53: 917-920.
- Vonen, B; MÅrland, ASOATN. (1984). Isolated rat hepatocytes in suspension: potential hepatotoxic effects of six different drugs. *Arch Toxicol.*
- Vora, A; Londhe, V; Pandita, N. (2015). Herbosomes enhance the in vivo antioxidant activity and bioavailability of punicalagins from standardized pomegranate extract. *Journal of Functional Foods.* 12: 540-548.
- VorbrÅggen, H; Bohn, BD; Krolikiewicz, K. (1990). New simple wittig-type cyclizations to flavones, 4-quinolones and indenones. *Tetrahedron.* 46: 3489-3502.
- Vorne, M. (1971). Effect of partial liver resection and phenobarbital on the restoration of impaired drug metabolism in carbon tetrachloride induced liver damage. *Acta Pharmacol Toxicol.* 30: 417-428.
- Vorne, M; Alavaikko, M. (1971). Effect of carbon tetrachloride induced progressive liver damage on the metabolism of hexobarbital and bilirubin in vivo. *Acta Pharmacol Toxicol.* 29: 402-416.
- Vorne, M; Arvela, P. (1971). Effect of carbon tetrachloride induced progressive liver damage on drug-metabolizing enzymes and cytochrome P-450 in rat liver. *Acta Pharmacol Toxicol.* 29: 417-427.
- Vorne, M; Arvela, P; Alavaikko, M. (1981). Effect of phenobarbital on hepatic injury induced by chronic carbon tetrachloride treatment. *Pathology, research and practice.* 172: 372-383.
- Vyshtakalyuk, AB; Nazarov, NG; Zobov, VV; Semenov, VE; Galyametdinova, IV; Tcherepnev, GV; Reznik, VS. (2015). Pyrimidine derivatives as hepatoprotective agents. *The International journal of risk & safety in medicine.* 27 Suppl 1: S78-79.
- Vyshtakalyuk, AB; Nazarov, NG; Zueva, IV; Lantsova, AV; Minnekhanova, OA; Busygin, DV; Porfiryev, AG; Evtuyugin, VG; Reznik, VS; Zobov, VV. (2013). Study of hepatoprotective effects of xymedon. *Bull Exp Biol Med.* 155: 643-646.
- Wacker, M; Wanek, P; Eder, E. (2001). Detection of 1,N(2)-propanodeoxyguanosine adducts of trans-4-hydroxy-2-nonenal after gavage of trans-4-hydroxy-2-nonenal or induction of lipid peroxidation with carbon tetrachloride in F344 rats. *Chem Biol Interact.* 137: 269-283.
- Wackett, LP. (1996). BIODEGRADATION OF CHLORINATED ALIPHATIC COMPOUNDS. Crawford, R L And D L Crawford Biotechnology Research Series. 0: 300-311.
- Wackett, LP; Logan, MSP; Blocki, FA; Cai, BL. (1992). A MECHANISTIC PERSPECTIVE ON BACTERIAL METABOLISM OF CHLORINATED METHANES. *Biodegradation.* 3: 19-36.
- Wada, Y; Tsukada, M; Kamiyama, S; Koizumi, A. (1990). Evidence on clonal proliferation of hepatocytes after carbon-tetrachloride-induced hepatic injury in PGK-1 mosaic mice. *Toxicol Lett.* 52: 81-90.
- Wagoner, JI. (1953). Toxic topics. *Medical technicians bulletin.* 4: 245-247.
- Wahi, PN; Tandon, HD; Bharadwaj, TP. (1955). Acute carbon tetrachloride hepatic injury; composite histological, histochemical and biochemical study. I. Histological and histochemical studies. *Acta pathologica et microbiologica Scandinavica.* 37: 305-314.
- Wahi, PN; Tandon, HD; Bharadwaj, TP. (1956). A study of the relation of adrenal cortex to acute carbon tetrachloride hepatopathy. *The Indian journal of medical research.* 44: 43-47.
- Wahid, A; Hamed, AN; Eltahir, HM; Abouzied, MM. (2016). Hepatoprotective activity of ethanolic extract of *Salix subserata* against CCl₄-induced chronic hepatotoxicity in rats. *BMC Complement Altern Med.* 16: 263.
- Wahlberg, JE. (1984). Erythema-inducing effects of solvents following epicutaneous administration to man--studied by laser Doppler flowmetry. *Scandinavian journal of work, environment & health.* 10: 159-162.
- Wahlberg, JE; Boman, A. (1979). Comparative percutaneous toxicity of ten industrial solvents in the guinea pig. *Scandinavian journal of work, environment & health.* 5: 345-351.
- Wai, KK; Liang, YG; Zhou, LJ; Cai, LP; Liang, CH; Liu, L; Lin, X; Wu, HH; Lin, J. (2015). The protective effects of *Acanthus ilicifolius* alkaloid A and its derivatives on pro- and anti-inflammatory cytokines in rats with hepatic fibrosis. *Biotechnol Appl Biochem.* 62: 537-546.
- Waite, CI. (1989). The photochemistry of meta and para-iodobenzophenones. PhD, Michigan State University.
- Wakasaki, H; Ooshima, A. (1990). Synthesis of lysyl oxidase in experimental hepatic fibrosis. *Biochem Biophys Res Commun.* 166: 1201-1204.

Environmental Hazard Literature Search Results

Off Topic

- Wakashiro, S; Shimahara, Y; Ikai, I; Tokunaga, Y; Ozaki, N; Tanaka, A; Morimoto, T; Ozawa, K. (1989). INFLUENCE OF HYPOXIA ON MITOCHONDRIAL FUNCTION AND ENERGY STATUS IN CARBON TETRACHLORIDE-INDUCED CIRRHOTIC RAT LIVER. *Res Exp Med*. 189: 153-162.
- Wakashiro, S; Shimahara, Y; Ikai, I; Tokunaga, Y; Ozaki, N; Tanaka, A; Morimoto, T; Ozawa, K. (1989). Influence of hypoxia on mitochondrial function and energy status in CCl₄-induced cirrhotic rat liver. *Research in experimental medicine Zeitschrift für die gesamte experimentelle Medizin einschliesslich experimenteller Chirurgie*. 189: 153-161.
- Wakasugi, J; Tawara, K; Katami, K; Ikeda, T; Tomikawa, M. (1985). Action of malotilate on reduced serum cholesterol level in rats with carbon tetrachloride-induced liver damage. *Japanese journal of pharmacology*. 38: 391-401.
- Wakchaure, D; Jain, D; Singhai, AK; Somani, R. (2011). Hepatoprotective activity of *Symplocos racemosa* bark on carbon tetrachloride-induced hepatic damage in rats. *Journal of Ayurveda and integrative medicine*. 2: 137-143.
- Waldon, MG. (1998). Time-of-travel in the lower Mississippi River: Model development, calibration, and application. *Water Environ Res*. 70: 1132-1141.
- Walker, BL; Cooper, CD. (1992). Air pollution emission factors for medical waste incinerators. *J Air Waste Manage Assoc*. 42: 784-791.
- Walker, DS; Richmond, GL. (2007). Depth profiling of water molecules at the liquid-liquid interface using a combined surface vibrational spectroscopy and molecular dynamics approach. *J Am Chem Soc*. 129: 9446-9451.
- Walker, JD. (1990). EFFECTS OF CHEMICALS ON MICROORGANISMS. *Res J Water Pollut Control Fed*. 62: 618-624.
- Walker, NE. (1967). Distribution of chemicals injected into fertile eggs and its effect upon apparent toxicity. *Toxicol Appl Pharmacol*. 10: 290-299.
- Walker, RA; Gruetzmacher, JA; Richmond, GL. (1998). Phosphatidylcholine monolayer structure at a liquid-liquid interface. *J Am Chem Soc*. 120: 6991-7003.
- Wallace, MC; Hamesch, K; Lunova, M; Kim, Y; Weiskirchen, R; Strnad, P; Friedman, SL. (2015). Standard Operating Procedures in Experimental Liver Research: Thioacetamide model in mice and rats. *Lab Anim*. 49: 21-29.
- Waller, RL; Glende, EA, Jr.; Recknagel, RO. (1983). Carbon tetrachloride and bromotrichloromethane toxicity. Dual role of covalent binding of metabolic cleavage products and lipid peroxidation in depression of microsomal calcium sequestration. *Biochem Pharmacol*. 32: 1613-1617.
- Waller, RL; Recknagel, RO. (1982). Evaluation of a role for phosgene production in the hepatotoxic mechanism of action of carbon tetrachloride and bromotrichloromethane. *Toxicol Appl Pharmacol*. 66: 172-181.
- Wallin, S; Walum, E. Effects of carbon tetrachloride on perfused cultures of hepatic and neuronal cells. *Alternatives to laboratory animals : ATLA*. Apr 1992. v. 20 (2): 235-239.
- Walters, DG; Sherrington, KV; Worrell, N; Riley, RA. (1994). Formulation and analysis of food-grade mineral hydrocarbons in toxicology studies. *Food Chem Toxicol*. 32: 549-557.
- Walton, BT; Anderson, TA. (1987). STRUCTURAL PROPERTIES OF ORGANIC CHEMICALS AS PREDICTORS OF BIODEGRADATION AND MICROBIAL TOXICITY IN SOILS. *International Workshop On Advances In Environmental Hazard And Risk Assessment*. 17: 1501-1508.
- Walton, BT; Hendricks, MS; Anderson, TA; Griest, WH; Merriweather, R; Beauchamp, JJ; Francis, CW. Soil sorption of volatile and semivolatile organic compounds in a mixture. *J Environ Qual*. Oct/Dec 1992. v. 21 (4): 552-558.
- Walum, E. (1998). Acute oral toxicity. *Environ Health Perspect*. 106: 497-503.
- Wan, CH; Chen, YH; Wei, R. (1999). Dechlorination of chloromethanes on iron and palladium-iron bimetallic surface in aqueous systems. *Environ Toxicol Chem*. 18: 1091-1096.
- Wan, XY; Luo, M; Li, XD; He, P. (2009). Hepatoprotective and anti-hepatocarcinogenic effects of glycyrrhizin and matrine. *Chem Biol Interact*. 181: 15-19.
- Wang, AK; Shan, AQ; Qin, Y; Yang, XJ. (2010). EFFECTS OF CARBON TETRACHLORIDE ON SOIL RESPIRATION, SOIL MICROBE AMOUNTS, WHEAT GERMINATION AND SEEDLING'S CHLOROPHYLL CONTENT. *Fresen Environ Bull*. 19: 653-657.
- Wang, B; Gao, Z; Zou, Q; Li, L. (2003). Quantitative diagnosis of fatty liver with dual-energy CT. An experimental study in rabbits. *Acta radiologica (Stockholm, Sweden : 1987)*. 44: 92-97.
- Wang, B; Li, W; Chen, Y; Wang, Y; Sun, C; Chen, Y; Lu, H; Fan, J; Li, D. (2012). Coexpression of Smad7 and UPA attenuates carbon tetrachloride-induced rat liver fibrosis. *Medical science monitor : international medical journal of experimental and clinical research*. 18: BR394-401.
- Wang, BJ; Liu, CT; Tseng, CY; Wu, CP; Yu, ZR. (2004). Hepatoprotective and antioxidant effects of *Bupleurum kaioi* Liu (Chao et Chuang) extract and its fractions fractionated using supercritical CO₂ on CCl₄-induced liver damage. *Food Chem Toxicol*. 42: 609-617.
- Wang, BJ; Liu, CT; Tseng, CY; Wu, CP; Yu, ZR. (2004). Hepatoprotective and antioxidant effects of *Bupleurum kaioi* Liu (Chao et Chuang) extract and its fractions fractionated using supercritical CO₂ on CCl₄-induced liver damage. *Food Chem Toxicol*. 42: 609-617.
- Wang, CY; Ma, FL; Liu, JT; Tian, JW; Fu, FH. (2007). Protective effect of salvianic acid A on acute liver injury induced by carbon tetrachloride in rats. *Biological & Pharmaceutical Bulletin*. 30: 44-47.
- Wang, D; Zhao, Y; Sun, Y; Yang, X. (2014). Protective effects of Ziyang tea polysaccharides on CCl₄-induced oxidative liver damage in mice. *Food Chem*. 143: 371-378.
- Wang, DH; Wang, YN; Ge, JY; Liu, HY; Zhang, HJ; Qi, Y; Liu, ZH; Cui, XL. (1999). Role of activin A in carbon tetrachloride-induced acute liver injury. *J Ethnopharmacol*. 64: 141-147.
- Wang, D-H; Ishii, K; Zhen, L-X; Taketa, K. (1996). Enhanced liver injury in acatalasemic mice following exposure to carbon tetrachloride. *Arch Toxicol*. 70: 189-194.

Environmental Hazard Literature Search Results

Off Topic

- Wang, DW; Ben, CG; Ye, BK. (1987). Ultrastructural observation and glucose-6-phosphatase determination on the repair of rat experimental hepatic lesions by qing kai ling No. 1. *Journal of traditional Chinese medicine = Chung i tsa chih ying wen pan / sponsored by All-China Association of Traditional Chinese Medicine, Academy of Traditional Chinese Medicine.* 7: 46-52.
- Wang, FR; Ai, H; Chen, XM; Lei, CL. (2007). Hepatoprotective effect of a protein-enriched fraction from the maggots (*Musca domestica*) against CCl₄-induced hepatic damage in rats. *Biotechnol Lett.* 29: 853-858.
- Wang, GM. (1980). Biochemical alterations in hepatic tissue of ethionine and N-nitrosodimethylamine treated mice, and in a transplantable tumor of rat. *Drug Chem Toxicol.* 3: 57-72.
- Wang, GS; Eriksson, LC; Xia, L; Olsson, J; Stal, P. (1999). Dietary iron overload inhibits carbon tetrachloride induced promotion in chemical hepatocarcinogenesis: effects on cell proliferation, apoptosis, and antioxidation. *J Hepatol.* 30: 689-698.
- Wang, H; Chen, XP; Qiu, FZ. (2003). *Salviae miltiorrhizae* ameliorates cirrhosis and portal hypertension by inhibiting nitric oxide in cirrhotic rats. *Hepatobiliary & pancreatic diseases international : HBPD INT.* 2: 391-396.
- Wang, H; Liao, ZX; Chen, M; Hu, XL. (2006). Effects of hepatic fibrosis on ofloxacin pharmacokinetics in rats. *Pharmacol Res.* 53: 28-34.
- Wang, H; Wei, W; Wang, NP; Gui, SY; Wu, L; Sun, WY; Xu, SY. (2005). Melatonin ameliorates carbon tetrachloride-induced hepatic fibrogenesis in rats via inhibition of oxidative stress. *Life Sci.* 77: 1902-1915.
- Wang, H; Zhang, Y; Wang, T; You, H; Jia, J. (2011). N-methyl-4-isoleucine cyclosporine attenuates CCl₄-induced liver fibrosis in rats by interacting with cyclophilin B and D. *J Gastroenterol Hepatol.* 26: 558-567.
- Wang, HL; Sit, WH; Tipoe, GL; Wan, JMF. (2014). Differential protective effects of extra virgin olive oil and corn oil in liver injury: A proteomic study. *Food Chem Toxicol.* 74: 131-138.
- Wang, HX; Liu, F; Ng, TB. (2001). Examination of pineal indoles and 6-methoxy-2-benzoxazolinone for antioxidant and antimicrobial effects. *Comparative Biochemistry and Physiology C-Toxicology & Pharmacology.* 130: 379-388.
- Wang, HY; Fan, BQ; Li, CH; Liu, S; Li, M. (2011). Effects of rhamnolipid on the cellulase and xylanase in hydrolysis of wheat straw. *Bioresour Technol.* 102: 6515-6521.
- Wang, HY; Zhao, TT; Xu, F; Li, Y; Wu, MY; Zhu, DL; Cong, XL; Liu, YJ. (2014). How important is differentiation in the therapeutic effect of mesenchymal stromal cells in liver disease? *Cytotherapy.* 16: 309-318.
- Wang, J; Farrell, J. (2003). Investigating the role of atomic hydrogen on chloroethene reactions with iron using tafel analysis and electrochemical impedance spectroscopy. *Environmental Science & Technology.* 37: 3891-3896.
- Wang, J; Fu, ZZ; Liu, GF; Guo, N; Lu, H; Zhan, YY. (2013). Mediators-assisted reductive biotransformation of tetrabromobisphenol-A by *Shewanella* sp XB. *Bioresour Technol.* 142: 192-197.
- Wang, J; Guo, Y; Liu, B; Jin, X; Liu, L; Xu, R; Kong, Y; Wang, B. (2011). Detection and analysis of reactive oxygen species (ROS) generated by nano-sized TiO₂ powder under ultrasonic irradiation and application in sonocatalytic degradation of organic dyes. *Ultrason Sonochem.* 18: 177-183.
- Wang, J; Tang, L; White, J; Fang, J. (2014). Inhibitory effect of gallic acid on CCl₄-mediated liver fibrosis in mice. *Cell Biochem Biophys.* 69: 21-26.
- Wang, JB; Zhao, HP; Zhao, YL; Jin, C; Liu, DJ; Kong, WJ; Fang, F; Zhang, L; Wang, HJ; Xiao, XH. (2011). Hepatotoxicity or hepatoprotection? Pattern recognition for the paradoxical effect of the Chinese herb *Rheum palmatum* L. in treating rat liver injury. *PLoS ONE.* 6: e24498.
- Wang, JH; Choi, MK; Shin, JW; Hwang, SY; Son, CG. (2012). Antifibrotic effects of *Artemisia capillaris* and *Artemisia iwayomogi* in a carbon tetrachloride-induced chronic hepatic fibrosis animal model. *J Ethnopharmacol.* 140: 179-185.
- Wang, JJ; Li, J; Shi, L; Lv, XW; Cheng, WM; Chen, YY. (2010). Preventive effects of a fractioned polysaccharide from a traditional Chinese herbal medical formula (Yu Ping Feng San) on carbon tetrachloride-induced hepatic fibrosis. *J Pharm Pharmacol.* 62: 935-942.
- Wang, JK; Blowers, P; Farrell, J. (2004). Understanding reduction of carbon tetrachloride at nickel surfaces. *Environmental Science & Technology.* 38: 1576-1581.
- Wang, JL; Chang, CJ; Lin, YH. (1998). Concentration distributions of anthropogenic halocarbons over a metropolitan area. *Chemosphere.* 36: 2391-2400.
- Wang, JQ; Chen, X; Zhang, C; Tao, L; Zhang, ZH; Liu, XQ; Xu, YB; Wang, H; Li, J; Xu, DX. (2013). Phenylbutyric acid protects against carbon tetrachloride-induced hepatic fibrogenesis in mice. *Toxicol Appl Pharmacol.* 266: 307-316.
- Wang, JX; Li, RJ; Guo, YY; Qin, P; Sun, SC. (2006). Removal of methyl chloroform in a coastal salt marsh of eastern China. *Chemosphere.* 65: 1371-1380.
- Wang, JX; Qin, P; Sun, SC. (2007). The flux of chloroform and tetrachloromethane along an elevational gradient of a coastal salt marsh, East China. *Environ Pollut.* 148: 10-20.
- Wang, JY; Guo, JS; Li, H; Liu, SL; Zern, MA. (1998). Inhibitory effect of glycyrrhizin on NF-kappaB binding activity in CCl₄- plus ethanol-induced liver cirrhosis in rats. *Liver.* 18: 180-185.
- Wang, JY; Zhang, QS; Guo, JS; Hu, MY. (2001). Effects of glycyrrhetic acid on collagen metabolism of hepatic stellate cells at different stages of liver fibrosis in rats. *World J Gastroenterol.* 7: 115-119.
- Wang, L; Potter, JJ; Rennie-Tankersley, L; Novitskiy, G; Sipes, J; Mezey, E. (2007). Effects of retinoic acid on the development of liver fibrosis produced by carbon tetrachloride in mice. *Biochimica Et Biophysica Acta-Molecular Basis of Disease.* 1772: 66-71.
- Wang, L; Zhu, L; Luo, W; Wu, Y; Tang, H. (2007). Drastically enhanced ultrasonic decolorization of methyl orange by adding CCl₄. *Ultrason Sonochem.* 14: 253-258.
- Wang, LR; Hartmann, P; Haimerl, M; Bathena, SP; Sjowall, C; Almer, S; Alnouti, Y; Hofmann, AF; Schnabl, B. (2014). Nod2 deficiency protects mice from cholestatic liver disease by increasing renal excretion of bile acids. *J Hepatol.* 60: 1259-1267.
- Wang, LS; Cheng, DY; Wang, HS; Di, L; Zhou, XF; Xu, TH; Yang, XW; Liu, YH. (2009). The hepatoprotective and antifibrotic effects of *Saururus chinensis* against carbon tetrachloride induced hepatic fibrosis in rats. *J Ethnopharmacol.* 126: 487-491.

Environmental Hazard Literature Search Results

Off Topic

- Wang, MH; Palmeri, ML; Guy, CD; Yang, L; Hedlund, LW; Diehl, AM; Nightingale, KR. (2009). In vivo quantification of liver stiffness in a rat model of hepatic fibrosis with acoustic radiation force. *Ultrasound in medicine & biology*. 35: 1709-1721.
- Wang, MT; Jin, Y; Yang, YX; Zhao, CY; Yang, HY; Xu, XF; Qin, X; Wang, ZD; Zhang, ZR; Jian, YL; Huang, Y. (2010). In vivo biodistribution, anti-inflammatory, and hepatoprotective effects of liver targeting dexamethasone acetate loaded nanostructured lipid carrier system. *Int J Nanomedicine*. 5: 487-497.
- Wang, N; Li, PB; Wang, YG; Peng, W; Wu, Z; Tan, SY; Lian, SL; Shen, X; Su, WW. (2008). Hepatoprotective effect of *Hypericum japonicum* extract and its fractions. *J Ethnopharmacol*. 116: 1-6.
- Wang, P; Deng, L; Zhuang, CB; Cheng, CW; Xu, KS. (2016). p-CREB-1 promotes hepatic fibrosis through the transactivation of transforming growth factor-1 expression in rats. *Int J Mol Med*. 38: 521-528.
- Wang, P; Zhao, W. (2008). Assessment of ambient volatile organic compounds (VOCs) near major roads in urban Nanjing, China. *Atmos Res*. 89: 289-297.
- Wang, P-C; Lu, M. (2011). Regioselectivity nitration of aromatics with N_2O_5 in PEG-based dicationic ionic liquid. *Tetrahedron letters*. 52: 1452-1455.
- Wang, PL; Zhang, YZ; An, YW; Xu, K; Xu, X; Fu, C; Lin, JX; Xu, SX; Li, Q; Lei, HM. (2013). Protection of a New Heptapeptide from *Carapax trionycis* against Carbon Tetrachloride-Induced Acute Liver Injury in Mice. *Chemical & Pharmaceutical Bulletin*. 61: 1130-1135.
- Wang, PY; Kaneko, T; Tsukada, H; Nakano, M; Nakajima, T; Sato, A. (1997). Time courses of hepatic injuries induced by chloroform and by carbon tetrachloride: Comparison of biochemical and histopathological changes. *Arch Toxicol*. 71: 638-645.
- Wang, PY; Kaneko, T; Wang, Y; Sato, A. (1999). Acarbose alone or in combination with ethanol potentiates the hepatotoxicity of carbon tetrachloride and acetaminophen in rats. *Hepatology*. 29: 161-165.
- Wang, P-Y; Kaneko, T; Tsukada, H; Nakano, M; Sato, A. (1997). Dose- and route-dependent alterations in metabolism and toxicity of chemical compounds in ethanol-treated rats: Difference between highly (chloroform) and poorly (carbon tetrachloride) metabolized hepatotoxic compounds. *Toxicol Appl Pharmacol*. 142: 13-21.
- Wang, Q; Li, K; Quan, Q; Zhang, G. (2014). R2* and R2 mapping for quantifying recruitment of superparamagnetic iron oxide-tagged endothelial progenitor cells to injured liver: tracking in vitro and in vivo. *Int J Nanomedicine*. 9: 1815-1822.
- Wang, QC; Wen, R; Lin, QH; Wang, N; Lu, P; Zhu, XM. (2015). Wogonoside Shows Antifibrotic Effects in an Experimental Regression Model of Hepatic Fibrosis. *Dig Dis Sci*. 60: 3329-3339.
- Wang, SD; Wang, X; Luo, FC; Tang, XD; Li, K; Hu, XM; Bai, J. (2014). Panaxatriol saponin ameliorated liver injury by acetaminophen via restoring thioredoxin-1 and pro-caspase-12. *Liver Int*. 34: 1068-1073.
- Wang, SH; Kao, MY; Wu, SC; Lo, DY; Wu, JY; Chang, JC; Chiou, RYY. (2011). Oral Administration of *Trapa taiwanensis* Nakai Fruit Skin Extracts Conferring Hepatoprotection from CCl₄-Caused Injury. *J Agric Food Chem*. 59: 3686-3692.
- Wang, SM; Tseng, SK. (2009). Dechlorination of trichloroethylene by immobilized autotrophic hydrogen-bacteria and zero-valent iron. *J Biosci Bioeng*. 107: 287-292.
- Wang, SS; Lee, FY; Wu, SL; Hwu, CM; Chien, CH; Lee, SD; Tsai, YT; Chao, Y; Chen, CC; Wang, PS. (1997). Effects of long-term administration of octreotide on sodium retention and atrial natriuretic peptide in carbon tetrachloride-induced cirrhotic rats. *J Hepatol*. 26: 1128-1134.
- Wang, T; Sun, NL; Zhang, WD; Li, HL; Lu, GC; Yuan, BJ; Jiang, H; She, JH; Zhang, C. (2008). Protective effects of dehydrocavidine on carbon tetrachloride-induced acute hepatotoxicity in rats. *J Ethnopharmacol*. 117: 300-308.
- Wang, T; Zhao, LJ; Li, P; Jiang, H; Lu, GC; Zhang, WD; Li, HL; Yuan, BJ. (2011). Hepatoprotective effects and mechanisms of dehydrocavidine in rats with carbon tetrachloride-induced hepatic fibrosis. *J Ethnopharmacol*. 138: 76-84.
- Wang, TC; Tan, CK. (1988). REDUCTION OF CHLORINATED HYDROCARBONS WITH NATURAL SUNLIGHT IN PLATINUM-CATALYZED WATER PHOTOLYSIS SYSTEM. *Environ Sci Technol*. 22: 916-919.
- Wang, TC; Tan, CK. (1990). REDUCTION OF HALOGENATED HYDROCARBONS WITH MAGNESIUM HYDROLYSIS PROCESS. *Bull Environ Contam Toxicol*. 45: 149-156.
- Wang, TIGPiMMaY-MY-MU; Academia, STT; Institute, oM; Immunology, NY-MUTT; Ym-Vgh, GRCNY-MUTT; Department, oE; Research, TCHTEahyet; Bhimani, EK; Serracino-Ingloft, F; Sarela, AI; Batten, JJ; Mathie, RT. (2014). Hepatic and mesenteric nitric oxide synthase expression in a rat model of CCl₄-induced cirrhosis. *J Hepatol*. 61: 1276-1286.
- Wang, W; Li, J; Wang, Z; Gao, H; Su, L; Xie, J; Chen, X; Liang, H; Wang, C; Han, Y. (2014). Oral hepatoprotective ability evaluation of purple sweet potato anthocyanins on acute and chronic chemical liver injuries. *Cell Biochem Biophys*. 69: 539-548.
- Wang, WC. (1990). CLIMATIC EFFECTS DUE TO INCREASING ATMOSPHERIC TRACE GASES AND THEIR INDUCED OZONE CHANGES. *Ilyas, M*. 0: 292-301.
- Wang, X; Chen, C; Chang, Y; Liu, H. (2009). Dechlorination of chlorinated methanes by Pd/Fe bimetallic nanoparticles. *J Hazard Mater*. 161: 815-823.
- Wang, X; Ye, XL; Liu, R; Chen, HL; Bai, H; Liang, X; Zhang, XD; Wang, Z; Li, WL; Hai, CX. (2010). Antioxidant activities of oleanolic acid in vitro: Possible role of Nrf2 and MAP kinases. *Chem Biol Interact*. 184: 328-337.
- Wang, X; Zhong, YX; Zhang, ZY; Lu, J; Lan, M; Miao, JY; Guo, XG; Shi, YQ; Zhao, YQ; Ding, J; Wu, KC; Pan, BR; Fan, DM. (2002). Effect of L-NAME on nitric oxide and gastrointestinal motility alterations in cirrhotic rats. *World J Gastroenterol*. 8: 328-332.
- Wang, XH; Gong, GQ; Yang, WH; Li, YZ; Jiang, ML; Li, LL. (2013). Antifibrotic activity of galangin, a novel function evaluated in animal liver fibrosis model. *Environ Toxicol Pharmacol*. 36: 288-295.
- Wang, XH; Hung, NJ; Costa, RH. (2001). Earlier expression of the transcription factor HFH-11B diminishes induction of p21(CIP1/WAF1) levels and accelerates mouse hepatocyte entry into S-phase following carbon tetrachloride liver injury. *Hepatology*. 33: 1404-1414.

Environmental Hazard Literature Search Results

Off Topic

- Wang, XH; Wei, JH; Cheng, ZN; Liu, PB; Ji, YQ; Zhang, G. (2013). Groundwater Organic Pollution Source Identification Technology System Research and Application. *Environmental Science*. 34: 662-667.
- Wang, XJ; Zhang, AH; Wang, P; Sun, H; Wu, GL; Sun, WJ; Lv, HT; Jiao, GZ; Xu, HY; Yuan, Y; Liu, L; Zou, DX; Wu, ZM; Han, Y; Yan, GL; Dong, W; Wu, FF; Dong, TW; Yu, Y; Zhang, SX; Wu, XH; Tong, X; Meng, XC. (2013). Metabolomics Coupled with Proteomics Advancing Drug Discovery toward More Agile Development of Targeted Combination Therapies. *Molecular & Cellular Proteomics*. 12: 1226-1238.
- Wang, XL; Jia, DW; Liu, HY; Yan, XF; Ye, TJ; Hu, XD; Li, BQ; Chen, YL; Liu, P. (2012). Effect of Yiguanjian decoction on cell differentiation and proliferation in CCl₄-treated mice. *World J Gastroenterol*. 18: 3235-3249.
- Wang, XP; Dossett, MP; Gordon, MP; Strand, SE. (2004). Fate of carbon tetrachloride during phytoremediation with poplar under controlled field conditions. *Environmental Science & Technology*. 38: 5744-5749.
- Wang, XP; Gordon, MP; Strand, SE. (2002). Mechanism of aerobic transformation of carbon tetrachloride by poplar cells. *Biodegradation*. 13: 297-305.
- Wang, Y; Cheng, M; Zhang, B; Nie, F; Jiang, H. (2013). Dietary supplementation of blueberry juice enhances hepatic expression of metallothionein and attenuates liver fibrosis in rats. *PLoS ONE*. 8: e58659.
- Wang, Y; Lian, F; Li, J; Fan, W; Xu, H; Yang, X; Liang, L; Chen, W; Yang, J. (2012). Adipose derived mesenchymal stem cells transplantation via portal vein improves microcirculation and ameliorates liver fibrosis induced by CCl₄ in rats. *J Transl Med*. 10: 133.
- Wang, Y; Lou, Z; Wu, Q-B; Guo, M-L. (2010). A novel hepatoprotective saponin from *Celosia cristata* L. *Fitoterapia*. 81: 1246-1252.
- Wang, Y; Tang, C; Zhang, H. (2015). Hepatoprotective effects of kaempferol 3-O-rutinoside and kaempferol 3-O-glucoside from *Carthamus tinctorius* L. on CCl₄-induced oxidative liver injury in mice. *J Food Drug Anal*. 23: 310-317.
- Wang, Y; Wong, GTC; Man, K; Irwin, MG. (2012). Pretreatment with intrathecal or intravenous morphine attenuates hepatic ischaemiareperfusion injury in normal and cirrhotic rat liver. *Br J Anaesth*. 109: 529-539.
- Wang, YH; Guo, HP; Tan, KJ; Huang, CZ. (2004). Backscattering light detection of nucleic acids with tetraphenylporphyrin-*Al(III)*-nucleic acids at liquid/liquid interface. *Anal Chim Acta*. 521: 109-115.
- Wang, YH; Xu, XJ; Li, HL. (2014). Hepatoprotective effects of Mimic of Manganese superoxide dismutase against carbon tetrachloride-induced hepatic injury. *Int Immunopharmacol*. 22: 126-132.
- Wang, YJ; Wang, SS; Bickel, M; Guenzler, V; Gerl, M; Bissell, DM. (1998). Two novel antifibrotics, HOE 077 and Safironil, modulate stellate cell activation in rat liver injury - Differential effects in males and females. *American Journal of Pathology*. 152: 279-287.
- Wang, YJ; Zhang, WN. (1982). The effects of electroacupuncture on the regional changes of monoamine neurotransmitters in brain of rat with carbon tetrachloride-induced liver injury. *Journal of traditional Chinese medicine = Chung i tsa chih ying wen pan / sponsored by All-China Association of Traditional Chinese Medicine, Academy of Traditional Chinese Medicine*. 2: 261-265.
- Wang, YK; Tao, L; Chen, MJ; Li, FB. (2012). Effects of the Fe(II)/Cu(II) Interaction on Copper Aging Enhancement and Pentachlorophenol Reductive Transformation in Paddy Soil. *J Agric Food Chem*. 60: 630-638.
- Wang, YN; Booth, CJ; Kim, H; Qiu, M; Constable, RT. (2009). Evaluation of Hepatic Fibrosis with Portal Pressure Gradient in Rats. *Magn Reson Med*. 61: 1185-1192.
- Wang, YP; Cheng, ML; Zhang, BF; Mu, M; Wu, J. (2010). Effects of blueberry on hepatic fibrosis and transcription factor Nrf2 in rats. *World J Gastroenterol*. 16: 2657-2663.
- Wang, YQ; Ikeda, K; Ikebe, T; Hirakawa, K; Sowa, M; Nakatani, K; Kawada, N; Kaneda, K. (2000). Inhibition of hepatic stellate cell proliferation and activation by the semisynthetic analogue of fumagillin TNP-470 in rats. *Hepatology*. 32: 980-989.
- Wang, Z; Xu, JP; Zheng, YC; Chen, W; Sun, YW; Wu, ZY; Luo, M. (2011). Peroxisome proliferator-activated receptor gamma inhibits hepatic fibrosis in rats. *Hepatobiliary & pancreatic diseases international : HBPD INT*. 10: 64-71.
- Wang, Z; Zhang, Z; Du, N; Wang, K; Li, L. (2015). Hepatoprotective Effects of Grape Seed Procyanidin B2 in Rats With Carbon Tetrachloride-induced Hepatic Fibrosis. *Altern Ther Health Med*. 21 Suppl 2: 12-21.
- Wang, ZJ; Jia, RB; Yu, YZ; Song, WC; Sun, SH. (2010). Treatment of Algae-laden Raw Water by Combined Process of Air Flotation and UF. *China Water & Wastewater*. 26: 133-135.
- Wang, ZJ; Liu, F; Tu, W; Chang, Y; Yao, JJ; Wu, W; Jiang, X; He, XX; Lin, JS; Song, YH. (2012). Embryonic liver fodrin involved in hepatic stellate cell activation and formation of regenerative nodule in liver cirrhosis. *J Cell Mol Med*. 16: 118-128.
- Wang, ZR; Wang, JH; Hu, CL; Cao, WG; Shen, XJ; Wu, MY; Shen, L; Wu, SL. (2011). The effect of down-regulation of Smad3 by RNAi on hepatic stellate cells and a carbon tetrachloride-induced rat model of hepatic fibrosis. *Braz J Med Biol Res*. 44: 91-99.
- Wang, ZY; Umetsu, M; Kobayashi, M; Nozawa, T. (1999). (13)C- and (15)N-NMR studies on the intact bacteriochlorophyll c dimers in solutions. *J Am Chem Soc*. 121: 9363-9369.
- Wangenheim, J; Bolcsfoldi, G. (1988). MOUSE LYMPHOMA L5178Y THYMIDINE KINASE LOCUS ASSAY OF 50 COMPOUNDS. *Mutagenesis*. 3: 193-206.
- Wanichanon, C; Toskulkao, C; Saitongdee, P; Glinsukon, T. (1991). Effect of thinner induced potentiation of carbon tetrachloride on rat hepatic ultrastructure. *Res Commun Subst Abuse*. 12: 153-160.
- Warchol, JB. (1972). The effect of carbon tetrachloride on histochemical reactions in the rat liver. *Folia histochemica et cytochemica*. 10: 57-84.
- Ward, MJ; Fu, QS; Rhoads, KR; Yeung, CHJ; Spormann, AM; Criddle, CS. (2004). A derivative of the menaquinone precursor 1,4-dihydroxy-2-naphthoate is involved in the reductive transformation of carbon tetrachloride by aerobically grown *Shewanella oneidensis* MR-1. *Appl Microbiol Biotechnol*. 63: 571-577.
- Wardas, M; Dr̄ska, M; Wichary, M; Radwańska-Wala, B. (1992). The fate of collagen during experimental liver lesion with carbon tetrachloride in the presence and absence of colchicine. *Exp Toxicol Pathol*. 44: 15-16.

Environmental Hazard Literature Search Results

Off Topic

- Waring, JF; Ciurlionis, R; Jolly, RA; Heindel, M; Ulrich, RG. (2001). Microarray analysis of hepatotoxins in vitro reveals a correlation between gene expression profiles and mechanisms of toxicity. *Toxicol Lett.* 120: 359-368.
- Warnick, LB. (1998). Induced carbonate precipitation and cation exchange in sandy aquifer solids. PhD, Michigan State University.
- Warren, JJ; Mayer, JM. (2010). Predicting organic hydrogen atom transfer rate constants using the Marcus cross relation. *Proceedings of the National Academy of Sciences of the United States of America.* 107: 5282-5287.
- Warren, KD; Arnold, RG; Bishop, TL; Lindholm, LC; Betterton, EA. (1995). Kinetics and mechanism of reductive dehalogenation of carbon tetrachloride using zero-valence metals. *J Hazard Mater.* 41: 217-227.
- Wassermann, TN; Suhm, MA; Roubin, P; Coussan, Sp. (2012). Isomerization around C and O bonds in 1-propanol: Collisional relaxation in supersonic jets and selective IR photo-isomerization in cryogenic matrices. *Journal of molecular structure.* 1025: 20-32.
- Watanabe, A. (1977). Increased alpha-fetoprotein biosynthesis in rats following DL-ethionine and carbon tetrachloride injuries. *Res Comm Chem Pathol Pharmacol.* 16: 163-166.
- Watanabe, A; Akamatsu, K; Takesue, A; Taketa, K. (1978). Dysregulation of protein synthesis in injured liver. A comparative study on microsomal and cytosole enzyme activities, microsomal lipoperoxidation and polysomal pattern in D-galactosamine and carbon tetrachloride-injured livers. *Enzyme.* 23: 320-327.
- Watanabe, A; Higashi, T; Hayashi, S; Nagashima, H. (1982). Insulin and glucagon concentrations in the portal and peripheral blood in liver-injured and partially hepatectomized rats. *Gastroenterologia Japonica.* 17: 36-41.
- Watanabe, A; Hobara, N; Nakatsukasa, H; Shiota, T; Kobayashi, M; Nagashima, H. (1985). Impaired acetaldehyde metabolism in partially hepatectomized rats. *Research in experimental medicine Zeitschrift für die gesamte experimentelle Medizin einschliesslich experimenteller Chirurgie.* 185: 13-20.
- Watanabe, A; Hobara, N; Tsuji, T. (1988). PROTECTIVE EFFECT OF PYRROLOQUINOLINE QUINONE AGAINST EXPERIMENTAL LIVER INJURY IN RATS. *Curr Ther Res Clin Exp.* 44: 896-901.
- Watanabe, A; Kuwabara, Y. (1994). Hyperammonemia induced in rats by inhalation anesthesia with ether. *Research in experimental medicine Zeitschrift für die gesamte experimentelle Medizin einschliesslich experimenteller Chirurgie.* 194: 157-164.
- Watanabe, A; Miyazaki, M. (1977). Catabolism of alpha-fetoprotein in carbon tetrachloride-injured rats. *Acta hepato-gastroenterologica.* 24: 238-240.
- Watanabe, A; Miyazaki, M. (1978). alpha-Fetoprotein content in liver from rats following hepatotoxin administration and partial hepatectomy. *Acta hepato-gastroenterologica.* 25: 189-192.
- Watanabe, A; Miyazaki, M; Taketa, K. (1976). Increased alpha1-fetoprotein production in rat liver injuries induced by various hepatotoxins. *Gan.* 67: 279-287.
- Watanabe, A; Nagashima, H. (1979). Regulatory mechanisms of alpha-fetoprotein production in injured rat liver. *Acta hepato-gastroenterologica.* 26: 102-105.
- Watanabe, A; Nakatsukasa, H; Kobayashi, M; Nagashima, H. (1984). Potentiation of carbon tetrachloride hepatotoxicity by beta-phenethyl alcohol. *Acta Med Okayama.* 38: 453-459.
- Watanabe, A; Shiota, T; Hayashi, S; Sakata, T; Nagashima, H. (1984). Pleomorphism of hepatic regeneration. *Research in experimental medicine Zeitschrift für die gesamte experimentelle Medizin einschliesslich experimenteller Chirurgie.* 184: 49-57.
- Watanabe, A; Shiota, T; Takei, N; Fujiwara, M; Nagashima, H. (1986). Blood to brain transfer of carbon tetrachloride and lipoperoxidation in rat brain. *Res Commun Mol Pathol Pharmacol.* 51: 137-140.
- Watanabe, A; Sohail, MA; Gomes, DA; Hashmi, A; Nagata, J; Sutterwala, FS; Mahmood, S; Jhandier, MN; Shi, Y; Flavell, RA; Mehal, WZ. (2009). Inflammasome-mediated regulation of hepatic stellate cells. *American Journal of Physiology-Gastrointestinal and Liver Physiology.* 296: G1248-G1257.
- Watanabe, A; Takesue, A; Taketa, K. (1976). Differential effects of glucagon on induction of rat liver glucose-6-phosphate dehydrogenase by liver injury and dietary change. *Enzyme.* 21: 193-199.
- Watanabe, A; Taketa, K. (1971). Resolution of microheterogeneous forms of glucose-6-phosphate dehydrogenase by electrophoresis on cellulose acetate. *Enzyme.* 12: 694-698.
- Watanabe, A; Taketa, K. (1973). Actinomycin D-insensitive induction of rat liver glucose-6-phosphate dehydrogenase by carbon tetrachloride injury. *J Biochem.* 73: 771-779.
- Watanabe, H; Cho, Y; Ide, Y; Matsumoto, M; Nagai, Y. (1974). Homolytic decomposition of phenylazotriphenylsilane in carbon tetrachloride. *Journal of Organometallic Chemistry.* 78: C4-C6.
- Watanabe, H; Ochiya, T; Ueda, S; Kominami, Y; Gon, R; Nishiki, M; Hayashi, M; Sasaki, A; Shiraishi, M; Kashimoto, N; Myojin, Y; Kamiya, K. (2007). Differentiation of a hepatic phenotype after heterotropic transplantation of heart, kidney, brain, and skin tissues into liver in F344 rats. *Biochem Biophys Res Commun.* 354: 841-845.
- Watanabe, K; Manefield, M; Lee, M; Kouzuma, A. (2009). Electron shuttles in biotechnology. *Curr Opin Biotechnol.* 20: 633-641.
- Watanabe, K; Nakazawa, H; Matsui, Y. (2009). Allophane films formed at the liquid/liquid interface. *Appl Clay Sci.* 46: 330-332.
- Watanabe, S. (1969). Biochemical pathology of fatty liver induced by inhaled carbon tetrachloride, with specific reference to ATP and lipid metabolism in the mouse liver. *Acta medicinae Okayama.* 23: 559-568.
- Watanabe, S; Hioki, M; Mohri, T; Kitagawa, H. (1977). Transaminases of hepatic tissue culture cells and the effect of carbon tetrachloride on their leakage. *Chemical & pharmaceutical bulletin.* 25: 1089-1093.
- Watanabe, S; Tateishi, J; Kuroda, S; Otsuki, S; Ogata, M. (1972). Metabolism of 131 I-chiniform in the rats treated with carbon tetrachloride. An experimental study in relation to SMON. *Folia psychiatrica et neurologica japonica.* 26: 327-330.

Environmental Hazard Literature Search Results

Off Topic

- Watanabe, S; Tateishi, J; Kuroda, S; Otsuki, S; Ogata, M. (1973). Distribution of clioquinol in rats with hepatic dysfunction. *Lancet* (London, England). 2: 681-682.
- Watanabe, T; Niioka, M; Hozawa, S; Kameyama, K; Hayashi, T; Arai, M; Ishikawa, A; Maruyama, K; Okazaki, I. (2000). Gene expression of interstitial collagenase in both progressive and recovery phase of rat liver fibrosis induced by carbon tetrachloride. *J Hepatol.* 33: 224-235.
- Watanabe, Y; Nakagawa, M; Miyakoshi, Y. (1997). Enhancement of lipid peroxidation in the liver of mice exposed to magnetic fields. *Ind Health.* 35: 285-290.
- Watanabe, YW; Shimamoto, A; Ono, T. (2003). Comparison of time-dependent tracer ages in the Western North Pacific: Oceanic background levels of SF(6), CFC-11, CFC-12 and CFC-113. *Journal of Oceanography.* 59: 719-729.
- Waterfield, CJ; Mesquita, M; Parnham, P; Timbrell, JA. (1993). Taurine protects against the cytotoxicity of hydrazine, 1,4-naphthoquinone and carbon tetrachloride in isolated rat hepatocytes. *Biochem Pharmacol.* 46: 589-595.
- Waterfield, CJ; Mesquita, M; Parnham, P; Timbrell, JA. (1994). Cytoprotective effects of taurine in isolated rat hepatocytes. *Toxicology in vitro : an international journal published in association with BIBRA.* 8: 573-575.
- Waterfield, CJ; Turton, JA; Scales, MDC; Timbrell, JA. (1990). HYPERTAURINURIA AS A MEASURE OF HEPATIC DAMAGE IN THE RAT AFTER CARBON TETRACHLORIDE TREATMENT. *Symposium Of The British Toxicology Society, Canterbury, England, Uk, March.* 9: 338-339.
- Waterfield, CJ; Turton, JA; Scales, MDC; Timbrell, JA. (1991). Taurine, a possible urinary marker of liver damage: A study of taurine excretion in carbon tetrachloride-treated rats. *Arch Toxicol.* 65: 548-555.
- Waterfield, CJ; Turton, JA; Scales, MDC; Timbrell, JA. (1993). Reduction of liver taurine in rats by beta -alanine treatment increases carbon tetrachloride toxicity. *Toxicology.* 77: 7-20.
- Waters, MD; Claxton, LD; Stack, HF; Brady, AL; Graedel, TE. (1990). Genetic activity profiles in the testing and evaluation of chemical mixtures. *Teratog Carcinog Mutagen.* 10: 147-164.
- Watkins, JB; Klaassen, CD. (1983). Chemically-induced alteration of UDP-glucuronic acid concentration in rat liver. *Drug metabolism and disposition: the biological fate of chemicals.* 11: 37-40.
- Watkins, JB, III; Sanders, RA; Beck, LV. (1988). The effect of long-term streptozotocin-induced diabetes on the hepatotoxicity of bromobenzene and carbon tetrachloride and hepatic biotransformation in rats. *Toxicol Appl Pharmacol.* 93: 329-338.
- Watkins, SP; Pitts, OJ; Dale, C; Xu, XG; Dvorak, MW; Matine, N; Bolognesi, CR. (2000). Heavily carbon-doped GaAsSb grown on InP for HBT applications. *J Cryst Growth.* 221: 59-65.
- Watrous, WM; Plaa, GL. (1972). The nephrotoxicity of single and multiple doses of aliphatic chlorinated hydrocarbon solvents in male mice. *Toxicol Appl Pharmacol.* 23: 640-649.
- Watson, AJ; Liddicoat, MI. (1985). RECENT HISTORY OF ATMOSPHERIC TRACE GAS CONCENTRATIONS DEDUCED FROM MEASUREMENTS IN THE DEEP SEA APPLICATION TO SULFUR HEXAFLUORIDE AND CARBON TETRACHLORIDE. *Atmos Environ.* 19: 1477-1484.
- Watson, DC. (1985). A NOTE ON THE USE OF RAPPAPORT-VASSILIADIS MEDIUM R-10-RV FOR THE ISOLATION OF SALMONELLAS FROM SEWAGE AND SEWAGE SLUDGES. *J Appl Bacteriol.* 59: 205-206.
- Watson, WH; Zhao, YM; Chawla, RK. (1999). S-adenosylmethionine attenuates the lipopolysaccharide-induced expression of the gene for tumour necrosis factor alpha. *Biochem J.* 342: 21-25.
- Watts, RJ; Finn, DD; Cutler, LM; Schmidt, JT; Teel, AL. (2007). Enhanced stability of hydrogen peroxide in the presence of subsurface solids. *J Contam Hydrol.* 91: 312-326.
- Watts, RJ; Howsawkeng, J; Teel, AL. (2005). Destruction of a carbon tetrachloride dense nonaqueous phase liquid by modified Fenton's reagent. *Journal of Environmental Engineering-Asce.* 131: 1114-1119.
- Watts, RJ; Sarasa, J; Loge, FJ; Teel, AL. (2005). Oxidative and reductive pathways in manganese-catalyzed Fenton's reactions. *Journal of Environmental Engineering-Asce.* 131: 158-164.
- Waynforth, HB; Parkin, R; Stoddart, DJ. (1977). The effect of a protein-free diet, a sugar diet and of carbon tetrachloride administration on the toxicity and rate of metabolism of dimethylnitrosamine in different rat strains. *Br J Exp Pathol.* 58: 225-229.
- Wearne, SJ; Gem, MGDM; Harrison, N; Collier, PP; Fairweather, F; Fielding, M; Franklin, A; Startin, JR; Tregunno, RJ; Walton, H. (1988). Contaminants of food: Prioritisation scheme to identify manufactured organic chemicals as potential contaminants of food. *Mol Pharmacol.* 3: 83-88.
- Weathers, LJ. (1995). Biological and metallic iron-promoted transformations of carbon tetrachloride and chloroform under methanogenic conditions. PhD, The University of Iowa.
- Web; Talwar, S; Jagani, HV; Nayak, PG; Kumar, N; Kishore, A; Bansal, P; Shenoy, RR; Nandakumar, K. (2011). Toxicological evaluation of Terminalia paniculata bark extract and its protective effect against CCl4-induced liver injury in rodents. *Proceedings of the National Academy of Sciences of the United States of America.* 108: 17444-17449.
- Webb, M; Etienne, AT. (1977). Studies on the toxicity and metabolism of cadmium-thionein. *Biochem Pharmacol.* 26: 25-30.
- Webber, EM; Fitzgerald, MJ; Brown, PI; Bartlett, MH; Fausto, N. (1993). Transforming growth factor-alpha expression during liver regeneration after partial hepatectomy and toxic injury, and potential interactions between transforming growth factor-alpha and hepatocyte growth. *Hepatology.* 18: 1422-1431.
- Webber, EM; FitzGerald, MJ; Brown, PI; Bartlett, MH; Fausto, N. (1993). Transforming growth factor-alpha expression during liver regeneration after partial hepatectomy and toxic injury, and potential interactions between transforming growth factor-alpha and hepatocyte growth factor. *Hepatology* (Baltimore, Md). 18: 1422-1431.
- Weber, WJ; Goodstein, DL. (1999). Theory and observation of displacement phenomena in coadsorbed films. *Phys Rev Lett.* 83: 3888-3891.
- Weber, WJ; Goodstein, DL. (2002). Coadsorption phase diagram for Kr/CCl(4) on graphite. *Physical Review B.* 66: 5419-5419.

Environmental Hazard Literature Search Results

Off Topic

- Weber, WJ; Goodstein, DL. (2006). Coadsorption phase diagram for CH₄/CCl₄ on graphite. *Physical Review B*. 7319: 5424-5424.
- Weckhuysen, BM; Mestl, G; Rosynek, MP; Lunsford, JH. (1998). LOW-TEMPERATURE DESTRUCTIVE ADSORPTION OF CARBON TETRACHLORIDE ON BARIUM OXIDE. 215th American Chemical Society National Meeting, Dallas, Texas, Usa, March. 215: 3.
- Weerachayaphorn, J; Chuncharunee, A; Jariyawat, S; Lewchalermwong, B; Amonpatumrat, S; Suksamrarn, A; Piyachaturawat, P. (2010). Protection of centrilobular necrosis by Curcuma comosa Roxb. in carbon tetrachloride-induced mice liver injury. *J Ethnopharmacol*. 129: 254-260.
- Wegener, PP; Lee, CF. (1983). Condensation by homogeneous nucleation of H₂O, C₆H₆, CCl₄ and CCl₃F in a shock tube. *J Aerosol Sci*. 14: 29-37.
- Wehbie, RS; Runsheng, C; Lardy, HA. (1987). The antibiotic W341C, its ion transport properties and inhibitory effects on mitochondrial substrate oxidation. *The Journal of antibiotics*. 40: 887-893.
- Wei, E; Wong, LC; Hine, CH. (1971). Selective potentiation of carbon tetrachloride hepatotoxicity by ethanol. *Archives internationales de pharmacodynamie et de therapie*. 189: 5-11.
- Wei, E; Wong, LCK; Hine, CH. Potentiation of carbon tetrachloride hepatotoxicity by ethanol and cold. *Toxicol Appl Pharmacol*. Feb 1971, 18 (2): 329-334.
- Wei, H; Lu, H; Li, D; Zhan, Y; Wang, Z; Huang, X. (2001). The expression of AT1 receptor on hepatic stellate cells in rat fibrosis induced by CCl₄. *Chin Med J*. 114: 583-587.
- Wei, HR; Wei, HM; Wang, H; Tian, ZG; Sun, RI. (2010). Activation of natural killer cells inhibits liver regeneration in toxin-induced liver injury model in mice via a tumor necrosis factor-alpha-dependent mechanism. *American Journal of Physiology-Gastrointestinal and Liver Physiology*. 299: G275-G282.
- Wei, JB; Huang, QF; Huang, RB; Chen, YX; Lv, SJ; Wei, L; Liang, CH; Liang, S; Zhuo, L; Lin, X. (2013). Asiatic Acid from *Potentilla chinensis* Attenuate Ethanol-Induced Hepatic Injury via Suppression of Oxidative Stress and Kupffer Cell Activation. *Biological & Pharmaceutical Bulletin*. 36: 1980-1989.
- Wei, XL; Fang, RT; Yang, YH; Bi, XY; Ren, GX; Luo, AL; Zhao, M; Zang, WJ. (2015). Protective effects of extracts from Pomegranate peels and seeds on liver fibrosis induced by carbon tetrachloride in rats. *BMC Complement Altern Med*. 15: 389.
- Wei, Y; Huang, M; Liu, X; Yuan, Z; Peng, Y; Huang, Z; Duan, X; Zhao, T. (2015). Anti-fibrotic effect of plumbagin on CCl₄-lesioned rats. *Cellular physiology and biochemistry : international journal of experimental cellular physiology, biochemistry, and pharmacology*. 35: 1599-1608.
- Wei, YH; Jun, L; Qiang, CJ. (2004). Effect of losartan, an angiotensin II antagonist, on hepatic fibrosis induced by CCl₄ in rats. *Dig Dis Sci*. 49: 1589-1594.
- Wei, YT; Wu, SC; Chou, CM; Che, CH; Tsai, SM; Lien, HL. (2010). Influence of nanoscale zero-valent iron on geochemical properties of groundwater and vinyl chloride degradation: A field case study. *Water Res*. 44: 131-140.
- Weigert, AL; Martin, PY; Niederberger, M; Higa, EM; McMurtry, IF; Gines, P; Schrier, RW. (1995). Endothelium-dependent vascular hyporesponsiveness without detection of nitric oxide synthase induction in aortas of cirrhotic rats. *Hepatology (Baltimore, Md)*. 22: 1856-1862.
- Weiner, FR; Shah, A; Biempica, L; Zern, MA; Czaja, MJ. (1992). The effects of hepatic fibrosis on Ito cell gene expression. *Matrix (Stuttgart, Germany)*. 12: 36-43.
- Weiner, JK; Chen, AP; Davis, BH. (1998). E-box-binding repressor is down-regulated in hepatic stellate cells during up-regulation of mannose 6-phosphate insulin-like growth factor-II receptor expression in early hepatic fibrogenesis. *J Biol Chem*. 273: 15913-15919.
- Weingand, K; Beck, ML; Dameron, G; Dierckman, T; Duderstadt, J; Odioso, L; Bruner, R. (1992). SERUM CHEMISTRY OF ACUTE CHEMICALLY-INDUCED HEPATOTOXICITY IN RATS. 44th National Meeting Of The American Association For Clinical Chemistry, Inc, Chicago, Illinois, Usa, July. 38.
- Weingand, K; Dierckman, T; Dameron, G; Beck, ML; Duderstadt, J; Odioso, L; Bruner, R; Schroeder, T; Pesce, A. (1992). THE MONOETHYLGLYCINYLIDIDE MEGX LIVER FUNCTION TEST AND ACUTE CHEMICALLY-INDUCED HEPATOTOXICITY IN RATS. 44th National Meeting Of The American Association For Clinical Chemistry, Inc, Chicago, Illinois, Usa, July. 38.
- Weinstein, I; Dishmon, G; Heimberg, M. (1966). Hepatic lipid metabolism in carbon tetrachloride poisoning. Incorporation of palmitate-1-¹⁴C into lipids of the liver and of the d less than 1.020 serum lipoprotein. *Biochem Pharmacol*. 15: 851-861.
- Weir, DM. (1963). COMPLEMENT FIXATION AFTER CARBON-TETRACHLORIDE INJECTION IN RATS. *Lancet (London, England)*. 2: 882.
- Weir, DM. (1964). SERUM PROTEIN CHANGES AFTER ADMINISTRATION OF CARBON TETRACHLORIDE IN THE RAT. *Nature*. 202: 307-308.
- Weir, DM; Suckling, DE. (1968). Immunocyto-adherence by spleen cells and tissue antigens in normal and carbon tetrachloride-treated rats. *Clin Exp Immunol*. 3: 837-841.
- Weir, RJ. (1969). Carbon tetrachloride poisoning as a hazard of wig cleaning. *Br Med J*. 1: 487.
- Weisburger, JH; Weisburger, EK. (1968). Food additives and chemical carcinogens: on the concept of zero tolerance. *Food Cosmet Toxicol*. 6: 235-242.
- Weiss, A. (2006). Sources of airborne CCl₄: Critical remarks. *Hepatology (Baltimore, Md)*. 3: 112-114.
- Weissflog, L; Elansky, N; Putz, E; Krueger, G; Lange, CA; Lisitzina, L; Pfennigsdorff, A. (2004). Trichloroacetic acid in the vegetation of polluted and remote areas of both hemispheres - Part II: salt lakes as novel sources of natural chlorohydrocarbons. *Atmos Environ*. 38: 4197-4204.
- Weissflog, L; Elansky, N; Putz, E; Krueger, G; Lange, CA; Lisitzina, L; Pfennigsdorff, A. (2004). Trichloroacetic acid in the vegetation of polluted and remote areas of both hemispheres - Part II: salt lakes as novel sources of natural chlorohydrocarbons. *Atmos Environ*. 38: 4197-4204.
- Weissflog, L; Kruger, GHJ; Forczek, ST; Lange, CA; Kotte, K; Pfennigsdorff, A; Rohlenova, J; Fuksova, K; Uhlirva, H; Matuscha, M; Schroder, P. (2007). Oxidative biodegradation of tetrachloroethene in needles of Norway spruce (*Picea abies* L.). *South African Journal of Botany*. 73: 89-96.

Environmental Hazard Literature Search Results

Off Topic

- Weksler, ME; Gelboin, HV. (1967). Carbon tetrachloride-induced loss of microsomal messenger-ribonucleic acid activity. *Biochimica et Biophysica Acta (BBA) - Nucleic Acids and Protein Synthesis*. 145: 184-187.
- Welch, RM; Levin, W; Conney, AH. (1969). Estrogenic action of DDT and its analogs. *Toxicol Appl Pharmacol*. 14: 358-367.
- Wen, JB; Zhu, FQ; Chen, WG; Jiang, LP; Chen, J; Hu, ZP; Huang, YJ; Zhou, ZW; Wang, GL; Lin, H; Zhou, SF. (2014). Oxymatrine improves intestinal epithelial barrier function involving NF- κ B-mediated signaling pathway in CCl₄-induced cirrhotic rats. *PLoS ONE*. 9: e106082.
- Wen, SY. (1985). Prevention of carbon tetrachloride-induced liver injury by cystine. *Asian Medical Journal*. 28: 324-330.
- Wen, X; Yang, Q; Yan, Z; Deng, Q. (2011). Determination of cadmium and copper in water and food samples by dispersive liquid-liquid microextraction combined with UV-vis spectrophotometry. *Microchem J*. 97: 249-254.
- Wen, YF; Zhao, JQ; Niralal, SK; Bhadauria, M. (2012). Aluminum-Induced Toxicity and Its Response to Combined Treatment of HEDTA and Propolis in Rats. *Pol J Environ Stud*. 21: 1437-1443.
- Wendt, MA. (1999). Structure and dynamics of hydrogen bonding in the liquid state of small molecules. PhD, The University of Wisconsin - Madison.
- Weng, H; Li, H; Dooley, S. (1985). Inflammation does not always kill hepatocytes during liver damage. *Hepatology (Baltimore, Md)*. 54: 366; author reply 367.
- Wensing, G; Sabra, R; Branch, RA. (1988). SODIUM RETENTION IN RATS WITH CARBON TETRACHLORIDE INDUCED LIVER CIRRHOSIS IS RELATED TO THE DEGREE OF LIVER DAMAGE. 39th Annual Meeting And Postgraduate Course Of The American Association For The Study Of Liver Diseases, Chicago, Illinois, Usa, November. 8.
- Wensing, G; Sabra, R; Branch, RA. (1990). Renal and systemic hemodynamics in experimental cirrhosis in rats: relation to hepatic function. *Hepatology (Baltimore, Md)*. 12: 13-19.
- Wensing, G; Sabra, R; Branch, RA. (1995). Relationship between oxidative hepatic metabolism, urinary sodium excretion and sympathetic nerve activity in experimental cirrhosis in the rat. *Zeitschrift für Gastroenterologie*. 33: 1-4.
- Wentworth, WE; D'Sa, ED; Cai, H; Stearns, S. (1992). Environmental applications of the pulsed-discharge electron-capture detector. *J Chromatogr Sci*. 30: 478-485.
- Werlich, T; Stiller, KJ; Machnik, G. (1999). Experimental studies on the stem cell concept of liver regeneration. II. Experimental and toxicologic pathology : official journal of the Gesellschaft für Toxikologische Pathologie. 51: 93-98.
- Wester, PW; van der Heijden, CA; Bisschop, A; van Esch, GJ; Wegman, RCC; de Vries, T. (1985). Carcinogenicity study in rats with a mixture of eleven volatile halogenated hydrocarbon drinking water contaminants. *Sci Total Environ*. 47: 427-432.
- Westphal, U; Priest, SG. (1955). Increased electrophoretic mobility of albumin in the serum of rats subjected to carbon-tetrachloride treatment or to tourniquet shock. *The Journal of clinical investigation*. 34: 1462-1466.
- Wettstein, M; Gerok, W; Häussinger, D. (1990). Hypoxia and CCl₄-induced liver injury, but not acidosis, impair metabolism of cysteinyl leukotrienes in perfused rat liver. *Hepatology (Baltimore, Md)*. 11: 866-873.
- Wettstein, N; Haussinger, D. (2000). Taurine attenuates cold ischemia-reoxygenation injury in rat liver. *Transplantation*. 69: 2290-2296.
- Wheatley, DN; Hamilton, AG; Currie, AR; Boyland, E; Sims, P. (1966). Adrenal necrosis induced by 7-hydroxymethyl-12-methylbenz(a)anthracene and its prevention. *Nature*. 211: 1311-1312.
- Whistler, RL; Madson, MA; Zhao, JG; Daniel, J. (1998). Surface derivatization of corn starch granules. *Cereal Chemistry*. 75: 72-74.
- White, DM; Irvine, RL. (1996). The bituminous material in Arctic peat: Implications for analyses of petroleum contamination. *J Hazard Mater*. 49: 181-196.
- White, LD; Taylor, DG; Mauer, PA; Kupel, RE. (1970). A convenient optimized method for the analysis of selected solvent vapors in the industrial atmosphere. *Am Ind Hyg Assoc J*. 31: 225-232.
- White, MD; Oostrom, M; Lenhard, RJ. (2004). A practical model for mobile, residual, and entrapped NAPL in water-wet porous media. *Ground Water*. 42: 734-746.
- White, MD; Oostrom, M; Rockhold, ML; Rosing, M. (2008). Scalable modeling of carbon tetrachloride migration at the hanford site using the STOMP simulator. *Vadose Zone Journal*. 7: 654-666.
- White, RD; Norton, R; Bus, JS. (1984). The effect of buthionine sulfoximine, an inhibitor of glutathione synthesis, on hepatic drug metabolism in the male mouse. *Toxicol Lett*. 23: 25-32.
- Whitehead, CC; Phillips, JA; Siller, WG. The liver and kidney lipids of chicks given oral doses of carbon tetrachloride. Feb 15, 1974, 47 (2B): 445-451.
- Widdop, B. (1985). CURRENT TOPICS IN ACUTE POISONING. Annual Meeting On Clinical Chemistry, Mannheim, West Germany, Sept. 23: 557-558.
- Widman, MT. (1997). Engineering applications of microbial chemotaxis. PhD, Michigan State University.
- Wiederkehr, P. (1991). CONTROL OF HAZARDOUS AIR POLLUTANTS IN OECD COUNTRIES A COMPARATIVE POLICY ANALYSIS. Chow, W And K K Connor. 0: 29-43.
- Wiersma, R; Stotz, JAH; Pitts, OJ; Wang, CX; Thewalt, MLW; Watkins, SP. (2001). P-type carbon doping of GaSb. *Journal of Electronic Materials*. 30: 1429-1432.
- Wiewior, P; Radzewicz, C. (2000). Dynamics of molecular liquids studied by femtosecond optical Kerr effect. *Optica Applicata*. 30: 103-120.
- Wigglesworth, JS. (1964). THE USE OF THE OSMIUM-ETHYL GALLATE TECHNIQUE IN THE STUDY OF CARBON TETRACHLORIDE LIVER INJURY. *The Journal of pathology and bacteriology*. 87: 333-339.
- Wijeweera, JB; Gandolfi, AJ; Badger, DA; Sipes, IG; Brendel, K. (1996). Vitamin A potentiation of vinylidene chloride hepatotoxicity in rats and precision-cut rat liver slices. *Fundam Appl Toxicol*. 34: 73-83.

Environmental Hazard Literature Search Results

Off Topic

- Wikberg, JE; Hede, AR; Lindahl, M. (1985). Effect of general anaesthetics and organic solvents on alpha 1-adrenoceptors in the myometrium. *Acta Pharmacol Toxicol.* 57: 53-59.
- Wikberg, JE; Hede, AR; Post, C. (1987). Effects of halothane and other chlorinated hydrocarbons on alpha 2-adrenoceptors in the mouse cortex. *Pharmacology & toxicology.* 61: 271-277.
- Wild, SR; Jones, KC. (1992). Organic chemicals entering agricultural soils in sewage sludges: Screening for their potential to transfer to crop plants and livestock. *Sci Total Environ.* 119: 85-119.
- Wilhelm, EA; Jesse, CR; Bortolatto, CF; Nogueira, CW. (2011). (E)-2-benzylidene-4-phenyl-1,3-diselenole has antioxidant and hepatoprotective properties against oxidative damage induced by 2-nitropropane in rats. *Fundamental & Clinical Pharmacology.* 25: 80-90.
- Wilhelm, EA; Jesse, CR; Prigol, M; Alves, D; Schumacher, RF; Nogueira, CW. (2010). 3-Alkynyl selenophene protects against carbon-tetrachloride-induced and 2-nitropropane-induced hepatic damage in rats. *Cell Biol Toxicol.* 26: 569-577.
- Willkie, IW; Seawright, AA; Hrdlicka, J. (1985). THE HEPATOTOXICITY OF CARBON DISULFIDE IN SHEEP. *J Appl Toxicol.* 5: 360-367.
- Willcox, W. (1934). The Toxic Effects of Substances of the Carbon Tetrachloride Type: (Section of Therapeutics and Pharmacology). *Proc R Soc Med.* 27: 455-458.
- Willhite, CC. (2008). Inhalation toxicology of acute exposure to aliphatic nitriles. *Medical journal, Armed Forces India.* 18: 991-1003.
- Williams, AGB; Scherer, MM. (2004). Spectroscopic evidence for Fe(II)-Fe(III) electron transfer at the iron oxide-water interface. *Environmental Science & Technology.* 38: 4782-4790.
- Williams, BA; Chou, CJ. (2007). Characterizing vertical contaminant distribution in a thick unconfined aquifer, Hanford site, Washington, USA. *Environ Geol.* 53: 879-890.
- Williams, JF. (1988). Carbon tetrachloride hepatotoxicity in endotoxin tolerant and polymyxin B-treated rats. *International Journal of Immunopharmacology.* 10: 975-980.
- Williams, JR. (1979). Permeation of glove materials by physiologically harmful chemicals. *Am Ind Hyg Assoc J.* 40: 877-882.
- Williams, WL. (1951). Cytoplasmic changes in hepatic parenchyma of mice during starvation and carbon tetrachloride-induced injury. *The Anatomical record.* 111: 629-651.
- Willis, RJ. (1980). Possible role of endogenous toxigenic lipids in the carbon tetrachloride poisoned hepatocyte. *Fed Proc.* 39: 3134-3137.
- Willis, RJ; Recknagel, RO. (1979). Potentiation by carbon tetrachloride of NADPH-dependent lipid peroxidation in lung microsomes. *Toxicol Appl Pharmacol.* 47: 89-94.
- Wills, PJ; Asha, VV. (2006). Preventive and curative effect of *Lygodium flexuosum* (L.) Sw. on carbon tetrachloride induced hepatic fibrosis in rats. *J Ethnopharmacol.* 107: 7-11.
- Wills, PJ; Asha, VV. (2006). Protective effect of *Lygodium flexuosum* (L.) Sw. extract against carbon tetrachloride-induced acute liver injury in rat. *J Ethnopharmacol.* 108: 320-326.
- Wills, PJ; Asha, VV. (2006). Protective effect of *Lygodium flexuosum* (L.) Sw. extract against carbon tetrachloride-induced acute liver injury in rats. *J Ethnopharmacol.* 108, issue 3: 320-326.
- Wills, PJ; Asha, VV. (2007). Protective mechanism of *Lygodium flexuosum* extract in treating and preventing carbon tetrachloride induced hepatic fibrosis in rats. *Chem Biol Interact.* 165: 76-85.
- Wills, PJ; Asha, VV. (2012). *Lygodium flexuosum* extract down regulates the expression of proinflammatory cytokines in CCl₄-induced hepatotoxicity. *Asian Pacific Journal of Tropical Medicine.* 5: 421-426.
- Wills, PJ; Asha, VV. (2012). *Lygodium flexuosum* extract down regulates the expression of proinflammatory cytokines in CCl_{sub(4)}-induced hepatotoxicity. *Asian Pacific Journal of Tropical Medicine.* 5: 421-426.
- Willson, RA; Hart, FE; Hew, JT. (1979). Comparison of in vivo and in vitro drug metabolism in experimental hepatic injury in the rat. *Gastroenterology.* 76: 697-703.
- Wilson, CL; Murphy, LB; Leslie, J; Kendrick, S; French, J; Fox, CR; Sheerin, NS; Fisher, A; Robinson, JH; Tiniakos, DG; Gray, DA; Oakley, F; Mann, DA. (2015). Ubiquitin C-terminal hydrolase 1: A novel functional marker for liver myofibroblasts and a therapeutic target in chronic liver disease. *J Hepatol.* 63: 1421-1428.
- Wilson, ER, Jr.; Williams, WL. (1969). Responses of fatty livers of mice of carbon tetrachloride. *The Anatomical record.* 165: 391-399.
- Wilson, JT. (1988). DEGRADATION OF HALOGENATED HYDROCARBONS. Hollenberg, C P And H Sahn. 0: 75-78.
- Wilson, SC; Burnett, V; Waterhouse, KS; Jones, KC. (1994). Volatile organic compounds in digested United Kingdom sewage sludges. *Environmental Science & Technology.* 28: 259-266.
- Winchell, LJ; Novak, PJ. (2008). Enhancing polychlorinated biphenyl dechlorination in fresh water sediment with biostimulation and bioaugmentation. *Chemosphere.* 71: 176-182.
- Winkeljohn, WR; Vasquez, PC; Strekowski, L; Baumstark, AL. (2004). Oxidation of substituted pyridines by dimethyldioxirane: kinetics and solvent effects. *Tetrahedron Letters.* 45: 8295-8297.
- Winkler, K; Christoffersen, P. (1991). A reappraisal of Poulsen's disease (hepatic zone 1 sinusoidal dilatation). *APMIS Supplementum.* 23: 86-90.
- Winter, PM; Seshan, V; Makos, JD; Sherry, AD; Malloy, CR; Bansal, N. (1998). Quantitation of intracellular Na⁽⁺⁾ in vivo by using TmDOTP(5⁻) as an NMR shift reagent and extracellular marker. *J Appl Physiol.* 85: 1806-1812.
- Wiosetek-Reske, AM; Wysocki, S; Bak, GW. (2005). Determination of dipole moment in the ground and excited state by experimental and theoretical methods of N-nonyl acridine orange. *Spectrochimica acta Part A, Molecular and biomolecular spectroscopy.* 62: 1172-1178.
- Wirtschafter, ZT. (1933). Toxic Amblyopia and Accompanying Physiological Disturbances in Carbon Tetrachloride Intoxication. *American journal of public health and the nation's health.* 23: 1035-1038.

Environmental Hazard Literature Search Results

Off Topic

- Wirtschafter, ZT; Cronyn, MW. (1964). RELATIVE HEPATOTOXICITY: PENTANE, TRICHLOROETHYLENE, BENZENE, CARBON TETRACHLORIDE. Arch Environ Health. 9: 180-185.
- Witiak, DT; Vishnuvajjala, BR; Gupta, TK; Gerald, MC. (1976). 8-chloro-(S)- and -(R)-10-((S)- and -(R)-3'-methylethylaminopyrrolidino)- 10,11-dihydrodibenzo(b,f)thiepins. Synthesis and pharmacological studies. J Med Chem. 19: 40-47.
- Witschi, HP; Alldridge, WN. (1967). Biochemical changes in rat liver after acute beryllium poisoning. Biochem Pharmacol. 16: 263-278.
- Witt, ME. (1995). Development of a laboratory-scale model aquifer system to monitor a carbon tetrachloride transforming zone by Pseudomonas sp. strain KC. PhD, Michigan State University.
- Witt, ME. (1998). Transformation of carbon tetrachloride by mobile and stationary phase bacteria in porous media. PhD, Michigan State University.
- Witt, ME; Dybas, MJ; Wiggert, DC; Criddle, CS. (1999). Use of bioaugmentation for continuous removal of carbon tetrachloride in model aquifer columns. Environ Eng Sci. 16: 475-485.
- Witt, ME; Dybas, MJ; Worden, RM; Criddle, CS. (1999). Motility-enhanced bioremediation of carbon tetrachloride-contaminated aquifer sediments. Environmental Science & Technology. 33: 2958-2964.
- Wittmann, C; Riedel, K; Schmid, RD. (1989). MICROBIAL AND ENZYME SENSORS FOR ENVIRONMENTAL MONITORING. Kress Rogers, E. 0: 299-332.
- Wittmann, C; Suominen, KP; Salkinoja-Salonen, MS. (2000). Evaluation of ecological disturbance and intrinsic bioremediation potential of pulp mill-contaminated lake sediment using key enzymes as probes. Environ Pollut. 107: 255-261.
- Wiyaratn, W; Hrapovic, S; Liu, YL; Surareungchai, W; Luong, JHT. (2005). Light-assisted synthesis of Pt-Zn porphyrin nanocomposites and their use for electrochemical detection of organohalides. Anal Chem. 77: 5742-5749.
- Wiyaratn, W; Somasundrum, M; Surareungchai, W. (2004). Voltammetric sensor for general purpose organohalide detection at picogram per liter concentrations based on a simple collector - Generator method. Anal Chem. 76: 859-862.
- Wofford, HW; Thomas, P. (1988). Peroxidation of mullet and rat liver lipids in vitro: Effects of pyridine nucleotides, iron, incubation buffer, and xenobiotics. Comparative Biochemistry and Physiology, C. 89C: 201-205.
- Wolf, CR; King, LJ; Parke, DV. (1975). Anaerobic dechlorination of trichlorofluoromethane by liver microsomal preparations in vitro. Biochem Soc Trans. 3: 175-177.
- Wolfe, NL. (1987). ABIOTIC TRANSFORMATIONS OF TOXIC ORGANIC CHEMICALS IN THE LIQUID PHASE AND SEDIMENTS. Gerstl, Z, Et Al. 0: 136-148.
- Wolfgang, GHI; Donarski, WJ; Petry, TW. (1990). Effects of novel antioxidants on carbon tetrachloride-induced lipid peroxidation and toxicity in precision-cut rat liver slices. Toxicol Appl Pharmacol. 106: 63-70.
- Wolska, L; Olszewska, C; Turska, M; Zygmunt, B; Namiesnik, J. (1998). Volatile and semivolatile organo-halogen trace analysis in surface water by direct aqueous injection GC-ECD. Chemosphere. 37: 2645-2651.
- Wong, CK; Ooi, VEC; Ang, PO. (2000). Protective effects of seaweeds against liver injury caused by carbon tetrachloride in rats. Chemosphere. 41: 173-176.
- Wong, CK; Ooi, VEC; Ang, PO. (2004). Hepatoprotective effect of seaweeds' methanol extract against carbon tetrachloride-induced poisoning in rats. Hydrobiologia. 512: 267-270.
- Wong, CK; Ooi, VEC; Wong, CK. (2003). Protective effects of N-acetylcysteine against carbon tetrachloride- and trichloroethylene-induced poisoning in rats. Environ Toxicol Pharmacol. 14: 109-116.
- Wong, CK; Ooi, VEC; Wong, CK. (2004). Effects of Dimethyl Sulphoxide Against Liver Injury Caused by Carbon Tetrachloride in Rats. Toxicol Mech Meth. 14: 167-176.
- Wong, FWY; Chan, WY; Lee, SST. (1998). Resistance to carbon tetrachloride-induced hepatotoxicity in mice which lack CYP2E1 expression. Toxicol Appl Pharmacol. 153: 109-118.
- Wong, HS; Chen, JH; Leong, PK; Leung, HY; Chan, WM; Ko, KM. (2003). β -sitosterol protects against carbon tetrachloride hepatotoxicity but not gentamicin nephrotoxicity in rats via the induction of mitochondrial glutathione redox cycling. Biol Trace Elem Res. 93: 127-140.
- Wong, J; Finckh, ES. (1965). TOLERANCE TO CARBON TETRACHLORIDE IN CARBON TETRACHLORIDE-INDUCED CIRRHOSIS. The Journal of pathology and bacteriology. 89: 611-617.
- Wong, L; Yamasaki, G; Johnson, RJ; Friedman, SL. (1994). Induction of beta-platelet-derived growth factor receptor in rat hepatic lipocytes during cellular activation in vivo and in culture. The Journal of clinical investigation. 94: 1563-1569.
- Wong, LC; Distefano, V. (1968). Changes in renal and plasma lipid content in cats after carbon tetrachloride. The Journal of pharmacology and experimental therapeutics. 162: 344-351.
- Wong, MCY; Portmann, B; Sherwood, R; Niemela, O; Koivisto, H; Parkkila, S; Trick, K; L'Abbe, MR; Wilson, J; Dash, PR; Snirajaskanthan, R; Preedy, VR; Wiseman, H. (2007). The cytoprotective effect of alpha-tocopherol and daidzein against D-galactosamine-induced oxidative damage in the rat liver. Metabolism-Clinical and Experimental. 56: 865-875.
- Wong, SM; Wong, MM; Seligmann, O; Wagner, H. (1989). ANTHRAQUINONE GLYCOSIDES FROM THE SEEDS OF CASSIA-TORA. Phytochemistry. 28: 211-214.
- Wood, AJ; Villeneuve, JP; Branch, RA; Rogers, LW; Shand, DG. (1979). Intact hepatocyte theory of impaired drug metabolism in experimental cirrhosis in the rat. Gastroenterology. 76: 1358-1362.
- Wood, GA; Korkola, JE; Lee, VM; Sarma, DSR; Archer, MC. (1997). Resistance of Copenhagen rats to chemical induction of glutathione S-transferase 7-7-positive liver foci. Carcinogenesis. 18: 1745-1750.

Environmental Hazard Literature Search Results

Off Topic

- Wood, PR; Demarco, J. (1979). TREATMENT OF GROUND WATER WITH GRANULAR ACTIVATED CARBON. Meeting On Adsorption Techniques In Drinking Water Treatment Held At The North Atlantic Treaty Organization'S Committee On The Challenges Of Modern Society Symposium, Reston, Virginia, Usa, April. 7: 241-258.
- Woodcroft, KJ; Novak, RF. (1998). Xenobiotic-enhanced expression of cytochromes P450 2E1 and 2B in primary cultured rat hepatocytes. *Drug Metab Dispos.* 26: 372-378.
- Woodroffe, AJ; Gormly, AA; Clarkson, AR; Seymour, AE; Lomax-Smith, JD. (1984). Experimental cirrhosis and deposition of glomerular IgA immune complexes. *Contributions to nephrology.* 40: 51-54.
- Woods, WW. (1946). The changes in the kidneys in carbon tetrachloride poisoning, and their resemblance to those in the crush syndrome. *The Journal of pathology and bacteriology.* 58: 767-773.
- Woolley, J; Mullock, BM; Hinton, RH. (1979). Reflux of biliary components into blood in experimental intrahepatic cholestasis induced in rats by treatment with alpha-naphthylisothiocyanate. *Clinica chimica acta; international journal of clinical chemistry.* 92: 381-386.
- Workman, DJ; Woods, SL; Gorby, YA; Frederickson, JK; Truex, MJ. Microbial reduction of vitamin B12 by *Shewanella* alga strain BrY with subsequent transformation of carbon tetrachloride. *Environmental science & technology.* Aug 1997. v. 31 (8): 2292-2297.
- Wormser, U; Ben-Zakine, S. (1990). The liver slice system: An in vitro acute toxicity test for assessment of hepatotoxins and their antidotes. *Toxicology in vitro : an international journal published in association with BIBRA.* 4: 449-451.
- Worthing, CR. (1141). THE PESTICIDE MANUAL A WORLD COMPENDIUM 9TH EDITION. Worthing, C R. O.
- Wosilait, WD; Ryan, MP. (1987). Drug interactions affecting the elimination of doxorubicin in the rat. *Res Comm Chem Pathol Pharmacol.* 56: 335-348.
- Wright, DA; Sandler, SI; Devoll, D. (1992). Infinite dilution activity coefficients and solubilities of halogenated hydrocarbons in water at ambient temperatures. *Environ Sci Technol.* 26: 1828-1831.
- Wright, PB; Moore, L. (1991). Potentiation of the toxicity of model hepatotoxicants by acetaminophen. *Toxicol Appl Pharmacol.* 109: 327-335.
- Wu, BIN; Wang, CHONGWEN; Xu-Jia-Rui; Zhu, JINQUAN. (1997). Effect of epidermal growth factor on cultured rat hepatocytes poisoned by CCl4. *Acta Pharmacol Sin.* 18: 176-179.
- Wu, CD; Liu, XH; Fan, JC; Wang, LS. (2001). Ultrasonic destruction of chloroform and carbon tetrachloride in aqueous solution. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 36: 947-955.
- Wu, CY; Zhuang, L; Zhou, SG; Li, FB; Li, XM. (2010). Fe(III)-enhanced anaerobic transformation of 2,4-dichlorophenoxyacetic acid by an iron-reducing bacterium *Comamonas koreensis* CY01. *FEMS Microbiol Ecol.* 71: 106-113.
- Wu, D; Cederbaum, AI. (1993). Combined effects of streptozotocin-induced diabetes plus 4-methylpyrazole treatment on rat liver cytochrome P4502E1. *Arch Biochem Biophys.* 302: 175-182.
- Wu, D; Cederbaum, AI. (2013). Inhibition of autophagy promotes CYP2E1-dependent toxicity in HepG2 cells via elevated oxidative stress, mitochondria dysfunction and activation of p38 and JNK MAPK. *Redox biology.* 1: 552-565.
- Wu, DL; Shao, BB; Feng, Y; Ma, LM. (2015). Effects of Cu²⁺, Ag⁺, and Pd²⁺ on the reductive debromination of 2,5-dibromoaniline by the ferrous hydroxy complex. *Environ Technol.* 36: 901-908.
- Wu, DL; Wang, Z; Wang, HW; Fan, JH; Ma, LM. (2009). EFFECT OF Cu ON THE REDUCTIVE DECHLORINATION OF CHLORINATED HYDROCARBONS IN WATER BY SCRAP-IRON. *Fresen Environ Bull.* 18: 423-428.
- Wu, F-H; Huang, W-Y. (2001). Studies on sulfinate dehalogenation: the addition reaction of halocarbons with olefins initiated by sodium dithionite. *Journal of Fluorine Chemistry.* 110: 59-61.
- Wu, GS; Stein, RA; Mead, JF. (1984). MODIFICATION OF MEMBRANE LIPIDS IN VITAMIN E-DEFICIENT RATS WITH AND WITHOUT CARBON TETRACHLORIDE ADMINISTRATION. *76th Annual Aocs.* 62: 632-633.
- Wu, H; Feng, Q. Fabrication of bimetallic Ag/Fe immobilized on modified biochar for removal of carbon tetrachloride. *J Environ Sci.*
- Wu, H; Qiu, Y; Shu, ZY; Zhang, X; Li, RP; Liu, S; Chen, LQ; Liu, H; Chen, N. (2016). Protective effect of *Trillium tschonoskii* saponin on CCl4-induced acute liver injury of rats through apoptosis inhibition. *Can J Physiol Pharmacol.* 94: 1291-1297.
- Wu, HF; Zhang, XY; Li, XJ; Li, ZF; Wu, YJ; Pei, FK. (2005). Comparison of metabolic profiles from serum from hepatotoxin-treated rats by nuclear-magnetic-resonance-spectroscopy-based metabonomic analysis. *Anal Biochem.* 340: 99-105.
- Wu, HF; Zhang, XY; Li, XJ; Li, ZF; Wu, YJ; Pei, FK. (2005). Studies on the acute biochemical effects of La(NO₃)₃ using (1)H NMR spectroscopy of urine combined with pattern recognition. *J Inorg Biochem.* 99: 644-650.
- Wu, HF; Zhang, XY; Liao, PQ; Li, ZF; Li, WS; Li, XJ; Wu, YJ; Pei, FK. (2005). NMR spectroscopic-based metabonomic investigation on the acute biochemical effects induced by Ce(NO₃)₃ in rats. *J Inorg Biochem.* 99: 2151-2160.
- Wu, HM; Lee, CG; Hwang, SJ; Kim, SG. (2014). Mitigation of carbon tetrachloride-induced hepatic injury by methylene blue, a repurposed drug, is mediated by dual inhibition of GSK3 beta downstream of PKA. *Br J Pharmacol.* 171: 2790-2802.
- Wu, J; Danielsson, A; Zern, MA. (1999). Toxicity of hepatotoxins: new insights into mechanisms and therapy. *Expert Opin Investig Drugs.* 8: 585-607.
- Wu, J; Lindström, P. Insulin secretion in pancreatic islets from rats with cirrhosis.
- Wu, J; Liu, P; Zhu, JL; Maddukuri, S; Zern, MA. (1998). Increased liver uptake of liposomes and improved targeting efficacy by labeling with asialofetuin in rodents. *Hepatology (Baltimore, Md).* 27: 772-778.
- Wu, JB; Chuang, HR; Yang, LC; Lin, WC. (2010). A Standardized Aqueous Extract of *Anoectochilus formosanus* Ameliorated Thioacetamide-Induced Liver Fibrosis in Mice: The Role of Kupffer Cells. *Bioscience Biotechnology and Biochemistry.* 74: 781-787.
- Wu, JB; Lin, WL; Hsieh, CC; Ho, HY; Tsay, HS; Lin, WC. (2007). The hepatoprotective activity of kinsenoside from *Anoectochilus formosanus*. *Phytother Res.* 21: 58-61.

Environmental Hazard Literature Search Results

Off Topic

- Wu, JY; Yu, CH; Wen, JJ; Chang, CL; Leung, MK. (2016). Pyrrolo-3,2-b pyrroles for Photochromic Analysis of Halocarbons. *Anal Chem.* 88: 1195-1201.
- Wu, LM; Wu, XX; Sun, Y; Kong, XW; Zhang, YH; Xu, Q. (2008). A novel synthetic oleanolic acid derivative (CPU-II2) attenuates liver fibrosis in mice through regulating the function of hepatic stellate cells. *J Biomed Sci.* 15: 251-259.
- Wu, MF; Hsu, YM; Tang, MC; Chen, HC; Chung, JG; Lu, HF; Lin, JP; Tang, NY; Yeh, C; Yeh, MY. (2011). *Agaricus blazei* Murill extract abrogates CCl₄-induced liver injury in rats. *In vivo (Athens, Greece).* 25: 35-40.
- Wu, MJ; Lin, CF; Chen, SH; Lee, FC. (1999). Thermolysis of 2-(3-phenylsulfonylprop-1-ynyl)benzotrile: an aza-Myers type cyclization to isoquinolines. *Journal of the Chemical Society-Perkin Transactions* 12875-2876.
- Wu, PS; Wu, SJ; Tsai, YH; Lin, YH; Chao, JC. (2011). Hot water extracted *Lycium barbarum* and *Rehmannia glutinosa* inhibit liver inflammation and fibrosis in rats. *Am J Chin Med.* 39: 1173-1191.
- Wu, Q; Gong, DZ; Tian, N; Zhu, L; Guan, LL; Yang, M; Yuan, B; Qiu, QF; Lv, HM; Zou, Y. (2009). Protection of Regenerating Liver After Partial Hepatectomy from Carbon Tetrachloride Hepatotoxicity in Rats: Roles of Mitochondrial Uncoupling Protein 2 and ATP Stores. *Dig Dis Sci.* 54: 1918-1925.
- Wu, Q; Ortegon, AM; Tsang, B; Doege, H; Feingold, KR; Stahl, A. (2006). FATP1 is an insulin-sensitive fatty acid transporter involved in diet-induced obesity. *Mol Cell Biol.* 26: 3455-3467.
- Wu, QB; Wang, Y; Liang, L; Jiang, Q; Guo, ML; Zhang, JJ. (2013). Novel triterpenoid saponins from the seeds of *Celosia argentea* L. *Nat Prod Res.* 27: 1353-1360.
- Wu, SJ; Lin, YH; Chu, CC; Tsai, YH; Chao, JC. (2008). Curcumin or saikosaponin a improves hepatic antioxidant capacity and protects against CCl₄-induced liver injury in rats. *J Med Food.* 11: 224-229.
- Wu, SJ; Tam, KW; Tsai, YH; Chang, CC; Chao, JC. (2010). Curcumin and saikosaponin a inhibit chemical-induced liver inflammation and fibrosis in rats. *Am J Chin Med.* 38: 99-111.
- Wu, WB; Zhan, L; Wang, J; Huang, CZ. (2014). A plasmon resonance light scattering assay of glucose based on the formation of gold nanoparticles. *Analytical Methods.* 6: 3779-3783.
- Wu, WM; Nye, J; Hickey, RF; Bhatnagar, L. Anaerobic granules developed for reductive dechlorination of chlorophenols and chlorinated ethylene. *Proceedings of the Industrial Waste Conference.* 1994. v. 48: 483-493.
- Wu, XL; Gu, XG; Lu, SG; Qiu, ZF; Sui, Q; Zang, XK; Miao, ZW; Xu, MH; Danish, M. (2016). Accelerated degradation of tetrachloroethylene by Fe(II) activated persulfate process with hydroxylamine for enhancing Fe(II) regeneration. *J Chem Tech Biotechnol.* 91: 1280-1289.
- Wu, XL; Lu, SG; Qiu, ZF; Sui, Q; Lin, KF; Du, XM; Luo, QS. (2014). The reductive degradation of 1,1,1-trichloroethane by Fe(0) in a soil slurry system. *Environ Sci Pollut Res Int.* 21: 1401-1410.
- Wu, XL; Zeng, WZ; Jiang, MD; Qin, JP; Xu, H. (2008). Effect of Oxymatrine on the TGFbeta-Smad signaling pathway in rats with CCl₄-induced hepatic fibrosis. *World J Gastroenterol.* 14: 2100-2105.
- Wu, XL; Zeng, WZ; Wang, PL; Lei, CT; Jiang, MD; Chen, XB; Zhang, Y; Xu, H; Wang, Z. (2003). Effect of compound *rodiola sachalinensis* A Bor on CCl₄-induced liver fibrosis in rats and its probable molecular mechanisms. *World J Gastroenterol.* 9: 1559-1562.
- Wu, XX; Wu, LM; Fan, JJ; Qin, Y; Chen, G; Wu, XF; Shen, Y; Sun, Y; Xu, Q. (2011). *Cortex Dictamni* extract induces apoptosis of activated hepatic stellate cells via STAT1 and attenuates liver fibrosis in mice. *J Ethnopharmacol.* 135: 173-178.
- Wu, Y; Zhang, XX; Gorce, FB; Robel, RCV; Aguilo, J; Chen, LX; Zeng, Y; Hwang, K; French, SW; Lu, SC; Wan, YJY. (2004). Retinoid X receptor alpha regulates glutathione homeostasis and xenobiotic detoxification processes in mouse liver. *Mol Pharmacol.* 65: 550-557.
- Wu, YH; Wang, F; Zheng, QX; Lu, LX; Yao, HT; Zhou, CX; Wu, XM; Zhao, Y. (2006). Hepatoprotective effect of total flavonoids from *Laggera alata* against carbon tetrachloride(-) induced injury in primary cultured neonatal rat hepatocytes and in rats with hepatic damage. *J Biomed Sci.* 13: 569-578.
- Wu, YH; Zhang, XM; Hu, MH; Wu, XM; Zhao, Y. (2009). Effect of *Laggera alata* on hepatocyte damage induced by carbon tetrachloride in vitro and in vivo. *J Ethnopharmacol.* 126: 50-56.
- Wu, Y-M; Li, Y; Deng, J. (2005). One-pot synthesis of bromodifluoroacetimidoyl halides and its Suzuki coupling reactions with aryl boronic acids. *Journal of Fluorine Chemistry.* 126: 791-795.
- Wu, YQ; Ma, CW. (2011). Remediation technology of groundwater contaminated by perchloroethylene. *Int J Environ Pollut.* 45: 176-185.
- Wu, ZL; Gao, X; Luo, ZY; Ni, MJ; Cen, KF. (2004). Decomposition characteristics of toluene by a corona radical shower system. *J Environ Sci.* 16: 543-547.
- Wu, ZM; Wen, T; Tan, YF; Liu, Y; Ren, F; Wu, H. (2007). Effects of salvianolic acid a on oxidative stress and liver injury induced by carbon tetrachloride in rats. *Basic & Clinical Pharmacology & Toxicology.* 100: 115-120.
- Wua, C; Miyagawaa, C; Kennedy, DO; Yanob, Y; Otanib, S; Matsui-Yuasaa, I. (1997). Involvement of polyamines in the protection of taurine against the cytotoxicity of hydrazine or carbon tetrachloride in isolated rat hepatocytes. *Chem Biol Interact.* 103: 213-224.
- Wuebbles, DJ. (1993). GLOBAL CLIMATE CHANGE DUE TO RADIATIVELY ACTIVE GASES. *Hewitt, C N And W T Sturges.* 0: 53-92.
- Wunjuntut, K; Kettawan, A; Charoenkiatkul, S; Rungruang, T. (2016). Parboiled Germinated Brown Rice Protects Against CCl₄-Induced Oxidative Stress and Liver Injury in Rats. *J Med Food.* 19: 15-23.
- Wunjuntut, K; Kettawan, A; Rungruang, T; Charoenkiatkul, S. (2016). Anti-fibrotic and anti-inflammatory effects of parboiled germinated brown rice (*Oryza sativa* 'KDML 105'™) in rats with induced liver fibrosis. *Journal of Functional Foods.* 26: 363-372.
- Wunjuntut, K; Kettawan, A; Rungruang, T; Charoenkiatkul, S. (2016). Anti-fibrotic and anti-inflammatory effects of parboiled germinated brown rice (*Oryza sativa* 'KDML 105') in rats with induced liver fibrosis. *Journal of Functional Foods.* 26: 363-372.
- Wymore, T; Wong, TC. (1999). Molecular dynamics study of substance P peptides in a biphasic membrane mimic. *Biophysical Journal.* 76: 1199-1212.

Environmental Hazard Literature Search Results

Off Topic

- Wysocki, K; Hansz, J; Owczarek, L; Fenrych, W; GÁrcski, S; Majewski, C. (1966). Metabolism of radioactive zinc in the liver damaged with carbon tetrachloride. 3. Studies at the subcellular level. *Acta medica Polona*. 7: 253-256.
- Wysocki, K; Owczarek, L; Fenrych, W; Gorski, S; Majewski, C. (1966). The metabolism of radioactive zinc in the liver of rats damaged by a single administration of carbon tetrachloride. I. Radioisotope studies. *Acta medica Polona*. 7: 97-102.
- Wyzga, R. (2003). Commentary on the HEI reanalysis of two cohort studies of particulate air pollution and mortality. *Journal of toxicology and environmental health Part A*. 66: 1701-1704; discussion 1715-1722.
- Xagorari, A; Siotou, E; Yiangou, M; Tsolaki, E; Bougiouklis, D; Sakkas, L; Fassas, A; Anagnostopoulos, A. (2013). Protective effect of mesenchymal stem cell-conditioned medium on hepatic cell apoptosis after acute liver injury. *Int J Clin Exp Pathol*. 6: 831-840.
- Xavier, FE; Blanco-Rivero, J; Sastre, E; Badimon, L; Balfagon, G. (2010). Simultaneous inhibition of TXA(2) and PGI(2) synthesis increases NO release in mesenteric resistance arteries from cirrhotic rats. *Clin Sci (Lond)*. 119: 283-292.
- Xia, D; Liu, B; Xin, WY; Liu, TS; Sun, JY; Liu, NN; Qin, S; Du, ZN. (2016). Protective effects of C-phycocyanin on alcohol-induced subacute liver injury in mice. *J Appl Phycol*. 28: 765-772.
- Xia, DZ; Fan, YS; Zhang, PH; Fu, Y; Ju, MT; Zhang, XS. (2013). Protective Effects of the Flavonoid-Rich Fraction from Rhizomes of *Smilax glabra* Roxb. on Carbon Tetrachloride-Induced Hepatotoxicity in Rats. *J Membr Biol*. 246: 479-485.
- Xia, DZ; Zhang, PH; Fu, Y; Yu, WF; Ju, MT. (2013). Hepatoprotective activity of puerarin against carbon tetrachloride-induced injuries in rats: A randomized controlled trial. *Food Chem Toxicol*. 59: 90-95.
- Xiang, TX; Anderson, BD. (2006). Conformational structure, dynamics, and solvation energies of small alanine peptides in water and carbon tetrachloride. *J Pharm Sci*. 95: 1269-1287.
- Xiao, J; Liong, EC; Ching, YP; Chang, RCC; So, KF; Fung, ML; Tipoe, GL. (2012). *Lycium barbarum* polysaccharides protect mice liver from carbon tetrachloride-induced oxidative stress and necroinflammation. *J Ethnopharmacol*. 139: 462-470.
- Xiao, J; Liong, EC; Huang, H; Tse, WO; Lau, KS; Pan, JF; Nanji, AA; Fung, ML; Xing, FY; Tipoe, GL. (2015). Cyclooxygenase-1 Serves a Vital Hepatoprotective Function in Chemically Induced Acute Liver Injury. *Toxicol Sci*. 143: 430-440.
- Xiao, J; Liong, EC; Ling, MT; Ching, YP; Fung, ML; Tipoe, GL. (2012). S-allylmercaptocysteine reduces carbon tetrachloride-induced hepatic oxidative stress and necroinflammation via nuclear factor kappa B-dependent pathways in mice. *Eur J Nutr*. 51: 323-333.
- Xiaohua, D; Jin, Z; Hui, W; Haifeng, C; Chao, Z; Zepu, Y. (2015). Effect of Yajieshaba, a preparation of Dai indigenous medicine, on enhanced liver detoxification. *Journal of traditional Chinese medicine = Chung i tsa chih ying wen pan / sponsored by All-China Association of Traditional Chinese Medicine, Academy of Traditional Chinese Medicine*. 35: 197-205.
- Xie, CF; Wang, JJ; Li, XL; Zeng, F; Ma, L; Li, CY; Wei, Z; Peng, AH; Chen, LJ. (2014). Protective effect of SKLB010 against D-galactosamine/lipopolysaccharide-induced acute liver failure via nuclear factor-kappa B signaling pathway in macrophages. *Int Immunopharmacol*. 21: 261-268.
- Xie, F; Li, X; Sun, K; Chu, Y; Cao, H; Chen, N; Wang, W; Liu, M; Liu, W; Mao, D. (2001). An experimental study on drugs for improving blood circulation and removing blood stasis in treating mild chronic hepatic damage. *Journal of traditional Chinese medicine = Chung i tsa chih ying wen pan / sponsored by All-China Association of Traditional Chinese Medicine, Academy of Traditional Chinese Medicine*. 21: 225-231.
- Xie, J; Wan, JY; Jiang, R; Lu, HX; Peng, XR; Zhang, L. (2013). Upregulation of Sirt1 in carbon-tetrachloride-induced acute liver injury. *Drug Chem Toxicol*. 36: 277-283.
- Xie, L; Shang, C. (2006). Effects of copper and palladium on the red-action of bromate by Fe(0). *Chemosphere*. 64: 919-930.
- Xie, Q; Guo, FF; Zhou, W. (2012). Protective effects of cassia seed ethanol extract against carbon tetrachloride-induced liver injury in mice. *Acta Biochim Pol*. 59: 265-270.
- Xie, S; Georgiev, EM; Roundhill, DM; Troev, K. (1994). Hydrogenolysis of carbon-chlorine bonds in carbon tetrachloride and trichlorofluoromethane in the presence of catalytic quantities of tris(triphenylphosphine) ruthenium(II) dichloride. *Journal of Organometallic Chemistry*. 482: 39-44.
- Xie, SY; Peng, Y; Chen, M; Huang, RB; Chow, YL; Zheng, LS. (2005). On assembling polychlorinated aromatic hydrocarbons from carbon tetrachloride via dichlorocarbene intermediary by a solvothermal reaction: A reaction pattern from carbene-ylide interconversion. *J Org Chem*. 70: 1400-1407.
- Xie, SY; Peng, Y; Chen, M; Huang, RB; Chow, YL; Zheng, LS. (2005). On assembling polychlorinated aromatic hydrocarbons from carbon tetrachloride via dichlorocarbene intermediary by a solvothermal reaction: A reaction pattern from carbene-ylide interconversion (vol 70, pg 1401, 2005). *J Org Chem*. 70: 8255-8255.
- Xie, Y; Cwiertny, DM. (2013). Chlorinated Solvent Transformation by Palladized Zerovalent Iron: Mechanistic Insights from Reductant Loading Studies and Solvent Kinetic Isotope Effects. *Environmental Science & Technology*. 47: 7940-7948.
- Xie, Y; Hao, H; Kang, A; Liang, Y; Xie, T; Sun, S; Dai, C; Zheng, X; Xie, L; Li, J; Wang, G. (2010). Integral pharmacokinetics of multiple lignan components in normal, CCl4-induced hepatic injury and hepatoprotective agents pretreated rats and correlations with hepatic injury biomarkers. *J Ethnopharmacol*. 131: 290-299.
- Xie, Y; Hao, HP; Wang, H; Guo, C; Kang, A; Wang, GJ. (2014). Reversing effects of lignans on CCl4-induced hepatic CYP450 down regulation by attenuating oxidative stress. *J Ethnopharmacol*. 155: 213-221.
- Xie, YR; Liu, SL; Liu, X; Luo, ZB; Zhu, B; Li, ZF; Li, LJ; He, Y; Jiang, L; Li, H; Ruan, B. (2011). Intestinal microbiota and innate immunity-related gene alteration in cirrhotic rats with liver transplantation. *Transplant Proc*. 43: 3973-3979.
- Xin, Y; Wei, J; Chunhua, M; Danhong, Y; Jianguo, Z; Zongqi, C; Jian-an, B. (2016). Protective effects of Ginsenoside Rg1 against carbon tetrachloride-induced liver injury in mice through suppression of inflammation. *Phytomedicine*. 23: 583-588.

Environmental Hazard Literature Search Results

Off Topic

- Xing, X; Deng, X; Shi, J; Zhang, M; Sun, G; Tang, S; Huang, Q; Sun, X. (2017). The chronic hepatotoxicity assessment of the herbal formula Zishen Yutai pill. *Regul Toxicol Pharmacol.* 83: 81-88.
- Xing, XY; Zhao, YL; Jia, L; Kong, WJ; Zhong, YW; Wang, JB; Zhang, P; Ren, HL; Xiao, XH. (2012). Evaluation of the liver protection and toxicity of Da-Huang-Zhe-Chong pill in rats. *Pharmaceutical Biology.* 50: 344-350.
- Xing, XY; Zhao, YL; Kong, WJ; Wang, JB; Jia, L; Zhang, P; Yan, D; Zhong, YW; Li, RS; Xiao, XH. (2011). Investigation of the "dose-time-response" relationships of rhubarb on carbon tetrachloride-induced liver injury in rats. *J Ethnopharmacol.* 135: 575-581.
- Xing, X-y; Zhao, Y-l; Kong, W-j; Wang, J-b; Jia, L; Zhang, P; Yan, D; Zhong, Y-w; Li, R-s; Xiao, X-h. (2011). Investigation of the "dose-time-response" relationships of rhubarb on carbon tetrachloride-induced liver injury in rats. *J Ethnopharmacol.* 135: 575-581.
- Xing, X-y; Zhao, Y-l; Kong, W-j; Wang, J-b; Jia, L; Zhang, P; Yan, D; Zhong, Y-w; Li, R-s; Xiao, X-h. (2011). Investigation of the "dose-time-response" relationships of rhubarb on carbon tetrachloride-induced liver injury in rats. *J Ethnopharmacol.* 135: 575-581.
- Xiong, QB; Fan, WZ; Tezuka, Y; Adnyana, IK; Stampoulis, P; Hattori, M; Namba, T; Kadota, S. (2000). Hepatoprotective effect of Apocynum venetum and its active constituents. *Planta Med.* 66: 127-133.
- Xiong, QB; Hase, K; Tezuka, Y; Tani, T; Namba, T; Kadota, S. (1998). Hepatoprotective activity of phenylethanoids from *Cistanche deserticola*. *Planta Med.* 64: 120-125.
- Xiong, TY; Fleming, DK; Weil, SA. (1990). HAZARDOUS MATERIAL DESTRUCTION IN A SELF-REGENERATING COMBUSTOR-INCINERATOR. *Tedder, D W And F G Pohland. O:* 12-28.
- Xiong, WJ; Hu, LJ; Jian, YC; Wang, LJ; Jiang, M; Li, W; He, Y. (2012). Wnt5a participates in hepatic stellate cell activation observed by gene expression profile and functional assays. *World J Gastroenterol.* 18: 1745-1752.
- Xu, C; Zhao, W; Hao, Y; Chang, C; Fan, J. (2013). Comparative analysis of gene expression profiles of acute hepatic failure and that of liver regeneration in rat. *Gene.* 528: 59-66.
- Xu, CC; Liu, R; Chen, LY; Tang, JL. (2016). Enhanced dechlorination of 2,4-dichlorophenol by recoverable Ni/Fe-Fe₃O₄ nanocomposites. *J Environ Sci.* 48: 92-101.
- Xu, CJ; Li, D. (1998). Pharmacokinetics of flutamide and its metabolite 2-hydroxyflutamide in normal and hepatic injury rats. *Acta Pharmacol Sin.* 19: 39-43.
- Xu, CJ; Li, D. (1999). Pharmacokinetics of 2-hydroxyflutamide, a major metabolite of flutamide, in normal and CCl₄-poisoned rats. *Acta Pharmacol Sin.* 20: 655-658.
- Xu, D; Wu, Y; Liao, ZX; Wang, H. (2007). Protective effect of verapamil on multiple hepatotoxic factors-induced liver fibrosis in rats. *Pharmacol Res.* 55: 280-286.
- Xu, DH; Mei, XT; Chen, Y; Li, YM; Lv, JY; Xu, SB. (2005). Protective effects of 5,4'-dihydroxy-3',5'-dimethoxy-7-O-beta-D -glucopyranosyloxy-flavone on experimental hepatic injury. *World J Gastroenterol.* 11: 1764-1768.
- Xu, DM; Hu, LH; Su, CY; Xia, XM; Zhang, P; Fu, JL; Wang, WC; Xu, D; Du, H; Hu, QL; Song, EQ; Song, Y. (2014). Tetrachloro-p-benzoquinone induces hepatic oxidative damage and inflammatory response, but not apoptosis in mouse: The prevention of curcumin. *Toxicol Appl Pharmacol.* 280: 305-313.
- Xu, G; Niki, T; Virtanen, I; Rogiers, V; De, BP; Geerts, A. (1997). Gene expression and synthesis of fibronectin isoforms in rat hepatic stellate cells. Comparison with liver parenchymal cells and skin fibroblasts. *The Journal of pathology.* 183: 90-98.
- Xu, H; Zhou, Y; Liu, YX; Ping, J; Shou, QY; Chen, FM; Ruo, R. (2016). Metformin improves hepatic IRS2/PI3K/Akt signaling in insulin-resistant rats of NASH and cirrhosis. *J Endocrinol.* 229: 133-144.
- Xu, J; Shen, K; Xue, B; Li, Y-X. (2013). Microporous carbon nitride as an effective solid base catalyst for Knoevenagel condensation reactions. *Journal of Molecular Catalysis.* 372: 105-113.
- Xu, J; Szyzkowicz, M; Jovic, B; Cakmak, S; Austin, CC; Zhu, JP. (2016). Estimation of indoor and outdoor ratios of selected volatile organic compounds in Canada. *Atmos Environ.* 141: 523-531.
- Xu, JW; Gong, J; Chang, XM; Luo, JY; Dong, L; Jia, A; Xu, GP. (2004). Effects of estradiol on liver estrogen receptor-alpha and its mRNA expression in hepatic fibrosis in rats. *World J Gastroenterol.* 10: 250-254.
- Xu, LM; Carter, EP; Ohara, M; Martin, PY; Rogachev, B; Morris, K; Cadnapaphornchai, M; Knotek, M; Schrier, RW. (2000). Neuronal nitric oxide synthase and systemic vasodilation in rats with cirrhosis. *American Journal of Physiology-Renal Physiology.* 279: F1110-F1115.
- Xu, M; Gu, X; Lu, S; Miao, Z; Zang, X; Wu, X; Qiu, Z; Sui, Q. (2016). Degradation of carbon tetrachloride in thermally activated persulfate system in the presence of formic acid. *Frontiers of environmental science & engineering.* 10: 438-446.
- Xu, M; Gu, X; Lu, S; Qiu, Z; Sui, Q; Miao, Z; Zang, X; Wu, X. (2015). Degradation of carbon tetrachloride in aqueous solution in the thermally activated persulfate system. *J Hazard Mater.* 286: 7-14.
- Xu, Q; Wu, F; Cao, J; Chen, T; Jiang, J; Saiki, I; Koda, A. (1999). Astilbin selectively induces dysfunction of liver-infiltrating cells--novel protection from liver damage. *Eur J Pharmacol.* 377: 93-100.
- Xu, R; Harrison, PM; Chen, M; Li, L; Tsui, TY; Fung, PC; Cheung, PT; Wang, G; Li, H; Diao, Y; Krissansen, GW; Xu, S; Farzaneh, F. (2006). Cytoglobin overexpression protects against damage-induced fibrosis. *Molecular therapy : the journal of the American Society of Gene Therapy.* 13: 1093-1100.
- Xu, S; Sheng, G; Boyd, SA. (1997). USE OF ORGANOCCLAYS IN POLLUTION ABATEMENT. *Sparks, D L.* 59: 25-62.
- Xu, S; Zhang, L; Zhang, X; He, C; Lv, Y. (2011). Synthesis of Ag₂Se nanomaterial by electrodeposition and its application as cataluminescence gas sensor material for carbon tetrachloride. *Sensors & Actuators: B.* 155: 311-316.
- Xu, T; Wang, X; Chen, G; He, Y; Bie, P. (2011). Autologous bone marrow stem cell transplantation attenuates hepatocyte apoptosis in a rat model of ex vivo liver resection and liver autotransplantation. *The Journal of biological chemistry.* 184: 1102-1108.

Environmental Hazard Literature Search Results

Off Topic

- Xu, W; Song, SL; Huang, YQ; Gong, ZJ. (2006). Effects of perindopril and valsartan on expression of transforming growth factor-beta-Smads in experimental hepatic fibrosis in rats. *J Gastroenterol Hepatol.* 21: 1250-1256.
- Xu, WH; Hellerbrand, C; Kohler, UA; Bugnon, P; Kan, YW; Werner, S; Beyer, TA. (2008). The Nrf2 transcription factor protects from toxin-induced liver injury and fibrosis. *Lab Invest.* 88: 1068-1078.
- Xu, WY; Gao, TY. (2007). Dechlorination of carbon tetrachloride by the catalyzed Fe-Cu process. *J Environ Sci.* 19: 792-799.
- Xu, WY; Li, P; Fan, JH. (2008). Reduction of nitrobenzene by the catalyzed Fe/Cu process. *J Environ Sci.* 20: 915-921.
- Xu, XM; Hu, Y; Zhai, XH; Lin, MS; Chen, Z; Tian, XF; Zhang, F; Gao, DY; Ma, XC; Lv, L; Yao, JH. (2013). Salvianolic acid A preconditioning confers protection against concanavalin A-induced liver injury through SIRT1-mediated repression of p66shc in mice. *Toxicol Appl Pharmacol.* 273: 68-76.
- Xu, XP. (1999). Dynamics of high- and low -pressure plasma remediation. PhD, University of Illinois at Urbana-Champaign.
- Xu, Y; Ding, WQ; Liu, J; Li, Y; Kennedy, JF; Gu, Q; Shao, SX. (2010). Preparation and characterization of organic-soluble acetylated starch nanocrystals. *Carbohydr Polymer.* 80: 1078-1084.
- Xu, Y; He, Y; Feng, XL; Liang, LY; Xu, JM; Brookes, PC; Wu, JJ. (2014). Enhanced abiotic and biotic contributions to dechlorination of pentachlorophenol during Fe(III) reduction by an iron-reducing bacterium *Clostridium beijerinckii* Z. *Sci Total Environ.* 473: 215-223.
- Xu, Z; Bray, TM. Electron spin resonance spin trapping studies of the effects of dietary zinc deficiency on free radical production in vitro and in vivo under acute oxidative stress. *J Nutr Biochem.* Oct 1994. v. 5 (10): 490-494.
- Xuan, XL; Li, XZ; Wang, C; Liu, H. (2010). Effects of key reaction parameters on the reductive dechlorination of chloroform with Pd/Fe(0) bimetal in aqueous solution. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 45: 464-470.
- Xue, F; Takahara, T; Yata, Y; Minemura, M; Morioka, CY; Takahara, S; Yamato, E; Dono, K; Watanabe, A. (2002). Attenuated acute liver injury in mice by naked hepatocyte growth factor gene transfer into skeletal muscle with electroporation. *Gut.* 50: 558-562.
- Xue, H; Guo, H; Li, YC; Hao, ZM. (2007). Heme oxygenase-1 induction by hemin protects liver cells from ischemia/reperfusion injury in cirrhotic rats. *World J Gastroenterol.* 13: 5384-5390.
- Xue, LK; Wang, T; Simpson, IJ; Ding, AJ; Gao, J; Blake, DR; Wang, XZ; Wang, WX; Lei, HC; Jing, DZ. (2011). Vertical distributions of non-methane hydrocarbons and halocarbons in the lower troposphere over northeast China. *Atmos Environ.* 45: 6501-6509.
- Xue, Q; Sun, ZL; Guo, ML; Wang, Y; Zhang, G; Wang, XK. (2011). Two new compounds from *Semen celosiae* and their protective effects against CCl₄-induced hepatotoxicity. *Nat Prod Res.* 25: 772-780.
- Xue, Q; Sun, Z-L; Guo, M-L; Wang, Y; Zhang, G; Wang, X-K. (2011). Two new compounds from *Semen celosiae* and their protective effects against CCl₄-induced hepatotoxicity. *Nat Prod Res.* 25: 772-780.
- Y, J; Kamath, JV; Asad, M. (2006). Effect of hexane extract of *Boswellia serrata* oleo-gum resin on chemically induced liver damage. *Pak J Pharm Sci.* 19: 129-133.
- Yáñez, L; Aranda-Fraustro, A; Hall, RA; Liebe, R; Hochrath, K; Kazakov, A; Alberts, R; Laufs, U; Böhm, M; Fischer, HP; Williams, RW; Schughart, K; Weber, SN; Lammert, F. (1997). Systems genetics of liver fibrosis: identification of fibrogenic and expression quantitative trait loci in the BXD murine reference population. *Hepatology.* 26: e89279.
- Yabe, N; Matsui, H. *Ampelopsis brevipedunculata* (Vitaceae) extract inhibits a progression of carbon tetrachloride-induced hepatic injury in the mice. *Phytomedicine : international journal of phytotherapy and phytopharmacology.* Dec 2000. v. 7 (6): 493-498.
- Yadav, NP; Dixit, VK. (2003). Hepatoprotective activity of leaves of *Kalanchoe pinnata* Pers. *J Ethnopharmacol.* 86: 197-202.
- Yagai, T; Miyajima, A; Tanaka, M. (2014). Semaphorin 3E Secreted by Damaged Hepatocytes Regulates the Sinusoidal Regeneration and Liver Fibrosis during Liver Regeneration. *American Journal of Pathology.* 184: 2250-2259.
- Yahoo, N; Pournasr, B; Rostamzadeh, J; Hakhmaneshi, MS; Ebadifar, A; Fathi, F; Baharvand, H. (2016). Forced expression of Hnf1b/Foxa3 promotes hepatic fate of embryonic stem cells. *Biochem Biophys Res Commun.* 474: 199-205.
- Yahuaca, P; Amaya, A; Rojkind, M; Mourelle, M. (1985). Cryptic adenosine triphosphatase activities in plasma membranes of CCl₄-cirrhotic rats. Its modulation by changes in cholesterol/phospholipid ratios. *Laboratory investigation; a journal of technical methods and pathology.* 53: 541-545.
- Yahuaca, P; Amaya, A; Rojkind, M; Mourelle, M. (1985). CRYPTIC ATP ACTIVITIES IN PLASMA MEMBRANES OF CARBON TETRACHLORIDE-CIRRHOTIC RATS ITS MODULATION BY CHANGES IN CHOLESTEROL-PHOSPHOLIPID RATIOS. *Lab Invest.* 53: 541-545.
- Yalcin, AS; Kocak-Toker, N; Uysal, M; Aykac, G; Sivas, A; Oz, H. (1985). INFLUENCE OF CARBON TETRACHLORIDE-ETHANOL TREATMENT ON HEPATIC LIPID PEROXIDATION AND GLUTATHIONE-DEPENDENT ENZYMES IN RATS. *Ircs.* 13: 1143-1144.
- Yam, MF; Basir, R; Asmawi, MZ; Ismail, Z. (2007). Antioxidant and hepatoprotective effects of *Orthosiphon stamineus* Benth. standardized extract. *Am J Chin Med.* 35: 115-126.
- Yamada, Y; Fausto, N. (1998). Deficient liver regeneration after carbon tetrachloride injury in mice lacking type 1 but not type 2 tumor necrosis factor receptor. *American Journal of Pathology.* 152: 1577-1589.
- Yamagishi, F; Komoda, T; Ohnishi, K; Itoh, S. (1993). Protective effect of dantrolene sodium on carbon tetrachloride induced liver injury in the rat. *Res Comm Chem Pathol Pharmacol.* 82: 237-240.
- Yamagishi, F; Komoda, T; Ohnishi, K; Itoh, S. (1994). Correlation between various ratios of serum thyroid hormones and liver cytochrome P-450 in CCl₄-treated and untreated rats. *Res Comm Chem Pathol Pharmacol.* 83: 237-240.
- Yamaguchi, M; Tsurusaki, Y; Misawa, H; Inagaki, S; Ma, ZJ; Takahashi, H. (2002). Potential role of regucalcin as a specific biochemical marker of chronic liver injury with carbon tetrachloride administration in rats. *Mol Cell Biochem.* 241: 61-67.

Environmental Hazard Literature Search Results

Off Topic

- Yamahara, J; Kobayashi, M; Kimura, H; Miki, K; Kozuka, M; Sawada, T; Fujimura, H. (1985). BIOLOGICALLY ACTIVE PRINCIPLES OF CRUDE DRUGS THE EFFECT OF CIMICIFUGAE RHIZOMA AND ITS CONSTITUENTS IN PREVENTIVE ACTION ON THE CARBON TETRACHLORIDE-INDUCED LIVER DISORDER IN MICE. *Shoyakugaku Zasshi*. 39: 80-84.
- Yamaji, K; Ohnishi, KI; Zuinen, R; Ochiai, Y; Chikuma, T; Hojo, H. (2008). Interleukin-6 production by peritoneal inflammatory factors in mesothelial cells and its regulation by rats administered carbon tetrachloride intraperitoneally. *Toxicol Appl Pharmacol*. 226: 38-45.
- Yamakawa, Y; Doi, T; Kubota, K; Okayachi, H; Kudo, N; Kawashima, Y. (2000). Modification of Carbon Tetrachloride-Induced Hepatotoxicity by Clofibrilic Acid in Rats. *J Health Sci*. 46: 132-141.
- Yamamoto, H. (1990). Brain phenylalanine and tyrosine levels and hepatic encephalopathy induced by CCl₄ in rats. *Toxicology*. 61: 241-247.
- Yamamoto, H; Kondo, Y; Kawabe, T; Okano, K; Sassa, R; Terano, A. (1989). Prostaglandins protect primary cultured rat hepatocytes against carbon tetrachloride-induced damage. *Gastroenterologia Japonica*. 24: 447.
- Yamamoto, H; Nagano, T; Hirobe, M. (1985). Carbon tetrachloride toxicity on *Escherichia coli* exacerbated by superoxide. *J Biol Chem*. 263: 12224-12227.
- Yamamoto, H; Quinn, G; Asari, A; Yamanokuchi, H; Teratani, T; Terada, M; Ochiya, T. (2003). Differentiation of embryonic stem cells into hepatocytes: Biological functions and therapeutic application. *Hepatology*. 37: 983-993.
- Yamamoto, H; Yamamoto, Y; Yamagami, K; Kume, M; Kimoto, S; Toyokuni, S; Uchida, K; Fukumoto, M; Yamaoka, Y. (2000). Heat-shock preconditioning reduces oxidative protein denaturation and ameliorates liver injury by carbon tetrachloride in rats. *Research in Experimental Medicine*. 199: 309-318.
- Yamamoto, HA. (1963). Brain phenylalanine and tyrosine levels and hepatic encephalopathy induced by carbon tetrachloride in rats. *Surgical forum*. 61: 241-248.
- Yamamoto, HA. (1990). Brain phenylalanine and tyrosine levels and hepatic encephalopathy induced by CCl sub(4) in rats. *Toxicology*. 61: 241-247.
- Yamamoto, HA. (1990). Relation of calcium accumulation and lipid peroxidation with carbon tetrachloride induced toxicity in the rat liver. *Pharmacol Toxicol*. 66: 213-216.
- Yamamoto, HA; Sugihara, N. (1987). BLOOD AMMONIA LEVELS AND HEPATIC ENCEPHALOPATHY INDUCED BY CARBON TETRACHLORIDE IN RATS. *Toxicol Appl Pharmacol*. 91: 461-468.
- Yamamoto, HA; Sugihara, N. (1987). Blood ammonia levels and hepatic encephalopathy induced by CCl sub(4) in rats. *Toxicol Appl Pharmacol*. 91: 461-468.
- Yamamoto, HA; Sugihara, N. (1988). HEPATIC ATP CONTENT AND HYPERAMMONEMIA INDUCED BY CARBON TETRACHLORIDE IN RATS. *Toxicology*. 51: 111-117.
- Yamamoto, HA; Sugihara, N. (1988). Hepatic ATP content and hyperammonemia induced by CCl₄ in rats. *Toxicology*. 51: 111-117.
- Yamamoto, HA; Sugihara, N. (1988). Hepatic ATP content and hyperammonemia induced by CCl sub(4) in rats. *Toxicology*. 51: 111-117.
- Yamamoto, K; Fukushima, M; Kuroda, K. (1991). TOTAL ORGANIC HALOGEN CHEMICAL POLLUTION PARAMETER IN URBAN RIVER WATERS. Meeting On Hazard Assessment And Control Of Environmental Contaminants In Water Held At The 1st lawprc. 25: 25-32.
- Yamamoto, N; Terai, S; Ohata, S; Watanabe, T; Omori, K; Shinoda, K; Miyamoto, K; Katada, T; Sakaida, I; Nishina, H; Okita, K. (2004). A subpopulation of bone marrow cells depleted by a novel antibody, anti-Liv8, is useful for cell therapy to repair damaged liver. *Biochem Biophys Res Commun*. 313: 1110-1118.
- Yamamoto, T; Kikkawa, R; Yamada, H; Horii, I. (2006). Investigation of proteomic biomarkers in in vivo hepatotoxicity study of rat liver: Toxicity differentiation in hepatotoxicants. *J Toxicol Sci*. 31: 49-60.
- Yamamoto, Y; Tagawa, S. (2001). Radiolytic and thermal dechlorination of organic chlorides adsorbed an molecular sieve 13X. *Environmental Science & Technology*. 35: 2122-2127.
- Yamamoto, Y; Tagawa, S. (2001). Radiolytic and thermal dechlorination of organic chlorides adsorbed on molecular sieve 13X. *Environmental science & technology*. 35: 2122-2127.
- Yamamoto, Y; Toyooka, M; Nakadate, Y; Hayashi, K; Higuchi, T. (1988). THE INVESTIGATION OF THE PERIODICAL ULTRASONIC DIAGNOSIS ON THE TOXICITY STUDY IN DOGS. The 15th Annual Meeting Of The Japanese Society Of Toxicological Sciences, Sendai, Japan, August. 13: 309.
- Yamamura, S; Watanabe, M; Kanzaki, M; Soda, S; Ike, M. (2008). Removal of arsenic from contaminated soils by microbial reduction of arsenate and quinone. *Environmental Science & Technology*. 42: 6154-6159.
- Yamanaka, D; Motoi, M; Motoi, A; Ohno, N. (2014). Differences in antioxidant activities of outdoor- and indoor-cultivated *Agaricus brasiliensis*, and protective effects against carbon tetrachloride-induced acute hepatic injury in mice. *BMC Complement Altern Med*. 14: 454.
- Yamaoka, K; Kataoka, T; Nomura, T; Taguchi, T; Wang, DH; Mori, S; Hanamoto, K; Kira, S. (2004). Inhibitory effects of prior low-dose X-ray irradiation on carbon tetrachloride-induced hepatopathy in acatalasemic mice. *J Radiat Res (Tokyo)*. 45: 89-95.
- Yamashita, Y; Shiota, A; Fujise, N; Ogawa, H; Masunaga, H; Yasuda, H; Higashio, K. (1998). Effects of the deleted form of hepatocyte growth factor on serum hyaluronate levels in rats with liver cirrhosis. *The Journal of veterinary medical science / the Japanese Society of Veterinary Science*. 60: 359-360.
- Yamate, J; Tatsumi, M; Nakatsuji, S; Kuwamura, M; Kotani, T; Sakuma, S. (1993). Immunohistochemical observations of macrophages and perisinusoidal cells in carbon tetrachloride-induced rat liver injury. *J Vet Med Sci*. 55: 973-977.
- Yamauchi, Y; Kobayashi, M; Watanabe, A. (1987). Anti-carcinogenic effects of a serine protease inhibitor (FOY-305) through the suppression of neutral serine protease activity during chemical hepatocarcinogenesis in rats. *Hiroshima journal of medical sciences*. 36: 81-87.
- Yamaura, K; Ogawa, K; Yonekawa, T; Nakamura, T; Yano, S; Ueno, K. (2002). Inhibition of the antibody production by acetaminophen independent of liver injury in mice. *Biological & Pharmaceutical Bulletin*. 25: 201-205.

Environmental Hazard Literature Search Results

Off Topic

- Yamazaki, H; Nishiguchi, K; Inoue, K; Yasuyama, T; Nakanishi, S. (1987). Effects of bromobenzene, thioacetamide and carbon tetrachloride on activities of alcohol dehydrogenase and aldehyde dehydrogenase of hepatic subcellular fractions in C57BL and DBA mice. *Arukōru kenkyū to yakubutsu izon = Japanese journal of alcohol studies & drug dependence*. 22: 13-24.
- Yamazaki, H; Nishiguchi, K; Nakanishi, S. (1985). ALCOHOL DEHYDROGENASE AND ALDEHYDE DEHYDROGENASE OF INBRED MICE WITH CHEMICAL HEPATIC INJURY BY CARBON TETRACHLORIDE OR THIOACETAMIDE THEIR ACTIVITIES AND ELECTROPHORETIC ANALYSIS. 58th General Meeting Of The Japanese Pharmacological Society, Tokyo, Japan, Mar. 39.
- Yamazaki, Y; Kakizaki, S; Horiguchi, N; Takagi, H; Mori, M; Negishi, M. (2005). Role of nuclear receptor CAR in carbon tetrachloride-induced hepatotoxicity. *World J Gastroenterol*. 11: 5966-5972.
- Yan, CL; Zhou, L; Han, YP. (2008). Contribution of hepatic stellate cells and matrix metalloproteinase 9 in acute liver failure. *Liver Int*. 28: 959-971.
- Yan, F; Zhang, QY; Jiao, L; Han, T; Zhang, H; Qin, LP; Khalid, R. (2009). Synergistic hepatoprotective effect of Schisandrae lignans with Astragalus polysaccharides on chronic liver injury in rats. *Phytomedicine : international journal of phytotherapy and phytopharmacology*. 16: 805-813.
- Yan, H; Gui, Z; Wang, B. (2011). A study on effects of glutathione s-transferase from silkworm on CCL4-induced mouse liver injury. *Pak J Pharm Sci*. 24: 1-5.
- Yan, HX; Wu, HP; Zhang, HL; Ashton, C; Tong, C; Wu, J; Qian, QJ; Wang, HY; Ying, QL. (2013). DNA damage-induced sustained p53 activation contributes to inflammation-associated hepatocarcinogenesis in rats. *Oncogene*. 32: 4565-4571.
- Yan, J; Simsir, B; Farmer, AT; Bi, M; Yang, Y; Campagna, SR; Loffler, FE. (2016). The corrinoid cofactor of reductive dehalogenases affects dechlorination rates and extents in organohalide-respiring *Dehalococcoides mccartyi*. *Isme Journal*. 10: 1092-1101.
- Yan, JY; Ai, G; Zhang, XJ; Xu, HJ; Huang, ZM. (2015). Investigations of the total flavonoids extracted from flowers of *Abelmoschus manihot* (L) Medic against alpha-naphthylisothiocyanate-induced cholestatic liver injury in rats. *J Ethnopharmacol*. 172: 202-213.
- Yan, W; Sun, D; Lin, X; Jiang, Y; Sun, X. (2005). (13)C phenylalanine breath test and hepatic phenylalanine metabolism enzymes in cirrhotic rats. *Eur J Clin Invest*. 35: 644-652.
- Yan, XJ; Jiang, ZQ; Bi, L; Yang, Y; Chen, WP. (2015). Salvianolic acid A attenuates TNF-alpha- and D-GalN-induced ER stress-mediated and mitochondrial-dependent apoptosis by modulating Bax/Bcl-2 ratio and calcium release in hepatocyte LO2 cells. *Naunyn-Schmiedeberg's Archives of Pharmacology*. 388: 817-830.
- Yan, Y; Wanshun, L; Baoqin, H; Bing, L; Chenwei, F. (2006). Protective effects of chitosan oligosaccharide and its derivatives against carbon tetrachloride-induced liver damage in mice. *Hepatology research : the official journal of the Japan Society of Hepatology*. 35: 178-184.
- Yan, YE; Schwartz, FW. (1999). Oxidative degradation and kinetics of chlorinated ethylenes by potassium permanganate. *J Contam Hydrol*. 37: 343-365.
- Yanagisawa, T; Takuma, S; Sawada, T; Watanabe, K; Watanabe, K. (1982). Fibrogenesis in rat liver injured by carbon tetrachloride. An immunohistochemical study. *The Bulletin of Tokyo Dental College*. 23: 1-8.
- Yang, B; Yang, GP; Lu, XL; Li, L; He, Z. (2015). Distributions and sources of volatile chlorocarbons and bromocarbons in the Yellow Sea and East China Sea. *Mar Pollut Bull*. 95: 491-502.
- Yang, C; Gong, X; Ai, Q; Ge, P; Lin, L; Zhang, L. (2015). 5-Aminoimidazole-4-carboxamide-1- β -D-ribofuranoside alleviated carbon tetrachloride-induced acute hepatitis in mice. *Int Immunopharmacol*. 25: 393-399.
- Yang, CC; Fang, JY; Hong, TL; Wang, TC; Zhou, YE; Lin, TC. (2013). Potential antioxidant properties and hepatoprotective effects of an aqueous extract formula derived from three Chinese medicinal herbs against CCl(4)-induced liver injury in rats. *Int Immunopharmacol*. 15: 106-113.
- Yang, CH; Ting, WJ; Shen, CY; Hsu, HH; Lin, YM; Kuo, CH; Tsai, FJ; Tsai, CH; Tsai, Y; Huang, CY. (2016). Anti- α apoptotic effect of San Huang Shel Shin Tang cyclodextrin complex (SHSSTc) on CCl α induced hepatotoxicity in rats. *Environ Toxicol*. 31: 663-670.
- Yang, CH; Ting, WJ; Shen, CY; Hsu, HH; Lin, YM; Kuo, CH; Tsai, FJ; Tsai, CH; Tsai, Y; Huang, CY. (2016). Anti-Apoptotic Effect of San Huang Shel Shin Tang Cyclodextrin Complex (SHSSTc) on CCl α -Induced Hepatotoxicity in Rats. *Environ Toxicol*. 31: 663-670.
- Yang, CM; Gong, XQ; Ai, Q; Ge, P; Lin, L; Zhang, L. (2015). 5-Aminoimidazole-4-carboxamide-1 beta-D-ribofuranoside alleviated carbon tetrachloride-induced acute hepatitis in mice. *Int Immunopharmacol*. 25: 393-399.
- Yang, FL; Joseph, E; Disilvestro, RA. (1991). INFLAMMATION PROTECTS COPPER DEFICIENT RATS FROM CARBON TETRACHLORIDE TOXICITY. 75th Annual Meeting Of The Federation Of American Societies For Experimental Biology, Atlanta, Georgia, Usa, April. 5.
- Yang, FR; Fang, BW; Lou, JS. (1983). Effects of Fufang Biejia Ruanan pills on hepatic fibrosis in vivo and in vitro. *Exp Mol Pathol*. 19: 5326-5333.
- Yang, H; Sung, SH; Kim, YC. (2015). The ethanolic extract of *Juglans sinensis* leaves and twigs attenuates CCl α -induced hepatic oxidative stress in rats. *Pharmacognosy Magazine*. 11: 533-539.
- Yang, HC; Cho, YJ; Eun, HC; Kim, EH. (2008). Destruction of chlorobenzene and carbon tetrachloride in a two-stage molten salt oxidation reactor system. *Chemosphere*. 73: S311-S315.
- Yang, J; Li, Y; Wang, F; Wu, C. (2010). Hepatoprotective effects of apple polyphenols on CCl α -induced acute liver damage in mice. *J Agric Food Chem*. 58: 6525-6531.
- Yang, JH; Jun, SC; Kwon, HP; Lee, KK. (2014). Tracing of residual multiple DNAPL sources in the subsurface using Rn-222 as a natural tracer at an industrial complex in Wonju, Korea. *Environ Earth Sci*. 71: 407-417.
- Yang, JH; Kim, SC; Kim, KM; Jang, CH; Cho, SS; Kim, SJ; Ku, SK; Cho, IJ; Ki, SH. (2016). Isorhamnetin attenuates liver fibrosis by inhibiting TGF-beta/Smad signaling and relieving oxidative stress. *Eur J Pharmacol*. 783: 92-102.
- Yang, J-H; Jun, S-C; Kwon, H-P; Lee, K-K. (2014). Tracing of residual multiple DNAPL sources in the subsurface using Rn-222 as a natural tracer at an industrial complex in Wonju, Korea. *Environ Earth Sci*. 71: 407-417.

Environmental Hazard Literature Search Results

Off Topic

- Yang, JJ; Tao, H; Huang, C; Shi, KH; Ma, TT; Bian, EB; Zhang, L; Liu, LP; Hu, W; Lv, XW; Li, J. (2013). DNA methylation and MeCP2 regulation of PTCH1 expression during rats hepatic fibrosis. *Cell Signal*. 25: 1202-1211.
- Yang, KH; Kwon, TJ; Choe, SY; Yun, HS; Chang, IM. (1983). Protective effect of *Aucuba japonica* against carbon tetrachloride-induced liver damage in rats. *Drug Chem Toxicol*. 6: 429-441.
- Yang, KY; Hwang, DH; Yousaf, BM; Kim, DW; Shin, YJ; Bae, ON; Kim, YI; Kim, JO; Yong, CS; Choi, HG. (2013). Silymarin-loaded solid nanoparticles provide excellent hepatic protection: physicochemical characterization and in vivo evaluation. *Int J Nanomedicine*. 8: 3333-3343.
- Yang, L; Chang, N; Liu, X; Han, Z; Zhu, TP; Li, CY; Yang, L; Li, LY. (2012). Bone Marrow-Derived Mesenchymal Stem Cells Differentiate to Hepatic Myofibroblasts by Transforming Growth Factor-beta 1 via Sphingosine Kinase/Sphingosine 1-Phosphate (S1P)/S1P Receptor Axis. *American Journal of Pathology*. 181: 85-97.
- Yang, L; Kwon, J; Popov, Y; Gajdos, GB; Ordog, T; Brekken, RA; Mukhopadhyay, D; Schuppan, D; Bi, Y; Simonetto, D; Shah, VH. (2014). Vascular endothelial growth factor promotes fibrosis resolution and repair in mice. *Gastroenterology*. 146: 1339-1350 e1331.
- Yang, L; Magness, ST; Bataller, R; Rippe, RA; Brenner, DA. (2005). NF-kappa B activation in Kupffer cells after partial hepatectomy. *American Journal of Physiology-Gastrointestinal and Liver Physiology*. 289: G530-G538.
- Yang, L; Stimpson, SA; Chen, L; Wallace Harrington, W; Rockey, DC. (2010). Effectiveness of the PPAR δ agonist, GW570, in liver fibrosis. *Inflamm Res*. 59: 1061-1071.
- Yang, L; Stimpson, SA; Chen, LH; Harrington, WW; Rockey, DC. (2010). Effectiveness of the PPAR gamma agonist, GW570, in liver fibrosis. *Inflamm Res*. 59: 1061-1071.
- Yang, L; Wang, C-z; Ye, J-z; Li, H-t. (2011). Hepatoprotective effects of polyphenols from *Ginkgo biloba* L. leaves on CCl₄-induced hepatotoxicity in rats. *Fitoterapia*. 82: 834-840.
- Yang, LL; Dong, W; Yan, F; Ren, XB; Hao, XS. (2010). Recombinant bovine pancreatic trypsin inhibitor protects the liver from carbon tetrachloride-induced acute injury in mice. *J Pharm Pharmacol*. 62: 332-338.
- Yang, M; Chen, K; Shih, JC. (2000). Yang-Gan-Wan protects mice against experimental liver damage. *Am J Chin Med*. 28: 155-162.
- Yang, P; Han, ZY; Chen, P; Zhu, L; Wang, SM; Hua, ZC; Zhang, JF. (2010). A Contradictory Role of A(1) Adenosine Receptor in Carbon Tetrachloride- and Bile Duct Ligation-Induced Liver Fibrosis in Mice. *J Pharmacol Exp Ther*. 332: 747-754.
- Yang, Q; Scott, D; Chung, T; Stillman, GE. (2000). Optimization of emitter cap growth conditions for InGaP/GaAs HBTs with high current gain by LP-MOCVD. *Journal of Electronic Materials*. 29: 75-79.
- Yang, Q; Xie, RJ; Geng, XX; Luo, XH; Han, B; Cheng, ML. (2005). Effect of Danshao Huaxian capsule on expression of matrix metalloproteinase-1 and tissue inhibitor of metalloproteinase-1 in fibrotic liver of rats. *World J Gastroenterol*. 11: 4953-4956.
- Yang, RSH. (1995). TOXICOLOGY OF CHEMICAL MIXTURES DERIVED FROM HAZARDOUS WASTE SITES OR APPLICATION OF PESTICIDES AND FERTILIZERS. *Yang, R S H*. 0: 99-117.
- Yang, RSH. (1998). Some critical issues and concerns related to research advances on the toxicology of chemical mixtures. *Environ Health Perspect*. 106: 1059-1063.
- Yang, RSH; El-Masri, HA; Thomas, RS; Dobrev, ID; Dennison, JE; Bae, DS; Campaign, JA; Liao, KH; Reisfeld, B; Andersen, ME; Mumtaz, M. (2004). Chemical mixture toxicology: from descriptive to mechanistic, and going on to in silico toxicology. *Environ Toxicol Pharmacol*. 18: 65-81.
- Yang, RSH; Goehl, TJ; Brown, RD; Chatham, AT; Arenson, DW; Buchanan, RC; Harris, RK. (1989). Toxicology studies of a chemical mixture of 25 groundwater contaminants: I. Chemistry development. *Fundam Appl Toxicol*. 13: 366-376.
- Yang, RSH; Hong, HL; Boorman, GA. (1988). TOXICOLOGY OF CHEMICAL MIXTURES EXPERIMENTAL APPROACHES UNDERLYING CONCEPTS AND SOME RESULTS. Meeting On Contemporary Initiatives In Quantitative Toxicology, Held At The 18th Conference On Toxicology, Dayton, Ohio, Usa, November. 49: 183-198.
- Yang, RSH; Rauckman, EJ. (1987). TOXICOLOGICAL STUDIES OF CHEMICAL MIXTURES OF ENVIRONMENTAL CONCERN AT THE NATIONAL TOXICOLOGY PROGRAM HEALTH EFFECTS OF GROUNDWATER CONTAMINANTS. Symposium On Predictive Toxicology Held At The 16th Conference On Environmental Toxicology Toxicology. 47: 15-34.
- Yang, SA; Jung, YS; Lee, SJ; Park, SC; Kim, MJ; Lee, EJ; Byun, HJ; Jhee, KH; Lee, SP. (2014). Hepatoprotective effects of fermented field water-dropwort (*Oenanthe javanica*) extract and its major constituents. *Food Chem Toxicol*. 67: 154-160.
- Yang, WH; Cenkowski, S. Diffusion of sugar in microwave denatured sugar beet tissues. *Trans ASAE*. July/Aug 1993. v. 36 (4): 1185-1188.
- Yang, WJ; Luo, YQ; Aisa, HA; Xin, XL; Totahon, Z; Mao, Y; Hu, MY; Xu, L; Zhang, RP. (2012). Hepatoprotective activities of a sesquiterpene-rich fraction from the aerial part of *Cichorium glandulosum*. *Chinese Medicine*. 7: 21.
- Yang, X; Han, ZP; Zhang, SS; Zhu, PX; Hao, C; Fan, TT; Yang, Y; Li, L; Shi, YF; Wei, LX. (2014). Chronic restraint stress decreases the repair potential from mesenchymal stem cells on liver injury by inhibiting TGF-beta 1 generation. *Cell Death & Disease*. 5: E1308-E1308.
- Yang, XB; Yang, S; Guo, YR; Jiao, YD; Zhao, Y. (2013). Compositional characterisation of soluble apple polysaccharides, and their antioxidant and hepatoprotective effects on acute CCl₄-caused liver damage in mice. *Food Chem*. 138: 1256-1264.
- Yang, XJ; Liu, J; Ye, LB; Yang, F; Ye, L; Gao, JR; Wu, ZH. (2006). In vitro and in vivo protective effects of proteoglycan isolated from mycelia of *Ganoderma lucidum* on carbon tetrachloride-induced liver injury. *World J Gastroenterol*. 12: 1379-1385.
- Yang, XW; Hattori, M; Namba, T; Chen, DF; Xu, GJ. (1992). Anti-lipid peroxidative effect of an extract of the stems of *Kadsura heteroclita* and its major constituent, kadsurin, in mice. *Chemical & pharmaceutical bulletin*. 40: 406-409.
- Yang, Y; Nair, J; Barbin, A; Bartsch, H. (2000). Immunohistochemical detection of 1,N(6)-ethenodeoxyadenosine, a promutagenic DNA adduct, in liver of rats exposed to vinyl chloride or an iron overload. *Carcinogenesis*. 21: 777-781.
- Yang, Y; Nemoto, EM; Harvey, SAK; Subbotin, VM; Gandhi, CR. (2004). Increased hepatic platelet activating factor (PAF) and PAF receptors in carbon tetrachloride induced liver cirrhosis. *Gut*. 53: 877-883.

Environmental Hazard Literature Search Results

Off Topic

- Yang, Y; Yang, S; Chen, M; Zhang, X; Zou, Y; Zhang, X. (2008). Compound Astragalus and Salvia miltiorrhiza Extract exerts anti-fibrosis by mediating TGF- β /Smad signaling in myofibroblasts. *J Ethnopharmacol.* 118: 264-270.
- Yang, Y; Yang, S; Chen, MZ; Zhang, XX; Zou, YH; Zhang, XJ. (2008). Compound Astragalus and Salvia miltiorrhiza Extract exerts anti-fibrosis by mediating TGF-beta/Smad signaling in myofibroblasts. *J Ethnopharmacol.* 118: 264-270.
- Yang, YC; Lii, CK; Lin, AH; Yeh, YW; Yao, HT; Li, CC; Liu, KL; Chen, HW. (2011). Induction of glutathione synthesis and heme oxygenase 1 by the flavonoids butein and phloretin is mediated through the ERK/Nrf2 pathway and protects against oxidative stress. *Free Radic Biol Med.* 51: 2073-2081.
- Yang, YH; Shi, M. (2005). Halogen effects in Robinson-Gabriel type reaction of cyclopropanecarboxylic acid N'-substituted-hydrazides with PPh(3)/CX(4). *Tetrahedron Letters.* 46: 6285-6288.
- Yang, YH; Shi, M. (2006). Selective syntheses of benzoxazoles and N-(2-hydroxyaryl)pyrrolidin-2-ones from the corresponding cyclopropyl amides with PPh(3)/CX(4). *Tetrahedron.* 62: 2420-2427.
- Yang, YP; Harvey, SAK; Gandhi, CR. (2003). Kupffer cells are a major source of increased platelet activating factor in the CCl(4)-induced cirrhotic rat liver. *J Hepatol.* 39: 200-207.
- Yang, YP; Ma, XM; Wang, CP; Han, J; Lu, YY; Xiang, Y; Su, SH; Feng, YY. (2006). Effect of increased hepatic platelet activating factor and its receptor portal hypertension in CCl4-induced liver cirrhosis. *World J Gastroenterol.* 12: 709-715.
- Yang, YS; Ahn, TH; Lee, JC; Moon, CJ; Kim, SH; Jun, W; Park, SC; Kim, HC; Kim, JC. (2008). Protective effects of Pycnogenol (R) on carbon tetrachloride-induced hepatotoxicity in Sprague-Dawley rats. *Food Chem Toxicol.* 46: 380-387.
- Yang, YS; Ahn, TH; Lee, JC; Moon, CJ; Kim, SH; Jun, W; Park, SC; Kim, HC; Kim, JC. (2008). Protective effects of Pycnogenol on carbon tetrachloride-induced hepatotoxicity in Sprague-Dawley rats. *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association.* 46: 380-387.
- Yang, Z; Du, MC; Jiang, J. (2016). Reducing capacities and redox potentials of humic substances extracted from sewage sludge. *Chemosphere.* 144: 902-908.
- Yang, Z; Zhang, X; Yang, L; Pan, Q; Li, J; Wu, Y; Chen, M; Cui, S; Yu, J. (2017). Protective effect of Anoectochilus roxburghii polysaccharide against CCl4-induced oxidative liver damage in mice. *Int J Biol Macromol.* 96: 442-450.
- Yang, ZH; Ye, XH; Tan, Y; Zhang, M; Zhou, MZ; Xie, JX; Chen, M; Zhou, C. (2006). Evaluation of cirrhotic liver with perfusion-weighted magnetic resonance imaging: a preliminary experimental study in animal models with half-liver cirrhosis. *Chinese medical sciences journal = Chung-kuo i hsüeh k'o hsüeh tsa chih / Chinese Academy of Medical Sciences.* 21: 252-257.
- Yao, GX; Shen, ZY; Xue, XB; Yang, Z. (2006). Intestinal permeability in rats with CCl4-induced portal hypertension. *World J Gastroenterol.* 12: 479-481.
- Yao, H; Hu, CS; Yin, LH; Tao, XF; Xu, LN; Qi, Y; Han, X; Xu, YW; Zhao, YY; Wang, CY; Peng, JY. (2016). Dioscin reduces lipopolysaccharide-induced inflammatory liver injury via regulating TLR4/MyD88 signal pathway. *Int Immunopharmacol.* 36: 132-141.
- Yao, H; Pan, J; Qian, Y; Pei, Z; Bader, A; Brockmeyer, NH; Altmeyer, P; Zhang, L. (2010). Enhanced effect of soluble transforming growth factor-beta receptor II and IFN-gamma fusion protein in reversing hepatic fibrosis. *Eur J Med Res.* 15: 152-161.
- Yao, HT; Luo, MN; Li, CC. (2015). Chitosan oligosaccharides reduce acetaminophen-induced hepatotoxicity by suppressing CYP-mediated bioactivation. *Journal of Functional Foods.* 12: 262-270.
- Yao, J-R. (2004). Development of biocatalytic polymer matrix using non-aqueous suspension polymerization. PhD, The University of Iowa.
- Yao, L; Yao, ZM; Weng, H; Zhao, GP; Zhou, YJ; Yu, T. (2004). Effect of rat serum containing Biejiajian oral liquid on proliferation of rat hepatic stellate cells. *World J Gastroenterol.* 10: 1911-1913.
- Yao, ML; Wang, L; Hu, X; Hu, GS; Luo, MF; Fan, MH. (2015). Synthesis of nitrogen-doped carbon with three-dimensional mesostructures for CO2 capture. *Journal of Materials Science.* 50: 1221-1227.
- Yao, QY; Lin, YZ; Li, X; Shen, XZ; Wang, JY; Tu, CT. (2013). Curcumin ameliorates intrahepatic angiogenesis and capillarization of the sinusoids in carbon tetrachloride-induced rat liver fibrosis. *Toxicol Lett.* 222: 72-82.
- Yao, QY; Xu, BL; Wang, JY; Liu, HC; Zhang, SC; Tu, CT. (2012). Inhibition by curcumin of multiple sites of the transforming growth factor-beta1 signalling pathway ameliorates the progression of liver fibrosis induced by carbon tetrachloride in rats. *BMC Complement Altern Med.* 12: 156.
- Yao, XX; Jiang, SL; Tang, YW; Yao, DM; Yao, X. (2005). Efficacy of Chinese medicine Yi-gan-kang granule in prophylaxis and treatment of liver fibrosis in rats. *World J Gastroenterol.* 11: 2583-2590.
- Yao, XX; Lv, T. (2005). Effects of pharmacological serum from normal and liver fibrotic rats on HSCs. *World J Gastroenterol.* 11: 2444-2449.
- Yao, YX; Liu, X; Fu, Q; Li, WX; Tan, DL; Bao, XH. (2008). Unique reactivity of confined metal atoms on a silicon substrate. *Chemphyschem : a European journal of chemical physics and physical chemistry.* 9: 975-979.
- Yassaa, N; Ciccio, P; Brancalone, E; Frattoni, M; Meklati, BY. (2011). Ambient measurements of selected VOCs in populated and remote sites of the Sahara desert. *Atmos Res.* 100: 141-146.
- Yasuda, H; Izumi, N; Shimada, O; Kobayakawa, T; Nakanishi, M. (1980). The protective effect of tinoridine against carbon tetrachloride hepatotoxicity. *Toxicol Appl Pharmacol.* 52: 407-413.
- Yasuda, H; Izumi, N; Shimada, O; Maruyama, Y; Kobayakawa, T. (1986). Protection against hepatic injury by a novel spiropiperidine derivative. *Toxicol Appl Pharmacol.* 85: 398-406.
- Yasuda, M; Okabe, T; Itoh, J; Takekoshi, S; Hasegawa, H; Nagata, H; Osamura, RY; Watanabe, K. (2000). Differentiation of necrotic cell death with or without lysosomal activation: Application of acute liver injury models induced by carbon tetrachloride (CCL(4)) and dimethylnitrosamine (DMN). *Journal of Histochemistry & Cytochemistry.* 48: 1331-1339.

Environmental Hazard Literature Search Results

Off Topic

- Yasuda, S; Watanabe, S; Kobayashi, T; Okuyama, H. (1997). Docosahexaenoic acid-rich fish oil does not enhance the elevation of serum transaminase and liver triacylglycerol induced by carbon tetrachloride in mice. *Lipids*. 32: 1249-1255.
- Yasuda, S; Watanabe, S; Kobayashi, T; Okuyama, H. (1998). Effects of dietary unsaturated fatty acid and chronic carbon tetrachloride treatment on the accumulation of oxidation products, alpha-tocopherol and liver injury in mice. *Biological & Pharmaceutical Bulletin*. 21: 1050-1056.
- Yasuda, Y; Shimizu, M; Sakai, H; Iwasa, J; Kubota, M; Adachi, S; Osawa, Y; Tsurumi, H; Hara, Y; Moriwaki, H. (2009). (-)-Epigallocatechin gallate prevents carbon tetrachloride-induced rat hepatic fibrosis by inhibiting the expression of the PDGFR beta and IGF-1R. *Chem Biol Interact*. 182: 159-164.
- Yasuhara, A; Morita, M. (1990). Formation of chlorinated compounds in pyrolysis of trichloroethylene. *Chemosphere*. 21: 479-486.
- Yasuhara, M; Lin, SC; Ono, K; Saito, H. (1987). EFFECT OF HEPATOTOXINS ON PRIMARY CULTURED HEPATOCYTES OF SUNCUS-MURINUS. Joint Japan Usa Congress Of Pharmaceutical Sciences, Honolulu, Hawaii, Usa, December. 76.
- Yasui, H; Yamaoka, K; Fukuyama, T; Nakagawa, T. (1995). Effect of liver intoxication by carbon tetrachloride on hepatic local disposition of oxacillin using moment characteristics as index. *Drug metabolism and disposition: the biological fate of chemicals*. 23: 779-785.
- Yasutake, A; Adachi, T; Suda, I; Hirayama, K. (1993). Effect of Fe-overload on the biotransformation of methylmercury in rat. *Japanese Journal of Toxicology and Environmental Health*. 39: 106-113.
- Yasutake, A; Adachi, T; Suda, I; Hirayama, K. (1993). Effect of iron-overload on the biotransformation of methylmercury in rat. *Jpn J Toxicol Environ Health*. 39: 106-113.
- Yata, Y; Gotwals, P; Koteliansky, V; Rockey, DC. (2002). Dose-dependent inhibition of hepatic fibrosis in mice by a TGF-beta soluble receptor: Implications for antifibrotic therapy. *Hepatology*. 35: 1022-1030.
- Yata, Y; Scanga, A; Gillan, A; Yang, L; Reif, S; Breindl, M; Brenner, DA; Rippe, RA. (2003). DNase I-hypersensitive sites enhance alpha1(I) collagen gene expression in hepatic stellate cells. *Hepatology (Baltimore, Md)*. 37: 267-276.
- Yata, Y; Takahara, T; Furui, K; Zhang, LP; Watanabe, A. (1999). Expression of matrix metalloproteinase-13 and tissue inhibitor of metalloproteinase-1 in acute liver injury. *J Hepatol*. 30: 419-424.
- Ye, JC; Chiu, PC. (2006). Transport of atomic hydrogen through graphite and its reaction with azoaromatic compounds. *Environmental Science & Technology*. 40: 3959-3964.
- Ye, JF; Zhu, H; Zhou, ZF; Xiong, RB; Wang, XW; Su, LX; Luo, BD. (2011). Protective Mechanism of Andrographolide against Carbon Tetrachloride-Induced Acute Liver Injury in Mice. *Biological & Pharmaceutical Bulletin*. 34: 1666-1670.
- Ye, QZ; Zhang, T; Lu, F; Li, J; He, ZG; Lin, FC. (2008). Dielectric barrier discharge in a two-phase mixture. *Journal of Physics D-Applied Physics*. 41: 25207-25207.
- Ye, SF; Hou, ZQ; Zhang, QQ. (2007). Protective effects of Phellinus linteus extract against iron overload-mediated oxidative stress in cultured rat hepatocytes. *Phytother Res*. 21: 948-953.
- Ye, XS; Feng, YB; Tong, Y; Ng, KM; Tsao, S; Lau, GKK; Sze, CW; Zhang, YB; Tang, J; Shen, JG; Kobayashi, S. (2009). Hepatoprotective effects of Coptidis rhizoma aqueous extract on carbon tetrachloride-induced acute liver hepatotoxicity in rats. *J Ethnopharmacol*. 124: 130-136.
- Ye, YN; Liu, ESL; Li, Y; So, HL; Sheng, HP; Lee, SS; Cho, CH. (2001). Protective effect of polysaccharides-enriched fraction from *Angelica sinensis* on hepatic injury. *Life Sci*. 69: 637-646.
- Ye, Y-x; Jin, J; Guo, X. (2004). Genetic Toxicity Induced by Carbon Tetrachloride in Male Mice. *Journal of Environment and Health*. 21: 376-378.
- Yeh, YH; Hsieh, YL; Lee, YT. (2013). Effects of Yam Peel Extract against Carbon Tetrachloride-Induced Hepatotoxicity in Rats. *J Agric Food Chem*. 61: 7387-7396.
- Yeh, YH; Hsieh, YL; Lee, YT; Hu, CC. (2012). Protective effects of *Geloina eros* extract against carbon tetrachloride-induced hepatotoxicity in rats. *Food Research International*. 48: 551-558.
- Yeh, Y-H; Hsieh, Y-L; Lee, Y-T; Hsieh, C-H. (2011). Protective effects of cholestin against carbon tetrachloride-induced hepatotoxicity in rats. *e-SPEN, the European e-journal of clinical nutrition and metabolism*. 6: e264-e271.
- Yekeler, H; Crebelli, R. (1999). Induction of chromosome malsegregation by halogenated organic solvents in *Aspergillus nidulans*: unspecific or specific mechanism? *Cell Biochem Funct*. 17: 253-259.
- Yemitan, OK; Izebu, MC. (2006). Protective effects of *Zingiber officinale* (Zingiberaceae) against carbon tetrachloride and acetaminophen-induced hepatotoxicity in rats. *Phytother Res*. 20: 997-1002.
- Yen, FL; Wu, TH; Lin, LT; Cham, TM; Lin, CC. (2009). Naringenin-Loaded Nanoparticles Improve the Physicochemical Properties and the Hepatoprotective Effects of Naringenin in Orally-Administered Rats with CCl(4)-Induced Acute Liver Failure. *Pharm Res*. 26: 893-902.
- Yen, MH; Lin, CC; Chuang, CH; Liu, SY. Evaluation of root quality of *Bupleurum* species by TLC scanner and the liver protective effects of "Xiao-chai-hu-tang" prepared using three different *Bupleurum* species. *Journal of ethno-pharmacology*. Sept 1991. v. 34 (2/3): 155-165.
- Yess, NJ. (1988). FDA PESTICIDE PROGRAM RESIDUES IN FOODS 1987. *J Assoc Off Anal Chem*. 71: 156A-174A.
- Yi, HS; Lee, YS; Byun, JS; Seo, W; Jeong, JM; Park, O; Duester, G; Haseba, T; Kim, SC; Park, KG; Gao, B; Jeong, WI. (2014). Alcohol Dehydrogenase III Exacerbates Liver Fibrosis by Enhancing Stellate Cell Activation and Suppressing Natural Killer Cells in Mice. *Hepatology*. 60: 1044-1053.
- Yi, XR; Song, M; Yuan, YC; Zhang, XR; Chen, WY; Li, J; Tong, MH; Liu, GZ; You, S; Kong, XP. (2012). Hepatic Stimulator Substance Alleviates Toxin-Induced and Immune-Mediated Liver Injury and Fibrosis in Rats. *Dig Dis Sci*. 57: 2079-2087.
- Yilmaz, BS; Ozbek, H; Cito; lu, GS; ra; Bayram, I; Erdo; an, E. (2006). Analgesic and hepatotoxic effects of *Ononis spinosa* L. *Phytotherapy research* : PTR. 20: 500-503.
- Yilmaz, BS; Ozbek, H; Citoglu, GS; Ugras, S; Bayram, I; Erdogan, E. (2006). Analgesic and hepatotoxic effects of *Ononis spinosa*. *Phytother Res*. 20: 500-503.

Environmental Hazard Literature Search Results

Off Topic

- Yilmaz-Ozden, T; Can, A; Karatug, A; Pala-Kara, Z; Okyar, A; Bolkent, S. (2016). Carbon tetrachloride-induced kidney damage and protective effect of *Amaranthus lividus* L. in rats. *Toxicol Ind Health*. 32: 1143-1152.
- Yim, HK; Kim, YC. (1997). Effects of carbon tetrachloride pretreatment on hepato-and nephrotoxicity halogenated hydrocarbons in mice. *Proceedings Of The 1st International Conference Of Asian Society Of Toxicology, Yokohama, Japan, June*. 23: 337.
- Yim, TK; Ko, KM. (1999). Schisandrin B protects against myocardial ischemia-reperfusion injury by enhancing myocardial glutathione antioxidant status. *Mol Cell Biochem*. 196: 151-156.
- Yim, TK; Wu, WK; Pak, WF; Ko, KM. (2001). Hepatoprotective action of an oleanolic acid-enriched extract of *Ligustrum lucidum* fruits is mediated through an enhancement on hepatic glutathione regeneration capacity in mice. *Phytother Res*. 15: 589-592.
- Yim, YK; Lee, H; Hong, KE; Kim, YI; Lee, BR; Kim, TH; Yi, JY. (2006). Hepatoprotective effect of manual acupuncture at acupoint GB34 against CCl₄-induced chronic liver damage in rats. *World J Gastroenterol*. 12: 2245-2249.
- Yimam, M; Jiao, P; Hong, M; Jia, Q. (2016). Hepatoprotective Activity of an Herbal Composition, MAP, a Standardized Blend Comprising *Myristica fragrans*, *Astragalus membranaceus*, and *Poria cocos*. *J Med Food*. 19: 952-960.
- Yin, GJ; Cao, LP; Xu, P; Jeney, G; Nakao, M. (2011). Hepatoprotective and antioxidant effects of *Hibiscus sabdariffa* extract against carbon tetrachloride-induced hepatocyte damage in *Cyprinus carpio*. *In Vitro Cellular & Developmental Biology-Animal*. 47: 10-15.
- Yin, GJ; Cao, LP; Xu, P; Jeney, G; Nakao, M; Lu, CP. (2011). Hepatoprotective and antioxidant effects of *Glycyrrhiza glabra* extract against carbon tetrachloride (CCl₄)-induced hepatocyte damage in common carp (*Cyprinus carpio*). *Fish Physiol Biochem*. 37: 209-216.
- Yin, JH; Li, ZW; Tian, YJ; Sun, ZW; Song, XL. (2005). A study on Raman scattering cross section of carbon tetrachloride at low concentrations. *Applied Physics B-Lasers and Optics*. 80: 573-576.
- Yin, L; Lynch, D; Ilic, Z; Sell, S. (2002). Proliferation and differentiation of ductular progenitor cells and littoral cells during the regeneration of them rat liver to CCl₄/2-AAF injury. *Histol Histopathol*. 17: 65-81.
- Yin, L; Wei, L; Fu, R; Ding, L; Guo, Y; Tang, L; Chen, F. (2014). Antioxidant and hepatoprotective activity of *Veronica ciliata* Fisch. extracts against carbon tetrachloride-induced liver injury in mice. *Molecules (Basel, Switzerland)*. 19: 7223-7236.
- Ying, M; Leung, G; Lau, TY; Tipoe, GL; Lee, ES; Yuen, QW; Huang, YP; Zheng, YP. (2012). Evaluation of liver fibrosis by investigation of hepatic parenchymal perfusion using contrast-enhanced ultrasound: an animal study. *Journal of clinical ultrasound : JCU*. 40: 462-470.
- Yokohama, S; Yoneda, M; Nakamura, K; Makino, I. (1999). Effect of central corticotropin-releasing factor on carbon tetrachloride-induced acute liver injury in rats. *American Journal of Physiology-Gastrointestinal and Liver Physiology*. 276: G622-G628.
- Yokohama, S; Yoneda, M; Watanobe, H; Kono, T; Nakamura, K; Makino, I; Terano, A. (2001). Effect of central urocortin on carbon tetrachloride-induced acute liver injury in rats. *Neurosci Lett*. 313: 149-152.
- Yokoi, Y; Namihisa, T; Matsuzaki, K; Miyazaki, A; Yamaguchi, Y. (1988). Distribution of Ito cells in experimental hepatic fibrosis. *Liver*. 8: 48-52.
- Yokomori, H; Oda, M; Ogi, M; Kamegaya, Y; Tsukada, N; Nakamura, M; Ishii, H. (2001). Enhanced expression of endothelin receptor subtypes in cirrhotic rat liver. *Liver*. 21: 114-122.
- Yokooji, T; Murakami, T; Yumoto, R; Nagai, J; Takano, M. (2006). Function of multidrug resistance-associated protein 2 in acute hepatic failure rats. *Eur J Pharmacol*. 546: 152-160.
- Yokoyama, H; Hoshi, T. (2015). P-type conductivity control of Si-doped GaAsSb layers grown by metalorganic chemical vapor deposition. *Japanese Journal of Applied Physics*. 54: 15506-15506.
- Yokoyama, Y; Terai, S; Ishikawa, T; Aoyama, K; Urata, Y; Marumoto, Y; Hiroshi, N; Nakamura, K; Okita, K; Sakaida, I. (2006). Proteomic analysis of serum marker proteins in recipient mice with liver cirrhosis after bone marrow cell transplantation. *Proteomics*. 6: 2564-2570.
- Yoneda, M; Nakamura, K; Nakade, Y; Tamano, M; Kono, T; Watanobe, H; Shimada, T; Hiraishi, H; Terano, A. (2005). Effect of central corticotropin releasing factor on hepatic circulation in rats: the role of the CRF(2) receptor in the brain. *Gut*. 54: 282-288.
- Yoneyama, H; Kai, Y; Koyama, J; Suzuki, K; Kawachi, H; Narumi, S; Ichida, T. (2007). Neutralization of CXCL10 accelerates liver regeneration in carbon tetrachloride-induced acute liver injury. *Med Mol Morphol*. 40: 191-197.
- Yonezawa, LA; Kitamura, SS; Mirandola, RMS; Antonelli, AC; Ortolani, EL. (2005). Preventive treatment with vitamin E alleviates the poisoning effects of carbon tetrachloride in cattle. *Journal of Veterinary Medicine Series a-Physiology Pathology Clinical Medicine*. 52: 292-297.
- Yoon, H; Oostrom, M; Wietsma, TW; Werth, CJ; Valocchi, AJ. (2009). Numerical and experimental investigation of DNAPL removal mechanisms in a layered porous medium by means of soil vapor extraction. *J Contam Hydrol*. 109: 1-13.
- Yoon, HK; Valocchi, AJ; Werth, CJ. (2007). Effect of soil moisture dynamics on dense nonaqueous phase liquid (DNAPL) spill zone architecture in heterogeneous porous media. *J Contam Hydrol*. 90: 159-183.
- Yoon, SJ; Kazusaka, A; Fujita, S. (1997). ESR and infrared spectroscopic characterization of the toxic radical formed in the liver of the SD rats impaired with CC₄. *Proceedings Of The 1st International Conference Of Asian Society Of Toxicology, Yokohama, Japan, June*. 23: 335.
- Yoshida, K; Yamaguchi, A; Fukuda, M; Shibata, A. (1977). Behavior of hemopoietic stem cells (CFU-S) of mice acutely poisoned with carbon tetrachloride (CC₁₄). *The Tohoku journal of experimental medicine*. 121: 401-402.
- Yoshida, M; Sunaga, M; Hara, I. (1990). Selenium status in workers handling aromatic nitro-amino compounds in a chemical factory. *J Toxicol Environ Health*. 31: 1-10.
- Yoshida, T; Adachi, E; Nigi, H; Fujii, S; Yanagi, M. (1999). Changes of sinusoidal basement membrane collagens in early hepatic fibrosis induced with CCl₄ in cynomolgus monkeys. *Pathology*. 31: 29-35.
- Yoshiji, H; Kuriyama, S; Noguchi, R; Ikenaka, Y; Yoshii, J; Yanase, K; Namisaki, T; Kitade, M; Yamazaki, M; Asada, K; Akahane, T; Tsujimoto, T; Uemura, M; Fukui, H. (2006). Amelioration of liver fibrogenesis by dual inhibition of PDGF and TGF-beta with a combination of imatinib mesylate and ACE inhibitor in rats. *Int J Mol Med*. 17: 899-904.
- Yoshikawa, M; Ninomiya, K; Shimoda, H; Nishida, N; Matsuda, H. (2002). Hepatoprotective and antioxidative properties of *Salacia reticulata*: Preventive effects of phenolic constituents on CCl₄-induced liver injury in mice. *Biological & Pharmaceutical Bulletin*. 25: 72-76.

Environmental Hazard Literature Search Results

Off Topic

- Yoshikawa, T; Furukawa, Y; Murakami, M; Takemura, S; Kondo, M. (1982). Effects of vitamin E on D-galactosamine-induced or carbon tetrachloride-induced hepatotoxicity. *Digestion*. 25: 222-229.
- Yoshikawa, T; Furukawa, Y; Wakamatsu, Y; Kondo, M. (1982). Immunopotentiators and the protection they give against carbon tetrachloride hepatotoxicity. *Experientia*. 38: 501-502.
- Yoshikawa, T; Furukawa, Y; Wakamatsu, Y; Kondo, M. (1982). Protection by BCG, levamisole, PS-K, OK-432, and vitamin E against carbon tetrachloride hepatotoxicity. *Hepato-gastroenterology*. 29: 240-242.
- Yoshikawa, T; Furukawa, Y; Wakamatsu, Y; Nishida, K; Takemura, S; Tanaka, H; Kondo, M. (1981). The protection of coenzyme Q10 against carbon tetrachloride hepatotoxicity. *Gastroenterologia Japonica*. 16: 281-285.
- Yoshimine, K; Takagi, M. (1982). Effects of starvation and protein deficiency on the acute carbon tetrachloride-induced hepatotoxicity. *The Bulletin of Tokyo Medical and Dental University*. 29: 37-46.
- Yoshimura, A; Ideura, T; Shirai, M; Taira, T; Iwasaki, S; Kitaoka, T; Koshikawa, S. (1993). The distribution of ³H-labeled endotoxin in the kidney of liver cirrhotic rats. *Scand J Urol Nephrol*. 27: 295-299.
- Yoshino, R; Miura, K; Segawa, D; Hirai, Y; Goto, T; Ohshima, S; Mikami, K; Yoneyama, K; Shibuya, T; Watanabe, D; Kataoka, E; Takeuchi, S; Endoh, A; Sato, W; Watanabe, S. (2006). Epimorphin expression and stellate cell status in mouse liver injury. *Hepatology research : the official journal of the Japan Society of Hepatology*. 34: 238-249.
- Yoshio, O; Yasuo, Y; Atsuo, M; Kensuke, M; Ikuyo, T; Shosuke, K. (1990). Effect of β -blockade on liver regeneration after carbon tetrachloride intoxication in the rat. *Biochem Pharmacol*. 39: 2065-2066.
- Yoshioka, H; Fukaya, S; Fukuishi, N; Nagatsu, A; Nonogaki, T; Onosaka, S. (2016). Bromobenzene-induced lethal toxicity in mouse is prevented by pretreatment with zinc sulfate. *Chem Biol Interact*. 254: 117-123.
- Yoshioka, H; Fukaya, S; Onosaka, S; Nonogaki, T; Nagatsu, A. (2016). Kampo formula "Hochu-ekki-to" suppressed carbon tetrachloride-induced hepatotoxicity in mice. *Environ Health Prev Med*. 21: 579-584.
- Yoshioka, H; Nonogaki, T; Fukuishi, N; Onosaka, S. (2016). Calcium-deficient diet attenuates carbon tetrachloride-induced hepatotoxicity in mice through suppression of lipid peroxidation and inflammatory response. *Heliyon*. 2: Article e00126.
- Yoshioka, H; Tanaka, M; Fujii, H; Nonogaki, T. (2016). Sasa veitchii extract suppresses carbon tetrachloride-induced hepato- and nephrotoxicity in mice. *Environ Health Prev Med*. 21: 554-562.
- Yoshioka, H; Usuda, H; Fukuishi, N; Nonogaki, T; Onosaka, S. (2016). Carbon Tetrachloride-Induced Nephrotoxicity in Mice Is Prevented by Pretreatment with Zinc Sulfate. *Biological & Pharmaceutical Bulletin*. 39: 1042-1046.
- Yoshioka, H; Usuda, H; Nonogaki, T; Onosaka, S. (2016). Carbon tetrachloride-induced lethality in mouse is prevented by multiple pretreatment with zinc sulfate. *J Toxicol Sci*. 41: 55.
- Yoshioka, K; Kunitomo, M; Yanai, K; Shimizu, H; Nakasono, S; Negishi, T; Dateki, M. (2011). Hepatocyte nuclear factor 1 beta induced by chemical stress accelerates cell proliferation and increases genomic instability in mouse liver. *J Recept Signal Transduct Res*. 31: 132-138.
- Yoshioka, T; Yoshida, S; Kurosaki, T; Teshima, M; Nishida, K; Nakamura, J; Nakashima, M; To, H; Kitahara, T; Sasaki, H. (2009). Cationic liposomes-mediated plasmid DNA delivery in murine hepatitis induced by carbon tetrachloride. *J Liposome Res*. 19: 141-147.
- Yoshioka, Y; Kojima, H; Tamura, A; Tsuji, K; Tamesada, M; Yagi, K; Murakami, N. (2012). Low-molecular-weight lignin-rich fraction in the extract of cultured *Lentinula edodes* mycelia attenuates carbon tetrachloride-induced toxicity in primary cultures of rat hepatocytes. *Natural Medicines*. 66: 185-191.
- Yoshitake, I; Ohishi, E; Kubo, K. (1991). Hepatoprotective effects of 1-[(2-thiazolin-2-yl)-amino]acetyl-4-(1,3-dithiol-2-ylidene)-2,3,4,5-tetrahydro-1H-1-benzazepin-3,5-dione hydrochloride (KF-14363) in various experimental liver injuries. *Japanese journal of pharmacology*. 57: 127-136.
- You, TG; Fan, YZ; Li, Q; Gao, Y; Yang, YK; Zhao, ZX; Wang, CJ. (2013). Increased SSeCKS Expression in Rat Hepatic Stellate Cells Upon Activation In Vitro and In Vivo. *Inflammation*. 36: 1415-1423.
- You, X; Mulchinski, EA; Agarwal, AK. (1994). Protection of carbon tetrachloride hepatotoxicity by cinchona alkaloids. *Res Comm Chem Pathol Pharmacol*. 84: 223-232.
- You, ZQ; Xin, YF; Liu, Y; Han, B; Zhang, LJ; Chen, Y; Chen, YX; Gu, LQ; Gao, HY; Xuan, YX. (2012). Protective effect of *Salvia Miltiorrhizae* injection on N(G)-nitro-D-arginine induced nitric oxide deficient and oxidative damage in rat kidney. *Exp Toxicol Pathol*. 64: 453-458.
- Younes, M; Albrecht, M; Siegers, CP. (1983). Interrelation between lipid peroxidation and lysosomal enzyme release in the presence of carbon tetrachloride, cumene hydroperoxide or thioacetamide. *Res Comm Chem Pathol Pharmacol*. 40: 121-132.
- Younes, M; Albrecht, M; Siegers, CP. (1983). Interrelationship between in vivo lipid peroxidation, microsomal Ca²⁺-sequestration activity and hepatotoxicity in rats treated with carbon tetrachloride, cumene hydroperoxide or thioacetamide. *Res Comm Chem Pathol Pharmacol*. 40: 405-415.
- Younes, M; Albrecht, M; Siegers, CP. (1983). Interrelationship between in vivo lipid peroxidation, microsomal Ca²⁺-sequestration activity and hepatotoxicity in rats treated with carbon tetrachloride, cumene hydroperoxide or thioacetamide. *Res Commun Mol Pathol Pharmacol*. 40: 405-416.
- Younes, M; Eberhardt, I. Spontaneous and xenobiotic-induced in vivo-lipid peroxidation in iron-overloaded rats.
- Younes, M; Reichl, W; Siegers, CP. (1983). Effect of carbon tetrachloride-alcohol-induced liver fibrosis on microsomal mixed-function oxidases and the cytosolic glutathione-conjugating system in rat liver. *Xenobiotica*. 13: 47-51.
- Younes, M; Schlichting, R; Siegers, CP. (1980). Effect of metabolic inhibitors, diethylmaleate and carbon tetrachloride-induced liver damage on glutathione S-transferase activities in rat liver. *Pharmacological research communications*. 12: 921-930.
- Younes, M; Siegers, CP. (1985). The role of iron in the paracetamol- and CCl₄-induced lipid peroxidation and hepatotoxicity. *Chem Biol Interact*. 55: 327-334.

Environmental Hazard Literature Search Results

Off Topic

- Young, MB; DiSilvestro, MR; Sendera, TJ; Freund, J; Kriete, A; Magnuson, S. (2003). Analysis of gene expression in carbon tetrachloride-treated rat livers using a novel bioarray technology. *Pharmacogenomics Journal*. 3: 41-52.
- Young, RA; Bast, CB; Wood, CS; Adeshina, F. (2009). Overview of the Standing Operating Procedure (SOP) for the development of Provisional Advisory Levels (PALs). *Inhal Toxicol*. 21: 1-11.
- Young, RA; Mehendale, HM. (1986). Effect of endrin and endrin derivatives on hepatobiliary function and carbon tetrachloride-induced hepatotoxicity in male and female rats. *Food Chem Toxicol*. 24: 863-868.
- Young, RA; Mehendale, HM. (1989). Carbon tetrachloride metabolism in partially hepatectomized and sham-operated rats pre-exposed to chlordecone (Kepone). *Journal of biochemical toxicology*. 4: 211-219.
- Young, TH; Tang, HS; Chao, YC; Lee, HS; Hsiung, CH; Pao, LH; Hu, OYP. (2008). Quantitative rat liver function test by galactose single point method. *Lab Anim*. 42: 495-504.
- Young, TH; Tang, HS; Lee, HS; Hsiung, CH; Hu, OYP. (2007). Effects of hyperglycemia on quantitative liver functions by the galactose load test in diabetic rats. *Metabolism-Clinical and Experimental*. 56: 1265-1269.
- Younis, HS; Hoglen, NC; Kuester, RK; Gunawardhana, L; Sipes, IG. (2000). 1,2-dichlorobenzene-mediated hepatocellular oxidative stress in Fischer-344 and Sprague-Dawley rats. *Toxicol Appl Pharmacol*. 163: 141-148.
- Yovchev, MI; Zhang, JL; Neufeld, DS; Grozdanov, PN; Dabeva, MD. (2009). Thymus Cell Antigen-1-Expressing Cells in the Oval Cell Compartment. *Hepatology*. 50: 601-611.
- Yu, CD; Wang, F; Jin, CL; Huang, XQ; Miller, DL; Basilico, C; McKeehan, WL. (2003). Role of fibroblast growth factor type 1 and 2 in carbon tetrachloride-induced hepatic injury and fibrogenesis. *American Journal of Pathology*. 163: 1653-1662.
- Yu, CD; Wang, F; Jin, CL; Wu, XC; Chan, WK; McKeehan, WL. (2002). Increased carbon tetrachloride-induced liver injury and fibrosis in FGFR4-deficient mice. *American Journal of Pathology*. 161: 2003-2010.
- Yu, F; Ji, S; Su, L; Wan, L; Zhang, S; Dai, C; Wang, Y; Fu, J; Zhang, Q. (2015). Adipose-derived mesenchymal stem cells inhibit activation of hepatic stellate cells in vitro and ameliorate rat liver fibrosis in vivo. *Journal of the Formosan Medical Association = Taiwan yi zhi*. 114: 130-138.
- Yu, F; Li, HL; Meng, Y; Yang, D. (2013). Extraction optimization of *Angelica sinensis* polysaccharides and its antioxidant activity in vivo. *Carbohydr Polymer*. 94: 114-119.
- Yu, F; Lu, Z; Huang, K; Wang, X; Xu, Z; Chen, B; Dong, P; Zheng, J. (2016). MicroRNA-17-5p-activated Wnt/ β -catenin pathway contributes to the progression of liver fibrosis. *Onco*. 7: 81-93.
- Yu, FX; Su, LF; Ji, SQ; Zhang, SC; Yu, PP; Zheng, YH; Zhang, QY. (2012). Inhibition of hepatic stellate cell activation and liver fibrosis by fat-specific protein 27. *Mol Cell Biochem*. 369: 35-43.
- Yu, GC; Lv, J; He, H; Huang, W; Han, Y. (2012). HEPATOPROTECTIVE EFFECTS OF CORN PEPTIDES AGAINST CARBON TETRACHLORIDE-INDUCED LIVER INJURY IN MICE. *Journal of Food Biochemistry*. 36: 458-464.
- Yu, GC; Lv, JIE; He, HUI; Huang, WEN; Han, Y. (2012). Hepatoprotective effects of corn peptides against carbon tetrachloride-induced liver injury in mice. *Journal of Food Biochemistry*. 36: 458-464.
- Yu, H; Zheng, LL; Yin, LH; Xu, LN; Qi, Y; Han, X; Xu, YW; Liu, KX; Peng, JY. (2014). Protective effects of the total saponins from *Dioscorea nipponica* Makino against carbon tetrachloride-induced liver injury in mice through suppression of apoptosis and inflammation. *Int Immunopharmacol*. 19: 233-244.
- Yu, HJ; Lin, BR; Lee, HS; Shun, CT; Yang, CC; Lai, TY; Chien, CT; Hsu, SM. (2005). Sympathetic vesicovascular reflex induced by acute urinary retention evokes proinflammatory and proapoptotic injury in rat liver. *American Journal of Physiology-Renal Physiology*. 288: F1005-F1014.
- Yu, J; Wang, Y; Qian, H; Zhao, Y; Liu, B; Fu, C. (2012). Polyphenols from *Taxus chinensis* var. *mairei* prevent the development of CCl₄-induced liver fibrosis in rats. *J Ethnopharmacol*. 142: 151-160.
- Yu, JH; Wang, YB; Qian, H; Zhao, YP; Liu, BT; Fu, CX. (2012). Polyphenols from *Taxus chinensis* var. *mairei* prevent the development of CCl₄-induced liver fibrosis in rats. *J Ethnopharmacol*. 142: 151-160.
- Yu, JH; Zhu, BM; Wickre, M; Riedlinger, G; Chen, W; Hosui, A; Robinson, GW; Hennighausen, L. (2010). The transcription factors signal transducer and activator of transcription 5A (STAT5A) and STAT5B negatively regulate cell proliferation through the activation of cyclin-dependent kinase inhibitor 2b (Cdkn2b) and Cdkn1a expression. *Hepatology (Baltimore, Md)*. 52: 1808-1818.
- Yu, JL; Li, JH; Chengz, RG; Ma, YM; Wang, XJ; Liu, JC. (2014). Effect of matrine on transforming growth factor β 1 and hepatocyte growth factor in rat liver fibrosis model. *Asian Pacific Journal of Tropical Medicine*. 7: 390-393.
- Yu, M; Teel, AL; Watts, RJ. (2016). Activation of Peroxymonosulfate by Subsurface Minerals. *J Contam Hydrol*. 191: 33-43.
- Yu, M; Zhang, WG; Qin, LH; Tian, L; Zhou, CM. (2010). Enhancement of P-Glycoprotein Expression by Hepatocyte Transplantation in Carbon Tetrachloride-Induced Rat Liver. *Anatomical Record-Advances in Integrative Anatomy and Evolutionary Biology*. 293: 1167-1174.
- Yu, PC; Kuo, JS; Lin, HC; Yang, MC. (1992). Effects of endothelin in portal hypertensive rats. *Clinical science (London, England : 1979)*. 83: 165-170.
- Yu, Q; Que, LG; Rockey, DC. (2002). Adenovirus-mediated gene transfer to nonparenchymal cells in normal and injured liver. *American Journal of Physiology-Gastrointestinal and Liver Physiology*. 282: G565-G572.
- Yu, SCT. (1995). Transport and fate of chlorinated hydrocarbons in the vadose zone-A literature review with discussions on regulatory implications. *Journal of Soil Contamination*. 4: 25-56.
- Yu, SY; Lee, PK; Hwang, SI. (2015). Groundwater contamination with volatile organic compounds in urban and industrial areas: analysis of co-occurrence and land use effects. *Environ Earth Sci*. 74: 3661-3677.

Environmental Hazard Literature Search Results

Off Topic

- Yu, WG; Qian, J; Lu, YH. (2011). Hepatoprotective Effects of 2',4'-Dihydroxy-6'-methoxy-3',5'-dimethylchalcone on CCl₄-Induced Acute Liver Injury in Mice. *J Agric Food Chem.* 59: 12821-12829.
- Yu, X; Ghasemzadeh, R; Padilla, I; Irizarry, C; Kaeli, D; Alshawabkeh, A. (2015). Spatiotemporal changes of CVOC concentrations in karst aquifers: Analysis of three decades of data from Puerto Rico. *Sci Total Environ.* 511: 1-10.
- Yu, Y; Yin, C; Yu, J; Liang, K. (1998). Experimental study on the correlation of nitric oxide with portal hypertensive enteropathy. *Journal of Tongji Medical University = Tong ji yi ke da xue xue bao.* 18: 221-224.
- Yu, YU; Kang, SY; Park, HY; Sung, SH; Lee, EJ; Kim, SY; Kim, YC. (2000). Antioxidant lignans from *Machilus thunbergii* protect CCl₄-injured primary cultures of rat hepatocytes. *The Journal of pharmacy and pharmacology.* 52: 1163-1169.
- Yu, YX; Sun, XH; Gu, JY; Yu, C; Wen, YK; Gao, YQ; Xia, Q; Kong, XN. (2016). Deficiency of DJ-1 Ameliorates Liver Fibrosis through Inhibition of Hepatic ROS Production and Inflammation. *Int J Biol Sci.* 12: 1225-1235.
- Yu, Z; Smith, GB. (2000). Dechlorination of polychlorinated methanes by a sequential methanogenic-denitrifying bioreactor system. *Appl Microbiol Biotechnol.* 53: 484-489.
- Yu, Z; Xie, M; Fan, X; Jia, JD. (2015). Interferon alpha 2b Increases MMP-13 and IL-10 expression in Kupffer cells through MAPK Signaling Pathways. *Hepatogastroenterology.* 62: 350-354.
- Yuan, C; Li, Z; Yi, M; Wang, X; Peng, F; Xiao, F; Chen, T; Wang, C; Mushtaq, G; Kamal, MA. (2015). Effects of polysaccharides from selenium-enriched *Pyracantha fortuneana* on mice liver injury. *World J Gastroenterol.* 11: 780-788.
- Yuan, GJ; Gong, ZJ; Sun, XM; Zheng, SH; Li, X. (2006). Tea polyphenols inhibit expressions of iNOS and TNF-alpha and prevent lipopolysaccharide-induced liver injury in rats. *Hepatobiliary & pancreatic diseases international : HBPD INT.* 5: 262-267.
- Yuan, L; Gu, X; Yin, Z; Kang, W. (2014). Antioxidant activities in vitro and hepatoprotective effects of *Nelumbo nucifera* leaves in vivo. *African journal of traditional, complementary, and alternative medicines : AJTCAM / African Networks on Ethnomedicines.* 11: 85-91.
- Yuan, LP; Chen, FH; Ling, L; Bo, H; Chen, ZW; Li, F; Zhong, MM; Xia, LJ. (2008). Protective effects of total flavonoids of *Bidens bipinnata* L. against carbon tetrachloride-induced liver fibrosis in rats. *J Pharm Pharmacol.* 60: 1393-1402.
- Yuan, LP; Chen, FH; Ling, L; Dou, PF; Bo, H; Zhong, MM; Xia, LJ. (2008). Protective effects of total flavonoids of *Bidens pilosa* L. (TFB) on animal liver injury and liver fibrosis. *J Ethnopharmacol.* 116: 539-546.
- Yuan, WB; Xiang, BR; Yu, LY; Zhu, LZ. (2012). Feasibility study on ultrasound-assisted emulsification microextraction-near infrared spectroscopy technique for the determination of traces of nonylphenol in water samples. *Journal of near Infrared Spectroscopy.* 20: 675-685.
- Yuan, WE; Wu, F; Geng, Y; Xu, SL; Jin, T. (2007). Preparation of dextran glassy particles through freezing-induced phase separation. *Int J Pharm.* 339: 76-83.
- Yuasa, S; Sudoh, A; Nakao, Y; Umezu, K. (1986). Suppressive effect of tritoqualine on lipid peroxidation and enzyme leakage induced by carbon tetrachloride in rat hepatocytes. *Japanese journal of pharmacology.* 41: 205-210.
- Yuasa, S; Sudoh, A; Umezu, K. (1985). PROPHYLACTIC EFFECT OF TRITOQUALINE ON LIVER INJURY BY SOME TOXIC AGENTS IN RATS. 58th General Meeting Of The Japanese Pharmacological Society, Tokyo, Japan, Mar. 39.
- Yuasa, T; Yamamoto, T; Rivas-Carrillo, JD; Chen, Y; Navarro-Alvarez, N; Soto-Guiterrez, A; Noguchi, H; Matsumoto, S; Tanaka, N; Kobayashi, N. (2008). Laparoscopy-assisted creation of a liver failure model in pigs. *Cell Transplant.* 17: 187-193.
- Yuce, A; Turk, G; Ceribasi, S; Guvenc, M; Ciftci, M; Sonmez, M; Kaya, SO; Cay, M; Aksakal, M. (2014). Effectiveness of cinnamon (*Cinnamomum zeylanicum*) bark oil in the prevention of carbon tetrachloride-induced damages on the male reproductive system. *Andrologia.* 46: 263-272.
- Yudkin, JS; Lehman, R. (2011). Olmesartan, microalbuminuria, and type 2 diabetes. *The New England journal of medicine.* 364: 2260; author reply 2262-2263.
- Yue, J; Peng, RX; Chen, J; Liu, YH; Dong, GC. (2009). Effects of rifampin on CYP2E1-dependent hepatotoxicity of isoniazid in rats. *Pharmacol Res.* 59: 112-119.
- Yue, J; Peng, RX; Yang, J; Kong, R; Liu, J. (2004). CYP2E1 mediated isoniazid-induced hepatotoxicity in rats. *Acta Pharmacol Sin.* 25: 699-704.
- Yue, S; Hu, B; Wang, Z; Yue, Z; Wang, F; Zhao, Y; Yang, Z; Shen, M. (2014). *Salvia miltiorrhiza* compounds protect the liver from acute injury by regulation of p38 and NF-κB signaling in Kupffer cells. *Pharmaceutical Biology.* 52: 1278-1285.
- Yue, Y; Wu, S; Zhang, H; Zhang, X; Niu, Y; Cao, X; Huang, F; Ding, H. (2014). Characterization and hepatoprotective effect of polysaccharides from *Ziziphus jujuba* Mill. var. *spinosa* (Bunge) Hu ex H. F. Chou sarcocarp. *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association.* 74: 76-84.
- Yukawa, H; Noguchi, H; Oishi, K; Takagi, S; Hamaguchi, M; Hamajima, N; Hayashi, S. (2009). Cell Transplantation of Adipose Tissue-Derived Stem Cells in Combination With Heparin Attenuated Acute Liver Failure in Mice. *Cell Transplant.* 18: 611-618.
- Yuki, T; Hashimoto, T; Kuriyama, K; Ogasawara, T; Takino, T. (1982). Alteration of hepatic ethanol metabolism in CCL₄-intoxicated rats: analysis using isolated liver perfusion system. *Substance and alcohol actions/misuse.* 3: 163-175.
- Yuki, T; Hashimoto, T; Ohkuma, S; Tamura, J; Kuriyama, K. (1984). Alteration of acetaldehyde metabolism in carbon tetrachloride-intoxicated rat liver: analysis using liver perfusion system. *Alcohol and alcoholism (Oxford, Oxfordshire).* 19: 101-107.
- Yumoto, R; Murakami, T; Takano, M. (2003). Differential effect of acute hepatic failure on in vivo and in vitro P-glycoprotein functions in the intestine. *Pharm Res.* 20: 765-771.
- Yun, HS; Do, SH; Jeong, WI; Yang, HH; Yuan, DW; Hong, IH; Lee, HR; Lee, IS; Kim, YK; Choi, MS; Kim, HA; Jeong, KS. (2008). Cytotoxic effects of the conjugated linoleic acid isomers t10c12, c9t11-CLA and mixed form on rat hepatic stellate cells and CCl₄-induced hepatic fibrosis. *J Nutr Biochem.* 19: 175-183.
- Yun, JW; Kim, CW; Bae, IH; Park, YH; Chung, JH; Lim, KM; Kang, KS. (2009). Determination of the key innate genes related to individual variation in carbon tetrachloride-induced hepatotoxicity using a pre-biopsy procedure. *Toxicol Appl Pharmacol.* 239: 55-63.

Environmental Hazard Literature Search Results

Off Topic

- Yun, JW; Lee, TR; Kim, CW; Park, YH; Chung, JH; Lee, YS; Kang, KS; Lim, KM. (2010). Predose Blood Gene Expression Profiles Might Identify the Individuals Susceptible to Carbon Tetrachloride-Induced Hepatotoxicity. *Toxicol Sci.* 115: 12-21.
- Yurdaydin, C; Uzunalimoglu, O; Palaoglu, O; Erekul, S; Korkmaz, S; Ayhan, IH. (1991). PROTECTION OF CARBON TETRACHLORIDE INDUCED HEPATIC CELL INJURY BY A CALCIUM CHANNEL BLOCKER. Meeting Of The American Association For The Study Of Liver Diseases, New Orleans, Louisiana, Usa, May. 100.
- Yusuf, A; Rao, PM; Rajalakshmi, S; Sarma, DS. (1999). Development of resistance during the early stages of experimental liver carcinogenesis. *Carcinogenesis.* 20: 1641-1644.
- Yusufoglu, HS; Alam, A; Zaghoul, AM; Al-salkini, MA; Alam, P. (2014). Comparative anti-inflammatory and hepatoprotective activities of *Astragalus gummifer* Labill herb and roots in rats. *African journal of traditional, complementary, and alternative medicines : AJTCAM / African Networks on Ethnomedicines.* 11: 268-274.
- Yusufoglu, HS; Foudah, AI; Alam, A; Soliman, GA. (2016). Cardioprotective and nephroprotective activities of methanolic extracts from *Pulicaria somalensis* herbs against carbon tetrachloride induced toxicity in rats. *Planta Med.* 81: S1-S381.
- Yuvaraj, P; Subramoniam, A. (2009). Hepatoprotective property of *Thespesia populnea* against carbon tetrachloride induced liver damage in rats. *J Basic Clin Physiol Pharmacol.* 20: 169-177.
- Zabrodskii, PF; Germanchuk, VG; Kirichuk, VF; Karpenko, NI. (2004). Effect of tetrachloromethane on the immune system. *Bull Exp Biol Med.* 137: 47-49.
- Zabrodskii, PF; Kirichuk, VF; Lim, VG; Balashov, SV; Svistunov, AA. (2009). Changes in the Cytokine Profile and Reduced Function of Lymphocyte Subpopulations in Subacute Tetrachloromethane Poisoning. *Bull Exp Biol Med.* 147: 52-54.
- Zafar, R; Ali, SM. (1998). Anti-hepatotoxic effects of root and root callus extracts of *Cichorium intybus* L. *J Ethnopharmacol.* 63: 227-231.
- Zafra, C; Gate, a-CalderÃ, H; GarcÃacute; n, J; n, JC; Bosch, J; Cai, Z; Mehendale, HM. (2007). ROLE OF ONGOING VS. STIMULATED HEPATOCELLULAR REGENERATION IN RESILIENCY TO AMPLIFICATION OF CARBON TETRACHLORIDE TOXICITY BY CHLORDECONE. *J Hepatol.* 5.
- Zahedi, K; Barone, SL; Xu, J; Steinbergs, N; Schuster, R; Lentsch, AB; Amlal, H; Wang, J; Casero, RA; Soleimani, M. (2012). Hepatocyte-specific ablation of spermine/spermidine-N(1)-acetyltransferase gene reduces the severity of CCl(4)-induced acute liver injury. *American Journal of Physiology-Gastrointestinal and Liver Physiology.* 303: G546-G560.
- Zaib, S; Khan, MR. (2014). Protective effect of *Cucurbita pepo* fruit peel against CCl4 induced neurotoxicity in rat. *Pak J Pharm Sci.* 27: 1967-1973.
- Zakharov, AV; Zhabanov, YA. (2010). An improved data reduction procedure for processing electron diffraction images and its application to structural study of carbon tetrachloride. *Journal of Molecular Structure.* 978: 61-66.
- Zakharova, NV; Khodosova, IA; Ya Fel, V. (1986). The revealing of cells resistant to cytotoxic action of CCl sub(4) in hepatocyte populations after a single treatment with diethylnitrosamine and post-treatment with phenobarbital. *Tsitologiya.* 28: 888-890.
- Zaki, HF; Abdelsalam, RM. (2013). Vinpocetine protects liver against ischemia-reperfusion injury. *Can J Physiol Pharmacol.* 91: 1064-1070.
- Zakikhan, K; Pournasr, B; Nassiri-Asl, M; Baharvand, H. (2016). Enhanced direct conversion of fibroblasts into hepatocyte-like cells by Kdm2b. *Biochem Biophys Res Commun.* 474: 97-103.
- Zalatnai, A; Lapis, K. (1986). RELATIONSHIP BETWEEN CARBON TETRACHLORIDE-INDUCED LIVER CIRRHOSIS AND DIETHYLNITROSOAMINE HEPATOCARCINOGENESIS IN F-344 AND CFY MALE RATS. *Uicc.* 0: 963-905.
- Zalatnai, A; Lapis, K. (1987). DIETHYL-NITROSAMINE HEPATOCARCINOGENESIS IN CIRRHOTIC RATS. *Acta Morphol Hung.* 35: 211-218.
- Zaldivar, MM; Pauels, K; von, HP; Berres, ML; Schmitz, P; Bornemann, J; Kowalska, MA; Gassler, N; Streetz, KL; Weiskirchen, R; Trautwein, C; Weber, C; Wasmuth, HE. (2010). CXC chemokine ligand 4 (Cxcl4) is a platelet-derived mediator of experimental liver fibrosis. *Hepatology (Baltimore, Md).* 51: 1345-1353.
- Zamara, E; Galastri, S; Aleffi, S; Petrai, I; Aragno, M; Mastrocola, R; Novo, E; Bertolani, C; Milani, S; Vizzutti, F; Vercelli, A; Pinzani, M; Laffi, G; LaVilla, G; Parola, M; Marra, F. (2007). Prevention of severe toxic liver injury and oxidative stress in MCP-1-deficient mice. *J Hepatol.* 46: 230-238.
- Zambonin, L; Ferreri, C; Cabrini, L. Occurrence of trans fatty acids in rats fed a trans-free diet: a free radical-mediated formation?
- Zander, AK; Chen, JS; Semmens, MJ. (1992). Removal of hexachlorocyclohexane isomers from water by membrane extraction into oil. *Water Res.* 26: 129-137.
- Zarshenas, MM; Farrokhi, RR; Akhavein, M; Kiafar, MR. (2016). A Panoramic View of Chronic Liver Diseases and Natural Remedies Reported in Traditional Persian Medicine. *Curr Pharm Des.* 22: 350-364.
- Zatti, M; Rossi, F; Zoppi, G. (1965). Liver phospholipides after carbon tetrachloride intoxication in rats. *Experientia.* 21: 215-216.
- Zavec, J; Battarbee, H; O'Donnell, J. (1994). MYOCARDIAL BETA-ADRENOCEPTOR BETA AR-ADENYLYL CYCLASE AC COUPLING IN RATS WITH PORTAL VEIN STENOSIS PVS AND CCL-4-INDUCED CIRRHOSIS CIC. *Experimental Biology.* 8.
- Zavodnik, IB; Zavodnik, LB. (1992). DISTURBANCE IN STRUCTURE OF HEPATOCYTE ENDOPLASMIC RETICULUM MEMBRANES IN POISONING WITH CARBON TETRACHLORIDE. 27th Annual Meeting Of The European Association For The Study Of The Liver, Vienna, Austria, August. 16.
- Zavodnik, LB; Bushma, MI; Lukiyanenko, PI; Abakumov, GZ; Zverinsky, IV; Tsyrunov, VM. (1991). Stabilization by diethylamide of nicotinic acid (cordiamine) of rabbit liver hydroxylating function in poisoning with CCl sub(4). *FARMAKOL TOKSIKOL.* 54: 69-71.
- Zawadzka, AM; Vandecasteele, FPJ; Crawford, RL; Paszczynski, AJ. (2006). Identification of siderophores of *Pseudomonas stutzeri*. *Canadian Journal of Microbiology.* 52: 1164-1176.
- Zawaski, K; Gruebele, A; Kaplan, D; Reddy, S; Mortensen, A; Novak, RF. (1993). Evidence for enhanced expression of c-fos, c-jun, and the Ca(2+)-activated neutral protease in rat liver following carbon tetrachloride administration. *Biochem Biophys Res Commun.* 197: 585-590.

Environmental Hazard Literature Search Results

Off Topic

- Zeashan, H; Amresh, G; Singh, S; Rao, CV. (2008). Hepatoprotective activity of *Amaranthus spinosus* in experimental animals. *Food Chem Toxicol.* 46: 3417-3421.
- Zeashan, H; Amresh, G; Singh, S; Rao, CV. (2009). Hepatoprotective and antioxidant activity of *Amaranthus spinosus* against CCl₄ induced toxicity. *J Ethnopharmacol.* 125: 364-366.
- Zechmeister, HG; Hohenwallner, D; Riss, A; Hanus-Illyar, A. (2003). Variations in heavy metal concentrations in the moss species *Abietinella abietina* (Hedw.) Fleisch. according to sampling time, within site variability and increase in biomass. *The Science of the total environment.* 301: 55-65.
- Zeitoun, R; Makar, AB. (1973). Effect of 2-diethylaminoethyl-2,2-diphenylvalerate hydrochloride on the uterotrophic action of o,p'-DDT. *Die Pharmazie.* 28: 673-675.
- Zeller, KP; Kowallik, M; Haiss, P. (2005). The dimethyldioxirane-mediated oxidation of phenylethyne. *Organic & Biomolecular Chemistry.* 3: 2310-2318.
- Zeng, BY; Su, MH; Chen, QX; Chang, Q; Wang, W; Li, HH. (2016). Antioxidant and hepatoprotective activities of polysaccharides from *Anoectochilus roxburghii*. *Carbohydr Polymer.* 153: 391-398.
- Zeng, Q; Ke, X; Gao, X; Fu, Y; Lu, D; Chiang, H; Xu, Z. (2006). Noise magnetic fields abolish the gap junction intercellular communication suppression induced by 50 hz magnetic fields. *Bioelectromagnetics.* 27: 274-279.
- Zeng, T; Xie, KQ. (2010). The Differential Modulation on Cytochrome P450 Enzymes by Garlic Components. *Food Reviews International.* 26: 353-363.
- Zeng, T; Zhang, CL; Zhu, ZP; Yu, LH; Zhao, XL; Xie, KQ. (2008). Diallyl trisulfide (DATS) effectively attenuated oxidative stress-mediated liver injury and hepatic mitochondrial dysfunction in acute ethanol-exposed mice. *Toxicology.* 252: 86-91.
- Zeng, YL; Ten, W-KHC; Baars, AJ; Breimer, DD. (1982). The influence of L-4-oxalysine on carbon tetrachloride-induced changes in drug-metabolizing enzyme activity of mouse liver. *Xenobiotica; the fate of foreign compounds in biological systems.* 12: 463-466.
- Zentella, dPaM; Castell-Rotell-Rodríguez, A; Salda; nilda-Bal. Effect of piroxicam on carbon tetrachloride-induced liver injury.
- Zhai, Q; Bian, X-L; Yu, B. (2010). Protective activity of Jiang-Zhi-Li-Gan against carbon tetrachloride-induced hepatic injury in mice. *Pharmaceutical Biology.* 48: 231-233.
- Zhan, Y; Wang, Y; Wei, L; Chen, H; Cong, X; Fei, R; Gao, Y; Liu, F. (2006). Differentiation of hematopoietic stem cells into hepatocytes in liver fibrosis in rats. *Transplant Proc.* 38: 3082-3085.
- Zhan, YY; Wang, JH; Tian, X; Feng, SX; Xue, L; Tian, LP. (2016). Protective effects of seed melon extract on CCl₄-induced hepatic fibrosis in mice. *J Ethnopharmacol.* 193: 531-537.
- Zhang, AH; Sun, H; Wang, XJ. (2013). Recent advances in natural products from plants for treatment of liver diseases. *Eur J Med Chem.* 63: 570-577.
- Zhang, BH; Gong, DZ; Mei, MH. (1999). Protection of regenerating liver after partial hepatectomy from carbon tetrachloride hepatotoxicity in rats: Role of hepatic stimulator substance. *J Gastroenterol Hepatol.* 14: 1010-1017.
- Zhang, BJ; Xu, D; Guo, Y; Ping, J; Chen, LB; Wang, H. (2008). Protection by and anti-oxidant mechanism of berberine against rat liver fibrosis induced by multiple hepatotoxic factors. *Clinical and experimental pharmacology & physiology.* 35: 303-309.
- Zhang, C; Hollocher, TC. (1993). Interaction of dichloromethane (methylene chloride) with the nitrous oxide reductase from *Wolinella succinogenes*. *World J Microbiol Biotechnol.* 9: 479-482.
- Zhang, C; Valsaraj, KT; Constant, WD; Roy, D. (1998). Nutrient and surfactant enhancement for the biodegradation of chlorinated hydrocarbons in the wastewater from a Louisiana Superfund site. *J Hazard Mater.* 62: 41-58.
- Zhang, C; Wang, Y; Chen, H; Yang, G; Wang, S; Jiang, M; Cong, L; Yuan, L; Li, H; Jia, Y. (2013). Protective effect of the herbal medicine Gan-fu-kang against carbon tetrachloride-induced liver fibrosis in rats. *Mol Med Rep.* 8: 954-962.
- Zhang, CF; Zhang, DD; Li, ZL; Akatsuka, T; Yang, SY; Suzuki, D; Katayama, A. (2014). Insoluble Fe-Hunnic Acid Complex as a Solid-Phase Electron Mediator for Microbial Reductive Dechlorination. *Environmental Science & Technology.* 48: 6318-6325.
- Zhang, CX; Dai, ZR; Cai, QX. (2011). Anti-inflammatory and anti-nociceptive activities of *Sipunculus nudus* L. extract. *J Ethnopharmacol.* 137: 1177-1182.
- Zhang, CY; Liu, HH; Cui, YF; Li, XM; Zhang, ZY; Zhang, Y; Wang, DB. (2016). Molecular magnetic resonance imaging of activated hepatic stellate cells with ultrasmall superparamagnetic iron oxide targeting integrin $\alpha(v)\beta(3)$ for staging liver fibrosis in rat model. *Int J Nanomedicine.* 11: 1097-1108.
- Zhang, D-G; Zhang, C; Wang, J-X; Wang, B-W; Wang, H; Zhang, Z-H; Chen, Y-H; Lu, Y; Tao, L; Wang, J-Q; Chen, X; Xu, D-X. (2017). Obeticholic acid protects against carbon tetrachloride-induced acute liver injury and inflammation. *Toxicol Appl Pharmacol.* 314: 39-47.
- Zhang, F; Dang, SY; Shu, RZ; Xiang, YG; Kuang, Y; Fei, J; Wang, ZG. (2015). Deficiency of BPO22 Decreases Liver Fibrosis After Chronic Carbon Tetrachloride Administration in Mice. *Int J Toxicol.* 34: 204-210.
- Zhang, F; Ma, J; Lu, Y; Ni, GX; Ni, CY; Zhang, XJ; Zhang, XP; Kong, DS; Wang, AY; Chen, WX; Zheng, SZ. (2012). Acupuncture combined with curcumin attenuates carbon tetrachloride-induced hepatic fibrosis in rats. *Acupuncture in medicine : journal of the British Medical Acupuncture Society.* 30: 132-138.
- Zhang, F; Wang, X; Qiu, X; Wang, J; Fang, H; Wang, Z; Sun, Y; Xia, Z. (2014). The protective effect of Esculentoside A on experimental acute liver injury in mice. *PLoS ONE.* 9: e113107.
- Zhang, F; Zhang, ZL; Chen, L; Kong, DS; Zhang, XP; Lu, CF; Lu, Y; Zheng, SZ. (2014). Curcumin attenuates angiogenesis in liver fibrosis and inhibits angiogenic properties of hepatic stellate cells. *J Cell Mol Med.* 18: 1392-1406.
- Zhang, G; Mu, YJ; Liu, JF; Zhang, CL; Zhang, YY; Zhang, YJ; Zhang, HX. (2014). Seasonal and diurnal variations of atmospheric peroxyacetyl nitrate, peroxypropionyl nitrate, and carbon tetrachloride in Beijing. *J Environ Sci.* 26: 65-74.

Environmental Hazard Literature Search Results

Off Topic

- Zhang, G; Thomas, JK. (2006). The laser two-photon photolysis of liquid carbon tetrachloride. *Photochem Photobiol.* 82: 158-162.
- Zhang, GQ; Hu, XB; Cheng, Y; Zhang, CL; Liu, LN; Yang, R; Liang, K; Han, DJ. (2011). Fast identification of substance by measuring two Raman peaks with dual strip silicon photomultipliers and gated photon counting technique. *Appl Opt.* 50: 4733-4736.
- Zhang, H; Yu, CH; Jiang, YP; Peng, C; He, K; Tang, JY; Xin, HL. (2012). Protective effects of polydatin from *Polygonum cuspidatum* against carbon tetrachloride-induced liver injury in mice. *PLoS ONE.* 7: e46574.
- Zhang, HC; Weber, EJ. (2009). Elucidating the Role of Electron Shuttles in Reductive Transformations in Anaerobic Sediments. *Environmental Science & Technology.* 43: 1042-1048.
- Zhang, HC; Weber, EJ. (2013). Identifying Indicators of Reactivity for Chemical Reductants in Sediments. *Environmental Science & Technology.* 47: 6959-6968.
- Zhang, HQ; Yau, YF; Szeto, KY; Chan, WT; Wong, J; Li, M. (2007). Therapeutic effect of Chinese medicine formula DSQRL on experimental pulmonary fibrosis. *J Ethnopharmacol.* 109: 543-546.
- Zhang, HY; Han, DW; Zhao, ZF; Liu, MS; Wu, YJ; Chen, XM; Ji, C. (2007). Multiple pathogenic factor-induced complications of cirrhosis in rats: a new model of hepatopulmonary syndrome with intestinal endotoxemia. *World J Gastroenterol.* 13: 3500-3507.
- Zhang, J; He, Q; Liu, QY; Guo, W; Deng, XM; Zhang, WW; Hu, XX; Li, N. (2007). Differential gene expression profile in pig adipose tissue treated with/without clenbuterol. *BMC Genomics.* 8: 433.
- Zhang, JJ; Liu, M; Yang, YH; Lin, L; Xu, N; Zhao, HJ; Jia, L. (2016). Purification, characterization and hepatoprotective activities of mycelia zinc polysaccharides by *Pleurotus djamor.* *Carbohydr Polymer.* 136: 588-597.
- Zhang, JJ; Meng, XK; Dong, C; Qiao, JL; Zhang, RF; Yue, GQ; Zhong, HY. (2009). Development of a New Animal Model of Liver Cirrhosis in Swine. *Eur Surg Res.* 42: 35-39.
- Zhang, JP; Zhang, M; Zhou, JP; Liu, FT; Zhou, B; Xie, WF; Guo, C; Zhang, C; Qian, DH. (2001). Antifibrotic effects of matrine on in vitro and in vivo models of liver fibrosis in rats. *Acta Pharmacol Sin.* 22: 183-186.
- Zhang, JQ; Shi, L; Xu, XN; Huang, SC; Lu, B; Ji, LL; Wang, ZT. (2014). Therapeutic detoxification of quercetin against carbon tetrachloride-induced acute liver injury in mice and its mechanism. *Journal of Zhejiang University Science B.* 15: 1039-1047.
- Zhang, K; Lv, S; Li, X; Feng, Y; Li, X; Liu, L; Li, S; Li, Y. (2013). Preparation, characterization, and in vivo pharmacokinetics of nanostructured lipid carriers loaded with oleanolic acid and gentiopicrin. *Int J Nanomedicine.* 8: 3227-3239.
- Zhang, K; Zhang, M; Liu, Z; Zhang, Y; Gu, L; Hu, G; Chen, X; Jia, J. (2016). Development of quercetin-phospholipid complex to improve the bioavailability and protection effects against carbon tetrachloride-induced hepatotoxicity in SD rats. *Fitoterapia.* 113: 102-109.
- Zhang, L; Duan, YY; Yin, JK; Cui, JH; Zhang, Y; Cao, TS. (2007). Grey scale enhancement by a new self-made contrast agent in early cirrhotic stage of rabbit liver. *BMC Gastroenterol.* 7: 32.
- Zhang, L; Wang, X; Zheng, W; Shi, M. (2006). The effects of interleukin-10 on the expression of Fas and FasL in rat hepatic stellate cells. *Medicinal chemistry (Sha#772;riqah (United Arab Emirates)).* 2: 611-616.
- Zhang, LF; Yang, WL; Zhang, LL; Li, XX. (2015). Highly chlorinated unintentionally produced persistent organic pollutants generated during the methanol-based production of chlorinated methanes: A case study in China. *Chemosphere.* 133: 1-5.
- Zhang, LJ; Yu, JP; Li, D; Huang, YH; Chen, ZX; Wang, XZ. (2004). Effects of cytokines on carbon tetrachloride-induced hepatic fibrogenesis in rats. *World J Gastroenterol.* 10: 77-81.
- Zhang, LJ; Zheng, WD; Chen, YX; Huang, YH; Chen, ZX; Zhang, SJ; Shi, MN; Wang, XZ. (2007). Antifibrotic effects of interleukin-10 on experimental hepatic fibrosis. *Hepatogastroenterology.* 54: 2092-2098.
- Zhang, LJ; Zheng, WD; Shi, MN; Wang, XZ. (2006). Effects of interleukin-10 on activation and apoptosis of hepatic stellate cells in fibrotic rat liver. *World J Gastroenterol.* 12: 1918-1923.
- Zhang, LP; Takahara, T; Yata, Y; Furui, K; Jin, B; Kawada, N; Watanabe, A. (1999). Increased expression of plasminogen activator and plasminogen activator inhibitor during liver fibrogenesis of rats: role of stellate cells. *J Hepatol.* 31: 703-711.
- Zhang, LS; Wang, YD; Chen, WD; Wang, XC; Lou, GY; Liu, N; Lin, M; Forman, BM; Huang, WD. (2012). Promotion of Liver Regeneration/Repair by Farnesoid X Receptor in Both Liver and Intestine in Mice. *Hepatology.* 56: 2336-2343.
- Zhang, M; Deng, Y; Zhang, HB; Su, XL; Chen, HL; Yu, T; Guo, P. (2008). Two new coumarins from *Herpetospermum caudigerum*. *Chemical & Pharmaceutical Bulletin.* 56: 192-193.
- Zhang, M; Pan, LJ; Jiang, ST; Mo, YW. (2016). Protective effects of anthocyanins from purple sweet potato on acute carbon tetrachloride-induced oxidative hepatotoxicity fibrosis in mice. *Food and Agricultural Immunology.* 27: 157-170.
- Zhang, NL; Blowers, P; Farrell, J. (2005). Ab initio study of carbon-chlorine bond cleavage in carbon tetrachloride. *Environmental Science & Technology.* 39: 612-617.
- Zhang, NL; Luo, J; Blowers, P; Farrell, J. (2008). Understanding trichloroethylene chemisorption to iron surfaces using density functional theory. *Environmental Science & Technology.* 42: 2015-2020.
- Zhang, RJ; Zhao, Y; Sun, YF; Lu, XS; Yang, XB. (2013). Isolation, Characterization, and Hepatoprotective Effects of the Raffinose Family Oligosaccharides from *Rehmannia glutinosa* Libosch. *J Agric Food Chem.* 61: 7786-7793.
- Zhang, S; Liu, P; Chen, L; Wang, Y; Wang, Z; Zhang, B. (2015). The effects of spheroid formation of adipose-derived stem cells in a microgravity bioreactor on stemness properties and therapeutic potential. *Biomaterials.* 41: 15-25.
- Zhang, S; Lu, BN; Han, X; Xu, LN; Qi, Y; Yin, LH; Xu, YW; Zhao, YY; Liu, KX; Peng, JY. (2013). Protection of the flavonoid fraction from *Rosa laevigata* Michx fruit against carbon tetrachloride-induced acute liver injury in mice. *Food Chem Toxicol.* 55: 60-69.
- Zhang, S; Peng, J. (2013). Response to: "Hormetic effect of *Rosa laevigata* Michx in CCl₄-induced hepatotoxicity and the presumptive role of PPARs". *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association.* 57: 389.

Environmental Hazard Literature Search Results

Off Topic

- Zhang, SC; Liu, P; Chen, L; Wang, YJ; Wang, ZG; Zhang, B. (2015). The effects of spheroid formation of adipose-derived stem cells in a microgravity bioreactor on sternness properties and therapeutic potential. *Biomaterials*. 41: 15-25.
- Zhang, SH; Ji, G; Liu, JW. (2006). Reversal of chemical-induced liver fibrosis in Wistar rats by puerarin. *J Nutr Biochem*. 17: 485-491.
- Zhang, W; Li, L; Li, BZ; Lin, KF; Lu, SG; Fu, RB; Zhu, J; Cui, XH. (2013). Mechanism and Pathway of Tetrachloroethylene Dechlorination by Zero-Valent Iron with Cu or Cu/C. *Journal of Environmental Engineering-Asce*. 139: 803-809.
- Zhang, W; Miao, J; Li, P; Wang, Y; Zhang, Y. (2013). Up-regulation of components of the renin-angiotensin system in liver fibrosis in the rat induced by CCL₄. *Res Vet Sci*. 95: 54-58.
- Zhang, W; Miao, J; Li, P; Wang, Y; Zhang, Y. (2013). Up-regulation of components of the renin-angiotensin system in liver fibrosis in the rat induced by CCL₄. *Res Vet Sci*. 95: 54-58.
- Zhang, W; Miao, JF; Li, PF; Wang, YX; Zhang, YS. (2013). Up-regulation of components of the renin-angiotensin system in liver fibrosis in the rat induced by CCL₄. *Res Vet Sci*. 95: 54-58.
- Zhang, WH; Quan, X; Wang, JX; Zhang, ZY; Chen, S. (2006). Rapid and complete dechlorination of PCP in aqueous solution using Ni-Fe nanoparticles under assistance of ultrasound. *Chemosphere*. 65: 58-64.
- Zhang, WH; Quan, X; Zhang, ZY. (2007). Catalytic reductive dechlorination of p-chlorophenol in water using Ni/Fe nanoscale particles. *J Environ Sci*. 19: 362-366.
- Zhang, WX; Yin, LH; Tao, XF; Xu, LA; Zheng, LL; Han, X; Xu, YW; Wang, CY; Peng, JY. (2016). Dioscin alleviates dimethylnitrosamine-induced acute liver injury through regulating apoptosis, oxidative stress and inflammation. *Environ Toxicol Pharmacol*. 45: 193-201.
- Zhang, XL; Deng, BL; Guo, J; Wang, Y; Lan, YQ. (2011). Ligand-assisted degradation of carbon tetrachloride by microscale zero-valent iron. *J Environ Manage*. 92: 1328-1333.
- Zhang, XM; Zhang, Q; Peng, Q; Zhou, J; Liao, LF; Sun, X; Zhang, L; Gong, T. (2014). Hepatitis B virus preS1-derived lipopeptide functionalized liposomes for targeting of hepatic cells. *Biomaterials*. 35: 6130-6141.
- Zhang, XP; Zhang, F; Zhang, ZL; Ma, J; Kong, DS; Ni, GX; Wang, AY; Chen, WX; Lu, Y; Zheng, SZ. (2012). Acupuncture combined with curcumin disrupts platelet-derived growth factor β receptor/extracellular signal-regulated kinase signalling and stimulates extracellular matrix degradation in carbon tetrachloride-induced hepatic fibrosis in rats. *Acupuncture in medicine : journal of the British Medical Acupuncture Society*. 30: 324-330.
- Zhang, Y; Hu, X; Yu, T. (2012). Distribution and risk assessment of metals in sediments from Taihu Lake, China using multivariate statistics and multiple tools. *Bull Environ Contam Toxicol*. 89: 1009-1015.
- Zhang, Y; Jia, Y; Yang, M; Yang, P; Tian, Y; Xiao, A; Wen, A. (2012). The impaired disposition of probe drugs is due to both liver and kidney dysfunctions in CCl₄-model rats. *Environ Toxicol Pharmacol*. 33: 453-458.
- Zhang, Y; Jia, YY; Yang, MM; Yang, P; Tian, Y; Xiao, AP; Wen, AD. (2012). The impaired disposition of probe drugs is due to both liver and kidney dysfunctions in CCl₄-model rats. *Environ Toxicol Pharmacol*. 33: 453-458.
- Zhang, YB; Guo, J; Dong, HY; Zhao, XM; Zhou, L; Li, XY; Liu, JC; Niu, YC. (2011). Hydroxysafflor yellow A protects against chronic carbon tetrachloride-induced liver fibrosis. *Eur J Pharmacol*. 660: 438-444.
- Zhang, YF; Yang, B; Han, YN; Jiang, CJ; Wu, DL; Fan, JH; Ma, LM. (2016). Novel iron metal matrix composite reinforced by quartz sand for the effective dechlorination of aqueous 2-chlorophenol. *Chemosphere*. 146: 308-314.
- Zhang, YQ; Wu, LP; Wang, Y; Zhang, MC; Li, LM; Zhu, DH; Li, XH; Gu, HW; Zhang, CY; Zen, K. (2012). Protective Role of Estrogen-induced miRNA-29 Expression in Carbon Tetrachloride-induced Mouse Liver Injury. *J Biol Chem*. 287: 14851-14862.
- Zhang, Z; Qi, X; Li, Z; Xu, L; Wang, F; Wang, S; Chang, Y; Ma, W; Xu, M; Yang, C. (2014). Hepatopulmonary syndrome: the role of intra-abdominal hypertension and a novel mouse model. *Int J Clin Exp Pathol*. 7: 768-773.
- Zhang, ZF; Liu, Y; Lu, LY; Luo, P. (2014). Hepatoprotective activity of *Gentiana veitchiorum* Hemsl. against carbon tetrachloride-induced hepatotoxicity in mice. *Chin J Nat Med*. 12: 488-494.
- Zhang, ZF; Oostrom, M; Ward, AL. (2007). Saturation-dependent hydraulic conductivity anisotropy for multifluid systems in porous media. *Vadose Zone Journal*. 6: 925-934.
- Zhang, ZL; Guo, Y; Zhang, S; Zhang, Y; Wang, YQ; Ni, WX; Kong, DS; Chen, WJ; Zheng, SZ. (2013). Curcumin modulates cannabinoid receptors in liver fibrosis in vivo and inhibits extracellular matrix expression in hepatic stellate cells by suppressing cannabinoid receptor type-1 in vitro. *Eur J Pharmacol*. 721: 133-140.
- Zhang, ZM; Chen, XP; Qiu, FZ. (1993). Experimental studies on central benzodiazepine receptors in the brains of hepatic encephalopathy rats. *Chin Med J*. 106: 723-727.
- Zhang, ZM; Qiu, FZ; Chen, XP. (1994). An experimental study on somatostatin receptors in the brains of hepatic encephalopathy rats. *Journal of Tongji Medical University = Tong ji yi ke da xue xue bao*. 14: 129-132.
- Zhang, ZP; Liu, XM; Zhang, X; Liu, JH; Hao, YF; Yang, XY; Wang, YJ. (2011). Comparative Evaluation of the Antioxidant Effects of the Natural Vitamin C Analog 2-O-beta-D-glucopyranosyl-L-ascorbic Acid Isolated from Goji Berry Fruit. *Arch Pharm Res*. 34: 801-810.
- Zhang, ZQ; Qiu, JF; Luo, M; Sun, YW; Zhao, G; Chen, W; Liu, H; Wu, ZY. (2008). Liposome-mediated gene transfer of endothelial nitric oxide synthase to cirrhotic rat liver decreases intrahepatic vascular resistance. *J Gastroenterol Hepatol*. 23: E487-E493.
- Zhang, ZQ; Shi, B; Wu, GQ; Qin, KR; Jiang, ZL; Zhu, L. (2009). Combined use of propranolol and nifedipine offers better effects on portal vein nonuniform remodeling in carbon tetrachloride (CCl₄)-induced portal hypertensive rats. *Eur J Pharmacol*. 613: 108-113.
- Zhang, ZY; Wang, X; Xu, HF; Mu, JZ; Ma, YB; Miao, JY; Guo, XG; Fan, DM. (2001). Changes of gastrointestinal motility in rats with CCl₄ induced cirrhosis. *Journal of the Fourth Military Medical University*. 22: 898-900.
- Zhao, DC; Lei, JX; Chen, R; Yu, WH; Zhang, XM; Li, SN; Xiang, P. (2005). Bone marrow-derived mesenchymal stem cells protect against experimental liver fibrosis in rats. *World J Gastroenterol*. 11: 3431-3440.

Environmental Hazard Literature Search Results

Off Topic

- Zhao, F; Wang, YX; Yuan, J; Deng, M; Wong, HL; Chu, ES; Go, MY; Teng, GJ; Ahuja, AT; Yu, J. (2012). MR T1ρ as an imaging biomarker for monitoring liver injury progression and regression: an experimental study in rats with carbon tetrachloride intoxication. *Eur Radiol.* 22: 1709-1716.
- Zhao, HW; Zhang, ZF; Chai, X; Li, GQ; Cui, HR; Wang, HB; Meng, YK; Liu, HM; Wang, JB; Li, RS; Bai, ZF; Xiao, XH. (2016). Oxymatrine attenuates CCl4-induced hepatic fibrosis via modulation of TLR4-dependent inflammatory and TGF-beta 1 signaling pathways. *Int Immunopharmacol.* 36: 249-255.
- Zhao, H-w; Zhang, Z-f; Chai, X; Li, G-q; Cui, H-r; Wang, H-b; Meng, Y-k; Liu, H-m; Wang, J-b; Li, R-s; Bai, Z-f; Xiao, X-h. (2016). Oxymatrine attenuates CCl4-induced hepatic fibrosis via modulation of TLR4-dependent inflammatory and TGF-β1 signaling pathways. *Int Immunopharmacol.* 36: 249-255.
- Zhao, L; Feng, Z; Hu, B; Chi, X; Jiao, S. (2012). Ex vivo-expanded bone marrow mesenchymal stem cells facilitate recovery from chemically induced acute liver damage. *Hepatogastroenterology.* 59: 2389-2394.
- Zhao, L; Wang, Y; Liu, J; Wang, K; Guo, XX; Ji, BP; Wu, W; Zhou, F. (2016). Protective Effects of Genistein and Puerarin against Chronic Alcohol-Induced Liver Injury in Mice via Antioxidant, Anti-inflammatory, and Anti-apoptotic Mechanisms. *J Agric Food Chem.* 64: 7291-7297.
- Zhao, S; Zhang, Z; Qian, L; Lin, Q; Zhang, C; Shao, J; Zhang, F; Zheng, S. (2017). Tetramethylpyrazine attenuates carbon tetrachloride-caused liver injury and fibrogenesis and reduces hepatic angiogenesis in rats. *Biomedicine & Pharmacotherapy.* 86: 521-530.
- Zhao, X; Deng, B; Xu, XY; Yang, SJ; Zhang, T; Song, YJ; Liu, XT; Wang, YQ; Cai, DY. (2013). Glycyrrhizinate reduces portal hypertension in isolated perfused rat livers with chronic hepatitis. *World J Gastroenterol.* 19: 6069-6076.
- Zhao, X; Wallace, RB; Hyndman, DW; Dybas, MJ; Voice, TC. (2005). Heterogeneity of chlorinated hydrocarbon sorption properties in a sandy aquifer. *J Contam Hydrol.* 78: 327-342.
- Zhao, X; Xue, CH; Li, ZJ; Cai, YP; Liu, HY; Qi, HT. (2004). Antioxidant and hepatoprotective activities of low molecular weight sulfated polysaccharide from *Laminaria japonica*. *J Appl Phycol.* 16: 111-115.
- Zhao, XD; Szafranski, MJ; Maraga, MA; Voice, TC. (1999). Sorption and bioavailability of carbon tetrachloride in a low organic content sandy soil. *Environ Toxicol Chem.* 18: 1755-1762.
- Zhao, XK; Cheng, ML; Wu, RM; Yao, YM; Mu, M; Zhu, JJ; Zhang, BF; Zhou, MY. (2014). Effect of Danshao Huaxian capsule on Gremlin and bone morphogenetic protein-7 expression in hepatic fibrosis in rats. *World J Gastroenterol.* 20: 14875-14883.
- Zhao, Y; Ma, X; Wang, J; He, X; Hu, Y; Zhang, P; Wang, R; Li, R; Gong, M; Luo, S; Xiao, X. (2014). Curcumin protects against CCl4-induced liver fibrosis in rats by inhibiting HIF-1α through an ERK-dependent pathway. *Molecules (Basel, Switzerland).* 19: 18767-18780.
- Zhao, Y; Zhai, DS; Chen, XJ; Yang, JN; Song, XF; He, H; Yu, QL; Xing, Y. (2007). Ketoprofen glucuronidation and bile excretion in carbon tetrachloride and alpha-naphthylisothiocyanate induced hepatic injury rats. *Toxicology.* 230: 145-150.
- Zhao, Y; Zhong, ZQ. (2005). Oligomeric cholates: Amphiphilic foldamers with nanometer-sized hydrophilic cavities. *J Am Chem Soc.* 127: 17894-17901.
- Zhao, YH; Wang, LS; Gao, H; Zhang, Z. (2011). Quantitative structure--activity relationships: Relationship between toxicity of organic chemicals to fish and to photobacterium phosphoreum. *Asian Pacific journal of tropical biomedicine.* 26: 1971-1979.
- Zhao, YL; Wang, JB; Zhou, GD; Shan, LM; Xiao, XH. (2009). Investigations of Free Anthraquinones from Rhubarb Against alpha-Naphthylisothiocyanate-induced Cholestatic Liver Injury in Rats. *Basic & Clinical Pharmacology & Toxicology.* 104: 463-469.
- Zhao, YP; Qian, SP; Yu, WL; Xue, Z; Shen, H; Yao, SD; Wang, DP. (2002). Antioxidant activity of lycopene extracted from tomato paste towards trichloromethyl peroxy radical CCl(3)O(2). *Food Chem.* 77: 209-212.
- Zhao, Z; Park, SM; Guan, L; Wu, Y; Lee, JR; Kim, SC; Kim, YW; Zhao, R. (2015). Isoliquiritigenin attenuates oxidative hepatic damage induced by carbon tetrachloride with or without buthionine sulfoximine. *Chem Biol Interact.* 225: 13-20.
- Zhao, ZS; O'Brien, PJ. (1996). The prevention of CCl4-induced liver necrosis in mice by naturally occurring methylenedioxybenzenes. *Toxicol Appl Pharmacol.* 140: 411-421.
- Zhao, ZS; O'Brien, PJ. (1996). The prevention of CCl sub(4)-induced liver necrosis in mice by naturally occurring methylenedioxybenzenes. *Toxicol Appl Pharmacol.* 140: 411-421.
- Zhao-Zhen, N. Fumigation trials with carbon disulphide:carbon tetrachloride (20:80) in silo bins. *Developments in agricultural engineering.* 1983 (pub. 1984). v. 5: 657-662.
- Zheglova, D; Denkov, N; Kol'tsov, AI. (1984). Influence of intramolecular hydrogen bonds on the tautomeric equilibrium of 1,3-diketones. *Journal of Molecular Structure.* 115: 371-374.
- Zhen, MC; Wang, Q; Huang, XH; Cao, LQ; Chen, XL; Sun, K; Liu, YJ; Li, W; Zhang, LJ. (2007). Green tea polyphenol epigallocatechin-3-gallate inhibits oxidative damage and preventive effects on carbon tetrachloride-induced hepatic fibrosis. *J Nutr Biochem.* 18: 795-805.
- Zheng, B; Tan, L; Mo, X; Yu, W; Wang, Y; Tucker-Kellogg, L; Welsch, RE; So, PT; Yu, H. (1989). Predicting in vivo anti-hepatofibrotic drug efficacy based on in vitro high-content analysis. *Bull Environ Contam Toxicol.* 6: e26230.
- Zheng, CZ; Wang, JL; Li, X; Liu, BK; Wu, Q; Lin, XF. (2011). Regioselective synthesis of amphiphilic metoprolol-saccharide conjugates by enzymatic strategy in organic media. *Process Biochemistry.* 46: 123-127.
- Zheng, C-Z; Wang, J-L; Li, X; Liu, B-K; Wu, Q; Lin, X-F. (2011). Regioselective synthesis of amphiphilic metoprololâsaccharide conjugates by enzymatic strategy in organic media. *Process Biochemistry.* 46: 123-127.
- Zheng, HL; Xiong, WQ; Gong, YK; Peng, DJ; Li, LC. (2007). Catalytic spectrophotometric determination of trace aluminium with indigo carmine. *Spectrochimica acta Part A, Molecular and biomolecular spectroscopy.* 66: 1243-1247.
- Zheng, J; Kwak, K; Asbury, J; Chen, X; Piletic, IR; Fayer, MD. (2005). Ultrafast dynamics of solute-solvent complexation observed at thermal equilibrium in real time. *Science.* 309: 1338-1343.

Environmental Hazard Literature Search Results

Off Topic

- Zheng, J; Wu, C; Lin, Z; Guo, Y; Shi, L; Dong, P; Lu, Z; Gao, S; Liao, Y; Chen, B; Yu, F. (2014). Curcumin up-regulates phosphatase and tensin homologue deleted on chromosome 10 through microRNA-mediated control of DNA methylation--a novel mechanism suppressing liver fibrosis. *FEBS J.* 281: 88-103.
- Zheng, JJ; Wu, CZ; Xu, ZQ; Xia, P; Dong, PH; Chen, BC; Yu, FJ. (2015). Hepatic stellate cell is activated by microRNA-181b via PTEN/Akt pathway. *Mol Cell Biochem.* 398: 1-9.
- Zheng, LB; Chen, XL; Guo, JB; Sun, HC; Liu, L; Shih, DQ; Zhang, XL. (2012). Differential expression of PTEN in hepatic tissue and hepatic stellate cells during rat liver fibrosis and its reversal. *Int J Mol Med.* 30: 1424-1430.
- Zheng, QS; Sun, XL; Li, G; Song, M; Wang, CH. (2004). Protective effects of luteolin-7-glucoside against liver injury caused by carbon tetrachloride in rats. *Pharmazie.* 59: 286-289.
- Zheng, QS; Sun, XL; Xu, B; Li, G; Song, M. (2005). Mechanisms of apigenin-7-glucoside as a hepatoprotective agent. *Biomedical and environmental sciences : BES.* 18: 65-70.
- Zheng, SP; Chen, YX; Guo, JL; Qi, D; Zheng, SJ; Zhang, SL; Weng, ZH. (2013). Recombinant adeno-associated virus-mediated transfer of shRNA against Notch3 ameliorates hepatic fibrosis in rats. *Exp Biol Med.* 238: 600-609.
- Zheng, TH; Zhan, JJ; He, JB; Day, C; Lu, YF; McPherson, GL; Piringier, G; John, VT. (2008). Reactivity characteristics of nanoscale zerovalent iron-silica composites for trichloroethylene remediation. *Environmental Science & Technology.* 42: 4494-4499.
- Zheng, W; Yates, S; Papiernik, SK; Guo, MX; Gan, JY. (2006). Dechlorination of chloropicrin and 1,3-dichloropropene by hydrogen sulfide species: Redox and nucleophilic substitution reactions. *J Agric Food Chem.* 54: 2280-2287.
- Zheng, YJ; Ornstein, RL. (1996). A molecular dynamics study of the effect of carbon tetrachloride on enzyme structure and dynamics: Subtilisin. *Protein Engineering.* 9: 485-492.
- Zheng, Z; Gelling, RW. (2017). Attenuation of Carbon Tetrachloride-Induced Hepatic Toxicity by a Dietary Supplement. *Journal of Dietary Supplements.* 14: 121-131.
- Zholdakova, ZI. (1985). Predicting toxicity from molecular connectivity index. *Gigiena i Sanitariya* 15-17.
- Zhong, JY; Cong, HQ; Zhang, LH. (2007). Inhibitory effects of grape procyanidins on free radical-induced cell damage in rat hepatocytes in vitro. *World J Gastroenterol.* 13: 2752-2755.
- Zhong, LY; Yang, JW. (2012). Reduction of Cr(VI) by malic acid in aqueous Fe-rich soil suspensions. *Chemosphere.* 86: 973-978.
- Zhong, MM; Chen, FH; Yuan, LP; Wang, XH; Wu, FR; Yuan, FL; Cheng, WM. (2007). Protective effect of total flavonoids from *Bidens bipinnata* L. against carbon tetrachloride-induced liver injury in mice. *J Pharm Pharmacol.* 59: 1017-1025.
- Zhong, Y; Tang, Z; Xu, R; Lin, N; Deng, M; Fang, H; Lin, J; Zhu, K; Liu, Y; Kang, Z. (2013). Effect of transplantation route on stem cell migration to fibrotic liver of rats via cellular magnetic resonance imaging. *Cytotherapy.* 15: 1266-1274.
- Zhou, G; Chen, YX; Liu, S; Yao, XC; Wang, YW. (2013). In vitro and in vivo hepatoprotective and antioxidant activity of ethanolic extract from *Meconopsis integrifolia* (Maxim.) Franch. *J Ethnopharmacol.* 148: 664-670.
- Zhou, HY; Wang, F; Zhang, KQ; Cheng, L; Zhou, J; Fu, LY; Yao, WX. (2004). Electrophysiological effects of anthopleurin-Q on rat hepatocytes. *World J Gastroenterol.* 10: 96-99.
- Zhou, IY; Gao, DS; Chow, AM; Fan, SJ; Cheung, MM; Ling, CC; Liu, XB; Cao, P; Guo, H; Man, K; Wu, EX. (2014). Effect of Diffusion Time on Liver DWI: An Experimental Study of Normal and Fibrotic Livers. *Magn Reson Med.* 72: 1389-1396.
- Zhou, J; Zhou, J; Zhong, X; Chen, L; Yang, X. (1996). Abnormal expressions of hepatocellular proteins and extracellular matrix in CCL4-induced liver injury in rats. *Chin Med J.* 109: 366-371.
- Zhou, JZ; Palumbo, AV; Strong, JM. (1999). Phylogenetic characterization of a mixed microbial community capable of degrading carbon tetrachloride. *Appl Biochem Biotechnol.* 80: 243-253.
- Zhou, Q; Birkholzer, JT; Javandel, I; Jordan, PD. (2004). Modeling three-dimensional groundwater flow and advective contaminant transport at a heterogeneous mountainous site in support of remediation. *Vadose zone journal VZJ.* 3.
- Zhou, QY; Liu, D; Huang, SF; Wen, YA; Luo, P; Xiang, Y; Sun, S; Dong, YF; Zhang, LP. (2011). C/EBP alpha down-regulation is associated with reduced hepatic cellular viability during hypoxia in vitro and in vivo. *Exp Toxicol Pathol.* 63: 307-310.
- Zhou, QY; Liu, D; Huang, SF; Wen, YA; Luo, P; Xiang, Y; Sun, S; Dong, YF; Zhang, LP. (2011). C/EBPβ down-regulation is associated with reduced hepatic cellular viability during hypoxia in vitro and in vivo. *Exp Toxicol Pathol.* 63: 307-310.
- Zhou, R; Luo, W; Zhu, L; Chen, F; Tang, H. (2007). Spectrophotometric determination of carbon tetrachloride via ultrasonic oxidation of iodide accelerated by dissolved carbon tetrachloride. *Anal Chim Acta.* 597: 295-299.
- Zhou, SQ; Shao, YS; Gao, NY; Zhu, SM; Ma, Y; Deng, J. (2014). Chlorination and chloramination of tetracycline antibiotics: Disinfection by-products formation and influential factors. *Ecotoxicol Environ Saf.* 107: 30-35.
- Zhou, X; Jamil, A; Nash, A; Chan, J; Trim, N; Iredale, JP; Benyon, RC. (2006). Impaired proteolysis of collagen I inhibits proliferation of hepatic stellate cells: implications for regulation of liver fibrosis. *The Journal of biological chemistry.* 281: 39757-39765.
- Zhou, X; Li, D; Li, X; Lu, H; Zhang, W. (2003). A combination of Ang II and carbon tetrachloride accelerates process of hepatic fibrosis. *Chin Med J.* 116: 62-65.
- Zhou, XF; Wang, Q; Chu, JX; Liu, AL. (2006). Effects of retrorsine on mouse hepatocyte proliferation after liver injury. *World J Gastroenterol.* 12: 1439-1442.
- Zhou, XY; Yu, ZJ; Yan, D; Wang, HM; Huang, YH; Sha, J; Xu, FY; Cai, ZY; Min, WP. (2013). BML-11, A Lipoxin Receptor Agonist, Protected Carbon Tetrachloride-Induced Hepatic Fibrosis in Rats. *Inflammation.* 36: 1101-1106.
- Zhou, Y; Zhang, L; Ji, H; Lu, X; Xia, J; Li, L; Chen, F; Bu, H; Shi, Y. (2016). MiR-17~92 ablation impairs liver regeneration in an estrogen-dependent manner. *J Cell Mol Med.* 20: 939-948.

Environmental Hazard Literature Search Results

Off Topic

- Zhou, YH; Wu, CP; Dong, XL; Qu, JP. (2016). Synthesis of 6-Trichloromethylphenanthridines by Transition Metal-Free Radical Cyclization of 2-Isocyanobiphenyls. *J Org Chem.* 81: 5202-5208.
- Zhou, YJ; Zhang, L; Ji, HJ; Lu, XF; Xia, J; Li, L; Chen, F; Bu, H; Shi, YJ. (2016). MiR-17 similar to 92 ablation impairs liver regeneration in an estrogen-dependent manner. *J Cell Mol Med.* 20: 939-948.
- Zhou, YN; Sun, MY; Mu, YP; Yang, T; Ning, BB; Ren, S; Chen, JM; Liu, P. (2014). Xuefuzhuyu decoction inhibition of angiogenesis attenuates liver fibrosis induced by CCl₄ in mice. *J Ethnopharmacol.* 153: 659-666.
- Zhou, YN; Sun, MY; Mu, YP; Yang, T; Ning, BB; Ren, S; Chen, JM; Liu, P. (2014). Xuefuzhuyu decoction inhibition of angiogenesis attenuates liver fibrosis induced by CCl₄ in mice. *J Ethnopharmacol.* 153: 659-666.
- Zhu, B; Zhai, Q; Yu, B. (2010). Tanshinone IIA protects rat primary hepatocytes against carbon tetrachloride toxicity via inhibiting mitochondria permeability transition. *Pharmaceutical Biology.* 48: 484-487.
- Zhu, LD; Kong, M; Han, YP; Bai, L; Zhang, XH; Chen, Y; Zheng, SJ; Yuan, H; Duan, ZP. (2015). Spontaneous liver fibrosis induced by long term dietary vitamin D deficiency in adult mice is related to chronic inflammation and enhanced apoptosis. *Can J Physiol Pharmacol.* 93: 385-394.
- Zhu, LJ; Li, B; Liu, XY; Meng, XJ. (2013). Hepatoprotective Effects of Triterpenoid Isolated from *Schizandra chinensis* against Acute Alcohol-Induced Liver Injury in Mice. *Food Science and Technology Research.* 19: 1003-1009.
- Zhu, LZ; Chen, BL. (2000). Sorption behavior of p-nitrophenol on the interface between anion-cation organobentonite and water. *Environmental Science & Technology.* 34: 2997-3002.
- Zhu, LZ; Li, YM; Zhang, JY. (1997). Sorption of organobentonites to some organic pollutants in water. *Environmental Science & Technology.* 31: 1407-1410.
- Zhu, LZ; Ren, XG; Yu, SB. (1998). Use of cetyltrimethylammonium bromide bentonite to remove organic contaminants of varying polar character from water. *Environmental Science & Technology.* 32: 3374-3378.
- Zhu, LZ; Su, YH. (2002). Benzene vapor sorption by organobentonites from ambient air. *Clays and Clay Minerals.* 50: 421-427.
- Zhu, M; Lin, KF; Yeung, RY; Li, RC. (1999). Evaluation of the protective effects of *Schisandra chinensis* on Phase I drug metabolism using a CCl₄ intoxication model. *J Ethnopharmacol.* 67: 61-68.
- Zhu, M; Yeung, RY; Lin, KF; Li, RC. (2000). Improvement of phase I drug metabolism with *Schisandra chinensis* against CCl₄ hepatotoxicity in a rat model. *Planta Med.* 66: 521-525.
- Zhu, R; Yang, L; Shen, L; Ye, J; Liu, J; Hu, S. (2009). ANG II-AT1 receptor pathway is involved in the anti-fibrotic effect of beta-elemene. *Journal of Huazhong University of Science and Technology Medical sciences = Hua zhong ke ji da xue xue bao Yi xue Ying De wen ban = Huazhong keji daxue xuebao Yixue Yingdewen ban.* 29: 177-181.
- Zhu, R; Zeng, G; Chen, Y; Zhang, Q; Liu, B; Liu, J; Chen, H; Li, M. (2013). Oroxylin A accelerates liver regeneration in CCl₄-induced acute liver injury mice. *PLoS ONE.* 8: e71612.
- Zhu, T; Xu, DY; He, XW; Shu, XQ; Li, JA; Liang, WJ; Jin, YQ; Wan, YD; Wu, QO; Hu, Y. (2010). DECOMPOSITION OF BENZENE IN DRY AIR BY SUPER-IMPOSED BARRIER DISCHARGE NONTHERMAL PLASMA-PHOTOCATALYTIC SYSTEM. *Fresen Environ Bull.* 19: 1275-1282.
- Zhu, W; Fung, PCW. (2000). The roles played by crucial free radicals like lipid free, radicals, nitric oxide, and enzymes NOS and NADPH in CCl₄-induced acute liver injury of mice. *Free Radic Biol Med.* 29: 870-880.
- Zhu, WH; Wang, RH; Huang, TL; Wu, FC. (2014). The characteristics and two-step reaction model of p-nitroacetophenone biodegradation mediated by *Shewanella decolorationis* S12 and electron shuttle in the presence/absence of goethite. *Environ Technol.* 35: 3116-3123.
- Zhu, XJ; Zhang, F; Zhou, L; Kong, DS; Chen, L; Lu, Y; Zheng, SZ. (2014). Diallyl trisulfide attenuates carbon tetrachloride-caused liver injury and fibrogenesis and reduces hepatic oxidative stress in rats. *Naunyn-Schmiedeberg's Archives of Pharmacology.* 387: 445-455.
- Zhu, XL; Fan, ZH; Wu, XM; Meng, QY; Wang, SW; Tang, XG; Ohman-Strickland, P; Georgopoulos, P; Zhang, JF; Bonanno, L; Held, J; Lioy, P. (2008). Spatial variation of volatile organic compounds in a "Hot Spot" for air pollution. *Atmos Environ.* 42: 7329-7338.
- Zhu, X-T; Ji, N-N; Zhang, Y-Q; Xue, S-F; Tao, Z; Zhu, Q-J. (2016). Hexachloroplatinate(IV) anion-induced cucurbit[5]uril and cucurbit[8]uril supramolecular assemblies with linear channels. *Inorganic Chemistry Communications.* 66: 28-32.
- Ziane, O; Zaiba, S; Melikechi, N. (2007). Continuum generation in water and carbon tetrachloride using a picosecond Nd-YAG laser pulse. *Optics Communications.* 273: 200-206.
- Zibrowski, EM; Hoh, TE; Vanderwolf, CH. (1998). Fast wave activity in the rat rhinencephalon: elicitation by the odors of phytochemicals, organic solvents, and a rodent predator. *Brain Res.* 800: 207-215.
- Ziegler, K; Petzinger, E; Grundmann, E; Frimmer, M. (1979). Decreased sensitivity of isolated hepatocytes from baby rats, from regenerating and from poisoned livers to phalloidin. *Naunyn Schmiedeberg's Arch Pharmacol.* 306: 295-300.
- Zim, MCA; Silveira, TR; Schwartzmann, G; Cerski, T; Motta, A. (2002). Potentiation of carbon tetrachloride hepatotoxicity by pentosan polysulfate in rats. *Braz J Med Biol Res.* 35: 1339-1346.
- Zimmerman, HJ. (1986). Effects of alcohol on other hepatotoxins. *Alcoholism, clinical and experimental research.* 10: 3-15.
- Zimmerman, HJ; Kodera, Y; West, M. (1994). RATE OF INCREASE IN PLASMA LEVELS OF CYTOPLASMIC AND MITOCHONDRIAL ENZYMES IN EXPERIMENTAL CARBON TETRACHLORIDE HEPATOTOXICITY. *Hepatology (Baltimore, Md).* 66: 315-323.
- Zimmerman, HJ; Kodera, Y; West, M. (2014). EFFECTS OF CARBON TETRACHLORIDE POISONING ON THE PLASMA LEVELS OF CYTOPLASMIC AND MITOCHONDRIAL ENZYMES IN ANIMALS WITH NUTRITIONAL FATTY METAMORPHOSIS. *The Journal of pathology.* 66: 324-333.
- Zimmerman, HJ; Mao, R; Israsena, S. (1966). Phenothiazine inhibition of carbon tetrachloride cytotoxicity in vitro. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY).* 123: 893-898.
- Zimmerman, SW; Norback, DH; Powers, K. (1983). Carbon tetrachloride nephrotoxicity in rats with reduced renal mass. *Arch Pathol Lab Med.* 107: 264-269.

Environmental Hazard Literature Search Results

Off Topic

- Zipprich, A; Loureiro-Silva, MR; Jain, D; D'Silva, I; Groszmann, RJ. (2008). Nitric oxide and vascular remodeling modulate hepatic arterial vascular resistance in the isolated perfused cirrhotic rat liver. *J Hepatol.* 49: 739-745.
- Zipprich, A; Mehal, WZ; Ripoll, C; Groszmann, RJ. (2010). A distinct nitric oxide and adenosine A1 receptor dependent hepatic artery vasodilatory response in the CCl₄-cirrhotic liver. *Liver international : official journal of the International Association for the Study of the Liver.* 30: 988-994.
- Zira, A; Kostidis, S; Theocharis, S; Sigala, F; Engelsens, SB; Andreadou, I; Mikros, E. (2013). ¹H NMR-based metabonomics approach in a rat model of acute liver injury and regeneration induced by CCl₄ administration. *Toxicology.* 303: 115-124.
- Zira, A; Kostidis, S; Theocharis, S; Sigala, F; Engelsens, SB; Andreadou, I; Mikros, E. (2013). H-1 NMR-based metabonomics approach in a rat model of acute liver injury and regeneration induced by CCl₄ administration. *Toxicology.* 303: 115-124.
- Zira, A; Kostidis, S; Theocharis, S; Sigala, F; Engelsens, SrB; Andreadou, I; Mikros, E. (2013). ¹H NMR-based metabonomics approach in a rat model of acute liver injury and regeneration induced by CCl₄ administration. *Toxicology.* 303: 115-124.
- Zivkovic, J; Cebovic, T; Maksimovic, Z. (2012). In vivo and in vitro antioxidant effects of three Veronica species. *Central European Journal of Biology.* 7: 559-568.
- Zoccolillo, L; Abete, C; Amendola, L; Ruocco, R; Sbrilli, A; Termine, M. (2004). Halocarbons in aqueous matrices from the Rennick Glacier and the Ross Sea (Antarctica). *Int J Environ Anal Chem.* 84: 513-522.
- Zornoza, A; de No, C; Martin, C; Goni, MM; Oharriz, MCM; Velaz, I. (1999). Evidence for polymorphism in glisentide. *Int J Pharm.* 186: 199-204.
- Zou, J; Qi, F; Ye, L; Yao, S. (2016). Protective Role of Grape Seed Proanthocyanidins Against Ccl4 Induced Acute Liver Injury in Mice. *Medical science monitor : international medical journal of experimental and clinical research.* 22: 880-889.
- Zou, SW; Stensel, HD; Ferguson, JF. (2000). Carbon tetrachloride degradation: Effect of microbial growth substrate and vitamin B(12) content. *Environmental Science & Technology.* 34: 1751-1757.
- Zou, YH; Yang, Y; Li, J; Wu, Q; Li, WP; Lu, JT; Roberts, MS. (2008). Potential therapeutic effects of a traditional Chinese formulation, BJ-JN, on liver fibrosis induced by carbon tetrachloride in rats. *J Ethnopharmacol.* 120: 452-457.
- Zubakhin, AA; Mayansky, DN; Kutina, SN. (1992). Functional state of hemopoietic system on different stages of CCl sub(4)- Induced liver fibrosis in mice. *Byulleten Eksperimental'noi Biologii I Meditsiny.* 114: 22-24.
- Zuo, GM; Cheng, ZX; Chen, H; Li, GW; Miao, T. (1988). Study on photocatalytic degradation of several volatile organic compounds. *Arch Biochem Biophys* 8, Aug. 264: 591-599.
- Zwank, L; Elsner, M; Aeberhard, A; Schwarzenbach, RP; Haderlein, SB. (2005). Carbon isotope fractionation in the reductive dehalogenation of carbon tetrachloride at iron (hydr)oxide and iron sulfide minerals. *Environmental Science & Technology.* 39: 5634-5641.

Human Health Hazard Literature Search Results

On Topic

- Abbas, AT; El-Shitany, NA; Shaala, LA; Ali, SS; Azhar, EI; Abdel-Dayem, UA; Youssef, DT. (2014). Red Sea Suberea mollis Sponge Extract Protects against CCl₄-Induced Acute Liver Injury in Rats via an Antioxidant Mechanism. *eCAM.* 2014: 745606. <http://dx.doi.org/10.1155/2014/745606>.
- Abd Alrahem, M; Zolotarov, L; Shabat, Y; Khatib, AA; Mizrahi, M. (2013). Alleviation of liver damage and hepatic fibrosis by oral administration of Imm 124E colostrums in Carbon tetra-chloride (CCl₄) model is mediated by decrease of intra-hepatic F4/80 macrophages activation. *Hepatology.* 58: 588A-589A.
- Abd El Latif, HA; Mahmoud, SS; Asaad, GF; El-Hussiny, M. (2011). Pharmacological study of the effect of licorice alone and in combination with diclofenac sodium on hepatotoxicity-induced experimentally in rats. *Journal of Complementary & Integrative Medicine.* 8. <http://dx.doi.org/10.2202/1553-3840.1596>.
- Abd El-Kader, AM; Nafady, AM; Ahmed, AS; Ibraheim, ZZ. (2012). ANTIOXIDANT, HEPATOPROTECTIVE AND ANTIMICROBIAL ACTIVITIES OF THE AERIAL PARTS OF POLYGONUM BELLARDII All. *Bulletin of Pharmaceutical Sciences.* 35: 43-54.
- Abd-Allah, GA; El-Bakry, KA; Bahnasawy, MH; El-Khodary, E, ISR. (2016). Protective Effects of Curcumin and Ginger on Liver Cirrhosis Induced by Carbon Tetrachloride in Rats. *International Journal of Pharmacology.* 12: 361-369. <http://dx.doi.org/10.3923/ijp.2016.361.369>.
- Abdallah, HM; Ezzat, SM; El Dine, RS; Abdel-Sattar, E; Abdel-Naim, AB. (2013). Protective effect of Echinops galalensis against CCl₄-induced injury on the human hepatoma cell line (Huh7). *Phytochemistry Letters.* 6: 73-78. <http://dx.doi.org/10.1016/j.phytol.2012.10.012>.
- Abdallah, HM; Ezzat, SM; El Dine, RS; Abdel-Sattar, E; Abdel-Naim, AB. (2013). Protective effect of Echinops galalensis against CCl₄-induced injury on the human hepatoma cell line (Huh7) (vol 6, pg 73, 2013). *Phytochemistry Letters.* 6: 471-471. <http://dx.doi.org/10.1016/j.phytol.2013.06.001>.
- Abdallah, HM; Mohamed, MA; Abdou, AM; Hamed, MM; Abdel-Naim, AB; Ashour, OM. (2013). Protective effect of Centaurea pallescens Del. against CCl₄-induced injury on a human hepatoma cell line (Huh7). *Medicinal Chemistry Research.* 22: 5700-5706. <http://dx.doi.org/10.1007/s00044-013-0563-y>.
- Abdel Aziz, MT; El Asmar, M; Mostafa, S; Salama, H; Atta, HM; Mahfouz, S; Roshdy, NK; Rashed, LA; Sabry, D; Hasan, N; Mahmoud, M; Elderwy, D. (2010). Reversal of Hepatic Fibrosis by Human CD34(+) Stem/Progenitor Cell Transplantation in Rats. 3: 161-174.
- Abdel Moneim, AE. (2014). Prevention of carbon tetrachloride (CCl₄)-induced toxicity in testes of rats treated with Physalis peruviana L. fruit. *Toxicol Ind Health.* 32: 1064-1073. <http://dx.doi.org/10.1177/0748233714545502>.
- Abdel Moneim, AE; El-Khadragy, MF. (2013). The potential effects of pomegranate (Punica granatum) juice on carbon tetrachloride-induced nephrotoxicity in rats. *J Physiol Biochem.* 69: 359-370. <http://dx.doi.org/10.1007/s13105-012-0218-3>.

Human Health Hazard Literature Search Results

On Topic

- Abdel Salam, OM; Sleem, AA; Shafee, N. (2010). Effect of trazodone and nefazodone on hepatic injury induced by carbon tetrachloride. 4: 285-297.
- Abdel Salam, OM; Sleem, AA; Shafee, N. (2010). Hepatoprotective effects of the nitric oxide donor isosorbide-5-mononitrate alone and in combination with the natural hepatoprotectant, silymarin, on carbon tetrachloride-induced hepatic injury in rats. *Inflammopharmacology*. 18: 87-94. <http://dx.doi.org/10.1007/s10787-009-0027-7>.
- Abdelaziz, DH; Ali, SA. (2014). The protective effect of Phoenix dactylifera L. seeds against CCl₄-induced hepatotoxicity in rats. *J Ethnopharmacol*. 155: 736-743. <http://dx.doi.org/10.1016/j.jep.2014.06.026>.
- Abdel-Bakky, MS; Helal, GK; El-Sayed, EM; Saad, AS. (2015). Carbon tetrachloride-induced liver injury in mice is tissue factor dependent. *Environ Toxicol Pharmacol*. 39: 1199-1205. <http://dx.doi.org/10.1016/j.etap.2015.02.012>.
- Abdelghany, AH; Basalamah, MA; Idris, S; Ahmad, J; Refaat, B. (2016). The fibrolytic potentials of vitamin D and thymoquinone remedial therapies: insights from liver fibrosis established by CCl₄ in rats. *J Transl Med*. 14: 281. <http://dx.doi.org/10.1186/s12967-016-1040-4>.
- Abdel-Hamid, NM; Wahid, A; Mohamed, EM; Abdel-Aziz, MA; Mohafez, OM; Bakar, S. (2016). New pathways driving the experimental hepatoprotective action of tempol (4-hydroxy-2,2,6,6-tetramethylpiperidine-1-oxyl) against acute hepatotoxicity. *Biomed Pharmacother*. 79: 215-221. <http://dx.doi.org/10.1016/j.biopha.2016.02.016>.
- Abdel-Hamid, NM; Wahid, A; Nazmy, MH; Eisa, MA. (2016). Synergistic Effects of Jerusalem Artichoke in Combination with Pegylated Interferon Alfa-2a and Ribavirin Against Hepatic Fibrosis in Rats. *Asian Pac J Cancer Prev*. 17: 1979-1985.
- Abdel-Moneim, AM; Al-Kahtani, MA; El-Kersh, MA; Al-Omair, MA. (2015). Free Radical-Scavenging, Anti-Inflammatory/Anti-Fibrotic and Hepatoprotective Actions of Taurine and Silymarin against CCl₄ Induced Rat Liver Damage. *PLoS ONE*. 10: e0144509. <http://dx.doi.org/10.1371/journal.pone.0144509>.
- Abdel-Salam, OM; Sleem, AA; Shaffie, NM. (2010). Effect of Viscum album on acute hepatic damage caused by carbon tetrachloride in rats. *Turkish Journal of Medical Sciences*. 40: 421-426. <http://dx.doi.org/10.3906/sag-0803-12>.
- Abdou, RH; Saleh, SY; Khalil, WF. (2015). Toxicological and biochemical studies on Schinus terebinthifolius concerning its curative and hepatoprotective effects against carbon tetrachloride-induced liver injury. *Pharmacognosy Magazine*. 11: S93-S101. <http://dx.doi.org/10.4103/0973-1296.157705>.
- Abdreshov, SN; Bulekbayeva, LE; Demshenko, GA. (2013). Lymph flow and contractile activity of mesenteric lymph nodes in rats with toxic hepatitis effects of antioxidants. *Bull Exp Biol Med*. 155: 22-25.
- Abdullah; Khan, MA; Ahmad, W; Ahmad, M; Nisar, M. (2017). Hepatoprotective effect of the solvent extracts of Viola canescens Wall. ex. Roxb. against CCl₄ induced toxicity through antioxidant and membrane stabilizing activity. *BMC Complement Altern Med*. 17: 10. <http://dx.doi.org/10.1186/s12906-016-1537-7>.
- Abe, K; Monoe, K; Kanno, Y; Saito, H; Takahashi, A; Ohira, H. (2010). TLR9 ACTIVATION REDUCES CCL4-INDUCED LIVER FIBROSIS IN MICE. *Hepatology*. 52: 1263A-1264A.
- Abouzid, S; Sleem, A. (2011). Hepatoprotective and antioxidant activities of Tamarix nilotica flowers. *Pharmaceutical Biology*. 49: 392-395. <http://dx.doi.org/10.3109/13880209.2010.518971>.
- Abouzied, MM; Eltahir, HM; Taye, A; Abdelrahman, MS. (2016). Experimental evidence for the therapeutic potential of tempol in the treatment of acute liver injury. *Mol Cell Biochem*. 411: 107-115. <http://dx.doi.org/10.1007/s11010-015-2572-2>.
- Abraham, P; Wilfred, G; Catherine, SP. (1999). Oxidative damage to the lipids and proteins of the lungs, testis and kidney of rats during carbon tetrachloride intoxication [Letter]. *Clin Chim Acta*. 289: 177-179.
- Abu-Elsaad, NM; Elkashef, WF. (2016). Modified citrus pectin stops progression of liver fibrosis by inhibiting galectin-3 and inducing apoptosis of stellate cells. *Can J Physiol Pharmacol*. 94: 554-562. <http://dx.doi.org/10.1139/cjpp-2015-0284>.
- Abu-Gharbieh, E; Ahmed, NG. (2016). Bioactive content, hepatoprotective and antioxidant activities of whole plant extract of Micromeria fruticosa (L) Druce ssp Serpyllifolia F Lamiaceae against Carbon tetrachloride-induced hepatotoxicity in mice. *Tropical Journal of Pharmaceutical Research*. 15: 2099-2106. <http://dx.doi.org/10.4314/tjpr.v15i10.7>.
- Aburahma, MH; Abdelbary, GA. (2012). Novel diphenyl dimethyl bicarboxylate provesicular powders with enhanced hepatocurative activity: preparation, optimization, in vitro/in vivo evaluation. *Int J Pharm*. 422: 139-150. <http://dx.doi.org/10.1016/j.ijpharm.2011.10.043>.
- Abu-Rizq, HA; Mansour, MH; Afzal, M. (2015). Curcuma longa attenuates carbon tetrachloride-induced oxidative stress in T-lymphocyte subpopulations. *Methods Mol Biol*. 1208: 159-170. http://dx.doi.org/10.1007/978-1-4939-1441-8_12.
- Abu-Tair, L; Axelrod, JH; Doron, S; Ovadya, Y; Krizhanovsky, V; Galun, E; Amer, J; Safadi, R. (2013). Natural killer cell-dependent anti-fibrotic pathway in liver injury via Toll-like receptor-9. *PLoS ONE*. 8: e82571. <http://dx.doi.org/10.1371/journal.pone.0082571>.
- Acharya, S. R.; Acharya, NS; Bhangale, JO; Shah, SK; Pandya, SS. (2012). Antioxidant and hepatoprotective action of Asparagus racemosus Willd. root extracts. *Indian J Exp Biol*. 50: 795-801.
- Adams, EM; Spencer, HC; Rowe, VK; Mccollister, DD; Irish, DD. (1952). Vapor toxicity of carbon tetrachloride determined by experiments on laboratory animals. *Arch Environ Occup Health*. 6: 50-66.
- Adaramoye, OA. (2009). Comparative effects of vitamin E and kolaviron (a biflavonoid from Garcinia kola) on carbon tetrachloride-induced renal oxidative damage in mice. *Pak J Biol Sci*. 12: 1146-1151.
- Adebajo, AC; Iwalewa, EO; Obuotor, EM; Ibikunle, GF; Omisore, NO; Adewunmi, CO; Obaparusi, OO; Klaes, M; Adetogun, GE; Schmidt, TJ; Verspohl, EJ. (2009). Pharmacological properties of the extract and some isolated compounds of Clausena lansium stem bark: anti-trichomonal, antidiabetic, anti-inflammatory, hepatoprotective and antioxidant effects. *J Ethnopharmacol*. 122: 10-19. <http://dx.doi.org/10.1016/j.jep.2008.11.015>.
- Adebayo, A; Balogun, T; Yakubu, O. (2014). Hepatoprotective properties of the leaf extract of Citrullus lanatus (Thunb.) on carbon tetrachloride induced liver damage in rats. *Planta Med*. 80: 1527-1528.

Human Health Hazard Literature Search Results

On Topic

- Adebayo, AH; Abolaji, AO; Kela, R; Ayepola, OO; Olorunfemi, TB; Taiwo, OS. (2011). Antioxidant activities of the leaves of *Chrysophyllum albidum* G. *Pak J Pharm Sci.* 24: 545-551.
- Adebayo, AH; Song, F, uH; Liu, X, ueT; Dai, Q, inH; Huang, P, ei; Zhang, J, iYu; Zhang, L, iXin. (2014). *Citrullus lanatus* Extract Reverses Oxidative and Haematological Dysfunction in Carbon Tetrachloride Induced Liver Damaged Rats. *International Journal of Pharmacology.* 10: 218-224. <http://dx.doi.org/10.3923/ijp.2014.218.224>.
- Adeneye, AA; Awodele, O; Aiyeola, SA; Benebo, AS. (2015). Modulatory potentials of the aqueous stem bark extract of *Mangifera indica* on carbon tetrachloride-induced hepatotoxicity in rats. 5: 106-115. <http://dx.doi.org/10.1016/j.jtcme.2014.11.001>.
- Adesanoye, OA; Farombi, EO. (2010). Hepatoprotective effects of *Vernonia amygdalina* (astereaceae) in rats treated with carbon tetrachloride. *Exp Toxicol Pathol.* 62: 197-206. <http://dx.doi.org/10.1016/j.etp.2009.05.008>.
- Adetoro, KO; Bolanle, JD; Abdullahi, SB; Ahmed, OA. (2013). In vivo antioxidant effect of aqueous root bark, stem bark and leaves extracts of *Vitex doniana* in CCl₄ induced liver damage rats. 3: 395-400. [http://dx.doi.org/10.1016/S2221-1691\(13\)60083-0](http://dx.doi.org/10.1016/S2221-1691(13)60083-0).
- Adhikari, A; Polley, N; Darbar, S; Bagchi, D; Pal, SK. (2016). Citrate functionalized Mn₃O₄ in nanotherapy of hepatic fibrosis by oral administration. 2: FSO146. <http://dx.doi.org/10.4155/fsoa-2016-0029>.
- AEM, M; EK, M. (1966). The effect of diet and 1,1,1-trichloro-2,2-bis-(p-chlorophenyl)ethane (DDT) on microsomal hydroxylating enzymes and on sensitivity of rats to carbon tetrachloride poisoning. *Biochem J.* 100: 564-571.
- Affò, S; Bataller, R. (2011). RANTES antagonism: a promising approach to treat chronic liver diseases [Comment]. *J Hepatol.* 55: 936-938. <http://dx.doi.org/10.1016/j.jhep.2011.04.023>.
- Affò, S; Morales-Ibanez, O; Rodrigo-Torres, D; Altamirano, J; Blaya, D; Dapito, DH; Millán, C; Coll, M; Caviglia, JM; Arroyo, V; Caballería, J; Schwabe, RF; Ginès, P; Bataller, R; Sancho-Bru, P. (2014). CCL20 mediates lipopolysaccharide induced liver injury and is a potential driver of inflammation and fibrosis in alcoholic hepatitis. *Gut.* 63: 1782-1792. <http://dx.doi.org/10.1136/gutjnl-2013-306098>.
- Afzal, M; Khan, R; Kazmi, I; Anwar, F. (2013). Hepatoprotective potential of new steroid against carbon tetrachloride-induced hepatic injury. *Mol Cell Biochem.* 378: 275-281. <http://dx.doi.org/10.1007/s11010-013-1618-6>.
- Agarwal, AK; Mehendale, HM. (1984). Excessive hepatic accumulation of intracellular Ca²⁺ in chlordecone potentiated CCl₄ toxicity. *Toxicology.* 30: 17-24.
- Agarwal, AK; Mehendale, HM. (1986). Effect of chlordecone on carbon tetrachloride-induced increase in calcium uptake in isolated perfused rat liver. *Toxicol Appl Pharmacol.* 83: 342-348.
- Agbafor, KN; Nwachukwu, N. (2011). Phytochemical Analysis and Antioxidant Property of Leaf Extracts of *Vitex doniana* and *Mucuna pruriens*. *Biochemistry Research International.* 2011: 459839. <http://dx.doi.org/10.1155/2011/459839>.
- Aghel, N; Kalantari, H; Rezazadeh, S. (2011). Hepatoprotective Effect of *Ficus carica* Leaf Extract on Mice Intoxicated with Carbon Tetrachloride. *Iranian Journal of Pharmaceutical Research.* 10: 63-68.
- Ahmad, B; Khan, MR; Shah, NA. (2015). Amelioration of carbon tetrachloride-induced pulmonary toxicity with *Oxalis corniculata*. *Toxicol Ind Health.* 31: 1243-1251. <http://dx.doi.org/10.1177/0748233713487245>.
- Ahmad, M; Ali, S; Mehmood, MS; Ali, H; Khurshid, A; Firdous, S; Muhammad, S; Ikram, M. (2013). Ex vivo assessment of carbon tetrachloride (CCl₄)-induced chronic injury using polarized light spectroscopy. *Appl Spectrosc.* 67: 1382-1389. <http://dx.doi.org/10.1366/13-07090>.
- Ahmad, M; Muhammed, S; Mehjabeen; Jahan, N. (2014). Hepatoprotective and toxicological studies of *Salvia bucharica* methanolic extract in rabbits. *Pak J Pharm Sci.* 27: 2189-2195.
- Ahmed, AF; Al-Yousef, HM; Al-Qahtani, JH; Al-Said, MS; Ashour, AE; Al-Sohaibani, M; Rafatullah, S. (2015). Hepatorenal protective effect of Antistax[®] against chemically-induced toxicity. *Pharmacognosy Magazine.* 11: S173-S181. <http://dx.doi.org/10.4103/0973-1296.157726>.
- Ahmed, AF; Mahmoud, MF; Ouf, MA; El-Fathaah, EA. (2011). Aminoguanidine potentiates the hepatoprotective effect of silymarin in CCl₄ treated rats. *Ann Hepatol.* 10: 207-215.
- Ahmed, F; Urooj, A. (2010). Hepatoprotective effects of *Ficus racemosa* stem bark against carbon tetrachloride-induced hepatic damage in albino rats. *Pharmaceutical Biology.* 48: 210-216. <http://dx.doi.org/10.3109/13880200903081788>.
- Ahmed, SK; Mohammed, SA; Khalaf, G; Fikry, H. (2014). Role of Bone Marrow Mesenchymal Stem Cells in the Treatment of CCl₄ Induced Liver Fibrosis in Albino Rats: A Histological and Immunohistochemical Study. 7: 87-97. <http://dx.doi.org/10.15283/ijsc.2014.7.2.87>.
- Ahn, YK; Kim, JH. (1993). Preventive effects of diphenyl dimethyl dicarboxylate on the immunotoxicity of carbon tetrachloride in ICR mice. *Toxicol Sci.* 18: 185-195.
- Ahr, HJ; King, LJ; Nastainczyk, W; Ullrich, V. (1980). The mechanism of chloroform and carbon monoxide formation from carbon tetrachloride by microsomal cytochrome P-450. *Biochem Pharmacol.* 29: 2855-2861.
- Akbartabar Toori, M; Joodi, B; Sadeghi, H; Sadeghi, H; Jafari, M; Talebianpoor, MS; Mehraban, F; Mostafazadeh, M; Ghavamizadeh, M. (2015). Hepatoprotective activity of aerial parts of *Otostegia persica* against carbon tetrachloride-induced liver damage in rats. *Avicenna Journal of Phytomedicine.* 5: 238-246.
- Akhtar, MS; Asjad, HMM; Bashir, S; Malik, A; Khalid, R; Gulzar, F; Irshad, N. (2013). Evaluation of antioxidant and hepatoprotective effects of *Khamira Gaozaban Ambri Jadwar Ood Saleeb Wala (KGA)*. *Bangladesh J Pharmacol.* 8: 44-48. <http://dx.doi.org/10.3329/bjp.v8i1.13183>.
- Akhter, S; Rahman, MA; Aklima, J; Hasan, MR; Chowdhury, JM. (2015). Antioxidative Role of *Hatikana (Lea macrophylla Roxb.)* Partially Improves the Hepatic Damage Induced by CCl₄ in Wistar Albino Rats. *BioMed Res Int.* 2015: 356729. <http://dx.doi.org/10.1155/2015/356729>.

Human Health Hazard Literature Search Results

On Topic

- Akihara, R; Homma, T; Lee, J; Yamada, K; Miyata, S; Fujii, J. (2016). Ablation of aldehyde reductase aggravates carbon tetrachloride-induced acute hepatic injury involving oxidative stress and endoplasmic reticulum stress. *Biochem Biophys Res Commun.* 478: 765-771. <http://dx.doi.org/10.1016/j.bbrc.2016.08.022>.
- Akindele, AJ; Ezenwanebe, KO; Anunobi, CC; Adeyemi, OO. (2010). Hepatoprotective and in vivo antioxidant effects of *Byrsocarpus coccineus* Schum. and Thonn. (Connaraceae). *J Ethnopharmacol.* 129: 46-52. <http://dx.doi.org/10.1016/j.jep.2010.02.024>.
- Akowuah, GA; Zhari, I; Mariam, A; Yam, MF. (2009). Absorption of andrographolides from *Andrographis paniculata* and its effect on CCl₄-induced oxidative stress in rats. *Food Chem Toxicol.* 47: 2321-2326. <http://dx.doi.org/10.1016/j.fct.2009.06.022>.
- Aksit, D; Atici, Y; Aksit, H; Kara, H; Bildik, A; Seyrek, K. (2016). PROTECTIVE EFFECTS OF N-ACETYL CYSTEINE ON OLIGOSACCHARIDE RESIDUES IN THE EXPERIMENTAL LIVER INTOXICATION FORMED BY CARBONTETRACHLORIDE (CCL₄) IN RATS. 32: 337-341.
- Aksit, H; Aksit, D; Bildik, A; Kara, H; Yavuz, O; Seyrek, K. (2015). Effects of N-acetyl cysteine on glutathione metabolism and lipid peroxidation in the experimental hepatic intoxication. *Ankara Universitesi Veteriner Fakultesi Dergisi.* 62: 1-5. http://dx.doi.org/10.1501/Vetfak_0000002649.
- Aksit, H; Bildik, A. (2014). Determination of DNA damage in experimental liver intoxication and role of N-acetyl cysteine. *Cell Biochem Biophys.* 70: 1119-1125. <http://dx.doi.org/10.1007/s12013-014-0031-4>.
- Aksoy, L; Sozibilir, NB. (2012). Effects of *Matricaria chamomilla* L. on lipid peroxidation, antioxidant enzyme systems, and key liver enzymes in CCl₄-treated rats. *Toxicol Environ Chem.* 94: 1780-1788. <http://dx.doi.org/10.1080/02772248.2012.729837>.
- Akyuz, F; Aydin, Ö; Ali Demir, T; Kanbak, G. (2009). The effects of CCl₄ on Na⁺/K⁺-ATPase and trace elements in rats. *Biol Trace Elem Res.* 132: 207-214. <http://dx.doi.org/10.1007/s12011-009-8395-9>.
- Alagbaoso, CA; Osubor, CC; Isikhuemhen, OS. (2015). Protective Effects of Extract from *Sclerotium* of the King Tuber Medicinal Mushroom, *Pleurotus tuberregium* (Higher Basidiomycetes) on Carbon Tetrachloride-Induced Hepatotoxicity in Wistar Albino Rats. *Int J Med Mushrooms.* 17: 1137-1143.
- Alamgeer; Nawaz, M; Ahmad, T; Mushtaq, MN; Batool, A. (2014). Hepatoprotective activity of *Thymus linearis* against paracetamol and carbon tetrachloride-induced hepatotoxicity in albino mice. *Bangladesh J Pharmacol.* 9: 230-234. <http://dx.doi.org/10.3329/bjp.v9i2.18329>.
- Al-Assaf, AH. (2014). EFFICACY OF COROSOLIC ACID ON MITOCHONDRIAL ENZYMES AND DNA DAMAGE AGAINST CCL₄-INDUCED HEPATOTOXIC RATS. *The J A P S.* 24: 1366-1373.
- Alatsakis, M; Ballas, KD; Pavlidis, TE; Psarras, K; Rafailidis, S; Tzioufa-Asimakopoulou, V; Marakis, GN; Sakantamis, AK. (2009). Early propranolol administration does not prevent development of esophageal varices in cirrhotic rats. *Eur Surg Res.* 42: 11-16. <http://dx.doi.org/10.1159/000166165>.
- Alavian, SM; Banihabib, N; Es Haghi, M; Panahi, F. (2014). Protective Effect of *Cornus mas* Fruits Extract on Serum Biomarkers in CCl₄-Induced Hepatotoxicity in Male Rats. *Hepatitis Monthly.* 14: e10330. <http://dx.doi.org/10.5812/hepatmon.10330>.
- Albano, E; Carini, R; Parola, M; Bellomo, G; Gorla-Gatti, L; Poli, G; Dianzani, MU. (1989). Effects of carbon tetrachloride on calcium homeostasis. A critical reconsideration. *Biochem Pharmacol.* 38: 2719-2725.
- Alblowi, J; Tian, C; Siqueira, MF; Kayal, RA; Mckenzie, E; Behl, Y; Gerstenfeld, L; Einhorn, TA; Graves, DT. (2013). Chemokine expression is upregulated in chondrocytes in diabetic fracture healing. *Bone.* 53: 294-300. <http://dx.doi.org/10.1016/j.bone.2012.12.006>.
- Aldaba-Muruato, LR; Moreno, MG; Shibayama, M; Tsutsumi, V; Muriel, P. (2012). Protective effects of allopurinol against acute liver damage and cirrhosis induced by carbon tetrachloride: modulation of NF-κB, cytokine production and oxidative stress. *Biochim Biophys Acta.* 1820: 65-75. <http://dx.doi.org/10.1016/j.bbagen.2011.09.018>.
- Aldaba-Muruato, LR; Moreno, MG; Shibayama, M; Tsutsumi, V; Muriel, P. (2013). Allopurinol reverses liver damage induced by chronic carbon tetrachloride treatment by decreasing oxidative stress, TGF-β production and NF-κB nuclear translocation. *Pharmacology.* 92: 138-149. <http://dx.doi.org/10.1159/000339078>.
- Al-Dosari, MS. (2012). In vitro and in vivo antioxidant activity of alfalfa (*Medicago sativa* L.) on carbon tetrachloride intoxicated rats. *Am J Chin Med.* 40: 779-793. <http://dx.doi.org/10.1142/S0192415X12500589>.
- Algandaby, MM; El-Halawany, AM; Abdallah, HM; Alahdal, AM; Nagy, AA; Ashour, OM; Abdel-Naim, AB. (2016). Gingerol protects against experimental liver fibrosis in rats via suppression of pro-inflammatory and profibrogenic mediators. *Naunyn Schmiedebergs Arch Pharmacol.* 389: 419-428. <http://dx.doi.org/10.1007/s00210-016-1210-1>.
- Al-Harbi, NO; Imam, F; Nadeem, A; Al-Harbi, MM; Iqbal, M; Ahmad, SF. (2014). Carbon tetrachloride-induced hepatotoxicity in rat is reversed by treatment with riboflavin. *Int Immunopharmacol.* 21: 383-388. <http://dx.doi.org/10.1016/j.intimp.2014.05.014>.
- Ali, G; Masoud, MS. (2012). Bone marrow cells ameliorate liver fibrosis and express albumin after transplantation in CCl₄-induced fibrotic liver. *Saudi Journal of Gastroenterology.* 18: 263-267. <http://dx.doi.org/10.4103/1319-3767.98433>.
- Ali, H; Kabir, N; Muhammad, A; Shah, MR; Musharraf, SG; Iqbal, N; Nadeem, S. (2014). Hautriwaic acid as one of the hepatoprotective constituent of *Dodonaea viscosa*. *Phytomedicine.* 21: 131-140. <http://dx.doi.org/10.1016/j.phymed.2013.08.019>.
- Ali, H; Kabir, N; Shah, MR; Muhammad, A; Ali, S; Mehmood, S; Ali, A; Ali, A; Jahan, A. (2016). Hepatoprotective activity of viscocine is mediated by attenuation of hepatic macrophages and iNOS expression in CCl₄-intoxicated rats. *Toxicology Research.* 5: 1688-1698. <http://dx.doi.org/10.1039/c6tx00165c>.
- Ali, H; Musharraf, SG; Iqbal, N; Adhikari, A; Abdalla, OM; Ahmed Mesaik, M; Kabir, N. (2015). Immunosuppressive and hepatoprotective potential of *Sarcococca saligna* and its biomarker components. *Int Immunopharmacol.* 28: 235-243. <http://dx.doi.org/10.1016/j.intimp.2015.06.009>.
- Ali, SA; Faddah, L; Abdel-Baky, A; Bayoumi, A. (2010). Protective effect of L-carnitine and coenzyme Q10 on CCl₄-induced liver injury in rats. *Scientia Pharmaceutica.* 78: 881-896. <http://dx.doi.org/10.3797/scipharm.1006-02>.

Human Health Hazard Literature Search Results

On Topic

- Ali, SA; Rizk, MZ; Ibrahim, NA; Abdallah, MS; Sharara, HM; Moustafa, MM. (2010). Protective role of *Juniperus phoenicea* and *Cupressus sempervirens* against CCl₄. 1: 123-131. <http://dx.doi.org/10.4292/wjgpt.v1.i6.123>.
- Ali, SAM; Elbadwi, SMA; Idris, TM; Osman, KM. (2011). Hepatoprotective activity of aqueous extract of *Khaya senegalensis* bark in rats. *Journal of Medicinal Plant Research*. 5: 5863-5866.
- Alkreathy, HM; Khan, RA; Khan, MR; Sahreen, S. (2014). CCl₄ induced genotoxicity and DNA oxidative damages in rats: hepatoprotective effect of *Sonchus arvensis*. *BMC Complement Altern Med*. 14: 452. <http://dx.doi.org/10.1186/1472-6882-14-452>.
- Allis, JW; Brown, BL; Simmons, JE; Hatch, GE; McDonald, A; House, DE. (1996). Methanol potentiation of carbon tetrachloride hepatotoxicity: The central role of cytochrome P450. *Toxicology*. 112: 131-140.
- Allis, JW; Ward, TR; Seely, JC; Simmons, JE. (1990). Assessment of hepatic indicators of subchronic carbon tetrachloride injury and recovery in rats. *Fundam Appl Toxicol*. 15: 558-570.
- Allman, M; Gaskin, L; Rivera, CA. (2010). CCl₄-induced hepatic injury in mice fed a Western diet is associated with blunted healing. *J Gastroenterol Hepatol*. 25: 635-643. <http://dx.doi.org/10.1111/j.1440-1746.2009.06112.x>.
- Alm-Eldeen, AA; El-Naggar, SA; El-Boray, KF; Elgebaly, HA; Osman, IH. (2016). Protective Role of *Commiphora molmol* Extract against Liver and Kidney Toxicity Induced by Carbon Tetrachloride in Mice. *Tropical Journal of Pharmaceutical Research*. 15: 65-72. <http://dx.doi.org/10.4314/tjpr.v15i1.9>.
- Al-Olayan, EM; El-Khadragy, MF; Aref, AM; Othman, MS; Kassab, RB; Abdel Moneim, AE. (2014). The potential protective effect of *Physalis peruviana* L. against carbon tetrachloride-induced hepatotoxicity in rats is mediated by suppression of oxidative stress and downregulation of MMP-9 expression. *Oxid Med Cell Longev*. 2014: 381413. <http://dx.doi.org/10.1155/2014/381413>.
- Al-Olayan, EM; El-Khadragy, MF; Metwally, DM; Abdel Moneim, AE. (2014). Protective effects of pomegranate (*Punica granatum*) juice on testes against carbon tetrachloride intoxication in rats. *BMC Complement Altern Med*. 14: 164. <http://dx.doi.org/10.1186/1472-6882-14-164>.
- Al-Olayan, EM; El-Khadragy, MF; Omer, SA; Shata, MTM; Kassab, RB; Moneim, AEA. (2016). The Beneficial Effect of Cape Gooseberry Juice on Carbon Tetrachloride-Induced Neuronal Damage. *CNS Neurol Disord Drug Targets*. 15: 344-350. <http://dx.doi.org/10.2174/1871527314666150821112051>.
- Alonso-Merino, E; Martín Orozco, R; Ruiz-Llorente, L; Martínez-Iglesias, OA; Velasco-Martín, JP; Montero-Pedrazuela, A; Fanjul-Rodríguez, L; Contreras-Jurado, C; Regadera, J; Aranda, A. (2016). Thyroid hormones inhibit TGF- β signaling and attenuate fibrotic responses. *Proc Natl Acad Sci USA*. 113: E3451-E3460. <http://dx.doi.org/10.1073/pnas.1506113113>.
- Alpsoy, L; Akcayoglu, G; Sahin, H. (2011). Anti-oxidative and anti-genotoxic effects of carnosine on human lymphocyte culture. *Hum Exp Toxicol*. 30: 1979-1985. <http://dx.doi.org/10.1177/0960327111404908>.
- Alqasoumi, S. (2010). Carbon tetrachloride-induced hepatotoxicity: Protective effect of 'Rocket' *Eruca sativa* L. in rats. *Am J Chin Med*. 38: 75-88. <http://dx.doi.org/10.1142/S0192415X10007671>.
- Alqasoumi, SI. (2012). 'Okra' *Hibiscus esculentus* L.: A study of its hepatoprotective activity. *Saudi Pharmaceutical Journal*. 20: 135-141. <http://dx.doi.org/10.1016/j.jsps.2011.10.002>.
- Alqasoumi, SI; Abdel-Kader, MS. (2012). Terpenoids from *Juniperus procera* with hepatoprotective activity. *Pak J Pharm Sci*. 25: 315-322.
- Alqasoumi, SI; Farraj, AI; Abdel-Kader, MS. (2013). Study of the hepatoprotective effect of *Juniperus phoenicea* constituents. *Pak J Pharm Sci*. 26: 999-1008.
- Al-Rasheed, N; Faddah, L; Al-Rasheed, N; Bassiouni, YA; Hasan, IH; Mahmoud, AM; Mohamad, RA; Yacoub, HI. (2016). Protective Effects of Silymarin, Alone or in Combination with Chlorogenic Acid and/or Melatonin, Against Carbon Tetrachloride-induced Hepatotoxicity. *Pharmacognosy Magazine*. 12: S337-S345. <http://dx.doi.org/10.4103/0973-1296.185765>.
- Al-Rasheed, NM; Attia, HA; Mohamad, RA; Al-Rasheed, NM; Al Fayed, M; Al-Amin, MA. (2016). Date fruits inhibit hepatocyte apoptosis and modulate the expression of hepatocyte growth factor, cytochrome P450 2E1 and heme oxygenase-1 in carbon tetrachloride-induced liver fibrosis. *Arch Physiol Biochem*. 115: 1251945. <http://dx.doi.org/10.1080/13813455.2016.1251945>.
- Al-Rasheed, NM; El-Orabi, NF; Fadda, LM; Ali, HM; Al-Rasheed, NM; Bassiouni, Y; Albass, AM. (2017). Role of Different Natural Antioxidants in the Modulation of mRNA-expression of Apoptotic Molecules in the Livers of Carbon Tetrachloride-Intoxicated Rats. *Anim Biotechnol*. 7. <http://dx.doi.org/10.1080/10495398.2016.1268621>.
- Al-Rasheed, NM; Fadda, LM; Ali, HM; Abdel Baky, NA; El-Orabi, NF; Al-Rasheed, NM; Yacoub, HI. (2016). New mechanism in the modulation of carbon tetrachloride hepatotoxicity in rats using different natural antioxidants. *Toxicol Mech Meth*. 26: 243-250. <http://dx.doi.org/10.3109/15376516.2016.1159769>.
- Alric, L; Orfila, C; Carrere, N; Beraud, M; Carrera, G; Lepert, JC; Duffaut, M; Pipy, B; Vinel, JP. (2000). Reactive oxygen intermediates and eicosanoid production by kupffer cells and infiltrated macrophages in acute and chronic liver injury induced in rats by CCl₄. *Inflamm Res*. 49: 700-707. <http://dx.doi.org/10.1007/s000110050649>.
- Alsaid, M; Mothana, R; Raish, M; Al-Sohaibani, M; Al-Yahya, M; Ahmad, A; Al-Dosari, M; Rafatullah, S. (2015). Evaluation of the Effectiveness of Piper cubeba Extract in the Amelioration of CCl₄-Induced Liver Injuries and Oxidative Damage in the Rodent Model. *BioMed Res Int*. 2015: 359358. <http://dx.doi.org/10.1155/2015/359358>.
- Al-Said, MS; Mothana, RA; Al-Sohaibani, MO; Rafatullah, S. (2011). Ameliorative effect of *Grewia tenax* (Forssk) fiori fruit extract on CCl₄-induced oxidative stress and hepatotoxicity in rats. *J Food Sci*. 76: T200-T206. <http://dx.doi.org/10.1111/j.1750-3841.2011.02381.x>.
- Al-Said, MS; Mothana, RA; Al-Yahya, MA; Al-Blowi, AS; Al-Sohaibani, M; Ahmed, AF; Rafatullah, S. (2012). Edible oils for liver protection: hepatoprotective potentiality of *Moringa oleifera* seed oil against chemical-induced hepatitis in rats. *J Food Sci*. 77: T124-T130. <http://dx.doi.org/10.1111/j.1750-3841.2012.02698.x>.

Human Health Hazard Literature Search Results

On Topic

- Al-Said, MS; Mothana, RA; Al-Yahya, MM; Rafatullah, S; Al-Sohaibani, MO; Khaled, JM; Alatar, A; Alharbi, NS; Kurkcuoglu, M; Baser, HC. (2016). GC-MS Analysis: In Vivo Hepatoprotective and Antioxidant Activities of the Essential Oil of *Achillea biebersteinii* Afan. Growing in Saudi Arabia. *eCAM*. 2016: 1867048. <http://dx.doi.org/10.1155/2016/1867048>.
- Al-Sayed, E; Abdel-Daim, MM. (2014). Protective role of Cupressuflavone from *Cupressus macrocarpa* against carbon tetrachloride-induced hepato- and nephrotoxicity in mice. *Planta Med*. 80: 1665-1671. <http://dx.doi.org/10.1055/s-0034-1383211>.
- Al-Sayed, E; Abdel-Daim, MM; Kilany, OE; Karonen, M; Sinkkonen, J. (2015). Protective role of polyphenols from *Bauhinia hookeri* against carbon tetrachloride-induced hepato- and nephrotoxicity in mice. *Ren Fail*. 37: 1198-1207. <http://dx.doi.org/10.3109/0886022X.2015.1061886>.
- Al-Sayed, E; El-Lakkany, NM; Seif El-Din, SH; Sabra, AN; Hammam, OA. (2014). Hepatoprotective and antioxidant activity of *Melaleuca stypelioides* on carbon tetrachloride-induced hepatotoxicity in mice. *Pharmaceutical Biology*. 52: 1581-1590. <http://dx.doi.org/10.3109/13880209.2014.908398>.
- Al-Sayed, E; Esmat, A. (2016). Hepatoprotective and antioxidant effect of ellagitannins and galloyl esters isolated from *Melaleuca stypelioides* on carbon tetrachloride-induced hepatotoxicity in HepG2 cells. *Pharmaceutical Biology*. 54: 1727-1735. <http://dx.doi.org/10.3109/13880209.2015.1125933>.
- Al-Sayed, E; Martiskainen, O; El-Din, SHS; Sabra, ANA; Hammam, OA; El-Lakkany, NM. (2015). Protective effect of *Pelargonium graveolens* against carbon tetrachloride-induced hepatotoxicity in mice and characterization of its bioactive constituents by HPLC-PDA-ESI-MS/MS analysis. *Medicinal Chemistry Research*. 24: 1438-1448. <http://dx.doi.org/10.1007/s00044-014-1218-3>.
- Al-Sayed, E; Martiskainen, O; Seif el-Din, SH; Sabra, AN; Hammam, OA; El-Lakkany, NM; Abdel-Daim, MM. (2014). Hepatoprotective and antioxidant effect of *Bauhinia hookeri* extract against carbon tetrachloride-induced hepatotoxicity in mice and characterization of its bioactive compounds by HPLC-PDA-ESI-MS/MS. *BioMed Res Int*. 2014: 245171. <http://dx.doi.org/10.1155/2014/245171>.
- Al-Sayed, E; Tolba, M, aiF; Karonen, M. (2016). Antioxidant and Hepatoprotective Activities of Flavonoids from *Bauhinia hookeri*. *Records of Natural Products*. 10: 812-817.
- Al-Seeni, MN; El Rabey, HA; Zamzami, MA; Alnefayee, AM. (2016). The hepatoprotective activity of olive oil and *Nigella sativa* oil against CCl4 induced hepatotoxicity in male rats. *BMC Complement Altern Med*. 16: 438. <http://dx.doi.org/10.1186/s12906-016-1422-4>.
- Alsheblak, MM; Elsherbiny, NM; El-Karef, A; El-Shishtawy, MM. (2016). Protective effects of L-carnosine on CCl4-induced hepatic injury in rats. *Eur Cytokine Netw*. 27: 6-15. <http://dx.doi.org/10.1684/ecn.2016.0372>.
- Al-Shoaibi, Z; Al-Mamary, MA; Al-Habori, MA; Al-Zubairi, A, deS; Abdelwahab, SI. (2012). In vivo Antioxidative and Hepatoprotective Effects of Palm Date Fruits (*Phoenix dactylifera*). *International Journal of Pharmacology*. 8: 185-191. <http://dx.doi.org/10.3923/ijp.2012.185.191>.
- Al-Sultan, SI; El-Bahr, SM. (2015). Effect of Aqueous Extract of Fenugreek (*Trigonella foenum-graecum* L.) On Selected Biochemical and Oxidative Stress Biomarkers in Rats Intoxicated with Carbon Tetrachloride. *International Journal of Pharmacology*. 11: 43-49. <http://dx.doi.org/10.3923/ijp.2015.43.49>.
- Al-Tamimi, J; Alhazza, IM; Al-Khalifa, M; Metwalli, A; Rady, A; Ebaid, H. (2016). Potential effects of samsun ant, *Brachyponera sennaarensis*, venom on TNF- α /NF- κ B mediated inflammation in CCl4-toxicity in vivo. *Lipids Health Dis*. 15: 198. <http://dx.doi.org/10.1186/s12944-016-0364-7>.
- Altaş, S; Kızıl, G; Kızıl, M; Ketani, A; Haris, PI. (2011). Protective effect of Diyarbakır watermelon juice on carbon tetrachloride-induced toxicity in rats. *Food Chem Toxicol*. 49: 2433-2438. <http://dx.doi.org/10.1016/j.fct.2011.06.064>.
- Althnain, T; Albokhadaim, I; El-Bahr, SM. (2013). Biochemical and histopathological study in rats intoxicated with carbontetrachloride and treated with camel milk. 2: 57. <http://dx.doi.org/10.1186/2193-1801-2-57>.
- Altrock, E; Sens, C; Wuerfel, C; Vasel, M; Kawelke, N; Dooley, S; Sottile, J; Nakchbandi, IA. (2015). Inhibition of fibronectin deposition improves experimental liver fibrosis. *J Hepatol*. 62: 625-633. <http://dx.doi.org/10.1016/j.jhep.2014.06.010>.
- Alumot, E; Nachtom, E; Mandel, E; Holstein, P. (1976). Tolerance and acceptable daily intake of chlorinated fumigants in the rat diet. *Food Cosmet Toxicol*. 14: 105-111. [http://dx.doi.org/10.1016/S0015-6264\(76\)80252-0](http://dx.doi.org/10.1016/S0015-6264(76)80252-0).
- Al-Yahya, M; Mothana, R; Al-Said, M; Al-Dosari, M; Al-Musayeb, N; Al-Sohaibani, M; Parvez, MK; Rafatullah, S. (2013). Attenuation of CCl4-Induced Oxidative Stress and Hepatonephrotoxicity by Saudi Sidr Honey in Rats. *eCAM*. 2013: 569037. <http://dx.doi.org/10.1155/2013/569037>.
- Amacher, DE; Zelljadt, I. (1983). The morphological transformation of Syrian hamster embryo cells by chemicals reportedly nonmutagenic to *Salmonella typhimurium*. *Carcinogenesis*. 4: 291-296. <http://dx.doi.org/10.1093/carcin/4.3.291>.
- Amanzada, A; Malik, IA; Nischwitz, M; Sultan, S; Naz, N; Ramadori, G. (2011). Myeloperoxidase and elastase are only expressed by neutrophils in normal and in inflamed liver. *Histochem Cell Biol*. 135: 305-315. <http://dx.doi.org/10.1007/s00418-011-0787-1>.
- Amat, N; Upur, H; Blazeković, B. (2010). In vivo hepatoprotective activity of the aqueous extract of *Artemisia absinthium* L. against chemically and immunologically induced liver injuries in mice. *J Ethnopharmacol*. 131: 478-484. <http://dx.doi.org/10.1016/j.jep.2010.07.023>.
- Ambreen, A; Jahan, S; Malik, S. (2016). Effect of angiotensin-converting enzyme inhibitor, lisinopril on morphological and biochemical aspects of fibrotic liver regeneration. *Saudi Journal of Gastroenterology*. 22: 428-434. <http://dx.doi.org/10.4103/1319-3767.195559>.
- Amer, J; Grifat, R; Doron, S; Abu-Tair, L; Mruwat, R; El-Khatib, A; Safadi, R. (2014). The pro-fibrotic effects of pregnancy in a carbon-tetrachloride-induced liver injury in mouse model. *Liver Int*. 34: 1232-1240. <http://dx.doi.org/10.1111/liv.12371>.
- Ames, BN. (2009). mtDNA mutation/heteroplasmy: a sensitive functional biomarker of oxidative stress.
- Ames, BN. (2010). mtDNA mutation/heteroplasmy: a sensitive functional biomarker of oxidative stress.
- Amin, A; Mahmoud-Ghoneim, D. (2009). *Zizyphus spina-christi* protects against carbon tetrachloride-induced liver fibrosis in rats. *Food Chem Toxicol*. 47: 2111-2119. <http://dx.doi.org/10.1016/j.fct.2009.05.038>.

Human Health Hazard Literature Search Results

On Topic

- Amin, A; Mahmoud-Ghoneim, D. (2011). Texture analysis of liver fibrosis microscopic images: a study on the effect of biomarkers. *Acta Biochim Biophys Sin.* 43: 193-203. <http://dx.doi.org/10.1093/abbs/gmq129>.
- Amonette, JE; Jeffers, PM; Qafoku, O; Russell, CK; Humphrys, DR. (2012). Abiotic Degradation Rates for Carbon Tetrachloride and Chloroform: Final Report. GRA and I: 60.
- Amonette, JE; Jeffers, PM; Qafoku, O; Russell, CK; Wietsma, TW. (2010). Abiotic Degradation Rates for Carbon Tetrachloride and Chloroform: Progress in FY 2009. GRA and I: 38.
- An, J, un; Feng, G, uoG; Huang, L, ei; Kurokawa, T; Nonami, T; Koide, T; Fan, J, unHua; Kondo, F; Ishikawa, N. (2009). Preventive effects of 1-O-hexyl-2,3,5-trimethylhydroquinone (HTHQ) against the carbon tetrachloride (CCl₄)-treated liver fibrosis. *J Pharmacol Sci.* 109: 214P-214P.
- An, J; Feng, GG; Huang, L; Kurokawa, T; Nonami, T; Koide, T; Kondo, F; Komatsu, T; Tsunekawa, K; Fujiwara, Y; Goto, H; Nishikawa, H; Miki, T; Sugiyama, S; Ishikawa, N. (2010). Effects of 1-O-hexyl-2,3,5-trimethylhydroquinone on carbon tetrachloride-induced hepatic cirrhosis in rats. *Hepatology Research.* 40: 566-573. <http://dx.doi.org/10.1111/j.1872-034X.2010.00638.x>.
- An, SY; Jang, YJ; Lim, HJ; Han, J; Lee, J; Lee, G; Park, JY; Park, SY; Kim, JH; Do, BR; Han, C; Park, HK; Kim, OH; Song, MJ; Kim, SJ; Kim, JH. (2016). Milk Fat Globule-EGF Factor 8, Secreted by Mesenchymal Stem Cells, Protects Against Liver Fibrosis in Mice. *Gastroenterology.* <http://dx.doi.org/10.1053/j.gastro.2016.12.003>.
- Anand, KV; Anandhi, R; Pakkiyaraj, M; Geraldine, P. (2011). Protective effect of chrysin on carbon tetrachloride (CCl₄)-induced tissue injury in male Wistar rats. *Toxicol Ind Health.* 27: 923-933. <http://dx.doi.org/10.1177/0748233711399324>.
- Anandan, R; Jayakar, B; Karar, B; Babuji, S; Manavalan, R; Kumar, RS. (2009). Effect of ethanol extract of flowers of *Vitex trifolia* Linn. on CCL₄ induced hepatic injury in rats. *Pak J Pharm Sci.* 22: 391-394.
- Anania, FA. (2012). The Role of Leptin in Liver Fibrogenesis.
- Anania, FA. (2013). Multiple Molecular Mechanisms for Adiponectin Therapy in Hepatic Fibrogenesis.
- Anania, FA. (2014). Multiple Molecular Mechanisms for Adiponectin Therapy in Hepatic Fibrogenesis.
- Anania, FA. (2015). Multiple Molecular Mechanisms for Adiponectin Therapy in Hepatic Fibrogenesis.
- Andersen, NJ; Waller, CL; Adamovic, JB; Thompson, DJ; Allis, JW; Andersen, ME; Simmons, JE. (1996). A pharmacokinetic model of anaerobic in vitro carbon tetrachloride metabolism. *Chem Biol Interact.* 101: 13-31.
- Andervont, HB. (1958). Induction of hepatomas in strain C3H mice with 4-o-tolylazo-o-toluidine and carbon tetrachloride. *J Natl Cancer Inst.* 20: 431-438.
- Andritoiu, CV; Andritoiu, V; Cuciureanu, M; Nica-Badea, D; Bibire, N; Popa, M. (2014). Effect of apitherapy products against carbon tetrachloride-induced toxicity in Wistar rats. *Rom J Morphol Embryol.* 55: 835-847.
- Andritoiu, CV; Andritoiu, V; Cuciureanu, M; Nica-Badea, D; Bibire, N; Popa, M. (2014). Effect of apitherapy products against carbon tetrachloride-induced toxicity in Wistar rats. *Rom J Morphol Embryol.* 55: 835-847.
- Andritoiu, CV; Ochiuz, L; Andritoiu, V; Popa, M. (2014). Effect of apitherapy formulations against carbon tetrachloride-induced toxicity in Wistar rats after three weeks of treatment. *Molecules.* 19: 13374-13391. <http://dx.doi.org/10.3390/molecules190913374>.
- ANL. (2009). Update on the Aquifer/Wetlands Restoration Project at Utica, Nebraska, with Recommendations for Remapping of the Carbon Tetrachloride Contamination in Groundwater. Govt Reports Announcements and Index 39.
- Annadurai, T; Vigneshwari, S; Thirukumaran, R; Thomas, PA; Geraldine, P. (2011). Acetyl-L-carnitine prevents carbon tetrachloride-induced oxidative stress in various tissues of Wistar rats. *J Physiol Biochem.* 67: 519-530. <http://dx.doi.org/10.1007/s13105-011-0097-z>.
- Anon. (2009). Letter Health Consultation. Review of Vapor Intrusion Sampling Data. Bandera Road Groundwater Plume, Leon Valley, Bexar County, Texas. EPA Facility ID: TXN000606565. In Govt Reports Announcements and Index (pp. 16). (NTIS/11870234). National Technical Information Service.
- Anon. (2009). Public Health Assessment for Midessa Groundwater Plume, Midland County, Texas. EPA Facility ID: TXN000606668 (pp. 48). (NTIS/12280127). National Technical Information Service.
- Anon. (2010). Eighteenth Interim Report of the Committee on Acute Exposure Guideline Levels (pp. 56). (NTIS/13130216). National Technical Information Service.
- Anon. (2016). Health Assessment for Garvey Elevator Site, Hastings, Adams County, Nebraska. EPA Facility ID: NEN000704351, January 12, 2016.
- Anon. (2016). Potential Anti-inflammatory Effects of *Artemisia gorgonum* on Rat Liver Injury Induced by CCl₄ - ERRATUM. *Microscopy and Microanalysis*, 1-2. <http://dx.doi.org/10.1017/S1431927616000817>.
- Anusha, M; Venkateswarlu, M; Prabhakaran, V; Taj, SS; Kumari, BP; Ranganayakulu, D. (2011). Hepatoprotective activity of aqueous extract of *Portulaca oleracea* in combination with lycopene in rats. *Indian J Pharmacol.* 43: 563-567. <http://dx.doi.org/10.4103/0253-7613.84973>.
- Ao, ZH; Xu, ZH; Lu, ZM; Xu, HY; Zhang, XM; Dou, WF. (2009). Niuchangchih (*Antrodia camphorata*) and its potential in treating liver diseases [Review]. *J Ethnopharmacol.* 121: 194-212. <http://dx.doi.org/10.1016/j.jep.2008.10.039>.
- Aoyama, T; Inokuchi, S; Brenner, DA; Seki, E. (2010). CX3CL1-CX3CR1 INTERACTION INDUCES ANTI-INFLAMMATORY PROPERTIES IN MACROPHAGES THAT PREVENT CCL4-INDUCED LIVER INFLAMMATION AND FIBROSIS. *Hepatology.* 52: 447A-447A.
- Aoyama, T; Inokuchi, S; Brenner, DA; Seki, E. (2010). CX3CL1-CX3CR1 interaction prevents carbon tetrachloride-induced liver inflammation and fibrosis in mice. *Hepatology.* 52: 1390-1400. <http://dx.doi.org/10.1002/hep.23795>.
- Aoyama, T; Uchiyama, A; Kon, K; Yamashina, S; Ikejima, K; Watanabe, S. (2014). Iron Chelater, Icl670 Prevents the Development of Carbon Tetrachloride Induced Liver Fibrosis in Mice. *Gastroenterology.* 146: S950-S950.

Human Health Hazard Literature Search Results

On Topic

- Araki, A; Kamigaitao, N; Sasaki, T; Matsushima, T. (2004). Mutagenicity of carbon tetrachloride and chloroform in *Salmonella typhimurium* TA98, TA100, TA1535, and TA1537, and *Escherichia coli* WP2uvrA/pKM101 and WP2/pKM101, using a gas exposure method. *Environ Mol Mutagen*. 43: 128-133. <http://dx.doi.org/10.1002/em.20005>.
- Aram, G; Potter, JJ; Liu, X; Wang, L; Torbenson, MS; Mezey, E. (2009). Deficiency of nicotinamide adenine dinucleotide phosphate, reduced form oxidase enhances hepatocellular injury but attenuates fibrosis after chronic carbon tetrachloride administration. *Hepatology*. 49: 911-919. <http://dx.doi.org/10.1002/hep.22708>.
- Aranda, M; Albendea, CD; Lostalé, F; López-Pingarrón, L; Fuentes-Broto, L; Martínez-Ballarín, E; Reiter, RJ; Pérez-Castejón, MC; García, JJ. (2010). In vivo hepatic oxidative stress because of carbon tetrachloride toxicity: protection by melatonin and pinoline. *J Pineal Res*. 49: 78-85. <http://dx.doi.org/10.1111/j.1600-079X.2010.00769.x>.
- Arawwawala, M; Thabrew, I; Arambewela, L. (2011). In vitro and in vivo evaluation of antioxidant activity of *Trichosanthes cucumerina* aerial parts. *Acta Biol Hung*. 62: 235-243. <http://dx.doi.org/10.1556/ABiol.62.2011.3.3>.
- Arbab, AH; Parvez, MK; Al-Dosari, MS; Al-Rehaily, AJ; Al-Sohaibani, M; Zaroug, EE; Alsaïd, MS; Rafatullah, S. (2015). Hepatoprotective and antiviral efficacy of *Acacia mellifera* leaves fractions against hepatitis B virus. *BioMed Res Int*. 2015: 929131. <http://dx.doi.org/10.1155/2015/929131>.
- Arbab, AH; Parvez, MK; Al-Dosari, MS; Al-Rehaily, AJ; Ibrahim, KE; Alam, P; Alsaïd, MS; Rafatullah, S. (2016). Therapeutic efficacy of ethanolic extract of *Aerva javanica* aerial parts in the amelioration of CCl₄-induced hepatotoxicity and oxidative damage in rats. 60: 30864. <http://dx.doi.org/10.3402/fnr.v60.30864>.
- Arhoghro, EM; Ekpo, KE; Ibeh, GO. (2009). Effect of aqueous extract of scent leaf (*Ocimum gratissimum*) on carbon tetrachloride (CCl₄) induced liver damage in albino Wister rats. 3: 562-567.
- Arıcı, OF; Cetin, N. (2011). Protective role of ghrelin against carbon tetrachloride (CCl₄)-induced coagulation disturbances in rats. *Regulatory Peptides*. 166: 139-142. <http://dx.doi.org/10.1016/j.regpep.2010.10.009>.
- Arka, G; Anindita, K; Ankit, S; Kumar, SA; Kumar, MS. (2015). Preliminary evaluation of hepatoprotective potential of the polyherbal formulation. 4: 118-124. <http://dx.doi.org/10.5455/jice.20141121060725>.
- Arrey Tarkang, P; Nwachiban Atchan, AP; Kuate, J. R.; Okalebo, FA; Guantai, AN; Agbor, GA. (2013). Antioxidant potential of a polyherbal antimalarial as an indicator of its therapeutic value. *Adv Pharmacol Sci*. 2013: 678458. <http://dx.doi.org/10.1155/2013/678458>.
- Arriazu, E; Ge, X; Leung, TM; Magdaleno, F; Lopategi, A; Lu, Y; Kitamura, N; Urtasun, R; Theise, N; Antoine, DJ; Nieto, N. (2016). Signalling via the osteopontin and high mobility group box-1 axis drives the fibrogenic response to liver injury. *Gut*. <http://dx.doi.org/10.1136/gutjnl-2015-310752>.
- Arriazu, E; Ruiz de Galarreta, M; López-Zabalza, MJ; Leung, TM; Nieto, N; Iraburu, MJ. (2013). GCN2 kinase is a key regulator of fibrogenesis and acute and chronic liver injury induced by carbon tetrachloride in mice. *Lab Invest*. 93: 303-310. <http://dx.doi.org/10.1038/labinvest.2012.173>.
- Arshad, MI; Filliol, A; Genet, V; Lucas-Clerc, C; Girard, JP; Piquet-Pellorce, C; Samson, M. (2014). DEFICIENCY OF IL-33 SENSITIZES TO SEVERE LIVER INJURY INDUCED BY ConA BUT NOT BY CCl₄ IN MICE. *J Hepatol*. 60: S111-S111.
- Arshad, MI; Noel, G; Filliol, A; Genet, V; Lucas-Leclerc, C; Girard, JP; Piquet-Pellorce, C; Samson, M. (2015). IL-33 KNOCK OUT MICE ARE SENSITIZED TO SEVERE ConA LIVER INJURY BUT NOT CCl₄-MEDIATED LIVER INJURY. *J Hepatol*. 62: S487-S488.
- Arshad, MI; Piquet-Pellorce, C; Filliol, A; L'Helgoualc'h, A; Lucas-Clerc, C; Jouan-Lanhouet, S; Dimanche-Boitrel, MT; Samson, M. (2015). The chemical inhibitors of cellular death, PJ34 and Necrostatin-1, down-regulate IL-33 expression in liver. *J Mol Med*. 93: 867-878. <http://dx.doi.org/10.1007/s00109-015-1270-6>.
- Arshad, MI; Rauch, M; L'helgoualc'h, A; Julia, V; Leite-De-Moraes, MC; Lucas-Clerc, C; Piquet-Pellorce, C; Samson, M. (2011). NKT cells are required to induce high IL-33 expression in hepatocytes during ConA-induced acute hepatitis. *Eur J Immunol*. 41: 2341-2348. <http://dx.doi.org/10.1002/eji.201041332>.
- Arteaga, M; Shang, N; Ding, X; Yong, S; Cotler, SJ; Denning, MF; Shimamura, T; Breslin, P; Lüscher, B; Qiu, W. (2016). Inhibition of SIRT2 suppresses hepatic fibrosis. *Am J Physiol Gastrointest Liver Physiol*. 310: G1155-G1168. <http://dx.doi.org/10.1152/ajpgi.00271.2015>.
- Aslan, A; Boydak, D; Can, MI; Kuloglu, T. (2015). *Nigella sativa* improves the carbon tetrachloride-induced lung damage in rats through repression of erk/akt pathway. *Bangladesh J Pharmacol*. 10: 654-659. <http://dx.doi.org/10.3329/bjp.v10i3.23486>.
- Aslan, A; Boydak, D; Can, MI; Kuloglu, T; Baspinar, S. (2016). Black cumin may be a potential drug for development of carbontetrachloride-induced lung damage in rats. *Progress in Nutrition*. 18: 56-62.
- Aslan, A; Can, Mİ. (2014). Milk thistle impedes the development of carbontetrachloride-induced liver damage in rats through suppression of bcl-2 and regulating caspase pathway. *Life Sci*. 117: 13-18. <http://dx.doi.org/10.1016/j.lfs.2014.09.005>.
- Aslan, A; Can, MI; Kuloglu, T; Baspinar, S. (2016). Milk thistle may induce apoptosis in development of carbontetrachloride-induced liver DNA damage in rats. *Progress in Nutrition*. 18: 146-151.
- Asuku, O; Atawodi, SE; Onyike, E. (2012). Antioxidant, hepatoprotective, and ameliorative effects of methanolic extract of leaves of *Grewia mollis* Juss. on carbon tetrachloride-treated albino rats. *J Med Food*. 15: 83-88. <http://dx.doi.org/10.1089/jmf.2010.0285>.
- Atasever, A; Yaman, D. (2014). The effects of grape seed and colchicine on carbon tetrachloride induced hepatic damage in rats. *Exp Toxicol Pathol*. 66: 361-365. <http://dx.doi.org/10.1016/j.etp.2014.04.008>.
- Atawia, RT; Esmat, A; Elsherbiny, DA; El-Demerdash, E. (2016). Telmisartan ameliorates carbon tetrachloride-induced acute hepatotoxicity in rats. *Environ Toxicol*. 32: 359-370. <http://dx.doi.org/10.1002/tox.22240>.
- Atawodi, SE; Iliemene, DU, ju; Onyike, E. (2014). In vivo Antioxidant Effect of Methanolic Extract of *Azizelia africana* Seed on Carbon Tetrachloride-induced Acute and Chronic Oxidative Injury in Rats. *International Journal of Agriculture and Biology*. 16: 597-602.

Human Health Hazard Literature Search Results

On Topic

- Atawodi, SE; Liman, ML; Onyike, EO. (2013). Antioxidant Effects of *Tamarindus indica* following Acute and Chronic Carbon Tetrachloride Induced Liver Injury. *International Journal of Agriculture and Biology*. 15: 410-418.
- Atawodi, SE; Yakubu, OE; Umar, IA. (2013). Antioxidant and Hepatoprotective Effects of *Parinari curatellifolia* Root. *International Journal of Agriculture and Biology*. 15: 523-528.
- Atmaca, M; Bilgin, HM; Obay, BD; Diken, H; Kelle, M; Kale, E. (2011). The hepatoprotective effect of coumarin and coumarin derivatives on carbon tetrachloride-induced hepatic injury by antioxidative activities in rats. *J Physiol Biochem*. 67: 569-576. <http://dx.doi.org/10.1007/s13105-011-0103-5>.
- ATSDR. (2005). Toxicological profile for carbon tetrachloride. Atlanta, GA: US Department of Health and Human Services, Public Health Service.
- Atta, AH; Elkoly, TA; Mouneir, SM; Kamel, G; Alwabel, NA; Zaher, S. (2010). Hepatoprotective Effect of Methanol Extracts of *Zingiber officinale* and *Cichorium intybus*. *Indian J Pharmaceut Sci*. 72: 564-570. <http://dx.doi.org/10.4103/0250-474X.78521>.
- Attia, H; Al-Rasheed, N; Mohamad, R; Al-Rasheed, N; Al-Amin, M. (2016). The antifibrotic and fibrolytic properties of date fruit extract via modulation of genotoxicity, tissue-inhibitor of metalloproteinases and nuclear factor- κ B pathway in a rat model of hepatotoxicity. *BMC Complement Altern Med*. 16: 414. <http://dx.doi.org/10.1186/s12906-016-1388-2>.
- Avasarala, S; Yang, L; Sun, Y; Leung, AW; Chan, WY; Cheung, WT; Lee, SS. (2006). A temporal study on the histopathological, biochemical and molecular responses of CCl₄-induced hepatotoxicity in Cyp2e1-null mice. *Toxicology*. 228: 310-322. <http://dx.doi.org/10.1016/j.tox.2006.09.019>.
- Avritscher, R; Wright, KC; Javadi, S; Uthamanthil, R; Gupta, S; Gagea, M; Bassett, RL; Murthy, R; Wallace, MJ; Madoff, DC. (2011). Development of a large animal model of cirrhosis and portal hypertension using hepatic transarterial embolization: a study in swine. 22: 1329-1334. <http://dx.doi.org/10.1016/j.jvir.2011.04.016>.
- Awan, SJ; Baig, MT; Yaqub, F; Tayyeb, A; Ali, G. (2017). In vitro differentiated hepatic oval-like cells enhance hepatic regeneration in CCl₄-induced hepatic injury. *Cell Biol Int*. 41: 51-61. <http://dx.doi.org/10.1002/cbin.10699>.
- Awodele, O; Adeneye, AA; Aiyeola, SA; Benebo, AS. (2015). Modulatory effect of *Mangifera indica* against carbon tetrachloride induced kidney damage in rats. *Interdiscip Toxicol*. 8: 175-183. <http://dx.doi.org/10.1515/intox-2015-0027>.
- Awodele, O; Yemitan, O; Ise, PU; Ikumawoyi, VO. (2016). Modulatory potentials of aqueous leaf and unripe fruit extracts of *Carica papaya* Linn. (Caricaceae) against carbon tetrachloride and acetaminophen-induced hepatotoxicity in rats. 5: 27-35. <http://dx.doi.org/10.5455/jice.20160124113528>.
- Ayatollahi, M; Hesami, Z; Jamshidzadeh, A; Gramizadeh, B. (2014). Antioxidant Effects of Bone Marrow Mesenchymal Stem Cell against Carbon Tetrachloride-Induced Oxidative Damage in Rat Livers. 5: 166-173.
- Aydin, S; Gokce, Z; Yilmaz, O. (2015). The effects of *Juglans regia* L. (walnut) extract on certain biochemical parameters and in the prevention of tissue damage in brain, kidney, and liver in CCl₄ applied Wistar rats. *Türk Biyokimya Dergisi*. 40: 241-250. <http://dx.doi.org/10.1515/tjb-2015-0009>.
- Azab, SS; Abdel-Daim, M; Eldahshan, OA. (2013). Phytochemical, cytotoxic, hepatoprotective and antioxidant properties of *Delonix regia* leaves extract. *Medicinal Chemistry Research*. 22: 4269-4277. <http://dx.doi.org/10.1007/s00044-012-0420-4>.
- Azeem, AK; Mathew, M; Nair, CDC. (2010). Hepatoprotective effect of *Averrhoa carambola* fruit extract on carbon tetrachloride induced hepatotoxicity in mice. *Asian Pacific Journal of Tropical Medicine*. 3: 610-613.
- Azlina, MFN, ur; Kamisah, Y; Rahman, RFA; Faizah, O. (2011). *Piper sarmentosum* Roxb protects lungs against oxidative stress induced by carbon tetrachloride in rats. *Journal of Medicinal Plant Research*. 5: 6128-6135. <http://dx.doi.org/10.5897/JMPR10.054>.
- Azri, S; HP, M; AJ, G. (1991). CCl₄-induced cytochrome P-450 loss and lipid peroxidation in rat liver slices. reactive intermediates IV: molecular and cellular effects and their impact on human health. 669-674.
- Babitha, S; Banji, D; Banji, OJ. (2012). Antioxidant and hepatoprotective effects of flower extract of *Millingtonia hortensis* Linn. on carbon tetrachloride induced hepatotoxicity. 4: 307-312. <http://dx.doi.org/10.4103/0975-7406.103258>.
- Badr, AM; El-Demerdash, E; Khalifa, AE; Ghoneim, AI; Ayoub, NA; Abdel-Naim, AB. (2009). *Rubus sanctus* protects against carbon tetrachloride-induced toxicity in rat isolated hepatocytes: isolation and characterization of its galloylated flavonoids. *J Pharm Pharmacol*. 61: 1511-1520. <http://dx.doi.org/10.1211/jpp/61.11.0011>.
- Bae, MA; Rhee, SD; Jung, WH; Ahn, JH; Song, BJ; Cheon, HG. (2010). Selective inhibition of activated stellate cells and protection from carbon tetrachloride-induced liver injury in rats by a new PPAR γ agonist KR62776. *Arch Pharm Res*. 33: 433-442. <http://dx.doi.org/10.1007/s12272-010-0313-3>.
- Bae, WK; Kang, K; Yu, JH; Yoo, KH; Factor, VM; Kaji, K; Matter, M; Thorgeirsson, S; Hennighausen, L. (2015). The methyltransferases enhancer of zeste homolog (EZH) 1 and EZH2 control hepatocyte homeostasis and regeneration. *FASEB J*. 29: 1653-1662. <http://dx.doi.org/10.1096/fj.14-261537>.
- Bag, AK; Mumtaz, SMF. (2013). Hepatoprotective and nephroprotective activity of hydroalcoholic extract of *Ipomoea staphylyna* leaves. *Bangladesh J Pharmacol*. 8: 263-268. <http://dx.doi.org/10.3329/bjp.v8i3.14845>.
- Bahrami, AJ; Gunaje, JJ; Hayes, BJ; Riehle, KJ; Kenerson, HL; Yeung, RS; Stempien-Otero, AS; Campbell, JS; Mahoney, WM. (2014). Regulator of G-protein signaling-5 is a marker of hepatic stellate cells and expression mediates response to liver injury. *PLoS ONE*. 9: e108505. <http://dx.doi.org/10.1371/journal.pone.0108505>.
- Bai, L; Kong, M; Zheng, Q; Zhang, X; Liu, X; Zu, K; Chen, Y; Zheng, S; Li, J; Ren, F; Lou, J; Liu, S; Duan, Z. (2016). Inhibition of the translocation and extracellular release of high-mobility group box 1 alleviates liver damage in fibrotic mice in response to D-galactosamine/lipopolysaccharide challenge. *Mol Med Rep*. 13: 3835-3841. <http://dx.doi.org/10.3892/mmr.2016.5003>.
- Bai, L; Zu, K; Zhang, X; Ren, F; Zheng, S; Chen, Y; Duan, Z. (2015). [Protective effects and possible mechanisms of hepatic fibrosis against APAP-induced lethal injury]. *Zhonghua Gan Zang Bing Za Zhi*. 23: 161-165.

Human Health Hazard Literature Search Results

On Topic

- Bak, J; Je, N; Chung, H; Yokozawa, T; Yoon, S, ik; Moon, JO, k. (2016). Oligonol Ameliorates CCl4-Induced Liver Injury in Rats via the NF-Kappa B and MAPK Signaling Pathways. *Oxid Med Cell Longev*. 2016: 3935841. <http://dx.doi.org/10.1155/2016/3935841>.
- Bakr, RO; El-Naa, MM; Zaghoul, SS; Omar, MM. (2017). Profile of bioactive compounds in *Nymphaea alba* L. leaves growing in Egypt: hepatoprotective, antioxidant and anti-inflammatory activity. *BMC Complement Altern Med*. 17: 52. <http://dx.doi.org/10.1186/s12906-017-1561-2>.
- Bala, A; Haldar, PK; Kar, B; Naskar, S; Mazumder, UK. (2012). Carbon tetrachloride: a hepatotoxin causes oxidative stress in murine peritoneal macrophage and peripheral blood lymphocyte cells. *Immunopharmacol Immunotoxicol*. 34: 157-162. <http://dx.doi.org/10.3109/08923973.2011.590498>.
- Bala, S; Csak, T; Petrasek, J, an; Catalano, D; Kodys, K; Szabo, G. (2012). MiRNA-155 regulates CCl4-induced liver inflammation and fibrosis via targeting pro-inflammatory and pro-fibrotic genes. *Hepatology*. 56: 1107A-1108A.
- Bala, S; Csak, T; Saha, B; Zatsiorsky, J; Kodys, K; Catalano, D; Satishchandran, A; Szabo, G. (2016). The pro-inflammatory effects of miR-155 promote liver fibrosis and alcohol-induced steatohepatitis. *J Hepatol*. 64: 1378-1387. <http://dx.doi.org/10.1016/j.jhep.2016.01.035>.
- Bala, S; Momen-Heravi, F; Csak, T; Catalano, D; Szabo, G; Li, K. (2015). Therapeutic Inhibition of miRNA-132 Attenuates CCL4-Induced Liver Fibrosis. *Gastroenterology*. 148: S1031-S1031.
- Balaha, M; Kandeel, S; Barakat, W. (2016). Carvedilol suppresses circulating and hepatic IL-6 responsible for hepatocarcinogenesis of chronically damaged liver in rats. *Toxicol Appl Pharmacol*. 311: 1-11. <http://dx.doi.org/10.1016/j.taap.2016.10.012>.
- Balakrishnan, A; Al Assaf, AH. (2016). Corosolic acid suppresses the expression of inflammatory marker genes in CCL4-induced-hepatotoxic rats. *Pak J Pharm Sci*. 29: 1133-1137.
- Balber, AE. (2011). Concise review: aldehyde dehydrogenase bright stem and progenitor cell populations from normal tissues: characteristics, activities, and emerging uses in regenerative medicine [Review]. *Stem Cells*. 29: 570-575. <http://dx.doi.org/10.1002/stem.613>.
- Balbis, E; Patriarca, S; Furfaro, AL; Millanta, S; Sukkar, SG; Marinari, UM; Pronzato, MA; Cottalasso, D; Traverso, N. (2009). Whey proteins influence hepatic glutathione after CCl4 intoxication. *Toxicol Ind Health*. 25: 325-328. <http://dx.doi.org/10.1177/0748233709104870>.
- Baldo, G; Giugliani, R; Uribe, C; Belardinelli, MC; Duarte, ME; Meurer, L; da Silveira, TR; Matte, U. (2010). Bone marrow mononuclear cell transplantation improves survival and induces hepatocyte proliferation in rats after CCl(4) acute liver damage. *Dig Dis Sci*. 55: 3384-3392. <http://dx.doi.org/10.1007/s10620-010-1195-4>.
- Baligar, NS; Aladakatti, RH; Ahmed, M; Hiremath, MB. (2014). Hepatoprotective activity of the neem-based constituent azadirachtin-A in carbon tetrachloride intoxicated Wistar rats. *Can J Physiol Pharmacol*. 92: 267-277. <http://dx.doi.org/10.1139/cjpp-2013-0449>.
- Baligar, P; Mukherjee, S; Kochat, V; Rastogi, A; Mukhopadhyay, A. (2016). Molecular and Cellular Functions Distinguish Superior Therapeutic Efficiency of Bone Marrow CD45 Cells Over Mesenchymal Stem Cells in Liver Cirrhosis. *Stem Cells*. 34: 135-147. <http://dx.doi.org/10.1002/stem.2210>.
- Balta, C; Herman, H; Boldura, OM; Gasca, I; Rosu, M; Ardelean, A; Hermenean, A. (2015). Chrysin attenuates liver fibrosis and hepatic stellate cell activation through TGF- β /Smad signaling pathway. *Chem Biol Interact*. 240: 94-101. <http://dx.doi.org/10.1016/j.cbi.2015.08.013>.
- Ban, M; Hettich, D; Bonnet, P. (2003). Effect of inhaled industrial chemicals on systemic and local immune response. *Toxicology*. 184: 41-50.
- Banasik, M; Stedeford, T; Strosznajder, RP; Takehashi, M; Tanaka, S; Ueda, K. (2011). Inhibition of poly(ADP-ribose) polymerase-1 attenuates the toxicity of carbon tetrachloride. *J Enzyme Inhib Med Chem*. 26: 883-889. <http://dx.doi.org/10.3109/14756366.2011.557315>.
- Bangen, JM; Lambertz, D; Huss, S; Barbacid, M; Trautwein, C; Liedtke, C. (2012). LOSS OF CDK2 IN HEPATOCYTES LEADS TO INCREASED HEPATIC FIBROGENESIS AFTER CCL4-TREATMENT IN MICE. *J Hepatol*. 56: S145-S146.
- Bansal, R; Frelin, L; Brenndörfer, ED; Storm, G; Prakash, J; Sällberg, M. (2015). Hepatitis C Virus Nonstructural 3/4A Protein Dampens Inflammation and Contributes to Slow Fibrosis Progression during Chronic Fibrosis In Vivo. *PLoS ONE*. 10: e0128466. <http://dx.doi.org/10.1371/journal.pone.0128466>.
- Bansal, R; Frelin, L; Sällberg, M. (2013). HEPATITIS C VIRUS NON-STRUCTURAL 3/4A PROTEIN EXPRESSION PROMOTES HEPATIC FIBROGENESIS IN MICE AFTER ADMINISTRATION OF CARBON TETRACHLORIDE. *J Hepatol*. 58: S451-S451.
- Bansal, R; Prakash, J; De Ruyter, M; Poelstra, K. (2014). Interferon gamma peptidomimetic targeted to hepatic stellate cells ameliorates acute and chronic liver fibrosis in vivo. *J Control Release*. 179: 18-24. <http://dx.doi.org/10.1016/j.jconrel.2014.01.022>.
- Bansal, R; Prakash, J, ai; Proost, JH; Post, E; de Jager-Krikken, A; Beljaars, L; Poelstra, K. (2010). ANTI-FIBROTIC EFFECTS OF PEGYLATED INTERFERON GAMMA IN VITRO AND IN VIVO IN ACUTE CCL4-INDUCED LIVER INJURY MOUSE MODEL: THERAPEUTIC EFFICACY AND ADVERSE EFFECTS. *Hepatology*. 52: 1282A-1282A.
- Bansal, R; van Baarlen, J; Storm, G; Prakash, J, ai. (2015). The interplay of the Notch signaling in hepatic stellate cells and macrophages determines the fate of liver fibrogenesis. *Sci Rep*. 5: 18272. <http://dx.doi.org/10.1038/srep18272>.
- Bao, JF; Shi, JP; Xu, S. (2011). [Dynamic expression of TGF-beta1/Smad protein in CCl4-induced liver fibrosis and its significance in rats]. *Zhonghua Shi Yan He Lin Chuang Bing Du Xue Za Zhi*. 25: 334-337.
- Bao, QY; Geng, DD; Xue, JW; Zhou, G; Gu, SY; Ding, Y; Zhang, C. (2013). Glutathione-mediated drug release from Tiopronin-conjugated gold nanoparticles for acute liver injury therapy. *Int J Pharm*. 446: 112-118. <http://dx.doi.org/10.1016/j.ijpharm.2013.01.073>.
- Barakat, MK; Oda, NR; Bayoumy, FA, li; Bayoumy, FA, li. (2010). Effect of *Nigella Sativa* on Carbon Tetrachloride and Paracetamol Induced hepatotoxicity: Role of Antioxidant Enzymes and Cytokines. *FASEB J*. 24.
- Barbin, A; Béréziat, JC; Bartsch, H. (1983). Evaluation of DNA damage by the alkaline elution technique in liver, kidneys and lungs of rats and hamsters treated with N-nitrosodialkylamines. *Carcinogenesis*. 4: 541-545.
- Bárcena, C; Stefanovic, M; Tutasaus, A; Joannas, L; Menéndez, A; García-Ruiz, C; Sancho-Bru, P; Marí, M; Caballeria, J; Rothlin, CV; Fernández-Checa, JC; de Frutos, PG; Morales, A. (2015). Gas6/Axl pathway is activated in chronic liver disease and its targeting reduces fibrosis via hepatic stellate cell inactivation. *J Hepatol*. 63: 670-678. <http://dx.doi.org/10.1016/j.jhep.2015.04.013>.

Human Health Hazard Literature Search Results

On Topic

- Barnes, MA; McMullen, MR; Roychowdhury, S; Madhun, NZ; Niese, K; Olman, MA; Stavitsky, AB; Bucala, R; Nagy, LE. (2015). Macrophage migration inhibitory factor is required for recruitment of scar-associated macrophages during liver fibrosis. *J Leukoc Biol.* 97: 161-169. <http://dx.doi.org/10.1189/jlb.3A0614-280R>.
- Barrows, LR; RC, S. (1981). Aberrant methylation of liver DNA in rats during hepatotoxicity. *Toxicol Appl Pharmacol.* 60: 334-345.
- Barthel, SR; Medvedev, R; Heinrich, T; Büchner, SM; Ketterer, N; Hildt, E. (2016). Hepatitis B virus inhibits insulin receptor signaling and impairs liver regeneration via intracellular retention of the insulin receptor. *Cell Mol Life Sci.* 73: 4121-4140. <http://dx.doi.org/10.1007/s00018-016-2259-1>.
- Bartl, M; Pfaff, M; Ghallab, A; Driesch, D; Henkel, SG; Hengstler, JG; Schuster, S; Kaleta, C; Gebhardt, R; Zellmer, S; Li, P. (2015). Optimality in the zonation of ammonia detoxification in rodent liver. *Arch Toxicol.* 89: 2069-2078. <http://dx.doi.org/10.1007/s00204-015-1596-4>.
- Bartneck, M; Fech, V; Ehling, J; Govaere, O; Warzecha, KT; Hittatiya, K; Vucur, M; Gautheron, J; Luedde, T; Trautwein, C; Lammers, T; Roskams, T; Jahnen-Dechent, W; Tacke, F. (2016). Histidine-rich glycoprotein promotes macrophage activation and inflammation in chronic liver disease. *Hepatology.* 63: 1310-1324. <http://dx.doi.org/10.1002/hep.28418>.
- Bartosiewicz, MJ; Jenkins, D; Penn, S; Emery, J; Buckpitt, A. (2001). Unique gene expression patterns in liver and kidney associated with exposure to chemical toxicants. *J Pharmacol Exp Ther.* 297: 895-905.
- Bassiouny, AR; Zaky, A; Kandeel, KM. (2011). Alteration of AP-endonuclease1 expression in curcumin-treated fibrotic rats. *Ann Hepatol.* 10: 516-530.
- Batista-Gonzalez, A, naE; De Oliveira E Silva, A, naM; Vidal-Novoa, A; Pinto, JR; Portari Mancini, DA; Mancini-Filho, J. (2012). ANALYSIS OF IN VITRO AND IN VIVO ANTIOXIDANT PROPERTIES OF HYDROPHILIC FRACTIONS FROM THE SEAWEED HALIMEDA MONILE L. *Journal of Food Biochemistry.* 36: 189-197. <http://dx.doi.org/10.1111/j.1745-4514.2010.00525.x>.
- Bauer, A; Schumann, A; Gilbert, M; Wilhelm, C; Hengstler, JG; Schiller, J; Fuchs, B. (2009). Evaluation of carbon tetrachloride-induced stress on rat hepatocytes by 31P NMR and MALDI-TOF mass spectrometry: lysophosphatidylcholine generation from unsaturated phosphatidylcholines. *Chem Phys Lipids.* 159: 21-29. <http://dx.doi.org/10.1016/j.chemphyslip.2009.02.006>.
- Bayraktar, N; Devay, SD; Taslipinar, MY; Omeroglu, S; Kavutcu, M; Canbolat, O. (2012). The effects of stobadine on purine metabolism in rats treated with carbon tetrachloride. *Turkish Journal of Medical Sciences.* 42: 894-900. <http://dx.doi.org/10.3906/sag-1109-37>.
- Bayraktar, N; Devay, SD; Taslipinar, MY; Ucanus, NL; Omeroglu, S; Gumuslu, S; Kavutcu, M; Canbolat, O. (2011). Investigation of the effects of stobadine on the antioxidant enzymes in carbon tetrachloride mediated brain toxicity. *Türk Biyokimya Dergisi.* 36: 283-289.
- Bayram, I; Erten, R; Bayram, Y; Bulut, G; Ozbek, H. (2011). The hepatoprotective effects of dihydromyrcenol and geranyl formate in an experimental model of acute hepatic injury induced by the use of carbon tetrachloride. 22: 594-601.
- Beddowes, EJ; Fau, SP; Chipman, JK. (2003). Chloroform, carbon tetrachloride and glutathione depletion induce secondary genotoxicity in liver cells via oxidative stress. *Toxicology.* 187: 101-115.
- Bedossa, P; Houglum, K; Trautwein, C; Holstege, A; Chojkier, M. (1994). Stimulation of collagen alpha 1(I) gene expression is associated with lipid peroxidation in hepatocellular injury: A link to tissue fibrosis? *Hepatology.* 19: 1262-1271.
- Beier, F; Martinez, P; Blasco, MA. (2015). Chronic replicative stress induced by CCl4 in TRF1 knockout mice recapitulates the origin of large liver cell changes. *J Hepatol.* 63: 446-455. <http://dx.doi.org/10.1016/j.jhep.2015.03.022>.
- Béliveau, M; Lipscomb, J; Tardif, R; Krishnan, K. (2005). Quantitative structure-property relationships for interspecies extrapolation of the inhalation pharmacokinetics of organic chemicals. *Chem Res Toxicol.* 18: 475-485. <http://dx.doi.org/10.1021/tx049722k>.
- Beljaars, L; Schippers, M; Reker-Smit, C; Martinez, FO; Helming, L; Poelstra, K; Melgert, BN. (2014). Hepatic Localization of Macrophage Phenotypes during Fibrogenesis and Resolution of Fibrosis in Mice and Humans. 5: 430. <http://dx.doi.org/10.3389/fimmu.2014.00430>.
- Belousov, MV; Akhmedzhanov, RR; Zykova, MV; Gur'ev, AM; Yusubov, MS. (2014). Hepatoprotective Properties of Native Humic Acids Isolated from Lowland Peat of Tomsk Region. *Pharmaceutical Chemistry Journal.* 48: 249-252. <http://dx.doi.org/10.1007/s11094-014-1088-5>.
- Ben Said, D; Salouage, I; Gaies, E; Trabelsi, S; Jebabli, N; Ben Ali, R; Ferchichi, H; Lakhali, M; Klouz, A. (2011). Effect of aqueous extract of *Rosmarinus officinalis* on the alleviation of CCl4-induced liver injury. *Fundam Clin Pharmacol.* 25: 91-91.
- Bengmark, S. (2009). Bio-ecological control of chronic liver disease and encephalopathy [Review]. *Metab Brain Dis.* 24: 223-236. <http://dx.doi.org/10.1007/s11011-008-9128-z>.
- Bennett, RG; Heimann, DG; Singh, S; Simpson, RL; Tuma, DJ. (2014). Relaxin decreases the severity of established hepatic fibrosis in mice. *Liver Int.* 34: 416-426. <http://dx.doi.org/10.1111/liv.12247>.
- Bennett, RG; Heimann, DG; Tuma, DJ. (2009). Relaxin reduces fibrosis in models of progressive and established hepatic fibrosis. *Ann N Y Acad Sci.* 1160: 348-349. <http://dx.doi.org/10.1111/j.1749-6632.2008.03783.x>.
- Benson, JM; Tibbetts, BM; Thrall, KD; Springer, DL. (2001). Uptake, tissue distribution, and fate of inhaled carbon tetrachloride: Comparison of rat, mouse, and hamster. *Inhal Toxicol.* 13: 207-217.
- Bermudez, E; Mirsalis, JC; Eales, HC. (1982). Detection of DNA damage in primary cultures of rat hepatocytes following in vivo and in vitro exposure to genotoxic agents. *Environ Mutagen.* 4: 667-679.
- Berres, ML; Koenen, RR; Rueland, A; Zaldivar, MM; Heinrichs, D; Sahin, H; Schmitz, P; Streetz, KL; Berg, T; Gassler, N; Weiskirchen, R; Proudfoot, A; Weber, C; Trautwein, C; Wasmuth, HE. (2010). Antagonism of the chemokine Ccl5 ameliorates experimental liver fibrosis in mice. *J Clin Invest.* 120: 4129-4140. <http://dx.doi.org/10.1172/JCI41732>.
- Berzigotti, A; Bosch, J. (2014). Pharmacologic management of portal hypertension [Review]. *Clin Liver Dis.* 18: 303-317. <http://dx.doi.org/10.1016/j.cld.2013.12.003>.
- Besednova, NN; Zaporozhets, TS; Kuznetsova, TA; Kryzhanovskii, SP; Kovalev, NN; Zviagintseva, TN. (2014). [Hepatoprotective effects of extracts and polysaccharides from seaweed] [Review]. *Antibiot Khimioter.* 59: 30-37.

Human Health Hazard Literature Search Results

On Topic

- Bezborodkina, NN; Okovity, SV; Chestnova, AY; Kudryavtsev, BN. (2013). Hepatocytes of cirrhotic rat liver accumulate glycogen more slowly than normal ones. *Hepatology International*. 7: 1084-1090. <http://dx.doi.org/10.1007/s12072-013-9458-8>.
- Bhadauria, M. (2012). Propolis prevents hepatorenal injury induced by chronic exposure to carbon tetrachloride. *eCAM*. 2012: 235358. <http://dx.doi.org/10.1155/2012/235358>.
- Bhadauria, M; Nirala, SK; Shrivastava, S; Sharma, A; Johri, S; Chandan, BK; Singh, B; Saxena, AK; Shukla, S. (2009). Emodin reverses CCl₄ induced hepatic cytochrome P450 (CYP) enzymatic and ultrastructural changes: The in vivo evidence. *Hepatology Research*. 39: 290-300. <http://dx.doi.org/10.1111/j.1872-034X.2008.00380.x>.
- Bhargava, KK; Joseph, B; Ananthanarayanan, M; Balasubramanian, N; Tronco, GG; Palestro, CJ; Gupta, S. (2009). Adenosine triphosphate-binding cassette subfamily C member 2 is the major transporter of the hepatobiliary imaging agent (99m)Tc-mebrofenin. *J Nucl Med*. 50: 1140-1146. <http://dx.doi.org/10.2967/jnumed.109.062448>.
- Bhaskar, VH; Balakrishnan, N. (2010). Protective effects of *Pergularia daemia* roots against paracetamol and carbon tetrachloride-induced hepatotoxicity in rats. *Pharmaceutical Biology*. 48: 1265-1272. <http://dx.doi.org/10.3109/13880201003730667>.
- Bhatnagar, SP. (2009). Release Of Cholinesterase From Rat Liver By Nicotinamide And Carbon Tetrachloride. *Biochem Pharmacol*. 19: 2009-2016.
- Bhattacharya, H; Zhang, S; Xiao, Q. (2009). Comparison of Histopathological Alterations Due to Sublethal CCl₄ on Rosy Barb (*Puntius Conchonus*) and *Amphioxus* (*Branchiostoma Belcheri*) With Implications of Liver Ontogeny (vol 18, pg 629, 2008). *Toxicol Mech Meth*. 19. <http://dx.doi.org/10.1080/15376510802632929>.
- Bhattacharyya, S; Ahammed, SM; Saha, BP; Mukherjee, PK. (2013). The gallic acid-phospholipid complex improved the antioxidant potential of gallic acid by enhancing its bioavailability. *AAPS PharmSciTech*. 14: 1025-1033. <http://dx.doi.org/10.1208/s12249-013-9991-8>.
- Bhattacharyya, S; Ahmed, SM; Saha, BP; Mukherjee, PK. (2014). Soya phospholipid complex of mangiferin enhances its hepatoprotectivity by improving its bioavailability and pharmacokinetics. *J Sci Food Agric*. 94: 1380-1388. <http://dx.doi.org/10.1002/jsfa.6422>.
- Bhondave, PD; Devarshi, PP; Mahadik, KR; Harsulkar, AM. (2014). 'Ashvagandharishta' prepared using yeast consortium from *Woodfordia fruticosa* flowers exhibit hepatoprotective effect on CCl₄ induced liver damage in Wistar rats. *J Ethnopharmacol*. 151: 183-190. <http://dx.doi.org/10.1016/j.jep.2013.10.025>.
- Bhoopat, L; Srichairatanakool, S; Kanjanapothi, D; Taesotikul, T; Thananchai, H; Bhoopat, T. (2011). Hepatoprotective effects of lychee (*Litchi chinensis* Sonn.): a combination of antioxidant and anti-apoptotic activities. *J Ethnopharmacol*. 136: 55-66. <http://dx.doi.org/10.1016/j.jep.2011.03.061>.
- Bhuvanewari, R; Chidambaranathan, N; Jegatheesan, K. (2014). HEPATOPROTECTIVE EFFECT OF EMBILICA OFFICINALIS AND ITS SILVER NANOPARTICLES AGAINST CCl₄ INDUCED HEPATOTOXICITY IN WISTAR ALBINO RATS. *Digest Journal of Nanomaterials and Biostructures*. 9: 223-235.
- Bi, WR; Jin, CX; Xu, GT; Yang, CQ. (2012). Bone morphogenetic protein-7 regulates Snail signaling in carbon tetrachloride-induced fibrosis in the rat liver. *Exp Ther Med*. 4: 1022-1026. <http://dx.doi.org/10.3892/etm.2012.720>.
- Bi, ZM; Zhou, QF; Geng, Y; Zhang, HM. (2016). Human umbilical cord mesenchymal stem cells ameliorate experimental cirrhosis through activation of keratinocyte growth factor by suppressing microRNA-199. *Eur Rev Med Pharmacol Sci*. 20: 4905-4912.
- Bian, EB; Wang, YY; Yang, Y; Wu, BM; Xu, T; Meng, XM; Huang, C; Zhang, L; Lv, XW; Xiong, ZG; Li, J. (2016). Hotair facilitates hepatic stellate cells activation and fibrogenesis in the liver. *Biochim Biophys Acta*. 1863: 674-686. <http://dx.doi.org/10.1016/j.bbdis.2016.12.009>.
- Biapa, PC; Matei, H; Bălici, Ș; Oben, JE; Ngogang, JY. (2013). Protective effects of stem bark of *Harungana madagascariensis* on the red blood cell membrane. *BMC Complement Altern Med*. 13: 98. <http://dx.doi.org/10.1186/1472-6882-13-98>.
- Bignami, M; Conti, G; Crebelli, R; Carere, A. (1981). Growth-mediated metabolic activation of promutagens in *Aspergillus nidulans*. *Mutat Res*. 80: 265-272. [http://dx.doi.org/10.1016/0027-5107\(81\)90099-3](http://dx.doi.org/10.1016/0027-5107(81)90099-3).
- Bilgic, S; Ozerol, E; Iraz, M; Sahin, N; Tanbek, K; Cigli, A. (2016). Carbontetrachloride induced acute liver damage and protective effect of n-acetylcysteine on rats with regenerated and non-regenerated liver. *Türk Biyokimya Dergisi*. 41: 189-197. <http://dx.doi.org/10.1515/tjb-2016-0029>.
- Bin, WT; Ma, LM; Xu, Q; Shi, XL. (2012). Embryonic hepatocyte transplantation for hepatic cirrhosis: efficacy and mechanism of action. *World J Gastroenterol*. 18: 309-322. <http://dx.doi.org/10.3748/wjg.v18.i4.309>.
- Bisht, S; Khan, MA; Bekhit, M; Bai, H; Cornish, T; Mizuma, M; Rudek, MA; Zhao, M; Maitra, A; Ray, B; Lahiri, D; Maitra, A; Anders, RA. (2011). A polymeric nanoparticle formulation of curcumin (NanoCurc™) ameliorates CCl₄-induced hepatic injury and fibrosis through reduction of pro-inflammatory cytokines and stellate cell activation. *Lab Invest*. 91: 1383-1395. <http://dx.doi.org/10.1038/labinvest.2011.86>.
- Biswas, G; Sarkar, S; Acharya, K. (2011). HEPATOPROTECTIVE ACTIVITY OF THE ETHANOLIC EXTRACT OF *ASTRAEUS HYGROMETRICUS* (PERS.) MORG. *Digest Journal of Nanomaterials and Biostructures*. 6: 637-641.
- Bitiren, M; Musa, D; Ozgonul, A; Ozaslan, M; Kocyigit, A; Sogut, O; Guldur, ME; Kilic, IH; Karakilcik, AZ; Zerin, M. (2010). Protective Effects of Green tea (*Camelia sinensis*), *Hypericum perforatum* and *Urtica dioica* on Hepatic Injury and Lymphocyte DNA Damage Induced by Carbon Tetrachloride in Wistar Rats. *International Journal of Pharmacology*. 6: 241-248.
- Blair, A; Decoufle, P; Grauman, D. (1979). Causes of death among laundry and dry cleaning workers. *Am J Public Health*. 69: 508-511.
- Blair, PC; Thompson, MB; Wilson, RE; Esber, HH; Maronpot, RR. (1991). Correlation of changes in serum analytes and hepatic histopathology in rats exposed to carbon tetrachloride. *Toxicol Lett*. 55: 149-159.
- Blomme, B; Van Steenkiste, C; Grassi, P; Haslam, SM; Dell, A; Callewaert, N; Van Vlierberghe, H. (2011). Alterations of serum protein N-glycosylation in two mouse models of chronic liver disease are hepatocyte and not B cell driven. *Am J Physiol Gastrointest Liver Physiol*. 300: G833-G842. <http://dx.doi.org/10.1152/ajpgi.00228.2010>.

Human Health Hazard Literature Search Results

On Topic

- Boer, LA; Panatto, JP; Fagundes, DA; Bassani, C; Jeremias, IC; Daufenbach, JF; Rezin, GT; Constantino, L; Dal-Pizzol, F; Streck, EL. (2009). Inhibition of mitochondrial respiratory chain in the brain of rats after hepatic failure induced by carbon tetrachloride is reversed by antioxidants. *Brain Res Bull.* 80: 75-78. <http://dx.doi.org/10.1016/j.brainresbull.2009.04.009>.
- Bogers, M; Appelman, LM; Feron, VJ; Beems, RB; Notten, WR. (1987). Effects of the exposure profile on the inhalation toxicity of carbon tetrachloride in male rats. *J Appl Toxicol.* 7: 185-191.
- Boll, M; Weber, LW; Becker, E; Stampfl, A. (2001). Hepatocyte damage induced by carbon tetrachloride: Inhibited lipoprotein secretion and changed lipoprotein composition. *Z Naturforsch C Biosci.* 56: 283-290.
- Bolognesi, M; Zampieri, F; Di Pascoli, M; Verardo, A; Turato, C; Calabrese, F; Lunardi, F; Pontisso, P; Angeli, P; Merkel, C; Gatta, A; Sacerdoti, D. (2011). Increased myoendothelial gap junctions mediate the enhanced response to epoxyeicosatrienoic acid and acetylcholine in mesenteric arterial vessels of cirrhotic rats. *Liver Int.* 31: 881-890. <http://dx.doi.org/10.1111/j.1478-3231.2011.02509.x>.
- Bora, KS; Sharma, A. (2011). The genus *Artemisia*: a comprehensive review [Review]. *Pharmaceutical Biology.* 49: 101-109. <http://dx.doi.org/10.3109/13880209.2010.497815>.
- Borkham-Kamphorst, E; van de Leur, E; Zimmermann, HW; Karlmark, KR; Tihaa, L; Haas, U; Tacke, F; Berger, T; Mak, TW; Weiskirchen, R. (2013). Protective effects of lipocalin-2 (LCN2) in acute liver injury suggest a novel function in liver homeostasis. *Biochim Biophys Acta.* 1832: 660-673. <http://dx.doi.org/10.1016/j.bbadis.2013.01.014>.
- Botsoglou, N; Taitzoglou, I; Zervos, I; Botsoglou, E; Tsantarliotou, M; Chatzopoulou, PS. (2010). Potential of long-term dietary administration of rosemary in improving the antioxidant status of rat tissues following carbon tetrachloride intoxication. *Food Chem Toxicol.* 48: 944-950. <http://dx.doi.org/10.1016/j.fct.2010.01.004>.
- Botsoglou, NA; Taitzoglou, IA; Botsoglou, E; Zervos, I; Kokoli, A; Christaki, E; Nikolaidis, E. (2009). Effect of long-term dietary administration of oregano and rosemary on the antioxidant status of rat serum, liver, kidney and heart after carbon tetrachloride-induced oxidative stress. *J Sci Food Agric.* 89: 1397-1406. <http://dx.doi.org/10.1002/jsfa.3601>.
- Bove, FJ; Fulcomer, MC; Klotz, JB; Esmart, J; Dufficy, EM; Savrin, JE. (1995). Public drinking water contamination and birth outcomes. *Am J Epidemiol.* 141: 850-862.
- Boyd, MR; Statham, CN; Longo, NS. (1980). The pulmonary Clara cell as a target for toxic chemicals requiring metabolic activation; studies with carbon tetrachloride. *J Pharmacol Exp Ther.* 212: 109-114.
- Brai, BI; Adisa, RA; Odetola, AA. (2014). Hepatoprotective properties of aqueous leaf extract of *Persea Americana*, Mill (Lauraceae) 'avocado' against CCL4-induced damage in rats. *African Journal of Traditional, Complementary and Alternative Medicines.* 11: 237-244.
- Braun, R; Schoneich, J. (1975). The influence of ethanol and carbon tetrachloride on the mutagenic effectivity of cyclophosphamide in the host-mediated assay with *Salmonella typhimurium*. *Mutat Res.* 31: 191-194.
- Breikaa, RM; Algandaby, MM; El-Demerdash, E; Abdel-Naim, AB. (2013). Biochanin A protects against acute carbon tetrachloride-induced hepatotoxicity in rats. *Biosci Biotechnol Biochem.* 77: 909-916. <http://dx.doi.org/10.1271/bbb.120675>.
- Brender, JD; Shinde, MU; Zhan, FB; Gong, X; Langlois, PH. (2014). Maternal residential proximity to chlorinated solvent emissions and birth defects in offspring: a case-control study. *Environ Health.* 13: 96. <http://dx.doi.org/10.1186/1476-069X-13-96>.
- Brennan, RJ; Schiestl, RH. (1998). Chloroform and carbon tetrachloride induce intrachromosomal recombination and oxidative free radicals in *Saccharomyces cerevisiae*. *Mutat Res.* 397: 271-278.
- Brenner, DA; Paik, YH; Schnabl, B. (2015). Role of Gut Microbiota in Liver Disease. *J Clin Gastroenterol.* 49 Suppl 1: S25-S27. <http://dx.doi.org/10.1097/MCG.0000000000000391>.
- Brogan, WC; Colby, HD. (1983). Carbon tetrachloride (CCl4) toxicity in the guinea pig adrenal cortex. *W V Med J.* 79: 274.
- Brogan, WC; Eacho, PI; Hinton, DE; Colby, HD. (1984). Effects Of Carbon Tetrachloride On Adrenocortical Structure And Function In Guinea Pigs. *Toxicol Appl Pharmacol.* 75: 118-127.
- Brondeau, MT; Bonnet, P; Guenier, JP; De, CJ. (1983). Short-term inhalation test for evaluating industrial hepatotoxicants in rats. *Toxicol Lett.* 19: 139-146. [http://dx.doi.org/10.1016/0378-4274\(83\)90274-6](http://dx.doi.org/10.1016/0378-4274(83)90274-6).
- Bruckner, JV; Kim, HJ; Muralidhara, S; Gallo, JM. (1990). Influence of route and pattern exposure on the pharmacokinetics and hepatotoxicity of carbon tetrachloride. In TR Gerrity; CJ Henry (Eds.), (pp. 271-284). New York, NY: Elsevier Science Publishing Co.
- Bruckner, JV; Mackenzie, WF; Muralidhara, S; Luthra, R; Kyle, GM; Acosta, D. (1986). Oral toxicity of carbon tetrachloride: Acute, subacute, and subchronic studies in rats. *Fundam Appl Toxicol.* 6: 16-34.
- Bruckner, JV; Ramanathan, R; Lee, KM; Muralidhara, S. (2002). Mechanisms of circadian rhythmicity of carbon tetrachloride hepatotoxicity. *J Pharmacol Exp Ther.* 300: 273-281.
- Bruha, J, an; Vycital, O; Tonar, Z; Mirka, H; Haidingerova, L; Benes, J, an; Palek, R; Skala, M; Treska, V; Liska, V. (2015). Monoclonal Antibody Against Transforming Growth Factor Beta 1 Does Not Influence Liver Regeneration After Resection in Large Animal Experiments. *In Vivo.* 29: 327-340.
- Bukong, TN; Maurice, SB; Chahal, B; Schaeffer, DF; Winwood, PJ. (2016). Versican: a novel modulator of hepatic fibrosis. *Lab Invest.* 96: 361-374. <http://dx.doi.org/10.1038/labinvest.2015.152>.
- Burra, P; Arcidiacono, D; Bizzaro, D; Chioato, T; Di Liddo, R; Banerjee, A; Cappon, A; Bo, P; Conconi, MT; Parnigotto, PP; Mirandola, S; Gringeri, E; Carraro, A; Cillo, U; Russo, FP. (2012). Systemic administration of a novel human umbilical cord mesenchymal stem cells population accelerates the resolution of acute liver injury. *BMC Gastroenterol.* 12: 88. <http://dx.doi.org/10.1186/1471-230X-12-88>.
- Cabré, M; Camps, J; Paternáin, JL; Ferré, N; Joven, J. (2000). Time-course of changes in hepatic lipid peroxidation and glutathione metabolism in rats with carbon tetrachloride-induced cirrhosis. *Clin Exp Pharmacol Physiol.* 27: 694-699.
- Cabré, M; Ferré, N; Folch, J; Paternáin, JL; Hernàndez, M; Del Castillo, D; Joven, J; Camps, J. (1999). Inhibition of hepatic cell nuclear DNA fragmentation by zinc in carbon tetrachloride-treated rats. *J Hepatol.* 31: 228-234.

Human Health Hazard Literature Search Results

On Topic

- Cačányiová, S; Pecháňová, O; Babál, P; Cerná, A; Janega, P; Andriantsitohaina, R. (2011). Red wine polyphenols correct vascular function injured by chronic carbon tetrachloride intoxication. *Gen Physiol Biophys.* 30: 207-213. http://dx.doi.org/10.4149/gpb_2011_02_207.
- Cachón, AU; Quintal-Novelo, C; Medina-Escobedo, G; Castro-Aguilar, G; Moo-Puc, RE. (2017). Hepatoprotective Effect of Low Doses of Caffeine on CCl₄-Induced Liver Damage in Rats. *Journal of Dietary Supplements.* 14: 158-172. <http://dx.doi.org/10.1080/19390211.2016.1207003>.
- Cai, H; Xie, Z; Liu, G; Sun, X; Peng, G; Lin, B; Liao, Q. (2014). Isolation, identification and activities of natural antioxidants from *Callicarpa kwangtungensis* Chun. *PLoS ONE.* 9: e93000. <http://dx.doi.org/10.1371/journal.pone.0093000>.
- Cai, HB; Sun, XG; Liu, ZF; Liu, YW; Tang, J; Liu, Q; Ji, BM; Song, YH; Zhou, YC; Yang, MH; Lv, ZP. (2010). Effects of dahuangzhechong pills on cytokines and mitogen activated protein kinase activation in rats with hepatic fibrosis. *J Ethnopharmacol.* 132: 157-164. <http://dx.doi.org/10.1016/j.jep.2010.08.019>.
- Cai, Y; Zhou, CH; Fu, D; Shen, XZ. (2012). Overexpression of Smad ubiquitin regulatory factor 2 suppresses transforming growth factor- β mediated liver fibrosis. *Journal of Digestive Diseases (Online).* 13: 327-334. <http://dx.doi.org/10.1111/j.1751-2980.2012.00592.x>.
- Cai, Z; Lou, Q; Wang, F; Li, E; Sun, J; Fang, H; Xi, J; Ju, L. (2015). N-acetylcysteine protects against liver injury induced by carbon tetrachloride via activation of the Nrf2/HO-1 pathway. *Int J Clin Exp Pathol.* 8: 8655-8662.
- Calabrese, E; Iavicoli, I; Calabrese, V. (2012). Hormesis: Its impact on medicine and health. *Hum Exp Toxicol.* 32: 120-152. <http://dx.doi.org/10.1177/0960327112455069>.
- Calabrese, EJ. (2016). Preconditioning is hormesis part II: How the conditioning dose mediates protection: Dose optimization within temporal and mechanistic frameworks [Review]. *Pharmacol Res.* 110: 265-275. <http://dx.doi.org/10.1016/j.phrs.2015.12.020>.
- Calabrese, EJ; Baldwin, LA; Leonard, DA; Zhao, XQ. (1995). Decrease in hepatotoxicity by lead exposure is not explained by its mitogenic response. *J Appl Toxicol.* 15: 129-132. <http://dx.doi.org/10.1002/jat.2550150212>.
- Calabro, S. R.; Maczurek, AE; Morgan, AJ; Tu, T; Wen, VW; Yee, C; Mridha, A; Lee, M; D'Avigdor, W; Locarnini, SA; Mccaughan, GW; Warner, FJ; McLennan, SV; Shackel, NA. (2014). Hepatocyte produced matrix metalloproteinases are regulated by CD147 in liver fibrogenesis. *PLoS ONE.* 9: e90571. <http://dx.doi.org/10.1371/journal.pone.0090571>.
- Calleja, MA; Vieites, JM; Montero-Meléndez, T; Montero-Meterdez, T; Torres, MI; Faus, MJ; Gil, A; Suárez, A. (2013). The antioxidant effect of β -caryophyllene protects rat liver from carbon tetrachloride-induced fibrosis by inhibiting hepatic stellate cell activation. *Br J Nutr.* 109: 394-401. <http://dx.doi.org/10.1017/S0007114512001298>.
- Callen, DF; Wolf, CR; Philpot, RM. (1980). Cytochrome P-450 mediated genetic activity and cytotoxicity of seven halogenated aliphatic hydrocarbons in *Saccharomyces cerevisiae*. *Mutat Res.* 77: 55-63. [http://dx.doi.org/10.1016/0165-1218\(80\)90120-2](http://dx.doi.org/10.1016/0165-1218(80)90120-2).
- Cambon-Gros, C; Deltour, P; Boigegrain, RA; Fernandez, Y; Mitjavila, S. (1986). Short communications: Radical activation of carbon tetrachloride in foetal and maternal rat liver microsomes. *Biochem Pharmacol.* 35: 2041-2044.
- Campos, G; Schmidt-Heck, W; Ghallab, A; Rochlitz, K; Pütter, L; Medinas, DB; Hetz, C; Widera, A; Cadenas, C; Begher-Tibbe, B; Reif, R; Günther, G; Sachinidis, A; Hengstler, JG; Godoy, P. (2014). The transcription factor CHOP, a central component of the transcriptional regulatory network induced upon CCl₄ intoxication in mouse liver, is not a critical mediator of hepatotoxicity. *Arch Toxicol.* 88: 1267-1280. <http://dx.doi.org/10.1007/s00204-014-1240-8>.
- Cantor, KP; Stewart, PA; Brinton, LA; Dosemeci, M. (1995). Occupational exposures and female breast cancer mortality in the United States. *J Occup Environ Med.* 37: 336-348. <http://dx.doi.org/10.1097/00043764-199503000-00011>.
- Cao, HX; Sun, H; Jiang, XG; Lu, HT; Zhang, GM; Wang, XJ; Sun, WJ; Wu, ZM; Wang, P; Liu, L; Zhou, J. (2009). Comparative study on the protective effects of Yinchenhao Decoction against liver injury induced by alpha-naphthylisothiocyanate and carbon tetrachloride. *Chin J Integr Med.* 15: 204-209. <http://dx.doi.org/10.1007/s11655-009-0204-y>.
- Cariello, R; Tuccillo, C; Mazzone, G; Ribecco, M; Amoroso, D; Federico, A; Carteni, M; de Magistris, L; D'Argenio, G; Loguercio, C. (2010). A PROBIOTIC TREATMENT AMELIORATES CCL₄-INDUCED LIVER FIBROSIS IN RATS. *Dig Liver Dis.* 42: S147-S147.
- Carl, DE; Ghosh, SS; Gehr, TW; Abbate, A; Toldo, S; Sanyal, AJ. (2015). A model of acute kidney injury in mice with cirrhosis and infection. *Liver Int.* 36: 865-873. <http://dx.doi.org/10.1111/liv.13023>.
- Carton, M; Barul, C; Menvielle, G; Cyr, D; Sanchez, M; Pilorget, C; Trétarre, B; Stücker, I; Luce, D; Group, IS. (2017). Occupational exposure to solvents and risk of head and neck cancer in women: a population-based case-control study in France. *BMJ Open.* 7: e012833. <http://dx.doi.org/10.1136/bmjopen-2016-012833>.
- Castillo, T; Koop, DR; Kamimura, S; Triadafilopoulos, G; Tsukamoto, H. (1992). Role of cytochrome P-450 2E1 in ethanol-, carbon tetrachloride- and iron-dependent microsomal lipid peroxidation. *Hepatology.* 16: 992-996.
- Castro, GD; Diaz Gomez, MI; Castro, JA. (1989). Species differences in the interaction between CCl₄ reactive metabolites and liver DNA or nuclear protein fractions. *Carcinogenesis.* 10: 289-294.
- Castro, JA; De Ferreyra, EC; De Castro, CR; Díaz Gómez, MI; D'Acosta, N; De Fenos, OM. (1973). Studies on the mechanism of cystamine prevention of several liver structural and biochemical alterations caused by carbon tetrachloride. *Toxicol Appl Pharmacol.* 24: 1-19. [http://dx.doi.org/10.1016/0041-008X\(73\)90176-2](http://dx.doi.org/10.1016/0041-008X(73)90176-2).
- Castro, JA; Diaz Gomez, MI. (1972). Studies on the irreversible binding of 14C-CCl₄ to microsomal lipids in rats under varying experimental conditions. *Toxicol Appl Pharmacol.* 23: 541-552.
- Cebović, T; Maksimović, Z. (2012). Hepatoprotective Effect of *Filipendula hexapetala* Gilib. (Rosaceae) in Carbon Tetrachloride-induced Hepatotoxicity in Rats. *Phytother Res.* 26: 1088-1091. <http://dx.doi.org/10.1002/ptr.3703>.
- Celep, E; Aydin, A; Kirmizibekmez, H; Yesilada, E. (2013). Appraisal of in vitro and in vivo antioxidant activity potential of cornelian cherry leaves. *Food Chem Toxicol.* 62: 448-455. <http://dx.doi.org/10.1016/j.fct.2013.09.001>.

Human Health Hazard Literature Search Results

On Topic

- Cemek, M; Aymelek, F; Büyükkuroğlu, ME; Karaca, T; Büyükben, A; Yılmaz, F. (2010). Protective potential of Royal Jelly against carbon tetrachloride induced-toxicity and changes in the serum sialic acid levels. *Food Chem Toxicol.* 48: 2827-2832. <http://dx.doi.org/10.1016/j.fct.2010.07.013>.
- Cemek, M; Yılmaz, F; Büyükkuroğlu, ME; Büyükben, A; Aymelek, F; Ayaz, A. (2012). Serum and liver tissue bio-element levels, and antioxidant enzyme activities in carbon tetrachloride-induced hepatotoxicity: protective effects of royal jelly. *J Med Food.* 15: 747-752. <http://dx.doi.org/10.1089/jmf.2012.0010>.
- Cengiz, N; Kavak, S; Güzel, A; Ozbek, H; Bektaş, H; Him, A; Erdoğan, E; Balahoroğlu, R. (2013). Investigation of the hepatoprotective effects of Sesame (*Sesamum indicum* L.) in carbon tetrachloride-induced liver toxicity. *J Membr Biol.* 246: 1-6. <http://dx.doi.org/10.1007/s00232-012-9494-7>.
- Cerini, F; Gracia-Sancho, J; Rodriguez-Vilarrupla, A; Bosch, J; Garcia-Pagan, JC. (2013). EFFECTS OF ENOXAPARIN ADMINISTRATION ON CCl4 CIRRHOTIC RATS WITH PORTAL HYPERTENSION. *J Hepatol.* 58: S236-S236.
- Cernescu, IT; Tarțău, L; Macavei, A; Lupușoru, CE. (2011). [Effects of a *Cetraria islandica* extract in monotherapy and in association with magnesium in an experimental-induced hepatopathy model]. *Rev Med Chir Soc Med Nat Iasi.* 115: 1195-1199.
- Cerrada-Gimenez, M; Pietilä, M; Loimas, S; Pirinen, E; Hyvönen, MT; Keinänen, TA; Jänne, J; Alhonen, L. (2011). Continuous oxidative stress due to activation of polyamine catabolism accelerates aging and protects against hepatotoxic insults. *Transgenic Res.* 20: 387-396. <http://dx.doi.org/10.1007/s11248-010-9422-5>.
- Çetin, A; Çiftçi, O; Otlu, A. (2016). Protective effect of hesperidin on oxidative and histological liver damage following carbon tetrachloride administration in Wistar rats. *Archives of Medical Science.* 12: 486-493. <http://dx.doi.org/10.5114/aoms.2015.49484>.
- Cetin, E; Kanbur, M; Cetin, N; Eraslan, G; Atasever, A. (2011). Hepatoprotective effect of ghrelin on carbon tetrachloride-induced acute liver injury in rats. *Regulatory Peptides.* 171: 1-5. <http://dx.doi.org/10.1016/j.regpep.2011.05.010>.
- Cetinkaya, A; Kantarceken, B; Bulbuloglu, E; Kurutas, EB; Ciralik, H; Atli, Y. (2013). The effects of L-carnitine and N-acetylcysteine on carbontetrachloride induced acute liver damage in rats. *Bratisl Lek Listy.* 114: 682-688. http://dx.doi.org/10.4149/BLL_2013_145.
- Cha, JY; Ahn, HY; Moon, HJ; Jeong, YK; Cho, YS. (2012). Effect of fermented *Angelicae gigantis Radix* on carbon tetrachloride-induced hepatotoxicity and oxidative stress in rats. *Immunopharmacol Immunotoxicol.* 34: 265-274. <http://dx.doi.org/10.3109/08923973.2011.600765>.
- Chae, HJ; Yim, JE; Kim, KA; Chyun, JH. (2014). Hepatoprotective effects of *Rubus coreanus* miquel concentrates on liver injuries induced by carbon tetrachloride in rats. *Nutrition Research and Practice.* 8: 40-45. <http://dx.doi.org/10.4162/nrp.2014.8.1.40>.
- Chai, NL; Fu, Q; Shi, H; Cai, CH; Wan, J; Xu, SP; Wu, BY. (2012). Oxymatrine liposome attenuates hepatic fibrosis via targeting hepatic stellate cells. *World J Gastroenterol.* 18: 4199-4206. <http://dx.doi.org/10.3748/wjg.v18.i31.4199>.
- Chakrabarti, A; Kaydo, LN; Richard, ZC; Pritchard, M. (2012). Early growth response-1 attenuates ethanol-accelerated, carbon tetrachloride-induced profibrotic signatures in liver: Potential role of glutathione peroxidase 2. *Hepatology.* 56: 765A-765A.
- Chakraborty, B; Sengupta, M. (2012). Boosting of nonspecific host response by aromatic spices turmeric and ginger in immunocompromised mice. *Cell Immunol.* 280: 92-100. <http://dx.doi.org/10.1016/j.cellimm.2012.11.014>.
- Chakraborty, M; Karmakar, I; Haldar, S; Das, A; Bala, A; Haldar, PK. (2016). Amelioration of oxidative DNA damage in mouse peritoneal macrophages by *Hippophae salicifolia* due to its proton (H⁺) donation capability: Ex vivo and in vivo studies. 8: 210-216. <http://dx.doi.org/10.4103/0975-7406.172663>.
- Chan, KW; Ho, WS. (2015). Anti-oxidative and hepatoprotective effects of lithospermic acid against carbon tetrachloride-induced liver oxidative damage in vitro and in vivo. *Oncol Rep.* 34: 673-680. <http://dx.doi.org/10.3892/or.2015.4068>.
- Chan, WH; Liao, JW; Chou, CP; Chan, PK; Wei, CF; Ueng, TH. (2009). Induction of CYP1A1, 2B, 2E1 and 3A in rat liver by organochlorine pesticide dicofol. *Toxicol Lett.* 190: 150-155. <http://dx.doi.org/10.1016/j.toxlet.2009.07.005>.
- Chan, YC; Chang, SC; Liu, SY; Yang, HL; Hseu, YC; Liao, JW. (2010). Beneficial effects of yam on carbon tetrachloride-induced hepatic fibrosis in rats. *J Sci Food Agric.* 90: 161-167. <http://dx.doi.org/10.1002/jsfa.3801>.
- Chandra, M; Frith, CH. (1994). Non-neoplastic renal lesions in Sprague-Dawley and Fischer-344 rats. *Exp Toxicol Pathol.* 45: 439-447. [http://dx.doi.org/10.1016/S0940-2993\(11\)80376-3](http://dx.doi.org/10.1016/S0940-2993(11)80376-3).
- Chandrashekhar, VM; Muchandi, AA; Sudi, SV; Ganapthy, S. (2010). Hepatoprotective activity of *Stereospermum suaveolens* against CCl₄-induced liver damage in albino rats. *Pharmaceutical Biology.* 48: 524-528. <http://dx.doi.org/10.3109/13880200903173601>.
- Chang, BY; Lee, DS; Lee, JK; Kim, YC; Cho, HK; Kim, SY. (2016). Protective activity of kudzu (*Pueraria thunbergiana*) vine on chemically-induced hepatotoxicity: in vitro and in vivo studies. *BMC Complement Altern Med.* 16: 39. <http://dx.doi.org/10.1186/s12906-016-1023-2>.
- Chang, CY; Chen, YL; Yang, SC; Huang, GC; Tsi, D; Huang, CC; Chen, JR; Li, JS. (2009). Effect of schisandrin B and sesamin mixture on CCl₄-induced hepatic oxidative stress in rats. 23: 251-256. <http://dx.doi.org/10.1002/ptr.2602>.
- Chang, HC; Chiu, YW; Lin, YM; Chen, RJ; Lin, JA; Tsai, FJ; Tsai, CH; Kuo, YC; Liu, JY; Huang, CY. (2014). Herbal supplement attenuation of cardiac fibrosis in rats with CCl₄-induced liver cirrhosis. *Chin J Physiol.* 57: 41-47. <http://dx.doi.org/10.4077/CJP.2014.BAB147>.
- Chang, J; Lan, T; Li, C; Ji, X; Zheng, L; Gou, H; Ou, Y; Wu, T; Qi, C; Zhang, Q; Li, J; Gu, Q; Wen, D; Cao, L; Qiao, L; Ding, Y; Wang, L. (2015). Activation of Slit2-Robo1 signaling promotes liver fibrosis. *J Hepatol.* 63: 1413-1420. <http://dx.doi.org/10.1016/j.jhep.2015.07.033>.
- Chang, JB; Wu, MF; Yang, YY; Leu, SJ; Chen, YL; Yu, CS; Yu, CC; Chang, SJ; Lu, HF; Chung, JG. (2011). Carbon tetrachloride-induced hepatotoxicity and its amelioration by *Agaricus blazei* Murrill extract in a mouse model. 25: 971-976.
- Chang, TN; Ho, YL; Huang, GJ; Huang, SS; Chen, CJ; Hsieh, PC; Chiang, YC; Chang, YS. (2011). Hepatoprotective Effect of *Crossostephium chinensis* (L.) Makino in Rats. *Am J Chin Med.* 39: 503. <http://dx.doi.org/10.1142/S0192415X11008993>.
- Chang, Y; Qi, X; Li, Z; Wang, F; Wang, S; Zhang, Z; Xiao, C; Ding, T; Yang, C. (2013). Hepatorenal syndrome: insights into the mechanisms of intra-abdominal hypertension. *Int J Clin Exp Pathol.* 6: 2523-2528.

Human Health Hazard Literature Search Results

On Topic

- Chao, J; Lee, MS; Amagaya, S; Liao, JW; Wu, JB; Ho, LK; Peng, WH. (2009). Hepatoprotective effect of shidagonglao on acute liver injury induced by carbon tetrachloride. *Am J Chin Med.* 37: 1085-1097. <http://dx.doi.org/10.1142/S0192415X0900751X>.
- Chatani, N; Kamada, Y; Kizu, T; Ogura, S; Furuta, K; Egawa, M; Hamano, M; Ezaki, H; Kiso, S; Shimono, A; Ouchi, N; Yoshida, Y; Takehara, T. (2013). Lack of secreted frizzled-related protein 5 (Sfrp5), an adipocytokine, enhanced carbon-tetrachloride-induced liver fibrosis in mice. *Hepatology.* 58: 573A-573A.
- Chatterjee, A. (1966). Testicular degeneration in rats by carbon tetrachloride intoxication. *Experientia.* 22: 395-396.
- Chatterjee, S; Ganini, D; Tokar, EJ; Kumar, A; Das, S; Corbett, J; Kadiiska, MB; Waalkes, MP; Diehl, AM; Mason, RP. (2013). Leptin is key to peroxynitrite-mediated oxidative stress and Kupffer cell activation in experimental non-alcoholic steatohepatitis. *J Hepatol.* 58: 778-784. <http://dx.doi.org/10.1016/j.jhep.2012.11.035>.
- Chatterjee, S; Rana, R; Corbett, J; Kadiiska, MB; Goldstein, J; Mason, RP. (2012). P2X7 receptor-NADPH oxidase axis mediates protein radical formation and Kupffer cell activation in carbon tetrachloride-mediated steatohepatitis in obese mice. *Free Radic Biol Med.* 52: 1666-1679. <http://dx.doi.org/10.1016/j.freeradbiomed.2012.02.010>.
- Chaudhary, AK; Nokubo, M; Reddy, GR; Yeola, SN; Morrow, JD; Blair IA; Marnett, LJ. (1994). Detection of endogenous malondialdehyde-deoxyguanosine adducts in human liver. *Science.* 265: 1580-1582.
- Chavez, E; Moreno, MG; Muriel, P. (2009). PHARMACOLOGICAL EFFECTS OF ACETYL SALICYLIC ACID, SULFASALAZINE, IBUPROFEN AND CELECOXIB ON LIVER FIBROSIS INDUCED BY CHRONIC ADMINISTRATION OF CCL4. *J Hepatol.* 50: S272-S272.
- Chávez-Morales, RM; Jaramillo-Juárez, F; Posadas del Río, FA; Reyes-Romero, MA; Rodríguez-Vázquez, ML; Martínez-Saldaña, MC. (2011). Protective effect of Ginkgo biloba extract on liver damage by a single dose of CCl(4) in male rats. *Hum Exp Toxicol.* 30: 209-216. <http://dx.doi.org/10.1177/0960327110371698>.
- Checkoway, H; Wilcosky, T; Wolf, P; Tyroler, H. (1984). An evaluation of the associations of leukemia and rubber industry solvent exposures. *Am J Ind Med.* 5: 239-249.
- Chemicals Inspection and Testing Institute. (1992). Biodegradation and bioaccumulation data of existing chemicals based on the CSCL Japan (pp. 2-9). Tokyo, Japan: Chemical Industry Ecology-Toxicology and Information Center.
- Chen, C; Chao, J; Peng, W; Lee, M; Lee, M; Chen, H; Cheng, H; Chou, T. (2010). Hepatoprotective effect of Mahonia oiwakensis stems against carbon tetrachloride hepatotoxicity. *Planta Med.* 76: 1342-1342.
- Chen, F; Zhang, L; Zong, S; Xu, S; Li, X; Ye, Y. (2014). Antioxidant Capacity and Proanthocyanidin Composition of the Bark of *Metasequoia glyptostroboides*. *eCAM.* 2014: 136203. <http://dx.doi.org/10.1155/2014/136203>.
- Chen, H; Yang, BW; Yuan, M; Tang, H; Bai, L; Liu, C; He, M; Wang, LC. (2016). [Prevention and Therapeutic Effects of Fuzheng Huayu Capsule on Liver Fibrosis and Expression of Connective Tissue Growth Factor in Rats]. *Sichuan Da Xue Xue Bao Yi Xue Ban.* 47: 197-202.
- Chen, HW; Huang, CS; Li, CC; Lin, AH; Huang, YJ; Wang, TS; Yao, HT; Lii, CK. (2014). Bioavailability of andrographolide and protection against carbon tetrachloride-induced oxidative damage in rats. *Toxicol Appl Pharmacol.* 280: 1-9. <http://dx.doi.org/10.1016/j.taap.2014.07.024>.
- Chen, J; Liu, DG; Wang, H; Wu, XN; Cong, M; You, H; Jia, JD. (2016). NIM811 downregulates transforming growth factor- β signal transduction in vivo and in vitro. *Mol Med Rep.* 13: 522-528. <http://dx.doi.org/10.3892/mmr.2015.4572>.
- Chen, J; Liu, DG; Yang, G; Kong, LJ; Du, YJ; Wang, HY; Li, FD; Pei, FH; Song, JT; Fan, YJ; Liu, AY; Wang, XH; Li, BX. (2014). Endostar, a novel human recombinant endostatin, attenuates liver fibrosis in CCl4-induced mice. *Exp Biol Med.* 239: 998-1006. <http://dx.doi.org/10.1177/1535370214532595>.
- Chen, J; Mu, Y; Duan, Y; Liu, P. (2014). Hepatic progenitor cells contribute to the progression of liver fibrosis induced by 2-AAF/CCl4 in rats through the non-canonical wnt pathway. *Hepatology.* 60: 410A-411A.
- Chen, L; Zhang, C; Chen, L; Wang, X; Xiang, B; Wu, X; Guo, Y; Mou, X; Yuan, L; Chen, B; Wang, J; Xiang, C. (2016). Human Menstrual Blood-Derived Stem Cells Ameliorate Liver Fibrosis in Mice by Targeting Hepatic Stellate Cells via Paracrine Mediators. *6: 272-284.* <http://dx.doi.org/10.5966/sctm.2015-0265>.
- Chen, MF; Chung, HH; Lu, HL. (2012). Protection of the extracts of *Lentinus edodes mycelia* against carbon-tetrachloride-induced hepatic injury in rats. *ScientificWorldJournal.* 2012: 231586. <http://dx.doi.org/10.1100/2012/231586>.
- Chen, P; Han, Z; Yang, P; Zhu, L; Hua, Z; Zhang, J. (2010). Loss of clock gene *mPer2* promotes liver fibrosis induced by carbon tetrachloride. *40: 1117-1127.* <http://dx.doi.org/10.1111/j.1872-034X.2010.00695.x>.
- Chen, P; Kakan, X; Wang, S; Dong, W; Jia, A; Cai, C; Zhang, J. (2013). Deletion of clock gene *Per2* exacerbates cholestatic liver injury and fibrosis in mice. *Exp Toxicol Pathol.* 65: 427-432. <http://dx.doi.org/10.1016/j.etp.2011.12.007>.
- Chen, P; Kakan, X; Zhang, J. (2010). Altered circadian rhythm of the clock genes in fibrotic livers induced by carbon tetrachloride. *FEBS Lett.* 584: 1597-1601. <http://dx.doi.org/10.1016/j.febslet.2010.03.019>.
- Chen, P; Li, C; Pang, W; Zhao, Y; Dong, W; Wang, S; Zhang, J. (2009). The protective role of *Per2* against carbon tetrachloride-induced hepatotoxicity. *Am J Pathol.* 174: 63-70. <http://dx.doi.org/10.2353/ajpath.2009.080430>.
- Chen, RJ; Wu, HH; Wang, YJ. (2015). Strategies to prevent and reverse liver fibrosis in humans and laboratory animals [Review]. *Arch Toxicol.* 89: 1727-1750. <http://dx.doi.org/10.1007/s00204-015-1525-6>.
- Chen, S; Zou, L; Li, L; Wu, T. (2013). The protective effect of glycyrrhetic acid on carbon tetrachloride-induced chronic liver fibrosis in mice via upregulation of *Nrf2*. *PLoS ONE.* 8: e53662. <http://dx.doi.org/10.1371/journal.pone.0053662>.
- Chen, SZ; Yuan, J; Deng, M; Wei, J; Zhou, J; Wang, YX. (2016). Chemical exchange saturation transfer (CEST) MR technique for in-vivo liver imaging at 3.0 tesla. *Eur Radiol.* 26: 1792-1800. <http://dx.doi.org/10.1007/s00330-015-3972-0>.

Human Health Hazard Literature Search Results

On Topic

- Chen, W, ei; Sang, JY; Liu, D; Qin, J, un; Huo, Y; Xu, J, ia; Wu, Z. (2013). Desensitization G-protein-coupled receptors induces vascular hypocontractility in response to norepinephrine the mesenteric arteries cirrhotic patients and rats. *Hepatobiliary Pancreat Dis Int.* 12: 295-304. [http://dx.doi.org/10.1016/S1499-3872\(13\)60047-8](http://dx.doi.org/10.1016/S1499-3872(13)60047-8).
- Chen, WL; Lu, H, siChi; Huang, HY, i; Hwang, GY, uh; Tzen, JTC. (2010). Sesame Lignans Significantly Alleviate Liver Damage of Rats Caused by Carbon Tetrachloride in Combination with Kava. *J Food Drug Anal.* 18: 249-255.
- Chen, X; Meng, Q; Wang, C; Liu, Q; Sun, H; Huo, X; Sun, P; Yang, X; Peng, J; Liu, K. (2015). Protective effects of calycosin against CCl₄-induced liver injury with activation of FXR and STAT3 in mice. *Pharm Res.* 32: 538-548. <http://dx.doi.org/10.1007/s11095-014-1483-3>.
- Chen, X; Yamamoto, M; Fujii, K; Nagahama, Y; Ooshio, T; Xin, B; Okada, Y; Furukawa, H; Nishikawa, Y. (2015). Differential reactivation of fetal/neonatal genes in mouse liver tumors induced in cirrhotic and non-cirrhotic conditions. *Cancer Sci.* 106: 972-981. <http://dx.doi.org/10.1111/cas.12700>.
- Chen, X; Ying, X; Chen, L; Zhang, W; Zhang, Y. (2015). Protective effects of sesamin on liver fibrosis through antioxidative and anti-inflammatory activities in rats. *Immunopharmacol Immunotoxicol.* 37: 465-472. <http://dx.doi.org/10.3109/08923973.2015.1085064>.
- Chen, X; Ying, X; Zhang, W; Chen, Y; Shi, C; Hou, Y; Zhang, Y. (2013). The hepatoprotective effect of fraxetin on carbon tetrachloride induced hepatic fibrosis by antioxidative activities in rats. *Int Immunopharmacol.* 17: 543-547. <http://dx.doi.org/10.1016/j.intimp.2013.08.006>.
- Chen, Y; Choi, SS; Michelotti, GA; Chan, IS; Swiderska-Syn, M; Karaca, GF; Xie, G; Moylan, CA; Garibaldi, F; Premont, R; Suliman, HB; Piantadosi, CA; Diehl, AM. (2012). Hedgehog controls hepatic stellate cell fate by regulating metabolism. *Gastroenterology.* 143: 1319-1329. <http://dx.doi.org/10.1053/j.gastro.2012.07.115>.
- Chen, Y; Zheng, S; Qi, D; Zheng, S; Guo, J; Zhang, S; Weng, Z. (2012). Inhibition of Notch signaling by a γ -secretase inhibitor attenuates hepatic fibrosis in rats. *PLoS ONE.* 7: e46512. <http://dx.doi.org/10.1371/journal.pone.0046512>.
- Chen, YW; Liu, BW; Zhang, YJ; Chen, YW; Dong, GF; Ding, XD; Xu, LM; Pat, B; Fan, JG; Li, DG. (2010). Preservation of basal AcSDKP attenuates carbon tetrachloride-induced fibrosis in the rat liver. *J Hepatol.* 53: 528-536. <http://dx.doi.org/10.1016/j.jhep.2010.03.027>.
- Chen, YX; Lai, LN; Zhang, HY; Bi, YH; Meng, L; Li, XJ; Tian, XX; Wang, LM; Fan, YM; Zhao, ZF; Han, DW; Ji, C. (2016). Effect of artesunate supplementation on bacterial translocation and dysbiosis of gut microbiota in rats with liver cirrhosis. *World J Gastroenterol.* 22: 2949-2959. <http://dx.doi.org/10.3748/wjg.v22.i10.2949>.
- Chen, Z; Wang, Z; Deng, CY; Zheng, H, ao; Wang, X; Ma, L; Ye, X, ia; Ma, Y; Xie, C; Chen, L, ij; Wei, Y, uQ. (2012). (Z)-5-(4-methoxybenzylidene)thiazolidine-2,4-dione protects rats from carbon tetrachloride-induced liver injury and fibrogenesis. *World J Gastroenterol.* 18: 654-661. <http://dx.doi.org/10.3748/wjg.v18.i7.654>.
- Cheng, J; Zhang, Z; Zheng, Z; Lv, G; Wang, L; Tian, B; Hua, Y. (2014). Antioxidative and Hepatoprotective Activities of Deinoxanthin-Rich Extract from *Deinococcus radiodurans* R1 against Carbon Tetrachloride-Induced Liver Injury in Mice. *Tropical Journal of Pharmaceutical Research.* 13: 573-580. <http://dx.doi.org/10.4314/tjpr.v13i4.13>.
- Cheng, Y; Tian, Y; Xia, J; Wu, X; Yang, Y; Li, X; Huang, C; Meng, X; Ma, T; Li, J. (2017). The role of PTEN in regulation of hepatic macrophages activation and function in progression and reversal of liver fibrosis. *Toxicol Appl Pharmacol.* 317: 51-62. <http://dx.doi.org/10.1016/j.taap.2017.01.005>.
- Cheong, KO; Shin, DS; Bak, J; Lee, C; Kim, KW; Je, NK; Chung, HY; Yoon, S; Moon, JO. (2016). Hepatoprotective effects of zingerone on carbon tetrachloride- and dimethylnitrosamine-induced liver injuries in rats. *Arch Pharm Res.* 39: 279-291. <http://dx.doi.org/10.1007/s12272-015-0696-2>.
- Cheshchevik, VT; Dremza, IK; Lapshina, EA; Zabrodskaya, SV; Kujawa, J; Zavodnik, IB. (2011). Corrections by melatonin of liver mitochondrial disorders under diabetes and acute intoxication in rats. *Cell Biochem Funct.* 29: 481-488. <http://dx.doi.org/10.1002/cbf.1775>.
- Cheshchevik, VT; Lapshina, EA; Dremza, IK; Zabrodskaya, SV; Reiter, RJ; Prokopchik, NI; Zavodnik, IB. (2012). Rat liver mitochondrial damage under acute or chronic carbon tetrachloride-induced intoxication: protection by melatonin and cranberry flavonoids. *Toxicol Appl Pharmacol.* 261: 271-279. <http://dx.doi.org/10.1016/j.taap.2012.04.007>.
- Cheung, JS; Fan, SJ; Gao, DS; Chow, AM; Yang, J; Man, K; Wu, EX. (2011). In vivo lipid profiling using proton magnetic resonance spectroscopy in an experimental liver fibrosis model. *Acad Radiol.* 18: 377-383. <http://dx.doi.org/10.1016/j.acra.2010.10.012>.
- Cheung, KF; Ye, DW; Yang, ZF; Lu, L; Liu, CH; Wang, XL; Poon, RT; Tong, Y; Liu, P; Chen, YC; Lau, GK. (2009). Therapeutic efficacy of Traditional Chinese Medicine 319 recipe on hepatic fibrosis induced by carbon tetrachloride in rats. *J Ethnopharmacol.* 124: 142-150. <http://dx.doi.org/10.1016/j.jep.2009.03.005>.
- Chheda, TK; Shivakumar, P; Sadasivan, SK; Chandrasekharan, H; Moolmath, Y; Oommen, AM; Madanahalli, JR; Marikunte, VV. (2014). Fast food diet with CCl₄ micro-dose induced hepatic-fibrosis--a novel animal model. *BMC Gastroenterol.* 14: 89. <http://dx.doi.org/10.1186/1471-230X-14-89>.
- Chien, KR; Sherman, SC; Jr, MS; Farber, JL. (1980). Microsomal membrane structure and function subsequent to calcium activation of an endogenous phospholipase. *Arch Biochem Biophys.* 205: 614-622.
- Chiu, CC; Huang, CY; Chen, TY; Kao, SH; Liu, JY; Wang, YW; Tzang, BS; Hsu, TC. (2012). Beneficial Effects of *Ocimum gratissimum* Aqueous Extract on Rats with CCl₄-Induced Acute Liver Injury. *eCAM.* 2012: 736752. <http://dx.doi.org/10.1155/2012/736752>.
- Chiu, CC; Sheu, JC; Chen, CH; Lee, CZ; Chiou, LL; Chou, SH; Huang, GT; Lee, HS. (2009). Global gene expression profiling reveals a key role of CD44 in hepatic oval-cell reaction after 2-AAF/CCl₄ injury in rodents. *Histochem Cell Biol.* 132: 479-489. <http://dx.doi.org/10.1007/s00418-009-0634-9>.
- Chiu, HW; Hua, KF. (2016). Hepatoprotective Effect of Wheat-Based Solid-State Fermented *Antrodia cinnamomea* in Carbon Tetrachloride-Induced Liver Injury in Rat. *PLoS ONE.* 11: e0153087. <http://dx.doi.org/10.1371/journal.pone.0153087>.

Human Health Hazard Literature Search Results

On Topic

- Chiu, PY; Luk, KF; Leung, HY; Ng, KM; Ko, KM. (2009). Schisandrin B stereoisomers protect against hypoxia/reoxygenation-induced apoptosis and associated changes in the Ca(2+)-induced mitochondrial permeability transition and mitochondrial membrane potential in AML12 hepatocytes. 23: 1592-1602. <http://dx.doi.org/10.1002/ptr.2826>.
- Chiu, PY; Tang, MH; Mak, DH; Poon, MK; Ko, KM. (2003). Hepatoprotective mechanism of schisandrin B: Role of mitochondrial glutathione antioxidant status and heat shock proteins. *Free Radic Biol Med*. 35: 368-380.
- Chiu, YS; Wei, CC; Lin, YJ; Hsu, YH; Chang, MS. (2014). IL-20 and IL-20R1 antibodies protect against liver fibrosis. *Hepatology*. 60: 1003-1014. <http://dx.doi.org/10.1002/hep.27189>.
- Chiu, YW; Chao, PY; Tsai, CC; Chiou, HL; Liu, YC; Hung, CC; Shih, HC; Lai, TJ; Liu, JY. (2014). *Ocimum gratissimum* is effective in prevention against liver fibrosis in vivo and in vitro. *Am J Chin Med*. 42: 833-852. <http://dx.doi.org/10.1142/S0192415X14500530>.
- Cho, BO; Ryu, HW; So, Y; Jin, CH; Baek, JY; Park, KH; Byun, EH; Jeong, IY. (2013). Hepatoprotective effect of 2,3-dehydroisilybin on carbon tetrachloride-induced liver injury in rats. *Food Chem*. 138: 107-115. <http://dx.doi.org/10.1016/j.foodchem.2012.10.026>.
- Chobert, MN; Couchie, D; Fourcot, A; Zafrani, ES; Laperche, Y; Mavier, P; Brouillet, A. (2012). Liver precursor cells increase hepatic fibrosis induced by chronic carbon tetrachloride intoxication in rats. *Lab Invest*. 92: 135-150. <http://dx.doi.org/10.1038/labinvest.2011.143>.
- Choe, WH; Baik, SK. (2015). Prostaglandin E2 -mediated immunosuppression and the role of albumin as its modulator [Comment]. *Hepatology*. 61: 1080-1082. <http://dx.doi.org/10.1002/hep.27644>.
- Choi, D; Kim, SJ; Kwon, DY; Lee, SY; Kim, YC. (2009). Taurine depletion by beta-alanine inhibits induction of hepatotoxicity in mice treated acutely with carbon tetrachloride. *Adv Exp Med Biol*. 643: 305-311.
- Choi, HS; Kang, JW; Lee, SM. (2015). Melatonin attenuates carbon tetrachloride-induced liver fibrosis via inhibition of necroptosis. *Transl Res*. 166: 292-303. <http://dx.doi.org/10.1016/j.trsl.2015.04.002>.
- Choi, YJ; Kim, d; Kim, SJ; Kim, J; Jeong, SI; Chung, CH; Yu, KY; Kim, SY. (2014). Decursin attenuates hepatic fibrogenesis through interrupting TGF-beta-mediated NAD(P)H oxidase activation and Smad signaling in vivo and in vitro. *Life Sci*. 108: 94-103. <http://dx.doi.org/10.1016/j.lfs.2014.05.012>.
- Chow, AM; Gao, DS; Fan, SJ; Qiao, Z; Lee, FY; Yang, J; Man, K; Wu, EX. (2012). Liver fibrosis: an intravoxel incoherent motion (IVIM) study. *J Magn Reson Imaging*. 36: 159-167. <http://dx.doi.org/10.1002/jmri.23607>.
- Chow, AM; Gao, DS; Fan, SJ; Qiao, Z; Lee, FY; Yang, J; Man, K; Wu, EX. (2012). Measurement of liver T₁ and T₂ relaxation times in an experimental mouse model of liver fibrosis. *J Magn Reson Imaging*. 36: 152-158. <http://dx.doi.org/10.1002/jmri.23606>.
- Chow, AM; Tan, M; Gao, DS; Fan, SJ; Cheung, JS; Qiao, Z; Man, K; Lu, ZR; Wu, EX. (2013). Molecular MRI of liver fibrosis by a peptide-targeted contrast agent in an experimental mouse model. *Invest Radiol*. 48: 46-54. <http://dx.doi.org/10.1097/RLI.0b013e3182749c0b>.
- Chow, LN; Schreiner, P; Ng, BY; Lo, B; Hughes, MR; Scott, RW; Gusti, V; Lecour, S; Simonson, E; Manisali, I; Barta, I; Mcnagny, KM; Crawford, J; Webb, M; Underhill, TM. (2016). Impact of a CXCL12/CXCR4 Antagonist in Bleomycin (BLM) Induced Pulmonary Fibrosis and Carbon Tetrachloride (CCl₄) Induced Hepatic Fibrosis in Mice. *PLoS ONE*. 11: e0151765. <http://dx.doi.org/10.1371/journal.pone.0151765>.
- Chowdhury, MR; Sagor, MA; Tabassum, N; Potol, MA; Hossain, H; Alam, MA. (2015). Supplementation of Citrus maxima Peel Powder Prevented Oxidative Stress, Fibrosis, and Hepatic Damage in Carbon Tetrachloride (CCl₄) Treated Rats. *eCAM*. 2015: 598179. <http://dx.doi.org/10.1155/2015/598179>.
- Chowdhury, S; Chen, Y; Yao, TW; Ajami, K; Wang, XM; Popov, Y; Schuppan, D; Bertolino, P; Mccaughan, GW; Yu, DM; Gorrell, MD. (2013). Regulation of dipeptidyl peptidase 8 and 9 expression in activated lymphocytes and injured liver. *World J Gastroenterol*. 19: 2883-2893. <http://dx.doi.org/10.3748/wjg.v19.i19.2883>.
- Chu, AS; Diaz, R; Hui, JJ; Yanger, K; Zong, Y; Alpini, G; Stanger, BZ; Wells, RG. (2011). Lineage tracing demonstrates no evidence of cholangiocyte epithelial-to-mesenchymal transition in murine models of hepatic fibrosis. *Hepatology*. 53: 1685-1695. <http://dx.doi.org/10.1002/hep.24206>.
- Chu, PS; Nakamoto, N; Ebinuma, H; Usui, S; Saeki, K; Matsumoto, A; Mikami, Y; Sugiyama, K; Tomita, K; Kanai, T; Saito, H; Hibi, T. (2013). C-C motif chemokine receptor 9 positive macrophages activate hepatic stellate cells and promote liver fibrosis in mice. *Hepatology*. 58: 337-350. <http://dx.doi.org/10.1002/hep.26351>.
- Chu, X; Wang, H; Jiang, YM; Zhang, YY; Bao, YF; Zhang, X; Zhang, JP; Guo, H; Yang, F; Luan, YC; Dong, YS. (2016). Ameliorative effects of tannic acid on carbon tetrachloride-induced liver fibrosis in vivo and in vitro. *J Pharmacol Sci*. 130: 15-23. <http://dx.doi.org/10.1016/j.jphs.2015.12.002>.
- Chung, KT; Gadupudi, GS. (2011). Possible roles of excess tryptophan metabolites in cancer [Review]. *Environ Mol Mutagen*. 52: 81-104. <http://dx.doi.org/10.1002/em.20588>.
- Chung, SI; Moon, H; Kim, DY; Cho, KJ; Ju, HL; Kim, d; Ahn, SH; Han, KH; Ro, SW. (2016). Development of a transgenic mouse model of hepatocellular carcinoma with a liver fibrosis background. *BMC Gastroenterol*. 16: 13. <http://dx.doi.org/10.1186/s12876-016-0423-6>.
- Ci, L; Yang, XY; Gu, XW; Li, Q; Guo, Y; Zhou, ZP; Zhang, MJ; Shi, JH; Yang, H; Wang, ZG; Fei, J. (2016). Cystathionine γ-lyase Deficiency Exacerbates CCl₄-induced Acute Hepatitis and Fibrosis in the Mouse Liver. *Antioxid Redox Signal*. <http://dx.doi.org/10.1089/ars.2016.6773>.
- Ciccoli, L; Casini, AF; Benedetti, A. (1978). Free radical damage produced by carbon tetrachloride in the lipids of various rat tissues. *Agents and Actions*. 8: 303-310.
- Cinar, R; Iyer, MR; Liu, Z; Cao, Z; Jourdan, T; Erdelyi, K; Godlewski, G; Szanda, G; Liu, J; Park, JK; Mukhopadhyay, B; Rosenberg, AZ; Liow, JS; Lorenz, RG; Pacher, P; Innis, RB; Kunos, G. (2016). Hybrid inhibitor of peripheral cannabinoid-1 receptors and inducible nitric oxide synthase mitigates liver fibrosis. 1. <http://dx.doi.org/10.1172/jci.insight.87336>.
- Cipriani, S; Carino, A; Masullo, D; Zampella, A; Distrutti, E; Fiorucci, S. (2017). Decoding the role of the nuclear receptor SHP in regulating hepatic stellate cells and liver fibrogenesis. *Sci Rep*. 7: 41055. <http://dx.doi.org/10.1038/srep41055>.

Human Health Hazard Literature Search Results

On Topic

- Çitoğlu, GS; Acikara, OB; Yilmaz, BS; Ozbek, H. (2012). Evaluation of analgesic, anti-inflammatory and hepatoprotective effects of lycorine from *Sternbergia fisheriana* (Herbert) Rupr. *Fitoterapia*. 83: 81-87. <http://dx.doi.org/10.1016/j.fitote.2011.09.008>.
- Cl, F; Senseman, LA. (1944). Carbon tetrachloride polyneuritis. A case report. *R I Med J*. 27: 334-346.
- Clawson, GA. (1989). Mechanisms of carbon tetrachloride hepatotoxicity [Review]. *Pathol Immunopathol Res*. 8: 104-112.
- Clichici, S; Catoi, C; Mocan, T; Filip, A; Login, C; Nagy, A; Daicoviciu, D; Decea, N; Gherman, C; Moldovan, R; Muresan, A. (2011). Non-invasive oxidative stress markers for liver fibrosis development in the evolution of toxic hepatitis. *Acta Physiol Hung*. 98: 195-204. <http://dx.doi.org/10.1556/APhysiol.98.2011.2.11>.
- Clichici, S; Olteanu, D; Filip, A; Nagy, AL; Oros, A; Mircea, PA. (2016). Beneficial Effects of Silymarin After the Discontinuation of CCl₄-Induced Liver Fibrosis. *J Med Food*. 19: 789-797. <http://dx.doi.org/10.1089/jmf.2015.0104>.
- Clichici, S; Olteanu, D; Nagy, AL; Oros, A; Filip, A; Mircea, PA. (2015). Silymarin inhibits the progression of fibrosis in the early stages of liver injury in CCl₄-treated rats. *J Med Food*. 18: 290-298. <http://dx.doi.org/10.1089/jmf.2013.0179>.
- Coballase-Urrutia, E; Pedraza-Chaverri, J; Cárdenas-Rodríguez, N; Huerta-Gertrudis, B; García-Cruz, ME; Montesinos-Correa, H; Sánchez-González, DJ; Camacho-Carranza, R; Espinosa-Aguirre, JJ. (2013). Acetonic and Methanolic Extracts of *Heterotheca inuloides*, and Quercetin, Decrease CCl₄-Oxidative Stress in Several Rat Tissues. *eCAM*. 2013: 659165. <http://dx.doi.org/10.1155/2013/659165>.
- Coballase-Urrutia, E; Pedraza-Chaverri, J; Cárdenas-Rodríguez, N; Huerta-Gertrudis, B; García-Cruz, ME; Ramírez-Morales, A; Sánchez-González, DJ; Martínez-Martínez, CM; Camacho-Carranza, R; Espinosa-Aguirre, JJ. (2011). Hepatoprotective effect of acetonic and methanolic extracts of *Heterotheca inuloides* against CCl₄-induced toxicity in rats. *Exp Toxicol Pathol*. 63: 363-370. <http://dx.doi.org/10.1016/j.etp.2010.02.012>.
- Cogliati, B; Crespo Yanguas, S; Da Silva, TC; Aloia, TP; Nogueira, MS; Real-Lima, MA; Chaible, LM; Sanches, DS; Willebrords, J; Maes, M; Pereira, IV; Castro, IA; Vinken, M; Dagli, ML. (2016). Connexin32 deficiency exacerbates carbon tetrachloride-induced hepatocellular injury and liver fibrosis in mice. *Toxicol Mech Meth*. 26: 362-370. <http://dx.doi.org/10.1080/15376516.2016.1190991>.
- Cogliati, B; Da Silva, TC; Aloia, TP; Chaible, LM; Real-Lima, MA; Sanches, DS; Matsuzaki, P; Hernandez-Blazquez, FJ; Dagli, ML. (2011). Morphological and molecular pathology of CCl₄-induced hepatic fibrosis in connexin43-deficient mice. *Microsc Res Tech*. 74: 421-429. <http://dx.doi.org/10.1002/jemt.20926>.
- Colak, E; Ustuner, MC; Tekin, N; Colak, E; Burukoglu, D; Degirmenci, I; Gunes, HV. (2016). The hepatocurative effects of *Cynara scolymus* L. leaf extract on carbon tetrachloride-induced oxidative stress and hepatic injury in rats. 5: 216. <http://dx.doi.org/10.1186/s40064-016-1894-1>.
- Colakoglu, N; Kus, I; Kukner, A; Pekmez, H; Ozan, E; Sarsilmaz, M. (2011). Protective effects of CAPE on liver injury induced by CCl₄: an electron microscopy study. *Ultrastruct Pathol*. 35: 26-30. <http://dx.doi.org/10.3109/01913123.2010.527036>.
- Colby, HD; Brogan, WC; Miles, PR. (1981). Carbon tetrachloride-induced changes in adrenal microsomal mixed-function oxidases and lipid peroxidation. *Toxicol Appl Pharmacol*. 60: 492-499.
- Colby, HD; Purcell, H; Kominami, S; Takemori, S; Kossor, DC. (1994). Adrenal activation of carbon tetrachloride: Role of microsomal P450 isozymes. *Toxicology*. 94: 31-40.
- Coll, M, ar; Rodriguez, S; Raurell, I; Ezkurdia, N; Brull, A; Augustin, S; Guardia, J; Esteban, R; Martell, M; Genesca, J. (2012). Droxidopa, an oral norepinephrine precursor, improves hemodynamic and renal alterations of portal hypertensive rats. *Hepatology*. 56: 1849-1860. <http://dx.doi.org/10.1002/hep.25845>.
- Collins, BH; Holzknacht, ZE; Lynn, KA; Sempowski, GD; Smith, CC; Liu, S; Parker, W; Rockey, DC. (2013). Association of age-dependent liver injury and fibrosis with immune cell populations. *Liver Int*. 33: 1175-1186. <http://dx.doi.org/10.1111/liv.12202>.
- Colman, J; Rice, GE; Wright, JM; Hunter, ES; Teuschler, LK; Lipscomb, JC; Hertzberg, RC; Simmons, JE; Fransen, M; Osier, M; Narotsky, MG. (2011). Identification of developmentally toxic drinking water disinfection byproducts and evaluation of data relevant to mode of action [Review]. *Toxicol Appl Pharmacol*. 254: 100-126. <http://dx.doi.org/10.1016/j.taap.2011.02.002>.
- Columbano, A; Ledda-Columbano, GM; Pibiri, M; Piga, R; Shinozuka, H; De Luca, V; Cerignoli, F; Tripodi, M. (1997). Increased expression of c-fos, c-jun and LRF-1 is not required for in vivo priming of hepatocytes by the mitogen TCPOBOP. *Oncogene*. 14: 857-863. <http://dx.doi.org/10.1038/sj.onc.1200891>.
- Comporti, M. (1985). Biology of disease: Lipid peroxidation and cellular damage in toxic liver injury. *Lab Invest*. 53: 599-623.
- Comporti, M; Arezzini, B; Signorini, C; Vecchio, D; Gardi, C. (2009). Oxidative stress, isoprostanes and hepatic fibrosis [Review]. *Histol Histopathol*. 24: 893-900.
- Condie, LW; Laurie, RD; Mills, T; Robinson, M; Bercz, JP. (1986). Effect of gavage vehicle on hepatotoxicity of carbon tetrachloride in CD-1 mice: corn oil versus Tween-60 aqueous emulsion. *Toxicol Sci*. 7: 199-206.
- Cong, T; Jin, XY; Zhao, L; Ma, L; Li, RS; Zhao, P; Guo, CJ. (2015). Anti-fibrotic effects of the Masson pine pollen aqueous extract on hepatic fibrosis rat model. *Int J Clin Exp Pathol*. 8: 4651-4661.
- Connolly, MK; Bedrosian, AS; Malhotra, A; Henning, JR; Ibrahim, J; Vera, V; Cieza-Rubio, NE; Hassan, BU; Pachter, HL; Cohen, S; Frey, AB; Miller, G. (2010). In hepatic fibrosis, liver sinusoidal endothelial cells acquire enhanced immunogenicity. *J Immunol*. 185: 2200-2208. <http://dx.doi.org/10.4049/jimmunol.1000332>.
- Connor, HD; Thurman, RG; Galizi, MD; Mason, RP. (1986). The formation of a novel free radical metabolite from CCl₄ in the perfused rat liver and in vivo. *J Biol Chem*. 261: 4542-4548.
- Conrad, OA; Dike, IP; Agbara, U. (2013). In vivo antioxidant assessment of two antimalarial plants-*Allamamda cathartica* and *Bixa orellana*. 3: 388-394. [http://dx.doi.org/10.1016/S2221-1691\(13\)60082-9](http://dx.doi.org/10.1016/S2221-1691(13)60082-9).
- Contreras-Zentella, ML; Hernández-Muñoz, R. (2016). Is Liver Enzyme Release Really Associated with Cell Necrosis Induced by Oxidant Stress? [Review]. *Oxid Med Cell Longev*. 2016: 3529149. <http://dx.doi.org/10.1155/2016/3529149>.

Human Health Hazard Literature Search Results

On Topic

- Coombes, JD; Swiderska-Syn, M; Dollé, L; Reid, D; Eksteen, B; Claridge, L; Briones-Orta, MA; Shetty, S; Oo, YH; Riva, A; Chokshi, S; Papa, S; Mi, Z; Kuo, PC; Williams, R; Canbay, A; Adams, DH; Diehl, AM; van Grunsven, LA; Choi, SS; Syn, WK. (2015). Osteopontin neutralisation abrogates the liver progenitor cell response and fibrogenesis in mice. *Gut*. 64: 1120-1131. <http://dx.doi.org/10.1136/gutjnl-2013-306484>.
- Cordero-Pérez, P; Torres-González, L; Aguirre-Garza, M; Camara-Lemarroy, C; Guzmán-De la Garza, F; Alarcón-Galván, G; Zapata-Chavira, H; de Jesús Sotelo-Gallegos, M; Nadjedja Torres-Esquivel, C; Sánchez-Fresno, E; Cantú-Sepúlveda, D; González-Saldivar, G; Bernal-Ramírez, J; E Muñoz-Espinosa, L. (2013). Hepatoprotective effect of commercial herbal extracts on carbon tetrachloride-induced liver damage in Wistar rats. *Pharmacognosy Res*. 5: 150-156. <http://dx.doi.org/10.4103/0974-8490.112417>.
- Corey, KE; Chalasani, N. (2011). Should combination therapy be the paradigm for future nonalcoholic steatohepatitis clinical trials? [Editorial]. *Hepatology*. 54: 1503-1505. <http://dx.doi.org/10.1002/hep.24696>.
- Cornish, HH; Ling, BP; Barth, ML. (1973). Phenobarbital and organic solvent toxicity. *Am Ind Hyg Assoc J*. 34: 487-492. <http://dx.doi.org/10.1080/0002889738506886>.
- Corsini, A; Bortolini, M. (2013). Drug-induced liver injury: the role of drug metabolism and transport [Review]. *J Clin Pharmacol*. 53: 463-474. <http://dx.doi.org/10.1002/jcph.23>.
- Craddock, VM; Henderson, AR. (1978). De novo and repair replication of DNA in liver of carcinogen-treated animals. *Cancer Res*. 38: 2135-2143.
- Crebelli, R; Benigni, R; Franekic, J; Conti, G; Conti, L; Carere, A. (1988). Induction of chromosome malsegregation by halogenated organic solvents in *Aspergillus nidulans*: Unspecific or specific mechanism? *Mutat Res*. 201: 401-411. [http://dx.doi.org/10.1016/0027-5107\(88\)90027-9](http://dx.doi.org/10.1016/0027-5107(88)90027-9).
- Cresci, GA; Allende, D; McMullen, MR; Nagy, LE. (2015). Alternative complement pathway component Factor D contributes to efficient clearance of tissue debris following acute CCl₄-induced injury. *Mol Immunol*. 64: 9-17. <http://dx.doi.org/10.1016/j.molimm.2014.10.017>.
- Croen, LA; Shaw, GM; Sanbonmatsu, L; Selvin, S; Buffler, PA. (1997). Maternal residential proximity to hazardous waste sites and risk for selected congenital malformations. *Epidemiology*. 8: 347-354. <http://dx.doi.org/10.1097/00001648-199707000-00001>.
- Cubero, FJ; Nieto, N. (2012). Arachidonic acid stimulates TNF α production in Kupffer cells via a reactive oxygen species-pERK1/2-Egr1-dependent mechanism. *Am J Physiol Gastrointest Liver Physiol*. 303: G228-G239. <http://dx.doi.org/10.1152/ajpgi.00465.2011>.
- Cubero, FJ; Zoubek, ME; Hu, W; Peng, J; Zhao, G; Nevzorova, YA; Al Masaoudi, M; Bechmann, LP; Boekschoten, MV; Muller, M; Preisinger, C; Gassler, N; Canbay, AE; Luedde, T; Davis, RJ; Liedtke, C; Trautwein, C. (2016). Combined Activities of JNK1 and JNK2 in Hepatocytes Protect Against Toxic Liver Injury. *Gastroenterology*. 150: 968-981. <http://dx.doi.org/10.1053/j.gastro.2015.12.019>.
- Cuciureanu, M; Căruntu, ID; Păduraru, O; Stoica, B; Jerca, L; Crauciuc, E; Nechifor, M. (2009). The protective effect of montelukast sodium on carbon tetrachloride induced hepatopathy in rat. *Prostaglandins Other Lipid Mediat*. 88: 82-88. <http://dx.doi.org/10.1016/j.prostaglandins.2008.10.004>.
- Cuenca, S; Sanchez, E; Santiago, A; El Khader, I; Panda, S; Vidal, S; Camilo Nieto, J; Juárez, C; Sancho, F; Guarner, F; Soriano, G; Guarner, C; Manichanh, C. (2014). Microbiome composition by pyrosequencing in mesenteric lymph nodes of rats with CCl₄-induced cirrhosis. *Journal of Innate Immunity*. 6: 263-271. <http://dx.doi.org/10.1159/000356454>.
- Cui, CP; Wei, P; Liu, Y; Zhang, DJ; Wang, LS; Wu, CT. (2009). The protective role of Hepatopoietin Cn on liver injury induced by carbon tetrachloride in rats*. *Hepatology Research*. 39: 200-206. <http://dx.doi.org/10.1111/j.1872-034X.2008.00447.x>.
- Cui, F; Gao, X; Zhang, J; Liu, M; Zhang, C; Xu, N; Zhao, H; Lin, L; Zhou, M; Jia, L. (2016). Protective Effects of Extracellular and Intracellular Polysaccharides on Hepatotoxicity by *Hericium erinaceus* SG-02. *Curr Microbiol*. 73: 379-385. <http://dx.doi.org/10.1007/s00284-016-1073-1>.
- Cui, H; Liu, Z; Wang, L; Bian, Y; Li, W; Zhou, H; Chu, X; Zhao, Q. (2017). Icaritin-treated human umbilical cord mesenchymal stem cells decrease chronic liver injury in mice. *Cytotechnology*. 69: 19-29. <http://dx.doi.org/10.1007/s10616-016-0034-7>.
- Cui, L; Shi, Y; Zhou, X; Wang, X; Wang, J; Lan, Y; Wang, M; Zheng, L; Li, H; Wu, Q; Zhang, J; Fan, D; Han, Y. (2013). A set of microRNAs mediate direct conversion of human umbilical cord lining-derived mesenchymal stem cells into hepatocytes. *Cell Death & Disease*. 4: e918. <http://dx.doi.org/10.1038/cddis.2013.429>.
- Cui, W; Matsuno, K; Iwata, K; Ibi, M; Matsumoto, M; Zhang, J; Zhu, K; Katsuyama, M; Torok, NJ; Yabe-Nishimura, C. (2011). NOX1/nicotinamide adenine dinucleotide phosphate, reduced form (NADPH) oxidase promotes proliferation of stellate cells and aggravates liver fibrosis induced by bile duct ligation. *Hepatology*. 54: 949-958. <http://dx.doi.org/10.1002/hep.24465>.
- Cui, Y; Han, Y; Yang, X; Sun, Y; Zhao, Y. (2013). Protective effects of quercetin and quercetin-5',8-disulfonate against carbon tetrachloride-caused oxidative liver injury in mice. *Molecules*. 19: 291-305. <http://dx.doi.org/10.3390/molecules19010291>.
- Cui, Y; Yang, X; Lu, X; Chen, J; Zhao, Y. (2014). Protective effects of polyphenols-enriched extract from Huangshan Maofeng green tea against CCl₄-induced liver injury in mice. *Chem Biol Interact*. 220: 75-83. <http://dx.doi.org/10.1016/j.cbi.2014.06.018>.
- Curtis, HJ; Tilley, J. (1968). Chromosome aberrations in liver forced to regenerate by chemical or surgical methods. *J Gerontol A Biol Sci Med Sci*. 23: 140-141.
- Curtis, LR; Williams, WL; Mehendale, HM. (1979). Potentiation of the hepatotoxicity of carbon tetrachloride following preexposure to chlordecone (kepone) in the male rat. *Toxicol Appl Pharmacol*. 51: 283-293.
- Dai, L; Ji, H; Kong, XW; Zhang, YH. (2010). Antifibrotic effects of ZK14, a novel nitric oxide-donating biphenyldicarboxylate derivative, on rat HSC-T6 cells and CCl₄-induced hepatic fibrosis. *Acta Pharmacol Sin*. 31: 27-34. <http://dx.doi.org/10.1038/aps.2009.170>.
- Dai, Y; Cederbaum, AI. (1995). Inactivation and degradation of human cytochrome P4502E1 by CCl₄ in a transfected HepG2 cell line. *J Pharmacol Exp Ther*. 275: 1614-1622.
- Dalton, S. R.; Lee, SM; King, RN; Nanji, AA; Kharbanda, KK; Casey, CA; Mcvicker, BL. (2009). Carbon tetrachloride-induced liver damage in asialoglycoprotein receptor-deficient mice. *Biochem Pharmacol*. 77: 1283-1290. <http://dx.doi.org/10.1016/j.bcp.2008.12.023>.

Human Health Hazard Literature Search Results

On Topic

- Dambrauskas, T; Cornish, HH. (1970). Effect of pretreatment of rats with carbon tetrachloride on tolerance development. *Toxicol Appl Pharmacol.* 17: 83-97.
- Damment, SJ; Beevers, C; Gatehouse, DG. (2005). Evaluation of the potential genotoxicity of the phosphate binder lanthanum carbonate. *Mutagenesis.* 20: 29-37. <http://dx.doi.org/10.1093/mutage/gei003>.
- Dani, C; Oliboni, LS; Umezu, FM; Pasquali, MA; Salvador, M; Moreira, JC; Henriques, JA. (2009). Antioxidant and antigenotoxic activities of purple grape juice--organic and conventional--in adult rats. *J Med Food.* 12: 1111-1118. <http://dx.doi.org/10.1089/jmf.2008.0256>.
- D'Argenio, G; Cariello, R; Tuccillo, C; Mazzone, G; Federico, A; Funaro, A; De Magistris, L; Grossi, E; Callegari, ML; Chirico, M; Caporaso, N; Romano, M; Morelli, L; Loguercio, C. (2013). Symbiotic formulation in experimentally induced liver fibrosis in rats: intestinal microbiota as a key point to treat liver damage? *Liver Int.* 33: 687-697. <http://dx.doi.org/10.1111/liv.12117>.
- D'Argenio, G; Mazzone, G; Ribocco, MT; Lembo, V; Vitaglione, P; Guarino, M; Morisco, F; Napolitano, M; Fogliano, V; Caporaso, N. (2013). Garlic extract attenuating rat liver fibrosis by inhibiting TGF- β 1. *Clin Nutr.* 32: 252-258. <http://dx.doi.org/10.1016/j.clnu.2012.07.001>.
- Das, M; Boerma, M; Goree, JR; Lavoie, EG; Fausther, M; Dranoff, JA. (2013). Pulmonary Hypertension in Carbon Tetrachloride (CCl₄)-induced Cirrhotic Mice. *Hepatology.* 58: 1391A-1392A.
- Das, M; Boerma, M; Goree, JR; Lavoie, EG; Fausther, M; Gubrij, IB; Pangle, AK; Johnson, LG; Dranoff, JA. (2014). Pathological changes in pulmonary circulation in carbon tetrachloride (CCl₄)-induced cirrhotic mice. *PLoS ONE.* 9: e96043. <http://dx.doi.org/10.1371/journal.pone.0096043>.
- Dashinamzhilov, Z, hB; Turtuev, CD. (2014). [Pharmacotherapeutical efficiency of the dry extract "Ce-god-5" in liver injury induced by CCl₄ in white rats]. *Patol Fiziol Eksp Ter*53-56.
- Davies, B; Morris, T. (1993). Physiological parameters in laboratory animals and humans [Review]. *Pharm Res.* 10: 1093-1095. <http://dx.doi.org/10.1023/A:1018943613122>.
- De Bont, R; van Larebeke, N. (2004). Endogenous DNA damage in humans: A review of quantitative data [Review]. *Mutagenesis.* 19: 169-185.
- De Ferreyra, EC; Castro, JA; Díaz Gómez, MI; D'Acosta, N; De Castro, CR; De Fenos, OM. (1974). Prevention and treatment of carbon tetrachloride hepatotoxicity by cysteine: Studies about its mechanism. *Toxicol Appl Pharmacol.* 27: 558-568. [http://dx.doi.org/10.1016/0041-008X\(74\)90035-0](http://dx.doi.org/10.1016/0041-008X(74)90035-0).
- De Flora, S. (1981). Study of 106 organic and inorganic compounds in the Salmonella/microsome test. *Carcinogenesis.* 2: 283-298. <http://dx.doi.org/10.1093/carcin/2.4.283>.
- de Groot, H; Haas, W. (1981). Self-catalysed, O₂-independent inactivation of NADPH- or dithionite-reduced microsomal cytochrome P-450 by carbon tetrachloride. *Biochem Pharmacol.* 30: 2343-2347.
- De Luca, D; Tagliatti, V; Conotte, R; Colet, J. (2011). Chlordecone potentiation of carbon tetrachloride toxicity: A metabonomic-based mechanistic study. *Toxicol Lett.* 205: S181-S182. <http://dx.doi.org/10.1016/j.toxlet.2011.05.631>.
- de Meijer, VE; Popov, Y; Sverdlov, DY; Le, H, auD; Meisel, JA; Schuppan, D; Puder, M. (2009). DIETARY OMEGA-3 FATTY ACID SUPPLEMENTATION AGGRAVATES HEPATIC INJURY AND FIBROSIS IN ACUTE AND CHRONIC CARBON TETRACHLORIDE ADMINISTRATION IN MICE. *Hepatology.* 50: 1159A-1159A.
- de Meijer, VE; Sverdlov, DY; Popov, Y; Meisel, JA; Le, H, auD; Nose, V; Schuppan, D; Puder, M. (2009). BROAD-SPECTRUM MATRIX METALLOPROTEINASE INHIBITION CURBS INFLAMMATION BUT AGGRAVATES FIBROSIS IN A MURINE MODEL OF CHRONIC CARBON TETRACHLORIDE INDUCED INJURY. *Hepatology.* 50: 844A-844A.
- De Minicis, S; Agostinelli, L; Rychlicki, C; Sorice, GP; Saccomanno, S; Candelaresi, C; Giacari, A; Trozzi, L; Pierantonelli, I; Mingarelli, E; Marzioni, M; Muscogiuri, G; Gaggini, M; Benedetti, A; Gastaldelli, A; Guido, M; Svegliati-Baroni, G. (2014). HCC development is associated to peripheral insulin resistance in a mouse model of NASH. *PLoS ONE.* 9: e97136. <http://dx.doi.org/10.1371/journal.pone.0097136>.
- De Minicis, S; Rychlicki, C; Agostinelli, L; Saccomanno, S; Candelaresi, C; Trozzi, L; Mingarelli, E; Facinelli, B; Magi, G; Palmieri, C; Marzioni, M; Benedetti, A; Svegliati-Baroni, G. (2014). Dysbiosis contributes to fibrogenesis in the course of chronic liver injury in mice. *Hepatology.* 59: 1738-1749. <http://dx.doi.org/10.1002/hep.26695>.
- de Souza Machado, F; Kuo, J; Wohlenberg, MF; da Rocha Frusciant, M; Freitas, M; Oliveira, AS; Andrade, RB; Wannmacher, CM; Dani, C; Funchal, C. (2016). Subchronic treatment with acai frozen pulp prevents the brain oxidative damage in rats with acute liver failure. *Metab Brain Dis.* 31: 1427-1434. <http://dx.doi.org/10.1007/s11011-016-9873-3>.
- de Souza Machado, F; Marinho, JP; Abujamra, AL; Dani, C; Quincozes-Santos, A; Funchal, C. (2015). Carbon Tetrachloride Increases the Pro-inflammatory Cytokines Levels in Different Brain Areas of Wistar Rats: The Protective Effect of Acai Frozen Pulp. *Neurochem Res.* 40: 1976-1983. <http://dx.doi.org/10.1007/s11064-015-1693-z>.
- De Zwart, LL; Venhorst, J; Groot, M; Commandeur, JN; Hermans, RC; Meerman, JH; Van Baar, BL; Vermeulen, NP. (1997). Simultaneous determination of eight lipid peroxidation degradation products in urine of rats treated with carbon tetrachloride using gas chromatography with electron-capture detection. *Journal of Chromatography B.* 694: 277-287.
- Dean, BJ; Hodson-Walker, G. (1979). An in vitro chromosome assay using cultured rat-liver cells. *DNA Repair.* 64: 329-337.
- Debib, A; Duenas, M; Boumediene, M; Mothana, RA; Latifa, A; Tir-Touil, MA. (2016). Synergetic Hepatoprotective Effect of Phenolic Fractions Obtained from Ficus Carica Dried Fruit and Extra Virgin Olive Oil on CCl₄-Induced Oxidative Stress and Hepatotoxicity in Rats. *Journal of Food Biochemistry.* 40: 507-516. <http://dx.doi.org/10.1111/jfbc.12241>.
- Debnath, S; Ghosh, S; Hazra, B. (2013). Inhibitory effect of *Nymphaea pubescens* Willd. flower extract on carrageenan-induced inflammation and CCl₄-induced hepatotoxicity in rats. *Food Chem Toxicol.* 59: 485-491. <http://dx.doi.org/10.1016/j.fct.2013.06.036>.
- Delaney, B; Kaminski, NE. (1993). Induction of serum-borne immunomodulatory factors in B6C3F₁ mice by carbon tetrachloride. I. Carbon tetrachloride-induced suppression of helper T-lymphocyte function is mediated by a serum borne factor. *Toxicology.* 85: 67-84.

Human Health Hazard Literature Search Results

On Topic

- Delaney, B; Kaminski, NE. (1994). Induction of serum borne immunomodulatory factors in B6C3F1 mice by carbon tetrachloride. Exposure to carbon tetrachloride produces an increase in B-cell number and function. *Toxicology*. 88: 201-212.
- Delaney, B; Strom, SC; Collins, S; Kaminski, NE. (1994). Carbon tetrachloride suppresses T-cell-dependent immune responses by induction of transforming growth factor-beta 1. *Toxicol Appl Pharmacol*. 126: 98-107.
- Delire, B; Lebrun, V; Selvais, C; Henriot, P; Bertrand, A; Horsmans, Y; Leclercq, IA. (2016). Aging enhances liver fibrotic response in mice through hampering extracellular matrix remodeling. *Aging*. <http://dx.doi.org/10.18632/aging.101124>.
- Della Porta, G; Terracini, B; Shubik, P. (1961). Induction with carbon tetrachloride of liver-cell carcinomas in hamsters. *J Natl Cancer Inst*. 26: 855-863.
- Demiroren, K; Dogan, Y; Kocamaz, H; Ozercan, IH; Ilhan, S; Ustundag, B; Bahcecioglu, IH. (2014). Protective effects of L-carnitine, N-acetylcysteine and genistein in an experimental model of liver fibrosis. *Clinics and Research in Hepatology and Gastroenterology*. 38: 63-72. <http://dx.doi.org/10.1016/j.clinre.2013.08.014>.
- Deng, G; Huang, XJ; Luo, HW; Huang, FZ; Liu, XY; Wang, YH. (2013). Amelioration of carbon tetrachloride-induced cirrhosis and portal hypertension in rat using adenoviral gene transfer of Akt. *World J Gastroenterol*. 19: 7778-7787. <http://dx.doi.org/10.3748/wjg.v19.i43.7778>.
- Deng, G; Wang, J; Zhang, Q; He, H; Wu, F; Feng, T; Zhou, J; Zou, K; Hattori, M. (2012). Hepatoprotective effects of phloridzin on hepatic fibrosis induced by carbon tetrachloride against oxidative stress-triggered damage and fibrosis in rats. *Biol Pharm Bull*. 35: 1118-1125.
- Deng, JS; Chang, Y, iC; Wen, C; Liao, JC; Hou, W; Amagaya, S; Huang, SS; Huang, GJ. (2012). Hepatoprotective effect of the ethanol extract of *Vitis thunbergii* on carbon tetrachloride-induced acute hepatotoxicity in rats through anti-oxidative activities. *J Ethnopharmacol*. 142: 795-803. <http://dx.doi.org/10.1016/j.jep.2012.06.003>.
- Deng, X; Wu, K; Wan, J; Li, L; Jiang, R; Jia, M; Jing, Y; Zhang, L. (2012). Aminotriazole attenuated carbon tetrachloride-induced oxidative liver injury in mice. *Food Chem Toxicol*. 50: 3073-3078. <http://dx.doi.org/10.1016/j.fct.2012.05.052>.
- Deng, YR; Ma, HD; Tsuneyama, K; Yang, W; Wang, YH; Lu, FT; Liu, CH; Liu, P; He, XS; Diehl, AM; Gershwin, ME; Lian, ZX. (2013). STAT3-mediated attenuation of CCl4-induced mouse liver fibrosis by the protein kinase inhibitor sorafenib. *J Autoimmun*. 46: 25-34. <http://dx.doi.org/10.1016/j.jaut.2013.07.008>.
- Deng, ZY; Li, J; Jin, Y; Chen, XL; Lü, XW. (2009). Effect of oxymatrine on the p38 mitogen-activated protein kinases signalling pathway in rats with CCl4 induced hepatic fibrosis. *Chin Med J*. 122: 1449-1454.
- Denisov, AG; Kalashnikova, SA; Shchegolev, AI; Novochadov, VV. (2010). Sex hormone profile and morphological changes in the ovaries in chronic endotoxiosis. *Bull Exp Biol Med*. 149: 96-99.
- Desantis, DA; Ko, CW; Wang, L; Lee, P; Croniger, CM. (2015). Constitutive Activation of the Nlr4 Inflammasome Prevents Hepatic Fibrosis and Promotes Hepatic Regeneration after Partial Hepatectomy. *Mediators Inflamm*. 2015: 909827. <http://dx.doi.org/10.1155/2015/909827>.
- Desantis, DA; Lee, P; Doerner, SK; Ko, CW; Kawasoe, JH; Hill-Baskin, AE; Ernest, S. R.; Bhargava, P; Hur, KY; Cresci, GA; Pritchard, MT; Lee, CH; Nagy, LE; Nadeau, JH; Croniger, CM. (2013). Genetic resistance to liver fibrosis on A/J mouse chromosome 17. *Alcohol Clin Exp Res*. 37: 1668-1679. <http://dx.doi.org/10.1111/acer.12157>.
- Devaraj, S; Ismail, S; Ramanathan, S; Yam, MF. (2014). Investigation of antioxidant and hepatoprotective activity of standardized Curcuma xanthorrhiza rhizome in carbon tetrachloride-induced hepatic damaged rats. *ScientificWorldJournal*. 2014: 353128. <http://dx.doi.org/10.1155/2014/353128>.
- Devaraj, VC; Krishna, BG; Viswanatha, GL; Kamath, JV; Kumar, S. (2011). Hepatoprotective activity of Hepax-a polyherbal formulation. 1: 142-146. [http://dx.doi.org/10.1016/S2221-1691\(11\)60013-0](http://dx.doi.org/10.1016/S2221-1691(11)60013-0).
- Dewangan, R; Samal, PK. (2013). Investigation of Antioxidant Activity of *Gloriosa Superba* Leaves in Carbon Tetrachloride Induced Hepatotoxic Model. *Indian J Pharmacol*. 45: S138-S138.
- Dey, P; Dutta, S; Biswas-Raha, A; Sarkar, MP; Chaudhuri, TK. (2016). Haloalkane induced hepatic insult in murine model: amelioration by Oleander through antioxidant and anti-inflammatory activities, an in vitro and in vivo study. *BMC Complement Altern Med*. 16: 280. <http://dx.doi.org/10.1186/s12906-016-1260-4>.
- Dey, P; Dutta, S; Sarkar, MP; Chaudhuri, TK. (2015). Assessment of hepatoprotective potential of *N. indicum* leaf on haloalkane xenobiotic induced hepatic injury in Swiss albino mice. *Chem Biol Interact*. 235: 37-46. <http://dx.doi.org/10.1016/j.cbi.2015.03.025>.
- Dhanasekaran, M; Ignacimuthu, S; Agastian, P. (2009). Potential hepatoprotective activity of ononitol monohydrate isolated from *Cassia tora* L. on carbon tetrachloride induced hepatotoxicity in wistar rats. *Phytomedicine*. 16: 891-895. <http://dx.doi.org/10.1016/j.phymed.2009.02.006>.
- Dharancy, S; Body-Malapel, M; Louvet, A; Berrebi, D; Gantier, E; Gosset, P; Viala, J; Hollebecque, A; Moreno, C; Philpott, DJ; Girardin, SE; Sansonetti, PJ; Desreumaux, P; Mathurin, P; Dubuquoy, L. (2010). Neutrophil migration during liver injury is under nucleotide-binding oligomerization domain 1 control. *Gastroenterology*. 138: 1546-1556, 1556.e1541-1545. <http://dx.doi.org/10.1053/j.gastro.2009.12.008>.
- Di Rocco, G; Gentile, A; Antonini, A; Truffa, S; Piaggio, G; Capogrossi, MC; Toietta, G. (2012). Analysis of biodistribution and engraftment into the liver of genetically modified mesenchymal stromal cells derived from adipose tissue. *Cell Transplant*. 21: 1997-2008. <http://dx.doi.org/10.3727/096368911X637452>.
- Dianzani, MU. (1984). Liver and lipid metabolism Lipid peroxidation and haloalkylation: Two distinct mechanisms for CCl4-induced liver damage. Amsterdam: Elsevier.
- Diao, Y; Zhao, XF; Lin, JS; Wang, QZ; Xu, RA. (2011). Protection of the liver against CCl4-induced injury by intramuscular electrotransfer of a kallistatin-encoding plasmid. *World J Gastroenterol*. 17: 111-117. <http://dx.doi.org/10.3748/wjg.v17.i1.111>.

Human Health Hazard Literature Search Results

On Topic

- Diaz Gomez, MI; Castro, JA. (1980). Covalent binding of carbon tetrachloride metabolites to liver nuclear DNA, proteins, and lipids. *Toxicol Appl Pharmacol.* 56: 199-206.
- Diaz Gomez, MI; Castro, JA. (1980). Nuclear activation of carbon tetrachloride and chloroform. *Res Commun Mol Pathol Pharmacol.* 27: 191-194.
- Diaz Gómez, MI; Castro, JA. (1981). Reaction of trichloromethyl free radicals with deoxyribonucleic acid bases. *Res Comm Chem Pathol Pharmacol.* 32: 147-153.
- Dikshit, P; Tyagi, MK; Shukla, K; Sharma, S; Gambhir, JK; Shukla, R. (2011). Hepatoprotective effect of stem of *Musa sapientum* Linn in rats intoxicated with carbon tetrachloride. *Ann Hepatol.* 10: 333-339.
- Dima-Cozma, C; Pandele, G; Stolnicu, S; Dobrescu, G; Radulescu, D. (2009). Ethanol and carbon tetrachloride hepatotoxicity in rats. Ultramicroscopically comparative evaluation. *Virchows Arch.* 455: 357-358.
- Dincel, GC; Atasever, A; Yaman, D. (2016). Nitric Oxide and Glial Fibrillary Acidic Protein (GFAP) Expression in the Liver Parenchyma in Carbon Tetrachloride-Induced Hepatotoxicity. *Kafkas Univ Vet Fak Derg.* 22: 671-678. <http://dx.doi.org/10.9775/kvfd.2016.15101>.
- Ding, BS; Cao, Z; Lis, R; Nolan, DJ; Guo, P; Simons, M; Penfold, ME; Shido, K; Rabbany, SY; Rafii, S. (2014). Divergent angiocrine signals from vascular niche balance liver regeneration and fibrosis. *Nature.* 505: 97-102. <http://dx.doi.org/10.1038/nature12681>.
- Ding, M; Potter, JJ; Liu, X; Torbenson, MS; Mezey, E. (2010). Selenium supplementation decreases hepatic fibrosis in mice after chronic carbon tetrachloride administration. *Biol Trace Elem Res.* 133: 83-97. <http://dx.doi.org/10.1007/s12011-009-8414-x>.
- Ding, N; Hah, N; Yu, RT; Sherman, MH; Benner, C; Leblanc, M; He, M; Liddle, C; Downes, M; Evans, RM. (2015). BRD4 is a novel therapeutic target for liver fibrosis. *Proc Natl Acad Sci USA.* 112: 15713-15718. <http://dx.doi.org/10.1073/pnas.1522163112>.
- Direnzo, AB; Gandolfi, AJ; Sipes, IG. (1982). Microsomal bioactivation and covalent binding of aliphatic halides to DNA. *Toxicol Lett.* 11: 243-252.
- Disilvestro, RA; Carlson, GP. (1994). Effects of mild zinc deficiency, plus or minus acute phase response, on CCl₄ hepatotoxicity. *Free Radic Biol Med.* 16: 57-61.
- Docherty, JF; Burgess, E. (1922). The action of carbon tetrachloride on the liver. *Br Med J.* 2: 907-908.
- Docherty, JF; Nicholls, L. (1923). Report of three autopsies following carbon tetrachloride treatment. *Br Med J.* 2: 753.
- Doğukan, A; Akpolat, N; Celiker, H; Ilhan, N; Halil Bahçecioğlu, I; Günal, AI. (2003). Protective effect of interferon-alpha on carbon tetrachloride-induced nephrotoxicity. *Am J Nephrol.* 16: 81-84.
- Doherty, AT; Ellard, S; Parry, EM; Parry, JM. (1996). An investigation into the activation and deactivation of chlorinated hydrocarbons to genotoxins in metabolically competent human cells. *Mutagenesis.* 11: 247-274. <http://dx.doi.org/10.1093/mutage/11.3.247>.
- Doi, K; Ishida, K. (2009). Diabetes and hypertriglyceridemia modify the mode of acetaminophen-induced hepatotoxicity and nephrotoxicity in rats and mice [Review]. *J Toxicol Sci.* 34: 1-11.
- Dolak, JA; Waller, RL; Glende, EA, Jr; Recknagel, RO. (1988). Liver cell calcium homeostasis in carbon tetrachloride liver cell injury: New data with fura₂. *J Biochem Mol Toxicol.* 3: 329-342.
- Domitrović, R; Jakovac, H; Vasiljev Marchesi, V; Vladimir-Knežević, S; Cvijanović, O; Tadić, Z; Romić, Z; Rahelić, D. (2012). Differential hepatoprotective mechanisms of rutin and quercetin in CCl₄-intoxicated BALB/cN mice. *Acta Pharmacol Sin.* 33: 1260-1270. <http://dx.doi.org/10.1038/aps.2012.62>.
- Dong, L; Zhang, Y; Cheng, B; Wu, Y; Li, Y; Yao, H; Li, Y, on. (2012). Chemical Constituents from *Ampelopsis sinica* var. *hanceh* Prevent Liver Damage. *Lat Am J Pharm.* 31: 195-199.
- Dong, MX; Jia, Y; Zhang, YB; Li, CC; Geng, YT; Zhou, L; Li, XY; Liu, JC; Niu, YC. (2009). Emodin protects rat liver from CCl₄-induced fibrogenesis via inhibition of hepatic stellate cells activation. *World J Gastroenterol.* 15: 4753-4762.
- Dong, S; Chen, QL; Song, YN; Sun, Y; Wei, B; Li, XY; Hu, YY; Liu, P; Su, SB. (2016). Mechanisms of CCl₄-induced liver fibrosis with combined transcriptomic and proteomic analysis. *J Toxicol Sci.* 41: 561-572. <http://dx.doi.org/10.2131/jts.41.561>.
- Dong, Y; Qu, Y; Xu, M; Wang, X; Lu, L. (2014). Catalase ameliorates hepatic fibrosis by inhibition of hepatic stellate cells activation. *Front Biosci.* 19: 535-U5541. <http://dx.doi.org/10.2741/4224>.
- Doolittle, DJ; Muller, G; Scribner, HE. (1987). Relationship between hepatotoxicity and induction of replicative DNA synthesis following single or multiple doses of carbon tetrachloride. *J Toxicol Environ Health.* 22: 63-78. <http://dx.doi.org/10.1080/15287398709531051>.
- Dosemeci, M; Cocco, P; Chow, WH. (1999). Gender differences in risk of renal cell carcinoma and occupational exposures to chlorinated aliphatic hydrocarbons. *Am J Ind Med.* 36: 54-59. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<54::AID-AJIM8>3.0.CO;2-0](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<54::AID-AJIM8>3.0.CO;2-0).
- Douglass, A; Marshall, H; Wright, MC. (2010). Myofibroblast depletion during acute CCl₄ injury delays hepatocyte injury and promotes liver regeneration. *Toxicology.* 278: 345-345. <http://dx.doi.org/10.1016/j.tox.2010.08.089>.
- Douglass, A; Wright, MC. (2009). MYOFIBROBLAST DEPLETION DURING ACUTE CCL4 INJURY DELAYS HEPATOCYTE INJURY AND PROMOTES LIVER REGENERATION. *Hepatology.* 50: 812A-812A.
- Doustimotlagh, AH; Dehpour, AR; Nourbakhsh, M; Golestani, A. (2014). Alteration in membrane protein, antioxidant status and hexokinase activity in erythrocytes of CCl₄-induced cirrhotic rats. *Acta Medica Iranica.* 52: 795-803.
- Draper, HH; Agarwal, S; Nelson, DE; Wee, JJ; Ghoshal, AK; Farber, E. (1995). Effects of peroxidative stress and age on the concentration of a deoxyguanosine-malondialdehyde adduct in rat DNA. *Lipids.* 30: 959-961.
- Drasdo, D; Hoehme, S; Hengstler, JG. (2014). How predictive quantitative modelling of tissue organisation can inform liver disease pathogenesis. *J Hepatol.* 61: 951-956. <http://dx.doi.org/10.1016/j.jhep.2014.06.013>.
- Dropmann, A; Dediulia, T; Breitkopf-Heinlein, K; Korhonen, H; Janicot, M; Weber, SN; Thomas, M; Piiper, A; Bertran, E; Fabregat, I; Abshagen, K; Hess, J; Angel, P; Coulouarn, C; Dooley, S; Meindl-Beinker, NM. (2016). TGF-β₁ and TGF-β₂ abundance in liver diseases of mice and men. *Onct.* 7: 19499-19518. <http://dx.doi.org/10.18632/oncotarget.6967>.
- Dudas, J; Mansuroglu, T; Batusic, D; Ramadori, G. (2009). Thy-1 is expressed in myofibroblasts but not found in hepatic stellate cells following liver injury. *Histochem Cell Biol.* 131: 115-127. <http://dx.doi.org/10.1007/s00418-008-0503-y>.

Human Health Hazard Literature Search Results

On Topic

- Dumas, S; Parent, ME; Siemiatycki, J; Brisson, J. (2000). Rectal cancer and occupational risk factors: A hypothesis-generating, exposure-based case-control study. *Int J Cancer*. 87: 874-879. [http://dx.doi.org/10.1002/1097-0215\(20000915\)87:6<874::AID-IJC18>3.0.CO;2-L](http://dx.doi.org/10.1002/1097-0215(20000915)87:6<874::AID-IJC18>3.0.CO;2-L).
- Duval, F; Moreno-Cuevas, JE; González-Garza, MT; Rodríguez-Montalvo, C; Cruz-Vega, DE. (2014). Protective mechanisms of medicinal plants targeting hepatic stellate cell activation and extracellular matrix deposition in liver fibrosis. *Chinese Medicine*. 9: 27. <http://dx.doi.org/10.1186/s13020-014-0027-4>.
- Dygai, AM; Zyuz'kov, GN; Gurto, RV; Zhdanov, VV; Udut, EV; Miroshnichenko, LA; Chaikovskiy, AV; Markova, TS; Simanina, EV; Stavrova, LA; Minakova, MY; Agafonov, VI. (2013). Humoral mechanisms regulating the functions of progenitor cells in chronic hepatitis. *Bull Exp Biol Med*. 154: 303-305.
- Dygai, AM; Zyuzkov, GN; Zhdanov, VV; Udut, EV; Artamonov, AV; Bekarev, AA; Madonov, PG; Kinsht, DN; Miroshnichenko, LA; Khrichkova, TY; Simanina, EV; Stavrova, LA; Chaikovskiy, AV; Markova, TS; Minakova, MY; Gurto, RV. (2011). Mechanisms for hepatoprotective effects of hyaluronidase immobilized by the nanotechnology method of electron-beam synthesis. *Bull Exp Biol Med*. 151: 74-78.
- E, Q; Liu, X; Liu, Y; Liu, W; Zuo, J. (2013). Over-expression of GRP75 inhibits liver injury induced by oxidative damage. *Acta Biochim Biophys Sin*. 45: 129-134. <http://dx.doi.org/10.1093/abbs/gms098>.
- Eastmond, DA. (2008). Evaluating genotoxicity data to identify a mode of action and its application in estimating cancer risk at low doses: A case study involving carbon tetrachloride [Review]. *Environ Mol Mutagen*. 49: 132-141. <http://dx.doi.org/10.1002/em.20368>.
- Eastmond, DA. (2012). Factors influencing mutagenic mode of action determinations of regulatory and advisory agencies. *Mutat Res*. 751: 49-63. <http://dx.doi.org/10.1016/j.mrrev.2012.04.001>.
- Ebaid, H; Al-Tamimi, J; Hassan, I; Alhazza, I; Al-Khalifa, M. (2014). Antioxidant bioactivity of Samsun ant (*Pachycondyla sennaarensis*) venom protects against CCL₄-induced nephrotoxicity in mice. *Oxid Med Cell Longev*. 2014: 763061. <http://dx.doi.org/10.1155/2014/763061>.
- Ebaid, H; Bashandy, SA; Alhazza, IM; Rady, A; El-Shehry, S. (2013). Folic acid and melatonin ameliorate carbon tetrachloride-induced hepatic injury, oxidative stress and inflammation in rats. 10: 20. <http://dx.doi.org/10.1186/1743-7075-10-20>.
- Ebeid, HM; Gibriel, AA; Al-Sayed, HM; Elbehairy, SA; Motawe, EH. (2015). Hepatoprotective and antioxidant effects of wheat, carrot, and mango as nutraceutical agents against CCL₄-induced hepatocellular toxicity. *J Am Coll Nutr*. 34: 228-231. <http://dx.doi.org/10.1080/07315724.2014.887486>.
- Edfawy, M; Hassan, MH; Mansour, A; Hamed, AA; Amin, HA. (2012). Meloxicam modulates oxidative stress status, inhibits prostaglandin E₂, and abrogates apoptosis in carbon tetrachloride-induced rat hepatic injury. *Int J Toxicol*. 31: 276-286. <http://dx.doi.org/10.1177/1091581812442939>.
- Edwards, JE. (1941). Hepatomas in mice induced with carbon tetrachloride. *J Natl Cancer Inst*. 2: 197-199.
- Edwards, JE; Dalton, AJ. (1942). Induction of cirrhosis of the liver and of hepatomas in mice with carbon tetrachloride. *J Natl Cancer Inst*. 3: 19-41.
- Edwards, JE; Heston, WE; Dalton, AJ. (1942). Induction of the carbon tetrachloride hepatoma in strain L mice. *J Natl Cancer Inst*. 3: 297-301.
- Ehling, J; Bartneck, M; Wei, X; Gremse, F; Fech, V; Möckel, D; Baeck, C; Hittatiya, K; Eulberg, D; Luedde, T; Kiessling, F; Trautwein, C; Lammers, T; Tacke, F. (2014). CCL₂-dependent infiltrating macrophages promote angiogenesis in progressive liver fibrosis. *Gut*. 63: 1960-1971. <http://dx.doi.org/10.1136/gutjnl-2013-306294>.
- Eidi, A; Eidi, M; Al-Ebrahim, M; Rohani, AH; Mortazavi, P. (2011). Protective effects of sodium molybdate on carbon tetrachloride-induced hepatotoxicity in rats. *J Trace Elem Med Biol*. 25: 67-71. <http://dx.doi.org/10.1016/j.jtemb.2010.12.003>.
- Eidi, A; Moghadam, JZ; Mortazavi, P; Rezazadeh, S; Olamafar, S. (2013). Hepatoprotective effects of Juglans regia extract against CCL₄-induced oxidative damage in rats. *Pharmaceutical Biology*. 51: 558-565. <http://dx.doi.org/10.3109/13880209.2012.749920>.
- Eidi, A; Mortazavi, P; Bazargan, M; Zaringhalam, J. (2012). Hepatoprotective activity of cinnamon ethanolic extract against CCL₄-induced liver injury in rats. *EXCLI Journal*. 11: 495-507.
- Eidi, A; Mortazavi, P; Behzadi, K; Rohani, AH; Safi, S. (2013). Hepatoprotective effect of manganese chloride against CCL₄-induced liver injury in rats. *Biol Trace Elem Res*. 155: 267-275. <http://dx.doi.org/10.1007/s12011-013-9784-7>.
- Eidi, A; Mortazavi, P; Moghadam, JZ; Mardani, PM. (2015). Hepatoprotective effects of Portulaca oleracea extract against CCL₄-induced damage in rats. *Pharmaceutical Biology*. 53: 1042-1051. <http://dx.doi.org/10.3109/13880209.2014.957783>.
- Eidi, A; Mortazavi, P; Moradi, F; Rohani, AH; Safi, S. (2013). Magnesium attenuates carbon tetrachloride-induced hepatic injury in rats. *Magnes Res*. 26: 165-175. <http://dx.doi.org/10.1684/mrh.2014.0350>.
- Eidi, A; Mortazavi, P; Tehrani, ME; Rohani, AH; Safi, S. (2012). Hepatoprotective effects of pantothenic acid on carbon tetrachloride-induced toxicity in rats. *EXCLI Journal*. 11: 748-759.
- Ekor, M; Odewabi, AO; Kale, OE; Adesanoye, OA; Bamidele, TO. (2013). Celecoxib, a selective cyclooxygenase-2 inhibitor, lowers plasma cholesterol and attenuates hepatic lipid peroxidation during carbon-tetrachloride-associated hepatotoxicity in rats. *Drug Chem Toxicol*. 36: 1-8. <http://dx.doi.org/10.3109/01480545.2011.642380>.
- Ekor, M; Odewabi, AO; Kale, OE; Oritogun, KS; Adesanoye, OA; Bamidele, TO. (2011). Pharmacologic inhibition of the renin-angiotensin system did not attenuate hepatic toxicity induced by carbon tetrachloride in rats. *Hum Exp Toxicol*. 30: 1840-1848. <http://dx.doi.org/10.1177/0960327111401051>.
- El, BK; Hashimoto, Y; Muzandu, K; Ikenaka, Y; Ibrahim, ZS; Kazusaka, A; Fujita, S; Ishizuka, M. (2009). Protective effect of Pleurotus cornucopiae mushroom extract on carbon tetrachloride-induced hepatotoxicity. *Jpn J Vet Res*. 57: 109-118.
- El Denshary, ES; Al-Gahazali, MA; Mannaa, FA; Salem, HA; Hassan, NS; Abdel-Wahhab, MA. (2012). Dietary honey and ginseng protect against carbon tetrachloride-induced hepatonephrotoxicity in rats. *Exp Toxicol Pathol*. 64: 753-760. <http://dx.doi.org/10.1016/j.etp.2011.01.012>.

Human Health Hazard Literature Search Results

On Topic

- El Naggat, E; Chalupová, M; Pražanová, G; Parák, T; Švajdlenka, E; Žemlička, M; Suchý, P. (2015). Hepatoprotective and proapoptotic effect of Ecballium elaterium on CCl₄-induced hepatotoxicity in rats. *Asian Pacific Journal of Tropical Medicine*. 8: 526-531. <http://dx.doi.org/10.1016/j.apjtm.2015.06.012>.
- El-Agroudy, NN; El-Naga, RN; El-Razeq, RA; El-Demerdash, E. (2016). Forskolin, a hedgehog signalling inhibitor, attenuates carbon tetrachloride-induced liver fibrosis in rats. *Br J Pharmacol*. 173: 3248-3260. <http://dx.doi.org/10.1111/bph.13611>.
- El-Ashmawy, NE; El-Bahrawy, HA; Shamloula, MM; Ibrahim, AO. (2015). Antifibrotic effect of AT-1 blocker and statin in rats with hepatic fibrosis. *Clin Exp Pharmacol Physiol*. <http://dx.doi.org/10.1111/1440-1681.12446>.
- El-Askary, HI; El-Olemy, MM; Salama, MM; Amer, MH. (2013). Development and validation of a high-performance liquid chromatography method for standardization of the bioactive ethyl acetate fraction of *Alstonia scholaris* (Linn.) R. Br. growing in Egypt. *Z Naturforsch C Biosci*. 68: 376-383.
- El-Baky, HHA, bd; El Baz, FK; El-Baroty, GS. (2009). Phenolics from *Spirulina maxima*: Over-production and in vitro protective effect of its phenolics on CCl₄ induced hepatotoxicity. *Journal of Medicinal Plant Research*. 3: 24-30.
- El-Baky, HHA, bd; El Baz, FK; El-Baroty, GS. (2009). Production of phenolic compounds from *Spirulina maxima* microalgae and its protective effects in vitro toward hepatotoxicity model. 3: 133-139.
- Elberry, AA; Harraz, FM; Ghareib, SA; Nagy, AA; Gabr, SA; Suliaman, MI; Abdel-Sattar, E. (2010). Antihepatotoxic effect of *marrubium vulgare* and *withania somnifera* extracts on carbon tetrachloride-induced hepatotoxicity in rats. *Journal of Basic and Clinical Pharmacy*. 1: 247-254.
- El-Demerdash, E; Abdel-Sattar, SA; El-Bakly, WM; Mohamed, EA. (2016). Antifibrotic Effects of Carvedilol and Impact of Liver Fibrosis on Carvedilol Pharmacokinetics in a Rat model. *European Journal of Drug Metabolism and Pharmacokinetics*. <http://dx.doi.org/10.1007/s13318-016-0391-9>.
- Elena Mendieta-Wejebe, J; Cecilia Rosales-Hernandez, M; Correa-Basurto, J; Trujillo-Ferrara, J. (2009). SILICA HYDRIDE EXHIBITS DIRECT ANTIOXIDANT CAPACITY AND HEPATOPROTECTIVE EFFECT ON CARBON TETRACHLORIDE TOXICITY IN VIVO. *FASEB J*. 23.
- El-Gazayerly, ON; Makhlof, Al; Soelm, AM; Mohmoud, MA. (2014). Antioxidant and hepatoprotective effects of silymarin phytosomes compared to milk thistle extract in CCl₄ induced hepatotoxicity in rats. *J Microencapsul*. 31: 23-30. <http://dx.doi.org/10.3109/02652048.2013.805836>.
- Elgengaihi, S; Mossa, AT; Refaie, AA; Aboubaker, D. (2016). Hepatoprotective Efficacy of *Cichorium intybus* L. Extract Against Carbon Tetrachloride-induced Liver Damage in Rats. *Journal of Dietary Supplements*. 13: 570-584. <http://dx.doi.org/10.3109/19390211.2016.1144230>.
- El-Gengaihi, SE; Hamed, MA; Khalaf-Allah, A; Mohammed, MA. (2013). Golden berry juice attenuates the severity of hepatorenal injury. *Journal of Dietary Supplements*. 10: 357-369. <http://dx.doi.org/10.3109/19390211.2013.830675>.
- El-Gengaihi, SE; Hassan, EE; Hamed, MA; Zahran, HG; Mohammed, MA. (2013). Chemical composition and biological evaluation of *Physalis peruviana* root as hepato-renal protective agent. *Journal of Dietary Supplements*. 10: 39-53. <http://dx.doi.org/10.3109/19390211.2012.760509>.
- El-Hadary, AE; Ramadan Hassanien, MF. (2016). Hepatoprotective effect of cold-pressed *Syzygium aromaticum* oil against carbon tetrachloride (CCl₄)-induced hepatotoxicity in rats. *Pharmaceutical Biology*. 54: 1364-1372. <http://dx.doi.org/10.3109/13880209.2015.1078381>.
- El-Hadary, AE; Ramadan, MF. (2016). Potential Protective Effect of Cold-Pressed *Coriandrum Sativum* Oil Against Carbon Tetrachloride-Induced Hepatotoxicity in Rats. *Journal of Food Biochemistry*. 40: 190-200. <http://dx.doi.org/10.1111/jfbc.12211>.
- El-Halawany, A; El Dine, RS; El Sayed, NS; Hattori, M. (2014). Protective Effect of *Aframomum melegueta* phenolics Against CCl₄-Induced Rat Hepatocytes Damage; Role of Apoptosis and Pro-inflammatory Cytokines inhibition. *Sci Rep*. 4: 5880. <http://dx.doi.org/10.1038/srep05880>.
- Elizondo, G; Mejia-Garcia, A; Sanchez-Ocampo, E; Reyes-Hernandez, O; Shibayama, M. (2009). TCDD Potentiate CCl₄ Hepatotoxicity Effects by Increasing CYP2E1 Hepatic Levels. Role of Aryl Hydrocarbon Receptor. *Drug Metab Rev*. 41: 38-38.
- Elkhateeb, A; Abdel Latif, RR; Marzouk, MM; Hussein, S. R.; Kassem, ME; Khalil, WK; El-Ansari, MA. (2017). Flavonoid constituents of *Dobera glabra* leaves: amelioration impact against CCl₄-induced changes in the genetic materials in male rats. *Pharmaceutical Biology*. 55: 139-145. <http://dx.doi.org/10.1080/13880209.2016.1230879>.
- Elkins, HB. (1942). Maximal allowable concentrations. II. Carbon tetrachloride. *J Ind Hyg Toxicol*. 24: 233-235.
- El-Masri, HA; Thomas, RS; Sabados, GR; Phillips, JK; Constan, AA; Benjamin, SA; Andersen, ME; Mehendale, HM; Yang, RS. (1996). Physiologically based pharmacokinetic/pharmacodynamic modeling of the toxicologic interaction between carbon tetrachloride and kepone. *Arch Toxicol*. 70: 704-713. <http://dx.doi.org/10.1007/s002040050331>.
- Elmubarak, S; Özsoy, N. (2016). Histoprotective effect of vitamin D against carbon tetrachloride nephrotoxicity in rats. *Hum Exp Toxicol*. 35: 713-723. <http://dx.doi.org/10.1177/0960327115598387>.
- El-Sayed, WM. (2011). Upregulation of chemoprotective enzymes and glutathione by *Nigella sativa* (black seed) and thymoquinone in CCl₄-intoxicated rats. *Int J Toxicol*. 30: 707-714. <http://dx.doi.org/10.1177/1091581811420741>.
- El-Sayed, YS; Lebda, MA; Hassinin, M; Neoman, SA. (2015). Chicory (*Cichorium intybus* L.) root extract regulates the oxidative status and antioxidant gene transcripts in CCl₄-induced hepatotoxicity. *PLoS ONE*. 10: e0121549. <http://dx.doi.org/10.1371/journal.pone.0121549>.
- Elshal, M; Abu-Elsaad, N; El-Karef, A; Ibrahim, TM. (2015). The multi-kinase inhibitor pazopanib targets hepatic stellate cell activation and apoptosis alleviating progression of liver fibrosis. *Naunyn Schmiedebergs Arch Pharmacol*. 388: 1293-1304. <http://dx.doi.org/10.1007/s00210-015-1157-7>.
- El-Shenawy, SM. (2009). Evaluation of some pharmacological activities of ethanol extracts of seeds, pericarp and leaves of *Eugenia Jamolana* in rats. *Inflammopharmacology*. 17: 85-92. <http://dx.doi.org/10.1007/s10787-008-8034-7>.

Human Health Hazard Literature Search Results

On Topic

- Elsisi, AE; Earnest, DL; Sipes, IG. (1993). Vitamin A potentiation of carbon tetrachloride hepatotoxicity: Role of liver macrophages and active oxygen species. *Toxicol Appl Pharmacol.* 119: 295-301. <http://dx.doi.org/10.1006/taap.1993.1072>.
- Elsisi, AE; Hall, P; Sim, WL; Earnest, DL; Sipes, IG. (1993). Characterization of vitamin A potentiation of carbon tetrachloride-induced liver injury. *Toxicol Appl Pharmacol.* 119: 280-288. <http://dx.doi.org/10.1006/taap.1993.1070>.
- El-Tantawy, WH; Sabry, D; Abd Al Haleem, EN. (2016). Comparative study of antifibrotic activity of some magnesium-containing supplements on experimental liver toxicity. *Molecular study. Drug Chem Toxicol* 1-10. <http://dx.doi.org/10.3109/01480545.2016.1172083>.
- Endo, H; Niioka, M; Sugioka, Y; Itoh, J; Kameyama, K; Okazaki, I; Ala-Aho, R; Kähäri, VM; Watanabe, T. (2011). Matrix metalloproteinase-13 promotes recovery from experimental liver cirrhosis in rats. *Pathobiology.* 78: 239-252. <http://dx.doi.org/10.1159/000328841>.
- Enomoto, H; Nakamura, H; Liu, W; Yoshida, K; Okuda, Y; Imanishi, H; Saito, M; Shimomura, S; Hada, T; Nishiguchi, S. (2009). Hepatoma-derived growth factor is induced in liver regeneration. *Hepatology Research.* 39: 988-997. <http://dx.doi.org/10.1111/j.1872-034X.2009.00532.x>.
- EPA, US. (2010). *Toxicological Review of Carbon Tetrachloride (CAS No. 56-23-5) in Support of Summary Information on the Integrated Risk Information System (IRIS).* 473.
- Eralp, A; Menguc, NY; Polat, E; Yuncu, M; Koruk, M; Demir, SS; Sari, İ. (2016). Preventative Effect Of Vitamin E On Mast Cells In Carbon Tetrachloride-Induced Acute Liver Damage.
- Es Haghi, M; Dehghan, G; Banihabib, N; Zare, S; Mikaili, P; Panahi, F. (2014). Protective effects of *Cornus mas* fruit extract on carbon tetrachloride induced nephrotoxicity in rats. *Indian J Nephrol.* 24: 291-296. <http://dx.doi.org/10.4103/0971-4065.133000>.
- Eschenbrenner, AB; Miller, E. (1946). Liver necrosis and the induction of carbon tetrachloride hepatomas in strain A mice. *J Natl Cancer Inst.* 6: 325-341.
- Escobedo, G; Arjona-Román, JL; Meléndez-Pérez, R; Suárez-Álvarez, K; Guzmán, C; Aguirre-García, J; Gutiérrez-Reyes, G; Vivas, O; Varela-Fascinetto, G; Rodríguez-Romero, A; Robles-Díaz, G; Kershenobich, D. (2013). Liver exhibits thermal variations according to the stage of fibrosis progression: A novel use of modulated-differential scanning calorimetry for research in hepatology. *Hepatology Research.* 43: 785-794. <http://dx.doi.org/10.1111/hepr.12026>.
- Esmaeili, MA; Alilou, M. (2014). Naringenin attenuates CCl4 -induced hepatic inflammation by the activation of an Nrf2-mediated pathway in rats. *Clin Exp Pharmacol Physiol.* 41: 416-422. <http://dx.doi.org/10.1111/1440-1681.12230>.
- Essawy, AE; Hamed, SS; Abdel-Moneim, AM; Abou-Gabal, AA; Alzergy, AA. (2010). Role of black seeds (*Nigella sativa*) in ameliorating carbon tetrachloride induced haematotoxicity in Swiss albino mice. *Journal of Medicinal Plant Research.* 4: 1977-1986.
- Evans, MV; Crank, WD; Yang, HM; Simmons, JE. (1994). Applications of sensitivity analysis to a physiologically based pharmacokinetic model for carbon tetrachloride in rats. *Toxicol Appl Pharmacol.* 128: 36-44. <http://dx.doi.org/10.1006/taap.1994.1177>.
- Evans, MV; Simmons, JE. (1996). Physiologically based pharmacokinetic estimated metabolic constants and hepatotoxicity of carbon tetrachloride after methanol pretreatment in rats. *Toxicol Appl Pharmacol.* 140: 245-253. <http://dx.doi.org/10.1006/taap.1996.0219>.
- Ewida, SF; Abdou, AG; El-Rasol Elhosary, AA; El-Ghane Metawe, SA. (2016). Hepatocyte-like Versus Mesenchymal Stem Cells in CCl4-induced Liver Fibrosis. *Appl Immunohistochem Mol Morphol.* <http://dx.doi.org/10.1097/PAI.0000000000000373>.
- Fahmy, SR; Hamdi, SA. (2011). Curative effect of the Egyptian marine *Ergosquilla massavensis* extract on carbon tetrachloride-induced oxidative stress in rat liver and erythrocytes. *Eur Rev Med Pharmacol Sci.* 15: 303-312.
- Fahmy, SR; Hamdi, SAH. (2011). Antioxidant effect of the Egyptian freshwater *Procambarus clarkii* extract in rat liver and erythrocytes. 5: 776-785.
- Fallowfield, J; Hayden, A; Snowdon, V; Aucott, R; Stutchfield, B; Mole, D; Pellicoro, A; Gordon-Walker, T; Henke, A; Schrader, J; Trivedi, P; Princivalle, M; Forbes, S; Collins, J; Iredale, J. (2014). Relaxin Modulates Human and Rat Hepatic Myofibroblast Function and Ameliorates Portal Hypertension In Vivo. *Hepatology.* 59: 1492-1504. <http://dx.doi.org/10.1002/hep.26627>.
- Fan, G; Tang, JJ; Bhadauria, M; Nirala, SK; Dai, F; Zhou, B; Li, Y; Liu, ZL. (2009). Resveratrol ameliorates carbon tetrachloride-induced acute liver injury in mice. *Environ Toxicol Pharmacol.* 28: 350-356. <http://dx.doi.org/10.1016/j.etap.2009.05.013>.
- Fan, HN; Chen, NW; Shen, WL; Zhao, XY; Zhang, J. (2015). Endogenous hydrogen sulfide is associated with angiotensin II type 1 receptor in a rat model of carbon tetrachloride-induced hepatic fibrosis. *Mol Med Rep.* 12: 3351-3358. <http://dx.doi.org/10.3892/mmr.2015.3873>.
- Fan, HN; Wang, HJ; Yang-Dan, CR; Ren, L; Wang, C; Li, YF; Deng, Y. (2013). Protective effects of hydrogen sulfide on oxidative stress and fibrosis in hepatic stellate cells. *Mol Med Rep.* 7: 247-253. <http://dx.doi.org/10.3892/mmr.2012.1153>.
- Fan, W; Shi, B; Wei, H; Ma, X; He, X; Feng, K. (2013). Γ -aminobutyric acid B receptor improves carbon tetrachloride-induced liver fibrosis in rats. *Dig Dis Sci.* 58: 1909-1915. <http://dx.doi.org/10.1007/s10620-013-2623-z>.
- Fanelli, SL; Castro, JA. (1995). Covalent binding of carbon tetrachloride reactive metabolites to liver microsomal and nuclear lipid and phospholipid classes from Sprague Dawley and Osborne Mendel male rats. *Teratog Carcinog Mutagen.* 15: 155-166.
- Fang, L; Zhan, S; Huang, C; Cheng, X; Lv, X; Si, H; Li, J. (2013). TRPM7 channel regulates PDGF-BB-induced proliferation of hepatic stellate cells via PI3K and ERK pathways. *Toxicol Appl Pharmacol.* 272: 713-725. <http://dx.doi.org/10.1016/j.taap.2013.08.009>.
- Fang, ZQ; Gan, P; Yang, L; Dai, ZY; Qi, SH; Jia, JL; He, XW. (2013). [Health-based risk assessment in the excavating process of VOCs contaminated site]. *Huanjing Kexue.* 34: 4612-4618.
- Farber, JL. (1981). The role of calcium in cell death. *Life Sci.* 29: 1289-1295.
- Feher, P; Ujhelyi, Z; Vecsernyes, M; Fenyvesi, F; Damache, G; Ardelean, A; Costache, M; Dinischiotu, A; Hermenean, A; Bacskay, I. (2015). Hepatoprotective effects of a self-micro emulsifying drug delivery system containing *Silybum marianum* native seed oil against experimentally induced liver injury. *Pharmazie.* 70: 231-238. <http://dx.doi.org/10.1691/ph.2015.4146>.
- Feng, HJ; Zhu, J; Pan, L; Lu, JX; Xiao, MB; Huang, H; Ni, RZ; Lu, CH. (2010). [Effects of decreased leptin expression on liver fibrosis]. *Zhonghua Gan Zang Bing Za Zhi.* 18: 342-345.

Human Health Hazard Literature Search Results

On Topic

- Feng, HQ; Weymouth, ND; Rockey, DC. (2009). Endothelin antagonism in portal hypertensive mice: implications for endothelin receptor-specific signaling in liver disease. *Am J Physiol Gastrointest Liver Physiol.* 297: G27-G33. <http://dx.doi.org/10.1152/ajpgi.90405.2008>.
- Feng, L; Kang, H; Liu, LN; Cao, YM. (2013). CD4+CD25+Foxp3+ regulatory T cells contribute in liver fibrosis improvement with interferon alpha. *Inflammation.* 36: 1374-1382. <http://dx.doi.org/10.1007/s10753-013-9677-0>.
- Feng, L; Pereira, B; Kraus-Friedmann, N. (1992). Different localization of inositol 1,4,5-trisphosphate and ryanodine binding sites in rat liver. *Cell Calcium.* 13: 79-87.
- Feng, R; Wang, M; Yan, C; Li, P; Chen, M; He, C; Wan, JB. (2016). Endogenous n-3 Fatty Acids Alleviate Carbon-Tetrachloride-Induced Acute Liver Injury in Fat-1 Transgenic Mice. *Oxid Med Cell Longev.* 2016: 7962948. <http://dx.doi.org/10.1155/2016/7962948>.
- Feng, Y, an; Zhang, X. (2013). The dynamic changes of FAK expression during fibrogenesis and reversal of rat liver fibrosis induced by CCl4. *J Gastroenterol Hepatol.* 28: 614-614.
- Feng, YH; Hu, XD; Zhai, L; Liu, JB; Qiu, LY; Zu, Y; Liang, S; Gui, Y; Qian, LX. (2016). Shear wave elastography results correlate with liver fibrosis histology and liver function reserve. *World J Gastroenterol.* 22: 4338-4344. <http://dx.doi.org/10.3748/wjg.v22.i17.4338>.
- Fernández, G; Villarruel, MC; de Toranzo, EG; Castro, JA. (1982). Covalent binding of carbon tetrachloride metabolites to the heme moiety of cytochrome P-450 and its degradation products. *Res Comm Chem Pathol Pharmacol.* 35: 283-290.
- Fernandez-Varo, G; Reichenbach, V; Ros, J; Weiskirchen, R; Casals, G; Melgar-Lesmes, P; Morales-Ruiz, M; Jimenez, W. (2011). TRANSDUCTION OF ADENOVIRUS ENCODING DOMINANT-NEGATIVE SOLUBLE PDGFR beta IMPROVES SYSTEMIC HEMODYNAMICS, PORTAL PRESSURE AND HEPATIC FIBROSIS IN RATS CHRONICALLY TREATED WITH CCL4. *J Hepatol.* 54: S243-S243.
- Feroz, Z; Khan, RA; Amber, RA; Mahayrookh, RA. (2013). Hepatoprotective effect of herbal drug on CCl(4) induced liver damage. *Pak J Pharm Sci.* 26: 99-103.
- Ferrari, CK. (2012). Effects of xenobiotics on total antioxidant capacity. *Interdiscip Toxicol.* 5: 117-122. <http://dx.doi.org/10.2478/v10102-012-0019-0>.
- Ferre, N; Martinez-Clemente, M; Lopez-Parra, M; Gonzalez-Periz, A, na; Horrillo, R; Planaguma, A; Camps, J; Joven, J; Tres, A; Guardiola, F; Bataller, R; Arroyo, V; Claria, J. (2009). Increased susceptibility to exacerbated liver injury in hypercholesterolemic ApoE-deficient mice: potential involvement of oxysterols. *Am J Physiol Gastrointest Liver Physiol.* 296: G553-G562. <http://dx.doi.org/10.1152/ajpgi.00547.2007>.
- Ferreira, DW; Goedken, MJ; Rommelaere, S; Chasson, L; Galland, F; Naquet, P; Manautou, JE. (2016). Enhanced hepatotoxicity by acetaminophen in Vanin-1 knockout mice is associated with deficient proliferative and immune responses. *BIOCHIMICA ET BIOPHYSICA ACTA MOLECULAR BASIS OF DISEASE.* 1862: 662-669. <http://dx.doi.org/10.1016/j.bbadis.2016.02.001>.
- Ferreira, DW; Naquet, P; Manautou, JE. (2015). Influence of Vanin-1 and Catalytic Products in Liver During Normal and Oxidative Stress Conditions [Review]. *Curr Med Chem.* 22: 2407-2416.
- Ferreira, EA; Gris, EF; Felipe, KB; Correia, JF; Cargnin-Ferreira, E; Wilhelm Filho, D; Pedrosa, RC. (2010). Potent hepatoprotective effect in CCl(4)-induced hepatic injury in mice of phloroacetophenone from *Myrcia multiflora*. *Libyan Journal of Medicine.* 5. <http://dx.doi.org/10.3402/ljm.v5i0.4891>.
- Filho, CB; Del Fabbro, L; Boeira, SP; Furian, AF; Savegnago, L; Soares, LC; Braga, AL; Jesse, CR. (2013). Hepatoprotective effect of bis(4-methylbenzoyl) diselenide against CCl(4)-induced oxidative damage in mice. *Cell Biochem Funct.* 31: 152-158. <http://dx.doi.org/10.1002/cbf.2869>.
- Fisher, J; Lumpkin, M; Boyd, J; Mahle, D; Bruckner, JV; El-Masri, HA. (2004). PBPK modeling of the metabolic interactions of carbon tetrachloride and tetrachloroethylene in B6C3F1 mice. *Environ Toxicol Pharmacol.* 16: 93-105. <http://dx.doi.org/10.1016/j.etap.2003.10.006>.
- Fisher, J; Mahle, D; Bankston, L; Greene, R; Gearhart, J. (1997). Lactational transfer of volatile chemicals in breast milk. *Am Ind Hyg Assoc J.* 58: 425-431. <http://dx.doi.org/10.1080/15428119791012667>.
- Folland, DS; Schaffner, W; Ginn, HE; Crofford, OB; McMurray, DR. (1976). Carbon tetrachloride toxicity potentiated by isopropyl alcohol. Investigation of an industrial outbreak. *JAMA.* 236: 1853-1856.
- Fomenko, SE; Kushnerova, NF; Lesnikova, LN. (2013). Experimental assessment of the efficiency of erythrocyte membrane repair by an extract of the tunic of the ascidian purple sea squirt in carbon tetrachloride poisoning. *Pharmaceutical Chemistry Journal.* 46: 606-611. <http://dx.doi.org/10.1007/s11094-013-0855-z>.
- Fomenko, SE; Kushnerova, NF; Sprygin, VG; Momot, TV. (2014). [Hepatorotective activity of honeysuckle fruit extract in carbon tetrachloride intoxicated rats]. *Eksp Klin Farmakol.* 77: 26-30.
- Fountoulakis, M; de Vera, MC; Cramer, F; Boess, F; Gasser, R; Albertini, S; Suter, L. (2002). Modulation of gene and protein expression by carbon tetrachloride in the rat liver. *Toxicol Appl Pharmacol.* 183: 71-80. <http://dx.doi.org/10.1006/taap.2002.9460>.
- Fourcot, A; Couchie, D; Chobert, MN; Zafrani, ES; Mavier, P; Laperche, Y; Brouillet, A. (2011). Gas6 deficiency prevents liver inflammation, steatohepatitis, and fibrosis in mice. *Am J Physiol Gastrointest Liver Physiol.* 300: G1043-G1053. <http://dx.doi.org/10.1152/ajpgi.00311.2010>.
- Fourman, P; Mason, JM; Valencia, R; Zimmering, S. (1994). Chemical mutagenesis testing in *Drosophila*. X. Results of 70 coded chemicals tested for the National Toxicology Program. *Environ Mol Mutagen.* 23: 208-227. <http://dx.doi.org/10.1002/em.2850230310>.
- Fouts, DE; Torralba, M; Nelson, KE; Brenner, DA; Schnabl, B. (2012). Bacterial translocation and changes in the intestinal microbiome in mouse models of liver disease. *J Hepatol.* 56: 1283-1292. <http://dx.doi.org/10.1016/j.jhep.2012.01.019>.
- Fowler, JSL. (1969). Carbon tetrachloride metabolism in the rabbit. *Br J Pharmacol.* 37: 733-737.
- Francis, HL. (2013). Histamine modulation of biliary proliferation and damage.
- Francis, HL. (2014). Histamine modulation of biliary proliferation and damage.
- Francis, HL. (2015). Histamine modulation of biliary proliferation and damage.

Human Health Hazard Literature Search Results

On Topic

- Frantík, E; Hornychová, M; Horváth, M. (1994). Relative acute neurotoxicity of solvents: Isoeffective air concentrations of 48 compounds evaluated in rats and mice. *Environ Res.* 66: 173-185. <http://dx.doi.org/10.1006/enrs.1994.1053>.
- Fu, W; Chen, J; Cai, Y; Lei, Y; Chen, L; Pei, L; Zhou, D; Liang, X; Ruan, J. (2010). Antioxidant, free radical scavenging, anti-inflammatory and hepatoprotective potential of the extract from *Parathelypteris nipponica* (Franch. et Sav.) Ching. *J Ethnopharmacol.* 130: 521-528. <http://dx.doi.org/10.1016/j.jep.2010.05.039>.
- Fu, XQ; Liu, SR; Guo, JC; Bao, JF. (2013). [Expression of TGF-beta1/Smad protein in rat liver fibrosis model and the role of IFN-gamma]. *Zhonghua Shi Yan He Lin Chuang Bing Du Xue Za Zhi.* 27: 340-343.
- Fujii, T; Fuchs, BC; Yamada, S; Lauwers, GY; Kulu, Y; Goodwin, JM; Lanuti, M; Tanabe, KK. (2010). Mouse model of carbon tetrachloride induced liver fibrosis: Histopathological changes and expression of CD133 and epidermal growth factor. *BMC Gastroenterol.* 10: 79. <http://dx.doi.org/10.1186/1471-230X-10-79>.
- Fujimura, H; Murakami, N; Kurabe, M; Toriumi, W. (2009). In vitro assay for drug-induced hepatosteatosis using rat primary hepatocytes, a fluorescent lipid analog and gene expression analysis. *J Appl Toxicol.* 29: 356-363. <http://dx.doi.org/10.1002/jat.1420>.
- Fujisawa, K; Yabuuchi, C; Izawa, T; Kuwamura, M; Takasu, N; Torii, M; Yamate, J. (2013). Expression patterns of heat shock protein 25 in carbon tetrachloride-induced rat liver injury. *Exp Toxicol Pathol.* 65: 469-476. <http://dx.doi.org/10.1016/j.etp.2012.02.001>.
- Fujitani, N; Yoneda, A; Murakami, Y; Nishimura, M; Miyazaki, M; Kajiwara, K; Minomi, K; Tamura, Y; Niitsu, Y. (2015). Proof of liver regeneration after resolution of fibrosis by siRNA against HSP47 encapsulated in vitamin A-coupled liposome employing CCl4 mice engineered with Sox9-Cre(ERT2)/ROSA-YFP genes. *Hepatology.* 62: 884A-884A.
- Furihata, C; Watanabe, T; Suzuki, T; Hamada, S; Nakajima, M. (2016). Collaborative studies in toxicogenomics in rodent liver in JEMS·MMS; a useful application of principal component analysis on toxicogenomics [Review]. 38: 15. <http://dx.doi.org/10.1186/s41021-016-0041-0>.
- Furuya, S; Chappell, GA; Iwata, Y; Uehara, T; Kato, Y; Kono, H; Bataller, R; Rusyn, I. (2016). A mouse model of alcoholic liver fibrosis-associated acute kidney injury identifies key molecular pathways. *Toxicol Appl Pharmacol.* 310: 129-139. <http://dx.doi.org/10.1016/j.taap.2016.09.011>.
- Gad, AS; Khadrawy, YA; El-Nekeety, AA; Mohamed, SR; Hassan, NS; Abdel-Wahhab, MA. (2011). Antioxidant activity and hepatoprotective effects of whey protein and Spirulina in rats. 27: 582-589. <http://dx.doi.org/10.1016/j.nut.2010.04.002>.
- Gallelli, ME; Castro, JA. (1998). Effect of trichloromethyl and trichloromethyl peroxy free radicals on protein sulfhydryl content studies in model and enzymatic carbon tetrachloride activation systems. *Res Commun Mol Pathol Pharmacol.* 100: 227-238.
- Galicía-Moreno, M; Rodríguez-Rivera, A; Reyes-Gordillo, K; Segovia, J; Shibayama, M; Tsutsumi, V; Vergara, P; Moreno, MG; Muriel, P. (2009). N-acetylcysteine prevents carbon tetrachloride-induced liver cirrhosis: role of liver transforming growth factor-beta and oxidative stress. *Eur J Gastroenterol Hepatol.* 21: 908-914. <http://dx.doi.org/10.1097/MEG.0b013e32831f1f3a>.
- Galler, K; Fröhlich, E; Kortgen, A; Bauer, M; Popp, J; Neugebauer, U. (2016). Hepatic cirrhosis and recovery as reflected by Raman spectroscopy: information revealed by statistical analysis might lead to a prognostic biomarker. *Anal Bioanal Chem.* 408: 8053-8063. <http://dx.doi.org/10.1007/s00216-016-9905-1>.
- Galli, A; Schiestl, RH. (1996). Effects of salmonella assay negative and positive carcinogens on intrachromosomal recombination in G1-arrested yeast cells. *Mutat Res.* 370: 209-221.
- Galli, A; Schiestl, RH. (1998). Effect of salmonella assay negative and positive carcinogens on intrachromosomal recombination in S-phase arrested yeast cells. *Mutat Res.* 419: 53-68.
- Gallo, JM; Cheung, LL; Kim, HJ; Bruckner, JV; Gillespie, WR. (1993). A physiological and system analysis hybrid pharmacokinetic model to characterize carbon tetrachloride blood concentrations following administration in different oral vehicles. *J Pharmacokinet Pharmacodyn.* 21: 551-574.
- Galloway, SM; Deasy, DA; Bean, CL; Kraynak, AR; Armstrong, MJ; Bradley, MO. (1987). Effects of high osmotic strength on chromosome aberrations, sister-chromatid exchanges and DNA strand breaks, and the relation to toxicity. *Mutat Res.* 189: 15-25. [http://dx.doi.org/10.1016/0165-1218\(87\)90029-2](http://dx.doi.org/10.1016/0165-1218(87)90029-2).
- Gálvez-Gastélum, FJ; Segura-Flores, AA; Senties-Gomez, MD; Muñoz-Valle, JF; Armendáriz-Borunda, JS. (2010). Combinatorial gene therapy renders increased survival in cirrhotic rats. *J Biomed Sci.* 17: 42. <http://dx.doi.org/10.1186/1423-0127-17-42>.
- Gan, D; Ma, L; Jiang, C; Wang, M; Zeng, X. (2012). Medium optimization and potential hepatoprotective effect of mycelial polysaccharides from *Pholiota dinghuensis* Bi against carbon tetrachloride-induced acute liver injury in mice. *Food Chem Toxicol.* 50: 2681-2688. <http://dx.doi.org/10.1016/j.fct.2012.05.003>.
- Ganaie, MA; Khan, TH; Siddiqui, NA; Ansari, MN. (2015). Ameliorative effect of methanol extract of *Rumex vesicarius* on CCl4-induced liver damage in Wistar albino rats. *Pharmaceutical Biology.* 53: 1163-1167. <http://dx.doi.org/10.3109/13880209.2014.967782>.
- Ganie, SA; Ali Dar, T; Zargar, S; Bhat, AH; Dar, KB; Masood, A; Zargar, MA. (2016). *Crataegus songarica* methanolic extract accelerates enzymatic status in kidney and heart tissue damage in albino rats and its in vitro cytotoxic activity. *Pharmaceutical Biology.* 54: 1246-1254. <http://dx.doi.org/10.3109/13880209.2015.1066398>.
- Ganie, SA; Amin, S; Hamid, R; Hamid, A; Majeed, R; Qurishi, Y; Zargar, BA; Masood, A; Zargar, MA. (2012). *Podophyllum hexandrum* aqueous extract as a potential free radical scavenger. *Redox Rep.* 17: 54-62. <http://dx.doi.org/10.1179/1351000212Y.0000000004>.
- Ganie, SA; Haq, E; Hamid, A; Qurishi, Y; Mahmood, Z; Zargar, BA; Masood, A; Zargar, MA. (2011). Carbon tetrachloride induced kidney and lung tissue damages and antioxidant activities of the aqueous rhizome extract of *Podophyllum hexandrum*. *BMC Complement Altern Med.* 11: 17. <http://dx.doi.org/10.1186/1472-6882-11-17>.
- Ganie, SA; Haq, E; Masood, A; Hamid, A; Zargar, MA. (2011). Antioxidant and protective effect of ethyl acetate extract of *podophyllum hexandrum* rhizome on carbon tetrachloride induced rat liver injury. *eCAM.* 2011: 238020. <http://dx.doi.org/10.1155/2011/238020>.

Human Health Hazard Literature Search Results

On Topic

- Ganie, SA; Haq, E; Masood, A; Zargar, MA. (2010). Amelioration of carbon tetrachloride induced oxidative stress in kidney and lung tissues by ethanolic rhizome extract of *Podophyllum hexandrum* in Wistar rats. *Journal of Medicinal Plant Research*. 4: 1673-1677.
- Ganie, SA; Zargar, BA; Masood, A; Zargar, MA. (2013). Hepatoprotective and antioxidant activity of rhizome of *Podophyllum hexandrum* against carbon tetra chloride induced hepatotoxicity in rats. *Biomed Environ Sci*. 26: 209-221. <http://dx.doi.org/10.3967/0895-3988.2013.03.008>.
- Gans, JH; Korson, R. (1984). Liver nuclear DNA synthesis in mice following carbon tetrachloride administration or partial hepatectomy. *Proc Soc Exp Biol Med*. 175: 237-242.
- Gao, BIN. (2011). Innate immunity and cytokines in liver diseases.
- Gao, CY; Tian, CR; Zhou, R; Zhang, RG; Lu, YH. (2014). Phenolic composition, DNA damage protective activity and hepatoprotective effect of free phenolic extract from *Sphallerocarpus gracilis* seeds. *Int Immunopharmacol*. 20: 238-247. <http://dx.doi.org/10.1016/j.intimp.2014.03.002>.
- Gao, HY; Li, GY; Lou, MM; Li, XY; Wei, XY; Wang, JH. (2012). Hepatoprotective effect of Matrine salvianolic acid B salt on Carbon Tetrachloride-Induced Hepatic Fibrosis. *J Inflamm*. 9: 16. <http://dx.doi.org/10.1186/1476-9255-9-16>.
- Gao, J; Sun, CR; Yang, JH; Shi, JM; Du, YG; Zhang, YY; Li, JH; Wan, HT. (2011). Evaluation of the hepatoprotective and antioxidant activities of *Rubus parvifolius* L. *J Zhejiang Univ Sci B*. 12: 135-142. <http://dx.doi.org/10.1631/jzus.B1000117>.
- Gao, K; Ma, D; Cheng, Y; Tian, X; Lu, Y; Du, X; Tang, H; Chen, J. (2015). Three New Dimers and Two Monomers of Phenolic Amides from the Fruits of *Lycium barbarum* and Their Antioxidant Activities. *J Agric Food Chem*. <http://dx.doi.org/10.1021/jf5049222>.
- Gao, Q; Zhao, X, in; Yin, L, ei; Zhang, Y; Wang, B; Wu, X; Zhang, X; Fu, X; Sun, W. (2016). The essential oil of *Artemisia capillaris* protects against CCl₄-induced liver injury in vivo. *Revista Brasileira de Farmacognosia*. 26: 369-374. <http://dx.doi.org/10.1016/j.bjp.2016.01.001>.
- Gao, S; Fan, YC; Zhao, J; Tian, MM; Li, HM; Li, F; Wang, K. (2016). [Effect of spirolactone transdermal patch in reducing cirrhotic ascites induced by carbon tetrachloride in mice]. *Zhonghua Gan Zang Bing Za Zhi*. 24: 528-530.
- Gao, TJ; Dong, L; Shi, HT; Li, XM. (2014). [Effect of alcohol extract of *Plumula Nelumbini* on carbon tetrachloride induced rat liver fibrosis: an experimental study]. *Zhongguo Zhong Xi Yi Jie He Za Zhi*. 34: 1476-1480.
- Gao, XX; Shi, DH; Chen, YX; Cui, JT; Wang, YR; Jiang, CP; Wu, JH. (2012). The therapeutic effects of tectorigenin on chemically induced liver fibrosis in rats and an associated metabonomic investigation. *Arch Pharm Res*. 35: 1479-1493. <http://dx.doi.org/10.1007/s12272-012-0819-y>.
- Gao, Z; Zhang, C; Tian, W; Liu, K; Hou, R; Yue, C; Wu, Y; Wang, D; Liu, J; Hu, Y; Yang, Y. (2017). The antioxidative and hepatoprotective effects comparison of Chinese angelica polysaccharide(CAP)and selenizing CAP (sCAP) in CCl₄ induced hepatic injury mice. *Int J Biol Macromol*. 97: 46-54. <http://dx.doi.org/10.1016/j.ijbiomac.2017.01.013>.
- Garcia, E; Hurley, S; Nelson, DO; Hertz, A; Reynolds, P. (2015). Hazardous air pollutants and breast cancer risk in California teachers: a cohort study. *Environ Health*. 14: 14. <http://dx.doi.org/10.1186/1476-069X-14-14>.
- García-Niño, WR; Zazueta, C. (2015). Ellagic acid: Pharmacological activities and molecular mechanisms involved in liver protection [Review]. *Pharmacol Res*. 97: 84-103. <http://dx.doi.org/10.1016/j.phrs.2015.04.008>.
- Gardner, GH; Gove, RC; Gustafson, RK. (1925). Studies on the pathological histology of experimental carbon tetrachloride poisoning. *Johns Hopkins Med J*. 36: 107-133.
- Gargas, ML; Andersen, ME; III, CH. (1986). A physiologically based simulation approach for determining metabolic constants from gas uptake data. *Toxicol Appl Pharmacol*. 86: 341-352. [http://dx.doi.org/10.1016/0041-008X\(86\)90361-3](http://dx.doi.org/10.1016/0041-008X(86)90361-3).
- Gargas, ML; Burgess, RJ; Voisard, DE; Cason, GH; Andersen, ME. (1989). Partition coefficients of low-molecular-weight volatile chemicals in various liquids and tissues. *Toxicol Appl Pharmacol*. 98: 87-99.
- Garner, RC; Mclean, AE. (1969). Increased susceptibility to carbon tetrachloride poisoning in the rat after pretreatment with oral phenobarbitone. *Biochem Pharmacol*. 18: 645-650.
- Garry, VF; Nelson, RL; Griffith, J; Harkins, M. (1990). Preparation for human study of pesticide applicators: sister chromatid exchanges and chromosome aberrations in cultured human lymphocytes exposed to selected fumigants. *Teratog Carcinog Mutagen*. 10: 21-29.
- Gasparotto, J; Somensi, N; Bortolin, RC; Girardi, CS; Kunzler, A; Rabelo, TK; Schnorr, CE; Moresco, KS; Bassani, VL; Yatsu, FK; Vizzotto, M; Raseira, M; Zanotto-Filho, A; Moreira, JC; Gelain, DP. (2014). Preventive supplementation with fresh and preserved peach attenuates CCl₄-induced oxidative stress, inflammation and tissue damage. *J Nutr Biochem*. 25: 1282-1295. <http://dx.doi.org/10.1016/j.jnutbio.2014.07.004>.
- Gassó, M; Rubio, M; Varela, G; Cabré, M; Caballería, J; Alonso, E; Deulofem, R; Camps, J; Giménez, A; Pajares, M; Parés, A; Mato, JM; Rodés, J. (1996). Effect of S-adenosylmethionine on lipid peroxidation and liver fibrogenesis in carbon tetrachloride-induced cirrhosis. *J Hepatol*. 25: 200-205.
- Gazit, V; Weymann, A; Hartman, E; Finck, BN; Hruz, PW; Tzekov, A; Rudnick, DA. (2010). Liver regeneration is impaired in lipodystrophic fatty liver dystrophy mice. *Hepatology*. 52: 2109-2117. <http://dx.doi.org/10.1002/hep.23920>.
- Ge, J; Chang, N; Zhao, Z; Tian, L; Duan, X; Yang, L; Li, L. (2016). Essential Roles of RNA-binding Protein HuR in Activation of Hepatic Stellate Cells Induced by Transforming Growth Factor- β 1. *Sci Rep*. 6: 22141. <http://dx.doi.org/10.1038/srep22141>.
- Ge, J; Rudnick, DA; He, J; Crimmins, DL; Ladenson, JH; Bessler, M; Mason, PJ. (2010). Dyskerin ablation in mouse liver inhibits rRNA processing and cell division. *Mol Cell Biol*. 30: 413-422. <http://dx.doi.org/10.1128/MCB.01128-09>.
- Ge, M; Ma, L; Fang, Y; Zhang, W; Guan, S. (2013). [Changes of sarcoplasmic reticulum calcium ATPase, titin, and nebulin expressions in the diaphragm of rats with liver cirrhosis]. *Nan Fang Yi Ke Da Xue Xue Bao*. 33: 1796-1800.
- Gee, DL; Bechtold, MM; Tappel, AL. (1981). Carbon tetrachloride-induced lipid peroxidation: Simultaneous in vivo measurements of pentane and chloroform exhaled by the rat. *Toxicol Lett*. 8: 299-306.

Human Health Hazard Literature Search Results

On Topic

- Geng, F; Zhang, N; Fang, H; Li, JM; Zhao, X; Liu, HY. (2014). [Metabonomic study on protective effect of xiaoyao powder for acute hepatic injury in rats]. *Zhong Yao Cai*. 37: 275-279.
- Geng, Y; Sun, Q; Li, W; Lu, ZM; Xu, HY; Shi, JS; Xu, ZH. (2016). The common dietary flavonoid myricetin attenuates liver fibrosis in carbon tetrachloride-treated mice. *Mol Nutr Food Res*. <http://dx.doi.org/10.1002/mnfr.201600392>.
- Genovese, F; Barascuk, N; Larsen, L; Larsen, MR; Nawrocki, A; Li, Y; Zheng, Q; Wang, J; Veidal, SS; Leeming, DJ; Karsdal, MA. (2013). Biglycan fragmentation in pathologies associated with extracellular matrix remodeling by matrix metalloproteinases. 6: 9. <http://dx.doi.org/10.1186/1755-1536-6-9>.
- George, J; Fiel, MI; Nieto, N. (2010). CARBON TETRACHLORIDE-INDUCED LIVER INJURY AND FIBROSIS CORRELATES WITH OSTEOPONTIN EXPRESSION IN MICE. *Hepatology*. 52: 453A-453A.
- Getachew, Y; Cusimano, FA; Gopal, P; Reisman, SA; Shay, JW. (2016). The Synthetic Triterpenoid RTA 405 (CDDO-EA) Halts Progression of Liver Fibrosis and Reduces Hepatocellular Carcinoma Size Resulting in Increased Survival in an Experimental Model of Chronic Liver Injury. *Toxicol Sci*. 149: 111-120. <http://dx.doi.org/10.1093/toxsci/kfv213>.
- Gevrenova, R; Kondeva-Burdina, M; Denkov, N; Zheleva-Dimitrova, D. (2015). Flavonoid profiles of three Bupleurum species and in vitro hepatoprotective of activity Bupleurum flavum Forsk. *Pharmacognosy Magazine*. 11: 14-23. <http://dx.doi.org/10.4103/0973-1296.149680>.
- Gewiese-Rabsch, J; Drucker, C; Malchow, S; Scheller, J; Rose-John, S. (2010). Role of IL-6 trans-signaling in CCl₄induced liver damage. *Biochim Biophys Acta*. 1802: 1054-1061. <http://dx.doi.org/10.1016/j.bbadis.2010.07.023>.
- Ghaffari, H; Ghassam, BJ; Prakash, HS. (2012). Hepatoprotective and cytoprotective properties of Hyptis suaveolens against oxidative stress-induced damage by CCl₄ and H₂O₂. *Asian Pacific Journal of Tropical Medicine*. 5: 868-874. [http://dx.doi.org/10.1016/S1995-7645\(12\)60162-X](http://dx.doi.org/10.1016/S1995-7645(12)60162-X).
- Ghaffari, H; Venkataramana, M; Nayaka, SC; Ghassam, BJ; Angaswamy, N; Shekar, S; Sampath Kumara, KK; Prakash, HS. (2013). Hepatoprotective action of Orthosiphon diffusus (Benth.) methanol active fraction through antioxidant mechanisms: an in vivo and in vitro evaluation. *J Ethnopharmacol*. 149: 737-744. <http://dx.doi.org/10.1016/j.jep.2013.07.034>.
- Ghafoory, S; Breitkopf-Heinlein, K; Li, Q, i; Scholl, C; Dooley, S; Woelfl, S. (2013). Zonation of Nitrogen and Glucose Metabolism Gene Expression upon Acute Liver Damage in Mouse. *PLoS ONE*. 8: e78262. <http://dx.doi.org/10.1371/journal.pone.0078262>.
- Ghareeb, DA; Hafez, HS; Hussien, HM; Kabapy, NF. (2011). Non-alcoholic fatty liver induces insulin resistance and metabolic disorders with development of brain damage and dysfunction. *Metab Brain Dis*. 26: 253-267. <http://dx.doi.org/10.1007/s11011-011-9261-y>.
- Ghasemi, M; Azarnia, M; Jamali, M; Mirabolghasemi, G; Nazarian, S; Naghizadeh, MM; Rajabi, M; Tahamtani, Y. (2014). Protective effects of Ephedra pachyclada extract on mouse models of carbon tetrachloride- induced chronic and acute liver failure. *Tissue Cell*. 46: 78-85. <http://dx.doi.org/10.1016/j.tice.2013.11.005>.
- Ghazwani, M; Zhang, Y; Gao, X; Fan, J; Li, J; Li, S. (2014). Anti-fibrotic effect of thymoquinone on hepatic stellate cells. *Phytomedicine*. 21: 254-260. <http://dx.doi.org/10.1016/j.phymed.2013.09.014>.
- Ghiassi-Nejad, Z; Hernandez-Gea, V; Woodrell, C; Lang, UE; Dumic, K; Kwong, A; Friedman, SL. (2013). Reduced hepatic stellate cell expression of Kruppel-like factor 6 tumor suppressor isoforms amplifies fibrosis during acute and chronic rodent liver injury. *Hepatology*. 57: 786-796. <http://dx.doi.org/10.1002/hep.26056>.
- Ghori, SS; Khan, M; Rahman, SA. (2014). Amelioration of carbon tetrachloride- and paracetamol- induced hepatotoxicity in rats by Ficus dalhousiae. *Bangladesh J Pharmacol*. 9: 588-594. <http://dx.doi.org/10.3329/bjp.v9i4.20515>.
- Giannitrapani, L; Soresi, M; Bondi, ML; Montalto, G; Cervello, M. (2014). Nanotechnology applications for the therapy of liver fibrosis [Review]. *World J Gastroenterol*. 20: 7242-7251. <http://dx.doi.org/10.3748/wjg.v20.i23.7242>.
- Giannone, FA; Baldassarre, M; Domenicali, M; Zaccherini, G; Trevisani, F; Bernardi, M; Caraceni, P. (2012). Reversal of liver fibrosis by the antagonism of endocannabinoid CB1 receptor in a rat model of CCl₄-induced advanced cirrhosis. *Lab Invest*. 92: 384-395. <http://dx.doi.org/10.1038/labinvest.2011.191>.
- Giannone, FA; Domenicali, M; Baldassarre, M; Bartoletti, M; Naldi, M; Laggetta, M; Bertucci, C; Colecchia, A; Viale, P; Bernardi, M; Caraceni, P. (2015). Ischaemia-modified albumin: a marker of bacterial infection in hospitalized patients with cirrhosis. *Liver Int*. 35: 2425-2432. <http://dx.doi.org/10.1111/liv.12860>.
- Gillespie, WR; Cheung, LL; Kim, HJ. (1990). Application of system analysis to toxicology: Characterization of carbon tetrachloride oral absorption kinetics. In TR Gentry; CJ Henry (Eds.), (pp. 285-295). New York, NY: Elsevier Science Publishing Company.
- Gilman, MR. (1971) A preliminary study of the teratogenic effects of inhaled carbon tetrachloride and ethyl alcohol consumption in the rat. (Doctoral Dissertation). Drexel University, Philadelphia, PA.
- Ginsburg, I; Koren, E; Horani, A; Mahamid, M; Doron, S; Muhanna, N; Amer, J; Safadi, R. (2009). Amelioration of hepatic fibrosis via Padma Hepaten is associated with altered natural killer T lymphocytes. *Clin Exp Immunol*. 157: 155-164. <http://dx.doi.org/10.1111/j.1365-2249.2009.03936.x>.
- Giri, RK; Bose, A; Mishra, SK. (2011). Hepatoprotective activity of Tagets erecta against carbon tetrachloride-induced hepatic damage in rats. *Acta Pol Pharm*. 68: 999-1003.
- Girish, C; Pradhan, SC. (2012). Hepatoprotective activities of picroliv, curcumin, and ellagic acid compared to silymarin on carbon-tetrachloride-induced liver toxicity in mice. *J Pharmacol Pharmacother*. 3: 149-155. <http://dx.doi.org/10.4103/0976-500X.95515>.
- Glaser, SS; Meng, F; Dusio, G; Venter, J; White, M; Francis, HL; Demorrow, S; Butler, W; Mcdaniel, K; Invernizzi, P; Alpini, G. (2012). Reduced melatonin synthesis from pineal gland and cholangiocytes (by chronic exposure of rats to light) increases cholangiocyte proliferation and prevents CCl₄-induced biliary damage. *Hepatology*. 56: 336A-337A.

Human Health Hazard Literature Search Results

On Topic

- Glende, EA, Jr. (1972). Carbon tetrachloride-induced protection against carbon tetrachloride toxicity. The role of the liver microsomal drug-metabolizing system. *Biochem Pharmacol.* 21: 1697-1702.
- Glende, EA, Jr; Hruszkewycz, AM; Recknagel, RO. (1976). Critical role of lipid peroxidation in carbon tetrachloride-induced loss of aminopyrine demethylase, cytochrome P-450 and glucose 6-phosphatase. *Biochem Pharmacol.* 25: 2163-2170.
- Glende, EA, Jr; Pushpendran, CK. (1986). Activation of phospholipase A2 by carbon tetrachloride in isolated hepatocytes. *Biochem Pharmacol.* 35: 3301-3307.
- Glende, EA, Jr; Recknagel, RO. (1992). Phospholipase A2 activation and cell injury in isolated rat hepatocytes exposed to bromotrachloromethane, chloroform, and 1,1-dichloroethylene as compared to effects of carbon tetrachloride. *Toxicol Appl Pharmacol.* 113: 159-162.
- Gnanadesigan, M; Ravikumar, S; Inbaneson, SJ. (2011). Hepatoprotective and antioxidant properties of marine halophyte *Lumnitzera racemosa* bark extract in CCL₄ induced hepatotoxicity. *Asian Pacific Journal of Tropical Medicine.* 4: 462-465. [http://dx.doi.org/10.1016/S1995-7645\(11\)60126-0](http://dx.doi.org/10.1016/S1995-7645(11)60126-0).
- Gnanaraj, C; Shah, MD; Haque, AT; Makki, JS; Iqbal, M. (2016). Hepatoprotective and Immunosuppressive Effect of *Synedrella nodiflora* L. on Carbon Tetrachloride (CCl₄)-Intoxicated Rats. 35: 29-42. <http://dx.doi.org/10.1615/JEnvironPatholToxicolOncol.2016013802>.
- Gnanaraj, C; Shah, MD; Makki, JS; Iqbal, M. (2016). Hepatoprotective effects of *Flagellaria indica* are mediated through the suppression of pro-inflammatory cytokines and oxidative stress markers in rats. *Pharmaceutical Biology.* 54: 1420-1433. <http://dx.doi.org/10.3109/13880209.2015.1104697>.
- Go, J; Kim, JE; Koh, EK; Song, SH; Sung, JE; Lee, HA; Lee, YH; Lim, Y; Hong, JT; Hwang, DY. (2016). Protective Effect of Gallotannin-Enriched Extract Isolated from *Galla Rhois* against CCl₄-Induced Hepatotoxicity in ICR Mice. *Nutrients.* 8: 107. <http://dx.doi.org/10.3390/nu8030107>.
- Godoy, P; Widera, A; Schmidt-Heck, W; Campos, G; Meyer, C; Cadenas, C; Reif, R; Stöber, R; Hammad, S; Pütter, L; Gianmoena, K; Marchan, R; Ghallab, A; Edlund, K; Nüssler, A; Thasler, WE; Damm, G; Seehofer, D; Weiss, TS; Dirsch, O; Dahmen, U; Gebhardt, R; Chaudhari, U; Meganathan, K; Sachinidis, A; Kelm, J; Hofmann, U; Zahedi, RP; Guthke, R; Blüthgen, N; Dooley, S; Hengstler, JG. (2016). Gene network activity in cultivated primary hepatocytes is highly similar to diseased mammalian liver tissue. *Arch Toxicol.* 90: 2513-2529. <http://dx.doi.org/10.1007/s00204-016-1761-4>.
- Gold, LS; Stewart, PA; Milliken, K; Purdue, M; Severson, R; Seixas, N; Blair, A; Hartge, P; Davis, S; De Roos, AJ. (2010). The relationship between multiple myeloma and occupational exposure to six chlorinated solvents. *Occup Environ Med.* 68: 391-399. <http://dx.doi.org/10.1136/oem.2009.054809>.
- Goldman, SM; Quinlan, PJ; Ross, GW; Marras, C; Meng, C; Bhudhikanok, GS; Comyns, K; Korell, M; Chade, AR; Kasten, M; Priestley, B; Chou, KL; Fernandez, HH; Cambi, F; Langston, JW; Tanner, CM. (2012). Solvent exposures and parkinson disease risk in twins. *Ann Neurol.* 71: 776-784. <http://dx.doi.org/10.1002/ana.22629>.
- Gomes, A; Alam, MA; Datta, P; Bhattacharya, S; Gomes, A. (2011). Hepatoprotective activity of the edible snail (*Bellamia bengalensis*) flesh extract in carbon tetrachloride induced hepatotoxicity in rats. *J Ethnopharmacol.* 138: 228-232. <http://dx.doi.org/10.1016/j.jep.2011.09.009>.
- Gomez Villalobos, M, adeJ; Giles, R; Carreon, I; Vidrio, S; Chagoya de Sanchez, V. (2013). Characterization of the hepatic stellate cell populations in carbon tetrachloride liver rat through Golgi-Cox Method. *FASEB J.* 27.
- Gómez-Hurtado, I; Moratalla, A; Moya-Pérez, Á; Peiró, G; Zapater, P; González-Navajas, JM; Giménez, P; Such, J; Sanz, Y; Francés, R. (2014). Role of interleukin 10 in norfloxacin prevention of luminal free endotoxin translocation in mice with cirrhosis. *J Hepatol.* 61: 799-808. <http://dx.doi.org/10.1016/j.jhep.2014.05.031>.
- Gómez-Hurtado, I; Santacruz, A; Peiró, G; Zapater, P; Gutiérrez, A; Pérez-Mateo, M; Sanz, Y; Francés, R. (2011). Gut microbiota dysbiosis is associated with inflammation and bacterial translocation in mice with CCl₄-induced fibrosis. *PLoS ONE.* 6: e23037. <http://dx.doi.org/10.1371/journal.pone.0023037>.
- Gonçalves, RV; Novaes, RD; Leite, JP; Vilela, EF; Cupertino, MC; Nunes, LG; Matta, SL. (2012). Hepatoprotective effect of *Bathysa cuspidata* in a murine model of severe toxic liver injury. *Int J Exp Pathol.* 93: 370-376. <http://dx.doi.org/10.1111/j.1365-2613.2012.00835.x>.
- Gonçalves, RV; Novaes, RD; Sarandy, MM; Leite, JP; Vilela, EF; Cupertino, MD; da Matta, SL. (2016). *Schizocalyx cuspidatus* (A. St.-Hil.) Kainul. & B. Bremer extract improves antioxidant defenses and accelerates the regression of hepatic fibrosis after exposure to carbon tetrachloride in rats. *Nat Prod Res* 1-5. <http://dx.doi.org/10.1080/14786419.2016.1143825>.
- Gong, J; Tu, W; Han, J; He, J; Liu, J; Han, P; Wang, Y; Li, M; Liu, M; Liao, J; Tian, D. (2016). Hepatic SATB1 induces paracrine activation of hepatic stellate cells and is upregulated by HBx. *Sci Rep.* 6: 37717. <http://dx.doi.org/10.1038/srep37717>.
- González, LT; Minsky, NW; Espinosa, LE; Aranda, RS; Meseguer, JP; Pérez, PC. (2017). In vitro assessment of hepatoprotective agents against damage induced by acetaminophen and CCl₄. *BMC Complement Altern Med.* 17: 39. <http://dx.doi.org/10.1186/s12906-016-1506-1>.
- González Padrón, A; de Toranzo, EG; Castro, JA. (1993). Late preventive effects of quinacrine on carbon tetrachloride induced liver necrosis. *Arch Toxicol.* 67: 386-391.
- González-Cuevas, J; Navarro-Partida, J; Marquez-Aguirre, AL; Bueno-Topete, MR; Beas-Zarate, C; Armendáriz-Borunda, J. (2011). Ethylenediaminetetraacetic acid induces antioxidant and anti-inflammatory activities in experimental liver fibrosis. *Redox Rep.* 16: 62-70. <http://dx.doi.org/10.1179/174329211X13002357050851>.
- González-Fernández, B; Sánchez, DI; Crespo, I; San-Miguel, B; Álvarez, M; Tuñón, MJ; González-Gallego, J. (2016). Inhibition of the SphK1/S1P signaling pathway by melatonin in mice with liver fibrosis and human hepatic stellate cells. *BioFactors.* <http://dx.doi.org/10.1002/biof.1342>.

Human Health Hazard Literature Search Results

On Topic

- González-Reimers, E; López-Lirola, A; Olivera, RM; Santolaria-Fernández, F; Galindo-Martín, L; Abreu-González, P; Sánchez-Sánchez, JJ; Martínez-Riera, A. (2003). Effects of protein deficiency on liver trace elements and antioxidant activity in carbon tetrachloride-induced liver cirrhosis. *Biol Trace Elem Res.* 93: 127-140.
- Gordis, E. (1969). Lipid metabolites of carbon tetrachloride. *J Clin Invest.* 48: 203-209. <http://dx.doi.org/10.1172/JCI105969>.
- Gorina, YV; Saprykina, EV; Gereng, EA; Perevozchikova, TV; Krasnov, EA; Ivanova, EV; Fait, EA; Baranova, OV. (2013). Evaluation of hepatoprotective activity of water-soluble polysaccharide fraction of *Stellaria media* L. *Bull Exp Biol Med.* 154: 645-648.
- Gorla, N; de Ferreyra, EC; Villarruel, MC; de Fenos, OM; Castro, JA. (1983). Studies on the mechanism of glutathione prevention of carbon tetrachloride-induced liver injury. *Br J Exp Pathol.* 64: 388-395.
- Görtzen, J; Schierwagen, R; Bierwolf, J; Klein, S; Uschner, FE; van der Ven, PF; Fürst, DO; Strassburg, CP; Laleman, W; Pollok, JM; Trebicka, J. (2015). Interplay of Matrix Stiffness and c-SRC in Hepatic Fibrosis. *Front Physiol.* 6: 359. <http://dx.doi.org/10.3389/fphys.2015.00359>.
- Got'e, SV; Shagidulin, MI, u; Onishchenko, NA; Krashennnikov, ME; Il'inskiĭ, IM; Mozheiko, NP; Liundup, AV; Volkova, EA; Petrakov, KI; Avramov, PV; Perova, NV; Sevast'ianov, VI. (2013). [Correction of chronic liver failure by transplantation of liver cells suspension and cell-engineering designs (experimental investigation)]. *Vestn Ross Akad Med Nauk*44-51.
- Gou, X; Tao, Q; Feng, Q; Peng, J; Zhao, Y; Dai, J; Wang, W; Zhang, Y; Hu, Y; Liu, P. (2013). Urine metabolic profile changes of CCl₄-liver fibrosis in rats and intervention effects of Yi Guan Jian Decoction using metabonomic approach. *BMC Complement Altern Med.* 13: 123. <http://dx.doi.org/10.1186/1472-6882-13-123>.
- Gould, VE; Smuckler, EA. (1971). Alveolar injury in acute carbon tetrachloride intoxication. *Arch Intern Med.* 128: 109-117.
- Gracia-Sancho, J; Contreras, PC; Vila, S; Garcia-Caldero, H; Spada, AP; Bosch, J. (2016). The pan caspase inhibitor Emricasan improves the hepatic microcirculatory dysfunction of CCl₄-cirrhotic rats leading to portal hypertension amelioration and cirrhosis regression. *Hepatology.* 63: 1043A-1043A.
- Gracia-Sancho, J; Russo, L; García-Calderó, H; García-Pagán, JC; García-Cardena, G; Bosch, J. (2011). Endothelial expression of transcription factor Kruppel-like factor 2 and its vasoprotective target genes in the normal and cirrhotic rat liver. *Gut.* 60: 517-524. <http://dx.doi.org/10.1136/gut.2010.220913>.
- Granzow, M; Schierwagen, R; Klein, S; Kowallick, B; Huss, S; Linhart, M; Mazar, IG; Görtzen, J; Vogt, A; Schildberg, FA; Gonzalez-Carmona, MA; Wojtalla, A; Krämer, B; Nattermann, J; Siegmund, SV; Werner, N; Fürst, DO; Laleman, W; Knolle, P; Shah, VH; Sauerbruch, T; Trebicka, J. (2014). Angiotensin-II type 1 receptor-mediated Janus kinase 2 activation induces liver fibrosis. *Hepatology.* 60: 334-348. <http://dx.doi.org/10.1002/hep.27117>.
- Greim, H; Hartwig, A; Reuter, U; Richter-Reichhelm, H; Thielmann, H. (2009). Chemically induced pheochromocytomas in rats: Mechanisms and relevance for human risk assessment [Review]. *Crit Rev Toxicol.* 39: 695-718. <http://dx.doi.org/10.1080/10408440903190861>.
- Greish, S; El Barbary, M; Eldin, M; Yousef, A; El All, A, bdH. (2009). Hepatic response to transplantation of human umbilical cord blood stem cells in CCL₄-injured liver in mice. *Virchows Arch.* 455: 446-446.
- Grgurevic, I; Erjavec, I; Grgurevic, L; Prgomet, S; Krizanac, S; Heinzl, R; Romic, Z; Unic, A; Petroveckı, M; Kujundzic, M; Vukicevic, S. (2011). BMP7 PROTEIN AND BMP1-3 ANTIBODY PREVENT DEVELOPMENT AND PROMOTE REGRESSION OF CCL₄-INDUCED LIVER FIBROSIS IN RATS. *J Hepatol.* 54: S411-S411.
- Grouix, B; Hince, K; Sarra-Bournet, F; Felton, A; Tremblay, M; Abbott, S; Duceppe, JS; Zacharie, B; Laurin, P; Gagnon, L. (2014). Oral Treatment with PBI-4050 Reduces Fibrosis in Carbon Tetrachloride (CCl₄)-Induced Hepatic Fibrosis. *Hepatology.* 60: 418A-418A.
- Gruebele, A; Zawaski, K; Kaplan, D. (1996). Effects on signal transduction as demonstrated by altered immediate-early (c-Fos and c-Jun) gene expression and nuclear AP-1 and NK-kB transcription factor levels. *Drug Metab Dispos.* 24: 15-22.
- Gruenbaum, BF; Boyko, M; Delgado, B; Douvdevany, A; Gruenbaum, SE; Melamed, I; Gideon, M; Cesnulis, E; Shapira, Y; Zlotnik, A. (2013). Cell-free DNA as a potential marker to predict carbon tetrachloride-induced acute liver injury in rats. *Hepatology International.* 7: 721-727. <http://dx.doi.org/10.1007/s12072-012-9414-z>.
- Gualandi, G. (1984). Genotoxicity of the free-radical producers CCl₄ and lipoperoxide in *Aspergillus nidulans*. *Mutat Res.* 136: 109-114.
- Guerrero, JA; Teruel, R; Martínez, C; Arcas, I; Martínez-Martínez, I; de la Morena-Barrio, ME; Vicente, V; Corral, J. (2012). Protective role of antithrombin in mouse models of liver injury. *J Hepatol.* 57: 980-986. <http://dx.doi.org/10.1016/j.jhep.2012.06.023>.
- Guhagarkar, SA; Shah, D; Patel, MD; Sathaye, SS; Devarajan, PV. (2015). Polyethylene Sebacate-Silymarin Nanoparticles with Enhanced Hepatoprotective Activity. *J Nanosci Nanotechnol.* 15: 4090-4093. <http://dx.doi.org/10.1166/jnn.2015.9518>.
- Guimarães, EL; Stradiot, L; Mannaerts, I; Schroyen, B; van Grunsven, LA. (2015). P311 modulates hepatic stellate cells migration. *Liver Int.* 35: 1253-1264. <http://dx.doi.org/10.1111/liv.12691>.
- Gumerova, A; Shafigullina, A; Burganova, G; Kaligin, M; Titova, A; Sharipova, E; Muchamedov, A; Trondin, A; Titova, M; Kiassov, A. (2013). HEPATOCYTE DIFFERENTIATION OF FRESHLY ISOLATED AND IN VIVO ACTIVATED HEPATIC STELLATE CELLS TRANSPLANTED INTO RATS AFTER CARBON TETRACHLORIDE DAMAGE. *J Hepatol.* 58: S127-S127.
- Gumus, U; Sennazli, G; Bakirel, U. (2013). The protective and therapeutic effect of phenoxy-2-methyl-2-propionic acid on experimental fatty liver in rats. *Turkish Journal of Veterinary and Animal Sciences.* 37: 653-658. <http://dx.doi.org/10.3906/vet-1212-28>.
- Guo, G; Wu, H; Liu, M; Ding, C; Qin, J; Yang, X. (2014). [Differential proteome analysis of carbon tetrachloride-induced mouse liver fibrosis]. *Sheng Wu Gong Cheng Xue Bao.* 30: 1105-1114.
- Guo, J; Zhang, J; Yao, G; Liao, M; Chen, H; Yang, X; Zhang, Y. (2012). Hepatoprotective activity of the ethanol extract of *Sarcopyramis Nepalensis*. *J Huazhong Univ Sci Technolog Med Sci.* 32: 844-848. <http://dx.doi.org/10.1007/s11596-012-1045-z>.
- Guo, R; Lin, B; Pan, JF; Liang, EC; Xu, AM; Youdim, M; Fung, ML; So, KF; Tipoe, GL. (2016). Inhibition of caspase-9 aggravates acute liver injury through suppression of cytoprotective autophagy. *Sci Rep.* 6: 32447. <http://dx.doi.org/10.1038/srep32447>.

Human Health Hazard Literature Search Results

On Topic

- Guo, TL; Mccay, JA; Brown, RD; Musgrove, DL; Germolec, DR; Butterworth, L; Munson, AE; White, KL, Jr. (2000). Carbon tetrachloride is immunosuppressive and decreases host resistance to *Listeria monocytogenes* and *Streptococcus pneumoniae* in female B6C3F1 mice. *Toxicology*. 154: 85-101.
- Guo, W, enY; Ni, Z, hijia; Wang, Z, xin; Fu, Z, hiren; Li, R, uiD. (2011). The protective effects of ginkgo leaf extract on CCl₄-induced liver injury in mice. *Journal of Medicinal Plant Research*. 5: 2361-2364.
- Guo, XL; Liang, B; Wang, XW; Fan, FG; Jin, J; Lan, R; Yang, JH; Wang, XC; Jin, L; Cao, Q. (2013). Glycyrrhizic acid attenuates CCl₄-induced hepatocyte apoptosis in rats via a p53-mediated pathway. *World J Gastroenterol*. 19: 3781-3791. <http://dx.doi.org/10.3748/wjg.v19.i24.3781>.
- Gupta, AK; Keene, JG; Stanger, CA; Chapin, NA; Casivant, M; Chan, GM. (2010). An Old Toxin Resurfaces: Carbon Tetrachloride Induced Hepatotoxicity and Nephrotoxicity. *Clin Toxicol*. 48: 624-624.
- Gupta, G; More, AS; Kumari, RR; Lingaraju, MC; Kumar, D; Kumar, D; Mishra, SK; Tandam, SK. (2014). Protective effect of alcoholic extract of *Entada pursaetha* DC. against CCl₄-induced hepatotoxicity in rats. *Indian J Exp Biol*. 52: 207-214.
- Gupta, VK; Gupta, M; Sharma, SK. (2011). Evaluation of antioxidant potential of *Ficus religiosa* (Linn.) roots against carbon tetrachloride-induced liver injury. *Journal of Medicinal Plant Research*. 5: 1582-1588.
- Gur, C; Doron, S; Kfir-Erenfeld, S; Horwitz, E; Abu-Tair, L; Safadi, R; Mandelboim, O. (2012). NKp46-mediated killing of human and mouse hepatic stellate cells attenuates liver fibrosis. *Gut*. 61: 885-893. <http://dx.doi.org/10.1136/gutjnl-2011-301400>.
- Gurusamy, K; Kokilavani, R; Arumugasamy, K; Sowmia, C. (2009). Protective effect of ethanolic extract of polyherbal formulation on carbon tetrachloride induced liver injury. *Ancient Science of Life*. 28: 6-10.
- Gutierrez, P; Martha, R. (2013). Antihepatotoxic, nephroprotective, and antioxidant activities of phenolic compounds from *Satureja macrostema* leaves against carbon tetrachloride-induced hepatic damage in mice. *Medicinal Chemistry Research*. 22: 1846-1855. <http://dx.doi.org/10.1007/s00044-012-0176-x>.
- Gutiérrez, R; Alvarado, JL; Presno, M; Pérez-Veyna, O; Serrano, CJ; Yahuaca, P. (2010). Oxidative stress modulation by *Rosmarinus officinalis* in CCl₄-induced liver cirrhosis. *Phytother Res*. 24: 595-601. <http://dx.doi.org/10.1002/ptr.2997>.
- Gutierrez, RM; Navarro, YT. (2010). Antioxidant and hepatoprotective effects of the methanol extract of the leaves of *Satureja macrostema*. *Pharmacognosy Magazine*. 6: 125-131. <http://dx.doi.org/10.4103/0973-1296.62901>.
- Habuchi, H; Ushida, T; Habuchi, O. (2016). Mice deficient in N-acetylgalactosamine 4-sulfate 6-O-sulfotransferase exhibit enhanced liver fibrosis and delayed recovery from fibrosis in carbon tetrachloride-treated mice. 2: e00138. <http://dx.doi.org/10.1016/j.heliyon.2016.e00138>.
- Hachiya, N; Motohashi, Y. (2000). Examination of lacZ mutant induction in the liver and testis of Muta(TM)Mouse following injection of halogenated aliphatic hydrocarbons classified as human carcinogens. *Ind Health*. 38: 213-220. <http://dx.doi.org/10.2486/indhealth.38.213>.
- Hackl, C; Mori, A; Moser, C; Lang, SA; Dayoub, R; Weiss, TS; Schlitt, HJ; Geissler, EK; Hellerbrand, C; Stoeltzing, O. (2010). Effect of heat-shock protein-90 (HSP90) inhibition on human hepatocytes and on liver regeneration in experimental models. *Surgery*. 147: 704-712. <http://dx.doi.org/10.1016/j.surg.2009.10.061>.
- Hackstein, CP; Assmus, LM; Welz, M; Klein, S; Schwandt, T; Schultze, J; Förster, I; Gondorf, F; Beyer, M; Kroy, D; Kurts, C; Trebicka, J; Kastenmüller, W; Knolle, PA; Abdullah, Z. (2016). Gut microbial translocation corrupts myeloid cell function to control bacterial infection during liver cirrhosis. *Gut*. <http://dx.doi.org/10.1136/gutjnl-2015-311224>.
- Hadley, M; Draper, HH. (1990). Isolation of a guanine-malondialdehyde adduct from rat and human urine. *Lipids*. 25: 82-85. <http://dx.doi.org/10.1007/BF02562209>.
- Hafez, MM; Al-Harbi, NO; Al-Hoshani, AR; Al-Hosaini, KA; Al Shrari, SD; Al Rejaie, SS; Sayed-Ahmed, MM; Al-Shabanah, OA. (2015). Hepatoprotective effect of rutin via IL-6/STAT3 pathway in CCl₄-induced hepatotoxicity in rats. *Biol Res*. 48: 30. <http://dx.doi.org/10.1186/s40659-015-0022-y>.
- Hafez, MM; Al-Shabanah, OA; Al-Harbi, NO; Al-Harbi, MM; Al-Rejaie, SS; Alsurayea, SM; Sayed-Ahmed, MM. (2014). Association between paraoxonases gene expression and oxidative stress in hepatotoxicity induced by CCl₄. *Oxid Med Cell Longev*. 2014: 893212. <http://dx.doi.org/10.1155/2014/893212>.
- Hafez, MM; Hamed, SS; El-Khadragy, MF; Hassan, ZK; Al Rejaie, SS; Sayed-Ahmed, MM; Al-Harbi, NO; Al-Hosaini, KA; Al-Harbi, MM; Alhoshani, AR; Al-Shabanah, OA; Alsharari, SD. (2017). Effect of ginseng extract on the TGF-β1 signaling pathway in CCl₄-induced liver fibrosis in rats. *BMC Complement Altern Med*. 17: 45. <http://dx.doi.org/10.1186/s12906-016-1507-0>.
- Hagiwara, A; Ishizaki, S; Takehana, K; Fujitani, S; Sonaka, I; Satsu, H; Shimizu, M. (2014). Branched-chain amino acids inhibit the TGF-beta-induced down-regulation of taurine biosynthetic enzyme cysteine dioxygenase in HepG2 cells. *Amino Acids*. 46: 1275-1283. <http://dx.doi.org/10.1007/s00726-014-1693-3>.
- Haldar, D; Henderson, NC; Hirschfield, G; Newsome, PN. (2016). Mesenchymal stromal cells and liver fibrosis: a complicated relationship [Review]. *FASEB J*. 30: 3905-3928. <http://dx.doi.org/10.1096/fj.201600433R>.
- Hall, PD; Plummer, JL; Ilsley, AH; Cousins, MJ. (1991). Hepatic fibrosis and cirrhosis after chronic administration of alcohol and "low-dose" carbon tetrachloride vapor in the rat. *Hepatology*. 13: 815-819.
- Hall, RA; Hillebrandt, S; Lammert, F. (2016). Exploring multiple quantitative trait loci models of hepatic fibrosis in a mouse intercross. *Mamm Genome*. 27: 70-80. <http://dx.doi.org/10.1007/s00335-015-9609-4>.
- Hall, RA; Liebe, R; Hochrath, K; Kazakov, A; Alberts, R; Laufs, U; Böhm, M; Fischer, HP; Williams, RW; Schughart, K; Weber, SN; Lammert, F. (2014). Systems genetics of liver fibrosis: identification of fibrogenic and expression quantitative trait loci in the BXD murine reference population. *PLoS ONE*. 9: e89279. <http://dx.doi.org/10.1371/journal.pone.0089279>.

Human Health Hazard Literature Search Results

On Topic

- Hall, RA; Zimmer, V; Weber, S; Hochrath, K; Lammert, F. (2009). No Correlation of Liver-Specific MicroRNA Expression Levels and Hepatic Collagen Content During CCl₄ Induced Liver Fibrosis in Recombinant Inbred Mice. *Gastroenterology*. 136: A822-A822.
- Hamdy, N; El-Demerdash, E. (2012). New therapeutic aspect for carvedilol: antifibrotic effects of carvedilol in chronic carbon tetrachloride-induced liver damage. *Toxicol Appl Pharmacol*. 261: 292-299. <http://dx.doi.org/10.1016/j.taap.2012.04.012>.
- Hamed, MA; Ali, SA; El-Rigal, NS. (2012). Therapeutic potential of ginger against renal injury induced by carbon tetrachloride in rats. *ScientificWorldJournal*. 2012: 840421. <http://dx.doi.org/10.1100/2012/840421>.
- Hamed, SS; Al-Yhya, NA; El-Khadragy, MF; Al-Olayan, EM; Alajmi, RA; Hassan, ZK; Hassan, SB; Abdel Moneim, AE. (2016). The Protective Properties of the Strawberry (*Fragaria ananassa*) against Carbon Tetrachloride-Induced Hepatotoxicity in Rats Mediated by Anti-Apoptotic and Upregulation of Antioxidant Genes Expression Effects. *Front Physiol*. 7: 325. <http://dx.doi.org/10.3389/fphys.2016.00325>.
- Hamid, M; Liu, D; Abdulrahim, Y; Khan, A; Qian, G; Huang, K. (2017). Inactivation of Kupffer Cells by Selenizing Astragalus Polysaccharides Prevents CCl₄-Induced Hepatocellular Necrosis in the Male Wistar Rat. *Biol Trace Elem Res*. <http://dx.doi.org/10.1007/s12011-017-0970-x>.
- Hamlin, GP; Kholkute, SD; Dukelow, WR. (1993). Toxicology of maternally ingested carbon tetrachloride (CCl₄) on embryonal and fetal development and in vitro fertilization in mice. *Zool Sci*. 10: 111-116.
- Hammad, S. (2014). The CHOP conundrum: controversial discussion about the role of endoplasmic reticulum stress in hepatotoxicity. *Arch Toxicol*. 88: 1477-1478. <http://dx.doi.org/10.1007/s00204-014-1304-9>.
- Hammerich, L; Bangen, JM; Govaere, O; Zimmermann, HW; Gassler, N; Huss, S; Liedtke, C; Prinz, I; Lira, SA; Luedde, T; Roskams, T; Trautwein, C; Heymann, F; Tacke, F. (2014). Chemokine receptor CCR6-dependent accumulation of $\gamma\delta$ T cells in injured liver restricts hepatic inflammation and fibrosis. *Hepatology*. 59: 630-642. <http://dx.doi.org/10.1002/hep.26697>.
- Hamza, AA. (2010). Ameliorative effects of *Moringa oleifera* Lam seed extract on liver fibrosis in rats. *Food Chem Toxicol*. 48: 345-355. <http://dx.doi.org/10.1016/j.fct.2009.10.022>.
- Hamzawy, M; Elsaid, L; Shams, A; Rashid, L; Mahfouz, S; Sharawy, N. (2015). Study of the effects of cyclooxygenase-2 inhibitor on the promotion of hepatic tumorigenesis in rats fed a high fat diet. *jceh*. 5: 14-21. <http://dx.doi.org/10.1016/j.jceh.2014.12.010>.
- Hamzawy, MA; Ei-Denshary, E; Abdel-Wahhab, M; Bahgat, A. (2009). Antioxidative stress of estradiol and alpha-lipoic acid in carbon tetrachloride-induced hepatotoxicity in rats. *Toxicol Lett*. 189: S116-S116. <http://dx.doi.org/10.1016/j.toxlet.2009.06.403>.
- Hamzawy, MA; Ei-Denshary, ESM; Abdel-Wahhab, MA; Hassan, NS; Bahgat, AK. (2011). Comparative study of antioxidative stress of estradiol, alpha-lipoic acid and L-carnitine against carbon tetrachloride-induced hepatotoxicity in rats. *Toxicol Lett*. 205: S221-S222. <http://dx.doi.org/10.1016/j.toxlet.2011.05.759>.
- Han, B; Gao, Y; Wang, Y; Wang, L; an; Shang, Z; Wang, S; Pei, J, in. (2016). Protective effect of a polysaccharide from *Rhizoma Atractylodis Macrocephalae* on acute liver injury in mice. *Int J Biol Macromol*. 87: 85-91. <http://dx.doi.org/10.1016/j.ijbiomac.2016.01.086>.
- Han, CY; Koo, JH; Kim, SH; Gardenghi, S; Rivella, S; Strnad, P; Hwang, SJ; Kim, SG. (2016). Hepcidin inhibits Smad3 phosphorylation in hepatic stellate cells by impeding ferroportin-mediated regulation of Akt. *Nature Communications*. 7: 13817. <http://dx.doi.org/10.1038/ncomms13817>.
- Han, J; Bae, J; Choi, CY; Choi, SP; Kang, HS; Jo, EK; Park, J; Lee, YS; Moon, HS; Park, CG; Lee, MS; Chun, T. (2016). Autophagy induced by AXL receptor tyrosine kinase alleviates acute liver injury via inhibition of NLRP3 inflammasome activation in mice. *Autophagy*. 12: 2326-2343. <http://dx.doi.org/10.1080/15548627.2016.1235124>.
- Han, J; Gao, C; Yang, S; Wang, J; Tan, D. (2014). Betanin attenuates carbon tetrachloride (CCl₄)-induced liver injury in common carp (*Cyprinus carpio* L.). *Fish Physiol Biochem*. 40: 865-874. <http://dx.doi.org/10.1007/s10695-013-9892-5>.
- Han, W; Li, H; Segal, BH; Blackwell, TS. (2012). Bioluminescence imaging of NADPH oxidase activity in different animal models. *J Vis Exp*. <http://dx.doi.org/10.3791/3925>.
- Han, WJ; Shi, HB; Shi, HL; Song, JY; Ren, F; Duan, ZP; Chen, Y. (2016). [Augmenter of liver regeneration promotes the proliferation of HL-7702 cells in carbon tetrachloride-induced acute liver injury via increasing autophagy]. *Zhonghua Gan Zang Bing Za Zhi*. 24: 761-766.
- Han, XH; Wang, JY; Zheng, PY. (2011). [Attenuation and mechanism of endoplasmic reticulum stress-mediated hepatocyte apoptosis in rats with alcohol-induced liver injury by qinggan huoxue recipe and its disassembled formulas]. *Zhongguo Zhong Xi Yi Jie He Za Zhi*. 31: 653-658.
- Han, Y; Xie, J; Gao, H; Xia, Y; Chen, X; Wang, C. (2015). Hepatoprotective effect of collagen peptides from cod skin against liver oxidative damage in vitro and in vivo. *Cell Biochem Biophys*. 71: 1089-1095. <http://dx.doi.org/10.1007/s12013-014-0313-x>.
- Han, Z; Zhu, T; Liu, X; Li, C; Yue, S; Liu, X; Yang, L; Yang, L; Li, L. (2012). 15-deoxy- Δ 12,14 -prostaglandin J2 reduces recruitment of bone marrow-derived monocyte/macrophages in chronic liver injury in mice. *Hepatology*. 56: 350-360. <http://dx.doi.org/10.1002/hep.25672>.
- Hanasono, GK; Côté, MG; Plaa, GL. (1975). Potentiation of carbon tetrachloride-induced hepatotoxicity in alloxan- or strepto- zotocin-diabetic rats. *J Pharmacol Exp Ther*. 192: 592-604.
- Handoussa, H; Osmanova, N; Ayoub, N; Mahran, L. (2009). Spicatic acid: A 4-carboxygentisic acid from *Gentiana spicata* extract with potential hepatoprotective activity. 3: 278-286.
- Handy, JA; Fu, PP; Kumar, P; Mells, JE; Sharma, S; Saxena, NK; Anania, FA. (2011). Adiponectin inhibits leptin signalling via multiple mechanisms to exert protective effects against hepatic fibrosis. *Biochem J*. 440: 385-395. <http://dx.doi.org/10.1042/BJ20102148>.
- Handy, JA; Saxena, NK; Fu, P; Lin, S; Mells, JE; Gupta, NA; Anania, FA. (2010). Adiponectin activation of AMPK disrupts leptin-mediated hepatic fibrosis via suppressors of cytokine signaling (SOCS-3). *J Cell Biochem*. 110: 1195-1207. <http://dx.doi.org/10.1002/jcb.22634>.
- Hanna, D; Riedmaier, AE; Sugamori, KS; Grant, DM. (2016). Influence of sex and developmental stage on acute hepatotoxic and inflammatory responses to liver procarcinogens in the mouse. *Toxicology*. 373: 30-40. <http://dx.doi.org/10.1016/j.tox.2016.10.006>.

Human Health Hazard Literature Search Results

On Topic

- Hao, C; Xie, Y; Peng, M; Ma, L; Zhou, Y; Zhang, Y; Kang, W; Wang, J; Bai, X; Wang, P; Jia, Z. (2014). Inhibition of connective tissue growth factor suppresses hepatic stellate cell activation in vitro and prevents liver fibrosis in vivo. *Clin Exp Med.* 14: 141-150. <http://dx.doi.org/10.1007/s10238-013-0229-6>.
- Hao, CQ; Peng, M; Xie, Y; Zhang, Y; Li, Y; Wang, P; Bai, X. (2010). KNOCKDOWN OF CTGF BY RNAI INHIBITS GROWTH AND ACTIVATION OF HEPATIC STELLATE CELLS AND FIBROSIS OF CCL4-CIRRHOTIC LIVER (RUNNING TITLE)CTGF RNAI INHIBITS LIVER FIBROSIS. *J Hepatol.* 52: S208-S208.
- Harris, RN; Anders, MW. (1980). Effect of fasting, diethyl maleate and alcohols on carbon tetrachloride-induced hepatotoxicity. *Toxicol Appl Pharmacol.* 56: 191-198. [http://dx.doi.org/10.1016/0041-008X\(80\)90289-6](http://dx.doi.org/10.1016/0041-008X(80)90289-6).
- Harris, TR; Bettaieb, A; Kodani, S; Dong, H; Myers, R; Chiamvimonvat, N; Haj, FG; Hammock, BD. (2015). Inhibition of soluble epoxide hydrolase attenuates hepatic fibrosis and endoplasmic reticulum stress induced by carbon tetrachloride in mice. *Toxicol Appl Pharmacol.* 286: 102-111. <http://dx.doi.org/10.1016/j.taap.2015.03.022>.
- Hartley, DP; Kolaja, KL; Reichard, J; Petersen, DR. (1999). 4-Hydroxynonenal and malondialdehyde hepatic protein adducts in rats treated with carbon tetrachloride: immunochemical detection and lobular localization. *Toxicol Appl Pharmacol.* 161: 23-33. <http://dx.doi.org/10.1006/taap.1999.8788>.
- Hassan, MH; Bahashawan, SA; Abdelghany, TM; Abd-Allah, GM; Ghobara, MM. (2015). Crocin Abrogates Carbon Tetrachloride-Induced Renal Toxicity in Rats via Modulation of Metabolizing Enzymes and Diminution of Oxidative Stress, Apoptosis, and Inflammatory Cytokines. *J Biochem Mol Toxicol.* 29: 330-339. <http://dx.doi.org/10.1002/jbt.21702>.
- Hassan, MH; Edfawy, M; Mansour, A; Hamed, AA. (2012). Antioxidant and antiapoptotic effects of capsaicin against carbon tetrachloride-induced hepatotoxicity in rats. *Toxicol Ind Health.* 28: 428-438. <http://dx.doi.org/10.1177/0748233711413801>.
- Hassan, MH; Ghobara, MM. (2016). Antifibrotic effect of meloxicam in rat liver: role of nuclear factor kappa B, proinflammatory cytokines, and oxidative stress. *Naunyn Schmiedebergs Arch Pharmacol.* 389: 971-983. <http://dx.doi.org/10.1007/s00210-016-1263-1>.
- Hassan, S; Rizk, MZ; El-Sharkawi, F; Badary, O; Kadry, M, aiO. (2009). Hepatoprotective and antioxidant activity of phytic acid and/or catechin against carbon tetrachloride-induced hepatotoxicity in rats. *Toxicol Lett.* 189: S265-S266. <http://dx.doi.org/10.1016/j.toxlet.2009.06.399>.
- Hassan, ZK; Al-Olayan, EM. (2012). Curcumin reorganizes miRNA expression in a mouse model of liver fibrosis. *Asian Pac J Cancer Prev.* 13: 5405-5408.
- Hatori, A; Yui, J; Xie, L; Kumata, K; Yamasaki, T; Fujinaga, M; Wakizaka, H; Ogawa, M; Nengaki, N; Kawamura, K; Wang, F; Zhang, MR. (2015). Utility of Translocator Protein (18 kDa) as a Molecular Imaging Biomarker to Monitor the Progression of Liver Fibrosis. *Sci Rep.* 5: 17327. <http://dx.doi.org/10.1038/srep17327>.
- Hayashi, H; Sakai, T. (2011). Animal models for the study of liver fibrosis: new insights from knockout mouse models [Review]. *Am J Physiol Gastrointest Liver Physiol.* 300: G729-G738. <http://dx.doi.org/10.1152/ajpgi.00013.2011>.
- Hayes, BJ; Riehle, KJ; Shimizu-Albergine, M; Bauer, RL; Hudkins, KL; Johansson, F; Yeh, MM; Mahoney, WM; Yeung, RS; Campbell, JS. (2014). Activation of platelet-derived growth factor receptor alpha contributes to liver fibrosis. *PLoS ONE.* 9: e92925. <http://dx.doi.org/10.1371/journal.pone.0092925>.
- Hayes, JR; Condie, LW; Borzelleca, JF. (1986). Acute, 14-day repeated dosing, and 90-day subchronic toxicity studies of carbon tetrachloride in CD-1 mice. *Fundam Appl Toxicol.* 7: 454-463. [http://dx.doi.org/10.1016/0272-0590\(86\)90095-3](http://dx.doi.org/10.1016/0272-0590(86)90095-3).
- Hazem, SH; Shaker, ME; Ashamalla, SA; Ibrahim, TM. (2014). The novel Janus kinase inhibitor ruxolitinib confers protection against carbon tetrachloride-induced hepatotoxicity via multiple mechanisms. *Chem Biol Interact.* 220: 116-127. <http://dx.doi.org/10.1016/j.cbi.2014.06.017>.
- HD, C. (1981). Chemical suppression of steroidogenesis. *Environ Health Perspect.* 38: 119-127.
- He, J; Huang, B; Ban, X; Tian, J; Zhu, L; Wang, Y. (2012). In vitro and in vivo antioxidant activity of the ethanolic extract from *Meconopsis quintuplinervia*. *J Ethnopharmacol.* 141: 104-110. <http://dx.doi.org/10.1016/j.jep.2012.02.006>.
- He, Q; Li, Y; Liu, J; Zhang, P; Yan, S; He, X; Zhang, A. (2016). Hepatoprotective Activity of *Lophatherum gracile* Leaves of Ethanol Extracts Against Carbon Tetrachloride-induced Liver Damage in Mice. *International Journal of Pharmacology.* 12: 387-393. <http://dx.doi.org/10.3923/ijp.2016.387.393>.
- He, W; Wang, B; Yang, J; Zhuang, Y; Wang, L; Huang, X; Chen, J. (2014). Chloroquine improved carbon tetrachloride-induced liver fibrosis through its inhibition of the activation of hepatic stellate cells: role of autophagy. *Biol Pharm Bull.* 37: 1505-1509.
- He, W; Zhuang, Y; Wang, L; Qi, L; Chen, B; Wang, M; Shao, D; Chen, J. (2015). Geranylgeranylacetone attenuates hepatic fibrosis by increasing the expression of heat shock protein 70. *Mol Med Rep.* 12: 4895-4900. <http://dx.doi.org/10.3892/mmr.2015.4069>.
- He, Y; Wu, YT; Huang, C; Meng, XM; Ma, TT; Wu, BM; Xu, FY; Zhang, L; Lv, XW; Li, J. (2014). Inhibitory effects of long noncoding RNA MEG3 on hepatic stellate cells activation and liver fibrogenesis. *Biochim Biophys Acta.* 1842: 2204-2215. <http://dx.doi.org/10.1016/j.bbdis.2014.08.015>.
- Heck, JE; Park, AS; Qiu, J; Cockburn, M; Ritz, B. (2013). An exploratory study of ambient air toxics exposure in pregnancy and the risk of neuroblastoma in offspring. *Environ Res.* 127: 1-6. <http://dx.doi.org/10.1016/j.envres.2013.09.002>.
- Heineman, EF; Cocco, P; Gomez, MR; Dosemeci, M; Stewart, PA; Hayes, RB; Zahm, SH; Thomas, TL; Blair, A. (1994). Occupational exposure to chlorinated aliphatic hydrocarbons and risk of astrocytic brain cancer. *Am J Ind Med.* 26: 155-169. <http://dx.doi.org/10.1002/ajim.4700260203>.
- Hemmings, SJ; Pulga, VB; Tran, ST; Uwiera, RR. (2002). Differential inhibitory effects of carbon tetrachloride on the hepatic plasma membrane, mitochondrial and endoplasmic reticular calcium transport systems: implications to hepatotoxicity. *Cell Biochem Funct.* 20: 47-59. <http://dx.doi.org/10.1002/cbf.934>.

Human Health Hazard Literature Search Results

On Topic

- Hengstler, JG; Marchan, R; Leist, M. (2012). Highlight report: towards the replacement of in vivo repeated dose systemic toxicity testing [Editorial]. *Arch Toxicol.* 86: 13-15. <http://dx.doi.org/10.1007/s00204-011-0798-7>.
- Hennenberg, M; Trebicka, J; Kohistani, AZ; Heller, J; Sauerbruch, T. (2009). Vascular hyporesponsiveness to angiotensin II in rats with CCl₄-induced liver cirrhosis. *Eur J Clin Invest.* 39: 906-913. <http://dx.doi.org/10.1111/j.1365-2362.2009.02181.x>.
- Hermenean, A; Ardelean, A; Stan, M; Hadaruga, N; Mihali, CV; Costache, M; Dinischiotu, A. (2014). Antioxidant and hepatoprotective effects of naringenin and its β -cyclodextrin formulation in mice intoxicated with carbon tetrachloride: a comparative study. *J Med Food.* 17: 670-677. <http://dx.doi.org/10.1089/jmf.2013.0007>.
- Hermenean, A; Ardelean, A; Stan, M; Herman, H; Mihali, CV; Costache, M; Dinischiotu, A. (2013). Protective effects of naringenin on carbon tetrachloride-induced acute nephrotoxicity in mouse kidney. *Chem Biol Interact.* 205: 138-147. <http://dx.doi.org/10.1016/j.cbi.2013.06.016>.
- Hermenean, A; Popescu, C; Ardelean, A; Stan, M; Hadaruga, N; Mihali, CV; Costache, M; Dinischiotu, A. (2012). Hepatoprotective effects of *Berberis vulgaris* L. extract/ β cyclodextrin on carbon tetrachloride-induced acute toxicity in mice. *International Journal of Molecular Sciences.* 13: 9014-9034. <http://dx.doi.org/10.3390/ijms13079014>.
- Hernández-Gea, V; Ghiassi-Nejad, Z; Rozenfeld, R; Gordon, R; Fiel, MI; Yue, Z; Czaja, MJ; Friedman, SL. (2012). Autophagy releases lipid that promotes fibrogenesis by activated hepatic stellate cells in mice and in human tissues. *Gastroenterology.* 142: 938-946. <http://dx.doi.org/10.1053/j.gastro.2011.12.044>.
- Hernández-Guerra, M; de Ganzo, ZA; González-Méndez, Y; Salido, E; Abreu, P; Moreno, M; Felipe, V; Abrante, B; Quintero, E. (2013). Chronic intermittent hypoxia aggravates intrahepatic endothelial dysfunction in cirrhotic rats. *Hepatology.* 57: 1564-1574. <http://dx.doi.org/10.1002/hep.26152>.
- Hernández-Ortega, LD; Alcántar-Díaz, BE; Ruiz-Corro, LA; Sandoval-Rodríguez, A; Bueno-Topete, M; Armendariz-Borunda, J; Salazar-Montes, AM. (2012). Quercetin improves hepatic fibrosis reducing hepatic stellate cells and regulating pro-fibrogenic/anti-fibrogenic molecules balance. *J Gastroenterol Hepatol.* 27: 1865-1872. <http://dx.doi.org/10.1111/j.1440-1746.2012.07262.x>.
- Hesami, Z; Jamshidzadeh, A; Ayatollahi, M; Geramizadeh, B; Farshad, O; Vahdati, A. (2014). Effect of Platelet-Rich Plasma on CCl₄-Induced Chronic Liver Injury in Male Rats. 2014: 932930. <http://dx.doi.org/10.1155/2014/932930>.
- Hewitt, WR; Miyajima, H; Côté, MG; Plaa, GL. (1980). Modification of haloalkane-induced hepatotoxicity by exogenous ketones and metabolic ketosis. *Fed Proc.* 39: 3118-3123.
- Heymann, F; Hammerich, L; Storch, D; Bartneck, M; Huss, S; Rüsseler, V; Gassler, N; Lira, SA; Luedde, T; Trautwein, C; Tacke, F. (2012). Hepatic macrophage migration and differentiation critical for liver fibrosis is mediated by the chemokine receptor C-C motif chemokine receptor 8 in mice. *Hepatology.* 55: 898-909. <http://dx.doi.org/10.1002/hep.24764>.
- Heymann, F; Niemietz, PM; Peusquens, J; Ergen, C; Kohlhepp, M; Mossanen, JC; Schneider, C; Vogt, M; Tolba, RH; Trautwein, C; Martin, C; Tacke, F. (2015). Long term intravital multiphoton microscopy imaging of immune cells in healthy and diseased liver using CXCR6.Gfp reporter mice. *J Vis Exp.* <http://dx.doi.org/10.3791/52607>.
- Higashiyama, R; Moro, T; Nakao, S; Mikami, K; Fukumitsu, H; Ueda, Y; Ikeda, K; Adachi, E; Bou-Gharios, G; Okazaki, I; Inagaki, Y. (2009). Negligible contribution of bone marrow-derived cells to collagen production during hepatic fibrogenesis in mice. *Gastroenterology.* 137: 1459-1466.e1451. <http://dx.doi.org/10.1053/j.gastro.2009.07.006>.
- Hintermann, E; Bayer, M; Ehser, J; Aurrand-Lions, M; Pfeilschifter, JM; Imhof, BA; Christen, U. (2016). Murine junctional adhesion molecules JAM-B and JAM-C mediate endothelial and stellate cell interactions during hepatic fibrosis. 10: 419-433. <http://dx.doi.org/10.1080/19336918.2016.1178448>.
- Hintermann, E; Bayer, M; Pfeilschifter, JM; Deák, F; Kiss, I; Paulsson, M; Christen, U. (2015). Upregulation of matrilin-2 expression in murine hepatic stellate cells during liver injury has no effect on fibrosis formation and resolution. *Liver Int.* 35: 1265-1273. <http://dx.doi.org/10.1111/liv.12604>.
- Hintermann, E; Bayer, M; Pfeilschifter, JM; Luster, AD; Christen, U. (2010). CXCL10 promotes liver fibrosis by prevention of NK cell mediated hepatic stellate cell inactivation. *J Autoimmun.* 35: 424-435. <http://dx.doi.org/10.1016/j.jaut.2010.09.003>.
- Hirai, S; Ishibuchi, T; Watabe, S; Makita, M; Kishida, C; Takagaki, M; Kurauchi, N; Egashira, Y. (2011). Protective effect of red-stemmed type of *Ipomoea aquatica* Forsk against CCl₄-induced oxidative damage in mice. *J Nutr Sci Vitaminol.* 57: 306-310.
- Hirata, M; Ishigami, M; Matsushita, Y; Ito, T; Hattori, H; Hibi, H; Goto, H; Ueda, M; Yamamoto, A. (2016). Multifaceted Therapeutic Benefits of Factors Derived From Dental Pulp Stem Cells for Mouse Liver Fibrosis. 5: 1416-1424. <http://dx.doi.org/10.5966/sctm.2015-0353>.
- Hisanaga, T; Terai, S; Iwamoto, T; Takami, T; Yamamoto, N; Murata, T; Matsuyama, T; Nishina, H; Sakaida, I. (2011). TNFR1-mediated signaling is important to induce the improvement of liver fibrosis by bone marrow cell infusion. *Cell Tissue Res.* 346: 79-88. <http://dx.doi.org/10.1007/s00441-011-1236-0>.
- Hismiogullari, AA; Hismiogullari, SE; Karaca, O; Sunay, FB; Paksoy, S; Can, M; Kus, I; Seyrek, K; Yavuz, O. (2015). The protective effect of curcumin administration on carbon tetrachloride (CCl₄)-induced nephrotoxicity in rats. *Pharmacol Rep.* 67: 410-416. <http://dx.doi.org/10.1016/j.pharep.2014.10.021>.
- Hismiogullari, SE; Hismiogullari, AA; Sunay, FB; Paksoy, S; Can, M; Aksit, H; Karaca, O; Yavuz, O. (2014). The protective effect of curcumin on carbon tetrachloride induced liver damage. *Rev Med Vet.* 165: 194-200.
- Hiyoshi, M; Konishi, H; Uemura, H; Matsuzaki, H; Tsukamoto, H; Sugimoto, R; Takeda, H; Dakeshita, S; Kitayama, A; Takami, H; Sawachika, F; Kido, H; Arisawa, K. (2009). D-Dopachrome tautomerase is a candidate for key proteins to protect the rat liver damaged by carbon tetrachloride. *Toxicology.* 255: 6-14. <http://dx.doi.org/10.1016/j.tox.2008.09.016>.
- Hlavackova, L; Janega, P; Cerna, A; Pechanova, O; Andriantsitohaina, R; Babal, P. (2009). Red wine polyphenols affect the collagen composition in the aorta after oxidative damage induced by chronic administration of CCl₄. *Physiol Res.* 58: 337-344.

Human Health Hazard Literature Search Results

On Topic

- Hosui, A; Kimura, A; Yamaji, D; Zhu, BM; Na, R; Hennighausen, L. (2009). Loss of STAT5 causes liver fibrosis and cancer development through increased TGF- β and STAT3 activation. *J Exp Med*. 206: 819-831. <http://dx.doi.org/10.1084/jem.20080003>.
- Hou, YL; Tsai, YH; Lin, YH; Chao, JC. (2014). Ginseng extract and ginsenoside Rb1 attenuate carbon tetrachloride-induced liver fibrosis in rats. *BMC Complement Altern Med*. 14: 415. <http://dx.doi.org/10.1186/1472-6882-14-415>.
- Hsieh, CW; Ko, WC; Ho, WJ; Chang, CK; Chen, GJ; Tsai, JC. (2016). Antioxidant and hepatoprotective effects of *Ajuga nipponensis* extract by ultrasonic-assisted extraction. *Asian Pacific Journal of Tropical Medicine*. 9: 420-425. <http://dx.doi.org/10.1016/j.apjtm.2016.03.029>.
- Hsieh, PC; Ho, YL; Huang, GJ; Huang, MH; Chiang, YC; Huang, SS; Hou, WC; Chang, YS. (2011). Hepatoprotective Effect of the Aqueous Extract of *Flemingia macrophylla* on Carbon Tetrachloride-Induced Acute Hepatotoxicity in Rats Through Anti-Oxidative Activities. *Am J Chin Med*. 39: 349. <http://dx.doi.org/10.1142/S0192415X11008877>.
- Hsouna, AB; Mongi, S; Culioli, G; Blache, Y; Ghlissi, Z; Chaabane, R; El Feki, A; Jaoua, S; Trigui, M. (2016). Protective effects of ethyl acetate fraction of *Lawsonia inermis* fruits extract against carbon tetrachloride-induced oxidative damage in rat liver. *Toxicol Ind Health*. 32: 694-706. <http://dx.doi.org/10.1177/0748233713502839>.
- Hsouna, AB; Saoudi, M; Trigui, M; Jamoussi, K; Boudawara, T; Jaoua, S; Feki, AE. (2011). Characterization of bioactive compounds and ameliorative effects of *Ceratonia siliqua* leaf extract against CCl_4 induced hepatic oxidative damage and renal failure in rats. *Food Chem Toxicol*. 49: 3183-3191. <http://dx.doi.org/10.1016/j.fct.2011.09.034>.
- Hsu, CC; Hsu, CL; Tsai, SE; Fu, TY; Yen, GC. (2009). Protective effect of *Milletia reticulata* Benth against CCl_4 -induced hepatic damage and inflammatory action in rats. *J Med Food*. 12: 821-828. <http://dx.doi.org/10.1089/jmf.2008.1227>.
- Hsu, CL; Hsu, CC; Yen, GC. (2010). Hepatoprotection by freshwater clam extract against CCl_4 -induced hepatic damage in rats. *Am J Chin Med*. 38: 881-894. <http://dx.doi.org/10.1142/S0192415X10008329>.
- Hsu, JD; Kao, SH; Tu, CC; Li, YJ; Wang, CJ. (2009). *Solanum nigrum* L. extract inhibits 2-acetylaminofluorene-induced hepatocarcinogenesis through overexpression of glutathione S-transferase and antioxidant enzymes. *J Agric Food Chem*. 57: 8628-8634. <http://dx.doi.org/10.1021/jf9017788>.
- Hsu, LS; Ho, HH; Lin, MC; Chyau, CC; Peng, JS; Wang, CJ. (2012). Mulberry water extracts (MWEs) ameliorated carbon tetrachloride-induced liver damages in rat. *Food Chem Toxicol*. 50: 3086-3093. <http://dx.doi.org/10.1016/j.fct.2012.05.055>.
- Hsu, YW; Tsai, CF; Chen, WK; Lu, FJ. (2009). Protective effects of seabuckthorn (*Hippophae rhamnoides* L.) seed oil against carbon tetrachloride-induced hepatotoxicity in mice. *Food Chem Toxicol*. 47: 2281-2288. <http://dx.doi.org/10.1016/j.fct.2009.06.015>.
- Hsu, YW; Tsai, CF; Chuang, WC; Chen, WK; Ho, YC; Lu, FJ. (2010). Protective effects of silica hydride against carbon tetrachloride-induced hepatotoxicity in mice. *Food Chem Toxicol*. 48: 1644-1653. <http://dx.doi.org/10.1016/j.fct.2010.03.039>.
- Hu, DD; Chen, Y; Bihi, A; Li, XM; Wang, TL; Wang, BE; Zhao, XY. (2014). A new conversation between radiology and pathology-identifying microvascular architecture in stages of cirrhosis via diffraction enhanced imaging in vitro. *PLoS ONE*. 9: e87957. <http://dx.doi.org/10.1371/journal.pone.0087957>.
- Hu, DD; Habib, S; Li, XM; Wang, TL; Wang, BE; Zhao, XY. (2015). Angiogenesis: a new surrogate histopathological marker is capable of differentiating between mild and significant portal hypertension. *Histol Histopathol*. 30: 205-212. <http://dx.doi.org/10.14670/HH-30.205>.
- Hu, G; Chan, Q; Quan, X; Zhang, X; Li, Y; Zhong, X; Lin, X. (2015). Intravoxel incoherent motion MRI evaluation for the staging of liver fibrosis in a rat model. *J Magn Reson Imaging*. 42: 331-339. <http://dx.doi.org/10.1002/jmri.24796>.
- Hu, G; Zhang, X; Liang, W; Zhong, X; Chan, Q; Lin, X; Lin, T; Li, Y; Quan, X. (2016). Assessment of liver fibrosis in rats by MRI with apparent diffusion coefficient and T1 relaxation time in the rotating frame. *J Magn Reson Imaging*. 43: 1082-1089. <http://dx.doi.org/10.1002/jmri.25084>.
- Hu, H; Jing, X; Zou, X; Wu, J. (2014). [Role of cyclooxygenase 2 and its inhibitor valdecoxib in liver fibrosis]. *Chung Hua Hsueh Tsa Chih*. 94: 784-787.
- Hu, J; Zhao, J; Chen, W; Lin, S; Zhang, J; Hong, Z. (2013). Hepatoprotection of 1β -hydroxyeuscaphic acid - the major constituent from *Rubus aleaefolius* against CCl_4 -induced injury in hepatocytes cells. *Pharmaceutical Biology*. 51: 686-690. <http://dx.doi.org/10.3109/13880209.2012.762406>.
- Hu, JJ; Li, CH; Wang, HD; Xu, WL; Zhang, AQ; Dong, JH. (2015). Portal vein clamping alone confers protection against hepatic ischemia-reperfusion injury via preserving hepatocyte function in cirrhotic rats. *J Surg Res*. 194: 139-146. <http://dx.doi.org/10.1016/j.jss.2014.10.003>.
- Hu, L; Li, L; Xu, D; Xia, X; Pi, R; Xu, D; Wang, W; Du, H; Song, E; Song, Y. (2014). Protective effects of neohesperidin dihydrochalcone against carbon tetrachloride-induced oxidative damage in vivo and in vitro. *Chem Biol Interact*. 213: 51-59. <http://dx.doi.org/10.1016/j.cbi.2014.02.003>.
- Hu, L; Montzka, SA; Miller, BR; Andrews, AE; Miller, JB; Lehman, SJ; Sweeney, C; Miller, SM; Thoning, K; Siso, C; Atlas, EL; Blake, DR; de Gouw, J; Gilman, JB; Dutton, G; Elkins, JW; Hall, B; Chen, H; Fischer, ML; Mountain, ME; Nehrkorn, T; Biraud, SC; Moore, FL; Tans, P. (2016). Continued emissions of carbon tetrachloride from the United States nearly two decades after its phaseout for dispersive uses. *Proc Natl Acad Sci USA*. 113: 2880-2885. <http://dx.doi.org/10.1073/pnas.1522284113>.
- Hu, L; Yu, W; Li, Y; Prasad, N; Tang, Z. (2014). Antioxidant activity of extract and its major constituents from okra seed on rat hepatocytes injured by carbon tetrachloride. *BioMed Res Int*. 2014: 341291. <http://dx.doi.org/10.1155/2014/341291>.
- Hu, M; Li, S; Menon, S; Liu, B; Hu, MS; Longaker, MT; Lorenz, HP. (2016). Expansion and Hepatic Differentiation of Adult Blood-Derived CD34+ Progenitor Cells and Promotion of Liver Regeneration After Acute Injury. 5: 723-732. <http://dx.doi.org/10.5966/scrm.2015-0268>.
- Hu, YX; Yu, CH; Wu, F; Yu, WY; Zhong, YS; Ying, HZ; Yu, B. (2016). Antihepatofibrotic Effects of Aqueous Extract of *Prunella vulgaris* on Carbon Tetrachloride-Induced Hepatic Fibrosis in Rats. *Planta Med*. 82: 97-105. <http://dx.doi.org/10.1055/s-0035-1558112>.

Human Health Hazard Literature Search Results

On Topic

- Hua, Y; Xue, W; Zhang, M; Wei, Y; Ji, P. (2014). Metabonomics study on the hepatoprotective effect of polysaccharides from different preparations of *Angelica sinensis*. *J Ethnopharmacol.* 151: 1090-1099. <http://dx.doi.org/10.1016/j.jep.2013.12.011>.
- Huan, SK; Wang, KT; Lee, CJ; Sung, CH; Chien, TY; Wang, CC. (2012). Wu-Chia-Pi solution attenuates carbon tetrachloride-induced hepatic injury through the antioxidative abilities of its components acteoside and quercetin. *Molecules.* 17: 14673-14684. <http://dx.doi.org/10.3390/molecules171214673>.
- Huang, B; Ban, X; He, J; Zeng, H; Zhang, P; Wang, Y. (2010). Hepatoprotective and antioxidant effects of the methanolic extract from *Halenia elliptica*. *J Ethnopharmacol.* 131: 276-281. <http://dx.doi.org/10.1016/j.jep.2010.06.029>.
- Huang, B; Cheng, X; Wang, H; Huang, W; la Ga Hu, Z; Wang, D; Zhang, K; Zhang, H; Xue, Z; Da, Y; Zhang, N; Hu, Y; Yao, Z; Qiao, L; Gao, F; Zhang, R. (2016). Mesenchymal stem cells and their secreted molecules predominantly ameliorate fulminant hepatic failure and chronic liver fibrosis in mice respectively. *J Transl Med.* 14: 45. <http://dx.doi.org/10.1186/s12967-016-0792-1>.
- Huang, B; Ke, H; He, J; Ban, X; Zeng, H; Wang, Y. (2011). Extracts of *Halenia elliptica* exhibit antioxidant properties in vitro and in vivo. *Food Chem Toxicol.* 49: 185-190. <http://dx.doi.org/10.1016/j.fct.2010.10.015>.
- Huang, C; Yu, W; Cui, H; Wang, Y; Zhang, L; Han, F; Huang, T. (2014). P2X7 blockade attenuates mouse liver fibrosis. *Mol Med Rep.* 9: 57-62. <http://dx.doi.org/10.3892/mmr.2013.1807>.
- Huang, GJ; Deng, JS; Chiu, CS; Liao, JC; Hsieh, WT; Sheu, MJ; Wu, CH. (2012). Hispolon Protects against Acute Liver Damage in the Rat by Inhibiting Lipid Peroxidation, Proinflammatory Cytokine, and Oxidative Stress and Downregulating the Expressions of iNOS, COX-2, and MMP-9. *eCAM.* 2012: 480714. <http://dx.doi.org/10.1155/2012/480714>.
- Huang, GJ; Deng, JS; Huang, SS; Lee, CY; Hou, WC; Wang, SY; Sung, PJ; Kuo, YH. (2013). Hepatoprotective effects of eburicoic acid and dehydroeburicoic acid from *Antrodia camphorata* in a mouse model of acute hepatic injury. *Food Chem.* 141: 3020-3027. <http://dx.doi.org/10.1016/j.foodchem.2013.03.061>.
- Huang, GJ; Deng, JS; Huang, SS; Shao, Y, iY; Chen, C; Kuo, YH. (2012). Protective effect of antrosterol from *Antrodia camphorata* submerged whole broth against carbon tetrachloride-induced acute liver injury in mice. *Food Chem.* 132: 709-716. <http://dx.doi.org/10.1016/j.foodchem.2011.11.004>.
- Huang, H; Wang, Y, aj; Zhang, QY, u; Liu, B, in; Wang, FY; Li, JJ; Zhu, R. (2012). Hepatoprotective effects of baicalein against CCl₄-induced acute liver injury in mice. *World J Gastroenterol.* 18: 6605-6613. <http://dx.doi.org/10.3748/wjg.v18.i45.6605>.
- Huang, HP; Ou, TT; Wang, CJ. (2013). Mulberry (sang shèn zǐ) and its bioactive compounds, the chemoprevention effects and molecular mechanisms in vitro and in vivo [Review]. 3: 7-15. <http://dx.doi.org/10.4103/2225-4110.106535>.
- Huang, J; Li, SL; Zhao, HW; Pan, LH; Sun, HQ; Luo, JP. (2013). [Protective effects of polysaccharides from *Dendrobium huoshanense* on CCl₄-induced acute liver injury in mice]. *Zhongguo Zhong Yao Za Zhi.* 38: 528-532.
- Huang, J; Ou, Y; Yew, TW; Liu, J; Leng, B; Lin, Z; Su, Y; Zhuang, Y; Lin, J; Li, X; Xue, Y; Pan, Y. (2016). Hepatoprotective effects of polysaccharide isolated from *Agaricus bisporus* industrial wastewater against CCl₄-induced hepatic injury in mice. *Int J Biol Macromol.* 82: 678-686. <http://dx.doi.org/10.1016/j.ijbiomac.2015.10.014>.
- Huang, JM. (2014). Green tea extract supplementation depresses carbon tetrachloride-induced liver injury [Letter]. *J Formos Med Assoc.* 113: 987. <http://dx.doi.org/10.1016/j.jfma.2014.09.007>.
- Huang, M; Liu, X, in; Dong, L, ei; Shi, H, aiTao; Liu, Y, aP; Liu, C. (2013). Therapeutic efficacy of *Aralia Chinesis* L on liver fibrosis induced by carbon tetrachloride in rats. *J Gastroenterol Hepatol.* 28: 200-201.
- Huang, M; Liu, X; Dong, L; Shi, HT; Liu, YP; Liu, C. (2015). [Experimental study on effect of model on hepatic fibrosis with *Aralia chinensis*]. *Zhongguo Zhong Yao Za Zhi.* 40: 4251-4255.
- Huang, Q; Bai, F; Nie, J; Lu, S; Lu, C; Zhu, X; Zhuo, L; Lin, X. (2017). Didymin ameliorates hepatic injury through inhibition of MAPK and NF-κB pathways by up-regulating RKIP expression. *Int Immunopharmacol.* 42: 130-138. <http://dx.doi.org/10.1016/j.intimp.2016.11.028>.
- Huang, Q; Huang, R; Zhang, S; Lin, J; Wei, L; He, M; Zhuo, L; Lin, X. (2013). Protective effect of genistein isolated from *Hydrocotyle sibthorpioides* on hepatic injury and fibrosis induced by chronic alcohol in rats. *Toxicol Lett.* 217: 102-110. <http://dx.doi.org/10.1016/j.toxlet.2012.12.014>.
- Huang, Q; Li, Y; Zhang, S; Huang, R; Zheng, L; Wei, L; He, M; Liao, M; Li, L; Zhuo, L; Lin, X. (2012). Effect and mechanism of methyl helicterate isolated from *Helicteres angustifolia* (Sterculiaceae) on hepatic fibrosis induced by carbon tetrachloride in rats. *J Ethnopharmacol.* 143: 889-895. <http://dx.doi.org/10.1016/j.jep.2012.08.018>.
- Huang, Q; Shi, CC; Lin, LY; Wang, H; Yu, H; Guo, Q; Xie, Q. (2013). [Expression and correlation of angiotensin-converting enzyme 2 in CCl₄-induced rat liver fibrosis]. *Zhonghua Gan Zang Bing Za Zhi.* 21: 47-52.
- Huang, Q; Xie, Q; Shi, CC; Xiang, XG; Lin, LY; Gong, BD; Zhao, GD; Wang, H; Jia, NN. (2009). Expression of angiotensin-converting enzyme 2 in CCl₄-induced rat liver fibrosis. *Int J Mol Med.* 23: 717-723.
- Huang, Q; Zhang, S; Zheng, L; He, M; Huang, R; Lin, X. (2012). Hepatoprotective effects of total saponins isolated from *Taraphochlamys affinis* against carbon tetrachloride induced liver injury in rats. *Food Chem Toxicol.* 50: 713-718. <http://dx.doi.org/10.1016/j.fct.2011.12.009>.
- Huang, R; Liu, Y; Xiong, Y; Wu, H; Wang, G; Sun, Z; Chen, J; Yan, X; Pan, Z; Xia, J; Zhang, Z; Wang, J; Wu, C. (2016). Curcumin protects against liver fibrosis by attenuating infiltration of Gr1hi monocytes through inhibition of monocyte chemoattractant protein-1. *Discov Med.* 21: 447-457.
- Huang, SC; Kuo, PC; Hung, HY; Pan, TL; Chen, FA; Wu, TS. (2016). Ionone Derivatives from the Mycelium of *Phellinus linteus* and the Inhibitory Effect on Activated Rat Hepatic Stellate Cells [Letter]. *International Journal of Molecular Sciences.* 17. <http://dx.doi.org/10.3390/ijms17050681>.

Human Health Hazard Literature Search Results

On Topic

- Huang, SS; Chen, DZ; Wu, H; Chen, RC; Du, SJ; Dong, JJ; Liang, G; Xu, LM; Wang, XD; Yang, YP; Yu, ZP; Feng, WK; Chen, YP. (2016). Cannabinoid receptors are involved in the protective effect of a novel curcumin derivative C66 against CCl₄-induced liver fibrosis. *Eur J Pharmacol.* 779: 22-30. <http://dx.doi.org/10.1016/j.ejphar.2016.02.067>.
- Huang, W; Li, L; Tian, X; Yan, J; Yang, X; Wang, X; Liao, G; Qiu, G. (2015). Astragalus and Paeoniae radix rubra extract inhibits liver fibrosis by modulating the transforming growth factor- β /Smad pathway in rats. *Mol Med Rep.* 11: 805-814. <http://dx.doi.org/10.3892/mmr.2014.2868>.
- Huang, X; Wang, X; Lv, Y; Xu, L; Lin, J; Diao, Y. (2014). Protection effect of kallistatin on carbon tetrachloride-induced liver fibrosis in rats via antioxidative stress. *PLoS ONE.* 9: e88498. <http://dx.doi.org/10.1371/journal.pone.0088498>.
- Huang, Y; Feng, H; Kan, T; Huang, B; Zhang, M; Li, Y; Shi, C; Wu, M; Luo, Y; Yang, J; Xu, F. (2013). Bevacizumab attenuates hepatic fibrosis in rats by inhibiting activation of hepatic stellate cells. *PLoS ONE.* 8: e73492. <http://dx.doi.org/10.1371/journal.pone.0073492>.
- Huang, Y; Liu, W; Xiao, H; Maitikabili, A; Lin, Q; Wu, T; Huang, Z; Liu, F; Luo, Q; Ouyang, G. (2015). Matricellular protein periostin contributes to hepatic inflammation and fibrosis. *Am J Pathol.* 185: 786-797. <http://dx.doi.org/10.1016/j.ajpath.2014.11.002>.
- Huang, Z; Zhu, G; Sun, C; Zhang, J; Zhang, Y; Zhang, Y; Ye, C; Wang, X; Ilghari, D; Li, X. (2012). A novel solid-phase site-specific PEGylation enhances the in vitro and in vivo biostability of recombinant human keratinocyte growth factor 1. *PLoS ONE.* 7: e36423. <http://dx.doi.org/10.1371/journal.pone.0036423>.
- Hubel, E; Saroha, A; Park, WJ; Pewzner-Jung, Y; Lavoie, EG; Futerman, AH; Bruck, R; Fishman, S; Dranoff, JA; Shibolet, O; Zvibel, I. (2017). Sortilin Deficiency Reduces Ductular Reaction, Hepatocyte Apoptosis, and Liver Fibrosis in Cholestatic-Induced Liver Injury. *Am J Pathol.* 187: 122-133. <http://dx.doi.org/10.1016/j.ajpath.2016.09.005>.
- Hughenoltz, GC; Meijers, JC; Adelmeijer, J; Porte, RJ; Lisman, T. (2013). TAFI deficiency promotes liver damage in murine models of liver failure through defective down-regulation of hepatic inflammation. *Thromb Haemostasis.* 109: 948-955. <http://dx.doi.org/10.1160/TH12-12-0930>.
- Hui, J; Gao, J; Wang, Y; Zhang, J; Han, Y; Wei, L; Liu Xiaochuang, L; Wu, J. (2016). Panax notoginseng saponins ameliorates experimental hepatic fibrosis and hepatic stellate cell proliferation by inhibiting the Jak2/ Stat3 pathways. 36: 217-224.
- Hung, GD; Li, PC; Lee, HS; Chang, HM; Chien, CT; Lee, KL. (2012). Green tea extract supplementation ameliorates CCl₄-induced hepatic oxidative stress, fibrosis, and acute-phase protein expression in rat. *J Formos Med Assoc.* 111: 550-559. <http://dx.doi.org/10.1016/j.jfma.2011.06.026>.
- Huo, HZ; Wang, B; Liang, YK; Bao, YY; Gu, Y. (2011). Hepatoprotective and antioxidant effects of licorice extract against CCl₄-induced oxidative damage in rats. *International Journal of Molecular Sciences.* 12: 6529-6543. <http://dx.doi.org/10.3390/ijms12106529>.
- Huss, S; Stellmacher, C; Goltz, D; Khlistunova, I; Adam, AC; Trebicka, J; Kirfel, J; Büttner, R; Weiskirchen, R. (2013). Deficiency in four and one half LIM domain protein 2 (FHL2) aggravates liver fibrosis in mice. *BMC Gastroenterol.* 13: 8. <http://dx.doi.org/10.1186/1471-230X-13-8>.
- Hussain, K; Ismail, Z; Sadikun, A. (2010). Evaluation of Ethanol Extracts of Leaves and Fruit of Piper sarmentosum for In Vivo Hepatoprotective Activity. *Lat Am J Pharm.* 29: 1215-1220.
- Hussain, K; Ismail, Z; Sadikun, A; Ibrahim, P. (2010). Standardization and in vivo antioxidant activity of ethanol extracts of fruit and leaf of Piper sarmentosum. *Planta Med.* 76: 418-425. <http://dx.doi.org/10.1055/s-0029-1186279>.
- Hwang, IS; Kim, JE; Lee, YJ; Kwak, MH; Choi, YH; Kang, BC; Hong, JT; Hwang, DY. (2013). Protective effects of gomisin A isolated from Schisandra chinensis against CCl₄-induced hepatic and renal injury. *Int J Mol Med.* 31: 888-898. <http://dx.doi.org/10.3892/ijmm.2013.1263>.
- Hwang, OK; Park, JK; Lee, EJ; Lee, EM; Kim, AY; Jeong, KS. (2016). Therapeutic Effect of Losartan, an Angiotensin II Type 1 Receptor Antagonist, on CCl₄-Induced Skeletal Muscle Injury. *International Journal of Molecular Sciences.* 17: 227. <http://dx.doi.org/10.3390/ijms17020227>.
- Hwang, YP; Choi, JH; Jeong, HG. (2009). Protective effect of the Aralia continentalis root extract against carbon tetrachloride-induced hepatotoxicity in mice. *Food Chem Toxicol.* 47: 75-81. <http://dx.doi.org/10.1016/j.fct.2008.10.011>.
- Hyun, J; Kim, G; ijin; Jung, Y. (2013). Hedgehog signaling regulates the regression of fibrosis by placenta-derived stem cells in CCl₄-induced fibrosis models of rat. *Hepatology.* 58: 586A-586A.
- Hyun, J; Park, J; Wang, S; Kim, J; Lee, HH; Seo, YS; Jung, Y. (2016). MicroRNA Expression Profiling in CCl₄-Induced Liver Fibrosis of Mus musculus. *International Journal of Molecular Sciences.* 17. <http://dx.doi.org/10.3390/ijms17060961>.
- Hyun, J; Wang, S; Kim, J; Kim, GJ; Jung, Y. (2015). MicroRNA125b-mediated Hedgehog signaling influences liver regeneration by chorionic plate-derived mesenchymal stem cells. *Sci Rep.* 5: 14135. <http://dx.doi.org/10.1038/srep14135>.
- Hyun, J; Wang, S; Kim, J; Rao, KM; Park, SY; Chung, I; Ha, CS; Kim, SW; Yun, YH; Jung, Y. (2016). MicroRNA-378 limits activation of hepatic stellate cells and liver fibrosis by suppressing Gli3 expression. *Nature Communications.* 7: 10993. <http://dx.doi.org/10.1038/ncomms10993>.
- Hyvönen, MT; Sinervirta, R; Grigorenko, N; Khomutov, AR; Vepsäläinen, J; Keinänen, TA; Alhonen, L. (2010). alpha-Methylspermidine protects against carbon tetrachloride-induced hepatic and pancreatic damage. *Amino Acids.* 38: 575-581. <http://dx.doi.org/10.1007/s00726-009-0418-5>.
- Iancu, RI; Iancu, D; Murărescu, D; Nechifor, M; Costuleanu, M. (2010). [Platelet functions in acute and chronic experimentally induced hepatopathia]. *Rev Med Chir Soc Med Nat Iasi.* 114: 1101-1106.
- Iannone, A; Petroni, A; Murru, E; Cordeddu, L; Carta, G; Melis, MP; Bergamini, S; Casa, LD; Cappiello, L; Carissimi, R; O'Shea, M; Bell, D; De Santis, E; Banni, S. (2009). Impairment of 8-iso-PGF(2ALPHA) isoprostane metabolism by dietary conjugated linoleic acid (CLA). *Prostaglandins Leukot Essent Fatty Acids.* 80: 279-287. <http://dx.doi.org/10.1016/j.plefa.2009.02.008>.
- Ibrahim, ZS; Alkafafy, M; Soliman, MM; Ahmed, MM. (2016). MOLECULAR MECHANISM OF HEPATO-RENAL PROTECTION OF CAMEL MILK AGAINST OXIDATIVE STRESS-PERTURBATIONS. *Journal of Camel Practice and Research.* 23: 53-63. <http://dx.doi.org/10.5958/2277-8934.2016.00008.4>.

Human Health Hazard Literature Search Results

On Topic

- Ibrahim, ZS; Nassan, MA; Soliman, MM. (2016). Ameliorative effects of pomegranate on carbon tetrachloride hepatotoxicity in rats: A molecular and histopathological study. *Mol Med Rep.* 13: 3653-3660. <http://dx.doi.org/10.3892/mmr.2016.4956>.
- Ichi, I; Kamikawa, C; Nakagawa, T; Kobayashi, K; Kataoka, R; Nagata, E; Kitamura, Y; Nakazaki, C; Matsura, T; Kojo, S. (2009). Neutral sphingomyelinase-induced ceramide accumulation by oxidative stress during carbon tetrachloride intoxication. *Toxicology.* 261: 33-40. <http://dx.doi.org/10.1016/j.tox.2009.04.040>.
- Ichikawa, K; Okabayashi, T; Shima, Y; Iiyama, T; Takezaki, Y; Munekage, M; Namikawa, T; Sugimoto, T; Kobayashi, M; Mimura, T; Hanazaki, K. (2012). Branched-chain amino acid-enriched nutrients stimulate antioxidant DNA repair in a rat model of liver injury induced by carbon tetrachloride. *Mol Biol Rep.* 39: 10803-10810. <http://dx.doi.org/10.1007/s11033-012-1974-4>.
- Ichinose, T; Miller, MG; Shibamoto, T. (1994). Determination of free malonaldehyde formed in liver microsomes upon CCl₄ oxidation. *J Appl Toxicol.* 14: 453-455. <http://dx.doi.org/10.1002/jat.2550140611>.
- Idoh, K; Dosseh, K; Agbonon, A; Gbeassor, M. (2016). Hepatoprotective effect of Clerodendrum capitatum on carbon tetrachloride-induced liver injury in Wistar rats. *Planta Med.* 81: S1-S381. <http://dx.doi.org/10.1055/s-0036-1596859>.
- Idres, AY; Benazzoug, Y; Othmani, K; Griene, L; Ammouche, A. (2009). Hepatoprotective effect of lycopene on carbon-tetrachloride induced hepatotoxicity in Wistar rats. *Fundam Clin Pharmacol.* 23: 64-64.
- Ihentuge, C; Ugochukwu, C; Anibeze, C. (2015). Protective Effects of Camel Milk on Carbon Tetrachloride induced Hepatotoxicity in Wistar Rats. *FASEB J.* 29.
- Iida, C; Fujii, K; Koga, E; Washino, Y; Kitamura, Y; Ichi, I; Abe, K; Matsura, T; Kojo, S. (2009). Effect of alpha-tocopherol on carbon tetrachloride intoxication in the rat liver. *Arch Toxicol.* 83: 477-483. <http://dx.doi.org/10.1007/s00204-008-0394-7>.
- Ijiri, Y; Kato, R; Sadamatsu, M; Takano, M; Okada, Y; Tanaka, K; Hayashi, T. (2014). Chronological changes in circulating levels of soluble tumor necrosis factor receptors 1 and 2 in rats with carbon tetrachloride-induced liver injury. *Toxicology.* 316: 55-60. <http://dx.doi.org/10.1016/j.tox.2013.12.004>.
- Ijiri, Y; Kato, R; Sadamatsu, M; Takano, M; Yasuda, Y; Tanaka, F; Oishi, C; Imano, H; Okada, Y; Tanaka, K; Hayashi, T. (2017). Contributions of caspase-8 and -9 to liver injury from CYP2E1-produced metabolites of halogenated hydrocarbons. *Xenobiotica* 1-13. <http://dx.doi.org/10.1080/00498254.2016.1275881>.
- Ikatsu, H; Okino, T; Nakajima, T. (1991). Ethanol and food deprivation induced enhancement of hepatotoxicity in rats given carbon tetrachloride at low concentration. *Br J Ind Med.* 48: 636-642.
- Ikeda, H; Ohkawa, R; Watanabe, N; Nakamura, K; Kume, Y; Nakagawa, H; Yoshida, H; Okubo, S; Yokota, H; Tomiya, T; Inoue, Y; Nishikawa, T; Ohtomo, N; Tanoue, Y; Koike, K; Yatomi, Y. (2010). Plasma concentration of bioactive lipid mediator sphingosine 1-phosphate is reduced in patients with chronic hepatitis C. *Hepatology.* 51: 765-770. <http://dx.doi.org/10.1016/j.jcc.2010.02.063>.
- Ikeda, H; Watanabe, N; Ishii, I; Shimosawa, T; Kume, Y; Tomiya, T; Inoue, Y; Nishikawa, T; Ohtomo, N; Tanoue, Y; Iitsuka, S; Fujita, R; Omata, M; Chun, J; Yatomi, Y. (2009). Sphingosine 1-phosphate regulates regeneration and fibrosis after liver injury via sphingosine 1-phosphate receptor 2. *J Lipid Res.* 50: 556-564. <http://dx.doi.org/10.1194/jlr.M800496-JLR200>.
- Ikegwuonu, FI; Mehendale, HM. (1991). Biochemical assessment of the genotoxicity of the in vitro interaction between chlordecone and carbon tetrachloride in rat hepatocytes. *J Appl Toxicol.* 11: 303-310.
- Ilango, K; Maharajan, G; Narasimhan, S. (2013). Anti-nociceptive and anti-inflammatory activities of Azadirachta indica fruit skin extract and its isolated constituent azadiradione. *Nat Prod Res.* 27: 1463-1467. <http://dx.doi.org/10.1080/14786419.2012.717288>.
- Ilavenil, S; Kaleeswaran, B; Ravikumar, S. (2012). Protective effects of lycorine against carbon tetrachloride induced hepatotoxicity in Swiss albino mice. *Fundam Clin Pharmacol.* 26: 393-401. <http://dx.doi.org/10.1111/j.1472-8206.2011.00942.x>.
- Iliemene, U, juD; Atawodi, SE, neOjo. (2014). In vivo antioxidant and hepatoprotective effects of methanolic extract of dioclea reflexa seed in rats following acute or chronic liver injury. *Bangladesh J Pharmacol.* 9: 112-117. <http://dx.doi.org/10.3329/bjp.v9i1.17452>.
- Inadera, H; Tachibana, S; Suzuki, A; Shimomura, A. (2010). Carbon tetrachloride affects inflammation-related biochemical networks in the mouse liver as identified by a customized cDNA microarray system. *Environ Health Prev Med.* 15: 105-114. <http://dx.doi.org/10.1007/s12199-009-0117-6>.
- Inami, K; Mine, Y; Tatsuzaki, J; Mori, C; Mochizuki, M. (2017). Isolation and characterization of antimutagenic components of Glycyrrhiza aspera against N-methyl-N-nitrosourea. *Food Chem Toxicol.* 39: 5. <http://dx.doi.org/10.1186/s41021-016-0068-2>.
- Ince, S; Keles, H; Erdogan, M; Hazman, O; Kucukkurt, I. (2012). Protective effect of boric acid against carbon tetrachloride-induced hepatotoxicity in mice. *Drug Chem Toxicol.* 35: 285-292. <http://dx.doi.org/10.3109/01480545.2011.607825>.
- Ingawale, DK; Mandlik, SK; Kshirsagar, AD. (2013). Hepatoprotective activity of Calotropis gigantea flowers against carbon-tetrachloride-induced liver damage in mice. *Journal of Complementary & Integrative Medicine.* 10. <http://dx.doi.org/10.1515/jcim-2012-0004>.
- Ingawale, DK; Mandlik, SK; Naik, SR. (2014). Models of hepatotoxicity and the underlying cellular, biochemical and immunological mechanism(s): A critical discussion [Review]. *Environ Toxicol Pharmacol.* 37: 118-133. <http://dx.doi.org/10.1016/j.etap.2013.08.015>.
- Ino, K; Masuya, M; Tawara, I; Miyata, E; Oda, K; Nakamori, Y; Suzuki, K; Ohishi, K; Katayama, N. (2014). Monocytes infiltrate the pancreas via the MCP-1/CCR2 pathway and differentiate into stellate cells. *PLoS ONE.* 9: e84889. <http://dx.doi.org/10.1371/journal.pone.0084889>.
- Inskip, PD. (2014). Studies of Non-Ionizing Radiation-Related Cancer.
- Inskip, PD. (2015). Studies of Non-Ionizing Radiation-Related Cancer.
- Ionică, FE; Mogoantă, L; Nicola, GC; Chiriță, C; Negreș, S; Bejenaru, C; Turculeanu, A; Badea, O; Popescu, NL; Bejenaru, LE. (2016). Antifibrotic action of telmisartan in experimental carbon tetrachloride-induced liver fibrosis in Wistar rats. *Rom J Morphol Embryol.* 57: 1261-1272.

Human Health Hazard Literature Search Results

On Topic

- Ionov, M; Gordiyenko, NV; Zukowska, I; Tokhtaeva, E; Mareninova, OA; Baram, N; Ziyaev, K; Rezhpevov, K; Zamaraeva, M. (2012). Stability and antioxidant activity of gossypol derivative immobilized on N-polyvinylpyrrolidone. *Int J Biol Macromol.* 51: 908-914. <http://dx.doi.org/10.1016/j.ijbiomac.2012.08.005>.
- Ippolito, DL; Abdulhameed, MD; Tawa, GJ; Baer, CE; Permenter, MG; Mcdyre, BC; Dennis, WE; Boyle, MH; Hobbs, CA; Streicker, MA; Snowden, BS; Lewis, JA; Wallqvist, A; Stallings, JD. (2016). Gene Expression Patterns Associated With Histopathology in Toxic Liver Fibrosis. *Toxicol Sci.* 149: 67-88. <http://dx.doi.org/10.1093/toxsci/kfv214>.
- Iqbal, M; Gnanaraj, C. (2012). Eleusine indica L. possesses antioxidant activity and precludes carbon tetrachloride (CCl₄)-mediated oxidative hepatic damage in rats. *Environ Health Prev Med.* 17: 307-315. <http://dx.doi.org/10.1007/s12199-011-0255-5>.
- Iracheta-Vellve, A; Petrasek, J; Gyongyosi, B; Satishchandra, A; Lowe, P; Kody, K; Catalano, D; Calenda, CD; Kurt-Jones, EA; Fitzgerald, KA; Szabo, G. (2016). Endoplasmic Reticulum Stress-induced Hepatocellular Death Pathways Mediate Liver Injury and Fibrosis via Stimulator of Interferon Genes. *J Biol Chem.* 291: 26794-26805. <http://dx.doi.org/10.1074/jbc.M116.736991>.
- Irie, H; Asano-Hoshino, A; Sekino, Y; Nogami, M; Kitagawa, T; Kanda, H. (2010). Striking LD50 variation associated with fluctuations of CYP2E1-positive cells in hepatic lobule during chronic CCl₄ exposure in mice. *Virchows Arch.* 456: 423-431. <http://dx.doi.org/10.1007/s00428-009-0872-1>.
- Iroanya, O; Oduola, T; Akagha, M; Oladunjoye, E. (2015). Pharmacological Properties of Anthocleista vogelii against CCl₄ Induced Toxicity. *FASEB J.* 29.
- Iseki, M; Kushida, Y; Wakao, S; Akimoto, T; Mizuma, M; Motoi, F; Asada, R; Shimizu, S; Unno, M; Chazenbalk, G; Dezawa, M. (2016). Human Muse cells, non-tumorigenic pluripotent-like stem cells, have the capacity for liver regeneration by specific homing and replenishment of new hepatocytes in liver fibrosis mouse model. *Cell Transplant.* <http://dx.doi.org/10.3727/096368916X693662>.
- Ishihara, K; Kanai, S; Tanaka, K; Kawashita, E; Akiba, S. (2016). Group IVA phospholipase A(2) deficiency prevents CCl₄-induced hepatic cell death through the enhancement of autophagy. *Biochem Biophys Res Commun.* 471: 15-20. <http://dx.doi.org/10.1016/j.bbrc.2016.01.186>.
- Ishihara, K; Miyazaki, A; Nabe, T; Fushimi, H; Iriyama, N; Kanai, S; Sato, T; Uozumi, N; Shimizu, T; Akiba, S. (2012). Group IVA phospholipase A2 participates in the progression of hepatic fibrosis. *FASEB J.* 26: 4111-4121. <http://dx.doi.org/10.1096/fj.12-205625>.
- Ishikawa, K; Yoshida, S; Kadota, K; Nakamura, T; Niuro, H; Arakawa, S; Yoshida, A; Akashi, K; Ishibashi, T. (2010). Gene expression profile of hyperoxic and hypoxic retinas in a mouse model of oxygen-induced retinopathy. *Invest Ophthalmol Vis Sci.* 51: 4307-4319. <http://dx.doi.org/10.1167/iovs.09-4605>.
- Ishikawa, M; Saito, K; Yamada, H; Nakatsu, N; Maekawa, K; Saito, Y. (2016). Plasma lipid profiling of different types of hepatic fibrosis induced by carbon tetrachloride and lomustine in rats. *Lipids Health Dis.* 15: 74. <http://dx.doi.org/10.1186/s12944-016-0244-1>.
- Ishikawa, S; Ikejima, K; Yamagata, H; Aoyama, T; Kon, K; Arai, K; Takeda, K; Watanabe, S. (2011). CD1d-restricted natural killer T cells contribute to hepatic inflammation and fibrogenesis in mice. *J Hepatol.* 54: 1195-1204.
- Ishola, IO; Akinyede, AA; Robert, AK; Omilabu, SA. (2015). Hepatoprotective and Antioxidant Activities of Hepacare®, a Herbal Formulation Against Carbon Tetrachloride-Induced Liver Injury. 65: 30-39. <http://dx.doi.org/10.1055/s-0034-1371829>.
- Iskusnykh, IY; Popova, TN; Agarkov, AA; Pinheiro de Carvalho, MÃ; Rjevskiy, SG. (2013). Expression of Glutathione Peroxidase and Glutathione Reductase and Level of Free Radical Processes under Toxic Hepatitis in Rats. *Journal of Toxicology.* 2013: 870628. <http://dx.doi.org/10.1155/2013/870628>.
- Islam, M; Hussain, K; Latif, A; Hashmi, FK; Saeed, H; Bukhari, NI; Hassan, SS; Danish, MZ; Ahmad, B. (2015). Evaluation of Extracts of Seeds of Syzygium cumini L. for Hepatoprotective Activity Using CCl₄-Induced Stressed Rats. 35: 197-200.
- Ismail, AF; Moawed, FS; Mohamed, MA. (2015). Protective mechanism of grape seed oil on carbon tetrachloride-induced brain damage in γ -irradiated rats. *J Photochem Photobiol B.* 153: 317-323. <http://dx.doi.org/10.1016/j.jphotobiol.2015.10.005>.
- Ismail, NA; Shamsah-Din, NS; Mamat, SS; Zabidi, Z; Wan Zainulddin, WN; Kamisan, FH; Yahya, F; Mohtarrudin, N; Mohd-Desa, MN; Zakaria, ZA. (2014). Effect of aqueous extract of Dicranopteris linearis leaves against paracetamol and carbon tetrachloride-induced liver toxicity in rats. *Pak J Pharm Sci.* 27: 831-835.
- Ismail, RS; El-Megeid, AA; Abdel-Moemin, AR. (2009). Carbon tetrachloride-induced liver disease in rats: the potential effect of supplement oils with vitamins E and C on the nutritional status. *German Medical Science.* 7: Doc05. <http://dx.doi.org/10.3205/000064>.
- Isoda, K; Yoshimi, S; Nishimura, T; Tezuka, M; Ishida, I. (2013). Influence of nano-polystyrene particles in inducing cytotoxicity in mice co-injected with carbon tetrachloride, cisplatin, or paraquat. *Toxicol Lett.* 221: S242-S242. <http://dx.doi.org/10.1016/j.toxlet.2013.05.596>.
- Iwai, S; Karim, R; Kitano, M; Sukata, T; Min, W; Morimura, K; Wanibuchi, H; Seki, S; Fukushima, S. (2002). Role of oxidative DNA damage caused by carbon tetrachloride-induced liver injury -- enhancement of MeIQ-induced glutathione S-transferase placental form-positive foci in rats. *Cancer Lett.* 179: 15-24.
- Iwaisako, K; Haimerl, M; Paik, YH; Taura, K; Kodama, Y; Sirlin, C; Yu, E; Yu, RT; Downes, M; Evans, RM; Brenner, DA; Schnabl, B. (2012). Protection from liver fibrosis by a peroxisome proliferator-activated receptor δ agonist. *Proc Natl Acad Sci USA.* 109: E1369-E1376. <http://dx.doi.org/10.1073/pnas.1202464109>.
- Iwaisako, K; Jiang, C; Zhang, M; Cong, M; Moore-Morris, TJ; Park, TJ; Liu, X; Xu, J; Wang, P; Paik, YH; Meng, F; Asagiri, M; Murray, LA; Hofmann, AF; Iida, T; Glass, CK; Brenner, DA; Kisseleva, T. (2014). Origin of myofibroblasts in the fibrotic liver in mice. *Proc Natl Acad Sci USA.* 111: E3297-E3305. <http://dx.doi.org/10.1073/pnas.1400062111>.
- Iwamoto, T; Terai, S; Hisanaga, T; Takami, T; Yamamoto, N; Watanabe, S; Sakaida, I. (2013). Bone-marrow-derived cells cultured in serum-free medium reduce liver fibrosis and improve liver function in carbon-tetrachloride-treated cirrhotic mice. *Cell Tissue Res.* 351: 487-495. <http://dx.doi.org/10.1007/s00441-012-1528-z>.

Human Health Hazard Literature Search Results

On Topic

- Iwamoto, T; Terai, S; Mizunaga, Y; Yamamoto, N; Omori, K; Uchida, K; Yamasaki, T; Fujii, Y; Nishina, H; Sakaida, I. (2012). Splenectomy enhances the anti-fibrotic effect of bone marrow cell infusion and improves liver function in cirrhotic mice and patients. *J Gastroenterol.* 47: 300-312. <http://dx.doi.org/10.1007/s00535-011-0486-7>.
- Iwamoto, T; Terai, S; Yamamoto, N; Omori, K; Yamasaki, T; Sakaida, I. (2009). MESENCHYMAL CELLS DERIVED FROM BONE MARROW CELL REDUCE LIVER FIBROSIS AND IMPROVED LIVER FUNCTION IN CCL4-TREATED CIRRHOSIS MICE. *Hepatology.* 50: 645A-645A.
- Iwasa, M; Kobayashi, Y; Mifuji-Moroka, R; Hara, N; Miyachi, H; Sugimoto, R; Tanaka, H; Fujita, N; Gabazza, EC; Takei, Y. (2013). Branched-chain amino acid supplementation reduces oxidative stress and prolongs survival in rats with advanced liver cirrhosis. *PLoS ONE.* 8: e70309. <http://dx.doi.org/10.1371/journal.pone.0070309>.
- Iwasaki, A; Sakai, K; Moriya, K; Sasaki, T; Keene, DR; Akhtar, R; Miyazono, T; Yasumura, S; Watanabe, M; Morishita, S; Sakai, T. (2016). Molecular Mechanism Responsible for Fibronectin-controlled Alterations in Matrix Stiffness in Advanced Chronic Liver Fibrogenesis. *J Biol Chem.* 291: 72-88. <http://dx.doi.org/10.1074/jbc.M115.691519>.
- JA, C; CR, dC; OM, dF. (1972). Effect of cystamine on the mixed function oxygenase system from rat liver microsomes and its preventive effect on the destruction of cytochrome P450 by carbon tetrachloride. *Pharmacol Res Commun* 4:185â190.
- Jadeja, RN; Thounaojam, MC; Ansarullah, MC; Jadav, SV; Patel, MD; Patel, DK; Salunke, SP; Padate, GS; Devkar, RV; Ramachandran, AV. (2011). Toxicological evaluation and hepatoprotective potential of Clerodendron glandulosum.Coleb leaf extract. *Hum Exp Toxicol.* 30: 63-70. <http://dx.doi.org/10.1177/0960327110368420>.
- Jadhav, VB; Thakare, VN; Suralkar, AA; Deshpande, AD; Naik, SR. (2010). Hepatoprotective activity of Luffa acutangula against CCl4 and rifampicin induced liver toxicity in rats: a biochemical and histopathological evaluation. *Indian J Exp Biol.* 48: 822-829.
- Jaeger, RJ; Connolly, RB; Murphy, SD. (1975). Short-term inhalation toxicity of halogenated hydrocarbons: effects on fasting rats. *Arch Environ Occup Health.* 30: 26-31.
- Jain, A; Barve, A; Zhao, Z; Jin, W; Cheng, K. (2017). Comparison of Avidin, Neutraavidin, and Streptavidin as Nanocarriers for Efficient siRNA Delivery. *Mol Pharm.* <http://dx.doi.org/10.1021/acs.molpharmaceut.6b00933>.
- Jain, M; Kapadia, R; Jadeja, RN; Thounaojam, MC; Devkar, RV; Mishra, SH. (2011). Cytotoxicity evaluation and hepatoprotective potential of bioassay guided fractions from Feronia Limmonia Linn leaf. 1: 443-447. [http://dx.doi.org/10.1016/S2221-1691\(11\)60097-X](http://dx.doi.org/10.1016/S2221-1691(11)60097-X).
- Jain, M; Kapadia, R; Jadeja, RN; Thounaojam, MC; Devkar, RV; Mishra, SH. (2012). Amelioration of carbon tetrachloride induced hepatotoxicity in rats by standardized Feronia limonia. Linn leaf extracts. *EXCLI Journal.* 11: 250-259.
- Jain, M; Kapadia, R; Jadeja, RN; Thounaojam, MC; Devkar, RV; Mishra, SH. (2012). Hepatoprotective activity of Feronia limonia root. *J Pharm Pharmacol.* 64: 888-896. <http://dx.doi.org/10.1111/j.2042-7158.2012.01481.x>.
- Jain, M; Kapadia, R; Jadeja, RN; Thounaojam, MC; Devkar, RV; Mishra, SH. (2012). Hepatoprotective potential of Tecomella undulata stem bark is partially due to the presence of betulinic acid. *J Ethnopharmacol.* 143: 194-200. <http://dx.doi.org/10.1016/j.jep.2012.06.023>.
- Jain, M; Kapadia, R; Jadeja, RN; Thounaojam, MC; Devkar, RV; Mishra, SH. (2012). Protective role of standardized Feronia limonia stem bark methanolic extract against carbon tetrachloride induced hepatotoxicity. *Ann Hepatol.* 11: 935-943.
- Jain, NK; Lodhi, S; Jain, A; Nahata, A; Singhai, AK. (2011). Effects of Phyllanthus acidus (L.) Skeels fruit on carbon tetrachloride-induced acute oxidative damage in livers of rats and mice. *Zhong Xi Yi Jie He Xue Bao.* 9: 49-56.
- Jain, PK; Khurana, N; Pounikar, Y; Gajbhiye, A; Kharya, MD. (2013). Enhancement of absorption and hepatoprotective potential through soya-phosphatidylcholine-andrographolide vesicular system. *J Liposome Res.* 23: 110-118. <http://dx.doi.org/10.3109/08982104.2012.753456>.
- Jain, S; Dixit, VK; Malviya, N; Ambawatia, V. (2009). Antioxidant and hepatoprotective activity of ethanolic and aqueous extracts of Amorphophallus campanulatus Roxb. tubers. *Acta Pol Pharm.* 66: 423-428.
- Jaishree, V; Badami, S; Krishnamurthy, PT. (2010). Antioxidant and hepatoprotective effect of the ethyl acetate extract of Enicostemma axillare (Lam). Raynal against CCL4-induced liver injury in rats. *Indian J Exp Biol.* 48: 896-904.
- Jakobson, I; Wahlberg, JE; Holmberg, B; Johansson, G. (1982). Uptake via the blood and elimination of 10 organic solvents following epicutaneous exposure of anesthetized guinea pigs. *Toxicol Appl Pharmacol.* 63: 181-187. [http://dx.doi.org/10.1016/0041-008X\(82\)90039-4](http://dx.doi.org/10.1016/0041-008X(82)90039-4).
- Jalali Ghassam, B; Ghaffari, H; Prakash, HS; Kini, KR. (2014). Antioxidant and hepatoprotective effects of Solanum xanthocarpum leaf extracts against CCl4-induced liver injury in rats. *Pharmaceutical Biology.* 52: 1060-1068. <http://dx.doi.org/10.3109/13880209.2013.877490>.
- Jameel, NM; Thirunavukkarasu, C; Wu, T; Watkins, SC; Friedman, SL; Gandhi, CR. (2009). p38-MAPK- and caspase-3-mediated superoxide-induced apoptosis of rat hepatic stellate cells: reversal by retinoic acid. *J Cell Physiol.* 218: 157-166. <http://dx.doi.org/10.1002/jcp.21581>.
- Jamshidzadeh, A; Heidari, R; Razmjou, M; Karimi, F; Moein, MR; Farshad, O; Akbarizadeh, AR; Shayesteh, MRH. (2015). An in vivo and in vitro investigation on hepatoprotective effects of Pimpinella anisum seed essential oil and extracts against carbon tetrachloride-induced toxicity. *Iranian Journal of Basic Medical Sciences.* 18: 205-211.
- Jan, S; Khan, MR. (2016). Protective effects of Monotheca buxifolia fruit on renal toxicity induced by CCl4 in rats. *BMC Complement Altern Med.* 16: 289. <http://dx.doi.org/10.1186/s12906-016-1256-0>.
- Jang, S; Yu, LR; Abdelmegeed, MA; Gao, Y; Banerjee, A; Song, BJ. (2015). Critical role of c-jun N-terminal protein kinase in promoting mitochondrial dysfunction and acute liver injury. 6: 552-564. <http://dx.doi.org/10.1016/j.redox.2015.09.040>.
- Jaswal, A; Shukla, S. (2015). Therapeutic efficacy of Nigella sativa Linn. seed extract against CCl4 induced hepatic injury in Wistar rats. *Indian J Exp Biol.* 53: 44-50.
- JBRC. (1998). Subchronic inhalation toxicity and carcinogenicity studies of carbon tetrachloride in F344 rats and BDF1 mice (studies nos. 0020, 0021, 0043, and 0044). Kanagawa, Japan.

Human Health Hazard Literature Search Results

On Topic

- Jeon, MJ; Lee, Y; Ahn, S; Lee, C; Kim, OH; Oh, BC; Yu, U; Kim, H. (2015). High resolution in vivo 31P-MRS of the liver: potential advantages in the assessment of non-alcoholic fatty liver disease. *Acta Radiol.* 56: 1051-1060. <http://dx.doi.org/10.1177/0284185114550850>.
- Jeon, YJ; Han, SH; Yang, KH; Kaminski, NE. (1997). Induction of liver-associated transforming growth factor beta 1 (TGF-beta 1) mRNA expression by carbon tetrachloride leads to the inhibition of T helper 2 cell-associated lymphokines. *Toxicol Appl Pharmacol.* 144: 27-35. <http://dx.doi.org/10.1006/taap.1997.8126>.
- Jeong, DH; Hwang, M; Park, JK; Goo, MJ; Hong, IH; Ki, MR; Ishigami, A; Kim, AY; Lee, EM; Lee, EJ; Jeong, KS. (2013). Smad3 deficiency ameliorates hepatic fibrogenesis through the expression of senescence marker protein-30, an antioxidant-related protein. *International Journal of Molecular Sciences.* 14: 23700-23710. <http://dx.doi.org/10.3390/ijms141223700>.
- Jeong, SC; Kim, SM; Jeong, YT; Song, CH. (2013). Hepatoprotective effect of water extract from *Chrysanthemum indicum* L. flower. *Chinese Medicine.* 8: 7. <http://dx.doi.org/10.1186/1749-8546-8-7>.
- Jeong, WI; Park, O; Suh, YG; Byun, JS; Park, SY; Choi, E; Kim, JK; Ko, H; Wang, H; Miller, AM; Gao, B. (2011). Suppression of innate immunity (natural killer cell/interferon- γ) in the advanced stages of liver fibrosis in mice. *Hepatology.* 53: 1342-1351. <http://dx.doi.org/10.1002/hep.24190>.
- Jessen, BA; Mullins, JS; De Peyster, A; Stevens, GJ. (2003). Assessment of hepatocytes and liver slices as in vitro test systems to predict in vivo gene expression. *Toxicol Sci.* 75: 208-222. <http://dx.doi.org/10.1093/toxsci/kfg172>.
- Ji, C; Kaplowitz, N; Lau, MY; Kao, E; Petrovic, LM; Lee, AS. (2011). Liver-specific loss of glucose-regulated protein 78 perturbs the unfolded protein response and exacerbates a spectrum of liver diseases in mice. *Hepatology.* 54: 229-239. <http://dx.doi.org/10.1002/hep.24368>.
- Ji, D; Li, B; Shao, Q; Li, F; Li, Z; Chen, G. (2015). MiR-22 Suppresses BMP7 in the Development of Cirrhosis. *Cell Physiol Biochem.* 36: 1026-1036. <http://dx.doi.org/10.1159/000430276>.
- Ji, L; Xue, R; Tang, W; Wu, W; Hu, T; Liu, X; Peng, X; Gu, J; Chen, S; Zhang, S. (2014). Toll like receptor 2 knock-out attenuates carbon tetrachloride (CCl₄)-induced liver fibrosis by downregulating MAPK and NF- κ B signaling pathways. *FEBS Lett.* 588: 2095-2100. <http://dx.doi.org/10.1016/j.febslet.2014.04.042>.
- Ji, L; Zhang, J; Liu, W; de Visser, SP. (2014). Metabolism of halogenated alkanes by cytochrome P450 enzymes. Aerobic oxidation versus anaerobic reduction. *Chem Asian J.* 9: 1175-1182. <http://dx.doi.org/10.1002/asia.201301608>.
- Ji, LL; Sheng, YC; Zheng, ZY; Shi, L; Wang, ZT. (2015). The involvement of p62-Keap1-Nrf2 antioxidative signaling pathway and JNK in the protection of natural flavonoid quercetin against hepatotoxicity. *Free Radic Biol Med.* 85: 12-23. <http://dx.doi.org/10.1016/j.freeradbiomed.2015.03.035>.
- Ji, P; Wei, Y; Sun, H; Xue, W; Hua, Y; Li, P; Zhang, W; Zhang, L; Zhao, H; Li, J. (2014). Metabolomics research on the hepatoprotective effect of *Angelica sinensis* polysaccharides through gas chromatography-mass spectrometry. *J Chromatogr B Analyt Technol Biomed Life Sci.* 973C: 45-54. <http://dx.doi.org/10.1016/j.jchromb.2014.10.009>.
- Ji, P; Wei, Y; Xue, W; Hua, Y; Zhang, M; Sun, H; Song, Z; Zhang, L; Li, J; Zhao, H; Zhang, W. (2014). Characterization and antioxidative activities of polysaccharide in Chinese angelica and its processed products. *Int J Biol Macromol.* 67: 195-200. <http://dx.doi.org/10.1016/j.ijbiomac.2014.03.025>.
- Ji, RL; Zhao, QE. (2012). [Protective effect of silymarin on liver injury in mice induced by carbon tetrachloride]. *Zhongguo Ying Yong Sheng Li Xue Za Zhi.* 28: 279-280, 287.
- Ji, S; Li, Z; Song, W; Wang, Y; Liang, W; Li, K; Tang, S; Wang, Q; Qiao, X; Zhou, D; Yu, S; Ye, M. (2016). Bioactive Constituents of *Glycyrrhiza uralensis* (Licorice): Discovery of the Effective Components of a Traditional Herbal Medicine. *J Nat Prod.* 79: 281-292. <http://dx.doi.org/10.1021/acs.jnatprod.5b00877>.
- Jia, H; Aw, W; Saito, K; Hanate, M; Hasebe, Y; Kato, H. (2014). Eggshell membrane ameliorates hepatic fibrogenesis in human C3A cells and rats through changes in PPAR γ -Endothelin 1 signaling. *Sci Rep.* 4: 7473. <http://dx.doi.org/10.1038/srep07473>.
- Jia, H; Takahashi, S; Saito, K; Kato, H. (2013). DNA microarray analysis identified molecular pathways mediating the effects of supplementation of branched-chain amino acids on CCl₄-induced cirrhosis in rats. *Mol Nutr Food Res.* 57: 291-306. <http://dx.doi.org/10.1002/mnfr.201200538>.
- Jia, R; Cao, L; Du, J; Xu, P; Jeney, G; Yin, G. (2013). The protective effect of silymarin on the carbon tetrachloride (CCl₄)-induced liver injury in common carp (*Cyprinus carpio*). *In Vitro Cellular and Developmental Biology.* 49: 155-161. <http://dx.doi.org/10.1007/s11626-013-9587-3>.
- Jia, R; Cao, L; Xu, P; Jeney, G; Yin, G. (2012). In vitro and in vivo hepatoprotective and antioxidant effects of *Astragalus* polysaccharides against carbon tetrachloride-induced hepatocyte damage in common carp (*Cyprinus carpio*). *Fish Physiol Biochem.* 38: 871-881. <http://dx.doi.org/10.1007/s10695-011-9575-z>.
- Jia, R; Cao, LP; Du, JL; Wang, JH; Liu, YJ; Jeney, G; Xu, P; Yin, GJ. (2014). Effects of carbon tetrachloride on oxidative stress, inflammatory response and hepatocyte apoptosis in common carp (*Cyprinus carpio*). *Aquat Toxicol.* 152: 11-19. <http://dx.doi.org/10.1016/j.aquatox.2014.02.014>.
- Jia, R; Du, JL; Cao, LP; Liu, YJ; Xu, P; Yin, GJ. (2016). Protective action of the phyllanthin against carbon tetrachloride-induced hepatocyte damage in *Cyprinus carpio*. *In Vitro Cellular and Developmental Biology.* 52: 1-9. <http://dx.doi.org/10.1007/s11626-015-9946-3>.
- Jia, S; Liu, X; Li, W; Xie, J; Yang, L; Li, L. (2015). Peroxisome Proliferator-Activated Receptor Gamma Negatively Regulates the Differentiation of Bone Marrow-Derived Mesenchymal Stem Cells Toward Myofibroblasts in Liver Fibrogenesis. *Cell Physiol Biochem.* 37: 2085-2100. <http://dx.doi.org/10.1159/000438567>.
- Jia, XY, an; Zhang, QA, n; Zhang, Z, hiQi; Wang, Y, an; Yuan, JF; Wang, HY; Zhao, D, i. (2011). Hepatoprotective effects of almond oil against carbon tetrachloride induced liver injury in rats. *Food Chem.* 125: 673-678. <http://dx.doi.org/10.1016/j.foodchem.2010.09.062>.

Human Health Hazard Literature Search Results

On Topic

- Jia, Y; Yuan, L; Xu, T; Li, H; Yang, G; Jiang, M; Zhang, C; Li, C. (2016). Herbal medicine Gan-fu-kang downregulates Wnt/Ca2+ signaling to attenuate liver fibrogenesis in vitro and in vivo. *Mol Med Rep.* 13: 4705-4714. <http://dx.doi.org/10.3892/mmr.2016.5148>.
- Jian, YC; Li, W; He, Y; Jiang, M; Liu, YB; Xiong, WJ. (2012). Effect of oxymatrine on hepatic gene expression profile in experimental liver fibrosis of rats. *Chin J Integr Med.* 18: 445-450. <http://dx.doi.org/10.1007/s11655-012-1115-x>.
- Jian, YC; Wang, JJ; Dong, S; Hu, JW; Hu, LJ; Yang, GM; Zheng, YX; Xiong, WJ. (2014). Wnt-induced secreted protein 1/CCN4 in liver fibrosis both in vitro and in vivo. *Clin Lab.* 60: 29-35.
- Jiang, C; Xiong, Q; Gan, D; Jiao, Y; Liu, J; Ma, L; Zeng, X. (2013). Antioxidant activity and potential hepatoprotective effect of polysaccharides from *Cyclina sinensis*. *Carbohydr Polymer.* 91: 262-268. <http://dx.doi.org/10.1016/j.carbpol.2012.08.029>.
- Jiang, H; Gao, JR; Chen, JF; Ji, WB. (2013). [Effect of shuganjianpifang on the expression of BCL-2 and BAX in rats livers with hepatic fibrosis]. *Zhong Yao Cai.* 36: 776-780.
- Jiang, H; Song, JM; Gao, PF; Qin, XJ; Xu, SZ; Zhang, JF. (2016). Metabolic characterization of the early stage of hepatic fibrosis in rat using GC-TOF/MS and multivariate data analyses. *Biomed Chromatogr.* <http://dx.doi.org/10.1002/bmc.3899>.
- Jiang, H; Wang, YZ; Liu, XC; Xue, X. (2013). [Effect of Panax notoginseng saponins on cytokines in liver fibrosis rats]. *Zhong Yao Cai.* 36: 1123-1127.
- Jiang, H; Wu, FR; Gao, JR; Chen, JF. (2014). [Dynamic study on curative effect of Shuganjianpifang against hepatic fibrosis induced by CCl4 in rats]. *Zhong Yao Cai.* 37: 1815-1819.
- Jiang, H; Xia, LZ; Li, Y; Li, X; Wu, J. (2013). [Effect of Panax notoginseng saponins on expressions of MMP-13 and TIMP-1 in rats with hepatic fibrosis]. *Zhongguo Zhong Yao Za Zhi.* 38: 1206-1210.
- Jiang, J; Deng, L; Ruan, J; Cheng, X; Zou, L. (2016). [Value of susceptibility weighted imaging in hepatic fibrosis staging by using MR in a rabbit model]. *Chung Hua Hsueh Tsa Chih.* 96: 1371-1376.
- Jiang, J; Huang, B; Bin, G; Chen, S; Feng, F; Zou, L. (2016). An experimental study on the assessment of rabbit hepatic fibrosis by using magnetic resonance T1p imaging. *Magn Reson Imaging.* 34: 308-311. <http://dx.doi.org/10.1016/j.mri.2015.10.017>.
- Jiang, L; Huang, J; Wang, Y; Tang, H. (2012). Metabonomic analysis reveals the CCl4-induced systems alterations for multiple rat organs. *J Proteome Res.* 11: 3848-3859. <http://dx.doi.org/10.1021/pr3003529>.
- Jiang, Q; Lv, Y; Dai, W; Miao, X; Zhong, D. (2013). Extraction and bioactivity of polygonatum polysaccharides. *Int J Biol Macromol.* 54: 131-135. <http://dx.doi.org/10.1016/j.ijbiomac.2012.12.010>.
- Jiang, W; Gao, M; Sun, S; Bi, A; Xin, Y; Han, X; Wang, L; Yin, Z; Luo, L. (2012). Protective effect of L-theanine on carbon tetrachloride-induced acute liver injury in mice. *Biochem Biophys Res Commun.* 422: 344-350. <http://dx.doi.org/10.1016/j.bbrc.2012.05.022>.
- Jiang, X; Guo, H; Shen, T; Tang, X; Yang, Y; Ling, W. (2015). Cyanidin-3-O- β -glucoside Purified from Black Rice Protects Mice against Hepatic Fibrosis Induced by Carbon Tetrachloride via Inhibiting Hepatic Stellate Cell Activation. *J Agric Food Chem.* 63: 6221-6230. <http://dx.doi.org/10.1021/acs.jafc.5b02181>.
- Jiang, Y; Wang, C; Li, YY; Wang, XC; An, JD; Wang, YJ; Wang, XJ. (2014). Mistletoe alkaloid fractions alleviates carbon tetrachloride-induced liver fibrosis through inhibition of hepatic stellate cell activation via TGF- β /Smad interference. *J Ethnopharmacol.* 158 Pt A: 230-238. <http://dx.doi.org/10.1016/j.jep.2014.10.028>.
- Jiao, J; Sastre, D; Fiel, MI; Lee, UE; Ghiassi-Nejad, Z; Ginhoux, F; Vivier, E; Friedman, SL; Merad, M; Aloman, C. (2012). Dendritic cell regulation of carbon tetrachloride-induced murine liver fibrosis regression. *Hepatology.* 55: 244-255. <http://dx.doi.org/10.1002/hep.24621>.
- Jiménez-Anguiano, A; Díaz-Medina, V; Farfán-Labonne, BE; Giono-Chiang, G; Kersenobich, D; García-Lorenzana, M; Gutiérrez-Ruiz, MC; Velázquez-Moctezuma, J. (2009). Modification of sleep architecture in an animal model of experimental cirrhosis. *World J Gastroenterol.* 15: 5176-5180.
- Jimoh, FO; Babalola, SA; Yakubu, MT. (2009). Assessment of the antioxidant potential of *Cnidioscolous chayamansa*. *Pharmaceutical Biology.* 47: 903-909. <http://dx.doi.org/10.1080/13880200902942444>.
- Jin, CF; Li, B; Lin, SM; Yadav, RK; Kim, HR; Chae, HJ. (2013). Mechanism of the Inhibitory Effects of *Eucommia ulmoides* Oliv. Cortex Extracts (EUCE) in the CCl4-Induced Acute Liver Lipid Accumulation in Rats. *International Journal of Endocrinology.* 2013: 751854. <http://dx.doi.org/10.1155/2013/751854>.
- Jin, J; Hong, IH; Lewis, K; Iakova, P; Breaux, M; Jiang, Y; Sullivan, E; Jawanmardi, N; Timchenko, L; Timchenko, NA. (2015). Cooperation of C/EBP family proteins and chromatin remodeling proteins is essential for termination of liver regeneration. *Hepatology.* 61: 315-325. <http://dx.doi.org/10.1002/hep.27295>.
- Jin, S; Cao, H; Wang, K; Li, Y; Bai, B. (2015). Preventative effects of prostaglandin E1 in combination with iodized olive oil on liver fibrosis after transcatheter arterial chemoembolization in a rabbit model of CCl4-induced liver fibrosis. *Can J Physiol Pharmacol.* 93: 451-457. <http://dx.doi.org/10.1139/cjpp-2014-0561>.
- Jin, S; Fu, S; Han, J; Jin, S; Lv, Q; Lu, Y; Qi, J; Wu, W; Yuan, H. (2012). Improvement of oral bioavailability of glycyrrhizin by sodium deoxycholate/phospholipid-mixed nanomicelles. *J Drug Target.* 20: 615-622. <http://dx.doi.org/10.3109/1061186X.2012.702770>.
- Jin, X; Cong, T; Zhao, L; Ma, L; Li, R; Zhao, P; Guo, C. (2015). The protective effects of Masson pine pollen aqueous extract on CCl4-induced oxidative damage of human hepatic cells. *International Journal of Clinical and Experimental Medicine.* 8: 17773-17780.
- Jin, Z; Sun, R; Wei, H; Gao, X; Chen, Y; Tian, Z. (2011). Accelerated liver fibrosis in hepatitis B virus transgenic mice: involvement of natural killer T cells. *Hepatology.* 53: 219-229. <http://dx.doi.org/10.1002/hep.23983>.
- Jodynis-Liebert, J; Adamska, T; Ewertowska, M; Bylka, W; Matławska, I. (2009). *Aquilegia vulgaris* extract attenuates carbon tetrachloride-induced liver fibrosis in rats. *Exp Toxicol Pathol.* 61: 443-451. <http://dx.doi.org/10.1016/j.etp.2008.10.007>.

Human Health Hazard Literature Search Results

On Topic

- Johnson, C; Hargrove, L; Graf, A; Kennedy, L; Hodges, K; Harris, R; Francis, T; Ueno, Y; Francis, H. (2015). Histamine restores biliary mass following carbon tetrachloride-induced damage in a cholestatic rat model. *Dig Liver Dis.* 47: 211-217. <http://dx.doi.org/10.1016/j.dld.2014.12.006>.
- Johnstone, RT. (1948). *Occupational medicine and industrial hygiene*. St. Louis, MO: CV Mosby Company.
- Josan, S; Billingsley, K; Orduna, J; Park, JM; Luong, R; Yu, L; Hurd, R; Pfefferbaum, A; Spielman, D; Mayer, D. (2015). Assessing inflammatory liver injury in an acute CCl₄ model using dynamic 3D metabolic imaging of hyperpolarized [1-(13)C]pyruvate. *NMR Biomed.* 28: 1671-1677. <http://dx.doi.org/10.1002/nbm.3431>.
- Joseph, JA; Ayyappan, UP; Sasidharan, SR; Mutyala, S; Goudar, KS; Agarwal, A. (2014). Ameliorative effect of Phytocee™ Cool against carbon tetrachloride-induced oxidative stress. *Pharmacognosy Res.* 6: 320-325. <http://dx.doi.org/10.4103/0974-8490.138284>.
- Joseph, JA; Radhakrishnan, U; Mutyala, S; Goudar, KS; Ayyappan, UP; Agarwal, A. (2015). Antioxidant and protective effects of Phytocee™ against carbon tetrachloride-induced oxidative stress. *J Nat Sci Biol Med.* 6: 183-187. <http://dx.doi.org/10.4103/0976-9668.149119>.
- Jung, BH, wa; Kumar, BS; Kwon, O, hS; Chung, BC. (2010). Integrated mass spectrometry based metabolomics for the biomarker discovery on the hepatotoxicity induced by carbon tetrachloride, acetaminophen and methotrexate. *Drug Metab Rev.* 42: 160-160.
- Jung, SH; Lee, YS, il; Lim, SS; Kim, YS; Lee, S; Shin, K, ukH. (2009). Hepatoprotective and Antioxidant Capacities of *Paecilomyces japonica* and *Cordyceps sinensis* in Rats with CCl₄-Induced Hepatic Injury. *Kor J of Hort Sci Tech.* 27: 668-672.
- Kadiiska, MB; Gladen, BC; Baird, DD; Germolec, D; Graham, LB; Parker, CE; Nyska, A; Wachsman, JT; Ames, BN; Basu, S; Brot, N; Fitzgerald, GA; Floyd, RA; George, M; Heinecke, JW; Hatch, GE; Hensley, K; Lawson, JA; Marnett, LJ; Morrow, JD; Murray, DM; Plataras, J; 2nd, RL; Rokach, J; Shigenaga, MK; Sohal, RS; Sun, J; Tice, RR; Van Thiel, DH; Wellner, D; Walter, PB; Tomer, KB; Mason, RP; Barrett, JC. (2005). Biomarkers of oxidative stress study II: are oxidation products of lipids, proteins, and DNA markers of CCl₄ poisoning? *Free Radic Biol Med.* 38: 698-710. <http://dx.doi.org/10.1016/j.freeradbiomed.2004.09.017>.
- Kadiyala, M; Ponnusankar, S; Elango, K. (2013). *Calotropis gigantia* (L.) R. Br (Apocynaceae): a phytochemical and pharmacological review [Review]. *J Ethnopharmacol.* 150: 32-50. <http://dx.doi.org/10.1016/j.jep.2013.08.045>.
- Kadl, A; Sharma, PR; Chen, W; Agrawal, R; Meher, AK; Rudraiah, S; Grubbs, N; Sharma, R; Leitinger, N. (2011). Oxidized phospholipid-induced inflammation is mediated by Toll-like receptor 2. *Free Radic Biol Med.* 51: 1903-1909. <http://dx.doi.org/10.1016/j.freeradbiomed.2011.08.026>.
- Kaiser, JP; Lipscomb, JC; Wesselkamper, SC. (2012). Putative Mechanisms of Environmental Chemical-Induced Steatosis. *Int J Toxicol.* 31: 551-563. <http://dx.doi.org/10.1177/1091581812466418>.
- Kalaskar, MG; Surana, SJ. (2011). Free radical scavenging and hepatoprotective potential of *Ficus microcarpa* L. fil. bark extracts. *Journal of Natural Medicines.* 65: 633-640. <http://dx.doi.org/10.1007/s11418-011-0532-z>.
- Kalegari, M; Gemin, CA; Araújo-Silva, G; Brito, NJ; López, JA; Tozetto, S; Almeida, M, d; Miguel, MD; Stien, D; Miguel, OG. (2014). Chemical composition, antioxidant activity and hepatoprotective potential of *Rourea induta* Planch. (Connaraceae) against CCl₄-induced liver injury in female rats. *30: 713-718.* <http://dx.doi.org/10.1016/j.nut.2013.11.004>.
- Kalla, NR; Bansal, MP. (1975). Effect of carbon tetrachloride on gonadal physiology in male rats. *Acta Anat.* 91: 380-385.
- Kallis, YN; Robson, AJ; Fallowfield, JA; Thomas, HC; Alison, MR; Wright, NA; Goldin, RD; Iredale, JP; Forbes, SJ. (2011). Remodelling of extracellular matrix is a requirement for the hepatic progenitor cell response. *Gut.* 60: 525-533. <http://dx.doi.org/10.1136/gut.2010.224436>.
- Kallis, YN; Scotton, CJ; Mackinnon, AC; Goldin, RD; Wright, NA; Iredale, JP; Chambers, RC; Forbes, SJ. (2014). Proteinase activated receptor 1 mediated fibrosis in a mouse model of liver injury: a role for bone marrow derived macrophages. *PLoS ONE.* 9: e86241. <http://dx.doi.org/10.1371/journal.pone.0086241>.
- Kalyani, GA; Ramesh, CK; Krishna, V. (2011). Hepatoprotective and Antioxidant Activities of *Desmodium Triquetrum* DC. *Indian J Pharmaceut Sci.* 73: 463-466. <http://dx.doi.org/10.4103/0250-474X.95652>.
- Kamal, MM; Omran, OM. (2013). The role of heat shock protein 70 induced by geranylgeranylacetone in carbon tetrachloride-exposed adult rat testes. *Pathophysiology.* 20: 139-146. <http://dx.doi.org/10.1016/j.pathophys.2013.03.003>.
- Kamboj, J; Rana, S; Vahiphei, K, im; Dhaewan, D. (2013). Miraculous role of Wheatgrass in Carbon tetrachloride induced hepatotoxicity in rats. *J Gastroenterol Hepatol.* 28: 463-463.
- Kamboj, P; Kalia, AN. (2012). IN-VIVO AND IN-VITRO HEPATOPROTECTIVE ACTIVITY OF DRYNARIA QUERCIFOLIA FRONDS AGAINST CARBON-TETRACHLORIDE INDUCED HEPATOCELLULAR DAMAGE. *Pharmaceutical Biology.* 50: 1366-1366.
- Kamel, R; El Morsy, EM. (2013). Hepatoprotective effect of methylsulfonylmethane against carbon tetrachloride-induced acute liver injury in rats. *Arch Pharm Res.* 36: 1140-1148. <http://dx.doi.org/10.1007/s12272-013-0110-x>.
- Kaminski, NE; Barnes, DW; Jordan, SD; Holsapple, MP. (1990). The role of metabolism in carbon tetrachloride-mediated immunosuppression: in vivo studies. *Toxicol Appl Pharmacol.* 102: 9-20.
- Kaminski, NE; Jordan, SD; Holsapple, MP. (1989). Suppression of humoral and cell-mediated immune responses by carbon tetrachloride. *Fundam Appl Toxicol.* 12: 117-128.
- Kamisan, FH; Yahya, F; Ismail, NA; Din, SS; Mamat, SS; Zabidi, Z; Zainuddin, WN; Mohtarrudin, N; Husain, H; Ahmad, Z; Zakaria, ZA. (2013). Hepatoprotective activity of methanol extract of *Melastoma malabathricum* leaf in rats. *Journal of Acupuncture and Meridian Studies.* 6: 52-55. <http://dx.doi.org/10.1016/j.jams.2012.08.002>.
- Kamisan, FH; Yahya, F; Mamat, SS; Kamarolzaman, MF; Mohtarrudin, N; Kek, TL; Salleh, MZ; Hussain, MK; Zakaria, ZA. (2014). Effect of methanol extract of *Dicranopteris linearis* against carbon tetrachloride-induced acute liver injury in rats. *BMC Complement Altern Med.* 14: 123. <http://dx.doi.org/10.1186/1472-6882-14-123>.

Human Health Hazard Literature Search Results

On Topic

- Kanai, S; Ishihara, K; Kawashita, E; Tomoo, T; Nagahira, K; Hayashi, Y; Akiba, S. (2016). ASB14780, an Orally Active Inhibitor of Group IVA Phospholipase A2, Is a Pharmacotherapeutic Candidate for Nonalcoholic Fatty Liver Disease. *J Pharmacol Exp Ther.* 356: 604-614. <http://dx.doi.org/10.1124/jpet.115.229906>.
- Kandhi, R; Bobbala, D; Yeganeh, M; Mayhue, M; Menendez, A; Ilangumaran, S. (2016). Negative regulation of the hepatic fibrogenic response by suppressor of cytokine signaling 1. *Cytokine.* 82: 58-69. <http://dx.doi.org/10.1016/j.cyto.2015.12.007>.
- Kandimalla, R; Dash, S; Kalita, S; Choudhury, B; Malampati, S; Kalita, K; Kalita, B; Devi, R; Kotoky, J. (2016). Protective Effect of Bioactivity Guided Fractions of *Ziziphus jujuba* Mill. Root Bark against Hepatic Injury and Chronic Inflammation via Inhibiting Inflammatory Markers and Oxidative Stress. 7: 298. <http://dx.doi.org/10.3389/fphar.2016.00298>.
- Kandimalla, R; Dash, S; Kalita, S; Choudhury, B; Malampati, S; Kalita, K; Kotoky, J. (2016). Bioactive Guided Fractions of *Annona reticulata* L. bark: Protection against Liver Toxicity and Inflammation through Inhibiting Oxidative Stress and Proinflammatory Cytokines. 7: 168. <http://dx.doi.org/10.3389/fphar.2016.00168>.
- Kandimalla, R; Kalita, S; Saikia, B; Choudhury, B; Singh, YP; Kalita, K; Dash, S; Kotoky, J. (2016). Antioxidant and Hepatoprotective Potentiality of *Randia dumetorum* Lam. Leaf and Bark via Inhibition of Oxidative Stress and Inflammatory Cytokines. 7: 205. <http://dx.doi.org/10.3389/fphar.2016.00205>.
- Kaneko, M; Nagamine, T; Nakazato, K; Mori, M. (2013). The anti-apoptotic effect of fucoxanthin on carbon tetrachloride-induced hepatotoxicity. *J Toxicol Sci.* 38: 115-126.
- Kang, DJ; Betrapally, NS; Ghosh, SA; Sartor, RB; Hylemon, PB; Gillevet, PM; Sanyal, AJ; Heuman, DM; Carl, D; Zhou, H; Liu, R; Wang, X; Yang, J; Jiao, C; Herzog, J; Lippman, HR; Sikaroodi, M; Brown, RR; Bajaj, JS. (2016). Gut microbiota drive the development of neuroinflammatory response in cirrhosis in mice. *Hepatology.* 64: 1232-1248. <http://dx.doi.org/10.1002/hep.28696>.
- Kang, H; Koppula, S. (2014). Hepatoprotective Effect of *Houttuynia cordata* Thunb Extract against Carbon Tetrachloride-induced Hepatic Damage in Mice. *Indian J Pharmaceut Sci.* 76: 267-273.
- Kang, H; Koppula, S. (2014). *Olea europaea* Linn. Fruit Pulp Extract Protects against Carbon Tetrachloride-induced Hepatic Damage in Mice. *Indian J Pharmaceut Sci.* 76: 274-280.
- Kang, JW; Hong, JM; Lee, SM. (2016). Melatonin enhances mitophagy and mitochondrial biogenesis in rats with carbon tetrachloride-induced liver fibrosis. *J Pineal Res.* 60: 383-393. <http://dx.doi.org/10.1111/jpi.12319>.
- Kang, JW; Yoon, SJ; Sung, YK; Lee, SM. (2012). Magnesium chenoursodeoxycholic acid ameliorates carbon tetrachloride-induced liver fibrosis in rats. *Exp Biol Med.* 237: 83-92. <http://dx.doi.org/10.1258/ebm.2011.011219>.
- Kang, KY; Kim, JN; Chang, IY; Park, SH; Yoon, SP. (2011). Calretinin immunoreactivity in normal and carbon tetrachloride-induced nephrotoxic rats. *Acta Histochem.* 113: 712-716. <http://dx.doi.org/10.1016/j.acthis.2010.09.008>.
- Kang, M; Jeong, SJ; Park, SY; Lee, HJ; Kim, HJ; Park, KH; Ye, SK; Kim, SH; Lee, JW. (2012). Antagonistic regulation of transmembrane 4 L6 family member 5 attenuates fibrotic phenotypes in CCl₄-treated mice. *FEBS J.* 279: 625-635. <http://dx.doi.org/10.1111/j.1742-4658.2011.08452.x>.
- Kang, M; Ryu, J; Lee, D; Lee, MS; Kim, HJ; Nam, SH; Song, HE; Choi, J; Lee, GH; Kim, TY; Lee, H; Kim, SJ; Ye, SK; Kim, S; Lee, JW. (2014). Correlations between transmembrane 4 L6 family member 5 (TM4SF5), CD151, and CD63 in liver fibrotic phenotypes and hepatic migration and invasive capacities. *PLoS ONE.* 9: e102817. <http://dx.doi.org/10.1371/journal.pone.0102817>.
- Kang, MC; Kang, SM; Ahn, G; Kim, KN; Kang, N; Samarakoon, KW; Oh, MC; Lee, JS; Jeon, YJ. (2013). Protective effect of a marine polyphenol, dieckol against carbon tetrachloride-induced acute liver damage in mouse. *Environ Toxicol Pharmacol.* 35: 517-523. <http://dx.doi.org/10.1016/j.etap.2013.02.013>.
- Kang, SJ; Jeong, SH; Kim, EJ; Cho, JH; Park, YI; Park, SW; Shin, HS; Son, SW; Kang, HG. (2013). Evaluation of hepatotoxicity of chemicals using hepatic progenitor and hepatocyte-like cells derived from mouse embryonic stem cells: effect of chemicals on ESC-derived hepatocyte differentiation. *Cell Biol Toxicol.* 29: 1-11. <http://dx.doi.org/10.1007/s10565-012-9223-0>.
- Kanoh, Y; Tomotsune, D; Shirasawa, S; Yoshie, S; Ichikawa, H; Yokoyama, T; Mae, SI; Ito, J, un; Mizuguchi, M; Matsumoto, K, en; Yue, F; Sasaki, K. (2011). In Vitro Transdifferentiation of HepG2 Cells to Pancreatic-Like Cells by CCl₄, D-Galactosamine, and ZnCl₂. *Pancreas.* 40: 1245-1252. <http://dx.doi.org/10.1097/MPA.0b013e318221933d>.
- Kantari-Mimoun, C; Krzywinska, E; Castells, M; Milien, C; Klose, R; Meinecke, AK; Lemberger, U; Mathivet, T; Gojkovic, M; Schrödter, K; Österreicher, C; Fandrey, J; Rundqvist, H; Stockmann, C. (2017). Boosting the hypoxic response in myeloid cells accelerates resolution of fibrosis and regeneration of the liver in mice. *Onct.* <http://dx.doi.org/10.18632/oncotarget.14749>.
- Kao, YH; Chen, CL; Jawan, B; Chung, YH; Sun, CK; Kuo, SM; Hu, TH; Lin, YC; Chan, HH; Cheng, KH; Wu, DC; Goto, S; Cheng, YF; Chao, D; Tai, MH. (2010). Upregulation of hepatoma-derived growth factor is involved in murine hepatic fibrogenesis. *J Hepatol.* 52: 96-105. <http://dx.doi.org/10.1016/j.jhep.2009.10.002>.
- Kao, YH; Lin, YC; Tsai, MS; Sun, CK; Yuan, SS; Chang, CY; Jawan, B; Lee, PH. (2014). Involvement of the nuclear high mobility group B1 peptides released from injured hepatocytes in murine hepatic fibrogenesis. *Biochim Biophys Acta.* 1842: 1720-1732. <http://dx.doi.org/10.1016/j.bbadis.2014.06.017>.
- Karaca, G; Xie, G; Moylan, C; Swiderska-Syn, M; Guy, CD; Krüger, L; Machado, MV; Choi, SS; Michelotti, GA; Burkly, LC; Diehl, AM. (2015). Role of Fn14 in acute alcoholic steatohepatitis in mice. *Am J Physiol Gastrointest Liver Physiol.* 308: G325-G334. <http://dx.doi.org/10.1152/ajpgi.00429.2013>.
- Karadeniz, A; Yildirim, A; Karakoc, A; Kalkan, Y; Celebi, F. (2009). Protective effect of *Panax ginseng* on carbon tetrachloride induced liver, heart and kidney injury in rats. *Rev Med Vet.* 160: 237-243.
- Karakuş, A; Değer, Y; Yildirim, S. (2017). Protective effect of *Silybum marianum* and *Taraxacum officinale* extracts against oxidative kidney injuries induced by carbon tetrachloride in rats. *Ren Fail.* 39: 1-6. <http://dx.doi.org/10.1080/0886022X.2016.1244070>.

Human Health Hazard Literature Search Results

On Topic

- Karakus, E; Karadeniz, A; Simsek, N; Can, I; Kara, A; Yildirim, S; Kalkan, Y; Kisa, F. (2011). Protective effect of Panax ginseng against serum biochemical changes and apoptosis in liver of rats treated with carbon tetrachloride (CCl₄). *J Hazard Mater.* 195: 208-213. <http://dx.doi.org/10.1016/j.jhazmat.2011.08.027>.
- Karaman, M; Ozen, H; Dag, S; Atakisi, O; Cigsar, G; Kaya, O. (2017). Ameliorative Effect of Omega-3 in Carbon Tetrachloride Toxicity. *Kafkas Univ Vet Fak Derg.* 23: 77-85. <http://dx.doi.org/10.9775/kvfd.2016.15862>.
- Karin, M. (2012). Project 1: Effects of Superfund Toxicants on Liver Cancer Progenitors.
- Karin, M. (2013). Project 1: Effects of Superfund Toxicants on Liver Cancer Progenitors.
- Karin, M. (2014). Project 1: Effects of Superfund Toxicants on Liver Cancer Progenitors.
- Karin, M. (2015). Project 1: Effects of Superfund Toxicants on Liver Cancer Progenitors.
- Karin, MKA, RIN. (2009). Mouse Strain With Elevated Sensitivity to Chemical. (CRISP/2009/ES010337-100010). Karin, MKARIN.
- Karkampouna, S; Goumans, MJ; Ten Dijke, P; Dooley, S; Kruihof-De Julio, M. (2016). Inhibition of TGF β type I receptor activity facilitates liver regeneration upon acute CCl₄ intoxication in mice. *Arch Toxicol.* 90: 347-357. <http://dx.doi.org/10.1007/s00204-014-1436-y>.
- Karlmark, KR; Weiskirchen, R; Zimmermann, HW; Gassler, N; Ginhoux, F; Weber, C; Merad, M; Luedde, T; Trautwein, C; Tacke, F. (2009). Hepatic recruitment of the inflammatory Gr1⁺ monocyte subset upon liver injury promotes hepatic fibrosis. *Hepatology.* 50: 261-274. <http://dx.doi.org/10.1002/hep.22950>.
- Karlmark, KR; Zimmermann, HW; Roderburg, C; Gassler, N; Wasmuth, HE; Luedde, T; Trautwein, C; Tacke, F. (2010). The fractalkine receptor CX₃CR1 protects against liver fibrosis by controlling differentiation and survival of infiltrating hepatic monocytes. *Hepatology.* 52: 1769-1782. <http://dx.doi.org/10.1002/hep.23894>.
- Karthikeyan, M; Deepa, K. (2010). Hepatoprotective effect of *Premna corymbosa* (Burm. f.) Rottl. & Willd. leaves extract on CCl₄ induced hepatic damage in Wistar albino rats. *Asian Pacific Journal of Tropical Medicine.* 3: 17-20.
- Karthikeyan, R; Somasundaram, ST; Manivasagam, T; Balasubramanian, T; Anantharaman, P. (2010). Hepatoprotective activity of brown alga *Padina boergeri* against CCl₄ induced oxidative damage in Wistar rats. *Asian Pacific Journal of Tropical Medicine.* 3: 696-701. [http://dx.doi.org/10.1016/S1995-7645\(10\)60168-X](http://dx.doi.org/10.1016/S1995-7645(10)60168-X).
- Karthikeyan, S; Potter, JJ; Geschwind, JF; Sur, S; Hamilton, JP; Vogelstein, B; Kinzler, KW; Mezey, E; Ganapathy-Kanniappan, S. (2016). Deregulation of energy metabolism promotes antifibrotic effects in human hepatic stellate cells and prevents liver fibrosis in a mouse model. *Biochem Biophys Res Commun.* 469: 463-469. <http://dx.doi.org/10.1016/j.bbrc.2015.10.101>.
- Kartik, R; Rao, C, hV; Trivedi, SP; Pushpangadan, P; Reddy, GD. (2010). Amelioration effects against N-nitrosodiethylamine and CCl₄-induced hepatocarcinogenesis in Swiss albino rats by whole plant extract of *Achyranthes aspera*. *Indian J Pharmacol.* 42: 370-375. <http://dx.doi.org/10.4103/0253-7613.71921>.
- Kasuda, S; Tatsumi, K; Sakurai, Y; Shima, M; Hatake, K. (2016). Therapeutic approaches for treating hemophilia A using embryonic stem cells. *Hematology - Oncology and Stem Cell Therapy.* 9: 64-70. <http://dx.doi.org/10.1016/j.hemonc.2016.04.002>.
- Kataoka, T. (2013). Study of antioxidative effects and anti-inflammatory effects in mice due to low-dose X-irradiation or radon inhalation [Review]. *J Radiat Res (Tokyo).* 54: 587-596. <http://dx.doi.org/10.1093/jrr/rrs141>.
- Kataoka, T; Nishiyama, Y; Toyota, T; Yoshimoto, M; Sakoda, A; Ishimori, Y; Aoyama, Y; Taguchi, T; Yamaoka, K. (2011). Radon inhalation protects mice from carbon-tetrachloride-induced hepatic and renal damage. *Inflammation.* 34: 559-567. <http://dx.doi.org/10.1007/s10753-010-9263-7>.
- Kataoka, T; Nishiyama, Y; Yamato, K; Teraoka, J; Morii, Y; Sakoda, A; Ishimori, Y; Taguchi, T; Yamaoka, K. (2012). Comparative study on the inhibitory effects of antioxidant vitamins and radon on carbon tetrachloride-induced hepatopathy. *J Radiat Res (Tokyo).* 53: 830-839. <http://dx.doi.org/10.1093/jrr/rrs057>.
- Kataoka, T; Sakoda, A; Yoshimoto, M; Nakagawa, S; Toyota, T; Nishiyama, Y; Yamato, K; Ishimori, Y; Kawabe, A; Hanamoto, K; Taguchi, T; Yamaoka, K. (2011). Studies on possibility for alleviation of lifestyle diseases by low-dose irradiation or radon inhalation. *Radiat Prot Dosimetry.* 146: 360-363. <http://dx.doi.org/10.1093/rpd/ncr189>.
- Kataoka, T; Yamaoka, K. (2012). Activation of biodefense system by low-dose irradiation or radon inhalation and its applicable possibility for treatment of diabetes and hepatopathy. 2012: 292041. <http://dx.doi.org/10.5402/2012/292041>.
- Kataoka, T; Yamato, K; Nishiyama, Y; Morii, Y; Etani, R; Takata, Y; Hanamoto, K; Kawabe, A; Sakoda, A; Ishimori, Y; Taguchi, T; Yamaoka, K. (2012). Comparative study on the inhibitory effects of α -tocopherol and radon on carbon tetrachloride-induced renal damage. *Ren Fail.* 34: 1181-1187. <http://dx.doi.org/10.3109/0886022X.2012.717496>.
- Kato, R; Takano, M; Sadamatsu, M; Urashima, Y; Ijiri, Y; Tanaka, K. (2011). Examining a CCl₄-induced liver injury model as a screening test of drug-induced liver injury. *Ther Drug Monit.* 33: 493-493.
- Kato, T; Hisasue, M; Segawa, K; Fujimoto, A; Makiishi, E; Neo, S; Yasuno, K; Kobayashi, R; Tsuchiya, R. (2013). Accumulation of xenotransplanted canine bone marrow cells in NOD/SCID γ c(null) mice with acute hepatitis induced by CCl₄. *J Vet Med Sci.* 75: 847-855.
- Kato, T; Sakiyama, R; Oka, K; Nakamura, T. (2015). Identification of core active disaccharides in heparin for HGF-inducing activity. *J Pharmacol Pharmacother.* 6: 77-82. <http://dx.doi.org/10.4103/0976-500X.155483>.
- Kauppinen, T; Pukkala, E; Saalo, A; Sasco, AJ. (2003). Exposure to chemical carcinogens and risk of cancer among Finnish laboratory workers. *Am J Ind Med.* 44: 343-350. <http://dx.doi.org/10.1002/ajim.10278>.
- Kaurinovic, B; Popovic, M; Vlajsavljevic, S. (2010). In vitro and in vivo effects of *Laurus nobilis* L. leaf extracts. *Molecules.* 15: 3378-3390. <http://dx.doi.org/10.3390/molecules15053378>.
- Kaurinovic, B; Popovic, M; Vlajsavljevic, S; Schwartzova, H; Vojinovic-Miloradov, M. (2012). Antioxidant profile of *Trifolium pratense* L. *Molecules.* 17: 11156-11172. <http://dx.doi.org/10.3390/molecules170911156>.

Human Health Hazard Literature Search Results

On Topic

- Kavishankar, GB; Moree, SS; Lakshmidhevi, N. (2014). Hepatoprotective and antioxidant activity of N-Trisaccharide in different experimental rats. *Phytomedicine*. 21: 1026-1031. <http://dx.doi.org/10.1016/j.phymed.2014.04.033>.
- Kavitha, BT; Shruthi, SD; Rai, SP; Ramachandra, YL. (2011). Phytochemical analysis and hepatoprotective properties of *Tinospora cordifolia* against carbon tetrachloride-induced hepatic damage in rats. *Journal of Basic and Clinical Pharmacy*. 2: 139-142.
- Kawaguchi, T; Kodama, T; Hikita, H; Tanaka, S; Shigekawa, M; Nawa, T; Shimizu, S; Li, W; Miyagi, T; Hiramatsu, N; Tatsumi, T; Takehara, T. (2013). Carbamazepine promotes liver regeneration and survival in mice. *J Hepatol*. 59: 1239-1245. <http://dx.doi.org/10.1016/j.jhep.2013.07.018>.
- Kawai, K; Xue, F; Takahara, T; Kudo, H; Yata, Y; Zhang, W; Sugiyama, T. (2012). Matrix metalloproteinase-9 contributes to the mobilization of bone marrow cells in the injured liver. *Cell Transplant*. 21: 453-464. <http://dx.doi.org/10.3727/096368911X605367>.
- Kawano, Y; Ohta, M; Iwashita, Y; Komori, Y; Inomata, M; Kitano, S. (2014). Effects of the dihydrolipoyl histidinate zinc complex against carbon tetrachloride-induced hepatic fibrosis in rats. *Surgery Today*. 44: 1744-1750. <http://dx.doi.org/10.1007/s00595-013-0749-4>.
- Kazantzis, G; Bomford, RR. (1960). Dyspepsia due to inhalation of carbon tetrachloride vapour. *Lancet*. 1: 360-362.
- Kazbekova, A; Tuleshova, G; Seitembetov, T; Dalenov, E. (2013). ARTEVISININ INFLUENCE ON MEMBRANOUS PHOSPHOLIPIDS OF BRAIN AND LIVER TISSUES OF WHITE RATS AT INTOXICATION BY CARBON TETRACHLORIDE. *FASEB J*. 27.
- Kefalas, V; Stacey, NH. (1989). Potentiation of carbon tetrachloride-induced lipid peroxidation by trichloroethylene in isolated rat hepatocytes: no role in enhanced toxicity. *Toxicol Appl Pharmacol*. 101: 158-169.
- Kepekçi, RA; Polat, S; Çelik, A; Bayat, N; Saygideger, SD. (2013). Protective effect of *Spirulina platensis* enriched in phenolic compounds against hepatotoxicity induced by CCl₄. *Food Chem*. 141: 1972-1979. <http://dx.doi.org/10.1016/j.foodchem.2013.04.107>.
- Kernan, GJ; Ji, BT; Dosemeci, M; Silverman, DT; Balbus, J; Zahm, SH. (1999). Occupational risk factors for pancreatic cancer: A case-control study based on death certificates from 24 U.S. States. *Am J Ind Med*. 36: 260-270. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199908\)36:2<260::AID-AJIM5>3.0.CO;2-P](http://dx.doi.org/10.1002/(SICI)1097-0274(199908)36:2<260::AID-AJIM5>3.0.CO;2-P).
- Keshk, WA; Katary, MA. (2017). Transforming Growth Factor-β1/Smad3 Signaling and Redox Status in Experimentally Induced Nephrotoxicity: Impact of Carnosine. *Indian J Clin Biochem*. 32: 19-25. <http://dx.doi.org/10.1007/s12291-016-0564-y>.
- Khadeer Ahamed, MB; Krishna, V; Dandin, CJ. (2010). In vitro antioxidant and in vivo prophylactic effects of two gamma-lactones isolated from *Grewia tiliifolia* against hepatotoxicity in carbon tetrachloride intoxicated rats. *Eur J Pharmacol*. 631: 42-52. <http://dx.doi.org/10.1016/j.ejphar.2009.12.034>.
- Khalaf-Allah, A; El-Gengaihi, SE; Hamed, MA; Zahran, HG; Mohammed, MA. (2016). Chemical Composition of Golden Berry Leaves Against Hepato-renal Fibrosis. *Journal of Dietary Supplements*. 13: 378-392. <http://dx.doi.org/10.3109/19390211.2015.1099584>.
- Khalilullah, H; Khan, S; Ahsan, MJ; Ahmed, B. (2011). Synthesis and antihepatotoxic activity of 5-(2,3-dihydro-1,4-benzodioxane-6-yl)-3-substituted-phenyl-4,5-dihydro-1H-pyrazole derivatives. 21: 7251-7254. <http://dx.doi.org/10.1016/j.bmcl.2011.10.056>.
- Khan, GM; Ansari, SH; Ahmad, F. (2013). Pharmacognostic standardization, antioxidant and free radical scavenging activity of the seeds of *Triticum aestivum* L - A dietary staple. *Journal of Young Pharmacists*. 5: 54-59. <http://dx.doi.org/10.1016/j.jyp.2013.06.001>.
- Khan, I; Singh, V; Chaudhary, AK. (2012). Hepatoprotective activity of *Pinus roxburghii* Sarg. wood oil against carbon tetrachloride and ethanol induced hepatotoxicity. *Bangladesh J Pharmacol*. 7: 94-99. <http://dx.doi.org/10.3329/bjp.v7i2.10230>.
- Khan, MA; Gupta, A; Sastry, JL; Ahmad, S. (2015). Hepatoprotective potential of kumaryasava and its concentrate against CCl₄-induced hepatic toxicity in Wistar rats. 7: 297-299. <http://dx.doi.org/10.4103/0975-7406.168029>.
- Khan, MR; Ahmed, D. (2009). Protective effects of *Digera muricata* (L.) Mart. on testis against oxidative stress of carbon tetrachloride in rat. *Food Chem Toxicol*. 47: 1393-1399. <http://dx.doi.org/10.1016/j.fct.2009.03.020>.
- Khan, MR; Khan, G, ulN; Ahmed, D. (2011). Evaluation of antioxidant and fertility effects of *Digera muricata* in male rats. 5: 688-699.
- Khan, MR; Marium, A; Shabbir, M; Saeed, N; Bokhari, J. (2012). Antioxidant and hepatoprotective effects of *Oxalis corniculata* against carbon tetrachloride (CCl₄) induced injuries in rat. 6: 2255-2267. <http://dx.doi.org/10.5897/AJPP11.370>.
- Khan, MR; Rizvi, W; Khan, GN; Khan, RA; Shaheen, S. (2009). Carbon tetrachloride-induced nephrotoxicity in rats: protective role of *Digera muricata*. *J Ethnopharmacol*. 122: 91-99. <http://dx.doi.org/10.1016/j.jep.2008.12.006>.
- Khan, MR; Siddique, F. (2012). Antioxidant effects of *Citharexylum spinosum* in CCl₄ induced nephrotoxicity in rat. *Exp Toxicol Pathol*. 64: 349-355. <http://dx.doi.org/10.1016/j.etp.2010.09.009>.
- Khan, MR; Younus, T. (2011). Prevention of CCl₄-induced oxidative damage in adrenal gland by *Digera muricata* extract in rat. *Pak J Pharm Sci*. 24: 469-473.
- Khan, MR; Zehra, H. (2013). Amelioration of CCl₄-induced nephrotoxicity by *Oxalis corniculata* in rat. *Exp Toxicol Pathol*. 65: 327-334. <http://dx.doi.org/10.1016/j.etp.2011.11.007>.
- Khan, R. (2012). Protective effect of *Launaea procumbens* (L.) on lungs against CCl₄-induced pulmonary damages in rat. *BMC Complement Altern Med*. 12: 133. <http://dx.doi.org/10.1186/1472-6882-12-133>.
- Khan, RA. (2012). Protective effects of *Launaea procumbens* on rat testis damage by CCl₄. *Lipids Health Dis*. 11: 103. <http://dx.doi.org/10.1186/1476-511X-11-103>.
- Khan, RA. (2012). Protective effects of *Sonchus asper* (L.) Hill, (Asteraceae) against CCl₄-induced oxidative stress in the thyroid tissue of rats. *BMC Complement Altern Med*. 12: 181. <http://dx.doi.org/10.1186/1472-6882-12-181>.
- Khan, RA; Alkreathy, HM; Saboorshah, A; Ahmed, M; Khan, S. (2016). Protective effects of *Trifolium alexandrinum* L. against lung injury induced by environmental toxin CCl₄ in experimental rats. 60: 30433.
- Khan, RA; Khan, MR; Ahmed, M; Sahreen, S; Shah, NA; Shah, MS; Bokhari, J; Rashid, U; Ahmad, B; Jan, S. (2012). Hepatoprotection with a chloroform extract of *Launaea procumbens* against CCl₄-induced injuries in rats. *BMC Complement Altern Med*. 12: 114. <http://dx.doi.org/10.1186/1472-6882-12-114>.

Human Health Hazard Literature Search Results

On Topic

- Khan, RA; Khan, MR; Sahreen, S. (2010). Evaluation of *Launaea procumbens* use in renal disorders: a rat model. *J Ethnopharmacol.* 128: 452-461. <http://dx.doi.org/10.1016/j.jep.2010.01.026>.
- Khan, RA; Khan, MR; Sahreen, S. (2012). CCl₄-induced hepatotoxicity: protective effect of rutin on p53, CYP2E1 and the antioxidative status in rat. *BMC Complement Altern Med.* 12: 178. <http://dx.doi.org/10.1186/1472-6882-12-178>.
- Khan, RA; Khan, MR; Sahreen, S. (2012). Protective effect of *Sonchus asper* extracts against experimentally induced lung injuries in rats: A novel study. *Exp Toxicol Pathol.* 64: 725-731. <http://dx.doi.org/10.1016/j.etp.2011.01.007>.
- Khan, RA; Khan, MR; Sahreen, S. (2013). Attenuation of CCl₄-induced hepatic oxidative stress in rat by *Launaea procumbens*. *Exp Toxicol Pathol.* 65: 319-326. <http://dx.doi.org/10.1016/j.etp.2011.11.001>.
- Khan, RA; Khan, MR; Sahreen, S; Ahmed, M; Shah, NA. (2015). Carbon tetrachloride-induced lipid peroxidation and hyperglycemia in rat: a novel study. *Toxicol Ind Health.* 31: 546-553. <http://dx.doi.org/10.1177/0748233713475503>.
- Khan, RA; Khan, MR; Sahreen, S; Alkreathy, HM. (2016). Effect of *Launaea procumbens* extract on oxidative marker, p53, and CYP 2E1: a randomized control study. 60: 29790. <http://dx.doi.org/10.3402/fnr.v60.29790>.
- Khan, RA; Khan, MR; Sahreen, S; Bokhari, J. (2010). Prevention of CCl₄-induced nephrotoxicity with *Sonchus asper* in rat. *Food Chem Toxicol.* 48: 2469-2476. <http://dx.doi.org/10.1016/j.fct.2010.06.016>.
- Khan, RA; li; Khan, MR; Sahreen, S; Jan, S; Bokhari, J; Rashid, U. (2011). Prevention of CCl₄ induced adrenal oxidative stress in rat by *Sonchus asper*. *Journal of Medicinal Plant Research.* 5: 3347-3350.
- Khan, RA; Khan, MR; Sahreen, S; Shah, N. (2012). Hepatoprotective activity of *Sonchus asper* against carbon tetrachloride-induced injuries in male rats: a randomized controlled trial. *BMC Complement Altern Med.* 12: 90. <http://dx.doi.org/10.1186/1472-6882-12-90>.
- Khan, RA; Khan, MR; Shah, NA; Sahreen, S; Siddiq, P. (2015). Modulation of carbon tetrachloride-induced nephrotoxicity in rats by n-hexane extract of *Sonchus asper*. *Toxicol Ind Health.* 31: 955-959. <http://dx.doi.org/10.1177/0748233713485885>.
- Khan, TH. (2012). Soy Diet Diminish Oxidative Injure and Early Promotional Events Induced by CCl₄ in Rat Liver. *International Journal of Pharmacology.* 8: 30-38. <http://dx.doi.org/10.3923/ijp.2012.30.38>.
- Khan, TH; Sultana, S. (2009). Antioxidant and hepatoprotective potential of *Aegle marmelos* Correa. against CCl₄-induced oxidative stress and early tumor events. *J Enzyme Inhib Med Chem.* 24: 320-327. <http://dx.doi.org/10.1080/14756360802167754>.
- Khiati, S; Baechler, SA; Factor, VM; Zhang, H; Huang, SY; Dalla Rosa, I; Sourbier, C; Neckers, L; Thorgeirsson, SS; Pommier, Y. (2015). Lack of mitochondrial topoisomerase I (TOP1mt) impairs liver regeneration. *Proc Natl Acad Sci USA.* 112: 11282-11287. <http://dx.doi.org/10.1073/pnas.1511016112>.
- Khollari, FS; Dehpour, AR; Nourbakhsh, M; Bagherieh, M; Golestani, A. (2014). Ameliorative effects of Naltrexone on CCl₄-induced liver cirrhosis in an animal model study. *FEBS J.* 281: 95-95.
- Khyrivska, D; Hrytsevych, N; Bula, N; Pshyk-Titko, I; Savytska, M; Zayachkivska, O; Havryluk, E. (2014). Effect of CCl₄ and blocking H2S biosynthesis on oesophageal mucosa rats: model of nonerosive oesophagitis. *Folia Med Cracov.* 54: 79-90.
- Ki, MR; Goo, MJ; Park, JK; Hong, IH; Ji, AR; Han, SY; You, SY; Lee, EM; Kim, AY; Park, SJ; Lee, HJ; Kim, SY; Jeong, KS. (2010). *Helicobacter pylori* accelerates hepatic fibrosis by sensitizing transforming growth factor- β 1-induced inflammatory signaling. *Lab Invest.* 90: 1507-1516. <http://dx.doi.org/10.1038/labinvest.2010.109>.
- Ki, MR; Lee, HR; Park, JK; Hong, IH; Han, SY; You, SY; Lee, EM; Kim, AY; Lee, SS; Jeong, KS. (2011). Ascorbate promotes carbon tetrachloride-induced hepatic injury in senescence marker protein 30-deficient mice by enhancing inflammation. *J Nutr Biochem.* 22: 535-542. <http://dx.doi.org/10.1016/j.jnutbio.2010.04.008>.
- Ki, SH; Yang, JH; Ku, SK; Kim, SC; Kim, YW; Cho, IJ. (2013). Red ginseng extract protects against carbon tetrachloride-induced liver fibrosis. *Journal of Ginseng Research.* 37: 45-53. <http://dx.doi.org/10.5142/jgr.2013.37.45>.
- Kikuchi, A. (2015). Cell-Specific Roles of Platelet-Derived Growth Factor Receptor Alpha (PDGFRalpha) in Hepatic Fibrosis.
- Kilicgun, H; Dehen, A. (2009). THE ANTIOXIDANT ACTIVITY OF COCOA. *Pharmacognosy Magazine.* 5: 298-300.
- Kim, BY; Cui, ZG; Lee, SR; Kim, SJ; Kang, HK; Lee, YK; Park, DB. (2009). Effects of *Asparagus officinalis* extracts on liver cell toxicity and ethanol metabolism. *J Food Sci.* 74: H204-H208. <http://dx.doi.org/10.1111/j.1750-3841.2009.01263.x>.
- Kim, DH; Kwack, S; Yoon, K; Choi, J; Lee, BM, u. (2015). 4-HYDROXYNONENAL: A SUPERIOR OXIDATIVE BIOMARKER COMPARED TO MALONDIALDEHYDE AND CARBONYL CONTENT INDUCED BY CARBON TETRACHLORIDE IN RATS. *J Toxicol Environ Health A.* 78: 1051-1062. <http://dx.doi.org/10.1080/15287394.2015.1067505>.
- Kim, DH; Song, SB; Kang, WS; Jeong, YH; Yoon, YS; Lee, YM; Chang, BS; Lee, KJ. (2009). Superfine saengshik improves liver protecting effect compared with fine saengshik in an animal model. *J Food Sci.* 74: H59-H64. <http://dx.doi.org/10.1111/j.1750-3841.2008.01065.x>.
- Kim, DW; Cho, HI, k; Kim, K; Kim, S; Choi, J; Kim, YS; Lee, S. (2012). Isorhamnetin-3-O-galactoside Protects against CCl₄-Induced Hepatic Injury in Mice. 20: 406-412. <http://dx.doi.org/10.4062/biomolther.2012.20.4.406>.
- Kim, EJ; Cho, HJ; Park, D; Kim, JY; Kim, YB; Park, TG; Shim, CK; Oh, YK. (2011). Antifibrotic effect of MMP13-encoding plasmid DNA delivered using polyethylenimine shielded with hyaluronic acid. 19: 355-361. <http://dx.doi.org/10.1038/mt.2010.262>.
- Kim, G, iJin; Hwang, SG, yu; Jung, J; Lee, JM, in; Lee, M, inJae; Kim, W; Kwon, SW, on; Kim, GI, I; Rim, K, yuS. (2010). ANTI-FIBROTIC EFFECT OF HUMAN PLACENTA-DERIVED STEM CELLS ON A RAT MODEL OF CCL4-INJURED LIVER AND IN HEPATIC STELLATE CELL LINE (T-HSC/C16) EXPOSED TO TGF-beta IN A CO-CULTURE SYSTEM. *Hepatology.* 52: 976A-976A.
- Kim, G, iJin; Jung, J; Lee, JM, in; Yoon, H; Rim, K, yuS; Hwang, SG, yu. (2011). INCREASED AUTOPHAGY BY HUMAN PLACENTA-DERIVED STEM CELLS IS ASSOCIATED WITH HEPATIC REPAIR ON A RAT MODEL OF CCL4-INJURED LIVER. *Hepatology.* 54: 963A-964A.
- Kim, GJ; Hwang, SG; Jung, J; Lee, MJ; Kim, GI; Kwon, SW; Rim, KS. (2010). THERAPEUTIC POTENTIAL OF HUMAN PLACENTA-DERIVED STEM CELLS IN THE CCL4-INJURED RATS DEPENDS ON TRANSPLANTATION ROUTES. *J Hepatol.* 52: S365-S366.

Human Health Hazard Literature Search Results

On Topic

- Kim, H, yoY; Kim, SJ, oo; Kim, KN, am; Lee, S, inGu; Lee, S, unMee. (2011). Protective effect of HV-P411, an herbal mixture, on carbon tetrachloride-induced liver fibrosis. *Food Chem.* 124: 248-253. <http://dx.doi.org/10.1016/j.foodchem.2010.06.026>.
- Kim, HG; Son, CG. (2014). COMPARISON OF THREE PRO-FIBROGENIC CYTOKINE ACTIVITIES AMONG THREE ANIMAL MODELS INDUCED BY DMN, CCl4, AND TAA. *J Hepatol.* 60: S72-S72.
- Kim, HJ; Bruckner, JV; Dallas, CE; Gallo, JM. (1990). Effect of dosing vehicles on the pharmacokinetics of orally administered carbon tetrachloride in rats. *Toxicol Appl Pharmacol.* 102: 50-60. [http://dx.doi.org/10.1016/0041-008X\(90\)90082-6](http://dx.doi.org/10.1016/0041-008X(90)90082-6).
- Kim, HJ; Cho, YA; Lee, YM; Lee, SY; Bae, WJ; Kim, EC. (2016). PIN1 Suppresses the Hepatic Differentiation of Pulp Stem Cells via Wnt3a. *J Dent Res.* 95: 1415-1424. <http://dx.doi.org/10.1177/0022034516659642>.
- Kim, HJ; Odend'hal, S; Bruckner, JV. (1990). Effect of oral dosing vehicles on the acute hepatotoxicity of carbon tetrachloride in rats. *Toxicol Appl Pharmacol.* 102: 34-49. [http://dx.doi.org/10.1016/0041-008X\(90\)90081-5](http://dx.doi.org/10.1016/0041-008X(90)90081-5).
- Kim, HY; Park, J; Lee, KH; Lee, DU; Kwak, JH; Kim, YS; Lee, SM. (2011). Ferulic acid protects against carbon tetrachloride-induced liver injury in mice. *Toxicology.* 282: 104-111. <http://dx.doi.org/10.1016/j.tox.2011.01.017>.
- Kim, J, onS; Park, J, ia; Lim, J, iSun; Nam, D, aeH; Hong, Y, eS; Han, M, inY; Kim, H, yoJ; Seo, J, iY. (2010). Hepatoprotective Effects of Soybean Varieties Containing Different Levels of Isoflavones and Anthocyanins against Carbon Tetrachloride-Induced Liver Injury in Mice. *FASEB J.* 24.
- Kim, J, onS; Seo, J, iY; Kim, H, yoJ; Lim, J, iSun; Park, J, ia; Nam, D, aeH; Hong, Y, eS; Han, M, inY; Lim, SS; Park, JH, anY. (2010). Hepatoprotective Effect of Dehydroglyasperin C against Carbon Tetrachloride-Induced Tissue Damage in Mice Model. *FASEB J.* 24.
- Kim, J; Wang, S; Hyun, J; Choi, SS; Cha, H; Ock, M; Jung, Y. (2015). Hepatic stellate cells express thymosin Beta 4 in chronically damaged liver. *PLoS ONE.* 10: e0122758. <http://dx.doi.org/10.1371/journal.pone.0122758>.
- Kim, KH; Chen, CC; Monzon, RI; Lau, LF. (2013). Matricellular protein CCN1 promotes regression of liver fibrosis through induction of cellular senescence in hepatic myofibroblasts. *Mol Cell Biol.* 33: 2078-2090. <http://dx.doi.org/10.1128/MCB.00049-13>.
- Kim, KH; Lee, JM; Zhou, Y; Harpavat, S; Moore, DD. (2016). Glucocorticoids Have Opposing Effects on Liver Fibrosis in Hepatic Stellate and Immune Cells. 30: 905-916. <http://dx.doi.org/10.12110/me.2016-1029>.
- Kim, M; Yang, SG; Kim, JM; Lee, JW; Kim, YS; Lee, JI. (2012). Silymarin suppresses hepatic stellate cell activation in a dietary rat model of non-alcoholic steatohepatitis: analysis of isolated hepatic stellate cells. *Int J Mol Med.* 30: 473-479. <http://dx.doi.org/10.3892/ijmm.2012.1029>.
- Kim, S; Na, JY; Song, K; Kwon, J. (2016). In vivo protective effect of phosphatidylcholine on carbon tetrachloride induced nephrotoxicity. *Exp Toxicol Pathol.* 68: 553-558. <http://dx.doi.org/10.1016/j.etp.2016.08.005>.
- Kim, SH; Cheon, HJ; Yun, N; Oh, ST; Shin, E; Shim, KS; Lee, SM. (2009). Protective effect of a mixture of Aloe vera and Silybum marianum against carbon tetrachloride-induced acute hepatotoxicity and liver fibrosis. *J Pharmacol Sci.* 109: 119-127. <http://dx.doi.org/10.1254/jphs.08189FP>.
- Kim, SJ; Park, JH; Kim, KH; Lee, WR; Chang, YC; Park, KK; Lee, KG; Han, SM; Yeo, JH; Pak, SC. (2010). Bee venom inhibits hepatic fibrosis through suppression of pro-fibrogenic cytokine expression. *Am J Chin Med.* 38: 921-935. <http://dx.doi.org/10.1142/S0192415X10008354>.
- Kim, SJ; Park, KC; Lee, JU; Kim, KJ; Kim, DG. (2011). Therapeutic potential of adipose tissue-derived stem cells for liver failure according to the transplantation routes. 81: 176-186. <http://dx.doi.org/10.4174/jkss.2011.81.3.176>.
- Kim, TH; Kim, YW; Shin, SM; Kim, CW; Yu, IJ; Kim, SG. (2010). Synergistic hepatotoxicity of N,N-dimethylformamide with carbon tetrachloride in association with endoplasmic reticulum stress. *Chem Biol Interact.* 184: 492-501. <http://dx.doi.org/10.1016/j.cbi.2010.01.029>.
- Kim, TW; Lee, DR; Choi, BK; Kang, HK; Jung, JY; Lim, SW; Yang, SH; Suh, JW. (2016). Hepatoprotective effects of polymethoxyflavones against acute and chronic carbon tetrachloride intoxication. *Food Chem Toxicol.* 91: 91-99. <http://dx.doi.org/10.1016/j.fct.2016.03.004>.
- Kim, TW; Lim, JH; Song, IB; Park, SJ; Yang, JW; Shin, JC; Suh, JW; Son, HY; Cho, ES; Kim, MS; Lee, SW; Kim, JW; Yun, HI. (2012). Hepatoprotective and anti-hepatitis C viral activity of Platycodon grandiflorum extract on carbon tetrachloride-induced acute hepatic injury in mice. *J Nutr Sci Vitaminol.* 58: 187-194.
- Kim, Y; You, Y; Yoon, HG; Lee, YH; Kim, K; Lee, J; Kim, MS; Kim, JC; Jun, W. (2014). Hepatoprotective effects of fermented *Curcuma longa* L. on carbon tetrachloride-induced oxidative stress in rats. *Food Chem.* 151: 148-153. <http://dx.doi.org/10.1016/j.foodchem.2013.11.058>.
- Kimura, K; Nagaki, M; Matsuura, T; Moriwaki, H; Kakimi, K. (2009). Pathological role of CD44 on NKT cells in carbon tetrachloride-mediated liver injury. *Hepatology Research.* 39: 93-105. <http://dx.doi.org/10.1111/j.1872-034X.2008.00409.x>.
- Kiplinger, GF; Kensler, CJ. (1963). Failure of phenoxybenzamine to prevent formation of hepatomas after chronic carbon tetrachloride administration. *J Natl Cancer Inst.* 30: 837-843.
- Kiso, K; Ueno, S; Fukuda, M; Ichi, I; Kobayashi, K; Sakai, T; Fukui, K; Kojo, S. (2012). The Role of Kupffer Cells in Carbon Tetrachloride Intoxication in Mice. *Biol Pharm Bull.* 35: 980-983.
- Kisseleva, T; Cong, M; Paik, Y; Scholten, D; Jiang, C; Benner, C; Iwaisako, K; Moore-Morris, T; Scott, B; Tsukamoto, H; Evans, SM; Dillmann, W; Glass, CK; Brenner, DA. (2012). Myofibroblasts revert to an inactive phenotype during regression of liver fibrosis. *Proc Natl Acad Sci USA.* 109: 9448-9453. <http://dx.doi.org/10.1073/pnas.1201840109>.
- Kisseleva, T; von Köckritz-Blickwede, M; Reichart, D; McGillvray, SM; Wingender, G; Kronenberg, M; Glass, CK; Nizet, V; Brenner, DA. (2011). Fibrocyte-like cells recruited to the spleen support innate and adaptive immune responses to acute injury or infection. *J Mol Med.* 89: 997-1013. <http://dx.doi.org/10.1007/s00109-011-0756-0>.
- Kitchin, KT; Brown, JL. (1989). Biochemical effects of three carcinogenic chlorinated methanes in rat liver. *Teratog Carcinog Mutagen.* 9: 61-69. <http://dx.doi.org/10.1002/tcm.1770090108>.
- Kitta, D; Schwarz, M; HA, T. (1982). Covalent binding of CCl4-intermediates to reduced pyridine nucleotides in mouse liver. reactive intermediates-II: chemical mechanisms and biological effects. 769-777.

Human Health Hazard Literature Search Results

On Topic

- Kizu, T; Yoshida, Y; Furuta, K; Ogura, S; Egawa, M; Chatani, N; Hamano, M; Takemura, T; Ezaki, H; Kamada, Y; Nishida, K; Nakaoka, Y; Kiso, S; Takehara, T. (2015). Loss of Gab1 adaptor protein in hepatocytes aggravates experimental liver fibrosis in mice. *Am J Physiol Gastrointest Liver Physiol.* 308: G613-G624. <http://dx.doi.org/10.1152/ajpgi.00289.2014>.
- Klaassen, CD. (1996). Casarett and Doull's toxicology: the basic science of poisons.
- Klein, S; Rick, J; Lehmann, J; Schierwagen, R; Schierwagen, IG; Verbeke, L; Hittatiya, K; Uschner, FE; Manekeller, S; Strassburg, CP; Wagner, KU; Sayeski, PP; Wolf, D; Laleman, W; Sauerbruch, T; Trebicka, J. (2017). Janus-kinase-2 relates directly to portal hypertension and to complications in rodent and human cirrhosis. *Gut.* 66: 145-155. <http://dx.doi.org/10.1136/gutjnl-2015-309600>.
- Kluwe, J; Wongsiriroj, N; Troeger, JS; Gwak, GY; Dapito, DH; Pradere, JP; Jiang, H; Siddiqi, M; Piantedosi, R; O'Byrne, SM; Blaner, WS; Schwabe, RF. (2011). Absence of hepatic stellate cell retinoid lipid droplets does not enhance hepatic fibrosis but decreases hepatic carcinogenesis. *Gut.* 60: 1260-1268. <http://dx.doi.org/10.1136/gut.2010.209551>.
- Kluwe, WM; Herrmann, CL; Hook, JB. (1979). Effects of dietary polychlorinated biphenyls and polybrominated biphenyls on the renal and hepatic toxicities of several chlorinated hydrocarbon solvents in mice. *J Toxicol Environ Health.* 5: 605-615. <http://dx.doi.org/10.1080/15287397909529773>.
- Kniepert, E; Siegemund, A; Görisch, V. (1990). Influence of ethanol pretreatment of differing duration on toxic effects of carbon tetrachloride in rats. *Biomed Biochim Acta.* 49: 1097-1102.
- Knight, V; Tchongue, J; Lourensz, D; Tipping, P; Sievert, W. (2012). Protease-activated receptor 2 promotes experimental liver fibrosis in mice and activates human hepatic stellate cells. *Hepatology.* 55: 879-887. <http://dx.doi.org/10.1002/hep.24784>.
- Knockaert, L; Berson, A; Ribault, C; Prost, PE; Fautrel, A; Pajaud, J; Lepage, S; Lucas-Clerc, C; Bégué, JM; Fromenty, B; Robin, MA. (2012). Carbon tetrachloride-mediated lipid peroxidation induces early mitochondrial alterations in mouse liver. *Lab Invest.* 92: 396-410. <http://dx.doi.org/10.1038/labinvest.2011.193>.
- Knockaert, L; Ribault, C; Fautrel, A; Lepage, S; Begue, J; Fromenty, B; Robin, M. (2011). Early carbon tetrachloride-induced liver toxicity involve lipid peroxidation-dependent and independent mechanisms. *Toxicol Lett.* 205: S185-S185. <http://dx.doi.org/10.1016/j.toxlet.2011.05.643>.
- Ko, HJ; Chen, JH; Ng, LT. (2011). Hepatoprotection of *Gentiana scabra* extract and polyphenols in liver of carbon tetrachloride-intoxicated mice. 30: 179-187.
- Kocabayoglu, P; Lade, A; Lee, YA; Dragomir, AC; Sun, X; Fiel, MI; Thung, S; Aloman, C; Soriano, P; Hoshida, Y; Friedman, SL. (2015). β -PDGF receptor expressed by hepatic stellate cells regulates fibrosis in murine liver injury, but not carcinogenesis. *J Hepatol.* 63: 141-147. <http://dx.doi.org/10.1016/j.jhep.2015.01.036>.
- Kodai, S; Takemura, S; Kubo, S; Azuma, H; Minamiyama, Y. (2015). Therapeutic administration of an ingredient of aged-garlic extracts, S-allyl cysteine resolves liver fibrosis established by carbon tetrachloride in rats. *J Clin Biochem Nutr.* 56: 179-185. <http://dx.doi.org/10.3164/jcbrn.14-108>.
- Kodavanti, PRS; Kodavanti, UP; Faroon, OM; Mehendale, HM. (1992). Pivotal role of hepatocellular regeneration in the ultimate hepatotoxicity of CCl4 in chlordecone-, mirex-, or phenobarbital-pretreated rats. *Toxicol Pathol.* 20: 556-569. <http://dx.doi.org/10.1177/019262339202000402>.
- Kogure, T; Costinean, S; Yan, I; Braconi, C; Croce, C; Patel, T. (2012). Hepatic miR-29ab1 expression modulates chronic hepatic injury. *J Cell Mol Med.* 16: 2647-2654. <http://dx.doi.org/10.1111/j.1582-4934.2012.01578.x>.
- Koh, PH; Mokhtar, RA; Iqbal, M. (2011). *Andrographis paniculata* ameliorates carbon tetrachloride (CCl4)-dependent hepatic damage and toxicity: diminution of oxidative stress. *Redox Rep.* 16: 134-143. <http://dx.doi.org/10.1179/1351000211Y.0000000003>.
- Koh, PH; Mokhtar, RA; Iqbal, M. (2012). Antioxidant potential of *Cymbopogon citratus* extract: alleviation of carbon tetrachloride-induced hepatic oxidative stress and toxicity. *Hum Exp Toxicol.* 31: 81-91. <http://dx.doi.org/10.1177/0960327111407226>.
- Kohjima, M; Tsai, TH; Tackett, BC; Thevananther, S; Li, L; Chang, BH; Chan, L. (2013). Delayed liver regeneration after partial hepatectomy in adipose differentiation related protein-null mice. *J Hepatol.* 59: 1246-1254. <http://dx.doi.org/10.1016/j.jhep.2013.07.025>.
- Kohno, H; Hoshino, Y; Katoh, S; Ohkubo, Y. (1992). Effect of retinoic acid on liver transglutaminase activity and carbon tetrachloride-induced liver damage in mice. *Experientia.* 48: 386-388. <http://dx.doi.org/10.1007/BF01923436>.
- Kojima-Yuasa, A; Kamatani, K; Tabuchi, M; Akahoshi, Y; Kennedy, DO; Matsui-Yuasa, I. (2011). Zinc deficiency enhances sensitivity to carbon tetrachloride-induced hepatotoxicity in rats. *J Trace Elem Med Biol.* 25: 103-108. <http://dx.doi.org/10.1016/j.jtemb.2011.02.001>.
- Kokanova-Nedialkova, Z; Nedialkova, P; Kondeva-Burdina, M; Simeonova, R; Tzankova, V; Aluani, D. (2017). *Chenopodium bonus-henricus* L. - A source of hepatoprotective flavonoids. *Fitoterapia.* 118: 13-20. <http://dx.doi.org/10.1016/j.fitote.2017.02.001>.
- Kolesnikova, LI; Karpova, EA; Vlasov, BY; Sukhov, BG; Mov, BA. (2015). Lipid Peroxidation-Antioxidant Defense System during Toxic Liver Damage and Its Correction with a Nanocomposite [corrected] Substance Containing Selenium and Arabinogalactan. *Bull Exp Biol Med.* 159: 225-228. <http://dx.doi.org/10.1007/s10517-015-2928-3>.
- Komatsu, Y; Waku, T; Iwasaki, N; Ono, W; Yamaguchi, C; Yanagisawa, J. (2012). Global analysis of DNA methylation in early-stage liver fibrosis. *BMC Medical Genomics.* 5: 5. <http://dx.doi.org/10.1186/1755-8794-5-5>.
- Konan, K; Justin, NK; Lydie, B; Souleymane, M; Francis, YA; David, NJ. (2015). Hepatoprotective and in vivo antioxidant activity of *Olax subscorpioidea* Oliv. (Olacaceae) and *Distemonathus benthamianus* Baill. (Caesalpiniaceae). *Pharmacognosy Magazine.* 11: 111-116. <http://dx.doi.org/10.4103/0973-1296.149723>.
- Kong, DS; Ma, J; Lu, Y; Ni, GX; Ni, CY; Zhang, XJ; Wang, AY; Chen, WX; Zheng, SZ. (2012). [Effects of acupuncture intervention on hepatic platelet-derived growth factor signaling pathway in CCl4-induced hepatic fibrosis rats]. *Zhen Ci Yan Jiu.* 37: 87-92.
- Kong, LB; Ren, WG; Mi, HM; Zhao, SX; Zhang, YG; Nan, YM. (2013). [Establishment of a complex alcoholic liver fibrosis mouse model and investigation of OPN and TGF-beta1 hepatic expression]. *Zhonghua Gan Zang Bing Za Zhi.* 21: 207-212.

Human Health Hazard Literature Search Results

On Topic

- Kong, YL; Chen, YW; Min, CY. (2016). [52 acute toxic hepatopathy cases induced by tetrachloromethane combined organic solvent]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi*. 34: 701-702.
- Kopanja, D; Stoyanova, T; Okur, MN; Huang, E; Bagchi, S; Raychaudhuri, P. (2009). Proliferation defects and genome instability in cells lacking Cul4A. *Oncogene*. 28: 2456-2465. <http://dx.doi.org/10.1038/onc.2009.86>.
- Kopec, AK; Joshi, N; Luyendyk, JP. (2016). Role of hemostatic factors in hepatic injury and disease: animal models de-liver [Review]. *J Thromb Haemost*. 14: 1337-1349. <http://dx.doi.org/10.1111/jth.13327>.
- Kopec, AK; Luyendyk, JP. (2016). Role of Fibrin(ogen) in Progression of Liver Disease: Guilt by Association? *Semin Thromb Hemost*. 42: 397-407. <http://dx.doi.org/10.1055/s-0036-1579655>.
- Koprec, KP; Kim, HK; Mackenzie, WF; Bruckner, JV. (1995). Effect of oral dosing vehicles on the subchronic hepatotoxicity of carbon tetrachloride in the rat. *J Toxicol Environ Health*. 44: 13-27. <http://dx.doi.org/10.1080/15287399509531940>.
- Korkmaz, H; Temel, T; Bugdaci, MS; Tekelioglu, Y; Ozoran, Y; Kapicioglu, S. (2014). Effects of fish oil on cell proliferation and liver injury in an experimental model of acute hepatic injury induced by carbon tetrachloride. *Bratisl Lek Listy*. 115: 185-189. http://dx.doi.org/10.4149/BLL_2014_039.
- Korsrud, GO; Grice, HC; Mclaughlan, JM. (1972). Sensitivity of several serum enzymes in detecting carbon tetrachloride-induced liver damage in rats. *Toxicol Appl Pharmacol*. 22: 474-483.
- Kosenko, EA; Kaminsky, YG. (2010). Activation of AMP deaminase and adenosine deaminase in the liver during ammonia poisoning and hepatitis. *Bull Exp Biol Med*. 150: 36-38.
- Koyama, Y; Taura, K; Hatano, E; Tanabe, K; Yamamoto, G; Nakamura, K; Yamanaka, K; Kitamura, K; Narita, M; Nagata, H; Yanagida, A; Iida, T; Iwaisako, K; Fujinawa, H; Uemoto, S. (2014). Effects of oral intake of hydrogen water on liver fibrogenesis in mice. *Hepatology Research*. 44: 663-677. <http://dx.doi.org/10.1111/hepr.12165>.
- Krishnan, A; Li, X; Kao, WY; Viker, K; Butters, K; Masuoka, H; Knudsen, B; Gores, G; Charlton, M. (2012). Lumican, an extracellular matrix proteoglycan, is a novel requisite for hepatic fibrosis. *Lab Invest*. 92: 1712-1725. <http://dx.doi.org/10.1038/labinvest.2012.121>.
- Krishnappa, P; Venkatarangiah, K; Venkatesh, K; Shivamogga Rajanna, SK; Kashi Prakash Gupta, R. (2014). Antioxidant and prophylactic effects of Delonix elata L., stem bark extracts, and flavonoid isolated quercetin against carbon tetrachloride-induced hepatotoxicity in rats. *BioMed Res Int*. 2014: 507851. <http://dx.doi.org/10.1155/2014/507851>.
- Krithika, R; Jyothilakshmi, V; Verma, RJ. (2016). Phyllanthin inhibits CCl4-mediated oxidative stress and hepatic fibrosis by down-regulating TNF- α /NF- κ B, and pro-fibrotic factor TGF- β 1 mediating inflammatory signaling. *Toxicol Ind Health*. 32: 953-960. <http://dx.doi.org/10.1177/0748233714532996>.
- Krithika, R; Mohankumar, R; Verma, RJ; Shrivastav, PS; Mohamad, IL; Gunasekaran, P; Narasimhan, S. (2009). Isolation, characterization and antioxidative effect of phyllanthin against CCl4-induced toxicity in HepG2 cell line. *Chem Biol Interact*. 181: 351-358. <http://dx.doi.org/10.1016/j.cbi.2009.06.014>.
- Krithika, R; Verma, RJ. (2009). Ameliorative potential of Phyllanthus amarus against carbon tetrachloride-induced hepatotoxicity. *Acta Pol Pharm*. 66: 579-583.
- Krithika, R; Verma, RJ. (2009). Mitigation of carbon tetrachloride-induced damage by Phyllanthus amarus in liver of mice. *Acta Pol Pharm*. 66: 439-444.
- Krithika, R; Verma, RJ; Shrivastav, PS. (2013). Antioxidative and cytoprotective effects of andrographolide against CCl4-induced hepatotoxicity in HepG2 cells. *Hum Exp Toxicol*. 32: 530-543. <http://dx.doi.org/10.1177/0960327112459530>.
- Kröner, H. (1982). The intracellular distribution of liver cell calcium in normal rats and one hour after administration of carbon tetrachloride. *Biochem Pharmacol*. 31: 1069-1073.
- Kubale, TL; Daniels, RD; Yiin, JH; Couch, J; Schubauer-Berigan, MK; Kinnes, GM; Silver, SR; Nowlin, SJ; Chen, PH. (2005). A nested case-control study of leukemia mortality and ionizing radiation at the Portsmouth Naval Shipyard. *Radiat Res*. 164: 810-819.
- Kubo, K; Ohnishi, S; Hosono, H; Fukai, M; Kameya, A; Higashi, R; Yamada, T; Onishi, R; Yamahara, K; Takeda, H; Sakamoto, N. (2015). Human Amnion-Derived Mesenchymal Stem Cell Transplantation Ameliorates Liver Fibrosis in Rats. 1: e16. <http://dx.doi.org/10.1097/TXD.0000000000000525>.
- Kujawska, M; Ignatowicz, E; Ewertowska, M; Markowski, J; Jodynis-Liebert, J. (2011). Cloudy apple juice protects against chemical-induced oxidative stress in rat. *Eur J Nutr*. 50: 53-60. <http://dx.doi.org/10.1007/s00394-010-0114-y>.
- Kujawska, M; Ignatowicz, E; Ewertowska, M; Oszmiański, J; Jodynis-Liebert, J. (2011). Protective effect of chokeberry on chemical-induced oxidative stress in rat. *Hum Exp Toxicol*. 30: 199-208. <http://dx.doi.org/10.1177/0960327110371697>.
- Kujawska, M; Ignatowicz, E; Murias, M; Ewertowska, M; Mikołajczyk, K; Jodynis-Liebert, J. (2009). Protective effect of red beetroot against carbon tetrachloride- and N-nitrosodiethylamine-induced oxidative stress in rats. *J Agric Food Chem*. 57: 2570-2575. <http://dx.doi.org/10.1021/jf803315d>.
- Kukic-Markovic, J; Dobric, S; Jacevic, V; Topic, A; Marin, P; Petrovic, S. (2009). Hepatoprotective activity of Stachys extracts against CCl4-induced hepatotoxicity in rats. *Planta Med*. 75: 1039-1039.
- Kukner, A; Tore, F; Firat, T; Terzi, EH; Oner, H; Balaban, Y; Ozogul, C. (2010). THE THERAPEUTIC EFFECT OF LOW MOLECULAR WEIGHT HEPARIN ON CCL4-INDUCED NECROSIS AND APOPTOSIS IN RAT LIVER. *J Hepatol*. 52: S361-S361.
- Kukner, A; Tore, F; Firat, T; Terzi, EH; Oner, H; Balaban, YH; Ozogul, C. (2010). The preventive effect of low molecular weight heparin on CCL4-induced necrosis and apoptosis in rat liver. *Ann Hepatol*. 9: 445-454.
- Kuloglu, N; Sönmez, MF. (2015). A biochemical and immunohistochemical study of the protective effects of carnosine for carbon tetrachloride induced liver injury in rats. 90: 608-614. <http://dx.doi.org/10.3109/10520295.2015.1044565>.

Human Health Hazard Literature Search Results

On Topic

- Kumagai, K; Tabu, K; Sasaki, F; Takami, Y; Morinaga, Y; Mawatari, S; Hashimoto, S; Tanoue, S; Kanmura, S; Tamai, T; Moriuchi, A; Uto, H; Tsubouchi, H; Ido, A. (2015). Glycoprotein Nonmetastatic Melanoma B (GpnmB)-Positive Macrophages Contribute to the Balance between Fibrosis and Fibrolysis during the Repair of Acute Liver Injury in Mice. *PLoS ONE*. 10: e0143413. <http://dx.doi.org/10.1371/journal.pone.0143413>.
- Kumar, BS; Chung, BC; Kwon, OS; Jung, BH. (2012). Discovery of common urinary biomarkers for hepatotoxicity induced by carbon tetrachloride, acetaminophen and methotrexate by mass spectrometry-based metabolomics. *J Appl Toxicol*. 32: 505-520. <http://dx.doi.org/10.1002/jat.1746>.
- Kumar, P; Ranawade, AV; Kumar, NG. (2014). Potential probiotic *Escherichia coli* 16 harboring the *Vitreoscilla* hemoglobin gene improves gastrointestinal tract colonization and ameliorates carbon tetrachloride induced hepatotoxicity in rats. *BioMed Res Int*. 2014: 213574. <http://dx.doi.org/10.1155/2014/213574>.
- Kumar, P; Smith, T; Rahman, K; Mells, JE; Thorn, NE; Saxena, NK; Anania, FA. (2014). Adiponectin modulates focal adhesion disassembly in activated hepatic stellate cells: implication for reversing hepatic fibrosis. *FASEB J*. 28: 5172-5183. <http://dx.doi.org/10.1096/fj.14-253229>.
- Kumar, P; Smith, T; Rahman, K; Thorn, N; Anania, FA. (2014). The adiponectin peptide agonist ADP355 attenuates CCl₄-mediated liver fibrosis: therapeutic implications by multiple molecular mechanisms in vivo and in vitro. *Hepatology*. 60: 568A-568A.
- Kumar, P; Smith, T; Rahman, K; Thorn, NE; Anania, FA. (2014). Adiponectin Agonist ADP355 Attenuates CCl₄-Induced Liver Fibrosis in Mice. *PLoS ONE*. 9: e110405. <http://dx.doi.org/10.1371/journal.pone.0110405>.
- Kumar, T; Jain, V. (2015). Appraisal of Total Phenol, Flavonoid Contents, and Antioxidant Potential of Folkloric *Lannea coromandelica* Using In Vitro and In Vivo Assays. 2015: 203679. <http://dx.doi.org/10.1155/2015/203679>.
- Kumar, V; Mahato, RI. (2015). Delivery and targeting of miRNAs for treating liver fibrosis [Review]. *Pharm Res*. 32: 341-361. <http://dx.doi.org/10.1007/s11095-014-1497-x>.
- Kumarappan, C; Vijayakumar, M; Thilagam, E; Balamurugan, M; Thiagarajan, M; Senthil, S; Das, SC; Mandal, SC. (2011). Protective and curative effects of polyphenolic extracts from *Ichnocarpus frutescens* leaves on experimental hepatotoxicity by carbon tetrachloride and tamoxifen. *Ann Hepatol*. 10: 63-72.
- Kuo, DH; Kang, W, enH; Shieh, P, oC; Chen, F, uAn; Chang, CD; Tsai, M, eiL; Cheng, A, nC; Ho, C, hiT; Pan, M, inH. (2010). Protective effect of *Pracparatum mungo* extract on carbon tetrachloride-induced hepatotoxicity in rats. *Food Chem*. 123: 1007-1012. <http://dx.doi.org/10.1016/j.foodchem.2010.05.052>.
- Kuriakose, GC; Kurup, MG. (2011). Antioxidant and antihepatotoxic effect of *Spirulina laxissima* against carbon tetrachloride induced hepatotoxicity in rats. 2: 190-196. <http://dx.doi.org/10.1039/c0fo00163e>.
- Kuribayashi, T; Seita, T; Honjo, T; Yamazaki, S; Momotani, E; Yamamoto, S. (2012). Impairment of $\alpha(2)$ -macroglobulin synthesis in experimental hepatopathic rats treated with turpentine oil. *Exp Anim*. 61: 125-130.
- Kurt, A; Tumkaya, L; Yuce, S; Turut, H; Cure, MC; Sehitoglu, I; Kalkan, Y; Pusuroglu, G; Cure, E. (2016). The protective effect of infliximab against carbon tetrachloride-induced acute lung injury. *Iranian Journal of Basic Medical Sciences*. 19: 685-691.
- Kurt, H; Ustuner, D; Ustuner, MC; Ozden, H. (2009). NUCLEAR BUDDING IN CARBON TETRACHLORIDE AND LYCOPENE IN VIVO. *IUBMB Life*. 61: 351-351.
- Kushnerova, NF; Fedoreev, SA; Fomenko, SE; Sprygin, VG; Kulesh, NI; Mishchenko, NP; Veselova, MV; Momot, TV. (2014). [Hepatoprotective properties of isoflavonoids from roots of *Maackia amurensis* on experimental carbon tetrachloride-induced hepatic damage]. *Eksp Klin Farmakol*. 77: 26-30.
- Kuwahata, M; Kubota, H; Kanouchi, H; Ito, S; Ogawa, A; Kobayashi, Y; Kido, Y. (2012). Supplementation with branched-chain amino acids attenuates hepatic apoptosis in rats with chronic liver disease. 32: 522-529. <http://dx.doi.org/10.1016/j.nutres.2012.06.007>.
- Kuwahata, M; Kubota, H; Katsukawa, M; Ito, S; Ogawa, A; Kobayashi, Y; Nakamura, Y; Kido, Y. (2012). Effect of branched-chain amino acid supplementation on the oxidized/reduced state of plasma albumin in rats with chronic liver disease. *J Clin Biochem Nutr*. 50: 67-71. <http://dx.doi.org/10.3164/jcfn.11-37>.
- Kwiecinski, MR; Felipe, KB; Correia, JF; Ferreira, EA; Rossi, MH; de Moura Gatti, F; Filho, DW; Pedrosa, RC. (2011). Brazilian *Bidens pilosa* Linné yields fraction containing quercetin-derived flavonoid with free radical scavenger activity and hepatoprotective effects. *Libyan Journal of Medicine*. 6. <http://dx.doi.org/10.3402/ljm.v6i0.5651>.
- Kwon, HJ; Won, YS; Park, O; Chang, B; Duryee, MJ; Thiele, GE; Matsumoto, A; Singh, S; Abdelmegeed, MA; Song, BJ; Kawamoto, T; Vasiliou, V; Thiele, GM; Gao, B. (2014). Aldehyde dehydrogenase 2 deficiency ameliorates alcoholic fatty liver but worsens liver inflammation and fibrosis in mice. *Hepatology*. 60: 146-157. <http://dx.doi.org/10.1002/hep.27036>.
- Kwon, YH; Jovanovic, A; Serfas, MS; Tyner, AL. (2003). The Cdk inhibitor p21 is required for necrosis, but it inhibits apoptosis following toxin-induced liver injury. *J Biol Chem*. 278: 30348-30355. <http://dx.doi.org/10.1074/jbc.M300996200>.
- Lacoste, B; Raymond, VA; Lapierre, P; Bilodeau, M. (2016). Protection against Acute Hepatocellular Injury Afforded by Liver Fibrosis Is Independent of T Lymphocytes. *PLoS ONE*. 11: e0165360. <http://dx.doi.org/10.1371/journal.pone.0165360>.
- Ladics, GS; Smith, C; Elliott, GS; Slone, TW; Loveless, SE. (1998). Further evaluation of the incorporation of an immunotoxicological functional assay for assessing humoral immunity for hazard identification purposes in rats in a standard toxicology study. *Toxicology*. 126: 137-152.
- LaFreniere, L. (2010). Sitewide Monitoring at Agra, Kansas, June 2009. In *Govt Reports Announcements and Index* (pp. 94). Argonne National Laboratory.
- LaFreniere, L. (2011). Annual Report of Monitoring at Barnes, Kansas, in 2010 (pp. 217). Argonne National Laboratory.
- LaFreniere, L. (2011). Annual Report of Monitoring at Morrill, Kansas, in 2010. 382.

Human Health Hazard Literature Search Results

On Topic

- LaFreniere, L. (2011). Final Report: Hanover Environmental Site Investigation, 2009-2010. Volume 1: Main Text (pp. 2785).
- LaFreniere, L. (2011). Sitewide Monitoring at Agra, Kansas, June 2011. 137.
- LaFreniere, L. (2012). Annual Report of Monitoring at Barnes, Kansas, in 2011. 143.
- Lai, EK; Mccay, PB; Noguchi, T; Fong, KL. (1979). In vivo spin-trapping of trichloromethyl radicals formed from CCl₄. *Biochem Pharmacol.* 28: 2231-2235.
- Lai, JT; Hsieh, WT; Fang, HL; Lin, WC. (2009). The protective effects of a fermented substance from *Saccharomyces cerevisiae* on carbon tetrachloride-induced liver damage in rats. *Clin Nutr.* 28: 338-345. <http://dx.doi.org/10.1016/j.clnu.2009.01.011>.
- Lai, LQ; Yuan, YS; Gao, J; Zhu, RZ; Yu, Y. (2010). [Differential expression of MAPK-pathway genes during liver regeneration of mouse.]. *Yi Chuan.* 32: 1043-1050.
- Lai, TY; Weng, YJ; Kuo, WW; Chen, LM; Chung, YT; Lin, YM; Tsai, FJ; Lee, CH; Choong, YM; Lai, EY; Huang, CY; Yeh, YL. (2010). Taohe Chengqi Tang ameliorates acute liver injury induced by carbon tetrachloride in rats. *Zhong Xi Yi Jie He Xue Bao.* 8: 49-55.
- Lakshman, MR; Reyes-Gordillo, K; Varatharajalu, R; Arellanes-Robledo, J; Leckey, LC; Garige, M; Shah, R. (2014). Novel modulators of hepatosteatosis, inflammation and fibrogenesis. *Hepatology International.* 8 Suppl 2: 413-420. <http://dx.doi.org/10.1007/s12072-014-9526-8>.
- Lambris, JD. (2009). Complement and cytokine network in liver regeneration.
- Lambris, JD. (2010). Complement and cytokine network in liver regeneration.
- Lambris, JD. (2011). Complement and cytokine network in liver regeneration.
- Lan, L; Chen, YW; Sun, C; Liu, BW; Sun, QL; Li, DG. (2009). [Effect of interleukin 10 gene-modified bone marrow-derived liver stem cells transplantation on hepatic inflammatory response and liver regeneration in hepatic fibrosis rats]. *Zhonghua Gan Zang Bing Za Zhi.* 17: 915-920.
- Lan, T; Kisseleva, T; Brenner, DA. (2015). Deficiency of NOX1 or NOX4 Prevents Liver Inflammation and Fibrosis in Mice through Inhibition of Hepatic Stellate Cell Activation. *PLoS ONE.* 10: e0129743. <http://dx.doi.org/10.1371/journal.pone.0129743>.
- Landgren, O; Kyle, RA; Hoppin, JA; Beane Freeman, LE; Cerhan, J. R.; Katzmann, JA; Rajkumar, SV; Alavanja, MC. (2009). Pesticide exposure and risk of monoclonal gammopathy of undetermined significance in the Agricultural Health Study. *Blood.* 113: 6386-6391. <http://dx.doi.org/10.1182/blood-2009-02-203471>.
- Lang, Q; Liu, Q; Xu, N; Qian, KL; Qi, JH; Sun, YC; Xiao, L; Shi, XF. (2011). The antifibrotic effects of TGF- β 1 siRNA on hepatic fibrosis in rats. *Biochem Biophys Res Commun.* 409: 448-453. <http://dx.doi.org/10.1016/j.bbrc.2011.05.023>.
- Lapshina, EA; Zamaraeva, M; Cheshchevik, VT; Olchowik-Grabarek, E; Sekowski, S; Zukowska, I; Golovach, NG; Burd, VN; Zavodnik, IB. (2015). Cranberry flavonoids prevent toxic rat liver mitochondrial damage in vivo and scavenge free radicals in vitro. *Cell Biochem Funct.* 33: 202-210. <http://dx.doi.org/10.1002/cbf.3104>.
- Lardizábal, MN; Nocito, AL; Daniele, SM; Ornella, LA; Palatnik, JF; Veggi, LM. (2012). Reference genes for real-time PCR quantification of microRNAs and messenger RNAs in rat models of hepatotoxicity. *PLoS ONE.* 7: e36323. <http://dx.doi.org/10.1371/journal.pone.0036323>.
- Lardizábal, MN; Rodríguez, RE; Nocito, AL; Daniele, SM; Palatnik, JF; Veggi, LM. (2014). Alteration of the microRNA-122 regulatory network in rat models of hepatotoxicity. *Environ Toxicol Pharmacol.* 37: 354-364. <http://dx.doi.org/10.1016/j.etap.2013.12.008>.
- Lau, BW. (2009). Microarray Discovery of Hepatic Biomarkers.
- Laviña, B; Gracia-Sancho, J; Rodríguez-Vilarrupla, A; Chu, Y; Heistad, DD; Bosch, J; García-Pagán, JC. (2009). Superoxide dismutase gene transfer reduces portal pressure in CCl₄ cirrhotic rats with portal hypertension. *Gut.* 58: 118-125. <http://dx.doi.org/10.1136/gut.2008.149880>.
- Lavrentiadou, SN; Tsantarliotou, MP; Zervos, IA; Nikolaidis, E; Georgiadis, MP; Taitzoglou, IA. (2013). CCl₄ induces tissue-type plasminogen activator in rat brain; protective effects of oregano, rosemary or vitamin E. *Food Chem Toxicol.* 61: 196-202. <http://dx.doi.org/10.1016/j.fct.2013.06.049>.
- Lazarova, I; Simeonova, R; Vitcheva, V; Kondeva-Burdina, M; Gevrenova, R; Zheleva-Dimitrova, D; Zengin, G; Danchev, ND. (2016). Hepatoprotective and antioxidant potential of *Asphodeline lutea* (L.) Rchb. roots extract in experimental models in vitro/in vivo. *Biomed Pharmacother.* 83: 70-78. <http://dx.doi.org/10.1016/j.biopha.2016.06.023>.
- Le Corre, SS; Berchel, M; Couthon-Gourvès, H; Haelters, JP; Jaffrès, PA. (2014). Atherton-Todd reaction: mechanism, scope and applications [Review]. *Beilstein Journal of Organic Chemistry.* 10: 1166-1196. <http://dx.doi.org/10.3762/bjoc.10.117>.
- Lee, BH; Huang, YY; Duh, PD; Wu, SC. (2012). Hepatoprotection of emodin and *Polygonum multiflorum* against CCl₄-induced liver injury. *Pharmaceutical Biology.* 50: 351-359. <http://dx.doi.org/10.3109/13880209.2011.604335>.
- Lee, BJ; Senevirathne, M; Kim, JS; Kim, YM; Lee, MS; Jeong, MH; Kang, YM; Kim, JI; Nam, BH; Ahn, CB; Je, JY. (2010). Protective effect of fermented sea tangle against ethanol and carbon tetrachloride-induced hepatic damage in Sprague-Dawley rats. *Food Chem Toxicol.* 48: 1123-1128. <http://dx.doi.org/10.1016/j.fct.2010.02.006>.
- Lee, CC; Shen, SR; Lai, YJ; Wu, SC. (2013). Rutin and quercetin, bioactive compounds from tartary buckwheat, prevent liver inflammatory injury. 4: 794-802. <http://dx.doi.org/10.1039/c3fo30389f>.
- Lee, GH; Bhandary, B; Lee, EM; Park, JK; Jeong, KS; Kim, IK; Kim, HR; Chae, HJ. (2011). The roles of ER stress and P450 2E1 in CCl₄-induced steatosis. 43: 1469-1482. <http://dx.doi.org/10.1016/j.biocel.2011.06.010>.
- Lee, HS; Li, L; Kim, HK; Bilehal, D; Li, W; Lee, DS; Kim, YH. (2010). The protective effects of *Curcuma longa* Linn. extract on carbon tetrachloride-induced hepatotoxicity in rats via upregulation of Nrf2. *J Microbiol Biotechnol.* 20: 1331-1338.
- Lee, HY; Marahatta, A; Bhandary, B; Kim, HR; Chae, HJ. (2016). 4-Phenylbutyric acid regulates CCl₄-induced acute hepatic dyslipidemia in a mouse model: A mechanism-based PK/PD study. *Eur J Pharmacol.* 777: 104-112. <http://dx.doi.org/10.1016/j.ejphar.2016.02.068>.

Human Health Hazard Literature Search Results

On Topic

- Lee, I, nC; Kim, SH; Baek, HS; Moon, C; Kang, S; Kim, SH, o; Kim, Y; Shin, I; Kim, JC. (2014). The involvement of Nrf2 in the protective effects of diallyl disulfide on carbon tetrachloride-induced hepatic oxidative damage and inflammatory response in rats. *Food Chem Toxicol.* 63: 174-185. <http://dx.doi.org/10.1016/j.fct.2013.11.006>.
- Lee, IC; Kim, SH; Baek, HS; Moon, C; Kim, SH; Kim, YB; Yun, WK; Kim, HC; Kim, JC. (2015). Protective effects of diallyl disulfide on carbon tetrachloride-induced hepatotoxicity through activation of Nrf2. *Environ Toxicol.* 30: 538-548. <http://dx.doi.org/10.1002/tox.21930>.
- Lee, IW; Choi, HY; Lee, JH; Park, SD; Kim, SM; Ku, SK; Zhao, RJ; Kim, SC; Kim, YW; Choi, HS. (2016). Saeng-Kankunbi-Tang () protects liver against oxidative damage through activation of ERK/Nrf2 pathway. *Chin J Integr Med.* 22: 619-628. <http://dx.doi.org/10.1007/s11655-016-2466-5>.
- Lee, JH; Jang, EJ; Seo, HL; Ku, SK; Lee, JR; Shin, SS; Park, SD; Kim, SC; Kim, YW. (2014). Sauchinone attenuates liver fibrosis and hepatic stellate cell activation through TGF- β /Smad signaling pathway. *Chem Biol Interact.* 224: 58-67. <http://dx.doi.org/10.1016/j.cbi.2014.10.005>.
- Lee, JJ; Yang, SY; Kim, DH; Hur, SJ; Lee, JD; Yum, MJ; Song, MD. (2014). LIVER FIBROSIS PROTECTIVE EFFECT OF HOVENIA DULCIS FRUIT. *Current Topics in Nutraceutical Research.* 12: 43-49.
- Lee, KC; Chan, CC; Yang, YY; Hsieh, YC; Huang, YH; Lin, HC. (2012). Aliskiren attenuates chronic carbon tetrachloride-induced liver injury in mice. *Eur J Clin Invest.* 42: 1261-1271. <http://dx.doi.org/10.1111/j.1365-2362.2012.02725.x>.
- Lee, MK; Kim, SH; Yang, H; Lim, DY; Ryu, JH; Lee, ES; Jew, SS; Park, HG; Sung, SH; Kim, YC. (2009). Asiatic acid derivatives protect primary cultures of rat hepatocytes against carbon tetrachloride-induced injury via the cellular antioxidant system. *Natural Product Communications.* 4: 765-768.
- Lee, PY; Mccay, PB; Hornbrook, KR. (1982). Evidence for carbon tetrachloride-induced lipid peroxidation in mouse liver. *Biochem Pharmacol.* 31: 405-409.
- Lee, S, huP; Yang, SC; Cheng, Y, enS; Lien, W, anJ; Ng, LT. (2010). Hepatoprotection by palm tocotrienol-rich fraction. *European Journal of Lipid Science and Technology.* 112: 712-719. <http://dx.doi.org/10.1002/ejlt.200900175>.
- Lee, SM; Casey, CA; Mccvicker, BL. (2009). Impact of asialoglycoprotein receptor deficiency on the development of liver injury [Review]. *World J Gastroenterol.* 15: 1194-1200.
- Lee, SW; Yang, KM; Kim, JK; Nam, BH; Lee, CM; Jeong, MH; Seo, SY; Kim, GY; Jo, WS. (2012). Effects of White Radish (*Raphanus sativus*) Enzyme Extract on Hepatotoxicity. *Toxicological Research.* 28: 165-172. <http://dx.doi.org/10.5487/TR.2012.28.3.165>.
- Lee, VM; Cameron, RG; Archer, MC. (1998). Zonal location of compensatory hepatocyte proliferation following chemically induced hepatotoxicity in rats and humans. *Toxicol Pathol.* 26: 621-627. <http://dx.doi.org/10.1177/019262339802600505>.
- Lee, WR; Kim, KH; An, HJ; Kim, JY; Lee, SJ; Han, SM; Pak, SC; Park, KK. (2014). Apamin inhibits hepatic fibrosis through suppression of transforming growth factor β 1-induced hepatocyte epithelial-mesenchymal transition. *Biochem Biophys Res Commun.* 450: 195-201. <http://dx.doi.org/10.1016/j.bbrc.2014.05.089>.
- Lee, Y; Jee, HJ; Noh, H; Kang, GH; Park, J; Cho, J; Cho, JH; Ahn, S; Lee, C; Kim, OH; Oh, BC; Kim, H. (2013). In vivo (1)H-MRS hepatic lipid profiling in nonalcoholic fatty liver disease: an animal study at 9.4 T. *Magn Reson Med.* 70: 620-629. <http://dx.doi.org/10.1002/mrm.24510>.
- Lee, Y; Kim, H. (2015). Assessment of diffusion tensor MR imaging (DTI) in liver fibrosis with minimal confounding effect of hepatic steatosis. *Magn Reson Med.* 73: 1602-1608. <http://dx.doi.org/10.1002/mrm.25253>.
- Lee, YY; Crauste, C; Wang, H; Leung, HH; Vercauteren, J; Galano, JM; Oger, C; Durand, T; Wan, JM; Lee, JC. (2016). Extra Virgin Olive Oil Reduced Polyunsaturated Fatty Acid and Cholesterol Oxidation in Rodent Liver: Is This Accounted for Hydroxytyrosol-Fatty Acid Conjugation? *Chem Res Toxicol.* 29: 1689-1698. <http://dx.doi.org/10.1021/acs.chemrestox.6b00214>.
- Leeming, D, j; He, Y; Veidal, S; Nguyen, Q; Larsen, D; Koizumi, M; Segovia-Silvestre, T; Zhang, C; Zheng, Q; Sun, S; Cao, Y; Barkholt, V; Hägglund, P; Bay-Jensen, A; Qvist, P; Karsdal, M. (2011). A novel marker for assessment of liver matrix remodeling: an enzyme-linked immunosorbent assay (ELISA) detecting a MMP generated type I collagen neo-epitope (C1M). *Biomarkers.* 16: 616-628. <http://dx.doi.org/10.3109/1354750X.2011.620628>.
- Leeming, DJ; Byrjalsen, I; Jiménez, W; Christiansen, C; Karsdal, MA. (2013). Protein fingerprinting of the extracellular matrix remodelling in a rat model of liver fibrosis--a serological evaluation. *Liver Int.* 33: 439-447. <http://dx.doi.org/10.1111/liv.12044>.
- Leeming, DJ; Nielsen, MJ; Dai, Y; Veidal, SS; Vassiliadis, E; Zhang, C; He, Y; Vainer, B; Zheng, Q; Karsdal, MA. (2012). Enzyme-linked immunosorbent serum assay specific for the 7S domain of Collagen Type IV (P4NP 7S): A marker related to the extracellular matrix remodeling during liver fibrogenesis. *Am J Physiol Cell Physiol.* 402: 482-493. <http://dx.doi.org/10.1151/ajpcell.0000000>.
- Lehmann, KB; Schmidt-Kehl, L. (1936). The thirteen most important chlorinated aliphatic hydrocarbons from the standpoint of industrial hygiene. *Hygiene.* 116: 132-200.
- Lei, XF; Fu, W; Kim-Kaneyama, JR; Omoto, T; Miyazaki, T; Li, B; Miyazaki, A. (2016). Hic-5 deficiency attenuates the activation of hepatic stellate cells and liver fibrosis through upregulation of Smad7 in mice. *J Hepatol.* 64: 110-117. <http://dx.doi.org/10.1016/j.jhep.2015.08.026>.
- Lei, Y; Zhou, AM; Guo, T; Tan, Y; Tao, YY; Liu, CH. (2013). [Protective effect of Tanreqing injection on acute hepatic injury induced by CCl4 in rats]. *Zhongguo Zhong Yao Za Zhi.* 38: 1226-1230.
- Lemos, QT; Andrade, ZA. (2010). Angiogenesis and experimental hepatic fibrosis. *Mem Inst Oswaldo Cruz.* 105: 611-614.
- Leong, PK; Chen, N; Chiu, PY; Leung, HY; Ma, CW; Tang, QT; Ko, KM. (2010). Long-term treatment with shengmai san-derived herbal supplement (Wei Kang Su) enhances antioxidant response in various tissues of rats with protection against carbon tetrachloride hepatotoxicity. *J Med Food.* 13: 427-438. <http://dx.doi.org/10.1089/jmf.2009.1296>.
- Leong, PK; Chiu, PY; Chen, N; Leung, H; Ko, KM. (2011). Schisandrin B elicits a glutathione antioxidant response and protects against apoptosis via the redox-sensitive ERK/Nrf2 pathway in AML12 hepatocytes. *Free Radic Res.* 45: 483-495. <http://dx.doi.org/10.3109/10715762.2010.550917>.

Human Health Hazard Literature Search Results

On Topic

- Leong, PK; Ko, KM. (2016). Schisandrin B: A Double-Edged Sword in Nonalcoholic Fatty Liver Disease [Review]. *Oxid Med Cell Longev*. 2016: 6171658. <http://dx.doi.org/10.1155/2016/6171658>.
- Letteron, P; Labbe, G; Degott, C; Berson, A; Fromenty, B; Delaforge, M; Larrey, D; Pessayre, D. (1990). Mechanism for the protective effects of silymarin against carbon tetrachloride-induced lipid peroxidation and hepatotoxicity in mice. Evidence that silymarin acts both as an inhibitor of metabolic activation and as a chain-breaking antioxidant. *Biochem Pharmacol*. 39: 2027-2034.
- Levy, GN; Brabec, MJ. (1984). Binding of carbon tetrachloride metabolites to rat hepatic mitochondrial DNA. *Toxicol Lett*. 22: 229-234.
- Li, BQ; Dong, X; Li, N; Gao, JY; Yuan, Q; Fang, SH; Gong, XC; Wang, SJ; Wang, FS. (2014). In vitro enzyme-mimic activity and in vivo therapeutic potential of HSI-0017, a novel Mn porphyrin-based antioxidant enzyme mimic. *Exp Biol Med*. 239: 1366-1379. <http://dx.doi.org/10.1177/1535370214532598>.
- Li, C; Jiang, W; Zhu, H; Hou, J. (2012). Antifibrotic effects of protocatechuic aldehyde on experimental liver fibrosis. *Pharmaceutical Biology*. 50: 413-419. <http://dx.doi.org/10.3109/13880209.2011.608193>.
- Li, C; Kong, Y; Wang, H; Wang, S; Yu, H; Liu, X; Yang, L; Jiang, X; Li, L; Li, L. (2009). Homing of bone marrow mesenchymal stem cells mediated by sphingosine 1-phosphate contributes to liver fibrosis. *J Hepatol*. 50: 1174-1183. <http://dx.doi.org/10.1016/j.jhep.2009.01.028>.
- Li, CC; Hsiang, CY; Wu, SL; Ho, TY. (2012). Identification of novel mechanisms of silymarin on the carbon tetrachloride-induced liver fibrosis in mice by nuclear factor- κ B bioluminescent imaging-guided transcriptomic analysis. *Food Chem Toxicol*. 50: 1568-1575. <http://dx.doi.org/10.1016/j.fct.2012.02.025>.
- Li, CY; Cao, CZ; Xu, WX; Cao, MM; Yang, F; Dong, L; Yu, M; Zhan, YQ; Gao, YB; Li, W; Wang, ZD; Ge, CH; Wang, QM; Peng, RY; Yang, XM. (2010). Recombinant human hepassocin stimulates proliferation of hepatocytes in vivo and improves survival in rats with fulminant hepatic failure. *Gut*. 59: 817-826. <http://dx.doi.org/10.1136/gut.2008.171124>.
- Li, D; Cai, H; Hou, M; Fu, D; Ma, Y; Luo, Q; Yuan, X; Lv, M; Zhang, X; Cong, X; Lv, Z. (2012). Effects of indoleamine 2,3-dioxygenases in carbon tetrachloride-induced hepatitis model of rats. *Cell Biochem Funct*. 30: 309-314. <http://dx.doi.org/10.1002/cbf.2803>.
- Li, D; Fan, J; He, X; Zhang, X; Zhang, Z; Zeng, Z; Ruan, M; Cai, L. (2015). Therapeutic effect comparison of hepatocyte-like cells and bone marrow mesenchymal stem cells in acute liver failure of rats. *Int J Clin Exp Pathol*. 8: 11-24.
- Li, F; Song, Z; Li, Q; Wu, J; Wang, J; Xie, C; Tu, C; Wang, J; Huang, X; Lu, W. (2011). Molecular imaging of hepatic stellate cell activity by visualization of hepatic integrin α v β 3 expression with SPECT in rat. *Hepatology*. 54: 1020-1030. <http://dx.doi.org/10.1002/hep.24467>.
- Li, G; Wang, XY; Suo, YR; Wang, HL. (2014). Protective effect of seed oil of *Herpetospermum pedunculatum* against carbon tetrachloride-induced liver injury in rats. *Saudi Med J*. 35: 981-987.
- Li, GJ; Sun, P; Wang, Q; Qian, Y; Zhu, K; Zhao, X. (2014). *Dendrobium candidum* Wall. ex Lindl. attenuates CCl₄-induced hepatic damage in imprinting control region mice. *Exp Ther Med*. 8: 1015-1021. <http://dx.doi.org/10.3892/etm.2014.1834>.
- Li, GY; Gao, HY; Huang, J; Lu, J; Gu, JK; Wang, JH. (2014). Hepatoprotective effect of *Cichorium intybus* L., a traditional Uighur medicine, against carbon tetrachloride-induced hepatic fibrosis in rats. *World J Gastroenterol*. 20: 4753-4760. <http://dx.doi.org/10.3748/wjg.v20.i16.4753>.
- Li, H; Chen, TW; Chen, XL; Zhang, XM; Li, ZL; Zeng, NL; Zhou, L; Wang, LY; Tang, HJ; Li, CP; Li, L; Xie, XY. (2012). Magnetic resonance-based total liver volume and magnetic resonance-diffusion weighted imaging for staging liver fibrosis in mini-pigs. *World J Gastroenterol*. 18: 7225-7233. <http://dx.doi.org/10.3748/wjg.v18.i48.7225>.
- Li, H; Zhao, LF; Hao, YQ; Han, DW. (2013). [Effects of antihistamine treatment on immune function in rats with experimental hepatitis]. *Zhonghua Gan Zang Bing Za Zhi*. 21: 764-768.
- Li, H; Zhao, LF; Hao, YQ; Yin, L; Zhao, YC; Han, DW. (2013). [Changes in mast cells and hepatic expression of c-kit and stem cell factor in the rat model of chronic hepatitis]. *Zhonghua Gan Zang Bing Za Zhi*. 21: 869-873.
- Li, HS; Feng, Q; Hu, YY; Chen, SD; Peng, JH; Li, XM; Xu, LL. (2009). [The role of adiponectin and adiponectin receptor 2 in the pathology of fatty liver]. *Zhonghua Gan Zang Bing Za Zhi*. 17: 826-830.
- Li, HS; Feng, Q; Xu, LL; Chen, SD; Li, XM; Hu, YY. (2009). [Effects of Qushi Huayu Decoction in prevention and treatment of fatty liver in rats based on adiponectin-free fatty acid pathway]. *Zhong Xi Yi Jie He Xue Bao*. 7: 546-551. <http://dx.doi.org/10.3736/jcim20090610>.
- Li, J; Liu, P; Zhang, R; Cao, L; Qian, H; Liao, J; Xu, W; Wu, M; Yin, Z. (2011). Icaritin induces cell death in activated hepatic stellate cells through mitochondrial activated apoptosis and ameliorates the development of liver fibrosis in rats. *J Ethnopharmacol*. 137: 714-723. <http://dx.doi.org/10.1016/j.jep.2011.06.030>.
- Li, J; Pan, Y; Kan, M; Xiao, X; Wang, Y; Guan, F; Zhang, X; Chen, L. (2014). Hepatoprotective effects of berberine on liver fibrosis via activation of AMP-activated protein kinase. *Life Sci*. 98: 24-30. <http://dx.doi.org/10.1016/j.lfs.2013.12.211>.
- Li, L; Li, W; Kim, YH; Lee, YW. (2013). *Chlorella vulgaris* extract ameliorates carbon tetrachloride-induced acute hepatic injury in mice. *Exp Toxicol Pathol*. 65: 73-80. <http://dx.doi.org/10.1016/j.etp.2011.06.003>.
- Li, M; Sun, Q; Li, S; Zhai, Y; Wang, J; Chen, B; Lu, J. (2016). Chronic restraint stress reduces carbon tetrachloride-induced liver fibrosis. *Exp Ther Med*. 11: 2147-2152. <http://dx.doi.org/10.3892/etm.2016.3205>.
- Li, M; Zhu, L; Xie, A; Yuan, J. (2015). Oral administration of *Saccharomyces boulardii* ameliorates carbon tetrachloride-induced liver fibrosis in rats via reducing intestinal permeability and modulating gut microbial composition. *Inflammation*. 38: 170-179. <http://dx.doi.org/10.1007/s10753-014-0019-7>.
- Li, N; Luo, YK; Tang, WB. (2015). Roles of acoustic radiation force impulse and two-dimensional shearwave elastography in grading liver fibrosis in rabbits. *Yi Xue Ke Xue Yuan Xue Bao*. 37: 157-162. <http://dx.doi.org/10.3881/j.issn.1000-503X.2015.02.005>.
- Li, P; Zhang, J; Liu, J; Ma, H; Liu, J; Lie, P; Wang, Y; Liu, G; Zeng, H; Li, Z; Wei, X. (2015). Promoting the recovery of injured liver with poly (3-hydroxybutyrate-co-3-hydroxyvalerate-co-3-hydroxyhexanoate) scaffolds loaded with umbilical cord-derived mesenchymal stem cells. *21: 603-615*. <http://dx.doi.org/10.1089/ten.TEA.2013.0331>.

Human Health Hazard Literature Search Results

On Topic

- Li, Q; Mueller, A; Dooley, S; Breitkopf-Heinlein, K. (2011). BMP-9 FACILITATES LIVER RECOVERY FROM ACUTE CCL4 INDUCED INJURY. *J Hepatol*. 54: S429-S429.
- Li, R; Guo, W; Fu, Z; Ding, G; Zou, Y; Wang, Z. (2011). Hepatoprotective action of Radix Paeoniae Rubra aqueous extract against CCl₄-induced hepatic damage. *Molecules*. 16: 8684-8694. <http://dx.doi.org/10.3390/molecules16108684>.
- Li, R; Song, J; Wu, W; Wu, X; Su, M. (2016). Puerarin exerts the protective effect against chemical induced dysmetabolism in rats. *Gene*. 595: 168-174. <http://dx.doi.org/10.1016/j.gene.2016.09.036>.
- Li, R; Wang, Y; Zhao, E; Wu, K, e; Li, W, ei; Shi, L; Wang, D, i; Xie, G; Yin, Y; Deng, M; Zhang, P; Tao, K. (2016). Maresin 1, a Proresolving Lipid Mediator, Mitigates Carbon Tetrachloride-Induced Liver Injury in Mice. *Oxid Med Cell Longev*. 2016: 9203716. <http://dx.doi.org/10.1155/2016/9203716>.
- Li, R; Xu, L; Liang, T; Li, Y; Zhang, S; Duan, X. (2013). Puerarin mediates hepatoprotection against CCl₄-induced hepatic fibrosis rats through attenuation of inflammation response and amelioration of metabolic function. *Food Chem Toxicol*. 52: 69-75. <http://dx.doi.org/10.1016/j.fct.2012.10.059>.
- Li, S; Zeng, J; Tan, J; Zhang, J; Wu, Q; Wang, L; Wu, X. (2013). Antioxidant and hepatoprotective effects of Lithocarpus polystachyus against carbon tetrachloride-induced injuries in rat. *Bangladesh J Pharmacol*. 8: 420-427. <http://dx.doi.org/10.3329/bjp.v8i3.16458>.
- Li, SQ; Wang, DM; Zhu, S; Meng, HY; Han, HM; Lu, HJ. (2015). The Protective Roles of IL-6 Trans-Signaling Regulated by ADAM9 on the Liver in Carbon Tetrachloride-Induced Liver Injury in Mice. *J Biochem Mol Toxicol*. 29: 340-348. <http://dx.doi.org/10.1002/jbt.21714>.
- Li, T, ao; Lin, X; Jin, T, ao. (2014). The role of endoplasmic reticulum stress in the development of acute liver injury induced by carbon tetrachloride. *J Gastroenterol Hepatol*. 29: 196-196.
- Li, T; Zhang, X, in; Zhao, X. (2010). Powerful protective effects of gallic acid and tea polyphenols on human hepatocytes injury induced by hydrogen peroxide or carbon tetrachloride in vitro. *Journal of Medicinal Plant Research*. 4: 247-254.
- Li, TZ; Kim, SM; Hur, W; Choi, JE; Kim, JH; Hong, SW; Lee, EB; Lee, JH; Yoon, SK. (2017). Elk-3 Contributes to the Progression of Liver Fibrosis by Regulating the Epithelial-Mesenchymal Transition. *Gut and Liver*. 11: 102-111. <http://dx.doi.org/10.5009/gnl15566>.
- Li, W; Duan, LF; He, GQ; Liang, YP; Zhang, YF; Yang, HQ; Shen, ZQ; Huang, XH. (2009). [Prevention of CCl₄-induced liver fibrosis by Periplaneta americana extract]. *Zhonghua Gan Zang Bing Za Zhi*. 17: 948-950.
- Li, W; Zhu, C; Li, Y; Wu, Q; Gao, R. (2014). Mest attenuates CCl₄-induced liver fibrosis in rats by inhibiting the Wnt/ β -catenin signaling pathway. *Gut and Liver*. 8: 282-291. <http://dx.doi.org/10.5009/gnl.2014.8.3.282>.
- Li, X; Chen, Y; Ye, W; Tao, X; Zhu, J; Wu, S; Lou, L. (2015). Blockade of CCN4 attenuates CCl₄-induced liver fibrosis. *Archives of Medical Science*. 11: 647-653. <http://dx.doi.org/10.5114/aoms.2015.52371>.
- Li, X, i; Yao, Q; Xu, B; Liu, H; Tu, C. (2016). PIGF silencing ameliorates hepatic angiogenesis in mice with liver fibrosis induced by carbon tetrachloride. *Hepatology*. 63: 839A-839A.
- Li, X; Zhang, F; Wang, D; Li, Z; Qin, X; Du, G. (2014). NMR-based metabolomic and quantitative real-time PCR in the profiling of metabolic changes in carbon tetrachloride-induced rat liver injury. *J Pharm Biomed Anal*. 89: 42-49. <http://dx.doi.org/10.1016/j.jpba.2013.10.023>.
- Li, XM; Hu, YY; Duan, XH. (2010). [Uniform designed research on the active ingredients assembling of Chinese medicine prescription for anti-liver fibrosis]. *Zhongguo Zhong Xi Yi Jie He Za Zhi*. 30: 58-63.
- Li, XW; Zhu, R; Li, B; Zhou, M; Sheng, QJ; Yang, YP; Han, NY; Li, ZQ. (2010). Mechanism underlying carbon tetrachloride-inhibited protein synthesis in liver. *World J Gastroenterol*. 16: 3950-3956.
- Li, XX; Zheng, QC; Wang, Y; Zhang, HX. (2014). Theoretical insights into the reductive metabolism of CCl₄ by cytochrome P450 enzymes and the CCl₄-dependent suicidal inactivation of P450. *Dalton Transactions (Online)*. 43: 14833-14840. <http://dx.doi.org/10.1039/c4dt02065k>.
- Li, Y; Wang, J; Asahina, K. (2013). Mesothelial cells give rise to hepatic stellate cells and myofibroblasts via mesothelial-mesenchymal transition in liver injury. *Proc Natl Acad Sci USA*. 110: 2324-2329. <http://dx.doi.org/10.1073/pnas.1214136110>.
- Li, Y; Wang, L; Qiu, J; Da, L; Tiollais, P; Li, Z; Zhao, M. (2012). Human tetraspanin transmembrane 4 superfamily member 4 or intestinal and liver tetraspan membrane protein is overexpressed in hepatocellular carcinoma and accelerates tumor cell growth. *Acta Biochim Biophys Sin*. 44: 224-232. <http://dx.doi.org/10.1093/abbs/gmr124>.
- Li, Y; Wang, W; Jia, X; Zhai, S; Wang, X; Wang, Y; Dang, S. (2015). A Targeted Multiple Antigenic Peptide Vaccine Augments the Immune Response to Self TGF- β 1 and Suppresses Ongoing Hepatic Fibrosis. *Arch Immunol Ther Exp*. 63: 305-315. <http://dx.doi.org/10.1007/s00005-015-0333-2>.
- Li, Y; Yang, H. (2011). [Effect of interferon- α on rat liver fibrosis induced by CCl₄]. *Zhong Nan Da Xue Xue Bao Yi Xue Ban*. 36: 243-248. <http://dx.doi.org/10.3969/j.issn.1672-7347.2011.03.009>.
- Li, YL; Wu, J; Wei, D; Zhang, DW; Feng, H; Chen, ZN; Bian, H. (2009). Newcastle disease virus represses the activation of human hepatic stellate cells and reverses the development of hepatic fibrosis in mice. *Liver Int*. 29: 593-602. <http://dx.doi.org/10.1111/j.1478-3231.2009.01971.x>.
- Li, Z; Chen, X; Meng, J; Deng, L; Ma, H; Csete, M; Xiong, L. (2012). ED50 and recovery times after propofol in rats with graded cirrhosis. *Anesth Analg*. 114: 117-121. <http://dx.doi.org/10.1213/ANE.0b013e3182367a24>.
- Li, Z; Deng, X; Xu, J; Lian, W. (2012). [Protective effects of PEG modified recombinant cytoglobin on acute liver injury in mice]. *Sheng Wu Gong Cheng Xue Bao*. 28: 1227-1235.
- Li, Z; Sun, J; Chen, L; Huang, N; Hu, P; Hu, X; Han, G; Zhou, Y; Bai, W; Niu, T; Yang, X. (2015). Assessment of liver fibrosis using pharmacokinetic parameters of dynamic contrast-enhanced magnetic resonance imaging. *J Magn Reson Imaging*. 44: 98-104. <http://dx.doi.org/10.1002/jmri.25132>.

Human Health Hazard Literature Search Results

On Topic

- Li, Z; Wei, W; Chen, B; Cai, G; Li, X; Wang, P; Tang, J; Dong, W. (2016). The Effect of rhCygb on CCl₄-Induced Hepatic Fibrogenesis in Rat. *Sci Rep.* 6: 23508. <http://dx.doi.org/10.1038/srep23508>.
- Li, ZF; Zhao, XF; Zhang, TT. (2012). [A preliminary study of anti-aging and wound healing of recombination cytoglobin]. *Yao Xue Xue Bao.* 47: 51-57.
- Liang, B; Guo, XL; Jin, J; Ma, YC; Feng, ZQ. (2015). Glycyrrhizic acid inhibits apoptosis and fibrosis in carbon-tetrachloride-induced rat liver injury. *World J Gastroenterol.* 21: 5271-5280. <http://dx.doi.org/10.3748/wjg.v21.i17.5271>.
- Liebe, R; Hall, RA; Williams, RW; Dooley, S; Lammert, F. (2013). Systems genetics of hepatocellular damage in vivo and in vitro: identification of a critical network on chromosome 11 in mouse. *Physiol Genomics.* 45: 931-939. <http://dx.doi.org/10.1152/physiolgenomics.00078.2013>.
- Lil'p, IG. (1982). Chromosome instability in 101/H and C57BL/6 strain mice during aging. *Genetika.* 18: 1976-1982.
- Lim, DW; Kim, H; Park, JY; Kim, JE; Moon, JY; Park, SD; Park, WH. (2016). Amomum cardamomum L. ethyl acetate fraction protects against carbon tetrachloride-induced liver injury via an antioxidant mechanism in rats. *BMC Complement Altern Med.* 16: 155. <http://dx.doi.org/10.1186/s12906-016-1121-1>.
- Lima, AR; Pereira, RGF, A; Abrahao, SA; Zangeronimo, MG; Paula, FBA; Duarte, SMS. (2013). Effect of decaffeination of green and roasted coffees on the in vivo antioxidant activity and prevention of liver injury in rats. *Revista Brasileira de Farmacognosia.* 23: 506-512. <http://dx.doi.org/10.1590/S0102-695X2013005000036>.
- Lima de Medeiros, BJ; Dos Santos Costa, K; Alves Ribeiro, JF; Carrera Silva, JO; Ramos Barbosa, WL; Tavares Carvalho, JC. (2011). Liver protective activity of a hydroethanolic extract of *Arrabidaea chica* (Humb. and Bonpl.) B. Verl. (pariri). *Pharmacognosy Res.* 3: 79-84. <http://dx.doi.org/10.4103/0974-8490.81954>.
- Limaye, PB; Apte, UM; Shankar, K; Bucci, TJ; Warbritton, A; Mehendale, HM. (2003). Calpain released from dying hepatocytes mediates progression of acute liver injury induced by model hepatotoxicants. *Toxicol Appl Pharmacol.* 191: 211-226. [http://dx.doi.org/10.1016/S0041-008X\(03\)00250-3](http://dx.doi.org/10.1016/S0041-008X(03)00250-3).
- Lin, D; Lei, L; Zhang, Y; Hu, B; Bao, G; Liu, Y; Song, Y; Liu, C; Wu, Y; Zhao, L; Yu, X; Liu, H. (2015). Secreted IL-1 α promotes T-cell activation and expansion of CD11b(+) Gr1(+) cells in carbon tetrachloride-induced liver injury in mice. *Eur J Immunol.* 45: 2084-2098. <http://dx.doi.org/10.1002/eji.201445195>.
- Lin, J; Zhao, J; Li, T; Zhou, J; Hu, J; Hong, Z. (2011). Hepatoprotection in a rat model of acute liver damage through inhibition of CY2E1 activity by total alkaloids extracted from *Rubus alceifolius* Poir. *Int J Toxicol.* 30: 237-243. <http://dx.doi.org/10.1177/1091581810390711>.
- Lin, JC; Peng, YJ; Wang, SY; Lai, MJ; Young, TH; Salter, DM; Lee, HS. (2016). Sympathetic Nervous System Control of Carbon Tetrachloride-Induced Oxidative Stress in Liver through α -Adrenergic Signaling. *Oxid Med Cell Longev.* 2016: 3190617. <http://dx.doi.org/10.1155/2016/3190617>.
- Lin, JC; Peng, YJ; Wang, SY; Young, TH; Salter, DM; Lee, HS. (2015). Role of the sympathetic nervous system in carbon tetrachloride-induced hepatotoxicity and systemic inflammation. *PLoS ONE.* 10: e0121365. <http://dx.doi.org/10.1371/journal.pone.0121365>.
- Lin, JC; Wang, SY, u; Peng, Y, iJen; Lai, M, eiJu; Young, T, onHo; Hsieh, TY; Lee, HS. (2015). The influence of sympathetic nervous system inhibition on anorexia and hepatic expressions of cytokines, chemokines, and heme oxygenase-1 in carbon tetrachloride-treated mice. *J Gastroenterol Hepatol.* 30: 401-402.
- Lin, T; Ibrahim, W; Peng, CY; Finegold, MJ; Tsai, RY. (2013). A novel role of nucleostemin in maintaining the genome integrity of dividing hepatocytes during mouse liver development and regeneration. *Hepatology.* 58: 2176-2187. <http://dx.doi.org/10.1002/hep.26600>.
- Lin, X; Huang, R; Zhang, S; Zheng, L; Wei, L; He, M; Zhou, Y; Zhuo, L; Huang, Q. (2012). Methyl helicterate protects against CCl₄-induced liver injury in rats by inhibiting oxidative stress, NF- κ B activation, Fas/FasL pathway and cytochrome P4502E1 level. *Food Chem Toxicol.* 50: 3413-3420. <http://dx.doi.org/10.1016/j.fct.2012.07.053>.
- Lin, X; Liu, X; Huang, Q; Zhang, S; Zheng, L; Wei, L; He, M; Jiao, Y; Huang, J; Fu, S; Chen, Z; Li, Y; Zhuo, L; Huang, R. (2012). Hepatoprotective effects of the polysaccharide isolated from *Tarphochlamys affinis* (Acanthaceae) against CCl₄-induced hepatic injury. *Biol Pharm Bull.* 35: 1574-1580.
- Lin, X; Zhang, S; Huang, Q; Wei, L; Zheng, L; Chen, Z; Jiao, Y; Huang, J; Fu, S; Huang, R. (2012). Protective effect of Fufang-Liu-Yue-Qing, a traditional Chinese herbal formula, on CCl₄ induced liver fibrosis in rats. *J Ethnopharmacol.* 142: 548-556. <http://dx.doi.org/10.1016/j.jep.2012.05.040>.
- Lin, Y, iC; Cheng, KM, ei; Huang, HY, u; Chao, P, eiYu; Hwang, J, inM; Lee, HH, ui; Lu, CY, ou; Chiu, YW, ei; Liu, J, erYuh. (2014). Hepatoprotective activity of Chhit-Chan-Than extract powder against carbon tetrachloride-induced liver injury in rats. *J Food Drug Anal.* 22: 220-229. <http://dx.doi.org/10.1016/j.jfda.2013.09.012>.
- Lin, Y; Si, D; Zhang, Z; Liu, C. (2009). An integrated metabonomic method for profiling of metabolic changes in carbon tetrachloride induced rat urine. *Toxicology.* 256: 191-200. <http://dx.doi.org/10.1016/j.tox.2008.11.018>.
- Lipscomb, JC; GL, K. (2002). Incorporating human interindividual biotransformation variance in health risk assessment. *Sci Total Environ.* 288: 13-21.
- Lisbonne, M; L'Helgoualc'h, A; Nauwelaers, G; Turlin, B; Lucas, C; Herbelin, A; Piquet-Pellorce, C; Samson, M. (2011). Invariant natural killer T-cell-deficient mice display increased CCl₄-induced hepatitis associated with CXCL1 over-expression and neutrophil infiltration. *Eur J Immunol.* 41: 1720-1732. <http://dx.doi.org/10.1002/eji.201041006>.
- Litchfield, MH; Gartland, CJ. (1974). Plasma enzyme activity and hepatocellular changes in the beagle dog after single or repeated administration of carbon tetrachloride. *Toxicol Appl Pharmacol.* 30: 117-128. [http://dx.doi.org/10.1016/0041-008X\(74\)90253-1](http://dx.doi.org/10.1016/0041-008X(74)90253-1).
- Liu, C; Tao, Q; Sun, M; Wu, JZ; Yang, W; Jian, P; Peng, J; Hu, Y; Liu, C; Liu, P. (2010). Kupffer cells are associated with apoptosis, inflammation and fibrotic effects in hepatic fibrosis in rats. *Lab Invest.* 90: 1805-1816. <http://dx.doi.org/10.1038/labinvest.2010.123>.

Human Health Hazard Literature Search Results

On Topic

- Liu, DJ; Chen, W; Huo, YM; Liu, W; Zhang, JF; Hua, R; Sun, YW. (2014). Prostacyclin decreases splanchnic vascular contractility in cirrhotic rats. *Hepatobiliary Pancreat Dis Int.* 13: 416-422.
- Liu, F; Chen, L; Rao, H; Zhang, W, ei; Wu, N, an; Wei, L, ai. (2015). qFibrosis scoring for different animal models with liver fibrosis induced by TAA, CCl4 or BDL. *Hepatology.* 62: 599A-599A.
- Liu, F; Liu, ZD; Wu, N; Cong, X; Fei, R; Chen, HS; Wei, L. (2009). Transplanted endothelial progenitor cells ameliorate carbon tetrachloride-induced liver cirrhosis in rats. 15: 1092-1100. <http://dx.doi.org/10.1002/lt.21845>.
- Liu, G; Liu, X; Zhang, Y; Zhang, F; Wei, T; Yang, M; Wang, K; Wang, Y; Liu, N; Cheng, H; Zhao, Z. (2015). Hepatoprotective effects of polysaccharides extracted from *Zizyphus jujube* cv. Huanghetanzao. *Int J Biol Macromol.* 76: 169-175. <http://dx.doi.org/10.1016/j.ijbiomac.2015.01.061>.
- Liu, H; Wang, Z; Nowicki, MJ. (2014). Caspase-12 mediates carbon tetrachloride-induced hepatocyte apoptosis in mice. *World J Gastroenterol.* 20: 18189-18198. <http://dx.doi.org/10.3748/wjg.v20.i48.18189>.
- Liu, J; Lu, JF; Wen, XY; Kan, J; Jin, CH. (2015). Antioxidant and protective effect of inulin and catechin grafted inulin against CCl4-induced liver injury. *Int J Biol Macromol.* 72: 1479-1484. <http://dx.doi.org/10.1016/j.ijbiomac.2014.09.066>.
- Liu, J; Wu, KC; Lu, YF; Ekuase, E; Klaassen, CD. (2013). NRF2 Protection against Liver Injury Produced by Various Hepatotoxicants. *Oxid Med Cell Longev.* 2013: 305861. <http://dx.doi.org/10.1155/2013/305861>.
- Liu, J; Zhang, Z; Tu, X; Liu, J; Zhang, H; Zhang, J; Zang, Y; Zhu, J; Chen, J; Dong, L; Zhang, J. (2013). Knockdown of N-acetylglucosaminyl transferase V ameliorates hepatotoxin-induced liver fibrosis in mice. *Toxicol Sci.* 135: 144-155. <http://dx.doi.org/10.1093/toxsci/kft135>.
- Liu, JG; Ding, YR; Yang, SL. (2011). [Effect of salvianolic acid B on CD14 expression in rats with liver fibrosis]. *Zhongguo Zhong Xi Yi Jie He Za Zhi.* 31: 547-551.
- Liu, L; Fan, H; Qi, P; Mei, Y; Zhou, L; Cai, L; Lin, X; Lin, J. (2013). Synthesis and hepatoprotective properties of *Acanthus ilicifolius* alkaloid A and its derivatives. *Exp Ther Med.* 6: 796-802. <http://dx.doi.org/10.3892/etm.2013.1189>.
- Liu, M; Meng, G; Zhang, J; Zhao, H; Jia, L. (2016). Antioxidant and Hepatoprotective Activities of Mycelia Selenium Polysaccharide by *Hypsizigus marmoreus* SK-02. *Biol Trace Elem Res.* 172: 437-448. <http://dx.doi.org/10.1007/s12011-015-0613-z>.
- Liu, P; Gao, XL; Yu, J; Qian, W; Xu, KS. (2009). [Effects of transforming growth factor beta 3 on the histopathology and expression of collagen I in experimental hepatic fibrotic rats]. *Zhonghua Gan Zang Bing Za Zhi.* 17: 446-450.
- Liu, Q; Kong, B; Li, G; Liu, N; Xia, X. (2011). Hepatoprotective and antioxidant effects of porcine plasma protein hydrolysates on carbon tetrachloride-induced liver damage in rats. *Food Chem Toxicol.* 49: 1316-1321. <http://dx.doi.org/10.1016/j.fct.2011.03.013>.
- Liu, Q; Tian, G; Yan, H; Geng, X; Cao, Q; Wang, H; Ng, TB. (2014). Characterization of polysaccharides with antioxidant and hepatoprotective activities from the wild edible mushroom *Russula vinosa* Lindblad. *J Agric Food Chem.* 62: 8858-8866. <http://dx.doi.org/10.1021/jf502632c>.
- Liu, Q; Wang, X; Zhang, Y; Li, CJ; Hu, LH; Shen, X. (2010). Leukamenin F suppresses liver fibrogenesis by inhibiting both hepatic stellate cell proliferation and extracellular matrix production. *Acta Pharmacol Sin.* 31: 839-848. <http://dx.doi.org/10.1038/aps.2010.64>.
- Liu, W; Li, J; Cai, Y; Wu, Q; Pan, Y; Chen, Y; Chen, Y; Zheng, X; Li, W; Zhang, X; E, C. (2016). Hepatic IGF-1R overexpression combined with the activation of GSK-3 β and FOXO3a in the development of liver cirrhosis. *Life Sci.* 147: 97-102. <http://dx.doi.org/10.1016/j.lfs.2016.01.037>.
- Liu, X, in; Jia, S; Mai, P; Yang, L, e; Yang, L, in; Wang, L, in; Li, L. (2013). 15-Deoxy-12,14-prostaglandin J2 Inhibits Recruitment of Bone Marrow-Derived Mesenchymal Stem Cells in Liver Fibrosis Induced by Carbon Tetrachloride in Mice. *Hepatology.* 58: 585A-585A.
- Liu, X; Liu, Y; Cheng, M; Xiao, H. (2015). [Application of ultra high performance liquid chromatography-mass spectrometry to metabolomics study of drug-induced hepatotoxicity]. *Sepu.* 33: 683-690.
- Liu, X; Liu, Z; Hou, W; Wang, K; Ding, W; Chen, D; Meng, Q. (2014). [Changes in mitochondria fusion protein-2 hepatic expression in conditions of liver cirrhosis and acute on chronic liver failure]. *Zhonghua Gan Zang Bing Za Zhi.* 22: 671-675.
- Liu, X; Lou, J; Chen, Y; Duan, Z. (2014). [Changes of regulatory T cells related to CCl₄-induced liver fibrosis in mice]. *Zhonghua Gan Zang Bing Za Zhi.* 22: 277-280.
- Liu, X; Wu, Y; Yang, Y; Li, W; Huang, C; Meng, X; Li, J. (2016). Role of NLRC5 in progression and reversal of hepatic fibrosis. *Toxicol Appl Pharmacol.* 294: 43-53. <http://dx.doi.org/10.1016/j.taap.2016.01.012>.
- Liu, XY; Liu, RX; Hou, F; Cui, LJ; Li, CY; Chi, C; Yi, E; Wen, Y; Yin, CH. (2016). Fibronectin expression is critical for liver fibrogenesis in vivo and in vitro. *Mol Med Rep.* 14: 3669-3675. <http://dx.doi.org/10.3892/mmr.2016.5673>.
- Liu, Y; Liu, Q; Ye, G; Khan, A; Liu, J; Gan, F; Zhang, X; Kumbhar, S; Huang, K. (2015). Protective effects of Selenium-enriched probiotics on carbon tetrachloride-induced liver fibrosis in rats. *J Agric Food Chem.* 63: 242-249. <http://dx.doi.org/10.1021/jf5039184>.
- Liu, Y; Lui, EL; Friedman, SL; Li, L; Ye, T; Chen, Y; Poon, RT; Wo, J; Kok, TW; Fan, ST. (2009). PTK787/ZK22258 attenuates stellate cell activation and hepatic fibrosis in vivo by inhibiting VEGF signaling. *Lab Invest.* 89: 209-221. <http://dx.doi.org/10.1038/labinvest.2008.127>.
- Liu, Y; Shao, M; Wu, Y; Yan, C; Jiang, S; Liu, J; Dai, J; Yang, L; Li, J; Jia, W; Rui, L; Liu, Y. (2015). Role for the endoplasmic reticulum stress sensor IRE1 α in liver regenerative responses. *J Hepatol.* 62: 590-598. <http://dx.doi.org/10.1016/j.jhep.2014.10.022>.
- Liu, Y; Yang, X; Jing, Y; Zhang, S; Zong, C; Jiang, J; Sun, K; Li, R; Gao, L; Zhao, X; Wu, D; Shi, Y; Han, Z; Wei, L. (2015). Contribution and Mobilization of Mesenchymal Stem Cells in a mouse model of carbon tetrachloride-induced liver fibrosis. *Sci Rep.* 5: 17762. <http://dx.doi.org/10.1038/srep17762>.
- Liu, Z; Qu, Z; Li, X; Cai, M; He, P; Zhou, M; Xiao, J; Wang, X. (2012). Phenacetin O-deethylation is a useful tool for evaluation of hepatic functional reserve in rats with CCl(4)-induced chronic liver injury. *J Surg Res.* 175: e61-e66. <http://dx.doi.org/10.1016/j.jss.2011.11.1037>.
- Lockard, VG; Mehendale, HM; O'Neal, RM. (1983). Chlordecone-induced potentiation of carbon tetrachloride hepatotoxicity: a morphometric and biochemical study. *Exp Mol Pathol.* 39: 246-255. [http://dx.doi.org/10.1016/0014-4800\(83\)90055-2](http://dx.doi.org/10.1016/0014-4800(83)90055-2).

Human Health Hazard Literature Search Results

On Topic

- Lodder, J; Denaës, T; Chobert, MN; Wan, J; El-Benna, J; Pawlotsky, JM; Lotersztajn, S; Teixeira-Clerc, F. (2015). Macrophage autophagy protects against liver fibrosis in mice. *Autophagy*. 11: 1280-1292. <http://dx.doi.org/10.1080/15548627.2015.1058473>.
- Logue, JM; Small, MJ; Stern, D; Maranche, J; Robinson, AL. (2010). Spatial variation in ambient air toxics concentrations and health risks between industrial-influenced, urban, and rural sites. *Journal of the Air and Waste Management Association*. 60: 271-286. <http://dx.doi.org/10.3155/1047-3289.60.3.271>.
- Long, RM; Moore, L. (1986). Elevated cytosolic calcium in rat hepatocytes exposed to carbon tetrachloride. *J Pharmacol Exp Ther*. 238: 186-191.
- López-Diazguerrero, NE; Luna-López, A; Gutiérrez-Ruiz, MC; Zentella, A; Königsberg, M. (2005). Susceptibility of DNA to oxidative stressors in young and aging mice. *Life Sci*. 77: 2840-2854. <http://dx.doi.org/10.1016/j.lfs.2005.05.034>.
- López-Navarrete, G; Ramos-Martínez, E; Suárez-Álvarez, K; Aguirre-García, J; Ledezma-Soto, Y; León-Cabrera, S; Gudiño-Zayas, M; Guzmán, C; Gutiérrez-Reyes, G; Hernández-Ruiz, J; Camacho-Arroyo, I; Robles-Díaz, G; Kershenovich, D; Terrazas, LI; Escobedo, G. (2011). Th2-associated alternative Kupffer cell activation promotes liver fibrosis without inducing local inflammation. *Int J Biol Sci*. 7: 1273-1286.
- Lou, JL; Jiang, MN; Li, C; Zhou, Q; He, X; Lei, HY; Li, J; Jia, YJ. (2010). Herb medicine Gan-fu-kang attenuates liver injury in a rat fibrotic model. *J Ethnopharmacol*. 128: 131-138. <http://dx.doi.org/10.1016/j.jep.2009.12.038>.
- Louka, ML; Ramzy, MM. (2016). Involvement of fibroblast-specific protein 1 (S100A4) and matrix metalloproteinase-13 (MMP-13) in CCl4-induced reversible liver fibrosis. *Gene*. 579: 29-33. <http://dx.doi.org/10.1016/j.gene.2015.12.042>.
- Loveday, KS; Anderson, BE; Resnick, MA; Zeiger, E; Holden, HE. (1990). Chromosome aberration and sister chromatid exchange tests in Chinese hamster ovary cells in vitro. V: Results with 46 chemicals. *Environ Mol Mutagen*. 16: 272-303. <http://dx.doi.org/10.1002/em.2850160409>.
- Lowrey, K; Jr, GE; Recknagel, RO. (1981). Destruction of liver microsomal calcium pump activity by carbon tetrachloride and bromotrachloromethane. *Biochem Pharmacol*. 30: 135-140.
- Lu, B; Xu, Y; Xu, L; Cong, X; Yin, L; Li, H, ua; Peng, J. (2012). Mechanism investigation of dioscin against CCl4-induced acute liver damage in mice. *Environ Toxicol Pharmacol*. 34: 127-135. <http://dx.doi.org/10.1016/j.etap.2012.03.010>.
- Lu, B; Yin, L; Xu, L; Peng, J. (2011). Application of proteomic and bioinformatic techniques for studying the hepatoprotective effect of dioscin against CCl4-induced liver damage in mice. *Planta Med*. 77: 407-415. <http://dx.doi.org/10.1055/s-0030-1250461>.
- Lu, B; Yu, L; Li, S; Si, S; Zeng, Y. (2010). Alleviation of CCl4-induced cirrhosis in rats by tetramethylpyrazine is associated with downregulation of leptin and TGF-beta1 pathway. *Drug Chem Toxicol*. 33: 310-315. <http://dx.doi.org/10.3109/01480540903418504>.
- Lu, C; Xia, J; Zhou, Y; Lu, X; Zhang, L; Gou, M; Li, L; Zhang, X; Ji, H; Zhu, K; Li, L; Zhang, J; Yu, P; Yang, J; Bu, H; Shi, Y. (2016). Loss of Gα impairs liver regeneration through a defect in the crosstalk between cAMP and growth factor signaling. *J Hepatol*. 64: 342-351. <http://dx.doi.org/10.1016/j.jhep.2015.08.036>.
- Lu, CH; Hou, QR; Deng, LF; Fei, C; Xu, WP; Zhang, Q; Wu, KM; Ning, BF; Xie, WF; Zhang, X. (2015). MicroRNA-370 Attenuates Hepatic Fibrogenesis by Targeting Smoothed. *Dig Dis Sci*. 60: 2038-2048. <http://dx.doi.org/10.1007/s10620-015-3585-0>.
- Lu, DH; Guo, XY; Qin, SY; Luo, W; Huang, XL; Chen, M; Wang, JX; Ma, SJ; Yang, XW; Jiang, HX. (2015). Interleukin-22 ameliorates liver fibrogenesis by attenuating hepatic stellate cell activation and downregulating the levels of inflammatory cytokines. *World J Gastroenterol*. 21: 1531-1545. <http://dx.doi.org/10.3748/wjg.v21.i5.1531>.
- Lu, H; Wan, J; Jiang, R; Xie, J, un; Peng, X; Zhang, L, i. (2012). Sodium butyrate potentiates carbon tetrachloride-induced acute liver injury in mice. *Toxicol Mech Meth*. 22: 648-655. <http://dx.doi.org/10.3109/15376516.2012.716091>.
- Lu, L; Wang, J; Lu, H; Zhang, G; Liu, Y; Wang, J; Zhang, Y; Shang, H; Ji, H; Chen, X; Duan, Y; Li, Y. (2015). MicroRNA-130a and -130b enhance activation of hepatic stellate cells by suppressing PPARγ expression: A rat fibrosis model study. *Biochem Biophys Res Commun*. 465: 387-393. <http://dx.doi.org/10.1016/j.bbrc.2015.08.012>.
- Lu, N; Liu, Y; Tang, A; Chen, L; Miao, D; Yuan, X. (2015). Hepatocyte-specific ablation of PP2A catalytic subunit α attenuates liver fibrosis progression via TGF-β1/Smad signaling. *BioMed Res Int*. 2015: 794862. <http://dx.doi.org/10.1155/2015/794862>.
- Lu, P; Liu, H; Yin, H; Yang, L. (2011). Expression of angiotensinogen during hepatic fibrogenesis and its effect on hepatic stellate cells. *Med Sci Monit*. 17: BR248-BR256.
- Lu, S; Shi, G; Xu, X; Wang, G; Lan, X; Sun, P; Li, X; Zhang, B; Gu, X; Ichim, TE; Wang, H. (2016). Human endometrial regenerative cells alleviate carbon tetrachloride-induced acute liver injury in mice. *J Transl Med*. 14: 300. <http://dx.doi.org/10.1186/s12967-016-1051-1>.
- Lu, X; Zhao, Y; Sun, Y; Yang, S; Yang, X. (2013). Characterisation of polysaccharides from green tea of Huangshan Maofeng with antioxidant and hepatoprotective effects. *Food Chem*. 141: 3415-3423. <http://dx.doi.org/10.1016/j.foodchem.2013.06.058>.
- Lu, Y; Hu, D; Ma, S; Zhao, X; Wang, S; Wei, G; Wang, X; Wen, A; Wang, J. (2016). Protective effect of wedelolactone against CCl4-induced acute liver injury in mice. *Int Immunopharmacol*. 34: 44-52. <http://dx.doi.org/10.1016/j.intimp.2016.02.003>.
- Lua, I; Li, Y; Zagory, JA; Wang, KS; French, SW; Sévigny, J; Asahina, K. (2016). Characterization of hepatic stellate cells, portal fibroblasts, and mesothelial cells in normal and fibrotic livers. *J Hepatol*. 64: 1137-1146. <http://dx.doi.org/10.1016/j.jhep.2016.01.010>.
- Luckey, SW; Petersen, DR. (2001). Activation of Kupffer cells during the course of carbon tetrachloride-induced liver injury and fibrosis in rats. *Exp Mol Pathol*. 71: 226-240. <http://dx.doi.org/10.1006/exmp.2001.2399>.
- Lukacs-Kornek, V; Schuppan, D. (2013). Dendritic cells in liver injury and fibrosis: shortcomings and promises. *J Hepatol*. 59: 1124-1126. <http://dx.doi.org/10.1016/j.jhep.2013.05.033>.
- Luke, NS; Sams R, II; Devito, MJ; Conolly, RB; El-Masri, HA. (2010). Development of a quantitative model incorporating key events in a hepatotoxic mode of action to predict tumor incidence. *Toxicol Sci*. TBD: TBD. <http://dx.doi.org/10.1093/toxsci/kfq021>.
- Luli, S; Di Paolo, D; Perri, P; Brignole, C; Hill, SJ; Brown, H; Leslie, J; Marshall, HL; Wright, MC; Mann, DA; Ponzoni, M; Oakley, F. (2016). A new fluorescence-based optical imaging method to non-invasively monitor hepatic myofibroblasts in vivo. *J Hepatol*. 65: 75-83. <http://dx.doi.org/10.1016/j.jhep.2016.03.021>.

Human Health Hazard Literature Search Results

On Topic

- Luo, C; Chen, ZX; Tan, XH; Yi, WH; Lu, LN; Li, YL; Xie, SB. (2013). [Therapeutic effects of Fuzhenghuayu decoction in a CCl₄-induced liver cirrhosis rat model and on hepatic stellate cell activation]. *Zhonghua Gan Zang Bing Za Zhi*. 21: 668-673.
- Luo, H; Li, J; Wang, L; Zhu, L. (2012). Protective Activities of Cistanoside A on CCl₄ Induced Hepatotoxicity in Mice. *Lat Am J Pharm*. 31: 407-413.
- Luo, H; Zhao, F; Wang, L; Zhu, L. (2014). Protective Activities of Cistanoside A on Alcohol Induced Hepatotoxicity in Mice. *Lat Am J Pharm*. 33: 778-784.
- Luo, L; Xu, T; Wang, P; Mao, L; Xi, C; Huang, J; Zhang, W. (2017). Expression of muscarinic acetylcholine receptors in hepatocytes from rat fibrotic liver. *Exp Toxicol Pathol*. 69: 73-81. <http://dx.doi.org/10.1016/j.etp.2016.11.005>.
- Luo, L; Zhou, A. (2009). Antifibrotic activity of anisodamine in vivo is associated with changed intrahepatic levels of matrix metalloproteinase-2 and its inhibitor tissue inhibitors of metalloproteinases-2 and transforming growth factor beta1 in rats with carbon tetrachloride-induced liver injury. *J Gastroenterol Hepatol*. 24: 1070-1076. <http://dx.doi.org/10.1111/j.1440-1746.2008.05756.x>.
- Luo, W; Öhman, M; Wright, A; Kamrudin, S; Wang, H; Guo, C; Eitzman, D. (2012). Steatohepatitis and vascular thrombosis in apolipoprotein e deficient mice [Letter]. *Thromb Res Suppl*. 129: e166-e167. <http://dx.doi.org/10.1016/j.thromres.2012.01.010>.
- Luster, MI; Simeonova, PP; Gallucci, RM; Matheson, JM; Yucesoy, B. (2000). Immunotoxicology: role of inflammation in chemical-induced hepatotoxicity [Review]. *International Journal of Immunopharmacology*. 22: 1143-1147.
- Lutz, WK. (1979). In vivo covalent binding of organic chemicals to DNA as a quantitative indicator in the process of chemical carcinogenesis [Review]. *Mutat Res*. 65: 289-356.
- Lutz, WK. (1986). Quantitative evaluation of DNA binding data for risk estimation and for classification of direct and indirect carcinogens. *J Cancer Res Clin Oncol*. 112: 85-91. <http://dx.doi.org/10.1007/BF00404387>.
- Lutz, WK; Gaylor, DW; Conolly, RB; Lutz, RW. (2005). Nonlinearity and thresholds in dose-response relationships for carcinogenicity due to sampling variation, logarithmic dose scaling, or small differences in individual susceptibility [Review]. *Toxicol Appl Pharmacol*. 207: S565-S569. <http://dx.doi.org/10.1016/j.taap.2005.01.038>.
- Lv, D; Zhu, CQ; Liu, L. (2015). Sesamin ameliorates oxidative liver injury induced by carbon tetrachloride in rat. *Int J Clin Exp Pathol*. 8: 5733-5738.
- Lv, P; Meng, Q; Liu, J; Wang, C. (2015). Thalidomide Accelerates the Degradation of Extracellular Matrix in Rat Hepatic Cirrhosis via Down-Regulation of Transforming Growth Factor- β 1. *Yonsei Med J*. 56: 1572-1581. <http://dx.doi.org/10.3349/ymj.2015.56.6.1572>.
- Lv, W; Zhang, A; Xu, S; Zhang, H. (2009). [Effects of general glycosides in *Cynanchum auriculatum* of Jiangsu province on liver fibrosis of rats]. *Zhongguo Zhong Yao Za Zhi*. 34: 2508-2511.
- Ly, S, unY; Lee, S, ooMin; Park, S, unY; Jang, G, iS; Ly, S, unY. (2009). THE PROTECTIVE EFFECTS OF ETHANOL EXTRACT OF WILD SIMULATED GINSENG ON CCl₄ INDUCED HEPATIC INJURY IN MOUSE. *Ann Nutr Metab*. 55: 333-333.
- Ma, B; Wang, J; Tong, J; Zhou, G; Chen, Y; He, J; Wang, Y. (2016). Protective effects of *Chaenomeles thibetica* extract against carbon tetrachloride-induced damage via the MAPK/Nrf2 pathway. 7: 1492-1500. <http://dx.doi.org/10.1039/c5fo01430a>.
- Ma, C; Liu, A; Wang, Y; Geng, X; Hao, L; Song, Q; Sun, B; Wang, H; Zhao, G. (2014). The hepatocyte phase of Gd-EOB-DTPA-enhanced MRI in the evaluation of hepatic fibrosis and early liver cirrhosis in a rat model: an experimental study. *Life Sci*. 108: 104-108. <http://dx.doi.org/10.1016/j.lfs.2014.05.016>.
- Ma, HC; Shi, XL; Ren, HZ; Yuan, XW; Ding, YT. (2014). Targeted migration of mesenchymal stem cells modified with CXCR4 to acute failing liver improves liver regeneration. *World J Gastroenterol*. 20: 14884-14894. <http://dx.doi.org/10.3748/wjg.v20.i40.14884>.
- Ma, J; Ding, J, ie; Zhang, L, i; Liu, C. (2014). Ursolic acid protects mouse liver against CCl₄-induced oxidative stress and inflammation by the MAPK/NF-kappa B pathway. *Environ Toxicol Pharmacol*. 37: 975-983. <http://dx.doi.org/10.1016/j.etap.2014.03.011>.
- Ma, J; Li, Z; Xie, W; Liu, C; Liu, S. (2015). Quercetin protects mouse liver against CCl₄-induced inflammation by the TLR2/4 and MAPK/NF-kappa B pathway. *Int Immunopharmacol*. 28: 531-539. <http://dx.doi.org/10.1016/j.intimp.2015.06.036>.
- Ma, JQ; Ding, J; Xiao, ZH; Liu, CM. (2014). Puerarin ameliorates carbon tetrachloride-induced oxidative DNA damage and inflammation in mouse kidney through ERK/Nrf2/ARE pathway. *Food Chem Toxicol*. 71: 264-271. <http://dx.doi.org/10.1016/j.fct.2014.06.017>.
- Ma, JQ; Ding, J; Xiao, ZH; Liu, CM. (2014). Ursolic acid ameliorates carbon tetrachloride-induced oxidative DNA damage and inflammation in mouse kidney by inhibiting the STAT3 and NF- κ B activities. *Int Immunopharmacol*. 21: 389-395. <http://dx.doi.org/10.1016/j.intimp.2014.05.022>.
- Ma, JQ; Ding, J; Zhang, L; Liu, CM. (2014). Hepatoprotective properties of sesamin against CCl₄ induced oxidative stress-mediated apoptosis in mice via JNK pathway. *Food Chem Toxicol*. 64: 41-48. <http://dx.doi.org/10.1016/j.fct.2013.11.017>.
- Ma, JQ; Ding, J; Zhang, L; Liu, CM. (2015). Protective effects of ursolic acid in an experimental model of liver fibrosis through Nrf2/ARE pathway. *Clinics and Research in Hepatology and Gastroenterology*. 39: 188-197. <http://dx.doi.org/10.1016/j.clinre.2014.09.007>.
- Ma, JQ; Ding, J; Zhao, H; Liu, CM. (2014). Puerarin attenuates carbon tetrachloride-induced liver oxidative stress and hyperlipidaemia in mouse by JNK/c-Jun/CYP7A1 pathway. *Basic & Clinical Pharmacology & Toxicology Online Pharmacology Online*. 115: 389-395. <http://dx.doi.org/10.1111/bcpt.12245>.
- Ma, JQ; Luo, RZ; Jiang, HX; Liu, CM. (2016). Quercitrin offers protection against brain injury in mice by inhibiting oxidative stress and inflammation. 7: 549-556. <http://dx.doi.org/10.1039/c5fo00913h>.
- Ma, R; Chen, J; Li, Z; Tang, J; Wang, Y; Cai, X. (2014). Decorin accelerates the liver regeneration after partial hepatectomy in fibrotic mice. *Chin Med J*. 127: 2679-2685.
- Ma, R; He, S; Liang, X; Yu, H; Liang, Y; Cai, X. (2014). Decorin prevents the development of CCl₄-induced liver fibrosis in mice. *Chin Med J*. 127: 1100-1104.
- Ma, X; Xu, L; Wang, S; Chen, H; Xu, J; Li, X; Ning, G. (2009). Loss of steroid receptor co-activator-3 attenuates carbon tetrachloride-induced murine hepatic injury and fibrosis. *Lab Invest*. 89: 903-914. <http://dx.doi.org/10.1038/labinvest.2009.51>.

Human Health Hazard Literature Search Results

On Topic

- Ma, ZG; Lv, XD; Zhan, LL; Chen, L; Zou, QY; Xiang, JQ; Qin, JL; Zhang, WW; Zeng, ZJ; Jin, H; Jiang, HX; Lv, XP. (2016). Human urokinase-type plasminogen activator gene-modified bone marrow-derived mesenchymal stem cells attenuate liver fibrosis in rats by down-regulating the Wnt signaling pathway. *World J Gastroenterol.* 22: 2092-2103. <http://dx.doi.org/10.3748/wjg.v22.i6.2092>.
- Maatooq, GT; Marzouk, AM; Gray, AI; Rosazza, JP. (2010). Bioactive microbial metabolites from glycyrrhetic acid. *Phytochemistry.* 71: 262-270. <http://dx.doi.org/10.1016/j.phytochem.2009.09.014>.
- MacNee, W; Rahman, I. (2004). *Oxygen/Nitrogen Radicals: Lung Injury and Disease Oxidative stress in chronic obstructive pulmonary disease.* New York: Marcel Dekker, Inc.
- Madrigal-Santillán, E; Madrigal-Bujaidar, E; Álvarez-González, I; Sumaya-Martínez, MT; Gutiérrez-Salinas, J; Bautista, M; Morales-González, Á; García-Luna y González-Rubio, M; Aguilar-Faisal, JL; Morales-González, JA. (2014). Review of natural products with hepatoprotective effects [Review]. *World J Gastroenterol.* 20: 14787-14804. <http://dx.doi.org/10.3748/wjg.v20.i40.14787>.
- Madsen, DH; Jürgensen, HJ; Ingvarsen, S; Melander, MC; Vainer, B; Egerod, KL; Hald, A; Rønø, B; Madsen, CA; Bugge, TH; Engelholm, LH; Behrendt, N. (2012). Endocytic collagen degradation: a novel mechanism involved in protection against liver fibrosis. *J Pathol.* 227: 94-105. <http://dx.doi.org/10.1002/path.3981>.
- Maeda, M; Takami, T; Terai, S; Sakaida, I. (2012). Autologous bone marrow cell infusions suppress tumor initiation in hepatocarcinogenic mice with liver cirrhosis. *J Gastroenterol Hepatol.* 27 Suppl 2: 104-111. <http://dx.doi.org/10.1111/j.1440-1746.2011.07016.x>.
- Mafi, A; Dehghani, F; Moghadam, A; Noorafshan, A; Vojdani, Z; Talaei-Khozani, T. (2016). Effects of platelet-rich plasma on liver regeneration in CCl₄-induced hepatotoxicity model. *Platelets.* 27: 771-776. <http://dx.doi.org/10.1080/09537104.2016.1184749>.
- Magdaleno, F; Arriazu, E; Ruiz de Galarreta, M; Chen, Y; Ge, X; Conde de la Rosa, L; Nieto, N. (2016). Cartilage oligomeric matrix protein participates in the pathogenesis of liver fibrosis. *J Hepatol.* 65: 963-971. <http://dx.doi.org/10.1016/j.jhep.2016.06.003>.
- Magos, L; Snowden, R; White, INH; Butler, WH; Tuffery, AA. (1982). Isotoxic oral and inhalation exposure of carbon tetrachloride in Porton-Wistar and Fischer rats. *J Appl Toxicol.* 2: 238-240.
- Mahesh, A; Jeyachandran, R; Cindrella, L; Thangadurai, D; Veerapur, VP; Muralidhara Rao, D. (2010). Hepatocurative potential of sesquiterpene lactones of *Taraxacum officinale* on carbon tetrachloride induced liver toxicity in mice. *Acta Biol Hung.* 61: 175-190. <http://dx.doi.org/10.1556/ABiol.61.2010.2.6>.
- Maheshwari, DT; Yogendra Kumar, MS; Verma, SK; Singh, VK; Singh, SN. (2011). Antioxidant and hepatoprotective activities of phenolic rich fraction of Seabuckthorn (*Hippophae rhamnoides* L.) leaves. *Food Chem Toxicol.* 49: 2422-2428. <http://dx.doi.org/10.1016/j.fct.2011.06.061>.
- Maheshwari, P; Baburao, B; Reddy, AR. (2012). Hepatoprotective activity of methanolic extract of *Hiptage bengalensis* leaves against CCl₄-induced hepatotoxicity in rats. *Toxicol Mech Meth.* 22: 483-487. <http://dx.doi.org/10.3109/15376516.2012.674068>.
- Mahmud, Z; Bachar, S; Qais, N. (2012). Antioxidant and Hepatoprotective Activities of Ethanolic Extracts of Leaves of *Premna esculenta* Roxb. against Carbon Tetrachloride-Induced Liver Damage in Rats. *Journal of Young Pharmacists.* 4: 228-234. <http://dx.doi.org/10.4103/0975-1483.104366>.
- Mahrouf-Yorgov, M; Collin de l'Hortet, A; Cosson, C; Slama, A; Abdoun, E; Guidotti, JE; Fromenty, B; Mitchell, C; Gilgenkrantz, H. (2011). Increased susceptibility to liver fibrosis with age is correlated with an altered inflammatory response. *Rejuvenation Research.* 14: 353-363. <http://dx.doi.org/10.1089/rej.2010.1146>.
- Mai, P; Yang, L; Tian, L; Wang, L; Jia, S; Zhang, Y; Liu, X; Yang, L; Li, L. (2015). Endocannabinoid System Contributes to Liver Injury and Inflammation by Activation of Bone Marrow-Derived Monocytes/Macrophages in a CB1-Dependent Manner. *J Immunol.* 195: 3390-3401. <http://dx.doi.org/10.4049/jimmunol.1403205>.
- Maiers, JL; Kostallari, E; Mushref, M; Deassuncao, TM; Li, H; Jalan-Sakrikar, N; Huebert, RC; Cao, S; Malhi, H; Shah, VH. (2016). The unfolded protein response mediates fibrogenesis and collagen I secretion through regulating TANGO1 in mice. *Hepatology.* <http://dx.doi.org/10.1002/hep.28921>.
- Makhmoo, T; Naheed, S; Shujaat, S; Jalil, S; Hayat, S; Choudhary, MI; Khan, KM; Alam, JM; Nazir, S. (2013). Hepatoprotection by chemical constituents of the marine brown alga *Spatoglossum variabile*: a relation to free radical scavenging potential. *Pharmaceutical Biology.* 51: 383-390. <http://dx.doi.org/10.3109/13880209.2012.732582>.
- Makni, M; Chtourou, Y; Barkallah, M; Fetoui, H. (2012). Protective effect of vanillin against carbon tetrachloride (CCl₄)-induced oxidative brain injury in rats. *Toxicol Ind Health.* 28: 655-662. <http://dx.doi.org/10.1177/0748233711420472>.
- Makni, M; Chtourou, Y; Fetoui, H; Garoui, e; Barkallah, M; Marouani, C; Kallel, C; Zeghal, N. (2012). Erythrocyte oxidative damage in rat treated with CCl₄: protective role of vanillin. *Toxicol Ind Health.* 28: 908-916. <http://dx.doi.org/10.1177/0748233711427055>.
- Makni, M; Chtourou, Y; Garoui, EM; Boudawara, T; Fetoui, H. (2012). Carbon tetrachloride-induced nephrotoxicity and DNA damage in rats: protective role of vanillin. *Hum Exp Toxicol.* 31: 844-852. <http://dx.doi.org/10.1177/0960327111429140>.
- Maksimchik, YZ; Dremza, IK; Lapshina, EA; Cheshchevik, VT; Sudnikovich, EY, u; Zabrodskaya, SV; Zavodnik, IB. (2010). Rat Liver Mitochondria Impairment under Acute Carbon Tetrachloride-Induced Intoxication. Effects of Melatonin. *Biologicheskie Membrany.* 27: 262-271.
- Maksimović, Z; Kovacević, N; Lakusić, B; Cebović, T. (2011). Antioxidant activity of yellow dock (*Rumex crispus* L., Polygonaceae) fruit extract. 25: 101-105. <http://dx.doi.org/10.1002/ptr.3234>.
- Malaguarnera, G; Cataudella, E; Giordano, M; Nunnari, G; Chisari, G; Malaguarnera, M. (2012). Toxic hepatitis in occupational exposure to solvents [Review]. *World J Gastroenterol.* 18: 2756-2766. <http://dx.doi.org/10.3748/wjg.v18.i22.2756>.
- Malekinejad, H; Rahmani, F; Valivande-Azar, S; Taheri-Broujerdi, M; Bazargani-Gilani, B. (2012). Long-term administration of Silymarin augments proinflammatory mediators in the hippocampus of rats: evidence for antioxidant and pro-oxidant effects. *Hum Exp Toxicol.* 31: 921-930. <http://dx.doi.org/10.1177/0960327112436405>.

Human Health Hazard Literature Search Results

On Topic

- Malendowicz, LK; Colby, HD. (1982). Effects of carbon tetrachloride on adrenocortical function in rats. *Toxicol Appl Pharmacol*. 65: 32-37. [http://dx.doi.org/10.1016/0041-008X\(82\)90359-3](http://dx.doi.org/10.1016/0041-008X(82)90359-3).
- Mallat, A; Lotersztajn, S. (2011). The liver X receptor in hepatic stellate cells: A novel antifibrogenic target? *J Hepatol*. 55: 1452-1454.
- Manautou, JE. (2010). Transporter Expression in Response to Hepatotoxicants.
- Mancini-Filho, J; Novoa, AV; González, AE; de Andrade-Wartha, ER; de O e Silva, AM; Pinto, J. R.; Mancini, DA. (2009). Free phenolic acids from the seaweed *Halimeda monile* with antioxidant effect protecting against liver injury. *Z Naturforsch C Biosci*. 64: 657-663.
- Mann, EA; Shanmukhappa, K; Cohen, MB. (2010). Lack of guanylate cyclase C results in increased mortality in mice following liver injury. *BMC Gastroenterol*. 10: 86. <http://dx.doi.org/10.1186/1471-230X-10-86>.
- Mann, J; Chu, DC; Maxwell, A; Oakley, F; Zhu, NL; Tsukamoto, H; Mann, DA. (2010). MeCP2 controls an epigenetic pathway that promotes myofibroblast transdifferentiation and fibrosis. *Gastroenterology*. 138: 705-714, 714.e701-704. <http://dx.doi.org/10.1053/j.gastro.2009.10.002>.
- Manna, P; Bhattacharyya, S; Das, J; Ghosh, J; Sil, PC. (2011). Phytomedicinal Role of *Pithecellobium dulce* against CCl₄-mediated Hepatic Oxidative Impairments and Necrotic Cell Death. *eCAM*. 2011: 832805. <http://dx.doi.org/10.1093/ecam/neaq065>.
- Mannaerts, I; Leite, SB; Verhulst, S; Claerhout, S; Eysackers, N; Thoen, LF; Hoorens, A; Reynaert, H; Halder, G; van Grunsven, LA. (2015). The Hippo pathway effector YAP controls mouse hepatic stellate cell activation. *J Hepatol*. 63: 679-688. <http://dx.doi.org/10.1016/j.jhep.2015.04.011>.
- Manno, M; De Matteis, F; King, LJ. (1988). The mechanism of the suicidal, reductive inactivation of microsomal cytochrome P-450 by carbon tetrachloride. *Biochem Pharmacol*. 37: 1981-1990.
- Manno, M; Ferrara, R; Cazzaro, S; Rigotti, P; Ancona, E. (1992). Suicidal inactivation of human cytochrome P-450 by carbon tetrachloride and halothane in vitro. *Pharmacol Toxicol*. 70: 13-18.
- Mantawy, EM; Tados, MG; Awad, AS; Hassan, DA; El-Demerdash, E. (In Press) Insights antifibrotic mechanism of methyl palmitate: Impact on nuclear factor kappa B and proinflammatory cytokines. *Toxicol Appl Pharmacol*. <http://dx.doi.org/10.1016/j.taap.2011.10.016>.
- Manubolu, M; Goodla, L; Ravilla, S; Thanasekaran, J; Dutta, P; Malmlöf, K; Obulum, VR. (2014). Protective effect of *Actiniopteris radiata* (Sw.) Link. against CCl₄ induced oxidative stress in albino rats. *J Ethnopharmacol*. 153: 744-752. <http://dx.doi.org/10.1016/j.jep.2014.03.040>.
- Manuelpillai, U; Lourensz, D; Vaghjiani, V; Tchongue, J; Lacey, D; Tee, JY; Murthi, P; Chan, J; Hodge, A; Sievert, W. (2012). Human amniotic epithelial cell transplantation induces markers of alternative macrophage activation and reduces established hepatic fibrosis. *PLoS ONE*. 7: e38631. <http://dx.doi.org/10.1371/journal.pone.0038631>.
- Manuelpillai, U; Tchongue, J; Lourensz, D; Vaghjiani, V; Samuel, CS; Liu, A; Williams, ED; Sievert, W. (2010). Transplantation of human amnion epithelial cells reduces hepatic fibrosis in immunocompetent CCl₄-treated mice. *Cell Transplant*. 19: 1157-1168. <http://dx.doi.org/10.3727/096368910X504496>.
- Mao, ZM; Song, HY; Yang, LL; Liu, T; Li, DF; Zheng, PY; Liu, P; Ji, G. (2012). [Effects of the mixture of *Swertia pseudochinensis* Hara and *Silybum marianum* Gaertn extracts on CCl₄-induced liver injury in rats with non-alcoholic fatty liver disease]. *Zhong Xi Yi Jie He Xue Bao*. 10: 193-199.
- Marahatta, A; Kim, HR; Chae, HJ. (2013). 4-Phenylbutyric acid regulates CCl₄-induced Acute Hepatic Steatosis in a Mouse Model: A Mechanism-based PK/PD study. *Mol Biol Cell*. 24.
- Maranhão, HM; Vasconcelos, CF; Rolim, LA; Neto, PJ; Neto, J; Filho, RC; Fernandes, MP; Costa-Silva, JH; Araújo, AV; Wanderley, AG. (2014). Hepatoprotective effect of the aqueous extract of *Simarouba amara* Aublet (Simaroubaceae) stem bark against carbon tetrachloride (CCl₄)-induced hepatic damage in rats. *Molecules*. 19: 17735-17746. <http://dx.doi.org/10.3390/molecules191117735>.
- Marchand, C; Mclean, S; Plaa, GL. (1970). The effect of SKF 525A on the distribution of carbon tetrachloride in rats. *J Pharmacol Exp Ther*. 174: 232-238.
- Marfà, S; Morales-Ruiz, M; Oró, D; Ribera, J; Fernández-Varo, G; Jiménez, W. (2016). Sipa111 is an early biomarker of liver fibrosis in CCl₄-treated rats. 5: 858-865. <http://dx.doi.org/10.1242/bio.018887>.
- Marimuthu, S; Adluri, RS; Rajagopalan, R; Menon, VP. (2013). Protective role of ferulic acid on carbon tetrachloride-induced hyperlipidemia and histological alterations in experimental rats. *J Basic Clin Physiol Pharmacol*. 24: 59-66. <http://dx.doi.org/10.1515/jbcpp-2012-0053>.
- Mark, AL; Sun, Z; Warren, DS; Lonze, BE; Knabel, MK; Melville Williams, GM; Locke, JE; Montgomery, RA; Cameron, AM. (2010). Stem cell mobilization is life saving in an animal model of acute liver failure. *Ann Surg*. 252: 591-596. <http://dx.doi.org/10.1097/SLA.0b013e3181f4e479>.
- Markowitz, GJ; Michelotti, GA; Diehl, AM; Wang, XF. (2015). Inflammatory models drastically alter tumor growth and the immune microenvironment in hepatocellular carcinoma. 60: 762-772. <http://dx.doi.org/10.1007/s11434-015-0772-5>.
- Marquardt, JU; Seo, D; Gómez-Quiroz, LE; Uchida, K; Gillen, MC; Kitade, M; Kaposi-Novak, P; Conner, EA; Factor, VM; Thorgeirsson, SS. (2012). Loss of c-Met accelerates development of liver fibrosis in response to CCl₄ exposure through deregulation of multiple molecular pathways. *Biochim Biophys Acta*. 1822: 942-951. <http://dx.doi.org/10.1016/j.bbadis.2012.02.012>.
- Marra, F; Arrighi, MC; Fazi, M; Caligiuri, A; Pinzani, M; Romanelli, RG; Efsen, E; Laffi, G; Gentilini, P. (1999). Extracellular signal-regulated kinase activation differentially regulates platelet-derived growth factor's actions in hepatic stellate cells, and is induced by in vivo liver injury in the rat. *Hepatology*. 30: 951-958. <http://dx.doi.org/10.1002/hep.510300406>.
- Marrone, AK; Shpyleva, S; Chappell, G; Tryndyak, V; Uehara, T; Tsuchiya, M; Beland, FA; Rusyn, I; Pogribny, IP. (2016). Differentially expressed MicroRNAs provide mechanistic insight into fibrosis-associated liver carcinogenesis in mice. *Mol Carcinog*. 55: 808-817. <http://dx.doi.org/10.1002/mc.22323>.

Human Health Hazard Literature Search Results

On Topic

- Marrone, G; Russo, L; Rosado, E; Hide, D; García-Cardeña, G; García-Pagán, JC; Bosch, J; Gracia-Sancho, J. (2013). The transcription factor KLF2 mediates hepatic endothelial protection and paracrine endothelial-stellate cell deactivation induced by statins. *J Hepatol.* 58: 98-103. <http://dx.doi.org/10.1016/j.jhep.2012.08.026>.
- Marsillach, J; Camps, J; Ferré, N; Beltran, R; Rull, A; Mackness, B; Mackness, M; Joven, J. (2009). Paraoxonase-1 is related to inflammation, fibrosis and PPAR delta in experimental liver disease. *BMC Gastroenterol.* 9: 3. <http://dx.doi.org/10.1186/1471-230X-9-3>.
- Martha, S; Anreddy, RNR; Devarakonda, KR; Pantam, N; Yellu, NR; Thungathurthi, S. (2009). Role of Liver in Progression of Insulin Resistance in Relation to IGF-I and Insulin Levels in Rats with Acute Hepatotoxicity. *Lat Am J Pharm.* 28: 914-918.
- Martínez, M; Mourelle, M; Muriel, P. (1995). Protective effect of colchicine on acute liver damage induced by CCl₄. Role of cytochrome P-450. *J Appl Toxicol.* 15: 49-52.
- Marzouk, AM. (2009). Hepatoprotective triterpenes from hairy root cultures of *Ocimum basilicum* L. *Z Naturforsch C Biosci.* 64: 201-209.
- Masubuchi, Y; Ihara, A. (2015). Strain and sex differences in carbon tetrachloride-induced liver injury in mice [Abstract]. *Drug Metab Rev.* 47: 174-175.
- Masubuchi, Y; Ihara, A; Shimada, K. (2011). Gender differences in susceptibility to carbon tetrachloride-induced hepatotoxicity in CD-1 mice. *Toxicol Lett.* 205: S274-S274. <http://dx.doi.org/10.1016/j.toxlet.2011.05.931>.
- Matar, KM; Tayem, YI. (2014). Effect of experimentally induced hepatic and renal failure on the pharmacokinetics of topiramate in rats. *BioMed Res Int.* 2014: 570910. <http://dx.doi.org/10.1155/2014/570910>.
- Mathes, AM. (2010). Hepatoprotective actions of melatonin: possible mediation by melatonin receptors [Review]. *World J Gastroenterol.* 16: 6087-6097. <http://dx.doi.org/10.3748/wjg.v16.i48.6087>.
- Matsiopa, IV; Grigor'eva, NF; Meshchysheva, IF. (2012). Effect of *Echinacea purpurea* tincture on the rat kidney antioxidant system under carbon tetrachloride intoxication. *Pharmaceutical Chemistry Journal.* 46: 441-442. <http://dx.doi.org/10.1007/s11094-012-0817-x>.
- Matsumoto, A; Kanai, T; Mikami, Y; Chu, PS; Nakamoto, N; Ebinuma, H; Saito, H; Sato, T; Yagita, H; Hibi, T. (2013). IL-22-producing RORγt-dependent innate lymphoid cells play a novel protective role in murine acute hepatitis. *PLoS ONE.* 8: e62853. <http://dx.doi.org/10.1371/journal.pone.0062853>.
- Matsumoto, Y; Itami, S; Kuroda, M; Yoshizato, K; Kawada, N; Murakami, Y. (2016). MiR-29a Assists in Preventing the Activation of Human Stellate Cells and Promotes Recovery From Liver Fibrosis in Mice. 24: 1848-1859. <http://dx.doi.org/10.1038/mt.2016.127>.
- Matsushita, T; Shigeta, K; Tanaka, R. (2010). Inhibitory effect of beraprost sodium on the carbon tetrachloride-induced elevation of hydroxyl lipid levels in rat livers. *J Pharmacol Sci.* 112: 209P-209P.
- Mattos, A; de Jager-Krieken, A; de Haan, M; Beljaars, L; Poelstra, K. (2012). PEGylation of interleukin-10 improves the pharmacokinetic profile and enhances the antifibrotic effectivity in CCl₄-induced fibrogenesis in mice. *J Control Release.* 162: 84-91. <http://dx.doi.org/10.1016/j.jconrel.2012.05.041>.
- Mazagova, M; Wang, L; Anfora, AT; Wissmueller, M; Lesley, SA; Miyamoto, Y; Eckmann, L; Dhungana, S; Pathmasiri, W; Sumner, S; Westwater, C; Brenner, DA; Schnabl, B. (2015). Commensal microbiota is hepatoprotective and prevents liver fibrosis in mice. *FASEB J.* 29: 1043-1055. <http://dx.doi.org/10.1096/fj.14-259515>.
- Mbarki, S; Sabah, D; Hichem, A; Abdelfattah, E; Najla, H. (2013). Protective effect of chloride magnesium against carbon tetrachloride-induced kidney damage in male rat. *Fundam Clin Pharmacol.* 27: 92-92.
- Mccay, PB; Lai, EK; Poyer, JL. (1984). Oxygen- and carbon-centered free radical formation during carbon tetrachloride metabolism. Observations of lipid radicals in vivo and in vitro. *J Biol Chem.* 259: 2135-2143.
- Mccuskey, JD; Sava, D; Harbison, SC; Muro-Cacho, CA; Giffe, JT; Ping, X; Harbison, RD. (2011). Hepatoprotective effects of select water-soluble PARP inhibitors in a carbon tetrachloride model. 1: 97-103. <http://dx.doi.org/10.4103/2229-5151.84788>.
- Mccollister, DD; Beamer, WH; Atchison, GJ; Spencer, HC. (1951). The absorption, distribution and elimination of radioactive carbon tetrachloride by monkeys upon exposure to low vapor concentrations. *J Pharmacol Exp Ther.* 102: 112-124.
- Mccracken, JM; Chalise, P; Briley, SM; Dennis, KL; Jiang, L; Duncan, FE; Pritchard, MT. (2017). C57BL/6 substrains exhibit different responses to acute carbon tetrachloride exposure: Implications for work involving transgenic mice. *Gene Expr.* <http://dx.doi.org/10.3727/105221617X695050>.
- Mccracken, JM; Deshpande, KT; Pritchard, M. (2014). Liver injury and pro-fibrotic markers, but not frank fibrosis, are enhanced in Has3^{-/-} mice after carbon tetrachloride exposure: potential role for enhanced matrix metabolism. *Hepatology.* 60: 578A-578A.
- Mccracken, JM; Jiang, L; Deshpande, KT; O'Neil, MF; Pritchard, MT. (2016). Differential effects of hyaluronan synthase 3 deficiency after acute vs chronic liver injury in mice. 9: 4. <http://dx.doi.org/10.1186/s13069-016-0041-5>.
- Mcmahan, RS; Riehle, KJ; Fausto, N; Campbell, JS. (2013). A disintegrin and metalloproteinase 17 regulates TNF and TNFR1 levels in inflammation and liver regeneration in mice. *Am J Physiol Gastrointest Liver Physiol.* 305: G25-G34. <http://dx.doi.org/10.1152/ajpgi.00326.2012>.
- Meek, ME; Palermo, CM; Bachman, AN; North, CM; Jeffrey Lewis, R. (2014). Mode of action human relevance (species concordance) framework: Evolution of the Bradford Hill considerations and comparative analysis of weight of evidence [Review]. *J Appl Toxicol.* 34: 595-606. <http://dx.doi.org/10.1002/jat.2984>.
- Meera, R; Devi, P; Kameswari, B; Madhumitha, B; Merlin, NJ. (2009). Antioxidant and hepatoprotective activities of *Ocimum basilicum* Linn. and *Trigonella foenum-graecum* Linn. against H₂O₂ and CCl₄ induced hepatotoxicity in goat liver. *Indian J Exp Biol.* 47: 584-590.
- Mehendale, HM. (1990). Potentiation of halomethane hepatotoxicity by chlordecone: a hypothesis for the mechanism. *Med Hypotheses.* 33: 289-299.

Human Health Hazard Literature Search Results

On Topic

- Meier, RP; Mahou, R; Morel, P; Meyer, J; Montanari, E; Muller, YD; Christofilopoulos, P; Wandrey, C; Gonelle-Gispert, C; Bühler, LH. (2015). Microencapsulated human mesenchymal stem cells decrease liver fibrosis in mice. *J Hepatol.* 62: 634-641. <http://dx.doi.org/10.1016/j.jhep.2014.10.030>.
- Meng, F; Wang, K; Aoyama, T; Grivennikov, SI; Paik, Y; Scholten, D; Cong, M; Iwaisako, K; Liu, X; Zhang, M; Osterreicher, CH; Stickel, F; Ley, K; Brenner, DA; Kisseleva, T. (2012). Interleukin-17 signaling in inflammatory, Kupffer cells, and hepatic stellate cells exacerbates liver fibrosis in mice. *Gastroenterology.* 143: 765-776.e761-763. <http://dx.doi.org/10.1053/j.gastro.2012.05.049>.
- Meng, Z; Liu, N; Fu, X; Wang, X; Wang, YD; Chen, WD; Zhang, L; Forman, BM; Huang, W. (2011). Insufficient bile acid signaling impairs liver repair in CYP27(-/-) mice. *J Hepatol.* 55: 885-895. <http://dx.doi.org/10.1016/j.jhep.2010.12.037>.
- Meng, Z; Wang, Y; Wang, L; Jin, W; Liu, N; Pan, H; Liu, L; Wagman, L; Forman, BM; Huang, W. (2010). FXR regulates liver repair after CCl₄-induced toxic injury. 24: 886-897. <http://dx.doi.org/10.1210/me.2009-0286>.
- Merlin, NJ; Parthasarathy, V. (2011). Antioxidant and hepatoprotective activity of chloroform and ethanol extracts of *Gmelina asiatica* aerial parts. *Journal of Medicinal Plant Research.* 5: 533-538.
- Mezaki, Y; Morii, M; Yoshikawa, K; Yamaguchi, N; Satoyoshi, K; Miura, M; Imai, K; Hebiguchi, T; Habuchi, T; Senoo, H. (2012). Elevated expression of transforming growth factor β 3 in carbon tetrachloride-treated rat liver and involvement of retinoid signaling. *Int J Mol Med.* 29: 18-24. <http://dx.doi.org/10.3892/ijmm.2011.809>.
- Mico, BA; Pohl, LR. (1983). Reductive oxygenation of carbon tetrachloride. Trichloromethylperoxyl radical as a possible intermediate in the conversion of carbon tetrachloride to electrophilic chlorine. *Arch Biochem Biophys.* 225: 596-609.
- Mihailović, V; Katanić, J; Mišić, D; Stanković, V; Mihailović, M; Uskoković, A; Arambašić, J; Solujić, S; Mladenović, M; Stanković, N. (2014). Hepatoprotective effects of secoiridoid-rich extracts from *Gentiana cruciata* L. against carbon tetrachloride induced liver damage in rats. 5: 1795-1803. <http://dx.doi.org/10.1039/c4fo00088a>.
- Mihailović, V; Mihailović, M; Uskoković, A; Arambašić, J; Mišić, D; Stanković, V; Katanić, J; Mladenović, M; Solujić, S; Matić, S. (2013). Hepatoprotective effects of *Gentiana asclepiadea* L. extracts against carbon tetrachloride induced liver injury in rats. *Food Chem Toxicol.* 52: 83-90. <http://dx.doi.org/10.1016/j.fct.2012.10.034>.
- Mimche, PN; Brady, LM; Bray, CF; Lee, CM; Thapa, M; King, TP; Quicke, K; Mcdermott, CD; Mimche, SM; Grakoui, A; Morgan, ET; Lamb, TJ. (2015). The receptor tyrosine kinase EphB2 promotes hepatic fibrosis in mice. *Hepatology.* 62: 900-914. <http://dx.doi.org/10.1002/hep.27792>.
- Minamino, T; Ito, Y; Ohkubo, H; Hosono, K; Suzuki, T; Sato, T; Ae, T; Shibuya, A; Sakagami, H; Narumiya, S; Koizumi, W; Majima, M. (2012). Thromboxane A₂ receptor signaling promotes liver tissue repair after toxic injury through the enhancement of macrophage recruitment. *Toxicol Appl Pharmacol.* 259: 104-114. <http://dx.doi.org/10.1016/j.taap.2011.12.013>.
- Minamino, T; Ito, Y; Ohkubo, H; Shimizu, Y; Kojo, K; Nishizawa, N; Amano, H; Narumiya, S; Koizumi, W; Majima, M. (2015). Adhesion of platelets through thromboxane A₂ receptor signaling facilitates liver repair during acute chemical-induced hepatotoxicity. *Life Sci.* 132: 85-92. <http://dx.doi.org/10.1016/j.lfs.2015.03.015>.
- Minamiyama, Y; Takemura, S; Kodai, S; Kubo, S; Mizuguchi, S; Oka-Yamamoto, H; Ichikawa, H; Yoshikawa, T. (2015). Liver fibrosis is improved by treatment of S-allyl cysteine, an aged-garlic extract, in CCl₄-treated rats. *Free Radic Biol Med.* 86: S28-S28. <http://dx.doi.org/10.1016/j.freeradbiomed.2015.07.101>.
- Minato, K; Suzuki, M; Nagao, H; Suzuki, R; Ochiai, H. (2015). Development of analytical method for simultaneous determination of five rodent unique bile acids in rat plasma using ultra-performance liquid chromatography coupled with time-of-flight mass spectrometry. *J Chromatogr B Analyt Technol Biomed Life Sci.* 1002: 399-410. <http://dx.doi.org/10.1016/j.jchromb.2015.08.047>.
- Miquel, M; Bartolí, R; Odena, G; Serafín, A; Cabré, E; Galan, A; Barba, I; Córdoba, J; Planas, R. (2010). Rat CCl₄-induced cirrhosis plus total portal vein ligation: a new model for the study of hyperammonaemia and brain oedema. *Liver Int.* 30: 979-987. <http://dx.doi.org/10.1111/j.1478-3231.2010.02273.x>.
- Mirazi, N; Movassagh, SN; Rafieian-Kopaei, M. (2016). The protective effect of hydro-alcoholic extract of mangrove (*Avicennia marina* L.) leaves on kidney injury induced by carbon tetrachloride in male rats. 5: 118-122. <http://dx.doi.org/10.15171/jnp.2016.22>.
- Mirsalis, JC. (1995). Transgenic models for detection of mutations in tumors and normal tissues of rodents [Review]. *Toxicol Lett.* 82-83: 131-134.
- Mirsalis, JC; Butterworth, BE. (1980). Detection of unscheduled DNA synthesis in hepatocytes isolated from rats treated with genotoxic agents: an in vivo-in vitro assay for potential carcinogens and mutagens. *Carcinogenesis.* 1: 621-625.
- Mirsalis, JC; Tyson, CK; Butterworth, BE. (1982). Detection of genotoxic carcinogens in the in vivo-in vitro hepatocyte DNA repair assay. *Environ Mol Mutagen.* 4: 553-562.
- Mistry, S; Dutt, KR; Jena, J. (2013). Protective effect of *Sida cordata* leaf extract against CCl₄ induced acute liver toxicity in rats. *Asian Pacific Journal of Tropical Medicine.* 6: 280-284. [http://dx.doi.org/10.1016/S1995-7645\(13\)60057-7](http://dx.doi.org/10.1016/S1995-7645(13)60057-7).
- Mitchell, C; Couton, D; Couty, JP; Anson, M; Crain, AM; Bizet, V; Rénia, L; Pol, S; Mallet, V; Gilgenkrantz, H. (2009). Dual role of CCR2 in the constitution and the resolution of liver fibrosis in mice. *Am J Pathol.* 174: 1766-1775. <http://dx.doi.org/10.2353/ajpath.2009.080632>.
- Mitchell, C; Robin, MA; Mayeuf, A; Mahrouf-Yorgov, M; Mansouri, A; Hamard, M; Couton, D; Fromenty, B; Gilgenkrantz, H. (2009). Protection against hepatocyte mitochondrial dysfunction delays fibrosis progression in mice. *Am J Pathol.* 175: 1929-1937. <http://dx.doi.org/10.2353/ajpath.2009.090332>.
- Mitra, A; Satelli, A; Yan, J; Xueqing, X; Gagea, M; Hunter, CA; Mishra, L; Li, S. (2014). IL-30 (IL27p28) attenuates liver fibrosis through inducing NKG2D-*rae1* interaction between NKT and activated hepatic stellate cells in mice. *Hepatology.* 60: 2027-2039. <http://dx.doi.org/10.1002/hep.27392>.

Human Health Hazard Literature Search Results

On Topic

- Mittal, D. (2009). Hepatoprotective effects of Polygonum bistorta and active principles on albino rats intoxicated with carbon tetrachloride and paracetamol. *Toxicol Lett.* 189: S57-S57. <http://dx.doi.org/10.1016/j.toxlet.2009.06.291>.
- Miyazaki, T; Bouscarel, B; Ikegami, T; Honda, A; Matsuzaki, Y. (2009). The protective effect of taurine against hepatic damage in a model of liver disease and hepatic stellate cells. *Adv Exp Med Biol.* 643: 293-303. http://dx.doi.org/10.1007/978-0-387-75681-3_30.
- Mochizuki, A; Pace, A; Rockwell, CE; Roth, KJ; Chow, A; O'Brien, KM; Albee, R; Kelly, K; Towery, K; Luyendyk, JP; Copple, BL. (2014). Hepatic stellate cells orchestrate clearance of necrotic cells in a hypoxia-inducible factor-1 α -dependent manner by modulating macrophage phenotype in mice. *J Immunol.* 192: 3847-3857. <http://dx.doi.org/10.4049/jimmunol.1303195>.
- Mochizuki, M; Shimizu, S; Urasoko, Y; Umeshita, K; Kamata, T; Kitazawa, T; Nakamura, D; Nishihata, Y; Ohishi, T; Edamoto, H. (2009). Carbon tetrachloride-induced hepatotoxicity in pregnant and lactating rats. *J Toxicol Sci.* 34: 175-181.
- Moeller, M; Thonig, A; Pohl, S; Ripoll, C; Zipprich, A. (2015). Hepatic arterial vasodilation is independent of portal hypertension in early stages of cirrhosis. *PLoS ONE.* 10: e0121229. <http://dx.doi.org/10.1371/journal.pone.0121229>.
- Moghadamrad, S; McCoy, KD; Kellmann, P; Degottardi, A. (2016). Protective role of specific pathogen free microbiota in bile duct ligated and CCL4 treated mice. *Hepatology.* 63: 826A-826A.
- Moghaddam, AP; Eggers, JS; Calabrese, EJ. (1998). Evaluation of sex difference in tissue repair following acute carbon tetrachloride toxicity in male and female Sprague-Dawley rats. *Toxicology.* 130: 95-105. [http://dx.doi.org/10.1016/S0300-483X\(98\)00095-X](http://dx.doi.org/10.1016/S0300-483X(98)00095-X).
- Mohafez, OMM; Abdel-Raheem, IT; Nafady, AM. (2010). ANTIOXIDANT, LIPID PEROXIDATION-INHIBITORY AND ANTI-ULCER ACTIVITIES OF BROWN PROPOLIS. *Bulletin of Pharmaceutical Sciences.* 33: 169-177.
- Mohamed, GA; Ibrahim, SRM; Elkhayat, ES; Ross, SA; Sayed, HM; El-Moghazy, SAM; El-Shanawany, MA. (2015). Blepharisides A and B, new flavonol glycosides from *Blepharis ciliaris* growing in Saudi Arabia. *Phytochemistry Letters.* 11: 177-182. <http://dx.doi.org/10.1016/j.phytol.2014.12.018>.
- Mohamed, MA; Eldin, IM; Mohammed, AE; Hassan, HM. (2016). Effects of Lawsonia inermis L. (Henna) leaves' methanolic extract on carbon tetrachloride-induced hepatotoxicity in rats. 5: 22-26. <http://dx.doi.org/10.5455/jice.20151123043218>.
- Mohammadi, M; Yazdanparast, R. (2009). Methoxy VO-salen complex: In vitro antioxidant activity, cytotoxicity evaluation and protective effect on CCl4-induced oxidative stress in rats. *Food Chem Toxicol.* 47: 716-721. <http://dx.doi.org/10.1016/j.fct.2008.12.029>.
- Mohammadi, M; Yazdanparast, R. (2010). Radical scavenging abilities and hepatoprotective effect of [N, N'-Bis (salicylidene) ethane-1, 2-diaminato] oxovanadium (IV) complex in CCl4-treated rats. *Exp Toxicol Pathol.* 62: 533-538. <http://dx.doi.org/10.1016/j.etp.2009.07.002>.
- Moleda, L; Trebicka, J; Dietrich, P; Gäbele, E; Hellerbrand, C; Straub, RH; Sauerbruch, T; Schoelmerich, J; Wiest, R. (2011). Amelioration of portal hypertension and the hyperdynamic circulatory syndrome in cirrhotic rats by neuropeptide Y via pronounced splanchnic vasoaction. *Gut.* 60: 1122-1132. <http://dx.doi.org/10.1136/gut.2010.226407>.
- Moles, A; Butterworth, JA; Sanchez, A; Hunter, JE; Leslie, J; Sellier, H; Tiniakos, D; Cockell, SJ; Mann, DA; Oakley, F; Perkins, ND. (2016). A RelA(p65) Thr505 phospho-site mutation reveals an important mechanism regulating NF- κ B-dependent liver regeneration and cancer. *Oncogene.* 35: 4623-4632. <http://dx.doi.org/10.1038/onc.2015.526>.
- Moles, A; Murphy, L; Bagchi, J; Mann, J; Oakley, F; Mann, D. (2013). DEFICIENT NEUTROPHIL RECRUITMENT INTO THE LIVER PARENCHYMA AFTER AN ACUTE CCl4 CHALLENGE DOES NOT AFFECT FIBROGENESIS. *J Hepatol.* 58: S458-S458.
- Moles, A; Murphy, L; Wilson, CL; Chakraborty, JB; Fox, C; Park, EJ; Mann, J; Oakley, F; Howarth, R; Brain, J; Masson, S; Karin, M; Seki, E; Mann, DA. (2014). A TLR2/S100A9/CXCL-2 signaling network is necessary for neutrophil recruitment in acute and chronic liver injury in the mouse. *J Hepatol.* 60: 782-791. <http://dx.doi.org/10.1016/j.jhep.2013.12.005>.
- Moles, A; Tarrats, N; Fernández-Checa, JC; Marí, M. (2009). Cathepsins B and D drive hepatic stellate cell proliferation and promote their fibrogenic potential. *Hepatology.* 49: 1297-1307. <http://dx.doi.org/10.1002/hep.22753>.
- Moles, A; Tarrats, N; Fernández-Checa, JC; Marí, M. (2012). Cathepsin B overexpression due to acid sphingomyelinase ablation promotes liver fibrosis in Niemann-Pick disease. *J Biol Chem.* 287: 1178-1188. <http://dx.doi.org/10.1074/jbc.M111.272393>.
- Moles, A; Tarrats, N; Morales, A; Domínguez, M; Bataller, R; Caballería, J; García-Ruiz, C; Fernández-Checa, JC; Marí, M. (2010). Acidic sphingomyelinase controls hepatic stellate cell activation and in vivo liver fibrogenesis. *Am J Pathol.* 177: 1214-1224. <http://dx.doi.org/10.2353/ajpath.2010.091257>.
- Moller, M; Thonig, A; Ripoll, C; Zipprich, A. (2013). Hepatic arterial vascular resistance (HAR) is decreased in CCl4-cirrhosis without and with portal hypertension - a mechanism independent of changes in portal and sinusoidal resistances. *Hepatology.* 58: 989A-989A.
- Mondal, A; Maity, TK; Pal, D; Sannigrahi, S; Singh, J. (2011). Isolation and in vivo hepatoprotective activity of *Melothria heterophylla* (Lour.) Cogn. against chemically induced liver injuries in rats. *Asian Pacific Journal of Tropical Medicine.* 4: 619-623. [http://dx.doi.org/10.1016/S1995-7645\(11\)60159-4](http://dx.doi.org/10.1016/S1995-7645(11)60159-4).
- Moon, KH; Lee, YM; Song, BJ. (2010). Inhibition of hepatic mitochondrial aldehyde dehydrogenase by carbon tetrachloride through JNK-mediated phosphorylation. *Free Radic Biol Med.* 48: 391-398. <http://dx.doi.org/10.1016/j.freeradbiomed.2009.11.008>.
- Moore, L. (1980). Inhibition of liver-microsome calcium pump by in vivo administration of CCl4, CHCl3, and 1,1-dichloroethylene (vinylidene chloride). *Biochem Pharmacol.* 29: 2505-2511. [http://dx.doi.org/10.1016/0006-2952\(80\)90356-1](http://dx.doi.org/10.1016/0006-2952(80)90356-1).
- Moore, L; Rodman-Daveport, G; Landon, EJ. (1976). Calcium uptake of a liver microsomal subcellular fraction in response to in vivo administration of carbon tetrachloride. *J Biol Chem.* 251: 1197-1201.
- Morales-Ibanez, O; Affò, S; Rodrigo-Torres, D; Blaya, D; Millán, C; Coll, M; Perea, L; Odena, G; Knorpp, T; Templin, MF; Moreno, M; Altamirano, J; Miquel, R; Arroyo, V; Ginès, P; Caballería, J; Sancho-Bru, P; Bataller, R. (2016). Kinase analysis in alcoholic hepatitis identifies p90RSK as a potential mediator of liver fibrogenesis. *Gut.* 65: 840-851. <http://dx.doi.org/10.1136/gutjnl-2014-307979>.

Human Health Hazard Literature Search Results

On Topic

- Morales-López, J; Centeno-Álvarez, M; Nieto-Camacho, A; López, MG; Pérez-Hernández, E; Pérez-Hernández, N; Fernández-Martínez, E. (2017). Evaluation of antioxidant and hepatoprotective effects of white cabbage essential oil. *Pharmaceutical Biology*. 55: 233-241. <http://dx.doi.org/10.1080/13880209.2016.1258424>.
- Morán-Salvador, E; Titos, E; Rius, B; González-Pérez, A; García-Alonso, V; López-Vicario, C; Miquel, R; Barak, Y; Arroyo, V; Clària, J. (2013). Cell-specific PPAR γ deficiency establishes anti-inflammatory and anti-fibrogenic properties for this nuclear receptor in non-parenchymal liver cells. *J Hepatol*. 59: 1045-1053. <http://dx.doi.org/10.1016/j.jhep.2013.06.023>.
- Moratalla, A; Caparrós, E; Juanola, O; Portune, K; Puig-Kröger, A; Estrada-Capetillo, L; Bellot, P; Gómez-Hurtado, I; Piñero, P; Zapater, P; González-Navajas, JM; Such, J; Sanz, Y; Francés, R. (2016). *Bifidobacterium pseudocatenulatum* CECT7765 induces an M2 anti-inflammatory transition in macrophages from patients with cirrhosis. *J Hepatol*. 64: 135-145. <http://dx.doi.org/10.1016/j.jhep.2015.08.020>.
- Moratalla, A; Gómez-Hurtado, I; Moya-Pérez, A; Zapater, P; Peiró, G; González-Navajas, JM; Gómez Del Pulgar, EM; Such, J; Sanz, Y; Francés, R. (2016). *Bifidobacterium pseudocatenulatum* CECT7765 promotes a TLR2-dependent anti-inflammatory response in intestinal lymphocytes from mice with cirrhosis. *Eur J Nutr*. 55: 197-206. <http://dx.doi.org/10.1007/s00394-015-0837-x>.
- Moratalla, A; Gomez-Hurtado, I; Zapater, P; Peiro, G; Moya, A; Gonzalez-Navajas, JM; Such, J; Sanz, Y; Frances, R. (2013). *B. pseudocatenulatum* CECT 7769 ADMINISTRATION DECREASES INFLAMMATION AND BACTERIAL TRANSLOCATION IN THE LIVER OF MICE DURING CCl₄-INDUCED CIRRHOSIS. *J Hepatol*. 58: S241-S241.
- Moreira, PR; Maioli, MA; Medeiros, HC; Guelfi, M; Pereira, FT; Mingatto, FE. (2014). Protective effect of bixin on carbon tetrachloride-induced hepatotoxicity in rats. *Biol Res*. 47: 49. <http://dx.doi.org/10.1186/0717-6287-47-49>.
- Moreno, M; Ramalho, LN; Sancho-Bru, P; Ruiz-Ortega, M; Ramalho, F; Abalde, JG; Colmenero, J; Dominguez, M; Egido, J; Arroyo, V; Ginès, P; Bataller, R. (2009). Atorvastatin attenuates angiotensin II-induced inflammatory actions in the liver. *Am J Physiol Gastrointest Liver Physiol*. 296: G147-G156. <http://dx.doi.org/10.1152/ajpgi.00462.2007>.
- Moreno, MG; Chávez, E; Aldaba-Muruato, LR; Segovia, J; Vergara, P; Tsutsumi, V; Shibayama, M; Rivera-Espinoza, Y; Muriel, P. (2011). Coffee prevents CCl₄-induced liver cirrhosis in the rat. *Hepatology International*. 5: 857-863. <http://dx.doi.org/10.1007/s12072-010-9247-6>.
- Morgan, DL; Cooper, SW; Carlock, DL; Sykora, JJ; Sutton, B; Mattie, DR; Mcdougal, JN. (1991). Dermal absorption of neat and aqueous volatile organic chemicals in the Fischer 344 rat. *Environ Res*. 55: 51-63. [http://dx.doi.org/10.1016/S0013-9351\(05\)80140-9](http://dx.doi.org/10.1016/S0013-9351(05)80140-9).
- Mormone, E; Lu, Y; Ge, X; Fiel, MI; Nieto, N. (2012). Fibromodulin, an oxidative stress-sensitive proteoglycan, regulates the fibrogenic response to liver injury in mice. *Gastroenterology*. 142: 612-621.e615. <http://dx.doi.org/10.1053/j.gastro.2011.11.029>.
- Morsy, MA; Abdalla, AM; Mahmoud, AM; Abdelwahab, SA; Mahmoud, ME. (2012). Protective effects of curcumin, α -lipoic acid, and N-acetylcysteine against carbon tetrachloride-induced liver fibrosis in rats. *J Physiol Biochem*. 68: 29-35. <http://dx.doi.org/10.1007/s13105-011-0116-0>.
- Motawi, TMK; Atta, HM; Sadik, NAH; Azzam, M, ay. (2014). The Therapeutic Effects of Bone Marrow-Derived Mesenchymal Stem Cells and Simvastatin in a Rat Model of Liver Fibrosis. *Cell Biochem Biophys*. 68: 111-125. <http://dx.doi.org/10.1007/s12013-013-9698-1>.
- Motiño, O; Agra, N; Brea Contreras, R; Domínguez-Moreno, M; García-Monzón, C; Vargas-Castrillón, J; Carnovale, CE; Boscá, L; Casado, M; Mayoral, R; Valdecantos, MP; Valverde, AM; Francés, DE; Martín-Sanz, P. (2016). Cyclooxygenase-2 expression in hepatocytes attenuates non-alcoholic steatohepatitis and liver fibrosis in mice. *Biochim Biophys Acta*. 1862: 1710-1723. <http://dx.doi.org/10.1016/j.bbadis.2016.06.009>.
- Mourelle, M; Villalon, C; Amezcua, J. (1988). Protective effect of colchicine on acute liver damage induced by carbon tetrachloride. *Hepatology*. 6: 337-342.
- Mueller, K; Gueldiken, N; Kucuekoglu, O; Chen, Y; Usachov, V; Kulaksiz, H; Strnad, P. (2012). TAA, BUT NOT CCL4 LEADS TO HEPATIC IRON OVERLOAD VIA SUPPRESSION OF HEPICIDIN. *J Hepatol*. 56: S156-S156.
- Mueller, K; Sunami, Y; Stuetzle, M; Gueldiken, N; Kucukoglu, O; Mueller, S; Wirth, T; Kulaksiz, H; Schwarz, P; Strnad, P. (2012). Thioacetamide, but not carbon tetrachloride leads to hepatic iron overload via CHOP-mediated hepcidin suppression. *Hepatology*. 56: 764A-765A.
- Mueller, K; Sunami, Y; Stuetzle, M; Guldiken, N; Kucukoglu, O; Mueller, S; Kulaksiz, H; Schwarz, P; Strnad, P. (2013). CHOP-mediated hepcidin suppression modulates hepatic iron load. *J Pathol*. 231: 532-542. <http://dx.doi.org/10.1002/path.4221>.
- Muhanna, N; Abu Tair, L; Doron, S; Amer, J; Azzeh, M; Mahamid, M; Friedman, S; Safadi, R. (2011). Amelioration of hepatic fibrosis by NK cell activation. *Gut*. 60: 90-98. <http://dx.doi.org/10.1136/gut.2010.211136>.
- Muhanna, N; Amer, J; Salhab, A; Sichel, JY; Safadi, R. (2015). The Immune Interplay between Thyroid Papillary Carcinoma and Hepatic Fibrosis. *PLoS ONE*. 10: e0132463. <http://dx.doi.org/10.1371/journal.pone.0132463>.
- Mujeeb, M; Alam Khan, S; Aeri, V; Ali, B. (2011). Hepatoprotective Activity of the Ethanolic Extract of *Ficus carica* Linn. Leaves in Carbon Tetrachloride-Induced Hepatotoxicity in Rats. *Iranian Journal of Pharmaceutical Research*. 10: 301-306.
- Mukhopadhyay, P; Rajesh, M; Cao, Z; Horváth, B; Park, O; Wang, H; Erdelyi, K; Holovac, E; Wang, Y; Liaudet, L; Hamdaoui, N; Lafdil, F; Haskó, G; Szabo, C; Boulares, AH; Gao, B; Pacher, P. (2014). Poly (ADP-ribose) polymerase-1 is a key mediator of liver inflammation and fibrosis. *Hepatology*. 59: 1998-2009. <http://dx.doi.org/10.1002/hep.26763>.
- Mulla, WA; Salunkhe, VR; Bhise, SB. (2009). Hepatoprotective activity of hydroalcoholic extract of leaves of *Alocasia indica* (Linn.). *Indian J Exp Biol*. 47: 816-821.
- Mumtaz, MM; Ray, M; Crowell, SR; Keys, D; Fisher, J; Ruiz, P. (2012). Translational research to develop a human PBPK models tool kit-volatile organic compounds (VOCs). *J Toxicol Environ Health A*. 75: 6-24. <http://dx.doi.org/10.1080/15287394.2012.625546>.
- Munoz, L; Borrero, MJ; Ubeda, M; Lario, M; Diaz, D; Aguado-Fraile, E; Conde, E; Garcia-Bermejo, L; Lledo, L; Alvarez-Mon, M; Albillos, A. (2013). Commensal Gut Flora Drives The Expansion Of Proinflammatory T Cells In The Small Intestinal Mucosa In Rats With CCl₄ Cirrhosis. *Hepatology*. 58: 985A-985A.

Human Health Hazard Literature Search Results

On Topic

- Munoz, L; Borrero, MJ; Ubeda, M; Lario, M; Diaz, D; Aguado-Fraile, E; Conde, E; Rodriguez, M; Garcia-Bermejo, ML; Lledo, L; Alvarez-Mon, M; Albillos, A. (2014). COMMENSAL BACTERIA DRIVES THE EXPANSION OF PROINFLAMMATORY T-LYMPHOCYTES IN THE SMALL INTESTINAL MUCOSA AND WORSENS THE EPITHELIAL BARRIER FUNCTION IN CCl₄ CIRRHOTIC RATS WITH ASCITIS. *J Hepatol.* 60: S76-S76.
- Munoz, L; Borrero, MJ; Ubeda, M; Lario, M; Diaz, D; Monserrat, J; Lledo, L; Alvarez-Mon, M; Albillos, A. (2011). SMALL INTESTINE INFLAMMATION IN RATS WITH CCL₄ CIRRHOSIS: ROLE OF ENTERIC BACTERIA. *J Hepatol.* 54: S257-S257.
- Muñoz, L; José Borrero, M; Ubeda, M; Lario, M; Díaz, D; Francés, R; Monserrat, J; Pastor, O; Aguado-Fraile, E; Such, J; Alvarez-Mon, M; Albillos, A. (2012). Interaction between intestinal dendritic cells and bacteria translocated from the gut in rats with cirrhosis. *Hepatology.* 56: 1861-1869. <http://dx.doi.org/10.1002/hep.25854>.
- Murat Bilgin, H; Atmaca, M; Deniz Obay, B; Ozekinci, S; Taşdemir, E; Ketani, A. (2011). Protective effects of coumarin and coumarin derivatives against carbon tetrachloride-induced acute hepatotoxicity in rats. *Exp Toxicol Pathol.* 63: 325-330. <http://dx.doi.org/10.1016/j.etp.2010.02.006>.
- Muratsubaki, H; Yamaki, A. (2011). Profile of plasma amino Acid levels in rats exposed to acute hypoxic hypoxia. *Indian J Clin Biochem.* 26: 416-419. <http://dx.doi.org/10.1007/s12291-011-0125-3>.
- Muriel, P; Alba, N; Pérez-Alvarez, VM; Shibayama, M; Tsutsumi, VK. (2001). Kupffer cells inhibition prevents hepatic lipid peroxidation and damage induced by carbon tetrachloride. *Comp Biochem Physiol C Toxicol Pharmacol.* 130: 219-226.
- Muriel, P; Escobar, Y. (2003). Kupffer cells are responsible for liver cirrhosis induced by carbon tetrachloride. *J Appl Toxicol.* 23: 103-108. <http://dx.doi.org/10.1002/jat.892>.
- Murugan, V; Mukherjee, K; Maiti, K; Mukherjee, PK. (2009). Enhanced oral bioavailability and antioxidant profile of ellagic acid by phospholipids. *J Agric Food Chem.* 57: 4559-4565. <http://dx.doi.org/10.1021/jf8037105>.
- Mydlík, M; Derzsiová, K; Frank, K. (2013). Renal replacement therapy in acute poisonings--one center experience. *Przegl Lek.* 70: 381-385.
- Na, JY; Song, K; Kim, S; Kwon, J. (2015). Hepatoprotective effect of phosphatidylcholine against carbon tetrachloride liver damage in mice. *Biochem Biophys Res Commun.* 460: 308-313. <http://dx.doi.org/10.1016/j.bbrc.2015.03.031>.
- Nada, SA; Omara, EA; Abdel-Salam, OM; Zahran, HG. (2010). Mushroom insoluble polysaccharides prevent carbon tetrachloride-induced hepatotoxicity in rat. *Food Chem Toxicol.* 48: 3184-3188. <http://dx.doi.org/10.1016/j.fct.2010.08.019>.
- Nadanaka, S; Kagiya, S; Kitagawa, H. (2013). Roles of EXTL2, a member of the EXT family of tumour suppressors, in liver injury and regeneration processes. *Biochem J.* 454: 133-145. <http://dx.doi.org/10.1042/BJ20130323>.
- Nadanaka, S; Kitagawa, H. (2014). EXTL2 controls liver regeneration and aortic calcification through xylose kinase-dependent regulation of glycosaminoglycan biosynthesis [Review]. *35: 18-24.* <http://dx.doi.org/10.1016/j.matbio.2013.10.010>.
- Nagamine, T; Nakajima, K. (2013). Significance of metallothionein expression in liver disease [Review]. *Curr Pharm Biotechnol.* 14: 420-426.
- Nagano, K; Sasaki, T; Umeda, Y; Nishizawa, T; Ikawa, N; Ohbayashi, H; Arito, H; Yamamoto, S; S, F. (2007). Inhalation carcinogenicity and chronic toxicity of carbon tetrachloride in rats and mice. *Inhal Toxicol.* 19: 1089-1103. <http://dx.doi.org/10.1080/08958370701628770>.
- Nagano, K; Umeda, Y; Saito, M; Nishizawa, T; Ikawa, N; Arito, H; Yamamoto, S; Fukushima, S. (2007). Thirteen-week inhalation toxicity of carbon tetrachloride in rats and mice. *J Occup Health.* 49: 249-259.
- Naik, SR; Thakare, VN; Patil, SR. (2011). Protective effect of curcumin on experimentally induced inflammation, hepatotoxicity and cardiotoxicity in rats: evidence of its antioxidant property. *Exp Toxicol Pathol.* 63: 419-431. <http://dx.doi.org/10.1016/j.etp.2010.03.001>.
- Nakajima, T; Sato, A. (1979). Enhanced activity of liver drug-metabolizing enzymes for aromatic and chlorinated hydrocarbons following food deprivation. *Toxicol Appl Pharmacol.* 50: 549-556. [http://dx.doi.org/10.1016/0041-008X\(79\)90409-5](http://dx.doi.org/10.1016/0041-008X(79)90409-5).
- Nakamoto, N; Ebinuma, H; Kanai, T; Chu, PS; Ono, Y; Mikami, Y; Ojiro, K; Lipp, M; Love, PE; Saito, H; Hibi, T. (2012). CCR9+ macrophages are required for acute liver inflammation in mouse models of hepatitis. *Gastroenterology.* 142: 366-376. <http://dx.doi.org/10.1053/j.gastro.2011.10.039>.
- Nakamura, SI; Oda, Y; Shimada, T; Oki, I; Sugimoto, K. (1987). SOS-inducing activity of chemical carcinogens and mutagens in *Salmonella typhimurium* TA1535/pSK1002: Examination of 151 chemicals. *Mutat Res Lett.* 192: 239-246. [http://dx.doi.org/10.1016/0165-7992\(87\)90063-7](http://dx.doi.org/10.1016/0165-7992(87)90063-7).
- Nakamura, T; Hotchi, M. (1992). Changes in DNA strand breaks in non-parenchymal cells following hepatocyte regeneration in CCl₄-induced rat liver injury. *Virchows Arch B Cell Pathol Incl Mol Pathol.* 63: 11-16.
- Nakamura, T; Tsutsumi, V; Torimura, T; Naitou, M; Taniguchi, E; Iwamoto, H; Hashimoto, O; Ueno, T; Sata, M. (2009). HUMAN PERIPHERAL BLOOD HUMAN CD34-POSITIVE CELL TRANSPLANTATION ACCELERATES HEPATIC FIBROLYSIS AND ITS REGENERATION IN CARBON TETRACHLORIDE-INDUCED HEPATIC FIBROSIS MODEL NUDE RATS. *Hepatology.* 50: 406A-406A.
- Nakata, R; Tsukamoto, I; Miyoshi, M; Kojo, S. (1985). Liver Regeneration After Carbon Tetrachloride Intoxication In The Rat. *Biochem Pharmacol.* 34: 586-588.
- Nan, L; Linan, X; Jianglian, X. (2012). Human bone marrow mesenchymal stem cells over-expressing alpha-melanocyte-stimulating hormone gene reverses carbon tetrachloride induced liver fibrosis in mice. *Hepatology.* 56: 777A-777A.
- Narotsky, MG; Brownie, CF; Kavlock, RJ. (1997). Critical period of carbon tetrachloride-induced pregnancy loss in Fischer 344 rats, with insights into the detection of resorption sites by ammonium sulfide staining. *Teratology.* 56: 252-261. [http://dx.doi.org/10.1002/\(SICI\)1096-9926\(199710\)56:4<252::AID-TERA4>3.0.CO;2-O](http://dx.doi.org/10.1002/(SICI)1096-9926(199710)56:4<252::AID-TERA4>3.0.CO;2-O).
- Narotsky, MG; Hamby, BT; Best, DS; Kavlock, RJ. (1995). Carbon tetrachloride (CCl₄)-induced pregnancy loss in F-344 rats: luteinizing hormone (LH) levels and rescue by human chorionic gonadotropin (hCG). *Biol Reprod.* 52: 172.
- Narotsky, MG; Kavlock, RJ. (1995). A multidisciplinary approach to toxicological screening: II. Developmental toxicity. *J Toxicol Environ Health.* 45: 145-171. <http://dx.doi.org/10.1080/15287399509531987>.

Human Health Hazard Literature Search Results

On Topic

- Narotsky, MG; Pegram, RA; Kavlock, RJ. (1997). Effect of dosing vehicle on the developmental toxicity of bromodichloromethane and carbon tetrachloride in rats. *Fundam Appl Toxicol.* 40: 30-36. <http://dx.doi.org/10.1093/toxsci/40.1.30>.
- Nassar, NN; El Wakeel, SA; El Sayed, MI; El-Denshary, ESM. (2013). Losartan Protection Against CCL4 Induced Hepatic Fibrosis Involves Changes In Adhesion Molecules and Inflammatory Markers. *FASEB J.* 27.
- Natarajan, SK; Amirtharaj, GJ; Ramachandran, A; Pulimood, AB; Balasubramanian, KA. (2009). Retinoid metabolism in the small intestine during development of liver cirrhosis. *J Gastroenterol Hepatol.* 24: 821-829. <http://dx.doi.org/10.1111/j.1440-1746.2008.05771.x>.
- Nath, RG; Li, D; Randerath, K. (1990). Acute and long-term effects of carbon tetrachloride on DNA modifications (I-compounds) in male mouse liver. *Chem Biol Interact.* 76: 343-357.
- Naz, K; Khan, MR; Shah, NA; Sattar, S; Noureen, F; Awan, ML. (2014). Pistacia chinensis: a potent ameliorator of CCl₄ induced lung and thyroid toxicity in rat model. *BioMed Res Int.* 2014: 192906. <http://dx.doi.org/10.1155/2014/192906>.
- Nazeer, SS; Sandhyamani, S; Jayasree, RS. (2015). Optical diagnosis of the progression and reversal of CCL4-induced liver injury in rodent model using minimally invasive autofluorescence spectroscopy. *Analyst.* 140: 3773-3780. <http://dx.doi.org/10.1039/c4an01507j>.
- Neha, S; Anand, K; Sunanda, P. (2015). Administration of fenugreek seed extract produces better effects in the glibenclamide-induced inhibition in hepatic lipid peroxidation: An in vitro study. *Chin J Integr Med.* <http://dx.doi.org/10.1007/s11655-015-1793-z>.
- Nellen, A; Heinrichs, D; Berres, ML; Sahin, H; Schmitz, P; Proudfoot, AE; Trautwein, C; Wasmuth, HE. (2012). Interference with oligomerization and glycosaminoglycan binding of the chemokine CCL5 improves experimental liver injury. *PLoS ONE.* 7: e36614. <http://dx.doi.org/10.1371/journal.pone.0036614>.
- Nelson, JS; Burchfiel, CM; Fekedulegn, D; Andrew, ME. (2012). Potential risk factors for incident glioblastoma multiforme: the Honolulu Heart Program and Honolulu-Asia Aging Study. *J Neurooncol.* 109: 315-321. <http://dx.doi.org/10.1007/s11060-012-0895-3>.
- Neta, G; Stewart, PA; Rajaraman, P; Hein, MJ; Waters, MA; Purdue, MP; Samanic, C; Coble, JB; Linet, MS; Inskip, PD. (2012). Occupational exposure to chlorinated solvents and risks of glioma and meningioma in adults. *Occup Environ Med.* 69: 793-801. <http://dx.doi.org/10.1136/oemed-2012-100742>.
- Nezvorova, YA; Hu, W; Cubero, FJ; Haas, U; Freimuth, J; Tacke, F; Trautwein, C; Liedtke, C. (2013). Overexpression of c-myc in hepatocytes promotes activation of hepatic stellate cells and facilitates the onset of liver fibrosis. *Biochim Biophys Acta.* 1832: 1765-1775. <http://dx.doi.org/10.1016/j.bbadis.2013.06.001>.
- New, PS; Lubash, GD; Scherr, L; Rubin, AL. (1962). Acute renal failure associated with carbon tetrachloride intoxication. *JAMA.* 181: 903-906.
- Nguyen, MV; Zagory, JA; Dietz, WH; Park, A; Fenlon, M; Zhao, M; Xu, J; Lua, I; Mavila, N; Asahina, K; Wang, KS. (2017). Hepatic Prominin-1 expression is associated with biliary fibrosis. *Surgery.* <http://dx.doi.org/10.1016/j.surg.2016.09.043>.
- Nielsen, MJ; Nedergaard, AF; Sun, S; Veidal, SS; Larsen, L; Zheng, Q; Suetta, C; Henriksen, K; Christiansen, C; Karsdal, MA; Leeming, DJ. (2013). The neo-epitope specific PRO-C3 ELISA measures true formation of type III collagen associated with liver and muscle parameters. *S: 303-315*.
- Nikula, K; Benson, J; Barr, E; Springer, D. (1998). Comparative interspecies metabolism of carbon tetrachloride, cytolethality and regenerative cell proliferation. *Toxicol Sci.* 42: 368.
- Nishikawa, T; Bell, A; Brooks, JM; Setoyama, K; Melis, M; Han, B; Fukumitsu, K; Handa, K; Tian, J; Kaestner, KH; Vodovotz, Y; Locker, J; Soto-Gutierrez, A; Fox, JJ. (2015). Resetting the transcription factor network reverses terminal chronic hepatic failure. *J Clin Invest.* 125: 1533-1544. <http://dx.doi.org/10.1172/JCI73137>.
- Nishikawa, T; Bellance, N; Damm, A; Bing, H; Zhu, Z; Handa, K; Yovchev, MI; Sehgal, V; Moss, TJ; Oertel, M; Ram, PT; Pipinos, II; Soto-Gutierrez, A; Fox, JJ; Nagrath, D. (2014). A switch in the source of ATP production and a loss in capacity to perform glycolysis are hallmarks of hepatocyte failure in advance liver disease. *J Hepatol.* 60: 1203-1211. <http://dx.doi.org/10.1016/j.jhep.2014.02.014>.
- Nishikawa, Y; Ohi, N; Yagisawa, A; Doi, Y; Yamamoto, Y; Yoshida, M; Tokairin, T; Yoshioka, T; Omori, Y; Enomoto, K. (2009). Suppressive effect of orthovanadate on hepatic stellate cell activation and liver fibrosis in rats. *Am J Pathol.* 174: 881-890. <http://dx.doi.org/10.2353/ajpath.2009.080261>.
- Nishikawa, Y; Sone, M; Nagahama, Y; Kumagai, E; Doi, Y; Omori, Y; Yoshioka, T; Tokairin, T; Yoshida, M; Yamamoto, Y; Ito, A; Sugiyama, T; Enomoto, K. (2013). Tumor necrosis factor- α promotes bile ductular transdifferentiation of mature rat hepatocytes in vitro. *J Cell Biochem.* 114: 831-843. <http://dx.doi.org/10.1002/jcb.24424>.
- Nissar, AU; Farrukh, MR; Kaiser, PJ; Rafiq, RA; Afnan, Q; Bhushan, S; Adil, HS; Subhash, BC; Tasduq, SA. (2013). Effect of N-acetyl cysteine (NAC), an organosulfur compound from Allium plants, on experimentally induced hepatic prefibrogenic events in Wistar rat. *Phytomedicine.* 20: 828-833. <http://dx.doi.org/10.1016/j.phymed.2013.03.009>.
- Nitha, A; Prabha, SP; Ansil, PN; Latha, MS. (2016). Methanolic extract of Woodfordia fruticosa Kurz flowers ameliorates carbon tetrachloride-induced chronic hepatic fibrosis in rats. *Toxicol Ind Health.* 32: 1224-1236. <http://dx.doi.org/10.1177/0748233714552120>.
- Nithitanakool, S; Pithayanukul, P; Bavovada, R. (2009). Antioxidant and hepatoprotective activities of thai mango seed kernel extract. *Planta Med.* 75: 1118-1123. <http://dx.doi.org/10.1055/s-0029-1185507>.
- Niu, L; Cui, X; Qi, Y; Xie, D; Wu, Q; Chen, X; Ge, J; Liu, Z. (2016). Involvement of TGF- β 1/Smad3 Signaling in Carbon Tetrachloride-Induced Acute Liver Injury in Mice. *PLoS ONE.* 11: e0156090. <http://dx.doi.org/10.1371/journal.pone.0156090>.
- NLM. (2003). Carbon tetrachloride. Hazardous Substances Data Bank (HSDB). Bethesda, MD: National Institutes of Health, U.S. Department of Health and Human Services.
- Noguchi, T; Fong, KL; Lai, EK; Alexander, SS; King, MM; Olson, L; Poyer, JL; Mccay, PB. (1982). Specificity of a phenobarbital-induced cytochrome P-450 for metabolism of carbon tetrachloride to the trichloromethyl radical. *Biochem Pharmacol.* 31: 615-624.
- Noguchi, T; Fong, KL; Lai, EK; Olson, L; Mccay, PB. (1982). Selective early loss of polypeptides in liver microsomes of CCL₄-treated rats. Relationship to cytochrome P-450 content. *Biochem Pharmacol.* 31: 609-614.

Human Health Hazard Literature Search Results

On Topic

- Noh, JR; Gang, GT; Kim, YH; Yang, KJ; Hwang, JH; Lee, HS; Oh, WK; Song, KS; Lee, CH. (2010). Antioxidant effects of the chestnut (*Castanea crenata*) inner shell extract in t-BHP-treated HepG2 cells, and CCl₄- and high-fat diet-treated mice. *Food Chem Toxicol.* 48: 3177-3183. <http://dx.doi.org/10.1016/j.fct.2010.08.018>.
- Norwood, WD; Fuqua, PA; Scudder, BC. (1950). Carbon tetrachloride poisoning. *Arch Ind Hyg Occup Med.* 1: 90-100.
- Noubarani, M; Khayat, SA; Mafinezhad, R; Mohebbi, S; Mohammad, K; Andalib, S; Kardan, A; Eskandari, MR. (2016). Protective effect of *Cydonia oblonga* Mill. fruit on carbon tetrachloride-induced hepatotoxicity. *Planta Med.* 81: S1-S381. <http://dx.doi.org/10.1055/s-0036-1596904>.
- Novikov, GV; Sivozhelezov, VS; Shaïtan, KV. (2013). [Investigation of the conformational dynamics of the adenosine A2A receptor by means of molecular dynamics simulation]. *Biofizika.* 58: 618-634.
- Novikov, VE; Klimkina, EI. (2009). [Effects of hypoxen on morphological and functional state of the liver under of exogenous intoxication conditions]. *Eksp Klin Farmakol.* 72: 43-45.
- NTP. (2011). Carbon tetrachloride. 12: 86-89.
- Nussler, AK; Wildemann, B; Freude, T; Litzka, C; Soldo, P; Friess, H; Hammad, S; Hengstler, JG; Braun, KF; Trak-Smayra, V; Godoy, P; Ehnert, S. (2014). Chronic CCl₄ intoxication causes liver and bone damage similar to the human pathology of hepatic osteodystrophy: a mouse model to analyse the liver-bone axis. *Arch Toxicol.* 88: 997-1006. <http://dx.doi.org/10.1007/s00204-013-1191-5>.
- O'Brien, A; China, L; Massey, KA; Nicolaou, A; Winstanley, A; Newson, J; Hobbs, A; Audzevich, T; Gilroy, DW. (2016). Bile duct-ligated mice exhibit multiple phenotypic similarities to acute decompensation patients despite histological differences. *Liver Int.* 36: 837-846. <http://dx.doi.org/10.1111/liv.12876>.
- O'Brien, AJ; Fullerton, JN; Massey, KA; Auld, G; Sewell, G; James, S; Newson, J; Karra, E; Winstanley, A; Alazawi, W; Garcia-Martinez, R; Cordoba, J; Nicolaou, A; Gilroy, DW. (2014). Immunosuppression in acutely decompensated cirrhosis is mediated by prostaglandin E₂. *Nat Med.* 20: 518-523. <http://dx.doi.org/10.1038/nm.3516>.
- Ogaly, HA; Eltablawy, NA; El-Beairy, AM; El-Hindi, H; Abd-Elsalam, RM. (2015). Hepatocyte Growth Factor Mediates the Antifibrogenic Action of *Ocimum basilicum* Essential Oil against CCl₄-Induced Liver Fibrosis in Rats. *Molecules.* 20: 13518-13535. <http://dx.doi.org/10.3390/molecules200813518>.
- Ogiso, H; Ito, H; Ando, T; Arioka, Y; Kanbe, A; Ando, K; Ishikawa, T; Saito, K; Hara, A; Moriwaki, H; Shimizu, M; Seishima, M. (2016). The Deficiency of Indoleamine 2,3-Dioxygenase Aggravates the CCl₄-Induced Liver Fibrosis in Mice. *PLoS ONE.* 11: e0162183. <http://dx.doi.org/10.1371/journal.pone.0162183>.
- Oh, PS; Lee, J; Lim, KT. (2010). Inhibitory effect of MIL glycoprotein on expression of pro-inflammatory mediators in carbon tetrachloride-induced mice liver damage. *J Appl Toxicol.* 30: 754-760. <http://dx.doi.org/10.1002/jat.1557>.
- Ohnuma, T; Anan, E; Hoashi, R; Takeda, Y; Nishiyama, T; Ogura, K; Hiratsuka, A. (2011). Dietary diacetylene falcariindiol induces phase 2 drug-metabolizing enzymes and blocks carbon tetrachloride-induced hepatotoxicity in mice through suppression of lipid peroxidation. *Biol Pharm Bull.* 34: 371-378.
- Ohnuma, T; Nishiyama, T; Ogura, K; Hiratsuka, A. (2011). Falcariindiol induces xenobiotic metabolizing enzymes and blocks carbon tetrachloride-induced hepatotoxicity in mice through suppression of lipid peroxidation. *Drug Metab Rev.* 43: 58-58.
- Ohyama, T; Sato, K; Kishimoto, K; Yamazaki, Y; Horiguchi, N; Ichikawa, T; Kakizaki, S; Takagi, H; Izumi, T; Mori, M. (2012). Azelnidipine is a calcium blocker that attenuates liver fibrosis and may increase antioxidant defence. *Br J Pharmacol.* 165: 1173-1187. <http://dx.doi.org/10.1111/j.1476-5381.2011.01599.x>.
- Oikawa, D; Akimoto, Y; Mizobe, Y; Tsuyama, S; Furuse, M. (2010). Functions of CLA and ARA for Prevention of CCl₄-Induced Fatty Liver in Mice. *Journal of Animal and Veterinary Advances.* 9: 2854-2858.
- Okolo, KO; Siminialayi, IM; Orisakwe, OE. (2016). Protective Effects of *Pleurotus tuber-regium* on Carbon- Tetrachloride Induced Testicular Injury in Sprague Dawley Rats. 7: 480. <http://dx.doi.org/10.3389/fphar.2016.00480>.
- Okumura, N; Koh, T; Hasebe, Y; Seki, T; Ariga, T. (2009). A novel function of thrombin-activatable fibrinolysis inhibitor during rat liver regeneration and in growth-promoted hepatocytes in primary culture. *J Biol Chem.* 284: 16553-16561. <http://dx.doi.org/10.1074/jbc.M109.011452>.
- Okura, H; Soeda, M; Morita, M; Fujita, M; Naba, K; Ito, C; Ichinose, A; Matsuyama, A. (2015). Therapeutic potential of human adipose tissue-derived multi-lineage progenitor cells in liver fibrosis. *Biochem Biophys Res Commun.* 456: 860-865. <http://dx.doi.org/10.1016/j.bbrc.2014.11.122>.
- Olakunle Ajiboye, T. (2011). In vivo antioxidant potentials of *Piliostigma thonningii* (Schum) leaves: studies on hepatic marker enzyme, antioxidant system, drug detoxifying enzyme and lipid peroxidation. *Hum Exp Toxicol.* 30: 55-62. <http://dx.doi.org/10.1177/0960327110366785>.
- Olaso, E; Arteta, B; Benedicto, A; Crende, O; Friedman, SL. (2011). Loss of discoidin domain receptor 2 promotes hepatic fibrosis after chronic carbon tetrachloride through altered paracrine interactions between hepatic stellate cells and liver-associated macrophages. *Am J Pathol.* 179: 2894-2904. <http://dx.doi.org/10.1016/j.ajpath.2011.09.002>.
- Oliveira, F; Silveira, TR; Matte, U. (2012). Relationship between serum transforming growth factor β 1 and liver collagen content in rats treated with carbon tetrachloride. *Arq Gastroenterol.* 49: 232-234.
- Oliveira-Junior, MC; Monteiro, AS; Leal-Junior, EC; Munin, E; Osório, RA; Ribeiro, W; Vieira, RP. (2013). Low-level laser therapy ameliorates CCl₄-induced liver cirrhosis in rats. *Photochem Photobiol.* 89: 173-178. <http://dx.doi.org/10.1111/j.1751-1097.2012.01211.x>.
- Olorunnisola, OS; Akintola, AO; Afolayan, AJ. (2011). Hepatoprotective and antioxidant effect of *Sphenocentrum jollyanum* (Menispermaceae) stem bark extract against CCl₄- induced oxidative stress in rats. 5: 1241-1246.

Human Health Hazard Literature Search Results

On Topic

- Omara, EA; Nada, SA; El Toumy, SA. (2011). Hepatoprotective effects of *Artemisia monosperma* and silymarin on carbon tetrachloride-induced hepatic damage in rat. *Planta Med.* 77: 1409-1410.
- Omara, EA; Nada, SA; El-Toumy, SA. (2009). Evaluation of hepatoprotective activity of the *Retama raetam* seeds on carbon tetrachloride-induced liver damage in rats. *Planta Med.* 75: 1014-1014.
- Omara, EA; Nada, SA; El-Toumy, SA. (2013). Evaluation of hepatoprotective activity of the *Acacia nilotica* flowers on carbon tetrachloride-induced liver damage in rats. *Planta Med.* 79: 1149-1149.
- Omara, EN; Zharan, HC; Nada, SN; Kasem, J; El-Sayed, MM. (2009). Whey protein and its major peptide fractions ameliorate hepatorenal dysfunction induced by CCL4 in rats. *Planta Med.* 75: 1066-1066.
- Omugba, AE; Ajiboye, AJ; Oyagbemi, AA; Agofure, E. (2015). Modulatory effects of cod liver oil on the antioxidant status and oxidative stress induced by acute exposure to carbon tetrachloride (CCL4) in experimental animal models. *J Basic Clin Physiol Pharmacol.* 26: 253-257. <http://dx.doi.org/10.1515/jbcp-2013-0143>.
- Omura, M; Katsumata, T; Misawa, H; Yamaguchi, M. (1999). Decrease in protein kinase and phosphatase activities in the liver nuclei of rats exposed to carbon tetrachloride. *Toxicol Appl Pharmacol.* 160: 192-197. <http://dx.doi.org/10.1006/taap.1999.8760>.
- O'Neil, MJ; Smith, A; Heckelman, PE; Obenchain, JR, Jr; Gallipeau, JAR; D'Arecca, MA. (2001). The Merck index: An encyclopedia of chemicals, drugs, and biologicals. In MJ O'Neil; A Smith; PE Heckelman; JR Obenchain; JR Gallipeau; MA D'Arecca (Eds.), (13th ed., pp. 305-306). Whitehouse Station, NJ: Merck & Co., Inc. <http://dx.doi.org/10.1021/ci700022n>.
- Oner, J; Kus, I; Oner, H. (2009). Melatonin Increases the Expression of Insulin-like Growth Factor I in Rats with Carbontetrachlorid-Induced Hepatic Damage. *Journal of Animal and Veterinary Advances.* 8: 2256-2261.
- Onoja, SO; Madubuike, GK; Ezeja, MI. (2015). Hepatoprotective and antioxidant activity of hydromethanolic extract of *Daniella oliveri* leaves in carbon tetrachloride-induced hepatotoxicity in rats. *J Basic Clin Physiol Pharmacol.* 26: 465-470. <http://dx.doi.org/10.1515/jbcp-2014-0087>.
- Onoprienko, LV; Mikhaleva, II; Voïtenkov, BO; Ivanov, VT. (2012). [IL-2-receptor associated action of the modified peptide fragments of human IL-2 on macrophages]. *Bioorg Khim.* 38: 413-420.
- Onoue, S; Nakamura, T; Uchida, A; Ogawa, K; Yuminoki, K; Hashimoto, N; Hiza, A; Tsukaguchi, Y; Asakawa, T; Kan, T; Yamada, S. (2013). Physicochemical and biopharmaceutical characterization of amorphous solid dispersion of nobiletin, a citrus polymethoxylated flavone, with improved hepatoprotective effects. *Eur J Pharm Sci.* 49: 453-460. <http://dx.doi.org/10.1016/j.ejps.2013.05.014>.
- Onoue, S; Terasawa, N; Nakamura, T; Yuminoki, K; Hashimoto, N; Yamada, S. (2014). Biopharmaceutical characterization of nanocrystalline solid dispersion of coenzyme Q10 prepared with cold wet-milling system. *Eur J Pharm Sci.* 53: 118-125. <http://dx.doi.org/10.1016/j.ejps.2013.12.013>.
- Onozuka, I; Kakinuma, S; Kamiya, A; Miyoshi, M; Sakamoto, N; Kiyohashi, K; Watanabe, T; Funaoka, Y; Ueyama, M; Nakagawa, M; Koshikawa, N; Seiki, M; Nakauchi, H; Watanabe, M. (2011). Cholestatic liver fibrosis and toxin-induced fibrosis are exacerbated in matrix metalloproteinase-2 deficient mice. *Biochem Biophys Res Commun.* 406: 134-140. <http://dx.doi.org/10.1016/j.bbrc.2011.02.012>.
- Orhan, DD; Hartevioglu, A, I; Orhan, N; Berkkan, A; Gokbulut, A; Gunhan, O; Pekcan, M. (2016). Subacute Effects of Standardized *Fumaria Vaillantii* Lois. Ethanol Extract on Trace Element Levels, Biochemical and Histopathological Parameters in Experimental Liver Toxicity. *Journal of Food Biochemistry.* 40: 180-189. <http://dx.doi.org/10.1111/jfbc.12208>.
- Orhan, IE; Şener, B; Musharraf, SG. (2012). Antioxidant and hepatoprotective activity appraisal of four selected *Fumaria* species and their total phenol and flavonoid quantities. *Exp Toxicol Pathol.* 64: 205-209. <http://dx.doi.org/10.1016/j.etp.2010.08.007>.
- Oro, D; Fernandez-Varo, G; Reichenbach, V; Yudina, T; Casals, E; Casals, G; Gonzalez de la Presa, B; Puentes, V; Jimenez, W. (2014). Cerium Oxide Nanoparticles Reduce Portal Hypertension and Show Antiinflammatory Properties in CCl4-Treated Rats. *Hepatology.* 60: 1175A-1175A.
- Oro, D; Fernandez-Varo, G; Yudina, T; Casals, E; Casals, G; Gonzalez de la Presa, B; Puentes, V; Jimenez, W. (2014). HEPATOPROTECTIVE EFFECT OF CeO2 NANOPARTICLES IN RATS TREATED WITH CCl4. *J Hepatol.* 60: S77-S77.
- Oró, D; Yudina, T; Fernández-Varo, G; Casals, E; Reichenbach, V; Casals, G; González de la Presa, B; Sandalinas, S; Carvajal, S; Puentes, V; Jiménez, W. (2016). Cerium oxide nanoparticles reduce steatosis, portal hypertension and display anti-inflammatory properties in rats with liver fibrosis. *J Hepatol.* 64: 691-698. <http://dx.doi.org/10.1016/j.jhep.2015.10.020>.
- Oruambo, IF; Van Duuren, BL. (1987). Distribution of carbon tetrachloride-metabolite(s) to DNase I-sensitive and -resistant chromatin. *Cancer Lett.* 37: 311-316.
- Osadebe, PO; Okoye, FB; Uzor, PF; Nnamani, NR; Adiele, IE; Obiano, NC. (2012). Phytochemical analysis, hepatoprotective and antioxidant activity of *Alchornea cordifolia* methanol leaf extract on carbon tetrachloride-induced hepatic damage in rats. *Asian Pacific Journal of Tropical Medicine.* 5: 289-293. [http://dx.doi.org/10.1016/S1995-7645\(12\)60041-8](http://dx.doi.org/10.1016/S1995-7645(12)60041-8).
- Osawa, Y; Oboki, K; Imamura, J; Kojika, E; Hayashi, Y; Hishima, T; Saibara, T; Shibasaki, F; Kohara, M; Kimura, K. (2015). Inhibition of Cyclic Adenosine Monophosphate (cAMP)-response Element-binding Protein (CREB)-binding Protein (CBP)/β-Catenin Reduces Liver Fibrosis in Mice. 2: 1751-1758. <http://dx.doi.org/10.1016/j.ebiom.2015.10.010>.
- Oshaghi, EA; Khodadadi, I; Tavilani, H; Goodarzi, MT. (2016). Effect of dill tablet (*Anethum graveolens* L) on antioxidant status and biochemical factors on carbon tetrachloride-induced liver damage on rat. 6: 111-114. <http://dx.doi.org/10.4103/2229-516X.179019>.
- Oshimura, M; Barrett, JC. (1986). Chemically induced aneuploidy in mammalian cells: mechanisms and biological significance in cancer [Review]. *Environ Mutagen.* 8: 129-159.
- Osman, SM; El-Haddad, AE; El-Raey, MA; Abd El-Khalik, SM; Koheil, MA; Wink, M. (2016). A New Octadecenoic Acid Derivative from *Caesalpinia gilliesii* Flowers with Potent Hepatoprotective Activity. *Pharmacognosy Magazine.* 12: S332-S336. <http://dx.doi.org/10.4103/0973-1296.185752>.

Human Health Hazard Literature Search Results

On Topic

- Osterreicher, CH; Taura, K; De Minicis, S; Seki, E; Penz-Osterreicher, M; Kodama, Y; Kluwe, J; Schuster, M; Oudit, GY; Penninger, JM; Brenner, DA. (2009). Angiotensin-converting-enzyme 2 inhibits liver fibrosis in mice. *Hepatology*. 50: 929-938. <http://dx.doi.org/10.1002/hep.23104>.
- Ottu, OJ; Atawodi, SE; Onyike, E. (2013). Antioxidant, hepatoprotective and hypolipidemic effects of methanolic root extract of *Cassia singueana* in rats following acute and chronic carbon tetrachloride intoxication. *Asian Pacific Journal of Tropical Medicine*. 6: 609-615. [http://dx.doi.org/10.1016/S1995-7645\(13\)60105-4](http://dx.doi.org/10.1016/S1995-7645(13)60105-4).
- Ou, Y; Zheng, S; Lin, L; Jiang, Q; Yang, X. (2010). Protective effect of C-phycocyanin against carbon tetrachloride-induced hepatocyte damage in vitro and in vivo. *Chem Biol Interact*. 185: 94-100. <http://dx.doi.org/10.1016/j.cbi.2010.03.013>.
- Oumi, N; Taniguchi, KA; Kanai, AM; Yasunaga, M; Nakanishi, T; Sato, K. (2012). A crucial role of bone morphogenetic protein signaling in the wound healing response in acute liver injury induced by carbon tetrachloride. 2012: 476820. <http://dx.doi.org/10.1155/2012/476820>.
- Oyedemi, SO; Afolayan, AJ. (2011). In vitro and in vivo Antioxidant Activity of Aqueous Leaves Extract of *Leonotis leonurus* (L.) R. Br. *International Journal of Pharmacology*. 7: 248-256. <http://dx.doi.org/10.3923/ijp.2011.248.256>.
- Oyeyemi, IT; Akanni, OO; Adaramoye, OA; Bakare, AA. (2017). Methanol extract of *Nymphaea lotus* ameliorates carbon tetrachloride-induced chronic liver injury in rats via inhibition of oxidative stress. *J Basic Clin Physiol Pharmacol*. 28: 43-50. <http://dx.doi.org/10.1515/jbcpp-2016-0029>.
- Ozbek, H; Acikara, OB; Keskin, I; Kirmizi, NI; Ozbilgin, S; Oz, BE; Kurtul, E; Ozrenk, BC; Tekin, M; Saltan, G. (2017). Evaluation of hepatoprotective and antidiabetic activity of *Alchemilla mollis*. *Biomed Pharmacother*. 86: 172-176. <http://dx.doi.org/10.1016/j.biopha.2016.12.005>.
- Özkeran, D; Özsoy, N; Yilmaz, E. (2015). Vitamin D and melatonin protect the cell's viability and ameliorate the CCl₄ induced cytotoxicity in HepG2 and Hep3B hepatoma cell lines. *Cytotechnology*. 67: 995-1002. <http://dx.doi.org/10.1007/s10616-014-9738-8>.
- Ozgonul, A; Bitiren, M; Aksoy, N; Dilmec, F; Karakilcik, Z; Zerir, M. (2009). Protective Role of Vitamin C on Histopathological and Enzymatic Changes in Experimental Liver Cirrhosis of Rats. *Turkiye Klinikleri Tip Bilimleri Dergisi*. 29: 1110-1115.
- Ozsoy, N; Okyar, A; Arda-Pirincici, P; Can, A; Bolkent, S; Akev, N. (2013). Evaluation of *Smilax excelsa* L. Use in Experimentally Induced Nephrotoxicity. *Kafkas Univ Vet Fak Derg*. 19: 807-814. <http://dx.doi.org/10.9775/kvfd.2013.9253>.
- Ozsoy, SY. (2016). The Protective Effect of Kefir on Carbon Tetrachloride-induced Histopathological Changes in the Livers of Rats. *Kafkas Univ Vet Fak Derg*. 22: 403-408. <http://dx.doi.org/10.9775/kvfd.2015.14825>.
- Ozturk, F; Gul, M; Ates, B; Ozturk, IC; Cetin, A; Vardi, N; Otlu, A; Yilmaz, I. (2009). Protective effect of apricot (*Prunus armeniaca* L.) on hepatic steatosis and damage induced by carbon tetrachloride in Wistar rats. *Br J Nutr*. 102: 1767-1775. <http://dx.doi.org/10.1017/S0007114509991322>.
- Ozturk, F; Ucar, M; Ozturk, IC; Vardi, N; Batcioglu, K. (2003). Carbon tetrachloride-induced nephrotoxicity and protective effect of betaine in Sprague-Dawley rats. *Urology*. 62: 353-356.
- Ozturk, IC; Ozturk, F; Gul, M; Ates, B; Cetin, A. (2009). Protective effects of ascorbic acid on hepatotoxicity and oxidative stress caused by carbon tetrachloride in the liver of Wistar rats. *Cell Biochem Funct*. 27: 309-315. <http://dx.doi.org/10.1002/cbf.1575>.
- Ozturk, M; Akdogan, M; Keskin, I; Kisioglu, AN; Oztas, S; Yildiz, K. (2012). Effect of *Silybum marianum* on acute hepatic damage caused by carbon tetrachloride in rats. *Biomedical Research*. 23: 268-274.
- Pacheco, GS; Panatto, JP; Fagundes, DA; Scaini, G; Bassani, C; Jeremias, IC; Rezin, GT; Constantino, L; Dal-Pizzol, F; Streck, EL. (2009). Brain creatine kinase activity is inhibited after hepatic failure induced by carbon tetrachloride or acetaminophen. *Metab Brain Dis*. 24: 383-394. <http://dx.doi.org/10.1007/s11011-009-9143-8>.
- Packer, JE; Slater, TF; Willson, RL. (1978). Reactions of the carbon tetrachloride-related peroxy free radical (CCl₃O₂) with amino acids: pulse radiolysis evidence. *Life Sci*. 23: 2617-2620. [http://dx.doi.org/10.1016/0024-3205\(78\)90378-8](http://dx.doi.org/10.1016/0024-3205(78)90378-8).
- Page, DA; Carlson, GP. (1994). The role of the intestinal tract in the elimination of carbon tetrachloride. *Toxicol Appl Pharmacol*. 124: 268-274. <http://dx.doi.org/10.1006/taap.1994.1032>.
- Paik, YH; Iwaisako, K; Seki, E; Inokuchi, S; Schnabl, B; Osterreicher, CH; Kisseleva, T; Brenner, DA. (2011). The nicotinamide adenine dinucleotide phosphate oxidase (NOX) homologues NOX1 and NOX2/gp91(phox) mediate hepatic fibrosis in mice. *Hepatology*. 53: 1730-1741. <http://dx.doi.org/10.1002/hep.24281>.
- Pal, D; Sur, S; Mandal, S; Das, A; Roy, A; Das, S; Panda, CK. (2012). Prevention of liver carcinogenesis by amarogentin through modulation of G1/S cell cycle check point and induction of apoptosis. *Carcinogenesis*. 33: 2424-2431. <http://dx.doi.org/10.1093/carcin/bgs276>.
- Pal, PB; Pal, S; Manna, P; Sil, PC. (2012). Traditional extract of *Pithecellobium dulce* fruits protects mice against CCl₄ induced renal oxidative impairments and necrotic cell death. *Pathophysiology*. 19: 101-114. <http://dx.doi.org/10.1016/j.pathophys.2012.02.001>.
- Pan, CX; Wu, FR; Wang, XY; Tang, J; Gao, WF; Ge, JF; Chen, FH. (2014). Inhibition of ASICs reduces rat hepatic stellate cells activity and liver fibrosis: an in vitro and in vivo study. *Cell Biol Int*. 38: 1003-1012. <http://dx.doi.org/10.1002/cbin.10287>.
- Pan, E; Zhang, Q; Yang, F; Hu, W; Xu, Q; Liang, C; He, Y; Wang, C. (2014). [Study on the current status of volatile organic compounds pollution in typical rural drinking water and the relationship between its concentration and health of the population, in Huai'an, Jiangsu]. *Zhonghua Liu Xing Bing Xue Za Zhi*. 35: 1105-1108.
- Pan, Q; Wang, YQ; Li, GM; Duan, XY; Fan, JG. (2015). Fuzheng Huayu Recipe Ameliorates Liver Fibrosis by Restoring Balance between Epithelial-to-Mesenchymal Transition and Mesenchymal-to-Epithelial Transition in Hepatic Stellate Cells. *BioMed Res Int*. 2015: 935903. <http://dx.doi.org/10.1155/2015/935903>.
- Pan, RL; Xiang, LX; Wang, P; Liu, XY; Nie, L; Huang, W; Shao, JZ. (2015). Low-molecular-weight fibroblast growth factor 2 attenuates hepatic fibrosis by epigenetic down-regulation of Delta-like1. *Hepatology*. 61: 1708-1720. <http://dx.doi.org/10.1002/hep.27649>.
- Pandey, A; Bigoniya, P; Raj, V; Patel, KK. (2011). Pharmacological screening of *Coriandrum sativum* Linn. for hepatoprotective activity. *Journal of Pharmacy and Bioallied Sciences*. 3: 435-441. <http://dx.doi.org/10.4103/0975-7406.84462>.

Human Health Hazard Literature Search Results

On Topic

- Pang, JY; Bai, ZF; Niu, M; Tu, C; Ma, ZJ; Zhao, YL; Zhao, KJ; You, Y; Wang, JB; Xiao, XH. (2015). [The toxic and protective effects of Polygonum multiflorum on normal and liver injured rats based on the symptom-based prescription theory]. Yao Xue Xue Bao. 50: 973-979.
- Parajuli, DR; Park, EJ; Che, XH; Jiang, WY; Kim, YC; Sohn, DH; Lee, SH. (2013). PF2401-SF, standardized fraction of Salvia miltiorrhiza, induces apoptosis of activated hepatic stellate cells in vitro and in vivo. Molecules. 18: 2122-2134. <http://dx.doi.org/10.3390/molecules18022122>.
- Parameshwar, H; Rao, BB; Kumar, BR; Reddy, YN; Mohan, GK. (2011). Hepatoprotective effect of methanolic extract of the leaves of Kydia calycina on carbon tetrachloride induced hepatotoxicity in albino rats. 5: 1920-1924. <http://dx.doi.org/10.5897/AJPP11.537>.
- Paredes, BD; Faccioli, LA; Quintanilha, LF; Asensi, KD; Do Valle, CZ; Canary, PC; Takiya, CM; de Carvalho, AC; Goldenberg, RC. (2012). Bone marrow progenitor cells do not contribute to liver fibrogenic cells. World Journal of Hepatology. 4: 274-283. <http://dx.doi.org/10.4254/wjh.v4.i10.274>.
- Pareek, A; Godavarthi, A; Issarani, R; Nagori, BP. (2013). Antioxidant and hepatoprotective activity of Fagonia schweinfurthii (Hadidi) Hadidi extract in carbon tetrachloride induced hepatotoxicity in HepG2 cell line and rats. J Ethnopharmacol. 150: 973-981. <http://dx.doi.org/10.1016/j.jep.2013.09.048>.
- Park, CM; Cha, YS; Youn, HJ; Cho, CW; Song, YS. (2010). Amelioration of oxidative stress by dandelion extract through CYP2E1 suppression against acute liver injury induced by carbon tetrachloride in Sprague-Dawley rats. 24: 1347-1353. <http://dx.doi.org/10.1002/ptr.3121>.
- Park, CM; Youn, HJ; Chang, HK; Song, YS. (2010). TOP1 and 2, polysaccharides from Taraxacum officinale, attenuate CCl(4)-induced hepatic damage through the modulation of NF-kappaB and its regulatory mediators. Food Chem Toxicol. 48: 1255-1261. <http://dx.doi.org/10.1016/j.fct.2010.02.019>.
- Park, EJ; Zhao, YZ; Kim, YC; Sohn, DH. (2009). Preventive effects of a purified extract isolated from Salvia miltiorrhiza enriched with tanshinone I, tanshinone IIA and cryptotanshinone on hepatocyte injury in vitro and in vivo. Food Chem Toxicol. 47: 2742-2748. <http://dx.doi.org/10.1016/j.fct.2009.08.007>.
- Park, HJ; Kim, HG; Wang, JH; Choi, MK; Han, JM; Lee, JS; Son, CG. (2016). Comparison of TGF- β , PDGF, and CTGF in hepatic fibrosis models using DMN, CCl4, and TAA. Drug Chem Toxicol. 39: 111-118. <http://dx.doi.org/10.3109/01480545.2015.1052143>.
- Park, J, inKyu; Ki, M, iRan; Hong, I, IHwo; Ji, A, eRi; Hong, KS; Park, SJ; Jeong, K, yuS. (2009). SENESENCE MARKER PROTEIN-30 (SMP30) DEFICIENCY IN MICE AMELIORATES CCL4-INDUCED LIVER FIBROSIS VIA DECREASED NUCLEAR EXPRESSION OF P-SMAD2/3 IN HEPATIC STELLATE CELLS AND IMBALANCE BETWEEN ANGIOTENSIN II RECEPTOR TYPE I (AT1) AND TYPE II (AT2) EXPRESSION. Hepatology. 50: 835A-835A.
- Park, J; Kim, HY; Lee, SM. (2011). PROTECTIVE EFFECTS OF MOUTAN CORTEX RADICIS AGAINST ACUTE HEPATOTOXICITY. African Journal of Traditional, Complementary and Alternative Medicines. 8: 220-225. <http://dx.doi.org/10.4314/ajtcam.v8i5S.2>.
- Park, JH; Jo, JH; Kim, KH; Kim, SJ; Lee, WR; Park, KK; Park, JB. (2009). Antifibrotic effect through the regulation of transcription factor using ring type-Sp1 decoy oligodeoxynucleotide in carbon tetrachloride-induced liver fibrosis. J Gene Med. 11: 824-833. <http://dx.doi.org/10.1002/jgm.1355>.
- Park, JK; Ki, MR; Lee, HR; Hong, IH; Ji, AR; Ishigami, A; Park, SI; Kim, JM; Chung, HY; Yoo, SE; Jeong, KS. (2010). Vitamin C deficiency attenuates liver fibrosis by way of up-regulated peroxisome proliferator-activated receptor-gamma expression in senescence marker protein 30 knockout mice. Hepatology. 51: 1766-1777. <http://dx.doi.org/10.1002/hep.23499>.
- Park, O; Jeong, W, onll; Wang, H, ua; Gao, B, in. (2009). Diverse Roles of Invariant NKT Cells in Liver Injury and Fibrosis Induced By Carbon Tetrachloride. Gastroenterology. 136: A824-A824.
- Park, O; Jeong, WI; Wang, L; Wang, H; Lian, ZX; Gershwin, ME; Gao, B. (2009). Diverse roles of invariant natural killer T cells in liver injury and fibrosis induced by carbon tetrachloride. Hepatology. 49: 1683-1694. <http://dx.doi.org/10.1002/hep.22813>.
- Park, S; Kim, SH; Ropella, GE; Roberts, MS; Hunt, CA. (2010). Tracing multiscale mechanisms of drug disposition in normal and diseased livers. J Pharmacol Exp Ther. 334: 124-136. <http://dx.doi.org/10.1124/jpet.110.168526>.
- Park, SA; Kim, MJ; Park, SY; Kim, JS; Lee, SJ; Woo, HA; Kim, DK; Nam, JS; Sheen, YY. (2015). EW-7197 inhibits hepatic, renal, and pulmonary fibrosis by blocking TGF- β /Smad and ROS signaling. Cell Mol Life Sci. 72: 2023-2039. <http://dx.doi.org/10.1007/s00018-014-1798-6>.
- Park, SM, i; Jo, M, iJ; Byun, SH, ui; Kim, SC; Cho, I, lJe. (2012). RED GINSENG EXTRACT PREVENTS CCl4-INDUCED LIVER FIBROSIS. Pharmaceutical Biology. 50: 580-581.
- Park, SY; Lee, JY; Tak, WY; Kweon, YO; Lee, MS. (2012). Erythropoietin decreases carbon tetrachloride-induced hepatic fibrosis by inhibiting transforming growth factor-beta. Chin Med J. 125: 3098-3103. <http://dx.doi.org/10.3760/cma.j.issn.0366-6999.2012.17.024>.
- Park, WJ; Kim, SY; Kim, YR; Park, JW. (2016). Bortezomib alleviates drug-induced liver injury by regulating CYP2E1 gene transcription. Int J Mol Med. 37: 613-622. <http://dx.doi.org/10.3892/ijmm.2016.2461>.
- Parmar, MY; Shah, PA; Gao, J; Gandhi, TR. (2011). Hepatoprotection through regulation of voltage dependent anion channel expression by Amomum subulatum Roxb seeds extract. Indian J Pharmacol. 43: 671-675. <http://dx.doi.org/10.4103/0253-7613.89824>.
- Parveen, R; Baboota, S; Ali, J; Ahuja, A; Vasudev, SS; Ahmad, S. (2011). Effects of silymarin nanoemulsion against carbon tetrachloride-induced hepatic damage. Arch Pharm Res. 34: 767-774. <http://dx.doi.org/10.1007/s12272-011-0510-8>.
- Parvez, MK; Arbab, AH; Al-Dosari, MS; Rafatullah, S. (2016). The ethanolic extract of Aerva Javanica aerial parts ameliorates CCl4-induced hepatotoxicity and oxidative damage in rats. J Gastroenterol Hepatol. 31: 427-428.
- Pascual-Miguelañez, I; Salinas-Gomez, J; Fernandez-Luengas, D; Villar-Zarra, K; Clemente, LV; Garcia-Arranz, M; Olmo, DG. (2015). Systemic treatment of acute liver failure with adipose derived stem cells. 28: 120-126. <http://dx.doi.org/10.3109/08941939.2014.987407>.
- Pasricha, S; Kenney-Hunt, J; Anderson, K; Jafari, N; Hall, RA; Lammert, F; Cheverud, J; Green, RM. (2015). Identification of eQTLs for hepatic Xbp1s and Socs3 gene expression in mice fed a high-fat, high-caloric diet. 5: 487-496. <http://dx.doi.org/10.1534/g3.115.016626>.

Human Health Hazard Literature Search Results

On Topic

- Patel, G; Kher, G; Misra, A. (2012). Preparation and evaluation of hepatic stellate cell selective, surface conjugated, peroxisome proliferator-activated receptor-gamma ligand loaded liposomes. *J Drug Target*. 20: 155-165. <http://dx.doi.org/10.3109/1061186X.2011.610800>.
- Patil, K; Mohammedimtiazi, S; Singh, A; Bagewadi, V; Gazi, S. (2011). Hepatoprotective Activity of Cucumis trigonus Roxb. Fruit against CCl₄ Induced Hepatic Damage in Rats. *Iranian Journal of Pharmaceutical Research*. 10: 295-299.
- Paul, BB; Rubinstein, D. (1963). Metabolism of carbon tetrachloride and chloroform by the rat. *J Pharmacol Exp Ther*. 141: 141-148.
- Paustenbach, DJ; 3rd, CH; Gargas, ML; Andersen, ME. (1987). Pharmacokinetics in risk assessment Development of a physiologically based pharmacokinetic model for multiday inhalation of carbon tetrachloride. Washington, DC: National Academies Press.
- Paustenbach, DJ; Carlson, GP; Christian, JE; Born, GS. (1986). A comparative study of the pharmacokinetics of carbon tetrachloride in the rat following repeated inhalation exposures of 8 and 11.5 hr/day. *Fundam Appl Toxicol*. 6: 484-497.
- Paustenbach, DJ; Christian, JE; Carlson, GP; Born, GS. (1986). The effect of an 11.5-hr/day exposure schedule on the distribution and toxicity of inhaled carbon tetrachloride in the rat. *Fundam Appl Toxicol*. 6: 472-483.
- Paustenbach, DJ; III, CH; Gargas, ML; Andersen, ME. (1988). A physiologically based pharmacokinetic model for inhaled carbon tetrachloride. *Toxicol Appl Pharmacol*. 96: 191-211.
- Pauta, M; Melgar-Lesmes, P; Ribero, J; Reichenbach, V; Fernandez-Varo, G; Jimenez, W; Morales-Ruiz, M. (2010). BLOCKAGE OF ANGIOPOIETIN-2 ACTIVITY AMELIORATES HEPATIC INFLAMMATORY INFILTRATE AND FIBROSIS IN CCL₄-TREATED RATS. *Hepatology*. 52: 1264A-1264A.
- Pauta, M; Ribera, J; Melgar-Lesmes, P; Casals, G; Rodríguez-Vita, J; Reichenbach, V; Fernandez-Varo, G; Morales-Romero, B; Bataller, R; Michelena, J; Altamirano, J; Jiménez, W; Morales-Ruiz, M. (2015). Overexpression of angiotensin II in rats and patients with liver fibrosis. Therapeutic consequences of its inhibition. *Liver Int*. 35: 1383-1392. <http://dx.doi.org/10.1111/liv.12505>.
- Pechenkina, IG; Kozin, SV; Bulanov, DV. (2015). [Immunohistochemical assay of murine liver tissue using monoclonal antibodies to NO-synthase 2 and TNF- α under tetrachloromethane toxic injury conditions]. *Eksp Klin Farmakol*. 78: 20-23.
- Pellicoro, A; Aucott, RL; Ramachandran, P; Robson, AJ; Fallowfield, JA; Snowdon, VK; Hartland, SN; Vernon, M; Duffield, JS; Benyon, RC; Forbes, SJ; Iredale, JP. (2012). Elastin accumulation is regulated at the level of degradation by macrophage metalloelastase (MMP-12) during experimental liver fibrosis. *Hepatology*. 55: 1965-1975. <http://dx.doi.org/10.1002/hep.25567>.
- Peng, HY; Chu, YC; Chen, SJ; Chou, ST. (2009). Hepatoprotection of chlorella against carbon tetrachloride-induced oxidative damage in rats. *In Vivo*. 23: 747-754.
- Peng, J; Li, X; Feng, Q; Chen, L; Xu, L; Hu, Y. (2013). Anti-fibrotic effect of Cordyceps sinensis polysaccharide: Inhibiting HSC activation, TGF- β 1/Smad signalling, MMPs and TIMPs. *Exp Biol Med*. 238: 668-677. <http://dx.doi.org/10.1177/1535370213480741>.
- Peng, W; Jiang, X; Haiqin, L; Zhang, C; Zhu, J; Zhang, J; Zang, Y; Qin, J. (2009). Protective effects of transgene expressed human PON3 against CCl₄-induced subacute liver injury in mice. *Biomed Pharmacother*. 63: 592-598. <http://dx.doi.org/10.1016/j.biopha.2008.08.023>.
- Peng, W; Qiu, XQ; Shu, ZH; Liu, QC; Hu, MB; Han, T; Rahman, K; Qin, LP; Zheng, CJ. (2015). Hepatoprotective activity of total iridoid glycosides isolated from *Paederia scandens* (our.) Merr. var. *tomentosa*. *J Ethnopharmacol*. 174: 317-321. <http://dx.doi.org/10.1016/j.jep.2015.08.032>.
- Peng, W; Zhang, C; Lv, H; Zhu, J; Zang, Y; Pang, X; Zhang, J; Qin, J. (2010). Comparative evaluation of the protective potentials of human paraoxonase 1 and 3 against CCl₄-induced liver injury. *Toxicol Lett*. 193: 159-166. <http://dx.doi.org/10.1016/j.toxlet.2010.01.003>.
- Peng, WH; Chen, YW; Lee, MS; Chang, WT; Tsai, JC; Lin, YC; Lin, MK. (2016). Hepatoprotective Effect of *Cuscuta campestris* Yunck. Whole Plant on Carbon Tetrachloride Induced Chronic Liver Injury in Mice. *International Journal of Molecular Sciences*. 17. <http://dx.doi.org/10.3390/ijms17122056>.
- Peng, WH; Tien, YC; Huang, CY; Huang, TH; Liao, JC; Kuo, CL; Lin, YC. (2010). Fraxinus rhynchophylla ethanol extract attenuates carbon tetrachloride-induced liver fibrosis in rats via down-regulating the expressions of uPA, MMP-2, MMP-9 and TIMP-1. *J Ethnopharmacol*. 127: 606-613. <http://dx.doi.org/10.1016/j.jep.2009.12.016>.
- Peng, XD; Dai, LL; Huang, CQ; He, CM; Chen, LJ. (2009). Correlation between anti-fibrotic effect of baicalin and serum cytokines in rat hepatic fibrosis. *World J Gastroenterol*. 15: 4720-4725.
- Peng, XD; Dai, LL; Huang, CQ; He, CM; Yang, B; Chen, LJ. (2009). Relationship between anti-fibrotic effect of Panax notoginseng saponins and serum cytokines in rat hepatic fibrosis. *Biochem Biophys Res Commun*. 388: 31-34. <http://dx.doi.org/10.1016/j.bbrc.2009.07.099>.
- Peng, Y; Huang, K; Shen, L; Tao, YY; Liu, CH. (2016). Cultured Mycelium Cordyceps sinensis alleviates CCl₄-induced liver inflammation and fibrosis in mice by activating hepatic natural killer cells. *Acta Pharmacol Sin*. 37: 204-216. <http://dx.doi.org/10.1038/aps.2015.129>.
- Peng, Y; Yang, H; Wang, N; Ouyang, Y; Yi, Y; Liao, L; Shen, H; Hu, G; Wang, Z; Tao, L. (2014). Fluorofenidone attenuates hepatic fibrosis by suppressing the proliferation and activation of hepatic stellate cells. *Am J Physiol Gastrointest Liver Physiol*. 306: G253-G263. <http://dx.doi.org/10.1152/ajpgi.00471.2012>.
- Pentz, R; Strubelt, O. (1983). Fasting increases the concentrations of carbon tetrachloride and of its metabolite chloroform in the liver of mice. *Toxicol Lett*. 16: 231-234.
- Perepelyuk, M; Terajima, M; Wang, AY; Georges, PC; Janmey, PA; Yamauchi, M; Wells, RG. (2013). Hepatic stellate cells and portal fibroblasts are the major cellular sources of collagens and lysyl oxidases in normal liver and early after injury. *Am J Physiol Gastrointest Liver Physiol*. 304: G605-G614. <http://dx.doi.org/10.1152/ajpgi.00222.2012>.
- Perez, E; Muriel, P; Moreno, MG. (2014). HESPERIDIN PREVENTS FIBROSIS BY DECREASING THE EXPRESSION OF NF-kappa B, TGF-beta AND CTGF IN A CCl₄-INDUCED LIVER DAMAGE IN RAT. *J Hepatol*. 60: S213-S213.
- Pérez-Vargas, JE; Zarco, N; Shibayama, M; Segovia, J; Tsutsumi, V; Muriel, P. (2014). Hesperidin prevents liver fibrosis in rats by decreasing the expression of nuclear factor- κ B, transforming growth factor- β and connective tissue growth factor. *Pharmacology*. 94: 80-89. <http://dx.doi.org/10.1159/000366206>.

Human Health Hazard Literature Search Results

On Topic

- Pérez-Vargas, JE; Zarco, N; Vergara, P; Shibayama, M; Segovia, J; Tsutsumi, V; Muriel, P. (2016). I-Theanine prevents carbon tetrachloride-induced liver fibrosis via inhibition of nuclear factor κ B and down-regulation of transforming growth factor β and connective tissue growth factor. *Hum Exp Toxicol*. 35: 135-146. <http://dx.doi.org/10.1177/0960327115578864>.
- Perocco, P; Prodi, G. (1981). DNA damage by haloalkanes in human lymphocytes cultured in vitro. *Cancer Lett*. 13: 213-218. [http://dx.doi.org/10.1016/0304-3835\(81\)90020-3](http://dx.doi.org/10.1016/0304-3835(81)90020-3).
- Perugorria, MJ; Murphy, LB; Fullard, N; Chakraborty, JB; Vyrla, D; Wilson, CL; Oakley, F; Mann, J; Mann, DA. (2013). Tumor progression locus 2/Cot is required for activation of extracellular regulated kinase in liver injury and toll-like receptor-induced TIMP-1 gene transcription in hepatic stellate cells in mice. *Hepatology*. 57: 1238-1249. <http://dx.doi.org/10.1002/hep.26108>.
- Peters, HA; Levine, RL; Matthews, CG; Sauter, S; Chapman, L. (1986). Synergistic neurotoxicity of carbon tetrachloride/carbon disulfide (80/20 fumigants) and other pesticides in grain storage workers.
- Petronilho, F; Dal-Pizzol, F; Costa, GM; Kappel, VD; de Oliveira, SQ; Fortunato, J; Cittadini-Zanette, V; Moreira, JC; Simões, CM; Dal-Pizzol, F; Reginatto, FH. (2012). Hepatoprotective effects and HSV-1 activity of the hydroethanolic extract of *Cecropia glaziovii* (embaúba-vermelha) against acyclovir-resistant strain. *Pharmaceutical Biology*. 50: 911-918. <http://dx.doi.org/10.3109/13880209.2011.643902>.
- Petts, G; Dhar, A; Kudo, H; Sadiq, F; Anstee, QM; Kallis, Y; Dorling, A; Goldin, R; Thursz, M. (2012). TARGETED INHIBITION OF TISSUE FACTOR AND THROMBIN ON CD31 EXPRESSING CELLS SUPPRESSES HEPATIC FIBROSIS IN CCL4 TREATED MICE. *J Hepatol*. 56: S157-S157. <http://dx.doi.org/10.1136/gutjnl-2012-302514a.65>.
- Petts, G; Dhar, A; Kudo, H; Sadiq, F; Anstee, QM; Kallis, YN; Dorling, A; Goldin, R; Thursz, MR. (2012). Targeted inhibition of Tissue Factor suppresses hepatic fibrosis in CCL4 treated mice. *Hepatology*. 56: 773A-773A.
- Pieper-Fürst, U; Hall, R; Huss, S; Hochrath, K; Fischer, HP; Tacke, F; Weiskirchen, R; Lammert, F. (2011). Expression of the megalin C-terminal fragment by macrophages during liver fibrogenesis in mice. *Biochim Biophys Acta*. 1812: 1640-1648. <http://dx.doi.org/10.1016/j.bbadis.2011.09.003>.
- Pilon, D; Brodeur, J; Plaa, GL. (1986). 1,3-Butanediol-induced increases in ketone bodies and potentiation of CCl4 hepatotoxicity. *Toxicology*. 40: 165-180.
- Ping, J; Gao, AM; Qin, HQ; Wei, XN; Bai, J; Liu, L; Li, XH; Li, RW; Ao, Y; Wang, H. (2011). Indole-3-carbinol enhances the resolution of rat liver fibrosis and stimulates hepatic stellate cell apoptosis by blocking the inhibitor of κ B kinase α /inhibitor of κ B- α /nuclear factor- κ B pathway. *J Pharmacol Exp Ther*. 339: 694-703. <http://dx.doi.org/10.1124/jpet.111.179820>.
- Pinto, C; Duque, AL; Rodríguez-Galdón, B; Cestero, JJ; Macías, P. (2012). Xanthohumol prevents carbon tetrachloride-induced acute liver injury in rats. *Food Chem Toxicol*. 50: 3405-3412. <http://dx.doi.org/10.1016/j.fct.2012.07.035>.
- Pinzani, M; Macias-Barragan, J. (2010). Update on the pathophysiology of liver fibrosis [Review]. 4: 459-472. <http://dx.doi.org/10.1586/EGH.10.47>.
- Pirinççioğlu, M; Kızıl, G; Kızıl, M; Kanay, Z; Ketani, A. (2014). The protective role of pomegranate juice against carbon tetrachloride-induced oxidative stress in rats. *Toxicol Ind Health*. 30: 910-918. <http://dx.doi.org/10.1177/0748233712464809>.
- Pirinççioğlu, M; Kızıl, G; Kızıl, M; Özdemir, G; Kanay, Z; Ketani, MA. (2012). Protective effect of Öküzgözü (*Vitis vinifera* L. cv.) grape juice against carbon tetrachloride induced oxidative stress in rats. 3: 668-673. <http://dx.doi.org/10.1039/c2fo30024a>.
- Piryaei, A; Valojerdi, MR; Shahsavani, M; Baharvand, H. (2010). Differentiation of Bone Marrow-derived Mesenchymal Stem Cells into Hepatocyte-like Cells on Nanofibers and Their Transplantation into a Carbon Tetrachloride-Induced Liver Fibrosis Model. *Stem Cell Rev*. 7: 103-118. <http://dx.doi.org/10.1007/s12015-010-9126-5>.
- Pithayanukul, P; Nithitanakool, S; Bavovada, R. (2009). Hepatoprotective potential of extracts from seeds of *Areca catechu* and nutgalls of *Quercus infectoria*. *Molecules*. 14: 4987-5000. <http://dx.doi.org/10.3390/molecules14124987>.
- Pizano-Martínez, O; Yañez-Sánchez, I; Alatorre-Carranza, P; Miranda-Díaz, A; Ortiz-Lazareno, PC; García-Iglesias, T; Daneri-Navarro, A; Vázquez-Del Mercado, M; Fafutis-Morris, M; Delgado-Rizo, V. (2011). YKL-40 expression in CD14⁺ liver cells in acute and chronic injury. *World J Gastroenterol*. 17: 3830-3835. <http://dx.doi.org/10.3748/wjg.v17.i33.3830>.
- Plaa, GL. (2000). Chlorinated methanes and liver injury: highlights of the past 50 years [Review]. *Annu Rev Pharmacol Toxicol*. 40: 42-65. <http://dx.doi.org/10.1146/annurev.pharmtox.40.1.43>.
- Plummer, JL; Hall, PD; Ilesley, AH; Cmielewski, PL; Ahern, MJ; Williams, RA. (1994). Dose-response relationships in hepatic injury produced by alcohol and carbon tetrachloride. *Alcohol Clin Exp Res*. 18: 1523-1526.
- Plummer, JL; Hall Pde la, M; Ilesley, AH; Jenner, MA; Cousins, MJ. (1990). Influence of enzyme induction and exposure profile on liver injury due to chlorinated hydrocarbon inhalation. *Basic Clin Pharmacol Toxicol*. 67: 329-335.
- Pohl, LR; Schulick, RD; Highet, RJ; George, JW. (1984). Reductive-oxygenation mechanism of metabolism of carbon tetrachloride to phosgene by cytochrome P-450. *Mol Pharmacol*. 25: 318-321.
- Polat, B; Halici, Z; Cadirci, E; Karakus, E; Bayir, Y; Albayrak, A; Unal, D. (2017). Liver 5-HT7 receptors: A novel regulator target of fibrosis and inflammation-induced chronic liver injury in vivo and in vitro. *Int Immunopharmacol*. 43: 227-235. <http://dx.doi.org/10.1016/j.intimp.2016.12.023>.
- Ponmari, G; Annamalai, A; Gopalakrishnan, VK; Lakshmi, PT; Guruvayoorappan, C. (2014). NF- κ B activation and proinflammatory cytokines mediated protective effect of *Indigofera caerulea* Roxb. on CCl4 induced liver damage in rats. *Int Immunopharmacol*. 23: 672-680. <http://dx.doi.org/10.1016/j.intimp.2014.10.021>.
- Ponnusam, Y; Louis, T; Madhavachandran, V; Kumar, S; Thoprani, N; Hamblin, MR; Lakshmanan, S. (2015). Antioxidant Activity of The Ancient Herb, Holy Basil in CCl4-Induced Liver Injury in Rats. 2: 34-38. <http://dx.doi.org/10.14259/av.v2i2.176>.
- Pooranaperundevi, M; Sumiyabanu, MS; Viswanathan, P; Sundarapandiyar, R; Anuradha, CV. (2010). Insulin resistance induced by high-fructose diet potentiates carbon tetrachloride hepatotoxicity. *Toxicol Ind Health*. 26: 89-104. <http://dx.doi.org/10.1177/0748233709359273>.

Human Health Hazard Literature Search Results

On Topic

- Popov, Y; Sverdlov, DY; Sharma, AK; Bhaskar, KR; Li, S; Freitag, TL; Lee, J; Dieterich, W; Melino, G; Schuppan, D. (2011). Tissue transglutaminase does not affect fibrotic matrix stability or regression of liver fibrosis in mice. *Gastroenterology*. 140: 1642-1652. <http://dx.doi.org/10.1053/j.gastro.2011.01.040>.
- Popović, D; Đukić, D; Katić, V; Jović, Z; Jović, M; Lalić, J; Golubović, I; Stojanović, S; Ulrih, NP; Stanković, M; Sokolović, D. (2016). Antioxidant and proapoptotic effects of anthocyanins from bilberry extract in rats exposed to hepatotoxic effects of carbon tetrachloride. *Life Sci*. 157: 168-177. <http://dx.doi.org/10.1016/j.lfs.2016.06.007>.
- Popović, M; Vukmirović, S; Stilinović, N; Capo, I; Jakovljević, V. (2010). Anti-oxidative activity of an aqueous suspension of commercial preparation of the mushroom *Coprinus comatus*. *Molecules*. 15: 4564-4571. <http://dx.doi.org/10.3390/molecules15074564>.
- Posadas del Rio, FA; Chavez-Morales, RM; Rodriguez-Vazquez, ML; Jaramillo-Juarez, F; Martinez-Saldana, MC; Olmos-Guerrero, CE; Reyes-Romero, MA. (2009). Analysis of the therapeutic effect of Ginkgo biloba on liver damage produced by carbon tetrachloride in adult male rats. *Toxicol Lett*. 189: S127-S127. <http://dx.doi.org/10.1016/j.toxlet.2009.06.437>.
- Pradeep, HA; Khan, S; Ravikumar, K; Ahmed, MF; Rao, MS; Kiranmai, M; Reddy, DS; Ahamed, SR; Ibrahim, M. (2009). Hepatoprotective evaluation of *Anogeissus latifolia*: In vitro and in vivo studies. *World J Gastroenterol*. 15: 4816-4822. <http://dx.doi.org/10.3748/wjg.15.4816>.
- Preethi, KC; Kuttan, R. (2009). Hepato and reno protective action of *Calendula officinalis* L. flower extract. *Indian J Exp Biol*. 47: 163-168.
- Prendergast, JA; Jones, RA; Jenkins, LJ, Jr; Siegel, J. (1967). Effects on experimental animals of long-term inhalation of trichloroethylene, carbon tetrachloride, 1,1,1-trichloroethane, dichlorodifluoromethane, and 1,1-dichloroethylene. *Toxicol Appl Pharmacol*. 10: 270-289.
- Pritchard, MT. (2011). Liver fibrosis and ethanol: role of the transcription factor, *Egr-1*.
- Pritchard, MT. (2012). Liver fibrosis and ethanol: role of the transcription factor, *Egr-1*.
- Pritchard, MT. (2013). Liver fibrosis and ethanol: role of the transcription factor, *Egr-1*.
- Pritchard, MT; Cohen, JI; Roychowdhury, S; Nagy, LE. (2009). EARLY GROWTH RESPONSE (EGR)-1 PROMOTES HEPATOPROTECTION AND ATTENUATES PROGRESSIVE LIVER INJURY AFTER ACUTE CARBON TETRACHLORIDE EXPOSURE IN MICE. *Hepatology*. 50: 885A-885A.
- Pritchard, MT; Cohen, JI; Roychowdhury, S; Nagy, LE. (2009). EGR-1 mediated TNF alpha production is associated with hepatoprotection after acute carbon tetrachloride exposure in mice. *Cytokine*. 48: 119-119. <http://dx.doi.org/10.1016/j.cyto.2009.07.504>.
- Pritchard, MT; Cohen, JI; Roychowdhury, S; Pratt, BT; Nagy, LE. (2010). Early growth response-1 attenuates liver injury and promotes hepatoprotection after carbon tetrachloride exposure in mice. *J Hepatol*. 53: 655-662. <http://dx.doi.org/10.1016/j.jhep.2010.04.017>.
- Pritchard, MT; Malinak, RN; Nagy, LE. (2011). Early growth response (EGR)-1 is required for timely cell-cycle entry and progression in hepatocytes after acute carbon tetrachloride exposure in mice. *Am J Physiol Gastrointest Liver Physiol*. 300: G1124-G1131. <http://dx.doi.org/10.1152/ajpgi.00544.2010>.
- Pritchard, MT; Nagy, LE. (2009). EGR-1 DEFICIENCY ENHANCES FIBROSIS AND PROMOTES ACTIVATION OF THE OVAL CELL RESPONSE AFTER CARBON TETRACHLORIDE EXPOSURE IN MICE. *Hepatology*. 50: 823A-823A.
- Pritchard, MT; Nagy, LE. (2010). Hepatic fibrosis is enhanced and accompanied by robust oval cell activation after chronic carbon tetrachloride administration to *Egr-1*-deficient mice. *Am J Pathol*. 176: 2743-2752. <http://dx.doi.org/10.2353/ajpath.2010.091186>.
- Pu, X; Fan, W; Yu, S; Li, Y; Ma, X; Liu, L; Ren, J; Zhang, W. (2015). Polysaccharides from *Angelica* and *Astragalus* exert hepatoprotective effects against carbon-tetrachloride-induced intoxication in mice. *Can J Physiol Pharmacol*. 93: 39-43. <http://dx.doi.org/10.1139/cjpp-2014-0331>.
- Puche, JE; Lee, YA; Jiao, J; Aloman, C; Fiel, MI; Muñoz, U; Kraus, T; Lee, T; Yee, HF; Friedman, SL. (2013). A novel murine model to deplete hepatic stellate cells uncovers their role in amplifying liver damage in mice. *Hepatology*. 57: 339-350. <http://dx.doi.org/10.1002/hep.26053>.
- Pulavendran, S; Vignesh, J; Rose, C. (2010). Differential anti-inflammatory and anti-fibrotic activity of transplanted mesenchymal vs. hematopoietic stem cells in carbon tetrachloride-induced liver injury in mice. *Int Immunopharmacol*. 10: 513-519. <http://dx.doi.org/10.1016/j.intimp.2010.01.014>.
- Purdue, MP; Stewart, PA; Friesen, MC; Colt, JS; Locke, SJ; Hein, MJ; Waters, MA; Graubard, BI; Davis, F; Ruterbusch, J; Schwartz, K; Chow, WH; Rothman, N; Hofmann, JN. (2016). Occupational exposure to chlorinated solvents and kidney cancer: a case-control study. *Occup Environ Med*. <http://dx.doi.org/10.1136/oemed-2016-103849>.
- Purkayastha, A; Chakravarty, P. (2014). Evaluation of Hepatoprotective Activity of the Ethanolic Extract of the Leaves of *Mimosa Pudica* Linn. in Carbon Tetrachloride Induced Hepatic Injury in Albino Rats. *Indian J Pharmacol*. 46: S35-S35.
- Qi, J; Chen, X; Zhang, C; Tao, L; He, W; Wang, J; Li, J; Xu, D. (2015). [Effects of 4-phenylbutyric acid on carbon tetrachloride-induced acute liver injury in mice]. *Zhonghua Gan Zang Bing Za Zhi*. 23: 286-291.
- Qiao, LR; Yang, L; Zou, JH; Li, L; Sun, H; Si, YK; Zhang, D; Chen, X; Dai, J. (2012). Neolignans and sesquiterpenes from cell cultures of *Stellera chamaejasme*. *Planta Med*. 78: 711-719. <http://dx.doi.org/10.1055/s-0031-1298380>.
- Qin, D; Wen, Z; Nie, Y; Yao, G. (2013). Effect of *Cichorium Glandulosum* Extracts on CCl4-Induced Hepatic Fibrosis. 15: e10908. <http://dx.doi.org/10.5812/ircmj.10908>.
- Qin, J; He, Y; Duan, M; Luo, M. (2016). Effects of Nuclear Factor-E2-related factor 2/Heme Oxygenase 1 on splanchnic hemodynamics in experimental cirrhosis with portal hypertension. *Microvasc Res*. 111: 12-19. <http://dx.doi.org/10.1016/j.mvr.2016.12.009>.
- Qin, LQ; Wang, Y; Xu, JY; Kaneko, T; Sato, A; Wang, PY. (2007). One-day dietary restriction changes hepatic metabolism and potentiates the hepatotoxicity of carbon tetrachloride and chloroform in rats. *Tohoku J Exp Med*. 212: 379-387.
- Qin, LS; Zhao, HP; Zhao, YL; Ma, ZJ; Zeng, LN; Zhang, YM; Zhang, P; Yan, D; Bai, ZF; Li, Y; Hao, QX; Zhao, KJ; Wang, JB; Xiao, XH. (2014). [Protection and bidirectional effect of rhu barb anthraquinone and tannins for rats' liver]. *Zhongguo Zhong Xi Yi Jie He Za Zhi*. 34: 698-703.
- Qin, S; Zhou, Y; Gray, L; Kusebauch, U; Mcevoy, L; Antoine, DJ; Hampson, L; Park, KB; Campbell, D; Caballero, J; Glusman, G; Yan, X; Kim, TK; Yuan, Y; Wang, K; Rowen, L; Moritz, RL; Omenn, GS; Pirmohamed, M; Hood, L. (2016). Identification of Organ-Enriched Protein

Human Health Hazard Literature Search Results

On Topic

- Biomarkers of Acute Liver Injury by Targeted Quantitative Proteomics of Blood in Acetaminophen- and Carbon-Tetrachloride-Treated Mouse Models and Acetaminophen Overdose Patients. *J Proteome Res.* 15: 3724-3740. <http://dx.doi.org/10.1021/acs.jproteome.6b00547>.
- Qin, Y; Tian, Y, p. (2011). Protective effects of total glucosides of paeony and the underlying mechanisms in carbon tetrachloride-induced experimental liver injury. *Archives of Medical Science.* 4: 604-612. <http://dx.doi.org/10.5114/aoms.2011.24129>.
- Qin, Z, he; Li, J; Yang, Z; Zhang, K, ai; Zhang, J; Meng, J; Wang, L; Wang, L, ei. (2012). Effects of Fermentation Astragalus Polysaccharides on Experimental Hepatic Fibrosis. *Journal of Animal and Veterinary Advances.* 11: 1195-1203.
- Qiu, H; Yan, Y; Xing, J; Zhu, Y; Fang, L; Cao, X; Su, C. (2012). Adenovirus-mediated dual gene expression of human interleukin-10 and hepatic growth factor exerts protective effect against CCl₄-induced hepatocyte injury in rats. *Dig Dis Sci.* 57: 1857-1865. <http://dx.doi.org/10.1007/s10620-012-2117-4>.
- Qu, K; Yan, Z; Wu, Y; Chen, Y; Qu, P; Xu, X; Yuan, P; Huang, X; Xing, J; Zhang, H; Liu, C; Zhang, J. (2015). Transarterial chemoembolization aggravated peritumoral fibrosis via hypoxia-inducible factor-1 α dependent pathway in hepatocellular carcinoma. *J Gastroenterol Hepatol.* 30: 925-932. <http://dx.doi.org/10.1111/jgh.12873>.
- Qu, L; Xin, H; Zheng, G; Su, Y; Ling, C. (2012). Hepatoprotective Activity of the Total Saponins from *Actinidia valvata* Dunn Root against Carbon Tetrachloride-Induced Liver Damage in Mice. *eCAM.* 2012: 216061. <http://dx.doi.org/10.1155/2012/216061>.
- Qu, W; Huang, H; Li, K; Qin, C. (2014). Danshensu-mediated protective effect against hepatic fibrosis induced by carbon tetrachloride in rats. 62: 348-353. <http://dx.doi.org/10.1016/j.patbio.2014.07.008>.
- Qu, X; Wang, M; He, J; Liu, Y; Zhou, X; Li, D; Jin, Z. (2014). [Construction of large block of engineered liver tissue seeded with co-cultured cells and in vivo implantation research]. *Zhongguo Xiu Fu Chong Jian Wai Ke Za Zhi.* 28: 325-330.
- Qu, Y; Chen, WH; Zong, L; Xu, MY; Lu, LG. (2012). 18 α -Glycyrrhizin induces apoptosis and suppresses activation of rat hepatic stellate cells. *Med Sci Monit.* 18: BR24-BR32.
- Qu, Y; Zong, L; Xu, M; Dong, Y; Lu, L. (2015). Effects of 18 α -glycyrrhizin on TGF- β 1/Smad signaling pathway in rats with carbon tetrachloride-induced liver fibrosis. *Int J Clin Exp Pathol.* 8: 1292-1301.
- Quan, J; Li, T; Zhao, W; Xu, H; Qiu, D; Yin, X. (2013). Hepatoprotective effect of polysaccharides from *Boschniakia rossica* on carbon tetrachloride-induced toxicity in mice. *J Clin Biochem Nutr.* 52: 244-252. <http://dx.doi.org/10.3164/jcbn.12-96>.
- Quan, J; Piao, L; Wang, X; Li, T; Yin, X. (2009). Rossicaside B protects against carbon tetrachloride-induced hepatotoxicity in mice. *Basic & Clinical Pharmacology & Toxicology Online Pharmacology Online.* 105: 380-386. <http://dx.doi.org/10.1111/j.1742-7843.2009.00454.x>.
- Quan, J; Piao, L; Xu, H; Li, T; Yin, X. (2009). Protective effect of iridoid glucosides from *Boschniakia rossica* on acute liver injury induced by carbon tetrachloride in rats. *Biosci Biotechnol Biochem.* 73: 849-854. <http://dx.doi.org/10.1271/bbb.80757>.
- Quan, J; Yin, X; Xu, H. (2011). *Boschniakia rossica* prevents the carbon tetrachloride-induced hepatotoxicity in rat. *Exp Toxicol Pathol.* 63: 53-59. <http://dx.doi.org/10.1016/j.etp.2009.09.008>.
- Quillin, RC, III; Wilson, G; Nojima, H; Wang, J; Schuster, R; Blanchard, J; Edwards, M; Gulbins, E; Lentsch, A. (2013). Acidic Sphingomyelinase Inhibition Limits CCl₄ Induced Hepatic Fibrosis. *FASEB J.* 27.
- Quillin, RC; Wilson, GC; Nojima, H; Freeman, CM; Wang, J; Schuster, RM; Blanchard, JA; Edwards, MJ; Gandhi, CR; Gulbins, E; Lentsch, AB. (2015). Inhibition of acidic sphingomyelinase reduces established hepatic fibrosis in mice. *Hepatology Research.* 45: 305-314. <http://dx.doi.org/10.1111/hepr.12352>.
- Qujeq, D; Abassi, R; Faeizi, F; Parsian, H; Faraji, AS; Taheri, H; Tatar, M; Elmi, MM; Halalkhor, S. (2013). Effect of granulocyte colony-stimulating factor administration on tissue regeneration due to carbon tetrachloride-induced liver damage in experimental model. *Toxicol Ind Health.* 29: 498-503. <http://dx.doi.org/10.1177/0748233712440136>.
- Qujeq, D; Abassi, R; Faeizi, F; Parsian, H; Tahhery, H; Halalkhor, S. (2012). Effect of Granulocyte Colony-Stimulating Factor on Liver Injury Induced by CCl₄: A Correlation between Biochemical Parameters and Histopathology Results. 44: 46-49.
- Qureshi, MN; Kuchekar, BS; Logade, NA; Haleem, MA. (2010). In-vitro Antioxidant and In-vivo Hepatoprotective activity of *Leucas ciliata* leaves. *Records of Natural Products.* 4: 124-130.
- Qureshi, NN; Kuchekar, BS; Logade, NA; Haleem, MA. (2009). Antioxidant and hepatoprotective activity of *Cordia macleodii* leaves. *Saudi Pharmaceutical Journal.* 17: 299-302. <http://dx.doi.org/10.1016/j.jsps.2009.10.007>.
- Raafat, N; Abdel Aal, SM; Abdo, FK; El Ghonaimy, NM. (2015). Mesenchymal stem cells: In vivo therapeutic application ameliorates carbon tetrachloride induced liver fibrosis in rats. 68: 109-118. <http://dx.doi.org/10.1016/j.biocel.2015.09.003>.
- Rabani, V; Shahsavani, M; Gharavi, M; Piryaei, A; Azhdari, Z; Baharvand, H. (2010). Mesenchymal stem cell infusion therapy in a carbon tetrachloride-induced liver fibrosis model affects matrix metalloproteinase expression. *Cell Biol Int.* 34: 601-605. <http://dx.doi.org/10.1042/CBI20090386>.
- Radbill, BD; Gupta, R; Ramirez, MC; Difeo, A; Martignetti, JA; Alvarez, CE; Friedman, SL; Narla, G; Vrabie, R; Bowles, R; Saiman, Y; Bansal, MB. (2011). Loss of matrix metalloproteinase-2 amplifies murine toxin-induced liver fibrosis by upregulating collagen I expression. *Dig Dis Sci.* 56: 406-416. <http://dx.doi.org/10.1007/s10620-010-1296-0>.
- Radulović, NS; Randjelović, PJ; Stojanović, NM; Ilić, IR; Milojević, AB; Stojković, MB; Ilić, M. (2015). Effect of two esters of N-methylantranilic acid from Rutaceae species on impaired kidney morphology and function in rats caused by CCl₄. *Life Sci.* 135: 110-117. <http://dx.doi.org/10.1016/j.lfs.2015.05.022>.
- Rafiee, F; Nejati, V; Heidari, R; Ashraf, H. (2016). Protective effect of methanolic extract of *Berberis integerrima* Bunge. root on carbon tetrachloride-induced testicular injury in Wistar rats. *Int J Reprod Biomed (Yazd).* 14: 133-140.

Human Health Hazard Literature Search Results

On Topic

- Raghavendra, R; Neelagund, S; Kuluvar, G; Bhanuprakash, V; Revanaiah, Y. (2010). Protective effect of partially purified 35 kDa protein from silk worm (*Bombyx mori*) fecal matter against carbon tetrachloride induced hepatotoxicity and in vitro anti-viral properties. *Pharmaceutical Biology*. 48: 1426-1431. <http://dx.doi.org/10.3109/13880209.2010.489565>.
- Raghu Chandrashekhar, H; Venkatesh, P; Ponnusankar, S; Vijayan, P. (2009). Antioxidant activity of *Hypericum hookerianum* Wight and Arn. *Nat Prod Res*. 23: 1240-1251. <http://dx.doi.org/10.1080/14786410902885070>.
- Rahmat, AA; Dar, FA; Choudhary, IM. (2014). Protection of CCl₄-Induced Liver and Kidney Damage by Phenolic Compounds in Leaf Extracts of *Cnestis ferruginea* (de Candolle). *Pharmacognosy Res*. 6: 19-28. <http://dx.doi.org/10.4103/0974-8490.122913>.
- Raj, VP; Chandrasekhar, RH; P, V; S A, D; Rao, MC; Rao, VJ; Nitesh, K. (2010). In vitro and in vivo hepatoprotective effects of the total alkaloid fraction of *Hygrophila auriculata* leaves. *Indian J Pharmacol*. 42: 99-104. <http://dx.doi.org/10.4103/0253-7613.64500>.
- Rajasekaran, A; Arivukkurasu, R; Murugesu, S. (2010). Hepatoprotective Effect of *Adenema hyssopifolium* G. Don (Gentianaceae) in Carbon Tetrachloride-Induced Hepatotoxicity in Rats. *Tropical Journal of Pharmaceutical Research*. 9: 157-163.
- Rajeswary, H; Vasuki, R; Samudram, P; Geetha, A. (2011). Hepatoprotective action of ethanolic extracts of *Melia azedarach* Linn. and *Piper longum* Linn and their combination on CCl₄ induced hepatotoxicity in rats. *Indian J Exp Biol*. 49: 276-281.
- Rajopadhye, A; Upadhye, AS. (2016). Estimation of Bioactive Compound, Maslinic Acid by HPTLC, and Evaluation of Hepatoprotective Activity on Fruit Pulp of *Ziziphus jujuba* Mill. Cultivars in India. *eCAM*. 2016: 4758734. <http://dx.doi.org/10.1155/2016/4758734>.
- Ramachandran, P; Pellicoro, A; Vernon, MA; Boulter, L; Aucott, RL; Ali, A; Hartland, SN; Snowdon, VK; Cappon, A; Gordon-Walker, TT; Williams, MJ; Dunbar, DR; Manning, JR; van Rooijen, N; Fallowfield, JA; Forbes, SJ; Iredale, JP. (2012). Differential Ly-6C expression identifies the recruited macrophage phenotype, which orchestrates the regression of murine liver fibrosis. *Proc Natl Acad Sci USA*. 109: E3186-E3195. <http://dx.doi.org/10.1073/pnas.1119964109>.
- Ramanathan, N; Sundararajan, K; Vidya, K; Jemmis, ED. (2016). Non-covalent C-Cl... π interaction in acetylene-carbon tetrachloride adducts: Matrix isolation infrared and ab initio computational studies. *Spectrochim Acta A Mol Biomol Spectrosc*. 157: 69-78. <http://dx.doi.org/10.1016/j.saa.2015.12.016>.
- Ramasamy, P; Subhapradha, N; Shanmugam, V; Shanmugam, A. (2014). Protective effect of chitosan from *Sepia kobeensis* (Hoyle 1885) cuttlebone against CCl₄ induced hepatic injury. *Int J Biol Macromol*. 65: 559-563. <http://dx.doi.org/10.1016/j.ijbiomac.2014.02.009>.
- Ramos, AR; Matte, U; Goldani, HA; Oliveira, OL; Vieira, SM; Silveira, TR. (2010). Intestinal permeability assessed by ⁵¹Cr-EDTA in rats with CCl₄ - induced cirrhosis. *Arq Gastroenterol*. 47: 188-192.
- Ranawat, L; Bhatt, J; Patel, J. (2010). Hepatoprotective activity of ethanolic extracts of bark of *Zanthoxylum armatum* DC in CCl₄ induced hepatic damage in rats. *J Ethnopharmacol*. 127: 777-780. <http://dx.doi.org/10.1016/j.jep.2009.10.019>.
- Ranjbar, A; Sharifzadeh, M; Karimi, J; Tavilani, H; Baeeri, M; Shayesteh, TH; Abdollahi, M. (2014). Propofol Attenuates Toxic Oxidative Stress by CCl₄ in Liver Mitochondria and Blood in Rat. *Iranian Journal of Pharmaceutical Research*. 13: 253-262.
- Rao, AR; Sarada, R; Shylaja, MD; Ravishankar, GA. (2015). Evaluation of hepatoprotective and antioxidant activity of astaxanthin and astaxanthin esters from microalga-*Haematococcus pluvialis*. *J Food Sci Tech*. 52: 6703-6710. <http://dx.doi.org/10.1007/s13197-015-1775-6>.
- Rao, BG; Rao, YV; Rao, TM. (2013). Hepatoprotective and antioxidant capacity of *Melochia corchorifolia* extracts. *Asian Pacific Journal of Tropical Medicine*. 6: 537-543. [http://dx.doi.org/10.1016/S1995-7645\(13\)60092-9](http://dx.doi.org/10.1016/S1995-7645(13)60092-9).
- Rao, KS; Recknagel, RO. (1969). Early incorporation of carbon-labeled carbon tetrachloride into rat liver particulate lipids and proteins. *Exp Mol Pathol*. 10: 219-228.
- Rao, MS; Asad, BS; Fazil, M; Sudharshan, R; Rasheed, S; Pradeep, H; Aboobacker, S; Thayyil, A; Riyaz, A; Mansoor, M; Aleem, M; Zeeyauddin, K; Narasu, ML; Anjum, A; Ibrahim, M. (2012). Evaluation of protective effect of *Sapindus mukorossi* saponin fraction on CCl₄-induced acute hepatotoxicity in rats. *Clinical and Experimental Gastroenterology*. 5: 129-137. <http://dx.doi.org/10.2147/CEG.S29308>.
- Rasal, VP; Ashok, P; Pasha, I; Srivastava, P; Alatgi, AC. (2011). Modulation of Lysosomal Enzymes Activity in Hepatoprotection by Silymarin in Carbon Tetrachloride Vapour Induced Liver Damage in Rats. 45: 282-289.
- Rashid, K; Sinha, K; Sil, PC. (2013). An update on oxidative stress-mediated organ pathophysiology [Review]. *Food Chem Toxicol*. 62: 584-600. <http://dx.doi.org/10.1016/j.fct.2013.09.026>.
- Rašković, A; Milanović, I; Pavlović, N; Čebović, T; Vukmirović, S; Mikov, M. (2014). Antioxidant activity of rosemary (*Rosmarinus officinalis* L.) essential oil and its hepatoprotective potential. *BMC Complement Altern Med*. 14: 225. <http://dx.doi.org/10.1186/1472-6882-14-225>.
- Rašković, A; Pavlović, N; Kvrđić, M; Sudji, J; Mitić, G; Čapo, I; Mikov, M. (2015). Effects of pharmaceutical formulations containing thyme on carbon tetrachloride-induced liver injury in rats. *BMC Complement Altern Med*. 15: 442. <http://dx.doi.org/10.1186/s12906-015-0966-z>.
- Rasool, M; Iqbal, J; Malik, A; Ramzan, HS; Qureshi, MS; Asif, M; Qazi, MH; Kamal, MA; Chaudhary, AG; Al-Qahtani, MH; Gan, SH; Karim, S. (2014). Hepatoprotective Effects of *Silybum marianum* (Silymarin) and *Glycyrrhiza glabra* (Glycyrrhizin) in Combination: A Possible Synergy. *eCAM*. 2014: 641597. <http://dx.doi.org/10.1155/2014/641597>.
- Ravikumar, S; Gnanadesigan, M. (2011). Hepatoprotective and antioxidant activity of a mangrove plant *Lumnitzera racemosa*. 1: 348-352. [http://dx.doi.org/10.1016/S2221-1691\(11\)60078-6](http://dx.doi.org/10.1016/S2221-1691(11)60078-6).
- Ray, S; Murmu, N; Adhikari, J; Bhattacharyya, S; Adhikari, S; Banerjee, S. (2014). Inhibition of Hep G2 hepatic cancer cell growth and CCl₄ induced liver cytotoxicity in Swiss albino mice by *Mahua* extract. 33: 295-314.
- Raymond, P; Plaa, GL. (1997). Effect of dosing vehicle on the hepatotoxicity of CCl₄ and hepatotoxicity of CHCl₃ in rats. *J Toxicol Environ Health*. 51: 463-476. <http://dx.doi.org/10.1080/00984109708984037>.
- Recknagel, RO; Glende, EA, Jr. (1973). Carbon tetrachloride hepatotoxicity: an example of lethal cleavage [Review]. *Crit Rev Toxicol*. 2: 263-297. <http://dx.doi.org/10.3109/10408447309082019>.
- Recknagel, RO; Glende, EA; Dolak, JA; RL, W. (1989). Mechanisms of carbon tetrachloride toxicity [Review]. *Pharmacol Ther*. 43: 139-154.

Human Health Hazard Literature Search Results

On Topic

- Reebye, V; Voutilainen, J, on; Blakey, D; Habib, R; Mallappa, O; Murugundla, A; Jayaprakash, A; Huber, HE; Saetrom, P, al; Rossi, J; Habib, N. (2016). The clinical candidate MTL-CEBPA leads to significant reduction in ascites and improvement in overall survival in a CCl₄-induced acute liver failure model. *Hepatology*. 63: 1045A-1046A.
- Reebye, V; Voutilainen, J, on; Huang, K, aiWen; Murugundla, A; Jayaprakash, A; Vadnal, P; Huber, H; Habib, R; Saetrom, P, al; Rossi, J; Habib, N. (2015). Systemic administration of a novel development candidate, MTL-CEBPA, up-regulates the liver-enriched transcription factor C/EBP- α and reverses CCl₄-induced liver failure in vivo. *Hepatology*. 62: 269A-270A.
- Reed, NI; Jo, H; Chen, C; Tsujino, K; Arnold, TD; Degradó, WF; Sheppard, D. (2015). The α v β 1 integrin plays a critical in vivo role in tissue fibrosis. *Sci Transl Med*. 7: 288ra279. <http://dx.doi.org/10.1126/scitranslmed.aaa5094>.
- Rehman, H; Liu, Q; Krishnasamy, Y; Shi, Z; Ramshesh, VK; Haque, K; Schnellmann, RG; Murphy, MP; Lemasters, JJ; Rockey, DC; Zhong, Z. (2016). The mitochondria-targeted antioxidant MitoQ attenuates liver fibrosis in mice. *International Journal of Physiology, Pathophysiology and Pharmacology*. 8: 14-27.
- Reiberger, T; Chen, Y; Ramjiawan, RR; Hato, T; Fan, C; Samuel, R; Roberge, S; Huang, P; Lauwers, GY; Zhu, AX; Bardeesy, N; Jain, RK; Duda, DG. (2015). An orthotopic mouse model of hepatocellular carcinoma with underlying liver cirrhosis. *Nat Protoc*. 10: 1264-1274. <http://dx.doi.org/10.1038/nprot.2015.080>.
- Reichenbach, V; Fernández-Varo, G; Casals, G; Oró, D; Ros, J; Melgar-Lesmes, P; Weiskirchen, R; Morales-Ruiz, M; Jiménez, W. (2012). Adenoviral dominant-negative soluble PDGFR β improves hepatic collagen, systemic hemodynamics, and portal pressure in fibrotic rats. *J Hepatol*. 57: 967-973. <http://dx.doi.org/10.1016/j.jhep.2012.07.012>.
- Reichenbach, V; Ros, J; Fernández-Varo, G; Casals, G; Melgar-Lesmes, P; Campos, T; Makriyannis, A; Morales-Ruiz, M; Jiménez, W. (2012). Prevention of fibrosis progression in CCl₄-treated rats: role of the hepatic endocannabinoid and apelin systems. *J Pharmacol Exp Ther*. 340: 629-637. <http://dx.doi.org/10.1124/jpet.111.188078>.
- Reinke, LA; Janzen, EG. (1991). Detection of spin adducts in blood after administration of carbon tetrachloride to rats. *Chem Biol Interact*. 78: 155-165.
- Reiter, RJ; Rosales-Corral, SA; Manchester, LC; Liu, X; Tan, D, unX. (2014). Melatonin in the Biliary Tract and Liver: Health Implications. *Curr Pharm Des*. 20: 4788-4801.
- Ren, H; Zhao, Q; Cheng, T; Lu, S; Chen, Z; Meng, L; Zhu, X; Yang, S; Xing, W; Xiao, Y; Ren, Q; Chi, Y; Gu, D; Yang, R; Han, ZC. (2010). No contribution of umbilical cord mesenchymal stromal cells to capillarization and venularization of hepatic sinusoids accompanied by hepatic differentiation in carbon tetrachloride-induced mouse liver fibrosis. *Cytotherapy*. 12: 371-383. <http://dx.doi.org/10.3109/14653241003596661>.
- Ren, WG; Kong, LB; Mi, HM; Zhao, SX; Zhang, YG; Wang, RQ; Nan, YM. (2013). [Activation of Fas/FasL and its downstream signaling pathway promotes development of alcoholic steatohepatitis and liver fibrosis in mice]. *Zhonghua Gan Zang Bing Za Zhi*. 21: 129-133.
- Ren, X; Li, X; Jia, L; Chen, D; Hou, H; Rui, L; Zhao, Y; Chen, Z. (2016). A small-molecule inhibitor of NF- κ B-inducing kinase (NIK) protects liver from toxin-induced inflammation, oxidative stress, and injury. *FASEB J*. <http://dx.doi.org/10.1096/fj.201600840R>.
- Ren, X; Zhang, Y; Snyder, J; Cross, ER; Shah, TA; Kalin, TV; Kalinichenko, VV. (2010). Forkhead box M1 transcription factor is required for macrophage recruitment during liver repair. *Mol Cell Biol*. 30: 5381-5393. <http://dx.doi.org/10.1128/MCB.00876-10>.
- Renga, B. (2009). Bile-acid-activated farnesoid X receptor regulates hydrogen sulfide production and hepatic microcirculation. *World J Gastroenterol*. 15: 2097. <http://dx.doi.org/10.3748/wjg.15.2097>.
- Renga, B; Mencarelli, A; Cipriani, S; D'Amore, C; Zampella, A; Monti, MC; Distrutti, E; Fiorucci, S. (2011). The nuclear receptor FXR regulates hepatic transport and metabolism of glutamine and glutamate. *Biochim Biophys Acta*. 1812: 1522-1531. <http://dx.doi.org/10.1016/j.bbadis.2011.06.009>.
- Renga, B; Mencarelli, A; Migliorati, M; Cipriani, S; D'Amore, C; Distrutti, E; Fiorucci, S. (2011). SHP-dependent and -independent induction of peroxisome proliferator-activated receptor- γ by the bile acid sensor farnesoid X receptor counter-regulates the pro-inflammatory phenotype of liver myofibroblasts. *Inflamm Res*. 60: 577-587. <http://dx.doi.org/10.1007/s00011-010-0306-1>.
- Rengarajan, T; Rajendran, P; Nandakumar, N; Lokeshkumar, B; Balasubramanian, MP. (2015). D-Pinitol Protects Against Carbon Tetrachloride-Induced Hepatotoxicity in Rats. 34: 287-298.
- Resch, M; Wiest, R; Moleda, L; Fredersdorf, S; Stoelcker, B; Schroeder, JA; Schölmerich, J; Endemann, DH. (2009). Alterations in mechanical properties of mesenteric resistance arteries in experimental portal hypertension. *Am J Physiol Gastrointest Liver Physiol*. 297: G849-G857. <http://dx.doi.org/10.1152/ajpgi.00084.2009>.
- Reuber, MD; Glover, EL. (1967). Cholangiofibrosis in the liver of buffalo strain rats injected with carbon tetrachloride. *Br J Exp Pathol*. 48: 319-322.
- Reuber, MD; Glover, EL. (1967). Hyperplastic and early neoplastic lesions of the liver in Buffalo strain rats of various ages given subcutaneous carbon tetrachloride. *J Natl Cancer Inst*. 38: 891-899.
- Reuber, MD; Glover, EL. (1970). Cirrhosis and carcinoma of the liver in male rats given subcutaneous carbon tetrachloride. *J Natl Cancer Inst*. 44: 419-427.
- Reyes-Gordillo, K; Shah, R; Arellanes-Robledo, J; Rojkind, M; Lakshman, MR. (2012). Protective effects of thymosin β 4 on carbon tetrachloride-induced acute hepatotoxicity in rats. *Ann N Y Acad Sci*. 1269: 61-68. <http://dx.doi.org/10.1111/j.1749-6632.2012.06728.x>.
- Reynolds, ES; Treinen, RJ; Farrish, HH; Moslen, MT. (1984). Metabolism of [¹⁴C]carbon tetrachloride to exhaled, excreted and bound metabolites: dose-response, time-course and pharmacokinetics. *Biochem Pharmacol*. 33: 3363-3374.
- Reza, HM; Sagor, M, dAbuT; Alam, M, dA. (2015). Iron deposition causes oxidative stress, inflammation and fibrosis in carbon tetrachloride-induced liver dysfunction in rats. *Bangladesh J Pharmacol*. 10: 152-159. <http://dx.doi.org/10.3329/bjpv.v10i1.21711>.

Human Health Hazard Literature Search Results

On Topic

- Reza, HM; Tabassum, N; Sagor, M; Chowdhury, MRH; Rahman, M; Jain, P; Alam, M, dA. (2016). Angiotensin-converting enzyme inhibitor prevents oxidative stress, inflammation, and fibrosis in carbon tetrachloride-treated rat liver. *Toxicol Mech Meth*. 26: 46-53. <http://dx.doi.org/10.3109/15376516.2015.1124956>.
- Ribera, J; Pauta, M; Melgar-Lesmes, P; Tugues, S; Fernández-Varo, G; Held, KF; Soria, G; Tudela, R; Planas, AM; Fernández-Hernando, C; Arroyo, V; Jiménez, W; Morales-Ruiz, M. (2013). Increased nitric oxide production in lymphatic endothelial cells causes impairment of lymphatic drainage in cirrhotic rats. *Gut*. 62: 138-145. <http://dx.doi.org/10.1136/gutjnl-2011-300703>.
- Rikans, LE; Hornbrook, KR; Cai, Y. (1994). Carbon tetrachloride hepatotoxicity as a function of age in female Fischer 344 rats. *Mech Ageing Dev*. 76: 89-99.
- Risal, P; Hwang, P; Yun, B; Yi, H, oK; Cho, BH; Jang, K; Jeong, Y. (2012). Hispidin Analogue Davallialactone Attenuates Carbon Tetrachloride-Induced Hepatotoxicity in Mice. *J Nat Prod*. 75: 1683-1689. <http://dx.doi.org/10.1021/np300099a>.
- Risal, P; Park, BH; Cho, BH; Kim, JC; Jeong, YJ. (2012). Overexpression of peptidyl-prolyl isomerase Pin1 attenuates hepatocytes apoptosis and secondary necrosis following carbon tetrachloride-induced acute liver injury in mice. *Pathol Int*. 62: 8-15. <http://dx.doi.org/10.1111/j.1440-1827.2011.02744.x>.
- Rivadeneira, DB; Mayhew, CN; Thangavel, C; Sotillo, E; Reed, CA; Graña, X; Knudsen, ES. (2010). Proliferative suppression by CDK4/6 inhibition: complex function of the retinoblastoma pathway in liver tissue and hepatoma cells. *Gastroenterology*. 138: 1920-1930. <http://dx.doi.org/10.1053/j.gastro.2010.01.007>.
- Rivera, H; Morales-Ríos, MS; Bautista, W; Shibayama, M; Tsutsumi, V; Muriel, P; Pérez-Álvarez, V. (2011). A novel fluorinated stilbene exerts hepatoprotective properties in CCl₄-induced acute liver damage. *Can J Physiol Pharmacol*. 89: 759-766. <http://dx.doi.org/10.1139/y11-074>.
- Robert, S; Gicquel, T; Victoni, T; Valença, S; Barreto, E; Bailly-Maître, B; Boichot, E; Lagente, V. (2016). Involvement of matrix metalloproteinases (MMPs) and inflammasome pathway in molecular mechanisms of fibrosis [Review]. *Biosci Rep*. 36. <http://dx.doi.org/10.1042/BSR20160107>.
- Rocchi, P; Prodi, G; Grilli, S; Ferreri, AM. (1973). In vivo and in vitro binding of carbon tetrachloride with nucleic acids and proteins in rats and mouse liver. *Int J Cancer*. 11: 419-425.
- Rockey, DC; Weymouth, N; Shi, Z. (2013). Smooth muscle α actin (Acta2) and myofibroblast function during hepatic wound healing. *PLoS ONE*. 8: e77166. <http://dx.doi.org/10.1371/journal.pone.0077166>.
- Roderburg, C; Urban, GW; Bettermann, K; Vucur, M; Zimmermann, H; Schmidt, S; Janssen, J; Koppe, C; Knolle, P; Castoldi, M; Tacke, F; Trautwein, C; Luedde, T. (2011). Micro-RNA profiling reveals a role for miR-29 in human and murine liver fibrosis. *Hepatology*. 53: 209-218. <http://dx.doi.org/10.1002/hep.23922>.
- Rodrigo-Torres, D; Affò, S; Coll, M; Morales-Ibanez, O; Millán, C; Blaya, D; Alvarez-Guaita, A; Rentero, C; Lozano, JJ; Maestro, MA; Solar, M; Arroyo, V; Caballería, J; van Grunsven, LA; Enrich, C; Ginès, P; Bataller, R; Sancho-Bru, P. (2014). The biliary epithelium gives rise to liver progenitor cells. *Hepatology*. 60: 1367-1377. <http://dx.doi.org/10.1002/hep.27078>.
- Rodríguez Amado, J. R.; Lafourcade Prada, A; Escalona Arranz, JC; Pérez Rosés, R; Morris Quevedo, H; Keita, H; Puente Zapata, E; Pinho Fernandes, C; Tavares Carvalho, JC. (2016). Antioxidant and Hepatoprotective Activity of a New Tablets Formulation from Tamarindus indica L. *eCAM*. 2016: 3918219. <http://dx.doi.org/10.1155/2016/3918219>.
- Rodríguez, S; Raurell, I; Ezkurdia, N; Augustin, S; Esteban, R; Genescà, J; Martell, M. (2015). The renal effects of droxidopa are maintained in propranolol treated cirrhotic rats. *Liver Int*. 35: 326-334. <http://dx.doi.org/10.1111/liv.12472>.
- Rodríguez, S; Raurell, I; Torres-Arauz, M; García-Lezana, T; Genescà, J; Martell, M. (2017). A Nitric Oxide-Donating Statin Decreases Portal Pressure with a Better Toxicity Profile than Conventional Statins in Cirrhotic Rats. *Sci Rep*. 7: 40461. <http://dx.doi.org/10.1038/srep40461>.
- Rodríguez-Vilarrupla, A; Laviña, B; García-Calderó, H; Russo, L; Rosado, E; Roglans, N; Bosch, J; García-Pagán, JC. (2012). PPAR α activation improves endothelial dysfunction and reduces fibrosis and portal pressure in cirrhotic rats. *J Hepatol*. 56: 1033-1039. <http://dx.doi.org/10.1016/j.jhep.2011.12.008>.
- Rofiee, MS; Yusof, MI; Abdul Hisam, EE; Bannur, Z; Zakaria, ZA; Somchit, MN; Teh, LK; Salleh, MZ. (2015). Isolating the metabolic pathways involved in the hepatoprotective effect of Muntingia calabura against CCl₄-induced liver injury using LC/MS Q-TOF. *J Ethnopharmacol*. 166: 109-118. <http://dx.doi.org/10.1016/j.jep.2015.03.016>.
- Roldán-Arjona, T; García-Pedrajas, MD; Luque-Romero, FL; Hera, C; Pueyo, C. (1991). An association between mutagenicity of the Ara test of Salmonella typhimurium and carcinogenicity in rodents for 16 halogenated aliphatic hydrocarbons. *Mutagenesis*. 6: 199-205. <http://dx.doi.org/10.1093/mutage/6.3.199>.
- Roldán-Arjona, T; Pueyo, C. (1993). Mutagenic and lethal effects of halogenated methanes in the Ara test of Salmonella typhimurium: Quantitative relationship with chemical reactivity. *Mutagenesis*. 8: 127-131. <http://dx.doi.org/10.1093/mutage/8.2.127>.
- Ronot, M; Lambert, SA; Wagner, M; Garteiser, P; Doblaz, S; Albuquerque, M; Paradis, V; Vilgrain, V; Sinkus, R; Van Beers, BE. (2014). Viscoelastic parameters for quantifying liver fibrosis: three-dimensional multifrequency MR elastography study on thin liver rat slices. *PLoS ONE*. 9: e94679. <http://dx.doi.org/10.1371/journal.pone.0094679>.
- Rosa, DP; Bona, S; Simonetto, D; Zettler, C; Marroni, CA; Marroni, NP. (2010). Melatonin protects the liver and erythrocytes against oxidative stress in cirrhotic rats. *Arq Gastroenterol*. 47: 72-78.
- Rosado, E; Rodríguez-Vilarrupla, A; Gracia-Sancho, J; Tripathi, D; García-Calderó, H; Bosch, J; García-Pagán, JC. (2013). Terutroban, a TP-receptor antagonist, reduces portal pressure in cirrhotic rats. *Hepatology*. 58: 1424-1435. <http://dx.doi.org/10.1002/hep.26520>.

Human Health Hazard Literature Search Results

On Topic

- Rosenberg, P; Sjöström, M; Söderberg, C; Kinnman, N; Stål, P; Hultcrantz, R. (2011). Attenuated liver fibrosis after bile duct ligation and defective hepatic stellate cell activation in neural cell adhesion molecule knockout mice. *Liver Int.* 31: 630-641. <http://dx.doi.org/10.1111/j.1478-3231.2011.02486.x>.
- Roy, CK; Das, AK. (2010). Comparative evaluation of different extracts of leaves of *Psidium guajava* Linn. for hepatoprotective activity. *Pak J Pharm Sci.* 23: 15-20.
- Roy, S; Benz, F; Alder, J; Bantel, H; Janssen, J; Vucur, M; Gautheron, J; Schneider, A; Schüller, F; Loosen, S; Luedde, M; Koch, A; Tacke, F; Luedde, T; Trautwein, C; Roderburg, C. (2016). Down-regulation of miR-192-5p protects from oxidative stress-induced acute liver injury. *Clin Sci (Lond).* 130: 1197-1207. <http://dx.doi.org/10.1042/CS20160216>.
- Roy, S; Benz, F; Vargas Cardenas, D; Vucur, M; Gautheron, J; Schneider, A; Hellerbrand, C; Pottier, N; Alder, J; Tacke, F; Trautwein, C; Roderburg, C; Luedde, T. (2015). miR-30c and miR-193 are a part of the TGF- β -dependent regulatory network controlling extracellular matrix genes in liver fibrosis. *Journal of Digestive Diseases (Online).* 16: 513-524. <http://dx.doi.org/10.1111/1751-2980.12266>.
- Roy, S; Sannigrahi, S; Majumdar, S; Ghosh, B; Sarkar, B. (2011). Resveratrol regulates antioxidant status, inhibits cytokine expression and restricts apoptosis in carbon tetrachloride induced rat hepatic injury. *Oxid Med Cell Longev.* 2011: 703676. <http://dx.doi.org/10.1155/2011/703676>.
- Roychowdhury, S. (2013). RIP3-mediated necroptosis and ethanol-induced liver injury.
- Roychowdhury, S. (2014). RIP3-mediated necroptosis and ethanol-induced liver injury.
- Roychowdhury, S; Chiang, DJ; Mandal, P; McMullen, MR; Liu, X; Cohen, JI; Pollard, J; Feldstein, AE; Nagy, LE. (2012). Inhibition of apoptosis protects mice from ethanol-mediated acceleration of early markers of CCl₄-induced fibrosis but not steatosis or inflammation. *Alcohol Clin Exp Res.* 36: 1139-1147. <http://dx.doi.org/10.1111/j.1530-0277.2011.01720.x>.
- Roychowdhury, S; Chiang, DJ; McMullen, MR; Nagy, LE. (2014). Moderate, chronic ethanol feeding exacerbates carbon-tetrachloride-induced hepatic fibrosis via hepatocyte-specific hypoxia inducible factor 1 α . 2: e00061. <http://dx.doi.org/10.1002/prp2.61>.
- RR, C. (1979). Analysis of anaphase in cell culture: an adequate test system for the distinction between compounds which selectively alter the chromosome structure or the mitotic apparatus. *Environ Health Perspect.* 31: 131-136.
- Ruder, AM; Yiin, JH; Waters, MA; Carreon, T; Hein, MJ; Butler, MA; Calvert, GM; Davis-King, KE; Schulte, PA; Mandel, JS; Morton, RF; Reding, DJ; Rosenman, KD; Stewart, PA; Grp, BCCS. (2013). The Upper Midwest Health Study: gliomas and occupational exposure to chlorinated solvents. *Occup Environ Med.* 70: 73-80. <http://dx.doi.org/10.1136/oemed-2011-100588>.
- Rudraiah, S; Moscovitz, JE; Donepudi, AC; Campion, SN; Slitt, AL; Aleksunes, LM; Manautou, JE. (2014). Differential Fmo3 gene expression in various liver injury models involving hepatic oxidative stress in mice. *Toxicology.* 325: 85-95. <http://dx.doi.org/10.1016/j.tox.2014.08.013>.
- Rui, M; Shilin, H; Xiao, L; Hong, Y; Yuelong, L; Xiujun, C. (2014). Decorin prevents the development of CCl₄-induced liver fibrosis in mice. *Chin Med J.* 127: 1100-1104. <http://dx.doi.org/10.3760/cma.j.issn.0366-6999.20131360>.
- Ruprah, M; Mant, TGK; Flanagan, RJ. (1985). Acute carbon tetrachloride poisoning in 19 patients: implications for diagnosis and treatment. *Lancet.* 1: 1027-1029.
- Saba, AB; Onakoya, OM; Oyagbemi, AA. (2012). Hepatoprotective and in vivo antioxidant activities of ethanolic extract of whole fruit of *Lagenaria breviflora*. *J Basic Clin Physiol Pharmacol.* 23: 27-32. <http://dx.doi.org/10.1515/jbcpp-2011-0034>.
- Saba, AB; Oyagbemi, AA; Azeez, OI. (2010). Amelioration of carbon tetrachloride-induced hepatotoxicity and haemotoxicity by aqueous leaf extract of *Cnidioscolus aconitifolius* in rats. *Niger J Physiol Sci.* 25: 139-147.
- Saboo, SS; Tapadiya, GG; Farooqui, IA; Khadabadi, SS. (2013). Free radical scavenging, in vivo antioxidant and hepatoprotective activity of folk medicine *Trichodesma sedgwickianum*. *Bangladesh J Pharmacol.* 8: 58-64. <http://dx.doi.org/10.3329/bjp.v8i1.13172>.
- Sabry, D; Osama, A; Idriss, N; Magdy, M. (2014). Comparative study between the effects of human CD34+ and rat bone marrow mesenchymal stem cells on amelioration of CCL4 induced liver fibrosis. *FEBS J.* 281: 222-222.
- Sacerdoti, D; Jiang, H; Gaiiani, S; Mcgiff, JC; Gatta, A; Bolognesi, M. (2011). 11,12-EET increases porto-sinusoidal resistance and may play a role in endothelial dysfunction of portal hypertension. *Prostaglandins Other Lipid Mediat.* 96: 72-75. <http://dx.doi.org/10.1016/j.prostaglandins.2011.08.002>.
- Sachdeva, M; Chadha, R; Kumar, A; Karan, M; Singh, T; Dhingra, S. (2015). Hepatoprotective effect of trimethylgallic acid esters against carbon tetrachloride-induced liver injury in rats. *Indian J Exp Biol.* 53: 803-809.
- Sadeghi, H; Hosseinzadeh, S; Akbartabar Touri, M; Ghavamzadeh, M; Jafari Barmak, M; Sayahi, M; Sadeghi, H. (2016). Hepatoprotective effect of *Rosa canina* fruit extract against carbon tetrachloride induced hepatotoxicity in rat. *Avicenna Journal of Phytomedicine.* 6: 181-188.
- Sadek, K; Beltagy, D; Saleh, E; Abouelkhair, R. (2016). Camel milk and bee honey regulate profibrotic cytokine gene transcripts in liver cirrhosis induced by carbon tetrachloride. *Can J Physiol Pharmacol* 1-10. <http://dx.doi.org/10.1139/cjpp-2015-0596>.
- Sadek, K; Saleh, E. (2014). Fasting ameliorates metabolism, immunity, and oxidative stress in carbon tetrachloride-intoxicated rats. *Hum Exp Toxicol.* 33: 1277-1283. <http://dx.doi.org/10.1177/0960327114527629>.
- Sadeque, M, dZ; Begum, ZA, ra. (2010). Protective effect of dried fruits of *Carica papaya* on hepatotoxicity in rat. *Bangladesh J Pharmacol.* 5: 48-50. <http://dx.doi.org/10.3329/bjp.v5i1.5305>.
- Saeed, N; Khan, MR; Shabbir, M. (2012). Antioxidant activity, total phenolic and total flavonoid contents of whole plant extracts *Torilis leptophylla* L. *BMC Complement Altern Med.* 12: 221. <http://dx.doi.org/10.1186/1472-6882-12-221>.
- Saeedi Saravi, SS; Ghazi-Khansari, M; Ejtmaei Mehr, S; Nobakht, M; Mousavi, SE; Dehpour, AR. (2016). Contribution of mammalian target of rapamycin in the pathophysiology of cirrhotic cardiomyopathy. *World J Gastroenterol.* 22: 4685-4694. <http://dx.doi.org/10.3748/wjg.v22.i19.4685>.

Human Health Hazard Literature Search Results

On Topic

- Safer, AM; Afzal, M; Hanafy, N; Mousa, S. (2015). Green tea extract therapy diminishes hepatic fibrosis mediated by dual exposure to carbon tetrachloride and ethanol: A histopathological study. *Exp Ther Med*. 9: 787-794. <http://dx.doi.org/10.3892/etm.2014.2158>.
- Safer, AM; Afzal, M; Nomani, A; Sosamma, O; Mousa, SA. (2012). Curative propensity of green tea extract towards hepatic fibrosis induced by CCl₄: A histopathological study. *Exp Ther Med*. 3: 781-786. <http://dx.doi.org/10.3892/etm.2012.503>.
- Safer, AM; Hanafy, NA; Bharali, DJ; Cui, H; Mousa, SA. (2015). Effect of Green Tea Extract Encapsulated Into Chitosan Nanoparticles on Hepatic Fibrosis Collagen Fibers Assessed by Atomic Force Microscopy in Rat Hepatic Fibrosis Model. *J Nanosci Nanotechnol*. 15: 6452-6459. <http://dx.doi.org/10.1166/jnn.2015.10608>.
- Safonova, OA; Popova, TN; Saidi, L. (2010). [Effect of citrate on oxidative status of rats tissues in experimental toxic hepatitis]. 56: 490-498.
- Sagai, M; Tappel, AL. (1978). Effect of vitamin E on carbon tetrachloride-induced lipid peroxidation as demonstrated by in vivo pentane production. *Toxicol Lett*. 2: 149-155. [http://dx.doi.org/10.1016/0378-4274\(78\)90089-9](http://dx.doi.org/10.1016/0378-4274(78)90089-9).
- Sagor, AT; Chowdhury, MR; Tabassum, N; Hossain, H; Rahman, MM; Alam, MA. (2015). Supplementation of fresh ucche (*Momordica charantia* L. var. *muricata* Willd) prevented oxidative stress, fibrosis and hepatic damage in CCl₄ treated rats. *BMC Complement Altern Med*. 15: 115. <http://dx.doi.org/10.1186/s12906-015-0636-1>.
- Sahin, H; Borkham-Kamphorst, E; Kuppe, C; Zaldivar, MM; Grouls, C; Al-Samman, M; Nellen, A; Schmitz, P; Heinrichs, D; Berres, ML; Doleschel, D; Scholten, D; Weiskirchen, R; Moeller, MJ; Kiessling, F; Trautwein, C; Wasmuth, HE. (2012). Chemokine Cxcl9 attenuates liver fibrosis-associated angiogenesis in mice. *Hepatology*. 55: 1610-1619. <http://dx.doi.org/10.1002/hep.25545>.
- Sahin, H; Schmitz, P; Fabian, K; Christian, T; Wasmuth, HE. (2012). CXCL9 REDUCES CCL4 INDUCED ANGIOGENESIS AND LIVER FIBROSIS IN VIVO. *J Hepatol*. 56: S157-S158.
- Sahin, S; Alatas, O. (2013). The protective effects of n-acetylcysteine against acute hepatotoxicity. *Indian J Gastroenterol*. 32: 311-315. <http://dx.doi.org/10.1007/s12664-013-0316-3>.
- Sahin, S; Alatas, O. (2013). THE ROLE OF GHRELIN AGAINST ACUTE CARBON TETRACHLORIDE HEPATOTOXICITY IN RATS. *Nobel Medicus*. 9: 43-48.
- Sahreen, S; Khan, MR; Khan, RA. (2011). Hepatoprotective effects of methanol extract of *Carissa opaca* leaves on CCl₄-induced damage in rat. *BMC Complement Altern Med*. 11: 48. <http://dx.doi.org/10.1186/1472-6882-11-48>.
- Sahreen, S; Khan, MR; Khan, RA. (2013). Ameliorating effect of various fractions of *Rumex hastatus* roots against hepato- and testicular toxicity caused by CCl₄. *Oxid Med Cell Longev*. 2013: 325406. <http://dx.doi.org/10.1155/2013/325406>.
- Sahreen, S; Khan, MR; Khan, RA. (2014). Effects of *Carissa opaca* fruits extracts on oxidative pulmonary damages and fibrosis in rats. *BMC Complement Altern Med*. 14: 40. <http://dx.doi.org/10.1186/1472-6882-14-40>.
- Sahreen, S; Khan, MR; Khan, RA; Alkreathy, HM. (2014). Cardioprotective role of leaves extracts of *Carissa opaca* against CCl₄ induced toxicity in rats. *BMC Research Notes*. 7: 224. <http://dx.doi.org/10.1186/1756-0500-7-224>.
- Sahreen, S; Khan, MR; Khan, RA; Alkreathy, HM. (2015). Protective effects of *Carissa opaca* fruits against CCl₄-induced oxidative kidney lipid peroxidation and trauma in rat. 59: 28438. <http://dx.doi.org/10.3402/fnr.v59.28438>.
- Sahreen, S; Khan, MR; Khan, RA; Shah, NA. (2013). Effect of *Carissa opaca* leaves extract on lipid peroxidation, antioxidant activity and reproductive hormones in male rats. *Lipids Health Dis*. 12: 90. <http://dx.doi.org/10.1186/1476-511X-12-90>.
- Saidi, R; Rajeshkumar, R; Shariftabrizi, A; Zimmerman, A; Walter, O. (2015). Human Adipose-Derived Mesenchymal Stem Cells Promote Liver Regeneration. 28: 303-308. <http://dx.doi.org/10.3109/08941939.2015.1006379>.
- Saidi, RF; Rajeshkumar, B; Shariftabrizi, A; Dresser, K; Walter, O. (2014). Human C1 inhibitor attenuates liver ischemia-reperfusion injury and promotes liver regeneration. *J Surg Res*. 187: 660-666. <http://dx.doi.org/10.1016/j.jss.2013.09.009>.
- Saiman, Y; Jiao, J; Fiel, MI; Friedman, SL; Aloman, C; Bansal, MB. (2015). Inhibition of the CXCL12/CXCR4 chemokine axis with AMD3100, a CXCR4 small molecule inhibitor, worsens murine hepatic injury. *Hepatology Research*. 45: 794-803. <http://dx.doi.org/10.1111/hepr.12411>.
- Saito, S; Hata, K; Iwaisako, K; Yanagida, A; Takeiri, M; Tanaka, H; Kageyama, S; Hirao, H; Ikeda, K; Asagiri, M; Uemoto, S. (2014). Cilostazol attenuates hepatic stellate cell activation and protects mice against carbon tetrachloride-induced liver fibrosis. *Hepatology Research*. 44: 460-473. <http://dx.doi.org/10.1111/hepr.12140>.
- Sajid, M; Khan, MR; Shah, N; Shah, SA; Ismail, H; Younis, T; Zahra, Z. (2016). Phytochemical, antioxidant and hepatoprotective effects of *Alnus nitida* bark in carbon tetrachloride challenged Sprague Dawley rats. *BMC Complement Altern Med*. 16: 268. <http://dx.doi.org/10.1186/s12906-016-1245-3>.
- Sajid, M; Khan, MR; Shah, NA; Ullah, S; Younis, T; Majid, M; Ahmad, B; Nigussie, D. (2016). Proficiencies of *Artemisia scoparia* against CCl₄ induced DNA damages and renal toxicity in rat. *BMC Complement Altern Med*. 16: 149. <http://dx.doi.org/10.1186/s12906-016-1137-6>.
- Sakai, K; Jawaid, S; Sasaki, T; Bou-Gharios, G; Sakai, T. (2014). Transforming growth factor- β -independent role of connective tissue growth factor in the development of liver fibrosis. *Am J Pathol*. 184: 2611-2617. <http://dx.doi.org/10.1016/j.ajpath.2014.06.009>.
- Sakaida, I. (2011). [Autologous bone marrow cell infusion therapy for liver cirrhosis--now and future] [Review]. *Rinsho Byori*. 59: 1092-1098.
- Salatti Ferrari, R; da Rosa, DP; Forgiarini, LF; Bona, S; Dias, AS; Marroni, NP. (2012). Oxidative stress and pulmonary changes in experimental liver cirrhosis. *Oxid Med Cell Longev*. 2012: 486190. <http://dx.doi.org/10.1155/2012/486190>.
- Samojlik, I; Lakić, N; Mimica-Dukić, N; Daković-Svajcer, K; Bozin, B. (2010). Antioxidant and hepatoprotective potential of essential oils of coriander (*Coriandrum sativum* L.) and caraway (*Carum carvi* L.) (Apiaceae). *J Agric Food Chem*. 58: 8848-8853. <http://dx.doi.org/10.1021/jf101645n>.
- Sancheti, S; Sancheti, S; Seo, SY. (2013). Ameliorative effects of 7-methylcoumarin and 7-methoxycoumarin against CCl₄-induced hepatotoxicity in rats. *Drug Chem Toxicol*. 36: 42-47. <http://dx.doi.org/10.3109/01480545.2011.648329>.
- Sánchez, E; Nieto, JC; Boullousa, A; Vidal, S; Sancho, FJ; Rossi, G; Sancho-Bru, P; Oms, R; Mirelis, B; Juárez, C; Guarner, C; Soriano, G. (2015). VSL#3 probiotic treatment decreases bacterial translocation in rats with carbon tetrachloride-induced cirrhosis. *Liver Int*. 35: 735-745. <http://dx.doi.org/10.1111/liv.12566>.

Human Health Hazard Literature Search Results

On Topic

- Sánchez, E; Soriano, G; Mirelis, B; Gonzalez, B; Nieto, JC; Vidal, S; Guarner-Argente, C; Juárez, C; Monés, J; Guarner, C. (2015). Effect of long-term acid gastric inhibition on bacterial translocation in cirrhotic rats. *Eur J Gastroenterol Hepatol.* 27: 570-576. <http://dx.doi.org/10.1097/MEG.0000000000000319>.
- Sand, JM; Larsen, L; Hogaboam, C; Martinez, F; Han, M; Røssel Larsen, M; Nawrocki, A; Zheng, Q; Karsdal, MA; Leeming, DJ. (2013). MMP mediated degradation of type IV collagen alpha 1 and alpha 3 chains reflects basement membrane remodeling in experimental and clinical fibrosis--validation of two novel biomarker assays. *PLoS ONE.* 8: e84934. <http://dx.doi.org/10.1371/journal.pone.0084934>.
- Sandesh, P; Velu, V; Singh, RP. (2014). Antioxidant activities of tamarind (*Tamarindus Indica*) seed coat extracts using in vitro and in vivo models. *J Food Sci Tech.* 51: 1965-1973. <http://dx.doi.org/10.1007/s13197-013-1210-9>.
- San-Miguel, B; Crespo, I; Sánchez, DI; González-Fernández, B; Ortiz de Urbina, JJ; Tuñón, MJ; González-Gallego, J. (2015). Melatonin inhibits autophagy and endoplasmic reticulum stress in mice with carbon tetrachloride-induced fibrosis. *J Pineal Res.* 59: 151-162. <http://dx.doi.org/10.1111/jpi.12247>.
- Sannigrahi, S; Mazumder, UK; Pal, D; Mishra, SL. (2009). Hepatoprotective potential of methanol extract of *Clerodendrum infortunatum* Linn. against CCl₄ induced hepatotoxicity in rats. *Pharmacognosy Magazine.* 5: 394-399.
- Sansoè, G; Aragno, M; Mastrocola, R; Mengozzi, G; Parola, M. (2016). Alpha-2A Adrenoceptor Agonist Guanfacine Restores Diuretic Efficiency in Experimental Cirrhotic Ascites: Comparison with Clonidine. *PLoS ONE.* 11: e0158486. <http://dx.doi.org/10.1371/journal.pone.0158486>.
- Sansoè, G; Aragno, M; Mastrocola, R; Parola, M. (2016). Dose-dependency of clonidine's effects in ascitic cirrhotic rats: comparison with α 1-adrenergic agonist midodrine. *Liver Int.* 36: 205-211. <http://dx.doi.org/10.1111/liv.12905>.
- Sansoè, G; Aragno, M; Mastrocola, R; Paternostro, C; Parola, M. (2013). Calcium receptors located in fibrotic septa: a new target to reduce portal pressure in liver cirrhosis. *Clin Sci (Lond).* 125: 67-75. <http://dx.doi.org/10.1042/CS20120476>.
- Sansoe, G; Aragno, M; Tomasinelli, C; Rosina, P; Smedile, A; Wong, F; Parola, M. (2009). TYPE-I CALCIMIMETIC COMPOUNDS EXERT PORTAL HYPOTENSIVE EFFECTS IN RATS WITH CCL₄-INDUCED ASCITIC LIVER CIRRHOSIS: A NEW THERAPEUTIC OPTION? *J Hepatol.* 50: S281-S281.
- Sansoe, G; Mastrocola, R; Aragno, M; Parola, M. (2014). Dynamics of sodium retention in preascitic cirrhotic rats assessed through parathyroid hormone injection. *J Physiol Pharmacol.* 65: 649-657.
- Sanzgiri, UY; Kim, HJ; Muralidhara, S; Dallas, CE; Bruckner, JV. (1995). Effect of route and pattern of exposure on the pharmacokinetics and acute hepatotoxicity of carbon tetrachloride. *Toxicol Appl Pharmacol.* 134: 148-154. <http://dx.doi.org/10.1006/taap.1995.1178>.
- Sanzgiri, UY; Srivatsan, V; Muralidhara, S; Dallas, CE; Bruckner, JV. (1997). Uptake, distribution, and elimination of carbon tetrachloride in rat tissue following inhalation and ingestion exposures. *Toxicol Appl Pharmacol.* 143: 120-129. <http://dx.doi.org/10.1006/taap.1996.8079>.
- Saral, Ö; Yildiz, O; Aliyazicioğlu, R; Yuluğ, E; Canpolat, S; Öztürk, F; Kolaylı, S. (2016). Apitherapy products enhance the recovery of CCL₄-induced hepatic damages in rats. *Turkish Journal of Medical Sciences.* 46: 194-202. <http://dx.doi.org/10.3906/sag-1411-35>.
- Saravanan, S; Pandikumar, P; Pazhanivel, N; Paulraj, MG; Ignacimuthu, S. (2013). Hepatoprotective role of *Abelmoschus esculentus* (Linn.) Moench., on carbon tetrachloride-induced liver injury. *Toxicol Mech Meth.* 23: 528-536. <http://dx.doi.org/10.3109/15376516.2013.796032>.
- Sarhadi Kholari, F; Dehpour, AR; Nourbakhsh, M; Doustimotlagh, AH; Bagherieh, M; Golestani, A. (2016). Erythrocytes Membrane Alterations Reflecting Liver Damage in CCl₄-Induced Cirrhotic Rats: The Ameliorative Effect of Naltrexone. *Acta Medica Iranica.* 54: 631-639.
- Sarhadynejad, Z; Sharififar, F; Pardakhty, A; Nematollahi, MH; Sattaie-Mokhtari, S; Mandegary, A. (2016). Pharmacological safety evaluation of a traditional herbal medicine "Zereshk-e-Saghir" and assessment of its hepatoprotective effects on carbon tetrachloride induced hepatic damage in rats. *J Ethnopharmacol.* 190: 387-395. <http://dx.doi.org/10.1016/j.jep.2016.07.043>.
- Sarin, SK; Kumar, C. (2013). Deeper Insights Into the Relevance of Lymphatic Circulation in Cirrhosis of the Liver: A Trojan Horse or the Holy Grail? [Comment]. *Hepatology.* 58: 2201-2204. <http://dx.doi.org/10.1002/hep.26603>.
- Sarkar, A; Pradhan, S; Mukhopadhyay, I; Bose, SK; Roy, S; Chatterjee, M. (1999). Inhibition of early DNA-damage and chromosomal aberrations by *Trianthema portulacastrum*: in carbon tetrachloride-induced mouse liver damage. *Cell Biol Int.* 23: 703-708. <http://dx.doi.org/10.1006/cbir.1999.0439>.
- Sarkar, K; Sil, PC. (2011). *Cajanus indicus* leaf protein: Beneficial role in experimental organ pathophysiology. A review. *Pathophysiology.* 18: 295-303. <http://dx.doi.org/10.1016/j.pathophys.2011.05.001>.
- Sasaki, YF; Saga, A; Akasaka, M; Ishibasi, S; Yoshida, K; Su, QY; Matsusaka, N; Tsuda, S. (1998). Detection of in vivo genotoxicity of haloalkanes and haloalkenes carcinogenic to rodents by the alkaline single cell gel electrophoresis (comet) assay in multiple mouse organs. *Mutat Res Genet Toxicol Environ Mutagen.* 419: 13-20. [http://dx.doi.org/10.1016/S1383-5718\(98\)00114-4](http://dx.doi.org/10.1016/S1383-5718(98)00114-4).
- Sato, A; Nakajima, T. (2008). Enhanced metabolism of volatile hydrocarbons in rat liver following food deprivation, restricted carbohydrate intake, and administration of ethanol, phenobarbital, polychlorinated biphenyl and 3-methylcholanthrene: a comparative study. *Xenobiotica.* 15: 67-75.
- Sato, A; Nakajima, T; Koyama, Y. (1980). Effects of chronic ethanol consumption on hepatic metabolism of aromatic and chlorinated hydrocarbons in rats. *Br J Ind Med.* 37: 382-386. <http://dx.doi.org/10.1136/oem.37.4.382>.
- Savilov, PN; Molchanov, DV. (2014). [Kinetics of nitrogenous metabolites in the kidney during chronic tetrachloromethane hepatitis]. *Patol Fiziol Eksp Ter* 56-60.
- Savilov, PN; Yakovlev, VN. (2014). Phosphate-dependent glutaminase response to liver injury and hyperbaric oxygenation. *Bull Exp Biol Med.* 157: 299-301. <http://dx.doi.org/10.1007/s10517-014-2550-9>.
- Savilov, PN; Yakovlev, VN. (2016). Effect of Liver Damage and Hyperbaric Oxygenation on Glutamine Synthetase of Hepatocytes. *Bull Exp Biol Med.* 160: 295-297. <http://dx.doi.org/10.1007/s10517-016-3154-3>.

Human Health Hazard Literature Search Results

On Topic

- Sawant, SP; Dnyanmote, AV; Mehendale, HM. (2007). Mechanisms of inhibited liver tissue repair in toxicant challenged type 2 diabetic rats. *Toxicology*. 232: 200-215. <http://dx.doi.org/10.1016/j.tox.2007.01.004>.
- Sawant, SP; Dnyanmote, AV; Shankar, K; Limaye, PB; Latendresse, JR; Mehendale, HM. (2004). Potentiation of carbon tetrachloride hepatotoxicity and lethality in type 2 diabetic rats. *J Pharmacol Exp Ther*. 308: 694-704. <http://dx.doi.org/10.1124/jpet.103.058834>.
- Saxena, M; Shukla, S. (2012). Reversal of carbon tetrachloride-induced hepatic injury by aqueous extract of *Artemisia absinthium* in Sprague-Dawley rats. 31: 325-334.
- Sayyed, HG; Osama, A; Idriss, NK; Sabry, D; Abdelrhim, AS; Bakry, R. (2016). Comparison of the therapeutic effectiveness of human CD34(+) and rat bone marrow mesenchymal stem cells on improvement of experimental liver fibrosis in Wistar rats. *International Journal of Physiology, Pathophysiology and Pharmacology*. 8: 128-139.
- Scarpa, M; Grillo, AR; Brun, P; Macchi, V; Stefani, A; Signori, S; Buda, A; Fabris, P; Giordani, MT; De Caro, R; Palù, G; Castagliuolo, I; Martines, D. (2011). Snail1 transcription factor is a critical mediator of hepatic stellate cell activation following hepatic injury. *Am J Physiol Gastrointest Liver Physiol*. 300: G316-G326. <http://dx.doi.org/10.1152/ajpgi.00141.2010>.
- Schaffer, TK; Wohlenberg, MF; Medeiros, N; Martins, JB; Agostini, F; Funchal, C; Dani, C. (2016). Evaluation of antioxidant activity of grapevine leaves extracts (*Vitis labrusca*) in liver of Wistar rats. *An Acad Bras Cienc*. 88: 187-196. <http://dx.doi.org/10.1590/0001-3765201620140658>.
- Schattenberg, JM; Nagel, M; Kohl, T; Longerich, T; Schirmacher, P; Kreft, A; He, YW; Galle, PR; Schuchmann, M. (2011). DELETION OF CFLIP IN HEPATOCYTES AUGMENTS CCL4-INDUCED LIVER INJURY INVOLVING ACTIVATION OF MITOGEN ACTIVATED PROTEIN KINASES. *J Hepatol*. 54: S415-S415.
- Schattenberg, JM; Nagel, M; Longerich, T; Schirmacher, P; Kreft, A; Schulze-Bergkamen, H; Woerns, MA; He, Y, ouWen; Galle, PR; Schuchmann, M. (2010). DELETION OF C-FLIP IN HEPATOCYTES AUGMENTS CCL4-INDUCED LIVER INJURY AND FIBROSIS. *Hepatology*. 52: 453A-453A.
- Schippers, M; Post, E; Melgert, BN; Beljaars, L; Poelstra, K. (2012). Prostaglandin E2 affects liver fibrogenesis by altering the M1 and M2 macrophage balance in CCL4-induced fibrogenesis. *Hepatology*. 56: 765A-766A.
- Schippers, M; Schmidt, M; Spijkers, K; Boxum, S; Post, E; Poelstra, K; Beljaars, L. (2011). PROSTAGLANDIN E2-ACTIVATED EPAC-1 EXPRESSION REDUCES COLLAGEN DEPOSITION IN THE FIBROTIC LIVER IN A CCL4 FIBROSIS MODEL IN MICE. *Hepatology*. 54: 744A-744A.
- Schmidt, J; Jo, M; Zhou, T; Kim, Y; Macleod, AR. (2015). Characterization of GalNAc-conjugated generation 2.5 ASOs in DEN and DEN/CCL4-induced HCC tumors. *Cancer Res*. 75. <http://dx.doi.org/10.1158/1538-7445.AM2015-4359>.
- Scholten, D; Brenner, DA; Kisseleva, T. (2009). CCR2 REGULATES FIBROCYTE MIGRATION IN RESPONSE TO CCL4-INDUCED LIVER INJURY. *Hepatology*. 50: 382A-383A.
- Schwarz, M; Hummel, J; Appel, KE; Rickart, R; Kunz, W. (1979). DNA damage induced in vivo evaluated with a non-radioactive alkaline elution technique. *Cancer Lett*. 6: 221-226.
- Schwetz, BA; Leong, BKJ; Gehring, PJ. (1974). Embryo- and fetotoxicity of inhaled carbon tetrachloride, 1,1-dichloroethane and methyl ethyl ketone in rats. *Toxicol Appl Pharmacol*. 28: 452-464. [http://dx.doi.org/10.1016/0041-008X\(74\)90230-0](http://dx.doi.org/10.1016/0041-008X(74)90230-0).
- Sebastiani, G; Gkouvasos, K; Maffettone, C; Busatto, G; Guido, M; Pantopoulos, K. (2011). Accelerated CCl4-induced liver fibrosis in H₂O₂ mice, associated with an oxidative burst and precocious profibrogenic gene expression. *PLoS ONE*. 6: e25138. <http://dx.doi.org/10.1371/journal.pone.0025138>.
- Segovia-Silvestre, T; Reichenbach, V; Ros, J; Vassiliadis, E; Barascuk, N; Morales-Ruiz, M; Karsdal, MA; Jimenez, W. (2010). CO3-610, A NOVEL NON-INVASIVE SERUM MARKER OF LIVER FIBROSIS AND PORTAL HYPERTENSION IN CARBON TETRACHLORIDE-TREATED RATS. *Hepatology*. 52: 1123A-1123A.
- Sehitoglu, I; Tumkaya, L; Bedir, R; Ozer, E; Cure, MC; Kalkan, Y; Yuce, S; Cure, E. (2015). Protective Effect of Infliximab Against Carbon Tetrachloride-Induced Hepatotoxicity. *J Environ Pathol Toxicol Oncol*. 34: 175-182. <http://dx.doi.org/10.1615/JEnvironPatholToxicolOncol.2015013126>.
- Seida, AA; El Tanbouly, ND; Islam, WT; Eid, HH; El Maraghy, SA; El Senousy, AS. (2015). Bioassay-guided fractionation of a hepatoprotective and antioxidant extract of pea by-product. *Nat Prod Res*. 29: 1578-1583. <http://dx.doi.org/10.1080/14786419.2014.986123>.
- Seidler, A; Möhner, M; Berger, J; Mester, B; Deeg, E; Elsner, G; Nieters, A; Becker, N. (2007). Solvent exposure and malignant lymphoma: A population-based case-control study in Germany. *J Occup Med Toxicol*. 2: 2. <http://dx.doi.org/10.1186/1745-6673-2-2>.
- Seki, E. (2012). Project 5: Effect of Underlying Liver Diseases on Fibrosis Induced by Superfund T.
- Seki, E. (2013). Project 5: Effect of Underlying Liver Diseases on Fibrosis Induced by Superfund T.
- Seki, E. (2014). Project 5: Effect of Underlying Liver Diseases on Fibrosis Induced by Superfund T.
- Seki, M; Kasama, K; Imai, K. (2000). Effect of food restriction on hepatotoxicity of carbon tetrachloride in rats. *J Toxicol Sci*. 25: 33-40.
- Semino, G; Lilly, P; Andersen, ME. (1997). A pharmacokinetic model describing pulsatile uptake of orally-administered carbon tetrachloride. *Toxicology*. 117: 25-33.
- Sengupta, M; Sharma, GD; Chakraborty, B. (2011). Effect of aqueous extract of *Tinospora cordifolia* on functions of peritoneal macrophages isolated from CCl4 intoxicated male albino mice. *BMC Complement Altern Med*. 11: 102. <http://dx.doi.org/10.1186/1472-6882-11-102>.
- Sengupta, M; Sharma, GD; Chakraborty, B. (2011). Hepatoprotective and immunomodulatory properties of aqueous extract of *Curcuma longa* in carbon tetra chloride intoxicated Swiss albino mice. 1: 193-199. [http://dx.doi.org/10.1016/S2221-1691\(11\)60026-9](http://dx.doi.org/10.1016/S2221-1691(11)60026-9).
- Sentsov, VG; Danilova, IG; Medvedeva, SY; Gette, IF; Abidov, MT. (2011). The Role of Macrophages in the Pathogenesis of Toxic Hepatitis in Rats Resulting from Tetrachloromethane Poisoning. *Clin Toxicol*. 49: 220-220.
- Seo, HL; Baek, SY; Lee, EH; Lee, JH; Lee, SG; Kim, KY; Jang, MH; Park, MH; Kim, JH; Kim, KJ; Lee, HS; Ahn, SC; Lee, JR; Park, SJ; Kim, SC; Kim, YW. (2017). *Liqustris lucidi* Fructus inhibits hepatic injury and functions as an antioxidant by activation of AMP-activated protein kinase in vivo and in vitro. *Chem Biol Interact*. 262: 57-68. <http://dx.doi.org/10.1016/j.cbi.2016.11.031>.

Human Health Hazard Literature Search Results

On Topic

- Seo, W; Eun, HS; Kim, SY; Yi, HS; Lee, YS; Park, SH; Jang, MJ; Jo, E; Kim, SC; Han, YM; Park, KG; Jeong, WI. (2016). Exosome-mediated activation of toll-like receptor 3 in stellate cells stimulates interleukin-17 production by $\gamma\delta$ T cells in liver fibrosis. *Hepatology*. 64: 616-631. <http://dx.doi.org/10.1002/hep.28644>.
- Serbetçi, K; Uysal, O; Erkasap, N; Köken, T; Baydemir, C; Erkasap, S. (2012). Anti-apoptotic and antioxidant effect of leptin on CCl₄-induced acute liver injury in rats. *Mol Biol Rep*. 39: 1173-1180. <http://dx.doi.org/10.1007/s11033-011-0847-6>.
- Shaaban, AA; Shaker, ME; Zalata, KR; El-Kashef, HA; Ibrahim, TM. (2014). Modulation of carbon tetrachloride-induced hepatic oxidative stress, injury and fibrosis by olmesartan and omega-3. *Chem Biol Interact*. 207: 81-91. <http://dx.doi.org/10.1016/j.cbi.2013.10.008>.
- Shah, AS; Ahmed, M; Alkreaty, HM; Khan, MR; Khan, RA; Khan, S. (2014). Phytochemical screening and protective effects of *Trifolium alexandrinum* (L.) against free radical-induced stress in rats. 2: 751-757. <http://dx.doi.org/10.1002/fsn3.152>.
- Shah, H; Hartman, SP; Weinhouse, S. (1979). Formation of carbonyl chloride in carbon tetrachloride metabolism by rat liver in vitro. *Cancer Res*. 39: 3942-3947.
- Shah, MD; Gnanaraj, C; Haque, AT; Iqbal, M. (2015). Antioxidative and chemopreventive effects of *Nephrolepis biserrata* against carbon tetrachloride (CCl₄)-induced oxidative stress and hepatic dysfunction in rats. *Pharmaceutical Biology*. 53: 31-39. <http://dx.doi.org/10.3109/13880209.2014.909502>.
- Shah, MD; Gnanaraj, C; Khan, MS; Iqbal, M. (2015). *Dillenia suffruticosa* L. Impedes Carbon Tetrachloride-Induced Hepatic Damage by Modulating Oxidative Stress and Inflammatory Markers in Rats. 34: 133-152.
- Shah, N; Khan, MR; Ahmad, B; Noureen, F; Rashid, U; Khan, R. (2013). Investigation on flavonoid composition and anti free radical potential of *Sida cordata*. *BMC Complement Altern Med*. 13: 276. <http://dx.doi.org/10.1186/1472-6882-13-276>.
- Shah, VN; Shah, MB; Bhatt, PA. (2011). Hepatoprotective activity of punarnavashtak kwath, an Ayurvedic formulation, against CCl₄-induced hepatotoxicity in rats and on the HepG2 cell line. *Pharmaceutical Biology*. 49: 408-415. <http://dx.doi.org/10.3109/13880209.2010.521162>.
- Shahid, SM; Shaikh, R; Shamim, S; Ismail, M; Mahboob, T. (2013). Effects of green tea on ACE gene expression in rat liver in CCl₄-induced cirrhosis. *Turkish Journal of Medical Sciences*. 43: 586-591. <http://dx.doi.org/10.3906/sag-1111-45>.
- Shahid, SM; Shamim, S; Mahboob, T. (2012). Protective effect of green tea on CCl₄ induced hepatotoxicity in experimental rats. 6: 1958-1963. <http://dx.doi.org/10.5897/AJPP12.474>.
- Shahzadi, A; Farooq, M; Bukhari, SA; Javed, S; Anjum, F; Anwar, H. (2014). COMBINED EFFECT OF SILYBUM MARIANUM AND GLYCYRRHIZA GLABRA ON CCL4 INDUCED LIVER INJURY IN RATS NORVAGICUS. *Drug Metab Rev*. 45: 237-237.
- Shaker, E; Mahmoud, H; Mnaa, S. (2010). Silymarin, the antioxidant component and *Silybum marianum* extracts prevent liver damage. *Food Chem Toxicol*. 48: 803-806. <http://dx.doi.org/10.1016/j.fct.2009.12.011>.
- Shaker, ME; Houssem, ME; Abo-Hashem, EM; Ibrahim, TM. (2009). Comparison of vitamin E, L-carnitine and melatonin in ameliorating carbon tetrachloride and diabetes induced hepatic oxidative stress. *J Physiol Biochem*. 65: 225-233. <http://dx.doi.org/10.1007/BF03180575>.
- Shaker, ME; Zalata, KR; Mehal, WZ; Shiha, GE; Ibrahim, TM. (2011). Comparison of imatinib, nilotinib and silymarin in the treatment of carbon tetrachloride-induced hepatic oxidative stress, injury and fibrosis. *Toxicol Appl Pharmacol*. 252: 165-175. <http://dx.doi.org/10.1016/j.taap.2011.02.004>.
- Shakya, AK; Saxena, M; Sharma, N; Shrivastava, S; Shukla, S. (2012). Hepatoprotective efficacy of Sharbat-e-Deenar against carbon tetrachloride-induced liver damage. 31: 131-141.
- Shakya, AK; Sharma, N; Saxena, M; Shrivastava, S; Shukla, S. (2012). Evaluation of the antioxidant and hepatoprotective effect of Majoon-e-Dabeed-ul-ward against carbon tetrachloride induced liver injury. *Exp Toxicol Pathol*. 64: 767-773. <http://dx.doi.org/10.1016/j.etp.2011.01.014>.
- Shan, L; Ding, Y; Fu, Y; Zhou, L; Dong, X; Chen, S; Wu, H; Nai, W; Zheng, H; Xu, W; Bai, X; Jia, C; Dai, M. (2016). mTOR Overactivation in Mesenchymal cells Aggravates CCl₄-Induced liver Fibrosis. *Sci Rep*. 6: 36037. <http://dx.doi.org/10.1038/srep36037>.
- Sharma, CK; Saxena, M; Sharma, V. (2013). Jaggery protects hepatorenal injury induced by acute exposure to carbon tetrachloride in Wistar rats. 32: 1-7.
- Sharma, N; Shukla, S. (2011). Hepatoprotective potential of aqueous extract of *Butea monosperma* against CCl₄ induced damage in rats. *Exp Toxicol Pathol*. 63: 671-676. <http://dx.doi.org/10.1016/j.etp.2010.05.009>.
- Sharma, S; Rana, S; Patial, V; Gupta, M; Bhushan, S; Padwad, YS. (2016). Antioxidant and hepatoprotective effect of polyphenols from apple pomace extract via apoptosis inhibition and Nrf2 activation in mice. *Hum Exp Toxicol*. 35: 1264-1275. <http://dx.doi.org/10.1177/0960327115627689>.
- Shebavy, W; El-Sibai, M; Mroueh, M; Bodman-Smith, K; Taleb, R; Daher, C. (2014). Hepatoprotective activity of the wild carrot chloroform-based fraction against CCl₄-induced liver toxicity in mice. *Planta Med*. 80: 1523-1524.
- Shebavy, WN; Daher, CF; El-Sibai, M; Bodman-Smith, K; Mansour, A; Karam, MC; Mroueh, M. (2015). Antioxidant and hepatoprotective activities of the oil fractions from wild carrot (*Daucus carota* ssp. *carota*). *Pharmaceutical Biology*. 53: 1285-1294. <http://dx.doi.org/10.3109/13880209.2014.976349>.
- Shehab, NG; Abu-Gharbieh, E; Bayoumi, FA. (2015). Impact of phenolic composition on hepatoprotective and antioxidant effects of four desert medicinal plants. *BMC Complement Altern Med*. 15: 401. <http://dx.doi.org/10.1186/s12906-015-0919-6>.
- Shen, B; Chen, H; Shen, C; Xu, P; Li, J; Shen, G; Yuan, H; Han, J. (2015). Hepatoprotective effects of lignans extract from *Herpetospermum caudigerum* against CCl₄-induced acute liver injury in mice. *J Ethnopharmacol*. 164: 46-52. <http://dx.doi.org/10.1016/j.jep.2015.01.044>.
- Shen, CY; Chen, YP; Yang, T; Lu, XJ; Li, CY; Lin, Z; Song, M. (2012). [Effects of bone morphogenetic protein-7 therapy on E3 ubiquitin ligase expression in mouse liver with experimentally induced fibrosis]. *Zhonghua Gan Zang Bing Za Zhi*. 20: 671-676.

Human Health Hazard Literature Search Results

On Topic

- Shen, DZ; Tao, Q; Du, JX; Ding, SD; Chen, GF; Hu, YY; Liu, P. (2010). [Effects of Yiguanjian Decoction on liver cirrhosis formation:a differential proteomics study in rats]. *Zhong Xi Yi Jie He Xue Bao.* 8: 158-167.
- Shen, N; Huang, XD; Li, ZW; Wang, YC; Qi, L; An, Y; Liu, TT. (2015). [Effects of Hemerocallis citrine baroni flavonoids on CCl4-induced liver fibrosis of rats]. *Yao Xue Xue Bao.* 50: 547-551.
- Shen, Q; Qin, Z; Lu, A. (2012). [Preventive effect of exogenous hydrogen sulfide on hepatic fibrosis in rats]. *Zhong Nan Da Xue Xue Bao Yi Xue Ban.* 37: 911-915. <http://dx.doi.org/10.3969/j.issn.1672-7347.2012.09.009>.
- Shen, X; Cheng, S; Peng, Y; Song, H; Li, H. (2014). Attenuation of early liver fibrosis by herbal compound "Diwu Yanggan" through modulating the balance between epithelial-to-mesenchymal transition and mesenchymal-to-epithelial transition. *BMC Complement Altern Med.* 14: 418. <http://dx.doi.org/10.1186/1472-6882-14-418>.
- Shen, X; Yang, Y; Yang, R; Yu, L; Fang, T; Duan, JA. (2009). The protective effect of Zizyphus jujube fruit on carbon tetrachloride-induced hepatic injury in mice by anti-oxidative activities. *J Ethnopharmacol.* 122: 555-560. <http://dx.doi.org/10.1016/j.jep.2009.01.027>.
- Sheng-Nan, P; Hui-Hong, Z; Ai-Xiang, F; Xiao-Wen, C; Qing-Xian, Z. (2013). Protection of rhein on IgA nephropathy mediated by inhibition of fibronectin expression in rats. *Indian J Pharmacol.* 45: 174-179. <http://dx.doi.org/10.4103/0253-7613.108309>.
- Shertzer, HG; Reitman, FA; Tabor, MW. (1988). Influence of diet on the expression of hepatotoxicity from carbon tetrachloride in ICR mice. *Drug Nutr Interact.* 5: 275-282.
- Shi, C; Li, G; Tong, Y; Deng, Y; Fan, J. (2016). Role of CTGF gene promoter methylation in the development of hepatic fibrosis. 8: 125-132.
- Shi, D; Zhang, J; Qiu, L; Li, J; Hu, Z; Zhang, J. (2013). Matrine Inhibits Infiltration of the Inflammatory Gr1(hi) Monocyte Subset in Injured Mouse Liver through Inhibition of Monocyte Chemoattractant Protein-1. *eCAM.* 2013: 580673. <http://dx.doi.org/10.1155/2013/580673>.
- Shi, H; Dong, L; Bai, Y; Zhao, J; Zhang, Y; Zhang, L. (2009). Chlorogenic acid against carbon tetrachloride-induced liver fibrosis in rats. *Eur J Pharmacol.* 623: 119-124. <http://dx.doi.org/10.1016/j.ejphar.2009.09.026>.
- Shi, H; Dong, L; Jiang, J; Zhao, J; Zhao, G; Dang, X; Lu, X; Jia, M. (2013). Chlorogenic acid reduces liver inflammation and fibrosis through inhibition of toll-like receptor 4 signaling pathway. *Toxicology.* 303: 107-114. <http://dx.doi.org/10.1016/j.tox.2012.10.025>.
- Shi, H; Dong, L, ei; Shi, A; Zhao, J; Liu, Y; Li, H; Zhao, G. (2013). Chlorogenic acid ameliorates CCl4-induced liver fibrosis through suppression of oxidative stress. *J Gastroenterol Hepatol.* 28: 172-172.
- Shi, H; Dong, L; Zhang, Y; Bai, Y; Zhao, J; Zhang, L. (2010). Protective effect of a coffee preparation (Nescafe pure) against carbon tetrachloride-induced liver fibrosis in rats. *Clin Nutr.* 29: 399-405. <http://dx.doi.org/10.1016/j.clnu.2009.12.007>.
- Shi, H; Liu, X; Tang, G; Liu, H; Zhang, Y; Zhang, B; Zhao, X; Wang, W. (2014). Ethanol extract of *Portulaca Oleracea* L. reduced the carbon tetrachloride induced liver injury in mice involving enhancement of NF- κ B activity. 6: 746-755.
- Shi, H; Shi, A; Dong, L, ei; Dai, F, ei; Lu, X; Wang, Y, an. (2016). Chlorogenic Acid Facilitates NRF2-Mediated Antioxidant Gene and Protects Against CCL4-Induced Liver Injury. *Gastroenterology.* 150: S1066-S1066.
- Shi, H; Shi, A; Dong, L; Lu, X; Wang, Y; Zhao, J; Dai, F; Guo, X. (2016). Chlorogenic acid protects against liver fibrosis in vivo and in vitro through inhibition of oxidative stress. *Clin Nutr.* 35: 1366-1373. <http://dx.doi.org/10.1016/j.clnu.2016.03.002>.
- Shi, H; Shi, H; Kong, M; Chen, G; Zhao, J; Ding, M; Chen, Y; Duan, Z. (2013). [Compound nutrients promote liver rehabilitation and regeneration in rats with CCl4-induced liver cirrhosis]. *Xi Bao Yu Fen Zi Mian Yi Xue Za Zhi.* 29: 1237-1241.
- Shi, HB; Kong, M; Chen, G; Zhao, J; Shi, HL; Chen, Y; Rowan, FG. (2010). Compound Pollen Nutrient Increases Serum Albumin in Cirrhotic Rats. 3: 253-261. <http://dx.doi.org/10.4021/gr240e>.
- Shi, X; Ma, H; Tong, C; Qu, M; Jin, Q; Li, W. (2015). Hepatoprotective effect of a polysaccharide from *Crassostrea gigas* on acute and chronic models of liver injury. *Int J Biol Macromol.* 78: 142-148. <http://dx.doi.org/10.1016/j.ijbiomac.2015.03.056>.
- Shih, SC; Ho, TC; Chen, SL; Tsao, YP. (2016). Pigment Epithelium Derived Factor Peptide Protects Murine Hepatocytes from Carbon Tetrachloride-Induced Injury. *PLoS ONE.* 11: e0157647. <http://dx.doi.org/10.1371/journal.pone.0157647>.
- Shih, TY; Young, TH; Lee, HS; Hsieh, CB; Hu, OY. (2013). Protective effects of kaempferol on isoniazid- and rifampicin-induced hepatotoxicity. *AAPS J.* 15: 753-762. <http://dx.doi.org/10.1208/s12248-013-9490-6>.
- Shiha, GE; Abu-Elsaad, NM; Zalata, KR; Ibrahim, TM. (2014). Tracking anti-fibrotic pathways of nilotinib and imatinib in experimentally induced liver fibrosis: an insight. *Clin Exp Pharmacol Physiol.* 41: 788-797. <http://dx.doi.org/10.1111/1440-1681.12286>.
- Shikov, AN; Makarova, MN; Selezneva, A; Pozharitskaya, ON; Makarov, VG; Djachuk, G; Pirttimaa, M; Pitkanen, P; Alakurtti, S. (2012). Protective effect of suberin against CCl4-induced hepatotoxicity. *Planta Med.* 78: 1086-1086.
- Shim, JY; Kim, MH; Kim, HD; Ahn, JY; Yun, YS; Song, JY. (2010). Protective action of the immunomodulator ginsan against carbon tetrachloride-induced liver injury via control of oxidative stress and the inflammatory response. *Toxicol Appl Pharmacol.* 242: 318-325. <http://dx.doi.org/10.1016/j.taap.2009.11.005>.
- Shim, KY; Kim, DH; Song, SB; Qi, X, uF; Yoon, YS, uk; Kim, HS, oo; Lee, JI, n; Oh, H, waEun; Kim, S, ooKi; Lee, K, yulJae. (2011). Hepatoprotection of different water extracts from *Acer tegmentosum* M. on CCl4-induced acute hepatotoxicity in mice: comparative efficacies between the extracts of boughs, twigs, and leaves. *Mol Cell Toxicol.* 7: 405-413. <http://dx.doi.org/10.1007/s13273-011-0051-8>.
- Shimada, T; Nakanishi, T; Toyama, A; Yamauchi, S; Kanzaki, A; Fujiwaka, H; Sato, TA; Ikegawa, M. (2010). Potential implications for monitoring serum bile acid profiles in circulation with serum proteome for carbon tetrachloride-induced liver injury/regeneration model in mice. *J Proteome Res.* 9: 4490-4500. <http://dx.doi.org/10.1021/pr1002388>.
- Shin, DS; Kim, KW; Chung, HY; Yoon, S; Moon, JO. (2013). Effect of sinapic acid against carbon tetrachloride-induced acute hepatic injury in rats. *Arch Pharm Res.* 36: 626-633. <http://dx.doi.org/10.1007/s12272-013-0050-5>.
- Shin, JH; Lee, CW; Oh, SJ; Yun, J; Kang, MR; Han, SB; Park, H; Jung, JC; Chung, YH; Kang, JS. (2014). Hepatoprotective effect of aged black garlic extract in rodents. *Toxicological Research.* 30: 49-54. <http://dx.doi.org/10.5487/TR.2014.30.1.049>.

Human Health Hazard Literature Search Results

On Topic

- Shin, S; Wangenstein, KJ; Teta-Bissett, M; Wang, YJ; Mosleh-Shirazi, E; Buza, EL; Greenbaum, LE; Kaestner, KH. (2016). Genetic lineage tracing analysis of the cell of origin of hepatotoxin-induced liver tumors in mice. *Hepatology*. 64: 1163-1177. <http://dx.doi.org/10.1002/hep.28602>.
- Shine, VJ; Latha, PG; Suja, SN; Anuja, GI; Raj, G; Rajasekharan, SN. (2014). Ameliorative effect of alkaloid extract of *Cyclea peltata* (Poir.) Hook. f. & Thoms. roots (ACP) on APAP/CCl4 induced liver toxicity in Wistar rats and in vitro free radical scavenging property. 4: 143-151. [http://dx.doi.org/10.1016/S2221-1691\(14\)60223-9](http://dx.doi.org/10.1016/S2221-1691(14)60223-9).
- Shirakura, K; Kwon, SM, o; Masuda, H; Obi, S; Ito, R, ie; Shizuno, T; Kurihara, Y; Mine, T; Asahara, T. (2009). Establishment of Two Liver Fibrosis Models to Examine Endothelial Progenitor Cell Kinetics. 6: 1128-1133.
- Shirakura, K; Masuda, H; Kwon, SM; Obi, S; Ito, R; Shizuno, T; Kurihara, Y; Mine, T; Asahara, T. (2011). Impaired function of bone marrow-derived endothelial progenitor cells in murine liver fibrosis. 5: 77-82.
- Shiratsuki, S; Takami, T; Matsumoto, T; Fujisawa, K; Yamamoto, N; Ishikawa, T; Sakaida, I. (2016). Improvement of carbon tetrachloride-induced liver cirrhosis by the fractionated infusion of freeze-stocked bone marrow cells in mice. *Hepatology*. 63: 215A-215A.
- Shiryayeva, A; Arkadyeva, A; Emelyanova, L; Sakuta, G; Morozov, V. (2009). Superoxide anion production by the mitochondrial respiratory chain of hepatocytes of rats with experimental toxic hepatitis. *J Bioenerg Biomembr*. 41: 379-385. <http://dx.doi.org/10.1007/s10863-009-9234-6>.
- Shizhu, J; Xiangwei, M; Xun, S; Mingzi, H; Bingrong, L; Dexia, K; Xinghong, W; Fenghua, P. (2012). Bone marrow mononuclear cell transplant therapy in mice with CCl4-induced acute liver failure. 23: 344-352.
- Shizu, R; Abe, T; Benoki, S; Takahashi, M; Kodama, S; Miyata, M; Matsuzawa, A; Yoshinari, K. (2016). PXR stimulates growth factor-mediated hepatocyte proliferation by cross-talk with the FOXO transcription factor. *Biochem J*. 473: 257-266. <http://dx.doi.org/10.1042/BJ20150734>.
- Sholukh, MV; Hubich, AI; Pashkovsky, FS; Lakhvich, FA. (2010). Structural features of prostanoid analogues involved in hepatocytes protection against CCl4-induced injury. *Prostaglandins Other Lipid Mediat*. 93: 134-142. <http://dx.doi.org/10.1016/j.prostaglandins.2010.10.001>.
- Shrestha, N; Chand, L; Han, MK; Lee, SO; Kim, CY; Jeong, YJ. (2016). Glutamine inhibits CCl4 induced liver fibrosis in mice and TGF- β 1 mediated epithelial-mesenchymal transition in mouse hepatocytes. *Food Chem Toxicol*. 93: 129-137. <http://dx.doi.org/10.1016/j.fct.2016.04.024>.
- Shu, JC; Chen, LX; Deng, L; Lv, X; He, YJ; Zhu, HY; Fu, J; Ye, GR; Zhou, HH. (2010). [Preliminary study on mechanism of therapeutic effect of Hujanjiexian decoction on hepatic fibrosis]. *Zhonghua Gan Zang Bing Za Zhi*. 18: 189-193.
- Shu, JC; He, YJ; Lv, X; Ye, GR; Wang, LX. (2009). Curcumin prevents liver fibrosis by inducing apoptosis and suppressing activation of hepatic stellate cells. *Journal of Natural Medicines*. 63: 415-420. <http://dx.doi.org/10.1007/s11418-009-0347-3>.
- Shu, M; Huang, DD; Hung, ZA; Hu, XR; Zhang, S. (2016). Inhibition of MAPK and NF- κ B signaling pathways alleviate carbon tetrachloride (CCl4)-induced liver fibrosis in Toll-like receptor 5 (TLR5) deficiency mice. *Biochem Biophys Res Commun*. 471: 233-239. <http://dx.doi.org/10.1016/j.bbrc.2016.01.119>.
- Shukla, V; Cuenin, C; Dubey, N; Herceg, Z. (2011). Loss of histone acetyltransferase cofactor transformation/transcription domain-associated protein impairs liver regeneration after toxic injury. *Hepatology*. 53: 954-963. <http://dx.doi.org/10.1002/hep.24120>.
- Shyur, LF; Huang, CC; Hsu, YY; Cheng, YW; Yang, SD. (2011). A sesquiterpenol extract potently suppresses inflammation in macrophages and mice skin and prevents chronic liver damage in mice through JNK-dependent HO-1 expression. *Phytochemistry*. 72: 391-399. <http://dx.doi.org/10.1016/j.phytochem.2010.12.019>.
- Siegers, CP; Horn, W; Younes, M. (1985). Influence of diet on the expression of hepatotoxicity from carbon tetrachloride in ICR mice. *Acta Pharmacol Toxicol*. 56: 81-86.
- Siegmund, SV; Schlosser, M; Schildberg, FA; Seki, E; De Minicis, S; Uchinami, H; Kuntzen, C; Knolle, PA; Strassburg, CP; Schwabe, RF. (2016). Serum Amyloid A Induces Inflammation, Proliferation and Cell Death in Activated Hepatic Stellate Cells. *PLoS ONE*. 11: e0150893. <http://dx.doi.org/10.1371/journal.pone.0150893>.
- Sikander, M; Malik, S; Parveen, K; Ahmad, M; Yadav, D; Hafeez, ZB; Bansal, M. (2013). Hepatoprotective effect of *Origanum vulgare* in Wistar rats against carbon tetrachloride-induced hepatotoxicity. *Protoplasma*. 250: 483-493. <http://dx.doi.org/10.1007/s00709-012-0431-5>.
- Sikiric, P; Seiwerth, S; Rucman, R; Turkovic, B; Rokotov, DS; Brcic, L; Sever, M; Klicek, R; Radic, B; Drmic, D; Ilic, S; Kolenc, D; Vrcic, H; Sebecic, B. (2011). Stable gastric pentadecapeptide BPC 157: novel therapy in gastrointestinal tract [Review]. *Curr Pharm Des*. 17: 1612-1632.
- Simeonova, R; Bratkov, VM; Kondeva-Burdina, M; Vitcheva, V; Manov, V; Krasteva, I. (2015). Experimental liver protection of n-butanolic extract of *Astragalus monspessulanus* L. on carbon tetrachloride model of toxicity in rat. *Redox Rep*. 20: 145-153. <http://dx.doi.org/10.1179/1351000214Y.0000000115>.
- Simeonova, R; Kondeva-Burdina, M; Vitcheva, V; Krasteva, I; Manov, V; Mitcheva, M. (2014). Protective effects of the apigenin-O/C-diglucoside saponarin from *Gypsophila trichotoma* on carbone tetrachloride-induced hepatotoxicity in vitro/in vivo in rats. *Phytomedicine*. 21: 148-154. <http://dx.doi.org/10.1016/j.phymed.2013.07.014>.
- Simon, L; López, M; Uribe-Cruz, C; Vergara, DF; Silla, L; Matte, U. (2015). Injured hepatocyte-released microvesicles induce bone marrow-derived mononuclear cells differentiation. 90: 40-47. <http://dx.doi.org/10.1016/j.diff.2015.09.001>.
- Sindhu, ER; Firdous, AP; Preethi, KC; Kuttan, R. (2010). Carotenoid lutein protects rats from paracetamol-, carbon tetrachloride- and ethanol-induced hepatic damage. *J Pharm Pharmacol*. 62: 1054-1060. <http://dx.doi.org/10.1111/j.2042-7158.2010.01123.x>.
- Singab, AN; Ayoub, NA; Ali, EN; Mostafa, NM. (2010). Antioxidant and hepatoprotective activities of Egyptian moraceous plants against carbon tetrachloride-induced oxidative stress and liver damage in rats. *Pharmaceutical Biology*. 48: 1255-1264. <http://dx.doi.org/10.3109/13880201003730659>.

Human Health Hazard Literature Search Results

On Topic

- Singh, BN; Singh, BR; Sarma, BK; Singh, HB. (2009). Potential chemoprevention of N-nitrosodiethylamine-induced hepatocarcinogenesis by polyphenolics from *Acacia nilotica* bark. *Chem Biol Interact.* 181: 20-28. <http://dx.doi.org/10.1016/j.cbi.2009.05.007>.
- Singh, BN; Singh, BR; Singh, RL; Prakash, D; Sarma, BK; Singh, HB. (2009). Antioxidant and anti-quorum sensing activities of green pod of *Acacia nilotica* L. *Food Chem Toxicol.* 47: 778-786. <http://dx.doi.org/10.1016/j.fct.2009.01.009>.
- Singh, D; Arya, PV; Aggarwal, VP; Gupta, RS. (2014). Evaluation of Antioxidant and Hepatoprotective Activities of *Moringa oleifera* Lam. Leaves in Carbon Tetrachloride-Intoxicated Rats. 3: 569-591. <http://dx.doi.org/10.3390/antiox3030569>.
- Singh, D; Arya, PV; Sharma, A; Aggarwal, VP; Dobhal, MP; Gupta, RS. (2014). Antioxidant Potential of Plumieride against CCl₄-Induced Peroxidative Damage in Rats. 3: 798-813. <http://dx.doi.org/10.3390/antiox3040798>.
- Singh, D; Arya, PV; Sharma, A; Dobhal, MP; Gupta, RS. (2015). Modulatory potential of α -amyrin against hepatic oxidative stress through antioxidant status in Wistar albino rats. *J Ethnopharmacol.* 161: 186-193. <http://dx.doi.org/10.1016/j.jep.2014.12.025>.
- Singh, D; Singh, R; Singh, P; Gupta, RS. (2009). Effects of embelin on lipid peroxidation and free radical scavenging activity against liver damage in rats. *Basic & Clinical Pharmacology & Toxicology Online Pharmacology Online.* 105: 243-248. <http://dx.doi.org/10.1111/j.1742-7843.2009.00429.x>.
- Singh, H; Sidhu, S; Chopra, K; Khan, MU. (2016). Hepatoprotective effect of trans-Chalcone on experimentally induced hepatic injury in rats: inhibition of hepatic inflammation and fibrosis. *Can J Physiol Pharmacol.* 94: 879-887. <http://dx.doi.org/10.1139/cjpp-2016-0071>.
- Singh, H; Sidhu, S; Chopra, K; Khan, MU. (2017). The novel role of β -aescin in attenuating CCl₄-induced hepatotoxicity in rats. *Pharmaceutical Biology.* 55: 749-757. <http://dx.doi.org/10.1080/13880209.2016.1275023>.
- Singh, N; Khullar, N; Kakkar, V; Kaur, IP. (2014). Attenuation of carbon tetrachloride-induced hepatic injury with curcumin-loaded solid lipid nanoparticles. 28: 297-312. <http://dx.doi.org/10.1007/s40259-014-0086-1>.
- Singh, N; Khullar, N; Kakkar, V; Kaur, IP. (2015). Sesamol loaded solid lipid nanoparticles: a promising intervention for control of carbon tetrachloride induced hepatotoxicity. *BMC Complement Altern Med.* 15: 142. <http://dx.doi.org/10.1186/s12906-015-0655-y>.
- Singh, N; Khullar, N; Kakkar, V; Kaur, IP. (2016). Hepatoprotective effects of sesamol loaded solid lipid nanoparticles in carbon tetrachloride induced sub-chronic hepatotoxicity in rats. *Environ Toxicol.* 31: 520-532. <http://dx.doi.org/10.1002/tox.22064>.
- Singh, R; Sharma, J; Goyal, PK. (2014). Prophylactic Role of *Averrhoa carambola* (Star Fruit) Extract against Chemically Induced Hepatocellular Carcinoma in Swiss Albino Mice. *Adv Pharmacol Sci.* 2014: 158936. <http://dx.doi.org/10.1155/2014/158936>.
- Singhal, KG; Gupta, GD. (2012). Hepatoprotective and antioxidant activity of methanolic extract of flowers of *Nerium oleander* against CCl₄-induced liver injury in rats. *Asian Pacific Journal of Tropical Medicine.* 5: 677-685. [http://dx.doi.org/10.1016/S1995-7645\(12\)60106-0](http://dx.doi.org/10.1016/S1995-7645(12)60106-0).
- Sinigaglia, A; Lavezzo, E; Trevisan, M; Sanavia, T; Di Camillo, B; Peta, E; Scarpa, M; Castagliuolo, I; Guido, M; Sarcognato, S; Cappellesso, R; Fassina, A; Cardin, R; Farinati, F; Palù, G; Barzon, L. (2015). Changes in microRNA expression during disease progression in patients with chronic viral hepatitis. *Liver Int.* 35: 1324-1333. <http://dx.doi.org/10.1111/liv.12737>.
- Sipes, IG; Krishna, G; Gillette, JR. (1977). Bioactivation of carbon tetrachloride, chloroform and bromotrichloromethane: role of cytochrome P-450. *Life Sci.* 20: 1541-1548.
- Sisodia, SS; Bhatnagar, M. (2009). Hepatoprotective activity of *Eugenia jambolana* Lam. in carbon tetrachloride treated rats. *Indian J Pharmacol.* 41: 23-27. <http://dx.doi.org/10.4103/0253-7613.48888>.
- Sivikova, K; Piesova, E; Dianovsky, J. (2001). The protection of vitamin E and selenium against carbon tetrachloride-induced genotoxicity in ovine peripheral blood lymphocytes. *Mutat Res.* 494: 135-142.
- Skamarauskas, JT; Oakley, F; Smith, FE; Bawn, C; Dunn, M; Vidler, DS; Clemence, M; Blain, PG; Taylor, R; Gamcsik, MP; Thelwall, PE. (2014). Noninvasive in vivo magnetic resonance measures of glutathione synthesis in human and rat liver as an oxidative stress biomarker. *Hepatology.* 59: 2321-2330. <http://dx.doi.org/10.1002/hep.26925>.
- Slater, TF. (1982). Free radicals, lipid peroxidation and cancer Activation of carbon tetrachloride: chemical principles and biological significance. New York, NY: Academic Press.
- Smialowicz, RJ; Simmons, JE; Luebke, RW; Allis, JW. (1991). Immunotoxicologic assessment of subacute exposure of rats to carbon tetrachloride with comparison to hepatotoxicity and nephrotoxicity. *Toxicol Sci.* 17: 186-196.
- Smyth, HF; Smyth, HF, Jr; Carpenter, CP. (1936). The Chronic Toxicity of Carbon Tetrachloride; Animal Exposure and Field Studies. 18: 277-298.
- Smyth, R; Lane, CS; Ashiq, R; Turton, JA; Clarke, CJ; Dare, TO; York, MJ; Griffiths, W; Munday, MR. (2009). Proteomic investigation of urinary markers of carbon-tetrachloride-induced hepatic fibrosis in the Hanover Wistar rat. *Cell Biol Toxicol.* 25: 499-512. <http://dx.doi.org/10.1007/s10565-008-9104-8>.
- Smyth, R; Munday, MR; York, MJ; Clarke, CJ; Dare, T; Turton, JA. (2009). Dose response and time course studies on superoxide dismutase as a urinary biomarker of carbon tetrachloride-induced hepatic injury in the Hanover Wistar rat. *Int J Exp Pathol.* 90: 500-511. <http://dx.doi.org/10.1111/j.1365-2613.2009.00666.x>.
- Sobrevals, L; Rodriguez, C; Romero-Trevejo, JL; Gondi, G; Monreal, I; Pañeda, A; Juanarena, N; Arcelus, S; Razquin, N; Guembe, L; González-Aseguinolaza, G; Prieto, J; Fortes, P. (2010). Insulin-like growth factor I gene transfer to cirrhotic liver induces fibrolysis and reduces fibrogenesis leading to cirrhosis reversion in rats. *Hepatology.* 51: 912-921. <http://dx.doi.org/10.1002/hep.23412>.
- Sofi, G; Khan, MY; Jafri, MA. (2011). Hepatoprotective activity of Gumma (*Leucas cephalotes* Spreng.) against Carbon tetrachloride induced hepatotoxicity in wistar rats. *Ancient Science of Life.* 31: 44-48.
- Soliman, AM; Fahmy, SR. (2011). Protective and curative effects of the 15 KD isolated protein from the *Peganum harmala* L. seeds against carbon tetrachloride induced oxidative stress in brain, tests and erythrocytes of rats. *Eur Rev Med Pharmacol Sci.* 15: 888-899.
- Solis Herruzo, JA; Solis-Munoz, P; Munoz Yaguee, T; Garcia-Ruiz, I. (2011). Molecular targets in the design of antifibrotic therapy in chronic liver disease. *Rev Esp Enferm Dig.* 103: 310-323.

Human Health Hazard Literature Search Results

On Topic

- Somasundaram, A; Karthikeyan, R; Velmurugan, V; Dhandapani, B; Raja, M. (2010). Evaluation of hepatoprotective activity of *Kyllinga nemoralis* (Hutch & Dalz) rhizomes. *J Ethnopharmacol.* 127: 555-557. <http://dx.doi.org/10.1016/j.jep.2009.11.014>.
- Song, A; Ko, HJ; Lai, MN; Ng, LT. (2011). Protective effects of Wu-Ling-Shen (*Xylaria nigripes*) on carbon tetrachloride-induced hepatotoxicity in mice. *Immunopharmacol Immunotoxicol.* 33: 454-460. <http://dx.doi.org/10.3109/08923973.2010.534100>.
- Song, BJ. (2011). Alcohol Metabolism, Functional Consequences and Apoptosis Signaling Mechanism.
- Song, BJ. (2012). Alcohol Metabolism, Functional Consequences and Apoptosis Signaling Mechanism.
- Song, BJ. (2013). Alcohol Metabolism, Functional Consequences and Apoptosis Signaling Mechanism.
- Song, BJ. (2015). Alcohol Metabolism, Functional Consequences and Apoptosis Signaling Mechanism.
- Song, BJ; Abdelmegeed, MA; Yoo, SH; Kim, BJ; Jo, SA; Jo, I; Moon, KH. (2011). Post-translational modifications of mitochondrial aldehyde dehydrogenase and biomedical implications [Review]. *J Proteomics.* 74: 2691-2702. <http://dx.doi.org/10.1016/j.jprot.2011.05.013>.
- Song, HY; Mao, ZM; Yang, LL; Liu, T; Li, DF; Zhang, L; Ge, YL; Zheng, PY; Liu, P; Zhang, XQ; Ji, G. (2011). Dangfei liganning capsules attenuate the susceptibility of rat nonalcoholic fatty liver to carbon tetrachloride toxicity. 31: 327-333.
- Song, J; Zhao, J; Wang, X; Dai, Y; Deng, Z; Yi, J. (2011). [Protective effects of shaoganduogan on hepatocyte mitochondria in subacute liver injury rat induced by carbon tetrachloride]. *Zhongguo Zhong Yao Za Zhi.* 36: 931-934.
- Song, SZ; Choi, YH; Jin, GY; Li, GZ; Yan, GH. (2011). Protective effect of cornuside against carbon tetrachloride-induced acute hepatic injury. *Biosci Biotechnol Biochem.* 75: 656-661. <http://dx.doi.org/10.1271/bbb.100739>.
- Song, Y; Zhan, L; Yu, M; Huang, C; Meng, X; Ma, T; Zhang, L; Li, J. (2014). TRPV4 channel inhibits TGF- β 1-induced proliferation of hepatic stellate cells. *PLoS ONE.* 9: e101179. <http://dx.doi.org/10.1371/journal.pone.0101179>.
- Soni, MG; Mehendale, HM. (1993). Hepatic failure leads to lethality of chlordecone-amplified hepatotoxicity of carbon tetrachloride. *Toxicol Sci.* 21: 442-450.
- Sönmez, M; Türk, G; Çeribaşı, S; Çiftçi, M; Yüce, A; Güvenç, M; Özer Kaya, S; Çay, M; Aksakal, M. (2014). Quercetin attenuates carbon tetrachloride-induced testicular damage in rats. *Andrologia.* 46: 848-858. <http://dx.doi.org/10.1111/and.12159>.
- Sonoyama, T; Tamura, N; Miyashita, K; Park, K; Oyamada, N; Taura, D; Inuzuka, M; Fukunaga, Y; Sone, M; Nakao, K. (2009). Inhibition of hepatic damage and liver fibrosis by brain natriuretic peptide. *FEBS Lett.* 583: 2067-2070. <http://dx.doi.org/10.1016/j.febslet.2009.05.025>.
- Soria Fregozo, C; Miranda Beltran, ML; Flores Soto, ME; Perez Vega, MI; Beas Zarate, C; Huacuja Ruiz, L. (2012). Expression of NMDA receptor subunits in rat prefrontal cortex with CCL4-induced hepatic damage after a treatment with *Rosmarinus officinalis* L. *Neurologia.* 27: 261-267. <http://dx.doi.org/10.1016/j.nrl.2011.10.010>.
- Soriano, G; Sánchez, E; Guarner, C; Schiffrin, EJ. (2012). *Lactobacillus johnsonii* La1 without antioxidants does not decrease bacterial translocation in rats with carbon tetrachloride-induced cirrhosis [Letter]. *J Hepatol.* 57: 1395-1396. <http://dx.doi.org/10.1016/j.jhep.2012.07.019>.
- Soriano, G; Sanchez, E; Nieto, JC; Vidal, S; Sancho, FJ; Sancho-Bru, P; Mirelis, B; Corominola, H; Juarez, C; Guarner, C. (2015). FERMENTED MILK CONTAINING *Lactobacillus paracasei* subsp *paracasei* CNCM I-1518 REDUCES BACTERIAL TRANSLOCATION IN RATS TREATED WITH CCl4. *J Hepatol.* 62: S333-S333.
- Sreelatha, S; Padma, PR. (2010). Protective mechanisms of *Moringa oleifera* against CCl(4)-induced oxidative stress in precision-cut liver slices. 17: 189-194. <http://dx.doi.org/10.1159/000318606>.
- Sreelatha, S; Padma, PR; Umadevi, M. (2009). Protective effects of *Coriandrum sativum* extracts on carbon tetrachloride-induced hepatotoxicity in rats. *Food Chem Toxicol.* 47: 702-708. <http://dx.doi.org/10.1016/j.fct.2008.12.022>.
- Sridevi, VK; Chouhan, HS; Singh, NK; Singh, SK. (2012). Antioxidant and hepatoprotective effects of ethanol extract of *Vitex glabrata* on carbon tetrachloride-induced liver damage in rats. *Nat Prod Res.* 26: 1135-1140. <http://dx.doi.org/10.1080/14786419.2011.560849>.
- Srilakshmi, VS; Vijayan, P; Raj, PV; Dhanaraj, SA; Chandrashekar, HR. (2010). Hepatoprotective properties of *Caesalpinia sappan* Linn. heartwood on carbon tetrachloride induced toxicity. *Indian J Exp Biol.* 48: 905-910.
- Srilaxmi, P; Sareddy, GR; Kavi Kishor, PB; Setty, OH; Babu, PP. (2010). Protective efficacy of natansnin, a dibenzoyl glycoside from *Salvinia natans* against CCl4 induced oxidative stress and cellular degeneration in rat liver. *BMC Pharmacol.* 10: 13. <http://dx.doi.org/10.1186/1471-2210-10-13>.
- Srivastava, A; Shivanandappa, T. (2010). Hepatoprotective effect of the root extract of *Decalepis hamiltonii* against carbon tetrachloride-induced oxidative stress in rats. *Food Chem.* 118: 411-417. <http://dx.doi.org/10.1016/j.foodchem.2009.05.014>.
- Staveley-O'Carroll, KF. (2013). An Orthotopic Murine Model of HCC: Immunotolerance and Prevention.
- Staveley-O'Carroll, KF. (2014). An Orthotopic Murine Model of HCC: Immunotolerance and Prevention.
- Staveley-O'Carroll, KF. (2015). An Orthotopic Murine Model of HCC: Immunotolerance and Prevention.
- Steup, DR; Hall, P; Mcmillan, DA; Sipes, IG. (1993). Time course of hepatic injury and recovery following coadministration of carbon tetrachloride and trichloroethylene in Fischer-344 rats. *Toxicol Pathol.* 21: 327-334. <http://dx.doi.org/10.1177/019262339302100309>.
- Stewart, RD; Boettner, EA; Southworth, RR; Cerny, JC. (1963). Acute carbon tetrachloride intoxication. *JAMA.* 183: 994-997.
- Stewart, RD; Dodd, HC. (1964). Absorption of carbon tetrachloride, trichloroethylene, tetrachloroethylene, methylene chloride, and 1, 1, 1-trichloroethane through the human skin. *Am Ind Hyg Assoc J.* 25: 439-446. <http://dx.doi.org/10.1080/00028896409342621>.
- Stewart, RD; Gay, HH; Erley, DS; Hake, CL; Peterson, JE. (1961). Human exposure to carbon tetrachloride vapor: Relationship of expired air concentration to exposure and toxicity. *J Occup Environ Med.* 3: 586-590.
- Stewart, RK; Dang, A; Huang, C; Murase, N; Kimura, S; Stolz, DB; Wilson, GC; Lentsch, AB; Gandhi, CR. (2014). A novel mouse model of depletion of stellate cells clarifies their role in ischemia/reperfusion- and endotoxin-induced acute liver injury. *J Hepatol.* 60: 298-305. <http://dx.doi.org/10.1016/j.jhep.2013.09.013>.

Human Health Hazard Literature Search Results

On Topic

- Stine, JG; Chalasani, NP. (2017). Drug Hepatotoxicity: Environmental Factors [Review]. *Clin Liver Dis.* 21: 103-113. <http://dx.doi.org/10.1016/j.cld.2016.08.008>.
- Stoyanovsky, DA; Cederbaum, AI. (1996). Thiol oxidation and cytochrome P450-dependent metabolism of CCl₄ triggers Ca²⁺ release from liver microsomes. *Biochemistry.* 35: 15839-15845. <http://dx.doi.org/10.1021/bi961295p>.
- Stoyanovsky, DA; Cederbaum, AL. (1999). Metabolism of carbon tetrachloride to trichloromethyl radical: An ESR and HPLC-EC study. *Chem Res Toxicol.* 12: 730-736. <http://dx.doi.org/10.1021/tx9900371>.
- Strekalova, OS; Uchaikin, VF; Ipatova, OM; Torkhovskaia, TI; Medvedeva, NV; Storozhakov, GI; Archakov, AI. (2009). [Comatose states: etiopathogenesis, experimental studies, treatment of hepatic coma] [Review]. 55: 380-396.
- Strubelt, O. (1984). Alcohol potentiation of liver injury. *Fundam Appl Toxicol.* 4: 144-151.
- Su, C; Xia, X; Shi, Q; Song, X; Fu, J; Xiao, C; Chen, H; Lu, B; Sun, Z; Wu, S; Yang, S; Li, X; Ye, X; Song, E; Song, Y. (2015). Neohesperidin Dihydrochalcone versus CCl₄-Induced Hepatic Injury through Different Mechanisms: The Implication of Free Radical Scavenging and Nrf2 Activation. *J Agric Food Chem.* 63: 5468-5475. <http://dx.doi.org/10.1021/acs.jafc.5b01750>.
- Su, LJ; Chang, CC; Yang, CH; Hsieh, SJ; Wu, YC; Lai, JM; Tseng, TL; Huang, CY; Hsu, SL. (2013). Graptopetalum paraguayense ameliorates chemical-induced rat hepatic fibrosis in vivo and inactivates stellate cells and Kupffer cells in vitro. *PLoS ONE.* 8: e53988. <http://dx.doi.org/10.1371/journal.pone.0053988>.
- Su, M; Chen, H; Wei, C; Chen, N; Wu, W. (2014). Potential protection of vitamin C against liver-lesioned mice. *Int Immunopharmacol.* 22: 492-497. <http://dx.doi.org/10.1016/j.intimp.2014.07.034>.
- Su, X; Wang, Y; Zhou, G; Yang, X; Yu, R; Lin, Y; Zheng, C. (2014). Probuco attenuates ethanol-induced liver fibrosis in rats by inhibiting oxidative stress, extracellular matrix protein accumulation and cytokine production. *Clin Exp Pharmacol Physiol.* 41: 73-80. <http://dx.doi.org/10.1111/1440-1681.12182>.
- Su, Z; Wu, R; Tan, Z; Li, Y; Chen, L; Luo, J; Zhang, M. (2010). Early homing behavior of Stro-1- mesenchyme-like cells derived from human embryonic stem cells in an immunocompetent xenogeneic animal model. *Biochem Biophys Res Commun.* 394: 616-622. <http://dx.doi.org/10.1016/j.bbrc.2010.03.033>.
- Su, ZY; Sun Hwang, L; Chiang, BH; Sheen, LY. (2013). Antihepatoma and liver protective potentials of ganoderma lucidum (ling zhi) fermented in a medium containing black soybean (hēi dòu) and astragalus membranaceus (shēng huáng qí). 3: 110-118. <http://dx.doi.org/10.4103/2225-4110.110415>.
- Subhapradha, N; Saravanan, R; Ramasamy, P; Srinivasan, A; Shanmugam, V; Shanmugam, A. (2014). Hepatoprotective effect of β-chitosan from gladius of Sepioteuthis lessoniana against carbon tetrachloride-induced oxidative stress in Wistar rats. *Appl Biochem Biotechnol.* 172: 9-20. <http://dx.doi.org/10.1007/s12010-013-0499-1>.
- Suciu, M; Gruia, AT; Nica, DV; Azghadi, SM; Mic, AA; Mic, FA. (2016). Data on expression of lipoxygenases-5 and -12 in the normal and acetaminophen-damaged liver. 7: 1199-1203. <http://dx.doi.org/10.1016/j.dib.2016.03.079>.
- Sudheesh, NP; Ajith, TA; Mathew, J; Nima, N; Janardhanan, KK. (2012). Ganoderma lucidum protects liver mitochondrial oxidative stress and improves the activity of electron transport chain in carbon tetrachloride intoxicated rats. 42: 181-191. <http://dx.doi.org/10.1111/j.1872-034X.2011.00906.x>.
- Sugiyama, A; Kanno, K; Nishimichi, N; Ohta, S; Ono, J; Conway, SJ; Izuhara, K; Yokosaki, Y; Tazuma, S. (2016). Periostin promotes hepatic fibrosis in mice by modulating hepatic stellate cell activation via αv integrin interaction. *J Gastroenterol.* 51: 1161-1174. <http://dx.doi.org/10.1007/s00535-016-1206-0>.
- Sugiyama, A; Sato, A; Takeuchi, T. (2009). PEGylated lactoferrin enhanced its hepatoprotective effects on acute liver injury induced by carbon tetrachloride in rats. *Food Chem Toxicol.* 47: 1453-1458. <http://dx.doi.org/10.1016/j.fct.2009.03.030>.
- Sugiyama, A; Suzuki, K; Mitra, S; Arashida, R; Yoshida, E; Nakano, R; Yabuta, Y; Takeuchi, T. (2009). Hepatoprotective effects of paramylon, a beta-1, 3-D-glucan isolated from Euglena gracilis Z, on acute liver injury induced by carbon tetrachloride in rats. *J Vet Med Sci.* 71: 885-890.
- Sukhanov, DS; Petrov, AI, u; Kovalenko, AL; Romantsov, MG. (2011). [Induction of endogenous s-adenosyl-l-methionine in hepatocytes during pharmacological correction of experimental acute toxic and chronic drug-induced liver injury]. *Eksp Klin Farmakol.* 74: 34-38.
- Suksen, K; Charaslertrangsi, T; Noonin, C; Jariyawat, S; Devakul Na Ayutthaya, W; Suksamrarn, A; Tuchinda, P; Piyachaturawat, P. (2016). Protective effect of diarylheptanoids from Curcuma comosa on primary rat hepatocytes against t-butyl hydroperoxide-induced toxicity. *Pharmaceutical Biology.* 54: 853-862. <http://dx.doi.org/10.3109/13880209.2015.1088550>.
- Sun, CK; Chen, CH; Kao, YH; Yuen, CM; Sheu, JJ; Lee, FY; Chen, YT; Kung, CT; Yip, HK. (2011). Bone marrow cells reduce fibrogenesis and enhance regeneration in fibrotic rat liver. *J Surg Res.* 169: e15-e26. <http://dx.doi.org/10.1016/j.jss.2010.03.023>.
- Sun, H; Lu, Z; Liang, H; Xin, J; Gao, Y; Guo, Q. (2014). Mesenteric and splenic contributions to portal venous CT perfusion in hepatic diffuse disease. *Int J Clin Exp Pathol.* 7: 8082-8086.
- Sun, H; Zhang, G; Fu, X; Guo, J; Feng, Y, an; Zheng, L; Niu, G; Zhang, X. (2012). The effect of hUC-MSCs on collagen metabolism in CCl₄ induced liver fibrosis and cirrhosis. *J Gastroenterol Hepatol.* 27: 234-235.
- Sun, H; Zhang, X. (2013). The effect of hUC-MSCs on collagen metabolism in CCl₄ induced liver fibrosis and cirrhosis. *J Gastroenterol Hepatol.* 28: 616-616.
- Sun, HL; Ge, YL; Chen, YP. (2013). [Fibrosis-related differential expression and upstream mechanisms of beta-arrestin in the carbon tetrachloride-induced liver fibrosis mouse model]. *Zhonghua Gan Zang Bing Za Zhi.* 21: 773-775.
- Sun, J; Schmitt, T; Schnackenberg, LK; Pence, L; Ando, Y; Greenhaw, J; Yang, X, i; Slavov, S; Davis, K; Salminen, WF; Mendrick, DL; Beger, RD. (2014). Comprehensive analysis of alterations in lipid and bile acid metabolism by carbon tetrachloride using integrated transcriptomics and metabolomics. *Metabolomics.* 10: 1293-1304. <http://dx.doi.org/10.1007/s11306-014-0665-7>.

Human Health Hazard Literature Search Results

On Topic

- Sun, J; Slavov, S; Schnackenberg, LK; Ando, Y; Greenhaw, J; Yang, X; Salminen, W; Mendrick, DL; Beger, R. (2014). Identification of a metabolic biomarker panel in rats for prediction of acute and idiosyncratic hepatotoxicity. 10: 78-89. <http://dx.doi.org/10.1016/j.csbj.2014.08.001>.
- Sun, J; Zhang, H; Li, L; Yu, L; Fu, L. (2017). MicroRNA-9 limits hepatic fibrosis by suppressing the activation and proliferation of hepatic stellate cells by directly targeting MRP1/ABCC1. *Oncol Rep.* <http://dx.doi.org/10.3892/or.2017.5382>.
- Sun, K; Eriksson, SE; Tan, Y; Zhang, L; Arnér, ES; Zhang, J. (2014). Serum thioredoxin reductase levels increase in response to chemically induced acute liver injury. *Biochim Biophys Acta.* 1840: 2105-2111. <http://dx.doi.org/10.1016/j.bbagen.2014.02.028>.
- Sun, KH; Chang, Y; Reed, NI; Sheppard, D. (2016). α -Smooth muscle actin is an inconsistent marker of fibroblasts responsible for force-dependent TGF β activation or collagen production across multiple models of organ fibrosis. *Am J Physiol Lung Cell Mol Physiol.* 310: L824-L836. <http://dx.doi.org/10.1152/ajplung.00350.2015>.
- Sun, W; Gui, S; Wu, L; Wang, H; Wei, W. (2010). [Effects of Shaoqiduogan on MMP-13, TIMP-1 expression in liver and hepatic stellate cells of hepatic fibrosis rats]. *Zhongguo Zhong Yao Za Zhi.* 35: 1447-1451.
- Sun, X; He, Y; Ma, TT; Huang, C; Zhang, L; Li, J. (2014). Participation of miR-200a in TGF- β 1-mediated hepatic stellate cell activation. *Mol Cell Biochem.* 388: 11-23. <http://dx.doi.org/10.1007/s11010-013-1895-0>.
- Sun, XF; Gu, L; Deng, WS; Xu, Q. (2014). Impaired balance of T helper 17/T regulatory cells in carbon tetrachloride-induced liver fibrosis in mice. *World J Gastroenterol.* 20: 2062-2070. <http://dx.doi.org/10.3748/wjg.v20.i8.2062>.
- Sun, YC; Liang, Q; Qian, KL; Xiao, L; Liu, Q; Shi, XF. (2012). [Effect of TGF- β 1 siRNA-mediated silencing on Smad proteins in hepatic fibrosis rats]. *Zhonghua Gan Zang Bing Za Zhi.* 20: 289-293.
- Sun, Z; Yu, X; Wu, W; Jia, D; Chen, Y; Ji, L; Liu, X; Peng, X; Li, Y; Yang, L; Ruan, Y; Gu, J; Ren, S; Zhang, S. (2012). Fibroblast growth factor 7 inhibits cholesterol 7 α -hydroxylase gene expression in hepatocytes. *Biochem Biophys Res Commun.* 423: 775-780. <http://dx.doi.org/10.1016/j.bbrc.2012.06.035>.
- Sundari, PN; Wilfred, G; Ramakrishna, B. (1997). Does oxidative protein damage play a role in the pathogenesis of carbon tetrachloride-induced liver injury in the rat? *Biochim Biophys Acta.* 1362: 169-176. [http://dx.doi.org/10.1016/S0925-4439\(97\)00065-3](http://dx.doi.org/10.1016/S0925-4439(97)00065-3).
- Surendran, S; Eswaran, MB; Vijayakumar, M; Rao, CV. (2011). In vitro and in vivo hepatoprotective activity of *Cissampelos pareira* against carbon-tetrachloride induced hepatic damage. *Indian J Exp Biol.* 49: 939-945.
- Suzuki, H; Hirano, N; Watanabe, C; Tarumoto, Y. (1997). Carbon tetrachloride does not induce micronucleus in either mouse bone marrow or peripheral blood. *Mutat Res.* 394: 77-80.
- Suzuki, K; Nakagawa, K; Yamamoto, T; Miyazawa, T; Kimura, F; Kamei, M; Miyazawa, T. (2015). Carbon tetrachloride-induced hepatic and renal damages in rat: inhibitory effects of cacao polyphenol. *Biosci Biotechnol Biochem.* 79: 1669-1675. <http://dx.doi.org/10.1080/09168451.2015.1039481>.
- Svetlov, SI. (2009). Novel diagnostic and safety biomarkers of liver injury and hepatotoxicity.
- Svetlov, SI. (2010). Novel diagnostic and safety biomarkers of liver injury and hepatotoxicity.
- Tafazoli, M; Baeten, A; Geerlings, P; Kirsch-Volders, M. (1998). In vitro mutagenicity and genotoxicity study of a number of short-chain chlorinated hydrocarbons using the micronucleus test and the alkaline single cell gel electrophoresis technique (Comet assay) in human lymphocytes: a structure-activity relationship (QSAR) analysis of the genotoxic and cytotoxic potential. *Mutagenesis.* 13: 115-126. <http://dx.doi.org/10.1093/mutage/13.2.115>.
- Taira, Z; Monmasu, H; Ueda, Y. (2009). Innate host-defensive function of a hepatic lipid fraction produced in low-dose carbon tetrachloride-pretreated mice. *Anticancer Res.* 29: 837-841.
- Taira, Z; Ueda, Y; Monmasu, H; Yamase, D; Miyake, S; Shiraiishi, M. (2016). Characteristics of intracellular Ca(2+) signals consisting of two successive peaks in hepatocytes during liver regeneration after 70% partial hepatectomy in rats. 8: 21-33. <http://dx.doi.org/10.2147/JEP.S106084>.
- Takahashi, K; Murata, S; Fukunaga, K; Ohkohchi, N. (2013). Human platelets inhibit liver fibrosis in severe combined immunodeficiency mice. *World J Gastroenterol.* 19: 5250-5260. <http://dx.doi.org/10.3748/wjg.v19.i32.5250>.
- Takahashi, S; Hirose, M; Tamano, S; Ozaki, M; Orita, S; Ito, T; Takeuchi, M; Ochi, H; Fukada, S; Kasai, H; Shirai, T. (1998). Immunohistochemical detection of 8-hydroxy-2'-deoxyguanosine in paraffin-embedded sections of rat liver after carbon tetrachloride treatment. *Toxicol Pathol.* 26: 247-252. <http://dx.doi.org/10.1177/019262339802600209>.
- Takahashi, S; Takahashi, T; Mizobuchi, S; Matsumi, M; Morita, K; Miyazaki, M; Namba, M; Akagi, R; Hirakawa, M. (2002). Increased cytotoxicity of carbon tetrachloride in a human hepatoma cell line overexpressing cytochrome P450 2E1. *J Int Med Res.* 30: 400-405. <http://dx.doi.org/10.1177/147323000203000406>.
- Takami, T; Terai, S; Hirose, Y; Fujisawa, K; Yamamoto, N; Takehisa, T; Takada, T; Haraguchi, K; Sakaida, I. (2011). THERMOSENSITIVE ORGANIC/INORGANIC NANOCOMPOSITE GELS-CULTURED BONE MARROW DERIVED CELLS IMPROVED LIVER FIBROSIS IN CARBON TETRACHLORIDE-INDUCED CIRRHOSIS MICE. *Hepatology.* 54: 434A-434A.
- Takami, T; Terai, S; Maeda, M; Yamamoto, N; Sakaida, I. (2010). AUTOLOGOUS BONE MARROW CELL INFUSIONS SUPPRESS TUMOR-INITIATION AND DO NOT PROMOTE TUMOR-PROLIFERATION DURING N-NITROSODIETHYLAMINE-INDUCED HEPATOCARCINOGENESIS IN CARBON TETRACHLORIDE-TREATED LIVER CIRRHOSIS MICE. *Hepatology.* 52: 966A-966A.
- Takayanagi, T; Sasaki, H; Kawashima, A; Mizuochi, Y; Hirate, H; Sugiura, T; Azami, T; Asai, K; Sobue, K. (2011). A new enteral diet, MHN-02, which contains abundant antioxidants and whey peptide, protects against carbon tetrachloride-induced hepatitis. *JPEN J Parenter Enteral Nutr.* 35: 516-522. <http://dx.doi.org/10.1177/0148607110381599>.
- Takekoshi, S; Kitatani, K; Yamamoto, Y. (2014). Roles of Oxidized Diacylglycerol for Carbon Tetrachloride-induced Liver Injury and Fibrosis in Mouse. *Acta Histochem Cytochem.* 47: 185-194. <http://dx.doi.org/10.1267/ahc.14030>.

Human Health Hazard Literature Search Results

On Topic

- Takemura, T; Yoshida, Y; Kiso, S; Saji, Y; Ezaki, H; Hamano, M; Kizu, T; Egawa, M; Chatani, N; Furuta, K; Kamada, Y; Iwamoto, R; Mekada, E; Higashiyama, S; Hayashi, N; Takehara, T. (2013). Conditional knockout of heparin-binding epidermal growth factor-like growth factor in the liver accelerates carbon tetrachloride-induced liver injury in mice. *Hepatology Research*. 43: 384-393. <http://dx.doi.org/10.1111/j.1872-034X.2012.01074.x>.
- Takemura, T; Yoshida, Y; Saji, Y; Ezaki, H; Hamano, M; Kizu, T; Tsubakio, M; Chatani, N; Kamada, Y; Kiso, S; Hayashi, N. (2010). HB-EGF CONDITIONAL LOSS OF LIVER ACCELERATES THE CARBON TETRACHLORIDE INDUCED LIVER INJURY IN MICE. *Hepatology*. 52: 970A-970A.
- Takeuchi-Yorimoto, A; Noto, T; Yamada, A; Miyamae, Y; Oishi, Y; Matsumoto, M. (2013). Persistent fibrosis in the liver of choline-deficient and iron-supplemented L-amino acid-defined diet-induced nonalcoholic steatohepatitis rat due to continuing oxidative stress after choline supplementation. *Toxicol Appl Pharmacol*. 268: 264-277. <http://dx.doi.org/10.1016/j.taap.2013.01.027>.
- Takizawa, D; Horiguchi, N; Kakizaki, S; Tojima, H; Hashizume, H; Yamazaki, Y; Sato, K, en; Gao, B, in; Mori, M. (2012). The Role of Macrophage Migration Inhibitory Factor (MIF) in Acute and Chronic Carbon Tetrachloride Induced Liver Injury: MIF Inhibits Chronic CCl4-Induced Liver Fibrosis. *Gastroenterology*. 142: S973-S973.
- Tan, Y; Clewell, H; Campbell, J; Andersen, M. (2011). Evaluating Pharmacokinetic and Pharmacodynamic Interactions with Computational Models in Supporting Cumulative Risk Assessment [Review]. *Int J Environ Res Public Health*. 8: 1613-1630. <http://dx.doi.org/10.3390/ijerph8051613>.
- Tan, Z; Qian, X; Jiang, R; Liu, Q; Wang, Y; Chen, C; Wang, X; Ryffel, B; Sun, B. (2013). IL-17A plays a critical role in the pathogenesis of liver fibrosis through hepatic stellate cell activation. *J Immunol*. 191: 1835-1844. <http://dx.doi.org/10.4049/jimmunol.1203013>.
- Tanabe, K; Taura, K; Koyama, Y; Yamamoto, G; Nishio, T; Okuda, Y; Nakamura, K; Toriguchi, K; Takemoto, K; Yamanaka, K; Iwaisako, K; Seo, S; Asagiri, M; Hatano, E; Uemoto, S. (2015). Migration of splenic lymphocytes promotes liver fibrosis through modification of T helper cytokine balance in mice. *J Gastroenterol*. 50: 1054-1068. <http://dx.doi.org/10.1007/s00535-015-1054-3>.
- Tang, XH; Chen, J; Yang, XL; Yan, LF; Gao, J. (2010). Preservation on calcium homeostasis is involved in mitochondrial protection of Limonium sinense against liver damage in mice. *Pharmacognosy Magazine*. 6: 191-197. <http://dx.doi.org/10.4103/0973-1296.66935>.
- Tang, Y. (2015). Curcumin targets multiple pathways to halt hepatic stellate cell activation: updated mechanisms in vitro and in vivo [Review]. *Dig Dis Sci*. 60: 1554-1564. <http://dx.doi.org/10.1007/s10620-014-3487-6>.
- Tanioka, N; Shimizu, H; Takahashi, T; Omori, E; Kuroda, K; Shibata, M; Yamaoka, M; Toda, Y; Matsusaki, T; Morimatsu, H. (2014). Induction of hepatic Bach1 mRNA expression by carbon tetrachloride-induced acute liver injury in rats. 2: 359-363. <http://dx.doi.org/10.3892/br.2014.235>.
- Tanriverdi, G; Kaya-Dagistanli, F; Ayla, S; Demirci, S; Eser, M; Unal, ZS; Cengiz, M; Oktar, H. (2016). Resveratrol can prevent CCl₄-induced liver injury by inhibiting Notch signaling pathway. *Histol Histopathol*. 31: 769-784. <http://dx.doi.org/10.14670/HH-11-720>.
- Tarrats, N; Moles, A; Morales, A; García-Ruiz, C; Fernández-Checa, JC; Mari, M. (2011). Critical role of tumor necrosis factor receptor 1, but not 2, in hepatic stellate cell proliferation, extracellular matrix remodeling, and liver fibrogenesis. *Hepatology*. 54: 319-327. <http://dx.doi.org/10.1002/hep.24388>.
- Taşdemir, E; Atmaca, M; Yıldırım, Y; Bilgin, HM; Demirtaş, B; Obay, BD; Kelle, M; Oflazoğlu, HD. (2016). Influence of coumarin and some coumarin derivatives on serum lipid profiles in carbon tetrachloride-exposed rats. *Hum Exp Toxicol*. <http://dx.doi.org/10.1177/0960327116649675>.
- Tashiro, K; Satoh, A; Utsumi, T; Chung, C; Iwakiri, Y. (2013). Absence of Nogo-B (Reticulon 4B) Facilitates Hepatic Stellate Cell Apoptosis and Diminishes Hepatic Fibrosis in Mice. *Am J Pathol*. 182: 786-795. <http://dx.doi.org/10.1016/j.ajpath.2012.11.032>.
- Taslidere, E; Esrefoglu, M; Elbe, H; Cetin, A; Ates, B. (2014). Protective effects of melatonin and quercetin on experimental lung injury induced by carbon tetrachloride in rats. *Exp Lung Res*. 40: 59-65. <http://dx.doi.org/10.3109/01902148.2013.866181>.
- Taura, K; Miura, K; Iwaisako, K; Osterreicher, CH; Kodama, Y; Penz-Osterreicher, M; Brenner, DA. (2010). Hepatocytes do not undergo epithelial-mesenchymal transition in liver fibrosis in mice. *Hepatology*. 51: 1027-1036. <http://dx.doi.org/10.1002/hep.23368>.
- Taylor, SL; Tappel, AL. (1976). Effect of dietary antioxidants and phenobarbital pretreatment on microsomal lipid peroxidation and activation by carbon tetrachloride. *Life Sci*. 19: 1151-1160.
- Teixeira, KN; Oliveira, JS; Drabowski, B; Bruña-Romero, O; Santos, AM; Santoro, MM. (2010). Analysis of the oxidase activity induced by CCl₄ and H₂O₂ in different recombinant myoglobins. *Int J Biol Macromol*. 47: 276-282. <http://dx.doi.org/10.1016/j.ijbiomac.2010.04.008>.
- Tekkesin, N; Taga, Y; Sav, A; Almaata, I; Ibrism, D. (2011). Induction of HGF and VEGF in hepatic regeneration after hepatotoxin-induced cirrhosis in mice. *Hepatogastroenterology*. 58: 971-979.
- Terai, S; Sakaida, I. (2011). Autologous bone marrow cell infusion therapy for liver cirrhosis patients. *J Hepatobiliary Pancreat Sci*. 18: 23-25. <http://dx.doi.org/10.1007/s00534-010-0305-1>.
- Terai, S; Yamamoto, N; Fujisawa, K; Takami, T; Murata, T; Nishina, H; Sakaida, I. (2010). DISRUPTION OF MAID ACCELERATES LIVER FIBROSIS AND CELL PROLIFERATION IN CCL4 INDUCED CIRRHOSIS MICE. *Hepatology*. 52: 1265A-1266A.
- Terai, S; Yamamoto, N; Fujisawa, K; Takami, T; Murata, T; Sakaida, I. (2011). HHM(MAID) IS A SPECIFIC REGULATOR TO INHIBIT THE GENERATION OF LIVER TUMOR AND PROGRESSION OF LIVER FIBROSIS. -FROM THE STUDY OF CCL4 INDUCED MAID KO MICE AND DEN EXPOSED HHM TG MEDAKA FISH. *Hepatology*. 54: 1279A-1280A.
- Teschke, R; Vierke, W; Gellert, J. (1984). Effect of ethanol on carbon tetrachloride levels and hepatotoxicity after acute carbon tetrachloride poisoning. *Arch Toxicol*. 56: 78-82.

Human Health Hazard Literature Search Results

On Topic

- Thapa, M; Chinnadurai, R; Velazquez, VM; Tedesco, D; Elrod, E; Han, JH; Sharma, P; Ibegbu, C; Gewirtz, A; Anania, F; Pulendran, B; Suthar, MS; Grakoui, A. (2015). Liver fibrosis occurs through dysregulation of MyD88-dependent innate B-cell activity. *Hepatology*. 61: 2067-2079. <http://dx.doi.org/10.1002/hep.27761>.
- Theodorakis, NG; Wang, YN; Wu, JM; Maluccio, MA; Sitzmann, JV; Skill, NJ. (2009). Role of endothelial nitric oxide synthase in the development of portal hypertension in the carbon tetrachloride-induced liver fibrosis model. *Am J Physiol Gastrointest Liver Physiol*. 297: G792-G799. <http://dx.doi.org/10.1152/ajpgi.00229.2009>.
- Theuer, C. (2016). Endoglin Antibody Reduces the NAFLD Activity Score in the STAM Model of NASH and Reduces Liver Fibrosis Following Carbon Tetrachloride Treatment. *Hepatology*. 63: 783A-784A.
- Thomes, PG; Brandon-Warner, E; Li, T; Donohue, TM; Schrum, LW. (2016). Rev-erb agonist and TGF- β similarly affect autophagy but differentially regulate hepatic stellate cell fibrogenic phenotype. 81: 137-147. <http://dx.doi.org/10.1016/j.biocel.2016.11.007>.
- Thrall, KD; Kenny, DV. (1996). Evaluation of a carbon tetrachloride physiologically based pharmacokinetic model using real-time breath-analysis monitoring of the rat. *Inhal Toxicol*. 8: 251-261. <http://dx.doi.org/10.3109/08958379609005433>.
- Thrall, KD; Vucelick, ME; Gies, RA; Benson, JM. (2000). Comparative metabolism of carbon tetrachloride in rats, mice, and hamsters using gas uptake and PBPK modeling. *J Toxicol Environ Health A*. 60: 531-548.
- Tian, W; Hao, C; Fan, Z; Weng, X; Qin, H; Wu, X; Fang, M; Chen, Q; Shen, A; Xu, Y. (2015). Myocardin related transcription factor A programs epigenetic activation of hepatic stellate cells. *J Hepatol*. 62: 165-174. <http://dx.doi.org/10.1016/j.jhep.2014.07.029>.
- Tian, XF; Ji, FJ; Zang, HL; Cao, H. (2016). Activation of the miR-34a/SIRT1/p53 Signaling Pathway Contributes to the Progress of Liver Fibrosis via Inducing Apoptosis in Hepatocytes but Not in HSCs. *PLoS ONE*. 11: e0158657. <http://dx.doi.org/10.1371/journal.pone.0158657>.
- Tian, XX; Zhang, HY; Wang, LM; Li, XJ; Liu, Y; Zhang, LL; Bi, YH. (2016). [Dynamic changes of TGF- α and TGF- β 1 in rats with liver cirrhosis induced by multiple pathogenic factors]. *Zhongguo Ying Yong Sheng Li Xue Za Zhi*. 32: 65-68.
- Tischler, AS; Powers, JF; Alroy, J. (2004). Animal models of pheochromocytoma [Review]. *Histol Histopathol*. 19: 883-895.
- Titos, E; Ferré, N; Lozano, JJ; Horrillo, R; López-Parra, M; Arroyo, V; Clària, J. (2010). Protection from hepatic lipid accumulation and inflammation by genetic ablation of 5-lipoxygenase. *Prostaglandins Other Lipid Mediat*. 92: 54-61. <http://dx.doi.org/10.1016/j.prostaglandins.2010.03.001>.
- Tomasi, A; Albano, E; Banni, S; Botti, B; Corongiu, F; Dessi, MA; Iannone, A; Vannini, V; Dianzani, MU. (1987). Free-radical metabolism of carbon tetrachloride in rat liver mitochondria. A study of the mechanism of action. *Biochem J*. 246: 313-317.
- Tomenson, JA; Baron, CE; O'Sullivan, JJ; Edwards, JC; Stonard, MC; Walker, RJ; Fearnley, DM. (1995). Hepatic function in workers occupationally exposed to carbon tetrachloride. *Occup Environ Med*. 52: 508-514.
- Tomita, K; Teratani, T; Suzuki, T; Shimizu, M; Sato, H; Narimatsu, K; Usui, S; Furuhashi, H; Kimura, A; Nishiyama, K; Maejima, T; Okada, Y; Kurihara, C; Shimamura, K; Ebinuma, H; Saito, H; Yokoyama, H; Watanabe, C; Komoto, S; Nagao, S; Sugiyama, K; Aosasa, S; Hatsuse, K; Yamamoto, J; Hibi, T; Miura, S; Hokari, R; Kanai, T. (2014). Acyl-CoA:cholesterol acyltransferase 1 mediates liver fibrosis by regulating free cholesterol accumulation in hepatic stellate cells. *J Hepatol*. 61: 98-106. <http://dx.doi.org/10.1016/j.jhep.2014.03.018>.
- Toriumi, K; Horikoshi, Y; Yoshiyuki Osamura, R; Yamamoto, Y; Nakamura, N; Takekoshi, S. (2013). Carbon tetrachloride-induced hepatic injury through formation of oxidized diacylglycerol and activation of the PKC/NF- κ B pathway. *Lab Invest*. 93: 218-229. <http://dx.doi.org/10.1038/labinvest.2012.145>.
- Torres, LR; Santana, FC; Torres-Leal, FL; Melo, IL; Yoshime, LT; Matos-Neto, EM; Seelaender, MC; Araújo, CM; Cogliati, B; Mancini-Filho, J. (2016). Pequi (*Caryocar brasiliense* Camb.) almond oil attenuates carbon tetrachloride-induced acute hepatic injury in rats: Antioxidant and anti-inflammatory effects. *Food Chem Toxicol*. 97: 205-216. <http://dx.doi.org/10.1016/j.fct.2016.09.009>.
- Torres-González, L; Muñoz-Espinosa, LE; Rivas-Estilla, AM; Trujillo-Murillo, K; Salazar-Aranda, R; Waksman De Torres, N; Cordero-Pérez, P. (2011). Protective effect of four Mexican plants against CCl₄-induced damage on the Huh7 human hepatoma cell line. *Ann Hepatol*. 10: 73-79.
- Towner, RA; Reinke, LA; Janzen, EG; Yamashiro, S. (1994). In vivo magnetic resonance imaging study of Kupffer cell involvement in CCl₄-induced hepatotoxicity in rats. *Can J Physiol Pharmacol*. 72: 441-446.
- Tracey, JP; Sherlock, P. (1968). Hepatoma following carbon tetrachloride poisoning. *N Y State J Med*. 68: 2202-2204.
- Traiger, GJ; Bruckner, JV. (1976). The participation of 2-butanone in 2-butanol-induced potentiation of carbon tetrachloride hepatotoxicity. *J Pharmacol Exp Ther*. 196: 493-500.
- Traiger, GJ; Plaa, GL. (1971). Differences in the potentiation of carbon tetrachloride in rats by ethanol and isopropanol pretreatment. *Toxicol Appl Pharmacol*. 20: 105-112.
- Tripathi, DM; Erice, E, va; Gracia-Sancho, J; Garcia-Caldero, H; Sarin, SK; Bosch, J; Carlos Garcia-Pagan, J. (2013). Metformin reduces hepatic resistance and portal pressure in CCl₄ and BDL cirrhotic rats. *Hepatology*. 58: 295A-295A.
- Troeger, JS; Mederacke, I; Gwak, GY; Dapito, DH; Mu, X; Hsu, CC; Pradere, JP; Friedman, RA; Schwabe, RF. (2012). Deactivation of hepatic stellate cells during liver fibrosis resolution in mice. *Gastroenterology*. 143: 1073-1083.e1022. <http://dx.doi.org/10.1053/j.gastro.2012.06.036>.
- Truong, NH; Nguyen, NH; Le, TV; Vu, NB; Huynh, N; Nguyen, TV; Le, HM; Phan, NK; Pham, PV. (2016). Comparison of the Treatment Efficiency of Bone Marrow-Derived Mesenchymal Stem Cell Transplantation via Tail and Portal Veins in CCl₄-Induced Mouse Liver Fibrosis. *Stem Cells International*. 2016: 5720413. <http://dx.doi.org/10.1155/2016/5720413>.
- Tsai, CF; Hsu, YW; Chen, WK; Chang, WH; Yen, CC; Ho, YC; Lu, FJ. (2009). Hepatoprotective effect of electrolyzed reduced water against carbon tetrachloride-induced liver damage in mice. *Food Chem Toxicol*. 47: 2031-2036. <http://dx.doi.org/10.1016/j.fct.2009.05.021>.
- Tseng, TH; Lin, WL; Chen, ZH; Lee, YJ; Shie, MS; Lee, KF; Shen, CH; Kuo, HC. (2016). Moniliformediquinone as a potential therapeutic agent, inactivation of hepatic stellate cell and inhibition of liver fibrosis in vivo. *J Transl Med*. 14: 263. <http://dx.doi.org/10.1186/s12967-016-1022-6>.

Human Health Hazard Literature Search Results

On Topic

- Tsolaki, E; Athanasiou, E; Gounari, E; Zogas, N; Siotou, E; Yiangou, M; Anagnostopoulos, A; Yannaki, E. (2014). Hematopoietic stem cells and liver regeneration: differentially acting hematopoietic stem cell mobilization agents reverse induced chronic liver injury. 53: 124-132. <http://dx.doi.org/10.1016/j.bcmd.2014.05.003>.
- Tsuchiya, A; Imai, M; Kamimura, H; Takamura, M; Yamagiwa, S; Sugiyama, T; Nomoto, M; Heike, T; Nagasawa, T; Nakahata, T; Aoyagi, Y. (2012). Increased susceptibility to severe chronic liver damage in CXCR4 conditional knock-out mice. *Dig Dis Sci.* 57: 2892-2900. <http://dx.doi.org/10.1007/s10620-012-2239-8>.
- Tsujimoto, I; Moriya, K; Sakai, K; Dickneite, G; Sakai, T. (2011). Critical role of factor XIII in the initial stages of carbon tetrachloride-induced adult liver remodeling. *Am J Pathol.* 179: 3011-3019. <http://dx.doi.org/10.1016/j.ajpath.2011.08.037>.
- Tsujimura, K; Ichinose, F; Hara, T; Yamasaki, K; Otsuka, M; Fukushima, S. (2008). The inhalation exposure of carbon tetrachloride promote rat liver carcinogenesis in a medium-term liver bioassay. *Toxicol Lett.* 176: 207-214. <http://dx.doi.org/10.1016/j.toxlet.2007.11.007>.
- Tsunekawa, K; An, J, un; Huang, L, ei; Nonami, T; Koide, T; Kondo, F; Nishikawa, H; Miki, T; Sugiyama, S; Ishikawa, N. (2012). Effects of 1-O-hexyl-2, 3, 5-trimethylhydroquinone in Carbon Tetrachloride-induced Hepatic Apoptosis with a Possible Relationship to Naofen. *International Journal of Pharmacology.* 8: 434-439. <http://dx.doi.org/10.3923/ijp.2012.434.439>.
- Tsuruta, H. (1975). Percutaneous absorption of organic solvents: 1) comparative study of the in vivo percutaneous absorption of chlorinated solvents in mice. *Ind Health.* 13: 227-236. <http://dx.doi.org/10.2486/indhealth.13.227>.
- Tu, X; Zhang, H; Zhang, J; Zhao, S; Zheng, X; Zhang, Z; Zhu, J; Chen, J; Dong, L; Zang, Y; Zhang, J. (2014). MicroRNA-101 suppresses liver fibrosis by targeting the TGF β signalling pathway. *J Pathol.* 234: 46-59. <http://dx.doi.org/10.1002/path.4373>.
- Tu, X; Zheng, X; Li, H; Cao, Z; Chang, H; Luan, S; Zhu, J; Chen, J; Zang, Y; Zhang, J. (2015). MicroRNA-30 Protects Against Carbon Tetrachloride-induced Liver Fibrosis by Attenuating Transforming Growth Factor Beta Signaling in Hepatic Stellate Cells. *Toxicol Sci.* 146: 157-169. <http://dx.doi.org/10.1093/toxsci/kfv081>.
- Tung, YT; Wu, JH; Huang, CC; Peng, HC; Chen, YL; Yang, SC; Chang, ST. (2009). Protective effect of Acacia confusa bark extract and its active compound gallic acid against carbon tetrachloride-induced chronic liver injury in rats. *Food Chem Toxicol.* 47: 1385-1392. <http://dx.doi.org/10.1016/j.fct.2009.03.021>.
- Tupe, P; Nagmoti, D; Sakat, S; Juvekar, A. (2010). Hepatoprotective effect of Averrhoa bilimbi Linn. methanol extract on carbon tetrachloride induced liver damage in albino rats. *Planta Med.* 76: 1192-1192.
- Türel, I; Ozbek, H; Erten, R; Oner, AC; Cengiz, N; Yilmaz, O. (2009). Hepatoprotective and anti-inflammatory activities of Plantago major L. *Indian J Pharmacol.* 41: 120-124. <http://dx.doi.org/10.4103/0253-7613.55211>.
- Türk, G; Çeribaşı, S; Sönmez, M; Çiftçi, M; Yüce, A; Güvenç, M; Kaya, ŞÖ; Çay, M; Aksakal, M. (2016). Ameliorating effect of pomegranate juice consumption on carbon tetrachloride-induced sperm damages, lipid peroxidation, and testicular apoptosis. *Toxicol Ind Health.* 32: 126-137. <http://dx.doi.org/10.1177/0748233713499600>.
- Twu, YC; Lee, TS; Lin, YL; Hsu, SM; Wang, YH; Liao, CY; Wang, CK; Liang, YC; Liao, YJ. (2016). Niemann-Pick Type C2 Protein Mediates Hepatic Stellate Cells Activation by Regulating Free Cholesterol Accumulation. *International Journal of Molecular Sciences.* 17. <http://dx.doi.org/10.3390/ijms17071122>.
- Tzeng, JI; Chen, MF; Chung, HH; Cheng, JT. (2013). Silymarin decreases connective tissue growth factor to improve liver fibrosis in rats treated with carbon tetrachloride. 27: 1023-1028. <http://dx.doi.org/10.1002/ptr.4829>.
- U.S. Coast Guard. (1999). Carbon tetrachloride. Chemical Hazards Response Information System (CHRIS) Hazardous Chemical Data. Washington, DC: Department of Transportation.
- U.S. EPA. (1998). Guidelines for neurotoxicity risk assessment. *Fed Reg.* 63: 26926-26954.
- U.S. EPA. (2001). Exploration of aging and toxic response issues [final report] [EPA Report]. (EPA/630/R-01/003). Springfield, VA.
- U.S. EPA. (2010). Lining Site Cleanup in New York City. United States Environmental Protection Agency; Brownfields and Land Revitalization Technology Support Center; New York City; Mayor's Office of Environmental Restoration
- Ubeda, M; Borrero, MJ; Lario, M; Munoz, L; Conde, E; Rodriguez, M; Lledo, L; Garcia-Bermejo, L; Alvarez-Mon, M; Albillos, A. (2014). THE FARNESOID X RECEPTOR AGONIST, OBETICHLIC ACID, IMPROVES INTESTINAL ANTIBACTERIAL DEFENSE AND REDUCES GUT BACTERIAL TRANSLOCATION AND HEPATIC FIBROGENESIS IN CCl4-CIRRHOTIC RATS WITH ASCITES. *J Hepatol.* 60: S63-S63.
- Uehleke, H; Hellmer, KH; Tabarelli, S. (1973). Binding of 14C-carbon tetrachloride to microsomal proteins in vitro and formation of CHCl3 by reduced liver microsomes. *Xenobiotica.* 3: 1-11. <http://dx.doi.org/10.3109/00498257309151495>.
- Uehleke, H; Werner, T; Greim, H; Kramer, M. (1977). Metabolic activation of haloalkanes and tests in vitro for mutagenicity. *Xenobiotica.* 7: 393-400.
- Uemitsu, N. (1986). Inhalation pharmacokinetics of carbon tetrachloride in rats based on arterial blood:inhaled air concentration ratios. *Toxicol Appl Pharmacol.* 83: 20-29.
- Umiker, W; Pearce, J. (1953). Nature and genesis of pulmonary alterations in carbon tetrachloride poisoning. *Arch Pathol Lab Med.* 55: 203-217.
- Urtasun, R; Lopategi, A; George, J; Leung, TM; Lu, Y; Wang, X; Ge, X; Fiel, MI; Nieto, N. (2012). Osteopontin, an oxidant stress sensitive cytokine, up-regulates collagen-I via integrin $\alpha(V)\beta(3)$ engagement and PI3K/pAkt/NF κ B signaling. *Hepatology.* 55: 594-608. <http://dx.doi.org/10.1002/hep.24701>.
- Ustuner, D; Kurt, H; Ustuner, MC; Ozden, H. (2009). NUCLEOPLASMIC BRIDGES IN CATECHIN AND CARBON TETRACHLORIDE IN RAT BONE MARROW. *IUBMB Life.* 61: 357-357.
- van Beuge, M; Prakash, J, ai; Lacombe, M; Post, E; Reker-Smit, C; Beljaars, L; Poelstra, K. (2009). CELL SPECIFIC DELIVERY OF THE RHO-KINASE INHIBITOR Y27632 ATTENUATES ACTIVATION OF HEPATIC STELLATE CELLS IN VITRO AND IN ACUTE CCl4-INDUCED LIVER INJURY. *Hepatology.* 50: 405A-405A.
- Van der Reis, L. (1975). *Frontiers of Gastrointestinal Research*: Karger.

Human Health Hazard Literature Search Results

On Topic

- Van Goethem, F; de Stoppelaar, J; Hoebee, B; Kirsch-Volders, M. (1995). Identification of clastogenic and/or aneugenic events during the preneoplastic stages of experimental rat hepatocarcinogenicity by fluorescence in situ hybridization. *Carcinogenesis*. 16: 1825-1834.
- Van Steenkiste, C; Ribera, J; Geerts, A; Pauta, M; Tugues, S; Casteleyn, C; Libbrecht, L; Olievier, K; Schroyen, B; Reynaert, H; van Grunsven, LA; Blomme, B; Coulon, S; Heindryckx, F; De Vos, M; Stassen, JM; Vinckier, S; Altamirano, J; Bataller, R; Carmeliet, P; Van Vlierberghe, H; Colle, I; Morales-Ruiz, M. (2011). Inhibition of placental growth factor activity reduces the severity of fibrosis, inflammation, and portal hypertension in cirrhotic mice. *Hepatology*. 53: 1629-1640. <http://dx.doi.org/10.1002/hep.24238>.
- Van't Erve, TJ; Lih, FB; Jelsema, C; Deterding, LJ; Eling, TE; Mason, RP; Kadiiska, MB. (2016). Reinterpreting the best biomarker of oxidative stress: The 8-iso-prostaglandin F₂α/prostaglandin F₂α ratio shows complex origins of lipid peroxidation biomarkers in animal models. *Free Radic Biol Med*. 95: 65-73. <http://dx.doi.org/10.1016/j.freeradbiomed.2016.03.001>.
- Varela-Moreiras, G; Alonso-Aperte, E; Rubio, M; Gasso, M; Deulofeu, R; Alvarez, L; Caballeria, J; Rodes, J; Mato, JM. (1995). Carbon tetrachloride-induced hepatic injury is associated with global DNA hypomethylation and homocysteinemia: effect of S-adenosylmethionine treatment. *Hepatology*. 22: 1310-1315.
- Varma, MM; Ampy, FR; Verma, K; Talbot, WW. (1988). In vitro mutagenicity of water contaminants in complex mixtures. *J Appl Toxicol*. 8: 243-248.
- Vasina, V; Giannone, F; Domenicali, M; Latorre, R; Berzigotti, A; Caraceni, P; Zoli, M; De Ponti, F; Bernardi, M. (2012). Portal hypertension and liver cirrhosis in rats: effect of the β₃-adrenoceptor agonist SR58611A. *Br J Pharmacol*. 167: 1137-1147. <http://dx.doi.org/10.1111/j.1476-5381.2012.02074.x>.
- Vassiliadis, E; Larsen, DV; Clausen, RE; Veidal, SS; Barascuk, N; Larsen, L; Simonsen, H; Silvestre, TS; Hansen, C; Overgaard, T; Leeming, DJ; Karsdal, MA. (2011). Measurement of CO3-610, a potential liver biomarker derived from matrix metalloproteinase-9 degradation of collagen type iii, in a rat model of reversible carbon-tetrachloride-induced fibrosis. *Biomarker Insights*. 6: 49-58. <http://dx.doi.org/10.4137/BMI.S6347>.
- Vassiliadis, E; Veidal, SS; Simonsen, H; Larsen, DV; Vainer, B; Chen, X; Zheng, Q; Karsdal, MA; Leeming, DJ. (2011). Immunological detection of the type V collagen propeptide fragment, PVCP-1230, in connective tissue remodeling associated with liver fibrosis. *Biomarkers*. 16: 426-433. <http://dx.doi.org/10.3109/1354750X.2011.584131>.
- Vatakuti, S; Schoonen, WG; Elferink, ML; Groothuis, GM; Olinga, P. (2015). Acute toxicity of CCl₄ but not of paracetamol induces a transcriptomic signature of fibrosis in precision-cut liver slices. *Toxicol In Vitro*. 29: 1012-1020. <http://dx.doi.org/10.1016/j.tiv.2015.03.015>.
- Veng-Pedersen, P; Paustenbach, DJ; Carlson, GP; Suarez, L. (1987). A Linear Systems Approach to Analyzing the Pharmacokinetics of Carbon Tetrachloride in the Rat Following Repeated Exposures of 8 and 11.5 h/day. *Arch Toxicol*. 60: 355-364.
- Verma, AR; Vijayakumar, M; Mathela, CS; Rao, CV. (2009). In vitro and in vivo antioxidant properties of different fractions of *Moringa oleifera* leaves. *Food Chem Toxicol*. 47: 2196-2201. <http://dx.doi.org/10.1016/j.fct.2009.06.005>.
- Vetvicka, V; Garcia-Mina, JM; Proctor, M; Yvin, JC. (2015). Humic acid and glucan: protection against liver injury induced by carbon tetrachloride. *J Med Food*. 18: 572-577. <http://dx.doi.org/10.1089/jmf.2014.0091>.
- Vetvicka, V; Garcia-Mina, JM; Yvin, JC. (2015). Prophylactic effects of humic acid-glucan combination against experimental liver injury. 4: 249-255. <http://dx.doi.org/10.5455/jice.20150519103113>.
- Victor, IE; Ugorji, UO; Adeyinka, A. (2014). Efficacy of *Hibiscus sabdariffa* and *Telfairia occidentalis* in the attenuation of CCl₄-mediated oxidative stress. *Asian Pacific Journal of Tropical Medicine*. 7S1: S321-S326. [http://dx.doi.org/10.1016/S1995-7645\(14\)60253-4](http://dx.doi.org/10.1016/S1995-7645(14)60253-4).
- Vijg, J; Mullaart, E; van der Schans, GP; Lohman, PH; Knook, DL. (1984). Kinetics of ultraviolet induced DNA excision repair in rat and human fibroblasts. *Mutat Res*. 132: 129-138.
- Villarruel, M; de Toranzo, EGD; Castro, JA. (1977). Carbon tetrachloride activation, lipid peroxidation and the mixed function oxygenase activity of various rat tissues. *Toxicol Appl Pharmacol*. 41: 337-344.
- Vizcaya, D; Christensen, KY; Lavoue, J; Siemiatycki, J. (2013). Risk of lung cancer associated with six types of chlorinated solvents: results from two case-control studies in Montreal, Canada. *Occup Environ Med*. 70: 81-85. <http://dx.doi.org/10.1136/oemed-2012-101155>.
- Vladimir-Knežević, S; Cvijanović, O; Blažeković, B; Kindl, M; Štefan, MB; Domitrović, R. (2015). Hepatoprotective effects of *Micromeria croatica* ethanolic extract against CCl₄-induced liver injury in mice. *BMC Complement Altern Med*. 15: 233. <http://dx.doi.org/10.1186/s12906-015-0763-8>.
- von Montfort, C; Beier, JI; Kaiser, JP; Guo, L; Joshi-Barve, S; Pritchard, MT; States, JC; Arteel, GE. (2010). PAI-1 plays a protective role in CCl₄-induced hepatic fibrosis in mice: role of hepatocyte division. *Am J Physiol Gastrointest Liver Physiol*. 298: G657-G666. <http://dx.doi.org/10.1152/ajpgi.00107.2009>.
- von Oettingen, WF. (1964). The halogenated hydrocarbons of industrial and toxicological importance. In E Elsevier In: Browning; ed (Eds.). New York, New York: Elsevier Publishing Co.
- Vulimiri, SV; Berger, A; Sonawane, B. (2011). The potential of metabolomic approaches for investigating mode(s) of action of xenobiotics: case study with carbon tetrachloride. *Mutat Res*. 722: 147-153. <http://dx.doi.org/10.1016/j.mrgentox.2010.02.013>.
- Vyshtakaliuk, AB; Nazarov, NG; Porfiriev, AG; Zueva, IV; Minnechanova, OA; Mayatina, OV; Reznik, VS; Zobov, VV; Nicolskiy, EE. (2015). The influence of the Xymedon preparation (Hydroxyethyl dimethyl dihydropyrimidine) on the rat liver recovery under toxic damage induced by carbon tetrachloride. *Dokl Biochem Biophys*. 462: 143-146. <http://dx.doi.org/10.1134/S1607672915030011>.
- Vyshtakalyuk, AB; Nazarov, NG; Zueva, IV; Lantsova, AV; Minnekhanova, OA; Busygin, DV; Porfiryev, AG; Evtyugin, VG; Reznik, VS; Zobov, VV. (2013). Study of hepatoprotective effects of xymedon. *Bull Exp Biol Med*. 155: 643-646.
- Wacker, M; Wanek, P; Eder, E. (2001). Detection of 1, N2-propanodeoxyguanosine adducts of trans-4-hydroxy-2-nonenal after gavage of trans-4-hydroxy-2-nonenal or induction of lipid peroxidation with carbon tetrachloride in F344 rats. *Chem Biol Interact*. 137: 269-283.

Human Health Hazard Literature Search Results

On Topic

- Wahid, A; Hamed, AN; Eltahir, HM; Abouzied, MM. (2016). Hepatoprotective activity of ethanolic extract of *Salix subserrata* against CCl₄-induced chronic hepatotoxicity in rats. *BMC Complement Altern Med.* 16: 263. <http://dx.doi.org/10.1186/s12906-016-1238-2>.
- Wahlang, B; Beier, JI; Clair, HB; Bellis-Jones, HJ; Falkner, K; McClain, CJ; Cave, MC. (2013). Toxicant-associated Steatohepatitis [Review]. *Toxicol Pathol.* 41: 343-360. <http://dx.doi.org/10.1177/0192623312468517>.
- Wang, BL; Hu, JP; Sheng, L; Chen, H; Li, Y. (2013). Chemical-pharmacokinetic-pharmacodynamic fingerprints of *Schisandra chinensis* alcoholic extract. *Yao Xue Xue Bao.* 48: 734-740.
- Wang, C; Zhang, F; Wang, L; Zhang, Y; Li, X; Huang, K; Du, M; Liu, F; Huang, S; Guan, Y; Huang, D; Huang, K. (2013). Poly(ADP-ribose) polymerase 1 promotes oxidative-stress-induced liver cell death via suppressing farnesoid X receptor α . *Mol Cell Biol.* 33: 4492-4503. <http://dx.doi.org/10.1128/MCB.00160-13>.
- Wang, CY; Liu, Q; Huang, QX; Liu, JT; He, YH; Lu, JJ; Bai, XY. (2013). Activation of PPAR γ is required for hydroxysafflor yellow A of *Carthamus tinctorius* to attenuate hepatic fibrosis induced by oxidative stress. *Phytomedicine.* 20: 592-599. <http://dx.doi.org/10.1016/j.phymed.2013.02.001>.
- Wang, CY; Xu, F; Wang, MY; Xuan, ZH; Hu, SY; Zhou, Y; Lu, J. (2013). [Study on intervention effect of Danggui Shaoyao San on rats with cirrhotic ascites]. *Zhongguo Zhong Yao Za Zhi.* 38: 871-874.
- Wang, D; Zhao, Y; Sun, Y; Yang, X. (2014). Protective effects of Ziyang tea polysaccharides on CCl₄-induced oxidative liver damage in mice. *Food Chem.* 143: 371-378. <http://dx.doi.org/10.1016/j.foodchem.2013.08.005>.
- Wang, DH; Wang, YN; Ge, JY; Liu, HY; Zhang, HJ; Qi, Y; Liu, ZH; Cui, XL. (2013). Role of activin A in carbon tetrachloride-induced acute liver injury. *World J Gastroenterol.* 19: 3802-3809. <http://dx.doi.org/10.3748/wjg.v19.i24.3802>.
- Wang, F; Liu, S; Du, T; Chen, H; Li, Z; Yan, J. (2014). NF- κ B inhibition alleviates carbon tetrachloride-induced liver fibrosis via suppression of activated hepatic stellate cells. *Exp Ther Med.* 8: 95-99. <http://dx.doi.org/10.3892/etm.2014.1682>.
- Wang, G; Li, Z; Li, H; Li, L; Li, J; Yu, C. (2016). Metabolic Profile Changes of CCl₄-Liver Fibrosis and Inhibitory Effects of Jiaqi Ganxian Granule. *Molecules.* 21. <http://dx.doi.org/10.3390/molecules21060698>.
- Wang, H; Lafdil, F; Wang, L; Park, O; Yin, S; Niu, J; Miller, AM; Sun, Z; Gao, B. (2011). Hepatoprotective versus oncogenic functions of STAT3 in liver tumorigenesis. *Am J Pathol.* 179: 714-724. <http://dx.doi.org/10.1016/j.ajpath.2011.05.005>.
- Wang, H; Lafdil, F; Wang, L; Yin, S; Feng, D; Gao, B. (2011). Tissue inhibitor of metalloproteinase 1 (TIMP-1) deficiency exacerbates carbon tetrachloride-induced liver injury and fibrosis in mice: involvement of hepatocyte STAT3 in TIMP-1 production. 1: 14. <http://dx.doi.org/10.1186/2045-3701-1-14>.
- Wang, H; Sit, WH; Tipoe, GL; Liu, Z; Wan, JM. (2015). Comparative proteomic analysis of fibrotic liver of rats fed high fat diet contained lard versus corn oil. *Clin Nutr.* <http://dx.doi.org/10.1016/j.clnu.2015.10.015>.
- Wang, H; Sit, WH; Tipoe, GL; Wan, JM. (2014). Differential protective effects of extra virgin olive oil and corn oil in liver injury: a proteomic study. *Food Chem Toxicol.* 74: 131-138. <http://dx.doi.org/10.1016/j.fct.2014.09.002>.
- Wang, H; Zhao, T; Xu, F; Li, Y; Wu, M; Zhu, D; Cong, X; Liu, Y. (2014). How important is differentiation in the therapeutic effect of mesenchymal stromal cells in liver disease? *Cytotherapy.* 16: 309-318. <http://dx.doi.org/10.1016/j.jcyt.2013.07.011>.
- Wang, J; Chu, ES; Chen, HY; Man, K; Go, MY; Huang, XR; Lan, HY; Sung, JJ; Yu, J. (2015). microRNA-29b prevents liver fibrosis by attenuating hepatic stellate cell activation and inducing apoptosis through targeting PI3K/AKT pathway. *Onco.* 6: 7325-7338. <http://dx.doi.org/10.18632/oncotarget.2621>.
- Wang, J; Tang, L; White, J; Fang, J. (2014). Inhibitory effect of gallic acid on CCl₄-mediated liver fibrosis in mice. *Cell Biochem Biophys.* 69: 21-26. <http://dx.doi.org/10.1007/s12013-013-9761-y>.
- Wang, JH; Choi, MK; Shin, JW; Hwang, SY; Son, CG. (2012). Antifibrotic effects of *Artemisia capillaris* and *Artemisia iwayomogi* in a carbon tetrachloride-induced chronic hepatic fibrosis animal model. *J Ethnopharmacol.* 140: 179-185. <http://dx.doi.org/10.1016/j.jep.2012.01.007>.
- Wang, JQ; Chen, X; Zhang, C; Tao, L; Zhang, ZH; Liu, XQ; Xu, YB; Wang, H; Li, J; Xu, DX. (2013). Phenylbutyric acid protects against carbon tetrachloride-induced hepatic fibrogenesis in mice. *Toxicol Appl Pharmacol.* 266: 307-316. <http://dx.doi.org/10.1016/j.taap.2012.11.007>.
- Wang, L; Hartmann, P; Haimerl, M; Bathena, SP; Sjöwall, C; Almer, S; Alnouti, Y; Hofmann, AF; Schnabl, B. (2014). Nod2 deficiency protects mice from cholestatic liver disease by increasing renal excretion of bile acids. *J Hepatol.* 60: 1259-1267. <http://dx.doi.org/10.1016/j.jhep.2014.02.012>.
- Wang, L; Wang, X; Chen, J; Yang, Z; Yu, L; Hu, L; Shen, X. (2010). Activation of protein serine/threonine phosphatase PP2C α efficiently prevents liver fibrosis. *PLoS ONE.* 5: e14230. <http://dx.doi.org/10.1371/journal.pone.0014230>.
- Wang, LP; Dong, JZ; Xiong, LJ; Shi, KQ; Zou, ZL; Zhang, SN; Cao, ST; Lin, Z; Chen, YP. (2014). BMP-7 attenuates liver fibrosis via regulation of epidermal growth factor receptor. *Int J Clin Exp Pathol.* 7: 3537-3547.
- Wang, M; Ma, HL; Liu, B; Wang, HB; Xie, H; Li, RD; Wang, JF. (2010). *Pinus massoniana* bark extract protects against oxidative damage in L-02 hepatic cells and mice. *Am J Chin Med.* 38: 909-919. <http://dx.doi.org/10.1142/S0192415X10008342>.
- Wang, MJ; Ling, WW; Wang, H; Meng, LW; Cai, H; Peng, B. (2016). Non-invasive evaluation of liver stiffness after splenectomy in rabbits with CCl₄-induced liver fibrosis. *World J Gastroenterol.* 22: 10166-10179. <http://dx.doi.org/10.3748/wjg.v22.i46.10166>.
- Wang, MY; Liehr, JG. (1995). Lipid hydroperoxide-induced endogenous DNA adducts in hamsters: possible mechanism of lipid hydroperoxide-mediated carcinogenesis. *Arch Biochem Biophys.* 316: 38-46. <http://dx.doi.org/10.1006/abbi.1995.1007>.
- Wang, P; Deng, L; Zhuang, C; Cheng, C; Xu, K. (2016). p-CREB-1 promotes hepatic fibrosis through the transactivation of transforming growth factor- β 1 expression in rats. *Int J Mol Med.* 38: 521-528. <http://dx.doi.org/10.3892/ijmm.2016.2630>.

Human Health Hazard Literature Search Results

On Topic

- Wang, P; Zhang, Y; An, Y; Xu, K; Xu, X; Fu, C; Lin, J; Xu, S; Li, Q; Lei, H. (2013). Protection of a new heptapeptide from *Carapax trionycis* against carbon tetrachloride-induced acute liver injury in mice. *Chem Pharm Bull (Tokyo)*. 61: 1130-1135.
- Wang, PY; Kaneko, T; Tsukada, H; Nakano, M; Nakajima, T; Sato, A. (1997). Time courses of hepatic injuries induced by chloroform and by carbon tetrachloride: Comparison of biochemical and histopathological changes. *Arch Toxicol*. 71: 638-645.
- Wang, Q; Song, Y; He, Y; Ren, D; Kow, F; Qiao, Z; Liu, S; Yu, X. (2014). Structural characterisation of algae *Costaria costata* fucoidan and its effects on CCl₄-induced liver injury. *Carbohydr Polymer*. 107: 247-254. <http://dx.doi.org/10.1016/j.carbpol.2014.02.071>.
- Wang, Q; Wen, R; Lin, Q; Wang, N; Lu, P; Zhu, X. (2015). Wogonoside Shows Antifibrotic Effects in an Experimental Regression Model of Hepatic Fibrosis. *Dig Dis Sci*. 60: 3329-3339. <http://dx.doi.org/10.1007/s10620-015-3751-4>.
- Wang, R; Ding, Q; Yaqoob, U; de Assuncao, TM; Verma, VK; Hirsova, P; Cao, S; Mukhopadhyay, D; Huebert, RC; Shah, VH. (2015). Exosome Adherence and Internalization by Hepatic Stellate Cells Triggers Sphingosine 1-Phosphate-dependent Migration. *J Biol Chem*. 290: 30684-30696. <http://dx.doi.org/10.1074/jbc.M115.671735>.
- Wang, R; Feng, X; Zhu, K; Zhao, X; Suo, H. (2016). Preventive activity of banana peel polyphenols on CCl₄-induced experimental hepatic injury in Kunming mice. *Exp Ther Med*. 11: 1947-1954. <http://dx.doi.org/10.3892/etm.2016.3155>.
- Wang, R; Yu, XY; Guo, ZY; Wang, YJ; Wu, Y; Yuan, YF. (2012). Inhibitory effects of salvianolic acid B on CCl₄-induced hepatic fibrosis through regulating NF- κ B/I κ B α signaling. *J Ethnopharmacol*. 144: 592-598. <http://dx.doi.org/10.1016/j.jep.2012.09.048>.
- Wang, R; Zhang, Y; Lan, Q; Holford, TR; Leaderer, B; Zahm, SH; Boyle, P; Dosemeci, M; Rothman, N; Zhu, Y; Qin, Q; Zheng, T. (2009). Occupational exposure to solvents and risk of non-Hodgkin lymphoma in Connecticut women. *Am J Epidemiol*. 169: 176-185. <http://dx.doi.org/10.1093/aje/kwn300>.
- Wang, S; Kim, J; Hyun, J; Jung, Y. (2014). TSG-6 is involved in repair response in carbon tetrachloride-induced acute liver injury in mice. *Hepatology*. 60: 1188A-1188A.
- Wang, S; Shi, XL; Feng, M; Wang, X; Zhang, ZH; Zhao, X; Han, B; Ma, HC; Dai, B; Ding, YT. (2016). Puerarin protects against CCl₄-induced liver fibrosis in mice: possible role of PARP-1 inhibition. *Int Immunopharmacol*. 38: 238-245. <http://dx.doi.org/10.1016/j.intimp.2016.06.008>.
- Wang, SH; Kao, MY; Wu, SC; Lo, DY; Wu, JY; Chang, JC; Chiou, RY. (2011). Oral administration of *Trapa taiwanensis* Nakai fruit skin extracts conferring hepatoprotection from CCl₄-caused injury. *J Agric Food Chem*. 59: 3686-3692. <http://dx.doi.org/10.1021/jf1048386>.
- Wang, T; Zhao, LJ; Li, P; Jiang, H; Lu, GC; Zhang, WD; Li, HL; Yuan, BJ. (2011). Hepatoprotective effects and mechanisms of dehydrocavidine in rats with carbon tetrachloride-induced hepatic fibrosis. *J Ethnopharmacol*. 138: 76-84. <http://dx.doi.org/10.1016/j.jep.2011.08.039>.
- Wang, X; Cao, Y; Fu, Y; Guo, G; Zhang, X. (2011). Liver fatty acid composition in mice with or without nonalcoholic fatty liver disease. *Lipids Health Dis*. 10: 234. <http://dx.doi.org/10.1186/1476-511X-10-234>.
- Wang, X; Lin, J; Chen, T; Zhou, M; Su, M; Jia, W, ei. (2011). Metabolic profiling reveals the protective effect of diammonium glycyrrhizinate on acute hepatic injury induced by carbon tetrachloride. *Metabolomics*. 7: 226-236. <http://dx.doi.org/10.1007/s11306-010-0244-5>.
- Wang, X; Zhang, A; Sun, H; Wu, G; Sun, W; Yan, G. (2012). Network generation enhances interpretation of proteomics data sets by a combination of two-dimensional polyacrylamide gel electrophoresis and matrix-assisted laser desorption/ionization-time of flight mass spectrometry. *Analyst*. 137: 4703-4711. <http://dx.doi.org/10.1039/c2an35891c>.
- Wang, XM; Holz, LE; Chowdhury, S; Cordoba, SP; Evans, KA; Gall, MG; Vieira de Ribeiro, AJ; Zheng, YZ; Levy, MT; Yu, DM; Yao, TW; Polak, N; Jolly, CJ; Bertolino, P; Mccaughan, GW; Gorrell, MD. (2016). The pro-fibrotic role of dipeptidyl peptidase 4 in carbon tetrachloride-induced experimental liver injury. *Immunol Cell Biol*. <http://dx.doi.org/10.1038/icb.2016.116>.
- Wang, XW; Li, WD; Xia, JR; Li, Z; Cai, XG. (2015). Small interfering RNA targeting receptor for advanced glycation end products suppresses the generation of proinflammatory cytokines. *Exp Ther Med*. 10: 584-590. <http://dx.doi.org/10.3892/etm.2015.2569>.
- Wang, Y; Cheng, M; Zhang, B; Nie, F; Jiang, H. (2013). Dietary supplementation of blueberry juice enhances hepatic expression of metallothionein and attenuates liver fibrosis in rats. *PLoS ONE*. 8: e58659. <http://dx.doi.org/10.1371/journal.pone.0058659>.
- Wang, Y, u; Tang, C; Zhang, H, ao. (2015). Hepatoprotective effects of kaempferol 3-O-rutinoside and kaempferol 3-O-glucoside from *Carthamus tinctorius* L. on CCl₄-induced oxidative liver injury in mice. *J Food Drug Anal*. 23: 310-317. <http://dx.doi.org/10.1016/j.jfda.2014.10.002>.
- Wang, Y; Wang, L; Liu, Z; Zhang, D; Zhang, Q. (2012). In vivo evaluation of silybin nanosuspensions targeting liver. *Journal of Biomedical Nanotechnology*. 8: 760-769.
- Wang, Y; Wang, R; Wang, Y; Peng, R; Wu, Y; Yuan, Y. (2015). Ginkgo biloba extract mitigates liver fibrosis and apoptosis by regulating p38 MAPK, NF- κ B/I κ B α , and Bcl-2/Bax signaling. *Drug Design, Development and Therapy*. 9: 6303-6317. <http://dx.doi.org/10.2147/DDDT.S93732>.
- Wang, Y; Wong, GT; Man, K; Irwin, MG. (2012). Pretreatment with intrathecal or intravenous morphine attenuates hepatic ischaemia-reperfusion injury in normal and cirrhotic rat liver. *Br J Anaesth*. 109: 529-539. <http://dx.doi.org/10.1093/bja/aes209>.
- Wang, Y; Zhang, X; Yang, Y; Yang, X; Ye, B. (2015). Study on the Antifibrotic Effects of Recombinant Shark Hepatical Stimulator Analogue (r-SHSA) in Vitro and in Vivo. *Mar Drugs*. 13: 5201-5218. <http://dx.doi.org/10.3390/md13085201>.
- Wang, YL; Lv, HY; Zhang, Q. (2015). Effect of flavonoid compounds extracted from *Iris* species in prevention of carbon tetrachloride-induced liver fibrosis in rats. *Genet Mol Res*. 14: 10973-10979. <http://dx.doi.org/10.4238/2015.September.21.9>.
- Wang, YP; Cheng, ML; Zhang, BF; Mu, M; Wu, J. (2010). Effects of blueberry on hepatic fibrosis and transcription factor Nrf2 in rats. *World J Gastroenterol*. 16: 2657-2663.
- Wang, YP; Cheng, ML; Zhang, BF; Wu, J. (2010). [Effects of blueberry on the expression patterns of heme oxygenase-1 in rats with hepatic fibrosis]. *Zhonghua Gan Zang Bing Zhi*. 18: 656-660.
- Wang, YP; Cheng, ML; Zhang, BF; Wu, J. (2013). [Effects of blueberry on the expression of PPAR γ and PDGF-B in rat hepatic fibrosis]. *Chung Hua Hsueh Tsa Chih*. 93: 218-221.

Human Health Hazard Literature Search Results

On Topic

- Wang, Z; Li, Q; Xiang, M; Zhang, F; Wei, D; Wen, Z; Zhou, Y. (2017). Astragaloside Alleviates Hepatic Fibrosis Function via PAR2 Signaling Pathway in Diabetic Rats. *Cell Physiol Biochem*. 41: 1156-1166. <http://dx.doi.org/10.1159/000464122>.
- Wang, Z; Liu, F; Tu, W; Chang, Y; Yao, J; Wu, W; Jiang, X; He, X; Lin, J; Song, Y. (2012). Embryonic liver fodrin involved in hepatic stellate cell activation and formation of regenerative nodule in liver cirrhosis. *J Cell Mol Med*. 16: 118-128. <http://dx.doi.org/10.1111/j.1582-4934.2011.01290.x>.
- Wang, Z; Xu, JP; Zheng, YC; Chen, W; Sun, YW; Wu, ZY; Luo, M. (2011). Peroxisome proliferator-activated receptor gamma inhibits hepatic fibrosis in rats. *Hepatobiliary Pancreat Dis Int*. 10: 64-71.
- Wang, Z; Zhang, Z; Du, N; Wang, K; Li, L. (2015). Hepatoprotective Effects of Grape Seed Procyanidin B2 in Rats With Carbon Tetrachloride-induced Hepatic Fibrosis. *Altern Ther Health Med*. 21 Suppl 2: 12-21.
- Wang, ZC; Yang, S; Huang, JJ; Chen, SL; Li, QQ; Li, Y. (2014). Effect of Rougan Huaqian granules combined with human mesenchymal stem cell transplantation on liver fibrosis in cirrhosis rats. *Asian Pacific Journal of Tropical Medicine*. 7: 576-581. [http://dx.doi.org/10.1016/S1995-7645\(14\)60097-3](http://dx.doi.org/10.1016/S1995-7645(14)60097-3).
- Watanabe, A; Sohail, MA; Gomes, DA; Hashmi, A; Nagata, J; Sutterwala, FS; Mahmood, S; Jhandier, MN; Shi, Y; Flavell, RA; Mehal, WZ. (2009). Inflammasome-mediated regulation of hepatic stellate cells. *Am J Physiol Gastrointest Liver Physiol*. 296: G1248-G1257. <http://dx.doi.org/10.1152/ajpgi.90223.2008>.
- Watanabe, K; Satamoto, K; Sasaki, T. (1998). Comparisons on chemically-induced mutation among four bacterial strains, Salmonella typhimurium TA102 and TA2638, and Escherichia coli WP2/pKM101 and WP2 uvrA/pKM101: Collaborative study II. *Mutat Res*. 412: 17-31. [http://dx.doi.org/10.1016/S1383-5718\(97\)00155-1](http://dx.doi.org/10.1016/S1383-5718(97)00155-1).
- Watkins, JB; Sanders, RA; Beck, LV. (1988). The effect of long-term streptozotocin-induced diabetes on the hepatotoxicity of bromobenzene and carbon tetrachloride and hepatic biotransformation in rats. *Toxicol Appl Pharmacol*. 93: 329-338.
- Weber, LW; Boll, M; Stampfl, A. (2003). Hepatotoxicity and mechanism of action of haloalkanes: carbon tetrachloride as a toxicological model [Review]. *Crit Rev Toxicol*. 33: 105-136. <http://dx.doi.org/10.1080/713611034>.
- Weddle, CE; Hornbrook, KR; Mccay, PB. (1976). Lipid peroxidation and alteration of membrane lipids in isolated hepatocytes exposed to carbon tetrachloride. *J Biol Chem*. 251: 4973-4978.
- Weerachayaphorn, J; Chuncharunee, A; Jariyawat, S; Lewchalermwong, B; Amonpatumrat, S; Suksamrarn, A; Piyachaturawat, P. (2010). Protection of centrilobular necrosis by Curcuma comosa Roxb. in carbon tetrachloride-induced mice liver injury. *J Ethnopharmacol*. 129: 254-260. <http://dx.doi.org/10.1016/j.jep.2010.03.026>.
- Wehr, A; Baeck, C; Ulmer, F; Gassler, N; Hittatiya, K; Luedde, T; Neumann, UP; Trautwein, C; Tacke, F. (2014). Pharmacological inhibition of the chemokine CXCL16 diminishes liver macrophage infiltration and steatohepatitis in chronic hepatic injury. *PLoS ONE*. 9: e112327. <http://dx.doi.org/10.1371/journal.pone.0112327>.
- Wei, H; Wei, H; Wang, H; Tian, Z; Sun, R. (2010). Activation of natural killer cells inhibits liver regeneration in toxin-induced liver injury model in mice via a tumor necrosis factor-alpha-dependent mechanism. *Am J Physiol Gastrointest Liver Physiol*. 299: G275-G282. <http://dx.doi.org/10.1152/ajpgi.00026.2010>.
- Wei, J, in F; Li, YY; Yin, Z; Hua, G; Gong, F; Shang, F, ude. (2012). Hepatoprotective effect of Lysimachia paridiformis Franch. var. stenophylla Franch. on CCl4-induced acute liver injury in mice. 6: 956-960. <http://dx.doi.org/10.5897/AJPP12.036>.
- Wei, JF; Li, YY; Yin, ZH; Gong, F; Shang, FD. (2012). Antioxidant activities in vitro and hepatoprotective effects of Lysimachia clethroides Duby on CCl4-induced acute liver injury in mice. 6: 743-750. <http://dx.doi.org/10.5897/AJPP12.003>.
- Wei, XL; Fang, RT; Yang, YH; Bi, XY; Ren, GX; Luo, AL; Zhao, M; Zang, WJ. (2015). Protective effects of extracts from Pomegranate peels and seeds on liver fibrosis induced by carbon tetrachloride in rats. *BMC Complement Altern Med*. 15: 389. <http://dx.doi.org/10.1186/s12906-015-0916-9>.
- Wei, Y; Huang, M; Liu, X; Yuan, Z; Peng, Y; Huang, Z; Duan, X; Zhao, T. (2015). Anti-fibrotic effect of plumbagin on CCl4-lesioned rats. *Cell Physiol Biochem*. 35: 1599-1608. <http://dx.doi.org/10.1159/000373974>.
- Wei, Y; Kang, XL; Wang, X. (2014). The peripheral cannabinoid receptor 1 antagonist VD60 efficiently inhibits carbon tetrachloride-intoxicated hepatic fibrosis progression. *Exp Biol Med*. 239: 183-192. <http://dx.doi.org/10.1177/1535370213514922>.
- Weisburger, EK. (1977). Carcinogenicity studies on halogenated hydrocarbons. *Environ Health Perspect*. 21: 7-16.
- Wen, B; Liang, J; Deng, X; Chen, R; Peng, P. (2015). Effect of fluid shear stress on portal vein remodeling in a rat model of portal hypertension. *Gastroenterology Research and Practice*. 2015: 545018. <http://dx.doi.org/10.1155/2015/545018>.
- Wen, JB; Zhu, FQ; Chen, WG; Jiang, LP; Chen, J; Hu, ZP; Huang, YJ; Zhou, ZW; Wang, GL; Lin, H; Zhou, SF. (2014). Oxymatrine improves intestinal epithelial barrier function involving NF-κB-mediated signaling pathway in CCl4-induced cirrhotic rats. *PLoS ONE*. 9: e106082. <http://dx.doi.org/10.1371/journal.pone.0106082>.
- Weng, SY, en; Wang, X; Kim, YO, ok; Kaps, L; Tang, Y; Molokanova, O; Crosby, JR; Mccaleb, ML; Frank, B; Bopp, T; Schild, HJ; Waisman, A, ri; Schuppan, D. (2015). IL-13R alpha 1 signaling and M2 macrophages but not Th2 T cells drive progression of CCL4-induce fibrosis. *Hepatology*. 62: 874A-874A.
- Wenping, X; Sheng, Z; Min, L; Zhiwen, F; Bisheng, Z. (2016). Aggf1 attenuates hepatic inflammation and activation of hepatic stellate cells by repressing Ccl2 transcription. <http://dx.doi.org/10.7555/JBR.31.20160046>.
- Wiest, R; Lawson, M; Geuking, M. (2014). Pathological bacterial translocation in liver cirrhosis [Review]. *J Hepatol*. 60: 197-209. <http://dx.doi.org/10.1016/j.jhep.2013.07.044>.
- Wilhelm, A; Aldridge, V; Haldar, D; Naylor, AJ; Weston, CJ; Hedegaard, D; Garg, A; Fear, J; Reynolds, GM; Croft, AP; Henderson, NC; Buckley, CD; Newsome, PN. (2016). CD248/Endosialin critically regulates hepatic stellate cell proliferation during chronic liver injury via a PDGF-regulated mechanism. *Gut*. 65: 1175-1185. <http://dx.doi.org/10.1136/gutjnl-2014-308325>.

Human Health Hazard Literature Search Results

On Topic

- Wilhelm, A; Shepherd, EL; Amatucci, A; Munir, M; Reynolds, G; Humphreys, E; Resheq, Y; Adams, DH; Hübscher, S; Burkly, LC; Weston, CJ; Afford, SC. (2016). Interaction of TWEAK with Fn14 leads to the progression of fibrotic liver disease by directly modulating hepatic stellate cell proliferation. *J Pathol.* 239: 109-121. <http://dx.doi.org/10.1002/path.4707>.
- Wilhelm, EA; Jesse, CR; Prigol, M; Alves, D; Schumacher, RF; Nogueira, CW. (2010). 3-Alkynyl selenophene protects against carbon-tetrachloride-induced and 2-nitropropane-induced hepatic damage in rats. *Cell Biol Toxicol.* 26: 569-577. <http://dx.doi.org/10.1007/s10565-010-9164-4>.
- Willemin, G; Roger, C; Bauduret, A; Minehira, K. (2013). Major Histocompatibility Class II Pathway Is Not Required for the Development of Nonalcoholic Fatty Liver Disease in Mice. *International Journal of Endocrinology.* 2013: 972962. <http://dx.doi.org/10.1155/2013/972962>.
- Wills, PJ; Asha, VV. (2012). Lygodium flexuosum extract down regulates the expression of proinflammatory cytokines in CCl4-induced hepatotoxicity. *Asian Pacific Journal of Tropical Medicine.* 5: 421-426. [http://dx.doi.org/10.1016/S1995-7645\(12\)60072-8](http://dx.doi.org/10.1016/S1995-7645(12)60072-8).
- Wilson, CL; Murphy, LB; Leslie, J; Kendrick, S; French, J; Fox, CR; Sheerin, NS; Fisher, A; Robinson, JH; Tiniakos, DG; Gray, DA; Oakley, F; Mann, DA. (2015). Ubiquitin C-terminal hydrolase 1: A novel functional marker for liver myofibroblasts and a therapeutic target in chronic liver disease. *J Hepatol.* 63: 1421-1428. <http://dx.doi.org/10.1016/j.jhep.2015.07.034>.
- Witek, RP; Pereira, TA; Syn, WK, in; Jung, Y; Agboolo, KM; Choi, SS; Diehl, AM, ae. (2009). TRANSIENT HEDGEHOG PATHWAY ACTIVATION AND ACCUMULATION OF HEDGEHOG-RESPONSIVE MYOFIBROBLASTS PRECEDE EXPANSION OF LIVER EPITHELIAL PROGENITORS AFTER ACUTE CARBON TETRACHLORIDE INJURY. *Hepatology.* 50: 822A-822A.
- Wohlenberg, M; Almeida, D; Bokowski, L; Medeiros, N; Agostini, F; Funchal, C; Dani, C. (2014). Antioxidant Activity of Grapevine Leaf Extracts against Oxidative Stress Induced by Carbon Tetrachloride in Cerebral Cortex, Hippocampus and Cerebellum of Rats. 3: 200-211. <http://dx.doi.org/10.3390/antiox3020200>.
- Wojcik, M; Ramadori, P; Blaschke, M; Sultan, S; Khan, S; Malik, IA; Naz, N; Martius, G; Ramadori, G; Schultze, FC. (2012). Immunodetection of cyclooxygenase-2 (COX-2) is restricted to tissue macrophages in normal rat liver and to recruited mononuclear phagocytes in liver injury and cholangiocarcinoma. *Histochem Cell Biol.* 137: 217-233. <http://dx.doi.org/10.1007/s00418-011-0889-9>.
- Wolenski, FS; Shah, P; Sano, T; Shinozawa, T; Bernard, H; Gallacher, MJ; Wyllie, SD; Varrone, G; Cicia, LA; Carsillo, ME; Fisher, CD; Ottinger, SE; Koenig, E; Kirby, PJ. (2017). Identification of microRNA biomarker candidates in urine and plasma from rats with kidney or liver damage. *J Appl Toxicol.* 37: 278-286. <http://dx.doi.org/10.1002/jat.3358>.
- Won, AJ; Kim, S; Kim, YG; Kim, KB; Choi, WS; Kacew, S; Kim, KS; Jung, JH; Lee, BM; Kim, S; Kim, HS. (2016). Discovery of urinary metabolomic biomarkers for early detection of acute kidney injury. *Mol Biosyst.* 12: 133-144. <http://dx.doi.org/10.1039/c5mb00492f>.
- Wong, FW; Chan, W; Lee, SS. (1998). Resistance to carbon tetrachloride-induced hepatotoxicity in mice which lack CYP2E1 expression. *Toxicol Appl Pharmacol.* 153: 109-118. <http://dx.doi.org/10.1006/taap.1998.8547>.
- Wong, HS; Chen, JH; Leong, PK; Leung, HY; Chan, WM; Ko, KM. (2014). β -sitosterol protects against carbon tetrachloride hepatotoxicity but not gentamicin nephrotoxicity in rats via the induction of mitochondrial glutathione redox cycling. *Molecules.* 19: 17649-17662. <http://dx.doi.org/10.3390/molecules191117649>.
- Wong, LL; Fan, ST; Man, K; Sit, WH; Jiang, PP; Jor, IW; Lee, CY; Ling, WL; Tam, KT; Wan, JM. (2011). Identification of liver proteins and their roles associated with carbon tetrachloride-induced hepatotoxicity. *Hum Exp Toxicol.* 30: 1369-1381. <http://dx.doi.org/10.1177/0960327110391388>.
- Woo, S, oY; Park, M; Lee, H, yeJin; Kim, J, iYon; Ryu, KH, a. (2013). Tonsil-derived stromal cells reduces CCl4-induced liver fibrosis in mice via autophagy activation. *J Immunol.* 190.
- Wree, A; Johnson, CD; Font-Burgada, J; Eguchi, A; Povero, D; Karin, M; Feldstein, AE. (2015). Hepatocyte-specific Bid depletion reduces tumor development by suppressing inflammation-related compensatory proliferation. *Cell Death Differ.* 22: 1985-1994. <http://dx.doi.org/10.1038/cdd.2015.46>.
- Wu, BR; Zheng, YL; Sang, XL; Jin, M; Wang, WZ; Zhang, QS; Zhao, SX; Kong, L. (2013). [Role of the IGF-1/PI3K pathway and the molecular mechanism of Fuzhenghuayu therapy in a spontaneous recovery rat model of liver fibrosis]. *Zhonghua Gan Zang Bing Za Zhi.* 21: 674-678.
- Wu, CY, i; Weng, Y, inM; Liu, C, huT; Chuang, P, eiT; Liu, S, inYie; Tseng, CY, in. (2010). Hepatoprotective and Antioxidative Properties of Chinese Herbal Medicine Xiao-Chai-Hu-Tang Formulated with Bupleurum Kaio Liu on Carbon Tetrachloride-Induced Acute Hepatotoxicity in Rats. *J Food Drug Anal.* 18: 425-433.
- Wu, D; Cederbaum, AI. (2013). Inhibition of autophagy promotes CYP2E1-dependent toxicity in HepG2 cells via elevated oxidative stress, mitochondria dysfunction and activation of p38 and JNK MAPK. 1: 552-565. <http://dx.doi.org/10.1016/j.redox.2013.10.008>.
- Wu, F; Huang, S; Zhu, N; Liu, W; Zhang, Y; He, Y. (2013). Recombinant human histidine triad nucleotide-binding protein 1 attenuates liver fibrosis induced by carbon tetrachloride in rats. *Mol Med Rep.* 8: 1023-1028. <http://dx.doi.org/10.3892/mmr.2013.1618>.
- Wu, FR; Pan, CX; Rong, C; Xia, Q; Yuan, FL; Tang, J; Wang, XY; Wang, N; Ni, WL; Chen, FH. (2014). Inhibition of acid-sensing ion channel 1a in hepatic stellate cells attenuates PDGF-induced activation of HSCs through MAPK pathway. *Mol Cell Biochem.* 395: 199-209. <http://dx.doi.org/10.1007/s11010-014-2125-0>.
- Wu, HJ; Gong, X; Yang, YT; Wang, YZ; Li, X; Xin, H; Hu, LK. (2012). [Improvement of carbon tetrachloride drug-induced liver injury model in vitro]. *Zhongguo Zhong Yao Za Zhi.* 37: 3633-3636.
- Wu, HM; Lee, CG; Hwang, SJ; Kim, SG. (2014). Mitigation of carbon tetrachloride-induced hepatic injury by methylene blue, a repurposed drug, is mediated by dual inhibition of GSK3 β downstream of PKA. *Br J Pharmacol.* 171: 2790-2802. <http://dx.doi.org/10.1111/bph.12637>.
- Wu, HM; McBride, TJ; Isanhardt, JP; Cox, SB; Hooper, MJ. (2009). Responses of glutamate cysteine ligase and glutathione to oxidants in deer mice (*Peromyscus maniculatus*). *Ecotoxicol Environ Saf.* 72: 1572-1578. <http://dx.doi.org/10.1016/j.ecoenv.2009.02.008>.

Human Health Hazard Literature Search Results

On Topic

- Wu, M; Wu, Y; Qu, M; Li, W; Yan, X. (2013). Evaluation of antioxidant activities of water-soluble polysaccharides from brown alga *Hizikia fusiformis*. *Int J Biol Macromol*. 56: 28-33. <http://dx.doi.org/10.1016/j.ijbiomac.2013.01.017>.
- Wu, MF; Hsu, YM; Tang, MC; Chen, HC; Chung, JG; Lu, HF; Lin, JP; Tang, NY; Yeh, C; Yeh, MY. (2011). *Agaricus blazei* Murill extract abrogates CCl₄-induced liver injury in rats. 25: 35-40.
- Wu, PS; Wu, SJ; Tsai, YH; Lin, YH; Chao, JJC. (2011). Hot Water Extracted *Lycium Barbarum* and *Rehmannia Glutinosa* Inhibit Liver Inflammation and Fibrosis in Rats. *Am J Chin Med*. 39: 1173-1191. <http://dx.doi.org/10.1142/S0192415X11009482>.
- Wu, QB; Wang, Y; Liang, L; Jiang, Q; Guo, ML; Zhang, JJ. (2013). Novel triterpenoid saponins from the seeds of *Celosia argentea* L. *Nat Prod Res*. 27: 1353-1360. <http://dx.doi.org/10.1080/14786419.2012.740034>.
- Wu, QN; Tian, HL; Zhang, LH; Tian, JH; Xiong, HR; Liu, YL; Yang, KH. (2012). [Meta-analysis on impact of Danshen on liver regeneration in rats]. *Zhongguo Zhong Yao Za Zhi*. 37: 2630-2634.
- Wu, S; Ma, X; Zhou, C; Zhao, J; Guo, J; Xu, W. (2014). [Effect of Fuzhenghuayu compound on hepatocyte expression of Nrf2 in a mouse model of hepatic fibrosis]. *Zhonghua Gan Zang Bing Za Zhi*. 22: 609-615.
- Wu, S; Yang, C; Shen, X, iZ. (2016). HSP Ameliorates CCl₄-induced Acute Liver Injury by Activation of PI3K/Akt/mTORC1 pathway. *Hepatology*. 63: 317A-317A.
- Wu, S; Yue, Y; Tian, H; Li, Z; Li, X; He, W; Ding, H. (2013). *Carthamus red* from *Carthamus tinctorius* L. exerts antioxidant and hepatoprotective effect against CCl₄-induced liver damage in rats via the Nrf2 pathway. *J Ethnopharmacol*. 148: 570-578. <http://dx.doi.org/10.1016/j.jep.2013.04.054>.
- Wu, SJ; Huo, LJ; Zhang, J; Wang, JJ; Jia, H. (2014). [Differential expression in ACE2, Ang(1-7) and Mas receptor during progression of liver fibrosis in a rat model]. *Zhonghua Gan Zang Bing Za Zhi*. 22: 118-121.
- Wu, SJ; Tam, KW; Tsai, YH; Chang, CC; Chao, JC. (2010). Curcumin and saikosaponin a inhibit chemical-induced liver inflammation and fibrosis in rats. *Am J Chin Med*. 38: 99-111. <http://dx.doi.org/10.1142/S0192415X10007695>.
- Wu, T. (2011). cPLA2 α , COX-2 and TGF- β in Liver Cancer.
- Wu, XR; Wang, Q; Wang, L; Shi, SS; Guo, WD. (2009). [The effect of urokinase on hepatic fibrogenesis in rats]. *Zhonghua Gan Zang Bing Za Zhi*. 17: 910-914.
- Wu, XX; Wu, LM; Fan, JJ; Qin, Y; Chen, G; Wu, XF; Shen, Y; Sun, Y; Xu, Q. (2011). *Cortex Dictamni* extract induces apoptosis of activated hepatic stellate cells via STAT1 and attenuates liver fibrosis in mice. *J Ethnopharmacol*. 135: 173-178. <http://dx.doi.org/10.1016/j.jep.2011.03.010>.
- Wu, YH; Zhang, XM; Hu, MH; Wu, XM; Zhao, Y. (2009). Effect of *Lagdera alata* on hepatocyte damage induced by carbon tetrachloride in vitro and in vivo. *J Ethnopharmacol*. 126: 50-56. <http://dx.doi.org/10.1016/j.jep.2009.08.030>.
- Wunjuntut, K; Kettawan, A; Charoenkiatkul, S; Rungruang, T. (2016). Parboiled Germinated Brown Rice Protects Against CCl₄-Induced Oxidative Stress and Liver Injury in Rats. *J Med Food*. 19: 15-23. <http://dx.doi.org/10.1089/jmf.2015.3460>.
- Xia, D; Fan, Y; Zhang, P; Fu, Y; Ju, M; Zhang, X. (2013). Protective effects of the flavonoid-rich fraction from rhizomes of *Smilax glabra* Roxb. on carbon tetrachloride-induced hepatotoxicity in rats. *J Membr Biol*. 246: 479-485. <http://dx.doi.org/10.1007/s00232-013-9560-9>.
- Xia, Z; Wang, G; Wan, C; Liu, T; Wang, S; Wang, B; Cheng, R. (2010). Expression of NALP3 in the spleen of mice with portal hypertension. *J Huazhong Univ Sci Technolog Med Sci*. 30: 170-172. <http://dx.doi.org/10.1007/s11596-010-0207-0>.
- Xiao, J, ia; Ching, YP; Liong, EC; Chuen, R; Chang, C; So, KF, ai; Fung, M, anL; Tipoe, GL. (2011). PROTECTIVE EFFECTS OF WOLFBERRY (*LYCIUM BARBARUM*; LBP) IN CARBON-TETRACHLORIDE INDUCED ACUTE LIVER INJURY IN MICE THROUGH REDUCTION IN OXIDATIVE STRESS, NECROINFLAMMATION AND NUCLEAR TRANSCRIPTION FACTOR ACTIVITY. *Hepatology*. 54: 514A-514A.
- Xie, J; Yang, L; Tian, L; Li, W; Yang, L; Li, L. (2016). Macrophage Migration Inhibitor Factor Upregulates MCP-1 Expression in an Autocrine Manner in Hepatocytes during Acute Mouse Liver Injury. *Sci Rep*. 6: 27665. <http://dx.doi.org/10.1038/srep27665>.
- Xiong, P; Zhang, J; Xu, D; Zhu, J; Li, W; Liu, J; Liu, F. (2017). Positive feedback loop of YB-1 interacting with Smad2 promotes liver fibrosis. *Biochem Biophys Res Commun*. 484: 753-761. <http://dx.doi.org/10.1016/j.bbrc.2017.01.148>.
- Xu, R; Ye, H; Sun, Y, i; Tu, Y; Zeng, X. (2012). Preparation, preliminary characterization, antioxidant, hepatoprotective and antitumor activities of polysaccharides from the flower of tea plant (*Camellia sinensis*). *Food Chem Toxicol*. 50: 2473-2480. <http://dx.doi.org/10.1016/j.fct.2011.10.047>.
- Xu, X; Shi, F; Huang, W; Kang, YJ. (2013). Metallothionein gene transfection reverses the phenotype of activated human hepatic stellate cells. *J Pharmacol Exp Ther*. 346: 48-53. <http://dx.doi.org/10.1124/jpet.113.204651>.
- Xu, Y; Mu, Y; Liu, P. (2016). Fetal Liver Stem/progenitor Cell Transplantation Restored Liver Fibrosis Induced by CCl₄/2-AAF through Regulation of Macrophage Subsets Balance. *Hepatology*. 63: 170A-170A.
- Xue, F; Hu, L; Ge, R; Yang, L; Liu, K; Li, Y; Sun, Y; Wang, K. (2016). Autophagy-deficiency in hepatic progenitor cells leads to the defects of stemness and enhances susceptibility to neoplastic transformation. *Cancer Lett*. 371: 38-47. <http://dx.doi.org/10.1016/j.canlet.2015.11.022>.
- Yachi, R. (2009). PROTECTIVE EFFECTS OF VITAMIN E ANALOGS AGAINST CARBON TETRACHLORIDE INDUCED FATTY LIVER IN RATS. *Ann Nutr Metab*. 55: 460-460.
- Yamazaki, M; Miyake, M; Sato, H; Masutomi, N; Tsutsui, N; Adam, KP; Alexander, DC; Lawton, KA; Milburn, MV; Ryals, JA; Wulff, JE; Guo, L. (2013). Perturbation of bile acid homeostasis is an early pathogenesis event of drug induced liver injury in rats. *Toxicol Appl Pharmacol*. 268: 79-89. <http://dx.doi.org/10.1016/j.taap.2013.01.018>.
- Yan, HX; Wu, HP; Zhang, HL; Ashton, C; Tong, C; Wu, J; Qian, QJ; Wang, HY; Ying, QL. (2013). DNA damage-induced sustained p53 activation contributes to inflammation-associated hepatocarcinogenesis in rats. *Oncogene*. 32: 4565-4571. <http://dx.doi.org/10.1038/onc.2012.451>.

Human Health Hazard Literature Search Results

On Topic

- Yan, W; Qu, X; Huang, X; Huang, G; Xiong, P. (2009). Estimate of fibrosis in carbon tetrachloride induced chronic liver injury in rat by breath test with L-[1-13C] phenylalanine. *FASEB J.* 23.
- Yan, Y; Peng, L; Cheng, N; Bai, H; Mu, L. (2015). Health risk assessment of toxic VOCs species for the coal fire well drillers. *Environ Sci Pollut Res Int.* 22: 15132-15144. <http://dx.doi.org/10.1007/s11356-015-4729-7>.
- Yang, CY, ao; Chuang, L, uTe; Huang, W, enC; Hou, CW, ei; Chen, D, zChi; Jeng, K, eeCG; Kao, TY, u. (2014). PREVENT WE EFFECTS OF BORAGE OIL AND LING-ZHI-8 PROTEIN ON CARBON TETRACHLORIDE-INDUCED ACUTE HEPATIC TOXICITY IN RATS. *Current Topics in Nutraceutical Research.* 12: 91-99.
- Yang, JJ; Tao, H; Liu, LP; Hu, W; Deng, ZY; Li, J. (2016). miR-200a controls hepatic stellate cell activation and fibrosis via SIRT1/Notch1 signal pathway. *Inflamm Res.* <http://dx.doi.org/10.1007/s00011-016-1020-4>.
- Yang, P; Han, Z; Chen, P; Zhu, L; Wang, S; Hua, Z; Zhang, J. (2010). A contradictory role of A1 adenosine receptor in carbon tetrachloride- and bile duct ligation-induced liver fibrosis in mice. *J Pharmacol Exp Ther.* 332: 747-754. <http://dx.doi.org/10.1124/jpet.109.162727>.
- Yang, X; Greenhaw, J; Shi, Q; Su, Z; Qian, F; Davis, K; Mendrick, DL; Salminen, WF. (2012). Identification of urinary microRNA profiles in rats that may diagnose hepatotoxicity. *Toxicol Sci.* 125: 335-344. <http://dx.doi.org/10.1093/toxsci/kfr321>.
- Yang, Z; Zhang, X; Yang, L; Pan, Q; Li, J; Wu, Y; Chen, M; Cui, S; Yu, J. (2017). Protective effect of Anoectochilus roxburghii polysaccharide against CCl4-induced oxidative liver damage in mice. *Int J Biol Macromol.* 96: 442-450. <http://dx.doi.org/10.1016/j.ijbiomac.2016.12.039>.
- Yao, H; Pan, J; Qian, Y; Pei, Z; Bader, A; Brockmeyer, NH; Altmeyer, P; Zhang, L. (2010). Enhanced effect of soluble transforming growth factor-beta receptor II and IFN-gamma fusion protein in reversing hepatic fibrosis. *Eur J Med Res.* 15: 152-161.
- Yasuda, M; Okabe, T; Itoh, J; Takekoshi, S; Hasegawa, H; Nagata, H; Osamura, RY; K, W. (2000). Differentiation of necrotic cell death with or without lysosomal activation: application of acute liver injury models induced by carbon tetrachloride (CCL4) and dimethylnitrosamine (DMN). *J Histochem Cytochem.* 48: 1331-1339. <http://dx.doi.org/10.1177/002215540004801004>.
- Yazici, C; Kose, K; Delibas, E; Deniz, K; Gunturk, I. (2016). The Effect of N-acetylcysteine on Pyrrolized Protein, Lipid Hydroperoxide and Thiol Levels in the Carbon Tetrachloride Hepatotoxicity. *Indian J Pharmaceut Sci.* 78: 267-272. <http://dx.doi.org/10.4172/pharmaceutical-sciences.1000112>.
- Ye, JF; Zhu, H; Zhou, ZF; Xiong, RB; Wang, XW; Su, LX; Luo, BD. (2011). Protective mechanism of andrographolide against carbon tetrachloride-induced acute liver injury in mice. *Biol Pharm Bull.* 34: 1666-1670.
- Ye, S; Li, X; Shao, Y. (2013). [Protective effect of purple sweet potato flavonoids on CCL4-induced acute liver injury in mice]. *Zhejiang Da Xue Xue Bao Yi Xue Ban.* 42: 649-653.
- Ye, X; Kong, F; Li, J; Li, S; Liu, Y. (2014). EFFECT AND MECHANISM OF POLYPEPTIDES OF CARAPAX TRIONYCIS ON HEPATIC FIBROSIS INDUCED BY CARBON TETRACHLORIDE IN RATS. *Basic Clin Pharmacol Toxicol.* 115: 112-113.
- Yilmaz, T; Can, A; Pala, Z; Okyar, A. (2010). Antioxidant Effect of Amaranthus lividus L. Against CCl4-induced Hepatotoxicity in Rats. *Drug Metab Rev.* 42: 242-243.
- Yilmaz-Ozden, T; Can, A; Karatug, A; Pala-Kara, Z; Okyar, A; Bolkent, S. (2016). Carbon tetrachloride-induced kidney damage and protective effect of Amaranthus lividus L. in rats. *Toxicol Ind Health.* 32: 1143-1152. <http://dx.doi.org/10.1177/0748233714555390>.
- Yilmaz-Ozden, T; Can, A; Sancar-Bas, S; Pala-Kara, Z; Okyar, A; Bolkent, S. (2015). Protective effect of Amaranthus lividus L. on carbon tetrachloride induced hepatotoxicity in rats. *Türk Biyokimya Dergisi.* 40: 125-131. <http://dx.doi.org/10.5505/tjb.2015.05935>.
- Yoshida, T; Andoh, K; Fukuhara, M. (1999). Estimation of absorption of trihalomethanes and carbon tetrachloride in low-level exposure by inhalation pharmacokinetic analysis in rats. *Arch Environ Contam Toxicol* 36:347â354.
- Yoshimine, K; Takagi, M. (1982). Effects of starvation and protein deficiency on the acute carbon tetrachloride-induced hepatotoxicity. *Bull Tokyo Med Dent Univ.* 29: 37-46.
- Yoshioka, H; Fukaya, S; Miura, N; Onosaka, S; Nonogaki, T; Nagatsu, A. (2016). Suppressive Effect of Kampo Formula "Juzen-taiho-to" on Carbon Tetrachloride-Induced Hepatotoxicity in Mice. *Biol Pharm Bull.* 39: 1564-1567. <http://dx.doi.org/10.1248/bpb.b16-00421>.
- Yoshioka, H; Fukaya, S; Onosaka, S; Nonogaki, T; Nagatsu, A. (2016). Kampo formula "Hochu-ekki-to" suppressed carbon tetrachloride-induced hepatotoxicity in mice. *Environ Health Prev Med.* 21: 579-584. <http://dx.doi.org/10.1007/s12199-016-0571-x>.
- Yoshioka, H; Nonogaki, T; Fukuishi, N; Onosaka, S. (2016). Calcium-deficient diet attenuates carbon tetrachloride-induced hepatotoxicity in mice through suppression of lipid peroxidation and inflammatory response. 2: e00126. <http://dx.doi.org/10.1016/j.heliyon.2016.e00126>.
- Yoshioka, H; Tanaka, M; Fujii, H; Nonogaki, T. (2016). Sasa veitchii extract suppresses carbon tetrachloride-induced hepato- and nephrotoxicity in mice. *Environ Health Prev Med.* 21: 554-562. <http://dx.doi.org/10.1007/s12199-016-0581-8>.
- Yoshioka, H; Usuda, H; Fukuishi, N; Nonogaki, T; Onosaka, S. (2016). Carbon Tetrachloride-Induced Nephrotoxicity in Mice Is Prevented by Pretreatment with Zinc Sulfate. *Biol Pharm Bull.* 39: 1042-1046. <http://dx.doi.org/10.1248/bpb.b16-00078>.
- Yoshioka, H; Usuda, H; Nonogaki, T; Onosaka, S. (2016). Carbon tetrachloride-induced lethality in mouse is prevented by multiple pretreatment with zinc sulfate. *J Toxicol Sci.* 41: 55-63. <http://dx.doi.org/10.2131/jts.41.55>.
- Yoshioka, K; Kunitomo, M; Yanai, K; Shimizu, H; Nakasono, S; Negishi, T; Dateki, M. (2011). Hepatocyte nuclear factor 1 β induced by chemical stress accelerates cell proliferation and increases genomic instability in mouse liver. 31: 132-138. <http://dx.doi.org/10.3109/10799893.2010.538852>.
- Yoshioka, T; Yoshida, S; Kurosaki, T; Teshima, M; Nishida, K; Nakamura, J; Nakashima, M; To, H; Kitahara, T; Sasaki, H. (2009). Cationic liposomes-mediated plasmid DNA delivery in murine hepatitis induced by carbon tetrachloride. *J Liposome Res.* 19: 141-147. <http://dx.doi.org/10.1080/08982100802666514>.
- You, Q; Kong, LJ; Li, FD; Wang, HY; Liu, DG; Pei, FH; Song, JT; Xu, J; Chen, J. (2015). Human recombinant endostatin Endostar attenuates hepatic sinusoidal endothelial cell capillarization in CCl4-induced fibrosis in mice. *Mol Med Rep.* 12: 5594-5600. <http://dx.doi.org/10.3892/mmr.2015.4103>.

Human Health Hazard Literature Search Results

On Topic

- You, T; Fan, Y; Li, Q; Gao, Y; Yang, Y; Zhao, Z; Wang, C. (2013). Increased SSeCKS expression in rat hepatic stellate cells upon activation in vitro and in vivo. *Inflammation*. 36: 1415-1423. <http://dx.doi.org/10.1007/s10753-013-9681-4>.
- Younes, M; Siegers, CP. (1985). The role of iron in the paracetamol- and CCl₄-induced lipid peroxidation and hepatotoxicity. *Chem Biol Interact*. 55: 327-334.
- Younis, T; Khan, MR; Sajid, M. (2016). Protective effects of *Fraxinus xanthoxyloides* (Wall.) leaves against CCl₄ induced hepatic toxicity in rat. *BMC Complement Altern Med*. 16: 407. <http://dx.doi.org/10.1186/s12906-016-1398-0>.
- Yovchev, MI; Zhang, J; Neufeld, DS; Grozdanov, PN; Dabeva, MD. (2009). Thymus cell antigen-1-expressing cells in the oval cell compartment. *Hepatology*. 50: 601-611. <http://dx.doi.org/10.1002/hep.23012>.
- Yu, F; Fan, X; Chen, B; Dong, P; Zheng, J. (2016). Activation of Hepatic Stellate Cells is Inhibited by microRNA-378a-3p via Wnt10a. *Cell Physiol Biochem*. 39: 2409-2420. <http://dx.doi.org/10.1159/000452509>.
- Yu, F; Guo, Y; Chen, B; Dong, P; Zheng, J. (2015). MicroRNA-17-5p activates hepatic stellate cells through targeting of Smad7. *Lab Invest*. 95: 781-789. <http://dx.doi.org/10.1038/labinvest.2015.58>.
- Yu, F; Ji, S; Su, L; Wan, L; Zhang, S; Dai, C; Wang, Y; Fu, J; Zhang, Q. (2015). Adipose-derived mesenchymal stem cells inhibit activation of hepatic stellate cells in vitro and ameliorate rat liver fibrosis in vivo. *J Formos Med Assoc*. 114: 130-138. <http://dx.doi.org/10.1016/j.jfma.2012.12.002>.
- Yu, F; Lu, Z; Chen, B; Wu, X; Dong, P; Zheng, J. (2015). Salvianolic acid B-induced microRNA-152 inhibits liver fibrosis by attenuating DNMT1-mediated Patched1 methylation. *J Cell Mol Med*. 19: 2617-2632. <http://dx.doi.org/10.1111/jcmm.12655>.
- Yu, F; Lu, Z; Huang, K; Wang, X; Xu, Z; Chen, B; Dong, P; Zheng, J. (2016). MicroRNA-17-5p-activated Wnt/ β -catenin pathway contributes to the progression of liver fibrosis. *Onco*. 7: 81-93. <http://dx.doi.org/10.18632/oncotarget.6447>.
- Yu, F; Su, L; Ji, S; Zhang, S; Yu, P; Zheng, Y; Zhang, Q. (2012). Inhibition of hepatic stellate cell activation and liver fibrosis by fat-specific protein 27. *Mol Cell Biochem*. 369: 35-43. <http://dx.doi.org/10.1007/s11010-012-1366-z>.
- Yu, FX; Teng, YY; Zhu, QD; Zhang, QY; Tang, YH. (2014). Inhibitory effects of capsaicin on hepatic stellate cells and liver fibrosis. *Biochem Cell Biol*. 92: 406-412. <http://dx.doi.org/10.1139/bcb-2014-0036>.
- Yu, G, uoCai; Lv, J, ie; He, H, ui; Huang, W, en; Han, Y. (2012). HEPATOPROTECTIVE EFFECTS OF CORN PEPTIDES AGAINST CARBON TETRACHLORIDE-INDUCED LIVER INJURY IN MICE. *Journal of Food Biochemistry*. 36: 458-464. <http://dx.doi.org/10.1111/j.1745-4514.2011.00551.x>.
- Yu, H; Zheng, L; Yin, L; Xu, L; Qi, Y; Han, X; Xu, Y; Liu, K; Peng, J. (2014). Protective effects of the total saponins from *Dioscorea nipponica* Makino against carbon tetrachloride-induced liver injury in mice through suppression of apoptosis and inflammation. *Int Immunopharmacol*. 19: 233-244. <http://dx.doi.org/10.1016/j.intimp.2014.01.019>.
- Yu, J; Wang, Y; Qian, H; Zhao, Y; Liu, B; Fu, C. (2012). Polyphenols from *Taxus chinensis* var. *mairei* prevent the development of CCl₄-induced liver fibrosis in rats. *J Ethnopharmacol*. 142: 151-160. <http://dx.doi.org/10.1016/j.jep.2012.04.030>.
- Yu, JH; Zhu, BM; Wickre, M; Riedlinger, G; Chen, W; Hosui, A; Robinson, GW; Hennighausen, L. (2010). The transcription factors signal transducer and activator of transcription 5A (STAT5A) and STAT5B negatively regulate cell proliferation through the activation of cyclin-dependent kinase inhibitor 2b (Cdkn2b) and Cdkn1a expression. *Hepatology*. 52: 1808-1818. <http://dx.doi.org/10.1002/hep.23882>.
- Yu, JL; Li, JH; Chengz, RG; Ma, YM; Wang, XJ; Liu, JC. (2014). Effect of matrine on transforming growth factor β 1 and hepatocyte growth factor in rat liver fibrosis model. *Asian Pacific Journal of Tropical Medicine*. 7: 390-393. [http://dx.doi.org/10.1016/S1995-7645\(14\)60062-6](http://dx.doi.org/10.1016/S1995-7645(14)60062-6).
- Yu, M; Zhang, W; Qin, L; Tian, L; Zhou, C. (2010). Enhancement of P-glycoprotein expression by hepatocyte transplantation in carbon tetrachloride-induced rat liver. *Anat Rec*. 293: 1167-1174. <http://dx.doi.org/10.1002/ar.21160>.
- Yu, WG; Qian, J; Lu, YH. (2011). Hepatoprotective effects of 2',4'-dihydroxy-6'-methoxy-3',5'-dimethylchalcone on CCl₄-induced acute liver injury in mice. *J Agric Food Chem*. 59: 12821-12829. <http://dx.doi.org/10.1021/jf2042032>.
- Yu, Y; Sun, X; Gu, J; Yu, C; Wen, Y; Gao, Y; Xia, Q; Kong, X. (2016). Deficiency of DJ-1 Ameliorates Liver Fibrosis through Inhibition of Hepatic ROS Production and Inflammation. *Int J Biol Sci*. 12: 1225-1235. <http://dx.doi.org/10.7150/ijbs.15154>.
- Yuan, C; Li, Z; Yi, M; Wang, X; Peng, F; Xiao, F; Chen, T; Wang, C; Mushtaq, G; Kamal, MA. (2015). Effects of polysaccharides from selenium-enriched *Pyracantha fortuneana* on mice liver injury. *Med Chem*. 11: 780-788.
- Yuan, L; Gu, X; Yin, Z; Kang, W. (2014). Antioxidant activities in vitro and hepatoprotective effects of *Nelumbo nucifera* leaves in vivo. *African Journal of Traditional, Complementary and Alternative Medicines*. 11: 85-91.
- Yuan, Y; Wu, X; Ou, Q; Gao, J; Tennant, BC; Han, W; Yu, Y. (2009). Differential expression of the genes involved in amino acids and nitrogen metabolisms during liver regeneration of mice. *Hepatology Research*. 39: 301-312. <http://dx.doi.org/10.1111/j.1872-034X.2008.00456.x>.
- Yüce, A; Türk, G; Çeribaşı, S; Güvenç, M; Çiftçi, M; Sönmez, M; Özer Kaya, Ş; Çay, M; Aksakal, M. (2014). Effectiveness of cinnamon (*Cinnamomum zeylanicum*) bark oil in the prevention of carbon tetrachloride-induced damages on the male reproductive system. *Andrologia*. 46: 263-272. <http://dx.doi.org/10.1111/and.12072>.
- Yue, S; Hu, B; Wang, Z; Yue, Z; Wang, F; Zhao, Y; Yang, Z; Shen, M. (2014). *Salvia miltiorrhiza* compounds protect the liver from acute injury by regulation of p38 and NF κ B signaling in Kupffer cells. *Pharmaceutical Biology*. 52: 1278-1285. <http://dx.doi.org/10.3109/13880209.2014.889720>.
- Yue, S, huMei; Kang, W, enYi. (2011). Lowering blood lipid and hepatoprotective activity of amentoflavone from *Selaginella tamariscina* in vivo. *Journal of Medicinal Plant Research*. 5: 3007-3014.
- Yuen, JJ; Lee, SA; Jiang, H; Brun, PJ; Blaner, WS. (2015). DGAT1-deficiency affects the cellular distribution of hepatic retinoid and attenuates the progression of CCl₄-induced liver fibrosis. 4: 184-196. <http://dx.doi.org/10.3978/j.issn.2304-3881.2014.12.02>.

Human Health Hazard Literature Search Results

On Topic

- Yun, JW; Kim, CW; Bae, IH; Park, YH; Chung, JH; Lim, KM; Kang, KS. (2009). Determination of the key innate genes related to individual variation in carbon tetrachloride-induced hepatotoxicity using a pre-biopsy procedure. *Toxicol Appl Pharmacol.* 239: 55-63. <http://dx.doi.org/10.1016/j.taap.2009.05.018>.
- Yun, JW; Lee, TR; Kim, CW; Park, YH; Chung, JH; Lee, YS; Kang, KS; Lim, KM. (2010). Predose blood gene expression profiles might identify the individuals susceptible to carbon tetrachloride-induced hepatotoxicity. *Toxicol Sci.* 115: 12-21. <http://dx.doi.org/10.1093/toxsci/kfq037>.
- Yusufoglu, HS; Alam, A. (2014). Isolation of Astragaloside IV and Cyclocephaloside I from *Astragalus gummifera* and evaluation of Astragaloside IV ON CCL4 induced liver damage in rats. *Planta Med.* 80: 799-799.
- Zabrodskii, PF; Gromov, MS; Masliakov, VV. (2015). [Immune homeostasis impairment in acute carbon tetrachloride intoxicated rats corrected by administration of tocopherol acetate and unithiol]. *Eksp Klin Farmakol.* 78: 30-33.
- Zagoura, DS; Roubelakis, MG; Bitsika, V; Trohatou, O; Pappa, KI; Kapelouzou, A; Antsaklis, A; Anagnou, NP. (2012). Therapeutic potential of a distinct population of human amniotic fluid mesenchymal stem cells and their secreted molecules in mice with acute hepatic failure. *Gut.* 61: 894-906. <http://dx.doi.org/10.1136/gutjnl-2011-300908>.
- Zahedi, K; Barone, S; Steinbergs, N; Casero, RA, Jr; Soleimani, M. (2011). ENHANCED SPERMINE/SPERMIDINE-N1-ACETYLTRANSFERASE EXPRESSION CONTRIBUTES TO CELLULAR DAMAGE IN CCL4 INDUCED HEPATOTOXIC INJURY. *J Hepatol.* 54: S207-S208.
- Zahedi, K; Barone, SL; Xu, J; Steinbergs, N; Schuster, R; Lentsch, AB; Amlal, H; Wang, J; Casero, RA; Soleimani, M. (2012). Hepatocyte-specific ablation of spermine/spermidine-N1-acetyltransferase gene reduces the severity of CCL4-induced acute liver injury. *Am J Physiol Gastrointest Liver Physiol.* 303: G546-G560. <http://dx.doi.org/10.1152/ajpgi.00431.2011>.
- Zaib, S; Khan, MR. (2014). Protective effect of Cucurbita pepo fruit peel against CCL4 induced neurotoxicity in rat. *Pak J Pharm Sci.* 27: 1967-1973.
- Zakaria, S; El-Sisi, A. (2016). Rebamipide retards CCL4-induced hepatic fibrosis in rats: Possible role for PGE2. *J Immunotoxicol.* 13: 453-462. <http://dx.doi.org/10.3109/1547691X.2015.1128022>.
- Zakaria, S; Mahmoud, A, mrAA; Hasan, RA; Mahmoud, MF; El Fayoumi, HM. (2016). Cinnamaldehyde Mitigates Carbon Tetrachloride-induced Acute Liver Injury in Rats Through Inhibition of Toll-like Receptor 4 Signaling Pathway. *International Journal of Pharmacology.* 12: 851-862. <http://dx.doi.org/10.3923/ijp.2016.851.862>.
- Zaldivar, MM; Berres, ML; Sahin, H; Nellen, A; Heinrichs, D; Schmitz, P; Gassler, N; Streetz, KL; Trautwein, C; Wasmuth, HE. (2012). The chemokine receptor CXCR3 limits injury after acute toxic liver damage. *Lab Invest.* 92: 724-734. <http://dx.doi.org/10.1038/labinvest.2012.48>.
- Zaldivar, MM; Pauels, K; von Hundelshausen, P; Berres, ML; Schmitz, P; Bornemann, J; Kowalska, MA; Gassler, N; Streetz, KL; Weiskirchen, R; Trautwein, C; Weber, C; Wasmuth, HE. (2010). CXC chemokine ligand 4 (Cxcl4) is a platelet-derived mediator of experimental liver fibrosis. *Hepatology.* 51: 1345-1353. <http://dx.doi.org/10.1002/hep.23435>.
- Zangar, RC; Benson, JM; Burnett, VL; Springer, DL. (2000). Cytochrome P450 2E1 is the primary enzyme responsible for low-dose carbon tetrachloride metabolism in human liver microsomes. *Chem Biol Interact.* 125: 233-243.
- Zavec, JH; Battarbee, HD. (2010). The role of lipophilic bile acids in the development of cirrhotic cardiomyopathy. *Cardiovasc Toxicol.* 10: 117-129. <http://dx.doi.org/10.1007/s12012-010-9069-8>.
- Zavodnik, IB. (2015). [Mitochondrial dysfunction and compensatory mechanisms in liver cells during acute carbon tetrachloride-induced rat intoxication]. 61: 731-736.
- Zeashan, H; Amresh, G; Singh, S; Rao, CV. (2009). Hepatoprotective and antioxidant activity of *Amaranthus spinosus* against CCL4 induced toxicity. *J Ethnopharmacol.* 125: 364-366. <http://dx.doi.org/10.1016/j.jep.2009.05.010>.
- Zellmer, S; Schmidt-Heck, W; Godoy, P; Weng, H; Meyer, C; Lehmann, T; Sparna, T; Schormann, W; Hammad, S; Kreutz, C; Timmer, J; von Weizsäcker, F; Thürmann, PA; Merfort, I; Guthke, R; Dooley, S; Hengstler, JG; Gebhardt, R. (2010). Transcription factors ETF, E2F, and SP-1 are involved in cytokine-independent proliferation of murine hepatocytes. *Hepatology.* 52: 2127-2136. <http://dx.doi.org/10.1002/hep.23930>.
- Zeng, C; Wang, YL; Xie, C; Sang, Y; Li, TJ; Zhang, M; Wang, R; Zhang, Q; Zheng, L; Zhuang, SM. (2015). Identification of a novel TGF- β -miR-122-fibronectin 1/serum response factor signaling cascade and its implication in hepatic fibrogenesis. *Onco.* 6: 12224-12233. <http://dx.doi.org/10.18632/oncotarget.3652>.
- Zeng, Y; Zhao, JN; Wu, W; Chen, WJ; Ma, Y; Leng, Z. (2009). [Establishment of liver fibrosis in rabbit model and quantitative study on hepatic perfusion with dynamic whole-liver 3D MR imaging]. *Zhonghua Gan Zang Bing Za Zhi.* 17: 350-353.
- Zhai, L; Qiu, LY; Zu, Y; Yan, Y; Ren, XZ; Zhao, JF; Liu, YJ; Liu, JB; Qian, LX. (2015). Contrast-enhanced ultrasound for quantitative assessment of portal pressure in canine liver fibrosis. *World J Gastroenterol.* 21: 4509-4516. <http://dx.doi.org/10.3748/wjg.v21.i15.4509>.
- Zhan, YY; Wang, JH; Tian, X; Feng, SX; Xue, L; Tian, LP. (2016). Protective effects of seed melon extract on CCL4-induced hepatic fibrosis in mice. *J Ethnopharmacol.* 193: 531-537. <http://dx.doi.org/10.1016/j.jep.2016.10.006>.
- Zhang, A; Sun, H; Sun, W; Ye, Y; Wang, X. (2013). Proteomic identification network analysis of haptoglobin as a key regulator associated with liver fibrosis. *Appl Biochem Biotechnol.* 169: 832-846. <http://dx.doi.org/10.1007/s12010-012-0001-5>.
- Zhang, A; Sun, H; Wu, G; Sun, W; Yuan, Y; Wang, X. (2013). Proteomics analysis of hepatoprotective effects for scoparone using MALDI-TOF/TOF mass spectrometry with bioinformatics. *OMICS.* 17: 224-229. <http://dx.doi.org/10.1089/omi.2012.0064>.
- Zhang, C; Han, C; Zhao, B; Yu, H. (2012). The protective effects of aqueous extracts of wild-growing and fermented Royal Sun mushroom, *Agaricus brasiliensis* S. Wasser et al. (higher basidiomycetes), in CCL4-induced oxidative damage in rats. *Int J Med Mushrooms.* 14: 557-561.
- Zhang, C; Li, S; Zhang, J; Hu, C; Che, G; Zhou, M; Jia, L. (2016). Antioxidant and hepatoprotective activities of intracellular polysaccharide from *Pleurotus eryngii* SI-04. *Int J Biol Macromol.* 91: 568-577. <http://dx.doi.org/10.1016/j.ijbiomac.2016.05.104>.

Human Health Hazard Literature Search Results

On Topic

- Zhang, C; Liu, H; Cui, Y; Li, X; Zhang, Z; Zhang, Y; Wang, D. (2016). Molecular magnetic resonance imaging of activated hepatic stellate cells with ultrasmall superparamagnetic iron oxide targeting integrin $\alpha v \beta_3$ for staging liver fibrosis in rat model. *International Journal of Nanomedicine (Online)*. 11: 1097-1108. <http://dx.doi.org/10.2147/IJN.S101366>.
- Zhang, C; Wei, Q; Jiang, T; Shou, X; Li, ZQ; Wen, H. (2014). Liver cancer-related gene CYP2E1 expression in HBV transgenic mice with acute liver injury. *Tumor Biology*. 35: 3671-3677. <http://dx.doi.org/10.1007/s13277-013-1486-4>.
- Zhang, DG; Zhang, C; Wang, JX; Wang, BW; Wang, H; Zhang, ZH; Chen, YH; Lu, Y; Tao, L; Wang, JQ; Chen, X; Xu, DX. (2017). Obeticholic acid protects against carbon tetrachloride-induced acute liver injury and inflammation. *Toxicol Appl Pharmacol*. 314: 39-47. <http://dx.doi.org/10.1016/j.taap.2016.11.006>.
- Zhang, DW; Zhao, YX; Wei, D; Li, YL; Zhang, Y; Wu, J; Xu, J; Chen, C; Tang, H; Zhang, W; Gong, L; Han, Y; Chen, ZN; Bian, H. (2012). HAB18G/CD147 promotes activation of hepatic stellate cells and is a target for antibody therapy of liver fibrosis. *J Hepatol*. 57: 1283-1291. <http://dx.doi.org/10.1016/j.jhep.2012.07.042>.
- Zhang, F; Gu, JX; Zou, XP; Zhuge, YZ. (2016). [Protective effects of S-adenosylmethionine against CCl₄ - and ethanol-induced experimental hepatic fibrosis]. *Mol Biol (Mosk)*. 50: 284-290. <http://dx.doi.org/10.7868/S0026898416020270>.
- Zhang, F; Shu, R; Wu, X; Zhao, X; Feng, D; Wang, L; Lu, S; Liu, Q; Xiang, Y; Fei, J; Huang, L; Wang, Z. (2009). Delayed liver injury and impaired hepatocyte proliferation after carbon tetrachloride exposure in BPO22-deficient mice. *Toxicol Lett*. 188: 201-207. <http://dx.doi.org/10.1016/j.toxlet.2009.04.009>.
- Zhang, F; Wang, X; Qiu, X; Wang, J; Fang, H; Wang, Z; Sun, Y; Xia, Z. (2014). The protective effect of Esculentoside A on experimental acute liver injury in mice. *PLoS ONE*. 9: e113107. <http://dx.doi.org/10.1371/journal.pone.0113107>.
- Zhang, GL; Zeng, T; Wang, QS; Zhao, XL; Song, FY; Xie, KQ. (2010). [Protective effect of garlic oil given at different time against acute liver injury induced by CCl₄]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi*. 28: 190-194.
- Zhang, H; Sun, Q; Xu, T; Hong, L; Fu, R; Wu, J; Ding, J. (2016). Resveratrol attenuates the progress of liver fibrosis via the Akt/nuclear factor- κ B pathways. *Mol Med Rep*. 13: 224-230. <http://dx.doi.org/10.3892/mmr.2015.4497>.
- Zhang, H; Yang, Q; Yu, T; Chen, X; Huang, J; Tan, C; Liang, B; Guo, H. (2016). Comparison of T2, T1rho, and diffusion metrics in assessment of liver fibrosis in rats. *J Magn Reson Imaging*. <http://dx.doi.org/10.1002/jmri.25424>.
- Zhang, H; Yu, CH; Jiang, YP; Peng, C; He, K; Tang, JY; Xin, HL. (2012). Protective effects of polydatin from *Polygonum cuspidatum* against carbon tetrachloride-induced liver injury in mice. *PLoS ONE*. 7: e46574. <http://dx.doi.org/10.1371/journal.pone.0046574>.
- Zhang, J; Liu, M; Yang, Y; Lin, L; Xu, N; Zhao, H; Jia, L. (2016). Purification, characterization and hepatoprotective activities of mycelia zinc polysaccharides by *Pleurotus djamor*. *Carbohydr Polymer*. 136: 588-597. <http://dx.doi.org/10.1016/j.carbpol.2015.09.075>.
- Zhang, JJ; Meng, XK; Dong, C; Qiao, JL; Zhang, RF; Yue, GQ; Zhong, HY. (2009). Development of a new animal model of liver cirrhosis in swine. *Eur Surg Res*. 42: 35-39. <http://dx.doi.org/10.1159/000167855>.
- Zhang, JQ; Shi, L; Xu, XN; Huang, SC; Lu, B; Ji, LL; Wang, ZT. (2014). Therapeutic detoxification of quercetin against carbon tetrachloride-induced acute liver injury in mice and its mechanism. *J Zhejiang Univ Sci B*. 15: 1039-1047. <http://dx.doi.org/10.1631/jzus.B1400104>.
- Zhang, K; Jiang, MN; Zhang, CH; Li, C; Jia, YJ. (2014). Effects of Ganfukang on expression of connective tissue growth factor and focal adhesion kinase/protein kinase B signal pathway in hepatic fibrosis rats. *Chin J Integr Med*. 20: 438-444. <http://dx.doi.org/10.1007/s11655-013-1597-1>.
- Zhang, L; Shao, J; Xiao, F; Chen, L; He, H. (2015). [Mechanism of expression of the Src family kinases (Fgr, Hck, Lyn) and SSeCKS in non-alcoholic steatohepatitis]. *Zhonghua Gan Zang Bing Za Zhi*. 23: 363-367.
- Zhang, L; Wang, YD; Chen, WD; Wang, X; Lou, G; Liu, N; Lin, M; Forman, BM; Huang, W. (2012). Promotion of liver regeneration/repair by farnesoid X receptor in both liver and intestine in mice. *Hepatology*. 56: 2336-2343. <http://dx.doi.org/10.1002/hep.25905>.
- Zhang, LJ; Sun, MY; Ning, BB; Zhang, WM; Chen, GF; Mu, YP; Zhang, H; Liu, J; Bian, YQ; Liu, P. (2014). Xiayuxue Decoction ([symbols; see text]) attenuates hepatic stellate cell activation and sinusoidal endothelium defenestration in CCl₄-induced fibrotic liver of mice. *Chin J Integr Med*. 20: 516-523. <http://dx.doi.org/10.1007/s11655-014-1862-y>.
- Zhang, M, an; Pan, L, iJun; Jiang, ST; Mo, Y, uWen. (2016). Protective effects of anthocyanins from purple sweet potato on acute carbon tetrachloride-induced oxidative hepatotoxicity fibrosis in mice. *Food and Agricultural Immunology*. 27: 157-170. <http://dx.doi.org/10.1080/09540105.2015.1079589>.
- Zhang, R; Zhao, Y; Sun, Y; Lu, X; Yang, X. (2013). Isolation, characterization, and hepatoprotective effects of the raffinose family oligosaccharides from *Rehmannia glutinosa* Libosch. *J Agric Food Chem*. 61: 7786-7793. <http://dx.doi.org/10.1021/jf4018492>.
- Zhang, S, hi; Chen, J; Sun, A; Zhao, L. (2014). Protective effects and antioxidant mechanism of bamboo leaf flavonoids on hepatocytes injured by CCl₄. *Food and Agricultural Immunology*. 25: 386-396. <http://dx.doi.org/10.1080/09540105.2013.810709>.
- Zhang, S; Lu, B; Han, X; Xu, L; Qi, Y; Yin, L; Xu, Y; Zhao, Y; Liu, K; Peng, J. (2013). Protection of the flavonoid fraction from *Rosa laevigata* Michx fruit against carbon tetrachloride-induced acute liver injury in mice. *Food Chem Toxicol*. 55: 60-69. <http://dx.doi.org/10.1016/j.fct.2012.12.041>.
- Zhang, TT; Xu, XL; Jiang, MH; Jiang, JG. (2013). Hepatoprotective function of *Penthorum chinense* Pursh. 4: 1581-1585. <http://dx.doi.org/10.1039/c3fo60245a>.
- Zhang, W; Miao, J; Li, P; Wang, Y; Zhang, Y. (2013). Up-regulation of components of the renin-angiotensin system in liver fibrosis in the rat induced by CCl₄. *Res Vet Sci*. 95: 54-58. <http://dx.doi.org/10.1016/j.rvsc.2013.01.028>.
- Zhang, WY; Li, Y; Li, T; Ning, ZW; Li, W; Li, X. (2013). [Aldosterone antagonist inhibits fibrosis-induced NOX4 protein expression in hepatic cells and tissues of rats]. *Zhonghua Gan Zang Bing Za Zhi*. 21: 519-523.
- Zhang, WY; Yang, AM; Yin, Y; Fang, DF; Li, Y. (2011). [The effects of prolonged sevoflurane anesthesia on renal function in liver fibrosis rabbits]. *Sichuan Da Xue Xue Bao Yi Xue Ban*. 42: 523-526.

Human Health Hazard Literature Search Results

On Topic

- Zhang, X; Wang, Y; Ma, C; Yan, Y; Yang, Y; Wang, X; Rausch, WD. (2016). Ginsenoside Rd and ginsenoside Re offer neuroprotection in a novel model of Parkinson's disease. 5: 52-61.
- Zhang, X; Xu, L; Yin, L; Qi, Y; Xu, Y; Han, X; Peng, J. (2015). Quantitative chemical proteomics for investigating the biomarkers of dioscin against liver fibrosis caused by CCl₄ in rats. *Chem Commun (Camb)*. 51: 11064-11067. <http://dx.doi.org/10.1039/c4cc09160d>.
- Zhang, Y; He, Y; Yu, H; Ma, F; Wu, J; Zhang, X. (2015). Liquiritigenin Protects Rats from Carbon Tetrachloride Induced Hepatic Injury through PGC-1 α Pathway. *eCAM*. 2015: 649568. <http://dx.doi.org/10.1155/2015/649568>.
- Zhang, Y; Huang, M; Li, H; Xu, W, ei; Chu, K; Zheng, H; Sha, M, ei; Chen, L. (2012). Hepatoprotective and Antioxidant Activity of the Total Flavonoids Extraction from *Hypericum japonicum* by Response Surface Methodology. *Lat Am J Pharm*. 31: 1270-1278.
- Zhang, Y; Jia, Y; Yang, M; Yang, P; Tian, Y; Xiao, A; Wen, A. (2012). The impaired disposition of probe drugs is due to both liver and kidney dysfunctions in CCl₄-model rats. *Environ Toxicol Pharmacol*. 33: 453-458. <http://dx.doi.org/10.1016/j.etap.2012.01.002>.
- Zhang, Y; Liu, P; Gao, X; Qian, W; Xu, K. (2010). rAAV2-TGF- β (3) decreases collagen synthesis and deposition in the liver of experimental hepatic fibrosis rat. *Dig Dis Sci*. 55: 2821-2830. <http://dx.doi.org/10.1007/s10620-009-1119-3>.
- Zhang, Y; Wu, L; Wang, Y; Zhang, M; Li, L; Zhu, D; Li, X; Gu, H; Zhang, CY; Zen, K. (2012). Protective role of estrogen-induced miRNA-29 expression in carbon tetrachloride-induced mouse liver injury. *J Biol Chem*. 287: 14851-14862. <http://dx.doi.org/10.1074/jbc.M111.314922>.
- Zhang, YB; Dong, HY; Zhao, XM; Fan, L; Zou, Y; Zhang, C; Li, G; Liu, JC; Niu, YC. (2012). Hydroxysafflor yellow A attenuates carbon tetrachloride-induced hepatic fibrosis in rats by inhibiting ERK5 signaling. *Am J Chin Med*. 40: 481-494. <http://dx.doi.org/10.1142/S0192415X12500371>.
- Zhang, Z; Pu, Y; Pan, Q; Xu, X; Yan, X. (2016). Influences of keratinocyte growth factor - mesenchymal stem cells on chronic liver injury in rats. 44: 1810-1817. <http://dx.doi.org/10.3109/21691401.2015.1105237>.
- Zhang, Z; Qi, X; Li, Z; Xu, L; Wang, F; Wang, S; Chang, Y; Ma, W; Xu, M; Yang, C. (2014). Hepatopulmonary syndrome: the role of intra-abdominal hypertension and a novel mouse model. *Int J Clin Exp Pathol*. 7: 768-773.
- Zhang, Z; Zha, Y; Hu, W; Huang, Z; Gao, Z; Zang, Y; Chen, J; Dong, L; Zhang, J. (2013). The autoregulatory feedback loop of microRNA-21/programmed cell death protein 4/activation protein-1 (MiR-21/PDCD4/AP-1) as a driving force for hepatic fibrosis development. *J Biol Chem*. 288: 37082-37093. <http://dx.doi.org/10.1074/jbc.M113.517953>.
- Zhang, Z; Zhang, F; Lu, Y; Zheng, S. (2015). Update on implications and mechanisms of angiogenesis in liver fibrosis. *Hepatology Research*. 45: 162-178. <http://dx.doi.org/10.1111/hepr.12415>.
- Zhang, ZF; Liu, Y; Lu, LY; Luo, P. (2014). Hepatoprotective activity of *Gentiana veitchiorum* Hemsl. against carbon tetrachloride-induced hepatotoxicity in mice. *Chin J Nat Med*. 12: 488-494. [http://dx.doi.org/10.1016/S1875-5364\(14\)60076-5](http://dx.doi.org/10.1016/S1875-5364(14)60076-5).
- Zhang, ZG; Lu, XB; Xiao, L; Tang, L; Zhang, LJ; Zhang, T; Zhan, XY; Ma, XM; Zhang, YX. (2012). [Antioxidant effects of the Uyгур herb, *Foeniculum Vulgare* Mill, in a rat model of hepatic fibrosis]. *Zhonghua Gan Zang Bing Za Zhi*. 20: 221-226.
- Zhao, F; Wang, YX; Yuan, J; Deng, M; Wong, HL; Chu, ES; Go, MY; Teng, GJ; Ahuja, AT; Yu, J. (2012). MR T1 ρ as an imaging biomarker for monitoring liver injury progression and regression: an experimental study in rats with carbon tetrachloride intoxication. *Eur Radiol*. 22: 1709-1716. <http://dx.doi.org/10.1007/s00330-012-2419-0>.
- Zhao, FQ; Yan, L; Cui, XH; Lin, S; Wang, C; Zhang, H; Kang, XY; Ji, BS. (2012). [Triterpenoids from *Inonotus obliquus* protect mice against oxidative damage induced by CCl₄]. *Yao Xue Xue Bao*. 47: 680-684.
- Zhao, G; Hatting, M; Nevzorova, YA; Peng, J; Hu, W; Boekschoten, MV; Roskams, T; Muller, M; Gassler, N; Liedtke, C; Davis, RJ; Cubero, FJ; Trautwein, C. (2014). Jnk1 in murine hepatic stellate cells is a crucial mediator of liver fibrogenesis. *Gut*. 63: 1159-1172. <http://dx.doi.org/10.1136/gutjnl-2013-305507>.
- Zhao, HW; Zhang, ZF; Chai, X; Li, GQ; Cui, HR; Wang, HB; Meng, YK; Liu, HM; Wang, JB; Li, RS; Bai, ZF; Xiao, XH. (2016). Oxymatrine attenuates CCl₄-induced hepatic fibrosis via modulation of TLR4-dependent inflammatory and TGF- β 1 signaling pathways. *Int Immunopharmacol*. 36: 249-255. <http://dx.doi.org/10.1016/j.intimp.2016.04.040>.
- Zhao, KK; Wang, Q; Miao, XH; Xu, WS. (2010). [Dynamic detection of duck hepatitis B virus cccDNA in serum of ducks with liver injury]. *Chung Hua Hsueh Tsa Chih*. 90: 2509-2513.
- Zhao, P; Qi, C; Wang, G; Dai, X; Hou, X. (2015). Enrichment and purification of total flavonoids from *Cortex Juglandis Mandshuricae* extracts and their suppressive effect on carbon tetrachloride-induced hepatic injury in Mice. *J Chromatogr B Analyt Technol Biomed Life Sci*. 1007: 8-17. <http://dx.doi.org/10.1016/j.jchromb.2015.10.019>.
- Zhao, S; Fu, YM; Li, XF; Jin, ZF; Zhao, RB; Huang, Q; Zhang, FM; Zhang, WH. (2010). Alterations of bone marrow sinusoidal endothelium in rat and patients with liver cirrhosis. *Dig Dis Sci*. 55: 654-661. <http://dx.doi.org/10.1007/s10620-009-0785-5>.
- Zhao, S; Zhang, Z; Qian, L; Lin, Q; Zhang, C; Shao, J; Zhang, F; Zheng, S. (2017). Tetramethylpyrazine attenuates carbon tetrachloride-caused liver injury and fibrogenesis and reduces hepatic angiogenesis in rats. *Biomed Pharmacother*. 86: 521-530. <http://dx.doi.org/10.1016/j.biopha.2016.11.122>.
- Zhao, SH; Chu, YL; Liu, EQ. (2010). [Expression of keratin 8 in carbon tetrachloride-induced liver injury of mice]. *Zhejiang Da Xue Xue Bao Yi Xue Ban*. 39: 37-42.
- Zhao, TY; Su, LP; Ma, CY; Zhai, XH; Duan, ZJ; Zhu, Y; Zhao, G; Li, CY; Wang, LX; Yang, D. (2015). IGF-1 decreases portal vein endotoxin via regulating intestinal tight junctions and plays a role in attenuating portal hypertension of cirrhotic rats. *BMC Gastroenterol*. 15: 77. <http://dx.doi.org/10.1186/s12876-015-0311-5>.
- Zhao, W; Li, JJ; Cao, DY; Li, X; Zhang, LY; He, Y; Yue, SQ; Wang, DS; Dou, KF. (2012). Intravenous injection of mesenchymal stem cells is effective in treating liver fibrosis. *World J Gastroenterol*. 18: 1048-1058. <http://dx.doi.org/10.3748/wjg.v18.i10.1048>.
- Zhao, WX; Jin, MH; Li, T; Wang, YJ; Quan, JS. (2013). [Intervention effect of aqueous fractions from *Boschniakia rossica* on hepatic oxidative stress in mice with liver injury induced by carbon tetrachloride]. *Zhongguo Zhong Yao Za Zhi*. 38: 875-878.

Human Health Hazard Literature Search Results

On Topic

- Zhao, X. (2013). Hawk tea (*Litsea coreana* Levl. var. *lanuginosa*) attenuates CCl₄-induced hepatic damage in Sprague-Dawley rats. *Exp Ther Med*. 5: 555-560. <http://dx.doi.org/10.3892/etm.2012.840>.
- Zhao, X; Deng, B; Xu, XY; Yang, SJ; Zhang, T; Song, YJ; Liu, XT; Wang, YQ; Cai, DY. (2013). Glycyrrhizinate reduces portal hypertension in isolated perfused rat livers with chronic hepatitis. *World J Gastroenterol*. 19: 6069-6076. <http://dx.doi.org/10.3748/wjg.v19.i36.6069>.
- Zhao, X; Fu, J; Xu, A; Yu, L; Zhu, J; Dai, R; Su, B; Luo, T; Li, N; Qin, W; Wang, B; Jiang, J; Li, S; Chen, Y; Wang, H. (2015). Gankyrin drives malignant transformation of chronic liver damage-mediated fibrosis via the Rac1/JNK pathway. *Cell Death & Disease*. 6: e1751. <http://dx.doi.org/10.1038/cddis.2015.120>.
- Zhao, X; Jia, H; Yang, S; Liu, Y; Deng, B; Xu, X; Zhang, T; Zhou, H; Zu, C; Yin, H; Li, T; Song, Y; Wang, Y; Li, P; Zou, Z; Cai, D. (2012). Salvianolic Acid B reducing portal hypertension depends on macrophages in isolated portal perfused rat livers with chronic hepatitis. *eCAM*. 2012: 786365. <http://dx.doi.org/10.1155/2012/786365>.
- Zhao, X; Qian, Y; Li, G; Tan, J. (2015). Preventive effects of the polysaccharide of *Larimichthys crocea* swim bladder on carbon tetrachloride (CCl₄)-induced hepatic damage. *Chin J Nat Med*. 13: 521-528. [http://dx.doi.org/10.1016/S1875-5364\(15\)30046-7](http://dx.doi.org/10.1016/S1875-5364(15)30046-7).
- Zhao, X; Song, JL; Kil, JH; Park, KY. (2013). Bamboo salt attenuates CCl₄-induced hepatic damage in Sprague-Dawley rats. *Nutrition Research and Practice*. 7: 273-280. <http://dx.doi.org/10.4162/nrp.2013.7.4.273>.
- Zhao, X; Zhang, X, in. (2009). Comparisons of cytoprotective effects of three flavonoids against human hepatocytes oxidative injury induced by hydrogen peroxide or carbon tetrachloride in vitro. *Journal of Medicinal Plant Research*. 3: 776-784.
- Zhao, XY; Zeng, X; Li, XM; Wang, TL; Wang, BE. (2009). Pirfenidone inhibits carbon tetrachloride- and albumin complex-induced liver fibrosis in rodents by preventing activation of hepatic stellate cells. *Clin Exp Pharmacol Physiol*. 36: 963-968. <http://dx.doi.org/10.1111/j.1440-1681.2009.05194.x>.
- Zhao, Z; Park, SM, i; Guan, L; Wu, Y; Lee, J; Kim, SC; Kim, Y; Zhao, R. (2015). Isoliquiritigenin attenuates oxidative hepatic damage induced by carbon tetrachloride with or without buthionine sulfoximine. *Chem Biol Interact*. 225: 13-20. <http://dx.doi.org/10.1016/j.cbi.2014.10.030>.
- Zhao, Z; Yu, H; Peng, Y; Ren, H; Tao, Y; Wang, Z; Zhu, B; Liu, P; Liu, C. (2012). [Comparison of effect of formulas clearing away heat and promoting blood circulation on prevention and treatment of liver fibrosis in CCl₄ mice]. *Zhongguo Zhong Yao Za Zhi*. 37: 1804-1808.
- Zhao, ZL; Yang, XQ; Gong, ZQ; Pan, MZ; Han, YL; Liu, Y. (2016). Antioxidant activities of crude phlorotannins from *Sargassum hemiphyllum*. *J Huazhong Univ Sci Technolog Med Sci*. 36: 449-455. <http://dx.doi.org/10.1007/s11596-016-1607-6>.
- Zheng, B; Tan, L; Mo, X; Yu, W; Wang, Y; Tucker-Kellogg, L; Welsch, RE; So, PT; Yu, H. (2011). Predicting in vivo anti-hepatofibrotic drug efficacy based on in vitro high-content analysis. *PLoS ONE*. 6: e26230. <http://dx.doi.org/10.1371/journal.pone.0026230>.
- Zheng, L; Chen, X; Guo, J; Sun, H; Liu, L; Shih, DQ; Zhang, X. (2012). Differential expression of PTEN in hepatic tissue and hepatic stellate cells during rat liver fibrosis and its reversal. *Int J Mol Med*. 30: 1424-1430. <http://dx.doi.org/10.3892/ijmm.2012.1151>.
- Zheng, L; Chu, J; Shi, Y; Zhou, X; Tan, L; Li, Q; Cui, L; Han, Z; Han, Y; Fan, D. (2013). Bone marrow-derived stem cells ameliorate hepatic fibrosis by down-regulating interleukin-17. 3: 46. <http://dx.doi.org/10.1186/2045-3701-3-46>.
- Zheng, L; Qin, J; Sun, L; Gui, L; Zhang, C; Huang, Y; Deng, W; Huang, A; Sun, D; Luo, M. (2016). Intrahepatic upregulation of MRTF-A signaling contributes to increased hepatic vascular resistance in cirrhotic rats with portal hypertension. *Clinics and Research in Hepatology and Gastroenterology*. <http://dx.doi.org/10.1016/j.clinre.2016.11.010>.
- Zheng, SP; Chen, YX; Guo, JL; Qi, D; Zheng, SJ; Zhang, SL; Weng, ZH. (2013). Recombinant adeno-associated virus-mediated transfer of shRNA against Notch3 ameliorates hepatic fibrosis in rats. *Exp Biol Med*. 238: 600-609. <http://dx.doi.org/10.1177/1535370213480698>.
- Zheng, XY; Yang, YF; Li, W; Zhao, X; Sun, Y; Sun, H; Wang, YH; Pu, XP. (2014). Two xanthenes from *Swertia punicea* with hepatoprotective activities in vitro and in vivo. *J Ethnopharmacol*. 153: 854-863. <http://dx.doi.org/10.1016/j.jep.2014.03.058>.
- Zheng, Y; Song, WP; Zhao, YY; Yang, CQ. (2013). [A new strategy to establish a hepatopulmonary syndrome model in rats by inducing abdominal compartment syndrome in the presence of cirrhosis]. *Zhonghua Gan Zang Bing Za Zhi*. 21: 138-141.
- Zheng, Z; Gelling, RW. (2017). Attenuation of Carbon Tetrachloride-Induced Hepatic Toxicity by a Dietary Supplement. *Journal of Dietary Supplements*. 14: 121-131. <http://dx.doi.org/10.1080/19390211.2016.1205702>.
- Zhou, D; Ruan, J; Cai, Y; Xiong, Z; Fu, W; Wei, A. (2010). Antioxidant and hepatoprotective activity of ethanol extract of *Arachniodes exilis* (Hance) Ching. *J Ethnopharmacol*. 129: 232-237. <http://dx.doi.org/10.1016/j.jep.2010.03.016>.
- Zhou, DD; Wang, X; Wang, Y; Xiang, XJ; Liang, ZC; Zhou, Y; Xu, A; Bi, CH; Zhang, L. (2016). MicroRNA-145 inhibits hepatic stellate cell activation and proliferation by targeting ZEB2 through Wnt/ β -catenin pathway. *Mol Immunol*. 75: 151-160. <http://dx.doi.org/10.1016/j.molimm.2016.05.018>.
- Zhou, G; Chen, Y; Liu, S; Yao, X; Wang, Y. (2013). In vitro and in vivo hepatoprotective and antioxidant activity of ethanolic extract from *Meconopsis integrifolia* (Maxim.) Franch. *J Ethnopharmacol*. 148: 664-670. <http://dx.doi.org/10.1016/j.jep.2013.05.027>.
- Zhou, IY; Gao, DS; Chow, AM; Fan, S; Cheung, MM; Ling, C; Liu, X; Cao, P; Guo, H; Man, K; Wu, EX. (2014). Effect of diffusion time on liver DWI: an experimental study of normal and fibrotic livers. *Magn Reson Med*. 72: 1389-1396. <http://dx.doi.org/10.1002/mrm.25035>.
- Zhou, J; You, Y; Bai, Z; Hu, Y; Zhang, J; Zhang, N. (2011). Health risk assessment of personal inhalation exposure to volatile organic compounds in Tianjin, China. *Sci Total Environ*. 409: 452-459. <http://dx.doi.org/10.1016/j.scitotenv.2010.10.022>.
- Zhou, L, iFei; He, F, uGen; Lu, B, aiZ; Chen, FY. (2016). A Traditional Chinese Medicine Shaoyao Ruan Gan Heji Ameliorates Carbon Tetrachloride-induced Liver Injury Through Multiple Stress and Toxicity Pathways. *International Journal of Pharmacology*. 12: 317-328. <http://dx.doi.org/10.3923/ijp.2016.317.328>.
- Zhou, P; Hohm, S; Olusanya, Y; Hess, DA; Nolte, J. (2009). Human progenitor cells with high aldehyde dehydrogenase activity efficiently engraft into damaged liver in a novel model. *Hepatology*. 49: 1992-2000. <http://dx.doi.org/10.1002/hep.22862>.

Human Health Hazard Literature Search Results

On Topic

- Zhou, QY; Liu, D; Huang, SF; Wen, YA; Luo, P; Xiang, Y; Sun, S; Dong, YF; Zhang, LP. (2011). C/EBP α down-regulation is associated with reduced hepatic cellular viability during hypoxia in vitro and in vivo. *Exp Toxicol Pathol.* 63: 307-310. <http://dx.doi.org/10.1016/j.etp.2010.02.003>.
- Zhou, TB; Drummen, GP; Qin, YH. (2012). The controversial role of retinoic acid in fibrotic diseases: analysis of involved signaling pathways [Review]. *International Journal of Molecular Sciences.* 14: 226-243. <http://dx.doi.org/10.3390/ijms14010226>.
- Zhou, XY; Yu, ZJ; Yan, D; Wang, HM; Huang, YH; Sha, J; Xu, FY; Cai, ZY; Min, WP. (2013). BML-11, a lipoxin receptor agonist, protected carbon tetrachloride-induced hepatic fibrosis in rats. *Inflammation.* 36: 1101-1106. <http://dx.doi.org/10.1007/s10753-013-9643-x>.
- Zhou, Y; Li, C; Huijbregts, MA; Mumtaz, MM. (2015). Carcinogenic Air Toxics Exposure and Their Cancer-Related Health Impacts in the United States. *PLoS ONE.* 10: e0140013. <http://dx.doi.org/10.1371/journal.pone.0140013>.
- Zhou, YN; Mu, YP; Fu, WW; Ning, BB; Du, GL; Chen, JM; Sun, MY; Zhang, H; Hu, YY; Liu, CH; Xu, LM; Liu, P. (2015). Yiguanjian decoction and its ingredients inhibit angiogenesis in carbon tetrachloride-induced cirrhosis mice. *BMC Complement Altern Med.* 15: 342. <http://dx.doi.org/10.1186/s12906-015-0862-6>.
- Zhou, YN; Sun, MY; Mu, YP; Yang, T; Ning, BB; Ren, S; Chen, JM; Liu, P. (2014). Xuefuzhuyu decoction inhibition of angiogenesis attenuates liver fibrosis induced by CCl₄ in mice. *J Ethnopharmacol.* 153: 659-666. <http://dx.doi.org/10.1016/j.jep.2014.03.019>.
- Zhou, YX; Chen, J; Li, JP; Wang, YL; Jin, XD. (2009). Chinese medicinal herbs in treating model rats with hepatic fibrosis. *African Journal of Traditional, Complementary and Alternative Medicines.* 7: 104-108.
- Zhu, B; Zhai, Q; Yu, B. (2010). Tanshinone IIA protects rat primary hepatocytes against carbon tetrachloride toxicity via inhibiting mitochondria permeability transition. *Pharmaceutical Biology.* 48: 484-487. <http://dx.doi.org/10.3109/13880200903179699>.
- Zhu, L; Kong, M; Han, YP; Bai, L; Zhang, X; Chen, Y; Zheng, S; Yuan, H; Duan, Z. (2015). Spontaneous liver fibrosis induced by long term dietary vitamin D deficiency in adult mice is related to chronic inflammation and enhanced apoptosis. *Can J Physiol Pharmacol.* 93: 385-394. <http://dx.doi.org/10.1139/cjpp-2014-0275>.
- Zhu, R; Zeng, G; Chen, Y; Zhang, Q; Liu, B, in; Liu, J, ie; Chen, H; Li, M. (2013). Oroxylin A Accelerates Liver Regeneration in CCl₄-Induced Acute Liver Injury Mice. *PLoS ONE.* 8: e71612. <http://dx.doi.org/10.1371/journal.pone.0071612>.
- Zhu, RZ; Xiang, D; Xie, C; Li, JJ; Hu, JJ; He, HL; Yuan, YS; Gao, J; Han, W; Yu, Y. (2010). Protective effect of recombinant human IL-1Ra on CCl₄-induced acute liver injury in mice. *World J Gastroenterol.* 16: 2771-2779.
- Zhu, Y; Miao, Z; Gong, L; Chen, W. (2015). Transplantation of mesenchymal stem cells expressing TIMP-1-shRNA improves hepatic fibrosis in CCl₄-treated rats. *Int J Clin Exp Pathol.* 8: 8912-8920.
- Zipprich, A; Mehal, WZ; Ripoll, C; Groszmann, RJ. (2010). A distinct nitric oxide and adenosine A1 receptor dependent hepatic artery vasodilatory response in the CCl-cirrhotic liver. *Liver Int.* 30: 988-994. <http://dx.doi.org/10.1111/j.1478-3231.2010.02278.x>.
- Zira, A; Kostidis, S; Theocharis, S; Sigala, F; Engelsens, SB; Andreadou, I; Mikros, E. (2013). 1H NMR-based metabolomics approach in a rat model of acute liver injury and regeneration induced by CCl₄ administration. *Toxicology.* 303: 115-124. <http://dx.doi.org/10.1016/j.tox.2012.10.015>.
- Zi-yu, D; Jun, L; Yong, J; Xiao-liang, C; Xiong-wen, L. (2009). Effect of oxymatrine on the p38 mitogen-activated protein kinases signalling pathway in rats with CCl₄ induced hepatic fibrosis. *Chin Med J.* 122: 1449-1454. <http://dx.doi.org/10.3760/cma.j.issn.0366-6999.2009.12.018>.
- Zou, J; Qi, F; Ye, L; Yao, S. (2016). Protective Role of Grape Seed Proanthocyanidins Against Ccl4 Induced Acute Liver Injury in Mice. *Med Sci Monit.* 22: 880-889.
- Zou, L; Jiang, J; Zhong, W; Wang, C; Xing, W; Zhang, Z. (2016). Magnetic resonance elastography in a rabbit model of liver fibrosis: a 3-T longitudinal validation for clinical translation. *8: 4922-4931.*
- Zou, LQ; Chen, J; Pan, L; Jiang, JZ; Xing, W. (2015). Comparison of magnetic resonance elastography and diffusion-weighted imaging for staging hepatic fibrosis. *Chin Med J.* 128: 620-625. <http://dx.doi.org/10.4103/0366-6999.151659>.
- Zou, YH; Liu, X; Khlentzos, AM; Asadian, P; Li, P; Thorling, CA; Robertson, TA; Fletcher, LM; Crawford, DH; Roberts, MS. (2010). Liver fibrosis impairs hepatic pharmacokinetics of liver transplant drugs in the rat model. *Drug Metab Pharmacokinet.* 25: 442-449.
- Zubiete-Franco, I; Fernández-Tussy, P; Barbier-Torres, L; Simon, J; Fernández-Ramos, D; Lopitz-Otsoa, F; Gutiérrez-De Juan, V; de Davalillo, SL; Duce, AM; Iruzubieta, P; Taibo, D; Crespo, J; Caballeria, J; Villa, E; Aurrekoetxea, I; Aspichueta, P; Varela-Rey, M; Lu, SC; Mato, JM; Beraza, N; Delgado, TC; Martínez-Chantar, ML. (2017). Deregulated neddylation in liver fibrosis. *Hepatology.* 65: 694-709. <http://dx.doi.org/10.1002/hep.28933>.

Human Health Hazard Literature Search Results

Off Topic

- Abbas, R; Fisher, JW. (1997). A physiologically based pharmacokinetic model for trichloroethylene and its metabolites, chloral hydrate, trichloroacetate, dichloroacetate, trichloroethanol, and trichloroethanol glucuronide in B6C3F1 mice. *Toxicol Appl Pharmacol.* 147: 15-30. <http://dx.doi.org/10.1006/taap.1997.8190>.
- Abbassi, R; Chamkhia, N; Sakly, M. (2010). Chloroform-induced oxidative stress in rat liver: Implication of metallothionein. *Toxicol Ind Health.* 26: 487-496. <http://dx.doi.org/10.1177/0748233710373088>.
- Abbate, S; Passarello, M; Lebon, F; Longhi, G; Ruggirello, A; Liveri, VT; Viani, F; Castiglione, F; Mendola, D; Mele, A. (2014). Chiroptical Phenomena in Reverse Micelles: The Case of (1R,2S)-Dodecyl (2-hydroxy-1-methyl-2-phenylethyl)dimethylammonium Bromide (DMEB). *Chirality.* 26: 532-538. <http://dx.doi.org/10.1002/chir.22309>.

Human Health Hazard Literature Search Results

Off Topic

- Abcejo, A; Andrejko, KM; Ochroch, EA; Raj, NR; Deutschman, CS. (2011). Impaired hepatocellular regeneration in murine sepsis is dependent on regulatory protein levels. *Shock*. 36: 471-477. <http://dx.doi.org/10.1097/SHK.0b013e31822d60ff>.
- Abdel-Hamid, NI; El-Azab, MF; Moustafa, YM. (2017). Macrolide antibiotics differentially influence human HepG2 cytotoxicity and modulate intrinsic/extrinsic apoptotic pathways in rat hepatocellular carcinoma model. *Naunyn Schmiedebergs Arch Pharmacol*. <http://dx.doi.org/10.1007/s00210-016-1337-0>.
- Abdel-Hamid, NM; Abdel-Ghany, MI; Nazmy, MH; Amgad, SW. (2013). Can methanolic extract of *Nigella sativa* seed affect glyco-regulatory enzymes in experimental hepatocellular carcinoma? *Environ Health Prev Med*. 18: 49-56. <http://dx.doi.org/10.1007/s12199-012-0292-8>.
- Abdel-Kader, MS. (2010). Preliminary pharmacological study of the pterocarpans macckian and trifolirhizin isolated from the roots of *Ononis vaginalis*. *Pak J Pharm Sci*. 23: 182-187.
- Abdel-Kader, MS; Alqasoumi, SI; Al-Taweel, AM. (2009). Hepatoprotective constituents from *Cleome droserifolia*. *Chem Pharm Bull (Tokyo)*. 57: 620-624.
- Abdel-Monem, AR; Kandil, ZA; Abdel-Naim, AB; Abdel-Sattar, E. (2015). A new triterpene and protective effect of *Periploca somaliensis* Browicz fruits against CCl₄-induced injury on human hepatoma cell line (Huh7). *Nat Prod Res*. 29: 423-429. <http://dx.doi.org/10.1080/14786419.2014.950960>.
- Abdelmonem, HA; Abbas, MM; Mahmoud, AH. (2016). COMBINED EFFECTS OF RIBAVIRIN AND DIAZINON ON HEPATIC, PANCREATIC AND KIDNEY BIOMARKERS IN FEMALE ALBINO RATS. *The J A P S*. 26: 1101-1110.
- Abdel-Salam, OM; Youness, ER; Mohammed, NA; Morsy, SM; Omara, EA; Sleem, AA. (2014). Citric Acid Effects on Brain and Liver Oxidative Stress in Lipopolysaccharide-Treated Mice. *J Med Food*. 17: 588-598. <http://dx.doi.org/10.1089/jmf.2013.0065>.
- Abdo, W; Hirata, A; Shukry, M; Kamal, T; Abdel-Sattar, E; Mahrous, E; Yanai, T. (2015). *Calligonum comosum* extract inhibits diethylnitrosamine-induced hepatocarcinogenesis in rats. 10: 716-722. <http://dx.doi.org/10.3892/ol.2015.3313>.
- Abdreshow, SN; Demshenko, GA. (2009). Shifts in the lymph flow and the lymph composition in toxic hepatitis and their correction by protective substances. *Bull Exp Biol Med*. 148: 403-405.
- Abdulhameed, MD; Tawa, GJ; Kumar, K; Ippolito, DL; Lewis, JA; Stallings, JD; Wallqvist, A. (2014). Systems level analysis and identification of pathways and networks associated with liver fibrosis. *PLoS ONE*. 9: e112193. <http://dx.doi.org/10.1371/journal.pone.0112193>.
- Abdul-Razzak, KK; Alzoubi, KH; Abdo, SA; Hananeh, WM. (2012). High-dose vitamin C: does it exacerbate the effect of psychosocial stress on liver? Biochemical and histological study. *Exp Toxicol Pathol*. 64: 367-371. <http://dx.doi.org/10.1016/j.etp.2010.09.011>.
- Abenavoli, L; Capasso, R; Milic, N; Capasso, F. (2010). Milk thistle in liver diseases: past, present, future [Review]. 24: 1423-1432. <http://dx.doi.org/10.1002/ptr.3207>.
- Abiko, H. (2014). [Effect of average diameter of activated carbon granules on estimation of organic vapor breakthrough time using NIOSH MultiVapor™ software and discussion of its practical use]. *Sangyo Eiseigaku Zasshi*. 56: 275-285. <http://dx.doi.org/10.1539/sangyoeisei.L14001>.
- Ablamunits, V; Bisikirska, B; Herold, KC. (2010). Acquisition of regulatory function by human CD8(+) T cells treated with anti-CD3 antibody requires TNF. *Eur J Immunol*. 40: 2891-2901. <http://dx.doi.org/10.1002/eji.201040485>.
- Abuelwafa, HR; Yousef, HN. (2015). The ameliorative effect of thymol against hydrocortisone-induced hepatic oxidative stress injury in adult male rats. *Biochem Cell Biol*. 93: 282-289. <http://dx.doi.org/10.1139/bcb-2014-0154>.
- Aboubakr, EM; Taye, A; Aly, OM; Gamal-Eldeen, AM; El-Moselhy, MA. (2017). Enhanced anticancer effect of Combretastatin A-4 phosphate when combined with vincristine in the treatment of hepatocellular carcinoma. *Biomed Pharmacother*. 89: 36-46. <http://dx.doi.org/10.1016/j.biopha.2017.02.019>.
- Abou-Chahine, F; Preston, TJ; Dunning, GT; Orr-Ewing, AJ; Greetham, GM; Clark, IP; Towrie, M; Reid, SA. (2013). Photoisomerization and photoinduced reactions in liquid CCl₄ and CHCl₃. *J Phys Chem A*. 117: 13388-13398. <http://dx.doi.org/10.1021/jp406687x>.
- Abousaidi, H; Vazirinejad, R; Arababadi, MK; Rafatpanah, H; Pourfathollah, AA; Derakhshan, R; Daneshmandi, S; Hassanshahi, G. (2011). Lack of association between chemokine receptor 5 (CCR5) 632 mutation and pathogenesis of asthma in Iranian patients. *South Med J*. 104: 422-425. <http://dx.doi.org/10.1097/SMJ.0b013e3182182186ff0>.
- Abrial, C; Grassin-Delyle, S; Salvator, H; Brollo, M; Naline, E; Devillier, P. (2015). 15-Lipoxygenases regulate the production of chemokines in human lung macrophages. *Br J Pharmacol*. 172: 4319-4330. <http://dx.doi.org/10.1111/bph.13210>.
- Abu Dayyeh, BK; Yang, M; Dienstag, JL; Chung, RT. (2011). The effects of angiotensin blocking agents on the progression of liver fibrosis in the HALT-C Trial cohort. *Dig Dis Sci*. 56: 564-568. <http://dx.doi.org/10.1007/s10620-010-1507-8>.
- Abu-Tair, L; Doron, S; Mahamid, M; Amer, J; Safadi, R. (2013). Leptin modulates lymphocytes' adherence to hepatic stellate cells is associated with oxidative status alterations. *Mitochondrion*. 13: 473-480. <http://dx.doi.org/10.1016/j.mito.2012.10.012>.
- ACGIH. (2001). Documentation of threshold limit values and biological exposure indices for chemical substances in the workroom air. 7th edition. Supplement. Cincinnati, OH.
- Adelman, R; Saul, RL; BN, A. (1988). Oxidative damage to DNA: Relation to species metabolic rate and life span. *Proc Natl Acad Sci USA*. 85: 2706-2708.
- Adeneye, AA. (2009). Protective activity of the stem bark aqueous extract of *Musanga cecropioides* in carbon tetrachloride- and acetaminophen-induced acute hepatotoxicity in rats. *African Journal of Traditional, Complementary and Alternative Medicines*. 6: 131-138.
- Adewusi, EA; Afolayan, AJ. (2010). A review of natural products with hepatoprotective activity. *Journal of Medicinal Plant Research*. 4: 1318-1334.

Human Health Hazard Literature Search Results

Off Topic

- Affò, S; Rodrigo-Torres, D; Blaya, D; Morales-Ibanez, O; Coll, M; Millán, C; Altamirano, J; Arroyo, V; Caballería, J; Bataller, R; Ginès, P; Sancho-Bru, P. (2015). Chemokine Receptor Ccr6 Deficiency Alters Hepatic Inflammatory Cell Recruitment and Promotes Liver Inflammation and Fibrosis. *PLoS ONE*. 10: e0145147. <http://dx.doi.org/10.1371/journal.pone.0145147>.
- Aghsaee, M; Drakon, A; Eremin, A; Dürrstein, SH; Böhm, H; Somnitz, H; Fikri, M; Schulz, C. (2013). Experimental investigation and modeling of the kinetics of CCl₄ pyrolysis behind reflected shock waves using high-repetition-rate time-of-flight mass spectrometry. *Phys Chem Chem Phys*. 15: 2821-2828. <http://dx.doi.org/10.1039/c2cp42574b>.
- Agwaramgbo, A; Ildogwe, EE; Ajaghaku, DL; Onuorah, MU; Mbagwu, SI. (2014). Evaluation of Antioxidant, Immunomodulatory Activities, and Safety of Ethanol Extract and Fractions of *Gongronema latifolium* Fruit. 2014: 695272. <http://dx.doi.org/10.1155/2014/695272>.
- Ahmad, A; Ahmad, R. (2014). Resveratrol mitigate structural changes and hepatic stellate cell activation in N¹-nitrosodimethylamine-induced liver fibrosis via restraining oxidative damage. *Chem Biol Interact*. 221: 1-12. <http://dx.doi.org/10.1016/j.cbi.2014.07.007>.
- Ahmad, F; Tabassum, N. (2013). Preliminary phytochemical, acute oral toxicity and antihepatotoxic study of roots of *Paeonia officinalis* Linn. 3: 64-68. [http://dx.doi.org/10.1016/S2221-1691\(13\)60025-8](http://dx.doi.org/10.1016/S2221-1691(13)60025-8).
- Ahmad, M; Eram, S. (2011). Hepatoprotective studies on *Haloxylon Salicornicum*: a plant from Cholistan desert. *Pak J Pharm Sci*. 24: 377-382.
- Ahmadabadi, BN; Hassanshahi, G; Khoramdelazad, H; Mirzaei, V; Sajadi, SM; Hajghani, M; Khodadadi, H; Pournali, R; Arababadi, MK; Kennedy, D. (2013). Downregulation of CCR5 expression on the peripheral blood CD8⁺ T cells of southeastern Iranian patients with chronic hepatitis B infection. *Inflammation*. 36: 136-140. <http://dx.doi.org/10.1007/s10753-012-9528-4>.
- Ahmadi, A; Ebrahimzadeh, MA; Ahmad-Ashrafi, S; Karami, M; Mahdavi, MR; Saravi, SS. (2011). Hepatoprotective, antinociceptive and antioxidant activities of cimetidine, ranitidine and famotidine as histamine H₂ receptor antagonists. *Fundam Clin Pharmacol*. 25: 72-79. <http://dx.doi.org/10.1111/j.1472-8206.2009.00810.x>.
- Ahmadi, A; Khalili, M; Margedari, S; Nahri-Niknafs, B. (2016). ANTIDIABETIC AND ANTILIPIDEMIC EFFECTS OF SOME POLAR AND NONPOLAR EXTRACTS OF *SECURIGERA SECURIDACA* FLOWERS. *Pharmaceutical Chemistry Journal*. 49: 753-759. <http://dx.doi.org/10.1007/s11094-016-1365-6>.
- Ahmadi, A; Khalili, M; Margedari, S, h; Nahri-Niknafs, B. (2016). The Effects of Solvent Polarity on Hypoglycemic and Hypolipidemic Activities of *Securigera Securidaca* (L.) Seeds. 66: 130-135. <http://dx.doi.org/10.1055/s-0035-1555773>.
- Ahmed, AF; Al-Qahtani, JH; Al-Yousef, HM; Al-Said, MS; Ashour, AE; Al-Sohaibani, M; Rafatullah, S. (2015). Proanthocyanidin-rich date seed extract protects against chemically induced hepatorenal toxicity. *J Med Food*. 18: 280-289. <http://dx.doi.org/10.1089/jmf.2014.3157>.
- Ahmed, B; Habibullah, B; Khan, S. (2011). Synthesis and antihepatotoxic activity of 2-(substituted-phenyl)-5-(2,3-dihydro-1,4-benzodioxane-2-yl)-1,3,4-oxadiazole derivatives. *J Enzyme Inhib Med Chem*. 26: 216-221. <http://dx.doi.org/10.3109/14756366.2010.489899>.
- Ahmed, B; Khan, S; Verma, A; Habibullah, A. (2009). Antihepatotoxic activity of debelalactone, a new oxirano-furanocoumarin from *Phyllanthus debilis*. *J Asian Nat Prod Res*. 11: 687-692. <http://dx.doi.org/10.1080/10286020802621864>.
- Ahmed, F; Rahman, MS. (2016). Preliminary assessment of free radical scavenging, thrombolytic and membrane stabilizing capabilities of organic fractions of *Callistemon citrinus* (Curtis.) skeels leaves. *BMC Complement Altern Med*. 16: 247. <http://dx.doi.org/10.1186/s12906-016-1239-1>.
- Ahmed, J; Nirmal, SA; Dhasade, VV; Mandal, SC. (2010). Hepatoprotective Fraction from Aerial Parts of *Delonix regia*. *Lat Am J Pharm*. 29: 477-480.
- Ahmed, Y; Sohrab, MH; Al-Reza, SM; Tareq, FS; Hasan, CM; Sattar, MA. (2010). Antimicrobial and cytotoxic constituents from leaves of *Sapium baccatum*. *Food Chem Toxicol*. 48: 549-552. <http://dx.doi.org/10.1016/j.fct.2009.11.030>.
- Ahn, J; Son, MK; Jung, KH; Kim, K; Kim, GJ; Lee, SH; Hong, SS; Park, SG. (2016). Aminoacyl-tRNA synthetase interacting multi-functional protein 1 attenuates liver fibrosis by inhibiting TGFβ signaling. *Int J Oncol*. 48: 747-755. <http://dx.doi.org/10.3892/ijo.2015.3303>.
- Ahn, M; Kim, J; Bang, H; Moon, J; Kim, GO; Shin, T. (2016). Hepatoprotective effects of allyl isothiocyanate against carbon tetrachloride-induced hepatotoxicity in rat. *Chem Biol Interact*. 254: 102-108. <http://dx.doi.org/10.1016/j.cbi.2016.05.037>.
- Ahn, M; Park, JS; Chae, S; Kim, S; Moon, C; Hyun, JW; Shin, T. (2014). Hepatoprotective effects of *Lycium chinense* Miller fruit and its constituent betaine in CCl₄-induced hepatic damage in rats. *Acta Histochem*. 116: 1104-1112. <http://dx.doi.org/10.1016/j.acthis.2014.05.004>.
- Ahrenholtz, SR; Epley, CC; Morris, AJ. (2014). Solvothermal preparation of an electrocatalytic metalloporphyrin MOF thin film and its redox hopping charge-transfer mechanism. *J Am Chem Soc*. 136: 2464-2472. <http://dx.doi.org/10.1021/ja410684q>.
- Ai, G; Liu, Q; Hua, W; Huang, Z; Wang, D. (2013). Hepatoprotective evaluation of the total flavonoids extracted from flowers of *Abelmoschus manihot* (L.) Medic: In vitro and in vivo studies. *J Ethnopharmacol*. 146: 794-802. <http://dx.doi.org/10.1016/j.jep.2013.02.005>.
- Aimanianda, V; Haensler, J; Lacroix-Desmazes, S; Kaveri, SV; Bayry, J. (2009). Novel cellular and molecular mechanisms of induction of immune responses by aluminum adjuvants [Review]. *Trends Pharmacol Sci*. 30: 287-295. <http://dx.doi.org/10.1016/j.tips.2009.03.005>.
- Ajboye, TO; Yakubu, MT; Salau, AK; Oladiji, AT; Akanji, MA; Okogun, JI. (2010). Antioxidant and drug detoxification potential of aqueous extract of *Annona senegalensis* leaves in carbon tetrachloride-induced hepatocellular damage. *Pharmaceutical Biology*. 48: 1361-1370. <http://dx.doi.org/10.3109/13880209.2010.483247>.
- Akachi, T; Shiina, Y; Ohishi, Y; Kawaguchi, T; Kawagishi, H; Morita, T; Mori, M; Sugiyama, K. (2010). Hepatoprotective effects of flavonoids from shekwasha (*Citrus depressa*) against D-galactosamine-induced liver injury in rats. *J Nutr Sci Vitaminol*. 56: 60-67.
- Akaizina, AE; Akaizin, ES; Starodumov, VL. (2015). [VOLATILE FATTY ACIDS IN SALIVA--BIOLOGICAL MARKERS FOR ASSESSMENT OF DRINKING WATER POLLUTANTS ON CHILDREN]. *Gig Sanit*. 94: 111-114.
- Akhzari, S; Rezvan, H; Zolhavarieh, M. (2016). Expression of Pro-inflammatory Genes in Lesions and Neutrophils during *Leishmania major* Infection in BALB/c Mice. *Iranian Journal of Parasitology*. 11: 534-541.

Human Health Hazard Literature Search Results

Off Topic

- Akindele, AJ; Adeneye, AA; Olatoye, F; Benebo, AS. (2014). Protective effect of selected calcium channel blockers and prednisolone, a phospholipase-A2 inhibitor, against gentamicin and carbon tetrachloride-induced nephrotoxicity. *Hum Exp Toxicol.* 33: 831-846. <http://dx.doi.org/10.1177/0960327113509660>.
- Aktas, C; Kanter, M; Erboğa, M; Mete, R; Oran, M. (2014). Melatonin attenuates oxidative stress, liver damage and hepatocyte apoptosis after bile-duct ligation in rats. *Toxicol Ind Health.* 30: 835-844. <http://dx.doi.org/10.1177/0748233712464811>.
- Al Mahmud, Z; Emran, TB; Qais, N; Bachar, SC; Sarker, M; Uddin, MM. (2016). Evaluation of analgesic, anti-inflammatory, thrombolytic and hepatoprotective activities of roots of *Premna esculenta* (Roxb). *J Basic Clin Physiol Pharmacol.* 27: 63-70. <http://dx.doi.org/10.1515/jbcpp-2015-0056>.
- Al-Afif, A; Alyazidi, R; Oldford, SA; Huang, YY; King, CA; Marr, N; Haidl, ID; Anderson, R; Marshall, JS. (2015). Respiratory syncytial virus infection of primary human mast cells induces the selective production of type I interferons, CXCL10, and CCL4. *J Allergy Clin Immunol.* 136: 1346-1354.e1341. <http://dx.doi.org/10.1016/j.jaci.2015.01.042>.
- Albarracín, L; Kobayashi, H; Iida, H; Sato, N; Nochi, T; Aso, H; Salva, S; Alvarez, S; Kitazawa, H; Villena, J. (2017). Transcriptomic Analysis of the Innate Antiviral Immune Response in Porcine Intestinal Epithelial Cells: Influence of Immunobiotic Lactobacilli. 8: 57. <http://dx.doi.org/10.3389/fimmu.2017.00057>.
- Aldaba-Muruato, LR; Galicia-Moreno, M; Shibayama, M; Moreno, MG; Muriel, P. (2011). ALLOPURINOL PROTECTS AGAINST ACUTE LIVER DAMAGE AND PREVENTS AND REVERSES CIRRHOSIS INDUCED BY CARBON TETRACHLORIDE: ROLE OF CYTOKINES MODULATION AND OXIDATIVE STRESS. *J Hepatol.* 54: S238-S238.
- Al-Dbass, AM; Al-Daihan, SK; Bhat, RS. (2012). *Agaricus blazei* Murill as an efficient hepatoprotective and antioxidant agent against CCl4-induced liver injury in rats. *Saudi J Biol Sci.* 19: 303-309. <http://dx.doi.org/10.1016/j.sjbs.2012.03.004>.
- Al-Dosari, MS. (2010). The effectiveness of ethanolic extract of *Amaranthus tricolor* L.: A natural hepatoprotective agent. *Am J Chin Med.* 38: 1051-1064. <http://dx.doi.org/10.1142/S0192415X10008469>.
- Al-Hayani, A. (2011). The Efficacy of Antioxidative Therapy in Hepatic Fibrosis Induced Experimentally by Bile Duct Ligation in Rats. *Journal of Animal and Veterinary Advances.* 10: 764-773.
- Allam, AA; El-Ghareeb, AW; Abdul-Hamid, M; Bakery, AE; Gad, M; Sabri, M. (2010). Effect of prenatal and perinatal acrylamide on the biochemical and morphological changes in liver of developing albino rat. *Arch Toxicol.* 84: 129-141. <http://dx.doi.org/10.1007/s00204-009-0475-2>.
- Allodi, MA; Finneran, IA; Blake, GA. (2015). Nonlinear terahertz coherent excitation of vibrational modes of liquids. *J Chem Phys.* 143: 234204. <http://dx.doi.org/10.1063/1.4938165>.
- Alm-Eldeen, AA; Mona, MH; Shati, AA; El-Mekki, HI. (2015). Synergistic effect of black tea and curcumin in improving the hepatotoxicity induced by aflatoxin B1 in rats. *Toxicol Ind Health.* 31: 1269-1280. <http://dx.doi.org/10.1177/0748233713491807>.
- Al-Rasheed, NM; Al-Rasheed, NM; Faddah, LM; Mohamed, AM; Mohammad, RA; Al-Amin, M. (2014). Potential impact of silymarin in combination with chlorogenic acid and/or melatonin in combating cardiomyopathy induced by carbon tetrachloride. *Saudi J Biol Sci.* 21: 265-274. <http://dx.doi.org/10.1016/j.sjbs.2013.09.006>.
- Al-Rasheed, NM; Attia, HA; Mohammad, RA; Al-Rasheed, NM; Al-Amin, MA; Al-Onazi, A. (2015). Aqueous Date Flesh or Pits Extract Attenuates Liver Fibrosis via Suppression of Hepatic Stellate Cell Activation and Reduction of Inflammatory Cytokines, Transforming Growth Factor- β 1 and Angiogenic Markers in Carbon Tetrachloride-Intoxicated Rats. *eCAM.* 2015: 247357. <http://dx.doi.org/10.1155/2015/247357>.
- Al-Rejaie, SS; Aleisa, AM; Al-Yahya, AA; Bakheet, SA; Alsheikh, A; Fatani, AG; Al-Shabanah, OA; Sayed-Ahmed, MM. (2009). Progression of diethylnitrosamine-induced hepatic carcinogenesis in carnitine-depleted rats. *World J Gastroenterol.* 15: 1373-1380. <http://dx.doi.org/10.3748/wjg.15.1373>.
- Al-Suhaimi, EA. (2012). Hepatoprotective and immunological functions of *Nigella sativa* seed oil against hypervitaminosis A in adult male rats. *Int J Vitam Nutr Res.* 82: 288-297. <http://dx.doi.org/10.1024/0300-9831/a000121>.
- Althnaian, T; Albokhadaim, I; El-Bahr, SM. (2016). Effect of Aflatoxin B-1 on Histopathology and Oxidative Stress Biomarkers in Testis of Rats with Special References to Gene Expression of Antioxidant Enzymes. *International Journal of Pharmacology.* 12: 408-414. <http://dx.doi.org/10.3923/ijp.2016.408.414>.
- Alvarez, Y; Tuen, M; Shen, G; Nawaz, F; Arthos, J; Wolff, MJ; Poles, MA; Hioe, CE. (2013). Preferential HIV infection of CCR6+ Th17 cells is associated with higher levels of virus receptor expression and lack of CCR5 ligands. *J Virol.* 87: 10843-10854. <http://dx.doi.org/10.1128/JVI.01838-13>.
- Alvarez-Ayala, E; Reyes-Esparza, J; Rodriguez-Fragoso, L. (2014). Role of genistein on EGFR phosphorylation in acute liver damage induced by administration of carbon tetrachloride in rat. *FASEB J.* 28.
- Alves, AC; Gonçalves, MM; Bernardo, MM; Mendes, BS. (2011). Determination of organophosphorous pesticides in the ppq range using a simple solid-phase extraction method combined with dispersive liquid-liquid microextraction. *J Sep Sci.* 34: 2475-2481. <http://dx.doi.org/10.1002/jssc.201100434>.
- Alves, GD; Pazzino, M; Gomes de Macedo Braga, LM; Irigoyen, MC; De Angelis, K; Ikuta, N; Camassola, M; Nardi, NB. (2012). Molecular mapping of the regenerative niche in a murine model of myocardial infarction. *Int J Mol Med.* 29: 479-484. <http://dx.doi.org/10.3892/ijmm.2011.850>.
- Aly, HA; Mansour, AM; Hassan, MH; Abd-Allah, MF. (2014). Lipoic acid attenuates Aroclor 1260-induced hepatotoxicity in adult rats. *Environ Toxicol.* 31: 913-922. <http://dx.doi.org/10.1002/tox.22101>.
- Amacher, DE; Schomaker, SJ; Aubrecht, J. (2013). Development of blood biomarkers for drug-induced liver injury: an evaluation of their potential for risk assessment and diagnostics [Review]. 17: 343-354. <http://dx.doi.org/10.1007/s40291-013-0049-0>.

Human Health Hazard Literature Search Results

Off Topic

- Amada, N; Yamasaki, Y; Williams, CM; Whalley, BJ. (2013). Cannabidiol (CBDV) suppresses pentylentetrazole (PTZ)-induced increases in epilepsy-related gene expression. *Peer J.* 1: e214. <http://dx.doi.org/10.7717/peerj.214>.
- Amet, Y; Berthou, F; Fournier, G; Dreano, Y; Bardou, L; Cledes, J; Menez, JF. (1997). Cytochrome P450 4A and 2E1 expression in human kidney microsomes. *Biochem Pharmacol.* 53: 765-771. [http://dx.doi.org/10.1016/S0006-2952\(96\)00821-0](http://dx.doi.org/10.1016/S0006-2952(96)00821-0).
- Amin, AR; Islam, AB. (2014). Genomic Analysis and Differential Expression of HMG and S100A Family in Human Arthritis: Upregulated Expression of Chemokines, IL-8 and Nitric Oxide by HMGB1. *DNA Cell Biol.* 33: 550-565. <http://dx.doi.org/10.1089/dna.2013.2198>.
- Amiri, F; Molaie, S; Bahadori, M; Nasiri, F; Deyhim, MR; Jalili, MA; Nourani, MR; Habibi Roudkenar, M. (2016). Autophagy-Modulated Human Bone Marrow-Derived Mesenchymal Stem Cells Accelerate Liver Restoration in Mouse Models of Acute Liver Failure. *Iran Biomed J.* 20: 135-144.
- Amoozegar, CB; Wang, T; Bouchard, MB; Mccaslin, AF; Blaner, WS; Levenson, RM; Hillman, EM. (2012). Dynamic contrast-enhanced optical imaging of in vivo organ function. *J of Applied Remote Sensing.* 17: 96003-96001. <http://dx.doi.org/10.1117/1.JBO.17.9.096003>.
- Amunugama, HT; Zhang, H; Hollenberg, PF. (2012). Mechanism-based inactivation of cytochrome P450 2B6 by methadone through destruction of prosthetic heme. *Drug Metab Dispos.* 40: 1765-1770. <http://dx.doi.org/10.1124/dmd.112.045971>.
- An, E; Park, H; Lee, A, eRiCho. (2016). Inhibition of fibrotic contraction by C-phycocyanin through modulation of connective tissue growth factor and alpha-smooth muscle actin expression. 13: 388-395. <http://dx.doi.org/10.1007/s13770-015-0104-5>.
- An, J; Zheng, L; Xie, S; Yin, F; Huo, X; Guo, J; Zhang, X. (2016). Regulatory Effects and Mechanism of Adenovirus-Mediated PTEN Gene on Hepatic Stellate Cells. *Dig Dis Sci.* 61: 1107-1120. <http://dx.doi.org/10.1007/s10620-015-3976-2>.
- An, P; Wang, H; Wu, Q; Guo, X; Wu, A; Zhang, Z; Zhang, D; Xu, X; Mao, Q; Shen, X; Zhang, L; Xiong, Z; He, L; Liu, Y; Min, J; Zhou, D; Wang, F. (2015). Elevated serum transaminase activities were associated with increased serum levels of iron regulatory hormone hepcidin and hyperferritinemia risk. *Sci Rep.* 5: 13106. <http://dx.doi.org/10.1038/srep13106>.
- Andersen, ME; Clewell, HJ, III; Gargas, ML; Smith, FA; Reitz, RH. (1987). Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol.* 87: 185-205. [http://dx.doi.org/10.1016/0041-008X\(87\)90281-X](http://dx.doi.org/10.1016/0041-008X(87)90281-X).
- Anderson, MW; Reynolds, SH; You, M; Maronpot, RM. (1992). Role of proto-oncogene activation in carcinogenesis [Review]. *Environ Health Perspect.* 98: 13-24.
- Andraščiková, M; Hrouzková, S; Cunha, SC. (2013). Combination of QuEChERS and DLLME for GC-MS determination of pesticide residues in orange samples. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess.* 30: 286-297. <http://dx.doi.org/10.1080/19440049.2012.736029>.
- Andrews, K; Abdelsamed, H; Yi, AK; Miller, MA; Fitzpatrick, EA. (2013). TLR2 regulates neutrophil recruitment and cytokine production with minor contributions from TLR9 during hypersensitivity pneumonitis. *PLoS ONE.* 8: e73143. <http://dx.doi.org/10.1371/journal.pone.0073143>.
- Anichini, A; Molla, A; Vegetti, C; Bersani, I; Zappasodi, R; Arienti, F; Ravagnani, F; Maurichi, A; Patuzzo, R; Santinami, M; Pircher, H; Di Nicola, M; Mortarini, R. (2010). Tumor-reactive CD8+ early effector T cells identified at tumor site in primary and metastatic melanoma. *Cancer Res.* 70: 8378-8387. <http://dx.doi.org/10.1158/0008-5472.CAN-10-2028>.
- Ansari, AW; Heiken, H; Meyer-Olson, D; Schmidt, RE. (2011). CCL2: a potential prognostic marker and target of anti-inflammatory strategy in HIV/AIDS pathogenesis [Review]. *Eur J Immunol.* 41: 3412-3418. <http://dx.doi.org/10.1002/eji.201141676>.
- Ansari, GA; Moslen, MT; Reynolds, ES. (1982). Evidence for in vivo covalent binding of CCl3 derived from CCl4 to cholesterol of rat liver. *Biochem Pharmacol.* 31: 3509-3510.
- Ansari, JA; Ali, S; Ansari, MA. (2011). A Brief Focus on Hepatoprotective Leads from Herbal Origin. *International Journal of Pharmacology.* 7: 212-216. <http://dx.doi.org/10.3923/ijp.2011.212.216>.
- Ansari, MP; Puri, A; Ali, M; Panda, BP. (2013). Five new secondary metabolites from *Monascus purpureus*-fermented *Hordeum vulgare* and *Sorghum bicolor*. *Nat Prod Res.* 27: 1848-1855. <http://dx.doi.org/10.1080/14786419.2013.768990>.
- Anupa, G; Bhat, MA; Srivastava, AK; Sharma, JB; Mehta, N; Patil, A; Sengupta, J; Ghosh, D. (2015). Cationic antimicrobial peptide, magainin down-regulates secretion of pro-inflammatory cytokines by early placental cytotrophoblasts. *Reprod Biol Endocrinol.* 13: 121. <http://dx.doi.org/10.1186/s12958-015-0119-8>.
- Aoyama, T; Ikejima, K; Kon, K; Okumura, K; Arai, K; Watanabe, S. (2009). Pioglitazone promotes survival and prevents hepatic regeneration failure after partial hepatectomy in obese and diabetic KK-A(y) mice. *Hepatology.* 49: 1636-1644. <http://dx.doi.org/10.1002/hep.22828>.
- Aoyama, T; Paik, Y; Watanabe, S; Laleu, B; Gaggini, F; Fioraso-Cartier, L; Molango, S; Heitz, F; Merlot, C; Szyndralewicz, C; Page, P; Brenner, DA. (2012). Nicotinamide Adenine Dinucleotide Phosphate Oxidase in Experimental Liver Fibrosis: GKT137831 as a Novel Potential Therapeutic Agent. *Hepatology.* 56: 2316-2327. <http://dx.doi.org/10.1002/hep.25938>.
- Aparicio, JL; Duhalde-Vega, M; Loureiro, ME; Retegui, LA. (2009). The autoimmune response induced by mouse hepatitis virus A59 is expanded by a hepatotoxic agent. *Int Immunopharmacol.* 9: 627-631. <http://dx.doi.org/10.1016/j.intimp.2009.02.006>.
- Apu, A; Muhit, M; Tareq, S; Pathan, A; Jamaluddin, A; Ahmed, M. (2010). Antimicrobial Activity and Brine Shrimp Lethality Bioassay of the Leaves Extract of *Dillenia indica* Linn. 2: 50-53. <http://dx.doi.org/10.4103/0975-1483.62213>.
- Arafa, HM. (2009). Carnitine deficiency: a possible risk factor in paracetamol hepatotoxicity. *Arch Toxicol.* 83: 139-150. <http://dx.doi.org/10.1007/s00204-008-0330-x>.
- Arai, H; Awane, N; Mizuno, A; Fukaya, M; Sakuma, M; Harada, N; Kawaura, A; Yamamoto, H; Okumura, H; Taketani, Y; Doi, T; Takeda, E. (2010). Increasing early insulin secretion compensate adequately for hepatic insulin resistance in CCl4-induced cirrhosis rats. 57: 54-61.

Human Health Hazard Literature Search Results

Off Topic

- Arankalle, VA; Lole, KS; Arya, RP; Tripathy, AS; Ramdasi, AY; Chadha, MS; Sangle, SA; Kadam, DB. (2010). Role of host immune response and viral load in the differential outcome of pandemic H1N1 (2009) influenza virus infection in Indian patients. *PLoS ONE*. 5. <http://dx.doi.org/10.1371/journal.pone.0013099>.
- Arasli, M; Ozsurekci, Y; Elaldi, N; Mcauley, AJ; Karadag Oncel, E; Tekin, IO; Gozel, MG; Kaya, A; Icgasioglu, FD; Caglayik, DY; Korukluoglu, G; Kokturk, F; Bakir, M; Bente, DA; Ceyhan, M. (2015). Elevated chemokine levels during adult but not pediatric Crimean-Congo hemorrhagic fever. 66: 76-82. <http://dx.doi.org/10.1016/j.jcv.2015.03.010>.
- Arcella, A; Portella, G; Collepardo-Guevara, R; Chakraborty, D; Wales, DJ; Orozco, M. (2014). Structure and properties of DNA in apolar solvents. *J Phys Chem B*. 118: 8540-8548. <http://dx.doi.org/10.1021/jp503816r>.
- Arioka, Y; Ito, H; Ando, T; Ogiso, H; Hirata, A; Hara, A; Seishima, M. (2015). Pre-stimulated Mice with Carbon Tetrachloride Accelerate Early Liver Regeneration After Partial Hepatectomy. *Dig Dis Sci*. 60: 1699-1706. <http://dx.doi.org/10.1007/s10620-015-3536-9>.
- Arisi, GM. (2014). Nervous and immune systems signals and connections: cytokines in hippocampus physiology and pathology [Review]. 38: 43-47. <http://dx.doi.org/10.1016/j.yebch.2014.01.017>.
- Arnaud, L; Mathian, A; Haroche, J; Gorochov, G; Amoura, Z. (2014). Pathogenesis of relapsing polychondritis: a 2013 update [Review]. *Autoimmun Rev*. 13: 90-95. <http://dx.doi.org/10.1016/j.autrev.2013.07.005>.
- Arslan, O; Karadaş, C; Kara, D. (2016). Simultaneous Preconcentration of Copper and Cadmium by Dispersive Liquid-Liquid Microextraction Using N,N'-Bis (2-Hydroxy-5-Bromo-Benzyl)1,2 Diaminopropane and Their Determination by Flame Atomic Absorption Spectrometry. *J AOAC Int*. 99: 1356-1362. <http://dx.doi.org/10.5740/jaoacint.16-0134>.
- Arvind, P; Jayashree, S; Jambunathan, S; Nair, J; Kakkar, VV. (2015). Understanding gene expression in coronary artery disease through global profiling, network analysis and independent validation of key candidate genes. *J Genet*. 94: 601-610.
- Asaoka, Y; Sakai, H; Hirata, A; Sasaki, J; Goryo, M; Miyamoto, Y; Yanai, T; Masegi, T; Okada, K. (2010). Detection of initiation activity of 1,2-dimethylhydrazine in in vivo medium-term liver initiation assay system using 4-week-old rats without hepatocellular proliferative stimuli during the test chemical treatment period. *J Vet Med Sci*. 72: 43-53.
- Asgari, S; Moslem, M; Bagheri-Lankarani, K; Pournasr, B; Miryounesi, M; Baharvand, H. (2013). Differentiation and transplantation of human induced pluripotent stem cell-derived hepatocyte-like cells. *Stem Cell Rev*. 9: 493-504. <http://dx.doi.org/10.1007/s12015-011-9330-y>.
- Ashenafi, S; Aderaye, G; Bekele, A; Zewdie, M; Aseffa, G; Hoang, AT; Carow, B; Habtamu, M; Wijkander, M; Rottenberg, M; Aseffa, A; Andersson, J; Svensson, M; Brighenti, S. (2014). Progression of clinical tuberculosis is associated with a Th2 immune response signature in combination with elevated levels of SOCS3. *Clin Immunol*. 151: 84-99. <http://dx.doi.org/10.1016/j.clim.2014.01.010>.
- Ashino, T; Sugiuchi, J; Uehara, J; Naito-Yamamoto, Y; Kenmotsu, S; Iwakura, Y; Shioda, S; Numazawa, S; Yoshida, T. (2011). Auranofin protects against cocaine-induced hepatic injury through induction of heme oxygenase-1. *J Toxicol Sci*. 36: 635-643.
- Ashour, ML; Wink, M. (2011). Genus *Bupleurum*: a review of its phytochemistry, pharmacology and modes of action [Review]. *J Pharm Pharmacol*. 63: 305-321. <http://dx.doi.org/10.1111/j.2042-7158.2010.01170.x>.
- Ashton, KJ; Tupicoff, A; Williams-Pritchard, G; Kiessling, CJ; See Hoe, LE; Headrick, JP; Peart, JN. (2013). Unique transcriptional profile of sustained ligand-activated preconditioning in pre- and post-ischemic myocardium. *PLoS ONE*. 8: e72278. <http://dx.doi.org/10.1371/journal.pone.0072278>.
- Asiri, AM; Ahmed, SA; El-Daly, SA; Hussein, MA; Al-Soliemy, AM; Osman, OI; Shaaban, MR; Althagafi, II. (2015). Synthesis, Spectral Characteristics and DFT Studies of the New Dye 2,7-diacetyl-9-((dimethylamino)methylene)-9H-fluorene (DMMF) in Different Solvents. *J Fluoresc*. 25: 1303-1314. <http://dx.doi.org/10.1007/s10895-015-1618-x>.
- Askew, D; Su, CA; Barkauskas, DS; Dorand, RD; Myers, J; Liou, R; Nthale, J; Huang, AY. (2016). Transient Surface CCR5 Expression by Naive CD8+ T Cells within Inflamed Lymph Nodes Is Dependent on High Endothelial Venule Interaction and Augments Th Cell-Dependent Memory Response. *J Immunol*. 196: 3653-3664. <http://dx.doi.org/10.4049/jimmunol.1501176>.
- Assimakopoulos, SF. (2009). Bile duct ligation in rats: A reliable model of hepatorenal syndrome? [Letter]. *World J Gastroenterol*. 15: 121. <http://dx.doi.org/10.3748/wjg.15.121>.
- Assirelli, E; Pulsatelli, L; ia; Dolzani, P; Platano, D; Olivotto, E; Filardo, G; Trisolino, G; Facchini, A; Borzi, RM; Meliconi, R. (2014). Human Osteoarthritic Cartilage Shows Reduced In Vivo Expression of IL-4, a Chondroprotective Cytokine that Differentially Modulates IL-1 beta-Stimulated Production of Chemokines and Matrix-Degrading Enzymes In Vitro. *PLoS ONE*. 9: e96925. <http://dx.doi.org/10.1371/journal.pone.0096925>.
- Atkins, P. (1998). *Physical chemistry Diffusion controlled reactions* (6 ed.). New York: Freeman.
- Atkinson, R. (1989). Kinetics and mechanisms of the gas-phase reactions of the hydroxyl radical with organic compounds. *J Phys Chem Ref Data*. 1: 1-246.
- Atta, H; El-Rehany, M; Hammam, O; Abdel-Ghany, H; Ramzy, M; Roderfeld, M; Roeb, E; Al-Hendy, A; Raheim, SA; Allam, H; Marey, H. (2014). Mutant MMP-9 and HGF gene transfer enhance resolution of CCl4-induced liver fibrosis in rats: role of ASH1 and EZH2 methyltransferases repression. *PLoS ONE*. 9: e112384. <http://dx.doi.org/10.1371/journal.pone.0112384>.
- Attari, SG; Bahrami, A; Shahna, FG; Heidari, M. (2014). Solid-phase microextraction fiber development for sampling and analysis of volatile organohalogen compounds in air. 12: 123. <http://dx.doi.org/10.1186/s40201-014-0123-5>.
- Attia, A; Ragheb, A; Sylwestrowicz, T; Shoker, A. (2010). Attenuation of high cholesterol-induced oxidative stress in rabbit liver by thymoquinone. *Eur J Gastroenterol Hepatol*. 22: 826-834. <http://dx.doi.org/10.1097/MEG.0b013e328336000d>.
- Attia, AM; El-Banna, SG; Nomeir, FR; Abd El-Basser, MI. (2011). Lindane-induced biochemical perturbations in rat serum and attenuation by omega-3 and Nigella sativa seed oil. *Indian J Biochem Biophys*. 48: 184-190.
- Augustine, TN; Dix-Peek, T; Duarte, R; Candy, GP. (2015). Establishment of a heterotypic 3D culture system to evaluate the interaction of T-REG lymphocytes and NK cells with breast cancer. *J Immunol Methods*. 426: 1-13. <http://dx.doi.org/10.1016/j.jim.2015.07.003>.

Human Health Hazard Literature Search Results

Off Topic

- Aung, G; Niyonsaba, F; Ushio, H; Kajiwara, N; Saito, H; Ikeda, S; Ogawa, H; Okumura, K. (2011). Catestatin, a neuroendocrine antimicrobial peptide, induces human mast cell migration, degranulation and production of cytokines and chemokines. *Immunology*. 132: 527-539. <http://dx.doi.org/10.1111/j.1365-2567.2010.03395.x>.
- Aung, LL; Fitzgerald-Bocarsly, P; Dhib-Jalbut, S; Balashov, K. (2010). Plasmacytoid dendritic cells in multiple sclerosis: chemokine and chemokine receptor modulation by interferon-beta. *J Neuroimmunol*. 226: 158-164. <http://dx.doi.org/10.1016/j.jneuroim.2010.06.008>.
- Auray, G; Lachance, C; Wang, Y; Gagnon, CA; Segura, M; Gottschalk, M. (2016). Transcriptional Analysis of PRRSV-Infected Porcine Dendritic Cell Response to *Streptococcus suis* Infection Reveals Up-Regulation of Inflammatory-Related Genes Expression. *PLoS ONE*. 11: e0156019. <http://dx.doi.org/10.1371/journal.pone.0156019>.
- Avraham, Y; Amer, J; Doron, S; Abu-Tair, L; Mahamid, M; Khatib, A; Berry, EM; Safadi, R. (2012). The direct profibrotic and indirect immune antifibrotic balance of blocking the cannabinoid 2 receptor. *Am J Physiol Gastrointest Liver Physiol*. 302: G1364-G1372. <http://dx.doi.org/10.1152/ajpgi.00191.2011>.
- Awaad, AS; Soliman, GA; El-Sayed, DF; El-Gindi, OD; Alqasoumi, SI. (2012). Hepatoprotective activity of *Cyperus alternifolius* on carbon tetrachloride-induced hepatotoxicity in rats. *Pharmaceutical Biology*. 50: 155-161. <http://dx.doi.org/10.3109/13880209.2011.580351>.
- Axelsson, S; Hjorth, M; Ludvigsson, J; Casas, R. (2012). Decreased GAD(65)-specific Th1/Tc1 phenotype in children with Type 1 diabetes treated with GAD-alum. *Diabetic Medicine Online*. 29: 1272-1278. <http://dx.doi.org/10.1111/j.1464-5491.2012.03710.x>.
- Ayala-Luis, KB; Cooper, NG; Koch, CB; Hansen, HC. (2012). Efficient dechlorination of carbon tetrachloride by hydrophobic green rust intercalated with dodecanoate anions. *Environ Sci Technol*. 46: 3390-3397. <http://dx.doi.org/10.1021/es204368u>.
- Azizian, MF; Semprini, L. (2016). Simultaneous anaerobic transformation of tetrachloroethene and carbon tetrachloride in a continuous flow column. *J Contam Hydrol*. 190: 58-68. <http://dx.doi.org/10.1016/j.jconhyd.2016.04.002>.
- Babu, PS; Krishna, V; Maruthi, KR; Shankarmurthy, K; Babu, RK. (2011). Evaluation of acute toxicity and hepatoprotective activity of the methanolic extract of *Dichrostachys cinerea* (Wight and Arn.) leaves. *Pharmacognosy Res*. 3: 40-43. <http://dx.doi.org/10.4103/0974-8490.79114>.
- Badger, DA; Kuester, RK; Sauer, JM; Sipes, IG. (1997). Gadolinium chloride reduces cytochrome P450: Relevance to chemical-induced hepatotoxicity. *Toxicology*. 121: 143-153.
- Badger, DA; Sauer, JM; Hoglen, NC; Jolley, CS; Sipes, IG. (1996). The role of inflammatory cells and cytochrome P450 in the potentiation of CCl₄-induced liver injury by a single dose of retinol. *Toxicol Appl Pharmacol*. 141: 507-519. <http://dx.doi.org/10.1006/taap.1996.0316>.
- Badoux, XC; Keating, MJ; Wen, S; Lee, BN; Sivina, M; Reuben, J; Wierda, WG; O'Brien, SM; Faderl, S; Kornblau, SM; Burger, JA; Ferrajoli, A. (2011). Lenalidomide as initial therapy of elderly patients with chronic lymphocytic leukemia. *Blood*. 118: 3489-3498. <http://dx.doi.org/10.1182/blood-2011-03-339077>.
- Bae, S; Lee, W. (2014). Influence of riboflavin on nanoscale zero-valent iron reactivity during the degradation of carbon tetrachloride. *Environ Sci Technol*. 48: 2368-2376. <http://dx.doi.org/10.1021/es4056565>.
- Baeck, C; Wehr, A; Karlmark, KR; Heymann, F; Vucur, M; Gassler, N; Huss, S; Klussmann, S; Eulberg, D; Luedde, T; Trautwein, C; Tacke, F. (2012). Pharmacological inhibition of the chemokine CCL2 (MCP-1) diminishes liver macrophage infiltration and steatohepatitis in chronic hepatic injury. *Gut*. 61: 416-426. <http://dx.doi.org/10.1136/gutjnl-2011-300304>.
- Baeck, C; Wei, X; Bartneck, M; Fech, V; Heymann, F; Gassler, N; Hittatiya, K; Eulberg, D; Luedde, T; Trautwein, C; Tacke, F. (2014). Pharmacological inhibition of the chemokine C-C motif chemokine ligand 2 (monocyte chemoattractant protein 1) accelerates liver fibrosis regression by suppressing Ly-6C(+) macrophage infiltration in mice. *Hepatology*. 59: 1060-1072. <http://dx.doi.org/10.1002/hep.26783>.
- Baggetta, R; De Andrea, M; Gariano, GR; Mondini, M; Rittà, M; Caposio, P; Cappello, P; Giovarelli, M; Gariglio, M; Landolfo, S. (2010). The interferon-inducible gene IFI16 secretome of endothelial cells drives the early steps of the inflammatory response. *Eur J Immunol*. 40: 2182-2189. <http://dx.doi.org/10.1002/eji.200939995>.
- Bahadır, O; Çitoğlu, GS; Ozbek, H; Dall'Acqua, S; Hošek, J; Smejkal, K. (2011). Hepatoprotective and TNF- α inhibitory activity of *Zosima absinthifolia* extracts and coumarins. *Fitoterapia*. 82: 454-459. <http://dx.doi.org/10.1016/j.fitote.2010.12.007>.
- Bahde, R; Kapoor, S; Bhargava, KK; Schilsky, ML; Palestro, CJ; Gupta, S. (2012). PET with ⁶⁴Cu-histidine for noninvasive diagnosis of biliary copper excretion in Long-Evans cinnamon rat model of Wilson disease. *J Nucl Med*. 53: 961-968. <http://dx.doi.org/10.2967/jnumed.111.092361>.
- Bahde, R; Kapoor, S; Gupta, S. (2014). Nonselective inhibition of prostaglandin-endoperoxide synthases by naproxen ameliorates acute or chronic liver injury in animals. *Exp Mol Pathol*. 96: 27-35. <http://dx.doi.org/10.1016/j.yexmp.2013.10.017>.
- Bahde, R; Kobschull, L; Stöppeler, S; Zibert, A; Siaj, R; Hölzen, JP; Minin, E; Schmidt, HH; Spiegel, HU; Palmes, D. (2011). Role of angiotensin-1 receptor blockade in cirrhotic liver resection. *Liver Int*. 31: 642-655. <http://dx.doi.org/10.1111/j.1478-3231.2011.02493.x>.
- Bai, G; Yan, G; Wang, G; Wan, P; Zhang, R. (2016). Anti-hepatic fibrosis effects of a novel turtle shell decoction by inhibiting hepatic stellate cell proliferation and blocking TGF- β 1/Smad signaling pathway in rats. *Oncol Rep*. 36: 2902-2910. <http://dx.doi.org/10.3892/or.2016.5078>.
- Bai, L; Cui, X; Cheng, N; Cao, W; Wu, Y; Guo, S; Zhang, L; Ho, CT; Bai, N. (2017). Hepatoprotective standardized EtOH-water extract of the leaves of *Ziziphus jujuba*. <http://dx.doi.org/10.1039/c6fo01690a>.
- Bai, T; Yao, YL; Jin, XJ; Lian, LH; Li, Q; Yang, N; Jin, Q; Wu, YL; Nan, JX. (2014). Acanthoic acid, a diterpene in *Acanthopanax koreanum*, ameliorates the development of liver fibrosis via LXRs signals. *Chem Biol Interact*. 218: 63-70. <http://dx.doi.org/10.1016/j.cbi.2014.04.016>.
- Baïdiuk, EV; Shiriaeva, AP; Bezborodkina, NN; Sakuta, GA. (2009). [Comparative morphofunctional analysis of rat hepatocyte cultures isolated from the normal and pathologically changed liver due to experimental toxic hepatitis]. *Tsitologiya*. 51: 797-805.

Human Health Hazard Literature Search Results

Off Topic

- Baig, JA; Kazi, TG; Elci, L; Afridi, HI; Khan, MI; Naseer, HM. (2013). Ultratrace Determination of Cr(VI) and Pb(II) by Microsample Injection System Flame Atomic Spectroscopy in Drinking Water and Treated and Untreated Industrial Effluents. 2013: 629495. <http://dx.doi.org/10.1155/2013/629495>.
- Baj-Krzyworzeka, M; Weglarczyk, K; Mytar, B; Szatanek, R; Baran, J; Zembala, M. (2011). Tumour-derived microvesicles contain interleukin-8 and modulate production of chemokines by human monocytes. *Anticancer Res.* 31: 1329-1335.
- Bak, MJ; Jun, M; Jeong, WS. (2012). Antioxidant and hepatoprotective effects of the red ginseng essential oil in H(2)O(2)-treated hepG2 cells and CCl(4)-treated mice. *International Journal of Molecular Sciences.* 13: 2314-2330. <http://dx.doi.org/10.3390/ijms13022314>.
- Baker, DG; Woods, TA; Butchi, NB; Morgan, TM; Taylor, RT; Sunyakumthorn, P; Mukherjee, P; Lubick, KJ; Best, SM; Peterson, KE. (2013). Toll-like receptor 7 suppresses virus replication in neurons but does not affect viral pathogenesis in a mouse model of Langkat virus infection. *J Gen Virol.* 94: 336-347. <http://dx.doi.org/10.1099/vir.0.043984-0>.
- Bala, A; Kar, B; Karmakar, I; Kumar, RBS; Haldar, PK. (2012). Antioxidant activity of Cat's whiskers flavonoid on some reactive oxygen and nitrogen species generating inflammatory cells is mediated by scavenging of free radicals. *Chin J Nat Med.* 10: 321-327. <http://dx.doi.org/10.3724/SP.J.1009.2012.00321>.
- Bala, M; Kopp, A; Wurm, S; Büchler, C; Schölmerich, J; Schäffler, A. (2011). Type 2 diabetes and lipoprotein metabolism affect LPS-induced cytokine and chemokine release in primary human monocytes. 119: 370-376. <http://dx.doi.org/10.1055/s-0030-1268413>.
- Balakrishnan, K; Peluso, M; Fu, M; Rosin, NY; Burger, JA; Wierda, WG; Keating, MJ; Faia, K; O'Brien, S; Kutok, JL; Gandhi, V. (2015). The phosphoinositide-3-kinase (PI3K)-delta and gamma inhibitor, IPI-145 (Duvelisib), overcomes signals from the PI3K/AKT/S6 pathway and promotes apoptosis in CLL. *Leukemia.* 29: 1811-1822. <http://dx.doi.org/10.1038/leu.2015.105>.
- Balasubramanian, K; Basak, SC. (2016). Metabolic Electron Attachment as a Primary Mechanism For Toxicity Potentials of Halocarbons. *Current Computer-Aided Drug Design.* 12: 62-72. <http://dx.doi.org/10.2174/1573409912666160120151627>.
- Balasubramanian, P; Philip, L; Bhallamudi, SM. (2011). Biodegradation of chlorinated and non-chlorinated VOCs from pharmaceutical industries. *Appl Biochem Biotechnol.* 163: 497-518. <http://dx.doi.org/10.1007/s12010-010-9057-2>.
- Balata, G; Shamrool, H. (2014). Spherical agglomeration versus solid dispersion as different trials to optimize dissolution and bioactivity of silymarin. *Journal of Drug Delivery Science and Technology.* 24: 478-485.
- Baldini, M; Maugeri, N; Ramirez, GA; Giacomassi, C; Castiglioni, A; Prieto-González, S; Corbera-Bellalta, M; Comite, GD; Papa, I; Dell'antonio, G; Ammirati, E; Cuccovillo, I; Vecchio, V; Mantovani, A; Rovere-Querini, P; Sabbadini, MG; Cid, MC; Manfredi, AA. (2012). Selective up-regulation of the soluble pattern-recognition receptor pentraxin 3 and of vascular endothelial growth factor in giant cell arteritis: relevance for recent optic nerve ischemia. *Arthritis Rheum.* 64: 854-865. <http://dx.doi.org/10.1002/art.33411>.
- Balistreri, G; Barrios, C; Castillo, L; Umunakwe, TC; Giam, CZ; Zhi, H; Beilke, MA. (2013). Induction of CC-chemokines with antiviral function in macrophages by the human T lymphotropic virus type 2 transactivating protein, Tax2. *Viral Immunology.* 26: 3-12. <http://dx.doi.org/10.1089/vim.2012.0060>.
- Banas, A; Teratani, T; Yamamoto, Y; Tokuhara, M; Takeshita, F; Osaki, M; Kato, T; Okochi, H; Ochiya, T. (2009). Rapid hepatic fate specification of adipose-derived stem cells and their therapeutic potential for liver failure. *J Gastroenterol Hepatol.* 24: 70-77. <http://dx.doi.org/10.1111/j.1440-1746.2008.05496.x>.
- Banerjee, S; Padhye, S; Azmi, A; Wang, Z; Philip, PA; Kucuk, O; Sarkar, FH; Mohammad, RM. (2010). Review on molecular and therapeutic potential of thymoquinone in cancer [Review]. *Nutr Cancer.* 62: 938-946. <http://dx.doi.org/10.1080/01635581.2010.509832>.
- Bansal, N. (2009). Monitoring Hepatitis and Cirrhosis by ²³Na MRS/MRI.
- Bansal, R; Prakash, J; De Ruiter, M; Poelstra, K. (2014). Targeted Recombinant Fusion Proteins of IFN γ and Mimetic IFN γ with PDGF β R Bicyclic Peptide Inhibits Liver Fibrogenesis In Vivo. *PLoS ONE.* 9: e89878. <http://dx.doi.org/10.1371/journal.pone.0089878>.
- Bansal, R; Prakash, J; Post, E; Beljaars, L; Schuppan, D; Poelstra, K. (2011). Novel engineered targeted interferon-gamma blocks hepatic fibrogenesis in mice. *Hepatology.* 54: 586-596. <http://dx.doi.org/10.1002/hep.24395>.
- Banu, S; Bhaskar, B; Balasekar, P. (2012). Hepatoprotective and antioxidant activity of *Leucas aspera* against D-galactosamine induced liver damage in rats. *Pharmaceutical Biology.* 50: 1592-1595. <http://dx.doi.org/10.3109/13880209.2012.685130>.
- Barber, ED; Donish, WH; Mueller, KR. (1981). A procedure for the quantitative measurement of the mutagenicity of volatile liquids in the Ames salmonella/microsome assay. *Mutat Res Genet Toxicol.* 90: 31-48. [http://dx.doi.org/10.1016/0165-1218\(81\)90048-3](http://dx.doi.org/10.1016/0165-1218(81)90048-3).
- Barczyk, A; Pierzchała, E; Caramori, G; Sozańska, E. (2014). Increased expression of CCL4/MIP-1 β in CD8+ cells and CD4+ cells in sarcoidosis. *Int J Immunopathol Pharmacol.* 27: 185-193.
- Barhorst, JB; Kubiak, R. (2009). Formation of chlorinated disinfection by-products in viticulture. *Environ Sci Pollut Res Int.* 16: 582-589. <http://dx.doi.org/10.1007/s11356-009-0186-5>.
- Barin, JG; Baldeviano, GC; Talor, MV; Wu, L; Ong, S; Quader, F; Chen, P; Zheng, D; Caturegli, P; Rose, NR; Ciháková, D. (2012). Macrophages participate in IL-17-mediated inflammation. *Eur J Immunol.* 42: 726-736. <http://dx.doi.org/10.1002/eji.201141737>.
- Barkhordarian, A; Thames, AD; Du, AM; Jan, AL; Nahcivan, M; Nguyen, MT; Sama, N; Chiappelli, F. (2015). Viral immune surveillance: Toward a TH17/TH9 gate to the central nervous system. *Bioinformation.* 11: 47-54. <http://dx.doi.org/10.6026/97320630011047>.
- Barrios, CS; Abuerreish, M; Lairmore, MD; Castillo, L; Giam, CZ; Beilke, MA. (2011). Recombinant human T-cell leukemia virus types 1 and 2 Tax proteins induce high levels of CC-chemokines and downregulate CCR5 in human peripheral blood mononuclear cells. *Viral Immunology.* 24: 429-439. <http://dx.doi.org/10.1089/vim.2011.0037>.
- Barrios, CS; Castillo, L; Giam, CZ; Wu, L; Beilke, MA. (2013). Inhibition of HIV type 1 replication by human T lymphotropic virus types 1 and 2 Tax proteins in vitro. *AIDS Res Hum Retroviruses.* 29: 1061-1067. <http://dx.doi.org/10.1089/AID.2013.0027>.

Human Health Hazard Literature Search Results

Off Topic

- Barrios, CS; Castillo, L; Zhi, H; Giam, CZ; Beilke, MA. (2014). Human T cell leukaemia virus type 2 tax protein mediates CC-chemokine expression in peripheral blood mononuclear cells via the nuclear factor kappa B canonical pathway. *Clin Exp Immunol.* 175: 92-103. <http://dx.doi.org/10.1111/cei.12213>.
- Barros, LF; Stutzin, A; Calixto, A; Catalán, M; Castro, J; Hetz, C; Hermosilla, T. (2001). Nonselective cation channels as effectors of free radical-induced rat liver cell necrosis. *Hepatology.* 33: 114-122. <http://dx.doi.org/10.1053/jhep.2001.20530>.
- Barry, KH; Zhang, Y; Lan, Q; Zahm, SH; Holford, TR; Leaderer, B; Boyle, P; Hosgood, HD; Chanock, S; Yeager, M; Rothman, N; Zheng, T. (2011). Genetic variation in metabolic genes, occupational solvent exposure, and risk of non-hodgkin lymphoma. *Am J Epidemiol.* 173: 404-413. <http://dx.doi.org/10.1093/aje/kwq360>.
- Bartalis, J; Halaweish, FT. (2011). In vitro and QSAR studies of cucurbitacins on HepG2 and HSC-T6 liver cell lines. *Bioorg Med Chem.* 19: 2757-2766. <http://dx.doi.org/10.1016/j.bmc.2011.01.037>.
- Bartneck, M; Heffels, KH; Bovi, M; Groll, J; Zwadlo-Klarwasser, G. (2013). The role of substrate morphology for the cytokine release profile of immature human primary macrophages. *Mater Sci Eng C.* 33: 5109-5114. <http://dx.doi.org/10.1016/j.msec.2013.08.028>.
- Bartocci, A; Belpassi, L; Cappelletti, D; Falcinelli, S; Grandinetti, F; Tarantelli, F; Pirani, F. (2015). Catching the role of anisotropic electronic distribution and charge transfer in halogen bonded complexes of noble gases. *J Chem Phys.* 142: 184304. <http://dx.doi.org/10.1063/1.4919692>.
- Bartoskova, A; Turanek-Knotigova, P; Matiasovic, J; Oreskovic, Z; Vicenova, M; Stepanova, H; Ondrackova, P; Vitasek, R; Leva, L; Moore, PF; Faldyna, M. (2012). $\gamma\delta$ T lymphocytes are recruited into the inflamed uterus of bitches suffering from pyometra. *Vet J.* 194: 303-308. <http://dx.doi.org/10.1016/j.tvjl.2012.05.024>.
- Bastard, C; Bosio, MR; Chabert, M; Kalopissis, AD; Mahrouf-Yorgov, M; Gilgenkrantz, H; Mueller, S; Sandrin, L. (2011). Transient micro-elastography: A novel non-invasive approach to measure liver stiffness in mice. *World J Gastroenterol.* 17: 968-975. <http://dx.doi.org/10.3748/wjg.v17.i8.968>.
- Bastian, D; Tamburstuen, MV; Lyngstadaas, SP; Reikerås, O. (2009). Local and systemic chemokine patterns in a human musculoskeletal trauma model. *Inflamm Res.* 58: 483-489. <http://dx.doi.org/10.1007/s00011-009-0013-y>.
- Basu, S; Broxmeyer, HE. (2009). CCR5 ligands modulate CXCL12-induced chemotaxis, adhesion, and Akt phosphorylation of human cord blood CD34+ cells. *J Immunol.* 183: 7478-7488. <http://dx.doi.org/10.4049/jimmunol.0900542>.
- Batabyal, L; Sharma, P; Mohan, L; Maurya, P; Srivastava, CN. (2009). Relative toxicity of neem fruit, bitter melon, and castor seed extracts against the larvae of filaria vector, *Culex quinquefasciatus* (Say). *Parasitol Res.* 105: 1205-1210. <http://dx.doi.org/10.1007/s00436-009-1541-7>.
- Batterman, S; Su, FC; Li, S; Mukherjee, B; Jia, C; Committee, HHR. (2014). Personal exposure to mixtures of volatile organic compounds: modeling and further analysis of the RIOPA data. *Res Rep Health Eff Inst* 3-63.
- Beaven, SW; Wroblewski, K; Wang, J; Hong, C; Bensinger, S; Tsukamoto, H; Tontonoz, P. (2011). Liver X receptor signaling is a determinant of stellate cell activation and susceptibility to fibrotic liver disease. *Gastroenterology.* 140: 1052-1062. <http://dx.doi.org/10.1053/j.gastro.2010.11.053>.
- Beć, KB; Futami, Y; Wójcik, MJ; Ozaki, Y. (2016). A spectroscopic and theoretical study in the near-infrared region of low concentration aliphatic alcohols. *Phys Chem Chem Phys.* 18: 13666-13682. <http://dx.doi.org/10.1039/c6cp00924g>.
- Bechtold, MM; Gee, DL; Bruenner, U; Tappel, AL. (1982). Carbon tetrachloride-mediated expiration of pentane and chloroform by the intact rat: the effects of pretreatment with diethyl maleate, SKF-525A and phenobarbital. *Toxicol Lett.* 11: 165-171.
- Beer, L; Szerafin, T; Mitterbauer, A; Debreceni, T; Maros, T; Dworschak, M; Roth, GA; Ankersmit, HJ. (2014). Low tidal volume ventilation during cardiopulmonary bypass reduces postoperative chemokine serum concentrations. *Thorac Cardiovasc Surg.* 62: 677-682. <http://dx.doi.org/10.1055/s-0034-1387824>.
- Beer, S; Bellovin, DI; Lee, JS; Komatsubara, K; Wang, LS; Koh, H; Börner, K; Storm, TA; Davis, CR; Kay, MA; Felsher, DW; Grimm, D. (2010). Low-level shRNA cytotoxicity can contribute to MYC-induced hepatocellular carcinoma in adult mice. 18: 161-170. <http://dx.doi.org/10.1038/mt.2009.222>.
- Beigelman, A; Gunsten, S; Mikols, CL; Vidavsky, I; Cannon, CL; Brody, SL; Walter, MJ. (2009). Azithromycin attenuates airway inflammation in a noninfectious mouse model of allergic asthma. *Chest.* 136: 498-506. <http://dx.doi.org/10.1378/chest.08-3056>.
- Bell, AN; Mehendale, HM. (1985). The effect of dietary exposure to a mirex plus chlordecone combination on CCl4 hepatotoxicity. *Fundam Appl Toxicol.* 5: 679-867.
- Bell, AN; Mehendale, HM. (1987). Comparative changes in hepatic DNA, RNA, protein, lipid, and glycogen induced by a subtoxic dose of CCl4 in chlordecone, mirex, and phenobarbital pretreated rats. *Toxicol Lett.* 35: 191-200.
- Bell, SM; Angrish, MM; Wood, CE; Edwards, SW. (2016). Integrating Publicly Available Data to Generate Computationally Predicted Adverse Outcome Pathways for Fatty Liver. *Toxicol Sci.* 150: 510-520. <http://dx.doi.org/10.1093/toxsci/kfw017>.
- Bellastella, G; Rotondi, M; Pane, E; Costantini, S; Colella, C; Calemma, R; Capone, F; Falorni, A; Castello, G; Sinisi, AA; Bizzarro, A; Chiovato, L; Bellastella, A; De Bellis, A. (2011). Simultaneous evaluation of the circulating levels of both Th1 and Th2 chemokines in patients with autoimmune Addison's disease. *J Endocrinol Invest.* 34: 831-834. <http://dx.doi.org/10.3275/7414>.
- Belotserkovskaya, V; Yakovleva, E. (2013). Chromatographic and adsorption properties of poly(1-trimethylsilyl-1-propyne) and their stabilization by adding poly(1-phenyl-1-propyne). *J Chromatogr A.* 1298: 109-117. <http://dx.doi.org/10.1016/j.chroma.2013.05.017>.
- Ben Said, D; Ben Ali, R; Ferchichi, H; Salouage, I; Ouane, L; Gaies, E; Trabelsi, S; Kooli, E; Kourda, N; Abdelmoula, J; Lakhal, M; Klouz, A. (2011). Lidocaine test for easier and less time consuming assessment of liver function in several hepatic injury models. *Hepatology International.* 5: 941-948. <http://dx.doi.org/10.1007/s12072-011-9270-2>.

Human Health Hazard Literature Search Results

Off Topic

- Benemanskiĭ, VV; Solodun, I, uV; Iushkov, GG; Bun, MM; Piskareva, TA. (2010). [Comparative morphological characteristics of changes in the liver in case of poisoning with alcohol-containing liquids in human and following subacute treatment of animals with ethyl and propyl alcohols, ethylene glycol and their mixtures]. *Sud Med Ekspert.* 53: 14-16.
- Bengmark, S; Di Cocco, P; Clemente, K; Corona, L; Angelico, R; Manzia, T; Famulari, A; Pisani, F; Orlando, G. (2011). [Bio-ecological control of chronic liver disease and encephalopathy [Review]. *Minerva Med.* 102: 309-319.
- Benigni, R; Andreoli, C; Conti, L; Tafani, P; Cotta-Ramusino, M; Carere, A; Crebelli, R. (1993). Quantitative structure-activity relationship models correctly predict the toxic and aneuploidizing properties of six halogenated methanes in *Aspergillus nidulans*. *Mutagenesis.* 8: 301-305.
- Benjamin, I. (2010). Structure and dynamics of hydrated ion pairs in a hydrophobic environment. *J Phys Chem B.* 114: 13358-13364. <http://dx.doi.org/10.1021/jp1050673>.
- Benson, JM; Springer, DL. (1999). Improved risk estimates for carbon tetrachloride. Final report. (DE-FC04-96AL76406). Albuquerque, New Mexico: U.S. Department of Energy.
- Benson, KF; Beaman, JL; Ou, B; Okubena, A; Okubena, O; Jensen, GS. (2013). West African Sorghum bicolor leaf sheaths have anti-inflammatory and immune-modulating properties in vitro. *J Med Food.* 16: 230-238. <http://dx.doi.org/10.1089/jmf.2012.0214>.
- Bentz, KC; Walley, SE; Savin, DA. (2016). Solvent effects on modulus of poly(propylene oxide)-based organogels as measured by cavitation rheology. *Soft Matter.* 12: 4991-5001. <http://dx.doi.org/10.1039/c6sm00431h>.
- Bentzer, P; Fjell, C; Walley, KR; Boyd, J; Russell, JA. (2016). Plasma cytokine levels predict response to corticosteroids in septic shock. *Intensive Care Med.* 42: 1970-1979. <http://dx.doi.org/10.1007/s00134-016-4338-z>.
- Bergman, K. (1983). Application and results of whole-body autoradiography in distribution studies of organic solvents [Review]. *Crit Rev Toxicol.* 12: 59-118. <http://dx.doi.org/10.3109/10408448309029318>.
- Bergman, K; Müller, L; Teigen, SW. (1996). The genotoxicity and carcinogenicity of paracetamol: A regulatory (re)view [Review]. *Mutat Res.* 349: 263-288.
- Best, DH; Coleman, WB. (2010). Liver regeneration by small hepatocyte-like progenitor cells after necrotic injury by carbon tetrachloride in retrorsine-exposed rats. *Exp Mol Pathol.* 89: 92-98. <http://dx.doi.org/10.1016/j.yexmp.2010.06.007>.
- Beumer, W; Drexhage, RC; De Wit, H; Versnel, MA; Drexhage, HA; Cohen, D. (2012). Increased level of serum cytokines, chemokines and adipokines in patients with schizophrenia is associated with disease and metabolic syndrome. *Psychoneuroendocrinology.* 37: 1901-1911. <http://dx.doi.org/10.1016/j.psyneuen.2012.04.001>.
- Beumer, W; Effraimidis, G; Drexhage, RC; Wiersinga, WM; Drexhage, HA. (2013). Changes in serum adhesion molecules, chemokines, cytokines, and tissue remodeling factors in euthyroid women without thyroid antibodies who are at risk for autoimmune thyroid disease: a hypothesis on the early phases of the endocrine autoimmune reaction. *J Clin Endocrinol Metab.* 98: 2460-2468. <http://dx.doi.org/10.1210/jc.2012-4122>.
- Bezborodkina, NN; Chestnova, AY; Okovity, SV; Kudryavtsev, BN. (2014). Activity of glycogen synthase and glycogen phosphorylase in normal and cirrhotic rat liver during glycogen synthesis from glucose or fructose. *Exp Toxicol Pathol.* 66: 147-154. <http://dx.doi.org/10.1016/j.etp.2013.12.001>.
- Bezborodkina, NN; Chestnova, AY; Vorobeve, ML; Kudryavtsev, BN. (2016). Glycogen content in hepatocytes is related with their size in normal rat liver but not in cirrhotic one. 89: 357-364. <http://dx.doi.org/10.1002/cyto.a.22811>.
- Bezerra, CA; Cardoso, TM; Giudice, A; Porto, AF; Santos, SB; Carvalho, EM; Bacellar, O. (2011). Evaluation of the microbicidal activity and cytokines/chemokines profile released by neutrophils from HTLV-1-infected individuals. *Scand J Immunol.* 74: 310-317. <http://dx.doi.org/10.1111/j.1365-3083.2011.02579.x>.
- Bhadauria, M. (2012). Combined treatment of HEDTA and propolis prevents aluminum induced toxicity in rats. *Food Chem Toxicol.* 50: 2487-2495. <http://dx.doi.org/10.1016/j.fct.2011.12.040>.
- Bhadauria, M; Nirala, SK. (2009). Reversal of acetaminophen induced subchronic hepatorenal injury by propolis extract in rats. *Environ Toxicol Pharmacol.* 27: 17-25. <http://dx.doi.org/10.1016/j.etap.2008.07.003>.
- Bharuthram, A; Paximadis, M; Picton, AC; Tiemessen, CT. (2014). Comparison of a quantitative Real-Time PCR assay and droplet digital PCR for copy number analysis of the CCL4L genes. 25: 28-35. <http://dx.doi.org/10.1016/j.meegid.2014.03.028>.
- Bhasin, P; Singla, N; Dhawan, DK. (2014). Protective Role of Zinc During Aluminum-Induced Hepatotoxicity. *Environ Toxicol.* 29: 320-327.
- Bhat, MA; Ingole, PP; Chaudhari, VR; Haram, SK. (2009). Outer sphere electroreduction of CCl₄ in 1-butyl-3-methylimidazolium tetrafluoroborate: an example of solvent specific effect of ionic liquid. *J Phys Chem B.* 113: 2848-2853.
- Bhatia, SN. (2009). Microscale Engineered Liver Tissue for Toxicant Testing.
- Bhattacharya, S; Gachhui, R; Sil, PC. (2011). Hepatoprotective properties of kombucha tea against TBHP-induced oxidative stress via suppression of mitochondria dependent apoptosis. *Pathophysiology.* 18: 221-234. <http://dx.doi.org/10.1016/j.pathophys.2011.02.001>.
- Bigoniya, P; Shukla, A; Singh, CS. (2010). Evaluation of Hepatic Microsomal Enzyme Functional Integrity on Picroliv Pretreatment Against CCl₄ Induced Hepatotoxicity. *International Journal of Pharmacology.* 6: 200-207.
- Biliškov, N. (2011). Infrared optical constants, molar absorption coefficients, dielectric constants, molar polarisabilities, transition moments and dipole moment derivatives of liquid N,N-dimethylacetamide-carbon tetrachloride mixtures. *Spectrochim Acta A Mol Biomol Spectrosc.* 79: 295-301. <http://dx.doi.org/10.1016/j.saa.2010.12.015>.
- Biliškov, N. (2011). Infrared optical constants, molar absorption coefficients, dielectric constants, molar polarisabilities, transition moments and dipole moment derivatives of liquid N,N-dimethylformamide-carbon tetrachloride mixtures. *Spectrochim Acta A Mol Biomol Spectrosc.* 79: 302-307. <http://dx.doi.org/10.1016/j.saa.2010.12.019>.

Human Health Hazard Literature Search Results

Off Topic

- Bingül, İ; Aydın, AF; Başaran-Küçükgergin, C; Doğan-Ekici, İ; Çoban, J; Doğru-Abbasoğlu, S; Uysal, M. (2016). High-fat diet plus carbon tetrachloride-induced liver fibrosis is alleviated by betaine treatment in rats. *Int Immunopharmacol.* 39: 199-207. <http://dx.doi.org/10.1016/j.intimp.2016.07.028>.
- Bingül, İ; Başaran-Küçükgergin, C; Aydın, AF; Çoban, J; Doğan-Ekici, İ; Doğru-Abbasoğlu, S; Uysal, M. (2016). Betaine treatment decreased oxidative stress, inflammation, and stellate cell activation in rats with alcoholic liver fibrosis. *Environ Toxicol Pharmacol.* 45: 170-178. <http://dx.doi.org/10.1016/j.etap.2016.05.033>.
- Biscarini, F; Bovenhuis, H; van der Poel, J; Rodenburg, TB; Jungerius, AP; van Arendonk, JA. (2010). Across-line SNP association study for direct and associative effects on feather damage in laying hens. *Behav Genet.* 40: 715-727. <http://dx.doi.org/10.1007/s10519-010-9370-0>.
- Bishayee, A; Darvesh, AS; Politis, T; Mcgory, R. (2010). Resveratrol and liver disease: from bench to bedside and community. *Liver Int.* 30: 1103-1114. <http://dx.doi.org/10.1111/j.1478-3231.2010.02295.x>.
- Bitencourt, S; Stradiot, L; Verhulst, S; Thoen, L; Mannaerts, I; van Grunsven, LA. (2015). Inhibitory effect of dietary capsaicin on liver fibrosis in mice. *Mol Nutr Food Res.* 59: 1107-1116. <http://dx.doi.org/10.1002/mnfr.201400649>.
- Bittnerová, L; Jiroutová, A; Rudolf, E; Rezacová, M; Kanta, J. (2013). Effect of collagen I gel on apoptosis of rat hepatic stellate cells. *Acta Medica.* 56: 73-79. <http://dx.doi.org/10.14712/18059694.2014.27>.
- Blair, A; Hartge, P; Stewart, PA; Mcadams, M; Lubin, J. (1998). Mortality and cancer incidence of aircraft maintenance workers exposed to trichloroethylene and other organic solvents and chemicals: Extended follow-up. *Occup Environ Med.* 55: 161-171. <http://dx.doi.org/10.1136/oem.55.3.161>.
- Blair, A; Stewart, PA; Tolbert, PE; Grauman, D; Moran, FX; Vaught, J; Rayner, J. (1990). Cancer and other causes of death among a cohort of dry cleaners. *Br J Ind Med.* 47: 162-168. <http://dx.doi.org/10.1136/oem.47.3.162>.
- Blake, MA; Sweeney, AT. (2009). Pheochromocytoma. Retrieved from <http://emedicine.medscape.com/article/124059-overview>
- Blanco-Rivero, J; Márquez-Rodas, I; Sastre, E; Cogolludo, A; Pérez-Vizcaíno, F; del Campo, L; Nava, MP; Balfagón, G. (2011). Cirrhosis decreases vasoconstrictor response to electrical field stimulation in rat mesenteric artery: role of calcitonin gene-related peptide. *Exp Physiol.* 96: 275-286. <http://dx.doi.org/10.1113/expphysiol.2010.055822>.
- Blois, SM; Piccioni, F; Freitag, N; Tirado-González, I; Moschansky, P; Lloyd, R; Hensel-Wiegel, K; Rose, M; Garcia, MG; Alaniz, LD; Mazzolini, G. (2014). Dendritic cells regulate angiogenesis associated with liver fibrogenesis. *Angiogenesis.* 17: 119-128. <http://dx.doi.org/10.1007/s10456-013-9382-5>.
- Blunt, MD; Koehrer, S; Dobson, R; Larrayoz, M; Wilmore, S; Hayman, A; Parnell, J; Smith, LD; Davies, A; Johnson, PW; Conley, PB; Pandey, A; Strefford, JC; Stevenson, FK; Packham, G; Forconi, F; Coffey, GP; Burger, J; Steele, AJ. (2016). The dual Syk/JAK inhibitor cerdulatinib antagonises B-cell receptor and microenvironmental signaling in chronic lymphocytic leukemia. *Clin Cancer Res.* <http://dx.doi.org/10.1158/1078-0432.CCR-16-1662>.
- Bodelon, C; Malone, KE; Johnson, LG; Malkki, M; Petersdorf, EW; Mcknight, B; Madeleine, MM. (2013). Common sequence variants in chemokine-related genes and risk of breast cancer in post-menopausal women. *International Journal of Molecular Epidemiology and Genetics.* 4: 218-227.
- Boens, S; Verbinnen, I; Verhulst, S; Szekér, K; Ferreira, M; Gevaert, T; Baes, M; Roskams, T; van Grunsven, LA; Van Eynde, A; Bollen, M. (2016). Brief Report: The Deletion of the Phosphatase Regulator NIPP1 Causes Progenitor Cell Expansion in the Adult Liver. *Stem Cells.* 34: 2256-2262. <http://dx.doi.org/10.1002/stem.2375>.
- Boer, MC; van Meijgaarden, KE; Bastid, J; Ottenhoff, TH; Joosten, SA. (2013). CD39 is involved in mediating suppression by Mycobacterium bovis BCG-activated human CD8(+) CD39(+) regulatory T cells. *Eur J Immunol.* 43: 1925-1932. <http://dx.doi.org/10.1002/eji.201243286>.
- Bogatyrev, VM; Gun'ko, VM; Galaburda, MV; Borysenko, MV; Pokrovskiy, VA; Oranska, OI; Polshin, EV; Korduban, OM; Leboda, R; Skubiszewska-Zieba, J. (2009). Synthesis and characterization of Fe₂O₃/SiO₂ nanocomposites. *J Colloid Interface Sci.* 338: 376-388. <http://dx.doi.org/10.1016/j.jcis.2009.06.044>.
- Bohinc, R; Žitnik, M; Bučar, K; Kavčič, M; Carniato, S; Journal, L; Guillemin, R; Marchenko, T; Kawerk, E; Simon, M; Cao, W. (2016). Structural and dynamical properties of chlorinated hydrocarbons studied with resonant inelastic x-ray scattering. *J Chem Phys.* 144: 134309. <http://dx.doi.org/10.1063/1.4945402>.
- Böhm, F; Speicher, T; Hellerbrand, C; Dickson, C; Partanen, JM; Ornitz, DM; Werner, S. (2010). FGF receptors 1 and 2 control chemically induced injury and compound detoxification in regenerating livers of mice. *Gastroenterology.* 139: 1385-1396. <http://dx.doi.org/10.1053/j.gastro.2010.06.069>.
- Boissard, F; Fournié, JJ; Laurent, C; Poupot, M; Ysebaert, L. (2015). Nurse like cells: chronic lymphocytic leukemia associated macrophages. 56: 1570-1572. <http://dx.doi.org/10.3109/10428194.2014.991731>.
- Bolanle, JD; Adetoro, KO; Balarabe, SA; Adeyemi, OO. (2014). Hepatocurative potential of Vitex doniana root bark, stem bark and leaves extracts against CCl₄-induced liver damage in rats. 4: 480-485. <http://dx.doi.org/10.12980/APJTB.4.2014C207>.
- Bolha, L; Bencina, D; Cizelj, I; Oven, I; Slavec, B; Rojs, OZ; Narat, M. (2013). Effect of Mycoplasma synoviae and lentogenic Newcastle disease virus coinfection on cytokine and chemokine gene expression in chicken embryos. *Poult Sci.* 92: 3134-3143. <http://dx.doi.org/10.3382/ps.2013-03332>.
- Boll, M; Weber, LW; Becker, E; Stampfl, A. (2001). Pathogenesis of carbon tetrachloride-induced hepatocyte injury bioactivation of CCl₄ by cytochrome P450 and effects on lipid homeostasis. *Z Naturforsch C Biosci.* 56: 111-121.
- Bona, S; Filippin, LI; Di Naso, FC; de David, C; Valiatti, B; Isoppo Schaun, M; Xavier, RM; Marroni, NP. (2012). Effect of antioxidant treatment on fibrogenesis in rats with carbon tetrachloride-induced cirrhosis. 2012: 762920. <http://dx.doi.org/10.5402/2012/762920>.

Human Health Hazard Literature Search Results

Off Topic

- Bonarowska, M; Wojciechowska, M; Zieliński, M; Kiderys, A; Zieliński, M; Winiarek, P; Karpiński, Z. (2016). Hydrodechlorination of Tetrachloromethane over Palladium Catalysts Supported on Mixed MgF₂-MgO Carriers. *Molecules*. 21. <http://dx.doi.org/10.3390/molecules21121620>.
- Bond, GG; Flores, GH; Shellenberger, RJ; Cartmill, JB; Fishbeck, WA; Cook, RR. (1986). Nested case-control study of lung cancer among chemical workers. *Am J Epidemiol*. 124: 53-66.
- Bonepally, CR; Gandey, S, aiJ; Bommineni, K; Gottumukkala, KM; Aukunuru, J. (2013). Preparation, Characterisation and In Vivo Evaluation of Silybin Nanoparticles for the Treatment of Liver Fibrosis. *Tropical Journal of Pharmaceutical Research*. 12: 1-6. <http://dx.doi.org/10.4314/tjpr.v12i1.1>.
- Boobis, AR; Daston, GP; Preston, RJ; Olin, SS. (2009). Application of key events analysis to chemical carcinogens and noncarcinogens. *Crit Rev Food Sci Nutr*. 49: 690-707. <http://dx.doi.org/10.1080/10408390903098673>.
- Boone, L; Meyer, D; Cusick, P; Ennulat, D; Bolliger, AP; Everds, N; Meador, V; Elliott, G; Honor, D; Bounous, D; Jordan, H. (2005). Selection and interpretation of clinical pathology indicators of hepatic injury in preclinical studies [Review]. *Vet Clin Pathol*. 34: 182-188. <http://dx.doi.org/10.1111/j.1939-165X.2005.tb00041.x>.
- Borgert, CJ; Wise, K; Becker, RA. (2015). Modernizing problem formulation for risk assessment necessitates articulation of mode of action. *Regul Toxicol Pharmacol*. 72: 538-551. <http://dx.doi.org/10.1016/j.yrtph.2015.04.018>.
- Borgwardt, DS; Martin, AD; Van Hemert, JR; Yang, J; Fischer, CL; Recker, EN; Nair, PR; Vidva, R; Chandrashekaraiiah, S; Progulske-Fox, A; Drake, D; Cavanaugh, JE; Vali, S; Zhang, Y; Brogden, KA. (2014). Histatin 5 binds to *Porphyromonas gingivalis* hemagglutinin B (HagB) and alters HagB-induced chemokine responses. *Sci Rep*. 4: 3904. <http://dx.doi.org/10.1038/srep03904>.
- Borkham-Kamphorst, E; Alexi, P; Tihaa, L; Haas, U; Weiskirchen, R. (2015). Platelet-derived growth factor-D modulates extracellular matrix homeostasis and remodeling through TIMP-1 induction and attenuation of MMP-2 and MMP-9 gelatinase activities. *Biochem Biophys Res Commun*. 457: 307-313. <http://dx.doi.org/10.1016/j.bbrc.2014.12.106>.
- Borkham-Kamphorst, E; Drews, F; Weiskirchen, R. (2011). Induction of lipocalin-2 expression in acute and chronic experimental liver injury moderated by pro-inflammatory cytokines interleukin-1 β through nuclear factor- κ B activation. *Liver Int*. 31: 656-665. <http://dx.doi.org/10.1111/j.1478-3231.2011.02495.x>.
- Borkham-Kamphorst, E; van Roeyen, CR; Van de Leur, E; Floege, J; Weiskirchen, R. (2012). CCN3/NOV small interfering RNA enhances fibrogenic gene expression in primary hepatic stellate cells and cirrhotic fat storing cell line CFSC. *Journal of Cell Communication and Signaling*. 6: 11-25. <http://dx.doi.org/10.1007/s12079-011-0141-3>.
- Bosch, J; Groszmann, RJ; Shah, VH. (2015). Evolution in the understanding of the pathophysiological basis of portal hypertension: How changes in paradigm are leading to successful new treatments. *J Hepatol*. 62: S121-S130.
- Boschen, KE; Ruggiero, MJ; Klintsova, AY. (2016). Neonatal binge alcohol exposure increases microglial activation in the developing rat hippocampus. *Neuroscience*. 324: 355-366. <http://dx.doi.org/10.1016/j.neuroscience.2016.03.033>.
- Bosinger, SE; Jochems, SP; Folkner, KA; Hayes, TL; Klatt, NR; Silvestri, G. (2013). Transcriptional profiling of experimental CD8(+) lymphocyte depletion in rhesus macaques infected with simian immunodeficiency virus SIVmac239. *J Virol*. 87: 433-443. <http://dx.doi.org/10.1128/JVI.01746-12>.
- Bosmann, M; Russkamp, NF; Ward, PA. (2012). Fingerprinting of the TLR4-induced acute inflammatory response. *Exp Mol Pathol*. 93: 319-323. <http://dx.doi.org/10.1016/j.yexmp.2012.08.006>.
- Bourbonnais, E; Raymond, VA; Ethier, C; Nguyen, BN; El-Leil, MS; Meloche, S; Bilodeau, M. (2012). Liver fibrosis protects mice from acute hepatocellular injury. *Gastroenterology*. 142: 130-139.e134. <http://dx.doi.org/10.1053/j.gastro.2011.09.033>.
- Bourd-Boittin, K; Bonnier, D; Leyme, A; Mari, B; Tuffery, P; Samson, M; Ezan, F; Baffet, G; Theret, N. (2011). Protease profiling of liver fibrosis reveals the ADAM metallopeptidase with thrombospondin type 1 motif, 1 as a central activator of transforming growth factor beta. *Hepatology*. 54: 2173-2184. <http://dx.doi.org/10.1002/hep.24598>.
- Boutelet-Bochan, H; Huang, Y; Juchau, MR. (1997). Expression of CYP2E1 during embryogenesis and fetogenesis in human cephalic tissues: Implications for the fetal alcohol syndrome. *Biochem Biophys Res Commun*. 238: 443-447. <http://dx.doi.org/10.1006/bbrc.1997.7296>.
- Boutet, MA; Bart, G; Penhoat, M; Amiaud, J; Brulin, B; Charrier, C; Morel, F; Lecron, JC; Rolli-Derkinderen, M; Bourreille, A; Vigne, S; Gabay, C; Palmer, G; Le Goff, B; Blanchard, F. (2016). Distinct expression of interleukin (IL)-36 α , β and γ , their antagonist IL-36Ra and IL-38 in psoriasis, rheumatoid arthritis and Crohn's disease. *Clin Exp Immunol*. 184: 159-173. <http://dx.doi.org/10.1111/cei.12761>.
- Bove, FJ; Fulcomer, MC; Klotz, JB; Esmart, J; Dufficy, EM; JE, S. (1992). Population-based surveillance and etiologic research of adverse reproductive outcomes and toxic wastes. Report on phase IV-B: Public drinking water contamination and birth weight, fetal deaths, and birth defects. A case-control study. Trenton, New Jersey: New Jersey Department of Health.
- Bove, FJ; Fulcomer, MC; Klotz, JB; Esmart, J; Dufficy, EM; Savrin, JE. (1992). Population-based surveillance and etiological research of adverse reproductive outcomes and toxic wastes. Report on phase IV-A: Public drinking water contamination and birth weight, fetal deaths, and birth defects. A cross-sectional study. Trenton, New Jersey: New Jersey Department of Health.
- Boverhof, DR; Ladics, G; Lueke, B; Botham, J; Corsini, E; Evans, E; Germolec, D; Holsapple, M; Loveless, SE; Lu, H; van der Laan, JW; White, KL; Yang, Y. (2014). Approaches and considerations for the assessment of immunotoxicity for environmental chemicals: A workshop summary. *Regul Toxicol Pharmacol*. 68: 96-107. <http://dx.doi.org/10.1016/j.yrtph.2013.11.012>.
- Bozyk, PD; Bentley, JK; Popova, AP; Anyanwu, AC; Linn, MD; Goldsmith, AM; Pryhuber, GS; Moore, BB; Hershenson, MB. (2012). Neonatal periostin knockout mice are protected from hyperoxia-induced alveolar simplification. *PLoS ONE*. 7: e31336. <http://dx.doi.org/10.1371/journal.pone.0031336>.
- Brambilla, G; Carlo, P; Finollo, R; Bignone, FA; Ledda, A; Cajelli, E. (1983). Viscometric detection of liver DNA fragmentation in rats treated with minimal doses of chemical carcinogens. *Cancer Res*. 43: 202-209.

Human Health Hazard Literature Search Results

Off Topic

- Brams, A; Buchet, JP; Crutzen-Fayt, MC; De Meester, C; Lauwerys, R; Leonard, A. (1987). A comparative study, with 40 chemicals, of the efficiency of the Salmonella assay and the SOS chromotest (kit procedure). *Toxicol Lett.* 38: 123-133.
- Braun, DE; Gelbrich, T; Kahlenberg, V; Griesser, UJ. (2015). Solid state forms of 4-aminoquinoline - From void structures with and without solvent inclusion to close packing. *CrystEngComm.* 17: 2504-2516. <http://dx.doi.org/10.1039/C5CE00118H>.
- Braunschweig, J; Bosch, J; Meckenstock, RU. (2013). Iron oxide nanoparticles in geomicrobiology: from biogeochemistry to bioremediation [Review]. *N Biotechnol.* 30: 793-802. <http://dx.doi.org/10.1016/j.nbt.2013.03.008>.
- Bravo, E; D'Amore, E; Ciaffoni, F; Mammola, CL. (2012). Evaluation of the spontaneous reversibility of carbon tetrachloride-induced liver cirrhosis in rabbits. *Lab Anim.* 46: 122-128. <http://dx.doi.org/10.1258/la.2012.011035>.
- Breaux, M; Lewis, K; Valanejad, L; Iakova, P; Chen, F; Mo, Q; Medrano, E; Timchenko, L; Timchenko, N. (2015). p300 Regulates Liver Functions by Controlling p53 and C/EBP Family Proteins through Multiple Signaling Pathways. *Mol Cell Biol.* 35: 3005-3016. <http://dx.doi.org/10.1128/MCB.00421-15>.
- Breikaa, RM; Algardaby, MM; El-Demerdash, E; Abdel-Naim, AB. (2013). Multimechanistic antifibrotic effect of biochanin a in rats: implications of proinflammatory and profibrogenic mediators. *PLoS ONE.* 8: e69276. <http://dx.doi.org/10.1371/journal.pone.0069276>.
- Brennan, S; Sly, PD; Gangell, CL; Sturges, N; Winfield, K; Wikstrom, M; Gard, S; Upham, JW; CF, A. (2009). Alveolar macrophages and CC chemokines are increased in children with cystic fibrosis. *Eur Respir J.* 34: 655-661. <http://dx.doi.org/10.1183/09031936.00178508>.
- Brewer, GD. (2009). Science and Decisions Advancing Risk Assessment. *Science.* 325: 1075-1076. <http://dx.doi.org/10.1126/science.1175150>.
- Brewitz, A; Eickhoff, S; Dähling, S; Quast, T; Bedoui, S; Kroczyk, RA; Kurts, C; Garbi, N; Barchet, W; Iannacone, M; Klauschen, F; Kolanus, W; Kaisho, T; Colonna, M; Germain, RN; Kastenmüller, W. (2017). CD8(+) T Cells Orchestrate pDC-XCR1(+) Dendritic Cell Spatial and Functional Cooperativity to Optimize Priming. *Immunity.* 46: 205-219. <http://dx.doi.org/10.1016/j.immuni.2017.01.003>.
- Brichacek, B; Vanpouille, C; Kiselyeva, Y; Biancotto, A; Merbah, M; Hirsch, I; Lisco, A; Grivel, JC; Margolis, L. (2010). Contrasting roles for TLR ligands in HIV-1 pathogenesis. *PLoS ONE.* 5. <http://dx.doi.org/10.1371/journal.pone.0012831>.
- Briley, SM; Jasti, S; Mccracken, JM; Hornick, JE; Fegley, B; Pritchard, MT; Duncan, FE. (2016). Reproductive age-associated fibrosis in the stroma of the mammalian ovary. *Reproduction.* 152: 245-260. <http://dx.doi.org/10.1530/REP-16-0129>.
- Briquet, A; Grégoire, C; Comblain, F; Servais, L; Zeddou, M; Lechanteur, C; Beguin, Y. (2014). Human bone marrow, umbilical cord or liver mesenchymal stromal cells fail to improve liver function in a model of CCl4-induced liver damage in NOD/SCID/IL-2R γ (null) mice. *Cytotherapy.* 16: 1511-1518. <http://dx.doi.org/10.1016/j.jcyt.2014.07.003>.
- Brito, NJ; López, JA; Do Nascimento, MA; Macêdo, JB; Silva, GA; Oliveira, CN; de Rezende, AA; Brandão-Neto, J; Schwarz, A; Almeida, M, d. (2012). Antioxidant activity and protective effect of *Turnera ulmifolia* Linn. var. *elegans* against carbon tetrachloride-induced oxidative damage in rats. *Food Chem Toxicol.* 50: 4340-4347. <http://dx.doi.org/10.1016/j.fct.2012.08.003>.
- Britze, A; Palmfeldt, J; Gregersen, N; Ovesen, T. (2014). 44-plex cytokine profile of cholesteatoma. *Acta Otolaryngol.* 134: 41-50. <http://dx.doi.org/10.3109/00016489.2013.844360>.
- Brown, MG; Mcalpine, SM; Huang, YY; Haidl, ID; Al-Afif, A; Marshall, JS; Anderson, R. (2012). RNA sensors enable human mast cell anti-viral chemokine production and IFN-mediated protection in response to antibody-enhanced dengue virus infection. *PLoS ONE.* 7: e34055. <http://dx.doi.org/10.1371/journal.pone.0034055>.
- Brown, RP; Delp, MD; Lindstedt, SL; Rhombert, LR; Beliles, RP. (1997). Physiological parameter values for physiologically based pharmacokinetic models [Review]. *Toxicol Ind Health.* 13: 407-484. <http://dx.doi.org/10.1177/074823379701300401>.
- Broxmeyer, HE; Capitano, M; Campbell, TB; Hangoc, G; Cooper, S. (2016). Modulation of Hematopoietic Chemokine Effects In Vitro and In Vivo by DPP-4/CD26. *Stem Cells Dev.* 25: 575-585. <http://dx.doi.org/10.1089/scd.2016.0026>.
- Bruckner, M; Dickel, D; Singer, E; Legler, DF. (2012). Converse regulation of CCR7-driven human dendritic cell migration by prostaglandin E₂ and liver X receptor activation. *Eur J Immunol.* 42: 2949-2958. <http://dx.doi.org/10.1002/eji.201242523>.
- Bruckner, M; Dickel, D; Singer, E; Legler, DF. (2012). Distinct modulation of chemokine expression patterns in human monocyte-derived dendritic cells by prostaglandin E(2). *Cell Immunol.* 276: 52-58. <http://dx.doi.org/10.1016/j.cellimm.2012.03.008>.
- Brüderlein, S; Sommer, JB; Meltzer, PS; Li, S; Osada, T; Ng, D; Möller, P; Alcorta, DA; Kelley, MJ. (2010). Molecular characterization of putative chordoma cell lines. *Sarcoma.* 2010: 630129. <http://dx.doi.org/10.1155/2010/630129>.
- Brudnik, K; Twarda, M; Sarzyński, D; Jodkowski, JT. (2013). Theoretical study of the kinetics of chlorine atom abstraction from chloromethanes by atomic chlorine. *J Mol Model.* 19: 4181-4193. <http://dx.doi.org/10.1007/s00894-013-1779-y>.
- Bruno, MM; Saague, P; Anatole, PC; Cabral, BNP; Romain, NJ; Joseline, AMV; Stoller, M; Bravi, M; Jeanne, N. (2015). In vitro and in vivo hepatoprotective effects of *Tetrapleura tetraptera* extract against CCl₄ induced toxicity in rats model and its antioxidant property. *Toxicol Lett.* 238: S250-S250. <http://dx.doi.org/10.1016/j.toxlet.2015.08.725>.
- Brunt, EM; Tiniakos, DG. (2002). Pathology of steatohepatitis [Review]. *Best Pract Res Clin Gastroenterol.* 16: 691-707. <http://dx.doi.org/10.1053/bega.2002.0326>.
- Brzezinski, MR; Boutelet-Bochan, H; Person, RE; Fantel, AG; Juchau, MR. (1999). Catalytic activity and quantitation of cytochrome P-450 2E1 in prenatal human brain. *J Pharmacol Exp Ther.* 289: 1648-1653.
- Buchholz, A; Laskov, C; Haderlein, SB. (2011). Effects of Zwitterionic buffers on sorption of ferrous iron at goethite and its oxidation by CCl₄. *Environ Sci Technol.* 45: 3355-3360. <http://dx.doi.org/10.1021/es103172c>.
- Budzak, S; Jaunet-Lahary, T; Laurent, A; Laurence, C; Medved', M; Jacquemin, D. (2016). Exploring the Solvatochromism of Betaine 30 with Ab Initio Tools: From Accurate Gas-Phase Calculations to Implicit and Explicit Solvation Models. *Chemistry.* <http://dx.doi.org/10.1002/chem.201604619>.

Human Health Hazard Literature Search Results

Off Topic

- Buenestado, A; Chaumais, MC; Grassin-Delyle, S; Risse, PA; Naline, E; Longchampt, E; Tenor, H; Devillier, P. (2013). Roflumilast inhibits lipopolysaccharide-induced tumor necrosis factor- α and chemokine production by human lung parenchyma. *PLoS ONE*. 8: e74640. <http://dx.doi.org/10.1371/journal.pone.0074640>.
- Buenestado, A; Grassin Delyle, S; Arnould, I; Besnard, F; Naline, E; Blouquit-Laye, S; Chapelier, A; Bellamy, JF; Devillier, P. (2010). The role of adenosine receptors in regulating production of tumour necrosis factor-alpha and chemokines by human lung macrophages. *Br J Pharmacol*. 159: 1304-1311. <http://dx.doi.org/10.1111/j.1476-5381.2009.00614.x>.
- Buenestado, A; Grassin-Delyle, S; Guitard, F; Naline, E; Faisy, C; Israël-Biet, D; Sage, E; Bellamy, JF; Tenor, H; Devillier, P. (2012). Roflumilast inhibits the release of chemokines and TNF- α from human lung macrophages stimulated with lipopolysaccharide. *Br J Pharmacol*. 165: 1877-1890. <http://dx.doi.org/10.1111/j.1476-5381.2011.01667.x>.
- Bugajev, V; Halova, I; Draberova, L; Bambouskova, M; Potuckova, L; Draberova, H; Paulenda, T; Junyent, S; Draber, P. (2016). Negative regulatory roles of ORMDL3 in the Fc ϵ RI-triggered expression of proinflammatory mediators and chemotactic response in murine mast cells. *Cell Mol Life Sci*. 73: 1265-1285. <http://dx.doi.org/10.1007/s00018-015-2047-3>.
- Bugyik, E; Dezso, K; Turányi, E; Szurián, K; Paku, S; Nagy, P. (2012). 1,4-Bis[2-(3,5-dichloropyridyloxy)]benzene induces substantial hyperplasia in fibrotic mouse liver. *Int J Exp Pathol*. 93: 125-129. <http://dx.doi.org/10.1111/j.1365-2613.2011.00803.x>.
- Buko, V; Belonovskaya, E; Naruta, E; Lukivskaya, O; Kanyuka, O; Zhuk, O; Kranc, R; Stoika, R; Sybirna, N. (2015). Pituitary tumor transforming gene as a novel regulatory factor of liver fibrosis. *Life Sci*. 132: 34-40. <http://dx.doi.org/10.1016/j.lfs.2015.04.010>.
- Bull, RJ; Sasser, LB; Lei, XC. (2004). Interactions in the tumor-promoting activity of carbon tetrachloride, trichloroacetate, and dichloroacetate in the liver of male B6C3F1 mice. *Toxicology*. 199: 169-183. <http://dx.doi.org/10.1016/j.tox.2004.02.018>.
- Burger, JA; Quiroga, MP; Hartmann, E; Bürkle, A; Wierda, WG; Keating, MJ; Rosenwald, A. (2009). High-level expression of the T-cell chemokines CCL3 and CCL4 by chronic lymphocytic leukemia B cells in nurse-like cell cocultures and after BCR stimulation. *Blood*. 113: 3050-3058. <http://dx.doi.org/10.1182/blood-2008-07-170415>.
- Burke, DA; Wedd, DJ; Herriott, D; Bayliss, MK; Spalding, DJM; Wilcox, P. (1994). Evaluation of pyrazole and ethanol induced S9 fraction in bacterial mutagenicity testing. *Mutagenesis*. 9: 23-29.
- Butterworth, BE; Smith-Oliver, T; Earle, L; Loury, DJ; White, RD; Doolittle, DJ; Working, PK; Cattley, RC; Jirtle, R; Michalopoulos, G; Strom, S. (1989). Use of primary cultures of human hepatocytes in toxicology studies. *Cancer Res*. 49: 1075-1084.
- Bykov, MI; Esaulenko, EE; Basov, AA. (2015). [EXPERIMENTAL FOUNDATION FOR LINSEED AND WALNUT OILS APPLICATION IN GASTROENTEROLOGY]. *Eksp Klin Gastroenterol* 53-56.
- Byung-Sung, P; Sang-Oh, P. (2012). Effects of Grain Larvae Extracts on Hepatotoxicity and Blood Lipid in Obese Rats. *Journal of Animal and Veterinary Advances*. 11: 988-994.
- Caballero, NB; Zuriaga, M; Carignano, M; Serra, P. (2016). Dynamic Heterogeneity in the Monoclinic Phase of CCl₄. *J Phys Chem B*. 120: 860-865. <http://dx.doi.org/10.1021/acs.jpcc.5b11658>.
- Cabot, R; Hunter, CA; Varley, LM. (2010). Hydrogen bonding properties of non-polar solvents. *Org Biomol Chem*. 8: 1455-1462. <http://dx.doi.org/10.1039/b921003b>.
- Cai, X; Huang, Q; Wang, S. (2015). Isolation of a novel lutein-protein complex from *Chlorella vulgaris* and its functional properties. 6: 1893-1899. <http://dx.doi.org/10.1039/c4fo01096e>.
- Cai, XG; Xia, JR; Li, WD; Lu, FL; Liu, J; Lu, Q; Zhi, H. (2014). Anti-fibrotic effects of specific-siRNA targeting of the receptor for advanced glycation end products in a rat model of experimental hepatic fibrosis. *Mol Med Rep*. 10: 306-314. <http://dx.doi.org/10.3892/mmr.2014.2207>.
- Cai, Y; Lu, D; Zou, Y; Zhou, C; Liu, H; Tu, C; Li, F; Liu, L; Zhang, S. (2017). Curcumin Protects Against Intestinal Origin Endotoxemia in Rat Liver Cirrhosis by Targeting PCSK9. *J Food Sci*. <http://dx.doi.org/10.1111/1750-3841.13647>.
- Calandra, P; Ruggirello, A; Turco Liveri, V. (2009). Complex permittivity of FeCl₃/AOT/CCl₄ microemulsions probed by AC impedance spectroscopy. *J Colloid Interface Sci*. 337: 285-288. <http://dx.doi.org/10.1016/j.jcis.2009.04.088>.
- Camara-Campos, A; Musumeci, D; Hunter, CA; Turega, S. (2009). Chemical double mutant cycles for the quantification of cooperativity in H-bonded complexes. *J Am Chem Soc*. 131: 18518-18524. <http://dx.doi.org/10.1021/ja9083495>.
- Canivet, C; Menasria, R; Rhéaume, C; Piret, J; Boivin, G. (2015). Valacyclovir combined with artesunate or rapamycin improves the outcome of herpes simplex virus encephalitis in mice compared to antiviral therapy alone. *Antiviral Res*. 123: 105-113. <http://dx.doi.org/10.1016/j.antiviral.2015.09.007>.
- Cantillana, T; Sundstrom, M; Bergman, A. (2009). Synthesis of 2-(4-chlorophenyl)-2-(4-chloro-3-thiophenyl)-1,1-dichloroethene (3-SH-DDE) via Newman-Kwart rearrangement - A precursor for synthesis of radiolabeled and unlabeled alkylsulfonyl-DDEs. *Chemosphere*. 76: 805-810. <http://dx.doi.org/10.1016/j.chemosphere.2009.04.042>.
- Cantillo, D; de Frutos, O; Rincon, JA; Mateos, C; Kappe, CO. (2014). A scalable procedure for light-induced benzylic brominations in continuous flow. *J Org Chem*. 79: 223-229. <http://dx.doi.org/10.1021/jo402409k>.
- Cantini, G; Pisati, F; Pessina, S; Finocchiaro, G; Pellegatta, S. (2012). Immunotherapy against the radial glia marker GLAST effectively triggers specific antitumor effectors without autoimmunity. 1: 884-893. <http://dx.doi.org/10.4161/onci.20637>.
- Cantu, E; Lederer, DJ; Meyer, K; Milewski, K; Suzuki, Y; Shah, RJ; Diamond, JM; Meyer, NJ; Tobias, JW; Baldwin, DA; Van Deerlin, VM; Olthoff, KM; Shaked, A; Christie, JD; Investigators, C. (2013). Gene set enrichment analysis identifies key innate immune pathways in primary graft dysfunction after lung transplantation. *American Journal of Transplantation (Online)*. 13: 1898-1904. <http://dx.doi.org/10.1111/ajt.12283>.
- Cao, G; Li, Q; Chen, X; Cai, H; Tu, S. (2014). Hepatoprotective effect of superfine particles of herbal medicine against CCl₄-induced acute liver damage in rats. *BioMed Res Int*. 2014: 934732. <http://dx.doi.org/10.1155/2014/934732>.

Human Health Hazard Literature Search Results

Off Topic

- Cao, J; Chen, T; Gong, Y; Ying, B; Li, D; Xu, W; Zhang, X; Wang, L; Yin, Y. (2010). Molecular mechanisms of the secretion of cytokines and chemokines from human monocytes activated by pneumococcal surface protein A (PspA): Roles of mitogen-activated protein kinases and NF-kappaB. *Microb Pathog.* 48: 220-229. <http://dx.doi.org/10.1016/j.micpath.2010.03.001>.
- Cao, L; Ding, W; Du, J; Jia, R; Liu, Y; Zhao, C; Shen, Y; Yin, G. (2015). Effects of curcumin on antioxidative activities and cytokine production in Jian carp (*Cyprinus carpio* var. Jian) with CCl4-induced liver damage. *Fish Shellfish Immunol.* 43: 150-157. <http://dx.doi.org/10.1016/j.fsi.2014.12.025>.
- Cao, W; Li, Y; Li, M; Zhang, X; Liao, M. (2017). Txn1, Ctsd and Cdk4 are key proteins of combination therapy with taurine, epigallocatechin gallate and genistein against liver fibrosis in rats. *Biomed Pharmacother.* 85: 611-619. <http://dx.doi.org/10.1016/j.biopha.2016.11.071>.
- Cao, W; Zhou, Y; Li, Y; Zhang, X; He, M; Zang, N; Zhou, Y; Liao, M. (2015). iTRAQ-based proteomic analysis of combination therapy with taurine, epigallocatechin gallate, and genistein on carbon tetrachloride-induced liver fibrosis in rats. *Toxicol Lett.* 232: 233-245. <http://dx.doi.org/10.1016/j.toxlet.2014.11.009>.
- Cao, WR; Ge, JQ; Xie, X; Fan, ML; Fan, XD; Wang, H; Dong, ZY; Liao, ZH; Lan, XZ; Chen, M. (2017). Protective Effects of Petroleum Ether Extracts of *Herpetospermum caudigerum* against α -naphthylisothiocyanate-Induced Acute Cholestasis of Rats. *J Ethnopharmacol.* <http://dx.doi.org/10.1016/j.jep.2017.01.003>.
- Cao, Z; Mulvihill, MM; Mukhopadhyay, P; Xu, H; Erdélyi, K; Hao, E; Holovac, E; Haskó, G; Cravatt, BF; Nomura, DK; Pacher, P. (2013). Monoacylglycerol lipase controls endocannabinoid and eicosanoid signaling and hepatic injury in mice. *Gastroenterology.* 144: 808-817.e815. <http://dx.doi.org/10.1053/j.gastro.2012.12.028>.
- Cappelletti, D; Aquilanti, V; Bartocci, A; Nunzi, F; Tarantelli, F; Belpassi, L; Pirani, F. (2016). Interaction of O2 with CH4, CF4, and CCl4 by Molecular Beam Scattering Experiments and Theoretical Calculations. *J Phys Chem A.* 120: 5197-5207. <http://dx.doi.org/10.1021/acs.jpca.6b00948>.
- Cappelletti, D; Bartocci, A; Grandinetti, F; Falcinelli, S; Belpassi, L; Tarantelli, F; Pirani, F. (2015). Experimental evidence of chemical components in the bonding of helium and neon with neutral molecules. *Chemistry.* 21: 6234-6240. <http://dx.doi.org/10.1002/chem.201406103>.
- Cappelletti, D; Falcinelli, S; Pirani, F. (2016). The intermolecular interaction in D2 - CX4 and O2 - CX4 (X = F, Cl) systems: Molecular beam scattering experiments as a sensitive probe of the selectivity of charge transfer component. *J Chem Phys.* 145: 134305. <http://dx.doi.org/10.1063/1.4964092>.
- Capua, I; Mercalli, A; Pizzuto, MS; Romero-Tejeda, A; Kasloff, S; De Battisti, C; Bonfante, F; Patrono, LV; Vicenzi, E; Zappulli, V; Lampasona, V; Stefani, A; Doglioni, C; Terregino, C; Cattoli, G; Piemonti, L. (2013). Influenza A viruses grow in human pancreatic cells and cause pancreatitis and diabetes in an animal model. *J Virol.* 87: 597-610. <http://dx.doi.org/10.1128/JVI.00714-12>.
- Cardinale, V; Renzi, A; Carpinio, G; Torrice, A; Bragazzi, MC; Giuliante, F; Derose, AM; Fraveto, A; Onori, P; Napoletano, C; Franchitto, A; Cantafora, A; Grazi, G; Caporaso, N; D'Argenio, G; Alpini, G; Reid, LM; Gaudio, E; Alvaro, D. (2015). Profiles of cancer stem cell subpopulations in cholangiocarcinomas. *Am J Pathol.* 185: 1724-1739. <http://dx.doi.org/10.1016/j.ajpath.2015.02.010>.
- Cardone, M; Ikeda, KN; Varano, B; Gessani, S; Conti, L. (2015). HIV-1-induced impairment of dendritic cell cross talk with $\gamma\delta$ T lymphocytes. *J Virol.* 89: 4798-4808. <http://dx.doi.org/10.1128/JVI.03681-14>.
- Carino, A; Cipriani, S; Marchianò, S; Biagioli, M; Santorelli, C; Donini, A; Zampella, A; Monti, MC; Fiorucci, S. (2017). BAR502, a dual FXR and GPBAR1 agonist, promotes browning of white adipose tissue and reverses liver steatosis and fibrosis. *Sci Rep.* 7: 42801. <http://dx.doi.org/10.1038/srep42801>.
- Carpenter, SP; Lasker, JM; Raucy, JL. (1996). Expression, induction, and catalytic activity of the ethanol-inducible cytochrome P450 (CYP2E1) in human fetal liver and hepatocytes. *Mol Pharmacol.* 49: 260-268.
- Carpintero, R; Gruaz, L; Brandt, KJ; Scanu, A; Faille, D; Combes, V; Grau, GE; Burger, D. (2010). HDL interfere with the binding of T cell microparticles to human monocytes to inhibit pro-inflammatory cytokine production. *PLoS ONE.* 5: e11869. <http://dx.doi.org/10.1371/journal.pone.0011869>.
- Carreño, E; Enríquez-De-Salamanca, A; Tesón, M; García-Vázquez, C; Stern, ME; Whitcup, SM; Calonge, M. (2010). Cytokine and chemokine levels in tears from healthy subjects. *Acta Ophthalmol.* 88: e250-e258. <http://dx.doi.org/10.1111/j.1755-3768.2010.01978.x>.
- Carter, BZ; Mak, PY; Chen, Y; Mak, DH; Mu, H; Jacamo, R; Ruvolo, V; Arold, ST; Ladbury, JE; Burks, JK; Kornblau, S; Andreeff, M. (2016). Anti-apoptotic ARC protein confers chemoresistance by controlling leukemia-microenvironment interactions through a NFkB/IL1 β signaling network. *Onct.* 7: 20054-20067. <http://dx.doi.org/10.18632/oncotarget.7911>.
- Casanova, V; Naval-Macabuhay, I; Massanella, M; Rodríguez-García, M; Blanco, J; Gatell, JM; García, F; Gallart, T; Lluís, C; Mallol, J; Franco, R; Climent, N; McCormick, PJ. (2012). Adenosine deaminase enhances the immunogenicity of human dendritic cells from healthy and HIV-infected individuals. *PLoS ONE.* 7: e51287. <http://dx.doi.org/10.1371/journal.pone.0051287>.
- Casella, G; George, E. (1992). Explaining the Gibbs sampler. *Am Stat.* 46: 167-174. <http://dx.doi.org/10.2307/2685208>.
- Casey, CA. (2009). Effects of Ethanol on Endocytosis in the Liver.
- Cassol, E; Cassetta, L; Rizzi, C; Alfano, M; Poli, G. (2009). M1 and M2a polarization of human monocyte-derived macrophages inhibits HIV-1 replication by distinct mechanisms. *J Immunol.* 182: 6237-6246. <http://dx.doi.org/10.4049/jimmunol.0803447>.
- Castro, GD; Simpson, JT; Castro, JA. (1994). Interaction of trichloromethyl free radicals with thymine in a model system: a mass spectrometric study. *Chem Biol Interact.* 90: 13-22.
- Castro, MP; de Moraes, FR; Fujimoto, RY; da Cruz, C; de Andrade Belo, MA; de Moraes, J. R. (2014). Acute Toxicity by Water Containing Hexavalent or Trivalent Chromium in Native Brazilian Fish, *Piaractus mesopotamicus*: Anatomopathological Alterations and Mortality. *Bull Environ Contam Toxicol.* 92: 213-219. <http://dx.doi.org/10.1007/s00128-013-1174-5>.
- Castroneves, LA; Jugo, RH; Maynard, MA; Lee, JS; Wassner, AJ; Dorfman, D; Bronson, RT; Ukomadu, C; Agoston, AT; Ding, L; Luongo, C; Guo, C; Song, H; Demchev, V; Lee, NY; Feldman, HA; Vella, KR; Peake, RW; Hartigan, C; Kellogg, MD; Desai, A; Salvatore, D; Dentice, M; Huang,

Human Health Hazard Literature Search Results

Off Topic

- SA. (2014). Mice with hepatocyte-specific deficiency of type 3 deiodinase have intact liver regeneration and accelerated recovery from nonthyroidal illness after toxin-induced hepatonecrosis. *Endocrinology*. 155: 4061-4068. <http://dx.doi.org/10.1210/en.2013-2028>.
- Catusse, J; Clark, DJ; Gompels, UA. (2009). CCR5 signalling, but not DARC or D6 regulatory, chemokine receptors are targeted by herpesvirus U83A chemokine which delays receptor internalisation via diversion to a caveolin-linked pathway. *J Inflamm*. 6: 22. <http://dx.doi.org/10.1186/1476-9255-6-22>.
- Caviglia, JM; Schwabe, RF. (2015). Mouse models of liver cancer. *Methods Mol Biol*. 1267: 165-183. http://dx.doi.org/10.1007/978-1-4939-2297-0_8.
- Çelebi, N; Muğlalı, M; Aksoy, A; Yarım, G; Yarım, M; Güvenç, D. (2013). Comparison of lidocaine metabolism for different anesthesia techniques in rabbits with liver disease. 116: e23-e26. <http://dx.doi.org/10.1016/j.o000.2011.11.026>.
- Celerino da Silva, R; Victor Campos Coelho, A; Cláudio Arraes, L; André Cavalcanti Brandão, L; Lima Guimarães, R; Crovella, S. (2016). Chemokines SNPs in HIV-1+ Patients and Healthy Controls from Northeast Brazil: Association with Protection against HIV-1 Infection. *Curr HIV Res*. 14: 340-345.
- Çelik, İ; Kara, D; Karadaş, C; Fisher, A; Hill, SJ. (2015). A novel ligandless-dispersive liquid-liquid microextraction method for matrix elimination and the preconcentration of rare earth elements from natural waters. *Talanta*. 134: 476-481. <http://dx.doi.org/10.1016/j.talanta.2014.11.063>.
- Cengiz, M; Kutlu, HM; Burukoglu, DD; Ayhanci, A. (2015). A comparative study on the therapeutic effects of Silymarin and Silymarin-Loaded Solid Lipid Nanoparticles on D-GalN/TNF-alpha-induced Liver Damage in Balb/c Mice. *Food Chem Toxicol*. 77: 93-100. <http://dx.doi.org/10.1016/j.fct.2014.12.011>.
- Cerini, F; Vilaseca, M; Lafoz, E; Garcia-Irigoyen, O; Garcia-Caldero, H; Tripathi, DM; Avila, M; Carlos Reverter, J; Bosch, J; Gracia-Sancho, J; Carlos Garcia-Pagan, J. (2016). Enoxaparin reduces hepatic vascular resistance and portal pressure in cirrhotic rats. *J Hepatol*. 64: 834-842. <http://dx.doi.org/10.1016/j.jhep.2015.12.003>.
- Cervantes, FJ; Gonzalez-Estrella, J; Márquez, A; Alvarez, LH; Arriaga, S. (2011). Immobilized humic substances on an anion exchange resin and their role on the redox biotransformation of contaminants. *Bioresour Technol*. 102: 2097-2100. <http://dx.doi.org/10.1016/j.biortech.2010.08.021>.
- Cervantes, FJ; Martínez, CM; Gonzalez-Estrella, J; Márquez, A; Arriaga, S. (2013). Kinetics during the redox biotransformation of pollutants mediated by immobilized and soluble humic acids. *Appl Microbiol Biotechnol*. 97: 2671-2679. <http://dx.doi.org/10.1007/s00253-012-4081-5>.
- Cha, JY; Kim, HS; Moon, HI; Cho, YS. (2011). Effect of betaine on the hepatic damage from orotic acid-induced fatty liver development in rats. *J Enzyme Inhib Med Chem*. <http://dx.doi.org/10.3109/14756366.2011.641014>.
- Chadha, VD; Bhalla, P; Dhawan, D. (2010). Uptake and retention of 65Zn in lithium-treated rat liver: role of zinc. *Dig Liver Dis*. 42: 446-450. <http://dx.doi.org/10.1016/j.dld.2009.07.021>.
- Chai, NL; Chang, Q; Xu, SP; Wan, J; Wu, BY. (2013). [Differential proteomic analysis of rat hepatic stellate cells treated by oxymatrine liposomes using two-dimensional electrophoresis]. *Zhongguo Zhong Xi Yi Jie He Za Zhi*. 33: 679-685.
- Chai, NL; Xu, SP; Wan, J; Wu, BY. (2013). [Oxymatrine could promote mesenchymal stem cell therapy in hepatic fibrosis rats: an experimental research]. *Zhongguo Zhong Xi Yi Jie He Za Zhi*. 33: 840-844.
- Chaity, FR; Khatun, M; Rahman, MS. (2016). In vitro membrane stabilizing, thrombolytic and antioxidant potentials of *Drynaria quercifolia* L., a remedial plant of the Garo tribal people of Bangladesh. *BMC Complement Altern Med*. 16: 184. <http://dx.doi.org/10.1186/s12906-016-1170-5>.
- Chamulitrat, W; Zhang, W; Xu, W; Pathil, A; Setchell, K; Stremmel, W. (2012). Hepatoprotectant ursodeoxycholy l lysophosphatidylethanolamide increasing phosphatidylcholine levels as a potential therapy of acute liver injury. *Front Physiol*. 3: 24. <http://dx.doi.org/10.3389/fphys.2012.00024>.
- Chan, CC; Lee, KC; Huang, YH; Chou, CK; Lin, HC; Lee, FY. (2014). Regulation by resveratrol of the cellular factors mediating liver damage and regeneration after acute toxic liver injury. *J Gastroenterol Hepatol*. 29: 603-613. <http://dx.doi.org/10.1111/jgh.12366>.
- Chan, CCH; Mundle, SOC; Eckert, T; Liang, X; Tang, S; Lacrampe-Couloume, G; Edwards, EA; Lollar, BS. (2012). Large Carbon Isotope Fractionation during Biodegradation of Chloroform by *Dehalobacter* Cultures. *Environ Sci Technol*. 46: 10154-10160. <http://dx.doi.org/10.1021/es3010317>.
- Chan, TC; Lee, I; Chan, KS. (2014). Effect of solvent on diffusion: probing with nonpolar solutes. *J Phys Chem B*. 118: 10945-10955. <http://dx.doi.org/10.1021/jp505141z>.
- Chandrasekar, B; Deobagkar-Lele, M; Victor, ES; Nandi, D. (2013). Regulation of Chemokines, CCL3 and CCL4, by Interferon γ and Nitric Oxide Synthase 2 in Mouse Macrophages and During *Salmonella enterica* Serovar Typhimurium Infection. *J Infect Dis*. 207: 1556-1568. <http://dx.doi.org/10.1093/infdis/jit067>.
- Chang, BY; Francesco, M; De Rooij, MF; Magadala, P; Steggerda, SM; Huang, MM; Kuil, A; Herman, SE; Chang, S; Pals, ST; Wilson, W; Wiestner, A; Spaargaren, M; Buggy, JJ; Elias, L. (2013). Egress of CD19(+)CD5(+) cells into peripheral blood following treatment with the Bruton tyrosine kinase inhibitor ibrutinib in mantle cell lymphoma patients. *Blood*. 122: 2412-2424. <http://dx.doi.org/10.1182/blood-2013-02-482125>.
- Chang, EE; Wei-Chi, W; Li-Xuan, Z; Hung-Lung, C. (2010). Health risk assessment of exposure to selected volatile organic compounds emitted from an integrated iron and steel plant. *Inhal Toxicol*. 22 Suppl 2: 117-125. <http://dx.doi.org/10.3109/08958378.2010.507636>.
- Chang, HK; Chang, EY; Ryu, S; Han, SJ. (2016). Cyclooxygenase-2 Inhibitor Reduces Hepatic Stiffness in Pediatric Chronic Liver Disease Patients Following Kasai Portoenterostomy. *Yonsei Med J*. 57: 893-899. <http://dx.doi.org/10.3349/ymj.2016.57.4.893>.

Human Health Hazard Literature Search Results

Off Topic

- Chang, HM; Liao, YW; Chiang, CH; Chen, YJ; Lai, YH; Chang, YL; Chen, HL; Jeng, SY; Hsieh, JH; Peng, CH; Li, HY; Chien, Y; Chen, SY; Chen, LK; Huo, TI. (2012). Improvement of carbon tetrachloride-induced acute hepatic failure by transplantation of induced pluripotent stem cells without reprogramming factor c-Myc. *International Journal of Molecular Sciences*. 13: 3598-3617. <http://dx.doi.org/10.3390/ijms13033598>.
- Chang, KH; Sengupta, A; Nayak, RC; Duran, A; Lee, SJ; Pratt, RG; Wellendorf, AM; Hill, SE; Watkins, M; Gonzalez-Nieto, D; Aronow, BJ; Starczynowski, DT; Civitelli, R; Diaz-Meco, MT; Moscat, J; Cancelas, JA. (2014). p62 is required for stem cell/progenitor retention through inhibition of IKK/NF- κ B/Ccl4 signaling at the bone marrow macrophage-osteoblast niche. 9: 2084-2097. <http://dx.doi.org/10.1016/j.celrep.2014.11.031>.
- Chang, N; Ge, J; Xiu, L; Zhao, Z; Duan, X; Tian, L; Xie, J; Yang, L; Li, L. (2017). HuR mediates motility of human bone marrow-derived mesenchymal stem cells triggered by sphingosine 1-phosphate in liver fibrosis. *J Mol Med*. 95: 69-82. <http://dx.doi.org/10.1007/s00109-016-1460-x>.
- Chang, TT; Chen, JW. (2016). Emerging role of chemokine CC motif ligand 4 related mechanisms in diabetes mellitus and cardiovascular disease: friends or foes? *Cardiovasc Diabetol*. 15: 117. <http://dx.doi.org/10.1186/s12933-016-0439-9>.
- Chang, YJ; Liu, JW; Lin, PC; Sun, LY; Peng, CW; Luo, GH; Chen, TM; Lee, RP; Lin, SZ; Harn, HJ; Chiou, TW. (2009). Mesenchymal stem cells facilitate recovery from chemically induced liver damage and decrease liver fibrosis. *Life Sci*. 85: 517-525. <http://dx.doi.org/10.1016/j.lfs.2009.08.003>.
- Chao, J; Liao, JW; Peng, WH; Lee, MS; Pao, LH; Cheng, HY. (2013). Antioxidant, Analgesic, Anti-Inflammatory, and Hepatoprotective Effects of the Ethanol Extract of *Mahonia oiwakensis* Stem. *International Journal of Molecular Sciences*. 14: 2928-2945. <http://dx.doi.org/10.3390/ijms14022928>.
- Chappell, G; Kutanzi, K; Uehara, T; Tryndyak, V; Hong, HH; Hoenerhoff, M; Beland, FA; Rusyn, I; Pogribny, IP. (2014). Genetic and epigenetic changes in fibrosis-associated hepatocarcinogenesis in mice. *Int J Cancer*. 134: 2778-2788. <http://dx.doi.org/10.1002/ijc.28610>.
- Charbonneau, M; Oleskevich, S; Brodeur, J; Plaa, GL. (1986). Acetone potentiation of rat liver injury induced by trichloroethylene-carbon tetrachloride mixtures. *Toxicol Sci*. 6: 654-661.
- Charo, IF. (2011). CCR2 in Hematopoietic Stem Cell Homing, Macrophage Polarization and Organ Repair.
- Charo, IF. (2012). CCR2 in Hematopoietic Stem Cell Homing, Macrophage Polarization and Organ Repair.
- Charo, IF. (2013). CCR2 in Hematopoietic Stem Cell Homing, Macrophage Polarization and Organ Repair.
- Charo, IF. (2014). CCR2 in Hematopoietic Stem Cell Homing, Macrophage Polarization and Organ Repair.
- Chatani, N; Kamada, Y; Kizu, T; Ogura, S; Furuta, K; Egawa, M; Hamano, M; Ezaki, H; Kiso, S; Shimono, A; Ouchi, N; Yoshida, Y; Takehara, T. (2015). Secreted frizzled-related protein 5 (Sfrp5) decreases hepatic stellate cell activation and liver fibrosis. *Liver Int*. 35: 2017-2026. <http://dx.doi.org/10.1111/liv.12757>.
- Chatterjee, A; Acharya, K. (2016). Include mushroom in daily diet-A strategy for better hepatic health. *Food Reviews International*. 32: 68-97. <http://dx.doi.org/10.1080/87559129.2015.1057839>.
- Chatterjee, N; Das, S; Bose, D; Banerjee, S; Jha, T; Saha, KD. (2015). Leishmanial lipid affords protection against oxidative stress induced hepatic injury by regulating inflammatory mediators and confining apoptosis progress. *Toxicol Lett*. 232: 499-512. <http://dx.doi.org/10.1016/j.toxlet.2014.11.023>.
- Chatzigeorgiou, A; Phielor, J; Gebler, J; Bornstein, SR; Chavakis, T. (2013). CD40L stimulates the crosstalk between adipocytes and inflammatory cells. *Horm Metab Res*. 45: 741-747. <http://dx.doi.org/10.1055/s-0033-1348221>.
- Chaudhary, P; Sharma, R; Sahu, M; Vishwanatha, JK; Awasthi, S; Awasthi, YC. (2013). 4-Hydroxynonenal induces G2/M phase cell cycle arrest by activation of the ataxia telangiectasia mutated and Rad3-related protein (ATR)/checkpoint kinase 1 (Chk1) signaling pathway. *J Biol Chem*. 288: 20532-20546. <http://dx.doi.org/10.1074/jbc.M113.467662>.
- Chaudhry, R; Madden-Fuentes, RJ; Ortiz, TK; Balsara, Z; Tang, Y; Nseyo, U; Wiener, JS; Ross, SS; Seed, PC. (2014). Inflammatory response to *Escherichia coli* urinary tract infection in the neurogenic bladder of the spinal cord injured host. *J Urol*. 191: 1454-1461. <http://dx.doi.org/10.1016/j.juro.2013.12.013>.
- Chavda, R; Vadalia, KR; Gokani, R. (2010). Hepatoprotective and Antioxidant Activity of Root Bark of *Calotropis procera* R.Br (Asclepiadaceae). *International Journal of Pharmacology*. 6: 937-943.
- Chávez, E; Castro-Sánchez, L; Shibayama, M; Tsutsumi, V; Moreno, MG; Muriel, P. (2012). Sulfasalazine prevents the increase in TGF- β , COX-2, nuclear NF κ B translocation and fibrosis in CCl4-induced liver cirrhosis in the rat. *Hum Exp Toxicol*. 31: 913-920. <http://dx.doi.org/10.1177/0960327112438928>.
- Chávez, E; Castro-Sánchez, L; Shibayama, M; Tsutsumi, V; Pérez Salazar, E; Moreno, MG; Muriel, P. (2012). Effects of acetyl salicylic acid and ibuprofen in chronic liver damage induced by CCl4. *J Appl Toxicol*. 32: 51-59. <http://dx.doi.org/10.1002/jat.1638>.
- Chávez, E; Segovia, J; Shibayama, M; Tsutsumi, V; Vergara, P; Castro-Sánchez, L; Salazar, EP; Moreno, MG; Muriel, P. (2010). Antifibrotic and fibrolytic properties of celecoxib in liver damage induced by carbon tetrachloride in the rat. *Liver Int*. 30: 969-978. <http://dx.doi.org/10.1111/j.1478-3231.2010.02256.x>.
- Chávez-Piña, AE; Favari, L; Castañeda-Hernández, G. (2009). Pharmacokinetics of acetaminophen and its active metabolite indomethacin in rats during acute hepatic damage and liver regeneration. *Ann Hepatol*. 8: 141-147.
- Che, H; Lee, W. (2011). Selective redox degradation of chlorinated aliphatic compounds by Fenton reaction in pyrite suspension. *Chemosphere*. 82: 1103-1108. <http://dx.doi.org/10.1016/j.chemosphere.2010.12.002>.
- Chen, BY; Qu, P; Tie, R; Zhu, MZ; Zhu, XX; Yu, J. (2010). Protecting effects of vasonatin peptide against carbon tetrachloride-induced liver fibrosis. *Regulatory Peptides*. 164: 139-143. <http://dx.doi.org/10.1016/j.regpep.2010.06.007>.
- Chen, C; Chen, RP; Lin, HH; Zhang, WY; Huang, XL; Huang, ZM. (2016). Tolvaptan regulates aquaporin-2 and fecal water in cirrhotic rats with ascites. *World J Gastroenterol*. 22: 3363-3371. <http://dx.doi.org/10.3748/wjg.v22.i12.3363>.

Human Health Hazard Literature Search Results

Off Topic

- Chen, CC; Juric, V; Lau, LF. (2011). The extracellular matrix protein CCN1 dictates TNF α and FasL cytotoxicity in vivo. *Adv Exp Med Biol.* 691: 595-603. http://dx.doi.org/10.1007/978-1-4419-6612-4_63.
- Chen, EQ; Bai, L; Gong, DY; Tang, H. (2015). Employment of digital gene expression profiling to identify potential pathogenic and therapeutic targets of fulminant hepatic failure. *J Transl Med.* 13: 22. <http://dx.doi.org/10.1186/s12967-015-0380-9>.
- Chen, HW; Huang, YJ; Yao, HT; Lii, CK. (2012). Induction of Nrf2-dependent Antioxidation and Protection Against Carbon Tetrachloride-induced Liver Damage by *Andrographis Herba* (chuān xīn lián) Ethanol Extract. 2: 211-219.
- Chen, J; Desierto, MJ; Feng, X; Biancotto, A; Young, NS. (2015). Immune-mediated bone marrow failure in C57BL/6 mice. *Exp Hematol.* 43: 256-267. <http://dx.doi.org/10.1016/j.exphem.2014.12.006>.
- Chen, J; Liu, D; Bai, Q; Song, J; Guan, J; Gao, J; Liu, B; Ma, X; Du, Y. (2011). Celecoxib attenuates liver steatosis and inflammation in non-alcoholic steatohepatitis induced by high-fat diet in rats. *Mol Med Rep.* 4: 811-816. <http://dx.doi.org/10.3892/mmr.2011.501>.
- Chen, J; Tao, X, yun; Li, L, uN; Sun, A, iD; Wang, Y, in; Zhang, S, hi. (2014). Protective effect of blueberry anthocyanins in a CCl₄-induced injury model in human embryonic liver cells. *Food and Agricultural Immunology.* 25: 274-286. <http://dx.doi.org/10.1080/09540105.2013.781139>.
- Chen, J; Zhang, X; Xu, Y; Li, X; Ren, S; Zhou, Y; Duan, Y; Zern, M; Zhang, H; Chen, G; Liu, C; Mu, Y; Liu, P. (2015). Hepatic Progenitor Cells Contribute to the Progression of 2-Acetylaminofluorene/Carbon Tetrachloride-Induced Cirrhosis via the Non-Canonical Wnt Pathway. *PLoS ONE.* 10: e0130310. <http://dx.doi.org/10.1371/journal.pone.0130310>.
- Chen, JM; Wang, L; Liu, T; Xing, LJ; Zheng, PY; Ji, G. (2009). [Effects of Qinggan Huoxue Recipe and its separated recipes on urokinase-type plasminogen activator and plasminogen activator inhibitor-1 fibrinolytic system in rats with alcoholic liver fibrosis]. *Zhong Xi Yi Jie He Xue Bao.* 7: 642-650. <http://dx.doi.org/10.3736/jcim20090708>.
- Chen, KT; Pernelle, K; Tsai, YH; Wu, YH; Hsieh, JY; Liao, KH; Guguen-Guillouzo, C; Wang, HW. (2014). Liver X receptor α (LXR α /NR1H3) regulates differentiation of hepatocyte-like cells via reciprocal regulation of HNF4 α . *J Hepatol.* 61: 1276-1286. <http://dx.doi.org/10.1016/j.jhep.2014.07.025>.
- Chen, L; Cui, X; Li, P; Feng, C; Wang, L; Wang, H; Zhou, X; Yang, B; Lv, F; Li, T. (2016). Suppression of MicroRNA-219-5p Activates Keratinocyte Growth Factor to Mitigate Severity of Experimental Cirrhosis. *Cell Physiol Biochem.* 40: 253-262. <http://dx.doi.org/10.1159/000452542>.
- Chen, M; Huang, W; Wang, C; Nie, H; Li, G; Sun, T; Yang, F; Zhang, Y; Shu, K; Wang, C; Gong, Q. (2014). High-mobility group box 1 exacerbates CCl₄-induced acute liver injury in mice. *Clin Immunol.* 153: 56-63. <http://dx.doi.org/10.1016/j.clim.2014.03.021>.
- Chen, M; Wang, T; Jiang, ZZ; Shan, C; Wang, H; Wu, MJ; Zhang, S; Zhang, Y; Zhang, LY. (2014). Anti-inflammatory and hepatoprotective effects of total flavonoid C-glycosides from *Abrus mollis* extracts. *Chin J Nat Med.* 12: 590-598. [http://dx.doi.org/10.1016/S1875-5364\(14\)60090-X](http://dx.doi.org/10.1016/S1875-5364(14)60090-X).
- Chen, ML; Ip, SP; Tsai, SH; Ko, KM; Che, CT. (2010). Biochemical mechanism of Wu-Zi-Yan-Zong-Wan, a traditional Chinese herbal formula, against alcohol-induced oxidative damage in CYP2E1 cDNA-transfected HepG2 (E47) cells. *J Ethnopharmacol.* 128: 116-122. <http://dx.doi.org/10.1016/j.jep.2009.12.036>.
- Chen, MS; Zhang, JH; Wang, JL; Gao, L; Chen, XX; Xiao, JH. (2015). Anti-fibrotic effects of neferine on carbon tetrachloride-induced hepatic fibrosis in mice. *Am J Chin Med.* 43: 231-240. <http://dx.doi.org/10.1142/S0192415X15500159>.
- Chen, P; Chen, R; Yang, Y; Yu, Y; Xie, Y; Zou, Y; Ge, J; Chen, H. (2009). Coxsackievirus B3 infection promotes generation of myeloid dendritic cells from bone marrow and accumulation in the myocardium. *Int Immunopharmacol.* 9: 1304-1312. <http://dx.doi.org/10.1016/j.intimp.2009.07.014>.
- Chen, P; Chen, Y; Wang, Y; Cai, S; Deng, L; Liu, J; Zhang, H. (2016). Comparative Evaluation of Hepatoprotective Activities of Geniposide, Crocins and Crocetin by CCl₄-Induced liver Injury in Mice. 24: 156-162. <http://dx.doi.org/10.4062/biomolther.2015.094>.
- Chen, P; Luo, Y; Hai, L; Qian, S; Wu, Y. (2010). Design, synthesis, and pharmacological evaluation of the aqueous prodrugs of desmethyl anethole trithione with hepatoprotective activity. *Eur J Med Chem.* 45: 3005-3010. <http://dx.doi.org/10.1016/j.ejmech.2010.03.029>.
- Chen, P, eiJu; Pang, VF, ei; Jeng, YM; Chen, TJ, u; Hu, FC; Chi, W, eiT; Chou, HY, in; Chiu, HC; Lee, Y, uC; Sheen, L, eeYan. (2012). Establishment of a Standardized Animal Model of Chronic Hepatotoxicity Using Acetaminophen-Induced Hepatotoxicity in the Evaluation of Hepatoprotective Effects of Health Food. *J Food Drug Anal.* 20: 41-47.
- Chen, P; Wang, Z; Zeng, L; Wang, S; Dong, W; Jia, A; Cai, C; Zhang, J. (2012). Protective effects of salean against carbon tetrachloride-induced acute liver injury in mice. *J Appl Toxicol.* 32: 796-803. <http://dx.doi.org/10.1002/jat.1694>.
- Chen, Q; Zhan, Q; Li, Y; Sun, S; Zhao, L; Zhang, H; Zhang, G. (2017). Schisandra Lignan Extract Protects against Carbon Tetrachloride-Induced Liver Injury in Mice by Inhibiting Oxidative Stress and Regulating the NF- κ B and JNK Signaling Pathways. *eCAM.* 2017: 5140297. <http://dx.doi.org/10.1155/2017/5140297>.
- Chen, S; Chen, Y; Chen, B; Cai, YJ; Zou, ZL; Wang, JG; Lin, Z; Wang, XD; Fu, LY; Hu, YR; Chen, YP; Chen, DZ. (2015). Plumbagin Ameliorates CCl₄-Induced Hepatic Fibrosis in Rats via the Epidermal Growth Factor Receptor Signaling Pathway. *eCAM.* 2015: 645727. <http://dx.doi.org/10.1155/2015/645727>.
- Chen, S; Jiao, J; Jiang, D; Wan, Z; Li, L; Li, K; Xu, L; Zhou, Z; Xu, W; Xiao, J. (2015). T-box transcription factor Brachyury in lung cancer cells inhibits macrophage infiltration by suppressing CCL2 and CCL4 chemokines. *Tumor Biology.* 36: 5881-5890. <http://dx.doi.org/10.1007/s13277-015-3260-2>.
- Chen, S; Ju, M; Luo, Y; Chen, Z; Zhao, C; Zhou, Y; Fu, J. (2013). Hepatoprotective and antioxidant activities of the aqueous extract from the rhizome of *Phragmites australis*. *Z Naturforsch C Biosci.* 68: 439-444.
- Chen, SR; Chen, XP; Lu, JJ; Wang, Y; Wang, YT. (2015). Potent natural products and herbal medicines for treating liver fibrosis. *Chinese Medicine.* 10: 7. <http://dx.doi.org/10.1186/s13020-015-0036-y>.

Human Health Hazard Literature Search Results

Off Topic

- Chen, T; Guo, J; Yang, M; Zhu, X; Cao, X. (2011). Chemokine-containing exosomes are released from heat-stressed tumor cells via lipid raft-dependent pathway and act as efficient tumor vaccine. *J Immunol.* 186: 2219-2228. <http://dx.doi.org/10.4049/jimmunol.1002991>.
- Chen, W; Hong, Z; Li, T; Zhao, J; Lin, J; Zhou, J; Huang, M. (2010). [Ultrastructure and TUNEL staining on inhibition of *Rubus alceaefolius* total alkaloids for apoptosis of liver in rat models of acute hepatitis]. *Zhongguo Zhong Yao Za Zhi.* 35: 1060-1063.
- Chen, W; Liu, DJ; Huo, YM; Wu, ZY; Sun, YW. (2014). Reactive oxygen species are involved in regulating hypocontractility of mesenteric artery to norepinephrine in cirrhotic rats with portal hypertension. *Int J Biol Sci.* 10: 386-395. <http://dx.doi.org/10.7150/ijbs.8081>.
- Chen, WB; Lai, SS; Yu, DC; Liu, J; Jiang, S; Zhao, DD; Ding, YT; Li, CJ; Xue, B. (2015). GGPPS deficiency aggravates CCl4-induced liver injury by inducing hepatocyte apoptosis. *FEBS Lett.* 589: 1119-1126. <http://dx.doi.org/10.1016/j.febslet.2015.03.015>.
- Chen, WH; Yang, WB; Yuan, CS; Yang, JC; Zhao, QL. (2014). Fates of chlorinated volatile organic compounds in aerobic biological treatment processes: the effects of aeration and sludge addition. *Chemosphere.* 103: 92-98. <http://dx.doi.org/10.1016/j.chemosphere.2013.11.039>.
- Chen, WY; Chen, CJ; Liao, JW; Mao, FC. (2009). Chromium attenuates hepatic damage in a rat model of chronic cholestasis. *Life Sci.* 84: 606-614. <http://dx.doi.org/10.1016/j.lfs.2009.02.003>.
- Chen, X; Gan, Y; Li, W; Su, J; Zhang, Y; Huang, Y; Roberts, AI; Han, Y; Li, J; Wang, Y; Shi, Y. (2014). The interaction between mesenchymal stem cells and steroids during inflammation. *Cell Death & Disease.* 5: e1009. <http://dx.doi.org/10.1038/cddis.2013.537>.
- Chen, X; Gong, X; Jiang, R; Wang, B; Kuang, G; Li, K; Wan, J. (2016). Resolvin D1 attenuates CCl4-induced acute liver injury involving up-regulation of HO-1 in mice. *Immunopharmacol Immunotoxicol.* 38: 61-67. <http://dx.doi.org/10.3109/08923973.2015.1115517>.
- Chen, X; Liu, X; Chen, Y; Hong, Y; Feng, S. (2015). [Spectrum-effect relationship on anti-hepatic fibrosis effect of *Radix Hedysari*]. *Sepu.* 33: 413-418.
- Chen, X; Peng, S; Zeng, H; Fu, A; Zhu, Q. (2015). Toll-like receptor 4 is involved in a protective effect of rhein on immunoglobulin A nephropathy. *Indian J Pharmacol.* 47: 27-33. <http://dx.doi.org/10.4103/0253-7613.150319>.
- Chen, X; Quan, R; Guo, X; Gao, L, i; Shi, J; Feng, W. (2014). Up-regulation of pro-inflammatory factors by HP-PRRSV infection in microglia: Implications for HP-PRRSV neuropathogenesis. *Vet Microbiol.* 170: 48-57. <http://dx.doi.org/10.1016/j.vetmic.2014.01.031>.
- Chen, X; Shen, Y; Zheng, Y; Lin, H; Guo, Y; Zhu, Y; Zhang, X; Wang, T; Chen, S. (2013). Quantification of liver viscoelasticity with acoustic radiation force: a study of hepatic fibrosis in a rat model. 39: 2091-2102. <http://dx.doi.org/10.1016/j.ultrasmedbio.2013.05.020>.
- Chen, X; Yan, R; Bai, Z; Ma, H. (2015). Enhanced sedative efficacy and delayed recovery in propofol anesthesia in a rat model of hepatic cirrhosis. *International Journal of Clinical and Experimental Medicine.* 8: 5723-5730.
- Chen, Y; Chen, Q; Lu, J; Li, FH; Tao, YY; Liu, CH. (2009). Effects of Danggui Buxue Decoction () on lipid peroxidation and MMP-2/9 activities of fibrotic liver in rats. *Chin J Integr Med.* 15: 435-441. <http://dx.doi.org/10.1007/s11655-009-0435-y>.
- Chen, Y; Huang, B; He, J; Han, L; Zhan, Y; Wang, Y. (2011). In vitro and in vivo antioxidant effects of the ethanolic extract of *Swertia chirayita*. *J Ethnopharmacol.* 136: 309-315. <http://dx.doi.org/10.1016/j.jep.2011.04.058>.
- Chen, Y; Huang, Y; Reiberger, T; Duyverman, AM; Huang, P; Samuel, R; Hiddingh, L; Roberge, S; Koppel, C; Lauwers, GY; Zhu, AX; Jain, RK; Duda, DG. (2014). Differential effects of sorafenib on liver versus tumor fibrosis mediated by stromal-derived factor 1 alpha/C-X-C receptor type 4 axis and myeloid differentiation antigen-positive myeloid cell infiltration in mice. *Hepatology.* 59: 1435-1447. <http://dx.doi.org/10.1002/hep.26790>.
- Chen, Y; Ip, SP; Ko, KM; Poon, TC; Ng, EW; Lai, PB; Mao, QQ; Xian, YF; Che, CT. (2011). A proteomic approach in investigating the hepatoprotective mechanism of Schisandrin B: role of raf kinase inhibitor protein. *J Proteome Res.* 10: 299-304. <http://dx.doi.org/10.1021/pr100871h>.
- Chen, Y; Jin, H; Chen, P; Li, Z; Meng, X; Liu, M; Li, S; Shi, D; Xiao, Y; Wang, X; Zhou, Z; Bi, D; Zhou, R. (2012). *Haemophilus parasuis* infection activates the NF- κ B pathway in PK-15 cells through I κ B degradation. *Vet Microbiol.* 160: 259-263. <http://dx.doi.org/10.1016/j.vetmic.2012.05.021>.
- Chen, Y; Liu, T; Langford, P; Hua, K; Zhou, S; Zhai, Y; Xiao, H; Luo, R; Bi, D; Jin, H; Zhou, R. (2015). *Haemophilus parasuis* induces activation of NF- κ B and MAP kinase signaling pathways mediated by toll-like receptors. *Mol Immunol.* 65: 360-366. <http://dx.doi.org/10.1016/j.molimm.2015.02.016>.
- Chen, Y; Miao, Y; Huang, L; Li, J; Sun, H; Zhao, Y; Yang, J; Zhou, W. (2014). Antioxidant activities of saponins extracted from *Radix Trichosanthis*: an in vivo and in vitro evaluation. *BMC Complement Altern Med.* 14: 86. <http://dx.doi.org/10.1186/1472-6882-14-86>.
- Chen, Y; Morisawa, Y; Futami, Y; Czarnecki, MA; Wang, HS; Ozaki, Y. (2014). Combined IR/NIR and density functional theory calculations analysis of the solvent effects on frequencies and intensities of the fundamental and overtones of the C=O stretching vibrations of acetone and 2-hexanone. *J Phys Chem A.* 118: 2576-2583. <http://dx.doi.org/10.1021/jp411855b>.
- Chen, Y; Pan, RL; Zhang, XL; Shao, JZ; Xiang, LX; Dong, XJ; Zhang, GR. (2009). Induction of hepatic differentiation of mouse bone marrow stromal stem cells by the histone deacetylase inhibitor VPA. *J Cell Mol Med.* 13: 2582-2592. <http://dx.doi.org/10.1111/j.1582-4934.2008.00471.x>.
- Chen, YF; Tseng, CY; Wang, HW; Kuo, HC; Yang, VW; Lee, OK. (2012). Rapid generation of mature hepatocyte-like cells from human induced pluripotent stem cells by an efficient three-step protocol. *Hepatology.* 55: 1193-1203. <http://dx.doi.org/10.1002/hep.24790>.
- Chen, YG; Cabrera, SM; Jia, S; Kaldunski, ML; Kramer, J; Cheong, S; Geoffrey, R; Roethle, MF; Woodliff, JE; Greenbaum, CJ; Wang, X; Hessner, MJ. (2014). Molecular signatures differentiate immune states in type 1 diabetic families. *Diabetes.* 63: 3960-3973. <http://dx.doi.org/10.2337/db14-0214>.
- Chen, YH; Chiu, YW; Shyu, JC; Tsai, CC; Lee, HH; Hung, CC; Hwang, JM; Liu, JY; Wang, WH. (2015). Protective effects of *Ocimum gratissimum* polyphenol extract on carbon tetrachloride-induced liver fibrosis in rats. *Chin J Physiol.* 58: 55-63. <http://dx.doi.org/10.4077/CJP.2015.BAD285>.

Human Health Hazard Literature Search Results

Off Topic

- Chen, YH; Du, BQ; Zheng, ZJ; Xiang, GM; Liu, XB; Mai, G. (2012). Effect of recombinant human growth hormone and interferon gamma on hepatic collagen synthesis and proliferation of hepatic stellate cells in cirrhotic rats. *Hepatobiliary Pancreat Dis Int.* 11: 294-301.
- Chen, YP; Dai, ZH; Liu, PC; Chuu, JJ; Lee, KY; Lee, SL; Chen, YJ. (2012). Effects of nanogold on the alleviation of carbon tetrachloride-induced hepatic injury in rats. *Chin J Physiol.* 55: 331-336. <http://dx.doi.org/10.4077/CJP.2012.BAA064>.
- Chen, YR; Chang, KT; Tsai, MJ; Lee, CH; Huang, KJ; Cheng, H; Ho, YP; Chen, JC; Yang, HH; Weng, CF. (2014). Antrodia cinnamomea profoundly exalted the reversion of activated hepatic stellate cells by the alteration of cellular proteins. *Food Chem Toxicol.* 69: 150-162. <http://dx.doi.org/10.1016/j.fct.2014.04.006>.
- Chen, Z; Niu, M; Sun, M; Yuan, Q; Yao, C; Hou, J; Wang, H; Wen, L; Fu, H; Zhou, F; Li, Z; He, Z. (2017). Transdifferentiation of human male germline stem cells to hepatocytes in vivo via the transplantation under renal capsules. *Onct.* <http://dx.doi.org/10.18632/oncotarget.14713>.
- Chen, ZH; Lv, X; Dai, H; Liu, C; Lou, D; Chen, R; Zou, GM. (2015). Hepatic regenerative potential of mouse bone marrow very small embryonic-like stem cells. *J Cell Physiol.* 230: 1852-1861. <http://dx.doi.org/10.1002/jcp.24913>.
- Cheng, CC; Lin, NN; Lee, YF; Wu, LY; Hsu, HP; Lee, WJ; Tung, KC; Chiun, YT. (2010). Effects of Shugan-Huayu powder, a traditional Chinese medicine, on hepatic fibrosis in rat model. *Chin J Physiol.* 53: 223-233.
- Cheng, F; Twardowski, L; Fehr, S; Aner, C; Schaeffeler, E; Joos, T; Knorpp, T; Dorweiler, B; Laufer, S; Schwab, M; Torzewski, M. (2016). Selective p38 α MAP kinase/MAPK14 inhibition in enzymatically-modified LDL-stimulated human monocytes: implications for atherosclerosis. *FASEB J.* <http://dx.doi.org/10.1096/fj.201600669R>.
- Cheng, J; Kane, LP. (2013). Global identification of genes and pathways regulated by Akt during activation of T helper cells. 2: 109. <http://dx.doi.org/10.12688/f1000research.2-109.v2>.
- Cheng, J, ia; Yang, G; Bai, L; Liu, H; Cheng, X; Yang, C; Liu, Y; Liu, M. (2012). PREPARATION OF A NOVEL HYBRID MONOLITHIC COLUMN BASED ON ATRP OF GMA CATALYZED BY FeCl₂/CCl₄ AND APPLICATION IN THE SEPARATION OF PROTEINS. *Journal of Liquid Chromatography and Related Technologies.* 35: 95-108. <http://dx.doi.org/10.1080/10826076.2011.597062>.
- Cheng, KUN. (2012). Targeted delivery of PCBP2 siRNA for treating alcoholic liver fibrosis.
- Cheng, KUN. (2013). Targeted delivery of PCBP2 siRNA for treating alcoholic liver fibrosis.
- Cheng, KUN. (2014). Targeted delivery of PCBP2 siRNA for treating alcoholic liver fibrosis.
- Cheng, KUN. (2015). Targeted delivery of PCBP2 siRNA for treating alcoholic liver fibrosis.
- Cheng, N; Ren, N; Gao, H; Lei, X; Zheng, J; Cao, W. (2013). Antioxidant and hepatoprotective effects of Schisandra chinensis pollen extract on CCl₄-induced acute liver damage in mice. *Food Chem Toxicol.* 55: 234-240. <http://dx.doi.org/10.1016/j.fct.2012.11.022>.
- Cheng, N; Wu, L; Zheng, J; Cao, W. (2015). Buckwheat Honey Attenuates Carbon Tetrachloride-Induced Liver and DNA Damage in Mice. *eCAM.* 2015: 987385. <http://dx.doi.org/10.1155/2015/987385>.
- Cheng, NL; Chen, X; Kim, J; Shi, AH; Nguyen, C; Wersto, R; Weng, NP. (2015). MicroRNA-125b modulates inflammatory chemokine CCL4 expression in immune cells and its reduction causes CCL4 increase with age. *Aging Cell.* 14: 200-208. <http://dx.doi.org/10.1111/acer.12294>.
- Cheng, Q; Jiang, Z; Xu, C; Li, H; Cao, D; Yang, Z; Cao, G; Linghua, Z. (2010). CpG oligodeoxynucleotide promotes protective immunity in the enteric mucosa and suppresses enterotoxigenic *E. coli* in the weaning piglets. *Int Immunopharmacol.* 10: 1249-1260. <http://dx.doi.org/10.1016/j.intimp.2010.07.006>.
- Cheng, Q; Li, N; Chen, M; Zheng, J; Qian, Z; Wang, X; Huang, C; Li, Q; Lin, Q; Shi, G. (2013). Fuzheng Huayu inhibits carbon tetrachloride-induced liver fibrosis in mice through activating hepatic NK cells. *J Ethnopharmacol.* 145: 175-181. <http://dx.doi.org/10.1016/j.jep.2012.10.047>.
- Cheng, W; Zhao, Q; Xi, Y; Li, C; Xu, Y; Wang, L; Niu, X; Wang, Z; Chen, G. (2015). IFN- β inhibits T cells accumulation in the central nervous system by reducing the expression and activity of chemokines in experimental autoimmune encephalomyelitis. *Mol Immunol.* 64: 152-162. <http://dx.doi.org/10.1016/j.molimm.2014.11.012>.
- Cheng, Y; Hou, T; Ping, J; Chen, G; Chen, J. (2016). Quantitative succinylome analysis in the liver of non-alcoholic fatty liver disease rat model. *Proteome Science.* 14: 3. <http://dx.doi.org/10.1186/s12953-016-0092-y>.
- Cheng, Y, uT; Lu, C, hiC; Yen, G, owC. (2015). Beneficial Effects of Camellia Oil (*Camellia oleifera* Abel.) on Hepatoprotective and Gastroprotective Activities. *J Nutr Sci Vitaminol.* 61: S100-S102.
- Chernichenko, IA; Balenko, NV; Litvichenko, ON. (2009). [Carcinogenic hazard of chloroform and other drinking water chlorination by-products]. *Gig Sanit*28-33.
- Chernousov, AF; Khorobrykh, TV; Karpova, RV; Nekrasova, TP. (2013). Regeneration of cirrhotic liver in rabbits after intrahepatic injection of cryoprecipitate. *Bull Exp Biol Med.* 154: 396-398.
- Chernyshov, VP; Podolsky, VV; Dons'koi, BV; Kostyuchyk, AA; Podolsky, VV. (2012). Chemokines CCL3, CCL4 and chemokine receptor CCR5 in HIV-1-infected women with complicated anamnesis. *Immunology.* 137: 514-514.
- Chestnova, AI, u; Bezborodkina, NN; Matiukhina, NM; Kudriavtsev, BN. (2014). [Dynamics of pro- and macroglycogen content in hepatocytes of normal and cirrhotic rat liver at different stages of glycogenesis]. *Tsitologiya.* 56: 858-865.
- Cheung, JS; Fan, SJ; Gao, DS; Chow, AM; Man, K; Wu, EX. (2010). Diffusion tensor imaging of liver fibrosis in an experimental model. *J Magn Reson Imaging.* 32: 1141-1148. <http://dx.doi.org/10.1002/jmri.22367>.
- Cheung, R; Malik, M; Ravyn, V; Tomkowicz, B; Ptasznik, A; Collman, RG. (2009). An arrestin-dependent multi-kinase signaling complex mediates MIP-1beta/CCL4 signaling and chemotaxis of primary human macrophages. *J Leukoc Biol.* 86: 833-845. <http://dx.doi.org/10.1189/jlb.0908551>.
- Chi, HM; Chou, ST; Lin, SC; Su, ZY; Sheen, LY. (2010). Protective effects of water extract of clam on normal and CCl₄-induced damage in primary cultured rat hepatocytes. *Am J Chin Med.* 38: 1193-1205. <http://dx.doi.org/10.1142/S0192415X10008561>.

Human Health Hazard Literature Search Results

Off Topic

- Chiang, DJ; Roychowdhury, S; Bush, K; McMullen, MR; Pisano, S; Niese, K; Olman, MA; Pritchard, MT; Nagy, LE. (2013). Adenosine 2A receptor antagonist prevented and reversed liver fibrosis in a mouse model of ethanol-exacerbated liver fibrosis. *PLoS ONE*. 8: e69114. <http://dx.doi.org/10.1371/journal.pone.0069114>.
- Chiang, HL; Lin, WH; Lai, JS; Wang, WC. (2010). Inhalation risk assessment of exposure to the selected volatile organic compounds (VOCs) emitted from the facilities of a steel plant. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 45: 1397-1405. <http://dx.doi.org/10.1080/10934529.2010.500932>.
- Chiang, HL; Lo, CC; Ma, SY. (2010). Characteristics of exhaust gas, liquid products, and residues of printed circuit boards using the pyrolysis process. *Environ Sci Pollut Res Int*. 17: 624-633. <http://dx.doi.org/10.1007/s11356-009-0245->.
- Chib, S; Greenberg, E. (1995). Understanding the Metropolis-Hastings algorithm. *Am Stat*. 49: 327-335.
- Chiba, K; Hashino, S; Izumiyama, K; Toyoshima, N; Suzuki, S; Kurosawa, M; Asaka, M. (2009). Multiple osteolytic bone lesions with high serum levels of interleukin-6 and CCL chemokines in a patient with adult T cell leukemia. *International Journal of Laboratory Hematology* (Online). 31: 368-371. <http://dx.doi.org/10.1111/j.1751-553X.2007.01014.x>.
- Chien, YC. (2012). Investigation of carbon tetrachloride destruction by copper acetate. *J Environ Qual*. 41: 449-453. <http://dx.doi.org/10.2134/jeq2011.0336>.
- Chigurupati, H; Auddy, B; Biyani, M; Stohs, SJ. (2016). Hepatoprotective Effects of a Proprietary Glycyrrhizin Product during Alcohol Consumption: A Randomized, Double-Blind, Placebo-Controlled, Crossover Study. 30: 1943-1953. <http://dx.doi.org/10.1002/ptr.5699>.
- Chimkode, R; Patil, MB; Jalalpure, S; Pasha, TY; Sarkar, S. (2009). A Study of hepatoprotective activity of *Hedyotis corymbosa*. Linn, in albino rats. *Ancient Science of Life*. 28: 32-35.
- Chirumbolo, S. (2013). Hormetic effect of *Rosa laevigata* Michx in CCl₄-induced hepatotoxicity and the presumptive role of PPARs [Comment]. *Food Chem Toxicol*. 57: 387-388. <http://dx.doi.org/10.1016/j.fct.2013.04.019>.
- Chirumbolo, S; Franceschetti, G; Zoico, E; Bambace, C; Cominacini, L; Zamboni, M. (2014). LPS response pattern of inflammatory adipokines in an in vitro 3T3-L1 murine adipocyte model. *Inflamm Res*. 63: 495-507. <http://dx.doi.org/10.1007/s00011-014-0721-9>.
- Chirumbolo, S; Rossi, AP; Rizzatti, V; Zoico, E; Franceschetti, G; Girelli, D; Zamboni, M. (2015). Iron primes 3T3-L1 adipocytes to a TLR4-mediated inflammatory response. 31: 1266-1274. <http://dx.doi.org/10.1016/j.nut.2015.04.007>.
- Chiu, CC; Hung, CC; Cheng, PY. (2016). Ultrafast Charge Recombination Dynamics in Ternary Electron Donor-Acceptor Complexes: (Benzene)₂-Tetracyanoethylene Complexes. *J Phys Chem B*. 120: 12390-12403. <http://dx.doi.org/10.1021/acs.jpcc.6b10593>.
- Chiu, HF; Chen, TY; Tzeng, YT; Wang, CK. (2013). Improvement of liver function in humans using a mixture of schisandra fruit extract and sesamin. 27: 368-373. <http://dx.doi.org/10.1002/ptr.4702>.
- Chiu, SC; Tsao, SW; Hwang, PI; Vanisree, S; Chen, YA; Yang, NS. (2010). Differential functional genomic effects of anti-inflammatory phytochemicals on immune signaling. *BMC Genomics*. 11: 513. <http://dx.doi.org/10.1186/1471-2164-11-513>.
- Cho, BO; Ryu, HW; Jin, CH; Choi, DS; Kang, SY; Kim, DS; Byun, MW; Jeong, IY. (2011). Blackberry extract attenuates oxidative stress through up-regulation of Nrf2-dependent antioxidant enzymes in carbon tetrachloride-treated rats. *J Agric Food Chem*. 59: 11442-11448. <http://dx.doi.org/10.1021/jf2021804>.
- Cho, JW; Lee, CY; Ko, Y. (2012). Therapeutic potential of mesenchymal stem cells overexpressing human forkhead box A2 gene in the regeneration of damaged liver tissues. *J Gastroenterol Hepatol*. 27: 1362-1370. <http://dx.doi.org/10.1111/j.1440-1746.2012.07137.x>.
- Cho, KA; Joo, SY; Han, HS; Ryu, KH; Woo, SY. (2010). Osteoclast activation by receptor activator of NF-kappaB ligand enhances the mobilization of hematopoietic progenitor cells from the bone marrow in acute injury. *Int J Mol Med*. 26: 557-563.
- Cho, KA; Ju, SY; Cho, SJ; Jung, YJ; Woo, SY; Seoh, JY; Han, HS; Ryu, KH. (2009). Mesenchymal stem cells showed the highest potential for the regeneration of injured liver tissue compared with other subpopulations of the bone marrow. *Cell Biol Int*. 33: 772-777. <http://dx.doi.org/10.1016/j.cellbi.2009.04.023>.
- Cho, KA; Ju, SY; Ryu, KH; Woo, SY. (2009). Gene expression profile of mesenchymal stromal cells after co-culturing with injured liver tissue. *Mol Med Rep*. 2: 51-61. http://dx.doi.org/10.3892/mmr_00000061.
- Cho, KA; Lim, GW; Joo, SY; Woo, SY; Seoh, JY; Cho, SJ; Han, HS; Ryu, KH. (2011). Transplantation of bone marrow cells reduces CCl₄-induced liver fibrosis in mice. *Liver Int*. 31: 932-939. <http://dx.doi.org/10.1111/j.1478-3231.2010.02364.x>.
- Cho, KA; Woo, SY; Seoh, JY; Han, HS; Ryu, KH. (2012). Mesenchymal stem cells restore CCl₄-induced liver injury by an antioxidative process. *Cell Biol Int*. 36: 1267-1274. <http://dx.doi.org/10.1042/CBI20110634>.
- Cho, YA; Noh, K; Jue, SS; Lee, SY; Kim, EC. (2015). Melatonin promotes hepatic differentiation of human dental pulp stem cells: clinical implications for the prevention of liver fibrosis. *J Pineal Res*. 58: 127-135. <http://dx.doi.org/10.1111/jpi.12198>.
- Cho, YK; Yun, JW; Park, JH; Kim, HJ; Park, DI; Sohn, CI; Jeon, WK; Kim, BI; Jin, W; Kwon, YH; Shin, MK; Yoo, TM; Kang, JH; Park, CS. (2009). Deleterious effects of silymarin on the expression of genes controlling endothelial nitric oxide synthase activity in carbon tetrachloride-treated rat livers. *Life Sci*. 85: 281-290. <http://dx.doi.org/10.1016/j.lfs.2009.06.001>.
- Choi, H; Lee, J; Jegal, KH; Cho, I; Kim, Y; Kim, SC. (2016). Oxyresveratrol abrogates oxidative stress by activating ERK-Nrf2 pathway in the liver. *Chem Biol Interact*. 245: 110-121. <http://dx.doi.org/10.1016/j.cbi.2015.06.024>.
- Choi, J; Choi, K; Lee, W. (2009). Effects of transition metal and sulfide on the reductive dechlorination of carbon tetrachloride and 1,1,1-trichloroethane by FeS. *J Hazard Mater*. 162: 1151-1158. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.007>.
- Choi, JH; Kim, DW; Yun, N; Choi, JS; Islam, MN; Kim, YS; Lee, SM. (2011). Protective effects of hyperoside against carbon tetrachloride-induced liver damage in mice. *J Nat Prod*. 74: 1055-1060. <http://dx.doi.org/10.1021/np200001x>.
- Choi, JH; Shin, S; Park, D; Jeon, JH; Choi, BH; Jang, MJ; Joo, SS; Oh, KW; Hong, JT; Suh, KH; Kim, YB. (2009). Comparative antihypertensive activities of losartan and HM70186 in rats with hepatic dysfunction. *Arch Pharm Res*. 32: 1005-1011. <http://dx.doi.org/10.1007/s12272-009-1705-0>.

Human Health Hazard Literature Search Results

Off Topic

- Choi, JS; Han, YR; Byeon, JS; Choung, SY; Sohn, HS; Jung, HA. (2015). Protective effect of fucosterol isolated from the edible brown algae, *Ecklonia stolonifera* and *Eisenia bicyclis*, on tert-butyl hydroperoxide- and tacrine-induced HepG2 cell injury. *J Pharm Pharmacol.* 67: 1170-1178. <http://dx.doi.org/10.1111/jphp.12404>.
- Choi, JS; Kim, JK; Yang, YJ; Kim, Y; Kim, P; Park, SG; Cho, EY; Lee, DH; Choi, JW. (2015). Identification of cromolyn sodium as an anti-fibrotic agent targeting both hepatocytes and hepatic stellate cells. *Pharmacol Res.* 102: 176-183. <http://dx.doi.org/10.1016/j.phrs.2015.10.002>.
- Choi, K; Lee, W. (2009). Reductive dechlorination of carbon tetrachloride in acidic soil manipulated with iron(II) and bisulfide ion. *J Hazard Mater.* 172: 623-630. <http://dx.doi.org/10.1016/j.jhazmat.2009.07.041>.
- Choi, M; Do, LT; Chung, YH; Yoo, H; Yu, R. (2015). Antioxidative Activity of Platinum Nanocolloid and Its Protective Effect Against Chemical-Induced Hepatic Cellular Damage. *J Nanosci Nanotechnol.* 15: 5571-5576. <http://dx.doi.org/10.1166/jnn.2015.10468>.
- Choi, SS; Omenetti, A; Witek, RP; Moylan, CA; Syn, WK; Jung, Y; Yang, L; Sudan, DL; Sicklick, JK; Michelotti, GA; Rojkind, M; Diehl, AM. (2009). Hedgehog pathway activation and epithelial-to-mesenchymal transitions during myofibroblastic transformation of rat hepatic cells in culture and cirrhosis. *Am J Physiol Gastrointest Liver Physiol.* 297: G1093-G1106. <http://dx.doi.org/10.1152/ajpgi.00292.2009>.
- Choi, W; Li, Z; Oh, HJ; Im, SK; Lee, SH; Park, SH; You, IC; Yoon, KC. (2012). Expression of CCR5 and its ligands CCL3, -4, and -5 in the tear film and ocular surface of patients with dry eye disease. *Curr Eye Res.* 37: 12-17. <http://dx.doi.org/10.3109/02713683.2011.622852>.
- Choi, YM; Choi, IS; Lee, SM; Hwang, DY; Choi, YW; Park, YH. (2011). Transcriptome analysis of the effects of gomisin A on the recovery of carbon tetrachloride-induced damage in rat liver. *Lab Anim Res.* 27: 161-169. <http://dx.doi.org/10.5625/lar.2011.27.2.161>.
- Choi, YW; Kang, MC; Seo, YB; Namkoong, H; Park, Y; Choi, DH; Suh, YS; Lee, SW; Sung, YC; Jin, HT. (2016). Intravaginal Administration of Fc-Fused IL7 Suppresses the Cervicovaginal Tumor by Recruiting HPV DNA Vaccine-Induced CD8 T Cells. *Clin Cancer Res.* 22: 5898-5908. <http://dx.doi.org/10.1158/1078-0432.CCR-16-0423>.
- Chojnacki, C; Romanowski, M; Winczyk, K; Blasiak, J; Chojnacki, J, an. (2012). Melatonin Levels in Serum and Ascitic Fluid of Patients with Hepatic Encephalopathy. *Gastroenterology Research and Practice.* 2012: 510764. <http://dx.doi.org/10.1155/2012/510764>.
- Chojnacki, C; Walecka-Kapica, E, wa; Romanowski, M; Chojnacki, J, an; Klupinska, G. (2014). Protective Role of Melatonin in Liver Damage. *Curr Pharm Des.* 20: 4828-4833.
- Chor, JS; Yu, J; Chan, KK; Go, YY; Sung, JJ. (2009). *Stephania tetrandra* prevents and regresses liver fibrosis induced by carbon tetrachloride in rats. *J Gastroenterol Hepatol.* 24: 853-859. <http://dx.doi.org/10.1111/j.1440-1746.2008.05720.x>.
- Choudhury, ST; Das, N; Ghosh, S; Ghosh, D; Chakraborty, S; Ali, N. (2016). Vesicular (liposomal and nanoparticulated) delivery of curcumin: a comparative study on carbon tetrachloride-mediated oxidative hepatocellular damage in rat model. *Int J Nanomedicine.* 11: 2179-2193. <http://dx.doi.org/10.2147/IJN.S101886>.
- Chouteau, P; Defer, N; Florimond, A; Cald raro, J; Higgs, M; Gaudin, A; M rour, E; Dhumeaux, D; Lerat, H; Pawlotsky, JM. (2012). Hepatitis C virus (HCV) protein expression enhances hepatic fibrosis in HCV transgenic mice exposed to a fibrogenic agent. *J Hepatol.* 57: 499-507. <http://dx.doi.org/10.1016/j.jhep.2012.04.019>.
- Chowdhury, A; Alam, MA; Rahman, MS; Hassan, MA; Rashid, MA. (2010). Antioxidant, Antimicrobial and Cytotoxic Activities of *Corypha taliera* Roxb. *Lat Am J Pharm.* 29: 1231-1234.
- Chowdhury, SR; Islam, F; Quadery, TM; Shihan, MH; Rashid, MA. (2012). In vitro antioxidant, total phenolic content and preliminary toxicity studies of *Gmelina philippensis* chem. 6: 855-859. <http://dx.doi.org/10.5897/AJPP11.891>.
- Chuah, C; Jones, MK; Burke, ML; Mcmanus, DP; Owen, HC; Gobert, GN. (2014). Defining a pro-inflammatory neutrophil phenotype in response to schistosome eggs. *Cellular Microbiology Online.* 16: 1666-1677. <http://dx.doi.org/10.1111/cmi.12316>.
- Chui, JJ; Li, MW; Di Girolamo, N; Chang, JH; Mccluskey, PJ; Wakefield, D. (2010). Iris pigment epithelial cells express a functional lipopolysaccharide receptor complex. *Invest Ophthalmol Vis Sci.* 51: 2558-2567. <http://dx.doi.org/10.1167/iovs.09-3923>.
- Chun, CL; Baer, DR; Matson, DW; Amonette, JE; Penn, RL. (2010). Characterization and reactivity of iron nanoparticles prepared with added Cu, Pd, and Ni. *Environ Sci Technol.* 44: 5079-5085. <http://dx.doi.org/10.1021/es903278e>.
- Chung, FL; Nath, RG; Ocando, J; Nishikawa, A; Zhang, L. (2000). Deoxyguanosine adducts of t-4-hydroxy-2-nonal are endogenous DNA lesions in rodents and humans: detection and potential sources. *Cancer Res.* 60: 1507-1511.
- Chung, W, onS; Wang, JH, ua; Bose, S; Park, JM, in; Park, S, unOk; Lee, SJ; Jeon, S; Kim, H. (2015). Hepatoprotective Effect of *Lentinus edodes* Mycelia Fermented Formulation against Alcoholic Liver Injury in Rats. *Journal of Food Biochemistry.* 39: 251-262. <http://dx.doi.org/10.1111/jfbc.12124>.
- Chyun, JH, ee; Chae, HJ; Yim, JE, un. (2012). Hepatoprotective effects of *Rubus coreanus* Miquel concentrates on liver injuries induced by carbon tetrachloride in rats. *FASEB J.* 26.
- Ciraci, C; Tuggle, CK; Wannemuehler, MJ; Nettleton, D; Lamont, SJ. (2010). Unique genome-wide transcriptome profiles of chicken macrophages exposed to *Salmonella*-derived endotoxin. *BMC Genomics.* 11: 545. <http://dx.doi.org/10.1186/1471-2164-11-545>.
- Ciriza, J; Garc a-Ojeda, ME. (2010). Expression of migration-related genes is progressively upregulated in murine Lineage-Sca-1+c-Kit+ population from the fetal to adult stages of development. 1: 14. <http://dx.doi.org/10.1186/scrt14>.
- Claimer, CS; Mahesh, A; Sinial, B; Rao, DM; Thangadurai, D. (2012). Protective Effect of *Indigofera Aspalathoides* Roots on N-Nitrosodiethylamine-induced Hepatocarcinogenesis in Mice. *Indian J Pharmaceut Sci.* 74: 157-160.
- Clark, CJ; Phillips, RS. (2011). Cerebral malaria protection in mice by species-specific *Plasmodium* coinfection is associated with reduced CC chemokine levels in the brain. *Parasite Immunology.* 33: 637-641. <http://dx.doi.org/10.1111/j.1365-3024.2011.01329.x>.
- Clugston, RD; Blaner, WS. (2012). The adverse effects of alcohol on vitamin A metabolism [Review]. *Nutrients.* 4: 356-371. <http://dx.doi.org/10.3390/nu4050356>.

Human Health Hazard Literature Search Results

Off Topic

- Codullo, V; Baldwin, HM; Singh, MD; Fraser, AR; Wilson, C; Gilmour, A; Hueber, AJ; Bonino, C; McInnes, IB; Montecucco, C; Graham, GJ. (2011). An investigation of the inflammatory cytokine and chemokine network in systemic sclerosis. *Ann Rheum Dis*. 70: 1115-1121. <http://dx.doi.org/10.1136/ard.2010.137349>.
- Coêlho, ZC; Teixeira, MJ; Mota, EF; Frutuoso, MS; Silva, JS; Barral, A; Barral-Netto, M; Pompeu, MM. (2010). In vitro initial immune response against *Leishmania amazonensis* infection is characterized by an increased production of IL-10 and IL-13. *Braz J Infect Dis*. 14: 476-482.
- Colman lerner, JE; Sanchez, EY; Sambeth, J; Porta, A. (2012). Characterization and health risk assessment of VOCs in occupational environments in Buenos Aires, Argentina. *Atmos Environ*. 55: 440-447. <http://dx.doi.org/10.1016/j.atmosenv.2012.03.041>.
- Comini-Frota, ER; Teixeira, AL; Angelo, JP; Andrade, MV; Brum, DG; Kaimen-Maciel, DR; Foss, NT; Donadi, EA. (2011). Evaluation of serum levels of chemokines during interferon- β treatment in multiple sclerosis patients: a 1-year, observational cohort study. *CNS Drugs*. 25: 971-981. <http://dx.doi.org/10.2165/11595060-000000000-00000>.
- Comporti, M; Signorini, C; Leoncini, S; Gardi, C; Ciccoli, L; Giardini, A; Vecchio, D; Arezzini, B. (2010). Ethanol-induced oxidative stress: basic knowledge. *Genes and Nutrition*. 5: 101-109. <http://dx.doi.org/10.1007/s12263-009-0159-9>.
- Cong, M; Liu, T; Wang, P; Fan, X; Yang, A; Bai, Y; Peng, Z; Wu, P; Tong, X; Chen, J; Li, H; Cong, R; Tang, S; Wang, B; Jia, J; You, H. (2013). Antifibrotic effects of a recombinant adeno-associated virus carrying small interfering RNA targeting TIMP-1 in rat liver fibrosis. *Am J Pathol*. 182: 1607-1616. <http://dx.doi.org/10.1016/j.ajpath.2013.01.036>.
- Corbera-Bellalta, M; García-Martínez, A; Lozano, E; Planas-Rigol, E; Tavera-Bahillo, I; Alba, MA; Prieto-González, S; Butjosa, M; Espígol-Frigolé, G; Hernández-Rodríguez, J; Fernández, PL; Roux-Lombard, P; Dayer, JM; Rahman, MU; Cid, MC. (2014). Changes in biomarkers after therapeutic intervention in temporal arteries cultured in Matrigel: a new model for preclinical studies in giant-cell arteritis. *Ann Rheum Dis*. 73: 616-623. <http://dx.doi.org/10.1136/annrheumdis-2012-202883>.
- Corley, RA. (2009). Mouse biomarker discovery and validation studies.
- Corley, RA. (2010). Mouse biomarker discovery and validation studies.
- Corradi, F; Brusasco, C; Fernández, J; Vila, J; Ramirez, MJ; Seva-Pereira, T; Fernández-Varo, G; Mosbah, IB; Acevedo, J; Silva, A; Rocco, PR; Pelosi, P; Gines, P; Navasa, M. (2012). Effects of pentoxifylline on intestinal bacterial overgrowth, bacterial translocation and spontaneous bacterial peritonitis in cirrhotic rats with ascites. *Dig Liver Dis*. 44: 239-244. <http://dx.doi.org/10.1016/j.dld.2011.10.014>.
- Correa, P. (1996). Morphology and natural history of cancer precursors. In D Schottenfield; JF Fraumeni (Eds.), (pp. 45-64). New York: Oxford University Press.
- Corrêa-Ferreira, ML; Verdan, MH; Dos Reis Lívero, FA; Galuppo, LF; Telles, JE; Alves Stefanello, MÉ; Acco, A; Petkowicz, CL. (2017). Inulin-type fructan and infusion of *Artemisia vulgaris* protect the liver against carbon tetrachloride-induced liver injury. *Phytomedicine*. 24: 68-76. <http://dx.doi.org/10.1016/j.phymed.2016.11.017>.
- Corstjens, PL; Tjon Kon Fat, EM; de Dood, CJ; van Der Ploeg-van Schip, JJ; Franken, KL; Chegou, NN; Sutherland, JS; Howe, R; Mihret, A; Kassa, D; van Der Vyver, M; Sheehama, J; Simukonda, F; Mayanja-Kizza, H; Ottenhoff, TH; Walzl, G; Geluk, A; consortium, A-T. (2016). Multi-center evaluation of a user-friendly lateral flow assay to determine IP-10 and CCL4 levels in blood of TB and non-TB cases in Africa. *Clin Biochem*. 49: 22-31. <http://dx.doi.org/10.1016/j.clinbiochem.2015.08.013>.
- Coutinho, LG; Grandgirard, D; Leib, SL; Agnez-Lima, LF. (2013). Cerebrospinal-fluid cytokine and chemokine profile in patients with pneumococcal and meningococcal meningitis. *BMC Infect Dis*. 13: 326. <http://dx.doi.org/10.1186/1471-2334-13-326>.
- Covell, DG; Wallqvist, A; Kenney, S; Vistica, DT. (2012). Bioinformatic analysis of patient-derived ASPS gene expressions and ASPL-TFE3 fusion transcript levels identify potential therapeutic targets. *PLoS ONE*. 7: e48023. <http://dx.doi.org/10.1371/journal.pone.0048023>.
- Crebelli, R; Andreoli, C; Carere, A; Conti, G; Conti, L; Cotta Ramusino, M; Benigni, R. (1992). The induction of mitotic chromosome malsegregation in *Aspergillus nidulans*. Quantitative structure activity relationship (QSAR) analysis with chlorinated aliphatic hydrocarbons. *Mutat Res-Fundam Mol Mech Mutagen*. 266: 117-134. [http://dx.doi.org/10.1016/0027-5107\(92\)90179-6](http://dx.doi.org/10.1016/0027-5107(92)90179-6).
- Crebelli, R; Carere, A; Leopardi, P. (1999). Evaluation of 10 aliphatic halogenated hydrocarbons in the mouse bone marrow micronucleus test. *Mutagenesis*. 14: 207-215. <http://dx.doi.org/10.1093/mutage/14.2.207>.
- Cresci, GA. (2011). Role of Butyrate in the Gut-Liver Interaction of Ethanol Induced Liver Injury.
- Cresci, GA. (2012). Role of Butyrate in the Gut-Liver Interaction of Ethanol Induced Liver Injury.
- Cresci, GA. (2013). Role of Butyrate in the Gut-Liver Interaction of Ethanol Induced Liver Injury.
- Crespo, I; Miguel, BS; Laliena, A; Alvarez, M; Culebras, JM; González-Gallego, J; Tuñón, MJ. (2010). Melatonin prevents the decreased activity of antioxidant enzymes and activates nuclear erythroid 2-related factor 2 signaling in an animal model of fulminant hepatic failure of viral origin. *J Pineal Res*. 49: 193-200. <http://dx.doi.org/10.1111/j.1600-079X.2010.00787.x>.
- Crespo, I; San-Miguel, B; Fernández, A; Ortiz de Urbina, J; González-Gallego, J; Tuñón, MJ. (2015). Melatonin limits the expression of profibrogenic genes and ameliorates the progression of hepatic fibrosis in mice. *Transl Res*. 165: 346-357. <http://dx.doi.org/10.1016/j.trsl.2014.10.003>.
- Crucian, BE; Zwart, SR; Mehta, S; Uchakin, P; Quiariarte, HD; Pierson, D; Sams, CF; Smith, SM. (2014). Plasma cytokine concentrations indicate that in vivo hormonal regulation of immunity is altered during long-duration spaceflight. *J Interferon Cytokine Res*. 34: 778-786. <http://dx.doi.org/10.1089/jir.2013.0129>.
- Crump, KS; Hoel, DG; Langley, CH; Peto, R. (1976). Fundamental carcinogenic processes and their implications for low dose risk assessment. *Cancer Res*. 36: 2973-2979.
- Cuesta, A; Dios, S; Figueras, A; Novoa, B; Esteban, MA; Meseguer, J; Tafalla, C. (2010). Identification of six novel CC chemokines in gilthead seabream (*Sparus aurata*) implicated in the antiviral immune response. *Mol Immunol*. 47: 1235-1243. <http://dx.doi.org/10.1016/j.molimm.2009.12.014>.

Human Health Hazard Literature Search Results

Off Topic

- Cui, LN; Wang, JB; Qiao, LJ; Wang, XC; Zhou, XM; Han, Y. (2010). [A new monoclonal antibody selectively distributes on hepatocellular membrane]. *Zhonghua Gan Zang Bing Za Zhi*. 18: 533-536.
- Cui, MX; Jiang, JF; Min, GN; Han, W; Wu, YJ. (2016). Ciliary Neurotrophic Factor Analogue Aggravates CCl₄-induced Acute Hepatic Injury in Rats. *Can J Physiol Pharmacol*. <http://dx.doi.org/10.1139/cjpp-2016-0564>.
- Cui, TX; Maheshwer, B; Hong, JY; Goldsmith, AM; Bentley, JK; Popova, AP. (2016). Hyperoxic Exposure of Immature Mice Increases the Inflammatory Response to Subsequent Rhinovirus Infection: Association with Danger Signals. *J Immunol*. 196: 4692-4705. <http://dx.doi.org/10.4049/jimmunol.1501116>.
- Cui, X; Dang, S; Wang, Y; Chen, Y; Zhou, J; Shen, C; Kuang, Y; Fei, J; Lu, L; Wang, Z. (2017). Retinol dehydrogenase 13 deficiency diminishes carbon tetrachloride-induced liver fibrosis in mice. *Toxicol Lett*. 265: 17-22. <http://dx.doi.org/10.1016/j.toxlet.2016.11.010>.
- Cummings, BS; Lash, LH. (2000). Metabolism and toxicity of trichloroethylene and S-(1,2-dichlorovinyl)-L-cysteine in freshly isolated human proximal tubular cells. *Toxicol Sci*. 53: 458-466. <http://dx.doi.org/10.1093/toxsci/53.2.458>.
- Cummings, BS; Lasker, JM; Lash, LH. (2000). Expression of glutathione-dependent enzymes and cytochrome P450s in freshly isolated and primary cultures of proximal tubular cells from human kidney. *J Pharmacol Exp Ther*. 293: 677-685.
- Cummings, BS; Parker, JC; Lash, LH. (2000). Role of cytochrome P450 and glutathione S-transferase alpha in the metabolism and cytotoxicity of trichloroethylene in rat kidney. *Biochem Pharmacol*. 59: 531-543. [http://dx.doi.org/10.1016/S0006-2952\(99\)00374-3](http://dx.doi.org/10.1016/S0006-2952(99)00374-3).
- Cummings, BS; Parker, JC; Lash, LH. (2001). Cytochrome p450-dependent metabolism of trichloroethylene in rat kidney. *Toxicol Sci*. 60: 11-19. <http://dx.doi.org/10.1093/toxsci/60.1.11>.
- Cummings, BS; Zangar, RC; Novak, RF; Lash, LH. (1999). Cellular distribution of cytochromes P-450 in the rat kidney. *Drug Metab Dispos*. 27: 542-548.
- Cunha, SC; Fernandes, JO; Oliveira, MB. (2009). Fast analysis of multiple pesticide residues in apple juice using dispersive liquid-liquid microextraction and multidimensional gas chromatography-mass spectrometry. *J Chromatogr A*. 1216: 8835-8844. <http://dx.doi.org/10.1016/j.chroma.2009.10.051>.
- Curcio, P; Allix, F; Pickaert, G; Jamart-Grégoire, B. (2011). A favorable, narrow, δ (h) Hansen-parameter domain for gelation of low-molecular-weight amino acid derivatives. *Chemistry*. 17: 13603-13612. <http://dx.doi.org/10.1002/chem.201101423>.
- Cwykiel, JM; Klimczak, A; Krokowicz, L; Siemionow, M. (2013). Pre- and postischemic pulsed acoustic cellular expression conditioning modulates expression of inflammation factors in cremaster ischemia/reperfusion injury model. *Microsurgery*. 33: 134-140. <http://dx.doi.org/10.1002/micr.22048>.
- da Silva Morais, A; Abarca-Quinones, J; Guigas, B; Viollet, B; Stärkel, P; Horsmans, Y; Leclercq, IA. (2009). Development of hepatic fibrosis occurs normally in AMPK-deficient mice. *Clin Sci (Lond)*. 118: 411-420. <http://dx.doi.org/10.1042/CS20090293>.
- Dadhania, VP; Muskhelishvili, L; Latendresse, JR; Mehendale, HM. (2016). Hepatic Overexpression of Annexin A1 and A2 in Thioacetamide-Primed Mice Protects Them Against Acetaminophen-Induced Liver Failure and Death. *Int J Toxicol*. 35: 654-665. <http://dx.doi.org/10.1177/1091581816659067>.
- Dai, HY; Wang, P; Feng, LY; Liu, LM; Meng, ZQ; Zhu, XY; Wang, K; Hua, YQ; Mao, YX; Chen, LY; Chen, Z. (2010). The molecular mechanisms of traditional Chinese medicine ZHENG syndromes on pancreatic tumor growth. *Integr Cancer Ther*. 9: 291-297. <http://dx.doi.org/10.1177/1534735410373922>.
- Dai, J; Liu, M; Ai, Q; Lin, L; Wu, K; Deng, X; Jing, Y; Jia, M; Wan, J; Zhang, L. (2014). Involvement of catalase in the protective benefits of metformin in mice with oxidative liver injury. *Chem Biol Interact*. 216: 34-42. <http://dx.doi.org/10.1016/j.cbi.2014.03.013>.
- Dai, N; Zou, Y; Zhu, L; Wang, HF; Dai, MG. (2014). Antioxidant properties of proanthocyanidins attenuate carbon tetrachloride (CCl₄)-induced steatosis and liver injury in rats via CYP2E1 regulation. *J Med Food*. 17: 663-669. <http://dx.doi.org/10.1089/jmf.2013.2834>.
- Dai, Y; Wu, Z; Sheng, H; Zhang, Z; Yu, M; Zhang, Q. (2015). Identification of inflammatory mediators in patients with rhegmatogenous retinal detachment associated with choroidal detachment. *Mol Vis*. 21: 417-427.
- Dai, Y; Wu, Z; Wang, F; Zhang, Z; Yu, M. (2014). Identification of chemokines and growth factors in proliferative diabetic retinopathy vitreous. *BioMed Res Int*. 2014: 486386. <http://dx.doi.org/10.1155/2014/486386>.
- Daly, KA; Liu, S; Agrawal, V; Brown, BN; Johnson, SA; Medberry, CJ; Badylak, SF. (2012). Damage associated molecular patterns within xenogeneic biologic scaffolds and their effects on host remodeling. *Biomaterials*. 33: 91-101. <http://dx.doi.org/10.1016/j.biomaterials.2011.09.040>.
- Dang, X; Qu, X; Wang, W; Liao, C; Li, Y; Zhang, X; Xu, D; Baglolle, CJ; Shang, D; Chang, Y. (2017). Bioinformatic analysis of microRNA and mRNA Regulation in peripheral blood mononuclear cells of patients with chronic obstructive pulmonary disease. *Respir Res*. 18: 4. <http://dx.doi.org/10.1186/s12931-016-0486-5>.
- D'Angelo, PA; Bromberg, L; Hatton, TA; Wilusz, E. (2016). Sensing and inactivation of Bacillus anthracis Sterne by polymer-bromine complexes. *Appl Microbiol Biotechnol*. 100: 6847-6857. <http://dx.doi.org/10.1007/s00253-016-7507-7>.
- Daniel, C; Vitillo, JG; Fasano, G; Guerra, G. (2011). Aerogels and Polymorphism of Isotactic Poly(4-methyl-pentene-1). *ACS Applied Materials & Interfaces*. 3: 969-977. <http://dx.doi.org/10.1021/am200107w>.
- D'Argenio, G; Amoruso, DC; Mazzone, G; Vitaglione, P; Romano, A; Ribecco, MT; D'Armiento, MR; Mezza, E; Morisco, F; Fogliano, V; Caporaso, N. (2010). Garlic extract prevents CCl₄-induced liver fibrosis in rats: The role of tissue transglutaminase. *Dig Liver Dis*. 42: 571-577. <http://dx.doi.org/10.1016/j.dld.2009.11.002>.
- Darkoh, C; Comer, L; Zewdie, G; Harold, S; Snyder, N; Dupont, HL. (2014). Chemotactic chemokines are important in the pathogenesis of irritable bowel syndrome. *PLoS ONE*. 9: e93144. <http://dx.doi.org/10.1371/journal.pone.0093144>.

Human Health Hazard Literature Search Results

Off Topic

- Das, A; Shergill, U; Thakur, L; Sinha, S; Urrutia, R; Mukhopadhyay, D; Shah, VH. (2010). Ephrin B2/EphB4 pathway in hepatic stellate cells stimulates Erk-dependent VEGF production and sinusoidal endothelial cell recruitment. *Am J Physiol Gastrointest Liver Physiol.* 298: G908-G915. <http://dx.doi.org/10.1152/ajpgi.00510.2009>.
- Das, D; Barnes, MA; Nagy, LE. (2014). Anaphylatoxin C5a modulates hepatic stellate cell migration. 7: 9. <http://dx.doi.org/10.1186/1755-1536-7-9>.
- Dateki, M; Kunitomo, M; Yoshioka, K; Yanai, K; Nakasono, S; Negishi, T. (2011). Adaptive gene regulation of pyruvate dehydrogenase kinase isoenzyme 4 in hepatotoxic chemical-induced liver injury and its stimulatory potential for DNA repair and cell proliferation. *J Recept Signal Transduct Res.* 31: 85-95. <http://dx.doi.org/10.3109/10799893.2010.538405>.
- Daubert, TE; Danner, RP. (1995). *Physical and thermodynamic properties of pure chemicals: Data compilation*. Washington DC: Taylor and Francis.
- Davaatseren, M; Hur, HJ; Yang, HJ; Hwang, JT; Park, JH; Kim, HJ; Kim, MJ; Kwon, DY; Sung, MJ. (2013). Taraxacum official (dandelion) leaf extract alleviates high-fat diet-induced nonalcoholic fatty liver. *Food Chem Toxicol.* 58: 30-36. <http://dx.doi.org/10.1016/j.fct.2013.04.023>.
- Davaatseren, M; Hur, HJ; Yang, HJ; Hwang, JT; Park, JH; Kim, HJ; Kim, MS; Kim, MJ; Kwon, DY; Sung, MJ. (2013). Dandelion leaf extract protects against liver injury induced by methionine- and choline-deficient diet in mice. *J Med Food.* 16: 26-33. <http://dx.doi.org/10.1089/jmf.2012.2226>.
- David, J; Wilkinson, LJ; Griffiths, GD. (2009). Inflammatory gene expression in response to sub-lethal ricin exposure in Balb/c mice. *Toxicology.* 264: 119-130. <http://dx.doi.org/10.1016/j.tox.2009.08.003>.
- Davids, MS; Burger, JA. (2012). *Cell Trafficking in Chronic Lymphocytic Leukemia*. 3.
- Davis, JM; Knutson, KL; Strausbauch, MA; Crowson, CS; Therneau, TM; Wettstein, PJ; Matteson, EL; Gabriel, SE. (2010). Analysis of complex biomarkers for human immune-mediated disorders based on cytokine responsiveness of peripheral blood cells. *J Immunol.* 184: 7297-7304. <http://dx.doi.org/10.4049/jimmunol.0904180>.
- Dawes, JM; Calvo, M; Perkins, J. R.; Paterson, KJ; Kiesewetter, H; Hobbs, C; Kaan, TK; Orengo, C; Bennett, DL; McMahan, SB. (2011). CXCL5 mediates UVB irradiation-induced pain. *Sci Transl Med.* 3: 90ra60. <http://dx.doi.org/10.1126/scitranslmed.3002193>.
- de Andrade Belo, MA; Soares, VE; de Souza, LM; da Rosa Sobreira, MF; Cassol, DM; Toma, SB. (2012). Hepatoprotective treatment attenuates oxidative damages induced by carbon tetrachloride in rats. *Exp Toxicol Pathol.* 64: 155-165. <http://dx.doi.org/10.1016/j.etp.2010.08.001>.
- de Blas, M; Navazo, M; Alonso, L; Durana, N; Gomez, MC; Iza, J. (2012). Simultaneous indoor and outdoor on-line hourly monitoring of atmospheric volatile organic compounds in an urban building. The role of inside and outside sources. *Sci Total Environ.* 426: 327-335. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.003>.
- de Blas, M; Uria-Tellaetxe, I; Carmen Gomez, M; Navazo, M; Alonso, L; Antonio Garcia, J; Durana, N; Iza, J, on; Derley Ramon, J. (2016). Atmospheric carbon tetrachloride in rural background and industry surrounded urban areas in Northern Iberian Peninsula: Mixing ratios, trends, and potential sources. *Sci Total Environ.* 562: 26-34. <http://dx.doi.org/10.1016/j.scitotenv.2016.03.177>.
- de Brito, LC; Teles, FR; Teles, RP; Totola, AH; Vieira, LQ; Sobrinho, AP. (2012). T-lymphocyte and cytokine expression in human inflammatory periapical lesions. *J Endod.* 38: 481-485. <http://dx.doi.org/10.1016/j.joen.2011.12.010>.
- De Cecco, L; Capaia, M; Zupo, S; Cutrona, G; Matis, S; Brizzolara, A; Orengo, AM; Croce, M; Marchesi, E; Ferrarini, M; Canevari, S; Ferrini, S. (2015). Interleukin 21 Controls mRNA and MicroRNA Expression in CD40-Activated Chronic Lymphocytic Leukemia Cells. *PLoS ONE.* 10: e0134706. <http://dx.doi.org/10.1371/journal.pone.0134706>.
- De Flora, S; Znacchi, P; Camoirano, A; Bennicelli, C; Badolati, GS. (1984). Genotoxic activity and potency of 135 compounds in the Ames reversion test and in a bacterial DNA-repair test [Review]. *Mutat Res.* 133: 161-198. [http://dx.doi.org/10.1016/0165-1110\(84\)90016-2](http://dx.doi.org/10.1016/0165-1110(84)90016-2).
- De la Rosa, AJ; Rodríguez-Hernández, A; González, R; Romero-Brufau, S; Navarro-Villarán, E; Barrera-Pulido, L; Pereira, S; Marín, LM; López-Bernal, F; Álamo, JM; Gómez-Bravo, MA; Padillo, FJ; Muntané, J. (2016). Antitumoral gene-based strategy involving nitric oxide synthase type III overexpression in hepatocellular carcinoma. *Gene Ther.* 23: 67-77. <http://dx.doi.org/10.1038/gt.2015.79>.
- De Martin, S; Gabbia, D; Albertin, G; Sfriso, MM; Mescoli, C; Albertoni, L; Paliuri, G; Bova, S; Palatini, P. (2014). Differential effect of liver cirrhosis on the pregnane X receptor-mediated induction of CYP3A1 and 3A2 in the rat. *Drug Metab Dispos.* 42: 1617-1626. <http://dx.doi.org/10.1124/dmd.114.058511>.
- de Matos, AL; Lanning, DK; Esteves, PJ. (2014). Genetic characterization of CCL3, CCL4 and CCL5 in leporid genera *Oryctolagus*, *Sylvilagus* and *Lepus*. *Int J Immunogenet.* 41: 154-158. <http://dx.doi.org/10.1111/iji.12095>.
- de Matos-Neto, EM; Lima, JD; de Pereira, WO; Figuerêdo, RG; Riccardi, DM; Radloff, K; Das Neves, RX; Camargo, RG; Maximiano, LF; Tokeshi, F; Otoch, JP; Goldszmid, R; Câmara, NO; Trinchieri, G; de Alcântara, PS; Seelaender, M. (2015). Systemic Inflammation in Cachexia - Is Tumor Cytokine Expression Profile the Culprit? 6: 629. <http://dx.doi.org/10.3389/fimmu.2015.00629>.
- de Meijer, VE; Sverdlov, DY; Popov, Y; Le, HD; Meisel, JA; Nosé, V; Schuppan, D; Puder, M. (2010). Broad-spectrum matrix metalloproteinase inhibition curbs inflammation and liver injury but aggravates experimental liver fibrosis in mice. *PLoS ONE.* 5: e11256. <http://dx.doi.org/10.1371/journal.pone.0011256>.
- De Minicis, S; Rychlicki, C; Agostinelli, L; Saccomanno, S; Trozzi, L; Candelaresi, C; Bataller, R; Millán, C; Brenner, DA; Vivarelli, M; Mocchegiani, F; Marzoni, M; Benedetti, A; Svegliati-Baroni, G. (2013). Semaphorin 7A contributes to TGF-β-mediated liver fibrogenesis. *Am J Pathol.* 183: 820-830. <http://dx.doi.org/10.1016/j.ajpath.2013.05.030>.
- de Moura, TR; Oliveira, F; Rodrigues, GC; Carneiro, MW; Fukutani, KF; Novais, FO; Miranda, JC; Barral-Netto, M; Brodskyn, C; Barral, A; de Oliveira, CI. (2010). Immunity to *Lutzomyia intermedia* saliva modulates the inflammatory environment induced by *Leishmania braziliensis*. *P L o S Neglected Tropical Diseases.* 4: e712. <http://dx.doi.org/10.1371/journal.pntd.0000712>.

Human Health Hazard Literature Search Results

Off Topic

- de Oliveira, AP; Ayo, CM; Mimura, KK; Oliani, SM; Bernardo, CR; Camargo, AV; Ronchi, LS; Borim, AA; de Campos Júnior, E; Brandão de Mattos, CC; Castiglioni, L; Bestetti, RB; Cavasini, CE; de Mattos, LC. (2016). Plasma concentrations of CCL3 and CCL4 in the cardiac and digestive clinical forms of chronic Chagas disease. *Cytokine*. 91: 51-56. <http://dx.doi.org/10.1016/j.cyto.2016.12.002>.
- de Oliveira e Silva, AM; Vidal-Novoa, A; Batista-González, AE; Pinto, J. R.; Portari Mancini, DA; Reina-Urquijo, W; Mancini-Filho, J. (2012). In vivo and in vitro antioxidant activity and hepatoprotective properties of polyphenols from *Halimeda opuntia* (Linnaeus) Lamouroux. *Redox Rep*. 17: 47-53. <http://dx.doi.org/10.1179/1351000212Y.0000000003>.
- de Oliveira, MC; Menezes-Garcia, Z; Arifa, RD; de Paula, TP; Andrade, JM; Santos, SH; de Menezes, GB; de Souza, D; Teixeira, MM; Ferreira, AV. (2015). Platelet-activating factor modulates fat storage in the liver induced by a high-refined carbohydrate-containing diet. *J Nutr Biochem*. 26: 978-985. <http://dx.doi.org/10.1016/j.jnutbio.2015.04.004>.
- de Oliveira, RM; Roncaratti, LF; de Macedo, LG; Gargano, R. (2017). The interaction of CCl4 with Ng (Ng = He, Ne, Ar), O2, D2O and ND3: rovibrational energies, spectroscopic constants and theoretical calculations. *J Mol Model*. 23: 87. <http://dx.doi.org/10.1007/s00894-017-3269-0>.
- de Oliveira, SA; de Freitas Souza, BS; Sá Barreto, EP; Kaneto, CM; Neto, HA; Azevedo, CM; Guimarães, ET; de Freitas, LA; Ribeiro-Dos-Santos, R; Soares, MB. (2012). Reduction of galectin-3 expression and liver fibrosis after cell therapy in a mouse model of cirrhosis. *Cytotherapy*. 14: 339-349. <http://dx.doi.org/10.3109/14653249.2011.637668>.
- De Paepe, B; Creus, KK; De Bleecker, JL. (2009). Role of cytokines and chemokines in idiopathic inflammatory myopathies [Review]. *Curr Opin Rheumatol*. 21: 610-616. <http://dx.doi.org/10.1097/BOR.0b013e3283317b31>.
- de Paula Costa, G; Lopes, LR; da Silva, MC; Horta, AL; Pontes, WM; Milanezi, CM; Guedes, PM; de Lima, WG; Schulz, R; da Silva, JS; Talvani, A. (2016). Doxycycline and Benznidazole Reduce the Profile of Th1, Th2, and Th17 Chemokines and Chemokine Receptors in Cardiac Tissue from Chronic *Trypanosoma cruzi*-Infected Dogs. *Mediators Inflamm*. 2016: 3694714. <http://dx.doi.org/10.1155/2016/3694714>.
- de Santana, FR; Dalboni, LC; Nascimento, KF; Konno, FT; Alvares-Saraiva, AM; Correia, MS; Bomfim, MD; Casarin, RC; Perez, EC; Lallo, MA; Peres, GB; Laurenti, MD; Benites, NR; Buchi, DF; Bonamin, LV. (2017). High dilutions of antimony modulate cytokines production and macrophage - *Leishmania* (L.) *amazonensis* interaction in vitro. *Cytokine*. 92: 33-47. <http://dx.doi.org/10.1016/j.cyto.2017.01.004>.
- de Souza, FR; Fontes, FL; da Silva, TA; Coutinho, LG; Leib, SL; Agnez-Lima, LF. (2011). Association of kynurenine aminotransferase II gene C401T polymorphism with immune response in patients with meningitis. *BMC Med Genet*. 12: 51. <http://dx.doi.org/10.1186/1471-2350-12-51>.
- de Souza Predes, F; da Silva Diamante, MA; Foglio, MA; Camargo, C; Camargo, CA; Aoyama, H; Miranda, SC; Cruz, B; Gomes Marcondes, MC; Dolder, H. (2014). Hepatoprotective effect of *Arctium lappa* root extract on cadmium toxicity in adult Wistar rats. *Biol Trace Elem Res*. 160: 250-257. <http://dx.doi.org/10.1007/s12011-014-0040-6>.
- Deconinck, E; Canfyn, M; Sacre, PY; Baudewyns, S; Courselle, P; De Beer, JO. (2012). A validated GC-MS method for the determination and quantification of residual solvents in counterfeit tablets and capsules. *J Pharm Biomed Anal*. 70: 64-70. <http://dx.doi.org/10.1016/j.jpba.2012.05.022>.
- Dedrick, RL; Bischoff, KB. (1980). Species similarities in pharmacokinetics. *FASEB J*. 39: 54-59.
- Deepa, V; Sridhar, R; Goparaju, A; Reddy, PN; Murthy, PB. (2012). Nanoemulsified ethanolic extract of *Pyllanthus amarus* Schum & Thonn ameliorates CCl4 induced hepatotoxicity in Wistar rats. *Indian J Exp Biol*. 50: 785-794.
- Del Cornò, M; Donninelli, G; Varano, B; Da Sacco, L; Masotti, A; Gessani, S. (2014). HIV-1 gp120 activates the STAT3/interleukin-6 axis in primary human monocyte-derived dendritic cells. *J Virol*. 88: 11045-11055. <http://dx.doi.org/10.1128/JVI.00307-14>.
- Delgado, I; Carrasco, M; Cano, E; Carmona, R; García-Carbonero, R; Marín-Gómez, LM; Soria, B; Martín, F; Cano, DA; Muñoz-Chápuli, R; Rojas, A. (2014). GATA4 loss in the septum transversum mesenchyme promotes liver fibrosis in mice. *Hepatology*. 59: 2358-2370. <http://dx.doi.org/10.1002/hep.27005>.
- Delgado, MG; Gracia-Sancho, J; Marrone, G; Rodríguez-Vilarrupla, A; Deulofeu, R; Abraldes, JG; Bosch, J; García-Pagán, JC. (2013). Leptin receptor blockade reduces intrahepatic vascular resistance and portal pressure in an experimental model of rat liver cirrhosis. *Am J Physiol Gastrointest Liver Physiol*. 305: G496-G502. <http://dx.doi.org/10.1152/ajpgi.00336.2012>.
- Delp, MD; Manning, RO; Bruckner, JV; Armstrong, RB. (1991). Distribution of cardiac output during diurnal changes of activity in rats. *Am J Physiol*. 261: H1487-H1493.
- Demirel, U; Yalniz, M; Aygün, C; Orhan, C; Tuzcu, M; Sahin, K; Ozercan, IH; Bahçecioğlu, IH. (2012). Allopurinol ameliorates thioacetamide-induced acute liver failure by regulating cellular redox-sensitive transcription factors in rats. *Inflammation*. 35: 1549-1557. <http://dx.doi.org/10.1007/s10753-012-9470-5>.
- Deng, B; Yu, T; Liu, W; Ye, SQ; Wang, LX; Yang, Y; Gong, P; Ran, ZP; Huang, HJ; Wen, JH. (2015). Identification of genes and pathways related to lipopolysaccharide signaling in duckling spleens. *Genet Mol Res*. 14: 17312-17321. <http://dx.doi.org/10.4238/2015.December.16.32>.
- Deng, L; Liu, G; Wu, X; Wang, Y; Tong, M; Liu, B; Wang, K; Peng, Y; Kong, X. (2014). Adipose derived mesenchymal stem cells efficiently rescue carbon tetrachloride-induced acute liver failure in mouse. *ScientificWorldJournal*. 2014: 103643. <http://dx.doi.org/10.1155/2014/103643>.
- Deng, L; Wang, Q; Zhang, Z; Tang, J. (2014). [Determination of thermodynamic parameters for ionic liquid 1-hexyl-3-methylimidazolium trifluoromethanesulfonate by inverse gas chromatography]. *Sepu*. 32: 169-173.
- Deng, Q; Chen, M; Kong, L; Zhao, X; Guo, J; Wen, X. (2013). Novel coupling of surfactant assisted emulsification dispersive liquid-liquid microextraction with spectrophotometric determination for ultra trace nickel. *Spectrochim Acta A Mol Biomol Spectrosc*. 104: 64-69. <http://dx.doi.org/10.1016/j.saa.2012.10.080>.
- Deng, T; Kuang, Y; Wang, L; Li, J; Wang, Z; Fei, J. (2009). An essential role for DNA methyltransferase 3a in melanoma tumorigenesis. *Biochem Biophys Res Commun*. 387: 611-616. <http://dx.doi.org/10.1016/j.bbrc.2009.07.093>.

Human Health Hazard Literature Search Results

Off Topic

- Deng, Y, u; Xu, Z; Xu, B, in; Liu, W, ei; Feng, S, hu; Yang, T. (2014). Antioxidative Effects of Shidandrin B and Green Tea Polyphenols Against Mercuric Chloride-Induced Hepatotoxicity in rats. *J Environ Pathol Toxicol Oncol.* 33: 349-361.
- De-Oliveira-Pinto, LM; Gandini, M; Freitas, LP; Siqueira, MM; Marinho, CF; Setúbal, S; Kubelka, CF; Cruz, OG; Oliveira, SA. (2012). Profile of circulating levels of IL-1Ra, CXCL10/IP-10, CCL4/MIP-1 β and CCL2/MCP-1 in dengue fever and parvovirus. *Mem Inst Oswaldo Cruz.* 107: 48-56.
- De-Oliveira-Pinto, LM; Marinho, CF; Povoia, TF; de Azeredo, EL; de Souza, LA; Barbosa, LD; Motta-Castro, AR; Alves, AM; Ávila, CA; de Souza, LJ; da Cunha, RV; Damasco, PV; Paes, MV; Kubelka, CF. (2012). Regulation of inflammatory chemokine receptors on blood T cells associated to the circulating versus liver chemokines in dengue fever. *PLoS ONE.* 7: e38527. <http://dx.doi.org/10.1371/journal.pone.0038527>.
- Desai, SN; Patel, DK; Devkar, RV; Ramachandran, AV. (2012). Hepatoprotective potential of polyphenol rich extract of *Murraya koenigii* L.: an in vivo study. *Food Chem Toxicol.* 50: 310-314. <http://dx.doi.org/10.1016/j.fct.2011.10.063>.
- Deshpande, KT; Liu, S; Mccracken, JM; Jiang, L; Gaw, TE; Kaydo, LN; Richard, ZC; O'Neil, MF; Pritchard, MT. (2016). Moderate (2%, v/v) Ethanol Feeding Alters Hepatic Wound Healing after Acute Carbon Tetrachloride Exposure in Mice. 6: 5. <http://dx.doi.org/10.3390/biom6010005>.
- Deshpande, KT; Liu, S; Pritchard, M. (2014). Moderate (2% v/v) ethanol feeding delays liver regeneration and enhances hepatic profibrotic markers after carbon tetrachloride-induced liver injury in mice. *Hepatology.* 60: 722A-723A.
- Detcheva, A; Barth, P; Hassler, J. (2009). Calibration possibilities and modifier use in ETV ICP OES determination of trace and minor elements in plant materials. *Anal Bioanal Chem.* 394: 1485-1495. <http://dx.doi.org/10.1007/s00216-009-2835-4>.
- Develi-Is, S; Bekpinar, S; Kalaz, EB; Evran, B; Unlucerci, Y; Gulluoglu, M; Uysal, M. (2013). The protection by heme oxygenase-1 induction against thioacetamide-induced liver toxicity is associated with changes in arginine and asymmetric dimethylarginine. *Cell Biochem Funct.* 31: 122-128. <http://dx.doi.org/10.1002/cbf.2866>.
- Devi, SL; Viswanathan, P; Anuradha, CV. (2010). Regression of liver fibrosis by taurine in rats fed alcohol: effects on collagen accumulation, selected cytokines and stellate cell activation. *Eur J Pharmacol.* 647: 161-170. <http://dx.doi.org/10.1016/j.ejphar.2010.08.011>.
- Di Pascoli, M; Divi, M; Rodríguez-Vilarrupla, A; Rosado, E; Gracia-Sancho, J; Vilaseca, M; Bosch, J; Carles Garcia-Pagan, J. (2013). Resveratrol improves intrahepatic endothelial dysfunction and reduces hepatic fibrosis and portal pressure in cirrhotic rats. *J Hepatol.* 58: 904-910. <http://dx.doi.org/10.1016/j.jhep.2012.12.012>.
- Di Pascoli, M; Zampieri, F; Verardo, A; Pesce, P; Turato, C; Angeli, P; Sacerdoti, D; Bolognesi, M. (2016). Inhibition of epoxyeicosatrienoic acid production in rats with cirrhosis has beneficial effects on portal hypertension by reducing splanchnic vasodilation. *Hepatology.* 64: 923-930. <http://dx.doi.org/10.1002/hep.28686>.
- Di Pietro, C; Cicinelli, E; Guglielmino, MR; Ragusa, M; Farina, M; Palumbo, MA; Cianci, A. (2013). Altered transcriptional regulation of cytokines, growth factors, and apoptotic proteins in the endometrium of infertile women with chronic endometritis. *Am J Reprod Immunol.* 69: 509-517. <http://dx.doi.org/10.1111/aji.12076>.
- Di Sabatino, A; Giuffrida, P; Fornasa, G; Salvatore, C; Vanoli, A; Naviglio, S; De Leo, L; Pasini, A; De Amici, M; Alvisi, C; Not, T; Rescigno, M; Corazza, GR. (2016). Innate and adaptive immunity in self-reported nonceliac gluten sensitivity versus celiac disease. *Dig Liver Dis.* 48: 745-752. <http://dx.doi.org/10.1016/j.dld.2016.03.024>.
- Díaz, NL; Zerpa, O; Tapia, FJ. (2013). Chemokines and chemokine receptors expression in the lesions of patients with American cutaneous leishmaniasis. *Mem Inst Oswaldo Cruz.* 108: 446-452. <http://dx.doi.org/10.1590/S0074-0276108042013008>.
- Dietrich, P; Moleda, L; Kees, F; Mueller, M; Straub, RH; Hellerbrand, C; Wiest, R. (2013). Dysbalance in sympathetic neurotransmitter release and action in cirrhotic rats: Impact of exogenous neuropeptide Y. *J Hepatol.* 58: 254-261. <http://dx.doi.org/10.1016/j.jhep.2012.09.027>.
- Ding, K; Liu, M; Li, J; Liang, Y; Shang, X; Wei, X; Wu, Q; Liu, H; Ma, Y. (2014). A study of free portal pressure in cynomolgus monkeys with different degrees of liver fibrosis. 33: 315-321.
- Ding, K; Liu, MR; Li, J; Huang, K; Liang, Y; Shang, X; Chen, J; Mu, J; Liu, H. (2014). Establishment of a liver fibrosis model in cynomolgus monkeys. *Exp Toxicol Pathol.* 66: 257-261. <http://dx.doi.org/10.1016/j.etp.2014.03.003>.
- Ding, Q; Bao, J; Zhao, W; Lu, J; Zhu, H; Chen, X. (2016). Ethanol enhances cucurbitacin B-induced apoptosis by inhibiting cucurbitacin B-induced autophagy in LO2 hepatocytes. *Mol Cell Toxicol.* 12: 29-36. <http://dx.doi.org/10.1007/s13273-016-0005-2>.
- Ding, XC; Ma, LN; Chen, XX. (2009). [Effect of aspartame on the liver cirrhosis model induced by the complex factors]. *Zhonghua Gan Zang Bing Za Zhi.* 17: 229-230.
- Divac, VM; Puchta, R; Bugarić, ZM. (2012). Kinetic and mechanistic studies of base-catalyzed phenylselenoetherification of (Z)- and (E)-hex-4-en-1-ols. *J Phys Chem A.* 116: 7783-7790. <http://dx.doi.org/10.1021/jp304314j>.
- Divi, MM; Rodriguez-Vilarrupla, A; Di Pascoli, M; Gracia-Sancho, J; Bosch, J; Carlos Garcia-Pagan, J. (2010). BENEFICIAL EFFECTS OF RESVERATROL ADMINISTRATION ON HEPATIC FIBROSIS, LIVER CIRCULATION AND PORTAL HYPERTENSION IN CCL4-CIRRHOTIC RATS. *Hepatology.* 52: 1014A-1015A.
- Dobrzanski, MJ; Rewers-Felkins, KA; Quinlin, IS; Samad, KA; Phillips, CA; Robinson, W; Dobrzanski, DJ; Wright, SE. (2009). Autologous MUC1-specific Th1 effector cell immunotherapy induces differential levels of systemic TReg cell subpopulations that result in increased ovarian cancer patient survival. *Clin Immunol.* 133: 333-352. <http://dx.doi.org/10.1016/j.clim.2009.08.007>.
- Doddaramappa, SD; Lokanatha Rai, KM; Srikantamurthy, N; Chandra, N; Chethan, J. (2015). Novel 5-functionalized-pyrazoles: Synthesis, characterization and pharmacological screening. 25: 3671-3675. <http://dx.doi.org/10.1016/j.bmc.2015.06.050>.
- Doherty, RE. (2000). A history of the production and use of carbon tetrachloride, tetrachloroethylene, trichloroethylene and 1,1,1-trichloroethane in the United States: Part 1—historical background; carbon tetrachloride and tetrachloroethylene. *Environ Forensics.* 1: 69-81. <http://dx.doi.org/10.1006/enfo.2000.0010>.

Human Health Hazard Literature Search Results

Off Topic

- Domenicali, M; Caraceni, P; Giannone, F; Baldassarre, M; Lucchetti, G; Quarta, C; Patti, C; Catani, L; Nanni, C; Lemoli, RM; Bernardi, M. (2009). A novel model of CCl₄-induced cirrhosis with ascites in the mouse. *J Hepatol.* 51: 991-999. <http://dx.doi.org/10.1016/j.jhep.2009.09.008>.
- Domenicali, M; Caraceni, P; Giannone, F; Pertosa, AM; Principe, A; Zambruni, A; Trevisani, F; Croci, T; Bernardi, M. (2009). Cannabinoid type 1 receptor antagonism delays ascites formation in rats with cirrhosis. *Gastroenterology.* 137: 341-349. <http://dx.doi.org/10.1053/j.gastro.2009.01.004>.
- Domitrović, R; Jakovac, H. (2010). Antifibrotic activity of anthocyanidin delphinidin in carbon tetrachloride-induced hepatotoxicity in mice. *Toxicology.* 272: 1-10. <http://dx.doi.org/10.1016/j.tox.2010.03.016>.
- Domitrović, R; Jakovac, H. (2011). Effects of standardized bilberry fruit extract (Mirtoselect®) on resolution of CCl₄-induced liver fibrosis in mice. *Food Chem Toxicol.* 49: 848-854. <http://dx.doi.org/10.1016/j.fct.2010.12.006>.
- Domitrović, R; Jakovac, H; Blagojević, G. (2011). Hepatoprotective activity of berberine is mediated by inhibition of TNF- α , COX-2, and iNOS expression in CCl₄-intoxicated mice. *Toxicology.* 280: 33-43. <http://dx.doi.org/10.1016/j.tox.2010.11.005>.
- Domitrović, R; Jakovac, H; Marchesi, VV; Blažeković, B. (2013). Resolution of liver fibrosis by isoquinoline alkaloid berberine in CCl₄-intoxicated mice is mediated by suppression of oxidative stress and upregulation of MMP-2 expression. *J Med Food.* 16: 518-528. <http://dx.doi.org/10.1089/jmf.2012.0175>.
- Domitrović, R; Jakovac, H; Marchesi, VV; Sain, I; Romić, Z; Rahelic, D. (2012). Preventive and therapeutic effects of oleuropein against carbon tetrachloride-induced liver damage in mice. *Pharmacol Res.* 65: 451-464. <http://dx.doi.org/10.1016/j.phrs.2011.12.005>.
- Domitrović, R; Jakovac, H; Marchesi, VV; Sain, I; Romić, Z; Rahelic, D. (2014). Preventive and therapeutic effects of oleuropein against carbon tetrachloride-induced liver damage in mice (vol 65, pg 451, 2012). *Pharmacol Res.* 79: 103-103. <http://dx.doi.org/10.1016/j.phrs.2013.10.003>.
- Domitrović, R; Jakovac, H; Milin, C; Radosević-Stasić, B. (2009). Dose- and time-dependent effects of luteolin on carbon tetrachloride-induced hepatotoxicity in mice. *Exp Toxicol Pathol.* 61: 581-589. <http://dx.doi.org/10.1016/j.etp.2008.12.005>.
- Domitrović, R; Jakovac, H; Romić, Z; Rahelić, D; Tadić, Z. (2010). Antifibrotic activity of Taraxacum officinale root in carbon tetrachloride-induced liver damage in mice. *J Ethnopharmacol.* 130: 569-577. <http://dx.doi.org/10.1016/j.jep.2010.05.046>.
- Domitrović, R; Jakovac, H; Tomac, J; Sain, I. (2009). Liver fibrosis in mice induced by carbon tetrachloride and its reversion by luteolin. *Toxicol Appl Pharmacol.* 241: 311-321. <http://dx.doi.org/10.1016/j.taap.2009.09.001>.
- Domitrović, R; Rashed, K; Cvijanović, O; Vladimir-Knežević, S; Škoda, M; Višnić, A. (2015). Myricitrin exhibits antioxidant, anti-inflammatory and antifibrotic activity in carbon tetrachloride-intoxicated mice. *Chem Biol Interact.* 230: 21-29. <http://dx.doi.org/10.1016/j.cbi.2015.01.030>.
- Domitrović, R; Skoda, M; Vasiljev Marchesi, V; Cvijanović, O; Pernjak Pugel, E; Stefan, MB. (2013). Rosmarinic acid ameliorates acute liver damage and fibrogenesis in carbon tetrachloride-intoxicated mice. *Food Chem Toxicol.* 51: 370-378. <http://dx.doi.org/10.1016/j.fct.2012.10.021>.
- Donfack, JH; Simo, CC; Ngameni, B; Tchana, AN; Kerr, PG; Finzi, PV; Vidari, G; Giardina, S; Buonocore, D; Ngadjui, BT; Moundipa, PF; Marzatico, F. (2010). Antihepatotoxic and antioxidant activities of methanol extract and isolated compounds from *Ficus chlamydocarpa*. *Natural Product Communications.* 5: 1607-1612.
- Dong, C; Li, X; Guo, Z; Qi, J. (2009). Development of a model for the rational design of molecular imprinted polymer: computational approach for combined molecular dynamics/quantum mechanics calculations. *Anal Chim Acta.* 647: 117-124. <http://dx.doi.org/10.1016/j.aca.2009.05.040>.
- Dong, D; Yin, L; Qi, Y; Xu, L; Peng, J. (2015). Protective Effect of the Total Saponins from *Rosa laevigata* Michx Fruit against Carbon Tetrachloride-Induced Liver Fibrosis in Rats. *Nutrients.* 7: 4829-4850. <http://dx.doi.org/10.3390/nu7064829>.
- Dong, D; Zhang, S; Yin, L; Tang, X; Xu, Y; Han, X; Qi, Y; Peng, J. (2013). Protective effects of the total saponins from *Rosa laevigata* Michx fruit against carbon tetrachloride-induced acute liver injury in mice. *Food Chem Toxicol.* 62: 120-130. <http://dx.doi.org/10.1016/j.fct.2013.08.050>.
- Dong, Q; Chu, F; Wu, C; Huo, Q; Gan, H; Li, X; Liu, H. (2016). *Scutellaria baicalensis* Georgi extract protects against alcohol-induced acute liver injury in mice and affects the mechanism of ER stress. *Mol Med Rep.* 13: 3052-3062. <http://dx.doi.org/10.3892/mmr.2016.4941>.
- Dong, W; Lv, B; Wei, F; Yang, L. (2013). Recombinant bovine pancreatic trypsin inhibitor protects the liver from carbon tetrachloride-induced chronic injury in rats. *Pharmaceutical Biology.* 51: 1298-1303. <http://dx.doi.org/10.3109/13880209.2013.789537>.
- Dong, Y; Liu, Y; Kou, X; Jing, Y; Sun, K; Sheng, D; Yu, G; Yu, D; Zhao, Q; Zhao, X; Li, R; Wu, M; Wei, L. (2016). The protective or damaging effect of Tumor necrosis factor- α in acute liver injury is concentration-dependent. 6: 8. <http://dx.doi.org/10.1186/s13578-016-0074-x>.
- Dong, Z; Su, L, in; Esmaili, S; Iseli, TJ; Ramezani-Moghadam, M; Hu, L; Xu, A; George, J; Wang, J. (2015). Adiponectin attenuates liver fibrosis by inducing nitric oxide production of hepatic stellate cells. *J Mol Med.* 93: 1327-1339. <http://dx.doi.org/10.1007/s00109-015-1313-z>.
- Doodes, PD; Cao, Y; Hamel, KM; Wang, Y; Rodeghero, RL; Kobezda, T; Finnegan, A. (2009). CCR5 is involved in resolution of inflammation in proteoglycan-induced arthritis. *Arthritis Rheum.* 60: 2945-2953. <http://dx.doi.org/10.1002/art.24842>.
- Doong, RA; Lee, CC; Lien, CM. (2014). Enhanced dechlorination of carbon tetrachloride by *Geobacter sulfurreducens* in the presence of naturally occurring quinones and ferrihydrite. *Chemosphere.* 97: 54-63. <http://dx.doi.org/10.1016/j.chemosphere.2013.11.004>.
- Dormoi, J; Briolant, S; Pascual, A; Desgrouas, C; Travaillé, C; Pradines, B. (2013). Improvement of the efficacy of dihydroartemisinin with atorvastatin in an experimental cerebral malaria murine model. *Malar J.* 12: 302. <http://dx.doi.org/10.1186/1475-2875-12-302>.
- Dorn, C; Heilmann, J; Hellerbrand, C. (2012). Protective effect of xanthohumol on toxin-induced liver inflammation and fibrosis. *Int J Clin Exp Pathol.* 5: 29-36.
- Dowling, O; Chatterjee, PK; Gupta, M; Tam Tam, HB; Xue, X; Lewis, D; Rochelson, B; Metz, CN. (2012). Magnesium sulfate reduces bacterial LPS-induced inflammation at the maternal-fetal interface. *Placenta.* 33: 392-398. <http://dx.doi.org/10.1016/j.placenta.2012.01.013>.

Human Health Hazard Literature Search Results

Off Topic

- DR, L; ed. (2000). CRC handbook of chemistry and physics. 81st Edition. Boca Raton, FL. 3-207.
- Drucker, C; Gewiese, J; Malchow, S; Scheller, J; Rose-John, S. (2010). Impact of interleukin-6 classic- and trans-signaling on liver damage and regeneration [Review]. *J Autoimmun.* 34: 29-37. <http://dx.doi.org/10.1016/j.jaut.2009.08.003>.
- Du, JX; Liu, P; Sun, MY; Tao, Q; Zhang, LJ; Chen, GF; Hu, YY; Liu, CH; Xu, LM. (2011). [Chinese herbal medicine Xiayuxue Decoction inhibits liver angiogenesis in rats with carbon tetrachloride-induced liver fibrosis]. *Zhong Xi Yi Jie He Xue Bao.* 9: 878-887.
- Du, Z; Mo, J; Zhang, Y. (2014). Risk assessment of population inhalation exposure to volatile organic compounds and carbonyls in urban China. *Environ Int.* 73: 33-45. <http://dx.doi.org/10.1016/j.envint.2014.06.014>.
- Dubuquoy, L; Louvet, A; Lassailly, G; Truant, S; Boleslawski, E; Artru, F; Maggioletto, F; Gantier, E; Buob, D; Leteurtre, E; Cansson, A; Dharancy, S; Moreno, C; Pruvot, FR; Bataller, R; Mathurin, P. (2015). Progenitor cell expansion and impaired hepatocyte regeneration in explanted livers from alcoholic hepatitis. *Gut.* 64: 1949-1960. <http://dx.doi.org/10.1136/gutjnl-2014-308410>.
- Ducati, LC; Braga, CB; Rittner, R; Tormena, CF. (2013). A critical evaluation of the s-cis-trans isomerism of 2-acetylpyrrole and its N-methyl derivative through infrared and NMR spectroscopies and theoretical calculations. *Spectrochim Acta A Mol Biomol Spectrosc.* 116: 196-203. <http://dx.doi.org/10.1016/j.saa.2013.07.024>.
- Duerr, GD; Heinemann, JC; Dunkel, S; Zimmer, A; Lutz, B; Lerner, R; Roell, W; Mellert, F; Probst, C; Esmailzadeh, B; Welz, A; Dewald, O. (2013). Myocardial hypertrophy is associated with inflammation and activation of endocannabinoid system in patients with aortic valve stenosis. *Life Sci.* 92: 976-983. <http://dx.doi.org/10.1016/j.lfs.2013.03.014>.
- Duh, PD; Lin, SL; Wu, SC. (2011). Hepatoprotection of *Graptopetalum paraguayense* E. Walther on CCl₄-induced liver damage and inflammation. *J Ethnopharmacol.* 134: 379-385. <http://dx.doi.org/10.1016/j.jep.2010.12.029>.
- Dumanoglu, Y; Kara, M; Altioek, H; Odabasi, M; Elbir, T; Bayram, A. (2014). Spatial and seasonal variation and source apportionment of volatile organic compounds (VOCs) in a heavily industrialized region. *Atmos Environ.* 98: 168-178. <http://dx.doi.org/10.1016/j.atmosenv.2014.08.048>.
- Dumitru, CA; Fechner, MK; Hoffmann, TK; Lang, S; Brandau, S. (2012). A novel p38-MAPK signaling axis modulates neutrophil biology in head and neck cancer. *J Leukoc Biol.* 91: 591-598. <http://dx.doi.org/10.1189/jlb.0411193>.
- Dumitru, CA; Gholaman, H; Trellakis, S; Bruderek, K; Dominas, N; Gu, X; Bankfalvi, A; Whiteside, TL; Lang, S; Brandau, S. (2011). Tumor-derived macrophage migration inhibitory factor modulates the biology of head and neck cancer cells via neutrophil activation. *Int J Cancer.* 129: 859-869. <http://dx.doi.org/10.1002/ijc.25991>.
- Duncan, MB; Yang, C; Tanjore, H; Boyle, PM; Keskin, D; Sugimoto, H; Zeisberg, M; Olsen, BR; Kalluri, R. (2013). Type XVIII collagen is essential for survival during acute liver injury in mice. *G.* 6: 942-951. <http://dx.doi.org/10.1242/dmm.011577>.
- Durrant, DM; Daniels, BP; Pasiaka, T; Dorsey, D; Klein, RS. (2015). CCR5 limits cortical viral loads during West Nile virus infection of the central nervous system. *J Neuroinflammation.* 12: 233. <http://dx.doi.org/10.1186/s12974-015-0447-9>.
- Dutta, S; Raut, DR; Mohapatra, PK. (2012). Role of diluent on the separation of 90Y from 90Sr by solvent extraction and supported liquid membrane using T2EHDGA as the extractant. *70: 670-675.* <http://dx.doi.org/10.1016/j.apradiso.2011.11.064>.
- Dutta-Moscato, J; Solovyev, A; Mi, Q; Nishikawa, T; Soto-Gutierrez, A; Fox, IJ; Vodovotz, Y. (2014). A Multiscale Agent-Based in silico Model of Liver Fibrosis Progression. *2: 18.* <http://dx.doi.org/10.3389/fbioe.2014.00018>.
- Duwaerts, CC; Gehring, S; Cheng, CW; van Rooijen, N; Gregory, SH. (2013). Contrasting responses of Kupffer cells and inflammatory mononuclear phagocytes to biliary obstruction in a mouse model of cholestatic liver injury. *Liver Int.* 33: 255-265. <http://dx.doi.org/10.1111/liv.12048>.
- Dwivedi, H; Singh, SK; Chauhan, BS; Gunjan, S; Tripathi, R. (2016). Potential cerebral malaria therapy: intramuscular arteether and vitamin D co-administration. *Parasitology.* 143: 1557-1568. <http://dx.doi.org/10.1017/S0031182016001207>.
- Ebbens, FA; Georgalas, C; Luiten, S; van Drunen, CM; Badia, L; Scadding, GK; Hellings, PW; Jorissen, M; Mullol, J; Cardesin, A; Bachert, C; van Zele, TP; Lund, VJ; Fokkens, WJ. (2009). The effect of topical amphotericin B on inflammatory markers in patients with chronic rhinosinusitis: a multicenter randomized controlled study. *Laryngoscope.* 119: 401-408. <http://dx.doi.org/10.1002/lary.20064>.
- Ebrahimi, R; Feizbakhsh, A; Es'haghi, A, li. (2016). Extraction and Derivatization of Chlorophenoxy Acid Pesticides: Performing Two DLLME with One Extracting Phase. *Chromatographia.* 79: 515-520. <http://dx.doi.org/10.1007/s10337-016-3042-z>.
- Edgren, M; Revesz, L. (1987). Compartmentalized depletion of glutathione in cells treated with buthionine sulphoximine. *60.*
- Edkins, AL; Borland, G; Acharya, M; Cogdell, RJ; Ozanne, BW; Cushley, W. (2012). Differential regulation of monocyte cytokine release by α V and β (2) integrins that bind CD23. *Immunology.* 136: 241-251. <http://dx.doi.org/10.1111/j.1365-2567.2012.03576.x>.
- Eghbal, MA, li; Taziki, S; Sattari, MR. (2013). Protective Role of Melatonin and Taurine Against Carbamazepine-induced Toxicity in Freshly Isolated Rat Hepatocytes. *International Journal of Morphology.* 31: 1081-1089.
- Ehman, RL. (2009). Science to practice: can MR elastography be used to detect early steatohepatitis in fatty liver disease?[comment] [Letter]. *Radiology.* 253: 1-3. <http://dx.doi.org/10.1148/radiol.2523081817>.
- Eisenhofer, G; Bornstein, SR; Brouwers, FM; Cheung, NK; Dahia, PL; de Krijger, RR; Giordano, TJ; Greene, LA; Goldstein, DS; Lehnert, H; Manger, WM; Maris, JM; Neumann, HP; Pacak, K; Shulkin, BL; Smith, DJ; Tischler, AS; Young, WF, Jr. (2004). Malignant pheochromocytoma: Current status and initiatives for future progress [Review]. *Endocr Relat Cancer.* 11: 423-436.
- Eisinger, K; Bauer, S; Schäffler, A; Walter, R; Neumann, E; Buechler, C; Müller-Ladner, U; Frommer, KW. (2012). Chemerin induces CCL2 and TLR4 in synovial fibroblasts of patients with rheumatoid arthritis and osteoarthritis. *Exp Mol Pathol.* 92: 90-96. <http://dx.doi.org/10.1016/j.yexmp.2011.10.006>.
- El Feghaly, RE; Mcgann, L; Bonville, CA; Branigan, PJ; Suryadevara, M; Rosenberg, HF; Domachowske, JB. (2010). Local production of inflammatory mediators during childhood parainfluenza virus infection. *Pediatr Infect Dis J.* 29: e26-e31. <http://dx.doi.org/10.1097/INF.0b013e3181d5da2a>.

Human Health Hazard Literature Search Results

Off Topic

- El Sohafy, SM; Metwally, AM; Omar, AA; Amer, ME; Radwan, MM; Abdel-Kader, MS; El Toumy, SA; Elsohly, MA. (2016). Cornigerin, a new sesquiterpene lignan from the hepatoprotective fractions of *Cynara cornigera* L. *Fitoterapia*. 115: 101-105. <http://dx.doi.org/10.1016/j.fitote.2016.09.015>.
- El-Agamy, DS. (2010). Comparative effects of curcumin and resveratrol on aflatoxin B(1)-induced liver injury in rats. *Arch Toxicol*. 84: 389-396. <http://dx.doi.org/10.1007/s00204-010-0511-2>.
- Elbarbry, F; Ragheb, A; Marfleet, T; Shoker, A. (2012). Modulation of hepatic drug metabolizing enzymes by dietary doses of thymoquinone in female New Zealand White rabbits. 26: 1726-1730. <http://dx.doi.org/10.1002/ptr.4628>.
- El-Batch, M; Ibrahim, W; Said, S. (2011). Effect of histidine on autotaxin activity in experimentally induced liver fibrosis. *J Biochem Mol Toxicol*. 25: 143-150. <http://dx.doi.org/10.1002/jbt.20370>.
- El-Gahami, MA; Mekky, AE; Saleh, TS; Al-Bogami, AS. (2014). Acidity constant and solvatochromic behavior of some pyrazolo[1,5-a]pyrimidin-2-amine derivatives. *Spectrochim Acta A Mol Biomol Spectrosc*. 129: 209-218. <http://dx.doi.org/10.1016/j.saa.2014.03.029>.
- Elia, MC; Storer, RD; Mckelvey, TW; Kraynak, AR; Barnum, JE; Harmon, LS; Deluca, JG; Nichols, WW. (1994). Rapid DNA degradation in primary rat hepatocytes treated with diverse cytotoxic chemicals: Analysis by pulsed field gel electrophoresis and implications for alkaline elution assays. *Environ Mol Mutagen*. 24: 181-191.
- El-Kholy, TA; Abu Hilal, M; Al-Abbadi, HA; Serafi, AS; Al-Ghamdi, AK; Sobhy, HM; Richardson, J. R. (2014). The effect of extra virgin olive oil and soybean on DNA, cytogenicity and some antioxidant enzymes in rats. *Nutrients*. 6: 2376-2386. <http://dx.doi.org/10.3390/nu6062376>.
- Elmesmari, A; Fraser, AR; Wood, C; Gilchrist, D; Vaughan, D; Stewart, L; Mcsharry, C; Mcinnes, IB; Kurowska-Stolarska, M. (2016). MicroRNA-155 regulates monocyte chemokine and chemokine receptor expression in Rheumatoid Arthritis. *Rheumatology*. 55: 2056-2065. <http://dx.doi.org/10.1093/rheumatology/kew272>.
- Elmoselhi, H; Mansell, H; Soliman, M; Shoker, A. (2016). Circulating chemokine ligand levels before and after successful kidney transplantation. 13: 32. <http://dx.doi.org/10.1186/s12950-016-0141-4>.
- El-Sharkawy, EE; Kames, AO; Sayed, SM; Nisr, NA; Wahba, NM; Elsharif, WM; Nafady, AM; Abdel-Hafeez, MM; Amer, AA. (2014). The ameliorative effect of propolis against methoxychlor induced ovarian toxicity in rat. *Exp Toxicol Pathol*. 66: 415-421. <http://dx.doi.org/10.1016/j.etp.2014.06.003>.
- El-Toumy, SA; Omara, EA; Nada, SA; Bermejo, J. (2011). Flavone C-glycosides from *Montanoa bipinnatifida* stems and evaluation of hepatoprotective activity of extract. *Journal of Medicinal Plant Research*. 5: 1291-1296.
- EMA. (2006). Draft guidelines on detection of early signals of drug-induced hepatotoxicity in non-clinical studies. London, United Kingdom: Committee for Medicinal Products for Human Use.
- Engstrom, L; Pinzon-Ortiz, MC; Li, Y; Chen, SC; Kinsley, D; Nelissen, R; Fine, JS; Mihara, K; Manfra, D. (2009). Characterization of a murine keyhole limpet hemocyanin (KLH)-delayed-type hypersensitivity (DTH) model: role for p38 kinase. *Int Immunopharmacol*. 9: 1218-1227. <http://dx.doi.org/10.1016/j.intimp.2009.07.003>.
- Eom, Y; Kim, DY; Han, SH; Lee, TG. (2014). Preparation of quality control materials for the determination of mercury in rice. *Food Chem*. 147: 361-366. <http://dx.doi.org/10.1016/j.foodchem.2013.10.009>.
- Eom, YW; Shim, KY; Baik, SK. (2015). Mesenchymal stem cell therapy for liver fibrosis [Review]. 30: 580-589. <http://dx.doi.org/10.3904/kjim.2015.30.5.580>.
- EPA, US. (1986). Guidelines for mutagenicity risk assessment. Federal Register 51(185):34006-34012 (pp. 34006-34012). U.S. EPA. <http://www.epa.gov/iris/backgr-d.htm>.
- EPA, US. (1994). Interim policy for particle size and limit concentration issues in inhalation toxicity studies. Federal Register 59(206):53799. U.S. EPA. <http://www.epa.gov/iris/backgr-d.htm>.
- EPA, US. (2005). Guidelines for carcinogen risk assessment. Risk Assessment Forum, Washington, DC; EPA/630/P-03/001B. U.S. EPA. <http://www.epa.gov/iris/backgr-d.htm>.
- Erami, K; Tanaka, Y; Kawamura, S; Miyago, M; Sawazaki, A; Imaizumi, K; Sato, M. (2016). Dietary Egg Yolk Supplementation Improves Low-Protein-Diet-Induced Fatty Liver in Rats. *J Nutr Sci Vitaminol*. 62: 240-248.
- Ergun, P; Guner, G; Sezer, ED; Yildirim, HK; Sozmen, EY; Akcay, YD. (2013). Protective effects of blueberry tea and blueberry wine on CCl4 induced kidney toxicity in rats. *FEBS J*. 280: 229-230.
- Erickson, MA; Hansen, K; Banks, WA. (2012). Inflammation-induced dysfunction of the low-density lipoprotein receptor-related protein-1 at the blood-brain barrier: protection by the antioxidant N-acetylcysteine. *Brain Behav Immun*. 26: 1085-1094. <http://dx.doi.org/10.1016/j.bbi.2012.07.003>.
- Eriksson, C; Rantapää-Dahlqvist, S; Sundqvist, KG. (2013). Changes in chemokines and their receptors in blood during treatment with the TNF inhibitor infliximab in patients with rheumatoid arthritis. *Scand J Rheumatol*. 42: 260-265. <http://dx.doi.org/10.3109/03009742.2012.754937>.
- Erra, L; Tedesco, C; Immediata, I; Gregoli, L; Gaeta, C; Merlini, M; Meneghini, C; Brunelli, M; Fitch, AN; Neri, P. (2012). Inclusion properties of volatile organic compounds in a calixarene-based organic zeolite. *Langmuir*. 28: 8511-8517. <http://dx.doi.org/10.1021/la3009656>.
- Erreni, M; Bianchi, P; Laghi, L; Mirolo, M; Fabbri, M; Locati, M; Mantovani, A; Allavena, P. (2009). Expression of chemokines and chemokine receptors in human colon cancer. *Methods Enzymol*. 460: 105-121. [http://dx.doi.org/10.1016/S0076-6879\(09\)05205-7](http://dx.doi.org/10.1016/S0076-6879(09)05205-7).
- Eruslanov, E; Neuberger, M; Daurkin, I; Perrin, GQ; Algood, C; Dahm, P; Rosser, C; Vieweg, J; Gilbert, SM; Kusmartsev, S. (2012). Circulating and tumor-infiltrating myeloid cell subsets in patients with bladder cancer. *Int J Cancer*. 130: 1109-1119. <http://dx.doi.org/10.1002/ijc.26123>.
- Esaulenko, EE; Khil'chuk, MA; Bykov, IM. (2013). [The effect of carbon tetrachloride poisoning on the activity of digestive proteases in rats and correction of the disorders with vegetable oils]. *Vopr Pitan*. 82: 36-40.

Human Health Hazard Literature Search Results

Off Topic

- Escudero, LB; Wuilloud, RG; Olsina, RA. (2013). Sensitive determination of thallium species in drinking and natural water by ionic liquid-assisted ion-pairing liquid-liquid microextraction and inductively coupled plasma mass spectrometry. *J Hazard Mater.* 244-245: 380-386. <http://dx.doi.org/10.1016/j.jhazmat.2012.11.057>.
- Eskandari, MR; Rahmati, M; Khajeamiri, AR; Kobarfard, F; Noubarani, M; Heidari, H. (2014). A new approach on methamphetamine-induced hepatotoxicity: involvement of mitochondrial dysfunction. *Xenobiotica.* 44: 70-76. <http://dx.doi.org/10.3109/00498254.2013.807958>.
- Español-Suñer, R; Carpentier, R; Van Hul, N; Legry, V; Achouri, Y; Cordi, S; Jacquemin, P; Lemaigre, F; Leclercq, IA. (2012). Liver progenitor cells yield functional hepatocytes in response to chronic liver injury in mice. *Gastroenterology.* 143: 1564-1575.e1567. <http://dx.doi.org/10.1053/j.gastro.2012.08.024>.
- Esteban-Zubero, E; Alatorre-Jimenez, MA; Lopez-Pingarron, L; Cesar Reyes-Gonzales, M; Almeida-Souza, P; Cantin-Golet, A; Jose Ruiz-Ruiz, F; Tan, D; Joaquin Garcia, J; Reiter, RJ. (2016). Melatonin's role in preventing toxin-related and sepsis-mediated hepatic damage: A review [Review]. *Pharmacol Res.* 105: 108-120. <http://dx.doi.org/10.1016/j.phrs.2016.01.018>.
- Estep, JM; Baranova, A; Hossain, N; Elariny, H; Ankras, K; Afendy, A; Chandhoke, V; Younossi, ZM. (2009). Expression of cytokine signaling genes in morbidly obese patients with non-alcoholic steatohepatitis and hepatic fibrosis. *Obes Surg.* 19: 617-624. <http://dx.doi.org/10.1007/s11695-009-9814-x>.
- Esterbauer, H; Schaur, RJ; Zollner, H. (1991). Chemistry and biochemistry of 4-hydroxynonenal, malonaldehyde and related aldehydes [Review]. *Free Radic Biol Med.* 11: 81-128. [http://dx.doi.org/10.1016/0891-5849\(91\)90192-6](http://dx.doi.org/10.1016/0891-5849(91)90192-6).
- Etienne-Mesmin, L; Vijay-Kumar, M; Gewirtz, AT; Chassaing, B. (2016). Hepatocyte Toll-Like Receptor 5 Promotes Bacterial Clearance and Protects Mice Against High-Fat Diet-Induced Liver Disease. 2: 584-604. <http://dx.doi.org/10.1016/j.jcmgh.2016.04.007>.
- Ettaya, A; Dhibi, S; Samout, N; Elfeki, A; Hfaiedh, N. (2016). Hepatoprotective activity of white horehound (*Marrubium vulgare*) extract against cyclophosphamide toxicity in male rats. *Can J Physiol Pharmacol.* 94: 441-447. <http://dx.doi.org/10.1139/cjpp-2015-0405>.
- Etuk, EU; Agaie, BM; Ladan, MJ; Garba, I. (2009). The modulatory effect of *Cochlospermum tinctorium* a rich aqueous root extract on liver damage induced by carbon tetrachloride in rats. 3: 151-157.
- Eum, HA; Lee, JH; Yang, MC; Shim, KS; Lee, JH; Ma, JY. (2011). Protective effect of *Ssanghwa-tang* fermented by *Lactobacillus fermentum* against carbon tetrachloride-induced acute hepatotoxicity in rats. *African Journal of Traditional, Complementary and Alternative Medicines.* 8: 312-321.
- Evans, BJ; Haskard, DO; Sempowski, G; Landis, RC. (2013). Evolution of the Macrophage CD163 Phenotype and Cytokine Profiles in a Human Model of Resolving Inflammation. 2013: 780502. <http://dx.doi.org/10.1155/2013/780502>.
- Fabila, D; de la Rosa, JM; Stolik, S; Moreno, E; Suárez-Álvarez, K; López-Navarrete, G; Guzmán, C; Aguirre-García, J; Acevedo-García, C; Kershenovich, D; Escobedo, G. (2012). In vivo assessment of liver fibrosis using diffuse reflectance and fluorescence spectroscopy: a proof of concept. *Photodiagnosis and Photodynamic Therapy.* 9: 376-382. <http://dx.doi.org/10.1016/j.pdpdt.2012.05.002>.
- Fahmy, NM; Al-Sayed, E; Abdel-Daim, MM; Karonen, M; Singab, AN. (2016). Protective effect of *Terminalia muelleri* against carbon tetrachloride-induced hepato and nephro-toxicity in mice and characterization of its bioactive constituents. *Pharmaceutical Biology.* 54: 303-313. <http://dx.doi.org/10.3109/13880209.2015.1035794>.
- Fahmy, SR; Abdel-Ghaffar, F; Bakry, FA; Sayed, DA. (2014). Ecotoxicological effect of sublethal exposure to zinc oxide nanoparticles on freshwater snail *Biomphalaria alexandrina*. *Arch Environ Contam Toxicol.* 67: 192-202. <http://dx.doi.org/10.1007/s00244-014-0020-z>.
- Fahrenholtz, S; Hühnerfuss, H; Baur, X; Budnik, LT. (2010). Determination of phosphine and other fumigants in air samples by thermal desorption and 2D heart-cutting gas chromatography with synchronous SIM/Scan mass spectrometry and flame photometric detection. *J Chromatogr A.* 1217: 8298-8307. <http://dx.doi.org/10.1016/j.chroma.2010.10.085>.
- Falcão-Júnior, JO; Teixeira-Carvalho, A; Cândido, EB; Lages, EL; Ferreira Freitas G, G; Lamaita, RM; Freire Bonfim, LP; Borges Salera, R; Traiman P, P; da Silva-Filho, AL. (2013). Assessment of chemokine serum levels in epithelial ovarian cancer patients. *Tumori.* 99: 540-544. <http://dx.doi.org/10.1700/1361.15108>.
- Fan, D; Bradley, MJ; Hinkle, AW; Johnson, RL; Tratnyek, PG. (2016). Chemical Reactivity Probes for Assessing Abiotic Natural Attenuation by Reducing Iron Minerals. *Environ Sci Technol.* 50: 1868-1876. <http://dx.doi.org/10.1021/acs.est.5b05800>.
- Fan, GH; Gong, JP; Shen, JK; Zhang, CY; Xu, XQ; Xu, L; Yu, ZY; Zhang, W; Wu, HR. (2013). [Values of magnetic resonance spectrum imaging in the diagnosis of hepatic fibrosis of rats]. *Chung Hua Hsueh Tsa Chih.* 93: 376-379.
- Fan, HN; Wang, HJ; Ren, L; Ren, B; Dan, CR; Li, YF; Hou, LZ; Deng, Y. (2013). Decreased expression of p38 MAPK mediates protective effects of hydrogen sulfide on hepatic fibrosis. *Eur Rev Med Pharmacol Sci.* 17: 644-652.
- Fan, J; Wu, Z; Zhao, T; Sun, Y; Ye, H; Xu, R; Zeng, X. (2014). Characterization, antioxidant and hepatoprotective activities of polysaccharides from *Ilex latifolia* Thunb. *Carbohydr Polymer.* 101: 990-997. <http://dx.doi.org/10.1016/j.carbpol.2013.10.037>.
- Fan, X; Zhang, Q; Li, S; Lv, Y; Su, H; Jiang, H; Hao, Z. (2013). Attenuation of CCl₄-induced hepatic fibrosis in mice by vaccinating against TGF- β 1. *PLoS ONE.* 8: e82190. <http://dx.doi.org/10.1371/journal.pone.0082190>.
- Fang, B; Luo, S; Song, Y; Li, N; Li, H; Zhao, RC. (2010). Intermittent dosing of G-CSF to ameliorate carbon tetrachloride-induced liver fibrosis in mice. *Toxicology.* 270: 43-48. <http://dx.doi.org/10.1016/j.tox.2009.12.002>.
- Fang, F; Wang, JB; Zhao, YL; Jin, C; Kong, WJ; Zhao, HP; Wang, HJ; Xiao, XH. (2011). A comparative study on the tissue distributions of rhubarb anthraquinones in normal and CCl₄-injured rats orally administered rhubarb extract. *J Ethnopharmacol.* 137: 1492-1497. <http://dx.doi.org/10.1016/j.jep.2011.08.028>.
- Fang, LY; Izumi, K; Lai, KP; Liang, L; Li, L; Miyamoto, H; Lin, WJ; Chang, C. (2013). Infiltrating macrophages promote prostate tumorigenesis via modulating androgen receptor-mediated CCL4-STAT3 signaling. *Cancer Res.* 73: 5633-5646. <http://dx.doi.org/10.1158/0008-5472.CAN-12-3228>.

Human Health Hazard Literature Search Results

Off Topic

- Farag, MA; El Fishawy, AM; El-Toumy, SA; Amer, KF; Mansour, AM; Taha, HE. (2016). Antihepatotoxic Effect and Metabolite Profiling of *Panicum turgidum* Extract via UPLC-qTOF-MS. *Pharmacognosy Magazine*. 12: S446-S453. <http://dx.doi.org/10.4103/0973-1296.191455>.
- Faraji, H; Helalizadeh, M. (2016). Lead Quantification in Urine Samples of Athletes by Coupling DLLME with UV-Vis Spectrophotometry. *Biol Trace Elem Res*. <http://dx.doi.org/10.1007/s12011-016-0844-7>.
- Farajzadeh, M, irAli; Vardast, MR; Bahram, M. (2009). Optimization of Dispersive Liquid-Liquid Microextraction of Irganox 1010 and Irgafos 168 from Polyolefins Before Liquid Chromatographic Analysis. *Chromatographia*. 69: 409-419. <http://dx.doi.org/10.1365/s10337-008-0912-z>.
- Farajzadeh, MA; Khoshmaram, L. (2015). Development of dispersive liquid-liquid microextraction technique using ternary solvents mixture followed by heating for the rapid and sensitive analysis of phthalate esters and di(2-ethylhexyl) adipate. *J Chromatogr A*. 1379: 24-33. <http://dx.doi.org/10.1016/j.chroma.2014.12.049>.
- Farges, JC; Keller, JF; Carrouel, F; Durand, SH; Romeas, A; Bleicher, F; Lebecque, S; Staquet, MJ. (2009). Odontoblasts in the dental pulp immune response [Review]. *J Exp Zool B Mol Dev Evol*. 312B: 425-436. <http://dx.doi.org/10.1002/jez.b.21259>.
- Farhadi, K; Maleki, R; Tahmasebi, R. (2011). Preparation of Al₂O₃/TiO₂ composite sol-gel fiber for headspace solid-phase microextraction of chlorinated organic solvents from urine. *J Sep Sci*. 34: 1669-1674. <http://dx.doi.org/10.1002/jssc.201000924>.
- Farida, T; Salawu, OA; Tijani, AY; Ejiiofor, JI. (2012). Pharmacological evaluation of *Ipomoea asarifolia* (Desr.) against carbon tetrachloride-induced hepatotoxicity in rats. *J Ethnopharmacol*. 142: 642-646. <http://dx.doi.org/10.1016/j.jep.2012.05.029>.
- Farzaneh, Z; Pakzad, M; Vosough, M; Pournasr, B; Baharvand, H. (2014). Differentiation of human embryonic stem cells to hepatocyte-like cells on a new developed xeno-free extracellular matrix. *Histochem Cell Biol*. 142: 217-226. <http://dx.doi.org/10.1007/s00418-014-1183-4>.
- Fausther, M; Dranoff, JA. (2014). Integrins, myofibroblasts, and organ fibrosis [Comment]. *Hepatology*. 60: 756-758. <http://dx.doi.org/10.1002/hep.27155>.
- Fausther, M; Lecka, J; Soliman, E; Kauffenstein, G; Pelletier, J; Sheung, N; Dranoff, JA; Sévigny, J. (2012). Coexpression of ecto-5'-nucleotidase/CD73 with specific NTPDases differentially regulates adenosine formation in the rat liver. *Am J Physiol Gastrointest Liver Physiol*. 302: G447-G459. <http://dx.doi.org/10.1152/ajpgi.00165.2011>.
- Fawcett, J; Harding, DA; Hope, EG; Singh, K; Solan, GA. (2009). N-Heterocyclic carbene-containing ruthenium difluoro complexes and their reactivity towards BF₃. *Dalton Transactions (Online)*6861-6870. <http://dx.doi.org/10.1039/b906321h>.
- FDA. (2009). Unknown. <http://www.fda.gov/cder/livertox/preclinical.pdf>.
- Feng, Y; Siu, KY; Ye, X; Wang, N; Yuen, MF; Leung, CH; Tong, Y; Kobayashi, S. (2010). Hepatoprotective effects of berberine on carbon tetrachloride-induced acute hepatotoxicity in rats. *Chinese Medicine*. 5: 33. <http://dx.doi.org/10.1186/1749-8546-5-33>.
- Feng, Y; Sun, C; Yuan, Y; Zhu, Y; Wan, J; Firemping, CK; Omari-Siaw, E; Xu, Y; Pu, Z; Yu, J; Xu, X. (2016). Enhanced oral bioavailability and in vivo antioxidant activity of chlorogenic acid via liposomal formulation. *Int J Pharm*. 501: 342-349. <http://dx.doi.org/10.1016/j.ijpharm.2016.01.081>.
- Feng, Y; Wang, N; Ye, X; Li, H; Feng, Y; Cheung, F; Nagamatsu, T. (2011). Hepatoprotective effect and its possible mechanism of *Coptidis rhizoma* aqueous extract on carbon tetrachloride-induced chronic liver hepatotoxicity in rats. *J Ethnopharmacol*. 138: 683-690. <http://dx.doi.org/10.1016/j.jep.2011.09.032>.
- Fennell, CJ; Li, L; Dill, KA. (2012). Simple liquid models with corrected dielectric constants. *J Phys Chem B*. 116: 6936-6944. <http://dx.doi.org/10.1021/jp3002383>.
- Fernandes, EE; Pulwale, AV; Patil, GA; Moghe, AS. (2016). Probing Regenerative Potential of *Moringa oleifera* Aqueous Extracts Using In vitro Cellular Assays. *Pharmacognosy Res*. 8: 231-237. <http://dx.doi.org/10.4103/0974-8490.188877>.
- Fernando, N; Natoli, R; Valter, K; Provis, J; Rutar, M. (2016). The broad-spectrum chemokine inhibitor NR58-3.14.3 modulates macrophage-mediated inflammation in the diseased retina. *J Neuroinflammation*. 13: 47. <http://dx.doi.org/10.1186/s12974-016-0514-x>.
- Ferrari, RS; Tieppo, M; Rosa, DP; Forgiarini Jr, LA; Dias, AS; Marroni, NP. (2013). Lung and liver changes due to the induction of cirrhosis in two experimental models. *Arq Gastroenterol*. 50: 208-213. <http://dx.doi.org/10.1590/S0004-28032013000200037>.
- Feuser, K; Thon, KP; Bischoff, SC; Lorentz, A. (2012). Human intestinal mast cells are a potent source of multiple chemokines. *Cytokine*. 58: 178-185. <http://dx.doi.org/10.1016/j.cyto.2012.01.001>.
- Fil, D; Borysiewicz, E; Konat, GW. (2011). A broad upregulation of cerebral chemokine genes by peripherally-generated inflammatory mediators. *Metab Brain Dis*. 26: 49-59. <http://dx.doi.org/10.1007/s11011-010-9231-9>.
- Fink, A; Rüfer, CE; Le Grandois, J; Roth, A; Aoude-Werner, D; Marchioni, E; Bub, A; Barth, SW. (2014). Dietary walnut oil modulates liver steatosis in the obese Zucker rat. *Eur J Nutr*. 53: 645-660. <http://dx.doi.org/10.1007/s00394-013-0573-z>.
- Finley, MJ; Clark, KA; Alferiev, IS; Levy, RJ; Stachelek, SJ. (2013). Intracellular signaling mechanisms associated with CD47 modified surfaces. *Biomaterials*. 34: 8640-8649. <http://dx.doi.org/10.1016/j.biomaterials.2013.07.088>.
- Finneran, IA; Welsch, R; Allodi, MA; Miller, TF; Blake, GA. (2016). Coherent two-dimensional terahertz-terahertz-Raman spectroscopy. *Proc Natl Acad Sci USA*. 113: 6857-6861. <http://dx.doi.org/10.1073/pnas.1605631113>.
- Finnson, KW; Philip, A. (2012). Endoglin in liver fibrosis. *Journal of Cell Communication and Signaling*. 6: 1-4. <http://dx.doi.org/10.1007/s12079-011-0154-y>.
- Fiocco, U; Sfriso, P; Oliviero, F; Roux-Lombard, P; Scagliori, E; Cozzi, L; Lunardi, F; Calabrese, F; Vezzù, M; Dainese, S; Molena, B; Scanu, A; Nardacchione, R; Rubaltelli, L; Dayer, JM; Punzi, L. (2010). Synovial effusion and synovial fluid biomarkers in psoriatic arthritis to assess intraarticular tumor necrosis factor- α blockade in the knee joint. *Arthritis Res Ther*. 12: R148. <http://dx.doi.org/10.1186/ar3090>.
- Fiorenza, S; Kenna, TJ; Comerford, I; Mccoll, S; Steptoe, RJ; Leggatt, GR; Frazer, IH. (2012). A combination of local inflammation and central memory T cells potentiates immunotherapy in the skin. *J Immunol*. 189: 5622-5631. <http://dx.doi.org/10.4049/jimmunol.1200709>.

Human Health Hazard Literature Search Results

Off Topic

- Firdous, AP; Sindhu, ER; Kuttan, R. (2011). Hepato-protective potential of carotenoid meso-zeaxanthin against paracetamol, CCl₄ and ethanol induced toxicity. *Indian J Exp Biol.* 49: 44-49.
- Fischer, C; Kleinschnitz, K; Wrede, A; Muth, I; Kruse, N; Nishino, I; Schmidt, J. (2013). Cell stress molecules in the skeletal muscle of GNE myopathy. *BMC Neurol.* 13: 24. <http://dx.doi.org/10.1186/1471-2377-13-24>.
- Fishbourne, E; Abrams, CC; Takamatsu, HH; Dixon, LK. (2013). Modulation of chemokine and chemokine receptor expression following infection of porcine macrophages with African swine fever virus. *Vet Microbiol.* 162: 937-943. <http://dx.doi.org/10.1016/j.vetmic.2012.11.027>.
- Fishbourne, E; Hutet, E; Abrams, C; Cariolet, R; Le Potier, MF; Takamatsu, HH; Dixon, LK. (2013). Increase in chemokines CXCL10 and CCL2 in blood from pigs infected with high compared to low virulence African swine fever virus isolates. *Vet Res.* 44: 87. <http://dx.doi.org/10.1186/1297-9716-44-87>.
- Fitting, S; Zou, S; El-Hage, N; Suzuki, M; Paris, JJ; Schier, CJ; Rodríguez, JW; Rodríguez, M; Knapp, PE; Hauser, KF. (2014). Opiate addiction therapies and HIV-1 Tat: interactive effects on glial [Ca²⁺]_i, oxyradical and neuroinflammatory chemokine production and correlation with neurotoxicity. *Curr HIV Res.* 12: 424-434.
- Flores, RJ; Kelly, AJ; Li, Y; Nakka, M; Barkauskas, DA; Krailo, M; Wang, LL; Perlaky, L; Lau, CC; Hicks, MJ; Man, TK. (2017). A novel prognostic model for osteosarcoma using circulating CXCL10 and FLT3LG. *Cancer.* 123: 144-154. <http://dx.doi.org/10.1002/cncr.30272>.
- Fokunang, CN; Tembe-Fokunang, EA; Ngameni, B; Barkwan, SS; Tomkins, PT; Asongalem, EA; Ngadjui, BT; Ngogang, JY; Abena, OMT; Asonganyi, T. (2010). Toxicogenomics revolution in the optimisation of pharmaceutical drug development and drug safety evaluations. 4: 763-774.
- Fontana, AR; Lana, NB; Martinez, LD; Altamirano, JC. (2010). Ultrasound-assisted leaching-dispersive solid-phase extraction followed by liquid-liquid microextraction for the determination of polybrominated diphenyl ethers in sediment samples by gas chromatography-tandem mass spectrometry. *Talanta.* 82: 359-366. <http://dx.doi.org/10.1016/j.talanta.2010.04.050>.
- Forsberg, A; Abrahamsson, TR; Björkstén, B; Jenmalm, MC. (2014). Pre- and postnatal administration of *Lactobacillus reuteri* decreases TLR2 responses in infants. *Clin Transl Allergy.* 4: 21. <http://dx.doi.org/10.1186/2045-7022-4-21>.
- Førsvoll, J; Kristoffersen, EK; Oymar, K. (2013). Elevated levels of CXCL10 in the Periodic Fever, Aphthous stomatitis, Pharyngitis and cervical Adenitis syndrome (PFAPA) during and between febrile episodes; an indication of a persistent activation of the innate immune system. 11: 38. <http://dx.doi.org/10.1186/1546-0096-11-38>.
- Foti, RS; Rock, DA; Pearson, JT; Wahlstrom, JL; Wienkers, LC. (2011). Mechanism-based inactivation of cytochrome P450 3A4 by mibefradil through heme destruction. *Drug Metab Dispos.* 39: 1188-1195. <http://dx.doi.org/10.1124/dmd.111.038505>.
- Fraga, CG; Zamora, R; Tappel, AL. (1989). Damage to protein synthesis concurrent with lipid peroxidation in rat liver slices: effect of halogenated compounds, peroxides, and vitamin E1. *Arch Biochem Biophys.* 270: 84-91.
- Francis, M; Sun, R; Cervelli, JA; Choi, H; Mandal, M; Abramova, EV; Gow, AJ; Laskin, JD; Laskin, DL. (2017). Editor's Highlight: Role of Spleen-Derived Macrophages in Ozone-Induced Lung Inflammation and Injury. *Toxicol Sci.* 155: 182-195. <http://dx.doi.org/10.1093/toxsci/kfw192>.
- Frank, I; Robbani, M. (2011). Attachment and fusion inhibitors potentially prevent dendritic cell-driven HIV infection. *JAIDS.* 56: 204-212. <http://dx.doi.org/10.1097/QAI.0b013e3181ff2aa5>.
- Frank, SP; Thon, KP; Bischoff, SC; Lorentz, A. (2011). SNAP-23 and syntaxin-3 are required for chemokine release by mature human mast cells. *Mol Immunol.* 49: 353-358. <http://dx.doi.org/10.1016/j.molimm.2011.09.011>.
- Franke, A; Niederfellner, GJ; Klein, C; Burtscher, H. (2011). Antibodies against CD20 or B-cell receptor induce similar transcription patterns in human lymphoma cell lines. *PLoS ONE.* 6: e16596. <http://dx.doi.org/10.1371/journal.pone.0016596>.
- Freeman, CM; Martinez, FJ; Han, MK; Washko, GR; McCubbrey, AL; Chensue, SW; Arenberg, DA; Meldrum, CA; McCloskey, L; Curtis, JL. (2013). Lung CD8+ T cells in COPD have increased expression of bacterial TLRs. *Respir Res.* 14: 13. <http://dx.doi.org/10.1186/1465-9921-14-13>.
- Fu, G; Zeng, Q; Zhao, L; Zhang, Y; Feng, BJ; Wang, R; Zhang, L; Wang, Y; Hou, CC. (2015). [Health Risk Assessment of Drinking Water Quality in Tianjin Based on GIS]. *Huanjing Kexue.* 36: 4553-4560.
- Fu, QS; Boonchayaanant, B; Tang, W; Trost, BM; Criddle, CS. (2009). Simple menaquinones reduce carbon tetrachloride and iron (III) Biodegradation. 20: 109-116. <http://dx.doi.org/10.1007/s10532-008-9204-4>.
- Fu, XY; Zhang, DW; Li, YD; Zhao, PW; Tang, YQ; Niu, JZ; Li, Y. (2015). Curcumin treatment suppresses CCR7 expression and the differentiation and migration of human circulating fibrocytes. *Cell Physiol Biochem.* 35: 489-498. <http://dx.doi.org/10.1159/000369714>.
- Fuchs, BC; Hoshida, Y; Fujii, T; Wei, L; Yamada, S; Lauwers, GY; McGinn, CM; Deperalta, DK; Chen, X; Kuroda, T; Lanuti, M; Schmitt, AD; Gupta, S; Crenshaw, A; Onofrio, R; Taylor, B; Winckler, W; Bardeesy, N; Caravan, P; Golub, TR; Tanabe, KK. (2014). Epidermal growth factor receptor inhibition attenuates liver fibrosis and development of hepatocellular carcinoma. *Hepatology.* 59: 1577-1590. <http://dx.doi.org/10.1002/hep.26898>.
- Fuchs, BC; Wang, H; Yang, Y; Wei, L; Polasek, M; Schühle, DT; Lauwers, GY; Parkar, A; Sinskey, AJ; Tanabe, KK; Caravan, P. (2013). Molecular MRI of collagen to diagnose and stage liver fibrosis. *J Hepatol.* 59: 992-998. <http://dx.doi.org/10.1016/j.jhep.2013.06.026>.
- Fujimoto, M; Tsuneyama, K; Fujimoto, T; Selmi, C; Gershwin, ME; Shimada, Y. (2012). Spirulina improves non-alcoholic steatohepatitis, visceral fat macrophage aggregation, and serum leptin in a mouse model of metabolic syndrome. *Dig Liver Dis.* 44: 767-774. <http://dx.doi.org/10.1016/j.dld.2012.02.002>.
- Fujisawa, T; Murase, K; Kanoh, H; Takemura, M; Ohnishi, H; Seishima, M. (2012). Adsorptive depletion of CD14⁺CD16⁺ proinflammatory monocyte phenotype in patients with generalized pustular psoriasis: clinical efficacy and effects on cytokines. 16: 436-444. <http://dx.doi.org/10.1111/j.1744-9987.2012.01108.x>.
- Fumoto, S; Furukawa, H; Nakamura, J; Nishida, K. (2011). Safety of liver surface instillation of plasmid DNA in normal and carbon tetrachloride-induced hepatitis mice. *J Pharm Pharm Sci.* 14: 274-282.

Human Health Hazard Literature Search Results

Off Topic

- Funk, CJ; Wang, J; Ito, Y; Travanty, EA; Voelker, DR; Holmes, KV; Mason, RJ. (2012). Infection of human alveolar macrophages by human coronavirus strain 229E. *J Gen Virol.* 93: 494-503. <http://dx.doi.org/10.1099/vir.0.038414-0>.
- Furmaniak, S; Terzyk, AP; Gauden, PA; Wesołowski, RP; Kowalczyk, P. (2009). Ar, CCl(4) and C(6)H(6) adsorption outside and inside of the bundles of multi-walled carbon nanotubes-simulation study. *Phys Chem Chem Phys.* 11: 4982-4995. <http://dx.doi.org/10.1039/b821633a>.
- Furtado, KS; Polletini, J; Dias, MC; Rodrigues, MA; Barbisan, LF. (2014). Prevention of rat liver fibrosis and carcinogenesis by coffee and caffeine. *Food Chem Toxicol.* 64: 20-26. <http://dx.doi.org/10.1016/j.fct.2013.11.011>.
- Futakawa, S; Kitazume, S; Oka, R; Ogawa, K; Hagiwara, Y; Kinoshita, A; Miyashita, K; Hashimoto, Y. (2009). Development of sandwich enzyme-linked immunosorbent assay systems for plasma beta-galactoside alpha2,6-sialyltransferase, a possible hepatic disease biomarker. *Anal Chim Acta.* 631: 116-120. <http://dx.doi.org/10.1016/j.aca.2008.10.028>.
- Futami, Y; Ozaki, Y; Ozaki, Y. (2016). Absorption intensity changes and frequency shifts of fundamental and first overtone bands for OH stretching vibration of methanol upon methanol-pyridine complex formation in CCl4: analysis by NIR/IR spectroscopy and DFT calculations. *Phys Chem Chem Phys.* 18: 5580-5586. <http://dx.doi.org/10.1039/c5cp07027a>.
- Gäbele, E; Froh, M; Arteel, GE; Uesugi, T; Hellerbrand, C; Schölmerich, J; Brenner, DA; Thurman, RG; Rippe, RA. (2009). TNFalpha is required for cholestasis-induced liver fibrosis in the mouse. *Biochem Biophys Res Commun.* 378: 348-353. <http://dx.doi.org/10.1016/j.bbrc.2008.10.155>.
- Gaikwad, V; Kennedy, E; Mackie, J; Holdsworth, C; Molloy, S; Kundu, S; Stockenhuber, M; Dlugogorski, B. (2014). Reaction of carbon tetrachloride with methane in a non-equilibrium plasma at atmospheric pressure, and characterisation of the polymer thus formed. *J Hazard Mater.* 280: 38-45. <http://dx.doi.org/10.1016/j.jhazmat.2014.07.049>.
- Gaixia, G. (2012). Hepatoprotective effects of 20-hydroxyecdysone against CCl4-induced liver injury in rat. *J Gastroenterol Hepatol.* 27: 204-204.
- Galabov, B; Koleva, G; Simova, S; Hadjieva, B; Schaefer, HF; Schleyer, P, v. (2014). Arenium ions are not obligatory intermediates in electrophilic aromatic substitution. *Proc Natl Acad Sci USA.* 111: 10067-10072. <http://dx.doi.org/10.1073/pnas.1405065111>.
- Galabov, B; Nalbantova, D; Schleyer, P, v; Schaefer, HF. (2016). Electrophilic Aromatic Substitution: New Insights into an Old Class of Reactions. *Acc Chem Res.* 49: 1191-1199. <http://dx.doi.org/10.1021/acs.accounts.6b00120>.
- Galicía, M; Aldaba, LR; Muriel, P. (2010). N-ACETYLCYSTEINE REVERSES CIRRHOSIS INDUCED BY CCL4 IN THE RAT. *J Hepatol.* 52: S206-S206.
- Gallais, Y; Szely, N; Legrand, FX; Leroy, A; Pallardy, M; Turbica, I. (2016). Effect of growth hormone and IgG aggregates on dendritic cells activation and T-cells polarization. *Immunol Cell Biol.* <http://dx.doi.org/10.1038/icb.2016.100>.
- Gallego, E; Roca, FJ; Perales, JF; Guardino, X. (2010). Comparative study of the adsorption performance of a multi-sorbent bed (Carbotrap, Carboxen 569) and a Tenax TA adsorbent tube for the analysis of volatile organic compounds (VOCs). *Talanta.* 81: 916-924. <http://dx.doi.org/10.1016/j.talanta.2010.01.037>.
- Galli, A; Schiestl, RH. (1995). Salmonella test positive and negative carcinogens show different effects on intrachromosomal recombination in G2 cell cycle arrested yeast cells. *Carcinogenesis.* 16: 659-663.
- Galloway, SM. (2000). Cytotoxicity and chromosome aberrations in vitro: Experience in industry and the case for an upper limit on toxicity in the aberration assay. *Environ Mol Mutagen.* 35: 191-201. [http://dx.doi.org/10.1002/\(SICI\)1098-2280\(2000\)35:3<191::AID-EM6>3.0.CO;2-4](http://dx.doi.org/10.1002/(SICI)1098-2280(2000)35:3<191::AID-EM6>3.0.CO;2-4).
- Gan, K; Yang, L; Xu, L; Feng, X; Zhang, Q; Wang, F; Tan, W; Zhang, M. (2016). Iguratimod (T-614) suppresses RANKL-induced osteoclast differentiation and migration in RAW264.7 cells via NF-κB and MAPK pathways. *Int Immunopharmacol.* 35: 294-300. <http://dx.doi.org/10.1016/j.intimp.2016.03.038>.
- Ganesan, B; Anandan, R. (2009). Protective effect of betaine on changes in the levels of lysosomal enzyme activities in heart tissue in isoprenaline-induced myocardial infarction in Wistar rats. *Cell Stress Chaperones.* 14: 661-667. <http://dx.doi.org/10.1007/s12192-009-0111-3>.
- Ganie, SA; Dar, TA; Zargar, B; Hamid, R; Zargar, O; Dar, PA; Abeer, SU; Masood, A; Amin, S; Zargar, MA. (2014). Antioxidant and hepatoprotective effects of *Crataegus songarica* methanol extract. 33: 131-143.
- Gao, BIN. (2013). Immunologic Mechanisms of Alcoholic Liver Disease.
- Gao, BIN. (2014). Immunologic Mechanisms of Alcoholic Liver Disease.
- Gao, CF; Zhou, FG; Wang, H; Huang, YF; Ji, Q; Chen, J. (2009). Genetic recombinant expression and characterization of human augments of liver regeneration. *Dig Dis Sci.* 54: 530-537. <http://dx.doi.org/10.1007/s10620-008-0372-1>.
- Gao, J; Jiang, X; Teng, L, i; Shahzad, M; Zhang, D; Hou, B, o; Han, Z; Wang, L; Zhang, K; Li, J. (2013). PROTECTIVE EFFECTS OF HERPETOSPERMUM CAUDIGERUM EXTRACT AGAINST LIVER INJURY INDUCED BY CARBON TETRACHLORIDE IN MICE. *J Investig Med.* 61: S5-S5.
- Gao, S; Duan, X; Wang, X; Dong, D; Liu, D; Li, X; Sun, G; Li, B. (In Press) Curcumin attenuates arsenic-induced hepatic injuries and oxidative stress in experimental mice through activation of Nrf2 pathway, promotion of arsenic methylation and urinary excretion. *Food Chem Toxicol.* 59: 739-747. <http://dx.doi.org/10.1016/j.fct.2013.07.032>.
- Gao, Z; Zhang, J; Li, L; Shen, L; Li, Q; Zou, Y; Du, X; Zhao, Z. (2016). Heat shock proteins 27 and 70 contribute to the protection of Schisandrin B against d-galactosamine-induced liver injury in mice. *Can J Physiol Pharmacol.* 94: 373-378. <http://dx.doi.org/10.1139/cjpp-2015-0419>.
- Garberg, P; Akerblom, EL; Bolcsfoldi, G. (1988). Evaluation of a genotoxicity test measuring DNA-strand breaks in mouse lymphoma cells by alkaline unwinding and hydroxyapatite elution. *Mutat Res.* 203: 155-176. [http://dx.doi.org/10.1016/0165-1161\(88\)90101-X](http://dx.doi.org/10.1016/0165-1161(88)90101-X).
- García-Hernández, M; Hamada, H; Reome, JB; Misra, SK; Tighe, MP; Dutton, RW. (2010). Adoptive transfer of tumor-specific Tc17 effector T cells controls the growth of B16 melanoma in mice. *J Immunol.* 184: 4215-4227. <http://dx.doi.org/10.4049/jimmunol.0902995>.

Human Health Hazard Literature Search Results

Off Topic

- Garg, A; Houlihan, DD; Aldridge, V; Suresh, S; Li, KK; King, AL; Sutaria, R; Fear, J; Bhogal, RH; Lalor, PF; Newsome, PN. (2014). Non-enzymatic dissociation of human mesenchymal stromal cells improves chemokine-dependent migration and maintains immunosuppressive function. *Cytotherapy*. 16: 545-559. <http://dx.doi.org/10.1016/j.jcyt.2013.10.003>.
- Garrett, RH; Grisham, CM. (1999). *Biochemistry: 2nd edition*. New York, NY: Saunders College Publishing.
- Gasnier, C; Benachour, N; Clair, E; Travert, C; Langlois, F; Laurant, C; Decroix-Laporte, C; Séralini, GE. (2010). Dig1 protects against cell death provoked by glyphosate-based herbicides in human liver cell lines. *J Occup Med Toxicol*. 5: 29. <http://dx.doi.org/10.1186/1745-6673-5-29>.
- Gasnier, C; Laurant, C; Decroix-Laporte, C; Mesnage, R; Clair, E; Travert, C; Séralini, GE. (2011). Defined plant extracts can protect human cells against combined xenobiotic effects. *J Occup Med Toxicol*. 6: 3. <http://dx.doi.org/10.1186/1745-6673-6-3>.
- Gatehouse, D; Haworth, S; Cebula, T; Gocke, E; Kier, L; Matsushima, T; Melcion, C; Nohmi, T; Ohta, T; Venitt, S. (1994). Recommendations for the performance of bacterial mutation assays [Review]. *Mutat Res*. 312: 217-233.
- Gautam, A; Dixit, S; Philipp, MT; Singh, SR; Morici, LA; Kaushal, D; Dennis, VA. (2011). Interleukin-10 alters effector functions of multiple genes induced by *Borrelia burgdorferi* in macrophages to regulate Lyme disease inflammation. *Infect Immun*. 79: 4876-4892. <http://dx.doi.org/10.1128/IAI.05451-11>.
- Gawade, SP; Rao, CM. (2012). Antihepatotoxic Activities of Ci Compound: beta Sitosterol Isolated from Fruits and Leaves of *Coccinia indica*. 46: 4-8.
- Gaynes, BI; Ill, WJ. (1989). Carbon tetrachloride and the sorbitol pathway in the diabetic mouse. *Comp Biochem Physiol B Biochem Mol Biol*. 94: 213-217.
- Ge, ZY; Wan, PJ; Li, GQ; Xia, YG; Han, ZJ. (2014). Characterization of cysteine protease-like genes in the striped rice stem borer, *Chilo suppressalis*. *Genome*. 57: 79-88. <http://dx.doi.org/10.1139/gen-2013-0188>.
- Gearhart, JM; Mahle, DA; Greene, RJ; Seckel, CS; Flemming, CD; Fisher, JW; Ill, CH. (1993). Variability of physiologically based pharmacokinetic (PBPK) model parameters and their effects on PBPK model predictions in a risk assessment for perchloroethylene (PCE). *Toxicol Lett*. 68: 131-144. [http://dx.doi.org/10.1016/0378-4274\(93\)90126-1](http://dx.doi.org/10.1016/0378-4274(93)90126-1).
- Geelen, LMJ; Huijbregts, MAJ; Den Hollander, H; Ragas, AMJ; van Jaarsveld, HA; de Zwart, D. (2009). Confronting environmental pressure, environmental quality and human health impact indicators of priority air emissions. *Atmos Environ*. 43: 1613-1621. <http://dx.doi.org/10.1016/j.atmosenv.2008.12.002>.
- Geluk, A; van Meijgaarden, KE; Wilson, L; Bobosha, K; van Der Ploeg-van Schip, JJ; van Den Eeden, SJ; Quinten, E; Dijkman, K; Franken, KL; Haisma, EM; Haks, MC; van Hees, CL; Ottenhoff, TH. (2014). Longitudinal immune responses and gene expression profiles in type 1 leprosy reactions. *J Clin Immunol*. 34: 245-255. <http://dx.doi.org/10.1007/s10875-013-9979-x>.
- Gessner, MA; Werner, JL; Lilly, LM; Nelson, MP; Metz, AE; Dunaway, CW; Chan, YR; Ouyang, W; Brown, GD; Weaver, CT; Steele, C. (2012). Dectin-1-dependent interleukin-22 contributes to early innate lung defense against *Aspergillus fumigatus*. *Infect Immun*. 80: 410-417. <http://dx.doi.org/10.1128/IAI.05939-11>.
- Ghandforoush-Sattari, M; Mashayekhi, S; Nemat, M; Routledge, PA. (2009). A Rapid Determination of Taurine in Human Plasma by LC. *Chromatographia*. 69: 1427-1430. <http://dx.doi.org/10.1365/s10337-009-1055-6>.
- Ghavami, M; Koochi, M; Ahmadi, A; Zandi, H; Kassaee, MZ. (2014). Diastereoselective Synthesis of N-(p-Tosylsulfonyl)-2-Phenylaziridine Over a Novel Magnetically Recyclable Cu(II) Catalyst Accompanied with the N-Inversion Assessment at DFT. *Comb Chem High Throughput Screen*. 17: 756-762.
- Ghia, P; Coutre, SE; Furman, RR; Cheson, BD; Pagel, JM; Hillmen, P; Barrientos, JC; Zelenetz, AD; Kipps, TJ; Flinn, IW; Hallek, MJ; Coiffier, B; O'Brien, SM; Stilgenbauer, S; Jiang, W; Jahn, TM; Wong, M; Lazarov, M; Sharman, JP. (2014). EFFECT OF IDELALISIB/RITUXIMAB COMBINATION TREATMENT OF RELAPSED CLL ON THE BCR SIGNALING-RELATED CHEMOKINES CCL3 AND CCL4: DATA FROM A PHASE 3, RANDOMIZED, DOUBLE-BLIND, PLACEBO-CONTROLLED TRIAL. *Haematologica*. 99: 56-57.
- Ghodbane, H; Hamdaoui, O. (2009). Intensification of sonochemical decolorization of anthraquinonic dye Acid Blue 25 using carbon tetrachloride. *Ultrason Sonochem*. 16: 455-461. <http://dx.doi.org/10.1016/j.ultsonch.2008.12.005>.
- Ghorbel, MT; Cherif, M; Mokhtari, A; Bruno, VD; Caputo, M; Angelini, GD. (2010). Off-pump coronary artery bypass surgery is associated with fewer gene expression changes in the human myocardium in comparison with on-pump surgery. *Physiol Genomics*. 42: 67-75. <http://dx.doi.org/10.1152/physiolgenomics.00174.2009>.
- Ghosh, D; Ghosh, S; Sarkar, S; Ghosh, A; Das, N; Das Saha, K; Mandal, AK. (2010). Quercetin in vesicular delivery systems: evaluation in combating arsenic-induced acute liver toxicity associated gene expression in rat model. *Chem Biol Interact*. 186: 61-71. <http://dx.doi.org/10.1016/j.cbi.2010.03.048>.
- Gieling, RG; Elsharkawy, AM; Caamaño, JH; Cowie, DE; Wright, MC; Ebrahimkhani, MR; Burt, AD; Mann, J; Raychaudhuri, P; Liou, HC; Oakley, F; Mann, DA. (2010). The c-Rel subunit of nuclear factor-kappaB regulates murine liver inflammation, wound-healing, and hepatocyte proliferation. *Hepatology*. 51: 922-931. <http://dx.doi.org/10.1002/hep.23385>.
- Gieling, RG; Wallace, K; Han, YP. (2009). Interleukin-1 participates in the progression from liver injury to fibrosis. *Am J Physiol Gastrointest Liver Physiol*. 296: G1324-G1331. <http://dx.doi.org/10.1152/ajpgi.90564.2008>.
- Gilks, WR; Richardson, S; Spiegelhalter, DJ. (1995). *Markov chain Monte Carlo in practice*. Boca Raton, FL: Chapman & Hall/CRC Press. <http://www.crcpress.com/product/isbn/9780412055515>.
- Ginsberg, G; Hattis, D; Sonawane, B; Russ, A; Banati, P; Kozlak, M; Smolenski, S; Goble, R. (2002). Evaluation of child/adult pharmacokinetic differences from a database derived from the therapeutic drug literature. *Toxicol Sci*. 66: 185-200.

Human Health Hazard Literature Search Results

Off Topic

- Girish, C; Koner, BC; Jayanthi, S; Ramachandra Rao, K; Rajesh, B; Pradhan, SC. (2009). Hepatoprotective activity of picroliv, curcumin and ellagic acid compared to silymarin on paracetamol induced liver toxicity in mice. *Fundam Clin Pharmacol*. 23: 735-745. <http://dx.doi.org/10.1111/j.1472-8206.2009.00722.x>.
- Girish, C; Koner, BC; Jayanthi, S; Rao, KR; Rajesh, B; Pradhan, SC. (2009). Hepatoprotective activity of six polyherbal formulations in CCl₄-induced liver toxicity in mice. *Indian J Exp Biol*. 47: 257-263.
- Glatz, M; Means, T; Haas, J; Steere, AC; Müllegger, RR. (2016). Characterization of the early local immune response to Ixodes ricinus tick bites in human skin. *Experimental Dermatology Online*. <http://dx.doi.org/10.1111/exd.13207>.
- Glavatskikh, M; Madzhidov, T; Solov'ev, V; Marcou, G; Horvath, D; Varnek, A. (2016). Predictive Models for the Free Energy of Hydrogen Bonded Complexes with Single and Cooperative Hydrogen Bonds. *Molecular Informatics*. 35: 629-638. <http://dx.doi.org/10.1002/minf.201600070>.
- Gmiterek, A; Klopot, A; Wójtowicz, H; Trindade, SC; Olczak, M; Olczak, T. (2016). Immune response of macrophages induced by *Porphyromonas gingivalis* requires HmuY protein. *Immunobiology*. 221: 1382-1394. <http://dx.doi.org/10.1016/j.imbio.2016.07.007>.
- Gnainsky, Y; Granot, I; Aldo, P; Barash, A; Or, Y; Mor, G; Dekel, N. (2015). Biopsy-induced inflammatory conditions improve endometrial receptivity: the mechanism of action. *Reproduction*. 149: 75-85. <http://dx.doi.org/10.1530/REP-14-0395>.
- Go, J; Kim, JE; Koh, EK; Song, SH; Seung, JE; Park, CK; Lee, HA; Kim, HS; Lee, JH; An, BS; Yang, SY; Lim, Y; Hwang, DY. (2015). Hepatotoxicity and nephrotoxicity of gallotannin-enriched extract isolated from *Galla Rhois* in ICR mice. *Lab Anim Res*. 31: 101-110. <http://dx.doi.org/10.5625/lar.2015.31.3.101>.
- Gobert, GN; Nawaratna, SK; Harvie, M; Ramm, GA; Mcmanus, DP. (2015). An ex vivo model for studying hepatic schistosomiasis and the effect of released protein from dying eggs. *P L o S Neglected Tropical Diseases*. 9: e0003760. <http://dx.doi.org/10.1371/journal.pntd.0003760>.
- Gola, J; Dudek, S; Jasik, K; Solarz, K; Muc-Wierzgon, M; Kokot, T; Nowakowska-Zajdel, E; Ziolk, E; Fatyga, E; Mazurek, U. (2014). THE IMPACT OF THREE GENOSPECIES OF *BORRELIA* ON EXPRESSION OF GENES ASSOCIATED WITH CHEMOKINES AND THEIR RECEPTORS IN NORMAL HUMAN DERMAL FIBROBLASTS IN VITRO. 12: 277-285.
- Golash, N; Gogate, PR. (2012). Degradation of dichlorvos containing wastewaters using sonochemical reactors. *Ultrason Sonochem*. 19: 1051-1060. <http://dx.doi.org/10.1016/j.ultsonch.2012.02.011>.
- Golubeva, EN; Kharitonov, DN; Kochubey, DI; Ikorskii, VN; Kriventsov, VV; Kokorin, AI; Stoetsner, J; Bahnemann, DW. (2009). Formation of active catalysts in the system: chlorocuprates-CCl₄-n-C₁₀H₂₂. *J Phys Chem A*. 113: 10219-10223. <http://dx.doi.org/10.1021/jp900742r>.
- Gomez-Hurtado, I; Zapater, P; Peiro, G; Gonzalez-Navajas, JM; Perez-Mateo, M; Such, J; Sanz, Y; Frances, R. (2012). ORAL ADMINISTRATION OF *B. INFANTIS* FAVOURS A REDUCTION IN MESENTERIC LYMPH NODE BACTERIAL DNA TRANSLOCATION EPISODES IN MICE WITH CARBON TETRACHLORIDE-INDUCED CIRRHOSIS. *J Hepatol*. 56: S229-S229.
- Gonçalves, LA; Rodo, J; Rodrigues-Duarte, L; de Moraes, LV; Penha-Gonçalves, C. (2017). HGF Secreted by Activated Kupffer Cells Induces Apoptosis of Plasmodium-Infected Hepatocytes. 8: 90. <http://dx.doi.org/10.3389/fimmu.2017.00090>.
- Gong, F; Yin, Z; Xu, Q; Kang, W. (2012). Hepatoprotective effect of *Mitragyna rotundifolia* Kuntze on CCl₄-induced acute liver injury in mice. 6: 330-335. <http://dx.doi.org/10.5897/AJPP11.766>.
- Gong, JH; Nicholls, EF; Elliott, MR; Brown, KL; Hokamp, K; Roche, FM; Cheung, CY; Falsafi, R; Brinkman, FS; Bowdish, DM; Hancock, RE. (2010). G-protein-coupled receptor independent, immunomodulatory properties of chemokine CXCL9. *Cell Immunol*. 261: 105-113. <http://dx.doi.org/10.1016/j.cellimm.2009.11.007>.
- Gonsalves, C; Kalra, VK. (2010). Endothelin-1-induced macrophage inflammatory protein-1beta expression in monocytic cells involves hypoxia-inducible factor-1alpha and AP-1 and is negatively regulated by microRNA-195. *J Immunol*. 185: 6253-6264. <http://dx.doi.org/10.4049/jimmunol.1000660>.
- González, R; De la Rosa, AJ; Romero-Brufau, S; Barrera-Pulido, L; Gallardo-Chamizo, F; Pereira, S; Marín, LM; Álamo, JM; Rodríguez-Hernández, Á; Padillo, FJ; Muntané, J. (2015). Nitric Oxide Synthase Type III Overexpression By Gene Therapy Exerts Antitumoral Activity In Mouse Hepatocellular Carcinoma. 5: 420-421. <http://dx.doi.org/10.1016/j.redox.2015.09.032>.
- González-Martín, A; Gómez, L; Lustgarten, J; Mira, E; Mañes, S. (2011). Maximal T cell-mediated antitumor responses rely upon CCR5 expression in both CD4(+) and CD8(+) T cells. *Cancer Res*. 71: 5455-5466. <http://dx.doi.org/10.1158/0008-5472.CAN-11-1687>.
- Goo, MJ; Ki, MR; Lee, HR; Yang, HJ; Yuan, DW; Hong, IH; Park, JK; Hong, KS; Han, JY; Hwang, OK; Kim, DH; Do, SH; Cohn, RD; Jeong, KS. (2009). *Helicobacter pylori* promotes hepatic fibrosis in the animal model. *Lab Invest*. 89: 1291-1303. <http://dx.doi.org/10.1038/labinvest.2009.90>.
- Gorges, TM; Kuske, A; Röck, K; Mauermann, O; Müller, V; Peine, S; Verpoort, K; Novosadova, V; Kubista, M; Riethdorf, S; Pantel, K. (2016). Accession of Tumor Heterogeneity by Multiplex Transcriptome Profiling of Single Circulating Tumor Cells. *Clin Chem*. 62: 1504-1515. <http://dx.doi.org/10.1373/clinchem.2016.260299>.
- Gosselin, RE; Hodge, HC; Smith, RP; Gleason, MN. (1976). *Acute poisoning Clinical toxicology of commercial products* (4 ed.). Baltimore, MD: Williams & Wilkins.
- Gotoh, Y; Iwata, G; Choh, K; Kubota, M; Matsuda, H. (2011). Trichloroethylene decomposition and in-situ dry sorption of Cl-products by calcium oxides prepared from hydrated limes. *Chemosphere*. 85: 637-642. <http://dx.doi.org/10.1016/j.chemosphere.2011.07.010>.
- Gou, W; Xu, L; Wang, Y; Yu, W; Zhong, Z; Gao, J; Chen, H; Wang, Y. (2013). Mitochondrial protective effects of *Myrica rubra* extract against acetaminophen-induced toxicity. *Am J Chin Med*. 41: 1053-1064. <http://dx.doi.org/10.1142/S0192415X13500717>.
- Gou, X; Tao, Q; Feng, Q; Peng, J; Sun, S; Cao, H; Zheng, N; Zhang, Y; Hu, Y; Liu, P. (2013). Urinary metabolomics characterization of liver fibrosis induced by CCl₄ in rats and intervention effects of Xia Yu Xue Decoction. *J Pharm Biomed Anal*. 74: 62-65. <http://dx.doi.org/10.1016/j.jpba.2012.09.021>.

Human Health Hazard Literature Search Results

Off Topic

- Goudarshivananavar, BC; Vigneshwaran, V; Dharmappa, KK; Pramod, SN. (2015). Pharmacological Potential of Tetrahydrofurano/Pyranol Quinoline and Benzo[b]furoindolyl Derivatives in Acute Inflammation, Pain and Oxidative Stress. 13: 165-173.
- Goudarshivananavar, BC; Vigneshwaran, V; Somegowda, M; Dharmappa, KK; Pramod, SN. (2015). Therapeutic potential of Polyalthia cerasoides stem bark extracts against oxidative stress and nociception. *Ancient Science of Life*. 35: 70-78. <http://dx.doi.org/10.4103/0257-7941.171667>.
- Gound, SS; Thakare, VN; Khan, S; Wadekar, RR; Naik, SR. (2015). Ameliorative effects of *Tricholepis glaberrima* in experimentally induced hepatic damage in rats: modulation of cytokines functions. *J Ethnopharmacol*. 160: 164-172. <http://dx.doi.org/10.1016/j.jep.2014.11.037>.
- Gouthamchandra, K; Mahmood, R; Manjunatha, H. (2010). Free radical scavenging, antioxidant enzymes and wound healing activities of leaves extracts from *Clerodendrum infortunatum* L. *Environ Toxicol Pharmacol*. 30: 11-18. <http://dx.doi.org/10.1016/j.etap.2010.03.005>.
- Govindan, M; Bond, AM; Moon, IS. (2017). Implementation of concurrent electrolytic generation of two homogeneous mediators under widened potential conditions to facilitate removal of air-pollutants. *Sci Rep*. 7: 29. <http://dx.doi.org/10.1038/s41598-017-00058-2>.
- Graber, DJ; Costine, BA; Hickey, WF. (2015). Early inflammatory mediator gene expression in two models of traumatic brain injury: ex vivo cortical slice in mice and in vivo cortical impact in piglets. *J Neuroinflammation*. 12: 76. <http://dx.doi.org/10.1186/s12974-015-0298-4>.
- Grabska, J; Beć, KB; Ozaki, Y; Huck, CW. (2017). Temperature Drift of Conformational Equilibria of Butyl Alcohols Studied by Near-Infrared Spectroscopy and Fully Anharmonic DFT. *J Phys Chem A*. <http://dx.doi.org/10.1021/acs.jpca.7b00646>.
- Grace, JA; Klein, S; Herath, CB; Granzow, M; Schierwagen, R; Masing, N; Walther, T; Sauerbruch, T; Burrell, LM; Angus, PW; Trebicka, J. (2013). Activation of the MAS receptor by angiotensin-(1-7) in the renin-angiotensin system mediates mesenteric vasodilatation in cirrhosis. *Gastroenterology*. 145: 874-884.e875. <http://dx.doi.org/10.1053/j.gastro.2013.06.036>.
- Grasl-Kraupp, B; Ruttkay-Nedecky, B; Koudelka, H; Bukowska, K; Bursch, W; Schulte-Hermann, R. (1995). In situ detection of fragmented DNA (TUNEL assay) fails to discriminate among apoptosis, necrosis, and autolytic cell death: A cautionary note. *Hepatology*. 21: 1465-1468.
- Graziano, G. (2014). On the mechanism of cold denaturation. *Phys Chem Chem Phys*. 16: 21755-21767. <http://dx.doi.org/10.1039/c4cp02729a>.
- Gribilas, G; Zarros, A; Zira, A; Giaginis, C; Tsourouflis, G; Liapi, C; Spiliopoulou, C; Theocharis, SE. (2009). Involvement of hepatic stimulator substance in experimentally induced fibrosis and cirrhosis in the rat. *Dig Dis Sci*. 54: 2367-2376. <http://dx.doi.org/10.1007/s10620-008-0623-1>.
- Grip, O; Janciauskiene, S. (2009). Atorvastatin reduces plasma levels of chemokine (CXCL10) in patients with Crohn's disease. *PLoS ONE*. 4: e5263. <http://dx.doi.org/10.1371/journal.pone.0005263>.
- Gros, E; Bussmann, C; Bieber, T; Förster, I; Novak, N. (2009). Expression of chemokines and chemokine receptors in lesional and nonlesional upper skin of patients with atopic dermatitis. *J Allergy Clin Immunol*. 124: 753-760.e751. <http://dx.doi.org/10.1016/j.jaci.2009.07.004>.
- Group, FW. (2000). Nonclinical assessment of potential hepatotoxicity in man (a concept paper meant to provide a framework for discussion at a February 12&13 Workshop. FDA Working Group.
- Gruaz, L; Delucinge-Vivier, C; Descombes, P; Dayer, JM; Burger, D. (2010). Blockade of T cell contact-activation of human monocytes by high-density lipoproteins reveals a new pattern of cytokine and inflammatory genes. *PLoS ONE*. 5: e9418. <http://dx.doi.org/10.1371/journal.pone.0009418>.
- Gruttadauria, S; Grosso, G; Pagano, D; Biondi, A; Echeverri, GJ; Seria, E; Pietrosi, G; Liotta, R; Basile, F; Gridelli, B. (2013). Marrow-derived mesenchymal stem cells restore biochemical markers of acute liver injury in experimental model. *Transplant Proc*. 45: 480-486. <http://dx.doi.org/10.1016/j.transproceed.2012.06.087>.
- Grygorczuk, S; Osada, J; Parczewski, M; Moniuszko, A; Świerzbńska, R; Kondrusik, M; Czupryna, P; Dunaj, J; Dąbrowska, M; Pancewicz, S. (2016). The expression of the chemokine receptor CCR5 in tick-borne encephalitis. *J Neuroinflammation*. 13: 45. <http://dx.doi.org/10.1186/s12974-016-0511-0>.
- Gu, H; Gu, X; Xu, Q; Kang, WY. (2014). Antioxidant activity in vitro and hepatoprotective effect of *Phlomis maximowiczii* in vivo. *African Journal of Traditional, Complementary and Alternative Medicines*. 11: 46-52.
- Gu, J; Yuan, Z; Tan, R; Zhang, X. (2015). Isolation of herpetin from *Herpetospermum* seed and hepatoprotective activity of liposomal herpetin against carbon tetrachloride-induced liver injury in mice. *Pharmazie*. 70: 745-752.
- Gu, L; Deng, WS; Sun, XF; Zhou, H; Xu, Q. (2016). Rapamycin ameliorates CCl4-induced liver fibrosis in mice through reciprocal regulation of the Th17/Treg cell balance. *Mol Med Rep*. 14: 1153-1161. <http://dx.doi.org/10.3892/mmr.2016.5392>.
- Gu, L; Tao, X; Xu, Y; Han, X; Qi, Y; Xu, L; Yin, L; Peng, J. (2016). Dioscin alleviates BDL- and DMN-induced hepatic fibrosis via Sirt1/Nrf2-mediated inhibition of p38 MAPK pathway. *Toxicol Appl Pharmacol*. 292: 19-29. <http://dx.doi.org/10.1016/j.taap.2015.12.024>.
- Gu, W, ei; Hao, XJ; Liu, HX, in; Wang, Y, ueHu; Long, CL, in. (2013). Acylated iridoid glycosides and acylated rhamnopyranoses from *Gmelina arborea* flowers. *Phytochemistry Letters*. 6: 681-685. <http://dx.doi.org/10.1016/j.phytol.2013.08.016>.
- Guazzone, VA; Jacobo, P; Theas, MS; Lustig, L. (2009). Cytokines and chemokines in testicular inflammation: A brief review [Review]. *Microsc Res Tech*. 72: 620-628. <http://dx.doi.org/10.1002/jemt.20704>.
- Gubskii, I, ul; Kurskii, MD; Zadorina, OV; Fedorov, AN; Briuzgina, TS; Iurzhenko, NN. (1990). [Calcium transport in endoplasmic reticulum of the rat liver during lipid peroxidation]. *Biokhimiya*. 55: 12-22.
- Gubs'kyi, I, ul; Goriushko, GG; Belenichev, IF; Kovalenko, SI; Litvinova, NV; Marchenko, OM; Kurapova, TM; Babenko, LP; Velychko, OM. (2010). [The influence of N-, S-containing chinasolone derivatives (NC-224) on the biochemical and physicochemical parameters of membrane endoplasmic reticulum and nuclear chromatin fractions of rats liver cells in conditions of its injury by tetrachloromethane]. 82: 93-99.
- Gudi, G; Krämer, A; Krüger, H; Hennig, L; Schulz, H. (2014). Discrimination of fennel chemotypes applying IR and Raman spectroscopy: discovery of a new γ -asarone chemotype. *J Agric Food Chem*. 62: 3537-3547. <http://dx.doi.org/10.1021/jf405752x>.

Human Health Hazard Literature Search Results

Off Topic

- Guedes, PM; Veloso, VM; Talvani, A; Diniz, LF; Caldas, IS; Do-Valle-Matta, MA; Santiago-Silva, J; Chiari, E; Galvão, LM; Silva, JS; Bahia, MT. (2010). Increased type 1 chemokine expression in experimental Chagas disease correlates with cardiac pathology in beagle dogs. *Vet Immunol Immunopathol.* 138: 106-113. <http://dx.doi.org/10.1016/j.vetimm.2010.06.010>.
- Guerreiro, LT; Robottom-Ferreira, AB; Ribeiro-Alves, M; Toledo-Pinto, TG; Rosa Brito, T; Rosa, PS; Sandoval, FG; Jardim, MR; Antunes, SG; Shannon, EJ; Sarno, EN; Pessolani, MC; Williams, DL; Moraes, MO. (2013). Gene expression profiling specifies chemokine, mitochondrial and lipid metabolism signatures in leprosy. *PLoS ONE.* 8: e64748. <http://dx.doi.org/10.1371/journal.pone.0064748>.
- Guerrero-Beltrán, CE; Calderón-Oliver, M; Pedraza-Chaverri, J; Chirino, YI. (2012). Protective effect of sulforaphane against oxidative stress: recent advances [Review]. *Exp Toxicol Pathol.* 64: 503-508. <http://dx.doi.org/10.1016/j.etp.2010.11.005>.
- Guerrero-Plata, A; Kolli, D; Hong, C; Casola, A; Garofalo, RP. (2009). Subversion of pulmonary dendritic cell function by paramyxovirus infections. *J Immunol.* 182: 3072-3083. <http://dx.doi.org/10.4049/jimmunol.0802262>.
- Guerrier, M; Attili, F; Alpini, G; Glaser, S. (2014). Prolonged administration of secretin to normal rats increases biliary proliferation and secretin-induced ductal secretory activity. 3: 118-125. <http://dx.doi.org/10.3978/j.issn.2304-3881.2014.04.04>.
- Guevara-Carrion, G; Janzen, T; Muñoz-Muñoz, YM; Vrabec, J. (2016). Mutual diffusion of binary liquid mixtures containing methanol, ethanol, acetone, benzene, cyclohexane, toluene, and carbon tetrachloride. *J Chem Phys.* 144: 124501. <http://dx.doi.org/10.1063/1.4943395>.
- Guillaume, M; Rodriguez-Vilarrupla, A; Gracia-Sancho, J; Rosado, E; Mancini, A; Bosch, J; Carles Garcia-Pagan, J. (2013). Recombinant human manganese superoxide dismutase reduces liver fibrosis and portal pressure in CCl4-cirrhotic rats. *J Hepatol.* 58: 240-246. <http://dx.doi.org/10.1016/j.jhep.2012.09.010>.
- Guillaume, M; Rodriguez-Vilarrupla, A; Gracia-Sancho, J; Rosado, E; Mancini, A; Bosch, J; Garcia-Pagan, JC. (2012). Recombinant human manganese superoxide dismutase reduces liver fibrosis and portal pressure in CCl4-cirrhotic rats. *Hepatology.* 56: 741A-741A.
- Gulfraz, M; Ahamd, D; Ahmad, MS; Qureshi, R; Mahmood, RT; Jabeen, N; Abbasi, KS. (2014). Effect of leaf extracts of *Taraxacum officinale* on CCl4 induced hepatotoxicity in rats, in vivo study. *Pak J Pharm Sci.* 27: 825-829.
- Gültekin, I; Tezcanli-Güyer, G; Ince, NH. (2009). Sonochemical decay of C.I. Acid Orange 8: effects of CCl4 and t-butyl alcohol. *Ultrason Sonochem.* 16: 577-581. <http://dx.doi.org/10.1016/j.ultsonch.2008.12.007>.
- Günaltay, S; Ghiboub, M; Hultgren, O; Hörnquist, EH. (2017). Reduced IL-37 Production Increases Spontaneous Chemokine Expressions in Colon Epithelial Cells. *Dig Dis Sci.* <http://dx.doi.org/10.1007/s10620-016-4422-9>.
- Günaltay, S; Kumawat, AK; Nyhlin, N; Bohr, J; Tysk, C; Hultgren, O; Hultgren Hörnquist, E. (2015). Enhanced levels of chemokines and their receptors in the colon of microscopic colitis patients indicate mixed immune cell recruitment. *Mediators Inflamm.* 2015: 132458. <http://dx.doi.org/10.1155/2015/132458>.
- Gunsten, S; Mikols, CL; Grayson, MH; Schwendener, RA; Agapov, E; Tidwell, RM; Cannon, CL; Brody, SL; Walter, MJ. (2009). IL-12 p80-dependent macrophage recruitment primes the host for increased survival following a lethal respiratory viral infection. *Immunology.* 126: 500-513. <http://dx.doi.org/10.1111/j.1365-2567.2008.02923.x>.
- Guo, C; Xu, L; He, Q; Liang, T; Duan, X; Li, R. (2013). Anti-fibrotic effects of puerarin on CCl4-induced hepatic fibrosis in rats possibly through the regulation of PPAR- γ expression and inhibition of PI3K/Akt pathway. *Food Chem Toxicol.* 56: 436-442. <http://dx.doi.org/10.1016/j.fct.2013.02.051>.
- Guo, CJ; Pan, Q; Cheng, T; Jiang, B; Chen, GY; Li, DG. (2009). Changes in microRNAs associated with hepatic stellate cell activation status identify signaling pathways. *FEBS J.* 276: 5163-5176. <http://dx.doi.org/10.1111/j.1742-4658.2009.07213.x>.
- Guo, DL; Wang, ZG; Xiong, LK; Pan, LY; Zhu, Q; Yuan, YF; Liu, ZS. (2017). Hepatogenic differentiation from human adipose-derived stem cells and application for mouse acute liver injury. 45: 224-232. <http://dx.doi.org/10.3109/21691401.2016.1138495>.
- Guo, GL; Wang, SJ; Shi, LY; Li, HY; Han, CM; Gu, QB; Cao, YZ; Li, FS. (2010). [Health risk analysis of VOC/SVOC contaminated soil in an abandoned chemical plant]. *Huanjing Kexue.* 31: 397-402.
- Guo, J; Mcquillan, JA; Yau, B; Tullo, GS; Long, CA; Bertolino, P; Roediger, B; Weninger, W; Taylor, GA; Hunt, NH; Ball, HJ; Mitchell, AJ. (2015). IRGM3 contributes to immunopathology and is required for differentiation of antigen-specific effector CD8⁺ T cells in experimental cerebral malaria. *Infect Immun.* 83: 1406-1417. <http://dx.doi.org/10.1128/IAI.02701-14>.
- Guo, L; Tan, K; Wang, H; Zhang, X. (2016). Pterostilbene inhibits hepatocellular carcinoma through p53/SOD2/ROS-mediated mitochondrial apoptosis. *Oncol Rep.* 36: 3233-3240. <http://dx.doi.org/10.3892/or.2016.5151>.
- Guo, R; Zhang, D; Zhu, X; Tang, L; Zhang, X; Bai, L; Liu, H. (2017). Preparation of a Polymer Monolithic Column Using Ionic Liquid as Porogen and Its Application in Separations of Proteins and Small Molecules. *Chromatographia.* 80: 23-30. <http://dx.doi.org/10.1007/s10337-016-3190-1>.
- Guo, W; Feng, JM; Yao, L; Sun, L; Zhu, GQ. (2014). Transplantation of endothelial progenitor cells in treating rats with IgA nephropathy. *BMC Nephrol.* 15: 110. <http://dx.doi.org/10.1186/1471-2369-15-110>.
- Guo, W; Shi, Y; Wang, H; Yang, H; Zhang, G. (2010). Intensification of sonochemical degradation of antibiotics levofloxacin using carbon tetrachloride. *Ultrason Sonochem.* 17: 680-684. <http://dx.doi.org/10.1016/j.ultsonch.2010.01.004>.
- Guo, W; Shi, Y; Wang, H; Yang, H; Zhang, G. (2010). Sonochemical decomposition of levofloxacin in aqueous solution. *Water Environ Res.* 82: 696-700. <http://dx.doi.org/10.2175/106143010X12609736966801>.
- Guo, X; Lin, D; Li, W; Wang, K; Peng, Y; Zheng, J. (2016). Electrophilicities and Protein Covalent Binding of Demethylation Metabolites of Colchicine. *Chem Res Toxicol.* 29: 296-302. <http://dx.doi.org/10.1021/acs.chemrestox.5b00461>.
- Guo, Y; Cheng, C; Wang, J; Wang, Z; Jin, X; Li, K; Kang, P; Gao, J. (2011). Detection of reactive oxygen species (ROS) generated by TiO₂(R), TiO₂(R/A) and TiO₂(A) under ultrasonic and solar light irradiation and application in degradation of organic dyes. *J Hazard Mater.* 192: 786-793. <http://dx.doi.org/10.1016/j.jhazmat.2011.05.084>.

Human Health Hazard Literature Search Results

Off Topic

- Guo, Y; Zheng, C; Xu, W, en; Si, Y; Dou, S; Yang, Y. (2013). Free radical scavenging and hepatoprotective effects of solidoside analogs on CCl₄-induced cytotoxicity in LO2 cells. *Medicinal Chemistry Research*. 22: 2524-2530. <http://dx.doi.org/10.1007/s00044-012-0247-z>.
- Gupta, KA; Rizvi, W; Kumar, A; Khan, AA. (2013). Hepatoprotective Effect of Seeds of *Luffa Acutangula* in Ccl₄ Induced Hepatotoxicity in Rats. *Indian J Pharmacol*. 45: S175-S176.
- Gupta, NK; Dixit, VK. (2009). Evaluation of hepatoprotective activity of *Cleome viscosa* Linn. extract. *Indian J Pharmacol*. 41: 36-40. <http://dx.doi.org/10.4103/0253-7613.48892>.
- Gupta, RK; Hussain, T; Panigrahi, G; Das, A; Singh, GN; Sweetey, K; Faiyazuddin, M; Rao, CV. (2011). Hepatoprotective effect of *Solanum xanthocarpum* fruit extract against CCl₄ induced acute liver toxicity in experimental animals. *Asian Pacific Journal of Tropical Medicine*. 4: 964-968. [http://dx.doi.org/10.1016/S1995-7645\(11\)60227-7](http://dx.doi.org/10.1016/S1995-7645(11)60227-7).
- Gupta, S; Singh, SK; Girotra, P. (2014). Targeting silymarin for improved hepatoprotective activity through chitosan nanoparticles. 4: 156-163. <http://dx.doi.org/10.4103/2230-973X.143113>.
- Gururaja, MP; Joshi, AB; Joshi, H; Sathyanarayana, D; Subrahmanyam, EV; Chandrashekhar, KS. (2009). Attenuation of carbon tetrachloride-induced hepatotoxicity by cow urine distillate in rats. *Biomed Environ Sci*. 22: 345-347. [http://dx.doi.org/10.1016/S0895-3988\(09\)60066-0](http://dx.doi.org/10.1016/S0895-3988(09)60066-0).
- Gustafsson, K; Junevik, K; Werlenius, O; Holmgren, S; Karlsson-Parra, A; Andersson, PO. (2011). Tumour-loaded α -type 1-polarized dendritic cells from patients with chronic lymphocytic leukaemia produce a superior NK-, NKT- and CD8+ T cell-attracting chemokine profile. *Scand J Immunol*. 74: 318-326. <http://dx.doi.org/10.1111/j.1365-3083.2011.02580.x>.
- Gutierrez, RMP; Solis, RV. (2009). Hepatoprotective and Inhibition of Oxidative Stress in Liver of *Prostechea michuacana*. *Records of Natural Products*. 3: 46-51.
- Guzik-Kornacka, A; Sliwa, A; Plucinska, G; Lukasiuk, K. (2011). Status epilepticus evokes prolonged increase in the expression of CCL3 and CCL4 mRNA and protein in the rat brain. *Acta Neurobiol Exp (Wars)*. 71: 193-207.
- Guzzo, C; Fox, J; Lin, Y; Miao, H; Cimbri, R; Volkman, BF; Fauci, AS; Lusso, P. (2013). The CD8-derived chemokine XCL1/lymphotactin is a conformation-dependent, broad-spectrum inhibitor of HIV-1. *PLoS Pathog*. 9: e1003852. <http://dx.doi.org/10.1371/journal.ppat.1003852>.
- Gwak, GY; Moon, TG; Lee, DH; Yoo, BC. (2012). Glycyrrhizin attenuates HMGB1-induced hepatocyte apoptosis by inhibiting the p38-dependent mitochondrial pathway. *World J Gastroenterol*. 18: 679-684. <http://dx.doi.org/10.3748/wjg.v18.i7.679>.
- Gwyer Findlay, E; Villegas-Mendez, A; de Souza, JB; Inkson, CA; Shaw, TN; Saris, CJ; Hunter, CA; Riley, EM; Couper, KN. (2013). IL-27 receptor signaling regulates CD4+ T cell chemotactic responses during infection. *J Immunol*. 190: 4553-4561. <http://dx.doi.org/10.4049/jimmunol.1202916>.
- György, K; Ajtony, Z; Van Meel, K; Van Grieken, R; Czitrovszky, A; Bencs, L. (2011). Fast heating induced impulse halogenation of refractory sample components in electrothermal atomic absorption spectrometry by direct injection of a liquid halogenating agent. *Talanta*. 85: 1253-1259. <http://dx.doi.org/10.1016/j.talanta.2011.05.028>.
- Häbich, A; Qiao, GG; Ducker, W. (2010). Enantioselective adsorption of surfactants monitored by ATR-FTIR. *Langmuir*. 26: 13944-13953. <http://dx.doi.org/10.1021/la101641r>.
- Haehner, BD; Gorski, JC; Vandenbranden, M; Wrighton, SA; Janardan, SK; Watkins, PB; Hall, SD. (1996). Bimodal distribution of renal cytochrome P450 3A activity in humans. *Mol Pharmacol*. 50: 52-59.
- Hafeman, DG; Hoekstra, WG. (1977). Protection against carbon tetrachloride-induced lipid peroxidation in the rat by dietary vitamin E, selenium and methionine as measured by ethane evolution. *J Nutr*. 107: 656-665.
- Hagenlocher, Y; Bergheim, I; Zacheja, S; Schäffer, M; Bischoff, SC; Lorentz, A. (2013). Cinnamon extract inhibits degranulation and de novo synthesis of inflammatory mediators in mast cells. *Allergy*. 68: 490-497. <http://dx.doi.org/10.1111/all.12122>.
- Hagenlocher, Y; Feilhauer, K; Schäffer, M; Bischoff, SC; Lorentz, A. (2016). Citrus peel polymethoxyflavones nobiletin and tangeretin suppress LPS- and IgE-mediated activation of human intestinal mast cells. *Eur J Nutr*. <http://dx.doi.org/10.1007/s00394-016-1207-z>.
- Hagenlocher, Y; Hösel, A; Bischoff, SC; Lorentz, A. (2016). Cinnamon extract reduces symptoms, inflammatory mediators and mast cell markers in murine IL-10(-/-) colitis. *J Nutr Biochem*. 30: 85-92. <http://dx.doi.org/10.1016/j.jnutbio.2015.11.015>.
- Hagenlocher, Y; Kiessling, K; Schäffer, M; Bischoff, SC; Lorentz, A. (2015). Cinnamaldehyde is the main mediator of cinnamon extract in mast cell inhibition. *Eur J Nutr*. 54: 1297-1309. <http://dx.doi.org/10.1007/s00394-014-0810-0>.
- Haghi, G; Hatami, A; Mehran, M. (2013). UPLC and HPLC of caffeoyl esters in wild and cultivated *Arctium lappa* L. *Food Chem*. 138: 321-326. <http://dx.doi.org/10.1016/j.foodchem.2012.10.040>.
- Hagmar, L; Bonassi, S; Strömberg, U; Brøgger, A; Knudsen, LE; Norppa, H; Reuterwall, C. (1988). Chromosomal aberrations in lymphocytes predict human cancer: a report from the European Study Group on Cytogenetic Biomarkers and Health (ESCH). *Cancer Res*. 58: 4117-4121.
- Hagmar, L; Strömberg, U; Bonassi, S; Hansteen, IL; Knudsen, LE; Lindholm, C; Norppa, H. (2004). Impact of types of lymphocyte chromosomal aberrations on human cancer risk: Results from Nordic and Italian cohorts. *Cancer Res*. 64: 2258-2263. <http://dx.doi.org/10.1158/0008-5472.CAN-03-3360>.
- Hahn, YK; Vo, P; Fitting, S; Block, ML; Hauser, KF; Knapp, PE. (2010). beta-Chemokine production by neural and glial progenitor cells is enhanced by HIV-1 Tat: effects on microglial migration. *J Neurochem*. 114: 97-109. <http://dx.doi.org/10.1111/j.1471-4159.2010.06744.x>.
- Hainard, A; Tiberti, N; Robin, X; Lejon, V; Ngoyi, DM; Matovu, E; Enyaru, JC; Fouda, C; Ndung'u, JM; Lisacek, F; Müller, M; Turck, N; Sanchez, JC. (2009). A combined CXCL10, CXCL8 and H-FABP panel for the staging of human African trypanosomiasis patients. *P L o S Neglected Tropical Diseases*. 3: e459. <http://dx.doi.org/10.1371/journal.pntd.0000459>.

Human Health Hazard Literature Search Results

Off Topic

- Hajiasgharzadeh, K; Tavangar, SM; Javan, M; Dehpour, AR; Mani, AR. (2014). Does hepatic vagus nerve modulate the progression of biliary fibrosis in rats? 185: 67-75. <http://dx.doi.org/10.1016/j.autneu.2014.07.005>.
- Hakala, E; Hanski, L; Uvell, H; Yrjönen, T; Vuorela, H; Elofsson, M; Vuorela, PM. (2015). Dibenzocyclooctadiene lignans from *Schisandra* spp. selectively inhibit the growth of the intracellular bacteria *Chlamydia pneumoniae* and *Chlamydia trachomatis*. *J Antibiot (Tokyo)*. 68: 609-614. <http://dx.doi.org/10.1038/ja.2015.48>.
- Hakkola, J; Raunio, H; Purkunen, R; Pelkonen, O; Saarikoski, S; Cresteil, T; Pasanen, M. (1996). Detection of cytochrome P450 gene expression in human placenta in first trimester of pregnancy. *Biochem Pharmacol*. 52: 379-383. [http://dx.doi.org/10.1016/0006-2952\(96\)00216-X](http://dx.doi.org/10.1016/0006-2952(96)00216-X).
- Halliwell, B; Gutteridge, J. (1999). *Free Radicals in Biology and Medicine*. New York: Oxford University Press.
- Hamada, H; Bassity, E; Flies, A; Strutt, TM; Garcia-Hernandez, M; Mckinstry, KK; Zou, T; Swain, SL; Dutton, RW. (2013). Multiple redundant effector mechanisms of CD8+ T cells protect against influenza infection. *J Immunol*. 190: 296-306. <http://dx.doi.org/10.4049/jimmunol.1200571>.
- Hamilton, SA; Tower, CL; Jones, RL. (2013). Identification of chemokines associated with the recruitment of decidual leukocytes in human labour: potential novel targets for preterm labour. *PLoS ONE*. 8: e56946. <http://dx.doi.org/10.1371/journal.pone.0056946>.
- Hammad, S; Hoehme, S; Friebel, A; von Recklinghausen, I; Othman, A; Begher-Tibbe, B; Reif, R; Godoy, P; Johann, T; Vartak, A; Golka, K; Bucur, PO; Vibert, E; Marchan, R; Christ, B; Dooley, S; Meyer, C; Ilkavets, I; Dahmen, U; Dirsch, O; Böttger, J; Gebhardt, R; Drasdo, D; Hengstler, JG. (2014). Protocols for staining of bile canalicular and sinusoidal networks of human, mouse and pig livers, three-dimensional reconstruction and quantification of tissue microarchitecture by image processing and analysis. *Arch Toxicol*. 88: 1161-1183. <http://dx.doi.org/10.1007/s00204-014-1243-5>.
- Hammer, M; Echtenachter, B; Weighardt, H; Jozefowski, K; Rose-John, S; Männel, DN; Holzmann, B; Lang, R. (2010). Increased inflammation and lethality of *Dusp1*^{-/-} mice in polymicrobial peritonitis models. *Immunology*. 131: 395-404. <http://dx.doi.org/10.1111/j.1365-2567.2010.03313.x>.
- Hammock, BD. (2014). Hydrolytic enzymes in the metabolism of toxins.
- Hammock, BD. (2015). Hydrolytic enzymes in the metabolism of toxins.
- Han, F; Yu, H; Li, P; Zhang, J; Tian, C; Li, H; Zheng, QY. (2012). Mutation in *Phex* gene predisposes BALB/c-*Phex*(Hyp-Duk)/Y mice to otitis media. *PLoS ONE*. 7: e43010. <http://dx.doi.org/10.1371/journal.pone.0043010>.
- Han, H; Xue-Franzén, Y; Miao, X; Nagy, E; Li, N; Xu, D; Sjöberg, J; Björkholm, M; Claesson, HE. (2015). Early growth response gene (*EGR*)-1 regulates leukotriene D4-induced cytokine transcription in Hodgkin lymphoma cells. *Prostaglandins Other Lipid Mediat*. 121: 122-130. <http://dx.doi.org/10.1016/j.prostaglandins.2015.06.004>.
- Han, JM; Kim, HG; Choi, MK; Lee, JS; Park, HJ; Wang, JH; Lee, JS; Son, SW; Hwang, SY; Son, CG. (2012). Aqueous extract of *Artemisia iwayomogi* Kitamura attenuates cholestatic liver fibrosis in a rat model of bile duct ligation. *Food Chem Toxicol*. 50: 3505-3513. <http://dx.doi.org/10.1016/j.fct.2012.07.018>.
- Han, LH; Dong, LY; Yu, H; Sun, GY; Wu, Y; Gao, J; Thasler, W; An, W. (2015). Deceleration of liver regeneration by knockdown of augmenter of liver regeneration gene is associated with impairment of mitochondrial DNA synthesis in mice. *Am J Physiol Gastrointest Liver Physiol*. 309: G112-G122. <http://dx.doi.org/10.1152/ajpgi.00435.2014>.
- Han, X; Wang, Z; Wang, M; Li, J; Xu, Y; He, R; Guan, H; Yue, Z; Gong, M. (2016). Liver-targeting self-assembled hyaluronic acid-glycyrhretinic acid micelles enhance hepato-protective effect of silybin after oral administration. *Drug Deliv*. 23: 1818-1829. <http://dx.doi.org/10.3109/10717544.2015.1108374>.
- Han, Y; Onori, P; Meng, F; Demorrow, S; Venter, J; Francis, H; Franchitto, A; Ray, D; Kennedy, L; Greene, J; Renzi, A; Mancinelli, R; Gaudio, E; Glaser, S; Alpini, G. (2014). Prolonged exposure of cholestatic rats to complete dark inhibits biliary hyperplasia and liver fibrosis. *Am J Physiol Gastrointest Liver Physiol*. 307: G894-G904. <http://dx.doi.org/10.1152/ajpgi.00288.2014>.
- Hang, B; Sang, J; Qin, A; Qian, K; Shao, H; Mei, M; Ye, J. (2014). Transcription analysis of the response of chicken bursa of Fabricius to avian leukosis virus subgroup J strain JS09GY3. *Virus Res*. 188: 8-14. <http://dx.doi.org/10.1016/j.virusres.2014.03.009>.
- Hansch, C; Leo, A; Hoekman, D. (1995). Exploring QSAR: Hydrophobic, electronic, and steric constants. In C Hansch; A Leo; DH Hoekman (Eds.), *ACS Professional Reference Book*. Washington, DC: American Chemical Society.
- Hansen, M. (1989). *Pathophysiology: Foundations of Disease and Clinical Intervention Disorders of somatic and motor autonomic function*. Philadelphia: W.B. Saunders Company.
- Hansen, MF; Cavenee, WK. (1987). Genetics of cancer predisposition [Review]. *Cancer Res*. 47: 5518-5527.
- Hantal, G; Darvas, M; Pártay, LB; Horvai, G; Jedlovsky, P. (2010). Molecular level properties of the free water surface and different organic liquid/water interfaces, as seen from ITIM analysis of computer simulation results. *J Phys Condens Matter*. 22: 284112. <http://dx.doi.org/10.1088/0953-8984/22/28/284112>.
- Hao, X; Ling, Q; Hong, F. (2014). Effects of dietary selenium on the pathological changes and oxidative stress in loach (*Paramisgurnus dabryanus*). *Fish Physiol Biochem*. 40: 1313-1323. <http://dx.doi.org/10.1007/s10695-014-9926-7>.
- Hao, ZM; Cai, M; Lv, YF; Huang, YH; Li, HH. (2012). Oral administration of recombinant adeno-associated virus-mediated bone morphogenetic protein-7 suppresses CCl₄-induced hepatic fibrosis in mice. 20: 2043-2051. <http://dx.doi.org/10.1038/mt.2012.148>.
- Hao, ZM; Fan, XB; Li, S; Lv, YF; Su, HQ; Jiang, HP; Li, HH. (2012). Vaccination with platelet-derived growth factor B kinoids inhibits CCl₄-induced hepatic fibrosis in mice. *J Pharmacol Exp Ther*. 342: 835-842. <http://dx.doi.org/10.1124/jpet.112.194357>.
- Hara, M; Inoue, I; Yamazaki, Y; Kirita, A; Matsuura, T; Friedman, SL; Rifkin, DB; Kojima, S. (2015). L(59) TGF-β LAP degradation products serve as a promising blood biomarker for liver fibrogenesis in mice. 8: 17. <http://dx.doi.org/10.1186/s13069-015-0034-9>.

Human Health Hazard Literature Search Results

Off Topic

- Haraguchi, T; Tani, K; Takagishi, R; Oda, Y; Itamoto, K; Yamamoto, N; Terai, S; Sakaida, I; Nakazawa, H; Taura, Y. (2012). Therapeutic potential of canine bone marrow stromal cells (BMSCs) in the carbon tetrachloride (CCl₄) induced chronic liver dysfunction mouse model. *J Vet Med Sci.* 74: 607-611.
- Hard, GC; Seely, JC. (2005). Recommendations for the interpretation of renal tubule proliferative lesions occurring in rat kidneys with advanced chronic progressive nephropathy (CPN). *Toxicol Pathol.* 33: 641-649. <http://dx.doi.org/10.1080/01926230500299716>.
- Hardjo, M; Miyazaki, M; Sakaguchi, M; Masaka, T; Ibrahim, S; Kataoka, K; Huh, NH. (2009). Suppression of carbon tetrachloride-induced liver fibrosis by transplantation of a clonal mesenchymal stem cell line derived from rat bone marrow. *Cell Transplant.* 18: 89-99.
- Hardy, KD; Cox, BE; Milne, GL; Yin, H; Roberts, LJ. (2011). Nonenzymatic free radical-catalyzed generation of 15-deoxy- Δ (12,14)-prostaglandin J₂-like compounds (deoxy-J₂-isoprostanes) in vivo. *J Lipid Res.* 52: 113-124. <http://dx.doi.org/10.1194/jlr.M010264>.
- Hariharapura, RC; Srinivasan, R; Ashok, G; Dongre, SH; Jagani, HV; Vijayan, P. (2014). Investigation of the Antioxidant and Hepatoprotective Potential of Hypericum mysorensense. 3: 526-543. <http://dx.doi.org/10.3390/antiox3030526>.
- Harish, R; Shivanandappa, T. (2010). Hepatoprotective potential of *Decalepis hamiltonii* (Wight and Arn) against carbon tetrachloride-induced hepatic damage in rats. *Journal of Pharmacy and Bioallied Sciences.* 2: 341-345. <http://dx.doi.org/10.4103/0975-7406.72137>.
- Harlin, H; Meng, Y; Peterson, AC; Zha, Y; Tretiakova, M; Slingluff, C; Mckee, M; Gajewski, TF. (2009). Chemokine expression in melanoma metastases associated with CD8+ T-cell recruitment. *Cancer Res.* 69: 3077-3085. <http://dx.doi.org/10.1158/0008-5472.CAN-08-2281>.
- Harris, CC. (1991). Chemical and physical carcinogenesis: advances and perspectives for the 1990s [Review]. *Cancer Res.* 51: 5023s-5044s.
- Harris, TR; Kodani, S; Yang, J; Imai, DM; Hammock, BD. (2016). An ω -3-enriched diet alone does not attenuate CCl₄-induced hepatic fibrosis. *J Nutr Biochem.* 38: 93-101. <http://dx.doi.org/10.1016/j.jnutbio.2016.08.010>.
- Hart, RN; Setlow, RB. (1974). Correlation between deoxyribonucleic acid excision-repair and lifespan in a number of mammalian species. *Proc Natl Acad Sci USA.* 71: 2169-2173.
- Hartland, SN; Murphy, F; Aucott, RL; Abergel, A; Zhou, X; Waung, J; Patel, N; Bradshaw, C; Collins, J; Mann, D; Benyon, RC; Iredale, JP. (2009). Active matrix metalloproteinase-2 promotes apoptosis of hepatic stellate cells via the cleavage of cellular N-cadherin. *Liver Int.* 29: 966-978. <http://dx.doi.org/10.1111/j.1478-3231.2009.02070.x>.
- Hartmann, P; Haimerl, M; Mazagova, M; Brenner, DA; Schnabl, B. (2012). Toll-like receptor 2-mediated intestinal injury and enteric tumor necrosis factor receptor I contribute to liver fibrosis in mice. *Gastroenterology.* 143: 1330-1340.e1331. <http://dx.doi.org/10.1053/j.gastro.2012.07.099>.
- Harvey, RM; Trappetti, C; Mahdi, LK; Wang, H; Mcallister, LJ; Scalvini, A; Paton, AW; Paton, JC. (2016). The Variable Region of Pneumococcal Pathogenicity Island 1 Is Responsible for Unusually High Virulence of a Serotype 1 Isolate. *Infect Immun.* 84: 822-832. <http://dx.doi.org/10.1128/IAI.01454-15>.
- Hasan, F; Khar, RK; Ahmad, FJ; Ahmad, S; Ali, M; Iqbal, Z; Reza, MH. (2012). Development and validation of a stability-indicating method for determination of free sterols in the Asian medicinal leech *Hirudo manillensis*. *J Chromatogr Sci.* 50: 673-679. <http://dx.doi.org/10.1093/chromsci/bms076>.
- Hasan, IH; El-Desouky, MA; Hozayen, WG; Abd el Aziz, GM. (2016). Protective Effect of Zingiber Officinale against CCl₄-Induced Liver Fibrosis Is Mediated through Downregulating the TGF- β 1/Smad3 and NF- κ B/I κ B Pathways. *Pharmacology.* 97: 1-9. <http://dx.doi.org/10.1159/000441229>.
- Hasegawa, T; Nakanishi, S; Minami, K; Higashino, H; Kataoka, M; Shitara, Y; Yamashita, S. (2016). Increase in the systemic exposure of primary metabolites of Midazolam in rat arising from CYP inhibition or hepatic dysfunction. *Drug Metab Pharmacokinet.* <http://dx.doi.org/10.1016/j.dmpk.2016.11.004>.
- Hassan, AS; Ahmed, JH; Al-Haroon, SS. (2012). A study of the effect of *Nigella sativa* (Black seeds) in isoniazid (INH)-induced hepatotoxicity in rabbits. *Indian J Pharmacol.* 44: 678-682. <http://dx.doi.org/10.4103/0253-7613.103239>.
- Hassan Gaballah, M; Fukuta, M; Maeno, Y; Seko-Nakamura, Y; Monma-Ohtaki, J; Shibata, Y; Kato, H; Aoki, Y; Takamiya, M. (2016). Simultaneous time course analysis of multiple markers based on DNA microarray in incised wound in skeletal muscle for wound aging. *Forensic Sci Int.* 266: 357-368. <http://dx.doi.org/10.1016/j.forsciint.2016.06.027>.
- Hassan, MH; Ghobara, M; Abd-Allah, GM. (2014). Modulator effects of meloxicam against doxorubicin-induced nephrotoxicity in mice. *J Biochem Mol Toxicol.* 28: 337-346. <http://dx.doi.org/10.1002/jbt.21570>.
- Hasselrot, K; Bratt, G; Duvefelt, K; Hirbod, T; Sandström, E; Broliden, K. (2010). HIV-1 exposed uninfected men who have sex with men have increased levels of salivary CC-chemokines associated with sexual behavior. *AIDS.* 24: 1569-1575.
- Hassoun, E; Safrin, M; Ziv, H; Pri-Chen, S; Kessler, E. (2016). Procollagen C-Proteinase Enhancer 1 (PCPE-1) as a Plasma Marker of Muscle and Liver Fibrosis in Mice. *PLoS ONE.* 11: e0159606. <http://dx.doi.org/10.1371/journal.pone.0159606>.
- Hata, M; Iida, H; Yamanegi, K; Yamada, N; Ohyama, H; Hirano, H; Nakasho, K; Terada, N. (2013). Phenotypic characteristics and proliferative activity of hyperplastic ductule cells in cholangiofibrosis induced by thioacetamide in rats. *Exp Toxicol Pathol.* 65: 351-356. <http://dx.doi.org/10.1016/j.etp.2011.11.004>.
- Hattis, D; Chu, M; Rahmioglu, N; Goble, R; Verma, P; Hartman, K; Kozlak, M. (2009). A preliminary operational classification system for nonmutagenic modes of action for carcinogenesis [Review]. *Crit Rev Toxicol.* 39: 97-138. <http://dx.doi.org/10.1080/10408440802307467>.
- Hau, DKP; Gambari, R; Wong, RSM; Yuen, MCW; Cheng, GYM; Tong, CSW; Zhu, GY; Leung, AKM; Lai, PBS; Lau, FY; Chan, AKW; Wong, WY; Kok, SHL; Cheng, CH; Kan, CW; Chan, ASC; Chui, CH; Tang, JCO; Fong, DWF. (2009). *Phyllanthus urinaria* extract attenuates acetaminophen induced hepatotoxicity: Involvement of cytochrome P450 CYP2E1. *Phytomedicine.* 16: 751-760. <http://dx.doi.org/10.1016/j.phymed.2009.01.008>.

Human Health Hazard Literature Search Results

Off Topic

- Hay, DC. (2013). Rapid and scalable human stem cell differentiation: now in 3D [Comment]. *Stem Cells Dev.* 22: 2691-2692. <http://dx.doi.org/10.1089/scd.2013.1500>.
- Hayashi, H; Taniyai, E; Morita, R; Hayashi, M; Nakamura, D; Wakita, A; Suzuki, K; Shibutani, M; Mitsumori, K. (2012). Enhanced liver tumor promotion but not liver initiation activity in rats subjected to combined administration of omeprazole and β -naphthoflavone. *J Toxicol Sci.* 37: 969-985.
- Hayes, CN; Chayama, K. (2016). MicroRNAs as Biomarkers for Liver Disease and Hepatocellular Carcinoma [Review]. *International Journal of Molecular Sciences.* 17: 280. <http://dx.doi.org/10.3390/ijms17030280>.
- He, J; Wang, H; Liu, Y; Li, W; Kim, D; Huang, H. (2015). Blockade of vascular endothelial growth factor receptor 1 prevents inflammation and vascular leakage in diabetic retinopathy. *Journal of Ophthalmology.* 2015: 605946. <http://dx.doi.org/10.1155/2015/605946>.
- He, T; Wang, QY; Shi, JZ; Fan, TY; Yan, C; Huang, LJ; Liu, S; Hao, XJ; Mu, SZ. (2014). Synthesis and the hepatoprotective activity of dibenzocyclooctadiene lignan derivatives. 24: 1808-1811. <http://dx.doi.org/10.1016/j.bmcl.2014.02.020>.
- He, X; Feng, S. (2015). Role of Metabolic Enzymes P450 (CYP) on Activating Procarcinogen and their Polymorphisms on the Risk of Cancers [Review]. *Curr Drug Metab.* 16: 850-863.
- He, X; Huang, T; Wang, P; Peng, XC; Li, W; Wang, J, un; Tang, J, ie; Feng, N, a; Yu, M. (2012). Morphological and Biomechanical Remodeling of the Hepatic Portal Vein in a Swine Model of Portal Hypertension. *Ann Vasc Surg.* 26: 259-267. <http://dx.doi.org/10.1016/j.avsg.2011.10.007>.
- He, X; Yu, M; Li, W; Wang, H; Li, J; Peng, XC; Tang, J, ie; Feng, N, a; Huang, T. (2012). Morphological and biomechanical remodelling of the hepatic artery in a swine model of portal hypertension. *Hepatology International.* 6: 631-638. <http://dx.doi.org/10.1007/s12072-011-9302-y>.
- He, Y; Liu, Q; Li, Y; Yang, X; Wang, W; Li, T; Zhang, W; Cui, Y; Wang, C; Lin, R. (2015). Protective effects of hydroxysafflor yellow A (HSYA) on alcohol-induced liver injury in rats. *J Physiol Biochem.* 71: 69-78. <http://dx.doi.org/10.1007/s13105-015-0382-3>.
- Hebert, A; Forestier, D; Lenes, D; Benanou, D; Jacob, S; Arfi, C; Lambomez, L; Levi, Y. (2010). Innovative method for prioritizing emerging disinfection by-products (DBPs) in drinking water on the basis of their potential impact on public health. *Water Res.* 44: 3147-3165. <http://dx.doi.org/10.1016/j.watres.2010.02.004>.
- Heckel, B; Rodríguez-Fernández, D; Torrentó, C; Meyer, A; Palau, J; Domènech, C; Rosell, M; Soler, A; Hunkeler, D; Elsner, M. (2017). Compound-Specific Chlorine Isotope Analysis of Tetrachloromethane and Trichloromethane by Gas Chromatography-Isotope Ratio Mass Spectrometry vs Gas Chromatography-Quadrupole Mass Spectrometry: Method Development and Evaluation of Precision and Trueness. *Anal Chem.* <http://dx.doi.org/10.1021/acs.analchem.6b04129>.
- Heeba, GH; Mahmoud, ME. (2014). Therapeutic potential of morin against liver fibrosis in rats: Modulation of oxidative stress, cytokine production and nuclear factor kappa B. *Environ Toxicol Pharmacol.* 37: 662-671. <http://dx.doi.org/10.1016/j.etap.2014.01.026>.
- Hegde, K; Joshi, AB. (2009). Hepatoprotective effect of *Carissa carandas* Linn root extract against CCl₄ and paracetamol induced hepatic oxidative stress. *Indian J Exp Biol.* 47: 660-667.
- Heinrichs, D; Berres, ML; Nellen, A; Fischer, P; Scholten, D; Trautwein, C; Wasmuth, HE; Sahin, H. (2013). The chemokine CCL3 promotes experimental liver fibrosis in mice. *PLoS ONE.* 8: e66106. <http://dx.doi.org/10.1371/journal.pone.0066106>.
- Heinrichs, D; Knauel, M; Offermanns, C; Berres, ML; Nellen, A; Leng, L; Schmitz, P; Bucala, R; Trautwein, C; Weber, C; Bernhagen, J; Wasmuth, HE. (2011). Macrophage migration inhibitory factor (MIF) exerts antifibrotic effects in experimental liver fibrosis via CD74. *Proc Natl Acad Sci USA.* 108: 17444-17449. <http://dx.doi.org/10.1073/pnas.1107023108>.
- Hellmér, L; Bolcsfoldi, G. (1992). An evaluation of the *E. coli* K-12 *uvrB/recA* DNA repair host-mediated assay: I. In vitro sensitivity of the bacteria to 61 compounds. *Mutat Res.* 272: 145-160. [http://dx.doi.org/10.1016/0165-1161\(92\)90043-L](http://dx.doi.org/10.1016/0165-1161(92)90043-L).
- Henderson, NC; Arnold, TD; Katamura, Y; Giacomini, MM; Rodriguez, JD; Mccarty, JH; Pellicoro, A; Raschperger, E; Betsholtz, C; Ruminski, PG; Griggs, DW; Prinsen, MJ; Maher, JJ; Iredale, JP; Lacy-Hulbert, A; Adams, RH; Sheppard, D. (2013). Targeting of α integrin identifies a core molecular pathway that regulates fibrosis in several organs. *Nat Med.* 19: 1617-1624. <http://dx.doi.org/10.1038/nm.3282>.
- Hennighausen, L. (2009). Genetic Approaches To Understanding Organ Development and Function.
- Heo, J, eeln; Kim, JH; Lee, JM, in; Kho, YJ; Lim, SS; Park, J, aeB; Kim, J; Kim, SC; Lee, J, aeY. (2016). FOXO3a Activation by oxyresveratrol of *Morus bombycis* koidzumi extract mediates antioxidant activity. *Animal Cells and Systems.* 20: 39-47. <http://dx.doi.org/10.1080/19768354.2016.1143030>.
- Herbert, BA; Steinkamp, HM; Gaestel, M; Kirkwood, KL. (2017). Mitogen-Activated Protein Kinase 2 Signaling Shapes Macrophage Plasticity in *Aggregatibacter actinomycetemcomitans*-Induced Bone Loss. *Infect Immun.* 85. <http://dx.doi.org/10.1128/IAI.00552-16>.
- Hernandez, MA; Gonzalez, AI; Corona, L; Hernandez, F; Rojas, F; Asomoza, M; Solis, S; Portillo, R; Salgado, MA. (2009). Chlorobenzene, chloroform, and carbon tetrachloride adsorption on undoped and metal-doped sol-gel substrates (SiO₂, Ag/SiO₂, Cu/SiO₂) and Fe/SiO₂). *J Hazard Mater.* 162: 254-263. <http://dx.doi.org/10.1016/j.jhazmat.2008.05.05>.
- Hernandez, ME; Rembao, JD; Hernandez-Baltazar, D; Castillo-Rodríguez, RA; Tellez-Lopez, VM; Flores-Martinez, YM; Orozco-Barrios, CE; Rubio, HA; Sánchez-García, A; Ayala-Davila, J; Arango-Rodríguez, ML; Pavón, L; Mejía-Castillo, T; Forgez, P; Martínez-Fong, D. (2014). Safety of the intravenous administration of neurotensin-polyplex nanoparticles in BALB/c mice. *Nanomedicine: Nanotechnology, Biology and Medicine.* 10: 745-754. <http://dx.doi.org/10.1016/j.nano.2013.11.013>.
- Hernández-Guerra, M; González-Méndez, Y; de Ganzo, ZA; Salido, E; García-Pagán, JC; Abrante, B; Malagón, AM; Bosch, J; Quintero, E. (2014). Role of gap junctions modulating hepatic vascular tone in cirrhosis. *Liver Int.* 34: 859-868. <http://dx.doi.org/10.1111/liv.12446>.
- Hfaiedh, M; Brahmi, D; Zourgui, L. (2016). Hepatoprotective effect of *Taraxacum officinale* leaf extract on sodium dichromate-induced liver injury in rats. *Environ Toxicol.* 31: 339-349. <http://dx.doi.org/10.1002/tox.22048>.

Human Health Hazard Literature Search Results

Off Topic

- Higami, Y; Tsuchiya, T; To, K; Chiba, T; Yamaza, H; Shiokawa, D; Tanuma, S; Shimokawa, I. (2004). Expression of DNase gamma during Fas-independent apoptotic DNA fragmentation in rodent hepatocytes. *Cell Tissue Res.* 316: 403-407. <http://dx.doi.org/10.1007/s00441-004-0890-x>.
- Higashi, K; Tomigahara, Y; Shiraki, H; Miyata, K; Mikami, T; Kimura, T; Moro, T; Inagaki, Y; Kaneko, H. (2011). A novel small compound that promotes nuclear translocation of YB-1 ameliorates experimental hepatic fibrosis in mice. *J Biol Chem.* 286: 4485-4492. <http://dx.doi.org/10.1074/jbc.M110.151936>.
- Higuita, EA; Jaimes, FA; Rugeles, MT; Montoya, CJ. (2013). In vivo effect of statins on the expression of the HIV co-receptors CCR5 and CXCR4. *AIDS Research and Therapy.* 10: 10. <http://dx.doi.org/10.1186/1742-6405-10-10>.
- Hill, GD; Pace, V; Persohn, E; Bresser, C; Haseman, JK; Tischler, AS; Nyska, A. (2003). A comparative immunohistochemical study of spontaneous and chemically induced pheochromocytomas in B6C3F1 mice. *Endocr Pathol.* 14: 81-91.
- Hines-Beard, J; Bond, WS; Backstrom, JR; Rex, TS. (2016). Virus-mediated EpoR76E gene therapy preserves vision in a glaucoma model by modulating neuroinflammation and decreasing oxidative stress. *J Neuroinflammation.* 13: 39. <http://dx.doi.org/10.1186/s12974-016-0499-5>.
- Hintermann, E; Ehser, J; Bayer, M; Pfeilschifter, JM; Christen, U. (2013). Mechanism of autoimmune hepatic fibrogenesis induced by an adenovirus encoding the human liver autoantigen cytochrome P450 2D6. *J Autoimmun.* 44: 49-60. <http://dx.doi.org/10.1016/j.jaut.2013.05.001>.
- Hirst, SM; Karakoti, A; Singh, S; Self, W; Tyler, R; Seal, S; Reilly, CM. (2013). Bio-distribution and in vivo antioxidant effects of cerium oxide nanoparticles in mice. *Environ Toxicol.* 28: 107-118. <http://dx.doi.org/10.1002/tox.20704>.
- Hisaka, S; Yamada, N; Naito, K; Osawa, T. (2010). The immunological and chemical detection of N-(hexanoyl)phosphatidylethanolamine and N-(hexanoyl)phosphatidylserine in an oxidative model induced by carbon tetrachloride. *Biochem Biophys Res Commun.* 393: 631-636. <http://dx.doi.org/10.1016/j.bbrc.2010.02.043>.
- Hisakura, K; Murata, S; Takahashi, K; Matsuo, R; Pak, S; Ikeda, N; Kawasaki, T; Kohno, K; Myronovych, A; Nakano, Y; Ikeda, O; Watanabe, M; Ohkohchi, N. (2011). Platelets prevent acute hepatitis induced by anti-fas antibody. *J Gastroenterol Hepatol.* 26: 348-355. <http://dx.doi.org/10.1111/j.1440-1746.2010.06334.x>.
- Hiyoshi, M; Uemura, H; Arisawa, K; Nakamoto, M; Hishida, A; Okada, R; Matsuo, K; Kita, Y; Niimura, H; Kuriyama, N; Nanri, H; Ohnaka, K; Suzuki, S; Mikami, H; Kubo, M; Tanaka, H; Hamajima, N; Group, J-MS. (2012). Association between the catechol-O-methyltransferase (rs4680: Val158Met) polymorphism and serum alanine aminotransferase activity. *Gene.* 496: 97-102. <http://dx.doi.org/10.1016/j.gene.2012.01.015>.
- Ho, TC; Chen, SL; Shih, SC; Wu, JY; Han, WH; Cheng, HC; Yang, SL; Tsao, YP. (2010). Pigment epithelium-derived factor is an intrinsic antifibrosis factor targeting hepatic stellate cells. *Am J Pathol.* 177: 1798-1811. <http://dx.doi.org/10.2353/ajpath.2010.091085>.
- Hodge, A; Lourensz, D; Vaghjiani, V; Nguyen, H; Tchongue, J; Wang, B; Murthi, P; Sievert, W; Manuelpillai, U. (2014). Soluble factors derived from human amniotic epithelial cells suppress collagen production in human hepatic stellate cells. *Cytotherapy.* 16: 1132-1144. <http://dx.doi.org/10.1016/j.jcyt.2014.01.005>.
- Hoellenriegel, J; Coffey, GP; Sinha, U; Pandey, A; Sivina, M; Ferrajoli, A; Ravandi, F; Wierda, WG; O'Brien, S; Keating, MJ; Burger, JA. (2012). Selective, novel spleen tyrosine kinase (Syk) inhibitors suppress chronic lymphocytic leukemia B-cell activation and migration. *Leukemia.* 26: 1576-1583. <http://dx.doi.org/10.1038/leu.2012.24>.
- Hoellenriegel, J; Meadows, SA; Sivina, M; Wierda, WG; Kantarjian, H; Keating, MJ; Giese, N; O'Brien, S; Yu, A; Miller, LL; Lannutti, BJ; Burger, JA. (2011). The phosphoinositide 3'-kinase delta inhibitor, CAL-101, inhibits B-cell receptor signaling and chemokine networks in chronic lymphocytic leukemia. *Blood.* 118: 3603-3612. <http://dx.doi.org/10.1182/blood-2011-05-352492>.
- Holland, DB; Bojar, RA; Farrar, MD; Holland, KT. (2009). Differential innate immune responses of a living skin equivalent model colonized by *Staphylococcus epidermidis* or *Staphylococcus aureus*. *FEMS Microbiol Lett.* 290: 149-155. <http://dx.doi.org/10.1111/j.1574-6968.2008.01402.x>.
- Hong, JJ; Pan, FY; Qian, Y; Cheng, LC; Zhang, HX; Xue, B; Li, CJ. (2009). Overexpression of beta-catenin is responsible for the development of portal hypertension during liver cirrhosis. *Anat Rec.* 292: 818-826. <http://dx.doi.org/10.1002/ar.20897>.
- Hong, S; Lee, EE; Martin, AS; Soontornniyomkij, B; Soontornniyomkij, V; Achim, CL; Reuter, C; Irwin, MR; Eyler, LT; Jeste, DV. (2016). Abnormalities in chemokine levels in schizophrenia and their clinical correlates. *Schizophr Res.* <http://dx.doi.org/10.1016/j.schres.2016.09.019>.
- Hong, SW; Jung, KH; Zheng, HM; Lee, HS; Suh, JK; Park, IS; Lee, DH; Hong, SS. (2010). The protective effect of resveratrol on dimethylnitrosamine-induced liver fibrosis in rats. *Arch Pharm Res.* 33: 601-609. <http://dx.doi.org/10.1007/s12272-010-0415-y>.
- Horvath, AL. (1982). Halogenated hydrocarbons: Solubility-miscibility with water. New York, NY: Marcel Dekker, Inc.
- Hosoki, K; Ying, S; Corrigan, C; Qi, H; Kurosky, A; Jennings, K; Sun, Q; Boldogh, I; Sur, S. (2015). Analysis of a Panel of 48 Cytokines in BAL Fluids Specifically Identifies IL-8 Levels as the Only Cytokine that Distinguishes Controlled Asthma from Uncontrolled Asthma, and Correlates Inversely with FEV1. *PLoS ONE.* 10: e0126035. <http://dx.doi.org/10.1371/journal.pone.0126035>.
- Hosoya, S; Ikejima, K; Takeda, K; Arai, K; Ishikawa, S; Yamagata, H; Aoyama, T; Kon, K; Yamashina, S; Watanabe, S. (2013). Innate immune responses involving natural killer and natural killer T cells promote liver regeneration after partial hepatectomy in mice. *Am J Physiol Gastrointest Liver Physiol.* 304: G293-G299. <http://dx.doi.org/10.1152/ajpgi.00083.2012>.
- Hosseinzadeh, H; Nassiri-Asl, M. (2014). Review of the protective effects of rutin on the metabolic function as an important dietary flavonoid [Review]. *J Endocrinol Invest.* 37: 783-788. <http://dx.doi.org/10.1007/s40618-014-0096-3>.
- Hossen, F; Ahasan, R; Haque, MR; Begum, B; Hasan, CM. (2016). Crispene A, B, C and D, Four New Clerodane Type Furanoid Diterpenes from *Tinospora crispa* (L.). *Pharmacognosy Magazine.* 12: S37-S41. <http://dx.doi.org/10.4103/0973-1296.176116>.

Human Health Hazard Literature Search Results

Off Topic

- Hou, CY; Lin, JH; Lin, SJ; Kuo, WC; Lin, HT. (2016). Down-regulation of CD53 expression in *Epinephelus coioides* under LPS, poly (I:C), and cytokine stimulation. *Fish Shellfish Immunol.* 51: 143-152. <http://dx.doi.org/10.1016/j.fsi.2015.11.032>.
- Hou, G; Dick, R; Brewer, GJ. (2009). Improvement in dissolution of liver fibrosis in an animal model by tetrathiomolybdate. *Exp Biol Med.* 234: 662-665. <http://dx.doi.org/10.3181/0811-RM-319>.
- Hou, J; Tian, J; Jiang, W; Gao, Y; Fu, F. (2011). Therapeutic effects of SMND-309, a new metabolite of salvianolic acid B, on experimental liver fibrosis. *Eur J Pharmacol.* 650: 390-395. <http://dx.doi.org/10.1016/j.ejphar.2010.10.019>.
- Hou, S; Zheng, F; Li, Y; Gao, L; Zhang, J. (2014). The protective effect of glycyrrhizic acid on renal tubular epithelial cell injury induced by high glucose. *International Journal of Molecular Sciences.* 15: 15026-15043. <http://dx.doi.org/10.3390/ijms150915026>.
- Hou, W; Piao, ZF; Zhang, HY; Liu, Z; Meng, QH. (2009). [The approaches for making acute-on-chronic liver failure in rat]. *Zhonghua Shi Yan He Lin Chuang Bing Du Xue Za Zhi.* 23: 394-396.
- Howell, BA; Yang, Y; Kumar, R; Woodhead, JL; Harrill, AH; Clewell, HJ; Andersen, ME; Siler, SQ; Watkins, PB. (2012). In vitro to in vivo extrapolation and species response comparisons for drug-induced liver injury (DILI) using DILISym™: a mechanistic, mathematical model of DILI. *J Pharmacokinet Pharmacodyn.* 39: 527-541. <http://dx.doi.org/10.1007/s10928-012-9266-0>.
- Howsawkung, J; Teel, AL; Hess, TF; Crawford, RL; Watts, RJ. (2010). Simultaneous abiotic reduction-biotic oxidation in a microbial-MnO₂-catalyzed Fenton-like system. *Sci Total Environ.* 409: 439-445. <http://dx.doi.org/10.1016/j.scitotenv.2010.10.009>.
- Hsieh, WT; Liu, YT; Lin, WC. (2011). Anti-inflammatory properties of *Ajuga bracteosa* in vivo and in vitro study and their effects on mouse model of liver fibrosis. *J Ethnopharmacol.* 135: 116-125. <http://dx.doi.org/10.1016/j.jep.2011.02.031>.
- Hsieh, WT; Tsai, CT; Wu, JB; Hsiao, HB; Yang, LC; Lin, WC. (2011). Kinsenoside, a high yielding constituent from *Anoectochilus formosanus*, inhibits carbon tetrachloride induced Kupffer cells mediated liver damage. *J Ethnopharmacol.* 135: 440-449. <http://dx.doi.org/10.1016/j.jep.2011.03.040>.
- Hsu, CK; Lin, WH; Yang, HW. (2013). Influence of preheating on antioxidant activity of the water extract from black soybean and color and sensory properties of black soybean decoction. *J Sci Food Agric.* 93: 3883-3890. <http://dx.doi.org/10.1002/jsfa.6373>.
- Hsu, CY; Lee, FY; Huo, TI; Chan, CY; Huang, HC; Lin, HC; Chang, CC; Teng, TH; Wang, SS; Lee, SD. (2010). Lack of therapeutic effects of gabexate mesilate on the hepatic encephalopathy in rats with acute and chronic hepatic failure. *J Gastroenterol Hepatol.* 25: 1321-1328. <http://dx.doi.org/10.1111/j.1440-1746.2010.06235.x>.
- Hsu, YJ; Hou, CY; Lin, SJ; Kuo, WC; Lin, HT; Lin, JH. (2013). The biofunction of orange-spotted grouper (*Epinephelus coioides*) CC chemokine ligand 4 (CCL4) in innate and adaptive immunity. *Fish Shellfish Immunol.* 35: 1891-1898. <http://dx.doi.org/10.1016/j.fsi.2013.09.020>.
- Hu, JJ; Sun, C; Lan, L; Chen, YW; Li, DG. (2010). Therapeutic effect of transplanting beta(2)m(-)/Thy1(+) bone marrow-derived hepatocyte stem cells transduced with lentiviral-mediated HGF gene into CCl(4)-injured rats. *J Gene Med.* 12: 244-254. <http://dx.doi.org/10.1002/jgm.1439>.
- Hu, L; Song, W; Brill, I; Mulenga, J; Allen, S; Hunter, E; Shrestha, S; Tang, J; Kaslow, RA. (2012). Genetic variations and heterosexual HIV-1 infection: analysis of clustered genes encoding CC-motif chemokine ligands. *Genes Immun.* 13: 202-205. <http://dx.doi.org/10.1038/gene.2011.70>.
- Hu, L; Song, W; Brill, I; Mulenga, J; Allen, S; Hunter, E; Shrestha, S; Tang, J; Kaslow, RA. (2012). Genetic variations and heterosexual HIV-1 infection: analysis of clustered genes encoding CC-motif chemokine ligands (vol 13, pg 202, 2012). *Genes Immun.* 13: 444-444. <http://dx.doi.org/10.1038/gene.2012.19>.
- Hu, LS; George, J; Wang, JH. (2013). Current concepts on the role of nitric oxide in portal hypertension [Review]. *World J Gastroenterol.* 19: 1707-1717. <http://dx.doi.org/10.3748/wjg.v19.i11.1707>.
- Hu, W; Ma, Z; Jiang, S; Fan, C; Deng, C; Yan, X; Di, S; Lv, J; Reiter, RJ; Yang, Y. (2016). Melatonin: the dawning of a treatment for fibrosis? [Review]. *J Pineal Res.* 60: 121-131. <http://dx.doi.org/10.1111/jpi.12302>.
- Huang, B, o; Ban, X; He, J; Tong, J; Tian, J, un; Wang, Y. (2010). Hepatoprotective and antioxidant activity of ethanolic extracts of edible lotus (*Nelumbo nucifera* Gaertn.) leaves. *Food Chem.* 120: 873-878. <http://dx.doi.org/10.1016/j.foodchem.2009.11.020>.
- Huang, B; Lei, C; Wei, C; Zeng, G. (2014). Chlorinated volatile organic compounds (Cl-VOCs) in environment - sources, potential human health impacts, and current remediation technologies [Review]. *Environ Int.* 71: 118-138. <http://dx.doi.org/10.1016/j.envint.2014.06.013>.
- Huang, C; Ma, T; Meng, X; Lv, X; Zhang, L; Wang, J; Li, J. (2010). Potential protective effects of a traditional Chinese herb, *Litsea coreana* Lev., on liver fibrosis in rats. *J Pharm Pharmacol.* 62: 223-230. <http://dx.doi.org/10.1211/jpp.62.02.0010>.
- Huang, C, hiC; Tung, Y, uT; Cheng, K, aiC; Wu, J, yhH. (2011). Phytocompounds from *Vitis kelungensis* stem prevent carbon tetrachloride-induced acute liver injury in mice. *Food Chem.* 125: 726-731. <http://dx.doi.org/10.1016/j.foodchem.2010.09.085>.
- Huang, CC; Lien, HL. (2010). Trimetallic Pd/Fe/Al particles for catalytic dechlorination of chlorinated organic contaminants. *Water Sci Technol.* 62: 202-208. <http://dx.doi.org/10.2166/wst.2010.303>.
- Huang, CK; Lee, SO; Lai, KP; Ma, WL; Lin, TH; Tsai, MY; Luo, J; Chang, C. (2013). Targeting androgen receptor in bone marrow mesenchymal stem cells leads to better transplantation therapy efficacy in liver cirrhosis. *Hepatology.* 57: 1550-1563. <http://dx.doi.org/10.1002/hep.26135>.
- Huang, G; Besner, GE; Brigstock, DR. (2012). Heparin-binding epidermal growth factor-like growth factor suppresses experimental liver fibrosis in mice. *Lab Invest.* 92: 703-712. <http://dx.doi.org/10.1038/labinvest.2012.3>.
- Huang, H; Haq, O; Utsumi, T; Sethasine, S; Abraldes, JG; Groszmann, RJ; Iwakiri, Y. (2012). Intestinal and plasma VEGF levels in cirrhosis: the role of portal pressure. *J Cell Mol Med.* 16: 1125-1133. <http://dx.doi.org/10.1111/j.1582-4934.2011.01399.x>.
- Huang, LZ; Hansen, HC; Daasbjerg, K. (2017). Graphene oxide-mediated rapid dechlorination of carbon tetrachloride by green rust. *J Hazard Mater.* 323: 690-697. <http://dx.doi.org/10.1016/j.jhazmat.2016.10.038>.

Human Health Hazard Literature Search Results

Off Topic

- Huang, MX; Peng, XM; Gu, L; Chen, GH. (2011). Pre-existing liver cirrhosis reduced the toxic effect of diethylene glycol in a rat model due to the impaired hepatic alcohol dehydrogenase. *Toxicol Ind Health*. 27: 742-753. <http://dx.doi.org/10.1177/0748233710397417>.
- Huang, QF; Zhang, SJ; Zheng, L; Liao, M; He, M; Huang, R; Zhuo, L; Lin, X. (2012). Protective effect of isoorientin-2''-O- α -L-arabinopyranosyl isolated from *Gypsophila elegans* on alcohol induced hepatic fibrosis in rats. *Food Chem Toxicol*. 50: 1992-2001. <http://dx.doi.org/10.1016/j.fct.2012.03.044>.
- Huang, S; Wu, R; Bai, Z; Yang, Y; Li, S; Dou, X. (2014). Evaluation of the separation performance of polyvinylpyrrolidone as a virtual stationary phase for chromatographic NMR. 52: 486-490. <http://dx.doi.org/10.1002/mrc.4102>.
- Huang, Z; Zeng, S; Ouyang, M; Dong, J; Gong, Y; Shen, H. (2011). [Treatment of acute liver injury by intrasplenic transplantation of hepatic stem cells combined with heparin in rats]. *Zhong Nan Da Xue Xue Bao Yi Xue Ban*. 36: 411-416. <http://dx.doi.org/10.3969/j.issn.1672-7347.2011.05.007>.
- Hudspeth, K; Fogli, M; Correia, DV; Mikulak, J; Roberto, A; Della Bella, S; Silva-Santos, B; Mavilio, D. (2012). Engagement of Nkp30 on V δ 1 T cells induces the production of CCL3, CCL4, and CCL5 and suppresses HIV-1 replication. *Blood*. 119: 4013-4016. <http://dx.doi.org/10.1182/blood-2011-11-390153>.
- Huebert, RC; Shah, VH. (2014). Sinusoidal endothelial cells direct traffic at the intersection of regeneration and fibrosis [Comment]. *Hepatology*. 60: 754-756. <http://dx.doi.org/10.1002/hep.27116>.
- Hung, TM; Yuan, RH; Huang, WP; Chen, YH; Lin, YC; Lin, CW; Lai, HS; Lee, PH. (2015). Increased Autophagy Markers Are Associated with Ductular Reaction during the Development of Cirrhosis. *Am J Pathol*. 185: 2454-2467. <http://dx.doi.org/10.1016/j.ajpath.2015.05.010>.
- Hunter, CA; Ihekweaba, N; Misuraca, MC; Segarra-Maset, MD; Turega, SM. (2009). Cooperativity in multiply H-bonded complexes. *Chem Commun (Camb)*3964-3966. <http://dx.doi.org/10.1039/b908010d>.
- Huss, RS; Huddleston, JI; Goodman, SB; Butcher, EC; Zabel, BA. (2010). Synovial tissue-infiltrating natural killer cells in osteoarthritis and periprosthetic inflammation. *Arthritis Rheum*. 62: 3799-3805. <http://dx.doi.org/10.1002/art.27751>.
- Hussain, T; Siddiqui, HH; Fareed, S; Vijayakumar, M; Rao, CV. (2012). Chemopreventive evaluation of Tephrosia purpurea against N-nitrosodiethylamine-induced hepatocarcinogenesis in Wistar rats. *J Pharm Pharmacol*. 64: 1195-1205. <http://dx.doi.org/10.1111/j.2042-7158.2012.01503.x>.
- Hussain, T; Siddiqui, HH; Fareed, S; Vijayakumar, M; Rao, CV. (2012). Evaluation of chemopreventive effect of *Fumaria indica* against N-nitrosodiethylamine and CCl₄-induced hepatocellular carcinoma in Wistar rats. *Asian Pacific Journal of Tropical Medicine*. 5: 623-629. [http://dx.doi.org/10.1016/S1995-7645\(12\)60128-X](http://dx.doi.org/10.1016/S1995-7645(12)60128-X).
- Hussein, UK; Mahmoud, HM; Farrag, AG; Bishayee, A. (2015). Chemoprevention of Diethylnitrosamine-Initiated and Phenobarbital-Promoted Hepatocarcinogenesis in Rats by Sulfated Polysaccharides and Aqueous Extract of *Ulva lactuca*. *Integr Cancer Ther*. 14: 525-545. <http://dx.doi.org/10.1177/1534735415590157>.
- Hwang, d; Kim, YI; Cho, KH; Poudel, BK; Choi, JY; Kim, DW; Shin, YJ; Bae, ON; Yousaf, AM; Yong, CS; Kim, JO; Choi, HG. (2014). A novel solid dispersion system for natural product-loaded medicine: silymarin-loaded solid dispersion with enhanced oral bioavailability and hepatoprotective activity. *J Microencapsul*. 31: 619-626. <http://dx.doi.org/10.3109/02652048.2014.911375>.
- Hwang, TL; Chen, CY. (2012). Gender different response to immunonutrition in liver cirrhosis with sepsis in rats. *Nutrients*. 4: 231-242. <http://dx.doi.org/10.3390/nu4030231>.
- Hwang, YH; Kim, MS; Song, IB; Lim, JH; Park, BK; Yun, HI. (2009). Altered pharmacokinetics of enrofloxacin in experimental models of hepatic and renal impairment. *Vet Res Commun*. 33: 481-487. <http://dx.doi.org/10.1007/s11259-008-9195-y>.
- Hwang, YH; Yun, HI. (2011). Effects of acute hepatic and renal failure on pharmacokinetics of flunixin meglumine in rats. *Exp Anim*. 60: 187-191.
- Hyland, R; Gescher, A; Thummel, K; Schiller, C; Jheeta, P; Mynett, K; Smith, AW; Mráz, J. (1992). Metabolic oxidation and toxification of N-methylformamide catalyzed by the cytochrome P450 isoenzyme CYP2E1. *Mol Pharmacol*. 41: 259-266.
- Iannello, A; Thompson, TW; Ardolino, M; Lowe, SW; Raulet, DH. (2013). p53-dependent chemokine production by senescent tumor cells supports NKG2D-dependent tumor elimination by natural killer cells. *J Exp Med*. 210: 2057-2069. <http://dx.doi.org/10.1084/jem.20130783>.
- Igarashi, I; Maejima, T; Kai, K; Arakawa, S; Teranishi, M; Sanbuissho, A. (2014). Role of connexin 32 in acetaminophen toxicity in a knockout mice model. *Exp Toxicol Pathol*. 66: 103-110. <http://dx.doi.org/10.1016/j.etp.2013.10.002>.
- Iitsuka, Y; Tanaka, Y; Hosono-Fukao, T; Hosono, T; Seki, T; Ariga, T. (2010). Relationship Between Lipophilicity and Inhibitory Activity Against Cancer Cell Growth of Nine Kinds of Alk(en)yl Trisulfides With Different Side Chains. *Oncol Res*. 18: 575-582. <http://dx.doi.org/10.3727/096504010X12767359113965>.
- Iloro, I; Gonzalez, E; Gutierrez-De Juan, V; Mato, JM; Falcon-Perez, JM; Elortza, F. (2013). Non-invasive detection of drug toxicity in rats by solid-phase extraction and MALDI-TOF analysis of urine samples. *Anal Bioanal Chem*. 405: 2311-2320. <http://dx.doi.org/10.1007/s00216-012-6644-9>.
- ILSI. (1994). Physiological parameter values for PBPK models. Washington, DC: U.S. Environmental Protection Agency.
- Inagaki, Y; Matsumoto, Y; Ishii, M; Uchino, K; Sezutsu, H; Sekimizu, K. (2015). Fluorescence imaging for a noninvasive in vivo toxicity-test using a transgenic silkworm expressing green fluorescent protein. *Sci Rep*. 5: 11180. <http://dx.doi.org/10.1038/srep11180>.
- Inagaki, Y; Matsumoto, Y; Kataoka, K; Matsushashi, N; Sekimizu, K. (2012). Evaluation of drug-induced tissue injury by measuring alanine aminotransferase (ALT) activity in silkworm hemolymph. *BMC Pharmacol*. 13: 13. <http://dx.doi.org/10.1186/2050-6511-13-13>.
- Ingelsten, M; Karlsson-Parra, A; Granqvist, AB; Mölne, J; Olausson, M; Haraldsson, B; Nyström, J. (2011). Posts ischemic inflammatory response in an auxiliary liver graft predicts renal graft outcome in sensitized patients. *Transplantation*. 91: 888-894. <http://dx.doi.org/10.1097/TP.0b013e3182100f19>.

Human Health Hazard Literature Search Results

Off Topic

- Ishida, S; Hirakawa, F; Iwamoto, T. (2011). A stable dialkylphosphinyl radical. *J Am Chem Soc.* 133: 12968-12971. <http://dx.doi.org/10.1021/ja205001m>.
- Isitman, G; Lisovsky, I; Tremblay-Mclean, A; Parsons, MS; Shoukry, NH; Wainberg, MA; Bruneau, J; Bernard, NF. (2015). Natural killer cell education does not affect the magnitude of granzyme B delivery to target cells by antibody-dependent cellular cytotoxicity. *AIDS.* 29: 1433-1443. <http://dx.doi.org/10.1097/QAD.0000000000000729>.
- Islam, F; Kuddus, M, dR; Latif, F; Hossain, M, dK. (2013). Preliminary Antimicrobial Activity and Cytotoxicity of Leaf Extracts of *Mussaenda roxburghii* Hook. f. 12: 612-617.
- Islam, MR; Parvin, MS; Islam, ME. (2012). Antioxidant and hepatoprotective activity of an ethanol extract of *Syzygium jambos* (L.) leaves. 6: 205-211.
- Ismail, AF; Salem, AA; Eassawy, MM. (2016). Hepatoprotective effect of grape seed oil against carbon tetrachloride induced oxidative stress in liver of γ -irradiated rat. *J Photochem Photobiol B.* 160: 1-10. <http://dx.doi.org/10.1016/j.jphotobiol.2016.03.027>.
- Ismail, AF; Salem, AA; Eassawy, MM. (2016). Modulation of gamma-irradiation and carbon tetrachloride induced oxidative stress in the brain of female rats by flaxseed oil. *J Photochem Photobiol B.* 161: 91-99. <http://dx.doi.org/10.1016/j.jphotobiol.2016.04.031>.
- Ismail, MF; Ali, DA; Fernando, A; Abdrahoh, ME; Gaur, RL; Ibrahim, WM; Raj, MH; Ouhtit, A. (2009). Chemoprevention of rat liver toxicity and carcinogenesis by *Spirulina*. *Int J Biol Sci.* 5: 377-387.
- Isoda, K; Daibo, T; Yushina, K; Yoshioka, Y; Tsutsumi, Y; Akimoto, Y; Kawakami, H; Taira, Y; Taira, I; Yanoshita, R; Nishimura, T; Ishida, I. (2017). Hepatotoxicity, nephrotoxicity, and drug/chemical interaction toxicity of platinum nanoparticles in mice. *Pharmazie.* 72: 10-16. <http://dx.doi.org/10.1691/ph.2017.6758>.
- Isoda, K; Tetsuka, E; Shimizu, Y; Saitoh, K; Ishida, I; Tezuka, M. (2013). Liver injury induced by thirty- and fifty-nanometer-diameter silica nanoparticles. *Biol Pharm Bull.* 36: 370-375.
- Ito, R; Ushiro, M; Takahashi, Y; Saito, K; Ookubo, T; Iwasaki, Y; Nakazawa, H. (2011). Improvement and validation the method using dispersive liquid-liquid microextraction with in situ derivatization followed by gas chromatography-mass spectrometry for determination of tricyclic antidepressants in human urine samples. *J Chromatogr B Analyt Technol Biomed Life Sci.* 879: 3714-3720. <http://dx.doi.org/10.1016/j.jchromb.2011.10.012>.
- Itoh, A; Isoda, K; Kondoh, M; Kawase, M; Watari, A; Kobayashi, M; Tamesada, M; Yagi, K. (2010). Hepatoprotective effect of syringic acid and vanillic acid on CCl₄-induced liver injury. *Biol Pharm Bull.* 33: 983-987.
- Itoh, T. (2012). Absorption spectra of α,ω -diphenylhexadecaoctaene and shorter diphenylpolyenes. *Spectrochim Acta A Mol Biomol Spectrosc.* 88: 232-234. <http://dx.doi.org/10.1016/j.saa.2011.12.005>.
- Iyyam Pillai, S; Palsamy, P; Subramanian, S; Kandaswamy, M. (2010). Wound healing properties of Indian propolis studied on excision wound-induced rats. *Pharmaceutical Biology.* 48: 1198-1206. <http://dx.doi.org/10.3109/13880200903578754>.
- Izumi, K; Chang, C. (2013). Targeting inflammatory cytokines-androgen receptor (AR) signaling with ASC-J9^(®) to better battle prostate cancer progression. 2: e26853. <http://dx.doi.org/10.4161/onci.26853>.
- Jackson, AF; Williams, A; Recio, L; Waters, MD; Lambert, IB; Yauk, CL. (2014). Case study on the utility of hepatic global gene expression profiling in the risk assessment of the carcinogen furan. *Toxicol Appl Pharmacol.* 274: 63-77. <http://dx.doi.org/10.1016/j.taap.2013.10.019>.
- Jacob, J; Makou, P; Finke, A; Mielke, M. (2016). Inflammatory response of TLR4 deficient spleen macrophages (CRL 2471) to *Brucella abortus* S19 and an isogenic Δ mgIA deletion mutant. *Int J Med Microbiol.* 306: 141-151. <http://dx.doi.org/10.1016/j.ijmm.2016.02.006>.
- Jacquier, V; Estellé, J; Schmaltz-Panneau, B; Lecardonnell, J; Moroldo, M; Lemonnier, G; Turner-Maier, J; Duranthon, V; Oswald, IP; Gidenne, T; Rogel-Gaillard, C. (2015). Genome-wide immunity studies in the rabbit: transcriptome variations in peripheral blood mononuclear cells after in vitro stimulation by LPS or PMA-Ionomycin. *BMC Genomics.* 16: 26. <http://dx.doi.org/10.1186/s12864-015-1218-9>.
- Jaeschke, H; Gores, GJ; Cederbaum, AI; Hinson, JA; Pessayre, D; Lemasters, JJ. (2002). Mechanisms in hepatotoxicity [Review]. *Toxicol Sci.* 65: 166-176.
- Jaeschke, H; Williams, CD; McGill, MR; Xie, Y; Ramachandran, A. (2013). Models of drug-induced liver injury for evaluation of phytotherapeutics and other natural products [Review]. *Food Chem Toxicol.* 55: 279-289. <http://dx.doi.org/10.1016/j.fct.2012.12.063>.
- Jahan, I; Rahman, MS; Rahman, MZ; Kaiser, MA; Islam, MS; Wahab, A; Rashid, MA. (2010). Chemical and biological investigations of *Delonix regia* (Bojer ex Hook.) Raf. 60: 207-215. <http://dx.doi.org/10.2478/v10007-010-0018-7>.
- Jain, D; Basniwal, PK. (2013). Forced degradation and impurity profiling: Recent trends in analytical perspectives [Review]. *J Pharm Biomed Anal.* 86: 11-35. <http://dx.doi.org/10.1016/j.jpba.2013.07.013>.
- Jain, NK; Singhai, AK. (2011). Protective effects of *Phyllanthus acidus* (L.) Skeels leaf extracts on acetaminophen and thioacetamide induced hepatic injuries in Wistar rats. *Asian Pacific Journal of Tropical Medicine.* 4: 470-474. [http://dx.doi.org/10.1016/S1995-7645\(11\)60128-4](http://dx.doi.org/10.1016/S1995-7645(11)60128-4).
- Jain, RK. (2015). Reversal of Liver Cirrhosis.
- Jaiswal, R; Kuhnert, N. (2011). Identification and characterization of five new classes of chlorogenic acids in burdock (*Arctium lappa* L.) roots by liquid chromatography/tandem mass spectrometry. 2: 63-71. <http://dx.doi.org/10.1039/c0fo00125b>.
- Jajtner, AR; Fragala, MS; Townsend, JR; Gonzalez, AM; Wells, AJ; Fukuda, DH; Stout, JR; Hoffman, JR. (2014). Mediators of monocyte migration in response to recovery modalities following resistance exercise. *Mediators Inflamm.* 2014: 145817. <http://dx.doi.org/10.1155/2014/145817>.
- Jalbani, N; Soylak, M. (2015). Ligandless ultrasonic-assisted and ionic liquid-based dispersive liquid-liquid microextraction of copper, nickel and lead in different food samples. *Food Chem.* 167: 433-437. <http://dx.doi.org/10.1016/j.foodchem.2014.07.015>.
- James, CA; Strand, SE. (2009). Phytoremediation of small organic contaminants using transgenic plants [Review]. *Curr Opin Biotechnol.* 20: 237-241. <http://dx.doi.org/10.1016/j.copbio.2009.02.014>.

Human Health Hazard Literature Search Results

Off Topic

- Jamil, MS; Mahmood, Z; Saeed, A; Jamil, A; Usmanhani, K; Asif, HM; Sajjad-al-Hassan; Roohi, M. (2013). Efficacy of herbal coded Hepcon on drug induced hepatitis in experimental animals through histopathological and biochemical analysis. *Pak J Pharm Sci.* 26: 991-997.
- Janelidze, S; Ventorp, F; Erhardt, S; Hansson, O; Minthon, L; Flax, J; Samuelsson, M; Traskman-Bendz, L; Brundin, L. (2013). Altered chemokine levels in the cerebrospinal fluid and plasma of suicide attempters. *Psychoneuroendocrinology.* 38: 853-862. <http://dx.doi.org/10.1016/j.psyneuen.2012.09.010>.
- Jang, YO; Kim, MY; Cho, MY; Baik, SK; Cho, YZ; Kwon, SO. (2014). Effect of bone marrow-derived mesenchymal stem cells on hepatic fibrosis in a thioacetamide-induced cirrhotic rat model. *BMC Gastroenterol.* 14: 198. <http://dx.doi.org/10.1186/s12876-014-0198-6>.
- Jang, YO; Kim, YJ; Baik, SK; Kim, MY; Eom, YW; Cho, MY; Park, HJ; Park, SY; Kim, BR; Kim, JW; Soo Kim, H; Kwon, SO; Choi, EH; Kim, YM. (2014). Histological improvement following administration of autologous bone marrow-derived mesenchymal stem cells for alcoholic cirrhosis: a pilot study. *Liver Int.* 34: 33-41. <http://dx.doi.org/10.1111/liv.12218>.
- Jegga, AG; Inga, A; Menendez, D; Aronow, BJ; Resnick, MA. (2008). Functional evolution of the p53 regulatory network through its target response elements. *Proc Natl Acad Sci USA.* 105: 944-949. <http://dx.doi.org/10.1073/pnas.0704694105>.
- Jennings, LK; Chartrand, MM; Lacrampe-Couloume, G; Lollar, BS; Spain, JC; Gossett, JM. (2009). Proteomic and transcriptomic analyses reveal genes upregulated by cis-dichloroethene in *Polaromonas* sp. strain JS666. *Appl Environ Microbiol.* 75: 3733-3744. <http://dx.doi.org/10.1128/AEM.00031-09>.
- Jensen, SS; Gad, M. (2010). Differential induction of inflammatory cytokines by dendritic cells treated with novel TLR-agonist and cytokine based cocktails: targeting dendritic cells in autoimmunity. *J Inflamm.* 7: 37. <http://dx.doi.org/10.1186/1476-9255-7-37>.
- Jeon, K; Lee, N; Bae, S; Goddard, WA; Kim, H; Lee, W. (2015). Theoretical and experimental studies of the dechlorination mechanism of carbon tetrachloride on a vivianite ferrous phosphate surface. *J Phys Chem A.* 119: 5714-5722. <http://dx.doi.org/10.1021/acs.jpca.5b01885>.
- Jeon, M; Kwon, HJ; Kim, YH; Han, K, il; Nam, KW, oo; Baik, Y; Lee, S; Kim, W, anJ; Han, M, anD. (2013). Administration of rHL-2 upregulates HGF in the cirrhotic liver of partial hepatectomized rats. *Animal Cells and Systems.* 17: 179-185. <http://dx.doi.org/10.1080/19768354.2013.801365>.
- Jeong, E, unJu; Kim, N, aH; Heo, JD, oo; Lee, K, iY; Rho, JR, ae; Kim, YC; Sung, SH. (2015). Antifibrotic Compounds from *Liriodendron tulipifera* Attenuating HSC-T6 Proliferation and TNF-alpha Production in RAW264.7 Cells. *Biol Pharm Bull.* 38: 228-234.
- Jha, HC; Srivastava, P; Vardhan, H; Singh, LC; Bhengraj, AR; Prasad, J; Mittal, A. (2011). Chlamydia pneumoniae heat shock protein 60 is associated with apoptotic signaling pathway in human atheromatous plaques of coronary artery disease patients. *J Cardiol.* 58: 216-225. <http://dx.doi.org/10.1016/j.jjcc.2011.07.010>.
- Jia, C; Batterman, S; Godwin, C; Charles, S; Chin, JY. (2010). Sources and migration of volatile organic compounds in mixed-use buildings. *Indoor Air.* 20: 357-369. <http://dx.doi.org/10.1111/j.1600-0668.2010.00643.x>.
- Jiang, F; Zhao, Y; Wang, J; Wei, S; Wei, Z; Li, R; Zhu, Y; Sun, Z; Xiao, X. (2012). Comparative pharmacokinetic study of paeoniflorin and albiflorin after oral administration of *Radix Paeoniae Rubra* in normal rats and the acute cholestasis hepatitis rats. *Fitoterapia.* 83: 415-421. <http://dx.doi.org/10.1016/j.fitote.2011.12.009>.
- Jiang, L; Zheng, T; Huang, J; Mo, J; Zhou, H; Liu, M; Gao, X; Yu, B. (2016). Association of semen cytokines with reactive oxygen species and histone transition abnormalities. *J Assist Reprod Genet.* 33: 1239-1246. <http://dx.doi.org/10.1007/s10815-016-0756-7>.
- Jiang, XL; Sun, CL; Zhou, M; Li, DF; Men, ZW; Li, ZW; Gao, SQ. (2015). [Effect on Fermi Resonance by Some External Fields: Investigation of Fermi Resonance According to Raman Spectra]. *Guang Pu Xue Yu Guang Pu Fen Xi.* 35: 635-639.
- Jiao, J; Friedman, SL; Aloman, C. (2009). Hepatic fibrosis. *Curr Opin Gastroenterol.* 25: 223-229. <http://dx.doi.org/10.1097/MOG.0b013e3283279668>.
- Jiménez-Arellanes, MA; Gutiérrez-Rebolledo, GA; Meckes-Fischer, M; León-Díaz, R. (2016). Medical plant extracts and natural compounds with a hepatoprotective effect against damage caused by antitubercular drugs: A review [Review]. *Asian Pacific Journal of Tropical Medicine.* 9: 1141-1149. <http://dx.doi.org/10.1016/j.apjtm.2016.10.010>.
- Jin, J; Colin, P; Staropoli, I; Lima-Fernandes, E; Ferret, C; Demir, A; Rogée, S; Hartley, O; Randriamampita, C; Scott, MG; Marullo, S; Sauvonnnet, N; Arenzana-Seisdedos, F; Lagane, B; Brelot, A. (2014). Targeting spare CC chemokine receptor 5 (CCR5) as a principle to inhibit HIV-1 entry. *J Biol Chem.* 289: 19042-19052. <http://dx.doi.org/10.1074/jbc.M114.559831>.
- Jin, S; Li, H; Han, M; Ruan, M; Liu, Z; Zhang, F; Zhang, C; Choi, Y; Liu, B. (2016). Mesenchymal Stem Cells with Enhanced Bcl-2 Expression Promote Liver Recovery in a Rat Model of Hepatic Cirrhosis. *Cell Physiol Biochem.* 40: 1117-1128. <http://dx.doi.org/10.1159/000453166>.
- Jin, SZ; Liu, BR; Xu, J; Gao, FL; Hu, ZJ; Wang, XH; Pei, FH; Hong, Y; Hu, HY; Han, MZ. (2012). Ex vivo-expanded bone marrow stem cells home to the liver and ameliorate functional recovery in a mouse model of acute hepatic injury. *Hepatobiliary Pancreat Dis Int.* 11: 66-73.
- Jin, SZ; Meng, XW; Han, MZ; Sun, X; Sun, LY; Liu, BR. (2009). Stromal cell derived factor-1 enhances bone marrow mononuclear cell migration in mice with acute liver failure. *World J Gastroenterol.* 15: 2657-2664.
- Jin, SZ; Meng, XW; Sun, X; Han, MZ; Liu, BR; Wang, XH; Pei, FH. (2011). Hepatocyte growth factor promotes liver regeneration induced by transfusion of bone marrow mononuclear cells in a murine acute liver failure model. *J Hepatobiliary Pancreat Sci.* 18: 397-405. <http://dx.doi.org/10.1007/s00534-010-0343-8>.
- Jin, SZ; Meng, XW; Sun, X; Han, MZ; Liu, BR; Wang, XH; Sun, LY; Huang, Q; Zhao, RB; Ban, X; Yu, HY; Yu, HW. (2010). Granulocyte colony-stimulating factor enhances bone marrow mononuclear cell homing to the liver in a mouse model of acute hepatic injury. *Dig Dis Sci.* 55: 2805-2813. <http://dx.doi.org/10.1007/s10620-009-1117-5>.
- Jin, XF; Qian, J, ie; Lu, Y, anhua. (2011). The role of hepatoprotective effect of a flavonoid-rich extract of *Salvia plebeia* R.Br. on carbon tetrachloride-induced acute hepatic injury in mice. *Journal of Medicinal Plant Research.* 5: 1558-1563.
- Jo, M; Kim, JH; Song, G; Seo, M; Mi Hwang, E; Suk, K. (2017). Astrocytic orosomucoid-2 modulates microglial activation and neuroinflammation. *J Neurosci.* <http://dx.doi.org/10.1523/JNEUROSCI.2534-16.2017>.

Human Health Hazard Literature Search Results

Off Topic

- Jo, YH; Do, SH; Kong, SH. (2014). Persulfate activation by iron oxide-immobilized MnO₂ composite: identification of iron oxide and the optimum pH for degradations. *Chemosphere*. 95: 550-555. <http://dx.doi.org/10.1016/j.chemosphere.2013.10.010>.
- Jobbings, CE; Sandig, H; Whittingham-Dowd, JK; Roberts, IS; Bulfone-Paus, S. (2013). *Listeria monocytogenes* alters mast cell phenotype, mediator and osteopontin secretion in a listeriolysin-dependent manner. *PLoS ONE*. 8: e57102. <http://dx.doi.org/10.1371/journal.pone.0057102>.
- Johannsen, A; Genolet, R; Legler, DF; Luther, SA; Luescher, IF. (2010). Definition of key variables for the induction of optimal NY-ESO-1-specific T cells in HLA transgene mice. *J Immunol*. 185: 3445-3455. <http://dx.doi.org/10.4049/jimmunol.1001397>.
- Jollow, DJ; Bruckner, JV; Mcmillan, DC; Fisher, JW; Hoel, DG; Mohr, LC. (2009). Trichloroethylene risk assessment: A review and commentary [Review]. *Crit Rev Toxicol*. 39: 782-797. <http://dx.doi.org/10.3109/10408440903222177>.
- Joly, S; Francke, M; Ulbricht, E; Beck, S; Seeliger, M; Hirrlinger, P; Hirrlinger, J; Lang, KS; Zinkernagel, M; Odermatt, B; Samardzija, M; Reichenbach, A; Grimm, C; Remé, CE. (2009). Cooperative phagocytes: resident microglia and bone marrow immigrants remove dead photoreceptors in retinal lesions. *Am J Pathol*. 174: 2310-2323. <http://dx.doi.org/10.2353/ajpath.2009.090023>.
- Jones, KL; Maguire, JJ; Davenport, AP. (2011). Chemokine receptor CCR5: from AIDS to atherosclerosis [Review]. *Br J Pharmacol*. 162: 1453-1469. <http://dx.doi.org/10.1111/j.1476-5381.2010.01147.x>.
- Jordens, J; Honings, A; Degrève, J; Braeken, L; Van Gerven, T. (2013). Investigation of design parameters in ultrasound reactors with confined channels. *Ultrason Sonochem*. 20: 1345-1352. <http://dx.doi.org/10.1016/j.ultsonch.2013.03.012>.
- Jorns, C; Takahashi, T; Callaghan, E; Zemack, H; Larsson, L; Nowak, G; Parini, P; Ericzon, BG; Ellis, E. (2013). Serum apolipoprotein E as a marker to monitor graft function after hepatocyte transplantation in a clinically relevant mouse model. *Transplant Proc*. 45: 1780-1786. <http://dx.doi.org/10.1016/j.transproceed.2013.01.032>.
- Ju, S; Teng, GJ; Lu, H; Jin, J; Zhang, Y; Zhang, A; Ni, Y. (2010). In vivo differentiation of magnetically labeled mesenchymal stem cells into hepatocytes for cell therapy to repair damaged liver. *Invest Radiol*. 45: 625-633. <http://dx.doi.org/10.1097/RLI.0b013e3181ed55f4>.
- Juanola, O; Gómez-Hurtado, I; Zapater, P; Moratalla, A; Caparrós, E; Piñero, P; González-Navajas, JM; Giménez, P; Such, J; Francés, R. (2016). Selective intestinal decontamination with norfloxacin enhances a regulatory T cell-mediated inflammatory control mechanism in cirrhosis. *Liver Int*. 36: 1811-1820. <http://dx.doi.org/10.1111/liv.13172>.
- Jumpathong, W; Chan, W; Taghizadeh, K; Babu, IR; Dedon, PC. (2015). Metabolic fate of endogenous molecular damage: Urinary glutathione conjugates of DNA-derived base propenals as markers of inflammation. *Proc Natl Acad Sci USA*. 112: E4845-E4853. <http://dx.doi.org/10.1073/pnas.1503945112>.
- Jung, J; Choi, JH; Lee, Y; Park, JW; Oh, IH; Hwang, SG; Kim, KS; Kim, GJ. (2013). Human placenta-derived mesenchymal stem cells promote hepatic regeneration in CCl₄-injured rat liver model via increased autophagic mechanism. *Stem Cells*. 31: 1584-1596. <http://dx.doi.org/10.1002/stem.1396>.
- Jung, J; Lee, HJ; Lee, JM; Na, KH; Hwang, SG; Kim, GJ. (2011). Placenta extract promote liver regeneration in CCl₄-injured liver rat model. *Int Immunopharmacol*. 11: 976-984. <http://dx.doi.org/10.1016/j.intimp.2011.02.012>.
- Jung, J; Moon, JW; Choi, JH; Lee, YW; Park, SH; Kim, GJ. (2015). Epigenetic Alterations of IL-6/STAT3 Signaling by Placental Stem Cells Promote Hepatic Regeneration in a Rat Model with CCl₄-induced Liver Injury. 8: 79-89. <http://dx.doi.org/10.15283/ijsc.2015.8.1.79>.
- Jung, J; Na, K, yuH; Lee, M, inJae; Moon, J; Kim, GI, I; Jang, J, aJ; Hwang, SG, yu; Kim, G, iJin. (2013). Efficacy of chorionic plate-derived mesenchymal stem cells isolated from placenta in CCl₄-injured rat liver depends on transplantation routes. 10: 10-17. <http://dx.doi.org/10.1007/s13770-013-0364-x>.
- Jung, JG; Do, SH; Kwon, YJ; Kong, SH. (2014). Degradation of multi-DNAPLs by a UV/persulfate/ethanol system with the additional injection of a base solution. *Environ Technol*. 36: 1-6. <http://dx.doi.org/10.1080/09593330.2014.974678>.
- Jung, KH; Shin, HP; Lee, S; Lim, YJ; Hwang, SH; Han, H; Park, HK; Chung, JH; Yim, SV. (2009). Effect of human umbilical cord blood-derived mesenchymal stem cells in a cirrhotic rat model. *Liver Int*. 29: 898-909. <http://dx.doi.org/10.1111/j.1478-3231.2009.02031.x>.
- Jung, KH; Uhm, YK; Lim, YJ; Yim, SV. (2011). Human umbilical cord blood-derived mesenchymal stem cells improve glucose homeostasis in rats with liver cirrhosis. *Int J Oncol*. 39: 137-143. <http://dx.doi.org/10.3892/ijo.2011.1016>.
- Jyothi, K; Kalyani, D; Nachiappan, V. (2012). Effect of acute exposure of N, N-Dimethylformamide, an industrial solvent on lipid peroxidation and antioxidants in liver and kidney of rats. *Indian J Biochem Biophys*. 49: 279-284.
- K, G, A, B. (1992). Poly(ADP-ribose) polymerase activity in mononuclear leukocytes of 13 mammalian species correlates with species-specific life span. *Proc Natl Acad Sci USA*. 89: 11759-11763.
- Kabil, NN; Seddiek, HA; Yassin, NA; Gamal-Eldin, MM. (2014). Effect of ghrelin on chronic liver injury and fibrogenesis in male rats: Possible role of nitric oxide. *Peptides*. 52: 90-97. <http://dx.doi.org/10.1016/j.peptides.2013.11.022>.
- Kaji, K; Factor, VM; Andersen, JB; Durkin, ME; Tomokuni, A; Marquardt, JU; Matter, MS; Hoang, T; Conner, EA; Thorgeirsson, SS. (2016). DNMT1 is a required genomic regulator for murine liver histogenesis and regeneration. *Hepatology*. 64: 582-598. <http://dx.doi.org/10.1002/hep.28563>.
- Kakan, X; Chen, P; Zhang, J. (2011). Clock gene mPer2 functions in diurnal variation of acetaminophen induced hepatotoxicity in mice. *Exp Toxicol Pathol*. 63: 581-585. <http://dx.doi.org/10.1016/j.etp.2010.04.011>.
- Kalariya, PD; Patel, PN; Kavya, P; Sharma, M; Garg, P; Srinivas, R; Talluri, MV. (2015). Rapid structural characterization of in vivo and in vitro metabolites of tinoridine using UHPLC-QTOF-MS/MS and in silico toxicological screening of its metabolites. *J Mass Spectrom*. 50: 1222-1233. <http://dx.doi.org/10.1002/jms.3640>.
- Kalashnikova, SA; Goryachev, AN; Novochadov, VV; Shchyogolev, AI. (2009). Thyroid modulation of TNF-dependent apoptosis and formation of chronic liver disease in endogenous intoxication in rats. *Bull Exp Biol Med*. 147: 240-244.

Human Health Hazard Literature Search Results

Off Topic

- Kamada, Y; Yoshida, Y; Saji, Y; Fukushima, J; Tamura, S; Kiso, S; Hayashi, N. (2009). Transplantation of basic fibroblast growth factor-pretreated adipose tissue-derived stromal cells enhances regression of liver fibrosis in mice. *Am J Physiol Gastrointest Liver Physiol.* 296: G157-G167. <http://dx.doi.org/10.1152/ajpgi.90463.2008>.
- Kamal, C; Ghanty, TK; Banerjee, A; Chakrabarti, A. (2009). The van der Waals coefficients between carbon nanostructures and small molecules: A time-dependent density functional theory study. *J Chem Phys.* 131: 164708. <http://dx.doi.org/10.1063/1.3256238>.
- Kamat, A; Misra, V; Cassol, E; Ancuta, P; Yan, Z; Li, C; Morgello, S; Gabuzda, D. (2012). A plasma biomarker signature of immune activation in HIV patients on antiretroviral therapy. *PLoS ONE.* 7: e30881. <http://dx.doi.org/10.1371/journal.pone.0030881>.
- Kameda, T; Inazu, K; Asano, K; Murota, M; Takenaka, N; Sadanaga, Y; Hisamatsu, Y; Bandow, H. (2013). Prediction of rate constants for the gas phase reactions of triphenylene with OH and NO₃ radicals using a relative rate method in CCl₄ liquid phase-system. *Chemosphere.* 90: 766-771. <http://dx.doi.org/10.1016/j.chemosphere.2012.09.071>.
- Kan, AA; de Jager, W; de Wit, M; Heijnen, C; van Zuiden, M; Ferrier, C; van Rijen, P; Gosselaar, P; Hessel, E; van Nieuwenhuizen, O; de Graan, PN. (2012). Protein expression profiling of inflammatory mediators in human temporal lobe epilepsy reveals co-activation of multiple chemokines and cytokines. *J Neuroinflammation.* 9: 207. <http://dx.doi.org/10.1186/1742-2094-9-207>.
- Kan, AA; van der Hel, WS; Kolk, SM; Bos, IW; Verlinde, SA; van Nieuwenhuizen, O; de Graan, PN. (2012). Prolonged increase in rat hippocampal chemokine signalling after status epilepticus. *J Neuroimmunol.* 245: 15-22. <http://dx.doi.org/10.1016/j.jneuroim.2012.01.012>.
- Kan, S; Chen, Z; Shao, L; Li, J. (2014). Transformation of salvianolic acid B to salvianolic acid a in aqueous solution and the in vitro liver protective effect of the main products. *J Food Sci.* 79: C499-C504. <http://dx.doi.org/10.1111/1750-3841.12415>.
- Kanbur, M; Eraslan, G; Beyaz, L; Silici, S; Liman, BC; Altinordulu, S; Atasever, A. (2009). The effects of royal jelly on liver damage induced by paracetamol in mice. *Exp Toxicol Pathol.* 61: 123-132. <http://dx.doi.org/10.1016/j.etp.2008.06.003>.
- Kandhare, AD; Raygude, KS; Ghosh, P; Ghule, AE; Bodhankar, SL. (2012). Therapeutic role of curcumin in prevention of biochemical and behavioral aberration induced by alcoholic neuropathy in laboratory animals. *Neurosci Lett.* 511: 18-22. <http://dx.doi.org/10.1016/j.neulet.2012.01.019>.
- Kandhro, GA; Soylak, M; Kazi, TG; Yilmaz, E. (2014). Enrichment of copper as 1-(2-pyridylazo)-2-naphthol complex by the combination of dispersive liquid-liquid microextraction/flame atomic absorption spectrometry. *J AOAC Int.* 97: 205-210.
- Kang, HE; Kim, YW; Sohn, SI; Baek, SR; Lee, JW; Kim, SG; Lee, I; Lee, MG. (2010). Pharmacokinetics of liquiritigenin and its two glucuronides, M1 and M2, in rats with acute hepatitis induced by d-galactosamine/lipopolysaccharide or CCl₄. *Xenobiotica.* 40: 424-436. <http://dx.doi.org/10.3109/00498251003734251>.
- Kang, L; Liu, G; Chen, W; Mao, L. (2011). [Determination of chloroform and carbon tetrachloride in residential air by capillary gas chromatography]. *Wei Sheng Yan Jiu.* 40: 208-210.
- Kang, LI; Isse, K; Koral, K; Bowen, WC; Muratoglu, S; Strickland, DK; Michalopoulos, GK; Mars, WM. (2015). Tissue-type plasminogen activator suppresses activated stellate cells through low-density lipoprotein receptor-related protein 1. *Lab Invest.* 95: 1117-1129. <http://dx.doi.org/10.1038/labinvest.2015.94>.
- Kang, S; Xie, J; Ma, S; Liao, W; Zhang, J; Luo, R. (2010). Targeted knock down of CCL22 and CCL17 by siRNA during DC differentiation and maturation affects the recruitment of T subsets. *Immunobiology.* In Press, Corrected Proof: 153-162. <http://dx.doi.org/10.1016/j.imbio.2009.03.001>.
- Kannenberg, F; Nofer, JR; Schulte, E; Reunert, J; Marquardt, T; Fobker, M. (2016). Determination of serum cholestane-3 β ,5 α ,6 β -triol by gas chromatography-mass spectrometry for identification of Niemann-Pick type C (NPC) disease [Review]. *J Steroid Biochem Mol Biol.* <http://dx.doi.org/10.1016/j.jsbmb.2016.02.030>.
- Kaown, D; Shouakar-Stash, O; Yang, J; Hyun, Y; Lee, KK. (2014). Identification of multiple sources of groundwater contamination by dual isotopes. *Ground Water.* 52: 875-885. <http://dx.doi.org/10.1111/gwat.12130>.
- Kapellos, TS; Iqbal, AJ. (2016). Epigenetic Control of Macrophage Polarisation and Soluble Mediator Gene Expression during Inflammation [Review]. *Mediators Inflamm.* 2016: 6591703. <http://dx.doi.org/10.1155/2016/6591703>.
- Kapoor, S. (2009). Emerging clinical and therapeutic applications of Nigella sativa in gastroenterology [Letter]. *World J Gastroenterol.* 15: 2170-2171.
- Kapoor, S; Berishvili, E; Bandi, S; Gupta, S. (2014). Ischemic preconditioning affects long-term cell fate through DNA damage-related molecular signaling and altered proliferation. *Am J Pathol.* 184: 2779-2790. <http://dx.doi.org/10.1016/j.ajpath.2014.07.002>.
- Karatopuk, DU; Gökçimen, A. (2010). Effect of tenoxicam on rat liver tissue. *Turk J Gastroenterol.* 21: 146-152. <http://dx.doi.org/10.4318/tjg.2010.0073>.
- Karger, AG. (1973). *Pharmacology and the future of man: proceedings of the 5th international congress on pharmacology* Factors that affect the covalent binding and toxicity of drugs. Basel, Switzerland: Gillette.
- Karlshøj, S; Amarandi, RM; Larsen, O; Daugvilaite, V; Steen, A; Brvar, M; Pui, A; Frimurer, TM; Ulven, T; Rosenkilde, MM. (2016). Molecular Mechanism of Action for Allosteric Modulators and Agonists in CC-chemokine Receptor 5 (CCR5). *J Biol Chem.* 291: 26860-26874. <http://dx.doi.org/10.1074/jbc.M116.740183>.
- Karsdal, MA; Genovese, F; Madsen, EA; Manon-Jensen, T; Schuppan, D. (2016). Collagen and tissue turnover as a function of age: Implications for fibrosis. *J Hepatol.* 64: 103-109. <http://dx.doi.org/10.1016/j.jhep.2015.08.014>.
- Katara, GK; Raj, A; Kumar, R; Avishek, K; Kaushal, H; Ansari, NA; Bumb, RA; Salotra, P. (2013). Analysis of localized immune responses reveals presence of Th17 and Treg cells in cutaneous leishmaniasis due to *Leishmania tropica*. *BMC Immunol.* 14: 52. <http://dx.doi.org/10.1186/1471-2172-14-52>.
- Kato, A; Chustz, RT; Ogasawara, T; Kulka, M; Saito, H; Schleimer, RP; Matsumoto, K. (2009). Dexamethasone and FK506 inhibit expression of distinct subsets of chemokines in human mast cells. *J Immunol.* 182: 7233-7243. <http://dx.doi.org/10.4049/jimmunol.0801375>.

Human Health Hazard Literature Search Results

Off Topic

- Katsuda, T; Kurata, H; Tamai, R; Banas, A; Ishii, T; Ishikawa, S; Ochiya, T. (2014). The in vivo evaluation of the therapeutic potential of human adipose tissue-derived mesenchymal stem cells for acute liver disease. *Methods Mol Biol.* 1213: 57-67. http://dx.doi.org/10.1007/978-1-4939-1453-1_6.
- Kaur, R; Casey, J; Pichichero, M. (2015). Cytokine, chemokine, and Toll-like receptor expression in middle ear fluids of children with acute otitis media. *Laryngoscope.* 125: E39-E44. <http://dx.doi.org/10.1002/lary.24920>.
- Kauwe, JS; Bailey, MH; Ridge, PG; Perry, R; Wadsworth, ME; Hoyt, KL; Staley, LA; Karch, CM; Harari, O; Cruchaga, C; Ainscough, BJ; Bales, K; Pickering, EH; Bertelsen, S; Initiative, AsDN; Fagan, AM; Holtzman, DM; Morris, JC; Goate, AM. (2014). Genome-wide association study of CSF levels of 59 alzheimer's disease candidate proteins: significant associations with proteins involved in amyloid processing and inflammation. *PLoS Genet.* 10: e1004758. <http://dx.doi.org/10.1371/journal.pgen.1004758>.
- Kebieche, M; Lakroun, Z; Lahouel, M; Bouayed, J; Meraihi, Z; Soulimani, R. (2009). Evaluation of epirubicin-induced acute oxidative stress toxicity in rat liver cells and mitochondria, and the prevention of toxicity through quercetin administration. *Exp Toxicol Pathol.* 61: 161-167. <http://dx.doi.org/10.1016/j.etp.2008.06.002>.
- Keller, JW. (2015). Sulfur Dioxide-Pyridine Dimer. FTIR and Theoretical Evidence for a Low-Symmetry Structure. *J Phys Chem A.* 119: 10390-10398. <http://dx.doi.org/10.1021/acs.jpca.5b06122>.
- Kennedy, A; Reznik, A; Tadesse, S; Nunes, J. (2009). Time dependence of component temperatures in microwave heated immiscible liquid mixture. *J Microw Power Electromagn Energy.* 43: 52-62.
- Kenway-Lynch, CS; Das, A; Pan, D; Lackner, AA; Pahar, B. (2013). Dynamics of cytokine/chemokine responses in intestinal CD4+ and CD8+ T Cells during Acute Simian Immunodeficiency Virus Infection. *J Virol.* 87: 11916-11923. <http://dx.doi.org/10.1128/JVI.01750-13>.
- Kerckaert, GA; Isfort, RJ; Carr, GJ; Aardema, MJ; Leboeuf, RA. (1996). A comprehensive protocol for conducting the Syrian hamster embryo cell transformation assay at pH 6.70. *Mutat Res.* 356: 65-84.
- Kern, B; Strelnikov, D; Weis, P; Böttcher, A; Kappes, MM. (2013). IR absorptions of C60(+) and C60(-) in neon matrixes. *J Phys Chem A.* 117: 8251-8255. <http://dx.doi.org/10.1021/jp4054605>.
- Kern, B; Strelnikov, D; Weis, P; Böttcher, A; Kappes, MM. (2014). IR, NIR, and UV Absorption Spectroscopy of C60(2+) and C60(3+) in Neon Matrixes. *Journal of Physical Chemistry Letters.* 5: 457-460. <http://dx.doi.org/10.1021/jz402630z>.
- Khan, RA, li; Khan, MR; Sahreen, S; Shah, NA, li; Ahmad, B; Khan, AM. (2012). Alteration of renal function by potassium bromate (KBrO₃): Protective effects of *Launaea procumbens*. 6: 1400-1404. <http://dx.doi.org/10.5897/AJPP11.471>.
- Khanal, T; Choi, JH; Hwang, YP; Chung, YC; Jeong, HG. (2009). Saponins isolated from the root of *Platycodon grandiflorum* protect against acute ethanol-induced hepatotoxicity in mice. *Food Chem Toxicol.* 47: 530-535. <http://dx.doi.org/10.1016/j.fct.2008.12.009>.
- Khatoon, M; Islam, E; Islam, R; Rahman, AA; Alam, AH; Khondkar, P; Rashid, M; Parvin, S. (2013). Estimation of total phenol and in vitro antioxidant activity of *Albizia procera* leaves. *BMC Research Notes.* 6: 121. <http://dx.doi.org/10.1186/1756-0500-6-121>.
- Khatoon, MM; Khatun, MH; Islam, ME; Parvin, MS. (2014). Analgesic, antibacterial and central nervous system depressant activities of *Albizia procera* leaves. 4: 279-284. <http://dx.doi.org/10.12980/APJTB.4.2014C348>.
- Khorramdelazad, H; Mortazavi, Y; Momeni, M; Arababadi, MK; Khandany, BK; Moogooei, M; Hassanshahi, G. (2015). Lack of Correlation Between the CCR5-Δ32 Mutation and Acute Myeloid Leukemia in Iranian Patients. *Indian Journal of Hematology and Blood Transfusion.* 31: 29-31. <http://dx.doi.org/10.1007/s12288-014-0408-y>.
- Kiaii, S; Kokhaei, P; Mozaffari, F; Rossmann, E, va; Pak, F; Moshfegh, A, li; Palma, M; Hansson, L; Mashayekhi, K; Hojjat-Farsangi, M; Osterborg, A; Choudhury, A; Mellstedt, H. (2013). T cells from indolent CLL patients prevent apoptosis of leukemic B cells in vitro and have altered gene expression profile. *Cancer Immunol Immunother.* 62: 51-63. <http://dx.doi.org/10.1007/s00262-012-1300-y>.
- Kiguchi, N; Ding, H; Peters, CM; Kock, ND; Kishioka, S; Cline, JM; Wagner, JD; Ko, MC. (2017). Altered expression of glial markers, chemokines, and opioid receptors in the spinal cord of type 2 diabetic monkeys. *Biochim Biophys Acta.* 1863: 274-283. <http://dx.doi.org/10.1016/j.bbadis.2016.10.007>.
- Kiguchi, N; Maeda, T; Kobayashi, Y; Fukazawa, Y; Kishioka, S. (2009). Leptin enhances CC-chemokine ligand expression in cultured murine macrophage. *Biochem Biophys Res Commun.* 384: 311-315. <http://dx.doi.org/10.1016/j.bbrc.2009.04.121>.
- Kikumura, A; Ishikawa, T; Norose, K. (2012). Kinetic analysis of cytokines, chemokines, chemokine receptors and adhesion molecules in murine ocular toxoplasmosis. *Br J Ophthalmol.* 96: 1259-1267. <http://dx.doi.org/10.1136/bjophthalmol-2012-301490>.
- Kilinc, N; Atilla, D; Gurek, AG; Ozturk, ZZ; Ahsen, V. (2009). Volatile organic compounds sensing properties of tetrakis(alkylthio)-substituted lutetium(III) bisphthalocyanines thin films. *Talanta.* 80: 263-268. <http://dx.doi.org/10.1016/j.talanta.2009.06.064>.
- Kim, BY; Son, Y; Eo, SK; Park, YC; Kim, K. (2016). Diclofenac inhibits 27-hydroxycholesterol-induced inflammation. *Biochem Biophys Res Commun.* 478: 1456-1461. <http://dx.doi.org/10.1016/j.bbrc.2016.08.145>.
- Kim, HJ; Koo, SY; Ahn, BH; Park, O; Park, DH; Seo, DO; Won, JH; Yim, HJ; Kwak, HS; Park, HS; Chung, CW; Oh, YL; Kim, SH. (2010). NecroX as a novel class of mitochondrial reactive oxygen species and ONOO⁻ scavenger. *Arch Pharm Res.* 33: 1813-1823. <http://dx.doi.org/10.1007/s12272-010-1114-4>.
- Kim, HY; Kim, JK; Choi, JH; Jung, JY; Oh, WY; Kim, DC; Lee, HS; Kim, YS; Kang, SS; Lee, SH; Lee, SM. (2010). Hepatoprotective effect of pinorensin on carbon tetrachloride-induced hepatic damage in mice. *J Pharmacol Sci.* 112: 105-112. <http://dx.doi.org/10.1254/jphs.09234FP>.
- Kim, JH; Kim, WS; Hong, JY; Ryu, KJ; Kim, SJ; Park, C. (2016). Epstein-Barr virus EBNA2 directs doxorubicin resistance of B cell lymphoma through CCL3 and CCL4-mediated activation of NF-κB and Btk. *Onct.* <http://dx.doi.org/10.18632/oncotarget.14243>.
- Kim, KH; Ki, H; Lee, J; Park, S; Kong, Q; Kim, J; Kim, J; Wulff, M; Ihee, H. (2015). Solvent-dependent structure of molecular iodine probed by picosecond X-ray solution scattering. *Phys Chem Chem Phys.* 17: 8633-8637. <http://dx.doi.org/10.1039/c5cp00536a>.
- Kim, M; Takahashi, T; Lee, J; Hwang, G, iW; Naganuma, A. (2013). Global chemokine expression in methylmercury-treated mice: methylmercury induces brain-specific expression of CCL3 and CCL4 [Letter]. *J Toxicol Sci.* 38: 925-929.

Human Health Hazard Literature Search Results

Off Topic

- Kim, MJ; Romero, R; Kim, CJ; Tarca, AL; Chhauy, S; Lajeunesse, C; Lee, DC; Draghici, S; Gotsch, F; Kusanovic, JP; Hassan, SS; Kim, JS. (2009). Villitis of unknown etiology is associated with a distinct pattern of chemokine up-regulation in the fetomaternal and placental compartments: implications for conjoint maternal allograft rejection and maternal anti-fetal graft-versus-host disease. *J Immunol.* 182: 3919-3927. <http://dx.doi.org/10.4049/jimmunol.0803834>.
- Kim, S; Kim, B, oY; Lee, S; Eo, S; Yun, Y; Kim, C; Kim, K. (2014). 27-Hydroxycholesterol and 7alpha-hydroxycholesterol trigger a sequence of events leading to migration of CCR5-expressing Th1 lymphocytes. *Toxicol Appl Pharmacol.* 274: 462-470. <http://dx.doi.org/10.1016/j.taap.2013.12.007>.
- Kim, SE; An, SY; Woo, DH; Han, J; Kim, JH; Jang, YJ; Son, JS; Yang, H; Cheon, YP; Kim, JH. (2013). Engraftment potential of spheroid-forming hepatic endoderm derived from human embryonic stem cells. *Stem Cells Dev.* 22: 1818-1829. <http://dx.doi.org/10.1089/scd.2012.0401>.
- Kim, SH; Kim, SH; Yoon, HJ; Shin, DH; Park, SS; Kim, YS; Park, JS; Jee, YK. (2012). TNF- α genetic polymorphism -308G/A and antituberculosis drug-induced hepatitis. *Liver Int.* 32: 809-814. <http://dx.doi.org/10.1111/j.1478-3231.2011.02697.x>.
- Kim, SH; Lee, I, nC; Ko, J, eWon; Shin, I, nSik; Moon, C; Kim, SH, o; Heo, JD, oo; Kim, JC. (2016). Mechanism of protection by diallyl disulfide against cyclophosphamide-induced spermatotoxicity and oxidative stress in rats. *Mol Cell Toxicol.* 12: 301-312. <http://dx.doi.org/10.1007/s13273-016-0035-9>.
- Kim, SH; Lee, IC; Ko, JW; Moon, C; Kim, SH; Shin, IS; Seo, YW; Kim, HC; Kim, JC. (2015). Diallyl Disulfide Prevents Cyclophosphamide-Induced Hemorrhagic Cystitis in Rats through the Inhibition of Oxidative Damage, MAPKs, and NF- κ B Pathways. 23: 180-188. <http://dx.doi.org/10.4062/biomolther.2014.126>.
- Kim, SH; Lim, JH; Shin, I, nSik; Moon, C; Park, S, ooH; Kim, SH, o; Lee, JS, ik; Kwon, E, unHye; Kim, JC. (2010). Evaluation of the toxicological properties and hepatoprotective effects of PAI-N002, a mixture of herbal extracts, in rats. *Mol Cell Toxicol.* 6: 239-246. <http://dx.doi.org/10.1007/s13273-010-0033-2>.
- Kim, V; Cornwell, WD; Oros, M; Durra, H; Criner, GJ; Rogers, TJ. (2015). Plasma Chemokine signature correlates with lung goblet cell hyperplasia in smokers with and without chronic obstructive pulmonary disease. *BMC Pulm Med.* 15: 111. <http://dx.doi.org/10.1186/s12890-015-0103-2>.
- Kim, YJ; Kim, JH; Lee, KJ; Choi, MM; Kim, YH; Rhie, GE; Yoo, CK; Cha, K; Shin, NR. (2015). Botulinum Neurotoxin Type A Induces TLR2-Mediated Inflammatory Responses in Macrophages. *PLoS ONE.* 10: e0120840. <http://dx.doi.org/10.1371/journal.pone.0120840>.
- Kim, YO; Popov, Y; Schuppan, D. (2017). Optimized Mouse Models for Liver Fibrosis. *Methods Mol Biol.* 1559: 279-296. http://dx.doi.org/10.1007/978-1-4939-6786-5_19.
- Kimura, T; Kido, S; Kamiyama, T; Fujisawa, M. (2011). Enthalpic discrimination of R- and S-limonenes in nonpolar solvents at 298.15 K. *Chirality.* 23 Suppl 1: E98-104. <http://dx.doi.org/10.1002/chir.21016>.
- King-Herbert, A; Thayer, K. (2006). NTP workshop: Animal models for the NTP rodent cancer bioassay: Stocks and strains - Should we switch? *Toxicol Pathol.* 34: 802-805. <http://dx.doi.org/10.1080/01926230600935938>.
- Kirk, R; Othmer, D. *Kirk-Othmer Encyclopedia of Chemical Technology.*
- Kirouac, DC; Ito, C; Cszar, E; Roch, A; Yu, M; Sykes, EA; Bader, GD; Zandstra, PW. (2010). Dynamic interaction networks in a hierarchically organized tissue. *Mol Syst Biol.* 6: 417. <http://dx.doi.org/10.1038/msb.2010.71>.
- Kishi, J; Nishioka, Y; Kuwahara, T; Kakiuchi, S; Azuma, M; Aono, Y; Makino, H; Kinoshita, K; Kishi, M; Batmunkh, R; Uehara, H; Izumi, K; Sone, S. (2011). Blockade of Th1 chemokine receptors ameliorates pulmonary granulomatosis in mice. *Eur Respir J.* 38: 415-424. <http://dx.doi.org/10.1183/09031936.00070610>.
- Kiss, I; Tibold, A; Halmosi, R; Bartha, E; Koltai, K; Orsós, Z; Bujdosó, L; Ember, I. (2010). Enhancement of organ regeneration in animal models by a stem cell-stimulating plant mixture. *J Med Food.* 13: 599-604. <http://dx.doi.org/10.1089/jmf.2009.0013>.
- Kitahara, K; Kusunoki, N; Takahashi, H; Tsuchiya, K; Kawai, S. (2012). Tacrolimus down-regulates chemokine expressions on rheumatoid synovial fibroblasts: screening by a DNA microarray. *Inflamm Res.* 61: 1385-1394. <http://dx.doi.org/10.1007/s00011-012-0541-8>.
- Kitamura, Y; Washino, Y; Koga, E; Ito, A; Kawagoe, M; Nakazaki, C; Kiso, K; Ichi, I; Matura, T; Kojo, S. (2010). Oxidative stress in the ischemic and non-ischemic parts of the rat liver after two-thirds ischemia/reperfusion. *Biosci Biotechnol Biochem.* 74: 979-983. <http://dx.doi.org/10.1271/bbb.90838>.
- Kittang, AO; Sand, K; Brenner, AK; Rye, KP; Bruserud, Ø. (2016). The Systemic Profile of Soluble Immune Mediators in Patients with Myelodysplastic Syndromes. *International Journal of Molecular Sciences.* 17. <http://dx.doi.org/10.3390/ijms17071080>.
- Klaas, M; Kangur, T; Viil, J; Mäemets-Allas, K; Minajeva, A; Vadi, K; Antsov, M; Lapidus, N; Järvekülg, M; Jaks, V. (2016). The alterations in the extracellular matrix composition guide the repair of damaged liver tissue. *Sci Rep.* 6: 27398. <http://dx.doi.org/10.1038/srep27398>.
- Klein, S; Herath, CB; Schierwagen, R; Grace, J; Haltenhof, T; Uschner, FE; Strassburg, CP; Sauerbruch, T; Walther, T; Angus, PW; Trebicka, J. (2015). Hemodynamic Effects of the Non-Peptidic Angiotensin-(1-7) Agonist AVE0991 in Liver Cirrhosis. *PLoS ONE.* 10: e0138732. <http://dx.doi.org/10.1371/journal.pone.0138732>.
- Klejn, D; Luliński, P; Maciejewska, D. (2015). Desorption of 3,3'-diindolylmethane from imprinted particles: An impact of cross-linker structure on binding capacity and selectivity. *Mater Sci Eng C.* 56: 233-240. <http://dx.doi.org/10.1016/j.msec.2015.06.016>.
- Knabel, MK; Ramachandran, K; Karhadkar, S; Hwang, HW; Creamer, TJ; Chivukula, RR; Sheikh, F; Clark, KR; Torbenson, M; Montgomery, RA; Cameron, AM; Mendell, JT; Warren, DS. (2015). Systemic Delivery of scAAV8-Encoded MiR-29a Ameliorates Hepatic Fibrosis in Carbon Tetrachloride-Treated Mice. *PLoS ONE.* 10: e0124411. <http://dx.doi.org/10.1371/journal.pone.0124411>.
- Knieke, K; Hoff, H; Maszyra, F; Kolar, P; Schrage, A; Hamann, A; Debes, GF; Brunner-Weinzierl, MC. (2009). CD152 (CTLA-4) determines CD4 T cell migration in vitro and in vivo. *PLoS ONE.* 4: e5702. <http://dx.doi.org/10.1371/journal.pone.0005702>.

Human Health Hazard Literature Search Results

Off Topic

- Knieke, K; Lingel, H; Chamaon, K; Brunner-Weinzierl, MC. (2012). Migration of Th1 lymphocytes is regulated by CD152 (CTLA-4)-mediated signaling via PI3 kinase-dependent Akt activation. *PLoS ONE*. 7: e31391. <http://dx.doi.org/10.1371/journal.pone.0031391>.
- Knockaert, L; Berson, A; Fautrel, A; Prost, PE; Ribault, C; Fromenty, B; Robin, MA. (2010). A single carbon tetrachloride administration induces early alterations of mitochondrial DNA in mouse liver, through a lipid peroxidation-dependent mechanism. *Toxicol Lett*. 196: S211-S211. <http://dx.doi.org/10.1016/j.toxlet.2010.03.712>.
- Ko, WS; Hsu, SL; Chyau, CC; Chen, KC; Peng, RY. (2010). Compound Cordyceps TCM-700C exhibits potent hepatoprotective capability in animal model. *Fitoterapia*. 81: 1-7. <http://dx.doi.org/10.1016/j.fitote.2009.06.018>.
- Kobayashi, K; Ichi, I; Nakagawa, T; Kamikawa, C; Kitamura, Y; Koga, E; Washino, Y; Hoshinaga, Y; Kojo, S. (2011). Increase in plasma ceramide levels via secretory sphingomyelinase activity in streptozotocin-induced diabetic rats. 2: 536-541. <http://dx.doi.org/10.1039/c0md00154f>.
- Kobayashi, T; Kouzaki, H; Kita, H. (2010). Human Eosinophils Recognize Endogenous Danger Signal Crystalline Uric Acid and Produce Proinflammatory Cytokines Mediated by Autocrine ATP. *J Immunol*. 184: 6350-6358. <http://dx.doi.org/10.4049/jimmunol.0902673>.
- Kober, H; Tatsch, E; Torbitz, VD; Cargnin, LP; Sangoi, MB; Bochi, GV; da Silva, AR; Barbisan, F; Ribeiro, EE; da Cruz, IB; Moresco, RN. (2016). Genoprotective and hepatoprotective effects of Guarana (*Paullinia cupana* Mart. var. *sorbilis*) on CCl4-induced liver damage in rats. *Drug Chem Toxicol*. 39: 48-52. <http://dx.doi.org/10.3109/01480545.2015.1020546>.
- Koc, Y; Sokmen, M; Unsal, A; Cigerli, S; Ozagari, A; Basturk, T; Ahbap, E; Sakaci, T; Dalkilic, A; Eren, N. (2012). Effects of human Umbilical Cord Stem Cells and Granulocyte Colony- Stimulating Factor (G-CSF) on Carbon Tetrachloride-Induced Nephrotoxicity. 4: 545-550. <http://dx.doi.org/10.5812/numonthly.2979>.
- Koch, I; Weil, R; Wolbold, R; Brockmüller, J; Hustert, E; Burk, O; Nuessler, A; Neuhaus, P; Eichelbaum, M; Zanger, U; Wojnowski, L. (2002). Interindividual variability and tissue-specificity in the expression of cytochrome P450 3A mRNA. *Drug Metab Dispos*. 30: 1108-1114.
- Kocherscheidt, L; Agossou, A; Gantin, RG; Hamm, DM; Banla, M; Soboslay, PT. (2010). Cytokine and chemokine responses in adults, newborns and children exposed to *Entamoeba histolytica*/dispar, *Onchocerca volvulus* and *Plasmodium falciparum*. *Pediatric Allergy and Immunology*. 21: e756-e763. <http://dx.doi.org/10.1111/j.1399-3038.2010.01048.x>.
- Kochi, T; Shimizu, M; Terakura, D; Baba, A; Ohno, T; Kubota, M; Shirakami, Y; Tsurumi, H; Tanaka, T; Moriwaki, H. (2014). Non-alcoholic steatohepatitis and preneoplastic lesions develop in the liver of obese and hypertensive rats: suppressing effects of EGCG on the development of liver lesions. *Cancer Lett*. 342: 60-69. <http://dx.doi.org/10.1016/j.canlet.2013.08.031>.
- Kocúrová, L; Balogh, IS; Skrlíková, J; Posta, J; Andruch, V. (2010). A novel approach in dispersive liquid-liquid microextraction based on the use of an auxiliary solvent for adjustment of density UV-VIS spectrophotometric and graphite furnace atomic absorption spectrometric determination of gold based on ion pair formation. *Talanta*. 82: 1958-1964. <http://dx.doi.org/10.1016/j.talanta.2010.08.028>.
- Koenig, JC; Boparai, HK; Lee, MJ; O'Carroll, DM; Barnes, RJ; Manefield, MJ. (2015). Particles and enzymes: Combining nanoscale zero valent iron and organochlorine respiring bacteria for the detoxification of chloroethane mixtures. *J Hazard Mater*. 308: 106-112. <http://dx.doi.org/10.1016/j.jhazmat.2015.12.036>.
- Koenig, JC; Groissmeier, KD; Manefield, MJ. (2014). Tolerance of anaerobic bacteria to chlorinated solvents. 29: 23-30. <http://dx.doi.org/10.1264/jsme2.ME13113>.
- Koenig, JC; Lee, MJ; Manefield, M. (2012). Successful microcosm demonstration of a strategy for biodegradation of a mixture of carbon tetrachloride and perchloroethene harnessing sulfate reducing and dehalorespiring bacteria. *J Hazard Mater*. 219-220: 169-175. <http://dx.doi.org/10.1016/j.jhazmat.2012.03.076>.
- Köhler, UA; Kurinna, S; Schwitter, D; Marti, A; Schäfer, M; Hellerbrand, C; Speicher, T; Werner, S. (2014). Activated Nrf2 impairs liver regeneration in mice by activation of genes involved in cell-cycle control and apoptosis. *Hepatology*. 60: 670-678. <http://dx.doi.org/10.1002/hep.26964>.
- Kohno, H; Maeda, T; Perusek, L; Pearlman, E; Maeda, A. (2014). CCL3 production by microglial cells modulates disease severity in murine models of retinal degeneration. *J Immunol*. 192: 3816-3827. <http://dx.doi.org/10.4049/jimmunol.1301738>.
- Kohonen, P; Benfenati, E; Bower, D; Ceder, R; Crump, M; Cross, K; Grafstrom, RC; Healy, L, yn; Helma, C; Jeliaskova, N; Jeliaskov, V; Maggioni, S; Miller, S; Myatt, G; Rautenberg, M; Stacey, G; Willighagen, E; Wiseman, J; Hardy, B. (2013). The ToxBank Data Warehouse: Supporting the Replacement of In Vivo Repeated Dose Systemic Toxicity Testing. *Molecular Informatics*. 32: 47-63. <http://dx.doi.org/10.1002/minf.201200114>.
- Kojima-Yuasa, A; Goto, M; Yoshikawa, E; Morita, Y; Sekiguchi, H; Sutoh, K; Usumi, K; Matsui-Yuasa, I. (2016). Protective Effects of Hydrolyzed Nucleoproteins from Salmon Milt against Ethanol-Induced Liver Injury in Rats. *Mar Drugs*. 14. <http://dx.doi.org/10.3390/md14120232>.
- Kokanova-Nedialkova, Z; Kondeva-Burdina, M; Zheleva-Dimitrova, D; Buecherl, D; Nikolov, S; Heilmann, J; Nedialkov, PT. (2014). A New Acylated Flavonol Glycoside from *Chenopodium foliosum*. *Records of Natural Products*. 8: 401-406.
- Kokanova-Nedialkova, Z; Kondeva-Burdina, M; Zheleva-Dimitrova, D; Tzankova, V; Nikolov, S; Heilmann, J; Nedialkov, PT. (2015). 6-Methoxyflavonol Glycosides with In Vitro Hepatoprotective Activity from *Chenopodium bonus-henricus* Roots. *Natural Product Communications*. 10: 1377-1380.
- Kolodziej, AF. (2012). Optimization of Efficacy and Safety Pharmacology of Fibrosis Imaging Agent CM-65.
- Kolseth, IB; Agren, J; Sundvold-Gjerstad, V; Lyngstadaas, SP; Wang, JE; Dahle, MK. (2012). 9-cis retinoic acid inhibits inflammatory responses of adherent monocytes and increases their ability to induce classical monocyte migration. *Journal of Innate Immunity*. 4: 176-186. <http://dx.doi.org/10.1159/000332375>.
- Kolseth, IB; Reine, TM; Parker, K; Sudworth, A; Witczak, BJ; Jenssen, TG; Kolset, SO. (2017). Increased levels of inflammatory mediators and proinflammatory monocytes in patients with type I diabetes mellitus and nephropathy. *J Diabetes Complications*. 31: 245-252. <http://dx.doi.org/10.1016/j.jdiacomp.2016.06.029>.

Human Health Hazard Literature Search Results

Off Topic

- Konarska, J; Gadomski, W; Ratajska-Gadomska, B; Polok, K; Puđowski, G; Kardaś, TM. (2016). Dynamics of intermolecular interactions in CCl₄ via the isotope effect by femtosecond time-resolved spectroscopy. *Phys Chem Chem Phys*. 18: 16046-16054. <http://dx.doi.org/10.1039/c6cp00270f>.
- Kondeva-Burdina, M; Valcheva-Kuzmanova, S; Markova, T; Mitcheva, M; Belcheva, A. (2015). Effects of Aronia melanocarpa Fruit Juice on Isolated Rat Hepatocytes. *Pharmacognosy Magazine*. 11: S592-S597. <http://dx.doi.org/10.4103/0973-1296.172967>.
- Kong, D; Zhang, F; Shao, J; Wu, L; Zhang, X; Chen, L; Lu, Y; Zheng, S. (2015). Curcumin inhibits cobalt chloride-induced epithelial-to-mesenchymal transition associated with interference with TGF- β /Smad signaling in hepatocytes. *Lab Invest*. 95: 1234-1245. <http://dx.doi.org/10.1038/labinvest.2015.107>.
- Kong, D; Zhang, F; Wei, D; Zhu, X; Zhang, X; Chen, L; Lu, Y; Zheng, S. (2013). Paeonol inhibits hepatic fibrogenesis via disrupting nuclear factor- κ B pathway in activated stellate cells: in vivo and in vitro studies. *J Gastroenterol Hepatol*. 28: 1223-1233. <http://dx.doi.org/10.1111/jgh.12147>.
- Kong, Q; Lee, JH; Lo Russo, M; Kim, TK; Lorenc, M; Cammarata, M; Bratos, S; Buslaps, T; Honkimaki, V; Ihee, H; Wulff, M. (2010). Photolysis of Br₂ in CCl₄ studied by time-resolved X-ray scattering. *Acta Crystallogr A*. 66: 252-260. <http://dx.doi.org/10.1107/S0108767309054993>.
- Kong, Y; Wang, H; Wang, S; Tang, N. (2014). FTY720, a sphingosine-1 phosphate receptor modulator, improves liver fibrosis in a mouse model by impairing the motility of bone marrow-derived mesenchymal stem cells. *Inflammation*. 37: 1326-1336. <http://dx.doi.org/10.1007/s10753-014-9877-2>.
- Kono, T; Asama, T; Chisato, N; Ebisawa, Y; Okayama, T; Imai, K; Karasaki, H; Furukawa, H; Yoneda, M. (2012). Polaprezinc prevents ongoing thioacetamide-induced liver fibrosis in rats. *Life Sci*. 90: 122-130. <http://dx.doi.org/10.1016/j.lfs.2011.10.022>.
- Kopylev, L; Chen, C; White, P. (2007). Towards quantitative uncertainty assessment for cancer risks: Central estimates and probability distributions of risk in dose-response modeling [Review]. *Regul Toxicol Pharmacol*. 49: 203-207. <http://dx.doi.org/10.1016/j.yrtph.2007.08.002>.
- Kostadinova, R; Montagner, A; Gouranton, E; Fleury, S; Guillou, H; Dombrowicz, D; Desreumaux, P; Wahli, W. (2012). GW501516-activated PPAR β / δ promotes liver fibrosis via p38-JNK MAPK-induced hepatic stellate cell proliferation. 2: 34. <http://dx.doi.org/10.1186/2045-3701-2-34>.
- Kostin, VA; Zolottsev, VA; Kuzikov, AV; Masamrekh, RA; Shumyantseva, VV; Veselovsky, AV; Stulov, SV; Novikov, RA; Timofeev, VP; Misharin, AY. (2016). Oxazolonyl derivatives of [17(20)E]-21-norpregnene differing in the structure of A and B rings. Facile synthesis and inhibition of CYP17A1 catalytic activity. *Steroids*. 115: 114-122. <http://dx.doi.org/10.1016/j.steroids.2016.06.002>.
- Kostova, Z; Batsalova, T; Moten, D; Teneva, I; Dzhabazov, B. (2015). Ragweed-allergic subjects have decreased serum levels of chemokines CCL2, CCL3, CCL4 and CCL5 out of the pollen season. *Central-European Journal of Immunology*. 40: 442-446. <http://dx.doi.org/10.5114/ceji.2015.56965>.
- Kouakou, K; Schepetkin, IA; Jun, S; Kirpotina, LN; Yapi, A; Khramova, DS; Pascual, DW; Ovodov, YS; Jutila, MA; Quinn, MT. (2013). Immunomodulatory activity of polysaccharides isolated from *Clerodendrum splendens*: beneficial effects in experimental autoimmune encephalomyelitis. *BMC Complement Altern Med*. 13: 149. <http://dx.doi.org/10.1186/1472-6882-13-149>.
- Kovalenko, VN; Kozyrkov, YY. (2015). A simple method for resolution of endo-/exo-monoesters of trans-norborn-5-ene-2,3-dicarboxylic acids into their enantiomers. *Chirality*. 27: 151-155. <http://dx.doi.org/10.1002/chir.22404>.
- Kozela, E; Juknat, A; Gao, F; Kaushansky, N; Coppola, G; Vogel, Z. (2016). Pathways and gene networks mediating the regulatory effects of cannabidiol, a nonpsychoactive cannabinoid, in autoimmune T cells. *J Neuroinflammation*. 13: 136. <http://dx.doi.org/10.1186/s12974-016-0603-x>.
- Krasnovskii, AA; Neverov, KV. (2010). [Mechanism of photosensitized luminescence of singlet oxygen dimols in air-saturated pigment solutions]. *Biofizika*. 55: 389-393.
- Krasnovsky, AA; Kozlov, AS. (2014). [measurement of optical density in infrared absorption maxima of oxygen molecules based on their photochemical activity upon direct laser excitation]. *Biofizika*. 59: 250-257.
- Krasnovsky, AA; Kozlov, AS; Roumbal, YV. (2012). Photochemical investigation of the IR absorption bands of molecular oxygen in organic and aqueous environment. *Photochem Photobiol Sci*. 11: 988-997. <http://dx.doi.org/10.1039/c2pp05350k>.
- Krejci, P; Murakami, S; Prochazkova, J; Trantirek, L; Chlebova, K; Ouyang, Z; Aklian, A; Smutny, J; Bryja, V; Kozubik, A; Wilcox, WR. (2010). NF449 is a novel inhibitor of fibroblast growth factor receptor 3 (FGFR3) signaling active in chondrocytes and multiple myeloma cells. *J Biol Chem*. 285: 20644-20653. <http://dx.doi.org/10.1074/jbc.M109.083626>.
- Krithika, R; Jyothilakshmi, V; Prashantha, K; Verma, RJ. (2015). Mechanism of protective effect of phyllanthin against carbon tetrachloride-induced hepatotoxicity and experimental liver fibrosis in mice. *Toxicol Mech Meth*. 25: 708-717. <http://dx.doi.org/10.3109/15376516.2015.1077361>.
- Krithika, R; Verma, RJ; Shrivastav, PS; Suguna, L. (2011). Phyllanthin of Standardized Phyllanthus amarus Extract Attenuates Liver Oxidative Stress in Mice and Exerts Cytoprotective Activity on Human Hepatoma Cell Line. *jceh*. 1: 57-67. [http://dx.doi.org/10.1016/S0973-6883\(11\)60123-0](http://dx.doi.org/10.1016/S0973-6883(11)60123-0).
- Kroetz, DN; Deepe, GS. (2010). CCR5 dictates the equilibrium of proinflammatory IL-17+ and regulatory Foxp3+ T cells in fungal infection. *J Immunol*. 184: 5224-5231. <http://dx.doi.org/10.4049/jimmunol.1000032>.
- Kroetz, DN; Deepe, GS. (2011). An aberrant thymus in CCR5-/- mice is coupled with an enhanced adaptive immune response in fungal infection. *J Immunol*. 186: 5949-5955. <http://dx.doi.org/10.4049/jimmunol.1003876>.
- Krohn, N; Kapoor, S; Enami, Y; Follenzi, A; Bandi, S; Joseph, A; Gupta, S. (2009). Hepatocyte Transplantation-Induced Liver Inflammation Is Driven by Cytokines-Chemokines Associated With Neutrophils and Kupffer Cells. *Gastroenterology*. 136: 1806-1817. <http://dx.doi.org/10.1053/j.gastro.2009.01.063>.

Human Health Hazard Literature Search Results

Off Topic

- Krokan, H; Grafstrom, RC; Sundqvist, K; Esterbauer, H; Harris, CC. (1985). Cytotoxicity, thiol depletion and inhibition of O6-methylguanine-DNA methyltransferase by various aldehydes in cultured human bronchial fibroblasts. *Carcinogenesis*. 6: 1755-1759.
- Królak-Olejnik, B; Olejnik, I. (2012). Late-preterm cesarean delivery and chemokines concentration in the umbilical cord blood of neonates. *J Matern Fetal Neonatal Med*. 25: 1810-1813. <http://dx.doi.org/10.3109/14767058.2012.664194>.
- Krstić, NM; Bjelaković, MS; Pavlović, VD; Robeyns, K; Juranić, ZD; Matić, I; Novaković, I; Sladić, DM. (2012). New androst-4-en-17-spiro-1,3,2-oxathiaphospholanes. Synthesis, assignment of absolute configuration and in vitro cytotoxic and antimicrobial activities. *Steroids*. 77: 558-565. <http://dx.doi.org/10.1016/j.steroids.2012.01.021>.
- Krystkowiak, E; Dobek, K; Burdziński, G; Maciejewski, A. (2012). Radiationless deactivation of 6-aminocoumarin from the S1-ICT state in nonspecifically interacting solvents. *Photochem Photobiol Sci*. 11: 1322-1330. <http://dx.doi.org/10.1039/c2pp25065a>.
- Ku, DH; Hung, MC; Hung, CM; Liu, LM; Chen, FA; Shieh, PC; Ho, CT; Way, TD. (2012). Body weight management effect of burdock (*Arctium lappa* L.) root is associated with the activation of AMP-activated protein kinase in human HepG2 cells. *Food Chem*. 134: 1320-1326. <http://dx.doi.org/10.1016/j.foodchem.2012.03.023>.
- Kubeczko, M; Nowara, E; Karwasiecka, D; Siewior, G; Czajka-Francuz, P; Chudek, J; Wojnar, J. (2016). C-C motif ligand 11 reduction in CLL patients serum after vitamin D supplementation. *Hematology*. 21: 343-350. <http://dx.doi.org/10.1080/10245332.2016.1142162>.
- Kubo, H; Hoshi, M; Mouri, A; Tashita, C; Yamamoto, Y; Nabeshima, T; Saito, K. (2017). Absence of kynurenine 3-monooxygenase reduces mortality of acute viral myocarditis in mice. *Immunol Lett*. 181: 94-100. <http://dx.doi.org/10.1016/j.imlet.2016.11.012>.
- Kubota, N; Kado, S; Kano, M; Masuoka, N; Nagata, Y; Kobayashi, T; Miyazaki, K; Ishikawa, F. (2013). A high-fat diet and multiple administration of carbon tetrachloride induces liver injury and pathological features associated with non-alcoholic steatohepatitis in mice. *Clin Exp Pharmacol Physiol*. 40: 422-430. <http://dx.doi.org/10.1111/1440-1681.12102>.
- Kuen, DS; Feierabend, KJ. (2014). Cavity-enhanced overtone spectroscopy of methanol in aprotic solvents: probing solute-solvent interactions and self-associative behavior. *J Phys Chem A*. 118: 2942-2951. <http://dx.doi.org/10.1021/jp502465j>.
- Kuhara, T; Tanaka, A; Yamauchi, K; Iwatsuki, K. (2014). Bovine lactoferrin ingestion protects against inflammation via IL-11 induction in the small intestine of mice with hepatitis. *Br J Nutr*. 111: 1801-1810. <http://dx.doi.org/10.1017/S0007114513004315>.
- Kujawska, M; Ewertowska, M; Adamska, T; Ignatowicz, E; Gramza-Michałowska, A; Jodynis-Liebert, J. (2016). Protective effect of yellow tea extract on N-nitrosodiethylamine-induced liver carcinogenesis. *Pharmaceutical Biology*. 54: 1891-1900. <http://dx.doi.org/10.3109/13880209.2015.1137600>.
- Kujawska, M; Ewertowska, M; Adamska, T; Sadowski, C; Ignatowicz, E; Jodynis-Liebert, J. (2014). Antioxidant effect of lycopene-enriched tomato paste on N-nitrosodiethylamine-induced oxidative stress in rats. *J Physiol Biochem*. 70: 981-990. <http://dx.doi.org/10.1007/s13105-014-0367-7>.
- Kulesh, NI; Fedoreev, SA; Veselova, MV; Kushnerova, NF; Fomenko, SE; Sprygin, VG; Momot, TV. (2016). Effects of Isoflavonoids from *Maackia Amurensis* Roots on the Metabolic Reactions of the Liver in Experimental Toxic Hepatitis. *Pharmaceutical Chemistry Journal*. 50: 451-457. <http://dx.doi.org/10.1007/s11094-016-1468-0>.
- Kumar, A; Vijayakumar, P; Gandhale, PN; Ranaware, PB; Kumar, H; Kulkarni, DD; Raut, AA; Mishra, A. (2017). Genome-wide gene expression pattern underlying differential host response to high or low pathogenic H5N1 avian influenza virus in ducks. *Acta Virol*. 61: 66-76. http://dx.doi.org/10.4149/av_2017_01_66.
- Kundu, R; Dasgupta, S; Biswas, A; Bhattacharya, S; Pal, BC; Bhattacharya, S; Rao, PG; Barua, NC; Bordoloi, M; Bhattacharya, S. (2011). Carlinoside reduces hepatic bilirubin accumulation by stimulating bilirubin-UGT activity through Nrf2 gene expression. *Biochem Pharmacol*. 82: 1186-1197. <http://dx.doi.org/10.1016/j.bcp.2011.07.069>.
- Kunimoto, K; Nojima, H; Yamazaki, Y; Yoshikawa, T; Okanoue, T; Tsukita, S. (2009). Involvement of IQGAP3, a regulator of Ras/ERK-related cascade, in hepatocyte proliferation in mouse liver regeneration and development. *J Cell Physiol*. 220: 621-631. <http://dx.doi.org/10.1002/jcp.21798>.
- Kunjiappan, S; Bhattacharjee, C; Chowdhury, R. (2015). In vitro antioxidant and hepatoprotective potential of *Azolla microphylla* phytochemically synthesized gold nanoparticles on acetaminophen - induced hepatocyte damage in *Cyprinus carpio* L. *In Vitro Cellular and Developmental Biology*. 51: 630-643. <http://dx.doi.org/10.1007/s11626-014-9841-3>.
- Kuo, WL; Yu, MC; Lee, JF; Tsai, CN; Chen, TC; Chen, MF. (2012). Imatinib mesylate improves liver regeneration and attenuates liver fibrogenesis in CCL4-treated mice. 16: 361-369. <http://dx.doi.org/10.1007/s11605-011-1764-7>.
- Kuramitsu, K; Sverdlov, DY; Liu, SB; Csizmadia, E; Burkly, L; Schuppan, D; Hanto, DW; Otterbein, LE; Popov, Y. (2013). Failure of fibrotic liver regeneration in mice is linked to a severe fibrogenic response driven by hepatic progenitor cell activation. *Am J Pathol*. 183: 182-194. <http://dx.doi.org/10.1016/j.ajpath.2013.03.018>.
- Kurata, O; Kitancharoen, N; Fujiwara, A; Nakayasu, C; Wada, S; Hatai, K. (2010). Activity of Granulocytes and Chemokines in the Leukocyte-encapsulation Response of Japanese Flounder *Paralichthys olivaceus*. *Gyobyo Kenkyu*. 45: 121-129.
- Kurtz, AJ; Lloyd, RS. (2003). 1,N2-deoxyguanosine adducts of acrolein, crotonaldehyde, and trans-4-hydroxynonenal cross-link to peptides via Schiff base linkage. *J Biol Chem*. 278: 5970-5906.
- Kuz'mina, TA. (2012). [Strongylids (Nematoda: Strongylidae) of domestic horses in Ukraine: modern state of Fauna and structure of the parasite community]. *Parazitologija*. 46: 127-138.
- Kuzmina, TA; Dzeverin, I; Kharchenko, VA. (2016). Strongylids in domestic horses: Influence of horse age, breed and deworming programs on the strongyle parasite community. *Vet Parasitol*. 227: 56-63. <http://dx.doi.org/10.1016/j.vetpar.2016.07.024>.
- Kwac, K; Geva, E. (2011). A mixed quantum-classical molecular dynamics study of the hydroxyl stretch in methanol/carbon tetrachloride mixtures: equilibrium hydrogen-bond structure and dynamics at the ground state and the infrared absorption spectrum. *J Phys Chem B*. 115: 9184-9194. <http://dx.doi.org/10.1021/jp204245z>.

Human Health Hazard Literature Search Results

Off Topic

- Kwac, K; Geva, E. (2012). Mixed Quantum-Classical Molecular Dynamics Study of the Hydroxyl Stretch in Methanol/Carbon-Tetrachloride Mixtures II: Excited State Hydrogen Bonding Structure and Dynamics, Infrared Emission Spectrum, and Excited State Lifetime. *J Phys Chem B*. 116: 2856-2866. <http://dx.doi.org/10.1021/jp211792j>.
- Kwac, K; Geva, E. (2013). A mixed quantum-classical molecular dynamics study of the hydroxyl stretch in methanol/carbon tetrachloride mixtures III: nonequilibrium hydrogen-bond dynamics and infrared pump-probe spectra. *J Phys Chem B*. 117: 7737-7749. <http://dx.doi.org/10.1021/jp403726t>.
- Kwiatkowski, K; Piotrowska, A; Rojewska, E; Makuch, W; Jurga, A; Slusarczyk, J; Trojan, E; Basta-Kaim, A; Mika, J. (2016). Beneficial properties of maraviroc on neuropathic pain development and opioid effectiveness in rats. 64: 68-78. <http://dx.doi.org/10.1016/j.pnpbp.2015.07.005>.
- Kwon, HJ; Won, YS; Park, O; Feng, D; Gao, B. (2014). Opposing effects of prednisolone treatment on T/NKT cell- and hepatotoxin-mediated hepatitis in mice. *Hepatology*. 59: 1094-1106. <http://dx.doi.org/10.1002/hep.26748>.
- Kwon, SC; Kim, YB. (2011). Antifibrotic activity a fermentation filtrate of *Ganoderma lucidum*. *Lab Anim Res*. 27: 369-371. <http://dx.doi.org/10.5625/lar.2011.27.4.369>.
- La Mura, V; Pasarin, M; Rodriguez-Villarupla, A; Carlos Garcia-Pagan, J; Bosch, J; Abalde, JG. (2014). Liver sinusoidal endothelial dysfunction after LPS administration: A role for inducible-nitric oxide synthase. *J Hepatol*. 61: 1321-1327.
- Lachmann, R; Bevan, MA; Kim, S; Patel, N; Hawrylowicz, C; Vyakarnam, A; Peters, BS. (2015). A comparative phase 1 clinical trial to identify anti-infective mechanisms of vitamin D in people with HIV infection. *AIDS*. 29: 1127-1135. <http://dx.doi.org/10.1097/QAD.0000000000000666>.
- Lafdil, F; Chobert, MN; Deveaux, V; Zafrani, ES; Mavier, P; Nakano, T; Laperche, Y; Brouillet, A. (2009). Growth arrest-specific protein 6 deficiency impairs liver tissue repair after acute toxic hepatitis in mice. *J Hepatol*. 51: 55-66. <http://dx.doi.org/10.1016/j.jhep.2009.02.030>.
- Laffont, B; Corduan, A; Rousseau, M; Duchez, AC; Lee, CH; Boilard, E; Provost, P. (2016). Platelet microparticles reprogram macrophage gene expression and function. *Thromb Haemostasis*. 115: 311-323. <http://dx.doi.org/10.1160/TH15-05-0389>.
- Lafreniere, LM. (2009). Progress Report and Technical Evaluation of the ISCR Pilot Test Conducted at the Romer CCC/USDA Grain Storage Facility in Centralia, Kansas. 462.
- Lafreniere, LM. (2011). Annual Report of Groundwater Monitoring at Everest, Kansas in 2011. GRA and I: 132.
- Lagadec, M; Doblas, S; Giraudeau, C; Ronot, M; Lambert, SA; Fasseu, M; Paradis, V; Moreau, R; Pastor, CM; Vilgrain, V; Daire, JL; Van Beers, BE. (2015). Advanced fibrosis: Correlation between pharmacokinetic parameters at dynamic gadoxetate-enhanced MR imaging and hepatocyte organic anion transporter expression in rat liver. *Radiology*. 274: 379-386. <http://dx.doi.org/10.1148/radiol.14140313>.
- Lai, G; Chen, G; Chen, T. (2016). Speciation of As(III) and As(V) in fruit juices by dispersive liquid-liquid microextraction and hydride generation-atomic fluorescence spectrometry. *Food Chem*. 190: 158-163. <http://dx.doi.org/10.1016/j.foodchem.2015.05.052>.
- Lai, L; Chen, Y; Tian, X; Li, X; Zhang, X; Lei, J; Bi, Y; Fang, B; Song, X. (2015). Artesunate alleviates hepatic fibrosis induced by multiple pathogenic factors and inflammation through the inhibition of LPS/TLR4/NF- κ B signaling pathway in rats. *Eur J Pharmacol*. 765: 234-241. <http://dx.doi.org/10.1016/j.ejphar.2015.08.040>.
- Lajoie, J; Poudrier, J; Massinga Loembe, M; Guédou, F; Leblond, F; Labbé, AC; Alary, M; Roger, M. (2010). Chemokine expression patterns in the systemic and genital tract compartments are associated with HIV-1 infection in women from Benin. *J Clin Immunol*. 30: 90-98. <http://dx.doi.org/10.1007/s10875-009-9343-3>.
- Lakhi, KS; Park, DH; Joseph, S; Talapaneni, SN; Ravon, U; Al-Bahily, K; Vinu, A. (2017). Effect of Heat Treatment on the Nitrogen Content and Its Role on the CO₂ Adsorption Capacity of Highly Ordered Mesoporous Carbon Nitride. *Chem Asian J*. <http://dx.doi.org/10.1002/asia.201601707>.
- Lakshmi, BVS; Sudhakar, M. (2010). Protective Effect of *Zingiber officinale* on Gentamicin-Induced Nephrotoxicity in Rats. *International Journal of Pharmacology*. 6: 58-62.
- Lamb, CL; Cholico, GN; Perkins, DE; Fewkes, MT; Oxford, JT; Lujan, TJ; Morrill, EE; Mitchell, KA. (2016). Aryl Hydrocarbon Receptor Activation by TCDD Modulates Expression of Extracellular Matrix Remodeling Genes during Experimental Liver Fibrosis. *BioMed Res Int*. 2016: 5309328. <http://dx.doi.org/10.1155/2016/5309328>.
- Lamb, CL; Cholico, GN; Pu, X; Hagler, GD; Cornell, KA; Mitchell, KA. (2016). 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD) increases necroinflammation and hepatic stellate cell activation but does not exacerbate experimental liver fibrosis in mice. *Toxicol Appl Pharmacol*. 311: 42-51. <http://dx.doi.org/10.1016/j.taap.2016.09.025>.
- Lambert, C; Wu, Y; Aanei, C. (2016). Bone Marrow Immunity and Myelodysplasia [Review]. 6: 172. <http://dx.doi.org/10.3389/fonc.2016.00172>.
- Lambert, IB; Singer, TM; Boucher, SE; Douglas, GR. (2005). Detailed review of transgenic rodent mutation assays [Review]. *Mutat Res*. 590: 1-280. <http://dx.doi.org/10.1016/j.mrrev.2005.04.002>.
- Lan, Y; Chen, Y; Cao, X; Zhang, J; Wang, J; Xu, X; Qiu, Y; Zhang, T; Liu, X; Liu, BF; Zhang, G. (2014). Synthesis and biological evaluation of novel sigma-1 receptor antagonists based on pyrimidine scaffold as agents for treating neuropathic pain. *J Med Chem*. 57: 10404-10423. <http://dx.doi.org/10.1021/jm501207r>.
- Lana, JP; Martins, LB; Oliveira, MC; Menezes-Garcia, Z; Yamada, LT; Vieira, LQ; Teixeira, MM; Ferreira, AV. (2016). TNF and IL-18 cytokines may regulate liver fat storage under homeostasis conditions. *Appl Physiol Nutr Metab*. 41: 1295-1302. <http://dx.doi.org/10.1139/apnm-2016-0265>.
- Landeck, L; Jakasa, I; Dapic, I; Lutter, R; Thyssen, JP; Skov, L; Braun, A; Schön, MP; John, SM; Kestic, S; Brans, R. (2016). The effect of epidermal levels of urocanic acid on 25-hydroxyvitamin D synthesis and inflammatory mediators upon narrowband UVB irradiation. *Photodermatol Photoimmunol Photomed*. 32: 214-223. <http://dx.doi.org/10.1111/phpp.12249>.

Human Health Hazard Literature Search Results

Off Topic

- Lanthier, N; Horsmans, Y; Leclercq, IA. (2009). The metabolic syndrome: how it may influence hepatic stellate cell activation and hepatic fibrosis [Review]. *Curr Opin Clin Nutr Metab Care*. 12: 404-411. <http://dx.doi.org/10.1097/MCO.0b013e32832c7819>.
- Laref, S; Li, Y; Bocquet, ML; Delbecq, F; Sautet, P; Loffreda, D. (2011). Nature of adhesion of condensed organic films on platinum by first-principles simulations. *Phys Chem Chem Phys*. 13: 11827-11837. <http://dx.doi.org/10.1039/c0cp02285c>.
- Larki, A. (2017). A novel application of carbon dots for colorimetric determination of fenitrothion insecticide based on the microextraction method. *Spectrochim Acta A Mol Biomol Spectrosc*. 173: 1-5. <http://dx.doi.org/10.1016/j.saa.2016.08.048>.
- Larson, BJ; Gillmor, SD; Braun, JM; Cruz-Barba, LE; Savage, DE; Denes, FS; Lagally, MG. (2013). Long-term reduction in poly(dimethylsiloxane) surface hydrophobicity via cold-plasma treatments. *Langmuir*. 29: 12990-12996. <http://dx.doi.org/10.1021/la403077q>.
- Laskin, DL. (2009). Macrophages and Inflammatory Mediators in Chemical Toxicity: A Battle of Forces. *Chem Res Toxicol*. 22: 1376-1385. <http://dx.doi.org/10.1021/tx900086v>.
- Lau, LF. (2015). Matricellular Signaling in Hepatobiliary Injury Repair.
- Laus, MN; Denoth, F; Ciardi, M; Giorgetti, L; Pucci, L; Sacco, R; Pastore, D; Longo, V. (2013). Antioxidant-rich food supplement Lisosan G induces reversion of hepatic steatosis. *Medycyna Weterynaryjna*. 69: 235-240.
- Lazić, E; Jelušić, M; Grčević, D; Marušić, A; Kovačić, N. (2012). Osteoblastogenesis from synovial fluid-derived cells is related to the type and severity of juvenile idiopathic arthritis. *Arthritis Res Ther*. 14: R139. <http://dx.doi.org/10.1186/ar3872>.
- Leaker, BR; Malkov, VA; Mogg, R; Ruddy, MK; Nicholson, GC; Tan, AJ; Tribouley, C; Chen, G; De Lepeleire, I; Calder, NA; Chung, H; Lavender, P; Carayannopoulos, LN; Hansel, TT. (2016). The nasal mucosal late allergic reaction to grass pollen involves type 2 inflammation (IL-5 and IL-13), the inflammasome (IL-1 β), and complement. *Mucosal Immunol*. <http://dx.doi.org/10.1038/mi.2016.74>.
- Leaker, BR; Nicholson, GC; Ali, FY; Daudi, N; O'Connor, BJ; Barnes, PJ. (2015). Bronchoabsorption; a novel bronchoscopic technique to improve biomarker sampling of the airway. *Respir Res*. 16: 102. <http://dx.doi.org/10.1186/s12931-015-0268-5>.
- Leboeuf, RA; Kerckaert, GA; Aardema, MJ; Gibson, DP; Brauninger, R; Isfort, RJ. (1996). The pH 6.7 Syrian hamster embryo cell transformation assay for assessing the carcinogenic potential of chemicals [Review]. *Mutat Res*. 356: 85-127. [http://dx.doi.org/10.1016/0027-5107\(95\)00199-9](http://dx.doi.org/10.1016/0027-5107(95)00199-9).
- Lechner, CJ; Gantin, RG; Seeger, T; Sarnecka, A; Portillo, J; Schulz-Key, H; Karabou, PK; Helling-Giese, G; Heuschkel, C; Banla, M; Soboslay, PT. (2012). Chemokines and cytokines in patients with an occult *Onchocerca volvulus* infection. *Microb Infect*. 14: 438-446. <http://dx.doi.org/10.1016/j.micinf.2011.12.002>.
- Lechowski, S; Feilhauer, K; Staib, L; Coeffier, M; Bischoff, SC; Lorentz, A. (2013). Combined arginine and glutamine decrease release of de novo synthesized leukotrienes and expression of proinflammatory cytokines in activated human intestinal mast cells. *Eur J Nutr*. 52: 505-512. <http://dx.doi.org/10.1007/s00394-012-0353-1>.
- Lee, CW; Yen, FL; Huang, HW; Wu, TH; Ko, HH; Tzeng, WS; Lin, CC. (2012). Resveratrol nanoparticle system improves dissolution properties and enhances the hepatoprotective effect of resveratrol through antioxidant and anti-inflammatory pathways. *J Agric Food Chem*. 60: 4662-4671. <http://dx.doi.org/10.1021/jf2050137>.
- Lee, GH; Lee, HY; Choi, MK; Chung, HW; Kim, SW; Chae, HJ. (2017). Protective effect of *Curcuma longa* L. extract on CCl₄-induced acute hepatic stress. *BMC Research Notes*. 10: 77. <http://dx.doi.org/10.1186/s13104-017-2409-z>.
- Lee, H; Ahn, YT; Lee, JH; Huh, CS; Kim, DH. (2009). Evaluation of anti-colic effect of lactic acid bacteria in mice by cDNA microarray analysis. *Inflammation*. 32: 379-386. <http://dx.doi.org/10.1007/s10753-009-9146-y>.
- Lee, H; Ahn, YT, ae; Park, S, eH; Ahn, YM, in; Shim, J, aeJ; Lee, JH, ee; Lee, JS; Surh, YJ; Huh, CS; Kim, DH. (2011). Evaluation of Anti-Colitic Effect of Chung-Jang-Hwan (C-mix) in Mice. 19: 52-58. <http://dx.doi.org/10.4062/biomolther.2011.19.1.052>.
- Lee, H; Baek, J; Min, H; Cho, IH; Yu, SW; Lee, SJ. (2016). Toll-Like Receptor 3 Contributes to Wallerian Degeneration after Peripheral Nerve Injury. *Neuroimmunomodulation*. 23: 209-216. <http://dx.doi.org/10.1159/000449134>.
- Lee, H; Jeong, H; Park, S; Yoo, W; Choi, S; Choi, K; Lee, MG; Lee, M; Cha, D; Kim, YS; Han, J; Kim, W; Park, SH; Oh, J. (2015). Fusion protein of retinol-binding protein and albumin domain III reduces liver fibrosis. *E M B O Molecular Medicine*. 7: 819-830. <http://dx.doi.org/10.15252/emmm.201404527>.
- Lee, HS; Kwon, SH, o; Ham, J; Lee, J; Kim, DH; Shin, KH, o; Choi, SH. (2012). Zaprinast activates MAPKs, NF kappa B, and Akt and induces the expressions of inflammatory genes in microglia. *Int Immunopharmacol*. 13: 232-241. <http://dx.doi.org/10.1016/j.intimp.2012.04.013>.
- Lee, HS; Song, J; Kim, TM; Joo, SS; Park, D; Jeon, JH; Shin, S; Park, HK; Lee, WK; Ly, SY; Kim, MR; Lee, DI; Kim, YB. (2009). Effects of a preparation of combined glutathione-enriched yeast and rice embryo/soybean extracts on ethanol hangover. *J Med Food*. 12: 1359-1367. <http://dx.doi.org/10.1089/jmf.2008.1367>.
- Lee, HY; Kim, SW; Lee, GH; Choi, MK; Jung, HW; Kim, YJ; Kwon, HJ; Chae, HJ. (2016). Turmeric extract and its active compound, curcumin, protect against chronic CCl₄-induced liver damage by enhancing antioxidation. *BMC Complement Altern Med*. 16: 316. <http://dx.doi.org/10.1186/s12906-016-1307-6>.
- Lee, J; Hwang, G, iW; Kim, M; Takahashi, T; Naganuma, A. (2012). Methylmercury induces a brain-specific increase in chemokine CCL4 expression in mice. *J Toxicol Sci*. 37: 1279-1282.
- Lee, J; Kim, YJ; Lee, J; Consortium, TD-G; Kim, BJ; Lee, S; Park, T. (2016). Gene-set association tests for next-generation sequencing data. 32: i611-i619. <http://dx.doi.org/10.1093/bioinformatics/btw429>.
- Lee, M; Oh, J. (2010). Sonolysis of trichloroethylene and carbon tetrachloride in aqueous solution. *Ultrason Sonochem*. 17: 207-212. <http://dx.doi.org/10.1016/j.ultsonch.2009.06.018>.
- Lee, MF; Tsai, ML; Sun, PP; Chien, LL; Cheng, AC; Ma, NJ; Ho, CT; Pan, MH. (2013). Phyto-power dietary supplement potently inhibits dimethylnitrosamine-induced liver fibrosis in rats. 4: 470-475. <http://dx.doi.org/10.1039/c2fo30306j>.

Human Health Hazard Literature Search Results

Off Topic

- Lee, MJ; Jung, J; Na, KH; Moon, JS; Lee, HJ; Kim, JH; Kim, GI; Kwon, SW; Hwang, SG; Kim, GJ. (2010). Anti-fibrotic effect of chorionic plate-derived mesenchymal stem cells isolated from human placenta in a rat model of CCl₄-injured liver: potential application to the treatment of hepatic diseases. *J Cell Biochem.* 111: 1453-1463. <http://dx.doi.org/10.1002/jcb.22873>.
- Lee, SA; Kim, SM; Son, YH; Lee, CW; Chung, SW; Eo, SK; Rhim, BY; Kim, K. (2011). Peptidoglycan enhances secretion of monocyte chemoattractants via multiple signaling pathways. *Biochem Biophys Res Commun.* 408: 132-138. <http://dx.doi.org/10.1016/j.bbrc.2011.03.136>.
- Lee, SH; Zhao, YZ; Park, EJ; Che, XH; Seo, GS; Sohn, DH. (2011). 2',4',6'-Tris(methoxymethoxy) chalcone induces apoptosis by enhancing Fas-ligand in activated hepatic stellate cells. *Eur J Pharmacol.* 658: 9-15. <http://dx.doi.org/10.1016/j.ejphar.2011.01.067>.
- Lee, SP; Savard, CE; Kuver, R. (2009). Gallbladder epithelial cells that engraft in mouse liver can differentiate into hepatocyte-like cells. *Am J Pathol.* 174: 842-853. <http://dx.doi.org/10.2353/ajpath.2009.080262>.
- Lee, TY; Lee, KC; Chang, HH. (2010). Modulation of the cannabinoid receptors by andrographolide attenuates hepatic apoptosis following bile duct ligation in rats with fibrosis. *Apoptosis.* 15: 904-914. <http://dx.doi.org/10.1007/s10495-010-0502-z>.
- Lee, YJ; Scofield, RH; Hyon, JY; Yun, PY; Lee, HJ; Lee, EY; Lee, EB; Song, YW. (2010). Salivary chemokine levels in patients with primary Sjogren's syndrome. *Rheumatology.* 49: 1747-1752. <http://dx.doi.org/10.1093/rheumatology/keq121>.
- Lehmann, MH; Kastenmuller, W; Kandemir, JD; Brandt, F; Suezer, Y; Sutter, G. (2009). Modified vaccinia virus ankara triggers chemotaxis of monocytes and early respiratory immigration of leukocytes by induction of CCL2 expression. *J Virol.* 83: 2540-2552. <http://dx.doi.org/10.1128/JVI.01884-08>.
- Lehr, K; Schulthoff, S; Ueda, Y; Mariz, R; Leseurre, L; Gabor, B; Fuerstner, A. (2015). A New Method for the Preparation of Non-Terminal Alkynes: Application to the Total Syntheses of Tularin A and C. *Chemistry.* 21: 219-227. <http://dx.doi.org/10.1002/chem.201404873>.
- Lei, H; Bai, L; Zhang, X; Yang, G. (2014). Preparation of a tetrazolyl monolithic column via the combination of ATRP and click chemistry for the separation of proteins. *J Chromatogr Sci.* 52: 1211-1216. <http://dx.doi.org/10.1093/chromsci/bmt179>.
- Leighton, DT, Jr; Calo, JM. (1981). Distribution coefficients of chlorinated hydrocarbons in dilute air-water systems for groundwater contamination applications. *Journal of Chemical and Engineering Data.* 26: 382-585. <http://dx.doi.org/10.1021/je00026a010>.
- Lemus, L; Guerrero, J; Costamagna, J; Estiu, G; Ferraudi, G; Lappin, AG; Oliver, A; Noll, BC. (2010). Unfolding of the [Cu₂(1,3-bis(9-methyl-1,10-phenanthroline-2-yl)propane)2]²⁺ helicate. Coupling of the chlorocarbon dehalogenation to the unfolding process. *Inorg Chem.* 49: 4023-4035. <http://dx.doi.org/10.1021/ic9018986>.
- Lenz, AM; Fairweather, M; Peyton, JC; Gardner, SA; Cheadle, WG. (2011). Liver injury and abscess formation in secondary murine peritonitis. *Inflamm Res.* 60: 337-345. <http://dx.doi.org/10.1007/s00011-010-0273-6>.
- Leonardi, L; Dowling, D; Valentini, P; Duse, M; Bergelson, I; Angelone, D; Levy, O. (2015). Ontogeny of serum CCL2, CCL4 and Eotaxin concentrations in early life. *Allergy.* 70: 404-405.
- Leong, P, ouK; Chiu, P, oYee; Ko, K, amM. (2012). Prooxidant-Induced Glutathione Antioxidant Response in Vitro and in Vivo: A Comparative Study between Schisandrin B and Curcumin. *Biol Pharm Bull.* 35: 464-472.
- Leow, KY; Goh, WW; Heng, CK. (2012). Effect of serum amyloid A1 treatment on global gene expression in THP-1-derived macrophages. *Inflamm Res.* 61: 391-398. <http://dx.doi.org/10.1007/s00011-011-0424-4>.
- Lessa, AS; Paredes, BD; Dias, JV; Carvalho, AB; Quintanilha, LF; Takiya, CM; Tura, BR; Rezende, GF; Campos de Carvalho, AC; Resende, CM; Goldenberg, RC. (2010). Ultrasound imaging in an experimental model of fatty liver disease and cirrhosis in rats. *BMC Vet Res.* 6: 6. <http://dx.doi.org/10.1186/1746-6148-6-6>.
- Letourneau, DR; Gill, CG; Krogh, ET. (2015). Photosensitized degradation kinetics of trace halogenated contaminants in natural waters using membrane introduction mass spectrometry as an in situ reaction monitor. *Photochem Photobiol Sci.* 14: 2108-2118. <http://dx.doi.org/10.1039/c5pp00286a>.
- Leung, G; Petri, B; Reyes, JL; Wang, A; Iannuzzi, J; McKay, DM. (2015). Cryopreserved IL-4-treated macrophages attenuate murine colitis in an integrin β 7-dependent manner. *Mol Med.* <http://dx.doi.org/10.2119/molmed.2015.00193>.
- Levitskiĭ, EF; Shilkina, ES; Mustafina, LR. (2010). [Seasonal variations of nucleic acid content in an experiment on non-pharmacological correction of the hepatic function]. *Voprosy Kurortologii, Fizioterapii, i Lechebnoi Fizicheskoi Kultury / Problems of Health Resort Tre21-22.*
- Lewis, RJ, Sr. (2007). *Hawley's condensed chemical dictionary (15th ed.)*. Hoboken, NJ: John Wiley & Sons. <http://dx.doi.org/10.1002/9780470114735>.
- Lewis, TA; Glassing, A; Harper, J; Franklin, MJ. (2013). Role for Ferredoxin: NAD(P)H Oxidoreductase (FprA) in Sulfate Assimilation and Siderophore Biosynthesis in Pseudomonads. *J Bacteriol.* 195: 3876-3887. <http://dx.doi.org/10.1128/JB.00528-13>.
- Lewis, TC; Henderson, TA; Carpenter, AR; Ramirez, IA; Mchenry, CL; Goldsmith, AM; Ren, X; Mentz, GB; Mukherjee, B; Robins, TG; Joiner, TA; Mohammad, LS; Nguyen, ER; Burns, MA; Burke, DT; Hershenson, MB. (2012). Nasal cytokine responses to natural colds in asthmatic children. *Clin Exp Allergy.* 42: 1734-1744. <http://dx.doi.org/10.1111/cea.12005>.
- Li, AH; Huang, SC; Chao, SD. (2010). Molecular dynamics simulation of liquid carbon tetrachloride using ab initio force field. *J Chem Phys.* 132: 024506. <http://dx.doi.org/10.1063/1.3293129>.
- Li, B; Shao, Q; Ji, D; Li, F; Chen, G. (2015). Mesenchymal stem cells mitigate cirrhosis through BMP7. *Cell Physiol Biochem.* 35: 433-440. <http://dx.doi.org/10.1159/000369708>.
- Li, C; Yi, LT; Geng, D; Han, YY; Weng, LJ. (2015). Hepatoprotective effect of ethanol extract from *Berchemia lineate* against CCl₄-induced acute hepatotoxicity in mice. *Pharmaceutical Biology.* 53: 767-772. <http://dx.doi.org/10.3109/13880209.2014.941506>.
- Li, DZ; Tang, C; Quinn, RJ; Feng, Y; Ke, CQ; Yao, S; Ye, Y. (2013). ent-Labdane diterpenes from the stems of *Mallotus japonicus*. *J Nat Prod.* 76: 1580-1585. <http://dx.doi.org/10.1021/np400241p>.

Human Health Hazard Literature Search Results

Off Topic

- Li, F; Cheng, Q; Ling, X; Stablewski, A; Tang, L; Foster, BA; Johnson, CS; Rustum, YM; Porter, CW. (2010). Generation of a novel transgenic mouse model for bioluminescent monitoring of survivin gene activity in vivo at various pathophysiological processes: survivin expression overlaps with stem cell markers. *Am J Pathol.* 176: 1629-1638. <http://dx.doi.org/10.2353/ajpath.2010.090414>.
- Li, F; Ma, N; Zhao, R; Wu, G; Zhang, Y; Qiao, Y; Han, D; Xu, Y; Xiang, Y; Yan, B; Jin, J; Lv, G; Wang, L; Xu, C; Gao, X; Luo, S. (2014). Overexpression of miR-483-5p/3p cooperate to inhibit mouse liver fibrosis by suppressing the TGF- β stimulated HSCs in transgenic mice. *J Cell Mol Med.* 18: 966-974. <http://dx.doi.org/10.1111/jcmm.12293>.
- Li, G; Li, J; Li, C; Qi, H; Dong, P; Zheng, J; Yu, F. (2016). MicroRNA-125a-5p Contributes to Hepatic Stellate Cell Activation through Targeting FIH1. *Cell Physiol Biochem.* 38: 1544-1552. <http://dx.doi.org/10.1159/000443095>.
- Li, G; Liu, D; Cooper, TK; Kimchi, ET; Qi, X; Avella, DM; Li, N; Yang, QX; Kester, M; Rountree, CB; Kaifi, JT; Cole, DJ; Rockey, DC; Schell, TD; Staveley-O'Carroll, KF. (2017). Successful chemoimmunotherapy against hepatocellular cancer in a novel murine model. *J Hepatol.* 66: 75-85. <http://dx.doi.org/10.1016/j.jhep.2016.07.044>.
- Li, GM; Li, DG; Fan, JG; Xie, Q. (2010). [Effect of silencing connective tissue growth factor on the liver fibrosis in rats]. *Zhonghua Gan Zang Bing Za Zhi.* 18: 822-825.
- Li, GS; Jiang, WL; Tian, JW; Qu, GW; Zhu, HB; Fu, FH. (2010). In vitro and in vivo antifibrotic effects of rosmarinic acid on experimental liver fibrosis. *Phytomedicine.* 17: 282-288. <http://dx.doi.org/10.1016/j.phymed.2009.05.002>.
- Li, H; Leulmi, RF; Juncker, D. (2011). Hydrogel droplet microarrays with trapped antibody-functionalized beads for multiplexed protein analysis. *Lab Chip.* 11: 528-534. <http://dx.doi.org/10.1039/c0lc00291g>.
- Li, H; Yoon, JH; Won, HJ; Ji, HS; Yuk, HJ; Park, KH; Park, HY; Jeong, TS. (2017). Isotrifolol inhibits pro-inflammatory mediators by suppression of TLR/NF- κ B and TLR/MAPK signaling in LPS-induced RAW264.7 cells. *Int Immunopharmacol.* 45: 110-119. <http://dx.doi.org/10.1016/j.intimp.2017.01.033>.
- Li, HZ; Tao, DL; Qi, J; Wu, JG; Xu, YZ; Noda, I. (2014). Dipole-dipole interactions in solution mixtures probed by two-dimensional synchronous spectroscopy based on orthogonal sample design scheme. *Spectrochim Acta A Mol Biomol Spectrosc.* 124: 697-702. <http://dx.doi.org/10.1016/j.saa.2013.12.110>.
- Li, J; Ang, M; Cheung, CM; Vania, M; Chan, AS; Waduthantri, S; Yang, H; Chee, SP. (2012). Aqueous cytokine changes associated with Posner-Schlossman syndrome with and without human cytomegalovirus. *PLoS ONE.* 7: e44453. <http://dx.doi.org/10.1371/journal.pone.0044453>.
- Li, J; Chen, K; Li, S; Feng, J; Liu, T; Wang, F; Zhang, R; Xu, S; Zhou, Y; Zhou, S; Xia, Y; Lu, J; Zhou, Y; Guo, C. (2016). Protective effect of fucoidan from *Fucus vesiculosus* on liver fibrosis via the TGF- β 1/Smad pathway-mediated inhibition of extracellular matrix and autophagy. *Drug Design, Development and Therapy.* 10: 619-630. <http://dx.doi.org/10.2147/DDDT.S98740>.
- Li, J; Gao, J; Yan, D; Yuan, Y; Sah, S; Satyal, U; Liu, M; Han, W; Yu, Y. (2011). Neutralization of chemokine CXCL14 (BRAF) expression reduces CCl4 induced liver injury and steatosis in mice. *Eur J Pharmacol.* 671: 120-127. <http://dx.doi.org/10.1016/j.ejphar.2011.09.174>.
- Li, J; Ge, J; Ren, S; Zhou, T; Sun, Y; Sun, H; Gu, Y; Huang, H; Xu, Z; Chen, X; Xu, X; Zhuang, X; Song, C; Jia, F; Xu, A; Yin, X; Du, SX. (2015). Hepatitis B surface antigen (HBsAg) and core antigen (HBcAg) combine CpG oligodeoxynucleotides as a novel therapeutic vaccine for chronic hepatitis B infection. *Vaccine.* 33: 4247-4254. <http://dx.doi.org/10.1016/j.vaccine.2015.03.079>.
- Li, J; Ghazwani, M; Zhang, Y; Lu, J; Li, J; Fan, J, ie; Gandhi, CR; Li, S. (2013). miR-122 regulates collagen production via targeting hepatic stellate cells and suppressing P4HA1 expression. *J Hepatol.* 58: 522-528.
- Li, J; Li, X; Xu, W; Wang, S; Hu, Z; Zhang, Q; Deng, X; Wang, J; Zhang, J; Guo, C. (2015). Antifibrotic effects of luteolin on hepatic stellate cells and liver fibrosis by targeting AKT/mTOR/p70S6K and TGF β /Smad signalling pathways. *Liver Int.* 35: 1222-1233. <http://dx.doi.org/10.1111/liv.12638>.
- Li, JF; Chen, BC; Lai, DD; Jia, ZR; Andersson, R; Zhang, B; Yao, JG; Yu, Z. (2011). Soy isoflavone delays the progression of thioacetamide-induced liver fibrosis in rats. *Scand J Gastroenterol.* 46: 341-349. <http://dx.doi.org/10.3109/00365521.2010.525662>.
- Li, JJ; Shen, G; Yin, RL; Shen, CY; Cheng, L; Qiu, L; Han, J; Yuan, HL. (2015). [Influence of stir-baked with sand on active ingredients, diarrhea and hepatoprotection of *Herpetospermum caudigerum*]. *Zhongguo Zhong Yao Za Zhi.* 40: 236-239.
- Li, JP; Gao, Y; Chu, SF; Zhang, Z; Xia, CY; Mou, Z; Song, XY; He, WB; Guo, XF; Chen, NH. (2014). Nrf2 pathway activation contributes to anti-fibrosis effects of ginsenoside Rg1 in a rat model of alcohol- and CCl4-induced hepatic fibrosis. *Acta Pharmacol Sin.* 35: 1031-1044. <http://dx.doi.org/10.1038/aps.2014.41>.
- Li, L, i; Chen, J; Li, Y; Lv, Y; Wu, K; Liu, Y, i; Cui, L. (2013). Colon-targeted delivery of liver hydrolysates: efficacy in reversing carbon tetrachloride-induced liver damage. *Journal of Drug Delivery Science and Technology.* 23: 493-497.
- Li, L; Chen, N; He, L; Wen, X. (2015). [Significance of P53 and high mobility group box 1 protein in different levels of liver fibrosis in chronic hepatitis B]. *Zhong Nan Da Xue Xue Bao Yi Xue Ban.* 40: 1217-1222. <http://dx.doi.org/10.11817/j.issn.1672-7347.2015.11.009>.
- Li, L; Hu, Z; Li, W; Hu, M; Ran, J; Chen, P; Sun, Q. (2012). Establishment of a standardized liver fibrosis model with different pathological stages in rats. *Gastroenterology Research and Practice.* 2012: 560345. <http://dx.doi.org/10.1155/2012/560345>.
- Li, L; Zhang, T; Zhou, L; Zhou, L; Xing, G; Chen, Y; Xin, Y. (2014). Schisandrin B attenuates acetaminophen-induced hepatic injury through heat-shock protein 27 and 70 in mice. *J Gastroenterol Hepatol.* 29: 640-647. <http://dx.doi.org/10.1111/jgh.12425>.
- Li, M; Wang, XF; Shi, JJ; Li, YP; Yang, N; Zhai, S; Dang, SS. (2015). Caffeic acid phenethyl ester inhibits liver fibrosis in rats. *World J Gastroenterol.* 21: 3893-3903. <http://dx.doi.org/10.3748/wjg.v21.i13.3893>.
- Li, M; Wu, ZM; Yang, H; Huang, SJ. (2011). NF κ B and JNK/MAPK activation mediates the production of major macrophage- or dendritic cell-recruiting chemokine in human first trimester decidual cells in response to proinflammatory stimuli. *J Clin Endocrinol Metab.* 96: 2502-2511. <http://dx.doi.org/10.1210/jc.2011-0055>.

Human Health Hazard Literature Search Results

Off Topic

- Li, N; Zhang, L; Li, H; Fang, B. (2010). Administration of granulocyte colony-stimulating factor ameliorates radiation-induced hepatic fibrosis in mice. *Transplant Proc.* 42: 3833-3839. <http://dx.doi.org/10.1016/j.transproceed.2010.09.010>.
- Li, P; Shibata, R; Unno, K; Shimano, M; Furukawa, M; Ohashi, T; Cheng, X; Nagata, K; Ouchi, N; Murohara, T. (2010). Evidence for the importance of adiponectin in the cardioprotective effects of pioglitazone. *Hypertension.* 55: 69-75. <http://dx.doi.org/10.1161/HYPERTENSIONAHA.109.141655>.
- Li, PC; Chiu, YW; Lin, YM; Day, CH; Hwang, GY; Pai, P; Tsai, FJ; Tsai, CH; Kuo, YC; Chang, HC; Liu, JY; Huang, CY. (2012). Herbal Supplement Ameliorates Cardiac Hypertrophy in Rats with CCl(4)-Induced Liver Cirrhosis. *eCAM.* 2012: 139045. <http://dx.doi.org/10.1155/2012/139045>.
- Li, R; Liang, T; He, Q; Guo, C; Xu, L; Zhang, K; Duan, X. (2013). Puerarin, isolated from Kudzu root (Willd.), attenuates hepatocellular cytotoxicity and regulates the GSK-3 β /NF- κ B pathway for exerting the hepatoprotection against chronic alcohol-induced liver injury in rats. *Int Immunopharmacol.* 17: 71-78. <http://dx.doi.org/10.1016/j.intimp.2013.05.023>.
- Li, S. (2015). Low Electric Field-Based Gene Delivery of IL-30 Gene Therapy for Liver Injury.
- Li, S; Lv, YF; Su, HQ; Zhang, QN; Wang, LR; Hao, ZM. (2016). A virus-like particle-based connective tissue growth factor vaccine suppresses carbon tetrachloride-induced hepatic fibrosis in mice. *Sci Rep.* 6: 32155. <http://dx.doi.org/10.1038/srep32155>.
- Li, S; Pettersson, US; Hoorelbeke, B; Kolaczowska, E; Schelfhout, K; Martens, E; Kubes, P; Van Damme, J; Phillipson, M; Opendakker, G. (2014). Interference with glycosaminoglycan-chemokine interactions with a probe to alter leukocyte recruitment and inflammation in vivo. *PLoS ONE.* 9: e104107. <http://dx.doi.org/10.1371/journal.pone.0104107>.
- Li, S; Sun, Z; Lv, G; Guo, X; Zhang, Y; Yu, W; Wang, W; Ma, X. (2009). Microencapsulated UCB cells repair hepatic injury by intraperitoneal transplantation. *Cytotherapy.* 11: 1032-1040. <http://dx.doi.org/10.3109/14653240903121278>.
- Li, SQ; Wang, DM; Shu, YJ; Wan, XD; Xu, ZS; Li, EZ. (2013). Proper heat shock pretreatment reduces acute liver injury induced by carbon tetrachloride and accelerates liver repair in mice. *J Toxicol Pathol.* 26: 365-373. <http://dx.doi.org/10.1293/tox.2013-0006>.
- Li, SQ; Zhu, S; Wan, XD; Xu, ZS; Ma, Z. (2014). Neutralization of ADAM8 ameliorates liver injury and accelerates liver repair in carbon tetrachloride-induced acute liver injury. *J Toxicol Sci.* 39: 339-351.
- Li, T; Yan, Y; Wang, B; Qian, H; Zhang, X; Shen, L; Wang, M; Zhou, Y; Zhu, W; Li, W; Xu, W. (2013). Exosomes derived from human umbilical cord mesenchymal stem cells alleviate liver fibrosis. *Stem Cells Dev.* 22: 845-854. <http://dx.doi.org/10.1089/scd.2012.0395>.
- Li, TD; Zhou, W; Yi, J; Zhang, W; Lin, YR; Li, SF. (2011). [Simultaneous determination of seven chemicals of halogenated alkanes and aromatic hydrocarbons in the air of workplace by gas chromatography]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 29: 146-147.
- Li, TZ; Kim, JH; Cho, HH; Lee, HS; Kim, KS; Lee, SW; Suh, H. (2010). Therapeutic potential of bone-marrow-derived mesenchymal stem cells differentiated with growth-factor-free coculture method in liver-injured rats. 16: 2649-2659. <http://dx.doi.org/10.1089/ten.TEA.2009.0814>.
- Li, W; Ma, H; Huang, L; Ding, Y. (2011). Well-defined nanoporous palladium for electrochemical reductive dechlorination. *Phys Chem Chem Phys.* 13: 5565-5568. <http://dx.doi.org/10.1039/c0cp02178d>.
- Li, W; Wu, Y; Zhu, C; Wang, Z; Gao, R; Wu, Q. (2014). Anti-fibrosis effects of Huisheng oral solution in CCl4-induced hepatic fibrosis in rat. *Indian J Pharmacol.* 46: 216-221. <http://dx.doi.org/10.4103/0253-7613.129323>.
- Li, W; Xiao, J; Zhou, X; Xu, M; Hu, C; Xu, X; Lu, Y; Liu, C; Xue, S; Nie, L; Zhang, H; Li, Z; Zhang, Y; Ji, F; Hui, L; Tao, W; Wei, B; Wang, H. (2015). STK4 regulates TLR pathways and protects against chronic inflammation-related hepatocellular carcinoma. *J Clin Invest.* 125: 4239-4254. <http://dx.doi.org/10.1172/JCI81203>.
- Li, W; Zhang, M; Zheng, YN; Li, J; Wang, YP; Wang, YJ; Gu, J; Jin, Y; Wang, H; Chen, L. (2011). Snailase preparation of ginsenoside M1 from protopanaxadiol-type ginsenoside and their protective effects against CCl4-induced chronic hepatotoxicity in mice. *Molecules.* 16: 10093-10103. <http://dx.doi.org/10.3390/molecules161210093>.
- Li, W; Zhu, C; Chen, X; Li, Y; Gao, R; Wu, Q. (2011). Pokeweed antiviral protein down-regulates Wnt/ β -catenin signalling to attenuate liver fibrogenesis in vitro and in vivo. *Dig Liver Dis.* 43: 559-566. <http://dx.doi.org/10.1016/j.dld.2011.02.016>.
- Li, X; Jin, Q; Yao, Q; Xu, B; Li, Z; Tu, C. (2016). Quercetin attenuates the activation of hepatic stellate cells and liver fibrosis in mice through modulation of HMGB1-TLR2/4-NF- κ B signaling pathways. *Toxicol Lett.* 261: 1-12. <http://dx.doi.org/10.1016/j.toxlet.2016.09.002>.
- Li, X; Pan, Q; Chen, J; Liu, S; He, A; Liu, C; Wei, Y; Huang, K; Yang, L; Feng, J; Zhao, Y; Xu, Y; Ozaki, Y; Noda, I; Wu, J. (2011). Asynchronous orthogonal sample design scheme for two-dimensional correlation spectroscopy (2D-COS) and its application in probing intermolecular interactions from overlapping infrared (IR) bands. *Appl Spectrosc.* 65: 901-917. <http://dx.doi.org/10.1366/11-06250>.
- Li, X; Wang, J; Wang, W; Liu, C; Sun, S; Gu, J; Wang, X; Boraschi, D; Huang, Y; Qu, D. (2013). Immunomodulatory activity of a novel, synthetic beta-glucan (β -glu6) in murine macrophages and human peripheral blood mononuclear cells. *PLoS ONE.* 8: e80399. <http://dx.doi.org/10.1371/journal.pone.0080399>.
- Li, X; Wang, Q; Li, L; Ding, Y. (2015). [Determination of the thermodynamic parameters of ionic liquid 1-hexyl-3-methylimidazolium tetrafluoroborate by inverse gas chromatography]. *Seppu.* 33: 58-64.
- Li, X; Wu, XQ; Xu, T; Li, XF; Yang, Y; Li, WX; Huang, C; Meng, XM; Li, J. (2016). Role of histone deacetylases(HDACs) in progression and reversal of liver fibrosis. *Toxicol Appl Pharmacol.* 306: 58-68. <http://dx.doi.org/10.1016/j.taap.2016.07.003>.
- Li, XM; Zhou, SG; Li, FB; Wu, CY; Zhuang, L; Xu, W; Liu, L. (2009). Fe(III) oxide reduction and carbon tetrachloride dechlorination by a newly isolated *Klebsiella pneumoniae* strain L17. *J Appl Microbiol.* 106: 130-139. <http://dx.doi.org/10.1111/j.1365-2672.2008.03985.x>.
- Li, Y; Guo, G; Li, L; Chen, F; Bao, J; Shi, YJ; Bu, H. (2015). Three-dimensional spheroid culture of human umbilical cord mesenchymal stem cells promotes cell yield and stemness maintenance. *Cell Tissue Res.* 360: 297-307. <http://dx.doi.org/10.1007/s00441-014-2055-x>.
- Li, Y; Lua, I; French, SW; Asahina, K. (2016). Role of TGF- β signaling in differentiation of mesothelial cells to vitamin A-poor hepatic stellate cells in liver fibrosis. *Am J Physiol Gastrointest Liver Physiol.* 310: G262-G272. <http://dx.doi.org/10.1152/ajpgi.00257.2015>.

Human Health Hazard Literature Search Results

Off Topic

- Li, Y; Shi, Y; Sun, Y; Liu, L; Bai, X; Wang, D; Li, H. (2017). Restorative effects of hydroxysafflor yellow A on hepatic function in an experimental regression model of hepatic fibrosis induced by carbon tetrachloride. *Mol Med Rep.* 15: 47-56. <http://dx.doi.org/10.3892/mmr.2016.5965>.
- Li, Y; Tang, H; Tian, X; Lin, H; Wang, M; Yao, M. (2015). Three new cytotoxic isomalabaricane triterpenes from the marine sponge *Stelletta tenuis*. *Fitoterapia.* 106: 226-230. <http://dx.doi.org/10.1016/j.fitote.2015.09.012>.
- Li, Y; Wang, L; Ju, L; Deng, H; Zhang, Z; Hou, Z; Xie, J; Wang, Y; Zhang, Y. (2016). A Systematic Strategy for Screening and Application of Specific Biomarkers in Hepatotoxicity Using Metabolomics Combined With ROC Curves and SVMs. *Toxicol Sci.* 150: 390-399. <http://dx.doi.org/10.1093/toxsci/kfw001>.
- Li, Y; Yang, F; Yuan, M; Jiang, L; Yuan, L; Zhang, X; Li, Y; Dong, L; Bao, X; Yin, S. (2015). Synthesis and evaluation of asiatic acid derivatives as anti-fibrotic agents: structure/activity studies. *Steroids.* 96: 44-49. <http://dx.doi.org/10.1016/j.steroids.2014.11.001>.
- Li, Z; Sun, J; Hu, X; Huang, N; Han, G; Chen, L; Zhou, Y; Bai, W; Yang, X. (2016). Assessment of liver fibrosis by variable flip angle T1 mapping at 3.0T. *J Magn Reson Imaging.* 43: 698-703. <http://dx.doi.org/10.1002/jmri.25030>.
- Li, Z; Wang, X; Pan, H; Yang, H; Li, X; Zhang, K; Wang, H; Zheng, Z; Liu, H; Wang, J. (2017). Resistin promotes CCL4 expression through toll-like receptor-4 and activation of the p38-MAPK and NF- κ B signaling pathways: implications for intervertebral disc degeneration. *Osteoarthritis Cartilage.* 25: 341-350. <http://dx.doi.org/10.1016/j.joca.2016.10.002>.
- Li, Z; Yu, G; Song, J; Wang, Q; Liu, M; Yang, Y. (2013). Study on the determination of heavy metals in water samples with ultrasound-assisted dispersive liquid-liquid microextraction prior to FAAS. *Water Sci Technol.* 67: 247-253. <http://dx.doi.org/10.2166/wst.2012.524>.
- Li, ZY; Sun, HM; Xing, J; Qin, XM; Du, GH. (2015). Chemical and biological comparison of raw and vinegar-baked *Radix Bupleuri*. *J Ethnopharmacol.* 165: 20-28. <http://dx.doi.org/10.1016/j.jep.2015.02.024>.
- Lian, J; Lu, Y; Xu, P; Ai, A; Zhou, G; Liu, W; Cao, Y; Zhang, WJ. (2014). Prevention of liver fibrosis by intrasplenic injection of high-density cultured bone marrow cells in a rat chronic liver injury model. *PLoS ONE.* 9: e103603. <http://dx.doi.org/10.1371/journal.pone.0103603>.
- Lian, N; Jiang, Y; Zhang, F; Jin, H; Lu, C; Wu, X; Lu, Y; Zheng, S. (2015). Curcumin regulates cell fate and metabolism by inhibiting hedgehog signaling in hepatic stellate cells. *Lab Invest.* 95: 790-803. <http://dx.doi.org/10.1038/labinvest.2015.59>.
- Liang, C; Lei, JH. (2015). Identification of Active Radical Species in Alkaline Persulfate Oxidation. *Water Environ Res.* 87: 656-659. <http://dx.doi.org/10.2175/106143015X14338845154986>.
- Liang, D; Zhou, Q; Gong, W; Wang, Y; Nie, Z; He, H; Li, J; Wu, J; Wu, C; Zhang, J. (2011). Studies on the antioxidant and hepatoprotective activities of polysaccharides from *Talinum triangulare*. *J Ethnopharmacol.* 136: 316-321. <http://dx.doi.org/10.1016/j.jep.2011.04.047>.
- Liang, P; Zhang, L; Zhao, E. (2010). Displacement-dispersive liquid-liquid microextraction coupled with graphite furnace atomic absorption spectrometry for the selective determination of trace silver in environmental and geological samples. *Talanta.* 82: 993-996. <http://dx.doi.org/10.1016/j.talanta.2010.06.004>.
- Liang, P; Zhao, E; Li, F. (2009). Dispersive liquid-liquid microextraction preconcentration of palladium in water samples and determination by graphite furnace atomic absorption spectrometry. *Talanta.* 77: 1854-1857. <http://dx.doi.org/10.1016/j.talanta.2008.10.033>.
- Liang, QN; Sheng, YC; Jiang, P; Ji, LL; Xia, YY; Min, Y; Wang, ZT. (2011). The difference of glutathione antioxidant system in newly weaned and young mice liver and its involvement in isoline-induced hepatotoxicity. *Arch Toxicol.* 85: 1267-1279. <http://dx.doi.org/10.1007/s00204-011-0664-7>.
- Liang, WG; Ren, M; Zhao, F; Tang, WJ. (2015). Structures of human CCL18, CCL3, and CCL4 reveal molecular determinants for quaternary structures and sensitivity to insulin-degrading enzyme. *J Mol Biol.* 427: 1345-1358. <http://dx.doi.org/10.1016/j.jmb.2015.01.012>.
- Liang, WG; Triandafillou, CG; Huang, TY; Zulueta, MM; Banerjee, S; Dinner, AR; Hung, SC; Tang, WJ. (2016). Structural basis for oligomerization and glycosaminoglycan binding of CCL5 and CCL3. *Proc Natl Acad Sci USA.* 113: 5000-5005. <http://dx.doi.org/10.1073/pnas.1523981113>.
- Liang, YH; Tang, CL; Lu, SY; Cheng, B; Wu, F; Chen, ZN; Song, F; Ruan, JX; Zhang, HY; Song, H; Zheng, H; Su, ZH. (2016). Serum metabolomics study of the hepatoprotective effect of *Corydalis saxicola* Bunting on carbon tetrachloride-induced acute hepatotoxicity in rats by (1)H NMR analysis. *J Pharm Biomed Anal.* 129: 70-79. <http://dx.doi.org/10.1016/j.jpba.2016.06.033>.
- Liao, N; Wu, M; Pan, F; Lin, J; Li, Z; Zhang, D; Wang, Y; Zheng, Y; Peng, J; Liu, X; Liu, J. (2016). Poly (dopamine) coated superparamagnetic iron oxide nanocluster for noninvasive labeling, tracking, and targeted delivery of adipose tissue-derived stem cells. *Sci Rep.* 6: 18746. <http://dx.doi.org/10.1038/srep18746>.
- Liao, Y; Ma, T; Cui, Y; Qi, Z. (2014). Spatial distribution characteristics of volatile halogenated hydrocarbons in unsaturated zone of Xiaodian sewage irrigation area, Taiyuan, China. *Ecotoxicology.* 23: 1951-1957. <http://dx.doi.org/10.1007/s10646-014-1323-6>.
- Liaskou, E; Zimmermann, HW; Li, KK; Oo, YH; Suresh, S; Stamatakis, Z; Qureshi, O; Lalor, PF; Shaw, J; Syn, WK; Curbishley, SM; Adams, DH. (2013). Monocyte subsets in human liver disease show distinct phenotypic and functional characteristics. *Hepatology.* 57: 385-398. <http://dx.doi.org/10.1002/hep.26016>.
- Lieber, CS. (2004). Alcoholic fatty liver: its pathogenesis and mechanism of progression to inflammation and fibrosis [Review]. *Alcohol.* 34: 9-19. <http://dx.doi.org/10.1016/j.alcohol.2004.07.008>.
- Liew, AA; Narasaraaju, T; Phoon, MC; Wang, S; Tan, KB; Chow, VT. (2014). CASPASE-1-DEFICIENT MICE ARE MORE SUSCEPTIBLE THAN WILD-TYPE MICE TO PNEUMONIA INDUCED BY INFLUENZA A (H1N1). 12: 117-130.
- Lim, CY; Kim, BY; Lim, SH; Cho, SI. (2015). Effect of co-administration of *Angelicae gigantis radix* and *Lithospermi radix* on rat hepatic injury induced by carbon tetrachloride. *Pharmacognosy Magazine.* 11: 395-403. <http://dx.doi.org/10.4103/0973-1296.153095>.
- Lim, S; Lee, S; Nam, K; Kim, KH, o; Mar, W. (2013). Hepatoprotective effects of reynosin against thioacetamide-induced apoptosis in primary hepatocytes and mouse liver. *Arch Pharm Res.* 36: 485-494. <http://dx.doi.org/10.1007/s12272-013-0039-0>.

Human Health Hazard Literature Search Results

Off Topic

- Lim, SR; Lam, CW; Schoenung, JM. (2010). Quantity-based and toxicity-based evaluation of the U.S. Toxics Release Inventory. *J Hazard Mater.* 178: 49-56. <http://dx.doi.org/10.1016/j.jhazmat.2010.01.041>.
- Lin, CC; Jeng, W, enJ; Huang, CH, ao; Hsieh, Y, iC; Teng, W, ei. (2015). Serum level of CCL4 is the only predictor for non-responder in GT-1 chronic hepatitis C patients with favorable interleukin-28B genotype when treated with peginterferon/ribavirin. *J Gastroenterol Hepatol.* 30: 355-355.
- Lin, F; Xue, D; Xie, T; Pan, Z. (2016). HMGB1 promotes cellular chemokine synthesis and potentiates mesenchymal stromal cell migration via Rap1 activation. *Mol Med Rep.* 14: 1283-1289. <http://dx.doi.org/10.3892/mmr.2016.5398>.
- Lin, H; Zhang, X; Shen, Y; Zheng, Y; Guo, Y; Zhu, Y; Diao, X; Wang, T; Chen, S; Chen, X. (2017). Model-dependent and model-independent approaches for evaluating hepatic fibrosis in rat liver using shearwave dispersion ultrasound vibrometry. 39: 66-72. <http://dx.doi.org/10.1016/j.medengphy.2016.10.007>.
- Lin, HY; Chang, KT; Hung, CC; Kuo, CH; Hwang, SJ; Chen, HC; Hung, CH; Lin, SF. (2014). Effects of the mTOR inhibitor rapamycin on monocyte-secreted chemokines. *BMC Immunol.* 15: 37. <http://dx.doi.org/10.1186/s12865-014-0037-0>.
- Lin, N; Chen, S; Pan, W; Xu, L; Hu, K; Xu, R. (2011). NP603, a novel and potent inhibitor of FGFR1 tyrosine kinase, inhibits hepatic stellate cell proliferation and ameliorates hepatic fibrosis in rats. *Am J Physiol Cell Physiol.* 301: C469-C477. <http://dx.doi.org/10.1152/ajpcell.00452.2010>.
- Lin, PL; Myers, A; Smith, L; Bigbee, C; Bigbee, M; Fuhrman, C; Grieser, H; Chiosea, I; Voitenek, NN; Capuano, SV; Klein, E; Flynn, JL. (2010). Tumor necrosis factor neutralization results in disseminated disease in acute and latent *Mycobacterium tuberculosis* infection with normal granuloma structure in a cynomolgus macaque model. *Arthritis Rheum.* 62: 340-350. <http://dx.doi.org/10.1002/art.27271>.
- Lin, PT; Singh, V; Hu, J; Richardson, K; Musgraves, JD; Luzinov, I; Hensley, J; Kimerling, LC; Agarwal, A. (2013). Chip-scale Mid-Infrared chemical sensors using air-clad pedestal silicon waveguides. *Lab Chip.* 13: 2161-2166. <http://dx.doi.org/10.1039/c3lc50177a>.
- Lin, S; Buehler, MJ. (2013). Mechanics and molecular filtration performance of graphyne nanoweb membranes for selective water purification. *Nanoscale.* 5: 11801-11807. <http://dx.doi.org/10.1039/c3nr03241h>.
- Lin, T, sT; Gao, DY; Liu, YC; Sung, YC; Wan, D; Liu, JY; Chiang, T; Wang, L; Chen, Y. (2016). Development and characterization of sorafenib-loaded PLGA nanoparticles for the systemic treatment of liver fibrosis. *J Control Release.* 221: 62-70. <http://dx.doi.org/10.1016/j.jconrel.2015.11.003>.
- Lin, WW; Nelson, A; Ryon, JJ; Moss, WJ; Griffin, DE. (2017). Plasma cytokines and chemokines in Zambian children with measles: innate responses and association with HIV-1 co-infection and in-hospital mortality. *J Infect Dis.* <http://dx.doi.org/10.1093/infdis/jix012>.
- Lin, X; Bai, F; Nie, J; Lu, S; Lu, C; Zhu, X; Wei, J; Lu, Z; Huang, Q. (2016). Didymin Alleviates Hepatic Fibrosis Through Inhibiting ERK and PI3K/Akt Pathways via Regulation of Raf Kinase Inhibitor Protein. *Cell Physiol Biochem.* 40: 1422-1432. <http://dx.doi.org/10.1159/000453194>.
- Lin, X; Chen, Y; Lv, S; Tan, S; Zhang, S; Huang, R; Zhuo, L; Liang, S; Lu, Z; Huang, Q. (2015). Gypsophila elegans isoorientin attenuates CCL₄-induced hepatic fibrosis in rats via modulation of NF- κ B and TGF- β 1/Smad signaling pathways. *Int Immunopharmacol.* 28: 305-312. <http://dx.doi.org/10.1016/j.intimp.2015.06.021>.
- Lin, X; Kong, LN; Huang, C; Ma, TT; Meng, XM; He, Y; Wang, QQ; Li, J. (2015). Hesperetin derivative-7 inhibits PDGF-BB-induced hepatic stellate cell activation and proliferation by targeting Wnt/ β -catenin pathway. *Int Immunopharmacol.* 25: 311-320. <http://dx.doi.org/10.1016/j.intimp.2015.02.009>.
- Lin, YT; Liang, C. (2015). Reductive dechlorination of carbon tetrachloride using buffered alkaline ascorbic acid. *Chemosphere.* 136: 27-31. <http://dx.doi.org/10.1016/j.chemosphere.2015.04.007>.
- Lin, Z; Zhang, N; Jayawickramarajah, J; Rubtsov, IV. (2012). Ballistic energy transport along PEG chains: distance dependence of the transport efficiency. *Phys Chem Chem Phys.* 14: 10445-10454. <http://dx.doi.org/10.1039/c2cp40187h>.
- Linch, SN; Kasiewicz, MJ; Mcnamara, MJ; Hilgart-Martiszus, IF; Farhad, M; Redmond, WL. (2016). Combination OX40 agonism/CTLA-4 blockade with HER2 vaccination reverses T-cell anergy and promotes survival in tumor-bearing mice. *Proc Natl Acad Sci USA.* 113: E319-E327. <http://dx.doi.org/10.1073/pnas.1510518113>.
- Lindstedt, SL; Calder, WA. (1981). Body size, physiological time, and longevity of homeothermic animals. *Q Rev Biol.* 56: 1-16.
- Lino Cardenas, CL; Henaoui, IS; Courcot, E; Roderburg, C; Cauffiez, C; Aubert, S; Copin, MC; Wallaert, B; Glowacki, F; Dewaeles, E; Milosevic, J; Maurizio, J; Tedrow, J; Marcet, B; Lo-Guidice, JM; Kaminski, N; Barbry, P; Luedde, T; Perrais, M; Mari, B; Pottier, N. (2013). miR-199a-5p is upregulated during fibrogenic response to tissue injury and mediates TGF β -induced lung fibroblast activation by targeting caveolin-1. *PLoS Genet.* 9: e1003291. <http://dx.doi.org/10.1371/journal.pgen.1003291>.
- Liou, JT; Lee, CM; Day, YJ. (2013). The immune aspect in neuropathic pain: role of chemokines [Review]. *Acta Anaesthesiologica Taiwanica.* 51: 127-132. <http://dx.doi.org/10.1016/j.aat.2013.08.006>.
- Lioy, PJ; Fan, Z; Zhang, J; Georgopoulos, P; Wang, SW; Ohman-Strickland, P; Wu, X; Zhu, X; Harrington, J; Tang, X; Meng, Q; Jung, KH; Kwon, J; Hernandez, M; Bonnano, L; Held, J; Neal, J; Committee, HHR. (2011). Personal and ambient exposures to air toxics in Camden, New Jersey. *Res Rep Health Eff Inst*3-127; discussion 129-151.
- Lipscomb, JC; Garrett, CM; Snawder, JE. (1997). Cytochrome P450-dependent metabolism of trichloroethylene: Interindividual differences in humans. *Toxicol Appl Pharmacol.* 142: 311-318. <http://dx.doi.org/10.1006/taap.1996.8040>.
- Lipson, KE; Wong, C; Teng, Y; Spong, S. (2012). CTGF is a central mediator of tissue remodeling and fibrosis and its inhibition can reverse the process of fibrosis. 5: S24. <http://dx.doi.org/10.1186/1755-1536-5-S1-S24>.
- Lisovsky, I; Isitman, G; Bruneau, J; Bernard, NF. (2015). Functional analysis of NK cell subsets activated by 721.221 and K562 HLA-null cells. *J Leukoc Biol.* 97: 761-767. <http://dx.doi.org/10.1189/jlb.4AB1014-499R>.

Human Health Hazard Literature Search Results

Off Topic

- Lisovsky, I; Isitman, G; Song, R; Dafonseca, S; Tremblay-Mclean, A; Lebouché, B; Routy, JP; Bruneau, J; Bernard, NF. (2015). A Higher Frequency of NKG2A+ than of NKG2A- NK Cells Responds to Autologous HIV-Infected CD4 Cells irrespective of Whether or Not They Coexpress KIR3DL1. *J Virol.* 89: 9909-9919. <http://dx.doi.org/10.1128/JVI.01546-15>.
- Lisovsky, I; Isitman, G; Tremblay-Mclean, A; Song, R; Dafonseca, S; Lebouché, B; Routy, JP; Bruneau, J; Bernard, NF. (2016). The differential impact of natural killer (NK) cell education via KIR2DL3 and KIR3DL1 on CCL4 secretion in the context of in-vitro HIV infection. *Clin Exp Immunol.* 186: 336-346. <http://dx.doi.org/10.1111/cei.12849>.
- Liu, C; Wang, XK; Sun, WF; Zhang, Y. (2011). [Accurate optical parameters extracting of non-polar organic solvents in the terahertz range]. *Guang Pu Xue Yu Guang Pu Fen Xi.* 31: 2886-2890.
- Liu, C; Yuan, X; Tao, L; Cheng, Z; Dai, X; Sheng, X; Xue, D. (2015). Xia-yu-xue decoction (XYXD) reduces carbon tetrachloride (CCL4)-induced liver fibrosis through inhibition hepatic stellate cell activation by targeting NF- κ B and TGF- β 1 signaling pathways. *BMC Complement Altern Med.* 15: 201. <http://dx.doi.org/10.1186/s12906-015-0733-1>.
- Liu, C; Zhang, S; Wu, H. (2009). Non-thermal extraction of effective ingredients from Schisandra chinensis Baill and the antioxidant activity of its extract. *Nat Prod Res.* 23: 1390-1401. <http://dx.doi.org/10.1080/14786410902726100>.
- Liu, CH; Chan, KM; Chiang, T; Liu, JY; Chern, GG; Hsu, FF; Wu, YH; Liu, YC; Chen, Y. (2016). Dual-Functional Nanoparticles Targeting CXCR4 and Delivering Antiangiogenic siRNA Ameliorate Liver Fibrosis. *Mol Pharm.* 13: 2253-2262. <http://dx.doi.org/10.1021/acs.molpharmaceut.5b00913>.
- Liu, CH; Huang, XT; Li, YY; Zheng, X; Li, N; Mi, SQ; Wang, NS. (2012). [The anti-portal hypertension effect of oleanolic acid in CCL4-induced cirrhosis rats]. *Zhong Yao Cai.* 35: 930-935.
- Liu, DG; Wang, J; Zhang, ZT; Wang, Y. (2009). The urotension II antagonist SB-710411 arrests fibrosis in CCL4 cirrhotic rats. *Mol Med Rep.* 2: 953-961. http://dx.doi.org/10.3892/mmr_00000198.
- Liu, F; Chen, L; Rao, HY; Teng, X; Ren, YY; Lu, YQ; Zhang, W; Wu, N; Liu, FF; Wei, L. (2017). Automated evaluation of liver fibrosis in thioacetamide, carbon tetrachloride, and bile duct ligation rodent models using second-harmonic generation/two-photon excited fluorescence microscopy. *Lab Invest.* 97: 84-92. <http://dx.doi.org/10.1038/labinvest.2016.128>.
- Liu, F; Lin, Y; Li, Z; Ma, X; Han, Q; Liu, Y; Zhou, Q; Liu, J; Li, R; Li, J; Gao, L. (2014). Glutathione S-transferase A1 (GSTA1) release, an early indicator of acute hepatic injury in mice. *Food Chem Toxicol.* 71: 225-230. <http://dx.doi.org/10.1016/j.fct.2014.06.011>.
- Liu, GJ; Ji, Q; Moriyasu, F; Xie, XY; Wang, W; Wong, LH; Lin, MX; Lu, MD. (2013). Value of contrast-enhanced ultrasound using perflubutane microbubbles for diagnosing liver fibrosis and cirrhosis in rats. 39: 2158-2165. <http://dx.doi.org/10.1016/j.ultrasmedbio.2013.05.015>.
- Liu, GT. (2009). Bicyclol: a novel drug for treating chronic viral hepatitis B and C [Review]. *Med Chem.* 5: 29-43.
- Liu, H; Liu, DQ; Li, BW; Guan, LD; Yan, ZF; Li, YL; Pei, XT; Yue, W; Wang, M; Lu, YP; Peng, HM; Lv, Y. (2011). Human amniotic fluid-derived stem cells can differentiate into hepatocyte-like cells in vitro and in vivo. *In Vitro Cellular and Developmental Biology.* 47: 601-608. <http://dx.doi.org/10.1007/s11626-011-9450-3>.
- Liu, H; Xu, X; Peng, H; Chang, X; Fu, X; Li, Q; Yin, S; Blanchard, GJ; Fang, Y. (2016). New solvatochromic probes: performance enhancement via regulation of excited state structures. *Phys Chem Chem Phys.* 18: 25210-25220. <http://dx.doi.org/10.1039/c6cp04293g>.
- Liu, J; Li, J; Fu, W; Tang, J; Feng, X; Chen, J; Liang, Y; Jin, R; Xie, A; Cai, X. (2015). Adenoviral delivery of truncated MMP-8 fused with the hepatocyte growth factor mutant 1K1 ameliorates liver cirrhosis and promotes hepatocyte proliferation. *Drug Design, Development and Therapy.* 9: 5655-5667. <http://dx.doi.org/10.2147/DDDT.S92481>.
- Liu, J; Tan, H; Sun, Y; Zhou, S; Cao, J; Wang, F. (2009). The preventive effects of heparin-superoxide dismutase on carbon tetrachloride-induced acute liver failure and hepatic fibrosis in mice. *Mol Cell Biochem.* 327: 219-228. <http://dx.doi.org/10.1007/s11010-009-0060-2>.
- Liu, J; Teng, L; Liu, C; Hu, L; Wang, Y; Liu, H; Wang, F. (2009). Augmented inhibitory effect of superoxide dismutase on superoxide anion release from macrophages by chemical modification with polysaccharide and attenuation effects on radiation-induced inflammatory cytokine expression in vitro. *J Drug Target.* 17: 216-224. <http://dx.doi.org/10.1080/10611860802669249>.
- Liu, J; Zhang, QY; Yu, LM; Liu, B; Li, MY; Zhu, RZ. (2015). Phycocyanobilin accelerates liver regeneration and reduces mortality rate in carbon tetrachloride-induced liver injury mice. *World J Gastroenterol.* 21: 5465-5472. <http://dx.doi.org/10.3748/wjg.v21.i18.5465>.
- Liu, J; Zhang, Z; Gao, J; Xie, J; Yang, L; Hu, S. (2011). Downregulation effects of beta-elemene on the levels of plasma endotoxin, serum TNF- α , and hepatic CD14 expression in rats with liver fibrosis. 5: 101-105. <http://dx.doi.org/10.1007/s11684-011-0111-4>.
- Liu, J; Zhou, ZX; Zhang, W; Bell, MW; Waalkes, MP. (2009). Changes in hepatic gene expression in response to hepatoprotective levels of zinc. *Liver Int.* 29: 1222-1229. <http://dx.doi.org/10.1111/j.1478-3231.2009.02007.x>.
- Liu, JY; Li, F; Wang, LP; Chen, XF; Wang, D; Cao, L; Ping, Y; Zhao, S; Li, B; Thorne, SH; Zhang, B; Kalinski, P; Zhang, Y. (2015). CTL- vs Treg lymphocyte-attracting chemokines, CCL4 and CCL20, are strong reciprocal predictive markers for survival of patients with oesophageal squamous cell carcinoma. *Br J Cancer.* 113: 747-755. <http://dx.doi.org/10.1038/bjc.2015.290>.
- Liu, L; Wei, J; Huo, X; Fang, S; Yao, D; Gao, J; Jiang, H; Zhang, X. (2012). The Salvia miltiorrhiza monomer IH764-3 induces apoptosis of hepatic stellate cells in vivo in a bile duct ligation-induced model of liver fibrosis. *Mol Med Rep.* 6: 1231-1238. <http://dx.doi.org/10.3892/mmr.2012.1076>.
- Liu, P; Jin, X; Lv, H; Li, J; Xu, W; Qian, HH; Yin, Z. (2014). Icaritin ameliorates carbon tetrachloride-induced acute liver injury mainly because of the antioxidative function through estrogen-like effects. *In Vitro Cellular and Developmental Biology.* 50: 899-908. <http://dx.doi.org/10.1007/s11626-014-9792-8>.
- Liu, Q; Wang, CY; Liu, Z; Ma, XS; He, YH; Chen, SS; Bai, XY. (2014). Hydroxysafflor yellow A suppresses liver fibrosis induced by carbon tetrachloride with high-fat diet by regulating PPAR- γ /p38 MAPK signaling. *Pharmaceutical Biology.* 52: 1085-1093. <http://dx.doi.org/10.3109/13880209.2013.877491>.

Human Health Hazard Literature Search Results

Off Topic

- Liu, Q; Zhu, M; Geng, X; Wang, H; Ng, TB. (2017). Characterization of Polysaccharides with Antioxidant and Hepatoprotective Activities from the Edible Mushroom *Oudemansiella radicata*. *Molecules*. 22. <http://dx.doi.org/10.3390/molecules22020234>.
- Liu, SB; Ikenaga, N; Peng, ZW; Sverdlov, DY; Greenstein, A; Smith, V; Schuppan, D; Popov, Y. (2016). Lysyl oxidase activity contributes to collagen stabilization during liver fibrosis progression and limits spontaneous fibrosis reversal in mice. *FASEB J*. 30: 1599-1609. <http://dx.doi.org/10.1096/fj.14-268425>.
- Liu, W; Porter, NA; Schneider, C; Brash, AR; Yin, H. (2011). Formation of 4-hydroxynonenal from cardiolipin oxidation: Intramolecular peroxy radical addition and decomposition. *Free Radic Biol Med*. 50: 166-178. <http://dx.doi.org/10.1016/j.freeradbiomed.2010.10.709>.
- Liu, X; Schnell, SK; Simon, JM; Bedeaux, D; Kjelstrup, S; Bardow, A; Vlugt, TJ. (2011). Fick diffusion coefficients of liquid mixtures directly obtained from equilibrium molecular dynamics. *J Phys Chem B*. 115: 12921-12929. <http://dx.doi.org/10.1021/jp208360s>.
- Liu, XQ; Hu, XJ; Xu, HX; Zeng, XY. (2013). Xiaochaihu Decoction attenuates the vicious circle between the oxidative stress and the ALP inactivation through LPS-catecholamines interactions in gut, liver and brain during CCl4+ethanol-induced mouse HCC. *BMC Complement Altern Med*. 13: 375. <http://dx.doi.org/10.1186/1472-6882-13-375>.
- Liu, Y; Cao, L; Du, J; Jia, R; Wang, J; Xu, P; Yin, G. (2015). Protective effects of *Lycium barbarum* polysaccharides against carbon tetrachloride-induced hepatotoxicity in precision-cut liver slices in vitro and in vivo in common carp (*Cyprinus carpio* L.). *Comp Biochem Physiol C Toxicol Pharmacol*. 169: 65-72. <http://dx.doi.org/10.1016/j.cbpc.2014.12.005>.
- Liu, Y; Guo, C; Liu, CZ. (2014). Development of a mixed solvent system for the efficient resolution of (R, S)-2-octanol catalyzed by magnetite-immobilized lipase. *Journal of Molecular Catalysis B: Enzymatic*. 101: 23-27. <http://dx.doi.org/10.1016/j.molcatb.2013.12.011>.
- Liu, Y; Saiyan, S; Men, TY; Gao, HY; Wen, C; Liu, Y; Zhou, X; Wu, CT; Wang, LS; Cui, CP. (2013). Hepatoprotein Cn reduces ethanol-induced hepatotoxicity via sphingosine kinase 1 and sphingosine 1-phosphate receptors. *J Pathol*. 230: 365-376. <http://dx.doi.org/10.1002/path.4194>.
- Liu, Y; Wang, Z; Kwong, SQ; Lui, EL; Friedman, SL; Li, FR; Lam, RW; Zhang, GC; Zhang, H; Ye, T. (2011). Inhibition of PDGF, TGF- β , and Abl signaling and reduction of liver fibrosis by the small molecule Bcr-Abl tyrosine kinase antagonist Nilotinib. *J Hepatol*. 55: 612-625. <http://dx.doi.org/10.1016/j.jhep.2010.11.035>.
- Liu, Y; Wang, Z; Wang, J; Lam, W; Kwong, S; Li, F; Friedman, SL; Zhou, S; Ren, Q; Xu, Z; Wang, X; Ji, L; Tang, S; Zhang, H; Lui, EL; Ye, T. (2013). A histone deacetylase inhibitor, largazole, decreases liver fibrosis and angiogenesis by inhibiting transforming growth factor- β and vascular endothelial growth factor signalling. *Liver Int*. 33: 504-515. <http://dx.doi.org/10.1111/liv.12034>.
- Liu, Y; Yang, G; Losada, M; Xu, Y. (2010). Vibrational absorption, vibrational circular dichroism, and theoretical studies of methyl lactate self-aggregation and methyl lactate-methanol intermolecular interactions. *J Chem Phys*. 132: 234513. <http://dx.doi.org/10.1063/1.3431540>.
- Liu, YJ; Du, JL; Cao, LP; Jia, R; Shen, YJ; Zhao, CY; Xu, P; Yin, GJ. (2015). Anti-inflammatory and hepatoprotective effects of *Ganoderma lucidum* polysaccharides on carbon tetrachloride-induced hepatocyte damage in common carp (*Cyprinus carpio* L.). *Int Immunopharmacol*. 25: 112-120. <http://dx.doi.org/10.1016/j.intimp.2015.01.023>.
- Liu, YM; Shi, HB; Liu, YR; Shi, HL; Ren, F; Chen, Y; Chen, DX; Lou, JL; Duan, ZP. (2015). Protective effect of Ganshuang Granules () on liver cirrhosis by suppressing regulatory T cells in a mouse model. *Chin J Integr Med*. <http://dx.doi.org/10.1007/s11655-015-2430-9>.
- Livingstone, DE; Barat, P; Di Rollo, EM; Rees, GA; Weldin, BA; Rog-Zielinska, EA; Macfarlane, DP; Walker, BR; Andrew, R. (2015). α -Reductase type 1 deficiency or inhibition predisposes to insulin resistance, hepatic steatosis, and liver fibrosis in rodents. *Diabetes*. 64: 447-458. <http://dx.doi.org/10.2337/db14-0249>.
- Li-xin, L; Hai-yan, Z; Qian-qian, Z; Xiao-hong, G. (2010). Effects of insulin-like growth factor binding protein-related protein 1 in mice with hepatic fibrosis induced by thioacetamide. *Chin Med J*. 123: 2521-2526. <http://dx.doi.org/10.3760/cma.j.issn.0366-6999.2010.18.005>.
- Ljubić, I; Sabljčić, A; Bonifačić, M. (2016). Reactions of 2-Propanol Radical with Halogenated Organics in Aqueous Solution: Theoretical Evidence for Proton-Coupled Electron Transfer and Competing Mechanisms. *J Phys Chem B*. 120: 11810-11820. <http://dx.doi.org/10.1021/acs.jpcc.6b08765>.
- Lo, U; Selvaraj, V; Plane, JM; Chechneva, OV; Otsu, K; Deng, W. (2014). p38 alpha (MAPK14) critically regulates the immunological response and the production of specific cytokines and chemokines in astrocytes. *Sci Rep*. 4: 7405. <http://dx.doi.org/10.1038/srep07405>.
- Lodhi, G; Singh, HK; Pant, KK; Hussain, Z. (2009). Hepatoprotective effects of *Calotropis gigantea* extract against carbon tetrachloride induced liver injury in rats. *Acta Pharm*. 59: 89-96. <http://dx.doi.org/10.2478/v10007-009-0002-2>.
- Loeffler, J; Ok, M; Morton, OC; Mezger, M; Einsele, H. (2010). Genetic polymorphisms in the cytokine and chemokine system: their possible importance in allogeneic stem cell transplantation [Review]. *Curr Top Microbiol Immunol*. 341: 83-96. http://dx.doi.org/10.1007/82_2010_22.
- Loftfield, E; Shiels, MS; Graubard, BI; Katki, HA; Chaturvedi, AK; Trabert, B; Pinto, LA; Kemp, TJ; Shebl, FM; Mayne, ST; Wentzensen, N; Purdue, MP; Hildesheim, A; Sinha, R; Freedman, ND. (2015). Associations of Coffee Drinking with Systemic Immune and Inflammatory Markers. *Cancer Epidemiol Biomarkers Prev*. 24: 1052-1060. <http://dx.doi.org/10.1158/1055-9965.EPI-15-0038-T>.
- Lok, E; Chung, AS; Swanson, KD; Wong, ET. (2014). Melanoma brain metastasis globally reconfigures chemokine and cytokine profiles in patient cerebrospinal fluid. *Melanoma Res*. 24: 120-130. <http://dx.doi.org/10.1097/CMR.0000000000000045>.
- Lomakin, Y; Belogurov, A; Glagoleva, I; Stepanov, A; Zakharov, K; Okunola, J; Smirnov, I; Genkin, D; Gabibov, A. (2016). Administration of Myelin Basic Protein Peptides Encapsulated in Mannosylated Liposomes Normalizes Level of Serum TNF- α and IL-2 and Chemoattractants CCL2 and CCL4 in Multiple Sclerosis Patients. *Mediators Inflamm*. 2016: 2847232. <http://dx.doi.org/10.1155/2016/2847232>.
- López-González, I; Viana, R; Sanz, P; Ferrer, I. (2016). Inflammation in Lafora Disease: Evolution with Disease Progression in Laforin and Malin Knock-out Mouse Models. *Mol Neurobiol*. <http://dx.doi.org/10.1007/s12035-016-9884-4>.

Human Health Hazard Literature Search Results

Off Topic

- Louboutin, JP; Strayer, DS. (2013). Relationship between the chemokine receptor CCR5 and microglia in neurological disorders: consequences of targeting CCR5 on neuroinflammation, neuronal death and regeneration in a model of epilepsy [Review]. *CNS Neurol Disord Drug Targets*. 12: 815-829.
- Lu, C; Xu, W; Zhang, F; Shao, J; Zheng, S. (2016). Nrf2 knockdown attenuates the ameliorative effects of ligustrazine on hepatic fibrosis by targeting hepatic stellate cell transdifferentiation. *Toxicology*. 365: 35-47. <http://dx.doi.org/10.1016/j.tox.2016.07.018>.
- Lu, F; Cao, M; Wu, B; Li, XZ; Liu, HY; Chen, DZ; Liu, SM. (2013). Urinary metabolomics study on toxicity biomarker discovery in rats treated with *Xanthii Fructus*. *J Ethnopharmacol*. 149: 311-320. <http://dx.doi.org/10.1016/j.jep.2013.06.040>.
- Lu, MZ; Loh, TP. (2014). Iron-catalyzed cascade carbocyclomethylation of activated alkenes: highly efficient access to chloro-containing oxindoles. *Org Lett*. 16: 4698-4701. <http://dx.doi.org/10.1021/ol502411c>.
- Lu, Q; Yang, L; Zhao, HY; Jiang, JG; Xu, XL. (2013). Protective effect of compounds from the flowers of *Citrus aurantium* L. var. *amara* Engl against carbon tetrachloride-induced hepatocyte injury. *Food Chem Toxicol*. 62: 432-435. <http://dx.doi.org/10.1016/j.fct.2013.08.041>.
- Lua, I; James, D; Wang, J; Wang, KS; Asahina, K. (2014). Mesodermal mesenchymal cells give rise to myofibroblasts, but not epithelial cells, in mouse liver injury. *Hepatology*. 60: 311-322. <http://dx.doi.org/10.1002/hep.27035>.
- Lubman, OY; Cella, M; Wang, X; Monte, K; Lenschow, DJ; Huang, YH; Fremont, DH. (2014). Rodent herpesvirus Peru encodes a secreted chemokine decoy receptor. *J Virol*. 88: 538-546. <http://dx.doi.org/10.1128/JVI.02729-13>.
- Lucchi, NW; Sarr, D; Owino, SO; Mwalimu, SM; Peterson, DS; Moore, JM. (2011). Natural hemozoin stimulates syncytiotrophoblast to secrete chemokines and recruit peripheral blood mononuclear cells. *Placenta*. 32: 579-585. <http://dx.doi.org/10.1016/j.placenta.2011.05.003>.
- Lugli, N; Kamileri, I; Keogh, A; Malinka, T; Sarris, ME; Talianidis, I; Schaad, O; Candinas, D; Stroka, D; Halazonetis, TD. (2016). R-spondin 1 and noggin facilitate expansion of resident stem cells from non-damaged gallbladders. *EMBO Rep*. 17: 769-779. <http://dx.doi.org/10.15252/embr.201642169>.
- Luo, H; Cao, R; Wang, L; Zhu, L. (2016). Protective effect of *Cistanchis A* on ethanol-induced damage in primary cultured mouse hepatocytes. *Biomed Pharmacother*. 83: 1071-1079. <http://dx.doi.org/10.1016/j.biopha.2016.08.028>.
- Luo, L; Chen, H; Zhang, L; Xu, K; Lv, Y. (2009). A cataluminescence gas sensor for carbon tetrachloride based on nanosized ZnS. *Anal Chim Acta*. 635: 183-187. <http://dx.doi.org/10.1016/j.aca.2009.01.020>.
- Luo, L; Xie, Y; Wang, A; Liu, X; Xiao, F; Zhong, X; Zhong, C. (2014). Desipramine ameliorates Cr(VI)-induced hepatocellular apoptosis via the inhibition of ceramide channel formation and mitochondrial PTP opening. *Cell Physiol Biochem*. 34: 2128-2136. <http://dx.doi.org/10.1159/000369657>.
- Luo, M; Yang, F; Huang, SX; Kuang, ZP; Luo, XL; Li, YD; Wu, JN; Xie, YA. (2013). Two-stage model of chemically induced hepatocellular carcinoma in mouse. *Oncol Res*. 20: 517-528. <http://dx.doi.org/10.3727/096504013X13747716581336>.
- Luo, W; Diaz, FJ; Wiltbank, MC. (2011). Induction of mRNA for chemokines and chemokine receptors by prostaglandin F₂ α is dependent upon stage of the porcine corpus luteum and intraluteal progesterone. *Endocrinology*. 152: 2797-2805. <http://dx.doi.org/10.1210/en.2010-1247>.
- Lv, L; Jiang, C; Li, J; Zheng, T. (2012). Protective effects of lotus (*Nelumbo nucifera* Gaertn) germ oil against carbon tetrachloride-induced injury in mice and cultured PC-12 cells. *Food Chem Toxicol*. 50: 1447-1453. <http://dx.doi.org/10.1016/j.fct.2012.01.037>.
- Lyadova, IV; Tsiganov, EN; Kapina, MA; Shepelkova, GS; Sosunov, VV; Radaeva, TV; Majorov, KB; Shmitova, NS; van den Ham, HJ; Ganusov, VV; De Boer, RJ; Racine, R; Winslow, GM. (2010). In mice, tuberculosis progression is associated with intensive inflammatory response and the accumulation of Gr-1 cells in the lungs. *PLoS ONE*. 5: e10469. <http://dx.doi.org/10.1371/journal.pone.0010469>.
- Ma, H; Shi, X; Yuan, X; Ding, Y. (2016). IL-1 β siRNA adenovirus benefits liver regeneration by improving mesenchymal stem cells survival after acute liver failure. *Ann Hepatol*. 15: 260-270. <http://dx.doi.org/10.5604/16652681.1193723>.
- Ma, J; Chen, H; Liu, D; Ji, N; Zong, G. (2013). Synthesis of polyacrylonitrile using AGET-ATRP in emulsion. *Mater Sci Eng C*. 33: 570-574. <http://dx.doi.org/10.1016/j.msec.2012.08.051>.
- Ma, JJ; Du, X; Zhang, JW; Li, JC; Wang, LZ. (2009). Ultrasound-assisted emulsification-microextraction combined with flame atomic absorption spectrometry for determination of trace cadmium in water samples. *Talanta*. 80: 980-984. <http://dx.doi.org/10.1016/j.talanta.2009.08.029>.
- Ma, Q; Wang, LH; Jiang, JG. (2016). Hepatoprotective effect of flavonoids from *Cirsium japonicum* DC on hepatotoxicity in comparison with silymarin. *J. 7: 2179-2184*. <http://dx.doi.org/10.1039/c6fo00068a>.
- Ma, Q; Zhao, J; Cao, W; Liu, J; Cui, S. (2015). Estradiol decreases taurine level by reducing cysteine sulfinic acid decarboxylase via the estrogen receptor- α in female mice liver. *Am J Physiol Gastrointest Liver Physiol*. 308: G277-G286. <http://dx.doi.org/10.1152/ajpgi.00107.2014>.
- Ma, T; Wang, Z; Yang, Z; Chen, J. (2015). Cluster of differentiation 147 is a key molecule during hepatocellular carcinoma cell-hepatic stellate cell cross-talk in the rat liver. *Mol Med Rep*. 12: 111-118. <http://dx.doi.org/10.3892/mmr.2015.3429>.
- Ma, TT; Li, XF; Li, WX; Yang, Y; Huang, C; Meng, XM; Zhang, L; Li, J. (2015). Geniposide alleviates inflammation by suppressing MeCP2 in mice with carbon tetrachloride-induced acute liver injury and LPS-treated THP-1 cells. *Int Immunopharmacol*. 29: 739-747. <http://dx.doi.org/10.1016/j.intimp.2015.08.045>.
- Ma, X; Wang, Q; Li, X; Tang, J; Zhang, Z. (2015). Determination of the solubility parameter of ionic liquid 1-butyl-3-methylimidazolium tetrafluoroborate by inverse gas chromatography. *Sepu*. 33: 1192-1198.
- Ma, Y; Niu, C; Wang, J; Ji, L; Wang, Z. (2014). Diosbulbin B-induced liver injury in mice and its mechanism. *Hum Exp Toxicol*. 33: 729-736. <http://dx.doi.org/10.1177/0960327113506232>.
- Mabho, N; Bergers, K; Flock, J; Telgheder, U. (2010). Determination of diffusible and total hydrogen concentration in coated and uncoated steel using melt and solid extraction techniques: Part I. *Talanta*. 82: 1298-1305. <http://dx.doi.org/10.1016/j.talanta.2010.06.045>.

Human Health Hazard Literature Search Results

Off Topic

- Madadzadeh, M; Taher, MA; Ashkenani, H. (2013). Ligandless dispersive liquid-liquid microextraction of iron in biological and foodstuff samples and its determination by Electrothermal atomic absorption spectrometry. *J AOAC Int.* 96: 1466-1472.
- Maddocks, S; Scandurra, GM; Nourse, C; Bye, C; Williams, RB; Slobedman, B; Cunningham, AL; Britton, WJ. (2009). Gene expression in HIV-1/Mycobacterium tuberculosis co-infected macrophages is dominated by M. tuberculosis. 89: 285-293. <http://dx.doi.org/10.1016/j.tube.2009.05.003>.
- Madhumitha, G; Saral, AM; Senthilkumar, B; Sivaraj, A. (2010). Hepatoprotective potential of petroleum ether leaf extract of *Crossandra infundibuliformis* on CCl₄ induced liver toxicity in albino mice. *Asian Pacific Journal of Tropical Medicine.* 3: 788-790. [http://dx.doi.org/10.1016/S1995-7645\(10\)60188-5](http://dx.doi.org/10.1016/S1995-7645(10)60188-5).
- Madle, S; Dean, SW; Andrae, U; Brambilla, G; Burlinson, B; Doolittle, DJ; Furihata, C; Hertner, T; Mcqueen, CA; Mori, H. (1994). Recommendations for the performance of UDS tests in vitro and in vivo [Review]. *Mutat Res.* 312: 263-285. [http://dx.doi.org/10.1016/0165-1161\(94\)00013-1](http://dx.doi.org/10.1016/0165-1161(94)00013-1).
- Magee, DA; Conlon, KM; Nalpas, NC; Browne, JA; Pirson, C; Healy, C; Mcloughlin, KE; Chen, J; Vordermeier, HM; Gormley, E; Machugh, DE; Gordon, SV. (2014). Innate cytokine profiling of bovine alveolar macrophages reveals commonalities and divergence in the response to *Mycobacterium bovis* and *Mycobacterium tuberculosis* infection. 94: 441-450. <http://dx.doi.org/10.1016/j.tube.2014.04.004>.
- Maghazachi, AA. (2010). Role of chemokines in the biology of natural killer cells [Review]. *Curr Top Microbiol Immunol.* 341: 37-58. http://dx.doi.org/10.1007/82_2010_20.
- Maghazachi, AA. (2013). On the role of natural killer cells in neurodegenerative diseases [Review]. 5: 363-375. <http://dx.doi.org/10.3390/toxins5020363>.
- Magnusson, LU; Hagberg Thulin, M; Plas, P; Olsson, A; Damber, JE; Welén, K. (2016). Tasquinimod inhibits prostate cancer growth in bone through alterations in the bone microenvironment. *Prostate.* 76: 383-393. <http://dx.doi.org/10.1002/pros.23133>.
- Maguire, JJ; Jones, KL; Kuc, RE; Clarke, MC; Bennett, MR; Davenport, AP. (2014). The CCR5 chemokine receptor mediates vasoconstriction and stimulates intimal hyperplasia in human vessels in vitro. *Cardiovasc Res.* 101: 513-521. <http://dx.doi.org/10.1093/cvr/cvt333>.
- Maham, M; Kiarostami, V; Waqif-Husain, S; Abroomand-Azar, P; Tehrani, MS; Khoeini Sharifabadi, M; Afrouzi, H; Shapouri, M; Karami-Osboo, R. (2013). Extraction and Determination of Cyproheptadine in Human Urine by DLLME-HPLC Method. *Iranian Journal of Pharmaceutical Research.* 12: 311-318.
- Maham, M; Kiarostami, V; Waqif-Husain, S; Sharifabadi, MK. (2014). Analysis of chlorpheniramine in human urine samples using dispersive liquid-liquid microextraction combined with high-performance liquid chromatography. *B J P S Brazilian Journal of Pharmaceutical Sciences.* 50: 551-557. <http://dx.doi.org/10.1590/S1984-82502014000300014>.
- Mahmood, S; Hussain, S; Tabassum, S; Malik, F; Riaz, H. (2014). Comparative phytochemical, hepatoprotective and antioxidant activities of various samples of *Swertia Chirayita* collected from various cities of Pakistan. *Pak J Pharm Sci.* 27: 1975-1983.
- Mahmoud, AM. (2014). Hesperidin protects against cyclophosphamide-induced hepatotoxicity by upregulation of PPAR γ and abrogation of oxidative stress and inflammation. *Can J Physiol Pharmacol.* 92: 717-724. <http://dx.doi.org/10.1139/cjpp-2014-0204>.
- Mahmoud-Ghoneim, D; Amin, A, mr; Corr, P. (2009). MRI-based texture analysis: a potential technique to assess protectors against induced-liver fibrosis in rats. *Radiology and Oncology.* 43: 30-40. <http://dx.doi.org/10.2478/v10019-009-0006-z>.
- Maij , M; Mir , L; Polo, J; Campbell, J; Russell, L; Crenshaw, J; Weaver, E; Moret , M; P rez-Bosque, A. (2012). Dietary plasma proteins attenuate the innate immunity response in a mouse model of acute lung injury. *Br J Nutr.* 107: 867-875. <http://dx.doi.org/10.1017/S0007114511003655>.
- Maione, M; Giostra, U; Arduini, J; Furlani, F; Graziosi, F; Lo Vullo, E; Bonasoni, P. (2013). Ten years of continuous observations of stratospheric ozone depleting gases at Monte Cimone (Italy)--comments on the effectiveness of the Montreal Protocol from a regional perspective. *Sci Total Environ.* 445-446: 155-164. <http://dx.doi.org/10.1016/j.scitotenv.2012.12.056>.
- Maithreepala, RA; Doong, RA. (2009). Transformation of carbon tetrachloride by biogenic iron species in the presence of *Geobacter sulfurreducens* and electron shuttles. *J Hazard Mater.* 164: 337-344. <http://dx.doi.org/10.1016/j.jhazmat.2008.08.007>.
- Maiti, K; Mukherjee, K; Murugan, V; Saha, BP; Mukherjee, PK. (2009). Exploring the effect of Hesperetin-HSPC complex--a novel drug delivery system on the in vitro release, therapeutic efficacy and pharmacokinetics. *AAPS PharmSciTech.* 10: 943-950. <http://dx.doi.org/10.1208/s12249-009-9282-6>.
- Maiti, K; Mukherjee, K; Murugan, V; Saha, BP; Mukherjee, PK. (2010). Enhancing bioavailability and hepatoprotective activity of andrographolide from *Andrographis paniculata*, a well-known medicinal food, through its herbosome. *J Sci Food Agric.* 90: 43-51. <http://dx.doi.org/10.1002/jsfa.3777>.
- Maitra, R. (2009). Peripherally Active CB1 Receptor Antagonists for Alcohol-Induced Liver Fibrosis.
- Maitra, R. (2014). Therapeutics Development for Hepatic Fibrosis.
- Maitra, R. (2015). Therapeutics Development for Hepatic Fibrosis.
- Mak, KY; Chin, R; Cunningham, SC; Habib, MR; Torresi, J; Sharland, AF; Alexander, IE; Angus, PW; Herath, CB. (2015). ACE2 Therapy Using Adeno-associated Viral Vector Inhibits Liver Fibrosis in Mice. 23: 1434-1443. <http://dx.doi.org/10.1038/mt.2015.92>.
- Makker, PG; Duffy, SS; Lees, JG; Perera, CJ; Tonkin, RS; Butovsky, O; Park, SB; Goldstein, D; Moalem-Taylor, G. (2017). Characterisation of Immune and Neuroinflammatory Changes Associated with Chemotherapy-Induced Peripheral Neuropathy. *PLoS ONE.* 12: e0170814. <http://dx.doi.org/10.1371/journal.pone.0170814>.
- Makni, M; Chtourou, Y; Fetoui, H; Garoui, e; Boudawara, T; Zeghal, N. (2011). Evaluation of the antioxidant, anti-inflammatory and hepatoprotective properties of vanillin in carbon tetrachloride-treated rats. *Eur J Pharmacol.* 668: 133-139. <http://dx.doi.org/10.1016/j.ejphar.2011.07.001>.

Human Health Hazard Literature Search Results

Off Topic

- Makni, M; Fetoui, H; Gargouri, NK; Garoui, e; Zeghal, N. (2011). Antidiabetic effect of flax and pumpkin seed mixture powder: effect on hyperlipidemia and antioxidant status in alloxan diabetic rats. *J Diabetes Complications*. 25: 339-345. <http://dx.doi.org/10.1016/j.jdiacomp.2010.09.001>.
- Malachowa, N; Kobayashi, SD; Sturdevant, DE; Scott, DP; Deleo, FR. (2015). Insights into the *Staphylococcus aureus*-host interface: global changes in host and pathogen gene expression in a rabbit skin infection model. *PLoS ONE*. 10: e0117713. <http://dx.doi.org/10.1371/journal.pone.0117713>.
- Malinarich, FH; Grabski, E; Worbs, T; Chennupati, V; Haas, JD; Schmitz, S; Candia, E; Quera, R; Malissen, B; Förster, R; Hermoso, M; Prinz, I. (2010). Constant TCR triggering suggests that the TCR expressed on intestinal intraepithelial $\gamma\delta$ T cells is functional in vivo. *Eur J Immunol*. 40: 3378-3388. <http://dx.doi.org/10.1002/eji.201040727>.
- Mandal, A; Raju, S; Viswanathan, C. (2016). Cryopreserved hepatic progenitor cells derived from human embryonic stem cells can arrest progression of liver fibrosis in rats. *Cell Biol Int*. 40: 1107-1115. <http://dx.doi.org/10.1002/cbin.10649>.
- Mandlate, JS; Soares, BM; Seeger, TS; Vecchia, PD; Mello, PA; Flores, EM; Duarte, FA. (2017). Determination of cadmium and lead at sub-ppt level in soft drinks: An efficient combination between dispersive liquid-liquid microextraction and graphite furnace atomic absorption spectrometry. *Food Chem*. 221: 907-912. <http://dx.doi.org/10.1016/j.foodchem.2016.11.075>.
- Mango, RL; Wu, QP; West, M; Mccook, EC; Serody, JS; van Deventer, HW. (2014). C-C chemokine receptor 5 on pulmonary mesenchymal cells promotes experimental metastasis via the induction of erythroid differentiation regulator 1. *PLoS ONE*. 9: 274-282. <http://dx.doi.org/10.1371/journal.pone.0111191>.
- Manju, M; Akbarsha, MA; Oommen, OV. (2012). In vivo protective effect of dietary curcumin in fish *Anabas testudineus* (Bloch). *Fish Physiol Biochem*. 38: 309-318. <http://dx.doi.org/10.1007/s10695-011-9508-x>.
- Mannaerts, I; Eysackers, N; Onyema, OO; Van Beneden, K; Valente, S; Mai, A; Odenthal, M; van Grunsven, LA. (2013). Class II HDAC inhibition hampers hepatic stellate cell activation by induction of microRNA-29. *PLoS ONE*. 8: e55786. <http://dx.doi.org/10.1371/journal.pone.0055786>.
- Mannheimer, EG; Quintanilha, LF; Carvalho, AB; Paredes, BD; Gonçalves de Carvalho, F; Takyia, CM; Resende, CM; Ferreira da Motta Rezende, G; Campos de Carvalho, AC; Schanaider, A; dos Santos Goldenberg, RC. (2011). Bone marrow cells obtained from cirrhotic rats do not improve function or reduce fibrosis in a chronic liver disease model. *Clin Transplant*. 25: 54-60. <http://dx.doi.org/10.1111/j.1399-0012.2009.01191.x>.
- Manno, M; Rezzadore, M; Grossi, M; Sbrana, C. (1996). Potentiation of occupational carbon tetrachloride toxicity by ethanol abuse. *Hum Exp Toxicol*. 15: 294-300. <http://dx.doi.org/10.1177/096032719601500404>.
- Manoharan, P; Basford, JE; Pilcher-Roberts, R; Neumann, J; Hui, DY; Lingrel, JB. (2014). Reduced levels of microRNAs miR-124a and miR-150 are associated with increased proinflammatory mediator expression in Krüppel-like factor 2 (KLF2)-deficient macrophages. *J Biol Chem*. 289: 31638-31646. <http://dx.doi.org/10.1074/jbc.M114.579763>.
- Manojlovic, Z; Blackmon, J; Stefanovic, B. (2013). Tacrolimus (FK506) prevents early stages of ethanol induced hepatic fibrosis by targeting LARP6 dependent mechanism of collagen synthesis. *PLoS ONE*. 8: e65897. <http://dx.doi.org/10.1371/journal.pone.0065897>.
- Mansour, MA; Al-Ismaeel, H; Al-Rikabi, AC; Al-Shabanah, OA. (2011). Comparison of angiotensin converting enzyme inhibitors and angiotensin II type 1 receptor blockade for the prevention of premalignant changes in the liver. *Life Sci*. 89: 188-194. <http://dx.doi.org/10.1016/j.lfs.2011.06.002>.
- Mansour, MA; Bekheet, SA; Al-Rejaie, SS; Al-Shabanah, OA; Al-Howiriny, TA; Al-Rikabi, AC; Abdo, AA. (2010). Ginger ingredients inhibit the development of diethylnitrosoamine induced premalignant phenotype in rat chemical hepatocarcinogenesis model. *BioFactors*. 36: 483-490. <http://dx.doi.org/10.1002/biof.122>.
- Manzini, BM; da Silva Santos Duarte, A; Sankaramanivel, S; Ramos, AL; Latuf-Filho, P; Escanhoela, C; Kharmandayan, P; Olalla Saad, ST; Boin, I; Malheiros Luzo, AC. (2015). Useful properties of undifferentiated mesenchymal stromal cells and adipose tissue as the source in liver-regenerative therapy studied in an animal model of severe acute fulminant hepatitis. *Cytotherapy*. 17: 1052-1065. <http://dx.doi.org/10.1016/j.jcyt.2015.04.010>.
- Mao, XR; Yue, W; Yuan, H; Chen, H; Xue, M. (2011). [Inhibition effect of small interfering RNA targeting connective tissue growth factor on liver fibrosis in rats]. *Zhejiang Da Xue Xue Bao Yi Xue Ban*. 40: 603-608.
- Mao, Y; Zhang, S; Yu, F; Li, H; Guo, C; Fan, X. (2015). Ghrelin Attenuates Liver Fibrosis through Regulation of TGF- β 1 Expression and Autophagy. *International Journal of Molecular Sciences*. 16: 21911-21930. <http://dx.doi.org/10.3390/ijms160921911>.
- Maricic, I; Sheng, H; Marrero, I; Seki, E; Kisseleva, T; Chaturvedi, S; Molle, N; Mathews, SA; Gao, B; Kumar, V. (2015). Inhibition of type I natural killer T cells by retinoids or following sulfatide-mediated activation of type II natural killer T cells attenuates alcoholic liver disease in mice. *Hepatology*. 61: 1357-1369. <http://dx.doi.org/10.1002/hep.27632>.
- Marois, I; Cloutier, A; Garneau, É; Richter, MV. (2012). Initial infectious dose dictates the innate, adaptive, and memory responses to influenza in the respiratory tract. *J Leukoc Biol*. 92: 107-121. <http://dx.doi.org/10.1189/jlb.1011490>.
- Maron, DM; Ames, BN. (1983). Revised methods for salmonella mutagenicity test. *Mutat Res Environ Mutagen Relat Subj*. 113: 173-215. [http://dx.doi.org/10.1016/0165-1161\(83\)90010-9](http://dx.doi.org/10.1016/0165-1161(83)90010-9).
- Marques, TG; Chaib, E; da Fonseca, JH; Lourenço, AC; Silva, FD; Ribeiro, MA; Galvão, FH; D'Albuquerque, LA. (2012). Review of experimental models for inducing hepatic cirrhosis by bile duct ligation and carbon tetrachloride injection [Review]. *Acta Cir Bras*. 27: 589-594.
- Marquez, RT; Bandyopadhyay, S; Wendlandt, EB; Keck, K; Hoffer, BA; Icardi, MS; Christensen, RN; Schmidt, WN; Mccaffrey, AP. (2010). Correlation between microRNA expression levels and clinical parameters associated with chronic hepatitis C viral infection in humans. *Lab Invest*. 90: 1727-1736. <http://dx.doi.org/10.1038/labinvest.2010.126>.

Human Health Hazard Literature Search Results

Off Topic

- Martí, V; Jubany, I; Pérez, C; Rubio, X; De Pablo, J; Giménez, J. (2014). Human health risk assessment of a landfill based on volatile organic compounds emission, immission and soil gas concentration measurements. *Appl Geochem*. 49: 218-224. <http://dx.doi.org/10.1016/j.apgeochem.2014.06.018>.
- Martin, C; Dutertre-Catella, H; Radionoff, M; Debray, M; Benstaali, C; Rat, P; Thevenin, M; Touitou, Y; Warnet, JM. (2003). Effect of age and photoperiodic conditions on metabolism and oxidative stress related markers at different circadian stages in rat liver and kidney. *Life Sci*. 73: 327-335.
- Martínez, A; Urios, A; Blanco, M. (2000). Mutagenicity of 80 chemicals in *Escherichia coli* tester strains IC203, deficient in OxyR, and its oxyR(+) parent WP2 uvrA/pKM101: detection of 31 oxidative mutagens. *Mutat Res*. 467: 41-53. [http://dx.doi.org/10.1016/S1383-5718\(00\)00020-6](http://dx.doi.org/10.1016/S1383-5718(00)00020-6).
- Martínez, CM; Alvarez, LH; Cervantes, FJ. (2012). Simultaneous biodegradation of phenol and carbon tetrachloride mediated by humic acids. *Biodegradation*. 23: 635-644. <http://dx.doi.org/10.1007/s10532-012-9539-8>.
- Martínez-Galero, E; Pérez-Pastén, R; Perez-Juarez, A; Fabila-Castillo, L; Gutiérrez-Salmeán, G; Chamorro, G. (2016). Preclinical antitoxic properties of *Spirulina* (*Arthrospira*). *Pharmaceutical Biology*. 54: 1345-1353. <http://dx.doi.org/10.3109/13880209.2015.1077464>.
- Marzoq, AJ; Giese, N; Hoheisel, JD; Alhamdani, MS. (2013). Proteome variations in pancreatic stellate cells upon stimulation with proinflammatory factors. *J Biol Chem*. 288: 32517-32527. <http://dx.doi.org/10.1074/jbc.M113.488387>.
- Masotti, A; Donninelli, G; Da Sacco, L; Varano, B; Del Cornò, M; Gessani, S. (2015). HIV-1 gp120 influences the expression of microRNAs in human monocyte-derived dendritic cells via STAT3 activation. *BMC Genomics*. 16: 480. <http://dx.doi.org/10.1186/s12864-015-1673-3>.
- Masson, MJ; Collins, LA; Carpenter, LD; Graf, ML; Ryan, PM; Bourdi, M; Pohl, LR. (2010). Pathologic role of stressed-induced glucocorticoids in drug-induced liver injury in mice. *Biochem Biophys Res Commun*. 397: 453-458. <http://dx.doi.org/10.1016/j.bbrc.2010.05.126>.
- Mastellos, DC; Deangelis, RA; Lambris, JD. (2013). Complement-triggered pathways orchestrate regenerative responses throughout phylogenesis [Review]. *Semin Immunol*. 25: 29-38. <http://dx.doi.org/10.1016/j.smim.2013.04.002>.
- Mastellos, DC; Deangelis, RA; Lambris, JD. (2013). Inducing and characterizing liver regeneration in mice: Reliable models, essential "readouts" and critical perspectives. 3: 141-170.
- Masuda, Y; Nakano, T; Sugiyama, M. (2012). First observation of ultrafast intramolecular proton transfer rate between electronic ground states in solution. *J Phys Chem A*. 116: 4485-4494. <http://dx.doi.org/10.1021/jp2110874>.
- Masuya, M; Nakamura, S; Yukimoto, H; Miyata, E; Ino, K; Liu, B; Suzuki, K; Ohishi, K; Katayama, N. (2011). Ly6C(+) monocytes are extrahepatic precursors of hepatic stellate cells in the injured liver of mice. *Exp Hematol*. 39: 934-946. <http://dx.doi.org/10.1016/j.exphem.2011.06.001>.
- Mathan, G; Fatima, G; Saxena, AK; Chandan, BK; Jaggi, BS; Gupta, BD; Qazi, GN; Balasundaram, C; Rajan, KDA; Kumar, VL; Kumar, V. (2011). Chemoprevention with Aqueous Extract of *Butea monosperma* Flowers Results in Normalization of Nuclear Morphometry and Inhibition of a Proliferation Marker in Liver Tumors. *Phytother Res*. 25: 324-328. <http://dx.doi.org/10.1002/ptr.3249>.
- Mathes, AL; Rice, L; Affandi, AJ; Dimarzio, M; Rifkin, IR; Stifano, G; Christmann, RB; Lafyatis, R. (2015). CpGB DNA activates dermal macrophages and specifically recruits inflammatory monocytes into the skin. *Experimental Dermatology Online*. 24: 133-139. <http://dx.doi.org/10.1111/exd.12603>.
- Mathison, A; Grzenda, A; Lomberk, G; Velez, G; Buttar, N; Tietz, P; Hendrickson, H; Liebl, A; Xiong, YY; Gores, G; Fernandez-Zapico, M; Larusso, NF; Faubion, W; Shah, VH; Urrutia, R. (2013). Role for Krüppel-like transcription factor 11 in mesenchymal cell function and fibrosis. *PLoS ONE*. 8: e75311. <http://dx.doi.org/10.1371/journal.pone.0075311>.
- Mats'opa, IV; Hryhor'ieva, NP; Meshchysheva, IF. (2010). [Adaptation of antioxidative system in rat kidneys under varying light conditions during tetrachloromethane intoxication and effect of melatonin]. 82: 75-84.
- Matsushita, T; Tateishi, T; Isobe, N; Yonekawa, T; Yamasaki, R; Matsuse, D; Murai, H; Kira, J. (2013). Characteristic cerebrospinal fluid cytokine/chemokine profiles in neuromyelitis optica, relapsing remitting or primary progressive multiple sclerosis. *PLoS ONE*. 8: e61835. <http://dx.doi.org/10.1371/journal.pone.0061835>.
- Matsuura, K; Sawai, H; Ikeo, K; Ogawa, S; Iio, E; Isogawa, M; Shimada, N; Komori, A; Toyoda, H; Kumada, T; Namisaki, T; Yoshiji, H; Sakamoto, N; Nakagawa, M; Asahina, Y; Kurosaki, M; Izumi, N; Enomoto, N; Kusakabe, A; Kajiwara, E; Itoh, Y; Ide, T; Tamori, A; Matsubara, M; Kawada, N; Shirabe, K; Tomita, E; Honda, M; Kaneko, S; Nishina, S; Suetsugu, A; Hiasa, Y; Watanabe, H; Genda, T; Sakaida, I; Nishiguchi, S; Takaguchi, K; Tanaka, E; Sugihara, J; Shimada, M; Kondo, Y; Kawai, Y; Kojima, K; Nagasaki, M; Tokunaga, K; Tanaka, Y; Hepatitis, JG-WASGFV. (2017). Genome-wide Association Study Identifies TLL1 Variant Associated With Development of Hepatocellular Carcinoma After Eradication of Hepatitis C Virus Infection. *Gastroenterology*. <http://dx.doi.org/10.1053/j.gastro.2017.01.041>.
- Matter, MS; Marquardt, JU; Andersen, JB; Quintavalle, C; Korokhov, N; Stauffer, JK; Kaji, K; Decaens, T; Quagliata, L; Elloumi, F; Hoang, T; Molinolo, A; Conner, EA; Weber, A; Heikenwalder, M; Factor, VM; Thorgeirsson, SS. (2016). Oncogenic driver genes and the inflammatory microenvironment dictate liver tumor phenotype. *Hepatology*. 63: 1888-1899. <http://dx.doi.org/10.1002/hep.28487>.
- Maurya, P; Sharma, P; Mohan, L; Batabyal, L; Srivastava, CN. (2009). Evaluation of larvicidal nature of fleshy fruit wall of *Momordica charantia* Linn. (family: cucurbitaceae) in the management of mosquitoes. *Parasitol Res*. 105: 1653-1659. <http://dx.doi.org/10.1007/s00436-009-1609-4>.
- May, RA; Smith, RS; Kay, BD. (2011). Probing the interaction of amorphous solid water on a hydrophobic surface: dewetting and crystallization kinetics of ASW on carbon tetrachloride. *Phys Chem Chem Phys*. 13: 19848-19855. <http://dx.doi.org/10.1039/c1cp21855g>.
- Mayboroda, OA; van Hooij, A; Derks, R; van den Eeden, SJ; Dijkman, K; Khadge, S; Thapa, P; Kunwar, CB; Hagge, DA; Geluk, A. (2016). Exploratory urinary metabolomics of type 1 leprosy reactions. *Int J Infect Dis*. 45: 46-52. <http://dx.doi.org/10.1016/j.ijid.2016.02.012>.

Human Health Hazard Literature Search Results

Off Topic

- Mayer, TZ; Simard, FA; Cloutier, A; Vardhan, H; Dubois, CM; McDonald, PP. (2013). The p38-MSK1 signaling cascade influences cytokine production through CREB and C/EBP factors in human neutrophils. *J Immunol.* 191: 4299-4307. <http://dx.doi.org/10.4049/jimmunol.1301117>.
- Mayuren, C; Reddy, VV; Priya, SV; Devi, VA. (2010). Protective effect of Livactine against CCl₄ and paracetamol induced hepatotoxicity in adult Wistar rats. 2: 491-495. <http://dx.doi.org/10.4297/najms.2010.2491>.
- Mazmanci, B; Mazmanci, MA, I; Unyayar, A, I; Unyayar, S; Cekic, FO; Deger, AG; Yalin, S; Comelekoglu, U. (2011). Protective effect of *Funalia trogii* crude extract on deltamethrin-induced oxidative stress in rats. *Food Chem.* 125: 1037-1040. <http://dx.doi.org/10.1016/j.foodchem.2010.10.014>.
- Mazur, G; Jaskula, E; Kryczek, I; Dlubek, D; Butrym, A; Wrobel, T; Lange, A; Kuliczowski, K. (2011). Proinflammatory chemokine gene expression influences survival of patients with non-Hodgkin's lymphoma. *Folia Histochem Cytobiol.* 49: 240-247. <http://dx.doi.org/10.5603/FHC.2011.0033>.
- Mazzi, P; Caveggon, E; Lapinet-Vera, JA; Lowell, CA; Berton, G. (2015). The Src-Family Kinases Hck and Fgr Regulate Early Lipopolysaccharide-Induced Myeloid Cell Recruitment into the Lung and Their Ability To Secrete Chemokines. *J Immunol.* 195: 2383-2395. <http://dx.doi.org/10.4049/jimmunol.1402011>.
- Mbarki, S; Alimi, H; Bouzenna, H; Elfeki, A; Hfaiedh, N. (2017). Phytochemical study and protective effect of *Trigonella foenum graecum* (Fenugreek seeds) against carbon tetrachloride-induced toxicity in liver and kidney of male rat. *Biomed Pharmacother.* 88: 19-26. <http://dx.doi.org/10.1016/j.biopha.2016.12.078>.
- Mcalpine, SM; Issekutz, TB; Marshall, JS. (2012). Virus stimulation of human mast cells results in the recruitment of CD56⁺ T cells by a mechanism dependent on CCR5 ligands. *FASEB J.* 26: 1280-1289. <http://dx.doi.org/10.1096/fj.11-188979>.
- Mccann, J; Choi, E; Yamasaki, E; Ames, BN. (1975). Detection of carcinogens as mutagens in the Salmonella/microsome test: Assay of 300 chemicals. *Proc Natl Acad Sci USA.* 72: 5135-5139. <http://dx.doi.org/10.1073/pnas.72.12.5135>.
- Mccarthy, MC; O'Brien, TE; Charrier, JG; Hafner, HR. (2009). Characterization of the chronic risk and hazard of hazardous air pollutants in the United States using ambient monitoring data. *Environ Health Perspect.* 117: 790-796. <http://dx.doi.org/10.1289/ehp.11861>.
- McClellan, MJ; Khasnis, S; Wood, CD; Palermo, RD; Schlick, SN; Kanhere, AS; Jenner, RG; West, MJ. (2012). Downregulation of integrin receptor-signaling genes by Epstein-Barr virus EBNA 3C via promoter-proximal and -distal binding elements. *J Virol.* 86: 5165-5178. <http://dx.doi.org/10.1128/JVI.07161-11>.
- Mcdermott, AJ; Falkowski, NR; McDonald, RA; Frank, CR; Pandit, CR; Young, VB; Huffnagle, GB. (2016). Role of Gamma-Interferon and Inflammatory Monocytes in Driving Colonic Inflammation During Acute *C. difficile* Infection in Mice. *Immunology.* <http://dx.doi.org/10.1111/imm.12700>.
- Mcdermott, AJ; Frank, CR; Falkowski, NR; McDonald, RA; Young, VB; Huffnagle, GB. (2014). Role of GM-CSF in the inflammatory cytokine network that regulates neutrophil influx into the colonic mucosa during *Clostridium difficile* infection in mice. *Gut Microbes.* 5: 476-484. <http://dx.doi.org/10.4161/gmic.29964>.
- Mcgillick, EV; Orgeig, S; Morrison, JL. (2016). Structural and molecular regulation of lung maturation by intratracheal vascular endothelial growth factor administration in the normally grown and placentally restricted fetus. *J Physiol.* 594: 1399-1420. <http://dx.doi.org/10.1113/JP271113>.
- Mckay, HS; Bream, JH; Margolick, JB; Martínez-Maza, O; Phair, JP; Rinaldo, CR; Abraham, AG; Jacobson, LP. (2016). Host factors associated with serologic inflammatory markers assessed using multiplex assays. *Cytokine.* 85: 71-79. <http://dx.doi.org/10.1016/j.cyto.2016.05.016>.
- Mckay, HS; Margolick, JB; Martínez-Maza, O; Lopez, J; Phair, J; Rappocciolo, G; Denny, TN; Magpantay, LI; Jacobson, LP; Bream, JH. (2016). Multiplex assay reliability and long-term intra-individual variation of serologic inflammatory biomarkers. *Cytokine.* 90: 185-192. <http://dx.doi.org/10.1016/j.cyto.2016.09.018>.
- McClean, AJ; Le Couteur, DG. (2004). Aging biology and geriatric clinical pharmacology [Review]. *Pharmacol Rev.* 56: 163-184. <http://dx.doi.org/10.1124/pr.56.2.4>.
- Mcmurry, TJ. (2013). Optimization of Efficacy and Safety Pharmacology of Fibrosis Imaging Agent CM-65.
- Mcmurry, TJ. (2014). Optimization of Efficacy and Safety Pharmacology of Fibrosis Imaging Agent CM-65.
- Mcpheil, BT; White, CA; Cummings, BS; Muralidhara, S; Wilson, JT; Bruckner, JV. (2016). The immature rat as a potential model for chemical risks to children: Ontogeny of selected hepatic P450s. *Chem Biol Interact.* 256: 167-177. <http://dx.doi.org/10.1016/j.cbi.2016.07.005>.
- Meagher, C; Beilke, J; Arreaza, G; Mi, QS; Chen, W; Salojin, K; Horst, N; Cruikshank, WW; Delovitch, TL. (2010). Neutralization of interleukin-16 protects nonobese diabetic mice from autoimmune type 1 diabetes by a CCL4-dependent mechanism. *Diabetes.* 59: 2862-2871. <http://dx.doi.org/10.2337/db09-0131>.
- Medders, KE; Sejbuk, NE; Maung, R; Desai, MK; Kaul, M. (2010). Activation of p38 MAPK is required in monocytic and neuronal cells for HIV glycoprotein 120-induced neurotoxicity. *J Immunol.* 185: 4883-4895. <http://dx.doi.org/10.4049/jimmunol.0902535>.
- Meftah, S; Sajadimajid, S; Yazdanparast, R. (2013). Structure-activity relationship of 15 different Mn-salen derivatives against free radicals. *Drug Chem Toxicol.* 36: 9-18. <http://dx.doi.org/10.3109/01480545.2011.644560>.
- Mehendale, HM. (1991). Commentary: role of hepatocellular regeneration and hepatolobular healing in the final outcome of liver injury. A two-stage model of toxicity [Review]. *Biochem Pharmacol.* 42: 1155-1162. [http://dx.doi.org/10.1016/0006-2952\(91\)90249-5](http://dx.doi.org/10.1016/0006-2952(91)90249-5).
- Mehendale, HM. (1992). Biochemical Mechanisms of Biphasic Dose-Response Relationships Role of Hormesis. In *Ej Calabrese (Ed.)*, (pp. 59-94): Lewis Publishers, Inc.
- Mehendale, HM. (2012). Once initiated, how does toxic tissue injury expand? [Review]. *Trends Pharmacol Sci.* 33: 200-206. <http://dx.doi.org/10.1016/j.tips.2012.01.003>.

Human Health Hazard Literature Search Results

Off Topic

- Mehta, PK; Bhatia, SK; Bhatia, RK; Bhalla, TC. (2013). Purification and characterization of a novel thermo-active amidase from *Geobacillus subterraneus* RL-2a. *Extremophiles*. 17: 637-648. <http://dx.doi.org/10.1007/s00792-013-0547-3>.
- Mehta, R; Biredinc, A; Neupane, A; Shamsaddini, A; Afendy, A; Elariny, H; Chandhoke, V; Baranova, A; Younossi, ZM. (2013). Expression of inflammation-related genes is altered in gastric tissue of patients with advanced stages of NAFLD. *Mediators Inflamm*. 2013: 684237. <http://dx.doi.org/10.1155/2013/684237>.
- Méhul, B; Laffet, G; Séraïdaris, A; Russo, L; Fogel, P; Carlván, I; Pernin, C; Andres, P; Queille-Roussel, C; Voegel, JJ. (2017). Non-invasive proteome analysis of psoriatic stratum corneum reflects pathophysiological pathways and is useful for drug profiling. *Br J Dermatol*. <http://dx.doi.org/10.1111/bjd.15346>.
- Meier, RP; Müller, YD; Morel, P; Gonelle-Gispert, C; Bühler, LH. (2013). Transplantation of mesenchymal stem cells for the treatment of liver diseases, is there enough evidence? [Review]. *Stem Cell Research*. 11: 1348-1364. <http://dx.doi.org/10.1016/j.scr.2013.08.011>.
- Mejia-Garcia, A; Sanchez-Ocampo, EM; Galindo-Gomez, S; Shibayama, M; Reyes-Hernandez, O; Guzman-Leon, S; Gonzalez, FJ; Elizondo, G. (2013). 2,3,7,8-Tetrachlorodibenzo-p-dioxin enhances CCL4-induced hepatotoxicity in an aryl hydrocarbon receptor-dependent manner. *Xenobiotica*. 43: 161-168. <http://dx.doi.org/10.3109/00498254.2012.707790>.
- Mekky, RH; Fayed, MR; El-Gindi, MR; Abdel-Monem, AR; Contreras, MD; Segura-Carretero, A; Abdel-Sattar, E. (2016). Hepatoprotective Effect and Chemical Assessment of a Selected Egyptian Chickpea Cultivar. 7: 344. <http://dx.doi.org/10.3389/fphar.2016.00344>.
- Melino, M; Gadd, VL; Walker, GV; Skoien, R; Barrie, HD; Jothimani, D; Horsfall, L; Jones, A; Sweet, MJ; Thomas, GP; Clouston, AD; Jonsson, JR; Powell, EE. (2012). Macrophage secretory products induce an inflammatory phenotype in hepatocytes. *World J Gastroenterol*. 18: 1732-1744. <http://dx.doi.org/10.3748/wjg.v18.i15.1732>.
- Mello Coelho, V, d; Bunbury, A; Rangel, LB; Giri, B; Weeraratna, A; Morin, PJ; Bernier, M; Taub, DD. (2009). Fat-storing multilocular cells expressing CCR5 increase in the thymus with advancing age: potential role for CCR5 ligands on the differentiation and migration of preadipocytes. *Int J Med Sci*. 7: 1-14.
- Melo, GD; Silva, JE; Grano, FG; Souza, MS; Machado, GF. (2015). Leishmania infection and neuroinflammation: Specific chemokine profile and absence of parasites in the brain of naturally-infected dogs. *J Neuroimmunol*. 289: 21-29. <http://dx.doi.org/10.1016/j.jneuroim.2015.10.004>.
- Melo-Silveira, RF; Fidelis, GP; Viana, RL; Soeiro, VC; Silva, RA; Machado, D; Costa, LS; Ferreira, CV; Oliveira Rocha, HA. (2014). Antioxidant and antiproliferative activities of methanolic extract from a neglected agricultural product: corn cobs. *Molecules*. 19: 5360-5378. <http://dx.doi.org/10.3390/molecules19045360>.
- Mendias, CL; Lynch, EB; Davis, ME; Sibilsky Enselman, ER; Harning, JA; Dewolf, PD; Makki, TA; Bedi, A. (2013). Changes in circulating biomarkers of muscle atrophy, inflammation, and cartilage turnover in patients undergoing anterior cruciate ligament reconstruction and rehabilitation. *Am J Sports Med*. 41: 1819-1826. <http://dx.doi.org/10.1177/0363546513490651>.
- Mendieta-Condado, E; Pichardo-Olvera, M; Sánchez-Sevilla, L; Chagoya de Sánchez, V; Hernández-Muñoz, R. (2009). Adenosine administration accelerates progression of the cell cycle during rat liver regeneration induced by one-third hepatectomy. *J Pharmacol Exp Ther*. 331: 122-132. <http://dx.doi.org/10.1124/jpet.109.156620>.
- Mendonça, VR; Andrade, BB; Souza, LC; Magalhães, BM; Mourão, MP; Lacerda, MV; Barral-Netto, M. (2015). Unravelling the patterns of host immune responses in *Plasmodium vivax* malaria and dengue co-infection. *Malar J*. 14: 315. <http://dx.doi.org/10.1186/s12936-015-0835-8>.
- Mendoza, Y; Goodwin, KD; Happell, JD. (2011). Microbial removal of atmospheric carbon tetrachloride in bulk aerobic soils. *Appl Environ Microbiol*. 77: 5835-5841. <http://dx.doi.org/10.1128/AEM.05341-11>.
- Menegazzi, M; Carcereri-De Prati, A; Suzuki, H; Shinozuka, H; Pibiri, M; Piga, R; Columbano, A; Ledda-Columbano, GM. (1997). Liver cell proliferation induced by nafenopin and cyproterone acetate is not associated with increases in activation of transcription factors NF-kappaB and AP-1 or with expression of tumor necrosis factor alpha. *Hepatology*. 25: 585-592. <http://dx.doi.org/10.1002/hep.510250316>.
- Menezes-Souza, D; Guerra-Sa, R; Carneiro, CM; Vitoriano-Souza, J; Giunchetti, RC; Teixeira-Carvalho, A; Silveira-Lemos, D; Oliveira, GC; Correa-Oliveira, R; Reis, AB. (2012). Higher Expression of CCL2, CCL4, CCL5, CCL21, and CXCL8 Chemokines in the Skin Associated with Parasite Density in Canine Visceral Leishmaniasis. *P L o S Neglected Tropical Diseases*. 6: e1566. <http://dx.doi.org/10.1371/journal.pntd.0001566>.
- Meng, CM; Zhang, RQ; Qin, WH. (2012). [Determination of dimethyl ether in workplace air with gas chromatography]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi*. 30: 142-143.
- Meng, F; Francis, H; Glaser, S; Han, Y; Demorrow, S; Stokes, A; Staloch, D; Venter, J; White, M; Ueno, Y; Reid, LM; Alpini, G. (2012). Role of stem cell factor and granulocyte colony-stimulating factor in remodeling during liver regeneration. *Hepatology*. 55: 209-221. <http://dx.doi.org/10.1002/hep.24673>.
- Meng, Q; Chen, X; Wang, C; Liu, Q; Sun, H; Sun, P; Huo, X; Liu, Z; Liu, K. (2015). Protective effects of alisol B 23-acetate from edible botanical *Rhizoma alismatis* against carbon tetrachloride-induced hepatotoxicity in mice. 6: 1241-1250. <http://dx.doi.org/10.1039/c5fo00082c>.
- Meng, T; Li, X; Ao, X; Zhong, Y; Tang, R; Peng, W; Yang, J; Zou, M; Zhou, Q. (2014). Hemolytic *Streptococcus* may exacerbate kidney damage in IgA nephropathy through CCL20 response to the effect of Th17 cells. *PLoS ONE*. 9: e108723. <http://dx.doi.org/10.1371/journal.pone.0108723>.
- Mestechkina, NM; Bezborodova, OA; Il'ina, AV; Levov, AN; Kleimenov, SI, u; Nemtsova, ER; Iakubovskaia, RI; Shcherbukhin, VD; Varlamov, VP. (2011). [Effect of polysaccharides on biological activity of human lactoferrin]. *Prikl Biokhim Mikrobiol*. 47: 699-706.
- Meurer, SK; Tihaa, L; Borkham-Kamphorst, E; Weiskirchen, R. (2011). Expression and functional analysis of endoglin in isolated liver cells and its involvement in fibrogenic Smad signalling. *Cell Signal*. 23: 683-699. <http://dx.doi.org/10.1016/j.cellsig.2010.12.002>.

Human Health Hazard Literature Search Results

Off Topic

- Meyer, C; Meindl-Beinker, NM; Dooley, S. (2010). TGF-beta signaling in alcohol induced hepatic injury [Review]. *Front Biosci.* 15: 740-749.
- Michael, BD; Elson, L; Griffiths, MJ; Faragher, B; Borrow, R; Solomon, T; Jacob, A. (2013). Post-acute serum eosinophil and neutrophil-associated cytokine/chemokine profile can distinguish between patients with neuromyelitis optica and multiple sclerosis; and identifies potential pathophysiological mechanisms - a pilot study. *Cytokine.* 64: 90-96. <http://dx.doi.org/10.1016/j.cyto.2013.07.019>.
- Michalopoulos, GK. (2016). Hepatostat: Liver regeneration and normal liver tissue maintenance. *Hepatology.* <http://dx.doi.org/10.1002/hep.28988>.
- Michée, S; Brignole-Baudouin, F; Riancho, L; Rostene, W; Baudouin, C; Labbé, A. (2013). Effects of benzalkonium chloride on THP-1 differentiated macrophages in vitro. *PLoS ONE.* 8: e72459. <http://dx.doi.org/10.1371/journal.pone.0072459>.
- Michel, CG; El-Sayed, NS; Moustafa, SF; Ezzat, SM; Nesseem, DI; El-Alfy, TS. (2011). Phytochemical and biological investigation of the extracts of *Nigella sativa* L. seed waste. *Drug Testing and Analysis.* 3: 245-254. <http://dx.doi.org/10.1002/dta.225>.
- Mihailovic, V; Mistic, D; Matic, S; Mihailovic, M; Stanic, S; Vrvic, MM; Katanic, J; Mladenovic, M; Stankovic, N; Borja, T; Stankovic, MS. (2015). Comparative phytochemical analysis of *Gentiana cruciata* L. roots and aerial parts, and their biological activities. *Ind Crop Prod.* 73: 49-62. <http://dx.doi.org/10.1016/j.indcrop.2015.04.013>.
- Mikami, Y; Ikehata, A; Hashimoto, C; Ozaki, Y. (2014). Near-infrared (NIR) study of hydrogen bonding of methanol molecules in polar and nonpolar solvents: an approach from concentration-dependent molar absorptivity. *Appl Spectrosc.* 68: 1181-1189. <http://dx.doi.org/10.1366/14-07449>.
- Miller, LC; Neill, JD; Harhay, GP; Lager, KM; Laegreid, WW; Kehrl, ME. (2010). In-depth global analysis of transcript abundance levels in porcine alveolar macrophages following infection with porcine reproductive and respiratory syndrome virus. *Advances in Virology.* 2010: 864181. <http://dx.doi.org/10.1155/2010/864181>.
- Miller, WP; Srinivasan, S; Panoskaltis-Mortari, A; Singh, K; Sen, S; Hamby, K; Deane, T; Stempora, L; Beus, J; Turner, A; Wheeler, C; Anderson, DC; Sharma, P; Garcia, A; Strobert, E; Elder, E; Crocker, I; Crenshaw, T; Penedo, MC; Ward, T; Song, M; Horan, J; Larsen, CP; Blazar, BR; Kean, LS. (2010). GVHD after haploidentical transplantation: a novel, MHC-defined rhesus macaque model identifies CD28- CD8+ T cells as a reservoir of breakthrough T-cell proliferation during costimulation blockade and sirolimus-based immunosuppression. *Blood.* 116: 5403-5418. <http://dx.doi.org/10.1182/blood-2010-06-289272>.
- Mir, A; Anjum, F; Riaz, N; Iqbal, H; Wahedi, HM; Khattak, JZK; Khan, MA; Malik, SA. (2010). Carbon Tetrachloride (CCl₄) - induced hepatotoxicity in rats: Curative role of *Solanum nigrum*. *Journal of Medicinal Plant Research.* 4: 2525-2532.
- Mircheyff, AK; Wang, Y; Thomas, PB; Nakamura, T; Samant, D; Trousdale, MD; Warren, DW; Ding, C; Schechter, JE. (2011). Systematic variations in immune response-related gene transcript abundance suggest new questions about environmental influences on lacrimal gland immunoregulation. *Curr Eye Res.* 36: 285-294. <http://dx.doi.org/10.3109/02713683.2010.550408>.
- Mironov, VF; Dimukhametov, MN; Efimov, SV; Aminova, RM; Karataeva, FK, h; Krivolapov, DB; Mironova, EV; Klochkov, VV. (2016). Stereoselective PCO/POC-Rearrangement of P-C-Cage Phosphorane in the Reaction of 4,5-Dimethyl-2-(2-oxo-1,2-diphenyl)ethoxy-1,3,2-dioxaphospholane with Hexafluoroacetone. *J Org Chem.* 81: 5837-5850. <http://dx.doi.org/10.1021/acs.joc.6b00356>.
- Mirsalis, JC. (1987). In vivo measurement of unscheduled DNA synthesis and S-phase synthesis as an indicator of hepatocarcinogenesis in rodents. *Cell Biol Toxicol.* 3: 165-173.
- Mirsalis, JC; Monforte, JA; Winegar, RA. (1994). Transgenic animal models for measuring mutations in vivo [Review]. *Crit Rev Toxicol.* 24: 255-280. <http://dx.doi.org/10.3109/10408449409021608>.
- Miryounesi, M; Piryaei, A; Pournasr, B; Aghdami, N; Baharvand, H. (2013). Repeated versus single transplantation of mesenchymal stem cells in carbon tetrachloride-induced liver injury in mice. *Cell Biol Int.* 37: 340-347. <http://dx.doi.org/10.1002/cbin.10048>.
- Mirzaee, V; Shahriari, J; Hajghani, M. (2014). CCR5 on the NK Cells and its Ligand (RANTES) Expressions are Disrupted in South-Eastern Iranian Patients With Chronic Hepatitis B Infection. 16: e12458. <http://dx.doi.org/10.5812/ircmj.12458>.
- Mirzaei Aliabadi, M; Naderi, G; Shahtaheri, SJ; Forushani, AR; Mohammadfam, I; Jahangiri, M. (2014). Transport properties of carboxylated nitrile butadiene rubber (XNBR)-nanoclay composites; a promising material for protective gloves in occupational exposures. 12: 51. <http://dx.doi.org/10.1186/2052-336X-12-51>.
- Mishra, KP; Gogate, PR. (2011). Intensification of degradation of aqueous solutions of rhodamine B using sonochemical reactors at operating capacity of 7 L. *J Environ Manage.* 92: 1972-1977. <http://dx.doi.org/10.1016/j.jenvman.2011.03.046>.
- Mistry, P; Neagu, D; Sanchez-Ruiz, A; Trundle, PR; Vessey, JD; Gosling, JP. (2017). Prediction of the effect of formulation on the toxicity of chemicals. *Toxicology Research.* 6: 42-53. <http://dx.doi.org/10.1039/c6tx00303f>.
- Misuraca, MC; Grecu, T; Freixa, Z; Garavini, V; Hunter, CA; van Leeuwen, PW; Segarra-Maset, MD; Turega, SM. (2011). Relationship between conformational flexibility and chelate cooperativity. *J Org Chem.* 76: 2723-2732. <http://dx.doi.org/10.1021/jo2000397>.
- Mitchell, KA. (2014). Consequences of AhR signaling during liver fibrosis.
- Mitchell, KA. (2015). Consequences of AhR signaling during liver fibrosis.
- Miyabe, K; Isogai, R. (2013). Estimation of molecular diffusivity in liquid phase systems on the basis of the absolute rate theory. *Anal Sci.* 29: 467-472.
- Miyauchi, K; Urano, E; Yoshiyama, H; Komano, J. (2011). Cytokine signatures of transformed B cells with distinct Epstein-Barr virus latencies as a potential diagnostic tool for B cell lymphoma. *Cancer Sci.* 102: 1236-1241. <http://dx.doi.org/10.1111/j.1349-7006.2011.01924.x>.
- Miyazaki, H; Sawada, T; Kiyohira, M; Yu, Z; Nakamura, K; Yasumoto, Y; Kagawa, Y; Ebrahimi, M; Islam, A; Sharifi, K; Kawamura, S; Kodama, T; Yamamoto, Y; Adachi, Y; Tokuda, N; Terai, S; Sakaida, I; Ishikawa, T; Owada, Y. (2014). Fatty acid binding protein 7 regulates phagocytosis and cytokine production in Kupffer cells during liver injury. *Am J Pathol.* 184: 2505-2515. <http://dx.doi.org/10.1016/j.ajpath.2014.05.015>.

Human Health Hazard Literature Search Results

Off Topic

- Miyazaki, T; Matsuzaki, Y. (2014). Taurine and liver diseases: a focus on the heterogeneous protective properties of taurine [Review]. *Amino Acids*. 46: 101-110. <http://dx.doi.org/10.1007/s00726-012-1381-0>.
- Mizuguchi, M; Sasaki, Y; Hara, T; Higuchi, M; Tanaka, Y; Funato, N; Tanaka, N; Fujii, M; Nakamura, M. (2016). Induction of Cell Death in Growing Human T-Cells and Cell Survival in Resting Cells in Response to the Human T-Cell Leukemia Virus Type 1 Tax. *PLoS ONE*. 11: e0148217. <http://dx.doi.org/10.1371/journal.pone.0148217>.
- Mizunaga, Y; Terai, S; Yamamoto, N; Uchida, K; Yamasaki, T; Nishina, H; Fujita, Y; Shinoda, K; Hamamoto, Y; Sakaida, I. (2012). Granulocyte colony-stimulating factor and interleukin-1 β are important cytokines in repair of the cirrhotic liver after bone marrow cell infusion: comparison of humans and model mice. *Cell Transplant*. 21: 2363-2375. <http://dx.doi.org/10.3727/096368912X638856>.
- Mochizuki, S; Kawashita, Y; Eguchi, S; Takatsuki, M; Yamanouchi, K; Tokai, H; Hidaka, M; Soyama, A; Nagayoshi, S; Kanematsu, T. (2010). Liver repopulation by transplanted hepatocytes in a rat model of acute liver failure induced by carbon tetrachloride and a partial hepatectomy. *Ann Transplant*. 15: 49-55.
- Moghaddam, AH; Nabavi, SF; Nabavi, SM; Loizzo, MR; Roohbakhsh, A, I; Setzer, WN. (2015). Ameliorative effects of curcumin against sodium fluoride-induced hepatotoxicity. *Progress in Nutrition*. 17: 324-330.
- Mohamed, GA; Abd-Elrazek, AE; Hassanean, HA; Alahdal, AM; Almohammadi, A; Youssef, DT. (2014). New fatty acids from the Red Sea sponge *Mycale euplectellioides*. *Nat Prod Res*. 28: 1082-1090. <http://dx.doi.org/10.1080/14786419.2014.907286>.
- Mohamed, MR; Emam, MA; Hassan, NS; Mogadem, AI. (2014). Umbelliferone and daphnetin ameliorate carbon tetrachloride-induced hepatotoxicity in rats via nuclear factor erythroid 2-related factor 2-mediated heme oxygenase-1 expression. *Environ Toxicol Pharmacol*. 38: 531-541. <http://dx.doi.org/10.1016/j.etap.2014.08.004>.
- Mohammadalipour, A; Karimi, J; Khodadadi, I; Solgi, G; Hashemnia, M; Sheikh, N; Bahabadi, M. (2017). Dasatinib prevent hepatic fibrosis induced by carbon tetrachloride (CCl₄) via anti-inflammatory and antioxidant mechanism. *Immunopharmacol Immunotoxicol*. 39: 19-27. <http://dx.doi.org/10.1080/08923973.2016.1263860>.
- Mohammadi, SZ; Afzali, D; Taher, MA; Baghelani, YM. (2009). Ligandless dispersive liquid-liquid microextraction for the separation of trace amounts of silver ions in water samples and flame atomic absorption spectrometry determination. *Talanta*. 80: 875-879. <http://dx.doi.org/10.1016/j.talanta.2009.08.009>.
- Mohammed, A; Abd Al Haleem, EN; El-Bakly, WM; El-Demerdash, E. (2016). Deferoxamine alleviates liver fibrosis induced by CCl₄ in rats. *Clin Exp Pharmacol Physiol*. 43: 760-768. <http://dx.doi.org/10.1111/1440-1681.12591>.
- Mohsin, S; Shams, S; Ali Nasir, G; Khan, M; Javaid Awan, S; Khan, SN; Riazuddin, S. (2011). Enhanced hepatic differentiation of mesenchymal stem cells after pretreatment with injured liver tissue. 81: 42-48. <http://dx.doi.org/10.1016/j.diff.2010.08.005>.
- Mohutsky, MA; Romeike, A; Meador, V; Lee, WM; Fowler, J; Francke-Carroll, S. (2010). Hepatic drug-metabolizing enzyme induction and implications for preclinical and clinical risk assessment [Review]. *Toxicol Pathol*. 38: 799-809. <http://dx.doi.org/10.1177/0192623310375099>.
- Molina, MD; Rowland, FS. (1974). Predicted present stratospheric abundances of chlorine species from photodissociation of carbon tetrachloride. *Geophys Res Lett*. 1: 309-312.
- Mommert, S; Dittrich-Breiholz, O; Stark, H; Gutzmer, R; Werfel, T. (2015). The histamine H₄ receptor regulates chemokine production in human natural killer cells. *Int Arch Allergy Immunol*. 166: 225-230. <http://dx.doi.org/10.1159/000381340>.
- Monasterio, RP; de Los Angeles Fernández, M; Silva, MF. (2013). High-throughput determination of phenolic compounds in virgin olive oil using dispersive liquid-liquid microextraction- capillary zone electrophoresis. *Electrophoresis*. 34: 1836-1843. <http://dx.doi.org/10.1002/elps.201300117>.
- Mondal, A; Karan, SK; Singha, T; Rajalingam, D; Maity, TK. (2012). Evaluation of Hepatoprotective Effect of Leaves of *Cassia sophera* Linn. *eCAM*. 2012: 436139. <http://dx.doi.org/10.1155/2012/436139>.
- Monga, J; Pandit, S; Chauhan, RS; Chauhan, CS; Chauhan, SS; Sharma, M. (2013). Growth inhibition and apoptosis induction by (+)-Cyanidan-3-ol in hepatocellular carcinoma. *PLoS ONE*. 8: e68710. <http://dx.doi.org/10.1371/journal.pone.0068710>.
- Montecucco, F; Burger, F; Pelli, G; Poku, NK; Berlier, C; Steffens, S; Mach, F. (2009). Statins inhibit C-reactive protein-induced chemokine secretion, ICAM-1 upregulation and chemotaxis in adherent human monocytes. *Rheumatology*. 48: 233-242. <http://dx.doi.org/10.1093/rheumatology/ken466>.
- Moon, JM; Lee, SE; Min, YI; Jung, C; Ahn, KY; Nam, KI. (2011). Gene expression profiling of mouse aborted uterus induced by lipopolysaccharide. 44: 98-105. <http://dx.doi.org/10.5115/acb.2011.44.2.98>.
- Moon, YJ; Yoon, HH; Lee, MW; Jang, IK; Lee, DH; Lee, JH; Lee, SK; Lee, KH; Kim, YJ; Eom, YW. (2009). Multipotent progenitor cells derived from human umbilical cord blood can differentiate into hepatocyte-like cells in a liver injury rat model. *Transplant Proc*. 41: 4357-4360. <http://dx.doi.org/10.1016/j.transproceed.2009.08.053>.
- Moratalla, A; Gómez-Hurtado, I; Santacruz, A; Moya, Á; Peiró, G; Zapater, P; González-Navajas, JM; Giménez, P; Such, J; Sanz, Y; Francés, R. (2014). Protective effect of *Bifidobacterium pseudocatenulatum* CECT7765 against induced bacterial antigen translocation in experimental cirrhosis. *Liver Int*. 34: 850-858. <http://dx.doi.org/10.1111/liv.12380>.
- More, AS; Kumari, RR; Gupta, G; Kathirvel, K; Lonare, MK; Dhayagude, RS; Kumar, D; Kumar, D; Sharma, AK; Tandan, SK. (2012). Effect of S-methylisothiourea in acetaminophen-induced hepatotoxicity in rat. *Naunyn Schmiedeberg Arch Pharmacol*. 385: 1127-1139. <http://dx.doi.org/10.1007/s00210-012-0789-0>.
- Moree, SS; Rajesha, J. (2013). Investigation of in vitro and in vivo antioxidant potential of secoisolariciresinol diglucoside. *Mol Cell Biochem*. 373: 179-187. <http://dx.doi.org/10.1007/s11010-012-1487-4>.
- Moreno, M; Chaves, JF; Sancho-Bru, P; Ramalho, F; Ramalho, LN; Mansego, ML; Ivorra, C; Dominguez, M; Conde, L; Millán, C; Marí, M; Colmenero, J; Lozano, JJ; Jares, P; Vidal, J; Forn, X; Arroyo, V; Caballería, J; Ginès, P; Bataller, R. (2010). Ghrelin attenuates

Human Health Hazard Literature Search Results

Off Topic

- hepatocellular injury and liver fibrogenesis in rodents and influences fibrosis progression in humans. *Hepatology*. 51: 974-985. <http://dx.doi.org/10.1002/hep.23421>.
- Moreno, M; Gonzalo, T; Kok, RJ; Sancho-Bru, P; van Beuge, M; Swart, J; Prakash, J; Temming, K; Fondevila, C; Beljaars, L; Lacombe, M; van der Hoeven, P; Arroyo, V; Poelstra, K; Brenner, DA; Ginès, P; Bataller, R. (2010). Reduction of advanced liver fibrosis by short-term targeted delivery of an angiotensin receptor blocker to hepatic stellate cells in rats. *Hepatology*. 51: 942-952. <http://dx.doi.org/10.1002/hep.23419>.
- Morgan, A; Black, A; Belcher, DR. (1970). The excretion in breath of some aliphatic halogenated hydrocarbons following administration by inhalation. *Ann Occup Hyg*. 13: 219-233. <http://dx.doi.org/10.1093/annhyg/13.4.219>.
- Morgan, ML; Sigala, B; Soeda, J; Cordero, P; Nguyen, V; Mckee, C; Mouraliderane, A; Vinciguerra, M; Oben, JA. (2016). Acetylcholine induces fibrogenic effects via M2/M3 acetylcholine receptors in non-alcoholic steatohepatitis and in primary human hepatic stellate cells. *J Gastroenterol Hepatol*. 31: 475-483. <http://dx.doi.org/10.1111/jgh.13085>.
- Mori, N; Yokooji, T; Kamio, Y; Murakami, T. (2010). Increased intestinal absorption of mizoribine, an immunosuppressive agent, in cholestatic rats. *Pharmazie*. 65: 457-460.
- Morimoto, Y; Kanya, R; Yamanouchi, K. (2014). Laser-assisted electron diffraction for femtosecond molecular imaging. *J Chem Phys*. 140: 064201. <http://dx.doi.org/10.1063/1.4863985>.
- Morita, D; Miyamoto, A; Hattori, Y; Komori, T; Nakamura, T; Igarashi, T; Harashima, H; Sugita, M. (2013). Th1-skewed tissue responses to a mycolyl glycolipid in mycobacteria-infected rhesus macaques. *Biochem Biophys Res Commun*. 441: 108-113. <http://dx.doi.org/10.1016/j.bbrc.2013.10.021>.
- Morita, T; Asano, N; Awogi, T; Sasaki, YF; Sato, S; Shimada, H; Sutou, S; Suzuki, T; Wakata, A; Sofuni, T; Hayashi, M. (1997). Evaluation of the rodent micronucleus assay in the screening of IARC carcinogens (groups 1, 2A and 2B) the summary report of the 6th collaborative study by CSGMT/JEMS MMS. *Mutat Res*. 389: 3-122. [http://dx.doi.org/10.1016/S1383-5718\(96\)00070-8](http://dx.doi.org/10.1016/S1383-5718(96)00070-8).
- Moriya, K; Sakai, K; Yan, MH; Sakai, T. (2012). Fibronectin is essential for survival but is dispensable for proliferation of hepatocytes in acute liver injury in mice. *Hepatology*. 56: 311-321. <http://dx.doi.org/10.1002/hep.25624>.
- Morlacchi, S; Dal Secco, V; Soldani, C; Glaichenhaus, N; Viola, A; Sarukhan, A. (2011). Regulatory T cells target chemokine secretion by dendritic cells independently of their capacity to regulate T cell proliferation. *J Immunol*. 186: 6807-6814. <http://dx.doi.org/10.4049/jimmunol.1003265>.
- Morley, AA; Turner, DR. (1999). The contribution of exogenous and endogenous mutagens to in vivo mutations [Review]. *Mutat Res*. 428: 11-15.
- Mortezaee, K; Pasbakhsh, P; Ragerdi Kashani, I; Sabbaghziarani, F; Omid, A; Zendedel, A; Ghasemi, S; Dehpour, AR. (2016). Melatonin Pretreatment Enhances the Homing of Bone Marrow-derived Mesenchymal Stem Cells Following Transplantation in a Rat Model of Liver Fibrosis. *Iran Biomed J*. 20: 207-216.
- Mortezaee, K; Sabbaghziarani, F; Omid, A; Dehpour, AR; Omid, N; Ghasemi, S; Pasbakhsh, P; Ragerdi Kashani, I. (2015). Therapeutic value of melatonin post-treatment on CCl4-induced fibrotic rat liver. *Can J Physiol Pharmacol*. 93: 1119-1125. <http://dx.doi.org/10.1139/cjpp-2015-0266>.
- Mortier, A; Gouwy, M; Van Damme, J; Proost, P; Struyf, S. (2016). CD26/dipeptidylpeptidase IV-chemokine interactions: double-edged regulation of inflammation and tumor biology [Review]. *J Leukoc Biol*. 99: 955-969. <http://dx.doi.org/10.1189/jlb.3MR0915-401R>.
- Moselhy, SS; Ali, HK. (2009). Hepatoprotective effect of cinnamon extracts against carbon tetrachloride induced oxidative stress and liver injury in rats. *Biol Res*. 42: 93-98. <http://dx.doi.org/S0716-97602009000100009>.
- Moslem, M; Valojerdi, MR; Pournasr, B; Muhammadnejad, A; Baharvand, H. (2013). Therapeutic potential of human induced pluripotent stem cell-derived mesenchymal stem cells in mice with lethal fulminant hepatic failure. *Cell Transplant*. 22: 1785-1799. <http://dx.doi.org/10.3727/096368912X662462>.
- Mota, FL; Carneiro, AR; Queimada, AJ; Pinho, SP; Macedo, EA. (2009). Temperature and solvent effects in the solubility of some pharmaceutical compounds: Measurements and modeling. *Eur J Pharm Sci*. 37: 499-507. <http://dx.doi.org/10.1016/j.ejps.2009.04.009>.
- Motawi, TK; El-Boghdady, NA; El-Sayed, AM; Helmy, HS. (2016). Comparative study of the effects of PEGylated interferon-alpha 2a versus 5-fluorouracil on cancer stem cells in a rat model of hepatocellular carcinoma. *Tumor Biology*. 37: 1617-1625. <http://dx.doi.org/10.1007/s13277-015-3920-2>.
- Motawi, TK; Hamed, MA; Shabana, MH; Hashem, RM; Aboul Naser, AF. (2011). Zingiber officinale acts as a nutraceutical agent against liver fibrosis. *Nutrition and Metabolism*. 8: 40. <http://dx.doi.org/10.1186/1743-7075-8-40>.
- Motojima, H; Villareal, MO; Iijima, R; Han, J; Isoda, H. (2013). Acteoside inhibits type I allergy through the down-regulation of Ca/NFAT and JNK MAPK signaling pathways in basophilic cells. *Journal of Natural Medicines*. 67: 790-798. <http://dx.doi.org/10.1007/s11418-013-0753-4>.
- Mousavi, SE; Rezayat, SM; Nobakht, M; Saeedi Saravi, SS; Yazdani, I; Rashidian, A; Dehpour, AR. (2016). Minocycline attenuates cirrhotic cardiomyopathy and portal hypertension in a rat model: Possible involvement of nitric oxide pathway. *Iranian Journal of Basic Medical Sciences*. 19: 1222-1230.
- Mrugacz, M. (2010). CCL4/MIP-1beta levels in tear fluid and serum of patients with cystic fibrosis. *J Interferon Cytokine Res*. 30: 509-512. <http://dx.doi.org/10.1089/jir.2009.0102>.
- Mu, X; Español-Suñer, R; Mederacke, I; Affò, S; Manco, R; Sempoux, C; Lemaigre, FP; Adili, A; Yuan, D; Weber, A; Unger, K; Heikenwälder, M; Leclercq, IA; Schwabe, RF. (2015). Hepatocellular carcinoma originates from hepatocytes and not from the progenitor/biliary compartment. *J Clin Invest*. 125: 3891-3903. <http://dx.doi.org/10.1172/JCI77995>.
- Mu, X; Pradere, JP; Affò, S; Dapito, DH; Friedman, R; Lefkovich, JH; Schwabe, RF. (2016). Epithelial Transforming Growth Factor-β Signaling Does Not Contribute to Liver Fibrosis but Protects Mice From Cholangiocarcinoma. *Gastroenterology*. 150: 720-733. <http://dx.doi.org/10.1053/j.gastro.2015.11.039>.

Human Health Hazard Literature Search Results

Off Topic

- Mu, X; Wang, Q; Wang, LP; Fried, SD; Piquemal, JP; Dalby, KN; Ren, P. (2014). Modeling organochlorine compounds and the σ -hole effect using a polarizable multipole force field. *J Phys Chem B*. 118: 6456-6465. <http://dx.doi.org/10.1021/jp411671a>.
- Mu, Y; Liu, P; Du, G; Du, J; Wang, G; Long, A; Wang, L; Li, F. (2009). Action mechanism of Yi Guan Jian Decoction on CCl₄ induced cirrhosis in rats. *J Ethnopharmacol*. 121: 35-42. <http://dx.doi.org/10.1016/j.jep.2008.09.032>.
- Mu, YP; Chen, XR; Lu, YF. (2010). [Effect of Xiaozheng Rongmu powder for the treatment of liver cirrhosis in rats]. *Zhongguo Zhong Xi Yi Jie He Za Zhi*. 30: 1078-1083.
- Muders, K; Pilat, C; Deuster, V; Frech, T; Krüger, K; Pons-Kühnemann, J; Mooren, FC. (2017). Effects of Traumeel (Tr14) on recovery and inflammatory immune response after repeated bouts of exercise: a double-blind RCT. *Eur J Appl Physiol*. <http://dx.doi.org/10.1007/s00421-017-3554-8>.
- Mueller, AH; Hochrath, K; Krawczyk, M; Buecker, A; Lammert, F. (2011). NON-INVASIVE QUANTIFICATION OF HEPATIC FIBROSIS IN THE CCL₄ MOUSE MODEL BY MAGNETIC RESONANCE RELAXOMETRY (MRR): FIRST RESULTS. *Hepatology*. 54: 907A-907A.
- Mukherjee, PK; Sahoo, AK; Narayanan, N; Kumar, NS; Ponnusankar, S. (2009). Lead finding from medicinal plants with hepatoprotective potentials. *Expert Opinion on Drug Discovery*. 4: 545-576. <http://dx.doi.org/10.1517/17460440902911433>.
- Muley, MM; Thakare, VN; Patil, RR; Kshirsagar, AD; Naik, SR. (2012). Silymarin improves the behavioural, biochemical and histoarchitecture alterations in focal ischemic rats: A comparative evaluation with piracetam and protocatachuic acid. *Pharmacol Biochem Behav*. 102: 286-293. <http://dx.doi.org/10.1016/j.pbb.2012.05.004>.
- Mullaugh, KM; Hamilton, JM; Avery, GB; Felix, JD; Mead, RN; Willey, JD; Kieber, RJ. (2015). Temporal and spatial variability of trace volatile organic compounds in rainwater. *Chemosphere*. 134: 203-209. <http://dx.doi.org/10.1016/j.chemosphere.2015.04.027>.
- Müller, A; Hochrath, K; Stroeder, J; Hittatiya, K; Schneider, G; Lammert, F; Buecker, A; Fries, P. (2017). Effects of Liver Fibrosis Progression on Tissue Relaxation Times in Different Mouse Models Assessed by Ultrahigh Field Magnetic Resonance Imaging. *BioMed Res Int*. 2017: 8720367. <http://dx.doi.org/10.1155/2017/8720367>.
- Müller, L; Kikuchi, Y; Probst, G; Schechtman, L; Shimada, H; Sofuni, T; Tweats, D. (1999). ICH-harmonised guidances on genotoxicity testing of pharmaceuticals: evolution, reasoning and impact [Review]. *Mutat Res*. 436: 195-225.
- Muller, L; Sofuni, T. (2000). Appropriate levels of cytotoxicity for genotoxicity tests using mammalian cells in vitro. *Environ Mol Mutagen*. 35: 202-205.
- Müller, M; Elsässer, HP. (2013). Alterations in the secretory pattern of dermal dendritic cells following melanin uptake. *Cell Tissue Res*. 352: 599-610. <http://dx.doi.org/10.1007/s00441-013-1577-y>.
- Munabò, G; Costa, D; Saija, F; Caccamo, C. (2010). Simulation and reference interaction site model theory of methanol and carbon tetrachloride mixtures. *J Chem Phys*. 132: 084506. <http://dx.doi.org/10.1063/1.3314296>.
- Muñoz, A; Costa, M. (2013). Nutritionally mediated oxidative stress and inflammation [Review]. *Oxid Med Cell Longev*. 2013: 610950. <http://dx.doi.org/10.1155/2013/610950>.
- Muñoz-Molina, JM; Sameera, WM; Álvarez, E; Maseras, F; Belderrain, TR; Pérez, PJ. (2011). Mechanistic and computational studies of the atom transfer radical addition of CCl₄ to styrene catalyzed by copper homoscorpionate complexes. *Inorg Chem*. 50: 2458-2467. <http://dx.doi.org/10.1021/ic102279w>.
- Muñoz-Ortega, MH; Llamas-Ramírez, RW; Romero-Delgadillo, NI; Elías-Flores, TG; Tavares-Rodríguez, E; Campos-Esparza, M; Cervantes-García, D; Muñoz-Fernández, L; Gerardo-Rodríguez, M; Ventura-Juárez, J. (2016). Doxazosin Treatment Attenuates Carbon Tetrachloride-Induced Liver Fibrosis in Hamsters through a Decrease in Transforming Growth Factor β Secretion. *Gut and Liver*. 10: 101-108. <http://dx.doi.org/10.5009/gnl14459>.
- Muriel, P. (2009). NF-kappa B in liver diseases: a target for drug therapy [Review]. *J Appl Toxicol*. 29: 91-100. <http://dx.doi.org/10.1002/jat.1393>.
- Murray, JS; Lane, P, at; Politzer, P. (2009). Expansion of the sigma-hole concept. *J Mol Model*. 15: 723-729. <http://dx.doi.org/10.1007/s00894-008-0386-9>.
- Murugesan, GS; Sathishkumar, M; Jayabalan, R; Binupriya, AR; Swaminathan, K; Yun, SE. (2009). Hepatoprotective and curative properties of Kombucha tea against carbon tetrachloride-induced toxicity. *J Microbiol Biotechnol*. 19: 397-402.
- Myers, TA; Kaushal, D; Philipp, MT. (2009). Microglia are mediators of Borrelia burgdorferi-induced apoptosis in SH-SY5Y neuronal cells. *PLoS Pathog*. 5: e1000659. <http://dx.doi.org/10.1371/journal.ppat.1000659>.
- Nabavi, SM; Moghaddam, AH; Fazli, M; Bigdellou, R; Mohammadzadeh, S; Nabavi, SF; Ebrahimzadeh, MA. (2012). Hepatoprotective activity of Allium paradoxum. *Eur Rev Med Pharmacol Sci*. 16: 43-46.
- Naegelen, I; Plançon, S; Nicot, N; Kaoma, T; Muller, A; Vallar, L; Tschirhart, EJ; Bréchar, S. (2015). An essential role of syntaxin 3 protein for granule exocytosis and secretion of IL-1 α , IL-1 β , IL-12b, and CCL4 from differentiated HL-60 cells. *J Leukoc Biol*. 97: 557-571. <http://dx.doi.org/10.1189/jlb.3A0514-254RR>.
- Nagamoto, Y; Takayama, K; Ohashi, K; Okamoto, R; Sakurai, F; Tachibana, M; Kawabata, K; Mizuguchi, H. (2016). Transplantation of a human iPSC-derived hepatocyte sheet increases survival in mice with acute liver failure. *J Hepatol*. 64: 1068-1075. <http://dx.doi.org/10.1016/j.jhep.2016.01.004>.
- Nagano, K. (2004). Email dated March 9, 2004. Subject: Carbon tetrachloride 2-year chronic bioassay. From Kasuke Nagano, JBRC, to Mary Manibusan, U.S. EPA. Nagano, K.
- Nagano, K. (2004). Letter dated March 8, 2004 from Kasuke Nagano, JBRC, to Mary Manibusan, U.S. EPA [Personal Communication].
- Nagano, K. (2004). Letter dated March 9, 2004 from Kasuke Nagano, JBRC, to Mary Manibusan, U.S. EPA [Personal Communication].
- Nagano, K. (2005). Email dated October 15, 2005. Subject: Carbon tetrachloride 1998 inhalation study [Personal Communication].
- Nagano, K. (2007). Email dated April 5, 2007. Subject: Historical control data. From Kasuke [Personal Communication].

Human Health Hazard Literature Search Results

Off Topic

- Nagaraja, D; Melavanki, RM; Patil, NR; Geethanjali, HS; Kusanur, RA. (2015). Solvent effect on the relative quantum yield and fluorescence quenching of a newly synthesized coumarin derivative. *Luminescence*. 30: 495-502. <http://dx.doi.org/10.1002/bio.2766>.
- Nagashima, H. (2015). Rubratoxin-B-induced secretion of chemokine ligands of cysteine-cysteine motif chemokine receptor 5 (CCR5) and its dependence on heat shock protein 90 in HL60 cells. *Environ Toxicol Pharmacol*. 40: 997-1000. <http://dx.doi.org/10.1016/j.etap.2015.10.012>.
- Nagata, M; Hidaka, Y; Hatakeyama, K; Kawano, Y; Iwakiri, T; Okumura, M; Arimori, K. (2011). Hepatic fibrosis does not affect the pharmacokinetics of 5-fluorouracil in rats. *Biopharm Drug Dispos*. 32: 126-130. <http://dx.doi.org/10.1002/bdd.744>.
- Nagata, M; Hidaka, Y; Hidaka, M; Kawano, Y; Iwakiri, T; Okumura, M; Arimori, K. (2010). Effect of acute hepatic failure on the hepatic first-pass effect of 5-fluorouracil in rats. *J Pharm Pharmacol*. 62: 598-603. <http://dx.doi.org/10.1211/jpp.62.05.0006>.
- Nagda, G; Bhatt, DK. (2014). Effect of treatment of cow's urine "Gomutra" and antioxidants in alleviating the lindane-induced oxidative stress in kidney of Swiss mice (*Mus musculus*). *Mol Biol Rep*. 41: 1967-1976. <http://dx.doi.org/10.1007/s11033-014-3044-6>.
- Nagi-Miura, N; Okuzaki, D; Torigata, K; Sakurai, MA; Ito, A; Ohno, N; Nojima, H. (2013). CAWS administration increases the expression of interferon γ and complement factors that lead to severe vasculitis in DBA/2 mice. *BMC Immunol*. 14: 44. <http://dx.doi.org/10.1186/1471-2172-14-44>.
- Nagy, L; Pálfi, V; Narmandakh, M; Kuki, A; Nyíri, A; Iván, B; Zsuga, M; Kéki, S. (2009). Dopant-assisted atmospheric pressure photoionization mass spectrometry of polyisobutylene derivatives initiated by mono- and bifunctional initiators. 20: 2342-2351. <http://dx.doi.org/10.1016/j.jasms.2009.08.025>.
- Nagy, PI. (2013). Are the intramolecular O-H...F and O-H...Cl hydrogen bonds maintained in solution? A theoretical study. *J Phys Chem A*. 117: 2812-2826. <http://dx.doi.org/10.1021/jp310596c>.
- Nahar, T; Uddin, B; Hossain, S; Sikder, AM; Ahmed, S. (2013). Aloe vera gel protects liver from oxidative stress-induced damage in experimental rat model. *Journal of Complementary & Integrative Medicine*. 10. <http://dx.doi.org/10.1515/jcim-2012-0020>.
- Najafi, NM; Tavakoli, H; Alizadeh, R; Seidi, S. (2010). Speciation and determination of ultra trace amounts of inorganic tellurium in environmental water samples by dispersive liquid-liquid microextraction and electrothermal atomic absorption spectrometry. *Anal Chim Acta*. 670: 18-23. <http://dx.doi.org/10.1016/j.aca.2010.04.059>.
- Nakamoto, Y; Mizukoshi, E; Kitahara, M; Arihara, F; Sakai, Y; Kakinoki, K; Fujita, Y; Marukawa, Y; Arai, K; Yamashita, T; Mukaida, N; Matsushima, K; Matsui, O; Kaneko, S. (2011). Prolonged recurrence-free survival following OK432-stimulated dendritic cell transfer into hepatocellular carcinoma during transarterial embolization. *Clin Exp Immunol*. 163: 165-177. <http://dx.doi.org/10.1111/j.1365-2249.2010.04246.x>.
- Nakamura, I; Zakharia, K; Banini, BA; Mikhail, DS; Kim, TH; Yang, JD; Moser, CD; Shaleh, HM; Thornburgh, SR; Walters, I; Roberts, LR. (2014). Brivanib attenuates hepatic fibrosis in vivo and stellate cell activation in vitro by inhibition of FGF, VEGF and PDGF signaling. *PLoS ONE*. 9: e92273. <http://dx.doi.org/10.1371/journal.pone.0092273>.
- Nakamura, T; Koga, H; Iwamoto, H; Tsutsumi, V; Imamura, Y; Naitou, M; Masuda, A; Ikezono, Y; Abe, M; Wada, F; Sakaue, T; Ueno, T; Ii, M; Alev, C; Kawamoto, A; Asahara, T; Torimura, T. (2016). Ex vivo expansion of circulating CD34(+) cells enhances the regenerative effect on rat liver cirrhosis. 3: 16025. <http://dx.doi.org/10.1038/mtm.2016.25>.
- Nakamura, T; Tsutsumi, V; Torimura, T; Naitou, M; Iwamoto, H; Hashimoto, O; Taniguchi, E; Ueno, T; Sata, M. (2010). DOSE-DEPENDENT CONTRIBUTION OF HUMAN PERIPHERAL BLOOD CD34-POSITIVE CELL TRANSPLANTATION TO HEPATIC REGENERATION AFTER CCL4 CHRONIC LIVER INJURY. *Hepatology*. 52: 1271A-1271A.
- Nakamura, T; Tsutsumi, V; Torimura, T; Naitou, M; Iwamoto, H; Masuda, H; Hashimoto, O; Koga, H; Abe, M; Ii, M; Kawamoto, A; Asahara, T; Ueno, T; Sata, M. (2012). Human peripheral blood CD34-positive cells enhance therapeutic regeneration of chronically injured liver in nude rats. *J Cell Physiol*. 227: 1538-1552. <http://dx.doi.org/10.1002/jcp.22873>.
- Nakanishi, C; Doi, H; Katsura, K; Satomi, S. (2010). Treatment with L-valine ameliorates liver fibrosis and restores thrombopoiesis in rats exposed to carbon tetrachloride. *Tohoku J Exp Med*. 221: 151-159. <http://dx.doi.org/10.1620/tjem.221.151>.
- Nalabotu, SK; Kolli, MB; Triest, WE; Ma, JY; Manne, ND; Katta, A; Addagarla, HS; Rice, KM; Blough, ER. (2011). Intratracheal instillation of cerium oxide nanoparticles induces hepatic toxicity in male Sprague-Dawley rats. *International Journal of Nanomedicine (Online)*. 6: 2327-2335. <http://dx.doi.org/10.2147/IJN.S25119>.
- Nalobin, DS; Krasnov, MS; Alipkina, SI; Syrchina, MS; Yamskova, VP; Yamskov, IA. (2016). Effect of Bioregulators Isolated from Rat Liver and Blood Serum on the State of Murine Liver in Roller Organotypic Culture after CCl4-Induced Fibrosis. *Bull Exp Biol Med*. 161: 604-609. <http://dx.doi.org/10.1007/s10517-016-3468-1>.
- Nalobin, DS; Suprunenko, EA; Golichenkov, VA. (2016). Effects of Melatonin on Differentiation Potential of Ito Cells in Mice with Induced Fibrosis of the Liver. *Bull Exp Biol Med*. 161: 845-849. <http://dx.doi.org/10.1007/s10517-016-3526-8>.
- Namazi, N; Esfanjani, A; Ii, T; Heshmati, J; Bahrami, A; Nazemiyeh, H. (2012). A Systematic Review about Effects of Aerial Portions of *Urtica dioica* (Nettle) on Some Cardiovascular Risk Factors in Diabetes Mellitus. *International Journal of Pharmacology*. 8: 306-313. <http://dx.doi.org/10.3923/ijp.2012.306.313>.
- Nan, YM; Kong, LB; Ren, WG; Wang, RQ; Du, JH; Li, WC; Zhao, SX; Zhang, YG; Wu, WJ; Di, HL; Li, Y; Yu, J. (2013). Activation of peroxisome proliferator activated receptor alpha ameliorates ethanol mediated liver fibrosis in mice. *Lipids Health Dis*. 12: 11. <http://dx.doi.org/10.1186/1476-511X-12-11>.
- Napierska, D; Barsiene, J; Mulkiewicz, E; wa; Podolska, M; Rybakovas, A. (2009). Biomarker responses in flounder *Platichthys flesus* from the Polish coastal area of the Baltic Sea and applications in biomonitoring. *Ecotoxicology*. 18: 846-859. <http://dx.doi.org/10.1007/s10646-009-0328-z>.

Human Health Hazard Literature Search Results

Off Topic

- Narotsky, MG; Best, DS; Mcdonald, A; Godin, EA; Hunter, ES; Simmons, JE. (2011). Pregnancy loss and eye malformations in offspring of F344 rats following gestational exposure to mixtures of regulated trihalomethanes and haloacetic acids. *Reprod Toxicol.* 31: 59-65. <http://dx.doi.org/10.1016/j.reprotox.2010.08.002>.
- Narotsky, MG; Pressman, JG; Miltner, RJ; Speth, TF; Teuschler, LK; Rice, GE; Richardson, SD; Best, DS; Mcdonald, A; Hunter, ES, III; Simmons, JE. (2012). Developmental Toxicity Evaluations of Whole Mixtures of Disinfection By-products using Concentrated Drinking Water in Rats: Gestational and Lactational Effects of Sulfate and Sodium. *Birth Defects Res B Dev Reprod Toxicol.* 95: 202-212. <http://dx.doi.org/10.1002/bdrb.21004>.
- Nascimento, MS; Albuquerque, TD; Do-Valle-Matta, MA; Caldas, IS; Diniz, LF; Talvani, A; Bahia, MT; Andrade, CM; Galvão, LM; Câmara, AC; Guedes, PM. (2013). Naturally Leishmania infantum-infected dogs display an overall impairment of chemokine and chemokine receptor expression during visceral leishmaniasis. *Vet Immunol Immunopathol.* 153: 202-208. <http://dx.doi.org/10.1016/j.vetimm.2013.02.015>.
- Naseem, M; Parvez, S. (2014). Hesperidin restores experimentally induced neurotoxicity in Wistar rats. *Toxicol Mech Meth.* 24: 512-519. <http://dx.doi.org/10.3109/15376516.2014.945108>.
- Nasir, GA; Mohsin, S; Khan, M; Shams, S; Ali, G; Khan, SN; Riazuddin, S. (2013). Mesenchymal stem cells and Interleukin-6 attenuate liver fibrosis in mice. *J Transl Med.* 11: 78. <http://dx.doi.org/10.1186/1479-5876-11-78>.
- Nasiri Bezenjani, S; Pouraboli, I; Malekpour Afshar, R; Mohammadi, G. (2012). Hepatoprotective Effect of *Otostegia persica* Boiss. Shoot Extract on Carbon Tetrachloride-Induced Acute Liver Damage in Rats. *Iranian Journal of Pharmaceutical Research.* 11: 1235-1241.
- Nastasi, C; Candela, M; Bonefeld, CM; Geisler, C; Hansen, M; Krejsgaard, T; Biagi, E; Andersen, MH; Brigidi, P; Ødum, N; Litman, T; Woetmann, A. (2015). The effect of short-chain fatty acids on human monocyte-derived dendritic cells. *Sci Rep.* 5: 16148. <http://dx.doi.org/10.1038/srep16148>.
- Natanzi, ARE; Ghahremani, MH; Esfehiani, HRM; Minaei, MB; Nazarian, H; Sabzevari, O. (2010). Evaluation of Antihepatotoxic Effect of Watercress Extract and its Fractions in Rats. *International Journal of Pharmacology.* 6: 896-902.
- Natarajan, SK; Basivireddy, J; Ramachandran, A; Thomas, S; Ramamoorthy, P; Pulimood, AB; Jacob, M; Balasubramanian, KA. (2006). Renal damage in experimentally-induced cirrhosis in rats: role of oxygen free radicals. *Hepatology.* 43: 1248-1256. <http://dx.doi.org/10.1002/hep.21179>.
- Nau, JY. (2012). [Drugs: time to bless the tetrachloride fly swatter]. *Rev Med Suisse.* 8: 710-711.
- Naugler, WE. (2014). Bile acid flux is necessary for normal liver regeneration. *PLoS ONE.* 9: e97426. <http://dx.doi.org/10.1371/journal.pone.0097426>.
- Naval-Macabuhay, I; Casanova, V; Navarro, G; García, F; León, A; Miralles, L; Rovira, C; Martinez-Navio, JM; Gallart, T; Mallol, J; Gatell, JM; Lluís, C; Franco, R; McCormick, PJ; Climent, N. (2016). Adenosine deaminase regulates Treg expression in autologous T cell-dendritic cell cocultures from patients infected with HIV-1. *J Leukoc Biol.* 99: 349-359. <http://dx.doi.org/10.1189/jlb.3A1214-580RR>.
- NCI. (1977). Bioassay of 1,1,1-trichloroethane for possible carcinogenicity. (3). Bethesda, MD.
- Nedergaard, A; Sun, S; Karsdal, MA; Henriksen, K; Kjær, M; Lou, Y; He, Y; Zheng, Q; Suetta, C. (2013). Type VI collagen turnover-related peptides- novel serological biomarkers of muscle mass and anabolic response to loading in young men. *4: 267-275.* <http://dx.doi.org/10.1007/s13539-013-0114-x>.
- Nehar, S; Kumari, M. (2013). Ameliorating Effect of *Nigella sativa* Oil in Thioacetamide-induced Liver Cirrhosis in Albino Rats. *47: 135-139.*
- Nejak-Bowen, K; Orr, A; Bowen, WC; Michalopoulos, GK. (2013). Conditional genetic elimination of hepatocyte growth factor in mice compromises liver regeneration after partial hepatectomy. *PLoS ONE.* 8: e59836. <http://dx.doi.org/10.1371/journal.pone.0059836>.
- Nelissen, I; Selderslaghs, I; Heuvel, RV; Witters, H; Verheyen, GR; Schoeters, G. (2009). MUTZ-3-derived dendritic cells as an in vitro alternative model to CD34+ progenitor-derived dendritic cells for testing of chemical sensitizers. *Toxicol In Vitro.* 23: 1477-1481. <http://dx.doi.org/10.1016/j.tiv.2009.08.022>.
- Nema, AK; Agarwal, A; Kashaw, V. (2011). Hepatoprotective activity of *Leptadenia reticulata* stems against carbon tetrachloride-induced hepatotoxicity in rats. *Indian J Pharmacol.* 43: 254-257. <http://dx.doi.org/10.4103/0253-7613.81507>.
- Nemska, S; Monassier, L; Gassmann, M; Frossard, N; Tavakoli, R. (2016). Kinetic mRNA Profiling in a Rat Model of Left-Ventricular Hypertrophy Reveals Early Expression of Chemokines and Their Receptors. *PLoS ONE.* 11: e0161273. <http://dx.doi.org/10.1371/journal.pone.0161273>.
- Nencini, C; Franchi, GG; Cavallo, F; Micheli, L. (2010). Protective effect of *Allium neapolitanum* Cyr. versus *Allium sativum* L. on acute ethanol-induced oxidative stress in rat liver. *J Med Food.* 13: 329-335. <http://dx.doi.org/10.1089/jmf.2008.0180>.
- Neubauer, K; Misa, IB; Diakowska, D; Kapturkiewicz, B; Gamian, A; Krzystek-Korpacka, M. (2015). Nampt/PBEF/visfatin upregulation in colorectal tumors, mirrored in normal tissue and whole blood of colorectal cancer patients, is associated with metastasis, hypoxia, IL1 β , and anemia. *BioMed Res Int.* 2015: 523930. <http://dx.doi.org/10.1155/2015/523930>.
- Neumann, A; Hofstetter, TB; Skarpeli-Liati, M; Schwarzenbach, RP. (2009). Reduction of polychlorinated ethanes and carbon tetrachloride by structural Fe(II) in smectites. *Environ Sci Technol.* 43: 4082-4089. <http://dx.doi.org/10.1021/es9001967>.
- Neumeier, M; Bauer, S; Brühl, H; Eisinger, K; Kopp, A; Abke, S; Walter, R; Schäffler, A; Buechler, C. (2011). Adiponectin stimulates release of CCL2, -3, -4 and -5 while the surface abundance of CCR2 and -5 is simultaneously reduced in primary human monocytes. *Cytokine.* 56: 573-580. <http://dx.doi.org/10.1016/j.cyto.2011.08.017>.
- Neunaber, C; Oestern, S; Andruszkow, H; Zeckey, C; Mommsen, P; Kutter, D; Stöfen, M; Krettek, C; Hildebrand, F. (2013). Cytokine productive capacity of alveolar macrophages and Kupffer cells after femoral fracture and blunt chest trauma in a murine trauma model. *Immunol Lett.* 152: 159-166. <http://dx.doi.org/10.1016/j.imlet.2013.05.012>.

Human Health Hazard Literature Search Results

Off Topic

- Neves, F; Abrantes, J; Lissovsky, AA; Esteves, PJ. (2015). Pseudogenization of CCL14 in the Ochotonidae (pika) family. *Innate Immun.* 21: 647-654. <http://dx.doi.org/10.1177/1753425915577455>.
- Nevezorova, YA; Bangen, JM; Hu, W; Haas, U; Weiskirchen, R; Gassler, N; Huss, S; Tacke, F; Sicinski, P; Trautwein, C; Liedtke, C. (2012). Cyclin E1 controls proliferation of hepatic stellate cells and is essential for liver fibrogenesis in mice. *Hepatology.* 56: 1140-1149. <http://dx.doi.org/10.1002/hep.25736>.
- Nguyen, CB; Kotturi, H; Waris, G; Mohammed, A; Chandrakesan, P; May, R; Sureban, S; Weygant, N; Qu, D; Rao, CV; Dhanasekaran, DN; Bronze, MS; Houchen, CW; Ali, N. (2016). (Z)-3,5,4'-Trimethoxystilbene Limits Hepatitis C and Cancer Pathophysiology by Blocking Microtubule Dynamics and Cell-Cycle Progression. *Cancer Res.* 76: 4887-4896. <http://dx.doi.org/10.1158/0008-5472.CAN-15-2722>.
- Nguyen, TP; Tran, CL; Vuong, CH; Do, TH; Le, TD; Mai, DT; Phan, NM. (2017). Flavonoids with hepatoprotective activity from the leaves of *Cleome viscosa* L. *Nat Prod Res* 1-6. <http://dx.doi.org/10.1080/14786419.2017.1283497>.
- Nguyen-Hoai, P; Tham-Duc, M; Gries, M; Dörken, B; Pezzutto, A; Westermann, J. (2016). CCL4 as an adjuvant for DNA vaccination in a Her2/neu mouse tumor model. *Cancer Gene Ther.* 23: 162-167. <http://dx.doi.org/10.1038/cgt.2016.9>.
- Ni, S; Li, S; Yang, N; Tang, X; Zhang, S; Hu, D; Lu, M. (2017). Deregulation of Regulatory T Cells in Acute-on-Chronic Liver Failure: A Rat Model. *Mediators Inflamm.* 2017: 1390458. <http://dx.doi.org/10.1155/2017/1390458>.
- Nie, Y; Ren, D; Lu, X; Sun, Y; Yang, X. (2015). Differential protective effects of polyphenol extracts from apple peels and flesh against acute CCl₄-induced liver damage in mice. 6: 513-524. <http://dx.doi.org/10.1039/c4fo00557k>.
- Niederberger, M; Ginès, P; Martin, PY; St John, J; Woytaszek, P; Xu, L; Tsai, P; Nemenoff, RA; Schrier, RW. (1998). Increased renal and vascular cytosolic phospholipase A2 activity in rats with cirrhosis and ascites. *Hepatology.* 27: 42-47. <http://dx.doi.org/10.1002/hep.510270108>.
- Niedernhofer, LJ; Daniels, JS; Rouzer, CA; Greene, RE; Marnett, LJ. (2003). Malondialdehyde, a product of lipid peroxidation, is mutagenic in human cells. *J Biol Chem.* 278: 31426-31433. <http://dx.doi.org/10.1074/jbc.M212549200>.
- Nieto-Patlán, A; Campillo-Navarro, M; Rodríguez-Cortés, O; Muñoz-Cruz, S; Wong-Baeza, I; Estrada-Parra, S; Estrada-García, I; Serafin-López, J; Chacón-Salinas, R. (2015). Recognition of *Candida albicans* by Dectin-1 induces mast cell activation. *Immunobiology.* 220: 1093-1100. <http://dx.doi.org/10.1016/j.imbio.2015.05.005>.
- Nilsen, NJ; Vladimer, GI; Stenvik, J; Orning, MP; Zeid-Kilani, MV; Bugge, M; Bergstroem, B; Conlon, J; Husebye, H; Hise, AG; Fitzgerald, KA; Espevik, T; Lien, E. (2015). A role for the adaptor proteins TRAM and TRIF in toll-like receptor 2 signaling. *J Biol Chem.* 290: 3209-3222. <http://dx.doi.org/10.1074/jbc.M114.593426>.
- Niranjana Murthy, H; Dandin, VS; Yoeup Paek, K. (2014). Hepatoprotective activity of ginsenosides from *Panax ginseng* adventitious roots against carbon tetrachloride treated hepatic injury in rats. *J Ethnopharmacol.* 158 Pt A: 442-446. <http://dx.doi.org/10.1016/j.jep.2014.10.047>.
- Nirmala, M; Girija, K; Lakshman, K; Divya, T. (2012). Hepatoprotective activity of *Musa paradisiaca* on experimental animal models. 2: 11-15. [http://dx.doi.org/10.1016/S2221-1691\(11\)60181-0](http://dx.doi.org/10.1016/S2221-1691(11)60181-0).
- Nishie, M; Tateno, C; Utoh, R; ie, Kohashi, T; Masumoto, N; Kobayashi, N; Itamoto, T; Tanaka, N; Asahara, T; Yoshizato, K. (2009). Hepatocytes From Fibrotic Liver Possess High Growth Potential in Vivo. *Cell Transplant.* 18: 665-675.
- Nishimura, Y; Morikawa, Y; Kondo, C; Tonomura, Y; Fukushima, R; Torii, M; Uehara, T. (2013). Genomic biomarkers for cardiotoxicity in rats as a sensitive tool in preclinical studies. *J Appl Toxicol.* 33: 1120-1130. <http://dx.doi.org/10.1002/jat.2867>.
- Nitha, B; Fijesh, PV; Janardhanan, KK. (2013). Hepatoprotective activity of cultured mycelium of Morel mushroom, *Morchella esculenta*. *Exp Toxicol Pathol.* 65: 105-112. <http://dx.doi.org/10.1016/j.etp.2011.06.007>.
- Niu, C; Sheng, Y; Yang, R; Lu, B; Bai, Q; Ji, L; Wang, Z. (2015). Scutellarin protects against the liver injury induced by diosbulbin B in mice and its mechanism. *J Ethnopharmacol.* 164: 301-308. <http://dx.doi.org/10.1016/j.jep.2015.02.031>.
- Nogueira, CW; Borges, LP; Souza, AC. (2009). Oral administration of diphenyl diselenide potentiates hepatotoxicity induced by carbon tetrachloride in rats. *J Appl Toxicol.* 29: 156-164. <http://dx.doi.org/10.1002/jat.1394>.
- Norpoth, K; Reisch, A; Heinecke, A. (1980). Biostatistics of Ames-test data. In K Norpoth; RC Garner (Eds.), (pp. 312-322). New York, NY: Springer-Verlag. http://dx.doi.org/10.1007/978-3-642-67202-6_24.
- Nowak, JE; Wheeler, DS; Harmon, KK; Wong, HR. (2010). Admission chemokine (C-C motif) ligand 4 levels predict survival in pediatric septic shock. *Pediatr Crit Care Med.* 11: 213-216. <http://dx.doi.org/10.1097/PCC.0b013e3181b8076c>.
- Nowatzky, J; Knorr, A; Hirth-Dietrich, C; Siegling, A; Volk, HD; Limmer, A; Knolle, P; Weber, O. (2013). Inactivated Orf virus (*Parapoxvirus ovis*) elicits antifibrotic activity in models of liver fibrosis. *Hepatology Research.* 43: 535-546. <http://dx.doi.org/10.1111/j.1872-034X.2012.01086.x>.
- NRC. (1983). Risk Assessment in the Federal Government: Managing the Process. Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/366>.
- NRC. (1994). Science and judgment in risk assessment (pp. 672). Washington, DC: National Academy Press. <http://dx.doi.org/10.17226/2125>.
- NRC. (2010). Eighteenth Interim Report of the Committee on Acute Exposure Guideline Levels. Washington (DC): National Academies Press (US). <http://dx.doi.org/10.17226/13002>.
- NTP. (1976). Report on the Carcinogenesis Bioassay of Chloroform (CAS No. 67-66-3). Natl Cancer Inst Carcinog Tech Rep Ser. 1976: 1-60.
- NTP. (2007). National toxicology database search application.
- Nurrochmad, A; Margono, SA; Sardjiman, SA; Hakim, AR; Ernawati, AR; Kurniawati, E; Fatmawati, E. (2013). Hepatoprotective and antioxidant activity of pentagamavunon-0 against carbon tetrachloride-induced hepatic injury in rats. *Asian Pacific Journal of Tropical Medicine.* 6: 438-442. [http://dx.doi.org/10.1016/S1995-7645\(13\)60070-X](http://dx.doi.org/10.1016/S1995-7645(13)60070-X).

Human Health Hazard Literature Search Results

Off Topic

- Nworu, CS; Ihim, SA; Ugwu, LE; Laiyemo, KA; Akah, PA. (2014). Hepato- and nephroprotective activities of a Nigerian local king tuber oyster mushroom, *Pleurotus tuberregium* (higher Basidiomycetes), in chemically induced organ toxicities in rats. *Int J Med Mushrooms*. 16: 305-318.
- Ocheretina, R; Stogov, M. (2013). [Liver functional state after fractures of leg bones in mice]. *Rossiiskaia akademiia nauk*. 99: 1389-1396.
- Ocheretina, RI, u; Stogov, MV. (2013). [Liver functional state after fractures of leg bones in mice]. *Rossiiskaia akademiia nauk*. 99: 1389-1396.
- O'Connor, MA; Koza-Taylor, P; Campion, SN; Aleksunes, LM; Gu, X; Enayetallah, AE; Lawton, MP; Manautou, JE. (2014). Analysis of changes in hepatic gene expression in a murine model of tolerance to acetaminophen hepatotoxicity (autoprotection). *Toxicol Appl Pharmacol*. 274: 156-167. <http://dx.doi.org/10.1016/j.taap.2013.09.025>.
- Oettingen, WF; Powell, CC; Sharpless, NE; Alford, WC; Pecora, LJ. (1950). Comparative studies of the toxicity and pharmacodynamic action of chlorinated methanes with special reference to their physical and chemical characteristics. *Arch Int Pharmacodyn Ther*. 81: 17-34.
- Oğuz, AK; Yılmaz, ST; Oygür, ÇŞ; Çandar, T; Sayın, I; Kılıçoğlu, SS; Ergün, İ; Ateş, A; Özdağ, H; Akar, N. (2016). Behçet's: A Disease or a Syndrome? Answer from an Expression Profiling Study. *PLoS ONE*. 11: e0149052. <http://dx.doi.org/10.1371/journal.pone.0149052>.
- Oh, KB; Lee, JH; Lee, JW; Yoon, KM; Chung, SC; Jeon, HB; Shin, J; Lee, HS. (2009). Synthesis and antimicrobial activities of halogenated bis(hydroxyphenyl)methanes. 19: 945-948. <http://dx.doi.org/10.1016/j.bmcl.2008.11.089>.
- Oh, Y; Park, O; Swierczewska, M; Hamilton, JP; Park, JS; Kim, TH; Lim, SM; Eom, H; Jo, DG; Lee, CE; Kechrid, R; Mastorakos, P; Zhang, C; Hahn, SK; Jeon, OC; Byun, Y; Kim, K; Hanes, J; Lee, KC; Pomper, MG; Gao, B; Lee, S. (2016). Systemic PEGylated TRAIL treatment ameliorates liver cirrhosis in rats by eliminating activated hepatic stellate cells. *Hepatology*. 64: 209-223. <http://dx.doi.org/10.1002/hep.28432>.
- O'Halloran, EB; Curtis, BJ; Afshar, M; Chen, MM; Kovacs, EJ; Burnham, EL. (2016). Alveolar macrophage inflammatory mediator expression is elevated in the setting of alcohol use disorders. 50: 43-50. <http://dx.doi.org/10.1016/j.alcohol.2015.11.003>.
- Ohashi, K; Matsubara, Y; Tatsumi, K; Kohori, A; Utoh, R; Kakidachi, H; Horii, A; Tsutsumi, M; Okano, T. (2012). Cell Therapy Using Adipose-Derived Stem Cells for Chronic Liver Injury in Mice. 3: 113-119. <http://dx.doi.org/10.3727/215517912912912X639432>.
- Ohta, S; Lai, EW; Taniguchi, S; Tischler, AS; Alesci, S; Pacak, K. (2006). Animal models of pheochromocytoma including NIH initial experience. *Ann N Y Acad Sci*. 1073: 300-305. <http://dx.doi.org/10.1196/annals.1353.034>.
- Ohukainen, P; Syväranta, S; Näpänkangas, J; Rajamäki, K; Taskinen, P; Peltonen, T; Helske-Suihko, S; Kovanen, PT; Ruskoaho, H; Rysä, J. (2015). MicroRNA-125b and chemokine CCL4 expression are associated with calcific aortic valve disease. *Ann Med*. 47: 423-429. <http://dx.doi.org/10.3109/07853890.2015.1059955>.
- Okamoto, T. (2000). Suppression of cytochrome P450 gene expression in the livers of mice with concanavalin A-induced hepatitis. *Eur J Pharmacol*. 394: 157-161. [http://dx.doi.org/10.1016/S0014-2999\(00\)00134-5](http://dx.doi.org/10.1016/S0014-2999(00)00134-5).
- Okamura, T; Ishii, Y; Suzuki, Y; Inoue, T; Tasaki, M; Kodama, Y; Nohmi, T; Mitsumori, K; Umemura, T; Nishikawa, A. (2010). Enhancing effects of carbon tetrachloride on in vivo mutagenicity in the liver of mice fed 2-amino-3,8-dimethylimidazo[4,5-f]quinoxaline (MeIQx). *J Toxicol Sci*. 35: 709-720.
- Okutman Tas, D; Prytula, MT; Mulholland, JA; Pavlostathis, SG. (2010). Theoretical investigation of the sequential reductive dechlorination pathways of chlorobenzenes and chloroanilines. *Biotechnol Bioeng*. 105: 574-587. <http://dx.doi.org/10.1002/bit.22559>.
- Oldham, KA; Parsonage, G; Bhatt, RI; Wallace, DM; Deshmukh, N; Chaudhri, S; Adams, DH; Lee, SP. (2012). T lymphocyte recruitment into renal cell carcinoma tissue: a role for chemokine receptors CXCR3, CXCR6, CCR5, and CCR6. *Eur Urol*. 61: 385-394. <http://dx.doi.org/10.1016/j.eururo.2011.10.035>.
- Olefirenko, AA; Lutsenko, DG; Sleta, IV; Marchenko, VS. (2009). Use of fractal [corrected] analysis for evaluation of liver structure and function in rats in vivo. *Bull Exp Biol Med*. 147: 273-276.
- Olguín-Martínez, M; Hernández-Espinosa, DR; Hernández-Muñoz, R. (2013). α -Tocopherol administration blocks adaptive changes in cell NADH/NAD⁺ redox state and mitochondrial function leading to inhibition of gastric mucosa cell proliferation in rats. *Free Radic Biol Med*. 65: 1090-1100. <http://dx.doi.org/10.1016/j.freeradbiomed.2013.08.176>.
- Oliveira, RD; Fontana, V; Junta, CM; Marques, MM; Macedo, C; Rassi, DM; Passos, GA; Donadi, EA; Louzada-Junior, P. (2012). Differential gene expression profiles may differentiate responder and nonresponder patients with rheumatoid arthritis for methotrexate (MTX) monotherapy and MTX plus tumor necrosis factor inhibitor combined therapy. *J Rheumatol*. 39: 1524-1532. <http://dx.doi.org/10.3899/jrheum.120092>.
- Onfelt, A. (1987). Spindle disturbances in mammalian cells: III: Toxicity, c-mitosis and aneuploidy with 22 different compounds: Specific and unspecific mechanisms. *Mutat Res Environ Mutagen Relat Subj*. 182: 135-154. [http://dx.doi.org/10.1016/0165-1161\(87\)90067-7](http://dx.doi.org/10.1016/0165-1161(87)90067-7).
- Onoprienko, LV; Mikhaleva, II; Voytenkov, BO; Ivanov, VT. (2012). Regulation of activity of the immune cells by modified peptide fragments of Human IL-2. *Russian Journal of Bioorganic Chemistry*. 38: 360-366. <http://dx.doi.org/10.1134/S1068162012040115>.
- Onoue, S; Yamamoto, K; Kawabata, Y; Yamada, S. (2013). In vitro/in vivo characterization of nanocrystalline formulation of tranilast with improved dissolution and hepatoprotective properties. *Eur J Pharm Biopharm*. 85: 952-957. <http://dx.doi.org/10.1016/j.ejpb.2013.09.003>.
- Orhan, H; Sahin, A; Sahin, G; Aypar, U; Vermeulen, NP. (2013). Urinary lipid and protein oxidation products upon halothane, isoflurane, or sevoflurane anesthesia in humans: potential biomarkers for a subclinical nephrotoxicity. *Biomarkers*. 18: 73-81. <http://dx.doi.org/10.3109/1354750X.2012.737026>.
- Orn, S; Breland, UM; Mollnes, TE; Manhenke, C; Dickstein, K; Aukrust, P; Ueland, T. (2009). The chemokine network in relation to infarct size and left ventricular remodeling following acute myocardial infarction. *Am J Cardiol*. 104: 1179-1183. <http://dx.doi.org/10.1016/j.amjcard.2009.06.028>.
- Ortega, PG; Montejo, M; González, JJ. (2015). Vibrational circular dichroism and theoretical study of the conformational equilibrium in (-)-S-nicotine. *Chemphyschem*. 16: 342-352. <http://dx.doi.org/10.1002/cphc.201402652>.

Human Health Hazard Literature Search Results

Off Topic

- Ortiz, ML; Kumar, V; Martner, A; Mony, S; Donthireddy, L; Condamine, T; Seykora, J; Knight, SC; Malietzis, G; Lee, GH; Moorghen, M; Lenox, B; Luetteke, N; Celis, E; Gabrilovich, D. (2015). Immature myeloid cells directly contribute to skin tumor development by recruiting IL-17-producing CD4+ T cells. *J Exp Med.* 212: 351-367. <http://dx.doi.org/10.1084/jem.20140835>.
- Osawa, Y. (2014). Chaperone recognition of xenobiotic-altered NO Synthase P450.
- Osawa, Y. (2015). Chaperone recognition of xenobiotic-altered NO Synthase P450.
- Osawa, Y. (2015). Chaperone recognition of xenobiotic-altered NO Synthase P450 - Supplement.
- Oscier, DG; Rose-Zerilli, MJ; Winkelmann, N; Gonzalez de Castro, D; Gomez, B; Forster, J; Parker, H; Parker, A; Gardiner, A; Collins, A; Else, M; Cross, NC; Catovsky, D; Strefford, JC. (2013). The clinical significance of NOTCH1 and SF3B1 mutations in the UK LRF CLL4 trial. *Blood.* 121: 468-475. <http://dx.doi.org/10.1182/blood-2012-05-429282>.
- Oshaghi, EA; Khodadadi, I; Mirzaei, F; Khazaei, M; Tavilani, H; Goodarzi, MT. (2017). Methanolic Extract of Dill Leaves Inhibits AGEs Formation and Shows Potential Hepatoprotective Effects in CCl4 Induced Liver Toxicity in Rat. 2017: 6081374. <http://dx.doi.org/10.1155/2017/6081374>.
- Osman, OI. (2017). DFT Study of the Structure, Reactivity, Natural Bond Orbital and Hyperpolarizability of Thiazole Azo Dyes. *International Journal of Molecular Sciences.* 18. <http://dx.doi.org/10.3390/ijms18020239>.
- Ostrop, J; Jozefowski, K; Zimmermann, S; Hofmann, K; Strasser, E; Lepenies, B; Lang, R. (2015). Contribution of MINCLE-SYK Signaling to Activation of Primary Human APCs by Mycobacterial Cord Factor and the Novel Adjuvant TDB. *J Immunol.* 195: 2417-2428. <http://dx.doi.org/10.4049/jimmunol.1500102>.
- Ou-Yang, CF; Chang, CC; Chen, SP, o; Chew, C; Lee, B; Chang, CY; Montzka, SA; Dutton, GS; Butler, JH; Elkins, JW; Wang, J. (2015). Changes in the levels and variability of halocarbons and the compliance with the Montreal Protocol from an urban view. *Chemosphere.* 138: 438-446. <http://dx.doi.org/10.1016/j.chemosphere.2015.06.070>.
- Ozcelik, E; Uslu, S; Burukoglu, D; Musmul, A. (2014). Chitosan and blueberry treatment induces arginase activity and inhibits nitric oxide production during acetaminophen-induced hepatotoxicity. *Pharmacognosy Magazine.* 10: S217-S224. <http://dx.doi.org/10.4103/0973-1296.133234>.
- Ozsoy, SY; Ozsoy, B; Ozyildiz, Z; Aytekin, I. (2010). Protective effect of L-carnitine on experimental lead toxicity in rats: A clinical, histopathological and immunohistochemical study. *Biotech Histochem.* 86: 436-443. <http://dx.doi.org/10.3109/10520295.2010.529825>.
- Pak, W; Takayama, F; Mine, M; Nakamoto, K; Kodo, Y; Mankura, M; Egashira, T; Kawasaki, H; Mori, A. (2012). Anti-oxidative and anti-inflammatory effects of spirulina on rat model of non-alcoholic steatohepatitis. *J Clin Biochem Nutr.* 51: 227-234. <http://dx.doi.org/10.3164/jcbs.12-18>.
- Palchevskiy, V; Hashemi, N; Weigt, SS; Xue, YY; Derhovannessian, A; Keane, MP; Strieter, RM; Fishbein, MC; Deng, JC; Lynch, JP; Elashoff, R; Belperio, JA. (2011). Immune response CC chemokines CCL2 and CCL5 are associated with pulmonary sarcoidosis. 4: 10. <http://dx.doi.org/10.1186/1755-1536-4-10>.
- Pallasch, CP; Leskov, I; Braun, CJ; Vorholt, D; Drake, A; Soto-Feliciano, YM; Bent, EH; Schwamb, J; Iliopoulou, B; Kutsch, N; van Rooijen, N; Frenzel, LP; Wendtner, CM; Heukamp, L; Kreuzer, KA; Hallek, M; Chen, J; Hemann, MT. (2014). Sensitizing protective tumor microenvironments to antibody-mediated therapy. *Cell.* 156: 590-602. <http://dx.doi.org/10.1016/j.cell.2013.12.041>.
- Pálmai, M; Szalay, R; Bartczak, D; Varga, Z; Nagy, LN; Gollwitzer, C; Krumrey, M; Goenaga-Infante, H. (2015). Total synthesis of isotopically enriched Si-29 silica NPs as potential spikes for isotope dilution quantification of natural silica NPs. *J Colloid Interface Sci.* 445: 161-165. <http://dx.doi.org/10.1016/j.jcis.2014.12.085>.
- Pan, L; Qiu, Y; Chen, T; Lin, J; Chi, Y; Su, M; Zhao, A; Jia, W. (2010). An optimized procedure for metabonomic analysis of rat liver tissue using gas chromatography/time-of-flight mass spectrometry. *J Pharm Biomed Anal.* 52: 589-596. <http://dx.doi.org/10.1016/j.jpba.2010.01.046>.
- Pan, R; Zhang, Y; Zang, B; Tan, L; Jin, M. (2016). Hydroxysafflor yellow A inhibits TGF- β 1-induced activation of human fetal lung fibroblasts in vitro. *J Pharm Pharmacol.* 68: 1320-1330. <http://dx.doi.org/10.1111/jphp.12596>.
- Pan, RH; He, HM; Dai, Y; Xia, YF. (2016). Comparative pharmacokinetics of bergenin, a main active constituent of *Saxifraga stolonifera* Curt., in normal and hepatic injury rats after oral administration. *Chin J Nat Med.* 14: 776-782. [http://dx.doi.org/10.1016/S1875-5364\(16\)30092-9](http://dx.doi.org/10.1016/S1875-5364(16)30092-9).
- Pan, TL; Wang, PW; Chen, CC; Fang, JY; Sintupisut, N. (2012). Functional proteomics reveals hepatotoxicity and the molecular mechanisms of different forms of chromium delivered by skin administration. *Proteomics.* 12: 477-489. <http://dx.doi.org/10.1002/pmic.201100055>.
- Pan, Y; Liu, Q; Liu, FF; Qian, GR; Xu, ZP. (2011). Regional assessment of ambient volatile organic compounds from biopharmaceutical R&D complex. *Sci Total Environ.* 409: 4289-4296. <http://dx.doi.org/10.1016/j.scitotenv.2011.07.014>.
- Panagiotou, AN; Sakkas, VA; Albanis, TA. (2009). Application of chemometric assisted dispersive liquid-liquid microextraction to the determination of personal care products in natural waters. *Anal Chim Acta.* 649: 135-140. <http://dx.doi.org/10.1016/j.aca.2009.07.028>.
- Panahi, HA; Feizbakhsh, A; Karimpour, M; Moniri, E. (2013). Determination of Gemfibrozil in Drug Matrix and Human Biological Fluid by Dispersive Liquid-Liquid Microextraction with High Performance Liquid Chromatography. *J Food Drug Anal.* 21: 109-114. <http://dx.doi.org/10.6227/jfda.2013210114>.
- Panda, D; Manickam, S. (2017). Recent advancements in the sonophotocatalysis (SPC) and doped-sonophotocatalysis (DSPC) for the treatment of recalcitrant hazardous organic water pollutants [Review]. *Ultrason Sonochem.* 36: 481-496. <http://dx.doi.org/10.1016/j.ultsonch.2016.12.022>.

Human Health Hazard Literature Search Results

Off Topic

- Panda, VS; Ashar, HD. (2012). ANTIOXIDANT AND HEPATOPROTECTIVE EFFECTS OF GARCINIA INDICA CHOISY FRUITS IN CARBON TETRACHLORIDE-INDUCED LIVER INJURY IN RATS. *Journal of Food Biochemistry*. 36: 240-247. <http://dx.doi.org/10.1111/j.1745-4514.2010.00531.x>.
- Pandya, JM; Lundell, AC; Andersson, K; Nordström, I; Theander, E; Rudin, A. (2017). Blood chemokine profile in untreated early rheumatoid arthritis: CXCL10 as a disease activity marker. *Arthritis Res Ther*. 19: 20. <http://dx.doi.org/10.1186/s13075-017-1224-1>.
- Pang, M; He, S; Wang, L; Cao, X; Cao, L; Jiang, S. (2014). Physicochemical properties, antioxidant activities and protective effect against acute ethanol-induced hepatic injury in mice of foxtail millet (*Setaria italica*) bran oil. 5: 1763-1770. <http://dx.doi.org/10.1039/c4fo00106k>.
- Pantazatos, SP; Huang, YY; Rosoklija, GB; Dwork, AJ; Arango, V; Mann, JJ. (2016). Whole-transcriptome brain expression and exon-usage profiling in major depression and suicide: evidence for altered glial, endothelial and ATPase activity. *Mol Psychiatry*. <http://dx.doi.org/10.1038/mp.2016.130>.
- Papp, V; Rókusz, A; Dezső, K; Bugyik, E; Szabó, V; Pávai, Z; Paku, S; Nagy, P. (2014). Expansion of hepatic stem cell compartment boosts liver regeneration. *Stem Cells Dev*. 23: 56-65. <http://dx.doi.org/10.1089/scd.2013.0202>.
- Paramesha, M; Ramesh, CK; Krishna, V; Ravi Kumar, YS; Parvathi, KM. (2011). Hepatoprotective and in vitro antioxidant effect of *Carthamus tinctorious* L, var *Annigeri-2*, an oil-yielding crop, against CCl₄-induced liver injury in rats. *Pharmacognosy Magazine*. 7: 289-297. <http://dx.doi.org/10.4103/0973-1296.90406>.
- Park, EJ; Yoon, J; Choi, K; Yi, J; Park, K. (2009). Induction of chronic inflammation in mice treated with titanium dioxide nanoparticles by intratracheal instillation. *Toxicology*. 260: 37-46. <http://dx.doi.org/10.1016/j.tox.2009.03.005>.
- Park, JH; Lee, DH; Park, MS; Jung, YS; Hong, JT. (2016). CCR5 deficiency exacerbates alcoholic fatty liver disease through pro-inflammatory cytokines and chemokines-induced hepatic inflammation. *J Gastroenterol Hepatol*. <http://dx.doi.org/10.1111/jgh.13657>.
- Park, JH; Yoon, J. (2015). Schizandrin inhibits fibrosis and epithelial-mesenchymal transition in transforming growth factor- β 1-stimulated AML12 cells. *Int Immunopharmacol*. 25: 276-284. <http://dx.doi.org/10.1016/j.intimp.2015.02.014>.
- Park, K; Kim, J; Lee, W; Kim, K; An, H; Lee, S. (2014). Anti-fibrotic effect of Smad decoy oligodeoxynucleotide in carbon tetrachloride-induced hepatic fibrosis. *J Viral Hepat*. 21: 44-44. http://dx.doi.org/10.1111/jvh.12333_39.
- Park, M; Kim, YH; Woo, SY; Lee, HJ; Yu, Y; Kim, HS; Park, YS; Jo, I; Park, JW; Jung, SC; Lee, H; Jeong, B; Ryu, KH. (2015). Tonsil-derived mesenchymal stem cells ameliorate CCl₄-induced liver fibrosis in mice via autophagy activation. *Sci Rep*. 5: 8616. <http://dx.doi.org/10.1038/srep08616>.
- Park, SM, i; Ki, SH; Han, N, uRi; Cho, I, IJe; Ku, S, aeK; Kim, SC; Zhao, RJ, ie; Kim, YW, oo. (2015). Tacrine, an Oral Acetylcholinesterase Inhibitor, Induced Hepatic Oxidative Damage, Which Was Blocked by Liquiritigenin through GSK3-beta Inhibition. *Biol Pharm Bull*. 38: 184-192.
- Park, SM; Nguyen, PH; Stock, G. (2009). Molecular dynamics simulation of cooling: heat transfer from a photoexcited peptide to the solvent. *J Chem Phys*. 131: 184503. <http://dx.doi.org/10.1063/1.3259971>.
- Park, SY; Kim, IS. (2013). Identification of macrophage genes responsive to extracellular acidification. *Inflamm Res*. 62: 399-406. <http://dx.doi.org/10.1007/s00011-013-0591-6>.
- Park, WJ; Park, JW; Erez-Roman, R; Kogot-Levin, A; Bame, JR; Tirosh, B; Saada, A; Merrill, AH; Pewzner-Jung, Y; Futerman, AH. (2013). Protection of a ceramide synthase 2 null mouse from drug-induced liver injury: role of gap junction dysfunction and connexin 32 mislocalization. *J Biol Chem*. 288: 30904-30916. <http://dx.doi.org/10.1074/jbc.M112.448852>.
- Parkes, MD; Halloran, PF; Hidalgo, LG. (2016). Evidence for CD16a-mediated NK Cell Stimulation in Antibody-mediated Kidney Transplant Rejection. *Transplantation*. <http://dx.doi.org/10.1097/TP.0000000000001586>.
- Parlakgul, G; Guney, E; Erer, B; Kilicaslan, Z; Direskeneli, H; Gul, A; Saruhan-Direskeneli, G. (2013). Expression of regulatory receptors on $\gamma\delta$ T cells and their cytokine production in Behcet's disease. *Arthritis Res Ther*. 15: R15. <http://dx.doi.org/10.1186/ar4147>.
- Parola, M; Leonarduzzi, G; Biasi, F; Albano, E; Biocca, ME; Poli, G; Dianzani, MU. (1992). Vitamin E dietary supplementation protects against carbon tetrachloride-induced chronic liver damage and cirrhosis. *Hepatology*. 16: 1014-1021.
- Parshetti, GK; Doong, R, an. (2012). Dechlorination of chlorinated hydrocarbons by bimetallic Ni/Fe immobilized on polyethylene glycol-grafted microfiltration membranes under anoxic conditions. *Chemosphere*. 86: 392-399. <http://dx.doi.org/10.1016/j.chemosphere.2011.10.028>.
- Parsonage, G; Machado, LR; Hui, JW; McLarnon, A; Schmalzer, T; Balasothy, M; To, KF; Vlantis, AC; van Hasselt, CA; Lo, KW; Wong, WL; Hui, EP; Chan, AT; Lee, SP. (2012). CXCR6 and CCR5 localize T lymphocyte subsets in nasopharyngeal carcinoma. *Am J Pathol*. 180: 1215-1222. <http://dx.doi.org/10.1016/j.ajpath.2011.11.032>.
- Parsons, MW; Li, L; Wallace, AM; Lee, MJ; Katz, HR; Fernandez, JM; Saijo, S; Iwakura, Y; Austen, KF; Kanaoka, Y; Barrett, NA. (2014). Dectin-2 regulates the effector phase of house dust mite-elicited pulmonary inflammation independently from its role in sensitization. *J Immunol*. 192: 1361-1371. <http://dx.doi.org/10.4049/jimmunol.1301809>.
- Paruruckumani, PS; Maharajan, A; Ganapiriya, V; Narayanaswamy, Y; Jeyasekar, RR. (2015). Surface Ultrastructural Changes in the Gill and Liver Tissue of Asian Sea Bass *Lates calcarifer* (Bloch) Exposed to Copper. *Biol Trace Elem Res*. 168: 500-507. <http://dx.doi.org/10.1007/s12011-015-0370-z>.
- Parvin, MN; Rahman, MS; Islam, MS; Rashid, MA. (2009). Chemical and biological investigations of *Dillenia indica* Linn. *Bangladesh J Pharmacol*. 4: 122-125. <http://dx.doi.org/10.3329/bjpv.v4i2.2758>.
- Pasarin, M; Abraldes, JG; Rodriguez-Vilarrupla, A; La Mura, V; Carles Garcia-Pagan, J; Bosch, J. (2011). Insulin resistance and liver microcirculation in a rat model of early NAFLD. *J Hepatol*. 55: 1095-1102. <http://dx.doi.org/10.1016/j.jhep.2011.01.053>.
- Patel, JA; Shah, US. (2009). Hepatoprotective activity of Piper longum traditional milk extract on carbon tetrachloride induced liver toxicity in Wistar rats. 8: 121-129.

Human Health Hazard Literature Search Results

Off Topic

- Patel, SK; Patel, NJ. (2009). TLC Determination of Amitriptyline HCl, Trifluoperazine HCl, Risperidone and Alprazolam in Pharmaceutical Products. *Chromatographia*. 69: 393-396. <http://dx.doi.org/10.1365/s10337-008-0870-5>.
- Patel, V; Balakrishnan, K; Bibikova, E; Ayres, M; Keating, MJ; Wierda, W; Gandhi, V. (2016). Comparison of acalabrutinib, a selective Bruton tyrosine kinase inhibitor, with ibrutinib in chronic lymphocytic leukemia cells. *Clin Cancer Res*. <http://dx.doi.org/10.1158/1078-0432.CCR-16-1446>.
- Patere, SN; Majumdar, AS; Saraf, MN. (2011). Exacerbation of Alcohol-Induced Oxidative Stress in Rats by Polyunsaturated Fatty Acids and Iron Load. *Indian J Pharmaceut Sci*. 73: 152-158.
- Patere, SN; Saraf, MN; Majumdar, AS. (2009). Hepatoprotective activity of polyherbal formulation (Normeta) in oxidative stress induced by alcohol, polyunsaturated fatty acids and iron in rats. *Basic & Clinical Pharmacology & Toxicology Online Pharmacology Online*. 105: 173-180. <http://dx.doi.org/10.1111/j.1742-7843.2009.00418.x>.
- Patil, NR; Melavanki, RM; Kapatkar, SB; Chandrashekhar, K; Patil, HD; Umaphathy, S. (2011). Fluorescence quenching of biologically active carboxamide by aniline and carbon tetrachloride in different solvents using Stern-Volmer plots. *Spectrochim Acta A Mol Biomol Spectrosc*. 79: 1985-1991. <http://dx.doi.org/10.1016/j.saa.2011.05.104>.
- Patki, KC; von Moltke, LL; Harmatz, JS; Hesse, LM; Court, MH; Greenblatt, DJ. (2004). Effect of age on in vitro triazolam biotransformation in male human liver microsomes. *J Pharmacol Exp Ther*. 308: 874-879. <http://dx.doi.org/10.1124/jpet.103.059311>.
- Patrick-Iwuanyanwu, KC; Wegwu, MO; Okiyi, JK. (2010). Hepatoprotective Effects of African Locust Bean (*Parkia clappertoniana*) and Negro Pepper (*Xylopia aethiopica*) in CCl₄-Induced Liver Damage in Wistar Albino Rats. *International Journal of Pharmacology*. 6: 744-749.
- Patrizi, B; Cumis, MS; Viciani, S; D'Amato, F; Foggi, P. (2014). Characteristic vibrational frequencies of toxic polychlorinated dibenzo-dioxins and -furans. *J Hazard Mater*. 274: 98-105. <http://dx.doi.org/10.1016/j.jhazmat.2014.04.004>.
- Patterson, SJ; Pesenacker, AM; Wang, AY; Gillies, J; Mojibian, M; Morishita, K; Tan, R; Kieffer, TJ; Verchere, CB; Panagiotopoulos, C; Levings, MK. (2016). T regulatory cell chemokine production mediates pathogenic T cell attraction and suppression. *J Clin Invest*. 126: 1039-1051. <http://dx.doi.org/10.1172/JCI83987>.
- Paulo, CS; Lino, MM; Matos, AA; Ferreira, LS. (2013). Differential internalization of amphotericin B--conjugated nanoparticles in human cells and the expression of heat shock protein 70. *Biomaterials*. 34: 5281-5293. <http://dx.doi.org/10.1016/j.biomaterials.2013.03.048>.
- Pavlova, EV; Deegan, PB; Cox, TM. (2012). Biomarkers for osteonecrosis in Gaucher disease. *Expert Opinion on Medical Diagnostics*. 6: 1-13. <http://dx.doi.org/10.1517/17530059.2012.626402>.
- Pavlova, EV; Deegan, PB; Tindall, J; Mcfarlane, I; Mehta, A; Hughes, D; Wraith, JE; Cox, TM. (2011). Potential biomarkers of osteonecrosis in Gaucher disease. 46: 27-33. <http://dx.doi.org/10.1016/j.bcmd.2010.10.010>.
- Pawlak, K; Kowalewska, A; Mysliwiec, M; Pawlak, D. (2010). 3-hydroxyanthranilic acid is independently associated with monocyte chemoattractant protein-1 (CCL2) and macrophage inflammatory protein-1beta (CCL4) in patients with chronic kidney disease. *Clin Biochem*. 43: 1101-1106. <http://dx.doi.org/10.1016/j.clinbiochem.2010.06.008>.
- Peake, JM; Roberts, LA; Figueiredo, VC; Egner, I; Krog, S; Aas, SN; Suzuki, K; Markworth, JF; Coombes, JS; Cameron-Smith, D; Raastad, T. (2016). The effects of cold water immersion and active recovery on inflammation and cell stress responses in human skeletal muscle after resistance exercise. *J Physiol*. <http://dx.doi.org/10.1113/JP272881>.
- Pedersen-Bjergaard, J; Andersen, MK; Christiansen, DH; Nerlov, C. (2002). Genetic pathways in therapy-related myelodysplasia and acute myeloid leukemia. *Blood*. 99: 1909-1912.
- Pedrosa, E; Carretero-Iglesia, L; Boada, A; Colobran, R; Faner, R; Pujol-Autonell, I; Palou, E; Esteve, A; Pujol-Borrell, R; Ferrándiz, C; Juan, M; Carrascosa, JM. (2011). CCL4L polymorphisms and CCL4/CCL4L serum levels are associated with psoriasis severity. *J Invest Dermatol*. 131: 1830-1837. <http://dx.doi.org/10.1038/jid.2011.127>.
- Pemberton, M; Bailey, LA; Rhomberg, LR. (2013). Hypothesis-based weight-of-evidence evaluation of methyl methacrylate olfactory effects in humans and derivation of an occupational exposure level. *Regul Toxicol Pharmacol*. 66: 217-233. <http://dx.doi.org/10.1016/j.yrtph.2013.04.001>.
- Peña, J; Plante, JA; Carillo, AC; Roberts, KK; Smith, JK; Juelich, TL; Beasley, DW; Freiberg, AN; Labute, MX; Naraghi-Arani, P. (2014). Multiplexed digital mRNA profiling of the inflammatory response in the West Nile Swiss Webster mouse model. *PloS Neglected Tropical Diseases*. 8: e3216. <http://dx.doi.org/10.1371/journal.pntd.0003216>.
- Peng, CY; Hsiao, SL; Lan, CH; Huang, YL. (2013). Application of passive sampling on assessment of concentration distribution and health risk of volatile organic compounds at a high-tech science park. *Environ Monit Assess*. 185: 181-196. <http://dx.doi.org/10.1007/s10661-012-2542-z>.
- Peng, SN; Zeng, HH; Fu, AX; Chen, XW; Zhu, QX. (2013). Effects of rhein on intestinal epithelial tight junction in IgA nephropathy. *World J Gastroenterol*. 19: 4137-4145. <http://dx.doi.org/10.3748/wjg.v19.i26.4137>.
- Peng, SY; Chou, CJ; Cheng, PJ; Ko, IC; Kao, YJ; Chen, YH; Cheng, WT; Shaw, SW; Wu, SC. (2014). Therapeutic potential of amniotic-fluid-derived stem cells on liver fibrosis model in mice. 53: 151-157. <http://dx.doi.org/10.1016/j.tjog.2014.04.005>.
- Peng, Y; Tao, Y; Wang, Q; Shen, L; Yang, T; Liu, Z; Liu, C. (2014). Ergosterol Is the Active Compound of Cultured Mycelium *Cordyceps sinensis* on Antiliver Fibrosis. *eCAM*. 2014: 537234. <http://dx.doi.org/10.1155/2014/537234>.
- Peng, Y; Yang, H; Zhu, T; Zhao, M; Deng, Y; Liu, B; Shen, H; Hu, G; Wang, Z; Tao, L. (2013). The antihepatic fibrotic effects of fluorofenidone via MAPK signalling pathways. *Eur J Clin Invest*. 43: 358-368. <http://dx.doi.org/10.1111/eci.12053>.
- Penny, C; Gruffaz, C; Nadalig, T; Cauchie, HM; Vuilleumier, S; Bringel, F. (2015). Tetrachloromethane-Degrading Bacterial Enrichment Cultures and Isolates from a Contaminated Aquifer. 3: 327-343. <http://dx.doi.org/10.3390/microorganisms3030327>.
- Penny, C; Vuilleumier, S; Bringel, F. (2010). Microbial degradation of tetrachloromethane: mechanisms and perspectives for bioremediation [Review]. *FEMS Microbiol Ecol*. 74: 257-275. <http://dx.doi.org/10.1111/j.1574-6941.2010.00935.x>.

Human Health Hazard Literature Search Results

Off Topic

- Penta, KL; Fairweather, D; Shirley, DL; Rose, NR; Silbergeld, EK; Nyland, JF. (2015). Low-dose mercury heightens early innate response to coxsackievirus infection in female mice. *Inflamm Res*. 64: 31-40. <http://dx.doi.org/10.1007/s00011-014-0781-x>.
- Pereira da Silva, L; Miguel Neves, B; Moura, L; Cruz, MT; Carvalho, E. (2014). Neurotensin decreases the proinflammatory status of human skin fibroblasts and increases epidermal growth factor expression. 2014: 248240. <http://dx.doi.org/10.1155/2014/248240>.
- Perez Gutierrez, RM; Anaya Sosa, I; Hoyo Vadillo, C; Victoria, TC. (2011). Effect of flavonoids from *Prosthechea michuacana* on carbon tetrachloride induced acute hepatotoxicity in mice. *Pharmaceutical Biology*. 49: 1121-1127. <http://dx.doi.org/10.3109/13880209.2011.570766>.
- Pérez-Carreón, JI; Martínez-Pérez, L; Loredó, ML; Yañez-Maldonado, L; Velasco-Loyden, G; Vidrio-Gómez, S; Ramírez-Salcedo, J; Hernández-Luis, F; Velázquez-Martínez, I; Suárez-Cuenca, JA; Hernández-Muñoz, R; de Sánchez, VC. (2010). An adenosine derivative compound, IF305, reverses fibrosis and alters gene expression in a pre-established CCl₄-induced rat cirrhosis. 42: 287-296. <http://dx.doi.org/10.1016/j.biocel.2009.11.005>.
- Perez-Meseguer, J; Delgado-Montemayor, C; Ortiz-Torres, T; Salazar-Aranda, R; Cordero-Perez, P; Waksman de Torres, N. (2016). Antioxidant and hepatoprotective activity of *Hamelia patens* extracts. *Pak J Pharm Sci*. 29: 343-348.
- Perks, WV; Singh, RK; Jones, GW; Twohig, JP; Williams, AS; Humphreys, IR; Taylor, PR; Jones, SA; Wang, EC. (2016). Death Receptor 3 Promotes Chemokine-Directed Leukocyte Recruitment in Acute Resolving Inflammation and Is Essential for Pathological Development of Mesothelial Fibrosis in Chronic Disease. *Am J Pathol*. 186: 2813-2823. <http://dx.doi.org/10.1016/j.ajpath.2016.07.021>.
- Peter, CP; Burek, JD; van Zwieten, MJ. (1986). Spontaneous nephropathies in rats. *Toxicol Pathol*. 14: 91-100.
- Petersen, PS; Lei, X; Seldin, MM; Rodriguez, S; Byerly, MS; Wolfe, A; Whitlock, S; Wong, GW. (2014). Dynamic and extensive metabolic state-dependent regulation of cytokine expression and circulating levels. *Am J Physiol Regul Integr Comp Physiol*. 307: R1458-R1470. <http://dx.doi.org/10.1152/ajpregu.00335.2014>.
- Petković, F; Campbell, IL; Gonzalez, B; Castellano, B. (2016). Astrocyte-targeted production of interleukin-6 reduces astroglial and microglial activation in the cuprizone demyelination model: Implications for myelin clearance and oligodendrocyte maturation. *Glia*. 64: 2104-2119. <http://dx.doi.org/10.1002/glia.23043>.
- Petrakov, AV; Yarygin, VN; Lychkov, AE; Golubev, YY; Puzikov, AM; Golubeva, GY; Melent'ev, AS. (2014). Experimental osteoporosis and its correction. *Bull Exp Biol Med*. 157: 99-102. <http://dx.doi.org/10.1007/s10517-014-2501-5>.
- Pham, MN; Hawa, MI; Roden, M; Scherthaner, G; Pozzilli, P; Buzzetti, R; Scherbaum, WA; Seissler, J; Hunter, S; Leslie, RD; Kolb, H; Schloot, NC; Group, ALS. (2012). Increased serum concentrations of adhesion molecules but not of chemokines in patients with Type 2 diabetes compared with patients with Type 1 diabetes and latent autoimmune diabetes in adult age: action LADA 5. *Diabetic Medicine Online*. 29: 470-478. <http://dx.doi.org/10.1111/j.1464-5491.2011.03546.x>.
- Phillips, DH; Farmer, PB; Beland, FA; Nath, RG; Poirier, MC; Reddy, MV; Turteltaub, KW. (2000). Methods of DNA adduct determination and their application to testing compounds for genotoxicity. *Environ Mol Mutagen*. 35: 222-233.
- Pinto, E; Melo, A; Ferreira, IM. (2014). Sensitive quantitation of polyamines in plant foods by ultrasound-assisted benzylation and dispersive liquid-liquid microextraction with the aid of experimental designs. *J Agric Food Chem*. 62: 4276-4284. <http://dx.doi.org/10.1021/jf500959g>.
- Piscaglia, F; Dudás, J; Knittel, T; Di Rocco, P; Kobold, D; Saile, B; Zocco, MA; Timpl, R; Ramadori, G. (2009). Expression of ECM proteins fibulin-1 and -2 in acute and chronic liver disease and in cultured rat liver cells. *Cell Tissue Res*. 337: 449-462. <http://dx.doi.org/10.1007/s00441-009-0823-9>.
- Pitarresi, J. R.; Liu, X; Sharma, SM; Cuitiño, MC; Kladney, RD; Mace, TA; Donohue, S; Nayak, SG; Qu, C; Lee, J; Woelke, SA; Trela, S; Lapak, K; Yu, L; Mcelroy, J; Rosol, TJ; Shakya, R; Ludwig, T; Lesinski, GB; Fernandez, SA; Konieczny, SF; Leone, G; Wu, J; Ostrowski, MC. (2016). Stromal ETS2 Regulates Chemokine Production and Immune Cell Recruitment during Acinar-to-Ductal Metaplasia. *Neoplasia*. 18: 541-552. <http://dx.doi.org/10.1016/j.neo.2016.07.006>.
- Piva, A; Zampieri, F; Di Pascoli, M; Gatta, A; Sacerdoti, D; Bolognesi, M. (2012). Mesenteric arteries responsiveness to acute variations of wall shear stress is impaired in rats with liver cirrhosis. *Scand J Gastroenterol*. 47: 1003-1013. <http://dx.doi.org/10.3109/00365521.2012.703231>.
- Plaa, GL; Traiger, GJ. (1972). Mechanism of potentiation of CCl₄-induced hepatotoxicity. In TA Loomis (Ed.), (pp. 100-113). Basel, Switzerland: Larger.
- Plyusnin, VF; Kolomeets, AV; Grivin, VP; Larionov, SV; Lemmetyinen, H. (2011). Photochemistry of dithiocarbamate Cu(II) complex in CCl₄. *J Phys Chem A*. 115: 1763-1773. <http://dx.doi.org/10.1021/jp105755f>.
- Plyusnin, VF; Pozdnyakov, IP; Grivin, VP; Solovyev, AI; Lemmetyinen, H; Tkachenko, NV; Larionov, SV. (2014). Femtosecond spectroscopy of the dithiolate Cu(II) and Ni(II) complexes. *Dalton Transactions (Online)*. 43: 17766-17774. <http://dx.doi.org/10.1039/c4dt01407c>.
- Pociot, F; Kaur, S; Nielsen, LB. (2016). Effects of the genome on immune regulation in type 1 diabetes. *Pediatr Diabet*. 17 Suppl 22: 37-42. <http://dx.doi.org/10.1111/pedi.12336>.
- Polasek, M; Fuchs, BC; Uppal, R; Schühle, DT; Alford, JK; Loving, GS; Yamada, S; Wei, L; Lauwers, GY; Guimaraes, AR; Tanabe, KK; Caravan, P. (2012). Molecular MR imaging of liver fibrosis: a feasibility study using rat and mouse models. *J Hepatol*. 57: 549-555. <http://dx.doi.org/10.1016/j.jhep.2012.04.035>.
- Polley, N; Saha, S; Adhikari, A; Banerjee, S; Darbar, S; Das, S; Pal, SK. (2015). Safe and symptomatic medicinal use of surface-functionalized Mn₃O₄ nanoparticles for hyperbilirubinemia treatment in mice. *Nanomed*. 10: 2349-2363. <http://dx.doi.org/10.2217/nnm.15.83>.
- Ponader, S; Chen, SS; Buggy, JJ; Balakrishnan, K; Gandhi, V; Wierda, WG; Keating, MJ; O'Brien, S; Chiorazzi, N; Burger, JA. (2012). The Bruton tyrosine kinase inhibitor PCI-32765 thwarts chronic lymphocytic leukemia cell survival and tissue homing in vitro and in vivo. *Blood*. 119: 1182-1189. <http://dx.doi.org/10.1182/blood-2011-10-386417>.

Human Health Hazard Literature Search Results

Off Topic

- Poojari, R; Gupta, S; Maru, G; Khade, B; Bhagwat, S. (2009). Sida rhombifolia ssp. retusa seed extract inhibits DEN induced murine hepatic preneoplasia and carbon tetrachloride hepatotoxicity. *Asian Pac J Cancer Prev.* 10: 1107-1112.
- Poojari, R; Gupta, S; Maru, G; Khade, B; Bhagwat, S. (2010). Chemopreventive and hepatoprotective effects of embelin on N-nitrosodiethylamine and carbon tetrachloride induced preneoplasia and toxicity in rat liver. *Asian Pac J Cancer Prev.* 11: 1015-1020.
- Poonkhum, R; Pradidarcheep, W; Nilbu-Nga, S; Chaunchaiyakul, S. (2011). Distribution of Hepatic Myofibroblasts and Type I and III Collagen in Rat Liver Cirrhosis Induced by Thioacetamide. *International Journal of Morphology.* 29: 501-508.
- Porter, NA. (2009). Peroxidation Profiles and Antioxidants.
- Porter, NA. (2010). Peroxidation Profiles and Antioxidants.
- Porter, NA. (2011). Peroxidation Profiles and Antioxidants.
- Porter, NA. (2012). Peroxidation Profiles and Antioxidants.
- Poswar, F; Farias, LC; Fraga, CA; Bambirra, W; Brito-Júnior, M; Sousa-Neto, MD; Santos, SH; de Paula, AM; D'Angelo, MF; Guimarães, AL. (2015). Bioinformatics, interaction network analysis, and neural networks to characterize gene expression of radicular cyst and periapical granuloma. *J Endod.* 41: 877-883. <http://dx.doi.org/10.1016/j.joen.2015.02.004>.
- Pothoczki, S; Temleitner, L; Jóvári, P; Kohara, S; Pusztai, L. (2009). Nanometer range correlations between molecular orientations in liquids of molecules with perfect tetrahedral shape: CCl₄, SiCl₄, GeCl₄, and SnCl₄. *J Chem Phys.* 130: 064503. <http://dx.doi.org/10.1063/1.3073051>.
- Pourreza, N; Rastegarzadeh, S; Larki, A. (2015). Determination of fungicide carbendazim in water and soil samples using dispersive liquid-liquid microextraction and microvolume UV-vis spectrophotometry. *Talanta.* 134: 24-29. <http://dx.doi.org/10.1016/j.talanta.2014.10.056>.
- Powers, J; Picard, K; Nyska, A; Tischler, A. (2008). Adrenergic differentiation and Ret expression in rat pheochromocytomas. *Endocr Pathol.* 19: 9-16. <http://dx.doi.org/10.1007/s12022-008-9019-1>.
- Poyer, JL; Floyd, RA; Mccay, PB; Janzen, EG; Davis, ER. (1978). Spin-trapping of the trichloromethyl radical produced during enzymic NADPH oxidation in the presence of carbon tetrachloride or bromotrichloromethane. *Biochim Biophys Acta.* 539: 402-409.
- Poyer, JL; Mccay, PB; Lai, EK; Janzen, EG; Davis, ER. (1980). Confirmation of assignment of the trichloromethyl radical spin adduct detected by spin trapping during ¹³C-carbon tetrachloride metabolism in vitro and in vivo. *Biochem Biophys Res Commun.* 94: 1154-1160.
- Prabhu, P; Bag, PP; Singh, BG; Hodage, A; Jain, VK; Iwaoka, M; Priyadarsini, KI. (2011). Effect of functional groups on antioxidant properties of substituted selenoethers. *Free Radic Res.* 45: 461-468. <http://dx.doi.org/10.3109/10715762.2010.543678>.
- Prandini, A; Salvi, V; Colombo, F; Moratto, D; Lorenzi, L; Vermi, W; De Francesco, MA; Notarangelo, LD; Porta, F; Plebani, A; Facchetti, F; Sozzani, S; Badolato, R. (2016). Impairment of dendritic cell functions in patients with adaptor protein-3 complex deficiency. *Blood.* 127: 3382-3386. <http://dx.doi.org/10.1182/blood-2015-06-650689>.
- Pranzatelli, MR; Tate, ED; Mcgee, NR; Colliver, JA. (2013). Cytokines, cytokine antagonists, and soluble adhesion molecules in pediatric OMS and other neuroinflammatory disorders. *J Neurol Sci.* 326: 53-58. <http://dx.doi.org/10.1016/j.jns.2013.01.011>.
- Pranzatelli, MR; Tate, ED; Mcgee, NR; Colliver, JA. (2013). Pediatric reference ranges for proinflammatory and anti-inflammatory cytokines in cerebrospinal fluid and serum by multiplexed immunoassay. *J Interferon Cytokine Res.* 33: 523-528. <http://dx.doi.org/10.1089/jir.2012.0132>.
- Prasad, R; Naime, M; Routray, I; Mahmood, A; Khan, F; Ali, S. (2010). Valeriana jatamansi partially reverses liver cirrhosis and tissue hyperproliferative response in rat. *Methods Find Exp Clin Pharmacol.* 32: 713-719. <http://dx.doi.org/10.1358/mf.2010.32.10.1522224>.
- Praveen, TK; Dharmaraj, S; Bajaj, J; Dhanabal, SP; Manimaran, S; Nanjan, MJ; Razdan, R. (2009). Hepatoprotective activity of petroleum ether, diethyl ether, and methanol extract of *Scoparia dulcis* L. against CCl₄-induced acute liver injury in mice. *Indian J Pharmacol.* 41: 110-114. <http://dx.doi.org/10.4103/0253-7613.55206>.
- Predes, F; Diamante, MA; Foglio, MA; Dolder, H. (2016). Effects of *Arctium lappa* on Cadmium-Induced Damage to the Testis and Epididymis of Adult Wistar Rats. *Biol Trace Elem Res.* 173: 362-371. <http://dx.doi.org/10.1007/s12011-016-0663-x>.
- Preisser, L; Miot, C; Le Guillou-Guillemette, H; Beaumont, E; Foucher, ED; Garo, E; Blanchard, S; Frémaux, I; Croué, A; Fouchard, I; Lunel-Fabiani, F; Boursier, J; Roingeard, P; Calès, P; Delneste, Y; Jeannin, P. (2014). IL-34 and macrophage colony-stimulating factor are overexpressed in hepatitis C virus fibrosis and induce profibrotic macrophages that promote collagen synthesis by hepatic stellate cells. *Hepatology.* 60: 1879-1890. <http://dx.doi.org/10.1002/hep.27328>.
- Preston, TJ; Shalowski, MA; Crim, FF. (2013). Probing the photoisomerization of CHBr₃ and CHI₃ in solution with transient vibrational and electronic spectroscopy. *J Phys Chem A.* 117: 2899-2907. <http://dx.doi.org/10.1021/jp310737d>.
- Priest, JR; Slee, A; Olson, AK; Ledee, D; Morrish, F; Portman, MA. (2012). Triiodothyronine supplementation and cytokines during cardiopulmonary bypass in infants and children. *J Thorac Cardiovasc Surg.* 144: 938-943.e932. <http://dx.doi.org/10.1016/j.jtcvs.2012.05.063>.
- Priya, OS; Viswanathan, MB; Balakrishna, K; Venkatesan, M. (2011). Chemical constituents and in vitro antioxidant activity of *Phyllanthus wightianus*. *Nat Prod Res.* 25: 949-958. <http://dx.doi.org/10.1080/14786419.2010.517203>.
- Proudfoot, JM; Barden, AE; Croft, KD; Galano, JM; Durand, T; Bultel-Poncé, V; Giera, M; Mori, TA. (2016). F₂-Isoprostanes in HDL are bound to neutral lipids and phospholipids. *Free Radic Res.* 50: 1374-1385. <http://dx.doi.org/10.1080/10715762.2016.1250262>.
- Pshenichnyuk, SA; Modelli, A. (2012). Electron attachment to antipyretics: possible implications of their metabolic pathways. *J Chem Phys.* 136: 234307. <http://dx.doi.org/10.1063/1.4727854>.
- Pundir, P; Catalli, A; Leggiadro, C; Douglas, SE; Kulka, M. (2014). Pleurocidin, a novel antimicrobial peptide, induces human mast cell activation through the FPRL1 receptor. *Mucosal Immunol.* 7: 177-187. <http://dx.doi.org/10.1038/mi.2013.37>.
- Purnak, T; Ozaslan, E; Beyazit, Y; Efe, C. (2011). Coffee and liver fibrosis [Letter]. *Clin Nutr.* 30: 130. <http://dx.doi.org/10.1016/j.clnu.2010.07.004>.

Human Health Hazard Literature Search Results

Off Topic

- Pusic, K; Aguilar, Z; Mcloughlin, J; Kobuch, S; Xu, H; Tsang, M; Wang, A; Hui, G. (2013). Iron oxide nanoparticles as a clinically acceptable delivery platform for a recombinant blood-stage human malaria vaccine. *FASEB J.* 27: 1153-1166. <http://dx.doi.org/10.1096/fj.12-218362>.
- Pusvaskiene, E; Januskevicius, B; Prichodko, A; Vickackaite, V. (2009). Simultaneous Derivatization and Dispersive Liquid-Liquid Microextraction for Fatty Acid GC Determination in Water. *Chromatographia.* 69: 271-276. <http://dx.doi.org/10.1365/s10337-008-0885-y>.
- Puviani, L; Cavallari, G; Bonaiuto, E; Cannistrà, M; Zullo, A; Pariali, M; Pisano, A; Atzeni, F; Nardo, B. (2014). Portal blood arterialization with an extracorporeal device to treat toxic acute hepatic failure in a swine model. *Int J Artif Organs.* 37: 847-853. <http://dx.doi.org/10.5301/ijao.5000367>.
- Qafoku, NP; Zhong, L; Thompson, CJ; Liu, C; Arey, BW; Mitroshkov, A; Riley, RG. (2009). Physical control on CCl₄ and CHCl₃ desorption from artificially contaminated and aged sediments with supercritical carbon dioxide. *Chemosphere.* 74: 494-500. <http://dx.doi.org/10.1016/j.chemosphere.2008.10.033>.
- Qi, C; Li, Y; Badger, P; Yu, H; You, Z; Yan, X; Liu, W; Shi, Y; Xia, T; Dong, J; Huang, C; Du, Y. (2017). Pathology-targeted cell delivery via injectable micro-scaffold capsule mediated by endogenous TGase. *Biomaterials.* 126: 1-9. <http://dx.doi.org/10.1016/j.biomaterials.2017.02.021>.
- Qiao, H; Han, H; Hong, D; Ren, Z; Chen, Y; Zhou, C. (2011). Protective effects of baicalin on carbon tetrachloride induced liver injury by activating PPAR γ and inhibiting TGF β 1. *Pharmaceutical Biology.* 49: 38-45. <http://dx.doi.org/10.3109/13880209.2010.493179>.
- Qiao, H; Tong, Y; Han, H; Xu, W; Ren, Z; Ouyang, J; Chen, Y. (2011). A novel therapeutic regimen for hepatic fibrosis using the combination of mesenchymal stem cells and baicalin. *Pharmazie.* 66: 37-43.
- Qin, G; Liu, Y; Zheng, J; Ng, IH; Xiang, Z; Lam, KT; Mao, H; Li, H; Peiris, JS; Lau, YL; Tu, W. (2011). Type 1 responses of human V α 9V δ 2 T cells to influenza A viruses. *J Virol.* 85: 10109-10116. <http://dx.doi.org/10.1128/JVI.05341-11>.
- Qin, H; Holdbrooks, AT; Liu, Y; Reynolds, SL; Yanagisawa, LL; Benveniste, EN. (2012). SOCS3 deficiency promotes M1 macrophage polarization and inflammation. *J Immunol.* 189: 3439-3448. <http://dx.doi.org/10.4049/jimmunol.1201168>.
- Qiu, L, u; Liang, Y, an; Tang, G, uiHua; Yuan, CM, ao; Zhang, Y, u; Hao, XY, an; Hao, XJ; He, HP. (2013). Two new flavonols, including one flavan dimer, from the roots of *Indigofera stachyodes*. *Phytochemistry Letters.* 6: 368-371. <http://dx.doi.org/10.1016/j.phytol.2013.04.010>.
- Qu, DD; Peng, FJ; Liu, L; Yang, SL; Guo, YB. (2011). [Effect of ozonized saline on signaling passway of Keap1-Nrf2-ARE in rat hepatocytes]. *Zhonghua Gan Zang Bing Za Zhi.* 19: 367-371.
- Quan, J; Jin, M; Xu, H; Qiu, D; Yin, X. (2014). BRP, a polysaccharide fraction isolated from *Boschniakia rossica*, protects against galactosamine and lipopolysaccharide induced hepatic failure in mice. *J Clin Biochem Nutr.* 54: 181-189. <http://dx.doi.org/10.3164/jcbn.13-105>.
- Quan, Y; Jiang, J; Dingledine, R. (2013). EP2 receptor signaling pathways regulate classical activation of microglia. *J Biol Chem.* 288: 9293-9302. <http://dx.doi.org/10.1074/jbc.M113.455816>.
- Quintanilha, LF; Takami, T; Hirose, Y; Fujisawa, K; Murata, Y; Yamamoto, N; Goldenberg, RC; Terai, S; Sakaida, I. (2014). Canine mesenchymal stem cells show antioxidant properties against thioacetamide-induced liver injury in vitro and in vivo. *Hepatology Research.* 44: E206-E217. <http://dx.doi.org/10.1111/hepr.12204>.
- Quintero, N; Stashenko, EE; Fuentes, JL. (2012). The influence of organic solvents on estimates of genotoxicity and antigenotoxicity in the SOS chromotest. *Genet Mol Biol.* 35: 503-514. <http://dx.doi.org/10.1590/S1415-47572012000300018>.
- Quiroga, MP; Balakrishnan, K; Kurtova, AV; Sivina, M; Keating, MJ; Wierda, WG; Gandhi, V; Burger, JA. (2009). B-cell antigen receptor signaling enhances chronic lymphocytic leukemia cell migration and survival: specific targeting with a novel spleen tyrosine kinase inhibitor, R406. *Blood.* 114: 1029-1037. <http://dx.doi.org/10.1182/blood-2009-03-212837>.
- Quirós-Alcalá, L; Wilson, S; Witherspoon, N; Murray, R; Perodin, J; Trousdale, K; Raspanti, G; Sapkota, A. (2015). Volatile organic compounds and particulate matter in child care facilities in the District of Columbia: Results from a pilot study. *Environ Res.* 146: 116-124. <http://dx.doi.org/10.1016/j.envres.2015.12.005>.
- Rad, MN; Behrouz, S. (2013). Ph3P/CCl₄ as a highly efficient reagent for one-pot N-alkylation of sulfonamides from alcohols: a rapid route to N-alkyl sulfonamides synthesis. *Mol Divers.* 17: 745-752. <http://dx.doi.org/10.1007/s11030-013-9471-9>.
- Radulović, NS; Stojković, MB; Mitić, SS; Randjelović, PJ; Ilić, IR; Stojanović, NM; Stojanović-Radić, ZZ. (2012). Exploitation of the antioxidant potential of *Geranium macrorrhizum* (Geraniaceae): hepatoprotective and antimicrobial activities. *Natural Product Communications.* 7: 1609-1614.
- Rafailidis, S; Demertzidis, C; Ballas, K; Alatsakis, M; Symeonidis, N; Pavlidis, T; Psarras, K; Tzioufa-Asimakopoulou, V; Sakadamis, A. (2009). Effect of early propranolol administration on portal hypertensive gastropathy in cirrhotic rats. *World J Gastroenterol.* 15: 4284-4289.
- Rafiq, S; Sen, P. (2013). Dielectric controlled excited state relaxation pathways of a representative push-pull stilbene: a mechanistic study using femtosecond fluorescence up-conversion technique. *J Chem Phys.* 138: 084308. <http://dx.doi.org/10.1063/1.4792933>.
- Raghu, H; Lepus, CM; Wang, Q; Wong, HH; Lingampalli, N; Oliviero, F; Punzi, L; Giori, NJ; Goodman, SB; Chu, CR; Sokolove, JB; Robinson, WH. (2016). CCL2/CCR2, but not CCL5/CCR5, mediates monocyte recruitment, inflammation and cartilage destruction in osteoarthritis. *Ann Rheum Dis.* <http://dx.doi.org/10.1136/annrheumdis-2016-210426>.
- Rahimifard, M; Navaei-Nigjeh, M; Mahroui, N; Mirzaei, S; Siahpoosh, Z; Nili-Ahmadabadi, A; Mohammadirad, A; Baeri, M; Hajiaghiae, R; Abdollahi, M. (2014). Improvement in The Function of Isolated Rat Pancreatic Islets through Reduction of Oxidative Stress Using Traditional Iranian Medicine. 16: 147-162.
- Rahman, A; Vasenwala, SM; Iqbal, M. (2016). Hepatoprotective potential of glyceryl trinitrate against chemically induced oxidative stress and hepatic injury in rats. *Hum Exp Toxicol.* <http://dx.doi.org/10.1177/0960327116665675>.
- Raj, S; Gothandam, KM. (2014). Hepatoprotective effect of polyphenols rich methanolic extract of *Amorphophallus commutatus* var. *wayanadensis* against CCl₄ induced hepatic injury in swiss albino mice. *Food Chem Toxicol.* 67: 105-112. <http://dx.doi.org/10.1016/j.fct.2014.02.028>.

Human Health Hazard Literature Search Results

Off Topic

- Raja, UM; Gopal, G; Shirley, S; Ramakrishnan, AS; Rajkumar, T. (2017). Immunohistochemical expression and localization of cytokines/chemokines/growth factors in gastric cancer. *Cytokine*. 89: 82-90. <http://dx.doi.org/10.1016/j.cyto.2016.08.032>.
- Rajbhandari, R; Shrestha, LK; Pokharel, BP; Pradhananga, RR. (2013). Development of nanoporous structure in carbons by chemical activation with zinc chloride. *J Nanosci Nanotechnol*. 13: 2613-2623. <http://dx.doi.org/10.1166/jnn.2013.7373>.
- Rajkumar, T; Vijayalakshmi, N; Gopal, G; Sabitha, K; Shirley, S; Raja, UM; Ramakrishnan, SA. (2010). Identification and validation of genes involved in gastric tumorigenesis. *Canc Cell Int*. 10: 45. <http://dx.doi.org/10.1186/1475-2867-10-45>.
- Ramakanth, I; Patnaik, A. (2012). Novel Two-Component Gels of Cetylpyridinium Chloride and the Bola-amphiphile 6-Amino Caproic Acid: Phase Evolution and Mechanism of Gel Formation. *J Phys Chem B*. 116: 2722-2729. <http://dx.doi.org/10.1021/jp2096345>.
- Ramezani-Moghadam, M; Wang, J; Ho, V; Iseli, TJ; Alzahrani, B; Xu, A; Van der Poorten, D; Qiao, L; George, J; Hebbard, L. (2015). Adiponectin reduces hepatic stellate cell migration by promoting tissue inhibitor of metalloproteinase-1 (TIMP-1) secretion. *J Biol Chem*. 290: 5533-5542. <http://dx.doi.org/10.1074/jbc.M114.598011>.
- Ramírez-Martínez, G; Cruz-Lagunas, A; Jiménez-Alvarez, L; Espinosa, E; Ortíz-Quintero, B; Santos-Mendoza, T; Herrera, MT; Canché-Pool, E; Mendoza, C; Bañales, JL; García-Moreno, SA; Morán, J; Cabello, C; Orozco, L; Aguilar-Delfín, I; Hidalgo-Miranda, A; Romero, S; Suratt, BT; Selman, M; Zúñiga, J. (2013). Seasonal and pandemic influenza H1N1 viruses induce differential expression of SOCS-1 and RIG-I genes and cytokine/chemokine production in macrophages. *Cytokine*. 62: 151-159. <http://dx.doi.org/10.1016/j.cyto.2013.01.018>.
- Ramjan, A; Hossain, M; Runa, JF; Md, H; Mahmud, I. (2014). Evaluation of thrombolytic potential of three medicinal plants available in Bangladesh, as a potent source of thrombolytic compounds. *Avicenna Journal of Phytomedicine*. 4: 430-436.
- Ramsey, JC; Andersen, ME. (1984). A physiologically based description of the inhalation pharmacokinetics of styrene in rats and humans. *Toxicol Appl Pharmacol*. 73: 159-175. [http://dx.doi.org/10.1016/0041-008X\(84\)90064-4](http://dx.doi.org/10.1016/0041-008X(84)90064-4).
- Rana, SV; Pal, R; Vaiphei, K; Sharma, SK; Ola, RP. (2011). Garlic in health and disease [Review]. *Nutr Res Rev*. 24: 60-71. <http://dx.doi.org/10.1017/S0954422410000338>.
- Ranaware, PB; Mishra, A; Vijayakumar, P; Gandhale, PN; Kumar, H; Kulkarni, DD; Raut, AA. (2016). Genome Wide Host Gene Expression Analysis in Chicken Lungs Infected with Avian Influenza Viruses. *PLoS ONE*. 11: e0153671. <http://dx.doi.org/10.1371/journal.pone.0153671>.
- Rangel-Santiago, JF; Baay-Guzman, GJ; Duran-Padilla, MA; Lopez-Boehm, KA; Garcia-Romero, BL; Hernandez-Cueto, DD; Pantoja-Escobar, G; Vega, MI; Hernandez-Pando, R; Huerta-Yepe, S. (2016). A novel role of Yin-Yang-1 in pulmonary tuberculosis through the regulation of the chemokine CCL4. *PLoS ONE*. 11: e0153671. <http://dx.doi.org/10.1016/j.tube.2015.10.013>.
- Rani, S; Kumar, S; Chandra, S. (2014). Spectroscopic and biological approach in the characterization of a novel 14-membered [N4] macrocyclic ligand and its palladium(II), platinum(II), ruthenium(III) and iridium(III) complexes. *Spectrochim Acta A Mol Biomol Spectrosc*. 118: 244-250. <http://dx.doi.org/10.1016/j.saa.2013.08.079>.
- Rao, PS; Dalu, A; Kulkarni, SG; Mehendale, HM. (1996). Stimulated tissue repair prevents lethality in isopropanol-induced potentiation of carbon tetrachloride hepatotoxicity. *Toxicol Appl Pharmacol*. 140: 235-244. <http://dx.doi.org/10.1006/taap.1996.0218>.
- Rasheed, A; Hines, RN; McCarver-May, DG. (1997). Variation in induction of human placental CYP2E1: possible role in susceptibility to fetal alcohol syndrome? *Toxicol Appl Pharmacol*. 144: 396-400. <http://dx.doi.org/10.1006/taap.1997.8152>.
- Rastegarzadeh, S; Pourreza, N; Larki, A. (2013). Dispersive liquid-liquid microextraction of thiram followed by microvolume UV-vis spectrophotometric determination. *Spectrochim Acta A Mol Biomol Spectrosc*. 114: 46-50. <http://dx.doi.org/10.1016/j.saa.2013.05.020>.
- Raucy, JL; Kraner, JC; Lasker, JM. (1993). Bioactivation of halogenated hydrocarbons by cytochrome P4502E1 [Review]. *Crit Rev Toxicol*. 23: 1-20. <http://dx.doi.org/10.3109/10408449309104072>.
- Rausch, S; Held, J; Stange, J; Lendner, M; Hepworth, MR; Klotz, C; Lucius, R; Pogonka, T; Hartmann, S. (2010). A matter of timing: early, not chronic phase intestinal nematode infection restrains control of a concurrent enteric protozoan infection. *Eur J Immunol*. 40: 2804-2815. <http://dx.doi.org/10.1002/eji.201040306>.
- Ravindran, A; Sawant, KV; Sarmiento, J; Navarro, J; Rajarathnam, K. (2013). Chemokine CXCL1 dimer is a potent agonist for the CXCR2 receptor. *J Biol Chem*. 288: 12244-12252. <http://dx.doi.org/10.1074/jbc.M112.443762>.
- Rawi, SM; Marie, MAS; Fahmy, SR; El-Abied, SA. (2012). Hazardous effects of acrylamide on immature male and female rats. *Toxicol Appl Pharmacol*. 101: 1367-1386. <http://dx.doi.org/10.5897/AJPP12.148>.
- Ray, SD; Mehendale, HM. (1990). Potentiation of CCl4 and CHCl3 hepatotoxicity and lethality by various alcohols. *Fundam Appl Toxicol*. 15: 429-440.
- Raymond, P; Plaa, GL. (1995). Ketone potentiation of haloalkane-induced hepato- and nephrotoxicity I Dose-response relationships. *J Toxicol Environ Health A*. 45: 465-480. <http://dx.doi.org/10.1080/15287399509532009>.
- Reboredo, M; Chang, HC; Barbero, R; Rodríguez-Ortigosa, CM; Pérez-Vizcaíno, F; Morán, A; García, M; Banales, JM; Carreño, N; Alegre, F; Herrero, I; Quiroga, J; Prieto, J; Sangro, B. (2013). Zolmitriptan: a novel portal hypotensive agent which synergizes with propranolol in lowering portal pressure. *PLoS ONE*. 8: e52683. <http://dx.doi.org/10.1371/journal.pone.0052683>.
- Reckziegel, SH; Vargas Culau, P; Pacheco de Araujo, A; Voll, J. (2015). Techniques for Anatomical Preparation of Dried Viscera and Angioarchitecture of Cranial Mesenteric Artery Branching of Dogs and Cats. *Acta Scientiae Veterinariae*. 43.
- Reddy, SS; Chauhan, P; Maurya, P; Saini, D; Yadav, PP; Barthwal, MK. (2016). Coagulin-L ameliorates TLR4 induced oxidative damage and immune response by regulating mitochondria and NOX-derived ROS. *Toxicol Appl Pharmacol*. 309: 87-100. <http://dx.doi.org/10.1016/j.taap.2016.08.022>.
- Reed, CA; Mayhew, CN; McClendon, AK; Yang, X; Witkiewicz, A; Knudsen, ES. (2009). RB has a critical role in mediating the in vivo checkpoint response, mitigating secondary DNA damage and suppressing liver tumorigenesis initiated by aflatoxin B1. *Oncogene*. 28: 4434-4443. <http://dx.doi.org/10.1038/onc.2009.303>.

Human Health Hazard Literature Search Results

Off Topic

- Reichenberger, MA; Heimer, S; Lass, U; Germann, G; Köllensperger, E; Mueller, W; Hirsch, T; Fischer, S. (2014). Pulsed acoustic cellular expression (PACE) reduces capsule formation around silicone implants. *Aesthetic Plast Surg.* 38: 244-251. <http://dx.doi.org/10.1007/s00266-013-0235-9>.
- Reigada, R. (2011). Influence of chloroform in liquid-ordered and liquid-disordered phases in lipid membranes. *J Phys Chem B.* 115: 2527-2535. <http://dx.doi.org/10.1021/jp110699h>.
- Reigada, R. (2013). Atomistic study of lipid membranes containing chloroform: looking for a lipid-mediated mechanism of anesthesia. *PLoS ONE.* 8: e52631. <http://dx.doi.org/10.1371/journal.pone.0052631>.
- Reinke, LA; Lai, EK; Mccay, PB. (1988). Ethanol feeding stimulates trichloromethyl radical formation from carbon tetrachloride in liver. *Xenobiotica.* 18: 1311-1318. <http://dx.doi.org/10.3109/00498258809042255>.
- Reiter, FP; Hohenester, S; Nagel, JM; Wimmer, R; Artmann, R; Wottke, L; Makeschin, MC; Mayr, D; Rust, C; Trauner, M; Denk, GU. (2015). 1,25-(OH)₂-vitamin D₃ prevents activation of hepatic stellate cells in vitro and ameliorates inflammatory liver damage but not fibrosis in the Abcb4(-/-) model. *Biochem Biophys Res Commun.* 459: 227-233. <http://dx.doi.org/10.1016/j.bbrc.2015.02.074>.
- Reitz, RH; Gargas, ML; Mendrala, AL; Schumann, AM. (1996). In vivo and in vitro studies of perchloroethylene metabolism for physiologically based pharmacokinetic modeling in rats, mice, and humans. *Toxicol Appl Pharmacol.* 136: 289-306. <http://dx.doi.org/10.1006/taap.1996.0036>.
- Ren, M; Guo, Q; Guo, L; Lenz, M; Qian, F; Koenen, RR; Xu, H; Schilling, AB; Weber, C; Ye, RD; Dinner, AR; Tang, WJ. (2010). Polymerization of MIP-1 chemokine (CCL3 and CCL4) and clearance of MIP-1 by insulin-degrading enzyme. *EMBO J.* 29: 3952-3966. <http://dx.doi.org/10.1038/emboj.2010.256>.
- Renga, B; Cipriani, S; Carino, A; Simonetti, M; Zampella, A; Fiorucci, S. (2015). Reversal of Endothelial Dysfunction by GPCR1 Agonism in Portal Hypertension Involves a AKT/FOXO1 Dependent Regulation of H2S Generation and Endothelin-1. *PLoS ONE.* 10: e0141082. <http://dx.doi.org/10.1371/journal.pone.0141082>.
- Renzi, A; Glaser, S; Demorrow, S; Mancinelli, R; Meng, F; Franchitto, A; Venter, J; White, M; Francis, H; Han, Y; Alvaro, D; Gaudio, E; Carpino, G; Ueno, Y; Onori, P; Alpini, G. (2011). Melatonin inhibits cholangiocyte hyperplasia in cholestatic rats by interaction with MT1 but not MT2 melatonin receptors. *Am J Physiol Gastrointest Liver Physiol.* 301: G634-G643. <http://dx.doi.org/10.1152/ajpgi.00206.2011>.
- Repeke, CE; Ferreira, SB; Claudino, M; Silveira, EM; de Assis, GF; Avila-Campos, MJ; Silva, JS; Garlet, GP. (2010). Evidences of the cooperative role of the chemokines CCL3, CCL4 and CCL5 and its receptors CCR1+ and CCR5+ in RANKL+ cell migration throughout experimental periodontitis in mice. *Bone.* 46: 1122-1130. <http://dx.doi.org/10.1016/j.bone.2009.12.030>.
- Repeke, CE; Ferreira, SB; Vieira, AE; Silveira, EM; Avila-Campos, MJ; da Silva, JS; Santos, CF; Campanelli, AP; Trombone, AP; Garlet, GP. (2011). Dose-response met-RANTES treatment of experimental periodontitis: a narrow edge between the disease severity attenuation and infection control. *PLoS ONE.* 6: e22526. <http://dx.doi.org/10.1371/journal.pone.0022526>.
- Restrepo, C; Rallón, NI; del Romero, J; Rodríguez, C; Sempere-Ortells, JM; de la Vega, E; Soriano, V; Benito, JM. (2013). HIV Gag-specific immune response mediated by double negative (CD3+)CD4(-)CD8(-) T cells in HIV-exposed seronegative individuals. *J Med Virol.* 85: 200-209. <http://dx.doi.org/10.1002/jmv.23447>.
- Rezende, TP; Do A Corrêa, JO; Aarestrup, BJ; Aarestrup, FM; de Sousa, OV; da Silva Filho, AA. (2014). Protective effects of *Baccharis dracunculifolia* leaves extract against carbon tetrachloride- and acetaminophen-induced hepatotoxicity in experimental animals. *Molecules.* 19: 9257-9272. <http://dx.doi.org/10.3390/molecules19079257>.
- Ribeiro, AR; Nunes, OC; Pereira, MF; Silva, AM. (2015). An overview on the advanced oxidation processes applied for the treatment of water pollutants defined in the recently launched Directive 2013/39/EU [Review]. *Environ Int.* 75: 33-51. <http://dx.doi.org/10.1016/j.envint.2014.10.027>.
- Ribeiro, RF; Marenich, AV; Cramer, CJ; Truhlar, DG. (2009). Solvent Dependence of (14)N Nuclear Magnetic Resonance Chemical Shielding Constants as a Test of the Accuracy of the Computed Polarization of Solute Electron Densities by the Solvent. *Journal of Chemical Theory and Computation.* 5: 2284-2300. <http://dx.doi.org/10.1021/ct900258f>.
- Rich, AL; Patel, JT. (2015). Carbon Disulfide (CS₂) Mechanisms in Formation of Atmospheric Carbon Dioxide (CO₂) Formation from Unconventional Shale Gas Extraction and Processing Operations and Global Climate Change [Review]. *Environ Health Insights.* 9: 35-39. <http://dx.doi.org/10.4137/EHI.S15667>.
- Rich, AL; Patel, JT; Al-Angari, SS. (2016). Carbon Disulfide (CS₂) Interference in Glucose Metabolism from Unconventional Oil and Gas Extraction and Processing Emissions. *Environ Health Insights.* 10: 51-57. <http://dx.doi.org/10.4137/EHI.S31906>.
- Richardson, VJ. (2010). Divergent and synergistic regulation of matrix metalloprotease production by cytokines in combination with C-C chemokines. *Int J Immunopathol Pharmacol.* 23: 715-726.
- Riley, RG; Szecsody, JE; Sklarew, DS; Mitroshkov, AV; Gent, PM; Brown, CF; Thompson, CJ. (2010). Desorption behavior of carbon tetrachloride and chloroform in contaminated low organic carbon aquifer sediments. *Chemosphere.* 79: 807-813. <http://dx.doi.org/10.1016/j.chemosphere.2010.03.005>.
- Rino, Y; Yukawa, N; Yamamoto, N. (2015). Does herbal medicine reduce the risk of hepatocellular carcinoma? [Review]. *World J Gastroenterol.* 21: 10598-10603. <http://dx.doi.org/10.3748/wjg.v21.i37.10598>.
- Rittner, R; Ducati, LC; Tormena, CF; Fiorin, BC; Braga, CB. (2011). Conformational preferences for some 5-substituted 2-acetylthiophenes through infrared spectroscopy and theoretical calculations. *Spectrochim Acta A Mol Biomol Spectrosc.* 79: 1071-1076. <http://dx.doi.org/10.1016/j.saa.2011.04.021>.
- Rivera-Espinoza, Y; Muriel, P. (2009). Pharmacological actions of curcumin in liver diseases or damage [Review]. *Liver Int.* 29: 1457-1466. <http://dx.doi.org/10.1111/j.1478-3231.2009.02086.x>.

Human Health Hazard Literature Search Results

Off Topic

- Rizzo, JA; Burgess, P; Cartie, RJ; Prasad, BM. (2013). Moderate systemic hypothermia decreases burn depth progression. 39: 436-444. <http://dx.doi.org/10.1016/j.burns.2012.07.022>.
- Roberti, MP; Arriaga, JM; Bianchini, M; Quintá, HR; Bravo, AI; Levy, EM; Mordoh, J; Barrio, MM. (2012). Protein expression changes during human triple negative breast cancer cell line progression to lymph node metastasis in a xenografted model in nude mice. 13: 1123-1140. <http://dx.doi.org/10.4161/cbt.21187>.
- Robertson, EJ; Richmond, GL. (2013). Chunks of charge: effects at play in the assembly of macromolecules at fluid surfaces. *Langmuir*. 29: 10980-10989. <http://dx.doi.org/10.1021/la4021096>.
- Roch, T; Kratz, K; Ma, N; Jung, F; Lendlein, A. (2013). The influence of polystyrene and poly(ether imide) inserts with different roughness, on the activation of dendritic cells. *Clin Hemorheol Microcirc*. 55: 157-168. <http://dx.doi.org/10.3233/CH-131699>.
- Roderfeld, M; Rath, T; Pasupuleti, S; Zimmermann, M; Neumann, C; Churin, Y; Dierkes, C; Voswinckel, R; Barth, PJ; Zahner, D; Graf, J; Roeb, E. (2012). Bone marrow transplantation improves hepatic fibrosis in Abcb4^{-/-} mice via Th1 response and matrix metalloproteinase activity. *Gut*. 61: 907-916. <http://dx.doi.org/10.1136/gutjnl-2011-300608>.
- Rodriguez, N; Dietrich, H; Mossbrugger, I; Weintz, G; Scheller, J; Hammer, M; Quintanilla-Martinez, L; Rose-John, S; Miethke, T; Lang, R. (2010). Increased inflammation and impaired resistance to *Chlamydomydia pneumoniae* infection in Dusp1^(-/-) mice: critical role of IL-6. *J Leukoc Biol*. 88: 579-587. <http://dx.doi.org/10.1189/jlb.0210083>.
- Rodríguez Ortega, PG; Montejo, M; Márquez, F; López González, JJ. (2015). Conformational properties of chiral tobacco alkaloids by DFT calculations and vibrational circular dichroism: (-)-S-anabasine. 60: 169-179. <http://dx.doi.org/10.1016/j.jmngm.2015.05.011>.
- Rodriguez Rodrigues, C; Remes Lenicov, F; Jancic, C; Sabatté, J; Cabrini, M; Ceballos, A; Merlotti, A; Gonzalez, H; Ostrowski, M; Geffner, J. (2013). *Candida albicans* delays HIV-1 replication in macrophages. *PLoS ONE*. 8: e72814. <http://dx.doi.org/10.1371/journal.pone.0072814>.
- Roff, AN; Craig, TJ; August, A; Stellato, C; Ishmael, FT. (2014). MicroRNA-570-3p regulates HuR and cytokine expression in airway epithelial cells. 3: 68-83.
- Roh, YS; Park, S; Kim, JW; Lim, CW; Seki, E; Kim, B. (2014). Toll-like receptor 7-mediated type I interferon signaling prevents cholestasis- and hepatotoxin-induced liver fibrosis. *Hepatology*. 60: 237-249. <http://dx.doi.org/10.1002/hep.26981>.
- Rohilla, R; Garg, T; Goyal, AK; Rath, G. (2014). Herbal and polymeric approaches for liver-targeting drug delivery: novel strategies and their significance. *Drug Deliv*. 23: 1-17. <http://dx.doi.org/10.3109/10717544.2014.945018>.
- Romio, M; Reinbeck, B; Bongardt, S; Hüls, S; Burghoff, S; Schrader, J. (2011). Extracellular purine metabolism and signaling of CD73-derived adenosine in murine Treg and Teff cells. *Am J Physiol Cell Physiol*. 301: C530-C539. <http://dx.doi.org/10.1152/ajpcell.00385.2010>.
- Rong-Hua, P; Hong-Mei, H; Yue, D; Yu-Feng, X. (2016). Comparative pharmacokinetics of bergenin, a main active constituent of *Saxifraga stolonifera* Curt., in normal and hepatic injury rats after oral administration. *Chin J Nat Med*. 14: 776-782.
- Rose, ML; Bradford, BU; Germolec, DR; Lin, M; Tsukamoto, H; Thurman, RG. (2001). Gadolinium chloride-induced hepatocyte proliferation is prevented by antibodies to tumor necrosis factor α . *Toxicol Appl Pharmacol*. 170: 39-45. <http://dx.doi.org/10.1006/taap.2000.9077>.
- Rosenberg, AS; Roivainen, M; Hovi, T; Liu, Q; Murphy, PM. (2013). CCR5 deficiency and severe polio infection in the 1984 outbreak in Finland. *J Med Virol*. 85: 2139-2140. <http://dx.doi.org/10.1002/jmv.23739>.
- Rosenfeld, DE; Kwak, K; Gengeliczki, Z; Fayer, MD. (2010). Hydrogen bond migration between molecular sites observed with ultrafast 2D IR chemical exchange spectroscopy. *J Phys Chem B*. 114: 2383-2389. <http://dx.doi.org/10.1021/jp911452z>.
- Rosengren, RJ; Sauer, JM; Hooser, SB; Sipes, IG. (1995). The interactions between retinol and five different hepatotoxicants in the Swiss Webster mouse. *Fundam Appl Toxicol*. 25: 281-292.
- Ross, J; Gherardi, E; Mallorqui-Fernandez, N; Bocci, M; Sobkowicz, A; Rees, M; Rowe, A; Ellmerich, S; Massie, I; Soeda, J; Selden, C; Hodgson, H. (2012). Protein engineered variants of hepatocyte growth factor/scatter factor promote proliferation of primary human hepatocytes and in rodent liver. *Gastroenterology*. 142: 897-906. <http://dx.doi.org/10.1053/j.gastro.2011.12.006>.
- Rossberg, M. (2002). Chlorinated hydrocarbons. In W Gerhartz; YS Yamamoto; FT Campbell (Eds.), (5th ed., pp. 370-371). New York, NY: VCH Publishers.
- Rossi, AM; Zaccaro, L; Filippo Rosselli, F; Quattrone, C. (1988). Clastogenic effects induced in mice and rats by 1,4-bis[2-(3,5-dichloropyridyloxy)]-benzene, a phenobarbital-like enzyme inducer and liver tumour promoter. *Carcinogenesis*. 9: 1147-1151.
- Rossi, R; Lichtner, M; De Rosa, A; Sauzullo, I; Mengoni, F; Massetti, AP; Mastroianni, CM; Vullo, V. (2011). In vitro effect of anti-human immunodeficiency virus CCR5 antagonist maraviroc on chemotactic activity of monocytes, macrophages and dendritic cells. *Clin Exp Immunol*. 166: 184-190. <http://dx.doi.org/10.1111/j.1365-2249.2011.04409.x>.
- Roth, KJ; Copple, BL. (2015). Role of Hypoxia-Inducible Factors in the Development of Liver Fibrosis [Review]. 1: 589-597. <http://dx.doi.org/10.1016/j.jcmgh.2015.09.005>.
- Roy, DN; Goswami, R. (2016). Drugs of abuse and addiction: A slippery slope toward liver injury [Review]. *Chem Biol Interact*. 255: 92-105. <http://dx.doi.org/10.1016/j.cbi.2015.09.018>.
- Roy, P; Das, S; Auddy, RG; Mukherjee, A. (2014). Engineered andrographolide nanosystems for smart recovery in hepatotoxic conditions. *International Journal of Nanomedicine (Online)*. 9: 4723-4735. <http://dx.doi.org/10.2147/IJN.S65262>.
- Ruan, Y; Wang, BY; Erb, JM; Chen, S; Hadad, CM; Badjić, JD. (2013). On the role of guests in enforcing the mechanism of action of gated baskets. *Org Biomol Chem*. 11: 7667-7675. <http://dx.doi.org/10.1039/c3ob41511b>.
- Ruggiu, F; Solov'ev, V; Marcou, G; Horvath, D; Graton, J; Le Questel, JY; Varnek, A. (2014). Individual Hydrogen-Bond Strength QSPR Modelling with ISIDA Local Descriptors: a Step Towards Polyfunctional Molecules. *Molecular Informatics*. 33: 477-487. <http://dx.doi.org/10.1002/minf.201400032>.
- Rui, M; Jiang, C; Zheyong, L; Jiacheng, T; Yifan, W; Xiujun, C. (2014). Decorin accelerates the liver regeneration after partial hepatectomy in fibrotic mice. *Chin Med J*. 127: 2679-2685. <http://dx.doi.org/10.3760/cma.j.issn.0366-6999.20131361>.

Human Health Hazard Literature Search Results

Off Topic

- Ruiz, P; Ray, M; Fisher, J; Mumtaz, M. (2011). Development of a Human Physiologically Based Pharmacokinetic (PBPK) Toolkit for Environmental Pollutants [Review]. *International Journal of Molecular Sciences*. 12: 7469-7480. <http://dx.doi.org/10.3390/ijms12117469>.
- Runa, JF; Hossain, M; Hasanuzzaman, M; Ali, MR. (2013). Investigation of Phenolic Profiles, Cytotoxic Potential and Phytochemical Screening of Different Extracts of *Drynaria quercifolia* J. Smith (Leaves). 3: 465-467. <http://dx.doi.org/10.5681/apb.2013.077>.
- Runovich, AA; Pivovarov, YI; Kuril'skaya, TE; Sergeeva, AS; Babushkina, IV; Bogorodskaya, SL. (2012). Protective effect of transplantation of neonatal liver cell nuclei on the model of acute toxic hepatitis. *Bull Exp Biol Med*. 153: 563-568.
- Rusmini, M; Griseri, P; Lantieri, F; Matera, I; Hudspeth, KL; Roberto, A; Mikulak, J; Avanzini, S; Rossi, V; Mattioli, G; Jasonni, V; Ravazzolo, R; Pavan, WJ; Pini-Prato, A; Ceccherini, I; Mavilio, D. (2013). Induction of RET dependent and independent pro-inflammatory programs in human peripheral blood mononuclear cells from Hirschsprung patients. *PLoS ONE*. 8: e59066. <http://dx.doi.org/10.1371/journal.pone.0059066>.
- Russell, JJ; Seetula, JA; Gutman, D; Danis, F; Caralp, F; Lightfoot, PD; Lesclaux, R; Melius, CF; Senkan, SM. (1990). KINETICS AND THERMOCHEMISTRY OF THE EQUILIBRIUM CCL_3+O_2 REVERSIBLE CCL_3O_2 . 94: 3277-3283.
- Russkamp, NF; Ruemmler, R; Roewe, J; Moore, BB; Ward, PA; Bosmann, M. (2015). Experimental design of complement component 5a-induced acute lung injury (C5a-ALI): a role of CC-chemokine receptor type 5 during immune activation by anaphylatoxin. *FASEB J*. 29: 3762-3772. <http://dx.doi.org/10.1096/fj.15-271635>.
- Rutar, M; Natoli, R; Chia, RX; Valter, K; Provis, JM. (2015). Chemokine-mediated inflammation in the degenerating retina is coordinated by Müller cells, activated microglia, and retinal pigment epithelium. *J Neuroinflammation*. 12: 8. <http://dx.doi.org/10.1186/s12974-014-0224-1>.
- Rydén, A; Faresjö, M. (2013). Altered immune profile from pre-diabetes to manifestation of type 1 diabetes. *Diabetes Res Clin Pract*. 100: 74-84. <http://dx.doi.org/10.1016/j.diabres.2013.01.014>.
- Rysä, J. (2016). Gene expression profiling of human calcific aortic valve disease. 7: 107-108. <http://dx.doi.org/10.1016/j.gdata.2015.12.015>.
- Saad, EA. (2012). Curative and protective effects of L-arginine on carbon tetrachloride-induced hepatotoxicity in mice. *Biochem Biophys Res Commun*. 423: 147-151. <http://dx.doi.org/10.1016/j.bbrc.2012.05.102>.
- Sabbatucci, M; Purificato, C; Fantuzzi, L; Gessani, S. (2011). Toll-like receptor cross-talk in human monocytes regulates CC-chemokine production, antigen uptake and immune cell recruitment. *Immunobiology*. 216: 1135-1142. <http://dx.doi.org/10.1016/j.imbio.2011.04.005>.
- Sadasivan, S; Zanin, M; O'Brien, K; Schultz-Cherry, S; Smeyne, RJ. (2015). Induction of microglia activation after infection with the non-neurotropic A/CA/04/2009 H1N1 influenza virus. *PLoS ONE*. 10: e0124047. <http://dx.doi.org/10.1371/journal.pone.0124047>.
- Sadasivan, SK; Siddaraju, N; Khan, KM; Vasamsetti, B; Kumar, NR; Haridas, V; Reddy, MB; Baggavalli, S; Oommen, AM; Pralhada Rao, R. (2015). Developing an in vitro screening assay platform for evaluation of antifibrotic drugs using precision-cut liver slices. 8: 1. <http://dx.doi.org/10.1186/s13069-014-0017-2>.
- Sadeghi, M; Lahdou, I; Oweira, H; Daniel, V; Terness, P; Schmidt, J; Weiss, KH; Longerich, T; Schemmer, P; Opelz, G; Mehrabi, A. (2015). Serum levels of chemokines CCL4 and CCL5 in cirrhotic patients indicate the presence of hepatocellular carcinoma. *Br J Cancer*. 113: 756-762. <http://dx.doi.org/10.1038/bjc.2015.227>.
- Saeed, A; Qasim, M. (2014). Total synthesis of cytotoxic metabolite (\pm)-desmethyldiaportinol from *Ampelomyces* sp. *Nat Prod Res*. 28: 185-190. <http://dx.doi.org/10.1080/14786419.2013.866111>.
- Saeki, A; Yamamoto, N; Yoshida, Y; Kozawa, T. (2011). Geminate charge recombination in liquid alkane with concentrated CCl_4 : effects of CCl_4 radical anion and narrowing of initial distribution of Cl. *J Phys Chem A*. 115: 10166-10173. <http://dx.doi.org/10.1021/jp205989r>.
- Saez, V; Esclapez, MD; Bonete, P; Walton, DJ; Rehorek, A; Louisnard, O; Gonzalez-Garcia, J. (2011). Sonochemical degradation of perchloroethylene: The influence of ultrasonic variables, and the identification of products. *Ultrason Sonochem*. 18: 104-113. <http://dx.doi.org/10.1016/j.ultsonch.2010.03.009>.
- Safari, M; Ghahari, L; Safari, K; Madadian, M; Aldaghi, MR; Zarbakhsh, S, am. (2015). Therapeutic Effects of CD133(+) in the Carbon Tetrachloride (CCl_4) Induced Chronic Liver Dysfunction in Rat Model. *International Journal of Pharmacology*. 11: 359-365. <http://dx.doi.org/10.3923/ijp.2015.359.365>.
- Safer, AM; Sen, A; Hanafy, NA; Mousa, SA. (2015). Quantification of the Healing Effect in Hepatic Fibrosis Induced by Chitosan Nano-Encapsulated Green Tea in Rat Model. *J Nanosci Nanotechnol*. 15: 9918-9924. <http://dx.doi.org/10.1166/jnn.2015.11400>.
- Said, RA; Grassi, TF; Scolastici, C; Alves de Lima, RO; Darros, BR; Barbisan, LF; de Camargo, JL. (2010). Absence of chemopreventive influence of propolis on the rat liver altered foci development. *Exp Toxicol Pathol*. 62: 405-412. <http://dx.doi.org/10.1016/j.etp.2009.05.012>.
- Sainaghi, PP; Collimedaglia, L; Alciato, F; Leone, MA; Naldi, P; Molinari, R; Monaco, F; Avanzi, GC. (2010). The expression pattern of inflammatory mediators in cerebrospinal fluid differentiates Guillain-Barré syndrome from chronic inflammatory demyelinating polyneuropathy. *Cytokine*. 51: 138-143. <http://dx.doi.org/10.1016/j.cyto.2010.05.005>.
- Saja, MF; Baudino, L; Jackson, WD; Cook, HT; Malik, TH; Fossati-Jimack, L; Ruseva, M; Pickering, MC; Woollard, KJ; Botto, M. (2015). Triglyceride-Rich Lipoproteins Modulate the Distribution and Extravasation of Ly6C/Gr1(low) Monocytes. 12: 1802-1815. <http://dx.doi.org/10.1016/j.celrep.2015.08.020>.
- Sakai, T; Liu, L; Teng, X; Ishimaru, N; Mukai-Sakai, R; Tran, NH; Kim, SM; Sano, N; Hayashi, Y; Kaji, R; Fukui, K. (2010). Inflammatory disease and cancer with a decrease in Kupffer cell numbers in Nuclng-knockout mice. *Int J Cancer*. 126: 1079-1094. <http://dx.doi.org/10.1002/ijc.24789>.
- Sakamoto, M; Nakamura, T; Torimura, T; Iwamoto, H; Masuda, H; Koga, H; Abe, M; Hashimoto, O; Ueno, T; Sata, M. (2013). Transplantation of endothelial progenitor cells ameliorates vascular dysfunction and portal hypertension in carbon tetrachloride-induced rat liver cirrhotic model. *J Gastroenterol Hepatol*. 28: 168-178. <http://dx.doi.org/10.1111/j.1440-1746.2012.07238.x>.

Human Health Hazard Literature Search Results

Off Topic

- Salam, OM; Sleem, AA; Omara, EA; Hassan, NS. (2009). Hepatoprotective effects of misoprostol and silymarin on carbon tetrachloride-induced hepatic damage in rats. *Fundam Clin Pharmacol.* 23: 179-188. <http://dx.doi.org/10.1111/j.1472-8206.2008.00654.x>.
- Salama, MM; Ezzat, SM; Sleem, AA. (2011). A new hepatoprotective flavone glycoside from the flowers of *Onopordum alexandrinum* growing in Egypt. *Z Naturforsch C Biosci.* 66: 251-259.
- Saleem, M; Ahmed, B; Karim, M; Ahmed, S; Ahmad, M; Qadir, MI; Syed, N, iH. (2014). Hepatoprotective effect of aqueous methanolic extract of *Rumex dentatus* in paracetamol-induced hepatotoxicity in mice. *Bangladesh J Pharmacol.* 9: 284-289. <http://dx.doi.org/10.3329/bjp.v9i3.18874>.
- Saleem, M; Naseer, F. (2014). Medicinal plants in the protection and treatment of liver diseases. *Bangladesh J Pharmacol.* 9: 511-526. <http://dx.doi.org/10.3329/bjp.v9i4.20648>.
- Saleh, DO; Abdel Jaleel, GA; El-Awdan, SA; Oraby, F; Badawi, M. (2014). Thioacetamide-induced liver injury: protective role of genistein. *Can J Physiol Pharmacol.* 92: 965-973. <http://dx.doi.org/10.1139/cjpp-2014-0192>.
- Salimi Elizei, S; Poormasjedi-Meibod, MS; Li, Y; Baradar Jalili, R; Ghahary, A. (2015). Effects of kynurenine on CD3+ and macrophages in wound healing. 23: 90-97. <http://dx.doi.org/10.1111/wrr.12252>.
- Salmenkivi, K; Heikkilä, P; Haglund, C; Arola, J. (2004). Malignancy in pheochromocytomas. *APMIS.* 112: 551-559.
- Samigullin, K; Georg, I; Bolte, M; Lerner, HW; Wagner, M. (2016). A Highly Reactive Geminal P/B Frustrated Lewis Pair: Expanding the Scope to C-X (X=Cl, Br) Bond Activation. *Chemistry.* 22: 3478-3484. <http://dx.doi.org/10.1002/chem.201504791>.
- Samudram, P; Vasuki, R; Rajeshwari, H; Geetha, A; Moorthi, PS. (2009). Antioxidant and antihepatotoxic activities of ethanolic crude extract of *Melia azedarach* and *Piper longum*. *Journal of Medicinal Plant Research.* 3: 1078-1083.
- Samuel, J; Sinha, D; Zhao, JC; Wang, X. (2014). Water residing in small ultrastructural spaces plays a critical role in the mechanical behavior of bone. *Bone.* 59: 199-206. <http://dx.doi.org/10.1016/j.bone.2013.11.018>.
- Sanchez, E; Frances, R; Soriano, G; Mirelis, B; Sancho, FJ; Manuel Gonzalez-Navajas, J; Munoz, C; Song, X, yu; Perez-Mateo, M; Such, J; Guarner, C. (2013). Modulation of Inflammatory Response in a Cirrhotic Rat Model with Induced Bacterial Peritonitis. *PLoS ONE.* 8: e59692. <http://dx.doi.org/10.1371/journal.pone.0059692>.
- Sánchez-Hernández, M; Chaves-Pozo, E; Cabas, I; Mulero, V; García-Ayala, A; García-Alcázar, A. (2013). Testosterone implants modify the steroid hormone balance and the gonadal physiology of gilthead seabream (*Sparus aurata* L.) males. *J Steroid Biochem Mol Biol.* 138: 183-194. <http://dx.doi.org/10.1016/j.jsmb.2013.05.014>.
- Sancho, P; Mainez, J; Crosas-Molist, E; Roncero, C; Fernández-Rodríguez, CM; Pinedo, F; Huber, H; Eferl, R; Mikulits, W; Fabregat, I. (2012). NADPH oxidase NOX4 mediates stellate cell activation and hepatocyte cell death during liver fibrosis development. *PLoS ONE.* 7: e45285. <http://dx.doi.org/10.1371/journal.pone.0045285>.
- Sandy, MS; Di Monte, D; Smith, MT. (1988). Relationships between intracellular vitamin E, lipid peroxidation, and chemical toxicity in hepatocytes. *Toxicol Appl Pharmacol.* 93: 288-297.
- Sang, M; Liu, JB; Dai, M; Wu, JG; Ho, WZ. (2014). Toll-like receptor 3 signaling inhibits simian immunodeficiency virus replication in macrophages from rhesus macaques. *Antiviral Res.* 112: 103-112. <http://dx.doi.org/10.1016/j.antiviral.2014.10.008>.
- Sanseverino, I; Purificato, C; Varano, B; Conti, L; Gessani, S; Gauzzi, MC. (2014). STAT3-silenced human dendritic cells have an enhanced ability to prime IFN γ production by both $\alpha\beta$ and $\gamma\delta$ T lymphocytes. *Immunobiology.* 219: 503-511. <http://dx.doi.org/10.1016/j.imbio.2014.02.012>.
- Sansoè, G; Aragno, M; Mastrocola, R; Mengozzi, G; Novo, E; Parola, M. (2016). Role of Chymase in the Development of Liver Cirrhosis and Its Complications: Experimental and Human Data. *PLoS ONE.* 11: e0162644. <http://dx.doi.org/10.1371/journal.pone.0162644>.
- Sansoè, G; Aragno, M; Mastrocola, R; Parola, M. (2016). Pathogenesis of solute-free water retention in experimental ascitic cirrhosis: is vasopressin the only culprit? *Clin Sci (Lond).* 130: 117-124. <http://dx.doi.org/10.1042/CS20150479>.
- Santiago Sánchez, N; Tejada Alarcón, S; Tortajada Santonja, R; Llorca-Pórcel, J. (2014). New device for time-averaged measurement of volatile organic compounds (VOCs). *Sci Total Environ.* 485-486: 720-725. <http://dx.doi.org/10.1016/j.scitotenv.2013.12.019>.
- Santos Rocha, SW; Rocha de Franca, ME; Rodrigues, GB; Sousa Barbosa, KP; Santana Nunes, A; Pastor, AF; Vasconcelos Oliveira, AG; Oliveira, WH; Almeida Luna, RL; Peixoto, CA. (2014). Diethylcarbamazine Reduces Chronic Inflammation and Fibrosis in Carbon Tetrachloride-(CCl₄-) Induced Liver Injury in Mice. *Mediators Inflamm.* 2014: 696383. <http://dx.doi.org/10.1155/2014/696383>.
- Sanzgiri, UY; Bruckner, JV. (1997). Effect of Emulphor, an emulsifier, on the pharmacokinetic and hepatotoxicity of oral carbon tetrachloride in the rat. *Fundam Appl Toxicol.* 36: 54-61. <http://dx.doi.org/10.1006/faat.1997.2290>.
- Sapir, Y; Vitenshtein, A; Barshesht, Y; Zohar, Y; Wildbaum, G; Karin, N. (2010). A fusion protein encoding the second extracellular domain of CCR5 arrests chemokine-induced cosignaling and effectively suppresses ongoing experimental autoimmune encephalomyelitis. *J Immunol.* 185: 2589-2599. <http://dx.doi.org/10.4049/jimmunol.1000666>.
- Sarg, T; Ghani, AA; Zayed, R; El-Sayed, M. (2011). Antihepatotoxic activity of *Phyllanthus atropurpureus* cultivated in Egypt. *Z Naturforsch C Biosci.* 66: 447-452.
- Sarkar, C; Bose, S; Banerjee, S. (2014). Evaluation of hepatoprotective activity of vasicinone in mice. *Indian J Exp Biol.* 52: 705-711.
- Sasaki, S; Baba, T; Nishimura, T; Hayakawa, Y; Hashimoto, S; Gotoh, N; Mukaida, N. (2016). Essential roles of the interaction between cancer cell-derived chemokine, CCL4, and intra-bone CCR5-expressing fibroblasts in breast cancer bone metastasis. *Cancer Lett.* 378: 23-32. <http://dx.doi.org/10.1016/j.canlet.2016.05.005>.
- Sasirekha, V; Vanelle, P; Terme, T; Ramakrishnan, V. (2009). Preferential solvation of 1,4-dimethoxy-2,3-dimethyl-9,10-anthraquinone--a spectrophotometric and fluorometric study. *J Fluoresc.* 19: 419-426. <http://dx.doi.org/10.1007/s10895-008-0428-9>.

Human Health Hazard Literature Search Results

Off Topic

- Sassano, A; Altman, JK; Gordon, L; Platanius, LC. (2012). Statin-dependent activation of protein kinase C delta in acute promyelocytic leukemia cells and induction of leukemic cell differentiation. *Leuk Lymphoma*. 53: 1779-1784. <http://dx.doi.org/10.3109/10428194.2012.668287>.
- Satanovskaia, VI; Pron'ko, PS; Gaishmanova, AV; Miskevich, DA. (2009). [Effects of panthenol and carnitine on aldehyde metabolic enzymes in rats with tetrachloromethane-induced liver injury]. *Eksp Klin Farmakol*. 72: 39-40.
- Sathesh Kumar, S; Ravi Kumar, B; Krishna Mohan, G. (2009). Hepatoprotective effect of *Trichosanthes cucumerina* Var *cucumerina* L. on carbon tetrachloride induced liver damage in rats. *J Ethnopharmacol*. 123: 347-350. <http://dx.doi.org/10.1016/j.jep.2009.02.023>.
- Sato, A; Nakajima, T. (1987). Pharmacokinetics of organic solvent vapors in relation to their toxicity [Review]. *Scand J Work Environ Health*. 13: 81-93.
- Sato, A; Nakashima, H; Nakashima, M; Ikarashi, M; Nishiyama, K; Kinoshita, M; Seki, S. (2014). Involvement of the TNF and FasL produced by CD11b Kupffer cells/macrophages in CCl4-induced acute hepatic injury. *PLoS ONE*. 9: e92515. <http://dx.doi.org/10.1371/journal.pone.0092515>.
- Sato, K; Otsuki, N; Ohori, A; Chinda, M; Furusho, N; Osako, T; Akiyama, H; Kawamura, Y. (2012). [Study of purity tests for silicone resins]. *Kokuritsu Iyakuin Shokuhin Eisei Kenkyusho Hokoku*71-74.
- Sato, S; Zhang, XK. (2014). The Friend leukaemia virus integration 1 (Fli-1) transcription factor affects lupus nephritis development by regulating inflammatory cell infiltration into the kidney. *Clin Exp Immunol*. 177: 102-109. <http://dx.doi.org/10.1111/cei.12310>.
- Sato, T; Tamada, T; Watanabe, S; Nishimura, H; Kanki, A; Noda, Y; Higaki, A; Yamamoto, A; Ito, K. (2015). Tissue gadolinium deposition in hepatorenally impaired rats exposed to Gd-EOB-DTPA: evaluation with inductively coupled plasma mass spectrometry (ICP-MS). *Radiol Med*. 120: 557-562. <http://dx.doi.org/10.1007/s11547-014-0492-y>.
- Saun, NK; Narwal, SK; Dogra, P; Chauhan, GS; Gupta, R. (2014). Comparative study of free and immobilized lipase from *Bacillus aerius* and its application in synthesis of ethyl ferulate. *J Oleo Sci*. 63: 911-919.
- Savilov, PN. (2009). [Correction of glutamine metabolism impairments in the operated liver with chronic hepatitis by hyperbaric oxygen]. 55: 500-509.
- Sawada, S; Yamanaka, T; Yamatsu, K; Furihata, C; Matsushima, T. (1991). Chromosome aberrations, micronuclei and sister-chromatid exchanges (SCEs) in rat liver induced in vivo by hepatocarcinogens including heterocyclic amines. *Mutat Res*. 251: 59-69.
- Sayin, FK; Buyukbas, S; Basarali, MK; Alp, H; Toy, H; Ugurcu, V. (2016). Effects of *Silybum marianum* Extract on High-Fat Diet Induced Metabolic Disorders in Rats. *Polish Journal of Food and Nutrition Sciences*. 66: 43-49. <http://dx.doi.org/10.1515/pjfn-2015-0014>.
- Scaiewicz, V; Nahmias, A; Chung, RT; Mueller, T; Tirosh, B; Shibolet, O. (2013). CCAAT/enhancer-binding protein homologous (CHOP) protein promotes carcinogenesis in the DEN-induced hepatocellular carcinoma model. *PLoS ONE*. 8: e81065. <http://dx.doi.org/10.1371/journal.pone.0081065>.
- Scalley-Kim, ML; Hess, BW; Kelly, RL; Krostag, AR; Lustig, KH; Marken, JS; Owendale, PJ; Posey, AR; Smolak, PJ; Taylor, JD; Wood, CL; Bienvenue, DL; Probst, P; Salmon, RA; Allison, DS; Foy, TM; Raport, CJ. (2012). A novel highly potent therapeutic antibody neutralizes multiple human chemokines and mimics viral immune modulation. *PLoS ONE*. 7: e43332. <http://dx.doi.org/10.1371/journal.pone.0043332>.
- Schattenberg, JM; Nagel, M; Kim, YO; Kohl, T; Wörns, MA; Zimmermann, T; Schad, A; Longenrich, T; Schuppan, D; He, YW; Galle, PR; Schuchmann, M. (2012). Increased hepatic fibrosis and JNK2-dependent liver injury in mice exhibiting hepatocyte-specific deletion of cFLIP. *Am J Physiol Gastrointest Liver Physiol*. 303: G498-G506. <http://dx.doi.org/10.1152/ajpgi.00525.2011>.
- Schenk, L. (2010). Comparison of Data Used for Setting Occupational Exposure Limits. *Int J Occup Environ Health*. 16: 249-262.
- Scheving, LA; Zhang, X; Stevenson, MC; Threadgill, DW; Russell, WE. (2015). Loss of hepatocyte EGFR has no effect alone but exacerbates carbon tetrachloride-induced liver injury and impairs regeneration in hepatocyte Met-deficient mice. *Am J Physiol Gastrointest Liver Physiol*. 308: G364-G377. <http://dx.doi.org/10.1152/ajpgi.00364.2014>.
- Scheving, LA; Zhang, X; Stevenson, MC; Weintraub, MA; Abbasi, A; Clarke, AM; Threadgill, DW; Russell, WE. (2015). Loss of hepatocyte ERBB3 but not EGFR impairs hepatocarcinogenesis. *Am J Physiol Gastrointest Liver Physiol*. 309: G942-G954. <http://dx.doi.org/10.1152/ajpgi.00089.2015>.
- Scheving, LA; Zhang, X; Threadgill, DW; Russell, WE. (2016). Hepatocyte ERBB3 and EGFR are required for maximal CCl4-induced liver fibrosis. *Am J Physiol Gastrointest Liver Physiol*. 311: G807-G816. <http://dx.doi.org/10.1152/ajpgi.00423.2015>.
- Schiestl, RH; Gietz, RD; Mehta, RD; Hastings, PJ. (1989). Carcinogens induce intrachromosomal recombination in yeast. *Carcinogenesis*. 10: 1445-1455.
- Schiffmacher, EN; Becker, JG; Lorah, MM; Voytek, MA. (2016). The effects of co-contaminants and native wetland sediments on the activity and dominant transformation mechanisms of a 1,1,2,2-tetrachloroethane (TeCA)-degrading enrichment culture. *Chemosphere*. 147: 239-247. <http://dx.doi.org/10.1016/j.chemosphere.2015.12.033>.
- Schlecker, E; Stojanovic, A; Eisen, C; Quack, C; Falk, CS; Umansky, V; Cerwenka, A. (2012). Tumor-infiltrating monocytic myeloid-derived suppressor cells mediate CCR5-dependent recruitment of regulatory T cells favoring tumor growth. *J Immunol*. 189: 5602-5611. <http://dx.doi.org/10.4049/jimmunol.1201018>.
- Schliess, F; Hoehme, S; Henkel, SG; Ghallab, A; Driesch, D; Böttger, J; Guthke, R; Pfaff, M; Hengstler, JG; Gebhardt, R; Häussinger, D; Drasdo, D; Zellmer, S. (2014). Integrated metabolic spatial-temporal model for the prediction of ammonia detoxification during liver damage and regeneration. *Hepatology*. 60: 2040-2051. <http://dx.doi.org/10.1002/hep.27136>.
- Schneider, D; Hong, JY; Bowman, ER; Chung, Y; Nagarkar, DR; Mchenry, CL; Goldsmith, AM; Bentley, JK; Lewis, TC; Hershenson, MB. (2013). Macrophage/epithelial cell CCL2 contributes to rhinovirus-induced hyperresponsiveness and inflammation in a mouse model of allergic airways disease. *Am J Physiol Lung Cell Mol Physiol*. 304: L162-L169. <http://dx.doi.org/10.1152/ajplung.00182.2012>.

Human Health Hazard Literature Search Results

Off Topic

- Scholten, D; Osterreicher, CH; Scholten, A; Iwaisako, K; Gu, G; Brenner, DA; Kisseleva, T. (2010). Genetic labeling does not detect epithelial-to-mesenchymal transition of cholangiocytes in liver fibrosis in mice. *Gastroenterology*. 139: 987-998. <http://dx.doi.org/10.1053/j.gastro.2010.05.005>.
- Scholten, D; Trebicka, J; Liedtke, C; Weiskirchen, R. (2015). The carbon tetrachloride model in mice. *Lab Anim*. 49: 4-11. <http://dx.doi.org/10.1177/0023677215571192>.
- Schreibelt, G; Bol, KF; Westdorp, H; Wimmers, F; Aarntzen, EH; Duiveman-De Boer, T; van De Rakt, MW; Scharenborg, NM; de Boer, AJ; Pots, JM; Olde Nordkamp, MA; van Oorschot, TG; Tel, J; Winkels, G; Petry, K; Blokk, WA; van Rossum, MM; Welzen, ME; Mus, RD; Croockewit, SA; Koornstra, RH; Jacobs, JF; Kelderman, S; Blank, CU; Gerritsen, WR; Punt, CJ; Figdor, CG; de Vries, JJ. (2016). Effective Clinical Responses in Metastatic Melanoma Patients after Vaccination with Primary Myeloid Dendritic Cells. *Clin Cancer Res*. 22: 2155-2166. <http://dx.doi.org/10.1158/1078-0432.CCR-15-2205>.
- Schremmer, I; Brik, A; Weber, DG; Rosenkranz, N; Rostek, A; Loza, K; Brüning, T; Johnen, G; Epple, M; Bünger, J; Westphal, GA. (2016). Kinetics of chemotaxis, cytokine, and chemokine release of NR8383 macrophages after exposure to inflammatory and inert granular insoluble particles. *Toxicol Lett*. 263: 68-75. <http://dx.doi.org/10.1016/j.toxlet.2016.08.014>.
- Schumann, A; Bauer, A; Hermes, M; Gilbert, M; Hengstler, JG; Wilhelm, C. (2009). A rapid and easy to handle thermoluminescence based technique for evaluation of carbon tetrachloride-induced oxidative stress on rat hepatocytes. *Arch Toxicol*. 83: 709-720. <http://dx.doi.org/10.1007/s00204-009-0404-4>.
- Schwabl, P; Hambruch, E; Seeland, BA; Hayden, H; Wagner, M; Garnys, L; Strobel, B; Schubert, TL; Riedl, F; Mittereger, D; Burnet, M; Starlinger, P; Oberhuber, G; Deuschle, U; Rohr-Udilova, N; Podesser, BK; Peck-Radosavljevic, M; Reiberger, T; Kremoser, C; Trauner, M. (2016). The FXR agonist PX20606 ameliorates portal hypertension by targeting vascular remodelling and sinusoidal dysfunction. *J Hepatol*. <http://dx.doi.org/10.1016/j.jhep.2016.12.005>.
- Schwartz, JT; Bandyopadhyay, S; Kobayashi, SD; Mccracken, J; Whitney, AR; Deleo, FR; Allen, LA. (2013). Francisella tularensis alters human neutrophil gene expression: insights into the molecular basis of delayed neutrophil apoptosis. *Journal of Innate Immunity*. 5: 124-136. <http://dx.doi.org/10.1159/000342430>.
- Schwartzkopff, F; Petersen, F; Grimm, TA; Brandt, E. (2012). CXC chemokine ligand 4 (CXCL4) down-regulates CC chemokine receptor expression on human monocytes. *Innate Immun*. 18: 124-139. <http://dx.doi.org/10.1177/1753425910388833>.
- Schwen, L; Krauss, M; Niederal, C; Gremse, F; Kiessling, F; Schenk, A; Preusser, T; Kuepfer, L. (2014). Spatio-Temporal Simulation of First Pass Drug Perfusion in the Liver. *PLoS Comput Biol*. 10: e1003499. <http://dx.doi.org/10.1371/journal.pcbi.1003499>.
- Scott, GM; Chow, SS; Craig, ME; Pang, CN; Hall, B; Wilkins, MR; Jones, CA; Lloyd, AR; Rawlinson, WD. (2012). Cytomegalovirus infection during pregnancy with maternofetal transmission induces a proinflammatory cytokine bias in placenta and amniotic fluid. *J Infect Dis*. 205: 1305-1310. <http://dx.doi.org/10.1093/infdis/jis186>.
- Seawright, AA; Wilkie, IW; Costigan, P; Hrdlicka, J; Steele, DP. (1980). The effect of an equimolar mixture of carbon tetrachloride and carbon disulphide on the liver of the rat. *Biochem Pharmacol*. 29: 1007-1014.
- Seet, LF; Finger, SN; Chu, SW; Toh, LZ; Wong, TT. (2013). Novel insight into the inflammatory and cellular responses following experimental glaucoma surgery: a roadmap for inhibiting fibrosis. *Curr Mol Med*. 13: 911-928.
- Segawa, S; Goto, D; Yoshiga, Y; Sugihara, M; Hayashi, T; Chino, Y; Matsumoto, I; Ito, S; Sumida, T. (2010). Inhibition of transforming growth factor-beta signalling attenuates interleukin (IL)-18 plus IL-2-induced interstitial lung disease in mice. *Clin Exp Immunol*. 160: 394-402. <http://dx.doi.org/10.1111/j.1365-2249.2010.04094.x>.
- Segovia-Silvestre, T; Reichenbach, V; Fernández-Varo, G; Vassiliadis, E; Barascuk, N; Morales-Ruiz, M; Karsdal, MA; Jiménez, W. (2011). Circulating CO3-610, a degradation product of collagen III, closely reflects liver collagen and portal pressure in rats with fibrosis. *PLoS One*. 6: 19. <http://dx.doi.org/10.1186/1755-1536-4-19>.
- Seidler, A; Raum, E; Arabin, B; Hellenbrand, W; Walter, U; Schwartz, FW. (1999). Maternal occupational exposure to chemical substances and the risk of infants small-for-gestational-age. *Am J Ind Med*. 36: 213-222. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<213::AID-AJIM30>3.0.CO;2-A](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<213::AID-AJIM30>3.0.CO;2-A).
- Seidler, S; Zimmermann, HW; Bartneck, M; Trautwein, C; Tacke, F. (2010). Age-dependent alterations of monocyte subsets and monocyte-related chemokine pathways in healthy adults. *BMC Immunol*. 11: 30. <http://dx.doi.org/10.1186/1471-2172-11-30>.
- Seki, E. (2015). Project 5: Effect of Underlying Liver Diseases on Fibrosis Induced by Superfund T. *PLoS One*. 10: e0121111. <http://dx.doi.org/10.1371/journal.pone.0121111>.
- Sektioglu, IM; Carretero, R; Bulbuc, N; Bald, T; Tüting, T; Rudensky, AY; Hämmerling, GJ. (2017). Basophils Promote Tumor Rejection via Chemotaxis and Infiltration of CD8+ T Cells. *Cancer Res*. 77: 291-302. <http://dx.doi.org/10.1158/0008-5472.CAN-16-0993>.
- Selden, J. R.; Dolbeare, F; Miller, JE; Clair, JH; Mcgettigan, K; Dijohn, JA; Dysart, GA; Deluca, JG. (1994). Validation of a flow cytometric in vitro DNA repair (UDS) assay in rat hepatocytes. *Mutat Res*. 315: 147-167.
- Selmanoğlu, G; Karacaoğlu, E; Kiliç, A; Koçkaya, EA; Akay, MT. (2012). Toxicity of food contaminant furan on liver and kidney of growing male rats. *Environ Toxicol*. 27: 613-622. <http://dx.doi.org/10.1002/tox.20673>.
- Selmi, C; Leung, PS; Fischer, L; German, B; Yang, CY; Kenny, TP; Cysewski, GR; Gershwin, ME. (2011). The effects of Spirulina on anemia and immune function in senior citizens. *Cell Mol Immunol*. 8: 248-254. <http://dx.doi.org/10.1038/cmi.2010.76>.
- Selowa, SC; Shai, LJ; Masoko, P; Mokgotho, MP; Magano, SR. (2010). Antibacterial activity of extracts of three Croton species collected in Mpumalanga region in South Africa. *African Journal of Traditional, Complementary and Alternative Medicines*. 7: 98-103.
- Selvaraj, P; Harishankar, M; Singh, B; Banurekha, VV; Jawahar, MS. (2012). Effect of vitamin D3 on chemokine expression in pulmonary tuberculosis. *Cytokine*. 60: 212-219. <http://dx.doi.org/10.1016/j.cyto.2012.06.238>.
- Semenov, AV; Arsentieva, NA; Lubimova, NE; Tulienev, SV; Basina, VV; Esaulenko, EV; Totolyan, AA. (2015). [THE ROLE OF CYTOKINES AND CHEMOKINES IN LABORATORY DIAGNOSTIC OF CHRONIC VIRAL HEPATITIS C]. *Klin Lab Diagn*. 60: 45-51.

Human Health Hazard Literature Search Results

Off Topic

- Semenov, DE; Zhukova, NA; Bessergeneva, EP; Sorokina, IV; Baev, DS; Glukhov, BM; Nepomnyashchikh, GI; Tolstikova, TG. (2012). Effect of triterpene derivatives on the total hepatocyte count in the liver of rats with toxic hepatitis. *Bull Exp Biol Med.* 153: 858-861.
- Semenov, DE; Zhukova, NA; Ivanova, EP; Sorokina, IV; Baev, DS; Nepomnyashchikh, GI; Tolstikova, TG; Biryukova, MS. (2015). Hepatoprotective properties of betulonic acid amide and heptral in toxic liver injury induced by carbon tetrachloride in combination with ethanol. *Bull Exp Biol Med.* 158: 336-341. <http://dx.doi.org/10.1007/s10517-015-2756-5>.
- Semprini, L. (1995). In situ bioremediation of chlorinated solvents [Review]. *Environ Health Perspect.* 103: 101-105.
- Sen, S; Langiewicz, M; Jumaa, H; Webster, NJ. (2015). Deletion of serine/arginine-rich splicing factor 3 in hepatocytes predisposes to hepatocellular carcinoma in mice. *Hepatology.* 61: 171-183. <http://dx.doi.org/10.1002/hep.27380>.
- Sengupta, D; Chowdhury, KD; Sarkar, A; Paul, S; Sadhukhan, GC. (2014). Berberine and S allyl cysteine mediated amelioration of DEN+CCI4 induced hepatocarcinoma. *Biochim Biophys Acta.* 1840: 219-244. <http://dx.doi.org/10.1016/j.bbagen.2013.08.020>.
- Senthil, KA; Murugan, A. (2013). Antiulcer, wound healing and hepatoprotective activities of the seaweeds *Gracilaria crassa*, *Turbinaria ornata* and *Laurencia papillosa* from the southeast coast of India. *B J P S Brazilian Journal of Pharmaceutical Sciences.* 49: 669-678.
- Seo, JY; Lim, SS; Park, J; Lim, JS; Kim, HJ; Kang, HJ; Yoon Park, JH; Kim, JS. (2010). Protection by *Chrysanthemum zawadskii* extract from liver damage of mice caused by carbon tetrachloride is maybe mediated by modulation of QR activity. *Nutrition Research and Practice.* 4: 93-98. <http://dx.doi.org/10.4162/nrp.2010.4.2.93>.
- Seo, KW; Sohn, SY; Bhang, DH; Nam, MJ; Lee, HW; Youn, HY. (2014). Therapeutic effects of hepatocyte growth factor-overexpressing human umbilical cord blood-derived mesenchymal stem cells on liver fibrosis in rats. *Cell Biol Int.* 38: 106-116. <http://dx.doi.org/10.1002/cbin.10186>.
- Serebrov, VI, u; Kuz'menko, DI; Burov, PG; Sapugol'tseva, OB. (2010). [Activity of the sphingomyelin cycle enzymes and concentration of products of sphingomyelin degradation in the rat liver in the course of acute toxic hepatitis]. 56: 283-289.
- Sérgio, CA; Bertolini, TB; Gembre, AF; Prado, RQ; Bonato, VL. (2015). CD11c(+) CD103(+) cells of *Mycobacterium tuberculosis*-infected C57BL/6 but not of BALB/c mice induce a high frequency of interferon- γ - or interleukin-17-producing CD4(+) cells. *Immunology.* 144: 574-586. <http://dx.doi.org/10.1111/imm.12411>.
- Sethiya, NK; Shah, P; Rajpara, A; Nagar, PA; Mishra, SH. (2015). Antioxidant and hepatoprotective effects of mixed micellar lipid formulation of phyllanthin and piperine in carbon tetrachloride-induced liver injury in rodents. 6: 3593-3603. <http://dx.doi.org/10.1039/c5fo00947b>.
- Sevelsted Møller, L; Fialla, AD; Schierwagen, R; Biagini, M; Liedtke, C; Laleman, W; Klein, S; Reul, W; Koch Hansen, L; Rabjerg, M; Singh, V; Surra, J; Osada, J; Reinehr, R; de Muckadell, OB; Köhler, R; Trebicka, J. (2016). The calcium-activated potassium channel $KCa_{3.1}$ is an important modulator of hepatic injury. *Sci Rep.* 6: 28770. <http://dx.doi.org/10.1038/srep28770>.
- Sferra, R; Vetuschi, A; Catitti, V; Ammanniti, S; Pompili, S; Melideo, D; Frieri, G; Gaudio, E; Latella, G. (2012). *Boswellia serrata* and *Salvia miltiorrhiza* extracts reduce DMN-induced hepatic fibrosis in mice by TGF- β 1 downregulation. *Eur Rev Med Pharmacol Sci.* 16: 1484-1498.
- Shaarawy, SM; Tohamy, AA; Elgendy, SM; Elmageed, ZY; Bahnasy, A; Mohamed, MS; Kandil, E; Matrougui, K. (2009). Protective effects of garlic and silymarin on NDEA-induced rats hepatotoxicity. *Int J Biol Sci.* 5: 549-557.
- Shah, AS; Khan, RA; Ahmed, M; Muhammad, N. (2016). Hepatoprotective role of *Nicotiana glauca* against carbon tetrachloride-induced injuries. *Toxicol Ind Health.* 32: 292-298. <http://dx.doi.org/10.1177/0748233713498448>.
- Shah, B; Shah, G. (2012). Antifibrotic effect of heparin on liver fibrosis model in rats. 3: 86-92. <http://dx.doi.org/10.4292/wjgpt.v3.i6.86>.
- Shah, D; Wanchu, A; Bhatnagar, A. (2011). Interaction between oxidative stress and chemokines: possible pathogenic role in systemic lupus erythematosus and rheumatoid arthritis. *Immunobiology.* 216: 1010-1017. <http://dx.doi.org/10.1016/j.imbio.2011.04.001>.
- Shah, K; Verma, RJ. (2012). PROTECTION AGAINST BUTYL p-HYDROXYBENZOIC ACID INDUCED OXIDATIVE STRESS BY *OCIMUM SANCTUM* EXTRACT IN MICE LIVER. *Acta Pol Pharm.* 69: 865-870.
- Shahzad, M; Shabbir, A; Wojcikowski, K, en; Wohlmuth, H; Gobe, GC. (2016). The Antioxidant Effects of *Radix Astragal* (*Astragalus membranaceus* and Related Species) in Protecting Tissues from Injury and Disease. *Curr Drug Targets.* 17: 1331-1340. <http://dx.doi.org/10.2174/1389450116666150907104742>.
- Shamberger, RJ; Andreone, TL; Willis, CE. (1974). Antioxidants and cancer IV Initiating activity of malonaldehyde as a carcinogen. *J Natl Cancer Inst.* 53: 1771-1773.
- Shams, S; Mohsin, S; Nasir, GA; Khan, M; Khan, SN. (2015). Mesenchymal Stem Cells Pretreated with HGF and FGF4 Can Reduce Liver Fibrosis in Mice. *Stem Cells International.* 2015: 747245. <http://dx.doi.org/10.1155/2015/747245>.
- Shan, H; Kurtz, HD; Freedman, DL. (2010). Evaluation of strategies for anaerobic bioremediation of high concentrations of halomethanes. *Water Res.* 44: 1317-1328. <http://dx.doi.org/10.1016/j.watres.2009.10.035>.
- Shan, H; Wang, H; Yu, R; Jacob, P; Freedman, DL. (2014). Biodegradation of high concentrations of halomethanes by a fermentative enrichment culture. 4: 48. <http://dx.doi.org/10.1186/s13568-014-0048-5>.
- Shankar, K; Vaidya, VS; Apte, UM; Manautou, JE; Ronis, MJ; Bucci, TJ; Mehendale, HM. (2003). Type 1 diabetic mice are protected from acetaminophen hepatotoxicity. *Toxicol Sci.* 73: 220-234. <http://dx.doi.org/10.1093/toxsci/kfg059>.
- Shankar, K; Zhong, Y; Kang, P; Lau, F; Blackburn, ML; Chen, JR; Borengasser, SJ; Ronis, MJ; Badger, TM. (2011). Maternal obesity promotes a proinflammatory signature in rat uterus and blastocyst. *Endocrinology.* 152: 4158-4170. <http://dx.doi.org/10.1210/en.2010-1078>.
- Shankaranarayanan, JS; Kanwar, JR; Al-Juhaishi, AJ; Kanwar, RK. (2016). Doxorubicin Conjugated to Immunomodulatory Anticancer Lactoferrin Displays Improved Cytotoxicity Overcoming Prostate Cancer Chemo resistance and Inhibits Tumour Development in TRAMP Mice. *Sci Rep.* 6: 32062. <http://dx.doi.org/10.1038/srep32062>.
- Shanmukhappa, K; Matte, U; Degen, JL; Bezerra, JA. (2009). Plasmin-mediated proteolysis is required for hepatocyte growth factor activation during liver repair. *J Biol Chem.* 284: 12917-12923. <http://dx.doi.org/10.1074/jbc.M807313200>.

Human Health Hazard Literature Search Results

Off Topic

- Shao, H; Butler, EC. (2009). Influence of soil minerals on the rates and products of abiotic transformation of carbon tetrachloride in anaerobic soils and sediments. *Environ Sci Technol.* 43: 1896-1901. <http://dx.doi.org/10.1021/es8026727>.
- Sharma, A; Saxena, A; Singh, B. (2009). In-situ degradation of sulphur mustard using (1R)-(-)-(camphorylsulphonyl) oxaziridine impregnated adsorbents. *J Hazard Mater.* 172: 650-653. <http://dx.doi.org/10.1016/j.jhazmat.2009.07.046>.
- Sharma, J; Gairola, S; Gaur, RD; Painuli, RM. (2012). The treatment of jaundice with medicinal plants in indigenous communities of the Sub-Himalayan region of Uttarakhand, India. *J Ethnopharmacol.* 143: 262-291. <http://dx.doi.org/10.1016/j.jep.2012.06.034>.
- Sharma, P; Borah, DJ; Das, MR. (2014). Graphene oxide nanosheets at the water-organic solvent interface: utilization in one-pot adsorption and reactive extraction of dye molecules. *Chemphyschem.* 15: 4019-4025. <http://dx.doi.org/10.1002/cphc.201402554>.
- Sharma, P; Mohan, L; Srivastava, CN. (2009). *Amaranthus oleracea* and *Euphorbia hirta*: natural potential larvicidal agents against the urban Indian malaria vector, *Anopheles stephensi* Liston (Diptera: Culicidae). *Parasitol Res.* 106: 171-176. <http://dx.doi.org/10.1007/s00436-009-1644-1>.
- Sharma, S; Raghuvanshi, BP; Shukla, S. (2014). Toxic effects of lead exposure in rats: involvement of oxidative stress, genotoxic effect, and the beneficial role of N-acetylcysteine supplemented with selenium. 33: 19-32.
- Sharma, S; Rana, SV. (2013). Melatonin improves liver function in benzene-treated rats. *Arh Hig Rada Toksikol.* 64: 33-41. <http://dx.doi.org/10.2478/10004-1254-64-2013-2248>.
- Sharma, S; Sahu, AN. (2016). Development, Characterization, and Evaluation of Hepatoprotective Effect of *Abutilon indicum* and *Piper longum* Phytosomes. *Pharmacognosy Res.* 8: 29-36. <http://dx.doi.org/10.4103/0974-8490.171102>.
- Sharma, SK; Suman, SK; Vasudeva, N. (2012). Hepatoprotective activity of *Vitis vinifera* root extract against carbon tetrachloride-induced liver damage in rats. *Acta Pol Pharm.* 69: 933-937.
- Shearer, AM; Rana, R; Austin, K; Baleja, JD; Nguyen, N; Bohm, A; Covic, L; Kuliopulos, A. (2016). Targeting Liver Fibrosis with a Cell-penetrating Protease-activated Receptor-2 (PAR2) Peptidic. *J Biol Chem.* 291: 23188-23198. <http://dx.doi.org/10.1074/jbc.M116.732743>.
- Shen, B; Jin, S; Lv, Q; Jin, S; Yu, C; Yue, P; Han, J; Yuan, H. (2013). Enhanced intestinal absorption activity and hepatoprotective effect of herpertrione via preparation of nanosuspensions using pH-dependent dissolving-precipitating/homogenization process. *J Pharm Pharmacol.* 65: 1382-1392. <http://dx.doi.org/10.1111/jphp.12103>.
- Shen, C; Qian, Z; Chen, R; Meng, X; Hu, T; Chen, Z; Li, Y; Huang, C; Hu, C; Li, J. (2016). Single Dose Oral and Intravenous Pharmacokinetics and Tissue Distribution of a Novel Hesperetin Derivative MTBH in Rats. *European Journal of Drug Metabolism and Pharmacokinetics.* 41: 675-688. <http://dx.doi.org/10.1007/s13318-015-0293-2>.
- Shen, DZ; Tao, Q; Hu, YY; Liu, P. (2012). [Dynamic proteomic analysis of liver tissue in the carbon tetrachloride-induced liver fibrosis rat model]. *Zhonghua Gan Zang Bing Za Zhi.* 20: 664-670.
- Shen, M; Chen, K; Lu, J; Cheng, P; Xu, L; Dai, W; Wang, F; He, L; Zhang, Y; Chengfen, W; Li, J; Yang, J; Zhu, R; Zhang, H; Zheng, Y; Zhou, Y; Guo, C. (2014). Protective effect of astaxanthin on liver fibrosis through modulation of TGF- β 1 expression and autophagy. *Mediators Inflamm.* 2014: 954502. <http://dx.doi.org/10.1155/2014/954502>.
- Shen, Z; Liu, Y; Dewidar, B; Hu, J; Park, O; Feng, T; Xu, C; Yu, C; Li, Q; Meyer, C; Ilkavets, I; Müller, A; Stump-Guthier, C; Munker, S; Liebe, R; Zimmer, V; Lammert, F; Mertens, PR; Li, H; Ten Dijke, P; Augustin, HG; Li, J; Gao, B; Ebert, MP; Dooley, S; Li, Y; Weng, HL. (2016). Delta-Like Ligand 4 Modulates Liver Damage by Down-Regulating Chemokine Expression. *Am J Pathol.* 186: 1874-1889. <http://dx.doi.org/10.1016/j.ajpath.2016.03.010>.
- Sheng, RF; Wang, HQ; Yang, L; Jin, KP; Xie, YH; Chen, CZ; Zeng, MS. (2016). Diffusion kurtosis imaging and diffusion-weighted imaging in assessment of liver fibrosis stage and necroinflammatory activity. <http://dx.doi.org/10.1007/s00261-016-0984-4>.
- Sheng, RF; Wang, HQ; Yang, L; Jin, KP; Xie, YH; Fu, CX; Zeng, MS. (2017). Assessment of liver fibrosis using T1 mapping on Gd-EOB-DTPA-enhanced magnetic resonance. *Dig Liver Dis.* <http://dx.doi.org/10.1016/j.dld.2017.02.006>.
- Sheppard, D. (2015). Epithelial-mesenchymal interactions in fibrosis and repair. Transforming growth factor- β activation by epithelial cells and fibroblasts [Review]. 12 Suppl 1: S21-S23. <http://dx.doi.org/10.1513/AnnalsATS.201406-245MG>.
- Sheu, F; Chien, PJ; Hsieh, KY; Chin, KL; Huang, WT; Tsao, CY; Chen, YF; Cheng, HC; Chang, HH. (2009). Purification, cloning, and functional characterization of a novel immunomodulatory protein from *Antrodia camphorata* (bitter mushroom) that exhibits TLR2-dependent NF- κ B activation and M1 polarization within murine macrophages. *J Agric Food Chem.* 57: 4130-4141. <http://dx.doi.org/10.1021/jf900469a>.
- Shi, B; Liu, W; Wei, SP; Wu, WJ. (2010). Chemical composition, antibacterial and antioxidant activity of the essential oil of *Bupleurum longiradiatum*. *Natural Product Communications.* 5: 1139-1142.
- Shi, H; Han, W; Shi, H; Ren, F; Chen, D; Chen, Y; Duan, Z. (2017). Augmenter of liver regeneration protects against carbon tetrachloride-induced liver injury by promoting autophagy in mice. *Onct.* <http://dx.doi.org/10.18632/oncotarget.14478>.
- Shi, H; Lv, L; Cao, H; Lu, H; Zhou, N; Yang, J; Jiang, H; Dong, H; Hu, X; Yu, W; Jiang, X; Zheng, B; Li, L. (2017). Bacterial translocation aggravates CCl₄-induced liver cirrhosis by regulating CD4(+) T cells in rats. *Sci Rep.* 7: 40516. <http://dx.doi.org/10.1038/srep40516>.
- Shi, J; Lu, L; Guo, W; Zhang, J; Cao, Y. (2013). Heat insulation performance, mechanics and hydrophobic modification of cellulose-SiO₂ composite aerogels. *Carbohydr Polymer.* 98: 282-289. <http://dx.doi.org/10.1016/j.carbpol.2013.05.082>.
- Shi, JH; Fan, CH. (2012). FT-IR study on interactions between medroxyprogesterone acetate and solvent in CHCl₃/cyclo-C₆H₁₂ and CCl₄/cyclo-C₆H₁₂ binary solvent systems. *Spectrochim Acta A Mol Biomol Spectrosc.* 95: 230-234. <http://dx.doi.org/10.1016/j.saa.2012.05.002>.
- Shi, LL; Liu, FP; Wang, DW. (2011). Transplantation of human umbilical cord blood mesenchymal stem cells improves survival rates in a rat model of acute hepatic necrosis. *Am J Med Sci.* 342: 212-217. <http://dx.doi.org/10.1097/MAJ.0b013e3182112b90>.

Human Health Hazard Literature Search Results

Off Topic

- Shi, Q; Song, X; Fu, J; Su, C; Xia, X; Song, E; Song, Y. (2015). Artificial sweetener neohesperidin dihydrochalcone showed antioxidative, anti-inflammatory and anti-apoptosis effects against paraquat-induced liver injury in mice. *Int Immunopharmacol.* 29: 722-729. <http://dx.doi.org/10.1016/j.intimp.2015.09.003>.
- Shi, S; Zhang, Z; Zhu, Z; Zhang, M, in. (2011). Protective effect of apple polyphenols on hepatocytes injury induced by carbon tetrachloride in vitro. *Journal of Medicinal Plant Research.* 5: 885-889.
- Shikata, T; Sugimoto, N. (2012). Dimeric molecular association of dimethyl sulfoxide in solutions of nonpolar liquids. *J Phys Chem A.* 116: 990-999. <http://dx.doi.org/10.1021/jp210122y>.
- Shimizu, Y; Isoda, K; Tezuka, E; Yufu, T; Nagai, Y; Ishida, I; Tezuka, M. (2012). Influence of 50-nm polystyrene particles in inducing cytotoxicity in mice co-injected with carbon tetrachloride, cisplatin, or paraquat. *Pharmazie.* 67: 712-714.
- Shin, EC; Park, SH; Demino, M; Nascimbeni, M; Mihalik, K; Major, M; Veerapu, NS; Heller, T; Feinstone, SM; Rice, CM; Rehmann, B. (2011). Delayed induction, not impaired recruitment, of specific CD8⁺ T cells causes the late onset of acute hepatitis C. *Gastroenterology.* 141: 686-695. <http://dx.doi.org/10.1053/j.gastro.2011.05.006>.
- Shin, HS; Lim, HH. (2017). Identification and determination of disinfection byproducts in chlorine-containing household cleansing products. *Chemosphere.* 174: 157-164. <http://dx.doi.org/10.1016/j.chemosphere.2017.01.090>.
- Shin, JJ; Strle, K; Glickstein, LJ; Luster, AD; Steere, AC. (2010). *Borrelia burgdorferi* stimulation of chemokine secretion by cells of monocyte lineage in patients with Lyme arthritis. *Arthritis Res Ther.* 12: R168. <http://dx.doi.org/10.1186/ar3128>.
- Shin, MK; Shin, SW; Jung, M; Park, H; Park, HE; Yoo, HS. (2015). Host gene expression for *Mycobacterium avium* subsp. *paratuberculosis* infection in human THP-1 macrophages. 73. <http://dx.doi.org/10.1093/femspd/ftv031>.
- Shin, S; Kang, H; Kim, J; Kang, H. (2014). Phase Transitions of Amorphous Solid Acetone in Confined Geometry Investigated by Reflection Absorption Infrared Spectroscopy. *J Phys Chem B.* 118: 13349-13356. <http://dx.doi.org/10.1021/jp503997t>.
- Shokoufi, N; Hamdamali, A. (2010). Laser induced-thermal lens spectrometry in combination with dispersive liquid-liquid microextraction for trace analysis. *Anal Chim Acta.* 681: 56-62. <http://dx.doi.org/10.1016/j.aca.2010.09.021>.
- Shrestha, LK; Yamauchi, Y; Hill, JP; Miyazawa, K; Ariga, K. (2013). Fullerene crystals with bimodal pore architectures consisting of macropores and mesopores. *J Am Chem Soc.* 135: 586-589. <http://dx.doi.org/10.1021/ja3108752>.
- Shtroblia, AL; Fira, LS; Likhatskiĭ, PG; Pyla, VP; Vashkeba, EM; Medvid', II. (2013). [Studying of hepatoprotective properties of dry extract from apricot leaves on the model of liver lesion by tetrachloromethane]. *Vestn Ross Akad Med Nauk*68-72.
- Shultz, MJ; Vu, TH; Meyer, B; Bisson, P. (2012). Water: a responsive small molecule. *Acc Chem Res.* 45: 15-22. <http://dx.doi.org/10.1021/ar200064z>.
- Sikder, MA; Kaiser, MA; Parvez, MM; Hossian, AKM, N; Akhter, F; Rashid, MA. (2011). Preliminary Antimicrobial Activity and Cytotoxicity of Leaf Extracts of *Mesua nagassarium* (Burm.f.). 10: 83-87.
- Siler, AR; Brindza, MR; Walker, RA. (2009). Hydrogen-bonding molecular ruler surfactants as probes of specific solvation at liquid/liquid interfaces. *Anal Bioanal Chem.* 395: 1063-1073. <http://dx.doi.org/10.1007/s00216-009-2957-8>.
- Simeonova, RL; Vitcheva, VB; Kondeva-Burdina, MS; Krasteva, IN; Nikolov, SD; Mitcheva, MK. (2010). Effect of purified saponin mixture from *Astragalus corniculatus* on enzyme- and non-enzyme-induced lipid peroxidation in liver microsomes from spontaneously hypertensive rats and normotensive rats. *Phytomedicine.* 17: 346-349. <http://dx.doi.org/10.1016/j.phymed.2009.08.013>.
- Simmon, VF; Kauhanen, K; Tardiff, RG. (1977). Mutagenic activity of chemicals identified in drinking water. In *Second International Conference on Environmental Mutagens*, Edinburgh, Scotland July 11-15, 1977. New York, NY: Elsevier/North Holland Press.
- Simmon, VF; Tardiff, RG. (1978). Water Chlorination: Environmental Impact and Health Effects The mutagenic activity of halogenated compounds found in chlorinated drinking water. Ann Arbor, MI: Lewis Publishers Inc.
- Simonova, MI; Borets'ka, NI; Kamins'ka, MV; Nechaĭ, HI; Kolisnyk, HV; Vlizlo, VV. (2010). [Effect of beta-carotene and carotene producing yeast *Phaffia rhodozyma* on oxidative stress in rats treated with tetrachloromethane]. 82: 61-67.
- Sina, JF; Bean, CL; Dysart, GR; Taylor, VI; Bradley, MO. (1983). Evaluation of the alkaline elution/rat hepatocyte assay as a predictor of carcinogenic/mutagenic potential. *Mutat Res Environ Mutagen Relat Subj.* 113: 357-391. [http://dx.doi.org/10.1016/0165-1161\(83\)90228-5](http://dx.doi.org/10.1016/0165-1161(83)90228-5).
- Singh, B; Chitra, J; Selvaraj, P. (2014). CCL2, CCL3 and CCL4 gene polymorphisms in pulmonary tuberculosis patients of South India. *Int J Immunogenet.* 41: 98-104. <http://dx.doi.org/10.1111/iji.12085>.
- Singh, K; Al-Greene, NT; Verriere, TG; Coburn, LA; Asim, M; Barry, DP; Allaman, MM; Hardbower, DM; Delgado, AG; Piazuolo, MB; Vallance, BA; Gobert, AP; Wilson, KT. (2016). The L-Arginine Transporter Solute Carrier Family 7 Member 2 Mediates the Immunopathogenesis of Attaching and Effacing Bacteria. *PLoS Pathog.* 12: e1005984. <http://dx.doi.org/10.1371/journal.ppat.1005984>.
- Singh, N; Khan, IM; Ahmad, A. (2010). Spectrophotometric and spectroscopic studies of charge transfer complexes of p-toluidine as an electron donor with picric acid as an electron acceptor in different solvents. *Spectrochim Acta A Mol Biomol Spectrosc.* 75: 1347-1353. <http://dx.doi.org/10.1016/j.saa.2009.12.085>.
- Singh, R; Teichert, F; Verschoyle, RD; Kaur, B; Vives, M; Sharma, RA; Steward, WP; Gescher, AJ; Farmer, PB. (2009). Simultaneous determination of 8-oxo-2'-deoxyguanosine and 8-oxo-2'-deoxyadenosine in DNA using online column-switching liquid chromatography/tandem mass spectrometry. *Rapid Commun Mass Spectrom.* 23: 151-160. <http://dx.doi.org/10.1002/rcm.3866>.
- Singh, SK; Yadav, RP; Singh, A. (2010). Piscicidal activity of leaf and bark extract of *Thevetia peruviana* plant and their biochemical stress response on fish metabolism. *Eur Rev Med Pharmacol Sci.* 14: 915-923.
- Sisay, Z; Berhe, N; Petros, B; Tegbaru, B; Messele, T; Hailu, A; Wolday, D. (2011). Serum chemokine profiles in visceral leishmaniasis, HIV and HIV/visceral leishmaniasis co-infected Ethiopian patients. *Ethiop Med J.* 49: 179-186.

Human Health Hazard Literature Search Results

Off Topic

- Sivina, M; Hartmann, E; Krupnik, D; Lapushin, R; Keating, M; Kipps, TJ; Rosenwald, A; Wierda, WG; Burger, J, anA. (2009). CCL3 and CCL4 Plasma Levels Correlate with Established Prognostic Markers in Chronic Lymphocytic Leukemia: Towards a Simple, ELISA-Based Assay for Risk Assessment. *Blood*. 114: 151-151.
- Sivina, M; Kreitman, RJ; Arons, E; Ravandi, F; Burger, JA. (2014). The bruton tyrosine kinase inhibitor ibrutinib (PCI-32765) blocks hairy cell leukaemia survival, proliferation and B cell receptor signalling: a new therapeutic approach. *Br J Haematol*. 166: 177-188. <http://dx.doi.org/10.1111/bjh.12867>.
- Sivina, M; Werner, L; Rassenti, L; Ferrajoli, A; Wierda, WG; Keating, MJ; O'Brien, S; Neuberger, D; Kipps, T; Burger, JA. (2016). Dynamic changes in CCL3 and CCL4 plasma concentrations in patients with chronic lymphocytic leukaemia managed with observation [Letter]. *Br J Haematol*. <http://dx.doi.org/10.1111/bjh.14398>.
- Sivina, M; Werner, L; Rassenti, L; Wierda, WG; Keating, MJ; O'Brien, S; Neuberger, D; Kipps, TJ; Burger, J, anA. (2014). Dynamics Changes in CCL3 and CCL4 Plasma Chemokine Levels in Patients with Chronic Lymphocytic Leukemia (CLL) Managed with Observation. *Blood*. 124.
- Siwetz, M; Blaschitz, A; El-Heliebi, A; Hiden, U; Desoye, G; Huppertz, B; Gauster, M. (2016). TNF- α alters the inflammatory secretion profile of human first trimester placenta. *Lab Invest*. 96: 428-438. <http://dx.doi.org/10.1038/labinvest.2015.159>.
- Sizonenko, ML; Briukhin, GV. (2014). [Characteristics of the spermatogenic epithelium in the testis of newborn rats--the offspring of female rats with chronic liver injury of various genesis]. *Morfologija*. 145: 42-45.
- Sjögren, YM; Tomicic, S; Lundberg, A; Böttcher, MF; Björkstén, B; Sverremark-Ekström, E; Jenmalm, MC. (2009). Influence of early gut microbiota on the maturation of childhood mucosal and systemic immune responses. *Clin Exp Allergy*. 39: 1842-1851. <http://dx.doi.org/10.1111/j.1365-2222.2009.03326.x>.
- Slater, TF. (1981). Free radicals as reactive intermediates in tissue injury. *Adv Exp Med Biol*. 136: 575-589.
- Slawinska, A; Hsieh, JC; Schmidt, CJ; Lamont, SJ. (2016). Heat Stress and Lipopolysaccharide Stimulation of Chicken Macrophage-Like Cell Line Activates Expression of Distinct Sets of Genes. *PLoS ONE*. 11: e0164575. <http://dx.doi.org/10.1371/journal.pone.0164575>.
- Śliwińska-Bartkowiak, M; Drozdowski, H; Kempański, M; Jazdzewska, M; Long, Y; Palmer, JC; Gubbins, KE. (2012). Structural analysis of water and carbon tetrachloride adsorbed in activated carbon fibres. *Phys Chem Chem Phys*. 14: 7145-7153. <http://dx.doi.org/10.1039/c2cp22111j>.
- Smith, A; Gelfand, A. (1992). Bayesian statistics without tears: A sampling-resampling perspective. *Am Stat*. 46: 84-89.
- Smol'iakova, VI; Plotnikov, MB; Chernysheva, GA; Ivanov, IS; Prosenko, AE; Kandalintseva, NV. (2010). [Hemorheological effects of thiophane on tetrachloromethane induced hepatic damage]. *Eksp Klin Farmakol*. 73: 32-34.
- Smol'iakova, VI; Plotnikov, MB; Chernysheva, GA; Ivanov, IS; Prosenko, AE; Kandalintseva, NV. (2011). [Hepatoprotective effect of thiophane in rats with experimental carbon tetrachloride-induced hepatitis]. *Eksp Klin Farmakol*. 74: 37-40.
- Snawder, JE; Lipscomb, JC. (2000). Interindividual variance of cytochrome P450 forms in human hepatic microsomes: correlation of individual forms with xenobiotic metabolism and implications in risk assessment. *Regul Toxicol Pharmacol*. 32: 200-209. <http://dx.doi.org/10.1006/rtp.2000.1424>.
- Sobrevals, L; Enguita, M; Quiroga, J; Prieto, J; Fortes, P. (2016). Insulin-Like Growth Factor I (IGF-I) Expressed from an AAV1 Vector Leads to a Complete Reversion of Liver Cirrhosis in Rats. *PLoS ONE*. 11: e0162955. <http://dx.doi.org/10.1371/journal.pone.0162955>.
- Sobrevals, L; Enguita, M; Rodriguez, C; Gonzalez-Rojas, J; Alzaguren, P; Razquin, N; Prieto, J; Fortes, P. (2012). AAV vectors transduce hepatocytes in vivo as efficiently in cirrhotic as in healthy rat livers. *PLoS ONE*. 19: 411-417. <http://dx.doi.org/10.1038/gt.2011.119>.
- Sokar, SS; El-Sayad, ME; Ghoneim, ME; Shebl, AM. (2017). Combination of Sitagliptin and Silymarin ameliorates liver fibrosis induced by carbon tetrachloride in rats. *Biomed Pharmacother*. 89: 98-107. <http://dx.doi.org/10.1016/j.biopha.2017.02.010>.
- Soler, DC; McCormick, TS. (2016). Expanding the List of Dysregulated Immunosuppressive Cells in Psoriasis. *J Invest Dermatol*. 136: 1749-1751. <http://dx.doi.org/10.1016/j.jid.2016.04.029>.
- Soliman, AM. (2011). Extract of *Coelatura aegyptiaca*, a freshwater clam, ameliorates hepatic oxidative stress induced by monosodium glutamate in rats. *Food Chem Toxicol*. 5: 398-408.
- Soliman, AM; Abu-El-Zahab, HS; Alswiai, GA. (2013). Efficacy evaluation of the protein isolated from *Peganum harmala* seeds as an antioxidant in liver of rats. *Asian Pacific Journal of Tropical Medicine*. 6: 285-295. [http://dx.doi.org/10.1016/S1995-7645\(13\)60058-9](http://dx.doi.org/10.1016/S1995-7645(13)60058-9).
- Solomon, E; Borrow, J; Goddard, AD. (1991). Chromosome aberrations and cancer [Review]. *Science*. 254: 1153-1160.
- Son, KR; Chung, SY; Kim, HC; Kim, HS; Choi, SH; Lee, JM; Moon, WK. (2010). MRI of magnetically labeled mesenchymal stem cells in hepatic failure model. *World J Gastroenterol*. 16: 5611-5615.
- Son, MH; Jung, MY; Choi, S; Cho, D; Kim, TS. (2014). IL-32 γ induces chemotaxis of activated T cells via dendritic cell-derived CCL5. *Biochem Biophys Res Commun*. 450: 30-35. <http://dx.doi.org/10.1016/j.bbrc.2014.05.052>.
- Song, BJ. (2009). Alcohol Metabolism, Functional Consequence and Apoptosis Signaling Mechanism.
- Song, BJ. (2014). Alcohol Metabolism, Functional Consequences and Apoptosis Signaling Mechanism.
- Song, G; Zhu, C; Hu, Y; Chen, J; Cheng, H. (2013). Determination of organic pollutants in coking wastewater by dispersive liquid-liquid microextraction/GC/MS. *J Sep Sci*. 36: 1644-1651. <http://dx.doi.org/10.1002/jssc.201201151>.
- Song, M; Jin, J; Lim, JE; Kou, J; Pattanayak, A; Rehman, JA; Kim, HD; Tahara, K; Lalonde, R; Fukuchi, K. (2011). TLR4 mutation reduces microglial activation, increases A β deposits and exacerbates cognitive deficits in a mouse model of Alzheimer's disease. *J Neuroinflammation*. 8: 92. <http://dx.doi.org/10.1186/1742-2094-8-92>.
- Song, M; Yi, X; Chen, W; Yuan, Y; Zhang, X; Li, J; Tong, M; Liu, G; You, S; Kong, X. (2011). Augmenter of liver regeneration (ALR) gene therapy attenuates CCl₄-induced liver injury and fibrosis in rats. *Biochem Biophys Res Commun*. 415: 152-156. <http://dx.doi.org/10.1016/j.bbrc.2011.10.039>.

Human Health Hazard Literature Search Results

Off Topic

- Song, M; Zhou, Z; Chen, T; Zhang, J; McClain, CJ. (2011). Copper deficiency exacerbates bile duct ligation-induced liver injury and fibrosis in rats. *J Pharmacol Exp Ther.* 339: 298-306. <http://dx.doi.org/10.1124/jpet.111.184325>.
- Song, W; Qi, X; Zhang, W; Zhao, Y; Cao, Y; Wang, F; Yang, C. (2015). Abnormal Expression of Urea Transporter Protein in a Rat Model of Hepatorenal Syndrome Induced by Succinylated Gelatin. *Med Sci Monit.* 21: 2905-2911. <http://dx.doi.org/10.12659/MSM.894232>.
- Song, YN; Zhang, GB; Lu, YY; Chen, QL; Yang, L; Wang, ZT; Liu, P; Su, SB. (2016). Huangqi decoction alleviates dimethylnitrosamine-induced liver fibrosis: An analysis of bile acids metabolic mechanism. *J Ethnopharmacol.* 189: 148-156. <http://dx.doi.org/10.1016/j.jep.2016.05.040>.
- Songhet, P; Barthel, M; Röhn, TA; Van Maele, L; Cayet, D; Sirard, JC; Bachmann, M; Kopf, M; Hardt, WD. (2010). IL-17A/F-signaling does not contribute to the initial phase of mucosal inflammation triggered by *S. Typhimurium*. *PLoS ONE.* 5: e13804. <http://dx.doi.org/10.1371/journal.pone.0013804>.
- Sonmez, E; Turkez, H; Aydin, E; Ozgeris, FB; Oztetik, E; Kerli, S; Cacciatore, I; Di Stefano, A. (2015). Hepatic effects of yttrium oxide nanoflowers: in vitro risk evaluation. *Toxicol Environ Chem.* 97: 599-608. <http://dx.doi.org/10.1080/02772248.2015.1050025>.
- Sorsa, M; Wilbourn, J; Vainio, H. (1992). Human cytogenetic damage as a predictor of cancer risk [Review]. In H Vainio; P Magee; DB McGregor; AJ McMichael (Eds.), *IARC Sci Publ* (pp. 543-554). Lyon, France: International Agency for Research on Cancer.
- Soylak, M; Unsal, YE. (2012). Dispersive liquid-liquid microextraction of cadmium(II) for preconcentration prior to flame atomic absorption spectrometric detection in water. *Toxicol Environ Chem.* 94: 1480. <http://dx.doi.org/10.1080/02772248.2012.717625>.
- Spadaro, F; Cecchetti, S; Purificato, C; Sabbatucci, M; Podo, F; Ramoni, C; Gessani, S; Fantuzzi, L. (2013). Nuclear phosphoinositide-specific phospholipase C β 1 controls cytoplasmic CCL2 mRNA levels in HIV-1 gp120-stimulated primary human macrophages. *PLoS ONE.* 8: e59705. <http://dx.doi.org/10.1371/journal.pone.0059705>.
- Spangenberg, A; Piedras Perez, JA; Patra, A; Piard, J; Brosseau, A; Metivier, R; Nakatani, K. (2010). Probing photochromic properties by correlation of UV-visible and infra-red absorption spectroscopy: a case study with cis-1,2-dicyano-1,2-bis(2,4,5-trimethyl-3-thienyl)ethene. *Photochem Photobiol Sci.* 9: 188-193. <http://dx.doi.org/10.1039/b9pp00133f>.
- Spassova, MA; Miller, DJ; Eastmond, DA; Nikolova, NS; Vulimiri, SV; Caldwell, J; Chen, C; White, PD. (2013). Dose-response analysis of bromate-induced DNA damage and mutagenicity is consistent with low-dose linear, nonthreshold processes. *Environ Mol Mutagen.* 54: 19-35. <http://dx.doi.org/10.1002/em.21737>.
- Spears, M; Mcsharry, C; Chaudhuri, R; Weir, CJ; de Wet, C; Thomson, NC. (2013). Smoking in Asthma Is Associated with Elevated Levels of Corticosteroid Resistant Sputum Cytokines-An Exploratory Study. *PLoS ONE.* 8: e71460. <http://dx.doi.org/10.1371/journal.pone.0071460>.
- Spengler, JR; Haddock, E; Gardner, D; Hjelle, B; Feldmann, H; Prescott, J. (2013). Experimental Andes virus infection in deer mice: characteristics of infection and clearance in a heterologous rodent host. *PLoS ONE.* 8: e55310. <http://dx.doi.org/10.1371/journal.pone.0055310>.
- Spiegelhalter, D; Thomas, A; Best, N; Lunn, D. (2003). *WinBugs version 1.4 user manual*. Cambridge, UK: MRC Biostatistics Unit. <http://www.mrc-bsu.cam.ac.uk/bugs/winbugs/manual14.pdf>.
- Spirtas, R; Stewart, PA; Lee, JS; Marano, DE; Forbes, CD; Grauman, DJ; Pettigrew, HM; Blair, A; Hoover, RN; Cohen, JL. (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility: I. Epidemiological results. *Br J Ind Med.* 48: 515-530. <http://dx.doi.org/10.1136/oem.48.8.515>.
- Sprygin, VG; Kushnerova, NF; Fomenko, SE; Sizova, LA; Momot, TV. (2013). The hepatoprotective properties of an extract from the brown alga *Saccharina japonica*. *Russian Journal of Marine Biology.* 39: 65-69. <http://dx.doi.org/10.1134/S1063074013010100>.
- Srivastava, A; Sengupta, J; Kriplani, A; Roy, KK; Ghosh, D. (2013). Profiles of cytokines secreted by isolated human endometrial cells under the influence of chorionic gonadotropin during the window of embryo implantation. *Reprod Biol Endocrinol.* 11: 116. <http://dx.doi.org/10.1186/1477-7827-11-116>.
- Stacey, NH; Klaassen, CD. (1981). Inhibition of lipid peroxidation without prevention of cellular injury in isolated rat hepatocytes. *Toxicol Appl Pharmacol.* 58: 8-18.
- Staels, B; Rubenstrunk, A; Noel, B; Rigou, G; Delataille, P; Millatt, LJ; Baron, M; Lucas, A; Tailleux, A; Hum, DW; Ratzu, V; Cariou, B; Hanf, R. (2013). Hepatoprotective effects of the dual peroxisome proliferator-activated receptor α/δ agonist, GFT505, in rodent models of nonalcoholic fatty liver disease/nonalcoholic steatohepatitis. *Hepatology.* 58: 1941-1952. <http://dx.doi.org/10.1002/hep.26461>.
- Standage, SW; Wong, HR. (2011). Biomarkers for pediatric sepsis and septic shock [Review]. *Expert Rev Anti Infect Ther.* 9: 71-79. <http://dx.doi.org/10.1586/ERI.10.154>.
- Stanley, LA. (1995). Molecular aspects of chemical carcinogenesis: the roles of oncogenes and tumour suppressor genes [Review]. *Toxicology.* 96: 173-194.
- Stefanovic, L; Stefanovic, B. (2012). Role of cytokine receptor-like factor 1 in hepatic stellate cells and fibrosis. *World Journal of Hepatology.* 4: 356-364. <http://dx.doi.org/10.4254/wjh.v4.i12.356>.
- Stewart, BW. (1981). Generation and persistence of carcinogen-induced repair intermediates in rat liver DNA in vivo. *Cancer Res.* 41: 3228-3243.
- Stewart, RD; Dodd, HC; Erley, DS; Holder, BB. (1965). Diagnosis of solvent poisoning. *JAMA.* 193: 1097-1100.
- Stilgenbauer, S; Mertens, D. (2011). Toward chemotherapy-free treatment of CLL [Comment]. *Blood.* 118: 3451-3452. <http://dx.doi.org/10.1182/blood-2011-08-367748>.
- Stock, MK; Hammerich, L; Do O, NT; Berres, ML; Alsamman, M; Heinrichs, D; Nellen, A; Trautwein, C; Tacke, F; Wasmuth, HE; Sahin, H. (2013). Met-CCL5 modifies monocyte subpopulations during liver fibrosis regression. *Int J Clin Exp Pathol.* 6: 678-685.
- Storey, AG; Birch, NP; Fan, V; Smith, HK. (2016). Stress responses to short-term intensified and reduced training in competitive weightlifters. *Scand J Med Sci Sports.* 26: 29-40. <http://dx.doi.org/10.1111/sms.12400>.
- Stoyanov, ES. (2016). The salts of chloronium ions R-Cl(+)-R (R = CH₃ or CH₂Cl): formation, thermal stability, and interaction with chloromethanes. *Phys Chem Chem Phys.* 18: 12896-12904. <http://dx.doi.org/10.1039/c6cp00946h>.

Human Health Hazard Literature Search Results

Off Topic

- Strand, SE. (2009). Project 5: Phytoremediation of Pollutants Using Transgenic Plants.
- Strand, SE. (2010). Project 5: Phytoremediation of Pollutants Using Transgenic Plants.
- Strand, SE. (2011). Project 5: Phytoremediation of Pollutants Using Transgenic Plants.
- Strand, SE. (2012). Project 5: Phytoremediation of Pollutants Using Transgenic Plants.
- Strand, SE. (2013). Project 5: Phytoremediation of Pollutants Using Transgenic Plants.
- Strand, SE. (2014). Project 5: Phytoremediation of Pollutants Using Transgenic Plants.
- Strle, K; Drouin, EE; Shen, S; El Khoury, J; Mchugh, G; Ruzic-Sabljic, E; Strle, F; Steere, AC. (2009). *Borrelia burgdorferi* stimulates macrophages to secrete higher levels of cytokines and chemokines than *Borrelia afzelii* or *Borrelia garinii*. *J Infect Dis.* 200: 1936-1943. <http://dx.doi.org/10.1086/648091>.
- Strle, K; Jones, KL; Drouin, EE; Li, X; Steere, AC. (2011). *Borrelia burgdorferi* RST1 (OspC type A) genotype is associated with greater inflammation and more severe Lyme disease. *Am J Pathol.* 178: 2726-2739. <http://dx.doi.org/10.1016/j.ajpath.2011.02.018>.
- Struijs, J; van Dijk, A; Slaper, H; van Wijnen, HJ; Velders, GJ; Chaplin, G; Huijbregts, MA. (2010). Spatial- and time-explicit human damage modeling of ozone depleting substances in life cycle impact assessment. *Environ Sci Technol.* 44: 204-209. <http://dx.doi.org/10.1021/es9017865>.
- Su, FC; Mukherjee, B; Batterman, S. (2013). Determinants of personal, indoor and outdoor VOC concentrations: An analysis of the RIOPA data. *Environ Res.* 126: 192-203. <http://dx.doi.org/10.1016/j.envres.2013.08.005>.
- Su, GL; Fontana, RJ; Jinjuvadia, K; Bayliss, J; Wang, SC. (2012). Lipopolysaccharide binding protein is down-regulated during acute liver failure. *Dig Dis Sci.* 57: 918-924. <http://dx.doi.org/10.1007/s10620-012-2046-2>.
- Su, J; You, P; Li, WL; Tao, XR; Zhu, HY; Yao, YC; Yu, HY; Han, QW; Yu, B; Liu, FX; Xu, J; Lau, JT; Hu, YP. (2010). The existence of multipotent stem cells with epithelial-mesenchymal transition features in the human liver bud. *42: 2047-2055.* <http://dx.doi.org/10.1016/j.biocel.2010.09.009>.
- Su, S; Zhao, Q; He, C; Huang, D; Liu, J; Chen, F; Chen, J; Liao, JY; Cui, X; Zeng, Y; Yao, H; Su, F; Liu, Q; Jiang, S; Song, E. (2015). miR-142-5p and miR-130a-3p are regulated by IL-4 and IL-13 and control profibrogenic macrophage program. *Nature Communications.* 6: 8523. <http://dx.doi.org/10.1038/ncomms9523>.
- Su, T; Bondar, T; Zhou, X; Zhang, C; He, H; Medzhitov, R. (2015). Two-signal requirement for growth-promoting function of Yap in hepatocytes. *Elife.* 4. <http://dx.doi.org/10.7554/eLife.02948>.
- Su, Y; Pan, H; Guo, Z; Zhou, W; Zhang, B. (2014). Bacterial Translocation and Endotoxemia After Pringle Maneuver in Cirrhotic Rats. *Dig Dis Sci.* 60: 414-419. <http://dx.doi.org/10.1007/s10620-014-3381-2>.
- Su, Z; Li, P; Wu, B; Ma, H; Wang, Y; Liu, G; Zeng, H; Li, Z; Wei, X. (2014). PHBVHx scaffolds loaded with umbilical cord-derived mesenchymal stem cells or hepatocyte-like cells differentiated from these cells for liver tissue engineering. *Mater Sci Eng C.* 45: 374-382. <http://dx.doi.org/10.1016/j.msec.2014.09.022>.
- Suarez-Castillo, OR; Melendez-Rodriguez, M; Beiza-Granados, L; Cano-Escudero, IC; Morales-Rios, MS; Joseph-Nathan, P. (2011). C-6 Regioselective Bromination of Methyl Indolyl-3-acetate. *Natural Product Communications.* 6: 451-456.
- Subash, KR; Ramesh, KS; Charian, BV; Britto, F; Rao, NJ; Vijaykumar, S. (2011). Study of Hepatoprotective Activity of *Solanum nigrum* and *Cichorium intybus*. *International Journal of Pharmacology.* 7: 504-509. <http://dx.doi.org/10.3923/ijp.2011.504.509>.
- Subedi, NK; Rahman, SM; Akbar, MA. (2016). Analgesic and Antipyretic Activities of Methanol Extract and Its Fraction from the Root of *Schoenoplectus grossus*. *eCAM.* 2016: 3820704. <http://dx.doi.org/10.1155/2016/3820704>.
- Subramanian, H; Gupta, K; Guo, Q; Price, R; Ali, H. (2011). Mas-related gene X2 (MrgX2) is a novel G protein-coupled receptor for the antimicrobial peptide LL-37 in human mast cells: resistance to receptor phosphorylation, desensitization, and internalization. *J Biol Chem.* 286: 44739-44749. <http://dx.doi.org/10.1074/jbc.M111.277152>.
- Suganthi, G; Sivakolunthu, S; Ramakrishnan, V. (2010). Solvatochromic and preferential solvation studies on schiff base 1,4-bis(((2-methylthio)phenylimino)methyl) benzene in binary liquid mixtures. *J Fluoresc.* 20: 1181-1189. <http://dx.doi.org/10.1007/s10895-010-0666-5>.
- Suh, JH; Shenvi, SV; Dixon, BM; Liu, H; Jaiswal, AK; Liu, RM; Hagen, TM. (2004). Decline in transcriptional activity of Nrf2 causes age-related loss of glutathione synthesis, which is reversible with lipoic acid. *Proc Natl Acad Sci USA.* 101: 3381-3386. <http://dx.doi.org/10.1073/pnas.0400282101>.
- Suh, YG; Kim, JK; Byun, JS; Yi, HS; Lee, YS; Eun, HS; Kim, SY; Han, KH; Lee, KS; Duester, G; Friedman, SL; Jeong, WI. (2012). CD11b(+) Gr1(+) bone marrow cells ameliorate liver fibrosis by producing interleukin-10 in mice. *Hepatology.* 56: 1902-1912. <http://dx.doi.org/10.1002/hep.25817>.
- Sultan, RA; Kabir, MS; Uddin, MM; Uddin, M; Mahmud, ZA; Raihan, SZ; Qais, N. (2017). Ethnopharmacological investigation of the aerial part of *Phragmites karka* (Poaceae). *J Basic Clin Physiol Pharmacol.* <http://dx.doi.org/10.1515/jbcpp-2016-0066>.
- Sumalatha, S; Pai, KS; Kumar, N; Bhat, KM. (2014). Hepatoprotective Role of *Caesalpinia bonduc*: A Histopathological and Biochemical Study. 8: HF05-HF07. <http://dx.doi.org/10.7860/JCDR/2014/9459.5116>.
- Sumida, Y; Niki, E; Naito, Y; Yoshikawa, T. (2013). Involvement of free radicals and oxidative stress in NAFLD/NASH [Review]. *Free Radic Res.* 47: 869-880. <http://dx.doi.org/10.3109/10715762.2013.837577>.
- Sun, H; Che, QM; Zhao, X; Pu, XP. (2010). Antifibrotic effects of chronic baicalein administration in a CCl4 liver fibrosis model in rats. *Eur J Pharmacol.* 631: 53-60. <http://dx.doi.org/10.1016/j.ejphar.2010.01.002>.
- Sun, H; Chen, L; Zhou, W; Hu, L; Li, L; Tu, Q; Chang, Y; Liu, Q; Sun, X; Wu, M; Wang, H. (2011). The protective role of hydrogen-rich saline in experimental liver injury in mice. *J Hepatol.* 54: 471-480. <http://dx.doi.org/10.1016/j.jhep.2010.08.011>.

Human Health Hazard Literature Search Results

Off Topic

- Sun, H; Lou, J; Liu, X; Shi, H; Ren, F; Duan, Z. (2015). [The protective effect of augments of liver regeneration on mice with acute liver injury by up-regulating the expression levels of regulatory T cells]. *Xi Bao Yu Fen Zi Mian Yi Xue Za Zhi*. 31: 1-5.
- Sun, J; He, H; Liu, S. (2014). Determination of phthalic acid esters in Chinese white spirit using dispersive liquid-liquid microextraction coupled with sweeping β -cyclodextrin-modified micellar electrokinetic chromatography. *J Sep Sci*. 37: 1679-1686. <http://dx.doi.org/10.1002/jssc.201400118>.
- Sun, L; Yang, J; Wang, M; Zhang, H; Liu, Y; Ren, X; Qi, A. (2015). Combination of counterpropagation artificial neural networks and antioxidant activities for comprehensive evaluation of associated-extraction efficiency of various cyclodextrins in the traditional Chinese formula Xue-Zhi-Ning. *J Pharm Biomed Anal*. 115: 580-586. <http://dx.doi.org/10.1016/j.jpba.2015.08.006>.
- Sun, MY; Wang, L; Mu, YP; Liu, C; Bian, YQ; Wang, XN; Liu, P. (2011). [Effects of Chinese herbal medicine Yinchenhao Decoction on expressions of apoptosis-related genes in dimethylnitrosamine- or carbon tetrachloride-induced liver cirrhosis in rats]. *Zhong Xi Yi Jie He Xue Bao*. 9: 423-434.
- Sun, X, u; Zhang, X; Hu, H, ui; Lu, Y; Chen, J, ie; Yasuda, K; Wang, H. (2009). Berberine Inhibits Hepatic Stellate Cell Proliferation and Prevents Experimental Liver Fibrosis. *Biol Pharm Bull*. 32: 1533-1537.
- Sun, Y; Chen, J; He, AQ; Huang, K; Yu, L; Liu, CG; Wei, YJ; Zhai, YJ; Xu, YZ; Wu, JG. (2010). [Preliminary investigation on the formation mechanism of CCL4-water-cetyl trimethyl ammonium bromide (CTAB) gel]. *Guang Pu Xue Yu Guang Pu Fen Xi*. 30: 2706-2709.
- Sun, Y; Dong, Y; Wu, J; Han, Y. (2009). [Protective mechanism of complex vitamin B and GSH on fatty liver]. *Wei Sheng Yan Jiu*. 38: 413-416.
- Sun, Y; Yang, X; Lu, X; Wang, D; Zhao, Y. (2013). Protective effects of Keemun black tea polysaccharides on acute carbon tetrachloride-caused oxidative hepatotoxicity in mice. *Food Chem Toxicol*. 58: 184-192. <http://dx.doi.org/10.1016/j.fct.2013.04.034>.
- Sun, ZL; Gao, GL; Xia, YF; Feng, J; Qiao, ZY. (2011). A new hepatoprotective saponin from Semen *Celosia cristatae*. *Fitoterapia*. 82: 591-594. <http://dx.doi.org/10.1016/j.fitote.2011.01.007>.
- Sun, ZL; Wang, Y; Guo, ML; Li, YX. (2010). Two new hepatoprotective saponins from Semen *celosiae*. *Fitoterapia*. 81: 375-380. <http://dx.doi.org/10.1016/j.fitote.2009.11.004>.
- Sundararaman, R; Schwarz, KA; Letchworth-Weaver, K; Arias, TA. (2015). Spicing up continuum solvation models with SaLSA: the spherically averaged liquid susceptibility ansatz. *J Chem Phys*. 142: 054102. <http://dx.doi.org/10.1063/1.4906828>.
- Sung, W; Kim, D. (2016). Observation of isolated ionic liquid cations and water molecules in an inert solvent. *Phys Chem Chem Phys*. 18: 27529-27535. <http://dx.doi.org/10.1039/c6cp05292d>.
- Sunil, C; Duraipandian, V; Ignacimuthu, S; Al-Dhabi, NA. (2013). Antioxidant, free radical scavenging and liver protective effects of friedelin isolated from *Azima tetracantha* Lam. leaves. *Food Chem*. 139: 860-865. <http://dx.doi.org/10.1016/j.foodchem.2012.12.041>.
- Sunil, C; Ignacimuthu, S. (2011). In vitro and in vivo antioxidant activity of *Symplocos cochinchinensis* S. Moore leaves containing phenolic compounds. *Food Chem Toxicol*. 49: 1604-1609. <http://dx.doi.org/10.1016/j.fct.2011.04.010>.
- Sunilson, JAJ; Muthappan, M; Das, A; Suraj, R; Varatharajan, R; Promwichit, P. (2009). Hepatoprotective Activity of *Coccinia grandis* Leaves Against Carbon Tetrachloride Induced Hepatic Injury in Rats. *International Journal of Pharmacology*. 5: 222-227.
- SUNY. (2015). Degradation of TAIC by water falling film dielectric barrier discharge - Influence of radical scavengers. *J Hazard Mater*. 287: 317-324. <http://dx.doi.org/10.1016/j.jhazmat.2015.02.003>.
- Sur, S; Pal, D; Banerjee, K; Mandal, S; Das, A; Roy, A; Panda, CK. (2016). Amarogentin regulates self renewal pathways to restrict liver carcinogenesis in experimental mouse model. *Mol Carcinog*. 55: 1138-1149. <http://dx.doi.org/10.1002/mc.22356>.
- Sur, S; Pal, D; Mandal, S; Roy, A; Panda, CK. (2016). Tea polyphenols epigallocatechin gallate and theaflavin restrict mouse liver carcinogenesis through modulation of self-renewal Wnt and hedgehog pathways. *J Nutr Biochem*. 27: 32-42. <http://dx.doi.org/10.1016/j.jnutbio.2015.08.016>.
- Suresh, KSV; Mishra, SH. (2009). Hepatoprotective activity of *Baliospermum montanum* (willd) Muell.-Arg. in rats treated with carbon tetrachloride: In vivo and in vitro studies. *Pharmacognosy Magazine*. 5: 196-202.
- Susarla, R; Liu, L; Walker, EA; Bujalska, IJ; Alsalem, J; Williams, GP; Sreekantam, S; Taylor, AE; Tallouzi, M; Southworth, HS; Murray, PI; Wallace, GR; Rauz, S. (2014). Cortisol biosynthesis in the human ocular surface innate immune response. *PLoS ONE*. 9: e94913. <http://dx.doi.org/10.1371/journal.pone.0094913>.
- Sutherland, JS; Mendy, J; Gindeh, A; Walzl, G; Togun, T; Owolabi, O; Donkor, S; Ota, MO; Kon Fat, ET; Ottenhoff, TH; Geluk, A; Corstjens, PL. (2016). Use of lateral flow assays to determine IP-10 and CCL4 levels in pleural effusions and whole blood for TB diagnosis. *PLoS ONE*. 11: e0158111. <http://dx.doi.org/10.1016/j.tube.2015.10.011>.
- Suviolahti, E; Ge, S; Nast, CC; Mirocha, J; Karasyov, A; White, M; Jordan, SC; Toyoda, M. (2015). Genes associated with antibody-dependent cell activation are overexpressed in renal biopsies from patients with antibody-mediated rejection. *Transpl Immunol*. 32: 9-17. <http://dx.doi.org/10.1016/j.trim.2014.11.215>.
- Suzek, H; Celik, I; Dogan, A; Yildirim, S. (2016). Protective effect and antioxidant role of sweetgum (*Liquidambar orientalis*) oil against carbon tetrachloride-induced hepatotoxicity and oxidative stress in rats. *Pharmaceutical Biology*. 54: 451-457. <http://dx.doi.org/10.3109/13880209.2015.1045086>.
- Suzuki, M; Jagger, AL; Konya, C; Shimojima, Y; Pryshchep, S; Goronzy, JJ; Weyand, CM. (2012). CD8+CD45RA+CCR7+FOXP3+ T cells with immunosuppressive properties: a novel subset of inducible human regulatory T cells. *J Immunol*. 189: 2118-2130. <http://dx.doi.org/10.4049/jimmunol.1200122>.
- Suzuki, T; Fukuoka, H; Ushikoshi, S; Sato, R; Morita, H; Takizawa, T. (2015). Protective effect of aqueous extracts from *Rhizopus oryzae* on liver injury induced by carbon tetrachloride in rats. *PLoS ONE*. 10: e012328. <http://dx.doi.org/10.1111/asj.12328>.
- Svensson, J; Jenmalm, MC; Matussek, A; Geffers, R; Berg, G; Ernerudh, J. (2011). Macrophages at the fetal-maternal interface express markers of alternative activation and are induced by M-CSF and IL-10. *J Immunol*. 187: 3671-3682. <http://dx.doi.org/10.4049/jimmunol.1100130>.

Human Health Hazard Literature Search Results

Off Topic

- Svobodová, H; Nonappa, H; Wimmer, Z; Kolehmainen, E. (2011). Design, synthesis and stimuli responsive gelation of novel stigmasterol-amino acid conjugates. *J Colloid Interface Sci.* 361: 587-593. <http://dx.doi.org/10.1016/j.jcis.2011.05.084>.
- Swiergiel, J; Jadzyn, J; Bouteiller, L. (2010). Molecular dynamics and entropy effects in hydrogen-bonded supramolecular polymer N,N'-di(2-methyl-2-pentylheptyl)urea dissolved in nonpolar medium. *J Phys Chem B.* 114: 737-741. <http://dx.doi.org/10.1021/jp909094x>.
- Swindle, EJ; Brown, JM; Rådinger, M; Deleo, FR; Metcalfe, DD. (2015). Interferon- γ enhances both the anti-bacterial and the pro-inflammatory response of human mast cells to *Staphylococcus aureus*. *Immunology.* 146: 470-485. <http://dx.doi.org/10.1111/imm.12524>.
- Syed, SN; Rizvi, W; Kumar, A; Khan, AA; Moin, S; Ahsan, A. (2014). In vitro antioxidant and in vivo hepatoprotective activity of leave extract of *Raphanus sativus* in rats using CCL4 model. *African Journal of Traditional, Complementary and Alternative Medicines.* 11: 102-106.
- Syeda, S; Patel, AK; Lee, T; Hackam, AS. (2015). Reduced photoreceptor death and improved retinal function during retinal degeneration in mice lacking innate immunity adaptor protein MyD88. *Exp Neurol.* 267: 1-12. <http://dx.doi.org/10.1016/j.expneurol.2015.02.027>.
- Szeto, YT; Wong, SC; Wong, JW; Kalle, W; Pak, SC. (2011). In vitro antioxidation activity and genoprotective effect of selected Chinese medicinal herbs. *Am J Chin Med.* 39: 827-838. <http://dx.doi.org/10.1142/S0192415X11009238>.
- Szodoray, P; Alex, P; Knowlton, N; Centola, M; Dozmorov, I; Csipo, I; Nagy, AT; Constantin, T; Ponyi, A; Nakken, B; Danko, K. (2010). Idiopathic inflammatory myopathies, signified by distinctive peripheral cytokines, chemokines and the TNF family members B-cell activating factor and a proliferation inducing ligand. *Rheumatology.* 49: 1867-1877. <http://dx.doi.org/10.1093/rheumatology/keq151>.
- Tabarani, CM; Bonville, CA; Suryadevara, M; Branigan, P; Wang, D; Huang, D; Rosenberg, HF; Domachowske, JB. (2013). Novel inflammatory markers, clinical risk factors and virus type associated with severe respiratory syncytial virus infection. *Pediatr Infect Dis J.* 32: e437-e442. <http://dx.doi.org/10.1097/INF.0b013e3182a14407>.
- Tabet, E; Genet, V; Tiaho, F; Lucas-Clerc, C; Gelu-Simeon, M; Piquet-Pellorce, C; Samson, M. (2016). Chlordecone potentiates hepatic fibrosis in chronic liver injury induced by carbon tetrachloride in mice. *Toxicol Lett.* 255: 1-10. <http://dx.doi.org/10.1016/j.toxlet.2016.02.005>.
- Tabish, AM; Poels, K; Hoet, P; Godderis, L. (2012). Epigenetic factors in cancer risk: effect of chemical carcinogens on global DNA methylation pattern in human TK6 cells. *PLoS ONE.* 7: e34674. <http://dx.doi.org/10.1371/journal.pone.0034674>.
- Taguchi, K; Miyasato, M; Ujihira, H; Watanabe, H; Kadowaki, D; Sakai, H; Tsuchida, E; Horinouchi, H; Kobayashi, K; Maruyama, T; Otagiri, M. (2010). Hepatically-metabolized and -excreted artificial oxygen carrier, hemoglobin vesicles, can be safely used under conditions of hepatic impairment. *Toxicol Appl Pharmacol.* 248: 234-241. <http://dx.doi.org/10.1016/j.taap.2010.08.006>.
- Taguchi, K; Miyasato, M; Watanabe, H; Sakai, H; Tsuchida, E; Horinouchi, H; Kobayashi, K; Maruyama, T; Otagiri, M. (2011). Alteration in the pharmacokinetics of hemoglobin-vesicles in a rat model of chronic liver cirrhosis is associated with Kupffer cell phagocyte activity. *J Pharm Sci.* 100: 775-783. <http://dx.doi.org/10.1002/jps.22286>.
- Tahir, I; Khan, MR; Shah, NA; Aftab, M. (2016). Evaluation of phytochemicals, antioxidant activity and amelioration of pulmonary fibrosis with *Phyllanthus emblica* leaves. *BMC Complement Altern Med.* 16: 406. <http://dx.doi.org/10.1186/s12906-016-1387-3>.
- Tai, S; Cheng, JY; Ishii, H; Shimono, K; Zangiocomi, V; Satoh, T; Hosono, T; Suzuki, E; Yamaguchi, K; Maruyama, K. (2016). Effects of beta-tricalcium phosphate particles on primary cultured murine dendritic cells and macrophages. *Int Immunopharmacol.* 40: 419-427. <http://dx.doi.org/10.1016/j.intimp.2016.09.021>.
- Taj, D; Khan, H; Sultana, V; Ara, J; Ehteshamul-Haque, S. (2014). Antihepatotoxic effect of golden berry (*Physalis peruviana* Linn.) in carbon tetrachloride (CCL4) intoxicated rats. *Pak J Pharm Sci.* 27: 491-494.
- Takahashi, K; Sivina, M; Hoellenriegel, J; Oki, Y; Hagemester, FB; Fayad, L; Romaguera, JE; Fowler, N; Fanale, MA; Kwak, LW; Samaniego, F; Neelapu, S; Xiao, L; Huang, X; Kantarjian, H; Keating, MJ; Wierda, W; Fu, K; Chan, WC; Vose, JM; O'Brien, S; Davis, RE; Burger, JA. (2015). CCL3 and CCL4 are biomarkers for B cell receptor pathway activation and prognostic serum markers in diffuse large B cell lymphoma. *Br J Haematol.* 171: 726-735. <http://dx.doi.org/10.1111/bjh.13659>.
- Takahashi, K; Sivina, M; Oki, Y; Fayad, LE; Neelapu, SS; Kwak, LW; Xiao, L; Huang, X; Fu, K; Chan, WC; Vose, JM; Kantarjian, HM; Keating, M; Burger, J, anA. (2012). Serum CCL3 and CCL4 Levels Function As Novel Prognostic Markers in Diffuse Large B Cell Lymphoma. *Blood.* 120.
- Takahashi, M; Satake, N; Yamashita, H; Tamura, A; Sasaki, M; Matsui-Yuasa, I; Tabuchi, M; Akahoshi, Y; Terada, M; Kojima-Yuasa, A. (2012). Ecklonia cava polyphenol protects the liver against ethanol-induced injury in rats. *Biochim Biophys Acta.* 1820: 978-988. <http://dx.doi.org/10.1016/j.bbagen.2012.02.008>.
- Takahashi, T; Kim, M; Saito, T; Lee, J; Hwang, G, iW; Naganuma, A. (2013). Brain-specific induction of secretoglobin 3A1 expression in mice treated with methylmercury [Letter]. *J Toxicol Sci.* 38: 963-965.
- Takami, T; Terai, S; Sakaida, I. (2011). Novel findings for the development of drug therapy for various liver diseases: Current state and future prospects for our liver regeneration therapy using autologous bone marrow cells for decompensated liver cirrhosis patients [Review]. *J Pharmacol Sci.* 115: 274-278.
- Takami, T; Terai, S; Sakaida, I. (2012). Advanced therapies using autologous bone marrow cells for chronic liver disease [Review]. *Discov Med.* 14: 7-12.
- Takemoto, S; Yamamoto, A; Tomonaga, S; Funaba, M; Matsui, T. (2013). Magnesium deficiency induces the emergence of mast cells in the liver of rats. *J Nutr Sci Vitaminol.* 59: 560-563.
- Takeuchi, K; Ichinohe, M; Sekiguchi, A. (2011). Access to a stable Si2N2 four-membered ring with non-Kekulé singlet biradical character from a disilyne. *J Am Chem Soc.* 133: 12478-12481. <http://dx.doi.org/10.1021/ja2059846>.
- Takiguchi, N; Takahashi, Y; Nishikawa, M; Matsui, Y; Fukuhara, Y; Oushiki, D; Kiyose, K; Hanaoka, K; Nagano, T; Takakura, Y. (2011). Positive correlation between the generation of reactive oxygen species and activation/reactivation of transgene expression after hydrodynamic injections into mice. *Pharm Res.* 28: 702-711. <http://dx.doi.org/10.1007/s11095-010-0331-3>.

Human Health Hazard Literature Search Results

Off Topic

- Talbot, NC; Sparks, WO; Powell, AM; Kahl, S; Caperna, TJ. (2012). Quantitative and semiquantitative immunoassay of growth factors and cytokines in the conditioned medium of STO and CF-1 mouse feeder cells. *In Vitro Cellular and Developmental Biology*. 48: 1-11. <http://dx.doi.org/10.1007/s11626-011-9467-7>.
- Talebianpoor, MS; Khodadoust, S; Rozbehi, A; Akbartabar Toori, M; Zoladl, M; Ghaedi, M; Mohammadi, R; Hosseinzadeh, AS. (2014). Application of optimized dispersive liquid-liquid microextraction for determination of melatonin by HPLC-UV in plasma samples. *J Chromatogr B Analyt Technol Biomed Life Sci*. 960: 1-7. <http://dx.doi.org/10.1016/j.jchromb.2014.04.013>.
- Talu, MF; Gül, M; Alpaslan, N; Yiğitcan, B. (2013). Calculation of melatonin and resveratrol effects on steatosis hepatis using soft computing methods. *Comput Methods Programs Biomed*. 111: 498-506. <http://dx.doi.org/10.1016/j.cmpb.2013.04.020>.
- Talwar, S; Jagani, HV; Nayak, PG; Kumar, N; Kishore, A; Bansal, P; Shenoy, RR; Nandakumar, K. (2013). Toxicological evaluation of Terminalia paniculata bark extract and its protective effect against CCl4-induced liver injury in rodents. *BMC Complement Altern Med*. 13: 127. <http://dx.doi.org/10.1186/1472-6882-13-127>.
- Tan, CY; Lai, RC; Wong, W; Dan, YY; Lim, SK; Ho, HK. (2014). Mesenchymal stem cell-derived exosomes promote hepatic regeneration in drug-induced liver injury models. 5: 76. <http://dx.doi.org/10.1186/scrt465>.
- Tan, G; Pan, S; Li, J; Dong, X; Kang, K; Zhao, M; Jiang, X; Kanwar, JR; Qiao, H; Jiang, H; Sun, X. (2011). Hydrogen sulfide attenuates carbon tetrachloride-induced hepatotoxicity, liver cirrhosis and portal hypertension in rats. *PLoS ONE*. 6: e25943. <http://dx.doi.org/10.1371/journal.pone.0025943>.
- Tan, H; He, Q; Li, R; Lei, F; Lei, X. (2016). Trillin Reduces Liver Chronic Inflammation and Fibrosis in Carbon Tetrachloride (CCl4) Induced Liver Injury in Mice. *Immunol Invest*. 45: 371-382. <http://dx.doi.org/10.3109/08820139.2015.1137935>.
- Tan, L; Dai, T; Liu, D; Chen, Z; Wu, L; Gao, L; Wang, Y; Shi, C. (2016). Contribution of dermal-derived mesenchymal cells during liver repair in two different experimental models. *Sci Rep*. 6: 25314. <http://dx.doi.org/10.1038/srep25314>.
- Tan, Z; Su, ZY; Wu, RR; Gu, B; Liu, YK; Zhao, XL; Zhang, M. (2011). Immunomodulative effects of mesenchymal stem cells derived from human embryonic stem cells in vivo and in vitro. *J Zhejiang Univ Sci B*. 12: 18-27. <http://dx.doi.org/10.1631/jzus.B1000074>.
- Tanahashi, N; Shikami, J; Yoneda, M; Ishida, T. (2011). Effects of manual acupuncture at GB34 on carbon tetrachloride-induced acute liver injury in rats. *Journal of Acupuncture and Meridian Studies*. 4: 214-219. <http://dx.doi.org/10.1016/j.jams.2011.09.012>.
- Tanaka, E. (1998). In vivo age-related changes in hepatic drug-oxidizing capacity in humans [Review]. *Clin Pharmacol Ther*. 23: 247-255.
- Tanaka, M; Iwakiri, Y. (2016). The Hepatic Lymphatic Vascular System: Structure, Function, Markers, and Lymphangiogenesis [Review]. 2: 733-749. <http://dx.doi.org/10.1016/j.jcmgh.2016.09.002>.
- Tanaka, N; Kono, H; Ishii, K; Hosomura, N; Fujii, H. (2009). Dietary olive oil prevents carbon tetrachloride-induced hepatic fibrosis in mice. *J Gastroenterol*. 44: 983-990. <http://dx.doi.org/10.1007/s00535-009-0088-9>.
- Tanaka, Y; Aleksunes, LM; Cui, YJ; Klaassen, CD. (2009). ANIT-induced intrahepatic cholestasis alters hepatobiliary transporter expression via Nrf2-dependent and independent signaling. *Toxicol Sci*. 108: 247-257. <http://dx.doi.org/10.1093/toxsci/kfp020>.
- Tang, A; Chen, X; Lu, Q; Zheng, N; Wei, Y; Wu, X. (2014). Antihepatotoxic effect of tadehaginoside, extracted from Tadehagi triquetrum (L.), against CCl4-lesioned rats through activating the Nrf2 signaling pathway and attenuating the inflammatory response. *Inflammation*. 37: 1006-1014. <http://dx.doi.org/10.1007/s10753-014-9821-5>.
- Tang, C; Gu, G; Wang, B; Deng, X; Zhu, X; Qian, H; Huang, W. (2014). Design, synthesis, and biological evaluation of andrographolide derivatives as potent hepatoprotective agents. *Chem Biol Drug Des*. 83: 324-333. <http://dx.doi.org/10.1111/cbdd.12246>.
- Tang, C; Gu, G; Yang, B; Wang, X; Qian, H; ai; Huang, W; Zhu, X; Li, J. (2014). Synthesis and In Vivo Hepatoprotective Activity of Some Novel Andrographolide Derivatives. *Letters in Drug Design & Discovery*. 11: 677-685.
- Tang, D; Hu, S; Dai, F; Yi, R; Gordin, ML; Chen, S; Song, J; Wang, D. (2016). Self-Templated Synthesis of Mesoporous Carbon from Carbon Tetrachloride Precursor for Supercapacitor Electrodes. 8: 6779-6783. <http://dx.doi.org/10.1021/acsami.5b12164>.
- Tang, D; Wang, F; Tang, J; Mao, A; Liao, S; Wang, Q. (2017). Dicranostiga leptopodu (Maxim.) Fedde extracts attenuated CCl4-induced acute liver damage in mice through increasing anti-oxidative enzyme activity to improve mitochondrial function. *Biomed Pharmacother*. 85: 763-771. <http://dx.doi.org/10.1016/j.biopha.2016.11.097>.
- Tang, K-T; Chiu, S-W; Chang, M-F; Hsieh, C-C; Shyu, J-M. (2011). A low-power electronic nose signal-processing chip for a portable artificial olfaction system. *IEEE Transactions on Biomedical Circuits and Systems*. 5: 380-390. <http://dx.doi.org/10.1109/TBCAS.2011.2116786>.
- Tang, LX; He, RH; Yang, G; Tan, JJ; Zhou, L; Meng, XM; Huang, XR; Lan, HY. (2012). Asiatic acid inhibits liver fibrosis by blocking TGF-beta/Smad signaling in vivo and in vitro. *PLoS ONE*. 7: e31350. <http://dx.doi.org/10.1371/journal.pone.0031350>.
- Tang, MK; Liu, G; Hou, Z; Chui, YL; Chan, JY; Lee, KK. (2009). Livers overexpressing BRE transgene are under heightened state of stress-response, as revealed by comparative proteomics. *Proteomics - Clinical Applications*. 3: 1362-1370. <http://dx.doi.org/10.1002/prca.200900097>.
- Tang, W; Wang, W; Zhang, Y; Liu, S; Liu, Y; Zheng, D. (2009). Tumour necrosis factor-related apoptosis-inducing ligand (TRAIL)-induced chemokine release in both TRAIL-resistant and TRAIL-sensitive cells via nuclear factor kappa B. *FEBS J*. 276: 581-593. <http://dx.doi.org/10.1111/j.1742-4658.2008.06809.x>.
- Tang, WP; Akahoshi, T; Piao, JS; Narahara, S; Murata, M; Kawano, T; Hamano, N; Ikeda, T; Hashizume, M. (2015). Basic fibroblast growth factor-treated adipose tissue-derived mesenchymal stem cell infusion to ameliorate liver cirrhosis via paracrine hepatocyte growth factor. *J Gastroenterol Hepatol*. 30: 1065-1074. <http://dx.doi.org/10.1111/jgh.12893>.
- Tang, X; Yang, J; Li, J. (2009). Accelerative effect of leflunomide on recovery from hepatic fibrosis involves TRAIL-mediated hepatic stellate cell apoptosis. *Life Sci*. 84: 552-557.
- Tang, X; Yang, J; Li, J, un. (2009). Sensitization of Human Hepatic Stellate Cells to Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand-Induced Apoptosis by Leflunomide. *Biol Pharm Bull*. 32: 963-967.

Human Health Hazard Literature Search Results

Off Topic

- Tang, Y; Hu, C; Liu, Y. (2013). Effect of bioactive peptide of *Carapax Trionycis* on TGF- β 1-induced intracellular events in hepatic stellate cells. *J Ethnopharmacol.* 148: 69-73. <http://dx.doi.org/10.1016/j.jep.2013.03.067>.
- Tanimoto, H; Terai, S; Taro, T; Murata, Y; Fujisawa, K; Yamamoto, N; Sakaida, I. (2013). Improvement of liver fibrosis by infusion of cultured cells derived from human bone marrow. *Cell Tissue Res.* 354: 717-728. <http://dx.doi.org/10.1007/s00441-013-1727-2>.
- Tao, LL; Cheng, YY; Ding, D; Mei, S; Xu, JW; Yu, J; Ou-Yang, Q; Deng, L; Chen, Q; Li, QQ; Xu, ZD; Liu, XP. (2012). C/EBP- α ameliorates CCl₄-induced liver fibrosis in mice through promoting apoptosis of hepatic stellate cells with little apoptotic effect on hepatocytes in vitro and in vivo. *Apoptosis.* 17: 492-502. <http://dx.doi.org/10.1007/s10495-012-0700-y>.
- Tao, Q; Sun, MY; Feng, Q. (2009). [Syndrome identification of CCl₄ induced liver fibrosis model rats based on syndrome detecting from recipe used]. *Zhongguo Zhong Xi Yi Jie He Za Zhi.* 29: 246-250.
- Tao, Q; Wang, XN; Mu, YP; Feng, Q; Peng, JH; Liu, P; Fu, WW; Zhang, WM; Hu, YY. (2012). [Dynamic change of lipid peroxidation-related protein expression and the intervention effects of Yiguanjian decoction in a rat model of CCl₄-induced liver fibrosis]. *Zhonghua Gan Zang Bing Za Zhi.* 20: 116-121.
- Tao, X; Li, W; Su, J; Jin, C; Wang, X; Li, J; Hu, J; Xiang, Z; Lau, JTY; Hu, Y, iP. (2009). Clonal Mesenchymal Stem Cells Derived From Human Bone Marrow Can Differentiate Into Hepatocyte-Like Cells in Injured Livers of SCID Mice. *J Cell Biochem.* 108: 693-704. <http://dx.doi.org/10.1002/jcb.22306>.
- Tao, YY; Yan, XC; Zhou, T; Shen, L; Liu, ZL; Liu, CH. (2014). Fuzheng Huayu recipe alleviates hepatic fibrosis via inhibiting TNF- α induced hepatocyte apoptosis. *BMC Complement Altern Med.* 14: 449. <http://dx.doi.org/10.1186/1472-6882-14-449>.
- Tarantino, G; Costantini, S; Finelli, C; Capone, F; Guerriero, E; La Sala, N; Gioia, S; Castello, G. (2014). Is serum Interleukin-17 associated with early atherosclerosis in obese patients? *J Transl Med.* 12: 214. <http://dx.doi.org/10.1186/s12967-014-0214-1>.
- Taslidere, E; Vardi, N; Esrefoglu, M; Ates, B; Taskapan, C; Yologlu, S. (2016). The effects of pentoxifylline and caffeic acid phenethyl ester in the treatment of d-galactosamine-induced acute hepatitis in rats. *Hum Exp Toxicol.* 35: 353-365. <http://dx.doi.org/10.1177/0960327115586820>.
- Tateishi, T; Yamasaki, R; Tanaka, M; Matsushita, T; Kikuchi, H; Isobe, N; Ohyagi, Y; Kira, J. (2010). CSF chemokine alterations related to the clinical course of amyotrophic lateral sclerosis. *J Neuroimmunol.* 222: 76-81. <http://dx.doi.org/10.1016/j.jneuroim.2010.03.004>.
- Tatiya, AU; Surana, SJ; Sutar, MP; Gamit, NH. (2012). Hepatoprotective effect of poly herbal formulation against various hepatotoxic agents in rats. *Pharmacognosy Res.* 4: 50-56. <http://dx.doi.org/10.4103/0974-8490.91040>.
- Tawfeeq, MM; Suzuki, T; Shimamoto, K; Hayashi, H; Shibutani, M; Mitsumori, K. (2011). Evaluation of in vivo genotoxic potential of fenofibrate in rats subjected to two-week repeated oral administration. *Arch Toxicol.* 85: 1003-1011. <http://dx.doi.org/10.1007/s00204-010-0628-3>.
- Taye, A; Abdel-Raheem, IT. (2012). Hepatoprotective effect of the selective mineralocorticoid receptor antagonist, eplerenone against carbon tetrachloride-induced liver injury in rats. *Ann Hepatol.* 11: 384-391.
- Teitz, NW. (1976). *Fundamentals of clinical chemistry.* Philadelphia, Pennsylvania: W.B. Saunders Company.
- Teixeira-Clerc, F; Belot, MP; Manin, S; Deveaux, V; Cadoudal, T; Chobert, MN; Louvet, A; Zimmer, A; Tordjmann, T; Mallat, A; Lotersztajn, S. (2010). Beneficial paracrine effects of cannabinoid receptor 2 on liver injury and regeneration. *Hepatology.* 52: 1046-1059. <http://dx.doi.org/10.1002/hep.23779>.
- Tejasree, C, h; Kiran, G; Rajyalakshmi, G; Reddy, ARN. (2013). Hepatoprotective activity of 1-(4-(Dimethylamino)Benzylidene)-5-(2-Oxoindolylidene) Thiocarbohydrazone in rats. *Toxicol Environ Chem.* 95: 1589-1594. <http://dx.doi.org/10.1080/02772248.2014.887257>.
- Tejera-Alhambra, M; Casrouge, A; de Andrés, C; Seyfferth, A; Ramos-Medina, R; Alonso, B; Vega, J; Fernández-Paredes, L; Albert, ML; Sánchez-Ramón, S. (2015). Plasma biomarkers discriminate clinical forms of multiple sclerosis. *PLoS ONE.* 10: e0128952. <http://dx.doi.org/10.1371/journal.pone.0128952>.
- Telange, DR; Patil, AT; Pethe, AM; Fegade, H; Anand, S; Dave, VS. (2016). Formulation and characterization of an apigenin-phospholipid phytosome (APLC) for improved solubility, in vivo bioavailability, and antioxidant potential. *Eur J Pharm Sci.* <http://dx.doi.org/10.1016/j.ejps.2016.12.009>.
- Teltschik, Z; Wiest, R; Beisner, J; Nuding, S; Hofmann, C; Schoelmerich, J; Bevins, CL; Stange, EF; Wehkamp, J. (2012). Intestinal bacterial translocation in rats with cirrhosis is related to compromised Paneth cell antimicrobial host defense. *Hepatology.* 55: 1154-1163. <http://dx.doi.org/10.1002/hep.24789>.
- Temel, F; Tabakci, M. (2016). Calix[4]arene coated QCM sensors for detection of VOC emissions: Methylene chloride sensing studies. *Talanta.* 153: 221-227. <http://dx.doi.org/10.1016/j.talanta.2016.03.026>.
- Ten Hacken, E; Sivina, M; Kim, E; O'Brien, S; Wierda, WG; Ferrajoli, A; Estrov, Z; Keating, MJ; Oellerich, T; Scielzo, C; Ghia, P; Caligaris-Cappio, F; Burger, JA. (2016). Functional Differences between IgM and IgD Signaling in Chronic Lymphocytic Leukemia. *J Immunol.* 197: 2522-2531. <http://dx.doi.org/10.4049/jimmunol.1600915>.
- Teng, H; Chen, M; Zou, A; Jiang, H; Han, J; Sun, L; Feng, C; Liu, J. (2016). Hepatoprotective effects of licochalcone B on carbon tetrachloride-induced liver toxicity in mice. *Iranian Journal of Basic Medical Sciences.* 19: 910-915.
- Tenkerian, C; El-Sibai, M; Daher, CF; Mroueh, M. (2015). Hepatoprotective, Antioxidant, and Anticancer Effects of the *Tragopogon porrifolius* Methanolic Extract. *eCAM.* 2015: 161720. <http://dx.doi.org/10.1155/2015/161720>.
- Teranishi, Y; Matsubara, T; Krausz, KW; Le, T; Gonzalez, FJ; Yoshizato, K; Ikeda, K; Kawada, N. (2015). Involvement of hepatic stellate cell cytoglobin in acute hepatocyte damage through the regulation of CYP2E1-mediated xenobiotic metabolism. *Lab Invest.* 95: 515-524. <http://dx.doi.org/10.1038/labinvest.2015.29>.
- Teraoka, R; Shimada, T; Aburada, M. (2012). The molecular mechanisms of the hepatoprotective effect of gomisin A against oxidative stress and inflammatory response in rats with carbon tetrachloride-induced acute liver injury. *Biol Pharm Bull.* 35: 171-177.

Human Health Hazard Literature Search Results

Off Topic

- Teratani, T; Tomita, K; Suzuki, T; Oshikawa, T; Yokoyama, H; Shimamura, K; Tominaga, S; Hiroi, S; Irie, R; Okada, Y; Kurihara, C; Ebinuma, H; Saito, H; Hokari, R; Sugiyama, K; Kanai, T; Miura, S; Hibi, T. (2012). A high-cholesterol diet exacerbates liver fibrosis in mice via accumulation of free cholesterol in hepatic stellate cells. *Gastroenterology*. 142: 152-164.e110. <http://dx.doi.org/10.1053/j.gastro.2011.09.049>.
- Terlou, A; Santegoets, LA; van der Meijden, WI; Heijmans-Antonissen, C; Swagemakers, SM; van der Spek, PJ; Ewing, PC; van Beurden, M; Helmerhorst, TJ; Blok, LJ. (2012). An autoimmune phenotype in vulvar lichen sclerosus and lichen planus: a Th1 response and high levels of microRNA-155. *J Invest Dermatol*. 132: 658-666. <http://dx.doi.org/10.1038/jid.2011.369>.
- Terrones, J; Kiley, PJ; Elliott, JA. (2016). Enhanced ordering reduces electric susceptibility of liquids confined to graphene slit pores. *Sci Rep*. 6: 27406. <http://dx.doi.org/10.1038/srep27406>.
- Tersigni, C; Di Nicuolo, F; Maulucci, G; Rolfo, A; Giuffrida, D; Veglia, M; De Spirito, M; Scambia, G; Todros, T; Di Simone, N. (2016). Placental Chemokine Receptor D6 Is Functionally Impaired in Pre-Eclampsia. *PLoS ONE*. 11: e0164747. <http://dx.doi.org/10.1371/journal.pone.0167147>.
- Thakare, SP; Jain, HN; Patil, SD; Upadhyay, UM. (2009). Hepatoprotective effect of *Cocculus hirsutus* on bile duct ligation-induced liver fibrosis in Albino Wistar rats. *Bangladesh J Pharmacol*. 4: 126-130. <http://dx.doi.org/10.3329/bjp.v4i2.2890>.
- Thakur, A; Schalk, D; Tomaszewski, E; Kondadasula, SV; Yano, H; Sarkar, FH; Lum, LG. (2013). Microenvironment generated during EGFR targeted killing of pancreatic tumor cells by ATC inhibits myeloid-derived suppressor cells through COX2 and PGE2 dependent pathway. *J Transl Med*. 11: 35. <http://dx.doi.org/10.1186/1479-5876-11-35>.
- Thilakchand, KR; Mathai, RT; Simon, P; Ravi, RT; Baliga-Rao, MP; Baliga, MS. (2013). Hepatoprotective properties of the Indian gooseberry (*Emblica officinalis* Gaertn): a review [Review]. 4: 1431-1441. <http://dx.doi.org/10.1039/c3fo60237k>.
- Thingale, AD; Shaikh, KS; Channekar, PR; Galgatte, UC; Chaudhari, PD; Bothiraja, C. (2015). Enhanced hepatoprotective activity of andrographolide complexed with a biomaterial. *Drug Deliv*. 22: 117-124. <http://dx.doi.org/10.3109/10717544.2013.871602>.
- Thirupathi, A; Ashokan, K; Chandramohan, S; Rajakrishnan, B. (2015). Regulation of ROS defense system by *Hybanthus enneaspermus* in CCl4 induce cardiac damage. *Pak J Pharm Sci*. 28: 1397-1399.
- Thoen, LF; Guimarães, EL; Dollé, L; Mannaerts, I; Najimi, M; Sokal, E; van Grunsven, LA. (2011). A role for autophagy during hepatic stellate cell activation. *J Hepatol*. 55: 1353-1360. <http://dx.doi.org/10.1016/j.jhep.2011.07.010>.
- Thomas, JA; Pope, C; Wojtacha, D; Robson, AJ; Gordon-Walker, TT; Hartland, S; Ramachandran, P; Van Deemter, M; Hume, DA; Iredale, JP; Forbes, SJ. (2011). Macrophage therapy for murine liver fibrosis recruits host effector cells improving fibrosis, regeneration, and function. *Hepatology*. 53: 2003-2015. <http://dx.doi.org/10.1002/hep.24315>.
- Thomson, NC; Charron, CE; Chaudhuri, R; Spears, M; Ito, K; Mcsharry, C. (2015). Atorvastatin in combination with inhaled beclomethasone modulates inflammatory sputum mediators in smokers with asthma. *Pulm Pharmacol Ther*. 31: 1-8. <http://dx.doi.org/10.1016/j.pupt.2015.01.001>.
- Thorsen, SU; Eising, S; Mortensen, HB; Skogstrand, K; Pociot, F; Johannesen, J; Svensson, J; Registry, DCD. (2014). Systemic levels of CCL2, CCL3, CCL4 and CXCL8 differ according to age, time period and season among children newly diagnosed with type 1 diabetes and their healthy siblings. *Scand J Immunol*. 80: 452-461. <http://dx.doi.org/10.1111/sji.12240>.
- Thybaud, V; Dean, S; Nohmi, T; de Boer, J; Douglas, GR; Glickman, BW; Gorelick, NJ; Heddl, JA; Heflich, RH; Lambert, I; Martus, HJ; Mirsalis, JC; Suzuki, T; Yajima, N. (2003). In vivo transgenic mutation assays. *Mutat Res*. 540: 141-151.
- Tian, C; Shao, CH; Padanilam, C; Ezell, E; Singh, J; Kutty, S; Bidasee, KR. (2014). CCDI: a new ligand that modulates mammalian type 1 ryanodine receptor (RyR1). *Br J Pharmacol*. 171: 4097-4111. <http://dx.doi.org/10.1111/bph.12764>.
- Tian, CC; Zha, XQ; Luo, JP. (2015). A polysaccharide from *Dendrobium huoshanense* prevents hepatic inflammatory response caused by carbon tetrachloride. *Biotechnol Biotechnol Equip*. 29: 132-138. <http://dx.doi.org/10.1080/13102818.2014.987514>.
- Tian, CC; Zha, XQ; Pan, LH; Luo, JP. (2013). Structural characterization and antioxidant activity of a low-molecular polysaccharide from *Dendrobium huoshanense*. *Fitoterapia*. 91: 247-255. <http://dx.doi.org/10.1016/j.fitote.2013.09.018>.
- Tian, L; Cai, Q; Wei, H. (1998). Alterations of antioxidant enzymes and oxidative damage to macromolecules in different organs of rats during aging. *Free Radic Biol Med*. 29: 1477-1484.
- Tian, XP; Yin, YY; Li, X. (2011). Effects and mechanisms of *Acremonium terricola* milleretal mycelium on liver fibrosis induced by carbon tetrachloride in rats. *Am J Chin Med*. 39: 537-550. <http://dx.doi.org/10.1142/S0192415X11009019>.
- Tian, XR; Tang, HF; Li, YS; Lin, HW; Chen, XL; Ma, N; Yao, MN; Zhang, PH. (2011). New cytotoxic oxygenated sterols from the marine bryozoan *Cryptosula pallasiana*. *Mar Drugs*. 9: 162-183. <http://dx.doi.org/10.3390/md9020162>.
- Tien, YC; Liao, JC; Chiu, CS; Huang, TH; Huang, CY; Chang, WT; Peng, WH. (2011). Esculetin ameliorates carbon tetrachloride-mediated hepatic apoptosis in rats. *International Journal of Molecular Sciences*. 12: 4053-4067. <http://dx.doi.org/10.3390/ijms12064053>.
- Tientcheu, LD; Haks, MC; Agbla, SC; Sutherland, JS; Adetifa, IM; Donkor, S; Quinten, E; Daramy, M; Antonio, M; Kampmann, B; Ottenhoff, TH; Dockrell, HM; Ota, MO. (2016). Host Immune Responses Differ between *M. africanum*- and *M. tuberculosis*-Infected Patients following Standard Anti-tuberculosis Treatment. *P L o S Neglected Tropical Diseases*. 10: e0004701. <http://dx.doi.org/10.1371/journal.pntd.0004701>.
- Ting, HC; Hsu, Y, uWen; Tsai, CF; Lu, FJ, ou; Chou, MC; Chen, W, enK. (2011). The in vitro and in vivo antioxidant properties of seabuckthorn (*Hippophae rhamnoides* L) seed oil. *Food Chem*. 125: 652-659. <http://dx.doi.org/10.1016/j.foodchem.2010.09.057>.
- Tipoe, GL; Leung, TM; Liong, EC; Lau, TY; Fung, ML; Nanji, AA. (2010). Epigallocatechin-3-gallate (EGCG) reduces liver inflammation, oxidative stress and fibrosis in carbon tetrachloride (CCl4)-induced liver injury in mice. *Toxicology*. 273: 45-52. <http://dx.doi.org/10.1016/j.tox.2010.04.014>.
- Tirnitz-Parker, JE; Olynyk, JK; Ramm, GA. (2014). Role of TWEAK in coregulating liver progenitor cell and fibrogenic responses [Comment]. *Hepatology*. 59: 1198-1201. <http://dx.doi.org/10.1002/hep.26701>.

Human Health Hazard Literature Search Results

Off Topic

- Tischler, AS; Sheldon, W; Gray, R. (1996). Immunohistochemical and morphological characterization of spontaneously occurring pheochromocytomas in the aging mouse. *Vet Pathol.* 33: 512-520. <http://dx.doi.org/10.1177/030098589603300505>.
- Tivers, MS; Lipscomb, VJ; Smith, KC; Wheeler-Jones, CP; House, AK. (2014). Markers of hepatic regeneration associated with surgical attenuation of congenital portosystemic shunts in dogs. *Vet J.* 200: 305-311. <http://dx.doi.org/10.1016/j.tvjl.2014.02.027>.
- Tiwary, BK; Dutta, S; Dey, P; Hossain, M; Kumar, A; Bihani, S; Nanda, AK; Chaudhuri, TK; Chakraborty, R. (2017). Radical Scavenging Activities of *Lagerstroemia speciosa* (L.) Pers. Petal Extracts and its hepato-protection in CCl₄-intoxicated mice. *BMC Complement Altern Med.* 17: 55. <http://dx.doi.org/10.1186/s12906-016-1495-0>.
- Tlili, N; Feriani, A; Allagui, MS; Saadoui, E; Khaldi, A; Nasri, N. (2016). Effects of *Rhus tripartitum* fruit extract on CCl₄-induced hepatotoxicity and cisplatin-induced nephrotoxicity in rats. *Can J Physiol Pharmacol.* 94: 801-807. <http://dx.doi.org/10.1139/cjpp-2016-0029>.
- Tlili, N; Feriani, A; Saadoui, E; Nasri, N; Khaldi, A. (2017). *Capparis spinosa* leaves extract: Source of bioantioxidants with nephroprotective and hepatoprotective effects. *Biomed Pharmacother.* 87: 171-179. <http://dx.doi.org/10.1016/j.biopha.2016.12.052>.
- Toda, E; Terashima, Y; Sato, T; Hirose, K; Kanegasaki, S; Matsushima, K. (2009). FROUNT is a common regulator of CCR2 and CCR5 signaling to control directional migration. *J Immunol.* 183: 6387-6394. <http://dx.doi.org/10.4049/jimmunol.0803469>.
- Tolooei, M; Mirzaei, A. (2015). Effects of *Pistacia Atlantica* Extract on Erythrocyte Membrane Rigidity, Oxidative Stress, and Hepatotoxicity Induced by CCl₄ in Rats. *Global Journal of Health Science.* 7: 32-38. <http://dx.doi.org/10.5539/gjhs.v7n7p32>.
- Tombolan, F; Renault, D; Brault, D; Guffroy, M; Perin, F; Thybaud, V. (1999). Effect of mitogenic or regenerative cell proliferation on lacZ mutant frequency in the liver of MutaTMMice treated with 5, 9-dimethylidibenzo[c,g]carbazole. *Carcinogenesis.* 20: 1357-1362. <http://dx.doi.org/10.1093/carcin/20.7.1357>.
- Tomić, A; Bozin, B; Samojlik, I; Milenković, M; Mimica-Dukić, N; Petrović, S. (2010). Effects of *Athamanta turbit* fruit essential oils on CCl₄-induced hepatic failure in mice and their antioxidant properties. 24: 787-790. <http://dx.doi.org/10.1002/ptr.3036>.
- Tong, J; Yao, X; Zeng, H; Zhou, G; Chen, Y; Ma, B; Wang, Y. (2015). Hepatoprotective activity of flavonoids from *Cichorium glandulosum* seeds in vitro and in vivo carbon tetrachloride-induced hepatotoxicity. *J Ethnopharmacol.* 174: 355-363. <http://dx.doi.org/10.1016/j.jep.2015.08.045>.
- Tong, S; Chu, C; Wei, Y; Wang, L; Gao, X; Xu, X; Yu, J. (2011). Preparation and effects of 2,3-dehydrosilymarin, a promising and potent antioxidant and free radical scavenger. *J Pharm Pharmacol.* 63: 238-244. <http://dx.doi.org/10.1111/j.2042-7158.2010.01210.x>.
- Tong, Z; Li, M; Wang, W; Mo, P; Yu, L; Liu, K; Ren, W; Li, W; Zhang, H; Xu, J; Yu, C. (2015). Steroid Receptor Coactivator 1 Promotes Human Hepatocellular Carcinoma Progression by Enhancing Wnt/ β -Catenin Signaling. *J Biol Chem.* 290: 18596-18608. <http://dx.doi.org/10.1074/jbc.M115.640490>.
- Tork, OM; Khaleel, EF; Abdelmaqsoud, OM. (2015). Altered Cell to Cell Communication, Autophagy and Mitochondrial Dysfunction in a Model of Hepatocellular Carcinoma: Potential Protective Effects of Curcumin and Stem Cell Therapy. *Asian Pac J Cancer Prev.* 16: 8271-8279.
- Torrealla, D; Parra, D; Seras-Franzoso, J; Vallejos-Vidal, E; Yero, D; Gibert, I; Villaverde, A; Garcia-Fruitós, E; Roher, N. (2016). Nanostructured recombinant cytokines: A highly stable alternative to short-lived prophylactics. *Biomaterials.* 107: 102-114. <http://dx.doi.org/10.1016/j.biomaterials.2016.08.043>.
- Toyota, T; Kataoka, T; Nishiyama, Y; Taguchi, T; Yamaoka, K. (2012). Inhibitory effects of pretreatment with radon on acute alcohol-induced hepatopathy in mice. *Mediators Inflamm.* 2012: 382801. <http://dx.doi.org/10.1155/2012/382801>.
- Tran, E; Nielsen, JS; Wick, DA; Ng, AV; Johnson, LD; Nesslinger, NJ; Mcmurtrie, E; Webb, J. R.; Nelson, BH. (2010). Polyfunctional T-cell responses are disrupted by the ovarian cancer ascites environment and only partially restored by clinically relevant cytokines. *PLoS ONE.* 5: e15625. <http://dx.doi.org/10.1371/journal.pone.0015625>.
- Travis, CC. (1990). Tissue dosimetry for reactive metabolites. *Risk Anal.* 10: 317-321. <http://dx.doi.org/10.1111/j.1539-6924.1990.tb01052.x>.
- Travlos, GS; Mirris, RW; Elwell, MR; Duke, A; Rosenblum, S; Thompson, MB. (1996). Frequency and relationships of clinical chemistry and liver and kidney histopathology findings in 13-week toxicity studies in rats. *Toxicology.* 107: 17-29.
- Trebicka, J; Hennenberg, M; Schulze Pröbsting, A; Laleman, W; Klein, S; Granzow, M; Nevens, F; Zaagsma, J; Heller, J; Sauerbruch, T. (2009). Role of beta₃-adrenoceptors for intrahepatic resistance and portal hypertension in liver cirrhosis. *Hepatology.* 50: 1924-1935. <http://dx.doi.org/10.1002/hep.23222>.
- Trellakis, S; Bruderek, K; Dumitru, CA; Gholaman, H; Gu, X; Bankfalvi, A; Scherag, A; Hütte, J; Dominas, N; Lehnerdt, GF; Hoffmann, TK; Lang, S; Brandau, S. (2011). Polymorphonuclear granulocytes in human head and neck cancer: enhanced inflammatory activity, modulation by cancer cells and expansion in advanced disease. *Int J Cancer.* 129: 2183-2193. <http://dx.doi.org/10.1002/ijc.25892>.
- Trellakis, S; Bruderek, K; Hütte, J; Elian, M; Hoffmann, TK; Lang, S; Brandau, S. (2013). Granulocytic myeloid-derived suppressor cells are cryosensitive and their frequency does not correlate with serum concentrations of colony-stimulating factors in head and neck cancer. *Innate Immun.* 19: 328-336. <http://dx.doi.org/10.1177/1753425912463618>.
- Tribble, DL; Aw, TY; Jones, DP. (1987). The pathophysiological significance of lipid peroxidation in oxidative cell injury [Review]. *Hepatology.* 7: 377-386.
- Trimarco, V; Ave, E; Facco, M; Chiodin, G; Frezzato, F; Martini, V; Gattazzo, C; Lessi, F; Giorgi, CA; Visentin, A; Castelli, M; Severin, F; Zambello, R; Piazza, F; Semenzato, G; Trentin, L. (2015). Cross-talk between chronic lymphocytic leukemia (CLL) tumor B cells and mesenchymal stromal cells (MSCs): implications for neoplastic cell survival. *Onco.* 6: 42130-42149. <http://dx.doi.org/10.18632/oncotarget.6239>.
- Tripathi, DM; Erice, E; Lafoz, E; García-Calderó, H; Sarin, SK; Bosch, J; Gracia-Sancho, J; García-Pagán, JC. (2015). Metformin reduces hepatic resistance and portal pressure in cirrhotic rats. *Am J Physiol Gastrointest Liver Physiol.* 309: G301-G309. <http://dx.doi.org/10.1152/ajpgi.00010.2015>.
- Tripathy, AS; Das, R; Chadha, MS; Arankalle, VA. (2011). Epidemic of hepatitis B with high mortality in India: association of fulminant disease with lack of CCL4 and natural killer T cells. *J Viral Hepat.* 18: e415-e422. <http://dx.doi.org/10.1111/j.1365-2893.2011.01457.x>.

Human Health Hazard Literature Search Results

Off Topic

- Trotta, M; Cajaiba, DM; Parra, OM; Dagli, ML; Hernandez-Blazquez, FJ. (2014). Parenteral solution of nutritional hepatotrophic factors improves regeneration in thioacetamide-induced cirrhotic livers after partial hepatectomy. *Toxicol Pathol.* 42: 414-421. <http://dx.doi.org/10.1177/0192623313486316>.
- Truong, AD; Park, B; Ban, J; Hong, YH. (2016). The novel chicken interleukin 26 protein is overexpressed in T cells and induces proinflammatory cytokines. *Vet Res.* 47: 65. <http://dx.doi.org/10.1186/s13567-016-0342-0>.
- Tsai, CF; Hsu, YW; Ting, HC; Huang, CF; Yen, CC. (2013). The in vivo antioxidant and antifibrotic properties of green tea (*Camellia sinensis*, Theaceae). *Food Chem.* 136: 1337-1344. <http://dx.doi.org/10.1016/j.foodchem.2012.09.063>.
- Tsai, JC; Peng, WH; Chiu, TH; Huang, SC; Huang, TH; Lai, SC; Lai, ZR; Lee, CY. (2010). Hepatoprotective effect of *Scoparia dulcis* on carbon tetrachloride induced acute liver injury in mice. *Am J Chin Med.* 38: 761-775. <http://dx.doi.org/10.1142/S0192415X10008226>.
- Tsai, MT; Chen, CY; Pan, YH; Wang, SH; Mersmann, HJ; Ding, ST. (2015). Alleviation of Carbon-Tetrachloride-Induced Liver Injury and Fibrosis by Betaine Supplementation in Chickens. *eCAM.* 2015: 725379. <http://dx.doi.org/10.1155/2015/725379>.
- Tsai, PC; Fu, TW; Chen, YM; Ko, TL; Chen, TH; Shih, YH; Hung, SC; Fu, YS. (2009). The therapeutic potential of human umbilical mesenchymal stem cells from Wharton's jelly in the treatment of rat liver fibrosis. 15: 484-495. <http://dx.doi.org/10.1002/lt.21715>.
- Tsai, SC; Lin, SJ; Lin, CJ; Chou, YC; Lin, JH; Yeh, TH; Chen, MR; Huang, LM; Lu, MY; Huang, YC; Chen, HY; Tsai, CH. (2013). Autocrine CCL3 and CCL4 induced by the oncoprotein LMP1 promote Epstein-Barr virus-triggered B cell proliferation. *J Virol.* 87: 9041-9052. <http://dx.doi.org/10.1128/JVI.00541-13>.
- Tsai, TH; Shih, SC; Ho, TC; Ma, HI; Liu, MY; Chen, SL; Tsao, YP. (2014). Pigment epithelium-derived factor 34-mer peptide prevents liver fibrosis and hepatic stellate cell activation through down-regulation of the PDGF receptor. *PLoS ONE.* 9: e95443. <http://dx.doi.org/10.1371/journal.pone.0095443>.
- Tseng, CK; Lin, CK; Chang, HW; Wu, YH; Yen, FL; Chang, FR; Chen, WC; Yeh, CC; Lee, JC. (2014). Aqueous Extract of *Gracilaria tenuistipitata* Suppresses LPS-Induced NF- κ B and MAPK Activation in RAW 264.7 and Rat Peritoneal Macrophages and Exerts Hepatoprotective Effects on Carbon Tetrachloride-Treated Rat. *PLoS ONE.* 9: e86557. <http://dx.doi.org/10.1371/journal.pone.0086557>.
- Tsuda, H; Matsumoto, K; Ogino, H; Ito, M; Hirono, I; Nagao, M; Sato, K; Cabral, R; Bartsch, H. (1993). Demonstration of initiation potential of carcinogens by induction of preneoplastic glutathione S-transferase P-form-positive liver cell foci: possible in vivo assay system for environmental carcinogens. *Jpn J Cancer Res.* 84: 230-236.
- Tsuruoka, N; Abe, K; Wake, K; Takata, M; Hatta, A; Sato, T; Inoue, H. (2009). Hepatic protection by glycyrrhizin and inhibition of iNOS expression in concanavalin A-induced liver injury in mice. *Inflamm Res.* 58: 593-599. <http://dx.doi.org/10.1007/s00011-009-0024-8>.
- Tu, CT; Yao, QY; Xu, BL; Wang, JY; Zhou, CH; Zhang, SC. (2012). Protective effects of curcumin against hepatic fibrosis induced by carbon tetrachloride: modulation of high-mobility group box 1, Toll-like receptor 4 and 2 expression. *Food Chem Toxicol.* 50: 3343-3351. <http://dx.doi.org/10.1016/j.fct.2012.05.050>.
- Tu, YZ; Zhang, J; Liu, HP; Yu, W. (2012). [Inhibition of liver fibrosis by IL-10 gene-modified BMSCs in a rat model]. *Zhonghua Gan Zang Bing Za Zhi.* 20: 908-911.
- Tucureanu, MM; Butoi, E; Gan, AM; Stan, D; Constantinescu, CA; Calin, M; Simionescu, M; Manduteanu, I. (2016). Amendment of the cytokine profile in macrophages subsequent to their interaction with smooth muscle cells: Differential modulation by fractalkine and resistin. *Cytokine.* 83: 250-261. <http://dx.doi.org/10.1016/j.cyto.2016.04.019>.
- Tufan, T; Arslan, C; Sari, M; Kaplan, O. (2015). Effect of Black Cumin (*Nigella sativa* L.) Seeds or Black Cumin Oil Addition to Japanese Quail Diets on Growth Performance, Carcass Traits and Some Blood Parameters. *Kafkas Univ Vet Fak Derg.* 21: 593-599. <http://dx.doi.org/10.9775/kvfd.2015.12978>.
- Tukappa N K, A; Londonkar, RL; Nayaka, HB; Kumar C B, S. (2015). Cytotoxicity and hepatoprotective attributes of methanolic extract of *Rumex vesicarius* L. *Biol Res.* 48: 19. <http://dx.doi.org/10.1186/s40659-015-0009-8>.
- Tung, CY; Lewis, DE; Han, L; Jaja, M; Yao, S; Li, F; Robertson, MJ; Zhou, B; Sun, J; Chang, HC. (2014). Activation of dendritic cell function by soy peptide lunasin as a novel vaccine adjuvant. *Vaccine.* 32: 5411-5419. <http://dx.doi.org/10.1016/j.vaccine.2014.07.103>.
- Tuñón, MJ; Alvarez, M; Culebras, JM; González-Gallego, J. (2009). An overview of animal models for investigating the pathogenesis and therapeutic strategies in acute hepatic failure [Review]. *World J Gastroenterol.* 15: 3086-3098.
- Türkez, H; Aydın, E. (2016). In vitro assessment of cytogenetic and oxidative effects of α -pinene. *Toxicol Ind Health.* 32: 168-176. <http://dx.doi.org/10.1177/0748233713498456>.
- Türkez, H; Aydın, E. (2016). Investigation of cytotoxic, genotoxic and oxidative properties of carvacrol in human blood cells. *Toxicol Ind Health.* 32: 625-633. <http://dx.doi.org/10.1177/0748233713506771>.
- Turkez, H; Aydın, E; Geyikoglu, F; Cetin, D. (2015). Genotoxic and oxidative damage potentials in human lymphocytes after exposure to terpinolene in vitro. *Cytotechnology.* 67: 409-418. <http://dx.doi.org/10.1007/s10616-014-9698-z>.
- Turkez, H; Geyikoglu, F; Mokhtar, YI; Togar, B. (2012). Eicosapentaenoic acid protects against 2,3,7,8-tetrachlorodibenzo-p-dioxin-induced hepatic toxicity in cultured rat hepatocytes. *Cytotechnology.* 64: 15-25. <http://dx.doi.org/10.1007/s10616-011-9386-1>.
- Turkez, H; Geyikoglu, F; Yousef, MI. (2016). Ameliorative effects of docosahexaenoic acid on the toxicity induced by 2,3,7,8-tetrachlorodibenzo-p-dioxin in cultured rat hepatocytes. *Toxicol Ind Health.* 32: 1074-1085. <http://dx.doi.org/10.1177/0748233714547382>.
- Turkez, H; Geyikoglu, F; Yousef, MI; Celik, K; Bakir, TO. (2012). Ameliorative effect of supplementation with L-glutamine on oxidative stress, DNA damage, cell viability and hepatotoxicity induced by 2,3,7,8-tetrachlorodibenzo-p-dioxin in rat hepatocyte cultures. *Cytotechnology.* 64: 687-699. <http://dx.doi.org/10.1007/s10616-012-9449-y>.
- Türkez, H; Yousef, MI; Geyikoglu, F. (2012). Propolis protects against 2,3,7,8-tetrachlorodibenzo-p-dioxin-induced toxicity in rat hepatocytes. *Food Chem Toxicol.* 50: 2142-2148. <http://dx.doi.org/10.1016/j.fct.2011.09.018>.

Human Health Hazard Literature Search Results

Off Topic

- Turner, RA; Wauthier, E; Lozoya, O; McClelland, R; Bowsher, JE; Barbier, C; Prestwich, G; Hsu, E; Gerber, DA; Reid, LM. (2013). Successful transplantation of human hepatic stem cells with restricted localization to liver using hyaluronan grafts. *Hepatology*. 57: 775-784. <http://dx.doi.org/10.1002/hep.26065>.
- Tutau, F; Rodríguez-Ortigosa, C; Puche, JE; Juanarena, N; Monreal, I; García Fernández, M; Clavijo, E; Castilla, A; Castilla-Cortázar, I. (2009). Enhanced actions of insulin-like growth factor-I and interferon-alpha co-administration in experimental cirrhosis. *Liver Int*. 29: 37-46. <http://dx.doi.org/10.1111/j.1478-3231.2008.01770.x>.
- U.S. EPA. (1986). Guidelines for the health risk assessment of chemical mixtures. Fed Reg. 51: 34014-34025.
- U.S. EPA. (1988). Recommendations for and documentation of biological values for use in risk assessment (pp. 1-395). (EPA/600/6-87/008). Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=34855>.
- U.S. EPA. (1988). Reference physiological parameters in pharmacokinetic modeling [EPA Report]. (EPA/600/6-88/004). Washington, DC: U.S. Environmental Protection Agency. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB88196019>.
- U.S. EPA. (1991). Guidelines for developmental toxicity risk assessment (pp. 1-71). (EPA/600/FR-91/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=23162>.
- U.S. EPA. (1994). Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry [EPA Report] (pp. 1-409). (EPA/600/8-90/066F). Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office. <https://cfpub.epa.gov/ncea/risk/recordisplay.cfm?deid=71993&CFID=51174829&CFTOKEN=25006317>.
- U.S. EPA. (1995). The use of the benchmark dose approach in health risk assessment. (EPA/630/R-94/007). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=30004WBL.txt>.
- U.S. EPA. (1996). Guidelines for reproductive toxicity risk assessment. Fed Reg. 61: 56274-56322.
- U.S. EPA. (1996). Symposium on natural attenuation of chlorinated organics in groundwater [EPA Report]. (AD-A319 114/5). Washington, DC.
- U.S. EPA. (2000). Benchmark dose technical guidance document [external review draft] [EPA Report] (pp. 1-96). (EPA/630/R-00/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. https://ofmpub.epa.gov/eims/eimscomm.getfile?p_download_id=4727.
- U.S. EPA. (2000). Science Policy Council handbook: Peer review [EPA Report]. (EPA 100-B-00-001). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB2005109156>.
- U.S. EPA. (2000). Science policy council handbook: Risk characterization (pp. 1-189). (EPA/100/B-00/002). Washington, D.C.: U.S. Environmental Protection Agency, Science Policy Council. <https://www.epa.gov/risk/risk-characterization-handbook>.
- U.S. EPA. (2000). Toxicological review of vinyl chloride [EPA Report]. (EPA/635R-00/004). Washington, DC. <http://www.epa.gov/iris/toxreviews/1001tr.pdf>.
- U.S. EPA. (2001). Toxicological review of chloroform [EPA Report]. (EPA/635/R-01/001). Washington, DC. <http://www.epa.gov/iris>.
- U.S. EPA. (2002). A review of the reference dose and reference concentration processes (pp. 1-192). (EPA/630/P-02/002F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/osa/review-reference-dose-and-reference-concentration-processes>.
- U.S. EPA. (2005). Supplemental guidance for assessing susceptibility from early-life exposure to carcinogens (pp. 1-125). (EPA/630/R-03/003F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. https://www3.epa.gov/airtoxics/childrens_supplement_final.pdf.
- U.S. EPA. (2006). Approaches for the application of physiologically based pharmacokinetic (PBPK) models and supporting data in risk assessment (Final Report) [EPA Report] (pp. 1-123). (EPA/600/R-05/043F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=157668>.
- U.S. EPA. (2006). A framework for assessing health risk of environmental exposures to children (pp. 1-145). (EPA/600/R-05/093F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=158363>.
- U.S. EPA. (2006). U.S. Environmental Protection Agency peer review handbook 3rd edition (3 ed.). (EPA/100/B-06/002). Washington, DC: U.S. Environmental Protection Agency, Science Policy Council. https://www.epa.gov/sites/production/files/2015-09/documents/peer_review_handbook_2006_3rd_edition.pdf.
- U.S. EPA. (2007). Benchmark dose software (BMDS) version 1.4.1. Retrieved from <http://www.epa.gov/ncea/bmds.htm>
- U.S. EPA. (2007). Protection of stratospheric ozone: extension of global laboratory and analytical use exemption for essential class I ozone-depleting substances. 72: 52332-52337.
- Úbeda, M; Lario, M; Muñoz, L; Borrero, MJ; Rodríguez-Serrano, M; Sánchez-Díaz, AM; Del Campo, R; Lledó, L; Pastor, Ó; García-Bermejo, L; Díaz, D; Álvarez-Mon, M; Albillos, A. (2016). Obeticholic acid reduces bacterial translocation and inhibits intestinal inflammation in cirrhotic rats. *J Hepatol*. 64: 1049-1057. <http://dx.doi.org/10.1016/j.jhep.2015.12.010>.
- Úbeda, M; Muñoz, L; Borrero, MJ; Díaz, D; Francés, R; Monserrat, J; Lario, M; Lledó, L; Such, J; Álvarez-Mon, M; Albillos, A. (2010). Critical role of the liver in the induction of systemic inflammation in rats with preascitic cirrhosis. *Hepatology*. 52: 2086-2095. <http://dx.doi.org/10.1002/hep.23961>.

Human Health Hazard Literature Search Results

Off Topic

- Uehara, T; Ainslie, GR; Kutanzi, K; Pogribny, IP; Muskhelishvili, L; Izawa, T; Yamate, J; Kosyk, O; Shymonyak, S; Bradford, BU; Boorman, GA; Bataller, R; Rusyn, I. (2013). Molecular mechanisms of fibrosis-associated promotion of liver carcinogenesis. *Toxicol Sci.* 132: 53-63. <http://dx.doi.org/10.1093/toxsci/kfs342>.
- Uehara, T; Pogribny, IP; Rusyn, I. (2014). The DEN and CCl₄ -Induced Mouse Model of Fibrosis and Inflammation-Associated Hepatocellular Carcinoma. *Curr Protoc Pharmacol.* 66: 14.30.11-14.3010. <http://dx.doi.org/10.1002/0471141755.ph1430s66>.
- Ueta, M; Mizushima, K; Yokoi, N; Naito, Y; Kinoshita, S. (2010). Gene-expression analysis of polyI:C-stimulated primary human conjunctival epithelial cells. *Br J Ophthalmol.* 94: 1528-1532. <http://dx.doi.org/10.1136/bjo.2010.180554>.
- Ullah, A; Ahmad, M. (2014). Hepatoprotective activity of *Chenopodium murale* in carbon tetrachloride-induced hepatic damage in rabbits. *Bangladesh J Pharmacol.* 9: 118-123. <http://dx.doi.org/10.3329/bjp.v9i1.17754>.
- Ulmeanu, M; Petkov, P; Ursescu, D; Maraloiu, VA; Jipa, F; Brousseau, E; Ashfold, MNR. (2015). Pattern formation on silicon by laser-initiated liquid-assisted colloidal lithography. *Nanotechnology.* 26: 455303. <http://dx.doi.org/10.1088/0957-4484/26/45/455303>.
- Umadevi, M; Kumari, MV; Bharathi, MS; Vanelle, P; Terme, T. (2011). Investigations of preferential solvation on 1,4-dimethoxy-3-methyl anthracene-9,10-dione. *Spectrochim Acta A Mol Biomol Spectrosc.* 78: 122-127. <http://dx.doi.org/10.1016/j.saa.2010.09.008>.
- Umadevi, M; Vanelle, P; Terme, T. (2012). Ground and excited state preferential solvation behaviour of 1,4-dihydroxy-3-methylanthracene-9,10-dione in DMF+CCl₄ binary system. *Spectrochim Acta A Mol Biomol Spectrosc.* 86: 336-340. <http://dx.doi.org/10.1016/j.saa.2011.10.045>.
- Umbright, C; Sellamuthu, R; Li, S; Kashon, M; Luster, M; Joseph, P. (2010). Blood gene expression markers to detect and distinguish target organ toxicity. *Mol Cell Biochem.* 335: 223-234. <http://dx.doi.org/10.1007/s11010-009-0272-5>.
- Umer, S; Asres, K; Veeresham, C. (2010). Hepatoprotective activities of two Ethiopian medicinal plants. *Pharmaceutical Biology.* 48: 461-468. <http://dx.doi.org/10.3109/13880200903173593>.
- Umezu, T; Shibata, Y. (2014). Different behavioral effect dose-response profiles in mice exposed to two-carbon chlorinated hydrocarbons: influence of structural and physical properties. *Toxicol Appl Pharmacol.* 279: 103-112. <http://dx.doi.org/10.1016/j.taap.2014.05.012>.
- Un, K; Kawakami, S; Yoshida, M; Higuchi, Y; Suzuki, R; Maruyama, K; Yamashita, F; Hashida, M. (2012). Efficient suppression of murine intracellular adhesion molecule-1 using ultrasound-responsive and mannose-modified lipoplexes inhibits acute hepatic inflammation. *Hepatology.* 56: 259-269. <http://dx.doi.org/10.1002/hep.25607>.
- Upadhyay, K; Gupta, NK; Dixit, VK. (2012). Development and characterization of phyto-vesicles of wedelolactone for hepatoprotective activity. *Drug Dev Ind Pharm.* 38: 1152-1158. <http://dx.doi.org/10.3109/03639045.2011.643892>.
- Upadhyay, R; Verma, A; Pandey, ND; Narvi, SS. (2012). Antihepatotoxic activity of ferolactone, a new furanocoumarin from *Feronia limonia*. *Medicinal Chemistry Research.* 21: 2955-2960. <http://dx.doi.org/10.1007/s00044-011-9825-8>.
- Upur, H; Amat, N; Blazeković, B; Talip, A. (2009). Protective effect of *Cichorium glandulosum* root extract on carbon tetrachloride-induced and galactosamine-induced hepatotoxicity in mice. *Food Chem Toxicol.* 47: 2022-2030. <http://dx.doi.org/10.1016/j.fct.2009.05.022>.
- Urtasun, R; Cubero, FJ; Vera, M; Nieto, N. (2009). Reactive Nitrogen Species Switch on Early Extracellular Matrix Remodeling via Induction of MMP1 and TNF[alpha]. *Gastroenterology.* 136: 1410-1422.e1414. <http://dx.doi.org/10.1053/j.gastro.2008.12.065>.
- Uryvaeva, IV; Delone, GV. (1995). An improved method of mouse liver micronucleus analysis: an application to age-related genetic alteration and polyploidy study. *Mutat Res.* 334: 71-80.
- Uschner, FE; Ranabhat, G; Choi, SS; Granzow, M; Klein, S; Schierwagen, R; Raskopf, E; Gautsch, S; van Der Ven, PFM; Fuerst, DO; Strassburg, CP; Sauerbruch, T; Diehl, A; Trebicka, J. (2015). Statins activate the canonical hedgehog-signaling and aggravate non-cirrhotic portal hypertension, but inhibit the non-canonical hedgehog signaling and cirrhotic portal hypertension. *Sci Rep.* 5: 14573. <http://dx.doi.org/10.1038/srep14573>.
- Ushitora, M; Sakurai, F; Yamaguchi, T; Nakamura, S; Kondoh, M; Yagi, K; Kawabata, K; Mizuguchi, H. (2010). Prevention of hepatic ischemia-reperfusion injury by pre-administration of catalase-expressing adenovirus vectors. *J Control Release.* 142: 431-437. <http://dx.doi.org/10.1016/j.jconrel.2009.11.024>.
- Uskova, MA; Vasil'eva, MA; Trusov, NV; Avrem'eva, LI; Guseva, GV; Aksenov, IV; Kravchenko, LV. (2009). [Evaluation of antioxidant and hepatoprotective properties of strain *Lactobacillus casei* 114001 in carbon tetrachloride-induced liver toxicity model]. *Vopr Pitan.* 78: 24-30.
- Usunier, B; Benderitter, M; Tamarat, R; Chapel, A. (2014). Management of fibrosis: the mesenchymal stromal cells breakthrough [Review]. *Stem Cells International.* 2014: 340257. <http://dx.doi.org/10.1155/2014/340257>.
- Uzma, N; Kumar, BS; Priyadarsini, KI. (2011). Hepatoprotective, immunomodulatory, and anti-inflammatory activities of selenocystine in experimental liver injury of rats. *Biol Trace Elem Res.* 142: 723-734. <http://dx.doi.org/10.1007/s12011-010-8807-x>.
- Vaccher, C; Decaudin, B; Sautou, V; Lecoq, M. (2014). Analysis of non-phthalates plasticizers on porous graphitic carbon by supercritical fluid chromatography using evaporative light scattering detection. *J Chromatogr A.* 1359: 277-286. <http://dx.doi.org/10.1016/j.chroma.2014.07.036>.
- Valdovska, A; Pilmane, M. (2011). Histopathologic and immunohistochemical lesions in liver of mink infected with Aleutian disease virus. *Pol J Vet Sci.* 14: 69-76. <http://dx.doi.org/10.2478/v10181-011-0010-2>.
- Valentincic, NV; de Groot-Mijnes, JDF; Kraut, A; Korosec, P; Hawlina, M; Rothova, A. (2011). Intraocular and serum cytokine profiles in patients with intermediate uveitis. *Mol Vis.* 17: 2003-2010.
- Van Acker, HH; Beretta, O; Anguille, S; Caluwé, L; Papagna, A; Van den Bergh, JM; Willems, Y; Goossens, H; Berneman, ZN; Van Tendeloo, VF; Smits, EL; Foti, M; Lion, E. (2017). Desirable cytolytic immune effector cell recruitment by interleukin-15 dendritic cells. *Onco.* <http://dx.doi.org/10.18632/oncotarget.14622>.

Human Health Hazard Literature Search Results

Off Topic

- van den Berg, PJ; Bansal, R; Daoudi, K; Steenbergen, W; Prakash, J. (2016). Preclinical detection of liver fibrosis using dual-modality photoacoustic/ultrasound system. 7: 5081-5091. <http://dx.doi.org/10.1364/BOE.7.005081>.
- Van Goethem, F; Ghahroudi, MA; Castelain, P; Kirsch-Volders, M. (1993). Frequency and DNA content of micronuclei in rat parenchymal liver cells during experimental hepatocarcinogenesis. *Carcinogenesis*. 14: 2397-2406.
- Van Goor, A; Slawinska, A; Schmidt, CJ; Lamont, SJ. (2016). Distinct functional responses to stressors of bone marrow derived dendritic cells from diverse inbred chicken lines. *Dev Comp Immunol*. 63: 96-110. <http://dx.doi.org/10.1016/j.dci.2016.05.016>.
- van Hooij, A; Tjon Kon Fat, EM; Richardus, R; van Den Eeden, SJ; Wilson, L; de Dood, CJ; Faber, R; Alam, K; Richardus, JH; Corstjens, PL; Geluk, A. (2016). Quantitative lateral flow strip assays as User-Friendly Tools To Detect Biomarker Profiles For Leprosy. *Sci Rep*. 6: 34260. <http://dx.doi.org/10.1038/srep34260>.
- Van Kuijk, FJ; Holte, LL; Dratz, EA. (1990). 4-Hydroxyhexenal: a lipid peroxidation product derived from oxidized docosahexaenoic acid. *Biochim Biophys Acta*. 1043: 116-118.
- Van Rossen, E; Liu, Z; Blijweert, D; Eysackers, N; Mannaerts, I; Schroyen, B; El Taghdouini, A; Edwards, B; Davies, KE; Sokal, E; Najimi, M; Reynaert, H; van Grunsven, LA. (2014). Syncoilin is an intermediate filament protein in activated hepatic stellate cells. *Histochem Cell Biol*. 141: 85-99. <http://dx.doi.org/10.1007/s00418-013-1142-5>.
- Van Steenkiste, C; Trachet, B; Casteleyn, C; van Loo, D; Van Hoorebeke, L; Segers, P; Geerts, A; Van Vlierberghe, H; Colle, I. (2010). Vascular corrosion casting: analyzing wall shear stress in the portal vein and vascular abnormalities in portal hypertensive and cirrhotic rodents. *Lab Invest*. 90: 1558-1572. <http://dx.doi.org/10.1038/labinvest.2010.138>.
- van Swelm, RP; Kramers, C; Masereeuw, R; Russel, FG. (2014). Application of urine proteomics for biomarker discovery in drug-induced liver injury [Review]. *Crit Rev Toxicol*. 44: 823-841. <http://dx.doi.org/10.3109/10408444.2014.931341>.
- Vandermeulen, E; Verleden, SE; Rutters, D; Moelants, E; Mortier, A; Somers, J; Bellon, H; Piloni, D; Dupont, LJ; Van Raemdonck, DE; Proost, P; Schols, D; Vos, R; Verleden, GM; Vanaudenaerde, BM. (2015). BAL neutrophilia in azithromycin-treated lung transplant recipients: Clinical significance. *Transpl Immunol*. 33: 37-44. <http://dx.doi.org/10.1016/j.trim.2015.07.001>.
- Varchetta, S; Brunetta, E; Roberto, A; Mikulak, J; Hudspeth, KL; Mondelli, MU; Mavilio, D. (2012). Engagement of Siglec-7 receptor induces a pro-inflammatory response selectively in monocytes. *PLoS ONE*. 7: e45821. <http://dx.doi.org/10.1371/journal.pone.0045821>.
- Vargas-Inchaustegui, DA; Hogg, AE; Tulliano, G; Llanos-Cuentas, A; Arevalo, J; Endsley, JJ; Soong, L. (2010). CXCL10 production by human monocytes in response to *Leishmania braziliensis* infection. *Infect Immun*. 78: 301-308. <http://dx.doi.org/10.1128/IAI.00959-09>.
- Vargas-Mendoza, N; Madrigal-Santillán, E; Morales-González, A; Esquivel-Soto, J; Esquivel-Chirino, C; García-Luna Y González-Rubio, M; Gayosso-De-Lucio, JA; Morales-González, JA. (2014). Hepatoprotective effect of silymarin [Review]. *World Journal of Hepatology*. 6: 144-149. <http://dx.doi.org/10.4254/wjh.v6.i3.144>.
- Vasiadi, M; Newman, J; Theoharides, TC. (2014). Isoflavones inhibit poly(I:C)-induced serum, brain, and skin inflammatory mediators - relevance to chronic fatigue syndrome. *J Neuroinflammation*. 11: 168. <http://dx.doi.org/10.1186/s12974-014-0168-5>.
- Vasilevsky, SF; Govdi, AI; Shults, EE; Shakirov, MM; Sorokina, IV; Tolstikova, TG; Baev, DS; Tolstikov, GA; Alabugin, IV. (2009). Efficient synthesis of the first betulonic acid-acetylene hybrids and their hepatoprotective and anti-inflammatory activity. *Bioorg Med Chem*. 17: 5164-5169. <http://dx.doi.org/10.1016/j.bmc.2009.05.059>.
- Vasiltsova, T; Heintz, A; Nadolny, H; Weingärtner, H. (2009). Application of a new statistical mechanical model for calculating Kirkwood factors in self associating liquid systems to alkanol + CCl₄ mixtures. *Phys Chem Chem Phys*. 11: 2408-2419. <http://dx.doi.org/10.1039/b818532h>.
- Vass, AA. (2010). Dust to dust. *Sci Am*. 303: 56-59. <http://dx.doi.org/10.1038/scientificamerican0910-56>.
- Vassiliadis, E; Oliveira, CP; Alvares-Da-Silva, MR; Zhang, C; Carrilho, FJ; Stefano, JT; Rabelo, F; Pereira, L; Kappel, CR; Henriksen, K; Veidal, SS; Vainer, B; Duffin, KL; Christiansen, C; Leeming, DJ; Karsdal, M. (2012). Circulating levels of citrullinated and MMP-degraded vimentin (VICM) in liver fibrosis related pathology. 4: 403-414.
- Vassiliadis, E; Veidal, SS; Hansen, C; Karsdal, MA; Leeming, DJ. (2012). Circulating levels of a collagen type v propeptide fragment in a carbon tetrachloride reversible model of liver fibrosis. *Biomarker Insights*. 7: 159-166. <http://dx.doi.org/10.4137/BMI.S10975>.
- Vassiliadis, E; Veidal, SS; Kristiansen, MN; Hansen, C; Jorgensen, M; Leeming, DJ; Karsdal, M. (2013). Peptidyl arginine deiminase inhibitor effect on hepatic fibrogenesis in a CCl₄ pre-clinical model of liver fibrosis. 5: 465-469.
- Vatsalya, V; Avila, D; Frimodig, JC; Barve, SS; McClain, CJ; Gobejishvili, L. (2016). Liver Injury Assessment by Vetscan VS2 Analyzer and Most Frequently Used ALT/GTP Reagent. 4. <http://dx.doi.org/10.15406/ghoa.2016.04.00107>.
- Väyrynen, JP; Kantola, T; Väyrynen, SA; Klintrup, K; Bloigu, R; Karhu, T; Mäkelä, J; Herzig, KH; Karttunen, TJ; Tuomisto, A; Mäkinen, MJ. (2016). The relationships between serum cytokine levels and tumor infiltrating immune cells and their clinical significance in colorectal cancer. *Int J Cancer*. 139: 112-121. <http://dx.doi.org/10.1002/ijc.30040>.
- Vearrier, D; Greenberg, MI; Miller, SN; Okaneku, JT; Haggerty, DA. (2012). Methamphetamine: history, pathophysiology, adverse health effects, current trends, and hazards associated with the clandestine manufacture of methamphetamine [Review]. 58: 38-89. <http://dx.doi.org/10.1016/j.disamonth.2011.09.004>.
- Vega, L; Barbado, J; Almansa, R; González-Gallego, R; Rico, L; Jimeno, A; Nocito, M; Ortiz de Lejarazu, R; Bermejo-Martin, JF. (2010). Prolonged standard treatment for systemic lupus erythematosus fails to normalize the secretion of innate immunity-related chemokines. *European Cytokine Network (Online)*. 21: 71-76. <http://dx.doi.org/10.1684/ecn.2009.0176>.
- Veidal, SS; Karsdal, MA; Nawrocki, A; Larsen, MR; Dai, Y; Zheng, Q; Häggglund, P; Vainer, B; Skjøt-Arkil, H; Leeming, DJ. (2011). Assessment of proteolytic degradation of the basement membrane: a fragment of type IV collagen as a biochemical marker for liver fibrosis. 4: 22. <http://dx.doi.org/10.1186/1755-1536-4-22>.

Human Health Hazard Literature Search Results

Off Topic

- Veidal, SS; Karsdal, MA; Vassiliadis, E; Nawrocki, A; Larsen, MR; Nguyen, QH; Hägglund, P; Luo, Y; Zheng, Q; Vainer, B; Leeming, DJ. (2011). MMP mediated degradation of type VI collagen is highly associated with liver fibrosis--identification and validation of a novel biochemical marker assay. *PLoS ONE*. 6: e24753. <http://dx.doi.org/10.1371/journal.pone.0024753>.
- Velasco-Loyden, G; Pérez-Carreón, JI; Agüero, JF; Romero, PC; Vidrio-Gómez, S; Martínez-Pérez, L; Yáñez-Maldonado, L; Hernández-Muñoz, R; Macías-Silva, M; de Sánchez, VC. (2010). Prevention of in vitro hepatic stellate cells activation by the adenosine derivative compound IFC305. *Biochem Pharmacol*. 80: 1690-1699. <http://dx.doi.org/10.1016/j.bcp.2010.08.017>.
- Velasco-Loyden, G; Pérez-Martínez, L; Vidrio-Gómez, S; Pérez-Carreón, JI; Chagoya de Sánchez, V. (2017). Cancer chemoprevention by an adenosine derivative in a model of cirrhosis-hepatocellular carcinoma induced by diethylnitrosamine in rats. *Tumor Biology*. 39: 1010428317691190. <http://dx.doi.org/10.1177/1010428317691190>.
- Vendrame, F; Dotta, F. (2011). Comment on: Meagher et al. Neutralization of interleukin-16 protects nonobese diabetic mice from autoimmune type 1 diabetes by a CCL4-dependent mechanism. *Diabetes* 2010;59:2862-2871 [Letter]. *Diabetes*. 60: e12; author reply e13. <http://dx.doi.org/10.2337/db10-1489>.
- Venkatanarayana, G; Sudhakara, G; Sivajyothi, P; Indira, P. (2012). Protective effects of curcumin and vitamin E on carbon tetrachloride-induced nephrotoxicity in rats. *EXCLI Journal*. 11: 641-650.
- Verleden, SE; Ruttens, D; Vos, R; Vandermeulen, E; Moelants, E; Mortier, A; Van Raemdonck, DE; Proost, P; Schols, D; Verleden, GM; Vanaudenaerde, BM. (2015). Differential cytokine, chemokine and growth factor expression in phenotypes of chronic lung allograft dysfunction. *Transplantation*. 99: 86-93. <http://dx.doi.org/10.1097/TP.0000000000000269>.
- Verma, A; Ahmed, B. (2012). Antihepatotoxic activity of a sterol glucoside from aerial parts of *Clerodendrum phlomidis*. *Medicinal Chemistry Research*. 21: 2449-2453. <http://dx.doi.org/10.1007/s00044-011-9777-z>.
- Verma, AR; Vijayakumar, M; Rao, CV; Mathela, CS. (2010). In vitro and in vivo antioxidant properties and DNA damage protective activity of green fruit of *Ficus glomerata*. *Food Chem Toxicol*. 48: 704-709. <http://dx.doi.org/10.1016/j.fct.2009.11.052>.
- Verma, N; Khosa, RL. (2010). Hepatoprotective activity of leaves of *Zanthoxylum armatum* DC in CCl₄ induced hepatotoxicity in rats. *Indian J Biochem Biophys*. 47: 124-127.
- Verma, N; Singh, AP; Amresh, G; Sahu, PK; Rao, C, hV. (2011). Protective effect of ethyl acetate fraction of *Rhododendron arboreum* flowers against carbon tetrachloride-induced hepatotoxicity in experimental models. *Indian J Pharmacol*. 43: 291-295. <http://dx.doi.org/10.4103/0253-7613.81518>.
- Verma, PC; Basu, V; Gupta, V; Saxena, G; Rahman, LU, r. (2009). Pharmacology and Chemistry of a Potent Hepatoprotective Compound Picroliv Isolated from the Roots and Rhizomes of *Picrorhiza kurroa* Royle ex Benth. (Kutki). *Curr Pharm Biotechnol*. 10: 641-649.
- Verma, SK; Rastogi, S; Arora, I; Javed, K; Akhtar, M; Samim, M. (2016). Nanoparticle Based Delivery of Quercetin for the Treatment of Carbon Tetrachloride Mediated Liver Cirrhosis in Rats. *Journal of Biomedical Nanotechnology*. 12: 274-285. <http://dx.doi.org/10.1166/jbn.2016.2153>.
- Vesosky, B; Rottinghaus, EK; Stromberg, P; Turner, J; Beamer, G. (2010). CCL5 participates in early protection against *Mycobacterium tuberculosis*. *J Leukoc Biol*. 87: 1153-1165. <http://dx.doi.org/10.1189/jlb.1109742>.
- Victoria Torres-Duran, P; Ferreira-Hermosillo, A; Ramos-Jimenez, A; Patricia Hernandez-Torres, R; Cristina Paredes-Carbajal, M; Antonio Juarez-Oropeza, M. (2014). Protective effect of *Spirulina platensis* on fatty liver induced by a single sublethal dose of carbon tetrachloride in wistar rats. 13: 178-188.
- Vieira, I; Sonnier, M; Cresteil, T. (1996). Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem*. 238: 476-483. <http://dx.doi.org/10.1111/j.1432-1033.1996.0476z.x>.
- Vielma, SA; Klein, RL; Levingston, CA; Young, MR. (2013). Adipocytes as immune regulatory cells. *Int Immunopharmacol*. 16: 224-231. <http://dx.doi.org/10.1016/j.intimp.2013.04.002>.
- Vielma, SA; Klein, RL; Levingston, CA; Young, MR. (2013). Premalignant lesions skew spleen cell responses to immune modulation by adipocytes. *Anticancer Res*. 33: 1809-1818.
- Vilaseca Barcelo, M; Lopez-Sanjurjo, C; Murphy, MP; Bosch, J; Hernandez-Gea, V; Gracia-Sancho, J; Garcia-Pagan, JC. (2015). MITOCHONDRIAL-TARGETED ANTIOXIDANT MITOQUINONE REDUCES PORTAL HYPERTENSION IN CCl₄-CIRRHOTIC RATS BY DECREASING INTRAHEPATIC RESISTANCE. *J Hepatol*. 62: S214-S214.
- Vilaseca, M; García-Calderó, H; Lafoz, E; García-Irigoyen, O; Avila, M; Reverter, JC; Bosch, J; Hernández-Gea, V; Gracia-Sancho, J; García-Pagán, JC. (2017). The anticoagulant Rivaroxaban lowers portal hypertension in cirrhotic rats mainly by deactivating hepatic stellate cells. *Hepatology*. <http://dx.doi.org/10.1002/hep.29084>.
- Villegas-Mendez, A; Gwyer Findlay, E; de Souza, JB; Grady, LM; Saris, CJ; Lane, TE; Riley, EM; Couper, KN. (2013). WSX-1 signalling inhibits CD4⁺ T cell migration to the liver during malaria infection by repressing chemokine-independent pathways. *PLoS ONE*. 8: e78486. <http://dx.doi.org/10.1371/journal.pone.0078486>.
- Viñas, P; Bravo-Bravo, M; López-García, I; Hernández-Córdoba, M. (2013). Dispersive liquid-liquid microextraction for the determination of vitamins D and K in foods by liquid chromatography with diode-array and atmospheric pressure chemical ionization-mass spectrometry detection. *Talanta*. 115: 806-813. <http://dx.doi.org/10.1016/j.talanta.2013.06.050>.
- Viñas, P; Bravo-Bravo, M; López-García, I; Hernández-Córdoba, M. (2013). Quantification of β -carotene, retinol, retinyl acetate and retinyl palmitate in enriched fruit juices using dispersive liquid-liquid microextraction coupled to liquid chromatography with fluorescence detection and atmospheric pressure chemical ionization-mass spectrometry. *J Chromatogr A*. 1275: 1-8. <http://dx.doi.org/10.1016/j.chroma.2012.12.022>.

Human Health Hazard Literature Search Results

Off Topic

- Viñas, P; López-García, I; Campillo, N; Rivas, RE; Hernández-Córdoba, M. (2012). Ultrasound-assisted emulsification microextraction coupled with gas chromatography-mass spectrometry using the Taguchi design method for bisphenol migration studies from thermal printer paper, toys and baby utensils. *Anal Bioanal Chem.* 404: 671-678. <http://dx.doi.org/10.1007/s00216-012-5957-z>.
- Vinken, M. (2012). Gap junctions and non-neoplastic liver disease. *J Hepatol.* 57: 655-662.
- Vitaglione, P; Ottanelli, B; Milani, S; Morisco, F; Caporaso, N; Fogliano, V. (2009). Dietary trans-resveratrol bioavailability and effect on CCL4-induced liver lipid peroxidation. *J Gastroenterol Hepatol.* 24: 618-622. <http://dx.doi.org/10.1111/j.1440-1746.2008.05598.x>.
- Vitcheva, V; Simeonova, R; Krasteva, I; Nikolov, S; Mitcheva, M. (2013). Protective effects of a purified saponin mixture from *Astragalus corniculatus* Bieb., in vivo hepatotoxicity models. 27: 731-736. <http://dx.doi.org/10.1002/ptr.4785>.
- Vitoriano-Souza, J; Moreira, N, d; Menezes-Souza, D; Roatt, BM; de Oliveira Aguiar-Soares, RD; Siqueira-Mathias, FA; de Oliveira Cardoso, JM; Giunchetti, RC; de Sá, RG; Corrêa-Oliveira, R; Carneiro, CM; Reis, AB. (2013). Dogs immunized with LBSap vaccine displayed high levels of IL-12 and IL-10 cytokines and CCL4, CCL5 and CXCL8 chemokines in the dermis. *Mol Immunol.* 56: 540-548. <http://dx.doi.org/10.1016/j.molimm.2013.05.231>.
- Vos, R; Verleden, SE; Ruttens, D; Vandermeulen, E; Bellon, H; Neyrinck, A; Van Raemdonck, DE; Yserbyt, J; Dupont, LJ; Verbeke, EK; Moelants, E; Mortier, A; Proost, P; Schols, D; Cox, B; Verleden, GM; Vanaudenaerde, BM. (2014). Azithromycin and the Treatment of Lymphocytic Airway Inflammation After Lung Transplantation. *Am J Transplant.* 14: 2736-2748. <http://dx.doi.org/10.1111/ajt.12942>.
- Vosough, M; Mojdehi, NR; Salemi, A. (2012). Chemometrics assisted dispersive liquid-liquid microextraction for quantification of seven UV filters in urine samples by HPLC-DAD. *J Sep Sci.* 35: 3575-3585. <http://dx.doi.org/10.1002/jssc.201200564>.
- Vosough, M; Omidinia, E; Kadivar, M; Shokrgozar, MA; Pournasr, B; Aghdami, N; Baharvand, H. (2013). Generation of functional hepatocyte-like cells from human pluripotent stem cells in a scalable suspension culture. *Stem Cells Dev.* 22: 2693-2705. <http://dx.doi.org/10.1089/scd.2013.0088>.
- Vu, TH; Kälin, SD; Shultz, MJ. (2010). Spectroscopic identification of water-propane interaction: implications for clathrate nucleation. *J Phys Chem A.* 114: 6356-6360. <http://dx.doi.org/10.1021/jp101678z>.
- Vu, TH; Shultz, MJ. (2011). Competitive binding of methanol and propane for water via matrix-isolation spectroscopy: implications for inhibition of clathrate nucleation. *J Phys Chem A.* 115: 998-1002. <http://dx.doi.org/10.1021/jp109872m>.
- Vuda, M; D'Souza, R; Upadhyaya, S; Kumar, V; Rao, N; Kumar, V; Boillat, C; Mungli, P. (2012). Hepatoprotective and antioxidant activity of aqueous extract of *Hybanthus enneaspermus* against CCL4-induced liver injury in rats. *Exp Toxicol Pathol.* 64: 855-859. <http://dx.doi.org/10.1016/j.etp.2011.03.006>.
- Vyshtakalyuk, AB; Nazarov, NG; Zobov, VV; Abdulkhakov, SR; Minnekhanova, OA; Semenov, VE; Galyametdinova, IV; Cherepnev, GV; Reznik, VS. (2017). Evaluation of the Hepatoprotective Effect of L-Ascorbate 1-(2-Hydroxyethyl)-4,6-Dimethyl-1,2-Dihydropyrimidine-2-One Upon Exposure to Carbon Tetrachloride. *Bull Exp Biol Med.* 162: 340-342. <http://dx.doi.org/10.1007/s10517-017-3610-8>.
- Vyshtakalyuk, AB; Nazarov, NG; Zobov, VV; Semenov, VE; Galyametdinova, IV; Tcherepnev, GV; Reznik, VS. (2015). Pyrimidine derivatives as hepatoprotective agents. *Int J Risk Saf Med.* 27 Suppl 1: S78-S79. <http://dx.doi.org/10.3233/JRS-150698>.
- Waddell, A; Ahrens, R; Steinbrecher, K; Donovan, B; Rothenberg, ME; Munitz, A; Hogan, SP. (2011). Colonic eosinophilic inflammation in experimental colitis is mediated by Ly6C(high) CCR2(+) inflammatory monocyte/macrophage-derived CCL11. *J Immunol.* 186: 5993-6003. <http://dx.doi.org/10.4049/jimmunol.1003844>.
- Wai, KK; Liang, Y; Zhou, L; Cai, L; Liang, C; Liu, L; Lin, X; Wu, H; Lin, J. (2015). The protective effects of *Acanthus ilicifolius* alkaloid A and its derivatives on pro- and anti-inflammatory cytokines in rats with hepatic fibrosis. *Biotechnol Appl Biochem.* 62: 537-546. <http://dx.doi.org/10.1002/bab.1292>.
- Wakchaure, D; Jain, D; Singhai, AK; Somani, R. (2011). Hepatoprotective activity of *Symplocos racemosa* bark on carbon tetrachloride-induced hepatic damage in rats. 2: 137-143. <http://dx.doi.org/10.4103/0975-9476.85552>.
- Wallace, CA; Moir, G; Malone, DF; Duncan, L; Devarajan, G; Crane, JJ. (2013). Regulation of T-lymphocyte CCL3 and CCL4 production by retinal pigment epithelial cells. *Invest Ophthalmol Vis Sci.* 54: 722-730. <http://dx.doi.org/10.1167/iov.12-10602>.
- Wallace, MC; Hamesch, K; Lunova, M; Kim, Y; Weiskirchen, R; Strnad, P; Friedman, SL. (2015). Standard operating procedures in experimental liver research: thioacetamide model in mice and rats. *Lab Anim.* 49: 21-29. <http://dx.doi.org/10.1177/0023677215573040>.
- Walter, GJ; Fleskens, V; Frederiksen, KS; Rajasekhar, M; Menon, B; Gerwien, JG; Evans, HG; Taams, LS. (2016). Phenotypic, Functional, and Gene Expression Profiling of Peripheral CD45RA+ and CD45RO+ CD4+CD25+CD127(low) Treg Cells in Patients With Chronic Rheumatoid Arthritis. 68: 103-116. <http://dx.doi.org/10.1002/art.39408>.
- Wan, XY; Luo, M; Li, XD; He, P. (2009). Hepatoprotective and anti-hepatocarcinogenic effects of glycyrrhizin and matrine. *Chem Biol Interact.* 181: 15-19. <http://dx.doi.org/10.1016/j.cbi.2009.04.013>.
- Wang, A; Liu, F; Chen, S; Wang, M; Jia, R; Zhu, D; Liu, M; Sun, K; Wu, Y; Chen, X; Cheng, A. (2015). Transcriptome Analysis and Identification of Differentially Expressed Transcripts of Immune-Related Genes in Spleen of Gosling and Adult Goose. *International Journal of Molecular Sciences.* 16: 22904-22926. <http://dx.doi.org/10.3390/ijms160922904>.
- Wang, A; Patterson, S; Marwaha, A; Tan, R; Levings, M. (2013). CCL3 and CCL4 secretion by T regulatory cells attracts CD4+and CD8+T cells. *J Immunol.* 190.
- Wang, B; Li, W; Chen, Y; Wang, Y; Sun, C; Chen, Y; Lu, H; Fan, J; Li, D. (2012). Coexpression of Smad7 and UPA attenuates carbon tetrachloride-induced rat liver fibrosis. *Med Sci Monit.* 18: BR394-BR401.
- Wang, C; Liu, YR; Zhou, Y; Li, AP; Zhou, JW. (2011). [The study of susceptibility to carbon tetrachloride and benzene in offspring of expanded simple tandem repeats mutation mice exposed to formaldehyde]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 29: 324-329.
- Wang, C; Zhang, T; Cui, X; Li, S; Zhao, X; Zhong, X. (2013). Hepatoprotective effects of a chinese herbal formula, longyin decoction, on carbon-tetrachloride-induced liver injury in chickens. *eCAM.* 2013: 392743. <http://dx.doi.org/10.1155/2013/392743>.

Human Health Hazard Literature Search Results

Off Topic

- Wang, CW, u; Fang, X, inHui. (2016). Protective effect of rhamnopyranosyl vanilloyl isolated from *Scrophularia ningpoensis* Hemsl (Scrophulariaceae) root against acute liver injury in mice. *Tropical Journal of Pharmaceutical Research*. 15: 1499-1505. <http://dx.doi.org/10.4314/tjpr.v15i7.21>.
- Wang, CZ; Su, Y; Wang, HY; Guo, YL. (2011). Gas chromatographic-ion trap mass spectrometric analysis of volatile organic compounds by ion-molecule reactions using the electron-deficient reagent ion CCl₃(+). 22: 1839-1850. <http://dx.doi.org/10.1007/s13361-011-0193-x>.
- Wang, CZ; Yuan, JJ; Li, WJ; Zhang, HY; Ye, JZ. (2015). In Vivo and In Vitro Toxicity Evaluation of Polyphenols Extracted from Ginkgo biloba L. Leaves. *Molecules*. 20: 22257-22271. <http://dx.doi.org/10.3390/molecules201219839>.
- Wang, E; Chen, F; Hu, X; Yuan, Y. (2014). Protective effects of apigenin against furan-induced toxicity in mice. 5: 1804-1812. <http://dx.doi.org/10.1039/c4fo00038b>.
- Wang, F; Xue, Y; Yang, J; Lin, F; Sun, Y; Li, T; Wu, C. (2016). Hepatoprotective effect of apple polyphenols against concanavalin A-induced immunological liver injury in mice. *Chem Biol Interact*. 258: 159-165. <http://dx.doi.org/10.1016/j.cbi.2016.08.018>.
- Wang, G; Meng, L; Liu, X; Liu, S; Wang, L, i; Wei, Y. (2013). The expression of CCL4 is elevated in congenital pulmonary hypertension. *Cardiology*. 126: 67-67.
- Wang, G; Wang, GK; Liu, JS; Yu, B; Wang, F; Liu, JK. (2010). [Studies on the chemical constituents of *Kalimeris indica*]. *Zhong Yao Cai*. 33: 551-554.
- Wang, H; Zhang, Y; Wang, T; You, H; Jia, J. (2011). N-methyl-4-isoleucine cyclosporine attenuates CCl₄-induced liver fibrosis in rats by interacting with cyclophilin B and D. *J Gastroenterol Hepatol*. 26: 558-567. <http://dx.doi.org/10.1111/j.1440-1746.2010.06406.x>.
- Wang, J; Guo, Y; Liu, B; Jin, X; Liu, L; Xu, R; Kong, Y; Wang, B. (2011). Detection and analysis of reactive oxygen species (ROS) generated by nano-sized TiO₂ powder under ultrasonic irradiation and application in sonocatalytic degradation of organic dyes. *Ultrason Sonochem*. 18: 177-183. <http://dx.doi.org/10.1016/j.ultsonch.2010.05.002>.
- Wang, J; Lu, Z; Xu, Z; Tian, P; Miao, H; Pan, S; Song, R; Sun, X; Zhao, B; Wang, D; Ma, Y; Song, X; Zhang, S; Liu, L; Jiang, H. (2017). Reduction of hepatic fibrosis by overexpression of von Hippel-Lindau protein in experimental models of chronic liver disease. *Sci Rep*. 7: 41038. <http://dx.doi.org/10.1038/srep41038>.
- Wang, J; Tian, Y; Phillips, KL; Chiverton, N; Haddock, G; Bunning, RA; Cross, AK; Shapiro, IM; Le Maitre, CL; Risbud, MV. (2013). Tumor necrosis factor α - and interleukin- 1β -dependent induction of CCL3 expression by nucleus pulposus cells promotes macrophage migration through CCR1. *Arthritis Rheum*. 65: 832-842. <http://dx.doi.org/10.1002/art.37819>.
- Wang, J; Yang, F; Shi, J; Zhao, J. (2015). Structural dynamics of N-ethylpropionamide clusters examined by nonlinear infrared spectroscopy. *J Chem Phys*. 143: 185102. <http://dx.doi.org/10.1063/1.4935579>.
- Wang, J; Zhou, X; Cui, L; Yan, L; Liang, J; Cheng, X; Qiao, L; Shi, Y; Han, Z; Cao, Y; Han, Y; Fan, D. (2010). The significance of CD14⁺ monocytes in peripheral blood stem cells for the treatment of rat liver cirrhosis. *Cytotherapy*. 12: 1022-1034. <http://dx.doi.org/10.3109/14653249.2010.515578>.
- Wang, JB; Zhao, HP; Zhao, YL; Jin, C; Liu, DJ; Kong, WJ; Fang, F; Zhang, L; Wang, HJ; Xiao, XH. (2011). Hepatotoxicity or hepatoprotection? Pattern recognition for the paradoxical effect of the Chinese herb *Rheum palmatum* L. in treating rat liver injury. *PLoS ONE*. 6: e24498. <http://dx.doi.org/10.1371/journal.pone.0024498>.
- Wang, JJ; Li, J; Shi, L; Lv, XW; Cheng, WM; Chen, YY. (2010). Preventive effects of a fractionated polysaccharide from a traditional Chinese herbal medical formula (Yu Ping Feng San) on carbon tetrachloride-induced hepatic fibrosis. *J Pharm Pharmacol*. 62: 935-942. <http://dx.doi.org/10.1211/jpp.62.07.0016>.
- Wang, JZ; Wu, L; Luo, YC; Zhang, HQ; Huang, WF; Yan, XM; Zhang, P. (2015). [Effects of Ethanol Extracts of *Phellinus lonicerinus* on Hepatic Stellate Cells of Fibrosis Liver in Rats]. *Zhong Yao Cai*. 38: 1680-1684.
- Wang, L; Cheng, D; Wang, H; Di, L; Zhou, X; Xu, T; Yang, X; Liu, Y. (2009). The hepatoprotective and antifibrotic effects of *Saururus chinensis* against carbon tetrachloride induced hepatic fibrosis in rats. *J Ethnopharmacol*. 126: 487-491. <http://dx.doi.org/10.1016/j.jep.2009.09.009>.
- Wang, L; Fan, J; Ding, X; Sun, J; Zhang, M. (2015). Assessment of liver fibrosis in the early stages with perfusion CT. *International Journal of Clinical and Experimental Medicine*. 8: 15276-15282.
- Wang, L; Lu, J; Sun, W; Gu, Y; Zhang, C; Jin, R; Li, L; Zhang, Z; Tian, X. (2017). Hepatotoxicity induced by radix *Sophorae tonkinensis* in mice and increased serum cholinesterase as a potential supplemental biomarker for liver injury. *Exp Toxicol Pathol*. <http://dx.doi.org/10.1016/j.etp.2017.01.003>.
- Wang, M; Zhang, X; Xiong, XI; Yang, Z; Li, P; Wang, J; Sun, YU; Yang, Z; Hoffman, RM. (2016). Bone Marrow Mesenchymal Stem Cells Reverse Liver Damage in a Carbon Tetrachloride-induced Mouse Model of Chronic Liver Injury. 30: 187-193.
- Wang, MH; Palmeri, ML; Guy, CD; Yang, L; Hedlund, LW; Diehl, AM; Nightingale, KR. (2009). In vivo quantification of liver stiffness in a rat model of hepatic fibrosis with acoustic radiation force. 35: 1709-1721. <http://dx.doi.org/10.1016/j.ultrasmedbio.2009.04.019>.
- Wang, MT; Jin, Y; Yang, YX; Zhao, CY; Yang, HY; Xu, XF; Qin, X; Wang, ZD; Zhang, ZR; Jian, YL; Huang, Y. (2010). In vivo biodistribution, anti-inflammatory, and hepatoprotective effects of liver targeting dexamethasone acetate loaded nanostructured lipid carrier system. *International Journal of Nanomedicine (Online)*. 5: 487-497.
- Wang, N; Feng, Y; Cheung, F; Chow, OY; Wang, X; Su, W; Tong, Y. (2012). A comparative study on the hepatoprotective action of bear bile and *Coptidis Rhizoma* aqueous extract on experimental liver fibrosis in rats. *BMC Complement Altern Med*. 12: 239. <http://dx.doi.org/10.1186/1472-6882-12-239>.
- Wang, N; Wang, Z; Sun, H; Shi, X; Zhang, Y; Liu, Q. (2013). Augmenter of liver regeneration improves therapeutic effect of hepatocyte homotransplantation in acute liver failure rats. *Int Immunopharmacol*. 15: 325-332. <http://dx.doi.org/10.1016/j.intimp.2013.01.002>.

Human Health Hazard Literature Search Results

Off Topic

- Wang, P; Gao, YM; Sun, X; Guo, N; Li, J; Wang, W; Yao, LP; Fu, YJ. (2017). Hepatoprotective effect of 2'-O-galloylhyperin against oxidative stress-induced liver damage through induction of Nrf2/ARE-mediated antioxidant pathway. *Food Chem Toxicol.* 102: 129-142. <http://dx.doi.org/10.1016/j.fct.2017.02.016>.
- Wang, P; Lu, Y; Li, C; Li, N; Yu, P; Ma, D. (2011). Novel transcript variants of TRAIL show different activities in activation of NF- κ B and apoptosis. *Life Sci.* 89: 839-846. <http://dx.doi.org/10.1016/j.lfs.2011.09.003>.
- Wang, Q; Li, K; Quan, Q; Zhang, G. (2014). R2* and R2 mapping for quantifying recruitment of superparamagnetic iron oxide-tagged endothelial progenitor cells to injured liver: tracking in vitro and in vivo. *International Journal of Nanomedicine (Online).* 9: 1815-1822. <http://dx.doi.org/10.2147/IJN.S58269>.
- Wang, QB; Han, Y; Jiang, TT; Chai, WM; Chen, KM; Liu, BY; Wang, LF; Zhang, C; Wang, DB. (2011). MR Imaging of activated hepatic stellate cells in liver injured by CCl₄ of rats with integrin-targeted ultrasmall superparamagnetic iron oxide. *Eur Radiol.* 21: 1016-1025. <http://dx.doi.org/10.1007/s00330-010-1988-z>.
- Wang, QS; Zou, Y; Liu, H; Liu, ZY; Liang, CH. (2009). [A comparative study of diffusion-weighted magnetic resonance imaging and pathological findings of liver fibrosis in rabbits]. *Nan Fang Yi Ke Da Xue Xue Bao.* 29: 1965-1968.
- Wang, R; Xiong, AZ; Teng, ZQ; Yang, QW; Shi, YH; Yang, L. (2012). Radix Paeoniae Rubra and Radix Paeoniae Alba Attenuate CCl₄-induced acute liver injury: an ultra-performance liquid chromatography-mass spectrometry (UPLC-MS) based metabolomic approach for the pharmacodynamic study of Traditional Chinese Medicines (TCMs). *International Journal of Molecular Sciences.* 13: 14634-14647. <http://dx.doi.org/10.3390/ijms131114634>.
- Wang, S; Lee, JS; Hyun, J; Kim, J; Kim, SU; Cha, HJ; Jung, Y. (2015). Tumor necrosis factor-inducible gene 6 promotes liver regeneration in mice with acute liver injury. *6: 20.* <http://dx.doi.org/10.1186/s13287-015-0019-z>.
- Wang, S; Wang, X; Luo, F; Tang, X; Li, K; Hu, X; Bai, J. (2014). Panaxatriol saponin ameliorated liver injury by acetaminophen via restoring thioredoxin-1 and pro-caspase-12. *Liver Int.* 34: 1068-1073. <http://dx.doi.org/10.1111/liv.12329>.
- Wang, W; Li, J; Wang, Z; Gao, H; Su, L; Xie, J; Chen, X; Liang, H; Wang, C; Han, Y. (2014). Oral hepatoprotective ability evaluation of purple sweet potato anthocyanins on acute and chronic chemical liver injuries. *Cell Biochem Biophys.* 69: 539-548. <http://dx.doi.org/10.1007/s12013-014-9829-3>.
- Wang, WL; Liu, W; Gong, HY; Hong, JR; Lin, CC; Wu, JL. (2011). Activation of cytokine expression occurs through the TNF α /NF- κ B-mediated pathway in birnavirus-infected cells. *Fish Shellfish Immunol.* 31: 10-21. <http://dx.doi.org/10.1016/j.fsi.2011.01.015>.
- Wang, X; Chen, C; Chang, Y; Liu, H. (2009). Dechlorination of chlorinated methanes by Pd/Fe bimetallic nanoparticles. *J Hazard Mater.* 161: 815-823. <http://dx.doi.org/10.1016/j.jhazmat.2008.04.027>.
- Wang, X; Gong, G; Yang, W; Li, Y; Jiang, M; Li, L. (2013). Antifibrotic activity of galangin, a novel function evaluated in animal liver fibrosis model. *Environ Toxicol Pharmacol.* 36: 288-295. <http://dx.doi.org/10.1016/j.etap.2013.04.004>.
- Wang, X; Wang, Q; Burczynski, FJ; Kong, W; Gong, Y. (2013). Saikosaponin A of *Bupleurum chinense* (Chaihu) elevates bone morphogenetic protein 4 (BMP-4) during hepatic stellate cell activation. *Phytomedicine.* 20: 1330-1335. <http://dx.doi.org/10.1016/j.phymed.2013.07.010>.
- Wang, X; Wei, Y; Wang, J; Guo, W; Wang, C. (2012). The kinetics and mechanism of ultrasonic degradation of p-nitrophenol in aqueous solution with CCl₄ enhancement. *Ultrason Sonochem.* 19: 32-37. <http://dx.doi.org/10.1016/j.ultsonch.2010.12.005>.
- Wang, X; Ye, XL; Liu, R; Chen, HL; Bai, H; Liang, X; Zhang, XD; Wang, Z; Li, WL; Hai, CX. (2010). Antioxidant activities of oleanolic acid in vitro: possible role of Nrf2 and MAP kinases. *Chem Biol Interact.* 184: 328-337. <http://dx.doi.org/10.1016/j.cbi.2010.01.034>.
- Wang, X; Zhang, A; Wang, P; Sun, H; Wu, G; Sun, W; Lv, H; Jiao, G; Xu, H; Yuan, Y; Liu, L; Zou, D; Wu, Z; Han, Y; Yan, G; Dong, W; Wu, F; Dong, T; Yu, Y; Zhang, S; Wu, X; Tong, X; Meng, X. (2013). Metabolomics coupled with proteomics advancing drug discovery toward more agile development of targeted combination therapies. *Mol Cell Proteomics.* 12: 1226-1238. <http://dx.doi.org/10.1074/mcp.M112.021683>.
- Wang, XH; Wei, JH; Cheng, ZN; Liu, PB; Ji, YQ; Zhang, G. (2013). [Groundwater organic pollution source identification technology system research and application]. *Huanjing Kexue.* 34: 662-667.
- Wang, XL; Jia, DW; Liu, HY; Yan, XF; Ye, TJ; Hu, XD; Li, BQ; Chen, YL; Liu, P. (2012). Effect of Yiguanjian decoction on cell differentiation and proliferation in CCl₄-treated mice. *World J Gastroenterol.* 18: 3235-3249. <http://dx.doi.org/10.3748/wjg.v18.i25.3235>.
- Wang, XN; Tao, Q; Feng, Q; Peng, JH; Liu, P; Hu, YY. (2011). [Effects of Chinese herbal medicine Yiguanjian Decoction on collagen metabolism of hepatic tissues in rats with CCl₄-induced liver fibrosis]. *Zhong Xi Yi Jie He Xue Bao.* 9: 651-657.
- Wang, XY; Luo, JP; Chen, R; Zha, XQ; Wang, H. (2014). The effects of daily supplementation of *Dendrobium huoshanense* polysaccharide on ethanol-induced subacute liver injury in mice by proteomic analysis. *5: 2020-2035.* <http://dx.doi.org/10.1039/c3fo60629e>.
- Wang, Y; Booth, CJ; Kim, H; Qiu, M; Constable, RT. (2009). Evaluation of hepatic fibrosis with portal pressure gradient in rats. *Magn Reson Med.* 61: 1185-1192. <http://dx.doi.org/10.1002/mrm.21964>.
- Wang, Y, an; Gao, J; Zhang, D, i; Zhang, J; Ma, J; Jiang, H. (2010). New insights into the antifibrotic effects of sorafenib on hepatic stellate cells and liver fibrosis. *J Hepatol.* 53: 132-144.
- Wang, Y; Huang, W; Li, R; Yun, Z; Zhu, Y; Yang, J; Liu, H; Liu, Z; Feng, Q; Hou, J. (2017). Systematic Quantitation of Histologic Patterns Shows Accuracy in Reflecting Cirrhotic Remodeling. *J Gastroenterol Hepatol.* <http://dx.doi.org/10.1111/jgh.13722>.
- Wang, Y; Lian, F; Li, J; Fan, W; Xu, H; Yang, X; Liang, L; Chen, W; Yang, J. (2012). Adipose derived mesenchymal stem cells transplantation via portal vein improves microcirculation and ameliorates liver fibrosis induced by CCl₄ in rats. *J Transl Med.* 10: 133. <http://dx.doi.org/10.1186/1479-5876-10-133>.
- Wang, Y; Liu, T; Yang, N; Xu, S; Li, X; Wang, D. (2016). Hypoxia and macrophages promote glioblastoma invasion by the CCL4-CCR5 axis. *Oncol Rep.* 36: 3522-3528. <http://dx.doi.org/10.3892/or.2016.5171>.

Human Health Hazard Literature Search Results

Off Topic

- Wang, Y; Lou, Z; Wu, QB; Guo, ML. (2010). A novel hepatoprotective saponin from *Celosia cristata* L. *Fitoterapia*. 81: 1246-1252. <http://dx.doi.org/10.1016/j.fitote.2010.08.011>.
- Wang, YG; Xu, L; Wang, T; Wei, J; Meng, WY; Wang, N; Shi, M. (2015). Givinostat inhibition of hepatic stellate cell proliferation and protein acetylation. *World J Gastroenterol*. 21: 8326-8339. <http://dx.doi.org/10.3748/wjg.v21.i27.8326>.
- Wang, YH; Xu, XJ; Li, HL. (2014). Hepatoprotective effects of Mimic of Manganese superoxide dismutase against carbon tetrachloride-induced hepatic injury. *Int Immunopharmacol*. 22: 126-132. <http://dx.doi.org/10.1016/j.intimp.2014.06.016>.
- Wang, ZL; Deng, CY; Zheng, H; Xie, CF; Wang, XH; Luo, YF; Chen, ZZ; Cheng, P; Chen, LJ. (2012). (Z)-2-(5-(4-methoxybenzylidene)-2, 4-dioxothiazolidin-3-yl) acetic acid protects rats from CCl₄-induced liver injury. *J Gastroenterol Hepatol*. 27: 966-973. <http://dx.doi.org/10.1111/j.1440-1746.2011.06913.x>.
- Wang, ZR; Wang, JH; Hu, CL; Cao, WG; Shen, XJ; Wu, MY; Shen, L; Wu, SL. (2011). The effect of down-regulation of Smad3 by RNAi on hepatic stellate cells and a carbon tetrachloride-induced rat model of hepatic fibrosis. 44: 91-99.
- Wangenheim, J; Bolcsfoldi, G. (1988). Mouse lymphoma L5178Y thymidine kinase locus assay of 50 compounds. *Mutagenesis*. 3: 193-205. <http://dx.doi.org/10.1093/mutage/3.3.193>.
- Warnecke-Eberz, U; Metzger, R; Hölscher, AH; Drebber, U; Bollschweiler, E. (2016). Diagnostic marker signature for esophageal cancer from transcriptome analysis. *Tumor Biology*. 37: 6349-6358. <http://dx.doi.org/10.1007/s13277-015-4400-4>.
- Warrington, JS; Poku, JW; von Moltke, LL; Shader, RI; Harmatz, JS; Greenblatt, DJ. (2000). Effects of age on in vitro midazolam biotransformation in male CD-1 mouse liver microsomes. *J Pharmacol Exp Ther*. 292: 1024-1031.
- Warrington, JS; Von Moltke, LL; Greenblatt, DJ. (2004). Age-related differences in CYP3A expression and activity in the rat liver, intestine and kidney. *J Pharmacol Exp Ther*. 309: 720-729. <http://dx.doi.org/10.1124/jpet.103.061077>.
- Washino, Y; Koga, E; Kitamura, Y; Kamikawa, C; Kobayashi, K; Nakagawa, T; Nakazaki, C; Ichi, I; Kojo, S. (2010). Effect of celecoxib, a selective cyclooxygenase-2 inhibitor on carbon tetrachloride intoxication in rats. *Biol Pharm Bull*. 33: 707-709.
- Wasmuth, HE; Lammert, F; Zaldivar, MM; Weiskirchen, R; Hellerbrand, C; Scholten, D; Berres, ML; Zimmermann, H; Streetz, KL; Tacke, F; Hillebrandt, S; Schmitz, P; Keppeler, H; Berg, T; Dahl, E; Gassler, N; Friedman, SL; Trautwein, C. (2009). Antifibrotic effects of CXCL9 and its receptor CXCR3 in livers of mice and humans. *Gastroenterology*. 137: 309-319, 319.e301-303. <http://dx.doi.org/10.1053/j.gastro.2009.03.053>.
- Watanabe, K; Manefield, M; Lee, M; Kouzuma, A. (2009). Electron shuttles in biotechnology [Review]. *Curr Opin Biotechnol*. 20: 633-641. <http://dx.doi.org/10.1016/j.copbio.2009.09.006>.
- Watanabe, M; Murata, S; Hashimoto, I; Nakano, Y; Ikeda, O; Aoyagi, Y; Matsuo, R; Fukunaga, K; Yasue, H; Ohkohchi, N. (2009). Platelets contribute to the reduction of liver fibrosis in mice. *J Gastroenterol Hepatol*. 24: 78-89. <http://dx.doi.org/10.1111/j.1440-1746.2008.05497.x>.
- Watanabe, T; Mitsushashi, M; Sagawa, M; Ri, M; Suzuki, K; Abe, M; Ohmachi, K; Nakagawa, Y; Nakamura, S; Chosa, M; Iida, S; Kizaki, M. (2015). Lipopolysaccharide-Induced CXCL10 mRNA Level and Six Stimulant-mRNA Combinations in Whole Blood: Novel Biomarkers for Bortezomib Responses Obtained from a Prospective Multicenter Trial for Patients with Multiple Myeloma. *PLoS ONE*. 10: e0128662. <http://dx.doi.org/10.1371/journal.pone.0128662>.
- Watanabe, Y; Tsuchiya, A; Kojima, Y; Seino, S; Kamimura, K; Takamura, M; Kawai, H; Yamagiwa, S; Terai, S. (2016). Combination therapy with mesenchymal stem cells and macrophages from bone marrow shows favorable outcome in mouse CCl₄-induced liver cirrhosis model. *Hepatology*. 63: 841A-841A.
- Waugh, E; Chen, A; Baird, MA; Brown, CM; Ward, VK. (2014). Characterization of the chemokine response of RAW264.7 cells to infection by murine norovirus. *Virus Res*. 181: 27-34. <http://dx.doi.org/10.1016/j.virusres.2013.12.025>.
- Wauthier, V; Verbeeck, RK; Calderon, PB. (2004). Age-related changes in the protein and mRNA levels of CYP2E1 and CYP3A isoforms as well as in their hepatic activities in Wistar rats. What role for oxidative stress? *Arch Toxicol*. 78: 131-138. <http://dx.doi.org/10.1007/s00204-003-0526-z>.
- Weerachayaphorn, J; Luo, Y; Mennone, A; Soroka, CJ; Harry, K; Boyer, JL. (2014). Deleterious effect of oltipraz on extrahepatic cholestasis in bile duct-ligated mice. *J Hepatol*. 60: 160-166. <http://dx.doi.org/10.1016/j.jhep.2013.08.015>.
- Wei, J; Huang, Q; Huang, R; Chen, Y; Lv, S; Wei, L; Liang, C; Liang, S; Zhuo, L; Lin, X. (2013). Asiatic acid from *Potentilla chinensis* attenuate ethanol-induced hepatic injury via suppression of oxidative stress and Kupffer cell activation. *Biol Pharm Bull*. 36: 1980-1989.
- Wei, M; Wu, ZY; Lin, JH; Li, Y; Qian, ZX; Xie, YQ; Su, H; Zhou, W. (2015). Regulation network of serum cytokines induced by tuberculosis-specific antigens reveals biomarkers for tuberculosis diagnosis. *Genet Mol Res*. 14: 17182-17192. <http://dx.doi.org/10.4238/2015.December.16.18>.
- Wei, S; Niu, M; Wang, J; Wang, J; Su, H; Luo, S; Zhang, X; Guo, Y; Liu, L; Liu, F; Zhao, Q; Chen, H; Xiao, X; Zhao, P; Zhao, Y. (2016). A network pharmacology approach to discover active compounds and action mechanisms of San-Cao Granule for treatment of liver fibrosis. *Drug Design, Development and Therapy*. 10: 733-743. <http://dx.doi.org/10.2147/DDDT.S96964>.
- Wei, X; Jiang, M; Zeng, W; Zheng, S; Tang, S; Du, C. (2014). [Therapeutic effect of BMSCs with over-expressed MMP1 on liver fibrosis]. *Zhong Nan Da Xue Xue Bao Yi Xue Ban*. 39: 258-264. <http://dx.doi.org/10.11817/j.issn.1672-7347.2014.03.006>.
- Wen, X; Deng, Q; Guo, J; Yang, S. (2011). Ultra-sensitive determination of cadmium in rice and water by UV-vis spectrophotometry after single drop microextraction. *Spectrochim Acta A Mol Biomol Spectrosc*. 79: 508-512. <http://dx.doi.org/10.1016/j.saa.2011.03.021>.
- Wen, XG; Liu, R; Cai, Q; Wan, M; Tang, LR; Chen, LJ. (2012). [Implementation of an electronic nose for rapid detection of volatile chloroalkane and chloroalkene]. *Huanjing Kexue*. 33: 4012-4017.
- Weng, H; Li, H; Dooley, S. (2011). Inflammation does not always kill hepatocytes during liver damage [Comment]. *Hepatology*. 54: 366; author reply 367. <http://dx.doi.org/10.1002/hep.24166>.

Human Health Hazard Literature Search Results

Off Topic

- Weng, HL; Feng, DC; Radaeva, S; Kong, XN; Wang, L; Liu, Y; Li, Q; Shen, H; Gao, YP; Müllenbach, R; Munker, S; Huang, T; Chen, JL; Zimmer, V; Lammert, F; Mertens, PR; Cai, WM; Dooley, S; Gao, B. (2013). IFN- γ inhibits liver progenitor cell proliferation in HBV-infected patients and in 3,5-diethoxycarbonyl-1,4-dihydrocollidine diet-fed mice. *J Hepatol.* 59: 738-745. <http://dx.doi.org/10.1016/j.jhep.2013.05.041>.
- Wenzel, UA; Bank, E; Florian, C; Förster, S; Zimara, N; Steinacker, J; Klinger, M; Reiling, N; Ritter, U; van Zandbergen, G. (2012). Leishmania major parasite stage-dependent host cell invasion and immune evasion. *FASEB J.* 26: 29-39. <http://dx.doi.org/10.1096/fj.11-184895>.
- Werner, JL; Metz, AE; Horn, D; Schoeb, TR; Hewitt, MM; Schwiebert, LM; Faro-Trindade, I; Brown, GD; Steele, C. (2009). Requisite role for the dectin-1 beta-glucan receptor in pulmonary defense against *Aspergillus fumigatus*. *J Immunol.* 182: 4938-4946. <http://dx.doi.org/10.4049/jimmunol.0804250>.
- Wessels, JM; Linton, NF; van den Heuvel, MJ; Cnossen, SA; Edwards, AK; Croy, BA; Tayade, C. (2011). Expression of chemokine decoy receptors and their ligands at the porcine maternal-fetal interface. *Immunol Cell Biol.* 89: 304-313. <http://dx.doi.org/10.1038/icb.2010.95>.
- West, GB; Woodruff, WH; Brown, JH. (2002). Allometric scaling of metabolic rate from molecules and mitochondria to cells and mammals. *Proc Natl Acad Sci USA.* 99: 2473-2478. <http://dx.doi.org/10.1073/pnas.012579799>.
- Wheeler, MD. (2010). Genetic control of hepatic fibrogenesis.
- Wheeler, MD. (2011). Genetic control of hepatic fibrogenesis.
- Whittaker, SG; Zimmermann, FK; Dicus, B; Piegorsch, WW; Fogel, S; Resnick, MA. (1989). Detection of induced mitotic chromosome loss in *Saccharomyces cerevisiae*--an interlaboratory study. *Mutat Res.* 224: 31-76.
- Wiederhold, K; Passmore, LA. (2010). Cytoplasmic deadenylation: regulation of mRNA fate [Review]. *Biochem Soc Trans.* 38: 1531-1536. <http://dx.doi.org/10.1042/BST0381531>.
- Wiesner, P; Choi, SH; Almazan, F; Benner, C; Huang, W; Diehl, CJ; Gonen, A; Butler, S; Witztum, JL; Glass, CK; Miller, YI. (2010). Low doses of lipopolysaccharide and minimally oxidized low-density lipoprotein cooperatively activate macrophages via nuclear factor kappa B and activator protein-1: possible mechanism for acceleration of atherosclerosis by subclinical endotoxemia. *Circ Res.* 107: 56-65. <http://dx.doi.org/10.1161/CIRCRESAHA.110.218420>.
- Wilcosky, TC; Checkoway, H; Marshall, EG; Tyroler, HA. (1984). Cancer mortality and solvent exposures in the rubber industry. *Am Ind Hyg Assoc J.* 45: 809-811. <http://dx.doi.org/10.1080/15298668491400683>.
- Wilhelm, EA; Jesse, CR; Bortolatto, CF; Nogueira, CW. (2011). (E)-2-benzylidene-4-phenyl-1,3-diselenole has antioxidant and hepatoprotective properties against oxidative damage induced by 2-nitropropane in rats. *Fundam Clin Pharmacol.* 25: 80-90. <http://dx.doi.org/10.1111/j.1472-8206.2010.00813.x>.
- Will, O; Mahler, HC; Arrigo, AP; Epe, B. (1999). Influence of glutathione levels and heat shock on the steady state levels of oxidative DNA base modifications in mammalian cells. *Carcinogenesis.* 20: 333-337.
- Williams, AE; José, RJ; Brown, JS; Chambers, RC. (2015). Enhanced inflammation in aged mice following infection with *Streptococcus pneumoniae* is associated with decreased IL-10 and augmented chemokine production. *Am J Physiol Lung Cell Mol Physiol.* 308: L539-L549. <http://dx.doi.org/10.1152/ajplung.00141.2014>.
- Wilmott, JS; Haydu, LE; Menzies, AM; Lum, T; Hyman, J; Thompson, JF; Hersey, P; Kefford, RF; Scolyer, RA; Long, GV. (2014). Dynamics of chemokine, cytokine, and growth factor serum levels in BRAF-mutant melanoma patients during BRAF inhibitor treatment. *J Immunol.* 192: 2505-2513. <http://dx.doi.org/10.4049/jimmunol.1302616>.
- Wilson, JG. (1954). Influence of the offspring of altered physiologic states during pregnancy in the rat. *Ann N Y Acad Sci.* 57: 517-525.
- Wimmers, F; Aarntzen, EH; Duiveman-Deboer, T; Figdor, CG; Jacobs, JF; Tel, J; de Vries, IJ. (2016). Long-lasting multifunctional CD8(+) T cell responses in end-stage melanoma patients can be induced by dendritic cell vaccination. 5: e1067745. <http://dx.doi.org/10.1080/2162402X.2015.1067745>.
- Wolf, CR; Mansuy, D; Nastainczyk, W; Deutschmann, G; Ullrich, V. (1977). The reduction of polyhalogenated methanes by liver microsomal cytochrome P450. *Mol Pharmacol.* 13: 698-705.
- Wolff, HA; Rolke, D; Rave-Fränk, M; Schirmer, M; Eichelner, W; Doerfler, A; Hille, A; Hess, CF; Matthias, C; Rödel, RM; Christiansen, H. (2011). Analysis of chemokine and chemokine receptor expression in squamous cell carcinoma of the head and neck (SCCHN) cell lines. *Radiat Environ Biophys.* 50: 145-154. <http://dx.doi.org/10.1007/s00411-010-0341-x>.
- Won, TJ; Lee, YJ; Hyung, KE; Yang, E; Sohn, UD; Min, HY; Lee, DI; Park, SY; Hwang, KW. (2015). SUMO2 overexpression enhances the generation and function of interleukin-17-producing CD8⁺ T cells in mice. *Cell Signal.* 27: 1246-1252. <http://dx.doi.org/10.1016/j.cellsig.2015.03.001>.
- Wong, CK; Dong, J; Lam, CW. (2014). Molecular mechanisms regulating the synergism between IL-32 γ and NOD for the activation of eosinophils. *J Leukoc Biol.* 95: 631-642. <http://dx.doi.org/10.1189/jlhb.0813452>.
- Wong, JL; Berk, E; Edwards, RP; Kalinski, P. (2013). IL-18-primed helper NK cells collaborate with dendritic cells to promote recruitment of effector CD8⁺ T cells to the tumor microenvironment. *Cancer Res.* 73: 4653-4662. <http://dx.doi.org/10.1158/0008-5472.CAN-12-4366>.
- Wongsawatkul, O; Feng, G, uOG; Li, C; Huang, L, ei; Kondo, F; Kurokawa, S; Fujiwara, Y; Ishikawa, N. (2011). Effects of Naofen on Enzyme Activities of Serine Proteases and Matrix Metallo-proteinases. *International Journal of Pharmacology.* 7: 388-393. <http://dx.doi.org/10.3923/ijp.2011.388.393>.
- Woo, DH; Kim, SK; Lim, HJ; Heo, J; Park, HS; Kang, GY; Kim, SE; You, HJ; Hoepfner, DJ; Kim, Y; Kwon, H; Choi, TH; Lee, JH; Hong, SH; Song, KW; Ahn, EK; Chenoweth, JG; Tesar, PJ; McKay, RD; Kim, JH. (2012). Direct and indirect contribution of human embryonic stem cell-derived hepatocyte-like cells to liver repair in mice. *Gastroenterology.* 142: 602-611. <http://dx.doi.org/10.1053/j.gastro.2011.11.030>.
- Woodhoo, A; Iruarizaga-Lejarreta, M; Beraza, N; García-Rodríguez, JL; Embade, N; Fernández-Ramos, D; Martínez-López, N; Gutiérrez-De Juan, V; Arteta, B; Caballeria, J; Lu, SC; Mato, JM; Varela-Rey, M; Martínez-Chantar, ML. (2012). Human antigen R contributes to hepatic stellate cell activation and liver fibrosis. *Hepatology.* 56: 1870-1882. <http://dx.doi.org/10.1002/hep.25828>.

Human Health Hazard Literature Search Results

Off Topic

- Wu, B; Wang, W; Zhan, Y; Li, F; Zou, S; Sun, L; Cheng, Y. (2015). CXCL13, CCL4, and sTNFR as circulating inflammatory cytokine markers in primary and SLE-related autoimmune hemolytic anemia. *J Transl Med.* 13: 112. <http://dx.doi.org/10.1186/s12967-015-0474-4>.
- Wu, DJ; Qian, MJ; Rong, RM; Xu, M; Zhu, TY. (2012). [Expression of inflammation cytokines and network analysis in acute rejection of renal transplantation]. *Chung Hua Hsueh Tsa Chih.* 92: 2976-2979.
- Wu, FR; Jiang, L; He, XL; Zhu, PL; Li, J. (2015). Effect of hesperidin on TGF-beta1/Smad signaling pathway in HSC. *Zhongguo Zhong Yao Za Zhi.* 40: 2639-2643.
- Wu, H; Perrard, XD; Wang, Q; Perrard, JL; Polsani, VR; Jones, PH; Smith, CW; Ballantyne, CM. (2010). CD11c expression in adipose tissue and blood and its role in diet-induced obesity. *Arterioscler Thromb Vasc Biol.* 30: 186-192. <http://dx.doi.org/10.1161/ATVBAHA.109.198044>.
- Wu, H; Qiu, Y; Shu, Z; Zhang, X; Li, R; Liu, S; Chen, L; Liu, H; Chen, N. (2016). Protective effect of Trillium tschonoskii saponin on CCL4-induced acute liver injury of rats through apoptosis inhibition. *Can J Physiol Pharmacol.* 94: 1291-1297. <http://dx.doi.org/10.1139/cjpp-2016-0228>.
- Wu, H; Yao, S; Zhang, S; Wang, JR; Guo, PD; Li, XM; Gan, WJ; Mei, L; Gao, TM; Li, JM. (2017). Elevated expression of Erbin destabilizes ERα protein and promotes tumorigenesis in hepatocellular carcinoma. *J Hepatol.* <http://dx.doi.org/10.1016/j.jhep.2017.01.030>.
- Wu, HF; Zhu, YD; Zhang, LJ; Zou, QY; Chen, L; Shen, T; Wang, XF; Ma, GX; Hu, BR; Hu, WC; Xu, XD. (2016). A new phenylethanoid glycoside from *Incarvillea compacta*. *J Asian Nat Prod Res.* 18: 596-602. <http://dx.doi.org/10.1080/10286020.2015.1096931>.
- Wu, J; Xue, X; Zhang, B; Jiang, W; Cao, H; Wang, R; Sun, D; Guo, R. (2016). The protective effects of paeonol against epirubicin-induced hepatotoxicity in 4T1-tumor bearing mice via inhibition of the PI3K/Akt/NF-κB pathway. *Chem Biol Interact.* 244: 1-8. <http://dx.doi.org/10.1016/j.cbi.2015.11.025>.
- Wu, JB; Chuang, HR; Yang, LC; Lin, WC. (2010). A standardized aqueous extract of *Anoectochilus formosanus* ameliorated thioacetamide-induced liver fibrosis in mice: the role of Kupffer cells. *Biosci Biotechnol Biochem.* 74: 781-787. <http://dx.doi.org/10.1271/bbb.90824>.
- Wu, JQ; Burton, L; Raja, R; Mccaffery, I, an; Penuel, E; Darbonne, W. (2015). Development of ultrasensitive Singulex immunoassays for CCL3 and CCL4, important biomarkers for the BTK inhibitor studies. *Cancer Res.* 75. <http://dx.doi.org/10.1158/1538-7445.AM2015-2017>.
- Wu, K; Huang, R; Wu, H; Liu, Y; Yang, C; Cao, S; Hou, X; Chen, B; Dai, J; Wu, C. (2016). Collagen-binding vascular endothelial growth factor attenuates CCL4-induced liver fibrosis in mice. *Mol Med Rep.* 14: 4680-4686. <http://dx.doi.org/10.3892/mmr.2016.5826>.
- Wu, K; Ye, C; Lin, L; Chu, Y; Ji, M; Dai, W; Zeng, X; Lin, Y. (2016). Inhibiting miR-21 attenuates experimental hepatic fibrosis by suppressing both the ERK1 pathway in HSC and hepatocyte EMT. *Clin Sci (Lond).* 130: 1469-1480. <http://dx.doi.org/10.1042/CS20160334>.
- Wu, L; Zhou, PQ; Xie, JW; Zhu, R; Zhou, SC; Wang, G; Wu, ZX; Hao, S. (2015). Effects of Yinchenhao decoction on self-regulation of renin-angiotensin system by targeting angiotensin converting enzyme 2 in bile duct-ligated rat liver. *J Huazhong Univ Sci Technolog Med Sci.* 35: 519-524. <http://dx.doi.org/10.1007/s11596-015-1463-9>.
- Wu, P; Huang, R; Xiong, YL; Wu, C. (2016). Protective effects of curcumin against liver fibrosis through modulating DNA methylation. *Chin J Nat Med.* 14: 255-264. [http://dx.doi.org/10.1016/S1875-5364\(16\)30025-5](http://dx.doi.org/10.1016/S1875-5364(16)30025-5).
- Wu, Q; Gong, D; Tian, N; Zhu, L; Guan, L; Yang, M; Yuan, B; Qiu, Q; Lv, H; Zou, Y. (2009). Protection of regenerating liver after partial hepatectomy from carbon tetrachloride hepatotoxicity in rats: roles of mitochondrial uncoupling protein 2 and ATP stores. *Dig Dis Sci.* 54: 1918-1925. <http://dx.doi.org/10.1007/s10620-008-0650-y>.
- Wu, Q; Zhang, D; Tao, N; Zhu, QN; Jin, T; Shi, JS; Liu, J. (2014). Induction of Nrf2 and metallothionein as a common mechanism of hepatoprotective medicinal herbs. *Am J Chin Med.* 42: 207-221. <http://dx.doi.org/10.1142/S0192415X14500141>.
- Wu, S; Deng, F; Wei, H; Huang, J; Wang, H; Shima, M; Wang, X, in; Qin, Y, u; Zheng, C; Hao, Y, u; Guo, X. (2012). Chemical constituents of ambient particulate air pollution and biomarkers of inflammation, coagulation and homocysteine in healthy adults: A prospective panel study. *Part Fibre Toxicol.* 9: 49. <http://dx.doi.org/10.1186/1743-8977-9-49>.
- Wu, S; Yano, S; Hisanaga, A; He, X; He, J; Sakao, K; Hou, DX. (2016). Polyphenols from *Lonicera caerulea* L. berry attenuate experimental nonalcoholic steatohepatitis by inhibiting proinflammatory cytokines productions and lipid peroxidation. *Mol Nutr Food Res.* <http://dx.doi.org/10.1002/mnfr.201600858>.
- Wu, T. (2009). cPLA2alpha, COX-2 and TGF-beta in Liver Cancer.
- Wu, T. (2010). cPLA2alpha, COX-2 and TGF-beta in Liver Cancer.
- Wu, T; Jiang, L; Hajiakber, A; Sun, Y. (2011). [Study on new extraction technology and protective effect of hulan buzure granule on liver injury in mice]. *Zhongguo Zhong Yao Za Zhi.* 36: 429-433.
- Wu, X; Zhang, F; Xiong, X; Lu, C; Lian, N; Lu, Y; Zheng, S. (2015). Tetramethylpyrazine reduces inflammation in liver fibrosis and inhibits inflammatory cytokine expression in hepatic stellate cells by modulating NLRP3 inflammasome pathway. *IUBMB Life.* 67: 312-321. <http://dx.doi.org/10.1002/iub.1348>.
- Wu, X; Zhang, Y; Wang, Y; Ke, J; Jeret, M; Reddi, RN; Yang, S; Song, BA; Chi, YR. (2017). Polyhalides as Efficient and Mild Oxidants for Oxidative Carbene Organocatalysis by Radical Processes. *Angew Chem Int Ed Engl.* <http://dx.doi.org/10.1002/anie.201611692>.
- Wu, Y; Bu, F; Yu, H; Li, W; Huang, C; Meng, X; Zhang, L; Ma, T; Li, J. (2017). Methylation of Septin9 mediated by DNMT3a enhances hepatic stellate cells activation and liver fibrogenesis. *Toxicol Appl Pharmacol.* 315: 35-49. <http://dx.doi.org/10.1016/j.taap.2016.12.002>.
- Wu, Y; Liu, X; Zhou, Q; Huang, C; Meng, X; Xu, F; Li, J. (2015). Silent information regulator 1 (SIRT1) ameliorates liver fibrosis via promoting activated stellate cell apoptosis and reversion. *Toxicol Appl Pharmacol.* 289: 163-176. <http://dx.doi.org/10.1016/j.taap.2015.09.028>.
- Xagorari, A; Siotou, E; Yiangou, M; Tsolaki, E; Bougiouklis, D; Sakkas, L; Fassas, A; Anagnostopoulos, A. (2013). Protective effect of mesenchymal stem cell-conditioned medium on hepatic cell apoptosis after acute liver injury. *Int J Clin Exp Pathol.* 6: 831-840.

Human Health Hazard Literature Search Results

Off Topic

- Xi, M; Hai, C; Tang, H; Wen, A; Chen, H; Liu, R; Liang, X; Chen, M. (2010). Antioxidant and antiglycation properties of triterpenoid saponins from *Aralia taibaiensis* traditionally used for treating diabetes mellitus. *Redox Rep.* 15: 20-28. <http://dx.doi.org/10.1179/174329210X12650506623041>.
- Xi, S; Shi, M; Jiang, X; Minuk, GY; Cheng, Y; Peng, Y; Gong, Y; Xu, Y; Wang, X; Yang, J; Yue, L; Wang, Y. (2016). The effects of Tao-Hong-Si-Wu on hepatic necroinflammatory activity and fibrosis in a murine model of chronic liver disease. *J Ethnopharmacol.* 180: 28-36. <http://dx.doi.org/10.1016/j.jep.2016.01.030>.
- Xi, S; Yue, L; Shi, M; Peng, Y; Xu, Y; Wang, X; Li, Q; Kang, Z; Li, H; Wang, Y. (2016). The Effects of Taoren-Honghua Herb Pair on Pathological Microvessel and Angiogenesis-Associated Signaling Pathway in Mice Model of CCl4-Induced Chronic Liver Disease. *eCAM.* 2016: 2974256. <http://dx.doi.org/10.1155/2016/2974256>.
- Xi, Y; Shao, F; Bai, XY; Cai, G; Lv, Y; Chen, X. (2014). Changes in the expression of the Toll-like receptor system in the aging rat kidneys. *PLoS ONE.* 9: e96351. <http://dx.doi.org/10.1371/journal.pone.0096351>.
- Xia, DZ; Zhang, PH; Fu, Y; Yu, WF; Ju, MT. (2013). Hepatoprotective activity of puerarin against carbon tetrachloride-induced injuries in rats: a randomized controlled trial. *Food Chem Toxicol.* 59: 90-95. <http://dx.doi.org/10.1016/j.fct.2013.05.055>.
- Xia, J; Zhou, Y; Ji, H; Wang, Y; Wu, Q; Bao, J; Ye, F; Shi, Y; Bu, H. (2013). Loss of histone deacetylases 1 and 2 in hepatocytes impairs murine liver regeneration through Ki67 depletion. *Hepatology.* 58: 2089-2098. <http://dx.doi.org/10.1002/hep.26542>.
- Xia, P; Gao, J; Guan, W; Li, J; Yu, X; Wang, F; He, H; Deng, Q; Zhou, L; Yuan, Y; Han, W; Yu, Y. (2015). Production of bioactive recombinant rat soluble receptor for advanced glycation end products (rrsRAGE) in *Pichia pastoris*. *Protein Expr Purif.* <http://dx.doi.org/10.1016/j.pep.2015.09.029>.
- Xiao, J; Liong, EC; Ching, YP; Chang, RC; So, KF; Fung, ML; Tipoe, GL. (2012). *Lycium barbarum* polysaccharides protect mice liver from carbon tetrachloride-induced oxidative stress and necroinflammation. *J Ethnopharmacol.* 139: 462-470. <http://dx.doi.org/10.1016/j.jep.2011.11.033>.
- Xiao, J; Liong, EC; Huang, H; On Tse, W; Lau, KS; Pan, J; Nanji, AA; Fung, ML; Xing, F; Tipoe, GL. (2015). Cyclooxygenase-1 serves a vital hepatoprotective function in chemically induced acute liver injury. *Toxicol Sci.* 143: 430-440. <http://dx.doi.org/10.1093/toxsci/kfu244>.
- Xiao, J; Liong, EC; Ling, MT; Ching, YP; Fung, ML; Tipoe, GL. (2012). S-allylmercaptocysteine reduces carbon tetrachloride-induced hepatic oxidative stress and necroinflammation via nuclear factor kappa B-dependent pathways in mice. *Eur J Nutr.* 51: 323-333. <http://dx.doi.org/10.1007/s00394-011-0217-0>.
- Xiao, L; Harrell, JC; Perou, CM; Dudley, AC. (2014). Identification of a stable molecular signature in mammary tumor endothelial cells that persists in vitro. *Angiogenesis.* 17: 511-518. <http://dx.doi.org/10.1007/s10456-013-9409-y>.
- Xiao, X; Zhu, JX; Luo, GM; Li, L; Zhu, YY; Zeng, JX; Wang, XY; Wu, B. (2013). [Study on the liver-protective and choleric effect of zhizi baipi soup and its disassembled prescription]. *Zhong Yao Cai.* 36: 1132-1135.
- Xiaohua, D; Jin, Z; Hui, W; Haifeng, C; Chao, Z; Zepu, Y. (2015). Effect of Yajieshaba, a preparation of Dai indigenous medicine, on enhanced liver detoxification. 35: 197-205.
- Xie, C; Li, L; Xu, YP; Zhu, YY; Jiang, JJ. (2013). [Anti-fibrosis effects of fenofibrate in mice with hepatic fibrosis]. *Zhonghua Gan Zang Bing Za Zhi.* 21: 914-919.
- Xie, C; Wang, J; Li, X; Zeng, F, ei; Ma, L; Li, C; Wei, Z, he; Peng, A; Chen, L. (2014). Protective effect of SKLB010 against D-galactosamine/lipopolysaccharide-induced acute liver failure via nuclear factor-kappa B signaling pathway in macrophages. *Int Immunopharmacol.* 21: 261-268. <http://dx.doi.org/10.1016/j.intimp.2014.05.012>.
- Xie, H; Hou, W; Yang, Y; Yu, Y; Wang, F; Mao, J. (2015). Effects of Shenqi Neijin powder on activation and apoptosis of hepatic stellate cells in rats with hepatic fibrosis. *International Journal of Clinical and Experimental Medicine.* 8: 2226-2232.
- Xie, J; Liu, J; Chen, TM; Lan, Q; Zhang, QY; Liu, B; Dai, D; Zhang, WD; Hu, LP; Zhu, RZ. (2015). Dihydropyridinone alleviates carbon tetrachloride-induced acute liver injury via JNK-dependent mechanism in mice. *World J Gastroenterol.* 21: 5473-5481. <http://dx.doi.org/10.3748/wjg.v21.i18.5473>.
- Xie, J; Wan, J; Jiang, R; Lu, H; Peng, X; Zhang, L. (2013). Upregulation of Sirt1 in carbon-tetrachloride-induced acute liver injury. *Drug Chem Toxicol.* 36: 277-283. <http://dx.doi.org/10.3109/01480545.2012.710630>.
- Xie, Q; Guo, FF; Zhou, W. (2012). Protective effects of cassia seed ethanol extract against carbon tetrachloride-induced liver injury in mice. *Acta Biochim Pol.* 59: 265-270.
- Xie, RF; Li, ZC; Chen, PP; Zhou, X. (2015). Bufotionine induced the mitochondria-mediated apoptosis in H22 liver tumor and acute liver injury. *Chinese Medicine.* 10: 5. <http://dx.doi.org/10.1186/s13020-015-0033-1>.
- Xie, Y; Hao, H; Kang, A; Liang, Y; Xie, T; Sun, S; Dai, C; Zheng, X; Xie, L; Li, J; Wang, G. (2010). Integral pharmacokinetics of multiple lignan components in normal, CCl4-induced hepatic injury and hepatoprotective agents pretreated rats and correlations with hepatic injury biomarkers. *J Ethnopharmacol.* 131: 290-299. <http://dx.doi.org/10.1016/j.jep.2010.06.038>.
- Xie, Y; Hao, H; Wang, H; Guo, C; Kang, A; Wang, G. (2014). Reversing effects of lignans on CCl4-induced hepatic CYP450 down regulation by attenuating oxidative stress. *J Ethnopharmacol.* 155: 213-221. <http://dx.doi.org/10.1016/j.jep.2014.05.016>.
- Xie, YR; Liu, SL; Liu, X; Luo, ZB; Zhu, B; Li, ZF; Li, LJ; He, Y; Jiang, L; Li, H; Ruan, B. (2011). Intestinal microbiota and innate immunity-related gene alteration in cirrhotic rats with liver transplantation. *Transplant Proc.* 43: 3973-3979. <http://dx.doi.org/10.1016/j.transproceed.2011.08.113>.
- Xin, B; Wang, XY; Li, Y; Qin, JH; Ma, XJ; Yin, JP; Wang, RA. (2012). [Expression and potential role of metastasis-associated protein 1 in the induced carcinogenesis of mouse liver]. *Xi Bao Yu Fen Zi Mian Yi Xue Za Zhi.* 28: 801-803.

Human Health Hazard Literature Search Results

Off Topic

- Xin, Y; Wei, J; Chunhua, M; Danhong, Y; Jianguo, Z; Zongqi, C; Jian-An, B. (2016). Protective effects of Ginsenoside Rg1 against carbon tetrachloride-induced liver injury in mice through suppression of inflammation. *Phytomedicine*. 23: 583-588. <http://dx.doi.org/10.1016/j.phymed.2016.02.026>.
- Xing, J; Sun, HM; Jia, JP; Qin, XM; Li, ZY. (2017). Integrative hepatoprotective efficacy comparison of raw and vinegar-baked *Radix Bupleuri* using nuclear magnetic resonance-based metabolomics. *J Pharm Biomed Anal*. 138: 215-222. <http://dx.doi.org/10.1016/j.jpba.2017.02.015>.
- Xing, L; Bai, L; Yu, CY; Xie, RJ. (2010). [Effect of telmisartan on tubulointerstitial injury and expression of PPAR γ in rat renal tissue of IgA nephropathy model]. *Chung Hua Hsueh Tsa Chih*. 90: 2860-2863.
- Xing, X; Deng, X; Shi, J; Zhang, M; Sun, G; Tang, S; Huang, Q; Sun, X. (2017). The chronic hepatotoxicity assessment of the herbal formula Zishen Yutai pill. *Regul Toxicol Pharmacol*. 83: 81-88. <http://dx.doi.org/10.1016/j.yrtph.2016.12.001>.
- Xing, XY; Zhao, YL; Jia, L; Kong, WJ; Zhong, YW; Wang, JB; Zhang, P; Ren, HL; Xiao, XH. (2012). Evaluation of the liver protection and toxicity of Da-Huang-Zhe-Chong pill in rats. *Pharmaceutical Biology*. 50: 344-350. <http://dx.doi.org/10.3109/13880209.2011.604333>.
- Xing, XY; Zhao, YL; Kong, WJ; Wang, JB; Jia, L; Zhang, P; Yan, D; Zhong, YW; Li, RS; Xiao, XH. (2011). Investigation of the "dose-time-response" relationships of rhubarb on carbon tetrachloride-induced liver injury in rats. *J Ethnopharmacol*. 135: 575-581. <http://dx.doi.org/10.1016/j.jep.2011.03.053>.
- Xing, Y; Zhao, T; Gao, X; Wu, Y. (2016). Liver X receptor α is essential for the capillarization of liver sinusoidal endothelial cells in liver injury. *Sci Rep*. 6: 21309. <http://dx.doi.org/10.1038/srep21309>.
- Xiong, WJ; Hu, LJ; Jian, YC; Wang, LJ; Jiang, M; Li, W; He, Y. (2012). Wnt5a participates in hepatic stellate cell activation observed by gene expression profile and functional assays. *World J Gastroenterol*. 18: 1745-1752. <http://dx.doi.org/10.3748/wjg.v18.i15.1745>.
- Xu, B; Li, SH; Zheng, R; Gao, SB; Ding, LH; Yin, ZY; Lin, X; Feng, ZJ; Zhang, S; Wang, XM; Jin, GH. (2013). Menin promotes hepatocellular carcinogenesis and epigenetically up-regulates Yap1 transcription. *Proc Natl Acad Sci USA*. 110: 17480-17485. <http://dx.doi.org/10.1073/pnas.1312022110>.
- Xu, C; Zhao, W; Hao, Y; Chang, C; Fan, J. (2013). Comparative analysis of gene expression profiles of acute hepatic failure and that of liver regeneration in rat. *Gene*. 528: 59-66. <http://dx.doi.org/10.1016/j.gene.2013.07.023>.
- Xu, CZ; Xie, J; Jin, B; Chen, XW; Sun, ZF; Wang, BX; Dong, P. (2013). Gene and microRNA expression reveals sensitivity to paclitaxel in laryngeal cancer cell line. *Int J Clin Exp Pathol*. 6: 1351-1361.
- Xu, D; Hu, L; Su, C; Xia, X; Zhang, P, u; Fu, J; Wang, W; Xu, D, uo; Du, H; Hu, Q; Song, E; Song, Y. (2014). Tetrachloro-p-benzoquinone induces hepatic oxidative damage and inflammatory response, but not apoptosis in mouse: The prevention of curcumin. *Toxicol Appl Pharmacol*. 280: 305-313. <http://dx.doi.org/10.1016/j.taap.2014.08.003>.
- Xu, F; Liu, J; Deng, J; Chen, X; Wang, Y; Xu, P; Cheng, L; Fu, Y; Cheng, F; Yao, Y; Zhang, Y; Huang, M; Yu, D; Wei, Y; Deng, H. (2015). Rapid and high-efficiency generation of mature functional hepatocyte-like cells from adipose-derived stem cells by a three-step protocol. 6: 193. <http://dx.doi.org/10.1186/s13287-015-0181-3>.
- Xu, F; Zhou, D; Meng, X; Wang, X; Liu, C; Huang, C; Li, J; Zhang, L. (2016). Smad2 increases the apoptosis of activated human hepatic stellate cells induced by TRAIL. *Int Immunopharmacol*. 32: 76-86. <http://dx.doi.org/10.1016/j.intimp.2016.01.013>.
- Xu, H; Gelyana, E; Rajsombath, M; Yang, T; Li, S; Selkoe, D. (2016). Environmental Enrichment Potently Prevents Microglia-Mediated Neuroinflammation by Human Amyloid β -Protein Oligomers. *J Neurosci*. 36: 9041-9056. <http://dx.doi.org/10.1523/JNEUROSCI.1023-16.2016>.
- Xu, H; Ma, Q; Ma, J; Wu, Z; Wang, Y; Ma, C. (2016). Hepato-protective effects and chemical constituents of a bioactive fraction of the traditional compound medicine-Gurigumu-7. *BMC Complement Altern Med*. 16: 179. <http://dx.doi.org/10.1186/s12906-016-1156-3>.
- Xu, H; Song, D; Cui, Y; Hu, S; Yu, QW; Feng, YQ. (2009). Analysis of Hexanal and Heptanal in Human Blood by Simultaneous Derivatization and Dispersive Liquid-Liquid Microextraction then LC-APCI-MS-MS. *Chromatographia*. 70: 775-781. <http://dx.doi.org/10.1365/s10337-009-1208-7>.
- Xu, H; Zhou, Y; Liu, Y; Ping, J; Shou, Q; Chen, F; Ruo, R. (2016). Metformin improves hepatic IRS2/PI3K/Akt signaling in insulin-resistant rats of NASH and cirrhosis. *J Endocrinol*. 229: 133-144. <http://dx.doi.org/10.1530/JOE-15-0409>.
- Xu, J; Liu, X; Koyama, Y; Wang, P; Lan, T; Kim, IG; Kim, IH; Ma, HY; Kisseleva, T. (2014). The types of hepatic myofibroblasts contributing to liver fibrosis of different etiologies [Review]. 5: 167. <http://dx.doi.org/10.3389/fphar.2014.00167>.
- Xu, L; Gao, J; Wang, Y; Yu, W; Zhao, X; Yang, X; Zhong, Z; Qian, ZM. (2011). *Myrica rubra* Extracts Protect the Liver from CCl(4)-Induced Damage. *eCAM*. 2011: 518302. <http://dx.doi.org/10.1093/ecam/nep196>.
- Xu, M; Gu, X; Lu, S; Qiu, Z; Sui, Q; Miao, Z; Zang, X; Wu, X. (2015). Degradation of carbon tetrachloride in aqueous solution in the thermally activated persulfate system. *J Hazard Mater*. 286: 7-14. <http://dx.doi.org/10.1016/j.jhazmat.2014.12.031>.
- Xu, Q; Nakayama, M; Suzuki, Y; Sakai, K; Nakamura, T; Sakai, Y; Matsumoto, K. (2012). Suppression of acute hepatic injury by a synthetic prostacyclin agonist through hepatocyte growth factor expression. *Am J Physiol Gastrointest Liver Physiol*. 302: G420-G429. <http://dx.doi.org/10.1152/ajpgi.00216.2011>.
- Xu, Q; Sakai, K; Suzuki, Y; Tambo, C; Sakai, Y; Matsumoto, K. (2013). Suppression of fibrogenic gene expression and liver fibrosis using a synthetic prostacyclin agonist. *Biomedical Research*. 34: 241-250.
- Xu, T; Wang, X; Chen, G; He, Y; Bie, P. (2013). Autologous bone marrow stem cell transplantation attenuates hepatocyte apoptosis in a rat model of ex vivo liver resection and liver autotransplantation. *J Surg Res*. 184: 1102-1108. <http://dx.doi.org/10.1016/j.jss.2013.03.095>.
- Xu, W; Lu, C; Zhang, F; Shao, J; Yao, S; Zheng, S. (2017). Dihydroartemisinin counteracts fibrotic portal hypertension via farnesoid X receptor-dependent inhibition of hepatic stellate cell contraction. *FEBS J*. 284: 114-133. <http://dx.doi.org/10.1111/febs.13956>.
- Xu, X; Ge, Z; Cheng, D; Ma, L; Lu, C; Zhang, Q; Yao, N; Li, X. (2010). CuCl/CCL(4)-promoted convenient synthesis of sulfonyl amidines from tertiary amines and sulfonyl azides. *Org Lett*. 12: 897-899. <http://dx.doi.org/10.1021/ol1000236>.

Human Health Hazard Literature Search Results

Off Topic

- Xu, X; Hu, Y; Zhai, X; Lin, M; Chen, Z; Tian, X; Zhang, F; Gao, D; Ma, X; Lv, L; Yao, J. (2013). Salvianolic acid A preconditioning confers protection against concanavalin A-induced liver injury through SIRT1-mediated repression of p66shc in mice. *Toxicol Appl Pharmacol.* 273: 68-76. <http://dx.doi.org/10.1016/j.taap.2013.08.021>.
- Xu, XB; He, ZP; Leng, XS; Liang, ZQ; Peng, JR; Zhang, HY; Zhang, HY; Xiao, M; Zhang, H; Liu, CL; Zhang, XD. (2010). [Effects of Smad4 on liver fibrosis and hepatocarcinogenesis in mice treated with CCl₄/ethanol]. *Zhonghua Gan Zang Bing Za Zhi.* 18: 119-123.
- Xu, XB; Leng, XS; He, ZP; Chen, L; Zhang, HY; Zhang, HY; Zhang, H; Xiao, M; Liu, CL; Feng, ZQ. (2010). [Observation on experimental liver fibrosis and hepatic carcinogenesis of HBV gene knock-in transgenic mice induced by CCl₄/ethanol]. *Chung Hua Hsueh Tsa Chih.* 90: 822-825.
- Xuan, J; Feng, W; An, ZT; Yang, J; Xu, HB; Li, J; Zhao, ZF; Wen, W. (2017). Anti-TGF β -1 receptor inhibitor mediates the efficacy of the human umbilical cord mesenchymal stem cells against liver fibrosis through TGF β -1/Smad pathway. *Mol Cell Biochem.* <http://dx.doi.org/10.1007/s11010-017-2940-1>.
- Xue, G; Han, X; Ma, X; Wu, H; Qin, Y; Liu, J; Hu, Y; Hong, Y; Hou, Y. (2016). Effect of Microenvironment on Differentiation of Human Umbilical Cord Mesenchymal Stem Cells into Hepatocytes In Vitro and In Vivo. *BioMed Res Int.* 2016: 8916534. <http://dx.doi.org/10.1155/2016/8916534>.
- Xue, L; Wang, T; Simpson, IJ; Ding, A; Gao, J; Blake, DR; Wang, X; Wang, W; Lei, H; Jin, D. (2011). Vertical distributions of non-methane hydrocarbons and halocarbons in the lower troposphere over northeast China. *Atmos Environ.* 45: 6501-6509. <http://dx.doi.org/10.1016/j.atmosenv.2011.08.072>.
- Xue, P; Zhu, X; Shi, J; Fu, H; Zhang, J; Liu, M; Jiang, C; Li, X. (2014). Highly efficient expression of functional recombinant human keratinocyte growth factor 1 and its protective effects on hepatocytes. *Appl Microbiol Biotechnol.* 98: 3933-3945. <http://dx.doi.org/10.1007/s00253-014-5520-2>.
- Xue, Q; Sun, ZL; Guo, ML; Wang, Y; Zhang, G; Wang, XK. (2011). Two new compounds from Semen celosiae and their protective effects against CCl₄-induced hepatotoxicity. *Nat Prod Res.* 25: 772-780. <http://dx.doi.org/10.1080/14786410902833948>.
- Yabluchanskiy, A; Ma, Y; Deleon-Pennell, KY; Altara, R; Halade, GV; Voorhees, AP; Nguyen, NT; Jin, YF; Winniford, MD; Hall, ME; Han, HC; Lindsey, ML. (2016). Myocardial Infarction Superimposed on Aging: MMP-9 Deletion Promotes M2 Macrophage Polarization. *J Gerontol A Biol Sci Med Sci.* 71: 475-483. <http://dx.doi.org/10.1093/gerona/glv034>.
- Yachi, R; Igarashi, O; Kiyose, C. (2010). Protective Effects of Vitamin E Analogs against Carbon Tetrachloride-Induced Fatty Liver in Rats. *J Clin Biochem Nutr.* 47: 148-154. <http://dx.doi.org/10.3164/jcbs.10-35>.
- Yadav, NP; Chanda, D; Chattopadhyay, SK; Gupta, AK; Pal, A. (2010). Hepatoprotective Effects and Safety Evaluation of Coumarinolignoids Isolated from *Cleome viscosa* Seeds. *Indian J Pharmaceut Sci.* 72: 759-765. <http://dx.doi.org/10.4103/0250-474X.84589>.
- Yagai, T; Miyajima, A; Tanaka, M. (2014). Semaphorin 3E secreted by damaged hepatocytes regulates the sinusoidal regeneration and liver fibrosis during liver regeneration. *Am J Pathol.* 184: 2250-2259. <http://dx.doi.org/10.1016/j.ajpath.2014.04.018>.
- Yagi, K. (2012). [Liver protective effect of *Lentinula edodes mycelia* (LEM)]. *Gan To Kagaku Ryoho.* 39: 1099-1102.
- Yahoo, N; Pournasr, B; Rostamzadeh, J; Hakhamaneshi, MS; Ebadifar, A; Fathi, F; Baharvand, H. (2016). Forced expression of Hnf1b/Foxa3 promotes hepatic fate of embryonic stem cells. *Biochem Biophys Res Commun.* 474: 199-205. <http://dx.doi.org/10.1016/j.bbrc.2016.10.102>.
- Yamagata, H; Ikejima, K; Takeda, K; Aoyama, T; Kon, K; Okumura, K; Watanabe, S. (2013). Altered expression and function of hepatic natural killer T cells in obese and diabetic KK-A(y) mice. *Hepatology Research.* 43: 276-288. <http://dx.doi.org/10.1111/j.1872-034X.2012.01062.x>.
- Yamaguchi, S; Tominaga, K; Saito, S. (2011). Intermolecular vibrational mode of the benzoic acid dimer in solution observed by terahertz time-domain spectroscopy. *Phys Chem Chem Phys.* 13: 14742-14749. <http://dx.doi.org/10.1039/c1cp20912d>.
- Yamaguchi, Y; Shao, Z; Sharif, S; Du, XY; Myles, T; Merchant, M; Harsh, G; Glantz, M; Recht, L; Morser, J; Leung, LL. (2013). Thrombin-cleaved fragments of osteopontin are overexpressed in malignant glial tumors and provide a molecular niche with survival advantage. *J Biol Chem.* 288: 3097-3111. <http://dx.doi.org/10.1074/jbc.M112.362954>.
- Yamamoto, H; Nakamura, Y; Sato, K; Takahashi, Y; Nomura, T; Miyasaka, T; Ishii, K; Hara, H; Yamamoto, N; Kanno, E; Iwakura, Y; Kawakami, K. (2014). Defect of CARD9 leads to impaired accumulation of gamma interferon-producing memory phenotype T cells in lungs and increased susceptibility to pulmonary infection with *Cryptococcus neoformans*. *Infect Immun.* 82: 1606-1615. <http://dx.doi.org/10.1128/IAI.01089-13>.
- Yamamoto, M; Tanaka, H; Xin, B; Nishikawa, Y; Yamazaki, K; Shimizu, K; Ogawa, K. (2017). Role of the BrafV637E mutation in hepatocarcinogenesis induced by treatment with diethylnitrosamine in neonatal B6C3F1 mice. *Mol Carcinog.* 56: 478-488. <http://dx.doi.org/10.1002/mc.22510>.
- Yamamotoya, T; Nakatsu, Y; Matsunaga, Y; Fukushima, T; Yamazaki, H; Kaneko, S; Fujishiro, M; Kikuchi, T; Kushiya, A; Tokunaga, F; Asano, T; Sakoda, H. (2017). Reduced SHARPIN and LUBAC Formation May Contribute to CCl₄- or Acetaminophen-Induced Liver Cirrhosis in Mice. *International Journal of Molecular Sciences.* 18. <http://dx.doi.org/10.3390/ijms18020326>.
- Yamanaka, D; Motoi, M; Motoi, A; Ohno, N. (2014). Differences in antioxidant activities of outdoor- and indoor-cultivated *Agaricus brasiliensis*, and protective effects against carbon tetrachloride-induced acute hepatic injury in mice. *BMC Complement Altern Med.* 14: 454. <http://dx.doi.org/10.1186/1472-6882-14-454>.
- Yamane, A; Tsukamoto, N; Saitoh, T; Uchiyumi, H; Handa, H; Karasawa, M; Nojima, Y; Murakami, H. (2009). Successful Treatment by All-Trans Retinoic Acid in a Patient with Acute Promyelocytic Leukemia Complicated by Liver Cirrhosis and Polycystic Kidney. *Intern Med.* 48: 1691-1694. <http://dx.doi.org/10.2169/internalmedicine.48.2358>.

Human Health Hazard Literature Search Results

Off Topic

- Yamaza, T; Alatas, FS; Yuniartha, R; Yamaza, H; Fujiyoshi, JK; Yanagi, Y; Yoshimaru, K; Hayashida, M; Matsuura, T; Aijima, R; Ihara, K; Ohga, S; Shi, S; Nonaka, K; Taguchi, T. (2015). In vivo hepatogenic capacity and therapeutic potential of stem cells from human exfoliated deciduous teeth in liver fibrosis in mice. 6: 171. <http://dx.doi.org/10.1186/s13287-015-0154-6>.
- Yamazaki, T; Mori, M; Arai, S; Tateishi, R; Abe, M; Ban, M; Nishijima, A; Maeda, M; Asano, T; Kai, T; Izumino, K; Takahashi, J; Aoyama, K; Harada, S; Takebayashi, T; Gunji, T; Ohnishi, S; Seto, S; Yoshida, Y; Hiasa, Y; Koike, K; Yamamura, K; Inoue, K; Miyazaki, T. (2014). Circulating AIM as an indicator of liver damage and hepatocellular carcinoma in humans. PLoS ONE. 9: e109123. <http://dx.doi.org/10.1371/journal.pone.0109123>.
- Yan, B; Cai, X; Yao, W; Zhang, L; Huang, M; Ding, A. (2012). [Experimental study of active ingredients group in liver protection from erzhi wan on acute hepatic injury induced by CCl4 in mice]. Zhongguo Zhong Yao Za Zhi. 37: 1303-1306.
- Yan, F; Zhang, QY; Jiao, L; Han, T; Zhang, H; Qin, LP; Khalid, R. (2009). Synergistic hepatoprotective effect of Schisandrae lignans with Astragalus polysaccharides on chronic liver injury in rats. Phytomedicine. 16: 805-813. <http://dx.doi.org/10.1016/j.phymed.2009.02.004>.
- Yan, H; Gui, Z; Wang, B. (2011). A study on effects of glutathione s-transferase from silkworm on CCL4-induced mouse liver injury. Pak J Pharm Sci. 24: 1-5.
- Yan, JY; Ai, G; Zhang, XJ; Xu, HJ; Huang, ZM. (2015). Investigations of the total flavonoids extracted from flowers of *Abelmoschus manihot* (L.) Medic against α -naphthylisothiocyanate-induced cholestatic liver injury in rats. J Ethnopharmacol. 172: 202-213. <http://dx.doi.org/10.1016/j.jep.2015.06.044>.
- Yan, L; Cai, H; Chen, Y; Tan, W. (2009). [Effect of hepatocyte-like cells induced by CD34+ cells in vitro on the repair of injured hepatic tissues of mice in vivo]. Zhongguo Xiu Fu Chong Jian Wai Ke Za Zhi. 23: 1235-1240.
- Yan, X; Jiang, Z; Bi, L; Yang, Y; Chen, W. (2015). Salvianolic acid A attenuates TNF- α - and D-GalN-induced ER stress-mediated and mitochondrial-dependent apoptosis by modulating Bax/Bcl-2 ratio and calcium release in hepatocyte LO2 cells. Naunyn Schmiedebergs Arch Pharmacol. 388: 817-830. <http://dx.doi.org/10.1007/s00210-015-1116-3>.
- Yan, X; Ye, T; Hu, X; Zhao, P; Wang, X. (2016). 58-F, a flavanone from *Ophiopogon japonicus*, prevents hepatocyte death by decreasing lysosomal membrane permeability. Sci Rep. 6: 27875. <http://dx.doi.org/10.1038/srep27875>.
- Yan, XJ; Dozmorov, I; Li, W; Yancopoulos, S; Sison, C; Centola, M; Jain, P; Allen, SL; Kolitz, JE; Rai, KR; Chiorazzi, N; Sherry, B. (2011). Identification of outcome-correlated cytokine clusters in chronic lymphocytic leukemia. Blood. 118: 5201-5210. <http://dx.doi.org/10.1182/blood-2011-03-342436>.
- Yan, Y; Jiang, W; Tan, Y; Zou, S; Zhang, H; Mao, F; Gong, A; Qian, H; Xu, W. (2017). hucMSC Exosome-Derived GPX1 Is Required for the Recovery of Hepatic Oxidant Injury. <http://dx.doi.org/10.1016/j.ymthe.2016.11.019>.
- Yan, Y; Xu, W; Qian, H; Si, Y; Zhu, W; Cao, H; Zhou, H; Mao, F. (2009). Mesenchymal stem cells from human umbilical cords ameliorate mouse hepatic injury in vivo. Liver Int. 29: 356-365. <http://dx.doi.org/10.1111/j.1478-3231.2008.01855.x>.
- Yan, YB; Song, H; Zhong, BS; Wang, ZY; Ying, SJ; Wang, F. (2010). Hepatoprotective effect of an immortal human fetal hepatic cell transplantation on CCL(4)-induced acute liver injury in mice. Transplant Proc. 42: 2782-2785. <http://dx.doi.org/10.1016/j.transproceed.2010.04.066>.
- Yan, Z; Qu, K; Zhang, J; Huang, Q; Qu, P; Xu, X; Yuan, P; Huang, X; Shao, Y; Liu, C; Zhang, H; Xing, J. (2015). CD147 promotes liver fibrosis progression via VEGF-A/VEGFR2 signalling-mediated cross-talk between hepatocytes and sinusoidal endothelial cells. Clin Sci (Lond). 129: 699-710. <http://dx.doi.org/10.1042/CS20140823>.
- Yanagida, A; Iwaisako, K; Hatano, E; Taura, K; Sato, F; Narita, M; Nagata, H; Asechi, H; Uemoto, S; Kinoshita, M. (2011). Downregulation of the Wnt antagonist Dkk2 links the loss of Sept4 and myofibroblastic transformation of hepatic stellate cells. Biochim Biophys Acta. 1812: 1403-1411. <http://dx.doi.org/10.1016/j.bbdis.2011.06.015>.
- Yanagihara, S; Goto, H; Hirota, T; Fukuda, S; Ohno, H; Yamamoto, N. (2014). Lactobacillus acidophilus L-92 Cells Activate Expression of Immunomodulatory Genes in THP-1 Cells. 33: 157-164. <http://dx.doi.org/10.12938/bmfh.33.157>.
- Yanagisawa, R; Takano, H; Inoue, KI; Koike, E; Sadakane, K; Ichinose, T. (2010). SIZE EFFECTS OF POLYSTYRENE NANOPARTICLES ON ATOPIC DERMATITIS-LIKE SKIN LESIONS IN NC/NGA MICE. Int J Immunopathol Pharmacol. 23: 131-141.
- Yang, AT; Hu, DD; Wang, P; Cong, M; Liu, TH; Zhang, D; Sun, YM; Zhao, WS; Jia, JD; You, H. (2016). TGF- β 1 Induces the Dual Regulation of Hepatic Progenitor Cells with Both Anti- and Proliferative Fibrosis. Stem Cells International. 2016: 1492694. <http://dx.doi.org/10.1155/2016/1492694>.
- Yang, B; Yang, GP; Lu, XL; Li, L; He, Z. (2015). Distributions and sources of volatile chlorocarbons and bromocarbons in the Yellow Sea and East China Sea. Mar Pollut Bull. 95: 491-502. <http://dx.doi.org/10.1016/j.marpolbul.2015.03.009>.
- Yang, BX; Cao, SY. (2011). [Determination of carbon tetrachloride in the workplace air with chromatography]. Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi. 29: 860-861.
- Yang, BY; Zhang, XY; Guan, SW; Hua, ZC. (2015). Protective Effect of Procyanidin B2 against CCl4-Induced Acute Liver Injury in Mice. Molecules. 20: 12250-12265. <http://dx.doi.org/10.3390/molecules200712250>.
- Yang, C; Gong, X; Ai, Q; Ge, P; Lin, L; Zhang, L. (2015). 5-Aminoimidazole-4-carboxamide-1- β -D-ribofuranoside alleviated carbon tetrachloride-induced acute hepatitis in mice. Int Immunopharmacol. 25: 393-399. <http://dx.doi.org/10.1016/j.intimp.2015.02.018>.
- Yang, CC; Fang, JY; Hong, TL; Wang, TC; Zhou, YE; Lin, TC. (2013). Potential antioxidant properties and hepatoprotective effects of an aqueous extract formula derived from three Chinese medicinal herbs against CCl(4)-induced liver injury in rats. Int Immunopharmacol. 15: 106-113. <http://dx.doi.org/10.1016/j.intimp.2012.10.017>.
- Yang, CH; Ting, WJ; Day, CH; Ju, DT; Yeh, YL; Chung, LC; Tsai, FJ; Tsai, CH; Tsai, Y; Huang, CY. (2014). SHSST cyclodextrin complex prevents the fibrosis effect on CCl₄-induced cirrhotic cardiomyopathy in rats through TGF- β pathway inhibition effects. International Journal of Molecular Sciences. 15: 8037-8048. <http://dx.doi.org/10.3390/ijms15058037>.

Human Health Hazard Literature Search Results

Off Topic

- Yang, CH; Ting, WJ; Pai, PY; Chang, SH; Ho, TJ; Lin, JY; Tsai, FJ; Padama, VV; Tsai, Y; Huang, CY. (2015). Anti-apoptosis effects on hearts of SHSST cyclodextrin complex in a carbon tetrachloride-induced cirrhotic cardiomyopathy rat model. *Chin J Physiol.* 58: 38-45. <http://dx.doi.org/10.4077/CJP.2015.BAD286>.
- Yang, CH; Ting, WJ; Shen, CY; Hsu, HH; Lin, YM; Chang, SH; Tsai, FJ; Padma, VV; Huang, CY; Tsai, Y. (2015). SHSST-cyclodextrin complex inhibits TGF- β /Smad3/CTGF to a greater extent than silymarin in a rat model of carbon tetrachloride-induced liver injury. *Mol Med Rep.* 12: 6053-6059. <http://dx.doi.org/10.3892/mmr.2015.4190>.
- Yang, CH; Ting, WJ; Shen, CY; Hsu, HH; Lin, YM; Kuo, CH; Tsai, FJ; Tsai, CH; Tsai, Y; Huang, CY. (2016). Anti-apoptotic effect of San Huang Shel Shin Tang cyclodextrin complex (SHSSTc) on CCl₄-induced hepatotoxicity in rats. *Environ Toxicol.* 31: 663-670. <http://dx.doi.org/10.1002/tox.22078>.
- Yang, CY; Ding, WH. (2012). Determination of synthetic polycyclic musks in aqueous samples by ultrasound-assisted dispersive liquid-liquid microextraction and gas chromatography-mass spectrometry. *Anal Bioanal Chem.* 402: 1723-1730. <http://dx.doi.org/10.1007/s00216-011-5573-3>.
- Yang, DH; Ye, ZY; Jin, B; He, XJ; Zhang, Q; Zhou, WM; Xu, WJ; Lu, HX. (2011). Salvianolate inhibits cytokine gene expression in small intestine of cirrhotic rats. *World J Gastroenterol.* 17: 1903-1909. <http://dx.doi.org/10.3748/wjg.v17.i14.1903>.
- Yang, DH; Ye, ZY; Xie, YJ; He, XJ; Xu, WJ; Zhou, WM. (2012). Effect of salvianolate on intestinal epithelium tight junction protein zonula occludens protein 1 in cirrhotic rats. *World J Gastroenterol.* 18: 7040-7047. <http://dx.doi.org/10.3748/wjg.v18.i47.7040>.
- Yang, F; Xu, Y; Xiong, A; He, Y; Yang, L; Wan, YJ; Wang, Z. (2012). Evaluation of the protective effect of Rhei Radix et Rhizoma against α -naphthylisothiocyanate induced liver injury based on metabolic profile of bile acids. *J Ethnopharmacol.* 144: 599-604. <http://dx.doi.org/10.1016/j.jep.2012.09.049>.
- Yang, FR; Fang, BW; Lou, JS. (2010). Effects of Haobie Yangyin Ruanjian decoction on hepatic fibrosis induced by carbon tetrachloride in rats. *World J Gastroenterol.* 16: 1458-1464.
- Yang, FR; Fang, BW; Lou, JS. (2013). Effects of Fufang Biejia Ruangan pills on hepatic fibrosis in vivo and in vitro. *World J Gastroenterol.* 19: 5326-5333. <http://dx.doi.org/10.3748/wjg.v19.i32.5326>.
- Yang, G; Bai, L; Yan, C; Gu, Y; Ma, J. (2011). Preparation of a strong-cation exchange monolith by a novel method and its application in the separation of IgG on high performance liquid chromatography. *Talanta.* 85: 2666-2672. <http://dx.doi.org/10.1016/j.talanta.2011.08.048>.
- Yang, G; Zhou, M; Jiang, XL; Zhang, P; Liu, TC; Xu, DP; Li, ZW; Gao, SQ; Yang, JG. (2010). [The effect of pressure on binary solution phase transition and fermi resonance--comparing pressure effect for binary solution and pure liquid]. *Guang Pu Xue Yu Guang Pu Fen Xi.* 30: 2141-2145.
- Yang, H, eaj; Kwon, S, ooY; Kim, K, iSuk; Jeong, HS, oo; Kim, Y; Chung, W, onS; Lee, JH; Jang, HJ, in. (2014). Anti-fibrotic effects of Kyungheechunggan-tang on activated hepatic stellate cells and rat liver. *Mol Cell Toxicol.* 10: 411-421. <http://dx.doi.org/10.1007/s13273-014-0046-3>.
- Yang, H; Sung, SH; Kim, YC. (2015). The ethanolic extract of Juglans sinensis leaves and twigs attenuates CCl₄-induced hepatic oxidative stress in rats. *Pharmacognosy Magazine.* 11: 533-539. <http://dx.doi.org/10.4103/0973-1296.160463>.
- Yang, J; Cao, N; Li, S; Chen, D. (2014). [Evaluation on the capability of testing carbon tetrachloride, benzene, methylbenzene, dimethylbenzene, p' p-DDT of the provincial centers for disease control and prevention]. *Wei Sheng Yan Jiu.* 43: 842-844.
- Yang, J; Li, Y; Wang, F; Wu, C. (2010). Hepatoprotective effects of apple polyphenols on CCl₄-induced acute liver damage in mice. *J Agric Food Chem.* 58: 6525-6531. <http://dx.doi.org/10.1021/jf903070a>.
- Yang, J; Qiu, B; Li, X; Zhang, H; Liu, W. (2015). p53-p66(shc)/miR-21-Sod2 signaling is critical for the inhibitory effect of betulinic acid on hepatocellular carcinoma. *Toxicol Lett.* 238: 1-10. <http://dx.doi.org/10.1016/j.toxlet.2015.07.016>.
- Yang, J; Wang, K; Zhao, Q; Huang, L; Yuan, CS; Chen, WH; Yang, WB. (2014). Underestimated public health risks caused by overestimated VOC removal in wastewater treatment processes. *Environ Sci Process Impacts.* 16: 271-279. <http://dx.doi.org/10.1039/c3em00487b>.
- Yang, J; Xiong, Q; Zhang, J; Yan, S; Zhu, L; Zhu, B. (2014). The Protective Effect of Stauntonia Chinensis Polysaccharide on CCl₄-induced Acute Liver Injuries in Mice. *International Journal of Biomedical Science.* 10: 16-20.
- Yang, J; Yan, Y; Ma, CG; Kang, T; Zhang, N; Gran, B; Xu, H; Li, K; Ciric, B; Zangaladze, A; Curtis, M; Rostami, A; Zhang, GX. (2012). Accelerated and enhanced effect of CCR5-transduced bone marrow neural stem cells on autoimmune encephalomyelitis. *Acta Neuropathol.* 124: 491-503. <http://dx.doi.org/10.1007/s00401-012-0989-1>.
- Yang, JH; Kim, SC; Kim, KM; Jang, CH; Cho, SS; Kim, SJ; Ku, SK; Cho, IJ; Ki, SH. (2016). Isorhamnetin attenuates liver fibrosis by inhibiting TGF- β /Smad signaling and relieving oxidative stress. *Eur J Pharmacol.* 783: 92-102. <http://dx.doi.org/10.1016/j.ejphar.2016.04.042>.
- Yang, JJ; Yoon, JH; Bang, YJ; Lee, SH; Lee, SM; Byun, HJ; Myung, SJ; Kim, W; Lee, HS. (2010). Synergistic antifibrotic efficacy of statin and protein kinase C inhibitor in hepatic fibrosis. *Am J Physiol Gastrointest Liver Physiol.* 298: G126-G132. <http://dx.doi.org/10.1152/ajpgi.00299.2009>.
- Yang, JJ; Liu, LP; Tao, H; Hu, W; Shi, P; Deng, ZY; Li, J. (2016). MeCP2 silencing of LncRNA H19 controls hepatic stellate cell proliferation by targeting IGF1R. *Toxicology.* 359-360: 39-46. <http://dx.doi.org/10.1016/j.tox.2016.06.016>.
- Yang, JJ; Tao, H; Huang, C; Shi, KH; Ma, TT; Bian, EB; Zhang, L; Liu, LP; Hu, W; Lv, XW; Li, J. (2013). DNA methylation and MeCP2 regulation of PTCH1 expression during rats hepatic fibrosis. *Cell Signal.* 25: 1202-1211. <http://dx.doi.org/10.1016/j.cellsig.2013.01.005>.
- Yang, K; Wang, XQ; He, YS; Lu, L; Chen, QJ; Liu, J; Shen, WF. (2010). Advanced glycation end products induce chemokine/cytokine production via activation of p38 pathway and inhibit proliferation and migration of bone marrow mesenchymal stem cells. *Cardiovasc Diabetol.* 9: 66. <http://dx.doi.org/10.1186/1475-2840-9-66>.

Human Health Hazard Literature Search Results

Off Topic

- Yang, KY; Hwang, d; Yousaf, AM; Kim, DW; Shin, YJ; Bae, ON; Kim, YI; Kim, JO; Yong, CS; Choi, HG. (2013). Silymarin-loaded solid nanoparticles provide excellent hepatic protection: physicochemical characterization and in vivo evaluation. *International Journal of Nanomedicine* (Online). 8: 3333-3343. <http://dx.doi.org/10.2147/IJN.S50683>.
- Yang, L; Bekele, T; Lipton, MA; Kenttämaa, HI. (2013). Generation and characterization of a distonic biradical anion formed from an enediynone prodrug in the gas phase. 24: 563-572. <http://dx.doi.org/10.1007/s13361-012-0567-8>.
- Yang, L; Chang, N; Liu, X; Han, Z; Zhu, T; Li, C; Yang, L; Li, L. (2012). Bone marrow-derived mesenchymal stem cells differentiate to hepatic myofibroblasts by transforming growth factor- β 1 via sphingosine kinase/sphingosine 1-phosphate (S1P)/S1P receptor axis. *Am J Pathol*. 181: 85-97. <http://dx.doi.org/10.1016/j.ajpath.2012.03.014>.
- Yang, L; Dong, W; Yan, F; Ren, X; Hao, X. (2010). Recombinant bovine pancreatic trypsin inhibitor protects the liver from carbon tetrachloride-induced acute injury in mice. *J Pharm Pharmacol*. 62: 332-338. <http://dx.doi.org/10.1211/jpp.62.03.0007>.
- Yang, L; Kwon, J; Popov, Y; Gajdos, GB; Ordog, T; Brekken, RA; Mukhopadhyay, D; Schuppan, D; Bi, Y; Simonetto, D; Shah, VH. (2014). Vascular endothelial growth factor promotes fibrosis resolution and repair in mice. *Gastroenterology*. 146: 1339-1350.e1331. <http://dx.doi.org/10.1053/j.gastro.2014.01.061>.
- Yang, L; Stimpson, SA; Chen, L; Wallace Harrington, W; Rockey, DC. (2010). Effectiveness of the PPAR γ agonist, GW570, in liver fibrosis. *Inflamm Res*. 59: 1061-1071. <http://dx.doi.org/10.1007/s00011-010-0226-0>.
- Yang, L; Wang, CZ; Ye, JZ; Li, HT. (2011). Hepatoprotective effects of polyphenols from Ginkgo biloba L. leaves on CCl₄-induced hepatotoxicity in rats. *Fitoterapia*. 82: 834-840. <http://dx.doi.org/10.1016/j.fitote.2011.04.009>.
- Yang, L; Yue, S; Yang, L; Liu, X; Han, Z; Zhang, Y; Li, L. (2013). Sphingosine kinase/sphingosine 1-phosphate (S1P)/S1P receptor axis is involved in liver fibrosis-associated angiogenesis. *J Hepatol*. 59: 114-123. <http://dx.doi.org/10.1016/j.jhep.2013.02.021>.
- Yang, LN; Wen, J; Sun, Y; Liang, JJ; Zheng, WH; Zhang, LL; Zhou, YJ; Xiong, ZL. (2014). [Metabonomic study on the anti-liver injury effect of Si-Ni-San on rats by using UPLC-MS/MS]. *Yao Xue Xue Bao*. 49: 368-373.
- Yang, MH; Kim, NH; Heo, JD; Sung, SH; Jeong, EJ. (2014). Hepatoprotective effects of Limonium tetragonum, edible medicinal halophyte growing near seashores. *Pharmacognosy Magazine*. 10: S563-S568. <http://dx.doi.org/10.4103/0973-1296.139783>.
- Yang, N; Dang, S; Shi, J; Wu, F; Li, M; Zhang, X; Li, Y; Jia, X; Zhai, S. (2017). Caffeic acid phenethyl ester attenuates liver fibrosis via inhibition of TGF- β 1/Smad3 pathway and induction of autophagy pathway. *Biochem Biophys Res Commun*. <http://dx.doi.org/10.1016/j.bbrc.2017.02.057>.
- Yang, N, an; Liu, H, e; Jiang, Y, ao; Zheng, J, i; Li, D; Ji, C; Liu, Y; Zuo, PP. (2015). Lactulose enhances neuroplasticity to improve cognitive function in early hepatic encephalopathy. *Neural Regen Res*. 10: 1457-1462. <http://dx.doi.org/10.4103/1673-5374.165516>.
- Yang, RZ; Park, S; Reagan, WJ; Goldstein, R; Zhong, S; Lawton, M; Rajamohan, F; Qian, K; Liu, L; Gong, DW. (2009). Alanine aminotransferase isoenzymes: molecular cloning and quantitative analysis of tissue expression in rats and serum elevation in liver toxicity. *Hepatology*. 49: 598-607. <http://dx.doi.org/10.1002/hep.22657>.
- Yang, S; Li, W; Challis, JR; Reid, G; Kim, SO; Bocking, AD. (2014). Probiotic Lactobacillus rhamnosus GR-1 supernatant prevents lipopolysaccharide-induced preterm birth and reduces inflammation in pregnant CD-1 mice. *Am J Obstet Gynecol*. 211: 44.e41-44.e12. <http://dx.doi.org/10.1016/j.ajog.2014.01.029>.
- Yang, SA; Jung, YS; Lee, SJ; Park, SC; Kim, MJ; Lee, EJ; Byun, HJ; Jhee, KH; Lee, SP. (2014). Hepatoprotective effects of fermented field water-dropwort (*Oenanthe javanica*) extract and its major constituents. *Food Chem Toxicol*. 67: 154-160. <http://dx.doi.org/10.1016/j.fct.2014.02.010>.
- Yang, SP; Guo, JS; Wang, JY; Lin, L; Shi, RH. (2011). [The role of HO-CO system in the hemodynamic disturbance of cirrhotic rats]. *Zhonghua Gan Zang Bing Za Zhi*. 19: 174-177.
- Yang, T; Chen, SL; Lu, XJ; Shen, CY; Liu, Y; Chen, YP. (2012). Bone morphogenetic protein 7 suppresses the progression of hepatic fibrosis and regulates the expression of gremlin and transforming growth factor β 1. *Mol Med Rep*. 6: 246-252. <http://dx.doi.org/10.3892/mmr.2012.892>.
- Yang, WJ; Luo, YQ; Aisa, HA; Xin, XL; Totahon, Z; Mao, Y; Hu, MY; Xu, L; Zhang, RP. (2012). Hepatoprotective activities of a sesquiterpene-rich fraction from the aerial part of *Cichorium glandulosum*. *Chinese Medicine*. 7: 21. <http://dx.doi.org/10.1186/1749-8546-7-21>.
- Yang, X; Han, ZP; Zhang, SS; Zhu, PX; Hao, C; Fan, TT; Yang, Y; Li, L; Shi, YF; Wei, LX. (2014). Chronic restraint stress decreases the repair potential from mesenchymal stem cells on liver injury by inhibiting TGF- β 1 generation. *Cell Death & Disease*. 5: e1308. <http://dx.doi.org/10.1038/cddis.2014.257>.
- Yang, X; Liang, L; Zong, C; Lai, F; Zhu, P; Liu, Y; Jiang, J; Yang, Y; Gao, L; Ye, F; Zhao, Q; Li, R; Han, Z; Wei, L. (2016). Kupffer cells-dependent inflammation in the injured liver increases recruitment of mesenchymal stem cells in aging mice. *Onco*. 7: 1084-1095. <http://dx.doi.org/10.18632/oncotarget.6744>.
- Yang, X; Yang, S; Guo, Y; Jiao, Y; Zhao, Y. (2013). Compositional characterisation of soluble apple polysaccharides, and their antioxidant and hepatoprotective effects on acute CCl₄-caused liver damage in mice. *Food Chem*. 138: 1256-1264. <http://dx.doi.org/10.1016/j.foodchem.2012.10.030>.
- Yang, YC; Lii, CK; Lin, AH; Yeh, YW; Yao, HT; Li, CC; Liu, KL; Chen, HW. (2011). Induction of glutathione synthesis and heme oxygenase 1 by the flavonoids butein and phloretin is mediated through the ERK/Nrf2 pathway and protects against oxidative stress. *Free Radic Biol Med*. 51: 2073-2081. <http://dx.doi.org/10.1016/j.freeradbiomed.2011.09.007>.
- Yang, YY. (2014). Mechanisms of the beneficial effects of Ger-Gen-Chyn-Lian-Tang on acute and chronic liver injury [Editorial]. 77: 343-344. <http://dx.doi.org/10.1016/j.jcma.2014.04.010>.
- Yano, H; Thakur, A; Tomaszewski, EN; Choi, M; Deol, A; Lum, LG. (2014). Ipilimumab augments antitumor activity of bispecific antibody-armed T cells. *J Transl Med*. 12: 191. <http://dx.doi.org/10.1186/1479-5876-12-191>.

Human Health Hazard Literature Search Results

Off Topic

- Yao, H; Hu, C; Yin, L; Tao, X; Xu, L; Qi, Y; Han, X; Xu, Y; Zhao, Y; Wang, C; Peng, J. (2016). Dioscin reduces lipopolysaccharide-induced inflammatory liver injury via regulating TLR4/MyD88 signal pathway. *Int Immunopharmacol.* 36: 132-141. <http://dx.doi.org/10.1016/j.intimp.2016.04.023>.
- Yao, Q; Lin, Y; Li, X; Shen, X; Wang, J; Tu, C. (2013). Curcumin ameliorates intrahepatic angiogenesis and capillarization of the sinusoids in carbon tetrachloride-induced rat liver fibrosis. *Toxicol Lett.* 222: 72-82. <http://dx.doi.org/10.1016/j.toxlet.2013.06.240>.
- Yao, QY; Xu, BL; Wang, JY; Liu, HC; Zhang, SC; Tu, CT. (2012). Inhibition by curcumin of multiple sites of the transforming growth factor-beta1 signalling pathway ameliorates the progression of liver fibrosis induced by carbon tetrachloride in rats. *BMC Complement Altern Med.* 12: 156. <http://dx.doi.org/10.1186/1472-6882-12-156>.
- Yao, W; Gu, H; Zhu, J; Barding, G; Cheng, H; Bao, B; Zhang, L; Ding, A; Li, W. (2014). Integrated plasma and urine metabolomics coupled with HPLC/QTOF-MS and chemometric analysis on potential biomarkers in liver injury and hepatoprotective effects of Er-Zhi-Wan. *Anal Bioanal Chem.* 406: 7367-7378. <http://dx.doi.org/10.1007/s00216-014-8169-x>.
- Yao, X; Zhu, L; Chen, Y; Tian, J; Wang, Y. (2013). In vivo and in vitro antioxidant activity and α -glucosidase, α -amylase inhibitory effects of flavonoids from *Cichorium glandulosum* seeds. *Food Chem.* 139: 59-66. <http://dx.doi.org/10.1016/j.foodchem.2012.12.045>.
- Yasmin, S; Kashmiri, MA; Anwar, K. (2011). Screening of aerial parts of *Abutilon bidentatum* for hepatoprotective activity in rabbits. *Journal of Medicinal Plant Research.* 5: 349-353.
- Yasuda, M. (2010). *Acute Hepatic Porphyrias: Pathogenesis & Treatment.*
- Yasuda, M. (2011). *Acute Hepatic Porphyrias: Pathogenesis & Treatment.*
- Yasuda, M. (2012). *Acute Hepatic Porphyrias: Pathogenesis & Treatment.*
- Yasuda, M. (2013). *Acute Hepatic Porphyrias: Pathogenesis & Treatment.*
- Yasuda, M. (2014). *Acute Hepatic Porphyrias: Pathogenesis & Treatment.*
- Yasuda, Y; Shimizu, M; Sakai, H; Iwasa, J; Kubota, M; Adachi, S; Osawa, Y; Tsurumi, H; Hara, Y; Moriwaki, H. (2009). (-)-Epigallocatechin gallate prevents carbon tetrachloride-induced rat hepatic fibrosis by inhibiting the expression of the PDGFRbeta and IGF-1R. *Chem Biol Interact.* 182: 159-164. <http://dx.doi.org/10.1016/j.cbi.2009.07.015>.
- Yazdi, A, Ili; Ostad, MA; Mofazzeli, F. (2013). Determination of Hg(II) in Environmental Water Samples Using DLLME Method Prior to GC-FID. *Chromatographia.* 76: 861-865. <http://dx.doi.org/10.1007/s10337-013-2468-9>.
- Ye, N; Wang, H; Hong, J; Zhang, T; Lin, C; Meng, C. (2016). PXR Mediated Protection against Liver Inflammation by Ginkgolide A in Tetrachloromethane Treated Mice. 24: 40-48. <http://dx.doi.org/10.4062/biomolther.2015.077>.
- Ye, S; Zhang, C; Zhou, J, ie; Cheng, J, un; Lv, Z; Zhou, L, in; Xie, H; Wu, J; Zheng, S. (2014). Human heat shock protein 27 exacerbates ischemia reperfusion injury in rats by reducing the number of T regulatory cells. *Mol Med Rep.* 9: 1998-2002. <http://dx.doi.org/10.3892/mmr.2014.2032>.
- Ye, X; Feng, Y; Tong, Y; Ng, KM; Tsao, S; Lau, GK; Sze, C; Zhang, Y; Tang, J; Shen, J; Kobayashi, S. (2009). Hepatoprotective effects of *Coptidis rhizoma* aqueous extract on carbon tetrachloride-induced acute liver hepatotoxicity in rats. *J Ethnopharmacol.* 124: 130-136.
- Yeh, CL; Chen, BR; Tseng, LY; Jao, P; Su, TH; Li, PC. (2015). Shear-wave elasticity imaging of a liver fibrosis mouse model using high-frequency ultrasound. *IEEE Trans Ultrason Ferroelectr Freq Control.* 62: 1295-1307. <http://dx.doi.org/10.1109/TUFFC.2014.006953>.
- Yeh, YH; Hsieh, YL; Lee, YT. (2013). Effects of yam peel extract against carbon tetrachloride-induced hepatotoxicity in rats. *J Agric Food Chem.* 61: 7387-7396. <http://dx.doi.org/10.1021/jf401864y>.
- Yeh, YL; Ting, WJ; Kuo, WW; Hsu, HH; Lin, YM; Shen, CY; Chang, CH; Padma, VV; Tsai, Y; Huang, CY. (2016). San Huang Shel Shin Tang beta-cyclodextrin complex augmented the hepatoprotective effects against carbon tetrachloride-induced acute hepatotoxicity in rats. *BMC Complement Altern Med.* 16: 150. <http://dx.doi.org/10.1186/s12906-016-1127-8>.
- Yen, FL; Wu, TH; Lin, LT; Cham, TM; Lin, CC. (2009). Naringenin-loaded nanoparticles improve the physicochemical properties and the hepatoprotective effects of naringenin in orally-administered rats with CCl(4)-induced acute liver failure. *Pharm Res.* 26: 893-902. <http://dx.doi.org/10.1007/s11095-008-9791-0>.
- Yeruva, L; Spencer, NE; Saraf, MK; Hennings, L; Bowlin, AK; Cleves, MA; Mercer, K; Chintapalli, SV; Shankar, K; Rank, RG; Badger, TM; Ronis, MJ. (2016). Formula diet alters small intestine morphology, microbial abundance and reduces VE-cadherin and IL-10 expression in neonatal porcine model. *BMC Gastroenterol.* 16: 40. <http://dx.doi.org/10.1186/s12876-016-0456-x>.
- Yi, HS; Eun, HS; Lee, YS; Jung, JY; Park, SH; Park, KG; Choi, HS; Suh, JM; Jeong, WI. (2015). Treatment with 4-methylpyrazole modulated stellate cells and natural killer cells and ameliorated liver fibrosis in mice. *PLoS ONE.* 10: e0127946. <http://dx.doi.org/10.1371/journal.pone.0127946>.
- Yi, HS; Lee, YS; Byun, JS; Seo, W; Jeong, JM; Park, O; Duester, G; Haseba, T; Kim, SC; Park, KG; Gao, B; Jeong, WI. (2014). Alcohol dehydrogenase III exacerbates liver fibrosis by enhancing stellate cell activation and suppressing natural killer cells in mice. *Hepatology.* 60: 1044-1053. <http://dx.doi.org/10.1002/hep.27137>.
- Yi, X; Song, M; Yuan, Y; Zhang, X; Chen, W; Li, J; Tong, M; Liu, G; You, S; Kong, X. (2012). Hepatic stimulator substance alleviates toxin-induced and immune-mediated liver injury and fibrosis in rats. *Dig Dis Sci.* 57: 2079-2087. <http://dx.doi.org/10.1007/s10620-012-2168-6>.
- Yildiz, O; Can, Z; Saral, O; Yuluğ, E; Oztürk, F; Aliyazıcıoğlu, R; Canpolat, S; Kolaylı, S. (2013). Hepatoprotective potential of chestnut bee pollen on carbon tetrachloride-induced hepatic damages in rats. *eCAM.* 2013: 461478. <http://dx.doi.org/10.1155/2013/461478>.
- Yilma, AN; Singh, SR; Morici, L; Dennis, VA. (2013). Flavonoid naringenin: a potential immunomodulator for *Chlamydia trachomatis* inflammation. *Mediators Inflamm.* 2013: 102457. <http://dx.doi.org/10.1155/2013/102457>.
- Yim, SY; Lee, YJ; Lee, YK; Jung, SE; Kim, JH; Kim, HJ; Son, BG; Park, YH; Lee, YG; Choi, YW; Hwang, DY. (2009). Gomisins N isolated from *Schisandra chinensis* significantly induces anti-proliferative and pro-apoptotic effects in hepatic carcinoma. *Mol Med Rep.* 2: 725-732. http://dx.doi.org/10.3892/mmr_00000163.

Human Health Hazard Literature Search Results

Off Topic

- Yimam, M; Jiao, P; Hong, M; Jia, Q. (2016). Hepatoprotective Activity of an Herbal Composition, MAP, a Standardized Blend Comprising Myristica fragrans, Astragalus membranaceus, and Poria cocos. *J Med Food*. <http://dx.doi.org/10.1089/jmf.2016.0048>.
- Yimam, M; Jiao, P; Moore, B; Hong, M; Cleveland, S; Chu, M; Jia, Q; Lee, YC; Kim, HJ; Nam, JB; Kim, MR; Hyun, EJ; Jung, G; Do, SG. (2016). Hepatoprotective Activity of Herbal Composition SAL, a Standardize Blend Comprised of Schisandra chinensis, Artemisia capillaris, and Aloe barbadensis. *Journal of Nutrition and Metabolism*. 2016: 3530971. <http://dx.doi.org/10.1155/2016/3530971>.
- Yin, G; Cao, L; Xu, P; Jeney, G; Nakao, M. (2011). Hepatoprotective and antioxidant effects of Hibiscus sabdariffa extract against carbon tetrachloride-induced hepatocyte damage in *Cyprinus carpio*. *In Vitro Cellular and Developmental Biology*. 47: 10-15. <http://dx.doi.org/10.1007/s11626-010-9359-2>.
- Yin, G; Cao, L; Xu, P; Jeney, G; Nakao, M; Lu, C. (2011). Hepatoprotective and antioxidant effects of Glycyrrhiza glabra extract against carbon tetrachloride (CCl₄)-induced hepatocyte damage in common carp (*Cyprinus carpio*). *Fish Physiol Biochem*. 37: 209-216. <http://dx.doi.org/10.1007/s10695-010-9436-1>.
- Yin, H; Cox, BE; Liu, W; Porter, NA; Morrow, JD; Milne, GL. (2009). Identification of intact oxidation products of glycerophospholipids in vitro and in vivo using negative ion electrospray iontrap mass spectrometry. *J Mass Spectrom*. 44: 672-680. <http://dx.doi.org/10.1002/jms.1542>.
- Yin, L; Wei, L; Fu, R; Ding, L; Guo, Y; Tang, L; Chen, F. (2014). Antioxidant and hepatoprotective activity of *Veronica ciliata* Fisch. extracts against carbon tetrachloride-induced liver injury in mice. *Molecules*. 19: 7223-7236. <http://dx.doi.org/10.3390/molecules19067223>.
- Yin, R; Guo, D; Zhang, S; Zhang, X. (2016). miR-706 inhibits the oxidative stress-induced activation of PKC α /TAOK1 in liver fibrogenesis. *Sci Rep*. 6: 37509. <http://dx.doi.org/10.1038/srep37509>.
- Yin, W; Strobel, BW; Bruun Hansen, HC. (2017). Amino acid assisted dehalogenation of carbon tetrachloride by green rust: inhibition of chloroform production. *Environ Sci Technol*. <http://dx.doi.org/10.1021/acs.est.6b06244>.
- Yin, Y; Yan, M; Zhu, T. (2012). Minimum alveolar concentration of sevoflurane in rabbits with liver fibrosis. *Anesth Analg*. 114: 561-565. <http://dx.doi.org/10.1213/ANE.0b013e31823feca7>.
- Ying, M; Leung, G; Lau, TY; Tipoe, GL; Lee, ES; Yuen, QW; Huang, YP; Zheng, YP. (2012). Evaluation of liver fibrosis by investigation of hepatic parenchymal perfusion using contrast-enhanced ultrasound: an animal study. 40: 462-470. <http://dx.doi.org/10.1002/jcu.21969>.
- Yoon, H; Oostrom, M; Wietsma, TW; Werth, CJ; Valocchi, AJ. (2009). Numerical and experimental investigation of DNAPL removal mechanisms in a layered porous medium by means of soil vapor extraction. *J Contam Hydrol*. 109: 1-13. <http://dx.doi.org/10.1016/j.jconhyd.2009.07.001>.
- Yoon, M; Kopp, SJ; Taylor, JM; Storti, CS; Spear, PG; Muller, WJ. (2011). Functional interaction between herpes simplex virus type 2 gD and HVEM transiently dampens local chemokine production after murine mucosal infection. *PLoS ONE*. 6: e16122. <http://dx.doi.org/10.1371/journal.pone.0016122>.
- Yoon, M; Madden, MC; Barton, HA. (2007). Extrahepatic metabolism by CYP2E1 in PBPK modeling of lipophilic volatile organic chemicals: Impacts on metabolic parameter estimation and prediction of dose metrics. *J Toxicol Environ Health A*. 70: 1527-1541. <http://dx.doi.org/10.1080/15287390701384684>.
- Yoon, YJ; Chang, S; Kim, OY; Kang, BK; Park, J; Lim, JH; Yun Huang, J; Kim, YK; Byun, JH; Gho, YS. (2013). Three-dimensional imaging of hepatic sinusoids in mice using synchrotron radiation micro-computed tomography. *PLoS ONE*. 8: e68600. <http://dx.doi.org/10.1371/journal.pone.0068600>.
- Yoshida, Y; Imai, Y; Sawai, Y; Saito, Y; Cao, J; Fukuda, K; Niki, E. (2010). Hydroxyoctadecadienoic acid as a potential biomarker for oxidative stress in patients with chronic hepatitis C. *J Gastroenterol Hepatol*. 25: 107-115. <http://dx.doi.org/10.1111/j.1440-1746.2009.05928.x>.
- Yoshiji, H; Noguchi, R; Ikenaka, Y; Kaji, K; Aihara, Y; Shirai, Y; Yoshii, J; Yanase, K; Fukui, H. (2011). Cocktail therapy with a combination of interferon, ribavirin and angiotensin-II type 1 receptor blocker attenuates murine liver fibrosis development. *Int J Mol Med*. 28: 81-88. <http://dx.doi.org/10.3892/ijmm.2011.658>.
- Yoshioka, H; Fukaya, S; Fukuishi, N; Nagatsu, A; Nonogaki, T; Onosaka, S. (2016). Bromobenzene-induced lethal toxicity in mouse is prevented by pretreatment with zinc sulfate. *Chem Biol Interact*. 254: 117-123. <http://dx.doi.org/10.1016/j.cbi.2016.06.002>.
- Yoshioka, Y; Kojima, H; Tamura, A; Tsuji, K; Tamesada, M; Yagi, K; Murakami, N. (2012). Low-molecular-weight lignin-rich fraction in the extract of cultured *Lentinula edodes* mycelia attenuates carbon tetrachloride-induced toxicity in primary cultures of rat hepatocytes. *Journal of Natural Medicines*. 66: 185-191. <http://dx.doi.org/10.1007/s11418-011-0580-4>.
- You, Z; Xin, Y; Liu, Y; Han, B; Zhang, L; Chen, Y; Chen, Y; Gu, L; Gao, H; Xuan, Y. (2012). Protective effect of *Salvia miltiorrhizae* injection on N(G)-nitro-D-arginine induced nitric oxide deficient and oxidative damage in rat kidney. *Exp Toxicol Pathol*. 64: 453-458. <http://dx.doi.org/10.1016/j.etp.2010.10.013>.
- Young, RA; Bast, CB; Wood, CS; Adeshina, F. (2009). Overview of the Standing Operating Procedure (SOP) for the development of Provisional Advisory Levels (PALs) [Review]. *Inhal Toxicol*. 21: 1-11. <http://dx.doi.org/10.3109/08958370903202747>.
- Young, RA; Mehendale, HM. (1989). Carbon tetrachloride metabolism in partially hepatectomized and sham-operated rats pre-exposed to chlordecone (kepone). *J Biochem Mol Toxicol*. 4: 211-219.
- Younossi, ZM; Afendy, A; Stepanova, M; Hossain, N; Younossi, I; Ankras, K; Gramlich, T; Baranova, A. (2009). Gene expression profile associated with superimposed non-alcoholic fatty liver disease and hepatic fibrosis in patients with chronic hepatitis C. *Liver Int*. 29: 1403-1412. <http://dx.doi.org/10.1111/j.1478-3231.2009.02060.x>.
- Youssef, FS; Ashour, ML; Sobeh, M; El-Beshbishy, HA; Singab, AN; Wink, M. (2016). *Eremophila maculata*-Isolation of a rare naturally-occurring lignan glycoside and the hepatoprotective activity of the leaf extract. *Phytomedicine*. 23: 1484-1493. <http://dx.doi.org/10.1016/j.phymed.2016.08.006>.
- Yu, F; Li, H; Meng, Y; Yang, D. (2013). Extraction optimization of *Angelica sinensis* polysaccharides and its antioxidant activity in vivo. *Carbohydr Polymer*. 94: 114-119. <http://dx.doi.org/10.1016/j.carbpol.2013.01.050>.

Human Health Hazard Literature Search Results

Off Topic

- Yu, JH; Zhu, BM; Riedlinger, G; Kang, K; Hennighausen, L. (2012). The liver-specific tumor suppressor STAT5 controls expression of the reactive oxygen species-generating enzyme NOX4 and the proapoptotic proteins PUMA and BIM in mice. *Hepatology*. 56: 2375-2386. <http://dx.doi.org/10.1002/hep.25900>.
- Yu, X; Ghasemzadeh, R; Padilla, I; Irizarry, C; Kaeli, D; Alshwabkeh, A. (2014). Spatiotemporal changes of CVOC concentrations in karst aquifers: Analysis of three decades of data from Puerto Rico. *Sci Total Environ*. 511C: 1-10. <http://dx.doi.org/10.1016/j.scitotenv.2014.12.031>.
- Yu, Z; Sun, W; Peng, W; Yu, R; Li, G; Jiang, T. (2016). Pharmacokinetics in Vitro and in Vivo of Two Novel Prodrugs of Oleanolic Acid in Rats and Its Hepatoprotective Effects against Liver Injury Induced by CCl₄. *Mol Pharm*. 13: 1699-1710. <http://dx.doi.org/10.1021/acs.molpharmaceut.6b00129>.
- Yu, Z; Xie, M, an; Fan, X, u; Jia, J. (2015). Interferon alpha 2b Increases MMP-13 and IL-10 expression in Kupffer cells through MAPK Signaling Pathways. *Hepatogastroenterology*. 62: 350-354. <http://dx.doi.org/10.5754/hge14263>.
- Yuan, J; Li, W; Huang, J; Guo, X; Li, X; Lu, X; Huang, X; Zhang, H. (2015). Transplantation of human adipose stem cell-derived hepatocyte-like cells with restricted localization to liver using acellular amniotic membrane. 6: 217. <http://dx.doi.org/10.1186/s13287-015-0208-9>.
- Yuan, L, in; Sun, D; Wan, Y, u. (2014). Anti-Inflammatory Effects of a Non-Anticoagulant Heparin. *Lat Am J Pharm*. 33: 1371-1375.
- Yuan, X; Lin, L, i; Zhang, X; Deng, S. (2014). Abrusamide A and B, two hepatoprotective isomeric compounds from *Abrus mollis* Hance. *Phytochemistry Letters*. 7: 137-142. <http://dx.doi.org/10.1016/j.phytol.2013.11.003>.
- Yuan, X; Zheng, D; Wang, X; Liu, P; Ma, J. (2016). Unconventional O-H...C Hydrogen Bonding and Effects of Conformational Changes on Infrared Spectroscopy of o-Cresol in Solutions. *J Phys Chem A*. 120: 10196-10206. <http://dx.doi.org/10.1021/acs.jpca.6b06945>.
- Yuan, Y; Wu, Q; Shi, JS; Chen, XP. (2015). [Advance in studies on hepatoprotective effect of *Salvia miltiorrhiza* and its main components] [Review]. *Zhongguo Zhong Yao Za Zhi*. 40: 588-593.
- Yue, J; Peng, R; Chen, J; Liu, Y; Dong, G. (2009). Effects of rifampin on CYP2E1-dependent hepatotoxicity of isoniazid in rats. *Pharmacol Res*. 59: 112-119. <http://dx.doi.org/10.1016/j.phrs.2008.10.006>.
- Yue, Y; Wu, S; Zhang, H; Zhang, X; Niu, Y; Cao, X; Huang, F; Ding, H. (2014). Characterization and hepatoprotective effect of polysaccharides from *Ziziphus jujuba* Mill. var. *spinosa* (Bunge) Hu ex H. F. Chou sarcocarp. *Food Chem Toxicol*. 74: 76-84. <http://dx.doi.org/10.1016/j.fct.2014.09.006>.
- Yuen, ST; Gogo, AR; Luk, IS; Cho, CH; Ho, JC; TT, L. (1995). The effect of nicotine and its interaction with carbon tetrachloride in the rat liver. *Pharmacol Toxicol*. 77: 225-230.
- Yukawa, H; Noguchi, H; Oishi, K; Takagi, S; Hamaguchi, M; Hamajima, N; Hayashi, S. (2009). Cell transplantation of adipose tissue-derived stem cells in combination with heparin attenuated acute liver failure in mice. *Cell Transplant*. 18: 611-618.
- Yun, JW; Ahn, JH; Kwon, E; Kim, SH; Kim, H; Jang, JJ; Kim, WH; Kim, JH; Han, SY; Kim, JT; Kim, JH; Kim, W; Ku, SY; Do, BR; Kang, BC. (2016). Human umbilical cord-derived mesenchymal stem cells in acute liver injury: Hepatoprotective efficacy, subchronic toxicity, tumorigenicity, and biodistribution. *Regul Toxicol Pharmacol*. 81: 437-447. <http://dx.doi.org/10.1016/j.yrtph.2016.09.029>.
- Yunis, JJ. (1983). The chromosomal basis of human neoplasia. *Science*. 221: 227-236.
- Yusufoglu, HS. (2014). Analgesic, antipyretic, anti-inflammatory, hepatoprotective and nephritic effects of the aerial parts of *Pulicaria arabica* (Family: Compositae) on rats. *Asian Pacific Journal of Tropical Medicine*. 7S1: S583-S590. [http://dx.doi.org/10.1016/S1995-7645\(14\)60293-5](http://dx.doi.org/10.1016/S1995-7645(14)60293-5).
- Yusufoglu, HS; Alam, A; Zaghoul, AM; Al-Salkini, MA; Alam, P. (2014). Comparative anti-inflammatory and hepatoprotective activities of *Astragalus gummifer* Labill herb and roots in rats. *African Journal of Traditional, Complementary and Alternative Medicines*. 11: 268-274.
- Yusufoglu, HS; Foudah, AI; Alam, A; Soliman, GA. (2016). Cardioprotective and nephroprotective activities of methanolic extracts from *Pulicaria somalensis* herbs against carbon tetrachloride induced toxicity in rats. *Planta Med*. 81: S1-S381. <http://dx.doi.org/10.1055/s-0036-1596879>.
- Yuvaraj, P; Subramoniam, A. (2009). Hepatoprotective property of *Thespesia populnea* against carbon tetrachloride induced liver damage in rats. *J Basic Clin Physiol Pharmacol*. 20: 169-177.
- Zabrodskii, PF; Kirichuk, VF; Lim, VG; Balashov, SV; Svistunov, AA. (2009). Changes in the cytokine profile and reduced function of lymphocyte subpopulations in subacute tetrachloromethane poisoning. *Bull Exp Biol Med*. 147: 52-54.
- Zahedi, MM; Rezaei, A. (2016). Optimization of Emulsification-based Liquid Phase Microextraction of Chromium in Seawater of Chabahar Bay for its Speciation by High-Performance Liquid Chromatography. *J Chromatogr Sci*. 54: 1851-1857. <http://dx.doi.org/10.1093/chromsci/bmw168>.
- Zahedi, S; Shamsasenjan, K; Movassaghpour, A; Akbarzadehlaleh, P. (2016). NF-K β Activation in U266 Cells on Mesenchymal Stem Cells. 6: 415-422. <http://dx.doi.org/10.15171/apb.2016.054>.
- Zahr, NM; Sullivan, EV; Rohlfing, T; Mayer, D; Collins, AM; Luong, R; Pfefferbaum, A. (2016). Concomitants of alcoholism: differential effects of thiamine deficiency, liver damage, and food deprivation on the rat brain in vivo. *Psychopharmacology*. 233: 2675-2686. <http://dx.doi.org/10.1007/s00213-016-4313-y>.
- Zaitone, S; Hassan, N; El-Orabi, N; El-Awady, e. (2011). Pentoxifylline and melatonin in combination with pioglitazone ameliorate experimental non-alcoholic fatty liver disease. *Eur J Pharmacol*. 662: 70-77. <http://dx.doi.org/10.1016/j.ejphar.2011.04.049>.
- Zaitsu, K; Hayashi, Y; Murata, T; Ohara, T; Nakagiri, K; Kusano, M; Nakajima, H; Nakajima, T; Ishikawa, T; Tsuchihashi, H; Ishii, A. (2016). Intact Endogenous Metabolite Analysis of Mice Liver by Probe Electrospray Ionization/Triple Quadrupole Tandem Mass Spectrometry and Its Preliminary Application to in Vivo Real-Time Analysis. *Anal Chem*. 88: 3556-3561. <http://dx.doi.org/10.1021/acs.analchem.5b04046>.
- Zaki, HF; Abdelsalam, RM. (2013). Vinpocetine protects liver against ischemia-reperfusion injury. *Can J Physiol Pharmacol*. 91: 1064-1070. <http://dx.doi.org/10.1139/cjpp-2013-0097>.

Human Health Hazard Literature Search Results

Off Topic

- Zakikhan, K; Pournasr, B; Nassiri-Asl, M; Baharvand, H. (2016). Enhanced direct conversion of fibroblasts into hepatocyte-like cells by Kdm2b. *Biochem Biophys Res Commun.* 474: 97-103. <http://dx.doi.org/10.1016/j.bbrc.2016.04.076>.
- Zaleski, DP; Mullaney, JC; Bittner, DM; Tew, DP; Walker, NR; Legon, AC. (2015). Interaction of a pseudo- π C-C bond with cuprous and argentous chlorides: Cyclopropane \cdots CuCl and cyclopropane \cdots AgCl investigated by rotational spectroscopy and ab initio calculations. *J Chem Phys.* 143: 164314. <http://dx.doi.org/10.1063/1.4934539>.
- Zapater, P; Gómez-Hurtado, I; Peiró, G; González-Navajas, JM; García, I; Giménez, P; Moratalla, A; Such, J; Francés, R. (2012). Beta-adrenergic receptor 1 selective antagonism inhibits norepinephrine-mediated TNF-alpha downregulation in experimental liver cirrhosis. *PLoS ONE.* 7: e43371. <http://dx.doi.org/10.1371/journal.pone.0043371>.
- Zare-Bidaki, M; Karimi-Googheri, M; Hassanshahi, G; Zainodini, N; Arababadi, MK. (2015). The frequency of CCR5 promoter polymorphisms and CCR5 Δ 32 mutation in Iranian populations [Review]. *Iranian Journal of Basic Medical Sciences.* 18: 312-316.
- Zarshenas, MM; Farrokhi, RR; Akhavein, M; Kiafar, MR. (2016). A Panoramic View of Chronic Liver Diseases and Natural Remedies Reported in Traditional Persian Medicine. *Curr Pharm Des.* 22: 350-364.
- Zaruba, S; Vishnikin, AB; Andruch, V. (2016). A novel vortex-assisted liquid-liquid microextraction approach using auxiliary solvent: Determination of iodide in mineral water samples. *Talanta.* 149: 110-116. <http://dx.doi.org/10.1016/j.talanta.2015.11.049>.
- Zeidler-Erdely, PC; Kashon, ML; Li, S; Antonini, JM. (2010). Response of the mouse lung transcriptome to welding fume: effects of stainless and mild steel fumes on lung gene expression in A/J and C57BL/6J mice. *Respir Res.* 11: 70. <http://dx.doi.org/10.1186/1465-9921-11-70>.
- Zeiger, E; Anderson, B; Haworth, S; Lawlor, T; Mortelmans, K. (1988). Salmonella mutagenicity tests: IV: Results from the testing of 300 chemicals. *Environ Mol Mutagen.* 11: 1-158. <http://dx.doi.org/10.1002/em.2850110602>.
- Zeise, L; Wilson, R; Crouch, EA. (1987). Dose-response relationships for carcinogens: A review [Review]. *Environ Health Perspect.* 73: 259-306.
- Zeng, B; Su, M; Chen, Q; Chang, Q; Wang, W; Li, H. (2016). Antioxidant and hepatoprotective activities of polysaccharides from *Anoectochilus roxburghii*. *Carbohydr Polymer.* 153: 391-398. <http://dx.doi.org/10.1016/j.carbpol.2016.07.067>.
- Zeng, B; Su, M; Chen, Q; Chang, Q; Wang, W; Li, H. (2017). Protective effect of a polysaccharide from *Anoectochilus roxburghii* against carbon tetrachloride-induced acute liver injury in mice. *J Ethnopharmacol.* <http://dx.doi.org/10.1016/j.jep.2017.02.018>.
- Zeng, CH; Zeng, P; Deng, YH; Shen, N; Peng, ML; Liu, Q; Ren, H. (2011). [The effects of curcumin derivative on experimental steatohepatitis]. *Zhonghua Gan Zang Bing Za Zhi.* 19: 454-459.
- Zeng, H; Liu, X; Dou, S; Xu, W; Li, N; Liu, X; Zhang, W; Hu, Z; Liu, R. (2009). Huang-Lian-Jie-Du-Tang exerts anti-inflammatory effects in rats through inhibition of nitric oxide production and eicosanoid biosynthesis via the lipoxygenase pathway. *J Pharm Pharmacol.* 61: 1699-1707. <http://dx.doi.org/10.1211/jpp/61.12.0016>.
- Zeng, J; Xiao, H, ai; Li, LD; Li, X; Huang, Z, hihua. (2013). Protective effect of 3'-daidzein sulfonate sodium on mice hepatic injury induced by CCl4. *Acta Pharmacol Sin.* 34: 33-34.
- Zeng, T, ao; Xie, K, eQin. (2010). The Differential Modulation on Cytochrome P450 Enzymes by Garlic Components. *Food Reviews International.* 26: 353-363. <http://dx.doi.org/10.1080/87559129.2010.496023>.
- Zeremski, M; Hooker, G; Shu, MA; Winkelstein, E; Brown, Q; Des Jarlais, D, onC; Tobler, LH; Reherrmann, B; Busch, MP; Edlin, BR; Talal, AH. (2011). Induction of CXCR3- and CCR5-associated chemokines during acute hepatitis C virus infection. *J Hepatol.* 55: 545-553.
- Zha, X; Yin, Q; Tan, H; Wang, C; Chen, S; Yang, L; Li, B; Wu, X; Li, Y. (2013). Alteration of the gene expression profile of T-cell receptor $\alpha\beta$ -modified T-cells with diffuse large B-cell lymphoma specificity. *Hematology.* 18: 138-143. <http://dx.doi.org/10.1179/1607845412Y.0000000028>.
- Zhai, Q; Bian, XL; Yu, B. (2010). Protective activity of Jiang-Zhi-Li-Gan against carbon tetrachloride-induced hepatic injury in mice. *Pharmaceutical Biology.* 48: 231-233. <http://dx.doi.org/10.3109/13880200903264442>.
- Zhan, W; Liao, X; Tian, T; Yu, L; Liu, X; Li, B; Liu, J; Han, B; Xie, RJ; Ji, QH; Yang, Q. (2017). Study on the effects of blueberry treatment on histone acetylation modification of CCl4-induced liver disease in rats. *Genet Mol Res.* 16. <http://dx.doi.org/10.4238/gmr16019188>.
- Zhan, YT; Li, L; Weng, J; Song, X; Yang, SQ; An, W. (2012). Serum autofluorescence, a potential serum marker for the diagnosis of liver fibrosis in rats. *International Journal of Molecular Sciences.* 13: 12130-12139. <http://dx.doi.org/10.3390/ijms130912130>.
- Zhan, YT; Weng, J; Li, L; Xu, Q; Song, X; Guo, XX. (2011). Protective effect of probucol on liver injury induced by carbon tetrachloride in rats. *Hepatology International.* 5: 899-905. <http://dx.doi.org/10.1007/s12072-011-9256-0>.
- Zhang, A; Sun, H; Dou, S; Sun, W; Wu, X; Wang, P; Wang, X. (2013). Metabolomics study on the hepatoprotective effect of scoparone using ultra-performance liquid chromatography/electrospray ionization quadruple time-of-flight mass spectrometry. *Analyst.* 138: 353-361. <http://dx.doi.org/10.1039/c2an36382h>.
- Zhang, A; Sun, H; Wang, X. (2013). Recent advances in natural products from plants for treatment of liver diseases [Review]. *Eur J Med Chem.* 63: 570-577. <http://dx.doi.org/10.1016/j.ejmech.2012.12.062>.
- Zhang, A; Sun, H; Yuan, Y; Sun, W; Jiao, G; Wang, X. (2011). An in vivo analysis of the therapeutic and synergistic properties of Chinese medicinal formula Yin-Chen-Hao-Tang based on its active constituents. *Fitoterapia.* 82: 1160-1168. <http://dx.doi.org/10.1016/j.fitote.2011.07.014>.
- Zhang, C; Wang, Y; Chen, H; Yang, G; Wang, S; Jiang, M; Cong, L; Yuan, L; Li, H; Jia, Y. (2013). Protective effect of the herbal medicine Gan-fu-kang against carbon tetrachloride-induced liver fibrosis in rats. *Mol Med Rep.* 8: 954-962. <http://dx.doi.org/10.3892/mmr.2013.1587>.
- Zhang, CG; Zhang, B, in; Deng, W; Duan, M; Chen, W, ei; Wu, Z. (2016). Role of estrogen receptor beta selective agonist in ameliorating portal hypertension in rats with CCl4-induced liver cirrhosis. *World J Gastroenterol.* 22: 4484-4500. <http://dx.doi.org/10.3748/wjg.v22.i18.4484>.
- Zhang, CX; Dai, ZR; Cai, QX. (2011). Anti-inflammatory and anti-nociceptive activities of *Sipunculus nudus* L. extract. *J Ethnopharmacol.* 137: 1177-1182. <http://dx.doi.org/10.1016/j.jep.2011.07.039>.

Human Health Hazard Literature Search Results

Off Topic

- Zhang, CY; Yuan, WG; He, P; Lei, JH; Wang, CX. (2016). Liver fibrosis and hepatic stellate cells: Etiology, pathological hallmarks and therapeutic targets [Review]. *World J Gastroenterol.* 22: 10512-10522. <http://dx.doi.org/10.3748/wjg.v22.i48.10512>.
- Zhang, D; Guo, Z; Zhang, P; Li, Y; Su, X; You, L; Gao, M; Liu, C; Wu, H; Zhang, X. (2016). Simplified quantification method for in vivo SPECT/CT imaging of asialoglycoprotein receptor with (99m)Tc-p(VLA-co-VNI) to assess and stage hepatic fibrosis in mice. *Sci Rep.* 6: 25377. <http://dx.doi.org/10.1038/srep25377>.
- Zhang, D; Jiang, M; Miao, D. (2011). Transplanted human amniotic membrane-derived mesenchymal stem cells ameliorate carbon tetrachloride-induced liver cirrhosis in mouse. *PLoS ONE.* 6: e16789. <http://dx.doi.org/10.1371/journal.pone.0016789>.
- Zhang, D; Li, S; Xiong, Q; Jiang, C; Lai, X. (2013). Extraction, characterization and biological activities of polysaccharides from *Amomum villosum*. *Carbohydr Polymer.* 95: 114-122. <http://dx.doi.org/10.1016/j.carbpol.2013.03.015>.
- Zhang, DW; Qiu, H; Mei, YM; Fu, H; Zheng, HG. (2015). REPAIR EFFECTS OF UMBILICAL CORD MESENCHYMAL STEM CELLS ON PODOCYTE DAMAGE OF IgA NEPHROPATHY. *J Biol Regul Homeost Agents.* 29: 609-617.
- Zhang, F; Dang, S; Shu, R; Xiang, Y; Kuang, Y; Fei, J; Wang, Z. (2015). Deficiency of BPO22 Decreases Liver Fibrosis After Chronic Carbon Tetrachloride Administration in Mice. *Int J Toxicol.* 34: 204-210. <http://dx.doi.org/10.1177/1091581814566472>.
- Zhang, F; Hao, M; Jin, H; Yao, Z; Lian, N; Wu, L; Shao, J; Chen, A; Zheng, S. (2017). Canonical hedgehog signaling regulates hepatic stellate cell-mediated angiogenesis in liver fibrosis. *Br J Pharmacol.* <http://dx.doi.org/10.1111/bph.13701>.
- Zhang, F; Ma, J; Lu, Y; Ni, GX; Ni, CY; Zhang, XJ; Wang, AY; Zheng, SZ. (2012). [Inhibitory effect of acupuncture on hepatic extracellular matrix production in carbon tetrachloride-induced liver fibrosis rats]. *Zhen Ci Yan Jiu.* 37: 8-14.
- Zhang, F; Ma, J; Lu, Y; Ni, GX; Ni, CY; Zhang, XJ; Zhang, XP; Kong, DS; Wang, AY; Chen, WX; Zheng, SZ. (2012). Acupuncture combined with curcumin attenuates carbon tetrachloride-induced hepatic fibrosis in rats. 30: 132-138. <http://dx.doi.org/10.1136/acupmed-2011-010116>.
- Zhang, F; Zhang, Z; Chen, L; Kong, D; Zhang, X; Lu, C; Lu, Y; Zheng, S. (2014). Curcumin attenuates angiogenesis in liver fibrosis and inhibits angiogenic properties of hepatic stellate cells. *J Cell Mol Med.* 18: 1392-1406. <http://dx.doi.org/10.1111/jcmm.12286>.
- Zhang, H. (2011). Virtual High Throughput Screening: Specific Mechanism-based Inhibitors of CYP2E1.
- Zhang, H. (2012). Virtual High Throughput Screening: Specific Mechanism-based Inhibitors of CYP2E1.
- Zhang, H; Hou, L; Li, CM; Zhang, WY. (2013). The chemokine CXCL6 restricts human trophoblast cell migration and invasion by suppressing MMP-2 activity in the first trimester. *Hum Reprod.* 28: 2350-2362. <http://dx.doi.org/10.1093/humrep/det258>.
- Zhang, H; Lv, M; Jia, J; Zhao, Z; Zhang, L; Lai, L; Wu, Y; Li, B; Li, C; Ji, J; Tian, X; Liu, Y, an; Li, X; Pang, H, ui; Guo, J; Wang, L; Fan, Y; Zhang, C; Han, D; Ji, C. (2014). Expression of the 78 kD glucose-regulated protein is induced by endoplasmic reticulum stress in the development of hepatopulmonary syndrome. *Gene.* 537: 115-119. <http://dx.doi.org/10.1016/j.gene.2013.11.065>.
- Zhang, H; Ming, Y; Liu, X; Zang, C; Chi, L; Li, D. (2014). [Gene expression profile changes induced upon umbilical cord mesenchymal cell infusion therapy in a rat model of hepatic cirrhosis]. *Zhonghua Gan Zang Bing Za Zhi.* 22: 519-524.
- Zhang, J; Chen, L; Wei, X; Xu, M; Huang, C; Wang, W; Wang, H. (2014). Characterization of a novel CC chemokine CCL4 in immune response induced by nitrite and its expression differences among three populations of *Megalobrama amblycephala*. *Fish Shellfish Immunol.* 38: 88-95. <http://dx.doi.org/10.1016/j.fsi.2014.02.012>.
- Zhang, J; Gong, F; Li, L; Zhao, M; Wu, Z; Song, J. (2015). The diagnostic value of neutrophil gelatinase-associated lipocalin and hepcidin in bacteria translocation of liver cirrhosis. *International Journal of Clinical and Experimental Medicine.* 8: 16434-16444.
- Zhang, J; Xu, L; Zhang, L; Ying, Z; Su, W; Wang, T. (2014). Curcumin attenuates D-galactosamine/lipopolysaccharide-induced liver injury and mitochondrial dysfunction in mice. *J Nutr.* 144: 1211-1218. <http://dx.doi.org/10.3945/jn.114.193573>.
- Zhang, JJ; Niu, JX; Yue, GQ; Zhong, HY; Meng, XK. (2012). Development of a new auxiliary heterotopic partial liver transplantation technique using a liver cirrhosis model in minipigs: Preliminary report of eight transplants. *Exp Ther Med.* 3: 865-868. <http://dx.doi.org/10.3892/etm.2012.507>.
- Zhang, K; Chang, Y; Shi, Z; Han, X; Han, Y; Yao, Q; Hu, Z; Cui, H; Zheng, L; Han, T; Hong, W. (2016). ω -3 PUFAs ameliorate liver fibrosis and inhibit hepatic stellate cells proliferation and activation by promoting YAP/TAZ degradation. *Sci Rep.* 6: 30029. <http://dx.doi.org/10.1038/srep30029>.
- Zhang, K; Lv, S; Li, X; Feng, Y; Li, X; Liu, L; Li, S; Li, Y. (2013). Preparation, characterization, and in vivo pharmacokinetics of nanostructured lipid carriers loaded with oleanolic acid and gentiopicrin. *International Journal of Nanomedicine (Online).* 8: 3227-3239. <http://dx.doi.org/10.2147/IJN.S45031>.
- Zhang, K; Zhang, M; Liu, Z; Zhang, Y; Gu, L; Hu, G; Chen, X; Jia, J. (2016). Development of quercetin-phospholipid complex to improve the bioavailability and protection effects against carbon tetrachloride-induced hepatotoxicity in SD rats. *Fitoterapia.* 113: 102-109. <http://dx.doi.org/10.1016/j.fitote.2016.07.008>.
- Zhang, K; Zhu, H; Gao, Y. (2010). [Research on active extracts of *Dicliptera chinensis* on liver protection]. *Zhongguo Zhong Yao Za Zhi.* 35: 497-498.
- Zhang, L; Liu, C; Meng, XM; Huang, C; Xu, F; Li, J. (2015). Smad2 protects against TGF- β 1/Smad3-mediated collagen synthesis in human hepatic stellate cells during hepatic fibrosis. *Mol Cell Biochem.* 400: 17-28. <http://dx.doi.org/10.1007/s11010-014-2258-1>.
- Zhang, L; Mitani, Y; Caulin, C; Rao, PH; Kies, MS; Saintigny, P; Zhang, N; Weber, RS; Lippman, SM; El-Naggar, AK. (2013). Detailed genome-wide SNP analysis of major salivary carcinomas localizes subtype-specific chromosome sites and oncogenes of potential clinical significance. *Am J Pathol.* 182: 2048-2057. <http://dx.doi.org/10.1016/j.ajpath.2013.02.020>.
- Zhang, L; Yang, W; Zhang, L; Li, X. (2015). Highly chlorinated unintentionally produced persistent organic pollutants generated during the methanol-based production of chlorinated methanes: A case study in China. *Chemosphere.* 133: 1-5. <http://dx.doi.org/10.1016/j.chemosphere.2015.02.044>.

Human Health Hazard Literature Search Results

Off Topic

- Zhang, L; Ye, Y; An, Y; Tian, Y; Wang, Y; Tang, H. (2011). Systems responses of rats to aflatoxin B1 exposure revealed with metabonomic changes in multiple biological matrices. *J Proteome Res.* 10: 614-623. <http://dx.doi.org/10.1021/pr100792q>.
- Zhang, L; Yu, M; Deng, J; Lv, X; Liu, J; Xiao, Y; Yang, W; Zhang, Y; Li, C. (2015). Chemokine Signaling Pathway Involved in CCL2 Expression in Patients with Rheumatoid Arthritis. *Yonsei Med J.* 56: 1134-1142. <http://dx.doi.org/10.3349/ymj.2015.56.4.1134>.
- Zhang, Q; Ma, T; Hu, N; Ding, C; Liang, Y; Li, W; Suo, Y; Ding, C. (2016). One Step to Separate Five Alkaloids from *Hypocoum leptocarpum* by High-Speed Counter-Current Chromatography. *J Chromatogr Sci.* 54: 466-471. <http://dx.doi.org/10.1093/chromsci/bmv153>.
- Zhang, R; Niu, YJ; Do, HR; Cao, XW; Shi, D; Hao, QL; Zhou, YL. (2009). A stable and sensitive testing system for potential carcinogens based on DNA damage-induced gene expression in human HepG2 cell. *Toxicol In Vitro.* 23: 158-165. <http://dx.doi.org/10.1016/j.tiv.2008.10.006>.
- Zhang, RZ; Qiu, H; Wang, N; Long, FL; Mao, DW. (2015). Effect of *Rheum palmatum* L. on NF- κ B signaling pathway of mice with acute liver failure. *Asian Pacific Journal of Tropical Medicine.* 8: 841-847. <http://dx.doi.org/10.1016/j.apjtm.2015.09.011>.
- Zhang, S; Chen, L; Liu, T; Zhang, B; Xiang, D; Wang, Z; Wang, Y. (2012). Human umbilical cord matrix stem cells efficiently rescue acute liver failure through paracrine effects rather than hepatic differentiation. *18: 1352-1364.* <http://dx.doi.org/10.1089/ten.TEA.2011.0516>.
- Zhang, S; Liu, P; Chen, L; Wang, Y; Wang, Z; Zhang, B. (2015). The effects of spheroid formation of adipose-derived stem cells in a microgravity bioreactor on stemness properties and therapeutic potential. *Biomaterials.* 41: 15-25. <http://dx.doi.org/10.1016/j.biomaterials.2014.11.019>.
- Zhang, S; Liu, S; Yu, N; Xiang, L. (2011). RNA released from necrotic keratinocytes upregulates intercellular adhesion molecule-1 expression in melanocytes. *Arch Dermatol Res.* 303: 771-776. <http://dx.doi.org/10.1007/s00403-011-1170-8>.
- Zhang, S; Lv, C; Yang, X; Han, Z; Zhang, S; Zhang, J; Zong, C; Gao, L; Li, L; Zhao, Q; Li, R; Yang, Y; Yu, F; Li, X; Zhang, P; Wei, L. (2015). Corticosterone mediates the inhibitory effect of restraint stress on the migration of mesenchymal stem cell to carbon tetrachloride-induced fibrotic liver by downregulating CXCR4/7 expression. *Stem Cells Dev.* 24: 587-596. <http://dx.doi.org/10.1089/scd.2014.0243>.
- Zhang, S; Peng, J. (2013). Response to "Hormetic effect of *Rosa laevigata* Michx in CCl₄-induced hepatotoxicity and the presumptive role of PPARs" [Comment]. *Food Chem Toxicol.* 57: 389. <http://dx.doi.org/10.1016/j.fct.2013.04.020>.
- Zhang, S; Wu, J; Wang, H; Wang, T; Jin, L; Shu, D; Shan, W; Xiong, S. (2014). Liposomal oxymatrine in hepatic fibrosis treatment: formulation, in vitro and in vivo assessment. *AAPS PharmSciTech.* 15: 620-629. <http://dx.doi.org/10.1208/s12249-014-0086-y>.
- Zhang, W; Gu, Y; Chen, Y; Deng, H; Chen, L; Chen, S; Zhang, G; Gao, Z. (2010). Intestinal flora imbalance results in altered bacterial translocation and liver function in rats with experimental cirrhosis. *Eur J Gastroenterol Hepatol.* 22: 1481-1486. <http://dx.doi.org/10.1097/MEG.0b013e32833eb8b0>.
- Zhang, W, ei; Kawai, K; Takahara, T; Xue, F; Han, H; Kudo, H; Yata, Y; Sugiyama, T. (2009). MMP-9 PROMOTES THE TRAFFICKING OF TRANSPLANTED BONE MARROW CELLS THAT ATTENUATE HEPATIC FIBROSIS IN CHRONIC CCL4 LIVER INJURY. *Hepatology.* 50: 809A-809A.
- Zhang, W; Kong, X; Wang, ZJ; Luo, S; Huang, W; Zhang, LJ. (2015). Dynamic Contrast-Enhanced Magnetic Resonance Imaging with Gd-EOB-DTPA for the Evaluation of Liver Fibrosis Induced by Carbon Tetrachloride in Rats. *PLoS ONE.* 10: e0129621. <http://dx.doi.org/10.1371/journal.pone.0129621>.
- Zhang, W, ei; Wang, Q, iY; Fan, G, uoHua. (2017). Molecular MRI of activated hepatic stellate cells in rats with early stage of liver fibrosis by targeting hepatic integrin alpha 5 beta 1. *Int J Clin Exp Pathol.* 10: 148-155.
- Zhang, W; Wu, R; Zhang, F; Xu, Y; Liu, B; Yang, Y; Zhou, H; Wang, L; Wan, K; Xiao, X; Zhang, X. (2012). Thiazolidinediones improve hepatic fibrosis in rats with non-alcoholic steatohepatitis by activating the adenosine monophosphate-activated protein kinase signalling pathway. *Clin Exp Pharmacol Physiol.* 39: 1026-1033. <http://dx.doi.org/10.1111/1440-1681.12020>.
- Zhang, W; Yin, L; Tao, X; Xu, L; Zheng, L; Han, X; Xu, Y; Wang, C; Peng, J. (2016). Dioscin alleviates dimethylnitrosamine-induced acute liver injury through regulating apoptosis, oxidative stress and inflammation. *Environ Toxicol Pharmacol.* 45: 193-201. <http://dx.doi.org/10.1016/j.etap.2016.06.002>.
- Zhang, X; Deng, B; Guo, J; Wang, Y; Lan, Y. (2011). Ligand-assisted degradation of carbon tetrachloride by microscale zero-valent iron. *J Environ Manage.* 92: 1328-1333. <http://dx.doi.org/10.1016/j.jenvman.2010.12.020>.
- Zhang, X; Liu, Y; Niu, G; Zheng, L. (2014). DSS-induced Chronic Colitis Aggravates Inflammation and Fibrogenesis in Mice with CCl₄-induced Hepatic Fibrosis. *Hepatology.* 60: 500A-501A.
- Zhang, X; Lou, J; Bai, L; Chen, Y; Zheng, S; Duan, Z. (2017). Immune Regulation of Intrahepatic Regulatory T Cells in Fibrotic Livers of Mice. *Med Sci Monit.* 23: 1009-1016.
- Zhang, X; Tan, R; Gu, J; He, LL; Zhang, L; Gong, PY. (2014). [Preparation of herpetin lyophilized liposome and evaluation on its safety and pharmacodynamics]. *Zhongguo Zhong Yao Za Zhi.* 39: 3065-3068.
- Zhang, X; Tan, Z; Wang, Y; Tang, J; Jiang, R; Hou, J; Zhuo, H; Wang, X; Ji, J; Qin, X; Sun, B. (2015). PTPRO-associated hepatic stellate cell activation plays a critical role in liver fibrosis. *Cell Physiol Biochem.* 35: 885-898. <http://dx.doi.org/10.1159/000369746>.
- Zhang, X; Zhang, Q; Peng, Q; Zhou, J; Liao, L; Sun, X; Zhang, L; Gong, T. (2014). Hepatitis B virus preS1-derived lipopeptide functionalized liposomes for targeting of hepatic cells. *Biomaterials.* 35: 6130-6141. <http://dx.doi.org/10.1016/j.biomaterials.2014.04.037>.
- Zhang, X; Zheng, L; An, J; Guo, J; Han, J; Niu, G; Shih, DQ. (2011). The Dynamic Change of PTEN Expression During Fibrogenesis and Reversal of Rat Liver Fibrosis Induced by CCl₄ and Its Relation With the Activation and Proliferation of Hepatic Stellate Cells (HSC) In Vivo. *Gastroenterology.* 140: S981-S981.
- Zhang, XP; Zhang, F; Zhang, ZL; Ma, J; Kong, DS; Ni, GX; Wang, AY; Chen, WX; Lu, Y; Zheng, SZ. (2012). Acupuncture combined with curcumin disrupts platelet-derived growth factor β receptor/extracellular signal-regulated kinase signalling and stimulates extracellular matrix degradation in carbon tetrachloride-induced hepatic fibrosis in rats. *30: 324-330.* <http://dx.doi.org/10.1136/acupmed-2012-010167>.

Human Health Hazard Literature Search Results

Off Topic

- Zhang, Y; Chen, XM; Sun, DL. (2014). Effects of coencapsulation of hepatocytes with adipose-derived stem cells in the treatment of rats with acute-on-chronic liver failure. *Int J Artif Organs*. 37: 133-141. <http://dx.doi.org/10.5301/ijao.5000284>.
- Zhang, Y; Ghazwani, M; Li, J; Sun, M; Stolz, DB; He, F; Fan, J; Xie, W; Li, S. (2014). MiR-29b inhibits collagen maturation in hepatic stellate cells through down-regulating the expression of HSP47 and lysyl oxidase. *Biochem Biophys Res Commun*. 446: 940-944. <http://dx.doi.org/10.1016/j.bbrc.2014.03.037>.
- Zhang, Y; Guo, J; Dong, H; Zhao, X; Zhou, L; Li, X; Liu, J; Niu, Y. (2011). Hydroxysafflor yellow A protects against chronic carbon tetrachloride-induced liver fibrosis. *Eur J Pharmacol*. 660: 438-444. <http://dx.doi.org/10.1016/j.ejphar.2011.04.015>.
- Zhang, Y; Tang, CP; Ke, CQ; Yao, S; Ye, Y. (2013). Triterpenoids from the stem bark of *Melia toosendan* and determination of their absolute configurations at C(24). 10: 1630-1637. <http://dx.doi.org/10.1002/cbdv.201200347>.
- Zhang, YC; He, CN; Chew, EH. (2013). Studies on the chemical constituents and biological activities of *ixeris* [Review]. 10: 1373-1391. <http://dx.doi.org/10.1002/cbdv.201100234>.
- Zhang, YH; Wang, S; Yan, HP; Zhao, DT; Zhang, X; Li, A; Wang, ZK; Wu, H; Zhao, Y. (2012). [Prognostic values of chemokines in different clinical outcomes of influenza A (H1N1)-infected patients]. *Chung Hua Hsueh Tsa Chih*. 92: 2020-2022.
- Zhang, Z; Bryan, JL; Delassus, E; Chang, LW; Liao, W; Sandell, LJ. (2010). CCAAT/enhancer-binding protein β and NF- κ B mediate high level expression of chemokine genes CCL3 and CCL4 by human chondrocytes in response to IL-1 β . *J Biol Chem*. 285: 33092-33103. <http://dx.doi.org/10.1074/jbc.M110.130377>.
- Zhang, Z; Guo, Y; Zhang, S; Zhang, Y; Wang, Y; Ni, W; Kong, D; Chen, W; Zheng, S. (2013). Curcumin modulates cannabinoid receptors in liver fibrosis in vivo and inhibits extracellular matrix expression in hepatic stellate cells by suppressing cannabinoid receptor type-1 in vitro. *Eur J Pharmacol*. 721: 133-140. <http://dx.doi.org/10.1016/j.ejphar.2013.09.042>.
- Zhang, Z; Liu, X; Zhang, X; Liu, J; Hao, Y; Yang, X; Wang, Y. (2011). Comparative evaluation of the antioxidant effects of the natural vitamin C analog 2-O- β -D-glucopyranosyl-L-ascorbic acid isolated from Goji berry fruit. *Arch Pharm Res*. 34: 801-810. <http://dx.doi.org/10.1007/s12272-011-0514-4>.
- Zhang, Z; Wang, C; Zha, Y; Hu, W; Gao, Z; Zang, Y; Chen, J; Zhang, J; Dong, L. (2015). Corona-directed nucleic acid delivery into hepatic stellate cells for liver fibrosis therapy. *ACS Nano*. 9: 2405-2419. <http://dx.doi.org/10.1021/nn505166x>.
- Zhang, Z; Xing, X; Hensley, G; Chang, LW; Liao, W; Abu-Amer, Y; Sandell, LJ. (2010). Resistin induces expression of proinflammatory cytokines and chemokines in human articular chondrocytes via transcription and messenger RNA stabilization. *Arthritis Rheum*. 62: 1993-2003. <http://dx.doi.org/10.1002/art.27473>.
- Zhang, Z; Zhang, Z; Kang, Y; Hou, C; Duan, X; Sheng, P; Sandell, LJ; Liao, W. (2014). Resistin stimulates expression of chemokine genes in chondrocytes via combinatorial regulation of C/EBP β and NF- κ B. *International Journal of Molecular Sciences*. 15: 17242-17255. <http://dx.doi.org/10.3390/ijms151017242>.
- Zhang, ZQ; Shi, B; Wu, GQ; Qin, KR; Jiang, ZL; Zhu, L. (2009). Combined use of propranolol and nifedipine offers better effects on portal vein nonuniform remodeling in carbon tetrachloride (CCl₄)-induced portal hypertensive rats. *Eur J Pharmacol*. 613: 108-113. <http://dx.doi.org/10.1016/j.ejphar.2009.04.039>.
- Zhao, BS; Song, XR; Hu, PY; Meng, LX; Tan, YH; She, YJ; Ding, YY. (2015). Hyperbaric oxygen treatment at various stages following chronic constriction injury produces different antinociceptive effects via regulation of P2X₄R expression and apoptosis. *PLoS ONE*. 10: e0120122. <http://dx.doi.org/10.1371/journal.pone.0120122>.
- Zhao, F; Yuan, J; Deng, M; Lu, PX; Ahuja, AT; Wang, YX. (2013). Further exploration of MRI techniques for liver T1rho quantification. 3: 308-315. <http://dx.doi.org/10.3978/j.issn.2223-4292.2013.12.10>.
- Zhao, G; Zhang, Z; hiQi; Zhang, B, in; Luo, M; Sun, YW, ei; Wu, Z, hiY. (2011). Down-regulation of tTG expression by RNAi inhibits HSC proliferation and attenuates liver fibrosis. *Int J Clin Exp Pathol*. 4: 513-520.
- Zhao, H; Li, S; Zhang, H; Wang, G; Xu, G; Zhang, H. (2015). Saikosaponin A protects against experimental sepsis via inhibition of NOD2-mediated NF- κ B activation. *Exp Ther Med*. 10: 823-827. <http://dx.doi.org/10.3892/etm.2015.2558>.
- Zhao, J; Peng, L; Cui, R; Guo, X; Yan, M. (2016). Dimethyl α -ketoglutarate reduces CCL4-induced liver fibrosis through inhibition of autophagy in hepatic stellate cells. *Biochem Biophys Res Commun*. 481: 90-96. <http://dx.doi.org/10.1016/j.bbrc.2016.11.010>.
- Zhao, J; Zhang, Z; Luan, Y; Zou, Z; Sun, Y; Li, Y; Jin, L; Zhou, C; Fu, J; Gao, B; Fu, Y; Wang, FS. (2014). Pathological functions of interleukin-22 in chronic liver inflammation and fibrosis with hepatitis B virus infection by promoting T helper 17 cell recruitment. *Hepatology*. 59: 1331-1342. <http://dx.doi.org/10.1002/hep.26916>.
- Zhao, L; Feng, Z; Hu, B; Chi, X; Jiao, S. (2012). Ex vivo-expanded bone marrow mesenchymal stem cells facilitate recovery from chemically induced acute liver damage. *Hepatogastroenterology*. 59: 2389-2394. <http://dx.doi.org/10.5754/hge12288>.
- Zhao, L; Li, Q; Yang, W; He, B; Wei, B; Liu, R; Liu, J; Chen, X; Bi, K. (2012). [Determination of cefuroxime in liver-injured rat plasma by ultra fast liquid chromatography-tandem mass spectrometry via acidified protein precipitation]. *Sepu*. 30: 705-710.
- Zhao, Q; Peng, Y; Huang, K; Lei, Y; Liu, HL; Tao, YY; Liu, CH. (2016). Salvianolate Protects Hepatocytes from Oxidative Stress by Attenuating Mitochondrial Injury. *eCAM*. 2016: 5408705. <http://dx.doi.org/10.1155/2016/5408705>.
- Zhao, Q; Ren, H; Li, X; Chen, Z; Zhang, X; Gong, W; Liu, Y; Pang, T; Han, ZC. (2009). Differentiation of human umbilical cord mesenchymal stromal cells into low immunogenic hepatocyte-like cells. *Cytotherapy*. 11: 414-426. <http://dx.doi.org/10.1080/14653240902849754>.
- Zhao, X; Lai, S; Liu, H; Gao, L. (2009). Preparation and characterization of activated carbon foam from phenolic resin. *J Environ Sci*. 21 Suppl 1: S121-S123. [http://dx.doi.org/10.1016/S1001-0742\(09\)60053-X](http://dx.doi.org/10.1016/S1001-0742(09)60053-X).
- Zhao, XK; Cheng, ML; Wu, RM; Yao, YM; Mu, M; Zhu, JJ; Zhang, BF; Zhou, MY. (2014). Effect of Danshao Huaxian capsule on Gremlin and bone morphogenetic protein-7 expression in hepatic fibrosis in rats. *World J Gastroenterol*. 20: 14875-14883. <http://dx.doi.org/10.3748/wjg.v20.i40.14875>.

Human Health Hazard Literature Search Results

Off Topic

- Zhao, XY; Yang, ZB; Zhang, ZJ; Zhang, ZQ; Kang, Y; Huang, GX; Wang, SW; Huang, H; Liao, WM. (2015). CCL3 serves as a potential plasma biomarker in knee degeneration (osteoarthritis). *Osteoarthritis Cartilage*. 23: 1405-1411. <http://dx.doi.org/10.1016/j.joca.2015.04.002>.
- Zhao, Y; Ma, X; Wang, J; He, X; Hu, Y; Zhang, P; Wang, R; Li, R; Gong, M; Luo, S; Xiao, X. (2014). Curcumin protects against CCl₄-induced liver fibrosis in rats by inhibiting HIF-1 α through an ERK-dependent pathway. *Molecules*. 19: 18767-18780. <http://dx.doi.org/10.3390/molecules191118767>.
- Zhao, Y; Ma, X; Wang, J; He, X; Zhang, Y; Wang, Y, e; Liu, H; Shen, H; Xiao, X. (2016). A System Review of Anti-fibrogenesis Effects of Compounds Derived from Chinese Herbal Medicine. *Mini Rev Med Chem*. 16: 163-175. <http://dx.doi.org/10.2174/1389557515666150709121908>.
- Zhao, Y; Ma, X; Wang, J; Zhu, Y; Li, R; Wang, J; He, X; Shan, L; Wang, R; Wang, L; Li, Y; Xiao, X. (2014). Paeoniflorin alleviates liver fibrosis by inhibiting HIF-1 α through mTOR-dependent pathway. *Fitoterapia*. 99: 318-327. <http://dx.doi.org/10.1016/j.fitote.2014.10.009>.
- Zhao, YL; Wang, JB; Zhou, GD; Shan, LM; Xiao, XH. (2009). Investigations of free anthraquinones from rhubarb against alpha-naphthylisothiocyanate-induced cholestatic liver injury in rats. *Basic & Clinical Pharmacology & Toxicology Online Pharmacology Online*. 104: 463-469. <http://dx.doi.org/10.1111/j.1742-7843.2009.00389.x>.
- Zhao, YP; Guo, DM; Liu, H; Liu, WH; Mu, WY; Zhang, P. (2015). Apparent diffusion coefficient measurements and Gd-DTPA enhanced-imaging in staging hepatic fibrosis in rats. *International Journal of Clinical and Experimental Medicine*. 8: 2197-2204.
- Zhao, Z; Guo, T; Yang, S; Pan, K; Tan, Y; Chen, G; Liu, C. (2015). [Evaluation methods of angiogenesis in experimental liver fibrosis]. *Zhonghua Gan Zang Bing Za Zhi*. 23: 107-111.
- Zheng, J; Ma, LT; Ren, QY; Li, L; Zhang, Y; Shi, HJ; Liu, Y; Li, CH; Dou, YQ; Li, SD; Zhang, H; Yang, MH. (2014). The influence of astragalus polysaccharide and β -elemene on LX-2 cell growth, apoptosis and activation. *BMC Gastroenterol*. 14: 224. <http://dx.doi.org/10.1186/s12876-014-0224-8>.
- Zheng, J; Wu, C; Lin, Z; Guo, Y; Shi, L; Dong, P; Lu, Z; Gao, S; Liao, Y; Chen, B; Yu, F. (2014). Curcumin up-regulates phosphatase and tensin homologue deleted on chromosome 10 through microRNA-mediated control of DNA methylation--a novel mechanism suppressing liver fibrosis. *FEBS J*. 281: 88-103. <http://dx.doi.org/10.1111/febs.12574>.
- Zheng, J; Wu, C; Xu, Z; Xia, P; Dong, P; Chen, B; Yu, F. (2015). Hepatic stellate cell is activated by microRNA-181b via PTEN/Akt pathway. *Mol Cell Biochem*. 398: 1-9. <http://dx.doi.org/10.1007/s11010-014-2199-8>.
- Zheng, L; Li, Q; Shi, Y; Han, Y. (2013). Role of IL-17 in the therapeutic effects of bone marrow-derived stem cells on Liver Injury. *J Gastroenterol Hepatol*. 28: 643-643.
- Zheng, L; Niu, G; Guo, J; Han, J; Zhang, G; Sun, H; An, J; Zhang, X. (2011). THE DYNAMIC CHANGE OF PTEN EXPRESSION DURING FIBROGENESIS AND REVERSAL OF RAT LIVER FIBROSIS INDUCED BY CCL4 AND ITS RELATION WITH THE APOPTOSIS OF HEPATIC STELLATE CELLS (HSC) IN VIVO. *Hepatology*. 54: 748A-748A.
- Zheng, X; Ding, N; Song, Y; Feng, L; Zhu, J. (2014). Different sensitivity of germinal center B cell-like diffuse large B cell lymphoma cells towards ibrutinib treatment. *Canc Cell Int*. 14: 32. <http://dx.doi.org/10.1186/1475-2867-14-32>.
- Zhi, XH; Bai, XH; Meng, MQ. (2011). [Disinfection efficiency for outlet water from biological activated carbon process by different disinfecting modes]. *Huanjing Kexue*. 32: 1346-1350.
- Zhong, J; Hao, M; Li, R; Bai, L; Yang, G. (2014). Preparation and characterization of poly(triallyl isocyanurate-co-trimethylolpropane triacrylate) monolith and its applications in the separation of small molecules by liquid chromatography. *J Chromatogr A*. 1333: 79-86. <http://dx.doi.org/10.1016/j.chroma.2014.01.072>.
- Zhong, Y; Tang, Z; Xu, R; Lin, N; Deng, M; Fang, H; Lin, J; Zhu, K; Liu, Y; Kang, Z. (2013). Effect of transplantation route on stem cell migration to fibrotic liver of rats via cellular magnetic resonance imaging. *Cytotherapy*. 15: 1266-1274. <http://dx.doi.org/10.1016/j.jcyt.2013.05.023>.
- Zhou, B; Shan, H; Li, D; Jiang, ZB; Qian, JS; Zhu, KS; Huang, MS; Meng, XC. (2010). MR tracking of magnetically labeled mesenchymal stem cells in rats with liver fibrosis. *Magn Reson Imaging*. 28: 394-399. <http://dx.doi.org/10.1016/j.mri.2009.12.005>.
- Zhou, F; Ciric, B; Li, H; Yan, Y; Li, K; Cullimore, M; Lauretti, E; Gonnella, P; Zhang, GX; Rostami, A. (2012). IL-10 deficiency blocks the ability of LPS to regulate expression of tolerance-related molecules on dendritic cells. *Eur J Immunol*. 42: 1449-1458. <http://dx.doi.org/10.1002/eji.201141733>.
- Zhou, J; Liang, Y; Pan, JX; Wang, FF; Lin, XM; Ma, RJ; Qu, F; Fang, JQ. (2015). Protein extracts of *Crassostrea gigas* alleviate CCl₄-induced hepatic fibrosis in rats by reducing the expression of CTGF, TGF- β 1 and NF- κ B in liver tissues. *Mol Med Rep*. 11: 2913-2920. <http://dx.doi.org/10.3892/mmr.2014.3019>.
- Zhou, J; Qi, Y; Diao, Q; Wu, L; Du, X, ia; Li, Y, i; Sun, L. (2013). Cytotoxicity of melittin and apamin in human hepatic L02 and HepG2 cells in vitro. *Toxin Reviews*. 32: 60-67. <http://dx.doi.org/10.3109/15569543.2013.852108>.
- Zhou, Q; Pang, L; Xiao, J. (2009). Trace determination of dichlorodiphenyltrichloroethane and its main metabolites in environmental water samples with dispersive liquid-liquid microextraction in combination with high performance liquid chromatography and ultraviolet detector. *J Chromatogr A*. 1216: 6680-6684. <http://dx.doi.org/10.1016/j.chroma.2009.08.017>.
- Zhou, S; Shao, Y; Gao, N; Zhu, S; Ma, Y; Deng, J. (2014). Chlorination and chloramination of tetracycline antibiotics: disinfection by-products formation and influential factors. *Ecotoxicol Environ Saf*. 107: 30-35. <http://dx.doi.org/10.1016/j.ecoenv.2014.05.008>.
- Zhou, X; Cui, L; Zhou, X; Yang, Q; Wang, L; Guo, G; Hou, Y; Cai, W; Han, Z; Shi, Y; Han, Y. (2016). Induction of hepatocyte-like cells from human umbilical cord-derived mesenchymal stem cells by defined microRNAs. *J Cell Mol Med*. <http://dx.doi.org/10.1111/jcmm.13027>.
- Zhou, Y; Wu, C; Dong, X; Qu, J. (2016). Synthesis of 6-Trichloromethylphenanthridines by Transition Metal-Free Radical Cyclization of 2-Isocyanobiphenyls. *J Org Chem*. 81: 5202-5208. <http://dx.doi.org/10.1021/acs.joc.6b00885>.

Human Health Hazard Literature Search Results

Off Topic

- Zhou, Y; Zhang, H; Peng, C. (2014). Puerarin: A Review of Pharmacological Effects [Review]. *Phytother Res.* 28: 961-975. <http://dx.doi.org/10.1002/ptr.5083>.
- Zhou, Y; Zhang, L; Ji, H; Lu, X; Xia, J; Li, L; Chen, F; Bu, H; Shi, Y. (2016). MiR-17~92 ablation impairs liver regeneration in an estrogen-dependent manner. *J Cell Mol Med.* 20: 939-948. <http://dx.doi.org/10.1111/jcmm.12782>.
- Zhu, D; Song, K; Chen, J; Wang, J; Sun, X; Qian, H; Gu, X; Zhang, L; Qin, Y; Duan, Y. (2015). Expression of Septin4 in *Schistosoma japonicum*-infected mouse livers after praziquantel treatment. *Parasites and Vectors.* 8: 19. <http://dx.doi.org/10.1186/s13071-015-0640-9>.
- Zhu, M; Allard, JS; Zhang, Y; Perez, E; Spangler, EL; Becker, KG; Rapp, PR. (2014). Age-related brain expression and regulation of the chemokine CCL4/MIP-1 β in APP/PS1 double-transgenic mice. *J Neuropathol Exp Neurol.* 73: 362-374. <http://dx.doi.org/10.1097/NEN.0000000000000060>.
- Zhu, R; Yang, L; Shen, L; Ye, J; Liu, J; Hu, S. (2009). ANG II-AT1 receptor pathway is involved in the anti-fibrotic effect of beta-elemene. *J Huazhong Univ Sci Technolog Med Sci.* 29: 177-181. <http://dx.doi.org/10.1007/s11596-009-0208-z>.
- Zhu, S; Wang, L; Zhou, N; Zhao, X; Song, Y; Maharjan, S; Zhang, J; Lu, L; Wang, H; Yang, B. (2014). The crosslink enhanced emission (CEE) in non-conjugated polymer dots: from the photoluminescence mechanism to the cellular uptake mechanism and internalization. *Chem Commun (Camb).* 50: 13845-13848. <http://dx.doi.org/10.1039/c4cc05806b>.
- Zhu, S, iM; Zhu, L; Tian, YJ. (2012). Antinociceptive, antiinflammatory and antioxidant activities of ethanolic extract of *Cancrinia discoidea* (Ledeb.) Poljak. 6: 991-997. <http://dx.doi.org/10.5897/AJPP11.385>.
- Zhu, W; Li, YH; Chen, ML; Hu, FL. (2011). Protective effects of Chinese and Brazilian propolis treatment against hepatorenal lesion in diabetic rats. *Hum Exp Toxicol.* 30: 1246-1255. <http://dx.doi.org/10.1177/09603271110387456>.
- Zhu, W; Shi, XL; Xiao, JQ; Gu, GX; Ding, YT; Ma, ZL. (2013). Effects of xenogeneic adipose-derived stem cell transplantation on acute-on-chronic liver failure. *Hepatobiliary Pancreat Dis Int.* 12: 60-67.
- Zhu, X; Zhang, F; Zhou, L; Kong, D; Chen, L; Lu, Y; Zheng, S. (2014). Diallyl trisulfide attenuates carbon tetrachloride-caused liver injury and fibrogenesis and reduces hepatic oxidative stress in rats. *Naunyn Schmiedebergs Arch Pharmacol.* 387: 445-455. <http://dx.doi.org/10.1007/s00210-014-0959-3>.
- Zimmermann, HW; Seidler, S; Nattermann, J; Gassler, N; Hellerbrand, C; Zerneck, A; Tischendorf, JJ; Luedde, T; Weiskirchen, R; Trautwein, C; Tacke, F. (2010). Functional contribution of elevated circulating and hepatic non-classical CD14CD16 monocytes to inflammation and human liver fibrosis. *PLoS ONE.* 5: e11049. <http://dx.doi.org/10.1371/journal.pone.0011049>.
- Zipprich, A; Christ, B; Seufferlein, T; Dollinger, MM. (2009). THE MULTIKINASE-INHIBITOR SORAFENIB PREVENTS NEOANGIOGENESIS AND HIGHER NO PRODUCTION BY THE HEPATIC ARTERY IN CCL4-INDUCED LIVER CIRRHOSIS. *Hepatology.* 50: 484A-484A.
- Zira, A; Toumpanakis, D; Zarros, A; Stolakis, V; Giaginis, C; Theocharis, SE. (2009). ALTERATIONS OF FAK AND SRC LIVER LEVELS FOLLOWING EITHER THIOACETAMIDE OR CARBON TETRACHLORIDE ADMINISTRATION. *Hepatology.* 50: 1165A-1165A.
- Zoccolillo, L; Amendola, L; Insogna, S. (2009). Comparison of atmosphere/aquatic environment concentration ratio of volatile chlorinated hydrocarbons between temperate regions and Antarctica. *Chemosphere.* 76: 1525-1532. <http://dx.doi.org/10.1016/j.chemosphere.2009.05.044>.
- Zoccolillo, L; Amendola, L; Insogna, S; Pastorini, E. (2010). On-line analysis of volatile chlorinated hydrocarbons in air by gas chromatography-mass spectrometry Improvements in preconcentration and injection steps. *J Chromatogr A.* 1217: 3890-3895. <http://dx.doi.org/10.1016/j.chroma.2010.04.013>.
- Zöllig, H; Remmele, A; Fritzsche, C; Morgenroth, E; Udert, KM. (2015). Formation of Chlorination Byproducts and Their Emission Pathways in Chlorine Mediated Electro-Oxidation of Urine on Active and Nonactive Type Anodes. *Environ Sci Technol.* 49: 11062-11069. <http://dx.doi.org/10.1021/acs.est.5b01675>.
- Zong, L; Qu, Y; Xu, MY; Dong, YW; Lu, LG. (2013). 18 α -glycyrrhetic acid extracted from *Glycyrrhiza radix* inhibits proliferation and promotes apoptosis of the hepatic stellate cell line. *Journal of Digestive Diseases (Online).* 14: 328-336. <http://dx.doi.org/10.1111/1751-2980.12041>.
- Zou, M; Kong, Y; Wang, J; Wang, Q; Wang, Z; Wang, B; Fan, P. (2013). Spectroscopic analyses on ROS generation catalyzed by TiO₂, CeO₂/TiO₂ and Fe₂O₃/TiO₂ under ultrasonic and visible-light irradiation. *Spectrochim Acta A Mol Biomol Spectrosc.* 101: 82-90. <http://dx.doi.org/10.1016/j.saa.2012.09.067>.
- Zschüntzsch, J; Voss, J; Creus, C; Sehmisch, S; Raju, R; Dalakas, MC; Schmidt, J. (2012). Provision of an explanation for the inefficacy of immunotherapy in sporadic inclusion body myositis: quantitative assessment of inflammation and β -amyloid in the muscle. *Arthritis Rheum.* 64: 4094-4103. <http://dx.doi.org/10.1002/art.37692>.
- Zsiros, E; Duttagupta, P; Dangaj, D; Li, H; Frank, R; Garrabrant, T; Hagemann, IS; Levine, BL; June, CH; Zhang, L; Wang, E; Marincola, FM; Bedognetti, D; Powell, DJ; Tanyi, J; Feldman, MD; Kandalaf, LE; Coukos, G. (2015). The Ovarian Cancer Chemokine Landscape Is Conducive to Homing of Vaccine-Primed and CD3/CD28-Costimulated T Cells Prepared for Adoptive Therapy. *Clin Cancer Res.* 21: 2840-2850. <http://dx.doi.org/10.1158/1078-0432.CCR-14-2777>.
- Zucchetto, A; Benedetti, D; Tripodo, C; Bomben, R; Dal Bo, M; Marconi, D; Bossi, F; Lorenzon, D; Degan, M; Rossi, FM; Rossi, D; Bulian, P; Franco, V; Del Poeta, G; Deaglio, S; Gaidano, G; Tedesco, F; Malavasi, F; Gattei, V. (2009). CD38/CD31, the CCL3 and CCL4 chemokines, and CD49d/vascular cell adhesion molecule-1 are interchained by sequential events sustaining chronic lymphocytic leukemia cell survival. *Cancer Res.* 69: 4001-4009. <http://dx.doi.org/10.1158/0008-5472.CAN-08-4173>.
- Zucchetto, A; Tripodo, C; Benedetti, D; Deaglio, S; Gaidano, G; Del Poeta, G; Gattei, V. (2010). Monocytes/macrophages but not T lymphocytes are the major targets of the CCL3/CCL4 chemokines produced by CD38(+)/CD49d(+) chronic lymphocytic leukaemia cells [Letter]. *Br J Haematol.* 150: 111-113. <http://dx.doi.org/10.1111/j.1365-2141.2010.08152.x>.

Human Health Hazard Literature Search Results

Off Topic

- Zullo, A; Cannistrà, M; Cavallari, G; Puviani, L; Atzeni, F; Pisano, A; Bonaiuto, E; Pariali, M; Vaccarisi, S; Nardo, B. (2015). Liver Regeneration Induced By Extracorporeal Portal Vein Arterialization in a Swine Model of Carbon Tetrachloride Intoxication. *Transplant Proc.* 47: 2173-2175. <http://dx.doi.org/10.1016/j.transproceed.2014.11.079>.
- Zuo, Z; Cui, H; Peng, X, i; Deng, J; Fang, J; Wang, Y, a; Ren, Z. (2012). Cytokine and Chemokine Microarray Profiles in Lung and Hilar Nodes from Pigs after Experimental Infection with *Actinobacillus Pleuropneumoniae*. *Journal of Animal and Veterinary Advances.* 11: 4603-4610.
- Zuriaga, M; Carignano, M; Serra, P. (2011). Rotational relaxation characteristics of the monoclinic phase of CCl₄. *J Chem Phys.* 135: 044504. <http://dx.doi.org/10.1063/1.3614417>.
- Zuriaga, M; Pardo, LC; Lunkenheimer, P; Tamarit, JL; Veglio, N; Barrio, M; Bermejo, FJ; Loidl, A. (2009). New microscopic mechanism for secondary relaxation in glasses. *Phys Rev Lett.* 103: 075701. <http://dx.doi.org/10.1103/PhysRevLett.103.075701>.

OPPT RISK ASSESSMENT, PROBLEM FORMULATION OR SCOPE DOCUMENT

All documents cited in previous OPPT risk assessments, problem formulations and scope documents are included in the following section and listed as *on topic* without further categorization. The references may have also been captured in the search strategy and therefore presented in the peer reviewed literature search results section as either *on topic* or *off topic* for a given topic area in the sections above.

OPPT Risk Assessment, Problem Formulation or Scope Document

On Topic

- ATSDR (Agency for Toxic Substances and Disease Registry). (2005). Toxicological profile for carbon tetrachloride. Atlanta, GA: US Department of Health and Human Services, Public Health Service.
- Boublík, T; Vojtěch, F; Hála, E. (1984). The vapor pressures of pure substances: selected values of the temperature dependence of the vapour pressures of some pure substances in the normal and low pressure region. Amsterdam, Netherlands: Elsevier Sci Publ.
- CDC (Centers for Disease Control and Prevention). (2017). National report on human exposure to environmental chemicals. <https://www.cdc.gov/exposurereport/>
- Daubert, TE; Danner, RP. (1989). Physical and thermodynamic properties of pure chemicals: Data compilation. Washington, DC: Taylor & Francis.
- ECHA (European Chemicals Agency). (2012). Carbon tetrachloride. Substance evaluation – CoRAP. <https://echa.europa.eu/information-on-chemicals/evaluation/community-rolling-action-plan/corap-table/-/dislist/details/0b0236e1807e392b>
- ECHA (European Chemicals Agency). (2017). Substance information: Carbon tetrachloride. Retrieved from <https://echa.europa.eu/substance-information/-/substanceinfo/100.000.239>
- Hansch, C; Leo, A; Hoekman, D. (1995). Exploring QSAR: Hydrophobic, electronic, and steric constants. In C Hansch; A Leo; DH Hoekman (Eds.), ACS Professional Reference Book. Washington, DC: American Chemical Society.
- Health Canada. (2010). Guidelines for Canadian drinking water quality: Guideline technical document – carbon tetrachloride. Ottawa, Ontario. <https://www.canada.ca/en/health-canada/services/publications/healthy-living/guidelines-canadian-drinking-water-quality-guideline-technical-document-carbon-tetrachloride.html>
- HHS (U.S. Department of Health and Human Services). (2009). Household products database [Database]. Bethesda, MD: National Institutes of Health. Retrieved from <http://householdproducts.nlm.nih.gov/about.htm>
- Holbrook, MT. (2000). Carbon tetrachloride. In Kirk-Othmer Encyclopedia of Chemical Technology. Hoboken, NJ: John Wiley and Sons, Inc.
- Holbrook, MT. (2003). Chloroform. In Kirk-Othmer Encyclopedia of Chemical Technology. New York, NY: John Wiley & Sons.
- Holbrook, MT. (2003). Methylene chloride. In Kirk-Othmer Encyclopedia of Chemical Technology (4th ed.). New York, NY: John Wiley & Sons. <http://dx.doi.org/10.1002/0471238961.1305200808151202.a02.pub2>
- Horvath, AL. (1982). Halogenated hydrocarbons: Solubility-miscibility with water. New York, NY: Marcel Dekker, Inc.
- Leighton, DT, Jr; Calo, JM. (1981). Distribution coefficients of chlorinated hydrocarbons in dilute air-water systems for groundwater contamination applications. *Journal of Chemical and Engineering Data* 26: 382-585. <http://dx.doi.org/10.1021/jc00026a010>
- Lide, DR. (1999). CRC handbook of chemistry and physics: A ready-reference book of chemical and physical data (79th ed.). Boca Raton, FL: CRC Press.
- Marshall, KA; Pottenger, LH. (2016). Chlorocarbons and chlorohydrocarbons. In Kirk-Othmer Encyclopedia of Chemical Technology (4th ed.). New York, NY: John Wiley & Sons.
- Merck. (1996). The Merck Index: An Encyclopedia of Chemicals, Drugs, and Biologicals. In S Budavari (Ed.), (12th ed.). Rahway, NJ: Merck & Co., Inc.
- NWQMC (National Water Quality Monitoring Council). (2017). Water quality portal. <https://www.waterqualitydata.us/>
- OECD (Organisation for Economic Co-operation and Development). (2009). Emission scenario document on adhesive formulation. (JT03263583). Paris, France.
- OECD (Organisation for Economic Co-operation and Development). (2009). Emission scenario documents on coating industry (paints, lacquers and varnishes). (JT03267833). Paris, France.

OPPT Risk Assessment, Problem Formulation or Scope Document

On Topic

- OECD (Organisation for Economic Co-operation and Development). (2011). SIDS Initial Assessment Profile for Carbon tetrachloride. (CoCAM 1, 10-12 October 2011). Paris France. <http://webnet.oecd.org/Hpv/UI/handler.axd?id=cada8da2-6884-48f1-bf42-470f2872837d>
- OECD (Organisation for Economic Co-operation and Development). (2013). Emission scenario document on the industrial use of adhesives for substrate bonding. Paris, France.
- OSHA (Occupational Safety & Health Administration). (2016). Chemical Exposure Health Data 2013-2016. Washington, DC. Retrieved from <https://www.osha.gov/opengov/healthsamples.html>
- U.S. Coast Guard. (1985). CHRIS hazardous chemical data: Volume II. Washington, DC: Government Printing Office.
- U.S. EPA (U.S. Environmental Protection Agency). (1980). Compilation of air pollutant emission factors. Chapter 4.7: Waste solvent reclamation. Office of Air and Radiation, Office of Air Quality and Planning Standards.
- U.S. EPA (U.S. Environmental Protection Agency). (1996). National-scale Air Toxics Assessment overview: The 33 pollutants. <https://archive.epa.gov/airtoxics/nata/web/html/34poll.html>
- U.S. EPA (U.S. Environmental Protection Agency). (1998). Guidelines for ecological risk assessment [EPA Report]. (EPA/630/R-95/002F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <https://www.epa.gov/risk/guidelines-ecological-risk-assessment>
- U.S. EPA (U.S. Environmental Protection Agency). (2000). Science policy council handbook: Risk characterization (pp. 1-189). (EPA/100/B-00/002). Washington, D.C.: U.S. Environmental Protection Agency, Science Policy Council. <https://www.epa.gov/risk/risk-characterization-handbook>
- U.S. EPA (U.S. Environmental Protection Agency). (2006). A framework for assessing health risk of environmental exposures to children (pp. 1-145). (EPA/600/R-05/093F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=158363>
- U.S. EPA (U.S. Environmental Protection Agency). (2009). Support documents for EPA's second review of existing drinking water standards. <https://www.epa.gov/dwsixyearreview/support-documents-epas-second-review-existing-drinking-water-standards>
- U.S. EPA (U.S. Environmental Protection Agency). (2010). Toxicological Review of Carbon Tetrachloride (CAS No. 56-23-5) in support of summary information on the Integrated Risk Information System (IRIS) [EPA Report]. (EPA/635/R-08/005F). Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). (2010). TSCA New Chemicals Program (NCP) chemical categories. <http://www.epa.gov/oppt/newchemicals/pubs/npcchemicalcategories.pdf>
- U.S. EPA (U.S. Environmental Protection Agency). (2011). Exposure factors handbook: 2011 edition (final) [EPA Report]. (EPA/600/R-090/052F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=236252>
- U.S. EPA (U.S. Environmental Protection Agency). (2012). Conceptual model scenarios for the vapor intrusion pathway. (EPA 530-R-10-003). <https://www.epa.gov/sites/production/files/2015-09/documents/vi-cms-v11final-2-24-2012.pdf>
- U.S. EPA (U.S. Environmental Protection Agency). (2012). Estimation Programs Interface Suite™ for Microsoft® Windows, v 4.11. Available online at <http://www.epa.gov/opptintr/exposure/pubs/episuite.htm>
- U.S. EPA (U.S. Environmental Protection Agency). (2013). Interpretive assistance document for assessment of discrete organic chemicals. Sustainable futures summary assessment [EPA Report]. Washington, DC. http://www.epa.gov/sites/production/files/2015-05/documents/05-iad_discretes_june2013.pdf
- U.S. EPA (U.S. Environmental Protection Agency). (2015). Update of human health ambient water quality criteria: Carbon tetrachloride 56-23-5. (EPA 820-R-15-023). <https://www.regulations.gov/document?D=EPA-HQ-OW-2014-0135-0182>
- U.S. EPA (U.S. Environmental Protection Agency). (2016). CPCat (Chemical and Product Categories) [Database]. Retrieved from <https://www.epa.gov/chemical-research/chemical-and-product-categories-cpcat>
- U.S. EPA (U.S. Environmental Protection Agency). (2016). Instructions for reporting 2016 TSCA chemical data reporting. <https://www.epa.gov/chemical-data-reporting/instructions-reporting-2016-tsca-chemical-data-reporting>
- U.S. EPA (U.S. Environmental Protection Agency). (2016). Public database 2016 chemical data reporting (May 2017 release). Washington, DC: US Environmental Protection Agency, Office of Pollution Prevention and Toxics. Retrieved from <https://www.epa.gov/chemical-data-reporting>
- U.S. EPA (U.S. Environmental Protection Agency). (2016). TSCA work plan chemical risk assessment: Peer review draft 1-bromopropane: (n-Propyl bromide) spray adhesives, dry cleaning, and degreasing uses CASRN: 106-94-5 [EPA Report]. (EPA 740-R1-5001). Washington, DC. https://www.epa.gov/sites/production/files/2016-03/documents/1-bp_report_and_appendices_final.pdf
- U.S. EPA (U.S. Environmental Protection Agency). (2016). Weight of evidence in ecological assessment. (EPA100R16001). Washington, DC: Office of the Science Advisor. https://cfpub.epa.gov/si/si_public_record_report.cfm?dirEntryId=335523
- U.S. EPA (U.S. Environmental Protection Agency). (2017). Initial list of hazardous air pollutants with modifications. <https://www.epa.gov/haps/initial-list-hazardous-air-pollutants-modifications#mods>
- U.S. EPA (U.S. Environmental Protection Agency). (2017). Internal communication. Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics.
- U.S. EPA (U.S. Environmental Protection Agency). (2017). Preliminary information on manufacturing, processing, distribution, use, and disposal: Carbon tetrachloride. Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). (2017). Toxics Release Inventory (TRI). Retrieved from <https://www.epa.gov/toxics-release-inventory-tri-program/tri-data-and-tools>
- USGS (U.S. Geological Survey). (2007). Anthropogenic organic compounds in ground water and finished water of community water systems near Dayton, Ohio, 2002-04. (2007-5035). US Geological Survey. <https://pubs.usgs.gov/sir/2007/5035/>

OPPT Risk Assessment, Problem Formulation or Scope Document

On Topic

Weil, ED; Sandler, SR; Gernon, M. (2006). Sulfur compounds. In Kirk-Othmer Encyclopedia of Chemical Technology. New York, NY: John Wiley & Sons. <http://dx.doi.org/10.1002/0471238961.1921120623050912.a01.pub2>

WHO (World Health Organization). (2004). Carbon tetrachloride in drinking-water. Background document for development of WHO guidelines for drinking-water quality. (WHO/SDE/WSH/03.04/82).
http://www.who.int/water_sanitation_health/dwq/chemicals/carbontetrachloride.pdf

Gray Literature Search Results

Gray literature is defined as the broad category of studies not found in standard, peer-reviewed literature databases (e.g., PubMed). Gray literature includes studies that are difficult to find in conventional bibliographic databases and includes references such as white papers, conference proceedings, technical reports, reference books, dissertations and information on various stakeholder websites.

The gray literature search results are currently contained in this document and in Excel spreadsheets. EPA is considering whether to manually develop EndNote citations for on topic gray literature results. This section lists abbreviated information for each citation, including a link to the reference. Full gray literature search results are presented in the *Gray Literature Excel Spreadsheet: Carbon Tetrachloride*.

Note: Gray Lit Results provided as a second PDF.

Legend for Gray Literature Bibliography Columns

Source		A brief description of the gray literature source that was searched	
General Information About Result	URL	The web address of the search result URL	
	Annotation	An brief description of the search result	
Subject-Matter Tags	Engineering	On topic	An "x" indicates the reference is on topic for the engineering/occupational exposure topic area
		Off topic	An "x" indicates the reference is off topic for the engineering/occupational exposure topic area
	Fate	On topic	An "x" indicates the reference is on topic for the fate topic area
		Off topic	An "x" indicates the reference is off topic for the fate topic area
	Exposure	On topic	An "x" indicates the reference is on topic for the exposure topic area
		Off topic	An "x" indicates the reference is off topic for the exposure topic area
	Human Health	On topic	An "x" indicates the reference is on topic for the human health topic area
		Off topic	An "x" indicates the reference is off topic for the human health topic area
Notes		Any notes about the search result, including a note about search results that were not tagged to individual topic areas but are considered "on topic" overall	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Office of Water: EPA Clean Water Act Drinking Water Standards and Health Advisories	https://www.epa.gov/ground-water-and-drinking-water/table-regulated-drinking-water-contaminants	CCL4 along with primary release mechanisms		X		X	X			X	
Office of Water: STORET and WQX	https://www.epa.gov/sites/production/files/2015-09/documents/dwstandards2012.pdf	2012 drinking water standards and health advisories		X		X	X			X	
Office of Air Quality Planning and Standards (OAQPS)	https://www.epa.gov/waterdata/storage-and-retrieval-and-water-quality-exchange	Data downloaded from STORET database		X		X	X			X	
Office of Air: Air Emission Factors	https://www3.epa.gov/airquality/cta_act/197711_voc_epa450_2-77-022_solvent_metal_cleaning.pdf	Control of Volatile Organic Emissions from Solvent Metal Cleaning	X			X		X		X	
Office of Air: Ambient Water Quality Criteria documents	https://www.epa.gov/air-emissions-factors-and-quantification/ap-42-compilation-air-emission-factors	Pollutant Emission Factors. Chapter 4.7: Waste Solvent Reclamation.	X			X		X		X	
Office of Air: Ambient Water Quality Criteria documents	https://www.epa.gov/wqc/national-recommended-water-quality-criteria-human-health-criteria-table	Quality Criteria - Human Health Criteria Table	X			X		X		X	
Office of Air: NESHAP	https://www.epa.gov/wqc/aquatic-life-criteria-lead	Aquatic Life Criteria for Lead		X		X		X		X	
Office of Air: TRI	www.epa.gov/technical-air-pollution-resources	N/A		X		X		X		X	
Office of Air: NESHAP	www.epa.gov/tri	N/A		X		X		X		X	
OPPT: TSCA Analog Identification Methodology (AIM)	http://www.epa.gov/tsca-screening-tools/analog-identification-methodology-aim-tool	List and information about analogs from AIM tool		X		X	X			X	
Significant New Alternatives Policy (SNAP)	https://www.epa.gov/snap/refrigerant-safety	Refrigerant Safety		X		X		X		X	
Significant New Alternatives Policy (SNAP)	https://www.epa.gov/snap/acceptable-substitutes-very-low-temperature-refrigeration	Acceptable Substitutes in Very Low Temperature Refrigeration		X		X		X		X	
Significant New Alternatives Policy (SNAP)	https://www.epa.gov/snap/acceptable-substitutes-residential-dehumidifiers	Acceptable Substitutes in Residential Dehumidifiers		X		X		X		X	
Significant New Alternatives Policy (SNAP)	https://www.epa.gov/snap/acceptable-substitutes-residential-and-light-commercial-air-conditioning-and-heat-pumps	Acceptable Substitutes in Household and Light Commercial Air Conditioning		X		X		X		X	
Significant New Alternatives Policy (SNAP)	https://www.epa.gov/snap/acceptable-substitutes-mvac-passenger-air-conditioning-light-duty-medium-duty-heavy-duty-and	Acceptable Substitutes in MVAC: Passenger Air Conditioning		X		X		X		X	
Significant New Alternatives Policy (SNAP)	https://www.epa.gov/snap/substitutes-rigid-polyurethane-polyisocyanurate-laminated-boardstock	Substitutes in Rigid Polyurethane & Polyisocyanurate Laminated Surfaces		X		X		X		X	
Significant New Alternatives Policy (SNAP)	https://www.epa.gov/snap/substitutes-aerosol-propellants	Substitutes in Aerosol Propellants		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Significant New Alternatives Policy (SNAP)	https://www.epa.gov/snap/substitutes-rigid-polyurethane-spray	Substitutes in Rigid Polyurethane: Spray		X		X		X		X	
Significant New Alternatives Policy (SNAP)	https://www.epa.gov/snap/substitutes-tobacco-expansion	Substitutes in Tobacco Expansion		X		X		X		X	
Significant New Alternatives Policy (SNAP)	https://www.epa.gov/snap	Significant New Alternatives Policy (SNAP) Program		X		X		X		X	
Significant New Alternatives Policy (SNAP)	https://www.epa.gov/snap/substitutes-streaming-agents	Substitutes for Streaming Agents		X		X		X		X	
Significant New Alternatives Policy (SNAP)	https://www.epa.gov/snap/substitutes-total-flooding-agents	Substitutes for Total Flooding Agents		X		X		X		X	
Significant New Alternatives Policy (SNAP)	https://www.epa.gov/snap/substitutes-coatings	Substitutes for Coatings		X		X		X		X	
Significant New Alternatives Policy (SNAP)	https://www.epa.gov/snap/substitutes-sterilants	Substitutes in Sterilants		X		X		X		X	
Significant New Alternatives Policy (SNAP)	https://www.epa.gov/snap/substitutes-polyolefin	Substitutes in Polyolefin		X		X		X		X	
Safer Choice	www.epa.gov/saferchoice/	N/A		X		X		X		X	
Pollution Prevention	www.epa.gov/p2/	N/A		X		X		X		X	
Pesticide Chemical Search	https://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1	Office of Pesticides search	X			X		X		X	
Pesticide Ingredients	www.epa.gov/ingredients-used-pesticide-products	N/A		X		X		X		X	
Superfund chemical data matrix	https://www.epa.gov/superfund/superfund-chemical-data-matrix-scdm-query	Superfund matrix section		X	X			X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0501199	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_ssppSiteData1.cfm?id=0202841	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0103313	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0504696	Superfund Site Profile		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sppSiteData1.cfm?id=0303618	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0701974	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0200790	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0702000	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0704351	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0202084	Superfund Site Profile		X		X		X		X	
CPCat	https://actor.epa.gov/cpcat/faces/search.xhtml	CPCat (Chemical and Product Categories) is a database containing		X		X	X			X	
NCEA IRIS	www.epa.gov/iris	N/A		X		X		X		X	
NCEA IRIS	https://cfpub.epa.gov/ncea/iris/search/	IRIS Overview Page		X		X		X	X		
NCEA IRIS	https://cfpub.epa.gov/ncea/iris/search/	IRIS Summary Page		X		X		X	X		
NCEA IRIS	https://cfpub.epa.gov/ncea/iris/search/	IRIS Toxicological Review		X		X	X		X		
ChemView (CDR/IUR)	http://java.epa.gov/chemview	Chemical test rule data		X	X			X		X	
ChemView (CDR/IUR)	http://java.epa.gov/chemview	Substantial risk reports submitted by companies		X		X		X	X		
ChemView (CDR/IUR)	http://java.epa.gov/chemview	Chemical data reporting	X			X		X		X	
ChemView (CDR/IUR)	http://java.epa.gov/chemview	TRI Release and Disposal information	X			X		X		X	
ChemView (CDR/IUR)	http://java.epa.gov/chemview	Pollution prevention information about change in releases	X			X		X		X	
Stationary Sources Air Pollution	https://www.epa.gov/stationary-sources-air-pollution/halogenated-solvent-cleaning-national-emissions-standards-byproduct	NESHAP: Halogenated Solvent Cleaning background documents	X			X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Stationary Sources Air Pollution	https://www.epa.gov/stationary-sources-air-pollution/group-i-polymers-and-resins-national-emission-standards-hazardous	NESHAP: Group I Polymers and Resins	x			x	x			x	
Asbestos	www.epa.gov/asbestos/	N/A		x		x		x		x	
Economic and cost assessment	www.epa.gov/economic-and-cost-analysis-air-pollution-regulations	N/A		x		x		x		x	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006RYH.PDF?Dockey=P1006RYH.PDF	Ambient Air Concentration New England Carbon Tetrachloride		x		x		x		x	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100NBE8.PDF?Dockey=P100NBE8.PDF	Adverse Health Effects of Lead and Copper from Avenues Other		x		x		x		x	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100DJ3H.PDF?Dockey=P100DJ3H.PDF	Programs (UATMP, NATTS, and CSATAM) Volume I: Main December		x		x		x		x	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100ALMO.PDF?Dockey=P100ALMO.PDF	2005 National Air Toxics Assessment New England		x		x		x		x	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P10065A0.PDF?Dockey=P10065A0.PDF	National Air Toxic Assessment (NATA)		x		x		x		x	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10001BCF.PDF?Dockey=10001BCF.PDF	Final Rule Suspending Application of the Toxicity Characteristic for Used		x		x		x		x	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100L2XQ.PDF?Dockey=9100L2XQ.PDF	Ridge Reservation (USDOE) (Union Valley Upper East Fork Poplar Creek		x		x		x		x	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100225Q.PDF?Dockey=9100225Q.PDF	Superfund Record of Decision: Farmers Mutual Cooperative, IA		x		x		x		x	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VLX.PDF?Dockey=91013VLX.PDF	EPA's 33/50 Program Company Profile: Olin Corporation		x		x		x		x	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100GFWK.PDF?Dockey=P100GFWK.PDF	Chemical Corporation, Hardeman County Landfill Superfund Site,	x			x	x			x	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1009POU.PDF?Dockey=P1009POU.PDF	Methods for Reactive Minerals Responsible for Natural Attenuation of		x	x			x		x	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100Q8T5.PDF?Dockey=P100Q8T5.PDF	Annual Report (UATMP, NATTS, CSATAM) Appendices		x		x	x			x	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100803J.PDF?Dockey=P100803J.PDF	Ambient Air Concentration in New England Carbon Tetrachloride		x		x		x		x	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91000A70.PDF?Dockey=91000A70.PDF	Hanford 200 Area (USDOE), (200-UP-1 Operable Unit), Benton County, WA		x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100875K.PDF?Dockey=P100875K.PDF	(UATMP and NATTS) Volume II: Appendices		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003WUG.PDF?Dockey=30003WUG.PDF	Incineration of Liquid Hazardous Waste. Project Summary		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P10034FL.PDF?Dockey=P10034FL.PDF	2006 Urban Air Toxics Monitoring Program (UATMP) Final Report		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100B2YU.PDF?Dockey=P100B2YU.PDF	Questions and Answers from the Virtual School Walkthrough Questions		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100LRQF.PDF?Dockey=P100LRQF.PDF	Annual Report (UATMP, NATTS, CSATAM) Appendices September		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10002FWU.PDF?Dockey=10002FWU.PDF	Stauffer Chemical Company (LeMoyne Plant) Site OU 2, Axis AL		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/40000J06.PDF?Dockey=40000J06.PDF	Protection of the Ozone Layer		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1002UVK.PDF?Dockey=P1002UVK.PDF	Updating AP42 Section 2.4 for Estimating Emissions from Municipal		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91002W8S.PDF?Dockey=91002W8S.PDF	Superfund Record of Decision: Velsicol Chemical, TN		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/600012BA.PDF?Dockey=600012BA.PDF	National Primary Drinking Water Regulations: Carbon Tetrachloride		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100HAPQ.PDF?Dockey=P100HAPQ.PDF	Annual Report (UATMP, NATTS, CSATAM) Appendix		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006MIW.PDF?Dockey=P1006MIW.PDF	plan for the Chemical Leaman Tank Lines Site		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91002HOJ.PDF?Dockey=91002HOJ.PDF	Lawrence Livermore National Lab (US DOE), CA		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100FPNN.PDF?Dockey=P100FPNN.PDF	Annual Report (UATMP, NATTS, CSATAM) Volume 2: Appendices		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1003ZLF.PDF?Dockey=P1003ZLF.PDF	National Priorities List (NPL) Attebury Grain Storage Facility Happy, Texas		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30006FK6.PDF?Dockey=30006FK6.PDF	performance Of Real-Time Incinerator Emission Monitors		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1009PGV.PDF?Dockey=P1009PGV.PDF	Kansas Department of Health and Environment, Wichita, KS		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes		
	URL	Annotation	Engineering		Fate		Exposure		Human Health				
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic			
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/910098RO.PDF?Dockey=910098RO.PDF	2005 Urban Air Toxics Monitoring Program (UATMP) Final Report		X	X			X			X		
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100QH72.PDF?Dockey=9100QH72.PDF	Update: 1992 Interim Reduction Goal Exceeded		X		X			X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100DK8L.PDF?Dockey=P100DK8L.PDF	Programs (UATMP, NATTS, and CSATAM) Volume II: Appendices		X		X			X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100D2S2.PDF?Dockey=P100D2S2.PDF	Toxicological Review of Carbon Tetrachloride (CAS No. 56-23-5)		X		X			X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100LLGS.PDF?Dockey=P100LLGS.PDF	Brownfields 2014 Cleanup Grant Fact Sheet Green River, WY		X		X			X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P10033JS.PDF?Dockey=P10033JS.PDF	Program (UATMP) Final Report Volume I Main Content		X		X			X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1003ZJF.PDF?Dockey=P1003ZJF.PDF	Hazardous Waste Listing Determination for the Inorganic		X		X			X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P10014O8.PDF?Dockey=P10014O8.PDF	US EPA, 33/50 Program: The Final Record	X			X		X				X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100O9VI.PDF?Dockey=9100O9VI.PDF	Schofield Barracks (US Army), Operable Unit 2, Oahu, HI (2/7/1997)		X		X			X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100CHYL.PDF?Dockey=9100CHYL.PDF	Products: Laboratory Analyses of Shelf Products and National Survey of		X		X		X				X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100Q7PV.PDF?Dockey=P100Q7PV.PDF	Annual Report (UATMP, NATTS, CSATAM)		X		X		X				X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/93000NTA.PDF?Dockey=93000NTA.PDF	EPA's 33/50 Program Seventh Progress Report: 33/50 Hits the Mark!		X		X			X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/2000TUHC.PDF?Dockey=2000TUHC.PDF	Protection Of Stratospheric Ozone Project Summary		X		X			X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VM5.PDF?Dockey=91013VM5.PDF	EPA's 33/50 Program Company Profile: Parker Hannifin Corporation		X		X			X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006ZJU.PDF?Dockey=P1006ZJU.PDF	Toxicological Review of Carbon Tetrachloride		X		X			X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91024CQK.PDF?Dockey=91024CQK.PDF	Compounds in Soils Using Equilibrium Headspace Analysis and Capillary		X		X			X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/2000NFNF.PDF?Dockey=2000NFNF.PDF	1990 Urban Air Toxics Program		X		X			X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91001P2C.PDF?Dockey=91001P2C.PDF	City Mobile Home Park, Kent City, MI 09/03/1994		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P10086BP.PDF?Dockey=P10086BP.PDF	(UATMP and NATTS) Volume I: Main Content		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/910101NN.PDF?Dockey=910101NN.PDF	Superfund Records of Decision Update		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003WWM.PDF?Dockey=30003WWM.PDF	Halogenated Hydrocarbons a VOST Test at a Chemical Manufacturing		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003WEM.PDF?Dockey=30003WEM.PDF	Formation in CFC-12 Incineration. Project Summary		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P10085J5.PDF?Dockey=P10085J5.PDF	Program (UATMP) December 2005 Final Report		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P10084Y1.PDF?Dockey=P10084Y1.PDF	2003 Urban Air Toxics Monitoring Program (UATMP)		X	X		X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1009V6E.PDF?Dockey=P1009V6E.PDF	Industrial Waste Disposal Wells Fact Sheet		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100DAMT.PDF?Dockey=P100DAMT.PDF	Tetrachloride (CAS No. 56-23-5) in Support of Summary Information on		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100NRW9.PDF?Dockey=P100NRW9.PDF	Drinking Water Strategy Contaminant Groups Effort		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/910091A1.PDF?Dockey=910091A1.PDF	Assessment Screening Studies to Support the Urban Area Source		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001FL5.PDF?Dockey=20001FL5.PDF	Update: Continuing Progress Toward Ultimate Reduction Goal		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/00000M1O.PDF?Dockey=00000M1O.PDF	Accelerated Phaseout: Final Rule Summary	X			X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003V0C.PDF?Dockey=30003V0C.PDF	Updated Health Effects Assessment Documents. Project Summary		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10002SOB.PDF?Dockey=10002SOB.PDF	Bioremediation of Chlorinated Solvents: Fundamentals and Field		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/2000EBFF.PDF?Dockey=2000EBFF.PDF	Urban Air Toxics Monitoring Program (uatmp), 1997		X	X		X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100O2M3.PDF?Dockey=P100O2M3.PDF	Public Water Systems Related to Class V Injection Wells [Draft]		X	X		X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/2000MT5D.PDF?Dockey=2000MT5D.PDF	Carbon Disulfide Emission Control Options		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003WQW.PDF?Dockey=30003WQW.PDF	Abiotic Transformation of Carbon Tetrachloride at Mineral Surfaces		X	X			X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006RZL.PDF?Dockey=P1006RZL.PDF	2002 Estimated County		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10002UMP.PDF?Dockey=10002UMP.PDF	Engineered Approaches to In Situ Bioremediation of Chlorinated		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100CTYC.PDF?Dockey=P100CTYC.PDF	Technical Brief: Provisional Advisory Levels (PALs) for Hazardous Agents		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10000MWP.PDF?Dockey=10000MWP.PDF	RCRA in Focus Printing		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/200121XT.PDF?Dockey=200121XT.PDF	(NMOC) And Speciated Nonmethane Organics Compounds SNMOC)		X	X		X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9101Q6CA.PDF?Dockey=9101Q6CA.PDF	Technology (BDAT) Background Document for Chlorinated Toluene		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/93000PAJ.PDF?Dockey=93000PAJ.PDF	33/50 Program : Fact Sheets on the 17 Target Chemicals		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100U8S.PDF?Dockey=9100U8S.PDF	Measurements of VOCs From the TAMS Network		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VN5.PDF?Dockey=91013VN5.PDF	33/50 Program Company Profiles: Reduction Highlights		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20009LAQ.PDF?Dockey=20009LAQ.PDF	EPA's 33-50 Program 4th Progress Report		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1004FUU.PDF?Dockey=P1004FUU.PDF	Development of a Photothermal Detoxification Unit		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100NWA2.PDF?Dockey=9100NWA2.PDF	Hanford 200-Area (USDOE) OU 200-ZP-1, Benton County, WA, 5/24/95		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/00002VFT.PDF?Dockey=00002VFT.PDF	for Reducing Health Risks in Urban Areas		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003OYA.PDF?Dockey=30003OYA.PDF	Report Field-Portable Gas Chromatograph, Electronic Sensor		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10001BCZ.PDF?Dockey=10001BCZ.PDF	Determines Final Regulatory Status of Special Wastes from Mineral		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/900P0300.PDF?Dockey=900P0300.PDF	Guidance for the Stratospheric Ozone Protection Program		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1000TBU.PDF?Dockey=P1000TBU.PDF	Greenwood Chemical Site, Newtown, Virginia	X			X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/2000F7JV.PDF?Dockey=2000F7JV.PDF	Intercomparison Quality Assurance Report		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/2000E9V3.PDF?Dockey=2000E9V3.PDF	Corrective Action Facility E.I. Dupont De Nemours And Company Inc		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001X16.PDF?Dockey=20001X16.PDF	Support Document for the Six Year Review of National Primary Drinking	X			X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100LQNS.PDF?Dockey=P100LQNS.PDF	Annual Report (UATMP, NATTS, CSATAM) September 2014 Final		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/200034X5.PDF?Dockey=200034X5.PDF	Comparison of VOA Compositing Procedures		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/200034X5.PDF?Dockey=200034X5.PDF	CRITERIA FOR CARBON TETRACHLORIDE		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100F17C.PDF?Dockey=P100F17C.PDF	Post-Katrina Air Quality Monitoring Report		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1007BBH.PDF?Dockey=P1007BBH.PDF	Feasibility Support Document for Chemical Contaminants for the		X	X			X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10001KAJ.PDF?Dockey=10001KAJ.PDF	Engineering Bulletin: Granular Activated Carbon Treatment		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/2000134Q.PDF?Dockey=2000134Q.PDF	Design for the Environment: Chemical Design Project		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/200133VB.PDF?Dockey=200133VB.PDF	Formation During The Incineration Of Recovered Cfc-11 Project Summary		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/2000FUNY.PDF?Dockey=2000FUNY.PDF	Risks Attributed To Air Pollution In Southwest Chicago Final Summary		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10001UTQ.PDF?Dockey=10001UTQ.PDF	Volatile Organic Compound Removal from Air Streams by Membranes		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10001URP.PDF?Dockey=10001URP.PDF	Electron Beam Treatment for the Removal of Benzene and Toluene		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/901C0A00.PDF?Dockey=901C0A00.PDF	Drinking Water Toxicity Profiles, September 1992		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003WG8.PDF?Dockey=30003WG8.PDF	Field Test of Generic Method for Halogenated Hydrocarbons		X		X		X		X	
Regulatory Development and Retrospective Review Tracker	yosemite.epa.gov/opei/rulegate.nsf/	N/A		X		X		X		X	
"List of Lists"	https://www.epa.gov/sites/production/files/2015-03/documents/list_of_lists.pdf	Subject to the Emergency Planning and Community Right- To-Know Act	X			X		X		X	
TSCATS 2.0	https://yosemite.epa.gov/oppts/epatscat8.nsf/reportsearch?openform	TSCATS Low Detail Report		X	X		X		X		
HPV challenge submissions	cfpub.epa.gov/hpv-s/	N/A		X		X		X		X	
Office of Air: NATA 2011	https://www.epa.gov/national-air-toxics-assessment/2011-nata-assessment-results/pollutant	2011 NATA Results	X			X	X			X	
Office of Air: AQS	http://aqsd1.epa.gov/aqswb/aqstmp/airdata/download_files.html#Annual	Full file of 2016 AQS data; carbon tetrachloride data included		X		X	X			X	
OPPT Monitoring Database	Monitoring database	Monitoring database data		X		X	X			X	
TSCA Use Dossiers and Public Comments	https://www.epa.gov/assessing-and-managing-chemicals-under-tsca/evaluating-risk-existing-chemicals-under-tsca/table	Posting Memo									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0027	submitted by Christine Ernst, Earthjustice									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0056	submitted by Timothy J. Lafond, P.E., Chair, Environmental Committee,									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0053	submitted by Eve Gartner, Staff Attorney, Earthjustice et al.									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0046	submitted by the Environmental Defense Fund (EDF)									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0066	submitted by Stephanie Fox-Rawlings, National Center for Health Research									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0060	submitted by Susan Inglis, Executive Director, Sustainable Furnishings									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0068	submitted by Juleen Lam, PhD, Associate Researcher, University of									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0022	submitted by Christina Franz, Senior Director, Regulatory & Technical									TSCA public comments are not tagged to specific discipline

Source	General Information about Result		Subject-Matter Tags								Notes	
	URL	Annotation	Engineering		Fate		Exposure		Human Health			
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic		
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0020	submitted by Elizabeth Hitchcock, Government Affairs Director and										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0023	submitted by Eve Gartner, Staff Attorney, Earthjustice on behalf of										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0025	submitted by Ruthann Rudel, Kathryn Rodgers, Silent Spring Institute										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0026	submitted by Breast Cancer Prevention Partners (BCCP)										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0019	submitted by Adhesive and Sealant Council et al.										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0010	submitted by Stacy Tatman, MS, JD, Director, Environmental Affairs,										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0024	submitted by Stephanie Fox-Rawlings, National Center for Health Research										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0016	submitted by Susan Inglis, Executive Director, Sustainable Furnishings										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0003	Manufacturing, Processing, Distribution, Use, and Disposal:										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0030	submitted by Juleen Lam, PhD, Associate Researcher, University of										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0741-0021	submitted by Anthony Schatz, Ph.D, Director Occupational Health and										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0741-0007	submitted by Elizabeth Hitchcock, Government Affairs Director, Safer										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0741-0009	submitted by Learning Disabilities Association of America (LDA)										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0005	submitted by Jonathan M. Gerber, Advanced Regulatory Specialist,										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0027	submitted by Richard Krock, Vice President, Regulatory and Technical										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0023	submitted by Patrick MacRoy, Safer Chemicals, Healthy Families (SCHF),										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0011	submitted by Leslie Riegle, Director, Environmental Policy, Aerospace										TSCA public comments are not tagged to specific discipline

Source	General Information about Result		Subject-Matter Tags								Notes	
	URL	Annotation	Engineering		Fate		Exposure		Human Health			
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic		
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0007	submitted by Faye Graul, Executive Director, Halogenated Solvents										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0026	submitted by Center for Environmental Health										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0018	submitted by Barbara S. Losey, Director, Alkylphenols & Ethoxylates										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0008	submitted by Faye Graul, Executive Director, Halogenated Solvents										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0019	submitted by Kim Cox, Environmental Policy Manager, City of Portland										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0016	submitted by Kevin Fay, Executive Director, Alliance for Responsible										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0007	submitted by Faye Graul, Executive Director, Halogenated Solvents										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0026	Campaign sponsored by Earthjustice (web)										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0013	submitted by Timothy A. Brown, Regulatory Counsel and Steven										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0002	submitted by Eve Gartner, Staff Attorney, Earthjustice, Elizabeth										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0006	submitted by Chris Trahan Cain, Director of Safety and Health, North										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0021	submitted by Lindsay McCormick, Chemicals and Health Project										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0017	submitted by Laurie Holmes, Senior Director, Environmental Policy, Motor										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0014	Campaign sponsored by Earthjustice (web) (Revised)										TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2015-0084-0002	Assessment: Peer Review Draft, 1 Bromopropane: Spray Adhesives, Dry										TSCA public comments are not tagged to specific discipline
National Institutes of Health (NIH) ChemIDplus	http://chem.sis.nlm.nih.gov/chemidplus/	searches, govt regulatory documents, consumer product databases, etc.		X	X				X	X		
NIH PubChem Compound Database	https://www.ncbi.nlm.nih.gov/pccompound	pubmed, products, MSDS, Fate summaries, effluent conc, human	X		X			X		X		

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NIH HazMap	http://hazmap.nlm.nih.gov/index.html	Contains links to HSDB, ChemID Plus, pubmed	x			x	x			x	
NIH Household Products Database	http://householdproducts.nlm.nih.gov/	containing ingredient, NLM databases HSBD, TOXNET, ChemID Plus,		x		x	x			x	
NIH Hazardous Substance Data Bank (HSDB)	https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm	Contains excerpts from peer reviewed lit in the same manner as pubchem	x		x		x		x		
NIH NLM Drug Information Portal	https://druginfo.nlm.nih.gov/drugportal/	HSDB, Medline/PubMed, Toxline, PubChem, ChemIDplus, USA.gov		x		x	x			x	
NTP Report on Carcinogens (RoC)	https://ntp.niehs.nih.gov/pubhealth/roc/index-1.htm#C	Carcinogens; 2 to 4 pages in length. This is a summary of the information	x		x		x		x		
CDC ATSDR Tox Profiles	http://www.atsdr.cdc.gov/toxprofiles/index.asp	The pdf contains the ATSDR profile	x		x		x			x	
CDC ATSDR Minimal Risk Levels (MRLs) for Hazardous Substances	https://www.atsdr.cdc.gov/mrls/mrlist.asp	Add under Regulatory tag, gives minimum risk levels	x			x		x		x	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/CarterImpoundment/CarterImpoundment_HC_%2007-20-2015_508.pdf	HC Mt. Pleasant Township, PA		x		x	x			x	
ATSDR	http://www.atsdr.cdc.gov/HAC/pha/NorthIndianBendWash/NorthIndianBendWashHC030807.pdf	HC North Indian Bend Wash, Scottsdale AZ		x		x	x			x	
ATSDR	http://www.atsdr.cdc.gov/hac/PHA/EQ_Resource_Recovery_Explosion_and_Fire/EQResourceRecoveryHC030106.pdf	HC EQ Resource Recovery Explosion, Romulus MI		x		x	x			x	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1249&pg=1	PHA GAF building materials corp. Millis, MA		x		x	x			x	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=130&pg=3	PHA Perryton, TX conclusions and public health action plan		x		x		x		x	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/CloverCreekWorkers/CloverCreekWorkersHC071206.pdf	HC Clover Creek Workers, Toone, TN	x			x	x		x		
ATSDR	https://www.atsdr.cdc.gov/hac/pha/garvey_elevator/Garvey_Elevator_Site_PC_PHA_October2015_508.pdf	PHA Garvey Elevator Site, Hastings, NE		x		x	x		x		
ATSDR	https://www.atsdr.cdc.gov/hac/pha/HardemanCountyLandfill/HardemanCountyLandfillHC041607.pdf	HC Hardman County Landfill, TN		x		x	x			x	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=532&pg=2	List of HCs and PHAs for IL on ATSDR's website		x		x		x		x	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=702&pg=2	PHA Chemfax Inc Gulport MS		x		x	x			x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/albanyresearchcenter/albanyresearchcenterhc10.25.06.pdf	HC National Energy Tech Laboratory, Albany OR		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=863&pg=4	PHA Pools Prairie Site Neosho, MO Appendices		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=130&pg=1	PHA Perryton, TX Well No. 2		X		X	X			X	
ATSDR	http://www.atsdr.cdc.gov/HAC/pha/pha.asp?docid=1017&pg=1	PHA Newtown Community, Gainesville GA		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1212&pg=1	HC Chemical Commodities Inc. Olathe, KS		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1217&pg=1	PHA Tri-County Public Airport		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/8-10RailroadAvenue/8-10RailroadAveHC061807.pdf	HC 8-10 Railroad Ave. Derry, NH		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=130&pg=2	PHA Perryton, TX Well No. 2		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/northindianbendwash03006/northindianbendwashhc03006.pdf	HC North Indian Bend Was. Scottsdale AZ		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1371&pg=2	PHA Evaluation of Exposure Oak Ridge, TN		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=22&pg=3	List of HCs and PHAs for CA on ATSDR's website		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=863&pg=2	PHA Pools Prairie Site, Neosho Mo		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=946&pg=4	PHA appendices for Sherwood Medical Company		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/BoRistAsbestosSite/BoRistAsbestosSiteHCFinal07192013_508.pdf	HC Bo Rist Asbestos Site		X		X	X			X	
ATSDR	http://www.atsdr.cdc.gov/HAC/pha/LetterHC/BennettLandfillFire/BennettLandfillFireHC07192013_508.pdf	Letter HC Bennett Landfill Fire Chester SC		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1165&pg=2	HC Dry Bridge Road Landfill, North Kingstown RI		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/VincentSettlementElementary/VincentSettlementElementaryHC07192013.pdf	Letter HC Vincent Settlement Elementary, Calcasieu Parish LA		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=947&pg=2	PHA American Shizuki Corp. Ogallala, NE		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1285&pg=2	PHA Wells G and H, Woburn MA		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1383&pg=0	PHA Table of Contents for Andersen Air Force Base		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/TMCCleaners/TMCCleanersHC083107.pdf	HC TMC Cleaners, Olympia WA	X			X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1325&pg=3	PHA Philip Services Corp, Seattle, WA		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=23&pg=2	List of HCs and PHAs for CA on ATSDR's website		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/rubber/rubbertownindustrialareahc080306.pdf	HC Rubbertown Industrial Area, Jefferson County KY		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/FortGillemSite/FortGillem_Site%20and%20Dwelling%20Units%20at%20Dwelling%2021-2015_508.pdf	Letter HC Fort Gillem Site, Morrow GA		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=504&pg=2	HC Portsmouth Gas Plant Site, VA		X		X	X			X	
ATSDR	http://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=19&pg=2	List of HCs and PHAs for CA on ATSDR's website		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/leelandandfillsite/Le_Land_Site%20Gas_LHC_07-28-2014_508.pdf	Letter HC Lee's Lane Landfill, Louisville, KY		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=211&pg=4	PHA Hooker Chemical Appendices		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1227&pg=1	HC Lockwood Site, Billings, MT		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=22&pg=2	List of HCs and PHAs for CA on ATSDR's website		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/Loudon%20County/LoudonCountyHazardousAirPollutantsPHA061206.pdf	PHA Loudon County, TN		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=217&pg=2	PHA Huntington Landfill, NY Appendices		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/PHA.asp?docid=462&pg=4	PHA M\$T Delisa Landfill Ocean Township, NJ Appendices		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=776&pg=1	HC V&L Stripping, Green Bay, WI		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/MidessaGroundwaterPlume/MidessaGroundwaterPlumeFinalPHA05-21-09.pdf	PHA Midessa groundwater plume , Midland County Tx		X	X		X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/Intel/Intel-New%20Mexico_HC_Final_08-13-2015_508.pdf	HC Intel Corporation, Rio Rancho NM		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1325&pg=1	PHC Philip Services Corp, Seattle WA		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=883&pg=1	HC Four County Landfill, Rochester IN		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=96&pg=2	List of HCs and PHAs for CA on ATSDR's website		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/NorthBirminghamAirSite/26th%20Avenue%20Site_PHA_Final_04-21-2015_508.pdf	PHA Birmingham AL		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=96&pg=4	List of HCs and PHAs for CA on ATSDR's website		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1285&pg=1	PHA Wells G and H, Woburn MA Summary Report		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/PHA/CidraGroundwater/CidraGroundwaterPHA090905.pdf	PHA Cidra Groundwater, PR		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/BridgerCreekCommunity/Bridger%20Creek%20Community_HC_11302015_508.pdf	HC Bridger Creek Community, Bozeman MT		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/Brigch_Compressor_Station/Brigch_Compressor_Station_EI_HC_01-20-2016_508.pdf	HC Brigich Compressor Station, PA		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/ConrailRailYd/ConrailRailYardPHA081105.pdf	PHA Conrail Rail Yard, Elkhart, IN		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=273&pg=2	HC Fresh Kills Landfills, Staten Island NY		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=966&pg=1	List of HCs and PHAs for CT on ATSDR's website		X		X		X		X	
ATSDR	http://www.atsdr.cdc.gov/HAC/pha/pha.asp?docid=934&pg=1	HC Velsicol Chemical Corp, Marshall IL		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1383&pg=3	PHA Andersen Air Force Base		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/RockyFlats/DOE/RockyFlatsPHA051305a.pdf	PHA Rocky Flats Golden, CO		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1217&pg=2	PHA Tri-County Public Airport appendices		X		X		X		X	
ATSDR	http://www.atsdr.cdc.gov/HAC/pha/HofstadterGroundwaterContamination/HofstadterGroundwaterContamination204208-13-2008.pdf	HC Elm Street Groundwater, Terre Haute, IN		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=20&pg=3	List of HCs and PHAs for CA on ATSDR's website		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/50tuftsst/50tuftssthc01132009.pdf	HC Somerville, MA		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/WestHydandHyw281Site/WestHydandHyw281SiteHC01-07-2010.pdf	HC Hastings NE		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/MidlothianAirQuality/Midlothian_VOCs_and_Metal_Exposures_HC_Final_11-17-2016_508.pdf	HC Midlothian, TX		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/oakridge013107-tn/appc1.pdf	Dose reconstruction feasibility study		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/CristexDrumSite/Cristex_Drum_LHC_01-08-2016_508.pdf	Letter HC Oxford NC		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=20&pg=2	List of HCs and PHAs for CA on ATSDR's website		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/SuttonBrookBemisCircleResidence09/SuttonBrookBemisCircleHC042905.pdf	HC Sutton Brook City of Tewksbury, MA		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/BoRitAsbestosSite/BoRitAsbestosSiteHCPC08032012.pdf	HC Public Comment Version BoRit Asb Site		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1131&pg=2	PHA Hanlin-Allied-Onlin Moundsville WV		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=380&pg=2	PHA Brick Township NJ Appendices		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=795&pg=5	PHA HII Air Force Base Appendices		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=418&pg=7	PHA Lafarge Corp, Alpena MI		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=163&pg=2	PHA Brookfield Avenue Lanfill Appendices		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1100&pg=3	PHA Andrews Air Force Base MD Tables		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=795&pg=2	Hill Air Force Base Utah		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=587&pg=1	List of HCs and PHAs for IL on ATSDR's website		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=418&pg=1	PHA Lafarge Corp, MI		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1030&pg=1	PHA Terr Creek Dredge Spoil site, GA		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/chillumPercc112404HC-MD;chillumPercc112404HC-MD.pdf	HC, Chillum, Prince Gorge's, MD		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/North%20Indian%20Bend/NorthIndianBendHC030106.pdf	HC, North Indian Bend Wash Miller Road treatment Facility, AZ		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=222&pg=1	PHA, Solitron Microwave, FL		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/ArmenCleaners/ArmenHC030505Rev5-1.pdf	HC, Armen Cleaners Dry Cleaners, MI	X			X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	PHA - Norfolk Naval Base, VA		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	PHA - Bangor Naval Submarine Base, WA		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	HC - Lee's Lane Landfill Site, KY		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	PHA - Cabo Rojo Ground Water Contamination Site, Puerto Rico		X		X	X			X	
ATSDR	www.atsdr.cdc.gov/hac/pha/	PHA - Lawrence Livermore National Laboratory, CA		X		X	X			X	
CDC Biomonitoring Tables	https://www.cdc.gov/exposurereport/index.html	NHANES Tables, Compiled		X		X	X			X	
CDC NIOSH	https://www.cdc.gov/niosh/docs/81-123/pdfs/0107-rev.pdf	Occupational Safety and Health Guideline for Carbon Tetrachloride	X		X			X	X		
CDC NIOSH	https://www.cdc.gov/niosh/npg/npgd0107.html	hazards- name (including synonyms/trade names),	X		X			X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	https://www.cdc.gov/niosh/ncpc/azncpc.html	Protective Clothing: A Companion to the NIOSH Pocket Guide to Chemical	x			x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/npg/npgd0107.html	hazards- name (including synonyms/trade names),	x		x		x			x	
CDC NIOSH	https://www.cdc.gov/niosh/nioshtic-2/00131803.html	Peer review article		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/npg/npgsyn-f.html	List of chemicals with NIOSH pocket guides		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/2003-154/pdfs/5026.pdf	Not chemical of interest		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/ipcsnfrn/nfrn0024.html	French version of ICSC found in manual search		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00204901.html	Peer review article		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00107098.html	Survey Report at Allied Chemical, Danville, Illinois.	x			x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/2003-154/pdfs/2530.pdf	is a collection of methods for sampling and analysis of contaminants in		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/oerp/pdfs/PNS-LEU_6-28-05.pdf	Announcement of study findings- studies included elsewhere		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00205290.html	Peer review article		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00118880.html	Montana State University, Bozeman, Montana.	x			x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/mining/UserFiles/works/pdfs/fogmc.pdf	Peer review article		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/npptl/stps/apresp.html	Links to methods of detection		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00232451.html	Peer review article		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/2003-154/pdfs/chapter-i.pdf	Methods for detection		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/npptl/standardsdev/cbrm/apr/concepts/pdfs/conceptun15.pdf	Not relevant		x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	https://www.cdc.gov/niosh/oerp/msl/	(project summary page with outcome publication links)	x			x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/pgms/worknotif/chloronaph.html	NIOSH Navy Cable Manufacturers study (project summary page)	x			x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/81-123/pdfs/0064-rev.pdf	Not chemical of interest		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00135335.html	Peer review article		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/81-123/pdfs/0107-rev.pdf	Occupational Health Guideline for Carbon Tetrachloride	x		x			x		x	
CDC NIOSH	http://www.cdc.gov/niosh/npptl/stps/pdfs/RCT-APR-0046.pdf	Methods for detection		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/hhe/reports/pdfs/2004-0169-2982.pdf	NIOSH Health Hazard Evaluation Report: HETA #2004-0169-2982	x			x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/pdfs/75-114b.pdf	Not chemical of interest		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/oerp/pdfs/RadiatRes167222-232.pdf	Peer review article		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/npg/npqd0269.html	Not chemical of interest		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/idlh/76131.html	Not chemical of interest		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/81-123/pdfs/0006-rev.pdf	Not chemical of interest		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/1970/76-133.html	Standard: Occupational Exposure to Carbon Tetrachloride	x			x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/2003-154/method-c.html	is a collection of methods for sampling and analysis of contaminants in		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/89-126/pdfs/89-126.pdf	in grain dust (not much information, not very helpful)		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/10010769.html	Peer review article		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/81-123/pdfs/0061.pdf	Not chemical of interest		x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	https://www.cdc.gov/niosh/docs/81-123/pdfs/0104.pdf	Not chemical of interest		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docs/81-123/pdfs/0489.pdf	Not chemical of interest		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/pel88/75-34.html	Not chemical of interest		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docs/2004-101/chklists/r1n16f-1.htm	Not relevant		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docs/2006-100/pdfs/2006-100.pdf	Not relevant		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docs/2005-104/pdfs/2005-104.pdf	Leukemia and Ionizing Radiation at the Portsmouth Naval Shipyard;	X			X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/npg/npgsyn-c.html	List of chemicals with NIOSH pocket guides		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docs/81-123/pdfs/0632.pdf	Not chemical of interest		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/npptl/stps/pdfs/RCT-APR-0040.pdf	Methods for detection		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/hhe/reports/pdfs/75-11-403.pdf	11-403, Port of Duluth-Superior Grain Elevators, Duluth, Minnesota and	X			X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/npptl/stps/pdfs/RCT-APR-0033.pdf	Methods for detection		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/ershdb/emergencypresponsecard_29750023.html	Not chemical of interest		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docs/77-181/pdfs/77-181e.pdf	General summary of carbon tet exposures + limits; no exposure data	X			X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/npptl/stps/pdfs/TEB-APR-STP-0046A.pdf	Methods for detection		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/pdfs/74-177-f.pdf	Methods for detection		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/pdfs/76-137d.pdf	Not chemical of interest		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docs/81-123/pdfs/0188.pdf	Not chemical of interest		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	https://www.cdc.gov/niosh/pdfs/76-133r.pdf	Revised Recommended Carbon Tetrachloride Standard- 76-133r	x			x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/2003-154/pdfs/index_b.pdf	is a collection of methods for sampling and analysis of contaminants in		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/pdfs/77-166c.pdf	Not chemical of interest		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/81-123/pdfs/0199.pdf	Not chemical of interest		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/20041133.html	Peer review article		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-240/1988policyStatement.pdf			x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/1970/78127_9.html	Not chemical of interest		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/81-123/pdfs/0017-rev.pdf	Not chemical of interest		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/2004-101/pdfs/periodic.pdf	Periodic table resource for students		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/nppt/standardsdev/cbrm/apr/concepts/pdfs/simulanjul31.pdf	Methods for detection		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/81-123/pdfs/0052-rev.pdf	Not chemical of interest		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/nppt/respcertfeescheduletables.html	Respirator certification fees		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/topics/pesticides/pdfs/pest-cd2app2v2.pdf	Two sentences on possible symptoms of carbtet		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/pdfs/77-156c.pdf	Not chemical of interest		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/pdfs/77-184b.pdf	Not chemical of interest		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/pdfs/78-106b.pdf	Not chemical of interest		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/topics/	List of all NIOSH topics- all would have been covered		x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	https://www.cdc.gov/niosh/mining/UserFiles/works/pdfs/asous.pdf	Not relevant		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/npptl/stps/respirator_testing.html	Standard Respirator Testing Procedures		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/awards/hamilton/pdfs/Kubale-paper.pdf	Peer review article		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/pel88/56-23.html	1988 OSHA PEL Project Documentation	X			X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/ocas/pdfs/arch/rocky2.pdf	Rocky Flats Plant – Site Description; CarbTet described as used in various	X			X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/pdfs/76-142d.pdf	Not chemical of interest		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/ipcsneng/neng1405.html	Not chemical of interest		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/npg/npgd0175.html	Not chemical of interest		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/ipcsneng/neng0489.html	Not chemical of interest		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/npg/npgsyn-t.html	List of chemicals with NIOSH pocket guides		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/ipcsneng/neng0226.html	Not chemical of interest		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/ipcsneng/neng0813.html	Not chemical of interest		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/20035305.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docs/87-104/	Organic Solvent Neurotoxicity; secondary source, no new quantitative	X		X			X	X		
CDC NIOSH	http://www.cdc.gov/niosh/npg/npgdcas.html	Exposure limit	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2003-0300-2993.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/81-65-938.pdf	exposure only/ doesn't look at health effects	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2006-0059-3009.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	http://www.cdc.gov/niosh/hhe/reports/pdfs/77-111-501.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1991-0188-2205.pdf	Human Hazard Eval. Report, school exposure (occ, susceptible, general)	X			X	X			X	
CDC NIOSH Health Hazard Evaluations	http://www.cdc.gov/niosh/hhe/reports/pdfs/71-19-8.pdf	CarbTet not focus (no measurement)		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/80-176-955.pdf	None of chemicals detected		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2004-0169-2982.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0223-2211.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/80-60-868.pdf	Not chemical of interest		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/81-21-850.pdf	Not chemical of interest		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1993-1000-2406.pdf	Not chemical of interest		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1993-0011-2309.pdf	Human Hazard Eval. Report, School exposure (occ, susceptible, general)	X			X	X			X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1995-0311-2593.pdf	Not chemical of interest		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/79-28-674.pdf	CarbTet not found		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1992-0316-2339.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/75-11-403.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1988-0140-2517.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1988-0082-1971.pdf	Human Hazard Eval. Report	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0375-2334.pdf	Chemicals of interest not detected		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1994-0096-2433.pdf	Not chemical of interest		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1998-0279-2722.pdf	Not chemical of interest		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1996-0006-2604.pdf	Not chemical of interest		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/80-147-1076.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1992-0010-2234.pdf	Not chemical of interest		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2000-0374-2998.pdf	Not chemical of interest		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/77-88-457.pdf	Not chemical of interest		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/74-93-296.pdf	Health Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/81-99-908.pdf	CarbTet levels below LOQ		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/81-315-1227.pdf	Not chemical of interest		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2013-0117-3247.pdf	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Immediately Dangerous to Life or Health	https://www.cdc.gov/niosh/idlh/56235.html	health concentrations of CarbTet; occupational exposure limits, animal	X			X		X	X		
CDC NIOHS International Chemical Safety Cards (ICSC)	https://www.cdc.gov/niosh/ipcsneng/nengcas.html	properties, routes of exposure, occupational exposure limits	X		X			X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Drugs/Quality/Standards/CDER/Information/ucm073395.pdf	Guidance for Industry (Q3C)- Tables and List (Revision 2, 2012)	X			X	X			X	
FDA Food and Drug Administration	http://www.fda.gov/Drugs/ScienceResearch/ResearchAreas/ucm079340.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/98fr/01b-0431-odl0001.pdf	(Q3C)- has guidance levels on levels, classification		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Drugs/ScienceResearch/ResearchAreas/ucm074808.pdf	Powerpoint presentation, not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Food/IngredientsPackagingLabeling/GRAS/NoticeInventory/ucm269147.pdf	References peer review articles		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/AnimalVeterinary/DevelopmentApprovalProcess/EnvironmentalAssessments/UCM071992.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/drugs/scienceresearch/researchareas/ucm091457.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/about/fdacenters/offices/oc/officeofscientificandmedicalregaffairs/ocrlabaffairs/ucm081956.pdf	Peer review article		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/oc/ohrms/dockets/dailys/04/jan04/012904/97a-0162-let12391-vol100.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Drugs/.../guidances/UCM174090.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Drugs/ScienceResearch/ResearchAreas/ucm079344.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/oc/ohrms/dockets/dailys/04/jan04/012904/97a-0162-let12391-vol100.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/ScienceResearch/BioinformaticsTools/Arraytrack/ucm084192.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/CECI/EnforcementActions/WarningLetters/2016/ucm515082.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/oc/ohrms/dockets/dailys/04/jan04/012904/97a-0162-let12391-vol100.pdf	CV of researcher		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/AdvisoryCommittees/CommitteesMeetingMaterials/ToxicologicalResearch/UCM19142.pdf	Powerpoint presentation, not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/CECI/EnforcementActions/WarningLetters/2016/ucm536985.htm	Briefly mentions CCL4, not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Drugs/ScienceResearch/ResearchAreas/ucm079232.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/CECI/EnforcementActions/WarningLetters/ucm172563.htm	Not relevant		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/95s0316/95s-0316-rpt0243-08-Meyer-vol178.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/95s0316/95s-0316-rpt0190-02-Notification-Report-vol140.pdf	Measured in product, but not detected		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ucm/groups/ucmgrp-public/@fda.gov-drugs-gen/documents/document/ucm073397.pdf	Solvents- mentions environmental impact (no data), production and use	X		X		X		X		
FDA Food and Drug Administration	http://www.fda.gov/downloads/AnimalVeterinary/DevelopmentApprovalProcess/EnvironmentalAssessments/UCM469062.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/02s0308/01_20_FDA%20Review%20Mammal%20Drugs%20CFR%20%20282.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Radiation-EmittingProducts/ResourcesbyYou/RadiationEmittingProducts/ucm202762.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/AnimalVeterinary/Products/ApprovedAnimalDrugProducts/FOIADrugSummaries/UCM479248.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/AnimalVeterinary/Products/ApprovedAnimalDrugProducts/FOIADrugSummaries/ucm116746.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/06p0379/06p-0379-cp00001-12-NIOSH-vol1.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ScienceResearch/FieldScience/ucm171982.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/drugs/guidances/ucm073394.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dailys/02/Oct02/102902/78n-036L-a.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/AnimalVeterinary/DevelopmentApprovalProcess/EnvironmentalAssessments/UCM071902.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dailys/04/aug04/081804/03p-0029-c00024-vol5.pdf	Citizen petition		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dailys/03/Nov03/11903/03p-0530-cp00001-Exhibit-Tab-P-vol1.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Food/FoodbornIllnessContaminants/Pesticides/ucm126174.htm	List of pesticide names		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Food/IngredientsPackagingLabeling/GRAS/NoticeInventory/UCM428929	Not relevant		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Food and Drug Administration	http://www.fda.gov/downloads/drugs/guidancecomplianceregulatoryinformation/guidances/ucm072278.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/ac/07/briefing/2007-4307b1_01_Melamine_Interim.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Food/IngredientsPackagingLabeling/GRAS/NoticeInventory/ucm261324.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/95s0316/95s-0316-rpl0183-vol133.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Food/FoodbornenessContaminants/Pesticides/ucm120926.htm	List of pesticides monitored in 1995 regulatory monitoring		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/95s0316/95s-0316-rpl0183-vol133.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Food/FoodbornenessContaminants/Pesticides/ucm120900.htm	Pesticide monitoring 1993 (outdated-newer link captured)		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ucm/groups/ucm/groups/public/@fda.gov-drugs-gen/documents/document/ucm467089.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Food/FoodScienceResearch/ucm111508.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ucm/groups/fda.gov-public/@fda.gov-foods-gen/documents/document/ucm266316.pdf	List of peer reviewed abstracts with CCL4		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/95s0316/95s-0316-rpl0235-05-Contents-vol167.pdf	public comments, briefly notes that CCL4 is hepatotoxic without more info		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Food/IngredientsPackagingLabeling/GRAS/NoticeInventory/UCM403333	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/95s0316/95s-0316-rpl0235-05-Contents-vol167.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Food/IngredientsPackagingLabeling/GRAS/NoticeInventory/ucm264061.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/OHRMS/DOCKETS/98fr/chapter12.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dailys/00/Dec00/121300/cp00001.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/AboutFDA/CentersOffices/CDER/UCM095812.pdf	Not relevant		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dailys/00/Aug00/082200/c000019_tab02.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcr/CFRSearch.cfm?FR=801.433	Federal regulation, no quantitative amounts (21CFR801.433)		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dailys/04/Feb04/021204/80n-0050-bkg0002-02-vol6.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dailys/04/Feb04/021204/80n-0050-bkg0002-02-vol6.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/ac/00/backgrd/3634b1c_sectiond.pdf	CV of researcher		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Food/IngredientsPackagingLabeling/GRAS/NoticeInventory/UCM269110	CV of researcher		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dailys/04/Jan04/012204/78n-036i-c000210-01-vol134.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Animal/Veterinary/DevelopmentApprovalProcess/EnvironmentalAssessments/UCM480616.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Food/FoodborneIllnessContaminants/ucm114655.pdf	FDA glossary of pesticide chemicals (mentions use)	X			X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Adviso...andDrugAdministration/UCM245272.pdf	CV of researcher		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Food/IngredientsPackagingLabeling/GRAS/NoticeInventory/ucm303340.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/OHRMS/DOCKETS/98fr/chapter15.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Animal/Veterinary/GuidanceComplianceEnforcement/GuidanceofIndustry/ucm052441.pdf	residual solvents in new veterinary medicinal products, active substances	X			X	X			X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/98fr/992335gd.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/ac/07/briefing/2007-4283b1-01-Pfizer.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/OHRMS/DOCKETS/98fr/chapter14.pdf	CCL4 chem methods as solvent		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Drugs/ScienceResearch/ResearchAreas/ucm074802.htm	Not relevant		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Food and Drug Administration	https://www.fda.gov/downloads/Food/FoodScienceResearch/TotalDietStudy/UCM291686.pdf	results in food from the FDA's Total Diet Study program (2004-1-2005-4)	X			X	X			X	
FDA Food and Drug Administration	http://www.fda.gov/Food/FoodScienceResearch/TotalDietStudy/ucm184293.htm	Chemicals in foods, results for individual years in zip files	X			X	X			X	
FDA Food and Drug Administration	https://www.fda.gov/downloads/Food/FoodScienceResearch/TotalDietStudy/UCM184304.pdf	results in food from the FDA's Total Diet Study program (1991-3-2003-4)	X			X	X			X	
FDA Food and Drug Administration	https://www.fda.gov/downloads/Food/FoodScienceResearch/TotalDietStudy/UCM291685.pdf	results in food from the FDA's Total Diet Study program (2004-1-2005-4)	X			X	X			X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Food/FoodScienceResearch/TotalDietStudy/UCM184303.pdf	results in food from the FDA's Total Diet Study program (1991-3-2003-4)	X			X	X			X	
FDA Databases	http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcr/CFRSearch.cfm?fr=74.1602	Federal regulation, not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcr/cfrsearch.cfm?fr=74.302	Federal regulation, not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcr/CFRSearch.cfm?fr=201.320	Federal regulation, no quantitative amounts		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/scripts/plantox/detail.cfm?id=638	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2009/016885s023lbl.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2013/016885s025lbl.pdf	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcr/CFRSearch.cfm?fr=165.110	Code of Federal Regulations, 21CFR165.110		X		X	X			X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2014/017090s078lbl.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2007/017090s74lbl.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/scripts/plantox/detail.cfm?id=5366	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2012/017090s076lbl.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/scripts/plantox/textResults.cfm?q=Solanum+nigrum	Not relevant		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Databases	http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfdr/CFRSearch.cfm?CFRPart=801&showFR=1&subpartNode=21.8.0.1.1.2.3	Federal regulation, no quantitative amounts, labeling regulation		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfdr/CFRSearch.cfm?CFRPart=74&showFR=1	Federal regulation, not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/205858Orig1s000PharmR.pdf	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfdr/CFRSearch.cfm?CFRPart=801&showFR=1&subpartNode=21.8.0.1.1.2.7	Federal regulation, no quantitative amounts		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfdr/CFRSearch.cfm?fr=801.433	Federal regulation, no quantitative amounts		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfdr/CFRSearch.cfm?CFRPart=175&showFR=1	Federal regulation, no quantitative amounts		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfdr/CFRSearch.cfm?CFRPart=201&showFR=1&subpartNode=21.4.0.1.1.2.7	Federal regulation, no quantitative amounts		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/125554Orig1s000PharmR.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/cdrh_docs/pdf/P010031S232c.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/scripts/plantox/detail.cfm?id=16429	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/scripts/cder/owd/index.cfm?action=generic.mab&unit=2&lesson=1&topic=5	General category of solvent, not specific		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/scripts/plantox/textResults.cfm?q=Aucuba-japonica	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfdr/CFRSearch.cfm?fr=177.2210	Federal regulation, no quantitative amounts		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfdr/CFRSearch.cfm?fr=74.1206	Federal regulation, not relevant		X		X		X		X	
FDA List of Indirect Additives Used in Food Contact Substances	http://www.fda.gov/Food/IngredientsPackagingLabeling/PackagingFCS/IndirectAdditives/ucm115333.htm	Code of Federal Regulations Title 21-21CFR175.105		X		X	X			X	
FDA List of Indirect Additives Used in Food Contact Substances	http://www.fda.gov/Food/IngredientsPackagingLabeling/PackagingFCS/IndirectAdditives/ucm115333.htm	Code of Federal Regulations Title 21-21CFR176.130		X		X	X			X	
FDA List of Indirect Additives Used in Food Contact Substances	http://www.fda.gov/Food/IngredientsPackagingLabeling/PackagingFCS/IndirectAdditives/ucm115333.htm	Code of Federal Regulations Title 21-21CFR176.180		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/data/CH_225800.html	Chemical Sampling Information Carbon Tetrachloride ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/toc/chmcas_1.html	Chemical Sampling Information Index by CAS Number - Start to 71 ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=9814	Fixed extinguishing systems, general. - 1910.160 Occupational ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=standards&p_id=9992	duplicate	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=9993&p_table=STANDARDS	Table Z-2	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/data/CH_271635.html	Chemical Sampling Information Thionyl Chloride		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=23782	01/23/2001 - Employers must provide exposed employees access to ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/youth/restaurant/quiz_drivethru.html	Young Worker Safety in Restaurants eTool - Drive-thru Quiz		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10465	duplicate	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10286	Air contaminants - 1915.1000 Occupational Safety and Health ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10629	Gases, vapors, fumes, dusts, and mists. - 1926.55 App A ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=9811	Portable fire extinguishers. - 1910.157 Occupational Safety and ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/imis/sic_manual.display?id=1004&tab=description	Description for 2869: Industrial Organic Chemicals, Not Elsewhere ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/organic/org111/org111.html	Sampling and Analytical Methods: Toluene Occupational Safety ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dep/facosh/Exhibit_9b.pdf	Recommendations for Consideration by the U.S. Secretary of Labor ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/etools/evacuation/portable_placement.html	Emergency Standards Portable Fire Extinguishers - Extinguisher ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/etools/evacuation/fixed.html	Evacuation Plans and Procedures eTool Emergency Standards ...	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/organic/org012/org012.html	Sampling and Analytical Methods Benzene Occupational Safety ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/mdt/mdt1001/1001.html	detection methods	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/data/CH_237395.html	Chemical Sampling Information Diphenyl		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/chemicaldata/chemResult.html?RecNo=410	OSHA Occupational Chemical Database Occupational Safety and ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/toc_c.html	Sampling and Analytical Methods Index of Sampling and Analytical ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/oshaweb/owadisp_show_document?p_table=STANDARDS&p_id=10671	Fire protection. - 1926.150 Occupational Safety and Health ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/partial/pv2076/pv2076.html	Sampling and Analytical Methods: Dihexyl phthalate (branched and ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/osta/otm/otm_ii/pdfs/otmii_chpt2_appa.pdf	1 APPENDIX A CHEMICALS NOTED FOR SKIN ABSORPTION ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/grnt_materials/f09/sh-19495-09/health_hazards_workbook.pdf	Health Hazards in Construction	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/organic/org078/org078.html	Sampling and Analytical Methods: Diphenylamine/n-Isopropylaniline		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/oshaweb/owadisp_show_document?p_table=INTERPRETATIONS&p_id=20266	05/08/1991 - Labeling requirements with regard to containers of ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/oshaweb/owadisp_show_document?p_table=INTERPRETATIONS&p_id=20205	03/04/1991 - Clarification of OSHA standard on Overhead and ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/etools/respiratory/change_schedule_mathmodel.html	Respirator Change Schedules - Using ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/etools/evacuation/checklists/fixes.html	Emergency Standards Fixed Extinguishing Systems - Fixed ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/data/CH_222900.html	Chemical Sampling Information n-Butyl Alcohol Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/etools/evacuation/portable_required.html	Emergency Standards Portable Fire Extinguishers - OSHA ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/Publications/complinks/OSHG-HazWaste/7-8.pdf	7. Air Monitoring		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/partial/pv2015/2015.html	Sampling and Analytical Methods: Crufomate, PV2015		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/partial/pv2073/pv2073.html	Sampling and Analytical Methods: ZIRAM - (Partially Validated ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/organic/org007/org007.html	Sampling and Analytical Methods Organic Vapors Occupational ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/osta/otm/otm_ii/pdfs/otmii_chpt1_allinone.pdf	OSHA Technical Manual		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/partial/pv2056/2056.html	Sampling and Analytical Methods: Temephos - (Partially Validated ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10093	Medical Questionnaires, (Non-mandatory) - 1910.1051 App F ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/partial/pv2098-01-8303-cht-pv2098-01-8303-ch.html	Sampling and Analytical Methods: Dicyclopentadiene, PV2098		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/dermalexposure/tables.html	Dermal Exposure Tables Occupational Safety and Health ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/partial/pv2029/2029.html	Sampling and Analytical Methods: Heptachlor		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/data/CH_240380.html	Chemical Sampling Information Ethylene		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/partial/pv2135/pv2135.html	Sampling and Analytical Methods: Cyclonite (RDX), PV2135		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=13194	Occupational Exposure to Methylene Chloride - 56:57036 ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10371	Health Hazard Definitions (Mandatory) - 1917.28 App A ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dsg/annotated-pels/tablez-1.html	duplicate	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/partial/pv2002/pv2002.html	Sampling and Analytical Methods: 2,2,4-Trimethyl-1,3-Pentanediol ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/hib/hib_data/hib19840423.html	Safety and Health Information Bulletins 1,1,2-Trichloro-1,2,2 ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/partial/pv2133/pv2133.html	Sampling and Analytical Methods: 1,6-Hexanediol Diacrylate, PV2133		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/partial/pv2062/2062.html	Sampling and Analytical Methods: 2-Bromopropane, PV2062		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dte/grant_materials/fy06/46f6-h130/17_fire_protection.ppt	Egress and Fire Protection	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=763&p_table=PREAMBLES	Section 1 - I. Executive Summary Occupational Safety and Health ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dsg/annotated-pels/tablez-2.html	OSHA Annotated PELs Occupational Safety and Health ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/etools/respiratory/woodmodel_predicted.html	duplicate	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=10382&p_table=STANDARDS	duplicate	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dsg/hazcom/ghd053107.html	Guidance for Hazard Determination for Compliance with the OSHA ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/osta/otm/otm_ii/pdfs/otmii_chpt2_appendices_all.pdf	of the Appendices	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=federal_register&o_id=13306	Air Contaminants - 58:35338-35351 Occupational Safety and ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/inorganic/id145/id145.html	Sampling and Analytical Methods Particulate Mercury in Workplace ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/youth/restaurantsafety_quizzes.pdf	Restaurant Safety For Teen Workers		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/organic/org098/org098.html	Sampling and Analytical Methods: Trimellitic Anhydride - (Organic ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/organic/org088/org088.html	Sampling and Analytical Methods Propylene Oxide - (Organic ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/organic/org070/org070.html	Sampling and Analytical Methods: Pyrethrum - (Organic Method #70)		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/organic/org101/org101.html	Sampling and Analytical Methods: Dipropylene Glycol Methyl Ether ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/organic/org100/org100.html	Sampling and Analytical Methods Ethyl Alcohol - (Organic Method ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/organic/org037/org037.html	Sampling and Analytical Methods AcrylonitrileE Occupational ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=standards&p_id=9830	Overhead and gantry cranes. - 1910.179 Occupational Safety and ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/validated/1018/1018.pdf	Bisphenol A Diglycidyl Ether of Bisphenol A Method number: 1018 ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10124	Fire Protection - 1910 Subpart L App A Occupational Safety and ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&p_id=1005	Section 5 - V. Health Effects Occupational Safety and Health ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/archive/oshstats/guidelines.html	A Brief Guide To Recordkeeping Requirements For Occupational ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=13426	Respiratory Protection - 59:58884-58956 Occupational Safety and ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/partial/d178sg/d178sg.html	Sampling and Analytical Methods: Oil Mist in Textile Workplace ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/validated/1005/1005.html	Sampling and Analytical Methods Benzene Occupational Safety ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/Publications/osha3151.pdf	Personal Protective Equipment	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/metalworkingfluids/mwf_finalreport.html	Metalworking Fluids Final Report of the OSHA Metalworking Fluids ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/mdt/mdt1002/1002.pdf	XYLENES (o-, m-, p-isomers) ETHYLBENZENE Method number ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dte/grant_materials/fy11/sh-22230-11/ConfinedSpaceManual.pdf	Entrant, Attendant, Supervisor & Rescue		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dte/grant_materials/fy07/sh-16626-07/handouts.pdf	Sanitation and 5S+1 Resources		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/inorganic/id212/id212.html	Sampling and Analytical Methods Iodine In Workplace Atmospheres		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dte/grant_materials/fy09/sh-19495-09/health_hazards_field_guide.pdf	Purpose The purpose of this field guide is to serve as documentation ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/Publications/osha2268.pdf	DOL OSHA 2268	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/Publications/OSHA_shipyard_industry.pdf	Shipyard Industry Standards (PDF*)	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/shib/shib010615.html	Safety and Health Information Bulletins Chemical Grain Fumigant ...	X			X		X		X	
OSHA Chemical Exposure Health Data	https://www.osha.gov/opengov/healthsamples.html	OSHA PELs and general information	X			X		X		X	
NIST	https://www.nist.gov/document-1551	Peer reviewed		X		X		X		X	
NIST	http://www.nist.gov/srd/upload/jpcrd507.pdf	Peer reviewed		X		X		X		X	
NIST	http://nist.gov/data/PDFfiles/jpcrd637.pdf	Peer reviewed		X		X		X		X	
NIST	https://www.nist.gov/document-9373	Overhead transparencies		X		X		X		X	
NIST	https://www.nist.gov/document-1622	Peer reviewed		X		X		X		X	
NIST	https://www.nist.gov/document-9230	Ozone depletion		X		X		X		X	
NIST	https://www.nist.gov/nist-research-library/journal-research-volume-67a	1963 NIST Journal Articles		X		X		X		X	
NIST	https://www.nist.gov/document-8802	CF3I		X		X		X		X	
NIST	https://www.nist.gov/nist-research-library/journal-research-volume-68a	1964 NIST Journal Articles		X		X		X		X	
NIST	https://www.nist.gov/node/727291	peer reviewed		X		X		X		X	
NIST	https://nist.gov/srd/PDFfiles/jpcrd618.pdf	Peer reviewed		X		X		X		X	
NIST	https://www.nist.gov/document-7960	Development of a portable hydrogen iodide		X		X		X		X	
NIST	https://www.nist.gov/document-9278	ozone experiments		X		X		X		X	
NIST	https://www.nist.gov/srd/upload/jpcrd489.pdf	Ozone depletion		X		X		X		X	
NIST	https://www.nist.gov/document-14564	An Experimental Study of the Backscattering of 5.3 MeV Alpha ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NIST	https://www.nist.gov/document-9273	hydrodehalogenation of halon 1301 with ...		x		x		x		x	
NIST	https://www.nist.gov/document-11462	vacuum oven manual		x		x		x		x	
NIST	https://www.nist.gov/document-9103	Environmentally friendly fire extinguishers		x		x		x		x	
NIST	https://www.nist.gov/document-1987	Peer reviewed		x		x		x		x	
NIST	https://www.nist.gov/node/682306	peer reviewed		x		x		x		x	
NIST	https://www.nist.gov/document-1719	Database for static... doc		x		x		x		x	
NIST	https://www.nist.gov/document-9368	Accelerating the Global Phaseout of Halon Production		x		x		x		x	
NIST	https://www.nist.gov/document-8176	aircraft fire protection: a critical halon application introduction		x		x		x		x	
NIST	https://www.nist.gov/document-8166	Fire Extinguisher Halon Experiment		x		x		x		x	
NIST	https://www.nist.gov/document-9107	toxicity screening of halogenated aliphatics using a novel in vitro ...		x		x		x		x	
NOAA CAMEO database	https://cameochemicals.noaa.gov/	SDS - Response and break through times on PPE	x		x			x		x	
Protective Action Criteria (PAC) Database	https://sp.eota.energy.gov/pac/teel/Revision_29_Table1.pdf	Associated Chemical Information. PACs Rev. 29, May 2016		x	x			x	x		
Protective Action Criteria (PAC) Database	https://sp.eota.energy.gov/pac/teel/Revision_29_Table2.pdf	(PAC) Rev. 29 based on applicable 60-minute AEGLs, RPGs, or TEELs. The		x		x		x	x		
Protective Action Criteria (PAC) Database	https://sp.eota.energy.gov/pac/teel/Revision_29_Table4.pdf	(PAC) Rev. 29 based on applicable 60-minute AEGLs, ERPGs, or TEELs.		x		x		x	x		
US Geological Survey	https://www.usgs.gov/staff-profiles/jeanne-jaeschke	Jeanne Jaeschke		x		x		x		x	
US Geological Survey	https://www.usgs.gov/staff-profiles/thomas-d-by1	Thomas D Byl, Ph.D.		x		x		x		x	
Department of Energy	https://energy.gov/sites/prod/files/2015/06/f23/RS564_Att.%20G.26.pdf	AREA 55 OUTDOOR STORAGE PAD CLOSURE PLAN		x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Department of Energy	https://energy.gov/sites/prod/files/2015/06/f23/2%20Part%20General%20Facility%20Conditions.pdf	PART 2 - GENERAL FACILITY CONDITIONS		X		X		X		X	
Department of Energy	http://energy.gov/em/articles/savannah-river-site-cmp-pits	Savannah River Site - CMP Pits		X		X	X			X	
Department of Energy	https://energy.gov/em/articles/hanford-site-200-1	Hanford Site - 200-UP-1		X		X	X			X	
Department of Energy	https://energy.gov/em/articles/after-more-20-years-operating-hanford-soil-vapor-extraction-project-nears-completion	After More Than 20 Years Operating, Hanford's Soil Vapor Extraction ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/12/f6/why_we_ventilate.pdf	Why We Ventilate - Recent Advances	X			X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/10/13/Portsmouth_Paducah_Construction_Workers_NeedsAssessment.pdf	Construction Workers Needs Assessment for Medical Surveillance	X			X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/09/f2/DOEPlumeMaps2008.pdf	Treatment at Department of Energy Sites (2008)	X			X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/05/f15/Cleanup%20Caucus%202014%20Richland%20Operations%20FINAL.pdf	Richland Operations Office Cleanup Strategy, Scope (8.93 MB)		X		X		X		X	
Department of Energy	http://energy.gov/sites/prod/files/em/March2010MeetingMinutes.pdf	Meeting Summary for Development of the Hanford Site C Tank Farm ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/02/f8/appendixbthru_e_inepa.pdf	Appendix C: Microbac Laboratories Report		X		X		X		X	
Department of Energy	https://energy.gov/em/articles/new-approach-assess-volatile-contamination-vadose-zone-provides-path	New Approach to Assess Volatile Contamination in Vadose Zone ...		X		X		X		X	
Department of Energy	https://energy.gov/em/articles/hanford-treats-groundwater-ahead-schedule	Hanford Treats Groundwater Ahead of Schedule Department of ...		X		X		X		X	
Department of Energy	https://energy.gov/em/articles/em-500000-investment-contaminant-remediation-leads-hanford-site	EM's \$500,000 Investment in Contaminant Remediation Leads to ...		X		X		X		X	
Department of Energy	https://energy.gov/em/articles/hanford-treatment-facility-achieves-first-gold-ranking-sustainable	Hanford Treatment Facility Achieves First Gold Ranking for ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/10/f3/WIPP_Phase_I_Needs_Assessment.pdf	Waste Isolation Pilot Plant Medical Screening Program	X			X		X		X	
Department of Energy	https://energy.gov/em/articles/idaho-waste-retrieval-facility-begins-new-role	Idaho Waste Retrieval Facility Begins New Role Department of ...		X		X		X		X	
Department of Energy	https://energy.gov/em/articles/hanford-site-treating-record-amount-contaminated-groundwater	Hanford Site Treating Record Amount of Contaminated Groundwater ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Department of Energy	https://energy.gov/em/articles/hanford-s-groundwater-treatment-system-expands-already-impressive-capabilities	Hanford's Groundwater Treatment System Expands Already ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/EA-0821-FEA-1995_04.pdf	EA-0821-FEA-1995_04.pdf		X		X		X		X	
Department of Energy	https://energy.gov/em/articles/hanford-s-200-west-pump-and-treat-system-garners-worldwide-attention	Hanford's 200 West Pump and Treat System Garners Worldwide ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/09/f2/DV2_AFRI_factsheet_low-res_April_2011.pdf	Deep Vadose Zone Applied		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/02/f7/gtp_2012peerreview_pnnl_white.pdf	gtp_2012peerreview_pnnl_white.pdf (2.85 MB)		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/09/f3/chapter10_1.pdf	DOE-HDBK-1169-2003; DOE Handbook Nuclear Air Cleaning ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/05/f0/PM_PLAN_EXAMPLES_%206%267_0.pdf	PROJECT MANGEMENT PLAN EXAMPLES		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/10/f3/Portsmouth_Paducah_K25ProductionWorkers_NeedsAssessment.pdf	Program at DOE Gaseous Diffusion Plants	X			X		X		X	
Department of Energy	https://energy.gov/em/articles/hanford-groundwater-contamination-areas-shrink-as-em-exceeds-cleanup-goals	Hanford Groundwater Contamination Areas Shrink as EM Exceeds ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/10/f3/INEEL_NeedsAssessment.pdf	Assessment Medical Surveillance. Report the results and analysis of	X			X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2016/10/f33/ba-iaqscore-2016-sept28.pdf	several possible references that could be consulted for IAQ		X		X	X			X	
Department of Energy	https://www.energy.gov/sites/prod/files/2013/10/f3/Y-12_ORNL_ProductionWorkers_NeedsAssessment.pdf	Surveillance Program Needs Assessment	X			X		X		X	
Department of Energy	https://energy.gov/em/listings/soil-groundwater-remediation-news	Soil & Groundwater Remediation News Department of Energy		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2016/03/f30/DOE-HDBK-1081-2014.pdf	Primer on Spontaneous Heating and Pyrophoricity		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2016/04/f30/11119_Walker_040516-1605.pdf	2016 BTO Peer Review Presentation Healthy Efficient Homes ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2015/04/f22/W_IPP%20WAP%20%20Waste%20Analysis%20Plan.pdf	WIPP-WAP		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/06/f17/Carbon%20Tetrachloride%20Spill.pdf	Carbon Tetrachloride Spill		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Department of Energy		Office of Enterprise Assessments Assessment of Work Planning and ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/10/f3/doe-hdbk-1139-3-2008.pdf	Consolidated Chemical User Safety and Health Requirements		X		X		X		X	
Department of Energy		Technology Enabling Ultra High Concentration Multi- Junction Cells		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2015/11/127/NWPWIPPDOE-VPPReportMARCH2015.pdf	Voluntary Protection Program Onsite Review, Nuclear Waste ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/12/f19/EIS-0064_FEIS-volume1.pdf	EIS-0064: Final Environmental Impact Statement, volume 1		X		X		X		X	
Department of Energy	http://energy.gov/sites/prod/files/2013/10/f3/SRS_Construction_Workers_NeedsAssessment.pdf	Assessment for Medical Surveillance Program	X			X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2015/01/f19/EIS-0026-S-volume1_0.pdf	ENVIRONMENTAL IMPACT STATEMENT ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/EIS-0157-FEIS-v01-1992_0.pdf	EIS-0157-FEIS-v01-1992_0.pdf		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/10/f3/DOE-STD-1128-2013.pdf	DOE- STD-1128-2013, Good Practices for Occupational ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/EA-1157-FEA-1996.pdf	3.3 Alternative 2 - The Proposed Action		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/nepapub/nepa_documents/RedDot/EIS-0244-FEIS-1996.pdf	Final Environmental Impact Statement - Plutonium Finishing Plant ...		X		X		X		X	
Department of Energy	http://energy.gov/sites/prod/files/2014/06/f17/Mound%20Plume.pdf	Rocky Flats Environmental Technology Site - Mound Plume		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/07/17/S%20%20T%20Report%20and%20Recommendations%2005214.pdf	EMAB Science & Technology Interim Report (FINAL) (242.62 KB)		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/03/f9/2005_deer_andreoni.pdf	2005_deer_andreoni.pdf (249.21 KB)		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/09/f2/Groundwater_Booklet-2009-v5.pdf	Treatment at Department of Energy Sites (2009)	X			X		X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/biology/sfa/presentations.stm	Presentations - A Subsurface Science ...		X		X		X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/biology/sfa/pdf/chu_poster.pdf	and Design Remediation: Focus on Tc, U, CCl4, and Pu in 200A and		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-15870Rev1.pdf	Radiation Portal Monitor Project Compendium of Material ...		X	X				X		X
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-22618.pdf	Mitigating the Risks of Contamination within Vadose Zone ...		X		X			X		X
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-17866.pdf	Status Report for Remediation Decision Support Project, Task 1 ...		X		X			X		X
PNNL Pacific Northwest National Laboratory	https://www.pnnl.gov/biology/sfa/pdf/felmy.pdf	Transformation Reactions of Plutonium in ...		X		X			X		X
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/nano/research/	PNNL: Research Highlights - Nano Science, Engineering, and ...		X		X			X		X
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-24709.pdf	Conceptual Model of Iodine Behavior in the Subsurface at the ...		X		X			X		X
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/science/highlights/highlights.asp?division=756	PNNL: Highlights: Physical & Computational Sciences Directorate		X		X			X		X
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-23468Rev1.pdf	Chemical Disposition of Plutonium in Hanford Site Tank Wastes		X		X			X		X
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-21326.pdf	Characterization of Vadose Zone Carbon ...	X			X			X		X
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/science/highlights/highlights.asp?division=753	PNNL: Highlights: Physical & Computational Sciences Directorate		X		X			X		X
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-22691.pdf	Pacific Northwest National Laboratory Annual Site Environmental ...		X		X			X		X
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-16489.pdf	Environmental Molecular Sciences Laboratory		X		X			X		X
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-21651.pdf	Geochemistry at Hanford: A Site-Wide ...		X	X			X			X
PNNL Pacific Northwest National Laboratory	https://www.pnnl.gov/biology/sfa/pdf/felmy_poster_plutonium.pdf	Plutonium Speciation in Hanford Sediments and Redox ...		X		X			X		X
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/biology/sfa/pdf/baer.pdf	Impact of the Local Environment and Electron-Transfer Initiated ...		X		X			X		X
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-20553.pdf	Characterization of Material from Wells 299-W10-35 (C7573) and ...		X		X			X		X
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-23679.pdf	Characterization of Biofilm in 200W Fluidized Bed Reactors	X			X			X		X

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-20757.pdf	Deep Vadose Zone Applied Field Research Initiative		X	X			X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-22062.pdf	Abiotic Degradation Rates	X		X		X			X	
US Geological Survey publications	http://pubs.er.usgs.gov/publication/70016507	Comparison of tetrachloromethane sorption to an alkylammonium ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ds356	Ground-Water Quality Data in the San Fernando-San Gabriel Study ...		X		X	X			X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sir20135214	and distribution of selected constituents in water, eastern Snake		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sir20125048	Status of groundwater quality in the Coastal Los Angeles Basin ...		X		X	X			X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sir20155003	trends for selected wells possibly influenced by wastewater disposal at		X	X		X			X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sir20125040	Status of groundwater quality in the California Desert Region, 2006 ...		X		X	X			X	
US Geological Survey publications	https://pubs.er.usgs.gov/browse/Article/Journal%20Article/Science/	Browse the USGS Publications Warehouse		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sir20125052	Upper Santa Ana Watershed, November 2006--March 2007--		X		X	X			X	
US Geological Survey publications	https://pubs.er.usgs.gov/browse/Article/Journal%20Article/Environmental%20Science%20and%20Technology/	Environmental Science and Technology		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70017388	Reductive dehalogenation of hexachloroethane, carbon ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70015830	Effect of ten quaternary ammonium cations on tetrachloromethane ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr20111320	and St. Lawrence River Basins, New York, 2010		X		X	X			X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/wri014125	southeastern Sacramento Valley aquifer, California, 1996		X		X	X			X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sir20075035	Ground Water and Finished Water of Community Water Systems near		X		X	X			X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70027206	atmospheric inputs of halogenated volatile organic compounds in		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes	
	URL	Annotation	Engineering		Fate		Exposure		Human Health			
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic		
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sir20075165	Microbial Consortia Development and Microcosm and Column ...		x		x		x		x		
European Commission	http://ec.europa.eu/social/BlobServlet?docId=6690&langId=en	HH review, brief paragraph on use in the EU. Limited occupational	x			x		x		x		
European Commission	ec.europa.eu	Graphical report on trends in air levels		x		x		x			x	
European Commission	ec.europa.eu	Groundwater threshold values		x		x		x			x	
European Commission	ec.europa.eu	EPER Pollutant release data for EU countries	x			x		x			x	
ECHA Documents	https://echa.europa.eu/substance-information/-/substanceinfo/100.000.239		x			x		x			x	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14940/5/5/2	sorption		x	x			x			x	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14940/5/5/3	volatilization		x	x			x			x	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14940/5/5/4	distribution		x	x			x			x	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14940/5/5/5	distribution		x	x			x			x	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14940/5/6/2	environmental concentration		x		x		x			x	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14940/5/6/3	degradation; very useful		x	x			x			x	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14940/9	safe use; very useful	x			x		x			x	information contained in REACH registration dossiers
ECHA Documents	echa.europa.eu/documents/	import in tonnes	x			x		x			x	information contained in REACH registration dossiers
ECHA Documents	#VALUE!	brief profile of chemical	x		x			x		x		information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14940/3/1/4		x			x		x			x	information contained in REACH registration dossiers
ECHA Documents	links in excel file	Links to registration dossiers	x		x			x		x		information contained in REACH registration dossiers

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14940/4/7	vap pressure		X	X				X		information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14940/4/8	partition coef		X	X				X		information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14940/4/9	solubility		X	X				X		information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14940/5/2/3	hydrolysis		X	X				X		information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14940/5/2/4	photo deg		X	X				X		information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14940/5/3/4	soil deg		X	X				X		information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/14940/5/4/2	bioaccum in fish		X	X				X		information contained in REACH registration dossiers
IARC Monograph	http://monographs.iarc.fr/ENG/Monographs/PDFs/index.php	Carcinogenic Risks to Humans, Volume 71	X			X	X		X		
OECD HPV Programme	http://webnet.oecd.org/hpv/ui/AllChemicals.aspx	SIDS Initial Assessment	X		X		X		X		
OECD Emission Scenario Documents	http://www.oecd.org/chemicalsafety/risk-assessment/emissionscenariodocuments.htm	operation and Development), Emission Scenario Document on	X		X		X			X	
OECD Emission Scenario Documents	http://www.oecd.org/officialdocuments/publicdisplaydocumentpdf/?cote=en/imm/monol200924&doclanguage=en	Documents on Coating Industry (Paints, Lacquers and Varnishes).	X		X		X			X	
OECD Emission Scenario Documents	http://www.oecd.org/officialdocuments/publicdisplaydocumentpdf/?cote=en/imm/monol200924&doclanguage=en	on the Industrial Use of Adhesives for Substrate Bonding. 2013,	X		X		X			X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/43186/1/9241546689_eng.pdf	Protecting Groundwater for Health		X	X		X			X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/119142/1/EMHJ_2002_8_1_95_104.pdf	bicarboxylate on normal and chemically-injured liver		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/64455/1/WHO_EPI_GEN_98.11.pdf	Yellow Fever		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/70929/1/9789241548458_eng.pdf	ICD-10 to deaths during pregnancy, childbirth and the puerperium ...		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/41742/1/9241660325_eng.pdf	Toxicological evaluation of certain food additives		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/41977/3/924154502X_eng_LR_part2.pdf	Diseases of the digestive system		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/43186/1/9241546689_eng.pdf	Protecting Groundwater for Health		X	X		X			X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/42052/4/9789241547055_eng.pdf	WHO monographs on selected medicinal plants		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/43430/1/9241572337_eng.pdf	TRANSGENIC ANIMAL MUTAGENICITY ASSAYS		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/40594/1/9241571624-eng.pdf	Brominated Diphenyl Ethers		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/42981/9/9241546506_khm.pdf	View/Open		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/39581/1/9241510730-eng.pdf	IPCS ROTEN ONE HEALTH AND SAFETY GUIDE		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/39934/3/Bibliography_of_Hookworm_Disease_1965_eng_part2.pdf	Hookworm Disease		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/42052/6/9241545178_vol2_ita.pdf	monografie di piante medicinali		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/141880/1/WPR_RC014_00_GovRep_1963_en.pdf	1963 Government Report		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/39030/2/Codeine_1970_eng_part1.pdf	Codeine		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/37146/2/9241544589_tha.pdf	NA		X		X		X		X	
World Health Organization- Regional Office for Europe	www.euro.who.int/en/home	N/A		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	http://www.nicnas.gov.au/biochemical-information/imap-assessments/imap-assessments/tier-ii-environment-assessments	Environmental assessment	X		X		X		X		
of Health, National Industrial Chemicals; NICNAS	http://www.nicnas.gov.au/chemical-information/imap-assessments/imap-assessments/tier-ii-environment-assessments	Tier II Environment Assessments - NICNAS		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	http://www.nicnas.gov.au/notify-your-chemical/data-requirements-for-new-chemical-notifications/schedule-part-b	Schedule Part B - STD or LTD notification core information - NICNAS		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/word_doc/0005/6773/LTD1543FR.docx	INCI NAME: Caprylhydroxamic Acid		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/chemical-information/map-assessments/map-assessments/human-health-assessments	Human health assessment	X			X		X		X	
CAREX Canada	http://www.carexcanada.ca/CAREX_Canada_Occupational_Priorities_Report.pdf	Canada priority carcinogens-occupational	X			X		X		X	
CAREX Canada	http://www.carexcanada.ca/CAREX_Canada_Environmental_Priorities_Report.pdf	Canada priority carcinogens-environmental	X			X	X			X	
CAREX Canada	http://www.carexcanada.ca/en/carbon_tetrachloride/	surveillance of envi and occu exp for cancer prevention	X		X		X			X	
CAREX Canada	http://www.carexcanada.ca/en/acrylonitrile/	not a chemical of interest		X		X		X		X	
GESTIS Database	http://limitvalue.ifa.dguv.de/	List of international regulatory limits	X			X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1996/eae25000000010.html	Environmental quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	http://www.env.go.jp/en/focus/docs/files/20120801-51.pdf	Water quality standards		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/water/gw/gwp.html	Environmental quality standards for groundwater		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/water/wq/wemj/soil.html	Environmental standards for soil		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/water/soil/contami_cm.pdf	Soil contamination standards		X		X	X			X	
Government of Japan: Ministry of the Environment	http://www.env.go.jp/en/laws/global/ozone3.pdf	enforcement ordinance of the law concerning the protection of the ...		X		X		X		X	
Government of Japan: Ministry of the Environment	http://www.env.go.jp/en/water/wq/wemj/water1.html	National effluent standards	X		X		X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1994/eae23000000055.html	Groundwater quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/earth/ozone/gl_halon-0605.pdf	Guidelines on the Destruction of Halon in Japan (May 2006)		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/earth/ozone/moni/rep_ods-a-2007/004_contents.pdf	Report on Monitoring of Ozone Depleting Substances in the ...		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/focus/docs/files/20141113-49.pdf	Shipment trends	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes	
	URL	Annotation	Engineering		Fate		Exposure		Human Health			
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic		
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/laws/recycle/02.pdf	Waste mgmt		X	X				X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/laws/recycle/03.pdf	Waste mgmt regulations		X	X				X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1995/eae240000000060.html	Groundwater quality monitoring		X		X	X				X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/chemi/pops/Appendix/04-GuideLine/04Chapter1.pdf	Environmental monitoring guidelines/results		X		X	X				X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/water/wq/nes.html	National effluent standards	X			X		X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/chemi/prtr/substances/table.html	Chemical profile		X		X	X				X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1995/eae240000000070.html	Quality of the Environment in Japan 1995 [MOE]		X		X		X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1990/eae190000000000.html	Quality of the Environment in Japan 1990 [MOE]		X		X		X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1993/eae220000000000.html	Water quality standards		X		X	X				X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1993/eae220000000045.html	Water quality monitoring		X		X	X				X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1993/eae220000000040.html	Environmental/air monitoring surveys		X		X	X				X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1994/eae230000000065.html	Phase-out schedule	X			X		X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/earth/ozone/moni/rep_ods-a-2007/060.pdf	Appendices		X		X		X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1995/eae240000000050.html	Atmospheric environmental survey	X			X	X				X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1995/eae240000000035.html	Environmental quality standards	X			X	X				X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/chemi/pops/Appendix/04-GuideLine/04Chapter3.pdf	III Analytical Methods		X		X		X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/chemi/pops/Appendix/03-CIE/Summary2001.xls	Environmental chemical survey		X	X			X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Government of Japan: Ministry of the Environment	http://www.env.go.jp/en/chemi/pops/Appendix/03-CIE/AppendixB.pdf	Environmental chemical survey		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/chemi/prtr/manual/pdf/mat03-9.pdf	substances which constitute a group of ...		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/water/soil/sp.html	Environmental quality standards for soil		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/recycle/manage/waste.html	Hazardous waste standards		X	X			X		X	
Government of Japan: Ministry of the Environment	http://www.env.go.jp/en/water/wq/wemi/water.html	Environmental quality standards		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/recycle/manage/sv.html	Haz waste standards		X	X			X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/press/2005/1220b-02.pdf	Groundwater quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/press/2004/1216c-01.pdf	Groundwater quality monitoring		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1996/eae25000000015.html	Effluent standards	X		X		X			X	
Substances in Preparations in Nordic Countries (SPIN) Database	http://www.spin2000.net/spinmyphp/	Summary by chemical	X			X	X			X	
Lowell Center for Sustainable Production	http://sustainableproduction.org/downloads/Child%20Canc%20Exec%20Summary.pdf	Toxic chemicals and childhood cancer: A review of the evidence		X		X	X		X		
eChemPortal	http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en	WHO International Program on Chemical Safety Report 1999	X		X		X		X		
eChemPortal	http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en	New Zealand		X		X		X	X		
Consumer Products Information Database (CPID)	https://www.whatsinproducts.com/chemicals/index/1	Products containing chemical		X		X	X			X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/19/18536.pdf	School Science Laboratories A Guide to Some Hazardous Substances		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/02/01068.pdf	Air emission from textile industry (not clear if estimates or measured)	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/17/16609.pdf	Generator's Hazardous Waste Summary Report - Part I		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00032.htm	CAA Label Requirements for Ozone-Depleting Substances		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/28/27578.pdf	Application of Plasma Technology in the Environmental Waste ...		X	X			X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/07/06053.htm	FACT SHEET: Product Substitution		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/22/21292.pdf	The SORBATHENE Unit for Volatile Organic Vapor Recovery		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/33/32785.pdf	CALGON CARBON CORPORATION		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/21/20868.pdf	DOD ODS MILSPEC Database		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/09/08602.pdf	Printing and Allied Industries		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/28/27419.pdf	Catalytic Destruction of Hazardous Halogenated Organic Chemicals		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/06/05805.pdf	Laboratories - Industry Overview		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/21/20620.htm	Steam Reforming		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/14/13954.htm	Chicken compost biofilter clears the air		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/41/40764.pdf	Iowa Waste Reduction Center		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/11/10489/sectors73ak.html	Textile Industry: Raw Materials and Wastes for Dyeing and Printing ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/41/40884.pdf	Sump Sludge: Caution May Be Hazardous Iowa Automotive ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/38/37180.htm	8-I-11 PORTABLE STEAM CLEANING SYSTEM (MINI-MAX)		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/39/38704.pdf	silver residues or used photographic fixer		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/29/28892.pdf	Targeted Chemicals Minimization in Design and Manufacturing		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/14/0_initiatives/init/winter98/pump.htm	Pumping Iron -- Adding zero-valent iron optimizes enhanced soil ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/14/0_initiatives/init/feb97/novocs.htm	NoVOCs strips VOCs from ground-water		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/20/19926/msds/3iia4_r123.pdf	Dupont Chemical Information		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/30/29088.pdf	Preparation of Basic Metals for Painting		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/06/05796/42199/chapter3A.htm	Fiber Cloth Adsorption/Regeneration System		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/11/10101.htm	A Newsletter from the Board of Public Works' HTM Project		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/33/32741.htm	AR 27-0133 Activated Carbon for Precious Metal Recovery		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/20/19926/msds/3vc4mil81309.pdf	Corrosive Preventative Compound MSDS		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/19/18161/gloss.cfm-letter=P.htm	SAGE-Glossary		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/33/32748.htm	Use of carbon adsorption processes in groundwater treatment		X	X			X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/28/27657.pdf	Granular Activated Carbon vs. Macroceticular Resins		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/19/18552.pdf	Review of Industrial Hygiene Principles and Health Effects of ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00023.htm	Solvents - The Alternatives		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/05/04660.htm	Department of the Air Force Instruction 32-7080		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/11/10504/html/intro/openfire.htm	Emissions from Open Fire	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/17/16301.pdf	Methylene Chloride Adsorption Reference Book		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/28/27889.pdf	Recovery and Treatment of Spent Steel Mill Solutions		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/13/12874.htm	Quality Improvement Initiative -- WA Dept. of Ecology		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/35/34431.pdf	Activated Carbon Adsorption		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/51/50997.pdf	EPA Hazardous Waste Number Pocket Handbook	X		X			X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/18/17709.pdf	Introduccion El Protocolo de Montreal fue firmado en Canad en ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00022.htm	Reducing Solvent Losses From Vapor Degreasers	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/11/10581.pdf	Assessment Work at Drycleaning Sites		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/23/22522.pdf	Applicability Of Steam Stripping To Organics Removal From ...	X		X			X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/20/19926/P2_Opportunity_Handbook/9-IV-5.html	9-IV-5 WET AIR OXIDATION FOR WASTEWATER TREATMENT	X		X			X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/03/02673.pdf	EPA Orders Cease-fire on Cape Cod Base		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/52/51058.pdf	Some Factors Affecting the Host-Mediated Assay Response		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/22/21197.pdf	ODS Alternatives - Navy CFC & Halon Clearinghouse		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/33/32458.pdf	The Toxics Release Inventory		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/22/21184.pdf	Montreal Protocol 1991 Assessment		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/19/18746.pdf	Industrial wastewater volatile organic compound emissions	X		X			X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/24/23786.ppt	EL		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/18/17456.pdf	Hazardous waste management study		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00034.htm	Design of Cost-Effective VOC-Recovery Systems		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/03//02772.pdf	High Voltage Beam Technology		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/22/21520.htm	ICCP 2001 - Eco-Industrial Parks in China		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/22/21474.pdf	aetc weapon systems ozone depleting substance management guide		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/52/51422.pdf	Fingerprints of toxicant classes		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/24/23520.pdf	Ozone-Depleting Substances Substitution Guide - For The ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/20/19926/P2_Opportunity_Handbook/5_13.html	Paint Stripper		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/23/22176.pdf	Toxicity Characteristic Leaching Procedure		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/14/0_initiatives/init/spring01/geosiphon.htm	GeoSiphon goes with the flow		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/18/17376.pdf	Military specification: cleaning compound		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/25/24396.pdf	Non-Chlorofluorocarbon Type Cleaning Agent Pentafluoropropanol		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/37/36762.pdf	Real Time Neural Network Raman Signal Enhancement		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00777/reg.htm	Regulatory Overview		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/13/12844/annex-w.pdf	Annex W		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/28/27006.pdf	Survey of Candidate Fire Extinguishing Agents		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/23/22582.pdf	Hazardous Waste Guide		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/36/35503.pdf	Degreasing for the 90's		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/07/06640/profiles/EmergingTechCompleted2.pdf	IT Description		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/07/06367.pdf	Evaluation of Emissions from the Open Burning of Land-Clearing ...	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/28/27427.pdf	Catalysts for Volatile Organic Compound Control In The 1990's		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/02/01068.pdf	Identification and Reduction of Pollution Sources in Textile Wet ...	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/44/43020.pdf	Ozone Crisis - The 15 Year Evolution of a Sudden Global Emergency		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/28/27723.pdf	Bioremediation of Contaminated Soils and ...		x	x			x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/17/16903.pdf	Manual For Preventing Spills Of Hazardous Substances At Fixed ...		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/04/03277.pdf	Waste Minimization Manual - Analytical Laboratories		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/42/41843.pdf	The Unfinished Business Of Pollution Prevention		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/15/14839.pdf	Pollution Prevention for Auto Maintenance and Repair Shops		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/15/14262.pdf	An Evaluation of Batch Fractional Distillation for Removing Organics ...		x	x			x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/08/07286.htm	What EPA Means When it Says, "Life Cycle Assessment"		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/31/30963.pdf	Burning Chemical Wastes as Fuels in Cement Kilns		x	x			x		x	
Kirk Othemer Encyclopedia	Book	Volume 1; Values of Diffusion Coefficient and ug/DapG		x	x			x		x	
Kirk Othemer Encyclopedia	Book			x	x		x			x	
Kirk Othemer Encyclopedia	Book		x			x		x		x	
Kirk Othemer Encyclopedia	Book	manufacturing process diagram	x			x		x		x	
Kirk Othemer Encyclopedia	Book	Kirk-Othmer Encyclopedia of Chemical Technology, 2000.	x			x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	http://www.floridhealth.com/environmental-health/hazardous-waste-sites/documents/77aytheonairquality072809.pdf	report, near site, groundwater contamination	X			X	X			X	
State sites	http://des.nh.gov/organization/divisions/waste/hwrb/documents/rcmp.pdf	dose response info, absorption factors, F&T data (partition coefficient, area, groundwater/soil contamination from site		X	X		X			X	
State sites	http://legacy.azdeq.gov/environ/waste/sps/Airport_Property_Project_Area.html	area, groundwater/soil contamination from site	X		X		X			X	
State sites	http://www.mass.gov/eea/agencies/masdep/water/drinking/standards/standards-and-guidelines-for-drinking-water-contaminants.html	MA drinking water standards		X		X	X			X	
State sites	http://oehha.ca.gov/media/downloads/risk-assessment/california-human-health-screening-levels-chemicals-chhsls-chhsls-table-11.pdf	CA Human Health Screening levels, Soil screening numbers		X		X	X			X	
State sites	http://www.cdph.ca.gov/programs/hesis/Documents/riskreport.pdf	Occupational Health Hazard Risk Assessment Project for California	X			X		X	X		
State sites	https://oehha.ca.gov/proposition-65/chemicals/carbon-tetrachloride	Summary page for 1BP, prop 65 (reg limits)		X		X	X			X	
State sites	https://www.dlsc.ca.gov/TechnologyDevelopment/Upload/Final_PRB_Report_42208.pdf	An Assessment of Zero Valence Iron Permeable Reactive Barrier ...		X	X		X			X	
State sites	http://www.dep.state.fl.us/water/drinkingwater/vol_con.htm	Contaminants - Drinking Water Program ...		X		X		X		X	
State sites	https://oehha.ca.gov/chemicals/carbon-tetrachloride	Summary page about carbon tetrachloride	X			X	X			X	
State sites	http://www.cdph.ca.gov/certlic/drinkingwater/Pages/MCLReview2012.aspx	MCL Review		X		X		X		X	
State sites	https://oehha.ca.gov/chemicals/carbon-tetrachloride	Numbers Developed to Aid Estimation of Cleanup Costs for Contaminated		X	X		X			X	
State sites	http://www.kdheks.gov/remedial/site_remediation/nic.html	North Industrial Corridor (NIC) Site		X		X	X			X	
State sites	https://oehha.ca.gov/chemicals/carbon-tetrachloride	Cancer Potency Factors: Methodologies for derivation, listing of		X		X	X		X		
State sites	http://www.health.state.mn.us/divs/eh/risk/guidance/gw/dfcm.pdf	Toxicological Summary for Dichlorofluoromethane (PDF)		X		X		X		X	
State sites	https://oehha.ca.gov/chemicals/carbon-tetrachloride	Public Health Goal for Carbon Tetrachloride in Drinking Water		X	X		X		X		
State sites	http://www.kdheks.gov/ars/swp/download/OSP_Basin_Report_2015.pdf	Orphan Site Program Annual Report 2015		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	http://www.dtsc.ca.gov/AssessingRisk/upload/HHRA-Note-3-2.pdf	Human Health Risk Assessment Note 3 - dtsc.ca.gov		X		X		X		X	
State sites	https://www.pca.state.mn.us/sites/default/files/aq9-21.pdf	How to Conduct a Cumulative Air Emissions Risk Analysis - alt fact ...		X		X		X		X	
State sites	https://www.nj.gov/health/ceohs/documents/ceohp/haz_sites/ocean/toms_river/toms_river_dover_twp/rt_ehc_final.pdf	Public Health Assessment Reich Farm CERCLIS Number ...		X		X	X			X	
State sites	http://www.health.state.mn.us/divs/eh/risk/guidance/gw/carbonetra.pdf	Toxicological Summary for Carbon tetrachloride (PDF)		X		X		X		X	
State sites	http://www.deq.virginia.gov/LinkClick.aspx?fileticket=SREPrP-s4_r%3D&tabid=110&mid=2127	Executive Summary risk assessment hopewell		X		X	X			X	
State sites	http://www.epa.illinois.gov/Assets/epa/water-quality/surface-water/aqal-blooms/health-advisories.pdf	Presentation: EPA Health Advisories for Cyanotoxins		X		X	X			X	
State sites	http://dnr.wi.gov/files/pdf/pubs/rr/rr699.pdf	Hydrocarbon Behavior in groundwater ...		X	X			X		X	
State sites	http://www.epa.state.oh.us/portals/28/documents/swap/swap_susceptibility_guidance.pdf	Ground Water Susceptibility Process Manual		X		X		X		X	
State sites	https://www.pca.state.mn.us/sites/default/files/c-s4-05.pdf	Guidelines: Natural Attenuation of Chlorinated Solvents in Ground ...		X		X		X		X	
State sites	http://www.nj.gov/dep/srp/guidance/fam/fam.pdf	Field Analysis Manual (July 1994)		X		X		X		X	
State sites	https://www.tceq.texas.gov/drinkingwater/SWAP/psoc_types.html#at_download/file	TCEQ Potential Source of Contamination Types and Subtypes ...		X		X	X			X	
State sites	https://oehha.ca.gov/media/downloads/water/report/rscposter2.pdf	Risk Assessment for Chemicals in Drinking Water: Estimation of ...		X		X	X			X	
State sites	http://www.nj.gov/health/ceohs/documents/ceohp/haz_sites/ocean/toms_river/toms_river_dover_twp/dtmi_pha_fri.pdf	Public Health Assessment Dover Township Municipal Landfill ...		X		X	X			X	
State sites	https://oehha.ca.gov/media/downloads/cmr/may2005hotspots.pdf	Air Toxics Hot Spots Program Risk Assessment Guidelines		X		X		X		X	
State sites	http://www.ct.gov/dph/lib/dph/env/environmental_health/eha/rtsdr/hamiltonstandardhealthassessment.pdf	hamilton stansard Connecticut windsor locks		X		X	X			X	
State sites	http://www.epa.illinois.gov/Assets/epa/forms/land/permits/part-814-groundwater-monitoring.pdf	Part 814 Subpart C New Facilities Groundwater Monitoring		X		X		X		X	
State sites	http://www.michigan.gov/deq/0,4561,7-135-3313_4117_21698-55706--,00.html	DEQ - General Web Links		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	http://www.nj.gov/dep/airtoxics/nataest05.htm	NJDEP New Jersey Department of Environmental Protection		X		X	X			X	
State sites	https://www.pca.state.mn.us/sites/default/files/c-prp7-09b.xls	7-09b Air Emissions Screening Spreadsheet		X		X		X		X	
State sites	https://www.nj.gov/health/ceohs/documents/ceohsp/har_ehrs/momh/rockaway_wsp/radiation_tech/rad_tech_cnv_4_06.pdf	Site Review And Update		X		X		X		X	
State sites	http://www.nj.gov/dep/srp/community/sites/p/q00009218_finaldecision2011.pdf	FINAL DECISION DOCUMENT PINE LAKE PARK GROUND ...		X		X		X		X	
State sites	http://www.deq.virginia.gov/Portals/0/DEQ/Water/WaterQualityMonitoring/FishSedimentMonitoring/fishsedeval.pdf	Fish Tissue and Sediment Data Evaluation		X		X		X		X	
State sites	https://www.calepa.ca.gov/	California Environmental Protection Agency: CalEPA		X		X		X		X	
State sites	http://www.dtsc.ca.gov/SCP/upload/2-D-303d_supporting-docs.pdf	Supporting documentation relating to this list was used to compile ...		X		X	X			X	
State sites	https://oehha.ca.gov/media/downloads/climate-change/report/climatechangebibliooctober2013.pdf	Recent Research on Climate Change: An annotated bibliography ...		X		X		X		X	
State sites	http://www.deq.louisiana.gov/portal/DIVISIONS/4_eqa/affairs/RulesandRegulations.aspx	Rules and Regulations		X		X		X		X	
State sites	http://www.nj.gov/dep/watersupply/pdf/last_final_iplg_testing.tt.pdf	Testing Subcommittee PQL Review and Development		X		X	X			X	
State sites	https://oehha.ca.gov/water/notification-level/proposed-action-level-carbon-disulfide	Proposed Action Level for Carbon Disulfide OEHHA		X		X		X		X	
State sites	http://www.nj.gov/dep/rules/rules/njac7_9c.pdf	NJDEP-N.J.A.C. 7:9C, Ground Water Quality Standards		X		X		X		X	
State sites	http://www.mass.gov/eea/agencies/massdep/toxics/sources/air-guideline-values.html	Ambient Air Toxics Guidelines MassDEP		X		X	X			X	
State sites	https://oehha.ca.gov/bi/cmr/adoption-air-toxics-hot-spots-risk-assessment-guidelines-part-1-technical-support-document	Adoption of Air Toxics Hot Spots Risk Assessment Guidelines Part I ...		X		X	X			X	
State sites	http://www.deq.louisiana.gov/portal/portals/0/enforcement/bep/pdf/Georgiagulf2.pdf	STATE OF LOUISIANA		X		X		X		X	
State sites	https://oehha.ca.gov/media/downloads/cmr/tsdbundle071808.pdf	Draft Technical Support Document for Noncancer Risk Assessment ...		X		X		X	X		
State sites	http://www.health.state.mn.us/divs/eh/wells/waterquality/floodtestreport.pdf	Flooded Well Testing Project Report - Minnesota Dept. of Health		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	https://oehha.ca.gov/chemicals/12-dichloropropane	1,2-Dichloropropane OEHHA		X		X		X		X	
State sites	http://www.in.gov/idem/toxic/files/swindy_qa_project_plan_110306.doc	Quality Assurance Project Plans (QAPPs)		X		X		X		X	
State sites	https://www.pca.state.mn.us/sites/default/files/c-prp4-01a.pdf	4-01a Vapor Intrusion Assessments Performed during Site ...		X		X		X		X	
State sites	https://labor.hawaii.gov/hiosh/files/2012/12/12-60-General-Safety-Health-Requirements.pdf	General Safety and Health Requirements		X		X	X			X	
State sites	https://www.dtsc.ca.gov/AssessingRisk/upload/chap5.pdf	Selection, Use and Limitations of Indicator Chemicals for Evaluation ...		X		X	X			X	
State sites	https://oehha.ca.gov/water/public-health-goals-phgs	Public Health Goals (PHGs) OEHHA		X		X		X		X	
State sites	http://www.mde.state.md.us/assets/document/Croom_Launch.pdf	Facts About Croom Brandywine Launch Site		X		X		X		X	
State sites	http://www.adem.state.al.us/programs/land/landforms/enviroindics/occmob.pdf	Occidental Chemical Corporation (Mobile County)		X		X		X		X	
State sites	http://www.adem.state.al.us/programs/land/landforms/enviroindics/occmob.pdf	Community Water Systems Using Confined Aquifers		X		X		X		X	
State sites	http://www.mde.state.md.us/assets/document/Croom_Launch.pdf	MARYLAND ENVIRONMENTAL ASSESSMENT TECHNOLOGY ...		X		X	X			X	
State sites	http://www.nj.gov/dep/watersupply/pdf/dwqi_mcl_09_recommend_report_final.pdf	the Drinking Water Quality Institute		X		X	X			X	
State sites	http://www.kdheks.gov/remedial/site_restoration/download/NIC_RI_Addendum.pdf	North Industrial Corridor (NIC) Site Final Draft Remedial ...		X		X		X		X	
State sites	http://www.in.gov/idem/ctap/2404.htm	IDEM - CTAP: Degreasing Operations		X		X		X		X	
State sites	https://oehha.ca.gov/media/downloads/cmr/appendixd2final.pdf	OEHHA 2008. Technical Supporting Document for Noncancer RELs ...		X		X		X		X	
State sites	http://www.mass.gov/eea/agencies/massdep/recycle/hazardous/fire-extinguishers.html	Fire Extinguishers MassDEP		X		X		X		X	
State sites	https://www.env.nm.gov/fod/LiquidWaste/dennispubs.html	Dennis McQuillan - List of Publications		X		X		X		X	
State sites	http://www.cdph.ca.gov/certlic/drinkingwater/Pages/MCLReview2013.aspx	MCL Review 2013		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	http://www.dec.ny.gov/docs/remediation_hudson_pdf/appendixde.pdf	Technical Support Document - Appendices D and E		X		X		X		X	
State sites	http://www.doh.wa.gov/Portals/1/Documents/Pubs/334-351.pdf	Frank Wear Cleaners Site, Evaluation of July 2012 - December 2013 ...		X		X	X			X	
State sites	http://www.dem.ri.gov/programs/benviron/air/pdf/tfgfinrp.pdf	Characterization of Ambient Air Toxics in Neighborhoods Abutting ...		X		X	X			X	
State sites	http://healthandwelfare.idaho.gov/Portals/0/Health/Labs/IBL_EPA_Certificate.pdf	Idaho Bureau of Laboratories EPA Certificate		X		X		X		X	
State sites	http://www.nj.gov/dep/srp/community/sites/pi/g000009218_factsheet2009.pdf	Pine Lake Park Fact Sheet		X		X		X		X	
State sites	http://www.epa.gov/epaosopr/ocof/soilcleanup/soilcleanup.cfm	Soil Cleanup Levels		X		X		X		X	
State sites	https://www.nj.gov/health/ceohs/documents/ceohs/haz_sites/bergen/lyndhurst/penickpenick_pha_2_15.pdf	Public Health Assessment		X		X	X			X	
State sites	http://www.maine.gov/dep/rags/Background/Documents/1b1%20RAGs-Soil-Technical-Basis-PR%20draft%2003-11-2013.docx	1b1 RAGs-Soil-Technical-Basis-PR draft 03-11-2013.docx		X		X		X		X	
State sites	https://oehha.ca.gov/media/downloads/cmr/acuterel.pdf	TSD for The Determination of Acute RELs		X		X		X		X	
State sites	http://www.nj.gov/dep/workgroups/docs/srstandards-20141112-pres1.pdf	indoor air concentration		X		X	X			X	
State sites	https://oehha.ca.gov/media/downloads/cmr/screenreport010405.pdf	with skin absorption factor and health values; skin absorption factor		X	X		X			X	
State sites	https://oehha.ca.gov/media/downloads/cmr/appendixd3final.pdf	explanation of non cancer endpoints by summary of studies	X			X	X			X	
Trade Associations	acmanet.org			X		X		X		X	
Trade Associations	aia-aerospace.org			X		X		X		X	
Trade Associations	http://www.americanchemistry.com/Products/Technology/Phosgene/Phosgene-Safe-Practice-Guidelines/PDF/Properties-of-Phosgene.pdf	mentioned as a result when phosgene is heated		X		X		X		X	
Trade Associations	http://blog.americanchemistry.com/wp-content/uploads/2015/04/Farland-SOT-2015-Final.pdf	uncertainty in exposure information; CCl4 used as example		X		X	X			X	
Trade Associations	https://chlorine.americanchemistry.com/Chlorine-Benefits/Products-of-the-Chlorine-Tree.pdf	Figure of various chlorine uses		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	https://chlorine.americanchemistry.com/Background-Natural-chlorine-You-bet/	short discussion on how CCl4 is created	X			X		X		X	
Trade Associations	http://www.americanchemistry.com/Products/Technology/Phosgene/Phosgene-Safe-Practice-Guidelines/PDF/Emergency-Response.pdf	mentioned as a result when phosgene is heated		X		X		X		X	
Trade Associations	http://blog.americanchemistry.com/wp-content/uploads/2015/04/Grant-SOT-2015-Final.pdf	PowerPoint, CCL4 in one table with no data		X		X		X		X	
Trade Associations	https://www.americanchemistry.com/Products/Technology/Phosgene/Phosgene-Safe-Practice-Guidelines/PDF/Instruments.pdf	only mentioned as a result when phosgene is heated		X		X		X		X	
Trade Associations	https://chlorine.americanchemistry.com/Chlorine-Benefits/Economic-Benefits/Fluorocarbon-based-Products.pdf	review of economic benefits of chlorine	X			X		X		X	
Trade Associations	www.americanchemistry.com	emissions from cardle to gate life cycle assessment		X	X			X		X	
Trade Associations	www.americanchemistry.com	life cycle inventory of polystyrene foam and other food service products	X			X	X			X	
Trade Associations	asphaltroofing.org			X		X		X		X	
Trade Associations	http://www.canadianchemistry.ca/library/uploads/CIAC_RE20_Print_web2.pdf	reduction in use volume	X			X		X		X	
Trade Associations	http://www.canadianchemistry.ca/library/uploads/CIAC_RE20_Print_web2.pdf	replacement of TCE with another product	X			X		X		X	
Trade Associations	cefic-efra.com			X		X		X		X	
Trade Associations	cspa.org			X		X		X		X	
Trade Associations	ebfrip.org			X		X		X		X	
Trade Associations	jpma.org			X		X		X		X	
Trade Associations	pinfa.org			X		X		X		X	
Trade Associations	https://plasticpipe.org/pdf/tr-19_thermoplastic_pipe_for_transport_of_chemical.pdf	how chemicals react when using this type of piping	X			X		X		X	
Trade Associations	https://plasticpipe.org/pdf/tr-19_thermoplastic_pipe_for_transport_of_chemical.pdf	how chemicals react when using this type of piping	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	https://plasticpipe.org/pdf/tr-19_thermoplastic_pipe_for_transport_of_chemical.pdf	how chemicals react when using this type of piping	X			X		X		X	
Trade Associations	https://plasticpipe.org/pdf/tr-19_thermoplastic_pipe_for_transport_of_chemical.pdf	how chemicals react when using this type of piping	X			X		X		X	
Trade Associations	sips.org			X		X		X		X	
Trade Associations	socma.com			X		X		X		X	
Trade Associations	www.acmanet.org			X		X		X		X	
Trade Associations	www.afma.org			X		X		X		X	
Trade Associations	www.afsinc.org			X		X		X		X	
Trade Associations	www.afsinc.org	waste characterization from sand binder systems		X	X			X		X	
Trade Associations	www.aga.org			X		X		X		X	
Trade Associations	http://www.ahrinet.org/App_Content/ahrifiles/STANDARDS/AHRI/AHRI_2008_Appendix_C_to_700_2014.pdf	appendix C to AHRI standard		X		X		X		X	
Trade Associations	http://www.ahrinet.org/App_Content/ahrifiles/STANDARDS/AHRI/AHRI_2012_Appendix_D_to_700_2014.pdf	appendix D to AHRI standard		X		X		X		X	
Trade Associations	https://www.ahrinet.org/App_Content/ahrifiles/STANDARDS/AHRI/AHRI_2012_Appendix_D_to_700_2014.pdf	report on gas chromatography methods		X		X		X		X	
Trade Associations	http://www.ahrinet.org/App_Content/ahrifiles/MEMBER-CONTENT/ADVOCACY/REGULATORY/Notice_30_114pp_354K.pdf	federal register		X		X	X			X	
Trade Associations	https://www.ahrinet.org/App_Content/ahrifiles/MEMBER-CONTENT/ADVOCACY/REGULATORY/Notice_30_114pp_354K.pdf	toxicity of refrigerants		X		X		X		X	
Trade Associations	http://www.aluminum.org/sites/default/files/State%20Hand%20pin%20d%20Aluminum%20Fume%20Particles.pdf	guidelines for handling aluminum fines		X		X		X		X	
Trade Associations	www.ame.org			X		X		X		X	
Trade Associations	www.ansi.org			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes	
	URL	Annotation	Engineering		Fate		Exposure		Human Health			
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic		
Trade Associations	http://www.api.org/~media/Files/EHS/Clean_Water/GW_other/AnerobicBiodeqRateConstantRpt1998.pdf	report on anaerobic biodegradation of chemicals in groundwater		X	X				X		X	
Trade Associations	http://www.api.org/~media/Files/EHS/Health_Safety/Webinar_Session_2_Slides.zip?la=en	review of hazardous materials		X		X		X			X	
Trade Associations	www.ascouncil.org			X		X		X			X	
Trade Associations	www.awc.org			X		X		X			X	
Trade Associations	www.cancentral.com			X		X		X			X	
Trade Associations	http://www.chlorinated-solvents.eu/toolbox/report.asp?s=5&a=3&na=true	Mentions "Consumer uses of carbon tetrachloride are prohibited EU wide"		X		X		X			X	
Trade Associations	http://www.chlorinated-solvents.eu/index.php/need-help-ask-the-experts	ECSCA Need help? Ask the experts!		X		X		X			X	
Trade Associations	http://www.chlorinated-solvents.eu/index.php/regulatory-compliance/water-framework-directive	ECSCA Water Framework Directive		X		X		X			X	
Trade Associations	http://www.chlorinated-solvents.eu/index.php/ecsa-news-press-releases	ECSCA News & Press Releases		X		X		X			X	
Trade Associations	http://www.chlorinated-solvents.eu/index.php/regulatory-compliance	ECSCA Regulatory Compliance		X		X		X			X	
Trade Associations	http://www.chlorinated-solvents.eu/index.php/about-chlorinated-solvents/perchloroethylene-per	Perchloroethylene (PER)		X		X		X			X	
Trade Associations	http://www.chlorinated-solvents.eu/index.php/about-chlorinated-solvents	About Chlorinated Solvents		X		X		X			X	
Trade Associations	http://www.chlorinated-solvents.eu/index.php/about-chlorinated-solvents/methylene-chloride-dcm	Methylene chloride (DCM)		X		X		X			X	
Trade Associations	http://www.chlorinated-solvents.eu/index.php/links	ECSCA Links		X		X		X			X	
Trade Associations	http://www.chlorinated-solvents.eu/index.php/safety-technology/machine	ECSCA Recommendations on Machines & Suppliers		X		X		X			X	
Trade Associations	http://www.chlorinated-solvents.eu/index.php/safety-technology/esad	ECSCA Distribution (SQAS/ESAD)		X		X		X			X	
Trade Associations	http://www.chlorinated-solvents.eu/index.php/regulatory-compliance/reach	Authorization and Restriction of Chemicals); REACH; Only includes		X		X		X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	www.gasketfab.com			X		X		X		X	
Trade Associations	www.globalautomakers.org			X		X		X		X	
Trade Associations	www.gmaonline.org			X		X		X		X	
Trade Associations	http://www.hsia.org/applications/ODS%20report.pdf	deleting substances in solvent cleaning industry	X			X		X		X	
Trade Associations	www.irma.org			X		X		X		X	
Trade Associations	http://www.inda.org/subscrip/inj05_1/p41-47.pdf			X		X		X		X	
Trade Associations	http://www.inda.org/subscrip/inj04_1/departments.pdf			X		X		X		X	
Trade Associations	https://www.ipc.org/TM/2.3.3a.pdf			X		X		X		X	
Trade Associations	http://www.isri.org/docs/default-source/osha-safety/portable-fire-extinguishers-checklist.docx?sfvrsn=2			X		X		X		X	
Trade Associations	http://www.isri.org/docs/default-source/environment/isri-s-guidelines-for-appliance-recycling.pdf?sfvrsn=3			X		X		X		X	
Trade Associations	http://www.isri.org/docs/default-source/isri-section-c-rp-refrigerants-effectively-why-you-should-be-filgent.pdf?sfvrsn=2			X		X		X		X	
Trade Associations	www.issa.com			X		X		X		X	
Trade Associations	www.jpma.org			X		X		X		X	
Trade Associations	www.mema.org			X		X		X		X	
Trade Associations	www.nasf.org			X		X		X		X	
Trade Associations	www.nema.org			X		X		X		X	
Trade Associations	www.ngsa.org			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	www.nmpgroup.com			X		X		X		X	
Trade Associations	www.pei.org			X		X		X		X	
Trade Associations	www.personalcarecouncil.org			X		X		X		X	
Trade Associations	www.pmpa.org			X		X		X		X	
Trade Associations	http://www.powertoolinstitute.com/pti_pdfs/PTI_Safety_woodlathes.pdf			X		X		X		X	
Trade Associations	http://www.powertoolinstitute.com/pti_pdfs/PTI_Safety_electric_chain_saw.pdf			X		X		X		X	
Trade Associations	http://www.powertoolinstitute.com/pti_pdfs/PTI_Safety_heat_guns.pdf			X		X		X		X	
Trade Associations	http://www.powertoolinstitute.com/pti_pdfs/PTI_Safety_grinders.pdf			X		X		X		X	
Trade Associations	http://www.powertoolinstitute.com/pti_pdfs/PTI_Safety.pdf			X		X		X		X	
Trade Associations	www.printing.org			X		X		X		X	
Trade Associations	www.pstc.org			X		X		X		X	
Trade Associations	www.roofcoatings.org			X		X		X		X	
Trade Associations	www.sema.org			X		X		X		X	
Trade Associations	http://www.sme.org/MEMagazine/Article.aspx?id=84100&taxid=1443			X		X		X		X	
Trade Associations	http://www.sme.org/gboard/Files/MemberShip/Technical_Communities/Manufacturing_Education_and_Research/NAARC-1076.pdf	links to paid document		X		X		X		X	
Trade Associations	www.socma.com			X		X		X		X	
Trade Associations	www.steel.org			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	www.tcata.org			X		X		X		X	
Trade Associations	www.trsa.org			X		X		X		X	
Trade Associations	https://www.vinylsiding.org/wp-content/uploads/2014/02/Siding_with_the_Environment1.pdf			X		X		X		X	
Trade Associations	https://www.vinylsiding.org/wp-content/uploads/2015/01/Greenpaper.pdf			X		X		X		X	
Trade Associations	www.xpsa.com			X		X		X		X	
OPPT Hazard Characterizations	https://efmpub.epa.gov/oppt/hpv_hc_characterization.get_report_by_cas?doctype=2	OPPT Hazard Characterizations		X		X		X		X	
EHPV Program Submissions - Supporting Information	https://www.regulations.gov/docket?D=EPA-HQ-OPPT-2006-1020	EHPV Program Submissions - Supporting Information		X		X		X		X	
OPPT Risk-Based Prioritizations	https://iaspub.epa.gov/oppt/hpv/existchem_hpv_prioritizations.report	OPPT Risk-Based Prioritizations		X		X		X		X	
NIH LACTMED	https://toxnet.nlm.nih.gov/newtoxnet/lactmed.htm	NIH LACTMED		X		X		X		X	