

Laboratories Approved by EPA to Support UCMR 4



These laboratories met the application and Proficiency Testing (PT) criteria for the fourth Unregulated Contaminant Monitoring Rule (UCMR 4) Laboratory Approval Program for the Assessment Monitoring (AM) methods indicated. These laboratories can analyze UCMR 4 samples using only those methods next to their names. This approved laboratory list is subject to change. Laboratories that withdraw or fail to meet the method and program quality control requirements will be permanently removed from the list.

Laboratory Name	AM 1				AM 2	AM 3		
	Metals	Pesticides	SVOCs ¹	Alcohols	HAAs ²	Cyanotoxins		
Accurate Environmental Labs	EPA 200.8	EPA 525.3	EPA 530	EPA 541	-	EPA 544	EPA 545	EPA 546
Advanced Water Quality Assurance Laboratory	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	-	-	-
Alloway Environmental Testing	-	-	EPA 530	-	-	-	-	-
American Water Central Laboratory	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	EPA 544	EPA 545	EPA 546
Aqua Pennsylvania, Inc.	EPA 200.8	-	-	-	-	-	-	-
Babcock Laboratories, Inc.	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	EPA 544	EPA 545	EPA 546
Basic Laboratory, Inc.	EPA 200.8	-	-	-	-	-	-	-
BSK Associates	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3 EPA 557	EPA 544	EPA 545	EPA 546
Cel Analytical, Inc.	-	-	-	-	-	-	-	EPA 546
City of Houston Drinking Water Operations Laboratory	EPA 200.8	-	-	-	-	-	-	-
Edge Analytical, Inc.	EPA 200.8	-	EPA 530	EPA 541	EPA 552.3	-	-	-
Environmental Quality Laboratories, Inc.	-	-	-	EPA 541	EPA 552.3	-	-	EPA 546

Laboratory Name	Metals	Pesticides	SVOCs ¹	Alcohols	HAAs ²	Cyanotoxins		
						EPA 544	EPA 545	EPA 546
Eurofins Eaton Analytical, Inc. - CA	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	EPA 544	EPA 545	EPA 546
Eurofins Eaton Analytical, Inc. - IN	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	EPA 544	EPA 545	EPA 546
King County Environmental Laboratory	-	-	-	-	-	-	EPA 545	EPA 546
LCRA - Environmental Laboratory Services	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	EPA 544	EPA 545	EPA 546
Legend Technical Services	EPA 200.8	-	-	-	EPA 557	-	-	-
Los Angeles Department of Water and Power Water Quality Laboratory	EPA 200.8	EPA 525.3	-	EPA 541	EPA 552.3	-	-	EPA 546
McC Campbell Analytical, Inc	-	EPA 525.3	EPA 530	EPA 541	EPA 552.3	-	EPA 545	EPA 546
McCoy & McCoy Laboratories, Inc.	EPA 200.8	-	-	-	-	-	-	EPA 546
Microbac Laboratories, Inc.	EPA 200.8	-	-	EPA 541	EPA 552.3	-	-	-
Microbac Laboratories, Inc. - Ohio Valley	-	-	-	-	-	EPA 544	EPA 545	EPA 546
Moore Twining Associates, Inc.	EPA 200.8	-	-	-	-	-	-	-
New England Chromachem	-	-	-	-	EPA 552.3	-	-	-
New Jersey Department of Health - Environmental and Chemical Lab Svcs.	EPA 200.8	-	-	-	-	-	-	-
New Mexico Department of Health / Scientific Laboratory Division	EPA 200.8	-	-	-	-	-	-	-
Newport News Waterworks	EPA 200.8	-	-	-	-	-	-	EPA 546
Northeast Ohio Regional Sewer District Analytical Services	EPA 200.8	-	-	-	-	EPA 544	EPA 545	EPA 546

Laboratory Name	Metals	Pesticides	SVOCs ¹	Alcohols	HAAs ²	Cyanotoxins		
						EPA 544	EPA 545	EPA 546
Northern Lake Service, Inc.	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	EPA 544	EPA 545	EPA 546
Orange County Utilities Laboratory	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	EPA 544	EPA 545	EPA 546
Pace Analytical Services - Florida	EPA 200.8	-	EPA 530	-	-	-	EPA 545	EPA 546
PDC Laboratories, Inc.	EPA 200.8	-	-	-	-	-	EPA 545	-
Regional Water Authority	-	EPA 525.3	EPA 530	EPA 541	EPA 552.3	-	EPA 545	EPA 546
State Hygienic Laboratory at the University of Iowa - Ankeny	EPA 200.8	-	-	-	-	-	-	-
State Hygienic Laboratory at the University of Iowa - Coralville	-	-	EPA 530	EPA 541	-	-	EPA 545	EPA 546
Suburban Laboratories, Inc.	-	-	EPA 530	EPA 541	EPA 552.3	-	-	-
Suffolk County Water Authority Laboratory	EPA 200.8	EPA 525.3	EPA 530	EPA 541	-	-	-	-
Weck Laboratories, Inc.	EPA 200.8	-	EPA 530	EPA 541	EPA 552.3	EPA 544	EPA 545	EPA 546

End of List

¹ SVOCs - Semivolatile Organic Compounds

² HAAs - Haloacetic Acids

Large public water systems (PWSs) are required to use laboratories approved by EPA to analyze their UCMR 4 samples. EPA will arrange for samples from small PWSs to be analyzed by approved laboratories under contract to the agency. Laboratory participation in the approval program is voluntary, and is specific to laboratories analyzing samples for UCMR 4. The laboratories' approval status indicates they have demonstrated specific capabilities using the designated method(s).

PWSs are responsible for their UCMR 4 results, and must ensure that their laboratories are following the methods and meeting the quality assurance/quality control (QA/QC) criteria specified in UCMR 4. Laboratories must post sample analytical results and required QC data electronically via the Safe Drinking Water Accession and Review System (SDWARS) within 120 days of the sample collection date. EPA may revoke a laboratory's UCMR 4 approval status if the laboratory does not adhere to QA/QC procedures and criteria, or fails to post data to SDWARS in a timely and accurate manner. If EPA revokes approval, the laboratory's name will no longer appear on this list. Once approval has been revoked, it cannot be reinstated during the UCMR 4 monitoring period.

Please send questions to: UCMR_Lab_Approval@epa.gov

Laboratories Authorized by EPA to Analyze UCMR 4 Bromide and TOC Samples - Indicators for HAA Monitoring



These laboratories met the UCMR 4 Laboratory Approval Program application criteria and submitted documentation that they are authorized by their primacy state to analyze TOC and/or bromide compliance monitoring samples under the Stage 2 Disinfectants and Disinfection Byproducts Rule; the latter is a condition of UCMR 4. These laboratories can analyze UCMR 4 samples using only those methods. This laboratory list is subject to change. Laboratories that withdraw or fail to meet method and program quality control requirements will be permanently removed from the list.

Laboratory Name	Bromide	Total Organic Carbon
Accurate Environmental Labs	EPA 300.1	SM 5310 C
Advanced Environmental Laboratories, Inc. - Tampa	EPA 300.0 (Rev. 2.1)	SM 5310 B
Advanced Water Quality Assurance Laboratory	EPA 300.1	SM 5310 C
Alloway Environmental Testing	EPA 300.1	SM 5310 B
ALS - Middletown	EPA 300.1	SM 5310 B
American Water Central Laboratory	EPA 300.1	SM 5310 C
Aqua Pennsylvania, Inc.	EPA 300.1	SM 5310 C
Arkansas Department of Health Public Health Laboratory	EPA 300.1	SM 5310 C
Babcock Laboratories, Inc.	EPA 300.1	SM 5310 B
Basic Laboratory, Inc.	EPA 300.0 (Rev. 2.1)	SM 5310 C
BSK Associates	EPA 300.0 (Rev. 2.1) EPA 300.1	SM 5310 C
Chester Water Authority	-	SM 5310 C
City of Corpus Christi Water Utilities Laboratory	EPA 300.0 (Rev. 2.1)	SM 5310 C
City of Fort Worth Centralized Water and Wastewater Laboratory	EPA 300.1	SM 5310 B
City of Houston Drinking Water Operations Laboratory	EPA 300.0 (Rev. 2.1)	SM 5310 C

Laboratory Name	Bromide	Total Organic Carbon
City of Phoenix Water Services Laboratory	EPA 300.0 (Rev. 2.1)	SM 5310 C
City of Raleigh, EM Johnson Water Laboratory	EPA 300.1	SM 5310 C
City of Thornton Water Quality Laboratory	-	SM 5310 C
Edge Analytical, Inc.	EPA 300.1	SM 5310 B
EE&T	EPA 300.1	SM 5310 C
Environmental Quality Laboratories, Inc.	EPA 300.1	SM 5310 C
Eurofins Eaton Analytical, Inc. - CA	EPA 300.0 (Rev. 2.1)	SM 5310 C
Eurofins Eaton Analytical, Inc. - IN	EPA 300.0 (Rev. 2.1)	SM 5310 C
LCRA - Environmental Laboratory Services	EPA 300.0 (Rev. 2.1)	SM 5310 C
Los Angeles Department of Water and Power Water Quality Laboratory	EPA 300.0 (Rev. 2.1)	SM 5310 C
M.J. Reider Associates, Inc.	EPA 300.1	SM 5310 C
McCampbell Analytical, Inc	EPA 300.1	SM 5310 B EPA 415.3
McCoy & McCoy Laboratories, Inc.	EPA 300.1	SM 5310 C
Microbac Laboratories, Inc.	EPA 300.1	SM 5310 C
Middlesex Water Company	-	SM 5310 C
Neilson Research Corp.	EPA 300.1	SM 5310 C
New Jersey Department of Health - Environmental and Chemical Lab Svcs.	EPA 300.0 (Rev. 2.1)	-
Newport News Waterworks	EPA 300.1	SM 5310 B
Northeast Ohio Regional Sewer District Analytical Services	EPA 300.0 (Rev. 2.1)	SM 5310 B
Northern Lake Service, Inc.	EPA 300.0 (Rev. 2.1)	SM 5310 C

Laboratory Name	Bromide	Total Organic Carbon
Northglenn Water Treatment Facility Laboratory	-	SM 5310 C
Orange County Utilities Laboratory	EPA 300.1	SM 5310 C
Pace Analytical Services - Florida	EPA 300.0 (Rev. 2.1)	SM 5310 B
Pace Analytical Services, Inc.	EPA 300.0 (Rev. 2.1)	SM 5310 B
PDC Laboratories, Inc.	EPA 300.0 (Rev. 2.1)	SM 5310 C
PRASA Caguas Central Laboratory	-	SM 5310 C
Regional Water Authority	EPA 300.1	SM 5310 C
Rogers and Callcott Engineers	EPA 300.0 (Rev. 2.1)	SM 5310 B
State Hygienic Laboratory at the University of Iowa - Ankeny	EPA 300.1	SM 5310 B
Suburban Laboratories, Inc.	-	SM 5310 B
Suburban Testing Labs	EPA 300.1	SM 5310 C
Suffolk County Water Authority Laboratory	EPA 300.0 (Rev. 2.1)	SM 5310 C
Water Management Laboratories, Inc	EPA 300.1	SM 5310 C
Weck Laboratories, Inc.	EPA 300.0 (Rev. 2.1)	SM 5310 C

End of List

Large public water systems (PWSs) are required to use laboratories approved by EPA to analyze their UCMR 4 samples. EPA will arrange for samples from small PWSs to be analyzed by approved laboratories under contract to the agency. Laboratory participation in the approval program is voluntary, and is specific to laboratories analyzing samples for UCMR 4. The laboratories' approval status indicates they have demonstrated specific capabilities using the designated method(s).

PWSs are responsible for their UCMR 4 results, and must ensure that their laboratories are following the methods and meeting the quality assurance/quality control (QA/QC) criteria specified in UCMR 4. Laboratories must post sample analytical results and required QC data electronically via the Safe Drinking Water Accession and Review System (SDWARS) within 120 days of the sample collection date. EPA may revoke a laboratory's UCMR 4 approval status if the laboratory does not adhere to QA/QC procedures and criteria, or fails to post data to SDWARS in a timely and accurate manner. If EPA revokes approval, the laboratory's name will no longer appear on this list. Once approval has been revoked, it cannot be reinstated during the UCMR 4 monitoring period.

Please send questions to: UCMR_Lab_Approval@epa.gov

Contact Information for EPA-Approved and/or Authorized UCMR 4 Laboratories

See the preceding tables to identify those laboratories that are approved and/or authorized to perform UCMR 4 and HAA indicator (Bromide and TOC) methods.

Accurate Environmental Labs

Commercial work: Yes
505 S Lowry
Stillwater, OK 74074
(405) 372-5300
danny@accuratelabs.com
www.accuratelabs.com

Advanced Environmental Laboratories, Inc. - Tampa

Commercial work: Yes
9610 Princess Palm Ave
Tampa, FL 33619
(813) 630-9616

Advanced Water Quality Assurance Laboratory

Commercial work: No
18700 Ward St
Fountain Valley, CA 92708
(714) 378-3347
lyoo@ocwd.com
www.ocwd.com

Allway Environmental Testing

Commercial work: Yes
1776 Marion Waldo Rd
Marion, OH 43302
(740) 389-5991

ALS - Middletown

Commercial work: Yes
34 Dogwood Ln
Middletown, PA 17057

American Water Central Laboratory

Commercial work: Yes
1115 South Illinois St
Belleville, IL 62220
(618) 235-3600
document@amwater.com
www.amwater.com

Aqua Pennsylvania, Inc.

Commercial work: Yes
762 W. Lancaster Ave
Bryn Mawr, PA 19010
(610) 525-1400

Arkansas Department of Health Public Health Laboratory

Commercial work: No
201 South Monroe St
Little Rock, AR 72205
(501) 280-4079

Babcock Laboratories, Inc.

Commercial work: Yes
6100 Quail Valley Ct
Riverside, CA 92507
(951) 653-3351
ucmr@babcocklabs.com
www.babcocklabs.com

Basic Laboratory, Inc.

Commercial work: Yes
2218 Railroad Ave
Redding, CA 96001
(530) 243-7234
info@basiclab.com
www.basiclab.com

BSK Associates

Commercial work: Yes
 1414 Stanislaus St
 Fresno, CA 93706
 (559) 497-2888
 mbrechmann@bskassociates.com
 www.bskassociates.com

Cel Analytical, Inc.

Commercial work: Yes
 82 Mary St, Ste 2
 San Francisco, CA 94103
 (415) 882-1690
 yeggie@celanalytical.com
 www.celanalytical.com

Chester Water Authority

Commercial work: No
 100 Ashville Rd
 Nottingham, PA 19362
 (717) 529-2244

City of Corpus Christi Water Utilities Laboratory

Commercial work: Yes
 P.O. Box 9277
 Corpus Christi, TX 78469
 (361) 826-1200
 marisaj@cctexas.com

City of Fort Worth Centralized Water and Wastewater Laboratory

Commercial work: Yes
 2600 S. E. Loop 820
 Fort Worth, TX 76140
 (817) 392-5900

City of Houston Drinking Water Operations Laboratory

Commercial work: No
 2300 Federal Rd
 Houston, TX 77015
 (832) 395-6024

City of Phoenix Water Services Laboratory

Commercial work: Yes
 2474 South 22nd Ave
 Phoenix, AZ 85009
 (602) 534-2960
 jennifer.calles@phoenix.gov

City of Raleigh, EM Johnson Water Laboratory

Commercial work: No
 P.O. Box 590
 Raleigh, NC 27602
 (919) 996-3175
 Vannessa.Barnes@raleighnc.gov
 www.raleighnc.gov

City of Thornton Water Quality Laboratory

Commercial work: No
 9500 Civic Center Dr
 Thornton, CO 80229
 (303) 255-7776
 waterquality@cityofthornton.net
<http://www.cityofthornton.net/government/infrastructure/water/Pages/water-quality.aspx>

Edge Analytical, Inc.

Commercial work: Yes
 1620 S Walnut St
 Burlington, WA 98233
 (360) 757-1400

EE&T

Commercial work: Yes
712 Gum Rock Ct
Newport News, VA 23606

Environmental Quality Laboratories, Inc.

Commercial work: Yes
PO Box 11458
Santurce, PR 009101458
(787) 288-6420
info@eqlab.com
eqlab.com

Eurofins Eaton Analytical, Inc. - CA

Commercial work: Yes
750 Royal Oaks Dr; Ste 100
Monrovia, CA 91016
(800) 566-5227
us20_sales@eurofinsus.com
www.eurofinsus.com/eaton

Eurofins Eaton Analytical, Inc. - IN

Commercial work: Yes
110 S. Hill St
South Bend, IN 46617
(800) 332-4345
us20_sales@eurofinsus.com
www.EurofinsUS.com/Eaton

King County Environmental Laboratory

Commercial work: Yes
322 West Ewing St
Seattle, WA 98119
(206) 477-7117

LCRA - Environmental Laboratory Services

Commercial work: Yes
3505 Montopolis Dr
Austin, TX 78744
(512) 730-6022
Environmental.Lab@lcra.org
<http://els.lcra.org>

Legend Technical Services

Commercial work: Yes
17631 N. 25th Ave
Phoenix, AZ 85023
(602) 324-6103

**Los Angeles Department of Water and Power
Water Quality Laboratory**

Commercial work: No
555 East Walnut St
Pasadena, CA 91101
(213) 367-8523
ron.dergrigorian@ladwp.com

M.J. Reider Associates, Inc.

Commercial work: Yes
107 Angelica St
Reading, PA 19611

McCampbell Analytical, Inc

Commercial work: Yes
1534 Willow Pass Rd
Pittsburg, CA 94565
(925) 252-9262
main@mccampbell.com
www.mccampbell.com

McCoy & McCoy Laboratories, Inc.

Commercial work: Yes
PO Box 907
Madisonville, KY 42431
(270) 821-7375
brett@mccoyslabs.com
www.mccoyslabs.com

Microbac Laboratories, Inc.

Commercial work: Yes
61 Louisa Viens Dr
Dayville, CT 06241
(860) 774-6814
ucmr4@microbac.com
www.microbac.com

Microbac Laboratories, Inc. - Ohio Valley

Commercial work: Yes
158 Starlite Dr
Marietta, OH 45750
(800) 373-4071

Middlesex Water Company

Commercial work: No
100 Fairview Ave
Edison, NJ 08817

Moore Twining Associates, Inc.

Commercial work: Yes
2527 Fresno St
Fresno, CA 93721
(559) 268-7021

Neilson Research Corp.

Commercial work: Yes
245 S. Grape St
Medford, OR 97501
(541) 770-5678
TKreutzer@nrclabs.com
www.nrclabs.com

New England Chromachem

Commercial work: Yes
6 Nichols St
Salem, MA 01970
(978) 744-6600

**New Jersey Department of Health -
Environmental and Chemical Lab Svcs.**

Commercial work: Yes
PO Box 360
Trenton, NJ 08625
(609) 530-2801

**New Mexico Department of Health / Scientific
Laboratory Division**

Commercial work: Yes
1101 Camino de Salud, NE
Albuquerque, NM 87102
(505) 393-9030

Newport News Waterworks

Commercial work: No
3629 G. W. Mem. Hwy
Yorktown, VA 23693

**Northeast Ohio Regional Sewer District
Analytical Services**

Commercial work: Yes
4747 East 49th St
Cuyahoga Hts., OH 44125
(216) 641-6000
citrigliam@neorsd.org
<https://new.neorsd.org/>

Northern Lake Service, Inc.

Commercial work: Yes
400 North Lake Ave
Crandon, WI 54520
(715) 478-2777
andyo@nlslab.com
<http://www.nlslab.com>

Northglenn Water Treatment Facility Laboratory

Commercial work: No
2350 W. 112th Ave
Northglenn, CO 80234
(303) 450-4053

Orange County Utilities Laboratory

Commercial work: Yes
9124 Curry Ford Rd
Orlando, FL 32825
(407) 254-9550
scott.rampenthal@ocfl.net

Pace Analytical Services - Florida

Commercial work: Yes
8 East Tower Cir
Ormond Beach, FL 32174
(386) 672-5668
drinkingwater@pacelabs.com
<https://www.pacelabs.com/>

Pace Analytical Services, Inc.

Commercial work: Yes
575 Broad Hollow Rd
Melville, NY 11747
(631) 694-3040

PDC Laboratories, Inc.

Commercial work: Yes
2231 W. Altorfer Dr
Peoria, IL 61615
(309) 683-1724
sraper@pdclab.com
<http://www.pdclab.com>

PRASA Caguas Central Laboratory

Commercial work: No
PO Box 5789
Caguas, PR 00726
(787) 746-1925

Regional Water Authority

Commercial work: Yes
90 Sargent Dr
New Haven, CT 06511
(203) 401-2700

Rogers and Callcott Engineers

Commercial work: Yes
PO Box 5655
Greenville, SC 29606
(864) 232-1556
info@rogersandcallcott.com
www.rogersandcallcott.com

State Hygienic Laboratory at the University of Iowa - Ankeny

Commercial work: Yes
2220 S. Ankeny Blvd
Ankeny, IA 50023

State Hygienic Laboratory at the University of Iowa - Coralville

Commercial work: Yes
2490 Crosspark Rd
Coralville, IA 52241

Suburban Laboratories, Inc.

Commercial work: Yes
1950 S Batavia Ave, Ste 150
Geneva, IL 60134
(708) 544-3260
info@suburbanlabs.com
http://suburbanlabs.com/

Suburban Testing Labs

Commercial work: Yes
1037F MacArthur Rd
Reading, PA 19605
(610) 375-8378
Ucmr4@suburbantestinglabs.com
www.suburbantestinglabs.com

Suffolk County Water Authority Laboratory

Commercial work: No
260 Motor Pkwy
Hauppauge, NY 11788
(631) 563-0259

www.scwa.com

Water Management Laboratories, Inc

Commercial work: Yes
1515 80th St, E.
Tacoma, WA 98404
(253) 531-3121

Weck Laboratories, Inc.

Commercial work: Yes
14859 E. Clark Ave
Industry, CA 91745
(626) 336-2139
info@wecklabs.com
www.wecklabs.com

End of List