

Laboratories Approved by EPA to Support UCMR 4



These laboratories met the application and Proficiency Testing (PT) criteria for the fourth Unregulated Contaminant Monitoring Rule (UCMR 4) Laboratory Approval Program for the Assessment Monitoring (AM) methods indicated. These laboratories can analyze UCMR 4 samples using only those methods next to their names. This approved laboratory list is subject to change. Laboratories that withdraw or fail to meet the method and program quality control requirements will be permanently removed from the list.

Laboratory Name	AM 1 Metals	AM 1 Pesticides	AM 1 SVOCs ¹	AM 1 Alcohols	AM 2 HAAs ²	AM 3 Cyanotoxins	AM 3 Cyanotoxins	AM 3 Cyanotoxins
Accurate Environmental Labs	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	EPA 544	EPA 545	EPA 546
Advanced Water Quality Assurance Laboratory	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	-	-	-
Alloway Environmental Testing	-	EPA 525.3	EPA 530	EPA 541	-	-	-	EPA 546
ALS - Middletown	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	-	-	EPA 546
American Water Central Laboratory	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	EPA 544	EPA 545	EPA 546
Anatek Labs, Inc.	EPA 200.8	-	EPA 530	EPA 541	EPA 552.3	-	-	-
Aqua Pennsylvania, Inc.	EPA 200.8	-	-	-	-	-	-	-
Arkansas Department of Health Public Health Laboratory	EPA 200.8	-	-	-	EPA 552.3	-	-	-
Babcock Laboratories, Inc.	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	EPA 544	EPA 545	EPA 546
Basic Laboratory, Inc.	EPA 200.8	-	-	-	EPA 552.3	-	-	-
BSK Associates	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3 EPA 557	EPA 544	EPA 545	EPA 546
Cel Analytical, Inc.	-	-	-	-	-	-	-	EPA 546

Laboratory Name	AM 1 Metals	AM 1 Pesticides	AM 1 SVOCs ¹	AM 1 Alcohols	AM 2 HAAs ²	AM 3 Cyanotoxins	AM 3 Cyanotoxins	AM 3 Cyanotoxins
City of Houston Drinking Water Operations Laboratory	EPA 200.8	-	EPA 530	-	-	-	EPA 545	EPA 546
City of Phoenix Water Services Laboratory	EPA 200.8	-	-	EPA 541	EPA 552.3	EPA 544	EPA 545	EPA 546
Edge Analytical, Inc.	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	-	-	-
Environmental Quality Laboratories, Inc.	-	EPA 525.3	EPA 530	EPA 541	EPA 552.3	-	-	EPA 546
Eurofins Eaton Analytical, Inc. - CA	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	EPA 544	EPA 545	EPA 546
Eurofins Eaton Analytical, Inc. - IN	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	EPA 544	EPA 545	EPA 546
GreenWater Laboratories	-	-	-	-	-	-	EPA 545	EPA 546
King County Environmental Laboratory	-	-	-	-	-	EPA 544	EPA 545	EPA 546
LCRA - Environmental Laboratory Services	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	EPA 544	EPA 545	EPA 546
Legend Technical Services	EPA 200.8	-	-	-	EPA 557	-	-	-
Long Beach Water Department Water Quality Laboratory	-	-	-	-	EPA 552.3	-	-	EPA 546
Los Angeles Department of Water and Power Water Quality Laboratory	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	-	-	EPA 546
McCampbell Analytical, Inc	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	EPA 544	EPA 545	EPA 546
McCoy & McCoy Laboratories, Inc.	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	EPA 544	EPA 545	EPA 546
Microbac Laboratories, Inc.	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	-	-	-

Laboratory Name	AM 1 Metals	AM 1 Pesticides	AM 1 SVOCs ¹	AM 1 Alcohols	AM 2 HAAs ²	AM 3 Cyanotoxins	AM 3 Cyanotoxins	AM 3 Cyanotoxins
Microbac Laboratories, Inc. - Ohio Valley	-	-	-	-	-	EPA 544	EPA 545	EPA 546
Moore Twining Associates, Inc.	EPA 200.8	-	-	-	-	-	-	-
New England Chromachem	-	-	-	-	EPA 552.3	-	-	-
New Jersey Department of Health - Environmental and Chemical Lab Svcs.	EPA 200.8	-	-	-	-	-	-	-
New Mexico Department of Health / Scientific Laboratory Division	EPA 200.8	-	-	-	-	-	-	EPA 546
Newport News Waterworks	EPA 200.8	-	-	-	-	-	-	EPA 546
Northeast Ohio Regional Sewer District Analytical Services	EPA 200.8	-	-	-	-	EPA 544	EPA 545	EPA 546
Northern Lake Service, Inc.	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	EPA 544	EPA 545	EPA 546
Orange County Utilities Laboratory	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	EPA 544	EPA 545	EPA 546
Pace Analytical Services - Florida	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	EPA 544	EPA 545	EPA 546
Pace Analytical Services - Long Island, NY	EPA 200.8	EPA 525.3	-	-	EPA 552.3	-	-	-
PDC Laboratories, Inc.	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	EPA 544	EPA 545	EPA 546
Regional Water Authority New Haven	-	EPA 525.3	EPA 530	EPA 541	EPA 552.3	EPA 544	EPA 545	EPA 546
State Hygienic Laboratory at the University of Iowa - Ankeny	EPA 200.8	-	-	-	-	-	-	-
State Hygienic Laboratory at the University of Iowa - Coralville	-	-	EPA 530	EPA 541	EPA 552.3	-	EPA 545	EPA 546

Laboratory Name	AM 1 Metals	AM 1 Pesticides	AM 1 SVOCs ¹	AM 1 Alcohols	AM 2 HAAs ²	AM 3 Cyanotoxins	AM 3 Cyanotoxins	AM 3 Cyanotoxins
Suburban Laboratories, Inc.	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	-	-	EPA 546
Suburban Testing Labs	EPA 200.8	-	-	-	EPA 552.3	-	-	EPA 546
Suffolk County Water Authority Laboratory	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	-	-	-
Utah Public Health Laboratory	EPA 200.8	-	EPA 530	-	-	-	-	-
Water Management Laboratories, Inc	EPA 200.8	-	-	-	EPA 552.3	-	EPA 545	EPA 546
Weck Laboratories, Inc.	EPA 200.8	EPA 525.3	EPA 530	EPA 541	EPA 552.3	EPA 544	EPA 545	EPA 546

End of List

¹ SVOCs - Semivolatile Organic Compounds

² HAAs - Haloacetic Acids

Large public water systems (PWSs) are required to use laboratories approved by EPA to analyze their UCMR 4 samples. EPA will arrange for samples from small PWSs to be analyzed by approved laboratories under contract to the agency. Laboratory participation in the approval program is voluntary, and is specific to laboratories analyzing samples for UCMR 4. The laboratories' approval status indicates they have demonstrated specific capabilities using the designated method(s).

PWSs are responsible for their UCMR 4 results, and must ensure that their laboratories are following the methods and meeting the quality assurance/quality control (QA/QC) criteria specified in UCMR 4. Laboratories must post sample analytical results and required QC data electronically via the Safe Drinking Water Accession and Review System (SDWARS) within 120 days of the sample collection date. EPA may revoke a laboratory's UCMR 4 approval status if the laboratory does not adhere to QA/QC procedures and criteria, or fails to post data to SDWARS in a timely and accurate manner. If EPA revokes approval, the laboratory's name will no longer appear on this list. Once approval has been revoked, it cannot be reinstated during the UCMR 4 monitoring period.

Please send questions to: UCMR_Lab_Approval@epa.gov

Laboratories Authorized by EPA to Analyze UCMR 4 Bromide and TOC Samples - Indicators for HAA Monitoring



These laboratories met the UCMR 4 Laboratory Approval Program application criteria and submitted documentation that they are authorized by their primacy state to analyze TOC and/or bromide compliance monitoring samples under the Stage 2 Disinfectants and Disinfection Byproducts Rule; the latter is a condition of UCMR 4. These laboratories can analyze UCMR 4 samples using only those methods. This laboratory list is subject to change. Laboratories that withdraw or fail to meet method and program quality control requirements will be permanently removed from the list.

Laboratory Name	Bromide	Total Organic Carbon
Accurate Environmental Labs	EPA 300.1	SM 5310 C
Advanced Environmental Laboratories, Inc. - Tampa	EPA 300.0 (Rev. 2.1)	SM 5310 B
Advanced Water Quality Assurance Laboratory	EPA 300.1	SM 5310 C
Alloway Environmental Testing	EPA 300.1	SM 5310 B
ALS - Middletown	EPA 300.1	SM 5310 B
American Water Central Laboratory	EPA 300.1	SM 5310 C
Ana-Lab Corporation	EPA 300.0 (Rev. 2.1)	SM 5310 C
Antelope Valley-East Kern Water Agency	EPA 300.1	SM 5310 C
Appalachian States Analytical		SM 5310 C
Aqua Pennsylvania, Inc.	EPA 300.1	SM 5310 C
Arkansas Department of Health Public Health Laboratory	EPA 300.1	SM 5310 C
Babcock Laboratories, Inc.	EPA 300.1	SM 5310 B
Basic Laboratory, Inc.	EPA 300.0 (Rev. 2.1)	SM 5310 C
Brick Utilities Laboratory	EPA 300.1	SM 5310 C
BSK Associates	EPA 300.0 (Rev. 2.1) EPA 300.1	SM 5310 C

Laboratory Name	Bromide	Total Organic Carbon
Chester Water Authority		SM 5310 C
City and County of Broomfield Environmental Laboratory	EPA 300.0 (Rev. 2.1)	SM 5310 C
City of Arlington Water Utilities Laboratory Services	EPA 300.0 (Rev. 2.1)	SM 5310 B
City of Boulder Drinking Water Laboratory		SM 5310 C
City of Corpus Christi Water Utilities Laboratory	EPA 300.0 (Rev. 2.1)	SM 5310 C
City of Fort Worth Centralized Water and Wastewater Laboratory	EPA 300.1	SM 5310 B
City of Golden		SM 5310 C
City of Houston Drinking Water Operations Laboratory	EPA 300.0 (Rev. 2.1)	SM 5310 C
City of Oklahoma City Water Quality Laboratory		SM 5310 C
City of Phoenix Water Services Laboratory	EPA 300.0 (Rev. 2.1)	SM 5310 C
City of Raleigh, EM Johnson Water Laboratory	EPA 300.1	SM 5310 C
City of Thornton Water Quality Laboratory		SM 5310 C
Denver Water WQ Laboratory	EPA 300.0 (Rev. 2.1)	SM 5310 C
Eastern Analytical, Inc.		SM 5310 C
Edge Analytical, Inc.	EPA 300.1	SM 5310 B
EE&T	EPA 300.1	SM 5310 C
Environmental Quality Laboratories, Inc.	EPA 300.1	SM 5310 C
Eurofins Eaton Analytical, Inc. - CA	EPA 300.0 (Rev. 2.1)	SM 5310 C
Eurofins Eaton Analytical, Inc. - IN	EPA 300.0 (Rev. 2.1)	SM 5310 C
Georgetown County Water and Sewer District		SM 5310 C

Laboratory Name	Bromide	Total Organic Carbon
LCRA - Environmental Laboratory Services	EPA 300.0 (Rev. 2.1)	SM 5310 C
Legend Technical Services		SM 5310 C
Los Angeles Department of Water and Power Water Quality Laboratory	EPA 300.0 (Rev. 2.1)	SM 5310 C
M.J. Reider Associates, Inc.	EPA 300.1	SM 5310 C
McCampbell Analytical, Inc	EPA 300.1	SM 5310 B EPA 415.3
McCoy & McCoy Laboratories, Inc.	EPA 300.1	SM 5310 C
Microbac Laboratories, Inc.	EPA 300.1	SM 5310 C
Middlesex Water Company		SM 5310 C
Mohawk View Laboratory		SM 5310 C
MWRA Central Laboratory	EPA 300.1	SM 5310 B
Neilson Research Corp.	EPA 300.1	SM 5310 C
New England Chromachem	EPA 300.0 (Rev. 2.1)	SM 5310 C
New England Testing Lab		SM 5310 C
New Jersey Department of Health - Environmental and Chemical Lab Svcs.	EPA 300.0 (Rev. 2.1)	-
Newport News Waterworks	EPA 300.1	SM 5310 B
Northeast Ohio Regional Sewer District Analytical Services	EPA 300.0 (Rev. 2.1) EPA 300.1	SM 5310 B
Northern Lake Service, Inc.	EPA 300.0 (Rev. 2.1)	SM 5310 C
Northglenn Water Treatment Facility Laboratory		SM 5310 C
Orange County Utilities Laboratory	EPA 300.1	SM 5310 C
Pace Analytical Services - Florida	EPA 300.1	SM 5310 B

Laboratory Name	Bromide	Total Organic Carbon
Pace Analytical Services - Long Island, NY	EPA 300.0 (Rev. 2.1)	SM 5310 B
Parker Water and Sanitation District Laboratory	EPA 300.1	SM 5310 C
PDC Laboratories, Inc.	EPA 300.0 (Rev. 2.1)	SM 5310 C
Philadelphia Water Department, Bureau of Laboratory Services	EPA 300.0 (Rev. 2.1)	SM 5310 B
PRASA Caguas Central Laboratory		SM 5310 C
Regional Water Authority New Haven	EPA 300.1	SM 5310 C
Rogers and Callcott Engineers		SM 5310 B
SGS Accutest Inc. - Wheat Ridge		SM 5310 C
State Hygienic Laboratory at the University of Iowa - Ankeny	EPA 300.1	SM 5310 B
Suburban Laboratories, Inc.		SM 5310 B
Suburban Testing Labs	EPA 300.1	SM 5310 C
Suffolk County Water Authority Laboratory	EPA 300.0 (Rev. 2.1)	SM 5310 C
Swann Water Treatment Plant		SM 5310 C
Utah Public Health Laboratory	EPA 300.1	SM 5310 B
Ute Water Conservancy District Laboratory	EPA 300.0 (Rev. 2.1)	SM 5310 C
Water Management Laboratories, Inc	EPA 300.1	SM 5310 C
Weck Laboratories, Inc.	EPA 300.0 (Rev. 2.1) EPA 300.1	SM 5310 B SM 5310 C

End of List

Large public water systems (PWSs) are required to use laboratories approved by EPA to analyze their UCMR 4 samples. EPA will arrange for samples from small PWSs to be analyzed by approved laboratories under contract to the agency. Laboratory participation in the approval program is voluntary, and is specific to laboratories analyzing samples for UCMR 4. The laboratories' approval status indicates they have demonstrated specific capabilities using the designated method(s).

PWSs are responsible for their UCMR 4 results, and must ensure that their laboratories are following the methods and meeting the quality assurance/quality control (QA/QC) criteria specified in UCMR 4. Laboratories must post sample analytical results and required QC data electronically via the Safe Drinking Water Accession and Review System (SDWARS) within 120 days of the sample collection date. EPA may revoke a laboratory's UCMR 4 approval status if the laboratory does not adhere to QA/QC procedures and criteria, or fails to post data to SDWARS in a timely and accurate manner. If EPA revokes approval, the laboratory's name will no longer appear on this list. Once approval has been revoked, it cannot be reinstated during the UCMR 4 monitoring period.

Please send questions to: UCMR_Lab_Approval@epa.gov

Contact Information for EPA-Approved and/or Authorized UCMR 4 Laboratories

See the preceding tables to identify those laboratories that are approved and/or authorized to perform UCMR 4 and HAA indicator (Bromide and TOC) methods.

Accurate Environmental Labs

Commercial work: Yes
 505 S Lowry
 Stillwater, OK 74074
 (405) 372-5300
 danny@accuratelabs.com
 www.accuratelabs.com

Advanced Environmental Laboratories, Inc. - Tampa

Commercial work: Yes
 9610 Princess Palm Ave
 Tampa, FL 33619
 (813) 630-9616
 hparker@aellab.com
 www.aellab.com

Advanced Water Quality Assurance Laboratory

Commercial work: No
 18700 Ward St
 Fountain Valley, CA 92708
 (714) 378-3347
 lyoo@ocwd.com
 www.ocwd.com

Alloway Environmental Testing

Commercial work: Yes
 1776 Marion Waldo Rd
 Marion, OH 43302
 (740) 389-5991

ALS - Middletown

Commercial work: Yes
 34 Dogwood Ln
 Middletown, PA 17057

American Water Central Laboratory

Commercial work: Yes
 1115 South Illinois St
 Belleville, IL 62220
 (618) 235-3600
 document@amwater.com
 www.amwater.com

Ana-Lab Corporation

Commercial work: No
 PO Box 9000
 Kilgore, TX 756639000

Anatek Labs, Inc.

Commercial work: No
 1282 Alturas Dr
 Moscow, ID 83843
 (208) 883-2839

Antelope Valley-East Kern Water Agency

Commercial work: No
 6500 West Avenue N
 Palmdale, CA 93551
 (661) 943-3201

Appalachian States Analytical

Commercial work: No
 P.O. Box 520
 Shelbiana, KY 41562
 (606) 437-5616

Aqua Pennsylvania, Inc.

Commercial work: Yes
 762 W. Lancaster Ave
 Bryn Mawr, PA 19010
 (610) 525-1400

Arkansas Department of Health Public Health Laboratory

Commercial work: No
 201 South Monroe St
 Little Rock, AR 72205
 (501) 280-4079

Babcock Laboratories, Inc.

Commercial work: Yes
 6100 Quail Valley Ct
 Riverside, CA 92507
 (951) 653-3351
 ucmr@babcocklabs.com
 www.babcocklabs.com

Basic Laboratory, Inc.

Commercial work: Yes
 2218 Railroad Ave
 Redding, CA 96001
 (530) 243-7234
 info@basiclab.com
 www.basiclab.com

Brick Utilities Laboratory

Commercial work: No
 1551 Route 88 West
 Brick, NJ 08724

BSK Associates

Commercial work: Yes
 1414 Stanislaus St
 Fresno, CA 93706
 (559) 497-2888
 mbrechmann@bskassociates.com
 www.bskassociates.com

Cel Analytical, Inc.

Commercial work: Yes
 82 Mary St, Ste 2
 San Francisco, CA 94103
 (415) 882-1690
 yeggie@celanalytical.com
 www.celanalytical.com

Chester Water Authority

Commercial work: No
 100 Ashville Rd
 Nottingham, PA 19362
 (717) 529-2244

City and County of Broomfield Environmental Laboratory

Commercial work: No
 4395 W. 144th Ave.
 Broomfield, CO 80023

City of Arlington Water Utilities Laboratory Services

Commercial work: No
 1901B Lakewood Dr
 Arlington, TX 76013
 (817) 575-8984

City of Boulder Drinking Water Laboratory

Commercial work: No
 5605 N. 63rd St
 Boulder, CO 80301

City of Corpus Christi Water Utilities Laboratory

Commercial work: Yes
 P.O. Box 9277
 Corpus Christi, TX 78469
 (361) 826-1200
 marisaj@cctexas.com

City of Fort Worth Centralized Water and Wastewater Laboratory

Commercial work: Yes
 2600 S. E. Loop 820
 Fort Worth, TX 76140
 (817) 392-5900

City of Golden

Commercial work: No
 1445 10th St
 Golden, CO 80401
 (303) 384-8181

City of Houston Drinking Water Operations Laboratory

Commercial work: No
 2300 Federal Rd
 Houston, TX 77015
 (832) 395-6024

City of Oklahoma City Water Quality Laboratory

Commercial work: No
 3827 West Hefner Rd
 Oklahoma City, OK 73120

City of Phoenix Water Services Laboratory

Commercial work: Yes
 2474 South 22nd Ave
 Phoenix, AZ 85009
 (602) 534-2960
 jennifer.calles@phoenix.gov

City of Raleigh, EM Johnson Water Laboratory

Commercial work: No
 P.O. Box 590
 Raleigh, NC 27602
 (919) 996-3175
 Vannessa.Barnes@raleighnc.gov
 www.raleighnc.gov

City of Thornton Water Quality Laboratory

Commercial work: No
 9500 Civic Center Dr
 Thornton, CO 80229
 (303) 255-7776
 waterquality@cityofthornton.net
<http://www.cityofthornton.net/government/infrastructure/water/Pages/water-quality.aspx>

Denver Water WQ Laboratory

Commercial work: No
 6100 W Quincy Ave
 Denver, CO 80235
 (303) 628-6044

Eastern Analytical, Inc.

Commercial work: Yes
25 Chenell Dr
Concord, NH 03301
(603) 228-0525
Jenns@eailabs.com
<http://easternanalytical.com>

EE&T

Commercial work: Yes
712 Gum Rock Ct
Newport News, VA 23606

Eurofins Eaton Analytical, Inc. - CA

Commercial work: Yes
750 Royal Oaks Dr; Ste 100
Monrovia, CA 91016
(800) 566-5227
us20_sales@eurofinsus.com
www.eurofinsus.com/eaton

Georgetown County Water and Sewer District

Commercial work: No
P. O. Box 2730
Pawleys Island, SC 29585
(843) 546-8408

King County Environmental Laboratory

Commercial work: Yes
322 West Ewing St
Seattle, WA 98119
(206) 477-7117

Edge Analytical, Inc.

Commercial work: Yes
1620 S Walnut St
Burlington, WA 98233
(360) 757-1400

Environmental Quality Laboratories, Inc.

Commercial work: Yes
PO Box 11458
Santurce, PR 009101458
(787) 288-6420
info@eqlab.com
eqlab.com

Eurofins Eaton Analytical, Inc. - IN

Commercial work: Yes
110 S. Hill St
South Bend, IN 46617
(800) 332-4345
us20_sales@eurofinsus.com
www.EurofinsUS.com/Eaton

GreenWater Laboratories

Commercial work: Yes
205 Zeagler Dr, Ste 302
Palatka, FL 32177

LCRA - Environmental Laboratory Services

Commercial work: Yes
3505 Montopolis Dr
Austin, TX 78744
(512) 730-6022
Environmental.Lab@lcra.org
<http://els.lcra.org>

Legend Technical Services

Commercial work: Yes
17631 N. 25th Ave
Phoenix, AZ 85023
(602) 324-6103

**Los Angeles Department of Water and Power
Water Quality Laboratory**

Commercial work: No
555 East Walnut St
Pasadena, CA 91101
(213) 367-8523
ron.dergrigorian@ladwp.com

McCampbell Analytical, Inc

Commercial work: Yes
1534 Willow Pass Rd
Pittsburg, CA 94565
(925) 252-9262
main@mccampbell.com
www.mccampbell.com

Microbac Laboratories, Inc.

Commercial work: Yes
61 Louisa Viens Dr
Dayville, CT 06241
(860) 774-6814
ucmr4@microbac.com
www.microbac.com

Middlesex Water Company

Commercial work: No
100 Fairview Ave
Edison, NJ 08817

**Long Beach Water Department Water Quality
Laboratory**

Commercial work: No
2950 Redondo Ave
Long Beach, CA 90806
(562) 570-2482

M.J. Reider Associates, Inc.

Commercial work: Yes
107 Angelica St
Reading, PA 19611

McCoy & McCoy Laboratories, Inc.

Commercial work: Yes
PO Box 907
Madisonville, KY 42431
(270) 821-7375
brett@mccoylabs.com
www.mccoylabs.com

Microbac Laboratories, Inc. - Ohio Valley

Commercial work: Yes
158 Starlite Dr
Marietta, OH 45750
(800) 373-4071

Mohawk View Laboratory

Commercial work: No
347 Old Niskayuna Rd
Latham, NY 12110

Moore Twining Associates, Inc.

Commercial work: Yes
 2527 Fresno St
 Fresno, CA 93721
 (559) 268-7021

MWRA Central Laboratory

Commercial work: No
 190 Tafts Ave. c/o DITP
 Winthrop, MA 02152
 (617) 660-7866

Neilson Research Corp.

Commercial work: Yes
 245 S. Grape St
 Medford, OR 97501
 (541) 770-5678
 TKreutzer@nrclabs.com
 www.nrclabs.com

New England Chromachem

Commercial work: Yes
 6 Nichols St
 Salem, MA 01970
 (978) 744-6600

New England Testing Lab

Commercial work: No
 59 Greenhill Street
 West Warwick, RI 02893

**New Jersey Department of Health -
Environmental and Chemical Lab Svcs.**

Commercial work: Yes
 PO Box 360
 Trenton, NJ 08625
 (609) 530-2801

**New Mexico Department of Health / Scientific
Laboratory Division**

Commercial work: Yes
 1101 Camino de Salud, NE
 Albuquerque, NM 87102
 (505) 393-9030

Newport News Waterworks

Commercial work: No
 3629 G. W. Mem. Hwy
 Yorktown, VA 23693

**Northeast Ohio Regional Sewer District
Analytical Services**

Commercial work: Yes
 4747 East 49th St
 Cuyahoga Hts., OH 44125
 (216) 641-6000
 citrigliam@neorsd.org
 https://new.neorsd.org/

Northern Lake Service, Inc.

Commercial work: Yes
 400 North Lake Ave
 Crandon, WI 54520
 (715) 478-2777
 andyo@nlslab.com
 http://www.nlslab.com

Northglenn Water Treatment Facility Laboratory

Commercial work: No
 2350 W. 112th Ave
 Northglenn, CO 80234
 (303) 450-4053

Orange County Utilities Laboratory

Commercial work: Yes
 9124 Curry Ford Rd
 Orlando, FL 32825
 (407) 254-9550
 scott.rampenthal@ocfl.net

Pace Analytical Services - Florida

Commercial work: Yes
 8 East Tower Cir
 Ormond Beach, FL 32174
 (386) 672-5668
 drinkingwater@pacelabs.com
<https://www.pacelabs.com/>

Pace Analytical Services - Long Island, NY

Commercial work: Yes
 575 Broad Hollow Rd
 Melville, NY 11747
 (631) 694-3040

Parker Water and Sanitation District Laboratory

Commercial work: No
 18100 E. Woodman Dr
 Parker, CO 80016
 (720) 842-4246

PDC Laboratories, Inc.

Commercial work: Yes
 2231 W. Altorfer Dr
 Peoria, IL 61615
 (309) 683-1724
 sraper@pdclab.com
<http://www.pdclab.com>

Philadelphia Water Department, Bureau of Laboratory Services

Commercial work: No
 1500 E Hunting Park Ave
 Philadelphia, PA 19124

PRASA Caguas Central Laboratory

Commercial work: No
 PO Box 5789
 Caguas, PR 00726
 (787) 746-1925

Regional Water Authority New Haven

Commercial work: Yes
 90 Sargent Dr
 New Haven, CT 06511
 (203) 401-2700
 tburns@rwater.com
 Rwalab.com

Rogers and Callcott Engineers

Commercial work: Yes
 PO Box 5655
 Greenville, SC 29606
 (864) 232-1556
 info@rogersandcallcott.com
 www.rogersandcallcott.com

SGS Accutest Inc. - Wheat Ridge

Commercial work: No
 4036 Youngfield Street
 Wheat Ridge, CO 80033

State Hygienic Laboratory at the University of Iowa - Ankeny

Commercial work: Yes
 2220 S. Ankeny Blvd
 Ankeny, IA 50023

State Hygienic Laboratory at the University of Iowa - Coralville

Commercial work: Yes
 2490 Crosspark Rd
 Coralville, IA 52241

Suburban Laboratories, Inc.

Commercial work: Yes
 1950 S Batavia Ave, Ste 150
 Geneva, IL 60134
 (708) 544-3260
 info@suburbanlabs.com
 http://suburbanlabs.com/

Suburban Testing Labs

Commercial work: Yes
 1037F MacArthur Rd
 Reading, PA 19605
 (610) 375-8378
 Ucmr4@suburbantestinglabs.com
 www.suburbantestinglabs.com

Suffolk County Water Authority Laboratory

Commercial work: No
 260 Motor Pkwy
 Hauppauge, NY 11788
 (631) 563-0259

 www.scwa.com

Swann Water Treatment Plant

Commercial work: No
 2800 River Ridge Rd
 Pfafftown, NC 27040

Utah Public Health Laboratory

Commercial work: No
 4431 S Constitution Blvd
 Taylorsville, UT 84129

Ute Water Conservancy District Laboratory

Commercial work: No
 3975 Rapid Creek Rd
 Palisade, CO 81526

Water Management Laboratories, Inc

Commercial work: Yes
 1515 80th St, E.
 Tacoma, WA 98404
 (253) 531-3121

Weck Laboratories, Inc.

Commercial work: Yes
14859 E. Clark Ave
Industry, CA 91745
(626) 336-2139
info@wecklabs.com
www.wecklabs.com

End of List