

ENVIRONMENTAL

RADIATION

DATA

REPORT 166

April–June 2016

United States Environmental Protection Agency

Office of Radiation and Indoor Air

This page intentionally left blank

Contents

| | Page |
|---|------|
| List of Tables | v |
| Preface..... | vii |
| Acknowledgments..... | ix |
| Data Reporting Conventions..... | xi |
| 1. Air Program | 1 |
| Airborne Particulates and Precipitation | 1 |
| Plutonium and Uranium in Airborne Particulates..... | 17 |
| 2. Water Program..... | 19 |

This page intentionally left blank

List of Tables

| Table | | Page |
|--------------|---|-------------|
| 1 | Reporting Units and Minimum Detectable Concentrations | xiii |
| 2 | Gross Beta in Airborne Particulates: April 2016 | 2 |
| 3 | Gross Beta in Airborne Particulates: May 2016 | 6 |
| 4 | Gross Beta in Airborne Particulates: June 2016 | 10 |
| 5 | Gamma-Emitters in Precipitation: April 2016 | 14 |
| 6 | Gamma-Emitters in Precipitation: May 2016 | 15 |
| 7 | Gamma-Emitters in Precipitation: June 2016 | 16 |
| 8 | Tritium in Drinking Water: April–June 2016 | 20 |

This page intentionally left blank

Preface

Environmental Radiation Data (ERD) contains data from the RadNet monitoring system (formerly ERAMS), which is operated by the Office of Radiation and Indoor Air's National Analytical Radiation Environmental Laboratory (NAREL) in Montgomery, Alabama. ERD is published in electronic format. RadNet data are also available online in EPA's searchable Envirofacts database. Both the electronic ERD reports and the Envirofacts RadNet database can be accessed at:

<https://www.epa.gov/radnet/radnet-databases-and-reports>

The United States Environmental Protection Agency established RadNet in 1973 with an emphasis on identifying trends in the accumulation of long-lived radionuclides in the environment. RadNet is comprised of a nationwide network of sampling stations that provide air particulate, precipitation, and drinking water samples.

Sampling locations are selected to provide population and geographic coverage for the United States. The radiation analyses performed on RadNet samples may include gross alpha and gross beta analysis, gamma analyses, and radionuclide-specific analyses for isotopes of uranium, plutonium, strontium, iodine, and radium, and for tritium. This monitoring effort also provides information on natural background levels and possible releases into the environment.

This page intentionally left blank

Acknowledgments

All sampling for the RadNet monitoring system (formerly ERAMS) is performed by volunteer collectors who are frequently members of health departments or related environmental agencies of their respective states. The National Analytical Radiation Environmental Laboratory (NAREL), on behalf of the U.S. Environmental Protection Agency, would like to acknowledge the time and effort of these volunteer collectors, who are so essential to the successful operation of RadNet. The efforts of the sample collectors are especially appreciated during times of emergency operation when sampling frequencies are increased and schedules are sometimes demanding.

This page intentionally left blank

Data Reporting Conventions

Every laboratory measurement involves uncertainty. When there is little or no radioactivity in a sample, one consequence of measurement uncertainty is the possibility of obtaining a measured value that is less than zero. Such a negative result occurs when random effects in the measurement process cause the measured value for the sample to be less than that of the blank or background, which is subtracted from it. From April 1991 to December 1995, negative results were reported as “not detected” or “ND,” and gamma analysis results that were less than their estimated measurement uncertainties were also reported as “ND.” In January 1996, both of these practices were discontinued. Although negative activities are physically impossible, the inclusion of negative results in the report allows better statistical analysis of the data.

Results of gamma analyses are still reported as “ND” when gamma-emitting radionuclides are not detected.

Measurement Uncertainty

Each measured value y is reported with an expanded uncertainty $U = k u_c(y)$, which is determined from the combined standard uncertainty $u_c(y)$ and the coverage factor $k = 2$. The interval from $y - U$ to $y + U$ is estimated to have a level of confidence of approximately 95 %.

Significant Figures

Expanded uncertainties are reported to two significant figures. Measurement results are rounded to the corresponding number of decimal places.

Detection Capability

The minimum detectable concentrations (MDCs) for each radionuclide are shown in Table 1. The MDC is defined as the minimum concentration that gives a 95 % probability of detection when the detection criteria are chosen to give only a 5 % probability of false detection in a sample that is analyte-free.

This page intentionally left blank

Table 1**Reporting Units and Minimum Detectable Concentrations
for Radionuclide Analyses**

| Radionuclide | Media | Reporting Unit | Minimum Detectable Concentration |
|-------------------------|---------------|-----------------------|---|
| Gross Alpha | Water | pCi/L | 1.8 |
| Gross Beta | Air | pCi/m ³ | 0.0006 |
| | Water | pCi/L | 1.4 |
| Tritium | Water | pCi/L | 150 |
| * Plutonium-238,239/240 | Air | aCi/m ³ | 6 |
| | Water | pCi/L | 0.3 |
| † Uranium-234,238 | Air | aCi/m ³ | 8 |
| | Water | pCi/L | 0.4 |
| † Uranium-235 | Air | aCi/m ³ | 8 |
| | Water | pCi/L | 0.4 |
| Radium-226 | Water | pCi/L | 0.4 |
| Strontium-90 | Water | pCi/L | 1 |
| ‡ Iodine-131 | Water (gamma) | pCi/L | 4 |
| | Water | pCi/L | 0.7 |
| Cesium-137 | Water | pCi/L | 5 |
| ‡ Barium-140 | Water | pCi/L | 15 |
| Potassium-40 | Water | pCi/L | 50 |

* The MDC for air is based on an assumed total sample volume of 10,000 m³. Measurement by alpha spectrometry includes combined activities of ²³⁹Pu and ²⁴⁰Pu, since the relative contributions of these two isotopes cannot be determined.

† The MDCs for air are based on an assumed total sample volume of 10,000 m³.

‡ Activity as of the day of counting.

This page intentionally left blank

1. Air Program

Airborne Particulates and Precipitation

Gross beta radioactivity measurements and certain specific analyses are performed on air particulates and precipitation samples as indicator measurements in assessing the general (national) impact of all contributing sources on environmental levels of radiation. Continuous air samplers collect airborne particulates at field stations representing wide geographic coverage throughout the United States.

Filters (10 cm diameter synthetic fiber) from air samplers are changed routinely, and the exposed filters are sent to NAREL for analysis in a gas proportional counter. Gamma scans are performed on all filters showing gross beta activity greater than 1 pCi/m³.

All stations routinely submit precipitation samples as rainfall, snow, or sleet occurs. The precipitation samples are composited at NAREL into single monthly samples for each station. Each month that precipitation occurs, an aliquant of the composited sample is analyzed for gamma-emitting radionuclides.

Table 2
Gross Beta in Airborne Particulates
April 2016

| Location | Number of Samples | NAREL Lab Measurement | | |
|----------------------|-------------------|-----------------------|---------------------------|-------|
| | | Max | Min (pCi/m ³) | Avg |
| AK: Anchorage | 3 | 0.004 | 0.002 | 0.003 |
| AK: Fairbanks | 7 | 0.011 | 0.005 | 0.008 |
| AK: Juneau | 4 | 0.002 | 0.001 | 0.002 |
| AL: Birmingham | 8 | 0.011 | 0.005 | 0.007 |
| AL: Mobile | 2 | 0.005 | 0.005 | 0.005 |
| AL: Montgomery/408 | 7 | 0.010 | 0.005 | 0.007 |
| AR: Fort Smith | 3 | 0.006 | 0.006 | 0.006 |
| AR: Little Rock | 7 | 0.009 | 0.006 | 0.008 |
| AZ: Phoenix/956 | 3 | 0.013 | 0.004 | 0.008 |
| AZ: Tucson | 5 | 0.012 | 0.006 | 0.008 |
| AZ: Yuma | 1 | 0.014 | 0.014 | 0.014 |
| CA: Anaheim | 8 | 0.010 | 0.004 | 0.007 |
| CA: Bakersfield | 2 | 0.011 | 0.010 | 0.010 |
| CA: Eureka | 5 | 0.003 | 0.002 | 0.003 |
| CA: Fresno | 3 | 0.008 | 0.004 | 0.006 |
| CA: Los Angeles | 5 | 0.010 | 0.005 | 0.007 |
| CA: Richmond | 4 | 0.007 | 0.003 | 0.005 |
| CA: Riverside | 7 | 0.014 | 0.005 | 0.007 |
| CA: Sacramento | 8 | 0.012 | 0.004 | 0.008 |
| CA: San Bernardino | 6 | 0.014 | 0.006 | 0.009 |
| CA: San Diego | 3 | 0.009 | 0.005 | 0.007 |
| CA: San Francisco | 9 | 0.007 | 0.003 | 0.005 |
| CA: San Jose | 9 | 0.011 | 0.003 | 0.006 |
| CO: Colorado Springs | 3 | 0.008 | 0.007 | 0.007 |
| CO: Denver | 8 | 0.010 | 0.003 | 0.007 |
| CO: Grand Junction | 3 | 0.010 | 0.007 | 0.008 |
| CT: Hartford | 9 | 0.007 | 0.004 | 0.005 |
| DC: Washington | 9 | 0.010 | 0.005 | 0.008 |
| DE: Dover | 3 | 0.007 | 0.004 | 0.006 |
| FL: Jacksonville | 9 | 0.009 | 0.005 | 0.006 |
| FL: Miami | 2 | 0.007 | 0.004 | 0.006 |
| FL: Orlando | 6 | 0.008 | 0.004 | 0.006 |
| FL: Tallahassee | 2 | 0.008 | 0.004 | 0.006 |
| FL: Tampa | 8 | 0.009 | 0.006 | 0.008 |
| GA: Atlanta | 2 | 0.010 | 0.010 | 0.010 |
| GA: Augusta | 3 | 0.006 | 0.005 | 0.006 |
| HI: Honolulu | 8 | 0.006 | 0.002 | 0.005 |
| IA: Des Moines | 5 | 0.004 | 0.003 | 0.004 |

Table 2 (continued)
Gross Beta in Airborne Particulates
April 2016

| Location | Number of Samples | NAREL Lab Measurement | | |
|--------------------|-------------------|-----------------------|------------------------------|-------|
| | | Max | Min (pCi/m ³) | Avg |
| IA: Mason City | 6 | 0.010 | 0.006 | 0.008 |
| ID: Boise | 4 | 0.006 | 0.004 | 0.005 |
| ID: Idaho Falls | 8 | 0.008 | 0.004 | 0.006 |
| IL: Aurora | 4 | 0.010 | 0.007 | 0.009 |
| IL: Champaign | 7 | 0.013 | 0.007 | 0.010 |
| IL: Chicago | 6 | 0.008 | 0.005 | 0.006 |
| IN: Fort Wayne | 4 | 0.009 | 0.006 | 0.008 |
| IN: Indianapolis | 9 | 0.010 | 0.005 | 0.007 |
| KS: Kansas City | 8 | 0.012 | 0.005 | 0.008 |
| KS: Wichita | 2 | 0.007 | 0.007 | 0.007 |
| KY: Lexington | 6 | 0.011 | 0.005 | 0.008 |
| KY: Louisville | 7 | 0.012 | 0.005 | 0.008 |
| KY: Paducah | 8 | 0.010 | 0.007 | 0.008 |
| LA: Baton Rouge | 8 | 0.007 | 0.004 | 0.005 |
| LA: Shreveport | 3 | 0.011 | 0.006 | 0.009 |
| MA: Boston | 9 | 0.008 | 0.005 | 0.006 |
| MA: Worcester | 7 | 0.010 | 0.006 | 0.008 |
| MD: Baltimore | 7 | 0.009 | 0.006 | 0.007 |
| ME: Orono | 3 | 0.007 | 0.006 | 0.006 |
| ME: Portland | 6 | 0.012 | 0.007 | 0.009 |
| MI: Bay City 48708 | 7 | 0.007 | 0.005 | 0.006 |
| MI: Detroit | 4 | 0.008 | 0.005 | 0.007 |
| MI: Grand Rapids | 5 | 0.011 | 0.007 | 0.009 |
| MN: Duluth | 8 | 0.009 | 0.006 | 0.008 |
| MN: St. Paul | 3 | 0.012 | 0.009 | 0.010 |
| MO: Jefferson City | 9 | 0.010 | 0.005 | 0.007 |
| MO: Springfield | 7 | 0.012 | 0.007 | 0.009 |
| MO: St. Louis | 3 | 0.011 | 0.007 | 0.009 |
| MS: Jackson/Deq | 3 | 0.008 | 0.006 | 0.007 |
| MT: Billings | 4 | 0.008 | 0.004 | 0.006 |
| NC: Charlotte | 5 | 0.017 | 0.008 | 0.012 |
| NC: Raleigh | 4 | 0.006 | 0.004 | 0.005 |
| NC: Wilmington | 4 | 0.006 | 0.005 | 0.006 |
| NE: Lincoln | 8 | 0.011 | 0.004 | 0.007 |
| NE: Omaha | 3 | 0.010 | 0.009 | 0.009 |
| NH: Concord | 7 | 0.007 | 0.005 | 0.006 |
| NJ: Edison | 8 | 0.009 | 0.005 | 0.007 |
| NM: Albuquerque | 4 | 0.008 | 0.006 | 0.007 |

Table 2 (continued)
Gross Beta in Airborne Particulates
April 2016

| Location | Number of Samples | NAREL Lab Measurement | | |
|----------------------|-------------------|-----------------------|---------------------------|-------|
| | | Max | Min (pCi/m ³) | Avg |
| NM: Carlsbad | 7 | 0.009 | 0.005 | 0.008 |
| NM: Navajo Lake | 4 | 0.007 | 0.005 | 0.006 |
| NV: Las Vegas/913 | 2 | 0.007 | 0.006 | 0.007 |
| NV: Reno | 7 | 0.012 | 0.005 | 0.008 |
| NY: Albany | 8 | 0.009 | 0.005 | 0.007 |
| NY: Lockport | 9 | 0.010 | 0.006 | 0.008 |
| NY: New York City | 4 | 0.010 | 0.005 | 0.008 |
| NY: Rochester | 4 | 0.012 | 0.008 | 0.010 |
| NY: Yaphank | 5 | 0.008 | 0.006 | 0.007 |
| OH: Cincinnati | 6 | 0.010 | 0.005 | 0.007 |
| OH: Cleveland | 3 | 0.012 | 0.009 | 0.010 |
| OH: Columbus | 6 | 0.011 | 0.007 | 0.009 |
| OH: Toledo | 8 | 0.011 | 0.005 | 0.009 |
| OK: Oklahoma City | 7 | 0.010 | 0.005 | 0.008 |
| OK: Tulsa | 3 | 0.010 | 0.007 | 0.009 |
| OR: Corvallis | 7 | 0.006 | 0.004 | 0.005 |
| OR: Portland | 8 | 0.009 | 0.002 | 0.005 |
| PA: Bloomsburg | 9 | 0.007 | 0.004 | 0.005 |
| PA: Philadelphia | 3 | 0.009 | 0.006 | 0.007 |
| PA: Pittsburgh | 4 | 0.011 | 0.007 | 0.008 |
| PR: San Juan | 8 | 0.013 | 0.002 | 0.004 |
| RI: Providence | 2 | 0.009 | 0.005 | 0.007 |
| SC: Columbia | 4 | 0.010 | 0.006 | 0.007 |
| SD: Pierre | 9 | 0.008 | 0.002 | 0.005 |
| SD: Rapid City | 7 | 0.010 | 0.002 | 0.005 |
| TN: Knoxville | 3 | 0.013 | 0.005 | 0.008 |
| TN: Memphis | 6 | 0.009 | 0.006 | 0.008 |
| TN: Nashville | 9 | 0.014 | 0.006 | 0.009 |
| TN: Oak Ridge/Bethel | 8 | 0.013 | 0.006 | 0.010 |
| TN: Oak Ridge/K25 | 8 | 0.013 | 0.006 | 0.009 |
| TN: Oak Ridge/Melton | 8 | 0.010 | 0.005 | 0.007 |
| TN: Oak Ridge/Y12 E | 8 | 0.014 | 0.006 | 0.009 |
| TN: Oak Ridge/Y12 W | 8 | 0.016 | 0.005 | 0.009 |
| TX: Amarillo | 6 | 0.012 | 0.008 | 0.010 |
| TX: Austin | 4 | 0.008 | 0.006 | 0.007 |
| TX: Corpus Christi | 9 | 0.015 | 0.007 | 0.009 |
| TX: Dallas | 5 | 0.009 | 0.005 | 0.007 |
| TX: El Paso | 6 | 0.009 | 0.005 | 0.007 |

Table 2 (continued)
Gross Beta in Airborne Particulates
April 2016

| Location | Number of Samples | NAREL Lab Measurement | | |
|--------------------|-------------------|-----------------------|---------------------------|-------|
| | | Max | Min (pCi/m ³) | Avg |
| TX: Fort Worth | 2 | 0.009 | 0.008 | 0.008 |
| TX: Harlingen | 1 | 0.008 | 0.008 | 0.008 |
| TX: Houston | 5 | 0.008 | 0.004 | 0.006 |
| TX: Laredo | 4 | 0.010 | 0.007 | 0.009 |
| TX: Lubbock | 8 | 0.009 | 0.005 | 0.007 |
| TX: San Angelo | 8 | 0.014 | 0.006 | 0.009 |
| TX: San Antonio | 8 | 0.011 | 0.005 | 0.008 |
| UT: Salt Lake City | 2 | 0.006 | 0.005 | 0.006 |
| UT: St. George | 2 | 0.006 | 0.006 | 0.006 |
| VA: Harrisonburg | 9 | 0.011 | 0.006 | 0.009 |
| VA: Richmond | 4 | 0.009 | 0.005 | 0.007 |
| VA: Virginia Beach | 5 | 0.009 | 0.005 | 0.007 |
| VT: Burlington | 6 | 0.013 | 0.005 | 0.009 |
| WA: Ellensburg | 1 | 0.004 | 0.004 | 0.004 |
| WA: Olympia | 6 | 0.006 | 0.002 | 0.004 |
| WA: Richland | 1 | 0.004 | 0.004 | 0.004 |
| WA: Seattle | 4 | 0.009 | 0.004 | 0.006 |
| WA: Spokane | 8 | 0.016 | 0.004 | 0.006 |
| WI: La Crosse | 2 | 0.007 | 0.006 | 0.006 |
| WI: Madison | 9 | 0.017 | 0.007 | 0.011 |
| WI: Milwaukee | 6 | 0.011 | 0.005 | 0.008 |
| WI: Shawano | 8 | 0.011 | 0.005 | 0.008 |
| WV: Charleston | 4 | 0.008 | 0.006 | 0.007 |
| WY: Casper | 4 | 0.005 | 0.004 | 0.004 |

Table 3
Gross Beta in Airborne Particulates
May 2016

| Location | Number of Samples | NAREL Lab Measurement | | |
|----------------------|-------------------|-----------------------|------------------------------|-------|
| | | Max | Min (pCi/m ³) | Avg |
| AK: Anchorage | 4 | 0.007 | 0.002 | 0.005 |
| AK: Fairbanks | 4 | 0.004 | 0.002 | 0.003 |
| AK: Juneau | 4 | 0.004 | 0.001 | 0.002 |
| AL: Birmingham | 9 | 0.012 | 0.005 | 0.008 |
| AL: Mobile | 3 | 0.012 | 0.007 | 0.010 |
| AL: Montgomery/408 | 6 | 0.010 | 0.005 | 0.007 |
| AR: Fort Smith | 4 | 0.006 | 0.004 | 0.005 |
| AR: Little Rock | 6 | 0.011 | 0.005 | 0.008 |
| AZ: Phoenix/956 | 3 | 0.009 | 0.006 | 0.008 |
| AZ: Tucson | 6 | 0.011 | 0.008 | 0.009 |
| AZ: Yuma | 3 | 0.011 | 0.007 | 0.009 |
| CA: Anaheim | 9 | 0.010 | 0.002 | 0.006 |
| CA: Bakersfield | 4 | 0.009 | 0.003 | 0.006 |
| CA: Eureka | 2 | 0.002 | 0.002 | 0.002 |
| CA: Fresno | 3 | 0.006 | 0.002 | 0.004 |
| CA: Los Angeles | 3 | 0.005 | 0.003 | 0.004 |
| CA: Richmond | 5 | 0.004 | 0.002 | 0.004 |
| CA: Riverside | 9 | 0.013 | 0.003 | 0.008 |
| CA: Sacramento | 9 | 0.014 | 0.003 | 0.008 |
| CA: San Bernardino | 8 | 0.014 | 0.005 | 0.009 |
| CA: San Diego | 3 | 0.006 | 0.005 | 0.005 |
| CA: San Francisco | 9 | 0.006 | 0.002 | 0.004 |
| CA: San Jose | 6 | 0.008 | 0.003 | 0.006 |
| CO: Colorado Springs | 3 | 0.009 | 0.007 | 0.009 |
| CO: Denver | 9 | 0.014 | 0.004 | 0.010 |
| CO: Grand Junction | 4 | 0.010 | 0.006 | 0.008 |
| CT: Hartford | 8 | 0.009 | 0.001 | 0.004 |
| DC: Washington | 8 | 0.014 | 0.004 | 0.008 |
| DE: Dover | 4 | 0.008 | 0.004 | 0.006 |
| FL: Jacksonville | 8 | 0.008 | 0.004 | 0.007 |
| FL: Miami | 5 | 0.006 | 0.003 | 0.005 |
| FL: Orlando | 8 | 0.007 | 0.003 | 0.005 |
| FL: Tallahassee | 3 | 0.007 | 0.005 | 0.007 |
| FL: Tampa | 9 | 0.011 | 0.005 | 0.008 |
| GA: Atlanta | 4 | 0.014 | 0.008 | 0.011 |
| GA: Augusta | 4 | 0.010 | 0.006 | 0.007 |
| HI: Honolulu | 9 | 0.005 | 0.001 | 0.003 |
| IA: Des Moines | 9 | 0.006 | 0.002 | 0.004 |

Table 3 (continued)
Gross Beta in Airborne Particulates
May 2016

| Location | Number of Samples | NAREL Lab Measurement | | |
|--------------------|-------------------|-----------------------|---------------------------|-------|
| | | Max | Min (pCi/m ³) | Avg |
| IA: Mason City | 4 | 0.009 | 0.007 | 0.008 |
| ID: Boise | 3 | 0.006 | 0.004 | 0.005 |
| ID: Idaho Falls | 7 | 0.010 | 0.005 | 0.007 |
| IL: Aurora | 4 | 0.010 | 0.006 | 0.008 |
| IL: Champaign | 7 | 0.016 | 0.005 | 0.009 |
| IL: Chicago | 9 | 0.011 | 0.003 | 0.007 |
| IN: Fort Wayne | 4 | 0.010 | 0.005 | 0.007 |
| IN: Indianapolis | 9 | 0.012 | 0.003 | 0.007 |
| KS: Kansas City | 7 | 0.009 | 0.003 | 0.006 |
| KS: Wichita | 6 | 0.009 | 0.005 | 0.007 |
| KY: Lexington | 7 | 0.012 | 0.005 | 0.008 |
| KY: Louisville | 8 | 0.009 | 0.004 | 0.007 |
| KY: Paducah | 9 | 0.012 | 0.005 | 0.008 |
| LA: Baton Rouge | 9 | 0.007 | 0.004 | 0.006 |
| LA: Shreveport | 3 | 0.010 | 0.006 | 0.008 |
| MA: Boston | 6 | 0.010 | 0.003 | 0.006 |
| MA: Worcester | 9 | 0.014 | 0.002 | 0.007 |
| MD: Baltimore | 7 | 0.009 | 0.003 | 0.006 |
| ME: Orono | 3 | 0.005 | 0.004 | 0.004 |
| ME: Portland | 4 | 0.008 | 0.003 | 0.005 |
| MI: Bay City 48708 | 9 | 0.012 | 0.004 | 0.006 |
| MI: Detroit | 8 | 0.012 | 0.004 | 0.006 |
| MI: Grand Rapids | 1 | 0.006 | 0.006 | 0.006 |
| MN: Duluth | 8 | 0.011 | 0.003 | 0.005 |
| MN: St. Paul | 3 | 0.010 | 0.006 | 0.008 |
| MO: Jefferson City | 9 | 0.010 | 0.003 | 0.007 |
| MO: Springfield | 8 | 0.010 | 0.005 | 0.008 |
| MO: St. Louis | 1 | 0.010 | 0.010 | 0.010 |
| MS: Jackson/Deq | 5 | 0.013 | 0.009 | 0.010 |
| MT: Billings | 4 | 0.009 | 0.006 | 0.007 |
| NC: Charlotte | 8 | 0.015 | 0.005 | 0.009 |
| NC: Greensboro | 1 | 0.006 | 0.006 | 0.006 |
| NC: Raleigh | 4 | 0.008 | 0.005 | 0.005 |
| NC: Wilmington | 4 | 0.006 | 0.005 | 0.005 |
| ND: Bismarck | 3 | 0.008 | 0.006 | 0.007 |
| NE: Lincoln | 9 | 0.011 | 0.003 | 0.007 |
| NE: Omaha | 3 | 0.013 | 0.004 | 0.009 |
| NH: Concord | 7 | 0.008 | 0.001 | 0.004 |

Table 3 (continued)
Gross Beta in Airborne Particulates
May 2016

| Location | Number of Samples | NAREL Lab Measurement | | |
|----------------------|-------------------|-----------------------|---------------------------|-------|
| | | Max | Min (pCi/m ³) | Avg |
| NJ: Edison | 5 | 0.009 | 0.002 | 0.006 |
| NM: Albuquerque | 1 | 0.005 | 0.005 | 0.005 |
| NM: Carlsbad | 6 | 0.009 | 0.006 | 0.008 |
| NM: Navajo Lake | 5 | 0.010 | 0.005 | 0.007 |
| NV: Las Vegas/913 | 7 | 0.009 | 0.006 | 0.007 |
| NV: Reno | 9 | 0.014 | 0.003 | 0.008 |
| NY: Albany | 9 | 0.013 | 0.002 | 0.007 |
| NY: Lockport | 8 | 0.013 | 0.003 | 0.006 |
| NY: New York City | 1 | 0.012 | 0.012 | 0.012 |
| NY: Rochester | 4 | 0.008 | 0.004 | 0.006 |
| NY: Yaphank | 4 | 0.007 | 0.002 | 0.004 |
| OH: Cincinnati | 8 | 0.011 | 0.005 | 0.008 |
| OH: Cleveland | 9 | 0.016 | 0.005 | 0.009 |
| OH: Columbus | 7 | 0.014 | 0.003 | 0.008 |
| OH: Toledo | 9 | 0.015 | 0.004 | 0.008 |
| OK: Oklahoma City | 8 | 0.016 | 0.003 | 0.009 |
| OK: Tulsa | 7 | 0.009 | 0.004 | 0.007 |
| OR: Corvallis | 8 | 0.006 | 0.002 | 0.004 |
| OR: Portland | 8 | 0.005 | 0.002 | 0.003 |
| PA: Bloomsburg | 6 | 0.007 | 0.001 | 0.004 |
| PA: Philadelphia | 4 | 0.012 | 0.006 | 0.008 |
| PA: Pittsburgh | 6 | 0.011 | 0.005 | 0.007 |
| PR: San Juan | 8 | 0.011 | 0.002 | 0.006 |
| RI: Providence | 3 | 0.006 | 0.002 | 0.004 |
| SC: Columbia | 4 | 0.008 | 0.007 | 0.008 |
| SD: Pierre | 9 | 0.008 | 0.003 | 0.006 |
| SD: Rapid City | 8 | 0.010 | 0.004 | 0.007 |
| TN: Knoxville | 4 | 0.008 | 0.007 | 0.008 |
| TN: Memphis | 9 | 0.011 | 0.005 | 0.007 |
| TN: Nashville | 7 | 0.013 | 0.005 | 0.009 |
| TN: Oak Ridge/Bethel | 8 | 0.017 | 0.007 | 0.010 |
| TN: Oak Ridge/K25 | 8 | 0.018 | 0.007 | 0.009 |
| TN: Oak Ridge/Melton | 8 | 0.011 | 0.004 | 0.006 |
| TN: Oak Ridge/Y12 E | 8 | 0.017 | 0.006 | 0.009 |
| TN: Oak Ridge/Y12 W | 8 | 0.016 | 0.006 | 0.009 |
| TX: Amarillo | 6 | 0.014 | 0.009 | 0.011 |
| TX: Austin | 3 | 0.010 | 0.005 | 0.007 |
| TX: Corpus Christi | 7 | 0.013 | 0.005 | 0.008 |

Table 3 (continued)
Gross Beta in Airborne Particulates
May 2016

| Location | Number of Samples | NAREL Lab Measurement | | |
|--------------------|-------------------|-----------------------|---------------------------|-------|
| | | Max | Min (pCi/m ³) | Avg |
| TX: Dallas | 5 | 0.009 | 0.005 | 0.007 |
| TX: El Paso | 4 | 0.009 | 0.006 | 0.007 |
| TX: Fort Worth | 1 | 0.009 | 0.009 | 0.009 |
| TX: Harlingen | 1 | 0.006 | 0.006 | 0.006 |
| TX: Houston | 6 | 0.013 | 0.006 | 0.008 |
| TX: Laredo | 3 | 0.009 | 0.008 | 0.008 |
| TX: Lubbock | 8 | 0.010 | 0.003 | 0.007 |
| TX: San Angelo | 9 | 0.010 | 0.003 | 0.006 |
| TX: San Antonio | 9 | 0.010 | 0.004 | 0.008 |
| UT: Salt Lake City | 4 | 0.007 | 0.005 | 0.006 |
| UT: St. George | 5 | 0.008 | 0.004 | 0.006 |
| VA: Harrisonburg | 8 | 0.013 | 0.005 | 0.008 |
| VA: Richmond | 3 | 0.006 | 0.004 | 0.005 |
| VA: Virginia Beach | 4 | 0.008 | 0.005 | 0.007 |
| VT: Burlington | 8 | 0.012 | 0.003 | 0.006 |
| WA: Olympia | 8 | 0.005 | 0.002 | 0.004 |
| WA: Richland | 6 | 0.007 | 0.004 | 0.006 |
| WA: Seattle | 4 | 0.006 | 0.003 | 0.005 |
| WA: Spokane | 7 | 0.008 | 0.004 | 0.006 |
| WI: La Crosse | 2 | 0.005 | 0.003 | 0.004 |
| WI: Madison | 9 | 0.013 | 0.005 | 0.009 |
| WI: Milwaukee | 6 | 0.010 | 0.002 | 0.007 |
| WI: Shawano | 8 | 0.011 | 0.004 | 0.007 |
| WV: Charleston | 6 | 0.011 | 0.006 | 0.007 |
| WY: Casper | 4 | 0.006 | 0.003 | 0.005 |

Table 4
Gross Beta in Airborne Particulates
June 2016

| Location | Number of Samples | NAREL Lab Measurement | | |
|----------------------|-------------------|-----------------------|---------------------------|-------|
| | | Max | Min (pCi/m ³) | Avg |
| AK: Anchorage | 4 | 0.003 | 0.001 | 0.002 |
| AK: Fairbanks | 4 | 0.007 | 0.004 | 0.005 |
| AK: Juneau | 3 | 0.002 | 0.001 | 0.002 |
| AL: Birmingham | 8 | 0.013 | 0.005 | 0.008 |
| AL: Mobile | 3 | 0.008 | 0.007 | 0.007 |
| AL: Montgomery/408 | 9 | 0.010 | 0.004 | 0.008 |
| AR: Fort Smith | 4 | 0.012 | 0.006 | 0.008 |
| AR: Little Rock | 9 | 0.014 | 0.007 | 0.009 |
| AZ: Tucson | 8 | 0.018 | 0.008 | 0.014 |
| CA: Anaheim | 7 | 0.008 | 0.004 | 0.007 |
| CA: Bakersfield | 3 | 0.013 | 0.004 | 0.007 |
| CA: Eureka | 2 | 0.002 | 0.002 | 0.002 |
| CA: Fresno | 3 | 0.010 | 0.005 | 0.008 |
| CA: Los Angeles | 2 | 0.007 | 0.005 | 0.006 |
| CA: Richmond | 4 | 0.003 | 0.002 | 0.003 |
| CA: Riverside | 7 | 0.011 | 0.007 | 0.009 |
| CA: Sacramento | 9 | 0.012 | 0.003 | 0.007 |
| CA: San Bernardino | 4 | 0.012 | 0.009 | 0.010 |
| CA: San Diego | 2 | 0.011 | 0.004 | 0.008 |
| CA: San Francisco | 3 | 0.005 | 0.003 | 0.003 |
| CA: San Jose | 7 | 0.006 | 0.002 | 0.004 |
| CO: Colorado Springs | 1 | 0.010 | 0.010 | 0.010 |
| CO: Denver | 3 | 0.015 | 0.013 | 0.014 |
| CO: Grand Junction | 1 | 0.015 | 0.015 | 0.015 |
| CT: Hartford | 9 | 0.009 | 0.003 | 0.004 |
| DC: Washington | 8 | 0.010 | 0.006 | 0.008 |
| DE: Dover | 1 | 0.005 | 0.005 | 0.005 |
| FL: Jacksonville | 8 | 0.012 | 0.005 | 0.008 |
| FL: Miami | 3 | 0.004 | 0.003 | 0.004 |
| FL: Orlando | 2 | 0.005 | 0.003 | 0.004 |
| FL: Tallahassee | 4 | 0.006 | 0.006 | 0.006 |
| FL: Tampa | 8 | 0.011 | 0.005 | 0.007 |
| GA: Atlanta | 4 | 0.016 | 0.008 | 0.012 |
| GA: Augusta | 6 | 0.011 | 0.006 | 0.008 |
| HI: Honolulu | 8 | 0.004 | 0.002 | 0.003 |
| IA: Des Moines | 7 | 0.006 | 0.003 | 0.003 |
| IA: Mason City | 6 | 0.014 | 0.005 | 0.008 |
| ID: Boise | 5 | 0.006 | 0.003 | 0.005 |

Table 4 (continued)
Gross Beta in Airborne Particulates
June 2016

| Location | Number of Samples | NAREL Lab Measurement | | |
|--------------------|-------------------|-----------------------|------------------------------|-------|
| | | Max | Min (pCi/m ³) | Avg |
| ID: Idaho Falls | 8 | 0.011 | 0.006 | 0.008 |
| IL: Aurora | 5 | 0.010 | 0.007 | 0.008 |
| IL: Champaign | 5 | 0.015 | 0.007 | 0.011 |
| IL: Chicago | 8 | 0.008 | 0.003 | 0.006 |
| IN: Fort Wayne | 4 | 0.010 | 0.006 | 0.008 |
| IN: Indianapolis | 9 | 0.010 | 0.004 | 0.007 |
| KS: Kansas City | 9 | 0.013 | 0.006 | 0.009 |
| KS: Wichita | 6 | 0.013 | 0.007 | 0.010 |
| KY: Lexington | 7 | 0.012 | 0.006 | 0.009 |
| KY: Louisville | 6 | 0.010 | 0.006 | 0.008 |
| KY: Paducah | 7 | 0.017 | 0.006 | 0.011 |
| LA: Baton Rouge | 6 | 0.013 | 0.003 | 0.007 |
| LA: Shreveport | 3 | 0.013 | 0.009 | 0.011 |
| MA: Boston | 8 | 0.006 | 0.003 | 0.005 |
| MA: Worcester | 9 | 0.008 | 0.005 | 0.006 |
| MD: Baltimore | 6 | 0.008 | 0.005 | 0.006 |
| ME: Orono | 2 | 0.003 | 0.003 | 0.003 |
| ME: Portland | 6 | 0.009 | 0.003 | 0.006 |
| MI: Bay City 48708 | 6 | 0.005 | 0.003 | 0.004 |
| MI: Detroit | 8 | 0.009 | 0.004 | 0.006 |
| MI: Grand Rapids | 4 | 0.010 | 0.007 | 0.008 |
| MN: Duluth | 9 | 0.008 | 0.003 | 0.005 |
| MN: St. Paul | 4 | 0.010 | 0.007 | 0.009 |
| MO: Jefferson City | 8 | 0.016 | 0.007 | 0.010 |
| MO: Springfield | 7 | 0.013 | 0.006 | 0.010 |
| MO: St. Louis | 4 | 0.010 | 0.008 | 0.009 |
| MS: Jackson/Deq | 3 | 0.016 | 0.008 | 0.012 |
| MT: Billings | 4 | 0.012 | 0.008 | 0.009 |
| NC: Charlotte | 7 | 0.011 | 0.006 | 0.008 |
| NC: Greensboro | 1 | 0.006 | 0.006 | 0.006 |
| NC: Raleigh | 5 | 0.006 | 0.004 | 0.005 |
| NC: Wilmington | 5 | 0.008 | 0.005 | 0.006 |
| ND: Bismarck | 3 | 0.008 | 0.007 | 0.007 |
| NE: Lincoln | 7 | 0.013 | 0.005 | 0.009 |
| NE: Omaha | 2 | 0.010 | 0.007 | 0.009 |
| NH: Concord | 5 | 0.005 | 0.003 | 0.004 |
| NJ: Edison | 6 | 0.010 | 0.004 | 0.007 |
| NM: Carlsbad | 5 | 0.011 | 0.005 | 0.008 |

Table 4 (continued)
Gross Beta in Airborne Particulates
June 2016

| Location | Number of Samples | NAREL Lab Measurement | | |
|----------------------|-------------------|-----------------------|---------------------------|-------|
| | | Max | Min (pCi/m ³) | Avg |
| NM: Navajo Lake | 3 | 0.013 | 0.009 | 0.010 |
| NV: Las Vegas/913 | 5 | 0.015 | 0.008 | 0.011 |
| NV: Reno | 1 | 0.012 | 0.012 | 0.012 |
| NY: Albany | 9 | 0.008 | 0.004 | 0.006 |
| NY: Lockport | 6 | 0.009 | 0.005 | 0.007 |
| NY: New York City | 3 | 0.008 | 0.006 | 0.007 |
| NY: Rochester | 4 | 0.006 | 0.004 | 0.005 |
| NY: Yaphank | 6 | 0.009 | 0.005 | 0.007 |
| OH: Cincinnati | 8 | 0.010 | 0.004 | 0.008 |
| OH: Cleveland | 7 | 0.010 | 0.005 | 0.008 |
| OH: Columbus | 6 | 0.014 | 0.006 | 0.009 |
| OH: Toledo | 9 | 0.008 | 0.005 | 0.006 |
| OK: Oklahoma City | 7 | 0.013 | 0.006 | 0.010 |
| OK: Tulsa | 6 | 0.012 | 0.006 | 0.008 |
| OR: Corvallis | 7 | 0.007 | 0.002 | 0.004 |
| OR: Portland | 6 | 0.004 | 0.001 | 0.003 |
| PA: Bloomsburg | 7 | 0.006 | 0.003 | 0.004 |
| PA: Philadelphia | 4 | 0.009 | 0.006 | 0.007 |
| PA: Pittsburgh | 4 | 0.010 | 0.006 | 0.008 |
| PR: San Juan | 8 | 0.012 | 0.004 | 0.007 |
| RI: Providence | 4 | 0.006 | 0.004 | 0.005 |
| SC: Columbia | 3 | 0.013 | 0.007 | 0.010 |
| SD: Pierre | 9 | 0.009 | 0.004 | 0.006 |
| SD: Rapid City | 8 | 0.009 | 0.005 | 0.008 |
| TN: Knoxville | 4 | 0.012 | 0.008 | 0.010 |
| TN: Memphis | 9 | 0.012 | 0.005 | 0.009 |
| TN: Nashville | 9 | 0.014 | 0.006 | 0.010 |
| TN: Oak Ridge/Bethel | 9 | 0.015 | 0.007 | 0.011 |
| TN: Oak Ridge/K25 | 9 | 0.014 | 0.007 | 0.011 |
| TN: Oak Ridge/Melton | 9 | 0.010 | 0.005 | 0.007 |
| TN: Oak Ridge/Y12 E | 9 | 0.016 | 0.006 | 0.011 |
| TN: Oak Ridge/Y12 W | 9 | 0.014 | 0.006 | 0.010 |
| TX: Amarillo | 7 | 0.018 | 0.011 | 0.014 |
| TX: Austin | 3 | 0.011 | 0.005 | 0.008 |
| TX: Corpus Christi | 7 | 0.016 | 0.004 | 0.009 |
| TX: Dallas | 6 | 0.012 | 0.005 | 0.008 |
| TX: El Paso | 8 | 0.014 | 0.007 | 0.009 |
| TX: Fort Worth | 3 | 0.014 | 0.011 | 0.012 |

Table 4 (continued)
Gross Beta in Airborne Particulates
June 2016

| Location | Number of Samples | NAREL Lab Measurement | | |
|--------------------|-------------------|-----------------------|-------|-------|
| | | Max | Min | Avg |
| TX: Harlingen | 1 | 0.003 | 0.003 | 0.003 |
| TX: Houston | 8 | 0.016 | 0.004 | 0.008 |
| TX: Laredo | 5 | 0.010 | 0.006 | 0.007 |
| TX: Lubbock | 8 | 0.011 | 0.006 | 0.009 |
| TX: San Angelo | 8 | 0.009 | 0.003 | 0.006 |
| TX: San Antonio | 1 | 0.008 | 0.008 | 0.008 |
| UT: Salt Lake City | 1 | 0.011 | 0.011 | 0.011 |
| UT: St. George | 3 | 0.010 | 0.006 | 0.009 |
| VA: Harrisonburg | 7 | 0.014 | 0.007 | 0.009 |
| VA: Richmond | 2 | 0.009 | 0.007 | 0.008 |
| VA: Virginia Beach | 5 | 0.007 | 0.006 | 0.007 |
| VT: Burlington | 7 | 0.007 | 0.002 | 0.004 |
| WA: Ellensburg | 2 | 0.003 | 0.003 | 0.003 |
| WA: Olympia | 6 | 0.006 | 0.003 | 0.004 |
| WA: Richland | 1 | 0.005 | 0.005 | 0.005 |
| WA: Seattle | 3 | 0.005 | 0.003 | 0.004 |
| WA: Spokane | 8 | 0.010 | 0.002 | 0.005 |
| WI: La Crosse | 4 | 0.004 | 0.004 | 0.004 |
| WI: Madison | 7 | 0.011 | 0.006 | 0.009 |
| WI: Milwaukee | 8 | 0.010 | 0.005 | 0.007 |
| WI: Shawano | 11 | 0.008 | 0.002 | 0.005 |
| WV: Charleston | 5 | 0.011 | 0.006 | 0.008 |
| WY: Casper | 3 | 0.007 | 0.006 | 0.006 |

Table 5
Gamma-Emitters in Precipitation
April 2016

| Location | Nuclide | pCi/L \pm 2 <i>u</i> | |
|----------------------|---------|------------------------|----|
| AL: Montgomery/408 | Be-7 | 31 | 19 |
| AR: Little Rock | | ND | |
| CA: Richmond | Be-7 | 67 | 25 |
| CT: Hartford | Be-7 | 85 | 23 |
| FL: Jacksonville | | ND | |
| GA: Atlanta | Be-7 | 33 | 19 |
| HI: Honolulu | | ND | |
| ID: Idaho Falls | Be-7 | 35 | 16 |
| KS: Kansas City | Be-7 | 25 | 20 |
| MI: Lansing | | ND | |
| MN: St. Paul | | ND | |
| MN: Welch/510 | Be-7 | 69 | 26 |
| NC: Charlotte | Be-7 | 51 | 20 |
| NC: Wilmington | | ND | |
| NY: Albany | Be-7 | 58 | 23 |
| OR: Portland | | ND | |
| PA: Harrisburg | | ND | |
| TN: Knoxville | | ND | |
| TN: Nashville | | ND | |
| TN: Oak Ridge/K25 | Be-7 | 39 | 24 |
| TN: Oak Ridge/Melton | Be-7 | 62 | 19 |
| TN: Oak Ridge/Y12 E | Be-7 | 64 | 21 |
| TX: Austin | Be-7 | 29 | 15 |
| UT: Salt Lake City | Be-7 | 33 | 17 |
| VA: Lynchburg | | ND | |
| WA: Olympia | Be-7 | 31 | 24 |

Table 6
Gamma-Emitters in Precipitation
May 2016

| Location | Nuclide | pCi/L \pm 2 <i>u</i> | |
|----------------------|---------|------------------------|----|
| AL: Montgomery/408 | Be-7 | 40 | 16 |
| CA: Richmond | | ND | |
| CT: Hartford | Be-7 | 39 | 30 |
| FL: Jacksonville | | ND | |
| GA: Atlanta | Be-7 | 95 | 31 |
| HI: Honolulu | | ND | |
| ID: Idaho Falls | Be-7 | 75 | 19 |
| KS: Kansas City | Be-7 | 31 | 17 |
| MA: Boston | Be-7 | 111 | 32 |
| MI: Lansing | | ND | |
| MN: St. Paul | | ND | |
| NC: Charlotte | Be-7 | 35 | 15 |
| NC: Wilmington | | ND | |
| NY: Albany | Be-7 | 64 | 31 |
| OR: Portland | | ND | |
| PA: Harrisburg | | ND | |
| TN: Knoxville | | ND | |
| TN: Nashville | | ND | |
| TN: Oak Ridge/K25 | Be-7 | 90 | 36 |
| TN: Oak Ridge/Melton | Be-7 | 48 | 22 |
| TN: Oak Ridge/Y12 E | Be-7 | 85 | 36 |
| TX: Austin | | ND | |
| UT: Salt Lake City | Be-7 | 56 | 29 |
| VA: Lynchburg | | ND | |

Table 7
Gamma-Emitters in Precipitation
June 2016

| Location | Nuclide | pCi/L \pm 2u | |
|----------------------|---------|----------------|-----|
| AL: Montgomery/408 | K-40 | 15 | 14 |
| CT: Hartford | Be-7 | 41 | 19 |
| FL: Jacksonville | Be-7 | 26 | 14 |
| GA: Atlanta | Be-7 | 55 | 25 |
| HI: Honolulu | K-40 | 18 | 13 |
| | Ra-228 | 3.9 | 3.8 |
| KS: Kansas City | Be-7 | 49 | 21 |
| MA: Boston | Be-7 | 16 | 10 |
| MI: Lansing | Be-7 | 46 | 21 |
| MN: St. Paul | Be-7 | 22 | 18 |
| | K-40 | 14 | 13 |
| MN: Welch/510 | Be-7 | 44 | 21 |
| NC: Charlotte | Be-7 | 85 | 30 |
| NC: Wilmington | | ND | |
| NY: Albany | Be-7 | 31 | 14 |
| OR: Portland | Be-7 | 32 | 20 |
| PA: Harrisburg | K-40 | 16 | 14 |
| TN: Knoxville | Be-7 | 27 | 14 |
| TN: Nashville | Be-7 | 40 | 22 |
| TN: Oak Ridge/K25 | Be-7 | 58 | 17 |
| TN: Oak Ridge/Melton | Be-7 | 65 | 14 |
| TN: Oak Ridge/Y12 E | Be-7 | 63 | 18 |
| TX: Austin | | ND | |
| UT: Salt Lake City | Be-7 | 30 | 18 |
| VA: Lynchburg | | ND | |
| WA: Olympia | Be-7 | 42 | 18 |

Plutonium and Uranium in Airborne Particulates

Environmental radiation levels of plutonium and uranium are determined by the analysis of annually composited samples (air filters) collected from the airborne particulate samplers. Plutonium and uranium results are published in the ERD for the third quarter of the following year.

Concentrations of plutonium-238, combined plutonium-239 and 240, and uranium-234, 235, and 238 are determined by alpha-particle spectrometry following chemical separation. The total volume of air represented by all the samples received from one sampling location during a year typically ranges from 120,000 m³ to 500,000 m³. The aliquot analyzed is a fraction of the total volume and is typically between 5,000 m³ and 30,000 m³.

This page intentionally left blank

2. Drinking Water Program

The RadNet drinking water program provides data on radionuclide concentrations in the nation's drinking water supplies. Sampling sites are either major population centers or selected nuclear facility environs.

Drinking water data are used to assess trends and anomalies in concentrations. The analysis scheme for RadNet samples is similar to that of EPA's "National Interim Primary Drinking Water Regulations." The analyses include (a) tritium on a quarterly basis; (b) gross alpha, gross beta, and gamma on annual composites; (c) radium-226 if the gross alpha exceeds 2 pCi/L and radium-228 if the radium-226 falls between 3 and 5 pCi/L on annual composites; (d) iodine-131 on one quarterly sample per year for each station; (e) plutonium-238, combined plutonium-239 and 240, and uranium-234, 235, and 238 for stations that demonstrate gross alpha levels greater than 2 pCi/L on annual composites; and (f) strontium-90 on one-fourth of the annual composites on a four year rotating schedule. Composite results are published in the ERD for the third quarter of the following year.

RadNet drinking water data should not be used to monitor compliance with drinking water regulations or for comparisons to those data since different procedures for collection and analysis may be used.

Table 8
Tritium in Drinking Water
April–June 2016

| Location | Date Collected | ³ H pCi/L ± 2 <i>u</i> |
|--------------------|----------------|--------------------------------------|
| AK: Fairbanks | 05/25/16 | -12 81 |
| AL: Dothan | 04/01/16 | 31 77 |
| AL: Montgomery/408 | 04/12/16 | -27 90 |
| AL: Muscle Shoals | 04/06/16 | 60 78 |
| AL: Scottsboro | 04/05/16 | -24 75 |
| AR: Little Rock | 05/12/16 | 127 94 |
| CO: Denver | 05/02/16 | -6 90 |
| CT: Hartford | 04/15/16 | -45 88 |
| DE: Dover | 04/25/16 | -89 86 |
| FL: Miami | 06/27/16 | 57 84 |
| FL: Tampa | 06/30/16 | -23 59 |
| GA: Baxley | 05/17/16 | 122 88 |
| GA: Savannah | 06/08/16 | 43 84 |
| HI: Honolulu | 05/27/16 | 6 80 |
| IA: Cedar Rapids | 05/11/16 | 101 93 |
| ID: Idaho Falls | 06/13/16 | 8 82 |
| IL: Chicago | 04/12/16 | -45 88 |
| KS: Topeka | 05/13/16 | -31 89 |
| LA: New Orleans | 05/13/16 | -37 89 |
| MD: Baltimore | 06/15/16 | 41 84 |
| MD: Conowingo | 06/28/16 | 63 84 |
| MI: Detroit | 04/11/16 | 122 96 |
| MN: St. Paul | 04/04/16 | -35 75 |
| MN: Welch | 04/04/16 | -4 75 |
| MO: Jefferson City | 06/16/16 | 33 83 |
| MT: Helena | 06/28/16 | 28 60 |
| ND: Bismarck | 04/26/16 | -33 89 |
| NE: Lincoln | 04/07/16 | -4 76 |
| NJ: Trenton | 06/06/16 | 25 83 |
| NJ: Waretown | 06/09/16 | 49 84 |
| NY: Albany | 06/30/16 | 8 82 |
| NY: New York | 06/17/16 | 22 83 |
| OH: Cincinnati | 05/13/16 | 147 95 |
| OH: Columbus | 06/14/16 | 88 86 |
| OH: E. Liverpool | 06/02/16 | 21 83 |
| OH: Painesville | 05/18/16 | 143 97 |
| OH: Toledo | 06/21/16 | 70 85 |
| OK: Oklahoma City | 06/30/16 | 13 60 |
| PA: Columbia | 06/28/16 | 68 85 |
| PA: Harrisburg | 06/29/16 | 4 59 |

Table 8 (continued)
Tritium in Drinking Water
April–June 2016

| Location | Date Collected | ³ H pCi/L ± 2 <i>u</i> |
|--------------------|----------------|--------------------------------------|
| PA: Pittsburgh | 06/02/16 | –2 79 |
| SC: Barnwell | 04/21/16 | –44 90 |
| SC: Columbia | 04/20/16 | 12 92 |
| SC: Hartsville | 04/13/16 | 27 92 |
| SC: Jenkinsville | 04/19/16 | –27 89 |
| SC: Jenkinsville | 06/30/16 | 7 57 |
| SC: Rock Hill | 04/20/16 | 370 110 |
| SC: Seneca | 04/15/16 | –54 88 |
| TN: Knoxville | 04/06/16 | –4 76 |
| TN: Oak Ridge/#360 | 04/05/16 | –37 74 |
| TN: Oak Ridge/#371 | 04/05/16 | 96 80 |
| TN: Oak Ridge/#768 | 04/05/16 | –11 75 |
| TN: Oak Ridge/#772 | 04/05/16 | –18 75 |
| TX: Austin | 04/04/16 | –17 75 |
| WA: Richland | 06/21/16 | 75 85 |
| WI: Madison | 05/06/16 | 23 83 |

This page intentionally left blank

For More Information

Environmental Radiation Data (ERD) is published quarterly by the U.S. Environmental Protection Agency's Office of Radiation and Indoor Air.

Requests for information concerning the operation of RadNet, the data that are generated, or publication and distribution of ERD should be directed to:

Jessica Wieder
USEPA – ORIA, Radiation Protection Division

Radiation Protection Division (MC6608J)
1200 Pennsylvania Ave. N.W.
Washington, DC 20460
email: wieder.jessica@epa.gov

Requests for information concerning policies of the Office of Radiation and Indoor Air should be directed to:

Jonathan Edwards
USEPA - ORIA
1200 Pennsylvania Ave. N.W.
Washington, DC 20460
email: edwards.jonathan@epa.gov

This page intentionally left blank