



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
REGION 5  
77 WEST JACKSON BOULEVARD  
CHICAGO, IL 60604-3590

AUG 10 2015

**CERTIFIED MAIL: 7009 1680 0000 7662 5548**  
**RETURN RECEIPT REQUESTED**

REPLY TO THE ATTENTION OF:

Mr. James Laubsted  
Sr. Facility Compliance Manager  
Clean Harbors Recycling Services of Chicago, LLC  
1445 West 42<sup>nd</sup> Street  
Chicago, Illinois 60609

Re: Draft Federal RCRA Permit, Clean Harbors Recycling Services of Chicago, LLC  
Chicago, Illinois, ILD 005 450 697

Dear Mr. Laubsted:

Enclosed is the draft Federal Resource Conservation and Recovery Act (RCRA) permit for Clean Harbors Recycling Services of Chicago, LLC Chicago, Illinois.

The draft Federal RCRA permit will be publicly noticed in the Chicago Bridgeport News newspaper on August 19, 2015 and announced over a radio station serving the Back of the Yards neighborhood. A copy of the draft Federal RCRA permit is available for review at the Chicago Public Library—Back of the Yards Branch, 2111 W. 47<sup>th</sup> St., Chicago, Illinois. The 45-day public comment period extends from August 19, 2015 to October 5, 2015.

During the 45 day public comment period, you or any interested party may submit comments to the U.S. Environmental Protection Agency (EPA) on the draft Federal RCRA permit set forth above. At the close of the comment period, EPA will prepare a response to all significant comments.

Comments on the draft Federal RCRA permit may be submitted to:


U.S. Environmental Protection Agency, Region 5  
RCRA Branch (LR-8J)  
77 West Jackson Boulevard  
Chicago, Illinois 60604

Attention: James Blough

Following review of any comments received on the draft federal RCRA permit, EPA will issue a final permit decision in accordance with the requirements of Title 40 of the Code of Federal Regulations Section 124.19.

If you have questions concerning the draft Federal RCRA permit, please contact James Blough, of my staff at (312) 886-2967.

Sincerely,



for Gary J. Victorine, Chief  
RCRA Branch

Enclosure

cc: M, Rahman , IEPA