

APIID	Lease	Well #	EPAID	Date	Total Volume Injected (BBL)	Average Injection Rate (BBL/DAY)	Maximum Pressure (PSIG)
047-21145	Gilbert 2020	02	PAS2R222AELK	01/25/17	855	28.5	1480
				02/22/17	762	27.2	1480
				03/29/17	952	27.2	1480
				04/26/17	767	27.4	1450
				05/31/17	994	27.6	1480
				06/28/17	829	29.6	1480
				07/26/17	Off		
				08/30/17	868	24.8	1480
				09/27/17	874	31.2	1480
				10/24/17	740	27.4	1420
				11/29/17	813	27.1	1400
				12/31/17	852	28.4	1480
				047-21359	Gilbert 2020	03	PAS2R222AELK
02/22/17	496	17.1	1480				
03/26/17	806	25.2	1480				
04/27/17	758	23.7	1410				
05/30/17	812	24.6	1440				
06/27/17	666	23.8	1420				
07/24/17	624	23.1	1410				
08/28/17	1106	31.6	1460				
09/22/17	653	26.1	1480				
10/20/17	650	23.2	1390				
11/29/17	735	21.0	1400				
12/27/17	0	0.0	1460				
047-21146	Gilbert 2020	04	PAS2R222AELK				
				02/22/17	667	23.0	1480
				03/26/17	707	22.1	1480
				04/27/17	790	24.7	1440
				05/30/17	828	25.1	1440
				06/27/17	638	22.8	1440
				07/24/17	664	24.6	1440
				08/28/17	1033	29.5	1450
				09/22/17	638	25.5	1470
				10/20/17	Off		
				11/29/17	770	22.0	1430
				12/27/17	300	10.7	1460
				047-21147	Gilbert 2020	05	PAS2R222AELK
02/22/17	90	3.1	1480				
03/26/17	67	2.1	1480				
04/27/17	0	0.0	1440				
05/30/17	0	0.0	1430				
06/27/17	0	0.0	1430				
07/24/17	0	0.0	1420				
08/28/17	0	0.0	1460				
09/22/17	0	0.0	1440				
10/20/17	0	0.0	1460				

				11/29/17	0	0.0	1450
				12/27/17	0	0.0	1460
047-21360	Gilbert 2020	06	PAS2R222AELK	01/24/17	0	0.0	1480
				02/22/17	0	0.0	1480
				03/26/17	0	0.0	1480
				04/27/17	0	0.0	1420
				05/30/17	0	0.0	1420
				06/27/17	0	0.0	1420
				07/24/17	0	0.0	1420
				08/28/17	0	0.0	1440
				09/22/17	0	0.0	1430
				10/20/17	0	0.0	1460
				11/29/17	0	0.0	1450
				12/27/17	0	0.0	1460
047-21361	Gilbert 2020	07	PAS2R222AELK	01/24/17	0	0.0	1490
				02/22/17	84	2.9	1480
				03/26/17	45	1.4	1480
				04/27/17	0	0.0	1440
				05/30/17	0	0.0	1460
				06/27/17	0	0.0	1410
				07/24/17	0	0.0	1420
				08/28/17	0	0.0	1480
				09/22/17	0	0.0	1460
				10/20/17	0	0.0	1450
				11/29/17	0	0.0	1450
				12/27/17	0	0.0	1460
047-21170	Gilbert 2026	08	PAS2R222AELK	01/24/17	636	21.2	1480
				02/22/17	592	20.4	1480
				03/26/17	694	21.7	1480
				04/27/17	669	20.9	1440
				05/30/17	660	20.0	1430
				06/27/17	521	18.6	1430
				07/24/17	462	17.1	1420
				08/28/17	819	23.4	1430
				09/22/17	483	19.3	1410
				10/20/17	532	19.0	1440
				11/29/17	700	20.0	1440
				12/27/17	240	8.6	1460
047-21376	Gilbert 2026	09	PAS2R222AELK	01/24/17	0	0.0	1480
				02/22/17	0	0.0	1480
				03/26/17	0	0.0	1480
				04/27/17	0	0.0	1410
				05/30/17	0	0.0	1420
				06/27/17	0	0.0	1410
				07/24/17	0	0.0	1400
				08/28/17	0	0.0	1420
				09/22/17	0	0.0	1440
				10/20/17	0	0.0	1450

				11/29/17	0	0.0	1440
				12/27/17	0	0.0	1460
047-21378	Gilbert 2026	010	PAS2R222AELK	01/24/17	63	2.1	1480
				02/22/17	29	1.0	1480
				03/26/17	77	2.4	1480
				04/27/17	0	0.0	1440
				05/30/17	0	0.0	1440
				06/27/17	0	0.0	1440
				07/24/17	0	0.0	1420
				08/28/17	0	0.0	1430
				09/27/17	0	0.0	1440
				10/20/17	0	0.0	1480
				12/27/17	0	0.0	1480
047-21377	Gilbert 2026	011	PAS2R222AELK	01/24/17	306	10.2	1480
				02/22/17	606	20.9	1480
				03/26/17	323	10.1	1480
				04/27/17	720	22.5	1440
				05/30/17	706	21.4	1430
				06/27/17	269	9.6	1420
				07/24/17	257	9.5	1400
				08/28/17	375	10.7	1440
				09/22/17	560	22.4	1390
				10/20/17	484	17.3	1430
				11/29/17	560	16.0	1440
				12/27/17	588	21.0	1450
047-21382	Gilbert 2026	012	PAS2R222AELK	01/24/17	93	3.1	1490
				02/22/17	96	3.3	1480
				03/26/17	0	0.0	1480
				04/27/17	0	0.0	1420
				05/30/17	0	0.0	1420
				06/27/17	0	0.0	1450
				07/24/17	0	0.0	1440
				08/28/17	0	0.0	1450
				09/22/17	0	0.0	1480
				10/20/17	0	0.0	1480
				11/29/17	0	0.0	1460
				12/27/17	0	0.0	1450
047-21379	Gilbert 2026	013	PAS2R222AELK	01/24/17	42	1.4	1480
				02/22/17	32	1.1	1480
				03/26/17	99	3.1	1480
				04/27/17	0	0.0	1440
				05/30/17	0	0.0	1440
				06/27/17	0	0.0	1450
				07/24/17	0	0.0	1430
				08/28/17	0	0.0	1440
				09/22/17	0	0.0	1460
				10/20/17	0	0.0	1470
				11/29/17	0	0.0	1460

				12/27/17	0	0.0	1450
047-21386	Gilbert 2026	014	PAS2R222AELK	01/24/17	28	1.0	1480
				02/22/17	28	1.0	1480
				03/26/17	35	1.0	1480
				04/27/17	28	1.0	1440
				05/30/17	28	1.0	1470
				06/27/17	35	1.0	1470
				07/24/17	28	1.0	1480
				08/28/17	28	1.0	1480
				09/22/17	35	1.0	1480
				10/20/17	28	1.0	1480
				11/29/17	28	1.0	1460
				12/27/17	35	1.0	1450
047-21150	Lamont 210	035	PAS2R222AELK	01/25/17	612	20.4	1480
				02/22/17	563	20.1	1490
				03/29/17	728	20.8	1480
				04/26/17	591	21.1	1450
				05/31/17	806	22.4	1480
				06/28/17	638	22.8	1480
				07/26/17	594	21.2	1460
				08/30/17	749	21.4	1490
				09/27/17	591	21.1	1480
				10/24/17	524	19.4	1440
				11/29/17	543	18.1	1400
				12/31/17	522	17.4	1490
047-21153	Lamont 210	036	PAS2R222AELK	01/25/17	0	0.0	1480
				02/22/17	0	0.0	1480
				03/29/17	0	0.0	1480
				04/26/17	0	0.0	1440
				05/31/17	0	0.0	1480
				06/28/17	0	0.0	1480
				07/26/17	0	0.0	1460
				08/30/17	0	0.0	1480
				09/27/17	0	0.0	1480
				10/24/17	0	0.0	1480
				11/29/17	0	0.0	1480
				12/31/17	0	0.0	1480
047-21157	Lamont 210	037	PAS2R222AELK	01/25/17	0	0.0	1480
				02/22/17	0	0.0	1480
				03/29/17	0	0.0	1480
				04/26/17	TSI		150
				05/31/17	TSI		75
				06/28/17	TSI		0
				07/26/17	TSI		0
				08/30/17	TSI		0
				09/27/17	TSI		0
				10/25/17	TSI		0
				11/29/17	TSI		0

				12/27/17	TSI		0
047-21156	Lamont 210	038	PAS2R222AELK	01/25/17	609	20.3	1480
				02/22/17	568	20.3	1480
				03/29/17	686	19.6	1480
				04/26/17	456	16.3	1450
				05/31/17	698	19.4	1480
				06/28/17	602	21.5	1480
				07/26/17	602	21.5	1480
				08/30/17	858	24.5	1480
				09/27/17	577	20.6	1480
				10/24/17	489	18.1	1460
				11/29/17	618	20.6	1420
				12/31/17	663	22.1	1480
047-21160	Lamont 210	041	PAS2R222AELK	01/25/17	0	0.0	1480
				02/22/17	0	0.0	1480
				03/29/17	0	0.0	1480
				04/26/17	TSI		0
				05/31/17	TSI		0
				06/26/17	TSI		0
				07/26/17	TSI		0
				08/30/17	TSI		0
				09/27/17	TSI		0
				10/25/17	TSI		0
				11/29/17	TSI		0
				12/27/17	TSI		0
047-21347	Lamont 300	04	PAS2R222AELK	01/25/17	Off - BI		0
				02/22/17	Off - BI		0
				03/29/17	Off - BI		0
				04/26/17	Off - NC		0
				05/31/17	Off - NC		0
				06/28/17	Off - NC		0
				07/26/17	Off - NC		0
				08/30/17	Off - NC		0
				09/27/17	Off - NC		0
				10/24/17	Off - NC		0
				11/29/17	Off - NC		0
				12/27/17	Off - NC		0
047-21069	Lamont 300	05	PAS2R222AELK	01/25/17	Off - BI		0
				02/22/17	Off - BI		0
				03/29/17	Off - BI		0
				04/26/17	Off - BI		0
				05/31/17	Off - NC		0
				06/26/17	Off - NC		0
				07/26/17	Off - NC		0
				08/30/17	Off - NC		0
				09/27/17	Off - NC		0
				10/25/17	Off - NC		0
				11/29/17	Off - NC		0

				12/27/17	Off - NC		0
047-21070	Lamont 300	06	PAS2R222AELK	01/25/17	0	0.0	1480
				02/22/17	0	0.0	1490
				03/29/17	0	0.0	1480
				04/26/17	0	0.0	1450
				05/31/17	0	0.0	1480
				06/28/17	0	0.0	1480
				07/26/17	0	0.0	1480
				08/30/17	0	0.0	1490
				09/27/17	Line off		
				10/24/17	0	0.0	1490
				11/29/17	0	0.0	1490
				12/31/17	0	0.0	1490
047-21083	Lamont 300	07	PAS2R222AELK	01/25/17	0	0.0	1480
				02/22/17	0	0.0	1480
				03/29/17	0	0.0	1380
				04/26/17	0	0.0	1450
				05/31/17	0	0.0	1480
				06/28/17	0	0.0	1480
				07/26/17	0	0.0	1480
				08/30/17	0	0.0	1480
				09/27/17	0	0.0	1480
				10/24/17	0	0.0	1480
				11/29/17	0	0.0	1480
				12/31/17	0	0.0	1480
047-21084	Lamont 300	08	PAS2R222AELK	01/25/17	189	6.3	1480
				02/22/17	202	7.2	1490
				03/29/17	228	6.5	1480
				04/26/17	246	8.8	1450
				05/31/17	328	9.1	1480
				06/28/17	260	9.3	1480
				07/26/17	246	8.8	1460
				08/30/17	0	0.0	1490
				09/27/17	0	0.0	1480
				10/24/17	0	0.0	1490
				11/29/17	Off - cuno froze	0.0	
				12/27/17	0	0.0	1490
047-21148	Lamont 300	09	PAS2R222AELK	01/25/17	0	0.0	1480
				02/22/17	0	0.0	1480
				03/29/17	0	0.0	1480
				04/26/17	0	0.0	1450
				05/31/17	0	0.0	1480
				06/28/17	0	0.0	1480
				07/26/17	Off -for Acid		0
				08/30/17	Off		
				09/27/17	Off		
				10/24/17	Off - NC		
				11/29/17	Off - NC		

				12/27/17	Off - NC		
047-21349	Lamont 300	011	PAS2R222AELK	01/25/17	Off - BI		0
				02/22/17	Off - BI		0
				03/29/17	Off - NC		0
				04/26/17	Off - NC		0
				05/31/17	Off - NC		0
				06/26/17	Off - NC		0
				07/26/17	Off - NC		0
				08/30/17	Off - NC		0
				09/27/17	Off - NC		0
				10/25/17	Off - NC		0
				11/29/17	Off - NC		0
				12/27/17	Off - NC		0
047-21031	Lamont 300	012	PAS2R222AELK	01/25/17	0	0.0	1480
				02/22/17	0	0.0	1480
				03/29/17	0	0.0	1380
				04/26/17	Line Off		
				05/31/17	0	0.0	1480
				06/28/17	0	0.0	1480
				07/26/17	0	0.0	1480
				08/30/17	0	0.0	1480
				09/27/17	0	0.0	1480
				10/24/17	0	0.0	1480
				11/29/17	0	0.0	1480
				12/31/17	0	0.0	1480
047-21032	Lamont 300	013	PAS2R222AELK	01/25/17	0	0.0	1480
				02/22/17	0	0.0	1480
				03/29/17	0	0.0	1380
				04/26/17	0	0.0	1440
				05/31/17	0	0.0	1480
				06/28/17	0	0.0	1480
				07/26/17	0	0.0	1480
				08/30/17	0	0.0	1480
				09/27/17	0	0.0	1480
				10/24/17	0	0.0	1480
				11/29/17	0	0.0	1480
				12/31/17	0	0.0	1480
047-21033	Lamont 300	014	PAS2R222AELK	01/25/17	0	0.0	1480
				02/22/17	0	0.0	1480
				03/29/17	0	0.0	1380
				04/26/17	0	0.0	1440
				05/31/17	0	0.0	1480
				06/28/17	0	0.0	1480
				07/26/17	0	0.0	1480
				08/30/17	0	0.0	1480
				09/27/17	0	0.0	1480
				10/24/17	0	0.0	1480
				11/29/17	0	0.0	1480

				12/31/17	0	0.0	1480
047-21034	Lamont 300	015	PAS2R222AELK	01/25/17	0	0.0	1480
				02/22/17	0	0.0	1480
				03/29/17	0	0.0	1380
				04/26/17	0	0.0	1450
				05/31/17	400	11.1	1480
				06/28/17	168	6.0	1480
				07/26/17	143	5.1	1430
				08/30/17	70	2.0	1480
				09/27/17	4	0.1	1480
				10/24/17	0	0.0	1470
				11/29/17	0	0.0	1440
				12/31/17	0	0.0	1490
047-21035	Lamont 300	016	PAS2R222AELK	01/24/17	0	0.0	1480
				02/22/17	0	0.0	1480
				03/26/17	0	0.0	1480
				04/27/17	0	0.0	1440
				05/30/17	1003	30.4	1480
				06/27/17	686	24.5	1480
				07/24/17	651	24.1	1480
				08/28/17	994	28.4	1480
				09/22/17	633	25.3	1480
				10/20/17	610	21.8	1480
				11/29/17	735	21.0	1490
				12/27/17	344	13.0	1450
047-21036	Lamont 300	019	PAS2R222AELK	01/25/17	Off for acid		0
				02/22/17	36	1.3	1490
				03/26/17	0	0.0	1480
				04/27/17	0	0.0	1460
				05/31/17	0	0.0	1460
				06/27/17	0	0.0	1450
				07/24/17	0	0.0	1460
				08/28/17	0	0.0	1480
				09/22/17	0	0.0	1470
				10/20/17	0	0.0	1480
				11/29/17	0	0.0	1490
				12/27/17	0	0.0	1450
047-21037	Lamont 300	020	PAS2R222AELK	01/24/17	453	15.1	1490
				02/22/17	455	15.7	1490
				03/26/17	90	2.8	1480
				04/27/17	1174	36.7	1460
				05/30/17	792	24.0	1460
				06/27/17	972	34.7	1420
				07/24/17	818	30.3	1480
				08/28/17	1124	32.1	1480
				09/22/17	785	31.4	1480
				10/20/17	708	25.3	1480
				11/29/17	875	25.0	1480

				12/27/17	122	4.4	1450
047-21038	Lamont 300	021	PAS2R222AELK	01/24/17	0	0.0	1490
				02/22/17	0	0.0	1490
				03/26/17	0	0.0	1480
				04/27/17	0	0.0	1440
				05/30/17	1089	33.0	1440
				06/27/17	1415	52.4	1460
				07/24/17	1058	39.2	1480
				08/28/17	1453	41.5	1480
				09/22/17	905	36.2	1420
				10/20/17	994	35.5	1440
				11/29/17	1295	37.0	1480
				12/27/17	84	3.0	1450
047-21039	Lamont 300	022	PAS2R222AELK	01/24/17	0	0.0	1490
				02/22/17	0	0.0	1490
				03/26/17	0	0.0	1480
				04/27/17	0	0.0	1440
				05/31/17	Off		0
				06/27/17	68	2.5	1410
				07/24/17	Off	0.0	1450
				08/30/17	Off	0.0	1490
				09/22/17	Off	0.0	1400
				10/20/17	Off - NC		
				11/29/17	Off - NC		
				12/27/17	Off - NC		
047-21085	Lamont 300	023	PAS2R222AELK	01/24/17	0	0.0	1490
				02/22/17	0	0.0	1490
				03/26/17	0	0.0	1480
				04/27/17	TSI		450
				05/31/17	TSI		0
				06/26/17	TSI		0
				07/26/17	TSI		0
				08/30/17	TSI		0
				09/27/17	TSI		0
				10/25/17	TSI		0
				11/29/17	TSI		0
				12/27/17	TSI		0
047-21040	Lamont 300	025	PAS2R222AELK	01/24/17	294	9.8	1490
				02/22/17	99	3.4	1490
				03/26/17	0	0.0	1480
				04/27/17	TSI		450
				05/31/17	TSI		0
				06/26/17	TSI		0
				07/26/17	TSI		0
				08/30/17	TSI		0
				09/27/17	TSI		0
				10/25/17	TSI		0
				11/29/17	TSI		0

				12/27/17	TSI		0
047-21052	Lamont 300	026	PAS2R222AELK	01/24/17	69	2.3	1490
				02/22/17	110	3.8	1490
				03/26/17	0	0.0	1480
				04/27/17	TSI		0
				05/31/17	TSI		0
				06/26/17	TSI		0
				07/26/17	TSI		0
				08/30/17	TSI		0
				09/27/17	TSI		0
				10/25/17	TSI		0
				11/29/17	TSI		0
				12/27/17	TSI		0
047-21053	Lamont 300	027	PAS2R222AELK	01/24/17	0	0.0	1490
				02/22/17	0	0.0	1490
				03/26/17	0	0.0	1480
				04/27/17	TSI		0
				05/31/17	TSI		0
				06/26/17	TSI		0
				07/26/17	TSI		0
				08/30/17	TSI		0
				09/27/17	TSI		0
				10/25/17	TSI		0
				11/29/17	TSI		0
				12/27/17	TSI		0
047-21161	Lamont 300	028	PAS2R222AELK	01/24/17	369	12.3	1490
				02/22/17	397	13.7	1490
				03/26/17	0	0.0	1480
				04/27/17	TSI		0
				05/31/17	TSI		0
				06/26/17	TSI		0
				07/24/17	TSI - NC		0
				08/30/17	TSI - NC		0
				09/27/17	TSI - NC		0
				10/25/17	TSI - NC		0
				11/29/17	TSI - NC		0
				12/27/17	TSI - NC		0
047-21087	Lamont 300	031	PAS2R222AELK	01/24/17	0	0.0	1490
				02/22/17	0	0.0	1490
				03/26/17	0	0.0	1480
				04/27/17	0	0.0	1200
				05/31/17	Off		
				06/27/17	186	6.9	1440
				07/26/17	Off		0
				08/28/17	0	0.0	1450
				09/27/17	Off		0
				10/25/17	Off		0
				11/29/17	Off		0

				12/27/17	Off		0
047-21661	Lamont 300	039	PAS2R222AELK	01/25/17	348	11.6	1480
				02/22/17	336	12.0	1490
				03/29/17	434	12.4	1480
				04/26/17	246	8.8	1450
				05/31/17	364	10.1	1480
				06/28/17	370	13.2	1480
				07/26/17	392	14.0	1480
				08/30/17	357	10.2	1490
				09/27/17	Off	0.0	0
				10/24/17	302	11.2	1490
				11/29/17	Off - cuno froze	0.0	0
				12/31/17	243	8.1	1490
047-21373	Lamont 300	043	PAS2R222AELK	01/25/17	0	0.0	1480
				02/22/17	0	0.0	1480
				03/29/17	0	0.0	1480
				04/26/17	TSI		120
				05/31/17	TSI		0
				06/28/17	TSI		0
				07/26/17	TSI		0
				08/30/17	TSI		0
				09/27/17	TSI		0
				10/25/17	TSI		0
				11/29/17	TSI		0
				12/27/17	TSI		0
047-21126	Wood & Young	01	PAS2R222AELK	01/24/17	72	2.4	1480
				02/22/17	35	1.2	1480
				03/26/17	70	2.2	1480
				04/27/17	0	0.0	1440
				05/30/17	0	0.0	1460
				06/27/17	0	0.0	1410
				07/24/17	0	0.0	1420
				08/28/17	0	0.0	1470
				09/22/17	0	0.0	1470
				10/20/17	0	0.0	1480
				11/29/17	0	0.0	1460
				12/27/17	0	0.0	1450
047-21127	Wood & Young	02	PAS2R222AELK	01/24/17	93	3.1	1480
				02/22/17	35	1.2	1480
				03/26/17	35	1.1	1480
				04/27/17	0	0.0	1440
				05/30/17	0	0.0	1460
				06/27/17	0	0.0	1410
				07/24/17	0	0.0	1410
				08/28/17	0	0.0	1470
				09/22/17	0	0.0	1450
				10/20/17	0	0.0	1460
				11/29/17	0	0.0	1460

				12/27/17	0	0.0	1460
047-21131	Wood & Young	03	PAS2R222AELK	01/25/17	Off - BI		
				02/22/17	Off - BI		
				03/29/17	Off - BI		
				04/26/17	Off - NC		
				05/31/17	Off - NC		
				06/26/17	Off - NC		
				07/26/17	Off - NC		
				08/30/17	Off - NC		
				09/27/17	Off - NC		
				10/25/17	Off - NC		
				11/29/17	Off - NC		
				12/27/17	Off - NC		
047-21128	Wood & Young	04	PAS2R222AELK	01/24/17	0	0.0	1480
				02/22/17	0	0.0	1480
				03/26/17	0	0.0	1480
				04/27/17	Off - BI		0
				05/31/17	Off - BI		0
				06/30/17	Off - BI		0
				07/24/17	Off - BI		0
				08/28/17	Off - NC		0
				09/22/17	Off - NC		0
				10/25/17	Off - NC		0
				11/29/17	Off - NC		0
				12/27/17	Off - NC		0
047-21129	Wood & Young	05	PAS2R222AELK	01/24/17	30	1.0	1480
				02/22/17	38	1.3	1480
				03/26/17	32	1.0	1480
				04/27/17	0	0.0	1450
				05/30/17	0	0.0	1460
				06/27/17	0	0.0	1420
				07/24/17	0	0.0	1410
				08/28/17	0	0.0	1460
				09/22/17	0	0.0	1480
				10/20/17	0	0.0	1480
				11/29/17	0	0.0	1470
				12/27/17	0	0.0	1450
047-21367	Wood & Young	06	PAS2R222AELK	01/24/17	75	2.5	1480
				02/22/17	58	2.0	1480
				03/26/17	32	1.0	1480
				04/27/17	0	0.0	1440
				05/30/17	0	0.0	1460
				06/27/17	0	0.0	1420
				07/24/17	0	0.0	1430
				08/28/17	0	0.0	1450
				09/22/17	0	0.0	1460
				10/20/17	0	0.0	1460
				11/29/17	0	0.0	1470

				12/27/17	0	0.0	1450
047-21130	Wood & Young	07	PAS2R222AELK	01/24/17	699	23.3	1480
				02/22/17	728	25.1	1480
				03/26/17	746	23.3	1480
				04/27/17	912	28.5	1440
				05/30/17	937	28.4	1460
				06/27/17	482	17.2	1430
				07/24/17	475	17.6	1460
				08/28/17	914	26.1	1480
				09/22/17	593	23.7	1480
				10/20/17	641	22.9	1470
				11/29/17	735	21.0	1470
				12/27/17	276	23.0	1450
047-21133	Wood & Young	08	PAS2R222AELK	01/24/17	0	0.0	1490
				02/22/17	0	0.0	1490
				03/26/17	0	0.0	1490
				04/27/17	TSI		300
				05/31/17	TSI		50
				06/26/17	TSI		0
				07/26/17	TSI		0
				08/30/17	TSI		0
				09/22/17	TSI		0
				10/25/17	TSI		0
				11/29/17	TSI		0
				12/27/17	TSI		0
047-21368	Wood & Young	09	PAS2R222AELK	01/24/17	0	0.0	1480
				02/22/17	32	1.1	1480
				03/26/17	45	1.4	1480
				04/26/17	28	1.0	1440
				05/30/17	0	0.0	1450
				06/27/17	0	0.0	1420
				07/24/17	0	0.0	1420
				08/28/17	0	0.0	1460
				09/22/17	0	0.0	1450
				10/20/17	0	0.0	1460
				11/29/17	0	0.0	1460
				12/27/17	0	0.0	1460
047-21401	Wood Young & Davis	011	PAS2R222AELK	01/24/17	28	1.0	1480
				02/22/17	28	1.0	1480
				03/26/17	35	1.0	1480
				04/27/17	28	1.0	1440
				05/30/17	28	1.0	1440
				06/27/17	35	1.0	1430
				07/24/17	28	1.0	1420
				08/28/17	28	1.0	1460
				09/22/17	35	1.0	1440
				10/20/17	28	1.0	1450
				11/29/17	28	1.0	1460

047-21407	Wood Young & Davis	012	PAS2R222AELK	12/27/17	35	1.0	1460
				01/24/17	28	1.0	1480
				02/22/17	28	1.0	1480
				03/26/17	35	1.0	1480
				04/27/17	28	1.0	1440
				05/31/17	28	1.0	1430
				06/27/17	35	1.0	1440
				07/24/17	28	1.0	1420
				08/28/17	28	1.0	1480
				09/22/17	35	1.0	1420
				10/20/17	28	1.0	1470
				11/29/17	28	1.0	1460
				12/27/17	35	1.0	1480

047-21409	Wood Young & Davis	015	PAS2R222AELK	01/24/17	180	6.0	1480
				02/22/17	131	4.5	1480
				03/26/17	74	2.3	1480
				04/27/17	0	0.0	1440
				05/30/17	0	0.0	1420
				06/27/17	0	0.0	1420
				07/24/17	0	0.0	1400
				08/30/17	Off	0.0	0
				09/22/17	Off	0.0	0
				10/25/17	Off	0.0	0
				11/29/17	Off	0.0	0
				12/27/17	Off	0.0	0