

2010

APIID	Lease	Well #	EPAID	Date	Total Volume Injected (BBL)	Average Injection Rate (BBL/DAY)	Maximum Pressure (PSIG)
047-21145	Gilbert 2020	02	PAS2R222AELK	01/31/18	956	27.3	1480
				02/28/18	734	26.2	1480
				03/28/18	418	23.2	1480
				04/25/18	599	21.4	1480
				05/30/18	697	19.9	1480
				06/27/18	563	20.1	1480
				07/24/18	510	18.9	1480
				08/29/18	652	18.1	1470
				09/25/18	578	21.4	1480
				11/04/18	844	21.1	1490
				12/04/18	543	18.1	1480
				12/25/18	386	18.4	1470
				047-21359	Gilbert 2020	03	PAS2R222AELK
02/28/18	504	18.0	1460				
03/22/18	375	7.5	1460				
04/24/18	561	17.0	1480				
05/29/18	518	14.8	1490				
06/27/18	371	12.8	1490				
07/28/18	341	11.0	1490				
08/28/18	381	12.3	1490				
09/30/18	529	18.9	1490				
10/29/18	299	10.3	1490				
11/30/18	444	14.8	1490				
12/23/18	417	13.9	1490				
047-21146	Gilbert 2020	04	PAS2R222AELK				
				02/28/18	700	25.0	1460
				03/22/18	1330	26.6	1460
				04/24/18	693	21.0	1480
				05/29/18	767	21.9	1490
				06/27/18	568	19.6	1490
				07/28/18	493	15.9	1490
				08/28/18	481	15.5	1490
				09/30/18	484	17.3	1490
				10/29/18	354	12.2	1490
				11/30/18	555	18.5	1490
				12/23/18	507	16.9	1490
				047-21147	Gilbert 2020	05	PAS2R222AELK
02/28/18	28	1.0	1460				
03/28/18	28	1.0	1470				
04/24/18	35	1.0	1480				
05/29/18	28	1.0	1490				
06/27/18	28	1.0	1490				
07/28/18	35	1.0	1490				
08/28/18	28	1.0	1490				
09/30/18	28	1.0	1490				
10/29/18	35	1.0	1490				
11/30/18	28	1.0	1490				
12/23/18	28	1.0	1490				

7480

5590

7807

P-Max = ~~1500~~ 1500

Total bbls = ~~1000000~~ 74,747

364

047-21360	Gilbert 2020	06	PAS2R222AELK	01/31/18	35	1.0	1470
				02/28/18	28	1.0	1460
				03/31/18	28	1.0	1470
				04/24/18	35	1.0	1480
				05/29/18	28	1.0	1490
				06/27/18	28	1.0	1490
				07/28/18	35	1.0	1490
				08/21/18	28	1.0	1490
				09/30/18	28	1.0	1490
				10/31/18	35	1.0	1490
				11/30/18	28	1.0	1490
				12/31/18	28	1.0	1490

308

047-21361	Gilbert 2020	07	PAS2R222AELK	01/31/18	35	1.0	1470
				02/28/18	28	1.0	1460
				03/31/18	28	1.0	1470
				04/24/18	35	1.0	1480
				05/29/18	28	1.0	1490
				06/27/18	28	1.0	1490
				07/28/18	35	1.0	1490
				08/28/18	28	1.0	1490
				09/30/18	28	1.0	1490
				10/28/18	35	1.0	1490
				11/30/18	28	1.0	1490
				12/31/18	28	1.0	1490

364

047-21170	Gilbert 2026	08	PAS2R222AELK	01/31/18	665	19.0	1470
				02/28/18	560	20.0	1460
				03/22/18	1025	20.5	1460
				04/24/18	528	16.0	1480
				05/29/18	564	16.1	1490
				06/27/18	441	15.2	1490
				07/28/18	446	14.4	1490
				08/28/18	481	15.5	1490
				09/30/18	451	16.1	1490
				10/29/18	380	13.1	1490
				11/30/18	528	17.6	1490
				12/31/18	401	14.3	1490

6470

047-21376	Gilbert 2026	09	PAS2R222AELK	01/31/18	35	1.0	1470
				02/28/18	28	1.0	1460
				03/28/18	28	1.0	1470
				04/24/18	35	1.0	1480
				05/29/18	28	1.0	1490
				06/27/18	28	1.0	1490
				07/28/18	35	1.0	1490
				08/28/18	28	1.0	1490
				09/30/18	28	1.0	1490
				10/29/18	35	1.0	1490
				11/30/18	28	1.0	1490
				12/23/18	28	1.0	1490

364

047-21378	Gilbert 2026	010	PAS2R222AELK	01/31/18	35	1.0	1470
-----------	--------------	-----	--------------	----------	----	-----	------

02/28/18	28	1.0	1460
03/28/18	28	1.0	1460
04/24/18	35	1.0	1480
05/29/18	28	1.0	1490
06/27/18	28	1.0	1490
07/28/18	35	1.0	1490
08/28/18	28	1.0	1490
09/30/18	28	1.0	1490
10/29/18	35	1.0	1490
11/30/18	28	1.0	1490
12/23/18	28	1.0	1490

364

047-21377 Gilbert 2026 011 PAS2R222AELK

01/31/18	459	13.0	1450
02/28/18	660	24.0	1450
03/22/18	205	4.1	1450
04/24/18	528	16.0	1480
05/29/18	193	5.5	1490
06/27/18	0	0.0	1490
07/28/18	0	0.0	1490
08/28/18	0	0.0	1490
09/30/18	0	0.0	1490
10/29/18	0	0.0	1490
11/30/18	0	0.0	1490
12/23/18	0	0.0	1490

2045

047-21382 Gilbert 2026 012 PAS2R222AELK

01/31/18	35	1.0	1450
02/28/18	28	1.0	1450
03/28/18	28	1.0	1450
04/24/18	35	1.0	1480
05/29/18	28	1.0	1490
06/27/18	28	1.0	1490
07/28/18	35	1.0	1490
08/28/18	28	1.0	1490
09/30/18	28	1.0	1490
10/29/18	35	1.0	1490
11/30/18	28	1.0	1490
12/23/18	28	1.0	1490

364

047-21379 Gilbert 2026 013 PAS2R222AELK

01/31/18	35	1.0	1450
02/28/18	28	1.0	1450
03/28/18	28	1.0	1470
04/24/18	35	1.0	1480
05/29/18	28	1.0	1490
06/27/18	28	1.0	1490
07/28/18	35	1.0	1490
08/28/18	28	1.0	1490
09/30/18	28	1.0	1490
10/29/18	35	1.0	1490
11/30/18	28	1.0	1490
12/23/18	28	1.0	1490

364

047-21386 Gilbert 2026 014 PAS2R222AELK

01/31/18	35	1.0	1450
02/28/18	28	1.0	1450
03/28/18	28	1.0	1460

				04/24/18	35	1.0	1480
				05/29/18	28	1.0	1490
				06/27/18	28	1.0	1490
				07/28/18	35	1.0	1490
				08/28/18	28	1.0	1490
				09/30/18	28	1.0	1490
				10/29/18	35	1.0	1490
				11/30/18	28	1.0	1490
				12/23/18	28	1.0	1490
					28 364		
047-21150	Lamont 210	035	PAS2R222AELK	01/31/18	0	0.0	1480
				02/28/18	619	22.1	1490
				03/28/18	365	20.3	1490
				04/25/18	552	19.7	1490
				05/30/18	693	19.8	1490
				06/27/18	552	19.7	1490
				07/24/18	567	21.0	1490
				08/29/18	677	18.8	1470
				09/25/18	548	20.3	1490
				10/29/18	912	22.8	1480
				11/30/18	582	19.4	1480
				12/23/18	359	17.1	1490
					359 6426		
047-21153	Lamont 210	036	PAS2R222AELK	01/31/18	35	1.0	1480
				02/28/18	28	1.0	1480
				03/28/18	28	1.0	1480
				04/25/18	35	1.0	1480
				05/30/18	28	1.0	1480
				06/27/18	28	11.0	1480
				07/24/18	35	1.0	1490
				08/29/18	28	1.0	1470
				09/25/18	28	1.0	1480
				10/29/18	35	1.0	1490
				11/30/18	28	1.0	1470
				12/25/18	28	1.0	1480
					28 364		
047-21157	Lamont 210	037	PAS2R222AELK	01/31/18	TSI		0
				02/28/18	TSI		0
				03/28/18	TSI		0
				04/28/18	TSI		0
				05/28/18	TSI		0
				06/28/18	TSI		0
				07/28/18	TSI		0
				08/28/18	TSI		0
				09/30/18	TSI		0
				10/31/18	TSI		0
				11/30/18	TSI		0
				12/31/18	TSI		0
047-21156	Lamont 210	038	PAS2R222AELK	01/31/18	735	21.0	1480
				02/28/18	655	23.4	1480
				03/28/18	380	21.1	1480
				04/25/18	526	18.8	1480
				05/30/18	620	17.7	1480

06/27/18	515	18.4	1480
07/24/18	532	19.7	1480
08/29/18	572	15.9	1470
09/25/18	572	21.2	1480
11/04/18	760	19.0	1480
12/04/18	474	15.8	1470
12/25/18	326	15.5	1480

66667

047-21160 Lamont 210 041 PAS2R222AELK

01/31/18	TSI		0
02/28/18	TSI		0
03/28/18	TSI		0
04/28/18	TSI		0
05/28/18	TSI		0
06/28/18	TSI		0
07/28/18	TSI		0
08/28/18	TSI		0
09/30/18	TSI		0
10/31/18	TSI		0
11/30/18	TSI		0
12/31/18	TSI		0

047-21347 Lamont 300 04 PAS2R222AELK

01/31/18	Off		0
02/28/18	Off		0
03/28/18	Off		0
04/25/18	70	2.0	1480
05/30/18	28	1.0	1470
06/27/18	28	1.0	1480
07/24/18	35	1.0	1480
08/29/18	28	1.0	1470
09/25/18	28	1.0	1480
10/30/18	35	1.0	1448
11/28/18	28	1.0	1470
12/25/18	28	1.0	1480

308

047-21069 Lamont 300 05 PAS2R222AELK

01/31/18	Off		
02/28/18	Off		
03/28/18	Off		
04/25/18	43	1.5	1480
05/30/18	35	1.0	1470
06/27/18	28	1.0	1480
07/24/18	28	1.0	1480
08/29/18	35	1.0	1470
09/25/18	28	1.0	1480
10/31/18	28	1.0	1480
11/30/18	35	1.0	1470
12/25/18	28	1.0	1480

288

047-21070 Lamont 300 06 PAS2R222AELK

01/31/18	0	0.0	1490
02/28/18	0	0.0	1490
03/28/18	0	0.0	1490
04/25/18	28	1.0	1490
05/30/18	35	1.0	1490
06/27/18	28	1.0	1490
07/24/18	28	1.0	1490

047-21083	Lamont 300	07	PAS2R222AELK
-----------	------------	----	--------------

08/29/18	35	1.0	1480
09/25/18	28	1.0	1490
10/28/18	28	1.0	1490
11/30/18	35	1.0	1490
12/25/18	28	1.0	1490

273

047-21084	Lamont 300	08	PAS2R222AELK
-----------	------------	----	--------------

01/31/18	35	1.0	1480
02/28/18	28	1.0	1480
03/28/18	28	1.0	1480
04/25/18	35	1.0	1490
05/30/18	28	1.0	1490
06/27/18	28	1.0	1480
07/24/18	0	0.0	1480
08/29/18	43	1.5	1470
09/25/18	28	1.0	1480
10/28/18	35	1.0	1490
11/30/18	28	1.0	1490
12/28/18	28	1.0	1490

3116

047-21148	Lamont 300	09	PAS2R222AELK
-----------	------------	----	--------------

01/31/18	35	1.0	1480
02/28/18	28	1.0	1490
03/28/18	28	1.0	1490
04/25/18	35	1.0	1490
05/30/18	28	1.0	1490
06/27/18	28	1.0	1490
07/24/18	35	1.0	1490
08/29/18	28	1.0	1490
09/30/18	28	1.0	1490
10/27/18	28	1.0	1490
11/30/18	35	1.0	1480
12/25/18	0	0.0	1490

0/336

047-21349	Lamont 300	011	PAS2R222AELK
-----------	------------	-----	--------------

01/31/18	Off		
02/28/18	Off		
03/28/18	Off		
04/25/18	Off		
05/30/18	Off		
06/27/18	Off		
07/24/18	Off		
08/17/18	Off		
09/30/18	Off		
10/31/18	Off		
11/30/18	Off		
12/31/18	Off		
01/31/18	Off		
02/28/18	Off		
03/28/18	115	4.1	1480
04/25/18	35	1.0	1480
05/30/18	28	1.0	1480
06/27/18	28	1.0	1480
07/24/18	35	1.0	1480
08/29/18	28	1.0	1470
09/25/18	28	1.0	1480

047-21031	Lamont 300	012	PAS2R222AELK
-----------	------------	-----	--------------

10/31/18	35	1.0	1470
11/28/18	28	1.0	1470
12/25/18	28	1.0	1480
01/31/18	35	1.0	1480
02/28/18	28	1.0	1480
03/28/18	28	1.0	1480
04/25/18	35	1.0	1480
05/30/18	28	1.0	1470
06/27/18	28	1.0	1480
07/24/18	35	1.0	1480
08/29/18	28	1.0	1470
09/25/18	28	1.0	1480
11/04/18	35	1.0	1480
12/04/18	28	1.0	1470
12/25/18	28	1.0	1480

308

047-21032	Lamont 300	013	PAS2R222AELK
-----------	------------	-----	--------------

01/31/18	35	1.0	1480
02/28/18	28	1.0	1480
03/28/18	28	1.0	1480
04/25/18	35	1.0	1480
05/31/18	28	1.0	1470
06/30/18	28	1.0	1480
07/28/18	35	1.0	1480
08/31/18	28	1.0	1470
09/30/18	28	1.0	1480
10/31/18	35	1.0	1480
11/30/18	28	1.0	1470
12/25/18	28	1.0	1480

364

047-21033	Lamont 300	014	PAS2R222AELK
-----------	------------	-----	--------------

01/31/18	Line off
02/28/18	Line off
03/28/18	Line off
04/25/18	Line off
05/30/18	Line off
06/27/18	Line off
07/24/18	Line off
08/29/18	Line off
09/30/18	Line off
10/31/18	Line off
11/30/18	Line off
12/31/18	Line off

364

047-21034	Lamont 300	015	PAS2R222AELK
-----------	------------	-----	--------------

01/31/18	35	1.0	1480
02/28/18	28	1.0	1490
03/28/18	28	1.0	1490
04/25/18	35	1.0	1490
05/30/18	Off		
06/27/18	Off		
07/24/18	Off		
08/17/18	Off		
09/30/18	Off		
10/31/18	Off		
11/30/18	Off		

126

047-21035 Lamont 300 016 PAS2R222AELK

12/31/18	Off		
01/31/18	735	21.0	1450
02/28/18	853	31.0	1450
03/22/18	192	6.9	1450
04/24/18	1254	38.0	1480
05/29/18	476	13.6	1490
06/27/18	261	9.0	1490
07/28/18	40	1.3	1490
08/28/18	28	1.0	1490
09/30/18	28	1.0	1490
10/29/18	35	1.0	1490
11/30/18	28	1.0	1490
12/23/18	28	1.0	1490

3958

047-21036 Lamont 300 019 PAS2R222AELK

01/31/18	35	1.0	1450
02/28/18	28	1.0	1450
03/28/18	28	11.0	1470
04/24/18	35	1.0	1480
05/29/18	28	1.0	1490
06/27/18	28	11.0	1490
07/28/18	35	1.0	1490
08/28/18	28	1.0	1490
09/30/18	28	1.0	1490
10/29/18	35	1.0	1490
11/30/18	28	1.0	1490
12/23/18	28	1.0	1490

364

047-21037 Lamont 300 020 PAS2R222AELK

01/31/18	700	20.0	1450
02/28/18	504	18.0	1450
03/22/18	0	0.0	1450
04/24/18	0	0.0	1480
05/29/18	893	25.5	1490
06/27/18	621	21.4	1490
07/28/18	750	24.2	1490
08/28/18	753	24.3	1490
09/30/18	798	28.5	1490
10/29/18	655	22.6	1490
11/30/18	888	29.6	1490
12/23/18	720	24.0	1490

7282

047-21038 Lamont 300 021 PAS2R222AELK

01/31/18	1225	35.0	1450
02/28/18	868	31.0	1450
03/22/18	Meter issues		1450
04/24/18	Meter issues		1480
05/29/18	Meter issues		1490
06/27/18	708	24.4	1490
07/28/18	688	22.2	1490
08/31/18	644	23.0	1480
09/30/18	787	28.1	1490
10/29/18	632	21.8	1490
11/30/01	651	23.3	1490
12/23/18	663	22.1	1490

4743

047-21039	Lamont 300	022	PAS2R222AELK
-----------	------------	-----	--------------

01/31/18	Off
02/28/18	Off
03/28/18	Off
04/30/18	Off
05/31/18	Off
06/30/18	Off
07/28/18	Off
08/28/18	Off
09/30/18	Off
10/29/18	Off
11/30/01	Off
12/23/18	Off

047-21085	Lamont 300	023	PAS2R222AELK
-----------	------------	-----	--------------

01/31/18	Off
02/28/18	Off
03/28/18	Off
04/30/18	Off
05/31/18	Off
06/30/18	Off
07/28/18	Off
08/28/18	Off
09/30/18	Off
10/31/18	Off
11/30/18	Off
12/31/18	Off

047-21040	Lamont 300	025	PAS2R222AELK
-----------	------------	-----	--------------

01/31/18	TSI	0
02/28/18	TSI	0
03/28/18	TSI	0
04/28/18	TSI	0
05/28/18	TSI	0
06/28/18	TSI	0
07/28/18	TSI	0
08/28/18	TSI	0
09/30/18	TSI	0
10/31/18	TSI	0
11/30/18	TSI	0
12/31/18	TSI	0

047-21052	Lamont 300	026	PAS2R222AELK
-----------	------------	-----	--------------

01/31/18	TSI	0
02/28/18	TSI	0
03/28/18	TSI	0
04/28/18	TSI	0
05/28/18	TSI	0
06/28/18	TSI	0
07/28/18	TSI	0
08/28/18	TSI	0
09/30/18	TSI	0
10/31/18	TSI	0
11/30/18	TSI	0
12/31/18	TSI	0

047-21053	Lamont 300	027	PAS2R222AELK
-----------	------------	-----	--------------

01/31/18	TSI	0
02/28/18	TSI	0

03/28/18	TSI	0
04/28/18	TSI	0
05/28/18	TSI	0
06/28/18	TSI	0
07/28/18	TSI	0
08/28/18	TSI	0
09/30/18	TSI	0
10/31/18	TSI	0
11/30/18	TSI	0
12/31/18	TSI	0

047-21161 Lamont 300 028 PAS2R222AELK

01/31/18	TSI		
02/28/18	TSI		
03/22/18	TSI		
04/25/18	347	10.2	1490
05/29/18	201	7.2	1490
06/27/18	34	1.1	1490
07/28/18	35	1.0	1490
08/28/18	28	1.0	1480
09/30/18	28	1.0	1480
10/31/18	35	1.0	1480
11/30/18	28	1.0	1480
12/31/18	28	1.0	1480

764

047-21087 Lamont 300 031 PAS2R222AELK

01/31/18	TSI	0
02/28/18	TSI	0
03/31/18	TSI	0
04/30/18	TSI	0
05/31/18	TSI	0
06/28/18	TSI	0
07/28/18	TSI	0
08/28/18	TSI	0
09/30/18	TSI	0
10/31/18	TSI	0
11/30/18	TSI	0
12/31/18	TSI	0

047-21661 Lamont 300 039 PAS2R222AELK

01/31/18	0	0.0	1480
02/28/18	0	0.0	1490
03/28/18	0	0.0	1490
04/30/18	0	0.0	1490
05/30/18	277	7.9	1490
06/27/18	87	3.1	1490
07/24/18	59	2.2	1490
08/29/18	148	4.1	1480
09/25/18	65	2.4	1490
11/04/18	35	1.0	1490
12/04/18	28	1.0	1490
12/25/18	28	1.0	1490

727

047-21373 Lamont 300 043 PAS2R222AELK

01/31/18	TSI	0
02/28/18	TSI	0
03/28/18	TSI	0
04/28/18	TSI	0

05/28/18	TSI	0
06/28/18	TSI	0
07/28/18	TSI	0
08/28/18	TSI	0
09/30/18	TSI	0
10/31/18	TSI	0
11/30/18	TSI	0
12/31/18	TSI	0

047-21126 Wood & Young 01 PAS2R222AELK

01/31/18	35	1.0	1450
02/28/18	28	1.0	1450
03/28/18	28	1.0	1450
04/26/18	35	1.0	1460
05/29/18	28	1.0	1490
06/27/18	28	1.0	1490
07/28/18	35	1.0	1490
08/28/18	28	1.0	1490
09/30/18	28	1.0	1490
10/29/18	35	1.0	1490
11/30/18	28	1.0	1490
12/23/18	28	1.0	1490

047-21127 Wood & Young 02 PAS2R222AELK

01/31/18	35	1.0	1450
02/28/18	28	1.0	1460
03/28/18	28	1.0	1450
04/24/18	35	1.0	1470
05/29/18	28	1.0	1490
06/27/18	28	1.0	1490
07/28/18	35	1.0	1490
08/28/18	28	1.0	1490
09/30/18	28	1.0	1490
10/29/18	35	1.0	1490
11/30/18	28	1.0	1490
12/23/18	28	1.0	1490

047-21131 Wood & Young 03 PAS2R222AELK

01/31/18	Off		
02/28/18	Off		
03/22/18	45	1.6	1460
04/30/18	43	1.2	1470
05/31/18	28	1.0	1460
06/30/18	28	1.0	1470
07/28/18	35	1.0	1470
08/28/18	28	1.0	1470
09/30/18	28	1.0	1470
10/31/18	35	1.0	1480
11/30/18	28	1.0	1470
12/31/18	28	1.0	1470

047-21128 Wood & Young 04 PAS2R222AELK

01/31/18	Off		
02/28/18	Off		
03/22/18	Off		
04/30/18	Off		
05/31/18	45	1.6	1490
06/30/18	28	1.0	1490

047-21129 Wood & Young 05 PAS2R222AELK

07/28/18 35 1.0 1490
08/28/18 28 1.0 1490
09/30/18 35 1.0 1490
10/29/18 28 1.0 1490
11/30/18 28 1.0 1490
12/23/18 35 1.0 1490

262

047-21367 Wood & Young 06 PAS2R222AELK

01/31/18 35 1.0 1450
02/28/18 28 1.0 1460
03/28/18 28 1.0 1460
04/24/18 35 1.0 1460
05/31/18 28 1.0 1490
06/30/18 28 1.0 1480
07/28/18 35 1.0 1480
08/28/18 28 1.0 1490
09/30/18
10/29/18 35 1.0 1490
11/30/18 28 1.0 1490
12/23/18 28 1.0 1490

336

047-21130 Wood & Young 07 PAS2R222AELK

01/31/18 35 1.0 1450
02/28/18 28 1.0 1460
03/28/18 28 1.0 1460
04/24/18 35 1.0 1460
05/29/18 28 1.0 1490
06/27/18 28 1.0 1490
07/28/18 35 1.0 1490
08/28/18 28 1.0 1490
09/30/18 28 1.0 1490
10/29/18 35 1.0 1490
11/30/18 28 1.0 1490
12/23/18 28 1.0 1490

364

047-21133 Wood & Young 08 PAS2R222AELK

01/31/18 0 0.0 1460
02/28/18 0 0.0 1460
03/28/18 0 0.0 1460
04/24/18 405 15.0 1480
05/28/18 364 13.0 1470
06/28/18 323 11.5 1480
07/28/18 301 8.6 1480
08/28/18 326 11.6 1490
09/30/18 370 13.2 1490
10/29/18 311 8.9 1490
11/30/18 249 8.9 1490
12/23/18 251 8.9 1490

2900

01/31/18 TSI 0
02/28/18 TSI 0
03/28/18 TSI 0
04/30/18 TSI 0
05/31/18 TSI 0
06/30/18 TSI 0
07/28/18 TSI 0
08/28/18 TSI 0

				09/30/18	TSI		0
				10/31/18	TSI		0
				11/30/18	TSI		0
				12/31/18	TSI		0
047-21368	Wood & Young	09	PAS2R222AELK	01/31/18	35	1.0	1440
				02/28/18	28	1.0	1450
				03/28/18	28	1.0	1450
				04/24/18	35	1.0	1480
				05/29/18	28	1.0	1490
				06/27/18	28	1.0	1490
				07/28/18	35	1.0	1490
				08/28/18	28	1.0	1490
				09/30/18	28	1.0	1490
				10/29/18	35	1.0	1490
				11/30/18	28	1.0	1490
				12/23/18	28 <i>364</i>	1.0	1490
047-21401	Wood Young & Davis	011	PAS2R222AELK	01/31/18	35	1.0	1440
				02/28/18	28	1.0	1450
				03/28/18	28	1.0	1450
				04/24/18	35	1.0	1480
				05/29/18	28	1.0	1490
				06/27/18	28	1.0	1490
				07/28/18	35	1.0	1490
				08/28/18	28	1.0	1490
				09/30/18	28	1.0	1490
				10/29/18	35	1.0	1490
				11/30/18	28	1.0	1490
				12/23/18	28 <i>364</i>	1.0	1490
047-21407	Wood Young & Davis	012	PAS2R222AELK	01/31/18	35	1.0	1450
				02/28/18	28	1.0	1450
				03/28/18	28	1.0	1450
				04/24/18	35	1.0	1480
				05/29/18	28	1.0	1490
				06/27/18	28	1.0	1490
				07/28/18	35	1.0	1490
				08/28/18	28	1.0	1490
				09/30/18	28	1.0	1490
				10/29/18	35	1.0	1490
				11/30/18	28	1.0	1490
				12/23/18	28 <i>364</i>	1.0	1490
047-21409	Wood Young & Davis	015	PAS2R222AELK	01/31/18	TSI		0
				02/28/18	TSI		0
				03/28/18	TSI		0
				04/28/18	35	1.0	1490
				05/28/18	28	1.0	1490
				06/28/18	28	1.0	1480
				07/28/18	35	1.0	1490
				08/28/18	28	1.0	1490
				09/30/18	34	1.2	1490
				10/29/18	35	1.0	1490

11/30/18

28

1.0

1490

12/23/18

28

1.0

1490

~~28~~
279