DOCUMENTATION OF ENVIRONMENTAL INDICATOR DETERMINATION RCRA Corrective Action

Environmental Indicator (EI) RCRIS code (CA750) Migration of Contaminated Groundwater Under Control

Facility Name: Exide Technologies

Facility Address: 3000 Montrose Ave., Laureldale, PA 19605

Facility EPA ID #: PAD990753089

1.	media	Has all available relevant/significant information on known and reasonably suspected releases to the groundwater media, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units (SWMU), Regulated Units (RU), and Areas of Concern (AOC)), been considered in this EI determination?		
	\boxtimes	If yes - check here and continue with #2 below.		
		If no - re-evaluate existing data, or		
		If data are not available, skip to #8 and enter "IN" (more information needed) status code.		

BACKGROUND

Definition of Environmental Indicators (for the RCRA Corrective Action)

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EI developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

Definition of "Migration of Contaminated Groundwater Under Control" EI

A positive "Migration of Contaminated Groundwater Under Control" EI determination ("YE" status code) indicates that the migration of "contaminated" groundwater has stabilized, and that monitoring will be conducted to confirm that contaminated groundwater remains within the original "area of contaminated groundwater" (for all groundwater "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

Relationship of EI to Final Remedies

While Final remedies remain the long-term objective of the RCRA Corrective Action program the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993, (GPRA). The "Migration of Contaminated Groundwater Under Control" EI pertains ONLY to the physical migration (i.e., further spread) of contaminated ground water and contaminants within groundwater (e.g., non-aqueous phase liquids or NAPLs). Achieving this EI does not substitute for achieving other stabilization or final remedy requirements and expectations associated with sources of contamination and the need to restore, wherever practicable, contaminated groundwater to be suitable for its designated current and future uses.

Duration / Applicability of EI Determinations

EI Determinations status codes should remain in RCRIS national database ONLY as long as they remain true (i.e., RCRIS status codes must be changed when the regulatory authorities become aware of contrary information).

1.	applical	pplicable promulgated standards, as well as other appropriate standards, guidelines, guidance, or criteria) from eleases subject to RCRA Corrective Action, anywhere at, or from, the facility?		
	\boxtimes	If yes - continue after identifying key contaminants, citing appropriate "levels," and referencing supporting documentation.		
		If no - skip to #8 and enter "YE" status code, after citing appropriate "levels," and referencing supporting documentation to demonstrate that groundwater is not "contaminated."		
		If unknown - skip to #8 and enter "IN" status code.		

Rationale and Reference(s):

The onsite groundwater investigation determined that various onsite sources (e.g., former lead oxide impoundments, battery casing disposal area, various fill areas) of contamination contributed to elevated levels of heavy metals in groundwater. The heavy metals of interest include antimony, arsenic, cadmium, lead, and mercury. The groundwater investigation entails a network of 41 groundwater monitoring wells to assess groundwater quality in each of the groundwater zones (shallow, intermediate and deep) and to evaluate flow conditions at the Site. Low flow sampling technique was employed to minimize sediment interference and to procure a more representative sample. The samples were analyzed for both total and dissolved metals. Elevated levels of heavy metals were detected in the interior of the facility where the sources of contamination are located. Dissolved metal detections appear to be relatively low in concentration and are isolated to only a few wells in the shallow, intermediate, and deep monitoring zones. Below are the range of heavy metals detected in groundwater:

Constituents	Total Metals (µg/L)	Dissolved Metals (µg/L)	EPA MCLs (µg/L)
Antimony	ND-70	ND-65	6
Arsenic	ND - 2.5	ND	10
Cadmium	ND - 6.5	ND - 6.5	5
Lead	ND - 180	ND-17	15
Mercury	ND-2	ND	2

Note: ND is non-detect, MCL is maximum contaminant levels

(References: Exide Phase III RFI Conditions Report (6/20113), Exide Phase III RFI Report (8/2014), Exide Phase III RFI Compendium Report (2/2018), Exide 2017 Annual Groundwater Monitoring Report (2/2018))

Footnotes:

"Contamination" and "contaminated" describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriate "levels" (appropriate for the protection of the groundwater resource and its beneficial uses).

2. Has the migration of contaminated groundwater stabilized (such that contaminated groundwater is e remain within "existing area of contaminated groundwater" ₂ as defined by the monitoring locations determine of this determination)?		
	\boxtimes	If yes - continue, after presenting or referencing the physical evidence (e.g., groundwater sampling/measurement/migration barrier data) and rationale why contaminated groundwater is expected to
		remain within the (horizontal or vertical) dimensions of the "existing area of groundwater contamination"2). If no (contaminated groundwater is observed or expected to migrate beyond the designated locations defining the "existing area of groundwater contamination"2) – skip to #8 and enter "NO" status code, after providing an explanation.
		If unknown - skip to #8 and enter "IN" status code.
tion	ale and F	Reference(s):

Ra

Several rounds of groundwater sampling confirmed that except for a few interior wells where heavy metals exceed EPA MCLs, groundwater quality at the Site is generally below EPA MCLs. Heavy metal levels in the perimeter monitoring wells as well as upgradient and downgradient wells have remained below EPA MCLs. Historical low levels of heavy metals in these wells indicate that the groundwater contamination is relatively static and is expected to remain in the existing area of contamination.

(References: Exide Phase III RFI Conditions Report (6/2013), Exide Phase III RFI Report (8/2014), Exide Phase III RFI Compendium Report (2/2018), Exide 2017 Annual Groundwater Monitoring Report (2/2018))

² "existing area of contaminated groundwater" is an area (with horizontal and vertical dimensions) that has been verifiably demonstrated to contain all relevant groundwater contamination for this determination, and is defined by designated (monitoring) locations proximate to the outer perimeter of "contamination" that can and will be sampled/tested in the future to physically verify that all "contaminated" groundwater remains within this area, and that the further migration of "contaminated" groundwater is not occurring. Reasonable allowances in the proximity of the monitoring locations are permissible to incorporate formal remedy decisions (i.e., including public participation) allowing a limited area for natural attenuation.

3.	3. Does "contaminated" groundwater discharge into surface water bodies?		
		If yes - continue after identifying potentially affected surface water bodies.	
		If no - skip to #7 (and enter a "YE" status code in #8, if #7 = yes) after providing an explanation and/or referencing documentation supporting that groundwater "contamination" does not enter surface water bodies.	
		If unknown - skip to #8 and enter "IN" status code.	

Rationale and Reference(s):

The general direction of groundwater flow is southeast and northeast. Groundwater ultimately discharges to the Schuylkill River, located approximately 2 miles east of the Site. Historic groundwater results indicate that the groundwater contamination has remained stable and does not discharge to the Schuylkill River.

(References: Exide Phase III RFI Conditions Report (6/2013), Exide Phase III RFI Report (8/2014), Exide Phase III RFI Compendium Report (2/2018), Exide 2017 Annual Groundwater Monitoring Report (2/2018))

5.	Is the discharge of "contaminated" groundwater into surface water likely to be " insignificant " (i.e., the max concentration ³ of each contaminant discharging into surface water is less than 10 times their appropriate ground "level," and there are no other conditions (e.g., the nature, and number, of discharging contaminan environmental setting), which significantly increase the potential for unacceptable impacts to surface sediments, or eco-systems at these concentrations)?		
		If yes - skip to #7 (and enter "YE" status code in #8 if #7 = yes), after documenting: 1) the maximum known or reasonably suspected concentration3 of key contaminants discharged above their groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) provide a statement of professional judgment/explanation (or reference documentation) supporting that the discharge of groundwater contaminants into the surface water is not anticipated to have unacceptable impacts to the receiving surface water, sediments, or eco-system.	
		If no - (the discharge of "contaminated" groundwater into surface water is potentially significant) - continue after documenting: 1) the maximum known or reasonably suspected concentration3 of each contaminant discharged above its groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) for any contaminants discharging into surface water in concentrations3 greater than 100 times their appropriate groundwater "levels," the estimated total amount (mass in kg/yr) of each of these contaminants that are being discharged (loaded) into the surface water body (at the time of the determination), and identify if there is evidence that the amount of discharging contaminants is increasing.	
		If unknown - enter "IN" status code in #8.	

Rationale and Reference(s):

³ As measured in groundwater prior to entry to the groundwater-surface water/sediment interaction (e.g., hyporheic) zone.

6.	Can the discharge of "contaminated" groundwater into surface water be shown to be " currently acceptable " (i.e., not cause impacts to surface water, sediments or eco-systems that should not be allowed to continue until a final remedy decision can be made and implemented ₄)?		
		If yes - continue after either: 1) identifying the Final Remedy decision incorporating these conditions, or other site-specific criteria (developed for the protection of the site's surface water, sediments, and eco-systems), and referencing supporting documentation demonstrating that these criteria are not exceeded by the discharging groundwater; OR	
		2) providing or referencing an interim-assessment ₅ , appropriate to the potential for impact that shows the discharge of groundwater contaminants into the surface water is (in the opinion of a trained specialists, including ecologist) adequately protective of receiving surface water, sediments, and eco-systems, until such time when a full assessment and final remedy decision can be made. Factors which should be considered in the interim-assessment (where appropriate to help identify the impact associated with discharging groundwater) include: surface water body size, flow, use/classification/habitats and contaminant loading limits, other sources of surface water/sediment contamination, surface water and sediment sample results and comparisons to available and appropriate surface water and sediment "levels," as well as any other factors, such as effects on ecological receptors (e.g., via bio-assays/benthic surveys or site-specific ecological Risk Assessments), that the overseeing regulatory agency would deem appropriate for making the EI determination.	
		If no - (the discharge of "contaminated" groundwater can not be shown to be "currently acceptable") - skip to #8 and enter "NO" status code, after documenting the currently unacceptable impacts to the surface water body, sediments, and/or eco-systems.	
		If unknown - skip to 8 and enter "IN" status code.	

Rationale and Reference(s):

⁴ Note, because areas of inflowing groundwater can be critical habitats (e.g., nurseries or thermal refugia) for many species, appropriate specialist (e.g., ecologist) should be included in management decisions that could eliminate these areas by significantly altering or reversing groundwater flow pathways near surface water bodies.

⁵ The understanding of the impacts of contaminated groundwater discharges into surface water bodies is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration to be reasonably certain that discharges are not causing currently unacceptable impacts to the surface waters, sediments or ecosystems.

7.	Will groundwater monitoring / measurement data (and surface water/sediment/ecological data, as necessary) be collected in the future to verify that contaminated groundwater has remained within the horizontal (or vertical, as necessary) dimensions of the "existing area of contaminated groundwater?"		
		If yes - continue after providing or citing documentation for planned activities or future sampling/measurement events. Specifically identify the well/measurement locations, which will be tested in the future to verify the expectation (identified in #3) that groundwater contamination will not be migrating horizontally (or vertically, as necessary) beyond the "existing area of groundwater contamination."	
		If no - enter "NO" status code in #8.	
		If unknown - enter "IN" status code in #8.	
Rationa	le and R	eference(s):	
annual g	groundwa	r the RCRA corrective action program and for the foreseeable future, the Facility will continue to conduct ter sampling to confirm that the groundwater contamination remains stable and will not migrate beyond of contamination.	
(Referen	nces: Exi	de Phase III RFI Compendium Report (2/18), Exide 2017 Annual Groundwater Monitoring Report (2/18))	

8.	Check the appropriate RCRIS status codes for the Migration of Contaminated Groundwater Under Control EI (event code CA750), and obtain Supervisor (or appropriate Manager) signature and date on the EI determination below (attach appropriate supporting documentation as well as a map of the facility).				
	, <u> </u>	YE - Yes, "Migration of Contaminated Groundwater Under Control" has been verified. Based on a review of the information contained in this EI determination, it has been determined that the "Migration of Contaminated Groundwater" is "Under Control" at the Exide Technologies facility (PAD990753089) located at 3000 Montrose Ave., Laureldale PA 19605. Specifically, this determination indicates that the migration of "contaminated" groundwater is under control, and that monitoring will be conducted to confirm that contaminated groundwater remains within the "existing area of contaminated groundwater" This determination will be re-evaluated when the Agency becomes aware of significant changes at the facility.			
		NO - Unacceptable migration of contaminated groundwater is observed or expected.			
		IN - More information is needed to make a determination.			
	Completed by Supervisor	(signature) (print) Khai M. Dao (title) EPA Project Manager (signature) (print) Paul Gotthold (title) Chief of Corrective Action Branch 2 (EPA Region or State) EPA Region 3			
Locatio	ons where Reference	es may be found:			
	US EPA Region Land, Chemicals 1650 Arch Stree Philadelphia, PA	, and Redevelopment Division			
Contact	t telephone numbe (name) Khai Da (phone #) (215)	0			

(e-mail) dao.khai@epa.gov