


South Yard Water Softener
Building: Actual Location of
Sample DTSC-05-DS-0N



Lorena Fernandes

From: Eric Fraske <Eric.Fraske@nv5.com>
Sent: Wednesday, March 17, 2021 10:30 AM
To: Mario Ledesma; Enrique Bodart; Lorena Fernandes
Cc: Roberto Puga; Jerry Faucheux
Subject: Non-Regulated Building Sealing Scope
Attachments: Figure 1 - Site Plan.pdf

Hello all,

Per your request, below is a summary of the requested scope of work we discussed during our 3/16/2021 site walk with AIS and the VERT. Please base your change order on the following scope of work. I have attached a Site Plan for your reference. Let us know if you have any questions or require any clarifications.

Blue Lead Warehouse, Electricians Shop, Machine Shop

- Close and Cover any Man Doors with Plywood
- If sliding doors will not close or are missing, frame and cover with plywood.
- Cover any broken windows with Plywood
- Close any non-broken windows
- Cover any openings or vents along the roof line with wood.
- Remove any window mounted air conditioning unit (dispose of unit) and board up window with plywood.
- For damaged or deformed wall siding, reattach/fasten to building framing to close any openings.

Mobile Maintenance Building

- Complete fencing along western side of garage to limit access.
- Close and Cover man doors to supply room and office with plywood.
- Close main gate and lock it. Provide key or combination to guard, Resident Engineer/VERT. Keep a key and combo for AIS use as well.

South Yard Water Softening Building

- Install a man door to allow access if needed.
- If rollup door will not close, frame and cover with plywood.
- Remove any window mounted air conditioning unit (dispose of unit) and board up window with plywood.

South Yard Employee Services and Engineering Building

- Close and Lock Basement Door.
- Close any open windows. Cover any missing or broken windows with plywood.

South Yard Material Storage Building (PAC Center)

- Close and Lock chain link gates and sliding gate at sample storage area. Keep a key and combo for AIS use as well.
- For damaged or deformed wall siding, reattach/fasten to building framing to close any openings.

Administration Building, BESS Building, Finished Lead Warehouse, Bandini Guard Shack, and North Yard Guard Shack

- No actions needed at this time.

If any waste material (flaking paint, debris, etc.) is created during this process, immediately vacuum or collect it for proper disposal.

Thank you and please email or call with any questions you have.

Regards,

Eric Fraske | Senior Engineer III | [NV5](#) | Site Assessment and Remediation
3777 Long Beach Boulevard, Annex Building | Long Beach, CA 90807 | P: 562.495.5777 | C: 562.544.3910
eric.fraske@nv5.com | www.altaenviron.com | www.nv5.com | [Electronic Communications Disclaimer](#)

I am working remotely and can be reached via cell at 562.544.3910.

Alta Environmental is now NV5.