



LFG Energy Project Development Handbook

July 2021

Table of Contents

| | |
|--|------------|
| Units of Measure, Element Symbols, Constants and Variables..... | v |
| Abbreviations and Acronyms | vi |
| Introduction..... | I-1 |
| 1 Landfill Gas Energy Basics | 1-1 |
| 1.1 What Is LFG? | 1-1 |
| 1.2 LFG Collection and Flaring | 1-3 |
| 1.3 LFG Treatment..... | 1-4 |
| 1.4 Uses of LFG | 1-5 |
| 1.5 Environmental and Economic Benefits of LFG Energy Recovery | 1-8 |
| 1.6 Regulatory Framework..... | 1-12 |
| 1.7 Steps to Developing LFG Energy Projects..... | 1-12 |
| 2 Landfill Gas Modeling | 2-1 |
| 2.1 Introduction to LandGEM | 2-1 |
| 2.2 Estimating LFG Collection | 2-4 |
| 2.3 Model Limitations | 2-6 |
| 3 Project Technology Options | 3-1 |
| 3.1 Design Factors..... | 3-2 |
| 3.2 Electricity Generation..... | 3-3 |
| 3.3 Direct Use of Medium-Btu Gas..... | 3-7 |
| 3.4 Conversion to RNG | 3-13 |
| 3.5 Selection of Project Type | 3-17 |
| 4 Project Economics and Financing | 4-1 |
| 4.1 Step 1: Quantify Capital and O&M Costs | 4-2 |
| 4.2 Step 2: Estimate Energy Sales Revenues and Other Revenue Streams or Incentives | 4-11 |
| 4.3 Step 3: Assess Economic Feasibility | 4-14 |
| 4.4 Step 4: Compare All Economically Feasible Options and Select Winners | 4-16 |
| 4.5 Step 5: Assess Project Financing Options | 4-17 |
| 5 Landfill Gas Contracts and Regulations..... | 5-1 |
| 5.1 Power Sales Agreements | 5-1 |
| 5.2 LFG Purchase Agreements..... | 5-3 |
| 5.3 Environmental Attribute Agreements..... | 5-6 |
| 5.4 Regulations and Permitting | 5-9 |
| 6 Evaluating and Working with Project Partners..... | 6-1 |
| 6.1 Approaches to Project Development | 6-1 |
| 6.2 Selecting a Project Developer (Pure Development Approach) | 6-5 |
| 6.3 Identifying Project Partners (Self-Development Approach) | 6-7 |
| 6.4 Interacting with Project Partners | 6-7 |
| 6.5 Evaluating Projects from an End User's Perspective | 6-12 |

| | | |
|----------|---|------------|
| 7 | Best Practices for Landfill Gas Collection System Design and Installation..... | 7-1 |
| 7.1 | Facility Review..... | 7-2 |
| 7.2 | LFG Collectors..... | 7-4 |
| 7.3 | Lateral and Header Piping..... | 7-17 |
| 7.4 | Condensate Management | 7-19 |
| 7.5 | Blowers and Compressors | 7-20 |
| 7.6 | Installation Best Practices | 7-21 |
| 8 | Best Practices for Landfill Gas Collection System Operation and Maintenance..... | 8-1 |
| 8.1 | System Vacuum..... | 8-1 |
| 8.2 | Managing Excess Liquids in Collection System..... | 8-5 |
| 8.3 | GCS Monitoring..... | 8-6 |
| 8.4 | Health and Safety | 8-9 |

| List of Tables | Page |
|--|-------------|
| 1-1 Estimated Regional Economic Impacts and Job Creation from LFG Energy Project Construction..... | 1-11 |
| 2-1 LFG Generation and Recovery Projections | 2-4 |
| 3-1 Operational Project Technologies..... | 3-1 |
| 3-2 Internal Combustion Engine Sizes..... | 3-4 |
| 3-3 Examples of Typical Costs | 3-6 |
| 3-4 Advantages, Disadvantages and Treatment Requirements Summary (Electricity) | 3-7 |
| 3-5 Potential LFG Flows Based on Landfill Size..... | 3-8 |
| 3-6 Advantages, Disadvantages and Treatment Requirements Summary (Direct-Use)..... | 3-13 |
| 3-7 Summary of LFG Flow Ranges for Technology Options | 3-17 |
| 3-8 Summary of Other Criteria and Considerations by Project Type | 3-18 |
| 4-1 Capital and O&M Cost Elements..... | 4-2 |
| 4-2 Gas Collection and Flare System Components and Cost Factors | 4-3 |
| 4-3 LFG Electricity Project Technologies — Estimated Cost Summary | 4-4 |
| 4-4 Electricity Generation System Components and Cost Factors..... | 4-4 |
| 4-5 Example Preliminary Assessment Results for an Electricity Project..... | 4-5 |
| 4-6 LFG Medium-Btu Direct-Use Project Components — Estimated Cost Summary | 4-6 |
| 4-7 Medium-Btu Direct-Use Project Components and Cost Factors | 4-6 |
| 4-8 Example Preliminary Assessment Results for Medium-Btu Direct-Use Projects | 4-7 |
| 4-9 Estimated Costs of Onsite Small-scale CNG Fueling Station..... | 4-8 |
| 4-10 RNG Project Components — Estimated Cost Summary | 4-8 |

| | | |
|------|--|------|
| 4-11 | Pipeline-Injection RNG Project Cost Components and Cost Factors | 4-9 |
| 4-12 | Example Preliminary Assessment Results for an RNG Project..... | 4-9 |
| 4-13 | Example Financial Performance Indicators for Privately Developed Projects without Gas Collection and Flare System Costs and without Environmental Credits Included..... | 4-15 |
| 4-14 | Addressing LFG Energy Project Risks | 4-17 |
| 6-1 | Types of Risks for LFG Energy Projects | 6-4 |
| 6-2 | Example Evaluation Criteria for Selecting an LFG Energy Project Developer..... | 6-6 |
| 6-3 | Financial Partners for LFG Energy Projects | 6-8 |
| 6-4 | Professional Partners for LFG Energy Projects | 6-9 |
| 6-5 | Contractor Partners for LFG Energy Projects | 6-10 |
| 7-1 | Well Casing Material Design Considerations | 7-6 |
| 7-2 | Comparison of Vertical and Horizontal Wells..... | 7-13 |
| 7-3 | Comparison of Wellhead Designs..... | 7-15 |
| 8-1 | Example Methane Target Values | 8-3 |
| 8-2 | Interpretation of Residual Nitrogen in LFG..... | 8-4 |

| | List of Figures | Page |
|-----|--|------|
| 1-1 | Changes in Typical LFG Composition after Waste Placement..... | 1-2 |
| 1-2 | Vertical Extraction Well | 1-3 |
| 1-3 | Horizontal Extraction Well | 1-3 |
| 1-4 | Open and Enclosed Flares | 1-4 |
| 1-5 | LFG Collection, Treatment and Energy Recovery..... | 1-5 |
| 1-6 | Estimated LFG Energy Project Output in the United States (March 2021)..... | 1-6 |
| 1-7 | Example LFG End Use Options..... | 1-8 |
| 2-1 | LandGEM User Inputs Worksheet..... | 2-2 |
| 2-2 | LFG Generation Variance by k Value | 2-3 |
| 2-3 | LFG Generation and Recovery Rates | 2-5 |
| 3-1 | Sample LFG Extraction Site Plan | 3-2 |
| 3-2 | Siloxane Removal System | 3-3 |
| 3-3 | Internal Combustion Engines..... | 3-4 |
| 3-4 | Gas Turbine..... | 3-5 |
| 3-5 | Microturbine | 3-5 |
| 3-6 | Boiler and Cement Kiln | 3-7 |

| | | |
|------|---|------|
| 3-7 | Infrared Heater | 3-9 |
| 3-8 | Greenhouse | 3-9 |
| 3-9 | LFG-Powered Glass Studio | 3-10 |
| 3-10 | Submerged Combustion Leachate Evaporator..... | 3-10 |
| 3-11 | Submerged Combustion Leachate Evaporation Diagram | 3-11 |
| 3-12 | Concentrator Type of Leachate Evaporator – Heartland’s Low Momentum-High Turbulence (LM-HT®) Evaporator Using Heat from Both (1) Engine Exhaust and (2) LFG Flare | 3-12 |
| 3-13 | Water Scrubbing Unit Flow Schematic..... | 3-14 |
| 3-14 | CNG Stations and CNG-fueled Vehicles..... | 3-16 |
| 4-1 | The Economic Evaluation Process..... | 4-2 |
| 6-1 | Considerations for Selecting the Project Development Approach..... | 6-2 |
| 7-1 | Bentonite and Foam Methods for Sealing a Well | 7-9 |
| 7-2 | Standard Vertical Well and Caisson Well Extensions | 7-11 |
| 7-3 | Typical Caisson Well Detail | 7-11 |
| 7-4 | Typical Remote Wellhead..... | 7-16 |

Units of Measure, Element Symbols, Constants and Variables

| | |
|----------------------|--|
| Btu | British thermal unit |
| cfm | Cubic feet per minute |
| CH ₄ | Methane |
| CO ₂ e | Carbon dioxide equivalent |
| GGE | Gasoline gallon equivalent |
| gpd | Gallons per day |
| H ₂ S | Hydrogen sulfide |
| in. WC | inches of water column |
| k | Methane generation rate constant |
| kV | Kilovolt |
| kW | Kilowatt |
| kWh | Kilowatt-hour |
| L ₀ | Potential methane generation capacity |
| lb/hr | Pounds per hour |
| m ³ | Cubic meter |
| m ³ /Mg | Cubic meter per megagram |
| m ³ /yr | Cubic meter per year |
| Mg | Megagram |
| MMBtu | Million British thermal units |
| MMBtu/yr | Million British thermal units per year |
| MMTCO ₂ e | Million metric tons of carbon dioxide equivalent |
| MW | Megawatt |
| MWh | Megawatt-hour |
| psi | Pounds per square inch |
| psig | Pound-force per square inch gauge |
| scfm | Standard cubic foot per minute |
| SDR | Standard diameter ratio |
| yr | Year |

Abbreviations and Acronyms

| | |
|--------------------|--|
| ARRA | American Recovery and Reinvestment Act |
| C&D | Construction and demolition |
| CAA | Clean Air Act |
| CFR | Code of Federal Regulations |
| CHP | Combined heat and power |
| CNG | Compressed natural gas |
| CPVC | Chlorinated polyvinyl chloride |
| CQA | Construction quality assurance |
| CWA | Clean Water Act |
| DSIRE | Database of State Incentives for Renewables & Efficiency |
| EG | Emission Guidelines |
| EPC | Engineering, procurement and construction |
| ESA | Energy sales agreement |
| FLIGHT | Facility Level Information on GreenHouse gases Tool |
| GCS | Gas collection system |
| GCCS | Gas collection and control system |
| GHG | Greenhouse gas |
| GHGRP | Greenhouse Gas Reporting Program |
| GIS | Geographic information systems |
| GWP | Global warming potential |
| HASP | Health and Safety Plan |
| HDPE | High-density polyethylene |
| IOU | Investor-owned utilities |
| IRR | Internal rate of return |
| LandGEM | Landfill Gas Emissions Model |
| LCFS | Low Carbon Fuel Standard |
| LFG | Landfill gas |
| <i>LFGcost-Web</i> | Landfill Gas Energy Cost Model |
| LMOP | Landfill Methane Outreach Program |
| LNG | Liquefied natural gas |
| MACT | Maximum achievable control technology |
| MSW | Municipal solid waste |
| NAAQS | National ambient air quality standards |

| | |
|--------|--|
| NAESB | North American Energy Standards Board |
| NESHAP | National Emission Standards for Hazardous Air Pollutants |
| NFPA | National Fire Protection Association |
| NMOC | Non-methane organic compound |
| NPDES | National Pollutant Discharge Elimination System |
| NPV | Net present value |
| NSPS | New Source Performance Standards |
| NSR | New Source Review |
| NYMEX | New York Mercantile Exchange |
| O&M | Operation and maintenance |
| OSHA | Occupational Safety and Health Administration |
| OTC | Over-the-counter |
| PFAS | Per- and polyfluoroalkyl substances |
| PPA | Power purchase agreement |
| PPE | Personal protective equipment |
| PSA | Power sales agreement |
| PSD | Prevention of Significant Deterioration |
| PVC | Polyvinyl chloride |
| RCRA | Resource Conservation and Recovery Act of 1976, as amended |
| REC | Renewable energy certificate |
| RFP | Request for proposal |
| RFS | Renewable Fuel Standard |
| RGGI | Regional Greenhouse Gas Initiative |
| RIN | Renewable Identification Number |
| RNG | Renewable natural gas |
| RPS | Renewable Portfolio Standard |
| RTC | Renewable thermal certificate |
| RTO | Regional transmission operator |
| RVO | Renewable volume obligation |
| SCADA | Supervisory control and data acquisition |
| SIP | State Implementation Plan |
| SOQ | Statement of Qualifications |
| SWANA | Solid Waste Association of North America |
| VFD | Variable frequency drive |
| WRRF | Water resource recovery facility |