



May 14, 2021

Project No. 19119232

Ms. Maureen Hatfield

MC-127
VCP-CA Section, Remediation Division
Texas Commission on Environmental Quality
P.O. Box 13087
Austin, TX 78711-3087

**RE: DNAPL RECOVERY ACTIVITIES QUARTERLY REPORT – 1ST QUARTER 2021
UNION PACIFIC RAILROAD HOUSTON WOOD PRESERVING WORKS FACILITY
4910 LIBERTY ROAD FACILITY, HOUSTON, TEXAS
POST-CLOSURE CARE PERMIT NO. HW-50343; INDUSTRIAL SWR NO. 31547**

Dear Ms. Hatfield:

Golder Associates Inc. (Golder), on behalf of Union Pacific Railroad Company (UPRR), submits this 1st Quarter 2021 summary report for the dense non-aqueous phase liquid (DNAPL) recovery activities conducted at the UPRR Houston Wood Preserving Works Facility (the Site). As detailed in the Response Action Plan (RAP) dated November 24, 2014, a 24-month DNAPL recovery pilot test, consisting of manual DNAPL recovery from selected wells on a monthly basis, was conducted at the Site. Following the 24-month pilot testing period, the DNAPL recovery activities have continued monthly following the same procedures detailed in the RAP. In response to the Texas Commission on Environmental Quality (TCEQ) Technical Notice of Deficiency dated April 11, 2019, the DNAPL recovery frequency was increased to bi-monthly (twice a month) in June 2019. The following monitoring wells are part of the current DNAPL recovery activities:

Well Name	Zone
MW-57A	A-TZ
MW-78A	A-TZ
MW-12B	B-TZ
MW-32B	B-CZ
MW-41B	B-TZ
MW-49B*	B-CZ
MW-57B	B-CZ
MW-68B*	B-TZ
MW-70B	B-CZ
MW-75B	B-CZ
MW-23C	C-TZ
MW-34CR	C-TZ
MW-44C	C-TZ
MW-45C	C-TZ
MW-46C	C-TZ

Golder Associates Inc.

2201 Double Creek Dr, Suite 4004, Round Rock, Texas, USA 78664
Texas Geoscience Firm No. 50369. Texas Engineering Firm No. 2578

T: +1 512 671-3434 F: +1 512 671-3446

*Wells MW-49B and MW-68B were added to the list of recovery wells beginning in January 2020 after measurable DNAPL was noted during site-wide gauging activities. The locations of the DNAPL recovery wells are shown on Figure 1.

The DNAPL recovery activities consist of measuring the depth to groundwater surface, the depth to groundwater/DNAPL interface, and the total depth of the well relative to the top of casing prior to DNAPL recovery. DNAPL recovery from each well is then performed using a peristaltic pump or submersible pump. Beginning in October 2019, the DNAPL encountered in MW-12B and MW-41B was too thick for the submersible pump to efficiently recover. Two stainless steel pneumatic pulse pumps (gas displacement pumps) from QED Environmental Systems (model LP1301) were installed in MW-12B and MW-41B on March 30, 2020. These pumps are designed for recovering the increasingly more viscous liquids observed in these wells. DNAPL is pumped from the bottom of each well until groundwater returns in the pump discharge. The volume of recovered DNAPL is estimated from each well based on the volume pumped, and the well is gauged to measure the total depth of the well and depth to DNAPL following pumping. Recovered DNAPL from all the wells is consolidated into a 55-gallon drum and temporarily stored at the Containment Storage Area at the Site pending disposal at the Clean Harbors Deer Park TCEQ-permitted facility in La Porte, Texas or the US Ecology Robstown facility in Robstown, Texas. The most recent waste manifest for the disposal of recovered DNAPL and groundwater is provided in Attachment 1.

A summary of the DNAPL recovery measurements from February 2013 through March 2021 is provided in Table 1. DNAPL thicknesses listed on the table and referenced in this letter are “in-well thicknesses”. A graph of DNAPL thicknesses prior to each recovery effort over time from February 2013 through March 2021 is presented on Figure 2, with individual graphs for each zone and/or portion of the Site (Figures 3 through 7) discussed below. Observations from the 1st Quarter 2021 gauging and recovery activities are provided below for each of the groundwater bearing units (GWBUs):

- **A-TZ Wells:** Two monitoring wells in the A-TZ have had measurable DNAPL detected: MW-57A and MW-78A (graph of DNAPL thickness from July 2018 through March 2021 shown on Figure 3).
 - **MW-57A:** No measurable DNAPL has been detected in MW-57A since August 2015. A trace of DNAPL was noted at MW-57A in January 2019 through May 2019, but not enough had accumulated in the well to be measured. No DNAPL was detected in MW-57A during the 1st Quarter 2021.
 - **MW-78A:** No DNAPL was detected in MW-78A during the 1st Quarter 2021.
- **B-TZ Wells (West Side):** Recovery wells MW-12B and MW-41B completed in the B-TZ were evaluated for DNAPL recovery during this period (graph of DNAPL thickness from July 2018 through March 2021 shown on Figure 4).
MW-12B: During the 1st Quarter 2021 recovery events, the groundwater/DNAPL interface was below the top of the pneumatic pulse pump at MW-12B. As a result, the interface probe cannot get past the pump assembly and it was not possible to record a DNAPL thickness in the well. Based on the depth to the top of the pump assembly, there is less than 2 feet of

DNAPL in the well. Approximately 7.3 gallons of DNAPL were recovered from MW-12B during the 1st Quarter 2021.

- **MW-41B:** Similar to MW-12B, the top of the groundwater/DNAPL interface in MW-41B was below the top of the pneumatic pulse pump, so it was not possible to record a DNAPL thickness during the 1st Quarter 2021 recovery events. Based on the depth to the top of the pump assembly, there was less than 2 feet of DNAPL in the well during this period. Approximately 8.5 gallons of DNAPL were recovered from MW-41B during the 1st Quarter 2021.
- **B-TZ/B-CZ Wells (North (on-site and off-site)):** Recovery wells MW-32B, MW-57B, MW-68B, and MW-70B completed in either the B-TZ or B-CZ on the north side of the Site or off-site to the north were evaluated for DNAPL recovery during this period (graph of DNAPL thickness from July 2018 through March 2021 shown on Figure 5).
 - **MW-32B:** During the 1st Quarter 2021, DNAPL thicknesses in MW-32B increased from approximately 1 foot in early January to 2.81 feet in late February but decreased in March to 1.57 feet. Approximately 6 gallons of DNAPL were recovered from the MW-32B during the 1st Quarter 2021.
 - **MW-57B:** Since June 2016, no measurable DNAPL has been detected in MW-57B. A trace amount of DNAPL was noted in MW-57B in January 2019 through May 2019, but no DNAPL has been detected since May 2019.
 - **MW-68B:** DNAPL thicknesses of less than 0.5 feet were detected in MW-68B during two of the six recovery events of the 1st Quarter 2021 (late January and early February), and trace amounts of DNAPL were recovered. DNAPL was not detected in MW-68B during the last event in February and the two events in March 2021.
 - **MW-70B:** DNAPL thickness in MW-70B fluctuated between 0.57 feet (early February) to 1.45 feet (late February) during the 1st Quarter 2021. DNAPL thickness decreased to 0.72 feet by the end of March 2021. Approximately 2.3 gallons of DNAPL were recovered from MW-70B during the 1st Quarter 2021.
- **B-TZ/B-CZ Wells (Englewood Intermodal Yard):** Recovery wells MW-49B and MW-75B in the Englewood Intermodal Yard completed in the B-CZ were evaluated for DNAPL recovery during this period (graph of DNAPL thickness from July 2018 through March 2021 shown on Figure 6).
 - **MW-49B:** DNAPL thicknesses fluctuated between 2.61 feet in early January and 3.66 feet in late February 2021, with thicknesses decreasing in late March to 2.45 feet. Approximately 3 gallons of DNAPL were recovered from MW-49B in the 1st Quarter 2021.

- **MW-75B:** DNAPL thicknesses increased from 0.14 feet in early January to 2.56 feet in late February, then decreased to 0.34 feet by late March 2021. Approximately 6.4 gallons of DNAPL were recovered during the 1st Quarter 2021.
- **C-TZ Wells:** Wells MW-23C, MW-34CR, MW-44C, MW-45C, and MW-46C completed in the C-TZ were evaluated for DNAPL recovery (graph of DNAPL thickness from July 2018 through March 2021 shown on Figure 7).
 - **MW-23C:** During the 1st Quarter 2021, DNAPL thickness fluctuated between 1.96 feet (early March) and 2.51 feet (late January). DNAPL was not observed in MW-23C during the early-January recovery event. Approximately 4.5 gallons of DNAPL were recovered during the 1st Quarter 2021.
 - **MW-34CR:** In May 2014, replacement well MW-34CR was installed and gauged as part of the recovery program. However, no DNAPL has been detected in this well. The well pad was damaged in April 2019. In March 2020, MW-34CR well pad was repaired and no DNAPL has been observed since the 2nd Quarter of 2020. Given the absence of DNAPL in this well, a graph for MW-34CR is not included in Figure 7.
 - **MW-44C:** No measurable DNAPL had been detected in MW-44C from June 2019 (trace DNAPL noted in mid-June 2019) to May 2020. DNAPL was noted (0.39 feet thick) in MW-44C at the end of May 2020. However, it was discovered that the total depth measurement at MW-44C was approximately 10 feet higher than the well construction depth, suggesting that the well had appeared to have silted up. MW-44C was re-developed on July 24, 2020 during the site-wide monitoring activities. Over 10 feet of silt was removed, and the final measured depth of the well was within a foot of the original total depth. During the next recovery event in early August, the well appeared to have silted up again. Redevelopment was attempted a second time on October 1, 2020, but it was unsuccessful. The well will be plugged, abandoned, and replaced with a proposed recovery well as detailed in the Revised Response Action Plan (RAP) dated August 31, 2020.
 - **MW-45C:** During the 1st Quarter 2021, DNAPL thicknesses in MW-45C fluctuated between 0.05 feet (early February) and 0.39 feet (late February). DNAPL was not observed in early-January or during the two events in March 2021. Trace amounts of DNAPL were recovered during the 1st Quarter 2021.
 - **MW-46C:** No measurable DNAPL has been observed in MW-46C since June 2019 (trace DNAPL noted in mid-June 2019).

DNAPL Recovery: From February 2013 to March 2021, an estimated cumulative total of 880 gallons of creosote DNAPL have been recovered from the wells. Monthly DNAPL recovery volumes increased after the January 2015 event due to a change in pumping techniques. DNAPL recovery volumes ranged from

approximately 4.1 to 7.8 gallons per bi-weekly event, and a total of approximately 38 gallons were recovered during the 1st Quarter 2021 (Table 1).

UPRR will continue to monitor the DNAPL thicknesses twice per month as discussed in the response to the TCEQ 4th Technical Notice of Deficiency (TNOD) letter (April 11, 2019).

If you have any questions or need additional information, please feel free to call us at (512) 671-3434 or Mr. Kevin Peterburs of UPRR at (414) 267-4164.

Sincerely,

Golder Associates Inc.



Michelle Hermiston, P.G.
Project Hydrogeologist



Eric Matzner, P.G.
Principal / Practice Leader



Texas Geoscience Firm No. 50369

CC: Waste Program Manager, TCEQ Region 12, Houston
Mr. Kevin Peterburs, UPRR – Milwaukee, WI

Attachments: Table 1 - Summary of DNAPL Recovery Measurements
Figure 1 – In-Well DNAPL Thickness – March 2021
Figure 2 - DNAPL Recovery Activities February 2013 – March 2021
Figure 3 – A-TZ Wells – DNAPL Recovery Activities July 2018 – March 2021
Figure 4 – B-TZ Wells (West Side) – DNAPL Recovery Activities July 2018 – March 2021
Figure 5 – B-CZ/B-TZ Wells (North (On-Site and Off-Site) – DNAPL Recovery Activities July 2018 – March 2021
Figure 6 – B-CZ/B-TZ Wells (Englewood Intermodal Yard) – DNAPL Recovery Activities July 2018 – March 2021
Figure 7 – C-TZ Wells – DNAPL Recovery Activities July 2018 – March 2021
Attachment 1 – Recovered DNAPL Waste Manifest

TABLES

TABLE 1

**SUMMARY OF DNAPL RECOVERY MEASUREMENTS
UPRR HOUSTON, TX - WOOD PRESERVING WORKS**

DNAPL Recovery Date	MW-12B				MW-23C				MW-32B			
	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)
2/14/2013	9.06	39.87	5.93	2.5	NM	NM	NM	0	6.01	30.06	6.23	2
4/3/2013	9.41	39.95	5.85	1.0	NM	NM	NM	0	4.86	33.61	2.68	1
4/22/2013	8.61	31.64	14.16	0.5*	NM	NM	NM	0	5.62	36.08	0.21	0.3
5/30/2013	8.47	37.62	8.18	1.5*	NM	NM	NM	0	5.86	32.21	4.08	2
6/29/2013	9.62	38.22	7.58	1.5	NM	NM	NM	0	6.79	33.59	2.7	1.5
7/22/2013	11.16	39.04	6.76	1.0	NM	NM	NM	0	7.14	33.91	2.38	1.5
8/26/2013	11.31	39.61	6.19	1.0	NM	NM	NM	0	7.48	33.83	2.46	1
9/27/2013	11.17	40.63	5.17	1.0	NM	NM	NM	0	7.23	34.39	1.9	1
10/31/2013	11.09	43.71	2.09	1.0	NM	NM	NM	0	7.16	34.96	1.33	0.5
11/27/2013	11.17	44.06	1.74	1.0	NM	NM	NM	0	7.29	35.03	1.26	0.5
12/31/2013	11.02	44.62	1.18	1.0	NM	NM	NM	0	7.16	35.16	1.13	0.5
1/30/2014	11.34	45.12	0.68	1.0	NM	NM	NM	0	6.72	34.82	1.47	0.5
3/3/2014	11.17	44.32	1.48	1.0	NM	NM	NM	0	6.53	34.52	1.77	0.5
3/31/2014	11.03	44.53	1.27	1.0	NM	NM	NM	0	6.29	34.21	2.08	0.5
4/30/2014	10.92	44.26	1.54	1.0	NM	NM	NM	0	6.42	34.67	1.62	0.5
5/27/2014	10.81	44.34	1.46	1.0	NM	NM	NM	0	6.36	34.72	1.57	0.5
6/26/2014	10.72	44.61	1.19	1.0	NM	NM	NM	0	6.21	34.61	1.68	0.5
7/31/2014	10.13	44.96	0.84	1.0	NM	NM	NM	0	6.06	34.33	1.96	0.3
8/27/2014	10.26	45.12	0.68	1.0	NM	NM	NM	0	6.18	34.98	1.31	0.3
10/3/2014	10.17	44.91	0.89	1.0	NM	NM	NM	0	6.06	34.72	1.57	0.3
11/3/2014	10.29	44.97	0.83	1.0	22.51	70.71	2.09	0.3	6.18	34.91	1.38	0.3
11/24/2014	10.27	44.99	0.81	1.0	22.56	70.92	1.88	0.5	6.21	35.16	1.13	0.5
12/22/2014	10.23	44.71	1.09	1.0	22.47	70.81	1.99	0.5	6.14	35.02	1.27	0.8
1/29/2015	10.16	44.96	0.84	1.0	22.26	71.04	1.76	0.5	5.71	35.29	1	0.8
2/26/2015	10.12	44.96	0.84	1.5	22.06	71.09	1.71	0.5	6.02	35.29	1	1
3/26/2015	9.96	45.21	0.59	1.5	22.17	71.12	1.68	0.3	5.46	35.36	0.93	1
4/27/2015	9.89	45.37	0.43	1.5	22.23	71.06	1.74	0.5	5.21	35.29	1	1
5/26/2015	9.72	45.61	0.19	2.0	22.17	71.14	1.66	0.5	5.07	35.46	0.83	1
7/6/2015	7.12	45.96	0.24	2.0	19.01	71.39	1.41	0.5	4.06	35.66	0.63	1
8/3/2015	7.26	46.09	0.11	2.0	19.16	71.46	1.34	0.8	4.29	35.71	0.58	1
8/27/2015	8.09	46.01	0.19	1.0	20.34	71.51	1.29	0.8	5.05	35.77	0.52	1
10/5/2015	7.12	45.86	0.34	1.0	19.02	71.57	1.23	0.5	4.31	35.96	0.33	1
11/5/2015	6.86	45.81	0.39	1.0	18.59	71.59	1.21	0.5	4.02	35.91	0.38	1
12/3/2015	6.46	45.79	0.41	1.0	18.33	71.67	1.13	0.5	3.92	35.96	0.33	1
12/28/2015	6.23	45.62	0.58	1.3	23.21	71.61	1.19	0.8	3.73	35.91	0.38	1
2/3/2016	6.04	45.55	0.65	1.5	17.96	71.64	1.16	0.5	3.61	35.87	0.42	1
3/3/2016	5.96	45.61	0.59	1.5	17.92	71.71	1.09	0.5	3.51	35.91	0.38	1
3/31/2016	6.06	45.72	0.48	1.5	17.86	71.79	1.01	0.5	3.56	35.92	0.37	1
5/3/2016	6.13	45.66	0.54	1.0	NM	NM	NM	0.0	3.67	35.87	0.53	0.5
6/2/2016	6.21	45.61	0.59	1.0	22.9	71.51	1.29	0.5	3.74	35.92	0.48	0.5
7/8/2016	6.29	45.72	0.48	1.0	23.09	71.52	1.28	0.3	3.91	35.96	0.44	0.5
8/3/2016	6.34	45.77	0.43	1.0	23.16	71.66	1.14	0.3	4.03	35.49	0.91	0.5
8/30/2016	6.47	45.69	0.51	1.0	23.31	71.61	1.19	0.5	4.22	36.09	0.31	0.5
9/30/2016	6.59	45.81	0.39	1.0	23.39	71.81	0.99	0.5	4.33	35.91	0.49	0.5
11/3/2016	6.64	45.92	0.28	1.0	23.41	71.98	0.82	0.5	4.47	35.99	0.41	0.5
11/30/2016	6.86	45.86	0.34	0.5	23.59	71.91	0.89	0.8	4.62	35.91	0.49	0.5
1/4/2017	7.02	45.81	0.39	0.5	23.74	71.82	0.98	0.8	4.83	36.02	0.38	0.3
2/7/2017	6.97	45.69	0.51	0.5	23.67	71.74	1.06	0.8	4.81	35.91	0.49	0.3
3/2/2017	6.91	45.64	0.56	0.5	23.54	76.82	0.98	0.8	4.66	35.97	0.43	0.3
4/3/2017	6.82	45.71	0.49	0.5	23.46	76.96	0.84	0.8	4.57	36.01	0.39	0.3
4/27/2017	6.74	45.64	0.56	0.5	23.21	77.04	0.76	0.5	4.51	36.06	0.34	0.3
5/29/2017	6.89	45.77	0.43	0.5	23.49	77.21	0.59	0.3	4.74	36.03	0.37	0.3
7/5/2017	7.01	45.71	0.49	0.5	23.61	77.27	0.53	0.3	4.86	36.13	0.27	0.3
8/1/2017	7.14	45.63	0.57	0.8	23.79	77.17	0.63	0.3	4.99	36.24	0.16	0.3
9/5/2017	7.03	45.6	0.6	1.0	23.67	77.29	0.51	0.3	4.78	36.24	0.16	0.3
10/4/2017	7.07	45.69	0.51	1.0	23.61	77.36	0.44	0.3	4.89	36.29	0.11	0.3
11/2/2017	7.11	45.76	0.44	1.0	23.74	77.42	0.38	0.3	4.96	36.26	0.14	0.3
11/29/2017	7.16	45.71	0.49	1.0	23.81	77.4	0.40	0.3	5.06	36.31	0.09	0.3
1/2/2018	6.96	45.82	0.38	1.0	23.67	77.43	0.37	0.3	4.93	36.27	0.13	0.3
2/7/2018	7.13	45.87	0.33	1.0	23.86	77.46	0.34	0.3	5.16	36.21	0.19	0.3
3/1/2018	7.36	45.96	0.24	1.0	23.96	77.41	0.39	0.3	5.38	36.13	0.27	0.3

TABLE 1

**SUMMARY OF DNAPL RECOVERY MEASUREMENTS
UPRR HOUSTON, TX - WOOD PRESERVING WORKS**

DNAPL Recovery Date	MW-12B				MW-23C				MW-32B			
	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)
4/2/2018	7.29	45.94	0.26	1.0	23.9	77.32	0.48	0.5	5.31	36.18	0.22	0.3
5/1/2018	8.17	45.91	0.29	1.0	24.47	77.39	0.41	0.5	6.12	36.23	0.17	0.5
6/1/2018	8.49	45.86	0.34	1.0	24.81	77.31	0.49	0.5	6.41	36.19	0.21	0.5
6/29/2018	8.62	45.81	0.39	1.0	24.99	77.37	0.43	0.5	6.59	36.11	0.29	0.8
8/3/2018	8.79	45.96	0.24	1.0	25.12	77.39	0.41	0.5	6.74	36.19	0.21	0.8
8/31/2018	8.32	46.01	0.19	0.8	24.81	77.43	0.37	0.5	6.47	36.23	0.17	0.8
9/28/2018	8.27	45.93	0.27	0.5	24.69	77.39	0.41	0.5	6.41	36.19	0.21	0.8
11/2/2018	8.16	45.91	0.29	0.5	24.57	77.36	0.44	0.5	6.33	36.21	0.19	0.5
11/29/2018	8.01	45.9	0.30	0.5	24.36	77.3	0.50	0.5	6.21	36.27	0.13	0.3
1/2/2019	7.96	45.87	0.33	0.5	24.29	77.31	0.49	0.5	6.09	36.29	0.11	0.3
2/2/2019	7.82	45.89	0.31	0.5	24.21	77.44	0.36	0.5	5.97	36.24	0.16	0.5
2/28/2019	7.69	45.81	0.39	0.5	24.16	77.36	0.44	0.5	5.86	36.21	0.19	0.3
4/2/2019	7.61	45.8	0.4	0.5	24.08	77.32	0.48	0.5	5.79	36.24	0.16	0.3
4/25/2019	7.49	45.76	0.44	1.0	24.01	77.16	0.64	0.5	5.86	36.29	0.11	0.3
5/29/2019	7.51	45.71	0.49	1.0	24.11	77.11	0.69	0.5	5.91	36.21	0.19	0.3
6/12/2019	6.81	45.52	0.68	1.5	24.39	76.71	1.09	1.0	5.46	35.91	0.49	0.5
6/30/2019	6.67	45.06	1.14	2.0	24.32	76.67	1.13	0.8	5.39	35.42	0.98	1
7/16/2019	6.62	45.11	1.09	2.0	24.26	76.61	1.19	1.0	5.32	35.36	1.04	1
8/2/2019	6.69	45.01	1.19	1.5	24.31	76.49	1.31	1.5	5.41	35.26	1.14	1.5
8/15/2019	6.79	44.76	1.44	2.0	24.22	76.36	1.44	1.5	5.61	35.19	1.21	1.5
8/28/2019	6.88	44.71	1.49	2.0	24.29	76.41	1.39	1.5	5.72	35.22	1.18	1.5
9/17/2019	6.93	43.96	2.24	3.0	24.36	76.29	1.51	1.5	5.81	35.17	1.23	1.5
10/2/2019	6.86	43.17	3.03	0.0	24.32	76.09	1.71	1.5	5.77	35.02	1.38	1.5
10/16/2019	6.71	30.29	15.91	0.0	25.75	75.89	1.91	1.5	4.36	33.42	2.98	1.5
10/31/2019	6.53	21.63	24.57	0.0	26.33	75.29	2.51	1.5	3.43	31.86	4.54	1.5
11/15/2019	7.21	19.12	27.08	0.5	25.69	ND	0	0.0	3.47	35.7	0.7	1
12/3/2019	7.55	27.37	18.83	0.0	26.11	75.12	2.68	1.5	4.33	35.51	0.89	0
12/18/2019	12.68	35.9	10.3	0.0	26.13	77.4	0.4	0.3	4.71	35.61	0.79	1.5
12/30/2019	8.08	28.12	18.08	0.0	26.48	76.1	1.7	0.1	5.04	34.28	2.12	1.5
1/7/2020	--	--	--	--	--	--	--	--	--	--	--	--
1/15/2020	7.47	27.12	19.08	0.0	26.49	77.1	0.7	0.0	4.1	35.4	1	1
1/27/2020	6.28	21.06	25.14	0.0	25.99	76.58	1.22	0.0	3.01	31.15	5.25	1
2/13/2020	6.91	20.42	25.78	0.0	25.51	76.42	1.38	0.0	3.88	31.39	5.01	1
2/25/2020	6.4	23.6	22.6	0.0	25.6	75.5	2.3	0.1	3.9	31.05	5.35	0.8
3/13/2020	7.61	22.01	24.19	0.0	25.66	77.08	0.72	0.0	4.32	32.46	3.94	1.3
3/31/2020	7.88	22.01**	24.19	2.5	25.9	77.12	0.68	0.0	4.63	33.3	3.1	0.3
4/9/2020	7.37	18.21	27.99	3.0	25.91	77.22	0.58	0.0	4.65	30.14	6.26	1.0
4/27/2020	8.64	19.12	27.08	3.5	26.31	76.45	1.35	0.0	5.39	34.52	1.88	0.5
5/14/2020	9.39	33.16	13.04	2.5	26.7	75.89	1.91	0.1	6.02	34.73	1.67	0.5
5/28/2020	8.79	40.29	5.91	1.5	26.75	75.71	2.09	0.1	5.84	34.35	2.05	1.0
6/11/2020	9.29	40.69	5.51	2.5	26.93	ND	0	0.0	5.89	35.01	1.39	0.3
6/25/2020	9.01	BP	NM	2.0	25.89	77.94	0	0.0	5.6	35.12	1.28	0.3
7/9/2020	8.04	BP	NM	1.0	26.64	76	1.8	0.3	4.83	35.18	1.22	0.3
7/23/2020	8.17	BP	NM	2.5	26.81	75.61	2.19	0.3	5.63	34.7	1.7	1.0
8/6/2020	5.43	BP	NM	1.0	26.41	75.52	2.28	0.3	3.88	33.94	2.46	1.3
8/20/2020	8.03	BP	NM	1.0	26.38	75.4	2.4	0.3	4.87	33.87	2.53	0.5
9/2/2020	8.89	BP	NM	1.0	26.71	76.24	1.56	0.5	5.54	35.21	1.19	0.3
9/17/2020	9.84	BP	NM	0.0	26.99	75.9	1.9	0.5	6.01	34.4	2	0.5
10/1/2020	6.9	BP	NM	0.5	26.59	75.08	2.72	0.3	4.88	35.18	1.22	0.3
10/14/2020	8.42	BP	NM	2.5	26.71	75.08	2.72	0.3	4.95	34.26	2.14	0.5
10/28/2020	8.31	BP	NM	2.0	26.84	75.81	1.99	0.3	5.31	33.94	2.46	0.8
11/12/2020	9.19	BP	NM	1.0	27.12	76.12	1.68	TR	5.79	33.71	2.69	2.5
11/23/2020	9.55	BP	NM	0.8	27.41	76.28	1.52	0.3	6.24	34.19	2.21	1.0
12/10/2020	6.67	BP	NM	1.5	26.72	76.2	1.6	0.3	3.68	32.9	3.5	1.0
12/21/2020	5.46	BP	NM	0.8	26.21	NM	0.0	0.0	3.89	32.82	3.58	1.0
1/7/2021	5.01	BP	NM	1.0	25.85	ND	0	0.0	3.02	35.4	1	1.0
1/21/2021	5.72	BP	NM	2.0	25.49	75.29	2.51	0.3	3.48	35.01	1.39	1.0
2/4/2021	6.87	BP	NM	1.5	25.48	75.36	2.44	1.3	4.09	34.48	1.92	1.0
2/23/2021	5.47	BP	NM	1.0	25.25	75.61	2.19	1.0	3.19	33.59	2.81	1.0
3/11/2021	5.95	BP	NM	0.8	25.31	75.84	1.96	1.0	3.47	34.05	2.35	1.0
3/25/2021	9.28	BP	NM	1.0	25.2	75.62	2.18	1.0	3.85	34.83	1.57	1.0
Total DNAPL Pumped (gal)				131.0				49.2			89.0	

Notes:

* - indicates DNAPL and groundwater mixture

MW-23C- added 5 feet to TOC due to capping after 2/3/2016

** - indicates DTD from previous event was used; DNAPL recovered revised based on review of field notes.

--- - No DNAPL pumped

ND - Not detected

DTW - Depth to water (feet Below Top of Casing (BTOC))

NM - Not measured

DTD - Depth to DNAPL (feet BTOC)

PoP - Product on probe, not measureable

MW-12B- TD measured at 46.2 instead of 45.8, August 28, 2015.

TR- Trace amount of DNAPL Extracted

BP - Below pump; depth to DNAPL not measured because DNAPL is below top of in-well pump

TABLE 1

**SUMMARY OF DNAPL RECOVERY MEASUREMENTS
UPRR HOUSTON, TX - WOOD PRESERVING WORKS**

DNAPL Recovery Date	MW-33BR				MW-34C/MW-34CR (July 2014)				MW-41B			
	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)
2/14/2013	3.72	ND	0	0	NM	NM	0	8.91	41.1	3.71	3	
4/3/2013	4.02	PoP	0	0	NM	NM	0	9.37	41.6	3.21	1.5	
4/22/2013	3.63	ND	0	0	NM	NM	0	8.62	41.6	3.21	0.5*	
5/30/2013	3.59	ND	0	0	NM	NM	0	8.73	34.16	10.65	2	
6/29/2013	6.07	ND	0	0	NM	NM	0	9.72	37.12	7.69	2	
7/22/2013	9.68	ND	0	0	NM	NM	0	10.31	39.29	5.52	1.5	
8/26/2013	9.86	ND	0	0	NM	NM	0	10.09	34.55	10.26	2.5	
9/27/2013	9.57	ND	0	0	NM	NM	0	9.63	37.29	7.52	2	
10/31/2013	9.32	ND	0	0	21.63	NM	0	9.52	38.16	6.65	2	
11/27/2013	9.16	ND	0	0	NM	NM	0	9.57	38.39	6.42	2	
12/31/2013	8.97	ND	0	0	NM	NM	0	9.42	39.36	5.45	2	
1/30/2014	7.41	ND	0	0	NM	NM	0	9.06	39.17	5.64	2	
3/3/2014	7.16	ND	0	0	NM	NM	0	8.62	38.06	6.75	2	
3/31/2014	7.04	ND	0	0	NM	NM	0	8.52	37.74	7.07	2	
4/30/2014	6.88	ND	0	0	NM	NM	0	8.36	37.21	7.6	2	
5/27/2014	6.72	ND	0	0	NM	NM	0	8.26	37.29	7.52	2	
6/26/2014	6.52	ND	0	0	NM	NM	0	8.02	37.47	7.34	2	
7/31/2014	6.29	ND	0	0	19.06	ND	0	8.21	37.92	6.89	2	
8/27/2014	6.47	ND	0	0	18.96	ND	0	8.07	38.29	6.52	1.5	
10/3/2014	6.32	ND	0	0	18.81	ND	0	8.02	38.13	6.68	2	
11/3/2014	NM	NM	NM	0	19.06	ND	0	8.22	38.29	6.52	2	
11/24/2014	NM	NM	NM	0	19.11	ND	0	8.27	38.47	6.34	2	
12/22/2014	NM	NM	NM	0	19.06	ND	0	8.16	38.39	6.42	2	
1/29/2015	NM	NM	NM	0	18.79	ND	0	8.02	39.16	5.65	1.5	
2/26/2015	NM	NM	NM	0	18.71	ND	0	7.92	39.06	5.75	2.5	
3/26/2015	NM	NM	NM	0	18.67	ND	0	7.83	38.74	6.07	2.5	
4/27/2015	NM	NM	NM	0	18.79	ND	0	8.02	38.61	6.2	3	
5/26/2015	NM	NM	NM	0	18.63	ND	0	7.91	38.72	6.09	3	
7/6/2015	NM	NM	NM	0	17.29	ND	0	6.03	38.96	5.85	2.5	
8/3/2015	NM	NM	NM	0	17.21	ND	0	6.09	39.01	5.8	2.5	
8/27/2015	NM	NM	NM	0	18.46	ND	0	7.39	39.14	5.67	2	
10/5/2015	NM	NM	NM	0	17.29	ND	0	6.32	39.34	5.47	2	
11/5/2015	NM	NM	NM	0	16.78	ND	0	6.01	39.51	5.3	2	
12/3/2015	NM	NM	NM	0	16.44	ND	0	5.76	39.56	5.25	2	
12/28/2015	NM	NM	NM	0	16.16	ND	0	5.62	39.63	5.18	2.3	
2/3/2016	NM	NM	NM	0	15.98	ND	0	5.32	39.72	5.09	3	
3/3/2016	NM	NM	NM	0	15.98	ND	0	5.17	39.81	5	3	
3/31/2016	NM	NM	NM	0	15.98	ND	0	5.26	39.77	5.04	3	
5/3/2016	NM	NM	NM	0	15.79	ND	0	5.52	39.96	4.85	3	
6/2/2016	NM	NM	NM	0	15.97	ND	0	5.67	40.07	4.74	3	
7/8/2016	NM	NM	NM	0	16.06	ND	0	5.72	40.01	4.8	3	
8/3/2016	NM	NM	NM	0	16.17	ND	0	5.79	40.09	4.72	3	
8/30/2016	NM	NM	NM	0	16.31	ND	0	5.91	40.26	4.55	3	
9/30/2016	NM	NM	NM	0	16.42	ND	0	6.06	40.13	4.68	3	
11/3/2016	NM	NM	NM	0	16.51	ND	0	6.11	40.29	4.52	3	
11/30/2016	NM	NM	NM	0	16.72	ND	0	6.26	40.42	4.39	3	
1/4/2017	NM	NM	NM	0	16.94	ND	0	6.39	40.56	4.25	3	
2/7/2017	NM	NM	NM	0	16.91	ND	0	6.44	40.51	4.3	3	
3/2/2017	NM	NM	NM	0	16.78	ND	0	6.29	40.76	4.05	3	
4/3/2017	NM	NM	NM	0	16.71	ND	0	6.21	40.67	4.14	2.5	
4/27/2017	NM	NM	NM	0	16.61	ND	0	6.19	40.87	3.94	3	
5/29/2017	NM	NM	NM	0	16.84	ND	0	6.14	40.29	4.52	3	
7/5/2017	NM	NM	NM	0	17.01	ND	0	6.34	40.57	4.24	2.5	
8/1/2017	NM	NM	NM	0	17.17	ND	0	6.42	40.79	4.02	3	
9/5/2017	NM	NM	NM	0	17.11	ND	0	6.36	40.68	4.13	3	
10/4/2017	NM	NM	NM	0	17.06	ND	0	6.29	40.69	4.12	2.5	
11/2/2017	NM	NM	NM	0	17.17	ND	0	6.41	40.73	4.08	3	
11/29/2017	NM	NM	NM	0	17.29	ND	0	6.52	40.82	3.99	2.5	
1/2/2018	NM	NM	NM	0	17.52	ND	0	6.72	40.72	4.09	2.5	
2/7/2018	NM	NM	NM	0	18.11	ND	0	6.97	40.79	4.02	2.5	
3/1/2018	NM	NM	NM	0	18.38	ND	0	7.16	40.63	4.18	2	

TABLE 1

**SUMMARY OF DNAPL RECOVERY MEASUREMENTS
UPRR HOUSTON, TX - WOOD PRESERVING WORKS**

DNAPL Recovery Date	MW-33BR				MW-34C/MW-34CR (July 2014)				MW-41B			
	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)
4/2/2018	NM	NM	NM	0	18.29	ND	0	0	7.13	40.71	4.1	2
5/1/2018	NM	NM	NM	0	18.33	ND	0	0	8.26	40.76	4.05	2
6/1/2018	NM	NM	NM	0	18.62	ND	0	0	8.71	40.81	4	2.3
6/29/2018	NM	NM	NM	0	18.91	ND	0	0	9.02	40.71	4.1	2.5
8/3/2018	NM	NM	NM	0	19.06	ND	0	0	9.13	40.76	4.05	2.5
8/31/2018	NM	NM	NM	0	18.77	ND	0	0	8.89	40.86	3.95	2
9/28/2018	NM	NM	NM	0	18.64	ND	0	0	8.77	40.76	4.05	2
11/2/2018	NM	NM	NM	0	18.57	ND	0	0	8.61	40.71	4.1	2
11/29/2018	NM	NM	NM	0	18.39	ND	0	0	8.41	40.81	4	2
1/2/2019	NM	NM	NM	0	18.26	ND	0	0	8.22	40.83	3.98	2
2/2/2019	NM	NM	NM	0	18.19	ND	0	0	8.16	40.89	3.92	2
2/28/2019	NM	NM	NM	0	18.02	ND	0	0	8.03	40.76	4.05	3
4/2/2019	NM	NM	NM	0	17.96	ND	0	0	7.93	40.69	4.12	3
4/25/2019	NM	NM	NM	0	Well Damaged				7.76	40.28	4.53	3
5/29/2019	NM	NM	NM	0	Well Damaged				7.71	40.07	4.74	3
6/12/2019	NM	NM	NM	0	Well Damaged				7.52	39.63	5.18	3
6/30/2019	NM	NM	NM	0	Well Damaged				7.46	39.52	5.29	3
7/16/2019	NM	NM	NM	0	Well Damaged				7.39	39.46	5.35	3
8/2/2019	NM	NM	NM	0	Well Damaged				7.46	39.42	5.39	0
8/15/2019	NM	NM	NM	0	Well Damaged				7.51	39.31	5.5	3
8/28/2019	NM	NM	NM	0	Well Damaged				7.57	39.21	5.6	3
9/17/2019	NM	NM	NM	0	Well Damaged				7.66	39.02	5.79	3
10/2/2019	NM	NM	NM	0	Well Damaged				7.61	38.76	6.05	3
10/16/2019	NM	NM	NM	0	Well Damaged				5.21	38.67	6.14	3
10/31/2019	NM	NM	NM	0	Well Damaged				5.21	38.67	6.14	3
11/15/2019	NM	NM	NM	0	Well Damaged				4.81	38.12	6.69	2
12/3/2019	NM	NM	NM	0	Well Damaged				6.46	39.27	5.54	3
12/18/2019	NM	NM	NM	0	Well Damaged				6.51	41.7	3.11	0
12/30/2019	NM	NM	NM	0	Well Damaged				6.99	43.5	1.31	0
1/7/2020	--	--	--	--	--	--	--	--	--	--	--	--
1/15/2020	NM	NM	NM	0	Well Damaged				5.12	38.99	5.82	0
1/27/2020	NM	NM	NM	0	Well Damaged				3.41	40.7	4.11	0
2/13/2020	NM	NM	NM	0	Well Damaged				5.1	40.12	4.69	0
2/25/2020	NM	NM	NM	0	Well Damaged				4.5	41.12	3.69	0
3/13/2020	NM	NM	NM	0	Well Damaged				6.06	42.12	2.69	0
3/31/2020	NM	NM	NM	0	17.49	ND	0	0	6.82	42.12**	2.69	2
4/9/2020	NM	NM	NM	0	17.63	ND	0	0	6.47	BP	NM	2
4/27/2020	NM	NM	NM	0	17.89	ND	0	0	8.01	BP	NM	2
5/14/2020	NM	NM	NM	0	18.29	ND	0	0	8.71	42.1	2.71	3.5
5/28/2020	NM	NM	NM	0	18.31	ND	0	0	8.08	BP	NM	3.5
6/11/2020	NM	NM	NM	0	18.51	ND	0	0	8.01	41.59	3.22	2
6/25/2020	NM	NM	NM	0	17.66	ND	0	0	7.52	BP	NM	2
7/9/2020	NM	NM	NM	0	18.22	ND	0	0	7.29	BP	NM	2
7/23/2020	NM	NM	NM	0	18.36	ND	0	0	7.49	BP	NM	2.5
8/6/2020	NM	NM	NM	0	17.66	ND	0	0	5.64	BP	NM	1.3
8/20/2020	NM	NM	NM	0	18.02	ND	0	0	7.38	BP	NM	0.5
9/2/2020	NM	NM	NM	0	18.2	ND	0	0	8.11	BP	NM	0.8
9/17/2020	NM	NM	NM	0	18.56	ND	0	0	8.81	BP	NM	1
10/1/2020	NM	NM	NM	0	18.29	ND	0	0	6.39	BP	NM	0.8
10/14/2020	NM	NM	NM	0	18.31	ND	0	0	8.71	BP	NM	2
10/28/2020	NM	NM	NM	0	18.61	ND	0	0	8.51	BP	NM	1.5
11/12/2020	NM	NM	NM	0	18.71	ND	0	0	8.49	BP	NM	0.5
11/23/2020	NM	NM	NM	0	18.97	ND	0	0	8.84	BP	NM	0
12/10/2020	NM	NM	NM	0	18.62	ND	0	0	5.31	BP	NM	1.5
12/21/2020	NM	NM	NM	0	18.01	ND	0	0	4.42	BP	NM	1
1/7/2021	NM	NM	NM	0	17.52	ND	0	0	4.48	BP	NM	1.5
1/21/2021	NM	NM	NM	0	17.39	ND	0	0	4.59	BP	NM	2
2/4/2021	NM	NM	NM	0	17.22	ND	0	0	5.62	BP	NM	1.5
2/23/2021	NM	NM	NM	0	17.04	ND	0	0	4.58	BP	NM	1
3/11/2021	NM	NM	NM	0	16.98	ND	0	0	4.22	BP	NM	1.5
3/25/2021	NM	NM	NM	0	17.01	ND	0	0	5.13	BP	NM	1
Total DNAPL Pumped (gal)				0				0				254.3

Notes:

* - indicates DNAPL and groundwater mixture

ND - Not detected

** - indicates DTD from previous event was used

NM - Not measured

--- - No DNAPL pumped

PoP - Product on probe, not measureable

DTW - Depth to water (feet Below Top of Casing (BTOC))

TR- Trace amount of DNAPL Extracted

DTD - Depth to DNAPL (feet BTOC)

BP - Below pump; depth to DNAPL not measured because DNAPL is below top of in-well pump

TABLE 1

**SUMMARY OF DNAPL RECOVERY MEASUREMENTS
UPRR HOUSTON, TX - WOOD PRESERVING WORKS**

DNAPL Recovery Date	MW-44C				MW-45C				MW-46C			
	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)
2/14/2013	18.96	62.95	7.85	1	21.26	69.9	0.7	0.3	21.07	71.3	1.6	0.3
4/3/2013	19.34	70.47	0.33	0.3*	21.39	70.39	0.21	0.3*	20.61	72.36	0.54	0.3*
4/22/2013	18.62	70.64	0.16	0.3*	21.03	70.47	0.13	0.3*	20.61	72.61	0.29	0.3*
5/30/2013	18.43	70.01	0.79	0.3*	21.16	70.25	0.35	0.3*	20.59	71.61	1.29	0.3*
6/29/2013	19.34	70.32	0.48	0.3	21.93	70.32	0.28	0.3*	21.09	72.34	0.56	0.3*
7/22/2013	20.36	70.26	0.54	0.3	22.72	70.39	0.21	0.3*	21.96	72.16	0.74	0.3*
8/26/2013	20.62	70.39	0.41	0.3	22.86	70.31	0.29	0.3	22.23	72.32	0.58	0.3
9/27/2013	20.39	70.61	0.19	0.3	22.66	70.17	0.43	0.3	22.09	72.09	0.81	0.3
10/31/2013	20.17	70.75	0.05	0.1	22.59	70.42	0.18	0.1	22.41	72.34	0.56	0.2
11/27/2013	20.09	70.78	0.02	0.0	22.52	70.49	0.11	0	22.31	72.47	0.43	0.1
12/31/2013	20.01	70.8	PoP	0.0	22.39	70.46	0.14	0	22.03	72.53	0.37	0.1
1/30/2014	19.67	70.42	0.38	0.3	22.13	70.35	0.25	0	21.81	72.55	0.35	0.1
3/3/2014	19.29	70.17	0.63	0.3	21.86	70.09	0.51	0	21.57	72.05	0.85	0.3
3/31/2014	19.17	70.02	0.78	0.3	21.71	69.63	0.97	0.3	21.43	72.12	0.78	0.1
4/30/2014	19.02	69.81	0.99	0.3	21.59	69.74	0.86	0.3	21.27	71.81	1.09	0.3
5/27/2014	18.92	69.71	1.09	0.0	21.52	69.67	0.93	0.3	21.34	71.71	1.19	0.3
6/26/2014	18.81	69.52	1.28	0.3	21.59	69.77	0.83	0.3	21.17	71.6	1.3	0.3
7/31/2014	18.66	69.37	1.43	0.3	21.21	69.96	0.64	0.3	20.39	71.43	1.47	0.3
8/27/2014	18.53	69.47	1.33	0.3	21.13	70.12	0.48	0.3	20.22	71.61	1.29	0.3
10/3/2014	18.41	69.23	1.57	0.3	20.13	70.41	0.19	0.3	20.14	71.39	1.51	0.3
11/3/2014	18.52	69.37	1.43	0.3	20.29	70.36	0.24	0.3	20.27	71.47	1.43	0.3
11/24/2014	18.57	69.49	1.31	0.5	20.34	70.48	0.12	0.3	20.38	71.53	1.37	0.5
12/22/2014	18.51	69.31	1.49	0.5	20.31	70.41	0.19	0.3	20.37	71.42	1.48	0.5
1/29/2015	18.39	69.39	1.41	0.5	20.17	70.51	0.09	0.3	20.13	71.48	1.42	0.5
2/26/2015	18.42	69.51	1.29	0.5	20.11	70.59	0.01	0	20.09	71.38	1.52	0.5
3/26/2015	18.39	69.42	1.38	0.3	19.26	70.52	0.08	0	20.17	71.02	1.88	0.3
4/27/2015	18.29	69.52	1.28	0.5	20.17	70.48	0.12	0.3	20.22	71.56	1.34	1.0
5/26/2015	18.17	69.57	1.23	0.8	20.12	70.41	0.19	0.3	20.12	71.61	1.29	1.0
7/6/2015	16.29	69.86	0.94	0.5	18.07	70.49	0.11	0.3	18.17	71.93	0.97	0.8
8/3/2015	16.18	69.82	0.98	0.5	18.16	70.56	0.04	TR*	18.24	71.98	0.92	0.8
8/27/2015	17.46	69.74	1.06	0.3	19.03	70.54	0.06	TR*	19.39	72.03	0.87	0.5
10/5/2015	16.83	69.86	0.94	0.3	18.39	ND	0	0	18.72	72.34	0.56	0.5
11/5/2015	16.62	69.79	1.01	0.3	17.96	ND	0	0	18.51	72.26	0.64	0.5
12/3/2015	16.46	69.73	1.07	0.3	17.72	ND	0	0	18.62	72.36	0.54	0.5
12/28/2015	16.32	69.77	1.03	0.3	17.62	ND	0	0	18.42	72.31	0.59	0.5
2/3/2016	16.17	69.74	1.06	0.3	17.42	ND	0	0	18.29	72.46	0.44	0.3
3/3/2016	16.12	69.79	1.01	0.3	17.39	ND	0	0	18.23	72.49	0.41	0.3
3/31/2016	16.06	69.71	1.09	0.3	17.33	ND	0	0	18.24	72.54	0.36	0.3
5/3/2016	16.27	69.59	1.21	0.3	17.47	ND	0	0	18.39	72.39	0.51	0.3
6/2/2016	16.38	69.63	1.17	0.3	17.52	ND	0	0	18.43	72.43	0.47	0.3
7/8/2016	16.47	69.71	1.09	0.3	17.62	ND	0	0	18.54	72.49	0.41	0.3
8/3/2016	16.59	69.7	1.1	0.3	17.69	ND	0	0	18.51	72.53	0.37	0.3
8/30/2016	16.67	69.58	1.22	0.3	17.76	ND	0	0	18.72	72.57	0.33	0.3
9/30/2016	16.79	69.49	1.31	0.5	17.86	ND	0	0	18.83	72.46	0.44	0.3
11/3/2016	16.86	69.71	1.09	0.5	17.92	ND	0	0	18.89	72.41	0.49	0.3
11/30/2016	17.03	69.94	0.86	0.8	18.09	ND	0	0	19.12	72.32	0.58	0.3
1/4/2017	17.22	70.11	0.69	0.8	18.22	ND	0	0	19.27	72.46	0.44	0.3
2/7/2017	17.29	70.01	0.79	0.5	18.17	ND	0	0	19.19	72.39	0.51	0.3
3/2/2017	17.17	70.16	0.64	0.5	17.96	ND	0	0	19.03	72.31	0.59	0.3
4/3/2017	17.06	70.21	0.59	0	17.89	ND	0	0	18.97	72.39	0.51	0.3
4/27/2017	17.01	70.29	0.51	0	17.67	ND	0	0	18.84	72.31	0.59	0.5
5/29/2017	17.23	70.24	0.56	0.3	17.84	ND	0	0	18.94	72.47	0.43	0.3
7/5/2017	17.33	70.34	0.46	0.3	17.96	ND	0	0	19.12	72.34	0.56	0.5
8/1/2017	17.39	70.39	0.41	0.3	18.09	ND	0	0	19.23	72.27	0.63	0.5
9/5/2017	17.36	70.43	0.37	0.3	18.16	ND	0	0	19.29	72.34	0.56	0.5
10/4/2017	17.31	70.41	0.39	0.3	18.21	ND	0	0	19.36	72.3	0.6	0.5
11/2/2017	17.42	70.4	0.4	0.3	18.32	ND	0	0	19.42	72.36	0.54	0.5
11/29/2017	17.49	70.36	0.44	0.3	18.43	ND	0	0	19.57	72.34	0.56	0.5
1/2/2018	17.67	70.31	0.49	0.5	18.73	ND	0	0	19.81	72.39	0.51	0.5
2/7/2018	17.77	70.34	0.46	0.5	18.62	ND	0	0	19.96	72.46	0.44	0.5
3/1/2018	NM	NM	NM	0	18.79	ND	0	0	20.02	72.32	0.58	0.5

TABLE 1

**SUMMARY OF DNAPL RECOVERY MEASUREMENTS
UPRR HOUSTON, TX - WOOD PRESERVING WORKS**

DNAPL Recovery Date	MW-44C				MW-45C				MW-46C			
	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)
4/2/2018	NM	NM	NM	0	18.72	ND	0	0	19.81	72.39	0.51	0.5
5/1/2018	NM	NM	NM	0	19.31	ND	0	0	20.62	72.46	0.44	1
6/1/2018	18.31	70.17	0.63	0.8	19.47	ND	0	0	20.87	72.51	0.39	1
6/29/2018	18.79	70.39	0.41	0.8	19.67	ND	0	0	20.97	72.57	0.33	1
8/3/2018	18.97	70.36	0.44	0.8	19.77	ND	0	0	21.11	72.59	0.31	1
8/31/2018	18.87	70.39	0.41	0.5	19.41	ND	0	0	20.96	72.48	0.42	0.5
9/28/2018	18.82	70.41	0.39	0.8	19.32	ND	0	0	20.91	72.43	0.47	0.5
11/2/2018	18.67	70.44	0.36	0.8	19.26	ND	0	0	20.77	72.39	0.51	0.8
11/29/2018	18.47	70.46	0.34	0.3	19.16	ND	0	0	20.52	72.34	0.56	0.5
1/2/2019	18.42	70.41	0.39	0.5	19.02	ND	0	0	20.49	72.46	0.44	0.5
2/2/2019	18.29	70.41	0.39	0.5	18.93	ND	0	0	20.43	72.49	0.41	0.5
2/28/2019	18.16	70.42	0.38	0.5	18.77	ND	0	0	20.34	72.37	0.53	0.5
4/2/2019	18.09	70.39	0.41	0.5	18.71	ND	0	0	20.18	72.32	0.58	0.5
4/25/2019	18.02	70.16	0.64	0.5	18.63	ND	0	0	20.14	72.36	0.54	0.5
5/29/2019	18.61	70.23	0.57	0.5	18.47	ND	0	0	20.06	72.39	0.51	0.5
6/12/2019	18.29	ND	Trace	0	18.81	ND	0	0	18.02	ND	Trace	0
6/30/2019	18.16	ND	0	0	18.71	ND	0	0	18.09	ND	0	0
7/16/2019	18.09	ND	0	0	18.66	ND	0	0	18.12	ND	0	0
8/2/2019	18.17	ND	0	0	18.72	ND	0	0	18.17	ND	0	0
8/15/2019	18.22	ND	0	0	18.79	ND	0	0	18.09	ND	0	0
8/28/2019	18.29	ND	0	0	18.86	ND	0	0	18.17	ND	0	0
9/17/2019	18.39	ND	0	0	18.97	ND	0	0	18.23	ND	0	0
10/2/2019	18.32	ND	0	0	18.89	ND	0	0	18.17	ND	0	0
10/16/2019	15.06	ND**	0	0	16.23	ND	0	0	16.34	ND	0	0
10/31/2019	14.89	ND**	0	0	15.94	ND	0	0	16.06	ND	0	0
11/15/2019	14.21	ND**	0	0	15.69	ND	0	0	15.81	ND	0	0
12/3/2019	16.11	ND**	0	0	15.71	ND	0	0	15.91	ND	0	0
12/18/2019	16.51	ND**	0	0	15.91	ND	0	0	16.11	ND	0	0
12/30/2019	16.65	ND**	0	0	16.11	ND	0	0	16.22	ND	0	0
1/7/2020	--	--	--	--	--	--	--	--	--	--	--	--
1/15/2020	16.61	ND**	0	0	16.11	ND	0	0	16.29	ND	0	0
1/27/2020	16.24	ND**	0	0	15.71	ND	0	0	16.15	ND	0	0
2/13/2020	15.81	ND**	0	0	15.29	ND	0	0	14.4	ND	0	0
2/25/2020	15.81	ND**	0	0	15.28	ND	0	0	15.42	ND	0	0
3/13/2020	15.84	ND**	0	0	15.31	ND	0	0	15.57	ND	0	0
3/31/2020	14.82	ND**	0	0	15.59	ND	0	0	15.72	ND	0	0
4/9/2020	22.76	ND**	0	0	15.67	ND	0	0	15.89	ND	0	0
4/27/2020	14.67	ND**	0	0	15.94	ND	0	0	16.12	ND	0	0
5/14/2020	14.21	ND**	0	0	16.38	69.3	1.30	0.1	16.51	ND	0	0
5/28/2020	12.06	57.61	0.399**	0	16.46	70	0.6	0	16.71	ND	0	0
6/11/2020	11.61	ND**	0	0	16.68	ND	0	0	16.83	ND	0	0
6/25/2020	10.37	ND**	0	0	14.99	ND	0	0	15.12	ND	0	0
7/9/2020	11.51	ND**	0	0	16.28	ND	0	0	16.51	ND	0	0
7/23/2020	16.92	ND**	0	0	16.49	69.7	0.90	TR	16.49	ND	0	0
8/6/2020	16.75	ND**	0	0	16.19	ND	0	0	16.47	ND	0	0
8/20/2020	16.71	ND**	0	0	16.18	ND	0	0	16.35	ND	0	0
9/2/2020	16.84	ND**	0	0	16.21	ND	0	0	16.51	ND	0	0
9/17/2020	17.29	ND**	0	0	16.71	ND	0	0	16.85	ND	0	0
10/1/2020	16.84	ND**	0	0	16.61	ND	0	0	16.64	ND	0	0
10/14/2020	16.92	ND**	0	0	16.39	ND	0	0	16.58	ND	0	0
10/28/2020	17.11	ND**	0	0	16.58	70.6	Trace	TR	16.74	ND	0	0
11/12/2020	17.42	ND**	0	0	16.83	ND	0	0	17.04	ND	0	0
11/23/2020	1769	ND**	0	0	17.12	ND	0	0	17.33	ND	0	0
12/10/2020	17.01	ND**	0	0	16.50	ND	0	0	16.71	ND	0	0
12/21/2020	16.69	ND**	0	0	16.02	69.04	1.56	0.3	16.22	ND	0	0
1/7/2021	15.91	ND**	0	0	15.59	ND	0	0	15.81	ND	0	0
1/21/2021	15.77	ND**	0	0	15.2	70.5	0.1	TR	15.44	ND	0	0
2/4/2021	15.69	ND**	0	0	15.19	70.55	0.05	TR	15.39	ND	0	0
2/23/2021	14.55	ND**	0	0	14.99	70.21	0.39	TR	15.24	ND	0	0
3/11/2021	15.49	ND**	0	0	14.98	ND	0	0	15.21	ND	0	0
3/25/2021	15.5	ND**	0	0	14.99	ND	0	0	15.18	ND	0	0
Total DNAPL Pumped (gal)				26.7				6.2				31.8

Notes:

* - indicates DNAPL and groundwater mixture

--- - No DNAPL pumped

DTW - Depth to water (feet Below Top of Casing (BTOC))

DTD - Depth to DNAPL (feet BTOC)

MW-44C not measured 3/1/18 - 5/1/18; couldn't locate well due to construction.

**Total depth measured in MW-44C was approximately 10 ft higher than during previous events - attempted to remove silt in July and October 2020.

ND - Not detected

NM - Not measured

PoP - Product on probe, not measurable

TR- Trace amount of DNAPL Extracted

TABLE 1

**SUMMARY OF DNAPL RECOVERY MEASUREMENTS
UPRR HOUSTON, TX - WOOD PRESERVING WORKS**

DNAPL Recovery Date	MW-49B				MW-57A				MW-57B			
	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)
2/14/2013					10.56	22.12	4.78	0.5	28.56	41.41	1.54	0.3
4/3/2013					10.32	24.79	2.11	0.5	28.09	42.36	0.59	0.3*
4/22/2013					10.71	25.85	1.05	0.5	27.06	42.17	0.78	0.3
5/30/2013					10.63	24.16	2.74	0.5	27.13	41.63	1.32	0.3
6/29/2013					12.16	23.82	3.08	2	18.26	42.07	0.88	0.3
7/22/2013	11.83	33.91	0.84	--	13.21	23.05	3.85	2	16.34	41.67	1.28	0.8
8/26/2013					12.91	25.32	1.58	1	18.01	42.31	0.64	0.3
9/27/2013					12.72	25.71	1.19	0.8	17.74	42.51	0.39	0.3
10/31/2013					12.72	25.92	0.98	1	17.61	42.61	0.29	0.1
11/27/2013					12.61	25.98	0.92	1	17.54	42.67	0.23	0.1
12/31/2013					12.46	26.09	0.81	1	17.36	42.74	0.16	0.1
1/30/2014					11.79	26.15	0.75	0.3	17.04	ND	Trace	0
3/3/2014					11.02	26.25	0.65	0.3	16.51	ND	Trace	0
3/31/2014					10.83	26.41	0.49	0.3	16.41	ND	Trace	0
4/30/2014					10.71	26.31	0.59	0.3	16.29	ND	Trace	0
5/27/2014					10.74	26.16	0.74	0.3	16.13	ND	Trace	0
6/26/2014					10.61	26.29	0.61	0.3	16.02	ND	Trace	0
7/31/2014					10.35	26.18	0.72	0.3	15.84	ND	Trace	0
8/27/2014					10.22	26.26	0.64	0.3	15.71	ND	Trace	0
10/3/2014					10.09	26.04	0.86	0.3	15.61	ND	Trace	0
11/3/2014					10.17	26.16	0.74	0.3	NM	NM	NM	0
11/24/2014					10.13	26.29	0.61	0.3	NM	NM	NM	0
12/22/2014					10.06	26.34	0.56	0.3	NM	NM	NM	0
1/29/2015					9.73	26.51	0.39	0.3	NM	NM	NM	0
2/26/2015					9.87	26.42	0.48	0.3	NM	NM	NM	0
3/26/2015					9.81	26.32	0.58	0.3	NM	NM	NM	0
4/27/2015					9.82	26.47	0.43	0.5	NM	NM	NM	0
5/26/2015					9.71	26.56	0.34	0.5	NM	NM	NM	0
7/6/2015					7.41	26.82	0.08	TR*	NM	NM	NM	0
8/3/2015					7.29	26.86	0.04	TR*	12.32	ND	PoP	0
8/27/2015					8.11	ND	0	TR*	13.04	ND	0	0
10/5/2015					7.72	ND	0	0	12.62	ND	0	0
11/5/2015					7.39	ND	0	0	12.27	ND	0	0
12/3/2015					7.13	ND	0	0	12.02	ND	0	0
12/28/2015					NM	NM	NM	0	NM	NM	NM	0
2/3/2016					NM	NM	NM	0	NM	NM	NM	0
3/3/2016					NM	NM	NM	0	NM	NM	NM	0
3/31/2016					NM	NM	NM	0	NM	NM	NM	0
5/3/2016					NM	NM	NM	0	NM	NM	NM	0
6/2/2016					7.26	ND	0	0	12.32	ND	0	0
7/8/2016					7.39	ND	0	0	12.44	ND	0	0
8/3/2016					7.46	ND	0	0	12.52	ND	0	0
8/30/2016					7.58	ND	0	0	12.67	ND	0	0
9/30/2016					7.69	ND	0	0	12.81	ND	0	0
11/3/2016					7.77	ND	0	0	12.92	ND	0	0
11/30/2016					7.92	ND	0	0	13.16	ND	0	0
1/4/2017					8.07	ND	0	0	13.24	ND	0	0
2/7/2017					8.18	ND	0	0	13.29	ND	0	0
3/2/2017					8.02	ND	0	0	13.17	ND	0	0
4/3/2017					8.06	ND	0	0	13.04	ND	0	0
4/27/2017					8.01	ND	0	0	13.14	ND	0	0
5/29/2017					8.34	ND	0	0	13.41	ND	0	0
7/5/2017					8.41	ND	0	0	13.57	ND	0	0
8/1/2017					8.52	ND	0	0	13.69	ND	0	0
9/5/2017					8.46	ND	0	0	13.79	ND	0	0
10/4/2017					8.41	ND	0	0	13.71	ND	0	0
11/2/2017					8.52	ND	0	0	13.91	ND	0	0
11/29/2017					8.67	ND	0	0	14.02	ND	0	0
1/2/2018					8.91	ND	0	0	13.06	ND	0	0
2/7/2018					8.98	ND	0	0	12.42	ND	0	0
3/1/2018					9.22	ND	0	0	12.58	ND	0	0

TABLE 1

**SUMMARY OF DNAPL RECOVERY MEASUREMENTS
UPRR HOUSTON, TX - WOOD PRESERVING WORKS**

DNAPL Recovery Date	MW-49B				MW-57A				MW-57B			
	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)
4/2/2018					9.16	ND	0	0	12.46	ND	0	0
5/1/2018					9.34	ND	0	0	13.04	ND	0	0
6/1/2018					9.67	ND	0	0	13.29	ND	0	0
6/29/2018					9.87	ND	0	0	13.47	ND	0	0
8/3/2018					10.02	ND	0	0	13.61	ND	0	0
8/31/2018					9.91	ND	0	0	13.47	ND	0	0
9/28/2018					9.86	ND	0	0	13.36	ND	0	0
11/2/2018					9.77	ND	0	0	13.21	ND	0	0
11/29/2018					9.56	ND	0	0	13.01	ND	0	0
1/2/2019					9.52	ND	Trace	0	13.03	ND	Trace	0
2/2/2019					9.41	ND	Trace	0	12.91	ND	Trace	0
2/28/2019					9.32	ND	Trace	0	12.83	ND	Trace	0
4/2/2019					9.27	ND	Trace	0	12.76	ND	Trace	0
4/25/2019					9.16	ND	Trace	0	12.71	ND	Trace	0
5/29/2019					9.06	ND	Trace	0	12.70	ND	Trace	0
6/12/2019					9.39	ND	0	0	12.93	ND	0	0
6/30/2019					9.21	ND	0	0	12.86	ND	0	0
7/16/2019	12.02	34.62	0.24	--	9.17	ND	0	0	12.79	ND	0	0
8/2/2019					9.22	ND	0	0	12.84	ND	0	0
8/15/2019					9.29	ND	0	0	12.92	ND	0	0
8/28/2019					9.33	ND	0	0	12.96	ND	0	0
9/17/2019					9.46	ND	0	0	12.86	ND	0	0
10/2/2019					9.74	ND	0	0	12.83	ND	0	0
10/16/2019					10.39	ND	0	0	13.67	ND	0	0
10/31/2019					11.92	ND	0	0	14.21	ND	0	0
11/15/2019					11.14	ND	0	0	6.21	ND	0	0
12/3/2019					13.75	ND	0	0	13.51	ND	0	0
12/18/2019					14.09	ND	0	0	13.51	ND	0	0
12/30/2019					14.42	ND	0	0	13.51	ND	0	0
1/7/2020	11.51	20.09	14.77	--	--	--	--	--	--	--	--	--
1/15/2020	15.48	20.89	13.97	2.5	12.79	ND	0	0	21.93	ND	0	0
1/27/2020	14.2	22.4	12.46	2	11.61	ND	0	0	19.96	ND	0	0
2/13/2020	13.31	28.9	5.96	1.5	13.22	ND	0	0	17.91	ND	0	0
2/25/2020	11.51	26.8	8.06	1.0	12.31	ND	0	0	16.86	ND	0	0
3/13/2020	11.73	26.1	8.76	0.5	13.71	ND	0	0	15.91	ND	0	0
3/31/2020	13.72	29.39	5.47	0.5	13.85	ND	0	0	15.37	ND	0	0
4/9/2020	14.13	31.04	3.82	0.5	13.36	ND	0	0	15.19	ND	0	0
4/27/2020	15.31	32.05	2.81	0.1	14.45	ND	0	0	14.99	ND	0	0
5/14/2020	14.95	31.89	2.97	0.1	14.84	ND	0	0	14.95	ND	0	0
5/28/2020	13.66	31.07	3.79	0.5	13.91	ND	0	0	14.92	ND	0	0
6/11/2020	14.56	31.22	3.64	0.3	14.41	ND	0	0	14.89	ND	0	0
6/25/2020	10.65	31.64	3.22	0.3	14.08	ND	0	0	14.28	ND	0	0
7/9/2020	10.51	32.41	2.45	0.5	13.51	ND	0	0	14.67	ND	0	0
7/23/2020	13.51	31.13	3.73	0.5	13.26	ND	0	0	17.09	ND	0	0
8/6/2020	13.23	32.48	2.38	0.3	11.53	ND	0	0	16.20	ND	0	0
8/20/2020	12.11	32.08	2.78	0.1	13.11	ND	0	0	15.47	ND	0	0
9/2/2020	13.58	31.04	3.82	0.8	13.91	ND	0	0	15.01	ND	0	0
9/17/2020	15.91	30.24	4.62	0.5	14.43	ND	0	0	14.71	ND	0	0
10/1/2020	13.63	31.11	3.75	0.8	12.41	ND	0	0	14.44	ND	0	0
10/14/2020	12.18	29.6	5.26	2.0	13.74	ND	0	0	14.08	ND	0	0
10/28/2020	13.71	31.93	2.93	1.0	13.91	ND	0	0	13.87	ND	0	0
11/12/2020	12.74	32.03	2.83	0.5	14.64	ND	0	0	13.81	ND	0	0
11/23/2020	12.08	32.30	2.56	0.3	14.99	ND	0	0	13.21	ND	0	0
12/10/2020	8.66	31.21	3.65	0.3	12.31	ND	0	0	13.76	ND	0	0
12/21/2020	6.6	30.72	4.14	0.5	10.92	ND	0	0	13.56	ND	0	0
1/7/2021	6.41	32.25	2.61	0.5	12.51	ND	0	0	13.25	ND	0	0
1/21/2021	15.44	31.25	3.61	0.5	12.54	ND	0	0	20.69	ND	0	0
2/4/2021	15.81	31.54	3.32	0.5	13.15	ND	0	0	18.46	ND	0	0
2/23/2021	13.44	31.2	3.66	0.5	12.32	ND	0	0	16.49	ND	0	0
3/11/2021	11.91	31.96	2.9	0.5	13.13	ND	0	0	15.55	ND	0	0
3/25/2021	10.28	32.41	2.45	0.5	13.01	ND	0	0	15.06	ND	0	0
Total DNAPL Pumped (gal)				20.5				15.5			2.8	

Notes:

* - indicates DNAPL and groundwater mixture

--- - No DNAPL pumped

DTW - Depth to water (feet Below Top of Casing (BTOC))

DTD - Depth to DNAPL (feet BTOC)

ND - Not detected

NM - Not measured

PoP - Product on probe, not measureable

TR- Trace amount of DNAPL Extracted

TABLE 1
SUMMARY OF DNAPL RECOVERY MEASUREMENTS
UPRR HOUSTON, TX - WOOD PRESERVING WORKS

DNAPL Recovery Date	MW-68B				MW-70B			
	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)
2/14/2013					6.57	34.09	1.61	0.3
4/3/2013					6.79	35.26	0.44	0.3
4/22/2013					6.06	35.12	0.58	0.3
5/30/2013					6.19	34.67	1.03	0.3
6/29/2013					8.01	34.92	0.78	0.3*
7/22/2013					8.22	34.07	1.63	0.3*
8/26/2013					8.17	35.09	0.61	0.3
9/27/2013					8.32	35.34	0.36	0.3
10/31/2013					8.26	35.39	0.31	0.1
11/27/2013					8.12	35.42	0.28	0.1
12/31/2013					7.89	35.51	0.19	0.1
1/30/2014					7.84	35.06	0.64	0.1
3/3/2014					7.09	35.05	0.65	0.1
3/31/2014					6.87	35.17	0.53	0.1
4/30/2014					6.72	35.01	0.69	0.1
5/27/2014					6.64	34.86	0.84	0.1
6/26/2014					6.52	34.97	0.73	0.3
7/31/2014					6.26	34.76	0.94	0.3
8/27/2014					6.84	34.86	0.84	0.3
10/3/2014					6.71	34.61	1.09	0.3
11/3/2014					6.79	34.79	0.91	0.3
11/24/2014					6.77	34.93	0.77	0.3
12/22/2014					6.69	34.86	0.84	0.3
1/29/2015					6.48	34.92	0.78	0.3
2/26/2015					6.39	34.81	0.89	0.5
3/26/2015					6.27	34.91	0.79	0.3
4/27/2015					6.19	34.99	0.71	0.3
5/26/2015					6.07	35.11	0.59	0.5
7/6/2015					5.03	35.32	0.38	0.3
8/3/2015					5.12	35.37	0.33	TR*
8/27/2015					6.31	35.41	0.29	TR*
10/5/2015					5.72	35.47	0.23	0.3
11/5/2015					5.41	35.42	0.28	0.3
12/3/2015					5.13	35.63	0.07	0.3
12/28/2015					5.02	35.26	0.44	0.3
2/3/2016					4.86	35.21	0.49	0.3
3/3/2016					4.92	35.17	0.53	0.3
3/31/2016					4.91	35.24	0.46	0.3
5/3/2016					5.13	35.29	0.36	0.3
6/2/2016					5.26	35.36	0.29	0.3
7/8/2016					5.34	35.31	0.34	0.3
8/3/2016					5.42	35.39	0.26	0.3
8/30/2016					5.61	35.21	0.44	0.3
9/30/2016					5.74	35.03	0.62	0.3
11/3/2016					5.79	35.11	0.54	0.3
11/30/2016					6.03	35.23	0.42	0.3
1/4/2017					6.17	35.09	0.56	0.5
2/7/2017					6.26	35.01	0.64	0.5
3/2/2017					6.16	35.09	0.56	0.5
4/3/2017					6.09	35.13	0.52	0.5
4/27/2017					6.12	35.2	0.45	0.5
5/29/2017					6.29	35.06	0.59	0.5
7/5/2017					6.39	35.14	0.51	0.3
8/1/2017					6.47	35.21	0.44	0.3
9/5/2017					6.56	35.34	0.31	0.3
10/4/2017					6.63	35.39	0.26	0.3
11/2/2017					6.74	35.31	0.34	0.3
11/29/2017					6.79	35.29	0.36	0.3
1/2/2018					6.34	35.34	0.31	0.3
2/7/2018					6.42	35.31	0.34	0.3
3/1/2018					6.67	35.21	0.44	0.5

TABLE 1

**SUMMARY OF DNAPL RECOVERY MEASUREMENTS
UPRR HOUSTON, TX - WOOD PRESERVING WORKS**

DNAPL Recovery Date	MW-68B				MW-70B			
	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)
4/2/2018					6.61	35.16	0.49	0.5
5/1/2018					7.22	35.23	0.42	1.3
6/1/2018					7.42	35.29	0.36	1
6/29/2018					7.58	35.21	0.44	1
8/3/2018					7.69	35.29	0.36	0.8
8/31/2018					7.42	35.36	0.29	0.5
9/28/2018					7.33	35.28	0.37	0.5
11/2/2018					7.22	35.24	0.41	0.8
11/29/2018					7.06	35.21	0.44	0.5
1/2/2019					6.96	35.31	0.34	0.5
2/2/2019					6.87	35.36	0.29	0.5
2/28/2019					6.74	35.29	0.36	0.5
4/2/2019					6.67	35.27	0.38	0.5
4/25/2019					6.74	35.21	0.44	0.5
5/29/2019					6.71	35.17	0.48	0.5
6/12/2019					6.43	34.84	0.81	1
6/30/2019					6.48	34.61	1.04	1
7/16/2019					6.43	34.49	1.16	1.5
8/2/2019					6.48	34.31	1.34	1.5
8/15/2019					6.51	34.07	1.58	2
8/28/2019					6.57	34.09	1.56	2
9/17/2019					6.51	34.01	1.64	2
10/2/2019					6.46	33.71	1.94	2.5
10/16/2019					6.42	ND	0	0
10/31/2019					6.43	ND	Trace	0
11/15/2019					4.75	ND	0	0
12/3/2019					5.01	ND	0	0
12/18/2019					5.53	35	0.65	0.3
12/30/2019					5.71	32.4	3.25	0.1
1/7/2020	4.82	34.21	3.59	--	--	--	--	--
1/15/2020	4.82	34.41	3.39	0.5	7.19	32.51	3.14	0.1
1/27/2020	2.15	35.9	1.9	0.5	9.9	31.3	4.35	0.1
2/13/2020	3.49	35.02	2.78	0.5	5.99	31.43	4.22	0.1
2/25/2020	2.35	36.12	1.68	0.3	4.71	31.81	3.84	0.3
3/13/2020	3.99	35.6	2.2	0.1	4.63	30.5	5.15	0.3
3/31/2020	4.46	36.9	0.9	0.0	6.04	31.34	4.31	0.5
4/9/2020	4.41	35.99	1.81	0.1	6.79	31.53	4.12	0.5
4/27/2020	5.53	36.1	1.7	0.1	6.81	30.84	4.81	1.0
5/14/2020	6.39	37.01	0.79	0	7.26	30.63	5.02	1.0
5/28/2020	5.99	37.09	0.71	TR	7.02	30.74	4.91	1.5
6/11/2020	6.49	36.8	1	TR	7.53	31.2	4.45	0.5
6/25/2020	6.09	36.94	0.86	TR	7.08	32.12	3.53	0.5
7/9/2020	5.06	37.37	0.43	0.3	5.61	32	3.65	0.5
7/23/2020	5.31	37.47	0.33	TR	6.33	32.2	3.45	1.0
8/6/2020	3.02	37.38	0.42	TR	6.15	33.12	2.53	1.3
8/20/2020	5.11	37.26	0.54	TR	5.74	33.2	2.45	1.0
9/2/2020	5.96	37.4	0.4	TR	6.74	34.39	1.26	0.1
9/17/2020	6.6	37.32	0.48	0.1	6.92	34.99	0.66	0.1
10/1/2020	3.81	37.39	0.41	0.1	5.52	34.88	0.77	0.3
10/14/2020	5.11	36.81	0.99	0.3	5.63	34.49	1.16	0.3
10/28/2020	5.26	36.52	1.28	0.3	4.8	34.71	0.94	0.3
11/12/2020	6.13	36.82	0.98	0.3	6.38	34.21	1.44	0.5
11/23/2020	6.54	37.2	0.6	0.3	7.51	35.19	0.46	0.3
12/10/2020	3.24	37.08	0.72	0.0	5.82	35.10	0.55	0.1
12/21/2020	1.22	37.01	0.79	0.1	5.55	34.48	1.17	0.1
1/7/2021	2.48	ND	0	0	5.04	35	0.65	TR
1/21/2021	2.99	37.37	0.43	TR	4.72	35.02	0.63	TR
2/4/2021	3.62	37.32	0.48	TR	7.2	35.08	0.57	TR
2/23/2021	2.51	ND	0	0	5.33	34.2	1.45	1.0
3/11/2021	3.49	ND	0	0	5.33	34.3	1.35	0.8
3/25/2021	3.34	ND	0	0	5.78	34.93	0.72	0.5
Total DNAPL Pumped (gal)				3.7				53.7

* - indicates DNAPL and groundwater mixture

--- - No DNAPL pumped

DTW - Depth to water (feet Below Top of Casing (BTOC))

DTD - Depth to DNAPL (feet BTOC)

ND - Not detected

NM - Not measured

PoP - Product on probe, not measureable

TR- Trace amount of DNAPL Extracted

TABLE 1

**SUMMARY OF DNAPL RECOVERY MEASUREMENTS
UPRR HOUSTON, TX - WOOD PRESERVING WORKS**

DNAPL Recovery Date	MW-75B				MW-78A				Approx DNAPL Recovered (gal)
	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	
2/14/2013	10.01	34.1	3.1	0.3	NM	NM	NM	0	9.8
4/3/2013	13.71	36.47	0.73	0.3	NM	NM	NM	0	5.2
4/22/2013	9.72	36.72	0.48	0.3	NM	NM	NM	0	2.9
5/30/2013	9.61	35.09	2.11	0.8	NM	NM	NM	0	7.7
6/29/2013	10.61	35.61	1.59	0.8	NM	NM	NM	0	7.2
7/22/2013	9.74	35.71	1.49	0.8	NM	NM	NM	0	6.7
8/26/2013	10.76	35.93	1.27	0.8	NM	NM	NM	0	6.5
9/27/2013	10.52	36.39	0.81	0.5	NM	NM	NM	0	5.8
10/31/2013	10.31	36.47	0.73	1	NM	NM	NM	0	5.1
11/27/2013	10.39	36.51	0.69	1	NM	NM	NM	0	4.7
12/31/2013	10.13	36.72	0.48	1	NM	NM	NM	0	4.7
1/30/2014	12.62	36.49	0.71	0.8	NM	NM	NM	0	4.7
3/3/2014	12.12	36.35	0.85	0.8	NM	NM	NM	0	4.9
3/31/2014	12.01	36.27	0.93	0.8	NM	NM	NM	0	5.0
4/30/2014	11.84	36.02	1.18	0.8	NM	NM	NM	0	5.1
5/27/2014	11.71	35.79	1.41	0.8	NM	NM	NM	0	4.9
6/26/2014	11.58	35.91	1.29	0.5	NM	NM	NM	0	5.0
7/31/2014	11.32	35.82	1.38	0.5	NM	NM	NM	0	4.8
8/27/2014	11.19	36.09	1.11	0.5	NM	NM	NM	0	4.3
10/3/2014	11.09	36.01	1.19	0.5	NM	NM	NM	0	4.8
11/3/2014	11.16	36.19	1.01	0.8	9.31	19.12	6.23	2	7.3
11/24/2014	11.21	36.27	0.93	0.5	9.39	19.62	5.73	2	8.0
12/22/2014	11.26	36.19	1.01	0.5	9.34	19.86	5.49	2	8.3
1/29/2015	11.06	36.34	0.86	0.5	9.14	21.29	4.06	2	7.8
2/26/2015	11.09	36.34	0.86	0.5	9.17	19.97	5.38	2.5	10.0
3/26/2015	10.93	36.42	0.78	0.5	9.12	20.31	5.04	0.8	7.3
4/27/2015	10.78	36.52	0.68	0.5	9.17	20.46	4.89	2	10.5
5/26/2015	10.61	36.72	0.48	0.8	9.09	20.59	4.76	2.5	12.3
7/6/2015	8.52	36.91	0.29	0.8	7.01	21.16	4.19	2	10.5
8/3/2015	8.66	36.96	0.24	0.8	7.12	21.39	3.96	2.5	10.8
8/27/2015	9.31	36.91	0.29	0.8	7.96	21.51	3.84	2	8.3
10/5/2015	8.62	37.02	0.18	0.5	7.23	21.67	3.68	2	8.0
11/5/2015	8.34	36.93	0.27	0.5	7.02	21.56	3.79	2	8.0
12/3/2015	8.12	36.81	0.39	0.5	6.83	21.67	3.68	2	8.0
12/28/2015	8.01	36.72	0.48	0.5	6.71	21.52	3.83	2.3	9.0
2/3/2016	7.82	36.19	1.01	0.3	6.52	21.67	3.68	2	9.0
3/3/2016	7.74	36.27	0.93	0.5	6.46	21.72	3.63	2	9.3
3/31/2016	7.67	36.39	0.81	0.5	6.49	21.86	3.49	2	9.3
5/3/2016	7.79	36.47	0.68	0.5	6.57	21.94	3.41	2	7.8
6/2/2016	7.71	36.42	0.73	0.5	6.65	21.91	3.44	2	8.3
7/8/2016	7.8	36.53	0.62	0.5	6.71	21.97	3.38	2	8.0
8/3/2016	7.89	36.59	0.56	0.5	6.82	22.04	3.31	2	8.0
8/30/2016	7.96	36.64	0.51	0.5	6.94	22.21	3.14	2	8.3
9/30/2016	7.91	36.51	0.64	0.5	7.04	22.39	2.96	2	8.5
11/3/2016	7.86	36.36	0.79	0.5	7.11	22.49	2.86	2	8.5
11/30/2016	7.97	36.47	0.68	0.8	7.29	22.67	2.68	2	8.8
1/4/2017	8.04	36.36	0.79	0.8	7.42	22.74	2.61	2	8.8
2/7/2017	8.12	36.21	0.94	0.8	7.48	22.93	2.42	2.5	9.0
3/2/2017	8.01	36.26	0.89	0.8	7.36	23.26	2.09	2	8.5
4/3/2017	7.93	36.43	0.72	0.8	7.29	23.34	2.01	2	7.5
4/27/2017	7.86	36.52	0.63	0.8	7.36	23.42	1.93	2	8.0
5/29/2017	7.94	36.41	0.74	0.8	7.51	23.51	1.84	2	7.8
7/5/2017	8.04	36.36	0.79	0.8	7.79	23.59	1.76	2	7.3
8/1/2017	8.16	36.31	0.84	0.8	7.89	23.51	1.84	2	8.0
9/5/2017	8.22	36.47	0.68	0.8	7.81	23.48	1.87	2	8.3
10/4/2017	8.29	36.56	0.59	0.8	7.89	23.51	1.84	2	7.8
11/2/2017	8.37	36.51	0.64	1	7.97	23.59	1.76	2	8.5
11/29/2017	8.33	36.59	0.56	1	8.02	23.67	1.68	2	8.0
1/2/2018	8.07	36.72	0.43	1	8.17	23.82	1.53	2	8.3
2/7/2018	8.17	36.91	0.24	1	8.29	23.97	1.38	2	8.3
3/1/2018	8.31	36.94	0.21	1	8.47	23.91	1.44	2	7.5

TABLE 1
SUMMARY OF DNAPL RECOVERY MEASUREMENTS
UPRR HOUSTON, TX - WOOD PRESERVING WORKS

DNAPL Recovery Date	MW-75B				MW-78A				Approx DNAPL Recovered (gal)
	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	DTW (ft BTOC)	DTD (ft BTOC)	DNAPL Thickness (ft)	DNAPL Pumped (gal)	
4/2/2018	8.26	36.89	0.26	0.8	8.39	23.97	1.38	2.3	7.8
5/1/2018	8.92	36.96	0.19	0.8	9.02	24.06	1.29	2	9.0
6/1/2018	9.34	36.91	0.24	0.8	9.21	24.13	1.22	2	9.8
6/29/2018	9.67	36.82	0.33	0.8	9.39	24.21	1.14	2.3	10.5
8/3/2018	9.84	36.87	0.28	0.8	9.47	24.31	1.04	2	10.0
8/31/2018	9.71	36.91	0.24	0.8	9.32	24.47	0.88	2	8.3
9/28/2018	9.62	36.84	0.31	0.8	9.22	24.39	0.96	2	8.3
11/2/2018	9.57	36.88	0.27	0.8	9.09	24.27	1.08	2	8.5
11/29/2018	9.41	36.92	0.23	1	8.96	24.22	1.13	2	7.5
1/2/2019	9.28	36.96	0.19	1	8.78	24.39	0.96	2	7.8
2/2/2019	9.22	36.91	0.24	1	8.71	24.47	0.88	2	8.0
2/28/2019	9.16	36.93	0.22	1	8.67	24.42	0.93	2	8.8
4/2/2019	9.06	36.91	0.24	1	8.58	24.43	0.92	2	8.8
4/25/2019	9.02	36.72	0.43	1	8.49	24.31	1.04	2	9.3
5/29/2019	9.07	36.67	0.48	1	8.42	24.26	1.09	2	9.3
6/12/2019	8.92	ND	Trace	0	8.67	23.96	1.39	2	9.0
6/30/2019	8.66	ND	Trace	0	9.36	23.77	1.58	2	9.8
7/16/2019	8.62	ND	Trace	0	9.29	23.62	1.73	2	10.5
8/2/2019	8.67	ND	Trace	0	9.34	23.57	1.78	2	8.0
8/15/2019	8.69	ND	ND	0	9.42	23.06	2.29	2	12.0
8/28/2019	8.72	ND	Trace	0	9.51	23.01	2.34	2	12.0
9/17/2019	8.61	ND	Trace	0	9.39	22.76	2.59	2	13.0
10/2/2019	8.53	ND	Trace	0	9.27	22.58	2.77	2	10.5
10/16/2019	NM	NM	NM	0	10.16	21.63	3.72	2	8.0
10/31/2019	NM	NM	NM	0	10.41	21.79	3.56	2.5	8.5
11/15/2019	7.91	ND	0	0	8.01	21.62	3.73	1.5	5.0
12/3/2019	8.24	ND	0	0	8.41	22.12	3.23	2	6.5
12/18/2019	4.99	ND	0	0	8.38	ND	0	0	2.1
12/30/2019	7.79	35.3	1.85	0	9.16	19.93	5.42	1.5	3.3
1/7/2020	--	--	--	--	--	--	--	--	--
1/15/2020	6.47	36.4	0.75	0	8.79	24.9	0.45	0.1	4.1
1/27/2020	5.92	34.6	2.55	0.1	7.06	24.06	1.29	0	3.8
2/13/2020	7.88	35.08	2.07	0.1	8.01	24.08	1.27	0	3.3
2/25/2020	5.82	ND	0	0	7.84	21.86	3.49	0.3	2.6
3/13/2020	8.24	34.9	2.25	0.1	NM	NM	NM	0	2.3
3/31/2020	4.79	ND	0	0	7.82	23.1	2.25	0.1	5.9
4/9/2020	8.52	ND	0	0	7.52	22.5	2.85	0.1	7.3
4/27/2020	9.07	ND	0	0	8.33	23.2	2.15	0.5	7.7
5/14/2020	7.74	37.1	0.05	0	8.05	23.22	2.13	0.5	8.3
5/28/2020	5.06	ND	0	0	7.59	23.69	1.66	0.5	8.6
6/11/2020	5.79	37	0.15	TR	7.39	24.96	0.39	0.1	5.6
6/25/2020	4.87	ND	0	0	6.28	19.9	5.45	1.5	6.5
7/9/2020	8.91	ND	0	0	8.41	19.7	5.65	2.5	7.3
7/23/2020	8.71	ND	0	0	7.85	20.91	4.44	1.0	8.8
8/6/2020	6.74	ND	0	0	7.81	22.05	3.3	1.0	6.3
8/20/2020	6.01	ND	0	0	7.21	21.88	3.47	0.5	3.9
9/2/2020	8.61	ND	0	0	6.98	22.6	2.75	1.0	4.4
9/17/2020	8.52	ND	0	0	8.05	22.21	3.14	0.5	3.1
10/1/2020	7.33	37.1	Trace	0	8.01	24.1	1.25	1.0	3.9
10/14/2020	8.26	37.2	Trace	TR	8.11	24.9	0.45	0.5	8.3
10/28/2020	8.11	ND	0	0	7.99	25.08	0.27	0.3	6.3
11/12/2020	8.41	36.78	0.37	0.3	8.42	25.0	0.35	0.1	5.6
11/23/2020	8.62	36.04	1.11	0.3	9.19	25.08	0.27	0.3	3.3
12/10/2020	7.94	36.54	0.61	0.1	8.79	25.12	0.23	TR	4.8
12/21/2020	6.15	36.84	0.31	0.1	6.43	25.21	0.14	TR	3.9
1/7/2021	6.81	37.01	0.14	0.1	7.31	ND	0	0	4.1
1/21/2021	7.85	35.5	1.65	2.0	7.71	ND	0	0	7.8
2/4/2021	8.19	35.2	1.95	2.0	7.63	ND	0	0	7.8
2/23/2021	7.64	34.59	2.56	1.0	7.52	ND	0	0	6.5
3/11/2021	7.82	35.1	2.05	1.0	7.42	ND	0	0	6.5
3/25/2021	7.91	36.81	0.34	0.3	7.28	ND	0	0	5.3
Total DNAPL Pumped (gal)				60.3				151.3	880.3

Notes:

* - indicates DNAPL and groundwater mixture

--- No DNAPL pumped

DTW - Depth to water (feet Below Top of Casing (BTOC))

DTD - Depth to DNAPL (feet BTOC)

ND - Not detected

NM - Not measured

PoP - Product on probe, not measureable

TR- Trace amount of DNAPL Extracted

FIGURES




Figure 2 **DNAPL Recovery Activities February 2013 - March 2021** **UPRR Houston Wood Preserving Works**




Figure 3
A-TZ Wells - DNAPL Recovery Activities July 2018 - March 2021
UPRR Houston Wood Preserving Works




Figure 4
B-TZ Wells (West Side) - In-Well DNAPL Thickness July 2018 - March 2021
UPRR Houston Wood Preserving Works




Figure 5
B-CZ/B-TZ Wells (North (On-Site and Off-Site)) - In-Well DNAPL Thickness July 2018 - March 2021
UPRR Houston Wood Preserving Works




Figure 6
B-CZ/B-TZ Wells (Englewood Intermodal Yard) - In-Well DNAPL Thickness July 2018 - March 2021
UPRR Houston Wood Preserving Works





Figure 7
C-TZ Wells - In-Well DNAPL Thickness July 2018 - March 2021
UPRR Houston Wood Preserving Works



ATTACHMENT 1

Recovered DNAPL Waste Manifest

W072807

Please print or type.

Form Approved: OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number TXD000820266	2. Page 1 of X2	3. Emergency Response Phone 888.877.7267	4. Manifest Tracking Number 022128307 JJK		
5. Generator's Name and Mailing Address UPR-WM C/O GHD-Attn, ManifestRec G520 Corporate Dr. Indianapolis, IN 46278		Generator's Site Address (if different than mailing address) Union Pacific Rail Road 4910 Liberty Road Houston, TX 77026					
Generator's Phone: 414.267.4161							
6. Transporter 1 Company Name NRC GULF ENVIRONMENTAL SERVICES, INC		U.S. EPA ID Number FLR000012823					
7. Transporter 2 Company Name EQ Industrial Services		U.S. EPA ID Number MIK435642742					
8. Designated Facility Name and Site Address US Ecology - Robstown 3277 County Road 69 Robstown, TX 78380		U.S. EPA ID Number TXD069452340					
Facility's Phone:							
GENERATOR	9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any)) X RQ, NA3082, HAZARDOUS waste, liquid, N.O.S. (Creosote, Benzene), 9, PG III (F034)	10. Containers No. 01	11. Total Quantity 55	12. Unit WL/Vol. G	13. Waste Codes F034 0918 219H D018	
	2						
	3						
	4						
14. Special Handling Instructions and Additional Information I-WS#090117968-0 WR#003537							
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Offeror's Printed/Typed Name Tyler Parker		Signature X		Month 10	Day 12	Year 2021	
16. International Shipments <input type="checkbox"/> Import to U.S.		<input type="checkbox"/> Export from U.S.		Port of entry/exit: _____			
Transporter signature (for exports only):				Date leaving U.S.: _____			
TRANSPORTER INT'L	17. Transporter Acknowledgment of Receipt of Materials						
	Transporter Printed/Typed Name Marcus Johnson		Signature X		Month 10	Day 12	Year 2021
	Transporter 2 Printed/Typed Name Matt Boyette		Signature X		Month 11	Day 29	Year 2021
DESIGNATED FACILITY	18. Discrepancy						
	18a. Discrepancy Indication Space <input type="checkbox"/> Quantity		<input type="checkbox"/> Type		<input type="checkbox"/> Residue		
	<input type="checkbox"/> Partial Rejection		<input type="checkbox"/> Full Rejection				
	Manifest Reference Number: _____						
	18b. Alternate Facility (or Generator) _____ U.S. EPA ID Number _____						
Facility's Phone: _____							
18c. Signature of Alternate Facility (or Generator) _____ Month _____ Day _____ Year _____							
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)							
1. H41		2.		3.			
4.							
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a							
Printed/Typed Name Gabriel Veloz		Signature Gab Veloz		Month 11	Day 10	Year 2021	