

## Detroit, MI NATTS Network Assessment Review

- Established 2003: Carbonyls, PM<sub>10</sub> Metals, and VOCs
  - Chromium VI added in 2005; ended in 2013
  - PAHs added in 2008
- For the NATTS Network Assessment (2003-2018):
  - 18 of 18 Method Quality Objective (MQO) Core HAPs were included in the national trends
  - 260 of 268 pollutant datasets were suitable for trends analysis
  - Annual Average and 3-Year Rolling Average Concentrations were generally decreasing over time for the majority of pollutants: arsenic (PM<sub>10</sub>), benzene, beryllium (PM<sub>10</sub>), cadmium (PM<sub>10</sub>), lead (PM<sub>10</sub>), manganese (PM<sub>10</sub>), naphthalene, nickel (PM<sub>10</sub>), tetrachloroethylene, and trichloroethylene).
  - 100% Reporting of Datasets
- Method Quality Objectives (MQO): 2003-2018
  - Completeness: Met 85% completeness in 263 of 268 pollutant datasets
  - Method Detection Limits: Met MDL Target Ratio of 1.00 in 261 of 271 pollutant datasets
  - Bias: Met  $\pm 25\%$  for 210 of 223 pollutant datasets
  - Overall Method Precision: Met  $\leq 15\%$  CV for 138 of 231 pollutant datasets
  - Analytical Method Precision: Met  $\leq 15\%$  CV for 134 of 182 pollutant datasets

- Analytical Laboratories for 2018

VOC	Carbonyl	PM <sub>10</sub> Metals	Chromium VI	PAHs
ERG	ERG	MIDEQ	NA	ERG

- Equipment Year Deployed

Equipment Type	VOC	Carbonyl	PM <sub>10</sub> Metals	Chromium VI	PAHs
Sampler	2015	2007	2014	2005	2006
Analytical	2010	2018	2015	2001	2015
Preconcentrator	2007	NA	NA	NA	NA
Standards Preparation	1985	NA	NA	NA	NA
Canister Cleaning	2010	NA	NA	NA	NA
Extraction	NA	NA	2002	2011	2004


**National Summary:** NATTS data were collected at 27 locations across the United States, with sites beginning in 2003 or later (Figure 1) for 19 core HAPs. Over 528,000 concentrations (primary, secondary, and replicate) were generated and analyzed for this assessment. Pollutant datasets were scored to assess whether they were suitable for trends analysis. Each pollutant dataset was evaluated against four MQOs: Completeness; Sensitivity; Bias; and Precision. Datasets that were suitable (A- or B-rated) for six consecutive years were used for national trends analysis (Table 1).

National trends were determined by comparing the most recent 3-year blocked averages (e.g., 2013-2015 vs. 2016-2018) to determine if the NATTS Trends DQO was being met:

*To be able to detect a 15 percent difference (trend) between the annual mean concentrations of successive 3-year periods within acceptable levels of decision error.*

Of the 19 core HAPs, 18 were assessed for the NATTS Trends DQO. Due to sampling and analytical issues, acrolein was not considered for trends analysis (Table 2). This assessment showed that across the network, 15 of those 18 pollutants were decreasing between the 3-year blocks, while two of those pollutants were increasing between the 3-year blocks. One pollutant did not exhibit a trend.

**Figure 1. NATTS Site and Year Established**



**Table 1. NATTS Network Assessment: Count and Percentage of Suitable Datasets by Pollutant Group**

Pollutant Group	A-rated		B-rated		Does Not Meet	
	#	%	#	%	#	%
VOCs	1,452	53%	737	27%	555	20%
Carbonyls	523	67%	193	25%	66	8%
PM <sub>10</sub> Metals	1,418	61%	685	30%	213	9%
Chromium VI	159	74%	29	13%	27	13%
PAHs	410	74%	124	22%	18	3%
Total = 6,609	3,962	60%	1,768	27%	879	13%

**Table 2. Three-Year Block Averages for National Trends**

Pollutant	Units	# Sites	Block 1	Block 2	% Difference
Acetaldehyde	µg/m <sup>3</sup>	19	1.51	1.39	-7.7%
Arsenic (PM <sub>10</sub> )	ng/m <sup>3</sup>	21	0.71	0.68	-3.2%
Benzene	µg/m <sup>3</sup>	19	0.65	0.59	-10.2%
Benzo(a)pyrene	ng/m <sup>3</sup>	21	0.113	0.087	-23.2%
Beryllium (PM <sub>10</sub> )	ng/m <sup>3</sup>	20	0.012	0.009	-26.4%
Butadiene, 1,3-	µg/m <sup>3</sup>	19	0.071	0.063	-10.9%
Cadmium (PM <sub>10</sub> )	ng/m <sup>3</sup>	21	0.170	0.097	-43.0%
Carbon Tetrachloride	µg/m <sup>3</sup>	15	0.59	0.56	-4.7%
Chloroform	µg/m <sup>3</sup>	20	0.256	0.255	-0.4%
Chromium VI	ng/m <sup>3</sup>	18	0.029	0.026	-7.7%
Formaldehyde	µg/m <sup>3</sup>	19	2.77	2.68	-3.3%
Lead (PM <sub>10</sub> )	ng/m <sup>3</sup>	21	3.08	2.81	-8.9%
Manganese (PM <sub>10</sub> )	ng/m <sup>3</sup>	20	8.06	7.93	-1.6%
Naphthalene	ng/m <sup>3</sup>	20	66.70	51.08	-23.4%
Nickel (PM <sub>10</sub> )	ng/m <sup>3</sup>	19	1.28	1.05	-18.0%
Tetrachloroethylene	µg/m <sup>3</sup>	19	0.149	0.174	17.2%
Trichloroethylene	µg/m <sup>3</sup>	19	0.020	0.022	10.7%
Vinyl Chloride	µg/m <sup>3</sup>	17	0.0051	0.0048	-5.5%

# NATTS Monitoring Site Report: Detroit, MI

## Site Information

Region	5
NATTS Site Type	Urban
County	Wayne
AQS Site Code	26-163-0033
NATTS Operating Agency	MI Dept. Environmental Quality
Latitude	42.30754
Longitude	-83.14961
AQS Land Use	Industrial
AQS Location Setting	Suburban
10-Mile Population	1,775,273

Figure 2. NATTS Site Location



## Pollutant Datasets Evaluation: Suitable for Trends (Y=yes; Y(T)=yes, and used for DQO Trends; N=No; "--"=not rated)

Final Pollutant Name	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
Acetaldehyde	Y	Y	Y	Y	N <sup>a</sup>	N <sup>a</sup>	Y	Y	Y	Y	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)
Arsenic (PM <sub>10</sub> )	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)
Benzene	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)
Benzo(a)pyrene	--	--	--	--	--	--	Y	Y	Y	Y	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)
Beryllium (PM <sub>10</sub> )	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)
Butadiene, 1,3-	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)
Cadmium (PM <sub>10</sub> )	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)
Carbon tetrachloride	Y	N <sup>b</sup>	Y	Y	Y	Y	Y	Y	Y	Y	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)
Chloroform	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)
Chromium VI	--	--	Y	Y	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)	--	--	--	--	--	--
Formaldehyde	Y	Y	Y	Y	N <sup>a</sup>	N <sup>a</sup>	Y	Y	Y	Y	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)
Lead (PM <sub>10</sub> )	Y	Y	Y	Y	Y	Y	Y	N <sup>c</sup>	Y	Y	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)
Manganese (PM <sub>10</sub> )	Y	Y	Y	Y	Y	Y	Y	N <sup>c</sup>	Y	Y	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)
Naphthalene	--	--	--	--	--	--	Y	Y	Y	Y	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)
Nickel (PM <sub>10</sub> )	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)
Tetrachloroethylene	N <sup>a</sup>	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)
Trichloroethylene	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)
Vinyl chloride	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)	Y(T)

<sup>a</sup>: Completeness was less than 75% based on 1-in-6 day sampling.

<sup>b</sup>: Reported MDL to NATTS Target Ratio greater than 2.0

<sup>c</sup>: Bias % Difference was outside ± 35%; Precision PCT CV was greater than 25%.

**Table 3. NATTS Network Assessment Data (2003-2018) - National Distribution Statistics By Type<sup>a</sup>**

Analyte	Units	Site Type	# Data Records	% Detections	Arithmetic Mean <sup>b</sup>	Percentile Value <sup>c</sup>						
						5th	10th	25th	50th	75th	90th	95th
Acetaldehyde	µg/m <sup>3</sup>	Urban	15,704	100%	1.77 ± 0.02	0.50	0.66	0.97	1.45	2.19	3.24	4.04
	µg/m <sup>3</sup>	Rural	4,930	100%	1.20 ± 0.04	0.36	0.46	0.65	0.93	1.38	2.02	2.76
	µg/m <sup>3</sup>	All Sites	20,634	100%	1.63 ± 0.02	0.44	0.58	0.86	1.31	2.00	3.02	3.86
Arsenic (PM <sub>10</sub> )	ng/m <sup>3</sup>	Urban	14,968	97%	0.89 ± 0.04	0.10	0.19	0.34	0.58	0.99	1.70	2.41
	ng/m <sup>3</sup>	Rural	4,622	96%	0.49 ± 0.02	0.04	0.08	0.17	0.35	0.59	0.94	1.28
	ng/m <sup>3</sup>	All Sites	19,590	97%	0.79 ± 0.03	0.06	0.14	0.29	0.52	0.89	1.54	2.19
Benzene	µg/m <sup>3</sup>	Urban	15,984	99%	0.86 ± 0.01	0.25	0.30	0.43	0.66	1.05	1.64	2.21
	µg/m <sup>3</sup>	Rural	2,494	95%	0.43 ± 0.02	0.04	0.13	0.21	0.33	0.52	0.78	1.01
	µg/m <sup>3</sup>	All Sites	18,478	99%	0.81 ± 0.01	0.19	0.26	0.39	0.61	0.98	1.55	2.09
Benzo(a)pyrene	ng/m <sup>3</sup>	Urban	12,336	70%	0.096 ± 0.004	ND	ND	ND	0.04	0.11	0.24	0.37
	ng/m <sup>3</sup>	Rural	3,179	36%	0.067 ± 0.009	ND	ND	ND	ND	0.02	0.13	0.37
	ng/m <sup>3</sup>	All Sites	15,515	63%	0.090 ± 0.004	ND	ND	ND	0.03	0.10	0.23	0.37
Beryllium (PM <sub>10</sub> )	ng/m <sup>3</sup>	Urban	15,783	75%	0.051 ± 0.006	ND	ND	0.00003	0.005	0.018	0.050	0.101
	ng/m <sup>3</sup>	Rural	4,687	49%	0.023 ± 0.003	ND	ND	ND	ND	0.005	0.017	0.072
	ng/m <sup>3</sup>	All Sites	20,470	69%	0.045 ± 0.005	ND	ND	ND	0.003	0.012	0.049	0.100
Butadiene, 1,3-	µg/m <sup>3</sup>	Urban	15,388	81%	0.092 ± 0.002	ND	ND	0.025	0.058	0.114	0.215	0.302
	µg/m <sup>3</sup>	Rural	2,185	29%	0.012 ± 0.001	ND	ND	ND	ND	0.017	0.046	0.059
	µg/m <sup>3</sup>	All Sites	17,573	75%	0.082 ± 0.002	ND	ND	ND	0.049	0.104	0.199	0.287
Cadmium (PM <sub>10</sub> )	ng/m <sup>3</sup>	Urban	16,360	92%	0.21 ± 0.02	ND	0.01	0.05	0.09	0.17	0.42	0.63
	ng/m <sup>3</sup>	Rural	4,684	87%	0.10 ± 0.01	ND	ND	0.03	0.06	0.11	0.20	0.29
	ng/m <sup>3</sup>	All Sites	21,044	91%	0.18 ± 0.01	ND	0.01	0.04	0.08	0.16	0.35	0.56
Carbon Tetrachloride	µg/m <sup>3</sup>	Urban	14,713	99%	0.569 ± 0.003	0.361	0.433	0.496	0.562	0.651	0.737	0.798
	µg/m <sup>3</sup>	Rural	2,189	92%	0.534 ± 0.016	ND	0.180	0.402	0.537	0.633	0.727	0.798
	µg/m <sup>3</sup>	All Sites	16,902	98%	0.565 ± 0.003	0.304	0.408	0.490	0.559	0.649	0.736	0.798
Chloroform	µg/m <sup>3</sup>	Urban	16,068	87%	0.265 ± 0.022	ND	ND	0.093	0.132	0.217	0.420	0.668
	µg/m <sup>3</sup>	Rural	3,802	43%	0.052 ± 0.003	ND	ND	ND	ND	0.095	0.144	0.230
	µg/m <sup>3</sup>	All Sites	19,870	79%	0.224 ± 0.018	ND	ND	0.064	0.113	0.196	0.364	0.586
Chromium VI	ng/m <sup>3</sup>	Urban	8,414	74%	0.036 ± 0.002	ND	ND	ND	0.020	0.042	0.081	0.120
	ng/m <sup>3</sup>	Rural	2,586	41%	0.018 ± 0.004	ND	ND	ND	ND	0.017	0.031	0.051
	ng/m <sup>3</sup>	All Sites	11,000	66%	0.032 ± 0.001	ND	ND	ND	0.016	0.036	0.073	0.114

**Table 3. NATTS Network Assessment Data (2003-2018) - National Distribution Statistics By Type<sup>a</sup>**

Analyte	Units	Site Type	# Data Records	% Detections	Arithmetic Mean <sup>b</sup>	Percentile Value <sup>c</sup>						
						5th	10th	25th	50th	75th	90th	95th
Formaldehyde	µg/m <sup>3</sup>	Urban	16,118	100%	3.11 ± 0.04	0.66	0.99	1.60	2.47	3.84	5.63	7.25
	µg/m <sup>3</sup>	Rural	5,002	100%	2.22 ± 0.05	0.53	0.68	1.06	1.69	2.74	4.19	5.45
	µg/m <sup>3</sup>	All Sites	21,120	100%	2.90 ± 0.04	0.61	0.86	1.43	2.29	3.59	5.38	6.96
Lead (PM <sub>10</sub> )	ng/m <sup>3</sup>	Urban	16,366	100%	4.21 ± 0.13	0.72	0.98	1.55	2.64	4.56	8.35	11.90
	ng/m <sup>3</sup>	Rural	4,680	99%	2.10 ± 0.16	0.37	0.50	0.84	1.41	2.37	3.91	5.36
	ng/m <sup>3</sup>	All Sites	21,046	99%	3.74 ± 0.11	0.55	0.80	1.31	2.31	4.04	7.41	10.56
Manganese (PM <sub>10</sub> )	ng/m <sup>3</sup>	Urban	16,141	100%	9.80 ± 0.32	1.09	1.51	2.52	4.92	10.21	20.10	30.08
	ng/m <sup>3</sup>	Rural	4,627	99%	3.96 ± 0.14	0.46	0.73	1.36	2.57	4.75	8.54	12.13
	ng/m <sup>3</sup>	All Sites	20,768	100%	8.50 ± 0.25	0.85	1.23	2.15	4.18	8.89	17.98	26.70
Naphthalene	ng/m <sup>3</sup>	Urban	12,332	100%	74.63 ± 1.14	15.62	21.27	33.55	55.89	94.64	150.05	196.16
	ng/m <sup>3</sup>	Rural	3,301	100%	24.47 ± 1.38	3.74	4.73	7.74	13.86	26.25	50.88	79.17
	ng/m <sup>3</sup>	All Sites	15,633	100%	64.04 ± 1.00	6.58	10.92	23.37	45.59	83.31	137.54	181.75
Nickel (PM <sub>10</sub> )	ng/m <sup>3</sup>	Urban	16,125	97%	1.85 ± 0.05	0.25	0.41	0.67	1.11	2.00	3.52	5.27
	ng/m <sup>3</sup>	Rural	4,623	85%	0.65 ± 0.08	ND	ND	0.10	0.28	0.64	1.15	1.89
	ng/m <sup>3</sup>	All Sites	20,748	94%	1.58 ± 0.04	ND	0.15	0.47	0.92	1.73	3.14	4.74
Tetrachloroethylene	µg/m <sup>3</sup>	Urban	15,612	86%	0.25 ± 0.01	ND	ND	0.06	0.13	0.25	0.48	0.74
	µg/m <sup>3</sup>	Rural	2,272	36%	0.09 ± 0.04	ND	ND	ND	ND	0.04	0.08	0.16
	µg/m <sup>3</sup>	All Sites	17,884	79%	0.23 ± 0.01	ND	ND	0.04	0.11	0.22	0.44	0.70
Trichloroethylene	µg/m <sup>3</sup>	Urban	15,843	41%	0.040 ± 0.002	ND	ND	ND	ND	0.051	0.107	0.164
	µg/m <sup>3</sup>	Rural	3,388	13%	0.021 ± 0.003	ND	ND	ND	ND	ND	0.017	0.250
	µg/m <sup>3</sup>	All Sites	19,231	36%	0.037 ± 0.002	ND	ND	ND	ND	0.041	0.105	0.167
Vinyl Chloride	µg/m <sup>3</sup>	Urban	14,778	19%	0.0044 ± 0.0003	ND	ND	ND	ND	ND	0.0137	0.0257
	µg/m <sup>3</sup>	Rural	2,444	8%	0.0040 ± 0.0009	ND	ND	ND	ND	ND	ND	0.0156
	µg/m <sup>3</sup>	All Sites	17,222	17%	0.0043 ± 0.0003	ND	ND	ND	ND	ND	0.0126	0.0254

<sup>a</sup> Statistics presented are from pollutant datasets which were suitable for trends.

<sup>b</sup> The arithmetic mean is the average of all samples results which include actual measured values. If no chemical was registered, then a value of zero is used when calculating the mean.

<sup>c</sup> ND: No results of this chemical were registered by the laboratory analytical equipment.

**Table 4. Summary Statistics for Detroit, MI**

Analyte	Units	# Data Records	% Detection	Arithmetic Mean <sup>a</sup>	Percentile Value <sup>b</sup>						
					5th	10th	25th	50th	75th	90th	95th
Acetaldehyde	µg/m <sup>3</sup>	892	100%	1.91 ± 0.08	0.90	1.08	1.36	1.75	2.24	2.79	3.14
Arsenic (PM <sub>10</sub> )	ng/m <sup>3</sup>	988	100%	1.68 ± 0.11	0.17	0.45	0.81	1.34	2.17	3.18	3.91
Benzene	µg/m <sup>3</sup>	944	100%	1.03 ± 0.05	0.40	0.47	0.60	0.82	1.17	1.77	2.36
Benzo(a)pyrene	ng/m <sup>3</sup>	645	97%	0.17 ± 0.01	0.04	0.05	0.08	0.13	0.21	0.32	0.44
Beryllium (PM <sub>10</sub> )	ng/m <sup>3</sup>	986	88%	0.031 ± 0.002	ND	ND	0.010	0.021	0.041	0.068	0.098
Butadiene, 1,3-	µg/m <sup>3</sup>	943	87%	0.093 ± 0.006	ND	ND	0.046	0.071	0.110	0.182	0.243
Cadmium (PM <sub>10</sub> )	ng/m <sup>3</sup>	988	100%	0.46 ± 0.03	0.01	0.07	0.15	0.30	0.57	1.03	1.36
Carbon Tetrachloride	µg/m <sup>3</sup>	944	97%	0.67 ± 0.01	0.43	0.53	0.60	0.67	0.75	0.82	0.91
Chloroform	µg/m <sup>3</sup>	944	88%	0.593 ± 0.033	ND	ND	0.283	0.479	0.807	1.188	1.477
Chromium VI	ng/m <sup>3</sup>	505	89%	0.048 ± 0.005	ND	ND	0.02	0.034	0.065	0.101	0.125
Formaldehyde	µg/m <sup>3</sup>	892	100%	3.35 ± 0.17	1.33	1.64	2.12	2.91	4.06	5.47	6.40
Lead (PM <sub>10</sub> )	ng/m <sup>3</sup>	995	99%	12.87 ± 0.98	1.99	2.72	4.70	8.47	15.11	25.69	36.21
Manganese (PM <sub>10</sub> )	ng/m <sup>3</sup>	986	100%	46.88 ± 3.66	2.80	7.83	16.07	29.43	58.40	100.74	141.47
Naphthalene	ng/m <sup>3</sup>	645	100%	119.54 ± 5.62	42.82	50.47	70.37	98.64	147.93	211.66	272.42
Nickel (PM <sub>10</sub> )	ng/m <sup>3</sup>	988	100%	2.42 ± 0.32	0.21	0.57	0.94	1.54	2.76	4.29	6.00
Tetrachloroethylene	µg/m <sup>3</sup>	932	92%	1.300 ± 1.152	ND	0.065	0.115	0.200	0.401	0.965	1.758
Trichloroethylene	µg/m <sup>3</sup>	944	18%	0.025 ± 0.011	ND	ND	ND	ND	ND	0.063	0.109
Vinyl Chloride	µg/m <sup>3</sup>	944	11%	0.0042 ± 0.0033	ND	ND	ND	ND	ND	0.0104	0.0191

<sup>a</sup> : The arithmetic mean is the average of all samples results which included actual measured values. If no chemical was registered, then a value of zero is used.

<sup>b</sup> ND: No results of this chemical were registered by the laboratory analytical equipment.

**Table 5. Analytical Labs Supporting this Site**


Pollutant Group	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
VOCs	MIDEQ/ERG	ERG	MIDEQ	MIDEQ	ERG											
Carbonyls	MIDEQ/ERG	MIDEQ	MIDEQ	MIDEQ	ERG											
PM <sub>10</sub> Metals	MIDEQ/ERG	MIDEQ														
Chromium VI	--	--	ERG	--	--	--	--	--								
PAHs	--	--	--	--	--	ERG										

--: Not Applicable


ERG: Eastern Research Group

MIDEQ: Michigan Department of Environmental Quality


**Figure 3. Detroit, MI Annual Average Concentrations**




**Figure 3. Detroit, MI Annual Average Concentrations**




**Figure 3. Detroit, MI Annual Average Concentrations**



**Figure 3. Detroit, MI Annual Average Concentrations**





**Figure 3. Detroit, MI Annual Average Concentrations**





Does not meet MQO



**Figure 4. Detroit, MI - 3-Year Rolling Average Concentrations**





**Figure 4. Detroit, MI - 3-Year Rolling Average Concentrations**





**Figure 4. Detroit, MI - 3-Year Rolling Average Concentrations**




**Figure 4. Detroit, MI - 3-Year Rolling Average Concentrations**




**Figure 4. Detroit, MI - 3-Year Rolling Average Concentrations**





**Figure 4. Detroit, MI - 3-Year Rolling Average Concentrations**





**Detroit, MI**  
**3-Year Rolling Averages:**  
**Lead (PM<sub>10</sub>)**





**Figure 4. Detroit, MI - 3-Year Rolling Average Concentrations**



**Figure 4. Detroit, MI - 3-Year Rolling Average Concentrations**



**Figure 4. Detroit, MI - 3-Year Rolling Average Concentrations**



  Does not meet MQO or wasn't able to collect enough samples

**Table 6. NATTS Network Assessment: MQO#1 - Completeness Percentage at Detroit, MI**

Pollutant Group	Year	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
Carbonyl	Acetaldehyde	90	95	95	98	20	74	97	98	102	98	100	100	100	100	97	100
Carbonyl	Formaldehyde	90	95	95	98	20	74	97	98	102	98	100	100	100	100	97	100
Chromium VI	Chromium VI	--	--	87	97	102	95	102	97	100	102	--	--	--	--	--	--
PAH	Benzo(a)pyrene	--	--	--	--	--	--	100	97	98	98	98	98	103	100	97	102
PAH	Naphthalene	--	--	--	--	--	--	100	97	98	98	98	98	103	100	97	102
PM <sub>10</sub> Metals	Arsenic (PM <sub>10</sub> )	102	95	100	98	125	100	102	97	100	100	108	100	100	100	100	100
PM <sub>10</sub> Metals	Beryllium (PM <sub>10</sub> )	98	95	100	95	125	100	102	97	100	100	108	100	100	100	100	100
PM <sub>10</sub> Metals	Cadmium (PM <sub>10</sub> )	102	95	100	98	125	100	102	97	100	100	108	100	100	100	100	100
PM <sub>10</sub> Metals	Lead (PM <sub>10</sub> )	102	95	100	98	125	100	102	103	100	100	98	102	100	100	102	102
PM <sub>10</sub> Metals	Manganese (PM <sub>10</sub> )	98	95	100	98	125	100	102	97	100	100	108	100	100	100	100	100
PM <sub>10</sub> Metals	Nickel (PM <sub>10</sub> )	102	95	100	95	125	100	102	97	100	100	108	100	100	100	100	100
VOC	Benzene	85	93	87	95	98	100	97	100	103	103	102	98	100	98	98	92
VOC	Butadiene, 1,3-	85	92	87	95	98	100	97	100	103	103	102	98	100	98	98	92
VOC	Carbon tetrachloride	85	93	87	95	98	100	97	100	103	103	102	98	100	98	98	92
VOC	Chloroform	85	93	87	95	98	100	97	100	103	103	102	98	100	98	98	92
VOC	Tetrachloroethylene	66	93	87	95	98	100	97	100	103	103	102	98	100	98	98	92
VOC	Trichloroethylene	85	93	87	95	98	100	97	100	103	103	102	98	100	98	98	92
VOC	Vinyl chloride	85	93	87	95	98	100	97	100	103	103	102	98	100	98	98	92

A-rated: ≥85%

B-rated: Between 75% to 85%

Does not meet: ≤75%

--

No data available

**Table 7. NATTS Network Assessment: MQO#2 - Reported Method Detection Limits (MDLs) at Detroit, MI**

Pollutant Group	Pollutant Name	Target MDL	Units	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
Carbonyl	Acetaldehyde	0.45	µg/m <sup>3</sup>	0.03	0.04	0.04	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.08	0.08
Carbonyl	Formaldehyde	0.98/0.08 <sup>a</sup>	µg/m <sup>3</sup>	0.023	0.016	0.016	0.005	0.010	0.010	0.009	0.004	0.009	0.010	0.17	0.14	0.17	0.14	0.69	0.69
Chromium VI	Chromium VI	0.08	ng/m <sup>3</sup>	--	--	0.23	0.14	0.10	0.09	0.06	0.01	0.05	0.04	0.05	--	--	--	--	--
PAH	Benzo(a)pyrene	0.91	ng/m <sup>3</sup>	--	--	--	--	--	0.08	0.07	0.04	0.04	0.06	0.06	0.03	0.13	0.06	0.03	0.01
PAH	Naphthalene	29.00	ng/m <sup>3</sup>	--	--	--	--	--	0.016	0.008	0.009	0.004	0.005	0.007	0.013	0.005	0.025	0.071	0.063
PM <sub>10</sub> Metals	Arsenic (PM <sub>10</sub> )	0.23	ng/m <sup>3</sup>	0.01	0.01	0.01	0.56	0.49	0.69	0.70	0.16	0.16	0.17	0.04	0.04	0.04	0.04	0.04	0.04
PM <sub>10</sub> Metals	Beryllium (PM <sub>10</sub> )	0.42	ng/m <sup>3</sup>	0.05	0.05	0.05	0.30	0.26	0.54	0.54	0.03	0.03	0.02	0.02	0.02	0.01	0.01	0.02	0.14
PM <sub>10</sub> Metals	Cadmium (PM <sub>10</sub> )	0.56	ng/m <sup>3</sup>	0.02	0.01	0.01	0.23	0.20	0.27	0.27	0.05	0.05	0.05	0.05	0.05	0.016	0.018	0.018	0.018
PM <sub>10</sub> Metals	Lead (PM <sub>10</sub> )	15.0	ng/m <sup>3</sup>	0.002	0.002	0.002	0.012	0.010	0.014	0.013	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.022	0.025
PM <sub>10</sub> Metals	Manganese (PM <sub>10</sub> )	5.0	ng/m <sup>3</sup>	0.03	0.03	0.03	0.05	0.05	0.08	0.08	0.05	0.05	0.05	0.01	0.01	0.01	0.01	0.01	0.01
PM <sub>10</sub> Metals	Nickel (PM <sub>10</sub> )	2.1	ng/m <sup>3</sup>	0.12	0.12	0.07	0.09	0.08	0.07	0.07	0.07	0.07	0.07	0.02	0.01	0.01	0.03	0.03	0.03
VOC	Benzene	0.13	µg/m <sup>3</sup>	1.12	0.77	0.49	0.12	0.59	0.25	0.15	0.47	0.71	1.50	0.47	0.37	0.96	0.52	0.64	0.36
VOC	Butadiene, 1,3-	0.10	µg/m <sup>3</sup>	2.00	0.60	1.02	0.13	0.40	0.11	0.07	0.22	0.15	0.24	0.24	0.29	0.31	0.58	0.44	0.43
VOC	Carbon tetrachloride	0.17	µg/m <sup>3</sup>	1.06	2.22	1.18	0.33	0.56	0.15	0.07	0.89	0.89	0.89	0.59	0.63	0.37	0.59	0.85	0.49
VOC	Chloroform	0.50	µg/m <sup>3</sup>	0.32	0.39	0.27	0.04	0.17	0.07	0.02	0.17	0.09	0.14	0.15	0.14	0.16	0.12	0.19	0.13
VOC	Tetrachloroethylene	0.17	µg/m <sup>3</sup>	1.59	1.99	0.80	0.44	0.44	0.24	0.12	0.44	0.72	0.80	0.56	0.52	0.56	0.64	1.24	0.58
VOC	Trichloroethylene	0.5/0.2 <sup>a</sup>	µg/m <sup>3</sup>	0.43	0.54	0.43	0.11	0.19	0.04	0.02	0.18	0.27	0.24	0.43	0.46	0.46	0.43	0.94	0.40
VOC	Vinyl chloride	0.11	µg/m <sup>3</sup>	0.71	0.45	0.93	0.19	0.56	0.12	0.05	0.30	0.19	0.26	0.26	0.28	0.19	0.74	0.40	0.30

A-rated: MDL to Target MDL ratio ≤ 1

B-rated" MDL to Target MDL ratio between 1 and 2

Does Not Meet MDL to Target MDL ratio >2

-- No data available

<sup>a</sup>: For the 2012 sampling year, the Target MDL for this pollutant was reduced.

**Table 8. NATTS Network Assessment: MQO#3 - Bias Percent Difference at Detroit, MI**

Pollutant Group	Pollutant Name	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
Carbonyls	Acetaldehyde	18.0	5.4	4.1	-1.9	24.6	-10.1	0.7	3.0	a	0.1	-4.3	a	-5.4	3.6	-8.7
Carbonyls	Formaldehyde	4.7	4.7	1.0	-3.2	14.4	-7.8	-2.8	-3.4	a	-0.5	-2.2	a	-19.1	-5.3	-3.7
Chromium VI	Chromium VI	--	a	a	a	a	-5.6 <sup>b</sup>	10.5 <sup>b</sup>	a	19.5	-6.5	--	--	--	--	--
PAH	Benzo(a)pyrene	--	--	--	--	a	-1.7	-2.3	-2.1	25.2	-5.7	-16.3	-14.2	-10.5	-22.4	-14.8
PAH	Naphthalene	--	--	--	--	a	-7.7	-17.1	-13.9	21.4	25.5	0.7	-11.4	-9.5	-11.6	-20.7
PM <sub>10</sub> Metals	Arsenic (PM <sub>10</sub> )	-24.9	2.8	0.6	0.0	-14.4	-22.7	-2.0	c	-7.5	-6.7	-8.7	a	-6.0	8.6	-4.1
PM <sub>10</sub> Metals	Beryllium (PM <sub>10</sub> )	-33.0	-16.4	6.5	9.3	-11.8	-11.9	0.0	c	-6.0	-1.6	d	a	-20.5	-17.2	0.6
PM <sub>10</sub> Metals	Cadmium (PM <sub>10</sub> )	-23.8	-12.2	-5.6	-3.0	-11.6	-17.9	-10.6	c	-9.4	-3.8	d	a	-12.0	-6.8	-7.9
PM <sub>10</sub> Metals	Lead (PM <sub>10</sub> )	-17.9	-3.7	-0.2	-8.3	-10.3	-32.2	47.4	c	-1.0	5.2	0.5	a	-8.3	-6.5	-6.3
PM <sub>10</sub> Metals	Manganese (PM <sub>10</sub> )	-15.8	-2.9	4.2	-0.7	-19.8	-11.3	98.0	c	-2.2	-12.9	d	a	-17.4	1.2	9.2
PM <sub>10</sub> Metals	Nickel (PM <sub>10</sub> )	-16.5	0.1	-2.6	-12.8	-4.2	-18.6	2.0	c	-17.5	-15.9	e	a	17.5	23.6	17.3
VOC	Benzene	-5.6	7.5	-2.8	-5.8	-1.5	6.2	-13.2	10.2	a	-3.3	18.1	-5.3	5.2	14.6	-11.8
VOC	Butadiene, 1,3-	10.4	-1.3	4.8	2.5	7.8	-0.5	-3.7	10.9	a	0.6	-8.1	-22.0	-10.1	3.9	-6.6
VOC	Carbon tetrachloride	32.2	15.9	-6.2	10.4	16.5	1.9	31.6	25.4	a	13.3	24.2	40.2	53.5	26.5	0.0
VOC	Chloroform	-6.4	2.5	-11.4	9.1	4.3	5.4	1.0	-9.7	a	-2.4	8.5	10.3	8.1	9.2	-7.5
VOC	Tetrachloroethylene	-2.1	-3.7	-11.1	-3.7	0.0	1.1	-16.1	0.8	a	-9.5	-1.8	-14.6	-5.5	13.0	-3.8
VOC	Trichloroethylene	10.7	-1.4	0.8	5.5	5.3	2.7	-6.4	-8.3	a	3.0	-0.3	-10.0	-9.5	9.6	-14.6
VOC	Vinyl chloride	-5.4	-5.9	1.9	1.1	-14.1	-0.1	-14.1	0.3	a	-8.1	10.0	-7.1	1.5	-3.3	-2.7

 A-rated:±25%

 B-rated: Between 25% to 35% or between -25% to -35%

 Does not meet:>35% or <35%

 -- No data available

<sup>a</sup>: No Proficiency Test samples were sent for this pollutant and year.

<sup>b</sup>: Proficiency Test results are from the National Contract Lab for EPA's School Air Toxics Monitoring Program. The %Difference was -5.55% in 2009 and 10.53% in 2010.

<sup>c</sup>: Pollutant was sampled at this site and year, but no bias data were reported.

<sup>d</sup>: The Proficiency Test sample for this pollutant was 0; the site reported a concentration as "< MDL", rather than 0. EPA accepted this result.

<sup>e</sup>: Although a Proficiency Test sample was sent to the lab supporting this site and year, the results were nullified by EPA due to QA issues.

**Table 9. NATTS Network Assessment: MQO#4 - Overall Method Precision %CV at Detroit, MI**

Pollutant Group	Pollutant Name	Overall Method precision % CV																
		2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	
Carbonyls	Acetaldehyde	25.7	11.1	23.2	33.4	15.9	4.0	3.8	7.8	10.1	6.6	6.8	12.0	7.7	22.1	14.9	6.3	
Carbonyls	Formaldehyde	26.6	23.9	30.1	33.8	14.8	9.9	5.3	5.8	11.7	11.2	8.9	8.4	8.8	14.4	9.7	10.6	
Chromium VI	Chromium VI	--	--	12.3	18.6	15.1	14.8	8.9	11.3	10.9	6.5	7.5	--	--	--	--	--	
PAH	Benzo(a)pyrene	--	--	--	--	--	21.5	13.8	7.9	4.4	14.9	11.6	7.6	13.0	5.5	13.3	8.4	
PAH	Naphthalene	--	--	--	--	--	7.1	5.3	3.0	8.6	6.0	6.2	11.2	4.9	4.3	2.6	8.4	
PM <sub>10</sub> Metals	Arsenic (PM <sub>10</sub> )	15.7	9.9	10.0	20.3	10.8	9.3	12.2	19.3	8.4	10.2	16.1	20.6	19.1	9.7	3.7	1.5	
PM <sub>10</sub> Metals	Beryllium (PM <sub>10</sub> )	29.9	17.0	20.8	21.6	27.2	a	a	15.5	8.7	22.2	29.1	30.2	25.1	31.2	0	17.7	
PM <sub>10</sub> Metals	Cadmium (PM <sub>10</sub> )	32.1	24.6	25.9	20.4	10.8	7.5	11.7	20.5	26.0	10.7	21.0	18.5	18.7	11.7	2.8	12.3	
PM <sub>10</sub> Metals	Lead (PM <sub>10</sub> )	21.0	8.3	8.6	30.9	8.3	13.3	10.5	27.6	19.4	22.0	30.1	23.1	12.3	13.3	32.6	8.7	
PM <sub>10</sub> Metals	Manganese (PM <sub>10</sub> )	28.7	33.1	32.7	31.0	24.6	26.1	7.8	42.8	26.0	6.8	12.7	16.1	8.2	12.7	3.0	43.3	
PM <sub>10</sub> Metals	Nickel (PM <sub>10</sub> )	21.0	15.3	18.6	32.6	10.9	27.2	20.3	34.5	33.4	9.3	10.7	20.0	12.0	10.2	9.4	44.3	
VOC	Benzene	6.4	33.8	19.7	16.5	17.3	3.9	9.3	5.2	4.2	7.8	28.1	10.3	--	--	4.8	12.2	
VOC	Butadiene, 1,3-	11.0	22.6	25.3	16.1	3.2	9.7	10.5	2.0	6.7	5.6	12.1	2.7	--	--	7.0	11.6	
VOC	Carbon tetrachloride	10.5	10.0	13.5	26.6	6.7	5.7	3.8	6.1	7.9	7.0	8.9	2.4	--	--	8.3	5.0	
VOC	Chloroform	a	15.7	60.5	47.9	44.8	40.1	39.4	45.8	34.7	29.0	49.0	27.6	--	--	14.1	24.9	
VOC	Tetrachloroethylene	6.6	41.0	24.5	23.9	4.5	5.2	6.9	2.0	6.0	4.7	15.0	8.1	--	--	4.0	1.9	
VOC	Trichloroethylene	a	a	a	0	a	10.5	15.5	5.5	a	a	--	a	--	--	a	a	
VOC	Vinyl chloride	a	a	a	a	a	a	0	a	a	a	--	a	--	a	a	a	

A-rated:≤ 15% CV

B-rated: Between 15%CV to25% CV

Does Not Meet: >25% CV or did not report Precision (required in the NATTS Workplan Template since 2012)

-- No data available

<sup>a</sup>: Although both primary and secondary data were reported, both sets of values were less than the MDL. Thus no %CV was calculated.

**Table 10. NATTS Network Assessment: MQO#4 - Analytical Precision %CV at Detroit, MI**

Pollutant Group	Pollutant Name	Analytical Method precision % CV															
		2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
Carbonyls	Acetaldehyde	1.6	--	1.0	0.4	0.9	0.5	0.1	0.5	0.4	0.7	0.6	0.4	7.0	22.0	0.7	0.5
Carbonyls	Formaldehyde	1.0	--	0.6	0.6	0.6	0.8	0.5	0.5	1.4	1.3	0.6	0.8	7.2	11.6	0.6	0.5
Chromium VI	Chromium VI	--	--	--	8.8	14.0	7.5	4.9	6.8	3.0	5.0	10.2	--	--	--	--	--
PAH	Benzo(a)pyrene	--	--	--	--	--	3.5	4.3	1.5	4.2	3.0	3.5	3.3	3.8	0.7	1.2	1.0
PAH	Naphthalene	--	--	--	--	--	1.3	0.9	0.7	2.1	2.4	2.7	2.4	0.7	2.6	1.3	2.1
PM <sub>10</sub> Metals	Arsenic (PM <sub>10</sub> )	--	--	--	--	--	--	--	--	--	a	a	a	a	a	a	a
PM <sub>10</sub> Metals	Beryllium (PM <sub>10</sub> )	--	--	--	--	--	b	--	--	--	a	a	a	a	a	a	a
PM <sub>10</sub> Metals	Cadmium (PM <sub>10</sub> )	--	--	--	--	--	--	--	--	--	a	a	a	a	a	a	a
PM <sub>10</sub> Metals	Lead (PM <sub>10</sub> )	--	--	--	--	--	--	--	--	--	a	a	a	a	a	a	a
PM <sub>10</sub> Metals	Manganese (PM <sub>10</sub> )	--	--	--	--	--	--	--	--	--	a	a	a	a	a	a	a
PM <sub>10</sub> Metals	Nickel (PM <sub>10</sub> )	--	--	--	--	--	--	--	--	--	a	a	a	a	a	a	a
VOC	Benzene	12.1	--	7.6	4.8	3.9	6.1	2.2	2.6	7.6	5.5	3.1	3.2	18.7	12.6	8.0	6.2
VOC	Butadiene, 1,3-	20.1	--	7.7	13.6	2.4	13.8	5.1	11.7	7.5	5.2	7.6	4.7	9.4	12.5	9.1	8.9
VOC	Carbon tetrachloride	4.8	--	6.2	5.6	3.2	3.1	4.6	1.8	7.1	5.1	5.2	2.2	5.2	7.4	12.2	3.7
VOC	Chloroform	b	--	0.0	4.7	4.7	7.2	4.7	5.5	3.7	4.4	5.4	2.9	22.0	18.7	7.5	5.3
VOC	Tetrachloroethylene	16.1	--	3.4	2.7	5.2	4.5	5.0	4.4	4.6	4.2	6.5	3.4	7.0	4.7	3.9	4.4
VOC	Trichloroethylene	b	--	b	0.0	b	12.9	0.0	3.2	b	b	b	b	b	b	b	b
VOC	Vinyl chloride	--	--	b	0.0	b	0.0	--	--	b	b	b	b	b	b	b	b

A-rated: $\leq 15\% \text{ CV}$

B-rated: Between 15%CV to 25% CV

Does Not Meet: >25% CV or did not report Precision (required in the NATTS Workplan Template since 2012)

-- No data available

<sup>a</sup>: The primary and/or replicate value were less than the MDL, so no calculation could be made.

<sup>b</sup>: Per the NATTS Workplan template, analytical replicates were required to be reported to AQS for this sampling year

## Appendix A. Equipment Inventory

Pollutant Type	Year(s)	Manufacturer/Model, Extraction Type, and Year
<b>Sampling Equipment</b>		
Carbonyls	2003-2006	Custom-built (Year Deployed: 1995)
	2007-2018	ATEC 100 Sampler (Year Deployed: 2007)
Chormium VI	2005-2013	ERG Chromium VI sampler (Year Deployed: 2005)
PAHs	2008-2014	Thermo Andersen GPS-1 PUF Sampler (Year Deployed: 2006)
	2015-2018	Thermo Andersen Hi-Vol (2) (Year Deployed: 2006)
PM <sub>10</sub> Metals	2003-2003	Custom-built (Year Deployed: 1995)
	2004-2013	Thermo Andersen High Volume Sampler (Year Deployed: <1990)
	2015-2018	Anderson Brushless HiVol Samplers (Year Deployed: 2014)
VOCs	2003-2004	Nutech 8549 Field Canister Sampler (Year Deployed: unknown)
	2005-2014	Anderson A97-323A Sampler (Year Deployed: 2001)
	2015-2018	Thermo Andersen AVOCS (Year Deployed: 2015)
<b>Analytical Equipment</b>		
Carbonyls	2003-2006	Waters 2695 HPLC/ PDA detection (Year Deployed: 2000)
	2007-2017	Waters Alliance 2695 HPLC /model 2487 Dual Absorbance (Year Deployed: 2003)
	2018	Waters Alliance e2695 HPLC /model 2489 Dual Asorbance UV/Vis (Year Deployed: 2018)
Chormium VI	2005-2013	Dionex 300 ion chromatography system (Year Deployed: 2001)
PAHs	2008-2014	HP/Agilent 5890/5971 GC/MS (Year Deployed: 2008)
	2015-2018	HP/Agilent 7890B/5975C GC/MS (Year Deployed: 2015)
PM <sub>10</sub> Metals	2003-2014	PE ELAN 9000 ICP-MS (Year Deployed: 2002)
	2015-2018	Perkin Elmer NexION 300x ICP-MS (Year Deployed: 2015)
VOCs	2003	HP/Agilent 5890-II/5972 GC/MS (Year Deployed: 1997)
	2004	HP/Agilent 5890/5971 GC/MS (Year Deployed: 1990)
	2005-2006	HP/Agilent 6890/5973 GC/MS, Agilent 6890/5975N GC/MS (Year Deployed: 2006)
	2007-2009	HP/Agilent 6890/5973 GC/MS (Year Deployed: 2005)
	2010	HP/Agilent 5890/5971 GC/MS (Year Deployed: 2008)
	2011-2018	HP/Agilent 6890/5975 GC/MS (Year Deployed: 2010)
<b>Preconcentrator Equipment</b>		
VOCs	2003	Entech 7100 (1), Entech 7016A (2) (Year Deployed: 2003)
	2004-2004	Entech 7100 (Dynamic Dilution) (Year Deployed: 2003)
	2005-2005	Entech 7100 (Year Deployed: 1997)
	2006-2006	Entech 7100 (Year Deployed: 2006)
	2007-2018	Entech 7100A (Year Deployed: 2007)
<b>Standards Preparation Equipment</b>		
VOCs	2003-2005	Entech 4600 (dynamic dilution) (Year Deployed: 1998)
	2006	Entech 4600 (dynamic dilution) (Year Deployed: 2006)
	2007-2018	Custom-built (dynamic dilution) (Year Deployed: 1985)
<b>Canister Cleaning Equipment</b>		
VOCs	2003	Custom-built (Cold) (Year Deployed: 1985)
	2004-2005	Entech 3000SL (Hot) (Year Deployed: 1997)
	2006-2010	Custom-built (Cold) (Year Deployed: 2006)
	2011-2012	Custom-built (cold) (Year Deployed: 2003)
	2013-2018	Wasson-ECE TO-Clean (Hot) (Year Deployed: 2010)
<b>PM<sub>10</sub> Extraction Equipment</b>		
PM <sub>10</sub> Metals	2003-2018	SLP Science/Digi Prep MS (hotblock) (Year Deployed: 2002)
<b>Chromium VI Extraction Equipment</b>		
Chormium VI	2005-2010	Branson 8510 (Sonicator) (Year Deployed: 2001)
	2011-2011	Branson 8510 Sonicator/ Branson Shaker (Year Deployed: 2001/2011)
	2012-2013	Branson Shaker (Year Deployed: 2011)
<b>PAHs Extraction Equipment</b>		
PAHs	2008-2018	Dionex -300 (ASE) (Year Deployed: 2004)