Number: P-21-0176

**TSCA Section 5(a)(3) Determination**: The chemical substance is not likely to present an unreasonable risk (5(a)(3)(C))

## **Chemical Name:**

Generic: Alkane dioic acid, bis (poly aromatic triazine) alkanoic ether phenoxy ester

## Conditions of Use (intended, known, or reasonably foreseen)<sup>1</sup>:

Intended conditions of use (generic): Import and process for use as and use as a component in plastics, consistent with the manufacturing, processing, use, distribution, and disposal information described in the PMN.

Known conditions of use: Applying such factors as described in footnote 1, EPA evaluated whether there are known conditions of use and found none.

Reasonably foreseen conditions of use: Applying such factors as described in footnote 1, EPA evaluated whether there are reasonably foreseen conditions of use and identified use without worker protection.

**Summary:** The chemical substance is not likely to present an unreasonable risk of injury to health or the environment, without consideration of costs or other nonrisk factors, including an unreasonable risk to a potentially exposed or susceptible subpopulation identified as relevant by the Administrator under the conditions of use, based on the risk assessment presented below. Although EPA estimated that the new chemical substance could be very persistent, the new chemical substance has low potential for bioaccumulation, such that repeated exposures are not expected to cause food-chain effects via accumulation in exposed organisms. Based on EPA's TSCA New Chemicals Program Chemical Categories for Esters and Phenols, 2 test data on analogous chemical substances, and data submitted for the new chemical substance, EPA estimates that the chemical substance has low environmental hazard and potential for the following human health hazards: eye irritation. EPA concludes that the new chemical substance is not likely to present an unreasonable risk under the conditions of use.

-

<sup>&</sup>lt;sup>1</sup> Under TSCA § 3(4), the term "conditions of use" means "the circumstances, as determined by the Administrator, under which a chemical substance is intended, known, or reasonably foreseen to be manufactured, processed, distributed in commerce, used, or disposed of." In general, EPA considers the intended conditions of use of a new chemical substance to be those identified in the section 5(a) notification. Known conditions of use include activities within the United States that result from manufacture that is exempt from PMN submission requirements. Reasonably foreseen conditions of use are future circumstances, distinct from known or intended conditions of use, under which the chemical substance may be manufactured, processed, distributed, used, or disposed of. EPA expects that the identification of "reasonably foreseen" conditions of use will be made on a fact-specific, case-by-case basis. EPA will apply its professional judgment and experience when considering factors such as evidence of current use of the new chemical substance outside the United States, information about known or intended uses of chemical substances that are structurally analogous to the new chemical substance, and conditions of use identified in an initial PMN submission that the submitter omits in a revised PMN. The sources EPA uses to identify reasonably foreseen conditions of use include searches of internal confidential EPA PMN databases (containing use information on analogue chemicals), other U.S. government public sources, the National Library of Medicine's Hazardous Substances Data Bank (HSDB), the Chemical Abstract Service STN Platform, REACH Dossiers, technical encyclopedias (e.g., Kirk-Othmer and Ullmann), and Internet searches.

**Fate:** Environmental fate is an important factor in determining exposure and thus in determining whether a chemical may present an unreasonable risk. EPA estimated physical/chemical and fate properties of the new chemical substance using data for analogue(s) and data submitted for the new chemical substance. In wastewater treatment, the new chemical substance is expected to be removed with an efficiency of 90% due to sorption. Removal of the new chemical substance by biodegradation is negligible. Sorption of the new chemical substance to sludge is expected to be strong and to soil and sediment is expected to be very strong. Migration of the new chemical substance to groundwater is expected to be negligible due to very strong sorption to soil and sediment. Due to low estimated vapor pressure and Henry's law constant, the new chemical substance is expected to undergo negligible volatilization to air. Overall, these estimates indicate that the new chemical substance has low potential to volatilize to air or migrate to groundwater.

**Persistence**<sup>3</sup>: Persistence is relevant to whether a new chemical substance is likely to present an unreasonable risk because chemicals that are not degraded in the environment at rates that prevent substantial buildup in the environment, and thus increase potential for exposure, may present a risk if the substance presents a hazard to human health or the environment. EPA estimated degradation half-lives of the new chemical substance using data for analogue(s) and data submitted for the new chemical substance. EPA estimated that the new chemical substance's aerobic and anaerobic biodegradation half-lives are > 6 months. These estimates indicate that the new chemical substance may be very persistent in aerobic environments (e.g., surface water) and anaerobic environments (e.g., sediment).

**Bioaccumulation**<sup>4</sup>: Bioaccumulation is relevant to whether a new chemical substance is likely to present an unreasonable risk because substances that bioaccumulate in aquatic and/or terrestrial species pose the potential for elevated exposures to humans and other organisms via food chains. EPA estimated the potential for the new chemical substance to bioaccumulate using data for analogue(s). EPA estimated that the new chemical substance has low bioaccumulation potential based on bioconcentration or bioaccumulation data reported for an analogue (bioconcentration factor = 8.1 [measured]). Although EPA estimated that the new chemical substance could be very persistent, the substance has low potential for bioaccumulation, such that repeated exposures are not expected to cause food-chain effects via accumulation in exposed organisms.

<sup>&</sup>lt;sup>3</sup> Persistence: A chemical substance is considered to have limited persistence if it has a half-life in water, soil or sediment of less than 2 months or if there are equivalent or analogous data. A chemical substance is considered to be persistent if it has a half-life in water, soil or sediments of greater than 2 months but less than or equal to 6 months or if there are equivalent or analogous data. A chemical substance is considered to be very persistent if it has a half-life in water, soil or sediments of greater than 6 months or if there are equivalent or analogous data. (64 FR 60194; November 4, 1999)

<sup>&</sup>lt;sup>4</sup> Bioaccumulation: A chemical substance is considered to have a low potential for bioaccumulation if there are bioconcentration factors (BCF) or bioaccumulation factors (BAF) of less than 1,000 or if there are equivalent or analogous data. A chemical substance is considered to be bioaccumulative if there are BCFs or BAFs of 1,000 or greater and less than or equal to 5,000 or there are equivalent or analogous data. A chemical substance is considered to be very bioaccumulative if there are BCFs or BAFs of 5,000 or greater or if there are equivalent or analogous data. (64 FR 60194; November 4 1999)

Human Health Hazard<sup>5</sup>: Human health hazard is relevant to whether a new chemical substance is likely to present an unreasonable risk because the significance of the risk is dependent upon both the hazard (or toxicity) of the chemical substance and the extent of exposure to the substance. EPA estimated the human health hazard of this chemical substance based its estimated physical/chemical properties, available data on the new chemical substance, by comparing it to structurally analogous chemical substances for which there is information on human health hazard, and other structural information. Absorption of the new chemical substance is expected to be nil to poor through the skin when neat, poor through the skin when in solution, and nil through the lungs and gastrointestinal (GI) tract based on physical/chemical properties. For the new chemical substance, EPA identified eye irritation as a hazard based on test data on the new chemical substance. Submitted tests on the new chemical substance reported the test substance as non-irritating to rabbit skin (OECD 404), minimally irritating to rabbit eyes (OECD 405), non-sensitizing to the skin of mice in a Local Lymph Node Assay (OECD 429), non-mutagenic in an in vitro Ames assay (OECD 471), and non-genotoxic in an in vivo mouse micronucleus assay (OECD 474). In a chromosomal aberration assay on the new chemical substance (OECD 473), there was an increase in structural aberrations in the long-term 24 hour test only; however, there was no increase in numerical aberrations in the long-term test and no increase in either numerical or structural aberrations in the short term test. There were no treatment-related effects observed in an acute oral toxicity study in rats (OECD 423; LD50 > 2,000 mg/kg-bw), in an acute dermal toxicity study in rats (OECD 402; LD50 > 2,000 mg/kg-bw), or in a 28-day repeated-dose toxicity study in rats (OECD 4047). EPA qualitatively evaluated irritation effects.

**Environmental Hazard**<sup>6</sup>: Environmental hazard is relevant to whether a new chemical substance is likely to present unreasonable risk because the significance of the risk is dependent

.

<sup>&</sup>lt;sup>5</sup> A chemical substance is considered to have low human health hazard if effects are observed in animal studies with a No Observed Adverse Effect Level (NOAEL) equal to or greater than 1,000 mg/kg/day or if there are equivalent data on analogous chemical substances; a chemical substance is considered to have moderate human health hazard if effects are observed in animal studies with a NOAEL less than 1,000 mg/kg/day or if there are equivalent data on analogous chemical substances; a chemical substance is considered to have high human health hazard if there is evidence of adverse effects in humans or conclusive evidence of severe effects in animal studies with a NOAEL of less than or equal to 10 mg/kg/day or if there are equivalent data on analogous chemical substances. EPA may also use Benchmark Dose Levels (BMDL) derived from benchmark dose (BMD) modeling as points of departure for toxic effects. See https://www.epa.gov/bmds/what-benchmark-dose-software-bmds. Using this approach, a BMDL is associated with a benchmark response, for example a 5 or 10 % incidence of effect. The aforementioned characterizations of hazard (low, medium, high) would also apply to BMDLs. In the absence of animal data on a chemical or analogous chemical substance, EPA may use other data or information such as from in vitro assays, chemical categories (e.g., Organization for Economic Co-operation and Development, 2014 Guidance on Grouping of Chemicals, Second Edition. ENV/JM/MONO(2014)4. Series on Testing & Assessment No. 194. Environment Directorate, Organization for Economic Co-operation and Development, Paris, France. (http://www.oecd.org/officialdocuments/publicdisplaydocumentpdf/?cote=env/jm/mono(2014)4&doclanguage=en)),

structure-activity relationships, and/or structural alerts to support characterizing human health hazards.

<sup>6</sup> A chemical substance is considered to have low ecotoxicity hazard if the Fish, Daphnid and Algae LC50 values are

greater than 100 mg/L, or if the Fish and Daphnid chronic values (ChVs) are greater than 10.0 mg/L, or there are not effects at saturation (occurs when water solubility of a chemical substance is lower than an effect concentration), or the log Kow value exceeds QSAR cut-offs. A chemical substance is considered to have moderate ecotoxicity hazard if the lowest of the Fish, Daphnid or Algae LC50s is greater than 1 mg/L and less than 100 mg/L, or where the Fish or Daphnid ChVs are greater than 0.1 mg/L and less than 10.0 mg/L. A chemical substance is considered to have high ecotoxicity hazard, or if either the Fish, Daphnid or Algae LC50s are less than 1 mg/L, or any Fish or Daphnid

## TSCA Section 5(a)(3) Determination for Premanufacture Notice (PMN) P-21-0176

upon both the hazard (or toxicity) of the chemical substance and the extent of exposure to the substance. EPA determined the environmental hazard for this new chemical substance on test data and the Ecological Structure Activity Relationships (ECOSAR) Predictive Model (https://www.epa.gov/tsca-screening-tools/ecological-structure-activity-relationships-ecosar-predictive-model); specifically the QSAR esters, aromatic triazines, and phenols. This substance falls within the TSCA New Chemicals Category of Esters and Phenols. Acute and chronic toxicity values estimated for fish, aquatic invertebrates, and algae are all no effects at saturation. These toxicity values indicate that the new chemical substance is expected to have low environmental hazard. Because hazards are not expected up to the water solubility limit, acute and chronic concentrations of concern are not identified.

**Exposure:** The exposure to a new chemical substance is potentially relevant to whether a new chemical substance is likely to present unreasonable risks because the significance of the risk is dependent upon both the hazard (or toxicity) of the chemical substance and the extent of exposure to the substance.

EPA estimates occupational exposure and environmental release of the new chemical substance under the intended conditions of use described in the PMN using ChemSTEER (Chemical Screening Tool for Exposures and Environmental Releases; <a href="https://www.epa.gov/tsca-screening-tools/chemsteer-chemical-screening-tool-exposures-and-environmental-releases">https://www.epa.gov/tsca-screening-tools/chemsteer-chemical-screening-tool-exposures-and-environmental-releases</a>). EPA uses EFAST (the Exposure and Fate Assessment Screening Tool; <a href="https://www.epa.gov/tsca-screening-tools/e-fast-exposure-and-fate-assessment-screening-tool-version-2014">https://www.epa.gov/tsca-screening-tools/e-fast-exposure-and-fate-assessment-screening-tool-version-2014</a>) to estimate general population, consumer, and environmental exposures.

EPA considers workers to be a potentially exposed or susceptible subpopulation (PESS) on the basis of greater exposure potential compared to the general population. EPA also considers PESS in conducting general population drinking water exposures by evaluating risks associated with water intake rates for multiple age groups, ranging from infants to adults. EPA considers consumers of specific products to be a potentially exposed or susceptible subpopulation on the basis of greater exposure potential compared to the general population who do not use specific products.

For this new chemical assessment, EPA assessed worker exposure via dermal exposure. Inhalation exposures to workers were not assessed. Releases to air, incineration, and landfill were assessed. Releases to water were not assessed. Exposure to the general population was not assessed via drinking water, fish ingestion, or groundwater impacted by landfill leachate because oral hazards were not identified. Exposure to the general population was not assessed via stack or fugitive air inhalation because inhalation hazards were not identified. Consumer exposures were not assessed because consumer uses were not identified as conditions of use.

**Risk Characterization:** EPA assesses risks to workers considering engineering controls described in the PMN but in the absence of personal protective equipment (PPE) such as gloves

 $ChVs \ is \ less \ than \ 0.1 \ mg/L \ (Sustainable \ Futures \ \underline{https://www.epa.gov/sustainable-futures/sustainable-futures-p2-framework-manual}).$ 

## TSCA Section 5(a)(3) Determination for Premanufacture Notice (PMN) P-21-0176

and respirators. If risks are preliminarily identified, EPA then considers whether the risks would be mitigated by the use of PPE (e.g., impervious gloves, respirator).

Eye irritation hazards to workers via dermal contact were identified based on test data for the new chemical substance (same-as case). Risks for these endpoints were not quantified due to a lack of dose-response for these hazards. No relevant systemic hazards were identified for the new chemical substance via dermal contact; therefore, risks were not calculated. Based on no identified hazards, risks are not expected. Hazards were determined to be low for the new chemical substance via inhalation exposure; therefore, inhalation exposures were not assessed.

Risks were not evaluated from general population exposures because oral and inhalation routes of concern were not identified. Risks to consumers were not evaluated because consumer uses were not identified as conditions of use.

Risk from acute and chronic exposures to the environment are not expected at any concentration of the new chemical substance soluble in the water (i.e., no effects at saturation).

Because no unreasonable risks to workers, the general population or environment were identified, and there are no expected consumer exposures, EPA has determined that the new chemical substance is not likely to present unreasonable risk to human health or the environment under the conditions of use.

04/05/2022	/s/
Date:	Madison H. Le, Director
	New Chemicals Division
	Office of Pollution Prevention and Toxics
	U.S. Environmental Protection Agency