

Nunn, Shirlita

From: Dorka, Lilian
Sent: Tuesday, February 7, 2017 9:05 AM
To: Nunn, Shirlita
Subject: RE: Receipt of Correspondence

Hi Shirlita, we are on the 2nd floor of the North building - a little hard to find because the floors don't connect all the way. So, easiest way to find us is to go the 3rd floor of the North building and walk around it until you find elevators marked 21 and 22. Take those elevators down to floor 2 and our office is right there in front of the elevators - Room 2524. Thanks!

Lilian Sotolongo Dorka
Director, External Civil Rights Compliance Office EPA, Office of General Counsel
202-564-9649
WJC-N Room 2450

-----Original Message-----

From: Nunn, Shirlita
Sent: Tuesday, February 07, 2017 6:54 AM
To: Dorka, Lilian <Dorka.Lilian@epa.gov>
Subject: RE: Receipt of Correspondence

Good morning Lilian, where are you exactly located, I'm new to HQs, I'm from EPA Region III, so I don't know my way all around yet.

Thanks

Shirlita Nunn
Staff Specialist
Environmental Protection Agency
Office of Enforcement and Compliance (OECA) Office of Site Remediation (OSRE) – Immediate Office WJC South-Room 5206A
1200 Pennsylvania Ave., NW
Washington, DC 20460
202-564-0767

-----Original Message-----

From: Dorka, Lilian
Sent: Monday, February 6, 2017 5:47 PM
To: DeLeon, Rafael <DeLeon.Rafael@epa.gov>
Cc: Nunn, Shirlita <Nunn.Shirlita@epa.gov>; Temple, Kurt <Temple.Kurt@epa.gov>
Subject: RE: Receipt of Correspondence

Thanks so much Rafael! Can't believe their references are soooo out of date! ;{

Lilian Sotolongo Dorka
Director, External Civil Rights Compliance Office EPA, Office of General Counsel
202-564-9649
WJC-N Room 2450

-----Original Message-----

From: DeLeon, Rafael

Sent: Monday, February 06, 2017 3:13 PM

To: Dorka, Lillian <Dorka.Lillian@epa.gov>

Cc: Lawrence, Tanya <Lawrence.Tanya@epa.gov>; Nunn, Shirlita <Nunn.Shirlita@epa.gov>

Subject: Receipt of Correspondence

Lillian

Hello. Hope you are well.

Today, I received 2 Notices of Referral of Complaint that were misdirected to my attention. Both pieces of mail came from DOJ in one envelope. Shirlita Nunn of my staff will deliver them to you. Thank you.

Rafael DeLeon, Esq.

Deputy Director

EPA-Office of Enforcement and Compliance Assurance Office of Site Remediation Enforcement (Mail Code-2271A)

1200 Pennsylvania Ave., N.W. (Room-WJC 5206) Washington, DC 20460

202 564-5110 (Office Line)

202 564-4899 (Direct Line)

202 302-2761 (Office Cell)

This message is CONFIDENTIAL, and may contain legally privileged information. If you are not the intended recipient, or believe you received this communication in error, please delete it immediately, do not copy, and notify the sender. Thank you.

U.S. Department of Justice

Civil Rights Division

*Disability Rights Section - NYA
950 Pennsylvania Ave, NW
Washington, DC 20530*

Contact if additional information is required:

Robin C. Deykes
Civil Rights Program Specialist
Disability Rights Section
Civil Rights Division
U.S. Department of Justice
(202) 307-1085
Robin.Deykes@crt.usdoj.gov

REC'd 2/6/17

RDL

FORWARDED TO OGC-DORKA



U.S. Department of Justice
Civil Rights Division

Disability Rights Section - NYA
950 Pennsylvania Avenue, NW
Washington, DC 20530

Notice of Referral of Complaint for Appropriate Action

To: Mr. Rafael DeLeon,
Director, Office of Civil Rights
U.S. Environmental Protection Agency
Ariel Rios Building
1200 Pennsylvania Avenue, NW
Room 2450
Washington, D.C. 20460

(b) (6) - Privacy

Tallahassee, FL 32303

From: Disability Rights Section, Civil Rights Division, U.S. Department of Justice

Reference: CTS# **(b) (6) - Privacy** regarding City of Tallahassee / Water Resources Engineering,
Tallahassee, FL; received by DOJ on September 9, 2015

The Disability Rights Section has reviewed the enclosed complaint and determined that it raises issues that are more appropriately addressed by the U.S. Environmental Protection Agency. We, therefore, are referring this complaint to that agency for appropriate action. This letter serves to notify that agency and the complainant of this referral. The Disability Rights Section will take no further action on this matter. We apologize for our delay in referring this correspondence.

To check the status of the complaint, or to submit additional information, the complainant may contact the referral agency at the address above or at the following telephone number(s):

(202) 564-7272

If the agency has any questions or concerns about this referral or believes that it raises issues outside the agency's jurisdiction, please do not hesitate to contact the Department of Justice at the address and phone number attached hereto

DJ# 204-17-0

REC'd 2/6/17
RDL

FORWARDED TO OGC-DORK#

DEPARTMENT OF JUSTICE
Civil Rights Division
Disability Rights Section
Correspondence Tracking System
Processed Complaints List
Between 09-SEP-2015 and 09-SEP-2015

Complaint #: (b) (6) - Privacy

Section : DRS
Discrimination : 05/04/2015
Create By & Date : CTSOWN - 09/09/2015
Update By & Date : CTSOWN - 09/09/2015
Filed : No
History : I sent an email 5/4/15 about brown water issues with the city. There is bacteria, high iron & high chlorine in the water. I have been using bottled water for 5 months, but still have to shower & wash clothes in brown water. I have contacted DEP, Governor, mayor, city employees, etc. to fix the issues which has not been done. I am disabled & brown water issues are causing more health issues which I was hospitalized for 6/22-26/15. Please help me get clean water. It affects 17 townhouse owners too not just me.

Party #: 200014016 Type: CW - Correspondent/Writer

Contact By: PHON

Title: (b) (6) - Privacy
Name: (b) (6) - Privacy
Address: Tallahassee FL, 32303

Disability: MRSY
Phone: (b) (6) - Privacy
E-Mail: (b) (6) - Privacy

Organization: Tallahassee FL, 32303

200014017 Type: RS - Respondent/Subject

Contact By: PHON

Title:

Disability:

Name: 300 S. Adams Street, Box B26
Address: Tallahassee FL, 32301

Phone: 850-891-6155 (O)
E-Mail: n/a

Organization: City of Tallahassee/Water Resources Engineering

204-17-0

