


4 miles Ring around the Corridor, NEW MEXICO, EPA Region 6

Approximate Population: 1,183

Input Area (sq. miles): 63.65

Village of Chama

Selected Variables	State Percentile	EPA Region Percentile	USA Percentile
<b>Environmental Justice Indexes</b>			
EJ Index for Particulate Matter 2.5	63	60	74
EJ Index for Ozone	67	80	87
EJ Index for 2017 Diesel Particulate Matter*	31	46	60
EJ Index for 2017 Air Toxics Cancer Risk*	50	55	69
EJ Index for 2017 Air Toxics Respiratory HI*	46	53	67
EJ Index for Traffic Proximity	23	41	57
EJ Index for Lead Paint	72	79	80
EJ Index for Superfund Proximity	47	60	69
EJ Index for RMP Facility Proximity	34	45	60
EJ Index for Hazardous Waste Proximity	29	45	60
EJ Index for Underground Storage Tanks	40	47	63
EJ Index for Wastewater Discharge	33	46	64




This report shows the values for environmental and demographic indicators and EJSCREEN indexes. It shows environmental and demographic raw data (e.g., the estimated concentration of ozone in the air), and also shows what percentile each raw data value represents. These percentiles provide perspective on how the selected block group or buffer area compares to the entire state, EPA region, or nation. For example, if a given location is at the 95th percentile nationwide, this means that only 5 percent of the US population has a higher block group value than the average person in the location being analyzed. The years for which the data are available, and the methods used, vary across these indicators. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports.

4 miles Ring around the Corridor, NEW MEXICO, EPA Region 6

Approximate Population: 1,183

Input Area (sq. miles): 63.65

Village of Chama



September 13, 2022

- Village of Chama
- Impaired Streams
- Streams
- + Search Result (point)

1:144,448  
0 1.5 3 6 mi  
0 2.25 4.5 9 km  
Esri, HERE, Garmin, Earthstar Geographics

#### Sites reporting to EPA

Superfund NPL	0
Hazardous Waste Treatment, Storage, and Disposal Facilities (TSDF)	0

## EJScreen Report (Version 2.0)

4 miles Ring around the Corridor, NEW MEXICO, EPA Region 6

Approximate Population: 1,183

Input Area (sq. miles): 63.65

Village of Chama

Selected Variables	Value	State Avg.	%ile in State	EPA Region Avg.	%ile in EPA Region	USA Avg.	%ile in USA
<b>Pollution and Sources</b>							
Particulate Matter 2.5 ( $\mu\text{g}/\text{m}^3$ )	4.64	5.58	19	9.32	0	8.74	0
Ozone (ppb)	53.8	56.2	8	41.1	94	42.6	90
2017 Diesel Particulate Matter* ( $\mu\text{g}/\text{m}^3$ )	0.0135	0.208	1	0.219	<50th	0.295	<50th
2017 Air Toxics Cancer Risk* (lifetime risk per million)	10	20	21	32	<50th	29	<50th
2017 Air Toxics Respiratory HI*	0.1	0.24	16	0.37	<50th	0.36	<50th
Traffic Proximity (daily traffic count/distance to road)	0.024	480	0	470	0	710	0
Lead Paint (% Pre-1960 Housing)	0.14	0.18	60	0.16	65	0.28	46
Superfund Proximity (site count/km distance)	0.017	0.13	19	0.08	20	0.13	13
RMP Facility Proximity (facility count/km distance)	0.012	0.25	3	0.83	0	0.75	0
Hazardous Waste Proximity (facility count/km distance)	0.0093	0.82	1	0.8	0	2.2	0
Underground Storage Tanks (count/km <sup>2</sup> )	7.7E-06	2.5	25	2	10	3.9	16
Wastewater Discharge (toxicity-weighted concentration/m distance)	1.1E-06	4.6	12	0.5	5	12	9
<b>Socioeconomic Indicators</b>							
Demographic Index	68%	52%	75	44%	81	36%	88
People of Color	86%	63%	80	52%	80	40%	86
Low Income	50%	41%	66	36%	73	31%	80
Unemployment Rate	15%	7%	89	5%	94	5%	93
Linguistically Isolated	1%	5%	31	6%	38	5%	46
Less Than High School Education	10%	14%	42	15%	42	12%	53
Under Age 5	6%	6%	48	7%	39	6%	48
Over Age 64	16%	17%	54	13%	68	16%	58

\*Diesel particulate matter, air toxics cancer risk, and air toxics respiratory hazard index are from the EPA's 2017 Air Toxics Data Update, which is the Agency's ongoing, comprehensive evaluation of air toxics in the United States. This effort aims to prioritize air toxics, emission sources, and locations of interest for further study. It is important to remember that the air toxics data presented here provide broad estimates of health risks over geographic areas of the country, not definitive risks to specific individuals or locations. Cancer risks and hazard indices from the Air Toxics Data Update are reported to one significant figure and any additional significant figures here are due to rounding. More information on the Air Toxics Data Update can be found at: <https://www.epa.gov/haps/air-toxics-data-update>.

For additional information, see: [www.epa.gov/environmentaljustice](https://www.epa.gov/environmentaljustice)

EJScreen is a screening tool for pre-decisional use only. It can help identify areas that may warrant additional consideration, analysis, or outreach. It does not provide a basis for decision-making, but it may help identify potential areas of EJ concern. Users should keep in mind that screening tools are subject to substantial uncertainty in their demographic and environmental data, particularly when looking at small geographic areas. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJScreen documentation for discussion of these issues before using reports. This screening tool does not provide data on every environmental impact and demographic factor that may be relevant to a particular location. EJScreen outputs should be supplemented with additional information and local knowledge before taking any action to address potential EJ concerns.