

September 12, 2023

Mr. Josh Peters On-Scene Coordinator U.S. Environmental Protection Agency, Region 5 Superfund and Emergency Management Division 2565 Plymouth Road Ann Arbor, MI 48105 We are in the process of ensuring this document is accessible to all audiences. If you need assistance accessing this document, or any material on the EPA East Palestine, Ohio emergency response web pages, please contact the Region 5 Public Information Officer on-call at: R5_EastPalestine@epa.gov

Subject: Data Validation Report

E Palestine Site - ER

EPA Contract No.: 68HE0519D0005

Task Order/Task Order Line Item No.: 68HE0520F0032/0001EB201

Document Tracking No. 2013

Dear Mr. Peters:

Tetra Tech, Inc. (Tetra Tech) is submitting this data validation report for 61 air samples (including 5 field duplicate samples, 5 field blank samples, and 1 media blank sample) collected at the E Palestine site. The samples were collected on June 18 and 19, 2023, and were analyzed for acrylates by Eurofins Analytics, LLC. The final laboratory data package was received on June 27, 2023.

Analytical data were evaluated in general accordance with the Tetra Tech Quality Assurance Project Plan East Palestine Train Derailment Site East Palestine, Columbiana County, Ohio, Revision 3 (April 2023), the Tetra Tech Quality Assurance Project Plan, Superfund Technical Assessment and Response Team (START V), EPA Region 5, Revision 4 (August 2022), and the National Functional Guidelines (NFG) for Organic Superfund Methods Data Review (November 2020).

No rejection of results was required for these data packages. The results may be used as qualified based on the findings of this validation effort.

If you have any questions regarding this data validation report, please contact me via the project manager.

Sincerely,

Deb Kutsal Date: 2023.09.14 09:12:38

Environmental Chemist

Enclosure

cc: Karl Schultz, Tetra Tech Program Manager

Dustin Grams, Tetra Tech Project Manager

Mayra ArroyoOrtiz, Tetra Tech Project Document Control Coordinator

TO-TOLIN File

ATTACHMENT

DATA VALIDATION REPORT EUROFINS ANALYTICS REPORT NO. B171-149, B171-151, B172-022, AND B172-023

Site Name E Palestine Site - ER		TO/TOLINI NIC	COLUEDE 20 F00 22 /0004 FD204	
Document Tracking No.	2013a	TO/TOLIN No.	68HE0520F0032/0001EB201	
Laboratory Report No.	B171-149	Laboratory	Eurofins Analytics, LLC – Ashland, VA	
Analyses	2-Ethylhexyl acrylate and n-butyl acrylate by laboratory standard operating procedure (SOP) IHGC-P029			
Samples and Matrix	Ten air samples including one field blank and one field duplicate pair			
Collection Date(s)	06/18/2023			
Field Duplicate Pairs	EPD-ST-8H-WA-04-061823-2/ EPD-ST-8H-WA-44-061823-2			
Field QC Blanks EPD-ST-FB-061823-2				

INTRODUCTION

This checklist summarizes the Stage 2A validation performed on the subject laboratory report, in accordance with the U.S. Environmental Protection Agency (EPA) *Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use* (January 2009). Analytical data were evaluated in general accordance with the Tetra Tech *Quality Assurance Project Plan East Palestine Train Derailment Site East Palestine, Columbiana County, Ohio, Revision 3* (April 2023), the Tetra Tech *Quality Assurance Project Plan, Superfund Technical Assessment and Response Team (START V), EPA Region 5, Revision 4* (August 2022), and the EPA *National Functional Guidelines (NFG) for Organic Superfund Methods Data Review* (November 2020).

OVERALL EVALUATION

No rejection or qualification of results was required for this data package. The results may be used as reported by the laboratory.



Data completeness:

Within Criteria	Exceedance/Notes
	The results for the field blank were reported in units of micrograms (μ g) while the other sample results were reported in units of μ g, milligrams per cubic meter (mg/m3), and parts per million (ppm) (volume) in the laboratory report and only ppm in the electronic data deliverable (EDD).
N	The sample analysis time was reported as a default value of 00:00 hours for the LCSD in the analysis date field of the laboratory electronic data deliverable (EDD). The sample analysis time for the LCSD is not required for the validated EDD; therefore, this value was not manually revised.
	Rohm & Haas IH9805 is cited in the AIHA certification as "IHGC-P029" and may be cited by the abbreviation "Rohm & Haas IH9805" or "IHGC-P029" interchangeably throughout the laboratory report.

Sample preservation, receipt, and holding times:

Within Criteria	Exceedance/Notes
Υ	

Method blanks:

Within Criteria	Exceedance/Notes
Υ	

Field blanks:

Within Criteria	Exceedance/Notes
Υ	

Surrogates and labeled compounds:

Within Criteria	Exceedance/Notes
NA	

MS/MSDs:

Within Criteria	Exceedance/Notes
NA	

Laboratory duplicates:

Within Criteria	Exceedance/Notes
NA	

Field duplicates:

Within Criteria	Exceedance/Notes
Y	

LCSs/LCSDs:

Within Criteria	Exceedance/Notes
Υ	

Sample dilutions:

Within Criteria	Exceedance/Notes
Υ	



Re-extraction and reanalysis:

Within Criteria	Exceedance/Notes
NA	

MDLs/RLs:

Within Criteria	Exceedance/Notes
Y	Method detection limits were not reported. Nondetect sample results are reported as less than the reporting limit in the laboratory report and at the reporting limit (flagged U) in the validated EDD and attached analytical results summary.

Tentatively identified compounds:

Within Criteria	Exceedance/Notes
NA	

Other [None]:

•	-	
Within		Evenadores /Notes
Criteria		Exceedance/Notes
NA		

Overall Qualifications:

See results summary pages attached for changes to the laboratory qualifiers based upon this validation. The following is a list of qualifiers and definitions that may be used for the validation of this data package:

1	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.
J	
J+	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be
JŦ	biased high.
J-	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be
J-	biased low.
NJ	The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated value is the approximate
INJ	concentration of the analyte in the sample.
0	The sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not
R	be present in the sample.
U	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit).
	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit), which is considered approximate
UJ	due to deficiencies in one or more quality control criteria.
	due to deficiencies in one of more quality control criteria.

E. PALESTINE SITE - ER AIR ANALYTICAL RESULTS SUMMARY EUROFINS ANALYTICS, LLC REPORT NO. B171-149

Samp_ID	Method	CAS_No	Analyte	Lab_Result Lab_Qual	RL	Units VA	L_Result VAL_Qual
EPD-ST-8H-DW-E-061823-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-DW-E-061823-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-UW-A-061823-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-UW-A-061823-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-01-061823-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-WA-01-061823-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-02-061823-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-WA-02-061823-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-03-061823-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-WA-03-061823-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-04-061823-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.016 U	0.016	ppm	0.016 U
EPD-ST-8H-WA-04-061823-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.011 U	0.011	ppm	0.011 U
EPD-ST-8H-WA-05-061823-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-WA-05-061823-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-06-061823-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-WA-06-061823-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-44-061823-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-WA-44-061823-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-FB-061823-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	2.8 U	2.8	ug	2.8 U
EPD-ST-FB-061823-2	IHGC-P029	141-32-2	n-Butyl acrylate	1.3 U	1.3	ug	1.3 U

Site Name	E Palestine Site - ER		TO/TOLIN No.	68HE0520F0032/0001EB201	
Document Tracking No.	2013b		TO/TOLIN NO.		
Laboratory Report No.	B171-151		Laboratory	Eurofins Analytics, LLC – Ashland, VA	
Analyses 2-Ethylhexyl acrylate and n-butyl acrylate		by	laboratory standard ope	erating procedure (SOP) IHGC-P029	
Samples and Matrix	Nine air samples including one field blank sample				
Collection Date(s)	06/18/2023				
Field Duplicate Pairs	None				
Field QC Blanks	EPD-ST-FB-061823-1				

INTRODUCTION

This checklist summarizes the Stage 2A validation performed on the subject laboratory report, in accordance with the U.S. Environmental Protection Agency (EPA) *Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use* (January 2009). Analytical data were evaluated in general accordance with the Tetra Tech *Quality Assurance Project Plan East Palestine Train Derailment Site East Palestine, Columbiana County, Ohio, Revision 3* (April 2023), the Tetra Tech *Quality Assurance Project Plan, Superfund Technical Assessment and Response Team (START V), EPA Region 5, Revision 4* (August 2022), and the EPA *National Functional Guidelines (NFG) for Organic Superfund Methods Data Review* (November 2020).

OVERALL EVALUATION

No rejection or qualification of results was required for this data package. The results may be used as reported by the laboratory.



Data completeness:

Within Criteria	Exceedance/Notes
	The results for the field blank were reported in units of micrograms (μ g) while the other sample results were reported in units of μ g, milligrams per cubic meter (mg/m3), and parts per million (ppm) (volume) in the laboratory report and only ppm in the electronic data deliverable (EDD).
Y	The sample analysis time was reported as a default value of 00:00 hours for the LCSD in the analysis date field of the laboratory EDD. Since the sample analysis time for the LCSD is not required for the validated EDD, this value was not manually revised.
	Rohm & Haas IH9805 is cited in the AIHA certificate as "IHGC-P029" and may be cited by the abbreviation "Rohm & Haas IH9805" or "IHGC-P029" interchangeably throughout the laboratory report.

Sample preservation, receipt, and holding times:

Within Criteria	Exceedance/Notes
Υ	

Method blanks:

Within Criteria	Exceedance/Notes
Υ	

Field blanks:

Within Criteria	Exceedance/Notes
Υ	

Surrogates and labeled compounds:

Within Criteria	Exceedance/Notes
NA	

MS/MSDs:

Within Criteria	Exceedance/Notes
NA	

Laboratory duplicates:

Within Criteria	Exceedance/Notes
NA	

Field duplicates:

Within	Evenedance/Notes
Criteria	Exceedance/Notes
NA	

LCSs/LCSDs:

Within Criteria	Exceedance/Notes
N	The Level IV laboratory report and laboratory EDD have one minor discrepancy in the LCSD percent recoveries (+/- 1%) that was verified with the laboratory to be a significant figures issue. No qualification was applied.

Sample dilutions:

Within Criteria	Exceedance/Notes
NA	



Re-extraction and reanalysis:

Within Criteria	Exceedance/Notes
NA	

MDLs/RLs:

Within Criteria	Exceedance/Notes
Υ	Method detection limits were not reported. Nondetect sample results are reported as less than the reporting limit in the laboratory report and at the reporting limit (flagged U) in the validated EDD and attached analytical results summary.

Tentatively identified compounds:

Within Criteria	Exceedance/Notes
NA	

Other [None]:

Within Criteria	Exceedance/Notes
NA	



Overall Qualifications:

See results summary pages attached for changes to the laboratory qualifiers based upon this validation. The following is a list of qualifiers and definitions that may be used for the validation of this data package:

J	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.
J+	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be biased high.
J-	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be biased low.
NJ	The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated value is the approximate concentration of the analyte in the sample.
R	The sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not be present in the sample.
U	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit).
UJ	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit), which is considered approximate due to deficiencies in one or more quality control criteria.

E. PALESTINE SITE - ER AIR ANALYTICAL RESULTS SUMMARY EUROFINS ANALYTICS, LLC REPORT NO. B171-151

Samp_ID	Method	CAS_No	Analyte	Lab_ResultLab_Qual	RL	Units	VAL_Result VAL_Qual
EPD-ST-8H-DW-D-061823-1	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.014 U	0.014	ppm	0.014 U
EPD-ST-8H-DW-D-061823-1	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-UW-H-061823-1	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.014 U	0.014	ppm	0.014 U
EPD-ST-8H-UW-H-061823-1	IHGC-P029	141-32-2	n-Butyl acrylate	0.009 U	0.009	ppm	0.009 U
EPD-ST-8H-WA-01-061823-1	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.014 U	0.014	ppm	0.014 U
EPD-ST-8H-WA-01-061823-1	IHGC-P029	141-32-2	n-Butyl acrylate	0.009 U	0.009	ppm	0.009 U
EPD-ST-8H-WA-02-061823-1	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.014 U	0.014	ppm	0.014 U
EPD-ST-8H-WA-02-061823-1	IHGC-P029	141-32-2	n-Butyl acrylate	0.009 U	0.009	ppm	0.009 U
EPD-ST-8H-WA-03-061823-1	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.014 U	0.014	ppm	0.014 U
EPD-ST-8H-WA-03-061823-1	IHGC-P029	141-32-2	n-Butyl acrylate	0.009 U	0.009	ppm	0.009 U
EPD-ST-8H-WA-04-061823-1	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.014 U	0.014	ppm	0.014 U
EPD-ST-8H-WA-04-061823-1	IHGC-P029	141-32-2	n-Butyl acrylate	0.009 U	0.009	ppm	0.009 U
EPD-ST-8H-WA-05-061823-1	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.014 U	0.014	ppm	0.014 U
EPD-ST-8H-WA-05-061823-1	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-06-061823-1	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.016 U	0.016	ppm	0.016 U
EPD-ST-8H-WA-06-061823-1	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-FB-061823-1	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	2.8 U	2.8	ug	2.8 U
EPD-ST-FB-061823-1	IHGC-P029	141-32-2	n-Butyl acrylate	1.3 U	1.3	ug	1.3 U

Site Name	E Palestine Site - ER 2013c		TO/TOLIN No.	68HE0520F0032/0001EB201				
Document Tracking No.			TO/TOLIN NO.					
Laboratory Report No.	B172-022		Laboratory	Eurofins Analytics, LLC – Ashland, VA				
Analyses	n-Butyl acrylate analysis by NIOSH Method 1450M							
Samples and Matrix	32 air samples including 2 field blanks, 2 m	planks, 2 media blanks, and 3 field duplicate pairs						
Collection Date(s) 06/19/2023								
	EPD-PB-OD-02-061923-2/ EPD-PB-OD-022-061923-2							
Field Duplicate Pairs	EPD-PB-OD-06-061923-2/ EPD-PB-OD-066-061923-2							
	EPD-PB-WA-04-061923-2/ EPD-PB-WA-044-061923-2							
Field QC Blanks EPD-PB-FB-02-061923-2, EPD-PB-FB-03-06			23-2, EPD-PB-MB-02-06	1923-2, and EPD-PB-MB-03-061923-2				

INTRODUCTION

This checklist summarizes the Stage 2A validation performed on the subject laboratory report, in accordance with the U.S. Environmental Protection Agency (EPA) *Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use* (January 2009). Analytical data were evaluated in general accordance with the Tetra Tech *Quality Assurance Project Plan East Palestine Train Derailment Site East Palestine, Columbiana County, Ohio, Revision 3* (April 2023), the Tetra Tech *Quality Assurance Project Plan, Superfund Technical Assessment and Response Team (START V), EPA Region 5, Revision 4* (August 2022), and the EPA *National Functional Guidelines (NFG) for Organic Superfund Methods Data Review* (November 2020).

OVERALL EVALUATION

No rejection or qualification of results was required for this data package. The results may be used as reported by the laboratory.



Data completeness:

Within Criteria	Exceedance/Notes
	The results for the field blank were reported in units of micrograms (μ g) while the other sample results were reported in units of μ g, milligrams per cubic meter (μ g/m3), and parts per million (μ g) (volume) in the laboratory report and only ppm in the electronic data deliverable (EDD).
N	The sample analysis time is reported as a default value of 00:00 hours for the LCSD in the analysis date field of the laboratory EDD. Since the sample analysis time for the LCSD is not required for the validated EDD, this value was not manually revised.
	The site-specific QAPP specifies analysis of acrylates in air by Eurofins Analytics, LLC standard operating procedure (SOP) IHGC-001-v.22-3. The laboratory confirmed that NIOSH Method 1450M, which is mentioned in the laboratory deliverables, is equivalent to SOP IHGC-001-v.22-3; therefore, these method references may be used interchangeably.

Sample preservation, receipt, and holding times:

Within Criteria	Exceedance/Notes
Υ	

Method blanks:

Within Criteria	Exceedance/Notes
Υ	

Field blanks:

Within Criteria	Exceedance/Notes
Υ	

Surrogates and labeled compounds:

Within Criteria	Exceedance/Notes
NA	

MS/MSDs:

Within Criteria	Exceedance/Notes
NA	

Laboratory duplicates:

Within Criteria	Exceedance/Notes
NA	

Field duplicates:

Withir Criteria	FXCEEDANCE/NOTES
Υ	



LCSs/LCSDs:

Within Criteria	Exceedance/Notes
	The laboratory report and laboratory EDD have a minor discrepancy in the LCSD result (+/- 1 ug) that was verified with the laboratory to be a significant figures issue. No qualifications were applied.
N	The site-specific QAPP requires a laboratory reagent blank (LRB), laboratory media blank (LMB), laboratory control sample (LCS), and LCS duplicate (LCSD) to be analyzed per batch of 20 samples. However, the laboratory analyzed 32 field samples in one sample preparation batch that included 1 LMB, 1 LCS, and 1 LCSD, when the batch should have included two LRBs, LMBs, LCSs, and LCSDs. The laboratory was contacted on August 8, 2023, about this deviation from the site-specific QAPP and agreed that moving forward they would follow the quality control (QC) sample frequency requirements in the site-specific QAPP. No qualifications were applied based on professional judgment because the QC sample results met the QAPP acceptance criteria, and the QC sample results from previous datasets for this project have met the QAPP acceptance criteria.

Sample dilutions:

Within Criteria	Exceedance/Notes
NA	

Re-extraction and reanalysis:

Within Criteria	Exceedance/Notes
NA	

MDLs/RLs:

Within Criteria	Exceedance/Notes
Υ	Method detection limits were not reported. Nondetect sample results are reported as less than the reporting limit in the laboratory report and at the reporting limit (flagged U) in the validated EDD and attached analytical results summary.

Tentatively identified compounds:

Within Criteria	Exceedance/Notes
NA	

Other [None]:

Within Criteria	Exceedance/Notes
NA	

Overall Qualifications:

See results summary pages attached for changes to the laboratory qualifiers based upon this validation. The following is a list of qualifiers and definitions that may be used for the validation of this data package:

	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.
J	
J+	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be
	biased high.
١.	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be
J-	biased low.
NII	The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated value is the approximate
NJ	concentration of the analyte in the sample.
В	The sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not
R	be present in the sample.
U	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit).
UJ	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit), which is considered approximate
	due to deficiencies in one or more quality control criteria.

E. PALESTINE SITE - ER AIR ANALYTICAL RESULTS SUMMARY EUROFINS ANALYTICS, LLC REPORT NO. B172-022

Samp_ID	Method	CAS_No Ana	llyte	Lab_Result I	_ab_Qual_RL	Units	VAL_Result	VAL_Qual
EPD-PB-BKBA-01-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U
EPD-PB-BKBA-02-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U
EPD-PB-CM-06-061923-2	NIOSH Method 1450M	141-32-2 n-Bu	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U
EPD-PB-CM-07-061923-2	NIOSH Method 1450M	141-32-2 n-Bu	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U
EPD-PB-CM-08-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U
EPD-PB-CM-09-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U
EPD-PB-CM-10-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U
EPD-PB-CM-11-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U
EPD-PB-CM-12-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U
EPD-PB-CM-14-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U
EPD-PB-DW-G-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U
EPD-PB-FB-02-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	2 ا	J 2	ug	2	U
EPD-PB-FB-03-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	2 ا	J 2	ug	2	U
EPD-PB-MB-02-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	2 ا	J 2	ug	2	U
EPD-PB-MB-03-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	2 ا	J 2	ug	2	U
EPD-PB-OD-01-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U
EPD-PB-OD-02-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U
EPD-PB-OD-022-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U
EPD-PB-OD-03-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U
EPD-PB-OD-04-061923-2	NIOSH Method 1450M	141-32-2 n-Bu	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U
EPD-PB-OD-05-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U
EPD-PB-OD-06-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U
EPD-PB-OD-066-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U
EPD-PB-OD-07-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U
EPD-PB-UW-C-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U
EPD-PB-WA-01-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U
EPD-PB-WA-02-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U
EPD-PB-WA-03-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U
EPD-PB-WA-04-061923-2	NIOSH Method 1450M	141-32-2 n-Bı		0.0091 เ		ppm	0.0091	
EPD-PB-WA-044-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U
EPD-PB-WA-05-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U
EPD-PB-WA-06-061923-2	NIOSH Method 1450M	141-32-2 n-Bı	utyl acrylate	0.0091 เ	J 0.0091	ppm	0.0091	U

Site Name E Palestine Site - ER			TO/TOLIN No.	68HE0520F0032/0001EB201	
Document Tracking No.	2013d		TO/TOLIN NO.	08HEU32UFUU32/00U1EB2U1	
Laboratory Report No.	B172-023		Laboratory	Eurofins Analytics, LLC – Ashland, VA	
Analyses 2-Ethylhexyl acrylate and n-butyl acryla		by	laboratory standard ope	erating procedure (SOP) IHGC-P029	
Samples and Matrix Ten air samples including one field blank ar		nd	one field duplicate pair		
Collection Date(s) 06/19/2023					
Field Duplicate Pairs	EPD-ST-8H-WA-02-061923-2/ EPD-ST-8H-WA-22-061923-2				
Field QC Blanks EPD-ST-FB-061923-2					

INTRODUCTION

This checklist summarizes the Stage 2A validation performed on the subject laboratory report, in accordance with the U.S. Environmental Protection Agency (EPA) *Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use* (January 2009). Analytical data were evaluated in general accordance with the Tetra Tech *Quality Assurance Project Plan East Palestine Train Derailment Site East Palestine, Columbiana County, Ohio, Revision 3* (April 2023), the Tetra Tech *Quality Assurance Project Plan, Superfund Technical Assessment and Response Team (START V), EPA Region 5, Revision 4* (August 2022), and the EPA *National Functional Guidelines (NFG) for Organic Superfund Methods Data Review* (November 2020).

OVERALL EVALUATION

No rejection or qualification of results was required for this data package. The results may be used as reported by the laboratory.



Data completeness:

Within Criteria	Exceedance/Notes
	The results for the field blank were reported in units of micrograms (μ g) while the other sample results were reported in units of μ g, milligrams per cubic meter (mg/m3), and parts per million (ppm) (volume) in the laboratory report and only ppm in the electronic data deliverable (EDD).
N	The sample analysis time was reported as a default value of 00:00 hours for the LCSD in the analysis date field of the laboratory electronic data deliverable (EDD). The sample analysis time for the LCSD is not required for the validated EDD; therefore, this value was not manually revised.
	Rohm & Haas IH9805 is cited in the AIHA certification as "IHGC-P029" and may be cited by the abbreviation "Rohm & Haas" or "IHGC-P029" interchangeably throughout the laboratory report.

Sample preservation, receipt, and holding times:

Within Criteria	Exceedance/Notes
Υ	

Method blanks:

Within Criteria	Exceedance/Notes
Υ	

Field blanks:

Within Criteria	Exceedance/Notes
Υ	

Surrogates and labeled compounds:

Within Criteria	Exceedance/Notes
NA	

MS/MSDs:

Within Criteria	Exceedance/Notes
NA	

Laboratory duplicates:

Within Criteria	Exceedance/Notes
NA	

Field duplicates:

Within	Evenedones /Notes
Criteria	Exceedance/Notes
Υ	

LCSs/LCSDs:

Within Criteria	Exceedance/Notes
N	The Level IV laboratory report and laboratory EDD have one minor discrepancy in the LCSD results (+/- 1 ug) that was verified with the laboratory to be a significant figures issue. No qualifications were applied.

Sample dilutions:

Within Criteria	FXCEPGANCE/NOTES				
Υ					



Re-extraction and reanalysis:

Within Criteria	FXCEPDANCE/NOTES
NA	

MDLs/RLs:

Within Criteria	Exceedance/Notes
Y	Method detection limits were not reported. Non-detect sample results are reported as less than the reporting limit in the laboratory report and at the reporting limit (flagged U) in the validated EDD and attached analytical results summary.

Tentatively identified compounds:

Within Criteria	Exceedance/Notes					
NA						

Other [None]:

_	•	•
	Within	Evenedones /Netes
	Criteria	Exceedance/Notes
	NA	

Overall Qualifications:

See results summary pages attached for changes to the laboratory qualifiers based upon this validation. The following is a list of qualifiers and definitions that may be used for the validation of this data package:

J	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.					
J+	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be biased high.					
J-	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be biased low.					
NJ	The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated value is the approximate concentration of the analyte in the sample.					
R	The sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not be present in the sample.					
U	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit).					
UJ	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit), which is considered approximate due to deficiencies in one or more quality control criteria.					

E. PALESTINE SITE - ER AIR ANALYTICAL RESULTS SUMMARY EUROFINS ANALYTICS, LLC REPORT NO. B172-023

Samp_ID	Method	CAS_No	Analyte	Lab_Result Lab_Qual	RL	Units VAL_	_Result VAL_Qual
EPD-ST-8H-DW-G-061923-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-DW-G-061923-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-UW-C-061923-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-UW-C-061923-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-01-061923-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-WA-01-061923-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-02-061923-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-WA-02-061923-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-03-061923-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-WA-03-061923-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-04-061923-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-WA-04-061923-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-05-061923-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.014 U	0.014	ppm	0.014 U
EPD-ST-8H-WA-05-061923-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.009 U	0.009	ppm	0.009 U
EPD-ST-8H-WA-06-061923-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.016 U	0.016	ppm	0.016 U
EPD-ST-8H-WA-06-061923-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-22-061923-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-WA-22-061923-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-FB-061923-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	2.8 U	2.8	ug	2.8 U
EPD-ST-FB-061923-2	IHGC-P029	141-32-2	n-Butyl acrylate	1.3 U	1.3	ug	1.3 U