



CLIENT NOTIFICATION Positive Coliform Report

6/16/2023 4:35:04 PM

Sample Delivery Group: GCO29060

Location Code: USEPA-REGION1

Project: HARTFORD MS4

Phoenix ID	Client Id	Matrix	Rush	T-COLI			E-COLI			F-COLI			ENTERO		
				Result	Units	Date	Result	Units	Date	Result	Units	Date	Result	Units	Date
CO29060	HART09	SW		>24200	mpn/100mls	06/15/23	1920	mpn/100mls	06/15/23	n.a.			448	mpn/100mls	06/15/23
CO29061	HART01D	SW		1110	mpn/100mls	06/15/23	75	mpn/100mls	06/15/23	n.a.			20	mpn/100mls	06/15/23
CO29062	HART01AG	SW		>24200	mpn/100mls	06/15/23	161	mpn/100mls	06/15/23	n.a.			292	mpn/100mls	06/15/23
CO29063	HART01C	SW		>24200	mpn/100mls	06/15/23	9800	mpn/100mls	06/15/23	n.a.			13000	mpn/100mls	06/15/23
CO29064	HART10A	SW		>24200	mpn/100mls	06/15/23	602	mpn/100mls	06/15/23	n.a.			842	mpn/100mls	06/15/23
CO29065	HART12F	SW		>24200	mpn/100mls	06/15/23	1040	mpn/100mls	06/15/23	n.a.			717	mpn/100mls	06/15/23

Contact: AutoNotify

Date: 6/16/2023 4:35:04 PM

Comments: Client Auto Notified via email: wyberg.wesley@epa.gov; Shea.Shannon@epa.gov