

We are in the process of ensuring this document is accessible to all audiences. If you need assistance accessing this document, or any material on the EPA East Palestine, Ohio emergency response web pages, please contact the Region 5 Public Information Officer on-call at: R5_EastPalestine@epa.gov

November 14, 2023

Mr. Josh Peters On-Scene Coordinator U.S. Environmental Protection Agency, Region 5 Superfund and Emergency Management Division 2565 Plymouth Road Ann Arbor, MI 48105

Subject: Data Validation Report E Palestine Site - ER EPA Contract No.: 68HE0519D0005 Task Order/Task Order Line Item No.: 68HE0520F0032/0001EB201 Document Tracking No. 2130

Dear Mr. Peters:

Tetra Tech, Inc. (Tetra Tech) is submitting this data validation report for 56 air samples (including 2 field duplicate samples, 4 field blank samples, and 1 media blank) collected at the E Palestine site. The samples were collected on May 6, May 9, May 10, and May 12, 2023, and were analyzed for acrylates by Eurofins Analytics, LLC Ashland, Virginia laboratory. The final laboratory data package was received on September 18, 2023.

Analytical data were evaluated in general accordance with the Tetra Tech Quality Assurance Project Plan, East Palestine Train Derailment Site, East Palestine, Columbiana County, Ohio, Revision 3 (April 2023), the Tetra Tech Quality Assurance Project Plan, Superfund Technical Assessment and Response Team (START V), EPA Region 5, Revision 4 (August 2022), and the National Functional Guidelines (NFG) for Organic Superfund Methods Data Review (November 2020).

No qualification or rejection of results was required for these data packages. The results may be used as reported by the laboratory.

If you have any questions regarding this data validation report, please contact me via the project manager.

Sincerely,

Amelia Byl Digitally signed by Amelia Byl Date: 2023.11.14 07:05:25-07'00'

Environmental Chemist

Enclosure

cc: Karl Schultz, Tetra Tech Program Manager Dustin Grams, Tetra Tech Project Manager Mayra Arroyo Ortiz, Tetra Tech Project Document Control Coordinator TO-TOLIN File

ATTACHMENT

DATA VALIDATION REPORT EUROFINS ANALYTICS, LLC REPORT NOS. B129-154, B131-034, B132-311, B135-239

Document Tracking No.2130aLaboratory Report No.B129-154Laboratory Report No.B129-154Analysesn-Butyl acrylate by NIOSH Method 1450Samples and Matrix29 air samples including 1 field blank, 1Collection Date(s)05/06/23Field Duplicate PairsEPD-PB-CM-11-050623-1/EPD-PB-CM-1.	E Palestine Site - ER		
· ·			<u>αδηευσζυγυυσζη υυυτεβζυτ</u>
	B129-154	Laboratory	Eurofins Analytics, LLC – Ashland, VA
	n-Butyl acrylate by NIOSH Method 1450M		
	29 air samples including 1 field blank, 1 media blank, and 2 field duplicate pairs	dia blank, and 2 field dupl	cate pairs
	05/06/23		
	EPD-PB-WA-02-050623-1/EPD-PB-WA-022-050623-1	-050623-1	
	EPD-PB-CM-11-050623-1/EPD-PB-CM-111-050623-1	050623-1	
Field QC Blanks EPD-PB-FB-01-050623-1 and EPD-PB-ME	EPD-PB-FB-01-050623-1 and EPD-PB-MB-01-050623-1	1-050623-1	

INTRODUCTION

Protection Agency (EPA) Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use (January 2009). Analytical data Team (START V), EPA Region 5, Revision 4 (August 2022), and the EPA National Functional Guidelines (NFG) for Organic Superfund Methods Data Columbiana County, Ohio, Revision 3 (April 2023), the Tetra Tech Quality Assurance Project Plan, Superfund Technical Assessment and Response were evaluated in general accordance with the Tetra Tech Quality Assurance Project Plan East Palestine Train Derailment Site East Palestine, This checklist summarizes the Stage 2A validation performed on the subject laboratory report, in accordance with the U.S. Environmental *Review* (November 2020).

OVERALL EVALUATION

No rejection or qualification of results was required for this data package. The results may be used as reported by the laboratory.



CHECKLIST – STAGE 2A	TART CONTRACT
DATA VALIDATION CHECKLIST	EPA REGION 5 START CONTRA

Data completeness:

Criteria Level II laboratory report does not this data validation effort. Level II laboratory report does not this data validation effort. The results for the field blank and reported in units of ppm in the laboratory elin of custody (COC) form. The rate informed this validation. No qualificat during this validation. No qualificat during this validation. No qualificat validation effort, extraction times validation effort, extraction times validation log	
	Exceedance/Notes
	eport does not include some required QC information; therefore, the Level IV laboratory report was used for effort.
	The results for the field blank and media blank were reported in units of micrograms (μg) while the other field sample results were reported in units of μg, milligrams per cubic meter (mg/m3), and parts per million (ppm) (volume) in the laboratory report and only in units of ppm in the laboratory electronic data deliverable (EDD).
	The site-specific QAPP specifies analysis of acrylates in air by Eurofins Analytics, LLC standard operating procedure (SOP) IHGC-001- v.22-3. The laboratory confirmed that NIOSH Method 1450M, which is mentioned in the laboratory deliverables, is equivalent to SOP IHGC-001-v.22-3; therefore, these method references may be used interchangeably.
The extraction date and validation effort, extrac match those in the prel	To facilitate sample reporting, large sample delivery groups may be logged by the laboratory separately by individual pages of the chain of custody (COC) form. The ratio of field QC samples (field blanks, media blanks, field duplicates) to non-QC field samples is monitored independent of this validation and therefore the ratio of field QC samples to non-QC field samples to non-QC field samples is during this validation. No qualifications were applied because all field sample results were nondetect.
	The extraction date and time information in the laboratory EDD do not match the laboratory report or is blank. During the data validation effort, extraction times were deleted from the validated EDD and the extraction dates were corrected (as needed) to match those in the preparation log in the laboratory report.
Note, the following fiel Date_Extracted, and Da then the entered value	Note, the following fields in the laboratory EDD may be formatted as date only or as date/time: Date_Collected, Date_Received, Date_Extracted, and Date_Analyzed. The time value was not required to be provided in the EDD. If no time value was provided, then the entered value may appear as date only or with a default time value of 0:00, 00:00, or similar.
A unique sample ID for the LCSD w QC sample data when validated ED of the validated EDD were manuall	A unique sample ID for the LCSD was not provided in the laboratory EDD. Unique sample IDs are needed to avoid overwriting other QC sample data when validated EDDs are uploaded to the Scribe database. The LCSD ID in the Samp_No and Lab_Samp_No fields of the validated EDD were manually revised to match those in the laboratory report.



Within Criteria	Within Exceedance/Notes Criteria
>	The laboratory report included a revised COC form. Both the original and revised COC forms are included in the laboratory report. No qualifications were applied.
Method blanks:	olanks:
Within Criteria	Exceedance/Notes
z	Nondetect results for laboratory reagent blank LRB IHG230511A was reported as "0" in the laboratory EDD rather than at the reporting limit (RL). Additionally, the laboratory method blank LMB IHG230511A detected n-butyl acrylate at a concentration less than the reporting limit. The laboratory was contacted on August 28, 2023, and resolved the LMB and LRB results in future laboratory EDDs. No qualifications were applied because all n-butyl acrylate sample results were nondetect.
Field blanks:	iks:
Within Criteria	Exceedance/Notes
z	One field blank sample was included in this data package although the site-specific QAPP specifies the collection of 1 field blank per 20 field samples. No qualifications were applied because all sample results were nondetect.
Surrogate	Surrogates and labeled compounds:
Within Criteria	Exceedance/Notes
NA	
MS/MSDs:	
Within Criteria	Exceedance/Notes
NA	





and LCS duplicate (LCSD) to be analyzed per batch of 20 samples. However, the laboratory analyzed 29 field samples in one sample and/or percent recoveries (+/- 1%) that were verified with the laboratory to be significant figures issue(s). No qualifications were preparation batch that included one LRB, LMB, LCS, and LCSD, when the batch should have included two LRBs, laboratory media agreed that moving forward they would follow the quality control (QC) sample frequency requirements in the site-specific QAPP. No qualifications were applied based on professional judgment because the QC sample results met the QAPP acceptance criteria, The site-specific QAPP requires a laboratory reagent blank (LRB), laboratory media blank (LMB), laboratory control sample (LCS), The laboratory report and laboratory EDD have one or more minor discrepancies in the LCS/LCSD results (+/- 1 ug), RPDs (+/-2%) Two field duplicate samples were included in this data package although the site-specific QAPP specifies the collection of 1 field blanks, LCSs, and LCSDs. The laboratory was contacted on August 8, 2023 about this deviation from the site-specific QAPP and and the QC sample results from previous datasets for this project have met the QAPP acceptance criteria. duplicate sample per 10 field samples. Based on professional judgement, no gualifications were applied. Exceedance/Notes Exceedance/Notes Exceedance/Notes Laboratory duplicates: applied. Field duplicates: LCSs/LCSDs: Criteria Criteria Within Criteria Within Within ٩N

z

DATA VALIDATION CHECKLIST – STAGE 2A EPA REGION 5 START CONTRACT

Sample dilutions:

z

Exceedance/Notes	
Within Criteria	NA



Re-extraction and reanalysis:

Within Criteria	Exceedance/Notes
NA	

MDLs/RLs: Within

Criteria	
~	Method detection limits were not reported. Non-detect sample results are reported as less than the reporting limit in the laboratory report and at the reporting limit (flagged U) in the validated EDD and attached analytical results summary.

Tentatively identified compounds:

Other [None]:

Within Criteria	Exceedance/Notes
NA	



Overall Qualifications:

See results summary pages attached for changes to the laboratory qualifiers based upon this validation. The following is a list of qualifiers and definitions that may be used for the validation of this data package:

	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.
-	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be
5	biased high.
	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be
<u>-</u>	biased low.
2	The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated value is the approximate
	concentration of the analyte in the sample.
٥	The sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not
٢	be present in the sample.
	U The analyte was analyzed for, but was not detected at or above the associated value (reporting limit).
=	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit), which is considered approximate
5	due to deficiencies in one or more quality control criteria.



Sample_ID	Method	CAS#	Analyte	Lab_Result Lab_Qual	al RL	Units	Units VAL_Result VAL_Qual
EPD-PB-BKBA-01-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	mdd	0.0091 U
EPD-PB-BKBA-02-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	bpm	0.0091 U
EPD-PB-CM-06-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	bpm	0.0091 U
EPD-PB-CM-07-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	bpm	0.0091 U
EPD-PB-CM-08-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	bpm	0.0091 U
EPD-PB-CM-09-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	bpm	0.0091 U
EPD-PB-CM-10-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	bpm	0.0091 U
EPD-PB-CM-11-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	bpm	0.0091 U
EPD-PB-CM-111-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	mdd	0.0091 U
EPD-PB-CM-12-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	bpm	0.0091 U
EPD-PB-CM-14-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	bpm	0.0091 U
EPD-PB-DW-E-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	bpm	0.0091 U
EPD-PB-FB-01-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	2 U	2	ng	2 U
EPD-PB-MB-01-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	2 U	2	gn	2 U
EPD-PB-OD-01-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	bpm	0.0091 U
EPD-PB-OD-02-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	bpm	0.0091 U
EPD-PB-OD-03-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	bpm	0.0091 U
EPD-PB-OD-04-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	bpm	0.0091 U
EPD-PB-OD-05-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	bpm	0.0091 U
EPD-PB-OD-06-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	bpm	0.0091 U
EPD-PB-OD-07-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	bpm	0.0091 U
EPD-PB-UW-A-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	bpm	0.0091 U
EPD-PB-WA-01-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	bpm	0.0091 U
EPD-PB-WA-02-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	bpm	0.0091 U
EPD-PB-WA-022-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	bpm	0.0091 U
EPD-PB-WA-03-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	bpm	0.0091 U
EPD-PB-WA-04-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	bpm	0.0091 U
EPD-PB-WA-05-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	bpm	0.0091 U
EPD-PB-WA-06-050623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	bpm	0.0091 U

E PALESTINE SITE - ER AIR ANALYTICAL RESULTS SUMMARY EUROFINS ANALYTICS, LLC REPORT NO. B129-154

Page 1 of 1

Site Name	E Palestine Site - ER		201E0E30E0033 /0001E2304
Document Tracking No.	2130b		ΔΟΠΕΩ3ζΩΓΟΩ3ζ/ ΔΟΩΤΕΒζΩΤ
Laboratory Report No.	B131-034	Laboratory	Eurofins Analytics, LLC – Ashland, VA
Analyses	2-Ethylhexyl acrylate and n-butyl acrylate by laboratory standard operating procedure (SOP) IHGC-P029	laboratory standard ope	rating procedure (SOP) IHGC-P029
Samples and Matrix	Nine air samples including one field blank		
Collection Date(s)	05/09/2023		
Field Duplicate Pairs	None		
Field QC Blanks	EPD-ST-FB-050923-1		

INTRODUCTION

Protection Agency (EPA) Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use (January 2009). Analytical data Team (START V), EPA Region 5, Revision 4 (August 2022), and the EPA National Functional Guidelines (NFG) for Organic Superfund Methods Data Columbiana County, Ohio, Revision 3 (April 2023), the Tetra Tech Quality Assurance Project Plan, Superfund Technical Assessment and Response were evaluated in general accordance with the Tetra Tech Quality Assurance Project Plan East Palestine Train Derailment Site East Palestine, This checklist summarizes the Stage 2A validation performed on the subject laboratory report, in accordance with the U.S. Environmental Review (November 2020).

OVERALL EVALUATION

No rejection or qualification of results was required for this data package. The results may be used as reported by the laboratory.



Data completeness:	leteness:
Within Criteria	Exceedance/Notes
	The results for the field blank were reported in units of micrograms (μg) while the other sample results were reported in units of μg, milligrams per cubic meter (mg/m3), and parts per million (ppm) (volume) in the laboratory report and only in units of ppm in the laboratory electronic data deliverable (EDD).
z	Rohm & Haas IH9805 is cited in the AIHA certification as "IHGC-P029" and may be cited by the abbreviation "Rohm & Haas IH9805" or "IHGC-P029" interchangeably throughout the laboratory report.
	Note, the following fields in the laboratory EDD may be formatted as date only or as date/time: Date_Collected, Date_Received, Date_Extracted, and Date_Analyzed. The time value was not required to be provided in the EDD. If no time value was provided, then the entered value may appear as date only or with a default time value of 0:00, 00:00, or similar.
Sample pr	Sample preservation, receipt, and holding times:
Within Criteria	Exceedance/Notes
~	
Method blanks:	anks:
Within	Exceedance/Notes
Field blanks:	
Within Criteria	Exceedance/Notes
٨	



Surrogates	Surrogates and labeled compounds:
Within Criteria	Exceedance/Notes
NA	
MS/MSDs:	
Within Criteria	Exceedance/Notes
NA	
Laboratory	Laboratory duplicates:
Within Criteria	Exceedance/Notes
NA	
Field duplicates:	cates:
Within Criteria	Exceedance/Notes
z	Per the site-specific QAPP, 1 field duplicate sample is required per 20 samples collected. However, fewer than 1 field duplicate sample per 20 sample per 20 samples were collected with this sample group. Based on professional judgement, no qualifications were applied.
LCSs/LCSDs:	
Within	Evreedance/Notes
Criteria	
٢	
Sample dilutions:	utions:
Within Criteria	Exceedance/Notes
NA	



Re-extraction and reanalysis:

Within Criteria NA	

MDLs/RLs: Within

Tentatively identified compounds:

WITNIN	+olo (Not
Criteria	xceedance/ M
NA	

Other [None]:

Within Criteria NA	Exceedance/Notes



Overall Qualifications:

See results summary pages attached for changes to the laboratory qualifiers based upon this validation. The following is a list of qualifiers and definitions that may be used for the validation of this data package:

-	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.
-	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be
5	biased high.
_	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be
<u>'</u>	biased low.
Z	The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated value is the approximate
R	concentration of the analyte in the sample.
٥	The sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not
۷	be present in the sample.
	U The analyte was analyzed for, but was not detected at or above the associated value (reporting limit).
=	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit), which is considered approximate
5	due to deficiencies in one or more quality control criteria.



)					
Sample_ID	Method	CAS#	Analyte	Lab_Result Lab_Qual RL	ual RL	Units VA	Units VAL_Result VAL_Qual
EPD-ST-8H-DW-E-050923-1	IHGC-P029	29 103-11-7	2-Ethylhexyl acrylate	0.014 U	0.014	bpm	0.014 U
EPD-ST-8H-DW-E-050923-1	IHGC-P029	141-32-2	n-Butyl acrylate	0.009 U	0.009	ppm	0.009 U
EPD-ST-8H-UW-A-050923-1 IHGC-P029 103-11-7 2-Ethylhexyl acrylate	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	mdd	0.015 U
EPD-ST-8H-UW-A-050923-1 IHGC-P02	IHGC-P029	141-32-2	29 141-32-2 n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-01-050923-1 IHGC-P029 103-11-7 2-Ethylhexyl acrylate	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.016 U	0.016	bpm	0.016 U
EPD-ST-8H-WA-01-050923-1 IHGC-P029 141-32-2 n-Butyl acrylate	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-02-050923-1 IHGC-P029	IHGC-P029	103-11-7	103-11-7 2-Ethylhexyl acrylate	0.013 U	0.013	bpm	0.013 U
EPD-ST-8H-WA-02-050923-1 IHGC-P02	IHGC-P029	141-32-2	n-Butyl acrylate	0.009 U	0.009	ppm	0.009 U
EPD-ST-8H-WA-03-050923-1 IHGC-P029 103-11-7 2-Ethylhexyl acrylate	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	bpm	0.015 U
EPD-ST-8H-WA-03-050923-1 IHGC-P029 141-32-2 n-Butyl acrylate	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-04-050923-1 IHGC-P029 103-11-7 2-Ethylhexyl acrylate	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.016 U	0.016	bpm	0.016 U
EPD-ST-8H-WA-04-050923-1 IHGC-P029	IHGC-P029	141-32-2	141-32-2 n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-05-050923-1 IHGC-P029 103-11-7 2-Ethylhexyl acrylate	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.014 U	0.014	bpm	0.014 U
EPD-ST-8H-WA-05-050923-1 IHGC-P02	IHGC-P029	141-32-2	n-Butyl acrylate	0.009 U	0.009	ppm	0.009 U
EPD-ST-8H-WA-06-050923-1 IHGC-P029 103-11-7 2-Ethylhexyl acrylate	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.016 U	0.016	bpm	0.016 U
EPD-ST-8H-WA-06-050923-1 IHGC-P029 141-32-2 n-Butyl acrylate	IHGC-P029	141-32-2	n-Butyl acrylate	0.011 U	0.011	ppm	0.011 U
EPD-ST-FB-050923-1	IHGC-P029	103-11-7	IHGC-P029 103-11-7 2-Ethylhexyl acrylate	2.8 U	2.8	ßn	2.8 U
EPD-ST-FB-050923-1	IHGC-P029	141-32-2	IHGC-P029 141-32-2 n-Butyl acrylate	1.3 U	1.3	gn	1.3 U

Site Name	E Palestine Site - ER		60LENE20F0033 (0001 EB201
Document Tracking No.	2130c		Δομευσζυγυυσζ/υυυτεβζυτ
Laboratory Report No.	B132-311	Laboratory	Eurofins Analytics, LLC – Ashland, VA
Analyses	2-Ethylhexyl acrylate and n-Butyl acrylate by laboratory standard operating procedure (SOP) IHGC-P029	laboratory standard ope	rating procedure (SOP) IHGC-P029
Samples and Matrix	Nine air samples including one field blank		
Collection Date(s)	05/10/2023		
Field Duplicate Pairs	None		
Field QC Blanks	EPD-ST-FB-051023-1		

INTRODUCTION

Protection Agency (EPA) Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use (January 2009). Analytical data Team (START V), EPA Region 5, Revision 4 (August 2022), and the EPA National Functional Guidelines (NFG) for Organic Superfund Methods Data Columbiana County, Ohio, Revision 3 (April 2023), the Tetra Tech Quality Assurance Project Plan, Superfund Technical Assessment and Response were evaluated in general accordance with the Tetra Tech Quality Assurance Project Plan East Palestine Train Derailment Site East Palestine, This checklist summarizes the Stage 2A validation performed on the subject laboratory report, in accordance with the U.S. Environmental Review (November 2020).

OVERALL EVALUATION

No rejection or qualification of results was required for this data package. The results may be used as reported by the laboratory.



ATION CHECKLIST – STAGE 2A	EPA REGION 5 START CONTRACT
DATA VALIDATION	EPA REGION 5

Data completeness:

14/14L	
Criteria	Exceedance/Notes
	The laboratory noted that the back section of sorbent tube sample EPD-ST-8H-WA-01-051023-1 was missing; therefore, evaluation of breakthrough was not possible for this sample. No qualifications were applied because sample EPD-ST-8H-WA-01-051023-1 was nondetect for 2-Ethylhexyl acrylate and n-Butyl acrylate; therefore, breakthrough evaluation is not relevant in this circumstance.
	The results for the field blank were reported in units of micrograms (μg) while the other sample results were reported in units of μg, milligrams per cubic meter (mg/m3), and parts per million (ppm) (volume) in the laboratory report and only in units of ppm in the laboratory electronic data deliverable (EDD).
	Rohm & Haas IH9805 is cited in the AIHA certification as "IHGC-P029" and may be cited by the abbreviation "Rohm & Haas IH9805" or "IHGC-P029" interchangeably throughout the laboratory report.
z	The extraction date and time information in the laboratory EDD do not match the laboratory report or is blank. During the data validation effort, the extraction times were deleted from the validated EDD and the extraction date was corrected (as needed) to match those in the preparation log in the laboratory report.
	Note: the following fields in the laboratory EDD may be formatted as date only or as date/time: Date_Collected, Date_Received, Date_Extracted, and Date_Analyzed. The time value was not required to be provided in the EDD. If no time value was provided, then the entered value may appear as date only or with a default time value of 0:00, 00:00, or similar.A unique sample ID for LCSD was not provided in the laboratory EDD. Unique sample IDs are needed to avoid overwriting other QC sample data when validated EDDs are uploaded to the Scribe database. The LCSD ID in the Samp_No and Lab_Samp_No fields of the validated EDDs we manually revised to match those in the laboratory report.
	The laboratory EDD Lab_Samp_No fields for the laboratory quality control (QC) samples (LCS, LCSD, LMB, and LRB) were not unique IDs. The lab QC sample IDs in the Lab_Samp_No field of the validated EDD were manually revised to match those in the Samp_No field and the laboratory report.



Sample pré	Sample preservation, receipt, and holding times:
Within Criteria	Exceedance/Notes
γ	
Method blanks:	anks:
Within Criteria	Exceedance/Notes
Z	Nondetect results for laboratory method blank LMB IHG230512C and laboratory reagent blank LRB IHG230512C were reported as "0" in the laboratory EDD rather than at the reporting limit (RL). The laboratory was contacted on August 28, 2023, and resolved the LMB and LRB results in future laboratory EDDs.
Field blanks:	S:
Within Criteria	Exceedance/Notes
۲	
Surrogates	Surrogates and labeled compounds:
Within Criteria	Exceedance/Notes
NA	
MS/MSDs:	
Within Criteria	Exceedance/Notes
NA	
Laboratory	Laboratory duplicates:
Within Criteria	Exceedance/Notes
NA	
ľ	TE TETRA TECH

Page 3 of 5

VALIDATION CHECKLIST – STAGE 2A	EPA REGION 5 START CONTRACT
DATA VAJ	EPA

Field duplicates:

N Per the site-specific QAPP, 1 field duplicate sample is requ	Exceedance/Notes
sample per 20 samples were collected with this sample gr	cific QAPP, 1 field duplicate sample is required per 20 samples collected. However, fewer than 1 field duplicate amples were collected with this sample group. Based on professional judgement, no qualifications were applied.

LCSs/LCSDs:

Within Criteria	Exceedance/Notes
z	The laboratory report(s) and the laboratory EDD have one or more minor discrepancies in the LCS/LCSD results (+/- 1 ug), RPDs (+/- 2%) and/or percent recoveries (+/- 1%) that were verified with the laboratory to be a significant figures issue. No qualifications were applied

Sample dilutions:

•	
Within Criteria	Exceedance/Notes
NA	

Re-extraction and reanalysis:

Within Criteria	Exceedance/Notes
NA	

MDLs/RLs:

Γ

Τ



ATION CHECKLIST – STAGE 2A	EPA REGION 5 START CONTRACT
DATA VALIDATION	EPA REGION 5

Tentatively identified compounds:

hin eria	Δ	Other [None]:	
Within Criteria	NA	Other [N	

Exceedance/Notes	
Within Criteria	NA

Overall Qualifications:

See results summary pages attached for changes to the laboratory qualifiers based upon this validation. The following is a list of qualifiers and definitions that may be used for the validation of this data package:

 ^{J+} The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be ^{J-} biased high. ^{J-} The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be ^{J-} biased low. ^{NJ} concentration of the analyte in the sample. ^{NJ} concentration of the analyte in the sample. ^N the sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not R be present in the sample. ^U The analyte was analyzed for, but was not detected at or above the associated value (reporting limit). which is considered approximate use to deficiencies in one or dulue (reporting limit), which is considered approximate 	-	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.
 ^{JT} biased high. ^{J-} The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be biased low. ^{J-} biased low. ^{NJ} The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated value is the approximate concentration of the analyte in the sample. ^{NJ} concentration of the analyte in the sample. ^N The sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not be present in the sample. ^U The analyte was analyzed for, but was not detected at or above the associated value (reporting limit). which is considered approximate due to deficiencies in one or more quale (reporting limit), which is considered approximate 	-	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be
 J- The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be biased low. N The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated value is the approximate concentration of the analyte in the sample. N The sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not be present in the sample. U The analyte was analyzed for, but was not detected at or above the associated value (reporting limit). The analyte was analyzed for, but was not detected at or above the associated value (reporting limit), which is considered approximate due to deficiencies. 	5	biased high.
 ^J biased low. NI The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated value is the approximate concentration of the analyte in the sample. NI concentration of the analyte in the sample. R the sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not be present in the sample. U The analyte was analyzed for, but was not detected at or above the associated value (reporting limit). U The analyte was analyzed for, but was not detected at or above the associated value (reporting limit), which is considered approximate due to deficiencies in one or more quale to criteria. 	_	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be
 The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated value is the approximate concentration of the analyte in the sample. The sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not be present in the sample. The analyte was analyzed for, but was not detected at or above the associated value (reporting limit). The analyte was analyzed for, but was not detected at or above the associated value (reporting limit), which is considered approximate due to deficiencies in one or none (reporting limit), which is considered approximate 	<u>'</u>	biased low.
 concentration of the analyte in the sample. The sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not be present in the sample. The analyte was analyzed for, but was not detected at or above the associated value (reporting limit). The analyte was analyzed for, but was not detected at or above the associated value (reporting limit). due to deficiencies in one or more quality control criteria. 	Z	The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated value is the approximate
 The sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not be present in the sample. U The analyte was analyzed for, but was not detected at or above the associated value (reporting limit). U The analyte was analyzed for, but was not detected at or above the associated value (reporting limit), which is considered approximate due to deficiencies in one or more quality control criteria. 	2	concentration of the analyte in the sample.
 be present in the sample. U The analyte was analyzed for, but was not detected at or above the associated value (reporting limit). U The analyte was analyzed for, but was not detected at or above the associated value (reporting limit), which is considered approximate due to deficiencies in one or more quality control criteria. 		The sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not
 U The analyte was analyzed for, but was not detected at or above the associated value (reporting limit). U The analyte was analyzed for, but was not detected at or above the associated value (reporting limit), which is considered approximate due to deficiencies in one or more quality control criteria. 	۷	be present in the sample.
U due to deficiencies in one or more quality control criteria.		The analyte was analyzed for, but was not detected at or above the associated value (reporting limit).
due to deficiencies in one or more quality control criteria.	Ξ	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit), which is considered approximate
	3	due to deficiencies in one or more quality control criteria.



Sampla ID	Mathod			lah Result lah Oual RI	IN IN	l nito	Inits VAI Result VAI Out
EPD-ST-8H-DW-E-051023-1	IHGC-P029	103-11-7	IHGC-P029 103-11-7 2-Ethvlhexvl acrvlate	0.015 U	0.015	maa	0.015 U
EPD-ST-8H-DW-E-051023-1		141-32-2	IHGC-P029 141-32-2 n-Butyl acrylate	0.01 U	0.01	bhm	0.01 U
EPD-ST-8H-UW-A-051023-1	IHGC-P029	103-11-7	IHGC-P029 103-11-7 2-Ethylhexyl acrylate	0.015 U	0.015	bpm	0.015 U
EPD-ST-8H-UW-A-051023-1 IHGC-P029 141-32-2 n-Butyl acrylate	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	bpm	0.01 U
EPD-ST-8H-WA-01-051023-1 IHGC-P029 103-11-7 2-Ethylhexyl acrylate	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.016 U	0.016	bpm	0.016 U
EPD-ST-8H-WA-01-051023-1 IHGC-P029 141-32-2 n-Butyl acrylate	IHGC-P029	141-32-2	n-Butyl acrylate	0.011 U	0.011	bpm	0.011 U
EPD-ST-8H-WA-02-051023-1 IHGC-P029 103-11-7 2-Ethylhexyl acrylate	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	bpm	0.015 U
EPD-ST-8H-WA-02-051023-1 IHGC-P029 141-32-2 n-Butyl acrylate	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	bpm	0.01 U
EPD-ST-8H-WA-03-051023-1 IHGC-P029 103-11-7 2-Ethylhexyl acrylate	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.016 U	0.016	bpm	0.016 U
EPD-ST-8H-WA-03-051023-1 IHGC-P029 141-32-2 n-Butyl acrylate	IHGC-P029	141-32-2	n-Butyl acrylate	0.011 U	0.011	bpm	0.011 U
EPD-ST-8H-WA-04-051023-1 IHGC-P029 103-11-7 2-Ethylhexyl acrylate	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.013 U	0.013	bpm	0.013 U
EPD-ST-8H-WA-04-051023-1 IHGC-P029 141-32-2 n-Butyl acrylate	IHGC-P029	141-32-2	n-Butyl acrylate	0.009 U	0.009	bpm	0.009 U
EPD-ST-8H-WA-05-051023-1 IHGC-P029 103-11-7 2-Ethylhexyl acrylate	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.014 U	0.014	bpm	0.014 U
EPD-ST-8H-WA-05-051023-1 IHGC-P029 141-32-2 n-Butyl acrylate	IHGC-P029	141-32-2	n-Butyl acrylate	0.009 U	0.009	bpm	0.009 U
EPD-ST-8H-WA-06-051023-1 IHGC-P029 103-11-7 2-Ethylhexyl acrylate	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	bpm	0.015 U
EPD-ST-8H-WA-06-051023-1 IHGC-P029 141-32-2 n-Butyl acrylate	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-FB-051023-1	IHGC-P029	103-11-7	IHGC-P029 103-11-7 2-Ethylhexyl acrylate	2.8 U	2.8	вn	2.8 U
EPD-ST-FB-051023-1	IHGC-P029	141-32-2	HGC-P029 141-32-2 n-Butyl acrylate	1.3 U	1.3	ßn	1.3 U

Page 1 of 1

Site Name	E Palestine Site - ER		
Document Tracking No.	2130d		Δομευσζυγυυσς/υυυτε βζυτ
Laboratory Report No.	B135-239	Laboratory	Eurofins Analytics, LLC – Ashland, VA
Analyses	2-Ethylhexyl acrylate and n-Butyl acrylate by laboratory standard operating procedure (SOP) IHGC-P029	laboratory standard ope	rating procedure (SOP) IHGC-P029
Samples and Matrix	Nine air samples including one field blank		
Collection Date(s)	05/12/2023		
Field Duplicate Pairs	None		
Field QC Blanks	EPD-ST-FB-051223-1		

INTRODUCTION

Protection Agency (EPA) Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use (January 2009). Analytical data Team (START V), EPA Region 5, Revision 4 (August 2022), and the EPA National Functional Guidelines (NFG) for Organic Superfund Methods Data Columbiana County, Ohio, Revision 3 (April 2023), the Tetra Tech Quality Assurance Project Plan, Superfund Technical Assessment and Response were evaluated in general accordance with the Tetra Tech Quality Assurance Project Plan East Palestine Train Derailment Site East Palestine, This checklist summarizes the Stage 2A validation performed on the subject laboratory report, in accordance with the U.S. Environmental Review (November 2020).

OVERALL EVALUATION

No rejection or qualification of results was required for this data package. The results may be used as reported by the laboratory.



	DATA VALIDATION CHECKLIST – STAGE 2A EPA REGION 5 START CONTRACT	
Data completeness:	leteness:	
Within Criteria	Exceedance/Notes	
	The results for the field blank were reported in units of micrograms (μg) while the other sample results were reported in units of μg, milligrams per cubic meter (mg/m3), and parts per million (ppm) (volume) in the laboratory report and only in units of ppm in the laboratory electronic data deliverable (EDD).	
z	Rohm & Haas IH9805 is cited in the AIHA certification as "IHGC-P029" and may be cited by the abbreviation "Rohm & Haas IH9805" or "IHGC-P029" interchangeably throughout the laboratory report.	
	Note, the following fields in the laboratory EDD may be formatted as date only or as date/time: Date_Collected, Date_Received, Date_Extracted, and Date_Analyzed. The time value was not required to be provided in the EDD. If no time value was provided, then the the entered value may appear as date only or with a default time value of 0:00, 00:00, or similar.	
Sample pr	Sample preservation, receipt, and holding times:	
Within Criteria	Exceedance/Notes	
~		
Method blanks:	inks:	
Within Criteria	Exceedance/Notes	
٨		
Field blanks:		

2

ï

Exceedance/Notes	
Within Criteria	Υ



Surrogates	Surrogates and labeled compounds:
Within Criteria	Exceedance/Notes
NA	
MS/MSDs:	
Within Criteria	Exceedance/Notes
NA	
Laboratory	Laboratory duplicates:
Within Criteria	Exceedance/Notes
NA	
Field duplicates:	cates:
Within Criteria	Exceedance/Notes
z	Per the site-specific QAPP, 1 field duplicate sample is required per 20 samples collected. However, fewer than 1 field duplicate sample per 20 sample per 20 samples were collected with this sample group. Based on professional judgement, no qualifications were applied.
LCSs/LCSDs:	
Within	Evreedance/Notes
Criteria	
۲	
Sample dilutions:	utions:
Within Criteria	Exceedance/Notes
NA	



Re-extraction and reanalysis:

Within Criteria	Exceedance/Notes
NA	

MDLs/RLs:

Within	γ Method detection limits were r
Criteria	laboratory report and at the re
Exceedance/Notes	mits were not reported. Non-detect sample results are reported as less than the reporting limit in the nd at the reporting limit (flagged U) in the validated EDD and attached analytical results summary.

Tentatively identified compounds:

NA	Within Criteria Exceedance/Notes
----	-------------------------------------

Other [None]:

Within Criteria	Exceedance/Notes
NA	



Overall Qualifications:

See results summary pages attached for changes to the laboratory qualifiers based upon this validation. The following is a list of qualifiers and definitions that may be used for the validation of this data package:

-	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.
-	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be
5	biased high.
_	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be
<u>'</u>	biased low.
Z	The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated value is the approximate
R	concentration of the analyte in the sample.
٥	The sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not
۷	be present in the sample.
	U The analyte was analyzed for, but was not detected at or above the associated value (reporting limit).
=	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit), which is considered approximate
5	due to deficiencies in one or more quality control criteria.



Sample ID	Method	CAS#	CAS# Analyte	Lab Result Lab Qual RL	ual RL	Units	Units VAL Result VAL Qual
EPD-ST-8H-DW-G-051223-1	IHGC-P029	103-11-7	IHGC-P029 103-11-7 2-Ethylhexyl acrylate	 0.013 U	0.013	mdd	 0.013 U
EPD-ST-8H-DW-G-051223-1 IHGC-P029 141-32-2 n-Butyl acrylate	IHGC-P029	141-32-2	n-Butyl acrylate	0.009 U	0.009	bpm	0.009 U
EPD-ST-8H-UW-C-051223-1	IHGC-P029	103-11-7	IHGC-P029 103-11-7 2-Ethylhexyl acrylate	0.015 U	0.015	bpm	0.015 U
EPD-ST-8H-UW-C-051223-1 IHGC-P029 141-32-2 n-Butyl acrylate	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-01-051223-1 IHGC-P029 103-11-7 2-Ethylhexyl acrylate	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	bpm	0.015 U
EPD-ST-8H-WA-01-051223-1 IHGC-P029 141-32-2 n-Butyl acrylate	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-02-051223-1 IHGC-P029 103-11-7 2-Ethylhexyl acrylate	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.014 U	0.014	bpm	0.014 U
EPD-ST-8H-WA-02-051223-1 IHGC-P029 141-32-2 n-Butyl acrylate	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-03-051223-1 IHGC-P029 103-11-7 2-Ethylhexyl acrylate	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.014 U	0.014	bpm	0.014 U
EPD-ST-8H-WA-03-051223-1 IHGC-P029 141-32-2 n-Butyl acrylate	IHGC-P029	141-32-2	n-Butyl acrylate	0.009 U	0.009	ppm	0.009 U
EPD-ST-8H-WA-04-051223-1 IHGC-P029 103-11-7 2-Ethylhexyl acrylate	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	bpm	0.015 U
EPD-ST-8H-WA-04-051223-1 IHGC-P029 141-32-2 n-Butyl acrylate	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	bpm	0.01 U
EPD-ST-8H-WA-05-051223-1 IHGC-P029 103-11-7 2-Ethylhexyl acrylate	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.014 U	0.014	bpm	0.014 U
EPD-ST-8H-WA-05-051223-1 IHGC-P029 141-32-2 n-Butyl acrylate	IHGC-P029	141-32-2	n-Butyl acrylate	0.009 U	0.009	ppm	0.009 U
EPD-ST-8H-WA-06-051223-1 IHGC-P029 103-11-7 2-Ethylhexyl acrylate	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	bpm	0.015 U
EPD-ST-8H-WA-06-051223-1 IHGC-P029 141-32-2 n-Butyl acrylate	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	bpm	0.01 U
EPD-ST-FB-051223-1	IHGC-P029	103-11-7	IHGC-P029 103-11-7 2-Ethylhexyl acrylate	2.8 U	2.8	вn	2.8 U
EPD-ST-FB-051223-1	IHGC-P029	141-32-2	HGC-P029 141-32-2 n-Butyl acrylate	1.3 U	1.3	пg	1.3 U

Page 1 of 1