

November 21, 2023

Mr. Josh Peters On-Scene Coordinator U.S. Environmental Protection Agency, Region 5 Superfund and Emergency Management Division 2565 Plymouth Road Ann Arbor, MI 48105 We are in the process of ensuring this document is accessible to all audiences. If you need assistance accessing this document, or any material on the EPA East Palestine, Ohio emergency response web pages, please contact the Region 5 Public Information Officer on-call at:

R5 EastPalestine@epa.gov

Subject: Data Validation Report

E Palestine Site - ER

EPA Contract No.: 68HE0519D0005

Task Order/Task Order Line Item No.: 68HE0520F0032/0001EB201

Document Tracking No. 2118

Dear Mr. Peters:

Tetra Tech, Inc. (Tetra Tech) is submitting this data validation report for 78 air samples (including 6 field duplicate samples, 4 field blank samples, and 2 media blanks) collected at the E Palestine site. The samples were collected on July 26, 28, and 29, 2023, and were analyzed for acrylates by Eurofins Analytics, LLC. The final laboratory data package was received on August 4, 2023.

Analytical data were evaluated in general accordance with the Tetra Tech Quality Assurance Project Plan, East Palestine Train Derailment Site, East Palestine, Columbiana County, Ohio, Revision 3 (April 2023), the Tetra Tech Quality Assurance Project Plan, Superfund Technical Assessment and Response Team (START V), EPA Region 5, Revision 4 (August 2022), and the National Functional Guidelines (NFG) for Organic Superfund Methods Data Review (November 2020).

No rejection or qualification of results was required for these data packages. The results may be used as reported by the laboratory.

If you have any questions regarding this data validation report, please contact me via the project manager.

Sincerely,

Amelia Byl Digitally signed by Amelia Byl Date: 2023.11.21 07:33:16

Environmental Chemist

Enclosure

cc: Karl Schultz, Tetra Tech Program Manager

Dustin Grams, Tetra Tech Project Manager

Mayra ArroyoOrtiz, Tetra Tech Project Document Control Coordinator

TO-TOLIN File

ATTACHMENT

DATA VALIDATION REPORT EUROFINS ANALYTICS, LLC REPORT NOS. B209-278, B209-279, B212-129, B212-130

Site Name	E Palestine Site - ER	TO/TOLIN No	COUEDE 2050022 /0004 5 D 204
Document Tracking No.	2118a	TO/TOLIN No.	68HE0520F0032/0001EB201
Laboratory Report No.	B209-278	Laboratory	Eurofins Analytics, LLC – Ashland, VA
Analyses	2-Ethylhexyl acrylate and n-butyl acrylate k	y laboratory standard	operating procedure (SOP) IHGC-P029
Samples and Matrix	10 air samples including 1 field blank and 1 field duplicate pair		
Collection Date(s)	07/26/2023		
Field Duplicate Pairs	EPD-ST-8H-WA-01-072623-2/EPD-ST-8H-WA-11-072623-2		
Field QC Blanks	EPD-ST-FB-072623-2		

INTRODUCTION

This checklist summarizes the Stage 2A validation performed on the subject laboratory report, in accordance with the U.S. Environmental Protection Agency (EPA) *Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use* (January 2009). Analytical data were evaluated in general accordance with the Tetra Tech *Quality Assurance Project Plan East Palestine Train Derailment Site East Palestine, Columbiana County, Ohio, Revision 3* (April 2023), the Tetra Tech *Quality Assurance Project Plan, Superfund Technical Assessment and Response Team (START V), EPA Region 5, Revision 4* (August 2022), and the EPA *National Functional Guidelines (NFG) for Organic Superfund Methods Data Review* (November 2020).

OVERALL EVALUATION

No rejection or qualification of results was required for this data package. The results may be used as reported by the laboratory.



Data completeness:

Within Criteria	Exceedance/Notes
	The results for the field blank were reported in units of micrograms (μ g) while the other sample results were reported in units of μ g, milligrams per cubic meter (mg/m3), and parts per million (ppm) (volume) in the laboratory report and only in units of ppm in the laboratory electronic data deliverable (EDD).
N	Rohm & Haas IH9805 is cited in the AIHA certification as "IHGC-P029" and may be cited by the abbreviation "Rohm & Haas IH9805" or "IHGC-P029" interchangeably throughout the laboratory report.
	Note, the following fields in the laboratory EDD may be formatted as date only or as date/time: Date_Collected, Date_Received, Date_Extracted, and Date_Analyzed. The time value was not required to be provided in the EDD. If no time value was provided, then the entered value may appear as date only or with a default time value of 0:00, 00:00, or similar.

Sample preservation, receipt, and holding times:

Within Criteria	Exceedance/Notes
Υ	

Method blanks:

Within Criteria	Exceedance/Notes
N	Nondetect results for laboratory method blank LMB IHG230728F and laboratory reagent blank LRB IHG230728F were reported as "0" in the laboratory EDD rather than at the reporting limit (RL). The laboratory was contacted on August 28, 2023, and agreed to report nondetect laboratory method blank and LRB results at the RL in future laboratory EDDs. No qualifications were applied.

Field blanks:

Within Criteria	Exceedance/Notes
Υ	



Surrogates and labeled compounds:

Within Criteria	Exceedance/Notes
NA	

MS/MSDs:

Within Criteria	Exceedance/Notes
NA	

Laboratory duplicates:

Within Criteria	Exceedance/Notes
NA	

Field duplicates:

Within Criteria	Exceedance/Notes
Υ	

LCSs/LCSDs:

Within Criteria	Exceedance/Notes
N	The laboratory reports and the laboratory EDD have one or more minor discrepancies in the LCS/LCSD results (+/- 1 ug), relative percent differences (RPDs) (+/-2%), and/or percent recoveries (+/- 1%) that were verified with the laboratory to be a significant figures issue. No qualifications were applied.

Sample dilutions:

Within Criteria	Exceedance/Notes
NA	



Re-extraction and reanalysis:

Within Criteria	Exceedance/Notes
NA	

MDLs/RLs:

Within Criteria	Exceedance/Notes
Υ	Method detection limits were not reported. Nondetect sample results are reported as less than the RL in the laboratory report and at the RL (flagged U) in the validated EDD and attached analytical results summary.

Tentatively identified compounds:

Within Criteria	Exceedance/Notes
NA	

Other [None]:

Within Criteria	Exceedance/Notes
NA	



Overall Qualifications:

See results summary pages attached for changes to the laboratory qualifiers based upon this validation. The following is a list of qualifiers and definitions that may be used for the validation of this data package:

J	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.
J+	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be biased high.
J-	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be biased low.
NJ	The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated value is the approximate concentration of the analyte in the sample.
R	The sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not be present in the sample.
U	The analyte was analyzed for but was not detected at or above the associated value (reporting limit).
UJ	The analyte was analyzed for but was not detected at or above the associated value (reporting limit), which is considered approximate due to deficiencies in one or more quality control criteria.

E PALESTINE SITE - ER AIR ANALYTICAL RESULTS SUMMARY EUROFINS ANALYITICS, LLC REPORT NO. B209-278

Sample_ID	Method	CAS#	Analyte	Lab_Result Lab_Qual	RL	Units	VAL_Result VAL_Qual
EPD-ST-8H-DW-A-072623-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.016 U	0.016	ppm	0.016 U
EPD-ST-8H-DW-A-072623-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.011 U	0.011	ppm	0.011 U
EPD-ST-8H-UW-E-072623-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-UW-E-072623-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-01-072623-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-WA-01-072623-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-02-072623-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-WA-02-072623-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-03-072623-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-WA-03-072623-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-04-072623-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-WA-04-072623-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-05-072623-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-WA-05-072623-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-06-072623-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-WA-06-072623-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-11-072623-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-WA-11-072623-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-FB-072623-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	2.8 U	2.8	ug	2.8 U
EPD-ST-FB-072623-2	IHGC-P029	141-32-2	n-Butyl acrylate	1.3 U	1.3	ug	1.3 U

Site Name	E Palestine Site - ER	TO/TOLIN No.	68HE0520F0032/0001EB201		
Document Tracking No.	2118b	TO/TOLIN NO.	08HEU32UFUU32/0001EB2U1		
Laboratory Report No.	B209-279	Laboratory	Eurofins Analytics, LLC – Ashland, VA		
Analyses	n-Butyl acrylate by NIOSH Method 1450M				
Samples and Matrix	29 air samples including 1 field blank, 1 media blank, and 2 field duplicate pairs				
Collection Date(s) 07/26/23					
Field Duplicate Dairs	EPD-PB-CM-14-072623-1/EPD-PB-CM-144-072623-1				
Field Duplicate Pairs	EPD-PB-WA-03-072623-1/EPD-PB-WA-033-072623-1				
Field QC Blanks	EPD-PB-FB-01-072623-1 and EPD-PB-MB-01	L-072623-1			

INTRODUCTION

This checklist summarizes the Stage 2A validation performed on the subject laboratory report, in accordance with the U.S. Environmental Protection Agency (EPA) *Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use* (January 2009). Analytical data were evaluated in general accordance with the Tetra Tech *Quality Assurance Project Plan East Palestine Train Derailment Site East Palestine, Columbiana County, Ohio, Revision 3* (April 2023), the Tetra Tech *Quality Assurance Project Plan, Superfund Technical Assessment and Response Team (START V), EPA Region 5, Revision 4* (August 2022), and the EPA *National Functional Guidelines (NFG) for Organic Superfund Methods Data Review* (November 2020).

OVERALL EVALUATION

No rejection or qualification of results was required for this data package. The results may be used as reported by the laboratory.



Data completeness:

Within Criteria	Exceedance/Notes
	The results for the field blank and media blank were reported in units of micrograms (μ g) while the other field sample results were reported in units of μ g, milligrams per cubic meter (μ g/m3), and parts per million (μ g) (volume) in the laboratory report and only in units of ppm in the laboratory electronic data deliverable (EDD).
	The site-specific QAPP specifies analysis of acrylates in air by Eurofins Analytics, LLC standard operating procedure (SOP) IHGC-001-v.22-3. The laboratory confirmed that NIOSH Method 1450M, which is mentioned in the laboratory deliverables, is equivalent to SOP IHGC-001-v.22-3; therefore, these method references may be used interchangeably.
N	To facilitate sample reporting, large sample delivery groups may be logged by the laboratory separately by individual pages of the chain of custody (COC) form. The ratio of field QC samples (field blanks, media blanks, field duplicates) to non-QC field samples is monitored independent of this validation and herefore the ratio of field QC samples to non-QC field samples was not verified during this validation. No qualifications were applied because all field sample results were nondetect.
	Note, the following fields in the laboratory EDD may be formatted as date only or as date/time: Date_Collected, Date_Received, Date_Extracted, and Date_Analyzed. The time value was not required to be provided in the EDD. If no time value was provided, then the entered value may appear as date only or with a default time value of 0:00, 00:00, or similar.

Sample preservation, receipt, and holding times:

Within Criteria	Exceedance/Notes
Υ	

Method blanks:

Within Criteria	Exceedance/Notes
N	Nondetect results for laboratory method blanks, LMB IHG230728C and LMB IHG230728D, and laboratory reagent blanks, LRB IHG230728C and LRB IHG230728D, were reported as "0" in the laboratory EDD rather than at the reporting limit (RL). The laboratory was contacted on August 28, 2023, and agreed to report nondetect laboratory method blank and LRB results in future laboratory EDDs. No qualifications were applied.



Field blanks:

Within Criteria	Exceedance/Notes
N	The site-specific QAPP requires field blanks at a frequency of 1 per day per lot per 20 samples. For the 29 samples in laboratory report, two field blanks would be appropriate but only one field blank was submitted. While no qualifications were applied, the data user should note that ambient field conditions were not assessed for potential contamination at the frequency described in the site-specific QAPP.

Surrogates and labeled compounds:

Within Criteria	Exceedance/Notes
NA	

MS/MSDs:

Within Criteria	Exceedance/Notes
NA	

Laboratory duplicates:

Within Criteria	Exceedance/Notes
NA	

Field duplicates:

Within Criteria	Exceedance/Notes
N	The site-specific QAPP describes a typical field duplicate frequency as one in ten samples with a minimum of one per day. For the 29 samples in laboratory report, only two field duplicates were submitted. While no qualifications were applied, the data user
	should note that field precision was not evaluated at the frequency described in the site-specific QAPP.



LCSs/LCSDs:

Within Criteria	Exceedance/Notes
Υ	

Sample dilutions:

Within Criteria	Exceedance/Notes
NA	

Re-extraction and reanalysis:

Within Criteria	Exceedance/Notes
NA	

MDLs/RLs:

Within Criteria	Exceedance/Notes
Υ	Method detection limits were not reported. Nondetect sample results are reported as less than the RL in the laboratory report and at the RL (flagged U) in the validated EDD and attached analytical results summary.

Tentatively identified compounds:

Within Criteria	Exceedance/Notes
NA	

Other [None]:

Within Criteria	Exceedance/Notes
NA	



Overall Qualifications:

See results summary pages attached for changes to the laboratory qualifiers based upon this validation. The following is a list of qualifiers and definitions that may be used for the validation of this data package:

J	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.
J+	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be biased high.
J-	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be biased low.
NJ	The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated value is the approximate concentration of the analyte in the sample.
R	The sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not be present in the sample.
U	The analyte was analyzed for but was not detected at or above the associated value (reporting limit).
UJ	The analyte was analyzed for but was not detected at or above the associated value (reporting limit), which is considered approximate due to deficiencies in one or more quality control criteria.

E PALESTINE SITE - ER AIR ANALYTICAL RESULTS SUMMARY EUROFINS ANALYTICS, LLC REPORT NO. B209-279

Sample_ID	Method	CAS#	Analyte	Lab_Result Lab_Qual	RL	Units	VAL_Result VAL_Qual
EPD-PB-BKBA-01-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-BKBA-02-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-06-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-07-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-08-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-09-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-10-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-11-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-12-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-14-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-144-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-DW-C-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-FB-01-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	2 U	2	ug	2 U
EPD-PB-MB-01-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	2 U	2	ug	2 U
EPD-PB-OD-01-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-02-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-03-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-04-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-05-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-06-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-07-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-UW-G-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-01-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-02-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-03-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-033-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-04-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-05-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-06-072623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U

Site Name	E Palestine Site - ER	TO/TOLIN No.	68HE0520F0032/0001EB201			
Document Tracking No.	2118c	TO/TOLIN NO.	08HEU32UFUU32/0001EB2U1			
Laboratory Report No.	B212-129	Laboratory	Eurofins Analytics, LLC – Ashland, VA			
Analyses	n-Butyl acrylate by NIOSH Method 1450M					
Samples and Matrix	29 air samples including 1 field blank, 1 media blank, and 2 field duplicate pairs					
Collection Date(s)	07/29/2023					
Field Duplicate Dairs	EPD-PB-CM-10-072923-1/EPD-PB-CM-100-072923-1					
Field Duplicate Pairs	EPD-PB-CM-11-072923-1/EPD-PB-CM-111-072923-1					
Field QC Blanks	EPD-PB-FB-01-072923-1					

INTRODUCTION

This checklist summarizes the Stage 2A validation performed on the subject laboratory report, in accordance with the U.S. Environmental Protection Agency (EPA) *Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use* (January 2009). Analytical data were evaluated in general accordance with the Tetra Tech *Quality Assurance Project Plan, East Palestine Train Derailment Site, East Palestine, Columbiana County, Ohio, Revision 3* (April 2023), the Tetra Tech *Quality Assurance Project Plan, Superfund Technical Assessment and Response Team (START V), EPA Region 5, Revision 4* (August 2022), and the EPA *National Functional Guidelines (NFG) for Organic Superfund Methods Data Review* (November 2020).

OVERALL EVALUATION

No rejection or qualification of results was required for this data package. The results may be used as reported by the laboratory.



Data completeness:

Within Criteria	Exceedance/Notes						
	The results for the field blank and media blank were reported in units of micrograms (μ g) while the other field sample results were reported in units of μ g, milligrams per cubic meter (μ g/m3), and parts per million (μ g) (volume) in the laboratory report and only in units of ppm in the laboratory electronic data deliverable (EDD).						
N	The site-specific QAPP specifies analysis of acrylates in air by Eurofins Analytics, LLC standard operating procedure (SOP) IHGC-001-v.22-3. The laboratory confirmed that NIOSH Method 1450M, which is mentioned in the laboratory deliverables, is equivalent to SOP IHGC-001-v.22-3; therefore, these method references may be used interchangeably.						
	Note, the following fields in the laboratory EDD may be formatted as date only or as date/time: Date_Collected, Date_Received, Date_Extracted, and Date_Analyzed. The times value was not required to be provided in the EDD. If no time value was provided, then the entered value may appear as date only or with a default time value of 0:00, 00:00, or similar.						

Sample preservation, receipt, and holding times:

Within Criteria	Exceedance/Notes
Υ	

Method blanks:

Within Criteria	Exceedance/Notes
N	Nondetect results for laboratory method blanks LMB IHG230731A and LMB IHG230731B and laboratory reagent blanks LRB IHG230731A and LRB IHG230731B were reported as "0" in the laboratory EDD rather than at the reporting limit (RL). The laboratory was contacted on August 28, 2023, and agreed to report nondetect laboratory and LRB results at the RL in future laboratory EDDs. No qualifications were applied.

Field blanks:

Within Criteria	Exceedance/Notes
N	The site-specific QAPP requires field blanks at a frequency of 1 per day per lot per 20 samples. For the 29 samples in the laboratory report, 2 field blanks would be appropriate but only one field blank was included in this data package. No qualifications were applied because all sample results were nondetect.

Surrogates and labeled compounds:

Within Criteria	Exceedance/Notes
NA	

MS/MSDs:

Within Criteria	Exceedance/Notes
NA	

Laboratory duplicates:

Within Criteria	Exceedance/Notes
NA	

Field duplicates:

Within Criteria	Exceedance/Notes
N	The site-specific QAPP describes a field duplicate frequency as one in ten samples with a minimum of one per day. For the 29 samples in laboratory report, only two field duplicates were included. Based on professional judgement, no qualifications were applied.



LCSs/LCSDs:

Within Criteria	Exceedance/Notes
Υ	

Sample dilutions:

Within Criteria	Exceedance/Notes
NA	

Re-extraction and reanalysis:

Within Criteria	Exceedance/Notes
NA	

MDLs/RLs:

Within Criteria	Exceedance/Notes
Υ	Method detection limits were not reported. Nondetect sample results are reported as less than the RL in the laboratory report and at the RL (flagged U) in the validated EDD and attached analytical results summary.

Tentatively identified compounds:

Within Criteria	Exceedance/Notes
NA	

Other [None]:

Within Criteria	Exceedance/Notes
NA	



Overall Qualifications:

See results summary pages attached for changes to the laboratory qualifiers based upon this validation. The following is a list of qualifiers and definitions that may be used for the validation of this data package:

J	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.
J+	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be biased high.
J-	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be biased low.
NJ	The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated value is the approximate concentration of the analyte in the sample.
R	The sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not be present in the sample.
U	The analyte was analyzed for but was not detected at or above the associated value (reporting limit).
UJ	The analyte was analyzed for but was not detected at or above the associated value (reporting limit), which is considered approximate due to deficiencies in one or more quality control criteria.

E PALESTINE SITE - ER AIR ANALYTICAL RESULTS SUMMARY EUROFINS ANALYTICS, LLC REPORT NO. B212-129

Sample_ID	Method	CAS#	Analyte	Lab_Result Lab_Qual	RL	Units	VAL_Result VAL_Qual
EPD-PB-BKBA-01-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0089 U	0.0089	ppm	0.0089 U
EPD-PB-BKBA-02-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-06-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-07-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-08-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-09-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0086 U	0.0086	ppm	0.0086 U
EPD-PB-CM-100-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0087 U	0.0087	ppm	0.0087 U
EPD-PB-CM-10-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0087 U	0.0087	ppm	0.0087 U
EPD-PB-CM-11-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0087 U	0.0087	ppm	0.0087 U
EPD-PB-CM-111-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0087 U	0.0087	ppm	0.0087 U
EPD-PB-CM-12-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0088 U	0.0088	ppm	0.0088 U
EPD-PB-CM-14-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-DW-B-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-FB-01-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	2 U	2	ug	2 U
EPD-PB-MB-01-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	2 U	2	ug	2 U
EPD-PB-OD-01-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-02-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-03-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.009 U	0.009	ppm	0.009 U
EPD-PB-OD-04-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-05-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-06-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-07-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0086 U	0.0086	ppm	0.0086 U
EPD-PB-UW-F-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-01-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.009 U	0.009	ppm	0.009 U
EPD-PB-WA-02-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-03-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-04-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-05-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-06-072923-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U

Site Name E Palestine Site - ER		TO/TOLIN No.	68HE0520F0032/0001EB201	
Document Tracking No.	acking No. 2118d		08HE0520F0032/0001EB201	
Laboratory Report No.	B212-130	Laboratory	Eurofins Analytics, LLC – Ashland, VA	
Analyses	2-Ethylhexyl acrylate and n-butyl acrylate k	y laboratory standard o	operating procedure (SOP) IHGC-P029	
Samples and Matrix	Ten air samples including one field blank and one field duplicate pair			
Collection Date(s)	07/28/23			
Field Duplicate Pairs	EPD-ST-8H-WA-02-072823-2/EPD-ST-8H-W	'A-22-072823-2		
Field QC Blanks	EPD-ST-FB-072823-2			

INTRODUCTION

This checklist summarizes the Stage 2A validation performed on the subject laboratory report, in accordance with the U.S. Environmental Protection Agency (EPA) *Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use* (January 2009). Analytical data were evaluated in general accordance with the Tetra Tech *Quality Assurance Project Plan, East Palestine Train Derailment Site, East Palestine, Columbiana County, Ohio, Revision 3* (April 2023), the Tetra Tech *Quality Assurance Project Plan, Superfund Technical Assessment and Response Team (START V), EPA Region 5, Revision 4* (August 2022), and the EPA *National Functional Guidelines (NFG) for Organic Superfund Methods Data Review* (November 2020).

OVERALL EVALUATION

No rejection or qualification of results was required for this data package. The results may be used as reported by the laboratory.



Data completeness:

Within Criteria	Exceedance/Notes
	The results for the field blank were reported in units of micrograms (μ g) while the other sample results were reported in units of μ g, milligrams per cubic meter (m g/ m 3), and parts per million (p pm) (volume) in the laboratory report and only in units of p pm in the laboratory electronic data deliverable (EDD).
N	Rohm & Haas IH9805 is cited in the AIHA certification as "IHGC-P029" and may be cited by the abbreviation "Rohm & Haas IH9805" or "IHGC-P029" interchangeably throughout the laboratory report.
	Note, the following fields in the laboratory EDD may be formatted as date only or as date/time: Date_Collected, Date_Received, Date_Extracted, and Date_Analyzed. The time value was not required to be provided in the EDD. If no time value was provided, then the entered value may appear as date only or with a default time value of 0:00, 00:00, or similar.

Sample preservation, receipt, and holding times:

Within Criteria	Exceedance/Notes
Υ	

Method blanks:

Within Criteria	Exceedance/Notes
N	Nondetect results for laboratory method blank LMB IHG230731J and laboratory reagent blank LRB IHG230731J were reported as "0" in the laboratory EDD rather than at the reporting limit (RL). The laboratory was contacted on August 28, 2023, and agreed to report nondetect laboratory method blank and LRB results at the RL in future laboratory EDDs.

Field blanks:

Within Criteria	Exceedance/Notes
Υ	



Surrogates and labeled compounds:

Within Criteria	Fyreedance/Notes
NA	

MS/MSDs:

Within Criteria	Exceedance/Notes
NA	

Laboratory duplicates:

Within Criteria	Exceedance/Notes
NA	

Field duplicates:

Within Criteria	Exceedance/Notes
Υ	

LCSs/LCSDs:

Within Criteria	Exceedance/Notes
N	The laboratory reports and the laboratory EDD have one or more minor discrepancies in the LCS/LCSD results (+/- 1 ug) and/or percent recoveries (+/- 1%) that were verified with the laboratory to be a significant figures issue. No qualifications were applied.

Sample dilutions:

Within Criteria	Exceedance/Notes
NA	



Re-extraction and reanalysis:

Within Criteria	Exceedance/Notes
NA	

MDLs/RLs:

Within Criteria	Exceedance/Notes
Υ	Method detection limits were not reported. Nondetect sample results are reported as less than the RL in the laboratory report and at the RL (flagged U) in the validated EDD and attached analytical results summary.

Tentatively identified compounds:

Within Criteria	Exceedance/Notes
NA	

Other [None]:

	Within Criteria	Exceedance/Notes
l	NA	



Overall Qualifications:

See results summary pages attached for changes to the laboratory qualifiers based upon this validation. The following is a list of qualifiers and definitions that may be used for the validation of this data package:

J	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.						
J+	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be biased high.						
J-	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be biased low.						
NJ	The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated value is the approximate concentration of the analyte in the sample.						
R	The sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not be present in the sample.						
U	The analyte was analyzed for but was not detected at or above the associated value (reporting limit).						
UJ	The analyte was analyzed for but was not detected at or above the associated value (reporting limit), which is considered approximate due to deficiencies in one or more quality control criteria.						

E PALESTINE SITE - ER AIR ANALYTICAL RESULTS SUMMARY EUROFINS ANALYTICS, LLC REPORT NO. B212-130

Sample_ID	Method	CAS#	Analyte	Lab_Result Lab_Qual	RL	Units	VAL_Result VAL_Qual
EPD-ST-8H-DW-B-072823-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-DW-B-072823-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-UW-F-072823-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-UW-F-072823-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-01-072823-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.014 U	0.014	ppm	0.014 U
EPD-ST-8H-WA-01-072823-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-02-072823-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.013 U	0.013	ppm	0.013 U
EPD-ST-8H-WA-02-072823-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.009 U	0.009	ppm	0.009 U
EPD-ST-8H-WA-03-072823-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-WA-03-072823-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-04-072823-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.014 U	0.014	ppm	0.014 U
EPD-ST-8H-WA-04-072823-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-05-072823-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-WA-05-072823-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-06-072823-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-WA-06-072823-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-8H-WA-22-072823-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015	ppm	0.015 U
EPD-ST-8H-WA-22-072823-2	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01	ppm	0.01 U
EPD-ST-FB-072823-2	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	2.8 U	2.8	ug	2.8 U
EPD-ST-FB-072823-2	IHGC-P029	141-32-2	n-Butyl acrylate	1.3 U	1.3	ug	1.3 U