



We are in the process of ensuring this document is accessible to all audiences. If you need assistance accessing this document, or any material on the EPA East Palestine, Ohio emergency response web pages, please contact the Region 5 Public Information Officer on-call at: R5_EastPalestine@epa.gov

December 1, 2023

Mr. Josh Peters
On-Scene Coordinator
U.S. Environmental Protection Agency, Region 5
Superfund and Emergency Management Division
2565 Plymouth Road
Ann Arbor, MI 48105

**Subject: Data Validation Report
E Palestine Site - ER
EPA Contract No.: 68HE0519D0005
Task Order/Task Order Line-Item No.: 68HE0520F0032/0001EB201
Document Tracking No. 2144**

Dear Mr. Peters:

Tetra Tech, Inc. (Tetra Tech) is submitting this data validation report for 80 air samples (including 6 field duplicate pair samples, 5 field blank samples, and 3 media blank samples) collected at the E Palestine site. The samples were collected on May 25, 2023, and were analyzed for acrylates by Eurofins Analytics, LLC. The final laboratory data package was received on November 15, 2023.

Analytical data were evaluated in general accordance with the Tetra Tech *Quality Assurance Project Plan, East Palestine Train Derailment Site, East Palestine, Columbiana County, Ohio*, Revision 3 (April 2023), the Tetra Tech *Quality Assurance Project Plan, Superfund Technical Assessment and Response Team (START V), EPA Region 5*, Revision 4 (August 2022), and the *National Functional Guidelines (NFG) for Organic Superfund Methods Data Review* (November 2020).

No qualification or rejection of results was required for these data packages. The results may be used as reported by the laboratory.

If you have any questions regarding this data validation report, please contact me via the project manager.

Sincerely,

Kierra
Johnson

Digitally signed by Kierra
Johnson
Date: 2023.12.01
13:29:24 -07'00'

Environmental Chemist

Enclosure

cc: Karl Schultz, Tetra Tech Program Manager
Dustin Grams, Tetra Tech Project Manager
Mayra Arroyo Ortiz, Tetra Tech Project Document Control Coordinator
TO-TOLIN File

ATTACHMENT

**DATA VALIDATION REPORT
EUROFINS ANALYTICS, LLC REPORT NOS. B150-093, B150-094,
B150-095, AND B150-096**

**DATA VALIDATION CHECKLIST – STAGE 2A
EPA REGION 5 START CONTRACT**

Site Name	E Palestine Site - ER	TO/TOLIN No.	68HE0520F0032/0001EB201
Document Tracking No.	2144a	Laboratory	Eurofins Analytics, LLC – Ashland, VA
Laboratory Report No.	B150-093		
Analyses	n-Butyl acrylate by NIOSH Method 1450M		
Samples and Matrix	32 air samples including 2 field blank, 2 media blank, and 3 field duplicate pairs		
Collection Date(s)	05/25/2023		
Field Duplicate Pairs	EPD-PB-CM-12-052523-2/EPD-PB-CM-122-052523-2 EPD-PB-OD-06-052523-2/EPD-PB-OD-066-052523-2 EPD-PB-WA-04-052523-2/EPD-PB-WA-044-052523-2		
Field QC Blanks	EPD-PB-FB-02-052523-2, EPD-PB-FB-03-052523-2, EPD-PB-MB-02-052523-2, and EPD-PB-MB-03-052523-2		

INTRODUCTION

This checklist summarizes the Stage 2A validation performed on the subject laboratory report, in accordance with the U.S. Environmental Protection Agency (EPA) *Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use* (January 2009). Analytical data were evaluated in general accordance with the Tetra Tech *Quality Assurance Project Plan, East Palestine Train Derailment Site, East Palestine, Columbiana County, Ohio, Revision 3* (April 2023), the Tetra Tech *Quality Assurance Project Plan, Superfund Technical Assessment and Response Team (START V), EPA Region 5, Revision 4* (August 2022), and the EPA *National Functional Guidelines (NFG) for Organic Superfund Methods Data Review* (November 2020).

OVERALL EVALUATION

No rejection or qualification of results was required for this data package. The results may be used as reported by the laboratory.

**DATA VALIDATION CHECKLIST – STAGE 2A
EPA REGION 5 START CONTRACT**

Data completeness:

Within Criteria	Exceedance/Notes
N	<p>Level II laboratory report did not include some required QC information; therefore, the Level IV laboratory report was used for this data validation effort.</p> <p>The results for the field blank and media blank were reported in units of micrograms (µg) while the other field sample results were reported in units of µg, milligrams per cubic meter (mg/m3), and parts per million (ppm) (volume) in the laboratory report and only in units of ppm in the laboratory electronic data deliverable (EDD).</p> <p>The site-specific QAPP specifies analysis of acrylates in air by Eurofins Analytics, LLC standard operating procedure (SOP) IHGC-001-v.22-3. The laboratory confirmed that NIOSH Method 1450M, which is mentioned in the laboratory deliverables, is equivalent to SOP IHGC-001-v.22-3; therefore, these method references may be used interchangeably.</p> <p>To facilitate sample reporting, large sample delivery groups may be logged by the laboratory separately by individual pages of the COC form. The ratio of field QC samples (field blanks, media blanks, field duplicates) to non-QC field samples is monitored independent of this validation and therefore the ratio of field QC samples to non-QC field samples was not verified during this validation. No qualifications were applied because all field sample results were nondetect.</p> <p>Note, the following fields in the laboratory EDD may be formatted as date only or as date/time: Date_Collected, Date_Received, Date_Extracted, and Date_Analyzed. The time value was not required to be provided in the EDD. If no time value was provided, then the entered value may appear as date only or with a default time value of 0:00, 00:00, or similar.</p> <p>The extraction date and time information in the laboratory EDD do not match the laboratory report or are absent. During the data validation effort, the extraction dates were added or corrected (as needed) to match those in the preparation log in the laboratory report.</p> <p>A unique sample ID for the LCSD was not provided in the laboratory EDD. Unique sample IDs are needed to avoid overwriting other QC sample data when validated EDDs are uploaded to the Scribe database. The LCSD ID in the Samp_No and Lab_Samp_No fields of the validated EDD were manually revised to match those in the laboratory report.</p>

DATA VALIDATION CHECKLIST – STAGE 2A
EPA REGION 5 START CONTRACT

Sample preservation, receipt, and holding times:

Within Criteria	Exceedance/Notes
Y	

Method blanks:

Within Criteria	Exceedance/Notes
N	Nondetect results for laboratory method blank (LMB IHG230530A) and laboratory reagent blank LRB IHG230530A were reported as “0” in the laboratory EDD rather than at the reporting limit (RL). The laboratory was contacted on August 28, 2023, and agreed to report nondetect laboratory method blank and LRB results at the RL in future laboratory EDDs. No qualifications were applied.

Field blanks:

Within Criteria	Exceedance/Notes
Y	

Surrogates and labeled compounds:

Within Criteria	Exceedance/Notes
NA	

MS/MSDs:

Within Criteria	Exceedance/Notes
NA	

**DATA VALIDATION CHECKLIST – STAGE 2A
EPA REGION 5 START CONTRACT**

Laboratory duplicates:

Within Criteria	Exceedance/Notes
NA	

Field duplicates:

Within Criteria	Exceedance/Notes
Y	

LCSS/LCSDs:

Within Criteria	Exceedance/Notes
N	<p>The laboratory report and laboratory EDD have one or more minor discrepancies in the LCS/LCSD results (+/- 1 µg), RPDs (+/-2%) and/or percent recoveries (+/- 1%) that were verified with the laboratory to be significant figures issue(s). No qualifications were applied.</p> <p>The site-specific QAPP requires a laboratory reagent blank (LRB), laboratory media blank, laboratory control sample (LCS), and LCS duplicate (LCSD) to be analyzed per batch of 20 samples. However, the laboratory analyzed 32 field samples in one sample preparation batch that included one LRB, laboratory media blank, LCS, and LCSD, when the batch should have included two LRBs, laboratory media blanks, LCSS, and LCSDs. The laboratory was contacted on August 8, 2023 about this deviation from the site-specific QAPP and agreed it would follow the quality control (QC) sample frequency requirements in the site-specific QAPP in future reports. No qualifications were applied based on professional judgment because the QC sample results met the QAPP acceptance criteria, and the QC sample results from previous datasets for this project have met the QAPP acceptance criteria.</p>

Sample dilutions:

Within Criteria	Exceedance/Notes
NA	

**DATA VALIDATION CHECKLIST – STAGE 2A
EPA REGION 5 START CONTRACT**

Re-extraction and reanalysis:

Within Criteria	Exceedance/Notes
NA	

MDLs/RLs:

Within Criteria	Exceedance/Notes
Y	Method detection limits were not reported. Nondetect sample results were reported as less than the reporting limit in the laboratory report and at the reporting limit (flagged U) in the validated EDD and attached analytical results summary.

Tentatively identified compounds:

Within Criteria	Exceedance/Notes
NA	

Other [None]:

Within Criteria	Exceedance/Notes
NA	

**DATA VALIDATION CHECKLIST – STAGE 2A
EPA REGION 5 START CONTRACT**

Overall Qualifications:

See results summary pages attached for changes to the laboratory qualifiers based upon this validation. The following is a list of qualifiers and definitions that may be used for the validation of this data package:

J	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.
J+	The analyte was positively identified, the associated value is the approximate concentration of the analyte in the sample and may be biased high.
J-	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be biased low.
NJ	The analysis indicates the presence of an analyte that has been “tentatively identified” and the associated value is the approximate concentration of the analyte in the sample.
R	The sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not be present in the sample.
U	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit).
UJ	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit), which is considered approximate due to deficiencies in one or more quality control criteria.

E PALESTINE SITE - ER AIR ANALYTICAL RESULTS SUMMARY
 EUROFINS ANALYTICS, LLC REPORT NO. B150-093

Sample_ID	Method	CAS#	Analyte	Lab Result	Lab Qual	RL	Units	VAL_Result	VAL_Qual
EPD-PB-BKBA-01-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-BKBA-02-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-CM-06-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-CM-07-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-CM-08-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-CM-09-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-CM-10-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-CM-11-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-CM-12-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-CM-122-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-CM-14-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-DW-F-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-FB-02-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	2 U	2 U	2	ug	2 U	2 U
EPD-PB-FB-03-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	2 U	2 U	2	ug	2 U	2 U
EPD-PB-MB-02-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	2 U	2 U	2	ug	2 U	2 U
EPD-PB-MB-03-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	2 U	2 U	2	ug	2 U	2 U
EPD-PB-OD-01-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-OD-02-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-OD-03-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-OD-04-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-OD-05-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-OD-06-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-OD-066-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-OD-07-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-UW-B-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-WA-01-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-WA-02-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-WA-03-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-WA-04-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-WA-044-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-WA-05-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-WA-06-052523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U

**DATA VALIDATION CHECKLIST – STAGE 2A
EPA REGION 5 START CONTRACT**

Site Name	E Palestine Site - ER	TO/TOLIN No.	68HE0520F0032/0001EB201
Document Tracking No.	2114b	Laboratory	Eurofins Analytics, LLC – Ashland, VA
Laboratory Report No.	B150-094		
Analyses	n-Butyl acrylate by NIOSH Method 1450M		
Samples and Matrix	29 air samples including 1 field blank, 1 media blank, and 2 field duplicate pairs		
Collection Date(s)	05/25/2023		
Field Duplicate Pairs	EPD-PB-CM-06-052523-1/EPD-PB-CM-066-052523-1 EPD-PB-WA-05-052523-1/EPD-PB-WA-055-052523-1		
Field QC Blanks	EPD-PB-FB-01-052523-1 and EPD-PB-MB-01-052523-1		

INTRODUCTION

This checklist summarizes the Stage 2A validation performed on the subject laboratory report, in accordance with the U.S. Environmental Protection Agency (EPA) *Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use* (January 2009). Analytical data were evaluated in general accordance with the Tetra Tech *Quality Assurance Project Plan, East Palestine Train Derailment Site, East Palestine, Columbiana County, Ohio*, Revision 3 (April 2023), the Tetra Tech *Quality Assurance Project Plan, Superfund Technical Assessment and Response Team (START V), EPA Region 5*, Revision 4 (August 2022), and the EPA *National Functional Guidelines (NFG) for Organic Superfund Methods Data Review* (November 2020).

OVERALL EVALUATION

No rejection or qualification of results was required for this data package. The results may be used as reported by the laboratory.

**DATA VALIDATION CHECKLIST – STAGE 2A
EPA REGION 5 START CONTRACT**

Data completeness:

Within Criteria	Exceedance/Notes
N	<p>Level II laboratory report did not include some required QC information; therefore, the Level IV laboratory report was used for this data validation effort.</p> <p>The results for the field blank and media blank were reported in units of micrograms (µg) while the other field sample results were reported in units of µg, milligrams per cubic meter (mg/m3), and parts per million (ppm) (volume) in the laboratory report and only in units of ppm in the laboratory electronic data deliverable (EDD).</p> <p>The site-specific QAPP specifies analysis of acrylates in air by Eurofins Analytics, LLC standard operating procedure (SOP) IHGC-001-v.22-3. The laboratory confirmed that NIOSH Method 1450M, which is mentioned in the laboratory deliverables, is equivalent to SOP IHGC-001-v.22-3; therefore, these method references may be used interchangeably.</p> <p>To facilitate sample reporting, large sample delivery groups may be logged by the laboratory separately by individual pages of the COC form. The ratio of field QC samples (field blanks, media blanks, field duplicates) to non-QC field samples is monitored independent of this validation and therefore the ratio of field QC samples to non-QC field samples was not verified during this validation. No qualifications were applied because all field sample results were nondetect.</p> <p>Note, the following fields in the laboratory EDD may be formatted as date only or as date/time: Date_Collected, Date_Received, Date_Extracted, and Date_Analyzed. The time value was not required to be provided in the EDD. If no time value was provided, then the entered value may appear as date only or with a default time value of 0:00, 00:00, or similar.</p> <p>The extraction date and time information in the laboratory EDD do not match the laboratory report or are absent. During the data validation effort, the extraction dates were added or corrected (as needed) to match those in the preparation log in the laboratory report.</p> <p>A unique sample ID for the LCSD was not provided in the laboratory EDD. Unique sample IDs are needed to avoid overwriting other QC sample data when validated EDDs are uploaded to the Scribe database. The LCSD ID in the Samp_No and Lab_Samp_No fields of the validated EDD were manually revised to match those in the laboratory report.</p>

DATA VALIDATION CHECKLIST – STAGE 2A
EPA REGION 5 START CONTRACT

Sample preservation, receipt, and holding times:

Within Criteria	Exceedance/Notes
Y	

Method blanks:

Within Criteria	Exceedance/Notes
N	Nondetect results for laboratory method blank LMB IHG230530B and laboratory reagent blank LRB IHG230530B were reported as “0” in the laboratory EDD rather than at the reporting limit (RL). The laboratory was contacted on August 28, 2023, and agreed to report nondetect laboratory method blank and LRB results at the RL in future laboratory EDDs. No qualifications were applied.

Field blanks:

Within Criteria	Exceedance/Notes
N	Only one field blank sample was included in this data package although the site-specific QAPP specifies the collection of 1 field blank per 20 field samples. No qualifications were applied because all sample results were nondetect.

Surrogates and labeled compounds:

Within Criteria	Exceedance/Notes
NA	

MS/MSDs:

Within Criteria	Exceedance/Notes
NA	

**DATA VALIDATION CHECKLIST – STAGE 2A
EPA REGION 5 START CONTRACT**

Laboratory duplicates:

Within Criteria	Exceedance/Notes
NA	

Field duplicates:

Within Criteria	Exceedance/Notes
N	Two field duplicate samples were included in this data package although the site-specific QAPP specifies the collection of 1 field duplicate sample per 10 field samples. Three field duplicates should have been collected. Based on professional judgment, no qualifications were applied.

LCs/LCSDs:

Within Criteria	Exceedance/Notes
N	<p>The laboratory report and laboratory EDD have one or more minor discrepancies in the LCS/LCSD results (+/- 1 µg), RPDs (+/-2%) and/or percent recoveries (+/- 1%) that were verified with the laboratory to be significant figures issue(s). No qualifications were applied.</p> <p>The site-specific QAPP requires a laboratory reagent blank (LRB), laboratory media blank, laboratory control sample (LCS), and LCS duplicate (LCSD) to be analyzed per batch of 20 samples. However, the laboratory analyzed 29 field samples in one sample preparation batch that included one LRB, laboratory media blank, LCS, and LCSD, when the batch should have included two LRBs, laboratory media blanks, LCSs, and LCSDs. The laboratory was contacted on August 8, 2023, about this deviation from the site-specific QAPP and agreed it would follow the quality control (QC) sample frequency requirements in the site-specific QAPP in future reports. No qualifications were applied based on professional judgment because the QC sample results met the QAPP acceptance criteria, and the QC sample results from previous datasets for this project have met the QAPP acceptance criteria.</p> <p>The LCSD percent recovery is above the acceptance criteria limits. However, the average percent recovery between the LCS and LCSD is within the acceptance criteria. No qualifications were applied.</p>

**DATA VALIDATION CHECKLIST – STAGE 2A
EPA REGION 5 START CONTRACT**

Sample dilutions:

Within Criteria	Exceedance/Notes
NA	

Re-extraction and reanalysis:

Within Criteria	Exceedance/Notes
NA	

MDLs/RLs:

Within Criteria	Exceedance/Notes
Y	Method detection limits were not reported. Nondetect sample results were reported as less than the reporting limit in the laboratory report and at the reporting limit (flagged U) in the validated EDD and attached analytical results summary.

Tentatively identified compounds:

Within Criteria	Exceedance/Notes
NA	

Other [None]:

Within Criteria	Exceedance/Notes
NA	

**DATA VALIDATION CHECKLIST – STAGE 2A
EPA REGION 5 START CONTRACT**

Overall Qualifications:

See results summary pages attached for changes to the laboratory qualifiers based upon this validation. The following is a list of qualifiers and definitions that may be used for the validation of this data package:

J	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.
J+	The analyte was positively identified, the associated value is the approximate concentration of the analyte in the sample and may be biased high.
J-	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be biased low.
NJ	The analysis indicates the presence of an analyte that has been “tentatively identified” and the associated value is the approximate concentration of the analyte in the sample.
R	The sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not be present in the sample.
U	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit).
UJ	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit), which is considered approximate due to deficiencies in one or more quality control criteria.

E PALESTINE SITE - ER AIR ANALYTICAL RESULTS SUMMARY
 EUROFINS ANALYTICS, LLC REPORT NO. B150-094

Sample_ID	Method	CAS#	Analyte	Lab Result	Lab Qual	RL	Units	VAL_Result	VAL_Qual
EPD-PB-BKBA-01-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-BKBA-02-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-CM-06-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-CM-066-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-CM-07-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-CM-08-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-CM-09-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-CM-10-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-CM-11-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-CM-12-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-CM-14-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-DW-E-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-FB-01-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	2 U	2 U	2	ug	2 U	2 U
EPD-PB-MB-01-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	2 U	2 U	2	ug	2 U	2 U
EPD-PB-OD-01-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-OD-02-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-OD-03-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-OD-04-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-OD-05-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-OD-06-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-OD-07-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.009 U	0.009 U	0.009	ppm	0.009 U	0.009 U
EPD-PB-UW-A-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.009 U	0.009 U	0.009	ppm	0.009 U	0.009 U
EPD-PB-WA-01-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-WA-02-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-WA-03-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-WA-04-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-WA-05-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-WA-055-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U
EPD-PB-WA-06-052523-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091 U	0.0091	ppm	0.0091 U	0.0091 U

**DATA VALIDATION CHECKLIST – STAGE 2A
EPA REGION 5 START CONTRACT**

Site Name	E Palestine Site - ER	TO/TOLIN No.	68HE0520F0032/0001EB201
Document Tracking No.	2144c	Laboratory	Eurofins Analytics, LLC – Ashland, VA
Laboratory Report No.	B150-095	Laboratory standard operating procedure (SOP) IHGC-P029	
Analyses	2-Ethylhexyl acrylate and n-butyl acrylate by laboratory standard operating procedure (SOP) IHGC-P029		
Samples and Matrix	10 air samples including 1 field blank and 1 field duplicate pair		
Collection Date(s)	05/25/2023		
Field Duplicate Pair	EPD-ST-8H-WA-03-052523-2/EPD-ST-8H-WA-33-052523-2		
Field QC Blank	EPD-ST-FB-052523-2		

INTRODUCTION

This checklist summarizes the Stage 2A validation performed on the subject laboratory report, in accordance with the U.S. Environmental Protection Agency (EPA) *Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use* (January 2009). Analytical data were evaluated in general accordance with the Tetra Tech *Quality Assurance Project Plan, East Palestine Train Derailment Site, East Palestine, Columbiana County, Ohio*, Revision 3 (April 2023), the Tetra Tech *Quality Assurance Project Plan, Superfund Technical Assessment and Response Team (START V), EPA Region 5, Revision 4* (August 2022), and the EPA *National Functional Guidelines (NFG) for Organic Superfund Methods Data Review* (November 2020).

OVERALL EVALUATION

No rejection or qualification of results was required for this data package. The results may be used as reported by the laboratory.

**DATA VALIDATION CHECKLIST – STAGE 2A
EPA REGION 5 START CONTRACT**

Data completeness:

Within Criteria	Exceedance/Notes
N	<p>Level II laboratory report does not include some required QC information; therefore, the Level IV laboratory report was used for this data validation effort.</p> <p>The results for the field blank were reported in units of micrograms (µg) while the other sample results were reported in units of µg, milligrams per cubic meter (mg/m3), and parts per million (ppm) (volume) in the laboratory report and only in units of ppm in the laboratory electronic data deliverable (EDD).</p> <p>Rohm and Haas IH9805 was cited in the American Industrial Hygiene Association (AIHA) certification as “IHGC-P029” and may be cited by the abbreviation “Rohm & Haas IH9805” or “IHGC-P029” interchangeably throughout the laboratory report.</p> <p>Note, the following fields in the laboratory EDD may be formatted as date only or as date/time: Date_Collected, Date_Received, Date_Extracted, and Date_Analyzed. The time value was not required to be provided in the EDD. If no time value was provided, then the entered value may appear as date only or with a default time value of 0:00, 00:00, or similar.</p> <p>The extraction date and time information in the laboratory EDD did not match the laboratory report or were absent. During the data validation effort, the extraction dates were added or corrected (as needed) to match those in the preparation log in the laboratory report.</p> <p>A unique sample ID for LCSD was not provided in the laboratory EDD. Unique sample IDs are needed to avoid overwriting other QC sample data when validated EDDs are uploaded to the Scribe database. The LCSD ID in the Samp_No and Lab_Samp_No fields of the validated EDD were manually revised to match those in the laboratory report.</p> <p>The chain-of-custody (COC) form is missing the received date and time from the laboratory. The received date is on the cover letter and the time is not required. No qualifications were applied.</p>

Sample preservation, receipt, and holding times:

Within Criteria	Exceedance/Notes
Y	



**DATA VALIDATION CHECKLIST – STAGE 2A
EPA REGION 5 START CONTRACT**

Method blanks:

Within Criteria	Exceedance/Notes
N	Nondetect results for laboratory method blank (LMB IHG230530F) and laboratory reagent blank LRB IHG230530F were reported as “0” in the laboratory EDD rather than at the reporting limit (RL). The laboratory was contacted on August 28, 2023, and agreed to report nondetect laboratory method blank and LRB results at the RL in future laboratory EDDs.

Field blanks:

Within Criteria	Exceedance/Notes
Y	

Surrogates and labeled compounds:

Within Criteria	Exceedance/Notes
NA	

MS/MSDs:

Within Criteria	Exceedance/Notes
NA	

Laboratory duplicates:

Within Criteria	Exceedance/Notes
NA	

**DATA VALIDATION CHECKLIST – STAGE 2A
EPA REGION 5 START CONTRACT**

Field duplicates:

Within Criteria	Exceedance/Notes
Y	

LCSS/LCSDs:

Within Criteria	Exceedance/Notes
N	The laboratory report(s) and the laboratory EDD have one or more minor discrepancies in the LCS/LCSD results (+/- 1 µg), RPDs (+/- 2%) and/or percent recoveries (+/- 1%) that were verified with the laboratory to be a significant figures issue. No qualifications were applied.

Sample dilutions:

Within Criteria	Exceedance/Notes
NA	

Re-extraction and reanalysis:

Within Criteria	Exceedance/Notes
NA	

MDLs/RLs:

Within Criteria	Exceedance/Notes
Y	Method detection limits were not reported. Nondetect sample results were reported as less than the reporting limit in the laboratory report and at the reporting limit (flagged U) in the validated EDD and attached analytical results summary.

**DATA VALIDATION CHECKLIST – STAGE 2A
EPA REGION 5 START CONTRACT**

Tentatively identified compounds:

Within Criteria	Exceedance/Notes
NA	

Other [None]:

Within Criteria	Exceedance/Notes
NA	

**DATA VALIDATION CHECKLIST – STAGE 2A
EPA REGION 5 START CONTRACT**

Overall Qualifications:

See results summary pages attached for changes to the laboratory qualifiers based upon this validation. The following is a list of qualifiers and definitions that may be used for the validation of this data package:

J	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.
J+	The analyte was positively identified, the associated value is the approximate concentration of the analyte in the sample and may be biased high.
J-	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be biased low.
NJ	The analysis indicates the presence of an analyte that has been “tentatively identified” and the associated value is the approximate concentration of the analyte in the sample.
R	The sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not be present in the sample.
U	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit).
UJ	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit), which is considered approximate due to deficiencies in one or more quality control criteria.

E PALESTINE SITE - ER AIR ANALYTICAL RESULTS SUMMARY
 EUROFINS ANALYTICS, LLC REPORT NO. B150-095

Sample_ID	Method	CAS#	Analyte	Lab Result	Lab Qual	RL	Units	VAL_Result	VAL_Qual
EPD-ST-8H-DW-F-052523-2	HGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015	U	0.015	ppm	0.015	U
EPD-ST-8H-DW-F-052523-2	HGC-P029	141-32-2	n-Butyl acrylate	0.01	U	0.01	ppm	0.01	U
EPD-ST-8H-UW-B-052523-2	HGC-P029	103-11-7	2-Ethylhexyl acrylate	0.014	U	0.014	ppm	0.014	U
EPD-ST-8H-UW-B-052523-2	HGC-P029	141-32-2	n-Butyl acrylate	0.01	U	0.01	ppm	0.01	U
EPD-ST-8H-WA-01-052523-2	HGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015	U	0.015	ppm	0.015	U
EPD-ST-8H-WA-01-052523-2	HGC-P029	141-32-2	n-Butyl acrylate	0.01	U	0.01	ppm	0.01	U
EPD-ST-8H-WA-02-052523-2	HGC-P029	103-11-7	2-Ethylhexyl acrylate	0.016	U	0.016	ppm	0.016	U
EPD-ST-8H-WA-02-052523-2	HGC-P029	141-32-2	n-Butyl acrylate	0.01	U	0.01	ppm	0.01	U
EPD-ST-8H-WA-03-052523-2	HGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015	U	0.015	ppm	0.015	U
EPD-ST-8H-WA-03-052523-2	HGC-P029	141-32-2	n-Butyl acrylate	0.01	U	0.01	ppm	0.01	U
EPD-ST-8H-WA-04-052523-2	HGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015	U	0.015	ppm	0.015	U
EPD-ST-8H-WA-04-052523-2	HGC-P029	141-32-2	n-Butyl acrylate	0.01	U	0.01	ppm	0.01	U
EPD-ST-8H-WA-05-052523-2	HGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015	U	0.015	ppm	0.015	U
EPD-ST-8H-WA-05-052523-2	HGC-P029	141-32-2	n-Butyl acrylate	0.01	U	0.01	ppm	0.01	U
EPD-ST-8H-WA-06-052523-2	HGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015	U	0.015	ppm	0.015	U
EPD-ST-8H-WA-06-052523-2	HGC-P029	141-32-2	n-Butyl acrylate	0.01	U	0.01	ppm	0.01	U
EPD-ST-8H-WA-33-052523-2	HGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015	U	0.015	ppm	0.015	U
EPD-ST-8H-WA-33-052523-2	HGC-P029	141-32-2	n-Butyl acrylate	0.01	U	0.01	ppm	0.01	U
EPD-ST-FB-052523-2	HGC-P029	103-11-7	2-Ethylhexyl acrylate	2.8	U	2.8	ug	2.8	U
EPD-ST-FB-052523-2	HGC-P029	141-32-2	n-Butyl acrylate	1.3	U	1.3	ug	1.3	U

**DATA VALIDATION CHECKLIST – STAGE 2A
EPA REGION 5 START CONTRACT**

Site Name	E Palestine Site - ER	TO/TOLIN No.	68HE0520F0032/0001EB201
Document Tracking No.	2114d	Laboratory	Eurofins Analytics, LLC – Ashland, VA
Laboratory Report No.	B150-096	by laboratory standard operating procedure (SOP) IHGC-P029	
Analyses	2-Ethylhexyl acrylate and n-butyl acrylate		
Samples and Matrix	Nine air samples including one field blank		
Collection Date(s)	05/25/2023		
Field Duplicate Pairs	None		
Field QC Blank	EPD-ST-FB-052523-1		

INTRODUCTION

This checklist summarizes the Stage 2A validation performed on the subject laboratory report, in accordance with the U.S. Environmental Protection Agency (EPA) *Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use* (January 2009). Analytical data were evaluated in general accordance with the Tetra Tech *Quality Assurance Project Plan, East Palestine Train Derailment Site, East Palestine, Columbiana County, Ohio*, Revision 3 (April 2023), the Tetra Tech *Quality Assurance Project Plan, Superfund Technical Assessment and Response Team (START V), EPA Region 5*, Revision 4 (August 2022), and the EPA *National Functional Guidelines (NFG) for Organic Superfund Methods Data Review* (November 2020).

OVERALL EVALUATION

No rejection or qualification of results was required for this data package. The results may be used as reported by the laboratory.

**DATA VALIDATION CHECKLIST – STAGE 2A
EPA REGION 5 START CONTRACT**

Data completeness:

Within Criteria	Exceedance/Notes
N	<p>Level II laboratory report does not include some required QC information; therefore, the Level IV laboratory report was used for this data validation effort.</p> <p>The results for the field blank were reported in units of micrograms (µg) while the other sample results were reported in units of µg, milligrams per cubic meter (mg/m3), and parts per million (ppm) (volume) in the laboratory report and only in units of ppm in the laboratory electronic data deliverable (EDD).</p> <p>Rohm and Haas IH9805 was cited in the American Industrial Hygiene Association (AIHA) certification as “IHGC-P029” and may be cited by the abbreviation “Rohm & Haas IH9805” or “IHGC-P029” interchangeably throughout the laboratory report.</p> <p>Note, the following fields in the laboratory EDD may be formatted as date only or as date/time: Date_Collected, Date_Received, Date_Extracted, and Date_Analyzed. The time value was not required to be provided in the EDD. If no time value was provided, then the entered value may appear as date only or with a default time value of 0:00, 00:00, or similar.</p> <p>The extraction date and time information in the laboratory EDD did not match the laboratory report or were absent. During the data validation effort, the extraction dates were added or corrected (as needed) to match those in the preparation log in the laboratory report.</p> <p>A unique sample ID for LCSD was not provided in the laboratory EDD. Unique sample IDs are needed to avoid overwriting other QC sample data when validated EDDs are uploaded to the Scribe database. The LCSD ID in the Samp_No and Lab_Samp_No fields of the validated EDD were manually revised to match those in the laboratory report.</p>

Sample preservation, receipt, and holding times:

Within Criteria	Exceedance/Notes
Y	

**DATA VALIDATION CHECKLIST – STAGE 2A
EPA REGION 5 START CONTRACT**

Method blanks:

Within Criteria	Exceedance/Notes
N	Nondetect results for laboratory method blank LMB IHG230530G and laboratory reagent blank LRB IHG230530G were reported as “0” in the laboratory EDD rather than at the reporting limit (RL). The laboratory was contacted on August 28, 2023, and agreed to report nondetect laboratory method blank and LRB results at the RL in future laboratory EDDs.

Field blanks:

Within Criteria	Exceedance/Notes
Y	

Surrogates and labeled compounds:

Within Criteria	Exceedance/Notes
NA	

MS/MSDs:

Within Criteria	Exceedance/Notes
NA	

Laboratory duplicates:

Within Criteria	Exceedance/Notes
NA	

Field duplicates:

Within Criteria	Exceedance/Notes
NA	-

DATA VALIDATION CHECKLIST – STAGE 2A
EPA REGION 5 START CONTRACT

LCs/LCSDs:

Within Criteria	Exceedance/Notes
N	The laboratory report(s) and the laboratory EDD have one or more minor discrepancies in the LCS/LCSD results (+/- 1 µg), RPDs (+/- 2%) and/or percent recoveries (+/- 1%) that were verified with the laboratory to be a significant figures issue. No qualifications were applied.

Sample dilutions:

Within Criteria	Exceedance/Notes
NA	

Re-extraction and reanalysis:

Within Criteria	Exceedance/Notes
NA	

MDLs/RLs:

Within Criteria	Exceedance/Notes
Y	Method detection limits were not reported. Nondetect sample results were reported as less than the reporting limit in the laboratory report and at the reporting limit (flagged U) in the validated EDD and attached analytical results summary.

Tentatively identified compounds:

Within Criteria	Exceedance/Notes
NA	

**DATA VALIDATION CHECKLIST – STAGE 2A
EPA REGION 5 START CONTRACT**

Other [None]:

Within Criteria	Exceedance/Notes
NA	

Overall Qualifications:

See results summary pages attached for changes to the laboratory qualifiers based upon this validation. The following is a list of qualifiers and definitions that may be used for the validation of this data package:

J	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.
J+	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be biased high.
J-	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be biased low.
NJ	The analysis indicates the presence of an analyte that has been “tentatively identified” and the associated value is the approximate concentration of the analyte in the sample.
R	The sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not be present in the sample.
U	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit).
UJ	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit), which is considered approximate due to deficiencies in one or more quality control criteria.

E PALESTINE SITE - ER AIR ANALYTICAL RESULTS SUMMARY
 EUROFINS ANALYTICS, LLC REPORT NO. B150-096

Sample_ID	Method	CAS#	Analyte	Lab Result	Lab Qual	RL	Units	VAL_Result	VAL_Qual
EPD-ST-8H-DW-E-052523-1	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.014 U	0.014 U	0.014	ppm	0.014 U	0.014 U
EPD-ST-8H-DW-E-052523-1	IHGC-P029	141-32-2	n-Butyl acrylate	0.009 U	0.009 U	0.009	ppm	0.009 U	0.009 U
EPD-ST-8H-UW-A-052523-1	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015 U	0.015	ppm	0.015 U	0.015 U
EPD-ST-8H-UW-A-052523-1	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01 U	0.01	ppm	0.01 U	0.01 U
EPD-ST-8H-WA-01-052523-1	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.018 U	0.018 U	0.018	ppm	0.018 U	0.018 U
EPD-ST-8H-WA-01-052523-1	IHGC-P029	141-32-2	n-Butyl acrylate	0.012 U	0.012 U	0.012	ppm	0.012 U	0.012 U
EPD-ST-8H-WA-02-052523-1	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.016 U	0.016 U	0.016	ppm	0.016 U	0.016 U
EPD-ST-8H-WA-02-052523-1	IHGC-P029	141-32-2	n-Butyl acrylate	0.011 U	0.011 U	0.011	ppm	0.011 U	0.011 U
EPD-ST-8H-WA-03-052523-1	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.015 U	0.015 U	0.015	ppm	0.015 U	0.015 U
EPD-ST-8H-WA-03-052523-1	IHGC-P029	141-32-2	n-Butyl acrylate	0.01 U	0.01 U	0.01	ppm	0.01 U	0.01 U
EPD-ST-8H-WA-04-052523-1	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.016 U	0.016 U	0.016	ppm	0.016 U	0.016 U
EPD-ST-8H-WA-04-052523-1	IHGC-P029	141-32-2	n-Butyl acrylate	0.011 U	0.011 U	0.011	ppm	0.011 U	0.011 U
EPD-ST-8H-WA-05-052523-1	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.016 U	0.016 U	0.016	ppm	0.016 U	0.016 U
EPD-ST-8H-WA-05-052523-1	IHGC-P029	141-32-2	n-Butyl acrylate	0.011 U	0.011 U	0.011	ppm	0.011 U	0.011 U
EPD-ST-8H-WA-06-052523-1	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	0.014 U	0.014 U	0.014	ppm	0.014 U	0.014 U
EPD-ST-8H-WA-06-052523-1	IHGC-P029	141-32-2	n-Butyl acrylate	0.009 U	0.009 U	0.009	ppm	0.009 U	0.009 U
EPD-ST-FB-052523-1	IHGC-P029	103-11-7	2-Ethylhexyl acrylate	2.8 U	2.8 U	2.8	ug	2.8 U	2.8 U
EPD-ST-FB-052523-1	IHGC-P029	141-32-2	n-Butyl acrylate	1.3 U	1.3 U	1.3	ug	1.3 U	1.3 U