

December 6, 2023

Mr. Josh Peters
On-Scene Coordinator
U.S. Environmental Protection Agency, Region 5
Superfund and Emergency Management Division
2565 Plymouth Road
Ann Arbor, MI 48105

We are in the process of ensuring this document is accessible to all audiences. If you need assistance accessing this document, or any material on the EPA East Palestine, Ohio emergency response web pages, please contact the Region 5 Public Information Officer on-call at: R5 EastPalestine@epa.gov

Subject: Data Validation Report

E Palestine Site - ER

EPA Contract No.: 68HE0519D0005

Task Order/Task Order Line Item No.: 68HE0520F0032/0001EB201

Document Tracking No. 2163

Dear Mr. Peters:

Tetra Tech, Inc. (Tetra Tech) is submitting this data validation report for 122 air samples (including 10 field duplicate samples, 6 field blank samples, and 6 media blanks) collected at the E Palestine site. The samples were collected on August 3, August 5, and August 6, 2023, and were analyzed for acrylates by Eurofins Analytics, LLC. The final laboratory data package was received on August 9, 2023.

Analytical data were evaluated in general accordance with the Tetra Tech *Quality Assurance Project Plan, East Palestine Train Derailment Site, East Palestine, Columbiana County, Ohio,* Revision 3 (April 2023), the Tetra Tech *Quality Assurance Project Plan, Superfund Technical Assessment and Response Team (START V), EPA Region 5,* Revision 4 (August 2022), and the *National Functional Guidelines (NFG) for Organic Superfund Methods Data Review* (November 2020).

No qualification or rejection of results was required for these data packages. The results may be used as reported by the laboratory.

If you have any questions regarding this data validation report, please contact me via the project manager.

Sincerely,



Environmental Chemist

Enclosure

cc: Karl Schultz, Tetra Tech Program Manager

Dustin Grams, Tetra Tech Project Manager

Mayra Arroyo Ortiz, Tetra Tech Project Document Control Coordinator

TO-TOLIN File

ATTACHMENT

DATA VALIDATION REPORT EUROFINS ANALYTICS, LLC NOS. B219-129, B220-112, B220-113, AND B220-115

Site Name	E Palestine Site - ER	TO/TOLIN No.	68HE0520F0032/0001EB201
Document Tracking No.	2163a		
Laboratory Report No.	B219-129	Laboratory	Eurofins Analytics, LLC – Ashland, VA
Analyses	n-Butyl acrylate by NIOSH Method 1450M		
Samples and Matrix	29 air samples including 1 field blank, 1 media blank, and 2 field duplicate pairs		
Collection Date(s)	08/03/2023		
Field Duplicate Daire	EPD-PB-CM-09-080323-1/ EPD-PB-CM-099-080323-1		
Field Duplicate Pairs	EPD-PB-OD-02-080323-1/ EPD-PB-OD-02-080323-1		
Field QC Blanks	EPD-PB-FB-080323-1 and EPD-PB-MB-080323-1		

INTRODUCTION

This checklist summarizes the Stage 2A validation performed on the subject laboratory report, in accordance with the U.S. Environmental Protection Agency (EPA) *Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use* (January 2009). Analytical data were evaluated in general accordance with the Tetra Tech *Quality Assurance Project Plan, East Palestine Train Derailment Site, East Palestine, Columbiana County, Ohio,* Revision 3 (April 2023), the Tetra Tech *Quality Assurance Project Plan, Superfund Technical Assessment and Response Team (START V), EPA Region 5,* Revision 4 (August 2022), and the EPA *National Functional Guidelines (NFG) for Organic Superfund Methods Data Review* (November 2020).

OVERALL EVALUATION

No rejection or qualification of results was required for this data package. The results may be used as reported by the laboratory.



Data completeness:

Within Criteria	Exceedance/Notes
	The results for the field blank and media blank were reported in units of micrograms (μ g) while the other field sample results were reported in units of μ g, milligrams per cubic meter (μ g/m3), and parts per million (μ g) (volume) in the laboratory report and only in units of ppm in the laboratory electronic data deliverable (EDD). Results for field samples are presented only in ppm in the attached analytical results summary.
	The site-specific QAPP specifies analysis of acrylates in air by Eurofins Analytics, LLC standard operating procedure (SOP) IHGC-001-v.22-3. The laboratory confirmed that NIOSH Method 1450M, which is mentioned in the laboratory deliverables, is equivalent to SOP IHGC-001-v.22-3; therefore, these method references may be used interchangeably.
N	To facilitate sample reporting, large sample delivery groups may be logged by the laboratory separately by individual pages of the COC form. The ratio of field QC samples (field blanks, media blanks, field duplicates) to non-QC field samples is monitored independent of this validation and therefore the ratio of field QC samples to non-QC field samples was not verified during this validation. No qualifications were applied.
	Note, the following fields in the laboratory EDD may be formatted as date only or as date/time: Date_Collected, Date_Received, Date_Extracted, and Date_Analyzed. The time value was not required to be provided in the EDD. If no time value was provided, then the entered value may appear as date only or with a default time value of 0:00, 00:00, or similar.

Sample preservation, receipt, and holding times:

Within Criteria	Exceedance/Notes
Υ	

Method blanks:

Within Criteria	Exceedance/Notes
N	Nondetect results for laboratory method blanks LMB IHG230807E, LMB IHG230807F and laboratory reagent blanks LRB IHG230807E, LRB IHG230807F were reported as "0" in the laboratory EDD rather than at the reporting limit (RL). The laboratory was contacted on August 28, 2023, and agreed to report nondetect laboratory method blank and LRB results at the RL in future laboratory EDDs. No qualifications were applied.



Field blanks:

Within Criteria	Exceedance/Notes
N	One field blank sample was included in this data package although the site-specific QAPP specifies the collection of 1 field blank per 20 field samples. No qualifications were applied because all sample results were nondetect.

Surrogates and labeled compounds:

Within Criteria	Exceedance/Notes
NA	

MS/MSDs:

Within Criteria	Exceedance/Notes
NA	

Laboratory duplicates:

Within	Five and a man / Matter
Criteria	Exceedance/Notes
NA	

Field duplicates:

Within Criteria	Exceedance/Notes
N	Only two field duplicate samples were included in this data package although the site-specific QAPP specifies the collection of 1 field duplicate sample per 10 field samples. Based on professional judgement, no qualifications were applied.

LCSs/LCSDs:

Within Criteria	Exceedance/Notes
N	The laboratory report and laboratory EDD have one or more minor discrepancies in the LCS/LCSD results (+/- 1 ug), RPDs (+/-2%) and/or percent recoveries (+/- 1%) that were verified with the laboratory to be significant figures issue(s). No qualifications were applied.

Sample dilutions:

Within Criteria	Exceedance/Notes
NA	

Re-extraction and reanalysis:

Within Criteria	Exceedance/Notes
NA	

MDLs/RLs:

Within Criteria	Exceedance/Notes
Y	Method detection limits were not reported. Nondetect sample results were reported as less than the reporting limit in the laboratory report and at the reporting limit (flagged U) in the validated EDD and attached analytical results summary.

Tentatively identified compounds:

Within Criteria	Exceedance/Notes
NA	



Other [None]:

Within Criteria	Exceedance/Notes
NA	

Overall Qualifications:

See results summary pages attached for changes to the laboratory qualifiers based upon this validation. The following is a list of qualifiers and definitions that may be used for the validation of this data package:

J	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.
J+	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be biased high.
J-	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be
	biased low.
lИ	The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated value is the approximate
143	concentration of the analyte in the sample.
R	The sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not
IX.	be present in the sample.
U	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit).
UJ	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit), which is considered approximate
01	due to deficiencies in one or more quality control criteria.

E PALESTINE-ER AIR ANALYTICAL RESULTS SUMMARY EUROFINS ANALYTICS, LLC REPORT NO. B219-129

Sample_ID	Method	CAS#	Analyte	Lab_Result Lab_Qual	RL	Units	VAL_Result VAL_Qual
EPD-PB-BKBA-01-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-BKBA-02-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-06-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-07-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-08-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-09-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-099-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-10-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-11-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-12-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-14-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-DW-A-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-FB-01-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	2 U	2	ug	2 U
EPD-PB-MB-01-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	2 U	2	ug	2 U
EPD-PB-OD-01-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-02-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-022-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-03-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-04-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-05-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-06-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-07-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-UW-E-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-01-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-02-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-03-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-04-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-05-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-06-080323-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U

Site Name	E Palestine Site - ER	TO/TOLIN No.	68HE0520F0032/0001EB201			
Document Tracking No.	2163b	TO/TOLIN NO.	08HEU32UFUU32/UUU1EB2U1			
Laboratory Report No.	B220-112	Laboratory	Eurofins Analytics, LLC – Ashland, VA			
Analyses	n-Butyl acrylate by NIOSH Method 1450M					
Samples and Matrix	29 air samples including 1 field blank, 1 media blank, and 2 field duplicate pairs					
Collection Date(s)	08/06/2023					
Field Dunlieste Daire	EPD-PB-OD-03-080623-1/ EPD-PB-OD-033-080623-1					
Field Duplicate Pairs	EPD-PB-OD-01-080623-1/ EPD-PB-OD-011-080623-1					
Field QC Blanks	EPD-PB-FB-080623-1 and EPD-PB-MB-080623-1					

INTRODUCTION

This checklist summarizes the Stage 2A validation performed on the subject laboratory report, in accordance with the U.S. Environmental Protection Agency (EPA) *Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use* (January 2009). Analytical data were evaluated in general accordance with the Tetra Tech *Quality Assurance Project Plan, East Palestine Train Derailment Site, East Palestine, Columbiana County, Ohio,* Revision 3 (April 2023), the Tetra Tech *Quality Assurance Project Plan, Superfund Technical Assessment and Response Team (START V), EPA Region 5,* Revision 4 (August 2022), and the EPA *National Functional Guidelines (NFG) for Organic Superfund Methods Data Review* (November 2020).

OVERALL EVALUATION

No rejection or qualification of results was required for this data package. The results may be used as reported by the laboratory.



Data completeness:

Within Criteria	Exceedance/Notes
	The results for the field blank and media blank were reported in units of micrograms (μ g) while the other field sample results were reported in units of μ g, milligrams per cubic meter (μ g/m3), and parts per million (μ g) (volume) in the laboratory report and only in units of ppm in the laboratory electronic data deliverable (EDD). Results for field samples are presented only in ppm in the attached analytical results summary.
N	The site-specific QAPP specifies analysis of acrylates in air by Eurofins Analytics, LLC standard operating procedure (SOP) IHGC-001-v.22-3. The laboratory confirmed that NIOSH Method 1450M, which is mentioned in the laboratory deliverables, is equivalent to SOP IHGC-001-v.22-3; therefore, these method references may be used interchangeably.
N	To facilitate sample reporting, large sample delivery groups may be logged by the laboratory separately by individual pages of the COC form. The ratio of field QC samples (field blanks, media blanks, field duplicates) to non-QC field samples is monitored independent of this validation and therefore the ratio of field QC samples to non-QC field samples was not verified during this validation. No qualifications were applied.
	Note, the following fields in the laboratory EDD may be formatted as date only or as date/time: Date_Collected, Date_Received, Date_Extracted, and Date_Analyzed. The time value was not required to be provided in the EDD. If no time value was provided, then the entered value may appear as date only or with a default time value of 0:00, 00:00, or similar.

Sample preservation, receipt, and holding times:

Within Criteria	Exceedance/Notes
Υ	

Method blanks:

Within Criteria	Exceedance/Notes
N	Nondetect results for laboratory method blanks LMB IHG230808A and LMB IHG230808B and laboratory reagent blanks LRB IHG230808A, LRB IHG230808B were reported as "0" in the laboratory EDD rather than at the reporting limit (RL). The laboratory was contacted on August 28, 2023, and agreed to report nondetect laboratory method blank and LRB results at the RL in future laboratory EDDs. No qualifications were applied.



Field blanks:

Within Criteria	Exceedance/Notes
N	One field blank sample was included in this data package although the site-specific QAPP specifies the collection of 1 field blank per 20 field samples. No qualifications were applied because all sample results were nondetect.

Surrogates and labeled compounds:

Within Criteria	Exceedance/Notes
NA	

MS/MSDs:

Within Criteria	Exceedance/Notes
NA	

Laboratory duplicates:

Within Criteria	Exceedance/Notes
NA	

Field duplicates:

Within Criteria	Exceedance/Notes
N	Two field duplicate samples were included in this data package although the site-specific QAPP specifies the collection of 1 field duplicate sample per 10 field samples. Based on professional judgement, no qualifications were applied.

LCSs/LCSDs:

Within Criteria	Exceedance/Notes
Y	

Sample dilutions:

Within Criteria	Exceedance/Notes
NA	

Re-extraction and reanalysis:

Within Criteria	Exceedance/Notes
NA	

MDLs/RLs:

Within Criteria	Exceedance/Notes
Y	Method detection limits were not reported. Nondetect sample results were reported as less than the reporting limit in the laboratory report and at the reporting limit (flagged U) in the validated EDD and attached analytical results summary.

Tentatively identified compounds:

Within Criteria	Exceedance/Notes
NA	

Other [None]:

Within		
Criteria	Exceedan	Exceedance/Notes
NA		



Overall Qualifications:

See results summary pages attached for changes to the laboratory qualifiers based upon this validation. The following is a list of qualifiers and definitions that may be used for the validation of this data package:

J	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.
J+	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be biased high.
J-	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be biased low.
NJ	The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated value is the approximate concentration of the analyte in the sample.
R	The sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not be present in the sample.
U	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit).
UJ	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit), which is considered approximate due to deficiencies in one or more quality control criteria.

E PALESTINE-ER AIR ANALYTICAL RESULTS SUMMARY EUROFINS ANALYTICAL, LLC REPORT NO. B220-112

Sample_ID	Method	CAS#	Analyte	Lab_Result Lab_Qual	RL	Units	VAL_Result VAL_Qual
EPD-PB-BKBA-01-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-BKBA-02-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-06-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.009 U	0.009	ppm	0.009 U
EPD-PB-CM-07-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-08-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-09-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-10-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-11-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-12-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-14-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-DW-D-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-FB-01-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	2 U	2	ug	2 U
EPD-PB-MB-01-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	2 U	2	ug	2 U
EPD-PB-OD-01-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-011-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-02-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-03-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-033-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-04-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-05-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-06-080623-1	NIOSH Method 1450M		n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-07-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-UW-H-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-01-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-02-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-03-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-04-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-05-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-06-080623-1	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U

Site Name	E Palestine Site - ER	TO/TOLIN No.	68HE0520F0032/0001EB201			
Document Tracking No.	2163c	10/10LIN NO.	08HEU32UFUU32/UUU1EB2U1			
Laboratory Report No.	B220-113	Laboratory	Eurofins Analytics, LLC – Ashland, VA			
Analyses	n-Butyl acrylate by NIOSH Method 1450M					
Samples and Matrix	32 air samples including 2 field blanks, 2 me	edia blanks, and 3 field	duplicate pairs			
Collection Date(s)	08/05/2023					
	EPD-PB-OD-07-080523-2/EPD-PB-OD-077-0	80523-2				
Field Duplicate Pairs	EPD-PB-CM-11-080523-2/EPD-PB-CM-111-080523-2					
	EPD-PB-WA-06-080523-2/ EPD-PB-WA-066-080523-2					
Field QC Blanks	EPD-PB-FB-02-080523-2, EPD-PB-FB-03-080	523-2, EPD-PB-MB-02-	-080523-2 and EPD-PB-MB-03-080523-2			

INTRODUCTION

This checklist summarizes the Stage 2A validation performed on the subject laboratory report, in accordance with the U.S. Environmental Protection Agency (EPA) *Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use* (January 2009). Analytical data were evaluated in general accordance with the Tetra Tech *Quality Assurance Project Plan, East Palestine Train Derailment Site, East Palestine, Columbiana County, Ohio,* Revision 3 (April 2023), the Tetra Tech *Quality Assurance Project Plan, Superfund Technical Assessment and Response Team (START V), EPA Region 5,* Revision 4 (August 2022), and the EPA *National Functional Guidelines (NFG) for Organic Superfund Methods Data Review* (November 2020).

OVERALL EVALUATION

No rejection or qualification of results was required for this data package. The results may be used as reported by the laboratory.



Data completeness:

Within Criteria	Exceedance/Notes					
	The results for the field blank and media blank were reported in units of micrograms (μ g) while the other field sample results were reported in units of μ g, milligrams per cubic meter (μ g/m3), and parts per million (μ g) (volume) in the laboratory report and only in units of ppm in the laboratory electronic data deliverable (EDD). Results for field samples are presented only in ppm in the attached analytical results summary.					
N	The site-specific QAPP specifies analysis of acrylates in air by Eurofins Analytics, LLC standard operating procedure (SOP) IHGC-001-v.22-3. The laboratory confirmed that NIOSH Method 1450M, which is mentioned in the laboratory deliverables, is equivalent to SOP IHGC-001-v.22-3; therefore, these method references may be used interchangeably.					
	Note, the following fields in the laboratory EDD may be formatted as date only or as date/time: Date_Collected, Date_Received, Date_Extracted, and Date_Analyzed. The time value was not required to be provided in the EDD. If no time value was provided, then the entered value may appear as date only or with a default time value of 0:00, 00:00, or similar.					

Sample preservation, receipt, and holding times:

Within Criteria	Exceedance/Notes
Υ	

Method blanks:

Within Criteria	Exceedance/Notes
N	Nondetect results for laboratory method blanks LMB IHG230808C and LMB IHG230808D and laboratory reagent blanks LRB IHG230808C, LRB IHG230808D were reported as "0" in the laboratory EDD rather than at the reporting limit (RL). The laboratory was contacted on August 28, 2023, and agreed to report nondetect laboratory method blank and LRB results at the RL in future laboratory EDDs. No qualifications were applied.

Field blanks:

Within Criteria	Exceedance/Notes
Υ	



With Crite		Exceedance/Notes
NA	١	

MS/MSDs:

Within Criteria	Exceedance/Notes
NA	

Laboratory duplicates:

Within Criteria	Exceedance/Notes
NA	

Field duplicates:

Within Criteria	Exceedance/Notes
Υ	

LCSs/LCSDs:

Within Criteria	Exceedance/Notes
Y	

Sample dilutions:

Within Criteria	Exceedance/Notes
NA	



Re-extraction and reanalysis:

Within Criteria	Exceedance/Notes
NA	

MDLs/RLs:

Within Criteria	Exceedance/Notes
Y	Method detection limits were not reported. Nondetect sample results were reported as less than the reporting limit in the laboratory report and at the reporting limit (flagged U) in the validated EDD and attached analytical results summary.

Tentatively identified compounds:

Within Criteria	Exceedance/Notes
NA	

Other [None]:

Within Criteria	Exceedance/Notes
NA	



Overall Qualifications:

See results summary pages attached for changes to the laboratory qualifiers based upon this validation. The following is a list of qualifiers and definitions that may be used for the validation of this data package:

J	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.
J+	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be biased high.
J-	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be biased low.
NJ	The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated value is the approximate concentration of the analyte in the sample.
R	The sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not be present in the sample.
U	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit).
UJ	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit), which is considered approximate due to deficiencies in one or more quality control criteria.

E PALESTINE-ER AIR ANALYTICAL RESULTS SUMMARY EUROFINS ANALYTICAL, LLC REPORT NO. B220-113

Sample_ID	Method	CAS#	Analyte	Lab_Result Lab_Qual	RL	Units V	AL_Result VAL_Qual
EPD-PB-BKBA-01-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-BKBA-02-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-06-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-07-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-08-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-09-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-10-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-11-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-111-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-12-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-14-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-DW-D-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-FB-02-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	2 U	2	ug	2 U
EPD-PB-FB-03-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	2 U	2	ug	2 U
EPD-PB-MB-02-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	2 U	2	ug	2 U
EPD-PB-MB-03-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	2 U	2	ug	2 U
EPD-PB-OD-01-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-02-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-03-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-04-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-05-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-06-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-07-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-077-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-UW-H-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-01-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-02-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-03-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-04-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-05-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-06-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-066-080523-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U

Site Name	E Palestine Site - ER	TO/TOLIN No.	68HE0520F0032/0001EB201		
Document Tracking No. 2163d		TO/TOLIN NO.	08010032010032/000168201		
Laboratory Report No.	B220-115	Laboratory	Eurofins Analytics, LLC – Ashland, VA		
Analyses	n-Butyl acrylate by NIOSH Method 1450M				
Samples and Matrix	32 air samples including 2 field blanks, 2 media blanks, and 3 field duplicate pairs				
Collection Date(s) 08/06/2023					
	EPD-PB-WA-02-080623-2/EPD-PB-WA-022	080623-2			
Field Duplicate Pairs	EPD-PB-WA-05-080623-2/EPD-PB-WA-055-080623-2				
	EPD-PB-BKBA-01-080623-2/ EPD-PB-BKBA-011-080623-2				
Field QC Blanks EPD-PB-FB-02-080623-2, EPD-PB-FB-03-080623-2, EPD-PB-MB-02-080623-2, and EPD-PB-MB-03-080623-2			080623-2, and EPD-PB-MB-03-080623-2		

INTRODUCTION

This checklist summarizes the Stage 2A validation performed on the subject laboratory report, in accordance with the U.S. Environmental Protection Agency (EPA) *Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use* (January 2009). Analytical data were evaluated in general accordance with the Tetra Tech *Quality Assurance Project Plan, East Palestine Train Derailment Site, East Palestine, Columbiana County, Ohio,* Revision 3 (April 2023), the Tetra Tech *Quality Assurance Project Plan, Superfund Technical Assessment and Response Team (START V), EPA Region 5,* Revision 4 (August 2022), and the EPA *National Functional Guidelines (NFG) for Organic Superfund Methods Data Review* (November 2020).

OVERALL EVALUATION

No rejection or qualification of results was required for this data package. The results may be used as reported by the laboratory.



Data completeness:

Within Criteria	Exceedance/Notes
N	The results for the field blank and media blank were reported in units of micrograms (μ g) while the other field sample results were reported in units of μ g, milligrams per cubic meter (μ g/m3), and parts per million (μ g) (volume) in the laboratory report and only in units of ppm in the laboratory electronic data deliverable (EDD). Results for field samples are presented only in ppm in the attached analytical results summary.
	The site-specific QAPP specifies analysis of acrylates in air by Eurofins Analytics, LLC standard operating procedure (SOP) IHGC-001-v.22-3. The laboratory confirmed that NIOSH Method 1450M, which is mentioned in the laboratory deliverables, is equivalent to SOP IHGC-001-v.22-3; therefore, these method references may be used interchangeably.
	To facilitate sample reporting, large sample delivery groups may be logged by the laboratory separately by individual pages of the COC form. The ratio of field QC samples (field blanks, media blanks, field duplicates) to non-QC field samples is monitored independent of this validation and therefore the ratio of field QC samples to non-QC field samples was not verified during this validation. No qualifications were applied.
	Note, the following fields in the laboratory EDD may be formatted as date only or as date/time: Date_Collected, Date_Received, Date_Extracted, and Date_Analyzed. The time value was not required to be provided in the EDD. If no time value was provided, then the entered value may appear as date only or with a default time value of 0:00, 00:00, or similar.

Sample preservation, receipt, and holding times:

Within Criteria	Exceedance/Notes
Υ	

Method blanks:

ithin teria	Exceedance/Notes
N	Nondetect results for laboratory method blanks LMB IHG230808E, LMB IHG230808F and laboratory reagent blanks LRB IHG230808E, LRB IHG230808F were reported as "0" in the laboratory EDD rather than at the reporting limit (RL). The laboratory was contacted on August 28, 2023, and agreed to report nondetect laboratory method blank and LRB results at the RL in future laboratory EDDs. No qualifications were applied.



Field blanks:	
Within	Exceedance/Notes
Criteria	
Y	
Surrogates and labeled compounds:	
Within	Fuse adams / Natas
Criteria	Exceedance/Notes
NA	
MS/MSDs:	
Within	Exceedance/Notes
Criteria	
NA	
aboratory duplicates:	
Within	Fuse adams / Natas
Criteria	Exceedance/Notes
NA	
edd dodenous	
Field duplicates:	
Within	Exceedance/Notes
Criteria	
Y	

Exceedance/Notes



Within

Criteria Y

Sample	dil 😉	ution	s:
--------	-------	-------	----

Within Criteria	Exceedance/Notes
NA	

Re-extraction and reanalysis:

Within Criteria	Exceedance/Notes
NA	

MDLs/RLs:

Within Criteria	Exceedance/Notes
Y	Method detection limits were not reported. Nondetect sample results were reported as less than the reporting limit in the laboratory report and at the reporting limit (flagged U) in the validated EDD and attached analytical results summary.

Tentatively identified compounds:

Within Criteria	Exceedance/Notes
NA	

Other [None]:

		•
Wi	ithin	Evenedones /Notes
Crit	teria	Exceedance/Notes
N	NA	



Overall Qualifications:

See results summary pages attached for changes to the laboratory qualifiers based upon this validation. The following is a list of qualifiers and definitions that may be used for the validation of this data package:

J	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample.
J+	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be biased high.
J-	The analyte was positively identified; the associated value is the approximate concentration of the analyte in the sample and may be biased low.
NJ	The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated value is the approximate concentration of the analyte in the sample.
R	The sample result is rejected as unusable due to serious deficiencies in one or more quality control criteria. The analyte may or may not be present in the sample.
U	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit).
UJ	The analyte was analyzed for, but was not detected at or above the associated value (reporting limit), which is considered approximate due to deficiencies in one or more quality control criteria.

E PALESTINE-ER AIR ANALYTICAL RESULTS SUMMARY EUROFINS ANALYTICS, LLC REPORT NO. B220-115

Sample_ID	Method	CAS#	Analyte	Lab_Result Lab_Qual	RL	Units	VAL_Result VAL_Qual
EPD-PB-BKBA-01-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-BKBA-011-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-BKBA-02-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-06-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-07-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-08-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-09-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-10-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-11-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-12-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-CM-14-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-DW-A-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-FB-02-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	2 U	2	ug	2 U
EPD-PB-FB-03-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	2 U	2	ug	2 U
EPD-PB-MB-02-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	2 U	2	ug	2 U
EPD-PB-MB-03-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	2 U	2	ug	2 U
EPD-PB-OD-01-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-02-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-03-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-04-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-05-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-06-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-OD-07-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-UW-E-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-01-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-02-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-022-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-03-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-04-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-05-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-055-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U
EPD-PB-WA-06-080623-2	NIOSH Method 1450M	141-32-2	n-Butyl acrylate	0.0091 U	0.0091	ppm	0.0091 U