


**From:** (b)(6) Privacy, (b)(7)(C) Enf. Privacy  
**To:** [IDHR.Intake](#); [idhr.webmail@illinois.gov](mailto:idhr.webmail@illinois.gov); [Title VI Complaints](#)  
**Subject:** Re: [External] carle foundation hospital security team video  
**Date:** Tuesday, January 30, 2024 4:01:07 PM  
**Attachments:** [image002.png](#)  
[image003.png](#)  
[image001.emz](#)  
[image006.png](#)

---

**Caution:** This email originated from outside EPA, please exercise additional caution when deciding whether to open attachments or click on provided links.



control number (b)(6) Privacy, (b)(7)(C) Enf. Privacy

When I tried to open this file, we did not have a Windows application that could process a .emz file. Once we pasted it into a Word application, it showed up as a black box like above, not loading anything. We also tried to download a file viewer program, and it also showed up like a blank black box. Is there a way you could send it in another format such as a pdf or word file, or could you recommend how to open the .emz file? or you can u.s.p.s mail me the carle foundation hospital letter control number (b)(6) Privacy, (b)(7)(C) Enf. Privacy

On Saturday, January 20, 2024 at 07:52:36 PM CST, (b)(6) Privacy, (b)(7)(C) Enf. Privacy wrote:

(b)(6) Privacy, (b)(7)(C) Enf. Privacy

----- Forwarded Message -----

**From:** (b)(6) Privacy, (b)(7)(C) Enf. Privacy  
**To:** IDHR.intake@illinois.gov <idhr.intake@illinois.gov>  
**Sent:** Thursday, January 18, 2024 at 09:49:04 AM CST  
**Subject:** Fw: [External] carle foundation hospital security team video

The mail box is frozen. Too the whole north Mattis Ave complex buildings. On 2000 N. Mattis Ave here in Champaign county  
But I'm about too take a piece of mail within the last 30 days & see if the mail man can give me my mail in person.? Frozen mailbox. Can't nobody get inside it. But when I get the letter il fax back under the control number provided.  
Talk with you guys soon.  
1-18-2024  
@9:48 a.m.

P (b)(6) Privacy, (b)(7)(C) Enf. Privacy

----- Forwarded Message -----

**From:** IDHR.Intake <idhr.intake@illinois.gov>  
**To:** (b)(6) Privacy, (b)(7)(C) Enf. Privacy  
**Sent:** Thursday, January 18, 2024 at 07:31:35 AM CST  
**Subject:** RE: [External] carle foundation hospital security team video

Hello,

We are in receipt of your email; however, the email did not consist of a document attached. Please resend email.

Thank you,



## INTAKE UNIT

### CHARGE PROCESSING DIVISION

Illinois Department of Human Rights (IDHR)

555 West Monroe Street, 7<sup>th</sup> Floor  
Chicago, IL 60661

312.801.6200 (t) 866.740.3953 (TTY)


312.814.6251 (f)

**Follow us:** [Facebook](#), [Twitter](#), [Instagram](#) & [LinkedIn](#)  
**Visit us online:** [illinois.gov/DHR](http://illinois.gov/DHR)

---

From: (b)(6) Privacy, (b)(7)(C) Enf. Privacy  
Sent: Wednesday, January 17, 2024 6:06 PM  
To: (b)(6) Privacy, (b)(7)(C) Enf. Privacy | IDHR.Intake <IDHR.Intake@illinois.gov>  
Subject: [External] carle foundation hospital security team video

[Carle Health System: Security Body Cameras](#)



 Carle Health System: Security Body Cameras

(b)(6) Privacy, (b)(7)(C) Enf. Privacy

CONTROL NUMBER

(b)(6) Privacy, (b)(7)(C) Enf. Privacy

ATTACHMENTS EMAILED SOON

CONTACT INFO OF CARLE FOUNDATION HOSPITAL

State of Illinois - CONFIDENTIALITY NOTICE: The information contained in this communication is confidential, may be attorney-client privileged or attorney work product, may constitute inside information or internal deliberative staff communication, and is intended only for the use of the addressee. Unauthorized use, disclosure or copying of this communication or any part thereof is strictly prohibited and may be unlawful. If you have received this communication in error, please notify the sender immediately by return e-mail and destroy this communication and all copies thereof, including all attachments. Receipt by an unintended recipient does not waive attorney-client privilege, attorney work product privilege, or any other exemption from disclosure.