## **Air Monitoring Summary Tables**

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

Project Name: Biolab Chlorine

AreaRAE Pro

H2S

CL2

From: 10/16/24 To: 10/17/24 5:00 PM 5:00 AM



	Station 2 - Mammy's								
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level		
	VOC	No	1094	1	0-363 ppb	0.33 ppb	9000 ppb 8hr avg		
AreaRAE Pro	H2S	No	1094	0	0-0 ppm	0 ppm	0.51 ppm 1hr avg		
	CL2	No	2187	466	0-0.30 ppm	0.02 ppm	0.5 ppm 1hr avg		
SPM Flex	HYDROGEN CHLORIDE (HCL)	No	13788	0	0-0 ppm	0 ppm	1.8 ppm 1hr avg		

	Station 8- Iris Drive SW Near Pyro Fireworks									
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level			
	VOC	No	1099	0	0-0 ppb	0 ppb	9000 ppb 8hr avg			
AreaRAE Pro	H2S	No	1099	0	0-0 ppm	0 ppm	0.51 ppm 1hr avg			
	CL2	No	2198	222	0-0.20 ppm	0.01 ppm	0.5 ppm 1hr avg			
SPM Flex	HYDROGEN CHLORIDE (HCL)	No	13814	0	0-0 ppm	0 ppm	1.8 ppm 1hr avg			

Station 10 - Gated Community Near Rockdale Plaza Shopping Center									
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level		
	VOC	No	1094	0	0-0 ppb	0 ppb	9000 ppb 8hr avg		
AreaRAE Pro	H2S	No	1094	0	0-0 ppm	0 ppm	0.51 ppm 1hr avg		
	CL2	No	2188	1522	0-0.30 ppm	0.15 ppm	0.5 ppm 1hr avg		

	Station 11 -Patrick & Associates Inc								
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level		
AreaRAE Pro	VOC	No	1086	478	0-76 ppb	16.78 ppb	9000 ppb 8hr avg		
AICANALFIO	CL2	No	2171	657	0-0.60 ppm	0.09 ppm	0.5 ppm 1hr avg		
SPM Flex	HYDROGEN CHLORIDE (HCL)	No	13691	0	0-0 ppm	0 ppm	1.8 ppm 1hr avg		

	Station 13- Intersection of Old Covington Highway and 3rd Avenue									
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level			
AreaRAE Pro	VOC	No	1058	1	0-12 ppb	0.01 ppb	9000 ppb 8hr avg			
AICANAL FIO	CL2	No	2116	1568	0-0.20 ppm	0.12 ppm	0.5 ppm 1hr avg			
SPM Flex	HYDROGEN CHLORIDE (HCL)	No	13733	0	0-0 ppm	0 ppm	1.8 ppm 1hr avg			

	Station 14 - Smyrna Road									
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level			
	VOC	No	859	786	0-96 ppb	57.59 ppb	9000 ppb 8hr avg			
AreaRAE Pro	H2S	No	859	0	0-0 ppm	0 ppm	0.51 ppm 1hr avg			
	CL2	No	1718	1640	0-0.30 ppm	0.16 ppm	0.5 ppm 1hr avg			
SPM Flex	HYDROGEN CHLORIDE (HCL)	No	13839	0	0-0 ppm	0 ppm	1.8 ppm 1hr avg			

	Station 16 - Corner of General Arts and Farmers Rd									
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level			
	VOC	No	1066	229	0-32 ppb	4.30 ppb	9000 ppb 8hr avg			
AreaRAE Pro	H2S	No	1066	0	0-0 ppm	0 ppm	0.51 ppm 1hr avg			
	CL2	No	2132	1432	0-0.40 ppm	0.14 ppm	0.5 ppm 1hr avg			
					•					
			Stat	ion 17 - Lester B	iolab					
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level			
	VOC	No	1086	86	0-10 ppb	0.26 ppb	9000 ppb 8hr avg			

1086

2172

0

1746

0-0 ppm

0-0.50 ppm

0 ppm

0.16 ppm

0.51 ppm 1hr avg

0.5 ppm 1hr avg

No

No

	Station 18 - Dogwood and VSW Checkpoint									
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level			
	VOC	No	1093	251	0-360 ppb	3.80 ppb	9000 ppb 8hr avg			
AreaRAE Pro	H2S	No	1093	0	0-0 ppm	0 ppm	0.51 ppm 1hr avg			
	CL2	No	2186	2114	0-0.70 ppm	0.14 ppm	0.5 ppm 1hr avg			
SPM Flex	HYDROGEN CHLORIDE (HCL)	No	11901	0	0-0 ppm	0 ppm	1.8 ppm 1hr avg			

Air Monitoring Summary Tables
The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

Project Name: Biolab Chlorine

To: 10/17/24 From: 10/16/24 5:00 PM

5:00 AM



	Station 19 - Rockdale & Old Cov Hwy Checkpount									
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level			
	VOC	No	1047	4	0-6 ppb	0.02 ppb	9000 ppb 8hr avg			
AreaRAE Pro	H2S	No	1047	0	0-0 ppm	0 ppm	0.51 ppm 1hr avg			
	CL2	No	2094	940	0-0.30 ppm	0.07 ppm	0.5 ppm 1hr avg			

	Station 21 - Railroad Crossing Checkpoint									
Instrument	Analyte Action Level Exceedance? Number of Readings Detections Concentration Range Period Average Action Level						Action Level			
AreaRAE Pro	H2S	No	1090	0	0-0 ppm	0 ppm	0.51 ppm 1hr avg			
AledRAE PIO	CL2	No	2180	2038	0-0.50 ppm	0.16 ppm	0.5 ppm 1hr avg			

### **Air Monitoring Summary Tables**

TEEL Temporary Emergency Exposure Limit

TLV Threshold limit value

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

**Project Name: Biolab Chlorine** 

10/17/24 10/16/24 From: To: 5:00 PM

5:00 AM

Definition



Action Level Reference

Analyte Notes: Chlorine AEGL-1 1hr avg % Percent Hydrogen Sulfide AEGL-1 1hr avg < Less than H2S HYDROGEN Hydrogen Chloride AEGL-1 1hr avg CHLORIDE AEGL-1 8hr (for Volatile Organic AEGL Acute Exposure Guideline Levels for Airborne Chemicals Compounds benzene) C/m Counts (ionization events) per minute μg/m³ Micrograms per cubic meter PAC Protective Action Criteria PEL Permissible exposure limit ppb Parts per billion ppm Parts per million PM Particulate matter SOG Standard Operating Guidelines SPM Single Point Monitor

# Air Monitoring Summary Tables – Review

**Project Name:** Bio Lab Chlorine



The EPA uses air monitoring instruments with real-time alerts to track air quality during an emergency response. This air monitoring summary table report is used by EPA and local responders to review the thousands of measurements that can be collected in a single day.

The following is a review of station results for the time period from 5:00pm on 10/16/2024 to 5:00am on 10/17/2024:

- **Station 2:** From 12:30am to 5:00am there were sustained measurements of Cl2 with a peak of 0.3ppm; the maximum 1-hour average was 0.1ppm, the maximum 8-hour average was 0.03ppm.
- Station 8: No issues observed.
- **Station 10:** From 8:00pm to 5:00am there were sustained measurements of Cl2 with a peak of 0.3ppm; the maximum 1-hour average was 0.3ppm, the maximum 8-hour average was 0.20ppm.
- **Station 11:** From 8:30pm to 4:00am there were sustained measurements of Cl2 with a peak of 0.6ppm; the maximum 1-hour average was 0.3ppm, the maximum 8-hour average was 0.12ppm.
- **Station 13:** From 7:00pm to 5:00am there were sustained measurements of Cl2 with a peak of 0.2ppm; the maximum 1-hour average was 0.2ppm, the maximum 8-hour average was 0.15ppm.
- **Station 14:** From 5:00pm to 5:00am there were sustained measurements of Cl2 with a peak of 0.3ppm; the maximum 1-hour average was 0.2ppm, the maximum 8-hour average was 0.16ppm.
- **Station 16:** From 8:00pm to 5:00am there were sustained measurements of Cl2 with a peak of 0.4ppm; the maximum 1-hour average was 0.4ppm, the maximum 8-hour average was 0.20ppm.
- **Station 17:** From 5:00pm to 5:00am there were sustained measurements of Cl2 with a peak of 0.5ppm; the maximum 1-hour average was 0.3ppm, the maximum 8-hour average was 0.21ppm.
- **Station 18:** From 5:00pm to 5:00am there were sustained measurements of Cl2 with a peak of 0.7ppm; the maximum 1-hour average was 0.3ppm, the maximum 8-hour average was 0.15ppm.
- **Station 19:** From 8:30pm to 5:00am there were sustained measurements of Cl2 with a peak of 0.3ppm; the maximum 1-hour average was 0.2ppm, the maximum 8-hour average was 0.09ppm.
- **Station 21:** From 5:00pm to 5:00am there were sustained measurements of Cl2 with a peak of 0.5ppm; the maximum 1-hour average was 0.2ppm, the maximum 8-hour average was 0.17ppm.

## **Air Monitoring Summary Tables – Explanation of Tables**

**Project Name:** Bio Lab Chlorine



The following information is provided in each report:

- **Station** at the top of each table is a name and location for each air monitoring station. These are mobile stations that may change over time and new station numbers are established. Previously used station numbers will not appear on this report.
- **Instrument** this is the model of instrument being used to measure the air. Some stations may use multiple instruments, and some instruments may measure multiple things at once
- Analyte these are the chemicals or other compounds that the instrument is measuring:
  - VOC: Volatile Organic Compounds; this is not a specific chemical but includes a long list of possible chemicals, many of which have strong odors
  - o **CO**: Carbon Monoxide; this compound is commonly associated with combustion (i.e. fires)
  - H2S: Hydrogen Sulfide; this is a default sensor for the instrument and is used for industrial safety
  - o LEL: Lower-Explosive Limit; this is a default sensor for the instrument and is used for industrial safety
  - O2: Oxygen; this is a default sensor for the instrument and is used for industrial safety
  - Cl2: Chlorine; chlorine gas is an inhalation hazard with a pungent suffocating odor and is a contaminant of concern for the site
  - HCI: Hydrogen Chloride; a corrosive gas with a sharp, pungent odor and is a contaminant of concern for the site
  - o COCI2: Phosgene; a potential combustion product that EPA monitors for at chemical and industrial fires
- Action Level Exceedance is an easy-to-read determination whether one of the Action Levels in the column on the right *may have* been exceeded. The action levels are based on *averages over time* but this column may say "Yes" whenever a single measurement exceeds that number. This helps responders assess whether further protective measures are needed.
- **Number of Readings** the number of measurements collected by the sensor, usually collected once every second or every minute.
- Number of Detections the number of measurements greater than zero
- Concentration Range the minimum and maximum measurement that was collected
- Period Average the average measurement for the entire collection period
- Action Levels based on the most protective AEGLs (Acute Exposure Guideline Levels) which are used by
  emergency responders when dealing with chemical spills or other exposures and describe the human health
  effects from once-in-a-lifetime, or rare, exposure to airborne chemicals. Further information is available at
  EPA.gov/AEGL.