

21335 Signal Hill Plaza, Suite 100, Sterling, VA 20164 703-444-7000 703-444-1685 (FAX)

#### TECHNICAL MEMORANDUM

TO: Dale Skoff, Tetra Tech NUS

FROM: Jeffrey Benegar

DATE: October 4, 2010

RE: Area of Review/Zone of Endangerment Analysis for Bittinger #1 and #4 Well – Bear

Lake Properties

#### **EXECUTIVE SUMMARY**

This technical memorandum (TM) summarizes the analytical modeling we have performed for the area of review/zone of endangerment analysis for the potential brine disposal injection wells, Bittinger #1 and #4, located in Columbus Township, Warren County, Pennsylvania. The relevant parameters for our analysis were obtained from Bear Lake Properties, LLC or estimated in the absence of any information. Our analysis is described in more detail below.

#### OVERVIEW AND METHODOLOGY

There are several methods proposed for calculating the zone of endangerment of an injection well. The most simplistic method is the use of a fixed radius, based on the type of injection well being permitted. Other methods involve calculation of the radius based on well and formation properties. Most regulatory agencies require the use of calculations to determine the zone of endangerment. The method used here is the graphical method first used by US EPA Region 6. It involves the calculation of the increase of pressure in the formation due to injection, then converting that pressure into equivalent feet of head. The increase in head in the formation due to injection is then compared to the equivalent head of the lowest most underground source of drinking water (USDW). When plotted graphically, the intersection of those two curves at some distance, r, determines the radius of the zone of endangerment.

The increase in pressure in the formation due to injection depends on the properties of the injection fluid and the formation, the rate of fluid injection, and the length of time of injection. The most common mathematical expression to describe this increase in pressure was developed by Matthews and Russell (1967). Matthews and Russell assume that, for a single well injecting

into an infinite, homogeneous and isotropic, non-leaking formation, the increase in pressure (delta p) can be described as:

delta p =  $162.6 \, \text{Q}\mu / \text{kh} * [(\log(\text{kt} / \Phi \mu \text{Cr}^2) - 3.23]]$  where: delta p = pressure change (psi) at radius, r and time, t Q = injection rate (barrels/day)  $\mu$  = injectate viscosity (centipoise) k = formation permeability (millidarcies) h = formation thickness (feet) t = time since injection began (hours) C = compressibility (total, sum of water and rock compressibility) (psi<sup>-1</sup>) r = radial distance from wellbore to point of investigation (feet)  $\Phi$  = average formation porosity (decimal)

#### PARAMETERS USED IN THE ANALYSIS

The following parameters were used in the zone of endangerment analysis. There are several parameters that are unknown, including injection rate and formation permeability. For injection rate, we used the average and maximum rates expected. For permeability, we estimated a value considered representative of the average of the upper and lower range of values for this parameter.

#### Bittinger #1 Medina Group Well

Q = 1000 (average rate) or 2000 (maximum rate) barrels/day

t = 10 years = 87,600 hours  $\mu$  = 1 centipoise k = 100 md h = 30 feet C = 3.0e-06 psi<sup>-1</sup>  $\Phi$  = 0.08

Specific gravity of injectate = 1.218

Surface elevation = 1518 feet

Depth to injection formation = 4210 feet

Base of lowest most USDW = 1218 feet in elevation (depth of 300 feet below surface)

#### Bittinger #4 Medina Group Well

Depth to injection formation = 4285 feet

Diffuger #4 Meditia Group Well

Q = 1000 (average rate) or 2000 (maximum rate) barrels/day

t = 10 years = 87,600 hours  $\mu$  = 1 centipoise k = 100 md h = 30 feet  $C = 3.0e-06 \text{ psi}^{-1}$   $\Phi = 0.08$ Specific gravity of injectate = 1.218

Surface elevation = 1561 feet

Initial pressure at top of injection formation = 128 psi

Base of lowest most USDW = 1261 feet in elevation (depth of 300 feet below surface) Initial pressure at top of injection formation = 128 psi

#### RESULTS

The Matthews and Russell equation was solved for various distances from the wellbore based on the parameters listed above. The distance between the Bittinger #1 and #4 wells is approximately ¼ mile. The Matthews and Russell equation was used to calculate the increase in pressure in the formation with only one of these wells injecting. The results are shown in Table 1 for the two scenarios simulated. This increase in pressure was added to the values of delta p and the existing pressure in the injection formation to obtain the total pressure in the formation when both wells are injecting.

Table 1. Increase in pressure in formation due to both Bittinger wells injecting.

Scenario	Increase in pressure (psi)
Q = 1000  bpd, k = 100  md	222
Q = 2000  bpd, k = 100  md	443

These values were then converted to feet of head of formation brine. The values are plotted against distance from the wellbore and are shown in Figure 1 for the Bittinger wells for the two scenarios simulated (e.g., 2 unknowns: 2 injection rates and 1 permeability value). The plot shows the calculated pressure surface within the injection formation, measured as feet of head of formation brine above the top of the injection formation. Also shown is the head of the lowest most USDW. Where the two lines intersect, the radius of the zone of endangerment can be estimated. The increase in head in the formation due to injection will remain below the elevation of the lowest most USDW assuming even worst-case conditions (maximum injection rate of 2000 bpd).

As indicated above, certain input parameters (e.g., permeability) were approximated due to lack of site-specific data. In order to validate the findings of the analysis presented above, Bear Lake Properties plans to monitor fluid levels in the monitoring wells designated below on a semiannual basis. The proposed monitoring wells were all completed in the Medina Group rocks, as were the two proposed injection wells.

Injection Well	Monitoring Well	Approximate Distance and Direction From Injection Well
Bittinger #1	Bittinger #4 (unless injection also being performed in Bittinger #4)	0.25 mi to the south
	R. Trisket 2	0.34 mi to the west
	Smith/Ras Unit 1	0.29 mi to the east
Bittinger #4	Bittinger #1(unless injection also being performed in Bittinger #1)	0.25 mi to the north
	R. Trisket 1	0.33 mi to the west
	Joseph Bittinger 2	0.37 mi to the southeast

Should fluid levels in any of the monitoring wells rise to within 100 ft of the lowest most USDW (indicated above), then injection would cease, EPA notified and steps taken to adjust the injection rate to prevent fluid levels from rising to within 100 ft of the lowest most USDW in any of the monitoring wells.


#### CONCLUSIONS

Our analysis of the area of review/zone of endangerment for the Bittinger #1 and #4 wells injecting together is based on a methodology typically used by US EPA. Based on the results, we believe the wells are excellent candidates for use as brine disposal wells. The analysis indicates that the increase in head in the formation due to injection will remain below the elevation of the lowest most USDW. The standard fixed radius of ¼ mile can be used for the area of review/zone of endangerment for the Bittinger #1 and #4 wells. As indicated above, Bear Lake Properties plans to perform monitoring of nearby wells to validate the results of this analysis.

#### REFERENCES


Matthews, C.S., Russell, D.G., (1967) Pressure Buildup and Flow Tests in Wells, SPE Monograph Series, Volume 1, New York.

**FIGURES** 



AREA OF REVIEW
WELLS WITHIN 0.25 MILES






	API#	TD	Drilling Completed	Last Csg	Csg depth	Completion	Comments
				Proposed Inje	ction and Monito	ring Wells	
Bittinger #1	123-33914	4467	12/29/1983	4.5	4416	Perf'd & Frac'd: 4210-4327'	Subject of separate UIC Class II permit application
Bittinger #4	123-39874	4496	8/15/1987	4.5	4455	Perf'd & Frac'd: 4285-4302'; & 4352-4365'	
		<u> </u>		<del></del>			
,							
		·	<del>,</del>	-	Water Wells		<u> </u>
		<del>.</del>	<u> </u>				<u> </u>
			1				
	_			-,**-			
						i – – – – – – – – – – – – – – – – – – –	

5

**FIGURES** 



AREA OF REVIEW
WELLS WITHIN 0.25 MILES

#### Bittinger Area; Columbus Twp; Warren County, PA Wells w/in 0.25 mile radius of Bittinger #1

	API#	TD	Drilling Completed	Last Csg	Csg depth	Completion	Comments
				Proposed Inje	ction and Moni	toring Wells	
Bittinger #1	123-33914	4467	12/29/1983	4.5	4416	Perf'd & Frac'd: 4210-4327'	
Bittinger #4	123-39874	4496	8/15/1987	4.5	4455	Perf'd & Frac'd: 4285-4302'; & 4352-4365'	Subject of separate UIC Class II permit application
				Evilla (F	0.10	- W-II	
				Existing / F	ormer Oil and O		
Bittinger #4	123-39874	4496	8/15/1987	4.5	4455	Perf'd & Frac'd: 4285-4302'; & 4352-4365'	Subject of separate UIC Class II permit application
				w de la			
					Water Wells		
None							
					In the same		

#### **Area of Review**


According to available records in the area, there are no intake or discharge structures, hazardous waste treatment, storage, or disposal facilities, mines, or quarries within one mile of the Bittinger #1 well. An intermittent unnamed tributary (UNT) to Tamarack Swamp is located just south of the Bittinger #1 well. Tamarack Swamp is located approximately 0.75 to 1 mile west-southwest, Brokenstraw Creek is located approximately 0.75 miles northwest, and an UNT to Pine Valley Creek is located approximately 0.75 miles southeast of Bittinger #1.

According to publicly available records, there are no groundwater wells within ¼ mile of the Bittinger #1 well. The nearest groundwater well is located approximately 1 ¼ mile to the northwest. The only oil and gas well located within ¼ mile of the Bittinger #1 is the Bittinger #4 located approximately ¼ mile to the north, which is also a proposed injection well and the subject of a UIC Class II Well permit application.


The names and addresses of residents located within ¼ mile of the proposed injection well are provided in Appendix B.


For assistance in accessing this document, please contact R3\_UIC\_Mailbox@epa.gov


AREA OF REVIEW MAPS
GROUNDWATER WELLS



AREA OF REVIEW MAPS
OIL AND GAS WELLS







### <u>Underground Sources of Drinking Water – Bittinger No. 1/Columbus Township, Warren County, PA</u>

The site lies within the Glaciated Plateau section of the Appalachian Plateaus Physiographic province. Both unconsolidated glacial units and bedrock are used for potable water. The uppermost unit at the site is mapped as Wisconsin age glacial kame deposits. Kame deposits consist primarily of sand and gravel interbedded with minor amounts of silt and clay. The well log for Bittinger No. 1 indicates that unconsolidated gravel is present from the surface to a depth of 36 feet below ground surface. (Pennsylvania Topographic and Geologic Survey, 1959)

The uppermost bedrock beneath the site is mapped as the Devonian age Venango formation. The Venango formation consists of interbedded pebble conglomerate, crossbedded sandstone, siltstone, and shale. This unit is up to 330 feet thick in Venango County; however, only a portion of the unit is present in the site area. This unit is used as an aquifer throughout Warren County. The well log for Bittinger No. 1 indicates that Devonian age shale is present from 37 ft to a depth of 2,679 ft below ground surface. This is believed to include the Venango Formation, the Chadokoin formation, and the underlying Bradford Group. The Bittinger No. 1 well log indicated that salt water was encountered at a depth of 3,935 feet below ground surface. Wells deeper than 100 feet deep usually encounter salt water, which is supported by the generally shallow well depths in Columbus Township. (PADER, 1982, US Geologic Survey, 2007)

The Devonian age Chadakoin formation underlies Venango formation and consists of fine-grained marine clastics (siltstone and shale) and includes a purplish pink sequence which is often used as a marker unit. This unit is up to 450 thick in Warren County.

The Pennsylvania Geologic Survey "Ground Water Inventory System" (GWIS) database was accessed to determine the sources of groundwater sources in the site area. This data base did not contain any groundwater wells within a one-mile radius of Bittinger #1 well. Although there are no wells listed, the well reporting requirement was established in 1968 is not considered to be a complete record of water wells and other wells may be present. (Pennsylvania Topographic and Geologic Survey, September 15, 2010)

To better understand the underground sources of drinking water, the GWIS was searched for all wells within Columbus Township. Available well records for wells in Columbus Township are provided in Appendix A. The GWIS indicated that there are 35 recorded water wells in Columbus Township. The deepest well is listed as 130 feet deep, with reported well depths ranging from 42 to 130 feet deep. (Pennsylvania Topographic and Geologic Survey, September 20, 2009)

Based on the available information, the glacial units and the top 100 feet of bedrock is considered as the underground sources of drinking water in the site area. The well logs indicate that the glacial material is approximately 37 feet thick beneath the site. Freshwater is expected

to be encountered to a depth of approximately 150 feet with increasing salinity beyond a depth of 150 feet. Bittinger No. 1 has surface casing to a depth of 401 feet below ground surface, providing a buffer of approximately 250 beyond the base of the underground sources of drinking water based on the well data in Columbus Township (maximum well depth of 130 feet) and the references indicating brine being encountered at depths over 100 feet within the bedrock units. Production casing extends several thousands of feet below the drinking water sources and the injection interval is at a depth from 4150 to 4330 feet below the ground surface.

For the purpose of this application, the depth of the deepest well in the area 130 feet (it is believed that the generally shallow well depth in the area was related to water quality issues based on the available literature) was doubled and rounded upward to the nearest 100 feet, providing a conservative maximum depth estimate of the underground source of drinking water of 300 feet.

#### References:

Pennsylvania Topographic and Geologic Survey, 1959. "Glacial Geology of Northwestern, PA." Bulletin G 32.

Pennsylvania Topographic and Geologic Survey, 1981. "Atlas of Preliminary Quadrangle Maps of Pennsylvania, PA." Map 61.

PADER, 1982. "Engineering Characteristics of the Rocks of Pennsylvania". Environmental Geology Report 1.

Pennsylvania Topographic and Geologic Survey, September 15/20, 2010. "Ground Water Inventory System". www.dcnr.state.pa.us/topogeo/groundwater/PAGWIS

US Geologic Survey, 2007. "Ground-Water Resources and the Hydrologic Effects of Petroleum Occurrence and Development, Warren County, Northwestern Pennsylvania." Scientific Investigations Report 2006-5263.

# UNDERGROUND SOURCES OF DRINKING WATER GROUNDWATER WELLS WITHIN 1 MILE

#### Bittinger Area; Columbus Twp; Warren County, PA Wells w/ln 1 mile radius of Bittinger #1

	API#	TD	Drilling Completed	Last Csg	Csg depth	Completion	Comments			
	_		Proj	posed injectio	n and Monitori	ng Wells				
Bittinger #1 123-33914 4467 12/29/1983 4.5 4416 Perf'd & Frac'd: 4210-4327'										
Bittinger #4	123-39874	4496	8/15/1987	4.5	4455	Perf'd & Frac'd: 4285-4302'; & 4352-4365'	Subject of separate UIC Class (I permit application			
	Ary	The Second of	to the second of the second of	Wa	ter Wells					
None		B	U. N. S.							
					The second of the second					
					#					
			1 1 The Street of the		· Supplied					
	E 30 173 %	25 - 1 355								
		Ca S Call	The second second							
		1 1 7	F-12 1	-						
	all the same	i' are			E 19					
			7.	a A A	A					
		10				AND THE PARTY OF T				
							***			

For assistance in accessing this document, please contact R3\_UIC\_Mailbox@epa.gov

#### Injection and Confining Zones

The well is designed to inject into the Grimsby and Whirlpool sandstone units of the Medina formation, with injection zone perforations at a depth of 4,210 to 4,327 feet below ground surface. The Medina is a depleted reservoir in this area.

As seen on the generalized stratigraphic column (attached), most of the geologic "groups" and "formations" overlying the Medina can be considered confining units totaling approximately 1,800 feet. Although many of these units are predominantly shale, they also contain reservoir rock and are shown with shading in confining unit column. Therefore, the Lockport and the Salina are seen as the most significant confining units and are a combined 520 feet thick in the site area. But as indicated these units provide only a portion of the confining capacity and there are numerous other units that provide further protection.

#### Also attached are the following:

- Bittinger #1 completion record and geophysical log,
- Maximum Injection Pressure (MIP) calculations based on Instantaneous Shut-In Pressure (ISIP) data for two nearby wells (R. Trisket #1 and #2),
- Bittinger #4 completion record,
- R. Trisket #1 and #2 treatment reports.

# GEOLOGIC DATA GENERALIZED STRATIGRAPHIC COLUMN

### Generalized Stratigraphic Column Bittinger No. 1 and Bittinger No. 4 Area , Warren County, PA

Age	Group	Formation	Predominant Rock Type	Total Depth to Base(Feet)	Thickness Feet	Confining Zone
Glacial Units				18	18	
Upper Devonian	Venango		Shale/sandstone		:	
Upper Devonian		Chadakoin	Shale			
Upper Devonian	Bradford		Shale			
Upper Devonian	Elk		Shale	2741	2723	
Upper Devonian		Java	Shale	] 2/41	2/23	
Upper Devonian	1	West Falls	Shale			
Upper Devonian		Sonyea	Shale			
Upper Devonian		Genesee	Shale	1	L	
Upper Devonian		Tully Limestone	Limestone	2848	107	
Upper Devonian	Hamilton	Mahantango	Shale, some sandstone	3018	170	
Upper Devonian	Hamilton	Marcellus Shale	Shale	3010	170	
Middle Devonian		Onondaga	Limestone	3182	164	
Lower Devonian		Bois Blanc/Oriskany Sandstone	Sandstone	3211	29	
Upper Silurian		Bass Islands	Dolomite	3547	336 /	
Upper Silurian		Salina	Evaporites/Dolomite	3896	349 (	
Upper Silurian		Lackport Dalamite	Dolomite	4067	171	
Lower Silurian	Clinton		Sandstone	4189	122 /	
Lower Silurian		Medina, inlouding the Grimsby and Whirlpool Sandstones	Sandstone/Shale	4367	178	

#### Notes



= Black shading Indicates that this unit is considered to be a confining zone

= Diagonal shading indicates that this unit is a confining unit that also contains producing zones within it

= No shading indicates that this unit is a producing zone and is not considered to be a confining unit

# GEOLOGIC DATA MAXIMUM INJECTION PRESSURE CALCULATIONS

### Maximum Injection Pressure (MIP) Calculations for Bear Lake Properties Wells (Bittinger #1 and Bittinger #4)

#### 1) Frac Gradient Based on Trisket #1 and Trisket #2 Wells

R. Trisket #1 R. Trisket #2 FG = [ISIP + (.433 X SG X D)] /D FG = [ISIP + (.433 X SG X D)] /D Where: Where: ISIP = 2150 psi ISIP = 2100 psi SG = 1.218 SG = 1.218 D = 4253 D = 4254 ft

					Fracture
		Hydrostatic			Gradient
Well	ISIP (psi)*	Factor (psi/ft)	SG	D (ft)	(psi/ft)
R. Trisket #1	2150	0.433	1.218	4253	1.033
R. Trisket #2	2100	0.433	1.218	4254	1.021
		1.3	Average Fra	c Gradient	1.027

#### 2) Maximum Injection-Pressure (MIP) Using Average Frac Gradient From Trisket Wells

 $MIP = [FG - (.433XSG)] \times D$ 

Bittinger #1	Bittinger #4
DICCUISE #1	. Billinger #4

Denth

Top Perf	4210	4285
-Bottom Perf	4327	4365
Difference	117	80
Mid-Point	4269	4325

		•			Fracture
		Hydrostatic			· Gradient
		Factor (psi/ft)	SG	D (ft)	(psi/ft)
Bittinger #1	-	0.433	1.218	4210	1.027
Bittinger #4	-	0.433	1.218	4285	1.027

Surface)

# GEOLOGIC DATA R. TRISKET #2 WELL DATA

i	L	L	18	ı	ΙR	T	0	N	S	Е	R	٧	1	C	Е	S
---	---	---	----	---	----	---	---	---	---	---	---	---	---	---	---	---


MALLIBURTON Pittsburgh, Pa MALLIBURTON Brad ford, Pa

Columbus	<b>c</b> _	<b>∵.</b>		L DATA		Canata	warre	/	C+	. ,	0
ation Name			· · · · · · · · · · · · · · · · · · ·	Kng	NEW	Conuth '	SIZE	FROM	State		MAXIMUM F
ition Thickness					03ED		<del> </del>		70		ALLOWABL
Prod: Oll			-	CABING	И	10.5	41/2		438	۳	•
t Prod: Oil				LINER		!					
on Tool# Ma				TUBING			ļ				
Туре				OPEN HOLE							SHOTS/FT
n Hole Temp.	•			PERFORAT	ENG		,39	4201	430	7	. 8
Or Flange				FERFORAT	ENO.		<u> </u>	] -			
				PERFORAT	END						
, •	IATERIALS		JOB	DATA							
Fluid <u>H 20.</u>	Density _ <b>\( \gamma .33</b>	<u> </u>	.b./Gal. <sup>©</sup> APl	01/017	Ϋ́D	01/0	3790	01/057	Ŷο	0/	1017 90
Fluid HZO	Density 343		Lb./Gal. <sup>©</sup> API	DATE		DATE	4 .	DATE		بهو	E . /
Type Soud	Size 80/108	Lb	1.2 000	TIME 07	30	TIME	200	TIME /	200	TIM	<u>• 1230</u>
ype Sand			0 000			PEA	SONNEL A	ND SERVI	CE UNIT	s	
ctive Tracer	,		•			NAME		UNIT NO.	& TYPE		LOCATION
tant Type								1			
ant Type				B	100	kson.		.1			
oss Type				٧. د	, ( <i>J</i> C	N3014	100	1			
	GalLb		/1000 Gal.	4			<i>ri y</i> O	1,		}	
Agent LGC-TH	2 60		/1000 Gai.	CIL	wand	2-5-/-	7CC1	3298	14440	1	<del></del>
Type GBW-30	GalLb. 4	-	/1000 Gal.	-	<del></del>	$\varphi$ 7	<u>56/</u>	۱۵. ۵-			
г Туре			/1000 Gai.	KWI	sel.	1.	- <del>/                                   </del>	2683	4+90		
<er< td=""><td>GalLb</td><td></td><td>/1000 Gat.</td><td></td><td></td><td></td><td>1697</td><td><b></b></td><td></td><td></td><td></td></er<>	GalLb		/1000 Gat.				1697	<b></b>			
r	GaiLb		•	KiTh	OMPS	Savo		3997	mo		
Туре	GalLb					<u> </u>	637			1	
Type Catric ACIO			/1000 Gal.	L. Cal	42			3892	I Ax		
acide	GNIL		/1000 Gal.		•	Clo	159				
pamer AQF-4	GalLb 38		/1000 Gal.	Ca	dw		<del>· - /</del>	3305	560		
ontrol Clasta YP	Gal, Lo. 10		/1000 Gal.	<del>-</del>	1,4,1624	7	8034	12202			
CLOFYI			/1000 Gal.	m Fa	01.66	<u>, , , , , , , , , , , , , , , , , , , </u>	<del>000/</del>	330 Z	560		
				14. 13.0	grisi	100	611	7002			
n Reducer			•	70.		<u> </u>	0//	100	:		
C Balls				7. 102	Care	=119 <sub>177</sub>	7167	9911	<u></u>		
						<u> </u>	180			i	
<del></del>				3.60	цld	<u> </u>	· /	3905	466		
	ACID DATA					D118	96				11.
									TBP.	CAI	Mulp 14
уре	<b>%</b>	GalBbl	<u> </u>		· · · · · · · · · · · · · · · · · ·			] .			
ype	%	Sal86i. 📖				-					
ant Type	Gal	@	/1000 Gal.								
ant Type	Gal	@	/1000 Gal.					7			
ent Type	Gal	@	/1000 Gal.					1			
ontrol Type	GalLb	@	/1000 Gal.					1			
on inhibitor	GalL.b	@	/1000 Gal.		-	S+1	~				
an Inhibitor	GalLb	@	/1000 Gal.	DEFARTMEN	· —		T				· · · · · ·
g Inhibitor	GalLb	e	/1000 Gal_	DESCRIPTIOS	1 OF 10	• mar	ter Fa	<u>a</u>			
quester	GalLb		/1000 Gal.								
n Reducer		 e		17 3400 BOL	(RU: TO	BING D	CA:	ING K	ANNULUS		TEG./ANN.
PRI	SSURES IN PSI		SUMM	•				UMES			
		200	1					_			
19	Oisplacement	- A()		Preflush: B				<del></del> -		Type	
m_336 >	Maximum_ <b></b>	000		Load & Bk			318	Pad:	Scf-Bbl4		<u> </u>
3601	Fracture Gradien	t		Treatment:	BblG	ial <u>2</u>	6 4\D	Disp	<del>: ОЫ</del> Ga	ı. <u>2</u>	-860
							_				
100 5 Min. 81	10 Min	_15 Min		Gas Assist_		<del></del>	1 ou	-Scf	@		Scf_/8bl.
HYDRAI	ULIC HORSEPOWER	_15 Min	رحم) حما	Foam Qual	ty			Volume Fo	ап		

Moore @ Specificat @ - Patented 30

<u></u>		
'ALLIBURTON SERVICES	WELL NO. # 2 LEASE P. TRISK	# TICKET NO
OB FOG	CUSTOMER U.S. EWCTGY	PAGE NO. /
DRM 2013 R-2	JOB TYPE Water Fla WN +	DATE 61/0
VOLUME	PLIMPS   PRESSURE (PSL)	

		1	VOLUME	D4 44	4DF	PRESSU	SE / PELL	<u> </u>	
NO.	пме	RATE (BPM)	VOLUME (BBL) (GAL)	PUMPS T C		TUBING	CASING	DESCRIPTION OF OPERATION AND MATERIALS	
					-			Softey meeting	
	,410				4			Picp up Pomp	
	12/2				Z		4/76	Picy up Pomp Testlines Aur Bi 360	
	14		2462		4		67	Load Hole HHP 14	
	3014				4		3367		
	35 14		2856		1		3868	Start Sand 80/100 IPPL	
	43	1	5000		$\Box$		3830	INC SOND 80/100 2 196	
	463/4	, , , , , , , , , , , , , , , , , , ,	7630		1		32 6F	Start Sand Dolas 2 PPS	
_	59 1/2		5000			·		INC Sand 3886	
	1208	111	15000		<b>/</b> -		8595	INC SAND 4 PPG	
_	12	10	17856		}_		3523	Sand on Bottom	
+	153/4		20450	,	1		3439	F. with Sand	
) -	19/12	1	2862				380	F.wish Flush	
$\dashv$	19/2	·	<del>                                     </del>					FSIP	
	24/2			1.0		· · ·	2180	5mi~	
		<del>.</del> .						<u> </u>	
$\dashv$						<del></del>			
+				$\dashv$		·			
$\dashv$				$\dashv$				<u> </u>	
-									
$\dashv$	- <del>-</del>			$\dashv$	-				
+					$\dashv$	<del>-</del>			
+		-		_	$\dashv$	<del>~</del> "		· · · · · · · · · · · · · · · · · · ·	
-					-				
+					$\dashv$	···	-		
$\dashv$	<del></del>			·	-+				
+				$\dashv$	$\dashv$				
<b>)</b> +			<del></del>						
$\dashv$				$\dashv$					
$\perp$					$\perp$				



#### Appendix A

Appendix A contains well records and information for groundwater wells in the area surrounding Bittinger No. 1. There are no groundwater wells located within 1 mile of the Bittinger No. 1 well, as listed in the following table. Well records for all groundwater wells located within Columbus Township, Warren County, Pennsylvania are provided in Appendix A-1.

s slumunė

A trouble of the conference of an arrange of the trouble of the property of the property of the conference of the confer

#### APPENDIX A

**GROUNDWATER WELLS WITHIN 1 MILE** 

### Bittinger Area; Columbus Twp; Warren County, PA Wells w/in 1 mile radius of Bittinger #1

	APL#	TD	Drilling Completed	Last Csg	Csg depth	Completion	Comments
			Pro	posed Injectio	n and Monitori	ng Wells	
Bittinger #1	123-33914	4467	12/29/1983	4.5	4416	Perf'd & Frac'd: 4210-4327'	
Bittinger #4	123-39874	4496	8/15/1987	4.5	4455	Perf'd & Frac'd: 4285-4302'; & 4352-4365'	Subject of separate UIC Class II permit application
	(200 ) 200 200	ALERS AND AND	**************************************	Wa	ter Wells		
None		State of the state					
					医加克克氏疗法		
						Marie	
	A Charles A			Paris of State of			
-1,-,71						327	Commence of the second second
	To the dress was	Later John Michig	Estata (1) 50	des reconstants of	A STATE OF THE STA		English to the Secretary of the Arms of the
	La company	years apply that the st	apply present			At the second of the second	
			190/200 - 100	Bank Barry M.	14.5 m/sC3		
	Automobile Company	Construction of	0 805 y - 1 mm	April 1 Sans	Mary Burnson	Contract Con	and the second second second second
11-11-11						March N. Louis 112	
		and the same of the same		Video 12 July 125 125		a Other Study of the Control of the	
			the second				

Ethibit 2 continues

APPENDIX A-1

PENNSYLVANIA GROUNDWATER INFORMATION SYSTEM WELL RECORDS WITHIN COLUMBUS TOWNSHIP, PA

### PA Topographic & Geologic Survey

**PaGWIS** 

# SELECTED WELLS

New Selection

Email comments to Topo Geo.

You have selected 35 Well(s). To create a comma separated list of all these wells, click Create List. If you want to limit the list, place check marks next to the wells you want to have included, and then click Greate



### Page 1 of 2

Next Page

Record	PA Well ID	Driller	Driller Well ID	Date Drilled	Owner	County	Municipality	Imag
<b>1</b>	405210	ELIASON WATER WELL DRILLING	4	2/7/1994	7) 49-	WARREN	COLUMBUS TWP.	View Image
□ 2	33539	ALFRED L BURCH	4	5/1/1966	ALLEN, BRUCE C	WARREN	COLUMBUS TWP.	No Imag
□ <b>3</b>	405201	MCCRAY WELL DRILLING		10/1/1998	AYERS	WARREN	COLUMBUS TWP.	View Imag
Ü 4	405194	CLEARWATER DRILLING COMPANY		11/18/2002	BECKWITH	WARREN	COLUMBUS TWP.	View Imag
<b>Š</b>	<u>33614</u>	YORK WATER WELL DRILLING CO INC		6/1/1979	BEDJORSKI , C	WARREN	COLUMBUS TWP.	No Imag
□ 6	33629	ACKERMAN DRILLING		10/1/1980	BULL, MICHEAL	WARREN	COLUMBUS TWP.	No Imag
<b>□ 7</b>	405195	SAXTON WELL SERVICE, INC.		1/1/2002	BYERS	WARREN	COLUMBUS TWP.	View Imag
□ 8	405213	MCCRAY WELL DRILLING		7/1/199,0	CORTER	WARREN	COLUMBUS TWP.	<u>View</u> <u>Imag</u>
9	33531	JOHNSON'S DRILLING		4/1/1986	EASTMAN, S	WARREN	COLUMBUS TWP.	No Imag
	146667	MCCRAY WELL DRILLING		6/1/1988	FRONTERY DAVID	WARREN	COLUMBUS TWP.	No Image
11	<u>405216</u>	JOHNSON DRILLING		4/25/1994	GADES	WARREN	COLUMBUS TWP.	View Image
<u> </u>	405208	JOHNSON DRILLING		7/1/1997	HILL FARM	WARREN	COLUMBUS TWP.	View Imag

□ 13	405205	DANIEL P HORNBURG		9/1/1998	HORNBURG	WARREN	COLUMBUS TWP.	View Image
<b>□ 1</b> 4	405202	JEFFREY COBB DRILLING	in trac	7/15/1999	JENSON	WARREN	COLUMBUS TWP.	<u>View</u> Image
☐ <b>15</b>	405198	CLEARWATER DRILLING COMPANY		6/21/2000	JOGAITH	WARREN	COLUMBUS TWP.	<u>View</u> Image
☐ 16	405203	DANIEL P HORNBURG		8/3/1998	LAWSON	WARREN	COLUMBUS TWP.	View Image
□ 17	405200	DANIEL P HORNBURG	-50	6/18/1999	MCCLAIN	WARREN	COLUMBUS TWP.	View Image
<b>□</b> 18	405212	JENNINGS & SON DRILLING		5/1/1991	MCGURK	WARREN	COLUMBUS TWP.	View Image
□ 19	405196	MCCRAY WELL DRILLING	4	10/1/2001	MICK	WARREN	COLUMBUS TWP.	View Image
□ 20	405214	MCCRAY WELL DRILLING	÷ **	9/1/1993	MIKE	WARREN	COLUMBUS TWP.	View Image

## PA Topographic & Geologic Survey

**PaGWIS** 

# SELECTED WELLS

Email comments to Topo Geo.

You have selected 35 Well(s). To create a comma separated list of all these wells, click Create List. If you want to limit the list, place check marks next to the wells you want to have included, and then click Create List.



New Selection

Menu

#### Page 2 of 2



Record	PA Well ID	Driller	Driller Well ID	Date Drilled	Owner	County	Municipality	Image
21	146668	JOHNSON DRILLING		8/1/1988	MILLER LAWRENCE	WARREN	COLUMBUS TWP.	No Image
□ 22	405197	CLEARWATER DRILLING COMPANY		9/21/2001	MOWAR	WARREN	COLUMBUS TWP.	View Image
☐ 23	405211	MCCRAY WELL DRILLING		7/1/1992	NAGEL	WARREN	COLUMBUS TWP.	View Image
24	146665	YORK WATER WELL DRILLING CO INC		5/1/1979	PEHY D	WARREN	COLUMBUS TWP.	No Image
<b> 25</b>	405199	GILLIS BROTHERS INC		9/1/1986	RAYMOND	WARREN	COLUMBUS TWP.	View Image
☐ <b>2</b> 6	405217	MCCANDLESS WELL DRILLING INC		7/30/1996	RAYMOND	WARREN	COLUMBUS TWP.	View Image
27	33599	YORK WATER WELL DRILLING CO INC	- 2	5/1/1985	REIFF , WILLIAM	WARREN	COLUMBUS TWP.	No Image
□ 28	405206	JOHNSON DRILLING		4/1/1999	SCAMENS	WARREN	COLUMBUS TWP.	View Image
□ 29	405207	JOHNSON DRILLING		8/1/1998	SEYMOUR		COLUMBUS TWP.	View Image
□ 30	405218	JOHNSON DRILLING		12/1/1993	SINGH	WARREN	COLUMBUS TWP.	<u>View</u> Image
31	405209	MCCRAY WELL DRILLING		-	SONDSTROM	WARREN	COLUMBUS TWP.	<u>View</u> Image
		MCCRAY			STOCTON,		COLUMBUS	No

	32	33584	BROS	25	12/1/1979	CHARLES	WARREN	TWP.	Image
1	33	405204	DANIEL P HORNBURG	A Comment	Tree State St	TAYDUS	WARREN	COLUMBUS TWP.	View Image
	□ 34	405215	MCCRAY WELL DRILLING		6/1/1993	TRESSLEY	WARREN	COLUMBUS TWP.	View Image
	□ 35	620-2-a61	YORK WATER WELL DRILLING CO INC		5/1/1985	ZEIH C	WARREN	COLUMBUS TWP.	No Image

PA Topographic & Geologic Survey **PaGWIS** DETAILS FOR WELL 405210 Email comments to Topo Geo. Record: 1 of 35 (There is a total of 35 Wells in the list.) New Well Last Well. Rettin to Summay (est-Well Driller: ELIASON WATER WELL DRILLING PA Well ID: 405210 License: 2094 Driller Well ID: Type of Activity: Original Well By: Date Drilled: 2/7/1994 Drilling Method: Owner: Address of Well: 20 ACRE QUADRIN Zipcode: County: WARREN Municipality: COLUMBUS TWP. Quadrangle: Latitude Longitude: Well Depth (ft): Well Finish: Depth to Bedrock(ft): Did Not Encounter Bedrock: Well Yield (gpm): Yield Measure Method: Static Water Level: Water level after yield test: (ft below land surface) (ft below land surface) Length of Yield Test: Saltwater Zone(ft): (minutes) Use of Well: Use of Water Record: 1 of 35 (There is a total of 35 Wells in the list.) = obyole=

Return to Summary List

Dict Wells

PA Topographic & Geologic Survey

**PaGWIS** 

# **DETAILS FOR WELL 33539**

e RevVVIII

Email comments to Topo Geo.

Record: 2 of 35

4 Gra(\*W4)r

(There is a total of 35 Wells in the list.)

Мени

Well Driller: ALFRED L BURCH

gev-Weig

PA Well ID: 33539

License: 0975

Driller Well ID:

Type of Activity:

Original Well By:

Date Drilled: 5/1/1966

Drilling Method: CABLE TOOL

Owner: ALLEN, BRUCE C

ddress of Well:

Zipcode:

County: WARREN

Municipality: COLUMBUS TWP.

Quadrangle: COLUMBUS

Latitude: 41.90667

Longitude: -79.55778

Well Depth (ft): 58

Well Finish: UNKNOWN

Depth to Bedrock(ft):

Did Not Encounter Bedrock:

Well Yield (gpm): 12

Yield Measure Method: BAILER

Static Water Level: 12

Water level after yield test: 18

(ft below land surface)

(ft below land surface)

Length of Yield Test: 2

Saltwater Zone(ft):

(minutes)

Use of Well: WITHDRAWAL

Use of Water: **DOMESTIC** 

Description of Well Location and Other Notes: **SAMPLE 9203230** 

BOREHOLE

Top Bottom Diameter

**SECTION 1:** 

58

0

CASING

CASING 1: Top: 0 Bottom:

Diameter: 6 Material: UNKNOWN

SCREENS/SLOTS

**SCREEN 1:** 


Top: 54 Bottom:

Diameter:

Type: OTHER

Material: UNKNOWN Slot Size: 0

Record: 2 of 35	unit and the company of the control	(There is a total of 35 Wells in the list.)
The Vol.	NEGOVAL SECURED.	Religia Summing 27.5



PA Topographic & Geologic Survey **PaGWIS** DETAILS FOR WELL 405194 Email comments to Topo Geo. Record: 4 of 35 (There is a total of 35 Wells in the list.) Well Driller: CLEARWATER DRILLING COMPANY PA Well ID: 405194 License: 2073 Driller Well ID: Original Well By: Type of Activity: Date Drilled: 11/18/2002 Drilling Method: Owner: BECKWITH Address of Well: BOX 22, BEAR LAKE County: WARREN Municipality: COLUMBUS TWP. Quadrangle: Latitude: Longitude: Well Depth (ft): Well Finish: Depth to Bedrock(ft): Did Not Encounter Bedrock: Yield Measure Method: Well Yield (gpm): Static Water Level: Water level after yield test: (ft below land surface) (ft below land surface) Length of Yield Test: Saltwater Zone(ft): (minutes) Use of Well: Use of Water: Record: 4 of 35 (There is a total of 35 Wells in the list.) . Brace Well Replin to Summary Lists

PA Topographic & Geologic Survey **PaGWIS** DETAILS FOR WELL 33614 Email comments to Topo Geo. Record: 5 of 35 (There is a total of 35 Wells in the list.) The ball of the Wall of Xerway. a Return to Summary Est (1977) Well Driller: YORK WATER WELL DRILLING CO INC PA Well ID: 33614 License: 1378 Driller Well ID: Type of Activity: Original Well By: Date Drilled: 6/1/1979 Drilling Method: OTHER/UNKNOWN Owner: BEDJORSKI, C Address of Well: County: WARREN Municipality: COLUMBUS TWP. Quadrangle: COLUMBUS Latitude: 41.95139 Longitude: -79.50417 Well Depth (ft): 130 Well Finish: **OPEN HOLE** Depth to Bedrock(ft): Did Not Encounter Bedrock: Well Yield (gpm): 50 Yield Measure Method: METHOD NOT KNOWN Static Water Level: 60 Water level after yield test: 60 (ft below land surface) (ft below land surface) Length of Yield Test: 0.3 Saltwater Zone(ft): (minutes) Use of Well: WITHDRAWAL Use of Water: DOMESTIC CASING CASING 1: Top: 0 Bottom: 39 Diameter: 6 Material: UNKNOWN Record: 5 of 35 (There is a total of 35 Wells in the list.)

Return to Summary List

CARAMAD.

- PlexeVers

For assistance in accessing this document, please contact R3 UIC Mailbox@epa.gov PA Topographic & Geologic Survey **PaGWIS** DETAILS FOR WELL 33629 New Meleculor Email comments to Topo Geo. Record: 6 of 35 (There is a total of 35 Wells in the list.) Phat Web Prev Well Salar Val Religion Summary Lists Well Driller: ACKERMAN DRILLING PA Well ID: 33629 License: 1094 Driller Well ID: Type of Activity: Original Well By: Date Drilled: 10/1/1980 Drilling Method: OTHER/UNKNOWN Owner: BULL, MICHEAL Address of Well: Zipcode: County: WARREN Municipality: COLUMBUS TWP. Quadrangle: COLUMBUS Latitude: 41.96222 Longitude: -79.55083 Well Depth (ft): 65 Well Finish: OPEN HOLE Depth to Bedrock(ft): Did Not Encounter Bedrock: Well Yield (gpm): 30 Yield Measure Method: BAILER Static Water Level: 13 Water level after yield test: 45 (ft below land surface) (ft below land surface) Length of Yield Test: 3 Saltwater Zone(ft):

(minutes)

Use of Well: WITHDRAWAL

Use of Water: DOMESTIC

Return to Summary List

#### BOREHOLE

Top Bottom Diameter

- Stawale

**SECTION 1:** 65


TOTAL TOTAL

CASING

CASING 1: Top: 0 Bottom: 12 Diameter: 6 Material: UNKNOWN

Record: 6 of 35 (There is a total of 35 Wells in the list.)

PA Topographic & Geologic Survey	PaGWIS
DETAILS FOR WELL 405195	Ment Vew Selection
Email comments to Topo Geo.	13574 T. S.
Record: 7 of 35	(There is a total of 35 Wells in the list.)
Provide a provide service service	Rehm to Summary Pyt
Well Driller: SAXTON WELL SERVICE, INC.	PA Well ID: 405195
License: 2272	Driller Well ID:
Type of Activity: Or	iginal Well By:
Date Drilled: 1/1/2002	rilling Method:
Owner: BYERS	£1 - 1
Address of Well: RD 1 BOX 34 I, SPRINGCREE	Zipcode:
County: WARREN	
Municipality: COLUMBUS TWP.	
Quadrangle: Latitude	Longitude:
Well Depth (fi):	Well Finish:
Depth to Bedrock(ff): Did Not En	counter Bedrock:
Well Yield (gpm): Yield I	Measure Method:
	el after yield test: ow land surface)
Length of Yield Test: Sa (minutes)	altwater Zone(ft):
Use of Well:	Use of Water:
Record: 7 of 35	(There is a total of 35 Wells in the list.)
Secretaria Secretaria de la composició d	The second secon



PA Topographic & Geologic Survey

**PaGWIS** 

## **DETAILS FOR WELL 33531**

Email comments to Topo Geo.

Record: 9 of 35

(There is a total of 35 Wells in the list.)

Well Driller: JOHNSON'S DRILLING

ATE VIEW AND THE RESERVE OF

PA Well ID: 33531

Return to Summary List

License: 1708

Driller Well ID:

Type of Activity:

Original Well By:

Date Drilled: 4/1/1986

Drilling Method: OTHER/UNKNOWN

Owner: EASTMAN, S

Address of Well:

Zipcode:

County: WARREN

Municipality: COLUMBUS TWP.

Quadrangle: COLUMBUS

Latitude: 41.90778

Longitude: -79.56583

Well Depth (ft): 70

Well Finish: OPEN HOLE

Use of Water: DOMESTIC

Depth to Bedrock(ft):

Did Not Encounter Bedrock:

Well Yield (gpm): 11.8

Yield Measure Method: BAILER

Static Water Level: 30

Water level after yield test: 70

(ft below land surface)

(ft below land surface)

Length of Yield Test: 0.3

Saltwater Zone(ft):

(minutes)

Use of Well: WITHDRAWAL

.

### **BOREHOLE**

THE LEADING

Top Bottom Diameter

SECTION 1: (

70

6

#### CASING

CASING 1: Top: 0 Bottom: 60 Diameter: 6 Material: STEEL

WATER BEARING ZONE

WATER BEARING ZONE 1: Top: 62 Bottom: Yield:

WATER BEARING ZONE 2: Top: 68 Bottom: Yield:

Record: 9 of 35

(There is a total of 35 Wells in the list.)


Return to Summary List

THE VOL

Prov.Well.








**PaGWIS** PA Topographic & Geologic Survey DETAILS FOR WELL 405216 Email comments to Topo Geo. (There is a total of 35 Wells in the list.) Record: 11 of 35 RickWell Next Well Last Well PA Well ID: 405216 Well Driller: JOHNSON DRILLING Driller Well ID: License: 0761 Original Well By: Type of Activity: Drilling Method: Date Drilled: 4/25/1994 Owner: GADES Zipcode: Address of Well: SIMMONS RD, COLUMBUS County: WARREN Municipality: COLUMBUS TWP. Longitude: Quadrangle: Latitude: Well Finish: Well Depth (ft): Did Not Encounter Bedrock: Depth to Bedrock(ft): Yield Measure Method: Well Yield (gpm): Water level after yield test: Static Water Level: (ft below land surface) (ft below land surface) Length of Yield Test: Saltwater Zone(ft) (minutes) Use of Water: Use of Well: (There is a total of 35 Wells in the list.) Record: 11 of 35


Return to Summary List


Beatware.


ાદાનાઇ/સ્વાદ

PA Topographic & Geologic Survey	PaGWIS
DETAILS FOR WELL	105208
Email comments to Topo Geo.	
Record: 12 of 35	(There is a total of 35 Wells in the list.)
Parasyas Novincia	SatWai Renur in Summary Fig
Well Driller: JOHNSON DRILLING	PA Well ID: 405208
License: 0761	Driller Well ID:
Type of Activity:	Original Well By:
Date Drilled: 7/1/1997	Drilling Method:
Owner: HILL FARM	
Address of Well: RD 2 BOX 121, CO	RRY Zipcode:
County: WARREN	
Municipality: COLUMBUS TWP	
Quadrangle:	Latitude: Longitude:
Well Depth (ft):	Well Finish:
Depth to Bedrock(ft):	Did Not Encounter Bedrock:
Well Yield (gpm):	Yield Measure Method:
Static Water Level: (ft below land surface)	Water level after yield test:  (ft below land surface)
Length of Yield Test:	Saltwater Zone(ft):
(minutes) Use of Well:	Use of Water:
Record: 12 of 35	(There is a total of 35 Wells in the list.)
Water Committee of the	











PA Topographic & Geologic S	Survey	e	PaGWIS
DETAILS FOR WE	CLL 405200	Mo	n. New Sciention
Record: 17 of 35	and the second of the second o	(There is a total of 35	Wells in the list.)
Western Bandol Marks	1 2 2 2 2 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3		Return-to Summary List
Well Driller: DANIEL P HO	RNBURG	PA Wel	l ID: 405200
License: 2043		Driller Wel	l ID:
Type of Activity:	Origi	nal Well By:	
Date Drilled: 6/18/1999	Drill	ing Method:	
Owner: MCCLAIN			
Address of Well: BOX 99M, (	COLUMBUS	Zipcode	r e
County: WARREN	· Ar		
Municipality: COLUMBUS	S TWP.		
Quadrangle:	Latitude:	Longitude	
Well Depth (ft):	2.30	Well Finish;	
Depth to Bedrock(ft):	Did Not Encou	inter Bedrock:	1 5 4
Well Yield (gpm):	Yield Mea	sure Method:	of the state of th
Static Water Level: (ft below land surface)	Water level a	fter yield test: land surface)	AT 10
Length of Yield Test:	Saltw	vater Zone(ft):	7.
(minutes) Use of Well:		Use of Water:	
Record: 17 of 35		(There is a total of 35	Wells in the list.)



PA Topographic & Geologic Survey	PaGWIS
DETAILS FOR WELL 40519	Ment New Selection
Email comments to Topo Geo.	the state of the s
Record: 19 of 35	(There is a total of 35 Wells in the list.)
District Property and American	Return to Summary 1025
Well Driller: MCCRAY WELL DRILLING	PA Well ID: 405196
License: 1664	Driller Well ID:
Type of Activity:	Original Well By:
Date Drilled: 10/1/2001	Drilling Method:
Owner: MICK Address of Well: HERDFORD RD	
County: WARREN	Zîpcode:
Municipality: COLUMBUS TWP.  Quadrangle: Latitu	ide: Longitude:
Well Depth (ft):	Well Finish:
Depth to Bedrock(ft): Did Not	Encounter Bedrock:
Well Yield (gpm): Yie	ld Measure Method:
	level after yield test: below land surface)
Length of Yield Test:	Saltwater Zone(ft):
(minutes) Use of Well:	: Use of Water:
Record: 19 of 35	(There is a total of 35 Wells in the list.)
Control of the Contro	Contract of the Contract of th



PA Topographic & Geologic Survey **PaGWIS** DETAILS FOR WELL 146668 (New Selections 6 Email comments to Topo Geo. Record: 21 of 35 (There is a total of 35 Wells in the list.) Tige West Pare Well Remarks Stormary Par Well Driller: JOHNSON DRILLING PA Well ID: 146668 License: 0761 Driller Well ID: Type of Activity: New Well Original Well By: Date Drilled: 8/1/1988 **Drilling Method:** Owner: MILLER LAWRENCE Address of Well: Zipcode: County: WARREN Municipality: COLUMBUS TWP. Quadrangle: COLUMBUS Latitude: 41.9725 Longitude: -79.60667 Well Depth (ft): 62 Well Finish: OPEN HOLE Depth to Bedrock(ft): 6 Did Not Encounter Bedrock: Well Yield (gpm): 20 Yield Measure Method: BAILER Static Water Level: 12 Water level after yield test: 40 (ft below land surface) (ft below land surface) Length of Yield Test: 1.42 Saltwater Zone(ft): (minutes) Use of Well: WITHDRA Use of Water: STOCK CASING CASING 1: Top: 0 Bottom: 23 Diameter: 8 Material: Type: UNKNOWN SEAL 1 Top: Bottom: WATER BEARING ZONE WATER BEARING ZONE 1: Top: 32 Bottom: Yield:

a Last Well,

http://www.dcnr.state.pa.us/topogeo/groundwater/PaGWIS/DisplayListOfWells.asp?PageType=pagwis&ListType=Detail[9/29/2010 4:18:35 PM]

Yield:

(There is a total of 35 Wells in the list.)

Return to Summary List


WATER BEARING ZONE 2: Top: 46 Bottom:

NedWell (

Record: 21 of 35

Emr. Well 1

Prev Well #



PA Topographic & Geologic Survey **PaGWIS DETAILS FOR WELL 405211** Email comments to Topo Geo. Record: 23 of 35 (There is a total of 35 Wells in the list.) . Processor New Well Return to Stimmary Last Did val Well Driller: MCCRAY WELL DRILLING PA Well ID: 405211 License: 1664 Driller Well ID: Type of Activity: Original Well By: Date Drilled: 7/1/1992 Drilling Method: Owner: NAGEL Address of Well: COTTAGE PARK, COLUMBUS County: WARREN Municipality: COLUMBUS TWP. Quadrangle: Latitude: Longitude: Well Depth (ft): Well Finish: Depth to Bedrock(ft): Did Not Encounter Bedrock: Well Yield (gpm): Yield Measure Method: Static Water Level: Water level after yield test: (ft below land surface) (ft below land surface) Length of Yield Test: Saltwater Zone(ft): (minutes) Use of Well: Use of Water: Record: 23 of 35 (There is a total of 35 Wells in the list.) Prev.Well Newtyplan Return to Summary List

1.26 (76.15)

PA Topographic & Geologic Survey

**PaGWIS** 

# **DETAILS FOR WELL 146665**

Email comments to Topo Geo.

Record: 24 of 35

(There is a total of 35 Wells in the list.)

Streetfalt 1 (45.7%)

2-7 Vol. 9-7 Wei

, Welling to Summary Leve

Well Driller: YORK WATER WELL DRILLING CO INC

PA Well ID: 146665

License: 1378

Driller Well ID:

Type of Activity: New Well

Original Well By:

Date Drilled: 5/1/1979

Drilling Method:

Owner: PEHY D

Address of Well:

Zipcode:

County: WARREN

Municipality: COLUMBUS TWP.

Quadrangle: COLUMBUS

Latitude: 41.91778

Longitude: -79.50445

Well Depth (ft): 100

Well Finish: OPEN HOLE

Depth to Bedrock(ft): 77

Did Not Encounter Bedrock:

Well Yield (gpm): 7

Yield Measure Method: WATCH &

sure Method: WAICH &

BUCKET

VOLUMETRIC,

Static Water Level: 60

Water level after yield test: 60

(ft below land surface)

(ft below land surface)

Length of Yield Test: 0.25

Saltwater Zone(ft):

(minutes)

Use of Well: WITHDRAWAL

Use of Water: DOMESTIC

Description of Well Location and Other Notes: 3/4 WAY UP HILL SIDE LOT 3322

**CASING** 

CASING 1: Top: 0 Bottom: 78.7 Diameter: 6 Material:

WATER BEARING ZONE


WATER BEARING ZONE 1: Top: 77 Bottom: Yield:


WATER BEARING ZONE 2: Top: 90 Bottom: Yield:


The second secon

Record: 24 of 35 (There is a total of 35 Wells in the list.)









PA Topographic & Geologic Survey **PaGWIS DETAILS FOR WELL 405206** Email comments to Topo Geo. Record: 28 of 35 (There is a total of 35 Wells in the list.) isma Wali Providen appleMate. Retrier to Summary List Well Driller: JOHNSON DRILLING PA Well ID: 405206 License: 0761 Driller Well ID: Type of Activity: Original Well By: Date Drilled: 4/1/1999 Drilling Method: Owner: SCAMENS Address of Well: RD I BLUE EYE RD, COLUMBUS Zipcode: County: WARREN Municipality: COLUMBUS TWP. Quadrangle: Latitude: Longitude: Well Depth (ft): Well Finish: Depth to Bedrock(ft): Did Not Encounter Bedrock: Well Yield (gpm): Yield Measure Method: Static Water Level: Water level after yield test: (ft below land surface) (ft below land surface) Length of Yield Test: Saltwater Zone(ft): (minutes) Use of Well: Use of Water: Record: 28 of 35 (There is a total of 35 Wells in the list.)

original Walf

Wel-Write-

se distrikeli


Return to Summary List

	PaGWIS			
405207	Ment New Selection			
The second secon	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- 1 - 31× 10 2 5 × 2		
(There is a to	otal of 35 We	ils in the list.)		
East-WGIF	Reinn	w Summary, East		
3	PA Well ID:	405207		
Di	riller Well ID:			
Original Well By:				
Drilling Method:				
NE VALLEY RD,	Zîpcode:			
•				
<b>).</b>				
Latitude: ]	Longitude:			
Well Finish		** E		
Did Not Encounter Bedrock	:			
Yield Measure Method	:			
Saltwater Zone(ft)	5 /			
Use of Water	to condition house to	- Maria de Carrier D		
(There is a to	otal of 35 We	lls in the list.)		
	Original Well By: Drilling Method:  NE VALLEY RD,  Latitude:  Well Finish Did Not Encounter Bedrock Yield Measure Method Water level after yield test (ft below land surface) Saltwater Zone(ft)  Use of Water	(There is a total of 35 We  PA Well ID:  Driller Well ID:  Original Well By:  Drilling Method:  NE VALLEY RD,  Zipcode:		

THE YEAR DESCRIPTION

PA Topographic & Geologic Survey	PaGWI				
DETAILS FOR WELL 4	105218	XG.III	New Selection		
Email comments to Topo Geo.					
Record: 30 of 35	(There is a	total of 35 Wel	lls in the list.)		
(100.004) (100.004) (100.004)	Ac WH.	Return	to Stillia 157, 654		
Well Driller: JOHNSON DRILLING		PA Well ID:	405218		
License: 0761	Driller Well ID:				
Type of Activity:	Original Well By:				
Date Drilled: 12/1/1993	Drilling Method:				
Owner: SINGH	*	· · · · · · · · · · · · · · · · · · ·	i i		
Address of Well: BESE LAKE	7.00	Zipcode:			
County: WARREN					
Municipality: COLUMBUS TWP.					
Quadrangle:	Latitude:	Longitude:			
Well Depth (ft):	Well Finish	:			
Depth to Bedrock(ft):	Did Not Encounter Bedrock		~ 3		
Well Yield (gpm):	Yield Measure Method	:	A TOP STAN		
Static Water Level: (ft below land surface)	Water level after yield test (ft below land surface		- ,		
Length of Yield Test:	Saltwater Zone(ft)	:	= 7-4		
(minutes) Use of Well:	Use of Water				
Record: 30 of 35	(There is a to	otal of 35 Well	s in the list.)		
Committee to the second					

Return to Summary Life:



PA Topographic & Geologic Survey **PaGWIS** DETAILS FOR WELL 33584 Email comments to Topo Geo. Record: 32 of 35 (There is a total of 35 Wells in the list.) Per Wall 1-Merwell Non-Weite sani Weli Return to Strainery fast : Well Driller: MCCRAY BROS PA Well ID: 33584 Driller Well ID: License: 0224 Type of Activity: Original Well By: Date Drilled: 12/1/1979 Drilling Method: CABLE TOOL Owner: STOCTON, CHARLES Address of Well: Zipcode: County: WARREN Municipality: COLUMBUS TWP. Quadrangle: COLUMBUS Latitude: 41.93444 Longitude: -79.58167 Well Depth (ft): 42 Well Finish: UNKNOWN Did Not Encounter Bedrock: Depth to Bedrock(ft): VOLUMETRIC Well Yield (gpm): 2 Yield Measure Method: WATCH & BUCKET Static Water Level: 20 Water level after yield test: 40 (ft below land surface) (ft below land surface) Length of Yield Test: Saltwater Zone(ft): (minutes) Use of Well: WITHDRAWAL Use of Water: DOMESTIC BOREHOLE Top Bottom Diameter SECTION 1: 0 42 0 CASING CASING 1: Top: 0 Bottom: 42 Diameter: 8 Material: UNKNOWN Record: 32 of 35 (There is a total of 35 Wells in the list.)

The West

Return to Summary List

arimalidir.

Acat Will

PA Topographic & Geologic Survey **PaGWIS DETAILS FOR WELL 405204** Email comments to Topo Geo. Record: 33 of 35 (There is a total of 35 Wells in the list.) 10,500,0040 Return to Stummery Just Well Driller: DANIEL P HORNBURG PA Well ID: 405204 License: 2043 Driller Well ID: Type of Activity: Original Well By: Date Drilled: 9/1/1998 Drilling Method: Owner: TAYDUS Address of Well: RD 1, COLUMBUS Zipcode: County: WARREN Municipality: COLUMBUS TWP. Quadrangle: Latitude: Longitude: Well Depth (ft): Well Finish: Depth to Bedrock(ft): ... Did Not Encounter Bedrock: Well Yield (gpm): Yield Measure Method: Static Water Level: Water level after yield test: (ft below land surface) (ft below land surface) Length of Yield Test: Saltwater Zone(ft): (minutes) Use of Well: Use of Water: Record: 33 of 35 (There is a total of 35 Wells in the list.)

- Return to Stummary List

PA Topographic & Geologic Survey **PaGWIS** DETAILS FOR WELL 405215 Mew Selection Email comments to Topo Geo. Record: 34 of 35 (There is a total of 35 Wells in the list.) rem Wile Near Will Return to duminion from Well Driller: MCCRAY WELL DRILLING PA Well ID: 405215 License: 1664 Driller Well ID: Type of Activity: Original Well By: Date Drilled: 6/1/1993 Drilling Method: Owner: TRESSLEY Address of Well: RD 1, COLUMBUS Zipcode: County: WARREN Municipality: COLUMBUS TWP Quadrangle: Latitude: Longitude: Well Depth (ft): Well Finish: Depth to Bedrock(ft): Did Not Encounter Bedrock: Well Yield (gpm); Yield Measure Method: Static Water Level: Water level after yield test: (ft below land surface) (ft below land surface) Length of Yield Test: Saltwater Zone(ft): (minutes) Use of Well: Use of Water: Record: 34 of 35 (There is a total of 35 Wells in the list.)

NG Wall

Peraver

PA Topographic & Geologic Survey **PaGWIS DETAILS FOR WELL 146666** New Selection Email comments to Topo Geo. Record: 35 of 35 (There is a total of 35 Wells in the list.) for Walls - Browel Return to Summary List Well Driller: YORK WATER WELL DRILLING CO INC PA Well ID: 146666 License: 1378 Driller Well ID: Type of Activity: New Well Original Well By: Date Drilled: 5/1/1985 Drilling Method: Owner: ZEIH C Address of Well: Zipcode: County: WARREN Municipality: COLUMBUS TWP. Quadrangle: COLUMBUS Latitude: 41.94361 Longitude: -79.57 Well Depth (ft): 60 Well Finish: OPEN HOLE Depth to Bedrock(ft): 35 Did Not Encounter Bedrock: VOLUMETRIC. Well Yield (gpm): 9 Yield Measure Method: WATCH & BUCKET Static Water Level: 48 Water level after yield test: '48 (ft below land surface) (ft below land surface) Length of Yield Test: 0.33 Saltwater Zonc(ft): (minutes) Use of Well: WITHDRAWAL Use of Water: DOMESTIC CASING CASING 1: Top: 0 Bottom: 37 Diameter: 6 Material: WATER BEARING ZONE WATER BEARING ZONE 1: Top: 45 Bottom: Yield: WATER BEARING ZONE 2: Top: 51 Bottom: Yield:

(There is a total of 35 Wells in the list.)


Return to Summary List

Record: 35 of 35

Previled A

## Appendix B

Appendix 8 contains the names and address of residents located within  $\frac{1}{2}$  mile of the proposed injection well.



For assistance in accessing this document, please contact R3\_UIC\_Mailbox@epa.gov

	PARCEL#	OWNER	ADDRESS
Α	2341	Bear Lake Properties, LLC	3010 Village Run, Suite 103, Wexford, PA 15090
В	2253	Miles and Joyce Sampsel	8353 Pagan Road, Erie, PA 16509
Ç	2244	John R. and Kathryn Triskett	P.O. Box 88, Ashville, NY 14710
D	162	Commonwealth of Pennsylvania	2001 Elmerton Ave., Harrisburg, PA 17110
Ε	2287	Cornish Lumber Company, Inc.	P.O. Box 140, Bear Lake, PA 16402
F	2362	Jack and Marilyn McCoy	P.O. Box 112, Columbus, PA 16405