PMN/SNUN/MCAN/TMEA Submissions Received under TSCA October, 2024

Case No.	Version	Received Date	Manufacturer	Use	Chemical Substance
SN- 19- 0004 A	4	06/04/20 19	СВІ	(S) A lubricating agent used in the production of automotive disc brakes	(G) Pitch coke
SN- 19- 0005 A	2	05/28/20 19	Molecular Rebar Design	(G) Conductive ink	(S) Functionalized multiwall carbon nanotubes
P- 16- 0442 A	4	06/26/20 19	СВІ	(G) Polymer for coatings	(G) Carboxylic acids, unsaturated, polymers with disubstituted amine, alkanediol, substituted alkylpropanoic acid, alkanedioic acid and substituted isocyanatocycloalkane, compds with alkylamine
P- 16- 0443 A	4	06/26/20 19	СВІ	(G) Polymer for coatings	(G) Carboxylic acids, unsaturated, hydrogenated polymers with disubstituted amine, alkanediol, substituted alkylpropanoic acid, alkanedioic acid and substituted isocyanatocycloalkane, compds with alkylamine
P- 16- 0444 A	4	06/26/20 19	СВІ	(G) Polymer for coatings	(G) Amine salted polyurethane
P- 16- 0445 A	4	06/26/20 19	СВІ	(G) Polymer for coatings	(G) Carboxylic acids, unsaturated, hydrogenated polymers with substituted alkanediamine, alkanediol, substituted alkylpropanoic acid, alkanedioic acid and substituted isocyanatocycloalkane, compds with alkylamine
P- 17- 0007 A	5	06/13/20 19	СВІ	(S) Intermediate	(G) Dialkyl 7,10-dioxa, dithiahexadeca diene
P- 17- 0239 A	6	06/11/20 19	СВІ	(G) Adhesive for open non-descriptive use	(G) Substituted carboxylic acid, polymer with 2,4-diisocyanato-1-methylbenzene, hexanedioic acid, alpha-hydro-omega-hydroxypoly[oxy(methyl-1,2-ethanediyl)], 1,1'-methylenebis[4-isocyanatobenzene], 2,2'-oxybis[ethanol], 1,1'-oxybis[2-propanol] and 1,2-propanediol
P- 17- 0299 A	3	06/06/20 19	СВІ	(G) Paint additive	(G) 2-Propenoic acid, alkyl -, polymers with alkyl acrylate and polyethylene glycol methacrylate alkyl ether
P- 17- 0345 A	2	06/07/20 19	СВІ	(G) Resin intermediate	(G) Polyurethane, methacrylate blocked
P- 17- 0389 A	6	06/24/20 19	СВІ	(G) Polymer precursor	(G) Alkyl oil, polymer with 1,4- cyclohexanedimethanol, dehydrated Alkyl oil, hydrogenated rosin, phthalic anhydride and trimethylolpropane
P- 18- 0009 A	5	06/24/20 19	СВІ	(G) Lubricant additive	(G) Phosphonic acid, dimethyl ester, polymer with alkyl diols
P- 18- 0044 A	3	06/24/20 19	СВІ	(G) Intermediate species	(G) Fatty acids
P- 18- 0045 A	3	06/24/20 19	СВІ	(G) Application coating	(G) Fatty acids, alkyl esters
P- 18- 0050		17	СВІ	(G) Raw material in industrial coatings	(G) Alkane, diisocyanato-, homopolymer, alkyl dihydrogen phosphate- and polyalkylene glycol mono-alkyl ether-
P- 18-	3	06/24/20 19	СВІ	(G) Industrial coating hardners	(G) Alkyl methacrylates, polymer with alkyl acrylates, styrene hydroxyalkyl acrylates, novalac

0061 A					epoxy and epoxy modified acrylic salt with organic amines
P- 18- 0078 A	4	06/26/20	СВІ	(G) Paint	(G) 2-Alkenoic acid, 2-alkyl-, 2-alkyl ester, polymer with alkyl 2-alkenoate, 2-substitutedalkyl 2-alkenoate and 2-substitutedalkyl 2-alkyl-2-alkenoate, tert alkylperoxoate initiated
P- 18- 0122 A	6	06/04/20 19	Polymer Ventures, Inc.	(G) Paper additive	(G) Alkylamide, polymer with alkylamine, formaldehyde, and polycyanamide, alkyl acid salt.
P- 18- 0125 A	2	06/18/20	NOLTEX L.L.C.	(G) Reagent in coating material	(G) Oxoalkylcarboxylic acid, sodium salt
P- 18- 0197 A	2	06/21/20	CBI	(G) Polymer composite additive	(G) Metal, alkylcarboxylate oxo complexes
P- 18- 0207 A	3	06/21/20	СВІ	(G) Polymer composite additive	(G) Metal, oxo alkylcarboxylate complexes
P- 18- 0239 A	3	06/26/20	СВІ	(G) Reactant in coating	(G) N-alkyl propanamide
P- 18- 0240 A	3	06/26/20	CBI	(G) Reactant in coating	(G) N-alkyl acetamide
P- 18- 0260 A	4	06/04/20	Allnex USA Inc.	(S) Binder for wood stains	(G) Fatty acids, polymers with alkanoic acid and substituted carbomonocycle, peroxide-initiated, polymers with alkanoic acid esters and substituted carbomonocycle, ammonium salts
P- 18- 0263 A	2	06/17/20	CBI	(G) Solution additive	(G) Mixed alkyl esters-, polymer with N1-(2-aminoethyl)- 1,2-ethanediamine, aziridine, N-acetyl derivs., acetates (salts)
P- 18- 0263 A	3	06/26/20	СВІ	(G) Solution additive	(G) Mixed alkyl esters-, polymer with N1-(2-aminoethyl)- l,2-ethanediamine, aziridine, N-acetyl derivs., acetates (salts)
P- 18- 0274 A	6	06/19/20	СВІ	(S) Chemical Intermediate	(G) Heterocycle fluoroalkyl sulfonyl
P- 18- 0274 A	6	06/19/20	СВІ	(G) Additive	(G) Heterocycle fluoroalkyl sulfonyl
P- 18- 0295	1	08/30/20	СВІ	(S) Use as an ingredient in the manufacture of consumer cleaning products. In these products, the notified chemical is not destroyed nor further reacted.	(S) 1,3-Butanediol, (3R)-
P- 18- 0295	1	08/30/20 18	СВІ	(S) Use as monomer in the manufacture of resins for use in paint and coating products. Notified substance will not be present in the cured coating.	(S) 1,3-Butanediol, (3R)-
P- 18- 0295	1	08/30/20 18	СВІ	(S) Use as a monomer in the manufacture of plastic products. In this process the notified substance is reacted with one or more other compounds to become part of a polymer. Depending on the reactants involved, the final polymer can be a resin used to make molded plastic products or the final polymer can be a shorter polymer used as a plasticizer.	(S) 1,3-Butanediol, (3R)-
P- 18- 0323 A	3	06/18/20 19	Kuraray America, Inc.	(G) Raw material for polymer manufacturing	(S) 2-Propenoic acid, 2-methyl-, 3-methyl-3-buten- 1-yl ester
P- 18- 0372 A	4	06/11/20	Hexion Inc	(G) Polyol.	(G) Formaldehyde, polymer with phenol and heteroatom-substituted heteromonocycle, reaction products with 1,3-dioxolan-2-one and 4-methyl-1,3-dioxolan-2-one
P- 18-	4	06/11/20 19	Hexion Inc	(S) Reactive modifier for Carbon, Fiber bonding, Friction, Coated abrasives, Glass Inserts, Refractory, and Bonded	(G) Formaldehyde, polymer with phenol and heteroatom-substituted heteromonocycle, reaction

0372 A				abrasives.	products with 1,3-dioxolan-2-one and 4-methyl-1,3-dioxolan-2-one
P- 18- 0372 A	4	06/11/20 19	Hexion Inc	(S) Reactive polyol for Sealants, Adhesives, 1 part coatings, 2 part coatings, and composites.	(G) Formaldehyde, polymer with phenol and heteroatom-substituted heteromonocycle, reaction products with 1,3-dioxolan-2-one and 4-methyl-1,3-dioxolan-2-one
P- 18- 0372 A	3	05/31/20 19	Hexion Inc	(G) Polyol.	(G) Formaldehyde, polymer with phenol and heteroatom-substituted heteromonocycle, reaction products with 1,3-dioxolan-2-one and 4-methyl-1,3-dioxolan-2-one
P- 18- 0372 A	3	05/31/20 19	Hexion Inc	(S) Reactive modifier for Carbon, Fiber bonding, Friction, Coated abrasives, Glass Inserts, Refractory, and Bonded abrasives.	(G) Formaldehyde, polymer with phenol and heteroatom-substituted heteromonocycle, reaction products with 1,3-dioxolan-2-one and 4-methyl-1,3-dioxolan-2-one
P- 18- 0372 A	3	05/31/20 19	Hexion Inc	(S) Reactive polyol for Sealants, Adhesives, 1 part coatings, 2 part coatings, and composites.	(G) Formaldehyde, polymer with phenol and heteroatom-substituted heteromonocycle, reaction products with 1,3-dioxolan-2-one and 4-methyl-1,3-dioxolan-2-one
P- 18- 0373 A	4	06/11/20 19	Hexion Inc	(G) Polyol	(G) Formaldehyde, polymer with 2-methyloxirane, oxirane, phenol and heteroatom-substituted heteromonocycle
P- 18- 0373 A	3	05/31/20 19	Hexion Inc	(G) Polyol	(G) Formaldehyde, polymer with 2-methyloxirane, oxirane, phenol and heteroatom-substituted heteromonocycle
P- 19- 0021 A	3	06/26/20 19	СВІ	(G) Pigment ink	(G) Hydroxyalkyl carboxylic acid, polymer with alkylamine, alkylene carbonate, alkanediol, isocyanate, compd. with alkylamine
P- 19- 0022 A	3	06/26/20 19	CBI	(G) Pigment ink	(G) Hydroxyalkyl carboxylic acid, polymer with alkylamine, alkyl carbonate, alkanediol, isocyanate, compd. with alkylamine
P- 19- 0024 A	4	06/12/20 19	Sales and Distribution Services, Inc.	(S) Hot Mix Asphalt Application: The PMN compound will be used as asphalt additive for hot mix (HMA) as well as cold mix (CMA) asphalt applications. The PMN substance chemically reacts with the surface of the aggregate and changes surface characteristics of aggregate from hydrophilic to hydrophobic. This change provides stronger bonding between asphalt and aggregates and reduces the potential for stripping away asphalt binder from an aggregate due to water.	(S) 1-Octadecanaminium, N,N-dimethyl-N-[3-(trimethoxysilyl)propyl]-, chloride (1:1), reaction products with water, Trimethoxy(propyl) silane, Trimethoxy(methyl)silane, Tetraethyl orthosilicate and ethane-1,2-diol
P- 19- 0024 A	4	06/12/20	Sales and Distribution Services, Inc.	(S) Waterproofing Application: The PMN substance is expected to be used in waterproofing of building materials, including cementitious material, masonry, concrete, plaster, bricks, etc. It is initially intended to be used at a maximum of 5 sites by trained commercial applicators. The PMN substance is modification of a quaternary silane compound by a hydrolysis reaction with other silanes to make it an oligomeric compound. These quaternary silane products have been manufactured and marketed for waterproofing uses for over 35 years. The solution of PMN substance in water is applied as a waterproofing sealer for building materials by spray application.,(S) Asphalt Emulsion Application: The PMN substance is water soluble and can be used as an asphalt emulsion in road construction. This additive provides better bonding with ground surface, quick drying and reduced tire pickup of the asphalt emulsion by application equipment.	(trimethoxysilyl)propyl]-, chloride (1:1), reaction products with water, Trimethoxy(propyl) silane, Trimethoxy(methyl)silane, Tetraethyl orthosilicate and ethane-1,2-diol
P- 19- 0031 A	8	06/19/20 19	СВІ	(S) Curing agent for epoxy coating systems	(G) Phenol, 4,4'-(1-methylethylidene)bis-, polymer with formaldehyde, 2-(chloromethyl)oxirane, alphahydro-omega-hydroxypoly(oxy-1,2-ethanediyl), and polyamines
P- 19- 0051 A	5	06/21/20 19	СВІ	(G) UV curable inks	(G) 1,3-Propanediamine, N1,N1-dimethyl-, polymers with alkylene glycol ether with alkyltriol (3:1) mixed acrylates and adipates, and alkylene glycol monoacrylate ether with alkyltriol (3:1)
P- 19- 0053 A	5	06/25/20	Wacker Chemical Corporation	(S) Used as a surface treatment, sealant, caulk, and coating for mineral building materials such as concrete, brick, limestone, and plaster, as well as on wood, metal and other substrates. Formulations containing the cross-linker provide release and anti-graffiti properties, water repellency, weather proofing, and improved bonding in adhesive/sealant applications. The new substance is a moisture curing cross-linking agent which binds/joins polymers together when cured. Ethanol is released	(S) 1-Butanamine, N-butyl-N- [(triethoxysilyl)methyl]-

				during cure, and once the cure reaction is complete, the product will remain bound in the cured polymer matrix.	
P- 19- 0071 A	3	06/11/20 19	CBI	(G) Physical property modifier for polymers	(G) Trimethylolpropane, alkenoic acid, triester
P- 19- 0075 A	3	05/30/20	Allnex USA Inc.	(S) The PMN substance is an intermediate incorporated as a component in VIACRYL SC 6841.	(G) Alkenoic acid, alkyl-, (alkylamino)alkyl ester, polymer with alkyl substituted carbomonocycle, substituted-[alkanenitrile]-initiated, formates
P- 19- 0082 A	3	06/20/20	Bedoukian Research Inc.	(S) Fragrance uses per FFDCA: fine fragrance, creams, lotions, etc., Fragrance uses per TSCA: scented papers, candles, detergents, cleaners, etc.	(S) Heptanal, 6-hydroxy-2,6-dimethyl-
P- 19- 0086 A	3	05/31/20	СВІ	(G) Monitor oil and gas well performance	(G) Halogenated sodium alkylbenzoate
P- 19- 0087 A	3	05/31/20	СВІ	(G) Monitor oil and gas well performance	(G) Halogenated sodium alkylbenzoate
P- 19- 0089 A	5	06/04/20	CBI	(G) Well performance tracer	(G) Halogenated sodium alkylbenzoate
P- 19- 0090 A	3	06/04/20	СВІ	(G) Well performance tracer	(G) Halogenated sodium benzoate
P- 19- 0091 A	3	06/04/20	СВІ	(G) Well performance tracer	(G) Halogenated alkylbenzoic acid
P- 19- 0092 A	2	06/04/20	СВІ	(G) Tracer of well performance	(G) Halogenated alkylbenzoic acid
P- 19- 0093 A	3	06/04/20	СВІ	(G) Tracer for well performance	(G) Halogenated benzoic acid
P- 19- 0095	3	06/04/20 19	СВІ	(G) Consumer Disposables, Polymer Sheet, and Durable Goods	(G) Poly hydroxy alkanoate
P- 19- 0096	1	05/31/20 19		(G) Additive for plastics industry	(G) Benzofuranone, bis(branched alkyl)- [dialkyl[tetrakis(branched alkyl)-alkyl-dibenzo- substitutedphosphite-yl] phenyl]-
P- 19- 0097	3	06/10/20 19	СВІ	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid, ethyl ester
P- 19- 0098	1	06/04/20	Clariant Corporation	(S) Flame retardant additive for intumescent coatings.	(G) Phosphoric acid, polymer with (hydroxyalkyl)-alkanediol and alkanediol
P- 19- 0100 P-	4	06/14/20 19 06/14/20	CBI	(G) Well performance monitor (G) Monitor well performance	(G) Halogenated alkylbenzoic acid, ethyl ester (G) Halogenated alkylbenzoic acid, ethyl ester
P- 19- 0101 P-	3	06/14/20		(G) Well performance monitor	(G) Halogenated alkylbenzoic acid, ethyl ester
19- 0102 P-	2	06/14/20	СВІ	(G) Well performance monitor	(G) Halogenated alkyl benzoic acid
19- 0103 P-	4	06/14/20	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid, ethyl ester
19- 0104 P-	3		СВІ	(G) Well performance monitor	(G) Halogenated benzoic acid, ethyl ester
19- 0105		19			

P- 19- 0106	3	06/14/20 19	СВІ	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid, ethyl ester
P- 19- 0107	3	06/14/20 19	СВІ	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid, ethyl ester
P- 19- 0108	3	06/14/20 19	СВІ	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid, ethyl ester
P- 19- 0109	1	06/07/20 19	Arch Chemicals, Inc.	(S) Chemical is used as a component of a hoof cleaning formulation to improve the wettability of the overall cleaning solution on the hoof	(S) Copper ethanolamine complex, mixed
P- 19- 0110	3	06/14/20 19	СВІ	(G) Well performance monitor	(G) Halogenated benzoic acid, ethyl ester
P- 19- 0112	1	06/12/20	Shin-ETSU Microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Substituted heterocyclic onium compound, salt with 1-(difluorosulfomethyl)-2,2,2-trifluoroethyl 3-[(2-methyl-1-oxo-2-propen-1-yl)oxy]tricyclo[3.3.1.13,7]decane-1-carboxylate (1:1), polymer with 3-etheylphenol, 1-(1-methylethyl)cyclopentyl 2-methyl-2-propenoate and 1-(7-oxabicyclo[2.2.1]hept-2-yl)cyclopentyl 2-methyl-2-propenoate, di-Me 2,2'-(1,2-diazenediyl)bis[2-methylpropenoate]-initiated
P- 19- 0113	2	06/13/20 19	СВІ	(G) Flow cell additive	(G) Metal oxide-chloro
P- 19- 0114	1	06/17/20 19	Shin-ETSU Microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Sulfonium, triphenyl-, trifluoro-hydroxy- (triheterosubstitutedalkyl)alkanoate (1:1)
P- 19- 0115	1	06/17/20 19	Tokyo Ohka Kogyo America, Inc.	(G) An ingredient used in the manufacture of photoresist	(G) Sulfonium, bis(dihalocarbomonocycle) carbomonocycle, substituted carbomonocyclic ester
P- 19- 0117	2	06/21/20 19	СВІ	(G) Additive	(G) Polycyclic amine, reaction products with polyalkylalkene, polymers
P- 19- 0118	1	06/21/20 19	CBI	(G) Component of lubricant	(G) Substituted polyalkylenepoly, reaction products with alkene polymer
P- 19- 0119	1	06/24/20 19	Zschimmer&	(S) Foaming additive used in building/construction, exposure would only occur during loading of finished product. Product application is used in a closed system with very low possibility for exposure. To be used on construction sites.	(S) Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega- hydroxy-, C9-11-branched alkyl ethers, sodium salts
P- 19- 0119	1	06/24/20 19	Schwarz	(S) Foaming additive used in building/construction, exposure would only occur during loading of finished product. Product application is used in a closed system with very low possibility for exposure. To be used on construction sites.	(S) Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega- hydroxy-, C9-11-branched alkyl ethers, sodium salts
P- 19- 0120	1	06/25/20 19	CBI	(G) Component of ink	(G) Alkenoic acid, polymer with alkanediyl bis substituted alkylene bis heteromonocycle, substituted carbomonocycle and (alkylalkenyl) carbomonocycle, alkali metal salt
J-19- 0024		19	CBI	(G) Ethanol production	(G) Biofuel producing Saccharomyces cerevisiae modified, genetically stable.
J-19- 0025	1	19	СВІ	(G) Ethanol production	(G) Biofuel producing Saccharomyces cerevisiae modified, genetically stable.
P- 16- 0354 A	4	07/08/20	CBI	(G) Intermediate	(G) Esteramine.
16- 0354	5	07/09/20 19	СВІ	(G) Intermediate	(G) Esteramine.
A	l .	1		(G) Intermediate	(G) Esteramine.
P- 16- 0355 A	4	07/08/20 19	CBI	(G) intermediate	(3) 2500

P- 17- 0003	06/25/20 19	CBI	(G) Printing ink applications	(G) Styrene(ated) copolymer with alkyl(meth)acrylate, and (meth)acrylic acid.
A P- 17- 0346	07/02/20	СВІ	(G) Destructive use	(G) triarylalkyl phosphonium halide salt.
A P- 7 17- 0346	07/08/20	СВІ	(G) Destructive use	(G) triarylalkyl phosphonium halide salt.
A P- 5 17- 0375 A	06/30/20	СВІ	(G) Paint additive	(G) 2-Oxepanone, polymer with diisocyanatohexane, alkyl-((hydroxyalkyl)-alkanediol and isocyanato-(isocyanatoalkyl)-trialkylcyclohexane, di-alkyl malonate- and polyalkylene glycol mono-Me etherblocked, reaction products with (methylalkyl)-propanamine.
P- 17- 0383 A	07/17/20 19	Toagosei America, Inc.	(G) Binder	(G) Alkenoic acid, polymer will ammonium alkenoate (1:1) and polyalkylenediol diacrylate.
P- 17- 0387 A	07/08/20	СВІ	(G) Paint	(G) Dicarboxylic acids, polymers with alkanoic acid, alkanediol, susbtituted-alkylalkanoic acid, substituted alkyl carbomonocyle, alkanedioic acid and alkanediol, alkanolamine blocked, compds with alkanolamine.
P- 17- 0388 A	07/08/20 19	СВІ	(G) Paint	(G) Dicarboxylic acids, polymers with alkanoic acid, alkanediol, susbtituted-alkylalkanoic acid, substituted alkyl carbomonocyle, alkanedioic acid and alkanediol, alkanolamine blocked, compds with alkanolamine.
P- 17- 0398 A	06/28/20 19	Nexus Fuels	(G) Component of complex formulations for blending	(G) Branched Cyclic and Linear Hydrocarbons from Plastic Depolymerization.
P- 12 17- 0399 A	06/28/20	Nexus Fuels	(G) Stock use	(G) Alkane, Alkene, Styrenic Compounds Derived from Plastic Depolymerization.
P- 6 17- 0400 A	07/08/20	СВІ	(G) Rubber products	(G) Terpolymer of Vinylidene fluoride, Tetrafluoroethylene and 2,3,3,3-Tetrafluoropropene.
P- 2 17- 0404 A	07/17/20 19	Arlanxeo	(G) Intermediate completely used on site	(G) Nitrile-butadiene-acrylate-terpolymers.
P- 4 17- 0405 A	07/03/20	CBI	(G) Oil and gas well performance	(G) halogenated benzoic acid ethyl ester.
P- 4 17- 0406 A	07/03/20	CBI	(G) Oil and gas well performance	(G) halogenated benzoic acid ethyl ester.
P- 3 17- 0407 A	07/03/20	CBI	(G) Well performance	(G) halogenated benzoic acid ethyl ester.
P- 2 17- 0408 A	07/03/20	CBI	(G) Well performance	(G) halogenated benzoic acid ethyl ester.
P- 3 17- 0409 A	07/03/20 19	CBI	(G) Monitor well performance	(G) halogenated benzoic acid ethyl ester.
P- 2 17- 0409	06/27/20	CBI	(G) Monitor well performance	(G) halogenated benzoic acid ethyl ester.

P- 2	07/03/20	CBI	(G) Monitor well performance	(G) halogenated benzoic acid ethyl ester.
0410 A				
P- 17- 0411 A	07/03/20	СВІ	(G) Monitor well performance	(G) halogenated benzoic acid ethyl ester.
P- 2 17- 0412 A	07/03/20	СВІ	(G) Monitor well performance	(G) halogenated benzoic acid ethyl ester.
P- 3 17- 0414 A	07/03/20	СВІ	(G) Monitor well performance	(G) halogenated benzoic acid.
P- 3 17- 0415 A	07/03/20	СВІ	(G) Monitor well performance	(G) halogenated benzoic acid.
P- 3 17- 0416 A	07/03/20	СВІ	(G) Monitor well performance	(G) halogenated benzoic acid.
P- 3 17- 0417 A	07/03/20	СВІ	(G) Monitor well performance	(G) halogenated benzoic acid.
P- 3 17- 0418 A	07/03/20	СВІ	(G) Monitor well performance	(G) halogenated benzoic acid.
P- 4 17- 0420 A	07/03/20	СВІ	(G) Monitor well performance	(G) halogenated benzoic acid.
P- 3 17- 0421 A	07/03/20	СВІ	(G) Monitor well performance	(G) halogenated benzoic acid.
P- 3 17- 0422 A	07/03/20	CBI	(G) Monitor well performance	(G) halogenated benzoic acid.
P- 2 17- 0423 A	07/03/20	СВІ	(G) Monitor well performance	(G) halogenated benzoic acid ethyl ester.
P- 2 17- 0441 A	06/28/20	СВІ	(G) Monitor well performance	(G) halogenated sodium benzoate.
P- 2 17- 0442 A	07/02/20	СВІ	(G) Monitor well performance	(G) halogenated sodium benzoate.
P- 3 17- 0443 A	07/02/20	СВІ	(G) Monitor well performance	(G) halogenated sodium benzoate.
P- 2 17- 0444 A	07/02/20	CBI	(G) Monitor well performance	(G) halogenated sodium benzoate.
P- 17- 0445 A	07/03/20	СВІ	(G) Monitor well performance	(G) halogenated sodium benzoate.
P- 2 17- 0446 A	07/03/20	СВІ	(G) Monitor well performance	(G) halogenated sodium benzoate.

P- 17- 0447	2	06/27/20	СВІ	(G) Monitor well performance	(G) halogenated sodium benzoate.
A P- 17- 0447	3	07/03/20	СВІ	(G) Monitor well performance	(G) halogenated sodium benzoate.
A P- 17- 0448 A	2	07/03/20	СВІ	(G) Monitor well performance	(G) halogenated sodium benzoate.
P- 17- 0449 A	2	07/03/20	CBI	(G) Monitor well performance	(G) halogenated sodium benzoate.
P- 17- 0450 A	2	07/03/20	CBI	(G) Monitor well performance	(G) Halogenated benzoic acid.
P- 18- 0001	11	06/27/20	Nexus Fuels	(G) Additive	(G) Carbon compound derived from plastic depolymerization.
A P- 18- 0003 A	5	06/27/20	ETNA Products, Inc	(S) Lubricant for metal working applications	(G) fatty acids, diesters with dihydroxyalkane, Fatty acids, esters with dihydroxyalkane.
	6	07/22/20	СВІ	(G) Lubricant additive	(G) Phosphonic acid, dimethyl ester, polymer with alkyl diols.
P- 18- 0012 A	4	07/12/20	CBI	(G) Adhesives	(G) Polyester polyol.
	6	06/28/20	Nexus Fuels	(G) Feedstock, blending	(G) Branched cyclic and linear hydrocarbons from plastic depolymerization.
P- 18- 0028 A	7	07/02/20	Nexus Fuels	(G) Feedstock, blending	(G) Branched cyclic and linear hydrocarbons from plastic depolymerization.
P- 18- 0121	2	07/29/20	Kyodo Yushi USA, Inc.	(G) Additive for Lubricating Grease	(S) Benzene, 1,1'-oxybis-, branched eicosyl derivs.
A P- 18- 0150 A	4	07/18/20	CBI	(G) Component of an industrial coating	(G) Tertiary amine, compounds with amino sulfonic acid blocked aliphatic isocyanate homopolymer.
P- 18- 0165	5	07/17/20	Cabot Corporation	(S) Chemical intermediate	(G) 2,5-Furandione, polymer with ethenylbenzene, 4-hydroxy-substituted butyl amide, sodium salts.
P- 18- 0166	5	07/17/20	Cabot Corporation	(S) Chemical Intermediate	(G) 2,5-Furandione, polymer with ethenylbenzene, 4-hydroxy- substituted butyl [3-[2-[1-[[(2-methoxyphenyl)amino]carbonyl]-2-oxopropyl]diazenyl]phenyl]substituted, sodium salts.
P- 18- 0167 A	3	07/17/20	Cabot Corporation	(S) Chemical intermediate	(G) Butanamide, 2-[2-[(substitutued phenyl)diazenyl]-N-(2-methoxyphenyl)-3-oxo
P- 18- 0175 A	7	07/29/20	Hexion, Inc	(S) Food can coating and Non-food contact can coating	(S) Formaldehyde, polymer with 4-(1,1-dimethylethyl)phenol and phenol, Bu ether.
P- 18- 0190	2	07/17/20	Cabot Corporation	(S) Pigment Dispersing Aid	(G) 2,5-Furandione, polymer with ethenylbenzene, 4-hydroxy-substituted butyl amide, polymers with epichlorohydrin and trimethylolpropane, sodium salts.

P- 18- 0191	2	07/17/20	Cabot Corporation	(S) Pigment Dispersing Aid	(G) 2,5-Furandione, polymer with ethenylbenzene, 4-hydroxy-substitutedbutyl [3-[2-[1-[[(substitutedphenyl)amino]carbonyl]-2-oxopropyl]diazenyl]phenyl]methyl amide, polymers with epichlorohydrin and trimthylolpropane, sodium salts.
P- 18- 0214 A	3	07/22/20 19	CBI	(G) Curing agent	(G) Polycyclic substituted alkane, polymer with cyclicalkylamine, epoxide, and polycyclic epoxide ether, reaction products with dialkylamine substituted alkyl amine.
P- 18- 0215 A	3	07/22/20 19	СВІ	(G) Curing agent	(G) Polycyclic alkane, polymer with monocyclic amine, polycyclic epoxide ether, reaction products with dialkylamine alkyl amine.
P- 18- 0216 A	3	07/22/20 19	СВІ	(G) Curing agent	(G) Polycyclic substituted alkane, polymer with epoxide, reaction products with cyclicalkylamine and dialkylamine substituted alkyl amine.
P- 18- 0223 A	2	07/12/20	Clariant Corporation	(S) Selectivity improver for catalysts used in the production of polyolefins	(G) Alkane, bis(alkoxymethyl)-dimethyl
P- 18- 0241 A	4	06/27/20	CBI	(G) Additive for automotive coating	(G) 2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene, ethyl 2-propenoate, 2-oxiranylmethyl 2-methyl-2-propenoate and 1,2-propanediol mono(2-methyl-2-propenoate), reaction products with diethanolamine, polymers with substituted-alkyl acrylate, formates (salts).
P- 18- 0242 A	4	06/27/20 19	СВІ	(S) Withdrawn	(S) Substance withdrawn.
P- 18- 0243 A	4	06/27/20	СВІ	(S) Withdrawn	(S) Substance withdrawn.
P- 18- 0244 A	4	06/27/20	СВІ	(G) Additive for automotive coating	(G) 2-Propenoic acid, 2-methyl, methyl ester, polymer with ethenylbenzene, ethyl 2-propenoate, 2-oxiranylmethyl 2-methyl-2-propenoate and 1,2-propanediol mono(2-methyl-2-propenoate), reaction products with diethanolamine, polymers with substituted-alkyl methacrylate, formates (salts).
P- 18- 0245 A	4	06/27/20 19	СВІ	(G) Additive for automotive coating	(G) 2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene, ethyl 2-propenoate, 2-oxiranylmethyl 2-methyl-2-propenoate, and 1,2-propanediol mono(2-methyl-2-propenoate), reaction products with diethanolamine, polymers with alkylene glycol monoacrylate, formates (salts).
P- 18- 0246 A	4	06/27/20 19	СВІ	(S) Withdrawn	(S) Substance withdrawn.
P- 18- 0257 A	3	07/01/20	Everris NA, Inc	(S) Inorganic fertilizer	(S) Phosphoric acid, potassium salt (2:3).
P- 18- 0267 A	3	07/22/20	СВІ	(G) Curing agent	(G) Branched alkanoic acid, epoxy ester, reaction products with monocyclic dialkylamine and polycyclic alcohol epoxy polymer.
P- 18- 0268 A	3	07/22/20	СВІ	(G) Curing agent	(G) Branched alkanoic acid, epoxy ester, reaction products with monocyclicdialkanamine and polycyclic dialkanol ether polymer.
P- 18- 0269 A	3	07/22/20	СВІ	(G) Curing agent	(G) Branched alkanoic acid, epoxy ester, reaction products with monocyclicalkanamine, polycyclic alcohol ether homopolymer, and polycyclic alcohol epoxy polymer.
P- 18- 0292 A	4	07/21/20	СВІ	(G) Use in print resins	(G) alkanediol, polymer with 5-isocyanato-1- (isocyanatomethyl)-1,3,3-trimethylcyclohexane, alkylaminoalkyl methacrylate-blocked.

P- 18- 0300 A	2	02/08/20 19	СВІ	(S) Additive for automatic dishwashing detergent	(G) Heteromonocycle, alkenoic 1:1 salt, polymer with alpha-(2-methyl-1-oxo-2-propen-1-y)l-omegamethoxypoly(oxy-1,2-ethanediyl) and methylalkenoic acid.
P- 18- 0334 A	2	07/12/20 19	Sirrus, Inc	(S) Intermediate use	(S) Propanedioic acid, 1,3-dihexyl ester.
P- 18- 0335 A	2	07/12/20	Sirrus, Inc	(S) Intermediate use	(S) Propanedioic acid, 1,3-dicyclohexyl ester.
P- 18- 0336 A	2	06/26/20	Sirrus, Inc	(S) Intermediate use	(S) Propanedioic acid, 2,2-bis(hydroxymethyl)-, 1,3-dihexyl ester.
P- 18- 0336 A	3	07/01/20	Sirrus, Inc	(S) Intermediate use	(S) Propanedioic acid, 2,2-bis(hydroxymethyl)-, 1,3-dihexyl ester.
P- 18- 0337	2	06/26/20	Sirrus, Inc	(S) Intermediate use	(S) Propanedioic acid, 2,2-bis(hydroxymethyl)-, 1,3-dicyclohexyl ester.
A P- 18- 0337	3	07/01/20	Sirrus, Inc	(S) Intermediate use	(S) Propanedioic acid, 2,2-bis(hydroxymethyl)-, 1,3-dicyclohexyl ester.
A P- 18- 0341 A	4	07/02/20	CBI	(G) Component in coatings	(G) Alkane dicarboxylic acid, polymer with alkoxylated polyalcohol, alkyl polyglycol, alkyl dialcohol, and functionalized carboxylic acid.
P- 18- 0341 A	5	07/02/20	СВІ	(G) Component in coatings	(G) Alkane dicarboxylic acid, polymer with alkoxylated polyalcohol, alkyl polyglycol, alkyl dialcohol, and functionalized carboxylic acid.
P- 18- 0341 A	6	07/30/20	СВІ	(G) Component in coatings	(G) Alkane dicarboxylic acid, polymer with alkoxylated polyalcohol, alkyl polyglycol, alkyl dialcohol, and functionalized carboxylic acid.
P- 18- 0342 A	4	07/02/20	СВІ	(G) Component in coatings	(G) Alkane dicarboxylic acid, polymer with alkyl polyglycol, alkyl dialcohol, and functionalized carboxylic acid.
P- 18- 0342 A	5	07/02/20	СВІ	(G) Component in coatings	(G) Alkane dicarboxylic acid, polymer with alkyl polyglycol, alkyl dialcohol, and functionalized carboxylic acid.
P- 18- 0342 A	6	07/30/20	CBI	(G) Component in coatings	(G) Alkane dicarboxylic acid, polymer with alkyl polyglycol, alkyl dialcohol, and functionalized carboxylic acid.
P- 18- 0343 A	4	07/02/20	CBI	(G) Component in coatings	(G) Alkane dicarboxylic acid, polymer with alkoxylated polyalcohol, and alkyl dialcohol, (hydroxy alkyl) ester.
P- 18- 0343 A	5	07/02/20	CBI	(G) Component in coatings	(G) Alkane dicarboxylic acid, polymer with alkoxylated polyalcohol, and alkyl dialcohol, (hydroxy alkyl) ester.
P- 18- 0343 A	6	07/30/20	CBI	(G) Component in coatings	(G) Alkane dicarboxylic acid, polymer with alkoxylated polyalcohol, and alkyl dialcohol, (hydroxy alkyl) ester.
P- 18- 0344 A	4	07/02/20	CBI	(G) Component in coatings	(G) Aromatic dicarboxylic acid, polymer with alkane dicarboxylic acid, alkoxylated polyalcohol, and alkyl dialcohol.
P- 18- 0344 A	5	07/02/20	CBI	(G) Component in coatings	(G) Aromatic dicarboxylic acid, polymer with alkane dicarboxylic acid, alkoxylated polyalcohol, and alkyl dialcohol.

P- 18- 0344 A	6	07/30/20 19	СВІ	(G) Component in coatings	(G) Aromatic dicarboxylic acid, polymer with alkane dicarboxylic acid, alkoxylated polyalcohol, and alkyl dialcohol.
P- 18- 0394 A	3	07/30/20 19	СВІ	(G) Chemical intermediate	(G) substituted benzylic ether polyethylene glycol alkyl ether derivative.
P- 18- 0403 A	2	07/15/20 19	Clariant Plastics & Coatings USA, Inc	(S) Dispersing agent for pigments, paints, and coatings	(S) 2-Propenoic acid, 2-methyl-, butyl ester, polymer with 2-(dimethylamino)ethyl 2-methyl-2-propenoate and 2-ethylhexyl 2-methyl-2-propenoate.
P- 19- 0009 A	5	07/08/20 19	Allnex USA, Inc	(S) The PMN substance is used as a coating resin additive for corrosion protection	(G) Carbonmonocycles, polymer with haloalkyl substituted heteromonocycle and hydrohydroxypoly[oxy(alkyl-alkanediyl)], dialkylalkanediamine-terminated, hydroxyalkylated, acetates (salts).
P- 19- 0011	2	07/17/20 19	Shin Etsu Silicones of America	(G) Additive to the EPDM rubber compounds	(G) Polysulfides, bis[3-(trialkoxysilyl)propyl].
P- 19- 0012 A	11	06/13/20 19	СВІ	(S) Resin component for the polyisocyanurate, and resin component in specialty polyurethane kits and systems for aerospace and military applications	(G) Benzenedicarboxylic acid, rection products with isobenzofurandione and diethylene glycol.
P- 19- 0024 A	5	07/02/20	Sales and Distribution Services, Inc	(S) Hot Mix Asphalt Application: The PMN compound will be used as asphalt additive for hot mix (HMA) as well as cold mix (CMA) asphalt applications. The PMN substance chemically reacts with the surface of the aggregate and changes surface characteristics of aggregate from hydrophilic to hydrophobic. This change provides stronger bonding between asphalt and aggregates and reduces the potential for stripping away asphalt binder from an aggregate due to water. Asphalt Emulsion Application: The PMN substance is water soluble and can be used as an asphalt emulsion in road construction. This additive provides better bonding with ground surface, quick drying and reduced tire pickup of the asphalt emulsion by application equipment	(S) 1-Octadecanaminium, N,N-dimethyl-N-[3-(trimethoxysilyl)propyl]-, chloride (1:1), reaction products with water, Trimethoxy(propyl) silane, Trimethoxy(methyl)silane, Tetraethyl orthosilicate and ethane-1,2-diol.
P- 19- 0024 A	6	07/03/20 19	Sales and Distribution Services	(S) Hot Mix Asphalt Application: The PMN compound will be used as asphalt additive for hot mix (HMA) as well as cold mix (CMA) asphalt applications. The PMN substance chemically reacts with the surface of the aggregate and changes surface characteristics of aggregate from hydrophilic to hydrophobic. This change provides stronger bonding between asphalt and aggregates and reduces the potential for stripping away asphalt binder from an aggregate due to water; Waterproofing Application: The PMN substance is expected to be used in waterproofing of building materials, including cementitious material, masonry, concrete, plaster, bricks, etc. It is initially intended to be used at a maximum of 5 sites by trained commercial applicators. The PMN substance is modification of a quaternary silane compound by a hydrolysis reaction with other silanes to make it an oligomeric compound. These quaternary silane products have been manufactured and marketed for waterproofing uses for over 35 years. The solution of PMN substance in water is applied as a waterproofing sealer for building materials by spray application; Asphalt Emulsion Application: The PMN substance is water soluble and can be used as an asphalt emulsion in road construction. This additive provides better bonding with ground surface, quick drying and reduced tire pickup of the asphalt emulsion by application equipment	(S) 1-Octadecanaminium, N,N-dimethyl-N-[3-(trimethoxysilyl)propyl]-, chloride (1:1), reaction products with water, Trimethoxy(propyl) silane, Trimethoxy(methyl)silane, Tetraethyl orthosilicate and ethane-1,2-diol.
P- 19- 0034 A	5	07/26/20 19	СВІ	(G) Contained use as a component of tires	(G) Metal, bis(2,4-pentanedionato-kO2,kO4)-, (T-4)
P- 19- 0037 A	2	07/11/20 19	СВІ	(G) Chemical intermediate	(G) D-Glucaric acid, mixed alkali metal salt.
P- 19- 0051 A	6	07/29/20 19	СВІ	(G) UV curable inks	(G) 1,3-Propanediamine, N1,N1-dimethyl-, polymers with alkylene glycol ether with alkyltriol (3:1) mixed acrylates and adipates, and alkylene glycol monoacrylate ether with alkyltriol (3:1).

P- 19- 0058	2	07/08/20	Essential Industries, Inc	(S) Wood Coating	(S) Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-2-propen-1-yl)oxy]ethyl ester, polymer with butyl 2-propenoate, ethenylbenzene, methyl 2-methyl-2-propenoate and 2-methyl-2-popenoic acid, ammonium salt.
P- 19- 0059	3	07/30/20 19	Essential Industries, Inc	(S) Wood Coating	(S) Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-1-propen-1-yl)oxy]ethyl ester, polymer with butyl 2-propenoate, ethenylbenzene, 1,1'-[(1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)]] di-2-propenoate, methyl 2-methyl-2-propenoate and 2-methyl-2-propenoic acid, ammonium salt.
P- 19- 0064 A	3	07/11/20 19	The Sherwin Williams Company	(G) Polymeric film former for coatings	(G) 4,4'-methylenebis[2,6-dimethyl phenol] polymer with 2-(chloromethyl)oxirane, 1,4-benzyl diol, 2-methyl-2-propenoic acid, butyl 2-methyl 2-propenoate, ethyl 2-methyl 2-propenoate, and ethyl 2-propenoate, reaction products with 2-(dimethylamino) ethanol.
P- 19- 0077 A	3	07/10/20 19	СВІ	(G) Agricultural	(G) alkenylamide.
P- 19- 0077 A	4	07/11/20	СВІ	(G) Agricultural	(G) alkenylamide.
P- 19- 0088 A	2	07/17/20	СВІ	(G) Feedstock for amine recovery	(S) Ethanamine, N-ethyl-, 2-hydroxy-1,2,3-propanetricarboxylate (1:?).
P- 19- 0095 A	4	06/28/20	CBI	(G) Consumer Disposables, Polymer Sheet, and Durable Goods	(G) Poly hydroxy alkanoate.
P- 19- 0099 A	3	07/10/20	Essential Industries, Inc	(S) Clear coat for wood	(S) Propanoic acid, 3-hydroxy-2-(hydroxymethyl)-2-methyl-, polymer with dimethyl carbonate, 1,2-ethanediamine, 2-ethyl-2-(hydroxymethyl)-1,3-propanediol, 1,6-hexanediol and 1,1'-methylenebis[4-isocyanatocyclohexane], compd. with N,N-diethylethanamine.
P- 19- 0101 A	5	07/16/20 19	СВІ	(G) Monitor well performance	(G) Halogenated alkylbenzoic acid, ethyl ester.
P- 19- 0111	2	07/01/20	SHIN-ETSU MICROSI	(G) Contained use for microlithography for electronic device manufacturing	(G) Dibenzotheiophenium, aryl substituted trifluoro- hydroxy-(triheterosubstitutedalkyl)alkaoate (1:1).
P- 19- 0117 A	4	07/18/20 19	СВІ	(G) Additive	(G) Polycyclic amine, reaction products with polyalkylalkene, polymers.
P- 19- 0118 A	2	07/02/20	СВІ	(G) Component of lubricant	(G) Substituted polyalkylenepoly, reaction products with alkene polymer.
P- 19- 0121	2	07/11/20	H.B. Fuller Company	(S) Industrial adhesives	(G) Plant based oils, polymer with 1,1'-methylenebis[4-isocyanatobenzene], pentaerythritol, phthalic esters, polypropylene glycol and polypropylene glycol ether with glycerol (3:1).
P- 19- 0122	1	06/28/20	CBI	(G) Reactant monomer in a polymer for industrial use	(G) Alkylamidoethyl acrylate.
P- 19- 0123	1	06/28/20	СВІ	(G) Reactant monomer in a polymer for industrial use	(G) Alkylamidoethyl acrylate.
P- 19- 0124	1	06/28/20 19	SEFA Group, Inc	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants	(G) Ashes (residues), reaction products with alkenetrialkoxysilane and silicic acid (H4SiO4) tetra-Et ester.
P- 19- 0124 A	2	07/11/20 19	SEFA Group, Inc	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants	(G) Ashes (residues), reaction products with alkenetrialkoxysilane and silicic acid (H4SiO4) tetra-Et ester.

P- 19- 0125	19	SEFA Group, Inc SEFA Group, Inc	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants (S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants	(G) Ashes (residues), reactions products with alkenyltrialkoxysilane, silicic acid (H4SiO4) tetra-Et ester and trialkoxyalkylsilane. (G) Ashes (residues), reactions products with
P- 1 19- 0125 A P- 1 19- 0126 P- 19- 0126	06/28/20	1	(S) Additive for polymers: e.g., rubber, plastics, adhesives,	
19- 0126 P- 19- 0126			Southigs and Soutains	alkenyltrialkoxysilane, silicic acid (H4SiO4) tetra-Et ester and trialkoxyalkylsilane.
19- 0126	19	SEFA Group, Inc	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants	(G) Ashes (residues), reaction products with 1-alkenyl-N-(alkenyldialkylsilyl)-1,1-dialkylsilanamine.
A	07/11/20 19	SEFA Group, Inc	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants	(G) Ashes (residues), reaction products with 1-alkenyl-N-(alkenyldialkylsilyl)-1,1-dialkylsilanamine.
P- 19- 0127	06/28/20 19	SEFA Group, Inc	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants	(G) Ashes (residues), reaction products with alkenyltrialkoxysilane, silicic acid (H4SiO4) tetra-Et ester and (trialkoxysilyl)carbomonocycle.
P- 19- 0127 A	07/11/20 19	SEFA Group, Inc	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants	(G) Ashes (residues), reaction products with alkenyltrialkoxysilane, silicic acid (H4SiO4) tetra-Et ester and (trialkoxysilyl)carbomonocycle.
P- 19- 0128	06/28/20 19	SEFA Group, Inc	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants	(G) Ashes (residues), reaction products with alkenyltrialkoxysilane, silicic acid (H4SiO4) tetra-Et ester and 1,1,1-trialkyll-N-(trialkylsilyl)silanamine.
P- 2 19- 0128 A	07/11/20	SEFA Group, Inc	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants	(G) Ashes (residues), reaction products with alkenyltrialkoxysilane, silicic acid (H4SiO4) tetra-Et ester and 1,1,1-trialkyll-N-(trialkylsilyl)silanamine.
P- 19- 0129	06/28/20 19	SEFA Group, Inc	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants	(G) Ashes (residues), reactions products with alkenyltrialkoxysilane, silicic acid (H4SiO4) tetra-Et ester and trialkoxyalkylsilane.
P- 19- 0129 A	07/11/20 19	SEFA Group, Inc	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants	(G) Ashes (residues), reactions products with alkenyltrialkoxysilane, silicic acid (H4SiO4) tetra-Et ester and trialkoxyalkylsilane.
P- 19- 0130	07/08/20	СВІ	(G) Dye	(G) Aminohydroxy naphthalenesulfonic acid, coupled with diazotized[(aminophenyl)sulfonyl]ethyl hydrogen sulfate and diazotized amino[[(sulfooxy)ethyl]sulfonyl]benzenesulfonic acid, salts.
P- 19- 0130 A	07/11/20 19	СВІ	(G) Dye	(G) Aminohydroxy naphthalenesulfonic acid, coupled with diazotized[(aminophenyl)sulfonyl]ethyl hydrogen sulfate and diazotized amino[[(sulfooxy)ethyl]sulfonyl]benzenesulfonic acid, salts.
P- 19- 0131	07/17/20 19	СВІ	(G) Additive for horizontal oil drilling	(G) Isoalkylaminium, N-isoalkyl,-N, N-dimethyl chloride.
P- 19- 0132	07/15/20 19	Allnex USA, Inc.	(S) Adhesion-enhancing resin for wood applications	(G) Fatty acid, polymer with alkanedioic acid dialkyl ester, alkanoic acid, oxo alkyl ester, substituted carbomonocycle, alkyl substituted alkanediol, and alkylol substituted alkane.
P- 19- 0133	07/18/20 19	SHIN-ETSU MICROSI	(G) Contained use for microlithography for electronic device manufacturing	(G) Heterotrisubstituted-bile acid, 1- (difluorosulfomethyl)-2,2,2-trifluoroethyl ester, ion(1-), (5)-, triphenylsulfonium (1:1).
P- 1 19- 0136	07/23/20 19	СВІ	(S) Intermediate	(G) iso-alkylamine, N-isoalkyl-N-methyl.
P- 19- 0138	07/25/20 19	СВІ	(G) Intermediate	(G) Perfluorodioxaalkanoyl fluoride.
P- 19- 0139	07/26/20 19	СВІ	(G) Intermediate	(G) Perfluoro-2-methyl-trioxaalkanoyl fluoride.
P- 19- 0140	07/29/20 19	CBI	(G) Intermediate	(G) Perfluorodioxaalkyl vinyl ether.
SN- 19-	06/07/20 19	CBI	(S) A lubricating agent used in the production of automotive disc brakes	(G) Pitch coke.

0004 A					
P- 16- 0207 A	2	07/25/20	СВІ	(G) Additive for electrolyte solution	(G) Spiro Tetrafluoroborate
P- 16- 0225 A	4	08/06/20 19	СВІ	(S) The notified substance will be used as a fragrance ingredient, being blended (mixed) with other fragrance ingredients to make fragrance oils that will be sold to industrial and commercial customers for their incorporation into soaps, detergents, cleaners, air fresheners, candles and other similar industrial, household and consumer products.	(G) Alkylene-substituted propoxycyclohexanol
P- 16- 0442 A	5	07/31/20 19	СВІ	(G) Polymer for coatings	(G) Carboxylic acids, unsaturated, polymers with disubstituted amine, alkanediol, substituted alkylpropanoic acid, alkanedioic acid and substituted isocyanatocycloalkane, compds with alkylamine
P- 16- 0443 A	5	07/31/20 19	СВІ	(G) Polymer for coatings	(G) Carboxylic acids, unsaturated, hydrogenated polymers with disubstituted amine, alkanediol, substituted alkylpropanoic acid, alkanedioic acid and substituted isocyanatocycloalkane, compds with alkylamine
P- 16- 0444 A	5	07/31/20 19	СВІ	(G) Polymer for coatings	(G) Carboxylic acids, unsaturated, polymers with substituted alkanediamine, alkanediol, substituted alkylpropanoic acid, alkanedioic acid and substituted isocyanatocycloalkane, compds with alkylamine
P- 16- 0445 A	5	07/31/20 19	СВІ	(G) Polymer for coatings	(G) Carboxylic acids, unsaturated, hydrogenated polymers with substituted alkanediamine, alkanediol, substituted alkylpropanoic acid, alkanedioic acid and substituted isocyanatocycloalkane, compds with alkylamine
P- 16- 0570 A	5	08/02/20	Emery Oleochemicals	(S) Aromatic polyester polyol for rigid foam	(G) Aromatic Polyester Polyol
P- 17- 0115 A	3	08/07/20	СВІ	(S) An adhesion promoter for coating formulations	(G) Aminoalkyl alkoxysilane
P- 17- 0295 A	2	08/08/20	СВІ	(S) Refrigerant used in closed systems for (i) chillers (commercial comfort air conditioners); and (ii) industrial process refrigeration.	(G) Hydrochlorofluoroolefin
P- 17- 0395 A	5	08/01/20 19	СВІ	(G) Water treatment additive	(G) Alkyl tri dithiocarbmate tri salt
P- 17- 0405 A	5	08/15/20	CBI	(G) Oil and gas well performance	(G) halogentated benzoic acid ethyl ester
P- 17- 0406 A	5	08/15/20	CBI	(G) Oil and gas well performance	(G) halogenated benzoic acid ethyl ester
P- 17- 0407	4	08/15/20	CBI	(G) Well performance	(G) halogenated benzoic acid ethyl ester
A P- 17- 0408 A	3	08/15/20	СВІ	(G) Well performance	(G) halogenated benzoic acid ethyl ester
P- 17- 0409 A	4	08/15/20	CBI	(G) Monitor well performance.	(G) halogenated benzoic acid ethyl ester
P- 17- 0410 A	3	08/15/20	CBI	(G) Monitor well performance.	(G) halogenated benzoic acid ethyl ester
P- 17-	3	08/15/20 19	СВІ	(G) Monitor well performance	(G) halogenated benzoic acid ethyl ester

0411 A				
P- 17- 0412 A	08/15/20 19	СВІ	(G) Monitor well performance.	(G) halogenated benzoic acid ethyl ester
P- 4 17- 0415 A	08/15/20 19	СВІ	(G) Monitor well performance	(G) halogenated benzoic acid
P- 4 17- 0416 A	08/15/20 19	CBI	(G) Monitor well performance.	(G) halogenated benzoic acid
P- 4 17- 0417 A	08/15/20 19	СВІ	(G) Monitor well performance.	(G) halogenated benzoic acid
P- 4 17- 0418 A	08/15/20 19	СВІ	(G) Monitor well performance.	(G) halogenated benzoic acid
P- 5 17- 0420 A	08/15/20 19	СВІ	(G) Monitor well performance	(G) halogenated benzoic acid
P- 4 17- 0421 A	08/15/20 19	СВІ	(G) Monitor well performance	(G) halogenated benzoic acid
P- 4 17- 0422 A	08/15/20	СВІ	(G) Monitor well performance	(G) halogenated benzoic acid
P- 17- 0423 A	08/15/20 19	СВІ	(G) Monitor well performance.	(G) halogenated benzoic acid ethyl ester
P- 3 17- 0441 A	08/15/20	СВІ	(G) Monitor well performance.	(G) halogenated sodium benzoate
P- 3 17- 0442 A	08/15/20 19	СВІ	(G) Monitor well performance.	(G) halogenated sodium benzoate
P- 4 17- 0443 A	08/15/20 19	СВІ	(G) Monitor well performance.	(G) halogenated sodium benzoate
P- 3 17- 0444 A	08/15/20	СВІ	(G) Monitor well performance.	(G) halogenated sodium benzoate
P- 4 17- 0445 A	08/15/20 19	СВІ	(G) Monitor well performance.	(G) halogenated sodium benzoate
P- 3 17- 0446 A	08/15/20	CBI	(G) Monitor well performance.	(G) halogenated sodium benzoate
P- 4 17- 0447	08/15/20 19	СВІ	(G) Monitor well performance.	(G) halogenated sodium benzoate
A P- 3 17- 0448	08/15/20	CBI	(G) Monitor well performance.	(G) halogenated sodium benzoate
A P- 3	08/15/20 19	CBI	(G) Monitor well performance	(G) halogenated sodium benzoate

)449 A					
P- 17- 0450 A	3	08/15/20 19	СВІ	(G) Monitor well performance	(G) Halogenated benzoic acid
P- 8- 068	3	08/14/20 19	CBI	(G) Polymer composite additive	(G) Metal, oxo alkylcarboxylate complexes
9- 8- 075	2	08/21/20 19	CBI	(S) Precursor component to make an optical convertor in the next step of manufacturing	(G) Saturated fatty acid, reaction products with cadmium zinc selenide sulfide, alkylamine and polymeric amine
8- 084	6	08/07/20 19	ShayoNano USA, Inc.	(S) Additive for paints and coatings	(S) silicon zinc oxide
9- 8- 0190 A	3	08/07/20 19	Cabot Corporation	(S) Pigment Dispersing Aid	(G) 2,5-Furandione, polymer with ethenylbenzene, 4-hydroxy-substituted butyl amide, polymers with epichlorohydrin and trimethylolpropane, sodium salts
9- 8- 0190 A	4	08/14/20 19	Cabot Corporation	(S) Pigment Dispersing Aid	(G) 2,5-Furandione, polymer with ethenylbenzene, 4-hydroxy-substituted butyl amide, polymers with epichlorohydrin and trimethylolpropane, sodium salts
P- .8- 0191 A	3	08/07/20 19	Cabot Corporation	(S) Pigment Dispersing Aid	(G) 2,5-Furandione, polymer with ethenylbenzene, 4-hydroxy-substitutedbutyl [3-[2-[1-[[(substitutedphenyl)amino]carbonyl]-2-oxopropyl]diazenyl]phenyl]methyl amide, polymerwith epichlorohydrin and trimthylolpropane, sodiunsalts
8- 191 V	4	08/14/20 19	Cabot Corporation	(S) Pigment Dispersing Aid	(G) 2,5-Furandione, polymer with ethenylbenzene, 4-hydroxy-substitutedbutyl [3-[2-[1-[[(substitutedphenyl)amino]carbonyl]-2-oxopropyl]diazenyl]phenyl]methyl amide, polymer with epichlorohydrin and trimthylolpropane, sodiur salts
8-)273	1	08/07/20 18	CBI	(G) Plasticizer/softener in PVC manufacturing.	(S) 1,4-Cyclohexanedicarboxylic acid, 1,4-bis(2-ethylhexyl) ester
8- 281	2	08/22/20 19	СВІ	(G) Electrolyte additive.	(G) Cyclic sulfate
8- 292	5	08/23/20	CBI	(G) Use in print resins	(G) alkanediol, polymer with 5-isocyanato-1- (isocyanatomethyl)-1,3,3-trimethylcyclohexane, alkylaminoalkyl methacrylate-blocked
9- 8- 9295 A	4	08/09/20 19	СВІ	(G) Ingredient in the manufacture of consumer cleaning products, (G) Use as monomer in the manufacture of resins for use in paint and coating products., (S) Use as a monomer in the manufacture of plastic products. In this process the notified substance is reacted with one or more other compounds to become part of a polymer. Depending on the reactants involved, the final polymer can be a resin used to make molded plastic products or the final polymer can be a shorter polymer used as a plasticizer.	(S) 1,3-Butanediol, (3R)-
P ₋ .8- .310 A	2	08/07/20 19	Chitec Technology Co., Ltd.	(G) Polymer additive	(S) Benzenepropanoic acid, 3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxy-, 2,2-bis(hydroxymethyl)butyl ester
9- 8- 318	2	08/20/20	Gelest	(S) Surface treatment for added lubricity and anti-static properties and research	(S) 1-Octadecanaminium, N,N-dimethyl-N-[3- (triethoxysilyl)propyl]- chloride
8- 0351	2	08/11/20	СВІ	(G) UV curable inks	(G) Acrylic acid, tricyclo alkyl ester
P ₋	3	08/06/20	Sigma-Aldrich CO LLC	(S) Starting material for manufacture of 6Lithium chloride scintillation crystals for use in radiation detection.	(S) Lithium 6

0384 A					
P- 18- 0403 A	3	08/15/20 19	Clarion Plastics & Coatings USA Inc.	(S) Dispersing agent for pigments, paints, and coatings.	(S) 2-Propenoic acid, 2-methyl-, butyl ester, polymer with 2-(dimethylamino)ethyl 2-methyl-2-propenoate and 2-ethylhexyl 2-methyl-2-propenoate
P- 19- 0047 A	2	07/31/20 19	СВІ	(S) Binder for Thermoplastic Coatings and Ink/Adhesive	(S) Propanoic acid, 3-hydroxy-2-(hydroxymethyl)-2-methyl-, polymer with 5-amino-1,3,3-trimethylcyclohexanemethanamine, a-hydro-w-hydroxypoly(oxy-1,4-butanediyl), a-hydro-w-hydroxypoly[oxy(methyl-1,2-ethanediyl)], 5-isocyanato-1-(isocyanatomethyl)-1,3,3-trimethylcyclohexane and 1,1'-methylenebis[4-isocyanatobenzene], Pr alcblocked where a = alpha and w = omega
P- 19- 0047 A	3	08/20/20	CBI	(S) Binder for Thermoplastic Coatings and Ink/Adhesive	(S) Propanoic acid, 3-hydroxy-2-(hydroxymethyl)-2-methyl-, polymer with 5-amino-1,3,3-trimethylcyclohexanemethanamine, a-hydro-w-hydroxypoly(oxy-1,4-butanediyl), a-hydro-w-hydroxypoly[oxy(methyl-1,2-ethanediyl)], 5-isocyanato-1-(isocyanatomethyl)-1,3,3-trimethylcyclohexane and 1,1'-methylenebis[4-isocyanatobenzene], Pr alcblocked where a = alpha and w = omega
P- 19- 0055 A	2	08/13/20 19	Rahn USA Corp.	(S) The PMN is solely used as a photo initiator within UV curable coating/ink formulations. This photo initiator is starting the polymerization process during the UV curing process of the formulation. The curing is achieved by UV light only, no heat is applied. After curing, the PMN substance is no longer available for exposure or release.	(S) 1,3-propanediol, 2-ethyl-2-(hydroxymethyl)-, polymer with oxirane, 4-(dimethylamino)benzoate
P- 19- 0059 A	4	08/06/20 19	Essential Industries Inc.	(S) Wood Coating	(S) Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-1-propen-1-yl)oxy]ethyl ester, polymer with butyl 2-propenoate, ethenylbenzene, 1,1'-[(1-methyl-1,2-ethanediyl))bis[oxy(methyl-2,1-ethanediyl)]] di-2-propenoate, methyl 2-methyl-2-propenoate and 2-methyl-2-propenoic acid, ammonium salt
P- 19- 0077 A	5	08/07/20 19	СВІ	(G) Agricultural	(G) alkenylamide
P- 19- 0077 A	6	08/08/20	CBI	(G) Agricultural	(G) alkenylamide
-	3	08/19/20 19	SHIN-ETSU MICROSI	(G) Contained use for microlithography for electronic device manufacturing	(G) Substitutedheterocyclic onium compound, salt with 2,2,2-trifluoro-1-(sulfomethyl)-1-(trifluoromethyl)ethyl 3-[(2-methyl-1-oxo-2-propen-1-yl)oxy]tricycle[3.3.1.13,7]decane-1- carboxylate (1:1), polymer with acenaphthylene, 1-ethenyl-4-[(1-ethylcyclopentyl)oxy]benzene and 4-ethenylphenol, di-Me 2,2'-(1,2-diazenediyl)bis[2-methylpropanoate]-initiated
P- 19- 0079 A	2	08/19/20 19	SHIN-ETSU MICROSI	(G) Contained use for microlithography for electronic device manufacturing	(G) substituted heterocyclic onium compound, salt with 2,2,2-trifluoro-1-(sulfomethyl)-1- (trifluoromethyl)ethyl 3-[(2-methyl-1-oxo-2-propen1-yl)oxy]tricyclo[3.3.1.13,7]decane-1- carboxylate (1:1), polymer with acenaphthylene, 1-ethenyl-4-[1-(1-methylethyl)cyclopentyl]oxy]benzene and 4-ethenylphenol, di-Me 2,2'-(1,2-diazenediyl)bis[2-methylpropanoate]-initiated
P- 19- 0085 A	2	08/05/20 19	Neste oil US, Inc.	(G) The PMN substance will be used as a functional fluid in electrical equipment.	(G) Aliphatic hydrocarbons, C16-18-branched and linear
P- 19- 0086 A	4	08/14/20	CBI	(G) Monitor oil and gas well performance	(G) Halogenated sodium alkylbenzoate
P- 19- 0087 A	4	08/14/20	CBI	(G) Monitor oil-and-gas well performance	(G) Halogenated Sodium alkylbenzoate
P- 19-	6	08/14/20 19	СВІ	(G) Well performance tracer	(G) Halogenated sodium alkylbenzoate

089 A					
- 9- 090	4	08/14/20	СВІ	(G) Well performance tracer	(G) Halogenated sodium benzoate
)-)91	4	08/14/20	CBI	(G) Well performance tracer	(G) Halogenated alkylbenzoic acid
)-)92	3	08/14/20	СВІ	(G) Tracer of well performance	(G) Halogenated alkylbenzoic acid
)_)93	4	08/14/20	СВІ	(G) Tracer for well performance	(G) Halogenated benzoic acid
- 9- 995	5	08/16/20	СВІ	(G) Consumer Disposables, Polymer Sheet, and Durable Goods	(G) Poly hydroxy alkanoate
- 9- 097	5	08/14/20	СВІ	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid, ethyl ester
- 9- 100	6	08/14/20	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid, ethyl ester
- 9- 101	6	08/14/20	CBI	(G) Monitor well performance.	(G) Halogenated alkylbenzoic acid, ethyl ester
- 9- 102	4	08/01/20	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid, ethyl ester
- 9- 103	3	08/14/20	CBI	(G) Well performance monitor	(G) Halogenated alkyl benzoic acid
)- 104	5	08/14/20	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid, ethyl ester
- 9- 105	4	08/14/20	CBI	(G) Well performance monitor	(G) Halogenated benzoic acid, ethyl ester
9- 106	4	08/14/20	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid, ethyl ester
)- 107	4	08/14/20	СВІ	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid, ethyl ester
- 9- 108	4	08/14/20	СВІ	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid, ethyl ester
9- 110	4	08/14/20	СВІ	(G) Well performance monitor	(G) Halogenated benzoic acid, ethyl ester
9- 113	4	08/23/20	СВІ	(G) Flow cell additive	(G) metal oxide-chloro
- - -)-	2	07/25/20	ZSCHIMMER & SCHWARZ	(S) Foaming additive used in building/construction, exposure would only occur during loading of finished product. Product	(S) Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega- hydroxy-, C9-11-branched alkyl ethers, sodium sa

0119 A				application is used in closed system with very low possibility for exposure. To be used on construction sites.	
P- 19- 0137	2	08/08/20 19	СВІ	(G) Component in lubricants	(G) Alkyl oligomeric reaction products
P- 19- 0137 A	3	08/19/20 19	CBI	(G) Component in lubricants	(G) Alkyl oligomeric reaction products
P- 19- 0142	1	07/31/20 19	CBI	(G) An ingredient used in the manufacture of photoresist	(G) Heteropolycycle, aromatic-, salt with dihalo- substituted alkyl carbopolycycle carboxylate (1:1)
P- 19- 0143	1	08/02/20 19	Aditya Birla Chemicals (USA) LLC	(S) A crosslinking agent for use in epoxy resin for water-based coating for a variety of substrates and civil applications in commercial and consumer usages.	(G) Aldehyde, polymer with mixed alkanepolyamines, 2,2'-[1,4-alkanediylbis(oxyalkylene)] bis[oxirane], 2-(alkoxyalkyloxirane, 4,4'-(1-alkylidene)bis[phenol], 2,2'-[(1-alkylidene)bis(4,1-alkyleneoxyalkylene)]bis[oxirane] and 2-(aryloxyalkyl)oxirane, acetate (salt)
P- 19- 0143 A	2	08/08/20	Aditya Birla Chemicals (USA) LLC	(S) A crosslinking agent for use in epoxy resin for water-based coating for a variety of substrates and civil applications in commercial and consumer usages.	(G) Aldehyde, polymer with mixed alkanepolyamines, 2,2'-[1,4-alkanediylbis(oxyalkylene)] bis[oxirane], 2-(alkoxyalkyloxirane, 4,4'-(1-alkylidene)bis[phenol], 2,2'-[(1-alkylidene)bis(4,1-alkyleneoxyalkylene)]bis[oxirane] and 2-(aryloxyalkyl)oxirane, acetate (salt)
P- 19- 0144	1	08/05/20 19	Aditya Birla Chemicals (USA) LLC	(S) A crosslinking agent in epoxy based self-leveling floor coatings.	(G) Alkanedioic Acid, compds. With substituted arylalkylamine- arylalcohol disubstituted alkane-the diglycidyl ether of a arylalcohol disubstituted alkane-epichlorohydrin-aldehyde-2,2'-[(1-alkylidene)bis[4,1-aryleneoxy(alkyl-2,1-alkanediyl)oxyalkylene]]bis[oxirane]-alkanepolyamine polymer-1-[[2-[(2-aminoalkyl)amino]alkyl]amino]-3-aryloxy-2-alcohol reaction products
P- 19- 0144 A	2	08/08/20	Aditya Birla Chemicals (USA) LLC	(S) A crosslinking agent in epoxy based self-leveling floor coatings.	(G) Alkanedioic Acid, compds. With substituted arylalkylamine- arylalcohol disubstituted alkane-the diglycidyl ether of a arylalcohol disubstituted alkane-epichlorohydrin-aldehyde-2,2'-[(1-alkylidene)bis[4,1-aryleneoxy(alkyl-2,1-alkanediyl)oxyalkylene]]bis[oxirane]-alkanepolyamine polymer-1-[[2-[(2-aminoalkyl)amino]alkyl]amino]-3-aryloxy-2-alcohol reaction products
P- 19- 0145	2	08/15/20	ARC Products, Inc.	(S) Oil Field Drilling fluid additive.	(G) 1,2-Ethanediamine, N1-(2-aminoethyl)-N2-[2- [(2-aminoethyl)amino]ethyl]-,polymer with 2- methyloxirane and oxirane, compd. with haloalkane
P- 19- 0146	2	08/13/20	СВІ	(G) Reagent used to introduce deuterium to the substrate chemical.	(G) Modified dimethyl sulfoxide
P- 19- 0147	1	08/16/20	CRODA INC.	(G) Cleaning additive	(G) alkoxylated butyl alkyl ester
P- 19- 0148	1	08/22/20 19	СВІ	(G) Fertilizer ingredient	(G) Iron, complexes with ethylenediamine-4- hydroxycarbomonocycle hetero-acid-2-oxoacetic acid reaction products, potassium salts
P- 19- 0149	1	08/22/20 19	CBI	(G) Fertilizer ingredient	(G) Iron, complexes with ethylenediamine-4- hydroxycarbomonocycle hetero-acid potassium salt (1:1)-potassium 2-oxoacetate (1:1) reaction products, potassium salts
P- 19- 0150	1	08/22/20 19	СВІ	(G) Fertilizer ingredient	(G) Iron, complexes with ethylenediamine-4- hydroxycarbomonocycle hetero-acid-2-oxoacetic acid reaction products, sodium salts
P- 19- 0151	1	08/22/20 19	СВІ	(G) Fertilizer ingredient	(G) Iron, complexes with ethylenediamine-4-hydroxycarbomonocycle hetero-acid sodium salt (1:1)-sodium 2-oxoacetate (1:1) reaction products, sodium salts
P- 19- 0152	2	08/27/20 19	UBE AMERICA INC.	(G) Pre-polymer for polyurethane roll covers	(G) alkaneic acid, dialkyl ester polymer with alkanediol, [[(isocyanatocarbomonocycle)alkyl)carbomonocycle) carbamate,
P- 19-	2	07/25/20 19	Wego Chemical Group	(S) Raw material in Flame Retardant product	(G) Dibromoalkyl ether Tetrabromobisphenol A

0153	6	09/12/20	CDI	(C) A lubricating agent word in the moderation of continued	(C) Ditab calco
SN- 19- 0004 A	6	08/12/20 19	СВІ	(S) A lubricating agent used in the production of automotive disc brakes	(G) Pitch coke
SN- 19- 0004 A	7	08/14/20 19	СВІ	(S) A lubricating agent used in the production of automotive disc brakes	(G) Pitch coke
J-19- 0026	1	09/18/20	СВІ	(G) Production of Biofuel	(G) Biofuel-producing modified microorganism(s), with chromosomally-borne modifications
J-19- 0027	1	19	CBI	(G) Production of Biofuel	(G) Biofuel-producing modified microorganism(s), with chromosomally-borne modifications
P- 16- 0053 A	2	09/03/20	СВІ	(G) Printing ink applications	(G) Acrylated polycarbonate polyol
P- 16- 0225 A	5	09/16/20	International Flavors & Fragrances Inc	(S) The notified substance will be used as a fragrance ingredient, being blended (mixed) with other fragrance ingredients to make fragrance oils that will be sold to industrial and commercial customers for their incorporation into soaps, detergents, cleaners, air fresheners, candles and other similar industrial, household and consumer products.	(S) isomer mixture of Cyclohexanol, 4-ethylidene-2-propoxy- (CAS 1631145-48-6) (35-45%) and Cyclohexanol, 5-ethylidene-2-propoxy (CAS 1631145-49-7) (45-55%)
P- 16- 0225 A	6	09/16/20 19	International Flavors & Fragrances Inc.	(S) The notified substance will be used as a fragrance ingredient, being blended (mixed) with other fragrance ingredients to make fragrance oils that will be sold to industrial and commercial customers for their incorporation into soaps, detergents, cleaners, air fresheners, candles and other similar industrial, household and consumer products.	(S) isomer mixture of Cyclohexanol, 4-ethylidene-2-propoxy- (CAS 1631145-48-6) (35-45%) and Cyclohexanol, 5-ethylidene-2-propoxy (CAS 1631145-49-7) (45-55%)
P- 16- 0410 A	5	09/18/20 19	СВІ	(G) Automotive engine fluid additive	(G) Silicophosphonate - sodium silicate
P- 16- 0438 A	14	05/27/20	СВІ	(S) Intermediate for pesticide inert	(S) 3-Butenenitrile, 2-(acetyloxy)
P- 16- 0442 A	6	09/04/20	CBI	(G) Polymer for coatings	(G) Carboxylic acids, unsaturated, polymers with disubstituted amine, alkanediol, substituted alkylpropanoic acid, alkanedioic acid and substituted isocyanatocycloalkane, compds with alkylamine
P- 16- 0443 A	6	09/04/20	СВІ	(G) Polymer for coatings	(G) Carboxylic acids, unsaturated, hydrogenated polymers with disubstituted amine, alkanediol, substituted alkylpropanoic acid, alkanedioic acid and substituted isocyanatocycloalkane, compds with alkylamine
P- 16- 0444 A	6	09/04/20	СВІ	(G) Polymer for coatings	(G) Carboxylic acids, unsaturated, polymers with substituted alkanediamine, alkanediol, substituted alkylpropanoic acid, alkanedioic acid and substituted isocyanatocycloalkane, compds with alkylamine
P- 16- 0445 A	6	09/04/20	CBI	(G) Polymer for coatings	(G) Carboxylic acids, unsaturated, hydrogenated polymers with substituted alkanediamine, alkanediol, substituted alkylpropanoic acid, alkanedioic acid and substituted isocyanatocycloalkane, compds with alkylamine
P- 16- 0509 A	11	03/26/20	СВІ	(G) For packaging application, and Resin or film/sheet for the industrial use	(G) Modified ethylene-vinyl alcohol copolymer
P- 16- 0541 A	5	08/21/20	Specialty Organics, Inc.	(S) Adhesive for wood particle/chip/fiberboard.	(S) Soybean meal, reaction products with phosphoric trichloride
P- 17- 0003 A	10	09/03/20	СВІ	(G) Printing ink applications	(G) Styrene(ated) copolymer with alkyl(meth)acrylate, and (meth)acrylic acid
P- 17- 0016	6	09/03/20	СВІ	(G) Polymer for coatings	(G) hydroxyl alkyl acrylate ester, polymer with acrylates, aromatic vinyl monomer, cycloaliphatic lactone, and alkyl carboxylic acid, peroxide initiated

P- 17- 0017 A	6	09/03/20	CBI	(G) Polymer for coatings	(G) hydroxyl alkyl acrylate ester, polymer with acrylates, aromatic vinyl monomer, cycloaliphatic lactone, and alkyl carboxylic acid, peroxide initiated
P- 17- 0018 A	6	09/03/20	СВІ	(G) Polymer for coatings	(G) hydroxyl alkyl acrylate ester, polymer with acrylates, aromatic vinyl monomer, cycloaliphatic lactone, and alkyl carboxylic acid, Azobis[aliphatic nitrile] initiated
P- 17- 0019 A	6	09/03/20 19	СВІ	(G) Polymer for coatings	(G) hydroxyl alkyl acrylate ester, polymer with acrylates, aromatic vinyl monomer, cycloaliphatic lactone, and alkyl carboxylic acid, peroxide initiated
P- 17- 0020 A	6	09/03/20 19	СВІ	(G) Polymer for coatings	(G) hydroxyl alkyl acrylate ester, polymer with acrylates, aromatic vinyl monomer, cycloaliphatic lactone, and alkyl carboxylic acid, peroxide initiated
P- 17- 0021 A	6	09/03/20	СВІ	(G) Polymer for coatings	(G) hydroxyl alkyl acrylate ester, polymer with acrylates, aromatic vinyl monomer, cycloaliphatic lactone, and alkyl carboxylic acid, Azobis[aliphatic nitrile] initiated
P- 17- 0026 A	4	09/03/20	СВІ	(G) Industrial Ink printing applications	(G) Cycloaliphatic diamine, polymer with .alphahydroomegahydroxypoly(oxy-alkanediyl), .alphahydroomegahydroxypoly(oxy-alkanediyl), and cycloaliphatic diisocyanate
P- 17-	3	09/10/20 19	CBI	(G) Perfume	(G) Cycloalkyl, bis(ethoxyalkyl)-, trans-
0086 A					Cycloalkyl, bis(ethoxyalkyl)-, cis-
P- 17- 0121 A	5	09/04/20	CBI	(S) Polyurethane used in an adhesive	(G) Methylene Diphenyl Diisocyanate Terminated Polyurethane Resin
P- 17- 0152 A	4	08/29/20 19	СВІ	(G) Additive in home care products	(G) Poly-(2-methyl-1-oxo-2-propen-1-yl) ester with Ethanaminium, N,N,N-trialkyl, chloride and methoxypoly(oxy-1,2-ethanediyl)
P- 17- 0160 A	3	09/03/20	СВІ	(G) Binder	(G) 2-Propenoic acid, alkyl-, alkyl ester, polymer with alkyl 2-propenoate, dialkyloxoalkyl-2-propenamide and alkyl 2-propenoate
P- 17- 0161 A	3	09/03/20	СВІ	(G) Binder	(G) 2-Propenoic acid, alkyl-, alkyl ester, polymer with alkyl 2-propenoate, dialkyloxoalkyl-2-propenamide, ethenylbenzene and alkyl 2-propenoate
P- 17- 0184 A	5	09/12/20 19	Colonial Chemical, Inc.	(S) Firefighting foams, Personal Care Products, Shampoos, Conditioners, Facial Washes, Transportation Washes, and Industrial All-Purpose Cleaners	(S) 1-Propanaminium, 2-hydroxy-N, N-dimethyl-N-[3-[(1-oxooctyl-amino]propyl]-3-sulfo-, inner salt
P- 17- 0200 A	5	09/16/20	СВІ	(S) Monomer for use to manufacture of a high performance polymer.	(G) 1,3-bis(substitutedbenzoyl)benzene
P- 17- 0204 A	5	09/16/20	СВІ	(S) Monomer for high performance polymer.	(G) 1,4-bis(substitutedbenzoyl)benzene
P- 17- 0205 A	6	09/16/20	СВІ	(S) Monomer for high performance polymer and, (G) A-n process reagent.	(G) bis(fluorobenzoyl)benzene
P- 17- 0207 A	5	09/03/20	СВІ	(G) Paint	(G) 2-alkenoic acid, 2 alkyl, 2 alkyl ester, polymer with alkyl alkenoate, carbomonocyle, alkyl alkenoate and alkyl alkenoate, alkyl peroxide initiated
P- 17- 0233 A	3	09/23/20	Solenis LLC	(S) Creping Aid for Yankee Dryers to manufacture tissue and towel paper	(G) Oxyalkylene modified polyalkyl amine alkyl diacid polymer with 2-(chloromethyl)oxirane
P- 17- 0298 A	3	09/06/20 19	GE Water & Process Technologies	(S) The notified substance is described as a hydrogen sulfide scavenger used in controlling hydrogen sulfide in the vapor space of fuel storage, shipping vessels and pipelines. It is designed to reduce the health, safety and environmental hazards	(S) Formaldehyde, homopolymer, reaction products with N-propyl-1-propanamine

				of handling fuels containing H2S. The substance reacts selectively with (neutralizes) and removes H2S to help meet product and process specifications.	
P- 17- 0329 A	10	09/05/20 19	СВІ	(G) Intermediate used in synthesis	(G) Substituted haloaromatic trihaloalkyl-aromatic alkanone
P- 17- 0346 A	10	09/12/20	СВІ	(G) Destructive use	(G) Propyl Phosphonium Salt
P- 17- 0347 A	4	09/12/20	Sasol Chemicals (USA) LLC	(G) Oilfield Surfactant	(S) Oxirane, 2-methyl-, polymer with oxirane, mono(2-butyloctyl) ether
P- 17- 0348 A	4	09/12/20	Sasol Chemicals (USA) LLC	(G) Oilfield Surfactant	(S) Oxirane, 2-methyl-, polymer with oxirane, mono(2-hexyldecyl) ether
P- 17- 0349 A	4	09/12/20	Sasol Chemicals (USA) LLC	(G) Oilfield Surfactant	(S) Oxirane, 2-methyl-, polymer with oxirane, mono(2-octyldodecyl) ether
P- 17- 0350 A	4	09/12/20 19	Sasol Chemicals (USA) LLC	(G) Oilfield Surfactant	(S) Oxirane, 2-methyl-, polymer with oxirane, mono(2-decyltetradecyl) ether
P- 17- 0351 A	4	09/12/20 19	Sasol Chemicals (USA) LLC	(G) Oilfield Surfactant	(S) Oxirane, 2-methyl-, polymer with oxirane, mono(2-dodecylhexadecyl) ether
P- 17- 0352 A	4	09/12/20 19	Sasol Chemicals (USA) LLC	(G) Oilfield Surfactant	(S) Oxirane, 2-methyl-, polymer with oxirane, mono(2-tetradecyloctadecyl) ether
P- 17- 0387 A	6	09/03/20 19	СВІ	(G) Paint	(G) Dicarboxylic acids, polymers with alkanoic acid, alkanediol, susbtituted-alkylalkanoic acid, substituted alkyl carbomonocyle, alkanedioic acid and alkanediol, alkanolamine blocked, compds with alkanolamine
P- 17- 0388 A	6	09/03/20 19	СВІ	(G) Paint	(G) Dicarboxylic acids, polymers with alkanoic acid, alkanediol, susbtituted-alkylalkanoic acid, substituted alkyl carbomonocyle, alkanedioic acid and alkanediol, alkanolamine blocked, compds with alkanolamine
P- 17- 0398 A	11	03/21/20	Nexus Fuels	(G) Wax- Component of complex formulations for blending	(G) Branched Cyclic and Linear Hydrocarbons from Plastic Depolymerization
P- 17- 0398 A	13	08/22/20	Nexus Fuels	(G) Component of complex formulations for blending	(G) Branched Cyclic and Linear Hydrocarbons from Plastic Depolymerization
P- 17- 0399 A	11	03/21/20	Nexus Fuels	(G) Stock use	(G) Alkane, Alkene, Styrenic Compounds Derived from Plastic Depolymerization
P- 17- 0399 A	13	08/22/20 19	Nexus Fuels	(G) Stock use	(G) Alkane, Alkene, Styrenic Compounds Derived from Plastic Depolymerization
P- 18- 0001 A	10	03/21/20	Nexus Fuels	(G) Additive	(G) Carbon compound derived from plastic depolymerization
P- 18- 0001 A	12	08/23/20 19	Nexus Fuels	(G) Additive	(G) Carbon compound derived from plastic depolymerization
P- 18- 0012 A	5	09/18/20	СВІ	(G) Adhesives	(G) Polyester polyol

P- 18- 0018 A	5	09/03/20	Kyodo Yushi USA, Inc.	(G) Lubricant	(G) Fluorinated acrylate, polymer with alkyloxirane homopolymer monoether with alkanediol mono(2-methyl-2-propenoate), tert-Bu 2-ethylhexaneperoxoate-initiated
P- 18- 0021 A	3	09/03/20	CBI	(G) Paint	(G) Dicarboxylic acids, polymers with substituted poly(substituted alkendiyl) ,3-hydroxy-2-(hydroxyalkyl)-2-alkylalkenoic acid, 5-substituted-1-(substituted alkyl)-1,3,3-trialkyl carbomonocyle, alkanediol, alkane-triol, alcohol blocked compounds with aminoalcohol
P- 18- 0028 A	8	08/23/20 19	Nexus Fuels	(G) Feedstock, blending	(G) Branched cyclic and linear hydrocarbons from plastic depolymerization
P- 18- 0049 A	7	09/20/20	СВІ	(G) Coating component/processing aid	(G) Mixed metal halide
P- 18- 0056 A	8	09/26/20	СВІ	(S) Rubber Adhesion promoter. Use in the manufacturing process of tires. The PMN chemical improves the bonding of rubber to metal; acts as an oxygen scavenger in various applications.	(S) Cobalt Neodecanoate Propionate complexes
P- 18- 0061 A	4	08/29/20 19	СВІ	(G) Industrial coating hardners	(G) Alkyl methacrylates, polymer with alkyl acrylates, styrene hydroxyalkyl acrylates, novalac epoxy and epoxy modified acrylic salt with organic amines
P- 18- 0063 A	2	09/17/20 19	Ethox Chemicals, LLC	(G) This material is used as a lubricant additive for applications such as stamping, forming, cutting, drilling, or otherwise working metals.	(G) alcohol alkoxylate phosphate,
P- 18- 0074 A	3	08/21/20 19	CBI	(S) A precursor used in the synthesis of quantum dots that are used as a component to make an optical down converter, and, Component in an optical down converter	(G) Saturated fatty acid, reaction products with cadmium zinc selenide sulfide and polymeric amine
P- 18- 0076 A	2	09/03/20 19	CBI	(G) Plastic additive	(G) 1,3,5-Triazine-2,4-Diamine Derivative
P- 18- 0084 A	7	08/14/20	ShayoNano USA, Inc.	(S) Additive for paints and coatings	(S) silicon zinc oxide
P- 18- 0105 A	2	09/19/20	Reagens USA Inc.	(S) This product is used in rigid and flexible PVC processing as a booster of PVC stabilisers. It improves long term stability, initial colour and the weathering performance of end products.	(S) Phosphorous acid, triisotridecyl ester
P- 18- 0109 A	3	08/30/20 19	СВІ	(G) Additive, open, non-dispersive use	(G) 2-Alkenoic acid, 2-alkyl-, alkyl ester, polymer with 2-(dialkylamino)alkyl 2-alkyl-2-alkenoate, alkyl 2-alkyl-2-alkenoate and ¿-(2-alkyl-1-oxo-2-alken-1-yl)-¿-alkoxypoly(oxy-1,2-alkanediyl), [(1-alkoxy-2-alkyl-1-alken-1-yl)oxy]trialkylsilaneinitiated,
P- 18- 0144 A	4	09/05/20 19	СВІ	(G) Curing agent	(G) Formaldehyde, polymer with an alkane diamine and phenol,
P- 18- 0144 A	5	09/18/20 19	CBI	(G) Anti-corrosive primer for outdoor industrial applications	(G) Formaldehyde, polymer with an alkane diamine and phenol
P- 18- 0152 A	3	07/05/20	СВІ	(G) Intermediate for use in manufacturing	(G) Hydrolyzed Functionalized Di-amino Silanol Polymer
P- 18- 0154 A	7	09/03/20	СВІ	(G) Crosslinking agent for coatings	(G) Isocyanic acid, polyalkylenepolycycloalkylene ester, 2-alkoxy alkanol and 1-alkoxy alkanol and alkylene diol blocked
P- 18- 0155	4	05/03/20	СВІ	(G) Component in cement	(G) Crosslinked polymer of alkyl acrylamides, acrylate esters, and alkyl acrylamide sulfonate salt

P- 18- 0155	5	05/06/20 19	CBI	(G) Component in cement	(G) Crosslinked polymer of alkyl acrylamides, acrylate esters, and alkyl acrylamide sulfonate salt
A P- 18- 0155 A	6	08/06/20	СВІ	(G) Component in cement	(G) Crosslinked polymer of alkyl acrylamides, acrylate esters, and alkyl acrylamide sulfonate salt
P- 18- 0156	4	05/03/20	СВІ	(G) Component in cement	(G) Crosslinked polymer of alkyl acrylamides, acrylate esters, and alkyl acrylamide sulfonic acid
A P- 18- 0156	5	05/06/20	СВІ	(G) Component in cement	(G) Crosslinked polymer of alkyl acrylamides, acrylate esters, and alkyl acrylamide sulfonic acid
N P- .8-)156	6	08/06/20	CBI	(G) Component in cement	(G) Crosslinked polymer of alkyl acrylamides, acrylate esters, and alkyl acrylamide sulfonic acid
A P- 18- 0160 A	3	02/20/20	СВІ	(G) Coating component	(G) Heteropolycyclic, halo substituted alkyl substituted- diaromatic amino substituted carbomonocycle, halo substituted alkyl substituted heteropolycyclic, tetraaromatic metalloid salt (1:1)
P- 18- 0170 A	6	05/23/20 18	СВІ	(G) Textile treatment	(S) 1-Propanaminium, N,N'-(oxydi-2,1-ethanediyl)bis[3-chloro-2-hydroxy-N,N-dimethyl-,dichloride
P- 18- 0172 A	10	04/04/20	СВІ	(S) Category of use: by function and application i.e. a dispersive dye for finishing polyester fibers)	(S) Calcium, carbonate 2-ethylhexanoate neodecanoate propionate complex
P- 18- 0172	11	06/25/20	CBI	(S) Category of use: by function and application i.e. a dispersive dye for finishing polyester fibers)	(S) Calcium, carbonate 2-ethylhexanoate neodecanoate propionate complex
P- 18- 0172 A	12	08/21/20	CBI	(S) Category of use: by function and application i.e. a dispersive dye for finishing polyester fibers)	(S) Calcium, carbonate 2-ethylhexanoate neodecanoate propionate complex
P- 18- 0192 A	3	09/12/20	Archroma U.S., Inc.	(S) Optical brightener for use in paper applications.	(G) Benzenesulfonic acid, (alkenediyl)bis[[[(hydroxyalkyl)amino]-(phenylamino)-triazin-2-yl]amino]-, N-(hydroxyalkyl) derivs., salts, compds. with polyalkyl-substituted(alkanol)
P- 18- 0197	3	09/04/20 19	СВІ	(G) Polymer composite additive	(G) Metal, alkylcarboxylate oxo complexes
A P- 18- 0202	5	06/21/20	Hexion Inc	(G) Tackifier additives and Rubber additive	(G) Trialkyl alkanal, polymer with phenol
A P- 18- 0202	6	05/23/20	Hexion Inc	(G) Tackifier additives and Rubber additive	(G) Trialkyl alkanal, polymer with phenol
A P- 18- 0203	5	06/21/20	Hexion Inc	(G) Tackifier additives and Rubber additive	(G) Trialkyl alkanal, polymer with alkylalkanal and phenol
A P- 18- 0203	6	05/23/20	Hexion Inc	(G) Rubber additive and Tackifier additives	(G) Trialkyl alkanal, polymer with alkylalkanal and phenol
A P- 18- 0204	5	06/21/20	Hexion Inc	(G) Tackifier additive and Rubber additive	(G) Alkyl alkanal, polymer with phenol
A P- 18- 0204	6	05/23/20	Hexion Inc	(G) Rubber additive and Tackifier additives	(G) Alkyl alkanal, polymer with phenol

P- 18- 0205 A	5	06/21/20	Hexion Inc	(G) Rubber additive and Tackifier additive	(G) Alkyl alkanal, polymer with formaldehyde and phenol
P- 18- 0205 A	6	05/23/20	Hexion Inc	(G) Rubber additive and Tackifier additive	(G) Alkyl alkanal, polymer with formaldehyde and phenol
P- 18- 0206 A	5	06/21/20 18	Hexion Inc	(G) Rubber additive and Tackifier	(G) Alkanal, polymer with phenol
P- 18- 0206 A	6	05/23/20	Hexion Inc	(G) Rubber additive and Tackifier additive	(G) Alkanal, polymer with phenol
P- 18- 0207 A	4	09/04/20 19	CBI	(G) Polymer composite additive	(G) Metal, oxo alkylcarboxylate complexes
P- 18- 0223 A	3	09/14/20 19	Clariant Corporation	(S) Selectivity improver for catalysts used in the production of polyolefins.	(G) Alkane, bis(alkoxymethyl)-dimethyl-
P- 18- 0234 A	5	05/31/20	CBI	(G) Coating component	(G) Alkenoic acid, reaction products with bis substituted alkane and ether polyol
P- 18- 0237 A	8	07/13/20 19	СВІ	(G) Use in print resins	(G) Alkanediol, polymer with 5-isocyanato-1- (isocyanatomethyl)-1,3,3-trimethylcyclohexane, alkylaminoalkyl methacrylate-, and dialkylheteromonocycle-blocked
P- 18- 0256 A	3	09/19/20 19	СВІ	(G) Solvent and Chemical intermediate	(S) Undecanol, branched
P- 18- 0262 A	5	09/16/20 19	Seppic	(S) Function: Stabilizer of suspensions Applications: Detergency	(S) 2-Propenoic acid, 2-methyl-, dodecyl ester, polymer with ammonium 2-methyl-2-[(1-oxo-2-propen-1-yl)amino]-1-propanesulfonate (1:1), N,N-dimethyl-2-propenamide and .alpha(2-methyl-1-oxo-2-propen-1-yl)omega(dodecyloxy)poly(oxy-1,2-ethanediyl)
P- 18- 0287 A	6	02/11/20 19	СВІ	(G) Company plans to produce "tires, wastes, pyrolyzed, condensate oil fraction" (hereafter referred to as syn oil) (CASRN: 1312024-02-4) from scrap tire materials. The synthetic oil fraction from tire waste pyrolysis can be used in a variety of industries. Some examples of use of synthetic oil include use as a fuel, upgraded for use as a higher quality fuel, as an additive for asphalt or other complex mixtures, used to manufacture other chemicals, etc.	(G) Synthetic oil from tires
P- 18- 0287 A	7	02/28/20	СВІ	(G) Company plans to produce "tires, wastes, pyrolyzed, condensate oil fraction" (hereafter referred to as syn oil) (CASRN: 1312024-02-4) from scrap tire materials. The synthetic oil fraction from tire waste pyrolysis can be used in a variety of industries. Some examples of use of synthetic oil include use as a fuel, upgraded for use as a higher quality fuel, as an additive for asphalt or other complex mixtures, used to manufacture other chemicals, etc.	(G) Synthetic oil from tires
P- 18- 0287 A	8	05/22/20	СВІ	(G) Company plans to produce "tires, wastes, pyrolyzed, condensate oil fraction" (hereafter referred to as syn oil) (CASRN: 1312024-02-4) from scrap tire materials. The synthetic oil fraction from tire waste pyrolysis can be used in a variety of industries. Some examples of use of synthetic oil include use as a fuel, upgraded for use as a higher quality fuel, as an additive for asphalt or other complex mixtures, used to manufacture other chemicals, etc.	(G) Synthetic oil from tires
P- 18- 0289 A	3	02/15/20	СВІ	(G) Gas scrubbing,) landfill deoderizing, and wastewater deoderizing	(G) 2-(2(methylcaboxymonocyclic)amino)ethoxy)-alcohol
P- 18-	3	02/15/20	СВІ	(G) Gas scrubbing, Landfill odor neutralizing, and wastewater deoderizing	(G) Carbomonocylic-oxazolidine

)290 4		00155	CD.		
). 8-)293 A	4	08/02/20 19	СВІ	(S) Monomer for use in emulsion polymers, formulated industrial coatings, and formulated industrial adhesives	(S) Propanedioic acid, 2-methylene-, 1,3-dihexyl ester
8- 293	5	08/06/20 19	CBI	(S) Monomer for use in emulsion polymers, formulated industrial coatings, and formulated industrial adhesives	(S) Propanedioic acid, 2-methylene-, 1,3-dihexyl ester
8- 1294	4	08/02/20 19	СВІ	(S) Monomer for use in emulsion polymers, formulated industrial coatings, and formulated industrial adhesives	(S) Propanedioic acid, 2-methylene-, 1,3-dicyclohexyl ester
8- 1294 A	5	08/06/20	СВІ	(S) Monomer for use in emulsion polymers,(S) Monomer for use in formulated industrial coatings,(S) Monomer for use in formulated industrial adhesives	(S) Propanedioic acid, 2-methylene-, 1,3-dicyclohexyl ester
P ₋ .8-)295 A	5	08/22/20	СВІ	(G) Ingredient in the manufacture of consumer cleaning products and use as monomer in the manufacture of resins for use in paint and coating products.	(S) 1,3-Butanediol, (3R)-
				(S) Use as a monomer in the manufacture of plastic products. In this process the notified substance is reacted with one or more other compounds to become part of a polymer. Depending on the reactants involved, the final polymer can be a resin used to make molded plastic products or the final polymer can be a shorter polymer used as a plasticizer.	
P_ .8-)295 A	6	09/25/20	СВІ	(G) Ingredient in the manufacture of consumer cleaning products and use as monomer in the manufacture of resins for use in paint and coating products. (S) Use as a monomer in the manufacture of plastic products. In this process the notified substance is reacted with one or more	(S) 1,3-Butanediol, (3R)-
				other compounds to become part of a polymer. Depending on the reactants involved, the final polymer can be a resin used to make molded plastic products or the final polymer can be a shorter polymer used as a plasticizer.	
8- 323	4	09/20/20 19	KURARAY America, Inc.	(G) Raw material for polymer manufacturing	(S) 2-Propenoic acid, 2-methyl-, 3-methyl-3-buten- 1-yl ester
8- 327	5	09/18/20	СВІ	(G) Filler for non-dispersive resins.	(G) Mixed Metal Oxide
P- .8-)336 A	4	07/12/20	Sirrus, Inc.	(S) Intermediate use	(S) Propanedioic acid, 2,2-bis(hydroxymethyl)-, 1,3 dihexyl ester
8- 337	4	07/12/20	Sirrus, Inc.	(S) Intermediate use	(S) Propanedioic acid, 2,2-bis(hydroxymethyl)-, 1,3 dicyclohexyl ester
8- 0358 A	2	10/18/20	Shikoku International Corporation	(S) Used as a curing agent within carbon fiber reinforced plastics (CFRP) prepring to expedite the hardening process during the final thermosetting operation and as a curing agent in industrial adhesives for electronics to expedite the hardening process during the final thermosetting operation.	(S) 1H-Imidazole-1-propanenitrile,2-ethyl-armethyl-
P ₋ .8-)358 A	3	10/18/20 18	Shikoku International Corporation	(S) Used as a curing agent within carbon fiber reinforced plastics (CFRP) prepreg to expedite the hardening process during the final thermosetting operation and as a curing agent in industrial adhesives for electronics to expedite the hardening process during the final thermosetting operation	(S) 1H-Imidazole-1-propanenitrile,2-ethyl-armethyl-
P- 18- 0374	4	09/05/20 19	Evonik Corporation	(S) Additive in a water-borne coating formulation, Glass fiber sizing, and Fillers, pigments and glass bead treatment	(G) Cationic aminomodified alkylpolysiloxane

P- 18- 0378 A	4	08/29/20	СВІ	(G) Industrial coatings additive	(G) Acrylic and Methacrylic acids and esters, polymer with alkenylimidazole, alkyl polyalkylene glycol, alkenylbenzene, alkylbenzeneperoxoic acid ester initiated, compds. with Dialkylaminoalkanol
P- 18- 0392 A	2	08/22/20 19	СВІ	(G) Intermediate chemical	(G) Heteromonocycle, alkenyl alkyl
P- 18- 0392 A	3	09/13/20	СВІ	(G) Intermediate chemical	(G) Heteromonocycle, alkenyl alkyl
P- 18- 0399 A	6	09/12/20	СВІ	(G) Open, non-dispersive use additive for industrial use only	(G) Rosin adduct ester, polymer with polyols, compd. with ethanolamine
P- 18- 0400 A	6	08/30/20	СВІ	(G) Open, non-dispersive use, additive for textile industry	(G) Rosin adduct ester, polymer with polyols, potassium salt
P- 18- 0404 A	7	09/25/20	СВІ	(S) The substance is part of a mixture with other amines to act as a curative for a 2-part epoxy formulation. The intended use is the manufacture of wind turbine blades. During manufacture of the blades this substance forms part of the in mold coating system which is applied to the blade mold and further laminated with glass (or carbon) reinforced fibres (GRP). The manufactured structure is then "'cured' using heat and a chemical reaction occurs forming a solid composite structure. The PMN substance is reacted during the cure process into the solid plastic matrix and therefore not present in the finished cured part. Use of this product will enhance the life of renewable energy source provided by wind turbines therefore contributing to the reduction in fossil fuel usage.	(G) alkylmultiheteroatom,2-functionalisedalkyl-2-hydroxyalkyl-, polymer with alkylheteroatom-multialkylfunctionalised carbomonocyleheteroatom and multiglycidylether difunctionalised polyalkylene glycol.
P- 18- 0414 A	2	09/06/20 19	СВІ	(G) Lubricant additive	(G) 2-alkenoic acid ester, polymer with alkyloxirane polymer with oxirane di-alkenoate, alkyloxirane polymer with oxirane mono-alkenoate, -(2-alkyl-1-oxo-2-alken-1-yl)[(2-alkyl-1-oxo-2-alken-1-yl)oxy]poly(oxyalkanediyl), fluorinated acrylate and siloxanylalkanoate, alkylperoxoate-initiated
P- 19- 0024 A	7	07/25/20 19	Sales and Distribution Services, Inc.	(S) Hot Mix Asphalt Application: The PMN compound will be used as asphalt additive for hot mix (HMA) as well as cold mix (CMA) asphalt applications. The PMN substance chemically reacts with the surface of the aggregate and changes surface characteristics of aggregate from hydrophilic to hydrophobic. This change provides stronger bonding between asphalt and aggregates and reduces the potential for stripping away asphalt binder from an aggregate due to water. Asphalt Emulsion Application: The PMN substance is water soluble and can be used as an asphalt emulsion in road construction. This additive provides better bonding with ground surface, quick drying and reduced tire pickup of the asphalt emulsion by application equipment.	(S) 1-Octadecanaminium, N,N-dimethyl-N-[3-(trimethoxysilyl)propyl]-, chloride (1:1), reaction products with water, Trimethoxy(propyl) silane, Trimethoxy(methyl)silane, Tetraethyl orthosilicate and ethane-1,2-diol
P- 19- 0028 A	8	05/14/20 19	СВІ	(G) Lubricating oil additive	(G) Alkyl salicylate, metal salts
P- 19- 0028 A	9	08/23/20	СВІ	(G) Lubricating oil additive	(G) Alkyl salicylate, metal salts
P- 19- 0041 A	2	09/23/20	СВІ	(G) Oil water separation	(G) Alkyl diester, polymer with (dialkylamino alkyl) amine and bis(halogenated alkyl) ether
P- 19- 0042 A	2	09/23/20 19	СВІ	(G) Oil water separation	(G) Alkyl diester, polymer with (dialkylamino alkyl) amine and bis(halogenated alkyl) ether
P- 19- 0043 A	2	09/23/20 19	СВІ	(G) Oil water separation	(G) Alkyl dicarboxylic acid, polymer with (dialkylamino alkyl) amine and bis(halogenated alkyl) ether
P- 19-	2	09/23/20 19	CBI	(G) Oil water separation	(G) Alkyl bis(dialkylamino alkyl) amide polymer with bis(halogenated alkyl) ether

P- 19- 0048 A	3	09/16/20	CBI	(G) Coating additive	(S) Poly(oxy-1,2-ethanediyl), .alphahydroomega hydroxy-, mono-C12-14-alkyl ethers, phosphates, sodium salts
9- 0052 A	3	05/01/20 19	Evonik Corporation	(S) Hard Surface Cleaner and Component of Laundry Detergent	(S) Poly(oxy-1,2-ethanediyl), alpha-nonyl-omega- hydroxy-, branched and linear
P_ .9- .0058 A	3	09/24/20	ESSENTIAL INDUSTRIES INC	(S) Wood Coating	(S) Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-2-propen-1-yl)oxy]ethyl ester, polymer with butyl 2-propenoate, ethenylbenzene, methyl 2-methyl-2-propenoate and 2-methyl-2-popenoic acid, ammonium salt
P- 19- 0065 A	5	19	eScientia Technologies, LLC	is the environmental protection Phosphazene flame retardant. It does not produce pollutants after burning. It is mainly used in PC and ABS resins. It has good flame retardancy on epoxy resin, it can be used to make EMC for IC Packaging, its flame retardancy is much better than Brominated flame retardant. The flame retardancy can reach UL-94V0 grade. Oxygen index could reach 33.1%. When it is used in Benzoxazine Resin glass cloth laminate, if the HPCTP is 10%, the grade of burning could reach V-0 grade, the parallel breakdown voltage is 47KV. When it is used in Polyethylene, the LOI of final flame retardancy polyethylene could reach 30-33. After used in viscose spinning solution, we could get the flame retardant viscose fiber with oxygen index 25.3-26.7. If the added amount is 12% in PC/ABS, it could pass the UL-94 V0 test. It also can be used in LED, powder coating, potting material and polymers.	(S) 2lambda5, 4lambda5, 6lambda5 - 1,3,5,2,4,6 Triazatriphosphorine, 2,2,4,4,6,6 - hexaphenoxy -
9- 90065	6	06/11/20	eScientia Technologies, LLC	(S) Fire retardant for thermal plastics: Application: This product is the environmental protection Phosphazene flame retardant. It does not produce pollutants after burning. It is mainly used in PC and ABS resins. It has good flame retardancy on epoxy resin, it can be used to make EMC for IC Packaging, its flame retardancy is much better than Brominated flame retardant. The flame retardancy can reach UL-94V0 grade. Oxygen index could reach 33.1%. When it is used in Benzoxazine Resin glass cloth laminate, if the HPCTP is 10%, the grade of burning could reach V-0 grade, the parallel breakdown voltage is 47KV. When it is used in Polyethylene, the LOI of final flame retardancy polyethylene could reach 30-33. After used in viscose spinning solution, we could get the flame retardant viscose fiber with oxygen index 25.3-26.7. If the added amount is 12% in PC/ABS, it could pass the UL-94 V0 test. It also can be used in LED, powder coating, potting material and polymers.	(S) 2lambda5, 4lambda5, 6lambda5 - 1,3,5,2,4,6 Triazatriphosphorine, 2,2,4,4,6,6 - hexaphenoxy -
P- 19- 0066 A	5	04/24/20	eScientia Technologies, LLC	(S) Fire retardant	(S) 2lambda5, 4lambda5,- 1,3,5,2,4,6 Triazatriphosphorine, 2,2,4,4,6,6,-hexaphenoxy
P- 19- 0066 A	6	06/11/20	eScientia Technologies, LLC	(S) Fire retardant for industry use only	(S) 2lambda5, 4lambda5,- 1,3,5,2,4,6 Triazatriphosphorine, 2,2,4,4,6,6,-hexaphenoxy
P- .9- .0071	4	09/23/20	СВІ	(G) Physical property modifier for polymers	(G) Trimethylolpropane, alkenoic acid, triester
P- .9-)077 A	7	09/23/20	CBI	(G) Agricultural	(G) alkenylamide
P ₋ .9- .0099 A	4	08/29/20	Essential Industries Inc	(S) Clear coat for wood	(S) Propanoic acid, 3-hydroxy-2-(hydroxymethyl)-2 methyl-, polymer with dimethyl carbonate, 1,2-ethanediamine, 2-ethyl-2-(hydroxymethyl)-1,3-propanediol, 1,6-hexanediol and 1,1'-methylenebis[4-isocyanatocyclohexane], compd. with N,N-diethylethanamine
P- 9- 117	5	09/18/20	СВІ	(G) Additive	(G) Polycyclic amine, reaction products with polyalkylalkene, polymers

P- 19- 0118	3	08/30/20	СВІ	(G) Component of lubricant	(G) Substituted polyalkylenepoly, reaction products with alkene polymer
A P- 19- 0120 A	2	08/30/20	CBI	(G) Component of ink	(G) Alkenoic acid, polymer with alkanediyl bis substituted alkylene bis heteromonocycle, substituted carbomonocycle and (alkylalkenyl) carbomonocycle, alkali metal salt
P- 19- 0121 A	3	09/24/20 19	H.B. Fuller Company	(S) Industrial Adhesives	(G) PLANT BASED OILS, POLYMER WITH 1,1'-METHYLENEBIS[4-ISOCYANATOBENZENE], PENTAERYTHRITOL, PHTHALIC ESTERS, POLYPROPYLENE GLYCOL AND POLYPROPYLENE GLYCOL ETHER WITH GLYCEROL (3:1)
P- 19- 0130 A	4	09/16/20 19	СВІ	(G) Dye	(G) Aminohydroxy naphthalenesulfonic acid, coupled with diazotized[(aminophenyl)sulfonyl]ethyl hydrogen sulfate and diazotized amino[[(sulfooxy)ethyl]sulfonyl]benzenesulfonic acid, salts
P- 19- 0130 A	5	09/20/20 19	СВІ	(G) Dye	(G) Aminohydroxy naphthalenesulfonic acid, coupled with diazotized[(aminophenyl)sulfonyl]ethyl hydrogen sulfate and diazotized amino[[(sulfooxy)ethyl]sulfonyl]benzenesulfonic acid, salts
P- 19- 0130 A	6	09/20/20	СВІ	(G) dye	(G) Aminohydroxy naphthalenesulfonic acid, coupled with diazotized[(aminophenyl)sulfonyl]ethyl hydrogen sulfate and diazotized amino[[(sulfooxy)ethyl]sulfonyl]benzenesulfonic acid, salts
P- 19- 0135	3	08/26/20 19	CBI	(G) Lubricant Additive	(G) Alkyl polyoxyethylene ethers, carboxymethylated,
P- 19- 0140 A	2	09/25/20	CBI	(G) Intermediate	(G) Perfluorodioxaalkyl vinyl ether
P- 19- 0141	3	09/19/20	CBI	(S) For use in metal treatment coatings for lubrication and corrosion protection.	(S) Phosphoric Acid, manganese(2+) salt (2:3); Phosphoric acid, manganese(2+) salt (4:5)
P- 19- 0143 A	3	09/10/20 19	Aditya Birla Chemicals (USA) LLC	(S) A crosslinking agent for use in epoxy resin for water-based coating for a variety of substrates and civil applications in commercial and consumer usages.	(G) Aldehyde, polymer with mixed alkanepolyamines, 2,2'-[1,4-alkanediylbis(oxyalkylene)] bis[oxirane], 2-(alkoxyalkyloxirane, 4,4'-(1-alkylidene)bis[phenol], 2,2'-[(1-alkylidene)bis(4,1-alkyleneoxyalkylene)]bis[oxirane] and 2-(aryloxyalkyl)oxirane, acetate (salt)
P- 19- 0144 A	3	09/11/20 19	Aditya Birla Chemicals (USA) LLC	(S) A crosslinking agent in epoxy based self-leveling floor coatings.	(G) Alkanedioic Acid, compds. With substituted arylalkylamine- arylalcohol disubstituted alkane-the diglycidyl ether of a arylalcohol disubstituted alkane -epichlorohydrin-aldehyde-2,2'-[(1-alkylidene)bis[4,1-aryleneoxy(alkyl-2,1-alkanediyl)oxyalkylene]]bis[oxirane]-alkanepolyamine polymer-1-[[2-[(2-aminoalkyl)amino]alkyl]amino]-3-aryloxy-2-alcohol reaction products
P- 19- 0147 A	3	09/09/20 19	CRODA INC.	(G) cleaning additive	(G) alkoxylated butyl alkyl ester
P- 19- 0153 A	3	09/24/20	Wego Chemical Group	(S) Raw material in Flame Retardant product	(G) Dibromoalkyl ether Tetrabromobisphenol A
P- 19- 0155	3	09/18/20	Huntsman International LLC	(S) Adjuvant for agrochemical formulations	(S) Amides, from C8-18 and C18-unsatd. glycerides and diethylenetriamine, ethoxylated
P- 19- 0156	3	09/18/20	Huntsman International LLC	(S) Adjuvant for agrochemical formulations	(S) Amides, from diethylenetriamine and palm kernel-oil, ethoxylated
P- 19- 0157	3	09/18/20	Huntsman International LLC	(S) Adjuvant in agrochemical formulations	(S) Amides, from coconut oil and diethylenetriamine, ethoxylated

P- 19- 0158	2	09/16/20	Ashland Inc.	(G) Adhesive	(G) Alkenoic acid polymer with 2-ethyl-2- (hdroxymethyl)-1,3-alkyldiol, 1,1'-methylenebis(4- isocyantocarbomonocycle) and 3-methyl-1,5- aklydiol
P- 19- 0158 A	3	09/25/20	Ashland Inc.	(G) Adhesive	(G) Alkenoic acid polymer with 2-ethyl-2- (hdroxymethyl)-1,3-alkyldiol, 1,1'-methylenebis(4- isocyantocarbomonocycle) and 3-methyl-1,5- aklydiol
P- 19- 0159	2	09/03/20	СВІ	(G) As Catalyst in Industrial sector	(G) Titanium (4+) hydroxy-alkylcarboxylate salt complex
P- 19- 0159 A	4	09/17/20	CBI	(G) As Catalyst in Industrial sector	(G) Titanium (4+) hydroxy-alkylcarboxylate salt complex
P- 19- 0160	1	09/06/20 19	СВІ	(S) Component of a UV curable printing ink	(G) Alkanesulfonic acid, 2-[(2-aminoethyl)heteroatom-substituted]-, sodium salt (1:1), polymer with alpha-[2,2-bis(hydroxymethyl)butyl]-omega-methoxypoly(oxy-1,2-ethanediyl) and 1,1'-methylenebis[4-isocyanatocyclohexane], acrylic acid-dipenthaerythritol reaction products- and polypropylene glycol ether with pentaerythritol (4:1) triacrylate-blocked
P- 19- 0161	1	09/07/20	СВІ	(S) Organic amine salt mixture used as a foaming agent in the production of urethanes.	(G) Alkanol amine salt mixture
P- 19- 0162	1	09/11/20	СВІ	(G) Component in Oil Production	(G) fatty acid alkyl amide, (dialkyl) amino alkyl, alkyl quaternized, salts
P- 19- 0163	1	09/19/20	CBI	(G) Well performance tracer	(G) halogenated sodium benzoate
P- 19- 0163 A	2	09/25/20	СВІ	(G) Well performance tracer	(G) halogenated sodium benzoate
P- 19- 0164	1	09/20/20	Allnex USA Inc.	(S) Site limited intermediate for coating resin manufacture.	(G) Bis-alkoxy substituted alkane, polymer with aminoalkanol
P- 19- 0165	1	09/23/20	Arboris, LLC	(G) Plasticizer in rubber and Coating in minerals.	(G) Tall oil pitch, fraction, sterol-low
P- 19- 0166	1	09/25/20	Fujifilm Electronic Materials USA Inc.	(G) Photoacid generator (PAG)	(G) Triarylsulfonium alkylestersulfonate,
P- 19- 0167	1	09/25/20 19	Santolubes Manufacturing LLC	(S) Synthetic engine, gear and lubricating oils and greases	(S) Poly(oxy-1,4-butanediyl), alpha-hydro-omega- hydroxy-, hexanoate
P- 19- 0168	2	09/26/20	СВІ	(G) Well performance tracer	(G) Halogenated alkylbenzoic acid
P- 19- 0169	2	09/26/20	СВІ	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
P- 19- 0170	1	09/25/20	СВІ	(S) Coupling agent in elastomer-based formulations that will be used in molding operations to manufacture different types of rubber articles including but not limited to rubber tires.	(G) Heteroatom-substituted alkyl triethoxysilane, reaction products with methylated formaldehydemelamine polymer
P- 19- 0175	1	09/25/20	СВІ	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
P- 19- 0176	1	09/25/20	СВІ	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
P- 19- 0177	1	09/25/20	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
P- 19- 0178	1	09/25/20	СВІ	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid

P- 19- 0179	1	09/25/20 19	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
SN- 18- 0009 A	5	02/11/20 19	CBI	(G) XX plans to produce carbon char from tires pyrolysis using scrap tire materials.	(G) Carbon char from tires
_	6	02/28/20 19	СВІ	(G) XX plans to produce carbon char from tires pyrolysis using scrap tire materials.	(G) Carbon char from tires
SN- 19- 0002 A	3	04/10/20 19	CBI	(G) Friction and wear stabilizer in certain solid composite articles.	(G) Potassium Titanate
SN- 19- 0002 A	4	04/12/20 19	CBI	(G) Friction and wear stabilizer in certain solid composite articles.	(G) Potassium Titanate
SN- 19- 0004 A	8	09/13/20 19	СВІ	(S) A lubricating agent used in the production of automotive disc brakes	(G) pitch coke
=	9	09/19/20 19	СВІ	(S) A lubricating agent used in the production of automotive disc brakes	(S) Coke (coal), secondary pitch
J-20- 0001	2	10/22/20 19	СВІ	(G) Ethanol production	(G) Biofuel producing Saccharomyces cerevisiae modified, genetically stable.
	4	10/15/20 19	СВІ	(G) Paint additive	(G) 2-Propenoic acid, alkyl -, polymers with alkyl acrylate and polyethylene glycol methacrylate alkyl ether
	2	10/28/20 19	Sasol Chemicals (USA) LLC	(G) Surfactant for oil and gas recovery	(S) 2-propanol, 1-amino, compd. with a-sulfo-w-(decyloxy)poly(oxy-1,2-ethanediyl) (1:1);(S) 2-propanol, 1-amino, compd. with a-sulfo-w-(octyloxy)poly(oxy-1,2-ethanediyl) (1:1);
P- 17- 0362 A	2	10/04/20 19	CBI	(G) Industrial flame retardant	(G) Aliphatic phosphoric amide ester
P- 18- 0019 A	2	10/28/20 19	Cabot Corporation	(S) Dispersive pigment	(G) Substituted Benzene, 4-[2-[2-hydroxy-3-[[(3-nitrophenyl)amino]carbonyl]-1-naphthalenyl]diazenyl]-, sodium salt (1:1)
P- 18- 0034 A	2	09/30/20 19	CBI	(S) Polyetheramine carboxylate salt used as a dispersing agent for pigments in industrial paints and coatings	(G) Polyetheramine carboxylate salt
P- 18- 0093 A	3	10/15/20 19	CBI	(G) Additive to plastics	(G) Pentacyclo[9.5.1.13,9.15,15.17,13]octasiloxane, 1,3,5,7,9,11,13,15-octakis (polyfluoroalkyl)-
P- 18- 0094 A	3	10/15/20 19	СВІ	(G) Additive to plastics	(G) Pentacyclo[9.5.1.13,9.15,15.17,13]octasiloxanealkyl substituted, 3,5,7,9,11,13,15-heptakis(polyfluoroalkyl)-
P- 18- 0095 A	3	10/15/20 19	СВІ	(G) Additive to plastics	(G) Pentacyclo[9.5.1.13,9.15,15.17,13]octasiloxanealkan ol, 3,5,7,9,11,13,15-heptakis(polyfluoroalkyl)-, acetate
P- 18- 0135 A	4	10/03/20 19	СВІ	(G) Ingredient for household products	(S) 1,2-Decanediol
P- 18- 0143 A	6	10/01/20 19	Huntsman International LLC	(G) Anti-corrosive primer for outdoor industrial applications.	(G) Fatty acids, tall-oil polymers with aminoalkyl, dialkyl alkane diamine, polyalkylene polyamine alkanepolyamine fraction, and tris-[(alkylamino) alkyl] phenol
P- 18-	6	10/23/20 19	Struers Inc.	(S) A curing agent for curing epoxy systems	(S) Formaldehyde, reaction products with 1,3- benzenedimethanamine and p-tert-butylphenol

	8	10/10/20	Hexion Inc	(S) Food can coating, and Non-food contact can coating	(S) Formaldehyde, polymer with 4-(1,1-
- 8- 175		19	TICATOR THE	(S) 1000 can coating, and 11011 1000 contact can coating	dimethylethyl)phenol and phenol, Bu ether
P ₋ 8- 0177	3	10/17/20	Clariant Plastics & Coatings LLC	(S) Lubricant and surface protection agent.	(S) Waxes and Waxy substances, rice bran, oxidized
P- 18- 0256 A	4	10/01/20	CBI	(G) Chemical Intermediate	(S) Undecanol, branched
P- .8-)299 A	3	10/01/20		(G) Ink additive	(G) Alkenoic acid, alkyl-, polymers with alkyl methacrylate, cycloalkyl methacrylate, alkylene dimethacrylate, and polyalkene glycol hydrogen sulfate [(branched alkyloxy)alkyl]-(alkenyloxy)alkyl ethers ammonium salts, metal salts
P- 18- 0302 A	4	09/27/20 19	CBI	(G) Chemical intermediate	(S) D-glucaric acid, ammonium salt (1:1)
P- 18- 0378 A	5	09/27/20 19	CBI	(G) Industrial coatings additive	(G) Acrylic and Methacrylic acids and esters, polymer with alkenylimidazole, alkyl polyalkylene glycol, alkenylbenzene, alkylbenzeneperoxoic acid ester initiated, compds. with Dialkylaminoalkanol
P- 9- 058 A	4	10/15/20 19	Essential Industries Inc.	(S) Wood Coating	(S) Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-2-propen-1-yl)oxy]ethyl ester, polymer with butyl 2-propenoate, ethenylbenzene, methyl 2-methyl-2-propenoate and 2-methyl-2-popenoic acid, ammonium salt
9- 9- 0064 A	4	10/10/20 19	The Sherwin Williams Company	(G) Polymeric film former for coatings	(G) 4,4'-methylenebis[2,6-dimethyl phenol] polymer with 2-(chloromethyl)oxirane, 1,4-benzyl diol, 2-methyl-2-propenoic acid, butyl 2-methyl 2-propenoate, ethyl 2-methyl 2-propenoate, and ethyl 2-propenoate, reaction products with 2-(dimethylamino) ethanol
P- .9-)086 A	5	10/01/20 19	CBI	(G) Monitor oil and gas well performance	(G) Halogenated sodium benzene akyl carboxylate
P- 19- 0087	5	10/01/20	СВІ	(G) Monitor oil-and-gas well performance	(G) Halogenated sodium benzene alkyl carboyxlate
	3	10/03/20	СВІ	(G) Feedstock for amine recovery	(S) Ethanamine, N-ethyl-, 2-hydroxy-1,2,3- propanetricarboxylate (1:?)
	7	10/01/20	СВІ	(G) Well performance tracer	(G) Halogenated sodium benzene alkylcarboxylate
	5	10/01/20	СВІ	(G) Well performance tracer	(G) Halogenated benzene alkylcarboxylic acid
	4	10/01/20	СВІ	(G) Tracer of well performance	(G) Halogenated benzene alkylcarboxylic acid
	4	10/14/20	СВІ	(G) Well performance monitor	(G) Halogenated benzoic acid, ethyl ester
9- 109 4	3	09/30/20	ARCH CHEMICALS, INC.	(S) Chemical is used as a component of a hoof cleaning formulation to improve the wettability of the overall cleaning solution on the hoof	(S) Copper, [[2,2',2"- (nitrilokappa.N)tris[ethanolkappa.O]](2-)]-; (S) Copper, bis[2- (aminokappa.N)ethanolatokappa.O]-;
P- 19- 0134	5	10/23/20 19	Conklin Co., Inc.	(S) Binder for moisture cure coatings	(G) [5-isocyanato-1-(isocyanatomethyl)-1,3,3-trimethylcyclohexane], [Poly[oxy(methyl-1,2-ethanediyl)], .alphahydroomegahydroxy-,

					polymer with 1,6-diisocyanatohexane], polymer with [Poly(oxy-1,4-butanediyl), .alphahydroomegahydroxy-], [Cyclic amine - ketone adduct, reduced], and [1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-]
P- 19- 0137 A	4	10/04/20	СВІ	(G) Component in lubricants	(G) Alkyl oligomeric reaction products
P- 19- 0141 A	4	09/27/20	СВІ	(S) For use in metal treatment coatings for lubrication and corrosion protection	(S) Phosphoric Acid, manganese(2+) salt (2:3); (S) Phosphoric acid, manganese(2+) salt (4:5);
P- 19- 0141 A	5	10/03/20	CBI	(S) For use in metal treatment coatings for lubrication and corrosion protection	(S) Phosphoric Acid, manganese(2+) salt (2:3); (S) Phosphoric acid, manganese(2+) salt (4:5);
P- 19- 0147 A	4	09/30/20	Croda Inc.	(G) Cleaning additive	(G) alkoxylated butyl alkyl ester
P- 19- 0158 A	4	10/24/20	Ashland Inc.	(G) Adhesive	(G) Alkenoic acid polymer with 2-ethyl-2- (hdroxymethyl)-1,3-alkyldiol, 1,1'-methylenebis(4- isocyantocarbomonocycle) and 3-methyl-1,5- aklydiol
P- 19- 0163 A	3	09/27/20 19	СВІ	(G) Well performance tracer	(G) halogenated sodium benzoate
P- 19- 0165 A	2	10/16/20	Arboris, LLC	(G) Plasticizer in rubber and coating in minerals.	(G) Tall oil pitch, fraction, sterol-low
P- 19- 0167 A	2	10/22/20	Santolubes Manufacturing LLC	(S) Synthetic engine, gear and lubricating oils and greases	(S) Poly(oxy-1,4-butanediyl), alpha-hydro-omega- hydroxy-, hexanoate
P- 19- 0168 A	3	10/01/20	CBI	(G) Well performance tracer	(G) Halogenated alkylbenzoic acid
P- 19- 0169 A	3	10/01/20	СВІ	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
P- 19- 0171	2	09/27/20	CBI	(G) Well performance monitor	(G) Halogenated benzoic acid
P- 19- 0171 A	3	10/04/20 19	СВІ	(G) Well performance monitor	(G) Halogenated benzoic acid
P- 19- 0171 A	4	10/29/20	СВІ	(G) Well performance monitor	(G) Halogenated benzoic acid
P- 19- 0172	2	09/27/20	CBI	(G) Well performance monitor	(G) Halogenated benzoic acid
P- 19- 0172 A	3	10/04/20	СВІ	(G) Well performance monitor	(G) Halogenated benzoic acid
P- 19- 0172	4	10/29/20	CBI	(G) Well performance monitor	(G) Halogenated benzoic acid
A P- 19- 0173	2	09/27/20	CBI	(G) Well performance monitor	(G) Halogenated benzoic acid
P- 19-	3	10/04/20	СВІ	(G) Well performance monitor	(G) Halogenated benzoic acid

173				
- 9- 173	10/29/20 19	СВІ	(G) Well performance monitor	(G) Halogenated benzoic acid
2 9- 175	10/01/20 19	СВІ	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
3)- 175	10/02/20	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
75	10/29/20	СВІ	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
2 9- 176	10/01/20	СВІ	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
3	10/02/20	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
- 4 9- 176	10/29/20	СВІ	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
· 2)- 177	10/01/20	СВІ	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
- 3 9- 177	10/02/20	СВІ	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
- 4 9- 177	10/29/20	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
- 2)- 178	10/01/20	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
- 3 9- 178	10/02/20	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
- 4 178	10/29/20	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
· 2)- 179	10/01/20	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
- 3)- 179	10/02/20	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
- 4)- 179	10/29/20	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
- 2 9- 180	10/01/20	CBI	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
- 9-	10/04/20 19	CBI	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate

0180 A					
P- 19- 0180 A	4	10/22/20	СВІ	(G) Well performance monitor	(G) halogenated alkyl sodium benzoate
P- 19- 0181	2	10/01/20	СВІ	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
P- 19- 0181 A	3	10/04/20	CBI	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
P- 19- 0181 A	4	10/22/20	СВІ	(G) Well performance monitor	(G) halogenated alkyl sodium benzoate
P- 19- 0182	2	10/01/20	СВІ	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
P- 19- 0182 A	3	10/04/20	CBI	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
P- 19- 0182 A	4	10/22/20	СВІ	(G) Well performance monitor	(G) halogenated alkyl sodium benzoate
P- 19- 0183	1	09/27/20 19	СВІ	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
P- 19- 0183 A	2	10/04/20	СВІ	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
P- 19- 0184	1	09/27/20 19	CBI	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
P- 19- 0184 A	2	10/04/20	СВІ	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
P- 19- 0185	1	09/27/20 19	СВІ	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
P- 19- 0185 A	2	10/04/20	CBI	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
P- 19- 0186	1	09/27/20 19	CBI	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
P- 19- 0186 A	2	10/04/20	СВІ	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
P- 19- 0187	1	09/27/20 19	СВІ	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
P- 19- 0187 A	2	10/04/20	СВІ	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
P- 19- 0188	1	09/30/20 19	Archroma U.S., Inc	(S) Wetting agent and lubricant during textile processing.	(G) Octadecanamide, N,N-dialkyl, salts
P- 19- 0189	1	09/30/20 19	CBI	(S) Reactive polymer for use in adhesives and sealants.	(G) Fatty acids, polymers with alkanediol and 1,1'-methylenebis[4-isocyanatobenzene]
P- 20- 0001	1	10/02/20 19	Santolubes Manufacturing LLC	(S) Synthetic engine, gear & lubricating oils & greases	(S) Poly(oxy-1,4-butanediyl), alpha-hydro-omega- hydroxy-, nonanoate

P- 20- 0002	10/02/20	Santolubes Manufacturing LLC	(S) Synthetic engine, gear & lubricating oils & greases	(S) Fatty Acids, C18-unsatd., dimers, hydrogenated, polymers with alpha-hydro-omega-hydroxypoly(oxy-1,4-butanediyl) and nonanoic acid
P- 20- 0004	10/02/20 19	Santolubes Manufacturing LLC	(S) Synthetic engine, gear & lubricating oils & greases	(S) Fatty Acids, C18-unsatd., dimers, hydrogenated, polymers with hexanoic acid and alpha-hydro-w-hydroxypoly(oxy-1,4-butanediyl)
P- 20- 0005	10/21/20 19	RMC Advanced Technologies Inc.	(G) Additive for plastics and resins.	(G) modified graphene
P- 20- 0006	10/07/20 19	СВІ	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
P- 1 20- 0007	10/07/20 19	CBI	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
P- 20- 0008	10/08/20 19	Archroma U.S., Inc	(S) Dye for use with paper, paper products, and nonwoven products produced from paper.	(G) 7-Heteropolycyclicsulfonic acid, 2-[4-[2-[1-[[(2-methoxy-5-methyl-4-sulfophenyl)amino]carbonyl]-2-oxopropyl]diazenyl]phenyl]-6-methyl-, compd. with (alkylamino)alkanol and (hydroxyalkyl)amine
P- 20- 0009	10/21/20 19	Resinate Materials Group Inc.	(S) Intermediate for use in the manufacture of polymers.	(G) Waste plastics, poly(ethylene terephthalate), depolymd. with polyol, polymers with alkanedioic acid and alkanoic acid
P- 20- 0010	10/18/20 19	СВІ	(G) Polymerization auxiliary	(G) Carboxylic acid, metal salt, reaction products with metal salt
P- 3 20- 0011	10/28/20 19	Chitec Technology Co., Ltd.	(G) Light stabilizer	(G) Tetraoxaspiro[5.5]alkyl-3,9-diylbis(alkyl-2,1-diyl) bis(2-cyano-3-(3,4-dimethoxyphenyl)acrylate)
P- 4 20- 0012	10/31/20 19	СВІ	(G) Ink Additive	(G) Polyol, polymer with alkyl diisocyanate, alkyl substituted heterocycle blocked
P- 20- 0013	10/17/20 19	Arkema Inc.	(G) UV curable inks	(S) 2-Propenoic acid, 2-methyl-, (2-oxo-1,3-dioxolan-4-yl)methyl ester
P- 20- 0014	10/21/20 19	McTron Technologies	(G) Water resistant resin additive and Heat resistant binder additive	(G) Sugars, polymer with alkanetriamine
SN- 1 19- 0006	09/30/20 19	СВІ	(G) Component for 3D Printing formulations	(S) 2-Propen-1-one, 1-(4-morpholinyl)-
SN- 19- 0006 A	10/09/20 19	СВІ	(G) Component for 3D Printing formulations	(S) 2-Propen-1-one, 1-(4-morpholinyl)-
J-19- 2 0024 A	09/10/20	СВІ	(G) Ethanol production	(G) Biofuel producting Saccharomyces cerevisiae modified, genetically stable
J-19- 2 0025 A	09/10/20 19	СВІ	(G) Ethanol production	(G) Biofuel producting Saccharomyces cerevisiae modified, genetically stable
J-19- 2 0026 A	11/13/20 19	СВІ	(G) Production of biofuel	(G) Biofuel-producing modified microorganism(s), with chromosomally-borne modifications
J-19- 3 0026 A	11/15/20 19	СВІ	(G) Production of biofuel	(G) Biofuel-producing modified microorganism(s), with chromosomally-borne modifications
J-19- 2 0027 A	11/13/20 19	CBI	(G) Production of biofuel	(G) Biofuel-producing modified microorganism(s), with chromosomally-borne modifications
J-19- 3 0027 A	11/15/20 19	CBI	(G) Production of biofuel	(G) Biofuel-producing modified microorganism(s), with chromosomally-borne modifications
P- 16- 0486 A	11/01/20 19	СВІ	(G) Site-limited intermediate in the production of a refrigerant precursor.	(G) Polychloropropane
P- 6 17- 0007 A	11/15/20 19	СВІ	(S) Intermediate	(G) dialkyl 7,10-dioxa, dithiahexadeca diene

'- :60	3	11/21/20 19	Shin Etsu Silicones of America	(G) Resin modifier	(G) Alkoxy silane modified butadiene-styrene copolymer
- 8- 019	3	10/29/20 19	Cabot Corporation	(S) Dispersive pigment	(G) Substituted Benzene, 4-[2-[2-hydroxy-3-[[(3-nitrophenyl)amino]carbonyl]-1-naphthalenyl]diazenyl]-, sodium salt (1:1)
- 8- 029	2	10/30/20 19	СВІ	(G) Industrial use in Oilfield	(G) Fatty acids and fatty acid unsatd., reaction products with ethyleneamines and maleic anhydride
_	6	10/30/20 19	СВІ	(G) Ingredient for industrial coating	(G) Substituted dicarboxylic acid, polymer with various alkanediols
- 8- 160	4	11/11/20 19	СВІ	(G) Coating component	(G) Heteropolycyclic, halo substituted alkyl substituted- diaromatic amino substituted carbomonocycle, halo substituted alkyl substituted heteropolycyclic, tetraaromatic metalloid salt (1:1)
9- 8- 165	6	11/01/20 19	Cabot Corporation	(S) Chemical intermediate	(G) 2,5-Furandione, polymer with ethenylbenzene, 4-hydroxy-substituted butyl amide, sodium salts
9- 8- 166 V	6	11/01/20 19	Cabot Corporation	(S) Chemical Intermediate	(G) 2,5-Furandione, polymer with ethenylbenzene, 4-hydroxy- substituted butyl [3-[2-[1-[[(2- methoxyphenyl)amino]carbonyl]-2- oxopropyl]diazenyl]phenyl]substituted, sodium salts
- 8- 167	4	11/06/20 19	Cabot Corporation	(S) Chemical intermediate	(G) Butanamide, 2-[2-[(substitutued phenyl)diazenyl]-N-(2-methoxyphenyl)-3-oxo-
- 8- 190	5	11/06/20 19	Cabot Corporation	(S) Pigment Dispersing Aid	(G) 2,5-Furandione, polymer with ethenylbenzene, 4-hydroxy-substituted butyl amide, polymers with epichlorohydrin and trimethylolpropane, sodium salts
8- 191 V	5	11/06/20 19	Cabot Corporation	(S) Pigment Dispersing Aid	(G) 2,5-Furandione, polymer with ethenylbenzene, 4-hydroxy-substitutedbutyl [3-[2-[1-[[(substitutedphenyl)amino]carbonyl]-2- oxopropyl]diazenyl]phenyl]methyl amide, polymers with epichlorohydrin and trimthylolpropane, sodium salts
8- 1213	3	11/08/20 19	СВІ	(S) polyester or polyamide modifer incorporated into backbone of polymer	(S) 1,3-Benzenedicarboxylic acid, 5-sulfo-, calcium salt (2:1)
8- 214	4	11/21/20 19	СВІ	(G) Curing agent.	(G) Polycyclic substituted alkane, polymer with cyclicalkylamine, epoxide, and polycyclic epoxide ether, reaction products with dialkylamine substituted alkyl amine
8- 215	4	11/21/20 19	СВІ	(G) Curing agent.	(G) Polycyclic alkane, polymer with monocyclic amine, polycyclic epoxide ether, reaction products with dialkylamine alkyl amine
- 8- 216	4	11/21/20 19	СВІ	(G) Curing agent.	(G) Polycyclic substituted alkane, polymer with epoxide, reaction products with cyclicalkylamine and dialkylamine substituted alkyl amine
- 8- 236	3	11/14/20 19	The Sherwin Williams Company	(G) Paint additive	(G) Metal, alkenoic acid-alkyl alkenoate-alkyl substituted alkenoate polymer carbopolycycle complexes
- 8- 274	7	11/05/20 19	СВІ	(S) Chemical intermediate and (G) Additive	(G) Heterocycle fluoroalkyl sulfonyl
- 8- 275	6	11/05/20 19	СВІ	(G) Polymer additive	(G) Methanone phenylene fluoroalkyl sulfonyl heterocycle
8-	3	10/31/20 19	CBI	(G) Adhesive	(G) Phenol, polymer with formaldehyde, substituted phenol, sodium salts

0363 A					
P- 18- 0367	2	11/11/20 19	Afcona Chemicals USA Inc.	(S) Acid-modified polyether used as a wetting and dispersing additive for pigments in industrial paints and coatings.	(G) Acid-modified polyether
P- 18- 0376 A	2	11/05/20 19	Sumitomo Chemical Advanced Technologies LLC	(S) Substance used to improve physical properties in rubber products.	(G) Thiosulfuric acid, aminoalkyl ester
P- 18- 0387 A	4	11/11/20 19	СВІ	(G) Plastic Additive	(G) Alkanal, reaction products with alkanediyl bis[alkyl-tris(alkyl-heterocycle)-1,3,5-triazine-2,4,6-triamine and hydrogen peroxide
P- 18- 0388 A	4	11/11/20 19	СВІ	(G) Plastic additive	(G) 1,3,5-triazine-2,4,6-triamine, alkanediyl bis[alkyl-tris(alkyl-heterocycle)-, allyl derivs., oxidized, hydrogenated
P- 18- 0399 A	7	11/18/20 19	СВІ	(G) Open, non-dispersive use additive for industrial use only	(G) Rosin adduct ester, polymer with polyols, compd. with ethanolamine
P- 18- 0400 A	7	11/18/20 19	СВІ	(G) Open, non-dispersive use, additive for textile industry	(G) Rosin adduct ester, polymer with polyols, potassium salt
P- 19- 0064 A	5	10/30/20 19	The Sherwin Williams Company	(G) Polymeric film former for coatings	(G) 4,4'-methylenebis[2,6-dimethyl phenol] polymer with 2-(chloromethyl)oxirane, 1,4-benzyl diol, 2-methyl-2-propenoic acid, butyl 2-methyl 2-propenoate, ethyl 2-methyl 2-propenoate, and ethyl 2-propenoate, reaction products with 2-(dimethylamino) ethanol
P- 19- 0077 A	8	11/12/20 19	СВІ	(G) Agricultural	(G) alkenylamide
P- 19- 0143 A	4	10/29/20 19	Aditya Birla Chemicals (USA) LLC	(S) A crosslinking agent for use in epoxy resin for water-based coating for a variety of substrates and civil applications in commercial and consumer usages.	(G) Aldehyde, polymer with mixed alkanepolyamines, 2,2'-[1,4-alkanediylbis(oxyalkylene)] bis[oxirane], 2-(alkoxyalkyloxirane, 4,4'-(1-alkylidene)bis[phenol], 2,2'-[(1-alkylidene)bis(4,1-alkyleneoxyalkylene)]bis[oxirane] and 2-(aryloxyalkyl)oxirane, acetate (salt)
P- 19- 0144 A	4	10/29/20 19	Aditya Birla Chemicals (USA) LLC	(S) A crosslinking agent in epoxy based self-leveling floor coatings.	(G) Alkanedioic Acid, compds. With substituted arylalkylamine- arylalcohol disubstituted alkane-the diglycidyl ether of a arylalcohol disubstituted alkane-epichlorohydrin-aldehyde-2,2'-[(1-alkylidene)bis[4,1-aryleneoxy(alkyl-2,1-alkanediyl)oxyalkylene]]bis[oxirane]-alkanepolyamine polymer-1-[[2-[(2-aminoalkyl)amino]alkyl]amino]-3-aryloxy-2-alcohol reaction products
P- 19- 0145 A	5	11/07/20 19	ARC Products, INC	(S) Oil Field Drilling Fluid Additive	(G) Polyazaalkane with oxirane and methyloxirane, haloalkane
P- 19- 0145 A	6	11/14/20 19	ARC Products, INC	(S) Oil Field Drilling Fluid Additive	(G) Polyazaalkane with oxirane and methyloxirane, haloalkane
P- 19- 0153 A	4	11/06/20 19	Wego Chemical Group	(S) Raw material in Flame Retardant product	(G) Dibromoalkyl ether Tetrabromobisphenol A
P- 19- 0155 A	4	10/30/20 19	Huntsman International LLC	(S) Adjuvant for agrochemical formulations	(S) Amides, from C8-18 and C18-unsatd. glycerides and diethylenetriamine, ethoxylated
P- 19- 0156	4	10/30/20 19	Huntsman International LLC	(S) Adjuvant for agrochemical formulations	(S) Amides, from diethylenetriamine and palm kernel-oil, ethoxylated

P- 19- 0157 A	4	10/30/20	Huntsman International LLC	(S) Adjuvant in agrochemical formulations	(S) Amides, from coconut oil and diethylenetriamine, ethoxylated
P- 19- 0158 A	5	10/29/20	Ashland Inc.	(G) Adhesive	(G) Alkenoic acid polymer with 2-ethyl-2- (hdroxymethyl)-1,3-alkyldiol, 1,1'-methylenebis(4- isocyantocarbomonocycle) and 3-methyl-1,5- aklydiol
P- 19- 0165 A	3	11/11/20 19	ARBORIS, LLC	(G) Plasticizer in rubber and Coating in minerals.	(G) Tall oil pitch, fraction, sterol-low
P- 19- 0167 A	3	10/31/20	Santolubes Manufacturing LLC	(S) Synthetic engine, gear and lubricating oils and greases	(S) Poly(oxy-1,4-butanediyl), alpha-hydro-omega-hydroxy-, hexanoate
P- 19- 0167 A	4	11/18/20	Santolubes Manufacturing LLC	(S) Synthetic engine, gear and lubricating oils and greases	(S) Poly(oxy-1,4-butanediyl), alpha-hydro-omega-hydroxy-, hexanoate
P- 19- 0168 A	4	11/01/20	СВІ	(G) Well performance tracer	(G) Halogenated alkylbenzoic acid
P- 19- 0169 A	4	11/01/20	СВІ	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
P- 19- 0180 A	5	11/01/20 19	СВІ	(G) Well performance monitor	(G) halogenated sodium benzoate
P- 19- 0181 A	5	11/01/20	СВІ	(G) Well performance monitor	(G) halogenated sodium benzoate
P- 19- 0182 A	5	11/01/20	СВІ	(G) Well performance monitor	(G) halogenated sodium benzoate
P- 20- 0001 A	3	10/29/20	Santolubes Manufacturing LLC	(S) Synthetic engine, gear & lubricating oils & greases	(S) Poly(oxy-1,4-butanediyl), alpha-hydro-w-hydroxy-, nonanoate
P- 20- 0001 A	4	10/31/20	Santolubes Manufacturing LLC	(S) Synthetic engine, gear & lubricating oils & greases	(S) Poly(oxy-1,4-butanediyl), alpha-hydro-omega- hydroxy-, nonanoate
P- 20- 0002 A	2	10/29/20	Santolubes Manufacturing LLC	(S) Synthetic engine, gear & lubricating oils & greases	(S) Fatty Acids, C18-unsatd., dimers, hydrogenated, polymers with alpha-hydro-w-hydroxypoly(oxy-1,4-butanediyl) and nonanoic acid
P- 20- 0002 A	4	10/29/20	Santolubes Manufacturing LLC	(S) Synthetic engine, gear & lubricating oils & greases	(S) Fatty Acids, C18-unsatd., dimers, hydrogenated, polymers with alpha-hydro-omega-hydroxypoly(oxy-1,4-butanediyl) and nonanoic acid
P- 20- 0002 A	5	10/31/20	Santolubes Manufacturing LLC	(S) Synthetic engine, gear & lubricating oils & greases	(S) Fatty Acids, C18-unsatd., dimers, hydrogenated, polymers with alpha-hydro-omega-hydroxypoly(oxy-1,4-butanediyl) and nonanoic acid
P- 20- 0004 A	2	10/29/20	Santolubes Manufacturing LLC	(S) Synthetic engine, gear & lubricating oils & greases	(S) Fatty Acids, C18-unsatd., dimers, hydrogenated, polymers with hexanoic acid and alpha-hydro-omega-hydroxypoly(oxy-1,4-butanediyl)
P- 20- 0004 A	3	10/29/20	Santolubes Manufacturing LLC	(S) Synthetic engine, gear & lubricating oils & greases	(S) Fatty Acids, C18-unsatd., dimers, hydrogenated, polymers with hexanoic acid and alpha-hydro-w-hydroxypoly(oxy-1,4-butanediyl)
P- 20- 0004 A	4	10/30/20	Santolubes Manufacturing LLC	(S) Synthetic engine, gear & lubricating oils & greases	(S) Fatty Acids, C18-unsatd., dimers, hydrogenated, polymers with hexanoic acid and alpha-hydro-omega-hydroxypoly(oxy-1,4-butanediyl)

P- 20- 0004 A	5	10/30/20	Santolubes Manufacturing LLC	(S) Synthetic engine, gear & lubricating oils & greases	(S) Fatty Acids, C18-unsatd., dimers, hydrogenated, polymers with hexanoic acid and alpha-hydro-omega-hydroxypoly(oxy-1,4-butanediyl)
P- 20- 0005 A	3	11/11/20 19	RMC Advanced Technologies Inc.	(G) Additive for plastics and resins	(G) modified graphene
P- 20- 0023	1	11/18/20 19	СВІ	(G) The notified substance will be used as a fragrance ingredient. It will be blended (mixed) with other fragrance ingredients to make fragrance oils. The fragrance oils containing the notified substance will then be incorporated into soaps, detergents, cleaners, air fresheners, candles and other similar commercial and consumer products.	(G) heteropolycycle, 2,6-dimethyl-3a-(1-methylethyl)-
P- 20- 0025	1	11/19/20 19	Biosynthetic Technologies	(S) Motor oil lubricant, formulation #1 and formulation #2	(S) Octadecanoic acid, 12-(acetoxy)-, 2-ethylhexyl ester
SN- 18- 0002 A	4	11/04/20 19	СВІ	(G) Flame retardant for textile.	(G) Phosphoramidic acid, carbomonocyclic-, diphenylester (accession number 261553).
J-20- 0002	1	11/25/20 19	СВІ	(G) Production of a chemical	(G) Microorganism with chromosomally-borne genetic modifications for the production of a chemical
P- 16- 0486 A	5	11/22/20 19	СВІ	(G) Site-limited intermediate in the production of a refrigerant precursor.	(G) Polychloropropane
P- 16- 0539 A	5	12/3/201	CBI	(G) photolithography	(G) Organic sulfonate compound
P- 17- 0239 A	7	12/11/20	CBI	(G) Adhesive for open non-descriptive use	(G) Substituted carboxylic acid, polymer with 2,4-diisocyanato-1-methylbenzene, hexanedioic acid, alpha-hydro-omega-hydroxypoly[oxy(methyl-1,2-ethanediyl)], 1,1'-methylenebis[4-isocyanatobenzene], 2,2'-oxybis[ethanol], 1,1'-oxybis[2-propanol] and 1,2-propanediol
P- 17- 0245 A	7	12/12/20	СВІ	(G) Adhesive for open, non-dispersive use	(G) Unsaturated polyfluoro ester
P- 17- 0282 A	11	12/11/20 19	Elantas PDG, Inc.	(S) This is a component of a mixture that is used as an impregnating varnish for stators and motors.	(S) Isocyanic acid, polymethylenepolyphenylene ester, caprolactam- and phenol-blocked
P- 17- 0405 A	8	12/06/20	СВІ	(G) Oil and gas well performance	(G) halogentated benzoic acid ethyl ester
P- 17- 0406 A	7	12/06/20	СВІ	(G) Oil and gas well performance	(G) halogenated benzoic acid ethyl ester
	6	12/06/20	СВІ	(G) Well performance	(G) halogenated benzoic acid ethyl ester
P- 17- 0408	5	12/06/20	СВІ	(G) Well performance	(G) halogenated benzoic acid ethyl ester
P- 17- 0409	6	12/06/20	СВІ	(G) Monitor well performance.	(G) halogenated benzoic acid ethyl ester
P- 17- 0410	5	12/06/20 19	СВІ	(G) Monitor well performance.	(G) halogenated benzoic acid ethyl ester
P- 17- 0411	5	12/06/20 19	CBI	(G) Monitor well performance	(G) halogenated benzoic acid ethyl ester
P- 17- 0412	5	12/06/20 19	СВІ	(G) Monitor well performance.	(G) halogenated benzoic acid ethyl ester

P- 17- 0414	5	12/06/20 19	СВІ	(G) Monitor well performance	(G) halogenated benzoic acid
	6	12/06/20 19	СВІ	(G) Monitor well performance	(G) halogenated benzoic acid
P- 17- 0416	6	12/06/20 19	СВІ	(G) Monitor well performance.	(G) halogenated benzoic acid
P- 17- 0417	6	12/06/20 19	СВІ	(G) Monitor well performance.	(G) halogenated benzoic acid
P- 17- 0418 A	6	12/06/20 19	СВІ	(G) Monitor well performance.	(G) halogenated benzoic acid
P- 17- 0420 A	7	12/06/20 19	СВІ	(G) Monitor well performance	(G) halogenated benzoic acid
	6	12/06/20 19	CBI	(G) Monitor well performance	(G) halogenated benzoic acid
	6	12/06/20 19	СВІ	(G) Monitor well performance	(G) halogenated benzoic acid
P- 17- 0423	5	12/06/20 19	СВІ	(G) Monitor well performance.	(G) halogenated benzoic acid ethyl ester
P- 17- 0441	5	12/09/20 19	СВІ	(G) Monitor well performance.	(G) halogenated sodium benzoate
P- 17- 0442	5	12/09/20 19	СВІ	(G) Monitor well performance.	(G) halogenated sodium benzoate
P- 17- 0443 A	6	12/09/20 19	СВІ	(G) Monitor well performance.	(G) halogenated sodium benzoate
P- 17- 0444	4	02/11/20 19	СВІ	(G) Monitor well performance.	(G) halogenated sodium benzoate
P- 17- 0445 A	7	12/09/20 19	СВІ	(G) Monitor well performance.	(G) halogenated sodium benzoate
P- 17- 0446 A	6	12/09/20 19	СВІ	(G) Monitor well performance.	(G) halogenated sodium benzoate
P- 17- 0447	6	12/09/20 19	СВІ	(G) Monitor well performance.	(G) halogenated sodium benzoate
P- 17- 0448	5	12/09/20 19		(G) Monitor well performance.	(G) halogenated sodium benzoate
P- 17- 0449	5	12/09/20 19		(G) Monitor well performance	(G) halogenated sodium benzoate
P- 17- 0450	5	12/09/20 19	СВІ	(G) Monitor well performance	(G) Halogenated benzoic acid
P- 18- 0133 A	3	12/02/20 19	СВІ	(G) component in hydraulic fracturing fluids	(G) Polyol adduct of bisaldehyde
P- 18- 0253 A	3	11/22/20 19	UBE America Inc.	(G) Extrusion and Injection Molding Polymer	(S) Dodecanoic acid, 12-amino-, homopolymer

P- 18- 0254 A	3	11/22/20 19	UBE America Inc.	(G) Extrusion and Injection Molding Polymer	(G) Hexanedioic acid, polymer with 12- aminododecanoic acid and a polyetheramine
P- 18- 0255 A	3	11/22/20 19	UBE America Inc.	(G) Recreational equipment	(S) Dodecanoic acid, 12-amino-, polymer with hexahydro-2H-azepin-2-one
P- 18- 0267 A	4	11/21/20 19	СВІ	(G) curing agent	(G) Branched alkanoic acid, epoxy ester, reaction products with monocyclic dialkylamine and polycyclic alcohol epoxy polymer
P- 18- 0268 A	4	11/21/20 19	CBI	(G) curing agent	(G) Branched alkanoic acid, epoxy ester, reaction products with monocyclicdialkanamine and polycyclic dialkanol ether polymer
P- 18- 0269 A	4	11/21/20 19	СВІ	(G) curing agent	(G) Branched alkanoic acid, epoxy ester, reaction products with monocyclicalkanamine, polycyclic alcohol ether homopolymer, and polycyclic alcohol epoxy polymer
P- 18- 0273 A	2	02/11/20 19	СВІ	(G) Used in polymer manufacturing.	(S) 1,4-Cyclohexanedicarboxylic acid, 1,4-bis(2-ethylhexyl) ester
P- 18- 0287 A	9	12/04/20 19	СВІ	(G) Company plans to produce "tires, wastes, pyrolyzed, condensate oil fraction" (hereafter referred to as syn oil) (CASRN: 1312024-02-4) from scrap tire materials.	(G) Synthetic oil from tires
P- 18- 0300 A	3	12/04/20 19	СВІ	(S) Additive for automatic dishwashing detergent	(G) Heteromonocycle, alkenoic 1:1 salt, polymer with alpha-(2-methyl-1-oxo-2-propen-1-y)l-omegamethoxypoly(oxy-1,2-ethanediyl) and methylalkenoic acid
P- 18- 0345 A	2	12/10/20 19	Chitec Technology Co., Ltd.	(S) R-gen 990 is a liquid aminoketone-based photoinitator (PI) intended for use as an ultraviolet (UV) curing agent in highly pigmented inks, photo-resists, and masks.	(S) 1-Butanone, 2-(dimethylamino)-1-[4-(2-ethyl-2-methyl-3-oxazolidinyl)phenyl]-2-(phenylmethyl)-
P- 18- 0350 A	2	12/04/20 19	Evonik Corporation	(S) Additive in water-borne UV-curable coatings,(S) Filler & pigment treatment,(S) Glass fiber treatment	(G) Aqueous methacrylamido modified polysiloxane
P- 18- 0359 A	3	12/10/20 19	CBI	(G) Molded or extruded items	(G) Methoxy Vinyl Ether- Vinylidene Fluoride polymer
P- 18- 0367 A	3	12/09/20 19	СВІ	(S) Acid-modified polyether used as a wetting and dispersing additive for pigments in industrial paints and coatings.	(G) Acid-modified polyether;
P- 19- 0052 A	5	02/11/20 19	Evonik Corporation	(S) Hard Surface Cleaner,(S) Component of Laundry Detergent	(S) Poly(oxy-1,2-ethanediyl), alpha-nonyl-omega- hydroxy-, branched and linear
P- 19- 0055 A	3	12/09/20 19	Rahn USA Corp.	(S) The PMN is solely used as a photo initiator within UV curable coating/ink formulations.	(S) 1,3-propanediol, 2-ethyl-2-(hydroxymethyl)-, polymer with oxirane, 4-(dimethylamino)benzoate
P- 19- 0083 A	2	12/03/20 19	KX Technologies LLC	(G) Activated carbon for water purification.	(G) Charcoal, coconut shell, reaction products with cyclic amine
P- 19- 0135 A	4	12/10/20 19	СВІ	(G) Lubricant Additive	(G)Alkyl polyoxyethylene ethers, carboxymethylated
P- 19- 0146 A	3	11/25/20 19	СВІ	(G) Reagent used to introduce deuterium to the substrate chemical.	(G) Modified dimethyl sulfoxide
P- 19- 0148 A	2	12/13/20 19	СВІ	(G) Fertilizer ingredient	(G) Iron, complexes with ethylenediamine-4-hydroxycarbomonocycle hetero-acid-2-oxoacetic acid reaction products, potassium salts

			10		
P- 19- 0149 A	2	12/13/20 19	СВІ	(G) Fertilizer ingredient	(G) Iron, complexes with ethylenediamine-4- hydroxycarbomonocycle hetero-acid potassium salt (1:1)-potassium 2-oxoacetate (1:1) reaction products, potassium salts
P- 19- 0150 A	2	12/13/20 19	CBI	(G) Fertilizer ingredient	(G) Iron, complexes with ethylenediamine-4- hydroxycarbomonocycle hetero-acid-2-oxoacetic acid reaction products, sodium salts
P- 19- 0151 A	2	12/13/20 19	CBI	(G) Fertilizer ingredient	(G) Iron, complexes with ethylenediamine-4-hydroxycarbomonocycle hetero-acid sodium salt (1:1)-sodium 2-oxoacetate (1:1) reaction products, sodium salts
P- 19- 0152 A	3	11/21/20 19	UBE America Inc.	(G) Pre-polymer for polyurethane roll covers	(G) alkaneic acid, dialkyl ester polymer with alkanediol, [[(isocyanatocarbomonocycle)alkyl)carbomonocycle) carbamate,
P- 19- 0159 A	5	12/06/20 19	СВІ	(G) As Catalyst in Industrial sector	(G) Titanium (4+) hydroxy-alkylcarboxylate salt complex
P- 19- 0159 A	6	12/13/20 19	СВІ	(G) As Catalyst in Industrial sector	(G) Titanium (4+) hydroxy-alkylcarboxylate salt complex
P- 19- 0174	3	02/11/20 19	International Lubricants Inc.	(G) Phosphorus antiwear compound	(G) Octadecanoic acid, (alkylphosphinyl), polyol ester
P- 20- 0009 A	3	02/11/20 19	Resinate Materials Group, Inc.	(S) Intermediate for use in the manufacture of polymers.	(G) Waste plastics, poly(ethylene terephthalate), depolymd. with polyol, polymers with alkanedioic acid and alkanoic acid
P- 20- 0011 A	4	12/02/20 19	CBI	(G) Light stabilizer	(G) Tetraoxaspiro[5.5]alkyl-3,9-diylbis(alkyl-2,1-diyl) bis(2-cyano-3-(3,4-dimethoxyphenyl)acrylate)
P- 20- 0012 A	5	12/12/20 19	СВІ	(G) Ink Additive	(G) Polyol, polymer with alkyl diisocyanate, alkyl substituted heterocycle blocked
P- 20- 0018	2	11/26/20 19	СВІ	(G) Component in candles	(G) Fatty acid dimers, polymers with glycerol and triglycerides
P- 20- 0019	2	19	СВІ	(G) Component in candles	(G) Fatty acid dimers, polymers with glycerol and triglycerides
P- 20- 0020	2	11/26/20 19	CBI	(G) Component in candles	(G) Fatty acid dimers, polymers with glycerol and triglycerides
P- 20- 0021	2	19	CBI	(G) Component in candles	(G) Fatty acid dimers, polymers with glycerol and fatty acids
P- 20- 0022	2	19	CBI	(G) Fuel additive for combustion improver	(G) Polyalkoxycarbopolycycle hydroxy
P- 20- 0024	3	19	CBI	(G) Dispersant polymer for coatings	(G) Phenol-formaldehyde polymer with amino- oxirane copolymer and nitrobenzoates
P- 20- 0026	2	02/20/20	GE Healthcare	(S) The new monomer is isolated and used for subsequent polymerization.	(G) N-alkyl heteromonocyclic diphenolamide
P- 20- 0029	2	12/18/20	KURARAY America, Inc.	(G) Oil soluble additive	(S) Octanal, 7(or 8)-formyl-
P- 20- 0030	1	12/16/20	CBI	(S) Plasticizer for Plastisols, and Plasticizer in caulks and sealants	(G) Hexanedioic acid, alkyl ester
P- 20- 0032	1	12/18/20 19	Engineered Bonded Structures and Composites	(S) Talathol PO3, the material for which this notice is filed, is intended to be used as a copolymer in the production of urethane foam or coating.	(G) Polyethylene terephthalate polyol
P- 20-	1	12/19/20 19	CBI	(G) Colorant	(G) Substituted aromatic, 3,3'-[[6-[(substituted alkyl amino)]-1,3,5-triazine-2,4-diyl]bis[imino[2-

0035					(substituted)-5-[substituted alkoxy]-4,1- phenylene]-2,1- diazenediyl]]bis[substituted, sodium salt]
P- 20- 0038	1	12/23/20 19	Nissan Chemical Houston Corporation	(S) PMN substance will be used as resist compound for semiconductor manufacture	(S) 1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3,5-tris[3-(2-oxiranyl)propyl]-
J-19- 0026 A	4	01/14/20 20	СВІ	(G) Production of biofuel	(G) Biofuel-producing modified microorganism(s), with chromosomally-borne modifications
J-19- 0027 A	4	01/14/20 20	СВІ	(G) Production of biofuel	(G) Biofuel-producing modified microorganism(s), with chromosomally-borne modifications
P- 16- 0425 A	4	01/14/20 20	СВІ	(G) a chemical reactant used in manufacturing a polymer	(G) amino-silane
	4	01/29/20 20	CBI	(G) Use as a polyol for polyurethane manufacture. Reaction of the new substance with a diisocyanate or polyisocyanate in a blend with other polyols will produce a higher MW polymer., (S) Used as a feedstock for hydrogenation to produce a saturated diol for use in urethane chemistry or as an additive in coatings, adhesives or sealants.	(S) 1,6,10-Dodecatriene, 7,11-dimethyl-3-methylene-, (6E)-, homopolymer, 2-hydroxypropyl-terminated
P- 17- 0118 A	4	01/29/20 20	СВІ	(G) Use as a polyol for polyurethane manufacture. Reaction of the new substance with a diisocyanate or polyisocyanate and other polyols will produce a higher MW polymer.,(S) Used as a feedstock for hydrogenation to produce a saturated diol for use in urethane chemistry or as an additive in coatings, adhesives or sealants.	(S) 1,6,10-Dodecatriene, 7,11-dimethyl-3-methylene-, (6E)-, homopolymer, 2-hydroxyethyl-terminated
P- 17- 0230 A	4	01/21/20 20	СВІ	(G) Additive, open, non-dispersive use	(G) Oxirane, 2-alkyl-, polymer with oxirane, mono[N-[3-(carboxyamino)-4(or 6)-alkylphenyl]carbamate], alkyl ether, ester with 2,2',2"-nitrilotris-[alkanol]
P- 17- 0235 A	6	12/19/20 19	СВІ	(G) Anti-agglomerate	(G) Amidoamino quaternary ammonium salt
	6	01/16/20 19	Miwon North America, Inc.	(S) Reactive diluent for optical film coating	(G) 2-Propenoic acid, mixed esters with heterocyclic dimethanol and heterocyclic methanol
	6	01/24/20 20	CBI	(G) Water treatment additive	(G) Alkyl tri dithiocarbmate tri salt
P- 18- 0007 A	3	02/20/20	Nexoleum USA Corp	(S) Used as a plasticizer/stabilizer for flexible PVC.	(S) Glycerides, soya mono- and di-, epoxidized, acetates
P- 18- 0007 A	4	12/17/20 19	Nexoleum USA Corp	(S) Used as a plasticizer/stabilizer for flexible PVC.	(S) Glycerides, soya mono- and di-, epoxidized, acetates
P- 18- 0008 A	3	02/20/20 19	Nexoleum USA Corp	(S) Used as a plasticizer/stabilizer for flexible PVC.	(S) Glycerides, C16-18 and C18-unsatd. mono- and di-, epoxidized, acetates
	4	12/17/20 19	Nexoleum USA Corp	(S) Used as a plasticizer/stabilizer for flexible PVC.	(S) Glycerides, C16-18 and C18-unsatd. mono- and di-, epoxidized, acetates
P- 18- 0012 A	6	12/19/20 19	СВІ	(G) Adhesives	(G) Polyester polyol
P- 18- 0031 A	7	01/09/20	СВІ	(G) Ingredient for industrial coating	(G) Substituted dicarboxylic acid, polymer with various alkanediols
P- 18- 0058 A	3	01/29/20 20	СВІ	(S) Component of electroconductive low-noise grease for long-term lubrication of capped or sealed ball bearings.	(S) Phosphonium, trihexyltetradecyl-, salt with 1,1,1-trifluoro-N-[(trifluoromethyl)sulfonyl]methanesulfonamide (1:1)

P- 18- 0063 A	3	01/16/20 19	Ethox Chemicals, LLC	(G) This material is used as a lubricant additive for applications such as stamping, forming, cutting, drilling, or otherwise working metals.	(G) alcohol alkoxylate phosphate
P- 18- 0067 A	4	01/12/20 20	CBI	(G) Adjuvant agent	(S) Fatty acids, C14-18 and C16-18-unsatd., polymers with adipic acid and triethanolamine, di-Me sulfate-quaternized
P- 18- 0070 A	10	02/20/20 19	Arrowstar, LLC	(G) Chemical intermediate for polyurethane industry	(G) Waste plastics, polyester, depolymd. with glycols, polymers with dicarboxylic acids
P- 18- 0093 A	4	12/19/20 19	СВІ	(G) Additive to plastics	(G) Pentacyclo[9.5.1.13,9.15,15.17,13]octasiloxane, 1,3,5,7,9,11,13,15-octakis (polyfluoroalkyl)-
P- 18- 0094 A	4	12/19/20 19	СВІ	(G) Additive to plastics	(G) Pentacyclo[9.5.1.13,9.15,15.17,13]octasiloxanealkyl substituted, 3,5,7,9,11,13,15-heptakis(polyfluoroalkyl)-
P- 18- 0095 A	4	12/19/20 19	СВІ	(G) Additive to plastics	(G) Pentacyclo[9.5.1.13,9.15,15.17,13]octasiloxanealkan ol, 3,5,7,9,11,13,15-heptakis(polyfluoroalkyl)-, acetate
P- 18- 0104 A	7	01/28/20 20	СВІ	(S) Halogen free flame retardant in thermoplastic polymers	(G) Acrylic acid, reaction products with pentaerythritol, polymerized
P- 18- 0108 A	2	01/20/20 20	СВІ	(G) Ionic salt of a polyamic acid for coatings, open, non-dispersive use	(G) Aromatic anhydride polymer with bisalkylbiphenylbisamine compound with alkylaminoalkyl acrylate ester
P- 18- 0151 A	7	12/17/20 19	Struers Inc.	(S) A curing agent for curing epoxy systems	(S) Formaldehyde, reaction products with 1,3- benzenedimethanamine and p-tert-butylphenol
P- 18- 0151 A	8	01/28/20 20	Struers Inc.	(S) A curing agent for curing epoxy systems	(S) Formaldehyde, reaction products with 1,3- benzenedimethanamine and p-tert-butylphenol
P- 18- 0173 A	3	01/13/20 20	СВІ	(S) Thickener for paint and coatings	(G) Poly (oxy1,2-alkydiyl) hydroxy polymer with cyanoato butylalcohol
P- 18- 0187 A	4	01/09/20 20	СВІ	(G) Emulsifier	(G) Carboxylic acid-polyamine condensate
	6	12/19/20 19	СВІ	(G) Anti-agglomerate	(G) Tri alkyl, mono alkoxy, fatty acid ester, ammonium salt
P- 18- 0307 A	3	01/16/20 19	СВІ	(G) Binder resin in coatings	(G) Alkyl Alkenoic acid, alkyl ester, telomer with alkyl alkenoate, substituted alkyl alkyl alkenoate, alkylthiol, substituted carbomonocycle, hydroxyalkyl alkyl alkenoate and alkyl alkyl alkenoate
P- 18- 0328 A	2	01/06/20	CBI	(G) Chemical intermediate for the manufacture of plasticizer	(G) Plant oil fatty acids, alkyl esters
P- 18- 0329	2	12/19/20 19	СВІ	(G) Component of lenses used in electronic applications	(G) Substituted carbopolycyclic dicarboxylic acid dialkyl ester, polymer with alkanediol and carbopolycyclic bis (substituted carbopolycycle) bisalkanol
A			II.	u.	(G) Polyaromatic symmetrical tetracarboxylic acid

P- 19- 0003 A	4	12/17/20 19	CBI	(S) Chemical Intermediate	(G) Polyaromatic ether symmetrical dicarboxylic anhydride
P- 19- 0004 A	4	12/17/20 19	СВІ	(G) molded parts and components	(G) Aromatic dianhydride, polymer with aromatic diamine and heteroatom bridged aromatic diamine, reaction products with aromatic anhydride
P- 19- 0048 A	4	12/18/20 19	CBI	(G) Coating additive	(S) Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono-C12-14-alkyl ethers, phosphates, sodium salts
P- 19- 0048 A	5	12/19/20 19	СВІ	(G) Coating additive	(S) Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono-C12-14-alkyl ethers, phosphates, sodium salts
P- 19- 0053 A	6	02/20/20	Wacker Chemical Corporation	(S) Used as a surface treatment, sealant, caulk, and coating for mineral building materials such as concrete, brick, limestone, and plaster, as well as on wood, metal and other substrates. Formulations containing the cross-linker provide release and anti-graffiti properties, water repellency, weather proofing, and improved bonding in adhesive/sealant applications. The new substance is a moisture curing cross-linking agent which binds/joins polymers together when cured. Ethanol is released during cure, and once the cure reaction is complete, the product will remain bound in the cured polymer matrix.	(S) 1-Butanamine, N-butyl-N- [(triethoxysilyl)methyl]-
P- 19- 0095 A	6	01/23/20 20	СВІ	(G) Consumer Disposables,(G) Polymer Sheet,(G) Durable Goods	(G) Poly hydroxy alkanoate
P- 19- 0103 A		01/06/20 20	СВІ	(G) Well performance monitor	(G) Halogenated benzoic acid, ethyl ester
P- 19- 0109 A	5	01/09/20 20	Arch Chemicals, Inc.	(S) Chemical is used as a component of a cleaning formulation to improve the wettability of the overall cleaning solution on the substrate	(S) Copper, [[2,2',2"- (nitrilokappa.N)tris[ethanolatokappa.O]](2-)]-;(S) Copper, bis[2- (aminokappa.N)ethanolatokappa.O]-;
P- 19- 0109 A	6	01/14/20 20	Arch Chemicals, Inc.	(S) Chemical is used as a component of a cleaning formulation to improve the wettability of the overall cleaning solution on the substrate	(S) Copper, [[2,2',2"- (nitrilokappa.N)tris[ethanolkappa.O]](2-)]-;(S) Copper, bis[2- (aminokappa.N)ethanolatokappa.O]-;
P- 19- 0109 A	7	01/23/20 20	Arch Chemicals, Inc.	(S) Chemical is used as a component of a cleaning formulation to improve the wettability of the overall cleaning solution on the substrate	(S) Copper, [[2,2',2"- (nitrilokappa.N)tris[ethanolatokappa.O]](2-)]-;(S) Copper, bis[2- (aminokappa.N)ethanolatokappa.O]-;
P- 19- 0143 A	5	12/23/20 19	Aditya Birla Chemicals (USA) LLC	(S) A crosslinking agent for use in epoxy resin for water-based coating for a variety of substrates and civil applications in commercial and consumer usages.	(G) Aldehyde, polymer with mixed alkanepolyamines, 2,2'-[1,4-alkanediylbis(oxyalkylene)] bis[oxirane], 2-(alkoxyalkyloxirane, 4,4'-(1-alkylidene)bis[phenol], 2,2'-[(1-alkylidene)bis(4,1-alkyleneoxyalkylene)]bis[oxirane] and 2-(aryloxyalkyl)oxirane, acetate (salt)
P- 19- 0144 A	5	12/23/20 19	Aditya Birla Chemicals (USA) LLC	(S) A crosslinking agent in epoxy based self-leveling floor coatings.	(G) Alkanedioic Acid, compds. With substituted arylalkylamine- arylalcohol disubstituted alkane-the diglycidyl ether of a arylalcohol disubstituted alkane-epichlorohydrin-aldehyde-2,2'-[(1-alkylidene)bis[4,1-aryleneoxy(alkyl-2,1-alkanediyl)oxyalkylene]]bis[oxirane]-alkanepolyamine polymer-1-[[2-[(2-aminoalkyl)amino]alkyl]amino]-3-aryloxy-2-alcohol reaction products
P- 19- 0155 A	5	12/17/20 19	Huntsman International LLC	(S) Adjuvant for agrochemical formulations	(S) Amides, from C8-18 and C18-unsatd. glycerides and diethylenetriamine, ethoxylated
P- 19- 0156 A	5	12/17/20 19	Huntsman International LLC	(S) Adjuvant for agrochemical formulations	(S) Amides, from diethylenetriamine and palm kernel-oil, ethoxylated
P- 19-	5	12/17/20 19	Huntsman International LLC	(S) Adjuvant in agrochemical formulations	(S) Amides, from coconut oil and diethylenetriamine, ethoxylated

4					
- 9- 158	6	01/06/20	Ashland Inc.	(G) Adhesive	(G) Alkenoic acid polymer with 2-ethyl-2- (hdroxymethyl)-1,3-alkyldiol, 1,1'-methylenebis(4- isocyantocarbomonocycle) and 3-methyl-1,5- aklydiol
- 9- 164	2	01/03/20	Allnex USA Inc.	(S) Site limited intermediate for coating resin manufacture.	(G) Bis-alkoxy substituted alkane, polymer with aminoalkanol
- 9- 166	2	01/30/20 20	Fujifilm Electronic Materials USA Inc.	(G) Photoacid generator (PAG)	(G) Triarylsulfonium alkylestersulfonate,
- 9- 168	5	12/19/20 19	CBI	(G) Well performance tracer	(G) Halogenated alkylbenzoic acid
- 9- 169	5	12/19/20 19	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
0- 010	3	01/07/20 20	CBI	(G) Polymerization auxiliary	(G) Carboxylic acid, reaction products with metal hydroxide, inorganic dioxide and metal
0- 015	4	01/13/20 20	GE Healthcare	(S) The polymer is used in the manufacture of hollow fiber products.	(G) Zwitterionic polysulfone polymer;(G) N-alkyl heteromonocyclic diphenolamide, polymer with Bisphenol A, haloaryl-substituted sulfone, compd. with cyclic sulfonate ester, polyaryl alcohol terminated
- 0- 025	2	12/17/20 19	Biosynthetic Technologies	(S) Motor oil lubricant, formulation #1 (prepared at a processor which is controlled by others),(S) Motor oil lubricant, formulation #2 (prepared at a processor which is controlled by others)	(S) Octadecanoic acid, 12-(acetoxy)-, 2-ethylhexyl ester
0- 025	3	01/07/20 20	Biosynthetic Technologies	(S) Motor oil lubricant, formulation #1 (prepared at a processor which is controlled by others),(S) Motor oil lubricant, formulation #2 (prepared at a processor which is controlled by others)	(S) Octadecanoic acid, 12-(acetoxy)-, 2-ethylhexyl ester
P- 20- 2026 A	3	01/13/20 20	GE Healthcare	(S) The new monomer is isolated and used for subsequent polymerization.	(G) N-alkyl heteromonocyclic diphenolamide
0- 0- 027	5	01/10/20	H.B. Fuller Company	(S) Industrial Adhesives	(G) Glycols, alpha, omega-, c2-6, polymers with adipic acid, dodecanedioic acid, hydracrylic acid polyester, isophthalic acid, 1,1'-methylenebis[4-isocyanatobenzene], neopentyl glycol and terephthalic acid
0- 028	5	01/10/20 20	H.B. Fuller Company	(S) Industrial Adhesives	(G) glycols, alpha, omega-, c2-6, polymers with adipic acid, aromatic polyester, dodecanedioic acid hydracrylic acid polyester, isophthalic acid, 1,1'-methylenebis[4-isocyanatobenzene], neopentyl glycol and terephthalic acid
0- 0- 029 A	3	01/14/20 20	Kuraray America, Inc.	(G) Oil soluble additive	(S) Octanal, 7(or 8)-formyl-
0- 031	3	01/06/20 20	СВІ	(G) Intermediate	(G) Perfluorinated substituted 1,3-oxathiolane dioxide
- 0- 032	2	01/15/20 20	Engineered Bonded Structures and Composites	(S) Talathol PO3, the material for which this notice is filed, is intended to be used as a copolymer in the production of urethane foam or coating. This is intended to replace lauan (also spelled luan) paneling which is used in manufacturing prefabricated buildings.	(G) Polyethylene terephthalate polyol
0- 00- 0032 A	3	01/24/20 20	Engineered Bonded Structures and Composites	(S) Talathol PO3, the material for which this notice is filed, is intended to be used as a copolymer in the production of urethane foam or coating. This is intended to replace lauan (also spelled luan) paneling which is used in manufacturing prefabricated buildings.	(G) Polyethylene terephthalate polyol
0- 0- 033	2	01/06/20 20	СВІ	(G) Intermediate	(G) Perfluorinated vinyl haloalkane sulfonate salt

P- 20- 0034	2	01/06/20	CBI	(G) Intermediate	(G) Perfluorinated vinyl haloalkane sulfonyl halide
P- 20- 0035 A	2	01/21/20 20	СВІ	(G) Colorant	(G) Substituted aromatic, 3,3'-[[6-[(substituted alkyl amino)]-1,3,5-triazine-2,4-diyl]bis[imino[2-(substituted)-5-[substituted alkoxy]-4,1-phenylene]-2,1- diazenediyl]]bis[substituted, sodium salt]
P- 20- 0039	2	01/12/20 20	Miwon North America, Inc.	(S) Resins for Industrial coating	(G) Hexanedioic acid, polymer with alkyl(substituted-alkyl)-alkanediol and 1,3-isobenzofurandione, 2-propenoate
P- 20- 0040	4	01/06/20 20	CBI	(G) Additive for use in inks, coatings, adhesives and sealants	(G) 2-Propenoic acid, cycloalkyl ester,
P- 20- 0041	2	01/07/02	Kuraray America, Inc.	(G) Chemical Intermediate for Coatings	(S) 1,3-Benzenedicarboxylic acid, polymer with 3-methyl-1,5-pentanediol
P- 20- 0042	2	01/08/20 20	СВІ	(G) Photoresist use at customer	(G) Sulfonium, trisaryl-, 7,7-dialkyl-2- heteropolycyclic -1-alkanesulfonate (1:1)
P- 20- 0042 A	3	01/14/20 20	СВІ	(G) Photoacid generator use at customer	(G) Sulfonium, trisaryl-, 7,7-dialkyl-2- heteropolycyclic -1-alkanesulfonate (1:1)
P- 20- 0044	1	01/23/20 20	Angus Chemical Company	(G) curing additive: automotive paint,(G) neutralization, stability and pigment dispersancy in industrial latex paints,(G) neutralization, solubilization and stability in commercial waterborne and solvent borne coatings and varnishes used for wood, metal, compositites and other substrates,(G) solubilizer for high acid value styrene acrylic polymers for use in ink applications,(G) additive for industrial polyurethane dispersions	(S) 1-Propanamine, 3-methoxy-N,N-dimethyl
P- 20- 0046	1	01/28/20 20	СВІ	(G) Catalyst	(G) Reaction products of alkyl-terminated alkylalumuminoxanes and {[(pentaalkylphenyl-(pentaalkylphenyl)amino)alkyl]alkanediaminato}bis(aralkyl) transition metal coordination compound
P- 20- 0051	1	01/14/20 20	СВІ	(S) Curing agent for Industrial epoxy coating systems	(S) 1,8-Octanediamine, 4-(aminomethyl)-, N-benzyl derivs.
SN- 17- 0011 A	3	01/16/20 19	СВІ	(G) Foam additive,(G) Specialty gas and transfer fluid	(G) Polyfluorohydrocarbon
P- 16- 0424 A	4	02/18/20 20	Sachem Inc	(G) Directing agent	(G) Tetraalkylpiperidinium hydroxide
P- 16- 0425 A	5	02/05/20 20	CBI	(G) a chemical reactant used in manufacturing a polymer	(G) amino-silane
P- 17- 0178 A	5	02/26/20 20	Shin-Etsu Microsi	(G) Microlithography for electronic device manufacturing	(G) Sulfonium, triphenyl-, salt with substituted-alkyl 4-substituted-benzoate
P- 17- 0355 A	7	02/05/20 20	СВІ	(G) Site intermediate	(G) Benzoic acid, 2-hydroxy-, -alkyl derivs.
P- 18- 0013 A	3	02/26/20 20	Shin-Etsu Microsi	(G) Microlithography for electronic device manufacturing	(G) Substituted-triphenylsulfonium, inner salt
P- 18- 0014 A	3	02/26/20 20	Shin-Etsu Microsi	(G) Microlithography for electronic device manufacturing	(G) Sulfonium, triphenyl-, salt with disubstituted- heterocyclic compound (1:1)
P- 18- 0037 A	2	02/26/20 20	Shin-Etsu Microsi	(G) Microlithography for electronic device manufacturing	(G) Sulfonium, triphenyl-, salt with 2,4,5-trisubstituted-benzenesulfonate (1:1)
	9	02/04/20 20	Struers Inc.	(S) A curing agent for curing epoxy systems	(S) Formaldehyde, reaction products with 1,3- benzenedimethanamine and p-tert-butylphenol

0151 A					
P- 18- 0154 A	8	02/19/20 20	СВІ	(G) Crosslinking agent for coatings	(G) Isocyanic acid, polyalkylenepolycycloalkylene ester, 2-alkoxy alkanol and 1-alkoxy alkanol and alkylene diol blocked
P- 18- 0211 A	2	02/17/20 20	Patcham USA LLC	(S) Wetting and dispersing agent for pigment formulations, paints, and coatings.	(G) Alkaneamine, (aminoalkyl)-, polymer with aziridine and 1,6-diisocyanatohexane, polyethylene glycol alkyl ether- and polyethylene-polypropylene glycol aminoalkyl alkyl ether- and alkenyl benzenated polyethylene glycol Ph ether
P- 18- 0273 A	5	02/05/20 20	СВІ	(G) Used in polymer manufacturing.	(S) 1,4-Cyclohexanedicarboxylic acid, 1,4-bis(2-ethylhexyl) ester
P- 18- 0283 A	6	02/21/20 20	СВІ	(G) Open, non-dispersive use	(G) Hydroxy alkanoic acid, compds. with aminoalkoxyalcohol-epoxy polymer-alkanolamine reaction products
P- 18- 0289 A	4	02/13/20 20	CBI	(G) Gas scrubbing,(G) landfill deoderizing,(G) wastewater deoderizing	(G) 2-(2(methylcaboxymonocyclic)amino)ethoxy)-alcohol
P- 18- 0290 A	4	02/13/20 20	СВІ	(G) wastewater deoderizing,(G) Gas scrubbing,(G) Landfill odor neutralizing	(G) Carbomonocylic-oxazolidine
P- 18- 0302 A	5	02/15/20 20	СВІ	(G) Chemical intermediate	(S) D-glucaric acid, ammonium salt (1:1)
P- 18- 0323 A	5	02/25/20 20	Kuraray America, Inc.	(G) Raw material for polymer manufacturing	(S) 2-Propenoic acid, 2-methyl-, 3-methyl-3-buten- 1-yl ester
P- 18- 0323 A	6	02/28/20 20	Kuraray America, Inc.	(G) Raw material for polymer manufacturing	(S) 2-Propenoic acid, 2-methyl-, 3-methyl-3-buten- 1-yl ester
P- 18- 0326 A	6	02/24/20 20	CBI	(G) Chemical Intermediate	(G) Alkanoic acid, alkyl ester, manuf. of, byproducts from, distn. residues
P- 18- 0379 A	2	02/11/20 20	СВІ	(G) Hardener for waterborne epoxy system	(G) Cashew nutshell liquid polymer with Epichlorohydrin, formaldehyde, phenol, amines and glycol.,
P- 18- 0387 A	2	02/06/20 20	СВІ	(G) Plastic Additive	(G) Alkanal, reaction products with alkanediyl bis[alkyl-tris(alkyl-heterocycle)-1,3,5-triazine-2,4,6-triamine and hydrogen peroxide
P- 18- 0388 A	2	02/06/20 20	СВІ	(G) Plastic additive	(G) 1,3,5-triazine-2,4,6-triamine, alkanediyl bis[alkyl-tris(alkyl-heterocycle)-, allyl derivs., oxidized, hydrogenated
P- 19- 0053 A	7	02/28/20 20	Wacker Chemical Corporation	(S) Used as a surface treatment, sealant, caulk, and coating for mineral building materials such as concrete, brick, limestone, and plaster, as well as on wood, metal and other substrates.	(S) 1-Butanamine, N-butyl-N- [(triethoxysilyl)methyl]-
P- 19- 0064 A	6	02/21/20 20	The Sherwin Williams Company	(G) Polymeric film former for coatings	(G) 4,4'-methylenebis[2,6-dimethyl phenol] polymer with 2-(chloromethyl)oxirane, 1,4-benzyl diol, 2-methyl-2-propenoic acid, butyl 2-methyl 2-propenoate, ethyl 2-methyl 2-propenoate, reaction products with 2-(dimethylamino) ethanol
P- 19- 0077 A	10	02/19/20 20	CBI	(G) agricultural	(G) alkenylamide
P- 19- 0085 A	3	02/18/20 20	Neste oil US, Inc.	(G) The PMN substance will be used as a functional fluid in electrical equipment.	(G) Aliphatic hydrocarbons, C16-18-branched and linear

-		0.000	l on r		
P- 19- 0088 A	4	02/26/20 20	CBI	(G) Feedstock for amine recovery	(S) Ethanamine, N-ethyl-, 2-hydroxy-1,2,3- propanetricarboxylate (1:?)
P- 19- 0109 A	8	02/20/20 20	Arch Chemicals, Inc.	(G) The chemical is used as a component of a cleaning formulation to improve the wettability of the overall cleaning solution on the substrate	(S) Copper, [[2,2',2"-(nitrilokappa.N)tris[ethanolatokappa.O]](2-)]- (S) Copper, bis[2-
A					(3) Copper, 01s[2- (aminokappa.N)ethanolatokappa.O]-;
P- 19- 0170 A	2	02/06/20 20	СВІ	(S) Coupling agent in elastomer-based formulations that will be used in molding operations to manufacture different types of rubber articles including but not limited to rubber tires.	(G) Heteroatom-substituted alkyl triethoxysilane, reaction products with methylated formaldehydemelamine polymer
P- 20- 0008 A	2	02/13/20 20	Archroma U.S., Inc	(S) Dye for use with paper, paper products, and nonwoven products produced from paper.	(G) 7-Heteropolycyclicsulfonic acid, 2-[4-[2-[1-[[(2-methoxy-5-methyl-4- sulfophenyl)amino]carbonyl]-2- oxopropyl]diazenyl]phenyl]-6-methyl-, compd. with (alkylamino)alkanol and (hydroxyalkyl)amine
P- 20- 0010 A	4	02/21/20 20	СВІ	(G) Polymerization auxiliary	(G) Carboxylic acid, reaction products with metal hydroxide, inorganic dioxide and metal
	6	02/07/20 20	СВІ	(G) Ink Additive	(G) Polyol, polymer with alkyl diisocyanate, alkyl substituted heterocycle blocked
P- 20- 0013 A	2	02/17/20 20	Arkema Inc.	(G) UV curable inks	(S) 2-Propenoic acid, 2-methyl-, (2-oxo-1,3-dioxolan-4-yl)methyl ester
P- 20- 0015 A	5	02/05/20 20	GE Healthcare	(S) The polymer is used in the manufacture of hollow fiber products.	(G) N-alkyl heteromonocyclic diphenolamide, polymer with Bisphenol A, haloaryl-substituted sulfone, compd. with cyclic sulfonate ester, polyaryl alcohol terminated
P- 20- 0024 A	4	02/21/20 20	СВІ	(G) Dispersant polymer for coatings	(G) Phenol-formaldehyde polymer with amino- oxirane copolymer and nitrobenzoates
P- 20- 0026 A	4	02/04/20 20	GE Healthcare	(S) The new monomer is isolated and used for subsequent polymerization.	(G) N-alkyl heteromonocyclic diphenolamide
P- 20- 0026 A	5	02/05/20 20	GE Healthcare	(S) The new monomer is isolated and used for subsequent polymerization.	(G) N-alkyl heteromonocyclic diphenolamide
P- 20- 0026 A	6	02/06/20 20	GE Healthcare	(S) The new monomer is isolated and used for subsequent polymerization.	(G) N-alkyl heteromonocyclic diphenolamide
P- 20- 0036	2	02/06/20 20	Sigma-Aldrich Co LLC	(G) Used in the manufacture of Lithium-6 Chloride.	(S) Carbonic acid, di(lithium-6Li) salt
P- 20- 0037	3	02/12/20 20	Sigma-Aldrich Co LLC	(G) The material is used in manufacturing devices for gamma and neutron radiation detection.	(S) Lithium Chloride (6LiCl)
P- 20- 0043	4	02/23/20 20	Saproterra	(S) Soil and Plant amendment	(S) Acetic acid, 2-[[3-(4-pyridinyl)-1H-1,2,4-triazol-5-yl]thio]-, compd. with 2-aminoethanol (1:1)
P- 20- 0044 A	2	02/21/20 20	Angus Chemical Company	(G) curing additive: automotive paint, (G) neutralization, stability and pigment dispersancy in industrial latex paints, (G) neutralization, solubilization and stability in commercial waterborne and solvent borne coatings and varnishes used for wood, metal, compositites and other substrates, (G) solubilizer for high acid value styrene acrylic polymers for use in ink applications, (G) additive for industrial polyurethane dispersions (G) Raw material in ceramic tiles production	(S) 1-Propanamine, 3-methoxy-N,N-dimethyl
					(S) Iron oxide (Fe2O3), mixed with silica, calcined

P- 20- 0050	2	02/05/20 20	СВІ	(G) Additive in consumer products	(S) Benzenepentanol, alpha, gamma-dimethyl-
P- 20- 0050 A	3	02/20/20 20	CBI	(G) Additive in consumer products	(S) Benzenepentanol, alpha, gamma-dimethyl-
P- 20- 0051 A	2	02/07/20 20	СВІ	(S) Curing agent for Industrial epoxy coating systems	(S) 1,8-Octanediamine, 4-(aminomethyl)-, N-benzyl derivs.
20- 2052	1	02/05/20 20	Evonik Corporation	(S) Liquid shrinkage reducing admixture for concrete	(S) Oxirane, 2-methyl-, polymer with oxirane, mono(3,5,5-trimethylhexanoate)
20- 2054	1	02/07/20 20	CBI	(G) Catalyst is used in a closed process.	(S) Nitrile hydratase
P- 20- 0056	2	02/12/20 20	СВІ	(G) Pigment dispersant	(G) Polyphosphoric acids, 2-[(alkyl-1-oxo-alkene-1-yl)oxy]alkyl esters, polymers with acrylic acid, alky acrylate, alkyl methacrylate, hydroxyalkyl methacrylate and carbomonocycle, 2,2'-(1,2-diazenediyl)bis[2,4-dialkylalkanenitrogensubstituted]-initiated
P- 20- 0057	1	02/11/20 20	Nusil Technology LLC	(G) Silane coupling agent used in silicone formulations.	(G) Arene, trimethoxysilyl-, hydrolyzed
P- 20- 0058	2	02/19/20 20	СВІ	(G) Additive for automatic dishwashing,(G) Additive for hard surface cleaner	(G) Polysaccharide, polymer with unsaturated carboxylic acid and methacryloxyethyltrimethyl ammonium chloride, sodium salt, acid salt initiated
P- 20- 0059	3	02/28/20 20	СВІ	(S) Colorant for thermoplastic resins	(G) Propanedinitrile, 2-[[4-[ethyl[2-[4-(substitute methyl butyl)phenoxy]ethyl]amino]-2-methylphenyl]methylene]
SN- 20- 0001	1	20	СВІ	(G) Carrier Fluids,(G) Precision and General Cleaning,(G) Aerosol solvent	(S) 2-Butene, 1,1,1,4,4,4-hexafluoro-, (2Z)-
P- 17- 0110 A	4	03/12/20 20	DIC International (USA) LLC	(G) Masking Photopolymer	(G) Phenol formaldehyde glycidyl ether acrylate cycloalkene ester
P- 17- 0233 A	4	03/09/20 20	CBI	(S) Creping Aid for Yankee Dryers to manufacture tissue and towel paper	(G) Oxyalkylene modified polyalkyl amine alkyl diacid polymer with 2-(chloromethyl)oxirane
P- 17- 0414 A	6	03/05/20 20	CBI	(G) Monitor well performance	(G) halogenated benzoic acid
P- 18- 0059 A	2	03/10/20 20	Eastman Chemical Company, Inc	(S) Chemical intermediate	(S)Butanoic acid, 4-(dimethylamino)-, ethyl ester
P- 18- 0060 A	5	03/10/20 20	Eastman Chemical Company, Inc	(S) Surfactant for Liquid Dish, Liquid Laundry, and Industrial Hand Wash; Export only volume of the TSCA manufactured NCS; and FDA related uses.	(S) 1-Butanaminium, 4-amino-N-(2-hydroxy-3-sulfopropyl)-N, N-dimethyl-4-oxo-, N-coco alkyl derivs., inner salts
P- 18- 0069 A	3	03/09/20 20	Sasol Chemicals (USA) LLC	(G) Polymer performance additive	(G) Surface modified boehmite
P- 18- 0143 A	7	03/03/20 20	Huntsman International LLC	(G) Anti-corrosive primer for outdoor industrial applications.	(G) Fatty acids, tall-oil polymers with aminoalkyl, dialkyl alkane diamine, polyalkylene polyamine alkanepolyamine fraction, and tris-[(alkylamino) alkyl] phenol
P- 18-	6	03/03/20 20	СВІ	(G) Anti-corrosive primer for outdoor industrial applications.	(G)Formaldehyde, polymer with an alkane diamine and phenol
0144 A					II

P- 18- 0152 A	7	03/06/20	CBI	(G) Intermediate for use in manufacturing	(G) Hydrolyzed Functionalized Di-amino Silanol Polymer
P- 18- 0152 A	8	03/11/20 20	СВІ	(G) Intermediate for use in manufacturing	(G) Hydrolyzed Functionalized Di-amino Silanol Polymer
P- 18- 0237 A	9	02/28/20	СВІ	(G) Use in print resins	(G) Alkanediol, polymer with 5-isocyanato-1- (isocyanatomethyl)-1,3,3-trimethylcyclohexane, alkylaminoalkyl methacrylate-, and dialkylheteromonocycle-blocked
P- 18- 0292 A	6	02/28/20 20	СВІ	(G) Use in print resins	(G) alkanediol, polymer with 5-isocyanato-1- (isocyanatomethyl)-1,3,3-trimethylcyclohexane, alkylaminoalkyl methacrylate-blocked
P- 18- 0323 A	7	03/02/20 20	Kuraray America, Inc.	(G) Raw material for polymer manufacturing	(S) 2-Propenoic acid, 2-methyl-, 3-methyl-3-buten- 1-yl ester
P- 18- 0326 A	7	03/04/20 20	СВІ	(G) Chemical Intermediate	(G) Alkanoic acid, alkyl ester, manuf. of, byproducts from, distn. residues
P- 18- 0330 A	2	03/04/20 20	СВІ	(G) Initiator	(G) Formaldehyde, polymer with alkyl aryl ketone
P- 18- 0376 A	4	03/11/20 20	Sumitomo Chemical Advanced Technologies LLC	(S) Substance used to improve physical properties in rubber products.	(G) Thiosulfuric acid, aminoalkyl ester
P- 18- 0405 A	4	03/05/20	СВІ	(G) Adhesive	(S) Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 3,6,9,12-tetraoxatetradeca-1,13-diene, glycidyl ether
P- 19- 0036 A	3	03/11/20 20	Ethox Chemicals, LLC	(S) As an additive to polymers for improvement in gas barrier performance.	(S) 1,4-Benzenedicarboxylic acid, 1,4-bis(2-phenoxyethyl) ester
P- 19- 0036 A	4	03/16/20 20	Ethox Chemicals, LLC	(S) As an additive to polymers for improvement in gas barrier performance.	(S)1,4-Benzenedicarboxylic acid, 1,4-bis(2-phenoxyethyl) ester
P- 19- 0077 A	11	03/13/20 20	СВІ	(G) Agricultural	(G) Alkenylamide
P- 19- 0116	4	03/24/20 20	СВІ	(S) Silk protein for production of fiber, and Skincare use as additive in dermal moisturizing lotions	(G) sr-(Wasp Spider Polypeptide-1 Oligopeptide-178)
P- 19- 0138 A	3	03/13/20 20	СВІ	(G) Intermediate	(G) Perfluorodioxaalkanoyl fluoride
P- 19- 0139 A	2	03/13/20 20	СВІ	(G) Intermediate	(G) Perfluoro-2-methyl-trioxaalkanoyl fluoride
P- 19- 0140 A	3	03/13/20 20	СВІ	(G) Intermediate	(G) Perfluorodioxaalkyl vinyl ether
P- 19- 0160 A	2	03/04/20	СВІ	(S) Component of a UV curable printing ink	(G) Alkanesulfonic acid, 2-[(2-aminoethyl)heteroatom-substituted]-, sodium salt (1:1), polymer with alpha-[2,2-bis(hydroxymethyl)butyl]-omega-methoxypoly(oxy-1,2-ethanediyl) and 1,1'-methylenebis[4-isocyanatocyclohexane], acrylic acid-dipenthaerythritol reaction products- and polypropylene glycol ether with pentaerythritol (4:1) triacrylate-blocked

P- 19- 0161 A	2	03/12/20 20	СВІ	(S) Organic amine salt mixture used as a foaming agent in the production of urethanes.	(G) Alkano1 amine salt mixture
	4	03/11/20 20	International Lubricants Inc.	(G) Phosphorus antiwear compound	(G) Octadecanoic acid, (alkylphosphinyl), polyol ester
P- 20- 0005 A	4	03/05/20 20	RMC Advanced Technologies Inc.	(G) Additive for plastics and resins.	(G) modified graphene
P- 20- 0010 A	5	03/10/20 20	CBI	(G) Polymerization auxiliary	(G) Carboxylic acid, reaction products with metal hydroxide, inorganic dioxide and metal
P- 20- 0011 A	5	03/04/20 20	CBI	(G) Light stabilizer	(G) Tetraoxaspiro[5.5]alkyl-3,9-diylbis(alkyl-2,1-diyl) bis(2-cyano-3-(3,4-dimethoxyphenyl)acrylate)
P- 20- 0022 A	3	03/05/20	CBI	(G) Fuel additive for combustion improver	(G) Polyalkoxycarbopolycycle hydroxy
P- 20- 0030 A	2	03/13/20 20	СВІ	(S) Plasticizer for plastisols, and in caulks and sealants	(G) Hexanedioic acid, alkyl ester
P- 20- 0051 A	3	03/11/20 20	СВІ	(S) Curing agent for Industrial epoxy coating systems	(S) 1,8-Octanediamine, 4-(aminomethyl)-, N-benzyl derivs.
P- 20- 0061	1	03/03/20 20	Allnex USA Inc.	(S) Coating resin crosslinking agent.	(G) Formaldehyde, polymer with alkylphenols, alkylether
P- 20- 0062	1	03/05/20	Inabata America Corporation	(S) Use as an electrically conductive material, as an additive in field emission applications, as an additive in batteries, energy storage, and electrode applications, as an additive to improve physical or mechanical properties, as an additive for weight reduction, and as a heat generation material.	(S) Multi-walled carbon nanotubes; closed; 4.4 - 12.8 nm diameter; bundle length 10.6 - 211.1 um; Grade: Jenotube 6 (Substance-1)
P- 20- 0063	1	03/05/20	Inabata America Corporation	(S) Use as an electrically conductive material, as an additive in field emission applications, as an additive in batteries, energy storage, and electrode applications, as an additive to improve physical or mechanical properties, as an additive for weight reduction, as a heat generation material, and as a heat dissipation material.	(S) Multi-walled carbon nanotubes; closed; 5.1 - 11.6 nm diameter; bundle length 1.9 - 552.0 um; Grade: Jenotube 8 (Substance-2)
P- 20- 0064	1	03/05/20	Inabata America Corporation	(S) Use as an electrically conductive material, as an additive in field emission applications, as an additive in batteries, energy storage, and electrode applications, as an additive to improve physical or mechanical properties, as an additive for weight reduction, as a heat generation material, and as a heat dissipation material	(S) Multi-walled carbon nanotubes; closed; 7.9 - 14.2 nm diameter; bundle length 9.4 - 106.4 um; Grade: Jenotube 10 (Substance-3)
P- 20- 0065	1	03/05/20	Inabata America Corporation	(S) Use as an electrically conductive material, as an additive in field emission applications, as an additive in batteries, energy storage, and electrode applications, as an additive to improve physical or mechanical properties, as an additive for weight reduction, as a heat generation material, and as a heat dissipation material.	(S) Multi-walled carbon nanotubes; closed; 17.0 - 34.7 nm diameters; globular shape; Grade: Jenotube 20 (Substance-4)
P- 20- 0066	1	03/09/20	CBI	(G) Antiwear additive for lubricants	(G) 2-Propenoic acid, 2-hydroxyethyl ester, reaction products with dialkyl hydrogen heterosubstituted phosphate and dimethyl phosphonate
P- 20- 0067	1	03/11/20 20	Shepherd Chemical	(G) Catalyst and Additive	(S) Neodecanoic acid, zinc salt, basic
P- 20- 0068	1	03/11/20 20	СВІ	(G) Perfume	(S) 1,3-Propanediol, 2,2-dimethyl-, 1,3-diacetate
P- 20- 0069	2	03/21/20 20	СВІ	(G) Surface-active chemical	(G) 2-Propenoic acid, 2-methyl-, polymer with 2-hydroxyethyl 2-methyl-2-propenoate phosphate and 2-propenoic acid salt, peroxydisulfuric acid ([(HO)S(O)2]2O2) sodium salt (1:2)- and sodium (disulfite) (2:1)-initiated

P- 20- 0070	1	03/16/20 20	Clariant Corporation	(S) Solvent for use in formulated pesticide products, and in agrochemical adjuvant formulations.	(S) Nonanamide, N,N-dimethyl-
P- 20- 0072	1	03/18/20 20	СВІ	(G) Additive used to impart specific physicochemical properties to finished articles	(G) Multi-walled carbon nanotubes
P- 20- 0074	1	03/23/20 20	Clariant Corporation	(S) Surfactant for use in the formulation of pesticide products.	(S) Oxirane, 2-methyl-, polymer with oxirane, monoundecyl ether, branched and linear
P- 20- 0075	1	03/24/20 20	СВІ	(G) Pigment dispersant	(G) Phenol, 4,4'-(1-alkylalkylidene)bis-, polymer with 2-(2-aminoalkoxy)alcohol,2- (chloroalkyl)oxirane, N1,N1-dialkyl-1,3- alkanediamine and .alpha-hydroomega hydroxypoly[oxy(alkyl-1,2-alkanediyl)], branched 4-alkylphenyl ethers,acetates (salts)
P- 20- 0076	1	03/25/20 20	Cytec Industries Inc.	(G) Mining chemical	(S) Glycine, reaction products with sodium O-iso-Pr carbonodithioate, sodium salts
SN- 19- 0006 A	3	03/05/20 20	CBI	(G) Component for 3D Printing formulations	(S) 2-Propen-1-one, 1-(4-morpholinyl)-
P- 16- 0206 A	3	04/21/20 20	Evonik Corporation	(S) Pigment Dispersing additive for pigment dispersions for industrial coatings	(G) Formaldehyde ketone condensate polymer
P- 16- 0509 A	12	04/24/20 20	СВІ	(G) For packaging application	(G) Modified ethylene-vinyl alcohol copolymer
P- 17- 0086 A	7	03/20/20 20	СВІ	(G) Fragrance Chemical	(G) Cycloalkyl, bis(ethoxyalkyl)-, trans- Cycloalkyl, bis(ethoxyalkyl)-, cis-
P- 17- 0294 A	2	04/22/20 20	СВІ	(S) The PMN substance will be used as an organic peroxide polymerization initiator for unsaturated acrylic, unsaturated polyester and vinyl ester resins.	(S) 2-butanone, 3-methyl-, peroxide
P- 17- 0333 A	7	04/20/20 20	Miwon North America, Inc.	(S) Reactive diluent for optical film coating	(G) 2-Propenoic acid, mixed esters with heterocyclic dimethanol and heterocyclic methanol
P- 17- 0389 A	7	04/28/20 20	СВІ	(G) Polymer precursor	(G) Alkyl oil, polymer with 1,4- cyclohexanedimethanol, dehydrated Alkyl oil, hydrogenated rosin, phthalic anhydride and trimethylolpropane
P- 18- 0019 A	4	03/26/20 20	Cabot Corporation	(S) Dispersive pigment	(G) Substituted Benzene, 4-[2-[2-hydroxy-3-[[(3-nitrophenyl)amino]carbonyl]-1-naphthalenyl]diazenyl]-, sodium salt (1:1)
P- 18- 0056 A	9	04/17/20 20	СВІ	(S) Rubber Adhesion promoter. Use in the manufacturing process of tires.	(S) Cobalt Neodecanoate Propionate complexes
P- 18- 0098 A	2	04/02/20 20	Allnex USA Inc.	(S) Dispersing additive for pigments	(G) Polyphosphoric acids, polymers with (alkoxyalkoxy)alkanol and substituted heteromonocycle
P- 18- 0104 A	8	03/18/20 20	СВІ	(S) Halogen free flame retardant in thermoplastic polymers	(G) Acrylic acid, reaction products with pentaerythritol, polymerized
P- 18- 0150 A	5	03/24/20 20	СВІ	(G) Component of an industrial coating	(G) Tertiary amine, compounds with amino sulfonic acid blocked aliphatic isocyanate homopolymer
P- 18- 0154 A	9	04/23/20	CBI	(G) Crosslinking agent for coatings	(G) IIsocyanic acid, polyalkylenepolycycloalkylene ester, 2-alkoxy alkanol and 1-alkoxy alkanol and alkylene diol blocked,
P- 18-	4	04/14/20 20	СВІ	(G) Copolyamide for Packaging Films, Molding Parts, and Monofilament	(G) Dioic acids, polymers with caprolactam and alkyldiamines,

0258 A					
P- 18- 0259 A	4	04/14/20 20	СВІ	(G) Copolyamide for Packaging Films, Molding Parts, and Monofilament	(G) Fatty acids, dimers, hydrogenated, polymers with caprolactam and alkyl diamine
P- 18- 0262 A	7	04/24/20 20	Seppic	(S) Function: Stabilizer of suspensions Applications: Detergency	(S) 2-Propenoic acid, 2-methyl-, dodecyl ester, polymer with ammonium 2-methyl-2-[(1-oxo-2-propen-1-yl)amino]-1-propanesulfonate (1:1), N,N-dimethyl-2-propenamide and .alpha(2-methyl-1-oxo-2-propen-1-yl)omega(dodecyloxy)poly(oxy-1,2-ethanediyl)
P- 18- 0270 A	5	04/27/20 20	Specialty Elements, LLC	(S) Active co-solvent for solvent-based coatings, coalescent for industrial water-based coatings, coupling agent and solvent in industrial cleaners, rust removers, hard surface cleaners, and disinfectants, primary solvent-based silk screen printing, coupling agent for resins and dyes in water-based printing inks, and co-solvent for agricultural pesticides.	(G) Ethanol, 2-butoxy-, 1,1'-ester
P- 18- 0271 A	5	04/27/20 20	Specialty Elements, LLC	(S) Active co-solvent for solvent-based coatings, coalescent for industrial water-based coatings, coupling agent and solvent in industrial cleaners, rust removers, hard surface cleaners, and disinfectants, primary solvent-based silk screen printing, coupling agent for resins and dyes in water-based printing inks, and co-solvent for agricultural pesticides.	(G) 2-Propanol, 1-butoxy-, 2,2'-ester
P- 18- 0326 A	8	04/27/20 20	СВІ	(G) Chemical Intermediate	(G) Alkanoic acid, alkyl ester, manuf. of, byproducts from, distn. residues
P- 18- 0327 A	6	04/20/20 20	СВІ	(G) Filler for non-dispersive resins.	(G) Mixed Metal Oxide
P- 18- 0329 A	3	03/20/20 20	СВІ	(G) Component of lenses used in electronic applications	(G) Substituted carbopolycyclic dicarboxylic acid dialkyl ester, polymer with alkanediol and carbopolycyclic bis (substituted carbopolycycle) bisalkanol
P- 18- 0376 A	5	03/30/20 20	Sumitomo Chemical Advanced Technologies LLC	(S) Substance used to improve physical properties in rubber products.	(G) Thiosulfuric acid, aminoalkyl ester
P- 18- 0380 A	6	04/07/20	CBI	(G) Automotive brake parts (contained use)	(G) Butanoic acid ethyl amine
P- 18- 0381 A	3	03/30/20 20	The Shepherd Color company	(G) For use in exterior paints and plastics	(S) Indium manganese yttrium oxide
P- 18- 0382 A	2	04/08/20	СВІ	(G) Dye for printing ink	(G) Xanthylium, bis[dicarboxycyclic]sulfonylamino- alkylcyclicamino-disulfo-sulfocyclic-, inner salt, monocationic salt
P- 19- 0019 A	4	04/17/20 20	СВІ	(G) Intermediate	(G) Haloalkane
P- 19- 0048 A	6	03/18/20 20	СВІ	(G) Coating additive	(S) Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono-C12-14-alkyl ethers, phosphates, sodium salts
P- 19- 0053 A	8	03/23/20 20	Wacker Chemical Corporation	(S) Used as a surface treatment, sealant, caulk, and coating for mineral building materials such as concrete, brick, limestone, and plaster, as well as on wood, metal and other substrates.	(S) 1-Butanamine, N-butyl-N- [(triethoxysilyl)methyl]-
P- 19- 0077 A	12	03/31/20 20	СВІ	(G) agricultural	(G) alkenylamide
P- 19- 0088 A	5	04/13/20 20	СВІ	(G) Feedstock for amine recovery	(S) Ethanamine, N-ethyl-, 2-hydroxy-1,2,3- propanetricarboxylate (1:?)

P- 19- 0109 A	9	04/07/20 20	Arch Chemicals, Inc.	(G) The chemical is used as a component of a cleaning formulation to improve the wettability of the overall cleaning solution on the substrate	(S) Copper, bis[2- (aminokappa.N)ethanolatokappa.O]-;
P- 19- 0122 A	2	03/31/20 20	CBI	(G) Reactant monomer in a polymer for industrial use	(G) 2-propenoic acid, 2-(hydrogenated animal-based nitrogen-substituted) ethyl ester
P- 19- 0134 A	6	04/02/20	Conklin Co., Inc.	(S) Binder for moisture cure coatings	(G) [5-isocyanato-1-(isocyanatomethyl)-1,3,3-trimethylcyclohexane], [Poly[oxy(methyl-1,2-ethanediyl)], .alphahydroomegahydroxy-, polymer with 1,6-diisocyanatohexane], polymer with [Poly(oxy-1,4-butanediyl), .alphahydroomegahydroxy-], [Cyclic amine - ketone adduct, reduced], and [1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-]
P- 19- 0134 A	7	04/15/20	СВІ	(S) Binder for moisture cure coatings	(G) [5-isocyanato-1-(isocyanatomethyl)-1,3,3-trimethylcyclohexane], [Poly[oxy(methyl-1,2-ethanediyl)], .alphahydroomegahydroxy-, polymer with 1,6-diisocyanatohexane], polymer with [Poly(oxy-1,4-butanediyl), .alphahydroomegahydroxy-], [Cyclic amine - ketone adduct, reduced], and [1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-]
P- 19- 0145 A	7	03/30/20 20	ARC Products, INC	(S) Oil Field Drilling Fluid Additive,Oil Field Petroleum Production Fluid Additive, and Oilfield Fracturing Fluid Additive	(G) Polyazaalkane with oxirane and methyloxirane, haloalkane
P- 19- 0153	5	03/18/20 20	Wego Chemical Group	(S) Raw material in Flame Retardant product	(G) Dibromoalkyl ether Tetrabromobisphenol A
A P- 19- 0174 A	5	03/18/20 20	International Lubricants Inc.	(G) Phosphorus antiwear compound	(G) Octadecanoic acid, (alkylphosphinyl), polyol ester
P- 19- 0189 A	2	03/24/20 20	СВІ	(S) Reactive polymer for use in adhesives and sealants.	(G) Fatty acids, polymers with alkanediol and 1,1'-methylenebis[4-isocyanatobenzene]
P- 20- 0010 A	6	03/20/20	CBI	(G) Polymerization auxiliary	(G) Carboxylic acid, reaction products with metal hydroxide, inorganic dioxide and metal
P- 20- 0011 A	6	04/22/20	СВІ	(G) Light stabilizer	(G) Tetraoxaspiro[5.5]alkyl-3,9-diylbis(alkyl-2,1-diyl) bis(2-cyano-3-(3,4-dimethoxyphenyl)acrylate)
	6	04/03/20 20	H.B. Fuller Company	(S) Industrial Adhesives	(G) Glycols, alpha, omega-, C2-6, polymers with adipic acid, dodecanedioic acid, hydracrylic acid polyester, isophthalic acid, 1,1'-methylenebis[4-isocyanatobenzene], neopentyl glycol and terephthalic acid
P- 20- 0028 A	6	04/03/20	H.B. Fuller Company	(S) Industrial Adhesives	(G) Glycols, alpha, omega-, C2-6, polymers with adipic acid, aromatic polyester, dodecanedioic acid, hydracrylic acid polyester, isophthalic acid, 1,1'-methylenebis[4-isocyanatobenzene], neopentyl glycol and terephthalic acid
P- 20- 0029 A	4	03/20/20 20	Kuraray America, Inc.	(G) Oil soluble additive	(S) Octanal, 7(or 8)-formyl-
P- 20- 0032 A	4	03/26/20	Engineered Bonded Structures and Composites	(S) Talathol PO3, the material for which this notice is filed, is intended to be used as a copolymer in the production of urethane foam or coating.	(G) Polyethylene terephthalate polyol
P- 20- 0039 A	3	04/16/20 20	Miwon North America, Inc.	(S) Resins for Industrial coating	(G) Hexanedioic acid, polymer with alkyl(substituted-alkyl)-alkanediol and 1,3-isobenzofurandione, 2-propenoate
P- 20- 0041	3	03/25/20 20	Kuraray America, Inc.	(G) Chemical Intermediate for Coatings	(S) 1,3-Benzenedicarboxylic acid, polymer with 3-methyl-1,5-pentanediol

P- 20- 0046 A	2	04/09/20 20	СВІ	(G) Catalyst	(G) Reaction products of alkyl-terminated alkylalumuminoxanes and {[(pentaalkylphenyl-(pentaalkylphenyl)amino)alkyl]alkanediaminato}bis(aralkyl) transition metal coordination compound
P- 20- 0046 A	3	04/27/20 20	СВІ	(G) Catalyst	(G) Reaction products of alkyl-terminated alkylalumuminoxanes and {[(pentaalkylphenyl-(pentaalkylphenyl)amino)alkyl]alkanediaminato}bis(aralkyl) transition metal coordination compound
P- 20- 0048	2	04/09/20 20	СВІ	(G) Catalyst	(G) Reaction products of alkyl-terminated alkylaluminoxanes and dihalogeno(alkylcyclopentadienyl) (tetraalkylcyclopentadienyl)transition metal coordination compound
P- 20- 0048 A	3	04/27/20 20	СВІ	(G) Catalyst	(G) Reaction products of alkyl-terminated alkylaluminoxanes and dihalogeno(alkylcyclopentadienyl) (tetraalkylcyclopentadienyl)transition metal coordination compound
P- 20- 0049	2	04/09/20 20	CBI	(G) Catalyst	(G) Reaction products of alkyl-aluminoxanes and bis(alkylcyclodialkylene)dihalogenozirconium
P- 20- 0049 A	3	04/27/20 20	CBI	(G) Catalyst	(G) Reaction products of alkyl-aluminoxanes and bis(alkylcyclodialkylene)dihalogenozirconium
P- 20- 0052 A	2	04/15/20 20	Evonik Corporation	(S) Liquid shrinkage reducing admixture for concrete	(S) Oxirane, 2-methyl-, polymer with oxirane, mono(3,5,5-trimethylhexanoate)
P- 20- 0052 A	3	04/17/20 20	Evonik Corporation	(S) Liquid shrinkage reducing admixture for concrete	(S) Oxirane, 2-methyl-, polymer with oxirane, mono(3,5,5-trimethylhexanoate)
P- 20- 0054 A	3	04/06/20 20	СВІ	(G) Catalyst is used in a closed process.	(S) Nitrile hydratase
P- 20- 0056 A	3	04/13/20 20	CBI	(G) Pigment dispersant	(G) Polyphosphoric acids, 2-[(alkyl-1-oxo-alkene-1-yl)oxy]alkyl esters, polymers with acrylic acid, alkyl acrylate, alkyl methacrylate, hydroxyalkyl methacrylate and carbomonocycle, 2,2'-(1,2-diazenediyl)bis[2,4-dialkylalkanenitrogensubstituted]-initiated
P- 20- 0066 A	2	03/22/20 20	СВІ	(G) Antiwear additive for lubricants	(G) 2-Propenoic acid, 2-hydroxyethyl ester, reaction products with dialkyl hydrogen heterosubstituted phosphate and dimethyl phosphonate
P- 20- 0073	2	03/26/20 20	СВІ	(G) Oil and gas production chemistry	(G) Dialkylamino-alkylamino-alkyloxycarbonic acid acetate
P- 20- 0074 A	2	04/17/20 20	Clariant Corporation	(S) Surfactant for use in the formulation of pesticide products.	(S) Oxirane, 2-methyl-, polymer with oxirane, monoundecyl ether, branched and linear
P- 20- 0075 A	2	03/26/20 20	СВІ	(G) Pigment dispersant	(G) Phenol, 4,4'-(1-alkylalkylidene)bis-, polymer with 2-(2-aminoalkoxy)alcohol,2- (chloroalkyl)oxirane, N1,N1-dialkyl-1,3- alkanediamine and .alpha-hydroomega hydroxypoly[oxy(alkyl-1,2-alkanediyl)], branched 4-alkylphenyl ethers,acetates (salts)
P- 20- 0078	1	03/30/20 20	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Dicarboxylic acid, compd. with aminoalkylalkyldiamine alkyldioate alkyldioate (1:2:1:1)
P- 20- 0079	1	03/30/20 20	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Dicarboxylic acid, compd. with aminoalkylalkyldiamine (3:2)
P- 20- 0080	4	04/07/20 20	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Alkyldiamine, aminoalkyl-, hydrochloride (1:3)
P- 20- 0081	4	04/07/20 20	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Carboxylic acid, compd. with aminoalkylalkyldiamine (3:1)

P- 20-	4	04/07/20	Ascend Performance	(G) Stabilizer for industrial applications	(G) Alkyldiamine, aminoalkyl-, carboxylate (1:3)
0082	1		Materials		(C) 2
P- 20- 0083	1	03/31/20 20	CBI	(G) Reactant monomer in a polymer for industrial use	(G) 2-propenoic acid, nitrogen-substituted alkyl, N-C16-18-acyl derivs
P- 20- 0084	2	04/02/20 20	СВІ	(G) paper treatment additive	(G) 2-propenoic acid, 2-methyl, 2- (dimethylamino)ethyl ester, polymers with 2-(C16- 18-acylamino)ethyl acrylate and hydroxyalkyl acrylate, acetates (salts)
P- 20- 0086	2	04/22/20 20	Daicel Chemtech, Inc.	(G) Component of polymers	(G) 2-Oxepanone, homopolymer, ester with hydroxyalkyl trioxo heteromonocyclic (3:1)
P- 20- 0087	2	04/24/20 20	Evonik Corporation	(S) Component in Hard Surface Cleaners, and Laundry Detergent	(S) Alcohols, C8-10-iso-, C9-rich, ethoxylated
	2	04/23/20 20	Clariant Corporation	(S) Surfactant for use in dishwashing detergents.	(G) Poly(oxy-1,2-ethanediyl), .alpha(alkyl-hydroxyalkyl)omegahydroxy-, .omegaalkyl ethers
SN- 16- 0013 A	3	03/16/20 20	СВІ	(G) Surfactant	(G) Polyfluorinated alkyl quaternary ammonium chloride
SN- 20- 0002	2	04/02/20 20	Dover Chemical Corporation	(S) Lubricant in metal-working fluids, grease, oil and engine oils; Plasticizer/flame retardant in textiles, polymers, and paints, and Flame retardant in rubber compounds	(S) Alkanes, C24-28, chloro
SN- 20- 0003	4	04/13/20 20	Dynax Corporation	(S) An anionic fluorosurfactant for main use (>98%) in firefighting foam concentrates such as AFFF (Aqueous Film Forming Foam) and AR-AFFF (Alcohol Resistant Aqueous Fim Forming Foam), and for very minor use (<2%) in coatings and ink applications.	(S) 1-Propanesulfonic acid, 2-methyl-2-[[1-oxo-3-[(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl)thio]propyl]amino]-, sodium salt (1:1)
SN- 20- 0003 A	5	04/15/20 20	Dynax Corporation	(S) An anionic fluorosurfactant for main use(>98%) in firefighting foam concentrates such as AFFF (Aqueous Film Forming Foam) and AR-AFFF (Alcohol Resistant Aqueous Fim Forming Foam), and for very minor use (<2%) in coatings and ink applications.	(S) 1-Propanesulfonic acid, 2-methyl-2-[[1-oxo-3-[(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl)thio]propyl]amino]-, sodium salt (1:1)
SN- 20- 0004	2	04/15/20 20	Molecular Rebar Design	(S) For use as an additive in batteries and energy storage devices.	(S) single-walled carbon nanotubes
SN- 20- 0004 A	3	04/20/20 20	Molecular Rebar Design	(S) F or use as an additive for enhanced electrical conductivity and mechanical strength in both the cathode and anode of batteries and energy storage devices.	(S) single-walled carbon nanotubes
P- 16- 0417 A	3	05/11/20 20	СВІ	(G) Adhesive for open, non-descriptive use	(G) Isocyanate terminated polyurethane resin
	5	04/30/20 20	СВІ	(G) Printing ink applications.	(G) Styrene(ated) copolymer with alkyl(meth)acrylate, and (meth)acrylic acid.
P- 17- 0003 A	11	04/30/20 20	СВІ	(G) Printing ink applications	(G) Styrene(ated) copolymer with alkyl(meth)acrylate, and (meth)acrylic acid
P- 17- 0026 A	5	04/30/20 20	CBI	(G) Industrial Ink printing applications	(G) Cycloaliphatic diamine, polymer with .alpha-hydroomegahydroxypoly(oxy-alkanediyl), .alpha-hydroomegahydroxypoly(oxy-alkanediyl), and cycloaliphatic diisocyanate
P- 17- 0195 A	8	05/13/20 20	СВІ	(G) For manufacturing modified Ethylene vinyl alcohol copolymer	(G) 1,3-Propanediol,2-methylene-, substituted
P- 17- 0324 A	2	05/07/20 20	Vertellus Specialties Inc.	(S) Chemical intermediate, destructive use	(S) 2,4-Hexadien-1-ol, 1-acetate, (2E,4E)-
P- 17-	8	05/15/20 20	Miwon North America, Inc.	(S) Reactive diluent for optical film coating	(G) 2-Propenoic acid, mixed esters with heterocyclic dimethanol and heterocyclic methanol

P- 17- 0376 A	7	05/18/20 20	Innovative Chemical Technologies, Inc.	(S) Textile additive	(G) 2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester polymer with hexadecyl 2-propenoate, octadecyl 2-propenoate and 3,3,4,4,5,5,6,6,7,7,8,8,8-tridecasubstitutedoctyl 2-propenoate
P- 17- 0377 A	7	05/18/20 20	Innovative Chemical Technologies, Inc.	(S) Textile Additive	(G) 2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, polymer with hexadecyl 2-propenoate, octadecyl 2-propenoate and 3,3,4,4,5,5,6,6,7,7,8,8,8-tridecasubstitutedoctyl 2-methyl-2-propenoate
P- 17- 0378 A	7	05/18/20 20	Innovative Chemical Technologies, Inc.	(S) Textile additive	(G) 2-Propenoic acid, 2-methyl-, hexadecyl ester, polymer with 2-hydroxyethyl 2-methyl-2-propenoate, octadecyl 2-methyl-2-propenoate and 3,3,4,4,5,5,6,6,7,7,8,8,8-tridecasubstitutedoctyl 2-propenoate
P- 17- 0379 A	7	05/18/20 20	Innovative Chemical Technologies, Inc.	(S) Textile Additive	(G) 2-Propenoic acid, 2-methyl-, hexadecyl ester, polymer with 2-hydroxyethyl 2-methyl-2-propenoate, octadecyl 2-methyl-2-propenoate and 3,3,4,4,5,5,6,6,7,7,8,8,8-tridecasubstitutedoctyl 2-methyl-2-propenoate
P- 18- 0146 A	3	05/19/20 20	Arakawa Chemical (USA) Inc.	(G) Primer paint binders for open non-dispersive uses	(G) Modified fat amines, polymers with bisphenol A, alkanolamines, epichlorohydrin, alkylamine and substituted isocyanato [isocyanatoalkylcarbomonocyle]
P- 18- 0151 A	10	05/21/20 20	Struers Inc.	(S) A curing agent for curing epoxy systems	(S) Formaldehyde, reaction products with 1,3-benzenedimethanamine and p-tert-butylphenol
P- 18- 0153 A	3	05/20/20 20	CBI	(G) Mixed metal oxide for batteries	(G) Lithium mixed metal oxide
P- 18- 0170 A	5	05/23/20	СВІ	(G) Textile treatment	(S) 1-Propanaminium, N,N'-(oxydi-2,1-ethanediyl)bis[3-chloro-2-hydroxy-N,N-dimethyl-, dichloride
P- 18- 0178 A	3	05/20/20	СВІ	(S) Stabilizer for PVC	(G) Dialkyltin dialkylcarboxylate
P- 18- 0217 A	4	05/20/20	Galata Chemicals LLC	(S) Stabilizer for PVC compound	(G) Alkyltin dodecylthioester
P- 18- 0218 A	4	05/20/20	Galata Chemicals LLC	(S) Stabilizer for PVC compound	(G) Alkyltin tetradecylthioester
P- 18- 0235 A	3	12/28/20	СВІ	(S) Component in automotive gasoline/transportation fuel for consumer use.	(G) Naphtha Oils
P- 18- 0289 A	5	05/22/20 20	СВІ	(G) Gas scrubbing, landfill deoderizing, and wastewater deoderizing	(G) 2-(2(methylcaboxymonocyclic)amino)ethoxy)-alcohol
P- 18- 0290 A	5	05/22/20 20	CBI	(G) Gas scrubbing, wastewater deoderizing, and landfill odor neutralizing	(G) Carbomonocylic-oxazolidine
P- 18- 0320 A	2	05/01/20	CBI	(G) Hardner	(G) Alkane, diisocyanato-(isocyanatoalkyl)-
P- 18- 0330 A	3	05/20/20	CBI	(G) initiator	(G) Formaldehyde, polymer with alkyl aryl ketone
P- 18- 0332 A	2	05/21/20 20	Cargill, Inc	(G) a component in building materials	(S) Canola Meal
P- 18-	2	05/21/20 20	Cargill, Inc	(G) a component in building materials	(S) Flaxseed Meal

0333 A					
P- 18- 0340 A	3	05/18/20 20	Lanxess Solutions US Inc	(S) One component thermoset elastomer manufacture.	(S) Poly(oxy-1,4-butanediyl), alpha-hydro-omega-hydroxy-, polymer with 1,1'-methylenebis[4-isocyanatobenzene], caprolactam-blocked
P- 18- 0348 A	2	05/18/20 20	Lanxess Solutions US Inc	(S) Thermoplastic elastomer manufacture / Injection Moulding	(S) Ethanol, 2,2'-[1,4-phenylenebis(oxy)]bis-, polymer with 1,6-diisocyanatohexane and -hydro-hydroxypoly(oxy-1,4-butanediyl)
P- 18- 0349 A	4	05/18/20 20	Lanxess Solutions US Inc	(S) Two component adhesives and protective coatings for marine, infrastructure, etc	(S) Oxirane, 2-methyl-, polymer with oxirane, ether with 1,2,3-propanetriol (3:1), polymer with 2,4-diisocyanato-1-methylbenzene, branched 4-nonylphenol-blocked
P- 18- 0350 A	3	05/14/20 20	Evonik Corporation	(S) Additive in water-borne UV-curable coatings, Filler pigment treatment, and Glass fiber treatment	(G) Aqueous methacrylamido modified polysiloxane
P- 18- 0360 A	2	05/18/20 20	Lanxess Solutions US Inc	(S) Two component adhesives and protective coatings for marine, infrastructure, etc.	(S) Oxirane, 2-methyl-, polymer with 2,4-diisocyanato-1-methylbenzene, 2-methyloxirane polymer with oxirane ether with 1,2,3-propanetriol (3:1), and oxirane, cashew nutshell liq and Pr alcblocked.
P- 18- 0361 A	4	05/18/20 20	Lanxess Solutions US Inc	(S) Electrophoretic paint	(S) Propanoic acid, 3-hydroxy-2-(hydroxymethyl)-2-methyl-, polymer with 1,3,5-tris(6-isocyanatohexyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione, 3,5-dimethyl- 1H-pyrazole-blocked
P- 18- 0362 A	2	05/18/20 20	Lanxess Solutions US Inc	(S) Corrosion protection coatings	(S) 1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-, polymer with 2,4-diisocyanato-1-methyl-benzene, -hydrohydroxypoly[oxy(methyl-1,2-ethanediyl)] and -1,2,3-propanetriyltris[-hydroxypoly[oxy(methyl-1,2-ethanediyl)]], Me Et ketone oxime -blocked
P- 18- 0380 A	7	05/07/20 20	CBI	(G) Automotive brake parts (contained use)	(G) Butanoic acid ethyl amine
P- 18- 0403 A	4	05/22/20 20	Clariant Plastics & Coatings USA Inc	(S) Dispersing agent for pigments, paints, and coatings.	(S) 2-Propenoic acid, 2-methyl-, butyl ester, polymer with 2-(dimethylamino)ethyl 2-methyl-2-propenoate and 2-ethylhexyl 2-methyl-2-propenoate
P- 18- 0405 A	5	05/20/20 20	СВІ	(G) adhesive	(S) Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 3,6,9,12-tetraoxatetradeca-1,13-diene, glycidyl ether
P- 19- 0041 A	3	05/01/20 20	CBI	(G) Oil water separation	(G) Alkyl diester, polymer with (dialkylamino alkyl) amine and bis(halogenated alkyl) ether
P- 19- 0042 A	3	05/01/20 20	СВІ	(G) Oil water separation	(G) Alkyl diester, polymer with (dialkylamino alkyl) amine and bis(halogenated alkyl) ether
P- 19- 0043 A	3	05/01/20 20	CBI	(G) Oil water separation	(G) Alkyl dicarboxylic acid, polymer with (dialkylamino alkyl) amine and bis(halogenated alkyl) ether
P- 19- 0044 A	3	05/01/20 20	СВІ	(G) Oil water separation	(G) Alkyl bis(dialkylamino alkyl) amide polymer with bis(halogenated alkyl) ether
P- 19- 0053 A	9	05/19/20 20	Wacker Chemical Corporation	(S) Used as a surface treatment, sealant, caulk, and coating for mineral building materials such as concrete, brick, limestone, and plaster, as well as on wood, metal and other substrates.	(S) 1-Butanamine, N-butyl-N- [(triethoxysilyl)methyl]-
P- 19- 0064 A	7	03/27/20 20	The Sherwin Williams Company	(G) Polymeric film former for coatings	(G) 4,4'-methylenebis[2,6-dimethyl phenol] polymer with 2-(chloromethyl)oxirane, 1,4-benzyl diol, 2-methyl-2-propenoic acid, butyl 2-methyl 2-propenoate, ethyl 2-methyl 2-propenoate, and ethyl 2-propenoate, reaction products with 2-(dimethylamino) ethanol
P- 19-	8	05/15/20 20	The Sherwin Williams	(G) Polymeric film former for coatings	(G) 4,4'-methylenebis[2,6-dimethyl phenol] polymer with 2-(chloromethyl)oxirane, 1,4-benzyl diol, 2-

0064 A			Company		methyl-2-propenoic acid, butyl 2-methyl 2- propenoate, ethyl 2-methyl 2-propenoate, and ethyl 2-propenoate, reaction products with 2- (dimethylamino) ethanol
P- 19- 0084 A	3	05/13/20 20	CBI	(S) Flame retardant	(S) DIphosphoric acid, compd. with 1,3,5-triazine-2,4,6-triamine (1:2)
P- 19- 0109 A	10	05/06/20	Arch Chemicals, Inc.	(G) The chemical is used as a component of a cleaning formulation to improve the wettability of the overall cleaning solution on the substrate	(S) Copper, [[2,2',2"- (nitrilokappa.N)tris[ethanolatokappa.O]](2-)]-;(S) Copper, bis[2- (aminokappa.N)ethanolatokappa.O]-;
P- 19- 0116 A	5	05/26/20 18	СВІ	(S) Silk protein for production of fiber, Skincare use as additive in dermal moisturizing lotions	(G) sr-(Wasp Spider Polypeptide-1 Oligopeptide- 178)
P- 19- 0153 A	6	04/30/20 20	Wego Chemical Group	(S) Raw material in Flame Retardant product	(G) Dibromoalkyl ether Tetrabromobisphenol A
P- 19- 0153 A	7	05/05/20 20	Wego Chemical Group	(S) Raw material in Flame Retardant product	(G) Dibromoalkyl ether Tetrabromobisphenol A
P- 20- 0005 A	5	05/08/20	RMC Advanced Technologies Inc.	(G) Additive for plastics and resins.	(G) modified graphene
P- 20- 0010 A	7	05/08/20	СВІ	(G) Polymerization auxiliary	(G) Carboxylic acid, reaction products with metal hydroxide, inorganic dioxide and metal
P- 20- 0015 A	6	05/21/20 20	GE Healthcare	(S) The polymer is used in the manufacture of hollow fiber products.	(G) N-alkyl heteromonocyclic diphenolamide, polymer with Bisphenol A, haloaryl-substituted sulfone, compd. with cyclic sulfonate ester, polyaryl alcohol terminated
P- 20- 0036 A	3	05/21/20 20	Sigma-Aldrich co LLC	(G) Used in the manufacture of Lithium-6 Chloride.	(S) Carbonic acid, di(lithium-6Li) salt
P- 20- 0037 A	4	05/21/20 20	Sigma-Aldrich co LLC	(G) The material is used in manufacturing devices for gamma and neutron radiation detection.	(S) Lithium Chloride (6LiCl)
P- 20- 0047	6	05/14/20 20	Nanosystems Inc	(S) Hydrophilic polyurethane prepolymer used to manufacture flexible foams.	(G) Oxirane, 2-methyl-, polymer with oxirane, ether with propanetriol (3:1), polymer with poly(oxy-1,2-ethanediyl) and methylenebis[isocyanatobenzene]
P- 20- 0062 A	2	05/11/20 20	Inabata America Corporation	(S) Use as an electrically conductive material, an additive in field emission applications, an additive in batteries, energy storage, and electrode applications, an additive to improve physical or mechanical properties, an additive for weight reduction, a heat generation and dissipation material	(S) Multi-walled carbon nanotubes; closed; 4.4 - 12.8 nm diameter; bundle length 10.6 - 211.1 um; Grade: Jenotube 6 (Substance-1)
P- 20- 0063 A	2	05/11/20 20	Inabata America Corporation	(S) Use as an electrically conductive material, an additive in field emission applications, an additive in batteries, energy storage, and electrode applications, an additive to improve physical or mechanical properties, an additive for weight reduction, a heat generation and heat dissipation material.	(S) Multi-walled carbon nanotubes; closed; 5.1 - 11.6 nm diameter; bundle length 1.9 - 552.0 um; Grade: Jenotube 8 (Substance-2)
P- 20- 0064 A	2	05/11/20 20	Inabata America Corporation	(S) Use as an additive in batteries, energy storage, and electrode applications, an additive to improve physical or mechanical properties, an additive for weight reduction, a heat generation and dissipation material, and electrically conductive material and an additive in field emission applications.	(S) Multi-walled carbon nanotubes; closed; 7.9 - 14.2 nm diameter; bundle length 9.4 - 106.4 um; Grade: Jenotube 10 (Substance-3)
P- 20- 0065 A	2	05/11/20 20	Inabata America Corporation	(S) Use as an electrically conductive material, an additive in field emission applications, batteries, energy storage, and electrode applications. Use as an additive to improve physical or mechanical properties, an additive for weight reduction, a heat generation and heat dissipation material.	(S) Multi-walled carbon nanotubes; closed; 17.0 - 34.7 nm diameter; globular shape; Grade: Jenotube 20 (Substance-4)
P- 20- 0069 A	3	05/15/20 20	СВІ	(G) Surface-active chemical	(G) 2-Propenoic acid, 2-methyl-, polymer with 2-hydroxyethyl 2-methyl-2-propenoate phosphate and 2-propenoic acid salt, peroxydisulfuric acid ([(HO)S(O)2]2O2) sodium salt (1:2)- and sodium (disulfite) (2:1)-initiated

P- 20- 0069 A	4	05/16/20 20	СВІ	(G) Surface-active chemical	(G) 2-Propenoic acid, 2-methyl-, polymer with 2-hydroxyethyl 2-methyl-2-propenoate phosphate and 2-propenoic acid salt, peroxydisulfuric acid ([(HO)S(O)2]2O2) sodium salt (1:2)- and sodium ((disulfite) (2:1)-initiated
P- 20- 0076 A	2	05/21/20 20	Cytec Industries Inc.	(G) Mining chemical	(S) Glycine, reaction products with sodium O-iso-Pr carbonodithioate, sodium salts
P- 20- 0085	5	05/07/20	Luna Innovations Incorporated	(S) Fluid resistant coatings	(G) Bis(triethoxysilylpropyl carbamate) perfluoropolyether
P- 20- 0085 A	6	05/14/20 20	Luna Innovations Incorporated	(S) Fluid resistant coatings	(G) Bis(triethoxysilylpropyl carbamate) perfluoropolyether
P- 20- 0086 A	3	05/11/20 20	Daicel Chemtech, Inc.	(G) Component of polymers	(G) 2-Oxepanone, homopolymer, ester with hydroxyalkyl trioxo heteromonocyclic (3:1)
P- 20- 0092	5	05/22/20	СВІ	(G) Coloration of fabric	(G) Napthalenesulfonic acid, amino-hydroxy-bis [sulfo- [(sulfooxy)ethyl]sulfonyl]phenyl]diazinyl]-,potassiu m sodium salt
P- 20- 0093	2	05/04/20 20	Ashland Inc.	(G) Coating	(G) Alkanoic acid, 3-hetero-atom substituted-2- (heteroatom-substituted alkyl)-2-alkyl-, polymer with 1,2-alkanediamine, alpha-hydro-omega- heteroatom-substituted poly(oxy-1,4-alkanediyl) and 5-hetero-atom substituted- 1- (heteroatom- substituted alkyl)-1, 3, 3- trialkylcycloalkane
P- 20- 0093 A	3	05/21/20 20	Ashland Inc.	(G) Coating	(G) Alkanoic acid, 3-hetero-atom substituted-2- (heteroatom-substituted alkyl)-2-alkyl-, polymer with 1,2-alkanediamine, alpha-hydro-omega- heteroatom-substituted poly(oxy-1,4-alkanediyl) and 5-hetero-atom substituted- 1- (heteroatom- substituted alkyl)-1, 3, 3- trialkylcycloalkane
P- 20- 0094	1	04/29/20 20	СВІ	(S) Formulation component in UV/EB coatings, inks and 3D printing/stereolithography/additive and Formulation component in UV/EB adhesive manufacturing	(G) Alkanedioic acid, polymer with tri-alkyl- isocyanatocarbomonocycle, dialkylglycols, ester with 2,3-dihydroxypropyl alkyl ester, 2- hydroxyethyl methacrylate-blocked
P- 20- 0095	1	05/04/20	Evonik Corporation	(S) Additive to improve melt flow, scratch resistance, demoulding and lower COF of thermoplastic compounds.	(S) Siloxanes and Silicones, di-Me, [(phenylsilylidyne)tris(oxy)]tris-, 3-(2- hydroxyethoxy)propyl group-terminated, triesters with 2-oxepanone homopolymer
P- 20- 0096	2	05/19/20 20	СВІ	(G) Use in papermaking process	(G) Unsaturated dicarboxylic acid polymer with 2- (dialkylamino)alkyl-alkyl-alkanoate, N, N-dialkyl- alkene amide, 2-propenamide and salt of alkyl- substituted alkene sulfonate
P- 20- 0097	1	05/07/20 20	Nelson Brothers, LLC	(S) The PMN substance will be used as an emulsifier for applications in explosives.	(G) Butanedioic acid, monopolyisobutylene derivs., mixed dihydroxyalkyl and hydroxyalkoxyalkyl diesters
P- 20- 0102	1	05/22/20 20	Novihum Technologies, Inc.	(S) Fertilizer/Soil amendment	(S) Chemical Abstract (CA) index name: Coal, brown, ammoxidized
P- 20- 0104	2	05/26/20 20	CBI	(G) Additive	(G) Alkenoic acid, polymer with (alkyl alkenyl) polyether
SN- 19- 0006 A	4	05/13/20 20	СВІ	(G) Component for 3D Printing formulations	(S) 2-Propen-1-one, 1-(4-morpholinyl)-
SN- 19- 0006 A	5	05/15/20	СВІ	(G) Component for 3D Printing formulations	(S) 2-Propen-1-one, 1-(4-morpholinyl)-
J-20- 0007		06/03/20 20	СВІ	(G) Ethanol production	(G) Biofuel producing Saccharomyces cerevisiae modified, genetically stable
J-20- 0008		20	CBI	(G) Ethanol production	(G) Biofuel producing Saccharomyces cerevisiae modified, genetically stable
J-20- 0009	l	06/10/20 20	CBI	(G) Ethanol production	(G) Biofuel producing Saccharomyces cerevisiae modified, genetically stable

J-20- 0010	1	06/10/20 20	СВІ	(G) Ethanol production	(G) Biofuel producing Saccharomyces cerevisiae modified, genetically stable
J-20- 0011	1	06/10/20 20	СВІ	(G) Ethanol production	(G) Biofuel producing Saccharomyces cerevisiae modified, genetically stable
J-20- 0012	1	06/12/20 20	СВІ	(G) Ethanol production	(G) Biofuel producing Saccharomyces cerevisiae modified, genetically stable
P- 16- 0313 A	3	06/10/20	Honeyol, Inc.	(S) Use in production of resins (raw material used in the production of resins)	(S) Tar acids (shale oil), C6â9 fraction, alkylphenols, low-boiling
P- 16- 0345 A	4	06/15/20 20	CBI	(G) Processing aid	(G) Acrylamide, polymer with methacrylic acid derivatives
P- 16- 0449 A	3	06/19/20 20	СВІ	(S) Use per FFDCA: cosmetics, Use per TSCA: Fragrance uses; scented papers, detergents, candles etc.	(S) 2,7-Decadienal, (2E,7Z)-
P- 17- 0333 A	9	06/09/20	Miwon North America, Inc.	(S) Reactive diluent for optical film coating	(G) 2-Propenoic acid, mixed esters with heterocyclic dimethanol and heterocyclic methanol
P- 18- 0049 A	3	06/09/20	СВІ	(G) Coating component/processing aid	(G) Mixed metal halide
P- 18- 0084 A	8	06/18/20 20	ShayoNano USA, Inc.	(S) Additive for water based paints and coatings	(S) silicon zinc oxide
P- 18- 0256 A	5	06/10/20 20	CBI	(G) Chemical Intermediate	(S) Undecanol, branched
P- 18- 0281 A	3	05/13/20 20	СВІ	(G) Electrolyte additive.	(G) Cyclic sulfate
P- 18- 0298 A	2	06/23/20 20	Hexion Inc	(G) Epoxy curing agent	(G) 1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-, polymer with ethyleneamine, 2-(chloromethyl)oxirane, 2-[[4-(1,1-dimethylethyl)phenoxy]methyl]oxirane, 2,2'-[1,6-hexanediylbis(oxymethylene)]bis[oxirane], 4,4'-(1-methylethylidene)bis[phenol], alkyl ether amine, and 2-[(2-methylphenoxy methyl]oxirane
P- 18- 0308 A	3	06/18/20 20	СВІ	(G) Additive for engineering plastics	(G) Bis[(hydroxyalkoxy)aryl]carbopolycyclic
P- 18- 0318 A	3	06/12/20 20	GELEST	(S) Surface treatment for added lubricity and anti-static properties and Research	(S) 1-Octadecanaminium, N,N-dimethyl-N-[3- (triethoxysilyl)propyl]- chloride
P- 18- 0320 A	3	06/17/20	СВІ	(G) Hardner	(G) Alkane, diisocyanato-(isocyanatoalkyl)-
P- 18- 0325 A	4	06/19/20	Allnex USA Inc.	(S) Industrial crosslinking catalyst.	(G) Benzenesulfonic acid, alkyl derivs., compds. with diisopropanolamine
P- 18- 0330 A	4	05/27/20	СВІ	(G) initiator	(G) Formaldehyde, polymer with alkyl aryl ketone
P- 18- 0341 A	8	06/9/202	СВІ	(G) Component in coatings	(G) Alkane dicarboxylic acid, polymer with alkoxylated polyalcohol, alkyl polyglycol, alkyl dialcohol, and functionalized carboxylic acid
P- 18-	8	06/9/202	СВІ	(G) Component in coatings	(G) Alkane dicarboxylic acid, polymer with alkyl polyglycol, alkyl dialcohol, and functionalized carboxylic acid

0342 A					
P- 18- 0343 A	8	06/9/202	СВІ	(G) Component in coatings	(G) Alkane dicarboxylic acid, polymer with alkoxylated polyalcohol, and alkyl dialcohol, (hydroxy alkyl) ester
P- 18- 0344 A	8	06/9/202	CBI	(G) Component in coatings	(G) Aromatic dicarboxylic acid, polymer with alkane dicarboxylic acid, alkoxylated polyalcohol, and alkyl dialcohol
P- 18- 0363 A	4	06/19/20	CBI	(G) Adhesive	(G) Phenol, polymer with formaldehyde, substituted phenol, sodium salts
P- 18- 0396 A	4	06/11/20	CBI	(G) Paint	(G) Alkenoic acid, alkyl, polymer with carbomonocyle alkyl propenoate and substituted alkyl alkenoate, ester with substituted alkyl alkanoate, tert-butyl substituted peroxoate-initiated
P- 18- 0398 A	3	06/11/20 20	CBI	(S) Intermediate	(G) Polyalkylpolyalkylenepolyamine
P- 18- 0398 A	4	06/17/20 20	CBI	(S) Intermediate	(G) Polyalkylpolyalkylenepolyamine
P- 18- 0407 A	3	06/11/20	CBI	(S) Polyurethane catalyst	(S) 1,2-Ethanediamine, N,N-dimethyl-N-(1-methylethyl)-N-[2-[methyl(1-methylethyl)amino]ethyl]-
P- 19- 0036 A	5	06/17/20	Ethox Chemicals, LLC	(S) As an additive to polymers for improvement in gas barrier performance.	(S) 1,4-Benzenedicarboxylic acid, 1,4-bis(2-phenoxyethyl) ester
P- 19- 0036 A	6	06/18/20	Ethox Chemicals, LLC	(S) As an additive to polymers for improvement in gas barrier performance.	(S) 1,4-Benzenedicarboxylic acid, 1,4-bis(2-phenoxyethyl) ester
P- 19- 0036 A	7	06/18/20	Ethox Chemicals, LLC	(S) As an additive to polymers for improvement in gas barrier performance.	(S) 1,4-Benzenedicarboxylic acid, 1,4-bis(2-phenoxyethyl) ester
P- 19- 0038 A	4		Allan Chemical Corporation	(S) Ink carrier for the ceramic industries.	(S) Fatty acids, coco, iso-Bu esters
P- 19- 0048 A	7	05/29/20	СВІ	(G) Coating additive	(S) Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono-C12-14-alkyl ethers, phosphates, sodium salts
P- 19- 0064 A	11	06/24/20 20	The Sherwin Williams Company	(G) Polymeric film former for coatings	(G) 4,4'-methylenebis[2,6-dimethyl phenol] polymer with 2-(chloromethyl)oxirane, 1,4-benzyl diol, 2-methyl-2-propenoic acid, butyl 2-methyl 2-propenoate, ethyl 2-methyl 2-propenoate, reaction products with 2-(dimethylamino) ethanol
P- 19- 0131 A	3	05/27/20 20	CBI	(G) Additive for horizontal oil drilling	(G) Isoalkylaminium, N-isoalkyl,-N, N-dimethyl chloride
P- 19- 0145 A	8	05/28/20	ARC Products, Inc.	(S) Oil Field Drilling Fluid Additive, Petroleum Production Fluid Additive and Fracturing Fluid Additive	(G) Polyazaalkane with oxirane and methyloxirane, haloalkane
P- 19- 0162 A	2	06/22/20	СВІ	(G) Component in Oil Production	(G) fatty acid alkyl amide, (dialkyl) amino alkyl, alkyl quaternized, salts
P- 20- 0010	8	05/27/20 20	СВІ	(G) Polymerization auxiliary	(G) Carboxylic acid, reaction products with metal hydroxide, inorganic dioxide and metal

P- 20- 0018 A	3	06/26/20 20	СВІ	(G) Component in candles	(G) Fatty acid dimers, polymers with glycerol and triglycerides
P- 20- 0019 A	3	06/26/20	СВІ	(G) Component in candles	(G) Fatty acid dimers, polymers with glycerol and triglycerides
P- 20- 0020 A	3	06/26/20	СВІ	(G) Component in candles	(G) Fatty acid dimers, polymers with glycerol and triglycerides
P- 20- 0021 A	3	06/26/20	СВІ	(G) Component in candles	(G) Fatty acid dimers, polymers with glycerol and fatty acids
P- 20- 0023 A	3	06/11/20 20	СВІ	(G) The notified substance will be used as a fragrance ingredient.	(G) heteropolycycle, 2,6-dimethyl-3a-(1-methylethyl)-
P- 20- 0029 A	5	06/19/20 20	Kuraray America, Inc.	(G) Oil soluble additive	(S) Octanal, 7(or 8)-formyl-
P- 20- 0035 A	3	06/02/20 20	СВІ	(G) Colorant	(G) Substituted aromatic, 3,3'-[[6-[(substituted alkyl amino)]-1,3,5-triazine-2,4-diyl]bis[imino[2-(substituted)-5-[substituted alkoxy]-4,1-phenylene]-2,1- diazenediyl]]bis[substituted, sodium salt]
P- 20- 0038 A	2	06/04/20 20	Nissan Chemical Houston Corporation	(S) PMN substance will be used as resist compound for semiconductor manufacture	(S) 1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3,5-tris[3-(2-oxiranyl)propyl]-
P- 20- 0043 A	5	06/04/20 20	Saproterra	(S) Soil and Plant amendment. Soil Amendment is any substance which is intended to change the chemical or physical characteristics of soil. Plant amendment is any substance applied to plants or seeds which are intended to improve germination, growth, yield, quality, reproduction, flavor or other desirable characteristics.	(S) Acetic acid, 2-[[3-(4-pyridinyl)-1H-1,2,4-triazol-5-yl]thio]-, compd. with 2-aminoethanol (1:1)
P- 20- 0051 A	4	05/28/20 20	СВІ	(S) Curing agent for Industrial epoxy coating systems	(S) 1,8-Octanediamine, 4-(aminomethyl)-, N-benzyl derivs.
P- 20- 0056 A	4	06/04/20	СВІ	(G) Pigment dispersant	(G) Polyphosphoric acids, 2-[(alkyl-1-oxo-alkene-1-yl)oxy]alkyl esters, polymers with acrylic acid, alkyl acrylate, alkyl methacrylate, hydroxyalkyl methacrylate and carbomonocycle, 2,2'-(1,2-diazenediyl)bis[2,4-dialkylalkanenitrogensubstituted]-initiated
P- 20- 0057 A	2	06/15/20 20	Nusil Technology LLC	(G) Silane coupling agent used in silicone formulations.	(G) Arene, trimethoxysilyl-, hydrolyzed
P- 20- 0059 A	4	05/27/20 20	СВІ	(S) Colorant for thermoplastic resins	(G) Propanedinitrile, 2-[[4-[ethyl[2-[4-(substitute methyl butyl)phenoxy]ethyl]amino]-2-methylphenyl]methylene]
P- 20- 0068 A	2	06/12/20 20	СВІ	(G) Perfume	(S) 1,3-Propanediol, 2,2-dimethyl-, 1,3-diacetate
P- 20- 0069 A	5	06/27/20	СВІ	(G) Surface-active chemical	(G) 2-Propenoic acid, 2-methyl-, polymer with 2-hydroxyethyl 2-methyl-2-propenoate phosphate and 2-propenoic acid salt, peroxydisulfuric acid ([(HO)S(O)2]2O2) sodium salt (1:2)- and sodium (disulfite) (2:1)-initiated
P- 20- 0071 A	6	06/22/20 20	CBI	(G) Colorant	(G) Salt of 2-Naphthalenesulfonic acid, hydroxy [(methoxy-methyl-4-sulfophenyl)diazenyl]
P- 20-	2	06/18/20	СВІ	(G) Additive used to impart specific physicochemical properties to finished articles	(G) Multi-walled carbon nanotubes

0072 A					
P- 20- 0074 A	3	05/29/20 20	Clariant Corporation	(S) Surfactant for use in the formulation of pesticide products.	(S) Oxirane, 2-methyl-, polymer with oxirane, monoundecyl ether, branched and linear
P- 20- 0077 A	2	05/28/20 20	Aalborz Chemical LLC	(S) UV Curing Agent for use in Inks and Coatings	(G) 1-(dialkyl-diphenylene alkane)-2-alkyl-2- hydrooxazine-1-alkylketone
P- 20- 0086 A	4	06/24/20	Daicel Chemtech, Inc.	(G) Component of polymers	(G) 2-Oxepanone, homopolymer, ester with hydroxyalkyl trioxo heteromonocyclic (3:1)
P- 20- 0091 A	3	06/08/20	AOC	(S) The material in question will be use to make unsaturated polyester resins to service the composite industry.	(S) 2,5-Furandione, polymer with 1,2-ethanediol and 2,2'-oxybis[ethanol], 2-ethylhexyl 3a,4,5,6,7,7a-hexahydro-4,7-methano-1H-indenyl ester
P- 20- 0092 A	6	06/22/20	СВІ	(G) Coloration of fabric	(G) Napthalenesulfonic acid, amino-hydroxy-bis [sulfo- [(sulfooxy)ethyl]sulfonyl]phenyl]diazinyl]-,potassiu m sodium salt
P- 20- 0092 A	7	06/25/20 20	СВІ	(G) Coloration of fabric	(G) Napthalenesulfonic acid, amino-hydroxy-bis [sulfo- [(sulfooxy)ethyl]sulfonyl]phenyl]diazinyl]-,potassiu m sodium salt
P- 20- 0097 A	2	06/08/20	Nelson Brothers, LLC	(S) The PMN substance will be used as an emulsifier for applications in explosives.	(G) Butanedioic acid, monopolyisobutylene derivs., mixed dihydroxyalkyl and hydroxyalkoxyalkyl diesters
P- 20- 0098	2	06/28/20	CBI	(S) property modifier for polymers	(G) Calcium cycloalkylcarboxylate
P- 20- 0099	5	06/11/20 20	Materion Advanced Chemicals	(S) A material used for the production of Li ion conductive separators for rechargeable batteries. For example and including, electric automobile batteries.	(G) Mixed Metal Oxide
P- 20- 0099 A	6	06/25/20	Materion Advanced Chemicals	(S) A material used for the production of Li ion conductive separators for rechargeable batteries. For example and including, electric automobile batteries.	(G) Mixed Metal Oxide
P- 20- 0100	2	06/16/20 20	Evonik Corporation	(S) Manual Dish Detergent, Hard Surface Cleaner, and Laundry Detergent	(S) Glycolipids, rhamnose-contg., Pseudomanas putida-fermented, from D-glucose, potassium salts
P- 20- 0101	4	05/28/20	СВІ	(S) Coating Resin	(G) Alkanoic acid, hydroxy-(hydroxyalkyl)-alkyl-, polymer with alpha-[(hydroxyalkyl)alkyl]-omega-alkoxypoly(oxy-alkanediyl), (haloalkyl)oxiane polymer (alkylalkylidene)bis[hydroxy-carbomonocycle] alkenoate and isocyanate-alkyl-carbomonocycle, hydroxyalkyl acrylate-blocked
P- 20- 0103	3	06/05/20 20	Sachem Inc	(G) On site intermediate for the production of finished goods	(G) Cycloalphatic amine formate
P- 20- 0103 A	4	06/24/20 20	Sachem Inc	(G) On site intermediate for the production of finished goods	(G) Cycloalphatic amine formate
P- 20- 0103 A	5	06/24/20	Sachem Inc	(G) On site intermediate for the production of finished goods	(G) Cycloalphatic amine formate
P- 20- 0104 A	3	06/03/20	CBI	(G) Additive	(G) Alkenoic acid, polymer with (alkyl alkenyl) polyether
P- 20- 0104 A	4	06/12/20	СВІ	(G) Additive	(G) Alkenoic acid, polymer with (alkyl alkenyl) polyether
P- 20- 0105	1	05/28/20	Sound Agriculture Company	(S) Maltol lactone is a compound that promotes microbial activity in the soil, resulting in increased availability of phosphorus for crops. This substance will be used on commercial farming operations.	(S) 4H-Pyran-4-one, 3-[(2,5-dihydro-4-methyl-5-oxo-2-furanyl)oxy]-2-methyl-

P- 20- 0106	1	06/03/20 20	CBI	(G) Polymer reactant	(G) Aminoalkanoic acid, N,N-bis(2-alkoxyalkyl)-, 2 alkoxyalkyl
	2	06/22/20	СВІ	(G) Polymer reactant	(G) 3-(2-Alkoxyalkyl)-2-heterocycle
	2	06/28/20	СВІ	(G) Crosslinking polymer	(G) Carbimide, polyalkylenepolyarylene ester, polymer with 1,2-alkanediol, 2-alkoxyalkyl methacrylate- and 3-(2-alkoxyalkyl)-2-heterocycle-blocked
P- 20- 0108	1	06/08/20 20	СВІ	(G) Film-forming polymer	(G) Alkanoic acid, compds. with diphenylmethane derivative-N1,N1-dialkyl-1,3-alkanediamine-epiclorohydrin-2-cyclic ester homopolymer with dialkylene glycol (2:1) polymer-dialkanolamine reaction products
P- 20- 0108 A	2	06/12/20 20	СВІ	(G) Film-forming polymer	(G) Alkanoic acid, compds. with diphenylmethane derivative-N1,N1-dialkyl-1,3-alkanediamine-epiclorohydrin-2-cyclic ester homopolymer with dialkylene glycol (2:1) polymer-dialkanolamine reaction products
P- 20- 0108 A	3	06/26/20	СВІ	(G) Film-forming polymer	(G) Alkanoic acid, compds. with diphenylmethane derivative-N1,N1-dialkyl-1,3-alkanediamine-epiclorohydrin-2-cyclic ester homopolymer with dialkylene glycol (2:1) polymer-dialkanolamine reaction products
P- 20- 0110	1	06/09/20	Clariant Corporation	(S) Base oil additive for lubricants and greases.	(G) Alkanoic acid, compds. with diphenylmethane derivative-N1,N1-dialkyl-1,3-alkanediamine-epiclorohydrin-2-cyclic ester homopolymer with dialkylene glycol (2:1) polymer-dialkanolamine reaction products
P- 20- 0111	1	06/09/20 20	Westlake Chemical Corporation	(G) Component in flexible automotive interior parts	(S) 1,2,4-Benzenetricarboxylic acid, 1,2,4-trinonyl ester
P- 20- 0112	1	06/10/20 20	Sefa Group Inc.	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants.	(G) Ashes (residues), reactions products with dicarboxylic acid, silicic acid (H4SiO4) tetra-Et este and 2-[[3-(trialkoxysilyl)alkoxy]methyl]oxirane
P- 20- 0113	1	06/10/20 20	Sefa Group Inc.	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants.	(G) Ashes (residues), reactions products with dicarboxylic acid, silicic acid (H4SiO4) tetra-Et este and 2-[[3-(trialkoxysilyl)alkoxy]methyl]oxirane
P- 20- 0114	1	06/10/20 20	Sefa Group Inc.	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants.	(G) Ashes (residues), reactions products with dicarboxylic acid, silicic acid (H4SiO4) tetra-Et este and 2-[[3-(trialkoxysilyl)alkoxy]methyl]oxirane
P- 20- 0115	1	06/10/20 20	Sefa Group Inc.	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants.	(G) Ashes (residues), reactions products with substituted tricarboxylic acid, silicic acid (H4SiO4) tetra-Et ester and 2-[[3-(trialkoxysilyl)alkoxy]methyl]oxirane
P- 20- 0116	1	06/10/20 20	Sefa Group Inc.	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants.	(G) Ashes (residues), reactions products with dicarboxylic acid, silicic acid (H4SiO4) tetra-Et este and 2-[[3-(trialkoxysilyl)alkoxy]methyl]oxirane
P- 20- 0117	1	06/10/20 20	Sefa Group Inc.	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants.	(G) Ashes (residues), reactions products with dicarboxylic acid, silicic acid (H4SiO4) tetra-Et este and 2-[[3-(trialkoxysilyl)alkoxy]methyl]oxirane
P- 20- 0118	2	06/22/20	СВІ	(G) Additive in household consumer products	(S) Pyridine, 4-methyl-2-pentyl-
P- 20- 0119	1	06/12/20 20	СВІ	(G) An ingredient used in the manufacture of photoresist	(G) Carbopolycyclicoxoalkoxy(dialkyl)carbomonocyclic dicarbomonocyclic sulfonium, salt with trialkyl oxoheteropolycyclic substitutedalkyl carboxylate
P- 20- 0120	1	06/12/20 20	CBI	(G) An ingredient used in the manufacture of photoresist	(G) Carbomonocyclic sulfonium, salt with trihalo- sulfoalkyl hydroxycarbopolycyclic carboxylate
P- 20- 0121	1	06/17/20 20	СВІ	(S) Chemical intermediate	(G) Imidic acid, alkyl ester, sulfate,
	3	06/23/20 20	Shin-Etsu Microsi	(G) Microlithography for electronic device manufacturing	(G) Heterocyclic onium compound with 1-substituted-alkyl 2,2,2-trisubstitutedalkyl 2-methyl-2-propenoate (1:1), polymer with acenaphthylene, 4-ethenyl-a,a-dimethylbenzenemethanol and 4-ethenylphenyl acetate, hydrolyzed

P- 20- 0123	06/18/20 20	CBI	(S) Binder	(G) Nitrogen-substituted heterocycle, homopolymer, N-(nitrogen-substituted alkyl) derivs., sulfates
P- 1 20- 0124	06/19/20 20	СВІ	(G) Additive in Household consumer products	(S) 5-octen-4-ol, 3,5-dimethyl-, (5E)-
P- 20- 0125	06/19/20 20	CBI	(G) Additive in Household consumer products	(S) 4-Penten-1-one, 1-(5-ethyl-5-methyl-1-cyclohexen-1-yl)-
P- 20- 0126	06/24/20 20	СВІ	(G) Additive in Household consumer products	(S) 4-Decenal, 5,9-dimethyl-
SN- 20- 0006	06/03/20 20	СВІ	(G) Color Developer	(S) Phenol, 4,4'-[1-[4-[1-(4-hydroxyphenyl)-1-methylethyl]phenyl]ethylidene]bis-
P- 16- 0345 A	07/13/20 20	CBI	(G) Processing aid	(G) Acrylamide, polymer with methacrylic acid derivatives
P- 5 16- 0460 A	08/21/20 18	SEFA Group Inc.	(S) Process aid for vulcanized rubber	(G) Silane-treated aluminosilicate
P- 16- 0461 A	08/21/20 18	SEFA Group Inc.	(S) Process aid for vulcanized rubber	(G) Silane-treated aluminosilicate
P- 16- 0462 A	08/21/20 18	SEFA Group Inc.	(S) Process aid for vulcanized rubber	(G) Silane-treated aluminosilicate
P- 16- 0463 A	08/21/20 18	SEFA Group Inc.	(S) Process aid for vulcanized rubber	(G) Silane-treated aluminosilicate
P- 16- 0464 A	08/21/20 18	SEFA Group Inc.	(S) Process aid for vulcanized rubber	(G) Silane-treated aluminosilicate
P- 16- 0512 A	06/30/20 20	СВІ	(S) Component of a UV curable printing inks	(G) Fatty acid dimers, polymer with acrylic acid and pentaerythritol reaction products.
P- 4 17- 0115 A	07/24/20 20	СВІ	(S) An adhesion promoter for coating formulations	(G) Aminoalkyl alkoxysilane
P- 7 17- 0267 A	08/22/20 18	Honeywell International (123312)	(G) solvent for dispersive use	(S) (1) (Z)-1-chloro-3,3,3-trifluoro-1-propene
P- 17- 0267 A	09/14/20 18	Honeywell International (123312)	(G) solvent for dispersive use	(S) (1) (Z)-1-chloro-3,3,3-trifluoro-1-propene
P- 17- 0267 A	09/25/20 18	Honeywell International (123312)	(G) solvent for dispersive use	(S) (1) (Z)-1-chloro-3,3,3-trifluoro-1-propene
P- 17- 0288 A	11/05/20 18	SK Chemicals America, Inc.	(G) All-purpose packaging	(G) Carbomonocyclicdicarboxylic acid, polymer with cycloalkane(C=5~8) alkanol, alkanediol(C=1~5), 4- (hydroxymethyl)cyclohexyl]methyl 4- (hydroxymethyl)cyclohexanecarboxylate, substitutedalkanol(C=1~5) and 4,4'- [oxybis(methylene)]bis[cyclohexanemethanol];(M)
P- 17- 0329 A	06/22/20 18	СВІ	(G) Intermediate used in synthesis	(G) Substituted haloaromatic trihaloalkyl-aromatic alkanone
P- 7 17-	07/12/20 18	CBI	(G) Intermediate used in synthesis	(G) Substituted haloaromatic trihaloalkyl-aromatic alkanone

0329 A					
P- 17- 0398 A	9	11/02/20	Nexus Fuels	(G) Wax- Component of complex formulations for blending.	(G) Branched Cyclic and Linear Hydrocarbons from Plastic Depolymerization
P- 17- 0399 A	9	11/02/20	Nexus Fuels	(G) stock use	(G) Alkane, Alkene, Styrenic Compounds Derived from Plastic Depolymerization
P- 18- 0001	9	11/02/20	Nexus Fuels	(G) Additive	(G) Carbon compound derived from plastic depolymerization
P- .8- .0013	4	07/01/20	Shin-Etsu Microsi	(G) Microlithography for electronic device manufacturing	(G) Substituted-triphenylsulfonium, inner salt
P- 18- 0042 A	10	08/20/20	Myriant Corporation	(G) Industrial Coating	(S) 2,5-Furandione, polymer with 2-ethyl-2- (hydroxymethyl)-1,3-propanediol, 3a,4,5,6,7,7a- hexahydro-4,7-methano-1H-inden-5(or 6)-yl ester, ester with 2,3-dihydroxypropyl neodecanoate, polymer with 5-isocyanato-1- (isocyanatomethyl)-1,3,3-trimethylcyclohexane, 2- hydroxyethyl acrylate- and 2-hydroxyethyl methacrylate-blocked
P- 18- 0042 A	11	09/17/20 18	Myriant Corporation	(G) Industrial Coating	(S) 2,5-Furandione, polymer with 2-ethyl-2- (hydroxymethyl)-1,3-propanediol, 3a,4,5,6,7,7a- hexahydro-4,7-methano-1H-inden-5(or 6)-yl ester, ester with 2,3-dihydroxypropyl neodecanoate, polymer with 5-isocyanato-1- (isocyanatomethyl)-1,3,3-trimethylcyclohexane, 2- hydroxyethyl acrylate- and 2-hydroxyethyl methacrylate-blocked
P- 18- 0042 A	12	09/24/20 18	Myriant Corporation	(G) Industrial Coating	(S) 2,5-Furandione, polymer with 2-ethyl-2- (hydroxymethyl)-1,3-propanediol, 3a,4,5,6,7,7a- hexahydro-4,7-methano-1H-inden-5(or 6)-yl ester, ester with 2,3-dihydroxypropyl neodecanoate, polymer with 5-isocyanato-1- (isocyanatomethyl)-1,3,3-trimethylcyclohexane, 2- hydroxyethyl acrylate- and 2-hydroxyethyl methacrylate-blocked
P- 18- 0104 A	9	07/20/20 20	СВІ	(S) Halogen free flame retardant in thermoplastic polymers	(G) Acrylic acid, reaction products with pentaerythritol, polymerized
P- 18- 0110 A	8	09/10/20	CBI	(G) Open dispersive use. Component in liquid paint coating.	(G) Formaldehyde, polymer with arylylpolyamine, 2-(chloromethyl) oxirane and phenol
P- 18- 0111 A	8	09/10/20	СВІ	(G) Component in liquid paint coating	(G) Phenol, polymer with formaldehyde, glycidyl ether, polymers with arylylpolyamine
P- 18- 0143 A	8	07/10/20	Huntsman international LLC	(G) Anti-corrosive primer for outdoor industrial applications	(G) Fatty acids, tall-oil polymers with aminoalkyl, dialkyl alkane diamine, polyalkylene polyamine alkanepolyamine fraction, and tris-[(alkylamino) alkyl] phenol
P- 18- 0144 A	7	07/10/20 20	СВІ	(G) Anti-corrosive primer for outdoor industrial applications	(G) Formaldehyde, polymer with an alkane diamine and phenol
P- 18- 0202 A	2	06/14/20	Hexion Inc	(G) Tackifier, Rubber additive	(G) Trialkyl alkanal, polymer with phenol
P- 18- 0202 A	6	11/30/20	Hexion Inc	(G) Tackifier, Rubber additive	(G) Trialkyl alkanal, polymer with phenol
P- 18-	2	06/14/20	Hexion Inc	(G) Tackifier, Rubber additive	(G) Trialkyl alkanal, polymer with alkylalkanal and phenol

0203 A					
). 8-)203 A	6	11/30/20 18	Hexion Inc	(G) Tackifier, Rubber additive	(G) Trialkyl alkanal, polymer with alkylalkanal and phenol
8- 204	2	06/14/20 18	Hexion Inc	(G) Tackifier, Rubber additive	(G) Alkyl alkanal, polymer with phenol
8- 1204	6	11/30/20	Hexion Inc	(G) Tackifier, Rubber additive	(G) Alkyl alkanal, polymer with phenol
8- 205	2	06/14/20	Hexion Inc	(G) Tackifier, Rubber additive	(G) Alkyl alkanal, polymer with formaldehyde and phenol
8- 1205	6	11/30/20	Hexion Inc	(G) Tackifier, Rubber additive	(G) Alkyl alkanal, polymer with formaldehyde and phenol
P- .8-)206 A	2	06/14/20	Hexion Inc	(G) Tackifier, Rubber additive	(G) Alkanal, polymer with phenol
P- .8-)206	6	11/30/20	Hexion Inc	(G) Tackifier, Rubber additive	(G) Alkanal, polymer with phenol
8-)221	2	07/22/20	Georgia-Pacific Chemicals LLC	(S) binder for wood panels	(G) Polyglycerol reaction product with acid anhydride, etherified
P- 18- 0236 A	2	09/26/20	The Sherwin Williams Company	(G) Paint additive	(G) Metal, alkenoic acid-alkyl alkenoate-alkyl substituted alkenoate polymer carbopolycycle complexes;
P- 18- 0239 A	4	07/06/20	CBI	(G) Reactant in coating.	(G) N-alkyl propanamide
8- 0240 A	4	07/06/20	СВІ	(G) Reactant in coating.	(G) N-alkyl acetamide
P- 18- 0281	4	07/09/20	СВІ	(G) Electrolyte additive.	(G) Cyclic sulfate
P- .8-)282	10	01/25/20	Ashland Inc.	(G) Adhesive	(G) fatty acid ester, polyether, diisocyanate polymer
P- .8-)303 A	4	07/22/20	CBI	(G) UV curable oligomer	(G) 2-Propenoic acid, polymer with aliphatic cyclic epoxide
P- 8- 9309 A	8	11/01/20	HighLand Logistics LLC	(G) Latex applied to textiles for anti-odor and anti-microbial applications	(G) alkanedioic acid, 2-alkylene-, polymer with polyhaloaromatic arylate, sodium salt, hydroxyalky alkanoate, alkanoic acid, alkenyl-hydroxypoly(oxy-1,2-ethanediyl-alkenyloxymethylalkyoxy polyoxy-1,2-ethandiyl
P- .8-)327 A	7	07/09/20 20	СВІ	(G) Filler for non-dispersive resins.	(G) Mixed Metal Oxide
.8- .327	8	07/09/20 20	CBI	(G) Filler for non-dispersive resins.	(G) Mixed Metal Oxide

P- 18- 0327	9	07/16/20 20	СВІ	(G) Filler for non-dispersive resins.	(G) Mixed Metal Oxide
A P- 18- 0355 A	3	07/29/20 20	CBI	(G) paint	(G) Alkanediol, substituted alkyl, polymer with carbomonocyle, alkanedioate substituted carbomonocycle, ester with substituted alkanoate
P- 18- 0358 A	2	10/18/20	Shikoku International Corporation	(S) Used as a curing agent within carbon fiber reinforced plastics (CFRP) prepreg to expedite the hardening process during the final thermosetting operation. Industrial adhesives for electronics to expedite the hardening process during the final thermosetting operation.	(S) 1H-Imidazole-1-propanenitrile,2-ethyl-armethyl-
P- 18- 0379 A	3	07/08/20 20	СВІ	(G) Hardener for waterborne epoxy system	(G) Cashew nutshell liquid polymer with Epichlorohydrin, formaldehyde, phenol, amines and glycol
P- 18- 0398 A	5	07/17/20 20	Evonik Corporation	(S) Intermediate	(G) Polyalkylpolyalkylenepolyamine
P- 18- 0400 A	8	07/28/20 20	СВІ	(G) open, non-dispersive use, additive for textile industry	(G) Rosin adduct ester, polymer with polyols, potassium salt
P- 19- 0038 A	5	06/30/20	Allan Chemical Corporation	(S) Ink carrier for the ceramic industries.	(S) Fatty acids, coco, iso-Bu esters
P- 19- 0141 A	6	07/08/20	СВІ	(S) For use in metal treatment coatings for lubrication and corrosion protection.	(S) Phosphoric Acid, manganese(2+) salt (2:3);(S) Phosphoric acid, manganese(2+) salt (4:5);
P- 19- 0188 A	2	07/24/20	Archroma U.S., Inc	(S) Wetting agent and lubricant during textile processing.	(G) Octadecanamide, N,N-dialkyl, salts
P- 20- 0011 A	7	07/16/20	СВІ	(G) Light stabilizer	(G) Tetraoxaspiro[5.5]alkyl-3,9-diylbis(alkyl-2,1-diyl) bis(2-cyano-3-(3,4-dimethoxyphenyl)acrylate)
P- 20- 0058	3	07/23/20	CBI	(G) Additive for automatic dishwashing, hard surface cleaner	(G) Polysaccharide, polymer with unsaturated carboxylic acid and methacryloxyethyltrimethyl ammonium chloride, sodium salt, acid salt initiated
P- 20- 0061	2	07/07/20	Allnex USA Inc.	(S) Coating resin crosslinking agent.	(G) Formaldehyde, polymer with alkylphenols, alkyl ether
P- 20- 0062 A	3	07/09/20	Inabata America Corporation	(S) Use as an electrically conductive material, additive in field emission applications, batteries, energy storage, and electrode applications to improve physical or mechanical properties, weight reduction, heat generation material, heat dissipation material.	(S) Multi-walled carbon nanotubes; closed; 4.4 - 12.8 nm diameter; bundle length 10.6 - 211.1 um; Grade: Jenotube 6 (Substance-1)
P- 20- 0063 A	3	07/09/20 20	Inabata America Corporation	(S) Use as an electrically conductive, in field emission applications, in batteries, energy storage, and electrode applications, to improve physical or mechanical properties, for weight reduction, a heat generation material, heat dissipation material.	(S) Multi-walled carbon nanotubes; closed; 7.9 - 14.2 nm diameter; bundle length 9.4 - 106.4 um; Grade: Jenotube 10 (Substance-2)
P- 20- 0064 A	3	07/09/20 20	Inabata America Corporation	(S) Use as an electrically conductive, in field emission applications, in batteries, energy storage, and electrode applications, to improve physical or mechanical properties, for weight reduction, a heat generation material, heat dissipation material.	(S) Multi-walled carbon nanotubes; closed; 7.9 - 14.2 nm diameter; bundle length 9.4 - 106.4 um; Grade: Jenotube 10 (Substance-3)
P- 20- 0065 A	3	07/09/20 20	Inabata America Corporation	(S) Use as an electrically conductive material, an additive in field emission applications, an additive in batteries, energy storage, and electrode applications, an additive to improve physical or mechanical properties, an additive for weight reduction, heat generation and dissipation material.	(S) Multi-walled carbon nanotubes; closed; 17.0 - 34.7 nm diameter; globular shape; Grade: Jenotube 20 (Substance-4)
P- 20- 0068 A	3	07/02/20	CBI	(G) Perfume	(S) 1,3-Propanediol, 2,2-dimethyl-, 1,3-diacetate

P- 20- 0071 A	7	06/29/20	CBI	(G) Colorant	(G) Salt of 2-Naphthalenesulfonic acid, hydroxy [(methoxy-methyl-4-sulfophenyl)diazenyl]
P- 20- 0077 A	3	06/29/20	Aalborz Chemical LLC	(S) UV Curing Agent for use in Inks and Coatings	(G) 1-(dialkyl-diphenylene alkane)-2-alkyl-2- hydrooxazine-1-alkylketone
P- 20- 0090 A	3	07/27/20 20	CLARIANT Corporation	(S) Surfactant for use in dishwashing detergents.	(G) Poly(oxy-1,2-ethanediyl), alpha(alkyl-hydroxyalkyl)omegahydroxy-, .omegaalkyl ethers
P- 20- 0094 A	2	07/23/20 20	СВІ	(S) Formulation component in UV/EB coatings, inks and 3D printing/stereolithography/additive, adhesive manufacturing	(G) Alkanedioic acid, polymer with tri-alkyl- isocyanatocarbomonocycle, dialkylglycols, ester with 2,3-dihydroxypropyl alkyl ester, 2- hydroxyethyl methacrylate-blocked
P- 20- 0096 A	3	07/15/20 20	Solenis LLC	(G) Use in papermaking process	(G) Unsaturated dicarboxylic acid polymer with 2- (dialkylamino)alkyl-alkyl-alkanoate, N, N-dialkyl- alkene amide, 2-propenamide and salt of alkyl- substituted alkene sulfonate
P- 20- 0102 A	2	07/24/20 20	Novihum Technologies, Inc.	(S) Fertilizer/Soil amendment	(S) Chemical Abstract (CA) index name: Coal, brown, ammoxidized
P- 20- 0103 A	6	07/24/20 20	Sachem Inc.	(G) On site intermediate for the production of finished goods	(G) Cycloalphatic amine formate
P- 20- 0104 A	5	07/13/20 20	СВІ	(G) Additive	(G) Alkenoic acid, polymer with (alkyl alkenyl) polyether
P- 20- 0106 A	3	06/29/20	СВІ	(G) Polymer reactant	(G) 3-(2-Alkoxyalkyl)-2-heterocycle
P- 20- 0107 A	3	07/23/20 20	СВІ	(G) Crosslinking polymer	(G) Carbimide, polyalkylenepolyarylene ester, polymer with 1,2-alkanediol, 2-alkoxyalkyl methacrylate- and 3-(2-alkoxyalkyl)-2-heterocycleblocked
P- 20- 0122	4	07/01/20	Shin-etsu Microsi	(G) Microlithography for electronic device manufacturing	(G) Heterocyclic onium compound with 1-substituted-alkyl 2,2,2-trisubstitutedalkyl 2-methyl-2-propenoate (1:1), polymer with acenaphthylene, 4-ethenyl-a,a-dimethylbenzenemethanol and 4-ethenylphenyl acetate, hydrolyzed
P- 20- 0127	3	07/09/20 20	Kuraray America, Inc.	(S) Industrial Solvent	(S) 2H-Pyran, tetrahydro-4-methyl-
P- 20- 0128	1	06/29/20 20	СВІ	(G) Additive in Household consumer products	(S) 2-Oxiraneacetic acid, 3-ethyl-, 1-(3,3 dimethylcyclohexyl)ethyl ester
P- 20- 0129	3	07/09/20 20		(G) Surfactant	(G) Alkyl dibetaine
P- 20- 0130	2	07/09/20 20	СВІ	(G) component of industrial coating	(G) Organic acid ester, polymer with aliphatic diols and 1,1'-methylenebis[4-isocyanatobenzene]
P- 20- 0131	1	07/02/20	Ashland Inc.	(S) Laminating adhesive to make flexible packaging	(G) Alkanedioic acid, polymer with alkanediol, alpha-hydro-omega-alkoxypoly(oxy[alkyl-1,2-alkanediyl]), 1,1-alkylenebis[isocyanatobenzene] and [(1-alkyl-1,2-alkanediyl)bis(oxy)]bis[alkanol]
P- 20- 0132	1	07/02/20 20	Designer Molecules, Inc.	(G) Adhesive component	(S) 1H-Pyrrole-2,5-dione, 3-methyl-, 1,1'-C36-alkylenebis-
P- 20- 0133	4	07/14/20 20	Huntsman International LLC	(G) component of foam	(G) Fatty acid oil polymer with aliphatic polyols and aromatic diacid
P- 20- 0134	4	07/14/20 20	Huntsman International LLC	(G) component of foam	(G) Aromatic acid, polymer with aliphatic diol and aromatic diacid
P- 20-	4	07/14/20 20	Huntsman International	(G) component of foam	(G) Fatty acid polymer with polyols, aliphatic alcohol and aromatic diacid

0135			LLC		
P- 20- 0136	1	07/09/20 20	Clariant Corporation	(S) Surface treatment compound for textiles.	(G) Arylcarboxylic acid, alkyl ester, polymer with alkanediol, ester with methyloxirane polymer with oxirane alkyl ether
P- 20- 0137	2	07/17/20 20	Agrimetis	(S) Intermediate	(S) Butanoic acid, 2-amino-4- (hydroxymethylphosphinyl)-, ammonium salt (1:1)
P- 20- 0139	1	07/27/20 20	Shin-etsu Microsi	(G) Contained use for microlithography for electronic device manufacturing.	(G) Sulfonium, triphenyl-, 1,2-substituted- alkyltricycloalkyl-1-carboxylate (1:1)
P- 20- 0140	1	07/27/20 20	Shin-etsu Microsi	(S) Photoacid generator for chemically amplified photoresist	(G) N-Substituted-beta-alanine, heterosubstituted- alkyl ester, ion(1-), triphenylsulfonium (1:1)
P- 20- 0141	1	07/28/20 20	Shin-etsu Microsi	(G) Contained use for microlithography for electronic device manufacturing.	(G) Sulfonium, [4-(1,1-dimethylethyl)phenyl]diphenyl-, salt with heterosubstituted-alkyl tricycloalkane-carboxylate (1:1)
P- 20- 0142	1	07/28/20 20	Shin-etsu Microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Dibenzothiophenium, 5-phenyl-, salt with 2,2-diheterosubstituted-2-sulfoethyl substituted-heterotricycloalkane-carboxylate (1:1)
P- 20- 0143	1	07/28/20 20	СВІ	(S) Binder for Thermoplastic Coatings, Binder or Ink/Adhesive	(S) Cyclohexanemethanamine, 5-amino-1,3,3-trimethyl-, polymer with alpha-hydro-omega-hydroxypoly(oxy-1,4-butanediyl), 5-isocyanato-1-(isocyanatomethyl)-1,3,3-trimethylcyclohexane and 1,1-methylenebis[4-isocyanatobenzene]
P- 20- 0145	1	07/29/20 20	Shin-etsu Microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Substituted heterocyclic onium compound, salt with heteropolysubstitutedalkyl substitutedtricycloalkane carboxylate (1:1), polymer with disubstitutedaromatic compound and 1-methylcyclopentyl 2-methyl-2-propenoate, di-Me 2,2'-(1,2-diazenediyl)bis[2-methylpropanoate]-initiated
P- 20- 0147	1	07/30/20 20	Shin-etsu Microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Substituted-2H-thiopyrylium, salt with heterosubstituted-alkyl tricycloalkane-carboxylate (1:1)
SN- 18- 0001 A	8	05/30/20	СВІ	(S) Solution based (<1% concentration) Oxidation Catalyst for the Composite Market (Fiber glass: Insulation, Filtration media, Reinforcements, Optical Fibers), wood stain (Oxidation Catalyst for Composite industry (e.g., for application to gelcoattype finished goods such as boats, bowling balls, shower stalls and bathtubs, etc.). (G) SNUN chemical will be used as catalysts in composite matrix.	(G) Alkyl-dihydroxy-methyl pyridin-carboxylate Iron chloride complex
SN- 18- 0001 A	15	07/24/20 18	СВІ	(S) Solution based (<1% concentration) Oxidation Catalyst for the Composite Market (Fiber glass: Insulation, Filtration media, Reinforcements, Optical Fibers), wood stain (Oxidation Catalyst for Composite industry (e.g., for application to gelcoattype finished goods such as boats, bowling balls, shower stalls and bathtubs, etc.). (G) SNUN chemical will be used as catalysts in composite matrix.	(G) Alkyl-dihydroxy-methyl pyridin-carboxylate Iron chloride complex
SN- 18- 0001 A	17	08/02/20 18	СВІ	(S) Solution based (<1% concentration) Oxidation Catalyst for the Composite Market (Fiber glass: Insulation, Filtration media, Reinforcements, Optical Fibers), wood stain (Oxidation Catalyst for Composite industry (e.g., for application to gelcoattype finished goods such as boats, bowling balls, shower stalls and bathtubs, etc (G) SNUN chemical will be used as a catalyst in composite matrix.	(S) Iron(1+), chloro[rel-1,5-dimethyl (1R,2S,4R,5S)-9,9-dihydroxy-3-methyl-2,4-di(2-pyridinylkappa.N)-7-[(2-pyridinylkappa.N)methyl]-3,7-diazabicyclo[3.3.1]nonane-1,5-dicarboxylatekappa.N3,.kappa.N7]-, chloride (1:1), (OC-6-63)-
SN- 18- 0001 A	18	08/23/20	СВІ	(S) Solution based (<1% concentration) Oxidation Catalyst for the Composite Market (Fiber glass: Insulation, Filtration media, Reinforcements, Optical Fibers), wood stain (Oxidation Catalyst for Composite industry (e.g., for application to gelcoattype finished goods such as boats, bowling balls, shower stalls and bathtubs, etc.).	(S) Iron(1+), chloro[rel-1,5-dimethyl (1R,2S,4R,5S)-9,9-dihydroxy-3-methyl-2,4-di(2-pyridinylkappa.N)-7-[(2-pyridinylkappa.N)methyl]-3,7-diazabicyclo[3.3.1]nonane-1,5-dicarboxylatekappa.N3,.kappa.N7]-, chloride (1:1), (OC-6-63)-
SN- 18- 0001 A	20	10/16/20 18	СВІ	(S) Proposed New Generic Use name: Oxidation Catalyst for Composites New Proposed Use Description: (Solution) Oxidation Catalyst for the Composite Market (Fiber glass: Insulation, Filtration media, Reinforcements, Optical Fibers),	(S) Iron(1+), chloro[rel-1,5-dimethyl (1R,2S,4R,5S)-9,9-dihydroxy-3-methyl-2,4-di(2-pyridinylkappa.N)-7-[(2-pyridinylkappa.N)methyl]-3,7-

				(Oxidation Catalyst for Composite industry (e.g., for application to gelcoat-type finished goods such as boats, bowling balls, shower stalls and bathtubs, etc.).	diazabicyclo[3.3.1]nonane-1,5-dicarboxylatekappa.N3,.kappa.N7]-, chloride (1:1), (OC-6-63)-
SN- 20- 0003 A	7	07/01/20	CBI	(S) An anionic fluorosurfactant for main use (>98%) in firefighting foam concentrates such as AFFF (Aqueous Film Forming Foam) and AR-AFFF (Alcohol Resistant Aqueous Film Forming Foam), minor use (<2%) in coatings and ink applications.	(S) 1-Propanesulfonic acid, 2-methyl-2-[[1-oxo-3-[(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl)thio]propyl]amino]-, sodium salt (1:1)
SN- 20- 0003 A	8	07/07/20 20	СВІ	(S) An anionic fluorosurfactant for main use (>98%) in firefighting foam concentrates such as AFFF (Aqueous Film Forming Foam) and AR-AFFF (Alcohol Resistant Aqueous Film Forming Foam), for very minor use (<2%) in coatings and ink applications.	(S) 1-Propanesulfonic acid, 2-methyl-2-[[1-oxo-3-[(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl)thio]propyl]amino]-, sodium salt (1:1)
SN- 20- 0005	2	07/14/20 20	Dover Chemical Corporation	(S) Lubricant in metal-working fluids, Drilling mud additive, Plasticizer/flame retardant in textiles, Flame retardant in rubber compounds, Lubricants in grease and engine oils, in polymers	(S) Alkanes, C21-34-branched and linear, chloro
SN- 20- 0007	1	07/21/20 20	СВІ	(S) A component of UV Curable Coatings and Printing Inks	(S) 2-Propenoic acid, 1,1'-(3-methyl-1,5- pentanediyl) ester
P- 16- 0345 A	6	08/09/20 20	СВІ	(G) Processing aid	(G) Acrylamide, polymer with methacrylic acid derivatives
P- 16- 0420 A	6	08/09/20 20	СВІ	(S) The notified substance will be used as a fragrance ingredient, being blended (mixed) with other fragrance ingredients to make fragrance oils that will be sold to industrial and commercial customers for their incorporation into soaps, detergents, cleaners and other similar household and consumer products.	(G) Dimethyl cyclohexenyl propanol
P- 16- 0420 A	3	07/31/20 20	СВІ	(S) The notified substance will be used as a fragrance ingredient, being blended (mixed) with other fragrance ingredients to make fragrance oils that will be sold to industrial and commercial customers for their incorporation into soaps, detergents, cleaners and other similar household and consumer products.	(G) Dimethyl cyclohexenyl propanol
P- 17- 0115 A	5	08/25/20 20	СВІ	(S) An adhesion promoter for coating formulations	(G) Aminoalkyl alkoxysilane
P- 17- 0281 A	7	08/05/20 20	CBI	(G) Water reducible resin	(G) Polysiloxane-polyester polyol carboxylate
P- 18- 0065 A	2	08/17/20 20	Evonik Corporation	(S) Absorption agent and lab reagent	(S) 1,3-Propanediamine, N1,N1-dimethyl-N3-(2,2,6,6-tetramethyl-4-piperidinyl)-
P- 18- 0202	7	08/06/20	Hexion Inc	(G) Rubber additive and Tackifier additives	(G) Trialkyl alkanal, polymer with phenol
P- 18- 0203 A	7	08/06/20	Hexion Inc	(G) Rubber additive and Tackifier additives	(G) Trialkyl alkanal, polymer with alkylalkanal and phenol
P- 18- 0204 A	7	08/06/20	Hexion Inc	(G) Rubber additive and Tackifier additives	(G) Alkyl alkanal, polymer with phenol
P- 18- 0205 A	7	08/06/20	Hexion Inc	(G) Tackifier additive	(G) Alkyl alkanal, polymer with formaldehyde and phenol
P- 18- 0206 A	7	08/06/20	Hexion Inc	(G) Tackifier additive	(G) Alkyl alkanal, polymer with formaldehyde and phenol
P- 18- 0241 A	5	07/31/20 20	СВІ	(G) Additive for automotive coating	(G) 2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene, ethyl 2-propenoate, 2-oxiranylmethyl 2-methyl-2-propenoate and 1,2-propanediol mono(2-methyl-2-propenoate), reaction products with diethanolamine, polymers with substituted-alkyl acrylate, formates (salts)

P- 18- 0244 A	5	07/31/20 20	СВІ	(G) Additive for automotive coating	(G) 2-Propenoic acid, 2-methyl, methyl ester, polymer with ethenylbenzene, ethyl 2-propenoate, 2-oxiranylmethyl 2-methyl-2-propenoate and 1,2-propanediol mono(2-methyl-2-propenoate), reaction products with diethanolamine, polymers with substituted-alkyl methacrylate, formates (salts)
P- 18- 0245 A	5	07/31/20 20	СВІ	(G) Additive for automotive coating	(G) 2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene, ethyl 2-propenoate, 2-oxiranylmethyl 2-methyl-2-propenoate, and 1,2-propanediol mono(2-methyl-2-propenoate), reaction products with diethanolamine, polymers with alkylene glycol monoacrylate, formates (salts)
P- 18- 0256 A	6	08/18/20 20	СВІ	(G) Chemical intermediate	(S) Undecanol, branched
P- 18- 0273 A	6	08/14/20 20	CBI	(G) Used in polymer manufacturing.	(S) 1,4-Cyclohexanedicarboxylic acid, 1,4-bis(2-ethylhexyl) ester
P- 18- 0351 A	3	08/19/20	СВІ	(G) UV curable inks	(G) Acrylic acid, tricyclo alkyl ester
P- 18- 0355 A	4	08/03/20	СВІ	(G) Paint	(G) Alkanediol, Substituted alkyl, polymer with carbomonocyle, alkanedioate substituted carbomonocycle, ester with substituted alkanoate
P- 18- 0359 A	4	08/18/20 20	СВІ	(G) Molded or extruded items	(G) Methoxy Vinyl Ether- Vinylidene Fluoride polymer
P- 18- 0396 A	5	08/17/20 20	СВІ	(G) Paint	(G) Alkenoic acid, alkyl, polymer with carbomonocyle alkyl propenoate and substituted alkyl alkenoate, ester with substituted alkyl alkanoate, tert-butyl substituted peroxoate-initiated
P- 18- 0398 A	6	07/31/20 20	Evonik Corporation	(S) Intermediate	(G) Polyalkylpolyalkylenepolyamine
P- 18- 0399 A	8	08/14/20 20	СВІ	(G) (c) open, non-dispersive use additive for industrial use only	(G) Rosin adduct ester, polymer with polyols, compd. with ethanolamine
P- 18- 0407 A	4	08/14/20 20	СВІ	(S) Polyurethane catalyst	(S) 1,2-Ethanediamine, N,N-dimethyl-N-(1-methylethyl)-N-[2-[methyl(1-methylethyl)amino]ethyl]-
P- 19- 0084 A	4	07/30/20 20	СВІ	(S) Flame retardant	(S) DIphosphoric acid, compd. with 1,3,5-triazine-2,4,6-triamine (1:2)
P- 19- 0141 A	7	08/24/20 20	СВІ	(S) For use in metal treatment coatings for lubrication and corrosion protection.	(S) Phosphoric Acid, manganese(2+) salt (2:3)
P- 19- 0147 A	5	08/17/20 20	Croda Inc.	(G) cleaning additive	(G) alkoxylated butyl alkyl ester
P- 20- 0010 A	9	08/26/20	СВІ	(G) Polymerization auxiliary	(G) Carboxylic acid, reaction products with metal hydroxide, inorganic dioxide and metal
P- 20- 0025 A	4	08/05/20	Biosynthetic Technologies	(S) Motor oil lubricant, formulation #1 (prepared at a processor which is controlled by others) and Motor oil lubricant, formulation #2 (prepared at a processor which is controlled by others)	(S) Octadecanoic acid, 12-(acetoxy)-, 2-ethylhexyl ester
P- 20- 0046 A	4	08/19/20 20	СВІ	(G) Catalyst	(G) Reaction products of alkyl-terminated alkylalumuminoxanes and {[(pentaalkylphenyl-(pentaalkylphenyl)amino)alkyl]alkanediaminato}bis(aralkyl) transition metal coordination compound

P- 20- 0048 A	4	08/20/20 20	СВІ	(G) Catalyst	(G) Reaction products of alkyl-terminated alkylaluminoxanes and dihalogeno(alkylcyclopentadienyl) (tetraalkylcyclopentadienyl)transition metal coordination compound
P- 20- 0049 A	4	08/20/20	CBI	(G) Catalyst	(G) Reaction products of alkyl-aluminoxanes and bis(alkylcyclodialkylene)dihalogenozirconium
P- 20- 0076 A	3	08/06/20	Cytec Industries Inc.	(G) Mining chemical	(S) Glycine, reaction products with sodium O-iso-Pr carbonodithioate, sodium salts
P- 20- 0097 A	3	08/24/20 20	Nelson Brothers, LLC	(S) The PMN substance will be used as an emulsifier for applications in explosives.	(G) Butanedioic acid, monopolyisobutylene derivs., mixed dihydroxyalkyl and hydroxyalkoxyalkyl diesters
P- 20- 0100 A	3	08/19/20	Evonik Corporation	(S) Manual Dish Detergent, Hard Surface Cleaner, and Laundry Detergent	(S) Glycolipids, rhamnose-contg., Pseudomanas putida-fermented, from D-glucose, potassium salts
P- 20- 0105 A	2	07/30/20	Sound Agriculture Company	(S) Maltol lactone is a compound that promotes microbial activity in the soil, resulting in increased availability of phosphorus for crops. This substance will be used on commercial farming operations.	(S) 4H-Pyran-4-one, 3-[(2,5-dihydro-4-methyl-5-oxo-2-furanyl)oxy]-2-methyl-
P- 20- 0109	2	08/05/20	Huntsman Corporation	(S) Exhaust dyeing of cotton and cotton blends.	(G) Acetamide, N-[3-[alkyl(carbomonocyclic) substituted]carbomonocycle]-, coupled with diazotized 2- substituted-3-halo-5-nitrobenzonitrile
P- 20- 0133 A	5	08/03/20 20	Huntsman Corporation	(G) component of foam	(G) Fatty acid oil polymer with aliphatic polyols and aromatic diacid
P- 20- 0133 A	6	08/05/20	Huntsman Corporation	(G) component of foam	(G) Fatty acid oil polymer with aliphatic polyols and aromatic diacid
P- 20- 0133 A	5	08/03/20	Huntsman Corporation	(G) component in foam insulation	(G) Fatty acid polymer with polyols, aliphatic alcohol and aromatic diacid
P- 20- 0133 A	5	08/03/20	Huntsman Corporation	(G) component in foam insulation	(G) Fatty acid polymer with polyols, aliphatic alcohol and aromatic diacid
P- 20- 0143 A	2	08/05/20 20	СВІ	(S) Binder for Thermoplastic Coatings, and Binder or Ink/Adhesive	(S) Cyclohexanemethanamine, 5-amino-1,3,3-trimethyl-, polymer with a-hydro-w-hydroxypoly(oxy-1,4-butanediyl), 5-isocyanato-1-(isocyanatomethyl)-1,3,3-trimethylcyclohexane and 1,1-methylenebis[4-isocyanatobenzene]
P- 20- 0146	1	07/30/20 20	СВІ	(G) Insulating material for electrical parts	(G) Alkanoic acid, alkyl, carbopolycyclic alkyl ester
P- 20- 0152	2	08/03/20 20	Shin-Etsu Microsi	(G) Contained use for microlithography for electronic device manufacturing.	(G) Sulfonium, triphenyl-, salt with 2,2-dihalo-2-sulfoethyl-2-oxo substituted -heterotricycloalkane-heteropolycyclo-carboxylate (1:1)
P- 20- 0153	2	08/04/20 20	CBI	(G) lubricant additive – dispersant	(G) Polyamines, reaction products with succinic anhydride polyalkenyl derivs., borates
P- 20- 0154	2	08/04/20 20	CBI	(G) lubricant additive – dispersant	(G) Polyamines, reaction products with succinic anhydride polyalkenyl derivs., borates
P- 20- 0155	4	08/13/20 20	Shin-Etsu Microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Sulfonium, triphenyl-, salt with 5-alkyl- 2-alkyl-4-(2,4,6-substituted tri-carbomonocycle, heteroacid)benzenesulfonate (1:1)
P- 20- 0155 A	5	08/20/20 20	Shin-Etsu Microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Sulfonium, triphenyl-, salt with 5-alkyl- 2-alkyl-4-(2,4,6-substituted tri-carbomonocycle, heteroacid)benzenesulfonate (1:1)
P- 20- 0156	1	08/03/20	СВІ	(G) Photolithography	(G) Substituted, triaryl-, tricycloalkane alkyl disubstituted

P- 20- 0157	1	08/05/20	СВІ	(G) The notified substance will be used as a fragrance ingredient.	(G) bis(cycloalkyl-alkyl)ether
P- 20- 0158	1	08/06/20 20	AkzoNobel	(S) External coating for food and beverage cans	(G) Carbomonocyclic diacid, polymer with 2,2-dimethyl-1,3-propanediol, alkanetriol, hexanedioic acid and 1,3-isobenzofurandione, compd. with 2-(dimethylamino)ethanol
P- 20- 0159	2	08/11/20 20	Shin-Etsu Microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Phenoxathiinium, 10-phenyl, 5-alkyl-2-alkyl-4-(2,4,6-substituted tri-carbomonocycle, heteroacid)benzenesulfonate (1:1)
P- 20- 0159 A	3	08/20/20 20	Shin-Etsu Microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Phenoxathiinium, 10-phenyl, 5-alkyl-2-alkyl-4-(2,4,6-substituted tri-carbomonocycle, heteroacid)benzenesulfonate (1:1)
P- 20- 0160	2	08/11/20 20	Designer Molecules, Inc.	(G) Dielectric film forming material for use in microelectronic assembly applications	(S) Amines, C-36-alkylenedi-, polymers with bicyclo[2.2.1]heptanedimethanamine, [5,5'-biisobenzofuran]-1,1',3,3'-tetrone and 3a,4,4a,7a,,8,8a-hexahydro-4,8-etheno-1H,3H-benzo[1,2-c:4,5-c']difuran-1,3,5,7-tetrone, maleated
P- 20- 0161	1	08/18/20 20	Sirrus, Inc.	(S) Film former or crosslinker additive used in coatings and adhesives, and Crosslinker additive used in waterborne emulsions	(S) Propanedioic acid, 2-methylene-, 1,3-diethyl ester, polymer with 1,4-butanediol
P- 20- 0163	1	08/21/20 20	Innovative Chemical Technologies, Inc.	(G) Contained chemical processing	(S) Butanedioic acid, 2-methylene-, 4-octadecyl ester
P- 20- 0164	1	08/21/20 20	Innovative Chemical Technologies, Inc.	(G) Contained chemical processing	(S) Butanedioic acid, 2-methylene-, 4-docosyl ester
P- 20- 0165	1	08/21/20 20	Innovative Chemical Technologies, Inc.	(G) Contained chemical processing	(S) Butanedioic acid, 2-methylene-, 4-C16-18-alkyl esters
P- 16- 0345 A	7	08/31/20 20	СВІ	(G) Processing aid	(G) Acrylamide, polymer with methacrylic acid derivatives
P- 16- 0370 A	5	09/14/20 20	СВІ	(G) Crosslinker for adhesives and coatings.	(G) Methoxy-terminated polysiloxanes
P- 16- 0404 A	4	09/22/20 20	СВІ	(G) A colorant for dyeing various synthetic fibers and fabrics. Open, non-dispersive use.	(G) Alkyl ester, 2-({4-[2-(trisubstituted phenyl)azo]-5-acetamido-2-substitutedphenyl} (substituted alkoxy)amino)
P- 16- 0589 A	5	09/25/20 20	Chemtura Corporation	(G) Synthetic aircraft engine lubricant for contained use Industrial lubricant	(G) Pentaerythritol Ester of Mixed Linear and Branched Carboxylic Acids
P- 17- 0193 A	3	09/25/20 20	Chemtura Corporation	(G) Synthetic lubricant for contained use Industrial lubricant	(G) Dipentaerythritol Ester of Mixed Linear and Branched Carboxylic Acids;(G) Pentaerythritol Ester of Mixed Linear and Branched Carboxylic Acids;
P- 18- 0128 A	4	09/02/20	СВІ	(G) Surface modifier	(S) Inulin, 2-hydroxy-3-(trimethylammonio)propyl ether, chloride
P- 18- 0143 A	9	08/29/20 20	Huntsman International LLC	(G) Anti-corrosive primer for outdoor industrial applications	(G) Fatty acids, tall-oil polymers with aminoalkyl, dialkyl alkane diamine, polyalkylene polyamine alkanepolyamine fraction, and tris-[(alkylamino) alkyl] phenol
P- 18- 0289 A	6	09/09/20 20	СВІ	(G) Gas scrubbing, landfill deodorizing, wastewater deodorizing	(G) 2-(2(methylcaboxymonocyclic)amino)ethoxy)-alcohol
P- 18- 0289 A	7	09/23/20 20	СВІ	(G) Gas scrubbing, landfill deodorizing, wastewater deodorizing	(G) 2-(2(methylcaboxymonocyclic)amino)ethoxy)-alcohol
P- 18-	6	09/09/20	CBI	(G) wastewater deodorizing, Gas scrubbing, Landfill odor neutralizing	(G) Carbomonocylic-oxazolidine

0290 A					
P- 18- 0290 A	7	09/23/20 20	СВІ	(G) Gas scrubbing, Landfill odor neutralizing, wastewater deodorizing	(G) Carbomonocylic-oxazolidine
P- 18- 0330 A	5	09/21/20 20	СВІ	(G) initiator	(G) Formaldehyde, polymer with alkyl aryl ketone
	3	09/22/20	Sirrus, Inc.	(S) Intermediate use	(S) Propanedioic acid, 1,3-dihexyl ester
	3	09/22/20	Sirrus, Inc.	(S) Intermediate use	(S) Propanedioic acid, 1,3-dicyclohexyl ester
	5	09/22/20	Sirrus, Inc.	(S) Intermediate use	(S) Propanedioic acid, 2,2-bis(hydroxymethyl)-, 1,3-dihexyl ester
	5	09/22/20	Sirrus, Inc.	(S) Intermediate use	(S) Propanedioic acid, 2,2-bis(hydroxymethyl)-, 1,3-dicyclohexyl ester
	5	09/01/20	СВІ	(G) Plastic Additive	(G) Alkanal, reaction products with alkanediyl bis[alkyl-tris(alkyl-heterocycle)-1,3,5-triazine-2,4,6-triamine and hydrogen peroxide
	5	09/01/20	СВІ	(G) Plastic Additive	(G) 1,3,5-triazine-2,4,6-triamine, alkanediyl bis[alkyl-tris(alkyl-heterocycle)-, allyl derivs., oxidized, hydrogenated
	5	09/08/20	СВІ	(S) Polyurethane catalyst	(S) 1,2-Ethanediamine, N,N-dimethyl-N-(1-methylethyl)-N-[2-[methyl(1-methylethyl)amino]ethyl]-
	6	09/15/20	СВІ	(S) Polyurethane catalyst	(S) 1,2-Ethanediamine, N,N-dimethyl-N-(1-methylethyl)-N-[2-[methyl(1-methylethyl)amino]ethyl]-
P- 18- 0407 A	7	09/21/20 20	СВІ	(S) Polyurethane catalyst	(S) 1,2-Ethanediamine, N,N-dimethyl-N-(1-methylethyl)-N-[2-[methyl(1-methylethyl)amino]ethyl]-
	8	09/23/20 20	СВІ	(G) Coating additive	(S) Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono-C12-14-alkyl ethers, phosphates, sodium salts
	3	09/18/20	CBI	(G) Component in Oil Production	(G) fatty acid alkyl amide, (dialkyl) amino alkyl, alkyl quaternized, salts
P- 19- 0162	4	09/29/20	CBI	(G) Component in Oil Production	(G) fatty acid alkyl amide, (dialkyl) amino alkyl, alkyl quaternized, salts
A P- 20- 0030 A	3	09/10/20	СВІ	(S) Plasticizer for Plastisols, in caulks and sealants	(G) Hexanedioic acid, carbomonocyclic esters
	3	09/14/20	СВІ	(G) Antiwear additive for lubricants	(G) 2-Propenoic acid, 2-hydroxyethyl ester, reaction products with dialkyl hydrogen heterosubstituted phosphate and dimethyl phosphonate
	5	09/25/20	CBI	(G) Oil and gas production chemistry	(G) 2,5-Furandione, reaction products with alkylamine, 1-octanol and polyethylene glycol alkoxy-ether, acetates (salts)
P- 20-	7	09/15/20	Materion Advanced	(S) A material used for the production of Li ion conductive separators for rechargeable batteries.	(G) Mixed Metal Oxide

099			Chemicals		
)- 100	5	09/02/20 20	Evonik Corporation	(S) Manual dish detergent, hard Surface cleaner, laundry detergent	(S) Refer to attachment "Chemical Identity"
)- 00	6	09/11/20 20	Evonik Corporation	(S) Manual dish detergent, hard Surface cleaner, laundry detergent	(G) Rhamnolipids, modified pseudomonas- fermented, from dextrose
)- .08	4	09/11/20 20	СВІ	(G) Film-forming polymer	(G) Alkanoic acid, compds. with diphenylmethane derivative-N1,N1-dialkyl-1,3-alkanediamine-epiclorohydrin-2-cyclic ester homopolymer with dialkylene glycol (2:1) polymer-dialkanolamine reaction products
- 11	2	09/25/20 20	СВІ	(G) Component in flexible automotive interior parts	(S) 1,2,4-Benzenetricarboxylic acid, 1,2,4-trinony ester
)- .44	2	09/16/20 20	СВІ	(G) Asphalt emulsion applications	(S) Fatty acids, soya, reaction products with polyethylenepolyamines
)- 162	2	08/31/20 20	СВІ	(G) Photolithography	(G) Sulfonium, triaryl-, 3,3,3-trihalo-2-sulfoalkyl polycycloalkane-1-carboxylate (1:1)
)- 166	1	08/21/20 20	Sun Chemical	(G) Component of ink	(G) Formaldehyde, polymer with 2- methylcarbomonocycle, glycidyl ether, acrylate hydrogen 1,2-carbomonocyledicarboxylate,
)- 167	2	08/31/20 20	W. R. Grace& Co Conn.	(G) Catalyst	(G) Phenylene, alkyl and polycarbomonocycle substituted, 1,2-dicarboxylate
)- 68	2	09/14/20 20	CBI	(S) Lubricating additives for engine oils, transmission and hydraulic fluid and gear oil applications	(G) Polyolefin polyamine succinimide, carbopolycycle alkoxylated
)- .68	3	09/22/20 20	СВІ	(S) Lubricating additives for engine oils, transmission and hydraulic fluid and gear oil applications	(G) Polyolefin polyamine succinimide, carbopolycycle alkoxylated
)- .70	3	09/09/20 20	Tetramer Technologies, LLC	(G) Component in Lubricants	(G) Glycerin, alkoxylated alkyl acid esters
)- .71	3	09/09/20 20	Tetramer Technologies, LLC	(G) Component in Lubricants	(G) Glycerin, alkoxylated alkyl acid esters
)- .72	3	09/09/20 20	Tetramer Technologies, LLC	(G) Component in Lubricants	(G) Glycerin, alkoxylated alkyl acid esters
)- .73	1	09/01/20 20	ICM Products Inc.	(G) Use as a Coating Additive	(G) Silsesquioxanes, alkyl, alkoxy- and hydroxy-terminated
)- 74	3	09/17/20 20	P2 Science, Inc	(S) For use in consumer products, as well as direct addition to consumer products.	(S) 6-Octen-1-ol, 3,7-dimethyl-, homopolymer, monoacetate
)- .75	2	09/21/20 20	Materia Inc.	(G) Resin formulation additive.	(G) acid N-[4-(4-diarylalkyl]-, carbopolycyclic alkenyl, methyl ester
)- .76	2	09/21/20 20	Materia Inc.	(G) Resin formulation additive.	(G) acid N-(diarylalkyl)-, carbopolycyclic alkenyl methyl ester
)- 77	2	09/21/20 20	Materia Inc.	(G) Resin formulation additive.	(G) carbopolycyclic alkenyl, 2-carboxylic acid, 2- [[[4-(4-diarylalkyl)]carbonyl]oxy]ethyl ester
)- 78	2	09/21/20 20	Materia Inc.	(G) Resin formulation additive.	(G) carbopolycyclic alkenyl, 2-carboxylic acid, 2- [[[(diarylalkyl)]carbonyl]oxy]ethyl ester
)- 79	1	09/08/20 20	СВІ	(S) Reactive polymer for use in surface pre-treatment.	(G) 1,3-Benzenedicarboxylic acid, polymer with 1 benzenedicarboxylic acid, branched alkyl diol, and alkyldiol, bis[[[[bis(isocyanatophenoxy)phosphinothioyl]oxyhenyl]carbamate],

P- 20- 0179 A	2	09/14/20 20	СВІ	(S) Reactive polymer for use in surface pre-treatment.	(G) 1,3-Benzenedicarboxylic acid, polymer with 1,4-benzenedicarboxylic acid, branched alkyl diol, and alkyldiol, bis[[[[bis(isocyanatophenoxy)phosphinothioyl]oxy]p henyl]carbamate],
P- 20- 0180	1	09/08/20 20	Evonik Degussa Corporation	(S) Curing agent for Industrial epoxy Composite	(S) Cyclohexanemethanamine,5-amino-1,3,3- trimethy-, N-sec-Bu dervis.
P- 20- 0181	1	09/11/20 20	Guardian Industries Corp	(S) Additive to influence melting temperature of raw material and physical characteristics of the final product during the manufacture of flat glass, Animal bedding additive used as a dessicant	(S) flue dust, glass-manugf. desulfurization, calcium hydroxide-treated
P- 20- 0182	1	09/15/20 20	Eastman Chemical Company, Inc	(G) Plasticizer for PVC formulations	(S) 1,4-Benzenedicarboxylic acid, bis[2-(2-butoxyethoxy)ethyl] ester (9CI)
P- 20- 0183	1	09/16/20 20	СВІ	(G) Intermediate	(G) Aryl ether epoxide, homopolymer, ether with alkanolamine
P- 20- 0184	1	09/24/20 20	P2 Science, Inc	(S) For use in fragrances for consumer products, as well as direct addition to consumer products.	(S) 6-Octen-1-ol, 3,7-dimethyl-, homopolymer
P- 17- 0301 A	5	10/06/20 20	CBI	(G) Used as a surface drier in clear and pigmented coatings systems to replace other primary driers, particularly cobalt.	(G) Manganese heterocyclic-amine carboxylate complexes
P- 18- 0175 A	9	10/01/20 20	Hexion Inc	(S) Food can coating, Non-food contact can coating	(S) Formaldehyde, polymer with 4-(1,1-dimethylethyl)phenol and phenol, Bu ether
P- 18- 0301 A	2	10/01/20 20	СВІ	(G) Coating component	(G) Alkanedioic acid, polymer with cycloalkyl dimethanol, alkyl and cycloalkyl diisocyanates, dimethyl-alkanediol, dihydroxyalkanoic acid methylenebis[isocyanatocyclohexane, hydroxyethyl acrylate- and polyalkyl glycol monoalkyl ether blocked
P- 18- 0349 A	5	10/05/20 20	Lanxess Solutions US Inc	(S) Two component adhesives and protective coatings for marine, infrastructure, etc. The urethane prepolymer is designed to react with epoxy materials to create a flexible coating or adhesive.	(S) Oxirane, 2-methyl-, polymer with oxirane, ether with 1,2,3-propanetriol (3:1), polymer with 2,4-diisocyanato-1-methylbenzene, branched 4-nonylphenol-blocked
P- 18- 0383 A	4	10/01/20 20	СВІ	(G) Coatings and inks for commercial use	(G) Dialkyl-alkanediamine, polymer with [(oxo-alkenyl)oxy]poly(oxy-alkanediyl)ether with bis(hydroxyalkyl)-alkanediol
P- 19- 0011 A	7	10/16/20 20	Shin etsu Silicones of America	(G) Additive to the EPDM rubber compounds	(G) Polysulfides, bis[3-(trialkoxysilyl)propyl]
P- 19- 0082 A	4	10/06/20 20	Bedoukian Research Inc.	(S) Fragrance uses per FFDCA: fine fragrance, creams, lotions, etc, Fragrance uses per TSCA: scented papers, candles, detergents, cleaners, etc.	(S) Heptanal, 6-hydroxy-2,6-dimethyl-
P- 19- 0167 A	5	10/09/20	Santolubes Manufacturing LLC	(S) synthetic engine, gear and lubricating oils and greases	(S) Poly(oxy-1,4-butanediyl), alpha-hydro-omega- hydroxy-, hexanoate
P- 20- 0001 A	5	10/09/20	Santolubes Manufacturing LLC	(S) synthetic engine, gear and lubricating oils and greases	(S) Poly(oxy-1,4-butanediyl), alpha-hydro-w- hydroxy-, nonanoate
P- 20- 0010 A	10	10/14/20 20	CBI	(G) Polymerization auxiliary	(G) Carboxylic acid, reaction products with metal hydroxide, inorganic dioxide and metal
P- 20- 0014 A	2	10/06/20	McTron Technologies	(G) Water resistant resin additive, Heat resistant binder additive	(G) Sugars, polymer with alkanetriamine
P- 20- 0046 A	5	10/07/20	СВІ	(G) Catalyst	(G) Reaction products of alkyl-terminated alkylalumuminoxanes and {[(pentaalkylphenyl-(pentaalkylphenyl)amino)alkyl]alkanediaminato}bis(aralkyl) transition metal coordination compound

P- 20- 0046 A	6	10/27/20 20	СВІ	(G) Catalyst	(G) Reaction products of alkyl-terminated alkylalumuminoxanes and {[(pentaalkylphenyl-(pentaalkylphenyl)amino)alkyl]alkanediaminato}bis(aralkyl) transition metal coordination compound
P- 20- 0048 A	5	10/07/20 20	СВІ	(G) Catalyst	(G) Reaction products of alkyl-terminated alkylaluminoxanes and dihalogeno(alkylcyclopentadienyl) (tetraalkylcyclopentadienyl)transition metal coordination compound
P- 20- 0048 A	6	10/27/20 20	СВІ	(G) Catalyst	(G) Reaction products of alkyl-terminated alkylaluminoxanes and dihalogeno(alkylcyclopentadienyl) (tetraalkylcyclopentadienyl)transition metal coordination compound
P- 20- 0049 A	5	10/07/20 20	СВІ	(G) Catalyst	(G) Reaction products of alkyl-aluminoxanes and bis(alkylcyclodialkylene)dihalogenozirconium
P- 20- 0049 A	6	10/27/20 20	СВІ	(G) Catalyst	(G) Reaction products of alkyl-aluminoxanes and bis(alkylcyclodialkylene)dihalogenozirconium
P- 20- 0061 A	4	10/13/20 20	Allnex USA Inc.	(S) Coating resin crosslinking agent.	(G) Formaldehyde, polymer with alkylphenols, alkyl ether
P- 20- 0085 A	7	09/30/20 20	Luna Innovations Incorporated	(S) Fluid resistant coatings	(G) Bis(triethoxysilylpropyl carbamate) perfluoropolyether
P- 20- 0098 A	4	10/21/20 20	СВІ	(S) property modifier for polymers	(G) Calcium cycloalkylcarboxylate
P- 20- 0102 A	3	10/01/20 20	Novihum Technologies, Inc.	(S) Fertilizer/Soil amendment	(S) Chemical Abstract (CA) index name: Coal, brown, ammoxidized
P- 20- 0102 A	4	10/08/20 20	Novihum Technologies, Inc.	(S) Fertilizer/Soil amendment	(S) Chemical Abstract (CA) index name: Coal, brown, ammoxidized
P- 20- 0118 A	3	10/26/20 20	СВІ	(G) Additive in household consumer products	(S) Pyridine, 4-methyl-2-pentyl-
P- 20- 0138	3	10/14/20	Gurit (USA) Inc	(S) The substance is part of a mixture with other amines to act as a curative for a 2-part epoxy adhesive formulation. The new substance will be used within an adhesive formulation for use within an industrial setting primarily but not limited to industries such as marine, automotive and wind energy. The adhesive is "cured" at either ambient conditions or using heat and a chemical reaction occurs forming a solid composite structure.	(G) Alkane diglycidy ether, polymer with alkyl- cycloalkane diamines
P- 20- 0143 A	3	10/22/20 20	СВІ	(S) Binder for Thermoplastic Coatings, Binder or Ink/Adhesive	(S) Cyclohexanemethanamine, 5-amino-1,3,3-trimethyl-, polymer with a-hydro-w-hydroxypoly(oxy-1,4-butanediyl), 5-isocyanato-1-(isocyanatomethyl)-1,3,3-trimethylcyclohexane and 1,1-methylenebis[4-isocyanatobenzene]
P- 20- 0167 A	3	10/22/20 20	W. R. Grace & CO Conn.	(G) Catalyst	(G) Phenylene, alkyl and polycarbomonocycle substituted, 1,2-dicarboxylate
P- 20- 0174 A	4	10/16/20 20	P2 Science, Inc	(S) For use in consumer products, as well as direct addition to consumer products. Specific functions would be as solubilizer, rheology modifier and fragrance oil.	(S) 6-Octen-1-ol, 3,7-dimethyl-, homopolymer, monoacetate
P- 20- 0184 A	2	10/16/20 20	P2 Science, Inc	(S) For use in fragrances for consumer products, as well as direct addition to consumer products. Specific functions would be as solubilizer, rheology modifier and fragrance oil.	(S) 6-Octen-1-ol, 3,7-dimethyl-, homopolymer
P- 20-	3	10/08/20 20	Designer Molecules, Inc.	(G) Dielectric film forming material for use in microelectronic assembly applications	(S) Amines, C36-alkylenedi-, polymers with bicyclo[2.2.1]heptanedimethanamine, [5,5'-

0185					biisobenzofuran]-1,1',3,3'-tetrone and 3a,4,5,7a-tetrahydro-7-methyl-5-(tetrahydro-2,5-dioxo-3-furanyl)-1,3-isobenzofurandione, maleated
P- 21- 0001	1	10/01/20 20	СВІ	(G) Flame retardant	(S) Phosphinic acid, aluminum salt (3:1)
P- 21- 0002	2	10/08/20 20	СВІ	(G) Polymer in coatings and ink	(G) Octadecanoic acid, 12-hydroxy-, polymer with aziridine, 2-oxepanone and tetrahydro-2H-pyran-2-one, reaction products with disubstituted heteropolycycle,
P- 21- 0006	6	10/21/20 20	CBI	(G) The PMN Substance is used in froth flotation to treat rare earth minerals and to remove deleterious substances.	(G) Naphthalene derivative
SN- 19- 0002 A	6	10/14/20 20	СВІ	(G) Friction and wear stabilizer in certain solid composite articles.	(G) Potassium Titanate
J-20- 0005	2	10/16/20 20	CBI	(G) Ethanol production	(G) Saccharomyces cerevisiae modified
J-20- 0013	3	10/27/20 20	Greenlight Biociences, Inc	(G) Production of enzymes for use in internal manufacturing	(G) Modified strains of Escherichia coli
J-20- 0014	3	10/27/20 20	Greenlight Biociences, Inc	(G) Production of enzymes for use in internal manufacturing	(G) Modified strains of Escherichia coli
J-20- 0015		20	Greenlight Biociences, Inc	(G) Production of enzymes for use in internal manufacturing	(G) Modified strains of Escherichia coli
J-20- 0016		10/27/20 20	Greenlight Biociences, Inc	(G) Production of enzymes for use in internal manufacturing	(G) Modified strains of Escherichia coli
J-20- 0017		10/27/20 20	Greenlight Biociences, Inc	(G) Production of enzymes for use in internal manufacturing	(G) Modified strains of Escherichia coli
J-20- 0018		10/27/20 20	Greenlight Biociences, Inc	(G) Production of enzymes for use in internal manufacturing	(G) Modified strains of Escherichia coli
J-20- 0025	3	11/03/20 20	СВІ	(G) Ethanol production	(G) Biofuel producing Saccharomyces cerevisiae modified, genetically stable
P- 18- 0057 A	12	11/12/20 20	CBI	(S) a drier accelerator that is used for superior drying performance in solvent-borne and waterborne air-dried paints, inks and coatings.	(G) Vanadium Carboxylate
P- 18- 0057 A	13	11/18/20 20	CBI	(S) a drier accelerator that is used for superior drying performance in solvent-borne and waterborne air-dried paints, inks and coatings.	(G) Vanadium Carboxylate
P- 18- 0057 A	14	11/23/20 20	СВІ	(S) a drier accelerator that is used for superior drying performance in solvent-borne and waterborne air-dried paints, inks and coatings.	(G) Vanadium Carboxylate
P- 18- 0084 A	9	11/23/20 20	ShayoNano USA, Inc.	(S) Additive for water-based paints and coatings	(S) silicon zinc oxide
P- 18- 0256 A	7	11/11/20 20	CBI	(G) Chemical Intermediate	(S) Undecanol, branched
P- 18- 0293 A	6	11/17/20 20	СВІ	(S) Monomer for use in emulsion polymers, formulated industrial coatings, industrial adhesives	(S) Propanedioic acid, 2-methylene-, 1,3-dihexyl ester
P- 18- 0293 A	7	11/20/20 20	СВІ	(S) Monomer for use in emulsion polymers, formulated industrial coatings, industrial adhesives	(S) Propanedioic acid, 2-methylene-, 1,3-dihexyl ester
P- 18- 0294 A	6	11/17/20 20	СВІ	(S) Monomer for use in emulsion polymers, formulated industrial coatings, industrial adhesives	(S) Propanedioic acid, 2-methylene-, 1,3-dihexyl ester
P- 18- 0294 A	7	11/20/20 20	CBI	(S) Monomer for use in emulsion polymers, formulated industrial coatings, industrial adhesives	(S) Propanedioic acid, 2-methylene-, 1,3-dihexyl ester
P- 18-	3	11/24/20 20	Chitec Technology	(S) R-gen 990 is a liquid aminoketone-based photoinitator (PI) intended for use as an ultraviolet (UV) curing agent in highly	(S) 1-Butanone, 2-(dimethylamino)-1-[4-(2-ethyl-2-methyl-3-oxazolidinyl)phenyl]-2-(phenylmethyl)-

0345 A			Co., Ltd.	pigmented inks, photoresists, and masks.	
P- 19- 0082 A	5	11/12/20 20	Bedoukian Research Inc.	(S) Fragrance uses per FFDCA: fine fragrance, creams, lotions, etc., TSCA: scented papers, candles, detergents, cleaners, etc.	(S) Heptanal, 6-hydroxy-2,6-dimethyl-
P- 20- 0010 A	11	11/04/20 20	СВІ	(G) Polymerization auxiliary	(G) Carboxylic acid, reaction products with metal hydroxide, inorganic dioxide and metal
P- 20- 0031 A	5	11/02/20 20	СВІ	(G) Intermediate	(G) Perfluorinated substituted 1,3-oxathiolane dioxide
P- 20- 0070 A	2	11/07/20 20	Clariant Corporation	(S) Solvent for use in formulated pesticide products.	(S) Nonanamide, N,N-dimethyl-
P- 20- 0076 A	4	11/04/20 20	Cytec Industries Inc.	(G) Mining chemical	(S) Glycine, reaction products with sodium O-iso-Pr carbonodithioate, sodium salts
P- 20- 0077 A	6	11/23/20 20	СВІ	(S) UV Curing Agent for use in Inks and Coatings	(G) 1-(dialkyl-diphenylene alkane)-2-alkyl-2- hydrooxazine-1-alkylketone;
P- 20- 0078 A	2	11/11/20 20	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Dicarboxylic acid, compd. with aminoalkylalkyldiamine alkyldioate alkyldioate (1:2:1:1)
P- 20- 0079 A	2	11/11/20 20	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Dicarboxylic acid, compd. with aminoalkylalkyldiamine (3:2)
P- 20- 0080 A	5	11/11/20 20	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Alkyldiamine, aminoalkyl-, hydrochloride (1:3)
P- 20- 0081 A	5	11/11/20 20	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Carboxylic acid, compd. with aminoalkylalkyldiamine (3:1)
P- 20- 0082 A	5	11/11/20 20	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Alkyldiamine, aminoalkyl-, carboxylate (1:3)
P- 20- 0094 A	3	11/12/20 20	СВІ	(S) Formulation component in UV/EB coatings, inks and 3D printing/stereolithography/additive and adhesive manufacturing	(G) Alkanedioic acid, polymer with tri-alkyl- isocyanatocarbomonocycle, dialkylglycols, ester with 2,3-dihydroxypropyl alkyl ester, 2- hydroxyethyl methacrylate-blocked
P- 20- 0105 A	3	11/25/20 20	Sound Agriculture Company	(S) Maltol lactone is a compound that promotes microbial activity in the soil, resulting in increased availability of phosphorus for crops. This substance will be used on commercial farming operations.	(S) 4H-Pyran-4-one, 3-[(2,5-dihydro-4-methyl-5-oxo-2-furanyl)oxy]-2-methyl-
P- 20- 0127 A	4	11/12/20 20	Kuraray America, Inc.	(S) Industrial Solvent	(S) 2H-Pyran, tetrahydro-4-methyl-
P- 20- 0138 A	4	11/20/20 20	Gurit (USA) Inc	(S) The substance is part of a mixture with other amines to act as a curative for a 2-part epoxy adhesive formulation. The new substance will be used within an adhesive formulation for use within an industrial setting primarily but not limited to industries such as marine, automotive and wind energy.	(G) Alkane diglycidy ether, polymer with alkyl- cycloalkane diamines
P- 20- 0146 A	2	11/06/20 20	СВІ	(G) Insulating material for electrical parts	(G) Alkanoic acid, alkyl, carbopolycyclic alkyl ester;
P- 20- 0148	2	20	Solugen Inc.	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
P- 20-	2	11/12/20 20	Solugen Inc.	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized

0149				
P- 20- 0150	11/12/20 20	Solugen Inc.	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
P- 2 20- 0151	11/12/20 20	Solugen Inc.	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
P- 20- 0153 A	11/04/20 20	СВІ	(G) lubricant additive - dispersant	(G) Polyamines, reaction products with succinic anhydride polyalkenyl derivs., borates
P- 4 20- 0154 A	11/04/20	СВІ	(G) lubricant additive - dispersant	(G) Polyamines, reaction products with succinic anhydride polyalkenyl derivs., borates
P- 20- 0161 A	11/04/20	Sirrus, Inc.	(S) Film former or crosslinker additive used in coatings, waterborne emulsions, adhesives	(S) Propanedioic acid, 2-methylene-, 1,3-diethyl ester, polymer with 1,4-butanediol
P- 3 20- 0169	11/23/20 20	СВІ	(G) Battery Plastics and coatings applications, Conductive agent for conductive plastic and paint	(S) multiwalled carbon nanotube
P- 20- 0183 A	11/16/20 20	СВІ	(G) Intermediate	(G) Aryl ether epoxide, homopolymer, ether with alkanolamine
P- 21- 0003	11/04/20 20	СВІ	(G) Polymeric film former for coatings	(G) 4, 4 methylenebis (2, 6 dimethyl phenol) polymer with 2- (chloromethyl) oxirane, 1,4-benzene diol, 2-methyl-2-propenoic acid, mixed alkyl substituted 2-methyl 2-propenoate, and ethyl 2-propenoate, reaction products with 2-(dimthylamino) ethanol
P- 21- 0004	11/11/20 20	CBI	(G) Surfactant	(G) Poly alkyl glycol alkyl ether
P- 2 21- 0011	11/04/20 20	CBI	(S) Crosslinking agent for inks and coatings	(G) Hexane, 1,6-diisocyanato-, homopolymer, alkyl epoxy ether- and polyethylene glycol mono-Me ether-blocked, reaction products with propylenimine
P- 21- 0012	10/28/20 20	CBI	(G) The notified substance will be used as a fragrance ingredient.	(G) Multialkylbicycloalkenyl substituted propanenitrile
P- 21- 0013	11/24/20 20	Takasago	(S) Fragrance in fine fragrance, deodorants and cosmetics, household products such as laundry detergents and air fresheners, Shampoos and Body Washes	(G) methyl phenylethyl cyclopropanemethanol
P- 21- 0014	11/06/20 20	СВІ	(G) oil and gas extraction	(G) Aliphatic alcohol, bis-tetra-alkyl ammonium, chloride salts
P- 1 21- 0015	10/30/20 20	Designer Molecules, Inc.	(S) As a raw material in a Temporary Bonding Adhesive formulation.	(S) Amines, C36-alkylenedi-, polymers with 5,5'-[(1-methylethylidene)bis(4,1-phenyleneoxy)]bis[1,3-isobenzofurandione] and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol]
P- 1 21- 0016	11/02/20 20	CBI	(G) Paint additive, Additive in coating formulations, Component in cleaning agents	(G) Alkanoic acid, dialkyl ester
P- 1 21- 0017	11/12/20 20	Sumitomo Chemical Advanced Technologies LLC	(S) Substance used to improve physical properties in rubber products.	(G) [(Substituted-carbomonocyclic) amino] oxoalkenoic acid, inorganic salt
P- 1 21- 0018	11/12/20 20	Shin-Etsu Microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Sulfonium, triphenyl-, heterocyclic compound-carboxylate (1:1)
P- 2 21- 0019	11/17/20 20	СВІ	(G) The notified substance will be used as a fragrance ingredient.	(G) Ethyl 4-alkyl-2-oxocycloalkanecarboxylate
P- 1 21- 0022	11/20/20 20	СВІ	(S) Flexographic water-based Ink & coating vehicle	(G) Rosin acid esters
P- 1 21- 0023	11/23/20 20	СВІ	(G) Photolithography	(G) Sulfonium, carbocyclic-, salt with 1-(alkyl) 2-[4-[polyhydro-2-carbomonocyclic-5-(polyfluoro-2-sulfoalkyl)-4,7-methano-1,3-benzodioxol-2-yl]carbomonocyclic oxy]acetate (1:1)

P- 21- 0027	1	11/23/20 20	CBI	(G) An ingredient used in the manufacture of photoresist	(G) Heteropolycyclic, trihaloalkyl carbomonocycle- hydroxy carbomonocyclic salt
SN- 17- 0006 A	5	10/29/20 20	СВІ	(G) Physical characteristics modifier for industrial use in certain solid composite articles	(G) Potassium Titanate
J-21- 0002	2	12/02/20 20	СВІ	(G) Ethanol production	(G) Saccharomyces cerevisiae modified
J-21- 0003	2	12/02/20 20	СВІ	(G) Ethanol production	(G) Saccharomyces cerevisiae modified
P- 17- 0263 A	5	12/09/20 20	СВІ	(G) Most paint formulators will add less than 5% of Borchi Gel NA that contains 50% of the PMN substance to make their formulated product volume. (i.e. 10 gallon batch would contain 0.5 gallon of our product (0.25gal of PMN substance).	(G) Zirconium carboxylates sodium complexes
P- 18- 0057 A	15	12/08/20 20	СВІ	(S) a drier accelerator that is used for superior drying performance in solvent-borne and waterborne air dried paints, inks and coatings.	(G) Vanadium Carboxylate
P- 19- 0165 A	4	12/16/20 20	Arboris, LLC	(G) Plasticizer in rubber, Additive for asphalt	(G) Tall oil pitch, fraction, sterol-low
P- 20- 0058 A	4	12/01/20 20	СВІ	(G) Additive for automatic dishwashing, Additive for hard surface cleaner	(G) Polysaccharide, polymer with unsaturated carboxylic acid and methacryloxyethyltrimethyl ammonium chloride, sodium salt, acid salt initiated
P- 20- 0058 A	5	12/08/20 20	СВІ	(G) Additive for automatic dishwashing, Additive for hard surface cleaner	(G) Polysaccharide, polymer with unsaturated carboxylic acid and methacryloxyethyltrimethyl ammonium chloride, sodium salt, acid salt initiated
P- 20- 0078 A	3	12/28/20 20	Ascend Performance Materials	(G) Additive for automatic dishwashing, Additive for hard surface cleaner	(G) Dicarboxylic acid, compd. with aminoalkylalkyldiamine alkyldioate alkyldioate (1:2:1:1)
P- 20- 0078 A	4	12/28/20 20	Ascend Performance Materials	(G) Additive for automatic dishwashing, Additive for hard surface cleaner	(G) Dicarboxylic acid, compd. with aminoalkylalkyldiamine alkyldioate alkyldioate (1:2:1:1)
P- 20- 0078 A	5	12/28/20 20	Ascend Performance Materials	(G) Additive for automatic dishwashing, Additive for hard surface cleaner	(G) Dicarboxylic acid, compd. with aminoalkylalkyldiamine alkyldioate alkyldioate (1:2:1:1)
P- 20- 0079 A	3	12/28/20 20	Ascend Performance Materials	(G) Additive for automatic dishwashing, Additive for hard surface cleaner	(G) Dicarboxylic acid, compd. with aminoalkylalkyldiamine (3:2)
P- 20- 0079 A	4	12/28/20 20	Ascend Performance Materials	(G) Additive for automatic dishwashing, Additive for hard surface cleaner	(G) Dicarboxylic acid, compd. with aminoalkylalkyldiamine (3:2)
P- 20- 0079 A	5	12/28/20 20	Ascend Performance Materials	(G) Additive for automatic dishwashing, Additive for hard surface cleaner	(G) Dicarboxylic acid, compd. with aminoalkylalkyldiamine (3:2)
P- 20- 0080 A	6	12/28/20 20	Ascend Performance Materials	(G) Additive for automatic dishwashing, Additive for hard surface cleaner	(G) Alkyldiamine, aminoalkyl-, hydrochloride (1:3)
P- 20- 0080 A	7	12/28/20 20	Ascend Performance Materials	(G) Additive for automatic dishwashing, Additive for hard surface cleaner	(G) Alkyldiamine, aminoalkyl-, hydrochloride (1:3)
P- 20- 0081 A	6	12/28/20 20	Ascend Performance Materials	(G) A stabilizer for industrial applications	(G) Carboxylic acid, compd. with aminoalkylalkyldiamine (3:1)
P- 20-	7	12/28/20 20	Ascend Performance Materials	(G) A stabilizer for industrial applications	(G) Carboxylic acid, compd. with aminoalkylalkyldiamine (3:1)

P- 20- 0082 A	6	12/28/20 20	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Alkyldiamine, aminoalkyl-, carboxylate (1:3)
P- 20- 0082 A	7	12/28/20	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Alkyldiamine, aminoalkyl-, carboxylate (1:3)
P ₋ 20- 0128	2	12/16/20 20	CBI	(G) Additive in Household consumer products	(S) 2-Oxiraneacetic acid, 3-ethyl-, 1-(3,3 dimethylcyclohexyl)ethyl ester
P- 20- 0169	4	11/30/20 20	CBI	(G) Battery Plastics and coatings applications, Conductive agent for conductive plastic and paint	(S) multiwalled carbon nanotube
P- 20- 0173	2	12/07/20 20	CBI	(G) Battery Plastics and coatings applications, Conductive agent for conductive plastic and paint	(S) multiwalled carbon nanotube
P- 20- 0180 A	2	12/09/20 20	Evonik Degussa Corporation	(S) Curing agent for Industrial epoxy Composite	(S) Cyclohexanemethanamine,5-amino-1,3,3-trimethy-, N-sec-Bu dervis.
P- 21- 0010	3	12/16/20 20	Evonik Degussa Corporation	(S) 3D Printing	(S) 1,3-Benzenedicarboxylic acid, polymer with 2,2-dimethyl-1,3-propanediol, 1,2-ethanediol, 2-ethyl-2-(hydroxymethyl)- 1,3-propanediol, hexanedioic acid 1,6-hexanediol and 1,3-isobenzofurandione, N-[[1,3,3-trimethyl-5-[[2-[(1-oxo-2- propen-1- yl)oxy]ethoxy]carbonyl]amino]cyclohexyl]methyl]c arbamate N-[3,3,5-trimethyl-5-[[[2-[(1-oxo-2- propen-1- yl)oxy]ethoxy]carbonyl]amino]methyl]cyclohexyl]c arbamate
P- 21- 0021	4	12/16/20 20	J6 Polymers	(S) Raw material to be blending into R-side components of the polyurethane and polyisocyanurate industry. Specifically used in slabstock/bunstock processing of foam	(S) Soybean oil, mixed esters with diethylene glycol phthalic acid and terephthalic acid
P- 21- 0024	2	12/07/20 20	CBI	(G) lamination catalyst	(G) Sulfur acid, compd. with bis-alkanolamine (1:1)
21- 2025	2	12/07/20 20	CBI	(G) lamination catalyst	(G) Sulfur acid, compd. with bis-alkanolamine (1:1)
9- 21- 0026	2	12/07/20 20	СВІ	(G) lamination catalyst	(G) Sulfur acid, compd. with bis-alkanolamine (1:1)
21- 0031	2	12/10/20 20	Omnium International	(S) Used as a component in a mineral oil based anticorrosion oil. Two applications for the anticorrosion oil are for use in cavities, interiors and closed systems and for protection of large metal parts against corrosion.	(S) Isooctadecanoic acid, compd. with N-cyclohexylcyclohexanamine (1:1)
P- 21- 0037	1	12/11/20 20	Sinova Specialties Inc.	(S) Used as a viscosity modifier in commercial and consumer engine oil	(S) [1,1'-Biphenyl]-3,3',4,4'-tetracarboxamide, N3,N3',N4,N4'-tetracctyl)
P ₋ 21- 0038	1	12/11/20 20	Sinova Specialties Inc.	(S) Used as a viscosity modifier in commercial and consumer engine oil	(S) [1,1'-Biphenyl]-3,3',4,4'-tetracarboxamide, N3, N3', N4, N4'-tetradodecyl-
P- 21- 0039	1	12/11/20 20	Sinova Specialties Inc.	(S) Part of a series of chemicals used as viscosity modifiers in commercial and consumer engine oil	(S) 1,2,4,5-Benzenetetracarboxamide, N1, N2, N4, N5-tetrahexyl-
P- 21- 0040	1	12/11/20 20	Sinova Specialties Inc.	(S) Part of a series of chemicals used as viscosity modifiers in commercial and consumer engine oil	(S) 1,2,4,5-Benzenetetracarboxamide, N1,N2,N4,N5-tetraoctyl-
P- 21- 0041	1	12/11/20 20	Sinova Specialties Inc.	(S) Part of a series of chemicals used as viscosity modifiers in commercial and consumer engine oil	(S) 1,2,4,5-Benzenetetracarboxamide, N1,N2,N4,N5-tetradodecyl-
P- 21- 0042	1	12/15/20 20	CBI	(G) Photolithography	(G) Sulfonium, tricarbocyclic-, 2-heteroatom- substituted-4-(alkyl)carbomonocyclic carboxylate (1:1)
21- 0043	1	12/16/20 20	Advanced Polymer Coatings	(S) Component in protective coatings that provides chemical resistance	(G) Glycidyl ether of (formaldehyde, polymer with mixed phenols)

P- 21- 0044	1	12/17/20 20	СВІ	(G) Monomer	(G) Alkenoic acid, polyhaloalkyl ester
P- 21- 0045	1	12/17/20 20	CBI	(G) Monomer	(G) Alkenoic acid, alkyl-substituted, polyhaloalkyl ester
P- 21- 0046	1	12/17/20 20	СВІ	(G) Monomer	(G) Alkanoic acid, polyhalo-, halo-oxo-alkenyl-oxo-alkyl ester
P- 21- 0047	1	12/17/20 20	CBI	(G) Monomer	(G) Alkenoic acid, halo-substituted-polyhalo-alkyl ester
P- 21- 0049	1	12/18/20 20	CBI	(G) Monomer	(G) Alkanoic acid, polyhalo-(halo-oxo- alkenyl)oxyalkyl ester
P- 21- 0050	1	12/18/20 20	CBI	(G) Monomer	(G) Alkenoic acid, halo-polylhaloalkyl ester
SN- 20- 0006	3	12/18/20 20	СВІ	(G) Color Developer	(S) Phenol, 4,4'-[1-[4-[1-(4-hydroxyphenyl)-1-methylethyl]phenyl]ethylidene]bis-
A SN- 21- 0001	1	12/07/20 20	CBI	(S) Chelating agent for use in hard surface cleaning (and disinfection), Chelating agent for use in laundry detergent.	(S) Glycine, N-(carboxymethyl)-N-[2- [(carboxymethyl)amino]ethyl]-, sodium salt (1:3)
⊢	2	12/14/20 20	СВІ	(G) Ethanol production	(S) Glycine, N-(carboxymethyl)-N-[2- [(carboxymethyl)amino]ethyl]-, sodium salt (1:3)
J-21- 0007	1	12/21/20 20	СВІ	(S) Chelating agent for use in hard surface cleaning (and disinfection), Chelating agent for use in laundry detergent.	(G) Biofuel producing Saccharomyces cerevisiae modified, genetically stable
J-21- 0008	1	12/21/20 20	CBI	(S) Chelating agent for use in hard surface cleaning (and disinfection), Chelating agent for use in laundry detergent.	(G) Biofuel producing Saccharomyces cerevisiae modified, genetically stable
J-21- 0009	1	12/21/20 20	СВІ	(S) Chelating agent for use in hard surface cleaning (and	(G) Biofuel producing Saccharomyces cerevisiae
P- 16- 0592 A		01/08/20 21	Santolubes Manufacturing LLC	disinfection), Chelating agent for use in laundry detergent. (S) This low viscosity diester will be blended with a higher viscosity ester to make a high efficiency gear lubricant primarily for worm gear applications.	modified, genetically stable (S) Fatty acids, C8-C10, diesters with alpha-hydrow-hydroxypoly(oxy-1,4-butanediyl)
P- 16- 0592 A	7	01/13/20 21	Santolubes Manufacturing LLC	(S) This low viscosity diester will be blended with a higher viscosity ester to make a high efficiency gear lubricant primarily for worm gear applications.	(S) Fatty acids, C8-C10, diesters with alpha-hydro-w-hydroxypoly(oxy-1,4-butanediyl)
P- 18- 0153	4	01/27/20	CBI	(G) Mixed metal oxide for batteries	(G) Lithium mixed metal oxide
A P- 18- 0273 A	3	01/04/20	CBI	(G) Used in polymer manufacturing.	(S) 1,4-Cyclohexanedicarboxylic acid, 1,4-bis(2-ethylhexyl) ester
=		01/14/20 21	CBI	(G) Chemical Intermediate	(G) Alkanoic acid, alkyl ester, manuf. of, byproducts from, distn. residues
P- 18- 0349 A	6	12/31/20 20	Lanxess Solutions US Inc	(S) Two component adhesives and protective coatings for marine, infrastructure, etc. The urethane prepolymer is designed to react with epoxy materials to create a flexible coating or adhesive.	(S) Oxirane, 2-methyl-, polymer with oxirane, ether with 1,2,3-propanetriol (3:1), polymer with 2,4-diisocyanato-1-methylbenzene, branched 4-nonylphenol-blocked
P- 19- 0098 Δ	3	01/07/20 21	Clariant Corporation	(S) Flame retardant additive for intumescent coatings.	(G) Phosphoric acid, polymer with (hydroxyalkyl)-alkanediol and alkanediol
P- 19- 0122 A	3	01/27/20 21	СВІ	(G) Reactant monomer in a polymer for industrial use	(G) 2-propenoic acid, 2-(hydrogenated animal-based nitrogen-substituted) ethyl ester
P-	12	01/21/20	CBI	(G) Polymerization auxiliary	(G) Carboxylic acid, reaction products with metal

P- 20- 0030 A	4	01/26/20	СВІ	(S) Plasticizer for Plastisols, Plasticizer in caulks and sealants	(G) Hexanedioic acid, carbomonocyclic esters
P- 20- 0036 A	4	01/12/20	Sigma-Aldrich Co. LLC	(G) Used in the manufacture of Lithium-6 Chloride.	(S) Carbonic acid, di(lithium-6Li) salt
P- 20- 0071 A	8	01/13/20	СВІ	(G) Colorant	(G) Salt of 2-Naphthalenesulfonic acid, hydroxy [(methoxy-methyl-4-sulfophenyl)diazenyl]
P- 20- 0078 A	6	01/07/20	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Dicarboxylic acid, compd. with aminoalkylalkyldiamine alkyldioate alkyldioate (1:2:1:1)
P- 20- 0079 A	6	01/07/20	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Dicarboxylic acid, compd. with aminoalkylalkyldiamine (3:2)
P- 20- 0080 A	8	12/28/20 20	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Alkyldiamine, aminoalkyl-, hydrochloride (1:3)
P- 20- 0080 A	9	01/07/20	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Alkyldiamine, aminoalkyl-, hydrochloride (1:3)
P- 20- 0081 A	8	12/28/20 20	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Carboxylic acid, compd. with aminoalkylalkyldiamine (3:1)
P- 20- 0081 A	9	01/07/20	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Carboxylic acid, compd. with aminoalkylalkyldiamine (3:1)
P- 20- 0082 A	8	12/28/20	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Alkyldiamine, aminoalkyl-, carboxylate (1:3)
P- 20- 0082 A	9	01/07/20	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Alkyldiamine, aminoalkyl-, carboxylate (1:3)
P- 20- 0083 A	2	01/27/20	СВІ	(G) Reactant monomer in a polymer for industrial use	(G) 2-propenoic acid, nitrogen-substituted alkyl, N-C16-18-acyl derivs
P- 20- 0096 A	4	01/28/20	Solenis LLC	(G) Use in papermaking process	(G) Unsaturated dicarboxylic acid polymer with 2-(dialkylamino)alkyl-alkyl-alkanoate, N, N-dialkyl-alkene amide, 2-propenamide and salt of alkyl-substituted alkene sulfonate
P- 20- 0097 A	4	01/06/20	Nelson Brothers, LLC	(S) The PMN substance will be used as an emulsifier for applications in explosives.	(G) Butanedioic acid, monopolyisobutylene derivs., mixed dihydroxyalkyl and hydroxyalkoxyalkyl diesters
P- 20- 0101 A	5	01/15/20	Allnex USA Inc.	(S) Coating Resin	(G) Alkanoic acid, hydroxy-(hydroxyalkyl)-alkyl-, polymer with alpha-[(hydroxyalkyl)alkyl]-omega-alkoxypoly(oxy-alkanediyl), (haloalkyl)oxiane polymer (alkylalkylidene)bis[hydroxy-carbomonocycle] alkenoate and isocyanate-alkyl-carbomonocycle, hydroxyalkyl acrylate-blocked
P- 20- 0105 A	4	01/13/20 21	Sound Agriculture Company	(S) Maltol lactone is a compound that promotes microbial activity in the soil, resulting in increased availability of phosphorus for crops. This substance will be used on commercial farming operations.	(S) 4H-Pyran-4-one, 3-[(2,5-dihydro-4-methyl-5-oxo-2-furanyl)oxy]-2-methyl-
P- 20- 0107 A	4	01/13/20 21	СВІ	(G) Crosslinking polymer	(G) Carbimide, polyalkylenepolyarylene ester, polymer with 1,2-alkanediol, 2-alkoxyalkyl methacrylate- and 3-(2-alkoxyalkyl)-2-heterocycleblocked
P- 20-	2	01/25/20 21	CBI	(S) Chemical intermediate	(G) Imidic acid, alkyl ester, sulfate,

0121 A					
P- 20- 0123 A	2	01/25/20	CBI	(S) Binder	(G) Nitrogen-substituted heterocycle, homopolymer N-(nitrogen-substituted alkyl) derivs., sulfates
P- 20- 0136 A	2	01/18/20 21	Clariant Corporation	(S) Surface treatment compound for textiles.	(G) Arylcarboxylic acid, alkyl ester, polymer with alkanediol, ester with methyloxirane polymer with oxirane alkyl ether
P- 20- 0169 A	5	01/22/20	СВІ	(G) Battery Plastics and coatings applications, conductive agent for conductive plastic and paint	(S) multiwalled carbon nanotube
P- 20- 0173 A	3	01/15/20	ICM Products Inc.	(G) Use as a Coating Additive	(G) Silsesquioxanes, alkyl, alkoxy- and hydroxy- terminated
P- 21- 0005	4	01/22/20	Evonik Corporation	(S) Polymeric additive in gear oils	(G) Carbonmonocyclic alkene polymer with alkyl alkenoate, alkyl alkenoate, alkyl alkenoate and polyalkyldiene alkenoate.
P- 21- 0006 A	3	01/19/20	СВІ	(G) Froth flotation to treat rare earth minerals and to remove deleterious substances.	(G) Naphthalene derivative
P- 21- 0010 A	4	01/07/20	Evonik Degussa Corporation		(S) 1,3-Benzenedicarboxylic acid, polymer with 2,2-dimethyl-1,3-propanediol, 1,2-ethanediol, 2-ethyl-2-(hydroxymethyl)- 1,3-propanediol, hexanedioic acid 1,6-hexanediol and 1,3-isobenzofurandione, N-[[1,3,3-trimethyl-5-[[[2-[(1-oxo-2- propen-1- yl)oxy]ethoxy]carbonyl]amino]cyclohexyl]methyl]c arbamate N-[3,3,5-trimethyl-5-[[[2-[(1-oxo-2- propen-1- yl)oxy]ethoxy]carbonyl]amino]methyl]cyclohexyl]c arbamate
P- 21- 0012 A	2	01/12/20 21	СВІ	(G) The notified substance will be used as a fragrance ingredient.	(G) Multialkylbicycloalkenyl substituted propanenitrile
P- 21- 0012 A	3	01/21/20	СВІ	(G) The notified substance will be used as a fragrance ingredient.	(G) Multialkylbicycloalkenyl substituted propanenitrile
P- 21- 0020	3	01/22/20	Allnex USA Inc.	(S) Modifier for hardness development in paint formulations for metal applications.	(G) Alkanedioic acid, dialkyl ester, polymer with dialkyl-alkanediol, alkyl(substituted alkyl)-alkanediol and heteropolycycle
P- 21- 0021 A	5	01/11/20 21	J6 Polymers	(S) Raw material to be blending into R-side components of the polyurethane and polyisocyanurate industry. Specifically used in slabstock/bunstock processing of foam	(S) Soybean oil, mixed esters with diethylene glycol phthalic acid and terephthalic acid
P- 21- 0034	3	01/06/20 21	Evonik Degussa Corporation	(S) crosslinker for automotive coatings, wood and plastic coatings	(G) Carbamic acid, N-[3-(trialkoxysilyl)propyl]-, C,C'-[2,2,4(or 2,4,4)-trimethyl-1,6-hexanediyl] ester
P- 21- 0035	3	01/06/20 21	Evonik Degussa Corporation	(S) crosslinker for automotive coatings, wood and plastic coatings	(G) Carbamic acid, N-[3-(trialkoxysilyl)propyl]-, C,C'-[2,2,4(or 2,4,4)-trimethyl-1,6-hexanediyl] ester
P- 21- 0043 A	2	01/05/20	Advanced Polymer Coatings	(S) Component in protective coatings that provides chemical resistance	(G) Glycidyl ether of (formaldehyde, polymer with mixed phenols)
P- 21- 0043 A	3	01/08/20	Advanced Polymer Coatings	(S) Component in protective coatings that provides chemical resistance	(G) Glycidyl ether of (formaldehyde, polymer with mixed phenols)
P- 21- 0051	2	01/12/20	Designer Molecules, Inc.	(G) Resin component of an adhesive formulation	(S) Fatty Acids, C18-unsatd., dimers, hydrogenated, polymers with 2-hydroxyethyl-terminated hydrogenated polybutadiene, bis(2,5-dihydro-2,5-dioxo-1H-pyrrole-1-hexanoate)
P- 21- 0052	2	01/04/20	СВІ	(G) The notified substance will be used as a fragrance ingredient.	(G) alkoxy-alkyl-octadiene; alkoxy-alkyl-octadiene;

P- 21- 0053	2	01/04/20	СВІ	(G) The notified substance will be used as a fragrance ingredient.	(G) (multialkyl substituted-cycloalkenyl)-methyl- pentenone; (multialkyl substituted-cycloalkenyl)- methyl-pentenone;
P- 21- 0054	3	01/08/20 21	СВІ	(G) carpet treatment additive	(G) 2-Propenoic acid, 2-methyl-, aminoalkyl ester, polymer with hydroxyalkyl alkenoate and octadecyl alkenoate, acetate (salts)
P- 21- 0056	2	01/15/20 21	СВІ	(G) Component of coatings	(G) Isocyanic acid, polyalkylenepolyarylene ester, polymer with alkyl-hydroxyalkyl-alkanediol, alkoxyalcohol and alkoxylalkoxyalcohol-blocked
P- 21- 0057	2	01/21/20 21	СВІ	(G) Component of coatings	(G) Sulfur based acid, compound with aminoalkylalkyl-aminoalkylalkoxy-polyoxyalkylalkanediyl, polymer with haloalkyl-epoxide and alkylalkylidene-cycloarylalcohol
P- 21- 0058	2	01/21/20 21	СВІ	(G) Component of coatings	(G) Substituted alkanoic acid, compound with aminoalkylalkyl-aminoalkylalkoxy-polyoxyalkylalkanediyl, polymer with haloalkyl-epoxide and alkylalkylidene-cycloarylalcohol
P- 21- 0060	2	01/21/20 21	СВІ	(G) Isolated intermediate	(G) Bisphenol A epichlorohydrin polymer with alkylpolyalkene-polyarylene-hydroxypolyoxyalkyldiyl reaction products with alkylalkylidene-alkylalkylidene-aminoalkylalkanepolyamine and alkylaminoalkanol
P- 21- 0061	2	01/21/20 21	СВІ	(G) Component in coatings	(G) Sulfur based acid, compds. with modified bisphenol A-epichlorohydrin-polyalkylene polyol ether with bisphenol A polymer-N-dialkylalkylidene-N-(dialkylalklyidene)aminoalkyl-alkanepolyamine-alkylaminoalkanol reaction products
P- 21- 0062	2	01/21/20 21	СВІ	(G) Component in coatings	(G) Substituted-alkanoic acid, compds. with modified bisphenol A-epichlorohydrin-polyalkylene polyol ether with bisphenol A polymer-N-dialkylalkylidene-N-dialkylalkylideneaminoalkylalkanepolyamine-alkylaminoalkanol reaction products
P- 21- 0063	1	01/05/20 21	СВІ	(G) Component in herbicides	(G) Heterocyclic-polycarboxylic acid, polyhaloaryl- polyhydro-alkyl-polyalkyl ester
P- 21- 0064	2	01/12/20 21	СВІ	(G) Photolithography	(G) Sulfonium, triphenyl-, polyfluoro- polyhydrospiro[9H-carbopolycyclic-9,2'- [4,7]methano[1,3]benzodioxole]-5'-alkenesulfonic acid (1:1)
P- 21- 0065	2	01/26/20 21	Allnex USA Inc.	(S) Improve the reactivity of ink formulation when cured under under LED UV light	(G) Alkenoic acid, reaction products with alkylamine-alkanediyl diacrylate polymer and [oxybis(alkylene)]bis[alkyl-alkanediol]
P- 21- 0067	1	01/14/20 21	Zymergen Inc	(G) Polymer used in the manufacture of films	(G) Arylfurandione, [bis(trihaloalkyl)alkylidene]bis-, polymer with alkanediamine
P- 21- 0068	1	01/18/20 21	СВІ	(G) Polymerization catalyst	(G) Metalloxanes, alkyl, alkyl group-terminated, reaction products with dihalo-dialkylalkylaryl-alkyl-polycyclic-ylidene(dialkylsilylene)-dialkylalkylaryl-alkylalkyl-polycyclic-ylidene, metal oxide and nonmetallic oxide
P- 21- 0069	2	01/28/20 21	AltAir Paramount LLC	(S) Fuel	(S) Alkanes, C9-14-branched, cyclic and linear
P- 21- 0070	2	01/28/20 21	AltAir Paramount LLC	(S) Fuel	(S) Alkanes, C4-8-branched and linear
P- 21- 0073	1	01/21/20 21	Evonik Corporation	(S) plasticizer in PVC articles like roofing membranes, flooring or coated fabrics	(S) 1,4-Cyclohexanedicarboxylic acid, 1,4-dinonyl ester, branched and linear (DINCD)
P- 21- 0074	1	01/21/20 21	Designer Molecules, Inc.	(G) Resin component of an adhesive formulation	(S) 1,3-Butadiene, homopolymer, hydrogenated, 2- (ethenyloxy)ethyl-terminated
P- 21- 0075	1	01/29/20 21	Allnex USA Inc.	(S) Coating Resin	(G) Alkanoic acid, hydroxy-(hydroxyalkyl)-alkyl-, polymer with alpha-[(hydroxyalkyl)alkyl]-omega-alkoxypoly(oxy-alkanediyl), dialkyl carbonate, alkanediol, alkylene[isocyanato-carbomonocycle] and [oxybis(alkylene)]bis[alkyl-alkanediole] alkenoate, compd. with dialkyalkanamine
SN- 21-	3	12/29/20 20	CBI	(S) Chelating agent for use in hard surface cleaning (and disinfection), in laundry detergent.	(S) Glycine, N-(carboxymethyl)-N-[2- [(carboxymethyl)amino]ethyl]-, sodium salt (1:3)

0001 4					
N- 1- 001	4	01/07/20	СВІ	(S) Chelating agent for use in hard surface cleaning (and disinfection), in laundry detergent.	(S) Glycine, N-(carboxymethyl)-N-[2- [(carboxymethyl)amino]ethyl]-, sodium salt (1:3)
N- 1- 001	5	01/18/20	CBI	(S) Chelating agent for use in hard surface cleaning (and disinfection), in laundry detergent.	(S) Glycine, N-(carboxymethyl)-N-[2- [(carboxymethyl)amino]ethyl]-, sodium salt (1:3)
N- 1- 002	1	01/27/20 21	СВІ	(G) Raw Material	(G) Aryl polyolefin
-21- 005	3	01/14/20 21	СВІ	(G) Chemical production	(G) Modified Saccharomyces cerevisiae enhanced ethanol yield
-21- 006	3	01/14/20 21	СВІ	(G) Chemical production	(G) Modified Saccharomyces cerevisiae enhanced ethanol yield
- 8- 128	5	02/22/20	CBI	(G) Surface modifier	(S) Inulin, 2-hydroxy-3-(trimethylammonio)propyether, chloride
- 8- 135	5	02/03/20	СВІ	(G) Ingredient for household products	(S) 1,2-Decanediol
- 8- 256	5	02/10/20	СВІ	(G) Chemical Intermediate	(S) Undecanol, branched
- 8- 273	7	02/25/20	CBI	(G) Used in polymer manufacturing.	(S) 1,4-Cyclohexanedicarboxylic acid, 1,4-bis(2-ethylhexyl) ester
- 8- 289	9	02/15/20	СВІ	(G) Gas scrubbing, landfill deoderizing	(G) 2-(2(methylcaboxymonocyclic)amino)ethoxy) alcohol
8- 289	10	02/15/20	СВІ	(G) Gas scrubbing, landfill deoderizing	(G) 2-(2(methylcaboxymonocyclic)amino)ethoxy)- alcohol
- 8- 290	9	02/15/20	СВІ	(G) Gas scrubbing, wastewater deoderizing	(G) Carbomonocylic-oxazolidine
8- 290	10	02/15/20 21	СВІ	(G) Gas scrubbing, wastewater deoderizing	(G) Carbomonocylic-oxazolidine
8- 293	8	02/02/20	Sirrus, Inc.	(S) Intermediate: Monomer used as a chemical, in the manufacture of polymers, Adhesives: Monomer used in the manufacture (formulation) of adhesives, Coatings: Monomer used in the manufacture of industrial coatings	(S) Propanedioic acid, 2-methylene-, 1,3-dihexyl ester
8- 294	9	02/02/20	Sirrus, Inc.	(S) Intermediate: Monomer used as a chemical, in the manufacture of polymers, Adhesives: Monomer used in the manufacture (formulation) of adhesives, Coatings: Monomer used in the manufacture of industrial coatings	(S) Propanedioic acid, 2-methylene-, 1,3-dicyclohexyl ester
8- 301	3	02/02/20	СВІ	(G) Coating component	(G) Alkanedioic acid, polymer with cycloalkyl dimethanol, alkyl and cycloalkyl diisocyanates, dimethyl-alkanediol, dihydroxyalkanoic acid methylenebis[isocyanatocyclohexane, hydroxyethy acrylate- and polyalkyl glycol monoalkyl ether blocked
8- 383	5	02/02/20	СВІ	(G) Coatings and inks for commercial use	(G) Dialkyl-alkanediamine, polymer with [(oxo-alkenyl)oxy]poly(oxy-alkanediyl)ether with bis(hydroxyalkyl)-alkanediol
9- 122	4	02/10/20	СВІ	(G) Reactant monomer in a polymer for industrial use	(G) 2-propenoic acid, 2-(hydrogenated animal-basinitrogen-substituted) ethyl ester

P- 20- 0071 A	9	02/18/20 21	CBI	(G) Colorant	(G) Salt of 2-Naphthalenesulfonic acid, hydroxy [(methoxy-methyl-4-sulfophenyl)diazenyl]
P- 20- 0083 A	3	02/10/20 21	CBI	(G) Reactant monomer in a polymer for industrial use	(G) 2-propenoic acid, nitrogen-substituted alkyl, N-C16-18-acyl derivs
P- 20- 0097 A	5	02/19/20	Nelson Brothers, LLC	(S) The PMN substance will be used as an emulsifier for applications in explosives.	(G) Butanedioic acid, monopolyisobutylene derivs., mixed dihydroxyalkyl and hydroxyalkoxyalkyl diesters
P- 20- 0110 A	2	02/02/20	Clariant Corporation	(S) Base oil additive for lubricants and greases.	(G) Oxirane, 2-methyl-, polymer with oxirane, (alkoxyalkoxy)alkyl alkyl ether
P- 20- 0124 A	2	02/05/20	СВІ	(G) Additive in Household consumer products	(S) 5-octen-4-ol, 3,5-dimethyl-, (5E)-
P- 20- 0126 A	2	02/05/20	СВІ	(G) Additive in household consumer products	(S) 4-Decenal, 5,9-dimethyl-
P- 20- 0132 A	2	02/08/20	Designer Molecules, Inc.	(G) Adhesive component	(S) 1H-Pyrrole-2,5-dione, 3-methyl-, 1,1'-C36-alkylenebis-
P- 20- 0148 A	3	01/29/20	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
P- 20- 0148 A	4	02/08/20	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
P- 20- 0148 A	5	02/10/20	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
P- 20- 0149 A	3	01/29/20	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
P- 20- 0149 A	4	02/08/20	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
P- 20- 0149 A	5	02/10/20	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
P- 20- 0150 A	3	01/29/20	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
P- 20- 0150 A	4	02/08/20	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
P- 20- 0150 A	5	02/10/20	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
P- 20- 0151 A	3	01/29/20 21	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
P- 20- 0151 A	4	02/08/20	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized

P- 20- 0151 A	5	02/10/20	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
P- 20- 0167 A	4	02/11/20	W. R. Grace & Co Conn.	(G) Catalyst	(G) Phenylene, alkyl and polycarbomonocycle substituted, 1,2-dicarboxylate
P- 20- 0168 A	6	02/10/20	CBI	(S) Lubricating additives for engine oils, transmission and hydraulic fluid and gear oil applications	(G) Polyolefin polyamine succinimide, carbopolycycle alkoxylated
P- 20- 0183 A	3	02/10/20	СВІ	(G) Intermediate	(G) Aryl ether epoxide, homopolymer, ether with alkanolamine
P- 21- 0015 A	2	01/28/20	Designer Molecules, Inc.	(S) As a raw material in a Temporary Bonding Adhesive formulation.	(S) Amines, C36-alkylenedi-, polymers with 5,5'-[(1-methylethylidene)bis(4,1-phenyleneoxy)]bis[1,3-isobenzofurandione] and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol]
P- 21- 0036	2	02/04/20	CBI	(G) Additive in Household consumer products	(S) 5-Hexen-2-one, 1-bicyclo[2.2.1]hept-2-yl-
P- 21- 0039 A	2	02/03/20	Sinova Specialties Inc.	(S) Part of a series of chemicals used as viscosity modifiers in commercial and consumer engine oil	(S) 1,2,4,5-Benzenetetracarboxamide, N1, N2, N4, N5-tetrahexyl-
P- 21- 0040 A	2	02/03/20	Sinova Specialties Inc.	(S) Part of a series of chemicals used as viscosity modifiers in commercial and consumer engine oil	(S) 1,2,4,5-Benzenetetracarboxamide, N1,N2,N4,N5-tetraoctyl-
P- 21- 0041 A	2	02/03/20	Sinova Specialties Inc.	(S) Part of a series of chemicals used as viscosity modifiers in commercial and consumer engine oil	(S) 1,2,4,5-Benzenetetracarboxamide, N1,N2,N4,N5-tetradodecyl-
P- 21- 0051 A	3	02/15/20	Designer Molecules, Inc.	(G) Resin component of an adhesive formulation	(S) Fatty Acids, C18-unsatd., dimers, hydrogenated, polymers with 2-hydroxyethyl-terminated hydrogenated polybutadiene, bis(2,5-dihydro-2,5-dioxo-1H-pyrrole-1-hexanoate)
P- 21- 0055	2	02/01/20	Hexion Inc	(G) adhesive used for coating formulation	(G) fatty acids, reaction products with polyamine- polyacid polymer and fatty acid
P- 21- 0055 A	3	02/04/20	Hexion Inc	(G) adhesive used for coating formulation	(G) fatty acids, reaction products with polyamine- polyacid polymer and fatty acid
P- 21- 0055 A	4	02/23/20	Hexion Inc	(G) adhesive used for coating formulation	(G) fatty acids, reaction products with polyamine- polyacid polymer and fatty acid
P- 21- 0059	2	02/17/20 21	СВІ	(G) Stabilizer	(S) Methanesulfonic acid,1,1,1-trifluoro-, ytterbium(3+) salt (3:1)
P- 21- 0060 A	3	02/03/20	СВІ	(G) Isolated intermediate	(G) Bisphenol A epichlorohydrin polymer with alkylpolyalkene-polyarylene-hydroxypolyoxyalkyldiyl reaction products with alkylalkylidene-alkylalkylidene-aminoalkylalkanepolyamine and alkylaminoalkanol
P- 21- 0061 A	3	02/03/20	СВІ	(G) Component in coatings	(G) Sulfur based acid, compds. with modified bisphenol A-epichlorohydrin-polyalkylene polyol ether with bisphenol A polymer-N-dialkylalkylidene-N-(dialkylalklyidene)aminoalkyl-alkanepolyamine-alkylaminoalkanol reaction products
P- 21- 0062 A	3	02/03/20 21	СВІ	(G) Component in coatings	(G) Substituted-alkanoic acid, compds. with modified bisphenol A-epichlorohydrin-polyalkylene polyol ether with bisphenol A polymer-N-dialkylalkylidene-N-dialkylalkylideneaminoalkylalkanepolyamine-alkylaminoalkanol reaction products
P- 21- 0066	4	02/08/20 21	L & L Products	(S) Blended or stand alone, epoxy curative (hardener) and foaming agent when blended with certain ingredients	(G) 1,2-alcandiol, 3-aryloxy, mono phosphate ester

P- 21- 0074	2	02/15/20	Designer Molecules, Inc.	(G) Resin component of an adhesive formulation	(S) 1,3-Butadiene, homopolymer, hydrogenated, 2-(ethenyloxy)ethyl-terminated
A P- 21- 0075 A	2	02/04/20	Allnex USA Inc.	(S) Coating Resin	(G) Alkanoic acid, hydroxy-(hydroxyalkyl)-alkyl-, polymer with alpha-[(hydroxyalkyl)alkyl]-omega-alkoxypoly(oxy-alkanediyl), dialkyl carbonate, alkanediol, alkylene[isocyanato-carbomonocycle] and [oxybis(alkylene)]bis[alkyl-alkanediole] alkenoate, compd. with dialkyalkanamine
P- 21- 0076	2	02/09/20	CBI.	(S) Additive for fluids used in oil drilling operations	(G) Alcohols, C16-18 and C18-unsatd., reaction products with subsstituted alkyloxirane and alkylacid
P- 21- 0077	1	02/02/20	Rahn USA Corp.	(G) battery additive	(S) Tinci_PMN3
P- 21- 0078	1	02/02/20	Pinova, Inc.	(S) Tackifying additive used in tire manufacture; Tackifying additive used in hot melt adhesive applications	(G) Phenol, polymer with alkyl- (alkylalkylenyl)cyclohexene, mixed dialkylcyclohexadienes, mixed alkyl- (alkylalkylidene)cyclohexenes and 3,7,7- trimethylbicyclo[4.1.0]hept-3-ene
P- 21- 0078 A	2	02/23/20	Pinova, Inc.	(S) Tackifying additive used in tire manufacture; Tackifying additive used in hot melt adhesive applications	(G) Phenol, polymer with alkyl- (alkylalkylenyl)cyclohexene, mixed dialkylcyclohexadienes, mixed alkyl- (alkylalkylidene)cyclohexenes and 3,7,7- trimethylbicyclo[4.1.0]hept-3-ene
P- 21- 0079	1	02/04/20 21	CBI	(G) Additive in Household consumer products	(S) 13-Oxabicyclo[10.1.0]trideca-4,8-diene, (4E)-
P- 21- 0080	2	02/10/20	Allnex USA Inc.	(S) Binder for UV Curable Coating Resin	(G) Alkanedioic acid, polymers with alkanoic acid- dipentaerythritol reaction products, alkanedioc acid dihydrazide, hydroxy-(hydroxyalkyl)-alkylalkanoic acid, isocyanato-(isocyanatoalkyl)-alkyl substituted carbomonocycle, dialkylalkanediol and polyakylene glycol(hydroxyalkyl)alkyl aklyl ether
P- 21- 0081	2	02/11/20 21	CBI	(G) Additive in Household consumer products	(S) 4-Pentenal, 5-cyclohexyl-2,4-dimethyl-, (4E)-
P- 21- 0082	1	02/05/20	СВІ	(G) Additive in household consumer products	(S) 1-Decen-4-yne
P- 21- 0083	2	02/10/20 21	Allnex USA Inc.	(S) UV Curable resin	(G) Alkenoic acid, reaction products with pentaerythritol, polymers with diisocyanatoalkane and heteromonocyle homopolymer esters with alkanoic acid-pentaerythritol reaction products
P- 21- 0084	1	02/08/20 21	CBI	(G) Chemical intermediate	(G) Carbopolycycle octa-alkene, halo
P- 21- 0085	1	02/08/20	CBI	(G) Used as an additive in the manufacture of tires to improve performance.	(S) 1-Propanethiol, 3-(triethoxysilyl)-, reaction products with polybutadiene
P- 21- 0085 A	2	02/25/20 21	СВІ	(G) Used as an additive in the manufacture of tires to improve performance.	(S) 1-Propanethiol, 3-(triethoxysilyl)-, reaction products with polybutadiene
P- 21- 0089	2	02/25/20 21	СВІ	(G) Emulsifier	(G) Lignin, modified, reaction products with alkylamine by-products, hydrochlorides
P- 21- 0093	2	02/19/20 21	СВІ	(G) Antiwear additive for lubricants	(G) Phosphonic acid, dimethyl ester, reaction products with alkyl-alkyl-alkanediol and alkanediol
J-21- 0004		01/25/20 21	Danisco US, Inc.	(G) Production of a chemical substance	(G) Genetically modified microorganism for the production of a chemical substance
J-21- 0005 A	4	03/05/20	СВІ	(G) Chemical production	(G) Modified Saccharomyces cerevisiae enhanced ethanol yield
J-21- 0006 A	4	03/05/20	СВІ	(G) Chemical production	(G) Modified Saccharomyces cerevisiae enhanced ethanol yield
P- 16-	6	03/01/20	СВІ	(G) A colorant for dyeing various synthetic fibers and fabrics. Open, non-dispersive use.	(G) Alkyl ester, 2-({4-[2-(trisubstituted phenyl)azo]-5-acetamido-2-substitutedphenyl} (substituted alkoxy)amino)

0404 A					
P- 18- 0281 A	5	03/26/20	СВІ	(G) Electrolyte additive.	(G) Cyclic sulfate
P- 18- 0301 A	4	03/31/20	СВІ	(G) Coating component	(G) Alkanedioic acid, polymer with cycloalkyl dimethanol, alkyl and cycloalkyl diisocyanates, dimethyl-alkanediol, dihydroxyalkanoic acid methylenebis[isocyanatocyclohexane, hydroxyethyl acrylate- and polyalkyl glycol monoalkyl ether blocked
P- 18- 0326 A	10	03/29/20	CBI	(G) Chemical Intermediate	(G) Alkanoic acid, alkyl ester, manuf. of, byproducts from, distn. residues
P- 18- 0378 A	6	03/18/20	СВІ	(G) Industrial coatings additive.	(G) Acrylic and Methacrylic acids and esters, polymer with alkenylimidazole, alkyl polyalkylene glycol, alkenylbenzene, alkylbenzeneperoxoic acid ester initiated, compds. with Dialkylaminoalkanol
P- 20- 0058 A	6	03/18/20	СВІ	(G) Additive for automatic dishwashing, Additive for hard surface cleaner	(G) Polysaccharide, polymer with unsaturated carboxylic acid and methacryloxyethyltrimethyl ammonium chloride, sodium salt, acid salt initiated
P- 20- 0058 A	7	03/19/20 21	CBI	(G) Additive for automatic dishwashing, Additive for hard surface cleaner	(G) Polysaccharide, polymer with unsaturated carboxylic acid and methacryloxyethyltrimethyl ammonium chloride, sodium salt, acid salt initiated
P- 20- 0078 A	7	03/24/20 21	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Dicarboxylic acid, compd. with aminoalkylalkyldiamine alkyldioate alkyldioate (1:2:1:1)
P- 20- 0079 A	7	03/24/20 21	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Dicarboxylic acid, compd. with aminoalkylalkyldiamine (3:2)
P- 20- 0080 A	10	03/24/20 21	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Alkyldiamine, aminoalkyl-, hydrochloride (1:3)
P- 20- 0081 A	10	03/24/20 21	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Carboxylic acid, compd. with aminoalkylalkyldiamine (3:1)
P- 20- 0082 A	10	03/24/20	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Alkyldiamine, aminoalkyl-, carboxylate (1:3)
P- 20- 0144 A	5	03/01/20	СВІ	(G) Asphalt emulsion applications	(S) Fatty acids, soya, reaction products with polyethylenepolyamines
P- 20- 0148 A	6	03/15/20	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
P- 20- 0148 A	7	03/22/20	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
20- 0149	6	03/15/20	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
P- 20- 0149 A	7	03/22/20	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
P- 20- 0150	6	03/15/20	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized

P- 20- 0150	7	03/22/20	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
A 20- 2151 A	6	03/15/20	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
P- 20- 0151	7	03/22/20	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
P- 20- 0169 A	6	03/15/20	CBI	(G) Battery Plastics and coatings applications, Conductive agent for conductive plastic and paint	(S) multiwalled carbon nanotube
P- 20- 0169	7	03/26/20	CBI	(G) Battery Plastics and coatings applications, Conductive agent for conductive plastic and paint	(S) multiwalled carbon nanotube
P- 20- 0174 A	5	03/16/20	P2 Science, Inc	(S) For use in consumer products, as well as direct addition to consumer products. Specific functions would be as solubilizer, rheology modifier and fragrance oil.	(S) 6-Octen-1-ol, 3,7-dimethyl-, homopolymer, monoacetate
P- 20- 0184 A	3	03/16/20	P2 Science, Inc	(S) For use in fragrances for consumer products, as well as direct addition to consumer products. Specific functions would be as solubilizer, rheology modifier and fragrance oil.	(S) 6-Octen-1-ol, 3,7-dimethyl-, homopolymer
P- 21- 0012 A	4	03/24/20	CBI	(G) The notified substance will be used as a fragrance ingredient.	(G) Multialkylbicycloalkenyl substituted propanenitrile
P- 21- 0028	2	03/01/20	CBI	(G) Hardener for composite applications	(G) Phenol, methylethylidene, polymer chloromethy epoxide and methylethylidene bis-oxy, bis-amine
P- 21- 0029	2	03/01/20 21	СВІ	(G) Bulk formulated mixture for research and development purposes only.	(G) Amine, methylethylidenebis(oxy)
P- 21- 0066 A	5	03/02/20	L & L Products	(S) Blended or stand alone, epoxy curative (hardener) and foaming agent when blended with certain ingredients	(G) 1,2-alkanediol, 3 aryloxy, mono phosphate ester
P- 21- 0086	3	03/18/20	Croda Inc.	(G) Marine engine oil additive, polymer additive, Greases, Refrigeration oil, Metal working fluid, Industrial drilling oil, Industrial Rolling oil, Compressor Oil, hydraulic oil, Inudstrial turbine oil, Industrial gear oil, Automotive engine oil additive, Automotive gear oil	(S) Isooctadecanamide, N,N-bis(2-ethylhexyl)
P- 21- 0086 A	4	03/26/20	Croda Inc.	(G) Automotive engine oil additive, polymer additive Greases, Refrigeration oil, Metal working fluid, Industrial drilling oil, Industrial Rolling oil, Compressor Oil, hydraulic oil, Inudstrial turbine oil, Industrial gear oil, Automotive gear oil, Marine engine oil additive	(S) Isooctadecanamide, N,N-bis(2-ethylhexyl)
P- 21- 0090	3	03/02/20 21	СВІ	(G) Component in paving formulations.	(G) Lignin, modified, reaction products with alkylamine by-products
P- 21- 0091	3	03/12/20 21	CBI	(G) Laundry detergent additive/emulsifier., emulsifier - water treatment, Emulsifier, Industrial fluid, Coatings and Plastics	(G) Fatty acid esters polymer with Dicarboxylic Acid
P- 21- 0092	3	03/09/20	Miwon North America, Inc.	(S) thermoset composites, industrial coatings, 3D printing	(G) 2-Propenoic acid, (polyhydro-1,3-dioxo-2H-isoindol-2-yl)alkyl ester
P- 21- 0094	1	03/01/20	СВІ	(S) Deposition precursor for the manufacture of electronic components	(G) Silane, halogenated
P- 21- 0095	4	03/16/20 21	СВІ	(S) Crankcase Motor Oil applications, formulated transmission oils. Industrial applications (especially compressor and gear fluids)	(G) Alkene Homopolymer Hydrogenated
P- 21- 0095 A	5	03/30/20	СВІ	(S) Crankcase Motor Oil applications, formulated transmission oils. Industrial applications (especially compressor and gear fluids)	(G) Alkene Homopolymer Hydrogenated

P- 21- 0097	1	03/05/20	СВІ	(S) Plasticizer for use in dryblend applications (ie - injection molding, slush molding, extrusion, calendering), Component in lubricants and industrial oils, Plastisol in spread-coating applications	(S) 1,2,4-Benzenetricarboxylic acid, trinonyl ester, branched and linear
P- 21- 0098	3	03/18/20 21	Hubergroup	(S) Co-initiator for the curing of UV printing inks	(G) Poly(oxy-1,2-ethanediyl), alpha-hydro-omega- [2(or 3)-[[substituted benzoyl]oxy]hydroxypropoxyl]-, alpha, alpha', alpha'' -ether with 2-ethyl-2-(hydroxymethyl)-1,3- propanediol (3:1)
P- 21- 0100	1	03/24/20 21	ENI Trading & Shipping Inc	(G) Used as a lubricant and lubricant additive, Lubricant and lubricant additive	(G) Raffinates (petroleum), vacuum distillate solvent, solvent-dewaxed, hydrotreated
P- 21- 0101	1	03/24/20 21	ENI Trading & Shipping Inc	(G) Used as a lubricant and lubricant additive, Lubricant and lubricant additive	(G) Benzenesulfonic acid, polyalkyl derivs., calcium salts
SN- 20- 0007 A	2	03/08/20 21	СВІ	(S) A component of UV Curable Coatings and Printing Inks	(S) 2-Propenoic acid, 1,1'-(3-methyl-1,5-pentanediyl) ester
SN- 21- 0003	1	03/02/20 21	Norquay Technology Inc	(G) Intermediate	(S) 1,1'-Biphenyl, 4,4'-dibromo-
J-21- 0012	1	03/31/20 21	Vestaron corporation	(G) Production of an agricultural product	(G) Yeast that has been stably modified for the production of an agricultural product
J-21- 0013	1	04/02/20 21	Vestaron corporation	(G) Production of an agricultural product	(G) Yeast that has been stably modified for the production of an agricultural product
P- 18- 0293 A	10	04/12/20 21	Sirrus, Inc.	(S) Intermediate: Monomer used as a chemical intermediate in the manufacture of polymers substance, industrial coatings (e.g., protective floor coatings). is not used in spray applications., adhesives (e.g., reactive, industrial structural adhesives or lamination). applied from a liquid form (not aerosol or spray) as a bead or film and are applied via static mixer, roller, brush, roll coater, or squeegee.	(S) Propanedioic acid, 2-methylene-, 1,3-dihexyl ester
P- 18- 0294 A	10	04/12/20 21	Sirrus, Inc.	(S) Monomer used as a chemical intermediate in the manufacture of polymers. The PMN substance is loaded into the polymerization equipment and is consumed during the polymerization process no inhalation exposure is expected during transfer and polymerization. After incorporation into the polymer, there is no worker exposure to the PMN substance.	(S) Propanedioic acid, 2-methylene-, 1,3-dicyclohexyl ester
P- 18- 0294 A	10	04/12/20 21	Sirrus, Inc.	(S) Monomer used as a chemical intermediate in the manufacture of polymers. The PMN substance is loaded into the polymerization equipment and is consumed during the polymerization process no inhalation exposure is expected during transfer and polymerization. After incorporation into the polymer, there is no worker exposure to the PMN substance.	(S) Propanedioic acid, 2-methylene-, 1,3-dicyclohexyl ester
P- 18- 0353 A	3	04/13/20 21	СВІ	(G) Adhesive	(G) Phenolic resin, alkali, polymer with acetone- phenol reaction products, formaldehyde and phenol, sodium salts
P- 18- 0354 A	3	04/13/20 21	CBI	(G) Adhesive	(G) Phenolic resin, alkali, polymer with acetone- phenol reaction products, formaldehyde and phenol, potassium salts
P- 20- 0001 A	7	04/05/20 21	Santolubes Manufacturing LLC	(S) Synthetic engine, gear & lubricating oils & greases	(S) Poly(oxy-1,4-butanediyl), alpha-(1-oxononyl)-omega-[(1-oxononyl)oxy]-
P- 20- 0050	4	04/07/20 21	СВІ	(S) Synthetic engine, gear & lubricating oils & greases	(S) Poly(oxy-1,4-butanediyl), alpha-(1-oxononyl)-omega-[(1-oxononyl)oxy]-
P- 20- 0093 A	4	04/06/20 21	Ashland Inc.	(G) Coating	(G) Alkanoic acid, 3-hetero-atom substituted-2- (heteroatom-substituted alkyl)-2-alkyl-, polymer with 1,2-alkanediamine, alpha-hydro-omega- heteroatom-substituted poly(oxy-1,4-alkanediyl) and 5-hetero-atom substituted- 1- (heteroatom- substituted alkyl)-1, 3, 3- trialkylcycloalkane
P- 20- 0109 A	3	04/13/20 21	Huntsman Corporation	(S) Exhaust dyeing of cotton and cotton blends.	(G) Acetamide, N-[3-[alkyl(carbomonocyclic) substituted]carbomonocycle]-, coupled with diazotized 2- substituted-3-halo-5-nitrobenzonitrile
P- 20-	5	03/16/20 21	Gurit (USA) Inc	(S) The substance is part of a mixture with other amines to act as a curative for a 2-part epoxy adhesive formulation but not limited to industries such as marine, automotive and wind	(G) Alkane diglycidy ether, polymer with alkyl- cycloalkane diamines

0138 A				energy. The adhesive is "cured" at either ambient conditions or using heat and a chemical reaction occurs forming a solid composite structure	
P- 20- 0174 A	6	04/13/20 21	P2 Science, Inc	(S) For use in consumer products, as well as direct addition to consumer products. Specific functions would be as solubilizer, rheology modifier and fragrance oil.	(S) 6-Octen-1-ol, 3,7-dimethyl-, homopolymer, monoacetate
P- 20- 0184 A	4	04/13/20 21	P2 Science, Inc	(S) For use in fragrances for consumer products, as well as direct addition to consumer products. Specific functions would be as solubilizer, rheology modifier and fragrance oil.	(S) 6-Octen-1-ol, 3,7-dimethyl-, homopolymer
P- 21- 0014 A	3	04/19/20 21	СВІ	(G) oil and gas extraction	(G) Aliphatic alcohol, bis-tetra-alkyl ammonium, chloride salts
P- 21- 0048	3	04/06/20 21	СВІ	(G) Detergent additive	(G) Syrups, hydrolyzed starch, dehydrated, polymers with methacrylic acid and alkenenylbenzene
P- 21- 0087	3	04/20/20 21	СВІ	(G) Detergent additive	(G) Syrups, hydrolyzed starch, dehydrated, polymers with methacrylic acid and alkenenylbenzene
P- 21- 0091 A	4	04/02/20 21	СВІ	(G) Laundry detergent additive/emulsifier.,emulsifier - water treatment, Industrial fluid, Coatings and Plastics	(G) Fatty acid esters polymer with Dicarboxylic Acid
P- 21- 0102	3	04/07/20 21	СВІ	(G) Raw material for industrial Additive Manufacturing, UV-curable inks, coatings and adhesives.	(G) heteromonocycle, polymer, [2-[(1-oxo-2-propen-1-yl)oxy]alkyl]ester
P- 21- 0104	3	04/07/20 21	СВІ	(G) lubricant	(G) Alkanedioic acid, di branched alkyl esters
P- 21- 0104 A	3	04/19/20 21	СВІ	(G) lubricant	(G) Alkanedioic acid, di branched alkyl esters
P- 21- 0105	3	04/07/20 21	CBI	(G) lubricant	(G) Alkanedioic acid, di C11-14 isoalkyl esters
P- 21- 0105 A	3	04/19/20 21	CBI	(G) lubricant	(G) Alkanedioic acid, di C11-14 isoalkyl esters
P- 21- 0106	2	04/14/20 21	Eastman Chemical Company, Inc	(S) Chemical additive for production of tire and non-tire rubber products	(G) Distillates (petroleum), polymers with branched alkene
P- 21- 0107	2	04/14/20 21	Eastman Chemical Company, Inc	(S) Chemical additive for production of tire and non-tire rubber products	(G) Distillates (petroleum), polymers with branched alkene, hydrogenated
P- 21- 0108	1	04/14/20 21	Enchem America, LLC.	(S) Additive for use in battery electrolyte formulations.	(G) Oxathiole, oxide
P- 21- 0109	2	04/21/20 21	Chevron El Segundo Refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, light alkylate
P- 21- 0110	2	04/21/20 21	Chevron El Segundo Refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, light catalytic cracked
P- 21- 0111	2	04/21/20 21	Chevron El Segundo Refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, heavy catalytic cracked
P- 21- 0112	2	04/21/20 21	Chevron El Segundo Refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, light catalytic cracked
P- 21- 0113	2	04/21/20 21	Chevron El Segundo Refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, isomerization
P- 21- 0114	2	04/21/20 21	Chevron El Segundo Refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, heavy catalytic reformed

P- 21- 0116	2	04/21/20 21	Chevron El Segundo Refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, hydrotreated light
	2	04/21/20 21	Chevron El Segundo Refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, hydrotreated light paraffinic
P- 21- 0118	2	04/21/20 21	Chevron El Segundo Refinery	(S) Chemical Intermediate	(G) Hydrocarbons linear and branched, hydrotreated light paraffinic
P- 21- 0119	2	04/21/20 21	Chevron El Segundo Refinery	(S) Chemical Intermediate	(G) Hydrocarbons linear and branched, heavy hydrocracked
P- 21- 0122	1	04/26/20 21	Chevron El Segundo Refinery	(S) Chemical Intermediate	(G) Hydrocarbons linear and branched, heavy hydrocracked
P- 21- 0123	1	04/26/20 21	Chevron El Segundo Refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, light hydrocracked
P- 21- 0124	1	04/26/20 21	СВІ	(G) Photolithography	(G) Sulfonium, triphenyl-, salt with fluoroalkyl 5-sulfobicyclo[2.2.1]heptane carboxylate (1:1)
SN- 21- 0004	1	03/31/20 21	CBI	(G) Monomer	(S) 2-Propenoic acid, 1,1'-(3-methyl-1,5-pentanediyl) ester
J-21- 0012 A	2	05/11/20 21	Vestaron Corporation	(G) Production of an agricultural product	(G) Yeast that has been stably modified for the production of an agricultural product
J-21- 0014	1	04/19/20 21	СВІ	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae
J-21- 0015	1	04/19/20 21	СВІ	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae
J-21- 0016	1	04/19/20 21	СВІ	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae
J-21- 0017	1	04/19/20 21	СВІ	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae
J-21- 0018	1	04/19/20 21	CBI	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae
J-21- 0019	1	04/22/20 21	СВІ	(G) Production of DNA for use in internal manufacturing.	(G) Strain of Escherichia coli modified with genetically-stable, plasmid-borne DNA for the production of plasmid-borne DNA
P- 18- 0293	11	05/03/20 21	Sirrus, Inc.	(S) Intermediate: Monomer used as a chemical, in the manufacture of polymers.	(S) Propanedioic acid, 2-methylene-, 1,3-dihexyl ester
A				(G) Coatings: Monomer used in the manufacture of industrial coatings (e.g., protective floor coatings)	
				Adhesives: Monomer used in the manufacture (formulation) of adhesives (e.g., reactive, industrial structural adhesives or lamination).	
P- 18- 0293 A	12	05/03/20 21	Sirrus, Inc.	(G) Adhesives: Monomer used in the manufacture (formulation) of adhesives (e.g., reactive, industrial structural adhesives or lamination).	(S) Propanedioic acid, 2-methylene-, 1,3-dihexyl ester
				Coatings: Monomer used in the manufacture of industrial coatings, is not used in spray applications.	
				(S) Intermediate: Monomer used as a chemical intermediate in the manufacture of polymers.	
P- 18- 0294	11	05/03/20 21	Sirrus, Inc.	(S) Intermediate: Monomer used as a chemical, in the manufacture of polymers.	(S) Propanedioic acid, 2-methylene-, 1,3- dicyclohexyl ester
A				(G) Coatings: Monomer used in the manufacture of industrial coatings (e.g., protective floor coatings)	
				Adhesives: Monomer used in the manufacture (formulation) of adhesives (e.g., reactive, industrial structural adhesives or lamination).	
P- 18- 0294	12	05/11/20 21	Sirrus, Inc.	(S) Intermediate: Monomer used as a chemical, in the manufacture of polymers.	(S) Propanedioic acid, 2-methylene-, 1,3- dicyclohexyl ester
A				(G) Coatings: Monomer used in the manufacture of industrial coatings (e.g., protective floor coatings)	

				Adhesives: Monomer used in the manufacture (formulation) of adhesives (e.g., reactive, industrial structural adhesives or lamination).	
P- 19- 0098 A	4	05/05/20	Clariant Corporation	(S) Flame retardant additive for intumescent coatings.	(G) Phosphoric acid, polymer with (hydroxyalkyl)-alkanediol and alkanediol
P- 20- 0044 A	4	05/24/20	Angus Chemical Company	(G) Phosphoric acid, polymer with (hydroxyalkyl)-alkanediol and alkanediol additive for industrial polyurethane dispersions;	(S) 1-Propanamine, 3-methoxy-N,N-dimethyl
				solubilizer for high acid value styrene acrylic polymers for use in ink applications;	
				neutralization, solubilization and stability in commercial waterborne and solvent borne coatings and varnishes used for wood, metal, compositites	
				and other substrates	
P- 20- 0051 A	5	05/09/20 21	СВІ	(S) Curing agent for Industrial epoxy coating systems	(S) 1,8-Octanediamine, 4-(aminomethyl)-, N-benzyl derivs.
P- 20- 0148 A	8	05/03/20	Solugen Inc.	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
P- 20- 0149 A	8	05/03/20	Solugen Inc.	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
P- 20- 0150 A	8	05/03/20	Solugen Inc.	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
P- 20- 0175 A	4	05/24/20	CBI	(G) Proprietary Additive for WB&P Formulation, (G)Additive for Slats & CR Formulation (G)Additive for PI Formulation	(G) acid N-[4-(4-diarylalkyl]-, carbopolycyclic alkenyl, methyl ester
P- 20- 0176 A	4	05/24/20	CBI	(G) Proprietary Additive for WB&P Formulation, (G)Additive for Slats & CR Formulation (G)Additive for PI Formulation	(G) acid N-[4-(4-diarylalkyl]-, carbopolycyclic alkenyl, methyl ester
P- 20- 0177 A	4	05/24/20	СВІ	(G) Proprietary Additive for WB&P Formulation, (G)Additive for Slats & CR Formulation (G)Additive for PI Formulation	(G) carbopolycyclic alkenyl, 2-carboxylic acid, 2- [[[4-(4-diarylalkyl)]carbonyl]oxy]ethyl ester
P- 20- 0178 A	4	05/24/20	СВІ	(G) Proprietary Additive for WB&P Formulation, (G)Additive for Slats & CR Formulation (G)Additive for PI Formulation	(G) carbopolycyclic alkenyl, 2-carboxylic acid, 2- [[[(diarylalkyl)]carbonyl]oxy]ethyl ester
P- 21- 0009	4	05/11/20	Crison, LLC	(S) Mining collector,(S) Asphalt emuslifier	(S) Poly[oxy(methyl-1,2-ethanediyl)], alpha-(3-aminopropyl)-omega-(1-methylethoxy)-;(S) Poly[oxy(methyl-1,2-ethanediyl)], alpha-(3-aminopropyl)-omega-butoxy-;
P- 21- 0015 A	3	05/12/20 21	Designer Molecules, Inc.	(S) As a raw material in a Temporary Bonding Adhesive formulation.	(S) Amines, C36-alkylenedi-, polymers with 5,5'-[(1-methylethylidene)bis(4,1-phenyleneoxy)]bis[1,3-isobenzofurandione] and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol]
P- 21- 0071	4	05/11/20 21	Crison, LLC	(S) Mining Collector for sulfide ores	(S) Poly[oxy(methyl-1,2-ethandiyl)], alpha- (dithiocarboxy)-omega-(1-methoxy)-, sodium salt
P- 21- 0071 A	5	05/17/20	Crison, LLC	(S) Mining Collector for sulfide ores	(S) Poly[oxy(methyl-1,2-ethandiyl)], alpha- (dithiocarboxy)-omega-(1-methylethoxy)-, sodium salt (1:1)
P- 21- 0071 A	6	05/17/20 21	Crison, LLC	(S) Mining Collector for sulfide ores	(S) Poly[oxy(methyl-1,2-ethandiyl)], alpha- (dithiocarboxy)-omega-(1-methylethoxy)-, sodium salt (1:1)

P- 21- 0072	4	05/11/20	Crison, LLC	(S) Mining Collector for sulfide ores	(S) Poly[oxy(methyl-1,2-ethandiyl)], alpha- (dithiocarboxy)-omega-butoxy-, sodium salt
P- 21- 0072 A	5	05/17/20	Crison, LLC	(S) Mining Collector for sulfide ores	(S) Poly[oxy(methyl-1,2-ethandiyl)], alpha- (dithiocarboxy)-omega-butoxy-, sodium salt
P- 21- 0072 A	6	05/17/20	Crison, LLC	(S) Mining Collector for sulfide ores	(S) Poly[oxy(methyl-1,2-ethandiyl)], alpha- (dithiocarboxy)-omega-butoxy-, sodium salt
P- 21- 0096	4	05/17/20	СВІ	(G) Component in thermoset composites.	(G) Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[heteromonocycle], bis(2-methyl-2-propenoate)
P- 21- 0099	3	05/06/20	СВІ	(S) Reactive dye is designed for dyeing formulation of textile materials and dyeing on cellulose fiber.	(G) Aromaticsulfonic acid, 2,2'-[(2,4-diamino-1,3-aromatic)bis(2,1-diazenediyl)]bis[5-[[2-(sulfooxy)alkyl]sulfonyl]-, alkali metal;(G) Aromaticsulfonic acid, 2,2'-[(4,6-diamino-1,3-aromatic)bis(2,1-diazenediyl)]bis[5-[[2-(sulfooxy)alkyl]sulfonyl]-, alkali metal;
P- 21- 0103	3	05/06/20 21	СВІ	(S) developer for thermal paper and film	(S) Urea, N-[3-[[(4-methylphenyl)sulfonyl]oxy]phenyl]-N'-phenyl-
P- 21- 0104 A	4	05/05/20 21	СВІ	(G) lubricant	(G) Alkanedioic acid, di branched alkyl esters
P- 21- 0104 A	5	05/14/20	СВІ	(G) lubricant	(G) Alkanedioic acid, di branched alkyl esters
P- 21- 0105 A	4	05/05/20	СВІ	(G) lubricant	(G) Alkanedioic acid, di C11-14 isoalkyl esters
P- 21- 0105 A	5	05/14/20	СВІ	(G) lubricant	(G) Alkanedioic acid, di C11-14 isoalkyl esters
P- 21- 0109 A	3	05/12/20	Chevron EL Segundo Refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, light alkylate
P- 21- 0109 A	4	05/18/20 21	Chevron EL Segundo Refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, light alkylate
P- 21- 0110 A	3	05/12/20	Chevron EL Segundo Refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, light catalytic cracked
P- 21- 0110 A	4	05/18/20 21	Chevron EL Segundo Refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, light catalytic cracked
P- 21- 0111 A	3	05/12/20	Chevron EL Segundo Refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, heavy catalytic cracked
P- 21- 0111 A	4	05/18/20	Chevron EL Segundo Refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, heavy catalytic cracked
P- 21- 0112 A	3	05/12/20	Chevron EL Segundo Refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, light hydrocracked
P- 21- 0112 A	4	05/18/20	Chevron EL Segundo Refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, light hydrocracked

P- 21- 0113 A	3	05/12/20 21	Chevron EL Segundo Refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, isomerization
P- 21- 0113 A	4	05/18/20 21	Chevron EL Segundo Refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, isomerization
P- 21- 0114 A	3	05/12/20 21	Chevron EL Segundo Refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, heavy catalytic reformed
P- 21- 0114 A	4	05/18/20 21	Chevron EL Segundo Refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, heavy catalytic reformed
P- 21- 0116 A	3	05/18/20 21	Chevron EL Segundo Refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, hydrotreated light
P- 21- 0117 A	3	05/18/20 21	Chevron EL Segundo Refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, hydrotreated light paraffinic
P- 21- 0118 A	3	05/18/20 21	Chevron EL Segundo Refinery	(S) Chemical Intermediate	(G) Hydrocarbons linear and branched, light catalytic cracked
P- 21- 0119 A	3	05/18/20 21	Chevron EL Segundo Refinery	(S) Chemical Intermediate	(G) Hydrocarbons linear and branched, heavy hydrocracked
P- 21- 0120	2	05/05/20 21	Allnex USA Inc.	(S) Pigment dispersant for pigment concentrates and direct resin grind applications.	(G) 2-Alkenoic acid, 2-alkyl-, 2-hydroxyalkyl ester, homopolymer, ester with N-[3-[(carboxyamino)alkyl]-3,5,5-trialkylcycloalkyl]carbamic acid mono [2-(2-alkoxyethoxy)alkyl] ester, N-[3-[(carboxyamino)alkyl]-3,5,5-trialkylcycloalkyl] carbamic acid mono [2-(dialkylamino) alkyl] ester and 2-oxepanone polymer with tetrahydro- 2H-pyran-2-one 2-alkylhexyl ester N-[3-(carboxyamino)alkyl] phenyl] carbamate, 1,1-dialkylpropyl 2- alkylhexaneperoxoate - initiated
P- 21- 0121	2	05/05/20 21	Chevron EL Segundo Refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, heavy catalytic cracked
P- 21- 0121 A	3	05/18/20 21	Chevron EL Segundo Refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, heavy catalytic cracked
P- 21- 0122 A	2	05/18/20 21	Chevron EL Segundo Refinery	(S) Chemical Intermediate	(G) Hydrocarbons linear and branched, heavy hydrocracked/td>
P- 21- 0123 A	2	05/18/20 21	Chevron EL Segundo Refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, light hydrocracked
P- 21- 0125 A	2	05/05/20 21	Shin-Etsu Microsi	(G) Contained use for microlithography for electronic device manufacturing	(S) Nonane, branched
P- 21- 0126	1	21	Allnex USA Inc.	(S) The PMN substance is incorporated as a component in several allnex coating resin products that are only applied by Cathodic Electrodeposition (CED) and used as additives for corrosion protection.	(G) Substituted heteromonocycle, polymer with haloalkyl substituted heteromonocycle, dialkylalkanediamine, (alkylalkylidene)bis[hydroxycarbomonocycle] and oxybis[alkanol], reaction products with metal oxide and dialkanolamine
P- 21- 0129	1	05/04/20 21	CBI	(G) Complexing agent	(G) Alkyl glycine dicarboxylic acid sodium salt
P- 21- 0130	1	05/04/20 21	СВІ	(G) Photolithography	(G) Sulfonium, tricarbocyclic-, 2-[3,5-bis(haloalkyl)phenyl]-alpha, alpha, beta, beta-

					polyhalopolyhydro-2-alkyl-4,7-alkano-1,3- heteropolycyclic-5-alkanesulfonate (1:1)
P- 21- 0131	1	05/10/20 21	СВІ	(G) Photolithography	(G) Sulfonium, tricarbocyclic-, 2-(4- alkoxyhalocarbomonocyclic)-alpha, alpha, beta, beta-polyhalopolyhydro-4,7-methano-1,3- heteropolycyclic-5-alkanesulfonate (1:1)
P- 21- 2134	1	05/19/20	CBI	(S) Photo initiator for adhesives,(S) photo initiator	(S) Methanone, 1,1'-(diethylgermylene)bis[1-(4-methoxyphenyl)-
P- 21- 0135	1	05/20/20	Allnex USA Inc.	(S) The PMN substance is a polymer in a coating additive for anti-scratch resistance.	(G) Alkenoic acid, allyl-, (dialkylamino)alkyl ester, polymer with dialkyl-alkylene-alkanediyl)bis[carbomoncycle], alkylalkyl alkylalkenoate and alkanediol mono(2-alkyl-alkenoate), diazenediyl)bis[2-alkylalkanenitrile]-initiated
1- 136	2	05/25/20 21	Allnex USA Inc.	(S) Coating additive for scratch resistance.	(G) Silica, alkoxy-modified
SN- 21- 0007	1	05/11/20 21	Evonik Corporation	(S) Absorption Agent,(S) Laboratory Reagent	(S) 1,3-Propanediamine, N1,N1-dimethyl-N3-(2,2,6,6-tetramethyl-4-piperidinyl)-
	2	05/25/20	СВІ	(G) Refrigerant	(S) 2-Butene, 1,1,1,4,4,4-hexafluoro-, (2Z)-
	2	05/25/20	СВІ	(G) Refrigerant	(S) 2-Butene, 1,1,1,4,4,4-hexafluoro-, (2E)-
J-21- 0010	2	02/11/20 21	Danisco US, Inc.	(G) Production of a chemical substance	(G) Genetically modified microorganism for the production of a chemical substance
J-21- 0011	2	05/11/20 21	Lesaffre Yeast Corporation	(G) Ethanol production	(G)(G) Saccharomyces cerevisiae fermenting C5 sugars, modified
-21- 0011 A	3	06/22/20	Lesaffre Yeast Corporation	(G) Ethanol production	(G)(G) Saccharomyces cerevisiae fermenting C5 sugars, modified
P ₋ 18- 1293 A	13	06/23/20	Sirrus, Inc.	(S) Intermediate: Monomer used as a chemical intermediate in the manufacture of polymers. (G) Coatings: Monomer used in the manufacture of industrial coatings (e.g., protective floor coatings). (G) Adhesives: Monomer used in the manufacture (formulation) of adhesives (e.g., reactive, industrial structural adhesives or lamination). Adhesives are applied from a liquid form as a bead or film and are applied via static mixer, roller, brush, roll coater, or squeegee.	(S) Propanedioic acid, 2-methylene-, 1,3-dihexyl ester
8- 0294 A	13	06/23/20	Sirrus, Inc.	 (S) Intermediate: Monomer used as a chemical intermediate in the manufacture of polymers. (G) Coatings: Monomer used in the manufacture of industrial coatings (e.g., protective floor coatings. (G) Adhesives: Monomer used in the manufacture (formulation) of adhesives or lamination. Adhesives are applied from a liquid as a bead or film and are applied via static mixer, roller, brush, roll coater, or squeegee. 	(S) Propanedioic acid, 2-methylene-, 1,3-dicyclohexyl ester
P- 20- 0005 A	6	05/28/20 21	RMC Advanced Technologies Inc.	9	(G) modified graphene
P ₋ 20- 2010 A	13	06/09/20	СВІ	(G) Polymerization auxiliary	(G) Carboxylic acid, reaction products with metal hydroxide, inorganic dioxide and metal
P- 20- 0077 A	7	06/01/20	СВІ	(S) UV Curing Agent for use in Inks and Coatings	(G) 1-(dialkyl-diphenylene alkane)-2-alkyl-2- hydrooxazine-1-alkylketone;
P- 21- 0005 A	5	06/02/20	Evonik Corporation	(S) Polymeric additive in gear oils	(G) Carbonmonocyclic alkene polymer with alkyl alkenoate, alkyl alkenoate, alkyl alkenoate and polyalkyldiene alkenoate.
P- 21-	4	06/03/20	Allnex USA Inc.	(S) Modifier for hardness development in paint formulations for metal applications.	(G) Alkanedioic acid, dialkyl ester, polymer with dialkyl-alkanediol, alkyl(substituted alkyl)-alkanediol and heteropolycycle

020 A					
0- :1- :077	2	06/02/20 21	СВІ	(G) battery additive	(G) Alkylene Sulfate
1- 077	3	06/08/20 21	CBI	(G) battery additive	(G) Alkylene Sulfate
- 1- 085	3	06/21/20 21	СВІ	(G) Used as an additive in the manufacture of tires to improve performance.	(S) 1-Propanethiol, 3-(triethoxysilyl)-, reaction products with polybutadiene
1- 133	2	06/29/20 21	СВІ	(S) Chemical Intermediate	(G) Distillation bottoms from manufacture of alkanoic acid by organic acid-producing organism, modified
- 1- 138	2	06/29/20 21	LG Energy Solution Michigan Inc	(S) Electrode material for use in the manufacture of batteries.	(G) Lithium metal oxide
- 1- 139	1	21	Solvay Chemicals Inc	(S) Stationary Energy Storage	(S) Methanesulfonamide,1,1,1-trifluoro-N-[(trifluoromethyl)sulfonyl]-, sodium salt (1:1)
- 1- 140	1	21	CHS Inc.	(G) Raw material for Viscosity Modifier	(S) Soybean oil, oleic acid-high, epoxidized
- 1- 141	2	06/08/20 21	Valero Energy Corporation	(S) Transportation Fuel	(S) Alkanes, C4-8 - Branched and Linear
- 1- 141	3	06/14/20	Valero Energy Corporation	(S) Transportation Fuel	(S) Alkanes, C4-8 - Branched and Linear
- 1- 141	4	06/23/20 21	Valero Energy Corporation	(S) Transportation Fuel	(S) Alkanes, C4-8 - Branched and Linear
1- 142	2	06/04/20 21	СВІ	(S) Resin/binder in paint formulations for industrial applications	(G) Organic acid dimethyl ester, polymer with mix alkanediolsand 5-isocyanato-1- (isocyanatomethyl)-1,3,3-trimethylcyclohexane, N-(trimethoxysilylalkyl)alkanamine blocked
- 1- 143	1	06/07/20 21	СВІ	(G) Coating ingredient, Adhesive ingredient	(G) Aliphatic Diisocyanate, homopolymer, aliphati alcohol blocked
- 1- 143	2	06/18/20 21	СВІ	(G) Coating ingredient, Adhesive ingredient	(G) Aliphatic Diisocyanate, homopolymer, aliphati alcohol blocked
- 1- 144	1	06/07/20 21	Chevron	(G) Gasoline	(G) Naphtha, heavy catalytic cracked
- 1- 145	1	06/07/20 21	Chevron	(G) Gasoline	(G) Naphtha, heavy alkylate
- 1- 146	1	21	Chevron	(G) Gasoline	(G) Naphtha, full range alkylate, butane-contg.
- 1- 147	1	06/07/20 21		(G) Gasoline	(G) Naphtha, hydrotreated heavy
- 1- 148	1	21	Chevron	(G) Gasoline	(G) Naphtha, light catalytic cracked
- 1- 149	1	21	Chevron	(G) Aviation gasoline	(G) Naphtha, light alkylate
- 1-	1	06/07/20 21	Chevron	(G) Gasoline	(G) Naphtha, hydrotreated light

P- 1 21- 0151	06/08/20 CBI 21	(G) Polyurethane applications.	(G) Epoxidized Vegetable oil, polymer with bisphenol A, aryl glycidyl ether, epichlorohydrin, polyethylene glycol and trimethylolpropane.
P- 3 21- 0152	06/14/20 Chevron 21	(G) Marine fuel	(G) Clarified oils, catalytic cracked
P- 3 21- 0153	06/14/20 Chevron 21	(G) Chemical intermediate	(G) Distillates, hydroteated heavy
P- 3 21- 0154	06/14/20 Chevron 21	(G) Chemical intermediate	(G) Gas Oils hydrotreated vacuum
P- 1 21- 0155	06/08/20 Chevron 21	(G) Diesel fuel	(G) Distillates, light catalytic cracked
P- 1 21- 0156	06/08/20 Chevron 21	(G) Jet fuel	(G) Distillates, clay-treated middle
P- 1 21- 0157	06/08/20 Chevron 21	(G) diesel fuel	(G) Distillates, hydrotreated middle
P- 1 21- 0158	06/08/20 Chevron 21	(G) Jet fuel	(G) Distillates, hydrotreated light
P- 3 21- 0159	06/14/20 Chevron 21	(G) chemical intermediate	(G) Gases, C3-C4
P- 3 21- 0160	06/14/20 Chevron 21	(G) chemical intermediate	(G) Gases, C4-rich
P- 3 21- 0161	06/14/20 Chevron 21	(G) chemical intermediate	(G) Gases, catalytic cracking
P- 3 21- 0162	06/14/20 Chevron 21	(G) chemical intermediate	(G) Residues, butane splitter bottoms
P- 3 21- 0163	06/14/20 Chevron 21	(G) chemical intermediate	(G) Tail gas, saturate gas plant mixed stream, C4-rich
P- 1 21- 0164	06/09/20 Polysi Researd 21 LLC	ch (S) Crosslinker for waterproofing	(S) 2-Butanone, oxime, reaction products with Trimethoxymethylsilane
P- 1 21- 0165	06/09/20 Colonial 21 Chemical, Inc	(S) anionic surfactant in cleaning products.	(S) DGlucopyranose, oligomeric, C1016alkyl glycosides, 3(3,4dicarboxy3hydroxy1oxobutoxy)2hydroxypropyl ethers, sodium salts
P- 1 21- 0166	06/11/20 Rudolf Ventur 21 Chemical	(S) Textile softening agent.	(G) Siloxanes and Silicones, di-Me, [alkylpiperazinium-hydroxyalkoxy]alkyl group- terminated, arylsulfonates (salts)
P- 1 21- 0167	06/11/20 Rudolf Ventur 21 Chemical	e (S) Textile softening agent.	(G) Siloxanes and Silicones, di-Me, [alkylpiperazinium-hydroxyalkoxy]alkyl group- and (hydroxyalkoxy)alkyl group-terminated, ethers with polyethylene glycol alkyl ethers, arylsulfonates (salts)
P- 1 21- 0174	06/22/20 Marubeni 21 America Corporation	(G) Raw material for polyurethane	(G) Carbonic acid, ester, polymer with alkanediol (C=4,5)
P- 1 21- 0175	06/22/20 Marubeni 21 America Corporation	(G) Raw material for polyurethane	(G) Carbonic acid, ester, polymer with alkanediol (C=4,10)
P- 2 21- 0176	06/29/20 CBI 21	(G) component in plastics	(G) Alkane dioic acid, bis (poly aromatic triazine) alkanoic ether phenoxy ester
SN- 21- 0010	06/18/20 CBI 21	(G) Additive used in coatings	(G) 2-Oxepanone, reaction products with alkylenediamine-alkyleneimine polymer, 2-[[(2-alkyl)oxy]alkyl]oxirane and tetrahydro-2H-pyran-2-one
J-21- 0019 A	07/12/20 CBI 21	(G) Production of DNA for use in internal manufacturing.	(G) Strain of Escherichia coli modified with genetically-stable, plasmid-borne DNA for the production of plasmid-borne DNA

P- 19- 0160 A	4	07/21/20 21	СВІ	(S) Component of a UV curable printing ink	(G) Alkanesulfonic acid, 2-[(2-aminoethyl))heteroatom-substituted]-, sodium salt (1:1), polymer with alpha-[2,2-bis(hydroxymethyl))butyl]-omega-methoxypoly(oxy-1,2-ethanediyl) and 1,1'-methylenebis[4-isocyanatocyclohexane], acrylic acid-dipenthaerythritol reaction products- and polypropylene glycol ether with pentaerythritol (4:1) triacrylate-blocked
P- 19- 0165 A	5	07/06/20 21	Arboris, LLC	(G) Plasticizer in rubber, Additive for asphalt	(G) Tall oil pitch, fraction, sterol-low
P- 20- 0071 A	10	06/30/20	СВІ	(G) Colorant	(G) Salt of 2-Naphthalenesulfonic acid, hydroxy [(methoxy-methyl-4-sulfophenyl)diazenyl]
P- 20- 0078 A	8	06/29/20	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Dicarboxylic acid, compd. with aminoalkylalkyldiamine alkyldioate alkyldioate (1:2:1:1)
P- 20- 0079 A	8	06/29/20	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Dicarboxylic acid, compd. with aminoalkylalkyldiamine (3:2)
P- 20- 0080 A	11	06/29/20	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Alkyldiamine, aminoalkyl-, hydrochloride (1:3)
P- 20- 0081 A	11	06/29/20	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Carboxylic acid, compd. with aminoalkylalkyldiamine (3:1)
P- 20- 0082 A	11	06/29/20	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Alkyldiamine, aminoalkyl-, carboxylate (1:3)
P- 20- 0148 A	9	07/22/20	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
P- 20- 0149 A	9	07/22/20	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
P- 20- 0150 A	9	07/22/20	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
P- 20- 0151 A	9	07/22/20	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt, oxidized
P- 20- 0175 A	5	07/16/20	CBI	(G) Proprietary Additive for WB&P, Slats & CR, PI Formulation.	(G) acid N-[4-(4-diarylalkyl]-, carbopolycyclic alkenyl, methyl ester
P- 20- 0176 A	5	07/16/20	CBI	(G) Proprietary Additive for WB&P, Slats & CR, PI Formulation.	(G) acid N-(diarylalkyl)-, carbopolycyclic alkenyl, methyl ester
P- 20- 0177 A	5	07/16/20	CBI	(G) Proprietary Additive for WB&P, Slats & CR, PI Formulation.	(G) carbopolycyclic alkenyl, 2-carboxylic acid, 2-[[4-(4-diarylalkyl)]carbonyl]oxy]ethyl ester
P- 20- 0178 A	5	07/16/20	CBI	(G) Proprietary Additive for WB&P, Slats & CR, PI Formulation.	(G) carbopolycyclic alkenyl, 2-carboxylic acid, 2-[[[(diarylalkyl)]carbonyl]oxy]ethyl ester
P- 21- 0049 A	2	07/16/20	CBI	(G) Monomer	(G) Alkanoic acid, polyhalo-(halo-oxo- alkenyl)oxyalkyl ester

P- 21- 0050	07/16/20	СВІ	(G) Monomer	(G) Alkenoic acid, halo-polylhaloalkyl ester
A	06/30/20	Chevron EL Segundo refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, light alkylate
A P- 5 21- 0110 A	06/30/20	Chevron EL Segundo refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, light catalytic cracked
P- 5 21- 0111 A	06/30/20	Chevron EL Segundo refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, heavy catalytic cracked
P- 5 21- 0112 A	06/30/20	Chevron EL Segundo refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, light hydrocracked
P- 5 21- 0113 A	06/30/20	Chevron EL Segundo refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, isomerization
P- 5 21- 0114 A	06/30/20	Chevron EL Segundo refinery	(G) Component in fuels	(G) Hydrocarbons linear and branched, heavy catalytic reformed
P- 4 21- 0133 A	07/14/20	СВІ	(S) Chemical Intermediate	(G) Distillation bottoms from manufacture of alkanoic acid by organic acid-producing organism, modified
P- 2 21- 0144 A	07/19/20	Chevron	(G) Gasoline	(G) Naphtha, heavy catalytic cracked
P- 2 21- 0145 A	07/19/20	Chevron	(G) Gasoline	(G) Naphtha, heavy alkylate
P- 2 21- 0146 A	07/19/20	Chevron	(G) Gasoline	(G) Naphtha, full range alkylate, butane-contg.
P- 2 21- 0147	07/19/20	Chevron	(G) Gasoline	(G) Naphtha, hydrotreated heavy
A P- 3 21- 0148 A	07/22/20	Chevron	(G) Gasoline	(G) Naphtha, light catalytic cracked
P- 3 21- 0149	07/22/20	Chevron	(G) Aviation gasoline	(G) Naphtha, light alkylate
A P- 3 21- 0150 A	07/22/20	Chevron	(G) Gasoline	(G) Naphtha, hydrotreated light
P- 4 21- 0152	07/22/20	Chevron	(G) Marine fuel	(G) Clarified oils, catalytic cracked
P- 4 21- 0153	07/22/20	Chevron	(G) Chemical intermediate	(G) Distillates, hydroteated heavy
P- 4 21- 0154	07/22/20	Chevron	(G) Chemical intermediate	(G) Gas Oils hydrotreated vacuum

P- 21- 0155	3	07/22/20 21	Chevron	(G) Diesel fuel	(G) Distillates, light catalytic cracked
21- 0156	3	07/22/20	Chevron	(G) Jet fuel	(G) Distillates, clay-treated middle
21- 0157	3	07/22/20	Chevron	(G) diesel fuel	(G) Distillates, hydrotreated middle
21- 0158	3	07/22/20	Chevron	(G) jet fuel	(G) Distillates, hydrotreated light
21- 0159	4	07/22/20	Chevron	(G) chemical intermediate	(G) Gases, C3-C4
21- 0160	4	07/22/20	Chevron	(G) chemical intermediate	(G) Gases, C4-rich
21- 0161	4	07/22/20	Chevron	(G) chemical intermediate	(G) Gases, catalytic cracking
21- 0162	4	07/22/20	Chevron	(G) chemical intermediate	(G) Residues, butane splitter bottoms
21- 0163	4	07/22/20	Chevron	(G) chemical intermediate	(G) Tail gas, saturate gas plant mixed stream, C4-rich
A P- 21- 0168 A	1	06/15/20	Epson America, Inc.	(G) Colorant	(G) Metal, [heteropolycyclic]-, [[[(hydroxyalkyl)amino]sulfonyl]alkyl]sulfonyl(sulforalkyl)sulfonyl derivs., ammonium sodium salts
	3	07/21/20 21	Oxford Biomedical Research, Inc.	(G) This dye changes from dark blue with new frying oil, to light yellow with used/bad frying oil.	(G) 2,6-Bis(dialkyl)-4-[2-(1-alkyl-4(1H)-pyridinylidene)alkylidene]-2,5-cycloalkyladien-1-one
P- 21- 0171	5	07/14/20 21	СВІ	(S) surfactant	(G) Oxirane, methyl-, polymer with oxirane, alkyl ether carboxylates, Alkyl ether acetate,
P- 21- 0173	2	07/07/20	ICM Products Inc.	(G) Additive for finishing of textiles/fabrics	(G) Siloxanes and silicones polyether, polymer with aliphatic isocyanate, 2-dimethylaminoethanol and polyglycol ether
P- 21- 0177	2	07/12/20 21	СВІ	(G) Photolithography	(G) Sulfonium, monocarbocyclicbisarylpolyhaloalkyl, alpha, alpha, beta, beta-polyhalopolyhydro-2,2-diaryl-4,7- methano-1,3-heteropolycyclic-5-alkanesulfonate (1:1)
P- 21- 0180	2	07/01/20 21	Shin-etsu microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Sulfonium, (halocarbomonocycle)diphenyl-, salwith 1-heterosubstituted-2-methylalkyl trihalobenzoate (1:1)
P- 21- 0182	1	06/29/20	СВІ	(S) chemical intermediate	(G) Distillation bottoms from manufacture of alkanoic acid by organic acid-producing organism
	2	07/14/20	CBI	(S) chemical intermediate	(G) Distillation bottoms from manufacture of alkanoic acid by organic acid-producing organism
P- 21- 0183	1	06/29/20	CBI	(S) chemical intermediate	(G) Distillation bottoms from manufacture of alkanoic acid by organic acidproducing organism, modified
	2	07/14/20	СВІ	(S) chemical intermediate	(G) Distillation bottoms from manufacture of alkanoic acid by organic acidproducing organism, modified

P- 21- 0184	2	07/14/20 21	СВІ	(G) Asphalt Emulsion Applications	(S) Fatty acids, Soya, reaction products with ammonia-ethanolamine reaction by-products
P- 21- 0185	4	07/07/20 21	СВІ	(S) The notified substance will be used as a fragrance ingredient, being blended (mixed) with other fragrance	(G) Ethyl Cyclohexenyl Propionate;(G) Ethyl Cyclohexenyl Propionate;
P- 21- 0186	2	07/20/20 21	Tetramer Technologies, LLC	(G) component in lubricants	(G) glycerin, alkoxylated alkyl acid esters
P- 21- 0187	2	07/20/20 21	Tetramer Technologies, LLC	(G) component in lubricants	(G) glycerin, alkoxylated alkyl acid esters
P- 21- 0188	1	07/12/20 21	СВІ	(S) Polymer intermediate	(G) 2-Propenoic acid, 2-methyl-, polymer with 2- propenoic acid and phosphinate salt, peroxy-initiated
P- 21- 0189	2	07/16/20 21	Renewable energy group	(S) Feedstock used in the production of biomass based diesel.	(S) Fats and Glyceridic oils, algae
P- 21- 0190	1	07/13/20 21	Santolubes Manufacturing LLC	(S) Synthetic engine, gear and lubricating oils and greases	(S) Poly(oxy-1,2-ethanediyl)-alpha-(1-oxohexyl)-omega-[(1-oxohexyl)oxy]-
P- 21- 0191	1	07/13/20 21	Santolubes Manufacturing LLC	(S) Synthetic engine, gear and lubricating oils and greases	(S) Fatty acids, C18-unsatd., dimers, hydrogenated, polymers with polyethylene glycol, dihexanoates
P- 21- 0192	1	07/13/20 21	Santolubes Manufacturing LLC	(S) Synthetic engine, gear and lubricating oils and greases	(S) Fatty acids, C18-unsatd., dimers, hydrogenated, polymers with polyethylene glycol, diesters with C8-10 fatty acids
P- 21- 0193	2	07/16/20 21	Santolubes Manufacturing LLC	(S) Synthetic engine, gear and lubricating oils and greases	(S) Fatty acids, C8-10, diesters with polyethylene glycol
P- 21- 0194	1	07/14/20 21	Rudolf Venture Chemical	(S) Textile softening agent.	(G) Siloxanes and Silicones, di-Me, [gluconoylamino)alkyl]dialkylammonio]- hydroxyalkoxy]alkyl group-terminated, (salts)
P- 21- 0196	1	07/21/20 21	СВІ	(S) Additive for use in battery electrolyte formulations.	(G) Oxathiole, oxide
P- 21- 0197	1	07/22/20 21	Ultium Cells LLC	(S) Additive for use in battery electrolyte formulations.	(G) Imidazole-carboxylic acid, substituted
P- 21- 0198	1	07/22/20 21	H.B. Fuller Company	(S) Hot melt moisture cure adhesive for the industrial Floor & Door industry.	(G) Reaction product of polyester with alpha-hydro- omega-hydroxypoly(oxy-1,4-butanediyl) and 1,1'- methylenebis[isocyanatobenzene]
SN- 21- 0005	2	07/21/20 21	СВІ	(G) Dielectric Medium	(S) Propanenitrile, 2,3,3,3-tetrafluoro-2- (trifluoromethyl)-
SN- 21- 0010 A	2	07/06/20	СВІ	(G) Additive used in coatings	(G) 2-Oxepanone, reaction products with alkylenediamine-alkyleneimine polymer, 2-[[(2-alkyl)oxy]alkyl]oxirane and tetrahydro-2H-pyran-2-one
SN- 21- 0011	2	07/14/20 21	СВІ	(G) solvent	(S) 2-Propanol, 1-[bis(2-hydroxyethyl)amino]-
P- 18- 0289 A	11	08/19/20 21	Guard Products	(G) Gas scrubbing landfill deoderizing	(G) 2-(2(methylcaboxymonocyclic)amino)ethoxy)-alcohol
P- 18- 0290 A	11	08/19/20 21	Guard Products	(G) Gas scrubbing, wastewater deoderizing	(G) Carbomonocylic-oxazolidine
P- 18- 0326 A	11	08/03/20	СВІ	(G) Chemical Intermediate	(G) Alkanoic acid, alkyl ester, manuf. of, byproducts from, distn. residues
P- 20- 0058 A	8	08/04/20	СВІ	(G) Additive for automatic dishwashing; Additive for hard surface cleaner	(G) Polysaccharide, polymer with unsaturated carboxylic acid and methacryloxyethyltrimethyl ammonium chloride, sodium salt, acid salt initiated
P- 21-	4	08/30/20 21	СВІ	(G) Polymeric film former for coatings	(G) 4, 4 methylenebis (2, 6 dimethyl phenol) polymer with 2- (chloromethyl) oxirane, 1,4-benzene diol, 2-methyl-2-propenoic acid, mixed alkyl

0003 A					substituted 2-methyl 2-propenoate, and ethyl 2-propenoate, reaction products with 2-(dimthylamino) ethanol
7- 1- 049	3	08/06/20 21	СВІ	(G) Monomer	(G) Alkanoic acid, polyhalo-(halo-oxo- alkenyl)oxyalkyl ester
_	4	08/13/20	СВІ	(G) Monomer	(G) Alkanoic acid, polyhalo-(halo-oxo- alkenyl)oxyalkyl ester
P_ 21- 0050 A	3	08/06/20	CBI	(G) Monomer	(G) Alkenoic acid, halo-polylhaloalkyl ester
P- 21- 0050 A	4	08/13/20 21	СВІ	(G) Monomer	(G) Alkenoic acid, halo-polylhaloalkyl ester
P- 21- 0056 A	3	08/19/20 21	СВІ	(G) Component of coatings	(G) Isocyanic acid, polyalkylenepolyarylene ester, polymer with alkyl-hydroxyalkyl-alkanediol, alkoxyalcohol and alkoxylalkoxyalcohol-blocked
P- 21- 0057 A	3	08/19/20	СВІ	(G) Component in coatings	(G) Sulfur based acid, compound with aminoalkylalkyl-aminoalkylalkoxy-polyoxyalkylalkanediyl, polymer with haloalkylepoxide and alkylalkylidene-cycloarylalcohol
P- 21- 0058 A	3	08/19/20	CBI	(G) Component in coatings	(G) Substituted alkanoic acid, compound with aminoalkylalkyl-aminoalkylalkoxy-polyoxyalkylalkanediyl, polymer with haloalkylepoxide and alkylalkylidene-cycloarylalcohol
P- 21- 0060 A	4	08/19/20	СВІ	(G) Isolated intermediate	(G) Bisphenol A epichlorohydrin polymer with alkylpolyalkene-polyarylene-hydroxypolyoxyalkyldiyl reaction products with alkylalkylidene-alkylalkylidene-aminoalkylalkanepolyamine and alkylaminoalkanol
P- 21- 2061 A	4	08/19/20 21	СВІ	(G) Component in coatings	(G) Sulfur based acid, compds. with modified bisphenol A-epichlorohydrin-polyalkylene polyol ether with bisphenol A polymer-N-dialkylalkylidene-N-(dialkylalklyidene)aminoalkyl-alkanepolyamine-alkylaminoalkanol reaction products
P- 21- 0062 A	4	08/19/20 21	СВІ	(G) Component in coatings	(G) Substituted-alkanoic acid, compds. with modified bisphenol A-epichlorohydrin-polyalkylene polyol ether with bisphenol A polymer-N-dialkylalkylidene-N-dialkylalkylideneaminoalkylalkanepolyamine-alkylaminoalkanol reaction products
P- 21- 0078 A	3	08/25/20 21	Pinova, Inc.	(S) Tackifying additive used in tire manufacture; Tackifying additive used in hot melt adhesive applications (e.g., pressure sensitive adhesives, and graphic art applications such as bookbinding, magazine manufacture, and label making)	(G) Phenol, polymer with alkyl- (alkylalkylenyl)cyclohexene, mixed dialkylcyclohexadienes, mixed alkyl- (alkylalkylidene)cyclohexenes and 3,7,7- trimethylbicyclo[4.1.0]hept-3-ene
P- 21- 0098 A	4	08/26/20 21	Hubergroup	(S) Co-initiator for the curing of UV printing inks	(G) Poly(oxy-1,2-ethanediyl), alpha-hydro-omega- [2(or 3)-[[substituted benzoyl]oxy]hydroxypropoxyl]-, alpha, alpha', alpha'' -ether with 2-ethyl-2-(hydroxymethyl)-1,3- propanediol (3:1)
P- 21- 0100 A	2	08/17/20	ENI Trading & Shipping Inc	(G) Used as a lubricant and lubricant additive (used in closed systems; non-dispersive use); Lubricant and lubricant additive (used in closed systems; non-dispersive use)	(G) Raffinates (petroleum), vacuum distillate solvent, solvent-dewaxed, hydrotreated
	2	08/10/20	СВІ	(G) Colorant	(G) Metal, [heteropolycyclic]-, [[[(hydroxyalkyl)amino]sulfonyl]alkyl]sulfonyl(sulfoalkyl)sulfonyl derivs., ammonium sodium salts
P- 21- 0178	2	08/19/20		(G) Coating additive	(G) Bisphenol A, polymer with aminoalkylalkylaminoalkylalkyl-poly[(oxy-alkyl-alkanepolyol)], haloalkyl-epoxide, epoxy-epoxyalkoxy-poly[(oxy-alkyl-alkanepolyol)], sulfur-based salt
P- 21- 0179	2	08/19/20 21	СВІ	(G) Coating additive	(G) Substituted-alkanoic acid, compd. with aminoalkylalkyl-aminoalkylalkyl-poly[(oxy-alkyl-alkanepolyol)] polymer with haloalkyl-epoxide,

					bisphenol A,epoxy-epoxyalkoxy-poly[(oxy-alkyl-alkanepolyol)]
P- 21- 0199	2	08/12/20 21	Avery Dennison Mill Hall	(G) Processing aid	(G) 1,6-Disubstituted hexane
P- 21- 0199 A	3	08/18/20 21	СВІ	(G) Processing aid	(G) 1,6-Disubstituted hexane
P- 21- 0200	1	08/02/20 21	СВІ	(G) Printing additive	(G) Saturated and unsaturated hydrocarbon waxes, oxidized, polymers with alkenoic acid, alkyl alkanoate, alkenedioic acid, polyalkylene glycol ether with substituted carbomonocycle (alkylidene)bis-, polyalkylene glycol ether with substituted carbomonocycle (alkylidene)bis-, substituted carbomonocycle, disubstituted carbomonocycle and substituted heteropolycycle, alkyl peroxide-initiated
P- 21- 0202	1	08/04/20 21	СВІ	(G) An ingredient used in the manufacture of photoresist	(G) Sulfonium, carbomonocycle bis[(trihaloalkyl)carbomonocycle], substituted carbomonocyclic ester
P- 21- 0203	3	08/10/20 21	CBI	(G) Surfactant will be used in various applications in oil and gas industry.	(G) Glycolipids, sophorose-contg., Starmerella bomicola-fermented, from sugar and vegetable oils
P- 21- 0204	1	08/12/20 21	СВІ	(G) Photolithography	(G) Sulfonium, bis(3,4-polyhalocarbocyclic)aryl-, alpha, alpha, beta, beta-polyhalopolyhydro-2,2-diaryl-4,7-methano-1,3-heteropolycyclic-5-alkanesulfonate (1:1)
P- 21- 0205	1	08/13/20 21	СВІ	(G) Additive in household consumer products	(S) Benzene, [2-[(2-methyl-1-undecen-1-yl}oxy]ethyl]-
P- 21- 0206	1	08/13/20 21	HollyFrontier Corporation	(G) Component of gasoline	(G) Alkanes, branched and linear
P- 21- 0207	2	08/18/20 21	CBI	(G) Emulsifier	(G) Fatty alcohol ethoxylate, ethercarboxylate Branched and Linear, Fatty alcohol ethoxylate, ethercarboxylate
P- 21- 0208	1	08/17/20 21	СВІ	(G) Adhesive for profile wrapping	(G) Aromatic diacids, polymer with alkyldiacids, alkyldiols, benzofurandione, caprolactone and 1,1'-methylenebis[4-isocyanatobenzene]
P- 21- 0209	1	08/17/20 21	СВІ	(G) Adhesive for profile wrapping	(G) Aromatic diacid, polymer with alkyldiacid, alkyldiols, polypropylene glycol, benzofurandione, caprolactone and 1,1'-methylenebis[4-isocyanatobenzene]
P- 21- 0210	1	08/17/20 21	СВІ	(G) Adhesive for profile wrapping	(G) Aromatic diacids, polymer with alkyldiacids, alkyldiols, benzofurandione, polypropylene, alkylhydroxyacid glycolester, caprolactone and 1,1'-methylenebis[4-isocyanatobenzene]
SN- 21- 0006	2	08/27/20 21	Carbice	(S) For heat transfer, heat storage, thermal emission, and general temperature management in heat-generating systems such as electronics; Gap filling or sealing of opposing interfaces; For light absorption properties; To improve mechanical properties or electrical conductiveness of other materials or products	(S) Multiwalled carbon nanotubes grown perpendicularly on an aluminum foil substrate using Fe catalyst.
P- 18- 0049 A	8	09/28/20	Solvay Fluorides LLC	(G) Coating component/processing aid	(G) Mixed metal halide
P- 18- 0128 A	6	09/14/20	СВІ	(G) Surface modifier	(S) Inulin, 2-hydroxy-3-(trimethylammonio)propyl ether, chloride
P- 20- 0018 A	4	09/24/20	СВІ	(G) Component in candles	(G) Fatty acid dimers, polymers with glycerol and triglycerides
P- 20- 0019 A	4	09/24/20	СВІ	(G) Component in candles	(G) Fatty acid dimers, polymers with glycerol and triglycerides
P- 20-	4	09/24/20	CBI	(G) Component in candles	(G) Fatty acid dimers, polymers with glycerol and triglycerides

0020 A					
P- 20- 0021 A	4	09/24/20 21	СВІ	(G) Component in candles	(G) Fatty acid dimers, polymers with glycerol and fatty acids
P- 20- 0105 A	5	09/02/20 21	Sound Agriculture Company	(S) To promote microbial activity in the soil (for use on commercial farming operations).	(S) 4H-Pyran-4-one, 3-[(2,5-dihydro-4-methyl-5-oxo-2-furanyl)oxy]-2-methyl-
P- 21- 0016 A	2	09/27/20 21	СВІ	(G) Paint additive, Additive in coating formulations, Component in cleaning agents	(G) Alkanoic acid, dialkyl ester
P- 21- 0106 A	3	09/02/20	Eastman Chemical Company, Inc	(S) Chemical additive for production of tire and non-tire rubber products	(G) Distillates (petroleum), polymers with branched alkene
P- 21- 0107 A	3	09/02/20 21	Eastman Chemical Company, Inc	(S) Chemical additive for production of tire and non-tire rubber products	(G) Distillates (petroleum), polymers with branched alkene, hydrogenated
P- 21- 0172	4	08/31/20 21	Silco, Inc.	(S) Moisture reactive polymer for use in sealants and coatings	(G) Siloxanes and Silicones, di-Me, trimethoxysilyl group terminated
P- 21- 0172 A	5	09/30/20 21	Silco, Inc.	(S) Moisture reactive polymer for use in sealants and coatings	(G) Siloxanes and Silicones, di-Me, trimethoxysilyl group terminated
P- 21- 0178 A	3	09/10/20	СВІ	(G) Coating additive	(G) Bisphenol A, polymer with aminoalkylalkylaminoalkylalkyl-poly[(oxy-alkyl-alkanepolyol)], haloalkyl-epoxide, epoxy-epoxyalkoxy-poly[(oxy-alkyl-alkanepolyol)], sulfur-based salt
P- 21- 0179 A	3	09/10/20 21	СВІ	(G) Coating additive	(G) Substituted-alkanoic acid, compd. with aminoalkylalkyl-aminoalkylalkyl-poly[(oxy-alkyl-alkanepolyol)] polymer with haloalkyl-epoxide, bisphenol A,epoxy-epoxyalkoxy-poly[(oxy-alkyl-alkanepolyol)]
P- 21- 0181 A	3	09/02/20 21	СВІ	(G) Color developer	(G) 1,3-Benzenedicarboxamide, N1,N3-bis(carbomonocyclic)-5- [[(carbomonocyclic)amino]sulfonyl]-
P- 21- 0190 A	2	09/17/20 21	Santolubes Manufacturing LLC	(S) This product will be used in gear oils & greases, wind turbines, HX-1 (incidental food contact) lubricants and EV (Electric Vehicle) motors.	(S) Poly(oxy-1,2-ethanediyl)-alpha-(1-oxohexyl)-omega-[(1-oxohexyl)oxy]-
P- 21- 0191 A	2	09/17/20 21	Santolubes Manufacturing LLC	(S) This product will be used in gear oils & greases, wind turbines, HX-1 (incidental food contact) lubricants and EV (Electric Vehicle) motors.	(S) Fatty acids, C18-unsatd., dimers, hydrogenated, polymers with polyethylene glycol, dihexanoates
P- 21- 0192 A	2	09/17/20 21	Santolubes Manufacturing LLC	(S) This product will be used in gear oils & greases, wind turbines, HX-1 (incidental food contact) lubricants and EV (Electric Vehicle) motors.	(S) Fatty acids, C18-unsatd., dimers, hydrogenated, polymers with polyethylene glycol, diesters with C8-10 fatty acids
P- 21- 0193 A	3	09/17/20 21	Santolubes Manufacturing LLC	(S) This product will be used in gear oils & greases, wind turbines, HX-1 (incidental food contact) lubricants and EV (Electric Vehicle) motors.	(S) Fatty acids, C8-10, diesters with polyethylene glycol
P- 21- 0199 A	4	09/22/20	СВІ	(G) Processing aid	(G) 1,6-Disubstituted hexane
P- 21- 0201	5	08/30/20 21	The Lewis Chemical Company	(S) The intention is for this product to be used as an offset to N,N,N',N',N"-Pentamethyl-N-tallow alkyl1,3-propanediammonium chloride (CAS#68607-29-4) in a cationic latex asphalt emulsion formulation	(S) 1,3-Propanediaminium, 2-hydroxy-N1,N1,N3,N3-pentamethyl-N3-tetradecyl-, chloride (1:2); 1,3-Propanediaminium, N-hexadecyl-2-hydroxy-N,N,N',N',N'-pentamethyl-, dichloride (2Cl); 1,3-Propanediaminium, 2-hydroxy-N1,N1,N1,N3,N3-pentamethyl-N3-octadecyl-, chloride (1:2); 1,3-Propanediaminium, 2-hydroxy-N1,N1,N1,N3,N3-pentamethyl-N3-9-octadecen-1-yl chloride (1:2)
P- 21-	2	09/10/20 21	HollyFrontier Corporation	(G) Component of gasoline.	(G) Alkanes, branched and linear

3 09/01/20 21	CBI	(G) process aid	(G) Polycyclic Dioxolane
2 09/06/20 21	Orient Corporation of America	(S) Luminescent material for security ink.	(G) Europium, tris[polyfluoro-1-(2- carbopolycyclic)-1,3- butanedionatokappa.O1,.kappa.O3]-
1 08/31/20 21	ICM Products Inc.	(G) Textile finishing agent	(G) Poly(oxy-1,2-ethanediyl), alpha,alpha',alpha''- (trialkylamino)tris[omega-hydroxy-, alkyl (ester)
1 09/10/20 21	Coventya, Inc.	(S) The PMN substance is used in a primarily aqueous alkaline electroplating solution that produces a nominal zinc (Zn) nickel (Ni) alloy deposit on iron bearing substrates. The PMN substance is a secondary brightening additive that is used in instances where the inherent specularity of the plating deposit is unsatisfactory.	(S) Pyridinium, 3-carboxy-1-methyl-, inner salt
1 09/17/20 21	CBI	(G) Additive in electrode materials, Additive in plastics	(G) Multi-walled carbon nanotubes
1 09/17/20 21	CBI	(G) Additive in electrode materials, Component in electrodes, thermoplastics	(G) Multi-walled carbon nanotubes
2 09/13/20 21	Norquay Technology Inc	(G) Intermediate	(S) 1,1'-Biphenyl, 4,4'-dibromo-
3 09/30/20 21	CBI	(G) Test media, Specialty fluid, Clean agent system, (S) Heat transfer system, Foam expansion agent	(S) 2-Butene, 1,1,1,4,4,4-hexafluoro-, (2Z)-
3 09/30/20 21	CBI	(G) Not Applicable; Chemical Withdrawn	(S) 2-Butene, 1,1,1,4,4,4-hexafluoro-, (2E)-
8 10/06/20 21	CBI	(G) Used in polymer manufacturing.	(S) 1,4-Cyclohexanedicarboxylic acid, 1,4-bis(2-ethylhexyl) ester
5 10/22/20 21	Lamberti USA Inc.	(G) Industrial Additive	(G) Triazine-trione, tris(isocyanatoalkyl)-, polymer with substituted diisocyanato alkylcarbomonocycle, hydro-hydroxypoly(oxyalkanediyl)and hydro-hydroxypoly[oxy(alkyl-alkanediyl)], aliphatic alkyl amine-blocked
4 10/25/20 21	СВІ	(G) Color developer	(G) 1,3-Benzenedicarboxamide, N1,N3-bis(carbomonocyclic)-5- [[(carbomonocyclic)amino]sulfonyl]-
7 10/13/20 21	The Lewis Chemical Company	(S) The intention is for this product to be used as an offset to N,N,N',N',N"-Pentamethyl-N-tallow alkyl1,3-propanediammonium chloride (CAS#68607-29-4) in a cationic latex asphalt emulsion formulation	(S) 1,3-Propanediaminium, 2-hydroxy-N1,N1,N3,N3-pentamethyl-N3-9-octadecen-1-yl, chloride (1:2); (S) 1,3-Propanediaminium, 2-hydroxy-N1,N1,N3,N3-pentamethyl-N3-octadecyl-, chloride (1:2);(S) 1,3-Propanediaminium, 2-hydroxy-N1,N1,N1,N3,N3-pentamethyl-N3-tetradecyl-, chloride (1:2);
			(S) 1,3-Propanediaminium, N-hexadecyl-2-hydroxy-N,N',N',N'-pentamethyl-, dichloride (2CI);
5 10/21/20 21	CBI	(G) emulsifier	(G) Carboxy ether; branched and linear ethercarboxylate;
4 10/01/20 21	СВІ	(G) process aid	(G) Polycyclic Dioxolane
	21 2	21	2 21 (S) Luminescent material for security ink. 2 209/06/20 Corient Corporation of America (S) Luminescent material for security ink. 2 09/31/20 ICM Products (G) Textile finishing agent 2 1 09/10/20 Coventya, Inc. 2 1 09/10/20 Coventya, Inc. 2 1 09/10/20 Coventya, Inc. 2 09/10/20 Coventya, Inc. 2 09/10/20 CBI (G) Additive in substance is used in a primarily aqueous alkaline electroplating solution that produces a nominal zinc (Zn) nickel (Ni) alloy deposit on iron bearing substrates. The PMN substance is a secondary brightening additive that is used in instances where the inherent specularity of the plating deposit is unsatisfactory. 3 09/10/20 CBI (G) Additive in electrode materials, Additive in plastics 4 09/30/20 CBI (G) Intermediate 5 10/20/20 CBI (G) Test media, Specialty fluid, Clean agent system, (S) Heat transfer system, Foam expansion agent 5 10/22/20 CBI (G) Not Applicable; Chemical Withdrawn 6 10/25/20 CBI (G) Used in polymer manufacturing. 7 10/13/20 CBI (G) Color developer 7 10/10/20 CBI (G) Color developer 7 10/10/20 CBI (G) Color developer 7 10/10/20 CBI (G) Color developer 8 10/21/20 CBI (G) Color developer 9 10/21/20 CBI (G) Color d

SN- 22- 0001	1	10/06/20 21	CBI	(G) Component in polishing formulation	(S) Ethanol, 2,2',2"-nitrilotris-, compd. with .alpha [2,4,6-tris(1-phenylethyl)phenyl]omega hydroxypoly(oxy-1,2-ethanediyl) phosphate
J-21- 0020	2	11/05/20 21	Cinder Biological, Inc.	(G) Enzyme production	(G) CinderBio-1
J-21- 0021	2	11/05/20 21	Cinder Biological, Inc.	(G) Enzyme production	(G) CinderBio-1
J-21- 0022	2	11/05/20 21	Cinder Biological, Inc.	(G) Enzyme production	(G) CinderBio-1
J-21- 0023	2	11/05/20 21	Cinder Biological, Inc.	(G) Enzyme production	(G) CinderBio-1
J-21- 0024	2	11/05/20 21	Cinder Biological, Inc.	(G) Enzyme production	(G) CinderBio-1
J-21- 0025	2	11/05/20 21	Cinder Biological, Inc.	(G) Enzyme production	(G) CinderBio-1
J-22- 0001	1	10/26/20 21	СВІ	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae
J-22- 0002	1	10/26/20 21	СВІ	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae
J-22- 0003	1	10/26/20 21	СВІ	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae
J-22- 0004	1	10/26/20 21	CBI	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae
J-22- 0005	1	10/26/20 21	СВІ	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae
J-22- 0006	1	10/26/20 21	СВІ	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae
J-22- 0007	1	10/27/20 21	CBI	(G) Production of DNA for use in internal manufacturing	(G) Strain of Escherichia coli modified with genetically-stable, plasmid-borne DNA for the production of plasmid-borne DNA
P- 19- 0134 A	8	11/04/20	СВІ	(S) Binder for moisture cure coatings	(G) [5-isocyanato-1-(isocyanatomethyl)-1,3,3-trimethylcyclohexane], [Poly[oxy(methyl-1,2-ethanediyl)], .alphahydroomegahydroxy-, polymer with 1,6-diisocyanatohexane], polymer with [Poly(oxy-1,4-butanediyl), .alphahydroomegahydroxy-], [Cyclic amine - ketone adduct, reduced], and [1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-]
P- 20- 0060	5	11/10/20 21	СВІ	(S) Solvent-based pigmented one- and two-component polyurethane coatings Automotive Refinish General Industrial Coil	(G) Bismuth Carboxylate complexes
P- 20- 0096 A	5	11/09/20 21	Solenis LLC	(G) Use in papermaking process	(G) Unsaturated dicarboxylic acid polymer with 2- (dialkylamino)alkyl-alkyl-alkanoate, N, N-dialkyl- alkene amide, 2-propenamide and salt of alkyl- substituted alkene sulfonate
P- 20- 0127 A	5	11/09/20 21	Kuraray America, Inc.	(S) Industrial Solvent	(S) 2H-Pyran, tetrahydro-4-methyl-
P- 20- 0182 A	2	11/19/20 21	Eastman Chemical Company, Inc	(G) Plasticizer for PVC formulations	(S) 1,4-Benzenedicarboxylic acid, bis[2-(2-butoxyethoxy)ethyl] ester (9 CI)
P- 21- 0017 A	2	11/05/20 21	Sumitomo Chemical Advanced Technologies LLC	(S) Substance used to improve physical properties in rubber products	(G) [(Substituted-carbomonocyclic) amino] oxoalkenoic acid, inorganic salt
P- 21- 0049 A	5	11/18/20 21	СВІ	(G) Monomer	(G) Alkanoic acid, polyhalo-(halo-oxo- alkenyl)oxyalkyl ester
P- 21- 0050 A	5	11/18/20	СВІ	(G) Monomer	(G) Alkenoic acid, halo-polylhaloalkyl ester
P- 21- 0089 A	4	11/09/20	СВІ	(G) Emulsifier	(G) Lignin, modified, reaction products with alkylamine by-products, hydrochlorides
P- 21-	4	11/09/20 21	СВІ	(G) Component in paving formulations	(G) Lignin, modified, reaction products with alkylamine by-products

A					
P- 21- 0138 A	3	11/15/20 21	LG Energy Solution Michigan Inc	(S) Electrode material for use in the manufacture of batteries	(G) Lithium metal oxide
P- 21- 0172 A	6	11/04/20 21	Silco, Inc.	(S) Moisture reactive polymer for use in sealants and coatings	(G) Siloxanes and Silicones, di-Me, trimethoxysilyl group terminated
P- 21- 0173 A	3	11/09/20	ICM Products Inc.	(G) Additive for finishing of textiles/fabrics	(G) Siloxanes and silicones polyether, polymer with aliphatic isocyanate, 2-dimethylaminoethanol and polyglycol ether
P- 21- 0213	2	10/28/20 21	ICM Products Inc.	(G) Textile finishing agent	(G) Siloxanes and Silicones, alkyl methyl, dimethyl
P- 21- 0218	3	11/17/20 21	Honeycomb Techno Research USA Inc	(G) Electric Molding	(G) Phenol biphenylene polycondensate
P- 22- 0001	1	10/04/20	СВІ	(G) Raw material for manufacturing chemicals	(G) Alkane, disubstituted
P- 22- 0008	2	11/22/20	CBI	(G) Biocatalyst used in a variety of products	(S) .betaN-Acetylhexosaminidase
P- 22- 0010	1	11/17/20 21	H.B. Fuller Company	(S) This chemical is being used as part of an industrial adhesive	(G) Amino alkanoic acid, N-[3- (Trimethoxysilyl)Propyl]-, 3- (Trimethoxysilyl)Propyl ester
P- 22- 0012	1	11/24/20 21	CBI	(G) Photolithography	(G) Sulfonium, tricarbocyclic-, 2-heteroatom- substituted-4-(halocarbocyclic)carboxylate (1:1)
SN- 21- 0012	3	11/15/20 21	Showa Denko Materials (America), Inc.	(S) Epoxy molding compound	(S) Oxirane, 2,2'-[methylenebis[(2,6-dimethyl-4,1-phenylene)oxymethylene]]bis-
J-22- 0008	1	11/18/20 21	CBI	(G) Manufacture of an alcohol	(G) Modified Yeast
J-22- 0009	1	12/10/20 21	Danisco US, Inc.	(G) Production of a chemical substance	(G) Genetically modified microorganism for the production of a chemical substance
J-22- 0010	1	12/10/20 21	Danisco US, Inc.	(G) Production of a chemical substance	(G) Genetically modified microorganism for the production of a chemical substance
P- 18- 0097 A	3	12/23/20 21	Mane USA	(G) Ingredient	(S) 1,3-Dioxane, 2-(3,3-dimethyl-1-cyclohexen-1-yl)-2,5,5-trimethly-
P- 18- 0293	14	12/28/20	Sirrus, Inc.	(S) Intermediate: Monomer used as a chemical intermediate in the manufacture of polymers.	(S) Propanedioic acid, 2-methylene-, 1,3-dihexyl ester
Α					(G) Coatings: Monomer used in the manufacture of industrial coatings (e.g., protective floor coatings). The PMN substance (i.e., unreacted monomer) is no used in spray applications. Adhesives: Monomer used in the manufacture (formulation) (e.g., reactive industrial structural or lamination).
P- 18-)294 A	14	12/28/20	Sirrus, Inc.	 (S) Intermediate: Monomer used as a chemical intermediate in the manufacture of polymers. (G) Coatings: Monomer used in the manufacture of industrial coatings (e.g., protective floor coatings). The PMN substance (i.e., unreacted monomer) is not used in spray applications. Adhesives: Monomer used in the manufacture (formulation) of (e.g., reactive, industrial structural or lamination). 	(S) Propanedioic acid, 2-methylene-, 1,3-dicyclohexyl ester
P- 21- 0101 A	2	12/13/20	ENI trading & shipping INC	(G) Used as a lubricant and lubricant additive	(G) Benzenesulfonic acid, polyalkyl derivs., calcium salts
P- 21- 0133	6	12/01/20 21	СВІ	(S) Chemical Intermediate	(G) Distillation bottoms from manufacture of alkanoic acid by organic acid-producing organism, modified

P- 21- 0141	5	12/23/20 21	Valero Energy Corporation	(S) Transportation Fuel	(S) Alkanes, C4-8 - Branched and Linear
A P- 21- 0168 A	3	12/23/20	СВІ	(G) Colorant	(G) Metal, [heteropolycyclic]-, [[[(hydroxyalkyl)amino]sulfonyl]alkyl]sulfonyl(sulf oalkyl)sulfonyl derivs., ammonium sodium salts
P- 21- 0169	3	12/15/20 21	СВІ	(G) Additive for plastic	(G) Fatty acids, penta-alkyl-4-piperidinyl esters
P- 21- 0182 A	3	12/01/20 21	CBI	(S) chemical intermediate	(G) Distillation bottoms from manufacture of alkanoic acid by organic acid-producing organism
P- 21- 0183 A	3	12/01/20 21	СВІ	(S) chemical intermediate	(G) Distillation bottoms from manufacture of alkanoic acid by organic acid-producing organism, modified
P- 21- 0190 A	3	12/07/20 21	Santolubes Manufacturing LLC	(S) This product will be used in gear oils & greases, wind turbines, HX-1 (incidental food contact) lubricants and EV (Electric Vehicle) motors. It will be used by OEMs in these applications as components in finished formulations. The intended use of these products is 100% industrial and not intended for use as consumer products.	(S) Poly(oxy-1,2-ethanediyl)-alpha-(1-oxohexyl)-omega-[(1-oxohexyl)oxy]-
P- 21- 0193 A	4	12/07/20 21	Santolubes Manufacturing LLC	(S) This product will be used in gear oils & greases, wind turbines, HX-1 (incidental food contact) lubricants and EV (Electric Vehicle) motors. It will be used by OEMs in these applications as components in finished formulations. The intended use of these products is 100% industrial and not intended for use as consumer products.	(S) Fatty acids, C8-10, diesters with polyethylene glycol
P- 21- 0201 A	8	12/09/20 21	The Lewis Chemical Company	(S) The intention is for this product to be used as an offset to N,N,N',N',N"-Pentamethyl-N-tallow alkyl1,3-propanediammonium chloride (CAS#68607-29-4) in a cationic latex asphalt emulsion formulation	(S) 1,3-Propanediaminium, 2-hydroxy-N1,N1,N1,N3,N3-pentamethyl-N3-9-octadecen-1-yl, chloride (1:2); (S) 1,3-Propanediaminium, 2-hydroxy-N1,N1,N1,N3,N3-pentamethyl-N3-octadecyl-, chloride (1:2); (S) 1,3-Propanediaminium, 2-hydroxy-N1,N1,N1,N3,N3-pentamethyl-N3-tetradecyl-, chloride (1:2); (S) 1,3-Propanediaminium, N-hexadecyl-2-hydroxy-N,N,N',N',N'-pentamethyl-, dichloride (2CI);
P- 21- 0201 A	9	12/20/20	The Lewis Chemical Company	(S) The intention is for this product to be used as an offset to N,N,N',N"-Pentamethyl-N-tallow alkyl1,3-propanediammonium chloride (CAS#68607-29-4) in a cationic latex asphalt emulsion formulation	(S) 1,3-Propanediaminium, 2-hydroxy-N1,N1,N1,N3,N3-pentamethyl-N3-octadecen-1-yl, chloride (1:2); (S) 1,3-Propanediaminium, 2-hydroxy-N1,N1,N1,N3,N3-pentamethyl-N3-octadecyl-, chloride (1:2); (S) 1,3-Propanediaminium, 2-hydroxy-N1,N1,N1,N3,N3-pentamethyl-N3-tetradecyl-, chloride (1:2); (S) 1,3-Propanediaminium, N-hexadecyl-2-hydroxy-N,N,N',N',N'-pentamethyl-, dichloride (2CI);
P- 21- 0216	2	12/10/20 21	СВІ	(G) Additive in electrode materials (G) Additive in plastics	(G) Multi-walled carbon nanotubes
P- 21- 0217 A	2	12/10/20 21	CBI	(G) Additive in electrode materials (G) Additive in thermoplastics (G) Component in electrodes	(G) Multi-walled carbon nanotubes
P- 22- 0003	2	12/10/20 21	INV Nylon Chemicals Americas, LLC	(S) Clay Stabilizer in Oil & Gas Fracking	(S) 1,5-Pentanediamine, 2-methyl-, hydrochloride (1:2)
P- 22- 0004	2	12/10/20 21	INV Nylon Chemicals Americas, LLC	(S) Clay Stabilizer in Oil & Gas Fracking	(S) 1,5-Pentanediamine, 2-methyl-, hydrochloride (1:1)

P- 22- 0005	2	12/10/20 21	INV Nylon Chemicals Americas, LLC	(S) Clay Stabilizer in Oil & Gas Fracking	(S) Formic acid, compd. with 2-methyl-1,5-pentanediamine (2:1)
P- 22- 0006	2	12/10/20 21	INV Nylon Chemicals Americas, LLC	(S) Clay Stabilizer in Oil & Gas Fracking	(S) Formic acid, compd. with 2-methyl-1,5-pentanediamine (1:1)
P- 22- 0007	3	12/22/20 21	СВІ		(G) 3,5,8-Trioxa-4-silaalkanoic acid, 4-ethenyl-4-(2-alkoxy-1-alkyl-2-oxoethoxy)-2,6-dialkyl-7-oxo-, alkyl ester
P- 22- 0008 A	3	12/20/20 21	СВІ	(G) Biocatalyst used in a variety of products	(S) .betaN-Acetylhexosaminidase
P- 22- 0009	2	12/02/20 21	CBI	(S) Gasoline blending component to reduce the average carbon intensity and subsequent CO2 emissions of fuel	(S) Alkanes, C4-C9-branched and linear
P- 22- 0009 A	3	12/07/20 21	CBI	(S) Gasoline blending component to reduce the average carbon intensity and subsequent CO2 emissions of fuel	(S) Alkanes, C4-C9-branched and linear
P- 22- 0011	2	11/30/20 21	Lord Corporation	(G) Functionalized rubber in resin side of two component epoxy modified acrylic adhesive	(G) Alkadiene, homopolymer, hydroxy-terminated, bis[N-[2-[(1-oxo-2-propen-1-yl)oxylethyl]carbamates] (G) Functionalized rubber in resin side of two
					component acrylic adhesive
P- 22- 0013	1	12/02/20 21	Corteva Agriscience LLC	(S) Raw Material/Intermediate, Site-Limited, Destructive Use	(G) 2-pyridinecarboxylic acid, 3-halo,4-nitrogen- substituted-5-halo-6-halo, aryl ester
P- 22- 0015	2	12/16/20 21	Corteva Agriscience LLC	(S) Raw Material, Site-Limited, Destructive Use	(G) 2-Pyridinecarboxylic acid, 3-halo-4-nitrogen- substituted-5-halo-6-halo-
P- 22- 0016	1	12/13/20 21	СВІ	(G) Complexing agent	(G) Alkyl glycine dicarboxylic acid sodium salt
P- 22- 0017	1	12/14/20 21	Sasol Chemicals (USA) LLC	(S) Paraffin wax substitute for candles (S) Alkylate for polymer esters	(S) 1 - Eicosanol, manuf. of, distn., residues
P- 22- 0018	1	12/14/20 21	CBI	(G) Component of lubricant	(G) Substituted polyalkylenepoly, reaction products with substituted heteromonocycle substituted heteromonocycle polyalkylene derivs.
P- 22- 0019	1	12/16/20 21	СВІ	(G) Film-forming polymer	(G) Protein sodium complexes, polymers with aromatic acid chloride, ethylene diamine and amino acid
P- 22- 0021	1	12/17/20 21	СВІ	(G) Nucleating Agent for Polyolefins	(G) Alkylphosphonic acid, calcium salt
P- 22- 0023	1	12/21/20 21	СВІ	(G) Catalyst system component	(G) Alkyldioic acid, bis(alkylalkyl)-, polyalkyl ester
P- 22- 0026	1	12/23/20 21	СВІ	(G) Emulsifier for industrial uses	(G) Polyalkylamines, reaction products with maleated glycerides
SN- 21- 0013	2	11/30/20 21	Koch Agronomic Services	(S) Additive for urea ammonium nitrate, UAN, fertilizer for boom spray applications.	(S) Urea, reaction products with N- butylphosphorothioic triamide and formaldehyde
SN- 22-	1	12/17/20 21	Eastman Chemical	(S) Solvent-borne coatings	(S) 2-Pyrrolidinone, 1-butyl-
0002		1	Company, INC	(S) Coatings for consumer use, brush on coatings	
				(S) Coatings for commercial use, spray coating	
J-22-	2	12/21/20	CBI	(G) Consumer use other than brush on (G) Manufacture of an alcohol	(G) Modified Yeast
0008 A		21			`
J-22- 0011	1	01/24/20 22	CBI	(G) Ethanol productions	(G) Biofuel producing Saccharomyces cerevisiae modified, genetically stable
P- 18-	4	01/14/20 22	СВІ	(G) Electrolyte additive	(G) Cyclic sulfate

0281 A					
P- 18- 0350 A	4	12/31/20 21	Evonik Corporation	(S) Additive in water-borne UV-curable coatings, Filler & pigment treatment, Glass fiber treatment	(G) Aqueous methacrylamido modified polysiloxane
P- 18- 0374 A	5	12/31/20 21	Evonik Corporation	(S) Additive in a water-borne coating formulation, Glass fiber sizing, Fillers, pigments and glass bead treatment	(G) Cationic aminomodified alkylpolysiloxane
P- 20- 0092 A	8	01/25/20 22	СВІ	(G) Coloration of fabric	(G) Napthalenesulfonic acid, amino-hydroxy-bis [sulfo- [(sulfooxy)ethyl]sulfonyl]phenyl]diazinyl]-,potassiu m sodium salt
P- 20- 0175 A	6	01/10/20 22	СВІ	(G) Proprietary Additive for WB&P Formulation, Proprietary Additive for Slats & CR Formulations, Proprietary Additive for PI Formulation	(G) acid N-[4-(4-diarylalkyl]-, carbopolycyclic alkenyl, methyl ester
P- 20- 0176 A	6	01/10/20 22	СВІ	(G) Proprietary Additive for WB&P Formulation, Proprietary Additive for Slats & CR Formulations, Proprietary Additive for PI Formulation	(G) acid N-(diarylalkyl)-, carbopolycyclic alkenyl, methyl ester
P- 20- 0177 A	6	01/10/20 22	СВІ	(G) Proprietary Additive for WB&P Formulation, Proprietary Additive for Slats & CR Formulations, Proprietary Additive for PI Formulation	(G) carbopolycyclic alkenyl, 2-carboxylic acid, 2- [[[4-(4-diarylalkyl)]carbonyl]oxy]ethyl ester
P- 20- 0178 A	6	01/10/20 22	СВІ	(G) Proprietary Additive for WB&P Formulation, Proprietary Additive for Slats & CR Formulations, Proprietary Additive for PI Formulation	(G) carbopolycyclic alkenyl, 2-carboxylic acid, 2- [[[(diarylalkyl)]carbonyl]oxy]ethyl ester
P- 21- 0012 A	5	01/06/20 22	СВІ	(G) The notified substance will be used as a fragrance ingredient	(G) Multialkylbicycloalkenyl substituted propanenitrile
P- 21- 0032	3	01/19/20 22	Crison, LLC	(S) Mining collector, Asphalt emulsifier	(S) Poly[oxy(methyl-1,2-ethanediyl)], alpha-(3-aminopropyl)-omega-(1-methylethoxy)-
P- 21- 0033	3	01/19/20 22	Crison, LLC	(S) Mining collector, Asphalt emulsifier	(S) Poly[oxy(methyl-1,2-ethanediyl)], alpha-(3-aminopropyl)-omega-butoxy-
P- 21- 0181 A	5	01/10/20 22	СВІ	(G) Color developer	(G) 1,3-Benzenedicarboxamide, N1,N3-bis(carbomonocyclic)-5- [[(carbomonocyclic)amino]sulfonyl]-
P- 22- 0021 A	2	01/21/20 22	СВІ	(G) Nucleating Agent for Polyolefins	(G) Alkylphosphonic acid, calcium salt
P- 22- 0022	2	01/04/20 22	СВІ	(G) dispersing additive	(G) Aryl-substituted-heterocyclic-polyamine, reaction products with polyethylene glycol alkylether, and nitrogen and alkyl-substituted benzene
P- 22- 0024	2	22	СВІ	(G) Ingredient in Industrial Coating	(G) Amino salt, polymer with 1,6- diisocyanatohexane, oxime- and glycol ether- blocked
P- 22- 0025	2	01/03/20 22		(S) Chemical intermediate	(G) Oxirane, 2-(chloromethyl)-, homopolymer, ether with dialkyl-alkanediol (2:1)
P- 22- 0027	3	01/18/20 22	Takasago	(S) Fragrance in fine fragrance, deodorants, cosmetics, household products such as laundry detergents, air fresheners, shampoos and body washes	(S) 2-Pentanone, 3-methyl-5-(2,2,3-trimethylcyclopentyl)-
P- 22- 0028	2	22	H.B. Fuller Company	(S) Industrial Adhesive	(G) Polyester with 1,4-benzenedicarboxylic acid, 1,4- dimethyl 1,4-benzebedicarboxylate, 2,2-dimethyl-1,3-propanediol, dodecanedioic acid, 1,2-ethanediol, aliphatic polyester, 3-hydroxy-2,2-dimethylpropyl 3-hydroxy-2,2-dimethylpropanoate, 1,3-isobenzofurandione and 1,1'-methylenebis[4-isocyanatobenzene]
P- 22- 0028 A	3	01/28/20 22	H.B. Fuller Company	(S) Industrial Adhesive	(G) polyester with 1,4-benzenedicarboxylic acid, 1,4- dimethyl 1,4-benzebedicarboxylate, 2,2-dimethyl-1,3-propanediol, dodecanedioic acid, 1,2-ethanediol, aliphatic polyester, 3-hydroxy-2,2-dimethylpropyl 3-hydroxy-2,2-dimethylpropanoate,

					1,3-isobenzofurandione and 1,1'-methylenebis[4-isocyanatobenzene]
P- 22- 0029 A	2	01/12/20	H.B. Fuller Company	(S) Industrial Adhesive	(G) polyester with 1,4-benzenedicarboxylic acid, 1,4- dimethyl 1,4-benzebedicarboxylate, 2,2-dimethyl-1,3-propanediol, dodecanedioic acid, 1,2-ethanediol, aliphatic polyester, 3-hydroxy-2,2-dimethylpropyl 3-hydroxy-2,2-dimethylpropanoate, 1,3-isobenzofurandione and 1,1'-methylenebis[isocyanatobenzene]
P- 22- 0029 A	3	01/28/20	H.B. Fuller Company	(S) Industrial Adhesive	(G) polyester with 1,4-benzenedicarboxylic acid, 1,4- dimethyl 1,4-benzebedicarboxylate, 2,2-dimethyl-1,3-propanediol, dodecanedioic acid, 1,2-ethanediol, aliphatic polyester, 3-hydroxy-2,2-dimethylpropyl 3-hydroxy-2,2-dimethylpropanoate, 1,3-isobenzofurandione and 1,1'-methylenebis[isocyanatobenzene]
P- 22- 0030	2	01/12/20	H.B. Fuller Company	(S) Industrial Adhesive	(G) Polyester with 1,4-benzenedicarboxylic acid, 2,2-dimethyl-1,3-propanediol, dodecanedioic acid, 1,2-ethanediol, aliphatic polyester, 3-hydroxy-2,2-dimethylpropyl 3-hydroxy-2,2-dimethylpropanoate, 1,3-isobenzofurandione and 1,1'-methylenebis[4-isocyanatobenzene]
P- 22- 0030 A	3	01/28/20	H.B. Fuller Company	(S) Industrial Adhesive	(G) Polyester with 1,4-benzenedicarboxylic acid, 2,2-dimethyl-1,3-propanediol, dodecanedioic acid, 1,2-ethanediol, aliphatic polyester, 3-hydroxy-2,2-dimethylpropyl 3-hydroxy-2,2-dimethylpropanoate, 1,3-isobenzofurandione and 1,1'-methylenebis[4-isocyanatobenzene]
P- 22- 0031	2	01/12/20	H.B. Fuller Company	(S) Industrial Adhesive	(G) polyester with 1,4-benzenedicarboxylic acid, 2,2-dimethyl-1,3-propanediol, dodecanedioic acid, 1,2-ethanediol, aliphatic polyester, 3-hydroxy-2,2-dimethylpropyl 3-hydroxy-2,2-dimethylpropanoate, 1,3-isobenzofurandione and 1,1'-methylenebis[isocyanatobenzene]
P- 22- 0031 A	3	01/28/20	H.B. Fuller Company	(S) Industrial Adhesive	(G) polyester with 1,4-benzenedicarboxylic acid, 2,2-dimethyl-1,3-propanediol, dodecanedioic acid, 1,2-ethanediol, aliphatic polyester, 3-hydroxy-2,2-dimethylpropyl 3-hydroxy-2,2-dimethylpropanoate, 1,3-isobenzofurandione and 1,1'-methylenebis[isocyanatobenzene]
P- 22- 0032	1	01/13/20 22	СВІ	(S) Reactive polymer for use in adhesives and sealants	(G) Isocyanic acid, polymethylenepolyphenylene ester, polymer with a-hydro-w-hydroxypoly[oxy(alkanediyl)], diisocyanatobenzene] and a-alkane[w-hydroxypoly[oxy(alkanediyl)]]
P- 22- 0033	1	01/13/20 22	СВІ	(S) Adhesion promoter for use in industrial manufacturing operations	(G) Alkylamine, alkoxysilyl-, hydrolyzed
P- 22- 0034	2	01/26/20 22	СВІ	(G) Precursor to a Nucleating Agent for Polyolefins	(G) Alkylphosphonic acid, disodium salt
P- 22- 0035	1	01/25/20 22	Allnex USA Inc.	(S) To improve the reactivity of flexographic ink formulations when cured under LED UV light	(G) Alkenoic acid, alkanediyl ester, polymer with bis(substituted alkyl)-alkanediol polymer with alkylene oxides alkenoate, and alkanamine
J-22- 0008 A	3	02/15/20 22	СВІ	(G) Manufacture of an alcohol	(G) Modified Yeast
J-22- 0011 A	2	01/28/20 22	СВІ	(G) Ethanol production	(G) Biofuel producing Saccharomyces cerevisiae modified, genetically stable.
P- 16- 0218 A	7	02/03/20 22	СВІ	(G) Reactant: Spray Foam Insulation, Architectural Coating	(G) Acetoacetylated Glycerin
P- 20- 0124 A	4	02/18/20 22	СВІ	(G) Additive in Household consumer products	(S) 5-octen-4-ol, 3,5-dimethyl-, (5E)-
P- 20- 0126 A	4	02/18/20	СВІ	(G) Additive in household consumer products	(S) 4-Decenal, 5,9-dimethyl-
P- 21-	3	02/01/20 22	СВІ	(S) Crosslinking agent for inks and coatings	(G) Hexane, 1,6-diisocyanato-, homopolymer, alkyl epoxy ether- and polyethylene glycol mono-Me

0011 A					ether-blocked, reaction products with propylenimine
P- 21- 0082 A	2	02/18/20 22	СВІ	(G) Additive in household consumer products	(S) 1-Decen-4-yne
P- 21- 0205 A	2	02/18/20 22	СВІ	(G) Additive in household consumer products	(S) Benzene, [2-[(2-methyl-1-undecen-1-yl}oxy]ethyl]-
P- 21- 0206 A	3	02/18/20 22	HollyFrontier Corporation	(G) Component of gasoline.	(G) Alkanes, branched and linear
P- 22- 0017 A	2	02/01/20 22	Sasol Chemicals (USA) LLC	(S) Paraffin wax substitute for candles, Alkylate for polymer esters	(S) 1 - Eicosanol, manuf. of, distn., residues
P- 22- 0036	2	02/07/20 22	Torrecid USA LLC	(S) coloring agent, pigment for master batch	(S) chromium iron manganese oxide
P- 22- 0037	1	02/03/20 22	Allnex USA Inc.	(S) Additol XL 186 is a specific, high efficiency additive which improves the adhesion to metal, especially under humid conditions.	(G) Polyphosphoric acids, esters with heteromonocycle homopolymer
P- 22- 0039	2	02/25/20 22		(S) Colorant for agricultural applications	(G) Poly(oxy-1,2-ethanediyl),alpha,alpha'-[[[4-(4-alkyl heteroaryl)ene]aryl]imino]di-2,1-ethanediyl]bis[omega-hydroxy-]
P- 22- 0040	1	02/07/20 22	СВІ	(G) Component used in manufacture of high performance batteries	(S) Manganate(4-), hexakis(cyanokappa.C)-, manganese (2+) sodium, (OC-6-11)-
P- 22- 0041	1	02/07/20 22	CBI	(G) A component used in the manufacture of batteries	(S) Ferrate (-4), hexakis(cyanokappa.C)-, iron(3+) manganese(2+) sodium, (OC-6-11)-
P- 22- 0042	1	02/09/20 22	СВІ	(G) Photolithography	(G) Alkanedione, [[[(substituted)aryl]thio]aryl]-, 2- (O-acetyloxime)
P- 22- 0044	1	02/15/20 22	СВІ	(G) Site Limited Intermediate	(G) Silica gel, reaction products with alkyl metal salt
P- 22- 0045	1	02/15/20 22	AkzoNobel	(G) Polymer used in the manufacture of paint.	(G) Fatty acids, polymer with modified benzofuran- 1,3-dione, pentaerythritol and aromatic acid anhydride
P- 22- 0047	2	02/25/20 22	СВІ	(G) Epoxy additive	(G) Alkyl substituted carbopolycyclic acids and heteromonocyclic esters
P- 22- 0048	2	02/24/20 22	Ashland. Inc.	(S) Intermediate in film	(G) halogenated dodecyl-acetylen
SN- 22- 0001 A	2	01/28/20 22	CBI	(G) Component in polishing formulation	(S) Ethanol, 2,2',2"-nitrilotris-, compd. with .alpha [2,4,6-tris(1-phenylethyl)phenyl]omega hydroxypoly(oxy-1,2-ethanediyl) phosphate
P- 21- 0077 A	4	02/26/20 22	СВІ	(G) battery additive	(S) Tinci_PMN3
P- 21- 0090 A	5	03/07/20 22	СВІ	(G) Component in paving formulations.	(G) Lignin, modified, reaction products with alkylamine by-products
P- 21- 0189 A	3	03/01/20 22	Renewable Energy Group	(S) Feedstock used in the production of biomass based diesel.	(S) Fats and Glyceridic oils, algae
P- 21- 0201 A	11	03/04/20	The Lewis Chemical Company	(S) The intention is for this product to be used as an offset to N,N,N',N',N" -Pentamethyl-N-tallow alkyl1,3-propanediammonium chloride (CAS#68607-29-4) in a cationic latex asphalt emulsion formulation	(S) 1,3-Propanediaminium, 2-hydroxy-N1,N1,N3,N3-pentamethyl-N3-octadecen-1-yl, chloride (1:2);(S) 1,3-Propanediaminium, 2-hydroxy-N1,N1,N1,N3,N3-pentamethyl-N3-octadecyl-, chloride (1:2);(S) 1,3-Propanediaminium, 2-hydroxy-N1,N1,N1,N3,N3-pentamethyl-N3-tetradecyl-, chloride (1:2);(S) 1,3-

					Propanediaminium, N-hexadecyl-2-hydroxy- N,N,N',N',N'-pentamethyl-, dichloride (2CI);
P- 22- 0011 A	3	03/29/20	Lord Corporation	(G) Functionalized rubber in resin side of two component acrylic, epoxy modified acrylic	(G) Alkadiene, homopolymer, hydroxy-terminated, bis[N-[2-[(1-oxo-2-propen-1-yl)oxylethyl]carbamates]
P- 22- 0032 A	2	02/28/20	СВІ	(S) Reactive polymer for use in adhesives and sealants.	(G) Isocyanic acid, polymethylenepolyphenylene ester, polymer with a-hydro-w-hydroxypoly[oxy(alkanediyl)], 1,1'-methylenebis[4-isocyanatobenzene] and a-alkane[w-hydroxypoly[oxy(alkanediyl)]]
P- 22- 0038	3	03/11/20 22	СВІ	(G) Additive	(G) Siloxanes and Silicones, di-Me, mixed (polyhydro-substituted heterocyclic) alkyl groupand [(polyalkylsilyl)substituted]-terminated
P- 22- 0043	2	03/11/20 22	СВІ	(G) Intermediate	(G) Fatty acids, hydroxyethoxy ethyl esters
P- 22- 0044 A	2	03/15/20 22	СВІ	(G) Site Limited Intermediate	(G) Silica gel, reaction products with alkyl metal salt
P- 22- 0045 A	2	02/28/20 22	AkzoNobel	(G) Polymer used in the manufacture of paint.	(G) Fatty acids, polymer with modified benzofuran- 1,3-dione, pentaerythritol and aromatic acid anhydride
P- 22- 0046	4	03/04/20	СВІ	(S) Food Coating agent for fruits, vegetables, meats and fish used by food processing/packing companies Industrial Applications including but not limited to fiber optics, and micro-circuits, R&D development	(S) Fibroins
P- 22- 0049	3	03/08/20	Huntsman International LLC	(S) Coatings for oil and gas, power, chemical/petrochemical industries OEM coatings, Coatings used in manufacturing, Coatings in wastewater applications	(G) aryl, polymer with formaldehyde, glycidyl ether, reaction products with amino alkyl-alkane diamine, cyclohexanediamine and alkylene [alkylcyclohexanamine]
P- 22- 0050	2	03/23/20 22	СВІ	(G) Lubricant	(G) Alkene, alkoxy-, polymer with alkoxyalkene
P- 22- 0051	2	03/08/20	СВІ	(G) Lubricant and Fuel additive	(G) 2,5-Furandione, dihydro-, monopolyisobutylene derivs., reaction products with substituted alkylamine
P- 22- 0052	1	03/08/20 22	CBI	(G) Fuel Additive	(G) Alkylated succinimide dimer
P- 22- 0052 A	2	03/29/20	СВІ	(G) Fuel Additive	(G) Alkylated succinimide dimer
P- 22- 0052 A	3	03/29/20 22	СВІ	(G) Fuel Additive	(G) Alkylated succinimide dimer
P- 22- 0054	1	03/14/20 22	СВІ	(G) Additive for paint and coatings	(G) Graphene nanoplatelets
P- 22- 0055	1	03/16/20 22	СВІ	(G) Photoacid generator (PAG) for use in electronics industry	(G) Aromatic sulfonium tricyclo fluoroalkyl sulfonic acid salt,
P- 22- 0056	2	03/17/20 22	TIB Chemicals Corporation	(S) Catalyst for use in sealants and adhesives.	(S) Tin, dioctylbis(2,4-pentanedionatokappa.O2,.kappa.O4)-
P- 22- 0057	1	03/21/20 22	СВІ	(G) Additive in home care products	(G) Polysaccharide, polymer with 2-propenoic acid, sodium salt
SN- 21- 0003 A	3	03/15/20 22	Norquay Technology Inc	(G) Intermediate	(S) 1,1'-Biphenyl, 4,4'-dibromo-
SN- 21- 0004 A	2	02/26/20 22	CBI	(G) Monomer	(S) 2-Propenoic acid, 1,1'-(3-methyl-1,5-pentanediyl) ester

SN- 22- 0003	2	02/04/20 22	СВІ	(G) Use as an ingredient in fragrances.	(S) 1,3-Butanediol, (3R)-
J-22- 0012	1	04/01/20 22	Danisco US, Inc.	(G) Production of a chemical substance	(G) Genetically modified microorganism for the production of a chemical substance
J-22- 0012 A	2	04/20/20 22	Danisco US, Inc.	(G) Production of a chemical substance	(G) Genetically modified microorganism for the production of a chemical substance
J-22- 0013	1	04/01/20 22	Danisco US, Inc.	(G) Production of a chemical substance	(G) Genetically modified microorganism for the production of a chemical substance
J-22- 0013 A	2	04/20/20 22	Danisco US, Inc.	(G) Production of a chemical substance	(G) Genetically modified microorganism for the production of a chemical substance
P- 21- 0088	4	04/18/20 22	Solepoxy, Inc	(G) Molding compound	(G) Heterocyclic epoxide polymer with mixed substituted glycols and acid anhydride
P- 21- 0191 A	3	04/11/20 22	Santolubes Manufacturing LLC	(S) This product will be used in gear oils & greases, wind turbines, HX-1 (incidental food contact) lubricants and EV (Electric Vehicle) motors. It will be used by OEMs in these applications as components in finished formulations. The intended use of these products is 100% industrial and not intended for use as consumer products.	(S) Fatty acids, C18-unsatd., dimers, hydrogenated, polymers with polyethylene glycol, dihexanoates
P- 21- 0199 A	5	04/18/20 22	СВІ	(G) Processing aid	(G) 1,6-Disubstituted hexane
P- 22- 0059	2	04/13/20 22	CBI	(S) Use of enzyme in laundry and dishwashing detergents	(S) Thermomycolin, fermented, from a modified Trichoderma reesei
P- 22- 0060	1	03/31/20 22	СВІ	(G) Intermediate	(G) Polyol allyl ether, homopolymer terpene ether
P- 22- 0061	1	03/31/20 22	СВІ	(G) Intermediate	(G) Polyol allyl ether, homopolymer, alkyl ethers
P- 22- 0062	1	04/01/20 22	Vertellus Specialties Inc.	(G) Fuel and Oil additive for consumer, industrial, and commercial applications	(G) Alkene, heterocycle
P- 22- 0063	1	04/01/20 22	Vertellus Specialties Inc.		(G) Alkene, heterocycle
P- 22- 0064	1	04/01/20 22	CBI	(G) Intermediate	(G) Polyol allyl ether, polymer with alkylene oxides, terpene ether
P- 22- 0065	1	04/01/20 22	CBI	(G) Intermediate	(G) Polyol allyl ether, polymer with alkylene oxides, alkyl ethers
P- 22- 0066	2	04/26/20 22	СВІ	(G) Additive for adhesives and coatings	(G) Polyol allyl ether, polymer with alkylene oxides, terpene ether sulfate, ammonium salt
P- 22- 0067	2	04/26/20 22	СВІ	(G) Additive for adhesives and coatings	(G) Polyol allyl ether, polymer with alkylene oxides, alkyl ether sulfate, ammonium salts
P- 22- 0069	1	04/08/20 22	СВІ	(G) Component in battery	(G) fluoroheteroacid, metal salt
P- 22- 0070	2	22	СВІ	(G) Dispersant polymer for coatings	(G) Alkylaromatic sulfonic acid, alkyl ester, compds. with phenol-formaldehyde polymer with aminopolyethylene-polypropylene glycol-oxirane copolymer and benzoates
P- 22- 0071	2	04/14/20 22	Lamberti USA Inc.	(G) Industrial Surfactant	(S) D-Glucopyranose, oligomeric, maleates, C9-11- branched and linear alkyl glycosides, sulfonated, potassium salts
P- 22- 0072	2	04/14/20 22	Lamberti USA Inc.	(G) Industrial Surfactant	(S) D-Glucopyranose, oligomeric, maleates, decyl octyl glycosides, sulfonated, potassium salts
P- 22- 0073	2	04/14/20 22	Lamberti USA Inc.	(G) Industrial Surfactant	(S) D-Glucopyranose, oligomeric, maleates, C10-16-alkyl glycosides, sulfonated, potassium salts
P- 22-	1	04/13/20 22	Earth Science Laboratories	(S) PABP-P will be used as a carrier in agricultural (non-pesticide) micronutrient products. To formulate corrosion	(S) Phosphoric acid, ammonium salt (1:?)

0076			HQ	control products used to minimize corrosion of steel pipes in industrial water towers.	
P- 22- 0082	1	04/25/20 22	CBI	(G) Component of photoresist.	(G) Alkenoic acid, alkyl, carbopolycyclic alkyl ester, polymer with trihalo (trihaloalkyl) alkyl alkyl alkenoate
P- 19- 0141 A	8	05/05/20 22	СВІ	(S) For use in metal treatment coatings for lubrication and corrosion protection.	(S) Phosphoric Acid, manganese(2+) salt (2:3);(S) Phosphoric acid, manganese(2+) salt (4:5);
P- 21- 0195	4	05/04/20	CBI	(G) Primary component of retail consumer product for animals	(S) Corn, germ, meal
P- 21- 0196 A	2	05/25/20 22	СВІ	(S) Additive for use in battery electrolyte formulations.	(G) Oxathiole, oxide
P- 21- 0216 A	3	05/22/20	LG Chem America, Inc.	(G) Additive in electrode materials, plastics	(G) Multi-walled carbon nanotubes
P- 21- 0217 A	3	05/22/20 22	LG Chem America, Inc.	(G) Additive in electrode materials, thermoplastics and Component in electrodes	(G) Multi-walled carbon nanotubes
P- 22- 0014	3	05/22/20 22	CBI	(G) precursor	(G) sodium bis(chloropropanediol) phosphate
P- 22- 0074	2	04/26/20 22	Wilbur Ellis	(G) Agricultural chemical	(S) Phosphonic acid, manganese(2+) salt (1:1)
P- 22- 0075	2	05/11/20 22	Elantas pdg, Inc.	(S) Isolated intermediate used as a monomer in the production of a monomer free unsaturated polyester resin	(S) 1H-Isoindole-1,3(2H)-dione, 3a,4,7,7a-tetrahydro-2-(2-hydroxyethyl)-
P- 22- 0077	2	05/24/20 22	СВІ	(G) Chemical Intermediate	(G) magnesium salt of alkyl substituted hexanol
P- 22- 0078	2	04/28/20 22	СВІ	(S) dispersing agent	(G) Oxirane, 2-methyl-, polymer with oxirane, mono-isoalkyl ethers, phosphates, salt
P- 22- 0078 A	3	05/16/20 22	CBI	(S) dispersing agent for pesticide formulators	(G) Oxirane, 2-methyl-, polymer with oxirane, mono-isoalkyl ethers, phosphates, salt
P- 22- 0078 A	4	05/17/20 22	CBI	(S) dispersing agent for pesticide formulators	(G) Oxirane, 2-methyl-, polymer with oxirane, mono-isoalkyl ethers, phosphates, salt
P- 22- 0079	4	05/17/20 22	Galata Chemicals, LLC	(S) Stabilizer for PVC compounds.	(G) Pyridine carboxylate aliphatic diester
P- 22- 0080	2	04/28/20	Huntsman International LLC	(S) As an industrial intermediate used in the manufacture of polyamides as a monomer.	(S) Poly(oxy-1,2-ethanediyl), alpha,alpha'-(iminodi-2,1-ethanediyl)bis[omega-(2-aminoethoxy)-;(S) Poly(oxy-1,2-ethanediyl), alpha-(2-aminoethyl)-omega-(2-aminoethoxy)-;
P- 22- 0080 A	3	05/19/20 22	Huntsman International LLC	(S) As an industrial intermediate used in the manufacture of polyamides as a monomer.	(S) Poly(oxy-1,2-ethanediyl), ,'-(iminodi-2,1-ethanediyl)bis[-(2-aminoethoxy)-;(S) Poly(oxy-1,2-ethanediyl), -(2-aminoethyl)(2-aminoethoxy)-;
P- 22- 0081	2	05/03/20 22	СВІ	(S) Light and peroxide cured adhesives, Component of formulation for 3D printing with stereolithography process, (G) Component of light cured adhesives	(S) 1,3-Propanediol,2,2-dimethyl-, polymer with alpha-hydro-omega-hydroxypoly(oxy-1,4-butanediyl) and 1,1-methylenebis[4-isocyanatocyclohexane], 2-hydroxyethyl methacrylate-blocked.;(S) 1,4-Cyclohexanedimethanol, polymer with 2,2-dimethyl-1,3-Propanediol,alpha-hydro-omega-hydroxypoly(oxy-1,4-butanediyl) and 1,1-methylenebis[4-isocyanatocyclohexane], 2-hydroxyethyl methacrylate-blocked;(S) 1,4-cyclohexanedimethanol, polymer with alpha-hydro-omega-hydroxypoly(oxy-1,4-butanediyl) and 1,1-methylenebis[4-isocyanatocyclohexane], 2-hydroxyethyl methacrylate-blocked.;(S) poly(oxy-1,4-butanediyl), alpha-hydro-omega-hydroxy-

					polymer with 1,1-methylenebis[4-isocyanatocyclohexane], 2-hydroxyethyl methacrylate-blocked.;
P- 22- 0083	2	05/03/20 22	СВІ	(G) Perfume	(S) Oils, sandalwood, santalene synthase-modified Rhodobacter sphaeroides-fermented, from D- Glucose, oxidized
P- 22- 0083 A	3	05/13/20 22	CBI	(G) Perfume	(S) Oils, sandalwood, santalene synthase-modified Rhodobacter sphaeroides-fermented, from D- Glucose, oxidized
P- 22- 0084	1	04/27/20 22	CBI	(G) Performance additive	(G) Diallyldimethylammonium chloride, polymer with acrylic acid and methacrylic acid derivatives
P- 22- 0085	1	04/29/20 22	CBI	(S) Site limited Intermediate to be further reacted into final product.	(S) Ethane, 1,2-dibromo-1,1-difluoro-
P- 22- 0086	2	05/11/20 22	SHIN-ETSU Microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Phenoxathiinium, 10-phenyl-, 5-alkyl-2-alkyl-4-(2,4,6-substituted tri- carbopolycycle, heteroacid)benzenesulfonate (1:1).
P- 22- 0087	1	05/03/20	Hubergroup	(S) Binder for energy-curing printing inks	(S) Fatty acids, C18-unsatd., dimers, polymers with acrylic acid, bisphenol A, epichlorohydrin, oleic acid, 2,2'-[oxybis(methylene)]bis[2-ethyl-1,3-propanediol] and phthalic anhydride
P- 22- 0088	1	05/03/20 22	Hubergroup	(S) Binder for energy-curing printing inks	(S) Fatty acids, C18-unsatd., dimers, polymers with acrylic acid, bisphenol A, epichlorohydrin, oleic acid, pentaerythritol and phthalic anhydride
P- 22- 0089	4	05/10/20 22	Allnex USA Inc.	(S) UV Cured resin for dry toner printing.	(G) Carboxylic acid substituted carbomonocycles, polymer with dialkyl-alkanediol and alkanediol, hydroxy-alkyl-oxo-alkenyl)oxy]alkyl ester
P- 22- 0090	1	05/06/20 22	CBI	(G) Perfume,(G) Perfume	(S) 4,8,11-Dodecatrienal
P- 22- 0091	4	05/10/20 22	Allnex USA Inc.	(S) UV Cured resin for dry toner printing.	(G) Alkanol, polymer with isocyanato- (isocyanatoalkyl)-trialkylcarbomonocycle, alkylene glycol monoacrylate-blocked
P- 22- 0092	2	05/12/20 22	CBI	(G) coating material	(G) Ferrous lithiophilite carbide
P- 22- 0094	2	05/20/20 22	CBI	(G) Contained use as a sputtering material.	(S) Cadmium tin oxide (Cd2SnO4)
P- 22- 0095	1	05/18/20 22	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 22- 0096	1	05/18/20 22	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 22- 0097	1	05/18/20 22	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 22- 0098	1	05/18/20 22	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 22- 0099	1	05/18/20 22	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 22- 0100	1	05/18/20 22	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 22- 0101	1	05/18/20 22	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22- 0101 A	2	05/23/20 22	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22- 0102	1	05/18/20	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22-	2	05/23/20 22	Locus Fermentation	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts

0102 A			Solutions		
P- 22- 0103	1 0:	2	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22- 0103 A	2 03	l l	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22- 0104	1 0:	2	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22- 0104 A	2 05	2	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22- 0105	1 05	2	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22- 0105 A	2 03	2	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22- 0106	1 0:		Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22- 0106 A	2 03	2	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22- 0107	1 05	2	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22- 0107 A	2 0:	2	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22- 0108	1 05	2	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22- 0108 A	2 03	2	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22- 0109	1 03	2	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22- 0109 A	2 03	2	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22- 0110	1 05	2	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22- 0110 A	2 03	2	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22- 0111	1 05		Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22- 0111 A	2 05	5/23/20	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22- 0112	1 03	2	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
_	2 05		Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial, applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts

SN- 16- 0013 A	4	05/17/20 22	CBI	(G) Surfactant	(G) Polyfluorinated alkyl quaternary ammonium chloride
SN- 20- 0003 A	9	05/13/20 22	СВІ	(S) An anionic fluorosurfactant used in firefighting foam concentrates such as AFFF (Aqueous Film Forming Foam) and AR-AFFF (Alcohol Resistant Aqueous Fim Forming Foam).	(S) 1-Propanesulfonic acid, 2-methyl-2-[[1-oxo-3-[(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl)thio]propyl]amino]-, sodium salt (1:1)
SN- 22- 0004	1	04/29/20 22	HPC Holdings, Inc.	(S) Carrier Fluid for coating-type vapor degreaser,	(S) Propane, 1,1,1,3,3,3-hexafluoro-2-methoxy-
SN- 22- 0005	1	05/18/20 22	СВІ	Process Solvent (Closed Systems) (G) Dispersant polymer for coatings	(G) Phenol-formaldehyde polymer with amino- oxirane copolymer and nitrobenzoates,
J-22- 0014	1	05/05/20	СВІ	(G) Production of an alcohol	(G) Modified yeast, chromosomally and stably modified to improve fermentation performance
J-22- 0014 A	2	06/16/20 22	CBI	(G) Production of an alcohol	(G) Modified yeast, chromosomally and stably modified to improve fermentation performance
J-22- 0015	1	05/05/20 22	СВІ	(G) Production of an alcohol	(G) Modified yeast, chromosomally and stably modified to improve fermentation performance
J-22- 0015 A	2	06/16/20 22	СВІ	(G) Production of an alcohol	(G) Modified yeast, chromosomally and stably modified to improve fermentation performance
P- 19- 0154	3	06/03/20 22	СВІ	(G) Intermediate in production of a wetting additive	(G) Alkane Ester of Maleic Acid
P- 19- 0160 A	5	06/14/20 22	CBI	(S) Component of a UV curable printing ink	(G) Alkanesulfonic acid, 2-[(2-aminoethyl)heteroatom-substituted]-, sodium salt (1:1), polymer with alpha-[2,2-bis(hydroxymethyl)butyl]-omega-methoxypoly(oxy-1,2-ethanediyl) and 1,1'-methylenebis[4-isocyanatocyclohexane], acrylic acid-dipenthaerythritol reaction products- and polypropylene glycol ether with pentaerythritol (4:1) triacrylate-blocked
P- 20- 0118 A	4	06/16/20 22	СВІ	(G) Additive in household consumer products	(S) Pyridine, 4-methyl-2-pentyl-
P- 21- 0043 A	4	06/06/20 22	Advanced Polymer Coatings	(S) Component in protective coatings that provides chemical resistance	(G) Glycidyl ether of (formaldehyde, polymer with mixed phenols)
P- 22- 0014 A	4	06/06/20	CBI	(G) precursor	(G) sodium bis(chloropropanediol) phosphate
P- 22- 0050 A	3	06/15/20	СВІ	(G) Lubricant	(G) Alkene, alkoxy-, polymer with alkoxyalkene
P- 22- 0068	2	06/23/20 22	Aditya Birla Chemicals (USA) LLC	(S) An epoxy component used in a reaction with other components to produce an epoxy article.	(S) 2-Propanamine, 1,1'-[(1- methylethylidene)bis(oxy)]bis-
P- 22- 0113	3	06/16/20 22	CBI	(G) Chemical intermediate, Additive	(S) D-Glucaric acid
P- 22- 0114	3	06/22/20	CBI	(G) Anode material, Corrosion protection additive	(G) edge oxidized carbon matrix
P- 22- 0115	3	06/06/20	Cyclopure Inc.	(S) Filter media integrated and encapsulated in block filter articles and packed bed filters for consumer, industrial, and commercial applications.	(G) Cyclodextrin, polymer with halocarbonitrile and quaternary ammonium salt
P- 22- 0116	2	06/07/20	СВІ	(G) Monomer	(G) Carbopolycycle octa-alkene, alkenylaryloxy-
P- 22- 0116 A	3	06/14/20 22	СВІ	(G) Monomer	(G) Carbopolycycle octa-alkene, alkenylaryloxy-

P- 22- 0117	2	06/15/20	CBI	(G) Raw material in ceramic tiles production	(S) Iron oxide (Fe2O3), mixed with silica, calcined
P- 22- 0118	2	06/16/20 22	Elantas PDG, Inc.	(S) RV9054 is an unsaturated polyester resin used as a diluent in a finished product.	(S) Hexanedioic acid, polymer with 1,2,3- propanetriol and 1,3,5-tris(2-hydroxyethyl)-1,3,5- triazine-2,4,6(1H,3H,5H)-trione, 3-methyl-3-buten- 1-yl ester
P- 22- 0119	2	06/16/20 22	СВІ	(G) Resin for packaging	(G) Polyhydroxyalkanoate
P- 22- 0120	2	06/16/20 22	СВІ	(G) Resin for packaging materials	(G) Polyhydroxyalkanoate
P- 22- 0121	1	06/03/20	CBI	(G) Process Intermediate: New chemical substance will be used as a process intermediate.	(G) polychloroalkene
P- 22- 0122	1	06/08/20	Shin-ETSU Microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Heterotrisubstituted-bile acid, 1- (difluorosulfomethyl)-2,2,2-trifluoroethyl ester, ion(1-), (5)-, 5-phenyldibenzothiophenium(1:1)
P- 22- 0123	2	06/20/20	СВІ	(G) Mineral processing aid	(G) Propaneamine, 3-(alkyloxy)-, structural variants
P- 22- 0123 A	3	06/25/20	CBI	(G) Mineral processing aid	(G) Propaneamine, 3-(alkyloxy)-, structural variants
P- 22- 0124	3	06/16/20	CBI	(S) Site Limited Intermediate for final product.	(G) Propanenitrile, 3-(alkyloxy)-, structural variance
P- 22- 0124 A	4	06/25/20	СВІ	(S) Site Limited Intermediate for final product.	(G) Propanenitrile, 3-(alkyloxy)-, structural variance
P- 22- 0125	2	06/20/20	CBI	(G) corrosion inhibitor	(G) Isononanoylamidocaproic Acid
P- 22- 0126	1	06/10/20	Takasago	(S) This polymer constitutes the wall of microcapsules containing fragrance that can be used in different home-care and personal-care applications.	(S) Cellulose, polymer with 1,1'-[2-ethyl-2-[(3-mercapto-1-oxopropoxy)methyl]-1,3-propanediyl] bis(3-mercaptopropanoate) and 1,2,3-propanetriol bis(2-methyl-2-propenoate), peroxydisulfuric acid ([(HO)S(O)2]2O2) ammonium salt (1:2)- and sodium (disulfite) (2:1)-initiated
P- 22- 0126 A	2	06/21/20 22	Takasago	(S) This polymer constitutes the wall of microcapsules containing fragrance that can be used in different home-care and personal-care applications.	(S) Cellulose, polymer with 1,1'-[2-ethyl-2-[(3-mercapto-1-oxopropoxy)methyl]-1,3-propanediyl] bis(3-mercaptopropanoate) and 1,2,3-propanetriol bis(2-methyl-2-propenoate), peroxydisulfuric acid ([(HO)S(O)2]2O2) ammonium salt (1:2)- and sodium (disulfite) (2:1)-initiated
P- 22- 0127	1	06/14/20 22	CBI	(S) The NCS is used as a developer in formulation to produce thermal paper.	(S) Urea,N,N'-bis-[3-[[(4-methylphenyl)sulfonyl]oxy]phenyl]-
P- 22- 0128	2	06/21/20 22	Resman USA 2	(S) Chemical tracer for production monitoring in oil and gas wells,(S) Chemical tracer for use in interwell tracing between injector and production oil and gas wells	(G) Alkyl cycloalkane, polyfluoro-
P- 22- 0129	1	06/15/20	Shin-ETSU Microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Substituted heterocyclic onium compound, salt with heteropolysubstitutedalkyl substitutedtricycloalkane carboxylate (1:1), polymer with 1-alkenyl-4- [(alkylcycloalkyl)oxy]carbomonocycle, 5-ethyloctahydro-4,7-methano-1H-inden-5-yl 2-methyl-2-propenoate, hexahydro-5-oxo-2,6-methanofuro[3,2-b]furan-3-yl 2-methyl-2-propenoate and 4-hydroxyphenyl 2-methyl-2-propenoate
P- 22- 0136	2	06/29/20 22	СВІ	(G) Functional mineral in automotive components, and plastics, lubricant in industrial machinery parts	(G) Mica-group minerals, reaction products with triethoxylsilyl substituted-alkane
P- 22- 0141	1	06/27/20 22	СВІ	(S) Chemical intermediate	(G) Perhaloalkene oligomer
P- 22-	1	06/28/20	CBI	(S) Heat transfer fluid	(G) Benzene, [(perfluoroalken-1-yl)oxy]-

0142					
P- 22- 0143	1	06/28/20 22	Huntsman Corporation	(S) Exhaust dyeing of cotton and cotton blends.	(G) Acetamide, N-[3-[alkyl(carbomonocyclic) substituted]carbomonocycle]-, coupled with diazotized 2- substituted-3-halo-5-nitrobenzonitrile,
SN- 22- 0004 A	2	06/07/20 22	HPC Holdings, Inc	(S) Carrier Fluid for coating-type vapor degreaser and Process Solvent (Closed Systems)	(S) Propane, 1,1,1,3,3,3-hexafluoro-2-methoxy-
SN- 22- 0006	2	06/14/20 22	MacDermid Enthone Inc.	(G) Catalyst (contained use)	(S) Tungstate (W12(OH)2O386-), sodium (1:6)
	2	06/14/20	Braven Environmental, LLC	(G) Product of Pyrolysis manufacturing.	(S) Waste plastics, pyrolyzed, C5-12 fraction
SN- 22- 0008	2	06/14/20 22	Braven Environmental, LLC	(G) Product of Pyrolysis Manufacturing.	(S) Waste plastics, pyrolyzed, C20-55 fraction
SN- 22- 0009	2	06/14/20 22	Braven Environmental, LLC	(G) Product of Pyrolysis Manufacturing.	(S) Waste plastics, pyrolyzed, C9-20 fraction
P- 19- 0160 A	6	07/21/20 22	СВІ	(S) Component of a UV curable printing ink	(G) Alkanesulfonic acid, 2-[(2-aminoethyl)heteroatom-substituted]-, sodium salt (1:1), polymer with alpha-[2,2-bis(hydroxymethyl)butyl]-omega-methoxypoly(oxy-1,2-ethanediyl) and 1,1'-methylenebis[4-isocyanatocyclohexane], acrylic acid-dipenthaerythritol reaction products- and polypropylene glycol ether with pentaerythritol (4:1) triacrylate-blocked
P- 20- 0108 A	5	07/06/20	СВІ	(G) Film-forming polymer	(G) Alkanoic acid, compds. with diphenylmethane derivative-N1,N1-dialkyl-1,3-alkanediamine-epiclorohydrin-2-cyclic ester homopolymer with dialkylene glycol (2:1) polymer-dialkanolamine reaction products
P- 20- 0108 A	6	07/15/20	СВІ	(G) Film-forming polymer	(G) Alkanoic acid, compds. with diphenylmethane derivative-N1,N1-dialkyl-1,3-alkanediamine-epiclorohydrin-2-cyclic ester homopolymer with dialkylene glycol (2:1) polymer-dialkanolamine reaction products
P- 21- 0011 A	4	07/22/20 22	СВІ	(S) Crosslinking agent for inks and coatings	(G) Hexane, 1,6-diisocyanato-, homopolymer, alkyl epoxy ether- and polyethylene glycol mono-Me ether-blocked, reaction products with propylenimine
P- 21- 0098 A	5	07/06/20 22	Hubergroup	(S) Co-initiator for the curing of UV printing inks	(G) Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-[2(or 3)-[[substituted benzoyl]oxy]hydroxypropoxyl]-, alpha, alpha', alpha'' -ether with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (3:1)
P- 21- 0174 A	2	07/06/20	Marubeni America Corporation	(G) Raw material for polyurethane	(G) Carbonic acid, ester, polymer with alkanediol (C=4,5)
P- 22- 0002	3	07/21/20 22	Materion Advanced Chemicals	(G) This product is used for the manufacturing of electronic devices	(G) Metal Oxide Chloride
P- 22- 0040 A	2	07/15/20	Natron Energy	(G) Component used in manufacture of high performance batteries	(S) Manganate(4-), hexakis(cyanokappa.C)-, manganese (2+) sodium, (OC-6-11)-
P- 22- 0041 A	2	07/15/20	Natron Energy	(G) A component used in the manufacture of batteries	(S) Ferrate (-4), hexakis(cyanokappa.C)-, iron(3+) manganese(2+) sodium, (OC-6-11)-
P- 22- 0069	2	07/25/20	CBI	(G) Component in battery	(G) fluoroheteroacid, metal salt
A P- 22- 0071	3	07/13/20 22	Lamberti USA Inc.	(G) Industrial Surfactant	(S) D-Glucopyranose, oligomeric, maleates, C9-11-alkyl glycosides, sulfonated, potassium salts

P- 22- 0072 A	3	07/13/20 22	Lamberti USA Inc.	(G) Industrial Surfactant	(S) D-Glucopyranose, oligomeric, maleates, decyl octyl glycosides, sulfonated, potassium salts
P- 22- 0073 A	3	07/13/20 22	Lamberti USA Inc.	(G) Industrial Surfactant	(S) D-Glucopyranose, oligomeric, maleates, C10-16-alkyl glycosides, sulfonated, potassium salts
P- 22- 0087 A	2	06/29/20	Hubergroup	(S) Binder for energy-curing printing inks	(S) Fatty acids, C18-unsatd., dimers, polymers with acrylic acid, bisphenol A, epichlorohydrin, oleic acid, 2,2'-[oxybis(methylene)]bis[2-ethyl-1,3-propanediol] and phthalic anhydride
P- 22- 0087 A	3	07/06/20	Hubergroup	(S) Binder for energy-curing printing inks	(S) Fatty acids, C18-unsatd., dimers, polymers with acrylic acid, bisphenol A, epichlorohydrin, oleic acid, 2,2'-[oxybis(methylene)]bis[2-ethyl-1,3-propanediol] and phthalic anhydride
P- 22- 0088 A	2	06/29/20	Hubergroup	(S) Binder for energy-curing printing inks	(S) Fatty acids, C18-unsatd., dimers, polymers with acrylic acid, bisphenol A, epichlorohydrin, oleic acid, pentaerythritol and phthalic anhydride
P- 22- 0088 A	3	07/06/20	Hubergroup	(S) Binder for energy-curing printing inks	(S) Fatty acids, C18-unsatd., dimers, polymers with acrylic acid, bisphenol A, epichlorohydrin, oleic acid, pentaerythritol and phthalic anhydride
P- 22- 0118 A	4	06/29/20	Elantas PDG, Inc.	(S) RV9054 is an unsaturated polyester resin used as a diluent in a finished product.	(S) Hexanedioic acid, polymer with 1,2,3- propanetriol and 1,3,5-tris(2-hydroxyethyl)-1,3,5- triazine-2,4,6(1H,3H,5H)-trione, 3-methyl-3-buten- 1-yl ester
P- 22- 0125 A	3	06/30/20 22	CBI	(G) corrosion inhibitor	(G) Isononanoylamidocaproic Acid
P- 22- 0130	2	07/08/20 22	Integrity Bio- Chemical, LLC	(S) Surfactant - surface tension reducing agent for use in production enhancement in oil wells (industrial), Emulsifier, Surface reduction Household and industrial detergents, Wetting agent Personal care, Agriculture, Surfactants - as raw materials for use in the manufacture of industrial products and consumer and household products	(S) Maltodextrin, octanoate
P- 22- 0131	2	07/08/20	Integrity Bio- Chemical, LLC	(S) Surfactant - surface tension reducing agent for use in production enhancement in oil wells (industrial), Emulsifier, Surface reduction Household and industrial detergents, Wetting agent Personal care, Agriculture, Surfactants - as raw materials for use in the manufacture of industrial products and consumer and household products	(S) Maltodextrin, hexadecanoate
P- 22- 0132	2	07/08/20 22	Integrity Bio- Chemical, LLC	(S) Surfactant - surface tension reducing agent for use in production enhancement in oil wells (industrial), Emulsifier, Surface reduction Household and industrial detergents, Wetting agent Personal care, Agriculture, Surfactants - as raw materials for use in the manufacture of industrial products and consumer and household products	(S) Maltodextrin, decanoate
P- 22- 0133	2	07/08/20 22	Integrity Bio- Chemical, LLC	(S) Surfactant - surface tension reducing agent for use in production enhancement in oil wells (industrial), Emulsifier, Surface reduction Household and industrial detergents, Wetting agent Personal care, Agriculture, Surfactants - as raw materials for use in the manufacture of industrial products and	(S) Maltodextrin, octadecanoate
P- 22- 0134	2	07/08/20	Integrity Bio- Chemical, LLC	(S) Surfactant - surface tension reducing agent for use in production enhancement in oil wells (industrial), Emulsifier, Surface reduction Household and industrial detergents, Wetting agent Personal care, Agriculture, Surfactants - as raw materials for use in the manufacture of industrial products and consumer and household products products (e.g., cleaners)	(S) Maltodextrin, dodecanoate
P- 22- 0135	2	07/08/20	Integrity Bio- Chemical, LLC	(S) Surfactant - surface tension reducing agent for use in production enhancement in oil wells (industrial), Emulsifier, Surface reduction Household and industrial detergents, Wetting agent Personal care, Agriculture, Surfactants - as raw materials for use in the manufacture of industrial products and consumer and household products products (e.g., cleaners)	(S) Maltodextrin, tetradecanoate

P- 22- 0137		07/18/20 22	Sachem Inc.	(G) Intermediate for making quaternary ammonium salt	(G) alkyl dialkylamine
P- 22- 0138		07/18/20 22	Sachem Inc.	(S) Intermediate for making hydroxide salt	(G) Tetraalkylammonium chloride
P- 22- 0140	2	07/02/20 22	CBI	(G) Corrosion inhibitor	(G) 6-[(alkyl-1-oxohexyl)amino]-hexanoic acid, compd. with cyclohexylamine (1:1)
P- 22- 0144	1	06/30/20 22	United Color Manufacturing	(G) Intermediate	(G) Alkylated PhenylNaphthylamine
P- 22- 0145	2	07/01/20 22	Allnex USA Inc.	(S) The PMN substance will be used as a reactive-diluent in a polyol component of a 2K (Isocyanate-Polyol) Urethane coating system for interior concrete floor sealant or interior/exterior paver sealer.	(G) Alkanoic acid, trialkyl-, diester with carbomonocycle bis(alkyleneoxy)]bis[alkanediol]
P- 22- 0146		07/06/20 22	Allnex USA Inc.	(S) Water based formaldehyde free crosslinker.	(G) Carbamic acid, N,N',N"-1,3,5-triazine-2,4,6-triyltris-, mixed alkyl alkoxy triesters
P- 22- 0147	1	07/12/20 22	VP Racing Fuels, Inc.	(S) Feedstock for Gasoline to include Racing Fuels.	(S) Hydrocarbons, C5-10
	2	07/21/20 22	VP Racing Fuels, Inc.	(S) Feedstock for Gasoline to include Racing Fuels.	(S) Hydrocarbons, C5-10
		07/25/20 22	СВІ	(G) Intermediate	(G) Substituted benzonitrile
P- 22- 0150	1	07/25/20 22	СВІ	(G) Photolithography	(G) Sulfonium, tricarbocyclic-, alpha, alpha, beta, beta-polyhalopolyhydro-heteropolycyclic-5- alkanesulfonate (1:1)
P- 22- 0151	1	07/26/20 22	Locus Fermentation Solutions	(G) Surfactant for commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
SN- 21- 0013 A		07/15/20 22	Koch Agronomic Services	(S) Additive for urea ammonium nitrate, UAN, fertilizer for boom spray applications.	(S) Urea, reaction products with N- butylphosphorothioic triamide and formaldehyde
SN- 22- 0010	1	07/15/20 22	СВІ	(S) Monomer chemical, reactive diluent in UV coating formulations and reactive diluent, additive in UV adhesive formulations	(S) 2-Oxazolidinone, 3-ethenyl-5-methyl-
SN- 22- 0011	1	07/18/20 22	СВІ	(G) Chemical Intermediate	(G) Haloalkylfurancarboxaldehyde
J-22- 0017	1	08/09/20 22	CBI	(G) Production of an enzyme	(G) Microorganisms transformed to express an enzyme
J-22- 0017 A	2	08/22/20 22	СВІ	(G) Production of an enzyme	(G) Microorganisms transformed to express an enzyme
J-22- 0018	1	08/09/20 22	CBI	(G) Production of an enzyme	(G) Microorganisms transformed to express an enzyme
J-22- 0018 A		08/22/20 22	СВІ	(G) Production of an enzyme	(G) Microorganisms transformed to express an enzyme
P- 18- 0057 A	16	08/01/20 22	СВІ	(S) a drier accelerator that is used for superior drying performance in solvent-borne and waterborne air dried paints, inks and coatings.	(G) Vanadium Carboxylate
	6	07/27/20 22	СВІ	(G) Adhesive component	(G) Cashew nutshell liquid, polymer with diisocyanatoalkane, substituted-polyoxyalkyldiol and polyether polyol
	3	08/08/20 22	СВІ	(G) Paint additive, Additive in coating formulations, Component in cleaning agents	(G) Alkanoic acid, dialkyl ester
P- 21- 0138 A	4	08/04/20 22	LG Energy Solution Michigan Inc	(S) Electrode material for use in the manufacture of batteries.	(G) Lithium metal oxide

P- 22- 0017 A	3	08/03/20 22	Sasol Chemicals (USA) LLC	(S) Alkylate for polymer esters	(S) 1 - Eicosanol, manuf. of, distn., residues
P- 22- 0017 A	4	08/11/20 22	Sasol Chemicals (USA) LLC	(S) Alkylate for polymer esters	(S) 1 - Eicosanol, manuf. of, distn., residues
P- 22- 0028 A	4	08/12/20 22	H.B. Fuller Company	(S) Industrial Adhesive	(G) Polyester with 1,4-benzenedicarboxylic acid, 1,4- dimethyl 1,4-benzebedicarboxylate, 2,2-dimethyl-1,3-propanediol, dodecanedioic acid, 1,2-ethanediol, aliphatic polyester, 3-hydroxy-2,2-dimethylpropyl 3-hydroxy-2,2-dimethylpropanoate, 1,3-isobenzofurandione and 1,1'-methylenebis[4-isocyanatobenzene]
P- 22- 0029 A	4	08/12/20 22	H.B. Fuller Company	(S) Industrial Adhesive	(G) Polyester with 1,4-benzenedicarboxylic acid, 1,4- dimethyl 1,4-benzebedicarboxylate, 2,2-dimethyl-1,3-propanediol, dodecanedioic acid, 1,2-ethanediol, aliphatic polyester, 3-hydroxy-2,2-dimethylpropyl 3-hydroxy-2,2-dimethylpropanoate, 1,3-isobenzofurandione and 1,1'-methylenebis[isocyanatobenzene]
P- 22- 0030 A	4	08/12/20 22	H.B. Fuller Company	(S) Industrial Adhesive	(G) Polyester with 1,4-benzenedicarboxylic acid, 2,2-dimethyl-1,3-propanediol, dodecanedioic acid, 1,2-ethanediol, aliphatic polyester, 3-hydroxy-2,2-dimethylpropyl 3-hydroxy-2,2-dimethylpropyl 3-hydroxy-2,2-dimethylpropanoate, 1,3-isobenzofurandione and 1,1'-methylenebis[4-isocyanatobenzene]
P- 22- 0031 A	4	08/12/20 22	H.B. Fuller Company	(S) Industrial Adhesive	(G) Polyester with 1,4-benzenedicarboxylic acid, 2,2-dimethyl-1,3-propanediol, dodecanedioic acid, 1,2-ethanediol, aliphatic polyester, 3-hydroxy-2,2-dimethylpropyl 3-hydroxy-2,2-dimethylpropyl 3-hydroxy-2,2-dimethylpropanoate, 1,3-isobenzofurandione and 1,1'-methylenebis[isocyanatobenzene]
P- 22- 0053	3	08/02/20 22	СВІ	(G) additive in agricultural formulations	(S) Ethanol, 2-amino-, compds. with polyethylene glycol hydrogen sulfate C10-16-alkyl ether
P- 22- 0058	2	08/15/20 22	Solvay Fluorides LLC	(G) Process chemical	(S) Methanesulfonamide,1,1,1-trifluoro-N- [(trifluoromethyl)sulfonyl]-, sodium salt (1:1)
P- 22- 0058 A	3	08/19/20 22	Solvay Fluorides LLC	(G) Process chemical	(S) Methanesulfonamide,1,1,1-trifluoro-N- [(trifluoromethyl)sulfonyl]-, sodium salt (1:1)
P- 22- 0093	2	07/28/20 22	СВІ	(G) additive used for pigment stabilization	(G) Alkenoic acid, alkyl-substituted alkyl ester, polymer with (polyalkylamino)alkyl alkylalkenoate, alkyl-substituted alkylalkenoate, alpha-(alkyl-oxoalkenyl)-omega-alkoxypoly(oxy-1,2-ethanediyl), [(alkoxy-alkyl-alkenyl)oxy]polyalkylsilane-initiated, compds. with polyethylene glycol phosphoric acid based alkyl ether
P- 22- 0121 A	2	07/28/20 22	CBI	(G) Process Intermediate: New chemical substance will be used as a process intermediate.	(G) polychloroalkene
P- 22- 0130 A	3	08/19/20 22	Integrity Bio- chemical, LLC	(S) Surfactant - surface tension reducing agent for use in production enhancement in oil wells (industrial); Emulsifier, surface reduction household and industrial detergents; wetting agent personal care; wetting agent- agriculture; surfactants - as raw materials for use in the manufacture of industrial products and consumer and household products	(S) Maltodextrin, octanoate
P- 22- 0131 A	3	08/19/20 22	Integrity Bio- chemical, LLC	(S) Surfactant - surface tension reducing agent for use in production enhancement in oil wells (industrial); Emulsifier, Surface reduction household and industrial detergents; Emulsifier, Wetting agent Personal care; Wetting agent - Agriculture; Surfactants - as raw materials for use in the manufacture of industrial products and consumer and household products	(S) Maltodextrin, hexadecanoate
P- 22- 0132 A	3	08/19/20 22	Integrity Bio- chemical, LLC	(S) Surfactant - surface tension reducing agent for use in production enhancement in oil wells (industrial); Emulsifier, Surface reduction Household and industrial detergents; Emulsifier, Wetting agent Personal care; Wetting agent - Agriculture; Surfactants - as raw materials for use in the	(S) Maltodextrin, decanoate

				manufacture of industrial products and consumer and household products	
P- 22- 0133 A	3	08/19/20 22	Integrity Bio- chemical, LLC	(S) Surfactant - surface tension reducing agent for use in production enhancement in oil wells (industrial); Emulsifier, Surface reduction formulation of household and industrial detergents; Emulsifier, Wetting agent Personal care; Wetting agent - Agriculture; Surfactants - as raw materials for use in the manufacture of personal care and household care products (e.g., cleaners).	(S) Maltodextrin, octadecanoate
P- 22- 0134 A	3	08/19/20 22	Integrity Bio- chemical, LLC	(S) Surfactants - as raw materials for use in the manufacture of personal care and household care products (e.g., cleaners); Wetting agent - Agriculture, Surfactant - surface tension reducing agent for use in production enhancement in oil wells (industrial); Emulsifier, Surface reduction formulation of household and industrial detergents; Emulsifier, Wetting agent Personal care	(S) Maltodextrin, dodecanoate
P- 22- 0135 A	3	08/19/20 22	Integrity Bio- chemical, LLC	(S) Emulsifier, Wetting agent Personal care; Emulsifier, Surface reduction formulation of household and industrial detergents; Wetting agent - Agriculture; Surfactants - as raw materials for use in the manufacture of personal care and household care products (e.g., cleaners); Surfactant - surface tension reducing agent for use in production enhancement in oil wells (industrial)	(S) Maltodextrin, tetradecanoate
P- 22- 0139	3	08/11/20 22	СВІ	(G) Antioxidant / Process Stabilizer	(G) dialkylhydroxylamine
P- 22- 0144 A	2	07/27/20 22	United Color Manufacturing	(G) Intermediate	(G) Alkylated PhenylNaphthylamine
P- 22- 0147 A	3	08/18/20 22	VP Racing Fuels, Inc.	(S) Feedstock for Gasoline to include Racing Fuels.	(S) Hydrocarbons, C5-10
P- 22- 0149	3	08/08/20 22	Colonial Chemical, Inc	(S) All purpose hard surface cleaner; Low foam floor scrubber; Spray Metal Cleaning Concentrate.	(S) Hexanoic acid, 3,5,5-trimethyl-, sodium salt (1:1)
P- 22- 0152	1	07/26/20 22	CBI	(G) Photolithography	(G) Sulfonium, tricabocyclic-, 2-heteroatom- substituted-4-alkylcarbomonocyclecarboxylate (1:1)
P- 22- 0153	2	08/18/20 22	Huntsman International LLC	(S) Notified substance will be used as an adhesion promoter in a resin used for adhesive and/or sealants in industrial assembly or manufacturing operations. Through small scale application on assembly line, manual use, or automated use by dispensing unit; Notified substance will be used as an adhesion promoter in a resin used for adhesive and/or sealants in outdoor repair operations by professional workers. Application of adhesives and primers outdoors. Small scale application of reactive adhesives and sealants. Application of reactive sealants.	(S) 2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, reaction products with 2-oxepanone homopolymer 2-[(2-methyl-1-oxo-2-propen-1-yl)oxy]ethyl] ester and phosphorous oxide (P2O5)
P- 22- 0154		07/26/20 22	Givaudan Fragrances Corp.	(G) Fragrance ingredient for use in laundry applications.	(G) Acetyl, alkyl, alkenoic acid, ethyl ester
P- 22- 0155	1	08/01/20 22	СВІ	(G) Physical property modifier for polyurethanes; Modifier for polyurethane blends	(G) 2-alkyl-1,2-heteropolycycle-3-one
P- 22- 0156	1	08/08/20 22	СВІ	(G) Epoxy additive	(G) Alkyl substituted carbopolycyclic acids, fumarated, and heteromonocyclic esters
P- 22- 0157	1	08/10/20 22	Evonik Corporation	(S) Polyurethane catalyst	(S) 1,2-Ethanediamine, N1,N2-dimethyl-N1-(1-methylethyl)-N2-[2-[methyl(1-methylethyl)amino]ethyl]-
P- 22- 0158		08/11/20 22	Aqdot	(G) Additive used in consumer, commercial, and industrial applications	(S) 1H,4H,14H,17H-2,16:3,15-Dimethano-5H,6H,7H,8H,9H,10H,11H,12H,13H,18H,19H,20H, 21H,22H,23H,24H,25H,26H-2,3,4a,5a,6a,7a,8a,9a,10a,11a,12a,13a,15,16,17a,18a, 19a,20a,21a,22a,23a,24a,25a,26a-tetracosaazabispentaleno[1",6":5",6",7"]cycloocta[1",2",3":3',4']pentaleno[1',6':5,6,7]cycloocta[1,2,3-gh:1',2',3'-g'h']cycloocta[1,2,3-ct5,6,7-c'd']dipentalene-1,4,6,8,10,12,14,17,19,21,23,25-dodecone, dodecahydro-, stereoisomer;(S) 2,18:3,17-Dimethano-2,3,4a,5a,6a,7a,8a,9a,10a,11a,12a,13a,14a,15a,17,18,

					19a,20a,21a,22a,23a,24a,25a,26a,27a,28a,29a,30aoct acosaazabispentaleno[1"",6"":5"",6""',7""]cycloocta[1"",2"",3"":3"",4""]pentaleno[1",6":5",6",7"]cycloocta[1",2",3":3',4"]pentaleno[1',6':5,6,7]cycloocta[1,2,3-cd:1',2',3'-gh]pentalene-1,4,6,8,10,12,14,16,19,21,23,25,27,29-tetradecone, tetradecahydro-, stereoisomer;(S) 2,20:3,19-Dimethano-2,3,4a,5a,6a,7a,8a,9a,10a,11a,12a,13a,14a,15a,16a,17a,19,20,21a,22a,23a,24a,25a,26a,27a,28a,29a,30a,31a,32a,33a,34adotriacontaazabispentaleno[1"",6"":5'",6"",7""]cycloocta[1"",2"",3"":3"',4""]pentaleno[1"',6'":5'",6"',7"]cycloocta[1,2,3-gh:1',2',3'-g'h']cycloocta[1,2,3-cd:5,6,7-c'd']dipentalene-1,4,6,8,10,12,14,16,18,21,23,25,27,29,31,33-hexadecone, hexadecahydro-, stereoisomer;
0- 22- 0159	1	08/12/20 22	CBI	(G) Additive	(G) Poly[oxy(methyl-1,2-ethanediyl)], alpha-hydro- omega-hydroxy-, polymer with 1,3- diisocyanatomethylbenzene, alkoxyl methacrylate- blocked
2- 160	1	08/12/20 22	Cytec Industries Inc.	(G) Industrial process chemical	(S) 1lambda5-2,1-Benzoxaphosphol-3(1H)-one, 1,1-dicyclohexyl-
P- 22- 0161	1	08/12/20 22	CBI	(G) Photolithography	(G) Sulfonium, tricarbocyclic-, salt with [polyhydro-2-alkyl-5-(polyhalo-2-heteroalkyl)-alkano-1,3-hetropolycyclic]alkyl polyhaloaryl ester (1:1)
P- 22- 0162	3	08/15/20 22	CBI	(S) Intermediate used in the production of para-xylene (pX),(S) Flexible intermediate used in the production of FDCA/PET and other specialty chemicals	(G) Haloalkylfurancarboxaldehyde
9- 22- 0167	1	08/26/20	CBI	(G) Photolithography	(G) 1,2-Cycloalkanedicarboxylic acid, 1,2-bis(2-oxiranylalkyl) ester, reaction products with unsaturated carboxylic acid
55N- 22- 0002 A		22		(S) Solvent-borne coatings; Dispersions for industrial coatings (e.g., polyurethane, acrylic, epoxy); Current, Approved Use: Paint removers; Current, Approved Use: Solvent for formulation of active ingredients for agriculture-end use pesticide product; Current, Approved Use: Solvent for production and formulation of active ingredients for agriculture; Current, Approved Use: Paint stripper only for industrial use; Current, Approved Use: Paint stripper only for industrial use; Current, Approved Use: Petrochemical extraction processes; Current, Approved Use: Solvent for cleaning industrial reactors; Current, Approved Use: Industrial cleaner (e.g., cleaner for wind turbine, oil rigs, large engines); Current, Approved Use: Coatings for microelectronics (e.g., casting of polymer films) in clean rooms; Current, Approved Use: Solvent for chemical synthesis reactions; Current, Approved Use: Reaction medium for polymerization, polymer coatings for industrial and professional applications (e.g., wire enamel, nonstick and friction reduction coating) membranes; Current, Approved Use: Photoresist stripping in microelectronics in clean rooms; Current, Approved Use: Solvent-borne industrial coatings; Current, Approved Use: Solvent-borne industrial coatings; Current, Approved Use: Solvent-borne industrial coatings; Current, Approved Use: Coating for consumer and professional use; (G) Industrial Cleaner; Solvent for article production; Reprocessing; Reaction medium for polymerization, polymer coatings for industrial and professional applications; Coatings for commercial use, spray coating; Consumer use other than brush on; Coatings for consumer use, brush on coatings	
SN- 22- 0007 A	3	22	Braven Environmental, LLC	(G) Product of Pyrolysis manufacturing.	(S) Waste plastics, pyrolyzed, C5-12 fraction
SN- 22- 0008	3		Braven Environmental, LLC	(G) Product of Pyrolysis Manufacturing.	(S) Waste plastics, pyrolyzed, C20-55 fraction
	3	22	Braven Environmental, LLC	(G) Product of Pyrolysis Manufacturing.	(S) Waste plastics, pyrolyzed, C9-20 fraction

0009 A					
	2	08/05/20 22	СВІ	(S) Monomer chemical, reactive diluent in UV coating formulations (this is new use); Reactive diluent for 3D printing formulations (existing use, approved by PMN P18-0392); Monomer or reactive diluent in UV-inkjet and screen printing ink formulations (existing use, approved by PMN P-18-0392); Reactive diluent, additive in UV adhesive formulations (this is new use)	(S) 2-Oxazolidinone, 3-ethenyl-5-methyl-
J-22- 0021	1	09/07/20 22	Danisco US, Inc.	(G) Production of a new chemical substance	(G) genetically modified microorganism for the production of a chemical substance
P- 18- 0056 A	10	09/14/20 22	СВІ	(S) Rubber Adhesion promoter. Use in the manufacturing process of tires. Acts as an oxygen scavenger in various applications. Industrial Use-Tire Manufacturing.	(S) Cobalt Neodecanoate Propionate complexes
P- 20- 0003	5	07/28/20 22	СВІ	(S) Photoinitiator for printing (UV,LED, flexo, screen and inkjet ink)	(S) 2H-1-Benzopyran-2-one, 5,7-dimethoxy-, 3 -(4 - C10-13 - sec -alkylbenzoyl) derivs.
P- 21- 0076 A	3	09/20/20 22	СВІ	(S) Additive for fluids used in oil drilling operations	(G) Alcohols, C16-18 and C18-unsatd., reaction products with subsstituted alkyloxirane and alkyl acid
P- 21- 0202 A	2	09/13/20 22	СВІ	(G) An ingredient used in the manufacture of photoresist	(G) Sulfonium, carbomonocycle bis[(trihaloalkyl)carbomonocycle], substituted carbomonocyclic ester
P- 22- 0001 A	2	09/12/20 22	СВІ	(G) Raw material for manufacturing chemicals; Raw material used in chemical manufacturing	(G) Alkane, disubstituted
P- 22- 0011 A	4	08/31/20 22	Lord Corporation	(G) Functionalized rubber in resin side of two component epoxy modified acrylic adhesive	(G) Alkadiene, homopolymer, hydroxy-terminated, bis[N-[2-[(1-oxo-2-propen-1-yl)oxylethyl]carbamates]
P- 22- 0050 A	4	09/06/20 22	СВІ	(G) Lubricant	(G) Alkene, alkoxy-, polymer with alkoxyalkene
P- 22- 0057 A	2	09/27/20 22	СВІ	(G) Additive in home care products	(G) Polysaccharide, polymer with 2-propenoic acid, sodium salt
P- 22- 0082 A	2	09/20/20 22	CBI	(G) Component of photoresist.	(G) Alkenoic acid, alkyl, carbopolycyclic alkyl ester, polymer with trihalo (trihaloalkyl) alkyl alkyl alkenoate
P- 22- 0144 A	3	09/15/20 22	United Color Manufacturing	(G) Intermediate	(G) Alkylated PhenylNaphthylamine
P- 22- 0163	2	09/22/20 22	Cnano Technology USA, Inc.	(S) As an Additive Used in Battery Manufacture	(S) Multiwalled Carbon Nanotubes
P- 22- 0164	2	09/01/20 22	CBI	(G) Reactive intermediate polyester polyol, diluent	(S) Fatty acids, C18-unsatd., dimers, polymers with 1,4:3,6-dianhydro-D-glucitol, 1,3-propanediol and succinic acid
P- 22- 0164 A	3	09/12/20 22	Danimer Bioplastics, Inc.	(G) Reactive intermediate polyester polyol, diluent	(S) Fatty acids, C18-unsatd., dimers, polymers with 1,4:3,6-dianhydro-D-glucitol, 1,3-propanediol and succinic acid
P- 22- 0165	3	09/02/20 22	Cytec Industries Inc.	(G) Industrial process chemical.	(G) Alkyl acid, 2-hydroxy-,methyl substituted alkyl ester
P- 22- 0169	3	09/12/20 22	Solugen Inc.	(G) Additive for consumer, commercial, and industrial applications	(G) Polycarboxylic acid, salt
P- 22- 0170	3	09/12/20 22	Solugen Inc.	(G) Additive used in consumer, commercial, and industrial applications	(G) Polycarboxylic acid, salt
P- 22- 0171	3	09/12/20 22	Solugen Inc.	(G) Additive used in consumer, commercial, and industrial applications	(G) Polycarboxylic acid, salt

P- 22- 0172	3	09/12/20 22	Solugen Inc.	(G) Additive used in consumer, commercial, and industrial applications	(G) Polycarboxylic acid, salt
P- 22- 0173	3	09/12/20 22	Solugen Inc.	(G) Additive used in consumer, commercial, and industrial applications	(G) Polycarboxylic acid, salt
P- 22- 0174	3	09/12/20 22	Solugen Inc.	(G) Additive used in consumer, commercial, and industrial applications	(G) Polycarboxylic acid, salt
P- 22- 0176	1	09/01/20 22	Colonial Chemical, Inc.	(G) Corrosion inhibitor.	(G) 6-[(alkyl-1-oxohexyl)amino]-hexanoic acid, compd. with 2,2',2"-nitrilotris[ethanol] (1:1)
P- 22- 0176 A	2	09/07/20	Colonial Chemical, Inc.	(G) Corrosion inhibitor.	(G) 6-[(alkyl-1-oxohexyl)amino]-hexanoic acid, compd. with 2,2',2"-nitrilotris[ethanol] (1:1)
P- 22- 0177	1	09/06/20 22	CBI	(G) Photolithography	(G) Sulfonium, tricarbocyclic-, alpha, alpha, beta, beta-polyhalopolyhydro-heteropolycyclic-5-alkanesulfonate (1:1)
P- 22- 0178	2	09/13/20 22	СВІ	(G) Adhesive for lamination.	(G) Aromatic diacid, polymer with alkyldiols, hexanedioc acid, benzofurandione, and 1,1'-methylenebis[4-isocyanatobenzene]
P- 22- 0179	1	09/08/20 22	Shin-Etsu Microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Sulfonium, (alkylsubstitutedphenyl)diphenyl-, salt with 1-(heterosubstitutedalkyl)-2,2,2-triheterosubstitutedalkyl trisubstitutedbenzoate (1:1)
P- 22- 0180	1	09/08/20	Shin-Etsu Microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Dibenzothiophenium, 5-phenyl-, 4-[1- (heterosubstitutedalkyl)-2,2,2- triheterosubstitutedalkoxy]-4-oxoalkyl trisubstitutedbenzoate (1:1)
P- 22- 0181	1	09/12/20 22	СВІ	(G) biobased building block for polymer	(G) Fatty acids, polymers with polyethylene glycol ether with polyol
P- 22- 0183	1	09/14/20 22	Solugen Inc.	(G) Additive for consumer, commercial, and industrial applications	(G) Polycarboxylic acid, reaction products with metal oxide salt, salts
P- 22- 0184	3	09/22/20 22	United Color Manufacturing	(G) Colorant	(G) Transition metal complex of (alkylated phenylamino-naphthalenylazo)-(methylphenylazo substituted)phenol and alkyl amine
P- 22- 0185	1	09/16/20 22	СВІ	(S) Chemical intermediate	(S) 1,3,5-Cycloheptatriene
P- 22- 0186	1	09/21/20 22	СВІ	(G) Oil Additive	(G) Phosphoric acid, dialkyl ester, transition metal salt
P- 22- 0188	1	09/27/20 22	Solugen Inc.	(G) Additive for consumer, commercial, and industrial applications	(G) Polycarboxylic acid, reaction products with acid, salts
P- 22- 0189	1	09/27/20 22	Solugen Inc.	(G) Additive for consumer, commercial, and industrial applications	(G) Polycarboxylic acid, reaction products with inorganic salt, salts
P- 22- 0190	1	09/27/20 22	Solugen Inc.	(G) Additive for consumer, commercial, and industrial applications	(G) Polycarboxylic acid, reaction products with inorganic salt, salts
P- 22- 0191	1	09/27/20 22	Solugen Inc.	(G) Additive for consumer, commercial, and industrial applications	(G) Polycarboxylic acid, reaction products with acid, salts
SN- 22- 0004 A	3	09/07/20 22	HPC Holdings, Inc.	(S) Carrier Fluid for coating-type vapor degreaser, Process Solvent (Closed Systems)	(S) Propane, 1,1,1,3,3,3-hexafluoro-2-methoxy-
T- 22- 0001	1	9/14/202	СВІ	(G) Functional mineral for plastics, automotive components	(G) Mica-group minerals, reaction products with triethoxysilyl substituted-alkane
T- 22- 0001 A	2	9/26/202	СВІ	(G) Functional mineral for plastics, automotive components	(G) Mica-group minerals, reaction products with triethoxysilyl substituted-alkane
J-22- 0019		10/03/20 22	СВІ	(G) Production of a chemical	(G) Saccharomyces cerevisiae, chromosomal integration modification
J-22- 0020	>2	10/03/20 22	СВІ	(G) Production of a chemical	(G) Saccharomyces cerevisiae, chromosomal integration modification

J-22- 0020	>2	10/03/20 22	СВІ	(G) Production of a chemical	(G) Saccharomyces cerevisiae, chromosomal integration modification
J-22- 0022	>1	09/23/20 22	RWDC Industries	(G) Production of PHA	(G) Microorganisms stably transformed to manufacture PHA
J-22- 0023	>1	09/23/20 22	RWDC Industries	(G) Production of PHA	(G) Microorganisms stably transformed to manufacture PHA
J-22- 0024	II .	09/23/20 22	RWDC Industries	(G) Production of PHA	(G) Microorganisms stably transformed to manufacture PHA
J-22- 0025	>1	09/23/20 22	RWDC Industries	(G) Production of PHA	(G) Microorganisms stably transformed to manufacture PHA
P- 16- 0512 A	>5	09/30/20 22	СВІ	(S) Component of a UV curable printing inks	(G) Fatty acid dimers, polymer with acrylic acid and pentaerythritol reaction products.
P- 17- 0194 A	>2	10/20/20 22	СВІ	(G) Pigment additive for industrial coatings	(G) Hydrogenated dihalo dialkyl diindolotriphenodioxazine, dihydrodisubstituted isoindolyl alkyl derivs.
P- 18- 0070 A	>11	10/24/20 22	Arrowstar, LLC	(G) Chemical intermediate for polyurethane industry	(G) Waste plastics, polyester, depolymd. with glycols, polymers with dicarboxylic acids
P- 20- 0060 A	>6	10/06/20 22	СВІ	(S) Solvent-based pigmented one- and two-component polyurethane coatings Automotive Refinish General Industrial Coil	(G) Bismuth Carboxylate complexes
P- 20- 0060 A	>8	10/20/20 22	СВІ	(S) Catalyst for polyurethane foam manufacturing	(G) Bismuth Carboxylate complexes
P- 22- 0080 A	>4	10/07/20 22	Huntsman International LLC	(S) As an industrial intermediate used in the manufacture of polyamides as a monomer.	(S) Poly(oxy-1,2-ethanediyl), ,'-(iminodi-2,1-ethanediyl)bis[-(2-aminoethoxy)-;(S) Poly(oxy-1,2-ethanediyl), -(2-aminoethyl)(2-aminoethoxy)-;
P- 22- 0121 A	>3	10/04/20 22	СВІ	(G) Process Intermediate: New chemical substance will be used as a process intermediate.	(G) polychloroalkene
P- 22- 0148 A	>3	10/27/20 22	СВІ	(G) Intermediate	(G) Substituted benzonitrile
P- 22- 0153 A	3	10/06/20 22	Huntsman International LLC	manufacturing operations, in outdoor repair. Through small	(S) 2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, reaction products with 2-oxepanone homopolymer 2-[(2-methyl-1-oxo-2-propen-1-yl)oxy]ethyl] ester and phosphorous oxide (P2O5)
P- 22- 0175	>2	10/26/20 22	Wacker Chemical Corporation	(S) Polymer Resin Binder for composite stone (Engineered Stone)	(G) Modified Silsesquioxane, alkoxy-terminated
P- 22- 0187		09/29/20 22	LG Energy Solution Michigan Inc	(G) Substance for use in the manufacture of battery components.	(G) Mixed metal oxide
P- 22- 0192		22	СВІ	(G) Photolithography	(G) Sulfonium, tricarbocyclic-, polyfluoro- heteroatom-substituted polycarbocyclicalkanesulfonate (1:1)
P- 23- 0001	>1	22	Solugen Inc.	(G) Additive for consumer, commercial, and industrial applications	(G) Polycarboxylic acid, salt
P- 23- 0002	>1	22	Solugen Inc.	(G) Additive for consumer, commercial, and industrial applications	(G) Polycarboxylic acid, salt
P- 23- 0003		22	Solugen Inc.	(G) Additive for consumer, commercial, and industrial applications	(G) Polycarboxylic acid, salt
P- 23- 0004	>1	22	Solugen Inc.	(G) Additive for consumer, commercial, and industrial applications	(G) Polycarboxylic acid, salt
P- 23-	>1	10/03/20 22	Solugen Inc.	(G) Additive for consumer, commercial, and industrial applications	(G) Polycarboxylic acid, salt

P- >	>2	10/13/20	Siltech Inc.	(G) additive	(S) Siloxanes and silicones, di-Me, Me hydrogen,
23- 0006		22		(O) additive	reaction products with vinyl group-terminated di-Me siloxanes
P- 23- 0009	>1	22	Givaudan Fragrances Corp.	(G) Fragrance ingredient for use in laundry applications.	(G) Cysteine, cyclic alkyl, ethyl ester
P- 23- 0010	>1	22	Givaudan Fragrances Corp.	(G) Fragrance ingredient for use in laundry applications.	(G) Alkylthio ketone
P- 23- 0011	>1	10/10/20 22	СВІ	(G) Cross-linking agent.	(G) divinylperfluoroalkane
P- 23- 0012	>1	10/11/20 22	СВІ	(S) Polymer for use in concrete applications.	(G) Starch, polymer with alkenoic acid, salt
P- 23- 0013	>1	10/12/20 22	Honeycomb Techno Research USA Inc	(S) Epoxy molding compound for electronic device	(S) Phenol, polymer with 4,4'- bis(chloromethyl)-1,1'-biphenyl
P- 23- 0015	>1	10/26/20 22	СВІ	(G) Water treatment chemical	(G) Amines, polyalkylenepoly, (disubstitutedcarboxy) derivs., alkali metal salts
P- 23- 0016	>1	10/26/20 22	Kuraray America, Inc.	(G) Additive for paints, UV inks, coatings, etc.	(S) 2-Propanol, 1, 3- bis[(3- methyl- 2- buten-1-yl) oxy]-
SN- 21- 0003 A	>4	10/26/20 22	Norquay Technology Inc.	(G) Intermediate	(S) 1,1'-Biphenyl, 4,4'-dibromo-
J-23- 0002	>1	22	СВІ	(G) Manufacture of a recombinant protein	(G) Microorganism stably transformed to express a recombinant protein
P- 20- 0060 A	>9	11/05/20 22	CBI	(S) Catalyst for polyurethane foam manufacturing	(G) Bismuth Carboxylate complexes
P- 22- 0019 A	>2	11/23/20 22	СВІ	(G) Film-forming polymer	(G) Protein sodium complexes, polymers with aromatic acid chloride, ethylene diamine and amino acid
	>3	11/22/20 22	СВІ	(G) Site Limited Intermediate	(G) Silica gel, reaction products with alkyl metal salt
	>3	11/29/20 22	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
	>3	11/29/20 22	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
	>3	11/29/20 22	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
	>3	11/29/20 22	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
	>3	11/29/20 22	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
	>3	11/29/20 22	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
	>3	11/04/20 22	Siltech Inc.	(G) additive	(S) Siloxanes and silicones, di-Me, Me hydrogen, polymers with vinyl group-terminated di-Me siloxanes

P- 23- 0014	>4	11/21/20 22	СВІ	(S) Intermediate in production of fragrance	(G) [Polyalkyl-methylenepolyhydro-polycyclic]alkyl acetate
P- 23- 0017	>2	11/07/20 22	Givaudan Fragrances Corp.	(S) Encapsulant for time-released delivery of fragrance	(G) Hydrolyzed collagen, polymer with aromatic isocyanate, N-triethoxysylil-alkanamine, pectic polysaccharide and poly alkyl alcohol
P- 23- 0018	>2	22	H.B. Fuller Company	(S) Industrial Adhesive	(G) Vegetable oil, polymer with pimelin ketone, oxymethylene and polymethylenepolyphenylene isocyanate
P- 23- 0018 A	>3	11/14/20 22	H.B. Fuller Company	(S) Industrial Adhesive	(G) Vegetable oil, polymer with pimelin ketone, oxymethylene and polymethylenepolyphenylene isocyanate
P- 23- 0019	>2	11/04/20 22	СВІ	(G) Photolithography	(G) Sulfonium, triphenyl-, polyhydro-5-(polyfluoro-2-sulfoalkyl)spiro[4,7-methano-1,3-benzodioxole-2,2'-polycycloalkane]-5-carboxylate (1:1)
P- 23- 0020	>1	11/04/20 22	Siltech Inc.	(G) additive / intermediate	(S) Silsesquioxanes, 3-mercaptopropyl, polymers with silic acid (H4SiO4) tetra-Et ester, [(trimethylsilyl)oxy]-terminated
P- 23- 0021	>2	11/16/20 22	CBI	(G) Resin used for the fabrication of articles	(G) Ethylene, polymer with tetrafluoroethylene and hexafluoropropene
P- 23- 0022	>1	11/11/20 22	Cabot Corporation	(G) Additive used in industrial applications.	(G) Multi-walled carbon nanotubes
P- 23- 0023	>1	11/11/20 22	Cabot Corporation	(G) Additive used in industrial applications.	(G) Multi-walled carbon nanotubes
P- 23- 0024	>1	11/11/20 22	Cabot Corporation	(G) Additive used in industrial applications.	(G) Multi-walled carbon nanotubes
P- 23- 0025	>1	11/11/20 22	Solugen Inc	(G) Additive used in consumer, industrial, and commercial applications	(G) Polycarboxylic acid, salt
P- 23- 0026	>1	11/11/20 22	Solugen Inc	(G) Additive used in consumer, industrial, and commercial applications	(G) Polycarboxylic acid, salt
P- 23- 0027	>1	11/11/20 22	Solugen Inc	(G) Additive used in consumer, industrial, and commercial applications	(G) Polycarboxylic acid, salt
P- 23- 0029	>1	11/14/20 22	СВІ	(G) Battery Cathode Manufacturing	(G) Cobalt metal nickel oxide
P- 23- 0030	>1	11/17/20 22	СВІ	(G) A polymer of insulating materials.	(G) Phenol, polyalkylcarbo bis-, polymer with 2-carbomonocyclichaloheteromonocycle, bis[(alkenylcarbomonocyclic)alkyl] ether
P- 23- 0031	1	11/21/20 22	Tetramer Technologies, LLC	(G) Component in Lubricants	(G) Glycerin, polyalkoxylated, mixed fatty acid and alkyl diacid esters
P- 23- 0032	2	11/28/20	ADC - Adrian	(S) Industrial belting - Tough material with very good flex fatigue properties to replace current products. No crush wheels - used in multiple industries; the good flex fatigue properties, resilience, and toughness would make an ideal polymer for this application. General replacement for polytetramethylene ether glycol (PTMEG)-based cast urethane parts fatigue properties.	(S) 1,3 propanediol, polymer with 1,3 diisocyanatomethylbenzene
P- 23- 0033	>1	11/22/20 22	Cabot Corporation	(G) Additive used in industrial applications	(G) Multi-walled carbon nanotubes
P- 23- 0034	>1	11/23/20 22	СВІ	(G) Process aid	(G) Derivative of a diallyldimethylammonium chloride and substituted ethylene copolymer
SN- 22- 0007 A	>4	11/11/20 22	Braven Environmental, LLC	(G) Product of Pyrolysis manufacturing.	(S) Waste plastics, pyrolyzed, C5-12 fraction
SN- 22- 0008 A	>4	11/11/20 22	Braven Environmental, LLC	(G) Product of Pyrolysis Manufacturing.	(S) Waste plastics, pyrolyzed, C20-55 fraction

SN- 22- 0009 A	>4	11/11/20 22	Braven Environmental, LLC	(G) Product of Pyrolysis Manufacturing.	(S) Waste plastics, pyrolyzed, C9-20 fraction
SN- 23- 0001	>2	11/03/20 22	Ultium Cells LLC	(S) Use as a conductive material in battery cells.	(G) Single-walled carbon nanotubes
P- 18- 0146 A	>4	12/19/20 22	СВІ	(G) Primer paint binders for open non-dispersive uses	(G) Modified fat amines, polymers with bisphenol A, alkanolamines, epichlorohydrin, alkylamine and substituted isocyanato [isocyanatoalkylcarbomonocyle]
P- 22- 0002 A	>4	12/01/20 22	Materion Advanced Chemicals	(G) This product is used for the manufacturing of electronic devices	(G) Metal Oxide Chloride
P- 22- 0095 A	>2	12/05/20 22	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 22- 0096 A	>2	12/05/20 22	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 22- 0097 A	>2	12/05/20 22	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 22- 0098 A	>2	12/05/20 22	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 22- 0099 A	>2	12/05/20 22	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 22- 0100 A	>2	12/05/20 22	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 22- 0101 A	>3	12/05/20 22	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22- 0102 A	>3	12/05/20 22	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22- 0103 A	>3	12/05/20 22	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22- 0104 A	>3	12/05/20	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22- 0105 A	>3	12/05/20 22	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22- 0106 A	>3	12/05/20 22	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates, salts
P- 22- 0119 A	>3	12/12/20 22	СВІ	(G) Resin for packaging and Binding agent	(G) Polyhydroxyalkanoate
P- 22- 0120	>3	12/12/20 22	СВІ	(G) Resin for packaging, Binder materials.	(G) Polyhydroxyalkanoate
<u>A</u>					

P- 23- 0009 A	>2	12/19/20 22	СВІ	(G) Fragrance ingredient for use in laundry applications.	(G) Cysteine, cyclic alkyl, ethyl ester
P- 23- 0014 A	>5	12/12/20 22	СВІ	(S) Intermediate in production of fragrance	(G) [Polyalkyl-methylenepolyhydro-polycyclic]alkyl acetate
P- 23- 0028	>3	12/13/20 22	СВІ	(S) Encapsulating Shell Polymer for Fragrance Encapsulates for Industrial or Household Consumer Products such as Detergents and Fabric Softeners	(G) gelatin and maltodextrin crosslinked with linear and cyclic aliphatic polyisocyanates
P- 23- 0029 A	>2	12/07/20 22	СВІ	(G) Battery Cathode Manufacturing	(G) Cobalt metal nickel oxide
P- 23- 0035	>2	12/13/20 22	СВІ	(G) Isolated intermediate	(G) Aryl alkoxy ether
P- 23- 0036	>1	11/30/20 22	Elantas PDG, Inc.	(S) MF8044 Resin is an unsaturated polyester resin used in an electrical insulation coating. The coating is used to insulate electrical components in automobiles.	(S) Castor oil, polymer with dicyclopentadiene, maleic anhydride, 2-methyl-1,3-propanediol, 3a,4,7,7a-tetrahydro-2-(2-hydroxyethyl)-1H-isoindole-1,3(2H)-dione and triethylene glycol
P- 23- 0037	>1	12/01/20 22	СВІ	(G) Photoacid generator (PAG) for use in electronics industry	(G) Monoaromatic cyclic alkylene sulfonium fluoroalkyl sulfonic acid salt,
P- 23- 0038	>2	12/07/20 22	Allnex USA Inc.	(S) Crosslinker (hardener) for various water dilutable backbone binders (e.g. polyester resins, epoxy resins or acrylic resins) in order to obtain high chemical resistant protective layers for heat curing metal application.	(G) Formaldehyde, polymer with phenol, carboxyalkyl ethers, alkali salts, compds. with (dialkylamino)alkanol
P- 23- 0039	>2	12/19/20 22	Evonik Corporation	(S) Surfactant in manual/hand dish detergent, surface cleaner, laundry detergent	(G) Rhamnolipids, modified pseudomonas- fermented, from dextrose, salts
P- 23- 0040	>2	12/19/20 22	Evonik Corporation	(S) Surfactant in manual/hand dish detergent, surface cleaner, laundry detergent	(G) Rhamnolipids, modified pseudomonas- fermented, from dextrose, salts
P- 23- 0041	>1	12/09/20	CHT USA Inc.	(G) Additive into consumer cleaning products, Industrial & Institutional Cleaners	(G) Siloxane & Silicone, alkyl amino polymer
P- 23- 0042	>1	12/12/20 22	Clariant Corporation	(S) Intermediate for use in producing polymers.	(G) Oxirane, alkyl-, polymer with oxirane, monoethers with polyethylene glycol alkenyl ether
P- 23- 0043	>1	12/12/20 22	Clariant Corporation	(S) Intermediate for use in producing polymers.	(G) Oxirane, alkyl-, polymer with oxirane, sulfate, ethers with polyethylene glycol alkenyl ether, salt
P- 23- 0044	>1	12/13/20 22	СВІ	(G) Photoacid generator (PAG) for use in electronics industry	(G) Monoaromatic cyclic alkylene sulfonium fluoroalkyl sulfonic acid salt,
P- 23- 0046	>1	12/16/20 22	СВІ	(G) Process aid for the fabrication of molded articles	(G) Siloxanes and Silicones, di-alkyl, hydroxy- terminated, polymers with substituted alkane and substituted silane
P- 23- 0047	1	12/16/20 22	CBI	(G) Additive in plating baths	(G) Heteromonocyclic, dialkyl amide, substituted alkyl salt
P- 23- 0048	>2	12/19/20 22	Dynax Corporation	(G) Additive used in industrial and commercial applications	(G) Alkenoic acid, reaction products with polyalkenimine, poly-mercapto alkanolester and C6-fluoro haloalkane, compds. with alkanolamine
P- 23- 0049	>1	12/21/20 22	СВІ	(G) Photolithography	(G) Sulfonium, tricarbocyclic-, 2-aryl-polyfluoropolyhydro-alkano -heteropolycycle-alkanesulfonate (1:1), polymer with heteroatom substituted aryl and carbomonocyclic 2-alkyl-2-alkanoate, di-Me 2,2-(1,2-diazenediyl)bis[2-methylpropanoate]-initiated
P- 23- 0050	>1	12/23/20	SHIN-ETSU Microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Substitutedheterocyclic onium compound, salt with heteropolysubstitutedalkyl substitutedtricycloalkanecarboxylate (1:1), polymer with 3-ethenylphenol and heterosubstitutedaromaticalkyl 2-methyl-2-propenoate, di-Me 2,2'-(1,2-diazenediyl)bis[2-methylpropanoate]-initiated
J-23- 0001	7	12/30/20 22	Lesaffre Yeast Corporation	(G) Ethanol production	(G) Saccharomyces cerevisiae, modified to express glucoamylase activity

J-23- 0003	1	12/08/20 22	CBI	(G) Production of an enzyme mixture	(G) Microorganism expressing enzymes
J-23- 0003 A	2	01/20/20 23	СВІ	(G) Production of an enzyme mixture	(G) Microorganism expressing enzymes
J-23- 0003 A	3	01/30/20 23	CBI	(G) Production of an enzyme mixture	(G) Microorganism expressing enzymes
P- 18- 0365 A	5	01/09/20 23	СВІ	(G) Superabsorbent polymer,(S) Manufacture for export only	(G) Starch, carboxymethyl ether, sodium salt, polymer with polycarboxylic acid
P- 18- 0366 A	5	01/09/20 23	CBI	(G) Superabsorbent polymer,(S) Manufacture for export only	(G) Starch, carboxymethyl ether, sodium salt, polymer with mixed polycarboxylic acids
P- 19- 0095 A	7	12/22/20 22	CBI	(G) Consumer Disposables, Polymer Sheet, Durable Goods	(G) Poly hydroxy alkanoate
P- 22- 0009 A	4	01/25/20 23	CBI	(S) Gasoline blending component to reduce the average carbon intensity and subsequent CO2 emissions of fuel	(S) Alkanes, C4-C9-branched and linear
P- 22- 0054 A	2	01/05/20 23	СВІ	(G) Additive for paint and coatings	(G) Graphene nanoplatelets
P- 22- 0068 A	3	01/24/20 23	Aditya Birla Chemicals (USA) LLC	(S) An epoxy component used in a reaction with other components to produce an epoxy article.	(S) 2-Propanamine, 1,1'-[(1- methylethylidene)bis(oxy)]bis-
P- 22- 0182	6	01/16/20 23	Goulston Technologies	(G) Textile wear additive	(G) Poly(ethylene terephthalate)-co-poly(propyl trimethylol alkanoate)
P- 23- 0014 A	6	01/05/20 23	СВІ	(G) Intermediate in production of fragrance	(G) [Polyalkyl-methylenepolyhydro-polycyclic]alkyl acetate
P- 23- 0036 A	3	01/10/20 23	Elantas PDG, Inc.	(S) MF8044 Resin is an unsaturated polyester resin used in an electrical insulation coating. The coating is used to insulate electrical components in automobiles.	(S) Castor oil, polymer with dicyclopentadiene, maleic anhydride, 2-methyl-1,3-propanediol, 3a,4,7,7a-tetrahydro-2-(2-hydroxyethyl)-1H-isoindole-1,3(2H)-dione and triethylene glycol
P- 23- 0042 A	2	01/10/20 23	Clariant Corporation	(S) Intermediate for use in producing polymers.	(G) Oxirane, alkyl-, polymer with oxirane, monoethers with polyethylene glycol alkenyl ether
P- 23- 0045	3	01/05/20 23	Colonial Chemical, Inc.	(S) Water based metalworking fluids, Metal cleaners, Metal treating fluids	(G) Carboxylic acid, compound with 2,2',2"-nitrilotris[ethanol] (1:1);(G) Carboxylic acid, compound with 2-aminoethanol (1:1);
P- 23- 0045 A	4	01/20/20	Colonial Chemical, Inc.	(S) Water based metalworking fluids, Metal cleaners, Metal treating fluids	(G) Carboxylic acid, compound with 2,2',2"- nitrilotris[ethanol] (1:1);(G) Carboxylic acid, compound with 2-aminoethanol (1:1);
P- 23- 0048 A	3	12/28/20 22	Dynax Corporation	(G) Additive used in industrial and commercial applications	(G) Alkenoic acid, reaction products with polyalkenimine, poly-mercapto alkanolester and C6-fluoro haloalkane, compds. with alkanolamine
P- 23- 0061	1	12/29/20 22	СВІ	(G) Plastic resin	(G) Alkanoic acid, substituted, polymer with substituted alkanoic acid, from fermentation of fermentable sugars
P- 23- 0061 A	2	01/30/20 23	СВІ	(G) Plastic resin	(G) Alkanoic acid, substituted, polymer with substituted alkanoic acid, from fermentation of fermentable sugars
P- 23- 0064	1	01/09/20 23	СВІ	(G) Component in aerospace coatings	(G) Alkanediol, substituted, polymer with diisocyanatoalkane, substituted heterocycle-modified
P-	1	01/11/20	Cytec Industries Inc.	(G) Industrial process chemical.	(G) Alkyl acid, 2-hydroxy-,methyl substituted alkyl ester,

P- 23-	1	01/17/20 23	CBI	(G) An antioxidant additive	(G) alkylated phenyl-naphthalene amine
0066 P- 23- 0068		01/30/20 23	US Polymers Accurez LLC	(S) Ingredient in industrial primers and topcoats	(S) 1,3-Isobenzofurandione, hexahydro-, polymer with 1,4-cyclohexanedimethanol, isononanoate
P- 23- 0071		01/18/20 23	Colonial Chemical, Inc.	(S) Water based metalworking fluids, Metal cleaner.	(G) alkyl dicarboxylic acid, compound with 2,2',2"-nitrilotris[ethanol] (1:?)
P- 23- 0073	1	01/24/20 23	Heraeus Epurio LLC	(S) Use as a photoacid generator for photoresist applications	(S) Methanesulfonic acid, 1,1,1-trifluoro-, 1,3-dioxo-1H-benz[de]isoquinolin-2(3H)-yl ester
P- 23- 0074		01/24/20 23	BASF Corporation	(S) Monomer used in the production of polymers	(S) 2-Propenoic acid, 2-methyl-, C13-15-branched and linear alkyl esters
P- 23- 0075	1	01/25/20 23	Colonial Chemical, Inc.	(S) Lubricant additive, water based cutting fluids, institutional cleaning products, and cleaning in place applications. ,br>(G) Surfactant used in personal care products	(G) Amides, vegetable oil, hydroxylated amine, amides, soya, hydroxylated amine
P- 23- 0076		01/26/20 23	СВІ	(G) Dyestuff	(G) 1,5-Carbopolycycle disulfonic acid, 2-[2-[8-[[4-chloro-6-(ethylcarbomonocyclic amino)-heteromonocyclic]amino]-1-hydroxy-3,6-disulfo-2-carbopolycyclic]diazenyl]-, sodium salt (1:4)
SN- 23- 0002	2	12/30/20 22	СВІ	(G) The LCPFACs have no function or application.	(S) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-
SN- 23- 0003	2	12/30/20 22	CBI	(G) The LCPFACs have no function or application.	(S) Dodecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,12-tricosafluoro-
SN- 23- 0004	2	12/30/20 22	CBI	(G) The LCPFACs have no function or application.	(S) Nonanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-heptadecafluoro-
SN- 23- 0005	2	12/30/20 22	CBI	(G) The LCPFACs have no function or application.	(S) Decanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10- nonadecafluoro-
SN- 23- 0006	2	12/30/20 22	CBI	(G) The LCPFACs have no function or application.	(S) Undecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,11- heneicosafluoro-
_	3	01/09/20 23	Allnex USA Inc.	(S) EBECRYL MPDDA is a difunctional acrylated monomer which polymerizes when exposed to sources of free radicals such as application in UV/EB cured inks, additive manufacturing, adhesives, composites, 3D printing and coatings systems, and	(S) 2-Propenoic acid, 1,1'-(3-methyl-1,5-pentanediyl) ester
				is used as an additive where improved elasticity, weathering and adhesion are desired in combination with an excellent water resistance	
SN- 23- 0008	2	12/30/20 22	CBI	(G) The LCPFACs have no function or application.	(S) Tetradecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,1 3,14,14,14-heptacosafluoro-
SN- 23- 0009	2	12/30/20 22	CBI	(G) The LCPFACs have no function or application.	(S) Tridecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,1 3,13-pentacosafluoro-
SN- 23- 0010	2	12/30/20 22	СВІ	(G) The LCPFACs have no function or application.	(S) Hexadecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,1 3,14,14,15,15,16,16,16-hentriacontafluoro-
SN- 23- 0011	2	12/30/20 22	СВІ	(G) The LCPFACs have no function or application.	(S) Octadecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,1 3,14,14,15,15,16,16,17,17,18,18,18- pentatriacontafluoro-
SN- 23- 0012		01/04/20 23	Dynax Corporation	(G) Additive used in industrial and commercial applications	(G) Polyfluorinated alkyl polyamide
J-23- 0004	1	02/08/20 23	Danisco US, Inc.	(G) Production of a chemical substance	(G) Genetically modified microorganism for the production of a chemical substance
P- 19- 0095 A	8	02/07/20 23	СВІ	(G) Consumer Disposables, Polymer Sheet, Durable Goods	(G) Poly hydroxy alkanoate
P- 21- 0086 A	5	02/02/20	Croda Inc.	(G) Industrial Rolling oil, Compressor oil, hydraulic oil, Industrial turbine oil, Industrial gear oil, Automotive gear oil, Refrigeration oil, Industrial drilling oil, Marine engine oil	(S) Isooctadecanamide, N,N-bis(2-ethylhexyl)

				additive, Automotive engine oil additive, polymer additive, Greases, Metal working fluid	
P- 21- 0086 A	6	02/27/20 23	Croda Inc.	(G) Industrial Rolling oil, Compressor oil, hydraulic oil, Industrial turbine oil, Industrial gear oil, Automotive gear oil, Refrigeration oil, Industrial drilling oil, Marine engine oil additive, Automotive engine oil additive, polymer additive, Greases, Metal working fluid	(S) Isooctadecanamide, N,N-bis(2-ethylhexyl)
P- 22- 0054 A	3	02/01/20 23	CBI	(G) Additive for paint and coatings	(G) Graphene nanoplatelets
P- 22- 0071 A	4	02/24/20 23	Lamberti USA Inc.	(G) Industrial Surfactant	(S) D-Glucopyranose, oligomeric, maleates, C9-11-alkyl glycosides, sulfonated, potassium salts
P- 22- 0072 A	4	02/24/20 23	Lamberti USA Inc.	(G) Industrial Surfactant	(S) D-Glucopyranose, oligomeric, maleates, decyl octyl glycosides, sulfonated, potassium salts
P- 22- 0073 A	4	02/24/20 23	Lamberti USA Inc.	(G) Industrial Surfactant	(S) D-Glucopyranose, oligomeric, maleates, C10-16-alkyl glycosides, sulfonated, potassium salts
P- 22- 0095 A	3	02/03/20 23	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, and commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 22- 0096 A	3	02/03/20 23	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, and commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 22- 0097 A	3	02/03/20 23	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, and commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 22- 0098 A	3	02/03/20 23	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, and commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 22- 0099 A	3	02/03/20 23	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, and commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 22- 0100 A	3	02/03/20 23	Locus Fermentation Solutions	(G) Surfactant for consumer, industrial, and commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 22- 0119 A	4	02/15/20 23	CBI	(G) Resin for packaging, Binding agent.	(G) Polyhydroxyalkanoate
P- 22- 0120 A	4	02/15/20	CBI	(G) Resin for packaging materials, Binder	(G) Polyhydroxyalkanoate
P- 22- 0151 A	2	02/01/20	CBI	(G) Surfactant for commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 22- 0151 A	3	02/03/20 23	CBI	(G) Surfactant for commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 22- 0151 A	4	02/15/20 23	CBI	(G) Surfactant for commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 23- 0063	1	01/08/20	СВІ	(G) Dyestuff	(G) 3-Heteromonocycle methanesulfonic acid, 5-[2-[5-[[4-chloro-6-[[3(or 4)-sulfo-carbomonocyclic]amino]+2-sulfocarbomonocyclic]diazenyl]-1-ethyl-6-hydroxy-4-methyl-2-oxo-, sodium salt (1:3)

P- 23- 0066 A	2	02/06/20 23	CBI	(G) An antioxidant additive	(G) alkylated phenyl-naphthalene amine
P- 23- 0067	2	02/01/20 23	CBI	(G) cleaner	(G) Ethoxylated Fatty Acid Amide
P- 23- 0067 A	3	02/23/20 23	CBI	(G) Cleaner	(G) Ethoxylated Fatty Acid Amide
P- 23- 0068 A	5	02/21/20 23	US Polymers Accurez LLC	(S) Ingredient in industrial primers and topcoats	(S) 1,3-Isobenzofurandione, hexahydro-, polymer with 1,4-cyclohexanedimethanol, isononanoate
P- 23- 0069	2	02/07/20 23	СВІ	(S) Encapsulating Shell Polymer for Fragrance Encapsulates for Industrial or Household Consumer Products such as Detergents and Fabric Softeners	(G) Pea extract, glycerol, carboxymethyl cellulose sodium salt, sodium hyaluronate, maltodextrin and tannins crosslinked polymer with linear and cyclic aliphatic isocyanates
P- 23- 0072	2	01/31/20 23	Allnex USA Inc.	(S) UV resin for offset lithographic printing on plastic substrates	(G) Halosubstituted carbopolycycle, polymer with substituted carbomonocycles and oxybis[alkanol]
P- 23- 0077	2	02/06/20 23	CBI	(G) Additive for industrial applications	(G) Alkanepolyoxy acid, alkyl substituted
P- 23- 0078	3	02/15/20 23	Huntsman International, LLC	(S) Polyester polyol which will be used in combination with other ingredients to make the B side of a spray polyurethane foam formulation. The A side (isocyanate) and B side are reacted together to produce a polyurethane foam that is used as insulation in buildings.	(G) soybean oil polymer with alkylene glycol- and glycerol- and alkylene glycol- and alkylene glycol-depolymd. poly(alkylene terephthalate), hydroxy-(hydroxyalkyl)-alkylalkanoic acid phthalic anhydride
P- 23- 0080	1	02/06/20 23	СВІ	(G) Photoacid generator (PAG) for use in semiconductor industry	(G) Aromatic sulfonium tricyclo fluoroalkyl sulfonio acid salt,
P- 23- 0081	2	02/15/20 23	Ashland. Inc.	(S) Polymer used as non-ionic surfactant in wood coating formulations.	(G) Alkyl glycidyl ether, polymer with Poly(oxy-1,2 ethanediyl)
P- 23- 0083	1	02/08/20 23	СВІ	(G) Photolithography	(G) Sulfonium, tricarbocyclic-, [polyhydro-alkyl- (polyfluoro-2-heteroatom substituted)-alkano- heteromonocyclic] alkyl ester (1:1)
P- 23- 0084	1	02/09/20 23	Colonial Chemical, Inc.	(S) Lubricant additive, water based cutting fluids, institutional cleaning products, and cleaning in place applications, Surfactant used in personal care products such as body cleansers, shower gels, shampoos, etc. Aids foam boosting, foam stabilization, viscosity control, skin emolliency, wetting, detergency, emulsification, and solubilization in solid actives.	(G) amides, vegetable oil, hydroxylated amine
P- 23- 0084 A	2	02/16/20 23	Colonial Chemical, Inc.	(S) Lubricant additive, water based cutting fluids, institutional cleaning products, and cleaning in place applications, Surfactant used in personal care products such as body cleansers, shower gels, shampoos, etc. Aids foam boosting, foam stabilization, viscosity control, skin emolliency, wetting, detergency, emulsification, and solubilization in solid actives.	(G) amides, vegetable oil, hydroxylated amine
P- 23- 0085	1	02/09/20 23	Colonial Chemical, Inc.	(S) Lubricant additive, water based cutting fluids, institutional cleaning products, and cleaning in place applications (G) Personal care surfactant	(G) amides, soya, hydroxylated amine
P- 23- 0085 A	2	02/16/20 23	Colonial Chemical, Inc.	(S) Lubricant additive, water based cutting fluids, institutional cleaning products, and cleaning in place applications, Surfactant used in personal care products such as body cleansers, shower gels, shampoos, etc. Aids foam boosting, foam stabilization, viscosity control, skin emolliency, wetting, detergency, emulsification, and solubilization in solid actives. (G) Personal care surfactant	(G) amides, soya, hydroxylated amine
P- 23- 0087	1	02/10/20 23	Evonik Corporation	(S) Adhesives and Sealants for various applications	(S) Oxirane, 2-methyl-, polymer with 2-[[3- (triethoxysilyl)propoxy]methyl]oxirane, monoether with -butylhydroxypoly[oxy(methyl-1,2- ethanediyl)]
P- 23- 0093	2	02/23/20 23	СВІ	(G) Photoacid generator (PAG) for use in semiconductor industry	(G) Aromatic Dibenzothiophenium fluoroalkyl carbopolycycle sulfonic acid salt,

P- 23- 0094	1	02/24/20 23	Sika Corporation	(S) Reactive polymer for use in surface pre-treatment.	(G) Polymer of benzenedicarboxylic acid, substituted-benzenedicarboxylic acid, branched- alkyldiol, alkyldiol and triisocyanate
SN- 22- 0006 A	3	02/13/20 23	MacDermid Enthone Inc.	(G) Catalyst (contained use)	(S) Tungstate (W12(OH)2O386-), sodium (1:6)
J-21- 0019 A	2	06/23/20 21	СВІ	(G) Production of DNA for use in internal manufacturing	(G) Strain of Escherichia coli modified with genetically-stable, plasmid-borne DNA for the production of plasmid-borne DNA
J-23- 0001 A	8	02/27/20 23	Lesaffre Yeast Corporation	(G) Ethanol production	(G) Saccharomyces cerevisiae, modified to express glucoamylase activity
P- 20- 0032 A	5	03/23/20 23	Engineered Bonded Structures and Composites	(S) Used as a copolymer in the production of urethane foam or coating.	(G) Polyethylene terephthalate polyol
P- 21- 0165 A	2	02/28/20 23	СВІ	(S) anionic surfactant in cleaning products.	(S) D-Glucopyranose, oligomeric, C10-16alkyl glycosides, 3-(3,4-dicarboxy-3-hydroxy-1-oxobutoxy)-2-hydroxypropyl ethers, sodium salts
P- 21- 0193 A	5	03/01/20 23	Santolubes Manufacturing LLC	(S) Used in gear oils & greases, wind turbines, HX-1 (incidental food contact) lubricants and EV (Electric Vehicle) motors.	(S) Fatty acids, C8-10, diesters with polyethylene glycol
P- 22- 0018 A	2	03/21/20 23	CBI	(G) Component of lubricant	(G) Substituted polyalkylenepoly, reaction products with substituted heteromonocycle substituted heteromonocycle polyalkylene derivs.
P- 22- 0054 A	4	03/02/20	CBI	(G) Additive for paint and coatings	(G) Graphene nanoplatelets
P- 23- 0062	3	03/22/20 23	СВІ	(S) Use in polyurethane structural adhesives (e.g. windmill OEM), polyurethane potting, and high strength polyurethane foams and composites.	(G) Cashew, nutshell., polymer based polyether polyol.
P- 23- 0063 A	2	03/09/20	СВІ	(G) Dyestuff	(G) 3-Heteromonocycle methanesulfonic acid, 5-[2- [5-[[4-chloro-6-[[3(or 4)-sulfo- carbomonocyclic]amino]heteromonocyclic]amino] -sulfocarbomonocyclic]diazenyl]-1-ethyl-6-hydroxy 4-methyl-2-oxo-, sodium salt (1:3)
P- 23- 0064 A	2	03/24/20 23	СВІ	(G) Component in aerospace coatings	(G) Alkanediol, substituted, polymer with diisocyanatoalkane, substituted heterocycle-modifie
P- 23- 0070	2	03/20/20	CBI	(G) Surfactant for cleaning products, pet shampoo, hand cleansing, laundry detergent, dishwasher detergent.	(S) Fatty Acids, C8-14, methyl-2-sulfoethyl esters, sodium salts
P- 23- 0076 A	2	03/09/20	СВІ	(G) Dyestuff	(G) 1,5-Carbopolycycle disulfonic acid, 2-[2-[8-[[4-chloro-6-(ethylcarbomonocyclic amino)-heteromonocyclic]amino]-1-hydroxy-3,6-disulfo-2-carbopolycyclic]diazenyl]-, sodium salt (1:4)
P- 23- 0081 A	4	03/15/20 23	Ashland. Inc.	(S) Polymer used as non-ionic surfactant in wood coating formulations.	(G) Alkyl glycidyl ether, polymer with Poly(oxy-1,2 ethanediyl)
23- 2086	5	03/03/20 23	СВІ	(G) Intermediate used in the manufacturing of detergents.	(S) 1,2-Benzisothiazole, 3-methyl-,1,1-dioxide
23- 2092	2	03/06/20 23	СВІ	(G) An additive in ink formulations	(G) Maleic modified rosin polyol ester cyclic acid
P- 23- 0100	1	02/28/20 23	СВІ	(G) Dispersion agent used in glass fiber formation.	(G) Amines, alkyl reaction products with acrylic acid. salts
23- 0101	4	03/20/20 23	СВІ	(G) Chemical intermediate	(G) Glycerides from fermentation of genetically modified microorganism, epoxidized,
P- 23- 0102	4	03/20/20 23	СВІ	(G) chemical component	(G) Glycerides from fermentation of genetically modified microorganism

P- 23- 0103	4	03/20/20	СВІ	(G) reactant	(G) Glycerides from fermentation of genetically modified microorganism, epoxidized, reaction products with ethanol,
P- 23- 0104	1	03/09/20 23	CBI	(G) An ingredient used in the manufacture of photoresist	(G) Sulfonium, carbomonocycle bis[(trihaloalkyl)carbomonocycle], disubstituted carbomonocyclic ester
P- 23- 0106	3	03/23/20 23	Fujifilm Electronic Materials USA Inc.	(G) protective coating	(G) 1,3-Isobenzofurandione, 5,5-oxybis-, polymer with aromatic diamine and haloalkyl-substituted dianhydride, reaction products with acetic anhydride
P- 23- 0119	1	03/27/20 23	Evonik Corporation	(S) Curing agent for Industrial epoxy coating systems	(S) 1,8-Octanediamine, 4-(aminomethyl)-, N-benzyl derivs.
P- 23- 0123	1	03/28/20 23	CBI	(G) A polymer of insulating materials.	(G) Phenol, Polyalkylcarbomonocycle bis-, polymer with 2-carbomonocyclichaloheteromonocycle, bis[(alkenylcarbomonocyclic)alkyl] ether
SN- 23- 0002 A	3	03/07/20 23	Inhance Technologies, LLC.	(S) The LCPFACs are impurities/byproducts of the fluorination of fuel storage containers and fuel tanks used in small combustion engines, ground-supported small engines, small motorsport engines, and marine engines.	(S) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-
SN- 23- 0003 A	3	03/07/20 23	Inhance Technologies, LLC.	(S) The LCPFACs are impurities/byproducts of the fluorination of fuel storage containers and fuel tanks used in small combustion engines, ground-supported small engines, small motorsport engines, and marine engines. (G) The LCPFACs have no function or application.	(S) Dodecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,12-tricosafluoro-
SN- 23- 0004 A	3	03/07/20 23	Inhance Technologies, LLC.	(S) The LCPFACs are impurities/byproducts of the fluorination of fuel storage containers and fuel tanks used in small combustion engines, ground-supported small engines, small motorsport engines, and marine engines. (G) The LCPFACs have no function or application.	(S) Nonanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-heptadecafluoro-
SN- 23- 0005 A	3	03/07/20	Inhance Technologies, LLC.	(S) The LCPFACs are impurities/byproducts of the fluorination of fuel storage containers and fuel tanks used in small combustion engines, ground-supported small engines, small motorsport engines, and marine engines. (G) The LCPFACs have no function or application.	(S) Decanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-nonadecafluoro-
SN- 23- 0006 A	3	03/07/20	Inhance Technologies, LLC.	(S) The LCPFACs are impurities/byproducts of the fluorination of fuel storage containers and fuel tanks used in small combustion engines, ground-supported small engines, small motorsport engines, and marine engines. (G) The LCPFACs have no function or application.	(S) Undecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,11-heneicosafluoro-
SN- 23- 0008 A	3	03/07/20 23	Inhance Technologies, LLC.	(S) The LCPFACs have no use or function in the end product. (G) The LCPFACs have no function or application.	(S) Tetradecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,1 3,14,14,14-heptacosafluoro-
SN- 23- 0009 A	3	03/07/20 23	Inhance Technologies, LLC.	(S) The LCPFACs have no use or function in the end product. (G) The LCPFACs have no function or application.	(S) Tridecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,1 3,13-pentacosafluoro-
SN- 23- 0010 A	3	03/07/20 23	Inhance Technologies, LLC.	(S) The LCPFACs have no use or function in the end product. (G) The LCPFACs have no function or application.	(S) Hexadecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,1 3,14,14,15,15,16,16,16-hentriacontafluoro-
SN- 23- 0011 A	3	03/07/20 23	Inhance Technologies, LLC.	(S) The LCPFACs have no use or function in the end product. (G) The LCPFACs have no function or application.	(S) Octadecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,1 3,14,14,15,15,16,16,17,17,18,18,18-pentatriacontafluoro-
SN- 23- 0013	2	03/07/20 23	Inhance Technologies, LLC.	(S) The LCPFACs are impurities/byproducts of the fluorination of fuel storage containers and fuel tanks used in small combustion engines, ground-supported small engines, small motorsport engines, and marine engines. (G) The LCPFACs have no function or application.	(S) Tridecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,1 3,13-pentacosafluoro-
23- 0014	2	03/07/20 23	Inhance Technologies, LLC.	(S) The LCPFACs are impurities/byproducts of the fluorination of fuel storage containers and fuel tanks used in small combustion engines, ground-supported small engines, small motorsport engines, and marine engines. (G) The LCPFACs have no function or application.	(S) Tetradecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,1 3,14,14,14-heptacosafluoro-
SN- 23- 0015	2	03/07/20	Inhance Technologies, LLC.	(S) The LCPFACs are impurities/byproducts of the fluorination of fuel storage containers and fuel tanks used in small combustion engines, ground-supported small engines, small motorsport engines, and marine engines. (G) The LCPFACs have no function or application.	(S) Hexadecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,1 3,14,14,15,15,16,16,16-hentriacontafluoro-

SN3- 23- 0016	2 03		Inhance Technologies, LLC.	of fuel storage containers and fuel tanks used in small	(S) Octadecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,1 3,14,14,15,15,16,16,17,17,18,18,18-pentatriacontafluoro-
SN- 23- 0017 A	2 03	3	Inhance Technologies, LLC.	(S) The LCPFACs have no use or function in the end product. (G) The LCPFACs have no function or application.	(S) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-
SN- 23- 0018 A	2 0.2.	3	Inhance Technologies, LLC.	(S) The LCPFACs have no use or function in the end product. (G) The LCPFACs have no function or application.	(S) Nonanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-heptadecafluoro-
SN- 23- 0019 A	2 0.2.		Inhance Technologies, LLC.	(S) The LCPFACs have no use or function in the end product. (G) The LCPFACs have no function or application.	(S) Decanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10- nonadecafluoro-
SN- 23- 0020 A	2 0.2.	3	Inhance Technologies, LLC.	(S) The LCPFACs have no use or function in the end product. (G) The LCPFACs have no function or application.	(S) Undecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,11- heneicosafluoro-
SN- 23- 0021 A	2 00.	3	Inhance Technologies, LLC.	(S) The LCPFACs have no use or function in the end product. (G) The LCPFACs have no function or application.	(S) Dodecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,12-tricosafluoro-
P- 21- 0193 A	6 04	3	Santolubes Manufacturing LLC	(S) This product will be used in gear oils & greases, wind turbines, HX-1 (incidental food contact) lubricants and EV (Electric Vehicle) motors. It will be used by OEMs in these applications as components in finished formulations. The intended use of these products is 100% industrial and not intended for use as consumer products.	(S) Fatty acids, C8-10, diesters with polyethylene glycol
P- 23- 0016 A	2 04		Kuraray America, Inc.	(G) Additive for paints, UV inks, coatings, etc.	(S) 2-Propanol, 1, 3- bis[(3- methyl- 2- buten-1-yl) oxy]-
P- 23- 0088	4 03		Integrity bio- chemical, LLC	(G) Industrial Waste Water Coagulation, Mining, mineral processing	(S) Glycine, reaction products with oxidized maltodextrin
P- 23- 0088 A	5 04		Integrity bio- chemical, LLC	(G) Mining, mineral processing, Industrial Waste Water Coagulation	(S) Glycine, reaction products with oxidized maltodextrin
P- 23- 0089	2:		Integrity bio- chemical, LLC	(G) Mining, Mineral and Industrial Wastewater Processing	(S) Maltodextrin, 6-[3-(dimethyl-2-propen-1-ylammonio)propyl] ether, chloride
P- 23- 0089 A	3 04		Integrity bio- chemical, LLC	(G) Mining, Mineral and Industrial Wastewater Processing	(S) Maltodextrin, 6-[3-(dimethyl-2-propen-1-ylammonio)propyl] ether, chloride
P- 23- 0090	2 00		Integrity bio- chemical, LLC	(G) Mining, mineral processing and Industrial Waste Water Coagulation	(S) Dextran, 3-(dimethyl,2-propen-1-ylammonio)propyl ether, chloride
P- 23- 0090 A	2:		Integrity bio- chemical, LLC	(G) Mining, mineral processing and Industrial Waste Water Coagulation	(S) Dextran, 3-(dimethyl,2-propen-1-ylammonio)propyl ether, chloride
P- 23- 0091	2 03		Integrity bio- chemical, LLC	(G) Oil and gas, shale stabilization, Mining flocculant, Oil and gas, fines control	(S) Maltodextrin, oxidized, reaction products with ethylenediamine
P- 23- 0091 A	3 04		Integrity bio- chemical, LLC	(G) Oil and gas, shale stabilization, Mining flocculant, Oil and gas, fines control	(S) Maltodextrin, oxidized, reaction products with ethylenediamine
	3 04		СВІ	(G) An additive in ink formulations	(G) Maleic modified rosin polyol ester cyclic acid
P- 23-	2 04	4/03/20	СВІ	(G) Dispersion agent used in glass fiber formation.	(G) Amines, alkyl reaction products with acrylic acid. salts

P- 23- 0101 A	5	04/06/20	СВІ	(G) Chemical intermediate	(G) Glycerides from fermentation of genetically modified microorganism, epoxidized,
3- 102	5	04/06/20 23	CBI	(G) chemical component	(G) Glycerides from fermentation of genetically modified microorganism
- 3- 103	5	04/06/20 23	СВІ	(G) reactant	(G) Glycerides from fermentation of genetically modified microorganism, epoxidized, reaction products with ethanol,
- 3- 105	2	04/12/20 23	Heebut Materials LLC	(G) Plastic and rubber additive.	(G) Multi-Walled Carbon Nanotube
- 3- 107	4	04/07/20 23	Cnano Technology USA, Inc.	(S) Lithium-Ion Battery Conductive Agent (Precursor), Liquid and Solid Products Containing MWCNT	(S) Multiwalled Carbon Nanotube
- 3- 107	5	04/20/20	Cnano Technology USA, Inc.	(S) Lithium-Ion Battery Conductive Agent (Precursor), Solid Products Containing MWCNT as a structural reinforcement, conductive stabilizer, composite & tensile strength enhancer and heat conductor, Liquid Products Containing MWCNT as a semi conductive enhancer, chemical carrier, reflectivity reducer and anticorrosion/antifouling stimulant	(S) Multiwalled Carbon Nanotube
- 3- 108	4	04/07/20 23	Cnano Technology USA, Inc.	(S) Lithium-Ion Battery Conductive Agent (Precursor), Liquid and Solid Products Containing MWCNT	(S) Multiwalled Carbon Nanotube
- 3- 108	5	04/20/20 23	Cnano Technology USA, Inc.	(S) Lithium-Ion Battery Conductive Agent (Precursor), Liquid Products Containing MWCNT as a semi conductive enhancer, chemical carrier, reflectivity reducer and anticorrosion/antifouling stimulant, Solid Products Containing MWCNT as a structural reinforcement, conductive stabilizer, composite & tensile strength enhancer and heat conductor	(S) Multiwalled Carbon Nanotube
- 3- 109	3	04/07/20	Cnano Technology USA, Inc.	(S) Lithium-Ion Battery Conductive Agent, Liquid and Solid Products Containing MWCNT	(S) Multiwalled Carbon Nanotube
- 3- 109	4	04/20/20 23	Cnano Technology USA, Inc.	(S) Lithium-Ion Battery Conductive Agent, Liquid Products Containing MWCNT as a semi conductive enhancer, chemical carrier, reflectivity reducer and anticorrosion/antifouling stimulant, Solid Products Containing MWCNT as a structural reinforcement, conductive stabilizer, composite & tensile strength enhancer and heat conductor	(S) Multiwalled Carbon Nanotube
- 3- 110	3	04/07/20 23	Cnano Technology USA, Inc.	(S) Lithium-Ion Battery Conductive Agent, Liquid and Solid Products Containing MWCNT	(S) Multiwalled Carbon Nanotube
- 3- 110	4	04/20/20	Cnano Technology USA, Inc.	(S) Lithium-Ion Battery Conductive Agent, Liquid Products Containing MWCNT as a semi conductive enhancer, chemical carrier, reflectivity reducer and anticorrosion/antifouling stimulant, Solid Products Containing MWCNT as a structural reinforcement, conductive stabilizer, composite & tensile strength enhancer and heat conductor	(S) Multiwalled Carbon Nanotube
- 3- 111	4	04/07/20 23	Cnano Technology USA, Inc.	(S) Lithium-Ion Battery Conductive Agent (Precursor), Liquid and Solid Products Containing MWCNT	(S) Multiwalled Carbon Nanotube
- 3- 111	5	04/20/20	Cnano Technology USA, Inc.	(S) Lithium-Ion Battery Conductive Agent (Precursor), Liquid Products Containing MWCNT as a semi conductive enhancer, chemical carrier, reflectivity reducer and anticorrosion/antifouling stimulant, Solid Products Containing MWCNT as a structural reinforcement, conductive stabilizer, composite & tensile strength enhancer and heat conductor	(S) Multiwalled Carbon Nanotube
- 3- 112	4	04/07/20 23	Cnano Technology USA, Inc.	(S) Lithium-Ion Battery Conductive Agent, Liquid and Solid Products Containing MWCNT	(S) Multiwalled Carbon Nanotube
- 3- 112	5	04/20/20 23	Cnano Technology USA, Inc.	(S) Lithium-Ion Battery Conductive Agent, Liquid Products Containing MWCNT as a semi conductive enhancer, chemical carrier, reflectivity reducer and anticorrosion/antifouling stimulant, Solid Products Containing MWCNT as a structural reinforcement, conductive stabilizer, composite & tensile strength enhancer and heat conductor	(S) Multiwalled Carbon Nanotube
3- 113	4	04/07/20 23	Cnano Technology USA, Inc.	(S) Lithium-Ion Battery Conductive Agent, Liquid and Solid Products Containing MWCNT	(S) Multiwalled Carbon Nanotube

P- 23- 0113 A	5	04/20/20	Cnano Technology USA, Inc.	(S) Lithium-Ion Battery Conductive Agent, Liquid Products Containing MWCNT as a semi conductive enhancer, chemical carrier, reflectivity reducer and anticorrosion/antifouling stimulant, Solid Products Containing MWCNT as a structural reinforcement, conductive stabilizer, composite & tensile strength enhancer and heat conductor	(S) Multiwalled Carbon Nanotube
P- 23- 0114	3	04/07/20 23	Cnano Technology USA, Inc.	(S) Lithium-Ion Battery Conductive Agent (Precursor), Liquid and Solid Products Containing MWCNT	(S) Multiwalled Carbon Nanotube
P- 23- 0114 A	4	04/20/20 23	Cnano Technology USA, Inc.	(S) Lithium-Ion Battery Conductive Agent (Precursor), Liquid Products Containing MWCNT as a semi conductive enhancer, chemical carrier, reflectivity reducer and anticorrosion/antifouling stimulant, Solid Products Containing MWCNT as a structural reinforcement, conductive stabilizer, composite & tensile strength enhancer and heat conductor	(S) Multiwalled Carbon Nanotube
P- 23- 0115	3	04/07/20 23	Cnano Technology USA, Inc.	(S) Lithium-Ion Battery Conductive Agent (Precursor), Liquid and Solid Products Containing MWCNT	(S) Multiwalled Carbon Nanotube
P- 23- 0115 A	4	04/20/20 23	Cnano Technology USA, Inc.	(S) Lithium-Ion Battery Conductive Agent (Precursor), Liquid Products Containing MWCNT as a semi conductive enhancer, chemical carrier, reflectivity reducer and anticorrosion/antifouling stimulant, Solid Products Containing MWCNT as a structural reinforcement, conductive stabilizer, composite & tensile strength enhancer and heat conductor	(S) Multiwalled Carbon Nanotube
P- 23- 0116	3	04/07/20 23	Cnano Technology USA, Inc.	(S) Lithium-Ion Battery Conductive Agent, Liquid and Solid Products Containing MWCNT	(S) Multiwalled Carbon Nanotube
P- 23- 0116 A	4	04/20/20	Cnano Technology USA, Inc.	(S) Lithium-Ion Battery Conductive Agent, Liquid Products Containing MWCNT as a semi conductive enhancer, chemical carrier, reflectivity reducer and anticorrosion/antifouling stimulant, Solid Products Containing MWCNT as a structural reinforcement, conductive stabilizer, composite & tensile strength enhancer and heat conductor	(S) Multiwalled Carbon Nanotube
P- 23- 0120	2	04/04/20 23	Ultium Cells LLC	(G) Substance for use in the manufacture of battery components.	(G) Cobalt lithium manganese nickel oxide, metals
P- 23- 0121	2	04/04/20 23	Ultium Cells LLC	(G) Substance for use in the manufacture of battery components.	(G) Metal cobalt lithium manganese nickel oxide, metal
P- 23- 0122	2	04/04/20 23	Ultium Cells LLC	(G) Substance for use in the manufacture of battery components.	(G) Cobalt lithium manganese nickel oxide, metals
P- 23- 0124	1	03/29/20 23	СВІ	(G) Photolithography	(G) Sulfonium, tricabocyclic-, 2-heteroatom-substituted-(halocarbocyclic)carboxylate (1:1)
P- 23- 0125	1	04/04/20 23	СВІ	(G) Photolithography	(G) Sulfonium, tricarbocyclic-, polyfluoropolyhydro-heteroatom substituted carbomonocyclic-2-heteroatom substituted carbomonocyclic heteropolycycle-5-alkanesulfonate (1:1)
P- 23- 0125 A	2	04/13/20 23	СВІ	(G) Photolithography	(G) Sulfonium, tricarbocyclic-, polyfluoropolyhydro-heteroatom substituted carbomonocyclic-2-heteroatom substituted carbomonocyclic heteropolycycle-5-alkanesulfonate (1:1)
P- 23- 0126	1	04/13/20 23	CBI	(G) Destructive Use	(G) Alken-1-ol
SN- 22- 0002 A	4	04/25/20 23	Eastman Chemical Company, Inc	(S) Solvent in a variety of applications	(S) 2-Pyrrolidinone, 1-butyl-
SN- 22- 0010 A	3	23	CBI	(S) Monomer chemical, reactive diluent in UV coating formulations (this is new use), Monomer or reactive diluent for 3D printing formulations. Monomer or reactive diluent in UV-inkjet and screen-printing ink formulations, Monomer or reactive diluent, additive in UV adhesive formulations (this is new use)	(S) 2-Oxazolidinone, 3-ethenyl-5-methyl-
SN- 23- 0002	4	04/10/20 23	CBI	(S) The LCPFACs have no function or application.	(S) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-

SN- 23- 0003 A	4	04/10/20 23	СВІ	(G) The LCPFACs have no function or application.	(S) Dodecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,12-tricosafluoro-
	4	04/10/20 23	СВІ	(G) The LCPFACs have no function or application.	(S) Nonanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-heptadecafluoro-
	4	04/10/20 23	СВІ	(G) The LCPFACs have no function or application.	(S) Decanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10- nonadecafluoro-
SN- 23- 0006 A	4	04/10/20 23	СВІ	(G) The LCPFACs have no function or application.	(S) Undecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,11- heneicosafluoro-
SN- 23- 0008 A	4	04/05/20 23	СВІ	(G) The LCPFACs have no function or application.	(S) Tetradecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,1 3,14,14,14-heptacosafluoro-
SN- 23- 0009 A	4	04/05/20 23	СВІ	(G) The LCPFACs have no function or application.	(S) Tridecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,1 3,13-pentacosafluoro-
SN- 23- 0010 A	4	04/05/20	СВІ	(G) The LCPFACs have no function or application.	(S) Hexadecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,1 3,14,14,15,15,16,16,16-hentriacontafluoro-
SN- 23- 0011 A	4	04/05/20	СВІ	(G) The LCPFACs have no function or application.	(S) Octadecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,1 3,14,14,15,15,16,16,17,17,18,18,18- pentatriacontafluoro-
SN- 23- 0017 A	3	04/05/20 23	СВІ	(G) The LCPFACs have no function or application.	(S) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-
SN- 23- 0018 A	3	04/05/20 23	СВІ	(G) The LCPFACs have no function or application.	(S) Nonanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-heptadecafluoro-
SN- 23- 0019 A	3	04/05/20 23	СВІ	(G) The LCPFACs have no function or application.	(S) Decanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10- nonadecafluoro-
SN- 23- 0020 A	3	04/05/20 23	СВІ	(G) The LCPFACs have no function or application.	(S) Undecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,11- heneicosafluoro-
SN- 23- 0021 A	3	04/05/20 23	СВІ	(G) The LCPFACs have no function or application.	(S) Dodecanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,12- tricosafluoro-
SN- 23- 0022	2	04/03/20 23	Kuraray America, Inc.	(G) Additive in paints, inks, coatings, etc.	(S) 2-Propenoic acid, 2-methyl-, 3-methyl-3-buten- 1-yl ester
SN- 23- 0022 A	3	04/13/20 23	Kuraray America, Inc.	(G) Additive in paints, inks, coatings, etc., Raw material for polymer manufacturing.	(S) 2-Propenoic acid, 2-methyl-, 3-methyl-3-buten- 1-yl ester
SN- 23- 0022 A	4	04/18/20 23	Kuraray America, Inc.	(G) Additive in paints, inks, coatings, etc., Raw material for polymer manufacturing.	(S) 2-Propenoic acid, 2-methyl-, 3-methyl-3-buten-l-yl ester
P- 21- 0168 A	4	05/10/20 23	СВІ	(G) Colorant	(G) Metal, [heteropolycyclic]-, [[[(hydroxyalkyl)amino]sulfonyl]alkyl]sulfonyl(sulf oalkyl)sulfonyl derivs., ammonium sodium salts,
P- 22- 0014 A	5	05/03/20 23	Colonial Chemical, Inc.	(G) Precursor	(G) Sodium bis(chloropropanediol) phosphate
	d P	-	L		-

P- 22- 0053 A	4	05/11/20 23	CBI	(G) Additive in agricultural formulations	(S) Ethanol, 2-amino-, compds. with polyethylene glycol hydrogen sulfate C10-16-alkyl ether
P- 22- 0078 A	5	05/09/20	СВІ	(S) Dispersing agent for pesticide formulators	(G) Oxirane, 2-methyl-, polymer with oxirane, mono-isoalkyl ethers, phosphates, salt
P- 22- 0095 A	4	05/05/20 23	Locus Fermentation Solutions	(G) Surfactant for commercial, industrial, consumer applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 22- 0096 A	4	05/05/20 23	Locus Fermentation Solutions	(G) Surfactant for commercial, industrial, consumer applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 22- 0097 A	4	05/05/20 23	Locus Fermentation Solutions	(G) Surfactant for commercial, industrial, consumer applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 22- 0098 A	4	05/05/20 23	Locus Fermentation Solutions	(G) Surfactant for commercial, industrial, consumer applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 22- 0099 A	4	05/05/20 23	Locus Fermentation Solutions	(G) Surfactant for commercial, industrial, consumer applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 22- 0100 A	4	05/05/20 23	Locus Fermentation Solutions	(G) Surfactant for commercial, industrial, consumer applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
P- 22- 0130 A	4	05/17/20 23	Integrity Bio- chemical, LLC	(S) Surfactant - surface tension reducing agent for use in production enhancement in oil wells (industrial), Emulsifier, Surface reduction Household and industrial detergents, Emulsifier, Wetting agent Personal care, Cosmetic, and Pet Care Grooming Products, Wetting agent - Agriculture, Surfactants - as raw materials for use in the manufacture of industrial products and consumer and household products	(S) Maltodextrin, octanoate
P- 22- 0131 A	4	05/17/20 23	Integrity Bio- chemical, LLC	(S) Surfactant - surface tension reducing agent for use in production enhancement in oil wells (industrial), Emulsifier, Surface reduction Household and industrial detergents, Emulsifier, Wetting agent Personal care, Cosmetic, and Pet Care Grooming Products, Wetting agent - Agriculture, Surfactants - as raw materials for use in the manufacture of industrial products and consumer and household products	(S) Maltodextrin, hexadecanoate
P- 22- 0132 A	4	05/17/20 23	Integrity Bio- chemical, LLC	(S) Surfactant - surface tension reducing agent for use in production enhancement in oil wells (industrial), Emulsifier, Surface reduction Household and industrial detergents, Emulsifier, Wetting agent Personal care, Cosmetic, and Pet Care Grooming Products, Wetting agent - Agriculture, Surfactants - as raw materials for use in the manufacture of industrial products and consumer and household products	(S) Maltodextrin, decanoate
P- 22- 0133 A	4	05/17/20	Integrity Bio- chemical, LLC	(S) Surfactant - surface tension reducing agent for use in production enhancement in oil wells (industrial), Emulsifier, Surface reduction Household and industrial detergents, Emulsifier, Wetting agent Personal care, Cosmetic, and Pet Care Grooming Products, Wetting agent - Agriculture, Surfactants - as raw materials for use in the manufacture of industrial products and consumer and household products	(S) Maltodextrin, octadecanoate
P- 22- 0134 A	4	05/17/20 23	Integrity Bio- chemical, LLC	(S) Surfactant - surface tension reducing agent for use in production enhancement in oil wells (industrial), Emulsifier, Surface reduction Household and industrial detergents, Emulsifier, Wetting agent Personal care, Cosmetic, and Pet Care Grooming Products, Wetting agent - Agriculture, Surfactants - as raw materials for use in the manufacture of industrial products and consumer and household products	(S) Maltodextrin, dodecanoate
P- 22- 0135 A	4	05/17/20 23	Integrity Bio- chemical, LLC	(S) Surfactant - surface tension reducing agent for use in production enhancement in oil wells (industrial), Emulsifier, Surface reduction Household and industrial detergents, Emulsifier, Wetting agent Personal care, Cosmetic, and Pet Care Grooming Products, Wetting agent - Agriculture, Surfactants - as raw materials for use in the manufacture of industrial products and consumer and household products	(S) Maltodextrin, tetradecanoate

2-	5	05/08/20 23	CBI	(G) Surfactant for commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented, from glycerides and carbohydrates
151					!
	3	05/04/20 23	СВІ	(G) Surfactant for cleaning products, pet shampoo, hand cleansing, laundry and dishwasher detergent.	(S) Fatty Acids, C8-14, methyl-2-sulfoethyl esters, sodium salts
A					
P- 23- 0079	4	05/09/20 23	Lawter	(G) Non reactive resin to improve ink performance Establishes a good flow and disperse pigment and has lithographic properties	(S) rosin, maleated, polymer with benzoic acid, glycerol, propylene glycol and 3a,4,7,7a-tetrahydro-1,3-isobenzofurandione
	3	05/02/20 23	Heebut Materials LLC	(G) Plastic and rubber additive.	(G) Multi-Walled Carbon Nanotube
	3	04/27/20	CBI	(G) reactant	(G) Glycerides from fermentation of genetically modified microorganism, ethoxylated, reaction products with ethanol, polycyclic isocyanate
	2	05/18/20 23	CBI	(S) Ingredient in laundry detergent that is used for degradation of stains on fabric.	(G) Polysaccharide Lyase
_	2	05/17/20	CBI	(G) Textile softening applications	(S) Fatty acids, C16-18, reaction products with diethanolamine
	3	05/16/20 23	Polymer Additives Inc.	(G) Used as an intermediate and will be consumed internally by Valtris to make the end product which is intended to market to customers.	(G) Soy or rapeseed fatty acid, benzyl esters
23- 2133	1	05/08/20 23	СВІ	(G) Component in asphalt	(G) Fatty acids reaction products with alcoholamine reaction by-products, salts
23- 2135	1	05/12/20 23	СВІ	(G) destructive use	(G) Alken-1-ol, 1-acetate
P- 23- 0136	1	05/17/20 23	СВІ	(G) Component in asphalt	(G) Fatty acids, reaction products with hexamethylenediamine and 12-hydroxyoctadecanoic acid
	2	05/23/20 23	CBI	(G) Additive for consumer and commercial products	(G) Polysaccharide, (hydroxytrialkylammonio)alkyl ether, chloride
P- 23- 0141	1	05/23/20 23	Hach Company	(G) Buffer solution for free chlorine determination.	(S) 2-Butenedioic acid (2Z)-, potassium salt (1:?)
SN- 16- 0013 A		05/08/20 23	СВІ	(G) Surfactant	(G) Polyfluorinated alkyl quaternary ammonium chloride
	10	05/08/20	СВІ	(S) An anionic fluorosurfactant used in firefighting foam concentrates such as AFFF (Aqueous Film Forming Foam) and AR-AFFF (Alcohol Resistant Aqueous Film Forming Foam).	(S) 1-Propanesulfonic acid, 2-methyl-2-[[1-oxo-3-[(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl)thio]propyl]amino]-, sodium salt (1:1)
SN- 21- 0011 A	3	05/11/20 23	СВІ	(G) solvent	(S) 2-Propanol, 1-[bis(2-hydroxyethyl)amino]-
	4	05/25/20	CBI	(G) Paint additive, Additive in coating formulations, Component in cleaning agents	(G) Alkanoic acid, dialkyl ester
	5	06/19/20 23	CBI	(G) Paint additive, Additive in coating formulations, Component in cleaning agents	(G) Alkanoic acid, dialkyl ester
	7	05/25/20	J6 Polymers	(S) Raw material to be blending into R-side components of the polyurethane and polyisocyanurate industry. Specifically used in slabstock/bunstock processing of foam	(S) Soybean oil, mixed esters with diethylene glycol, phthalic acid and terephthalic acid
22- 0071	5	06/06/20	CBI	(G) Industrial Surfactant	(S) D-Glucopyranose, oligomeric, maleates, C9-11-alkyl glycosides, sulfonated, potassium salts
A P- 22-	5	06/06/20	CBI	(G) Industrial Surfactant	(S) D-Glucopyranose, oligomeric, maleates, decyl octyl glycosides, sulfonated, potassium salts

0072 A					
P- 22- 0073 A	5	06/06/20	СВІ	(G) Industrial Surfactant	(S) D-Glucopyranose, oligomeric, maleates, C10-16-alkyl glycosides, sulfonated, potassium salts
P- 22- 0125 A	4	06/05/20	СВІ	(G) corrosion inhibitor	(G) Isononanoylamidocaproic Acid
P- 22- 0125 A	5	06/22/20	CBI	(G) corrosion inhibitor	(G) Isononanoylamidocaproic Acid
P- 22- 0140 A	3	06/07/20	CBI	(G) Corrosion inhibitor	(G) 6-[(alkyl-1-oxohexyl)amino]-hexanoic acid, compd. with cyclohexylamine (1:1)
P- 23- 0013 A	2	06/26/20	Honeycomb Techno Research USA Inc.	(S) Epoxy molding compound for electronic device	(S) Phenol, polymer with 4,4'-bis(chloromethyl)-1,1'-biphenyl
P- 23- 0064 A	3	06/20/20 23	СВІ	(G) Component in aerospace coatings	(G) Alkanediol, substituted, polymer with diisocyanatoalkane, substituted heterocycle-modified
P- 23- 0066 A	3	06/01/20 23	СВІ	(G) An antioxidant additive	(G) alkylated phenyl-naphthalene amine
P- 23- 0066 A	4	06/13/20 23	CBI	(G) An antioxidant additive	(G) alkylated phenyl-naphthalene amine
P- 23- 0066 A	5	06/26/20	СВІ	(G) An antioxidant additive	(G) alkylated phenyl-naphthalene amine
P- 23- 0142	1	05/30/20	CBI	(G) Destructive Use	(G) Alkenal, 9-(acetyloxy)-, (E)-
P- 23- 0143	1	06/13/20 23	Sika Corporation	(S) Retarder for use in gypsum-based construction materials.	(S) L-Lysine, N-(3-carboxy-1-oxopropyl) derivs., sodium salts
P- 23- 0144	1	06/13/20 23	Sika Corporation	(S) Retarder for use in gypsum-based construction materials.	(S) L-Lysine, N-(3-carboxy-1-oxopropyl) derivs., calcium salts
P- 23- 0145	1	06/14/20 23	Engineered Bonded Structures and Composites	(S) Talathol PO3, the material for which this notice is filed, is intended to be used as a copolymer in the production of urethane foam or coating.	(G) Polyethylene terephthalate polyol
P- 23- 0147	1	06/16/20 23	СВІ	(G) Photolithography	(G) Sulfonium, tris(heteroatom-substituted carbomonocyclic), salt with polyhydro-polyfluoro-heteroatom-substituted alkyl heteropolycyclic-heteroatom-substituted aryl heteroatom-substituted benzoate (1:1)
P- 23- 0151	2	06/28/20	CBI	(G) Oil production	(G) amides, from polyalkylamine, dioic acid anhydride and alkyl fatty acids
P- 23- 0152	1	06/28/20	СВІ	(G) CMP slurry	(G) 1-Alkanethiol, 3-(trialkoxysilyl)- hydrolysis products with silica, oxidized
SN- 23- 0024	1	06/27/20 23	СВІ	(G) Component in batteries	(S) Phosphoric acid, iron(2+) lithium salt (1:1:1)
J-23- 0005		08/30/20 23	CBI	(G) Production of an enzyme	(G) Microorganisms transformed to express and enzyme
J-23- 0006		23	СВІ	(G) Production of an enzyme	(G) Microorganisms transformed to express and enzyme
P- 21-	4	09/25/20 23	СВІ	(G) Coating and adhesive ingredient	(G) Aliphatic Diisocyanate, homopolymer, aliphatic alcohol blocked

)143 4					
1- 215	2	09/01/20	Coventya, Inc.	(S) The PMN substance is used in a primarily aqueous alkaline electroplating solution that produces a nominal zinc (Zn) nickel (Ni) alloy deposit on iron bearing substrates	(S) Pyridinium, 3-carboxy-1-methyl-, inner salt
- 2- 011	5	08/24/20 23	Lord Corporation	(G) Functionalized rubber in resin side of two component epoxy modified acrylic adhesive	(G) Alkadiene, homopolymer, hydroxy-terminated, bis[N-[2-[(1-0x0-2-propen-1-yl)oxylethyl]carbamates]
- 2- 024	3	09/25/20 23	СВІ	(G) Ingredient in Industrial Coating	(G) Amino salt, polymer with 1,6- diisocyanatohexane, oxime- and glycol ether- blocked
- 2- 043	3	09/13/20 23	СВІ	(G) Intermediate	(G) Fatty acids, hydroxyethoxy ethyl esters
- 2- 151	7	08/28/20	СВІ	(G) Surfactant for commercial applications	(G) Glycolipids, sophorose-contg., yeast-fermented from glycerides and carbohydrates
2- 157	2	09/01/20	Evonik Corporation	(S) Polyurethane catalyst	(S) 1,2-Ethanediamine, N1,N2-dimethyl-N1-(1-methylethyl)-N2-[2-[methyl(1-methylethyl)amino]ethyl]-
- 2- 157	3	09/07/20	Evonik Corporation	(S) Polyurethane catalyst	(S) 1,2-Ethanediamine, N1,N2-dimethyl-N1-(1-methylethyl)-N2-[2-[methyl(1-methylethyl)amino]ethyl]-
- 2- 168	2	09/11/20 23	Colonial Chemical, Inc.	(S) The product is used as a reaction intermediate to make surfactant end-products. It is not sold commercially, or used outside of our manufacturing facility.	(G) Amides, alkyl, N-[3-(dimethylamino)propyl]
- 2- 168	3	09/25/20	Colonial Chemical, Inc.	(S) The product is used as a reaction intermediate to make surfactant end-products. It is not sold commercially, or used outside of our manufacturing facility.	(G) Amides, alkyl, N-[3-(dimethylamino)propyl]
2- 175	3	09/06/20	Wacker Chemical Corporation	(S) Polymer Resin Binder for composite stone (Engineered Stone)	(G) Modified Silsesquioxane, alkoxy-terminated
- 3- 022	2	09/08/20	Cabot Corporation	(G) Additive used in industrial applications	(G) Multi-walled carbon nanotubes
- 3- 023	2	09/08/20	Cabot Corporation	(G) Additive used in industrial applications.	(G) Multi-walled carbon nanotubes
3- 024	2	09/08/20	Cabot Corporation	(G) Additive used in industrial applications	(G) Multi-walled carbon nanotubes
- 3- 033	2	09/08/20	Cabot Corporation	(G) Additive used in industrial applications	(G) Multi-walled carbon nanotubes
- 3- 077	3	08/31/20	CBI	(G) Additive for industrial applications	(G) Alkanepolyoxy acid, alkyl substituted
- 3- 077	4	09/01/20	CBI	(G) Additive for industrial applications	(G) Alkanepolyoxy acid, alkyl substituted
3- 154	3	09/20/20	RWDC Industries	(G) The primary application areas for PHA are for food packaging and other uses where its biodegradable properties provide nontraditional end-of-use options.	(G) Vegetable oils, genetically modified Cupriavidus-fermented, polyhydroxyalkanoate copolymer
3- 163	2	09/06/20	СВІ	(G) Surface coating	(S) 1,2-Ethanediamine, N1-[3- (trimethoxysilyl)propyl]-, hydrolysis products with

					3-(trimethoxysilyl)-N-[3- (trimethoxysilyl)propyl]- propanamine, nitrates (salts)
- 3- 171	2	09/06/20	Interplastic Corporation	(G) Polyester Resin Additive	(S) 1,2,3-Propanetricarboxylic acid, 2-hydroxy-, octyl ester
P ₋ 23- 2172 A	2	09/13/20 23	СВІ	(G) Photolithography	(G) Sulfonium, tricarbocyclic-, alkylcarbomocyclic polyfluoro-heteropolycyclic-alkyl sulfonate (1:1), polymer with alkylaryl and carbomonocyclic alkyl alkanoate, di-Me 2,2'-(1,2-diazenediyl)bis[2-alkylalkanoate]-initiated
3- 175	2	09/27/20 23	CBI	(G) rinse material for photolithography	(G) Bis(fluoroalkylsubstituted) sulfonyl sulfonamid
3- 176	1	09/06/20	СВІ	(G) An ingredient used in the manufacture of photoresist	(G) Sulfonium, bis(dihalo carbomonocycle)carbomonocycle-, salt with dihalo sulfoalkyl trisubstituted benzoate
3- 177	2	09/19/20 23	Colonial Chemical, Inc.	(G) Corrosion inhibitor.	(G) fatty acids, vegetable oil, reaction products wit diethylenetriamine
3- 178	1	09/07/20 23	CBI	(S) Lens resins for photoelectric conversion adapters	(S) Benzenamine, 4,4'-(9H-fluoren-9-ylidene)bis-
P ₋ 23- 0179	1	09/08/20	СВІ	(G) An ingredient used in the manufacture of photoresist	(G) Sulfonium, bis(dihalocarbomonocycle)carbomonocycle-, salt with substituted-dihalobenzoate
)- 23- 2181	1	09/13/20 23	СВІ	(G) Used as adhesive	(G) Alkanedioic acid, polymer with mixed alkanediol, polyalkyl glycol, carbomonocycle carbomonocycle, alkane carbopolycycle diisocyana
9- 23- 2182	1	09/15/20 23	CBI	(G) Base oils in lubricants	(G) Cyclic ether, polymer with 2-methyloxirane an oxirane, monobutyl ether
- 3- 183	2	09/22/20 23	CBI	(G) Additive in paints, coatings and inks, paint removal formulations, wire coatings	(G) Ethyl Modified Lactam
3- 184	2	09/25/20 23	СВІ	(G) Intermediate	(G) Perfluorosulfonyl fluoride polymer, with perfluorodioxolane
9- 23- 2185	2	09/25/20 23	CBI	(G) Intermediate	(G) Perfluorosulfonic acid polymer, salt, with perfluorodioxolane
9- 23- 2186	2	09/25/20 23	CBI	(G) Dispersive Use	(G) Perfluorosulfonic acid polymer, with perfluorodioxolane
P- 23- 2187	1	09/21/20 23	CBI	(S) Polymer for use in powder and tablet laundry detergent formulations.	(G) Substituted benzenedicarboxylic acid, sodium salt, polymer with benzenedicarboxylic acids and 1,2-ethanediol
)- 23- 2188	2	09/27/20 23	CBI	(G) Destructive Use	(G) Alkenoic acid, 3-methyl-, 1,1-dimethyl-2- propen-1-yl ester; Alkenoic acid, 3-methyl-, 1,1- dimethyl-2-propen-1-yl ester;
)- 3- 189	1	09/25/20 23	CBI	(G) Component in polymers	(G) Dimethanocarbopolycycle, alkyl-polyhydro-
)- 23- 2191	1	09/25/20 23	CBI	(G) Photolithography	(G) Sulfonium, tricarbocyclic-, heteroatom- substituted-(halocarbocyclic)carboxylate (1:1)
1- 165	3	10/23/20 23	Colonial Chemical, Inc.	(S) anionic surfactant in cleaning products.	(S) D-Glucopyranose, oligomeric, C10-16-alkyl glycosides, 3-(3,4-dicarboxy-3-hydroxy-1-oxobutoxy)-2-hydroxypropyl ethers, sodium salts
	2	09/28/20	СВІ	(G) Catalyst system component	(G) Alkyldioic acid, bis(alkylalkyl)-, polyalkyl este
2- 023	3	10/13/20 23	CBI	(G) Catalyst system component	(G) Alkyldioic acid, bis(alkylalkyl)-, polyalkyl este
2- 040	4	10/16/20 23	CBI	(G) Component used in manufacture of high performance batteries	(S) Manganate(4-), hexakis(cyanokappa.C)-, manganese (2+) sodium, (OC-6-11)-

P- 22- 0041 A	4	10/16/20 23	CBI	(G) A component used in the manufacture of batteries	(S) Ferrate (-4), hexakis(cyanokappa.C)-, iron(3+) manganese(2+) sodium, (OC-6-11)-
P- 22- 0168 A	4	10/11/20 23	Colonial Chemical, Inc.	(S) The product is used as a reaction intermediate to make surfactant end-products. It is not sold commercially, or used outside of our manufacturing facility.	(G) Amides, alkyl, N-[3-(dimethylamino)propyl]
P- 23- 0134 A	4	10/11/20 23	СВІ	(G) Photoinitiator for UV curing of monomeric and oligomeric acrylate based printing inks	(S) Poly[oxy(methyl-1,2-ethanediyl)],alpha-hydro- omega-{[2-[(1-chloro-9-oxo-9H-thioxanthen-4- yl)oxy]acetyl]oxy}-,ether with 2,2- bis(hydroxymethyl)-1,3-propanediol (4:1)
P- 23- 0154 A	4	10/04/20 23	RWDC Industries	(G) The primary application areas for PHA are for food packaging and other uses where its biodegradable properties provide nontraditional end-of-use options.	(G) Vegetable oils, genetically modified Cupriavidus-fermented, polyhydroxyalkanoate copolymer
P- 23- 0165 A	4	09/29/20 23	CBI	(G) Production aide for the manufacturing of polymers.	(G) 2,3,3,3-tetrafluoro-2-[(polyfluoroalken-1-yl)oxy]-propanoic acid homopolymer
P- 23- 0168 A	3	10/13/20 23	Central Glass International, Inc.	(G) Battery production	(G) Sulfamoyl halide fluorophosphate salt
P- 23- 0192	1	09/27/20 23	Colonial Chemical, Inc.	(S) Metal working applications.	(G) Amides, fatty acid, N,N-bis(2-hydroxypropyl)
P- 23- 0193	1	09/27/20 23	СВІ	(G) Component of lenses used in electronic applications	(G) Substituted carbopolycyclic dicarboxylic acid dialkyl ester, polymer with alkanediol, carbopolycyclic bis(substituted carbopolycycle)bis[alkanol] and carbopolycyclic bis(substituted carbomonocycle)bis[alkanol],
P- 23- 0194	1	09/29/20 23	CBI	(G) Lubricant additive	(G) Amines, alkyl and alkenyl, 2-ethylhexyl phosphates
P- 24- 0004	1	10/05/20 23	CBI	(G) Plastic production aid	(G) Benzoylated amino acid salt,
P- 24- 0005	3	10/24/20 23	СВІ	(G) plastic article production	(G) Polycarbomonocyclic diol reaction products with cycloalkylcarbomonocycle and polysubstituted heteromonocycle
P- 24- 0005 A	4	10/25/20 23	CBI	(G) plastic article production	(G) Polycarbomonocyclic diol reaction products with cycloalkylcarbomonocycle and polysubstituted heteromonocycle
P- 24- 0005 A	5	10/25/20 23	СВІ	(G) plastic article production	(G) Polycarbomonocyclic diol reaction products with cycloalkylcarbomonocycle and polysubstituted heteromonocycle
P- 24- 0009	1	10/19/20 23	Chevron Phillips Chemical Company LP	(S) Heat transfer agent for direct, immersive liquid cooling of electronic components;(S) Synthetic base oil for use in lubricants;(S) Lubricity additive for drilling fluids	(S) Eicosane, branched and linear
P- 24- 0011	1	10/24/20 23	High Plains Bioenergy LLC	(S) Used as a component of fuels (e.g., gasoline, E85) to increase the vapor pressure; (S) Chemical intermediate use (e.g., petrochemical feedstock)	(S) Alkanes, C5-11-branched and linear
P- 24- 0013	1	10/26/20 23	Momentive Performance Materials	(S) Resin/binder in paint formulations for industrial coatings	(G) Siloxanes and Silicones, di-Me, hydroxy- terminated, polymers with 3-[[3-alkoxy-1- (alkoxycarbonyl)-3-oxoalkyl]heteroatom]propyl Me silsesquioxanes, alkoxy-terminated
SN- 21- 0006 A	3	10/30/20 23	Carbice	(S) For heat transfer, heat storage, thermal emission, and general temperature management in heat-generating systems such as electronics; (S) To improve mechanical properties or electrical conductiveness of other materials or products;(S) For light absorption properties;(S) Gap filling or sealing of opposing interfaces	(S) Multiwalled carbon nanotubes grown perpendicularly on an aluminum foil substrate using Fe catalyst.
J-23- 0006 A	2	09/26/20 23	СВІ	(G) Production of an enzyme	(G) Microorganisms transformed to express an enzyme
P- 22-	5	11/02/20 23	SOLUGEN INC	(G) Chemical intermediate, Additive	(S) D-Glucaric acid

0113 A					
P- 22- 0123 A	4	11/13/20 23	СВІ	(G) Mineral processing aid	(G) Propaneamine, 3-(alkyloxy)-, structural variants
P- 22- 0140 A	4	11/28/20 23	Colonial Chemical, Inc.	(G) Corrosion inhibitor	(G) 6-[(alkyl-1-oxohexyl)amino]-hexanoic acid, compd. with cyclohexylamine (1:1)
23- 0069	4	11/08/20 23	СВІ	(S) Encapsulating Shell Polymer for Fragrance; Encapsulates for Industrial or Household Consumer Products such as Detergents and Fabric Softeners	(G) Pisum sativum oil, glycerol, crosspolymer with linear and cyclic aliphatic isocyanates
24- 2001	1	10/03/20 23	Cabot Corporation	(G) Additive used in industrial applications	(G) Carbon Nanostructures, purified
P- 24- 0005 A	8	11/16/20 23	CBI	(G) plastic article production	(G) Polycarbomonocyclic diol reaction products with cycloalkylcarbomonocycle and polysubstituted heteromonocycle
P- 24- 0007	2	11/08/20 23	Kenrich Petrochemicals, Inc.	(S) Use as a dispersant for powders, all forms KR PTOA, CAPOW KR PTOA and CAPS KR PTOA.; Use as an adhesion promoter in adhesives and sealants all forms KR PTOA, CAPOW KR PTOA and CAPS KR PTOA.	(S) Titanium, branched and linear C16-18 and C18- unsatd. fatty acids iso-Pr alc. complexes
P- 24- 0024	1	11/08/20	Enchem America, LLC.	(G) Electrolyte additive.	(G) Heteroatom-substituted dihalo acid, methyl substituted-alkyl ester
P- 24- 0030	1	11/10/20 23	Barentz North America, LLC	(S) 2-Ethylhexylal currently has widespread use as a functional fluid in lubricants, greases, and other release products; 2-Ethylhexylal currently has widespread use in laboratories as a non-reactive processing aid with no inclusion into or onto the article.; 2-Ethylhexylal is also used in consumer products as a solvent or cosolvent in coating products.	(S) Heptane, 3,3'-[methylenebis(oxymethylene)]bis-(9CI, ACI)
P- 24- 0032	1	11/15/20 23	Equinor Marketing & Trading (US) Inc	(S) Hydrocarbon value for fuel applications (e.g., use in motor fuel, blending stock for other fuels)	(S) Naphtha (glyceridic), light catalytic cracked
J-24- 0001	1	12/13/20 23	СВІ	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae
J-24- 0002	1	12/13/20 23	СВІ	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae
P- 16- 0404 A	7	12/01/20 23	СВІ	(G) A colorant for dyeing various synthetic fibers and fabrics. Open, non-dispersive use.	(G) Alkyl ester, 2-({4-[2-(trisubstituted phenyl)azo]-5-acetamido-2-substitutedphenyl} (substituted alkoxy)amino)
P- 20- 0092 A	9	12/01/20 23	CBI	(G) Coloration of fabric	(G) Napthalenesulfonic acid, amino-hydroxy-bis [sulfo- [(sulfooxy)ethyl]sulfonyl]phenyl]diazinyl]-,potassiu m sodium salt
P- 22- 0002 A	5	12/06/20 23	Materion Advanced Chemicals	(G) This product is used for the manufacturing of electronic devices	(G) Metal Oxide Chloride
P- 22- 0011 A	6	12/20/20 23	СВІ	(G) Functionalized rubber in resin side of two component epoxy modified acrylic adhesive	(G) Alkadiene, homopolymer, hydroxy-terminated, bis[N-[2-[(1-0x0-2-propen-1-yl)oxylethyl]carbamates]
P- 22- 0113 A	6	12/12/20 23	Solugen Inc.	(G) Chemical intermediate, Additive	(S) D-Glucaric acid
P- 23- 0148	1	06/22/20 23	CBI	(G) Inert component in Pesticides	(G) Amylopectin, 2-hydroxypropyl ether, modified
P- 23- 0172 A	3	12/18/20 23	СВІ	(G) Photolithography	(G) Sulfonium, tricarbocyclic-, alkylcarbomonocyclic-polyfluoro-heteropolycyclic-alkyl sulfonate (1:1), polymer with alkylaryl and carbomonocyclic alkyl alkanoate, di-Me 2,2'-(1,2-diazenediyl)bis[2-alkylalkanoate]-initiated
P- 24-	2	12/19/20 23	СВІ	(S) Oilfield Production Scale Inhibitor	(G) Polymeric salt of Propenoic acid, Acrylamido- methylpropane sulfonic acid sodium salt,

0006					Hydroxyethyl methacrylate, Methyl methacrylate, Propenoic acid, methyl-, phosphinicobis(oxy- ethanediyl) ester, Sodium Metabisulfite
P- 24- 0016	3	11/29/20 23	Huntsman International, LLC	(S) Catalyst in 2-part polyurethane spray foam insulation application	(S) 2-Propanamine, N ,N '-(oxydi-2,1- ethanediyl)bis[N -methyl-
P- 24- 0034	1	11/27/20 23	Barentz North America, LLC	(S) Elcosol DM has widespread use as a non-reactive processing aid (no inclusion into or onto article), the substance is not included in the final article as it evaporates. There is no intended consumer use for this application. (S) In cleaning products, Elcosol DM has widespread use as a non-reactive processing aid (no inclusion into or onto article). The substance is not included in the final article it is recycled or recuperated for treatment/appropriate disposal; waters are treated through a biological sewage treatment process (STP). In consumer products the NCS is used as a solvent or cosolvent. (S) For use in laboratories, Elcosol DM is not included in the final article: it is recycled or recuperated for treatment/appropriate disposal, waters are treated through a biological sewage treatment process (STP). There is no consumer use of this NCS for this application. (S) Elcosol DM is used in consumer cleaning products as a solvent or cosolvent. The use of the substance by consumers is expected to fall under do-it yourself (DIY) cleaning products such as glue removers, paint strippers, hard stain removers.	(S) 2,5,7,10-Tetraoxaundecane, 4,8-dimethyl-
P- 24- 0036	3	12/18/20 23	CBI	(G) intermediate	(G) Poly(oxy-alkylene), alpha-alkenyl-omega- hydroxy-,
P- 24- 0040	2	12/15/20 23	Sudoc LLC	(G) Additive for commercial applications. Additive for non- spray commercial and consumer applications	(G) Metal, aqua[(alkylnitrocarbocyclepolyheteropolyheterocycl opolyalkane-ketone)-polyoxidato]-, metal
P- 24- 0042	1	12/15/20 23	СВІ	(G) An ingredient used in the manufacture of photoresist	(G) Sulfonium, bis(dihalocarbomonocycle)carbomonocycle-, salt with (dihalo-sulfoalkyl) (halo-substituted carbomonocycle) carbopolycycle
P- 24- 0043	1	12/19/20 23	Clariant Corporation	(S) Catalyst for use in petrochemical operations.	(S) Iron potassium oxide (FeKO2)
P- 24- 0044	1	12/21/20 23	СВІ	(G) Component in polyurethane and other thermoset resins	(G) Oxirane, 2-methyl-, polymer with oxirane, ether with N-[4-[[4-[bis(2-hydroxyethyl)amino]phenyl](2-substitutedphenyl)methylene]-2,5-cyclohexadien-1-ylidene]-2-hydroxy-N-(2-hydroxyethyl)ethanaminium inner salt (4:1)
P- 24- 0045	1	12/21/20 23	CBI	(G) Coating and Adhesives	(G) Cashew, nutshell liq., polymer with epichlorohydrin and glycol
SN- 22- 0007 A	6	12/29/20 23	Braven Environmental, LLC	(G) Product of Pyrolysis manufacturing.	(S) Waste plastics, pyrolyzed, C5-12 fraction
SN- 22- 0008 A	6	12/29/20 23	Braven Environmental, LLC	(G) Product of Pyrolysis Manufacturing.	(S) Waste plastics, pyrolyzed, C20-55 fraction
	6	12/29/20 23	Braven Environmental, LLC	(G) Product of Pyrolysis Manufacturing.	(S) Waste plastics, pyrolyzed, C9-20 fraction
J-24- 0001	2	01/19/20 24	СВІ	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae
J-24- 0002	2	01/19/20 24	СВІ	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae
	8		СВІ	(G) Intermediate	(G) Perfluorinated substituted 1,3-oxathiolane dioxide
	6	01/22/20 24	СВІ	(G) Intermediate	(G) Perfluorinated vinyl haloalkane sulfonate salt
	6	01/22/20 24	СВІ	(G) Intermediate	(G) Perfluorinated vinyl haloalkane sulfonyl halide

0034 A					
P- 22- 0002 A	6	01/05/20 24	Materion Advanced Chemicals	(G) This product is used for the manufacturing of electronic devices	(G) Metal Oxide Chloride
P- 22- 0169 A	4	01/24/20 24	Solugen Inc.	(G) Additive for consumer, commercial, and industrial applications	(G) Polycarboxylic acid, salt
P- 22- 0170 A	4	01/24/20 24	Solugen Inc.	(G) Additive for consumer, commercial, and industrial applications	(G) Polycarboxylic acid, salt
P- 22- 0171 A	4	01/24/20 24	Solugen Inc.	(G) Additive for consumer, commercial, and industrial applications	(G) Polycarboxylic acid, salt
P- 22- 0172 A	4	01/24/20 24	Solugen Inc.	(G) Additive for consumer, commercial, and industrial applications	(G) Polycarboxylic acid, salt
P- 22- 0173 A	4	01/24/20 24	Solugen Inc.	(G) Additive for consumer, commercial, and industrial applications	(G) Polycarboxylic acid, salt
	4	01/24/20 24	Solugen Inc.	(G) Additive for consumer, commercial, and industrial applications	(G) Polycarboxylic acid, salt
P- 23- 0001 A	2	01/23/20 24	Solugen Inc.	(G) Additive for industrial, and commercial applications	(G) Polycarboxylic acid, salt
P- 23- 0002 A	2	01/23/20 24	Solugen Inc.	(G) Additive for industrial, and commercial applications	(G) Polycarboxylic acid, salt
P- 23- 0003 A	2	01/23/20 24	Solugen Inc.	(G) Additive for industrial, and commercial applications	(G) Polycarboxylic acid, salt
P- 23- 0004 A	2	01/23/20 24	Solugen Inc.	(G) Additive for industrial, and commercial applications	(G) Polycarboxylic acid, salt
P- 23- 0005 A	2	01/23/20 24	Solugen Inc.	(G) Additive for industrial, and commercial applications	(G) Polycarboxylic acid, salt
P- 23- 0022 A	3	01/08/20 24	Cabot Corporation	(G) Additive used in industrial applications	(G) Multi-walled carbon nanotubes
P- 23- 0023 A	3	01/08/20 24	Cabot Corporation	(G) Additive used in industrial applications	(G) Multi-walled carbon nanotubes
P- 23- 0024 A	3	01/08/20 24	Cabot Corporation	(G) Additive used in industrial applications	(G) Multi-walled carbon nanotubes
P- 23- 0025 A	2	01/23/20 24	Solugen Inc.	(G) Additive for industrial, consumer, and commercial applications	(G) Polycarboxylic acid, salt
	2	01/23/20 24	Solugen Inc.	(G) Additive for industrial, consumer, and commercial applications	(G) Polycarboxylic acid, salt
P- 23-	2	01/23/20 24	Solugen Inc	(G) Additive for industrial, consumer, and commercial applications	(G) Polycarboxylic acid, salt

0027 A					
P- 23- 0033 A	3	01/08/20 24	Cabot Corporation	(G) Additive used in industrial applications	(G) Multi-walled carbon nanotubes
P- 23- 0117 A	4	12/29/20	Braven Environmental, LLC	(S) Feedstock blended into fuels and fuel blendstocks, (S) Chemical feedstock	(G) Waste plastics, pyrolyzed, condensate
P- 23- 0117 A	5	01/03/20 24	Braven Environmental, LLC	(S) Feedstock blended into fuels and fuel blendstocks, (S) Chemical feedstock	(G) Wa plastics, pyrolyzed, condensate
P- 23- 0149	3	01/16/20 24	СВІ	(S) This material is a catalyst.	(G) Dialkyltin Fatty acids ester
P- 24- 0001 A	2	01/10/20 24	Cabot Corporation	(G) Additive used in industrial applications	(G) Carbon Nanostructures, purified
P- 24- 0002	4	01/18/20 24	СВІ	(G) Photocurable coatings and inks	(G) Poly[oxy(methyl-1,2-ethanediyl)], alpha-hydro- omega-hydroxy-, ether with polyol (4:1), 2- propenoate
P- 24- 0003	3	01/09/20 24	СВІ	(G) Photocurable coatings and inks	(G) Poly[oxy(methyl-1,2 -ethanediyl)], alpha-hydro- omega-hydroxy-, ether with polyol (4:1), mono[2- [(9-oxo-9H-thioxanthen-2-yl)oxy]acetate] 2- propenoate
P- 24- 0018	2	11/22/20 23	СВІ	(G) Additives for lubricating oil	(G) Copolymer of alkyl methacrylate, alkyl(C=32) methacrylate, alkyl(C=28) methacrylate and oxygensubstituted alkyl methacrylate
P- 24- 0043 A	2	01/22/20 24	Clariant Corporation	(S) Catalyst for use in petrochemical operations.	(S) Iron potassium oxide (FeKO2)
P- 24- 0046	1	01/03/20 24	The Euclid Chemical Company	(S) Grinding aid used in cement manufacture	(G) Alkanol, alkoxyalkylimino, salt
P- 24- 0047	1	01/03/20 24	The Euclid Chemical Company	(S) Grinding aid used in cement manufacture	(G) Alkanol, nitrilo, salt
P- 24- 0048	1	01/05/20 24	СВІ	(G) Ingredient for consumer products	(G) Ethyl Octenenitrile
P- 24- 0067	1	01/11/20 24	Swan Chemical Inc.	(S) Rubber accelerator	(S) Methanethioic acid, 1,1'-tetrathiobis-, O1,O1'-bis(1-methylethyl) ester
P- 24- 0069	1	01/17/20 24	Soulbrain Mi	(S) Additive for use in battery electrolyte formulations.	(G) Oxa-thiaspiro alkane, oxide
P- 24- 0075	1	01/23/20 24	Allnex USA Inc.	(S) CYMEL NF 2264/87WA RESIN will be used as a water based formaldehyde free crosslinking additive for acid resistance.	(G) Carbamic acid, N, N', N"-1,3,5-triazine-2,4,6-tryltris-, mixed alkyl triesters
SN- 22- 0007 A	7	12/29/20 23	Braven Environmental, LLC	(G) Product of Pyrolysis Manufacturing.	(S) Waste plastics, pyrolyzed, C5-12 fraction
SN- 22- 0008 A	7	12/29/20 23	Braven Environmental, LLC	(G) Product of Pyrolysis Manufacturing.	(S) Waste plastics, pyrolyzed, C20-55 fraction
SN- 22- 0008 A	8	01/25/20 24	Braven Environmental, LLC	(G) Product of Pyrolysis Manufacturing.	(S) Waste plastics, pyrolyzed, C20-55 fraction
SN- 22- 0009 A	7	12/29/20 23	Braven Environmental, LLC	(G) Product of Pyrolysis Manufacturing.	(S) Waste plastics, pyrolyzed, C9-20 fraction
	2	01/29/20 24	CBI	(G) A component used in battery manufacture	(G) carbon

0002 A					
SN- 24- 0003	3	01/17/20 24	Diamond Green Diesel LLC	(S) Transportation Fuel, Feedstock for monomer production for polymer manufacturing, Product will be a renewable blend component of consumer transportation fuels	(S) Alkanes, C4-8-branched and linear
SN- 24- 0004	1	01/11/20 24	Olin Corporation	(G) Reactive diluent in coatings	(S) Oxirane, 2,2'-[1,6- hexanediylbis(oxymethylene)]bis-
J-24- 0001 A	3	01/29/20 24	СВІ	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae
J-24- 0002 A	3	01/29/20 24	СВІ	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae
J-24- 0009	2	02/01/20	СВІ	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae
J-24- 0010	2	02/01/20 24	СВІ	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae
J-24- 0011	2	02/01/20 24	СВІ	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae
J-24- 0012	2	02/01/20 24	СВІ	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae
J-24- 0013	2	02/01/20 24	CBI	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae
P- 18- 0326 A	13	02/07/20 24	СВІ	(G) Chemical Intermediate	(G) Alkanoic acid, alkyl ester, manuf. of, byproducts from, distn. residues
P- 22- 0113 A	8	02/02/20 24	Solugen Inc.	(G) Chemical intermediate, Additive for consumer, commercial, and industrial applications	(S) D-Glucaric acid
P- 22- 0157 A	4	02/13/20 24	Evonik Corporation	(S) Polyurethane catalyst	(S) 1,2-Ethanediamine, N1,N2-dimethyl-N1-(1-methylethyl)-N2-[2-[methyl(1-methylethyl)amino]ethyl]-
P- 22- 0157 A	5	02/13/20 24	Evonik Corporation	(S) Polyurethane catalyst	(S) 1,2-Ethanediamine, N1,N2-dimethyl-N1-(1-methylethyl)-N2-[2-[methyl(1-methylethyl)amino]ethyl]-
P- 22- 0158 A	2	02/08/20 24	Aqdot	(G) Additive used in consumer, commercial, and industrial applications.	(S) 1H,4H,14H,17H-2,16:3,15-Dimethano-5H,6H,7H,8H,9H,10H,11H,12H,13H,18H,19H,20H, 21H,22H,23H,24H,25H,26H-2,3,4a,5a,6a,7a,8a,9a,10a,11a,12a,13a,15,16,17a,18a, 19a,20a,21a,22a,23a,24a,25a,26a-tetracosaazabispentaleno[1",6":5",6",7"]cycloocta[1",2",3":3',4']pentaleno[1',6':5,6,7]cycloocta[1,2,3-gh:1',2',3'-g'h']cycloocta[1,2,3-cd:5,6,7-c'd']dipentalene-1,4,6,8,10,12,14,17,19,21,23,25-dodecone, dodecahydro-, stereoisomer;(S) 2,18:3,17-Dimethano-2,3,4a,5a,6a,7a,8a,9a,10a,11a,12a,13a,14a,15a,17,18, 19a,20a,21a,22a,23a,24a,25a,26a,27a,28a,29a,30aoct acosaazabispentaleno[1"",6"":5"",6"",7"]cycloocta[1"",2"",3":3',4"]pentaleno[1",6":5",6",7"]cycloocta[1",2',3'-gh]pentalene-1,4,6,8,10,12,14,16,19,21,23,25,27,29-tetradecone, tetradecahydro-, stereoisomer;(S) 2,20:3,19-Dimethano-2,3,4a,5a,6a,7a,8a,9a,10a,11a,12a,13a,14a,15a,16a,17a,19,20,21a,22a,23a,24a,25a,26a,27a,28a,29a,30a,31a,32a,33a,34adotriacontaazabispentaleno[1""",6"":5",6",7"]cycloocta[1",2",3":3",4"]pentaleno[1"",6"":5",6",7"]cycloocta[1",2",3":3",4"]pentaleno[1"",6":5,6,7]cycloocta[1,2,3-gh:1',2',3'-g'h']cycloocta[1,2,3-cd:5,6,7-c'd']dipentalene-1,4,6,8,10,12,14,16,18,21,23,25,27,29,31,33-hexadecone, hexadecahydro-, stereoisomer;
P- 22- 0158 A	3	02/20/20 24	Aqdot	(G) Additive used in consumer, commercial, and industrial applications.	(S) 1H,4H,14H,17H-2,16:3,15-Dimethano- 5H,6H,7H,8H,9H,10H,11H,12H,13H,18H,19H,20H, 21H,22H,23H,24H,25H,26H- 2,3,4a,5a,6a,7a,8a,9a,10a,11a,12a,13a,15,16,17a,18a,

					19a,20a,21a,22a,23a,24a,25a,26a- tetracosaazabispentaleno[1",6":5",6",7"]cycloocta[1" ,2",3":3',4']pentaleno[1',6':5,6,7]cycloocta[1,2,3- gh:1',2',3'-gh']cycloocta[1,2,3-cd:5,6,7- c'd']dipentalene-1,4,6,8,10,12,14,17,19,21,23,25- dodecone, dodecahydro-, stereoisomer;(S) 2,18:3,17- Dimethano- 2,3,4a,5a,6a,7a,8a,9a,10a,11a,12a,13a,14a,15a,17,18, 19a,20a,21a,22a,23a,24a,25a,26a,27a,28a,29a,30aoct acosaazabispentaleno[1"",6"":5"",6"",7""]cycloocta[1"",2"",3"":3"",4"]pentaleno[1",6":5",6",7"]cycloocta[1",2,3'':3',4']pentalene- 1,4,6,8,10,12,14,16,19,21,23,25,27,29-tetradecone, tetradecahydro-, stereoisomer;(S) 2,20:3,19- Dimethano- 2,3,4a,5a,6a,7a,8a,9a,10a,11a,12a,13a,14a,15a,16a,1 7a,19,20,21a,22a,23a,24a,25a,26a,27a,28a,29a,30a,3 1a,32a,33a,34adotriacontaazabispentaleno[1""",6"",5" "",5",6",7""]cycloocta[1"",2"",3"":3"",4"]pentaleno[1"",6"" "",5",6",7"]cycloocta[1",2",3":3',4"]pentaleno[1",6' "",5",6",7"]cycloocta[1,2,3-gh:1,2',3'-gh']cycloocta[1,2,3- cd:5,6,7-c'd']dipentalene- 1,4,6,8,10,12,14,16,18,21,23,25,27,29,31,33- hexadecone, hexadecahydro-, stereoisomer;
P- 22- 0169 A	5	02/23/20 24	Solugen Inc.	(G) Additive for industrial and commercial applications	(G) Polycarboxylic acid, salt
P- 22- 0169 A	6	02/29/20 24	Solugen Inc.	(G) Additive for industrial and commercial applications	(G) Polycarboxylic acid, salt
P- 22- 0170 A	5	02/23/20 24	Solugen Inc.	(G) Additive for industrial and commercial applications	(G) Polycarboxylic acid, salt
	6	02/29/20 24	Solugen Inc.	(G) Additive for industrial and commercial applications	(G) Polycarboxylic acid, salt
P- 22- 0171 A	5	02/23/20 24	Solugen Inc.	(G) Additive for industrial and commercial applications	(G) Polycarboxylic acid, salt
P- 22- 0171 A	6	02/29/20 24	Solugen Inc.	(G) Additive for industrial and commercial applications	(G) Polycarboxylic acid, salt
P- 22- 0172 A	5	02/23/20 24	Solugen Inc.	(G) Additive for industrial and commercial applications	(G) Polycarboxylic acid, salt
	6	02/29/20 24	Solugen Inc.	(G) Additive for industrial and commercial applications	(G) Polycarboxylic acid, salt
P- 22- 0173 A	5	02/23/20 24	Solugen Inc.	(G) Additive for consumer, commercial, and industrial applications	(G) Polycarboxylic acid, salt
P- 22- 0173 A	6	02/29/20 24	Solugen Inc.	(G) Additive for industrial and commercial applications	(G) Polycarboxylic acid, salt
P- 22- 0174	5	02/23/20 24	Solugen Inc.	(G) Additive for industrial and commercial applications	(G) Polycarboxylic acid, salt
P- 22- 0174	6	02/29/20 24	Solugen Inc.	(G) Additive for industrial and commercial applications	(G) Polycarboxylic acid, salt

P- 23- 0025 A	3	02/28/20 24	Solugen Inc.	(G) Additive for consumer, commercial, and industrial applications	(G) Polycarboxylic acid, salt
P- 23- 0026 A	3	02/28/20 24	Solugen Inc.	(G) Additive for consumer, commercial, and industrial applications	(G) Polycarboxylic acid, salt
P- 23- 0027 A	3	02/28/20 24	Solugen Inc.	(G) Additive for consumer, commercial, and industrial applications	(G) Polycarboxylic acid, salt
P- 23- 0101 A	7	02/20/20	СВІ	(G) Chemical intermediate	(G) Glycerides from fermentation of genetically modified microorganism, epoxidized,
P- 23- 0174 A	2	02/23/20 24	CBI	(G) Component used in battery manufacturing.	(G) Mixed metal oxide
P- 23- 0190	2	02/05/20 24	Soulbrain MI	(S) Additive for use in battery electrolyte formulations.	(G) Fluorophospholane, substituted, alkyl
P- 24- 0002 A	5	02/26/20 24	СВІ	(G) Photocurable coatings and inks, Ethoxylated/propoxylated trifunctional acrylate monomer	(G) Poly[oxy(methyl-1,2-ethanediyl)], alpha-hydro-omega-hydroxy-, ether with polyol (4:1), 2-propenoate
P- 24- 0006 A	3	02/08/20 24	СВІ	(S) Oilfield Production Scale Inhibitor	(G) Propenoic acid, methyl- [phosphinicobis(oxyethanediyl)] ester, telomer with methyl-methyl-propenoate, (phosphonooxy) ethyl methyl-propenoate, propenoic acid, sodium methyl-[(oxopropen-yl) amino]-propanesulfonate and sodium sulfite, sodium salt, peroxydisulfuric acid sodium salt -initiated
P- 24- 0006 A	5	02/12/20 24	СВІ	(S) Oilfield Production Scale Inhibitor	(G) Propenoic acid, methyl- [phosphinicobis(oxyethanediyl)] ester, telomer with methyl-methyl-propenoate, (phosphonooxy) ethyl methyl-propenoate, propenoic acid, sodium methyl-[(oxopropen-yl) amino]-propanesulfonate and sodium sulfite, sodium salt, peroxydisulfuric acid sodium salt -initiated
P- 24- 0006 A	6	02/15/20 24	СВІ	(S) Oilfield Production Scale Inhibitor	(G) Propenoic acid, methyl- [phosphinicobis(oxyethanediyl)] ester, telomer with methyl-methyl-propenoate, (phosphonooxy) ethyl methyl-propenoate, propenoic acid, sodium methyl-[(oxopropen-yl) amino]-propanesulfonate and sodium sulfite, sodium salt, peroxydisulfuric acid sodium salt -initiated
P- 24- 0049	2	02/20/20 24	CBI	(G) Additive in paving applications	(G) Heteromonocyclic functionalized fatty amides
P- 24- 0050	2	02/20/20 24	СВІ	(G) Additives in oilfield applications	(G) Sodium salts of functionalized fatty acids
P- 24- 0051	2	02/20/20 24	СВІ	(G) Additive in oilfield applications	(G) Functionalized fatty amidoamine
P- 24- 0052	2	02/21/20 24	СВІ	(G) Chemical precursor	(G) Functionalized fatty acids
P- 24- 0053	1	01/08/20 24	СВІ	(G) Additive in paving applications	(G) Fatty acid polyamine condensate
P- 24- 0054	1	01/08/20 24	СВІ	(G) Additive in paving applications	(G) Fatty acid polyamine condensate
P- 24- 0055	1	01/08/20 24	СВІ	(G) Additive in paving applications	(G) Fatty acid polyamine condensate
P- 24- 0056	1	01/08/20 24	CBI	(G) Additive in paving applications	(G) Fatty acid polyamine condensate

P- 24- 0057	3	02/20/20 24	CBI	(G) Chemical precursor	(G) Fatty amidoamine
P- 24- 0058	2	02/20/20 24	СВІ	(G) Additive in paving applications	(G) Functionalized fatty acids, reaction products with alkene polyamines
P- 24- 0059	2	02/20/20 24	СВІ	(G) Additive in paving applications.	(G) Functionalized fatty acids, reaction products with alkene polyamines
P- 24- 0060	2	СВІ	(G) Additive in oilfield applications	(G) Ammonium salts of functionalized fatty acid esters	
P- 24- 0061	2	02/20/20 24	СВІ	(G) Additive in oilfield applications	(G) Potassium salts of functionalized fatty acid esters
P- 24- 0066	1	01/12/20 24	Flint Hills Resources	(S) Raw material in Emulsified Asphalt Production	(G) Fatty acid polyamine condensate, hydrochlorides
P- 24- 0070	2	02/12/20 24	СВІ	(S) Adhesive Sealant Foam for use in the construction and DIY (do it yourself) applications.	(G) Aryl-dicarboxylic acid, polymer with alkanedioic acid, 2,2-oxypoly[alkanol], polymethylenepolyphenylene isocyanate and alkane diol
P- 24- 0070 A	3	02/21/20 24	СВІ	(S) Adhesive Sealant Foam for use in the construction and DIY (do it yourself) applications.	(G) Aryl-dicarboxylic acid, polymer with alkanedioic acid, 2,2-oxypoly[alkanol], polymethylenepolyphenylene isocyanate and alkane diol
P- 24- 0071	3	02/15/20 24	CBI	(G) Wetting agent	(G) sulfonyl carbamate of ethoxylated fatty alcohol
P- 24- 0072	3	02/15/20 24	CBI	(G) Wetting agent	(G) sulfonyl carbamate of ethoxylated alkyl alcohol
P- 24- 0073	3	02/15/20 24	CBI	(G) Wetting agent	(G) secondary alcohol ethoxylate of sulfonyl carbamate
P- 24- 0074	3	02/15/20 24	CBI	(G) Wetting agent	(G) secondary alcohol ethoxylate of sulfonyl carbamate
P- 24- 0076	2	02/12/20 24	Crison, LLC	(S) Mining Collector, Asphalt Emulsifier	(S) Poly[oxy(methyl-1,2-ethanediyl)], alpha-[3-[(3-aminopropyl)amino]propyl]-omega-(1-methylethoxy)-
P- 24- 0076 A	4	02/20/20 24	Crison, LLC	(S) Mining Collector, Asphalt Emulsifier	(S) Poly[oxy(methyl-1,2-ethanediyl)], alpha-[3-[(3-aminopropyl)amino]propyl]-omega-(1-methylethoxy)-
P- 24- 0077	2	02/12/20 24	Crison, LLC	(S) Mining Collector, Asphalt Emulsifier	(S) Poly[oxy(methyl-1,2-ethanediyl)], -[3-[(3-aminopropyl)amino]propyl]propoxy-
P- 24- 0077 A	4	02/20/20 24	Crison, LLC	(S) Mining Collector, Asphalt Emulsifier	(S) Poly[oxy(methyl-1,2-ethanediyl)], alpha-[3-[(3-aminopropyl)amino]propyl]-omega-propoxy-
P- 24- 0078	2	02/12/20 24	Crison, LLC	(S) Mining Collector, Asphalt Emulsifier	(S) Poly[oxy(methyl-1,2-ethanediyl)], alpha-[3-[(3-aminopropyl)amino]propyl]-omega-butoxy-
P- 24- 0078 A	4	02/20/20 24	Crison, LLC	(S) Mining Collector, Asphalt Emulsifier	(S) Poly[oxy(methyl-1,2-ethanediyl)], alpha-[3-[(3-aminopropyl)amino]propyl]-omega-butoxy-
P- 24- 0079	3	02/09/20 24	СВІ	(G) Fuel Additive	(G) Alkyated succinimide
P- 24- 0082	2	02/21/20 24	СВІ	(G) Additive used in 3D printing ink formulations.	(S) 2-Propenoic acid, 3-bromo-2,2-bis(bromomethyl)propyl ester
P- 24- 0084	1	02/22/20 24	СВІ	(G) Coating, Coating ingredient	(G) Polymer of dicarboxylic acid, aliphatic diols with cycloaliphatic diisocyanate, hydroxyethyl acrylate-blocked
P- 24- 0088	1	02/26/20 24	HSAGP Energy LLC	(G) Substance for use in the manufacture of battery components.	(G) Mixed metal oxide

J-24- 0009 A	3	03/05/20 24	CBI	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae
J-24- 0010 A	3	03/05/20 24	СВІ	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae
J-24- 0011 A	3	03/05/20 24	СВІ	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae
J-24- 0012 A	3	03/05/20 24	СВІ	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae strain
J-24- 0013 A	3	03/05/20 24	СВІ	(G) Chemical production	(G) Chromosomally-modified Saccharomyces cerevisiae
P- 18- 0065 A	3	03/14/20 24	Evonik Corporation	(S) Absorption agent,	(S) 1,3-Propanediamine, N1,N1-dimethyl-N3-(2,2,6,6-tetramethyl-4-piperidinyl)-
				lab reagent	
P- 22- 0014 A	6	03/18/20 24	Colonial Chemical, Inc.	(G) precursor	(G) sodium bis(chloropropanediol) phosphate
P- 22- 0157 A	6	03/25/20 24	Evonik Corporation	(S) Polyurethane catalyst	(S) 1,2-Ethanediamine, N1,N2-dimethyl-N1-(1-methylethyl)-N2-[2-[methyl(1-methylethyl)amino]ethyl]-
P- 22- 0176 A	4	03/14/20 24	Colonial Chemical, Inc.	(G) Corrosion inhibitor.	(G) 6-[(alkyl-1-oxohexyl)amino]-hexanoic acid, compd. with 2,2',2"-nitrilotris[ethanol] (1:1)
P- 23- 0086 A	6	03/04/20 24	СВІ	(G) Additive for surfactant performance enhancement.	(S) 1,2-Benzisothiazole, 3-methyl-,1,1-dioxide
P- 23- 0096	4	03/08/20 24	CBI	(G) Open, non-dispersive use, additive for packaging industry	(S) Rosin, fumarated, polymer with adipic acid and glycerol
P- 23- 0174 A	3	03/08/20 24	СВІ	(G) Component used in battery manufacturing.	(G) Mixed metal oxide
P- 23- 0174 A	4	03/18/20 24	CBI	(G) Component used in battery manufacturing.	(G) Mixed metal oxide
P- 23- 0174 A	5	03/20/20 24	CBI	(G) Component used in battery manufacturing.	(G) Mixed metal oxide
P- 24- 0025	1	11/09/20 23	СВІ	(G) Paving chemical additive	(G) Functionalized fatty acids, reaction products with alkene polyamines, hydrochlorides
P- 24- 0038	1	12/13/20 23	СВІ	(G) Ingredient for consumer products	(S) bicyclo(2.2.1)hept-5-en-2-ol,acetate
P- 24- 0062	1	01/11/20 24	Flint Hills Resources	(S) Raw material in Emulsified Asphalt Production	(G) Fatty acids, reaction products with alkene polyamine, hydrochlorides
P- 24- 0063	1	01/11/20 24	Flint Hills Resources	(S) Raw material in Emulsified Asphalt Production	(G) Fatty acids, reaction products with alkene polyamine, hydrochlorides
P- 24- 0064	1	01/11/20 24	Flint Hills Resources	(S) Raw material in Emulsified Asphalt Production	(G) Fatty acids, reaction products with alkene polyamine, hydrochlorides
P- 24- 0065	1	01/11/20 24	Flint Hills Resources	(S) Raw material in Emulsified Asphalt Production	(G) Fatty acids, reaction products with alkene polyamine, hydrochlorides
P- 24-	1	01/16/20 24	Flint Hills Resources	(S) Raw material in Emulsified Asphalt Production	(G) Functionalized fatty acids, reaction products with alkene polyamines, hydrochlorides

0068					
P- 24- 0080	2	03/19/20 24	Seppic	(S) Function: Non- ionic surfactant for industrial uses and bio manufacturing process Applications: HI &I Plant protection products; Fire- fighting foam; Detergents; Oilfield; Paper and textile.	(S) D-glucoside, undecyl
P- 24- 0081	2	02/29/20 24	СВІ	(G) Adhesive binder	(S) Heptyl 2-cyanoacrylate
P- 24- 0081 A	3	03/18/20 24	СВІ	(G) Adhesive binder	(S) Heptyl 2-cyanoacrylate
P- 24- 0088 A	2	03/27/20 24	HSAGP Energy LLC	(G) Substance for use in the manufacture of battery components.	(G) Mixed metal oxide
P- 24- 0089	1	03/05/20 24	СВІ	(S) Additive for electrochemical cell manufacturing	(S) 1H -Imidazole-4,5-dicarbonitrile, 2- (trifluoromethyl)-, lithium salt (1:1)
P- 24- 0090		03/05/20 24	AlzChem LLC	(S) Manure additive	(S) Glycine, N-(aminoiminomethyl)-, manuf. of, by-products from
P- 24- 0092	1	03/05/20 24	Colonial Chemical, Inc.	(G) Used in personal care products.	(G) Fatty acid reaction products with diisopropanolamine
P- 24- 0093	1	03/08/20 24	Evonik Corporation	(S) Surfactant in laundry detergent, hard surface cleaner, manual/hand dish detergent	(G) Rhamnolipids, modified pseudomonas- fermented, from dextrose, salts
P- 24- 0094	1	03/08/20 24	Evonik Corporation	(S) Surfactant in laundry detergent, hard surface cleaner, manual/hand dish detergent	(G) Rhamnolipids, modified pseudomonas- fermented, from dextrose, salts
P- 24- 0095	1	03/08/20 24	Evonik Corporation	(S) Surfactant in laundry detergent, hard surface cleaner, manual/hand dish detergent	(G) Rhamnolipids, modified pseudomonas- fermented, from dextrose, salts
P- 24- 0096	1	03/08/20 24	Evonik Corporation	(S) Surfactant in laundry detergent, hard surface cleaner, manual/hand dish detergent	(G) Rhamnolipids, modified pseduomonas- fermented, from dextrose, salts
P- 24- 0097	1	03/08/20 24	CBI	(G) Contained use for microlithography for electronic device manufacturing	(G) Sulfonium, tris(4-fluorophenyl)-, (substitutedphenoxy)alkyl substitutedbenzoate (1:1)
P- 24- 0098	2	03/18/20 24	СВІ	(G) Contained use for microlithography for electronic device manufacturing	(G) Substitutedheterocyclic onium compound, salt with fluoropolysubstitutedalkyl substitutedtricycloalkane carboxylate (1:1), polymer with 4-ethenyl-2-methoxylphenol and fluorosubstitutedaromaticalkyl 2-methyl-2-propenoate, di-Me 2,2'-(1,2-diazenediyl)bis[2-methylpropanoate]-initiated
P- 24- 0099		03/14/20 24	CBI	(G) Printing additive	(G) Saturated and unsaturated hydrocarbon waxes, oxidized, polymers with alkenoic acid, alkanedioic acid, substituted carbomonocycle, alkyl alkenoate, alkenyl substituted substituted heteromonocycle, alkylene glycol, alkyl alkenoate, alkenedioic acid, polyalkylene glycol ether with substituted carbomonocycle (alkylidene)bis-, polyalkylene glycol ether with substituted carbomonocycle (alkylidene)bis-, alkanoic acid, alkyl alkenoate, disubstituted carbomonocycle, substituted heteropolycycle, alkyl peroxide-initiated
P- 24- 0100	1	03/13/20 24	СВІ	(G) Wetting agent	(G) sulfonyl carbamate of propoxylated alkyl alcohol
P- 24- 0101		03/13/20 24	CBI	(G) Wetting agent	(G) sulfonyl carbamate of ethoxy/propoxylated alkyl alcohol ethoxy
P- 24- 0102	2	03/26/20 24	H.B. Fuller Company	(S) Industrial Adhesive	(G) Polyester polymer with polyether polymer and 1,1'-methylenebis[4-isocyanatobenzene]
P- 24- 0103	2	03/26/20 24	H.B. Fuller Company	(S) Industrial Adhesive	(G) Polyester polymer with polyether polymer and 1,1'-methylenebis[isocyanatobenzene]
Case No.		Received date	Manufacturer	Use	Chemical Substance

J-24- 0005	1	04/23/20 24	Cargill, Incorporated	(G) Production of biofuel	(G) Biofuel-producing modified microorganism(s), with chromosomally-borne modifications
J-24- 0006	1	04/23/20 24	Cargill, Incorporated	(G) Production of biofuel	(G) Biofuel-producing modified microorganism(s), with chromosomally-borne modifications
J-24- 0007	1	04/23/20 24	Cargill, Incorporated	(G) Production of biofuel	(G) Biofuel-producing modified microorganism(s), with chromosomally-borne modifications
J-24- 0008		04/23/20 24	Cargill, Incorporated	(G) Production of biofuel	(G) Biofuel-producing modified microorganism(s), with chromosomally-borne modifications
P- 20- 0144 A	6	05/08/20 24	CBI	(G) Asphalt emulsion applications	(S) Fatty acids, soya, reaction products with polyethylenepolyamines
P- 21- 0165	1	05/02/20 24	Colonial Chemical, Inc.	(S) anionic surfactant in cleaning products.	(S) D-Glucopyranose, oligomeric, C10-16-alkyl glycosides, 3-(3,4-dicarboxy-3-hydroxy-1-oxobutoxy)-2-hydroxypropyl ethers, sodium salts
P- 23- 0084	1	05/02/20 24	Colonial Chemical, Inc.	(S) Institutional cleaning products, hard surface cleaners, and cleaning in place applications.	(G) amides, vegetable oil, hydroxylated amine
P- 23- 0085	1	05/02/20 24	Colonial Chemical, Inc.	(S) Institutional cleaning products, hard surface cleaners, and cleaning in place applications.	(G) amides, soya, hydroxylated amine
P- 23- 0173 A	2	05/10/20 24	СВІ	(G) Component used in battery manufacturing.	(G) Cellulose, alkoxyalkyl ether, alkali metal salt
P- 23- 0173 A	3	05/28/20 24	СВІ	(G) Component used in battery manufacturing.	(G) Cellulose, alkoxyalkyl ether, alkali metal salt
P- 23- 0174 A	10	05/28/20 24	СВІ	(G) Component used in battery manufacturing.	(G) Mixed metal oxide
P- 24- 0027	5	05/29/20 24	Mikros Biochem	(S) Surfactant for cleaners	(S) Fatty acids, C8-14, 2,3-diesters with rel-(2R, 3S)-2,3,4-trihydroxybutyl Beta-D-mannopyranoside acetate
P- 24- 0092	1	05/02/20 24	Colonial Chemical, Inc.	(S) Institutional cleaning products, hard surface cleaners, and cleaning in place applications.	(G) Fatty acid reaction products with diisopropanolamine
P- 24- 0111 A	3	05/24/20 24	СВІ	(S) Hardener for use in paints, coatings, and adhesives.	(G) Formaldehyde, polymer with aminoalkyl- (aminoalkyl)amino(alkyl)-alkaneamine, alkanediylbis(oxyalkylene)(oxirane), 4,4'-(1- methylethylidene)bis[phenol] and 2,2'-[(1- methylethylidene)bis(4,1- phenyleneoxymethylene)]bis[oxirane], modified with (aminoalkyl)amino(alkyl)amino-phenoxy- alkanol and alkyl modified-ether, salts
P- 24- 0113 A	3	05/08/20 24	СВІ	(S) Adhesion and curing agent for use in paints and adhesives.	(G) Epoxidized D-glucitol
P- 24- 0116	2	05/09/20	CBI	(G) For use in coatings for metal parts	(G) Phenol, 4,4-(1-alkylidene)bis-, polymer with 2-(chloromethyl)oxirane, 4-alkylphenyl ether, reaction products with alkylpolyamine and 2-(alkylamino)alkanol, hydrolyzed, alkanesulfonates (salts)
P- 24- 0117	2	05/09/20 24	СВІ	(G) For use in coatings for metal parts	(G) Alkanoic acid, compds. with hydrolyzed bisphenol-epichlorohydrin polymer 4-alkylphenyl ether- alkylpolyamine and 2-(alkylamino)alkanol reaction products
P- 24- 0118	2	05/09/20 24	СВІ	(G) For use in coatings for metal parts	(G) Alkanoic acid, compds. with [(aminoalkyl)imino]bis[alkanol]-bisphenol-epichlorohydrin polymer 4-alkylphenyl ether - 2-(alkylamino)alkanol reaction products
P- 24- 0119	2	05/09/20 24	СВІ	(G) For use in coatings for metal parts	(G) Amidosulfonic acid, compds. with with [(aminoalkyl)imino]bis[alkanol]-bisphenol-epichlorohydrin polymer 4-alkylphenyl ether - 2-(alkylamino)alkanol reaction products
P- 24- 0120	2	05/09/20 24	СВІ	(G) For use in coatings for metal parts	(G) Alkanoic acid, compds. with hydrolyzed bisphenol-monoalkylamine-epichlorohydrin polymer 4-alkylphenyl ether- alkylpolyamine and 2-(alkylamino)alkanol reaction products

P- 24- 0121	2	05/09/20	СВІ	(G) For use in coatings for metal parts	(G) Phenol, 4,4-(1-alkylidene)bis-, polymer with 2-(chloromethyl)oxirane and monoalkanamine, 4-alkylphenyl ether, reaction products with alkylpolyamine and 2-(alkylamino)alkanol, hydrolyzed, alkanesulfonates (salts)
P- 24- 0127	2	05/14/20 24	СВІ	(S) Hardener for use in paints, coatings, and adhesives.	(G) Phenol, polymer with bisphenol A, modified bisphenol A, epichlorohydrin, modified phenoxyalkyl and alkylamine, acetate (salt)
P- 24- 0128	3	05/29/20 24	СВІ	(S) Chemical intermediate	(G) Tetramethyldisiloxanediylbis[propylcarbonyl]
P- 24- 0130 A	2	05/13/20 24	СВІ	(S) Sulfur Scavenger	(G) poly(alkoxy)alkanol
P- 24- 0133	2	05/02/20 24	Wacker Chemical Corporation	(G) Thread and textile treatment	(S) Siloxanes and Silicones, di-Me, hydrogen- terminated, polymers with 1,6-diisocyanatohexane and polyethylene glycol monoallyl ether, N3-[3- (dimethylamino)propyl]-N1,N1-dimethyl-1,3- propanediamine-blocked
P- 24- 0135 A	3	05/02/20 24	ArrMaz Products Inc.	(S) Anti-caking additive.	(S) Phosphoric acid, mono- and di-C16-18-alkyl esters
P- 24- 0136	3	05/28/20 24	СВІ	(G) Crosslinking polymer	(G) Siloxanes and Silicones, di-Me, polymers with silicic acid, [(ethenyldimethylsilyl)oxyl]-terminated, reaction products with [(alkoxysilyl)ethyl]siloxane and [(alkoxysilyl)ethyl]siloxane
P- 24- 0139	3	05/14/20	СВІ	(G) Automotive refinish coating	(G) Maleic acid, dibutyl ester, reaction products with isophoronediamine-5-isocyanato-1- (isocyanatomethyl)-1,3,3-trimethylcyclohexane-trimethylolpropane triacrylate polymer, di-Bu maleate and di-Et maleate
P- 24- 0141	2	05/01/20 24	СВІ	(G) Fuel additive	(G) 2-Propenoic acid, reaction products with alkylamine
P- 24- 0142	1	04/21/20 24	Samsung SDI America Inc.	(S) Leveling agent used in semiconductor manufacturing.	(G) 2-alkenoic acid fluorinated ester, polymer with alkyloxirane homopolymer monoether with 1,2-alkanediol, mono-alkenoate, alkylperoxoateinitiated
P- 24- 0144	2	05/13/20 24	CBI	(G) Industrial Raw Material	(G) Unsaturated carboxylic acid copolymer with 2- Methyl substituted poly(ethylene glycol) diol
P- 24- 0145	3	05/14/20 24	СВІ	(G) Automotive refinish coating	(G) 2-Butenedioic acid (2Z)-, 1,4-bis(2-ethylhexyl) ester, reaction products with 5-amino-1,3,3-trimethylcyclohexanemethanamine-hexamethylene diacrylate-isophorone diisocyanate polymer and di-Bu maleate
P- 24- 0145 A	4	05/24/20 24	СВІ	(G) Automotive refinish coating	(G) 2-Butenedioic acid (2Z)-, 1,4-bis(2-ethylhexyl) ester, reaction products with 5-amino-1,3,3-trimethylcyclohexanemethanamine-hexamethylene diacrylate-isophorone diisocyanate polymer and di-Bu maleate
P- 24- 0147	1	05/02/20 24	CBI	(G) Component used in drilling operations	(G) Vinylhalo dialkylester, Vinylhalo dialkylester, Vinylhalo dialkylester;
P- 24- 0148	1	05/06/20 24	СВІ	(G) Display Material	(G) substituted polyphenyl, alkyl-fluoro-alkyl
P- 24- 0149	1	05/06/20 24	СВІ	(G) Display Material	(G) Substituted polyphenyl, alkyl-polyfluoro-alkyl-
P- 24- 0150	1	05/06/20 24	CBI	(G) Display Material	(G) substituted polyphenyl, alkyl-alkyl-polyfluoro-
P- 24- 0151	1	05/06/20 24	CBI	(G) Display Material	(G) Substituted polyphenyl, alkyl-alkyl-fluoro-
P- 24- 0152	1	05/08/20 24	CBI	(G) Display Material	(G) phenyl carboxylic acid, alkylcycloalkyl, phenylalkanediyl ester
P- 22-	3	06/07/20	Takasago	(S) This polymer constitutes the wall of microcapsules containing fragrance that can be used in different home-care	(S) Cellulose, polymer with 1,1'-[2-ethyl-2-[(3-mercapto-1-oxopropoxy)methyl]-1,3-propanediyl]

0126 A				and personal-care applications.	bis(3-mercaptopropanoate) and 1,2,3-propanetriol bis(2-methyl-2-propenoate), peroxydisulfuric acid ([(HO)S(O)2]2O2) ammonium salt (1:2)- and sodium (disulfite) (2:1)-initiated
P- 22- 0149 A	4	06/14/20 24	Colonial Chemical, Inc.	(S) All-purpose hard surface cleaner, Low foam floor scrubber, Spray Metal Cleaning Concentrate.	(S) Hexanoic acid, 3,5,5-trimethyl-, sodium salt (1:1)
P- 23- 0150 A	6	06/19/20 24	СВІ	(G) Industrial use for roll-on, brushing, and spray application.	(G) Branched Glycidyl Ester and Bisphenol Glycidyl Ether polymer adduct with Aralkyl Diamine
P- 24- 0013 A	2	06/13/20 24	Momentive Performance Materials	(S) Resin/binder in paint formulations for industrial coatings	(G) Siloxanes and Silicones, di-Me, hydroxy-terminated, polymers with 3-[[3-alkoxy-1-(alkoxycarbonyl)-3-oxoalkyl]heteroatom]propyl Me silsesquioxanes, alkoxy-terminated
P- 24- 0040 A	3	06/20/20 24	Sudoc LLC	(G) Additive for commercial, non-spray commercial and consumer applications	(G) Metal, aqua[(alkylnitrocarbocyclepolyheteropolyheterocyclopolyalkane-ketone)-polyoxidato]-, metal
P- 24- 0083	3	06/21/20 24	СВІ	(G) Ingredient for cleaning products	(G) Branched alcohol alkoxylate
P- 24- 0085 A	3	06/04/20 24	Luna Labs	(S) Curative for polyurethane sealant	(S) Siloxanes and Silicones, di-Me, 3-[[[[4-[(4-isocyanantocyclohexyl)methyl] cyclohexyl] amino] carbonyl] oxy] propyl group terminated
P- 24- 0110 A	2	05/31/20 24	US Paint Corp.	(G) Component of coating	(G) Alkyl fatty acids, polymers with substituted alkene, heteromonocyclic alkenoate, substituted heteropolycyclic, substituted alkyl alkenoate, substituted alkanoic acid, carbomonocyclic dicarboxylic acid, alkyl alkenoate, alkyl alkenoate, alkenoic acid, substituted carbomonocycle, and trisubstituted alkyl, alkyl substituted alkyl alkanoate and substituted bis alkylalkanenitrile-initiated
P- 24- 0114 A	2	05/31/20 24	HPC Holdings, Inc.	(G) Chemical Intermediate	(S) 1,3-Butanediol, 4,4,4-trifluoro-3- (trifluoromethyl)-
P- 24- 0125	1	04/17/20 24	СВІ	(G) Plasticizer Additive	(G) Dialkyl carbomonocyclodiate
P- 24- 0128	4	06/06/20 24	СВІ	(S) Chemical intermediate	(G) Tetramethyldisiloxanediylbis[propylcarbonyl]
P- 24- 0132	2	06/11/20 24	CBI	(G) Sizing agent	(S) Sunflower oil, oleic acid-high, maleated
A P- 24- 0137	1	04/19/20 24	KAO Specialties Americas LLC	(G) Component of liquid detergent	(G) Alkene, reaction products with oxide, hydrolyzed, alkali metal salts,
P- 24- 0160 A	2	06/05/20 24	СВІ	(G) Photoacid generator use at customer sites	(G) Iodonium, bis(dialkyl carbomonocycle) salt with alkyl carbomonocycle hetero-acid
P- 24- 0163	2	06/13/20 24	CBI	(G) Gas adsorption cartridges. Protective Garments.	(G) Transition metal polykis (heteroatom substituted carbomonocycle), hydroxy- oxo-
A P- 24- 0164	1	06/13/20 24	Huntsman International, LLC	(S) Intermediate in the production of a catalyst	(S) 2-Propanamine, N, N'-(oxydi-2,1-ethanediyl)bis-
P- 24- 0166	1	06/24/20 24	Nagase America LLC	(S) Heat transfer fluid in a cooling system for a reaction chamber	(S) Pentane, 1,1,2,2,3,3,4,4-octafluoro-5-(1,1,2,2-tetrafluoroethoxy)-
P- 20- 0031	1	СВІ	(G) Intermediate	(G) Perfluorinated substituted 1,3-oxathiolane dioxide	<u>'</u>

P- 20- 0033	1	СВІ	(G) Intermediate	(G) Perfluorinated vinyl haloalkane sulfonate salt	
P- 20- 0034	1	07/17/20 24	СВІ	(G) Intermediate	(G) Perfluorinated vinyl haloalkane sulfonyl halide
P- 23- 0014	1	07/22/20 24	CBI		(G) [Polyalkyl-methylenepolyhydro-polycyclic]alkyl acetate
P- 23- 0177 A	3	07/19/20 24	Colonial Chemical, Inc.	(G) Corrosion inhibitor.	(G) fatty acids, vegetable oil, reaction products with diethylenetriamine
	6	07/08/20 24	Mikros Biochem	(S) Surfactant for cleaners	(S) Fatty acids, C8-14, 2,3-diesters with rel-(2R, 3S)-2,3,4-trihydroxybutyl Beta-D-mannopyranoside acetate
P- 24- 0079 A	4	07/12/20 24	CBI	(G) Fuel Additive	(G) Alkyated succinimide
P- 24- 0079 A	5	07/19/20 24	CBI	(G) Fuel Additive	(G) Alkyated succinimide
P- 24- 0104 A	5	07/17/20 24	СВІ	(G) plastic additive	(G) carbomonocycle alkylamide, 3,5-bis(1,1-dialkyl) -4-hydroxy-N-[2,5-dioxo-3-(polyalkylene)-1- heteromonocyclic]-
P- 24- 0109 A	3	07/09/20 24	CBI	(G) Electrolyte salt	(G) Lithium dihalo (oxalato)borate(1-)
P- 24- 0109	4	07/10/20 24	СВІ	(G) Electrolyte salt	(G) Lithium dihalo (oxalato)borate(1-)
A P- 24- 0130 A	3	07/12/20 24	CBI	(S) Sulfur Scavenger	(G) poly(alkoxy)alkanol
P- 24- 0161 A	3	06/27/20 24	Cargill, Incorporated	(S) Feedstock for production of biofuel	(S) Fats and glyceridic oils, camelina sativa. Extractives and their physically modified derivatives. It consists primarily of the glycerides of the fatty acids docosenoic, eicosenoic, linoleic, linolenic, oleic, palmitic and stearic. (Camelina sativa).
P- 24- 0161 A	4	07/08/20 24	Cargill, Incorporated	(S) Feedstock for production of biofuel	(S) Fats and glyceridic oils, camelina sativa. Extractives and their physically modified derivatives. It consists primarily of the glycerides of the fatty acids docosenoic, eicosenoic, linoleic, linolenic, oleic, palmitic and stearic. (Camelina sativa).
P- 24- 0162 A	3	07/25/20 24	Proton Power, Inc.	(S) Increases strength of epoxy, plastics, moulding compounds, strength, modulus, tear resistance for polyurethane foam; Improves the rutting behavior of asphalt; Improves the capacity and thermal and electrical conductivity for batteries, strength of body armor and helmets, drying time and antifouling for paints	(S) single and multilayer turbostratic graphene
P- 24- 0164 A	2	07/09/20 24	Huntsman International, LLC	(S) Intermediate in the production of a catalyst	(S) 2-Propanamine, N ,N '-(oxydi-2,1-ethanediyl)bis-
P- 24- 0171 A	2	07/17/20 24	СВІ	(G) Making of air pollutants control parts in automobiles.	(G) Metal and rare earth metal zirconium oxide
P- 24-	2	07/17/20 24	CBI	(G) Manufacturing of air pollutants control parts	(G) Metal and rare earth metal zirconium oxide

P- 24- 0173	1	07/12/20 24	CBI	(G) For making air pollutant control parts in automobiles.	(G) Rare earth doped zirconium oxide
P- 24- 0174	1	07/12/20 24	CBI	(G) Making air pollutants control parts in automobiles.	(G) Rare earth doped zirconium oxide
P- 24- 0175	1	07/12/20 24	CBI	(G) Air pollutants control parts in automobiles.	(G) Rare earth doped zirconium oxide
P- 24- 0176	1	07/12/20 24	СВІ	(G) Making of air pollutants control parts in automobiles.	(G) Rare earth doped zirconium oxide
P- 24- 0177	1	07/12/20 24	СВІ	(G) Air pollutants control parts in automobiles.	(G) Rare earth doped zirconium oxide
P- 24- 0178	1	07/15/20 24	Advancion	(G) Paints and coatings, home and personal care, metal working fluids, electronics,	(S) 2-Butanol, 3-amino-3-methyl
P- 24- 0183	1	07/25/20 24	HPC Holdings, Inc.	(G) Chemical intermediate	(S) 1-Butanone, 4,4,4-trifluoro-3-hydroxyl-1-(2-naphthalenyl)-3-(trifluoromethyl)-
SN- 24- 0007 A	2	07/22/20 24	СВІ	(G) Additive for plastic, Intermediate	(G) Inorganic acid, metal salt, compd. with substituted aromatic heterocycle
J-24- 0020 A	2	05/21/20 24	Danisco US, Inc.	(G) Production of a chemical substance	(G) Genetically modified microorganism for the production of a chemical substance
J-24- 0020 A	4	08/15/20 24	Danisco US, Inc.	(G) Production of a chemical substance	(G) Genetically modified microorganism for the production of a chemical substance
J-24- 0020 A	5	08/20/20 24	Danisco US, Inc.	(G) Production of a chemical substance	(G) Genetically modified microorganism for the production of a chemical substance
P- 20- 0003 A	6	08/27/20 24	СВІ	(S) Photoinitiator for printing (UV,LED, flexo, screen and inkjet ink)	(S) 2H-1-Benzopyran-2-one, 5,7-dimethoxy-, 3 -(4 - C10-13 - sec -alkylbenzoyl) derivs.
P- 22- 0071 A	6	08/22/20 24	CBI	(G) Industrial Surfactant	(S) D-Glucopyranose, oligomeric, maleates, C9-11- alkyl glycosides, sulfonated, potassium salts
P- 22- 0072	6	08/22/20 24	СВІ	(G) Industrial Surfactant	(S) D-Glucopyranose, oligomeric, maleates, decyl octyl glycosides, sulfonated, potassium salts
P- 22- 0073 A	6	08/22/20 24	CBI	(G) Industrial Surfactant	(S) D-Glucopyranose, oligomeric, maleates, C10-16- alkyl glycosides, sulfonated, potassium salts
P- 22- 0130 A	6	08/23/20 24	Integrity Bio- Chemical, LLC	(S) Surfactants - as raw materials for use in the manufacture of industrial products and consumer and household products; Surfactant - surface tension reducing agent for use in production enhancement in oil wells (industrial); Emulsifier, Surface reduction- Household and industrial detergents; Emulsifier, Wetting agent- Personal care, Cosmetic, and Pet Care Grooming Products; Wetting agent - Agriculture	(S) Maltodextrin, octanoate
P- 22- 0131 A	6	08/23/20 24	Integrity Bio- Chemical, LLC	(S) Surfactants - as raw materials for use in the manufacture of industrial products and consumer and household products; Surfactant - surface tension reducing agent for use in production enhancement in oil wells (industrial); Emulsifier, Surface reduction- Household and industrial detergents; Emulsifier, Wetting agent- Personal care, Cosmetic, and Pet Care Grooming Products; Wetting agent - Agriculture	(S) Maltodextrin, hexadecanoate
P- 22- 0132 A	6	08/23/20 24	Integrity Bio- Chemical, LLC	(S) Surfactants - as raw materials for use in the manufacture of industrial products and consumer and household products; Surfactant - surface tension reducing agent for use in production enhancement in oil wells (industrial); Emulsifier, Surface reduction- Household and industrial detergents; Emulsifier, Wetting agent- Personal care, Cosmetic, and Pet Care Grooming Products; Wetting agent - Agriculture	(S) Maltodextrin, decanoate

P- 22- 0133 A	6	08/23/20 24	Integrity Bio- Chemical, LLC	(S) Surfactants - as raw materials for use in the manufacture of industrial products and consumer and household products; Surfactant - surface tension reducing agent for use in production enhancement in oil wells (industrial); Emulsifier, Surface reduction- Household and industrial detergents; Emulsifier, Wetting agent- Personal care, Cosmetic, and Pet Care Grooming Products; Wetting agent - Agriculture	(S) Maltodextrin, octadecanoate
P- 22- 0134 A	6	08/23/20 24	Integrity Bio- Chemical, LLC	(S) Surfactants - as raw materials for use in the manufacture of industrial products and consumer and household products; Surfactant - surface tension reducing agent for use in production enhancement in oil wells (industrial); Emulsifier, Surface reduction- Household and industrial detergents; Emulsifier, Wetting agent- Personal care, Cosmetic, and Pet Care Grooming Products; Wetting agent - Agriculture	(S) Maltodextrin, dodecanoate
P- 22- 0135 A	6	08/23/20 24	Integrity Bio- Chemical, LLC	(S) Surfactants - as raw materials for use in the manufacture of industrial products and consumer and household products; Surfactant - surface tension reducing agent for use in production enhancement in oil wells (industrial); Emulsifier, Surface reduction- Household and industrial detergents; Emulsifier, Wetting agent- Personal care, Cosmetic, and Pet Care Grooming Products; Wetting agent - Agriculture	(S) Maltodextrin, tetradecanoate
P- 23- 0127 A	3	08/21/20 24	СВІ	(S) Ingredient in laundry detergent that is used for degradation of stains on fabric.	(G) Polysaccharide Lyase
P- 23- 0154 A	6	08/14/20 24	RWDC Industries	(G) The primary application areas for PHA are for food packaging and other uses where its biodegradable properties provide nontraditional end-of-use options.	(G) Vegetable oils, genetically modified Cupriavidus-fermented, polyhydroxyalkanoate copolymer
P- 24- 0027 A	7	07/30/20 24	Mikros Biochem	(S) Surfactant for cleaners	(S) Fatty acids, C8-14, 2,3-diesters with rel-(2R, 3S)-2,3,4-trihydroxybutyl Beta-D-mannopyranoside acetate
P- 24- 0027 A	8	08/15/20 24	Mikros Biochem	(S) Surfactant	(S) Fatty acids, C8-14, 2,3-diesters with rel-(2R, 3S)-2,3,4-trihydroxybutyl Beta-D-mannopyranoside acetate
P- 24- 0080 A	3	08/27/20 24	Seppic	(S) Nonionic surfactant for industrial uses and bio manufacturing process; HI&I, Plant protection products; Firefighting foam; Detergents; Oilfield; Paper and textile.	(S) D-Glucopyranose, oligomeric, C9-11-branched alkyl glycosides
P- 24- 0134 A	3	08/13/20 24	Chevron Phillips Chemical Company LP	(G) chemical intermediate	(G) Metal oxalate
P- 24- 0162 A	4	08/05/20 24	Proton Power, Inc.	(S) Increases strength of epoxy, plastics, moulding compounds, strength, modulus, tear resistance for polyurethane foam.	(S) single and multilayer turbostratic graphene
				Improves the rutting behavior of asphalt, the capacity and thermal and electrical conductivity for batteries, strength of body armor and helmets, drying time and antifouling for paints	
P- 24- 0179	1	07/18/20 24	CBI	(G) Component in batteries	(G) Aluminum- and metal-doped cobalt metal nickel oxide
P- 24- 0180	1	24	СВІ	(G) Component in batteries	(G) Aluminum- and metal- and metal-doped cobalt metal nickel oxide
P- 24- 0181	1	07/18/20 24		(G) Component in batteries	(G) Metal- and metal-doped cobalt metal metal nickel oxide
P- 24- 0182	1	24	СВІ	(G) Chemical precursor	(G) Cobalt metal nickel compound
P- 24- 0184	1	24	Bedoukian Research Inc.	(S) Site limited chemical intermediate	(G) Phosphonic acid, P-(cyanomethyl)-, dialkyl ester
P- 24- 0186	1	08/07/20 24	SGP Ventures, Inc.	(S) Epoxy used to fill holes in printed circuit boards	(S) 2-Methyl-4-(oxiran-2-ylmethoxy)-N,N-bis(oxiran-2-ylmethyl)aniline
P- 24-	2	08/14/20 24	SGP Ventures, Inc.	(S) Epoxy used to fill holes in printed circuit boards	(S) 2-Oxiranemethanamine, N-[2-methyl-4-(2-oxiranylmethoxy)phenyl]-N-(2-oxiranylmethyl)-

0186 A					
P- 24- 0187	1	08/09/20 24	NSG Glass North America, Inc.	(G) Chemical Intermediate	(G) Alkyl transition metal alkoxide
P- 24- 0188	1	08/09/20 24	СВІ	(G) Component in batteries	(G) Cobalt metal metal nickel zirconium doped
P- 24- 0189	1	08/16/20 24	СВІ	(G) Contained use for microlithography for electronic device manufacturing	(G) Silsesquioxanes, alkyl Ph alkoxy(halosubstitutedphenyl), polymers with silicic acid (H4SiO4) tetra-Me ester, hydroxy-terminated
P- 24- 0190 A	2	08/27/20 24	СВІ	(G) Photoacid generator use at customer sites	(G) Aromatic sulfonium tricyclo salt with alkyl carbomonocycle hetero-acid
P- 24- 0191	1	08/23/20 24	Top World Intl Inc.	(G) Conductive agent	(S) Carbon nanotube, multi-walled in tubular shape
P- 20- 0174 A	7	08/29/20 24	P2 Science, Inc	(S) For use in consumer products, as well as direct addition to consumer products. Specific functions would be as solubilizer, rheology modifier and fragrance oil.	(S) 6-Octen-1-ol, 3,7-dimethyl-, homopolymer, monoacetate
				The candidate substance is expected to be used as an ingredient in the formulation of a broad range of consumer products including but not limited to laundry detergents, cleaners, fabric softeners, air fresheners, etc. In addition, it is anticipated to be added as an ingredient to fragrances by fragrance manufacturers, who will then supply these fragrances to downstream consumer product companies to use in the manufacture of their goods. The anticipated range of use levels is 0.1 - 5.0%	
P- 20- 0184 A	5	08/29/20 24	P2 Science, Inc	(S) For use in fragrances for consumer products, as well as direct addition to consumer products. Specific functions would be as solubilizer, rheology modifier and fragrance oil.	(S) 6-Octen-1-ol, 3,7-dimethyl-, homopolymer
				The candidate substance is expected to be used as an ingredient in the formulation of a broad range of consumer products including but not limited to laundry detergents, cleaners, fabric softeners, air fresheners, etc. In addition, it is anticipated to be added as an ingredient to fragrances by fragrance manufacturers, who will then supply these fragrances to downstream consumer product companies to use in the manufacture of their goods. The anticipated range of typical use levels is 0.1 - 5.0%.	
P- 22- 0158 A	4	09/06/20	Aqdot	(G) Additive used in consumer, commercial, and industrial applications.	(S) 1H,4H,14H,17H-2,16:3,15-Dimethano-5H,6H,7H,8H,9H,10H,11H,12H,13H,18H,19H,20H, 21H,22H,23H,24H,25H,26H-2,3,4a,5a,6a,7a,8a,9a,10a,11a,12a,13a,15,16,17a,18a, 19a,20a,21a,22a,23a,24a,25a,26a-tetracosaazabispentaleno[1",6":5",6",7"]cycloocta[1",2",3":3',4']pentaleno[1',6':5,6,7]cycloocta[1,2,3-gh:1',2',3'-g'h']cycloocta[1,2,3-cd:5,6,7-c'd']dipentalene-1,4,6,8,10,12,14,17,19,21,23,25-dodecone, dodecahydro-, stereoisomer;2,18:3,17-Dimethano-2,3,4a,5a,6a,7a,8a,9a,10a,11a,12a,13a,14a,15a,17,18, 19a,20a,21a,22a,23a,24a,25a,26a,27a,28a,29a,30aoct acosaazabispentaleno[1"",6"":5"",6"",7""]cycloocta[1"",2"",3"":3"',4"]pentaleno[1",6':5,6,7]cycloocta[1,2,3-cd:1',2',3'-gh]pentalene-1,4,6,8,10,12,14,16,19,21,23,25,27,29-tetradecone, tetradecahydro-, stereoisomer;2,20:3,19-Dimethano-2,3,4a,5a,6a,7a,8a,9a,10a,11a,12a,13a,14a,15a,16a,17a,19,20,21a,22a,23a,24a,25a,26a,27a,28a,29a,30a,31a,32a,33a,34adotriacontaazabispentaleno[1"",6"":5"",6"",7"]cycloocta[1"",2"",3"":3"",4"]pentaleno[1",6':5,6,7]cycloocta[1,2,3-gh:1',2',3'-gh']cycloocta[1,2,3-cd:5,6,7-c'd']dipentalene-1,4,6,8,10,12,14,16,18,21,23,25,27,29,31,33-hexadecone, hexadecahydro-, stereoisomer
P- 23-	6	09/04/20 24	Braven Environmental,	(S) Feedstock blended into fuels and fuel blendstocks; Chemical feedstock	(G) Waste plastics, pyrolyzed, condensate

0117 A			LLC		
P- 23- 0138 A	2	08/27/20 24	СВІ	(S) Photoinitiator: Amine Synergists or Amine Acrylates like OPV and industrial coatings (pigmented systems like offset, flexo and inkjets) No domestic production as this product is for import only.	(S) Benzoic acid, 2-([1,1'-biphenyl]-4-ylcarbonyl)-, 2-ethylhexyl ester
P- 23- 0149 A	4	09/20/20 24	СВІ	(S) This material is a catalyst.	(G) Dialkyltin Fatty acids ester
P- 23- 0189 A	2	09/06/20	СВІ	(G) Component in polymers	(G) Dimethanocarbopolycycle, alkyl-polyhydro-
P ₋ 23- 0189 A	3	09/10/20 24	СВІ	(G) Component in polymers	(G) Dimethanocarbopolycycle, alkyl-polyhydro-
P- 24- 0086 A	2	09/24/20 24	HydroGraph	(S) Thermosets a. Automotive parts: Used to manufacture various automotive components, such as brake pads, engine mounts, electrical connectors, and interior trim, due to their excellent heat resistance and mechanical properties.	(S) few layer, non-functionalized, turbostratic graphene in a powdered form of aggregated nanoplatelets from carbon-rich gas explosion synthesis
P- 24- 0087 A	2	09/24/20 24	HydroGraph	(S) Alternative energy: wind blades and solar panels, Construction materials including concrete, asphalt, and other engineered materials.	(S) few layer, non-functionalized, turbostratic graphene in a powdered form of aggregated nanoplatelets from carbon-rich gas explosion synthesis
P- 24- 0104 A	6	09/12/20 24	СВІ	(G) plastic additive	(G) carbomonocycle alkylamide, 3,5-bis(1,1-dialkyl)-N-[2,5-dioxo-3-(polyalkylene)-1-heteromonocyclic]4-hydroxy-
P- 24- 0158 A	3	09/03/20 24	CBI	(G) Resin for packaging, battery technology	(G) Polyhydroxyalkanoate
P- 24- 0186 A	3	09/04/20	SGP Ventures, Inc.	(S) Epoxy used to fill holes in printed circuit boards	(S) 2-Oxiranemethanamine, N-[2-methyl-4-(2-oxiranylmethoxy)phenyl]-N-(2-oxiranylmethyl)-
P- 24- 0192 A	4	09/23/20 24	Bruhl Chemical Trade, Inc.	(S) Paints, coatings and inks	(S) 4-Hydroxybenzophenone, ethoxylated, esters with acrylic acid
P- 24- 0192 A	5		Bruhl Chemical Trade, Inc.	(S) Paints, coatings and inks	(S) poly(oxy-1,2-ethanediyl), alpha-(1-oxo2-propen 1-yl)-omega-(4-benzoylphenoxy)-
P- 24- 0193	1	09/13/20 24	СВІ	(G) Dispersive Use	(G) Perfluorosulfonic acid polymer, with perfluorodioxolane
P- 24- 0195	1	09/26/20 24	CBI	(G) Heat transfer fluid, Dielectric testing	(G) Trimers of hexafluoropropene
SN- 22- 0006 A		08/30/20 24	MacDermid Enthone Inc.	(G) Catalyst (contained use)	(S) Tungstate (W12(OH)2O386-), sodium (1:6)
	5	09/16/20 24	MacDermid Enthone Inc.	(G) Catalyst (contained use)	(S) Tungstate (W12(OH)2O386-), sodium (1:6)
SN- 22- 0007 A		09/04/20 24	Braven Environmental, LLC	(G) Product of Pyrolysis manufacturing.	(S) Waste plastics, pyrolyzed, C5-12 fraction
	9	09/04/20 24	Braven Environmental, LLC	(G) Product of Pyrolysis Manufacturing.	(S) Waste plastics, pyrolyzed, C20-55 fraction
SN- 22- 0009		09/04/20	Braven Environmental, LLC	(G) Product of Pyrolysis Manufacturing.	(S) Waste plastics, pyrolyzed, C9-20 fraction

P- 18- 0127 A	2	10/01/20 24	Takasago	(S) Fragrance in fine fragrance, consumer products, household products (laundry detergent), shower gels and shampoos	(S) Heptane, 2-methoxy-2-methyl-
P- 21- 0007 A	2	10/25/20 24	СВІ	(G) Catalyst	(G) Reaction products of Aluminoxanes, Me, Me group-terminated and (alkylcycloalkylene)dialkylzirconium
P- 21- 0008 A	2	10/25/20 24	СВІ	(G) Catalyst	(G) Reaction products of Aluminoxanes, Me, Me group-terminated and cycloalkylene dialkyl tetrahydroindenyl zirconium
P- 22- 0068 A	4	10/04/20 24	Aditya Birla Chemicals (USA) LLC	(S) An epoxy component used in a reaction with other components to produce an epoxy article.	(S) 2-Propanamine, 1,1'-[(1-methylethylidene)bis(oxy)]bis-
P- 23- 0014 A	2	10/25/20 24	CBI		(G) [Polyalkyl-methylenepolyhydro-polycyclic]alkyl acetate
P- 23- 0086 A	7	10/15/20 24	CBI	(G) Additive for surfactant performance enhancement; intermediate used in the manufacturing of detergents	(S) 1,2-Benzisothiazole, 3-methyl-,1,1-dioxide
P- 24- 0006 A	7	10/14/20 24	СВІ	(S) Oilfield Production Scale Inhibitor	(G) Propenoic acid, methyl- [phosphinicobis(oxyethanediyl)] ester, telomer with methyl-methyl-propenoate, (phosphonooxy) ethyl methyl-propenoate, propenoic acid, sodium methyl-[(oxopropen-yl) amino]-propanesulfonate and sodium sulfite, sodium salt, peroxydisulfuric acid sodium salt -initiated
P- 24- 0160 A	3	09/30/20 24	CBI	(G) Photoacid generator use at customer sites	(G) Iodonium, bis(dialkyl carbomonocycle) salt with alkyl carbomonocycle hetero-acid
P- 24- 0186 A	4	10/21/20 24	SGP Ventures, Inc.	(S) Epoxy used to fill holes in printed circuit boards	(S) 2-Oxiranemethanamine, N-[2-methyl-4-(2-oxiranylmethoxy)phenyl]-N-(2-oxiranylmethyl)-
P- 24- 0193 A	2	10/10/20 24	СВІ	(G) Dispersive use	(G) Perfluorosulfonic acid polymer, with perfluorodioxolane
P- 24- 0196	1	09/30/20 24	Toray Resin Co.	(S) Additives for architectural paints (elongation improvers)	(S) 2-Pyrrolidinone, polymer with 2-oxepanone
P- 24- 0196 A	2	10/15/20 24	Toray Resin Co.	(S) Additives for architectural paints (elongation improvers)	(S) 2-Pyrrolidinone, polymer with 2-oxepanone
P- 25- 0001 A	2	10/21/20 24	Polyfil Inc	(G) UV initiated crosslinker	(G) Alkoxy benzophenone
P- 25- 0001 A	3	10/28/20 24	CBI	(G) UV crosslinker initiator	(G) Alkoxy benzophenone
P- 25- 0003	1	10/24/20 24	CBI	(G) Contained use for microlithography for electronic device manufacturing	(G) Phenoxathiinium, 10-phenyl-, tricycloalkylcarbomonocyclesulfonate (1:1)
P- 25- 0004	1	10/25/20 24	CBI	(G) Contained use for microlithography for electronic device manufacturing	(G) Sulfonium, triphenyl-, heteropolyclyclecarboxylate (1:1)
P- 25- 0005	1	10/28/20 24	СВІ	(G) For use in coatings for metal parts	(G) Cashew, nutshell liq., polymer with [(aminoalkyl)imino]bis[alkanol], bisphenol and epichlorohydrin, reaction products with dialkanolamine, alkylcarboxylates (salts) alkanesulfonates (salts)
P- 25- 0006	1	10/28/20 24	СВІ	(G) For use in coatings for metal parts	(G) Phenol, 4,4-(1-alkylidene)bis-, polymer with [(aminoalkyl)imino]bis[alkanol] and 2-(chloromethyl)oxirane, 3-alkyloxy-2-hydroxypropyl

					ethers, reaction products with dialkanolamine, alkylcarboxylates (salts) alkanesulfonates (salts)
P- 25- 0007	1	10/28/20 24	СВІ		(G) Phenol, 4,4-(1-alkylidene)bis-, polymer with [(aminoalkyl)imino]bis[alkanol] and 2-(chloromethyl)oxirane, 4-alkylphenyl ethers, reaction products with dialkanolamine, alkylcarboxylates (salts) alkanesulfonates (salts)
P- 25- 0008	1	10/28/20 24	СВІ		(G) Benzenediol, polymer with [(aminoalkyl)imino]bis[alkanol], 2- (chloromethyl)oxirane and 4,4-(1- alkylidene)bis[phenol], 4-alkylphenyl ethers, reaction products with dialkanolamine, alkylcarboxylates (salts) alkanesulfonates (salts)
P- 25- 0009	1	10/28/20 24	СВІ		(G) Cashew, nutshell liq., polymer with [(aminoalkyl)imino]bis[alkanol], bisphenol, epichlorohydrin and benzenediol, reaction products with dialkanolamine, alkylcarboxylates (salts) alkanesulfonates (salts)
P- 25- 0010	1	10/28/20 24	СВІ		(G) Benzenediol, polymer with [(aminoalkyl)imino]bis[alkanol], 2- (chloromethyl)oxirane and 4,4-(1- alkylidene)bis[phenol], 3-alkyloxy-2-hydroxypropyl ethers, reaction products with dialkanolamine, alkylcarboxylates (salts) alkanesulfonates (salts)
P- 25- 0012	1	II.	Bedoukian Research Inc.	(G) site limited chemical intermediate	(G) Alkanoic acid, 4-bromo-, ethyl ester
SN- 22- 0010 A	4	10/24/20 24	СВІ	(S) Monomer chemical, reactive diluent in UV coating formulations (existing use, approved by PMN P-18-0392, additive in UV adhesive formulations (new use)	(S) 2-Oxazolidinone, 3-ethenyl-5-methyl-
SN- 25- 0001	1	10/16/20 24	Ishihara Corporation (USA)	(S) Black pigment for architectural paint; Pigment used for non- spray applications (e.g., to make articles such as plastics, resins, fabrics, and textiles, use in adhesives)	(S) Calcium manganese titanium oxide