

**SECTION 1: Identification****1.1. Identification**

Product form : Mixture  
Product name : Dasic EcoSafe OSD  
Product code : USA-1

**1.2. Recommended use and restrictions on use**

Use of the substance/mixture : 55/999 Others

**1.3. Supplier**

Dasic USA LLC  
3500 South DuPont Highway  
Dover, Delaware 19901  
USA  
T (832) 633-0365

**1.4. Emergency telephone number**

No additional information available

**SECTION 2: Hazard(s) identification****2.1. Classification of the substance or mixture****GHS US classification**

Skin corrosion/irritation, Category 2 H315 Causes skin irritation.  
Full text of H-statements: see section 16

**2.2. GHS Label elements, including precautionary statements****GHS US labelling**

Hazard pictograms (GHS US) :



Signal word (GHS US) : Warning  
Hazard statements (GHS US) : H315 - Causes skin irritation.  
Precautionary statements (GHS US) : P264 - Wash hands thoroughly after handling.  
P280 - Wear eye protection, protective gloves.  
P302+P352 - If on skin: Wash with plenty of water.  
P321 - Specific treatment (see supplemental first aid instruction on this label).  
P332+P313 - If skin irritation occurs: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.

**2.3. Other hazards which do not result in classification**

No additional information available

**2.4. Unknown acute toxicity (GHS US)**

No additional information available

# Dasic EcoSafe OSD

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
Distillates (petroleum), hydrotreated light	CAS-No.: 64742-47-8	≥ 10 – < 15	Asp. Tox. 1, H304
Sodium dioctyl sulphosuccinate	CAS-No.: 577-11-7	≥ 10 – < 15	Skin Irrit. 2, H315 Eye Dam. 1, H318

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First aid measures

#### 4.1. First aid measures

- First-aid measures general : First aider: Pay attention to self-protection!. First aid personnel should wear appropriate protective equipment during any rescue.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Not expected to present a significant inhalation hazard under anticipated conditions of normal use. If experiencing respiratory symptoms: Call a poison center or a doctor.
- First-aid measures after skin contact : Gently wash with plenty of soap and water. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention. Rinse eyes with water as a precaution.
- First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects : More detailed information: See section 11.
- Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
- Symptoms/effects after skin contact : Irritation, irritation (itching, redness, blistering).
- Symptoms/effects after eye contact : redness, itching, tears. May cause slight irritation.
- Symptoms/effects after ingestion : None under normal conditions.

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water fog. Water spray. Do not allow run-off from fire-fighting to enter drains or water courses. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Specific hazards arising from the chemical

- Fire hazard : Will ignite if exposed to intensive heat. The vapours are denser than air and may travel along the ground. Distance ignition possible.

# Dasic EcoSafe OSD

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- Explosion hazard : No direct explosion hazard.  
Hazardous decomposition products in case of fire : Carbon dioxide. Carbon monoxide. Sulphur oxides.

### 5.3. Special protective equipment and precautions for fire-fighters

- Precautionary measures fire : Do not breathe fumes.  
Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Eliminate every possible source of ignition. Ensure adequate ventilation. Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
- 6.1.1. For non-emergency personnel
- Protective equipment : Wear recommended personal protective equipment.  
Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.
- 6.1.2. For emergency responders
- Protective equipment : Do not attempt to take action without suitable protective equipment. Concerning personal protective equipment to use, see section 8. For further information refer to section 8: "Exposure controls/personal protection".  
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

- For containment : Stop leak without risks if possible. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Dispose of the material collected according to regulations. After cleaning, flush traces away with water.  
Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8. For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.  
Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only with adequate ventilation. Wear personal protective equipment.  
Hygiene measures : Always wash hands after handling the product. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

# Dasic EcoSafe OSD

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Keep in a cool, well-ventilated place away from heat.  
Storage conditions : Keep out of the reach of children. Store away from oxidising agents. Store in a closed container. Keep away from ignition sources. Keep cool. Protect from sunlight.  
Packaging materials : Preferably keep in original container. Consult supplier for advice on alternative packaging. Store always product in container of same material as original container.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Appropriate engineering controls

- Appropriate engineering controls : Provide for appropriate exhaust ventilation at places of vapours accumulation. Local exhaust and general ventilation must be adequate to meet exposure standards. Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Wear recommended personal protective equipment.

#### Hand protection:

Protective gloves. Gloves must be replaced after each use and whenever signs of wear or perforation appear

#### Eye protection:

Safety glasses

#### Skin and body protection:

Handle in accordance with good industrial hygiene and safety procedures. Wear suitable protective clothing. Remove contaminated clothing and shoes. Wash clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work

#### Respiratory protection:

No respiratory protection needed under normal use conditions. In case of insufficient ventilation, wear suitable respiratory equipment. High vapour/gas concentration: self-contained respirator

#### Personal protective equipment symbol(s):



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

- Physical state : Liquid  
Appearance : Viscous liquid.  
Colour : amber  
Odour : Mixture contains one or more component(s) which have the following odour:  
Odour threshold : No data available  
pH : No data available

# Dasic EcoSafe OSD

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Melting point	Not applicable
Freezing point	No data available
Boiling point	No data available
Flash point	> 93 °C Pensky-Martens closed cup
Relative evaporation rate (butylacetate=1)	No data available
Flammability (solid, gas)	Not applicable.
Vapour pressure	< 2.6 mm Hg 100° F
Relative vapour density at 20°C	No data available
Relative density	1.0003 at 60°F
Solubility	Miscible.
Partition coefficient n-octanol/water (Log Pow)	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity, kinematic	60.4 mm <sup>2</sup> /s at 40°C
Viscosity, dynamic	No data available
Explosive limits	No data available
Explosive properties	No data available
Oxidising properties	No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

### 10.2. Chemical stability

Stable under normal conditions of use.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Sparks. Open flame. Heat.

### 10.5. Incompatible materials

Oxidizing agent.

### 10.6. Hazardous decomposition products

Thermal decomposition generates : Carbon oxides (CO, CO<sub>2</sub>). Sulphur oxides.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

### Sodium dioctyl sulphosuccinate (577-11-7)

LD50 oral	4620 mg/kg bodyweight
-----------	-----------------------

C7

# Dasic EcoSafe OSD

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium dioctyl sulphosuccinate (577-11-7)	
LD50 dermal rabbit	> 10000 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal	> 10000 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	20000 mg/l
ATE US (oral)	4620 mg/kg bodyweight
ATE US (dust,mist)	20000 mg/l/4h
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Not classified ((OECD 492 method)); May cause slight irritation to eyes
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified

Sodium dioctyl sulphosuccinate (577-11-7)	
NOAEL (oral, rat, 90 days)	> 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)
Aspiration hazard	Not classified
Viscosity, kinematic	60.4 mm <sup>2</sup> /s at 40°C
Symptoms/effects	More detailed information: See section 11.
Symptoms/effects after inhalation	Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	Irritation, irritation (itching, redness, blistering).
Symptoms/effects after eye contact	redness, itching, tears. May cause slight irritation.
Symptoms/effects after ingestion	None under normal conditions.

### SECTION 12: Ecological information

#### 12.1. Toxicity

##### Ecology - general

The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment:

Dasic EcoSafe OSD	
Additional information	Americamysis bahia, 48-hr LC50, 156.9 ppm LCL95; Menidia beryllina, 96-hr LC50, 271.1 ppm, LCL95; Americamysis bahia, 7-day IC50, 88.9 LCL95; Menidia beryllina, 7-day IC50, 204.3 LCL95; Americamysis bahia, 7-day NOEC, 10 ppm median; Menidia beryllina, 7-day NOEC, 100 ppm median.

Sodium dioctyl sulphosuccinate (577-11-7)	
LC50 - Fish [1]	28 mg/l
EC50 - Other aquatic organisms [1]	36 mg/l waterflea

#### 12.2. Persistence and degradability

Dasic EcoSafe OSD	
Persistence and degradability	Expected to be biodegradable.

C8

# Dasic EcoSafe OSD

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Sodium dioctyl sulphosuccinate (577-11-7)</b>	
Persistence and degradability	Not rapidly degradable
<b>Distillates (petroleum), hydrotreated light (64742-47-8)</b>	
Persistence and degradability	Not rapidly degradable

### 12.3. Bioaccumulative potential

<b>Dasic EcoSafe OSD</b>	
Bioaccumulative potential	Potential to bioaccumulate is low. Mixture does not contain substance (s) classified as PBT or vPvB in concentrations above 0,1%.
<b>Sodium dioctyl sulphosuccinate (577-11-7)</b>	
Partition coefficient n-octanol/water (Log Pow)	6.1

### 12.4. Mobility in soil

<b>Dasic EcoSafe OSD</b>	
Ecology - soil	Potential for mobility in soil is very high.

### 12.5. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Regional waste regulation	: If this product becomes a waste, it is not a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it does not have the characteristics of Subpart C, nor is it listed under Subpart D.
Waste treatment methods	: Recycle where possible. Otherwise dispose of in accordance with local regulations. Always dispose of wastes to an approved waste disposal facility. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Empty containers should be taken for recycling, recovery or waste in accordance with local regulation. Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.

## SECTION 14: Transport information

In accordance with DOT / IMDG / IATA

### 14.1. UN number

Not regulated for transport

### 14.2. UN proper shipping name

Proper Shipping Name (DOT)	: Not regulated
Proper Shipping Name (IMDG)	: Not regulated
Proper Shipping Name (IATA)	: Not regulated

# Dasic EcoSafe OSD

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 14.3. Transport hazard class(es)

DOT  
Transport hazard class(es) (DOT) : Not regulated

IMDG  
Transport hazard class(es) (IMDG) : Not regulated

IATA  
Transport hazard class(es) (IATA) : Not regulated

### 14.4. Packing group

Packing group (DOT) : Not regulated  
Packing group (IMDG) : Not regulated  
Packing group (IATA) : Not regulated

### 14.5. Environmental hazards

Other information : No supplementary information available.

### 14.6. Special precautions for user

DOT  
Not regulated

IMDG  
Not regulated

IATA  
Not regulated

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Sodium dioctyl sulphosuccinate	577-11-7	Present	Active	
Distillates (petroleum), hydrotreated light	64742-47-8	Present	Active	

### 15.2. International regulations

#### CANADA

Sodium dioctyl sulphosuccinate (577-11-7)

Listed on the Canadian DSL (Domestic Substances List)

Distillates (petroleum), hydrotreated light (64742-47-8)

Listed on the Canadian DSL (Domestic Substances List)

#### EU-Regulations

No additional information available

# Dasic EcoSafe OSD

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### National regulations

**Sodium dioctyl sulphosuccinate (577-11-7)**

Listed on INSQ (Mexican National Inventory of Chemical Substances)

**Distillates (petroleum), hydrotreated light (64742-47-8)**

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### 15.3. US State regulations

No additional information available

## SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Full text of H-statements

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.

NFPA health hazard


: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA fire hazard

: 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.

NFPA reactivity

: 0 - Material that in themselves are normally stable, even under fire conditions.



Hazard Rating

Health

: 2 Moderate Hazard - Temporary or minor injury may occur

Flammability

: 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II IIIA)

Physical

: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Safety Data Sheet (SDS). USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

C11