



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
CARIBBEAN ENVIRONMENTAL PROTECTION DIVISION
CENTRO EUROPA BUILDING, SUITE 417
1492 PONCE DE LEON AVENUE, STOP 22
SAN JUAN, PR 00907-4127

OCT 12 2011

CERTIFIED MAIL/
RETURN RECEIPT REQUESTED

Joel E. Robinson, CHMM
Global Remediation Manager
General Electric (GE) Consumer & Industrial
Appliance Park, AP26-100
Louisville, Kentucky 40225-0001

Re: Technical Review of the August 2011 Revised RCRA Facility Investigation Work Plan for the Caribe General Electric Meters facility in Arecibo, Puerto Rico (EPA ID. No. PRD090383860)

Dear Mr. Robinson:

The U.S. Environmental Protection Agency (EPA) in conjunction with the Puerto Rico Environmental Quality Board (EQB) have completed the technical review of the August 2011 Revised RCRA Facility Investigation Work Plan (RFI Work Plan), prepared by ARCADIS for the Caribe General Electric (GE) Meters facility located in Arecibo, Puerto Rico. This revised RFI Work Plan addresses adequately the previous comments raised by EPA and EQB for the November 2010 Draft RFI Work Plan. Therefore, EPA is approving this RFI Work Plan.

Please remember to notify EPA and EQB prior to commencing field activities related to the RFI. If you have any questions regarding this matter, please contact geologist David N. Cuevas, Ph.D. at (787) 977-5856 or through electronic mail at cuevas.david@epa.gov.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Carl-Axel P. Soderberg", is written over the typed name.

Carl-Axel P. Soderberg, Director
Caribbean Environmental Protection Division

cc: Ms. María Victoria Rodríguez, PREQB
Josephine Acevedo, PREQB Project Manager