



# MAJOR SOURCE OPERATING PERMIT

PERMITTEE:

KNUD NIELSON COMPANY, INC.

FACILITY/PERMIT NO.:

103-0010

LOCATION:

EVERGREEN, ALABAMA

In accordance with and subject to the provisions of the Alabama Air Pollution Control Act of 1971, <u>Ala. Code</u> §§ 22-28-1 to 22-28-23, as amended, the Alabama Environmental Management Act, <u>Ala. Code</u> §§ 22-22A-1 to 22-22A-17, as amended, and rules and regulations adopted there under, and subject further to the conditions set forth in this permit, the Permittee is hereby authorized to construct, install and use the equipment, device or other article described above.

Pursuant to the **Clean Air Act of 1990**, all conditions of this permit are federally enforceable by EPA, the Alabama Department of Environmental Management, and citizens in general. Those provisions which are not required under the **Clean Air Act of 1990** are considered to be state permit provisions and are not federally enforceable by EPA and citizens in general. Those provisions are contained in separate sections of this permit.

**Issuance Date:** 

January 25, 2025

**Effective Date:** 

January 25, 2025

**Expiration Date:** 

January 24, 2030

#### TABLE OF CONTENTS

GENERAL PERMIT PROVISOS03
OPERATING PERMIT SUMMARY NO.114 METALLIC DIP OPERATION
OPERATING PERMIT SUMMARY NO. 2
OPERATING PERMIT SUMMARY NO. 322 PINE CONE TIPPING OPERATION
OPERATING PERMIT SUMMARY NO. 425 SCENTED PINE CONE OPERATION
OPERATING PERMIT SUMMARY NO. 5
OPERATING PERMIT SUMMARY NO. 631 3,500 GALLON TOULENE STORAGE TANK
OPERATING PERMIT SUMMARY NO. 735 MISCELLANEOUS OPERATION

Fede	erally Enforceable Provisos	Regulations
1.	Transfer	
	This permit is not transferable, whether by operation of	Rule 335-3-1602(6)
	law or otherwise, either from one location to another,	
	from one piece of equipment to another, or from one	
	person to another, except as provided in Rule 335-3-	
_	1613(1)(a)5.	
2.	Renewals	
	An application for permit renewal shall be submitted at	Rule 335-3-1612(2)
	least six (6) months, but not more than eighteen (18)	
	months, before the date of expiration of this permit.	
	The source for which this permit is issued shall lose its	
	right to operate upon the expiration of this permit unless a timely and complete renewal application has	
	been submitted within the time constraints listed in the	
	previous paragraph.	
3.	Severability Clause	
٠.	The provisions of this permit are declared to be	Rule 335-3-1605(e)
	severable and if any section, paragraph, subparagraph,	
	subdivision, clause, or phrase of this permit shall be	
	adjudged to be invalid or unconstitutional by any court	
	of competent jurisdiction, the judgment shall not affect,	
	impair, or invalidate the remainder of this permit, but	
	shall be confined in its operation to the section,	
	paragraph, subparagraph, subdivision, clause, or	
	phrase of this permit that shall be directly involved in	
	the controversy in which such judgment shall have	
_	been rendered.	
4.	Compliance	
	(a) The permittee shall comply with all conditions of	Rule 335-3-1605(f)
	ADEM Admin. Code 335-3. Noncompliance with	
	this permit will constitute a violation of the Clean	
	Air Act of 1990 and ADEM Admin. Code 335-3	
	and may result in an enforcement action; including but not limited to, permit termination,	
	revocation and reissuance, or modification; or	
	denial of a permit renewal application by the	
	permittee.	
	(b) The permittee shall not use as a defense in an	Rule 335-3-1605(g)
	enforcement action that maintaining compliance	100000000000000000000000000000000000000
	with conditions of this permit would have	
	required halting or reducing the permitted	
	activity.	
	•	•

Fede	erally Enforceable Provisos	Regulations
5.	Termination for Cause	
	This permit may be modified, revoked, reopened, and	Rule 335-3-1605(h)
	reissued, or terminated for cause. The filing of a	, ,
	request by the permittee for a permit modification,	
	revocation and reissuance, or termination, or of a	
	notification of planned changes or anticipated	
	noncompliance will not stay any permit condition.	
б.	Property Rights	•
	The issuance of this permit does not convey any	Rule 335-3-1605(i)
	property rights of any sort, or any exclusive privilege.	
<b>7.</b>	Submission of Information	
	The permittee must submit to the Department, within	Rule 335-3-1605(j)
	30 days or for such other reasonable time as the	
	Department may set, any information that the	
	Department may request in writing to determine	
	whether cause exists for modifying, revoking and	
	reissuing, or terminating this permit or to determine	
	compliance with this permit. Upon receiving a specific	
	request, the permittee shall also furnish to the	
	Department copies of records required to be kept by	
	this permit.	
8.	Economic Incentives, Marketable Permits, and	
	Emissions Trading	
	No permit revision shall be required, under any	Rule 335-3-1605(k)
	approved economic incentives, marketable permits,	
	emissions trading and other similar programs or	
	processes for changes that are provided for in this	
_	permit.	
9.	Certification of Truth, Accuracy, and Completeness:	D 1 005 0 16 07()
	Any application form, report, test data, monitoring	Rule 335-3-1607(a)
	data, or compliance certification submitted pursuant to	
	this permit shall contain certification by a responsible	
	official of truth, accuracy, and completeness. This	
	certification shall state that, based on information and	
	belief formed after reasonable inquiry, the statements	
	and information in the document are true, accurate	
10.	and complete.	
TO.	<u>Inspection and Entry</u> Upon presentation of credentials and other documents	Rule 335-3-1607(b)
	as may be required by law, the permittee shall allow	1007(0)
	authorized representatives of the Alabama Department	
	of Environmental Management and EPA to conduct the	
	of Environmental management and EPA to conduct the	1

Fede	rally	Enforceable Provisos	Regulations
		wing:	
	(a)	Enter upon the permittee's premises where a	
	` ,	source is located or emissions-related activity is	
		conducted, or where records must be kept	
		pursuant to the conditions of this permit;	
	(b)	Review and/or copy, at reasonable times, any	
		records that must be kept pursuant to the	
		conditions of this permit;	
	(c)	Inspect, at reasonable times, this facility's	
	• •	equipment (including monitoring equipment and	
		air pollution control equipment), practices, or	
		operations regulated or required pursuant to this	
		permit;	
	(d)	Sample or monitor, at reasonable times,	
		substances or parameters for the purpose of	
		assuring compliance with this permit or other	
		applicable requirements.	
11.	Con	<u> pliance Provisions</u>	
	(a)	The permittee shall continue to comply with the	Rule 335-3-1607(c)
		applicable requirements with which the company	
		has certified that it is already in compliance.	
	(b)	The permittee shall comply in a timely manner	
		with applicable requirements that become	
		effective during the term of this permit.	
12.		npliance Certification	
		mpliance certification shall be submitted by May	Rule 335-3-1607(e)
	•	of each year.	
	(a)	The compliance certification shall include the	
		following:	
		(1) The identification of each term or condition	
		of this permit that is the basis of the	
		certification;	
		(2) The compliance status;	
		(3) The method(s) used for determining the	
		compliance status of the source, currently and over the reporting period consistent	
		with Rule 335-3-1605(c) (Monitoring and	
		Recordkeeping Requirements);	
		(4) Whether compliance has been continuous or intermittent;	
		(5) Such other facts as the Department may require to determine the compliance status	
		require to actermine the compitative status	1

	ally Enforceable Provisos	Regulations
	of the source;	
	(b) The compliance certification shall be submitted	
	to:	
Α	labama Department of Environmental Management	
	Air Division	
	P.O. Box 301463	
	Montgomery, AL 36130-1463	
	and to:	
	Air Enforcement and TOXICS Branch	
	EPA Region 4	
	61 Forsyth Street, SW	
	Atlanta, GA 30303	
. <b>3.</b>	Reopening for Cause	D 1 007 0 46 40/F
	Under any of the following circumstances, this permit	Rule 335-3-1613(5
	will be reopened prior to the expiration of the permit:	
	(a) Additional applicable requirements under the	
	Clean Air Act of 1990 become applicable to the	
	permittee with a remaining permit term of three	
	(3) or more years. Such a reopening shall be completed not later than eighteen (18) months	
	after promulgation of the applicable requirement.	
	No such reopening is required if the effective date	
	of the requirement is later than the date on	
	which this permit is due to expire.	
	(b) Additional requirements (including excess	
	emissions requirements) become applicable to an	
	affected source under the acid rain program.	
	Upon approval by the Administrator, excess	
	emissions offset plans shall be deemed to be	
	incorporated into this permit.	
	(c) The Department or EPA determines that this	
	permit contains a material mistake or that	
	inaccurate statements were made in establishing	
	the emissions standards or other terms or	
	conditions of this permit.	
	(d) The Administrator or the Department determines	
	that this permit must be revised or revoked to	
	assure compliance with the applicable	
	requirements.	
l <b>4</b> .	Additional Rules and Regulations	000 00 16/1 0 1
	This permit is issued on the basis of Rules and	§22-28-16(d), Code

Fede	erally	Enfor	Regulations	
	Regulations existing on the date of issuance. In the			Alabama 1975, as
	_		tional Rules and Regulations are adopted, it	amended
			e permit holder's responsibility to comply	
		such	<u> </u>	
15.			t Maintenan <u>ce or Breakdown</u>	
	(a)		ne case of shutdown of air pollution control	Rule 335-3-107(1),
	()		pment (which operates pursuant to any	(2)
			nit issued by the Director) for necessary	` `
		_	duled maintenance, the intent to shut down	
			equipment shall be reported to the Director	
			ast twenty-four (24) hours prior to the	
			ned shutdown, unless such shutdown is	
		_	mpanied by the shutdown of the source	
			ch such equipment is intended to control.	
			n prior notice shall include, but is not limited	
			ne following:	
		(1)	Identification of the specific facility to be	
		(-)	taken out of service as well as its location	
			and permit number;	
		(2)	The expected length of time that the air	
		(-)	pollution control equipment will be out of	
			service;	
		(3)	The nature and quantity of emissions of air	
		(0)	contaminants likely to occur during the	
			shutdown period;	
		(4)	Measures such as the use of off-shift labor	
		( • )	and equipment that will be taken to	
			minimize the length of the shutdown	
			period;	
		(5)	The reasons that it would be impossible or	
		(0)	impractical to shut down the source	
			operation during the maintenance period.	
	(b)	In th	ne event that there is a breakdown of	İ
	(~)		pment or upset of process in such a manner	
		_	cause, or is expected to cause, increased	ļ
			ssions of air contaminants which are above	
			pplicable standard, the person responsible	
			uch equipment shall notify the Director	
			in 24 hours or the next working day and	
			ide a statement giving all pertinent facts,	
		_	iding the estimated duration of the	
			kdown. The Director shall be notified when	

Fede	rally	Enforceable Provisos	Regulations
		the breakdown has been corrected.	
16.	<u>Ope</u>	ration of Capture and Control Devices	
		ir pollution control devices and capture systems	§22-28-16(d), Code of
	for v	which this permit is issued shall be maintained and	Alabama 1975, as
		ated at all times in a manner so as to minimize the	amended
	emis	sions of air contaminants. Procedures for	
	ensi	ring that the above equipment is properly operated	
	and	maintained so as to minimize the emission of air	
	cont	aminants shall be established.	
<b>17</b> .	Obn	oxious Odors	
	This	permit is issued with the condition that, should	Rule 335-3-108
		oxious odors arising from the plant operations be	
		ied by Air Division inspectors, measures to abate	
		odorous emissions shall be taken upon a	
		rmination by the Alabama Department of	
		ronmental Management that these measures are	
		nically and economically feasible.	
18.		tive Dust	
	(a)	Precautions shall be taken to prevent fugitive	Rule 335-3-402
	• •	dust emanating from plant roads, grounds,	
		stockpiles, screens, dryers, hoppers, ductwork,	
		etc.	
	(b)	Plant or haul roads and grounds will be	
	. ,	maintained in the following manner so that dust	
		will not become airborne. A minimum of one, or	
		a combination, of the following methods shall be	
		utilized to minimize airborne dust from plant or	
		haul roads and grounds:	
		(1) By the application of water any time the	
		surface of the road is sufficiently dry to	
		allow the creation of dust emissions by the	
		act of wind or vehicular traffic;	
		(2) By reducing the speed of vehicular traffic	
		to a point below that at which dust	
		emissions are created;	
		(3) By paving;	
		(4) By the application of binders to the road	
		surface at any time the road surface is	
		found to allow the creation of dust	
		emissions;	
	Shot	ıld one, or a combination, of the above methods	
		o adequately reduce airborne dust from plant or	

Fede	rally I	Enfor	ceable Provisos	Regulations
-			s and grounds, alternative methods shall be	
	employed, either exclusively or in combination with one			
	or all of the above control techniques, so that dust will			
	not b	ecom	e airborne. Alternative methods shall be	
	appro	oved 1	by the Department prior to utilization.	
19.	Addi	tions	and Revisions	
	Any r	nodif	ications to this source shall comply with the	Rule 335-3-1613
			on procedures in Rules 335-3-1613 or 335-	and .14
	3-16-	.14.		
20.	Reco	rdke	eping Requirements	
	(a)	Reco	ords of required monitoring information of the	Rule 335-3-16-
		sour	ce shall include the following:	.05(c)2.
		(1)	The date, place, and time of all sampling or	
			measurements;	
		(2)	The date analyses were performed;	
		(3)	The company or entity that performed the	
			analyses;	İ
		(4)	The analytical techniques or methods	
		<i>(</i> =)	used;	
		(5)	The results of all analyses; and	
		(6)	The operating conditions that existed at	
	(7.)	<b>D</b> . 4	the time of sampling or measurement.	
	(b)		ntion of records of all required monitoring	
			and support information of the source for a	
		-	od of at least 5 years from the date of the	
			itoring sample, measurement, report, or ication. Support information includes all	
			oration and maintenance records and all	
			nal strip-chart recordings for continuous	
		-	itoring instrumentation and copies of all	
			rts required by the permit	
21.	Repo	_	Requirements	(
	(a)		orts to the Department of any required	Rule 335-3-16-
	( )	_	itoring shall be submitted at least every 6	.05(c)3.
		mon	ths. All instances of deviations from permit	
		requ	irements must be clearly identified in said	
		repo	rts. All required reports must be certified by	
		a res	sponsible official consistent with Rule 335-3-	
		16	04(9).	
	(b)		ations from permit requirements shall be	
	(b)	repo	ations from permit requirements shall be rted within 48 hours or 2 working day of deviations, including those attributable to	

Fede	rally l	Enforceable Provisos	Regulations
	<u>-</u>	upset conditions as defined in the permit. The report will include the probable cause of said deviations, and any corrective actions or preventive measures that were taken.	•
22.	Emis	ssion Testing Requirements	
	Each provious other according Title may The Adays and so Deparegul	point of emission which requires testing will be ded with sampling ports, ladders, platforms, and resafety equipment to facilitate testing performed in redance with procedures established by Part 60 of 40 of the Code of Federal Regulations, as the same be amended or revised. Air Division must be notified in writing at least 10 in advance of all emission tests to be conducted submitted as proof of compliance with the artment's air pollution control rules and lations.	Rule 335-3-105(3) and Rule 335-3-1- .04(1)
		edures, the following shall be included with the	
	_	ication letter:	
	(1)	The date the test crew is expected to arrive, the date and time anticipated of the start of the first run, how many and which sources are to be tested, and the names of the persons and/or testing company that will conduct the tests.	Rule 335-3-104
	(2)	A complete description of each sampling train to be used, including type of media used in determining gas stream components, type of probe lining, type of filter media, and probe cleaning method and solvent to be used (if test procedures require probe cleaning).	·
	(3)	A description of the process(es) to be tested including the feed rate, any operating parameters used to control or influence the operations, and the rated capacity.	
	(4)	A sketch or sketches showing sampling point locations and their relative positions to the nearest upstream and downstream gas flow disturbances.	
	source such	test meeting may be held at the request of the ce owner or the Air Division. The necessity for a meeting and the required attendees will be mined on a case-by-case basis.	Rule 335-3-104

Fede	erally Enforceable Provisos	Regulations
	All test reports must be submitted to the Air Division within 30 days of the actual completion of the test unless an extension of time is specifically approved by the Air Division.	
23.	Payment of Emission Fees Annual emission fees shall be remitted each year according to the fee schedule in ADEM Admin. Code R. 335-1-704.	Rule 335-1-704
24.	Other Reporting and Testing Requirements Submission of other reports regarding monitoring records, fuel analyses, operating rates, and equipment malfunctions may be required as authorized in the Department's air pollution control rules and regulations. The Department may require emission testing at any time.	Rule 335-3-104(1)
25.	Title VI Requirements (Refrigerants)  Any facility having appliances or refrigeration equipment, including air conditioning equipment, which use Class I or Class II ozone-depleting substances as listed in 40 CFR Part 82, Subpart A, Appendices A and B, shall service, repair, and maintain such equipment according to the work practices, personnel certification requirements, and certified recycling and recovery equipment specified in 40 CFR Part 82, Subpart F.  No person shall knowingly vent or otherwise release any Class I or Class II substance into the environment during the repair, servicing, maintenance, or disposal of any device except as provided in 40 CFR Part 82, Subpart F.  The responsible official shall comply with all reporting and recordkeeping requirements of 40 CFR 82.166.  Reports shall be submitted to the US EPA and the Department as required.	335-3-1605(a)
26.	Chemical Accidental Prevention Provisions  If a chemical listed in Table 1 of 40 CFR Part 68.130 is present in a process in quantities greater than the threshold quantity listed in Table 1, then:  (a) The owner or operator shall comply with the provisions in 40 CFR Part 68.  (b) The owner or operator shall submit one of the following:	40 CFR Part 68

Fede	rally Enforceable Provisos	Regulations
27.	(1) A compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR Part 68 § 68.10(a) or,  (2) A certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of the Risk Management Plan.  Display of Permit	Rule 335-3-14-
	This permit shall be kept under file or on display at all times at the site where the facility for which the permit is issued is located and will be made readily available for inspection by any or all persons who may request to see it.	.01(1)(d)
<b>28.</b> <b>29.</b>	Circumvention  No person shall cause or permit the installation or use of any device or any means which, without resulting in reduction in the total amount of air contaminant emitted, conceals or dilutes any emission of air contaminant which would otherwise violate the Division 3 rules and regulations.  Visible Emissions	Rule 335-3-110
	Unless otherwise specified in the Unit Specific provisos of this permit, any source of particulate emissions shall not discharge more than one 6-minute average opacity greater than 20% in any 60-minute period. At no time shall any source discharge a 6-minute average opacity of particulate emissions greater than 40%. Opacity will be determined by 40 CFR Part 60, Appendix A, Method 9, unless otherwise specified in the Unit Specific provisos of this permit.	Rule 335-3-401(1)
30.	Fuel-Burning Equipment  (a) Unless otherwise specified in the Unit Specific provisos of this permit, no fuel-burning equipment may discharge particulate emissions in excess of the emissions specified in Part 335-	Rule 335-3-403
	3-403.  (b) Unless otherwise specified in the Unit Specific provisos of this permit, no fuel-burning equipment may discharge sulfur dioxide emissions in excess of the emissions specified in Part 335-3-501.	Rule 335-3-501
31.	<u>Process Industries – General</u>	

Fede	rally Enforceable Provisos	Regulations
	Unless otherwise specified in the Unit Specific provisos of this permit, no process may discharge particulate emissions in excess of the emissions specified in Part 335-3-404.	Rule 335-3-404
32.	Averaging Time for Emission Limits Unless otherwise specified in the permit, the averaging time for the emission limits listed in this permit shall be the nominal time required by the specific test method.	Rule 335-3-105

# Operating Permit Summary No. 1.

Emission Unit(s):

METALLIC DIP OPERATION

001

Description:

METALLIC DIP OPERATION

Type and quantity of fuel used:

Primary:

None

Secondary:

None

Pollutant	Regulatory Emission Limit	Applicable Standard
VOCs	235 TONS OF VOCs PER ROLLING 12 MONTH PERIOD	SYNTHETIC MINOR PSD
	T BRIQD	

Fede	rally Enforceable Provisos	Regulations
Secti	on 1Applicability	
1.	This source is subject to a PSD synthetic minor emission limitation.	ADEM Admin. Code R. 335-3-1404
Secti	on 2Emission Standards	
1.	Emission of Volatile Organic Compounds (VOCs) from Unit Nos. 001-006 from all surface coating operations including, but not limited to coating, storage, cleanup, etc., shall not exceed 235.0 tons per year (TPY) in any consecutive rolling 12-month period based on the premise that all VOCs applied are emitted.	ADEM Admin. Code R. 335-3-1404(8)
	on 3Compliance and Performance Test Methods and edures	
1.	The VOC content by weight of each VOC containing material used shall be determined using EPA Test Method 24, as defined in 40 CFR 60, Appendix A. Vendor data based on this method is an appropriate substitute.	
Secti	on 4Emission Monitoring	
1.	The monitoring requirements in this permit shall be as required in Section 5Recordkeeping and Reporting Requirements.	
Secti	on 5Recordkeeping and Reporting Requirements	
1.	Accurate and understandable records of consumption, which record at least the last five years of data, will be maintained in a permanent form suitable for inspection and be available immediately upon request. This facility shall provide a copy of records and supporting background documents upon request that pertain to this air permit. These records shall contain the following information:	ADEM Admin. Code R. 335-3-104
	(a) The type, quantity in gallons, and weight in pounds of each VOC or HAP containing material	

Fede:	rally F	Enforceable Provisos	Regulations
		used during each calendar month.	
	(b)	The percent by weight of VOCs, water, solids, VHAPs, and exempt VOC compounds content of each VOC containing material used each calendar month.	
	(c)	The percent by volume of VOCs, water, solids, VHAPs, and exempt VOC compounds content of each VOC containing material used each calendar month.	
	(d)	Compliance with VOC and VHAP limits shall be based upon monthly material use inventories. Emissions may be adjusted for VOC and VHAP content of material removed from the plant as waste or returns if the record keeping and details surrounding the materials are approved in advance.	
	(e)	Complete inventories of the VOC and HAP containing materials (their usage, VOC content and VHAP content) shall be made at the end of each calendar month.	
	(f)	The amount of VOCs emitted per calendar month from the coating and cleaning operations in units of pounds and tons	,
	(g)	The rolling 12-month total of VOCs emitted from the coating and cleaning operations in units of pounds and tons.	
	(h)	Within the first 10 days of each month, compliance with all provisos in this permit will be determined. These records will be maintained for 5 years. Should this facility, at any time, exceed the limits in this permit, the Air Division must be notified in writing within ten (10) days of the identification of the exceedance.	ADEM Admin. Code R. 335-3-104
2.	shall day d	oort summarizing the information in proviso 5.1 be submitted each calendar quarter by the 15th of the month following the end of the quarter, in a eat approved by the Department in advance.	ADEM Admin. Code R. 335-3-104

# Operating Permit Summary No. 2.

Emission Unit(s):

STAIN CONCENTRATE OPERATION

002

Description:

STAIN CONCENTRATE OPERATION

Type and quantity of fuel used:

Primary:

None

Secondary:

None

Pollutant	Regulatory Emission Limit	Applicable Standard
VOCs	235 TONS OF VOC PER	SYNTHETIC MINOR PSD
	ROLLING 12 MONTH	
	PERIOD	

Fede	erally Enforceable Provisos	Regulations
Secti	on 1Applicability	
1.	This source is subject to a PSD synthetic minor emission limitation.	ADEM Admin. Code R. 335-3-1404
Secti	on 2Emission Standards	
1.	Emission of Volatile Organic Compounds (VOCs) from Unit Nos. 001-006 from all surface coating operations including, but not limited to coating, storage, cleanup, etc., shall not exceed 235.0 tons per year (TPY) in any consecutive rolling 12-month period based on the premise that all VOCs applied are emitted.	ADEM Admin. Code R. 335-3-1404(8)
	ion 3Compliance and Performance Test Methods and edures	
1.	The VOC content by weight of each VOC containing material used shall be determined using EPA Test Method 24, as defined in 40 CFR 60, Appendix A. Vendor data based on this method is an appropriate substitute.	1
Sect	ion 4Emission Monitoring	
1.	The monitoring requirements in this permit shall be as required in Section 5Recordkeeping and Reporting Requirements.	7
Sect	ion 5Recordkeeping and Reporting Requirements	
1.	Accurate and understandable records of consumption, which record at least the last five years of data, will be maintained in a permanent form suitable for inspection and be available immediately upon request. This facility shall provide a copy of records and supporting background documents upon request that pertain to this air permit. These records shall contain the following information:	ADEM Admin. Code R. 335-3-104
	(a) The type, quantity in gallons, and weight in pounds of each VOC or HAP containing material	

Fede	rally l	Enforceable Provisos	Regulations
		used during each calendar month.	
	(b)	The percent by weight of VOCs, water, solids, VHAPs, and exempt VOC compounds content of each VOC containing material used each calendar month.	
	(c)	The percent by volume of VOCs, water, solids, VHAPs, and exempt VOC compounds content of each VOC containing material used each calendar month.	
	(d)	Compliance with VOC and VHAP limits shall be based upon monthly material use inventories. Emissions may be adjusted for VOC and VHAP content of material removed from the plant as waste or returns if the record keeping and details surrounding the materials are approved in advance.	
	(e)	Complete inventories of the VOC and HAP containing materials (their usage, VOC content and VHAP content) shall be made at the end of each calendar month.	
	(f)	The amount of VOCs emitted per calendar month from the coating and cleaning operations in units of pounds and tons	
	(g)	The rolling 12-month total of VOCs emitted from the coating and cleaning operations in units of pounds and tons.	
	(h)	Within the first 10 days of each month, compliance with all provisos in this permit will be determined. These records will be maintained for 5 years. Should this facility, at any time, exceed the limits in this permit, the Air Division must be notified in writing within ten (10) days of the identification of the exceedance.	ADEM Admin. Code R. 335-3-104
2.	shall day d	oort summarizing the information in proviso 5.1 be submitted each calendar quarter by the 15th of the month following the end of the quarter, in a at approved by the Department in advance.	ADEM Admin. Code R. 335-3-104

## Operating Permit Summary No. 3.

Emission Unit(s):

PINE CONE TIPPING OPERATION

Designation No(s). in Application:

003

Description:

PINE CONE TIPPING OPERATION

# Type and quantity of fuel used:

Primary:

None

Secondary:

None

A OHIGINAL DILLECOU.		
Pollutant	Regulatory Emission Limit	Applicable Standard
VOCs	235 TONS OF VOCs PER ROLLING 12 MONTH PERIOD	SYNTHETIC MINOR PSD
	KOPPING IS INOMITITED	

Fede	rally Enforceable Provisos	Regulations
==	on 1Applicability	
1.	This source is subject to a PSD synthetic minor emission limitation.	ADEM Admin. Code R. 335-3-1404
Secti	on 2Emission Standards	
1.	Emission of Volatile Organic Compounds (VOCs) from Unit Nos. 001-006 from all surface coating operations including, but not limited to coating, storage, cleanup, etc., shall not exceed 235 tons per year (TPY) in any consecutive rolling 12-month period based on the premise that all VOCs applied are emitted.	ADEM Admin. Code R. 335-3-1404(8)
	on 3Compliance and Performance Test Methods and edures	
1.	The VOC content by weight of each VOC containing material used shall be determined using EPA Test Method 24, as defined in 40 CFR 60, Appendix A. Vendor data based on this method is an appropriate substitute.	ADEM Admin. Code R. 335-3-104
Sect	ion 4Emission Monitoring	
1.	The monitoring requirements in this permit shall be as required in Section 5 – Recordkeeping and Reporting Requirements.	
Sect	ion 5Recordkeeping and Reporting Requirements	
2.	Accurate and understandable records of consumption, which record at least the last five years of data, will be maintained in a permanent form suitable for inspection and be available immediately upon request. This facility shall provide a copy of records and supporting background documents upon request that pertain to this air permit. These records shall contain the following information:	

Federally Enforc	eable Provisos	Regulations
(a)	The type, quantity in gallons, and weight in pounds of each VOC or HAP containing material used during each calendar month.	ADEM Admin. Code R. 335-3-104
(b)	The percent by weight of VOCs, water, solids, VHAPs, and exempt VOC compounds content of each VOC containing material used each calendar month.	·
(c)	The percent by volume of VOCs, water, solids, VHAPs, and exempt VOC compounds content of each VOC containing material used each calendar month.	
(d)	Compliance with VOC limits shall be based upon monthly material use inventories. Emissions may be adjusted for VOC content of material removed from the plant as waste or returns if the record keeping and details surrounding the materials are approved in advance.	·
(e)	Complete inventories of the VOC and HAP containing materials (their usage and VOC content) shall be made at the end of each calendar month.	
(f)	The amount of VOCs emitted per calendar month from the coating and cleaning operation in units of pounds and tons.	
(g)	The rolling 12-month total of VOCs emitted from the coating and cleaning operations in units of pounds and tons.	
(h)	Within the first 10 days of each month, compliance with all provisos in this permit will be determined. These records will be maintained for 5 years. Should this facility, at any time, exceed the limits in this permit, the Air Division must be notified in writing within ten (10) days of the identification of the	ADEM Admin. Code R. 335-3-104

3. A report summarizing the information in proviso 5.1 shall be submitted each calendar quarter by the 15<sup>th</sup> day of the month following the end of the quarter, in a format approved by the Department in advance.

exceedance.

ADEM Admin. Code R. 335-3-1-.04

ten (10) days of the identification of the

## Operating Permit Summary No. 4

Emission Unit(s):

SCENTED PINE CONE OPERATION

Designation No(s). in Application:

004

Description:

SCENTED PINE CONE OPERATION

Type and quantity of fuel used:

Primary:

NATURAL GAS

Secondary:

Pollutant	Regulatory Emission Limit	Applicable Standard
VOCs	235 TONS OF VOCs PER	SYNTHETIC MINOR PSD
	ROLLING 12 MONTH PERIOD	

Fede	erally Enforceable Provisos	Regulations
Sect	ion 1Applicability	
4.	This source is subject to a PSD synthetic minor emission limitation.	ADEM Admin. Code R. 335-3-1404
Sect	ion 2Emission Standards	
1.	Emission of Volatile Organic Compounds (VOCs) from Unit Nos. 001-006 from all surface coating operations including, but not limited to coating, storage, cleanup, etc., shall not exceed 235 tons per year (TPY) in any consecutive rolling 12-month period based on the premise that all VOCs applied are emitted.	ADEM Admin. Code R. 335-3-1404(8)
	ion 3Compliance and Performance Test Methods and edures	
2.	The VOC content by weight of each VOC containing material used shall be determined using EPA Test Method 24, as defined in 40 CFR 60, Appendix A. Vendor data based on this method is an appropriate substitute.	ADEM Admin. Code R. 335-3-104
Sect	ion 4Emission Monitoring	
1.	The monitoring requirements in this permit shall be as required in Section 5 – Recordkeeping and Reporting Requirements.	
Sect	ion 5Recordkeeping and Reporting Requirements	
1.	Accurate and understandable records of consumption, which record at least the last five years of data, will be maintained in a permanent form suitable for inspection and be available immediately upon request. This facility shall provide a copy of records and supporting background documents upon request that pertain to this air permit. These records shall contain the following information:	
	(a) The type, quantity in gallons, and weight in pounds of each VOC or HAP containing material used during each calendar month.	

- (b) The percent by weight of VOCs, water, solids, VHAPs, and exempt VOC compounds content of each VOC containing material used each calendar month.
- (c) The percent by volume of VOCs, water, solids, VHAPs, and exempt VOC compounds content of each VOC containing material used each calendar month.
- (d) Compliance with VOC limits shall be based upon monthly material use inventories. Emissions may be adjusted for VOC content of material removed from the plant as waste or returns if the record keeping and details surrounding the materials are approved in advance.
- (e) Complete inventories of the VOC and HAP containing materials (their usage and VOC content) shall be made at the end of each calendar month.
- (f) The amount of VOCs emitted per calendar month from the coating and cleaning operation in units of pounds and tons.
- (g) The rolling 12-month total of VOCs emitted from the coating and cleaning operations in units of pounds and tons.
- (h) Within the first 10 days of each month, compliance with all provisos in this permit will be determined. These records will be maintained for 5 years. Should this facility, at any time, exceed the limits in this permit, the Air Division must be notified in writing within ten (10) days of the identification of the exceedance.

ADEM Admin. Code R. 335-3-1-.04

2. A report summarizing the information in proviso 5.1 shall be submitted each calendar quarter by the 15<sup>th</sup> day of the month following the end of the quarter, in a format approved by the Department in advance.

ADEM Admin. Code R. 335-3-1-.04

#### OPERATING PERMIT SUMMARY NO. 5.

Emission Unit(s): METHYL BROMIDE FUMIGATION

Designation No(s). in Application: 005

METHYL BROMIDE FUMIGATION Description:

Type and quantity of fuel used:

Primary: None

Secondary:

None

Pollutant	Regulatory Emission Limit	Applicable Standard
VOCs	235 TONS OF VOCs PER ROLLING 12 MONTH PERIOD	SYNTHETIC MINOR PSD

Federally Enforceable Provisos		Regulations
Secti	on 1Applicability	
1.	This source is subject to a PSD synthetic minor emission limitation.	ADEM Admin. Code R. 335-3-1404
Section 2Emission Standards		
1.	Emission of Volatile Organic Compounds (VOCs) from Unit Nos. 001-006 from all surface coating operations including, but not limited to coating, storage, cleanup, etc., shall not exceed 235 tons per year (TPY) in any consecutive rolling 12-month period based on the premise that all VOCs applied are emitted.	ADEM Admin. Code R. 335-3-1404(8)
	on 3Compliance and Performance Test Methods and edures	
1.	The VOC content by weight of each VOC containing material used shall be determined using EPA Test Method 24, as defined in 40 CFR 60, Appendix A. Vendor data based on this method is an appropriate substitute.	
Secti	on 4–Emission Monitoring	
1.	The monitoring requirements in this permit shall be as required in Section 5 – Recordkeeping and Reporting Requirements.	
Secti	ion 5Recordkeeping and Reporting Requirements	
1.	Accurate and understandable records of consumption, which record at least the last five years of data, will be maintained in a permanent form suitable for inspection and be available immediately upon request. This facility shall provide a copy of records and supporting background documents upon request that pertain to this air permit. These records shall contain the following information:	L
	(a) The type, quantity in gallons, and weight in pounds of each VOC or HAP containing material used during	

each calendar month.

- (b) The percent by weight of VOCs, water, solids, VHAPs, and exempt VOC compounds content of each VOC containing material used each calendar month.
- (c) The percent by volume of VOCs, water, solids, VHAPs, and exempt VOC compounds content of each VOC containing material used each calendar month.
- (d) Compliance with VOC limits shall be based upon monthly material use inventories. Emissions may be adjusted for VOC content of material removed from the plant as waste or returns if the record keeping and details surrounding the materials are approved in advance.
- (e) Complete inventories of the VOC and HAP containing materials (their usage and VOC content) shall be made at the end of each calendar month.
- (f) The amount of VOCs emitted per calendar month from the coating and cleaning operation in units of pounds and tons.
- (g) The rolling 12-month total of VOCs emitted from the coating and cleaning operations in units of pounds and tons.
- (h) Within the first 10 days of each month, compliance with all provisos in this permit will be determined. These records will be maintained for 5 years. Should this facility, at any time, exceed the limits in this permit, the Air Division must be notified in writing within ten (10) days of the identification of the exceedance.

ADEM Admin. Code R. 335-3-1-.04

2. A report summarizing the information in proviso 5.1 shall be submitted each calendar quarter by the 15<sup>th</sup> day of the month following the end of the quarter, in a format approved by the Department in advance.

ADEM Admin. Code R. 335-3-1-.04

## Operating Permit Summary No. 6.

Emission Unit(s):

3,500 GALLON TOLUENE TANK

Designation No(s). in Application:

006

Description:

3,500 GALLON TOLUENE TANK

# Type and quantity of fuel used:

Primary:

None

Secondary:

None

Pollutant	Regulatory Emission Limit	Applicable Standard
VOCs	235 TONS OF VOCs PER ROLLING 12 MONTH PERIOD	SYNTHETIC MINOR PSD

Fede	rally Enforceable Provisos	Regulations
Secti	on 1Applicability	
1.	These units are subject to the loading and storage of VOC limits.	ADEM Admin. Code R. 335-3-6-0.3
2.	This source is subject to a PSD synthetic minor emission limitation.	ADEM Admin. Code R. 335-3-1404
Secti	on 2–Emission Standards	
1.	These units shall have installed and operate one of the control options listed in ADEM Admin. Code R. 335-3-603 (2)	ADEM Admin. Code R. 334-3-603 (2)
2.	Emission of Volatile Organic Compounds (VOCs) from Unit Nos. 001-006 from all surface coating operations including, but not limited to coating, storage, cleanup, etc., shall not exceed 235 tons per year (TPY) in any consecutive rolling 12-month period based on the premise that all VOCs applied are emitted.	ADEM Admin. Code R. 335-3-1404(8)
Section 3Compliance and Performance Test Methods and Procedures		
1.	The VOC content by weight of each VOC containing material used shall be determined using EPA Test Method 24, as defined in 40 CFR 60, Appendix A. Vendor data based on this method is an appropriate substitute.	ADEM Admin. Code R. 335-3-104
Section 4Emission Monitoring		
3.	The monitoring requirements in this permit shall be as required in Section 5 – Recordkeeping and Reporting Requirements.	
Section 5Recordkeeping and Reporting Requirements		
1.	Written records, plans, or blueprints of the control device(s) chosen for each tank shall be maintained at the facility. These shall be available upon request to show installation	ADEM Admin. Code R. 335-3-104
	and operation of the required control device.	ADEM Admin. Code R. 335-3-104
2.	Accurate and understandable records of consumption, which record at least the last five years of data, will be maintained in a permanent form suitable for inspection and be available immediately upon request. This facility shall	·

provide a copy of records and supporting background documents upon request that pertain to this air permit. These records shall contain the following information:

- The type, quantity in gallons, and weight in (a) pounds of each VOC or HAP containing material used during each calendar month.
- (b) The percent by weight of VOCs, water, solids, VHAPs, and exempt VOC compounds content of each VOC containing material used each calendar month.
- (c) The percent by volume of VOCs, water, solids, VHAPs, and exempt VOC compounds content of each VOC containing material used each calendar month.
- (d) Compliance with VOC limits shall be based upon monthly material use inventories. Emissions may be adjusted for VOC content of material removed from the plant as waste or returns if the record keeping and details surrounding the materials are approved in advance.
- Complete inventories of the VOC and HAP (e) containing materials (their usage and VOC content) shall be made at the end of each calendar month.
- (f) The amount of VOCs emitted per calendar month from the coating and cleaning operation in units of pounds and tons.
- (g) The rolling 12-month total of VOCs emitted from the coating and cleaning operations in units of pounds and tons.
- Within the first 10 days of each month, (h) compliance with all provisos in this permit will These records determined. maintained for 5 years. Should this facility, at any time, exceed the limits in this permit, the Air Division must be notified in writing within ten (10) days of the identification of the exceedance.

ADEM Admin. Code R. 335-3-1-.04

A report summarizing the information in proviso 5.1 shall be ADEM Admin. Code R. 3. submitted each calendar quarter by the 15th day of the

335-3-1-.04

month following the end of the quarter, in a format approved by the Department in advance.

## Operating Permit Summary No. 7.

Emission Unit(s): 7A: PAINT LINE NO. 1 (DTC)

7B:

7C: METHYL BROMIDE FUMIGATION NO. 2

(DTC)

7D:

**7E: OAK PLANT SPRAY PAINTING (DTC)** 

7F: DYEING AND PRESERVATION (DTC)

7G:

7H:

**7**I:

**7**J:

7K:

7L: BLEACH PLANT OPERATIONS (SR)

Designation No(s). in Application: Numerous

**Description:** MISCELLANEOUS OPERATIONS

#### Type and quantity of fuel used:

Primary:

None

Secondary:

None

Pollutant	Regulatory Emission Limit	Applicable Standard
VOCs	NONE	NONE

Federally Enforceable Provisos		Regulations
Secti	on 1Applicability	
1.	These sources are subject to the applicable requirements of ADEM Admin. Code R. 335-3-1603, "Major Source Operating Permits."	Rule 335-3-1603
2.	These sources are subject to no additional specific requirements other than those listed in the General Permit Provisos.	N/A
Secti	on 2Emission Standards	
1.	These Sources are subject to no additional specific requirements other than those listed in the General Permit Provisos.	
	on 3Compliance and Performance Test Methods and edures	
1.	These Sources are subject to no additional specific requirements other than those listed in the General Permit Provisos.	
Secti	on 4Emission Monitoring	
1.	These Sources are subject to no additional specific requirements other than those listed in the General Permit Provisos.	
Section 5Recordkeeping and Reporting Requirements		
1.	These Sources are subject to no additional specific requirements other than those listed in the General Permit Provisos.	