



# SC DEPARTMENT of ENVIRONMENTAL SERVICES

## Bureau of Air Quality Title V Operating Permit


**Crown Beverage Packaging  
100 Evans Row  
Cheraw, South Carolina 29520  
Chesterfield County**

In accordance with the provisions of the Pollution Control Act, Sections 48-1-50(5), 48-1-100(A), and 48-1-110(a), the 1976 Code of Laws of South Carolina, as amended, and South Carolina Regulation 61-62, Air Pollution Control Regulations and Standards, the Bureau of Air Quality authorizes the operation of this facility and the equipment specified herein in accordance with valid construction permits, and the plans, specifications, and other information submitted in the Title V permit application received on September 20, 2023, as amended. All official correspondence, plans, permit applications, and written statements are an integral part of the permit. Any false information or misrepresentation in the application for a construction permit may be grounds for permit revocation.

The operation of this facility is subject to and conditioned upon the terms, limitations, standards, and schedules contained herein or as specified by this permit and its accompanying attachments.

**Permit Number: TV-0660-0016 v2.0  
Agency Air Number: 0660-0016**

**Issue Date: January 23, 2025  
Effective Date: February 1, 2025  
Expiration Date: January 31, 2030**



**Steve McCaslin, P. E., Director  
Air Permitting Division  
Bureau of Air Quality**

**Crown Beverage Packaging**

**TV-0660-0016 v2.0**

**Page 2 of 21**

**RECORD OF REVISIONS**

<b>Date</b>	<b>Type</b>	<b>Description of Changes</b>

AA Administrative Amendment

MM Minor Modification

SM Significant Modification

**Crown Beverage Packaging**

TV-0660-0016 v2.0

Page 3 of 21

**A. EMISSION UNIT(S), EQUIPMENT, AND CONTROL DEVICE(S)**

Emission Unit ID	Emission Unit Description
06	Respray Operation
07	Can Lines (1-5)

Equipment and control device capacities provided under the Description columns of Equipment and Control Device Tables below are not intended to be permit limits unless otherwise specified within the Table "Limitations, Monitoring, and Reporting". However, this condition does not exempt the facility from the construction permitting process, from PSD review, nor from any other applicable requirements that must be addressed prior to increasing production rates.

**A.1 EQUIPMENT FOR EMISSION UNIT 06 – RESPRAY OPERATION**

Equipment ID	Equipment Description	Installation Date	Control Device ID	Emission Point ID
RS	Respray Line	1997	N01 N02 N03	001 002
RSO	3.0 million BTU/hr Respray Oven	1997	N01 N02	001 002

**A.2 CONTROL DEVICE(S) FOR EMISSION UNIT 06 – RESPRAY OPERATION**

Control Device ID	Control Device Description	Pollutant(s) Controlled	Installation Date	Emission Point ID
N01	Regenerative Thermal Oxidizer with (2) Burners of 1.5 million BTU/hr Each	VOC / HAP	1992	001
N02	Regenerative Thermal Oxidizer with (2) Burners of 1.5 million BTU/hr Each	VOC / HAP	1992	002
N03	Baghouse (Voluntary) Exhaust is vented to N01 and N02	PM	2010	001 002

**A.3 EQUIPMENT FOR EMISSION UNIT 07 – CAN LINES (1-5)**

Equipment ID	Equipment Description	Installation Date	Control Device ID	Emission Point ID
CO	2.0 million BTU/hr Basecoat Oven No. 3	1994	N01 N02	001 002
COAT	Two (2) Basecoaters	1994	N01 N02	001 002

**Crown Beverage Packaging**

**TV-0660-0016 v2.0**

**Page 4 of 21**

**A.3 EQUIPMENT FOR EMISSION UNIT 07 – CAN LINES (1-5)**

Equipment ID	Equipment Description	Installation Date	Control Device ID	Emission Point ID
H1-H4	Enclosed Hooded Conveyors (From IS1-IS4 to corresponding IBO1-IBO4)	2003	N01 N02 N03	001 002
IBO1-IBO4	3.0 million BTU/hr Inside Bake Oven No. 1-4	1977	N01 N02	001 002
IS1-IS4	Inside Spray Machine No. 1-4	1992	N01 N02 N03	001 002
O1-O4	2.0 million BTU/hr Printer Oven No. 1-4	1977	N01 N02	001 002
O5	2.5 million BTU/hr Printer Oven No. 5	1999	N01 N02	001 002
PO1-PO4	Four (4) Printers/Overvarnish No. 1-4	1992	N01 N02	001 002
PO5	Printer/Overvarnish No. 5	1999	N01 N02	001 002

**A.4 CONTROL DEVICE(S) FOR EMISSION UNIT 07 – CAN LINES (1-5)**

Control Device ID	Control Device Description	Pollutant(s) Controlled	Installation Date	Emission Point ID
N01	Regenerative Thermal Oxidizer with (2) Burners of 1.5 million BTU/hr Each	VOC / HAP	1992	001
N02	Regenerative Thermal Oxidizer with (2) Burners of 1.5 million BTU/hr Each	VOC / HAP	1992	002
N03	Baghouse (Voluntary) Exhaust is vented to N01 and N02	PM	2010	001 002

**B. LIMITATIONS, MONITORING, AND REPORTING**

Condition Number	Conditions
B.1	<p><b>Emission Unit ID:</b> 06, 07</p> <p><b>Equipment ID:</b> RSO, CO, IBO1, IBO2, IBO3, IBO4, O1, O2, O3, O4, O5</p> <p><b>Control Device ID:</b> None</p> <p>(S.C. Regulation 61-62.1, Section II(J)(2)) These sources are permitted to burn only natural gas. The use of any other substances as fuel is prohibited without prior written approval from the Department.</p>

**B. LIMITATIONS, MONITORING, AND REPORTING**

Condition Number	Conditions
B.2	<p><b>Emission Unit ID:</b> All  <b>Equipment ID:</b> All  <b>Control Device ID:</b> N01, N02</p> <p>For any source test required under an applicable standard or permit condition, the owner, operator, or representative shall comply with S.C. Regulation 61-62.1, Section IV - Source Tests.</p> <p>Unless approved otherwise by the Department, the owner, operator, or representative shall ensure that source tests are conducted while the source is operating at the maximum expected production rate or other production rate or operating parameter which would result in the highest emissions for the pollutants being tested. Some sources may have to spike fuels or raw materials to avoid being subjected to a more restrictive feed or process rate. Any source test performed at a production rate less than the rated capacity may result in permit limits on emission rates, including limits on production if necessary.</p> <p>When conducting source tests subject to this section, the owner, operator, or representative shall provide the following:</p> <ul style="list-style-type: none"> <li>• Department access to the facility to observe source tests;</li> <li>• Sampling ports adequate for test methods;</li> <li>• Safe sampling site(s);</li> <li>• Safe access to sampling site(s);</li> <li>• Utilities for sampling and testing equipment; and</li> <li>• Equipment and supplies necessary for safe testing of a source.</li> </ul> <p>The owner or operator shall comply with any limits that result from conducting a source test at less than rated capacity. A copy of the most recent Department issued source test summary letter, whether it imposes a limit or not, shall be maintained with the operating permit, for each source that is required to conduct a source test.</p> <p>Site-specific test plans and amendments, notifications, and source test reports shall be submitted to the Department.</p>
B.3	<p><b>Emission Unit ID:</b> 06, 07  <b>Equipment ID:</b> All  <b>Control Device ID:</b> N01, N02</p> <p>(S.C. Regulation 61-62.1, Section II(J)(2)) The owner or operator shall perform a visual inspection on a monthly basis of sources subject to opacity limits. The inspection shall occur during normal source operation. Logs shall be kept to record all visual inspections, noting color, duration, density (heavy or light), cause, and corrective action taken for any abnormal emissions. If a source did not operate during the required visual inspection time frame, the log shall indicate such. The owner or operator shall submit semiannual reports. The report shall include records of abnormal emissions, if any, and corrective actions taken. If the unit did not operate during the semiannual period, the report shall</p>

**B. LIMITATIONS, MONITORING, AND REPORTING**

<b>Condition Number</b>	<b>Conditions</b>
	<p>state so.</p> <p>Visual inspection means a qualitative observation of opacity during daylight hours. The observer does not need to be certified to conduct valid visual inspections. However, at a minimum, the observer should be trained and knowledgeable about the effects on visibility of emissions caused by background contrast, ambient lighting, and observer position relative to lighting, wind, and the presence of uncombined water.</p>
B.4	<p><b>Emission Unit ID:</b> 06, 07  <b>Equipment ID:</b> RS, RSO, COAT, CO, IS1-IS4, H1-H4, PO1-PO5 and O5  <b>Control Device ID:</b> N01, N02</p> <p>(S.C. Regulation 61-62.5, Standard No. 4, Section IX) Where construction or modification began after December 31, 1985, emissions from these sources (including fugitive emissions) shall not exhibit an opacity greater than 20%, each.</p>
B.5	<p><b>Emission Unit ID:</b> 06, 07  <b>Equipment ID:</b> IBO1-IBO4 and O1-O4.  <b>Control Device ID:</b> None</p> <p>(S.C. Regulation 61-62.5, Standard No. 4, Section IX) Where construction or modification began on or before December 31, 1985, emissions from these sources (including fugitive emissions) shall not exhibit an opacity greater than 40%, each.</p>
B.6	<p><b>Emission Unit ID:</b> 06, 07  <b>Equipment ID:</b> All  <b>Control Device ID:</b> N01, N02</p> <p>(S.C. Regulation 61-62.5, Standard No. 3, Section III(I)(1)) Emissions from these sources shall not exhibit an opacity greater than 20%, each. This is a State Only requirement.</p>
B.7	<p><b>Emission Unit ID:</b> 06, 07  <b>Equipment ID:</b> All  <b>Control Device ID:</b> N01, N02</p> <p>(S.C. Regulation 61-62.5, Standard No. 3, Section III(I)(2)) Particulate matter emissions from these sources shall not exceed 0.5 lb/<math>10^6</math> Btu total heat input. The total heat input value from waste and virgin fuel used for production shall not exceed the Btus used to affect the combustion of the waste. This is a State Only requirement.</p>
B.8	<p><b>Emission Unit ID:</b> 06, 07  <b>Control Device ID:</b> N01, N02</p> <p>(S.C. Regulation 61-62.1, Section II(J)(2)) These sources are permitted to burn only natural gas and gaseous waste as fuel. The use of any other substances as fuel is prohibited without prior written approval from the Department.</p>

**B. LIMITATIONS, MONITORING, AND REPORTING**

Condition Number	Conditions
B.9	<p><b>Emission Unit ID:</b> Facility-Wide  <b>Equipment ID:</b> Facility-Wide  <b>Control Device ID:</b> Facility-Wide</p> <p>(S.C. Regulation 61-62.1, Section II(E)) This facility is a potential major source for VOCs and hazardous air pollutants (HAP) emissions. The facility has requested federally enforceable emissions limitations to limit its potential to emit to less than 250.0 tons per year for VOC emissions and 10.0 tons per year for any single HAP emission and 25.0 tons per year for any combination of HAP emissions to avoid PSD and MACT.</p> <p>The owner or operator shall maintain records of all volatile organic compounds (VOC) and hazardous air pollutants (HAP). These records shall include the total amount of each material used, the VOC content in percent by weight of each material, the HAP content in percent by weight of each material, fuel consumption, fuel heat content, and any other records necessary to determine VOC and HAP emissions. VOC, individual HAP and total HAP emissions shall be calculated monthly, and a twelve-month rolling sum shall be calculated monthly. Facility-wide emission totals must include emissions from insignificant activities. Emissions from malfunctions are required to be quantified and included in the calculations. The twelve-month rolling sum shall be less than 250.0 tons for VOC, 10.0 tons for each individual HAP, and 25.0 tons for total HAPs. Reports of the calculated values and the twelve-month rolling sum, calculated for each month in the reporting period, shall be submitted semiannually.</p> <p>Emissions shall be calculated using the following:</p> <ul style="list-style-type: none"> <li>• Spray, Coating and Solvent Usage – Material usage records and material pollutant concentrations per manufacturers' SDS. When the RTO is in operation and the combustion temperature is at or above the minimum Department approved temperature, a capture efficiency of 70% and a destruction efficiency of 90% may be applied. When the combustion temperature is below the minimum approved temperature, no capture or destruction efficiency may be applied.</li> </ul> $\text{Application Rate} \times \text{Pollutant Concentration} \times \text{Density} \times (1 - 63\%)$ <ul style="list-style-type: none"> <li>• Natural Gas Firing – Fuel usage records, heat content from the fuel supplier and the latest VOC and HAP emissions factors from AP-42 Table 1.4-2</li> </ul> $\text{Fuel Usage} \times \text{Heat Content of Fuel} \times \text{Pollutant Emission Factor}$
B.10	<p><b>Emission Unit ID:</b> All  <b>Equipment ID:</b> All  <b>Control Device ID:</b> N01, N02</p> <p>(S.C. Regulation 61-62.1, Section II(J)(2)) The owner or operator shall perform a source test on the incinerators and capture system in order to verify and record VOC emissions every two years. The capture efficiency shall be greater than or equal to 70% and destruction efficiency shall be greater</p>

**B. LIMITATIONS, MONITORING, AND REPORTING**

Condition Number	Conditions
B.11	<p>than or equal to 90%.</p> <p><b>Emission Unit ID:</b> All  <b>Equipment ID:</b> All  <b>Control Device ID:</b> N01, N02</p> <p>(S.C. Regulation 61-62.1, Section II(J)(2)) The owner or operator shall inspect, calibrate, adjust, and maintain continuous monitoring systems, monitoring devices, and gauges in accordance with manufacturer's specifications or good engineering practices. The owner or operator shall maintain on file all measurements including continuous monitoring system or monitoring device performance measurements; all continuous monitoring system performance evaluations; all continuous monitoring system or monitoring device calibration checks; adjustments and maintenance performed on these systems or devices; and all other information required in a permanent form suitable for inspection by Department personnel.</p> <p>(S.C. Regulation 61-62.1, Section II(J)(1)(d)) Sources required to have continuous emission monitors shall submit reports as specified in applicable parts of the permit, law, regulations, or standards.</p>
B.12	<p><b>Emission Unit ID:</b> All  <b>Equipment ID:</b> All  <b>Control Device ID:</b> N01, N02</p> <p>(S.C. Regulation 61-62.1, Section II(J)(2)) All gauges shall be readily accessible and easily read by operating personnel and Department personnel (i.e. on ground level or easily accessible roof level). Monitoring parameter readings (e.g., pressure drop readings, flow rates, etc.) and inspection checks shall be maintained in logs (written or electronic), along with any corrective action taken when deviations occur. Each occurrence of operation outside the operational ranges, including date and time, cause, and corrective action taken, shall be recorded and kept on site. Exceedance of operational range shall not be considered a violation of an emission limit of this permit, unless the exceedance is also accompanied by other information demonstrating that a violation of an emission limit has taken place.</p> <p>Reports of these occurrences shall be submitted annually. If there were no occurrences during the reporting period, then documentation shall be submitted to indicate such. Any alternative method for monitoring control device performance must be preapproved by the Department and shall be incorporated into the permit as set forth in S.C. Regulation 61-62.70.7.</p>
B.13	<p><b>Emission Unit ID:</b> All  <b>Equipment ID:</b> All  <b>Control Device ID:</b> N01, N02</p> <p>(S.C. Regulation 61-62.1, Section II(J)(2)) The owner or operator shall continue to operate and maintain combustion zone and/or burner temperature indicators on each regenerative thermal oxidizer. Temperature readings shall be recorded at least every fifteen (15) minutes during source operation for each regenerative thermal oxidizer. Facilities with automated data collection may collect</p>

**B. LIMITATIONS, MONITORING, AND REPORTING**

<b>Condition Number</b>	<b>Conditions</b>
	<p>monitoring data on a more frequent basis and calculate the daily average. Readings collected when the source is shutdown or not operating may not be used in the calculation. The owner or operator must get approval from the Department for an increased frequency/averaging plan prior to using averaging for parametric monitoring. The owner or operator shall continue to record daily, the calculated monitoring averages using the approved increased frequency/averaging plan unless prior approval is obtained from the Department for changing the plan. Maintenance checks for proper temperature indicator operation shall be made on at least a weekly basis. The checks and any corrective actions shall be documented and kept on-site. Each regenerative thermal oxidizer shall be in place and operational whenever processes controlled by it are running, except during periods of regenerative thermal oxidizer malfunction or mechanical failure.</p> <p>Operational ranges for the monitored parameters have been established to ensure proper operation of the pollution control equipment. These operational ranges for the monitored parameters were derived from stack test data, vendor certification, and/or operational history and visual inspections, which demonstrate the proper operation of the equipment. The facility shall maintain the established ranges and supporting documentation for these monitored parameters. Operating ranges may be updated following submittal to the Department.</p>
B.14	<p><b>Emission Unit ID:</b> All  <b>Equipment ID:</b> All  <b>Control Device ID:</b> N01, N02</p> <p>These sources are subject to New Source Performance Standards (NSPS), 40 CFR 60 and S.C. Regulation 61-62.60 Subpart A, General Provisions and Subpart WW, Standards of Performance for the Beverage Can Surface Coating Industry, as applicable. These sources shall comply with all applicable requirements of Subparts A and WW.</p>
B.15	<p><b>Emission Unit ID:</b> All  <b>Equipment ID:</b> All  <b>Control Device ID:</b> N01, N02</p> <p>§60.490 Applicability and designation of affected facility</p> <p>(a) The provisions of this subpart apply to the following affected facilities in beverage can surface coating lines: each exterior base coat operation, each overvarnish coating operation, and each inside spray coating operation.</p> <p>(b) The provisions of this subpart apply to each affected facility which is identified in paragraph (a) of this section and commences construction, modification, or reconstruction after November 26, 1980.</p>
B.16	<p><b>Emission Unit ID:</b> All  <b>Equipment ID:</b> All  <b>Control Device ID:</b> N01, N02</p>

**B. LIMITATIONS, MONITORING, AND REPORTING**

Condition Number	Conditions
	<p>§60.492 Standards for volatile organic compounds</p> <p>On or after the date on which the initial performance test required by § 60.8(a) is completed, no owner or operator subject to the provisions of this subpart shall discharge or cause the discharge of VOC emissions to the atmosphere that exceed the following volume-weighted calendar-month average emissions:</p> <ul style="list-style-type: none"> <li>(a) 0.29 kilogram of VOC per liter of coating solids from each two-piece can exterior base coating operation, except clear base coat;</li> <li>(b) 0.46 kilogram of VOC per liter of coating solids from each two-piece can clear base coating operation and from each overvarnish coating operation; and</li> <li>(c) 0.89 kilogram of VOC per liter of coating solids from each two-piece can inside spray coating operation.</li> </ul>
B.17	<p><b>Emission Unit ID:</b> All</p> <p><b>Equipment ID:</b> All</p> <p><b>Control Device ID:</b> N01, N02</p> <p>§60.493 Performance test and compliance provisions</p> <p>(b) The owner or operator of an affected facility shall conduct an initial performance test as required under §60.8(a) and thereafter a performance test each calendar month for each affected facility.</p> <p>(2) An owner or operator shall use the following procedures for each affected facility that uses a capture system and a control device that destroys VOC (e.g., incinerator) to comply with the emission limit specified under § 60.492.</p> <p>(i) Determine the overall reduction efficiency (R) for the capture system and control device.</p> <p>For the initial performance test, the overall reduction efficiency (R) shall be determined as prescribed in paragraphs (b)(2)(i) (A), (B), and (C) of this section. In subsequent months, the owner or operator may use the most recently determined overall reduction efficiency for the performance test providing control device and capture system operating conditions have not changed. The procedure in paragraphs (b)(2)(i), (A), (B), and (C) of this section, shall be repeated when directed by the Administrator or when the owner or operator elects to operate the control device or capture system at conditions different from the initial performance test.</p> <p>(A) Determine the fraction (F) of total VOC used by the affected facility that enters the control device using the following equation:</p>

**B. LIMITATIONS, MONITORING, AND REPORTING**

Condition Number	Conditions
	$F = S_e H_e + S_h H_h$ <p>(B) Determine the destruction efficiency of the control device (E) using values of the volumetric flow rate of each of the gas streams and the VOC content (as carbon) of each of the gas streams in and out of the device by the following equation:</p> $E = \frac{\sum_{i=1}^n Q_{bi} C_{bi} - \sum_{j=1}^m Q_{aj} C_{aj}}{\sum_{i=1}^n Q_{bi} C_{bi}}$ <p>(C) Determine overall reduction efficiency (R) using the following equation:</p> $R = EF$ <p>(ii) Calculate the volume-weighted average of the total mass of VOC per volume of coating solids (G) used during the calendar month for the affected facility using equations (1), (2), and (3).</p> <p>(iii) Calculate the volume-weighted average of VOC emissions discharged to the atmosphere (N) during the calendar month by the following equation:</p> $N = G \times [1 - R]$ <p>(iv) If the volume-weighted average of mass of VOC emitted to the atmosphere for the calendar month (N) is equal to or less than the applicable emission limit specified under § 60.492, the affected facility is in compliance.</p>
B.18	<p><b>Emission Unit ID:</b> All  <b>Equipment ID:</b> All  <b>Control Device ID:</b> N01, N02</p> <p>§60.494 Monitoring of emissions and operations</p> <p>The owner or operator of an affected facility that uses a capture system and an incinerator to comply with the emission limits specified under § 60.492 shall install, calibrate, maintain, and operate temperature measurement devices as prescribed below.</p> <p>(a) Where thermal incineration is used, a temperature measurement device shall be installed in the firebox. Where catalytic incineration is used, temperature measurement devices shall be installed in the gas stream immediately before and after the catalyst bed.</p> <p>(b) Each temperature measurement device shall be installed, calibrated, and maintained according to the manufacturer's specifications. The device shall have an accuracy of 0.75 percent of the</p>

**B. LIMITATIONS, MONITORING, AND REPORTING**

Condition Number	Conditions
	<p>temperature being measured, expressed in degrees Celsius, or <math>\pm 2.5</math> °C, whichever is greater.</p> <p>(c) Each temperature measurement device shall be equipped with a recording device so that a permanent continuous record is produced.</p>
B.19	<p><b>Emission Unit ID:</b> All  <b>Equipment ID:</b> All  <b>Control Device ID:</b> N01, N02</p> <p>§60.495 Reporting and recordkeeping requirements</p> <p>(b) Following the initial performance test, each owner or operator shall identify, record, and submit quarterly reports to the Administrator of each instance in which the volume-weighted average of the total mass of VOC per volume of coating solids, after the control device, if capture devices and control systems are used, is greater than the limit specified under § 60.492. If no such instances occur during a particular quarter, a report stating this shall be submitted to the Administrator semiannually.</p> <p>(c) Following the initial performance test, the owner or operator of an affected facility shall identify, record, and submit at the frequency specified in § 60.7(c) the following:</p> <p>(1) Where compliance with § 60.492 is achieved through the use of thermal incineration, each 3-hour period when cans are processed, during which the average temperature of the device was more than 28 °C below the average temperature of the device during the most recent performance test at which destruction efficiency was determined as specified under § 60.493.</p> <p>(3) For thermal and catalytic incinerators, if no such periods as described in paragraphs (c)(1) and (c)(2) of this section occur, the owner or operator shall state this in the report.</p> <p>(d) Each owner or operator subject to the provisions of this subpart shall maintain at the source, for a period of at least 2 years, records of all data and calculations used to determine VOC emissions from each affected facility in the initial and monthly performance tests. Where compliance is achieved through the use of thermal incineration, each owner or operator shall maintain, at the source, daily records of the incinerator combustion chamber temperature. If catalytic incineration is used, the owner or operator shall maintain at the source daily records of the gas temperature, both upstream and downstream of the incinerator catalyst bed. Where compliance is achieved through the use of a solvent recovery system, the owner or operator shall maintain at the source daily records of the amount of solvent recovered by the system for each affected facility.</p> <p>(e) The requirements of this section remain in force until and unless EPA, in delegating enforcement authority to a State under section 111(c) of the Act, approves reporting requirements or an</p>

**B. LIMITATIONS, MONITORING, AND REPORTING**

<b>Condition Number</b>	<b>Conditions</b>
	alternative means of compliance surveillance adopted by such State. In that event, affected facilities within the State will be relieved of the obligation to comply with this subsection, provided that they comply with the requirements established by the State.

**C. NESHAP (40 CFR 61 AND 40 CFR 63)**

<b>Condition Number</b>	<b>Conditions</b>
C.1	(40 CFR §63.9(a)(4)(ii) and §63.10(a)(4)(ii)) All NESHAP notifications and reports shall be sent to the Department. Electronic submission of notifications or reports to the United States Environmental Protection Agency (US EPA) via CEDRI (Compliance and Emissions Data Reporting Interface) shall serve as the submission to the Department. CEDRI can be accessed through the EPA's Central Data Exchange (CDX).
C.2	(40 CFR §63.9(a)(4)(ii) and §63.10(a)(4)(ii)) All NESHAP notifications and reports requiring electronic submission to US EPA shall be submitted to EPA via CEDRI. Notifications and reports for specific NESHAP subparts not yet requiring electronic submission may also be submitted via CEDRI. Notifications and the accompanying cover letter for periodic reports not submitted via CEDRI shall be sent to the US EPA Region 4 Air and Radiation Division as required by the applicable subpart.
C.3	Emergency engines less than or equal to 150 kilowatt (kW) rated capacity, emergency engines greater than 150 kW rated capacity designated for emergency use only and operated a total of 500 hours per year or less for testing and maintenance and have a method to record the actual hours of use, such as an hour meter, and diesel engine driven emergency fire pumps that are operated a total of 500 hours per year or less for testing and maintenance and have a method to record the actual hours of use, such as an hour meter, have been determined to be exempt from construction permitting requirements in accordance with S.C. Regulation 61-62.1.  (40 CFR 60; 40 CFR 63) If present, these sources shall still comply with the requirements of all applicable regulations, including but not limited to the following:  New Source Performance Standards (NSPS) 40 CFR 60 Subpart A (General Provisions); NSPS 40 CFR 60 Subpart IIII (Stationary Compression Ignition Internal Combustion Engines); NSPS 40 CFR 60 Subpart JJJJ (Stationary Spark Ignition Internal Combustion Engines); National Emission Standards for Hazardous Air Pollutants (NESHAP) 40 CFR 63 Subpart A (General Provisions); and NESHAP 40 CFR 63 Subpart ZZZZ (Stationary Reciprocating Internal Combustion Engines).

**D. GENERAL FACILITY WIDE**

<b>Condition Number</b>	<b>Conditions</b>
D.1	The owner or operator shall comply with S.C. Regulation 61-62.2, Prohibition of Open Burning.
D.2	The owner or operator shall comply with S.C. Regulation 61-62.3, Air Pollution Episodes.
D.3	The owner or operator shall comply with S.C. Regulation 61-62.4, Hazardous Air Pollution Conditions.
D.4	The owner or operator shall comply with S.C. Regulation 61-62.6, Control of Fugitive Particulate Matter, Section III Control of Fugitive Particulate Matter Statewide.
D.5	The owner or operator shall comply with the standards of performance for asbestos abatement operations pursuant to 40 CFR Part 61.145 and S.C. Regulation 61-86.1, including, but not limited to, requirements governing training, licensing, notification, work practice, cleanup, and disposal.
D.6	The owner or operator shall comply with the standards for recycling and emissions reduction pursuant to 40 CFR Part 82, Subpart F, Protection of Stratospheric Ozone, Recycling and Emissions Reduction, except as provided for motor vehicle air conditioners (MVACs) in Subpart B. If the owner or operator performs a service on motor vehicles (fleet) that involves ozone-depleting substance refrigerant in MVACs, the owner or operator is subject to all applicable requirements of 40 CFR Part 82, Subpart B, Servicing of MVACs.
D.7	(S.C. Regulation 61-62.70.6(a)(5)) The provisions of this permit are severable, and if any provision of this permit, or application of any provision of this permit to any circumstance is held invalid, the application of such provision to other circumstances, and the remainder of this permit shall not be affected thereby.
D.8	(S.C. Regulation 61-62.70.6(a)(6)(i)) The owner or operator must comply with all of the conditions of this permit. Any permit noncompliance constitutes a violation of the S.C. Pollution Control Act and/or the Federal Clean Air Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of permit renewal application.
D.9	(S.C. Regulation 61-62.70.6(a)(6)(ii)) It shall not be a defense for an owner or operator in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.
D.10	(S.C. Regulation 61-62.70.6(a)(6)(iii)) The permit may be modified, revoked, reopened and reissued, or terminated for cause by the Department. The filing of a request by the owner or operator for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.
D.11	(S.C. Regulation 61-62.70.6(a)(6)(iv)) The permit does not convey any property rights of any sort, or any exclusive privilege.
D.12	(S.C. Regulation 61-62.70.6(a)(6)(v)) The owner or operator shall furnish to the Department, within a reasonable time, any information that the Department may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the owner or operator shall also furnish to the Department copies of records required to be kept by the permit or, for information claimed to be confidential, the owner or operator may furnish such records directly to the Administrator along with a claim of confidentiality. The Department may also request that the owner or operator furnish such records directly to the Administrator along with a claim of confidentiality.
D.13	(S.C. Regulation 61-62.70.6(a)(8)) No permit revision shall be required, under any approved economic incentives, marketable permits, emissions trading and other similar programs or processes for

**D. GENERAL FACILITY WIDE**

<b>Condition Number</b>	<b>Conditions</b>
	changes that are provided for in this permit.
D.14	<p>(S.C. Regulation 61-62.70.6(c)(2)) Upon presentation of credentials and other documents as may be required by law, the owner or operator shall allow the Department or an authorized representative to perform the following:</p> <ol style="list-style-type: none"> <li>1. Enter upon the owner or operator's premises where a Part 70 source is located or emissions-related activity is conducted, or where records must be kept under the conditions of the permit.</li> <li>2. Have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit.</li> <li>3. Inspect any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.</li> <li>4. As authorized by the Act and/or the S.C. Pollution Control Act, sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the permit or applicable requirements.</li> </ol>
D.15	(S.C. Regulation 61-62.70.6(a)(1)(ii)) Where an applicable requirement of the Act is more stringent than an applicable requirement of regulations promulgated under Title IV of the Act, both provisions shall be incorporated into the permit and shall be enforceable by the Administrator.
D.16	(S.C. Regulation 61-62.70.6(a)(4)) The owner or operator is prohibited from emissions exceeding any allowances that the source lawfully holds under Title IV of the Act or the regulations promulgated thereunder. No permit revision shall be required for increases in emissions that are authorized by allowances acquired pursuant to the acid rain program, provided that such increases do not require a permit revision under any other applicable requirement. No limit shall be placed on the number of allowances held by a source. The source may not, however, use allowances as a defense to noncompliance with any other applicable requirement. Any such allowances shall be accounted for according to the procedures established in regulations promulgated under Title IV of the Act.
D.17	(S.C. Regulation 61-62.70.7(c)(1)(ii)) Permit expiration terminates the source's right to operate unless a timely and complete renewal application has been submitted consistent with S.C. Regulation 61-62.70.5(a)(1)(iii), 62.70.5(a)(2)(iv), and 62.70.7(b). In this case, the permit shall not expire until the renewal permit has been issued or denied. All terms and conditions of the permit including any permit shield that may be granted pursuant to S.C. Regulation 61-62.70.6(f) shall remain in effect until the renewal permit has been issued or denied.
D.18	(S.C. Regulation 61-62.70.7) Requests for permit modification and amendments shall be submitted on the appropriate Department approved Title V Modification Form(s).
D.19	(S.C. Regulation 61-62.70.6(a)(7)) The owners or operators of Part 70 sources shall pay fees to the Department consistent with the fee schedule approved pursuant to S.C. Regulation 61-62.70.9; and in accordance with S.C. Regulation 61-30, Environmental Protection Fees. Failure to pay applicable fees can be considered grounds for permit revocation.
D.20	(S.C. Regulation 61-62.1, Section III) The owners or operators of Part 70 sources shall complete and submit a new updated emissions inventory consistent with the schedule approved pursuant to S.C. Regulation 61-62.1, Section III. These reports shall be submitted to the Department.

**D. GENERAL FACILITY WIDE**

<b>Condition Number</b>	<b>Conditions</b>
	This requirement notwithstanding, an emissions inventory may be required at any time in order to determine the compliance status of any facility.
D.21	This permit expressly incorporates insignificant activities. Emissions from insignificant activities shall be included in the emissions inventory submittals as required by S.C. Regulation 61-62.1, Section III(B)(2)(g).
D.22	(S.C. Regulation 61-62.1, Section II(J)(1)(a)) No applicable law, regulation, or standard will be contravened.
D.23	(S.C. Regulation 61-62.1, Section II(J)(1)(e)) Any owner or operator who constructs or operates a source or modification not in accordance with the application submitted pursuant to S.C. Regulation 61-62.1 or with the terms of any approval to construct, or who commences construction after the effective date of S.C. Regulation 61-62.1 without applying for and receiving approval hereunder, shall be subject to enforcement action.

**E. GENERAL RECORD KEEPING AND REPORTING**

<b>Condition Number</b>	<b>Conditions</b>
E.1	(S.C. Regulation 61-62.1, Section II(J)(1)(g)) A copy of the Department issued construction and/or operating permit must be kept readily available at the facility at all times. The owner or operator shall maintain such operational records; make reports; install, use, and maintain monitoring equipment or methods; sample and analyze emissions or discharges in accordance with prescribed methods at locations, intervals, and procedures as the Department shall prescribe; and provide such other information as the Department reasonably may require. All records required to demonstrate compliance with the limits established under this permit shall be maintained on site for a period of at least five (5) years from the date the record was generated and shall be made available to a Department representative upon request.
E.2	(S.C. Regulation 61-62.70.6(a)(3)(iii)(A)) The owner or operator shall submit reports required in this permit in a timely manner and according to the reporting schedule that has previously been established through the Department's approved electronic permitting system.  All required reports must be certified by a responsible official consistent with S.C. Regulation 61-62.70.5(d).
E.3	(S.C. Regulation 61-62.70.6(a)(3)(iii)) All reports and notifications required under this permit shall be submitted to the Department.
E.4	(S.C. Regulation 61-62.70.6(c)(5)(iv)) All Title V Annual Compliance Certifications shall be sent to the US EPA, Region 4, Air Enforcement Branch and to the Department. These reports can be submitted electronically to EPA through CEDRI.
E.5	(S.C. Regulation 61-62.70.6(a)(3)(ii)) The owner or operator shall comply, where applicable, with the following monitoring/support information collection and retention record keeping requirements:  1. Records of required monitoring information shall include the following:

**E. GENERAL RECORD KEEPING AND REPORTING**

Condition Number	Conditions
	<p>a. The date, place as defined in the permit, and time of sampling or measurements;</p> <p>b. The date(s) analyses were performed;</p> <p>c. The company or entity that performed the analyses;</p> <p>d. The analytical techniques or methods used;</p> <p>e. The results of such analyses; and</p> <p>f. The operating conditions as existing at the time of sampling or measurement;</p> <p>2. Records of all required monitoring data and support information shall be retained for a period of at least five (5) years from the date of the monitoring sample, measurement, report, or application. Support information includes all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit.</p>
E.6	<p>(S.C. Regulation 61-62.1, Section II(J)(1)(c)) For sources not required to have continuous emission monitors, any malfunction of air pollution control equipment or system, process upset, or other equipment failure which results in discharges of air contaminants lasting for one (1) hour or more and which are greater than those discharges described for normal operation in the permit application, shall be reported to the Department within twenty-four (24) hours after the beginning of the occurrence and a written report shall be submitted to the Department within thirty (30) days. The written report shall include, at a minimum, the following:</p> <ol style="list-style-type: none"> <li>1. The identity of the stack and/or emission point where the excess emissions occurred;</li> <li>2. The magnitude of excess emissions expressed in the units of the applicable emission limitation and the operating data and calculations used in determining the excess emissions;</li> <li>3. The time and duration of excess emissions;</li> <li>4. The identity of the equipment causing the excess emissions;</li> <li>5. The nature and cause of such excess emissions;</li> <li>6. The steps taken to remedy the malfunction and the steps taken or planned to prevent the recurrence of such malfunction;</li> <li>7. The steps taken to limit the excess emissions; and,</li> <li>8. Documentation that the air pollution control equipment, process equipment, or processes were at all times maintained and operated, to the maximum extent practicable, in a manner consistent with good practice for minimizing emissions.</li> </ol> <p>The initial twenty-four (24) hour notification should be made to the Department's local Regional Office.</p> <p>The written report should be sent to the Department.</p>

**E. GENERAL RECORD KEEPING AND REPORTING**

<b>Condition Number</b>	<b>Conditions</b>
E.7	<p>(S.C. Regulation 61-62.70.6(c)(5)(iii)) The responsible official shall certify annually, compliance with the conditions of this permit as required under S.C. Regulation 61-62.70.6(c). The compliance certification shall include the following:</p> <ol style="list-style-type: none"><li>1. The identification of each term or condition of the permit that is the basis of the certification.</li><li>2. The identification of the method(s) or means used by the owner or operator for determining the compliance status with each term and condition of the permit during the certification period.</li><li>3. The status of compliance with the terms and conditions of the permit for the period covered by the certification, including whether compliance during the period was continuous or intermittent. The certification shall be based on the method or means designated in S.C. Regulation 61-62.70.6(c)(5)(iii)(B). The certification shall identify each deviation and take it into account in the compliance certification.</li><li>4. Such other facts as the Department may require to determine the compliance status of the source.</li></ol>
E.8	<p>(S.C. Regulation 61-62.1, Section II(M)) Within thirty (30) days of the transfer of ownership/operation of a facility, the current permit holder and prospective new owner or operator shall submit to the Department a written request for transfer of the source operating or construction permits. The written request for transfer of the source operating or construction permit shall include any changes pertaining to the facility name and mailing address; the name, mailing address, and telephone number of the owner or operator for the facility; and any proposed changes to the permitted activities of the source. Transfer of the operating or construction permits will be effective upon written approval by the Department.</p>

**F. INSIGNIFICANT ACTIVITIES**

<b>Condition Number</b>	<b>Conditions</b>
F.1	<p>The facility may install, remove, and modify insignificant activities as defined in S.C. Regulation 61-62.70.5(c), without revising or reopening the Title V Operating Permit. A list of insignificant activities/exempt sources must be maintained on site, along with any necessary documentation to support the determination that the activity is insignificant and shall be made available to a Department representative upon request. The list shall be submitted with the next renewal application.</p>

**G. PERMIT SHIELD**

Condition Number	Conditions
G.1	<p>(S.C. Regulation 61-62.70.6(f)) A copy of the "applicability determination" submitted with the Part 70 permit application is included as Applicable and Non-Applicable Federal and State Regulations. With the exception of those listed below, compliance with the terms and conditions of this permit shall be deemed compliance with the applicable requirements specified in Applicable and Non-Applicable Federal and State Regulations as of the date of permit issuance provided that such applicable requirements are included and are specifically identified in the permit. The owner or operator shall also be shielded from the non-applicable requirements specified in Applicable and Non-Applicable Federal and State Regulations. Exceptions to this are stated below in the Permit Shield Exceptions Table. This permit shield does not extend to applicable requirements which are promulgated after permit issuance, unless the permit has been appropriately modified to reflect such new requirements.</p> <p>Nothing in the permit shield or in any Part 70 permit shall alter or affect the provisions of Section 303 of the Act, Emergency Orders of the Clean Air Act; the liability of the owner or operator for any violation of applicable requirements prior to or at the time of permit issuance; the applicable requirements of the Acid Rain Program, consistent with Section 408(a) of the Clean Air Act; or the ability of US EPA to obtain information from a source pursuant to Section 114 of the Clean Air Act. In addition, the permit shield shall not apply to emission units in noncompliance at the time of permit issuance, minor permit modifications (S.C. Regulation 61-62.70.7(e)(2)), group processing of minor permit modifications (S.C. Regulation 61-62.70.7(e)(3)), or operational flexibility (S.C. Regulation 61-62.70.7(e)(5)(i)), except as specified in S.C. Regulation 61-62.70.7(e)(5)(iii).</p>

**Permit Shield Exceptions**

SC Regulation 61-62.1 – Definitions and General Requirements
SC Regulation 61-62.1, Section II(E) – Synthetic Minor Construction Permits
SC Regulation 61-62.1, Section II(G) - Conditional Major
SC Regulation 61-62.1, Section II(J) - Permit Conditions
SC Regulation 61-62.2 - Prohibition of Open Burning
SC Regulation 61-62.3 - Air Pollution Episodes
SC Regulation 61-62.5, Standard No. 7 – Prevention of Significant Deterioration
SC Regulation 61-62.5, Standard No. 7(c) - Ambient Air Increments
SC Regulation 61-62.5, Standard No. 7.1 – Nonattainment New Source Review
SC Regulation 61-62.6 - Control of Fugitive Particulate Matter
SC Regulation 61-62.60 - South Carolina Designated Facility Plan and New Source Performance Standards
SC Regulation 61-62.61 - National Emission Standards for Hazardous Air Pollutants (NESHAP)
SC Regulation 61-62.61 Subpart A - General Provisions
SC Regulation 61-62.61 Subpart M – National Emission Standard for Asbestos
SC Regulation 61-62.63 - National Emission Standards for Hazardous Air Pollutants (NESHAP) for Source Categories
40 CFR 264 Subpart AA - Air Emission Standards for Process Vents
40 CFR 264 Subpart BB - Air Emission Standards for Equipment Leaks
40 CFR 264 Subpart CC - Air Emission Standards for Tanks, Surface Impoundments, And Containers
40 CFR 265 Subpart BB - Air Emission Standards for Equipment Leaks

<b>Permit Shield Exceptions</b>
40 CFR 265 Subpart CC - Air Emission Standards for Tanks, Surface Impoundments, And Containers
40 CFR 52.21 - Prevention of Significant Deterioration Of Air Quality
40 CFR 61 Subpart A - General Provisions
40 CFR 61 Subpart M – National Emission Standard for Asbestos
40 CFR 75 - Continuous Emission Monitoring
40 CFR 75 Subpart A - General
40 CFR 75 Subpart B - Monitoring Provisions
40 CFR 75 Subpart C - Operation and Maintenance Requirements
40 CFR 75 Subpart D - Missing Data Substitution Procedures
40 CFR 75 Subpart E - Alternative Monitoring Systems
40 CFR 75 Subpart F - Recordkeeping Requirements
40 CFR 75 Subpart G - Reporting Requirements
40 CFR 75 Subpart H - NOX Mass Emissions Provisions
40 CFR 75 Subpart I - Hg Mass Emissions Provisions
40 CFR 76 - Acid Rain Nitrogen Oxides Emission Reduction Program
40 CFR 82 - Protection of Stratospheric Ozone
40 CFR 98 - Mandatory Reporting of Greenhouse Gases

## **H. AMBIENT AIR STANDARDS**

<b>Condition Number</b>	<b>Conditions</b>
H.1	<p>(S.C. Regulation 61-62.1, Section II(J)(2)) Air dispersion modeling (or other method) has previously demonstrated that this facility's operation will not interfere with the attainment and maintenance of any state or federal ambient air standard. Any changes in the parameters used in this demonstration may require a review by the facility to determine continuing compliance with these standards. These potential changes include any decrease in stack height, decrease in stack velocity, increase in stack diameter, decrease in stack exit temperature, increase in building height or building additions, increase in emission rates, decrease in distance between stack and property line, changes in vertical stack orientation, and installation of a rain cap that impedes vertical flow. Parameters that are not required in the determination will not invalidate the demonstration if they are modified. Variations from the input parameters in the demonstration shall not constitute a violation unless the maximum allowable ambient concentrations identified in the standard are exceeded.</p> <p>The owner or operator shall maintain this facility at or below the emission rates used in the most recent air dispersion modeling (or other method) demonstration submitted to and approved by the Department, not to exceed the pollutant limitations of this permit. Should the facility wish to increase the emission rates used in the demonstration, not to exceed the pollutant limitations in the body of this permit, it may do so by submitting a new demonstration for approval. This condition along with the referenced modeling demonstration will also serve to meet the intent of S.C. Regulation 61-62.5, Standard No. 8, Section II(D). This is a State Only enforceable requirement.</p>

**I. COMPLIANCE SCHEDULE – RESERVED**

## Applicable and Non-Applicable Federal and State Regulations

**Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 1 of 33**

The following contains the Federal and South Carolina air pollution regulations and their applicability, as specified in the Part 70 permit application.

APPLICABILITY DETERMINATION		
Citation	Regulation	Applicable (Yes / No)
SC Regulation 61-62.1	Definitions and General Requirements	Yes
SC Regulation 61-62.1, Section II(E)	Synthetic Minor Construction Permits	Yes
SC Regulation 61-62.1, Section II(G)	Conditional Major	No
SC Regulation 61-62.1, Section II(J)	Permit Conditions	No
SC Regulation 61-62.2	Prohibition of Open Burning	No
SC Regulation 61-62.3	Air Pollution Episodes	No
SC Regulation 61-62.4	Hazardous Air Pollution Conditions	Yes
SC Regulation 61-62.5, Standard No. 1	Emissions From Fuel Burning Operations	No
SC Regulation 61-62.5, Standard No. 2	Ambient Air Quality Standards	Yes
SC Regulation 61-62.5, Standard No. 3	Waste Combustion and Reduction	Yes
SC Regulation 61-62.5, Standard No. 3.1	Hospital, Medical, Infectious Waste Incinerators	No
SC Regulation 61-62.5, Standard No. 4	Emissions from Process Industries	Yes
SC Regulation 61-62.5, Standard No. 5	Volatile Organic Compounds	No
SC Regulation 61-62.5, Standard No. 5.1	BACT/LAER Applicable to Volatile Organic Compounds	No
SC Regulation 61-62.5, Standard No. 5.2	Control of Oxides of Nitrogen	No
SC Regulation 61-62.5, Standard No. 6	Alternative Emission Limitation Options	No
SC Regulation 61-62.5, Standard No. 7	Prevention of Significant Deterioration	Yes
SC Regulation 61-62.5, Standard No. 7(c)	Ambient Air Increments	No
SC Regulation 61-62.5, Standard No. 7.1	Nonattainment New Source Review	Yes
SC Regulation 61-62.5, Standard No. 8	Toxic Air Pollutants	Yes
SC Regulation 61-62.6	Control of Fugitive Particulate Matter	No
SC Regulation 61-62.60	South Carolina Designated Facility Plan and New Source Performance Standards	Yes
SC Regulation 61-62.60 Subpart A	General Provisions	Yes
SC Regulation 61-62.60 Subpart B	Adoption and Submittal of State Plans for Designated Facilities	No
SC Regulation 61-62.60 Subpart C	Emission Guidelines and Compliance Times	No
SC Regulation 61-62.60 Subpart Ca	Reserved	No
SC Regulation 61-62.60 Subpart Cb	Emission Guidelines and Compliance Times for Large Municipal Waste Combustors that are Constructed on or Before September 20, 1994	No
SC Regulation 61-62.60 Subpart Cc	Emission Guidelines and Compliance Times for Municipal Solid Waste Landfills	No
SC Regulation 61-62.60 Subpart Cd	Emission Guidelines and Compliance Times for Sulfuric Acid Production Units	No
SC Regulation 61-62.60 Subpart Ce	Emission Guidelines and Compliance Times for Hospital/Medical/Infectious Waste Incinerators	No

**Applicable and Non-Applicable Federal and State Regulations****Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 2 of 33**

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
SC Regulation 61-62.60 Subpart D	Standards of Performance for Fossil-fuel Fired Steam Generators for which Construction is Commenced After August 17, 1971	No
SC Regulation 61-62.60 Subpart Da	Standards of Performance for Electric Utility Steam Generating Units for Which Construction is Commenced after September 18, 1978	No
SC Regulation 61-62.60 Subpart Db	Standards of Performance for Industrial-Commercial-Institutional Steam Generating Units	No
SC Regulation 61-62.60 Subpart Dc	Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units	No
SC Regulation 61-62.60 Subpart E	Standards of Performance for Incinerators	No
SC Regulation 61-62.60 Subpart Ea	Standards of Performance for Municipal Waste Combustors for which Construction is Commenced after December 20, 1989, and on or before September 20, 1994	No
SC Regulation 61-62.60 Subpart Eb	Standards of Performance for Large Municipal Waste Combustors for which Construction is Commenced after September 20, 1994, or for which modification or reconstruction is commenced after June 19, 1996	No
SC Regulation 61-62.60 Subpart Ec	Standards of Performance for Hospital/Medical/Infectious Waste Incinerators for which Construction is Commenced after June 20, 1996	No
SC Regulation 61-62.60 Subpart F	Standards of Performance for Portland Cement Plants	No
SC Regulation 61-62.60 Subpart G	Standards of Performance for Nitric Acid Plants	No
SC Regulation 61-62.60 Subpart H	Standards of Performance for Sulfuric Acid Plants	No
SC Regulation 61-62.60 Subpart I	Standards of Performance for Asphalt Concrete Plants	No
SC Regulation 61-62.60 Subpart J	Standards of Performance for Petroleum Refineries	No
SC Regulation 61-62.60 Subpart Ja	Standards of Performance for Petroleum Refineries for which Construction, Reconstruction, or Modification Commenced After May 14, 2007	No
SC Regulation 61-62.60 Subpart K	Standards of Performance for Storage Vessels for Petroleum Liquids for which Construction, Reconstruction or Modification Commenced After June 11, 1973, and Prior to May 19, 1978	No
SC Regulation 61-62.60 Subpart Ka	Standards of Performance for Storage Vessels for Petroleum Liquids for which Construction, Reconstruction or Modification Commenced After May 18, 1978, and Prior to July 23, 1984	No

**Applicable and Non-Applicable Federal and State Regulations****Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 3 of 33**

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
SC Regulation 61-62.60 Subpart Kb	Standards of Performance for Volatile Organic Liquid Storage Vessels (including Petroleum Liquid Storage Vessels) for Which Construction, Reconstruction or Modification Commenced after July 23, 1984	No
SC Regulation 61-62.60 Subpart L	Standards of Performance for Secondary Lead Smelters	No
SC Regulation 61-62.60 Subpart M	Standards of Performance for Secondary Brass and Bronze Production Plants	No
SC Regulation 61-62.60 Subpart N	Standards of Performance for Primary Emissions from Basic Oxygen Process Furnaces for which Construction is Commenced After June 11, 1973	No
SC Regulation 61-62.60 Subpart Na	Standards of Performance for Secondary Emissions from Basic Oxygen Process Steelmaking Facilities for which Construction is Commenced After January 20, 1983	No
SC Regulation 61-62.60 Subpart O	Standards of Performance for Sewage Treatment Plants	No
SC Regulation 61-62.60 Subpart P	Standards of Performance for Primary Copper Smelters	No
SC Regulation 61-62.60 Subpart Q	Standards of Performance for Primary Zinc Smelters	No
SC Regulation 61-62.60 Subpart R	Standards of Performance for Primary Lead Smelters	No
SC Regulation 61-62.60 Subpart S	Standards of Performance for Primary Aluminum Reduction Plants	No
SC Regulation 61-62.60 Subpart T	Standards of Performance for the Phosphate Fertilizer Industry: Wet- Process Phosphoric Acid Plants	No
SC Regulation 61-62.60 Subpart U	Standards of Performance for the Phosphate Fertilizer Industry: Superphosphoric Acid Plants	No
SC Regulation 61-62.60 Subpart V	Standards of Performance for the Phosphate Fertilizer Industry: Diammonium Phosphate Plants	No
SC Regulation 61-62.60 Subpart W	Standards of Performance for the Phosphate Fertilizer Industry: Triple Superphosphoric Plants	No
SC Regulation 61-62.60 Subpart X	Standards of Performance for the Phosphate Fertilizer Industry: Granular Triple Superphosphate Storage Facilities	No
SC Regulation 61-62.60 Subpart Y	Standards of Performance for Coal Preparation and Processing Plants	No
SC Regulation 61-62.60 Subpart Z	Standards of Performance for Ferroalloy Production Facilities	No
SC Regulation 61-62.60 Subpart AA	Standards of Performance for Steel Plants: Electric Arc Furnaces Constructed After October 21, 1974, and on or Before August 17, 1983	No
SC Regulation 61-62.60 Subpart AAa	Standards of Performance for Steel Plants: Electric Arc Furnaces and Argon-Oxygen Decarburization Vessels Constructed After August 7, 1983	No
SC Regulation 61-62.60 Subpart BB	Standards of Performance for Kraft Pulp Mills	No

**Applicable and Non-Applicable Federal and State Regulations****Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 4 of 33**

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
SC Regulation 61-62.60 Subpart CC	Standards of Performance for Glass Manufacturing Plants	No
SC Regulation 61-62.60 Subpart DD	Standards of Performance for Grain Elevators	No
SC Regulation 61-62.60 Subpart EE	Standards of Performance for Surface Coating of Metal Furniture	No
SC Regulation 61-62.60 Subpart FF	Reserved	No
SC Regulation 61-62.60 Subpart GG	Standards of Performance for Stationary Gas Turbines	No
SC Regulation 61-62.60 Subpart HH	Standards of Performance for Lime Manufacturing Plants	No
SC Regulation 61-62.60 Subpart KK	Standards of Performance for Lead-Acid Battery Manufacturing Plants	No
SC Regulation 61-62.60 Subpart LL	Standards of Performance for Metallic Mineral Processing Plants	No
SC Regulation 61-62.60 Subpart MM	Standards of Performance for Automobile and Light-Duty Truck Surface Coating Operations	No
SC Regulation 61-62.60 Subpart NN	Standards of Performance for Phosphate Rock Plants	No
SC Regulation 61-62.60 Subpart PP	Standards of Performance for Ammonium Sulfate Manufacture	No
SC Regulation 61-62.60 Subpart QQ	Standards of Performance for the Graphic Arts Industry: Publication Rotogravure Printing	No
SC Regulation 61-62.60 Subpart RR	Standards of Performance for Pressure Sensitive Tape and Label Surface Coating Operations	No
SC Regulation 61-62.60 Subpart SS	Standards of Performance for Industrial Surface Coating: Large Appliances	No
SC Regulation 61-62.60 Subpart TT	Standards of Performance for Metal Coil Surface Coating	No
SC Regulation 61-62.60 Subpart UU	Standards of Performance for Asphalt Processing and Asphalt Roofing Manufacture	No
SC Regulation 61-62.60 Subpart VV	Standards of Performance for Equipment Leaks of VOC in The Synthetic Organic Chemicals Manufacturing Industry for which Construction, Reconstruction, or Modification Commenced After January 5, 1981, and on or Before November 7, 2006	No
SC Regulation 61-62.60 Subpart VVa	Standards of Performance for Equipment Leaks of VOC in The Synthetic Organic Chemicals Manufacturing Industry for which Construction, Reconstruction, or Modification Commenced After November 7, 2006	No
SC Regulation 61-62.60 Subpart WW	Standards of Performance for the Beverage Can Surface Coating Industry	Yes
SC Regulation 61-62.60 Subpart XX	Standards of Performance for Bulk Gasoline Terminals	No
SC Regulation 61-62.60 Subpart AAA	Standards of Performance for New Residential Wood Heaters	No

**Applicable and Non-Applicable Federal and State Regulations****Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 5 of 33**

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
SC Regulation 61-62.60 Subpart BBB	Standards of Performance for the Rubber Tire Manufacturing Industry	No
SC Regulation 61-62.60 Subpart CCC	Reserved	No
SC Regulation 61-62.60 Subpart DDD	Standards of Performance for Volatile Organic Compounds (VOC) Emissions from the Polymer Manufacturing Industry	No
SC Regulation 61-62.60 Subpart EEE	Reserved	No
SC Regulation 61-62.60 Subpart FFF	Standards of Performance for Flexible Vinyl and Urethane Coating and Printing	No
SC Regulation 61-62.60 Subpart GGG	Standards of Performance for Equipment Leaks of VOC in Petroleum Refineries for which Construction, Reconstruction, or Modification Commenced After January 4, 1983, and on or Before November 7, 2006	No
SC Regulation 61-62.60 Subpart GGGa	Standards of Performance for Equipment Leaks of VOC in Petroleum Refineries for which Construction, Reconstruction, or Modification Commenced After November 7, 2006	No
SC Regulation 61-62.60 Subpart HHH	Standards of Performance for Synthetic Fiber Production Facilities	No
SC Regulation 61-62.60 Subpart III	Standards of Performance for Volatile Organic Compound (VOC) Emissions from the Synthetic Organic Chemical Manufacturing Industry (SOCMI) Air Oxidation Unit Processes	No
SC Regulation 61-62.60 Subpart JJJ	Standards of Performance for Petroleum Dry Cleaners	No
SC Regulation 61-62.60 Subpart KKK	Standards of Performance for Equipment Leaks of VOC from Onshore Natural Gas Processing Plants	No
SC Regulation 61-62.60 Subpart LLL	Standards of Performance for Onshore Natural Gas Processing: SO2 Emissions	No
SC Regulation 61-62.60 Subpart MMM	Reserved	No
SC Regulation 61-62.60 Subpart NNN	Standards of Performance for Volatile Organic Compound (VOC) Emissions from Synthetic Organic Chemical Manufacturing Industry (SOCMI) Distillation Operations	No
SC Regulation 61-62.60 Subpart OOO	Standards of Performance for Nonmetallic Mineral Processing Plants	No
SC Regulation 61-62.60 Subpart PPP	Standards of Performance for Wool Fiberglass Insulation Manufacturing Plants	No
SC Regulation 61-62.60 Subpart QQQ	Standards of Performance for VOC Emissions from Petroleum Refinery Wastewater Systems	No
SC Regulation 61-62.60 Subpart RRR	Standards of Performance for Volatile Organic Compound (VOC) Emissions from Synthetic Organic Chemical Manufacturing Industry (SOCMI) Reactor Processes	No

**Applicable and Non-Applicable Federal and State Regulations****Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 6 of 33**

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
SC Regulation 61-62.60 Subpart SSS	Standards of Performance for Magnetic Tape Coating Facilities	No
SC Regulation 61-62.60 Subpart TTT	Standards of Performance for Industrial Surface Coating: Surface Coating of Plastic Parts for Business Machines	No
SC Regulation 61-62.60 Subpart UUU	Standards of Performance for Calciners and Dryers in Mineral Industries	No
SC Regulation 61-62.60 Subpart VV	Standards of Performance for Polymeric Coating of Supporting Substrates Facilities	No
SC Regulation 61-62.60 Subpart WWW	Standards of Performance for Municipal Solid Waste Landfills	No
SC Regulation 61-62.60 Subpart AAAA	Standards of Performance for Small Municipal Waste Combustion Units for which Construction is Commenced After August 30, 1999, or for which Modification or Reconstruction is Commenced after June 6, 2001	No
SC Regulation 61-62.60 Subpart BBBB	Emission Guidelines and Compliance Times for Small Municipal Waste Combustion Units Constructed on or Before August 30, 1999	No
SC Regulation 61-62.60 Subpart CCCC	Standards of Performance for Commercial and Industrial Solid Waste Incineration Units for which Construction is Commenced After November 30, 1999, or for which Modification or Reconstruction is Commenced on or After June 1, 2001	No
SC Regulation 61-62.60 Subpart DDDD	Emissions Guidelines and Compliance Times for Commercial and Industrial Solid Waste Incineration Units that Commenced Construction on or Before November 30, 1999	No
SC Regulation 61-62.60 Subpart EEEE	Standards of Performance for Other Solid Waste Incineration Units for which Construction is Commenced After December 9, 2004, or for which Modification or Reconstruction is Commenced on or After June 16, 2006	No
SC Regulation 61-62.60 Subpart FFFF	Emission Guidelines and Compliance Times for Other Solid Waste Incineration Units that Commenced Construction on or Before December 9, 2004	No
SC Regulation 61-62.60 Subpart GGGG	Reserved	No
SC Regulation 61-62.60 Subpart HHHH	Emission Guidelines and Compliance Times for Coal-Fired Electric Steam Generating Units	No
SC Regulation 61-62.60 Subpart II	Standards of Performance for Stationary Compression Ignition Internal Combustion Engines	No
SC Regulation 61-62.60 Subpart JJ	Standards of Performance for Stationary Spark Ignition Internal Combustion Engines	No

**Applicable and Non-Applicable Federal and State Regulations****Crown Beverage Packaging**

TV-0660-0016 v2.0

Page 7 of 33

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
SC Regulation 61-62.60 Subpart KKKK	Standards of Performance for Stationary Combustion Turbines	No
SC Regulation 61-62.61	National Emission Standards for Hazardous Air Pollutants (NESHAP)	No
SC Regulation 61-62.61 Subpart A	General Provisions	No
SC Regulation 61-62.61 Subpart B	National Emission Standards for Radon Emissions from Underground Uranium Mines	No
SC Regulation 61-62.61 Subpart C	National Emission Standard for Beryllium	No
SC Regulation 61-62.61 Subpart D	National Emission Standard for Beryllium Rocket Motor Firing	No
SC Regulation 61-62.61 Subpart E	National Emission Standard for Mercury	No
SC Regulation 61-62.61 Subpart F	National Emission Standard for Vinyl Chloride	No
SC Regulation 61-62.61 Subpart G	Reserved	No
SC Regulation 61-62.61 Subpart H	National Emission Standards for Emissions of Radionuclides Other Than Radon from Department of Energy Facilities	No
SC Regulation 61-62.61 Subpart I	National Emission Standards for Radionuclide Emissions from Federal Facilities Other Than Nuclear Regulatory Commission Licensees And Not Covered By Subpart H	No
SC Regulation 61-62.61 Subpart J	National Emission Standard for Equipment Leaks (Fugitive Emission Sources) of Benzene	No
SC Regulation 61-62.61 Subpart K	National Emission Standards for Radionuclide Emissions from Elemental Phosphorus Plants	No
SC Regulation 61-62.61 Subpart L	National Emission Standards for Benzene Emissions from Coke By-Product Recovery Plants	No
SC Regulation 61-62.61 Subpart M	National Emission Standard for Asbestos	Yes
SC Regulation 61-62.61 Subpart N	National Emission Standard for Inorganic Arsenic Emissions from Gas Manufacturing Plants	No
SC Regulation 61-62.61 Subpart O	National Emission Standard for Inorganic Arsenic Emissions from Primary Copper Smelters	No
SC Regulation 61-62.61 Subpart P	National Emission Standard for Inorganic Arsenic Emissions from Arsenic Trioxide and Metallic Arsenic Production Facilities	No
SC Regulation 61-62.61 Subpart Q	National Emission Standards for Radon Emissions from Department of Energy Facilities	No
SC Regulation 61-62.61 Subpart R	National Emission Standards for Radon Emissions from Phosphogypsum Stacks	No
SC Regulation 61-62.61 Subpart S	Reserved	No
SC Regulation 61-62.61 Subpart T	National Emission Standards for Radon Emissions from the Disposal of Uranium Mill Tailings	No

**Applicable and Non-Applicable Federal and State Regulations**

**Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 8 of 33**

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
SC Regulation 61-62.61 Subpart U	Reserved	No
SC Regulation 61-62.61 Subpart V	National Emission Standard for Equipment Leaks (Fugitive Emission Sources)	No
SC Regulation 61-62.61 Subpart W	National Emission Standards for Radon Emissions from Operating Mill Tailings	No
SC Regulation 61-62.61 Subpart X	Reserved	No
SC Regulation 61-62.61 Subpart Y	National Emission Standard for Benzene Emissions from Benzene Storage Vessels	No
SC Regulation 61-62.61 Subpart Z	Reserved	No
SC Regulation 61-62.61 Subpart AA	Reserved	No
SC Regulation 61-62.61 Subpart BB	National Emission Standard for Benzene Emissions from Benzene Transfer Operations	No
SC Regulation 61-62.61 Subpart CC	Reserved	No
SC Regulation 61-62.61 Subpart DD	Reserved	No
SC Regulation 61-62.61 Subpart EE	Reserved	No
SC Regulation 61-62.61 Subpart FF	National Emission Standard for Benzene Waste Operations	No
SC Regulation 61-62.63	National Emission Standards for Hazardous Air Pollutants (NESHAP) for Source Categories	No
SC Regulation 61-62.63 Subpart A	General Provisions	No
SC Regulation 61-62.63 Subpart B	Requirements for Control Technology Determinations for Major Sources in Accordance with Clean Air Act Sections, Sections 112 (g) and 112 (j)	No
SC Regulation 61-62.63 Subpart C	List of Hazardous Pollutants, Petition Process, Lesser Quantity Designations, Source Category List	No
SC Regulation 61-62.63 Subpart D	Regulations Governing Compliance Extensions for Early Reductions of Hazardous Air Pollutants	No
SC Regulation 61-62.63 Subpart E	Approval of State Programs and Delegation of Federal Authorities	No
SC Regulation 61-62.63 Subpart F	National Emission Standards for Organic Hazardous Air Pollutants from the Synthetic Organic Chemical Manufacturing Industry	No
SC Regulation 61-62.63 Subpart G	National Emission Standards for Organic Hazardous Air Pollutants from the Synthetic Organic Chemical Manufacturing Industry for Process Vents, Storage Vessels, Transfer Operations and Wastewater	No
SC Regulation 61-62.63 Subpart H	National Emission Standards for Organic Hazardous Air Pollutants for Equipment Leaks	No
SC Regulation 61-62.63 Subpart I	National Emission Standards for Organic Hazardous Air Pollutants for Certain Processes Subject to the Negotiated Regulation for Equipment Leaks	No

**Applicable and Non-Applicable Federal and State Regulations****Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 9 of 33**

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
SC Regulation 61-62.63 Subpart J	National Emission Standards for Hazardous Air Pollutants for Polyvinyl Chloride and Copolymers Production	No
SC Regulation 61-62.63 Subpart K	Reserved	No
SC Regulation 61-62.63 Subpart L	National Emission Standards for Coke Oven Batteries	No
SC Regulation 61-62.63 Subpart M	National Perchloroethylene Air Emission Standards for Dry Cleaning Facilities	No
SC Regulation 61-62.63 Subpart N	National Emission Standards for Chromium Emissions from Hard and Decorative Chromium Electroplating and Chromium Anodizing Tanks	No
SC Regulation 61-62.63 Subpart O	Ethylene Oxide Emissions Standards for Sterilization Facilities	No
SC Regulation 61-62.63 Subpart P	Reserved	No
SC Regulation 61-62.63 Subpart Q	National Emission Standards for Hazardous Air Pollutants for Industrial Process Cooling Towers	No
SC Regulation 61-62.63 Subpart R	National Emission Standards for Gasoline Distribution Facilities (Bulk Gasoline Terminals and Pipeline Breakout Stations)	No
SC Regulation 61-62.63 Subpart S	National Emission Standards for Hazardous Air Pollutants from the Pulp and Paper Industry	No
SC Regulation 61-62.63 Subpart T	National Emission Standards of Halogenated Solvent Cleaning	No
SC Regulation 61-62.63 Subpart U	National Emission Standards for Hazardous Air Pollutant Emissions: Group I Polymers and Resins	No
SC Regulation 61-62.63 Subpart V	Reserved	No
SC Regulation 61-62.63 Subpart W	National Emission Standards for Hazardous Air Pollutants for Epoxy Resins Production and Non-Nylon Polyamides Production	No
SC Regulation 61-62.63 Subpart X	National Emission Standards for Hazardous Air Pollutants from Secondary Lead Smelting	No
SC Regulation 61-62.63 Subpart Y	National Emission Standards for Marine Tank Vessel Loading Operations	No
SC Regulation 61-62.63 Subpart Z	Reserved	No
SC Regulation 61-62.63 Subpart AA	National Emission Standards for Hazardous Air Pollutants from Phosphoric Acid Manufacturing Plants	No
SC Regulation 61-62.63 Subpart BB	National Emission Standards for Hazardous Air Pollutants from Phosphate Fertilizers Production Plants	No
SC Regulation 61-62.63 Subpart CC	National Emission Standards for Hazardous Air Pollutants from Petroleum Refineries	No
SC Regulation 61-62.63 Subpart DD	National Emission Standards for Hazardous Air Pollutants from Off-site Waste and Recovery Operations	No

**Applicable and Non-Applicable Federal and State Regulations****Crown Beverage Packaging**

TV-0660-0016 v2.0

Page 10 of 33

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
SC Regulation 61-62.63 Subpart EE	National Emission Standards for Magnetic Tape Manufacturing Operations	No
SC Regulation 61-62.63 Subpart FF	Reserved	No
SC Regulation 61-62.63 Subpart GG	National Emission Standards for Aerospace Manufacturing and Rework Facilities	No
SC Regulation 61-62.63 Subpart HH	National Emission Standards for Hazardous Air Pollutants from Oil and Natural Gas Production Facilities	No
SC Regulation 61-62.63 Subpart II	National Emission Standards for Shipbuilding and Ship Repair (Surface Coating)	No
SC Regulation 61-62.63 Subpart JJ	National Emission Standards for Wood Furniture Manufacturing Operations	No
SC Regulation 61-62.63 Subpart KK	National Emission Standards for the Printing and Publishing Industry	No
SC Regulation 61-62.63 Subpart LL	National Emission Standards for Hazardous Air Pollutants for Primary Aluminum Reduction Plants	No
SC Regulation 61-62.63 Subpart MM	National Emission Standards for Hazardous Air Pollutants for Chemical Recovery Combustion Sources at Kraft, Soda, Sulfite, and Stand-Alone Semicomical Pulp Mills	No
SC Regulation 61-62.63 Subpart NN	Reserved	No
SC Regulation 61-62.63 Subpart OO	National Emission Standards for Tanks - Level 1	No
SC Regulation 61-62.63 Subpart PP	National Emission Standards for Containers	No
SC Regulation 61-62.63 Subpart QQ	National Emission Standards for Surface Impoundments	No
SC Regulation 61-62.63 Subpart RR	National Emission Standards for Individual Drain Systems	No
SC Regulation 61-62.63 Subpart SS	National Emission Standards for Closed Vent Systems, Control Devices, Recovery Devices and Routing to a Fuel Gas System or a Process	No
SC Regulation 61-62.63 Subpart TT	National Emission Standards for Equipment Leaks-Control Level 1	No
SC Regulation 61-62.63 Subpart UU	National Emission Standards for Equipment Leaks-Control Level 2 Standards	No
SC Regulation 61-62.63 Subpart VV	National Emission Standards of Oil-Water Separators and Organic-Water Separators	No
SC Regulation 61-62.63 Subpart WW	National Emission Standards for Storage Vessels (Tanks) - Control Level 2	No
SC Regulation 61-62.63 Subpart XX	National Emission Standards for Ethylene Manufacturing Process Units: Heat Exchange Systems and Waste Operations	No
SC Regulation 61-62.63 Subpart YY	National Emission Standards for Hazardous Air Pollutants for Source Categories: Generic Maximum Achievable Control Technology Standards	No

**Applicable and Non-Applicable Federal and State Regulations****Crown Beverage Packaging**

TV-0660-0016 v2.0

Page 11 of 33

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
SC Regulation 61-62.63 Subpart CCC	National Emission Standards for Hazardous Air Pollutants for Steel Pickling--HCl Process Facilities and Hydrochloric Acid Regeneration Plants	No
SC Regulation 61-62.63 Subpart DDD	National Emission Standards for Hazardous Air Pollutants for Mineral Wool Production	No
SC Regulation 61-62.63 Subpart EEE	National Emission Standards for Hazardous Air Pollutants from Hazardous Waste Combustors	No
SC Regulation 61-62.63 Subpart FFF	Reserved	No
SC Regulation 61-62.63 Subpart GGG	National Emission Standards for Pharmaceuticals Production	No
SC Regulation 61-62.63 Subpart HHH	National Emission Standards for Hazardous Air Pollutants from Natural Gas Transmission and Storage Facilities	No
SC Regulation 61-62.63 Subpart III	National Emission Standards for Hazardous Air Pollutants for Flexible Polyurethane Foam Production	No
SC Regulation 61-62.63 Subpart JJJ	National Emission Standards for Hazardous Air Pollutants Emissions: Group IV Polymers and Resins	No
SC Regulation 61-62.63 Subpart KKK	Reserved	No
SC Regulation 61-62.63 Subpart LLL	National Emission Standards for Hazardous Air Pollutants from the Portland Cement Manufacturing Industry	No
SC Regulation 61-62.63 Subpart MMM	National Emission Standards for Hazardous Air Pollutants for Pesticide Active Ingredient Production	No
SC Regulation 61-62.63 Subpart NNN	National Emission Standards for Hazardous Air Pollutants for Wool Fiberglass Manufacturing	No
SC Regulation 61-62.63 Subpart OOO	National Emission Standards for Hazardous Air Pollutant Emissions: Manufacture of Amino/Phenolic Resins	No
SC Regulation 61-62.63 Subpart PPP	National Emission Standards for Hazardous Air Pollutant Emissions for Polyester Polyols Production	No
SC Regulation 61-62.63 Subpart QQQ	National Emission Standards for Hazardous Air Pollutants for Primary Copper Smelting	No
SC Regulation 61-62.63 Subpart RRR	National Emission Standards for Hazardous Air Pollutants for Secondary Aluminum Production	No
SC Regulation 61-62.63 Subpart TTT	National Emission Standards for Hazardous Air Pollutants for Primary Lead Smelting	No
SC Regulation 61-62.63 Subpart UUU	National Emission Standards for Hazardous Air Pollutants for Petroleum Refineries: Catalytic Cracking Units, Catalytic Reforming Units, and Sulfur Recovery Units	No
SC Regulation 61-62.63 Subpart VVV	National Emission Standards for Hazardous Air Pollutants: Publicly Owned Treatment Works	No

**Applicable and Non-Applicable Federal and State Regulations****Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 12 of 33**

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
SC Regulation 61-62.63 Subpart XXX	National Emission Standards for Hazardous Air Pollutants for Ferroalloys Production: Ferromanganese and Silicomanganese	No
SC Regulation 61-62.63 Subpart AAAA	National Emission Standards for Hazardous Air Pollutants: Municipal Solid Waste Landfills	No
SC Regulation 61-62.63 Subpart CCCC	National Emission Standards for Hazardous Air Pollutants: Manufacturing of Nutritional Yeast	No
SC Regulation 61-62.63 Subpart DDDD	National Emission Standards for Hazardous Air Pollutants: Plywood and Composite Wood Products	No
SC Regulation 61-62.63 Subpart EEEE	National Emission Standards for Hazardous Air Pollutants: Organic Liquids Distribution (Non-Gasoline)	No
SC Regulation 61-62.63 Subpart FFFF	National Emission Standards for Hazardous Air Pollutants: Miscellaneous Organic Chemical Manufacturing	No
SC Regulation 61-62.63 Subpart GGGG	National Emission Standards for Hazardous Air Pollutants: Solvent Extraction for Vegetable Oil Production	No
SC Regulation 61-62.63 Subpart HHHH	National Emission Standards for Hazardous Air Pollutants for Wet-Formed Fiberglass Mat Production	No
SC Regulation 61-62.63 Subpart IIII	National Emission Standards for Hazardous Air Pollutants: Surface Coating of Automobiles and Light-Duty Trucks	No
SC Regulation 61-62.63 Subpart JJJJ	National Emission Standards for Hazardous Air Pollutants: Paper and Other Web Coating	No
SC Regulation 61-62.63 Subpart KKKK	National Emission Standards for Hazardous Air Pollutants: Surface Coating of Metal Cans	No
SC Regulation 61-62.63 Subpart MMMM	National Emission Standards for Hazardous Air Pollutants for Surface Coating of Miscellaneous Metal Parts and Products	No
SC Regulation 61-62.63 Subpart NNNN	National Emission Standards for Hazardous Air Pollutants: Surface Coating of Large Appliances	No
SC Regulation 61-62.63 Subpart OOOO	National Emission Standards for Hazardous Air Pollutants: Printing, Coating, and Dyeing of Fabrics and Other Textiles	No
SC Regulation 61-62.63 Subpart PPPP	National Emission Standards for Hazardous Air Pollutants for Surface Coating of Plastic Parts and Products	No
SC Regulation 61-62.63 Subpart QQQQ	National Emission Standards for Hazardous Air Pollutants: Surface Coating of Wood Building Products	No
SC Regulation 61-62.63 Subpart RRRR	National Emission Standards for Hazardous Air Pollutants: Surface Coating of Metal Furniture	No
SC Regulation 61-62.63 Subpart SSSS	National Emission Standards for Hazardous Air Pollutants: Surface Coating of Metal Coil	No
SC Regulation 61-62.63 Subpart TTTT	National Emission Standards for Hazardous Air Pollutants for Leather Finishing Operations	No

**Applicable and Non-Applicable Federal and State Regulations****Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 13 of 33**

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
SC Regulation 61-62.63 Subpart UUUU	National Emission Standards for Hazardous Air Pollutants for Cellulose Product Manufacturing	No
SC Regulation 61-62.63 Subpart VVVV	National Emission Standards for Hazardous Air Pollutants for Boat Manufacturing	No
SC Regulation 61-62.63 Subpart WWWW	National Emission Standards for Hazardous Air Pollutants: Reinforced Plastic Composites Production	No
SC Regulation 61-62.63 Subpart XXXX	National Emission Standards for Hazardous Air Pollutants: Rubber Tire Manufacturing	No
SC Regulation 61-62.63 Subpart YYYY	National Emission Standards for Hazardous Air Pollutants for Stationary Combustion Turbines	No
SC Regulation 61-62.63 Subpart ZZZZ	National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines	No
SC Regulation 61-62.63 Subpart AAAAA	National Emission Standards for Hazardous Air Pollutants for Lime Manufacturing Plants	No
SC Regulation 61-62.63 Subpart BBBBB	National Emission Standards for Hazardous Air Pollutants for Semiconductor Manufacturing	No
SC Regulation 61-62.63 Subpart CCCCC	National Emission Standards for Hazardous Air Pollutants for Coke Ovens: Pushing, Quenching, and Battery Stacks	No
SC Regulation 61-62.63 Subpart DDDDD	National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers and Process Heaters	No
SC Regulation 61-62.63 Subpart EEEEE	National Emission Standards for Hazardous Air Pollutants for Iron and Steel Foundries	No
SC Regulation 61-62.63 Subpart FFFFF	National Emission Standards for Hazardous Air Pollutants for Integrated Iron and Steel Manufacturing Facilities	No
SC Regulation 61-62.63 Subpart GGGGG	National Emission Standards for Hazardous Air Pollutants: Site Remediation	No
SC Regulation 61-62.63 Subpart HHHHH	National Emission Standards for Hazardous Air Pollutants: Miscellaneous Coating Manufacturing	No
SC Regulation 61-62.63 Subpart IIILL	National Emission Standards for Hazardous Air Pollutants: Mercury Emissions from Mercury Cell Chlor-Alkali Plants	No
SC Regulation 61-62.63 Subpart JJJJJ	National Emission Standards for Hazardous Air Pollutants for Brick and Structural Clay Products Manufacturing	No
SC Regulation 61-62.63 Subpart KKKKK	National Emission Standards for Hazardous Air Pollutants for Clay Ceramics Manufacturing	No
SC Regulation 61-62.63 Subpart LLLLL	National Emission Standards for Hazardous Air Pollutants: Asphalt Processing and Asphalt Roofing Manufacturing	No
SC Regulation 61-62.63 Subpart Mmmmm	National Emission Standards for Hazardous Air Pollutants: Flexible Polyurethane Foam Fabrication Operations	No

**Applicable and Non-Applicable Federal and State Regulations****Crown Beverage Packaging**

TV-0660-0016 v2.0

Page 14 of 33

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
SC Regulation 61-62.63 Subpart NNNNN	National Emission Standards for Hazardous Air Pollutants: Hydrochloric Acid Production	No
SC Regulation 61-62.63 Subpart OOOOO	Reserved	No
SC Regulation 61-62.63 Subpart PPPPP	National Emission Standards for Hazardous Air Pollutants for Engine Test Cells/Stands	No
SC Regulation 61-62.63 Subpart QQQQQ	National Emission Standards for Hazardous Air Pollutants for Friction Materials Manufacturing Facilities	No
SC Regulation 61-62.63 Subpart RRRRR	National Emission Standards for Hazardous Air Pollutants: Taconite Iron Ore Processing	No
SC Regulation 61-62.63 Subpart SSSSS	National Emission Standards for Hazardous Air Pollutants for Refractory Products Manufacturing	No
SC Regulation 61-62.63 Subpart TTTTT	National Emission Standards for Hazardous Air Pollutants for Primary Magnesium Refining	No
SC Regulation 61-62.63 Subpart WWWW	National Emission Standards for Hospital Ethylene Oxide Sterilizers	No
SC Regulation 61-62.63 Subpart XXXXX	Reserved	No
SC Regulation 61-62.63 Subpart YYYYY	National Emission Standards for Hazardous Air Pollutants for Area Sources: Electric Arc Furnace Steelmaking Facilities	No
SC Regulation 61-62.63 Subpart ZZZZZ	National Emission Standards for Hazardous Air Pollutants for Iron And Steel Foundries Area Sources	No
SC Regulation 61-62.63 Subpart AAAAAA	Reserved	No
SC Regulation 61-62.63 Subpart BBBBBB	National Emission Standards for Hazardous Air Pollutants for Source Category: Gasoline Distribution Bulk Terminals, Bulk Plants, and Pipeline Facilities	No
SC Regulation 61-62.63 Subpart CCCCCC	National Emission Standards for Hazardous Air Pollutants for Source Category: Gasoline Dispensing Facilities	No
SC Regulation 61-62.63 Subpart DDDDDD	National Emission Standards for Hazardous Air Pollutants for Polyvinyl Chloride and Copolymers Production Area Sources	No
SC Regulation 61-62.63 Subpart EEEEEEE	National Emission Standards for Hazardous Air Pollutants for Primary Copper Smelting Area Sources	No
SC Regulation 61-62.63 Subpart FFFFFF	National Emission Standards for Hazardous Air Pollutants for Secondary Copper Smelting Area Sources	No
SC Regulation 61-62.63 Subpart GGGGGG	National Emission Standards for Hazardous Air Pollutants for Primary Nonferrous Metals Area Sources-Zinc, Cadmium, and Beryllium	No
SC Regulation 61-62.63 Subpart HHHHHH	National Emission Standards for Hazardous Air Pollutants: Paint Stripping and Miscellaneous Surface Coating Operations at Area Sources	No

**Applicable and Non-Applicable Federal and State Regulations**

**Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 15 of 33**

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
SC Regulation 61-62.63 Subpart JJJJJ	National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources	No
SC Regulation 61-62.63 Subpart LLLLLL	National Emission Standards for Hazardous Air Pollutants for Acrylic and Modacrylic Fibers Production Area Sources	No
SC Regulation 61-62.63 Subpart MMMMM	National Emission Standards for Hazardous Air Pollutants for Carbon Black Production Area Sources	No
SC Regulation 61-62.63 Subpart NNNNNN	National Emission Standards for Hazardous Air Pollutants for Chemical Manufacturing Area Sources: Chromium Compounds	No
SC Regulation 61-62.63 Subpart OOOOOO	National Emission Standards for Hazardous Air Pollutants for Flexible Polyurethane Foam Production and Fabrication Area Sources	No
SC Regulation 61-62.63 Subpart PPPPPP	National Emission Standards for Hazardous Air Pollutants for Lead Acid Battery Manufacturing Area Sources	No
SC Regulation 61-62.63 Subpart QQQQQQ	National Emission Standards for Hazardous Air Pollutants for Wood Preserving Area Sources	No
SC Regulation 61-62.63 Subpart RRRRR	National Emission Standards for Hazardous Air Pollutants for Clay Ceramics Manufacturing Area Sources	No
SC Regulation 61-62.63 Subpart SSSSSS	National Emission Standards for Hazardous Air Pollutants for Glass Manufacturing Area Sources	No
SC Regulation 61-62.63 Subpart TTTTT	National Emission Standards for Hazardous Air Pollutants for Secondary Nonferrous Metals Processing Area Sources	No
SC Regulation 61-62.63 Subpart UUUUUU	Reserved	No
SC Regulation 61-62.63 Subpart VVVVVV	National Emission Standards for Hazardous Air Pollutants for Chemical Manufacturing Area Sources	No
SC Regulation 61-62.63 Subpart WWWWW	National Emission Standards for Hazardous Air Pollutants: Area Source Standards for Plating and Polishing Operations	No
SC Regulation 61-62.63 Subpart XXXXX	National Emission Standards for Hazardous Air Pollutants Area Source Standards for Nine Metal Fabrication and Finishing Source Categories	No
SC Regulation 61-62.63 Subpart YYYYYY	National Emission Standards for Hazardous Air Pollutants for Area Sources: Ferroalloys Production Facilities	No
SC Regulation 61-62.63 Subpart ZZ-BBB	Reserved	No
SC Regulation 61-62.63 Subpart ZZZZZZ	National Emission Standards for Hazardous Air Pollutants: Area Source Standards for Aluminum, Copper, and Other Nonferrous Foundries	No

**Applicable and Non-Applicable Federal and State Regulations****Crown Beverage Packaging**

TV-0660-0016 v2.0

Page 16 of 33

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
SC Regulation 61-62.63 Subpart AAAAAAA	National Emission Standards for Hazardous Air Pollutants for Area Sources: Asphalt Processing and Asphalt Roofing Manufacturing	No
SC Regulation 61-62.63 Subpart BBBBBBBB	National Emission Standards for Hazardous Air Pollutants for Area Sources: Chemical Preparations Industry	No
SC Regulation 61-62.63 Subpart CCCCCCCC	National Emission Standards for Hazardous Air Pollutants for Area Sources: Paints and Allied Products Manufacturing	No
SC Regulation 61-62.63 Subpart DDDDDDDD	National Emission Standards for Hazardous Air Pollutants for Area Sources: Prepared Feeds Manufacturing	No
SC Regulation 61-62.63 Subpart UUUUUU-VVVVV	Reserved	No
SC Regulation 61-62.63 Subpart IIIIII-KKKKKK	Reserved	No
SC Regulation 61-62.68	Chemical Accident Prevention Provisions	No
SC Regulation 61-62.7	Good Engineering Practice Stack Height	Yes
SC Regulation 61-62.70	Title V Operating Permit Program	Yes
SC Regulation 61-62.72	Acid Rain	No
SC Regulation 61-62.72 Subpart A	Acid Rain Program General Provisions	No
SC Regulation 61-62.72 Subpart B	Designated Representative	No
SC Regulation 61-62.72 Subpart C	Acid Rain Permit Applications	No
SC Regulation 61-62.72 Subpart D	Acid Compliance Plan and Compliance Options	No
SC Regulation 61-62.72 Subpart E	Acid Rain Permit Contents	No
SC Regulation 61-62.72 Subpart F	Federal Acid Rain Permit Issuance Procedures	No
SC Regulation 61-62.72 Subpart G	Acid Rain Phase II Implementation	No
SC Regulation 61-62.72 Subpart H	Permit Revisions	No
SC Regulation 61-62.72 Subpart I	Compliance Certification	No
SC Regulation 61-62.96	Clean Air Interstate Rule (CAIR)	No
SC Regulation 61-62.99	Nitrogen Oxides (NOX) Budget Program Requirements for Stationary Sources not in the Trading Program	No
40 CFR 264 Subpart AA	Air Emission Standards for Process Vents	No
40 CFR 264 Subpart BB	Air Emission Standards For Equipment Leaks	No
40 CFR 264 Subpart CC	Air Emission Standards for Tanks, Surface Impoundments, And Containers	No
40 CFR 265 Subpart BB	Air Emission Standards for Equipment Leaks	No
40 CFR 265 Subpart CC	Air Emission Standards for Tanks, Surface Impoundments, And Containers	No
40 CFR 52.21	Prevention Of Significant Deterioration of Air Quality	No
40 CFR 60 Subpart A	General Provisions	Yes
40 CFR 60 Subpart B	Adoption and Submittal of State Plans for Designated Facilities	No

**Applicable and Non-Applicable Federal and State Regulations****Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 17 of 33**

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
40 CFR 60 Subpart C	Emission Guidelines and Compliance Times	No
40 CFR 60 Subpart Ca	Reserved	No
40 CFR 60 Subpart Cb	Emission Guidelines and Compliance Times for Large Municipal Waste Combustors that are Constructed on or Before September 20, 1994	No
40 CFR 60 Subpart Cc	Emission Guidelines and Compliance Times for Municipal Solid Waste Landfills	No
40 CFR 60 Subpart Cd	Emission Guidelines and Compliance Times for Sulfuric Acid Production Units	No
40 CFR 60 Subpart Ce	Emission Guidelines and Compliance Times for Hospital/Medical/Infectious Waste Incinerators	No
40 CFR 60 Subpart D	Standards of Performance for Fossil-fuel Fired Steam Generators for which Construction is Commenced After August 17, 1971	No
40 CFR 60 Subpart Da	Standards of Performance for Electric Utility Steam Generating Units for Which Construction is Commenced after September 18, 1978	No
40 CFR 60 Subpart Db	Standards of Performance for Industrial-Commercial-Institutional Steam Generating Units	No
40 CFR 60 Subpart Dc	Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units	No
40 CFR 60 Subpart E	Standards of Performance for Incinerators	No
40 CFR 60 Subpart Ea	Standards of Performance for Municipal Waste Combustors for which Construction is Commenced after December 20, 1989, and on or before September 20, 1994	No
40 CFR 60 Subpart Eb	Standards of Performance for Large Municipal Waste Combustors for which Construction is Commenced after September 20, 1994, or for which modification or reconstruction is commenced after June 19, 1996	No
40 CFR 60 Subpart Ec	Standards of Performance for Hospital/Medical/Infectious Waste Incinerators for which Construction is Commenced after June 20, 1996	No
40 CFR 60 Subpart F	Standards of Performance for Portland Cement Plants	No
40 CFR 60 Subpart G	Standards of Performance for Nitric Acid Plants	No
40 CFR 60 Subpart H	Standards of Performance for Sulfuric Acid Plants	No
40 CFR 60 Subpart I	Standards of Performance for Asphalt Concrete Plants	No
40 CFR 60 Subpart J	Standards of Performance for Petroleum Refineries	No
40 CFR 60 Subpart Ja	Standards of Performance for Petroleum Refineries for which Construction, Reconstruction, or Modification Commenced After May 14, 2007	No

**Applicable and Non-Applicable Federal and State Regulations****Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 18 of 33**

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
40 CFR 60 Subpart K	Standards of Performance for Storage Vessels for Petroleum Liquids for which Construction, Reconstruction or Modification Commenced After June 11, 1973, and Prior to May 19, 1978	No
40 CFR 60 Subpart Ka	Standards of Performance for Storage Vessels for Petroleum Liquids for which Construction, Reconstruction or Modification Commenced After May 18, 1978, and Prior to July 23, 1984	No
40 CFR 60 Subpart Kb	Standards of Performance for Volatile Organic Liquid Storage Vessels (including Petroleum Liquid Storage Vessels) for Which Construction, Reconstruction or Modification Commenced after July 23, 1984	No
40 CFR 60 Subpart L	Standards of Performance for Secondary Lead Smelters	No
40 CFR 60 Subpart M	Standards of Performance for Secondary Brass and Bronze Production Plants	No
40 CFR 60 Subpart N	Standards of Performance for Primary Emissions from Basic Oxygen Process Furnaces for which Construction is Commenced After June 11, 1973	No
40 CFR 60 Subpart Na	Standards of Performance for Secondary Emissions from Basic Oxygen Process Steelmaking Facilities for which Construction is Commenced After January 20, 1983	No
40 CFR 60 Subpart O	Standards of Performance for Sewage Treatment Plants	No
40 CFR 60 Subpart P	Standards of Performance for Primary Copper Smelters	No
40 CFR 60 Subpart Q	Standards of Performance for Primary Zinc Smelters	No
40 CFR 60 Subpart R	Standards of Performance for Primary Lead Smelters	No
40 CFR 60 Subpart S	Standards of Performance for Primary Aluminum Reduction Plants	No
40 CFR 60 Subpart T	Standards of Performance for the Phosphate Fertilizer Industry: Wet- Process Phosphoric Acid Plants	No
40 CFR 60 Subpart U	Standards of Performance for the Phosphate Fertilizer Industry: Superphosphoric Acid Plants	No
40 CFR 60 Subpart V	Standards of Performance for the Phosphate Fertilizer Industry: Diammonium Phosphate Plants	No
40 CFR 60 Subpart W	Standards of Performance for the Phosphate Fertilizer Industry: Triple Superphosphoric Plants	No
40 CFR 60 Subpart X	Standards of Performance for the Phosphate Fertilizer Industry: Granular Triple Superphosphate Storage Facilities	No
40 CFR 60 Subpart Y	Standards of Performance for Coal Preparation and Processing Plants	No

**Applicable and Non-Applicable Federal and State Regulations****Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 19 of 33**

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
40 CFR 60 Subpart Z	Standards of Performance for Ferroalloy Production Facilities	No
40 CFR 60 Subpart AA	Standards of Performance for Steel Plants: Electric Arc Furnaces Constructed After October 21, 1974, and on or Before August 17, 1983	No
40 CFR 60 Subpart AAa	Standards of Performance for Steel Plants: Electric Arc Furnaces and Argon-Oxygen Decarburization Vessels Constructed After August 7, 1983	No
40 CFR 60 Subpart BB	Standards of Performance for Kraft Pulp Mills	No
40 CFR 60 Subpart CC	Standards of Performance for Glass Manufacturing Plants	No
40 CFR 60 Subpart DD	Standards of Performance for Grain Elevators	No
40 CFR 60 Subpart EE	Standards of Performance for Surface Coating of Metal Furniture	No
40 CFR 60 Subpart FF	Reserved	No
40 CFR 60 Subpart GG	Standards of Performance for Stationary Gas Turbines	No
40 CFR 60 Subpart HH	Standards of Performance for Lime Manufacturing Plants	No
40 CFR 60 Subpart KK	Standards of Performance for Lead-Acid Battery Manufacturing Plants	No
40 CFR 60 Subpart LL	Standards of Performance for Metallic Mineral Processing Plants	No
40 CFR 60 Subpart MM	Standards of Performance for Automobile and Light-Duty Truck Surface Coating Operations	No
40 CFR 60 Subpart NN	Standards of Performance for Phosphate Rock Plants	No
40 CFR 60 Subpart PP	Standards of Performance for Ammonium Sulfate Manufacture	No
40 CFR 60 Subpart QQ	Standards of Performance for the Graphic Arts Industry: Publication Rotogravure Printing	No
40 CFR 60 Subpart RR	Standards of Performance for Pressure Sensitive Tape and Label Surface Coating Operations	No
40 CFR 60 Subpart SS	Standards of Performance for Industrial Surface Coating: Large Appliances	No
40 CFR 60 Subpart TT	Standards of Performance for Metal Coil Surface Coating	No
40 CFR 60 Subpart UU	Standards of Performance for Asphalt Processing and Asphalt Roofing Manufacture	No
40 CFR 60 Subpart VV	Standards of Performance for Equipment Leaks of VOC in The Synthetic Organic Chemicals Manufacturing Industry for which Construction, Reconstruction, or Modification Commenced After January 5, 1981, and on or Before November 7, 2006	No

**Applicable and Non-Applicable Federal and State Regulations****Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 20 of 33**

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
40 CFR 60 Subpart VVa	Standards of Performance for Equipment Leaks of VOC in The Synthetic Organic Chemicals Manufacturing Industry for which Construction, Reconstruction, or Modification Commenced After November 7, 2006	No
40 CFR 60 Subpart WW	Standards of Performance for the Beverage Can Surface Coating Industry	Yes
40 CFR 60 Subpart XX	Standards of Performance for Bulk Gasoline Terminals	No
40 CFR 60 Subpart AAA	Standards of Performance for New Residential Wood Heaters	No
40 CFR 60 Subpart BBB	Standards of Performance for the Rubber Tire Manufacturing Industry	No
40 CFR 60 Subpart CCC	Reserved	No
40 CFR 60 Subpart DDD	Standards of Performance for Volatile Organic Compounds (VOC) Emissions from the Polymer Manufacturing Industry	No
40 CFR 60 Subpart EEE	Reserved	No
40 CFR 60 Subpart FFF	Standards of Performance for Flexible Vinyl and Urethane Coating and Printing	No
40 CFR 60 Subpart GGG	Standards of Performance for Equipment Leaks of VOC in Petroleum Refineries for which Construction, Reconstruction, or Modification Commenced After January 4, 1983, and on or Before November 7, 2006	No
40 CFR 60 Subpart GGGa	Standards of Performance for Equipment Leaks of VOC in Petroleum Refineries for which Construction, Reconstruction, or Modification Commenced After November 7, 2006	No
40 CFR 60 Subpart HHH	Standards of Performance for Synthetic Fiber Production Facilities	No
40 CFR 60 Subpart III	Standards of Performance for Volatile Organic Compound (VOC) Emissions from the Synthetic Organic Chemical Manufacturing Industry (SOCMI) Air Oxidation Unit Processes	No
40 CFR 60 Subpart JJJ	Standards of Performance for Petroleum Dry Cleaners	No
40 CFR 60 Subpart KKK	Standards of Performance for Equipment Leaks of VOC from Onshore Natural Gas Processing Plants	No
40 CFR 60 Subpart LLL	Standards of Performance for Onshore Natural Gas Processing; SO2 Emissions	No
40 CFR 60 Subpart MMM	Reserved	No
40 CFR 60 Subpart NNN	Standards of Performance for Volatile Organic Compound (VOC) Emissions from Synthetic Organic Chemical Manufacturing Industry (SOCMI) Distillation Operations	No

**Applicable and Non-Applicable Federal and State Regulations****Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 21 of 33**

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
40 CFR 60 Subpart OOO	Standards of Performance for Nonmetallic Mineral Processing Plants	No
40 CFR 60 Subpart PPP	Standards of Performance for Wool Fiberglass Insulation Manufacturing Plants	No
40 CFR 60 Subpart QQQ	Standards of Performance for VOC Emissions from Petroleum Refinery Wastewater Systems	No
40 CFR 60 Subpart RRR	Standards of Performance for Volatile Organic Compound (VOC) Emissions from Synthetic Organic Chemical Manufacturing Industry (SOCMI) Reactor Processes	No
40 CFR 60 Subpart SSS	Standards of Performance for Magnetic Tape Coating Facilities	No
40 CFR 60 Subpart TTT	Standards of Performance for Industrial Surface Coating: Surface Coating of Plastic Parts for Business Machines	No
40 CFR 60 Subpart UUU	Standards of Performance for Calciners and Dryers in Mineral Industries	No
40 CFR 60 Subpart VVV	Standards of Performance for Polymeric Coating of Supporting Substrates Facilities	No
40 CFR 60 Subpart WWW	Standards of Performance for Municipal Solid Waste Landfills	No
40 CFR 60 Subpart AAAA	Standards of Performance for Small Municipal Waste Combustion Units for which Construction is Commenced After August 30, 1999, or for which Modification or Reconstruction is Commenced after June 6, 2001	No
40 CFR 60 Subpart BBBB	Emission Guidelines and Compliance Times for Small Municipal Waste Combustion Units Constructed on or Before August 30, 1999	No
40 CFR 60 Subpart CCCC	Standards of Performance for Commercial and Industrial Solid Waste Incineration Units for which Construction is Commenced After November 30, 1999, or for which Modification or Reconstruction is Commenced on or After June 1, 2001	No
40 CFR 60 Subpart DDDD	Emissions Guidelines and Compliance Times for Commercial and Industrial Solid Waste Incineration Units that Commenced Construction on or Before November 30, 1999	No
40 CFR 60 Subpart EEEE	Standards of Performance for Other Solid Waste Incineration Units for which Construction is Commenced After December 9, 2004, or for which Modification or Reconstruction is Commenced on or After June 16, 2006	No

**Applicable and Non-Applicable Federal and State Regulations**

**Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 22 of 33**

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
40 CFR 60 Subpart FFFF	Emission Guidelines and Compliance Times for Other Solid Waste Incineration Units that Commenced Construction on or Before December 9, 2004	No
40 CFR 60 Subpart GGGG	Reserved	No
40 CFR 60 Subpart HHHH	Emission Guidelines and Compliance Times for Coal-Fired Electric Steam Generating Units	No
40 CFR 60 Subpart IIII	Standards of Performance for Stationary Compression Ignition Internal Combustion Engines	No
40 CFR 60 Subpart JJJJ	Standards of Performance for Stationary Spark Ignition Internal Combustion Engines	No
40 CFR 60 Subpart KKKK	Standards of Performance for Stationary Combustion Turbines	No
40 CFR 61 Subpart A	General Provisions	No
40 CFR 61 Subpart B	National Emission Standards for Radon Emissions from Underground Uranium Mines	No
40 CFR 61 Subpart C	National Emission Standard for Beryllium	No
40 CFR 61 Subpart D	National Emission Standard for Beryllium Rocket Motor Firing	No
40 CFR 61 Subpart E	National Emission Standard for Mercury	No
40 CFR 61 Subpart F	National Emission Standard for Vinyl Chloride	No
40 CFR 61 Subpart G	Reserved	No
40 CFR 61 Subpart H	National Emission Standards for Emissions of Radionuclides Other Than Radon from Department of Energy Facilities	No
40 CFR 61 Subpart I	National Emission Standards for Radionuclide Emissions from Federal Facilities Other Than Nuclear Regulatory Commission Licensees And Not Covered By Subpart H	No
40 CFR 61 Subpart J	National Emission Standard for Equipment Leaks (Fugitive Emission Sources) of Benzene	No
40 CFR 61 Subpart K	National Emission Standards for Radionuclide Emissions from Elemental Phosphorus Plants	No
40 CFR 61 Subpart L	National Emission Standards for Benzene Emissions from Coke By-Product Recovery Plants	No
40 CFR 61 Subpart M	National Emission Standard for Asbestos	Yes
40 CFR 61 Subpart N	National Emission Standard for Inorganic Arsenic Emissions from Gas Manufacturing Plants	No
40 CFR 61 Subpart O	National Emission Standard for Inorganic Arsenic Emissions from Primary Copper Smelters	No

**Applicable and Non-Applicable Federal and State Regulations****Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 23 of 33**

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
40 CFR 61 Subpart P	National Emission Standard for Inorganic Arsenic Emissions from Arsenic Trioxide and Metallic Arsenic Production Facilities	No
40 CFR 61 Subpart Q	National Emission Standards for Radon Emissions from Department of Energy Facilities	No
40 CFR 61 Subpart R	National Emission Standards for Radon Emissions from Phosphogypsum Stacks	No
40 CFR 61 Subpart S	Reserved	No
40 CFR 61 Subpart T	National Emission Standards for Radon Emissions from the Disposal of Uranium Mill Tailings	No
40 CFR 61 Subpart U	Reserved	No
40 CFR 61 Subpart V	National Emission Standard for Equipment Leaks (Fugitive Emission Sources)	No
40 CFR 61 Subpart W	National Emission Standards for Radon Emissions from Operating Mill Tailings	No
40 CFR 61 Subpart X	Reserved	No
40 CFR 61 Subpart Y	National Emission Standard for Benzene Emissions from Benzene Storage Vessels	No
40 CFR 61 Subpart Z	Reserved	No
40 CFR 61 Subpart AA	Reserved	No
40 CFR 61 Subpart BB	National Emission Standard for Benzene Emissions from Benzene Transfer Operations	No
40 CFR 61 Subpart CC	Reserved	No
40 CFR 61 Subpart DD	Reserved	No
40 CFR 61 Subpart EE	Reserved	No
40 CFR 61 Subpart FF	National Emission Standard for Benzene Waste Operations	No
40 CFR 63 Subpart A	General Provisions	No
40 CFR 63 Subpart B	Requirements for Control Technology Determinations for Major Sources in Accordance with Clean Air Act Sections, Sections 112 (g) and 112 (j)	No
40 CFR 63 Subpart C	List of Hazardous Pollutants, Petition Process, Lesser Quantity Designations, Source Category List	No
40 CFR 63 Subpart D	Regulations Governing Compliance Extensions for Early Reductions of Hazardous Air Pollutants	No
40 CFR 63 Subpart E	Approval of State Programs and Delegation of Federal Authorities	No
40 CFR 63 Subpart F	National Emission Standards for Organic Hazardous Air Pollutants from the Synthetic Organic Chemical Manufacturing Industry	No

**Applicable and Non-Applicable Federal and State Regulations**

**Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 24 of 33**

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
40 CFR 63 Subpart G	National Emission Standards for Organic Hazardous Air Pollutants from the Synthetic Organic Chemical Manufacturing Industry for Process Vents, Storage Vessels, Transfer Operations and Wastewater	No
40 CFR 63 Subpart H	National Emission Standards for Organic Hazardous Air Pollutants for Equipment Leaks	No
40 CFR 63 Subpart I	National Emission Standards for Organic Hazardous Air Pollutants for Certain Processes Subject to the Negotiated Regulation for Equipment Leaks	No
40 CFR 63 Subpart J	National Emission Standards for Hazardous Air Pollutants for Polyvinyl Chloride and Copolymers Production	No
40 CFR 63 Subpart K	Reserved	No
40 CFR 63 Subpart L	National Emission Standards for Coke Oven Batteries	No
40 CFR 63 Subpart M	National Perchloroethylene Air Emission Standards for Dry Cleaning Facilities	No
40 CFR 63 Subpart N	National Emission Standards for Chromium Emissions from Hard and Decorative Chromium Electroplating and Chromium Anodizing Tanks	No
40 CFR 63 Subpart O	Ethylene Oxide Emissions Standards for Sterilization Facilities	No
40 CFR 63 Subpart P	Reserved	No
40 CFR 63 Subpart Q	National Emission Standards for Hazardous Air Pollutants for Industrial Process Cooling Towers	No
40 CFR 63 Subpart R	National Emission Standards for Gasoline Distribution Facilities (Bulk Gasoline Terminals and Pipeline Breakout Stations)	No
40 CFR 63 Subpart S	National Emission Standards for Hazardous Air Pollutants from the Pulp and Paper Industry	No
40 CFR 63 Subpart T	National Emission Standards of Halogenated Solvent Cleaning	No
40 CFR 63 Subpart U	National Emission Standards for Hazardous Air Pollutant Emissions: Group I Polymers and Resins	No
40 CFR 63 Subpart V	Reserved	No
40 CFR 63 Subpart W	National Emission Standards for Hazardous Air Pollutants for Epoxy Resins Production and Non-Nylon Polyamides Production	No
40 CFR 63 Subpart X	National Emission Standards for Hazardous Air Pollutants from Secondary Lead Smelting	No
40 CFR 63 Subpart Y	National Emission Standards for Marine Tank Vessel Loading Operations	No

**Applicable and Non-Applicable Federal and State Regulations****Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 25 of 33**

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
40 CFR 63 Subpart Z	Reserved	No
40 CFR 63 Subpart AA	National Emission Standards for Hazardous Air Pollutants from Phosphoric Acid Manufacturing Plants	No
40 CFR 63 Subpart BB	National Emission Standards for Hazardous Air Pollutants from Phosphate Fertilizers Production Plants	No
40 CFR 63 Subpart CC	National Emission Standards for Hazardous Air Pollutants from Petroleum Refineries	No
40 CFR 63 Subpart DD	National Emission Standards for Hazardous Air Pollutants from Off-site Waste and Recovery Operations	No
40 CFR 63 Subpart EE	National Emission Standards for Magnetic Tape Manufacturing Operations	No
40 CFR 63 Subpart FF	Reserved	No
40 CFR 63 Subpart GG	National Emission Standards for Aerospace Manufacturing and Rework Facilities	No
40 CFR 63 Subpart HH	National Emission Standards for Hazardous Air Pollutants from Oil and Natural Gas Production Facilities	No
40 CFR 63 Subpart II	National Emission Standards for Shipbuilding and Ship Repair (Surface Coating)	No
40 CFR 63 Subpart JJ	National Emission Standards for Wood Furniture Manufacturing Operations	No
40 CFR 63 Subpart KK	National Emission Standards for the Printing and Publishing Industry	No
40 CFR 63 Subpart LL	National Emission Standards for Hazardous Air Pollutants for Primary Aluminum Reduction Plants	No
40 CFR 63 Subpart MM	National Emission Standards for Hazardous Air Pollutants for Chemical Recovery Combustion Sources at Kraft, Soda, Sulfite, and Stand-Alone Semicommercial Pulp Mills	No
40 CFR 63 Subpart NN	Reserved	No
40 CFR 63 Subpart OO	National Emission Standards for Tanks - Level 1	No
40 CFR 63 Subpart PP	National Emission Standards for Containers	No
40 CFR 63 Subpart QQ	National Emission Standards for Surface Impoundments	No
40 CFR 63 Subpart RR	National Emission Standards for Individual Drain Systems	No
40 CFR 63 Subpart SS	National Emission Standards for Closed Vent Systems, Control Devices, Recovery Devices and Routing to a Fuel Gas System or a Process	No
40 CFR 63 Subpart TT	National Emission Standards for Equipment Leaks-Control Level 1	No
40 CFR 63 Subpart UU	National Emission Standards for Equipment Leaks-Control Level 2 Standards	No

**Applicable and Non-Applicable Federal and State Regulations****Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 26 of 33**

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
40 CFR 63 Subpart VV	National Emission Standards of Oil-Water Separators and Organic-Water Separators	No
40 CFR 63 Subpart WW	National Emission Standards for Storage Vessels (Tanks) - Control Level 2	No
40 CFR 63 Subpart XX	National Emission Standards for Ethylene Manufacturing Process Units: Heat Exchange Systems and Waste Operations	No
40 CFR 63 Subpart YY	National Emission Standards for Hazardous Air Pollutants for Source Categories: Generic Maximum Achievable Control Technology Standards	No
40 CFR 63 Subpart CCC	National Emission Standards for Hazardous Air Pollutants for Steel Pickling--HCl Process Facilities and Hydrochloric Acid Regeneration Plants	No
40 CFR 63 Subpart DDD	National Emission Standards for Hazardous Air Pollutants for Mineral Wool Production	No
40 CFR 63 Subpart EEE	National Emission Standards for Hazardous Air Pollutants from Hazardous Waste Combustors	No
40 CFR 63 Subpart FFF	Reserved	No
40 CFR 63 Subpart GGG	National Emission Standards for Pharmaceuticals Production	No
40 CFR 63 Subpart HHH	National Emission Standards for Hazardous Air Pollutants from Natural Gas Transmission and Storage Facilities	No
40 CFR 63 Subpart III	National Emission Standards for Hazardous Air Pollutants for Flexible Polyurethane Foam Production	No
40 CFR 63 Subpart JJJ	National Emission Standards for Hazardous Air Pollutants Emissions: Group IV Polymers and Resins	No
40 CFR 63 Subpart KKK	Reserved	No
40 CFR 63 Subpart LLL	National Emission Standards for Hazardous Air Pollutants from the Portland Cement Manufacturing Industry	No
40 CFR 63 Subpart MMM	National Emission Standards for Hazardous Air Pollutants for Pesticide Active Ingredient Production	No
40 CFR 63 Subpart NNN	National Emission Standards for Hazardous Air Pollutants for Wool Fiberglass Manufacturing	No
40 CFR 63 Subpart OOO	National Emission Standards for Hazardous Air Pollutant Emissions: Manufacture of Amino/Phenolic Resins	No
40 CFR 63 Subpart PPP	National Emission Standards for Hazardous Air Pollutant Emissions for Polyester Polyols Production	No
40 CFR 63 Subpart QQQ	National Emission Standards for Hazardous Air Pollutants for Primary Copper Smelting	No

**Applicable and Non-Applicable Federal and State Regulations****Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 27 of 33**

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
40 CFR 63 Subpart RRR	National Emission Standards for Hazardous Air Pollutants for Secondary Aluminum Production	No
40 CFR 63 Subpart SSS	Reserved	No
40 CFR 63 Subpart TTT	National Emission Standards for Hazardous Air Pollutants for Primary Lead Smelting	No
40 CFR 63 Subpart UUU	National Emission Standards for Hazardous Air Pollutants for Petroleum Refineries: Catalytic Cracking Units, Catalytic Reforming Units, and Sulfur Recovery Units	No
40 CFR 63 Subpart VVV	National Emission Standards for Hazardous Air Pollutants: Publicly Owned Treatment Works	No
40 CFR 63 Subpart WWW	Reserved	No
40 CFR 63 Subpart XXX	National Emission Standards for Hazardous Air Pollutants for Ferroalloys Production: Ferromanganese and Silicomanganese	No
40 CFR 63 Subpart AAAA	National Emission Standards for Hazardous Air Pollutants: Municipal Solid Waste Landfills	No
40 CFR 63 Subpart CCCC	National Emission Standards for Hazardous Air Pollutants: Manufacturing of Nutritional Yeast	No
40 CFR 63 Subpart DDDD	National Emission Standards for Hazardous Air Pollutants: Plywood and Composite Wood Products	No
40 CFR 63 Subpart EEEE	National Emission Standards for Hazardous Air Pollutants: Organic Liquids Distribution (Non-Gasoline)	No
40 CFR 63 Subpart FFFF	National Emission Standards for Hazardous Air Pollutants: Miscellaneous Organic Chemical Manufacturing	No
40 CFR 63 Subpart GGGG	National Emission Standards for Hazardous Air Pollutants: Solvent Extraction for Vegetable Oil Production	No
40 CFR 63 Subpart HHHH	National Emission Standards for Hazardous Air Pollutants for Wet-Formed Fiberglass Mat Production	No
40 CFR 63 Subpart IIII	National Emission Standards for Hazardous Air Pollutants: Surface Coating of Automobiles and Light-Duty Trucks	No
40 CFR 63 Subpart JJJJ	National Emission Standards for Hazardous Air Pollutants: Paper and Other Web Coating	No
40 CFR 63 Subpart KKKK	National Emission Standards for Hazardous Air Pollutants: Surface Coating of Metal Cans	No
40 CFR 63 Subpart MMMM	National Emission Standards for Hazardous Air Pollutants for Surface Coating of Miscellaneous Metal Parts and Products	No
40 CFR 63 Subpart NNNN	National Emission Standards for Hazardous Air Pollutants: Surface Coating of Large Appliances	No

**Applicable and Non-Applicable Federal and State Regulations**

**Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 28 of 33**

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
40 CFR 63 Subpart OOOO	National Emission Standards for Hazardous Air Pollutants: Printing, Coating, and Dyeing of Fabrics and Other Textiles	No
40 CFR 63 Subpart PPPP	National Emission Standards for Hazardous Air Pollutants for Surface Coating of Plastic Parts and Products	No
40 CFR 63 Subpart QQQQ	National Emission Standards for Hazardous Air Pollutants: Surface Coating of Wood Building Products	No
40 CFR 63 Subpart RRRR	National Emission Standards for Hazardous Air Pollutants: Surface Coating of Metal Furniture	No
40 CFR 63 Subpart SSSS	National Emission Standards for Hazardous Air Pollutants: Surface Coating of Metal Coil	No
40 CFR 63 Subpart TTTT	National Emission Standards for Hazardous Air Pollutants for Leather Finishing Operations	No
40 CFR 63 Subpart UUUU	National Emission Standards for Hazardous Air Pollutants for Cellulose Product Manufacturing	No
40 CFR 63 Subpart VVVV	National Emission Standards for Hazardous Air Pollutants for Boat Manufacturing	No
40 CFR 63 Subpart WWWW	National Emission Standards for Hazardous Air Pollutants: Reinforced Plastic Composites Production	No
40 CFR 63 Subpart XXXX	National Emission Standards for Hazardous Air Pollutants: Rubber Tire Manufacturing	No
40 CFR 63 Subpart YYYY	National Emission Standards for Hazardous Air Pollutants for Stationary Combustion Turbines	No
40 CFR 63 Subpart ZZZZ	National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines	No
40 CFR 63 Subpart AAAAA	National Emission Standards for Hazardous Air Pollutants for Lime Manufacturing Plants	No
40 CFR 63 Subpart BBBB	National Emission Standards for Hazardous Air Pollutants for Semiconductor Manufacturing	No
40 CFR 63 Subpart CCCCC	National Emission Standards for Hazardous Air Pollutants for Coke Ovens: Pushing, Quenching, and Battery Stacks	No
40 CFR 63 Subpart DDDDD	National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers and Process Heaters	No
40 CFR 63 Subpart EEEEE	National Emission Standards for Hazardous Air Pollutants for Iron and Steel Foundries	No
40 CFR 63 Subpart FFFFF	National Emission Standards for Hazardous Air Pollutants for Integrated Iron and Steel Manufacturing Facilities	No
40 CFR 63 Subpart GGGGG	National Emission Standards for Hazardous Air Pollutants: Site Remediation	No

**Applicable and Non-Applicable Federal and State Regulations****Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 29 of 33**

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
40 CFR 63 Subpart HHHHH	National Emission Standards for Hazardous Air Pollutants: Miscellaneous Coating Manufacturing	No
40 CFR 63 Subpart IIIII	National Emission Standards for Hazardous Air Pollutants: Mercury Emissions from Mercury Cell Chlor-Alkali Plants	No
40 CFR 63 Subpart JJJJJ	National Emission Standards for Hazardous Air Pollutants for Brick and Structural Clay Products Manufacturing	No
40 CFR 63 Subpart KKKKK	National Emission Standards for Hazardous Air Pollutants for Clay Ceramics Manufacturing	No
40 CFR 63 Subpart LLLLL	National Emission Standards for Hazardous Air Pollutants: Asphalt Processing and Asphalt Roofing Manufacturing	No
40 CFR 63 Subpart MMMMM	National Emission Standards for Hazardous Air Pollutants: Flexible Polyurethane Foam Fabrication Operations	No
40 CFR 63 Subpart NNNNN	National Emission Standards for Hazardous Air Pollutants: Hydrochloric Acid Production	No
40 CFR 63 Subpart OOOOO	Reserved	No
40 CFR 63 Subpart PPPPP	National Emission Standards for Hazardous Air Pollutants for Engine Test Cells/Stands	No
40 CFR 63 Subpart QQQQQ	National Emission Standards for Hazardous Air Pollutants for Friction Materials Manufacturing Facilities	No
40 CFR 63 Subpart RRRRR	National Emission Standards for Hazardous Air Pollutants: Taconite Iron Ore Processing	No
40 CFR 63 Subpart SSSSS	National Emission Standards for Hazardous Air Pollutants for Refractory Products Manufacturing	No
40 CFR 63 Subpart TTTTT	National Emission Standards for Hazardous Air Pollutants for Primary Magnesium Refining	No
40 CFR 63 Subpart WWWW	National Emission Standards for Hospital Ethylene Oxide Sterilizers	No
40 CFR 63 Subpart XXXXX	Reserved	No
40 CFR 63 Subpart YYYYY	National Emission Standards for Hazardous Air Pollutants for Area Sources: Electric Arc Furnace Steelmaking Facilities	No
40 CFR 63 Subpart ZZZZZ	National Emission Standards for Hazardous Air Pollutants for Iron and Steel Foundries Area Sources	No
40 CFR 63 Subpart AAAAAA	Reserved	No
40 CFR 63 Subpart BBBBBB	National Emission Standards for Hazardous Air Pollutants for Source Category: Gasoline Distribution Bulk Terminals, Bulk Plants, and Pipeline Facilities	No
40 CFR 63 Subpart CCCCCC	National Emission Standards for Hazardous Air Pollutants for Source Category: Gasoline Dispensing Facilities	No

**Applicable and Non-Applicable Federal and State Regulations**

**Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 30 of 33**

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
40 CFR 63 Subpart DDDDDD	National Emission Standards for Hazardous Air Pollutants for Polyvinyl Chloride and Copolymers Production Area Sources	No
40 CFR 63 Subpart EEEEEEE	National Emission Standards for Hazardous Air Pollutants for Primary Copper Smelting Area Sources	No
40 CFR 63 Subpart FFFFFF	National Emission Standards for Hazardous Air Pollutants for Secondary Copper Smelting Area Sources	No
40 CFR 63 Subpart GGGGGG	National Emission Standards for Hazardous Air Pollutants for Primary Nonferrous Metals Area Sources-Zinc, Cadmium, and Beryllium	No
40 CFR 63 Subpart HHHHHH	National Emission Standards for Hazardous Air Pollutants: Paint Stripping and Miscellaneous Surface Coating Operations at Area Sources	No
40 CFR 63 Subpart IIILII	Reserved	No
40 CFR 63 Subpart JJJJJJ	National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources	No
40 CFR 63 Subpart KKKKKK	Reserved	No
40 CFR 63 Subpart LLLLLL	National Emission Standards for Hazardous Air Pollutants for Acrylic and Modacrylic Fibers Production Area Sources	No
40 CFR 63 Subpart MMMMM	National Emission Standards for Hazardous Air Pollutants for Carbon Black Production Area Sources	No
40 CFR 63 Subpart NNNNNN	National Emission Standards for Hazardous Air Pollutants for Chemical Manufacturing Area Sources: Chromium Compounds	No
40 CFR 63 Subpart OOOOOO	National Emission Standards for Hazardous Air Pollutants for Flexible Polyurethane Foam Production and Fabrication Area Sources	No
40 CFR 63 Subpart PPPPPP	National Emission Standards for Hazardous Air Pollutants for Lead Acid Battery Manufacturing Area Sources	No
40 CFR 63 Subpart QQQQQQ	National Emission Standards for Hazardous Air Pollutants for Wood Preserving Area Sources	No
40 CFR 63 Subpart RRRRRR	National Emission Standards for Hazardous Air Pollutants for Clay Ceramics Manufacturing Area Sources	No
40 CFR 63 Subpart SSSSSS	National Emission Standards for Hazardous Air Pollutants for Glass Manufacturing Area Sources	No
40 CFR 63 Subpart TTTTTT	National Emission Standards for Hazardous Air Pollutants for Secondary Nonferrous Metals Processing Area Sources	No
40 CFR 63 Subpart UUUUUU	Reserved	No

**Applicable and Non-Applicable Federal and State Regulations****Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 31 of 33**

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
40 CFR 63 Subpart VVVVV	National Emission Standards for Hazardous Air Pollutants for Chemical Manufacturing Area Sources	No
40 CFR 63 Subpart WWWW	National Emission Standards for Hazardous Air Pollutants: Area Source Standards for Plating and Polishing Operations	No
40 CFR 63 Subpart XXXXX	National Emission Standards for Hazardous Air Pollutants Area Source Standards for Nine Metal Fabrication and Finishing Source Categories	No
40 CFR 63 Subpart YYYYYY	National Emission Standards for Hazardous Air Pollutants for Area Sources: Ferroalloys Production Facilities	No
40 CFR 63 Subpart ZZ-BBB	Reserved	No
40 CFR 63 Subpart ZZZZZ	National Emission Standards for Hazardous Air Pollutants: Area Source Standards for Aluminum, Copper, and Other Nonferrous Foundries	No
40 CFR 63 Subpart AAAAAAA	National Emission Standards for Hazardous Air Pollutants for Area Sources: Asphalt Processing and Asphalt Roofing Manufacturing	No
40 CFR 63 Subpart BBBB	National Emission Standards for Hazardous Air Pollutants for Area Sources: Chemical Preparations Industry	No
40 CFR 63 Subpart CCCCCC	National Emission Standards for Hazardous Air Pollutants for Area Sources: Paints and Allied Products Manufacturing	No
40 CFR 63 Subpart DDDDDDD	National Emission Standards for Hazardous Air Pollutants for Area Sources: Prepared Feeds Manufacturing	No
40 CFR 63 Subpart UUUUU-VVVV	Reserved	No
40 CFR 64	Compliance Assurance Monitoring	No
40 CFR 68	Chemical Accident Prevention Provisions	No
40 CFR 72	Permits Regulation	No
40 CFR 72 Subpart A	Acid Rain Program General Provisions	No
40 CFR 72 Subpart B	Designated Representative	No
40 CFR 72 Subpart C	Acid Rain Permit Applications	No
40 CFR 72 Subpart D	Acid Compliance Plan and Compliance Options	No
40 CFR 72 Subpart E	Acid Rain Permit Contents	No
40 CFR 72 Subpart F	Federal Acid Rain Permit Issuance Procedures	No
40 CFR 72 Subpart G	Acid Rain Phase II Implementation	No
40 CFR 72 Subpart H	Permit Revisions	No
40 CFR 72 Subpart I	Compliance Certification	No
40 CFR 73	Allowance System	No
40 CFR 73 Subpart A	Background and Summary	No
40 CFR 73 Subpart B	Allowance Allocations	No
40 CFR 73 Subpart C	Allowance Tracking System	No

**Applicable and Non-Applicable Federal and State Regulations****Crown Beverage Packaging**

TV-0660-0016 v2.0

Page 32 of 33

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
40 CFR 73 Subpart D	Allowance Transfers	No
40 CFR 73 Subpart E	Actions, Direct Sales, and Independent Power Producers Written Guarantee	No
40 CFR 73 Subpart F	Energy Conservation and Renewable Energy Reserve	No
40 CFR 73 Subpart G	Small Diesel Refineries	No
40 CFR 74	Sulfur Dioxide Opt-Ins	No
40 CFR 75	Continuous Emission Monitoring	No
40 CFR 75 Subpart A	General	No
40 CFR 75 Subpart B	Monitoring Provisions	No
40 CFR 75 Subpart C	Operation and Maintenance Requirements	No
40 CFR 75 Subpart D	Missing Data Substitution Procedures	No
40 CFR 75 Subpart E	Alternative Monitoring Systems	No
40 CFR 75 Subpart F	Recordkeeping Requirements	No
40 CFR 75 Subpart G	Reporting Requirements	No
40 CFR 75 Subpart H	NOX Mass Emissions Provisions	No
40 CFR 75 Subpart I	Hg Mass Emissions Provisions	No
40 CFR 76	Acid Rain Nitrogen Oxides Emission Reduction Program	No
40 CFR 77	Excess Emissions	No
40 CFR 82	Protection of Stratospheric Ozone	Yes
40 CFR 96	NOX Budget Trading Program and CAIR NOX and SO2 Trading Programs for State Implementation Plans	No
40 CFR 96 Subpart AA	CAIR NOX Annual Trading Program General Provisions	No
40 CFR 96 Subpart BB	CAIR Designated Representative for CAIR NOX Sources	No
40 CFR 96 Subpart CC	Permits	No
40 CFR 96 Subpart EE	CAIR NOX Allowance Allocations	No
40 CFR 96 Subpart FF	CAIR NOX Allowance Tracking System	No
40 CFR 96 Subpart GG	CAIR NOX Allowance Transfers	No
40 CFR 96 Subpart HH	Monitoring and Reporting	No
40 CFR 96 Subpart II	CAIR NOX Opt-in Units	No
40 CFR 96 Subpart AAA	CAIR SO2 Trading Program General Provisions	No
40 CFR 96 Subpart BBB	CAIR Designated Representative for CAIR SO2 Sources	No
40 CFR 96 Subpart CCC	Permits	No
40 CFR 96 Subpart FFF	CAIR SO2 Allowance Tracking System	No
40 CFR 96 Subpart GGG	CAIR SO2 Allowance Transfers	No
40 CFR 96 Subpart HHH	Monitoring and Reporting	No
40 CFR 96 Subpart III	CAIR SO2 Opt-In Units	No
40 CFR 96 Subpart AAAA	CAIR NOX Ozone Season Trading Program General Provisions	No

**Applicable and Non-Applicable Federal and State Regulations**

**Crown Beverage Packaging**  
**TV-0660-0016 v2.0**  
**Page 33 of 33**

<b>APPLICABILITY DETERMINATION</b>		
<b>Citation</b>	<b>Regulation</b>	<b>Applicable (Yes / No)</b>
40 CFR 96 Subpart BBBB	CAIR Designated Representative for CAIR NOX Ozone Season Sources	No
40 CFR 96 Subpart CCCC	Permits	No
40 CFR 96 Subpart EEEE	CAIR NOX Ozone Season Allowance Allocations	No
40 CFR 96 Subpart FFFF	CAIR NOX Ozone Season Allowance Tracking System	No
40 CFR 96 Subpart GGGG	CAIR NOX Ozone Season Allowance Transfers	No
40 CFR 96 Subpart HHHH	Monitoring and Reporting	No
40 CFR 96 Subpart IIII	CAIR NOX Ozone Season Opt-In Units	No
40 CFR 98	Mandatory Reporting of Greenhouse Gases	No