



EMSL Analytical, Inc. 200 Route 130 North Cinnaminson, NJ 08077

Order ID: 282500096

Attn: Howard Schmidt
US EPA Region 3
4 Penn Center
1600 JFK Blvd.
Philadelphia, PA 19103

Customer ID: USEP29
Customer PO:
Date Received: 12/20/24

Project: USEPA R3 - Ivy City Project – Site #000
Report Date: 1/20/25

EMSL Project ID:
Date Analyzed: 1/16/2025

Test Report – Cresol & Phenol Analysis by GC/FID of Solid Sorbent tubes via NIOSH Method 2546, Issue 1, 8/15/94

Sample ID	Identification	Component	Volume (L)	Sample Weight (mg)	Sample Conc. (mg/m ³)	Sample Conc. (PPM)	Reporting Limit (mg/m ³)
282500096-0001	CP-P-B-0-12162024-84	o-Cresol	16.150	<0.010	<0.62	<0.14	0.62
		m,p-Cresol		<0.010	<0.62	<0.14	0.62
		Phenol		<0.010	<0.62	<0.16	0.62
282500096-0002	CP-P-R-1-12162024-85A	o-Cresol	15.714	<0.010	<0.64	<0.14	0.64
		m,p-Cresol		<0.010	<0.64	<0.14	0.64
		Phenol		<0.010	<0.64	<0.17	0.64
282500096-0003	CP-P-R-1-12162024-75	o-Cresol	17.820	<0.010	<0.56	<0.13	0.56
		m,p-Cresol		<0.010	<0.56	<0.13	0.56
		Phenol		<0.010	<0.56	<0.15	0.56
282500096-0004	CP-P-R-2-12162024-76	o-Cresol	15.6655	<0.010	<0.64	<0.14	0.64
		m,p-Cresol		<0.010	<0.64	<0.14	0.64
		Phenol		<0.010	<0.64	<0.17	0.64
282500096-0005	CP-P-R-3-12162024-77	o-Cresol	15.435	<0.010	<0.65	<0.15	0.65
		m,p-Cresol		<0.010	<0.65	<0.15	0.65
		Phenol		<0.010	<0.65	<0.17	0.65
282500096-0006	CP-P-R-4-12162024-78	o-Cresol	15.3745	<0.010	<0.65	<0.15	0.65
		m,p-Cresol		<0.010	<0.65	<0.15	0.65
		Phenol		<0.010	<0.65	<0.17	0.65
282500096-0007	CP-P-R-5-12162024-79	o-Cresol	16.000	<0.010	<0.63	<0.14	0.63
		m,p-Cresol		<0.010	<0.63	<0.14	0.63
		Phenol		<0.010	<0.63	<0.16	0.63
282500096-0008	CP-P-C-6-12162024-80	o-Cresol	15.744	<0.010	<0.64	<0.14	0.64
		m,p-Cresol		<0.010	<0.64	<0.14	0.64
		Phenol		<0.010	<0.64	<0.17	0.64
282500096-0009	CP-P-C-7-12162024-81	o-Cresol	16.350	<0.010	<0.61	<0.14	0.61
		m,p-Cresol		<0.010	<0.61	<0.14	0.61
		Phenol		<0.010	<0.61	<0.16	0.61

Notes:

1. Samples were received in acceptable condition unless otherwise noted.
2. These results relate only to the samples tested.
3. Sample results are not blank corrected unless otherwise noted.
4. Discernable field blank(s) submitted with samples if listed.

BJ/CH/KC
Analyst

Owen McKenna
Chemistry Laboratory Director
Or other approved signatory



EMSL Analytical, Inc. 200 Route 130 North Cinnaminson, NJ 08077

Order ID: 282500096

Attn: Howard Schmidt
US EPA Region 3
4 Penn Center
1600 JFK Blvd.
Philadelphia, PA 19103

Customer ID: USEP29
Customer PO:
Date Received: 12/20/24

Project: USEPA R3 - Ivy City Project – Site #000
Report Date: 1/20/25

EMSL Project ID:
Date Analyzed: 1/16/2025

Test Report – Cresol & Phenol Analysis by GC/FID of Solid Sorbent tubes via NIOSH Method 2546, Issue 1, 8/15/94

Sample ID	Identification	Component	Volume (L)	Sample Weight (mg)	Sample Conc. (mg/m ³)	Sample Conc. (PPM)	Reporting Limit (mg/m ³)
282500096-0010	CP-P-C-9-12162024-83	o-Cresol	15.750	<0.010	<0.63	<0.14	0.63
		m,p-Cresol		<0.010	<0.63	<0.14	0.63
		Phenol		<0.010	<0.63	<0.17	0.63
282500096-0011	CP-P-FB-12162024-86	o-Cresol	0	<0.010	N/A	N/A	N/A
		m,p-Cresol		<0.010	N/A	N/A	N/A
		Phenol		<0.010	N/A	N/A	N/A
282500096-0012	CP-N-B-0-12172024-96	o-Cresol	16.317	<0.010	<0.61	<0.14	0.61
		m,p-Cresol		<0.010	<0.61	<0.14	0.61
		Phenol		<0.010	<0.61	<0.16	0.61
282500096-0013	CP-N-R-1-12172024-87	o-Cresol	15.604	<0.010	<0.64	<0.15	0.64
		m,p-Cresol		<0.010	<0.64	<0.15	0.64
		Phenol		<0.010	<0.64	<0.17	0.64
282500096-0014	CP-N-R-1-12172024-97A	o-Cresol	14.110	<0.010	<0.71	<0.16	0.71
		m,p-Cresol		<0.010	<0.71	<0.16	0.71
		Phenol		<0.010	<0.71	<0.18	0.71
282500096-0015	CP-N-R-2-12172024-88	o-Cresol	15.7225	<0.010	<0.64	<0.14	0.64
		m,p-Cresol		<0.010	<0.64	<0.14	0.64
		Phenol		<0.010	<0.64	<0.17	0.64
282500096-0016	CP-N-R-3-12172024-89	o-Cresol	15.580	<0.010	<0.64	<0.15	0.64
		m,p-Cresol		<0.010	<0.64	<0.15	0.64
		Phenol		<0.010	<0.64	<0.17	0.64
282500096-0017	CP-N-R-4-12172024-90	o-Cresol	16.150	<0.010	<0.62	<0.14	0.62
		m,p-Cresol		<0.010	<0.62	<0.14	0.62
		Phenol		<0.010	<0.62	<0.16	0.62
282500096-0018	CP-N-R-5-12172024-91	o-Cresol	16.450	<0.010	<0.61	<0.14	0.61
		m,p-Cresol		<0.010	<0.61	<0.14	0.61
		Phenol		<0.010	<0.61	<0.16	0.61

Notes:

1. Samples were received in acceptable condition unless otherwise noted.
2. These results relate only to the samples tested.
3. Sample results are not blank corrected unless otherwise noted.
4. Discernable field blank(s) submitted with samples if listed.

BJ/CH/KC
Analyst

Owen McKenna
Chemistry Laboratory Director
Or other approved signatory

**Order ID: 282500096**

Attn: Howard Schmidt
US EPA Region 3
4 Penn Center
1600 JFK Blvd.
Philadelphia, PA 19103

Customer ID: USEP29
Customer PO:
Date Received: 12/20/24

Project: USEPA R3 - Ivy City Project – Site #000
Report Date: 1/20/25

EMSL Project ID:
Date Analyzed: 1/16/2025

Test Report – Cresol & Phenol Analysis by GC/FID of Solid Sorbent tubes via NIOSH Method 2546, Issue 1, 8/15/94

Sample ID	Identification	Component	Volume (L)	Sample Weight (mg)	Sample Conc. (mg/m ³)	Sample Conc. (PPM)	Reporting Limit (mg/m ³)
282500096-0019	CP-N-C-6-12172024-92	o-Cresol	16.750	<0.010	<0.60	<0.14	0.60
		m,p-Cresol		<0.010	<0.60	<0.14	0.60
		Phenol		<0.010	<0.60	<0.16	0.60
282500096-0020	CP-N-C-7-12172024-93	o-Cresol	16.750	<0.010	<0.60	<0.14	0.60
		m,p-Cresol		<0.010	<0.60	<0.14	0.60
		Phenol		<0.010	<0.60	<0.16	0.60
282500096-0021	CP-N-C-8-12172024-94	o-Cresol	15.886	<0.010	<0.63	<0.14	0.63
		m,p-Cresol		<0.010	<0.63	<0.14	0.63
		Phenol		<0.010	<0.63	<0.16	0.63
282500096-0022	CP-N-C-9-12172024-95	o-Cresol	15.827	<0.010	<0.63	<0.14	0.63
		m,p-Cresol		<0.010	<0.63	<0.14	0.63
		Phenol		<0.010	<0.63	<0.16	0.63
282500096-0023	CP-N-FB-12172024-98	o-Cresol	0	<0.010	N/A	N/A	N/A
		m,p-Cresol		<0.010	N/A	N/A	N/A
		Phenol		<0.010	N/A	N/A	N/A
Desorption Blank	-	o-Cresol	0	<0.010	N/A	N/A	N/A
		m,p-Cresol		<0.010	N/A	N/A	N/A
		Phenol		<0.010	N/A	N/A	N/A

* EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.

Notes:

1. Samples were received in acceptable condition unless otherwise noted.
2. These results relate only to the samples tested.
3. Sample results are not blank corrected unless otherwise noted.
4. Discernable field blank(s) submitted with samples if listed.

BJ/CH/KC
Analyst

Owen McKenna
Chemistry Laboratory Director
Or other approved signatory