

10/1

APPENDIX 5

Suggested Form for Notice of Intent (NOI) for the Noncontact Cooling Water General Per

1. General facility information. Please provide the following information about the facility.

a) Name of facility: <u>FALL RIVER TOOL + DIE CO. INC.</u>		Type of Business: <u>MANUFACTURING</u>
Facility Location Address : <u>994 JEFFERSON ST.</u> <u>FALL RIVER, MA.</u> longitude: <u>71° 09' W</u> latitude: <u>41° 41' N</u>	Facility SIC codes: <u>3544.3369</u> <u>3079</u>	Facility Mailing Address (if not location address) <u>P.O. BOX 4070 FLINT STATION</u> <u>FALL RIVER, MA. 02723</u>
b) Name of facility owner: <u>FALL RIVER TOOL + DIE CO.</u>		Email address of owner: <u>FALL RIVER.TD@AOL.COM</u>
Owner's Tel #: <u>508-674-4621</u>		Owner is (check one): 1. Federal ☐ 2. State ☐ 3. Tribal ☐ 4. Private ☒ 4. Other ☐ (Describe)
Owner's Fax # <u>508-677-2143</u>		
Address of owner (if different from facility address)		
Legal name of Operator, if not owner: _____		
Operator Contact Name: <u>JOSEPH FONTAINE / RONALD FONTAINE</u>		
Operator Tel Number: <u>508-674-4621</u> Fax Number: <u>508-677-2143</u>		
Operator's email: <u>FALLRIVERTD@AOL.COM</u>		
Operator Address (if different from owner) _____		
d) Attach topographic map indicating the locations of the facility and the receiving water; all NCCW discharge points; upstream and downstream monitoring points. Map attached? ☒		
e) Check Yes or No for the following:		
1. Has a prior NPDES permit been granted for the discharge? Yes ☒ No ☐ If Yes, Permit Number: <u>MAG-250017</u>		
2. Is the discharge a "new discharge" as defined by 40 CFR Section 122.22? Yes ☐ No ☒		
3. Is the facility covered by an individual NPDES permit? Yes ☐ No ☒ If Yes, Permit Number _____		
4. Is there a pending application on file with EPA for this discharge? Yes ☒ No ☐ If Yes, date of submittal: <u>2005</u>		

WORKSHEET Pg 2

FOR OUTFALLS #1 & #2

SEP 23, 2008 09:57

2. Discharge information. Please provide information about the discharge, (attaching additional sheets as needed)

- a) Name of receiving water into which discharge will occur: SUCKER BROOK
 State Water Quality Classification: B Freshwater: ☒ Marine Water: ☐
- b) Describe the discharge activities for which the owner/applicant is seeking coverage: ZINC DIE CASTING AND PLASTIC INJECTION MOLDING
- c) FOR MASSACHUSETTS FACILITIES ONLY: Engineering Calculations: Submit the completed engineering calculation of the surface water temperature rise as shown in Attachment A of the General Permit. Check if attached: ☒
- d) Number of outfalls 3

For each outfall:

- e) What is the maximum daily and average monthly flow of the discharge? Note that EPA will use the flow reported here as the facility's permitted effluent flow limit. #1 MAX Daily Flow 4500 GPD AVERAGE FLOW 3300 GPD
 #2 Max Daily Flow 2500 GPD Average Flow 1700 GPD
- f) What is the maximum daily and average monthly temperature of the discharge (in degrees F)? Max Temp. 80° Average Temp. 67°
 SEE WORKSHEET #2B FOR OUTFALL #3
- g) What is the maximum and minimum monthly pH of the discharge (in s.u.)? Max pH 7.5 Min pH 7.2
- h) FOR MASSACHUSETTS FACILITIES ONLY: Is the source water of the NCCW potable water? Yes ☒ No ☐ If Yes, EPA will calculate the Total Residual Chlorine limit for facilities located in Massachusetts.
- i) Is the discharge continuous? Yes ☒ No ☐ If no, is the discharge periodic (P) (occurs regularly, i.e., monthly or seasonally, but is not continuous all year) or intermittent (I) (occurs sometimes but not regularly) or both (B) ☐
 If (P), number of days or months per year of the discharge _____ and the specific months of discharge _____;
 If (I), number of days/year there is a discharge _____
- j) Latitude and longitude of each discharge within 100 feet: outfall 1: long. 71°09'W lat. 41°41'N; outfall 2: long. 71°09'W lat. 41°41'N; outfall 3: long. 71°09'W lat. 41°41'N (See http://www.epa.gov/tri/report/siting_tool)
- k) Provide the reported or calculated seven day-ten year low flow (7Q10) of the receiving water .04 MGD
 Please attach any calculation sheets used to support stream flow and dilution calculations. See General Permit Attachment B for equations and additional information.
- MASSACHUSETTS FACILITIES: See Part 3.4 and Appendix 1 of the General Permit for more information on ACEC.
 Areas of Critical Environmental Concern (ACEC): Does the discharge occur in an ACEC? Yes ☐ No ☒
 If yes, provide the name of the ACEC: _____

SEP 23, 2008 11:10 AM

NO. 2781 P. 3

WORKSHEET 2B

CONTINUATION FROM pg 2.

FOR OUTFALL #3

2. Discharge information. Please provide information about the discharge, (attaching additional sheets as needed)

- a) Name of receiving water into which discharge will occur: SUCKER BROOK
 State Water Quality Classification: B Freshwater: ☒ Marine Water: ☐
- b) Describe the discharge activities for which the owner/applicant is seeking coverage: ZINC DIE CASTING & PLASTIC INJECTION MOLDING
- c) FOR MASSACHUSETTS FACILITIES ONLY: Engineering Calculations: Submit the completed engineering calculation of the surface water temperature rise as shown in Attachment A of the General Permit. Check if attached: ☒
- d) Number of outfalls 3
 For ~~each~~ outfall: #3
- e) What is the maximum daily and average monthly flow of the discharge? Note that EPA will use the flow reported here as the facility's permitted effluent flow limit. Max Daily Flow 1000 GPD Average Flow 750 GPD
- f) What is the maximum daily and average monthly temperature of the discharge (in degrees F)? Max Temp. 80° Average Temp. 67°
- g) What is the maximum and minimum monthly pH of the discharge (in s.u.)? Max pH 7.5 Min pH 7.2
- h) FOR MASSACHUSETTS FACILITIES ONLY: Is the source water of the NCCW potable water? Yes ☒ No ☐ If Yes, EPA will calculate the Total Residual Chlorine limit for facilities located in Massachusetts.
- i) Is the discharge continuous? Yes ☐ No ☒ If no, is the discharge periodic (P) (occurs regularly, i.e., monthly or seasonally, but is not continuous all year) or intermittent (I) (occurs sometimes but not regularly) or both (B) I
 If (P), number of days or months per year of the discharge _____ and the specific months of discharge _____;
 If (I), number of days/year there is a discharge 10 APPROX
- j) Latitude and longitude of each discharge within 100 feet: outfall 1: long. _____ lat. _____; outfall 2: long. _____ lat. _____;
 outfall 3: long. 71°09'W lat. 41°41'N (See http://www.epa.gov/tri/report/siting_tool)
- k) Provide the reported or calculated seven day-ten year low flow (7Q10) of the receiving water .04 MGD
 Please attach any calculation sheets used to support stream flow and dilution calculations. See General Permit Attachment B for equations and additional information.
- MASSACHUSETTS FACILITIES: See Part 3.4 and Appendix 1 of the General Permit for more information on ACEC
 Areas of Critical Environmental Concern (ACEC): Does the discharge occur in an ACEC? Yes ☐ No ☒
 If yes, provide the name of the ACEC: _____

3. NCCW Source Water Information. Please provide information about the NCCW source water, using separate sheets as necessary:

a) Indicate source of the NCCW (i.e., municipal water supply, private well, surface water withdrawal, groundwater): Source: <u>MUNICIPAL WATER SUPPLY</u> Name of Source Water: <u>CITY OF FALL RIVER</u> Is the source registered/permitted under MA Water Management Act or NHDES Water User Registration Rule (Env Wq 2202)? Yes ☐ No ☐ If yes, registration number: _____	b) If source water is surface water: i) Is it a freshwater river or stream Yes ☐ No ☐ ii) Is it a lake? _____ reservoir? _____ iii) Is it tidal river? _____ estuary? _____ ocean? _____ c) Is the source water groundwater? Yes ☐ No ☐ If yes, see Appendix 8 and submit effluent and surface water test results, as required in Part 5.4 of the General Permit. d) Does the facility use both a primary and backup source of noncontact cooling water? Yes ☐ No ☐ If yes, attach information that identifies and explains the primary and backup sources of noncontact cooling water for and how often the backup supply was used in last three years.
---	--

4. Best Technology Available for CWIS

Are you subject to BTA requirements at Part 4.2 of the General Permit? (Facility's discharge is covered by this General Permit and the facility withdraws noncontact cooling water from surface source water). Yes ☐ No ☒ If No, explain: ALL NON CONTACT COOLING WATER IS FROM MUNICIPAL SUPPLY. NO SURFACE SOURCE WATER

If YES, attach the facility-specific BTA description as required in Part 4.3 of the General Permit. For additional information and guidance, see Questions 13-23 of the NCCW Fact Sheet, posted at <http://www.epa.gov/region1/npdes/nccwgp.html>. Provide a map showing the location of each CWIS intake structure; NCCW outfall(s) and any CWIS feature referred to in the BTA description.

Include in your description:

- ☐ Measures to meet the General Permit Part 4.3.a general BTA requirements, including documentation that describes the facility's monitoring program for impinged fish and/or invertebrate; or the required alternative monitoring plan frequency and/or protocol
- ☐ A characterization of the source water body's aquatic life habitat in the vicinity of each CWIS during the seasons when the CWIS may be in use
- ☐ The attributes of the current CWIS
- ☐ Design measures of the CWIS
- ☐ Operation measures of the CWIS
- ☐ Historical occurrence of impinged fish for the past five years
- ☐ If applicable, a demonstration that the facility's intake rate is commensurate with a closed-cycle recirculation system
- ☐ Other components to reduce impingement and/or entrainment of aquatic life

4. BTA FOR CWIS CONTINUED:

Provide the following information for each CWIS to support your attached facility-specific BTA description.

Design capacity of the of the CWIS _____ MGD

Maximum monthly average intake of the CWIS during the previous five years _____ MGD Month in which this flow occurred _____

Maximum through-screen design intake velocity _____ feet/second (fps)

For facilities where the CWIS is located on a freshwater river or stream, provide the following information:

The source water's annual mean flow _____ cubic feet/second (cfs) as available from USGS or other appropriate source

The design intake flow as a % of the source water's annual mean flow _____ Attach calculations if equal to or less than 5% of annual mean flow.

The source water's 7Q10 _____ cfs. See Attachment B of the General Permit for more information on 7Q10 determinations.

The design intake flow as a percent of the source water's 7Q10 _____

5. Contaminant Information

If applicable, attach a listing of all non-toxic pH neutralization and/or dechlorination chemicals used, including chemical name and manufacturer; maximum and average daily quantity used as well as the maximum and average daily expected concentrations (mg/l) in the NCCW discharge, and the vendor's reported aquatic toxicity (NOAEL and/or LC₅₀ in percent for aquatic organism(s)).

6. Determination of Endangered Species Act Eligibility: Provide documentation of ESA eligibility as required at Part 3.4 and Appendix 2, Part C, Step 4, of the General Permit. In addition, respond to the following questions.

- a) Are any listed threatened or endangered species, or designated critical habitat, in proximity to the discharge? Yes _____ No ☒
- b) Has any consultation with the federal services been completed? Yes _____ No _____
- c) Is consultation underway? Yes _____ No _____
- d) What were the results of the consultation with the U.S. Fish and Wildlife Service and/or NOAA Fisheries Service (check one):
a "no jeopardy" opinion _____ or written concurrence _____ on a finding that the discharges are not likely to adversely affect any endangered species or
- e) Which of the five eligibility criteria listed in Appendix 2, Section B (A,B,C,D or E) have you met? A
- f) Attach a copy of the most current federal listing of endangered and threatened species from the USF&W web site listed in Appendices 2, 2.1 and 4

7. Documentation of National Historic Preservation Act requirements: Please respond to the following questions:

Are any historic properties listed or eligible for listing on the National Register of Historic Places located on the facility site or in proximity to the discharge? Yes _____ No ☒

Have any State or Tribal historic preservation officers been consulted in this determination? Yes _____ or No ☒ If yes, attach the results of the consultation(s).

c) Which of the three National Historic Preservation Act requirements listed in Appendix 3, Section C (1,2 or 3) have you met? 1

8. Supplemental Information: Please provide any supplemental information. Attach any analytical data used to support the application. Attach any certification(s) required by the general permit

9. Signature Requirements: The Notice of Intent must be signed by the operator in accordance with the signatory requirements of 40 CFR Section 122.22 (see below) including the following certification:

I certify under penalty of law that (1) no biocides or other chemical additives except for those used for pH adjustment and/or dechlorination are used in the noncontact cooling water (NCCW) system; (2) the discharge consists solely of NCCW (to reduce temperature) and authorized pH adjustment and/or dechlorination chemicals; (3) the discharge does not come in contact with any raw materials, intermediate product, water product (other than heat) or finished product; (4) if the discharge of noncontact cooling water subsequently mixes with other wastewater (i.e. stormwater) prior to discharging to the receiving water, any monitoring provided under this permit will be only for noncontact cooling water; (5) where applicable, the facility has complied with the requirements of this permit specific to the Endangered Species Act and National Historic Preservation Act; and (6) this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted.

Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, I certify that the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I certify that I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Facility Name: FALL RIVER TOOL + DIE CO. INC.

Operator signature:

Title: PRES.

Date: SEPT 29, 2008

Federal regulations require this application to be signed as follows:

1. For a corporation, by a principal executive officer of at least the level of vice president;
2. For a partnership or sole proprietorship, by a general partner or the proprietor, respectively, or,
3. For a municipality, State, Federal or other public facility, by either a principal executive officer or ranking elected official.

FAIR RIVER TOOL + DIE CO

TEMP RISE

SEP 26, 2008

$$\Delta T_r = m_p / m_r \times \Delta T_p$$

$$= \frac{.005}{.04} \times 18 = 2.25^\circ \text{F}$$

$$m_p = .005$$

$$m_r = .04$$

PLANT TEMP WINTER AVG

WINTER 56° F

SUCKEN BROOK WINTER AVG

38° F

$$\Delta T_p = \frac{56}{38} = 18^\circ$$

**FEDERALLY LISTED ENDANGERED AND THREATENED SPECIES
IN MASSACHUSETTS**

COUNTY	SPECIES	FEDERAL STATUS	GENERAL LOCATION/HABITAT	TOWNS
Barnstable	Piping Plover	Threatened	Coastal Beaches	All Towns
	Roseate Tern	Endangered	Coastal beaches and the Atlantic Ocean	All Towns
	Northeastern beach tiger beetle	Threatened	Coastal Beaches	Chatham
	Sandplain gerardia	Endangered	Open areas with sandy soils.	Sandwich and Falmouth.
	Northern Red-bellied cooter	Endangered	Inland Ponds and Rivers	Bourne (north of the Cape Cod Canal)
Berkshire	Bog Turtle	Threatened	Wetlands	Egremont and Sheffield
Bristol	Piping Plover	Threatened	Coastal Beaches	Fairhaven, Dartmouth, Westport
	Roseate Tern	Endangered	Coastal beaches and the Atlantic Ocean	Fairhaven, New Bedford, Dartmouth, Westport
	Northern Red-bellied cooter	Endangered	Inland Ponds and Rivers	Raynham and Taunton
Dukes	Roseate Tern	Endangered	Coastal beaches and the Atlantic Ocean	All Towns
	Piping Plover	Threatened	Coastal Beaches	All Towns
	Northeastern beach tiger beetle	Threatened	Coastal Beaches	Aquinnah and Chilmark
	Sandplain gerardia	Endangered	Open areas with sandy soils.	West Tisbury
Essex	Small whorled Pogonia	Threatened	Forests with somewhat poorly drained soils and/or a seasonally high water table	Gloucester, Essex and Manchester
	Piping Plover	Threatened	Coastal Beaches	Glocester, Essex, Ipswich, Rowley, Revere, Newbury, Newburyport and Salisbury
Franklin	Northeastern bulrush	Endangered	Wetlands	Montague
	Dwarf wedgemussel	Endangered	Mill River	Whately
Hampshire	Small whorled Pogonia	Threatened	Forests with somewhat poorly drained soils and/or a seasonally high water table	Hadley
	Puritan tiger beetle	Threatened	Sandy beaches along the Connecticut River	Northampton and Hadley
	Dwarf wedgemussel	Endangered	Rivers and Streams.	Hadley, Hatfield, Amherst and Northampton
Hampden	Small whorled Pogonia	Threatened	Forests with somewhat poorly drained soils and/or a seasonally high water table	Southwick
Middlesex	Small whorled Pogonia	Threatened	Forests with somewhat poorly drained soils and/or a seasonally high water table	Groton
Nantucket	Piping Plover	Threatened	Coastal Beaches	Nantucket
	Roseate Tern	Endangered	Coastal beaches and the Atlantic Ocean	Nantucket
	American burying beetle	Endangered	Upland grassy meadows	Nantucket
Plymouth	Piping Plover	Threatened	Coastal Beaches	Scituate, Marshfield, Duxbury, Plymouth, Wareham and Mattapoisett
	Northern Red-bellied cooter	Endangered	Inland Ponds and Rivers	Kingston, Middleborough, Carver, Plymouth, Bourne, and Wareham
	Roseate Tern	Endangered	Coastal beaches and the Atlantic Ocean	Plymouth, Marion, Wareham, and Mattapoisett.
Suffolk	Piping Plover	Threatened	Coastal Beaches	Winthrop
Worcester	Small whorled	Threatened	Forests with somewhat poorly drained soils	Leominster



copy



X

2013-2014
2014-2015