

**Municipality/Organization:** Marlborough, MA

---

**EPA NPDES Permit Number:**

---

**MaDEP Transmittal Number:** W-035393

---

**Annual Report Number**

**& Reporting Period:** No. 6 – May 08- May 09

---

**NPDES PII Small MS4 General Permit**  
**MAR041128**  
**Annual Report**  
**#6**

**Part I. General Information**

Contact Person: Priscilla Ryder

Title: Conservation Officer

---

Telephone #: 508-460-3769

Email: pryder@marlborough-ma.gov

---

Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature:

---

Printed Name: Nancy E. Stevens

---

Title: Mayor

---

Date:

---

**Municipality/Organization:** Marlborough, MA  
**EPA NPDES Permit Number:** \_\_\_\_\_  
**MADEP Transmittal Number:** W-035393  
**Annual Report Number**  
**& Reporting Period:** No. 6 – May 08- May 09


**NPDES PII Small MS4 General Permit**  
**MAR041128**  
**Annual Report**  
#6

**Part I. General Information**

**Contact Person:** Priscilla Ryder **Title:** Conservation Officer  
**Telephone #:** 508-460-3769 **Email:** pryder@marlborough-ma.gov

**Certification:**

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

**Signature:**  \_\_\_\_\_  
**Printed Name:** Nancy F. Stevens  
**Title:** Mayor  
**Date:** 4/30/09

## Part II. Self-Assessment

The City of Marlborough has completed the required self assessment and has determined that our municipality is in compliance with all permit conditions, except as noted below. The items as noted below were changed slightly or delayed for reasons noted and we have also highlighted some of the tasks that proved successful in this past year- May '08-May'09.

Part D 1-1 – Informational brochures. The informational storm water pollution brochures were mailed in the spring '08 water bills. 10,500 pieces were mailed. A copy of the brochure is attached for your review.

Part D 1-2 – Storm Drain Stenciling. The boy scouts and other volunteers finished our storm drain marking program. We now have more than 95% of the storm drains marked. However, the markers which were installed 7 years ago are now fading. A summer intern replaced some of the old faded markers. We have also discovered that some of the markers applied over the years were not properly applied and were removed with the snow plowing operation this past winter. This year we will work with some boy scouts/ volunteer groups to replace markers that have been removed and to begin replacing markers that have faded. When doing marker replacements we will also require that the door hangers be hung on every door near the replaced marker as an added reminder to residents.

We are also working on institutionalizing the storm drain marking program and combine it with the storm drain cleaning program to have markers replaced when missing as an ongoing way of keeping these in place, the logistics of which are still being worked out.

Part D 1-3 – Cable TV show- A ½ hour show on storm drains and watersheds and a 1-2minute PSA was filmed in the Fall of '08 and is scheduled to air in June of '09. The show and PSA follow a small rubber duck down a storm drain where it encounters “yucky” materials from the storm drain before coming out into a pond & stream. We will post the PSA on the web site when it is done as well.

Part D 1-4 Student Education- The Conservation Commission worked again with the local watershed group the Organization for the Assabet River and taught the curriculum for the” Water Wise workshops” which were held again during the summer months in '08. <http://www.assabetriver.org/projects/education/waterwise2008> A summary of our outreach this past year is as follows:

- 4 workshops were held in Marlborough throughout the summer
- 2 high school students gained valuable work experience on the environment, stewardship and teaching
- workshop titles: "Watersheds and The Water Cycle", "Water Plants & Animals", "Water Testing & Conservation", and "Water Bugs Mystery".
- family workshop skit "Water Matters" covered storm water, environmental lawn care and invasive species

In addition several more students did high school science projects related to storm water, and non point source pollution based on things they had learned in the school as well.

Part D 1-5 – Web site - The Storm Water web page has been designed and is still posted at [http://www.marlborough-ma.gov/Gen/MarlboroughMA\\_PublicWrks/MarlboroughMA\\_Engineerng/Stormwater-Management](http://www.marlborough-ma.gov/Gen/MarlboroughMA_PublicWrks/MarlboroughMA_Engineerng/Stormwater-Management). A copy of the first page of the web page information is attached in the appendix. This will be updated annually and as needed.

Part D 2-5- Stream Teams. – Two additional stream team groups went out in the Spring of '08, Fall '08 and now again in spring '09. The stream team reports have revealed that for the most part our streams are healthy and we have only a few areas needing attention with street sand deposits, stream debris blockages and a few storm drain questions. But in general the inspections are revealing relatively healthy systems. The stream team reports are now posted on line at the following link. [http://www.marlborough-ma.gov/Gen/MarlboroughMA\\_ConCommisn/StreamTeamReports](http://www.marlborough-ma.gov/Gen/MarlboroughMA_ConCommisn/StreamTeamReports) . We will be holding a stream team survey group in the fall to cover the last four remaining sub-basins. Each report contains a to-do list to address items identified.

Part D 2-4;3-2, 3-3, 3-4, 4-2- As a matter of current city policy projects must meet the state DEP Stormwater Policy, regardless of the projects proximity to a wetland. All projects must meet the 80% total suspended solids removal requirement, must meet infiltration requirements, and when located in a sensitive watershed such as the Millham Reservoir watershed or Sudbury Reservoir watershed (which cover three fourths of the city) must meet the tougher requirements of treating the first flush of one inch rather than the half inch of each storm event. A copy of Drainage Report Requirement is attached. In addition current policy prohibits the discharge of any materials other than clean storm water into storm drains and is enforceable by the Department of Public Works.

Although these items have already been in place we have committed, in our NOI for Discharges from MS4s, for Storm water Phase II general permit to promulgate and enforce a Storm water Ordinance which will be more comprehensive and bring all storm water and construction related storm water management into one document and provide for tougher enforcement. We have hired Woodard and Curran a local consulting firm to draft a Stormwater Ordinance that will blend well with the City of Marlborough's current permitting system. A final draft of the ordinance is expected by the end of May, at which time the Stormwater Committee will meet and review before submitting the final document to the City Council for review and approval. The hope is that the ordinance will be in place by the end of the year.

Part D 4-2; 4-4– We have not established a baseline testing protocol as the ordinance is not yet in place. As noted in previous reports we do have some data on several streams based on other reports and testing done on lake health, or reservoir health which can be used in the future as needed for future comparison.

Part D 6-3 Employee Training - The DPW has an Integrated Contingency Plan dated Sept. '03 which was updated in '06. The purpose of the plan is: "To describe how the Marlborough DPW handles emergencies associated with fires, injuries and releases and spills of hazardous chemicals, hazardous and extremely hazardous substances, hazardous wastes, hazardous matters and petroleum products at their Neil St. facility." As noted in previous reports this documents helps guide the handling and proper storage of hazardous materials at the DPW facility.

Part III. Summary of Minimum Control Measures

**1. Public Education and Outreach**

<b>BMP ID #</b>	<b>BMP Description</b>	<b>Responsible Dept./Person Name</b>	<b>Measurable Goal(s)</b>	<b>Progress on Goal(s) Permit Year 6</b> (Reliance on non-municipal partners indicated, if any)	<b>Planned Activities – continuing</b>
1-1	Informational brochures	Conservation/ Priscilla Ryder	Distribute city wide annually	The brochure is complete. (copy attached) This was mailed out in the water bill cycle in April of '08	The effectiveness of the mailing is being evaluated to determine if this is a cost effective means of distributing information.
1-2	Storm drain stenciling	Conservation/ Priscilla Ryder	Stencil ¼ of drains per year	Eagle Scouts and summer interns placed markers on catch basins on the remaining streets. Some older markers were replaced as well.	We will work on replacing old markers that have faded or have been removed by snow plows. Will monitor markers to see how often they may need to be replaced.
1-3	Cable TV Program	Conservation/ Priscilla Ryder	Tape/ air once annually	Contact made with M8 Cable TV and filmed portions of show in fall '08. They will produce a ½ hr show and 1-2 minute PSA. This is to be finalized in May '09 and begin airing in June '08.	PSA will continue to air indefinitely and will be posted on the city stormwater web page.
1-4 Revised	Student Education	Patt Koscinski- High School Environmental Science Teacher	Speak to middle school class Water Wise workshop program developed and implemented	The Water Wise Workshop series was held again in summer of '08 and was successful. <a href="http://www.assabetriver.org/projects/education/waterwise2008">http://www.assabetriver.org/projects/education/waterwise2008</a>	Funding has been provided for another summer of Water Wise Workshops in summer of '09 in conjunction with the Organization for the Assabet River and The Mass Audubon society to continue the success of summer '08.

	<b>BMP Description</b>	<b>Responsible Dept./Person Name</b>	<b>Measurable Goal(s)</b>	<b>Progress on Goal(s) Permit Year 6</b> (Reliance on non-municipal partners indicated, if any)	<b>Planned Activities – continuing</b>
1-5	Web site posting	Conservation/ Priscilla Ryder	Post storm water information on City Web site	The Stormwater web page has been posted at <a href="http://www.marlborough.ma.gov/Gen/MarlboroughMA_PublicWorks/MarlboroughMA_Engineering/Stormwater-Management">http://www.marlborough.ma.gov/Gen/MarlboroughMA_PublicWorks/MarlboroughMA_Engineering/Stormwater-Management</a>	Information to be updated as needed annually
1-6	Prepare compliance report	Conservation/ Priscilla Ryder	Prepare annual report	Report prepared April '09	Report to be prepared April '10
1-7	Annual Reporting Reminders	Conservation/ Priscilla Ryder	Notices to non-residential properties	10 inspections done of commercial and industrial sites. Annual reports from companies are being filed. We received several such reports and did follow up compliance.	Ongoing monitoring and letters of compliance will occur annually.
1.7a NEW	Annual Reporting Reminders	Conservation /Priscilla Ryder	Notices to commercial properties	No brochure was developed as it will follow the establishment of the Ordinance.	Develop a brochure to educate businesses to meet stormwater maintenance requirements. Include enforcement provision of ordinance in brochure.

## 2. Public Involvement and Participation

<b>BMP ID #</b>	<b>BMP Description</b>	<b>Responsible Dept./Person Name</b>	<b>Measurable Goal(s)</b>	<b>Progress on Goal(s) – Permit Year 6</b> (Reliance on non-municipal partners indicated, if any)	<b>Planned Activities – Continuing</b>
2-1	Volunteer for stenciling	Conservation/ Priscilla Ryder	Volunteers to install storm drain markers	Eagle scouts applied markers and distributed door hangers in '08	All street storm drains have been marked, but old ones have faded and need replacing. Some newer ones have become unglued and need replacing. We will work on replacing markers as needed and hanging door hangers when that is done.
2-2	Household Hazardous Waste Collection day	Emerg. Mgt/ Don Cusson	Hold HHWCD Annually	Two events were held in May and November of '08	Two events scheduled annually spring and fall.
2-3	Storm Water Management Advisory Committee	Conservation/ Priscilla Ryder	Form SWMAC	The SWMAC did not meet in '08 as we had no ordinance to discuss.	SWMAC will meet several times in '09 to assist in review and passage of storm water ordinance.
2-4	Public Hearings	Conservation/ Priscilla Ryder	Hold Public Meeting on SWP	The public meeting was held on May 12, 2005	We will have additional hearing related to passage of the ordinance in '09
2-5	Stream Team	Conservation/ Priscilla Ryder	Form Stream Team	Stream team leadership groups went out to investigate additional streams in the city. No illicit discharges were detected. Reports are on line as noted above in the self-assessment.	Stream Team to monitor remaining streams in the city in spring and fall '09 before leaf out and annually until all streams have been monitored.
2-6	Clean up day	Mayor and City Council	Sponsor city wide Clean-up day	200 volunteers worked for three hours collecting 6.42 tons of trash and 238 lbs of recyclable material During the annual city wide Clean Sweep in April '08.	Annual cleanup to continue 5-2-09 and annually.

### 3. Illicit Discharge Detection and Elimination

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 6 (Reliance on non-municipal partners indicated, if any)	Planned Activities – continuing
3-1	GIS Mapping	DPW/ Nat Bowen GIS coordinator	Map City ¼ of Drainage System	95% of the city’s drainage system has been entered onto the GIS mapping system. This includes catchbasin locations and pipe connectivity. It also identifies detention basins and underground facilities. (see attached example)	The remaining 5% of the final drainage linkages through private property will be done by interns as time permits and as as-built plans are submitted. This will be ongoing.
3-2	Ordinance Review	DPW/ city engineer Tom Cullen and Priscilla Ryder Conservation Officer	Review applicable ordinances	Current Site plan Review requirements require all construction to adhere to the State Storm water Management Policy/Regulations. (See attached Drainage report checklist). Consultant have been hired in Nov. ‘08 to write an ordinance that better fits into existing permitting process. Expected final document in June ‘09	Regulations will be promulgated when new storm water ordinance is adopted.

<b>BMP ID #</b>	<b>BMP Description</b>	<b>Responsible Dept./Person Name</b>	<b>Measurable Goal(s)</b>	<b>Progress on Goal(s) – Permit Year 6</b> (Reliance on non-municipal partners indicated, if any)	<b>Planned Activities – continuing</b>
3-3	Protocol development for IDDE	DPW/ city engineer Tom Cullen	Develop protocol for IDDE	DPW Engineer, Conservation Officer and Public Utility Commissioner reviewed IDDE issues. Many items listed are already being done. A system of keeping track of these corrections has not yet been developed.	Develop check off list for IDDE items to gage compliance.
3-4	Ordinance Modifications	DPW/ city engineer Tom Cullen	Drainage ordinance modifications	Consultant was hired in Nov. '08 to draft ordinance that better fits with existing permit process.	The draft ordinance will be presented to City Council in July '09 for approval.
3-5	Stream Team inspections	Conservation/ Priscilla Ryder	Inspect city's streams/outfalls	See 2-5 above	See 2-5 above
3-6	Ill. Dis. Notice/Enforcement	DPW/ city engineer Tom Cullen	Disconnect w/in 6 mos.	This is currently ongoing when detections are made they are required to disconnect.	This will be ongoing

#### 4. Construction Site Storm water Runoff Control

<b>BMP ID #</b>	<b>BMP Description</b>	<b>Responsible Dept./Person Name</b>	<b>Measurable Goal(s)</b>	<b>Progress on Goal(s) – Permit Year 6</b> (Reliance on non-municipal partners indicated, if any)	<b>Planned Activities – continuing</b>
4-1	Regulation Review	DPW/ City Engineer- Tom Cullen	Review applicable regulations	See 3-2 above	See 3-2 above
4-2	Sampling/Testing	DPW/city engineer- Tom Cullen	Sample/test to est. baseline	Have not established baseline for sampling.	Protocol for baseline sampling will be developed '09 after Ordinance is passed
4-3	Storm water management policy	DPW/ City Engineer- Tom Cullen	Adopt DEP Policy	See 4-1 above	See 4-1 above

<b>BMP ID #</b>	<b>BMP Description</b>	<b>Responsible Dept./Person Name</b>	<b>Measurable Goal(s)</b>	<b>Progress on Goal(s) – Permit Year 6</b> (Reliance on non-municipal partners indicated, if any)	<b>Planned Activities – continuing</b>
4-4	Re-sampling retesting discharges	DPW/ city engineer- Tom Cullen	Resample/retest discharges		Resampling to begin in '09 first sampling after protocol established.

**5. Post-Construction Storm water Management in New Development and Redevelopment**

<b>BMP ID #</b>	<b>BMP Description</b>	<b>Responsible Dept./Person Name</b>	<b>Measurable Goal(s)</b>	<b>Progress on Goal(s) – Permit Year 6</b> (Reliance on non-municipal partners indicated, if any)	<b>Planned Activities – continuing</b>
5-1	Regulation Reviews	DPW/ city engineer- Tom Cullen	Review applicable regulations	See 4-1 above	See 4-1 above
5-2	Sampling/testing	DPW/city engineer- Tom Cullen	Sample/test to est. baseline	See 4-2 above	See 4-2 above
5-3	Storm water management policy	DPW/ city engineer- Tom Cullen	Adopt DEP Policy	See 4-1 and 4-3 above	See 4-1 and 4-3 above
5-4	Re-sampling/retesting	DPW/ city engineer- Tom Cullen	Resample/retest discharge	See 4-4 above	See 4-4 above
5-5	Annual Reporting	Conservation/ Priscilla Ryder	Achieve annual reporting compliance	See 1-7 above	See 1-7 above
5-6	Random inspections	Conservation/ Priscilla Ryder	Inspect 10 facilities	See 1-7 and 1-7a above	See 1-7 and 1-7a above

**6. Pollution Prevention and Good Housekeeping in Municipal Operations**

<b>BMP ID #</b>	<b>BMP Description</b>	<b>Responsible Dept./Person Name</b>	<b>Measurable Goal(s)</b>	<b>Progress on Goal(s) – Permit Year 6</b> (Reliance on non-municipal partners indicated, if any)	<b>Planned Activities – continuing</b>
6-1 revised	Street Sweeping	DPW/ Tom Temple	Sweep all streets annually	All streets were swept between April and Nov. 2008 (see map from city web site attached)	All streets will be swept between April and Nov. 2009
6-2 revised	Catch basin cleaning	DPW/ Tom Temple	Clean ½ catch basins annually	1/3 of catch basins were cleaned in 2008. (based on budget constraints)	Anticipated 1/3 of catch basins will be cleaned in 2009 (based on budget appropriation.)
6-3	Employee training	DPW/ city engineer	Train DPW employees	Training on integrated pest management practices was done for school buildings and field maintenance. The DPW has been keeping up with good housekeeping practices discussed in pervious years.	In-house employee training will be ongoing regarding materials storage, sweeping, and IPM management. In the future custodial staff will also be trained.

**7. BMPs for Meeting Total Maximum Daily Load (TMDL) Waste Load Allocations (WLA)**

– The TMDL for the Assabet River and “Brook and Pond assessment” for Hop Brook were both issued. In short the Assabet River TMDL requires the city to implement stringent controls on its POTW’s and reduce sediment phosphorous loads, both of which are currently being pursued. The report does not require any non-point source controls at this time. However, the implementation of the city’s Stormwater Ordinance and the current practice of requiring the Massachusetts DEP Stormwater Management Policy for all projects in the city will help to reduce phosphorous inputs for runoff from new developments.

Currently the City is nearing completion of its construction design for upgrades to its Westerly Wastewater Treatment Plant (Assabet River) the 95% design documents will go out for review shortly. It is anticipated that construction will begin on or before January 2010. The design and construction of upgrades to the Easterly Wastewater Treatment Plant (Hop Brook) will follow construction of the Westerly Wastewater Treatment Plant. The design of both plants will include facilities that will markedly reduce point source nutrient loadings to the receiving waters by reducing phosphorus from our present permitted limit of .75 mg/L to .1 mg/L, an 80% reduction.

In addition, the Army Corps of Engineers is conducting separate sediment and dam removal studies on the Assabet River and the Hop Brook pond and stream system to identify other sources of water quality impairment to these resources such as sediment reflux, storm water, impoundment management, etc. This report is anticipated to be released sometime late summer of '09

#### **Part IV. Summary of Information Collected and Analyzed**

All applicable information is included in Part II and III above.

##### **Attachments:**

The following documents are attached for your review as noted above. The numbers in parentheses references the BMP ID # listed in the chart above.

1. Brochure for city wide distribution (1-1)
2. Storm Water Management Web site- (1-5)
3. Stream Team report – copy of first page of each report and web link (2-5)
4. Clean Sweep – city wide cleanup day flier (2-6)
5. GIS – drainage map – sample map showing catch basins and piping and direction of flow and detention basins (3-1)
6. Drainage Report Check list (3-2)
7. Street Sweeping '08 map and schedule (6-1)

# #1. Brochure for city wide distribution (1-1)

# Stormwater Pollution

## What is Stormwater?

It's the rain or melted snow that runs down our roads and into the drains in the streets and then into lakes, rivers, or streams.

## What is the problem?

Every time it rains, gallons and gallons of Stormwater runoff from our roads flow **UNTREATED** into the nearest lake, pond or river and our drinking water.

## What Pollutes?

Motor oil, fertilizers, pesticides, dirt, yard clippings, pet waste, mud and other pollutants that end up on road surfaces from cars and adjacent lawns and construction sites are pollutants.

## What is this round marker?




These markers are found on the side of most catch basins in the street throughout the city to remind us not to pollute our waterways by being part of the solution.



*Don't be a part of the*

# Problem

Excess Fertilizers, pesticides & herbicides used on lawns can wash off into roadways, into drains then untreated into bodies of water. Fertilizers cause algae blooms, or increased pond weed growth!



An Algae Bloom

Oil, paint, gas, metals and detergents from cars are toxins that are harmful to aquatic life and when in our water supply, are expensive to remove.

Pet Waste is rich in nutrients, like fertilizers. But they also include fecal bacteria, which can close down beaches!

# Be a part of the Solution


- ⇒ Don't dump anything into the storm drain
- ⇒ Use fertilizers and pesticides sparingly
- ⇒ Keep grass clippings, trash, and dirt off the streets and out of the gutter
- ⇒ Prevent automobile fluid leaks-oil gas, etc.
- ⇒ Wash your car on the lawn so water and soap get absorbed
- ⇒ Use low phosphate detergents in small amounts
- ⇒ Clean up pet waste; put in trash
- ⇒ Spread the word about protecting our water
- ⇒ Participate in the annual clean sweep—the city works to sweep streets and remove sand from streets & catch basins
- ⇒ Participate in Household Hazardous Waste Collection days
- ⇒ Report illegal dumping to the Fire Department 508-485-2323

**City of Marlborough**



**Stormwater Pollution**

**How Do These Drains Work?**  
 The drain on the left, the sewer, takes in water from your house (sinks, tubs, toilets). It gets treated in a waste water treatment plant. The drain on the right, the storm drain, takes in water from the pavement, lawns and parked cars and DOES NOT get treated. This water flows directly back into lakes, streams and ponds. Only clean water should go down storm drains.



For more information, contact the  
 Marlborough Conservation Office  
 at:  
 508-460-3768 or  
[pryder@marlborough-ma.gov](mailto:pryder@marlborough-ma.gov)

**You can help keep our streams, lakes and drinking water clean with a few easy steps!!**

Brochure by: Nicole Shanks  
 2006

#2. Storm Water Management Web site- (1-5)  
City of Marlborough, MA - Stormwater Management

**Stormwater Management**  
[Printer-Friendly Version](#)

**Department Links**  
Public Works

**Quick Links**  
Online Services  
Directions  
City Departments  
Mayor's Office  
City Council  
Ongoing Projects  
Community  
School Committee  
Marlborough Public Schools Web Site

**Stormwater Information**

Stormwater discharges are generated by runoff from land and impervious areas during rainfall and snow events. Stormwater picks up litter, sand, bacteria, oil and other chemicals as it flows over the land and it carries these pollutants to our streams, rivers, ponds and wetlands. Runoff from paved surfaces, such as roads, parking lots and rooftops, drain through pipes and contribute large amounts of polluted storm water to our waterways. Cleaning up storm water not only benefits our neighborhoods and town, it also ~benefits the entire network of water bodies and land that make up our watershed [Sudbury-Assabet-Concord (SuAsCo) Watershed].

In Marlborough, stormwater is regulated at the federal level by the Environmental Protection Agency (EPA), the state level by the Massachusetts Department of Environmental Protection (DEP) and at the city level it is regulated by local regulations which will help prevent dirty water from homes and construction sites from discharging into our streams and ponds. Currently the Conservation Commission and Engineering Departments ensure construction sites are not discharging into streams and that no dumping of contaminants into the storm drains or streams occurs.

As authorized by the Clean Water Act, the National Pollutant Discharge Elimination System (NPDES) permit program controls water pollution by regulating point sources that discharge pollutants into ditches. Individual homes that are connected to a municipal system, use a septic system, or do not have a surface discharge do not need an NPDES permit; however, industrial, municipal, and other facilities must obtain permits if their discharges go directly to surface waters.

**Tips for Keeping Stormwater Clean**

**Car Care Tips:**

- \* Maintain your car to prevent fluid leaks
- \* Recycle motor oil, antifreezes, tires, and batteries
- \* Use a commercial carwash that treats and/or recycles the wash water
- \* If you wash your car at home, wash it on the lawn so that the water can seep into the soil, and use low-phosphate detergents in small amounts.

**Lawn Care and Garden Tips:**

- \* Use fertilizer, pesticides and herbicides sparingly
- \* Try using organic lawn care Methods
- \* Mow grass 2 to 3 inches high to encourage dense growth and deter weeds
- \* Mulch lawn clippings and leaves (Not in the wetlands or streams)
- \* Do not over water your lawn
- \* Reduce lawn size in favor of natural vegetation or rock gardens
- \* Cover soil piles with tarps and replant bare areas to stop erosion

**General Tips:**

- \* NEVER pour or sweep anything down a storm drain, including: motor oil, ~litter, leaves, sand, pet waste or paint (only rainwater should enter the drain)

[http://www.marlborough-ma.gov/Gen/MarlboroughMA\\_PublicWrks/MarlboroughMA\\_En...](http://www.marlborough-ma.gov/Gen/MarlboroughMA_PublicWrks/MarlboroughMA_En...) 4/30/2009

### **#3 Stream Team Report**

All three stream team reports for 2007, and Spring and Fall 2008 can be found at the following web site.

[http://www.marlbrough-ma.gov/Gen/MarlboroughMA\\_ConCommisn/StreamTeamReports](http://www.marlbrough-ma.gov/Gen/MarlboroughMA_ConCommisn/StreamTeamReports)

Below, please find the cover sheet, and areas inspected for the spring and fall 2008 reports.

# Stream Team Report



Marlborough Stream Team, December 9, 2008

## South Street and Sheep Fall Brooks Marlborough, Massachusetts Study Conducted November 2008

Submitted

December 2008

By Jennifer Boudrie


[Jen@GreenMarlborough.org](mailto:Jen@GreenMarlborough.org)

T 508-481-0569

	Pages
Introduction	2-3
Flag Swamp and Sheep Fall Brook	4-17
South Street Brook Study	18-45
Action Report	46-49




# Flag Swamp Sheep Fall Brook





# South Street Brook Stream Study



# Stream Team Report



A Marlborough Stream Team Meeting, April 2008

## Millham and North Branch Brooks Marlborough, Massachusetts

Study Conducted March-June 2008

Submitted  
June 2008

By Jennifer Boudrie

[Jen@GreenMarlborough.org](mailto:Jen@GreenMarlborough.org)


T 508-481-0569

	Page
Introduction	2
North Branch Brook Study	3-19
Milham Brook Study	20-31





# North Branch Brook Study



#4 Clean Sweep 2009 Flier

**Marlborough  
"PROJECT CLEAN SWEEP"  
MAY 2, 2009**



**GO GREEN**

MAYOR NANCY STEVENS & CITY COUNCIL INVITE ALL RESIDENTS  
AND BUSINESSES TO TAKE PART IN  
**"PROJECT CLEAN SWEEP" – SATURDAY, MAY 2**  
VOLUNTEERS SHOULD ARRIVE AT **MEMORIAL BEACH BY 9:00AM**

IF YOU HAVE EXTRA, PLEASE BRING RAKES & GLOVES.  
EVERYONE IS ASKED TO PICK UP ANY LITTER. TAKE PRIDE AND  
HELP BEAUTIFY OUR COMMUNITY.

VOLUNTEERS WILL RECEIVE  
"PROJECT CLEAN SWEEP" T-SHIRTS. REFRESHMENTS WILL BE SERVED.

For Question and to sign up please:  
CONTACT YOUR WARD COUNCILOR AT (508) 460-3711 OR  
Department of Public Works - (508) 624-6910

**RAIN DATE: SUNDAY, MAY 3rd: NOON-3:00PM**

Following the cleanup please join the  
**Marlborough Earth Day Fair**  
11am - 4pm Saturday at Ghiloni Park & Recreation Area, Concord Road  
Learn about energy efficiency, solar energy, water conservation, recycling and more.  
Family fun and activities.

**PARA INFORMACION EN ESPANOL LLAME (508) 624-6925**  
**PARA TRADUCOA EM PORTUGES (508) 624-6925**

# #5 GIS- drainage map sample



	<b>Basin ID Number</b> <b>DB043-63</b>		<b>Legend</b>	
	<b>Location: BELLOWS CIRCLE</b>		<i>Drain Features</i> ) Catch Basin ( Drain Manhole → Drain Pipe — Culvert % Headwall/Outfall D Detention Basin R Outlet Control	<i>Landbase Features</i> Building Tank Lake/Pond Wetland River/Stream - - - Easement
Locus Map 	Year Built: <b>2000</b> Fencing: <b>YES</b> Fence Height: <b>5</b> Fence Material: <b>CHAIN LINK</b>	Accessibility: Easement Access: <b>YES</b> Last Maintenance: Comments:	Date of Last Page Update: <b>Aug 04, 2008</b>	
City of Marlborough, Massachusetts  Detention Basin Atlas December 2007				

### DRAINAGE REPORT CHECKLIST

Owner' Name: \_\_\_\_\_ Engineer's Name: \_\_\_\_\_  
Site Address: \_\_\_\_\_ Date: \_\_\_\_\_

---

The following checklist is not all-inclusive, but is generally representative of the requirements of the Marlborough Site Plan Review and Approval Ordinance (SPR&A) and the Planning Board's Rules and Regulations (S/D R&R). In all cases, you should use the checklist in conjunction with the SPR&A and S/D R&R as appropriate.

---

All reports shall be bound and include the following information:

**Report Cover**

- Project title/development name
- Site address
- Site map and parcel
- Owner's name, address, and telephone number
- Developer's name, address, fax and telephone number
- Engineer's and Surveyor's names, address, fax and telephone number
- Date of report (with latest revision date(s))
- Engineer's stamp

**Pre- and Post-development Plans**

- Pre- and post-development plans on 24"x36" sheets in AutoCAD format
- Clearly show all pre and post subcatchment areas
- Show all ultimate point source discharge locations for each subcatchment area
- Show all Tc paths with lengths and slopes for each subcatchment area
- Plans should show enough topographic information outside of the site to show pre and post discharge impacts

**Summary**

- Description of project
- Locus map
- Soil Conservation Service maps
- Description of existing conditions/use
- Description of proposed conditions/use
- Flow Summary table showing changes in pre and post-development flows for the 2, 10, 25, and 100-year storm events-Post-development flows shall not exceed pre-development flows


**Pre-Development Conditions**

- Pre-development drainage conditions (describe in report and coordinate with pre-development plans)
- Describe all existing subcatchment areas
- Describe (and label on plan) impervious and pervious areas within each subcatchment
- Provide CN number calculations
- Provide Tc calculations
- Provide flow calculations for the 2, 10, 25, and 100-year storm events
- Provide hydrographs showing time-stage relationship (peak flow, peak hour)
- Test Pit Data (locations shall be shown on pre- and post-construction plans)
- Groundwater elevations
- Percolation test results

**Post-Development Conditions**

- Post-development drainage conditions (describe in report and coordinate with post-development plans)
- Describe all existing subcatchment areas

#7. Street Sweeping '08 map and schedule (6-1)



END