

Municipality/Organization: Town of Bridgewater, Massachusetts
EPA NPDES Permit Number: MAR041097
MassDEP Transmittal Number: W-236436
Annual Report Number & Reporting Period: Year 9
May 1, 2011 – April 30, 2012


NPDES PII Small MS4 General Permit Annual Report (Due: May 1, 2012)

Part I. General Information

Contact Person: Richard Kerbel **Title:** Interim Town Manager
Telephone #: (508) 697-0919 **Email:** rkerbel@bridgewaterma.org
Mailing Address: 25 South Street; Bridgewater, Massachusetts 02324

Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature: 

Printed Name: Richard Kerbel

Title: Interim Town Manager

Date: 4/26/12

Part II. Self-Assessment

The Town of Bridgewater, Massachusetts has completed the required self-assessment and has determined that, based on available information, our municipality is generally in compliance with the conditions of the permit. Exceptions to this statement are detailed in Part III, below. The Town publically bid and received qualification packages from consulting firms to assist in generating a Comprehensive Wastewater Management Plan (CWMP) and other planning related to stormwater and drinking water. The CWMP scope of work will include a public participation component, which will be used to enhance the Town's stormwater (and other water resource) public education and involvement efforts.

Part III. Summary of Minimum Control Measures

1. Public Education and Outreach

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 9 (Reliance on non-municipal partners indicated, if any)	Planned Activities
1 Revised	Enlist residents as Stormwater educators	Stormwater Manager	Form public education task force	Outreach completed to departments, organizations, and taxpayers; a stormwater Committee formed with Town staff, however, creation of a public/resident group has been unsuccessful to date.	The Town will continue efforts to solicit volunteers from the community.
2 Revised	Design & distribute brochures	Stormwater Manager	Raise public awareness	Stormwater education materials were posted/hung in Town offices, schools, library, and other municipal buildings.	Town will seek to post materials on the Town website, cable access television, and continue to have the information in Town offices, schools, library and other municipal buildings.
3 Revised	Stencil storm drains	Highway Department	Identify MS4's	Significant cuts to Highway Department Staffing made stenciling with in-house staff infeasible. Attempts to complete this BMP with local youth organizations have been unsuccessful to date.	The town will continue to seek local volunteer organizations (e.g., boy/girl scouts, watershed associations) to stencil catch basins in town. Town will also look into stenciling as part of the stormwater structure GPS effort.
4 Revised	Educate students	Task force and teachers	Introduce in classrooms	The High School has a "Green Club" and some environmental education is included in school curriculum. No additional stormwater education was introduced.	The Town will continue efforts to work with teachers to include stormwater issues in the classroom.

1a. Additions

--	--	--	--	--	--

2. Public Involvement and Participation

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 9 (Reliance on non-municipal partners indicated, if any)	Planned Activities
5 Revised	Form Technical Committee (T/C)	Stormwater Manager	Committee provides technical assistance	Measurable goal completed in prior permit years.	The T/C will begin meeting again upon reissuance of the MS4 permit.
6 Revised	T/C Reviews General Permit	Technical Committee	Goals identified	Measurable goal completed in prior permit years.	No further action required at this time.
7 Revised	T/C drafts by-laws	Technical Committee	Town meeting adopts by-laws	Measurable goal completed in prior permit years.	No further action required at this time.
8 Revised	Residents assist with adopt-a-drain program	Stormwater Manager	Residents monitor drains	Attempts to enlist residents to assist the Town with this BMP have been unsuccessful to date.	New BMPs for public involvement will be developed in conjunction with reissuance of the MS4 permit.

2a. Additions

8a	Promote participation in environmental stewardship/stormwater pollution prevention projects, including those of other local organizations	Stormwater Manager	Participation in Yearly Public Volunteer Opportunities	The following annual events were held in Bridgewater: Town Earth Day Park Cleanups (April), Town Catch Basin Leaf Cleanup (fall), Lions Club Recyclemania (spring); DPW booth at Autumnfest (October).	Continue to promote participation by the Town and resident in environmental education/stewardship opportunities.
----	---	--------------------	--	--	--

3. Illicit Discharge Detection and Elimination

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) - Permit Year 9 (Reliance on non-municipal partners indicated, if any)	Planned Activities
9 Revised	Map outfalls and MS4	Highway Superintendent	Map of MS4	100% of Town roadways, water bodies, and sub-watersheds have been mapped in GIS. An estimated 152 catch basins and 57 outfalls have been located, mapped, and inspected to date. Additional outfalls are mapped via as-built plans. Town purchased GIS upgrades and established an agreement with Bridgewater State College to have an intern work on the Town's GIS system. Town issued an RFQ and received qualification packages for a planning process that includes a stormwater management planning component. Staff completing outfall location effort to date was trained.	The Town will continue efforts to expand its GIS and map known municipal outfalls in the urbanized area. This effort will be augmented with information obtained through the CWMP/stormwater process. Town staff will locate by GPS any known outfalls that have not been currently mapped.
10 Revised	Train staff in outfall inspections	Highway Superintendent	Develop detection program	Measurable goal completed in prior permit years. IDDE by-law was adopted November 14, 2002.	Any staff inspecting outfalls going forward will be trained.
11 Revised	T/C drafts illicit discharge bylaw	Highway Superintendent	Town adopts bylaw	IDDE bylaw is enforced when illicit discharges are identified. Fines are in place for use as necessary.	No further action required at this time.
12 Revised	Enforcement of bylaw	Highway Superintendent, Town Counsel	Discourage violations		IDDE by-law will continue to be enforced when illicit discharges are identified. Records of enforcement actions will be kept. A proposed stormwater connection fee is before Town Council. This fee (if instituted) will provide funds for additional stormwater related activities.

3a. Additions

--	--	--	--	--	--

4. Construction Site Stormwater Runoff Control

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 9 (Reliance on non-municipal partners indicated, if any)	Planned Activities
13	Joint selection of erosion BMPs to be required for construction	Technical Committee	Co-committee Assist with drafting E&S By-Law	Measurable goal completed in prior permit years. Construction Site by-law was drafted by T/C and adopted by Town November 13, 2006.	No further action required at this time.
Revised					
14	Planning Bd includes E&S BMPs in subdivision review	Technical Committee, Planning Bd	BMP's required	Planning Board and ConCom adhere to Construction Site bylaw in subdivision review/inspection.	Town Planner, Planning Board and ConCom will continue to adhere to bylaw in subdivision review/inspection.
Revised		Town Planner		Hired Town Planner to assist with the bylaw enforcement responsibilities.	
15	ZBA includes E&S BMPs in site plan review	T/C, ZBA	BMP's required	Planning Board and ZBA adhere to Construction Site bylaw in site plan review/inspection.	Town Planner, Planning Board and ZBA will continue to adhere to bylaw in site plan review.
Revised		Town Planner		Hired Town Planner to assist with the bylaw enforcement responsibilities.	
16	Enforcement of by-law	Stormwater Manager & Selectmen	E&S and runoff reduced	Planning Bd and ConCom enforce Construction Site bylaw via regular inspection and, if necessary, requirements for corrective action.	Town Planner, Planning Bd, ConCom, & Stormwater Manager will continue inspection and enforcement of bylaw.
Revised		Town Planner & Town Manager		Hired Town Planner to assist with the bylaw enforcement responsibilities.	

4a. Additions

--	--	--	--	--	--

5. Post-Construction Stormwater Management in New Development and Redevelopment

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 9 (Reliance on non-municipal partners indicated, if any)	Planned Activities
17 Revised	Planning Bd meets with T/C to review goals of stormwater plans	Planning Bd, Technical Committee	Identify changes in regulations needed to comply	T/C identified needed changes in existing regulations. Town regulations were adopted in 2004 and amended to address stormwater management and require compliance with MADEP stormwater standards in 2007.	No further action required at this time.
18 Revised	Propose regulation changes as appropriate	Planning Bd, Technical Committee, ZBA	Amend existing regulations	Town regulations were amended to address stormwater management in 2007.	No further action required at this time.
19 Revised	Require BMPs in review process	Planning Bd, ZBA & Town Planner	Land-use boards require stormwater management plans	2007 amendments to Town regulations require compliance with MADEP stormwater standards, including requirements for BMPs.	Continue to adhere to MADEP standards in review process.
20 Revised	Require deed restrictions	Planning Bd, ZBA, Town Counsel, Stormwater Manager & Town Planner	Town can ensure long term maintenance	Hired Town Planner to assist with the bylaw enforcement responsibilities. 2007 amendments to Town regulations require easements and deed restrictions. Proof of filing with the Registry is required for Boards to sign off. Operation & Maintenance of BMPs is required of the developer for 5 years before being transferred to Town for O&M. Hired Town Planner to assist with the bylaw enforcement responsibilities.	Continue to enforce existing requirements. Town will review the existing rules and regulations for any inconsistencies in requiring O&M from the developer for 5 years before being transferred to Town. Any necessary changes will be made. Television inspection of any newly installed drain lines to ensure proper installation and function is required before they are accepted by the Town.

5a. Additions

--	--	--	--	--	--

6. Pollution Prevention and Good Housekeeping in Municipal Operations

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 9 (Reliance on non-municipal partners indicated, if any)	Planned Activities
21 Revised	Clean catch basins regularly	Highway Department	Prevent debris from entering MS4	Since elimination of sand for snow/ice control, catch basins are cleaned on an “as-needed” basis. If a basin needs frequent cleaning, the cause is investigated and addressed.	Continue regular catch basin cleaning program.
22 Revised	Sweep streets regularly	Highway Department	Prevent sand & debris from entering MS4	Streets in low-lying are swept regularly to reduce leaf/debris accumulation. All other streets are cleaned as resources permit with the goal of at least once per year.	Continue regular street sweeping program.
23 Revised	Use E&S controls for road repairs	Highway Department	Prevent erosion into MS4	E&S controls are used for road repairs.	Continue to use E&S controls on road repairs.
24 Revised	Cover outside drains	Highway Department	Prevent leachate	The intent of the original BMP is not understood by current staff; therefore, it has been deleted from the SWMP. Emergency spill kits are kept at the DPW facility to protect the catch basins should any spills occur.	No further action required.

6a. Additions

24a	Review winter operations & minimize pollution	Highway Department	Reduced materials in exposed areas.	The Town eliminated the use of sand to reduce sediment. Salt storage is controlled/covered to prevent runoff. Calibrated spreaders are used to minimize salt use. Magnesium chloride has secondary containment and is mixed at the spinner, not in the salt shed, to prevent the discharge of pollutants.	Continue current efforts to minimize pollution from winter operations.
24b	Prevent pollutant runoff from vehicle washing	Highway Department	Washwaters captured	Vehicle washing is performed indoors with oil/water separation and effluent discharge to the Town's sewer system.	Continue current vehicle washing procedures.

7. BMPs for Meeting Total Maximum Daily Load (TMDL) Waste Load Allocations (WLA) << if applicable >>

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) - Permit Year 9 (Reliance on non-municipal partners indicated, if any)	Planned Activities
25	Does MS4 discharge into impaired water body?	Highway Department	Show outfalls of MS4 into impaired water bodies	The Matfield River is the only water body listed as impaired and requiring a TMDL. No TMDL has been completed to date.	No further action required at this time.
Revised					
26	Identify whether pollutants are discharging into MS4	Highway Department	Identify source of pollutants	N/A.	N/A.
Revised					
27	Ensure WLA met by stormwater BMPs	Highway Department	Determine if additional stormwater BMPs are needed	N/A.	N/A.
Revised					
28	Reduce pollutant discharges coming thru MS4	Highway Department	Enforce illicit discharge by-law	N/A.	N/A.
Revised					

7a. Additions

--	--	--	--	--	--

7b. WLA Assessment

Not applicable.

Part IV. Summary of Information Collected and Analyzed

No additional information has been collected outside of what has been listed in Part III, above.

Part V. Program Outputs & Accomplishments (OPTIONAL)

(Since beginning of permit coverage unless specified otherwise by a **, which indicates response is for period covering April 30, 2011 through March 31, 2012)

Programmatic

Stormwater management position created/staffed	(Preferred Units)		Response
Annual program budget/expenditures **	(y/n)		Yes
Total program expenditures since beginning of permit coverage	(\$)		Not available
Funding mechanism(s) (General Fund, Enterprise, Utility, etc)	(\$)		Not available
			General fund

Education, Involvement, and Training

Estimated number of property owners reached by education program(s)	(# or %)		N/A
Stormwater management committee established	(y/n)		Yes
Stream teams established or supported	(# or y/n)		Yes
Shoreline clean-up participation or quantity of shoreline miles cleaned **	(y/n or mi.)		Yes
Shoreline cleaned since beginning of permit coverage	(mi.)		Not available
Household Hazardous Waste Collection Days			
▪ days sponsored **			
▪ community participation **	(#)		No
▪ material collected **	(# or %)		Not available
School curricula implemented	(tons or gal)		Not available
	(y/n)		No SWPh2

Legal/Regulatory

Regulatory Mechanism Status (indicate with "X")	In Place Prior to Phase II	Reviewing Existing Authorities	Drafted	Draft in Review	Adopted
▪ Illicit Discharge Detection & Elimination					
▪ Erosion & Sediment Control					X
▪ Post-Development Stormwater Management					X
Accompanying Regulation Status (indicate with "X")					
▪ Illicit Discharge Detection & Elimination					
▪ Erosion & Sediment Control					X
▪ Post-Development Stormwater Management					X

Mapping and Illicit Discharges

	(Preferred Units)	Response
Outfall mapping complete	(%)	~33 ± %
Estimated or actual number of outfalls	(#)	Est. 200
System-Wide mapping complete (complete storm sewer infrastructure)	(%)	0%
Mapping method(s)		
▪ Paper/Mylar (% method for outfalls completed to date)		
▪ CADD	(%)	100%
▪ GIS	(%)	0%
Outfalls inspected/screened **	(%)	0%
Outfalls inspected/screened (Since beginning of permit coverage)	(# or %)	5%
Illicit discharges identified **	(# or %)	52 / 25%
Illicit discharges identified (Since beginning of permit coverage)	(#)	0
Illicit connections removed **	(#)	0
Illicit connections removed (Since beginning of permit coverage)	(# & gpd)	0
% of population on sewer	(# & gpd)	0
% of population on septic systems	(%)	35%
	(%)	65%

Construction

Number of construction starts (>1-acre) **	(#)	~30
Estimated percentage of construction starts adequately regulated for erosion and sediment control **	(%)	100%
Site inspections completed **	(# or %)	100%
Tickets/Stop work orders issued **	(# or %)	1
Fines collected **	(# and \$)	\$0
Complaints/concerns received from public **	(#)	1

Post-Development Stormwater Management

Estimated percentage of development/redevelopment projects adequately regulated for post-construction stormwater control	(%)	100%
Site inspections (for proper BMP installation & operation) completed **	(# or %)	100%
BMP maintenance required through covenants, escrow, deed restrictions, etc.	(y/n)	Yes
Low-impact development (LID) practices permitted and encouraged	(y/n)	Yes

Operations and Maintenance

		(Preferred Units)		Response
Average frequency of catch basin cleaning (non-commercial/non-arterial streets) **		(times/yr)		As needed
Average frequency of catch basin cleaning (commercial/arterial or other critical streets) **		(times/yr)		As needed
Qty of structures cleaned **		(#)		Not available
Qty. of storm drain cleaned **		(%) LF, mi.)		Not available
Qty. of screenings/debris removed from storm sewer infrastructure **		(lbs. or tons)		Not available
Disposal or use of screenings (landfill, POTW, compost, beneficial use, etc.) **		(location)		Compost
Basin Cleaning Costs				
• Annual budget/expenditure (labor & equipment)**		(\$)		Unknown
• Hourly or per basin contract rate **		(\$/hr,\$/basin)		N/A
• Disposal cost**		(\$)		N/A
Cleaning Equipment				
• Clam shell truck(s) owned/leased		(#)		1
• Vacuum truck(s) owned/leased		(#)		0
• Vacuum trucks specified in contracts		(y/n)		0
• % Structures cleaned with clam shells **		(%)		100%
• % Structures cleaned with vactor **		(%)		N/A
Average frequency of street sweeping (non-commercial/non-arterial streets) **		(times/yr)		1/yr
Average frequency of street sweeping (commercial/arterial or other critical streets) **		(times/yr)		1/yr
Qty. of sand/debris collected by sweeping **		(lbs. or tons)		Unknown
Disposal of sweepings (landfill, POTW, compost, beneficial use, etc.) **		(location)		Compost
Annual Sweeping Costs				
• Annual budget/expenditure (labor & equipment)**		(\$)		Unknown
• Hourly or lane mile contract rate **		(\$/hr. or In mi.)		Unknown
• Disposal cost**		(\$)		Unknown
Sweeping Equipment				
• Rotary brush street sweepers owned/leased		(#)		1
• Vacuum street sweepers owned/leased		(#)		1
• Vacuum street sweepers specified in contracts		(y/n)		0
• % Roads swept with rotary brush sweepers **		%		25%
• % Roads swept with vacuum sweepers **		%		75%

Reduction (since beginning of permit coverage) in application on public land of:		(Preferred Units)	Response
Fertilizers			
Herbicides		(lbs. or %)	N/A
Pesticides		(lbs. or %)	N/A
Integrated Pest Management (IPM) Practices Implemented		(lbs. or %)	N/A
Average Ratio of Anti-/De-Icing products used **		(y/n)	N/A

(also identify chemicals and ratios used in specific areas, e.g., water supply protection areas)		% NaCl	MgCl ₂
		% CaCl ₂	
		% MgCl ₂	
		% CMA	
		% Kac	
		% KCl	
		% Sand	
		(y/n or %)	No
Pre-wetting techniques utilized **			
Manual control spreaders used **		(y/n or %)	Yes
Zero-velocity spreaders used **		(y/n or %)	No
Estimated net reduction or increase in typical year salt/chemical application rate		(±lbs/ln mi. or %)	Unknown
Estimated net reduction or increase in typical year sand application rate **		(±lbs/ln mi. or %)	100%
% of salt/chemical pile(s) covered in storage shed(s)		(%)	100%
Storage shed(s) in design or under construction		(y/n or #)	N/A
100% of salt/chemical pile(s) covered in storage shed(s) by May 2008		(y/n)	Yes

Water Supply Protection

Storm water outfalls to public water supplies eliminated or relocated			
Installed or planned treatment BMPs for public drinking water supplies and their protection areas		# or y/n	N/A
Treatment units induce infiltration within 500-feet of a wellhead protection area		# or y/n	N/A
		# or y/n	N/A