

Year 4 Annual Report
New Hampshire Small MS4 General Permit
Reporting Period: July 1, 2021 - June 30, 2022
Town of Goffstown


EPA NPDES Permit Number NHR041108

Certification of Small MS4 Year 4 Annual Report

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Printed Name

Title

Signature 

Date

Authorized Representative:

The authorization letter is:

- Attached to this document (document name listed below):

- Publicly available at the website:

Primary MS4 Program Manager Contact Information:

Name: Goffstown DPW

Title/Position: MS4 Program Manager

Department: Department of Public Works

Street Address: 404 Elm Street

City: Goffstown

State: New Hampshire

Zip Code: 03045

Email: stormwater@goffstownnh.gov

Phone Number: (603) 497-3617

Small MS4 Authorization

The following annual report, which serves as a self-assessment, is intended to document the activities undertaken over the **reporting period from July 1, 2021 through June 30, 2022** in accordance with the Permit.

The Notice of Intent (NOI) can be found at the following (document name or web address):

<https://www.epa.gov/npdes-permits/regulated-ms4-new-hampshire-communities>

Compliance activities have been identified and described in the Town of Goffstown’s Stormwater Management Plan (SWMP) and Illicit Discharge Detection and Elimination Plan (IDDE). Those documents and other pertinent Year 4 information can be found in submission or at the following websites, and will be referred to throughout this report:

SWMP: <https://arcg.is/1nmPa1>

Date SWMP was Last Updated: 6/6/22

IDDE Program Plan: <https://arcg.is/1nmPa1>

SSO Inventory: <https://arcg.is/1nmPa1>

Dry Weather Screening Data: <https://arcg.is/1nmPa1>

Inventory and Ranking of Outfalls/Interconnections: <https://arcg.is/1nmPa1>

Wet Weather Screening Data: <https://arcg.is/1nmPa1>

Catchment Investigation Data: <https://arcg.is/1nmPa1>

Illicit Discharge Removal Report: <https://arcg.is/1nmPa1>

Salt Reduction Plan: <https://arcg.is/1nmPa1>

Nitrogen Source Identification Report: Not Applicable

Phosphorus Source Identification Report: Not Applicable

Chloride Reduction Plan: Not Applicable.

Results from additional stormwater or receiving water quality monitoring reports or studies:
Not Applicable.

Self-Assessment

Select the impairment(s) and/or TMDL(s) that are applicable to your MS4. Make sure you are referring to the 2018 EPA approved Section 303(d) Impaired Waters List which was used for the Year 4 reporting period and can be found here:

<https://www.des.nh.gov/sites/g/files/ehbemt341/files/documents/2020-01/2018-epa-approval-20200225.pdf>.

All **Appendix F and H requirements** can be found under “Appendix F and H: Water Quality Limited Waters & TMDLs” section of this report.

Impairment(s)		
<input checked="" type="checkbox"/> Bacteria/Pathogens	<input checked="" type="checkbox"/> Chloride	<input type="checkbox"/> Nitrogen
<input checked="" type="checkbox"/> Phosphorus	<input type="checkbox"/> Solids/ Oil/ Grease (Hydrocarbons)/ Metals	
TMDL(s)		
<input checked="" type="checkbox"/> Bacteria and Pathogens	<input type="checkbox"/> Chloride	<input type="checkbox"/> Lake and Pond Phosphorus

Receiving Waters/Impaired Waters/TMDL

Have you made any changes to your lists of receiving waters, outfalls, or impairments since the NOI was submitted?

Yes

The Town of Goffstown has made changes to the list of receiving waters, outfalls, or impairments since the NOI submission. The following impairments and/or TMDLs have been added or delisted:

Water Quality Impaired Waters:
Harry Brook – Delisted for Escherichia Coli

TMDL: N/A

No

Describe progress made on any **incomplete requirements** listed above **or** optionally provide any additional relevant details, in the box below:

Harry Brook has been delisted from the 2018 303 (d) list for E-coli impairment.

Minimum Control Measures

MCM 1: Public Education

Total number of all MS4 related educational efforts completed *during this reporting period*: 4

BMP: Grass and Fertilizer

Outreach Resources:

Goffstown Stormwater and Yard Waste Brochures: <https://arcg.is/1nmPa1>

Description:

The Town of Goffstown Department of Public Works attended National Night Out on August 3, 2021 and Old Home Day on May 7, 2022. The Department had a display booth, brochures were handed out and the team discussed the Town's MS4 and stormwater related information. Both events had hundreds of attendees, and many stopped to view the materials and discuss stormwater with us.

Targeted Audience:

Residential and/or Business and Institutions

Responsible Department/ Parties:

Goffstown Department of Public Works

Measurable Goal(s):

Lawn care enthusiast residents understand the potential water quality impacts from fertilizer and improper disposal of grass clippings and are aware of the proper lawn care management techniques for reducing those impacts. Measurement includes quantity of materials distributed.

Following is the number of flyers that were distributed *during this reporting period*:

Year 4 = 25 (This is a conservative number, brochures are located at Town Hall, the Town Library, the DPW office, local hardware store, and can be found on the Town website.)

Goal was achieved.

Message Date: 8/3/21 and 5/7/22

BMP: Pet Waste Disposal

Outreach Resources:

Goffstown Pet Waste Brochures: <https://arcg.is/1nmPa1>

Description:

The Town of Goffstown Department of Public Works attended National Night Out on August 3, 2021 and Old Home Day on May 7, 2022. The Department had a display booth, pet waste brochures were handed out and the team discussed the Town's MS4 and stormwater related information. Both events had hundreds of attendees, and many stopped to view the materials and discuss stormwater with us.

The Parks and Recreation Department has installed Pet Waste Stations, which direct citizens to pick up after their pets and provide bags and a trash can to dispose of the waste.

Targeted Audience:

Residents - Pet Owners

Responsible Department/ Parties:

Goffstown Department of Public Works

Measurable Goal(s):

The Town of Goffstown Department of Public Works attended National Night Out on August 3, 2021 and Old Home Day on May 7, 2022. The Department had a display booth, flyers were handed out and the team discussed the Town's MS4 and stormwater related information. Both events had hundreds of attendees and many stopped to view the materials and discuss stormwater with us.

A social media post was posted on April 6th that explained the importance of cleaning up after your pets. It received 11 likes and 5 shares.

Goal was achieved.

Message Date: 8/3/21, 4/6/22, and 5/7/22

BMP: Disposal of Leaf and Grass Clippings

Outreach Resources:

Goffstown Yard Waste Brochures: <https://arcg.is/1nmPa1>

Description:

The Town of Goffstown Department of Public Works attended National Night Out on August 3, 2021 and Old Home Day on May 7, 2022. The Department had a display booth, yard waste brochures were handed out and the team discussed the Town's MS4 and stormwater related information. Both events had hundreds of attendees, and many stopped to view the materials and discuss stormwater with us.

Targeted Audience:

Residential &/or Business and Institutions

Responsible Department/ Parties:

Goffstown Department of Public Works

Measurable Goal(s):

Residents are aware of the water quality impacts of yard waste dumping near or in water bodies and safe alternatives for yard waste disposal. Yard waste is accepted at the Transfer Station year-round.

Following is the number of Yard Waste Brochures that were distributed ***during this reporting period:***

Year 4 = 25 (This is a conservative number, brochures are located at Town Hall, the Town Library, the DPW office, local hardware store, and can be found on the Town website.)

Goal was achieved.

Message Date: 8/3/21 and 5/7/22

BMP: Septic System Maintenance

Outreach Resources:

Goffstown Stormwater Brochure (which includes septic system info): <https://arcg.is/1nmPa1>

Description:

The Town of Goffstown Department of Public Works attended National Night Out on August 3, 2021 and Old Home Day on May 7, 2022. The Department had a display booth, stormwater brochures were handed out and the team discussed the Town's MS4 and stormwater related information. Both events had hundreds of attendees, and many stopped to view the materials and discuss stormwater with us.

Targeted Audience:

Septic System Owners

Responsible Department/ Parties:

Goffstown Department of Public Works

Measurable Goal(s):

Residents are aware of water quality impacts from septic systems, the importance of maintaining septic systems and how to maintain them.

Following is the number of flyers that were distributed *during this reporting period*:

Year 4 = 25 (This is a conservative number, brochures are located at Town Hall, the Town Library, the DPW office, local hardware store, and can be found on the Town website.)

Goal was achieved.

Message Date: 8/3/21 and 5/7/22

BMP: Construction/Developers Outreach

Outreach Resources:

Goffstown Developer/Construction Brochures: <https://arcg.is/1nmPa1>

Description:

Provide the Construction General Permit outreach letter and brochure to developers, construction contractors, and other municipal or local organizations to educate them on both the new and updated requirements within the EPA 2022 Construction General Permit.

Review the construction checklist with developers and construction contractors prior to the beginning of construction projects (pre-construction) to identify responsible parties, erosion control practices, other best management practices, and requirements for the EPA Construction General Permit as appropriate.

Targeted Audience:

Construction/ Developers

Responsible Department/ Parties:

Goffstown Department of Public Works

Measurable Goal(s):

Contractors, developers, and municipal or local organizations are made aware of the updates and changes made to the EPA 2022 Construction General Permit including the requirement that those who wish to be considered a qualified person to conduct inspections must meet EPA training standards. Contractors and developers are also made aware of the need for proper erosion control practices during construction work.

Following is the number of brochures that were distributed to municipal or local organizations ***during this reporting period:***

Year 4 = 25 (This is a conservative number, brochures are located at Town Hall, the Town Library, the DPW office, local hardware store, and can be found on the Town website.)

Following is the number of outreach letters that were distributed to municipal or local organizations ***during this reporting period:***

Year 4 = 6

The Town of Goffstown held 5 pre-construction meetings, representing 100% of projects that received planning board approval and began construction ***during this reporting period. Goal was achieved.***

Message Date: 8/3/21, 5/7/22, 6/10/22

Describe progress made on any **incomplete requirements** listed above **or** optionally provide any additional relevant details, in the box below:

Not Applicable.

MCM 2: Public Participation

- Provided an opportunity for public participation in review and implementation of SWMP and complied with State Public Notice requirements as described in the Town of Goffstown SWMP.
- Kept records relating to the permit available for 5 years and made available to the public

Describe the opportunity provided for public involvement in the development of the Stormwater Management Program (SWMP) *during this reporting period*:

Description: The Stormwater Management Program (SWMP) is accessible for view on the Towns MS4 website <https://arcg.is/1nmPa1> or it can be viewed at the Goffstown Department of Public Works office, 404 Elm Street, Goffstown NH, 03045. Documents and records relating to the permit are retained and available for 5 years to the public at the Goffstown Department of Public Works office, 404 Elm Street, Goffstown NH, 03045.

Measurable Goal(s):

Input was received and records are maintained. **Goal was achieved.**

Public involvement or participation opportunities are ancillary to daily operations.

The Town of Goffstown has conducted the following public involvement or participation opportunities: Attended National Night Out on August 3, 2021 and Old Home Day on May 7, 2022. The Department had a display booth, brochures were handed out and the team discussed the Town’s MS4 and stormwater related information. Both events had hundreds of attendees, and many stopped to view the materials and discuss stormwater with us.

Describe progress made on any **incomplete requirements** listed above or optionally provide any additional relevant details, in the box below:

Not Applicable.

MCM 3: Illicit Discharge Detection and Elimination (IDDE)

Sanitary Sewer Overflows (SSOs)

- This SSO section is NOT applicable because we DO NOT have sanitary sewer.
- This SSO section is NOT applicable because we DID NOT find any new SSOs.
- The SSO inventory has been updated, including the status of mitigation and corrective measures implemented or was addressed and can be found in submission.

Below, report on the number of SSOs identified in the MS4 system and removed:

Number of SSO's identified **during this reporting period:** N/A

Number of SSO's removed **during this reporting period:** N/A

MS4 System Mapping

- Updated system map due in Year 2 as necessary:

Provide additional status information regarding your map:

Map of storm sewer system and associated outfalls is continually updated to reflect findings and changes. This is an ongoing process as we update the Town's closed drainage system after each road project

Screening of Outfalls/Interconnections

- No outfalls were inspected for dry weather screening **during this report period.**
- Dry weather outfall screening data can be found at the following website <https://arcg.is/1nmPa1>

Dry Weather Screening

Number of outfalls screened **during this reporting period:** 45

Percent of total known outfalls screened to date **during this reporting period:** 29.03%

All outfalls were inspected during dry weather conditions. During our outfall inspections, 45 outfalls (29.03%) had flow during dry weather conditions, all other outfalls were dry and

therefore could not be screened. The outfalls that had flow were screened and results have been uploaded to the following website <https://arcg.is/1nmPa1>

The inventory and ranking of outfalls/interconnections was updated and the IDDE Program Plan was revised as a result. The revised inventory and ranking of outfalls/interconnections can be found at the following website <https://arcg.is/1nmPa1>

Wet Weather Screening

- No outfalls were inspected for wet weather screening *during this report period*.
- Wet weather outfall screening data can be found at the following website <https://arcg.is/1nmPa1>

Number of outfalls screened *during this reporting period*: 52

Percent of total outfalls screened to date *during this reporting period*: 33.55%

All outfalls were inspected during wet weather conditions. During our outfall inspections, 52 outfalls (33.55%) had flow during wet weather conditions, all other outfalls were dry and therefore could not be screened. The outfalls that had flow were screened and results have been pasted on the following website <https://arcg.is/1nmPa1>

Catchment Investigations

- No catchment investigations were conducted *during this report period*.

IDDE Progress

- No illicit discharges were found *during this reporting period*.

Total number of illicit discharges removed since the effective date of the permit (July 1, 2018): 1

Employee Training

- Provided training to employees involved in IDDE program *during the reporting period*:

Goffstown Department of Public Works staff were trained using IDDE training videos and a written IDDE SOP created by UNH, the City of Dover, and NHDES. Video topics included collecting data and water samples in the field, analyzing for pertinent parameters as identified in the permit, how to identify an illicit discharge, and general IDDE sampling protocols. Training

logs are included in Appendix F of the IDDE report.

In addition, as a routine, IDDE materials and training, including information on how to identify illicit discharges and SSOs are made available to applicable employees in accordance with IDDE plan.

Describe progress made on any **incomplete requirements** listed above **or** optionally provide any additional relevant details, in the box below:

No catchment investigations were conducted during this reporting period because no SSOs or IDDEs were discovered or reported. During outfall screenings no indicators were found that required catchment investigations.

MCM 4: Construction Site Stormwater Runoff Control

The following tasks are in progress in accordance with the permit.

Number of site plan reviews completed *during this reporting period*: 9

Number of inspections completed *during this reporting period*: 10

Number of enforcement actions taken *during this reporting period*: 1

Goffstown Department of Public Works works closely with contractors to address environmental concerns for the least environmental impact.

Describe progress made on any **incomplete requirements** listed above or optionally provide any additional relevant details, in the box below:

Not Applicable.

MCM 5: Post-Construction Stormwater Management in New Development and Redevelopment

Ordinance or Regulatory Mechanism

- The Town of Goffstown has regulatory mechanism consistent with permit requirements 2.3.6.a.ii.

Date regulatory mechanism was adopted: 7/27/2021

As-built Drawings

Number of as-built drawings received *during this reporting period*: 2

Retrofit Properties Inventory

- Identified permittee-owned properties that could potentially be modified or retrofitted with BMPs to reduce impervious cover. The priority ranking and retrofit report can be found at the following website <https://arcg.is/1nmPa1>

The Town of Goffstown has identified the following permittee-owned properties that could be modified or retrofitted with BMPs to mitigate impervious areas:

9 Barnard Lane – Barnard Park
83 North Mast Street – Westlawn Cemetery and Expansion
31 Rosemont Street – Roy Park
18 Church Street – Goffstown Fire Department
16 Main Street – Goffstown Town Hall

- Developed a report assessing current street design and parking lot guidelines and other local requirements within the municipality that affect the creation of impervious cover, made it available as part of the SWMP, and:
- Updates were recommended. The anticipated date or date of completion for updates is still unknown because changes to the Zoning Ordinance requires a vote by the Town’s Legislative Body.
- Developed a report assessing local regulations to determine the feasibility of making green infrastructure practices allowable when appropriate site conditions exist, made it available as part

of the SWMP, and:

No updates were recommended.

Describe progress made on any **incomplete requirements** listed above or optionally provide any additional relevant details, in the box below:

Not Applicable.

MCM 6: Good Housekeeping

Catch Basin Cleaning

- Properly stored and disposed of catch basin cleanings so they did not discharge to receiving waters
- Report on the actions taken if a catch basin sump is more than 50% full during two consecutive routine inspections/cleaning events:

Number of catch basins inspected *during this reporting period*: N/A

Number of catch basins cleaned *during this reporting period*: 422

Total mass of material removed from all catch basins *during this reporting period*: 263 Tons

Total number of catch basins within the MS4 system: 1,829

A schedule for catch basin cleaning has been established with the goal of ensuring that a catch basin should not be more than 50% full.

Street Sweeping

- Properly stored and disposed of street sweepings so they did not discharge to receiving waters
- All curbed roadways were swept at least once within the reporting period

Number of (lane) miles swept *during this reporting period*: 64.5 Miles

Mass of swept material *during this reporting period*: 28.4 Tons

Stormwater Pollution Prevention Plan (SWPPP)

- Implemented SWPPPs for all permittee owned or operated maintenance garages, public works yards, transfer stations, and other waste handling facilities

Number of site inspections completed for *during this reporting period*: 4

Number of corrective actions taken *during this reporting period*: 1

Describe any corrective actions taken at a facility with a SWPPP:

There was a small amount of scouring at the DPW facilities main outfall. Additional riprap was added to correct the issue and DPW has continued to monitor this outfall.

Operations and Maintenance (O & M) Programs

- O&M programs for all permittee owned facilities have been completed and/or updated as noted below:
- Implemented all maintenance procedures for permittee owned facilities in accordance with O&M programs
- Updated inventory of all permittee owned facilities as necessary

All permittee owned facilities, including an inventory, are included in our SWMP. There were no changes to report during Year 4.

- Implemented program for MS4 infrastructure maintenance to reduce the discharge of pollutants as outlined in the SWMP
- Inspected all permittee owned treatment structures (excluding catch basins) as outlined in the SWMP
- Enclosed all road salt storage piles or facilities and implemented winter road maintenance procedures to minimize the use of road salt as outlined in the SWMP

Describe progress made on any **incomplete requirements** listed above or optionally provide any additional relevant details, in the box below:

Not Applicable.

Appendix F and H: Water Quality Limited Waters & TMDLs

Bacteria/Pathogens Impairment (Appendix H) AND TMDL (Appendix F)

- Annual message was distributed encouraging the proper management of pet waste, including noting any existing ordinances where appropriate *during this reporting period*
- Permittee or its agent(s) disseminated educational material to dog owners at the time of issuance or renewal of dog license, or other appropriate time *during this reporting period*
- Provided information to owners of septic systems about proper maintenance in any catchment that discharges to a water body impaired for bacteria *during this reporting period*

Describe progress made on any **incomplete requirements** listed above or optionally provide any additional relevant details, in the box below:

Not Applicable.

Chloride Impairment (Appendix H)

- Permittee does not have a chloride impairment
- Updated Salt Reduction Plan as necessary *during this reporting period* and can be found at the following website <https://arcg.is/1nmPa1>

Describe progress made on any **incomplete requirements** listed above or optionally provide any additional relevant details, in the box below:

Not Applicable.

Nitrogen Impairment (Appendix H)

- Permittee does not have a nitrogen impairment
- Distributed an annual message that encourages the proper use and disposal of grass clippings and encourages the proper use of slow-release fertilizers *during this reporting period*

- Distributed an annual message encouraging the proper management of pet waste, including noting any existing ordinances where appropriate ***during this reporting period***
- Distributed an annual message encouraging the proper disposal of leaf litter ***during this reporting period***
- Increased street sweeping frequency of all municipal owned streets and parking lots subject to Permit part 2.3.7.d.iii to a minimum of two times per year (spring and fall) ***during this reporting period***
- Increased street sweeping frequency of all municipal owned streets and parking lots subject to Permit part 2.3.7.d.iii to a minimum of one time per year (spring) and implemented a fall leaf litter collection program in lieu of post-drop street sweeping ***during this reporting period***

Nitrogen Source Identification Report

- The Nitrogen Source Identification Report can be found in submission.

Potential Structural BMPs

The tracking and accounting elements associated with the NH MS4 permit are ongoing, adaptive and are consistent with Attachment 3 of Appendix F of the permit. Currently there is emergent utilization of a new database tracking system called the Pollutant Tracing and Accounting Program (PTAP) supported by NHDES and a select number of municipalities. Coalition communities understand the importance of this effort and are committed to continuing to work towards better tracking and accounting strategies for both structural and non-structural BMPs. PTAP theoretically has limitless expansion capacity in the region and is already integrated with the EPA Region 1 supported BMP Accounting and Tracking Tool (BATT). This emerging collaboration will be a large component of future implementation efforts. While BMP tracking and accounting programs are not fully functional, these integrated planning tools provide a comprehensive solution to successful tracking and accounting metrics now and moving forward in the future.

Describe progress made on any **incomplete requirements** listed above or optionally provide any additional relevant details, in the box below:

Not Applicable.

Phosphorus Impairment (Appendix H)

- Permittee does not have a phosphorus impairment
- Distributed an annual message that encourages the proper use and disposal of grass clippings and encourages the proper use of slow-release fertilizers **during this reporting period**
- Distributed an annual message encouraging the proper management of pet waste, including noting any existing ordinances where appropriate **during this reporting period**
- Distributed an annual message encouraging the proper disposal of leaf litter **during this reporting period**
- Increased street sweeping frequency of all municipal owned streets and parking lots subject to Permit part 2.3.7.d.iii to a minimum of two times per year (spring and fall) **during this reporting period**
- Increased street sweeping frequency of all municipal owned streets and parking lots subject to Permit part 2.3.7.d.iii to a minimum of one time per year (spring) and implemented a fall leaf litter collection program in lieu of post-drop street sweeping **during this reporting period**

Phosphorus Source Identification Report

- The Phosphorus Source Identification Report can be found at <https://arcg.is/1nmPa1>.

Potential Structural BMPs

The tracking and accounting elements associated with the NH MS4 permit are ongoing, adaptive and are consistent with Attachment 3 of Appendix F of the permit. Currently there is emergent utilization of a new database tracking system called the Pollutant Tracing and Accounting Program (PTAP) supported by NHDES and a select number of municipalities. Coalition communities understand the importance of this effort and are committed to continuing to work towards better tracking and accounting strategies for both structural and non-structural BMPs. PTAP theoretically has limitless expansion capacity in the region and is already integrated with the EPA Region 1 supported BMP Accounting and Tracking Tool (BATT). This emerging collaboration will be a large component of future implementation efforts. While BMP tracking and accounting programs are not fully functional, these integrated planning tools provide a comprehensive solution to successful tracking and accounting metrics now and moving forward in the future.

Describe progress made on any **incomplete requirements** listed above **or** optionally provide any additional relevant details, in the box below:

Not Applicable.

Solids, Oil and Grease (Hydrocarbons), or Metals Impairment(s) (Appendix H)

- Permittee does not have a solids, oil and grease, or metals impairment(s)
- Increased street sweeping frequency of all municipal owned streets and parking lots to a schedule that targets areas with potential for high pollutant loads **during this reporting period**

Describe progress made on any **incomplete requirements** listed above **or** optionally provide any additional relevant details, in the box below:

Not Applicable.

Chloride TMDL (Appendix F)

- Permittee does not have a chloride TMDL
- Updated Chloride Reduction Plan as necessary **during this reporting period** and can be found in submission.

Describe progress made on any **incomplete requirements** listed above **or** optionally provide any additional relevant details, in the box below:

Not Applicable.

Lake and Pond Phosphorus TMDL (Appendix F)

- Permittee does not have a lake and pond phosphorus TMDL
- Calculated baseline phosphorus, allowable phosphorus load, and phosphorus reduction requirement **during this reporting period**
- Defined the scope of the Lake Phosphorus Control Plan (LPCP).

Describe progress made on any **incomplete requirements** listed above **or** optionally provide any additional relevant details, in the box below:

Not Applicable.

Additional Required Information

Monitoring or Study Results

Results from all stormwater or receiving water quality monitoring or studies conducted **during the reporting period** and **not otherwise mentioned above**, where the data is being used to inform permit compliance or permit effectiveness is:

Not applicable

The results from additional reports or studies are in submission.

If such monitoring or studies were conducted on your behalf or if monitoring or studies conducted by other entities were reported to you, a brief description of the type of information gathered or received shall be described below:

Not Applicable.

Description of Any Changes in Identified BMPs or Measurable Goals

The Town of Goffstown has implemented activities in accordance with the permit and outlined in the SWMP. All BMPs and measurable goals outlined in the SWMP are appropriate.

COVID-19 Impacts

If any of the above Year 4 requirements could not be completed **during this reporting period** due to the impacts of COVID-19, please identify the requirement(s) that could not be completed, any actions taken to attempt to complete the requirement, and reason the requirement could not be completed below:

Not Applicable

Activities Planned for Next Reporting Period

The Town of Goffstown will continue to implement activities in accordance with the permit and SWMP.