

Year 2 Annual Report
Massachusetts Small MS4 General Permit
Reporting Period: July 1, 2019-June 30, 2020

Please DO NOT attach any documents to this form. Instead, attach all requested documents to an email when submitting the form

Unless otherwise noted, all fields are required to be filled out. If a field is left blank, it will be assumed the requirement or task has not been completed. Please ONLY report on activities between July 1, 2019 and June 30, 2020 unless otherwise requested.

Part I: Contact Information

Name of Municipality or Organization:

EPA NPDES Permit Number:

Primary MS4 Program Manager Contact Information

Name: Title:

Street Address Line 1:

Street Address Line 2:

City: State: Zip Code:

Email: Phone Number:

Stormwater Management Program (SWMP) Information

SWMP Location (web address):

Date SWMP was Last Updated:

If the SWMP is not available on the web please provide the physical address:

Part II: Self-Assessment

First, in the box below, select the impairment(s) and/or TMDL(s) that are applicable to your MS4. Make sure you are referring to the most recent EPA approved Section 303(d) Impaired Waters List which can be found here: <https://www.epa.gov/tmdl/region-1-impaired-waters-and-303d-lists-state>

Impairment(s)			
<input checked="" type="checkbox"/>	Bacteria/Pathogens	Chloride	<input checked="" type="checkbox"/> Nitrogen
<input checked="" type="checkbox"/>	Solids/ Oil/ Grease (Hydrocarbons)/ Metals		Phosphorus
TMDL(s)			
<i>In State:</i>	Assabet River Phosphorus	<input checked="" type="checkbox"/> Bacteria and Pathogen	Cape Cod Nitrogen
	Charles River Watershed Phosphorus	Lake and Pond Phosphorus	
<i>Out of State:</i>	Bacteria/Pathogens	Metals	Nitrogen
			Phosphorus
Clear Impairments and TMDLs			

Next, check off all requirements below that have been completed. **By checking each box you are certifying that you have completed that permit requirement fully.** If you have not completed a requirement leave the box unchecked. Additional information will be requested in later sections.

Year 2 Requirements

Completed Phase I of system mapping

- Developed a written catchment investigation procedure and added the procedure to the SWMP
- Developed written procedures to require the submission of as-built drawings and ensure the long term operation and maintenance of completed construction sites and added these procedures to the SWMP
- Enclosed or covered storage piles of salt or piles containing salt used for deicing or other purposes
- Developed written operations and maintenance procedures for parks and open space, buildings and facilities, and vehicles and equipment and added these procedures to the SWMP
- Developed an inventory of all permittee owned facilities in the categories of parks and open space, buildings and facilities, and vehicles and equipment and added this inventory to the SWMP
- Completed a written program for MS4 infrastructure maintenance to reduce the discharge of pollutants
- Developed written SWPPPs, included in the SWMP, for all of the following permittee owned or
- operated facilities: maintenance garages, public works yards, transfer stations, and other waste handling facilities where pollutants are exposed to stormwater

Optional: If you would like to describe progress made on any incomplete requirements listed above, provide any additional information, and/or if any of the above year 2 requirements could not be completed due to the impacts of COVID-19, please identify the requirement that could not be completed, any actions taken to attempt to complete the requirement, and reason the requirement could not be completed below:

Phase I mapping - mapping of open channel conveyances and any newly located outfalls is ongoing. Mapping interconnections with other MS4s (e.g. DOT) is ongoing, and it is expected that this will continue as part of DOT's own mapping efforts to be completed under a future TS4 permit.

Inventory of City-Owned Facilities - the City has developed an inventory of buildings, however, has not yet determined which Operation and Maintenance procedures apply to each facility. This is anticipated to occur during Year 3.

SWPPPs - all facilities that require SWPPPs are currently located within areas that drain to the City's Combined Sewer system and thus do not drain to the City's MS4 or Waters of the United States. Therefore, these facilities do not require SWPPPs.

Annual Requirements

- × Provided an opportunity for public participation in review and implementation of SWMP and complied with State Public Notice requirements
- × Kept records relating to the permit available for 5 years and made available to the public
- × The SSO inventory has been updated, including the status of mitigation and corrective measures implemented
 - This is not applicable because we do not have sanitary sewer
 - This is not applicable because we did not find any new SSOs
 - The updated SSO inventory is attached to the email submission
 - The updated SSO inventory can be found at the following website:
- × Properly stored and disposed of catch basin cleanings and street sweepings so they did not discharge to receiving waters
 - Provided training to employees involved in IDDE program within the reporting period
 - All curbed roadways were swept at least once within the reporting period
- × Updated outfall and interconnection inventory and priority ranking as needed

Optional: If you would like to describe progress made on any incomplete requirements listed above, provide any additional information, and/or if any of the above annual requirements could not be completed due to the impacts of COVID-19, please identify the requirement that could not be completed, any actions taken to attempt to complete the requirement, and reason the requirement could not be completed below:

IDDE Training - training was not performed during this permit year due to COVID-19 social distancing requirements and limited staff availability.

Outfall Inventory and Ranking - the outfall and interconnection inventory is updated on an ongoing basis as dry weather screening is performed. The priority ranking will be updated after dry weather inspections are completed and before catchment investigations commence.

Bacteria/ Pathogens (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)

Annual Requirements

*Public Education and Outreach**

Annual message was distributed encouraging the proper management of pet waste, including noting any existing ordinances where appropriate

Permittee or its agents disseminated educational material to dog owners at the time of issuance or renewal of dog license, or other appropriate time

Provided information to owners of septic systems about proper maintenance in any catchment that discharges to a water body impaired for bacteria

** Public education messages can be combined with other public education requirements as applicable (see Appendix H and F for more information)*

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Public Education and Outreach - During Year 1, the City developed a public education program. In part, this program consisted of website text with a permit overview, specific messages and topics for each of the City's four audiences, links to external websites, and links for download of approximately 20 different outreach brochures. The City is still working to bring this website online. Additional public education messaging was not completed during Year 2 in part due to the COVID-19 outbreak.

Nitrogen (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)

Annual Requirements

*Public Education and Outreach**

Distributed an annual message in the spring (April/May) that encourages the proper use and disposal of grass clippings and encourages the proper use of slow-release fertilizers

Distributed an annual message in the summer (June/July) encouraging the proper management of pet waste, including noting any existing ordinances where appropriate

Distributed an annual message in the fall (August/September/October) encouraging the proper disposal of leaf litter

** Public education messages can be combined with other public education requirements as applicable (see Appendix H and F for more information)*

Good Housekeeping and Pollution Prevention for Permittee Owned Operations

× Increased street sweeping frequency of all municipal owned streets and parking lots subject to Permit part 2.3.7.a.iii.(c) to a minimum of two times per year (spring and fall)

Potential structural BMPs

Any structural BMPs listed in Table 3 of Attachment 1 to Appendix H already existing or installed in the regulated area by the permittee or its agents was tracked and the nitrogen removal by the BMP was estimated consistent with Attachment 1 to Appendix H. The BMP type, total area treated by the BMP, the design storage volume of the BMP and the estimated nitrogen removed in mass per year by the BMP were documented.

- The BMP information is attached to the email submission
- The BMP information can be found at the following website:

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Public Education and Outreach - During Year 1, the City developed a comprehensive public education program. In part, this program consisted of website text with a permit overview, specific messages and topics

for each of the City's four audiences, links to external websites, and links for download of approximately 20 different outreach brochures. The City is still working to bring this website online. Additional public education messaging was not completed during Year 2 in part due to the COVID-19 outbreak.

Structural BMPs - The City is currently developing an inventory of its city-owned Stormwater BMPs, expected to be completed during Year 3. BMP pollutant removal has not yet been computed, and it is expected that this will be completed as part of a future Source Identification Report to be completed by Year 4.

Optional: Use the box below to provide any additional information you would like to share as part of your self-assessment:

Dry Weather Outfall Screening - The City attempted to inspect 35 known stormwater outfalls during dry weather for potential illicit discharges. Of the 35 known stormwater outfalls that were inspected, all were located and 15 were found to be flowing. Based on sampling results, 12 outfalls were found to be unlikely to have an IDDE. Of the remaining 3, two (2) were found to POTENTIALLY have an IDDE and warrant further investigation and one was SUSPECTED to have an IDDE and warrants further investigation. However, further investigation has not been conducted because of the COVID-19 outbreak. We plan on conducting further sampling and investigate potential illicit discharges this year.

Part III: Receiving Waters/Impaired Waters/TMDL

Have you made any changes to your lists of receiving waters, outfalls, or impairments since the NOI was submitted?

- Yes
 No

If yes, describe below, including any relevant impairments or TMDLs:

The City has determined it is subject to the following additional TMDL and Impaired Waters requirements:

- Mount Hope Bay (MA61-06), Bacteria impaired waters requirements. Appendix H, Part III.
- Quequechan River (MA61-05), Bacteria impaired waters requirements. Appendix H, Part III.
- Taunton River (MA62-04), Bacteria impaired waters requirements. Appendix H, Part III.

The following changes were made that do not affect TMDL and Impaired Waters requirements:

- Unnamed Tributary (MA62-42), Benthic Macroinvertebrates and Fishes Bioassessments added to 303(d) list
- Quequechan River (MA61-05), Habitat Assessment (Streams), Debris, Trash, Algae, Dissolved Oxygen, Nutrient/Eutrophication Biological Indicators added to 303(d) list

Part IV: Minimum Control Measures

Please fill out all of the metrics below. If applicable, include in the description who completed the task if completed by a third party.

MCM1: Public Education

Number of educational messages completed **during this reporting period:**

Below, report on the educational messages completed **during this reporting period**. For the measurable goal(s) please describe the method/measures used to assess the overall effectiveness of the educational program.

BMP: Informational Flyers

Message Description and Distribution Method:

Due to COVID-19 outbreak, no flyers were distributed at the library this year.

Targeted Audience:

Responsible Department/Parties:

Measurable Goal(s):

Message Date(s):

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

[Add an Educational Message](#)

MCM2: Public Participation

Describe the opportunity provided for public involvement in the development of the Stormwater Management Program (SWMP) **during this reporting period:**

SWMP Plan for Download - The City has posted the SWMP Plan on City website along with contact information to allow for public comment.

Was this opportunity different than what was proposed in your NOI? Yes No

Describe any other public involvement or participation opportunities conducted **during this reporting period:**

Public Education and Outreach - During Year 1, the City developed a comprehensive public education program. In part, this program consisted of website text with a permit overview, specific messages and topics for each of the City's four audiences, links to external websites, and links for download of approximately 20 different outreach brochures. The City is still working to bring this website online. Additional public education messaging was not completed during Year 2 in part due to the COVID-19 outbreak.

MCM3: Illicit Discharge Detection and Elimination (IDDE)

Sanitary Sewer Overflows (SSOs)

Check off the box below if the statement is true.

This SSO section is NOT applicable because we DO NOT have sanitary sewer

Below, report on the number of SSOs identified in the MS4 system and removed **during this reporting period.**

Number of SSOs identified:

Number of SSOs removed:

MS4 System Mapping

Below, check all that apply.

The following elements of the Phase I map have been completed:

- Outfalls and receiving waters
- Open channel conveyances
- Interconnections
- Municipally-owned stormwater treatment structures
- Waterbodies identified by name and indication of all use impairments
- Initial catchment delineations

Optional: Describe any additional progress you made on your map during this reporting period or provide additional status information regarding your map:

Phase I Mapping - the City has mapped the majority of its known stormwater infrastructure, including catch basins, manholes, pipe connectivity, and outfalls. Initial catchment delineations have also been completed based on topographic mapping and available stormwater system information. Mapping of open channel conveyances and any newly located outfalls is ongoing. Mapping interconnections with other MS4s (e.g. DOT) is ongoing, and it is expected that this will continue as part of DOT's own mapping efforts to be completed under a future TS4 permit. The City has also mapped its stormwater and combined sewer infrastructure and incorporated it into their GIS library. As new infrastructure is located, it is added to the City's GIS library.

Screening of Outfalls/Interconnections

If conducted, please submit any outfall monitoring results from this reporting period. Outfall monitoring results should include the date, outfall/interconnection identifier, location, weather conditions at time of sampling, precipitation in previous 48 hours, field screening parameter results, and results from all analyses.

- The outfall screening data is attached to the email submission
- The outfall screening data can be found at the following website:

*Below, report on the number of outfalls/interconnections screened **during this reporting period.***

Number of outfalls screened:

Catchment Investigations

If conducted, please submit all data collected during this reporting period as part of the dry and wet weather investigations. Also include the presence or absence of System Vulnerability Factors for each catchment.

- The catchment investigation data is attached to the email submission
- The catchment investigation data can be found at the following website:

N/A, none completed to date

*Below, report on the number of catchment investigations completed **during this reporting period.***

Number of catchment investigations completed this reporting period:

*Below, report on the percent of catchments investigated **to date.***

Percent of total catchments investigated:

Optional: Provide any additional information for clarity regarding the catchment investigations below:

IDDE Progress

If illicit discharges were found, please submit a document describing work conducted over this reporting period, and cumulative to date, including location source; description of the discharge; method of discovery; date of discovery; and date of elimination, mitigation, or enforcement OR planned corrective measures and schedule of removal.

- The illicit discharge removal report is attached to the email submission
- The illicit discharge removal report can be found at the following website:

No new illicit discharges were found this year.

*Below, report on the number of illicit discharges identified and removed, along with the volume of sewage removed **during this reporting period.***

Number of illicit discharges identified:

Number of illicit discharges removed:

Estimated volume of sewage removed: gallons/day

*Below, report on the total number of illicit discharges identified and removed to date. At a minimum, report on the number of illicit discharges identified and removed **since the effective date of the permit (July 1, 2018).***

Total number of illicit discharges identified:

Total number of illicit discharges removed:

Optional: Provide any additional information for clarity regarding illicit discharges identified, removed, or planned to be removed below:

Employee Training

Describe the frequency and type of employee training conducted **during the reporting period:**

IDDE Training - training was not performed during this permit year due to COVID-19 social distancing requirements and limited staff availability.

MCM4: Construction Site Stormwater Runoff Control

*Below, report on the construction site plan reviews, inspections, and enforcement actions completed **during this reporting period.***

Number of site plan reviews completed:

Number of inspections completed:

Number of enforcement actions taken:

Optional: Enter any additional information relevant to construction site plan reviews, inspections, and enforcement actions:

MCM5: Post-Construction Stormwater Management in New Development and Redevelopment

Ordinance or Regulatory Mechanism

Below, select the option that describes your ordinance or regulatory mechanism progress.

- Bylaw, ordinance, or regulations are updated and adopted consistent with permit requirements
- Bylaw, ordinance, or regulations are updated consistent with permit requirements but are not yet adopted
- Bylaw, ordinance, or regulations have not been updated or adopted

As-built Drawings

Describe the measures the MS4 has utilized to require the submission of as-built drawings and ensure long term operation and maintenance of completed construction sites:

The current Stormwater Management for Discharges to Municipal Stormwater System ordinance requires submittal of as-built drawings for all structural stormwater controls and submittal of an operation and maintenance plan. All submittals must be certified by a Professional Engineer.

The current stormwater ordinance is mostly in compliance with Permit requirements, however, some items such as specific pollutant removals for redevelopment do not meet all requirements. The City is working on reviewing and updating its existing regulations, and it is anticipated that regulatory updates will be completed as part of the Year 3 requirements under EPA's pending updated permit schedule. As a result of the COVID-19 outbreak, regulations were not updated as planned during Permit Year 2.

Street Design and Parking Lots Report

Describe the status of the street design and parking lots assessment due in year 4 of the permit term, including any planned or completed changes to local regulations and guidelines:

N/A, to be completed during future permit years.

Green Infrastructure Report

Describe the status of the green infrastructure report due in year 4 of the permit term, including the findings and progress towards making the practice allowable:

N/A, to be completed during future permit years.

Retrofit Properties Inventory

Describe the status of the inventory, due in year 4 of the permit term, of permittee-owned properties that could be modified or retrofitted with BMPs to mitigate impervious areas and report on any properties that have been modified or retrofitted:

The City completed an inventory of its permittee-owned properties during this permit year. Facilities will be evaluated for potential BMP retrofit opportunities during future permit years.

MCM6: Good Housekeeping

Catch Basin Cleaning

*Below, report on the number of catch basins inspected and cleaned, along with the total volume of material removed from the catch basins **during this reporting period**.*

Number of catch basins inspected:

Number of catch basins cleaned:

Total volume or mass of material removed from all catch basins:

Below, report on the total number of catch basins in the MS4 system.

Total number of catch basins:

If applicable:

Report on the actions taken if a catch basin sump is more than 50% full during two consecutive routine inspections/cleaning events:

Not yet applicable.

Street Sweeping

*Report on street sweeping completed **during this reporting period** using one of the three metrics below.*

Number of miles cleaned:

Volume of material removed:

Weight of material removed:

O&M Procedures and Inventory of Permittee-Owned Properties

Below, check all that apply.

The following permittee-owned properties have been inventoried:

- Parks and open spaces
- Buildings and facilities

Vehicles and equipment

The following O&M procedures for permittee-owned properties have been completed:

- Parks and open spaces
- Buildings and facilities
- Vehicles and equipment

Stormwater Pollution Prevention Plan (SWPPP)

Below, report on the number of site inspections for facilities that require a SWPPP completed during this reporting period.

Number of site inspections completed:

Describe any corrective actions taken at a facility with a SWPPP:

SWPPPs - all facilities that require SWPPPs are currently located within areas that drain to the City's Combined Sewer system and thus do not drain to the City's MS4 or Waters of the United States. Therefore, these facilities do not require SWPPPs.

Additional Information

Monitoring or Study Results

Results from any other stormwater or receiving water quality monitoring or studies conducted during the reporting period not otherwise mentioned above, where the data is being used to inform permit compliance or permit effectiveness must be attached.

- Not applicable
- The results from additional reports or studies are attached to the email submission
- The results from additional reports or studies can be found at the following website(s):

If such monitoring or studies were conducted on your behalf or if monitoring or studies conducted by other entities were reported to you, a brief description of the type of information gathered or received shall be described below:

N/A, not started yet.

Additional Information

Optional: Enter any additional information relevant to your stormwater management program implementation during the reporting period. Include any BMP modifications made by the MS4 if not already discussed above:

COVID-19 Impacts

Optional: If any of the above year 2 requirements could not be completed due to the impacts of COVID-19, please identify the requirement that could not be completed, any actions taken to attempt to complete the requirement, and reason the requirement could not be completed below:

IDDE Training - training was not performed during this permit year due to COVID-19 social distancing requirements and limited staff availability.

Public Education and Outreach - Public education messaging was not completed during Year 2 due to the COVID-19 outbreak.

Activities Planned for Next Reporting Period

Please confirm that your SWMP has been, or will be, updated to comply with all applicable permit requirements including but not limited to the year 3 requirements summarized below. (Note: impaired waters and TMDL requirements are not listed below)

Yes, I agree

- Inspect all outfalls/ interconnections (excluding Problem and Excluded outfalls) for the presence of dry weather flow
- Complete follow-up ranking as dry weather screening becomes available

Annual Requirements

- Annual report submitted and available to the public
- Annual opportunity for public participation in review and implementation of SWMP
- Keep records relating to the permit available for 5 years and make available to the public
- Properly store and dispose of catch basin cleanings and street sweepings so they do not discharge to receiving waters
- Annual training to employees involved in IDDE program
- Update inventory of all known locations where SSOs have discharged to the MS4
- Continue public education and outreach program
- Update outfall and interconnection inventory and priority ranking and include data collected in connection with the dry weather screening and other relevant inspections conducted
- Implement IDDE program
- Review site plans of construction sites as part of the construction stormwater runoff control program
- Conduct site inspection of construction sites as necessary
- Inspect and maintain stormwater treatment structures
- Log catch basins cleaned or inspected
- Sweep all uncurbed streets at least annually
- Continue investigations of catchments associated with Problem Outfalls
- Review inventory of all permittee owned facilities in the categories of parks and open space, buildings and facilities, and vehicles and equipment; update if necessary

Provide any additional details on activities planned for permit year 3 below:


The SWMP Plan and IDDE Plan will be updated during FY-21 to address all work performed through Year 3. This will include incorporating the above items into the SWMP Plan and/or IDDE Plan as necessary, incorporate results from outfall dry weather screening, as well as documenting results of other annual activities below such as BMP inspections.

Part V: Certification of Small MS4 Annual Report 2020

40 CFR 144.32(d) Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, I certify that the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name: Title:

Signature:  Date:

[Signatory may be a duly authorized representative]