

Year 5 Annual Report
Massachusetts Small MS4 General Permit
Reporting Period: July 1, 2022-June 30, 2023

Please DO NOT attach any documents to this form. Instead, attach all requested documents to an email when submitting the form. Also ensure any websites included on this form are to publicly accessible sites

Unless otherwise noted, all fields are required to be filled out. If a field is left blank, it will be assumed the requirement or task has not been completed. Please ONLY report on activities between July 1, 2022 and June 30, 2023 unless otherwise requested.

Part I: Contact Information

Name of Municipality or Organization:

EPA NPDES Permit Number:

Primary MS4 Program Manager Contact Information

Name: Title:

Street Address Line 1:

Street Address Line 2:

City: State: Zip Code:

Email: Phone Number:

Stormwater Management Program (SWMP) Information

SWMP Location (publicly available web address):

Date SWMP was Last Updated:

If the SWMP is not available on the web please provide the physical address:

Part II: Self-Assessment

First, in the box below, select the impairment(s) and/or TMDL(s) that are applicable to your MS4. Make sure you are referring to the most recent EPA approved Section 303(d) Impaired Waters List which can be found here: <https://www.epa.gov/tmdl/region-1-impaired-waters-and-303d-lists-state>

Impairment(s)

- Bacteria/Pathogens Chloride Nitrogen Phosphorus
 Solids/ Oil/ Grease (Hydrocarbons)/ Metals

TMDL(s)

- In State:* Assabet River Phosphorus Bacteria and Pathogen Cape Cod Nitrogen
 Charles River Watershed Phosphorus Lake and Pond Phosphorus
- Out of State:* Bacteria/Pathogens Metals Nitrogen Phosphorus

Clear Impairments and TMDLs

Next, check off all requirements below that have been completed. **By checking each box you are certifying that you have completed that permit requirement fully.** If you have not completed a requirement leave the box unchecked. Additional information will be requested in later sections.

Annual Requirements

- Provided an opportunity for public participation in review and implementation of SWMP and complied with State Public Notice requirements
 Kept records relating to the permit available for 5 years and made available to the public
 The SSO inventory has been updated, including the status of mitigation and corrective measures implemented
- This is not applicable because we do not have sanitary sewer
 - This is not applicable because we did not find any new SSOs
 - The updated SSO inventory is attached to the email submission
 - The updated SSO inventory can be found at the following publicly available website:

The Town does not have any SSOs.

- Updated system map due in year 2 as necessary
 Provided training to employees involved in IDDE program within the reporting period
 Properly stored and disposed of catch basin cleanings and street sweepings so they did not discharge to receiving waters
 All curbed roadways were swept at least once within the reporting period
 Enclosed all road salt storage piles or facilities and implemented winter road maintenance procedures to minimize the use of road salt
 Implemented SWPPPs for all permittee owned or operated maintenance garages, public works yards, transfer stations, and other waste handling facilities

- Updated inventory of all permittee owned facilities as necessary
- O&M programs for all permittee owned facilities have been completed and updated as necessary
- Implemented all maintenance procedures for permittee owned facilities in accordance with O&M programs
- Implemented program for MS4 infrastructure maintenance to reduce the discharge of pollutants
- Inspected all permittee owned treatment structures (excluding catch basins)

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Nitrogen (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)

Annual Requirements

*Public Education and Outreach**

- Distributed an annual message in the spring (April/May) that encourages the proper use and disposal of grass clippings and encourages the proper use of slow-release fertilizers
- Distributed an annual message in the summer (June/July) encouraging the proper management of pet waste, including noting any existing ordinances where appropriate
- Distributed an annual message in the fall (August/September/October) encouraging the proper disposal of leaf litter

** Public education messages can be combined with other public education requirements as applicable (see Appendix H and F for more information)*

Good Housekeeping and Pollution Prevention for Permittee Owned Operations

- Increased street sweeping frequency of all municipal owned streets and parking lots subject to Permit part 2.3.7.a.iii.(c) to a minimum of two times per year (spring and fall)

Structural BMPs

Completed the evaluation of all permittee owned properties identified as presenting retrofit opportunities or areas for structural BMP installation under permit part 2.3.6.d or identified in the Nitrogen Source Identification Report, including: *(select the items of the evaluation that have been completed below)*

- Next planned infrastructure, resurfacing, or redevelopment activity planned for the property (if applicable) OR planned retrofit date
- Estimated cost of redevelopment or retrofit BMPs
- Engineering and regulatory feasibility of redevelopment or retrofit BMPs
- Completed a listing of planned structural BMPs and a plan and schedule for implementation
 - The BMP list and implementation schedule is attached to the email submission
 - The BMP list and implementation schedule can be found at the following publicly available website:

The Town has done some exfiltration retrofits in the past 3 years. We will work with consultant to establish calculations of reductions in nitrogen and phosphorous.

Any structural BMPs listed in Attachment 3 to Appendix F already existing or installed in the regulated area by the permittee or its agents was tracked and the nitrogen removal by the BMP was estimated

- consistent with Attachment 3 to Appendix F. The BMP type, total area treated by the BMP, the design storage volume of the BMP, and the estimated nitrogen removed in mass per year by the BMP were documented.
- No BMPs were installed
- The above referenced BMP information is attached to the email submission
- The above referenced BMP information can be found at the following publicly available website:

The Town will work with a consultant to determine calculations of nitrogen and phosphorous removal on retrofits completed.

Total estimated nitrogen removed in lbs/year from the installed BMPs: 0

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Lake and Pond Phosphorus TMDL

- Completed the written Lake Phosphorus Control Plan (LPCP), including: *(select the items in the LPCP that have been completed)*
 - Planned nonstructural controls
 - Planned structural controls
 - O&M program for structural controls
 - Implementation schedule
 - Cost of implementation

The LPCP: *(select one of the following options)*

- is attached to the email submission
- can be found at the following publicly available website:

<https://www.wilbraham-ma.gov/494/Stormwater-Resource-Center>

Below, calculate your current phosphorus export rate by first filling out the individual phosphorus loading components (labeled [A], [B], [C], and [D]) and then computing your current phosphorus export rate using the equation provided.

Baseline phosphorus export reduction required from LPCP Area (lbs/ year) [A]: 0

- Documented the nonstructural control measures implemented during **this reporting period** and their phosphorus reduction

total phosphorus reduction from all nonstructural controls this reporting period (lbs/year) [B]:

0

- No nonstructural control measures were implemented
- The nonstructural control measures information is attached to the email submission
- The nonstructural control measures information can be found at the following publicly available website:

Documented the structural control measures implemented during **this reporting period and all previous years**, including location, phosphorus reduction in weight/year, and date of last completed maintenance and inspection for each control

total phosphorus reduction from all structural controls installed this reporting period and all previous years (lbs/year) [C]:

0

- No structural control measures were implemented
- The structural control measures information is attached to the email submission
- The structural control measures information can be found at the following publicly available website:

Phosphorus load increase due to development incurred since baseline loading was calculated in lbs/year [D]:

0

Current phosphorus export rate from the LPCP Area in lbs/year [=A-(B+C)+D from above]:

0

- I certify under penalty of law that all source control and treatment Best Management Practices being claimed for phosphorus reduction credit have been inspected, maintained and repaired in accordance with manufacturer or design specification. I certify that, to the best of my knowledge, all Best Management Practices being claimed for a phosphorus reduction credit are performing as originally designed.
- All municipally owned and maintained turf grass areas are being managed in accordance with Massachusetts Regulation 331 CMR 31.00 pertaining to proper use of fertilizers on turf grasses

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

The Town will work with a consultant to complete this task of phosphorous and nitrogen calculations and reductions.

Optional: Use the box below to provide any additional information you would like to share as part of your self-assessment:

Part III: Receiving Waters/Impaired Waters/TMDL

Have you made any changes to your lists of receiving waters, outfalls, or impairments since the NOI was submitted?

Yes

No

If yes, describe below, including any relevant impairments or TMDLs:

Year 5 MS4 Annual Report

Under Part II – Self Assessment

Based on Stormwater Committee public education and outreach work in Year 5, check the following boxes within this section of Annual Report.

Note that in Bacteria Pathogens section you may need to indicate that septic systems messaging not applicable if no septic systems present in your MS4.

Bacteria/ Pathogens (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)

Annual Requirements

*Public Education and Outreach**

- Annual message was distributed encouraging the proper management of pet waste, including noting any existing ordinances where appropriate
- Permittee or its agents disseminated educational material to dog owners at the time of issuance or renewal of dog license, or other appropriate time
- Provided information to owners of septic systems about proper maintenance in any catchment that discharges to a water body impaired for bacteria
- This is not applicable because there are no septic systems present

** Public education messages can be combined with other public education requirements as applicable (see Appendix H and F for more information)*

Nitrogen (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)

Annual Requirements

*Public Education and Outreach**

- Distributed an annual message in the spring (April/May) that encourages the proper use and disposal of grass clippings and encourages the proper use of slow-release fertilizers
- Distributed an annual message in the summer (June/July) encouraging the proper management of pet waste, including noting any existing ordinances where appropriate
- Distributed an annual message in the fall (August/September/October) encouraging the proper disposal of leaf litter

** Public education messages can be combined with other public education requirements as applicable (see Appendix H and F for more information)*

Phosphorus (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)

Annual Requirements

*Public Education and Outreach**

- Distributed an annual message in the spring (April/May) encouraging the proper use and disposal of grass clippings and encouraging the proper use of slow-release and phosphorus-free fertilizers
- Distributed an annual message in the summer (June/July) encouraging the proper management of pet waste, including noting any existing ordinances where appropriate
- Distributed an annual message in the fall (August/September/October) encouraging the proper disposal of leaf litter

** Public education messages can be combined with other public education requirements as applicable (see Appendix H and F for more information)*

Under Part IV – MCM 1: Public Education

Annual reporting on all Year 5 regional messaging for Connecticut River Stormwater Committee has been prepared by PVPC.

Per EPA instructions, you must paste in information provided below into your Annual Report under Part IV, MCM 1: Public Education. The full annual report prepared by PVPC will be posted to the Think Blue website with links provided below for EPA to reference.

	Paste these words into appropriate lines within MCM 1 Section of your Annual Report
Number of educational messages completed:	12 plus any messages you may have done locally
BMP:	#1. Think Blue Connecticut River Website
Message Description and Distribution Method:	See annual reporting for education and outreach activities, Year 5 at: www.thinkblueconnecticutriver.org/ms4-communities/
Targeted audience:	Residents, business/institutional/commercial, developers, and industrial
Responsible Department/Parties:	Connecticut River Stormwater Committee
BMP:	#2. Nip Bottles
Message Description and Distribution Method:	See annual reporting for education and outreach activities, Year 5 at: www.thinkblueconnecticutriver.org/ms4-communities/
Targeted audience:	Residents
Responsible Department/Parties:	Connecticut River Stormwater Committee
BMP:	#3. Better Management of Runoff from Parking Lots (formerly Installation of Hooded Catch Basins)
Message Description and Distribution Method:	See annual reporting for education and outreach activities, Year 5 at: www.thinkblueconnecticutriver.org/ms4-communities/

Targeted audience:	Businesses, institutions, and commercial facilities
Responsible Department/Parties:	Connecticut River Stormwater Committee
BMP:	#4. Low Impact Development Strategies and Technologies Workshop
Message Description and Distribution Method:	See annual reporting for education and outreach activities, Year 5 at: www.thinkblueconnecticutriver.org/ms4-communities/
Targeted audience:	Developers
Responsible Department/Parties:	Connecticut River Stormwater Committee
BMP:	#5. Better Management of Runoff from Parking Lots (formerly Installation of Hooded Catch Basins)
Message Description and Distribution Method:	See annual reporting for education and outreach activities, Year 5 at: www.thinkblueconnecticutriver.org/ms4-communities/
Targeted audience:	Industrial facilities
Responsible Department/Parties:	Connecticut River Stormwater Committee
BMP:	#6. Proper Disposal of Leaf Litter
Message Description and Distribution Method:	See annual reporting for education and outreach activities, Year 5 at: www.thinkblueconnecticutriver.org/ms4-communities/
Targeted audience:	Residents
Responsible Department/Parties:	Connecticut River Stormwater Committee
BMP:	#7. Importance of Soil Test, Proper Use of Fertilizers, Disposal of Grass Clippings
Message Description and Distribution Method:	See annual reporting for education and outreach activities, Year 5 at:

	www.thinkblueconnecticutriver.org/ms4-communities/
Targeted audience:	Residents
Responsible Department/Parties:	Connecticut River Stormwater Committee
BMP:	#8. Proper Management of Pet Waste (during time of licensing and summer)
Message Description and Distribution Method:	See annual reporting for education and outreach activities, Year 5 at: www.thinkblueconnecticutriver.org/ms4-communities/
Targeted audience:	Residents
Responsible Department/Parties:	Connecticut River Stormwater Committee
BMP:	#9. Proper Septic System Care
Message Description and Distribution Method:	See annual reporting for education and outreach activities, Year 5 at: www.thinkblueconnecticutriver.org/ms4-communities/
Targeted audience:	Residents
Responsible Department/Parties:	Connecticut River Stormwater Committee
BMP:	#10. Proper Disposal of Leaf Litter
Message Description and Distribution Method:	See annual reporting for education and outreach activities, Year 5 at: www.thinkblueconnecticutriver.org/ms4-communities/
Targeted audience:	Businesses/institutions/commercial facilities
Responsible Department/Parties:	Connecticut River Stormwater Committee
BMP:	#11. Importance of Soil Test, Proper Use of Fertilizers, Disposal of Grass Clippings

Message Description and Distribution Method:	See annual reporting for education and outreach activities, Year 5 at: www.thinkblueconnecticutriver.org/ms4-communities/
Targeted audience:	Business/institutions/commercial facilities
Responsible Department/Parties:	Connecticut River Stormwater Committee
BMP:	#12. Proper Management of Pet Waste
Message Description and Distribution Method:	See annual reporting for education and outreach activities, Year 5 at: www.thinkblueconnecticutriver.org/ms4-communities/
Targeted audience:	Businesses/institutions/commercial facilities
Responsible Department/Parties:	Connecticut River Stormwater Committee

Part IV: Minimum Control Measures

Please fill out all of the metrics below. If applicable, include in the description who completed the task if completed by a third party.

MCM1: Public Education

Number of educational messages completed during this reporting period:

Below, report on the educational messages completed during this reporting period. For the measurable goal(s) please describe the method/measures used to assess the overall effectiveness of the educational program.

BMP:[Message name here]

Message Description and Distribution Method:

Targeted Audience:

Responsible Department/Parties:

Measurable Goal(s):

Message Date(s):

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

Add an Educational Message

MCM2: Public Participation

Describe the opportunity provided for public involvement in the development of the Stormwater Management Program (SWMP) during this reporting period:

The Town did not hold a public stormwater meeting for this reporting period. A public meeting will be scheduled in the next month.

[Empty box]

Was this opportunity different than what was proposed in your NOI? Yes No

Describe any other public involvement or participation opportunities conducted **during this reporting period:**

The Town has applied and received a MVP Culvert Assessment Grant which public participation will be requested to assist with completion of the grant.

MCM3: Illicit Discharge Detection and Elimination (IDDE)

Sanitary Sewer Overflows (SSOs)

Check off the box below if the statement is true.

This SSO section is NOT applicable because we DO NOT have sanitary sewer

Below, report on the number of SSOs identified in the MS4 system and removed during this reporting period.

Number of SSOs identified:

Number of SSOs removed:

MS4 System Mapping

Optional: Provide additional status information regarding your map:

The Town GIS map is updated annually.

Screening of Outfalls/Interconnections

If conducted, please submit any outfall monitoring results from this reporting period. Outfall monitoring results should include the date, outfall/interconnection identifier, location, weather conditions at time of sampling, precipitation in previous 48 hours, field screening parameter results, and results from all analyses. Please also include the updated inventory and ranking of outfalls/interconnections based on monitoring results.

- No outfalls were inspected
- The above referenced outfall screening data is attached to the email submission
- The above referenced outfall screening data can be found at the following publicly available website:

Below, report on the number of outfalls/interconnections screened during this reporting period.

Number of outfalls screened:

Below, report on the percent of outfalls/interconnections screened to date.

Percent of outfalls screened:

Optional: Provide additional information regarding your outfall/interconnection screening:

The majority of outfalls were inspected and screened in years 1-3.

Catchment Investigations

If conducted, please submit all data collected during this reporting period as part of the dry and wet weather investigations. Also include the presence or absence of System Vulnerability Factors for each catchment.

- No catchment investigations were conducted
- The catchment investigation data is attached to the email submission
- The catchment investigation data can be found at the following publicly available website:

Below, report on the number of catchment investigations completed during this reporting period.

Number of catchment investigations completed this reporting period:

Below, report on the percent of catchments investigated to date.

Percent of total catchments investigated:

Optional: Provide any additional information for clarity regarding the catchment investigations below:

The Town inspects drainage manholes, catch basins and outfalls on all proposed roads to be paved.

IDDE Progress

If illicit discharges were found, please submit a document describing work conducted over this reporting period, and cumulative to date, including location source; description of the discharge; method of discovery; date of discovery; and date of elimination, mitigation, or enforcement OR planned corrective measures and schedule of removal.

- No illicit discharges were found
- The illicit discharge removal report is attached to the email submission
- The illicit discharge removal report can be found at the following publicly available website:

Below, report on the number of illicit discharges identified and removed, along with the volume of sewage removed during this reporting period.

Number of illicit discharges identified:

Number of illicit discharges removed:

Estimated volume of sewage removed: gallons/day

Below, report on the total number of illicit discharges identified and removed to date. At a minimum, report on the number of illicit discharges identified and removed since the effective date of the permit (July 1, 2018).

Total number of illicit discharges identified:

Total number of illicit discharges removed:

Optional: Provide any additional information for clarity regarding illicit discharges identified, removed, or planned to be removed below:

Employee Training

Describe the frequency and type of employee training conducted **during this reporting period:**

The Town provided IDDE training multiple times during the reporting period to relevant employees. Annual training is scheduled for all DPW employees in December.

MCM4: Construction Site Stormwater Runoff Control

Below, report on the construction site plan reviews, inspections, and enforcement actions completed during this reporting period.

Number of site plan reviews completed:

Number of inspections completed:

Number of enforcement actions taken:

Optional: Enter any additional information relevant to construction site plan reviews, inspections, and enforcement actions:

Verbal warnings were issued to construction projects to remove sediment breach over erosion control and stabilize construction entrance. Clean up of impaired areas were required.

MCM5: Post-Construction Stormwater Management in New Development and Redevelopment

Ordinance or Regulatory Mechanism

Date update was completed (due in year 3): 11-15-21

Website of ordinance or regulatory mechanism: <https://www.wilbraham-ma.gov/494/Stormwater-Resource-Center>

As-built Drawings

Below, report on the number of as-built drawings received during this reporting period.

Number of as-built drawings received: 1

Optional: Enter any additional information relevant to the submission of as-built drawings:

As-built drawings are required when project is completed.

Street Design and Parking Lots Report

Below, describe any changes made or planned to be made to local regulations and guidelines based on the report completed in Year 4:

The Town was awarded a grant to update the subdivision regulations, and will take into consideration the recommendations made in year 4 by Tighe and Bond.

Green Infrastructure Report

Below, describe progress towards making green infrastructure practices allowable based on the report completed in Year 4:

The Town was awarded a grant to update the subdivision regulations, and will take into consideration the recommendations made in year 4 by Tighe and Bond.

Retrofit Properties Inventory

Below, list remaining permittee-owned properties that could be modified or retrofitted with BMPs to mitigate impervious areas (must maintain a minimum of 5 sites in inventory until less than 5 sites remain):

Road side drainage while resurfacing existing roads

1. Glendale Rd- roadside drainage retrofitted with 6" perforated pipe to infiltrate allowing recharge
2. Cottage Ave - 200' of 6" perforated pipe to infiltrate allowing for recharge

- 3. Springfield St - 200' of 6" perforated pipe to infiltrate allowing for recharge
- 4. Wilbraham Police Station - installed perforated pipe and new basin to infiltrate allowing for recharge.
- 5. Wilbraham Senior Center - The detention basin has been installed. The Town needs calculations for Nitrogen and Phosphorous removal.

Below, list all properties that have been modified or retrofitted with BMPs to mitigate impervious area that were inventoried as part of 2.3.6.d of the permit. Non-MS4 owned properties that have been modified or retrofitted with BMPs to mitigate impervious area may also be listed, but must be indicated as non-MS4.

Road side drainage while resurfacing existing roads

- 1. Glendale Rd- roadside drainage retrofitted with 6" perforated pipe to infiltrate allowing recharge
- 2. Cottage Ave - 200' of 6" perforated pipe to infiltrate allowing for recharge
- 3. Springfield St - 200' of 6" perforated pipe to infiltrate allowing for recharge
- 4. Wilbraham Police Station - installed perforated pipe and new basin to infiltrate allowing for recharge.
- 5. Wilbraham Town Senior Center - The detention basin has been installed. The Town needs calculations for Nitrogen and Phosphorous removal.

MCM6: Good Housekeeping

Catch Basin Cleaning

*Below, report on the number of catch basins inspected and cleaned, along with the total volume of material removed from the catch basins **during this reporting period.***

Number of catch basins inspected:

Number of catch basins cleaned:

Total volume or mass of material removed from all catch basins:

Below, report on the total number of catch basins in the MS4 system.

Total number of catch basins:

If applicable:

Report on the actions taken if a catch basin sump is more than 50% full during two consecutive routine inspections/cleaning events:

Street Sweeping

*Report on street sweeping completed **during this reporting period** using one of the three metrics below.*

- Number of miles cleaned:
- Volume of material removed:
- Weight of material removed:

Stormwater Pollution Prevention Plan (SWPPP)

Below, report on the number of site inspections for facilities that require a SWPPP completed during this reporting period.

Number of site inspections completed:

Describe any corrective actions taken at a facility with a SWPPP:

Verbal warnings were issued to construction projects to remove sediment breach over erosion control and stabilize construction entrance. Clean up of impaired areas were required.

Additional Information

Monitoring or Study Results

Results from any other stormwater or receiving water quality monitoring or studies conducted during the reporting period not otherwise mentioned above, where the data is being used to inform permit compliance or permit effectiveness must be attached.

- Not applicable
- The results from additional reports or studies are attached to the email submission
- The results from additional reports or studies can be found at the following publicly available website(s):

If such monitoring or studies were conducted on your behalf or if monitoring or studies conducted by other entities were reported to you, a brief description of the type of information gathered or received shall be described below:

Additional Information

Optional: Enter any additional information relevant to your stormwater management program implementation during the reporting period. Include any BMP modifications made by the MS4 if not already discussed above. If any of the above year 5 requirements could not be completed due to the impacts of COVID-19, please identify the requirement that could not be completed, any actions taken to attempt to complete the requirement, and reason the requirement could not be completed below:

Staffing has had a significant impact on the Town since COVID-19. The DPW has not been fully staffed

since this occurrence. A significant reduction in catch basin cleaning, catchment assessment, and catch basin inspections this reporting period were some of the items impacted due to staff shortages.

Activities Planned for Next Reporting Period

Please confirm that your SWMP has been, or will be, updated to comply with all applicable permit requirements including but not limited to the year 6 requirements summarized below. (Note: impaired waters and TMDL requirements are not listed below)

Yes, I agree

Annual Requirements

- Annual report submitted and available to the public
- Annual opportunity for public participation in review and implementation of SWMP
- Keep records relating to the permit available for 5 years and make available to the public
- Properly store and dispose of catch basin cleanings and street sweepings so they do not discharge to receiving waters
- Annual training to employees involved in IDDE program
- Update inventory of all known locations where SSOs have discharged to the MS4
- Continue public education and outreach program
- Update outfall and interconnection inventory and priority ranking and include data collected in connection with the dry weather screening and other relevant inspections conducted
- Implement IDDE program
- Review site plans of construction sites as part of the construction stormwater runoff control program
- Conduct site inspection of construction sites as necessary
- Inspect and maintain stormwater treatment structures
- Log catch basins cleaned or inspected
- Sweep all curbed streets at least annually
- Continue investigations of catchments associated with Problem Outfalls
- Implemented SWPPPs for all permittee owned or operated maintenance garages, public works yards, transfer stations, and other waste handling facilities
- Review inventory of all permittee owned facilities in the categories of parks and open space, buildings and facilities, and vehicles and equipment; update if necessary
- Review O&M programs for all permittee owned facilities; update if necessary
- Implement all maintenance procedures for permittee owned facilities in accordance with O&M programs
- Implement program for MS4 infrastructure maintenance to reduce the discharge of pollutants
- Enclose all road salt storage piles or facilities and implemented winter road maintenance procedures to minimize the use of road salt
- Review as-built drawings for new and redevelopment to ensure compliance with post construction bylaws, regulations, or regulatory mechanism consistent with permit requirements
- Inspect all permittee owned treatment structures (excluding catch basins)
- Identify additional permittee-owned properties that could potentially be modified or retrofitted with BMPs to reduce impervious areas so that the permittee maintains a minimum of 5 sites in their inventory, until such a time when the permittee has less than 5 sites remaining

Provide any additional details on activities planned for permit year 6 below:

The Town will work with a consultant to ensure the compliance has been met with all permit requirements from years 1-6. Any items outstanding, the Town will work with consultant to achieve full compliance. We will continue to identify any additional potential retrofit properties to reduce impervious areas.

Part V: Certification of Small MS4 Annual Report 2023

40 CFR 144.32(d) Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, I certify that the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name:

Nick Breault

Title:

Town Administrator

Signature:

Nick Breault

Date:

09/28/23

[Signatory may be a duly authorized representative]