

```

<Project xmlns="http://schemas.microsoft.com/developer/msbuild/2003">
  <PropertyGroup>
    <ProjectGuid>{669BF495-25FF-4A15-B95C-DB891365935E}</ProjectGuid>
    <ProjectVersion>19.5</ProjectVersion>
    <FrameworkType>VCL</FrameworkType>
    <MainSource>LCRISample.dpr</MainSource>
    <Base>True</Base>
    <Config Condition="'$(Config)'=='>Debug</Config>
    <Platform Condition="'$(Platform)'=='>Win64</Platform>
    <TargetedPlatforms>3</TargetedPlatforms>
    <AppType>Application</AppType>
  </PropertyGroup>
  <PropertyGroup Condition="'$(Config)'=='Base' or '$(Base)'!='>
    <Base>true</Base>
  </PropertyGroup>
  <PropertyGroup Condition="('$$(Platform)'=='Win32' and '$(Base)'=='true') or
'$(Base_Win32)'!='>
    <Base_Win32>true</Base_Win32>
    <CfgParent>Base</CfgParent>
    <Base>true</Base>
  </PropertyGroup>
  <PropertyGroup Condition="('$$(Platform)'=='Win64' and '$(Base)'=='true') or
'$(Base_Win64)'!='>
    <Base_Win64>true</Base_Win64>
    <CfgParent>Base</CfgParent>
    <Base>true</Base>
  </PropertyGroup>
  <PropertyGroup Condition="'$(Config)'=='Debug' or '$(Cfg_1)'!='>
    <Cfg_1>true</Cfg_1>
    <CfgParent>Base</CfgParent>
    <Base>true</Base>
  </PropertyGroup>
  <PropertyGroup Condition="('$$(Platform)'=='Win32' and '$(Cfg_1)'=='true') or
'$(Cfg_1_Win32)'!='>
    <Cfg_1_Win32>true</Cfg_1_Win32>
    <CfgParent>Cfg_1</CfgParent>
    <Cfg_1>true</Cfg_1>
    <Base>true</Base>
  </PropertyGroup>
  <PropertyGroup Condition="('$$(Platform)'=='Win64' and '$(Cfg_1)'=='true') or
'$(Cfg_1_Win64)'!='>
    <Cfg_1_Win64>true</Cfg_1_Win64>
    <CfgParent>Cfg_1</CfgParent>
    <Cfg_1>true</Cfg_1>
    <Base>true</Base>
  </PropertyGroup>
  <PropertyGroup Condition="'$(Config)'=='Release' or '$(Cfg_2)'!='>
    <Cfg_2>true</Cfg_2>
    <CfgParent>Base</CfgParent>
    <Base>true</Base>
  </PropertyGroup>

```

```

    </PropertyGroup>
    <PropertyGroup Condition="('$$(Platform)'=='Win32' and '$(Cfg_2)'=='true') or
'$$(Cfg_2_Win32)'!='' ">
        <Cfg_2_Win32>true</Cfg_2_Win32>
        <CfgParent>Cfg_2</CfgParent>
        <Cfg_2>true</Cfg_2>
        <Base>true</Base>
    </PropertyGroup>
    <PropertyGroup Condition="('$$(Platform)'=='Win64' and '$(Cfg_2)'=='true') or
'$$(Cfg_2_Win64)'!='' ">
        <Cfg_2_Win64>true</Cfg_2_Win64>
        <CfgParent>Cfg_2</CfgParent>
        <Cfg_2>true</Cfg_2>
        <Base>true</Base>
    </PropertyGroup>
    <PropertyGroup Condition=" '$(Base)'!='' ">

<VerInfo_Keys>CompanyName=;FileDescription=;FileVersion=1.0.0.0;InternalName=;LegalC
opyright=;LegalTrademarks=;OriginalFilename=;ProductName=;ProductVersion=1.0.0.0;Com
ments=</VerInfo_Keys>
    <VerInfo_Locale>2057</VerInfo_Locale>
    <Icon_MainIcon>$(BDS)\bin\delphi_PROJECTICON.ico</Icon_MainIcon>

<DCC_Namespace>System;Xml;Data;Datanap;Web;Soap;Vcl;Vcl.Imaging;Vcl.Touch;Vcl.Sampl
es;Vcl.Shell;$(DCC_Namespace)</DCC_Namespace>
    <SanitizedProjectName>LCRISample</SanitizedProjectName>
    <DCC_DcuOutput>.\$(Platform)\$(Config)</DCC_DcuOutput>
    <DCC_ExeOutput>.\$(Platform)\$(Config)</DCC_ExeOutput>
    <DCC_E>false</DCC_E>
    <DCC_N>false</DCC_N>
    <DCC_S>false</DCC_S>
    <DCC_F>false</DCC_F>
    <DCC_K>false</DCC_K>
</PropertyGroup>
<PropertyGroup Condition=" '$(Base_Win32)'!='' ">

<UWP_DelphiLogo150>$(BDS)\bin\Artwork\Windows\UWP\delphi_UwpDefault_150.png</UWP_Del
phiLogo150>

<UWP_DelphiLogo44>$(BDS)\bin\Artwork\Windows\UWP\delphi_UwpDefault_44.png</UWP_Delph
iLogo44>
    <DCC_ExeOutput>K:\SafewaterLCRI</DCC_ExeOutput>
    <Manifest_File>$(BDS)\bin\default_app.manifest</Manifest_File>

<DCC_Namespace>Winapi;System.Win;Data.Win;Datanap.Win;Web.Win;Soap.Win;Xml.Win;Bde;
$(DCC_Namespace)</DCC_Namespace>
    <VerInfo_Locale>1033</VerInfo_Locale>
    <VerInfo_IncludeVerInfo>true</VerInfo_IncludeVerInfo>

<DCC_UsePackage>DBXSqliteDriver;dxSkinBlueprintRS24;dxSpreadSheetConditionalFormatti

```

ngDialogsRS24;DBXDb2Driver;dxPSDBTeeChartRS24;dxPSdxGaugeControlLnkRS24;vclactnband;  
dxSpreadSheetRS24;vclFireDAC;dxDockingRS24;tethering;dxSkinVisualStudio2013BlueRS24;  
dxPScxTLLnkRS24;dxBarExtItemsRS24;FireDACADSDriver;dxFireDACServerModeRS24;JvPluginS  
ystem;dxSkinOffice2007BlackRS24;dxPSTeeChartRS24;StatTools524;FireDACMSSQLDriver;vcl  
touch;JvBands;vclldb;Intraweb;svn;JvJans;dxSkinXmas2008BlueRS24;dxSkinscxSchedulerPai  
nterRS24;FlexCel\_Report;dxSkinsdxBarPainterRS24;dxSkinOffice2010BlackRS24;dxADOServe  
rModeRS24;JvDotNetCtrls;dxGDIPlusRS24;VCL\_FlexCel\_Components;dxPSdxDBTVLnkRS24;frx24  
;vclib;dxSkinLilianRS24;MtxCore524;FireDACDBXDriver;dxNavBarRS24;vclx;cxTreeListRS24  
;dxSkinDevExpressDarkStyleRS24;dxtrmdRS24;RESTBackendComponents;dxRibbonRS24;VCLREST  
Components;cxExportRS24;dxSkinOffice2013LightGrayRS24;cxTreeListdxBarPopupMenuRS24;c  
xPivotGridChartRS24;StatCore524;dxTabbedMDIRS24;vclie;dxSkinVisualStudio2013LightRS2  
4;bindengine;CloudService;JvHMI;FireDACMySQLDriver;cxPivotGridOLAPRS24;dxSkinSharpRS  
24;dxSkinBlackRS24;DataSnapClient;dxPSLnksRS24;bindcompdbx;dxSkinCoffeeRS24;IndyIPSe  
rver;DBXSybaseASEDriver;dxSkinsdxRibbonPainterRS24;dxCoreRS24;IndySystem;dxSkinOffic  
e2013DarkGrayRS24;dsnappcon;FireDACMSAccDriver;fmxFireDAC;FireDACInfxDriver;vclimg;Jc  
l;FlexCel\_XlsAdapter;emshosting;dxBarDBNavRS24;dxSkinDarkSideRS24;dxSkinOffice2013Wh  
iteRS24;DBXOdbcDriver;FireDACTDataDriver;FMXTee;dxPScxExtCommonRS24;dxPSdxLCLnkRS24;  
soaprtl;DbxCommonDriver;dxPScxPivotGridLnkRS24;JvManagedThreads;xmlrtl;soapmidas;Dat  
aSnapNativeClient;fmxobj;JvTimeFramework;dxSkinMcSkinRS24;rtl;dxLayoutControlRS24;Db  
xClientDriver;cxGridRS24;DBXSybaseASADriver;dxSkinBlueRS24;CodeSiteExpressPkg;dxSpel  
lCheckerRS24;JvSystem;JvStdCtrls;cxLibraryRS24;dxSkinStardustRS24;dxSkinCaramelRS24;  
appanalytics;dxSkinsCoreRS24;dxDBXServerModeRS24;dxSkinHighContrastRS24;IndyIPClient  
;dxMapControlRS24;bindcompvcl;dxPSdxMapControlLnkRS24;dxSkinTheAsphaltWorldRS24;frxe  
24;TeeUI;cxPageControlRS24;cxEditorsRS24;JvDocking;JvPascalInterpreter;VclSmp;dxSkin  
SevenClassicRS24;dxPsPrVwAdvRS24;FireDACODBCDriver;cxSchedulerRibbonStyleEventEditor  
RS24;FMX\_FlexCel\_Components;JclVcl;DataSnapIndy10ServerTransport;dxSkinPumpkinRS24;M  
txDb524;dxSkinscxPCPainterRS24;dxPSPrVwRibbonRS24;dxSpreadSheetReportDesignerRS24;Da  
taSnapProviderClient;FireDACMongoDBDriver;dxSkinSevenRS24;JvControls;JvPrintPreview;  
dxdborRS24;dxmdsRS24;dxHttpIndyRequestRS24;RESTComponents;DataSnapServerMidias;cxSche  
dulerGridRS24;cxPivotGridRS24;DBXInterBaseDriver;FlexCel\_Pdf;FMX\_FlexCel\_Core;StatSe  
ries524;emsclientfiredac;DataSnapFireDAC;svnu;JvGlobus;dxdbtrRS24;dxSkinMetropolisR  
S24;PwrSave;dxSkinMoneyTwinsRS24;dxPScxPCProdRS24;DBXMSSQLDriver;JvMM;DatanapConnec  
torsFreePascal;dxWizardControlRS24;bindcompfmx;JvNet;dxBarExtDBItemsRS24;DBXOracleDr  
iver;dxPSdxOCLnkRS24;dxPSdxFCLnkRS24;inetdb;JvAppFrm;dxSkinOffice2016ColorfulRS24;cx  
SchedulerTreeBrowserRS24;FmxTeeUI;emsedge;AbbreviaVCLD;FireDACIBDriver;fmx;fmxdae;dx  
SkinSpringTimeRS24;dxSkinValentineRS24;dxSkinLondonLiquidSkyRS24;dxSkinWhiteprintRS2  
4;JvWizards;dbexpress;IndyCore;dxSkiniMaginaryRS24;dxTileControlRS24;JvPageComps;dsn  
ap;emsclient;DataSnapCommon;cxDataRS24;FireDACCommon;dxSkinOffice2007PinkRS24;JvDB;d  
xSkinOffice2016DarkRS24;dxPSdxSpreadSheetLnkRS24;MtxTee524;DataSnapConnectors;dxSkin  
DevExpressStyleRS24;soapserver;JclDeveloperTools;dxOfficeCoreRS24;dxBarRS24;dxSkinMe  
tropolisDarkRS24;FireDACOracleDriver;DBXMySQLDriver;JvCmp;dxPSRichEditControlLnkRS24  
;DBXFirebirdDriver;dxPScxCommonRS24;FireDACCommonODBC;FireDACCommonDriver;dxPSdxPDFV  
iewerLnkRS24;inet;IndyIPCommon;JvCustom;dxSkinVS2010RS24;vcl;JvXPCtrls;dxSkinSharpPl  
usRS24;dxPSdxDBOCLnkRS24;FireDACDb2Driver;dxThemeRS24;dxSkinOffice2007GreenRS24;madE  
xcept\_;madBasic\_;TeeDB;FireDAC;dxPScxVGridLnkRS24;dxPScxGridLnkRS24;JvCore;JvCrypt;F  
ireDACSqliteDriver;FireDACPgDriver;ibmonitor;FireDACASADriver;dxSkinOffice2010BlueRS  
24;MtxVisualizer524;dxServerModeRS24;MtxTools524;JvDlgs;JvRuntimeDesign;FlexCel\_Core  
;ibxpress;Tee;DataSnapServer;ibxbindings;cxSchedulerRS24;vclwinx;FireDACDSDriver;dxS  
kinOffice2007BlueRS24;madDisAsm\_;dxPSCoreRS24;dxSkinsdxDLPainterRS24;frxTee24;Custom  
IPTransport;vcldsnapp;dxSkinGlassOceansRS24;dxRibbonCustomizationFormRS24;dxPScxSched

ulerLnkRS24;dxSkinSummer2008RS24;dxSkinDarkRoomRS24;bindcomp;dxSkinFoggyRS24;FrameVi  
ewerXE9;DBXInformixDriver;dxorgcRS24;dxPDFViewerRS24;dxSkinOffice2010SilverRS24;dxRi  
chEditControlRS24;dxSkinsdxNavBarPainterRS24;dbxcds;VCL\_FlexCel\_Core;adortl;dxSkinSi  
lverRS24;dxSkinVisualStudio2013DarkRS24;dxCommRS24;FlexCel\_Render;cxVerticalGridRS24  
;dxFlowChartRS24;frxDB24;dsnapxml;dbRTL;IndyProtocols;inetdbxpress;dxSkinOffice2007S  
ilverRS24;dxGaugeControlRS24;dxSkinLiquidSkyRS24;JclContainers;fmxase;\$(DCC\_UsePacka  
ge)</DCC\_UsePackage>

<AppDPIAwarenessMode>none</AppDPIAwarenessMode>  
</PropertyGroup>  
<PropertyGroup Condition="'\$(Base\_Win64)'!=''>

<UWP\_DelphiLogo150>\$(BDS)\bin\Artwork\Windows\UWP\delphi\_UwpDefault\_150.png</UWP\_Del  
phiLogo150>

<UWP\_DelphiLogo44>\$(BDS)\bin\Artwork\Windows\UWP\delphi\_UwpDefault\_44.png</UWP\_Delph  
iLogo44>

<DCC\_UsePackage>DBXSqliteDriver;dxSkinBlueprintRS24;dxSpreadSheetConditionalFormatti  
ngDialogsRS24;DBXDb2Driver;dxPSDBTeeChartRS24;dxPSdxGaugeControlLnkRS24;vclactnband;  
dxSpreadSheetRS24;vclFireDAC;dxDockingRS24;tethering;dxSkinVisualStudio2013BlueRS24;  
dxPScxTLLnkRS24;dxBarExtItemsRS24;FireDACADSDriver;dxFireDACServerModeRS24;dxSkinOff  
ice2007BlackRS24;dxPSTeeChartRS24;StatTools524;FireDACMSSQLDriver;vcltouch;vcldb;Int  
raweb;dxSkinXmas2008BlueRS24;dxSkinscxSchedulerPainterRS24;FlexCel\_Report;dxSkinsdxB  
arPainterRS24;dxSkinOffice2010BlackRS24;dxADOServerModeRS24;dxGDIPlusRS24;VCL\_FlexCe  
l\_Components;dxPSdxDBTVLnkRS24;vclib;dxSkinLilianRS24;MtxCore524;FireDACDBXDriver;dx  
NavBarRS24;vclx;cxTreeListRS24;dxSkinDevExpressDarkStyleRS24;dxtrmdRS24;RESTBackendC  
omponents;dxRibbonRS24;VCLRESTComponents;cxExportRS24;dxSkinOffice2013LightGrayRS24;  
cxTreeListdxBarPopupMenuRS24;cxPivotGridChartRS24;StatCore524;dxTabbedMDIRS24;vclie;  
dxSkinVisualStudio2013LightRS24;bindengine;CloudService;FireDACMySQLDriver;cxPivotGr  
idOLAPRS24;dxSkinSharpRS24;dxSkinBlackRS24;DataSnapClient;dxPSLnksRS24;bindcompdbx;d  
xSkinCoffeeRS24;IndyIPServer;DBXSybaseASEDriver;dxSkinsdxRibbonPainterRS24;dxCoreRS2  
4;IndySystem;dxSkinOffice2013DarkGrayRS24;dsnapcon;FireDACMSAccDriver;fmxFireDAC;Fir  
eDACInfxDriver;vclimg;FlexCel\_XlsAdapter;emshosting;dxBarDBNavRS24;dxSkinDarkSideRS2  
4;dxSkinOffice2013WhiteRS24;DBXOdbcDriver;FireDACDataDriver;FMXTee;dxPScxExtCommonR  
S24;dxPSdxLCLnkRS24;soaprtl;DbxCommonDriver;dxPScxPivotGridLnkRS24;xmlrtl;soapmidas;  
DataSnapNativeClient;fmxobj;dxSkinMcSkinRS24;rtl;dxLayoutControlRS24;DbxClientDriver  
;cxGridRS24;DBXSybaseASADriver;dxSkinBlueRS24;dxSpellCheckerRS24;cxLibraryRS24;dxSki  
nStardustRS24;dxSkinCaramelRS24;appanalytics;dxSkinsCoreRS24;dxDBXServerModeRS24;dxS  
kinHighContrastRS24;IndyIPClient;dxMapControlRS24;bindcompvcl;dxPSdxMapControlLnkRS2  
4;dxSkinTheAsphaltWorldRS24;TeeUI;cxPageControlRS24;cxEditorsRS24;VclSmp;dxSkinSeven  
ClassicRS24;dxPsPrVwAdvRS24;FireDACODBCDriver;cxSchedulerRibbonStyleEventEditorRS24;  
FMX\_FlexCel\_Components;DataSnapIndy10ServerTransport;dxSkinPumpkinRS24;MtxDb524;dxSk  
inscxPCPainterRS24;dxPSPrVwRibbonRS24;dxSpreadSheetReportDesignerRS24;DataSnapProvid  
erClient;FireDACMongoDBDriver;dxSkinSevenRS24;dxdborRS24;dxmdsRS24;dxHttpIndyRequest  
RS24;RESTComponents;DataSnapServerMidas;cxSchedulerGridRS24;cxPivotGridRS24;DBXInter  
BaseDriver;FlexCel\_Pdf;FMX\_FlexCel\_Core;StatSeries524;emscclientfiredac;DataSnapFired  
AC;dxdbtrRS24;dxSkinMetropolisRS24;dxSkinMoneyTwinsRS24;dxPScxPCProdRS24;DBXMSSQLDri  
ver;DatanapConnectorsFreePascal;dxWizardControlRS24;bindcompfmx;dxBarExtDBItemsRS24  
;DBXOracleDriver;dxPSdxOCLnkRS24;dxPSdxFCLnkRS24;inetdb;dxSkinOffice2016ColorfulRS24  
;cxSchedulerTreeBrowserRS24;FmxTeeUI;emsedge;AbbreviaVCLD;FireDACIBDriver;fmx;fmxdae

;dxSkinSpringTimeRS24;dxSkinValentineRS24;dxSkinLondonLiquidSkyRS24;dxSkinWhiteprintRS24;dbexpress;IndyCore;dxSkiniMaginaryRS24;dxTileControlRS24;dsnap;emsclient;DataSnapCommon;cxDataRS24;FireDACCommon;dxSkinOffice2007PinkRS24;dxSkinOffice2016DarkRS24;dxPSdxSpreadSheetLnkRS24;MtxTee524;DataSnapConnectors;dxSkinDevExpressStyleRS24;soapserver;dxOfficeCoreRS24;dxBarRS24;dxSkinMetropolisDarkRS24;FireDACOracleDriver;DBXMySQLDriver;dxPSRichEditControlLnkRS24;DBXFirebirdDriver;dxPScxCommonRS24;FireDACCommonODBC;FireDACCommonDriver;dxPSdxPDFViewerLnkRS24;inet;IndyIPCommon;dxSkinVS2010RS24;vcl;dxSkinSharpPlusRS24;dxPSdxDBOCLnkRS24;FireDACDb2Driver;dxThemeRS24;dxSkinOffice2007GreenRS24;TeeDB;FireDAC;dxPScxVGridLnkRS24;dxPScxGridLnkRS24;FireDACSqliteDriver;FireDACPgDriver;ibmonitor;FireDACASADriver;dxSkinOffice2010BlueRS24;dxServerModeRS24;MtxTools524;FlexCel\_Core;ibxpress;Tee;DataSnapServer;ibxbindings;cxSchedulerRS24;vclwinx;FireDACDSDriver;dxSkinOffice2007BlueRS24;dxPSCoreRS24;dxSkinsdxDLPainterRS24;CustomIPTransport;vcldsnap;dxSkinGlassOceansRS24;dxRibbonCustomizationFormRS24;dxPScxSchedulerLnkRS24;dxSkinSummer2008RS24;dxSkinDarkRoomRS24;bindcomp;dxSkinFoggyRS24;DBXInformixDriver;dxorgcRS24;dxPDFViewerRS24;dxSkinOffice2010SilverRS24;dxRichEditControlRS24;dxSkinsdxNavBarPainterRS24;dbxcds;VCL\_FlexCel\_Core;adortl;dxSkinSilverRS24;dxSkinVisualStudio2013DarkRS24;dxComnRS24;FlexCel\_Render;cxVerticalGridRS24;dxFlowChartRS24;dsnapxml;dbRTL;IndyProtocols;inetdbxpress;dxSkinOffice2007SilverRS24;dxGaugeControlRS24;dxSkinLiquidSkyRS24;fmxcse;\$(DCC\_UsePackage)</DCC\_UsePackage>

<DCC\_Namespace>Winapi;System.Win;Data.Win;DataSnap.Win;Web.Win;Soap.Win;Xml.Win;\$(DCC\_Namespace)</DCC\_Namespace>

<BT\_BuildType>Debug</BT\_BuildType>

<VerInfo\_IncludeVerInfo>true</VerInfo\_IncludeVerInfo>

<VerInfo\_Keys>CompanyName=;FileDescription=\$(MSBuildProjectName);FileVersion=1.0.0.0;InternalName=;LegalCopyright=;LegalTrademarks=;OriginalFilename=;ProgramID=com.embarcadero.\$(MSBuildProjectName);ProductName=\$(MSBuildProjectName);ProductVersion=1.0.0.0;Comments=</VerInfo\_Keys>

<VerInfo\_Locale>1033</VerInfo\_Locale>

<Manifest\_File>\$(BDS)\bin\default\_app.manifest</Manifest\_File>

<DCC\_ExeOutput>K:\SafewaterLCRI</DCC\_ExeOutput>

<AppDPIAwarenessMode>none</AppDPIAwarenessMode>

</PropertyGroup>

<PropertyGroup Condition="'\$(Cfg\_1)'!=''>

<DCC\_Define>DEBUG;\$(DCC\_Define)</DCC\_Define>

<DCC\_DebugDCUs>true</DCC\_DebugDCUs>

<DCC\_Optimize>>false</DCC\_Optimize>

<DCC\_GenerateStackFrames>true</DCC\_GenerateStackFrames>

<DCC\_DebugInfoInExe>true</DCC\_DebugInfoInExe>

<DCC\_RemoteDebug>true</DCC\_RemoteDebug>

</PropertyGroup>

<PropertyGroup Condition="'\$(Cfg\_1\_Win32)'!=''>

<BT\_BuildType>Debug</BT\_BuildType>

<DCC\_RangeChecking>true</DCC\_RangeChecking>

<VerInfo\_Locale>1033</VerInfo\_Locale>

<DCC\_ExeOutput>K:\SafewaterLCRI</DCC\_ExeOutput>

<VerInfo\_IncludeVerInfo>true</VerInfo\_IncludeVerInfo>

<DCC\_RemoteDebug>>false</DCC\_RemoteDebug>

<AppDPIAwarenessMode>PerMonitor</AppDPIAwarenessMode>

```

</PropertyGroup>
<PropertyGroup Condition="'$(Cfg_1_Win64)'!=''">
  <AppDPIAwarenessMode>PerMonitorV2</AppDPIAwarenessMode>
  <VerInfo_IncludeVerInfo>true</VerInfo_IncludeVerInfo>
  <VerInfo_Locale>1033</VerInfo_Locale>

<VerInfo_Keys>CompanyName=;FileDescription=$(MSBuildProjectName);FileVersion=1.0.0.0
;InternalName=;LegalCopyright=;LegalTrademarks=;OriginalFilename=;ProgramID=com.emba
rcadero.$(MSBuildProjectName);ProductName=$(MSBuildProjectName);ProductVersion=1.0.0
.0;Comments=</VerInfo_Keys>
</PropertyGroup>
<PropertyGroup Condition="'$(Cfg_2)'!=''">
  <DCC_LocalDebugSymbols>false</DCC_LocalDebugSymbols>
  <DCC_Define>RELEASE;$(DCC_Define)</DCC_Define>
  <DCC_SymbolReferenceInfo>0</DCC_SymbolReferenceInfo>
  <DCC_DebugInformation>0</DCC_DebugInformation>
</PropertyGroup>
<PropertyGroup Condition="'$(Cfg_2_Win32)'!=''">
  <DCC_ExeOutput>K:\SafewaterLCRI</DCC_ExeOutput>
  <VerInfo_Locale>1033</VerInfo_Locale>
  <VerInfo_IncludeVerInfo>true</VerInfo_IncludeVerInfo>
  <BT_BuildType>Debug</BT_BuildType>
  <AppDPIAwarenessMode>PerMonitor</AppDPIAwarenessMode>
</PropertyGroup>
<PropertyGroup Condition="'$(Cfg_2_Win64)'!=''">
  <AppDPIAwarenessMode>PerMonitorV2</AppDPIAwarenessMode>
  <DCC_ExeOutput>K:\SafewaterLCRI</DCC_ExeOutput>
  <VerInfo_IncludeVerInfo>true</VerInfo_IncludeVerInfo>
  <VerInfo_Locale>1033</VerInfo_Locale>

<VerInfo_Keys>CompanyName=;FileDescription=$(MSBuildProjectName);FileVersion=1.0.0.0
;InternalName=;LegalCopyright=;LegalTrademarks=;OriginalFilename=;ProgramID=com.emba
rcadero.$(MSBuildProjectName);ProductName=$(MSBuildProjectName);ProductVersion=1.0.0
.0;Comments=</VerInfo_Keys>
</PropertyGroup>
<ItemGroup>
  <DelphiCompile Include="$(MainSource)">
    <MainSource>MainSource</MainSource>
  </DelphiCompile>
  <DCCReference Include="..\codeLCRR\LCRConfig.pas"/>
  <DCCReference Include="..\codeLCRR\LCRGlobals.pas"/>
  <DCCReference Include="..\codeLCRR\BigIni.pas"/>
  <DCCReference Include="..\codeLCRR\CCTCostEquations.pas"/>
  <DCCReference Include="PWSReplicator.pas"/>
  <DCCReference Include="..\codeLCRR\VLSSystemData.pas"/>
  <DCCReference Include="..\codeLCRR\LCRCostVars.pas"/>
  <DCCReference Include="..\codeLCRR\StateSchoolSampData.pas"/>
  <DCCReference Include="..\codeLCRR\LCRCompiledCost.pas"/>
  <DCCReference Include="PWS_Sample_Bins.pas"/>
  <DCCReference Include="..\codeLCRR\CostingSteps.pas"/>

```

```

<DCCReference Include="..\codeLCRR\SafewaterCalcDist.pas"/>
<DCCReference Include="..\codeLCRR\CalcDistSpecFun.pas"/>
<DCCReference Include="..\codeLCRR\SafewaterUncertBucket.pas"/>
<DCCReference Include="frmMain.pas">
  <Form>Form1</Form>
  <FormType>dfm</FormType>
</DCCReference>
<DCCReference Include="J:\MathParser\Components\Parser.pas"/>
<DCCReference Include="CSVSample.pas"/>
<DCCReference Include="..\codeLCRR\VLSSystemEntryPoints.pas"/>
<DCCReference Include="..\codeLCRR\LCRAggregationConsts.pas"/>
<BuildConfiguration Include="Base">
  <Key>Base</Key>
</BuildConfiguration>
<BuildConfiguration Include="Debug">
  <Key>Cfg_1</Key>
  <CfgParent>Base</CfgParent>
</BuildConfiguration>
<BuildConfiguration Include="Release">
  <Key>Cfg_2</Key>
  <CfgParent>Base</CfgParent>
</BuildConfiguration>
</ItemGroup>
<ProjectExtensions>
  <Borland.Personality>Delphi.Personality.12</Borland.Personality>
  <Borland.ProjectType>Application</Borland.ProjectType>
  <BorlandProject>
    <Delphi.Personality>
      <Source>
        <Source Name="MainSource">LCRISample.dpr</Source>
      </Source>
      <Excluded_Packages>
        <Excluded_Packages Name="$(BDSBIN)\dcloffice2k280.bpl">Microsoft
Office 2000 Sample Automation Server Wrapper Components</Excluded_Packages>
        <Excluded_Packages Name="$(BDSBIN)\dclofficexp280.bpl">Microsoft
Office XP Sample Automation Server Wrapper Components</Excluded_Packages>
      </Excluded_Packages>
    </Delphi.Personality>
    <Deployment Version="4">
      <DeployFile LocalName="K:\SafewaterLCR4\LCRISample.exe"
Configuration="Debug" Class="ProjectOutput"/>
      <DeployFile LocalName="K:\SafewaterLCRI\LCRISample.exe"
Configuration="Debug" Class="ProjectOutput">
        <Platform Name="Win64">
          <RemoteName>LCRISample.exe</RemoteName>
          <Overwrite>true</Overwrite>
        </Platform>
      </DeployFile>
      <DeployFile LocalName="K:\SafewaterLCRI\LCRISample.exe"
Configuration="Release" Class="ProjectOutput">

```

```

        <Platform Name="Win32">
            <RemoteName>LCRISample.exe</RemoteName>
            <Overwrite>true</Overwrite>
        </Platform>
    </DeployFile>
    <DeployFile LocalName="K:\SafewaterLCRI\LCRISample.rsm"
Configuration="Debug" Class="DebugSymbols">
        <Platform Name="Win64">
            <RemoteName>LCRISample.rsm</RemoteName>
            <Overwrite>true</Overwrite>
        </Platform>
    </DeployFile>
    <DeployClass Name="AdditionalDebugSymbols">
        <Platform Name="iOS Simulator">
            <Operation>1</Operation>
        </Platform>
        <Platform Name="OSX32">
            <RemoteDir>Contents\MacOS</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Win32">
            <Operation>0</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="AndroidClasses">
        <Platform Name="Android">
            <RemoteDir>classes</RemoteDir>
            <Operation>64</Operation>
        </Platform>
        <Platform Name="Android64">
            <RemoteDir>classes</RemoteDir>
            <Operation>64</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="AndroidFileProvider">
        <Platform Name="Android">
            <RemoteDir>res\xml</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Android64">
            <RemoteDir>res\xml</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="AndroidGDBServer">
        <Platform Name="Android">
            <RemoteDir>library\lib\armeabi-v7a</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>

```



```
<DeployClass Name="AndroidLibnativeArmeabiFile">
  <Platform Name="Android">
    <RemoteDir>library\lib\armeabi</RemoteDir>
    <Operation>1</Operation>
  </Platform>
  <Platform Name="Android64">
    <RemoteDir>library\lib\armeabi</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="AndroidLibnativeArmeabiv7aFile">
  <Platform Name="Android64">
    <RemoteDir>library\lib\armeabi-v7a</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="AndroidLibnativeMipsFile">
  <Platform Name="Android">
    <RemoteDir>library\lib\mips</RemoteDir>
    <Operation>1</Operation>
  </Platform>
  <Platform Name="Android64">
    <RemoteDir>library\lib\mips</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="AndroidServiceOutput">
  <Platform Name="Android">
    <RemoteDir>library\lib\armeabi-v7a</RemoteDir>
    <Operation>1</Operation>
  </Platform>
  <Platform Name="Android64">
    <RemoteDir>library\lib\arm64-v8a</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="AndroidServiceOutput_Android32">
  <Platform Name="Android64">
    <RemoteDir>library\lib\armeabi-v7a</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="AndroidSplashImageDef">
  <Platform Name="Android">
    <RemoteDir>res\drawable</RemoteDir>
    <Operation>1</Operation>
  </Platform>
  <Platform Name="Android64">
    <RemoteDir>res\drawable</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
```

```

        </Platform>
    </DeployClass>
    <DeployClass Name="AndroidSplashStyles">
        <Platform Name="Android">
            <RemoteDir>res\values</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Android64">
            <RemoteDir>res\values</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="AndroidSplashStylesV21">
        <Platform Name="Android">
            <RemoteDir>res\values-v21</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Android64">
            <RemoteDir>res\values-v21</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="Android_Colors">
        <Platform Name="Android">
            <RemoteDir>res\values</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Android64">
            <RemoteDir>res\values</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="Android_DefaultAppIcon">
        <Platform Name="Android">
            <RemoteDir>res\drawable</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Android64">
            <RemoteDir>res\drawable</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="Android_LauncherIcon144">
        <Platform Name="Android">
            <RemoteDir>res\drawable-xxhdpi</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Android64">
            <RemoteDir>res\drawable-xxhdpi</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>

```

```

        </Platform>
    </DeployClass>
    <DeployClass Name="Android_LauncherIcon192">
        <Platform Name="Android">
            <RemoteDir>res\drawable-xxxhdpi</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Android64">
            <RemoteDir>res\drawable-xxxhdpi</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="Android_LauncherIcon36">
        <Platform Name="Android">
            <RemoteDir>res\drawable-ldpi</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Android64">
            <RemoteDir>res\drawable-ldpi</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="Android_LauncherIcon48">
        <Platform Name="Android">
            <RemoteDir>res\drawable-mdpi</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Android64">
            <RemoteDir>res\drawable-mdpi</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="Android_LauncherIcon72">
        <Platform Name="Android">
            <RemoteDir>res\drawable-hdpi</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Android64">
            <RemoteDir>res\drawable-hdpi</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="Android_LauncherIcon96">
        <Platform Name="Android">
            <RemoteDir>res\drawable-xhdpi</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Android64">
            <RemoteDir>res\drawable-xhdpi</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>

```

```

        </Platform>
    </DeployClass>
    <DeployClass Name="Android_NotificationIcon24">
        <Platform Name="Android">
            <RemoteDir>res\drawable-mdpi</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Android64">
            <RemoteDir>res\drawable-mdpi</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="Android_NotificationIcon36">
        <Platform Name="Android">
            <RemoteDir>res\drawable-hdpi</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Android64">
            <RemoteDir>res\drawable-hdpi</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="Android_NotificationIcon48">
        <Platform Name="Android">
            <RemoteDir>res\drawable-xhdpi</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Android64">
            <RemoteDir>res\drawable-xhdpi</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="Android_NotificationIcon72">
        <Platform Name="Android">
            <RemoteDir>res\drawable-xxhdpi</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Android64">
            <RemoteDir>res\drawable-xxhdpi</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="Android_NotificationIcon96">
        <Platform Name="Android">
            <RemoteDir>res\drawable-xxxhdpi</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Android64">
            <RemoteDir>res\drawable-xxxhdpi</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>

```

```

        </Platform>
    </DeployClass>
    <DeployClass Name="Android_SplashImage426">
        <Platform Name="Android">
            <RemoteDir>res\drawable-small</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Android64">
            <RemoteDir>res\drawable-small</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="Android_SplashImage470">
        <Platform Name="Android">
            <RemoteDir>res\drawable-normal</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Android64">
            <RemoteDir>res\drawable-normal</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="Android_SplashImage640">
        <Platform Name="Android">
            <RemoteDir>res\drawable-large</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Android64">
            <RemoteDir>res\drawable-large</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="Android_SplashImage960">
        <Platform Name="Android">
            <RemoteDir>res\drawable-xlarge</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Android64">
            <RemoteDir>res\drawable-xlarge</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="Android_Strings">
        <Platform Name="Android">
            <RemoteDir>res\values</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Android64">
            <RemoteDir>res\values</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>

```

```
    </Platform>
  </DeployClass>
  <DeployClass Name="DebugSymbols">
    <Platform Name="iOSSimulator">
      <Operation>1</Operation>
    </Platform>
    <Platform Name="OSX32">
      <RemoteDir>Contents\MacOS</RemoteDir>
      <Operation>1</Operation>
    </Platform>
    <Platform Name="Win32">
      <Operation>0</Operation>
    </Platform>
  </DeployClass>
  <DeployClass Name="DependencyFramework">
    <Platform Name="OSX32">
      <RemoteDir>Contents\MacOS</RemoteDir>
      <Operation>1</Operation>
      <Extensions>.framework</Extensions>
    </Platform>
    <Platform Name="OSX64">
      <RemoteDir>Contents\MacOS</RemoteDir>
      <Operation>1</Operation>
      <Extensions>.framework</Extensions>
    </Platform>
    <Platform Name="OSXARM64">
      <RemoteDir>Contents\MacOS</RemoteDir>
      <Operation>1</Operation>
      <Extensions>.framework</Extensions>
    </Platform>
    <Platform Name="Win32">
      <Operation>0</Operation>
    </Platform>
  </DeployClass>
  <DeployClass Name="DependencyModule">
    <Platform Name="iOSDevice32">
      <Operation>1</Operation>
      <Extensions>.dylib</Extensions>
    </Platform>
    <Platform Name="iOSDevice64">
      <Operation>1</Operation>
      <Extensions>.dylib</Extensions>
    </Platform>
    <Platform Name="iOSSimARM64">
      <Operation>1</Operation>
      <Extensions>.dylib</Extensions>
    </Platform>
    <Platform Name="OSX32">
      <RemoteDir>Contents\MacOS</RemoteDir>
      <Operation>1</Operation>
```

```

        <Extensions>.dylib</Extensions>
    </Platform>
    <Platform Name="OSX64">
        <RemoteDir>Contents\MacOS</RemoteDir>
        <Operation>1</Operation>
        <Extensions>.dylib</Extensions>
    </Platform>
    <Platform Name="OSXARM64">
        <RemoteDir>Contents\MacOS</RemoteDir>
        <Operation>1</Operation>
        <Extensions>.dylib</Extensions>
    </Platform>
    <Platform Name="Win32">
        <Operation>0</Operation>
        <Extensions>.dll;.bpl</Extensions>
    </Platform>
</DeployClass>
<DeployClass Required="true" Name="DependencyPackage">
    <Platform Name="iOSDevice32">
        <Operation>1</Operation>
        <Extensions>.dylib</Extensions>
    </Platform>
    <Platform Name="iOSDevice64">
        <Operation>1</Operation>
        <Extensions>.dylib</Extensions>
    </Platform>
    <Platform Name="iOSSimARM64">
        <Operation>1</Operation>
        <Extensions>.dylib</Extensions>
    </Platform>
    <Platform Name="OSX32">
        <RemoteDir>Contents\MacOS</RemoteDir>
        <Operation>1</Operation>
        <Extensions>.dylib</Extensions>
    </Platform>
    <Platform Name="OSX64">
        <RemoteDir>Contents\MacOS</RemoteDir>
        <Operation>1</Operation>
        <Extensions>.dylib</Extensions>
    </Platform>
    <Platform Name="OSXARM64">
        <RemoteDir>Contents\MacOS</RemoteDir>
        <Operation>1</Operation>
        <Extensions>.dylib</Extensions>
    </Platform>
    <Platform Name="Win32">
        <Operation>0</Operation>
        <Extensions>.bpl</Extensions>
    </Platform>
</DeployClass>

```

```

<DeployClass Name="File">
  <Platform Name="Android">
    <Operation>0</Operation>
  </Platform>
  <Platform Name="Android64">
    <Operation>0</Operation>
  </Platform>
  <Platform Name="iOSDevice32">
    <Operation>0</Operation>
  </Platform>
  <Platform Name="iOSDevice64">
    <Operation>0</Operation>
  </Platform>
  <Platform Name="ioSSimARM64">
    <Operation>0</Operation>
  </Platform>
  <Platform Name="OSX32">
    <RemoteDir>Contents\Resources\StartUp\</RemoteDir>
    <Operation>0</Operation>
  </Platform>
  <Platform Name="OSX64">
    <RemoteDir>Contents\Resources\StartUp\</RemoteDir>
    <Operation>0</Operation>
  </Platform>
  <Platform Name="OSXARM64">
    <RemoteDir>Contents\Resources\StartUp\</RemoteDir>
    <Operation>0</Operation>
  </Platform>
  <Platform Name="Win32">
    <Operation>0</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="ProjectAndroidManifest">
  <Platform Name="Android">
    <Operation>1</Operation>
  </Platform>
  <Platform Name="Android64">
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="ProjectOSXDebug">
  <Platform Name="OSX64">

<RemoteDir>..\$(PROJECTNAME).app.dSYM\Contents\Resources\DWARF</RemoteDir>
  <Operation>1</Operation>
</Platform>
  <Platform Name="OSXARM64">

<RemoteDir>..\$(PROJECTNAME).app.dSYM\Contents\Resources\DWARF</RemoteDir>
  <Operation>1</Operation>

```



```

        </Platform>
    </DeployClass>
    <DeployClass Name="ProjectOSXEntitlements">
        <Platform Name="OSX32">
            <RemoteDir>..\</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="OSX64">
            <RemoteDir>..\</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="OSXARM64">
            <RemoteDir>..\</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="ProjectOSXInfoPList">
        <Platform Name="OSX32">
            <RemoteDir>Contents</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="OSX64">
            <RemoteDir>Contents</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="OSXARM64">
            <RemoteDir>Contents</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="ProjectOSXResource">
        <Platform Name="OSX32">
            <RemoteDir>Contents\Resources</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="OSX64">
            <RemoteDir>Contents\Resources</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="OSXARM64">
            <RemoteDir>Contents\Resources</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Required="true" Name="ProjectOutput">
        <Platform Name="Android">
            <RemoteDir>library\lib\armeabi-v7a</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Android64">

```

```

        <RemoteDir>library\lib\arm64-v8a</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSDevice32">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSDevice64">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSSimARM64">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Linux64">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="OSX32">
        <RemoteDir>Contents\MacOS</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="OSX64">
        <RemoteDir>Contents\MacOS</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="OSXARM64">
        <RemoteDir>Contents\MacOS</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Win32">
        <Operation>0</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="ProjectOutput_Android32">
    <Platform Name="Android64">
        <RemoteDir>library\lib\armeabi-v7a</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="ProjectUWPManifest">
    <Platform Name="Win32">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="Win64">
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="ProjectiOSDeviceDebug">
    <Platform Name="iOSDevice32">
        <RemoteDir>..\$(PROJECTNAME).app.dSYM\Contents\Resources\DWARF</RemoteDir>
        <Operation>1</Operation>
    </Platform>

```

```

        </Platform>
        <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).app.dSYM\Contents\Resources\DWARF</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSSimARM64">

<RemoteDir>..\$(PROJECTNAME).app.dSYM\Contents\Resources\DWARF</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="ProjectiOSEntitlements">
    <Platform Name="iOSDevice32">
        <RemoteDir>..\</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSDevice64">
        <RemoteDir>..\</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSSimARM64">
        <RemoteDir>..\</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="ProjectiOSInfoPList">
    <Platform Name="iOSDevice32">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSDevice64">
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSSimARM64">
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="ProjectiOSLaunchScreen">
    <Platform Name="iOSDevice64">
        <RemoteDir>..\$(PROJECTNAME).launchscreen</RemoteDir>
        <Operation>64</Operation>
    </Platform>
    <Platform Name="iOSSimARM64">
        <RemoteDir>..\$(PROJECTNAME).launchscreen</RemoteDir>
        <Operation>64</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="ProjectiOSResource">
    <Platform Name="iOSDevice32">
        <Operation>1</Operation>

```

```

        </Platform>
        <Platform Name="iOSDevice64">
            <Operation>1</Operation>
        </Platform>
        <Platform Name="ioSSimARM64">
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="UWP_DelphiLogo150">
        <Platform Name="Win32">
            <RemoteDir>Assets</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Win64">
            <RemoteDir>Assets</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="UWP_DelphiLogo44">
        <Platform Name="Win32">
            <RemoteDir>Assets</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="Win64">
            <RemoteDir>Assets</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="iOS_AppStore1024">
        <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="ioSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="iPad_AppIcon152">
        <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
            <Operation>1</Operation>
        </Platform>
        <Platform Name="ioSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
            <Operation>1</Operation>

```

```

        </Platform>
    </DeployClass>
    <DeployClass Name="iPad_AppIcon167">
        <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="ioSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
    <DeployClass Name="iPad_Launch2x">
        <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\LaunchScreenImage.imageset</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="ioSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\LaunchScreenImage.imageset</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
    <DeployClass Name="iPad_LaunchDark2x">
        <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\LaunchScreenImage.imageset</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="ioSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\LaunchScreenImage.imageset</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
    <DeployClass Name="iPad_Notification40">
        <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="ioSSimARM64">

```

```
<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="iPad_Setting58">
  <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
    <Operation>1</Operation>
  </Platform>
  <Platform Name="ioSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="iPad_SpotLight80">
  <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
    <Operation>1</Operation>
  </Platform>
  <Platform Name="ioSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="iPhone_AppIcon120">
  <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
    <Operation>1</Operation>
  </Platform>
  <Platform Name="ioSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
    <Operation>1</Operation>
  </Platform>
</DeployClass>
<DeployClass Name="iPhone_AppIcon180">
  <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
    <Operation>1</Operation>
  </Platform>
  <Platform Name="ioSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
    <Operation>1</Operation>
```

```

        </Platform>
    </DeployClass>
    <DeployClass Name="iPhone_Launch2x">
        <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\LaunchScreenImage.imageset</RemoteDir>

            <Operation>1</Operation>
        </Platform>
        <Platform Name="iOSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\LaunchScreenImage.imageset</RemoteDir>

            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="iPhone_Launch3x">
        <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\LaunchScreenImage.imageset</RemoteDir>

            <Operation>1</Operation>
        </Platform>
        <Platform Name="iOSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\LaunchScreenImage.imageset</RemoteDir>

            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="iPhone_LaunchDark2x">
        <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\LaunchScreenImage.imageset</RemoteDir>

            <Operation>1</Operation>
        </Platform>
        <Platform Name="iOSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\LaunchScreenImage.imageset</RemoteDir>

            <Operation>1</Operation>
        </Platform>
    </DeployClass>
    <DeployClass Name="iPhone_LaunchDark3x">
        <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\LaunchScreenImage.imageset</RemoteDir>

            <Operation>1</Operation>

```

```

        </Platform>
        <Platform Name="iOSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\LaunchScreenImage.imageset</RemoteDir>
    <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="iPhone_Notification40">
    <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
    <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
    <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="iPhone_Notification60">
    <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
    <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
    <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="iPhone_Setting58">
    <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
    <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
    <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="iPhone_Setting87">
    <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
    <Operation>1</Operation>
    </Platform>

```



```

        <Platform Name="iOSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="iPhone_Spotlight120">
    <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<DeployClass Name="iPhone_Spotlight80">
    <Platform Name="iOSDevice64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
        <Operation>1</Operation>
    </Platform>
    <Platform Name="iOSSimARM64">

<RemoteDir>..\$(PROJECTNAME).launchscreen\Assets\AppIcon.appiconset</RemoteDir>
        <Operation>1</Operation>
    </Platform>
</DeployClass>
<ProjectRoot Platform="Android" Name="$(PROJECTNAME)"/>
<ProjectRoot Platform="Android64" Name="$(PROJECTNAME)"/>
<ProjectRoot Platform="iOSDevice32" Name="$(PROJECTNAME).app"/>
<ProjectRoot Platform="iOSDevice64" Name="$(PROJECTNAME).app"/>
<ProjectRoot Platform="iOSSimARM64" Name="$(PROJECTNAME).app"/>
<ProjectRoot Platform="iOSSimulator" Name="$(PROJECTNAME).app"/>
<ProjectRoot Platform="Linux64" Name="$(PROJECTNAME)"/>
<ProjectRoot Platform="OSX32" Name="$(PROJECTNAME).app"/>
<ProjectRoot Platform="OSX64" Name="$(PROJECTNAME).app"/>
<ProjectRoot Platform="OSXARM64" Name="$(PROJECTNAME).app"/>
<ProjectRoot Platform="Win32" Name="$(PROJECTNAME)"/>
<ProjectRoot Platform="Win64" Name="$(PROJECTNAME)"/>
</Deployment>
<Platforms>
    <Platform value="Win32">True</Platform>
    <Platform value="Win64">True</Platform>
</Platforms>
<ModelSupport>False</ModelSupport>
</BorlandProject>
<ProjectFileVersion>12</ProjectFileVersion>

```

```
</ProjectExtensions>
  <Import Project="$(BDS)\Bin\CodeGear.Delphi.Targets"
Condition="Exists('$(BDS)\Bin\CodeGear.Delphi.Targets')"/>
  <Import
Project="$(APPDATA)\Embarcadero\$(BDSAPPDATABASEDIR)\$(PRODUCTVERSION)\UserTools.proj"
Condition="Exists('$(APPDATA)\Embarcadero\$(BDSAPPDATABASEDIR)\$(PRODUCTVERSION)\UserTools.proj')"/>
  <Import Project="$(MSBuildProjectName).deployproj"
Condition="Exists('$(MSBuildProjectName).deployproj')"/>
</Project>
```