

Municipality/Organization: Town of Atkinson

EPA NPDES Permit Number: NHR041002

MassDEP Transmittal Number: W-

Annual Report Number Year 8

& Reporting Period: April 1, 2010 – March 31, 2011

NPDES PII Small MS4 General Permit Annual Report

Part I. General Information

Contact Person: Edward A. Stewart

Title: Road Agent

Telephone #: (603) 362-4010

Email: RoadAgent@Atkinson-NH.Gov

Mailing Address: 21 Academy Ave. Atkinson, NH 03811

Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature: Edward A. Stewart

Printed Name: Edward A. Stewart

Title: Road Agent

Date: 5/18/2011

Part II. Self-Assessment

2010 was a trying year for stormwater management; Atkinson experienced minor flooding during the March rains. We lost one section of roadway on Millstream Drive. Due to a beaver dam failing up stream. Atkinson also experienced minor flooding throughout town. We investigated and found most of the failures were due to debris floating downstream and blocking the entrance to culverts. Once the water receded it was fairly simple to remove the debris and check upstream for possible future problems. Atkinson also continued its B.M.P. Such as catch basin cleaning, and jet cleaning culverts, maintaining ditch lines, and keeping up with shoulder repairs. We also continued our B.M.P.'s for winter maintenance, we only use sand on gravel roadways (less than ½ mile) and during ice storms we actually used less than fifty yards of winter sand. Atkinson also has some of the most restrictive wetland regulations, in the state with an active conservation commission, planning board, and inspection department. I feel very secure there is a strong safety net against polluters and thoughtless neighbors.

Part III. Summary of Minimum Control Measures

1. Public Education and Outreach

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 8 (Reliance on non-municipal partners indicated, if any)	Planned Activities
Revised	2 Annual newsletters from Town of Atkinson	Highway Dept.	Reach as many residents as possible		
Revised	1 Annual newsletter from Hampstead Area Water Company	Hampstead Area Water Company	Reach as many customers as possible		
Revised	Local Cable Company	Atkinson Cable Channel	Reach as many residents as possible		
Revised	Annual Town Report	Highway Dept.	Reach as many residents as possible		
Revised					
Revised					

1a. Additions

3. Illicit Discharge Detection and Elimination

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 8 (Reliance on non-municipal partners indicated, if any)	Planned Activities
	Semi-annual inspection of culverts and catch basins	Highway Dept.			
Revised					
	Conductivity testing of large bodies of water	Big Island Pond Association	Determine sodium chloride levels		
Revised					
	Local code enforcement	Building Inspection Dept.	Insures proper site controls are in place and maintained		
Revised					
	Local Health Officer	Building Inspection Dept.	Insures proper installation of septic systems and wells. Also responsible to resolve failed systems		
Revised					
	Full-time police patrol	Police Dept.	Detecting illegally dumped products		
Revised					
	Fire Dept. Hazardous Substance training	Fire Dept / Southern NH regional hazardous material response team	Control contamination at spill sites and supervise site clean-up		
Revised					

3a. Additions

2. Public Involvement and Participation

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 8 (Reliance on non-municipal partners indicated, if any)	Planned Activities
	Atkinson Clean-up days	Recreation & Highway	Cleans sides of roadways and public areas	Local scout troops (boys & girls) Local families	
Revised					
	2 Household Hazardous Waste Collections	Highway Dept.	Amount of hazardous waste collected	Outside company collects waste while tow publicizes and facilitates	
Revised					
	Adopt a highway	NH DOT	Local companies clean sides of 121		
Revised					
Revised					
Revised					

2a. Additions

4. Construction Site Stormwater Runoff Control

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 8 (Reliance on non-municipal partners indicated, if any)	Planned Activities
	Planning Board over-site for new projects	Planning Board	Approval of plans meeting state stormwater management guidelines		
Revised					
	On-site review and inspection	Town Engineering company	Ensure proper installation and maintenance of stormwater control devices		
Revised					
	Periodic on-site visits by road agent	Highway Dept.	Deter improper practices between engineers inspections		
Revised					
	Planning Board review of applicable regulations	Planning Board	Maintain highest level of regulations		
Revised					
Revised					
Revised					

4a. Additions

5. Post-Construction Stormwater Management in New Development and Redevelopment

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 8 (Reliance on non-municipal partners indicated, if any)	Planned Activities
	Review by town engineer	Town Engineering company	To ensure all structures were built and maintained to town standards		
Revised					
	Semi-annual cleaning of all structures	Highway Dept.	Reduces downstream contamination		
Revised					
	Full clean-up of leaves at catch basins and culverts	Highway Dept.	Reduces blocked culverts and the erosion caused by blockages		
Revised					
Revised					
Revised					
Revised					

5a. Additions

6. Pollution Prevention and Good Housekeeping in Municipal Operations

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 8 (Reliance on non-municipal partners indicated, if any)	Planned Activities
	Household Hazardous Waste Collection 2 annually	Highway Dept.	Amount of hazardous waste collected		
Revised					
	Weekly collection of household waste	Highway Dept & Waste Management	Proper disposal of household waste	Waste Management	Waste Management
Revised					
	Outsourcing oil changes	All Dept.	Ensuring proper disposal	DH&DH, AC Tire, and C&D Auto	DH&DH, AC Tire, and C&D Auto
Revised					
	Proper measuring and application of road salt	Highway Dept.	Reduces amount of salt used to achieve safe roads	Ground Speed controls	
Revised					
	Proper storage of salt and clean-up after deliveries and storms	Highway Dept.	Reduces on-site contamination		
Revised					
	Semi-Annual cleaning of stormwater structures	Highway Dept.	Reduces downstream contamination		
Revised					

6a. Additions

	Use of environmentally safe priming fluids in fire apparatus	Fire Dept.	Reduce petroleum products released on fire grounds		
--	--	------------	--	--	--

	Atkinson recycling center	Highway Dept.	Added convenience for proper disposal of recyclable items (mixed paper, cardboard, commingled cans, metal goods, mercury devices, florescent light build)		
--	---------------------------	---------------	---	--	--

7. BMPs for Meeting Total Maximum Daily Load (TMDL) Waste Load Allocations (WLA) <<if applicable>>

BMP ID #	BMP Description	Responsible Dept./Person Name	Measurable Goal(s)	Progress on Goal(s) – Permit Year 8 (Reliance on non-municipal partners indicated, if any)	Planned Activities
Revised					
Revised					
Revised					
Revised					
Revised					
Revised					
Revised					

7a. Additions

7b. WLA Assessment

Part IV. Summary of Information Collected and Analyzed

Part V. Program Outputs & Accomplishments (OPTIONAL)

(Since beginning of permit coverage unless specified otherwise by a **, which indicates response is for period covering April 1, 2010 through March 31, 2011)

Programmatic

	(Preferred Units)	Response
Stormwater management position created/staffed	(y/n)	Road Agent
Annual program budget/expenditures **	(\$)	\$30,000
Total program expenditures since beginning of permit coverage	(\$)	\$30,000
Funding mechanism(s) (General Fund, Enterprise, Utility, etc)		General Budget

Education, Involvement, and Training

Estimated number of property owners reached by education program(s)	(# or %)	7,200
Stormwater management committee established	(y/n)	No
Stream teams established or supported	(# or y/n)	No
Shoreline clean-up participation or quantity of shoreline miles cleaned **	(y/n or mi.)	No
Shoreline cleaned since beginning of permit coverage	(mi.)	No
Household Hazardous Waste Collection Days		
▪ days sponsored **	(#)	2
▪ community participation **	(# or %)	1%
▪ material collected **	(tons or gal)	
School curricula implemented	(y/n)	Yes

--	--	--

Legal/Regulatory

	In Place Prior to Phase II	Reviewing Existing Authorities	Drafted	Draft in Review	Adopted
Regulatory Mechanism Status (indicate with "X")					
▪ Illicit Discharge Detection & Elimination		X			
▪ Erosion & Sediment Control	X				
▪ Post-Development Stormwater Management	X				
Accompanying Regulation Status (indicate with "X")					
▪ Illicit Discharge Detection & Elimination		X			
▪ Erosion & Sediment Control	X				
▪ Post-Development Stormwater Management	X				

Mapping and Illicit Discharges

	(Preferred Units)	Response
Outfall mapping complete	(%)	99%
Estimated or actual number of outfalls	(#)	2,000
System-Wide mapping complete (complete storm sewer infrastructure)	(%)	99%
Mapping method(s)		
▪ Paper/Mylar	(%)	X
▪ CADD	(%)	
▪ GIS	(%)	
Outfalls inspected/screened **	(# or %)	75%
Outfalls inspected/screened (Since beginning of permit coverage)	(# or %)	75%
Illicit discharges identified **	(#)	0
Illicit discharges identified (Since beginning of permit coverage)	(#)	0
Illicit connections removed **	(#); and (est. gpd)	0
Illicit connections removed (Since beginning of permit coverage)	(#); and (est. gpd)	0

% of population on sewer	(%)	0%
% of population on septic systems	(%)	100%

Construction

	(Preferred Units)	Response
Number of construction starts (>1-acre) **	(#)	6
Estimated percentage of construction starts adequately regulated for erosion and sediment control **	(%)	90%
Site inspections completed **	(# or %)	70%
Tickets/Stop work orders issued **	(# or %)	0
Fines collected **	(# and \$)	0
Complaints/concerns received from public **	(#)	0

Post-Development Stormwater Management

Estimated percentage of development/redevelopment projects adequately regulated for post-construction stormwater control	(%)	100%
Site inspections (for proper BMP installation & operation) completed **	(# or %)	100%
BMP maintenance required through covenants, escrow, deed restrictions, etc.	(y/n)	
Low-impact development (LID) practices permitted and encouraged	(y/n)	

Operations and Maintenance

Average frequency of catch basin cleaning (non-commercial/non-arterial streets) **	(times/yr)	½ per year
Average frequency of catch basin cleaning (commercial/arterial or other critical streets) **	(times/yr)	Every year
Qty of structures cleaned **	(#)	300 ±
Qty. of storm drain cleaned **	(%, LF or mi.)	600 LF
Qty. of screenings/debris removed from storm sewer infrastructure **	(lbs. or tons)	40 Tons ±
Disposal or use of screenings (landfill, POTW, compost, beneficial use, etc.) **	(location)	71 Woodlock Park Lane

Basin Cleaning Costs		
• Annual budget/expenditure (labor & equipment)**	(\$)	\$3,500
• Hourly or per basin contract rate **	(\$/hr or \$ per basin)	\$126/hr
• Disposal cost**	(\$)	0
Cleaning Equipment		
• Clam shell truck(s) owned/leased	(#)	0
• Vacuum truck(s) owned/leased	(#)	0
• Vacuum trucks specified in contracts	(y/n)	Yes
• % Structures cleaned with clam shells **	(%)	0
• % Structures cleaned with vector **	(%)	1%

(Preferred Units) Response

Average frequency of street sweeping (non-commercial/non-arterial streets) **	(times/yr)	0
Average frequency of street sweeping (commercial/arterial or other critical streets) **	(times/yr)	0
Qty. of sand/debris collected by sweeping **	(lbs. or tons)	0
Disposal of sweepings (landfill, POTW, compost, beneficial use, etc.) **	(location)	N/A
Annual Sweeping Costs		
• Annual budget/expenditure (labor & equipment)**	(\$)	N/A
• Hourly or lane mile contract rate **	(\$/hr. or ln mi.)	N/A
• Disposal cost**	(\$)	N/A
Sweeping Equipment		
• Rotary brush street sweepers owned/leased	(#)	N/A
• Vacuum street sweepers owned/leased	(#)	N/A
• Vacuum street sweepers specified in contracts	(y/n)	N/A
• % Roads swept with rotary brush sweepers **	%	N/A
• % Roads swept with vacuum sweepers **	%	N/A

Reduction (since beginning of permit coverage) in application on public land of:
 ("N/A" = never used; "100%" = elimination)

▪ Fertilizers	(lbs. or %)	0 lbs
▪ Herbicides	(lbs. or %)	0 lbs
▪ Pesticides	(lbs. or %)	
Integrated Pest Management (IPM) Practices Implemented	(y/n)	Yes

	(Preferred Units)	Response
Average Ratio of Anti-/De-Icing products used ** (also identify chemicals and ratios used in specific areas, e.g., water supply protection areas)	% NaCl % CaCl ₂ % MgCl ₂ % CMA % Kac % KCl % Sand	100% 0.5%
Pre-wetting techniques utilized **	(y/n or %)	0.5%
Manual control spreaders used **	(y/n or %)	Yes
Zero-velocity spreaders used **	(y/n or %)	No
Estimated net reduction or increase in typical year salt/chemical application rate	(±lbs/l _n mi. or %)	None same as last year
Estimated net reduction or increase in typical year sand application rate **	(±lbs/l _n mi. or %)	None same as last year
% of salt/chemical pile(s) covered in storage shed(s)	(%)	100%
Storage shed(s) in design or under construction	(y/n or #)	No
100% of salt/chemical pile(s) covered in storage shed(s) by May 2008	(y/n)	Yes

Water Supply Protection

Storm water outfalls to public water supplies eliminated or relocated	# or y/n	None
Installed or planned treatment BMPs for public drinking water supplies and their protection areas	# or y/n	None
Treatment units induce infiltration within 500-feet of a wellhead protection area	# or y/n	None